B4465-1.14

LENGTH OF STAY

HKS PUBLICATIONS

Length of Stay by Diagnosis and Operation, United States, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
October, 1989

LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1988
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1988
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1988
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Length of Stay by Psychiatric Diagnosis* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface ... iv

Introduction ... v

Description of the Database ... v

- Source of the Data
- Data Quality
- Database Characteristics

Organization of Length of Stay Tables ... x

- Classification System
- Patient Data Assignment
- Definition of Multiple Diagnosis Patients
- Definition of Operated Patients

Explanation of Statistics ... xi

Application of Length of Stay Tables ... xii

Twenty-Five Years of Length of Stay ... xiii

Length of Stay Tables ... 1

- Length of Stay Diagnosis Groups ... 1
- Summary of All Patients in Diagnosis Groups ... 2
- Summary of All Patients Except Newborn ... 3
- Diagnosis Groups 1-417 ... 4
- Length of Stay Operation Groups ... 213
- Summary of All Patients in Operation Groups ... 214
- Operation Groups 501-783 ... 215

Appendix

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups ... 287

Indexes

- Part I: Diagnosis Index ... 295
- Part II: Operation Index ... 317
- Part III: Crosswalk from Old to New Hospital Diagnosis and Procedure Groups ... 337

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1988 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are included in the 1988 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available.

1988 LENGTH OF STAY SERIES

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS

Linda E. Vanek, Assistant Manager, Normative Publications
Stacey Koepke, Customer Service Representative

INFORMATION SERVICES

Marion S. Morris, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),

Ruth Blumenauer and Kay Brown, Client Development Specialists, HKS,
Cindy Derr and the entire Word Processing staff,
Mary Kay Murray, Marketing Specialist, HKS,
Nancy Ramirez, Medical Systems Specialist, HKS,
Sally Smith, Senior Programmer Analyst,
Robert Travis, Librarian.

INTRODUCTION

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings. Now in its twenty-fifth year, and still drawn from CPHA's extensive database, *Length of Stay* remains the industry standard for inpatient normative data.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Table 1. Table definitions are as follows:

Region and Census Division

The regional volumes of Length of Stay series are defined by four census regions as described in the map below.



** Includes Alaska and Hawaii

See Table 2 for the states comprising each region and the number of hospitals and patients included in each volume.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976

TABLE 1
1988 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

Hospital Category	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Bedsize			
6-24	382	46	12.0
25-49	1,158	208	18.0
50-99	1,244	254	20.4
100-199	1,203	237	19.7
200-299	726	158	21.8
300-399	423	96	22.7
400-499	216	49	22.7
500+	293	59	20.1
Total	**5,645**	**1,107**	**19.6**
Region and Census Division			
Northeast	803	259	32.3
New England	241	97	40.2
Middle Atlantic	562	162	28.8
North Central	1,645	354	21.5
East North Central	870	300	34.5
West North Central	775	54	7.0
South	2,096	197	9.4
South Atlantic	812	112	13.8
East South Central	485	45	9.3
West South Central	799	40	5.0
West	1,101	297	27.0
Mountain	365	136	37.3
Pacific	736	161	21.9
Location			
Urban	2,996	604	20.2
Rural	2,649	503	19.0
Teaching Intensity			
Low	4,641	834	18.0
Medium	619	143	23.1
High	319	64	20.1
Unknown	66	66	100

---

[1] Hospitals with average stay less than 30 days.

[2] 1987 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Table 2
STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number of hospitals and total patients included in the length of stay tables are shown below.

Region	Number of Hospitals	Number of Patients
Northeast	259	1,407,115
North Central	354	1,810,030
South	197	862,390
West	297	1,406,144
U.S.	1,107	5,485,679

The Pediatric book was compiled from the data of 1,077 hospitals. The Geriatric book was compiled from the data of 1,058 hospitals.

ORGANIZATION OF LENGTH OF STAY TABLES

Classification System

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group, patients are stratified by single or multiple diagnosis and age.

NOTE: The composition of List A Diagnosis and List B Procedure groups in the 1988 Length of Stay series has been revised to reflect advances in medical technology and current trends in clinical medicine. The title of each group includes a brief English description and *ICD-9-CM* codes that fall into that group. Where space is limited, a full description can be found in the Appendix. For tracking purposes, a crosswalk from the old Diagnosis and Procedure groups is provided in Part III of the Index at the back of the book.

Patient Data Assignment

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*, updated as of October 1988.

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*. Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients, their average length of stay, the variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The *Length of Stay* series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The *LOS* series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the *LOS* series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate *Length of Stay* for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in *Length of Stay*. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

TWENTY-FIVE YEARS OF LENGTH OF STAY

Now in their 25th year, the *Length of Stay* publications are drawn from a unique database of hospital medical experience. The original series in 1963-64 utilized discharge records submitted to CPHA through the Professional Activity Study. The 1988 *LOS* series, published by HKS with data from PAS hospitals and hospital associations, is based on over five million patient records, representing almost 20 percent of the short-term, nonfederal hospitals in the United States.

With LOS data, healthcare professionals can track trends over time and examine current patterns of inpatient hospitalization. For a broad perspective, total days spent in the hospital for various conditions can be compared from the earliest data (1963-64) to the current data (1988). For example, average stay for a diagnosis of diabetes mellitus without complications which was 11.3 days in the 60's, dropped to 5.1 days in 1988.

The following table illustrates hospital stay over a ten year period:

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1988

Region	**1979**	**1980**	**1981**	**1982**	**1983**	**1984**	**1985**	**1986**	**1987**	**1988**
					All Patients					
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8	5.7
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8	4.7
					All Patients Except Newborn					
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1	6.0
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0	5.9
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0	5.0

Source: *Length of Stay by Diagnosis*, U.S. and Regions, 1979-1988.

As expected, there is a steady decline over the time period with almost a 15% decrease, from an average stay of 6.7 days in 1979 to 5.7 days in 1988. A slight levelling off can be observed since 1986. Regional variations remain consistent, with hospital stays highest in the Northeast and North Central, and lowest in the South and West.

A specific example of this pattern is evidenced in the table below which displays length of stay for normal delivery (ICD-9-CM 650) from 1980 through 1988. This table illustrates the overall decline in length of stay as well as the regional variations described above:

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.2	2.1
Northeast	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6
North Central	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.4	2.2
South	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
West	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1980 for frequently performed surgeries in the United States:

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
Cervical Cesarean Section	6.3	6.2	6.1	5.8	5.6	5.3	5.0	4.8	4.7
Cholecystectomy	10.9	10.7	10.4	9.9	9.1	8.2	7.7	7.2	6.9
Transurethral Prostatectomy	10.4	10.3	9.9	9.3	8.2	7.1	6.5	6.1	5.8
Unilateral Repair of Inguinal Hernia	4.8	4.7	4.4	4.1	3.7	3.2	2.8	2.6	2.5
Vaginal Hysterectomy	7.4	7.3	7.1	6.7	6.3	5.8	5.2	4.8	4.4

Researchers have looked at a variety of factors to explain the decline in hospital stay. Clearly one incentive to decrease stay resulted from the federal government's implementation of a fixed price prospective payment system (PPS) to reimburse hospitals for inpatient costs by Medicare patients. The effect of PPS is demonstrated in studies showing that between 1980 and 1985 Medicare beneficiaries have the greatest relative decline in stay. LOS data show increasingly shorter stays throughout the 80's with the most significant drop occurring between 1983 and 1984. Length of stay dropped 0.4 days for all U.S. hospitals over that year, and continued downward an additional 0.2 days in 1985.

In the 1980's new medical technologies have shortened the number of days a patient needs to be in the hospital. For example, the use of arthroscopic surgeries on the knee has decreased significantly the length of stay in U.S. short-term hospitals. Length of stay data for both internal derangement of the knee joint and dislocation of the knee show a decline from more than 4 days in 1980 to 2.5 days in 1988. Similarly the advent of chemoneucleolysis for herniated discs has reduced hospital stay dramatically.

Issues of cost containment have led to greater scrutiny over hospital stay, translated into the practice of discharging patients as soon as it is medically acceptable. Evidence of this practice is particularly clear for patients receiving medical/surgical procedures. Routine pre-operative examinations are now performed on an outpatient basis prior to admission. Post-operative stay has been shortened, with an increasing reliance on transfer to an alternative care facility after discharge.

The proliferation of HMO's and PPO's may provide yet another explanation for reduced inpatient days. With medical services now being prepaid, the incentive is to closely monitor all service delivery and to reduce costly hospital stays whenever possible.

Length of stay data are only one indicator of inpatient costs. This annual publication of norms from the CPHA database serves a significant function in offering a consistently reliable measure for review and analysis.

Length of Stay Tables
Diagnosis Groups

1,107 Hospitals, United States, January-December 1988

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	497010	2.7	10	1	2	2	3	4	5	14
20-34	222548	3.1	18	1	1	2	3	5	8	23
35-49	81631	4.3	33	1	1	3	5	9	14	30
50-64	47899	4.5	30	1	2	3	5	9	13	29
65 +	41895	5.1	34	1	2	4	6	10	14	30
B. Operated										
0-19 YRS	148748	2.8	12	1	1	2	3	6	8	16
20-34	281628	2.8	5	1	1	2	3	5	6	10
35-49	122924	3.4	9	1	1	3	4	7	9	14
50-64	88420	4.0	14	1	1	3	5	8	11	16
65 +	76582	5.0	22	1	2	4	7	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	527165	4.5	42	1	2	3	4	8	13	38
20-34	257055	5.9	59	1	2	3	6	14	23	36
35-49	243428	6.1	49	1	2	4	7	13	21	34
50-64	336908	6.0	38	2	3	4	7	12	17	31
65 +	817591	7.4	51	2	3	6	9	14	19	39
B. Operated										
0-19 YRS	171497	6.5	109	1	1	3	7	15	27	83
20-34	396536	4.5	31	1	2	3	5	8	12	30
35-49	269848	6.1	54	1	3	4	7	12	18	42
50-64	307463	7.9	77	1	3	6	10	16	23	49
65 +	548903	10.3	105	2	4	8	13	21	30	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	890983	3.2	17	1	2	2	3	5	8	22
B. Operated	718302	3.3	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	2182147	6.2	49	1	2	4	7	13	19	37
B. Operated	1694247	7.5	80	1	3	5	9	16	23	53
1. SINGLE DX	1609285	3.2	14	1	1	2	4	6	8	18
2. MULTIPLE DX	3876394	6.7	63	1	2	4	8	14	21	44
A. Not Operated	3073130	5.3	42	1	2	3	6	11	16	33
B. Operated	2412549	6.2	63	1	2	4	7	13	20	45
TOTAL										
0-19 YRS	1344420	3.9	37	1	2	2	4	7	11	35
20-34	1157767	4.1	30	1	2	3	4	7	12	29
35-49	717831	5.4	43	1	2	4	6	11	17	34
50-64	780690	6.5	52	1	2	4	8	13	19	38
65 +	1484971	8.3	72	2	3	6	10	17	23	48
GRAND TOTAL	**5485679**	**5.7**	**51**	**1**	**2**	**4**	**7**	**12**	**18**	**38**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	188071	3.3	24	1	1	2	3	6	9	27
20-34	222548	3.1	18	1	1	2	3	5	8	23
35-49	81631	4.3	33	1	1	3	5	9	14	30
50-64	47899	4.5	30	1	2	3	5	9	13	29
65 +	41895	5.1	34	1	2	4	6	10	14	30
B. Operated										
0-19 YRS	148414	2.8	11	1	1	2	3	6	8	16
20-34	281628	2.8	5	1	1	2	3	5	6	10
35-49	122924	3.4	9	1	1	3	4	7	9	14
50-64	88420	4.0	14	1	1	3	5	8	11	16
65 +	76582	5.0	22	1	2	4	7	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	312069	4.9	56	1	2	3	5	9	16	43
20-34	257055	5.9	59	1	2	3	6	14	23	36
35-49	243428	6.1	49	1	2	4	7	13	21	34
50-64	336908	6.0	38	2	3	4	7	12	17	31
65 +	817591	7.4	51	2	3	6	9	14	19	39
B. Operated										
0-19 YRS	163053	5.8	79	1	1	3	6	13	22	64
20-34	396536	4.5	31	1	2	3	5	8	12	30
35-49	269848	6.1	54	1	3	4	7	12	18	42
50-64	307463	7.9	77	1	3	6	10	16	23	49
65 +	548903	10.3	105	2	4	8	13	21	30	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	582044	3.6	25	1	1	2	4	7	10	27
B. Operated	717968	3.3	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	1967051	6.4	51	1	2	4	8	13	19	37
B. Operated	1685803	7.4	77	1	3	5	9	16	23	51
1. SINGLE DX	1300012	3.4	17	1	1	2	4	7	9	20
2. MULTIPLE DX	3652854	6.9	63	1	2	4	8	14	21	44
A. Not Operated	2549095	5.8	47	1	2	4	7	12	18	35
B. Operated	2403771	6.2	61	1	2	4	7	13	19	43
TOTAL										
0-19 YRS	811607	4.3	46	1	1	2	4	8	14	41
20-34	1157767	4.1	30	1	2	3	4	7	12	29
35-49	717831	5.4	43	1	2	4	6	11	17	34
50-64	780690	6.5	52	1	2	4	8	13	19	38
65 +	1484971	8.3	72	2	3	6	10	17	23	48
GRAND TOTAL	**4952866**	**6.0**	**53**	**1**	**2**	**4**	**7**	**13**	**19**	**39**

1,107 Hospitals, United States, January-December 1988

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2449	2.3	2	1	1	2	3	4	5	7
20-34	602	2.1	2	1	1	2	3	4	5	8
35-49	299	2.3	2	1	1	2	3	4	5	7
50-64	123	2.7	3	1	2	2	3	5	6	9
65 +	83	2.6	1	1	2	2	3	4	5	5
B. Operated										
0-19 YRS	38	2.9	2	2	2	3	4	4	5	9
20-34	17	4.6	4	2	3	4	6	8	9	9
35-49	5	4.8	8	2	3	4	7	9	9	9
50-64	3	5.3	2	4	4	5	6	7	7	7
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6738	2.9	4	1	2	2	3	5	6	10
20-34	1444	2.7	3	1	2	2	3	5	6	9
35-49	984	3.2	6	1	2	3	4	5	7	12
50-64	968	3.5	5	1	2	3	4	6	8	12
65 +	2064	4.3	10	2	2	4	5	8	10	18
B. Operated										
0-19 YRS	144	9.2	128	2	3	5	11	26	38	99 +
20-34	109	4.8	17	1	2	4	6	9	11	23
35-49	63	6.4	31	3	4	5	7	12	16	36
50-64	83	6.5	23	2	4	5	8	11	17	26
65 +	117	7.9	35	3	4	6	9	17	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3556	2.3	2	1	1	2	3	4	5	7
B. Operated	65	3.6	4	2	2	3	4	6	8	9
2. MULTIPLE DX										
A. Not Operated	12198	3.2	5	1	2	3	4	6	7	12
B. Operated	516	7.2	57	2	3	5	8	15	22	45
1. SINGLE DX	3621	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	12714	3.3	8	1	2	3	4	6	8	14
A. Not Operated	15754	3.0	5	1	2	2	4	5	7	11
B. Operated	581	6.8	52	2	3	5	8	14	21	43
TOTAL										
0-19 YRS	9369	2.8	6	1	2	2	3	5	6	11
20-34	2172	2.6	4	1	1	2	3	5	6	10
35-49	1351	3.1	7	1	2	3	4	6	7	12
50-64	1177	3.6	7	1	2	3	4	6	9	14
65 +	2266	4.5	12	2	2	4	5	8	10	20
GRAND TOTAL	16335	3.1	7	1	2	3	4	5	7	13

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1172	3.6	8	1	2	3	4	6	8	15
20-34	481	3.3	4	1	2	3	4	6	7	10
35-49	250	3.6	6	1	2	3	5	7	8	12
50-64	121	3.6	6	1	2	3	5	6	8	13
65 +	69	3.7	6	1	2	3	5	7	8	11
B. Operated										
0-19 YRS	52	5.8	16	2	3	4	7	11	16	20
20-34	70	4.3	6	2	2	4	5	7	9	14
35-49	58	4.8	6	2	3	4	6	8	9	16
50-64	22	5.1	3	3	4	5	6	8	9	9
65 +	15	6.7	9	3	4	6	8	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2421	4.1	13	2	2	3	5	7	10	17
20-34	886	4.0	13	1	2	3	5	7	9	15
35-49	654	4.5	12	2	2	4	6	8	11	18
50-64	589	5.1	12	2	3	4	6	9	12	19
65 +	1157	7.2	45	2	4	5	9	13	17	35
B. Operated										
0-19 YRS	124	11.3	205	3	4	6	12	32	50	96
20-34	202	7.2	77	2	3	5	7	12	23	50
35-49	202	7.2	42	2	4	5	8	13	18	38
50-64	188	9.6	106	3	4	7	11	18	25	58
65 +	374	12.8	131	4	6	9	15	27	40	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2093	3.5	7	1	2	3	4	6	8	13
B. Operated	217	5.0	9	2	3	4	6	8	11	17
2. MULTIPLE DX										
A. Not Operated	5707	4.9	20	2	2	4	6	9	12	22
B. Operated	1090	10.0	114	3	4	6	11	21	32	56
1. SINGLE DX	2310	3.7	7	1	2	3	5	6	8	14
2. MULTIPLE DX	6797	5.7	39	2	3	4	6	11	15	34
A. Not Operated	7800	4.5	17	1	2	3	5	8	11	20
B. Operated	1307	9.2	100	3	4	6	10	19	27	54
TOTAL										
0-19 YRS	3769	4.2	19	1	2	3	5	7	10	22
20-34	1639	4.2	19	1	2	3	5	7	9	22
35-49	1164	4.8	17	2	2	4	6	9	11	21
50-64	920	5.8	34	2	3	4	7	11	14	28
65 +	1615	8.3	69	2	4	6	10	16	22	49
GRAND TOTAL	9107	5.2	32	2	2	4	6	10	14	29

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	5.1	16	1	2	4	7	12	14	15
20-34	47	8.1	25	3	4	7	11	16	19	21
35-49	38	10.3	52	4	6	10	12	18	26	39
50-64	19	7.2	27	1	3	7	12	51	99+	99+
65+	9	8.0	19	3	5	6	12	14	14	14
B. Operated										
0-19 YRS	14	7.3	119	1	2	4	6	15	38	44
20-34	19	8.5	23	2	5	8	11	16	17	17
35-49	30	8.7	38	2	4	8	10	15	18	30
50-64	20	9.7	28	4	5	9	13	15	20	25
65+	18	7.4	14	4	5	6	9	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	6.6	23	2	3	6	8	14	16	22
20-34	126	11.7	63	3	7	10	14	23	29	37
35-49	155	13.1	141	3	6	10	15	29	37	99+
50-64	139	12.5	80	4	6	10	16	22	31	46
65+	208	13.5	142	3	6	10	17	27	36	78
B. Operated										
0-19 YRS	23	13.2	134	3	6	9	20	29	36	49
20-34	78	19.1	201	7	9	15	25	35	54	65
35-49	105	18.2	254	6	8	14	24	44	65	99+
50-64	98	15.6	184	4	8	11	19	32	52	85
65+	189	16.8	191	5	8	12	22	33	48	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	8.0	33	2	4	7	11	15	20	99+
B. Operated	101	8.4	39	3	5	7	10	15	17	37
2. MULTIPLE DX										
A. Not Operated	669	12.4	109	3	6	10	15	24	33	66
B. Operated	493	17.0	203	5	8	13	22	33	53	95
1. SINGLE DX	242	8.2	35	2	4	7	11	15	18	47
2. MULTIPLE DX	1162	14.4	154	4	7	11	18	29	41	81
A. Not Operated	810	11.6	98	3	6	10	15	23	31	69
B. Operated	594	15.3	185	4	7	11	20	31	50	89
TOTAL										
0-19 YRS	106	7.7	65	1	3	6	9	15	23	46
20-34	270	13.0	110	3	6	10	16	26	31	60
35-49	328	14.0	166	4	7	11	16	29	42	99+
50-64	276	13.0	114	4	6	10	16	26	40	91
65+	424	14.6	161	4	6	11	19	30	40	83
GRAND TOTAL	**1404**	**13.3**	**139**	**3**	**6**	**10**	**16**	**28**	**38**	**80**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	10.8	92	3	5	8	12	28	31	31
20-34	4	7.5	89	1	1	4	14	21	21	21
35-49	5	8.2	65	2	2	5	13	21	21	21
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	22	6.2	62	<1	1	2	10	20	24	28
20-34	6	9.8	37	2	3	11	15	16	16	16
35-49	4	13.8	273	<1	3	8	23	38	38	38
50-64	5	7.8	26	1	5	8	10	15	15	15
65+	3	8.7	44	3	4	7	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	10.4	114	2	3	7	13	29	35	35
20-34	22	9.0	75	1	3	7	14	28	58	99+
35-49	24	9.8	73	2	4	9	13	16	27	41
50-64	19	23.7	425	6	9	13	34	57	69	74
65+	27	17.7	173	5	10	15	24	38	65	99+
B. Operated										
0-19 YRS	23	12.6	289	1	3	5	14	35	59	63
20-34	39	18.8	300	2	7	17	29	48	94	99+
35-49	62	24.7	329	6	13	21	34	54	82	99+
50-64	40	27.0	472	7	12	19	37	61	79	88
65+	46	26.0	340	6	14	20	36	61	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	8.8	68	2	3	6	9	22	27	31
B. Operated	40	7.9	70	<1	1	5	12	18	24	38
2. MULTIPLE DX										
A. Not Operated	101	14.4	196	3	5	10	17	36	53	99+
B. Operated	210	23.0	363	5	9	18	33	56	82	99+
1. SINGLE DX	61	8.2	68	1	2	6	11	21	25	37
2. MULTIPLE DX	311	20.2	324	4	7	15	30	52	73	99+
A. Not Operated	122	13.4	177	3	5	9	16	35	44	99+
B. Operated	250	20.6	347	2	7	16	30	53	75	99+
TOTAL										
0-19 YRS	63	9.8	158	1	2	5	12	26	32	62
20-34	71	14.3	216	1	5	10	20	36	83	99+
35-49	95	19.6	293	3	8	15	26	48	63	99+
50-64	66	23.9	440	6	9	15	33	51	75	87
65+	77	22.2	288	6	11	17	33	56	74	99+
GRAND TOTAL	**372**	**18.2**	**302**	**2**	**6**	**14**	**26**	**45**	**63**	**99+**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	347	2.4	2	1	2	2	3	4	5	6
20-34	142	2.5	1	1	2	2	3	4	5	5
35-49	41	2.8	2	1	2	3	3	5	5	7
50-64	13	4.5	2	3	4	4	5	6	7	7
65 +	3	4.7	1	4	4	4	6	6	6	6
B. Operated										
0-19 YRS	121	1.1		1	1	1	1	1	2	4
20-34	18	1.2		< 1	1	1	1	2	2	2
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1389	2.7	3	1	2	2	3	5	6	9
20-34	434	3.0	3	1	2	3	4	5	6	8
35-49	128	3.0	2	1	2	3	4	5	6	8
50-64	97	4.1	9	2	3	3	5	7	8	20
65 +	57	4.0	5	2	2	3	5	7	9	10
B. Operated										
0-19 YRS	109	2.4	11	1	1	1	2	6	9	20
20-34	23	5.0	29	1	1	2	8	11	17	22
35-49	8	3.8	3	1	3	4	5	6	6	6
50-64	2	12.5	41	8	8	12	17	17	17	17
65 +	3	9.0	7	6	7	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	546	2.5	2	1	2	2	3	4	5	6
B. Operated	142	1.2	1	1	1	1	1	1	2	7
2. MULTIPLE DX										
A. Not Operated	2105	2.9	3	1	2	3	4	5	6	9
B. Operated	145	3.2	16	1	1	1	4	8	11	21
1. SINGLE DX	688	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX	2250	2.9	4	1	2	2	4	5	6	10
A. Not Operated	2651	2.8	3	1	2	2	3	5	6	9
B. Operated	287	2.2	10	1	1	1	2	5	8	18
TOTAL										
0-19 YRS	1966	2.6	3	1	1	2	3	5	5	9
20-34	617	2.9	4	1	2	3	3	5	6	9
35-49	179	3.0	2	1	2	3	4	5	6	8
50-64	113	4.3	9	2	3	4	5	7	8	20
65 +	63	4.3	6	2	2	4	6	9	10	11
GRAND TOTAL	**2938**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**	**10**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1421	4.3	10	2	2	3	5	9	10	14
20-34	42	4.9	10	2	3	4	6	11	12	14
35-49	38	5.6	6	3	4	5	7	8	9	15
50-64	48	5.9	14	2	3	5	7	11	13	20
65 +	115	7.7	37	2	4	6	9	16	19	33
B. Operated										
0-19 YRS	34	6.7	28	2	3	5	9	14	18	25
20-34	3	14.7	110	4	7	15	22	25	25	25
35-49	3	8.3		8	8	8	9	9	9	9
50-64	4	9.3	77	3	3	6	15	22	22	22
65 +	12	17.0	66	8	10	16	25	28	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3480	5.5	20	2	3	4	7	11	14	21
20-34	710	8.4	49	3	4	6	10	16	23	43
35-49	1178	9.3	57	3	5	7	11	17	24	41
50-64	2216	9.6	48	4	6	8	12	17	22	40
65 +	9964	10.5	56	4	6	9	13	18	24	43
B. Operated										
0-19 YRS	376	14.8	160	4	7	11	19	32	45	99 +
20-34	331	17.8	261	5	7	13	23	42	61	99 +
35-49	529	17.4	189	5	8	13	22	37	47	83
50-64	961	18.3	221	6	9	14	22	39	52	99
65 +	3088	19.3	204	7	10	15	25	40	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1664	4.6	13	2	3	3	6	9	11	16
B. Operated	56	9.6	57	2	4	7	13	23	27	28
2. MULTIPLE DX										
A. Not Operated	17548	9.3	51	3	5	8	11	17	22	40
B. Operated	5285	18.5	208	6	9	14	23	39	52	99 +
1. SINGLE DX	1720	4.8	15	2	3	3	6	10	11	19
2. MULTIPLE DX	22833	11.4	103	3	6	9	14	22	31	62
A. Not Operated	19212	8.9	50	3	4	7	11	16	21	39
B. Operated	5341	18.4	207	6	9	14	23	39	51	99 +
TOTAL										
0-19 YRS	5311	5.9	34	2	3	4	7	11	15	32
20-34	1086	11.1	132	3	5	7	13	24	35	85
35-49	1748	11.7	110	4	5	9	14	24	35	57
50-64	3229	12.2	115	4	6	9	14	23	33	67
65 +	13179	12.6	105	5	7	10	15	24	33	66
GRAND TOTAL	**24553**	**10.9**	**99**	**3**	**5**	**8**	**13**	**21**	**30**	**61**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	690	6.0	16	2	3	5	8	10	13	16
20-34	86	5.5	17	2	3	5	7	11	12	24
35-49	67	5.3	15	2	3	4	6	12	14	18
50-64	42	4.7	7	2	3	4	7	9	11	11
65+	22	6.9	37	2	4	5	8	15	23	26
B. Operated										
0-19 YRS	32	5.8	26	1	1	5	8	14	16	20
20-34	19	5.5	7	2	3	6	7	9	9	9
35-49	14	6.6	16	3	4	5	9	12	15	16
50-64	6	12.8	25	5	11	14	15	19	19	19
65+	3	15.7	602	1	1	2	33	44	44	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	813	7.1	30	2	3	6	10	13	16	25
20-34	225	6.3	21	2	3	5	8	12	15	24
35-49	183	7.1	43	2	3	5	8	13	21	35
50-64	225	7.4	39	3	4	6	9	15	20	30
65+	452	8.5	56	3	4	7	10	16	22	39
B. Operated										
0-19 YRS	124	16.7	287	3	6	12	22	42	54	99+
20-34	81	15.5	247	3	5	12	18	31	50	85
35-49	89	20.1	298	4	7	16	26	39	59	87
50-64	110	19.2	244	5	8	15	26	44	55	92
65+	155	19.5	302	4	8	15	25	51	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	907	5.8	16	2	3	5	8	11	13	18
B. Operated	74	5.9	41	1	3	6	9	14	16	38
2. MULTIPLE DX										
A. Not Operated	1898	7.4	38	2	4	6	9	14	18	31
B. Operated	559	18.3	280	4	7	13	24	43	58	99+
1. SINGLE DX	981	5.9	18	2	3	5	8	11	13	20
2. MULTIPLE DX	2457	9.9	114	3	4	7	11	21	30	62
A. Not Operated	2805	6.9	31	2	3	6	9	13	16	28
B. Operated	633	17.0	265	3	6	12	23	41	56	99+
TOTAL										
0-19 YRS	1659	7.3	50	2	3	6	9	13	17	37
20-34	411	7.9	78	2	3	5	10	15	22	49
35-49	353	10.0	135	2	4	6	12	23	34	61
50-64	383	10.6	124	3	4	7	13	25	34	59
65+	632	11.2	140	3	5	8	13	24	36	93
GRAND TOTAL	**3438**	**8.7**	**90**	**2**	**4**	**6**	**10**	**17**	**25**	**56**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1683	3.3	4	2	2	3	4	5	7	11
20-34	696	3.5	4	2	2	3	4	6	7	10
35-49	185	4.0	6	2	2	3	5	7	8	14
50-64	34	4.3	11	2	2	3	5	9	13	14
65+	9	4.2	6	2	2	3	6	8	9	9
B. Operated										
0-19 YRS	19	3.5	4	2	2	3	4	8	55	99+
20-34	6	6.3	10	4	4	5	8	12	12	12
35-49	6	6.7	29	2	3	4	10	15	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1249	4.3	10	2	3	3	5	7	10	18
20-34	572	4.7	11	2	3	4	6	8	10	19
35-49	209	4.9	11	2	3	4	6	9	13	16
50-64	94	6.3	22	2	3	5	8	12	16	25
65+	77	9.8	60	3	5	8	12	17	22	43
B. Operated										
0-19 YRS	35	8.1	64	2	3	5	10	19	26	38
20-34	24	9.5	88	4	4	7	11	22	59	99+
35-49	25	11.5	50	5	7	10	14	23	28	31
50-64	10	14.9	149	4	6	11	21	33	44	44
65+	10	21.3	214	8	13	19	20	46	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2607	3.4	4	2	2	3	4	6	7	11
B. Operated	32	4.6	11	2	2	4	6	11	15	99+
2. MULTIPLE DX										
A. Not Operated	2201	4.7	14	2	3	4	5	8	11	20
B. Operated	104	11.1	100	3	5	7	14	22	36	76
1. SINGLE DX	2639	3.5	4	2	2	3	4	6	7	11
2. MULTIPLE DX	2305	5.0	19	2	3	4	6	9	13	23
A. Not Operated	4808	4.0	9	2	2	3	5	7	9	16
B. Operated	136	9.6	86	2	4	7	13	21	34	99+
TOTAL										
0-19 YRS	2986	3.8	7	2	2	3	4	6	9	15
20-34	1298	4.2	10	2	2	3	5	7	9	18
35-49	425	4.9	14	2	3	4	6	9	13	20
50-64	139	6.4	34	2	3	4	8	14	17	30
65+	96	10.4	85	3	5	8	13	20	32	50
GRAND TOTAL	**4944**	**4.2**	**12**	**2**	**2**	**3**	**5**	**7**	**10**	**19**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	462	3.6	8	1	2	3	4	7	9	17
20-34	129	4.3	5	2	3	4	5	7	9	11
35-49	50	5.3	9	2	3	5	6	9	11	15
50-64	70	4.9	15	1	3	4	6	9	12	22
65 +	131	5.2	15	2	3	4	7	9	10	22
B. Operated										
0-19 YRS	9	5.8	10	3	3	4	8	11	11	11
20-34	4	9.5	17	4	7	10	12	14	14	14
35-49	3	3.7		3	3	4	4	4	4	4
50-64	8	3.6	16	< 1	1	2	6	10	10	10
65 +	18	3.9	19	1	1	2	4	9	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1593	4.5	12	1	2	4	6	8	10	18
20-34	391	5.1	13	2	3	4	7	9	12	20
35-49	244	6.4	22	3	4	5	8	11	13	28
50-64	441	6.6	19	2	4	6	8	12	14	25
65 +	1491	7.7	37	3	4	6	9	14	18	35
B. Operated										
0-19 YRS	89	14.5	167	3	6	11	17	30	43	60
20-34	43	12.2	132	2	4	9	18	32	64	99 +
35-49	50	14.1	171	4	6	10	20	28	41	61
50-64	46	12.5	111	2	5	9	18	30	34	43
65 +	211	13.4	130	3	6	10	17	26	39	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	842	4.2	10	1	2	3	5	8	10	17
B. Operated	42	4.8	17	1	2	3	7	10	12	18
2. MULTIPLE DX										
A. Not Operated	4160	6.0	25	2	3	5	7	11	15	26
B. Operated	439	13.5	139	3	6	10	17	28	42	62
1. SINGLE DX	884	4.2	10	1	2	3	5	8	10	17
2. MULTIPLE DX	4599	6.7	40	2	3	5	8	13	18	37
A. Not Operated	5002	5.7	22	2	3	5	7	11	14	24
B. Operated	481	12.7	135	3	5	10	16	27	40	62
TOTAL										
0-19 YRS	2153	4.7	22	1	2	3	6	8	12	24
20-34	567	5.5	24	2	3	4	7	10	14	28
35-49	347	7.4	49	3	4	5	8	13	20	41
50-64	565	6.8	29	2	3	6	8	12	17	32
65 +	1851	8.1	50	3	4	6	10	15	20	39
GRAND TOTAL	**5483**	**6.3**	**36**	**2**	**3**	**5**	**8**	**12**	**16**	**34**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	4.7	18	1	2	4	6	9	11	22
20-34	322	5.3	13	2	3	4	7	10	13	17
35-49	131	5.3	11	2	3	5	7	9	14	18
50-64	38	5.2	9	2	3	4	7	10	11	12
65 +	9	5.0	6	1	3	6	7	8	8	8
B. Operated										
0-19 YRS	6	2.0	4	1	1	1	2	6	6	6
20-34	13	5.1	14	1	1	5	9	10	10	10
35-49	18	4.8	61	1	1	1	6	9	24	34
50-64	10	3.8	13	1	1	3	5	9	13	13
65 +	7	5.0	24	1	1	4	6	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	4.2	8	1	2	3	5	8	9	15
20-34	502	5.7	18	2	3	5	7	10	13	22
35-49	284	5.4	12	2	3	5	7	9	11	18
50-64	167	7.4	30	3	4	6	10	14	18	31
65 +	184	9.0	87	2	4	7	10	19	28	37
B. Operated										
0-19 YRS	22	11.5	162	1	2	8	20	42	64	99 +
20-34	47	8.7	84	1	3	6	11	19	32	45
35-49	61	8.9	70	1	3	7	12	21	29	35
50-64	43	8.7	89	1	1	7	12	21	28	41
65 +	48	11.7	86	3	5	10	14	28	40	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	635	5.2	14	2	3	4	7	9	12	18
B. Operated	54	4.4	29	1	1	3	6	10	12	33
2. MULTIPLE DX										
A. Not Operated	1282	6.2	29	2	3	5	8	11	15	30
B. Operated	221	9.7	89	1	3	8	13	22	35	60
1. SINGLE DX	689	5.1	15	2	3	4	6	9	12	18
2. MULTIPLE DX	1503	6.7	39	2	3	5	8	13	18	35
A. Not Operated	1917	5.8	24	2	3	5	7	11	14	26
B. Operated	275	8.7	82	1	2	6	11	20	33	45
TOTAL										
0-19 YRS	308	4.9	26	1	2	4	6	9	12	39
20-34	884	5.7	20	2	3	5	7	10	13	25
35-49	494	5.8	22	2	3	5	7	11	14	27
50-64	258	7.2	37	2	3	5	9	14	19	32
65 +	248	9.2	84	2	4	7	11	20	29	41
GRAND TOTAL	**2192**	**6.2**	**32**	**2**	**3**	**5**	**8**	**12**	**15**	**32**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	494	3.2	3	1	2	3	4	6	7	9
20-34	129	3.9	5	2	2	3	5	7	8	12
35-49	21	4.1	7	2	3	4	5	8	11	12
50-64	8	3.0	3	1	2	3	4	5	6	6
65 +	0									
B. Operated										
0-19 YRS	8	3.3	4	1	2	3	4	6	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1602	3.5	4	2	2	3	4	6	7	10
20-34	389	4.2	7	2	2	4	5	7	9	13
35-49	74	5.2	9	2	3	4	7	10	11	14
50-64	26	5.2	7	2	4	5	7	8	10	12
65 +	10	5.3	6	2	4	5	7	9	10	10
B. Operated										
0-19 YRS	53	7.7	83	1	2	5	10	18	26	98
20-34	21	8.3	21	2	6	7	10	16	18	18
35-49	7	11.1	71	2	6	7	19	23	24	24
50-64	8	12.4	91	2	5	8	21	25	27	27
65 +	4	10.0	44	5	5	8	15	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	652	3.3	4	1	2	3	4	6	7	10
B. Operated	13	3.8	6	1	2	4	5	7	9	9
2. MULTIPLE DX										
A. Not Operated	2101	3.7	5	2	2	3	5	7	8	11
B. Operated	93	8.6	67	2	3	7	10	21	25	81
1. SINGLE DX	665	3.3	4	1	2	3	4	6	7	10
2. MULTIPLE DX	2194	3.9	8	2	2	3	5	7	9	15
A. Not Operated	2753	3.6	4	2	2	3	4	6	8	11
B. Operated	106	8.0	62	1	3	6	10	19	24	75
TOTAL										
0-19 YRS	2157	3.5	6	2	2	3	4	6	7	11
20-34	540	4.3	8	2	2	4	6	8	9	14
35-49	103	5.4	15	2	3	4	7	10	12	22
50-64	44	6.2	29	1	3	5	7	10	21	27
65 +	15	6.5	18	3	4	5	7	11	17	19
GRAND TOTAL	**2859**	**3.8**	**7**	**2**	**2**	**3**	**5**	**7**	**8**	**13**

12. Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	102	1.2		< 1	< 1	< 1	1	2	2	4
20-34	220	1.4	1	< 1	< 1	1	1	2	3	7
35-49	83	1.3		< 1	< 1	1	1	2	3	4
50-64	22	1.5	1	< 1	< 1	1	2	3	4	4
65 +	11	1.3	1	< 1	< 1	1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.0	2	< 1	1	1	3	5	5	5
20-34	5	3.4	8	1	2	2	5	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	4.7	84	< 1	1	1	4	8	23	46
20-34	107	2.2	3	< 1	< 1	1	3	5	6	7
35-49	47	2.3	6	< 1	1	2	3	5	5	16
50-64	29	2.2	4	< 1	1	1	3	6	7	9
65 +	19	3.2	5	< 1	1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.3		< 1	< 1	1	2	2	2	2
B. Operated	438	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	13	2.8	5	< 1	1	2	4	6	8	8
B. Operated	228	2.6	13	< 1	1	1	3	5	7	16
1. SINGLE DX	444	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX	241	2.6	13	< 1	1	2	3	5	7	16
A. Not Operated	19	2.3	4	< 1	1	2	3	5	7	8
B. Operated	666	1.8	5	< 1	< 1	1	2	3	5	8
TOTAL										
0-19 YRS	137	1.9	18	< 1	< 1	1	1	3	4	21
20-34	334	1.7	2	< 1	< 1	1	2	3	5	7
35-49	132	1.7	3	< 1	< 1	1	2	3	4	8
50-64	52	1.9	3	< 1	< 1	1	2	4	7	9
65 +	30	2.5	4	< 1	1	1	4	6	7	7
GRAND TOTAL	**685**	**1.8**	**5**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**8**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4449	2.7	2	1	2	3	3	4	5	7
20-34	472	3.0	10	1	1	2	4	5	8	14
35-49	246	4.0	25	1	2	3	5	8	13	17
50-64	111	3.6	12	1	2	3	4	6	7	22
65 +	77	4.0	12	2	2	3	4	7	9	23
B. Operated										
0-19 YRS	79	4.5	94	< 1	1	3	4	6	8	64
20-34	45	3.9	20	< 1	1	2	4	9	15	20
35-49	30	10.4	379	< 1	1	5	11	16	80	80
50-64	11	5.5	10	2	3	4	8	10	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6669	3.1	8	1	2	3	4	5	7	14
20-34	1996	5.9	62	1	2	4	7	13	18	47
35-49	1618	7.2	85	2	2	4	8	16	22	49
50-64	989	5.2	33	2	2	4	6	9	14	28
65 +	1626	5.0	19	2	3	4	6	9	12	22
B. Operated										
0-19 YRS	251	9.2	159	2	3	5	10	24	43	95
20-34	579	16.9	254	3	6	13	23	37	51	97
35-49	588	18.0	235	3	7	14	23	41	58	99 +
50-64	155	15.0	233	3	5	10	19	32	56	92
65 +	123	16.4	263	3	5	12	21	40	55	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5355	2.8	4	1	2	3	3	4	5	10
B. Operated	165	5.5	124	< 1	1	3	5	9	15	79
2. MULTIPLE DX										
A. Not Operated	12898	4.5	31	1	2	3	5	8	13	28
B. Operated	1696	15.9	240	3	5	12	21	37	53	99 +
1. SINGLE DX	5520	2.9	8	1	2	3	3	4	6	11
2. MULTIPLE DX	14594	5.8	69	1	2	3	6	13	20	49
A. Not Operated	18253	4.0	24	1	2	3	4	7	11	24
B. Operated	1861	15.0	239	2	4	10	21	36	52	99
TOTAL										
0-19 YRS	11448	3.1	10	1	2	3	4	5	6	15
20-34	3092	7.5	111	1	2	4	8	18	28	62
35-49	2482	9.5	141	2	3	5	12	22	35	73
50-64	1266	6.2	66	2	2	4	7	13	19	43
65 +	1826	5.7	44	2	3	4	6	11	15	40
GRAND TOTAL	**20114**	**5.0**	**54**	**1**	**2**	**3**	**5**	**10**	**16**	**43**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	180	4.0	11	1	2	3	4	8	12	17
20-34	109	3.5	7	1	2	3	4	7	10	14
35-49	94	3.6	9	1	1	3	4	8	11	14
50-64	43	3.4	7	1	1	3	5	6	8	14
65 +	14	4.0	12	1	1	3	5	8	12	13
B. Operated										
0-19 YRS	8	9.4	29	2	4	11	13	15	16	16
20-34	3	4.7	12	< 1	1	5	7	8	8	8
35-49	3	6.3	9	3	4	7	8	9	9	9
50-64	2	11.0		11	11	11	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	5.0	14	1	3	4	6	10	13	18
20-34	117	5.6	25	1	3	4	7	13	16	25
35-49	93	6.0	19	2	3	5	7	14	15	19
50-64	92	7.3	46	1	3	5	9	14	18	35
65 +	79	7.4	42	1	3	6	10	15	17	35
B. Operated										
0-19 YRS	11	8.7	47	3	4	7	10	19	25	26
20-34	4	11.0	89	4	4	8	18	24	24	24
35-49	8	12.3	49	5	6	9	19	21	22	22
50-64	6	10.5	43	2	5	11	14	19	20	20
65 +	14	14.4	82	5	7	13	18	28	33	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	440	3.7	9	1	2	3	4	8	10	15
B. Operated	16	8.1	21	1	4	8	11	14	15	16
2. MULTIPLE DX										
A. Not Operated	502	6.1	28	1	3	5	8	14	15	27
B. Operated	43	11.7	61	3	5	9	17	22	26	35
1. SINGLE DX	456	3.9	10	1	2	3	5	8	11	16
2. MULTIPLE DX	545	6.6	33	1	3	5	8	14	17	30
A. Not Operated	942	5.0	21	1	2	4	6	11	14	21
B. Operated	59	10.7	52	3	5	9	14	21	25	34
TOTAL										
0-19 YRS	320	4.7	15	1	2	3	6	10	13	17
20-34	233	4.7	19	1	2	3	5	9	14	23
35-49	198	5.1	19	1	2	4	6	12	14	21
50-64	143	6.3	37	1	2	5	8	14	16	33
65 +	107	7.9	50	1	3	6	12	16	21	37
GRAND TOTAL	**1001**	**5.3**	**25**	**1**	**2**	**4**	**7**	**13**	**15**	**23**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	296	5.6	11	2	3	5	7	10	11	16
20-34	302	4.4	3	2	3	4	5	6	8	11
35-49	48	4.7	11	2	2	4	5	10	12	16
50-64	3	10.3	52	2	5	14	15	15	15	15
65 +	6	7.0	15	2	3	8	10	11	11	11
B. Operated										
0-19 YRS	22	3.6	11	1	1	2	5	8	11	15
20-34	49	2.9	7	< 1	1	1	5	6	8	11
35-49	10	2.0	1	< 1	1	2	3	3	3	3
50-64	7	1.7	2	< 1	1	1	2	4	5	5
65 +	3	9.3	54	1	4	12	14	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	294	6.0	22	2	4	5	7	11	14	20
20-34	394	5.4	11	2	3	5	6	9	12	20
35-49	111	8.2	70	2	4	6	10	14	22	48
50-64	41	7.7	22	2	4	8	10	14	15	19
65 +	56	11.4	165	2	5	10	12	22	34	76
B. Operated										
0-19 YRS	29	9.9	90	1	3	8	11	24	35	36
20-34	89	6.9	26	1	3	6	9	14	18	22
35-49	46	9.4	116	1	3	6	11	22	40	50
50-64	18	7.6	29	1	2	7	10	16	19	19
65 +	17	14.9	164	2	4	13	22	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	655	5.0	8	2	3	4	6	9	11	15
B. Operated	91	3.1	9	< 1	1	2	5	7	10	15
2. MULTIPLE DX										
A. Not Operated	896	6.4	34	2	3	5	7	11	14	28
B. Operated	199	8.7	72	1	3	7	10	19	27	41
1. SINGLE DX	746	4.8	8	2	3	4	6	9	10	15
2. MULTIPLE DX	1095	6.8	42	2	3	5	8	13	16	38
A. Not Operated	1551	5.8	24	2	3	5	7	10	13	22
B. Operated	290	6.9	59	1	2	5	9	15	21	40
TOTAL										
0-19 YRS	641	5.9	20	2	3	5	7	10	13	23
20-34	834	5.0	10	2	3	4	6	9	11	19
35-49	215	7.4	67	2	3	5	9	14	22	44
50-64	69	7.2	25	1	2	7	10	14	16	19
65 +	82	11.7	150	2	5	10	14	24	38	70
GRAND TOTAL	**1841**	**6.0**	**29**	**2**	**3**	**5**	**7**	**11**	**14**	**28**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	3.3	6	1	2	3	4	5	7	16
20-34	26	4.7	9	1	2	4	6	9	10	12
35-49	21	3.7	24	< 1	1	1	5	8	15	22
50-64	9	11.8	108	2	4	7	17	28	33	33
65 +	11	8.7	28	3	6	7	11	17	21	21
B. Operated										
0-19 YRS	13	5.8	28	1	2	5	7	14	18	19
20-34	14	8.9	54	1	3	7	13	20	23	24
35-49	26	5.3	13	< 1	2	5	8	10	12	13
50-64	31	6.2	14	2	4	6	7	10	16	19
65 +	14	5.7	9	1	3	7	8	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	554	4.3	16	2	2	3	5	7	10	19
20-34	160	7.7	69	< 1	2	5	10	17	24	43
35-49	154	8.9	101	1	3	6	11	17	26	49
50-64	139	9.6	95	3	4	7	10	17	32	55
65 +	327	10.8	92	3	5	8	13	20	27	58
B. Operated										
0-19 YRS	72	24.8	525	5	8	17	38	66	80	98
20-34	119	20.5	266	4	8	17	31	48	69	99 +
35-49	177	18.3	244	4	7	14	25	44	53	95
50-64	140	17.3	275	4	6	10	22	41	57	70
65 +	180	17.9	225	5	7	14	24	41	54	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	4.2	18	1	2	3	5	8	12	22
B. Operated	98	6.2	21	1	3	6	8	12	17	22
2. MULTIPLE DX										
A. Not Operated	1334	7.4	66	2	3	5	9	15	21	46
B. Operated	688	19.0	281	4	7	14	27	45	58	99 +
1. SINGLE DX	291	4.9	20	1	2	4	6	10	14	22
2. MULTIPLE DX	2022	11.4	170	2	3	7	14	28	42	72
A. Not Operated	1527	7.0	61	2	3	5	8	14	21	45
B. Operated	786	17.4	267	4	6	12	24	43	57	99 +
TOTAL										
0-19 YRS	765	6.1	98	2	2	3	5	10	19	64
20-34	319	12.3	177	1	4	7	17	32	44	99 +
35-49	378	12.8	186	2	4	8	16	34	45	70
50-64	319	12.7	183	3	5	8	15	31	43	65
65 +	532	13.0	146	4	6	9	16	27	39	65
GRAND TOTAL	**2313**	**10.5**	**156**	**2**	**3**	**6**	**13**	**25**	**39**	**68**

1,107 Hospitals, United States, January-December 1988

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.6	11	2	3	4	4	11	13	13
20-34	8	4.9	8	1	2	5	7	8	8	8
35-49	4	6.5	26	3	3	4	9	14	14	14
50-64	2	7.5	41	3	3	7	12	12	12	12
65 +	0									
B. Operated										
0-19 YRS	17	2.8	3	1	2	2	3	4	7	9
20-34	4	4.0	6	1	2	4	6	7	7	7
35-49	3	6.0	7	3	4	7	8	8	8	8
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.8	5	1	2	4	5	7	8	9
20-34	25	4.6	10	1	2	5	6	9	10	14
35-49	14	5.4	17	3	4	5	5	8	17	19
50-64	13	7.5	30	3	3	5	10	17	18	18
65 +	11	13.2	41	6	7	13	17	22	26	26
B. Operated										
0-19 YRS	10	7.1	76	2	3	4	7	20	31	31
20-34	16	11.1	215	1	2	6	12	23	49	60
35-49	5	15.2	242	2	6	11	20	42	42	42
50-64	6	26.8	1061	10	11	14	19	86	93	93
65 +	6	11.8	41	3	11	12	13	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.2	12	2	3	4	6	12	13	14
B. Operated	25	3.7	7	1	2	3	4	8	9	11
2. MULTIPLE DX										
A. Not Operated	96	5.8	23	1	3	5	7	14	17	23
B. Operated	43	12.9	285	2	3	10	13	25	48	93
1. SINGLE DX	53	4.5	10	2	2	4	5	9	12	14
2. MULTIPLE DX	139	8.0	113	2	3	5	9	16	22	64
A. Not Operated	124	5.7	21	2	3	4	7	13	16	22
B. Operated	68	9.5	201	2	3	4	11	20	32	87
TOTAL										
0-19 YRS	74	4.2	16	1	2	3	5	7	10	27
20-34	53	6.5	77	1	2	5	7	12	20	59
35-49	26	7.5	66	3	4	5	8	14	24	42
50-64	22	13.0	348	3	5	9	14	18	49	93
65 +	17	12.7	39	5	8	12	16	22	25	26
GRAND TOTAL	**192**	**7.0**	**87**	**2**	**3**	**4**	**8**	**14**	**19**	**52**

18: Pneumocystosis(136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	10.0	101	4	4	5	15	25	25	25
20-34	5	2.8	2	1	2	3	4	4	4	4
35-49	4	8.3	45	< 1	3	7	13	17	17	17
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	11	8.2	30	2	4	6	12	17	18	18
35-49	6	12.5	52	6	7	9	21	22	22	22
50-64	4	11.0	50	2	5	12	16	18	18	18
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	10.7	70	2	4	8	16	24	28	28
20-34	258	11.8	68	4	6	10	15	22	26	43
35-49	283	13.4	125	4	6	10	17	26	34	58
50-64	66	11.1	63	3	5	9	15	21	26	37
65 +	42	12.0	64	4	6	10	16	24	25	39
B. Operated										
0-19 YRS	43	23.9	293	8	13	19	38	69	99 +	99 +
20-34	528	17.8	144	7	10	15	22	31	42	71
35-49	480	18.5	178	6	10	15	23	32	45	77
50-64	109	20.1	141	8	11	19	26	36	47	99 +
65 +	36	17.6	160	6	9	14	24	35	36	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	6.1	43	1	2	4	6	17	23	25
B. Operated	22	11.2	71	3	5	9	16	21	28	37
2. MULTIPLE DX										
A. Not Operated	689	12.3	91	3	6	10	16	24	29	49
B. Operated	1196	18.5	164	7	10	15	23	33	46	78
1. SINGLE DX	37	9.1	64	2	4	6	13	20	24	37
2. MULTIPLE DX	1885	16.2	146	5	8	14	21	30	39	72
A. Not Operated	704	12.2	91	3	6	10	16	24	29	48
B. Operated	1218	18.4	163	7	10	15	23	33	45	78
TOTAL										
0-19 YRS	88	17.4	225	3	7	14	25	42	70	99 +
20-34	802	15.6	127	5	8	13	21	28	37	64
35-49	773	16.6	163	5	8	14	21	30	39	74
50-64	181	16.4	129	4	8	14	23	31	41	89
65 +	78	14.6	115	4	7	11	20	29	35	58
GRAND TOTAL	**1922**	**16.1**	**146**	**5**	**8**	**13**	**21**	**29**	**39**	**72**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	4.6	25	1	2	3	5	12	17	23
20-34	32	5.1	13	1	2	5	7	10	13	14
35-49	22	4.0	5	1	2	4	6	7	8	8
50-64	6	4.2	13	2	2	3	5	10	11	11
65 +	5	5.4	7	3	4	5	6	10	10	10
B. Operated										
0-19 YRS	5	5.2	60	1	1	2	7	19	19	19
20-34	126	3.9	20	1	1	2	6	10	12	23
35-49	120	2.8	8	1	1	2	4	7	8	15
50-64	44	3.8	17	1	1	2	6	9	10	23
65 +	14	4.9	30	1	1	2	8	13	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	64	5.8	50	2	2	3	6	10	24	38
20-34	157	8.3	98	2	3	6	9	16	20	61
35-49	182	10.1	94	3	4	7	14	24	29	61
50-64	91	7.8	51	2	4	6	9	15	24	39
65 +	70	7.3	19	3	4	7	9	14	15	22
B. Operated										
0-19 YRS	14	10.9	201	2	2	5	15	37	46	48
20-34	164	8.3	109	1	3	5	11	17	21	77
35-49	175	8.9	145	1	2	5	10	21	28	78
50-64	109	8.7	67	1	4	7	11	18	23	45
65 +	58	9.4	72	1	3	8	12	21	32	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	4.7	15	1	2	3	6	9	13	21
B. Operated	309	3.5	16	1	1	2	4	9	11	20
2. MULTIPLE DX										
A. Not Operated	564	8.4	75	2	3	6	10	17	25	45
B. Operated	520	8.8	110	1	3	6	11	19	26	72
1. SINGLE DX	410	3.8	16	1	1	2	5	9	11	20
2. MULTIPLE DX	1084	8.6	92	2	3	6	10	18	26	59
A. Not Operated	665	7.8	68	2	3	5	9	16	24	41
B. Operated	829	6.8	81	1	2	4	8	16	21	56
TOTAL										
0-19 YRS	119	6.0	62	2	2	3	6	15	23	42
20-34	479	6.9	79	1	2	4	8	15	20	59
35-49	499	7.7	96	1	2	5	9	18	26	68
50-64	250	7.4	54	1	3	6	9	16	23	37
65 +	147	7.9	42	1	3	7	10	15	21	33
GRAND TOTAL	**1494**	**7.3**	**76**	**1**	**2**	**5**	**9**	**16**	**22**	**50**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	1	19.0		19	19	19	19	19	19	19
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	3	10.7	156	2	3	5	20	25	25	25
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	8.5	41	4	4	8	13	13	13	13
B. Operated										
0-19 YRS	0									
20-34	4	6.8	10	4	4	7	9	10	10	10
35-49	3	8.0	27	5	5	5	12	14	14	14
50-64	4	22.5	366	8	8	16	36	49	49	49
65 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	13.0	72	7	7	13	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	8	6.8	69	1	2	3	9	21	25	25
B. Operated	12	12.6	162	4	5	9	12	31	46	49
1. SINGLE DX	2	13.0	72	7	7	13	19	19	19	19
2. MULTIPLE DX	20	10.3	128	2	4	7	12	24	37	49
A. Not Operated	8	6.8	69	1	2	3	9	21	25	25
B. Operated	14	12.6	143	4	5	9	14	26	44	49
TOTAL										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	4	6.8	10	4	4	7	9	10	10	10
35-49	7	10.7	76	3	5	5	18	24	25	25
50-64	5	18.4	358	2	6	9	30	49	49	49
65 +	3	9.0	21	4	5	10	12	13	13	13
GRAND TOTAL	**22**	**10.5**	**120**	**2**	**4**	**7**	**13**	**24**	**35**	**49**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.6	7	1	1	3	6	7	8	8
20-34	0									
35-49	10	4.6	4	2	3	5	6	7	8	8
50-64	28	3.6	9	< 1	1	3	5	9	11	11
65 +	15	3.5	9	< 1	1	2	6	7	9	10
B. Operated										
0-19 YRS	22	5.5	78	1	1	2	6	12	25	42
20-34	40	3.5	7	1	2	3	4	6	9	13
35-49	121	4.5	43	1	1	2	4	11	15	40
50-64	242	4.3	21	1	1	3	5	10	13	22
65 +	306	3.9	25	< 1	1	2	4	8	11	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	5.3	30	1	2	4	6	12	17	25
20-34	4	3.8	3	2	2	3	5	6	6	6
35-49	52	9.6	88	2	4	7	13	18	25	56
50-64	127	8.7	72	2	3	6	11	19	26	47
65 +	156	7.7	45	2	3	5	10	18	20	31
B. Operated										
0-19 YRS	31	10.9	147	1	3	9	16	19	62	99 +
20-34	37	10.1	74	1	3	8	15	21	30	34
35-49	294	11.4	129	1	3	8	17	26	33	58
50-64	884	12.0	157	1	4	9	15	26	37	71
65 +	1184	11.0	154	1	3	7	15	26	36	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.8	8	< 1	1	3	5	8	9	11
B. Operated	731	4.1	27	1	1	2	5	9	13	28
2. MULTIPLE DX										
A. Not Operated	365	8.1	60	2	3	5	10	17	23	40
B. Operated	2430	11.4	151	1	3	8	15	26	36	71
1. SINGLE DX	792	4.1	26	1	1	2	5	9	13	26
2. MULTIPLE DX	2795	11.0	140	1	3	8	15	24	34	70
A. Not Operated	426	7.5	54	1	3	5	10	17	22	34
B. Operated	3161	9.7	131	1	2	6	13	22	32	68
TOTAL										
0-19 YRS	87	7.2	87	1	2	5	9	16	20	87
20-34	81	6.5	48	1	2	4	8	15	20	34
35-49	477	9.3	109	1	2	5	13	22	30	56
50-64	1281	10.0	129	1	3	7	13	22	33	59
65 +	1661	9.3	127	1	2	5	12	22	31	68
GRAND TOTAL	**3587**	**9.4**	**123**	**1**	**2**	**6**	**13**	**22**	**31**	**61**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	10	5.6	10	1	4	4	8	10	11	11
65 +	17	6.5	92	< 1	1	3	7	15	32	40
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	11	10.0	72	< 1	3	8	16	23	27	27
50-64	54	8.3	42	1	3	7	12	16	20	32
65 +	47	6.9	31	< 1	2	5	12	15	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	28	5.5	14	1	3	5	7	12	13	15
50-64	99	8.4	64	2	3	5	10	18	24	43
65 +	163	8.1	56	2	3	6	10	19	22	31
B. Operated										
0-19 YRS	0									
20-34	3	14.3		14	14	14	15	15	15	15
35-49	84	19.5	252	7	10	15	24	45	54	98
50-64	411	15.7	172	4	7	12	20	34	46	62
65 +	662	16.1	215	3	6	12	21	35	48	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	6.1	58	< 1	2	4	7	11	19	40
B. Operated	112	7.9	40	1	3	6	12	16	20	29
2. MULTIPLE DX										
A. Not Operated	290	8.0	55	2	3	5	10	17	22	34
B. Operated	1160	16.2	202	4	7	12	21	35	47	85
1. SINGLE DX	140	7.5	44	1	2	6	11	16	19	33
2. MULTIPLE DX	1450	14.6	184	3	6	11	18	32	45	77
A. Not Operated	318	7.8	55	2	3	5	9	17	22	37
B. Operated	1272	15.5	194	3	6	12	19	34	47	81
TOTAL										
0-19 YRS	0									
20-34	3	14.3		14	14	14	15	15	15	15
35-49	124	15.4	216	3	5	12	18	37	48	95
50-64	574	13.6	149	3	5	10	17	29	39	57
65 +	889	14.0	187	2	5	10	18	31	42	80
GRAND TOTAL	**1590**	**13.9**	**175**	**3**	**5**	**10**	**18**	**31**	**42**	**73**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	7	6.9	38	2	3	6	8	18	20	20
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	6	11.8	99	2	7	10	13	28	30	30
35-49	19	9.0	36	1	6	8	12	16	21	25
50-64	58	10.6	39	2	6	10	14	17	24	28
65 +	90	8.9	26	3	6	8	11	15	20	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	7.3	86	1	1	3	14	18	18	18
35-49	26	5.5	28	2	3	4	7	10	14	28
50-64	112	6.8	29	2	3	5	9	15	18	26
65 +	299	8.0	48	2	4	6	10	16	21	36
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	13.0	69	6	8	10	15	26	33	34
35-49	168	12.8	79	4	8	11	16	24	28	66
50-64	700	15.3	136	6	9	12	19	27	35	71
65 +	1823	16.7	155	6	9	13	21	33	44	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.1	22	2	2	4	6	9	18	20
B. Operated	174	9.6	34	2	6	9	12	17	22	28
2. MULTIPLE DX										
A. Not Operated	440	7.5	42	2	3	6	9	15	20	33
B. Operated	2718	16.1	146	6	9	13	20	30	41	74
1. SINGLE DX	188	9.3	34	2	6	8	12	17	22	28
2. MULTIPLE DX	3158	14.9	140	4	8	12	19	28	38	71
A. Not Operated	454	7.5	42	2	3	6	9	15	20	33
B. Operated	2892	15.7	141	5	9	13	20	29	40	73
TOTAL										
0-19 YRS	2	11.0	72	5	5	11	17	17	17	17
20-34	35	12.3	73	3	7	9	15	27	32	34
35-49	217	11.4	74	2	6	10	15	24	27	49
50-64	873	13.8	124	4	7	11	17	25	33	65
65 +	2219	15.2	146	4	8	12	19	30	41	71
GRAND TOTAL	**3346**	**14.6**	**136**	**4**	**8**	**12**	**18**	**28**	**37**	**68**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	5.3	20	< 1	1	5	9	10	10	10
35-49	6	7.8	19	2	5	7	11	14	14	14
50-64	4	10.8	104	5	5	6	16	26	26	26
65 +	7	10.0	19	5	6	10	12	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	5.4	8	2	4	4	7	10	10	10
35-49	3	7.7	40	4	4	4	12	15	15	15
50-64	10	5.8	17	2	3	4	7	12	16	16
65 +	30	7.9	23	3	4	6	11	14	17	22
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	14.1	60	5	8	15	20	26	27	27
35-49	49	16.3	112	7	9	14	20	28	36	56
50-64	142	15.9	144	6	9	12	18	33	48	68
65 +	300	17.4	142	8	10	14	21	31	47	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	10.0	72	4	4	10	16	16	16	16
B. Operated	21	8.6	32	4	5	6	11	16	22	26
2. MULTIPLE DX										
A. Not Operated	50	7.1	20	3	4	6	10	14	16	22
B. Operated	505	16.8	138	7	9	14	20	31	46	75
1. SINGLE DX	23	8.7	33	4	5	6	11	16	21	26
2. MULTIPLE DX	555	15.9	135	6	9	13	19	29	45	72
A. Not Operated	52	7.2	21	3	4	6	10	15	16	22
B. Operated	526	16.4	136	7	9	13	20	30	46	74
TOTAL										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	23	10.3	56	2	4	9	15	22	26	27
35-49	59	15.0	105	5	8	13	19	27	33	55
50-64	157	15.0	140	5	8	11	17	31	46	65
65 +	337	16.4	137	7	9	13	19	30	45	82
GRAND TOTAL	**578**	**15.6**	**133**	**6**	**9**	**12**	**19**	**29**	**45**	**72**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	4.8	14	1	2	4	7	11	12	12
65 +	22	5.0	35	1	1	3	7	11	18	27
B. Operated										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	23	7.3	13	3	6	7	9	12	14	17
35-49	133	8.5	11	6	7	8	9	12	14	24
50-64	498	8.7	12	6	7	8	10	12	14	19
65 +	769	9.1	14	6	7	9	10	13	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	6	4.8	14	< 1	3	3	9	10	10	10
35-49	58	8.0	60	1	3	6	9	17	28	34
50-64	198	6.8	34	1	3	5	9	15	17	29
65 +	622	7.8	52	2	3	6	10	16	22	39
B. Operated										
0-19 YRS	16	13.6	62	3	8	14	18	20	30	34
20-34	109	12.4	93	6	8	10	13	21	34	57
35-49	637	11.6	49	6	8	10	13	20	25	44
50-64	3060	11.9	53	7	8	10	13	19	25	44
65 +	10171	14.4	92	7	9	12	17	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.9	26	1	1	4	7	11	12	27
B. Operated	1425	8.9	13	6	7	8	10	12	14	20
2. MULTIPLE DX										
A. Not Operated	886	7.6	49	2	3	6	9	16	20	36
B. Operated	13993	13.7	82	7	9	11	16	23	31	55
1. SINGLE DX	1460	8.8	14	6	7	8	10	12	14	20
2. MULTIPLE DX	14879	13.3	83	7	8	11	16	23	30	54
A. Not Operated	921	7.5	48	2	3	6	9	15	20	35
B. Operated	15418	13.3	78	7	8	11	15	23	29	53
TOTAL										
0-19 YRS	20	12.7	54	4	8	12	17	19	27	34
20-34	138	11.2	81	5	7	9	13	18	26	46
35-49	829	10.9	46	6	7	9	12	19	23	43
50-64	3768	11.2	49	6	8	9	13	18	23	42
65 +	11584	13.7	88	7	8	11	16	24	31	57
GRAND TOTAL	**16339**	**12.9**	**78**	**6**	**8**	**10**	**15**	**22**	**29**	**52**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	5.8	4	4	4	6	7	8	8	8
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	18	4.3	18	< 1	2	3	5	12	15	15
65 +	24	4.7	18	1	2	3	5	14	14	14
B. Operated										
0-19 YRS	0									
20-34	9	8.2	30	2	2	8	13	16	16	16
35-49	88	7.7	16	2	5	8	10	11	15	20
50-64	326	8.7	25	2	6	9	11	13	16	26
65 +	460	8.2	21	1	5	9	11	14	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	6.7	11	2	4	7	10	10	10	10
35-49	37	6.6	22	2	4	5	8	11	16	25
50-64	146	7.8	62	2	3	5	10	14	20	43
65 +	319	8.0	80	2	3	6	10	16	23	46
B. Operated										
0-19 YRS	3	9.7	8	8	8	8	12	13	13	13
20-34	58	11.6	37	5	8	11	14	21	25	30
35-49	333	11.8	80	4	7	10	13	19	26	54
50-64	1597	12.4	64	6	8	11	14	21	26	45
65 +	4039	14.2	103	5	9	12	17	25	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	4.8	16	1	2	4	6	13	14	15
B. Operated	883	8.3	22	2	5	9	11	13	16	21
2. MULTIPLE DX										
A. Not Operated	510	7.8	69	2	3	5	10	15	22	44
B. Operated	6030	13.6	91	5	9	11	16	24	32	57
1. SINGLE DX	932	8.2	22	1	5	8	11	13	16	21
2. MULTIPLE DX	6540	13.1	92	4	8	11	16	23	31	56
A. Not Operated	559	7.6	65	2	3	5	9	15	21	43
B. Operated	6913	12.9	86	4	8	11	15	22	30	54
TOTAL										
0-19 YRS	5	7.6	12	4	5	8	9	13	13	13
20-34	78	10.4	35	3	7	9	13	18	24	29
35-49	460	10.5	66	3	7	9	12	17	22	52
50-64	2087	11.5	60	4	8	10	13	19	25	43
65 +	4842	13.2	99	4	8	11	16	24	32	59
GRAND TOTAL	**7472**	**12.5**	**86**	**4**	**8**	**11**	**15**	**22**	**30**	**53**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	5.2	66	1	1	2	6	9	24	40
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	4	4.5	20	1	1	3	7	11	11	11
50-64	10	5.0	22	< 1	2	3	6	13	16	16
65 +	6	7.2	30	2	3	5	13	15	15	15
B. Operated										
0-19 YRS	56	8.1	72	1	4	6	10	13	19	57
20-34	7	5.7	7	2	4	5	7	10	10	10
35-49	31	6.1	17	1	3	6	8	11	15	17
50-64	67	7.1	38	1	2	6	10	14	20	29
65 +	66	7.8	34	1	3	8	10	14	20	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	5.2	23	1	1	3	8	12	14	22
20-34	10	6.7	46	1	3	4	8	17	24	24
35-49	48	7.1	45	1	3	6	9	14	16	43
50-64	99	7.7	42	2	4	6	10	14	17	39
65 +	264	8.7	70	3	4	6	10	18	24	49
B. Operated										
0-19 YRS	98	17.1	243	4	7	13	22	36	50	96
20-34	36	14.1	112	4	8	12	18	32	45	99 +
35-49	128	12.6	118	3	6	10	16	25	32	53
50-64	445	13.8	126	4	7	11	17	28	36	71
65 +	1126	15.0	144	5	8	12	18	30	39	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	5.3	45	1	1	3	6	12	16	40
B. Operated	227	7.4	41	1	3	6	10	14	18	30
2. MULTIPLE DX										
A. Not Operated	482	7.8	57	2	3	6	10	15	20	47
B. Operated	1833	14.7	143	4	7	11	18	29	39	77
1. SINGLE DX	276	7.0	43	1	3	6	9	14	17	31
2. MULTIPLE DX	2315	13.2	133	3	6	10	17	26	36	71
A. Not Operated	531	7.6	56	2	3	6	9	15	20	44
B. Operated	2060	13.9	137	4	7	11	17	28	37	74
TOTAL										
0-19 YRS	242	10.7	156	1	3	7	13	23	35	78
20-34	55	11.4	96	2	5	8	15	25	41	97
35-49	211	10.3	94	2	4	8	13	20	28	43
50-64	621	12.0	110	3	5	9	15	25	34	60
65 +	1462	13.5	133	3	6	11	17	27	37	61
GRAND TOTAL	**2591**	**12.6**	**127**	**3**	**6**	**10**	**16**	**25**	**35**	**63**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	5.3	2	4	4	5	6	7	7	7
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	19	3.3	4	1	1	4	4	6	7	7
65 +	24	6.8	53	1	3	5	7	13	23	36
B. Operated										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	1	9.0		9	9	9	9	9	9	9
35-49	9	7.0	20	1	3	8	11	12	12	12
50-64	71	9.0	50	2	4	8	12	18	21	38
65 +	81	9.9	39	2	6	9	14	19	22	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	7.8	45	1	3	6	11	19	21	21
35-49	47	6.5	21	2	3	5	9	13	16	22
50-64	214	7.4	51	2	3	5	9	14	17	44
65 +	525	8.2	53	2	4	6	10	16	22	36
B. Operated										
0-19 YRS	4	21.0	138	5	12	23	29	32	32	32
20-34	22	14.3	49	6	9	13	21	23	25	26
35-49	171	17.2	185	5	8	14	22	34	39	75
50-64	697	15.9	140	4	8	13	21	33	42	68
65 +	1684	16.2	144	5	9	14	20	31	39	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	5.2	30	1	3	4	6	8	12	36
B. Operated	164	9.4	42	2	5	9	12	18	21	31
2. MULTIPLE DX										
A. Not Operated	795	7.8	50	2	4	6	10	16	21	36
B. Operated	2578	16.2	145	5	9	13	21	32	41	69
1. SINGLE DX	213	8.4	42	1	4	7	11	18	21	33
2. MULTIPLE DX	3373	14.2	135	3	7	11	18	28	38	65
A. Not Operated	844	7.7	49	2	3	6	9	15	21	36
B. Operated	2742	15.8	141	4	8	13	20	31	39	67
TOTAL										
0-19 YRS	7	16.1	110	5	7	14	25	31	32	32
20-34	34	11.8	53	4	6	10	21	21	24	26
35-49	230	14.5	165	3	6	10	19	32	38	71
50-64	1001	13.4	128	3	6	10	17	28	39	58
65 +	2314	14.0	131	3	7	11	18	27	37	62
GRAND TOTAL	**3586**	**13.9**	**131**	**3**	**6**	**11**	**18**	**28**	**37**	**62**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5		2	2	2	3	3	3	3
35-49	29	4.4	20	1	2	3	5	11	12	22
50-64	101	4.2	12	< 1	1	3	6	10	12	14
65 +	90	6.1	30	1	3	5	8	13	18	27
B. Operated										
0-19 YRS	5	10.8	109	2	4	6	17	28	28	28
20-34	12	8.4	51	1	3	7	10	19	25	26
35-49	165	7.6	37	1	3	7	9	14	19	30
50-64	663	6.8	37	1	2	7	9	12	15	27
65 +	567	7.1	29	1	2	7	10	13	16	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	16	6.4	33	2	3	5	7	16	20	22
35-49	304	7.0	53	2	3	5	9	14	18	37
50-64	1714	7.6	54	2	3	5	10	16	21	38
65 +	2631	8.4	57	2	4	6	11	17	23	38
B. Operated										
0-19 YRS	6	17.7	338	7	10	11	13	51	55	55
20-34	73	10.5	58	4	6	9	13	19	20	49
35-49	912	11.0	82	3	6	8	14	21	29	49
50-64	4996	11.3	85	3	6	9	14	21	28	52
65 +	7783	12.2	94	3	7	10	15	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	4.9	21	1	2	3	7	10	13	24
B. Operated	1412	7.1	34	1	3	7	9	12	16	28
2. MULTIPLE DX										
A. Not Operated	4667	8.0	56	2	3	6	10	17	22	38
B. Operated	13770	11.8	90	3	6	9	15	23	30	52
1. SINGLE DX	1636	6.8	33	1	2	6	9	12	16	27
2. MULTIPLE DX	18437	10.9	84	3	5	9	14	21	28	49
A. Not Operated	4891	7.9	54	2	3	6	10	16	22	38
B. Operated	15182	11.4	87	3	6	9	14	22	29	51
TOTAL										
0-19 YRS	13	12.9	204	3	5	10	13	33	51	55
20-34	105	9.3	55	2	5	8	12	19	21	41
35-49	1410	9.6	73	2	4	7	12	19	26	44
50-64	7474	10.0	77	2	5	8	12	19	26	48
65 +	11071	11.0	85	3	5	9	14	22	29	49
GRAND TOTAL	**20073**	**10.5**	**81**	**2**	**5**	**8**	**13**	**20**	**28**	**48**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	2	1	1	3	3	5	5	5
20-34	2	7.0		7	7	7	7	7	7	7
35-49	7	2.6	5	< 1	< 1	2	3	6	7	7
50-64	16	4.1	10	< 1	1	3	6	10	10	10
65 +	10	3.5	7	< 1	1	3	5	7	8	8
B. Operated										
0-19 YRS	25	6.6	11	3	4	6	9	12	12	13
20-34	19	7.1	23	2	4	6	10	13	17	20
35-49	71	6.3	31	1	1	5	10	14	20	23
50-64	223	6.9	63	1	1	5	10	14	17	36
65 +	186	6.3	43	1	1	4	10	13	17	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	6.3	79	1	3	4	5	14	28	42
20-34	8	5.4	14	2	3	4	6	12	14	14
35-49	26	8.0	37	2	4	6	10	17	21	27
50-64	96	8.1	89	1	3	6	10	18	28	84
65 +	125	6.6	21	1	3	6	9	14	16	38
B. Operated										
0-19 YRS	57	10.9	90	4	5	8	13	23	35	47
20-34	34	11.9	196	2	5	8	14	20	39	76
35-49	181	11.9	125	1	4	10	15	26	36	58
50-64	646	13.2	128	2	6	11	17	26	35	62
65 +	876	12.7	145	2	5	10	16	25	37	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	3.4	7	< 1	1	3	5	7	8	10
B. Operated	524	6.6	48	1	1	5	10	13	17	31
2. MULTIPLE DX										
A. Not Operated	278	7.2	51	1	3	5	9	15	19	59
B. Operated	1794	12.7	136	2	5	10	16	26	36	73
1. SINGLE DX	574	6.3	45	1	1	5	9	13	17	31
2. MULTIPLE DX	2072	12.0	128	2	5	10	15	24	34	72
A. Not Operated	328	6.6	46	1	3	5	8	14	18	49
B. Operated	2318	11.3	123	1	4	9	15	23	32	66
TOTAL										
0-19 YRS	120	8.1	68	2	3	5	9	15	24	44
20-34	63	9.4	120	2	4	7	12	18	21	72
35-49	285	9.9	98	1	3	8	13	22	29	49
50-64	981	11.1	116	1	4	9	14	23	31	61
65 +	1197	11.0	123	1	3	9	14	22	31	78
GRAND TOTAL	**2646**	**10.8**	**116**	**1**	**3**	**9**	**14**	**22**	**31**	**65**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	162	3.7	11	1	2	3	4	8	10	18
20-34	22	3.8	12	1	2	3	4	7	14	16
35-49	4	4.3	16	1	1	3	7	10	10	10
50-64	4	4.3	4	2	3	4	6	7	7	7
65 +	7	3.6	5	1	2	3	6	6	6	6
B. Operated										
0-19 YRS	302	5.8	29	1	2	5	8	12	16	25
20-34	91	4.7	11	1	2	4	6	10	11	14
35-49	95	4.6	16	1	2	3	6	9	13	22
50-64	122	4.5	15	1	2	3	6	9	11	21
65 +	126	4.9	19	1	2	3	7	10	13	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	334	5.4	31	1	2	4	6	11	16	31
20-34	43	4.5	23	1	2	3	5	10	15	26
35-49	33	7.6	57	1	3	4	11	19	27	28
50-64	43	7.2	59	1	2	4	9	20	26	27
65 +	60	9.0	105	1	4	6	10	18	33	59
B. Operated										
0-19 YRS	243	10.1	91	2	4	8	13	21	29	67
20-34	87	8.9	55	2	3	7	12	21	26	31
35-49	118	9.8	113	2	3	7	11	23	38	99 +
50-64	237	10.6	126	2	3	7	13	22	34	55
65 +	420	12.8	159	2	4	9	16	28	37	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	199	3.8	11	1	2	3	4	8	11	18
B. Operated	736	5.1	21	1	2	4	7	10	14	24
2. MULTIPLE DX										
A. Not Operated	513	6.0	44	1	2	4	7	14	19	33
B. Operated	1105	11.1	125	2	4	8	14	25	33	66
1. SINGLE DX	935	4.8	19	1	2	4	6	10	13	23
2. MULTIPLE DX	1618	9.5	105	2	3	6	12	22	29	58
A. Not Operated	712	5.4	36	1	2	4	6	12	17	31
B. Operated	1841	8.7	92	1	3	6	11	20	27	54
TOTAL										
0-19 YRS	1041	6.4	46	1	2	4	8	14	19	38
20-34	243	6.1	33	1	2	4	8	13	18	26
35-49	250	7.5	73	1	3	5	9	17	25	69
50-64	406	8.3	92	1	3	5	10	19	26	51
65 +	613	10.7	134	1	3	7	14	25	33	64
GRAND TOTAL	**2553**	**7.8**	**79**	**1**	**3**	**5**	**9**	**17**	**25**	**49**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.0	7	1	2	5	6	6	6	6
50-64	3	3.0	7	1	1	2	5	6	6	6
65 +	4	5.8	48	< 1	1	3	10	16	16	16
B. Operated										
0-19 YRS	13	2.8	2	1	2	2	4	5	6	6
20-34	97	3.3	6	1	1	3	4	7	9	13
35-49	181	3.1	8	1	1	2	4	7	9	14
50-64	202	3.1	9	1	1	2	4	6	9	16
65 +	162	3.6	11	1	1	3	4	8	10	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	12	6.8	52	1	2	4	8	20	23	23
35-49	28	6.9	61	< 1	1	3	9	18	23	31
50-64	30	5.6	25	< 1	2	4	8	11	16	23
65 +	25	6.4	22	2	3	5	10	12	14	19
B. Operated										
0-19 YRS	10	8.4	62	1	2	5	15	20	25	25
20-34	41	6.3	64	1	2	4	7	11	20	47
35-49	145	5.2	34	1	2	3	6	10	13	34
50-64	194	5.5	55	1	2	3	6	11	15	34
65 +	302	6.6	55	1	2	5	8	14	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.4	21	< 1	1	3	6	11	16	16
B. Operated	655	3.3	9	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	97	6.3	36	1	2	4	8	15	19	27
B. Operated	692	6.0	51	1	2	4	7	12	17	38
1. SINGLE DX	665	3.3	9	1	1	2	4	7	9	14
2. MULTIPLE DX	789	6.0	50	1	2	4	7	12	18	37
A. Not Operated	107	6.1	35	1	2	4	8	15	19	27
B. Operated	1347	4.7	33	1	1	3	6	9	13	29
TOTAL										
0-19 YRS	25	5.3	32	1	2	3	6	15	18	25
20-34	150	4.4	27	1	2	3	6	8	11	26
35-49	357	4.2	24	1	1	3	5	9	13	31
50-64	429	4.4	32	1	1	3	5	9	12	24
65 +	493	5.6	41	1	2	4	7	11	16	34
GRAND TOTAL	**1454**	**4.8**	**33**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	3	4.7	2	3	3	5	6	6	6	6
65 +	3	3.0	3	1	2	4	4	4	4	4
B. Operated										
0-19 YRS	16	3.0	5	1	1	2	5	7	7	7
20-34	37	1.9	3	< 1	1	1	2	4	6	7
35-49	95	2.4	7	< 1	< 1	1	3	5	8	14
50-64	193	2.0	9	< 1	< 1	1	2	4	7	12
65 +	473	2.3	6	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	20	8.3	39	2	4	7	10	14	22	30
35-49	19	8.7	40	2	3	7	13	19	21	22
50-64	15	7.0	48	< 1	1	5	11	18	22	24
65 +	41	7.5	37	2	3	5	10	17	22	23
B. Operated										
0-19 YRS	5	3.2	1	2	2	3	4	5	5	5
20-34	32	12.8	360	1	2	6	13	40	54	87
35-49	115	6.3	91	< 1	1	2	7	14	27	48
50-64	245	4.1	43	< 1	1	2	5	10	14	31
65 +	963	5.3	54	< 1	1	2	6	12	19	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.6	3	1	2	4	5	6	6	6
B. Operated	814	2.2	7	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX										
A. Not Operated	97	7.8	38	2	3	6	11	17	22	27
B. Operated	1360	5.3	63	< 1	1	2	6	12	20	41
1. SINGLE DX	821	2.2	7	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX	1457	5.5	62	< 1	1	3	7	13	20	41
A. Not Operated	104	7.5	37	2	3	5	10	15	22	27
B. Operated	2174	4.2	44	< 1	1	2	5	9	15	35
TOTAL										
0-19 YRS	24	3.2	5	1	1	3	4	7	7	8
20-34	89	7.2	160	< 1	1	3	7	14	30	74
35-49	229	4.9	56	< 1	1	2	6	11	19	38
50-64	456	3.3	30	< 1	< 1	1	3	8	12	26
65 +	1480	4.4	40	< 1	1	2	5	10	16	30
GRAND TOTAL	**2278**	**4.3**	**45**	**< 1**	**1**	**2**	**5**	**10**	**15**	**34**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	20	2.5	1	1	2	2	3	4	5	5
50-64	35	3.7	6	1	2	3	5	6	8	11
65 +	27	4.4	5	1	3	4	6	7	9	9
B. Operated										
0-19 YRS	6	2.7	4	< 1	< 1	2	4	6	6	6
20-34	309	3.5	3	1	2	3	4	6	7	8
35-49	2117	3.5	3	1	2	3	4	6	7	10
50-64	3230	3.5	3	2	2	3	4	6	7	9
65 +	3344	3.9	4	2	3	4	5	7	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	16	8.8	92	3	3	4	10	22	33	37
35-49	118	7.3	47	1	3	5	9	17	23	32
50-64	273	7.5	60	1	3	5	9	17	22	41
65 +	321	7.7	74	1	3	5	10	15	22	38
B. Operated										
0-19 YRS	6	5.8	4	3	5	6	7	9	9	9
20-34	334	4.7	23	2	3	4	5	8	10	21
35-49	2784	4.5	15	2	3	4	5	7	9	19
50-64	5215	4.9	15	2	3	4	6	8	11	21
65 +	9433	5.6	19	2	3	5	7	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.7	5	1	2	3	5	6	8	10
B. Operated	9006	3.7	4	2	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	728	7.6	65	1	3	5	10	16	22	38
B. Operated	17772	5.2	17	2	3	4	6	9	11	22
1. SINGLE DX	9088	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX	18500	5.3	19	2	3	4	6	9	12	23
A. Not Operated	810	7.2	60	1	3	5	9	15	22	37
B. Operated	26778	4.7	13	2	3	4	6	8	10	19
TOTAL										
0-19 YRS	12	4.3	6	< 1	2	4	6	8	9	9
20-34	659	4.2	16	2	3	4	5	7	8	17
35-49	5039	4.1	11	2	2	3	5	7	8	17
50-64	8753	4.5	13	2	3	4	5	7	10	19
65 +	13125	5.2	17	2	3	4	6	9	11	21
GRAND TOTAL	**27588**	**4.8**	**15**	**2**	**3**	**4**	**6**	**8**	**10**	**20**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	4.2	16	2	2	3	4	10	15	16
35-49	44	3.5	13	2	2	3	3	4	8	21
50-64	45	2.7	2	2	2	3	3	4	4	10
65 +	33	2.8	1	1	2	3	3	4	4	7
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	140	4.7	8	1	3	4	6	9	10	13
35-49	213	4.6	7	1	3	4	6	8	9	13
50-64	121	4.1	7	1	2	3	5	8	10	11
65 +	73	3.3	9	1	2	2	4	5	7	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	30	5.8	62	2	2	4	6	8	22	42
35-49	97	6.0	78	1	2	3	7	11	20	53
50-64	120	4.8	16	1	2	3	6	10	14	19
65 +	113	7.7	71	2	3	4	10	18	29	65
B. Operated										
0-19 YRS	5	10.8	11	7	8	12	13	15	15	15
20-34	241	6.6	29	2	4	6	8	11	14	31
35-49	495	7.8	42	2	4	7	9	15	19	37
50-64	323	8.8	90	2	3	6	11	19	25	45
65 +	362	8.3	61	2	3	6	11	17	23	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.1	7	2	2	3	3	4	4	18
B. Operated	548	4.3	8	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	360	6.1	55	1	2	4	7	13	20	42
B. Operated	1426	8.0	56	2	4	6	9	16	21	39
1. SINGLE DX	683	4.1	8	1	2	3	5	8	9	13
2. MULTIPLE DX	1786	7.6	56	2	3	6	9	15	21	40
A. Not Operated	495	5.3	43	2	2	3	6	11	18	39
B. Operated	1974	7.0	45	2	3	5	8	13	19	35
TOTAL										
0-19 YRS	6	9.7	16	4	7	10	12	15	15	15
20-34	424	5.8	24	2	3	5	7	10	12	25
35-49	849	6.6	38	2	3	5	8	12	18	32
50-64	609	6.6	58	2	3	4	8	14	20	41
65 +	581	7.2	57	2	3	4	9	16	23	38
GRAND TOTAL	**2469**	**6.6**	**45**	**2**	**3**	**5**	**8**	**13**	**19**	**35**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	11	2.7	3	1	2	2	3	5	7	7
50-64	36	2.8	5	1	2	2	3	4	7	14
65 +	44	2.7	2	2	2	2	3	4	5	10
B. Operated										
0-19 YRS	0									
20-34	10	4.1		3	4	4	4	5	5	5
35-49	91	4.8	4	2	4	5	6	7	9	11
50-64	369	4.8	4	2	4	5	6	7	8	11
65 +	435	5.2	5	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	3	1	1	2	4	4	4	4
35-49	26	4.3	18	1	2	2	5	12	15	15
50-64	76	4.3	17	1	2	3	5	8	14	22
65 +	166	6.4	43	1	2	4	8	14	22	31
B. Operated										
0-19 YRS	0									
20-34	67	5.9	13	3	4	5	7	9	11	26
35-49	415	5.9	18	3	4	5	7	9	12	22
50-64	1415	6.4	23	3	4	5	7	10	13	28
65 +	2348	7.5	28	4	5	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	2.7	3	1	2	2	3	4	5	12
B. Operated	905	5.0	4	3	4	5	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	272	5.6	34	1	2	3	7	12	20	29
B. Operated	4245	7.0	26	4	5	6	8	11	15	30
1. SINGLE DX	997	4.8	5	2	4	5	6	7	8	12
2. MULTIPLE DX	4517	6.9	26	3	4	6	8	11	15	29
A. Not Operated	364	4.8	28	1	2	3	5	10	15	28
B. Operated	5150	6.6	23	3	4	6	7	11	14	28
TOTAL										
0-19 YRS	0									
20-34	82	5.5	12	3	4	5	6	9	10	24
35-49	543	5.6	16	3	4	5	6	9	11	17
50-64	1896	5.9	19	3	4	5	7	9	12	23
65 +	2993	7.0	26	3	5	6	8	12	16	29
GRAND TOTAL	**5514**	**6.5**	**23**	**3**	**4**	**5**	**7**	**11**	**14**	**28**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.7		4	4	5	5	5	5	5
20-34	4	4.8	9	1	2	5	7	8	8	8
35-49	12	3.6	11	1	1	2	5	9	10	10
50-64	33	3.1	8	1	1	2	4	7	8	14
65 +	19	2.3	4	< 1	1	1	2	6	7	7
B. Operated										
0-19 YRS	22	6.6	9	4	5	5	7	12	13	15
20-34	62	5.1	2	3	4	5	6	7	8	9
35-49	78	6.2	10	3	4	5	8	9	12	19
50-64	114	6.1	8	3	4	6	8	10	11	14
65 +	79	8.2	31	4	5	6	10	15	19	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.1	2	2	3	5	5	5	5	5
20-34	11	9.2	298	2	3	4	5	29	58	61
35-49	67	5.5	46	1	1	3	7	14	22	31
50-64	195	6.3	64	1	2	4	7	15	19	46
65 +	218	7.6	67	1	3	6	9	15	20	51
B. Operated										
0-19 YRS	20	7.8	10	4	6	7	9	12	15	17
20-34	129	7.1	38	4	4	6	8	11	11	40
35-49	451	8.9	55	4	5	7	10	15	21	44
50-64	891	11.3	87	5	6	9	13	21	27	63
65 +	1155	13.5	98	5	7	11	16	25	35	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	3.2	7	1	1	2	5	7	8	13
B. Operated	355	6.4	14	3	4	6	8	11	12	20
2. MULTIPLE DX										
A. Not Operated	498	6.8	67	1	2	4	8	15	20	50
B. Operated	2646	11.6	88	4	6	9	14	22	30	57
1. SINGLE DX	432	5.9	14	2	4	5	7	10	12	20
2. MULTIPLE DX	3144	10.8	87	4	6	8	13	21	29	56
A. Not Operated	575	6.3	61	1	2	4	8	13	18	47
B. Operated	3001	11.0	82	4	6	8	13	21	28	55
TOTAL										
0-19 YRS	58	6.4	9	4	5	5	7	11	13	17
20-34	206	6.5	41	4	4	5	7	9	11	46
35-49	608	8.0	49	3	4	6	9	15	20	36
50-64	1233	9.8	80	3	5	8	11	19	25	54
65 +	1471	12.2	95	4	6	10	15	23	32	56
GRAND TOTAL	**3576**	**10.2**	**81**	**3**	**5**	**8**	**12**	**20**	**27**	**54**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	6	2.3	2	1	1	2	4	4	4	4
65 +	8	2.4	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	8	6.3	26	< 1	1	6	10	14	14	14
20-34	12	3.8	11	< 1	1	3	5	9	12	12
35-49	20	5.8	12	1	3	5	9	11	11	11
50-64	29	4.6	22	< 1	1	2	7	12	13	19
65 +	53	4.2	13	1	1	3	6	8	11	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.5	26	3	3	4	9	14	14	14
20-34	10	6.2	24	1	2	4	10	13	15	15
35-49	5	5.4	23	1	2	4	8	13	13	13
50-64	20	2.5	3	< 1	1	2	3	4	6	8
65 +	38	8.6	112	2	3	5	9	17	28	59
B. Operated										
0-19 YRS	7	12.4	40	4	7	13	18	19	19	19
20-34	21	10.0	66	2	3	7	14	22	28	32
35-49	53	12.1	218	2	5	9	13	25	34	97
50-64	136	10.4	71	2	5	8	13	22	30	38
65 +	310	10.8	91	2	5	8	14	21	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.3	2	1	1	2	3	4	5	5
B. Operated	122	4.6	16	1	1	3	7	11	12	19
2. MULTIPLE DX										
A. Not Operated	77	6.4	67	1	2	4	8	13	18	51
B. Operated	527	10.8	96	2	5	8	14	22	30	48
1. SINGLE DX	143	4.3	14	1	1	3	6	10	12	19
2. MULTIPLE DX	604	10.3	95	2	4	8	13	21	30	49
A. Not Operated	98	5.5	56	1	2	3	6	12	15	45
B. Operated	649	9.7	87	2	4	7	13	20	28	43
TOTAL										
0-19 YRS	21	8.0	37	1	3	7	13	18	19	19
20-34	46	7.1	45	1	2	5	10	16	21	32
35-49	80	9.8	158	1	4	7	11	19	29	80
50-64	191	8.4	64	1	3	6	11	18	28	36
65 +	409	9.6	87	2	4	7	13	19	28	55
GRAND TOTAL	**747**	**9.1**	**85**	**1**	**3**	**7**	**12**	**19**	**27**	**43**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	0									
35-49	0									
50-64	10	6.6	48	<1	1	4	10	17	23	23
65+	27	3.2	4	1	2	3	5	6	7	7
B. Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	23	5.5	11	1	3	5	7	10	11	12
50-64	665	5.6	11	1	3	5	8	9	12	15
65+	1944	4.7	10	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.7	7	1	2	3	4	8	9	9
20-34	0									
35-49	7	9.3	82	1	3	4	18	23	23	23
50-64	145	7.7	50	1	3	6	9	16	24	37
65+	926	7.5	59	2	3	6	9	16	22	47
B. Operated										
0-19 YRS	11	17.4	410	4	5	11	33	76	97	99+
20-34	4	11.8	15	8	9	11	14	17	17	17
35-49	49	11.2	82	3	5	8	14	23	28	48
50-64	2107	6.9	28	2	4	6	9	12	16	28
65+	11791	7.0	42	2	3	5	8	13	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.1	16	1	2	3	5	8	10	23
B. Operated	2635	4.9	10	1	3	4	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	1085	7.5	58	2	3	6	9	16	23	43
B. Operated	13962	7.0	41	2	3	5	9	13	17	32
1. SINGLE DX	2675	4.9	10	1	2	4	7	9	11	15
2. MULTIPLE DX	15047	7.0	42	2	3	5	9	13	18	33
A. Not Operated	1125	7.4	57	2	3	5	9	15	23	42
B. Operated	16597	6.7	36	2	3	5	8	12	16	30
TOTAL										
0-19 YRS	23	10.3	237	2	3	4	11	48	76	99+
20-34	5	10.0	27	3	7	10	13	17	17	17
35-49	79	9.4	66	2	4	7	11	22	24	44
50-64	2927	6.7	26	2	4	6	8	12	15	26
65+	14688	6.7	39	2	3	5	8	13	17	32
GRAND TOTAL	**17722**	**6.7**	**38**	**2**	**3**	**5**	**8**	**12**	**17**	**30**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	4	1	2	4	5	5	5	5
20-34	14	3.6	5	1	1	4	5	6	7	7
35-49	5	3.8	3	1	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	33	3.2	10	1	1	2	5	7	11	13
20-34	319	2.5	5	1	1	2	3	6	7	9
35-49	142	2.2	5	1	1	1	2	5	7	11
50-64	37	2.7	4	1	1	2	3	5	8	10
65+	29	3.8	9	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	6.3	11	3	5	5	7	10	14	15
20-34	22	4.2	7	1	2	4	5	6	9	13
35-49	18	4.4	5	2	3	4	6	7	9	10
50-64	5	7.8	22	4	4	6	11	15	15	15
65+	2	11.5	113	4	4	11	19	19	19	19
B. Operated										
0-19 YRS	27	8.3	117	1	2	6	10	14	25	57
20-34	143	7.3	99	1	2	5	9	15	25	99+
35-49	94	5.9	62	1	1	3	7	13	21	40
50-64	44	5.6	25	1	2	4	9	11	18	21
65+	99	6.1	24	1	3	4	8	15	17	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.4	4	1	1	4	5	6	6	7
B. Operated	560	2.5	5	1	1	2	3	6	7	11
2. MULTIPLE DX										
A. Not Operated	59	5.2	12	2	4	5	6	9	14	19
B. Operated	407	6.6	65	1	2	4	9	14	19	50
1. SINGLE DX	585	2.6	5	1	1	2	3	6	7	11
2. MULTIPLE DX	466	6.4	59	1	2	4	8	14	19	45
A. Not Operated	84	4.7	10	1	3	4	6	8	11	18
B. Operated	967	4.2	35	1	1	2	6	9	13	33
TOTAL										
0-19 YRS	76	5.5	52	1	1	4	7	11	14	47
20-34	498	4.0	36	1	1	2	5	8	11	34
35-49	259	3.7	28	1	1	2	4	8	11	34
50-64	87	4.5	18	1	1	3	5	10	13	20
65+	131	5.6	23	1	2	4	8	13	17	20
GRAND TOTAL	**1051**	**4.3**	**33**	**1**	**1**	**2**	**6**	**9**	**13**	**31**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	14	1.8	2	< 1	< 1	1	2	4	5	5
65 +	64	2.5	51	< 1	< 1	< 1	1	3	6	51
B. Operated										
0-19 YRS	12	4.9	23	1	2	3	7	12	15	16
20-34	24	2.3	4	1	1	2	3	4	7	9
35-49	188	3.1	25	1	1	2	3	8	10	13
50-64	866	3.1	11	1	1	2	4	7	10	16
65 +	1651	3.1	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.5	30	2	3	7	12	14	14	14
20-34	5	6.6	107	< 1	1	3	9	25	25	25
35-49	16	7.5	42	1	3	5	12	17	20	22
50-64	67	6.6	37	1	2	4	9	15	21	24
65 +	328	7.8	77	1	3	5	9	16	27	43
B. Operated										
0-19 YRS	23	11.0	83	2	3	9	18	23	27	34
20-34	34	9.2	230	1	2	4	12	24	72	99 +
35-49	262	5.8	55	1	2	3	7	13	20	33
50-64	1792	6.1	60	1	2	3	8	14	19	40
65 +	7191	6.4	54	1	2	4	8	14	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.3	40	< 1	< 1	< 1	1	3	5	42
B. Operated	2741	3.1	12	1	1	2	4	7	10	16
2. MULTIPLE DX										
A. Not Operated	420	7.6	69	1	3	5	9	16	23	42
B. Operated	9302	6.4	56	1	2	4	8	14	20	40
1. SINGLE DX	2824	3.1	12	1	1	2	4	7	10	16
2. MULTIPLE DX	9722	6.4	56	1	2	4	8	14	20	40
A. Not Operated	503	6.7	68	< 1	2	4	8	15	22	42
B. Operated	12043	5.6	48	1	2	3	7	13	18	35
TOTAL										
0-19 YRS	43	8.0	64	1	2	4	13	20	23	34
20-34	63	6.4	141	1	1	3	7	15	29	98
35-49	467	4.8	44	1	1	2	5	11	16	32
50-64	2739	5.1	46	1	1	3	6	12	17	34
65 +	9234	5.9	49	1	2	4	7	13	18	36
GRAND TOTAL	**12546**	**5.7**	**48**	**1**	**2**	**3**	**7**	**13**	**18**	**36**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	4.9	22	1	3	4	5	12	14	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	2.4	1	1	2	2	3	4	4	4
50-64	18	5.3	83	< 1	1	2	7	12	29	39
65 +	3	3.3		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	101	9.3	27	5	7	8	11	14	18	31
20-34	20	6.4	5	3	5	7	8	9	10	10
35-49	108	6.7	7	4	5	7	8	10	11	14
50-64	246	7.2	12	2	5	7	9	11	13	20
65 +	231	7.1	14	1	5	7	9	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	5.6	30	1	2	4	7	12	16	30
20-34	4	4.8	5	2	3	5	6	7	7	7
35-49	40	5.0	37	< 1	1	3	6	10	16	34
50-64	132	7.6	63	1	3	5	9	19	23	41
65 +	245	8.7	61	2	4	7	12	18	24	58
B. Operated										
0-19 YRS	144	13.1	108	5	8	10	15	24	35	73
20-34	47	11.9	97	5	7	9	12	23	29	60
35-49	281	9.4	44	4	6	8	11	17	21	40
50-64	921	10.6	56	5	7	9	12	19	25	45
65 +	1774	11.8	72	5	7	9	14	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	4.7	36	1	2	3	4	9	14	37
B. Operated	706	7.4	14	2	5	7	9	11	13	20
2. MULTIPLE DX										
A. Not Operated	491	7.6	56	1	3	5	10	16	23	46
B. Operated	3167	11.3	68	5	7	9	13	20	27	48
1. SINGLE DX	768	7.2	17	2	5	7	9	11	13	21
2. MULTIPLE DX	3658	10.8	68	3	6	9	13	20	26	48
A. Not Operated	553	7.3	55	1	3	5	9	15	23	39
B. Operated	3873	10.6	60	4	7	9	12	19	25	44
TOTAL										
0-19 YRS	350	9.7	70	2	5	8	12	18	25	50
20-34	72	9.8	73	4	6	8	10	18	24	55
35-49	434	8.2	36	3	5	7	10	13	19	34
50-64	1317	9.6	51	3	6	8	11	18	23	38
65 +	2253	10.9	67	3	7	9	13	20	26	47
GRAND TOTAL	**4426**	**10.2**	**61**	**3**	**6**	**8**	**12**	**19**	**25**	**44**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.3	4	< 1	< 1	1	3	6	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	58	2.3	4	1	1	2	3	4	6	12
20-34	6	1.5		1	1	1	2	2	2	2
35-49	12	3.4	8	1	1	2	5	8	10	10
50-64	26	2.2	2	1	1	2	3	4	5	7
65 +	16	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.4	70	1	2	2	8	21	27	29
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	5.0	13	1	2	6	7	8	8	8
50-64	4	6.8	17	3	3	6	10	12	12	12
65 +	9	6.9	18	2	4	7	9	13	16	16
B. Operated										
0-19 YRS	21	10.7	280	1	2	5	8	36	57	64
20-34	3	5.0	37	1	1	2	9	12	12	12
35-49	12	2.4	1	1	2	2	3	4	4	4
50-64	30	3.8	32	1	2	2	3	8	12	31
65 +	60	4.2	18	1	2	3	4	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.3	4	< 1	< 1	1	3	6	7	7
B. Operated	118	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	31	6.3	39	1	2	4	8	14	20	29
B. Operated	126	5.0	68	1	2	3	4	11	17	54
1. SINGLE DX	130	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX	157	5.3	62	1	2	3	6	11	18	50
A. Not Operated	43	5.1	32	< 1	1	3	7	10	17	29
B. Operated	244	3.7	39	1	1	2	3	7	12	32
TOTAL										
0-19 YRS	105	4.5	77	< 1	1	2	4	8	18	57
20-34	10	2.5	11	< 1	1	1	2	7	12	12
35-49	27	3.1	5	1	2	2	4	7	8	10
50-64	60	3.3	19	1	1	2	3	6	11	29
65 +	85	4.0	16	1	2	3	4	9	14	19
GRAND TOTAL	**287**	**3.9**	**38**	**1**	**1**	**2**	**4**	**8**	**12**	**30**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	3.6	12	1	1	2	5	9	10	17
20-34	17	4.2	18	1	2	3	5	12	15	15
35-49	40	4.7	13	1	3	4	6	11	16	99 +
50-64	57	5.8	28	2	3	4	6	13	17	29
65 +	41	7.7	54	2	3	5	10	18	24	34
B. Operated										
0-19 YRS	319	7.8	49	1	3	7	11	14	21	38
20-34	142	8.6	53	3	5	7	10	13	17	57
35-49	183	8.4	34	3	5	7	11	16	18	33
50-64	222	8.7	33	3	5	7	12	16	18	24
65 +	120	10.3	58	3	6	9	14	18	25	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	313	5.2	47	1	2	3	6	11	16	34
20-34	97	6.1	37	2	3	5	7	12	17	35
35-49	152	6.7	78	1	2	4	8	13	17	33
50-64	300	9.7	133	1	3	6	12	22	32	67
65 +	371	11.2	151	3	4	7	13	23	34	73
B. Operated										
0-19 YRS	590	15.6	272	3	6	11	18	37	66	99 +
20-34	216	12.7	170	3	6	9	15	24	34	82
35-49	327	13.1	151	3	6	10	15	25	40	72
50-64	456	15.2	191	5	8	12	18	29	45	92
65 +	461	17.7	191	6	9	14	21	36	48	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	4.9	24	1	2	3	6	11	15	29
B. Operated	986	8.6	45	2	4	7	11	15	19	36
2. MULTIPLE DX										
A. Not Operated	1233	8.3	108	1	3	5	10	18	27	54
B. Operated	2050	15.3	208	4	7	11	18	32	50	96
1. SINGLE DX	1254	7.8	43	1	3	6	10	15	18	34
2. MULTIPLE DX	3283	12.7	182	2	4	9	15	27	42	85
A. Not Operated	1501	7.7	95	1	2	5	9	16	25	52
B. Operated	3036	13.1	165	3	6	10	15	26	41	85
TOTAL										
0-19 YRS	1335	10.3	168	1	3	7	12	23	37	96
20-34	472	9.8	110	2	4	7	11	18	25	59
35-49	702	10.0	106	2	4	8	12	19	27	64
50-64	1035	11.7	142	3	5	9	14	23	33	81
65 +	993	13.9	167	3	6	11	17	27	42	71
GRAND TOTAL	**4537**	**11.3**	**148**	**2**	**4**	**8**	**14**	**23**	**35**	**76**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.6	4	< 1	1	2	4	5	7	7
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	41	8.2	63	1	5	6	10	19	36	99 +
20-34	10	8.9	11	4	8	9	11	13	13	13
35-49	11	7.3	12	3	5	7	9	12	14	14
50-64	14	10.4	48	4	5	9	13	22	27	28
65 +	16	11.4	28	5	7	10	17	19	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.0	11	1	1	3	6	9	11	12
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	3.8	8	1	1	3	6	7	7	7
50-64	26	9.8	162	1	3	5	11	21	31	64
65 +	35	10.1	90	3	4	6	13	25	33	38
B. Operated										
0-19 YRS	69	13.8	153	3	7	10	15	33	46	58
20-34	12	12.6	33	7	9	11	15	21	25	26
35-49	29	16.2	262	4	8	12	20	50	73	99 +
50-64	39	15.1	109	3	8	11	21	33	35	38
65 +	41	18.3	230	5	9	16	22	32	49	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.6	3	< 1	1	2	3	4	6	7
B. Operated	92	9.1	44	3	5	8	11	18	21	75
2. MULTIPLE DX										
A. Not Operated	90	8.1	91	1	3	5	9	20	25	54
B. Operated	190	15.3	170	4	8	12	19	32	41	78
1. SINGLE DX	108	8.1	43	1	4	7	10	17	20	65
2. MULTIPLE DX	280	13.0	155	2	5	9	17	27	38	70
A. Not Operated	106	7.3	81	1	2	4	8	17	23	49
B. Operated	282	13.3	137	3	7	10	17	27	39	79
TOTAL										
0-19 YRS	146	9.7	109	1	3	7	12	20	36	60
20-34	25	10.1	28	3	7	9	13	17	21	26
35-49	44	12.8	197	2	6	8	16	25	62	99 +
50-64	80	12.4	119	3	5	9	17	28	33	56
65 +	93	13.9	154	3	6	10	18	27	37	73
GRAND TOTAL	**388**	**11.6**	**129**	**2**	**5**	**8**	**15**	**24**	**35**	**69**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.4	5	< 1	1	2	3	5	8	10
20-34	26	1.9	1	1	1	2	2	3	4	4
35-49	49	1.9	2	1	1	2	2	3	3	10
50-64	19	2.2	1	1	2	2	2	3	5	6
65 +	14	2.9	5	1	2	2	3	5	9	10
B. Operated										
0-19 YRS	107	5.1	57	1	2	3	6	9	13	48
20-34	201	2.7	2	1	2	2	3	4	6	7
35-49	201	2.8	4	1	2	2	3	4	6	13
50-64	122	3.1	2	1	2	3	4	5	6	7
65 +	76	3.5	9	2	2	3	4	5	9	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	4.6	37	1	1	3	6	8	14	34
20-34	44	2.9	6	1	2	2	3	5	8	15
35-49	49	3.6	27	1	2	2	3	6	11	30
50-64	42	4.7	41	1	2	2	4	12	23	27
65 +	64	6.1	62	1	2	4	7	12	19	52
B. Operated										
0-19 YRS	224	12.0	197	2	4	7	13	28	49	74
20-34	261	3.7	9	2	2	3	4	6	9	18
35-49	318	4.2	22	2	2	3	5	8	10	22
50-64	239	5.3	48	2	2	3	6	10	16	40
55 +	274	8.5	115	2	3	5	10	18	27	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	2.2	3	1	1	2	2	4	4	10
B. Operated	707	3.2	12	1	2	3	4	5	7	16
2. MULTIPLE DX										
A. Not Operated	369	4.5	37	1	2	3	5	9	14	33
B. Operated	1316	6.5	82	2	2	4	7	13	21	55
1. SINGLE DX	859	3.1	11	1	2	2	3	5	7	13
2. MULTIPLE DX	1685	6.1	73	2	2	4	6	12	20	52
A. Not Operated	521	3.8	28	1	1	2	4	8	11	31
B. Operated	2023	5.4	60	2	2	3	5	10	16	49
TOTAL										
0-19 YRS	545	7.5	118	1	2	4	8	15	30	60
20-34	532	3.2	6	1	2	3	4	5	7	15
35-49	617	3.5	15	1	2	3	4	6	9	20
50-64	422	4.5	33	1	2	3	5	7	12	26
65 +	428	7.1	89	2	3	4	8	16	24	56
GRAND TOTAL	**2544**	**5.1**	**54**	**1**	**2**	**3**	**5**	**9**	**16**	**45**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.7	5	1	3	3	5	6	7	11
20-34	8	5.6	4	3	4	6	7	8	9	9
35-49	32	5.1	18	1	2	4	6	12	14	19
50-64	64	5.4	30	1	2	4	7	11	18	30
65 +	59	7.6	41	1	3	5	10	19	22	27
B. Operated										
0-19 YRS	71	6.1	22	1	3	6	8	12	14	25
20-34	25	3.5	9	1	1	2	6	8	9	11
35-49	85	5.7	38	1	2	4	7	12	17	32
50-64	216	4.9	27	1	2	3	6	11	15	25
65 +	203	5.7	34	< 1	2	4	7	14	16	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	186	4.4	17	1	2	3	5	9	13	22
20-34	276	6.9	51	2	3	5	9	14	18	36
35-49	1562	7.7	52	2	3	6	9	16	21	38
50-64	4283	8.2	55	2	3	6	11	17	23	38
65 +	8083	9.2	73	2	4	7	11	19	24	44
B. Operated										
0-19 YRS	335	11.0	184	2	4	7	12	24	44	86
20-34	564	9.7	91	2	4	7	11	20	28	52
35-49	2446	10.6	110	2	4	8	13	23	31	54
50-64	6383	11.6	120	2	5	9	15	24	33	57
65 +	9858	12.3	121	2	5	9	16	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	5.8	28	1	2	4	7	12	19	27
B. Operated	600	5.4	29	1	2	4	7	12	15	28
2. MULTIPLE DX										
A. Not Operated	14396	8.6	65	2	4	6	11	18	23	41
B. Operated	19586	11.7	120	2	5	9	15	25	33	58
1. SINGLE DX	790	5.5	29	1	2	4	7	12	16	27
2. MULTIPLE DX	33982	10.4	99	2	4	8	13	22	29	52
A. Not Operated	14586	8.6	64	2	4	6	11	18	23	41
B. Operated	20186	11.5	119	2	5	9	15	24	33	57
TOTAL										
0-19 YRS	619	8.2	117	1	3	5	9	16	27	73
20-34	873	8.6	78	2	3	6	10	18	26	47
35-49	4125	9.3	88	2	4	7	11	19	28	48
50-64	10946	10.1	96	2	4	7	13	22	29	51
65 +	18209	10.8	101	2	4	8	14	22	29	52
GRAND TOTAL	**34772**	**10.3**	**98**	**2**	**4**	**8**	**13**	**22**	**29**	**52**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.3	4	1	1	2	3	5	7	9
20-34	25	4.1	34	1	1	2	5	8	15	29
35-49	14	6.6	64	1	2	4	10	26	81	99 +
50-64	12	4.9	24	1	1	2	9	13	14	14
65 +	4	4.0	36	< 1	< 1	1	7	13	13	13
B. Operated										
0-19 YRS	216	5.4	16	1	2	5	7	10	13	19
20-34	257	5.2	36	1	2	5	6	9	15	27
35-49	122	4.6	19	1	2	4	6	8	11	56
50-64	48	4.0	10	1	1	3	6	8	11	13
65 +	20	4.2	12	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	5.2	18	1	2	4	7	11	13	22
20-34	87	6.1	29	1	2	4	9	13	19	26
35-49	25	4.7	12	1	2	4	7	10	12	15
50-64	24	6.8	23	2	3	6	9	13	17	20
65 +	33	8.7	44	2	3	7	13	18	23	24
B. Operated										
0-19 YRS	117	10.9	169	2	4	7	11	25	50	61
20-34	282	13.8	246	2	5	8	16	41	50	89
35-49	161	11.6	126	2	5	8	15	28	34	55
50-64	117	10.8	125	2	4	7	13	23	34	54
65 +	103	14.0	148	3	6	10	17	30	34	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	4.0	28	1	1	2	5	11	16	76
B. Operated	663	5.0	24	1	2	4	7	9	12	26
2. MULTIPLE DX										
A. Not Operated	227	6.2	27	1	2	5	9	13	16	23
B. Operated	780	12.5	180	2	5	8	14	31	44	70
1. SINGLE DX	746	4.9	24	1	2	4	7	9	13	27
2. MULTIPLE DX	1007	11.0	152	2	4	7	12	27	39	65
A. Not Operated	310	5.6	28	1	2	4	8	12	16	26
B. Operated	1443	9.0	122	1	3	6	10	21	32	60
TOTAL										
0-19 YRS	419	6.7	65	1	2	5	8	12	17	52
20-34	651	9.0	143	1	3	5	9	21	38	69
35-49	322	8.2	85	1	3	6	10	18	30	58
50-64	201	8.3	88	1	3	6	10	19	28	43
65 +	160	11.4	120	1	4	9	14	26	32	52
GRAND TOTAL	**1753**	**8.4**	**107**	**1**	**3**	**6**	**9**	**18**	**30**	**57**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	311	3.9	25	< 1	1	3	5	7	10	24
20-34	6	4.0	6	2	2	3	6	8	8	8
35-49	1	26.0		26	26	26	26	26	26	26
50-64	2	10.5	13	8	8	10	13	13	13	13
65 +	3	5.0	37	1	1	2	9	12	12	12
B. Operated										
0-19 YRS	433	6.9	61	1	2	5	9	13	20	44
20-34	19	17.4	467	1	2	5	30	46	67	80
35-49	12	9.6	99	2	3	7	10	28	32	33
50-64	4	21.0	69	12	14	21	28	29	29	29
65 +	2	12.5	181	3	3	12	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	672	5.7	41	1	2	4	7	12	18	36
20-34	38	9.8	147	1	2	4	12	28	31	57
35-49	12	4.6	44	1	1	2	6	13	22	24
50-64	8	13.8	183	1	3	9	25	34	34	34
65 +	28	7.1	48	2	3	4	10	13	23	32
B. Operated										
0-19 YRS	575	17.4	246	3	7	12	24	37	49	94
20-34	81	24.4	355	3	8	22	33	49	65	78
35-49	48	27.0	345	6	10	25	38	61	67	99 +
50-64	29	21.6	154	5	14	24	31	46	98	99 +
65 +	49	20.8	363	4	7	14	33	44	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	323	4.0	26	< 1	1	3	5	8	10	26
B. Operated	470	7.6	83	1	2	5	9	15	26	47
2. MULTIPLE DX										
A. Not Operated	758	6.0	49	1	2	4	7	13	19	37
B. Operated	782	19.1	275	4	7	14	27	42	56	99
1. SINGLE DX	793	6.1	63	1	2	4	7	12	20	42
2. MULTIPLE DX	1540	12.6	207	1	3	7	17	33	43	81
A. Not Operated	1081	5.4	43	1	2	3	6	11	17	34
B. Operated	1252	14.8	234	2	5	9	22	36	46	91
TOTAL										
0-19 YRS	1991	9.0	131	1	2	5	10	23	33	59
20-34	144	18.8	345	2	4	12	28	44	61	80
35-49	73	20.4	337	2	6	16	33	46	65	93
50-64	43	19.6	152	4	12	18	29	39	67	99 +
65 +	82	15.4	280	2	4	9	23	40	49	99
GRAND TOTAL	**2333**	**10.4**	**167**	**1**	**2**	**6**	**12**	**27**	**38**	**71**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	0									
35-49	3	3.3		3	3	3	4	4	4	4
50-64	8	4.3	7	1	2	4	6	8	9	9
65 +	8	4.1	7	1	2	4	6	8	8	8
B. Operated										
0-19 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	7	3.9	4	1	3	3	5	7	7	7
65 +	15	4.4	11	1	2	3	7	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.1	15	1	4	8	10	12	12	12
20-34	4	4.5	3	2	3	5	6	6	6	6
35-49	13	3.5	6	1	2	2	5	8	8	8
50-64	88	7.9	34	2	4	7	10	16	19	30
65 +	226	7.3	36	2	3	5	9	15	19	33
B. Operated										
0-19 YRS	4	17.3	192	2	5	19	29	29	29	29
20-34	6	30.0	995	4	7	18	46	82	86	86
35-49	15	8.5	26	2	4	9	13	16	17	17
50-64	73	10.3	58	3	5	8	14	20	23	39
65 +	209	11.5	112	3	5	9	14	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	4.0	5	1	2	4	5	7	8	9
B. Operated	29	4.0	8	1	2	3	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	338	7.3	34	2	3	6	9	15	19	32
B. Operated	307	11.5	117	3	5	8	14	22	30	60
1. SINGLE DX	52	4.0	7	1	2	3	5	8	9	12
2. MULTIPLE DX	645	9.3	78	2	4	7	12	18	25	46
A. Not Operated	361	7.1	33	2	3	5	9	15	19	32
B. Operated	336	10.8	112	3	5	8	14	20	30	59
TOTAL										
0-19 YRS	18	7.8	71	1	2	5	9	24	29	29
20-34	12	17.5	625	3	4	6	18	58	82	86
35-49	33	5.7	21	1	2	4	9	13	16	17
50-64	176	8.6	44	2	4	7	12	17	21	34
65 +	458	9.1	74	2	4	7	11	17	25	53
GRAND TOTAL	**697**	**8.9**	**74**	**2**	**4**	**7**	**11**	**17**	**24**	**46**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	4.4	34	< 1	1	3	6	8	11	39
20-34	13	3.1	2	1	2	3	4	5	6	6
35-49	13	6.8	52	1	2	4	10	16	25	27
50-64	12	5.7	112	1	2	3	4	15	35	39
65 +	20	3.6	8	< 1	1	3	5	7	10	12
B. Operated										
0-19 YRS	76	7.6	91	1	1	4	10	19	33	44
20-34	26	12.5	211	1	2	5	28	31	39	50
35-49	33	10.6	180	2	2	4	14	31	35	52
50-64	23	19.1	330	1	3	11	32	47	57	60
65 +	16	13.4	243	1	2	7	20	37	50	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	140	7.3	61	1	2	5	9	16	24	41
20-34	36	8.7	75	1	2	5	12	21	23	39
35-49	52	14.7	234	3	5	8	20	32	43	75
50-64	71	8.6	75	1	3	6	10	25	29	37
65 +	159	9.9	95	2	4	7	13	22	29	50
B. Operated										
0-19 YRS	178	29.3	484	5	10	28	44	61	70	94
20-34	114	31.3	327	7	22	32	39	55	66	95
35-49	140	30.8	358	6	16	31	42	56	67	99 +
50-64	191	29.7	287	4	23	30	39	50	67	99 +
65 +	305	23.0	314	4	7	20	36	46	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	4.5	36	< 1	1	3	5	8	12	40
B. Operated	174	10.9	181	1	2	5	13	31	38	56
2. MULTIPLE DX										
A. Not Operated	458	9.3	99	1	3	6	12	23	29	49
B. Operated	928	27.8	359	5	10	28	39	55	67	99 +
1. SINGLE DX	308	8.1	128	1	2	4	8	27	34	53
2. MULTIPLE DX	1386	21.7	349	3	6	16	35	47	63	99
A. Not Operated	592	8.2	89	1	3	5	10	20	27	47
B. Operated	1102	25.1	369	3	8	26	37	53	65	99 +
TOTAL										
0-19 YRS	470	15.2	344	1	3	7	20	44	57	81
20-34	189	22.4	362	2	5	22	35	49	59	88
35-49	238	23.2	374	2	6	22	36	50	64	98
50-64	297	22.9	323	2	6	26	35	46	61	99 +
65 +	500	17.8	274	2	5	10	30	43	53	87
GRAND TOTAL	**1694**	**19.2**	**336**	**2**	**4**	**11**	**32**	**45**	**57**	**93**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	3.4	19	< 1	1	2	4	6	10	25
20-34	5	4.6	7	1	2	5	6	8	8	8
35-49	23	3.7	10	1	1	3	5	8	11	12
50-64	19	8.2	85	1	1	3	16	22	27	30
65 +	19	2.7	7	< 1	< 1	1	3	6	9	11
B. Operated										
0-19 YRS	36	11.0	355	1	2	4	8	36	49	94
20-34	15	6.9	87	1	2	5	6	13	32	38
35-49	24	12.5	183	1	4	6	23	31	39	51
50-64	18	8.7	99	1	3	5	10	27	33	35
65 +	15	9.4	66	2	5	6	11	26	27	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	8.0	96	1	2	4	9	17	34	47
20-34	31	5.7	51	1	1	3	7	15	23	31
35-49	45	6.4	24	1	3	6	9	13	17	22
50-64	107	7.1	56	2	3	5	8	13	22	40
65 +	245	7.7	63	2	3	5	10	19	23	43
B. Operated										
0-19 YRS	105	17.2	337	2	5	10	26	48	55	81
20-34	59	19.7	290	2	6	13	30	40	47	87
35-49	102	20.9	313	3	5	16	34	43	56	73
50-64	102	18.6	261	3	5	13	30	42	53	85
65 +	226	15.7	267	3	5	9	21	38	49	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	4.3	29	< 1	1	2	5	11	17	27
B. Operated	108	10.1	195	1	2	5	10	31	37	70
2. MULTIPLE DX										
A. Not Operated	498	7.4	62	1	3	5	9	17	23	44
B. Operated	594	17.7	290	3	5	10	28	42	53	82
1. SINGLE DX	210	7.3	122	1	1	4	7	20	31	51
2. MULTIPLE DX	1092	13.0	213	2	4	7	17	34	43	68
A. Not Operated	600	6.8	58	1	2	4	8	16	22	39
B. Operated	702	16.6	283	2	5	9	26	40	51	82
TOTAL										
0-19 YRS	247	11.7	249	1	2	6	12	34	48	69
20-34	110	13.3	227	1	3	6	23	34	40	67
35-49	194	14.5	244	1	4	7	23	39	44	61
50-64	246	12.1	175	2	3	7	16	32	42	69
65 +	505	11.1	170	2	3	7	13	28	38	66
GRAND TOTAL	**1302**	**12.1**	**202**	**1**	**3**	**6**	**15**	**32**	**42**	**66**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	4.1	16	1	1	4	5	7	9	25
20-34	20	2.6	4	1	1	2	4	6	6	7
35-49	45	4.5	31	1	2	3	4	8	17	29
50-64	109	4.5	14	1	2	3	6	9	14	16
65 +	85	5.7	30	1	2	4	8	11	16	29
B. Operated										
0-19 YRS	150	5.9	45	1	2	4	7	12	17	31
20-34	76	4.8	41	1	2	3	6	9	12	43
35-49	197	5.2	30	1	2	4	7	11	13	33
50-64	331	5.6	28	1	2	4	8	12	14	29
65 +	362	5.3	28	1	1	3	8	12	18	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	5.9	42	1	2	4	8	12	21	35
20-34	78	6.3	51	1	1	3	8	16	24	30
35-49	202	7.0	40	2	3	5	9	15	19	31
50-64	649	8.5	65	2	3	6	10	18	24	37
65 +	1197	9.5	80	2	4	7	12	20	26	55
B. Operated										
0-19 YRS	180	16.3	271	3	6	10	21	45	63	99 +
20-34	173	16.6	256	2	5	10	23	40	49	73
35-49	471	13.9	228	3	5	9	17	32	53	92
50-64	1132	13.2	158	3	5	9	16	29	38	66
65 +	2492	13.8	145	3	6	10	18	29	38	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	4.6	21	1	2	3	6	9	14	26
B. Operated	1116	5.4	32	1	2	4	7	11	15	28
2. MULTIPLE DX										
A. Not Operated	2247	8.7	70	2	3	6	11	18	24	42
B. Operated	4448	13.8	167	3	6	10	18	30	41	70
1. SINGLE DX	1435	5.2	29	1	2	4	7	11	15	27
2. MULTIPLE DX	6695	12.1	140	2	5	9	15	26	36	65
A. Not Operated	2566	8.2	66	2	3	6	10	17	23	39
B. Operated	5564	12.2	151	2	4	8	16	27	37	66
TOTAL										
0-19 YRS	511	9.3	147	1	3	5	10	23	37	76
20-34	347	10.9	181	1	2	6	13	30	40	60
35-49	915	10.0	150	2	3	6	12	22	35	69
50-64	2221	10.3	115	2	4	7	13	22	31	58
65 +	4136	11.6	122	2	4	8	15	25	34	55
GRAND TOTAL	**8130**	**10.9**	**128**	**2**	**4**	**8**	**14**	**24**	**34**	**62**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	78	2.1	2	1	1	2	2	4	5	8
20-34	279	2.0	2	1	1	2	2	3	4	5
35-49	442	2.0	2	1	1	2	2	3	4	5
50-64	367	2.0	1	1	1	2	2	3	4	6
65 +	286	2.2	3	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	0									
65 +	5	3.4	11	< 1	1	3	5	9	9	9
B. Operated										
0-19 YRS	42	3.1	10	1	1	2	4	7	9	16
20-34	67	2.4	3	1	1	2	3	4	5	10
35-49	165	2.5	5	1	1	2	3	4	6	10
50-64	261	2.7	5	1	1	2	3	5	6	11
65 +	382	3.1	7	1	2	2	4	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	2	1	1	2	3	4	4	4
B. Operated	1452	2.0	2	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	9	2.6	7	< 1	1	1	3	7	9	9
B. Operated	917	2.8	6	1	1	2	3	5	7	14
1. SINGLE DX	1456	2.0	2	1	1	2	2	3	4	6
2. MULTIPLE DX	926	2.8	6	1	1	2	3	5	7	13
A. Not Operated	13	2.4	5	< 1	1	1	3	5	8	9
B. Operated	2369	2.3	4	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	121	2.4	5	1	1	2	3	5	7	12
20-34	346	2.1	2	1	1	2	3	4	4	6
35-49	612	2.1	3	1	1	2	2	4	4	8
50-64	629	2.3	3	1	1	2	3	4	5	10
65 +	674	2.7	5	1	1	2	3	5	6	13
GRAND TOTAL	**2382**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.7	1	< 1	1	1	2	3	4	4
20-34	7	3.9	11	< 1	1	3	6	9	10	10
35-49	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	15	2.8	5	< 1	< 1	1	4	7	8	8
65 +	17	1.5	1	< 1	< 1	< 1	2	3	4	5
B. Operated										
0-19 YRS	68	4.3	14	1	1	3	7	10	12	15
20-34	70	5.6	12	< 1	3	6	8	10	12	14
35-49	155	3.6	11	< 1	< 1	2	6	8	10	13
50-64	307	3.5	10	< 1	< 1	1	6	8	9	11
65 +	358	3.5	13	< 1	< 1	1	7	9	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	5.2	105	< 1	1	2	4	8	31	44
20-34	11	4.3	6	1	3	4	6	8	10	10
35-49	22	4.0	11	1	2	3	5	11	12	12
50-64	65	3.3	8	< 1	1	2	4	6	10	12
65 +	143	5.3	50	1	2	4	6	10	16	42
B. Operated										
0-19 YRS	75	6.7	46	1	2	5	9	15	19	37
20-34	116	6.7	36	1	3	6	9	12	13	40
35-49	272	6.1	26	< 1	2	5	8	12	16	26
50-64	830	6.8	42	< 1	2	6	9	12	16	34
65 +	2125	7.7	58	1	2	6	10	15	21	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.2	4	< 1	< 1	1	3	4	7	10
B. Operated	958	3.7	12	< 1	< 1	2	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	258	4.6	38	< 1	1	3	5	10	12	39
B. Operated	3418	7.3	51	< 1	2	6	9	14	19	37
1. SINGLE DX	1012	3.6	11	< 1	< 1	2	6	9	10	13
2. MULTIPLE DX	3676	7.1	50	< 1	2	6	9	14	19	37
A. Not Operated	312	4.2	33	< 1	1	3	5	9	12	29
B. Operated	4376	6.5	44	< 1	1	5	9	13	17	34
TOTAL										
0-19 YRS	172	5.3	38	1	1	3	7	11	15	37
20-34	204	6.1	26	< 1	3	6	8	11	12	29
35-49	452	5.1	21	< 1	1	4	7	10	13	25
50-64	1217	5.7	34	< 1	1	5	8	11	14	28
65 +	2643	7.0	53	< 1	2	5	9	14	20	39
GRAND TOTAL	**4688**	**6.4**	**44**	**< 1**	**1**	**5**	**9**	**12**	**17**	**34**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.7	4	< 1	1	1	2	2	7	10
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	313	2.0	6	< 1	1	1	2	4	7	12
20-34	55	3.1	7	1	1	2	5	8	9	10
35-49	85	3.7	8	1	1	3	5	7	8	15
50-64	101	4.1	10	< 1	1	3	6	8	9	16
65 +	71	3.8	8	1	1	3	6	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.9	6	< 1	1	2	4	8	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	7.4	81	1	2	3	11	23	23	23
65 +	8	6.3	39	1	1	3	13	15	15	15
B. Operated										
0-19 YRS	153	4.7	41	1	1	2	6	12	17	32
20-34	52	6.1	16	1	3	5	8	11	13	19
35-49	103	6.5	53	1	2	5	8	11	16	47
50-64	145	7.1	45	1	4	6	9	12	15	43
65 +	161	7.8	37	2	3	7	10	15	21	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	1.7	3	< 1	< 1	1	2	2	5	10
B. Operated	625	2.9	8	< 1	1	1	4	7	8	12
2. MULTIPLE DX										
A. Not Operated	31	4.5	27	< 1	1	3	5	13	15	23
B. Operated	614	6.5	42	1	2	5	8	13	18	33
1. SINGLE DX	649	2.8	8	< 1	1	1	4	7	8	12
2. MULTIPLE DX	645	6.4	41	1	2	5	8	13	18	32
A. Not Operated	55	3.3	18	< 1	1	2	3	9	13	23
B. Operated	1239	4.7	28	1	1	3	7	10	13	25
TOTAL										
0-19 YRS	501	2.8	18	< 1	1	1	2	7	10	23
20-34	110	4.5	14	1	1	4	7	9	10	18
35-49	190	5.2	34	1	2	4	7	9	13	33
50-64	253	5.9	33	1	2	5	8	10	14	32
65 +	240	6.6	32	1	2	5	9	13	18	27
GRAND TOTAL	**1294**	**4.6**	**28**	**1**	**1**	**3**	**6**	**10**	**13**	**24**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.1	15	< 1	1	1	1	3	12	17
20-34	4	2.8	4	1	1	3	4	5	5	5
35-49	6	3.3	1	2	3	3	4	5	5	5
50-64	3	2.3	5	1	1	1	4	5	5	5
65 +	4	7.0	35	1	3	6	11	15	15	15
B. Operated										
0-19 YRS	898	2.2	4	< 1	1	1	3	5	6	11
20-34	488	2.1	3	< 1	1	1	3	4	6	10
35-49	612	2.0	4	< 1	< 1	1	2	4	6	10
50-64	436	2.0	4	< 1	< 1	1	2	4	6	10
65 +	251	2.2	5	< 1	< 1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	5.1	100	< 1	1	2	3	10	32	40
20-34	7	2.1	1	< 1	1	2	3	4	4	4
35-49	9	7.4	26	1	4	6	10	15	18	18
50-64	14	4.9	24	1	2	3	8	14	14	14
65 +	17	5.5	10	1	3	5	8	10	11	11
B. Operated										
0-19 YRS	251	3.6	11	1	1	2	5	8	11	15
20-34	218	3.3	10	1	1	2	4	8	10	17
35-49	364	3.5	19	< 1	1	2	4	7	9	23
50-64	373	4.0	34	1	1	2	5	8	12	33
65 +	418	5.0	28	1	2	3	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	3.0	14	1	1	1	4	6	13	17
B. Operated	2685	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	62	5.2	36	1	2	3	8	11	14	37
B. Operated	1624	4.0	23	1	1	2	5	9	12	23
1. SINGLE DX	2719	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX	1686	4.1	23	1	1	2	5	9	12	23
A. Not Operated	96	4.4	29	1	1	3	5	10	14	30
B. Operated	4309	2.8	12	< 1	1	2	3	6	9	16
TOTAL										
0-19 YRS	1181	2.5	8	< 1	1	2	3	5	8	13
20-34	717	2.5	5	< 1	1	2	3	5	7	12
35-49	991	2.6	10	< 1	1	2	3	6	7	16
50-64	826	3.0	19	< 1	1	2	3	7	9	19
65 +	690	4.0	21	< 1	1	2	5	9	13	23
GRAND TOTAL	**4405**	**2.9**	**12**	**< 1**	**1**	**2**	**3**	**7**	**9**	**16**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.7	6	< 1	1	2	3	5	9	14
20-34	5	1.6		1	1	2	2	2	2	2
35-49	7	5.1	10	1	3	5	6	10	11	11
50-64	8	2.1	4	< 1	< 1	1	2	6	7	7
65 +	4	4.0	13	< 1	< 1	3	7	8	8	8
B. Operated										
0-19 YRS	1091	2.3	10	< 1	< 1	1	2	5	8	14
20-34	191	2.4	5	< 1	1	1	3	5	7	14
35-49	162	2.1	4	< 1	< 1	1	2	5	6	11
50-64	100	2.4	8	< 1	< 1	1	3	5	7	17
65 +	78	2.3	11	< 1	< 1	1	2	4	8	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	3.8	16	< 1	1	2	5	9	14	18
20-34	19	4.8	20	1	2	3	5	12	16	18
35-49	19	5.3	20	1	2	4	7	13	16	17
50-64	17	4.5	11	1	2	4	7	10	11	11
65 +	35	6.7	27	2	4	5	8	14	16	27
B. Operated										
0-19 YRS	441	5.2	72	< 1	1	2	5	12	20	63
20-34	129	4.7	48	< 1	< 1	3	6	11	13	42
35-49	151	4.3	29	< 1	< 1	2	6	9	12	32
50-64	157	4.7	30	< 1	1	3	7	10	15	19
65 +	163	7.1	71	1	1	5	9	14	23	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	2.8	7	< 1	1	2	3	6	9	13
B. Operated	1622	2.3	9	< 1	< 1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated	176	4.7	19	1	2	3	6	10	15	19
B. Operated	1041	5.2	57	< 1	1	3	7	11	18	46
1. SINGLE DX	1719	2.3	9	< 1	< 1	1	3	5	7	14
2. MULTIPLE DX	1217	5.1	51	< 1	1	3	7	11	17	39
A. Not Operated	273	4.0	16	1	1	3	5	9	14	18
B. Operated	2663	3.4	30	< 1	1	1	4	8	11	26
TOTAL										
0-19 YRS	1691	3.1	28	< 1	1	1	3	7	11	26
20-34	344	3.4	23	< 1	1	2	4	7	11	18
35-49	339	3.3	17	< 1	< 1	2	4	7	10	20
50-64	282	3.8	22	< 1	1	2	5	8	11	19
65 +	280	5.7	52	< 1	1	3	8	12	18	39
GRAND TOTAL	**2936**	**3.5**	**28**	**< 1**	**1**	**2**	**4**	**8**	**12**	**26**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	67	1.4	1	<1	<1	1	2	2	3	6
20-34	140	1.1		<1	<1	<1	<1	1	2	3
35-49	190	1.2		<1	<1	<1	1	2	3	4
50-64	123	1.2		<1	<1	<1	1	2	2	4
65 +	63	1.6	1	<1	<1	<1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		<1	<1	<1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	9	1.8	1	<1	<1	1	2	4	4	4
20-34	45	1.9	2	<1	<1	1	2	4	5	8
35-49	158	1.9	4	<1	<1	1	2	4	5	9
50-64	142	2.0	2	<1	1	1	2	4	5	8
65 +	150	3.2	50	<1	1	2	3	5	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	583	1.2		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	3	1.3		<1	<1	1	2	2	2	2
B. Operated	504	2.3	17	<1	1	1	2	4	6	13
1. SINGLE DX	583	1.2		<1	<1	<1	1	2	3	4
2. MULTIPLE DX	507	2.3	17	<1	1	1	2	4	6	13
A. Not Operated	3	1.3		<1	<1	1	2	2	2	2
B. Operated	1087	1.7	9	<1	<1	1	2	3	4	8
TOTAL										
0-19 YRS	76	1.4	1	<1	<1	1	2	2	3	5
20-34	185	1.3	1	<1	<1	<1	1	2	3	6
35-49	348	1.6	2	<1	<1	<1	2	3	4	6
50-64	267	1.6	2	<1	<1	1	2	3	4	7
65 +	214	2.7	36	<1	1	2	2	5	6	17
GRAND TOTAL	**1090**	**1.7**	**9**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	27	2.6	2	1	1	3	3	5	6	7
35-49	45	3.1	5	1	2	2	4	6	7	12
50-64	4	2.5	4	<1	<1	2	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	3	3.0	3	<1	1	4	4	4	4	4
20-34	694	4.0	2	2	3	4	5	6	6	8
35-49	2065	4.3	2	3	4	4	5	6	6	8
50-64	292	4.3	2	3	4	4	5	6	7	8
65 +	23	6.1	10	2	5	5	8	9	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	87	2.6	5	<1	1	2	4	5	6	12
35-49	272	2.5	5	<1	1	2	3	5	7	12
50-64	39	3.3	9	<1	1	2	4	9	11	12
65 +	14	5.3	12	<1	2	5	7	9	13	14
B. Operated										
0-19 YRS	20	4.4	3	2	3	4	6	7	49	99 +
20-34	3014	4.7	7	3	4	4	5	7	8	12
35-49	19676	4.8	4	3	4	4	5	7	8	12
50-64	3619	5.1	6	3	4	5	6	7	8	14
65 +	469	6.6	25	4	4	5	7	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.8	4	1	1	2	4	5	7	11
B. Operated	3077	4.2	2	3	4	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	412	2.7	6	<1	1	2	4	5	7	13
B. Operated	26798	4.9	5	3	4	5	5	7	8	13
1. SINGLE DX	3156	4.2	2	3	3	4	5	6	6	8
2. MULTIPLE DX	27210	4.8	5	3	4	4	5	7	8	13
A. Not Operated	491	2.7	5	<1	1	2	4	5	7	12
B. Operated	29875	4.8	5	3	4	4	5	7	8	12
TOTAL										
0-19 YRS	26	3.9	3	1	3	4	6	6	22	99 +
20-34	3822	4.5	6	3	3	4	5	6	8	11
35-49	22058	4.7	4	3	4	4	5	7	8	11
50-64	3954	5.0	6	3	4	5	6	7	8	14
65 +	506	6.5	24	4	4	5	7	11	14	26
GRAND TOTAL	**30366**	**4.8**	**5**	**3**	**4**	**4**	**5**	**7**	**8**	**12**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	20	3.4	3	< 1	2	3	5	6	6	6
35-49	27	3.9	3	1	3	4	4	7	8	8
50-64	3	2.7	2	< 1	1	3	4	4	4	4
65 +	3	4.0	9	< 1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	56	4.3	4	1	3	4	5	6	8	10
35-49	252	4.5	5	3	4	4	5	6	7	10
50-64	60	4.4	3	2	4	4	5	6	8	11
65 +	21	8.0	102	2	4	6	8	12	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	3	2	2	2	4	5	5	5
B. Operated	53	3.6	3	1	2	4	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	4	2.8	3	< 1	1	2	4	5	5	5
B. Operated	391	4.7	10	3	4	4	5	7	8	12
1. SINGLE DX	56	3.6	3	1	2	4	4	6	7	8
2. MULTIPLE DX	395	4.6	10	3	4	4	5	7	8	12
A. Not Operated	7	2.9	2	< 1	2	2	4	5	5	5
B. Operated	444	4.5	9	2	3	4	5	7	8	12
TOTAL										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	78	4.0	4	1	3	4	5	6	6	10
35-49	283	4.5	4	3	4	4	5	6	7	10
50-64	64	4.3	3	2	4	4	5	6	8	11
65 +	24	7.5	92	1	4	6	8	12	24	50
GRAND TOTAL	451	4.5	9	2	3	4	5	7	8	12

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	3	1	1	2	3	5	5	5
20-34	8	2.9	1	1	2	3	4	4	4	4
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	270	3.8	1	3	3	4	4	5	6	7
20-34	888	3.8	1	3	3	4	4	5	6	7
35-49	375	4.1	2	3	3	4	5	6	6	8
50-64	203	4.5	2	3	4	4	5	6	7	11
65 +	112	5.4	4	4	4	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	< 1	1	4	4	4	4	4
20-34	12	3.3	9	< 1	1	2	5	7	10	11
35-49	8	3.1	2	1	2	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	6	6.8	31	3	4	5	6	17	18	18
B. Operated										
0-19 YRS	221	4.3	3	3	3	4	5	6	7	12
20-34	1230	4.3	3	3	3	4	5	6	7	10
35-49	1297	4.9	5	3	4	4	5	7	8	14
50-64	816	5.8	8	4	4	5	6	8	11	18
65 +	830	7.6	32	4	5	6	8	12	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.6	2	1	1	3	4	5	5	5
B. Operated	1848	4.0	2	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	30	4.0	11	< 1	2	4	4	6	11	18
B. Operated	4394	5.4	11	3	4	5	6	8	10	19
1. SINGLE DX	1864	4.0	2	3	3	4	5	6	6	8
2. MULTIPLE DX	4424	5.4	11	3	4	5	6	8	10	19
A. Not Operated	46	3.5	8	1	1	3	4	5	7	18
B. Operated	6242	5.0	9	3	4	4	6	7	9	16
TOTAL										
0-19 YRS	499	4.0	2	3	3	4	5	6	6	10
20-34	2138	4.0	2	3	3	4	5	6	6	10
35-49	1683	4.7	5	3	4	4	5	7	8	14
50-64	1020	5.6	7	4	4	5	6	8	10	17
65 +	948	7.3	29	4	5	6	8	12	16	31
GRAND TOTAL	6288	5.0	9	3	4	4	6	7	9	16

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	8	3.5	3	1	2	3	5	6	6	6
20-34	25	3.1	2	1	2	3	4	5	5	5
35-49	21	4.0	5	< 1	2	4	6	7	8	9
50-64	11	3.0	5	< 1	1	3	5	6	7	7
65 +	5	2.6	7	< 1	< 1	1	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	26	4.3	3	2	3	4	5	6	8	10
35-49	63	3.9	2	2	3	4	5	6	6	8
50-64	38	4.6	4	2	3	4	6	7	8	12
65 +	18	4.3	7	1	2	4	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	70	3.4	4	< 1	1	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	3	3.0	3	1	2	4	4	4	4	4
B. Operated	147	4.2	4	2	3	4	5	6	7	11
1. SINGLE DX	73	3.3	4	< 1	1	3	5	6	7	9
2. MULTIPLE DX	150	4.2	4	2	3	4	5	6	7	11
A. Not Operated	6	2.3	2	1	1	2	4	4	4	4
B. Operated	217	3.9	4	1	3	4	5	6	7	10
TOTAL										
0-19 YRS	10	3.5	3	< 1	2	3	5	6	6	6
20-34	55	3.6	3	1	3	4	5	5	6	10
35-49	85	3.9	3	1	3	4	5	6	7	9
50-64	50	4.2	5	1	3	4	6	7	7	12
65 +	23	4.0	7	1	1	4	6	7	9	11
GRAND TOTAL	**223**	**3.9**	**4**	**1**	**3**	**4**	**5**	**6**	**7**	**10**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.3	1	< 1	< 1	1	1	3	4	4
20-34	18	1.7	1	< 1	1	1	2	3	4	4
35-49	19	1.4		< 1	< 1	1	2	2	3	3
50-64	6	4.3	26	1	1	2	6	13	14	14
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	7	2.7	14	< 1	1	1	3	9	11	11
35-49	12	1.9	1	< 1	1	2	3	3	4	4
50-64	14	2.6	7	< 1	1	2	4	6	9	10
65 +	28	5.0	13	2	3	4	6	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	56	1.8	4	< 1	1	1	2	3	4	14
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	64	3.5	10	1	1	2	5	7	10	17
1. SINGLE DX	56	1.8	4	< 1	1	1	2	3	4	14
2. MULTIPLE DX	64	3.5	10	1	1	2	5	7	10	17
A. Not Operated	0									
B. Operated	120	2.7	8	< 1	1	2	3	6	9	15
TOTAL										
0-19 YRS	13	1.4	1	< 1	< 1	1	1	3	4	4
20-34	25	2.0	4	< 1	1	1	2	3	6	11
35-49	31	1.6	1	< 1	1	1	2	3	3	4
50-64	20	3.2	12	< 1	1	2	4	8	12	14
65 +	31	4.6	13	1	2	4	5	9	11	18
GRAND TOTAL	**120**	**2.7**	**8**	**< 1**	**1**	**2**	**3**	**6**	**9**	**15**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	5.4	54	1	1	1	9	18	18	18
20-34	9	4.1	12	< 1	1	4	7	9	10	10
35-49	31	4.5	10	< 1	1	5	7	9	10	10
50-64	38	2.9	8	< 1	1	2	4	8	9	11
65 +	35	2.2	4	< 1	1	1	2	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	6.5	12	3	3	6	9	10	10	10
65 +	3	4.3	12	< 1	1	4	7	8	8	8
B. Operated										
0-19 YRS	7	6.4	27	1	2	7	9	15	16	16
20-34	9	5.2	11	1	3	5	8	10	11	11
35-49	23	5.2	15	1	2	5	6	11	14	15
50-64	74	6.4	112	1	2	4	7	12	16	72
65 +	182	6.1	67	1	2	3	8	13	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	118	3.3	10	< 1	1	2	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	10	6.2	11	1	4	6	9	10	10	10
B. Operated	295	6.1	71	1	2	4	8	12	17	32
1. SINGLE DX	119	3.3	10	< 1	1	2	6	8	9	13
2. MULTIPLE DX	305	6.1	69	1	2	4	8	12	16	31
A. Not Operated	11	5.7	12	1	3	4	9	10	10	10
B. Operated	413	5.3	55	1	1	3	7	11	15	25
TOTAL										
0-19 YRS	13	6.2	32	1	1	6	9	16	18	18
20-34	20	4.5	11	< 1	1	4	7	9	10	11
35-49	55	4.9	12	1	1	5	7	10	10	15
50-64	116	5.3	77	1	1	3	7	11	13	44
65 +	220	5.4	59	1	1	3	8	12	17	30
GRAND TOTAL	424	5.3	54	1	1	3	7	11	15	25

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	27	1.1		< 1	< 1	< 1	1	2	2	2
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	6	1.5	1	1	1	1	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	2.1	3	< 1	1	1	3	5	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.3	7	< 1	< 1	3	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	5	2.2	2	< 1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	43	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	20	2.5	3	< 1	1	2	4	5	6	6
1. SINGLE DX	45	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX	21	2.5	3	< 1	1	2	4	5	6	6
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	63	1.7	2	< 1	< 1	1	2	4	5	6
TOTAL										
0-19 YRS	37	1.4	1	< 1	< 1	< 1	1	2	4	6
20-34	5	2.4	1	1	2	2	3	4	4	4
35-49	11	2.2	3	< 1	1	1	3	5	6	6
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	10	2.1	1	< 1	1	2	3	4	4	4
GRAND TOTAL	66	1.8	2	< 1	< 1	1	2	4	5	6

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	9	2.6	4	1	1	2	3	6	7	7
50-64	11	3.1	5	1	1	3	5	7	7	7
65 +	8	2.8	3	1	1	2	4	5	6	6
B. Operated										
0-19 YRS	48	7.9	16	3	5	7	10	14	15	17
20-34	76	6.7	11	2	5	7	8	11	13	16
35-49	168	7.5	12	4	5	7	9	12	13	20
50-64	169	7.7	28	2	5	7	10	13	15	22
65 +	119	10.1	91	4	6	9	12	16	19	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3	6	1	1	1	4	6	6	6
20-34	13	3.9	13	1	2	3	5	8	13	14
35-49	28	3.9	12	1	2	3	5	9	11	15
50-64	39	5.1	24	2	2	4	6	9	17	25
65 +	198	8.2	63	2	4	6	11	16	24	48
B. Operated										
0-19 YRS	87	11.1	133	2	5	8	13	21	29	68
20-34	93	10.7	60	4	6	9	13	17	24	45
35-49	266	11.7	114	5	7	9	13	20	29	77
50-64	400	14.1	158	4	7	10	17	29	39	69
65 +	510	16.3	215	5	8	12	20	35	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.8	4	1	1	3	4	6	7	7
B. Operated	580	8.0	34	3	5	7	10	13	15	23
2. MULTIPLE DX										
A. Not Operated	282	7.1	53	2	3	5	9	14	21	47
B. Operated	1356	14.0	166	4	7	10	17	28	42	92
1. SINGLE DX	611	7.8	34	2	5	7	10	13	15	22
2. MULTIPLE DX	1638	12.8	154	3	6	9	15	26	40	90
A. Not Operated	313	6.7	49	1	3	5	8	13	18	46
B. Operated	1936	12.2	134	4	6	9	14	23	35	80
TOTAL										
0-19 YRS	141	9.6	92	2	5	7	11	17	22	56
20-34	183	8.5	41	2	5	7	11	14	17	41
35-49	471	9.6	77	3	5	8	11	16	22	57
50-64	619	11.6	123	3	6	9	13	24	33	61
65 +	835	13.3	173	3	6	10	16	27	43	99 +
GRAND TOTAL	**2249**	**11.4**	**126**	**3**	**6**	**8**	**13**	**22**	**33**	**76**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.9		1	1	2	2	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	78	1.8	1	1	1	2	2	3	3	4
20-34	427	2.1	1	1	1	2	3	3	4	6
35-49	608	2.1	1	1	1	2	3	3	4	5
50-64	318	2.3	1	1	2	2	3	4	4	5
65 +	155	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	7	8.9	61	1	2	4	14	24	26	26
B. Operated										
0-19 YRS	21	3.0	5	1	2	2	3	6	9	10
20-34	145	2.4	2	1	2	2	3	3	4	9
35-49	361	2.5	3	1	2	2	3	4	5	8
50-64	316	2.8	3	1	2	2	3	4	6	9
65 +	295	3.9	11	2	2	3	4	7	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.6		1	1	2	2	3	3	3
B. Operated	1586	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	12	6.0	57	1	1	3	7	18	25	26
B. Operated	1138	3.0	5	1	2	2	3	5	6	13
1. SINGLE DX	1599	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1150	3.0	6	1	2	2	3	5	6	15
A. Not Operated	25	3.7	32	1	1	2	3	10	18	26
B. Operated	2724	2.5	3	1	2	2	3	4	5	9
TOTAL										
0-19 YRS	100	2.1	2	1	1	2	2	3	4	9
20-34	579	2.2	1	1	1	2	3	3	4	6
35-49	975	2.2	2	1	2	2	3	3	4	6
50-64	638	2.5	2	1	2	2	3	4	5	8
65 +	457	3.5	9	1	2	3	4	6	9	19
GRAND TOTAL	**2749**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.7	3	1	1	3	4	5	5	5
35-49	6	2.8	5	1	1	2	3	7	7	7
50-64	3	3.0		3	3	3	3	3	3	3
65 +	1	16.0		16	16	16	16	16	16	16
B. Operated										
0-19 YRS	19	6.2	13	2	4	6	8	10	13	16
20-34	53	5.8	9	3	4	6	7	9	11	17
35-49	99	5.9	12	2	3	5	7	10	13	19
50-64	105	5.2	13	2	3	4	6	11	13	16
65 +	71	4.1	7	1	2	3	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.8	4	1	1	2	4	6	6	6
20-34	7	6.0	21	1	3	5	7	14	15	15
35-49	28	6.2	16	1	2	6	9	12	13	15
50-64	21	4.9	9	2	2	5	7	9	10	11
65 +	41	10.6	71	3	5	10	14	20	28	40
B. Operated										
0-19 YRS	35	8.7	57	2	5	8	10	17	30	35
20-34	135	8.0	47	3	4	6	10	14	19	43
35-49	257	5.8	18	2	3	4	8	11	13	22
50-64	430	6.3	47	2	3	4	7	12	19	32
65 +	454	8.1	102	2	3	4	9	19	28	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.4	13	1	1	3	3	6	12	16
B. Operated	347	5.3	11	2	3	5	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	106	7.3	42	1	3	6	10	14	19	38
B. Operated	1311	7.1	62	2	3	5	8	14	21	40
1. SINGLE DX	365	5.2	11	2	3	5	7	9	12	17
2. MULTIPLE DX	1417	7.1	60	2	3	5	8	14	20	39
A. Not Operated	124	6.8	39	1	2	5	9	14	18	37
B. Operated	1658	6.7	52	2	3	5	8	13	19	36
TOTAL										
0-19 YRS	64	7.0	40	1	3	6	9	11	17	35
20-34	202	7.1	36	3	4	6	8	13	17	34
35-49	390	5.8	17	2	3	5	8	11	13	20
50-64	559	6.0	39	2	3	4	7	12	17	29
65 +	567	7.8	90	2	3	4	9	18	24	62
GRAND TOTAL	**1782**	**6.7**	**51**	**2**	**3**	**5**	**8**	**13**	**19**	**36**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	5	< 1	< 1	1	4	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	5	2.2	5	< 1	1	1	3	6	6	6
20-34	570	3.0	2	< 1	2	3	4	5	5	7
35-49	360	3.4	3	1	2	3	4	5	6	7
50-64	101	3.4	4	1	2	4	5	6	7	11
65 +	34	3.7	3	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	2.1	3	< 1	< 1	1	2	5	6	6
35-49	16	1.8	3	< 1	< 1	1	1	5	6	6
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	7	2.3	3	< 1	< 1	1	4	5	5	5
B. Operated										
0-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
20-34	807	3.9	4	1	3	4	5	6	7	11
35-49	896	4.4	6	2	3	4	5	7	8	13
50-64	279	5.0	11	2	4	4	6	7	9	25
65 +	170	5.2	13	2	3	5	6	8	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	4	< 1	< 1	1	3	5	5	5
B. Operated	1070	3.2	3	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	36	1.9	3	< 1	< 1	1	2	5	6	6
B. Operated	2154	4.4	7	2	3	4	5	7	8	15
1. SINGLE DX	1074	3.2	3	1	2	3	4	5	6	7
2. MULTIPLE DX	2190	4.3	7	2	3	4	5	7	8	15
A. Not Operated	40	2.0	3	< 1	< 1	1	2	5	6	6
B. Operated	3224	4.0	6	1	3	4	5	6	7	12
TOTAL										
0-19 YRS	7	2.3	4	< 1	< 1	1	3	6	6	6
20-34	1390	3.5	4	1	2	4	4	5	6	9
35-49	1272	4.1	5	1	3	4	5	6	7	11
50-64	384	4.5	10	1	3	4	5	7	8	17
65 +	211	4.8	12	1	3	5	6	8	10	18
GRAND TOTAL	**3264**	**3.9**	**6**	**1**	**3**	**4**	**5**	**6**	**7**	**12**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	3.6	4	1	2	4	5	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	34	3.1	5	1	1	3	4	5	8	12
35-49	200	3.4	21	1	2	3	4	5	6	13
50-64	278	3.4	5	1	2	3	5	6	8	10
65 +	272	3.6	9	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	7	2.7	11	< 1	< 1	< 1	3	9	10	10
65 +	14	6.5	123	1	2	3	5	18	37	43
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	52	5.0	18	1	2	4	6	10	16	20
35-49	288	4.2	10	1	2	4	5	7	9	14
50-64	540	5.2	16	1	2	4	7	10	13	19
65 +	1011	6.9	53	1	3	5	9	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.1	10	1	2	4	6	9	12	12
B. Operated	784	3.5	11	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	27	4.9	68	< 1	1	3	5	10	19	43
B. Operated	1893	6.0	36	1	3	4	8	12	15	31
1. SINGLE DX	795	3.5	11	1	2	3	4	6	8	12
2. MULTIPLE DX	1920	5.9	37	1	3	4	8	12	15	32
A. Not Operated	38	4.7	51	< 1	1	3	5	9	14	43
B. Operated	2677	5.2	30	1	2	4	6	10	14	26
TOTAL										
0-19 YRS	6	6.0	12	2	4	5	8	12	12	12
20-34	88	4.2	13	1	2	3	5	9	12	19
35-49	493	3.9	15	1	2	3	5	6	8	14
50-64	830	4.6	13	1	2	4	6	9	11	18
65 +	1298	6.2	46	1	2	4	8	13	17	35
GRAND TOTAL	2715	5.2	30	1	2	4	6	10	14	26

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	2.7	8	< 1	1	2	3	7	7	15
20-34	32	2.8	5	1	1	2	4	6	7	11
35-49	45	2.9	7	1	1	2	3	6	9	13
50-64	53	3.2	7	< 1	1	3	4	8	9	10
65 +	49	3.5	15	< 1	1	2	4	9	13	17
B. Operated										
0-19 YRS	321	4.3	33	1	1	2	6	9	12	27
20-34	267	3.9	14	1	1	3	5	8	10	17
35-49	312	3.8	15	1	1	3	5	7	9	18
50-64	303	3.6	10	< 1	1	2	5	9	10	13
65 +	333	4.2	17	< 1	1	3	6	9	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	3.5	29	< 1	1	2	4	7	12	23
20-34	72	3.4	9	1	2	3	4	7	10	16
35-49	138	3.9	12	1	1	3	5	8	9	19
50-64	228	4.6	24	1	2	3	6	10	12	21
65 +	569	6.6	37	1	2	5	9	14	18	34
B. Operated										
0-19 YRS	278	9.3	112	1	3	6	11	21	32	57
20-34	318	6.8	53	2	3	5	8	14	22	40
35-49	523	6.6	58	2	4	5	7	12	16	39
50-64	690	7.9	69	1	3	6	10	15	20	50
65 +	1476	8.7	81	2	3	7	11	17	23	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	269	3.0	9	1	1	2	3	7	9	15
B. Operated	1536	4.0	18	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. Not Operated	1177	5.2	30	1	2	4	7	11	15	29
B. Operated	3285	8.1	75	1	3	6	10	16	22	50
1. SINGLE DX	1805	3.8	17	1	1	2	5	8	10	18
2. MULTIPLE DX	4462	7.3	65	1	3	5	9	15	20	46
A. Not Operated	1446	4.8	27	1	1	3	6	11	14	28
B. Operated	4821	6.8	61	1	2	5	8	14	19	42
TOTAL										
0-19 YRS	859	5.6	62	1	1	3	7	12	18	47
20-34	689	5.1	34	1	2	4	6	10	15	33
35-49	1018	5.2	39	1	2	4	6	9	13	27
50-64	1274	6.1	48	1	2	4	8	12	16	38
65 +	2427	7.5	63	1	2	6	10	15	20	42
GRAND TOTAL	6267	6.3	54	1	2	4	8	13	18	40

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	5	2.4	1	2	2	2	3	4	4	4
50-64	5	4.4	11	2	2	3	6	10	10	10
65 +	5	2.6	1	1	2	3	3	4	4	4
B. Operated										
0-19 YRS	54	2.2	1	1	2	2	3	3	3	5
20-34	339	2.3	1	1	2	2	3	4	4	5
35-49	608	2.4	2	1	2	2	3	4	4	6
50-64	410	2.4	1	1	2	2	3	4	4	7
65 +	223	2.8	3	1	2	3	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	1.3		< 1	1	1	2	2	2	2
35-49	17	3.5	7	< 1	1	3	4	7	10	11
50-64	19	2.4	4	< 1	< 1	1	4	4	6	8
65 +	36	4.5	16	1	1	4	6	11	13	18
B. Operated										
0-19 YRS	12	2.6	1	1	2	3	3	4	4	4
20-34	139	2.7	2	1	2	2	3	4	5	9
35-49	357	3.1	6	1	2	2	3	5	7	14
50-64	441	3.6	6	2	2	3	4	6	7	15
65 +	454	4.4	13	2	2	3	5	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.7	4	1	2	2	3	5	8	10
B. Operated	1634	2.4	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	79	3.5	11	< 1	1	3	4	7	11	17
B. Operated	1403	3.6	8	2	2	3	4	6	8	17
1. SINGLE DX	1653	2.4	2	1	2	2	3	4	4	7
2. MULTIPLE DX	1482	3.6	8	1	2	3	4	6	8	17
A. Not Operated	98	3.3	9	< 1	1	3	4	7	10	16
B. Operated	3037	3.0	5	1	2	2	3	5	6	13
TOTAL										
0-19 YRS	69	2.2	1	1	2	2	3	3	4	5
20-34	486	2.4	1	1	2	2	3	4	4	6
35-49	987	2.7	4	1	2	2	3	4	5	10
50-64	875	3.0	4	1	2	3	4	5	6	10
65 +	718	3.9	11	1	2	3	4	7	10	19
GRAND TOTAL	**3135**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**13**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	3.4	12	1	2	2	4	6	7	21
20-34	50	4.0	6	1	2	4	5	7	8	14
35-49	47	4.4	13	1	2	3	6	9	10	19
50-64	23	3.6	8	1	2	3	5	7	10	13
65 +	14	4.6	5	2	3	4	6	8	9	10
B. Operated										
0-19 YRS	80	3.3	7	1	2	3	4	6	10	13
20-34	234	2.9	4	1	2	2	4	5	5	10
35-49	282	2.6	2	1	2	2	3	4	5	8
50-64	145	2.5	2	1	2	2	3	4	5	8
65 +	68	2.9	3	1	2	2	4	6	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	4.4	13	1	2	4	6	8	12	21
20-34	139	4.3	16	1	2	3	5	9	13	19
35-49	229	5.6	21	2	3	4	7	11	14	27
50-64	263	6.0	20	2	3	5	8	11	14	27
65 +	537	9.3	96	3	4	7	10	17	24	60
B. Operated										
0-19 YRS	24	6.2	19	3	3	4	10	14	15	15
20-34	128	4.3	13	2	2	3	5	9	12	20
35-49	189	3.8	13	1	2	3	4	7	12	21
50-64	207	3.9	9	1	2	3	5	8	10	20
65 +	222	8.3	91	2	3	4	10	20	30	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	171	4.0	9	1	2	3	6	7	9	18
B. Operated	809	2.7	3	1	2	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	1240	7.1	56	2	3	5	8	13	18	41
B. Operated	770	5.3	39	2	2	3	6	12	18	39
1. SINGLE DX	980	3.0	4	1	2	2	4	5	7	12
2. MULTIPLE DX	2010	6.4	50	2	3	4	8	13	18	40
A. Not Operated	1411	6.7	52	2	3	5	8	13	17	37
B. Operated	1579	4.0	22	1	2	3	4	8	12	26
TOTAL										
0-19 YRS	213	4.0	12	1	2	3	5	7	12	17
20-34	551	3.7	10	1	2	3	4	7	10	17
35-49	747	3.9	13	1	2	3	4	8	11	21
50-64	638	4.4	14	1	2	3	6	9	11	19
65 +	841	8.4	89	2	3	6	10	17	24	59
GRAND TOTAL	**2990**	**5.3**	**38**	**1**	**2**	**3**	**6**	**10**	**15**	**34**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	549	5.0	5	2	3	5	6	7	9	12
20-34	71	3.7	3	2	3	3	4	6	7	10
35-49	91	3.3	6	1	2	3	4	6	7	15
50-64	65	3.8	9	1	2	3	5	7	8	20
65 +	22	3.9	6	1	1	4	6	7	8	9
B. Operated										
0-19 YRS	3	6.0	21	1	2	7	9	10	10	10
20-34	6	6.8	39	< 1	2	5	11	16	17	17
35-49	8	4.0	12	1	1	2	7	9	9	9
50-64	8	5.4	5	2	4	6	7	8	8	8
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	384	5.2	10	2	3	5	7	8	9	15
20-34	130	4.4	16	1	2	4	5	7	8	18
35-49	277	4.7	9	2	3	4	6	8	11	15
50-64	337	4.9	9	2	3	4	6	9	11	14
65 +	295	6.0	21	2	4	5	8	12	14	99 +
B. Operated										
0-19 YRS	7	4.3	8	1	2	5	6	8	9	9
20-34	15	4.2	9	1	2	4	6	9	10	10
35-49	28	9.6	123	2	4	7	10	22	30	57
50-64	37	8.0	37	1	3	7	10	18	20	27
65 +	45	8.4	30	2	4	8	12	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	798	4.6	6	2	3	4	6	7	8	12
B. Operated	26	5.7	18	1	2	6	8	11	14	17
2. MULTIPLE DX										
A. Not Operated	1423	5.1	13	2	3	4	7	9	11	17
B. Operated	132	7.9	50	2	3	7	10	14	19	33
1. SINGLE DX	824	4.6	6	2	3	4	6	7	8	12
2. MULTIPLE DX	1555	5.4	16	2	3	5	7	9	12	20
A. Not Operated	2221	4.9	10	2	3	4	6	8	10	15
B. Operated	158	7.5	45	1	3	7	10	14	18	28
TOTAL										
0-19 YRS	943	5.1	7	2	3	5	6	8	9	13
20-34	222	4.2	12	2	2	4	5	7	8	13
35-49	404	4.7	18	1	2	4	6	8	11	20
50-64	447	5.0	12	2	3	4	7	9	11	18
65 +	363	6.2	22	2	3	5	8	13	14	92
GRAND TOTAL	**2379**	**5.1**	**13**	**2**	**3**	**4**	**6**	**9**	**11**	**18**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2026	3.6	5	1	2	3	5	7	8	11
20-34	803	3.5	5	1	2	3	4	6	8	11
35-49	316	3.8	5	1	2	3	5	7	8	13
50-64	144	4.8	9	2	3	4	6	8	10	15
65 +	85	5.9	32	2	3	5	7	9	12	38
B. Operated										
0-19 YRS	15	5.6	4	3	4	5	7	9	9	9
20-34	12	5.5	14	2	4	5	6	10	15	16
35-49	8	4.6	2	2	4	5	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2803	4.1	18	1	2	3	5	7	9	16
20-34	3120	4.5	10	2	2	4	6	8	10	16
35-49	2110	5.6	20	2	3	5	7	10	13	22
50-64	1449	7.4	35	3	4	6	9	13	17	31
65 +	1949	9.1	58	3	5	7	11	16	21	55
B. Operated										
0-19 YRS	117	7.6	25	3	4	7	9	13	17	28
20-34	347	9.3	70	3	4	7	12	17	24	38
35-49	333	12.7	132	4	6	9	16	24	37	76
50-64	275	14.8	135	5	7	11	19	32	47	99 +
65 +	384	19.5	260	6	10	15	25	41	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3374	3.7	6	1	2	3	5	7	8	12
B. Operated	36	5.3	7	3	4	5	6	8	9	16
2. MULTIPLE DX										
A. Not Operated	11431	5.8	29	2	3	5	7	11	14	27
B. Operated	1456	13.7	159	4	6	10	17	28	41	99 +
1. SINGLE DX	3410	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	12887	6.7	50	2	3	5	8	13	18	40
A. Not Operated	14805	5.3	24	2	3	4	7	10	13	23
B. Operated	1492	13.5	157	4	6	10	16	28	40	99 +
TOTAL										
0-19 YRS	4961	4.0	14	1	2	3	5	7	9	15
20-34	4282	4.7	16	2	2	4	6	9	11	21
35-49	2767	6.3	37	2	3	5	7	11	16	31
50-64	1869	8.3	55	3	4	6	10	15	21	46
65 +	2418	10.7	104	3	5	8	13	20	29	86
GRAND TOTAL	**16297**	**6.0**	**42**	**2**	**3**	**4**	**7**	**12**	**16**	**35**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	5	7.4	13	2	6	7	10	12	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	7.7	114	1	1	2	15	20	20	20
50-64	11	10.4	139	1	2	5	17	30	35	36
65 +	13	12.0	99	1	2	10	16	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	7.6	75	1	2	5	10	20	30	30
35-49	53	8.0	23	4	5	6	11	15	18	22
50-64	135	8.2	34	2	4	7	11	16	21	28
65 +	342	9.2	59	3	5	7	11	17	22	43
B. Operated										
0-19 YRS	0									
20-34	83	14.1	157	3	7	11	18	29	38	71
35-49	441	17.4	201	5	8	13	23	35	52	93
50-64	1377	18.4	260	5	8	14	24	40	58	99 +
65 +	2632	17.8	213	5	8	14	23	38	50	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	7.2	11	2	6	7	9	12	12	12
B. Operated	27	10.9	110	1	2	9	17	29	31	36
2. MULTIPLE DX										
A. Not Operated	540	8.8	50	3	5	7	11	17	22	31
B. Operated	4533	17.9	226	5	8	14	23	38	52	94
1. SINGLE DX	33	10.2	93	1	2	7	15	27	30	36
2. MULTIPLE DX	5073	16.9	215	4	7	13	22	36	50	92
A. Not Operated	546	8.8	49	3	5	7	11	17	22	31
B. Operated	4560	17.8	225	5	8	14	23	38	52	94
TOTAL										
0-19 YRS	0									
20-34	93	13.4	152	2	6	10	17	29	37	67
35-49	498	16.3	190	4	8	12	21	33	47	89
50-64	1523	17.5	248	4	8	13	22	38	56	96
65 +	2992	16.7	203	4	7	13	22	36	48	87
GRAND TOTAL	**5106**	**16.8**	**214**	**4**	**7**	**13**	**22**	**36**	**49**	**92**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	978	4.5	6	2	3	4	6	7	9	13
20-34	547	4.0	13	2	2	4	5	6	7	13
35-49	628	4.5	9	2	3	4	6	7	9	14
50-64	721	5.0	11	2	3	4	6	8	10	15
65 +	626	5.4	13	2	3	5	7	9	11	16
B. Operated										
0-19 YRS	7	1.1		< 1	< 1	1	1	2	2	2
20-34	24	2.7	3	1	1	2	4	5	6	8
35-49	30	4.2	21	1	2	3	5	8	11	25
50-64	51	4.4	25	< 1	1	3	5	12	16	24
65 +	52	4.5	19	1	2	2	6	12	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1236	4.8	22	2	2	4	6	8	10	22
20-34	2374	5.0	17	2	3	4	6	9	12	19
35-49	4287	5.7	19	2	3	5	7	10	13	22
50-64	7008	6.3	22	3	4	5	7	11	14	25
65 +	10949	7.4	42	3	4	6	9	13	17	36
B. Operated										
0-19 YRS	55	8.6	69	2	3	5	12	22	28	96
20-34	690	8.5	105	2	3	6	10	18	24	58
35-49	1504	10.3	105	2	4	7	13	22	31	57
50-64	2693	12.0	152	2	4	8	15	26	38	74
65 +	3057	13.6	156	3	6	10	17	29	40	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3500	4.7	10	2	3	4	6	8	9	14
B. Operated	164	4.0	19	1	1	2	5	9	14	23
2. MULTIPLE DX										
A. Not Operated	25854	6.5	30	2	4	5	8	11	15	28
B. Operated	7999	12.0	143	2	4	8	15	26	36	75
1. SINGLE DX	3664	4.7	10	2	3	4	6	8	10	15
2. MULTIPLE DX	33853	7.8	62	2	4	6	9	15	21	46
A. Not Operated	29354	6.3	28	2	3	5	7	11	14	27
B. Operated	8163	11.8	141	2	4	8	15	26	36	74
TOTAL										
0-19 YRS	2276	4.8	17	2	3	4	6	8	10	21
20-34	3635	5.5	35	2	3	4	6	10	14	28
35-49	6449	6.7	42	2	3	5	8	12	17	36
50-64	10473	7.6	61	2	4	6	9	14	21	46
65 +	14684	8.6	71	3	4	6	10	16	23	52
GRAND TOTAL	**37517**	**7.5**	**58**	**2**	**4**	**5**	**9**	**14**	**20**	**44**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	10	1.7	1	1	1	1	2	3	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	2.5	2	1	1	2	3	4	6	7
20-34	76	3.2	2	< 1	2	3	4	5	5	7
35-49	14	2.7	2	< 1	1	3	4	4	5	5
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.7	5	1	1	2	3	6	9	9
20-34	35	5.1	28	1	2	4	5	12	16	26
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	0									
65 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	25	4.2	3	2	3	4	5	6	7	9
20-34	220	3.8	4	1	3	4	5	6	7	10
35-49	78	4.2	2	3	3	4	5	6	7	8
50-64	8	4.5	4	2	3	4	6	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.8	1	1	1	2	2	3	4	4
B. Operated	114	3.0	2	< 1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	51	4.5	22	1	2	3	5	11	13	26
B. Operated	331	4.0	3	2	3	4	5	6	7	9
1. SINGLE DX	132	2.8	2	< 1	1	3	4	5	5	7
2. MULTIPLE DX	382	4.0	6	1	3	4	5	6	8	13
A. Not Operated	69	3.8	18	1	1	2	4	10	12	24
B. Operated	445	3.7	3	1	3	4	5	6	7	9
TOTAL										
0-19 YRS	64	3.1	4	1	2	3	4	6	7	9
20-34	341	3.8	6	1	3	4	5	6	7	13
35-49	99	3.8	2	2	3	4	5	5	6	8
50-64	8	4.5	4	2	3	4	6	7	7	7
65 +	2	9.0	18	6	6	9	12	12	12	12
GRAND TOTAL	**514**	**3.7**	**5**	**1**	**3**	**4**	**5**	**6**	**7**	**12**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	485	1.8	3	1	1	1	2	3	5	9
20-34	91	2.7	4	1	1	2	4	6	7	9
35-49	75	3.9	21	1	2	2	4	10	13	26
50-64	45	3.5	17	1	1	2	4	7	12	22
65 +	91	3.9	75	1	1	2	4	6	10	53
B. Operated										
0-19 YRS	61	3.6	7	1	2	3	5	7	9	11
20-34	34	4.4	13	1	2	3	6	8	10	20
35-49	46	3.3	3	1	2	3	5	6	7	8
50-64	49	3.3	7	1	2	3	4	7	8	16
65 +	20	6.5	47	2	2	4	6	18	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1070	3.1	17	1	1	2	3	6	9	21
20-34	587	4.0	17	1	2	3	5	8	11	26
35-49	804	5.0	29	1	2	4	6	10	13	30
50-64	1468	5.1	25	1	2	4	6	10	13	24
65 +	4514	6.3	37	2	3	5	8	12	16	34
B. Operated										
0-19 YRS	96	10.1	164	1	3	6	14	27	41	99 +
20-34	113	8.4	76	1	4	6	10	17	25	48
35-49	253	8.8	127	2	3	6	10	17	37	86
50-64	379	9.0	92	2	3	6	11	19	27	47
65 +	626	11.9	136	3	4	9	15	28	40	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	787	2.5	14	1	1	1	3	5	7	13
B. Operated	210	3.8	12	1	2	3	5	7	10	21
2. MULTIPLE DX										
A. Not Operated	8443	5.4	32	1	2	4	7	11	15	30
B. Operated	1467	10.2	122	2	3	7	13	23	34	83
1. SINGLE DX	997	2.8	14	1	1	2	3	5	7	16
2. MULTIPLE DX	9910	6.1	48	1	2	4	7	12	17	40
A. Not Operated	9230	5.2	31	1	2	4	6	10	14	29
B. Operated	1677	9.4	113	2	3	6	11	22	31	66
TOTAL										
0-19 YRS	1712	3.1	24	1	1	2	3	6	10	27
20-34	825	4.5	26	1	2	3	5	9	13	27
35-49	1178	5.7	51	1	2	4	7	11	15	45
50-64	1941	5.8	40	1	2	4	7	12	16	32
65 +	5251	6.9	53	2	3	5	8	14	19	42
GRAND TOTAL	**10907**	**5.8**	**46**	**1**	**2**	**4**	**7**	**12**	**17**	**38**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	14.7	356	3	4	7	30	67	99 +	99 +
20-34	5	17.4	631	3	3	3	28	61	61	61
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64	5	12.4	50	5	6	12	19	21	21	21
65 +	7	7.7	12	3	5	7	11	12	12	12
B. Operated										
0-19 YRS	3	7.3	4	5	6	8	9	9	9	9
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	6	2.3	4	< 1	1	2	3	6	6	6
65 +	7	3.6	26	< 1	1	2	3	13	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	237	12.8	211	2	4	7	14	35	47	67
20-34	65	14.9	275	2	4	7	17	40	46	77
35-49	88	8.1	60	2	4	5	11	14	21	45
50-64	179	10.5	71	3	5	8	13	21	28	44
65 +	736	10.6	124	3	5	8	12	22	33	99 +
B. Operated										
0-19 YRS	108	19.0	357	3	6	12	28	54	82	99 +
20-34	54	15.3	225	2	5	12	19	35	54	65
35-49	56	14.4	217	3	6	9	16	33	59	98
50-64	140	14.9	121	3	7	13	22	30	41	99 +
65 +	633	13.2	184	3	5	9	16	29	40	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	13.4	275	3	4	7	17	59	75	99 +
B. Operated	21	3.9	13	< 1	1	2	5	9	12	15
2. MULTIPLE DX										
A. Not Operated	1305	11.0	138	3	4	7	13	24	38	81
B. Operated	991	14.3	201	3	5	10	19	32	45	94
1. SINGLE DX	65	10.3	209	2	3	5	11	34	62	99 +
2. MULTIPLE DX	2296	12.4	167	3	5	8	15	28	42	86
A. Not Operated	1349	11.1	142	3	4	7	13	24	39	85
B. Operated	1012	14.1	199	3	5	9	19	32	45	94
TOTAL										
0-19 YRS	373	14.7	268	2	5	8	19	43	60	99 +
20-34	127	14.9	258	2	4	8	17	40	52	68
35-49	148	10.5	127	3	4	7	13	25	33	69
50-64	330	12.2	97	3	5	9	17	25	31	53
65 +	1383	11.7	153	3	5	8	14	25	37	87
GRAND TOTAL	**2361**	**12.4**	**169**	**3**	**5**	**8**	**15**	**28**	**42**	**87**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	571	10.1	32	3	7	10	14	15	18	25
20-34	184	10.4	23	3	7	10	14	15	17	24
35-49	7	12.7	177	2	4	10	14	36	41	41
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	45	11.2	65	3	5	10	14	22	32	34
20-34	25	11.9	40	1	9	12	15	20	22	24
35-49	4	8.5	23	2	5	9	12	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1338	10.8	39	3	7	10	14	18	21	34
20-34	494	13.0	40	5	9	13	16	21	24	32
35-49	56	11.4	40	4	7	12	14	15	19	42
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	205	15.8	96	7	10	14	19	28	39	99 +
20-34	95	17.7	91	9	12	16	21	28	31	59
35-49	8	22.4	126	10	14	21	29	39	43	43
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	762	10.2	31	3	7	10	14	15	18	25
B. Operated	74	11.3	54	2	5	11	14	21	24	34
2. MULTIPLE DX										
A. Not Operated	1888	11.4	40	3	7	11	14	19	22	33
B. Operated	308	16.5	96	7	11	14	20	28	38	80
1. SINGLE DX	836	10.3	33	3	7	10	14	15	19	28
2. MULTIPLE DX	2196	12.1	51	3	8	12	15	21	25	38
A. Not Operated	2650	11.1	38	3	7	11	14	18	21	32
B. Operated	382	15.5	92	5	10	14	19	27	34	64
TOTAL										
0-19 YRS	2159	11.1	45	3	7	11	14	18	22	38
20-34	798	12.9	47	5	9	13	16	21	25	33
35-49	75	12.6	69	4	7	13	14	19	30	43
50-64	0									
65 +	0									
GRAND TOTAL	**3032**	**11.6**	**47**	**3**	**7**	**11**	**14**	**19**	**23**	**37**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.9	9	1	1	3	6	8	10	10
20-34	0									
35-49	5	8.4	17	2	6	8	12	12	12	12
50-64	2	10.5	145	2	2	10	19	19	19	19
65 +	0									
B. Operated										
0-19 YRS	20	6.5	4	4	5	6	8	10	11	12
20-34	173	5.5	4	3	4	5	7	8	9	10
35-49	133	5.4	4	3	4	5	6	8	9	12
50-64	23	5.3	2	3	4	5	6	7	8	9
65 +	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	11.6	113	2	3	7	20	28	33	34
20-34	12	3.7	14	1	1	2	5	10	12	12
35-49	30	7.9	81	1	3	4	7	23	25	36
50-64	19	8.1	69	2	3	5	10	20	29	34
65 +	9	6.6	21	2	4	5	8	14	17	17
B. Operated										
0-19 YRS	25	6.6	4	4	5	6	8	9	11	12
20-34	330	6.9	22	4	5	6	7	10	12	30
35-49	543	7.2	29	4	5	6	8	10	12	36
50-64	133	7.2	25	5	5	6	8	11	12	60
65 +	8	10.6	68	5	7	8	17	72	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	6.0	25	1	2	5	9	12	17	19
B. Operated	351	5.5	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	106	8.6	81	1	3	5	10	25	29	35
B. Operated	1039	7.1	26	4	5	6	8	10	12	37
1. SINGLE DX	368	5.6	5	3	4	5	6	8	9	13
2. MULTIPLE DX	1145	7.3	31	4	5	6	8	11	15	36
A. Not Operated	123	8.2	74	1	3	5	10	24	27	35
B. Operated	1390	6.7	21	4	5	6	7	9	11	30
TOTAL										
0-19 YRS	91	8.3	55	2	4	6	9	19	26	34
20-34	515	6.4	16	4	5	6	7	9	11	24
35-49	711	6.9	27	4	5	6	7	10	12	35
50-64	177	7.1	27	4	5	6	8	11	14	48
65 +	19	8.3	44	2	4	7	11	23	65	99 +
GRAND TOTAL	1513	6.8	25	4	5	6	7	10	13	34

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	352	2.9	11	< 1	1	2	3	6	8	16
20-34	97	3.0	7	< 1	1	2	4	6	8	13
35-49	56	3.8	12	1	1	3	5	9	11	19
50-64	51	4.5	28	< 1	1	2	6	12	13	26
65 +	40	3.8	10	1	2	3	4	8	11	15
B. Operated										
0-19 YRS	141	4.5	29	1	1	3	6	10	17	38
20-34	111	2.2	4	1	1	1	3	5	7	9
35-49	154	2.3	4	< 1	1	1	3	4	6	9
50-64	80	2.3	5	< 1	1	1	3	5	8	10
65 +	26	3.1	5	1	1	3	5	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	842	4.3	25	< 1	1	3	5	9	15	26
20-34	235	4.9	28	< 1	1	3	6	11	17	30
35-49	328	6.3	43	1	3	4	8	13	18	34
50-64	599	7.5	70	1	3	5	9	15	21	41
65 +	869	8.0	53	2	4	6	10	16	21	33
B. Operated										
0-19 YRS	265	11.8	223	1	3	6	16	39	63	99 +
20-34	134	6.5	85	1	2	4	8	18	25	99 +
35-49	335	6.4	91	1	2	4	7	15	21	77
50-64	333	8.0	73	1	2	6	11	19	24	42
65 +	354	12.6	141	3	6	9	16	25	38	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	596	3.2	12	< 1	1	2	4	7	9	18
B. Operated	512	2.9	12	1	1	2	4	6	8	21
2. MULTIPLE DX										
A. Not Operated	2873	6.4	47	1	2	4	8	13	19	32
B. Operated	1421	9.3	130	1	3	6	12	23	34	99 +
1. SINGLE DX	1108	3.1	12	< 1	1	2	4	6	9	19
2. MULTIPLE DX	4294	7.4	77	1	2	5	9	17	23	52
A. Not Operated	3469	5.8	43	1	2	4	7	13	18	31
B. Operated	1933	7.6	107	1	2	4	9	19	28	90
TOTAL										
0-19 YRS	1600	5.3	64	1	1	3	6	12	21	57
20-34	577	4.5	35	< 1	1	3	5	10	15	31
35-49	873	5.5	55	1	2	4	6	12	18	41
50-64	1063	7.1	66	1	2	5	9	15	21	41
65 +	1289	9.0	81	2	4	7	11	18	25	48
GRAND TOTAL	5402	6.5	68	1	2	4	8	15	21	48

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	17	2.3	2	1	1	2	3	4	5	6
35-49	42	2.8	3	1	2	3	4	5	6	8
50-64	36	3.5	3	1	2	3	4	5	7	9
65 +	49	3.7	5	1	2	3	5	7	8	12
B. Operated										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	8	2.6	6	< 1	1	2	3	7	8	8
50-64	13	2.0	2	< 1	1	1	3	4	4	4
65 +	16	2.8	13	< 1	< 1	1	3	6	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	4.7	7	2	3	4	7	9	9	9
35-49	118	4.0	6	1	2	3	5	8	9	12
50-64	217	5.0	13	2	3	4	6	9	13	21
65 +	656	6.0	26	2	3	5	7	11	16	24
B. Operated										
0-19 YRS	0									
20-34	4	3.3	7	1	1	3	5	6	6	6
35-49	25	6.8	38	2	2	5	8	14	21	27
50-64	65	7.9	162	2	3	5	7	13	31	79
65 +	156	10.2	125	2	3	7	13	24	31	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	3.2	4	1	2	3	4	6	7	9
B. Operated	39	2.5	7	< 1	1	1	4	5	7	15
2. MULTIPLE DX										
A. Not Operated	1015	5.5	21	2	3	4	7	10	14	23
B. Operated	250	9.1	125	2	3	6	11	20	29	59
1. SINGLE DX	183	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1265	6.2	44	2	3	4	7	12	17	32
A. Not Operated	1159	5.2	19	2	3	4	6	9	13	23
B. Operated	289	8.3	114	1	2	5	9	19	29	57
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	46	3.7	6	1	2	3	5	8	9	9
35-49	193	4.0	11	1	2	3	5	8	9	17
50-64	331	5.3	43	2	3	4	6	9	13	31
65 +	877	6.5	45	2	3	5	7	13	19	34
GRAND TOTAL	**1448**	**5.8**	**40**	**2**	**3**	**4**	**7**	**11**	**16**	**30**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	435	2.4	4	1	1	2	3	4	6	10
20-34	79	2.4	2	1	1	2	3	5	5	73
35-49	79	3.1	9	1	1	2	4	6	8	18
50-64	90	3.6	12	1	1	2	5	7	10	19
65 +	248	4.5	14	1	2	4	6	9	12	16
B. Operated										
0-19 YRS	8	3.9	4	1	2	4	5	6	6	6
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64	3	5.0	21	1	2	4	8	10	10	10
65 +	8	9.9	62	1	2	10	17	19	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11139	3.0	10	1	2	2	3	5	7	15
20-34	2711	3.4	11	1	2	3	4	6	8	16
35-49	3125	4.6	22	1	2	3	5	9	12	25
50-64	5665	5.5	26	2	3	4	7	11	14	26
65 +	25984	7.5	59	2	3	5	9	14	20	50
B. Operated										
0-19 YRS	383	10.6	153	1	3	6	15	30	45	99 +
20-34	263	7.6	124	1	2	5	9	14	24	57
35-49	479	9.3	136	2	3	6	10	20	31	76
50-64	895	11.5	143	2	4	8	14	24	35	75
65 +	3631	14.8	172	4	7	11	19	32	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	931	3.1	8	1	1	2	4	6	9	15
B. Operated	25	5.9	29	1	2	4	6	15	18	20
2. MULTIPLE DX										
A. Not Operated	48624	5.8	43	2	2	4	7	11	16	36
B. Operated	5651	13.2	166	3	5	10	17	29	43	99 +
1. SINGLE DX	956	3.2	9	1	1	2	4	6	9	16
2. MULTIPLE DX	54275	6.6	61	2	3	4	8	14	20	48
A. Not Operated	49555	5.8	42	2	2	4	7	11	16	36
B. Operated	5676	13.2	166	3	5	10	17	29	43	99 +
TOTAL										
0-19 YRS	11965	3.2	16	1	2	2	4	6	8	21
20-34	3055	3.7	22	1	2	3	4	7	9	21
35-49	3687	5.1	39	1	2	4	6	10	14	31
50-64	6653	6.3	46	2	3	4	7	12	17	36
65 +	29871	8.4	78	2	4	6	10	17	23	62
GRAND TOTAL	**55231**	**6.5**	**60**	**2**	**2**	**4**	**8**	**13**	**19**	**47**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	2.9	4	1	1	2	4	6	8	9
20-34	18	2.3	2	< 1	1	2	3	4	5	5
35-49	41	2.5	2	< 1	1	2	3	5	5	6
50-64	31	2.7	4	1	1	2	4	6	7	8
65 +	90	3.1	5	1	1	3	5	6	7	11
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	8	3.8	2	2	3	4	5	6	6	6
35-49	16	5.6	28	3	3	4	6	8	19	24
50-64	16	4.4	6	2	3	4	6	6	10	12
65 +	28	4.2	11	1	2	4	6	7	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	179	3.5	7	1	2	3	5	7	8	16
20-34	171	3.3	6	1	2	2	4	6	8	12
35-49	457	4.0	11	1	2	3	5	8	9	19
50-64	542	5.0	22	1	2	4	6	9	11	17
65 +	2723	5.6	24	2	3	4	7	10	14	25
B. Operated										
0-19 YRS	23	6.0	21	1	2	5	9	11	14	19
20-34	69	6.3	41	2	3	4	7	13	15	35
35-49	198	6.6	45	2	3	5	8	11	17	30
50-64	257	8.5	46	3	4	7	10	17	22	37
65 +	1095	9.2	70	3	5	7	11	16	24	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	2.9	4	1	1	2	4	6	7	8
B. Operated	70	4.5	13	1	3	4	6	7	9	23
2. MULTIPLE DX										
A. Not Operated	4072	5.1	21	1	2	4	7	9	13	23
B. Operated	1642	8.6	62	3	4	7	10	16	22	46
1. SINGLE DX	335	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	5714	6.1	36	2	3	5	8	11	15	30
A. Not Operated	4337	5.0	21	1	2	4	6	9	12	23
B. Operated	1712	8.4	61	3	4	7	10	16	22	44
TOTAL										
0-19 YRS	289	3.5	8	1	2	3	5	7	9	15
20-34	266	4.0	16	1	2	3	5	8	11	22
35-49	712	4.7	22	1	2	4	6	8	11	25
50-64	846	5.9	31	2	3	5	7	11	15	26
65 +	3936	6.5	39	2	3	5	8	12	16	34
GRAND TOTAL	**6049**	**6.0**	**34**	**2**	**3**	**5**	**7**	**11**	**15**	**30**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2398	3.8	7	1	2	3	5	7	9	13
20-34	1656	5.5	16	2	3	5	7	10	13	20
35-49	334	5.4	11	2	3	5	7	9	12	18
50-64	21	4.8	3	2	4	5	6	7	8	8
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	29	5.3	34	1	2	5	6	9	12	33
20-34	46	10.2	53	3	5	8	13	21	23	37
35-49	10	8.5	34	1	5	8	11	17	20	20
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2352	5.0	14	2	3	4	7	9	12	18
20-34	2173	7.7	38	3	4	6	9	14	19	34
35-49	690	7.4	25	3	4	6	9	13	17	26
50-64	117	6.2	12	3	4	5	8	11	12	17
65 +	14	4.9	18	1	2	3	9	11	13	13
B. Operated										
0-19 YRS	98	9.4	91	2	4	7	13	23	30	99 +
20-34	229	14.9	184	5	7	11	18	31	41	71
35-49	73	14.4	165	4	6	11	19	28	34	75
50-64	10	8.7	25	2	6	8	11	16	18	18
65 +	3	14.3	54	6	9	17	19	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4411	4.6	11	1	2	4	6	9	11	17
B. Operated	87	8.2	48	2	3	6	11	17	21	36
2. MULTIPLE DX										
A. Not Operated	5346	6.4	27	2	3	5	8	12	15	26
B. Operated	413	13.4	159	3	6	10	16	26	35	77
1. SINGLE DX	4498	4.7	12	1	2	4	6	9	11	17
2. MULTIPLE DX	5759	6.9	39	2	3	5	8	13	17	33
A. Not Operated	9757	5.6	21	2	3	5	7	10	13	22
B. Operated	500	12.5	143	3	5	9	15	25	34	74
TOTAL										
0-19 YRS	4877	4.5	13	1	2	4	6	8	11	18
20-34	4104	7.2	42	2	4	6	9	13	18	34
35-49	1107	7.3	35	2	4	6	9	13	18	28
50-64	149	6.1	12	3	4	5	8	11	12	18
65 +	20	6.0	32	1	2	3	9	15	18	20
GRAND TOTAL	**10257**	**5.9**	**29**	**2**	**3**	**5**	**7**	**11**	**15**	**26**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	627	2.5	7	1	1	1	3	6	8	14
20-34	112	2.4	6	1	1	1	3	5	8	12
35-49	76	2.7	6	< 1	1	2	3	6	8	13
50-64	151	2.6	10	1	1	1	3	6	7	19
65 +	317	2.9	30	< 1	1	1	3	6	8	16
B. Operated										
0-19 YRS	212	4.8	35	1	2	4	5	8	16	34
20-34	29	7.5	59	1	3	5	10	15	28	34
35-49	43	5.7	36	1	2	5	6	14	16	35
50-64	40	6.2	17	1	3	5	9	13	14	15
65 +	84	5.7	15	1	3	5	8	11	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1004	3.6	19	1	1	2	4	8	11	24
20-34	576	3.7	17	1	1	2	5	8	12	22
35-49	836	4.0	15	1	1	3	6	8	11	19
50-64	1508	4.6	24	1	1	3	6	10	13	23
65 +	4958	5.6	37	1	2	4	7	11	16	31
B. Operated										
0-19 YRS	351	10.6	180	1	3	6	13	26	40	99 +
20-34	191	8.0	83	1	3	5	9	17	26	53
35-49	319	8.4	75	2	3	6	10	18	25	46
50-64	550	9.6	83	3	4	7	12	19	27	48
65 +	1825	10.4	93	3	5	8	13	21	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1283	2.6	13	< 1	1	1	3	6	8	14
B. Operated	408	5.4	31	1	2	4	6	11	14	31
2. MULTIPLE DX										
A. Not Operated	8882	4.9	30	1	2	3	6	10	14	28
B. Operated	3236	10.0	99	2	4	7	12	21	29	61
1. SINGLE DX	1691	3.3	19	1	1	2	4	7	10	19
2. MULTIPLE DX	12118	6.3	54	1	2	4	8	13	19	39
A. Not Operated	10165	4.6	29	1	1	3	6	10	13	26
B. Operated	3644	9.5	93	2	4	7	11	20	28	55
TOTAL										
0-19 YRS	2194	4.5	50	1	1	2	5	10	15	41
20-34	908	4.6	34	1	1	3	6	10	14	31
35-49	1274	5.1	34	1	1	3	7	10	15	33
50-64	2249	5.7	42	1	2	4	7	12	17	34
65 +	7184	6.7	56	1	2	5	8	14	20	42
GRAND TOTAL	**13809**	**5.9**	**50**	**1**	**2**	**4**	**7**	**13**	**18**	**37**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	3.4	7	1	2	3	5	7	8	13
20-34	15	3.3	5	1	1	3	4	8	8	8
35-49	5	4.0	5	1	2	4	5	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	8	6.5	25	2	3	5	10	14	15	15
20-34	4	9.8	21	4	6	10	13	15	15	15
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	4.3	23	1	2	3	5	9	13	23
20-34	59	6.7	93	2	3	4	6	12	18	63
35-49	26	4.4	7	1	3	4	6	9	10	10
50-64	7	9.7	56	4	5	6	16	21	22	22
65 +	9	11.3	66	3	6	10	14	25	26	26
B. Operated										
0-19 YRS	25	12.9	105	2	5	12	20	26	31	42
20-34	13	9.6	66	1	2	6	17	21	23	24
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	3.4	6	1	2	3	5	7	8	13
B. Operated	15	8.1	23	3	4	6	12	15	15	15
2. MULTIPLE DX										
A. Not Operated	270	5.2	41	1	2	4	6	11	15	36
B. Operated	42	11.4	86	2	4	9	16	25	27	42
1. SINGLE DX	147	3.9	10	1	2	3	5	8	11	15
2. MULTIPLE DX	312	6.1	51	1	2	4	7	13	20	40
A. Not Operated	402	4.6	30	1	2	3	5	9	12	25
B. Operated	57	10.5	71	2	4	8	15	23	26	41
TOTAL										
0-19 YRS	313	4.7	29	1	2	3	5	11	15	27
20-34	91	6.7	74	1	3	4	7	14	20	54
35-49	35	4.6	7	1	3	4	6	9	10	10
50-64	10	9.4	46	3	5	6	15	20	22	22
65 +	10	11.4	59	3	7	10	12	24	26	26
GRAND TOTAL	**459**	**5.4**	**39**	**1**	**2**	**4**	**6**	**12**	**16**	**28**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	998	2.9	10	1	1	2	3	6	8	15
20-34	91	3.9	6	1	2	3	5	7	8	13
35-49	60	3.7	6	1	2	3	5	7	8	13
50-64	85	3.0	7	<1	1	2	4	6	9	13
65+	79	3.7	16	<1	1	2	5	8	11	22
B. Operated										
0-19 YRS	422	4.3	18	1	2	4	5	7	11	17
20-34	153	5.5	10	3	4	5	6	9	13	19
35-49	96	5.5	11	2	3	5	7	8	12	20
50-64	87	6.3	21	2	4	5	7	12	15	27
65+	87	6.7	31	1	4	6	8	12	15	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2517	4.4	16	1	2	3	6	9	11	19
20-34	503	5.5	33	1	3	4	7	10	13	31
35-49	695	5.7	22	2	3	5	7	11	14	21
50-64	1194	6.2	22	2	3	5	8	11	15	23
65+	2342	6.6	27	2	3	5	8	12	16	30
B. Operated										
0-19 YRS	512	9.1	107	1	3	6	11	18	32	60
20-34	356	8.8	106	3	4	6	9	15	24	65
35-49	394	9.2	66	2	5	7	11	18	23	47
50-64	600	10.7	102	3	5	8	14	21	32	56
65+	1223	11.4	92	3	5	9	14	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1313	3.1	9	1	1	2	4	6	8	14
B. Operated	845	5.1	18	1	3	4	6	9	13	24
2. MULTIPLE DX										
A. Not Operated	7251	5.6	23	1	3	4	7	11	14	24
B. Operated	3085	10.3	96	3	4	7	13	21	29	56
1. SINGLE DX	2158	3.9	14	1	2	3	5	7	10	17
2. MULTIPLE DX	10336	7.0	50	2	3	5	8	14	19	37
A. Not Operated	8564	5.2	22	1	2	4	7	10	13	22
B. Operated	3930	9.2	84	2	4	7	11	19	26	52
TOTAL										
0-19 YRS	4449	4.6	28	1	2	3	5	9	13	28
20-34	1103	6.5	54	2	3	5	7	11	15	41
35-49	1245	6.7	37	2	3	5	8	13	17	31
50-64	1966	7.4	51	2	3	6	9	14	19	40
65+	3731	8.1	54	2	4	6	10	16	22	37
GRAND TOTAL	**12494**	**6.5**	**45**	**1**	**3**	**5**	**8**	**13**	**18**	**35**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	851	1.7	1	1	1	1	2	3	3	5
20-34	238	2.0	2	1	1	2	2	4	5	9
35-49	49	2.3	1	1	1	2	3	4	4	7
50-64	10	2.5	2	1	1	2	4	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	686	3.0	2	2	2	3	3	4	5	7
20-34	286	3.4	2	2	2	3	4	5	6	8
35-49	50	3.0	1	2	2	3	3	4	5	7
50-64	8	3.6	3	2	2	3	5	6	6	6
65+	4	3.5	1	3	3	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	586	2.0	1	1	1	2	2	3	4	7
20-34	163	2.4	2	1	1	2	3	4	5	8
35-49	56	2.7	1	1	2	3	3	4	5	5
50-64	18	2.3	1	1	2	2	3	4	4	4
65+	13	2.6	2	1	2	2	3	5	5	5
B. Operated										
0-19 YRS	353	3.8	7	2	3	3	4	6	7	15
20-34	194	4.5	8	2	3	4	5	8	11	14
35-49	47	4.7	5	2	3	4	7	7	9	10
50-64	9	5.6	14	2	3	4	7	12	14	14
65+	10	11.0	21	5	8	10	16	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1150	1.8	1	1	1	1	2	3	4	5
B. Operated	1034	3.1	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	836	2.1	2	1	1	2	3	4	5	7
B. Operated	613	4.2	8	2	3	3	5	7	10	15
1. SINGLE DX	2184	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1449	3.0	5	1	2	3	4	5	7	13
A. Not Operated	1986	1.9	1	1	1	2	2	3	4	6
B. Operated	1647	3.5	4	2	2	3	4	6	7	12
TOTAL										
0-19 YRS	2476	2.4	3	1	1	2	3	4	5	7
20-34	881	3.1	4	1	2	3	4	5	7	12
35-49	202	3.1	3	1	2	3	4	6	7	9
50-64	45	3.2	6	1	2	3	4	6	7	14
65+	29	5.6	24	1	2	3	8	14	17	18
GRAND TOTAL	**3633**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	365	4.1	5	1	2	4	5	7	8	11
20-34	24	3.4	6	< 1	2	3	4	7	8	11
35-49	13	3.5	5	1	2	3	4	7	9	9
50-64	5	2.2		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	154	4.3	14	< 1	1	3	6	9	12	15
20-34	54	2.2	8	< 1	1	1	2	3	7	19
35-49	36	2.1	4	< 1	1	1	2	5	7	10
50-64	20	1.9	3	< 1	1	1	2	3	6	8
65 +	12	2.3	4	< 1	< 1	1	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	378	4.4	7	2	3	4	6	8	9	13
20-34	34	4.9	8	2	3	4	6	10	11	12
35-49	21	3.5	3	1	2	3	4	6	7	8
50-64	17	5.3	8	1	4	4	8	9	10	11
65 +	12	4.9	12	1	2	4	6	10	13	13
B. Operated										
0-19 YRS	91	5.8	15	1	3	6	9	11	14	16
20-34	48	6.0	96	< 1	1	3	7	10	17	64
35-49	45	4.8	76	1	1	2	6	9	12	58
50-64	38	4.9	16	1	2	3	7	12	13	14
65 +	25	4.8	30	1	1	3	7	15	17	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	407	4.0	5	1	2	4	5	7	8	11
B. Operated	276	3.3	11	< 1	1	2	5	8	11	15
2. MULTIPLE DX										
A. Not Operated	462	4.4	7	2	3	4	6	8	9	13
B. Operated	247	5.4	43	1	1	4	8	11	14	25
1. SINGLE DX	683	3.7	8	1	2	3	5	7	9	13
2. MULTIPLE DX	709	4.8	20	1	2	4	6	9	11	16
A. Not Operated	869	4.2	6	2	2	4	5	7	9	11
B. Operated	523	4.3	27	1	1	3	6	9	12	20
TOTAL										
0-19 YRS	988	4.4	9	1	2	4	6	8	10	14
20-34	160	4.1	36	1	1	3	5	9	11	23
35-49	115	3.6	33	1	1	2	4	8	9	28
50-64	80	4.1	12	1	2	2	6	9	12	14
65 +	49	4.2	20	1	1	3	5	9	15	22
GRAND TOTAL	**1392**	**4.3**	**14**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	11.0	191	1	1	3	20	35	38	39
20-34	54	12.0	105	2	5	8	17	29	32	43
35-49	41	9.7	101	1	2	6	16	23	30	43
50-64	32	10.3	154	1	2	3	14	27	42	49
65 +	91	11.5	194	1	2	8	15	26	31	84
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	23.0		23	23	23	23	23	23	23
65 +	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	17.7	451	1	2	8	28	61	74	99 +
20-34	323	13.4	176	2	4	9	18	30	37	68
35-49	271	12.2	122	2	4	9	17	27	35	50
50-64	400	12.2	203	2	3	7	15	28	42	76
65 +	1587	9.7	108	2	3	6	12	21	30	55
B. Operated										
0-19 YRS	5	13.4	136	1	3	12	23	29	29	29
20-34	15	23.1	495	1	2	18	42	53	64	68
35-49	17	15.5	237	4	6	12	20	57	87	99 +
50-64	37	17.0	428	2	3	9	24	52	69	83
65 +	176	14.1	191	2	5	11	20	30	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	11.1	150	1	2	7	16	26	35	52
B. Operated	3	12.0	93	5	6	8	19	23	23	23
2. MULTIPLE DX										
A. Not Operated	2661	11.0	145	2	4	7	14	25	35	69
B. Operated	250	15.1	246	2	5	11	20	35	58	99 +
1. SINGLE DX	239	11.1	149	1	2	7	16	26	35	52
2. MULTIPLE DX	2911	11.4	155	2	4	7	15	26	36	72
A. Not Operated	2897	11.0	146	2	3	7	14	25	35	69
B. Operated	253	15.1	244	2	5	11	20	35	58	99 +
TOTAL										
0-19 YRS	103	16.3	393	1	2	8	28	49	71	99 +
20-34	392	13.6	181	2	4	9	19	30	40	68
35-49	329	12.1	126	2	4	9	17	26	36	65
50-64	470	12.5	218	2	3	7	15	29	43	77
65 +	1856	10.2	121	2	4	7	13	22	31	69
GRAND TOTAL	**3150**	**11.4**	**155**	**2**	**3**	**7**	**15**	**26**	**36**	**72**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	15	8.5	68	2	4	6	10	31	80	99+
65+	71	9.0	121	1	3	5	11	16	28	61
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.7	14	<1	<1	2	6	8	8	8
35-49	10	18.3	198	4	6	17	33	65	97	99+
50-64	81	13.6	133	4	6	10	18	24	45	87
65+	942	12.3	202	3	4	8	15	30	48	99+
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	9	8.4	48	2	4	5	15	19	19	19
65+	91	14.9	182	3	7	12	28	78	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	8.9	108	1	3	6	11	20	33	86
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	1037	12.4	197	3	4	8	15	31	48	99+
B. Operated	102	14.2	170	3	6	12	22	59	99+	99+
1. SINGLE DX	89	8.9	107	1	3	6	11	19	32	86
2. MULTIPLE DX	1139	12.6	194	3	5	8	15	33	55	99+
A. Not Operated	1125	12.2	191	3	4	8	15	30	47	99+
B. Operated	103	14.2	169	3	6	12	22	59	99+	99+
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	3.7	14	<1	<1	2	6	8	8	8
35-49	14	15.7	157	4	6	12	30	42	85	99+
50-64	105	12.4	120	3	5	10	18	24	45	99+
65+	1105	12.3	196	3	4	8	15	32	54	99+
GRAND TOTAL	**1228**	**12.3**	**189**	**3**	**4**	**8**	**15**	**32**	**53**	**99+**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	6.5	7	3	4	7	8	9	9	9
65+	26	9.6	55	2	4	7	15	21	27	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	7.0	1	6	6	7	8	8	8	8
50-64	63	13.5	143	3	6	9	18	33	49	99+
65+	827	12.1	136	3	5	9	15	28	42	99+
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	49.0		49	49	49	49	49	49	49
50-64	9	10.0	50	2	4	9	16	20	21	21
65+	74	20.9	257	6	10	17	30	51	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	9.2	49	2	4	7	11	19	27	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	893	12.2	136	3	5	9	16	28	42	99+
B. Operated	84	20.0	253	5	9	16	29	48	68	99+
1. SINGLE DX	30	9.2	49	2	4	7	11	19	27	28
2. MULTIPLE DX	977	12.9	151	3	5	9	17	30	45	99+
A. Not Operated	923	12.1	134	3	5	9	15	28	42	99+
B. Operated	84	20.0	253	5	9	16	29	48	68	99+
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	4	17.5	442	6	6	7	28	49	49	49
50-64	76	12.7	127	3	6	9	17	33	44	99+
65+	927	12.8	149	3	5	9	16	29	44	99+
GRAND TOTAL	**1007**	**12.8**	**148**	**3**	**5**	**9**	**17**	**29**	**44**	**99+**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	2.9	69	1	1	1	2	4	4	59
20-34	117	5.2	105	1	1	2	6	12	16	62
35-49	59	4.3	40	1	1	3	4	8	17	39
50-64	46	11.0	206	2	3	6	10	34	38	76
65+	327	11.2	132	2	3	7	15	24	36	60
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65+	5	3.8	33	1	1	1	5	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	317	7.5	178	1	1	2	6	22	38	72
20-34	547	9.2	131	1	3	5	11	22	31	69
35-49	380	9.1	85	2	3	6	12	20	31	45
50-64	384	12.2	162	2	4	8	16	29	39	77
65+	3721	12.0	155	3	5	8	15	27	41	99+
B. Operated										
0-19 YRS	40	3.9	63	1	1	1	3	10	35	99+
20-34	49	10.4	267	1	2	7	11	24	55	99+
35-49	19	17.9	295	2	5	12	29	42	54	63
50-64	32	11.1	91	2	4	9	16	27	41	99+
65+	310	18.5	290	4	9	14	24	50	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	739	7.6	122	1	1	3	9	18	29	59
B. Operated	8	2.9	20	1	1	1	2	10	14	14
2. MULTIPLE DX										
A. Not Operated	5349	11.2	151	2	4	7	14	26	39	99+
B. Operated	450	15.8	274	2	5	12	21	44	72	99+
1. SINGLE DX	747	7.5	121	1	1	3	9	18	29	59
2. MULTIPLE DX	5799	11.6	162	2	4	8	15	27	42	99+
A. Not Operated	6088	10.8	149	2	3	7	14	25	37	95
B. Operated	458	15.6	273	1	5	11	20	43	72	99+
TOTAL										
0-19 YRS	547	5.7	136	1	1	2	4	14	31	70
20-34	714	8.6	137	1	2	5	10	20	29	73
35-49	460	8.8	93	1	3	5	11	20	32	45
50-64	462	12.0	161	2	4	8	16	29	39	77
65+	4363	12.4	165	3	5	9	16	28	43	99+
GRAND TOTAL	**6546**	**11.1**	**159**	**2**	**3**	**7**	**14**	**26**	**40**	**99+**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1	2	<1	<1	2	3	5	5	5
20-34	111	3.3	4	1	2	3	4	6	7	13
35-49	204	4.0	7	1	2	3	5	7	10	13
50-64	101	4.7	18	1	2	4	5	9	13	23
65+	27	8.4	50	2	3	4	13	19	22	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	6.0	61	1	2	3	6	20	27	31
20-34	2477	5.8	38	2	3	5	5	11	22	30
35-49	4693	5.6	28	2	3	5	5	9	16	29
50-64	2496	6.6	52	2	3	5	7	14	21	34
65+	978	8.8	93	2	4	5	10	20	28	70
B. Operated										
0-19 YRS	0									
20-34	48	11.3	105	3	5	7	14	29	33	44
35-49	118	10.6	136	2	4	7	12	24	31	66
50-64	111	12.6	171	4	5	9	13	30	46	99+
65+	64	18.0	286	5	8	13	23	42	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	450	4.2	13	1	2	3	5	8	12	19
B. Operated	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	10696	6.2	43	2	3	5	6	12	21	32
B. Operated	341	12.8	177	3	5	9	15	30	41	99+
1. SINGLE DX	452	4.2	13	1	2	3	5	8	12	19
2. MULTIPLE DX	11037	6.4	48	2	3	5	6	13	22	33
A. Not Operated	11146	6.1	42	2	3	5	6	12	21	32
B. Operated	343	12.7	176	3	5	9	15	30	41	99+
TOTAL										
0-19 YRS	59	5.5	56	1	1	2	5	18	25	31
20-34	2636	5.8	38	2	3	5	5	12	22	30
35-49	5016	5.6	31	2	3	5	5	10	16	30
50-64	2709	6.8	57	2	3	5	7	14	22	36
65+	1069	9.3	108	2	4	6	11	21	31	91
GRAND TOTAL	**11489**	**6.3**	**47**	**2**	**3**	**5**	**6**	**13**	**21**	**33**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	7.7	84	1	2	4	9	22	30	38
20-34	162	4.4	6	1	3	4	6	8	9	13
35-49	99	5.5	15	1	3	4	7	11	13	18
50-64	18	4.6	12	1	2	4	6	11	12	12
65 +	27	7.9	89	2	2	5	10	13	32	46
B. Operated										
0-19 YRS	0									
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	0									
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	191	8.8	156	1	2	5	10	21	28	78
20-34	1559	6.3	49	2	3	4	7	14	24	29
35-49	790	6.5	46	2	3	4	7	14	20	32
50-64	323	6.1	47	2	3	4	7	11	17	34
65 +	828	7.5	63	2	3	5	9	15	23	40
B. Operated										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34	23	7.4	52	1	2	6	11	17	25	28
35-49	18	15.6	100	5	9	13	19	33	36	37
50-64	18	10.1	30	3	6	9	15	18	20	21
65 +	57	11.6	128	4	5	8	14	35	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	346	5.4	26	1	2	4	7	10	13	30
B. Operated	5	2.8	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	3691	6.7	57	2	3	4	7	14	23	34
B. Operated	118	11.2	97	3	5	9	14	25	36	99 +
1. SINGLE DX	351	5.3	25	1	2	4	7	10	13	30
2. MULTIPLE DX	3809	6.9	59	2	3	5	7	14	23	35
A. Not Operated	4037	6.6	55	2	3	4	7	14	22	33
B. Operated	123	10.9	96	2	5	8	14	24	36	99 +
TOTAL										
0-19 YRS	233	8.6	143	1	2	5	10	21	29	64
20-34	1746	6.1	45	2	3	4	7	13	23	29
35-49	907	6.6	45	2	3	5	7	14	20	33
50-64	362	6.2	45	2	3	4	7	12	17	33
65 +	912	7.8	69	2	3	5	9	15	23	47
GRAND TOTAL	**4160**	**6.7**	**56**	**2**	**3**	**5**	**7**	**14**	**23**	**35**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	21.9	380	3	7	17	32	52	78	99 +
20-34	1973	14.8	170	2	6	11	20	31	42	64
35-49	1318	14.2	149	3	6	11	20	29	39	64
50-64	409	14.4	134	3	6	12	20	29	38	53
65 +	119	15.9	128	4	7	13	23	32	36	51
B. Operated										
0-19 YRS	0									
20-34	6	20.3	187	2	15	17	33	38	39	39
35-49	2	15.5	13	13	13	15	18	18	18	18
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	20.7	332	4	8	15	30	46	68	99 +
20-34	2002	15.6	192	3	6	12	20	33	46	73
35-49	1508	15.7	174	3	7	12	21	32	42	71
50-64	743	17.4	187	4	8	14	24	34	42	90
65 +	328	20.0	247	5	8	16	28	43	51	80
B. Operated										
0-19 YRS	5	26.0	542	11	12	14	37	66	66	66
20-34	70	17.2	152	5	7	15	24	37	45	91
35-49	56	22.0	220	8	12	19	31	48	72	99 +
50-64	26	20.3	170	7	12	18	27	54	99 +	99 +
65 +	30	19.8	202	7	12	15	25	38	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3935	14.8	166	3	6	11	20	31	41	72
B. Operated	9	17.6	145	3	11	17	22	37	39	39
2. MULTIPLE DX										
A. Not Operated	4716	16.3	195	3	7	13	21	34	45	78
B. Operated	187	19.7	192	6	11	17	27	43	58	99 +
1. SINGLE DX	3944	14.8	166	3	6	11	20	31	41	72
2. MULTIPLE DX	4903	16.5	195	4	7	13	22	34	45	80
A. Not Operated	8651	15.6	182	3	6	12	21	33	43	74
B. Operated	196	19.6	190	6	11	17	27	43	57	99 +
TOTAL										
0-19 YRS	256	21.4	355	4	8	16	31	49	71	99 +
20-34	4051	15.2	181	3	6	12	20	32	44	72
35-49	2884	15.1	165	3	6	12	20	31	42	71
50-64	1179	16.4	170	4	7	14	22	33	41	86
65 +	477	19.0	217	5	8	15	26	39	48	80
GRAND TOTAL	**8847**	**15.7**	**183**	**3**	**6**	**12**	**21**	**33**	**44**	**77**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	21.6	233	6	13	19	28	47	68	99+
20-34	100	14.9	178	2	6	12	19	30	46	63
35-49	27	10.6	127	2	3	5	16	24	33	49
50-64	9	13.4	148	6	7	8	14	34	44	44
65+	4	5.0	36	2	2	2	8	14	14	14
B. Operated										
0-19 YRS	0									
20-34	2	9.5	113	2	2	9	17	17	17	17
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	32.7	623	5	12	32	42	94	99	99+
20-34	110	16.3	240	3	6	12	21	36	54	72
35-49	33	10.0	43	3	5	9	14	20	25	28
50-64	18	11.2	86	5	5	9	15	19	34	43
65+	17	13.1	68	4	6	13	20	24	27	28
B. Operated										
0-19 YRS	0									
20-34	2	14.5	221	4	4	14	25	25	25	25
35-49	3	18.7	166	8	10	15	28	33	33	33
50-64	1	21.0		21	21	21	21	21	21	21
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	15.3	188	2	6	12	21	31	48	70
B. Operated	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. Not Operated	211	17.2	289	3	6	12	22	41	63	99
B. Operated	6	17.7	117	4	8	18	25	32	33	33
1. SINGLE DX	178	15.3	187	2	6	12	21	31	48	70
2. MULTIPLE DX	217	17.2	283	3	6	12	22	41	62	99
A. Not Operated	387	16.3	243	3	6	12	22	38	54	96
B. Operated	8	15.6	114	3	6	16	23	31	33	33
TOTAL										
0-19 YRS	69	26.9	444	5	12	22	39	67	98	99+
20-34	214	15.6	208	3	6	12	21	32	52	68
35-49	63	10.7	84	2	4	8	15	23	29	47
50-64	28	12.3	102	5	6	9	15	21	43	44
65+	21	11.5	70	2	4	11	18	24	26	28
GRAND TOTAL	**395**	**16.3**	**240**	**3**	**6**	**12**	**22**	**38**	**54**	**96**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	339	21.4	342	3	7	16	31	49	61	99+
20-34	2751	15.6	184	3	6	12	21	32	42	71
35-49	1818	15.0	168	3	6	12	21	31	41	68
50-64	577	16.5	200	3	7	13	23	36	47	75
65+	151	16.3	154	4	7	13	22	33	43	57
B. Operated										
0-19 YRS	0									
20-34	3	21.3	124	13	14	17	30	34	34	34
35-49	7	18.1	104	7	11	17	25	34	35	35
50-64	4	20.5	105	7	13	22	28	31	31	31
65+	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	362	21.8	345	3	7	17	32	56	69	99+
20-34	3611	16.2	186	3	7	13	22	34	44	70
35-49	2734	15.6	169	4	7	12	21	32	42	69
50-64	1405	17.7	192	4	8	14	23	36	46	69
65+	639	20.5	237	6	10	17	28	41	55	99+
B. Operated										
0-19 YRS	11	31.3	521	7	17	31	34	69	82	83
20-34	93	19.1	145	4	11	18	26	36	44	99+
35-49	116	21.8	240	7	11	17	26	50	58	80
50-64	76	23.0	186	8	13	20	30	42	49	63
65+	37	25.4	303	9	12	20	33	59	64	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5636	15.8	191	3	6	12	22	33	44	72
B. Operated	15	20.5	101	7	13	18	30	34	35	35
2. MULTIPLE DX										
A. Not Operated	8751	16.8	195	4	7	13	23	35	46	76
B. Operated	333	22.0	221	7	11	19	29	43	59	85
1. SINGLE DX	5651	15.9	191	3	6	12	22	33	44	72
2. MULTIPLE DX	9084	17.0	197	4	7	13	23	35	46	76
A. Not Operated	14387	16.4	194	3	7	13	22	35	45	76
B. Operated	348	21.9	215	7	11	19	29	43	58	83
TOTAL										
0-19 YRS	712	21.7	347	3	7	16	32	53	65	99+
20-34	6458	16.0	185	3	6	12	22	33	43	71
35-49	4675	15.5	171	3	7	12	21	32	43	69
50-64	2062	17.5	195	4	8	14	23	36	46	69
65+	828	20.0	228	5	9	16	27	41	54	98
GRAND TOTAL	**14735**	**16.6**	**195**	**3**	**7**	**13**	**22**	**35**	**46**	**76**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	22.1	427	4	7	14	31	46	73	94
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	25.7	449	3	8	22	42	70	99 +	99 +
20-34	15	25.5	530	4	9	19	36	49	78	88
35-49	3	8.0	7	6	6	7	10	11	11	11
50-64	3	7.0	12	5	5	5	10	11	11	11
65 +	0									
B. Operated										
0-19 YRS	3	57.7	1265	17	31	73	80	83	83	83
20-34	1	21.0		21	21	21	21	21	21	21
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	22.1	427	4	7	14	31	46	73	94
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	144	24.9	449	3	8	21	42	68	97	99 +
B. Operated	4	48.5	1180	17	19	47	78	83	83	83
1. SINGLE DX	72	22.1	427	4	7	14	31	46	73	94
2. MULTIPLE DX	148	25.5	475	3	8	21	42	70	95	99 +
A. Not Operated	216	24.0	441	3	7	19	38	58	80	99 +
B. Operated	4	48.5	1180	17	19	47	78	83	83	83
TOTAL										
0-19 YRS	198	24.8	464	3	8	21	41	67	83	99 +
20-34	16	25.3	496	4	9	20	34	49	76	88
35-49	3	8.0	7	6	6	7	10	11	11	11
50-64	3	7.0	12	5	5	5	10	11	11	11
65 +	0									
GRAND TOTAL	**220**	**24.4**	**460**	**3**	**8**	**19**	**39**	**65**	**83**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1099	19.8	304	3	7	15	28	45	56	95
20-34	2165	11.8	106	2	4	9	16	26	32	47
35-49	2219	13.1	118	2	5	11	18	27	33	54
50-64	1150	14.8	133	3	6	13	21	29	36	56
65 +	1082	19.0	183	4	9	16	26	37	45	62
B. Operated										
0-19 YRS	2	29.5	145	21	21	29	38	38	38	38
20-34	6	14.5	202	1	4	10	23	36	38	38
35-49	6	10.8	62	< 1	4	11	15	22	23	23
50-64	7	21.6	266	6	9	16	36	46	47	47
65 +	11	22.6	177	9	11	20	32	43	48	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2540	23.9	356	4	9	20	36	50	70	99 +
20-34	6382	14.1	151	3	6	11	19	29	37	63
35-49	6738	15.1	152	3	7	12	20	30	39	61
50-64	3958	16.2	143	4	8	14	21	32	39	60
65 +	5236	19.7	203	5	10	16	26	38	48	76
B. Operated										
0-19 YRS	58	28.5	433	3	10	28	43	67	99 +	99 +
20-34	241	20.2	196	5	10	19	27	36	51	74
35-49	298	22.5	254	7	12	18	29	42	57	93
50-64	242	22.2	196	8	13	19	28	44	55	83
65 +	405	26.1	301	9	14	22	33	52	64	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7715	14.8	162	2	6	12	20	30	40	62
B. Operated	32	19.1	186	4	9	16	25	39	46	49
2. MULTIPLE DX										
A. Not Operated	24854	16.9	191	3	7	14	23	35	44	74
B. Operated	1244	23.5	260	7	13	20	30	47	61	99
1. SINGLE DX	7747	14.8	162	2	6	12	21	30	40	62
2. MULTIPLE DX	26098	17.2	197	4	7	14	23	36	45	75
A. Not Operated	32569	16.4	185	3	7	13	22	34	43	72
B. Operated	1276	23.4	259	7	13	20	30	47	61	98
TOTAL										
0-19 YRS	3699	22.8	346	3	8	18	34	48	67	99 +
20-34	8794	13.7	143	3	5	11	19	29	36	60
35-49	9261	14.8	149	3	6	12	20	30	38	61
50-64	5357	16.2	145	4	7	14	22	32	40	61
65 +	6734	20.0	208	5	10	17	26	39	48	77
GRAND TOTAL	**33845**	**16.6**	**190**	**3**	**7**	**13**	**22**	**35**	**44**	**73**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	364	19.1	262	3	7	14	27	43	57	98
20-34	1681	14.1	146	3	6	10	19	30	37	57
35-49	1640	13.9	130	3	6	11	19	28	37	58
50-64	816	15.8	159	3	7	13	21	30	41	65
65 +	334	17.8	189	4	8	15	24	34	44	71
B. Operated										
0-19 YRS	0									
20-34	6	22.2	267	5	12	19	28	49	51	51
35-49	6	21.2	11	17	19	20	24	26	26	26
50-64	3	17.0	211	2	6	18	28	31	31	31
65 +	3	20.3	10	18	18	19	23	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	604	23.1	359	4	9	17	34	54	70	99 +
20-34	2758	16.5	184	4	7	14	21	34	44	68
35-49	3009	15.4	144	3	7	13	21	30	39	60
50-64	1930	17.3	174	4	8	14	23	35	43	65
65 +	1528	18.9	183	5	9	16	25	37	48	72
B. Operated										
0-19 YRS	10	27.1	641	2	5	28	58	82	98	99 +
20-34	95	21.5	231	5	10	19	28	39	57	71
35-49	116	25.4	267	9	14	21	36	45	55	99
50-64	109	26.0	280	8	14	22	35	55	63	99 +
65 +	107	27.4	355	9	14	20	36	56	75	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4835	14.9	157	3	6	12	20	31	40	65
B. Operated	18	20.7	111	6	17	20	24	30	43	51
2. MULTIPLE DX										
A. Not Operated	9829	17.1	184	4	7	14	23	35	44	71
B. Operated	437	25.2	293	8	14	21	34	50	62	99 +
1. SINGLE DX	4853	15.0	157	3	6	12	20	31	40	65
2. MULTIPLE DX	10266	17.4	191	4	8	14	23	36	45	72
A. Not Operated	14664	16.4	176	4	7	13	22	33	43	69
B. Operated	455	25.1	287	7	14	21	34	50	62	99 +
TOTAL										
0-19 YRS	978	21.7	329	4	9	17	31	50	68	99 +
20-34	4540	15.7	173	3	7	12	21	32	42	65
35-49	4771	15.1	145	3	7	12	20	30	39	61
50-64	2858	17.2	177	4	8	14	23	35	44	67
65 +	1972	19.2	197	5	9	16	25	38	49	74
GRAND TOTAL	**15119**	**16.6**	**182**	**4**	**7**	**14**	**22**	**34**	**44**	**70**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	14.3	240	2	3	9	20	37	49	92
20-34	544	9.3	95	1	3	7	12	20	28	51
35-49	391	10.1	94	2	3	7	14	22	29	51
50-64	196	10.6	96	2	3	9	14	21	27	42
65 +	220	10.2	79	2	3	8	14	25	31	39
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	17.5	421	3	3	17	32	32	32	32
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	15.0		15	15	15	15	15	15	15
65 +	3	14.3	162	6	6	8	24	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	323	17.1	314	2	4	11	25	44	63	99 +
20-34	1201	11.8	131	2	4	8	16	27	36	60
35-49	896	10.6	99	2	4	8	14	23	30	49
50-64	740	10.7	93	2	4	8	15	23	30	48
65 +	2002	10.4	108	2	4	7	13	22	31	57
B. Operated										
0-19 YRS	3	31.7	1434	1	6	20	60	74	74	74
20-34	39	15.6	161	4	8	13	18	36	54	99 +
35-49	40	14.7	165	3	5	12	21	28	39	67
50-64	56	15.5	125	3	6	14	22	37	46	99 +
65 +	179	16.1	220	4	7	13	20	40	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1541	10.4	112	2	3	7	14	23	31	57
B. Operated	8	13.3	129	3	5	9	22	31	32	32
2. MULTIPLE DX										
A. Not Operated	5162	11.2	125	2	4	8	15	25	35	63
B. Operated	317	15.9	197	4	7	13	20	37	52	99 +
1. SINGLE DX	1549	10.4	112	2	3	7	14	23	32	57
2. MULTIPLE DX	5479	11.5	130	2	4	8	15	26	36	67
A. Not Operated	6703	11.0	122	2	4	8	14	25	34	61
B. Operated	325	15.8	195	3	7	13	20	37	52	99 +
TOTAL										
0-19 YRS	517	16.2	292	2	4	10	23	42	60	99 +
20-34	1786	11.1	122	2	4	8	14	25	35	59
35-49	1328	10.6	100	2	4	8	14	23	30	50
50-64	993	11.0	97	2	4	8	15	24	30	48
65 +	2404	10.8	116	2	4	7	14	23	33	65
GRAND TOTAL	**7028**	**11.2**	**127**	**2**	**4**	**8**	**15**	**25**	**35**	**65**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	5.1	54	< 1	1	2	4	14	22	36
20-34	205	5.0	40	1	1	2	6	14	18	30
35-49	196	4.2	24	1	1	2	5	10	14	26
50-64	99	6.4	67	1	2	3	7	16	24	43
65 +	50	5.7	47	1	1	3	6	17	24	28
B. Operated										
0-19 YRS	0									
20-34	3	22.7	996	2	3	7	46	59	59	59
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	103	9.5	143	1	2	4	13	27	34	54
20-34	623	8.5	91	1	2	5	11	21	27	46
35-49	748	6.9	60	1	2	4	9	18	23	34
50-64	609	6.1	48	1	2	3	7	15	21	33
65 +	622	6.3	51	1	2	4	7	14	20	38
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	17	12.3	204	1	2	6	17	36	43	47
35-49	21	8.6	133	1	2	4	11	26	40	44
50-64	31	8.0	76	1	3	5	9	22	27	36
65 +	32	9.2	105	1	3	6	10	21	36	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	602	5.0	41	1	1	2	6	13	18	32
B. Operated	5	14.2	633	1	2	2	20	59	59	59
2. MULTIPLE DX										
A. Not Operated	2705	7.0	67	1	2	4	9	17	24	40
B. Operated	102	9.1	116	1	2	5	11	24	37	46
1. SINGLE DX	607	5.1	46	1	1	2	6	13	18	33
2. MULTIPLE DX	2807	7.1	68	1	2	4	9	18	24	41
A. Not Operated	3307	6.7	63	1	2	4	8	17	23	39
B. Operated	107	9.4	136	1	2	5	11	26	37	52
TOTAL										
0-19 YRS	156	8.0	116	1	1	3	10	23	32	46
20-34	848	7.8	86	1	2	4	10	20	27	46
35-49	966	6.4	55	1	2	3	8	16	23	34
50-64	740	6.2	52	1	2	3	7	16	21	36
65 +	704	6.4	54	1	2	4	7	15	21	38
GRAND TOTAL	**3414**	**6.8**	**65**	**1**	**2**	**4**	**8**	**17**	**24**	**40**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	522	18.4	271	3	6	13	28	42	56	85
20-34	493	7.0	44	1	2	5	9	16	21	32
35-49	376	8.1	63	1	3	5	11	17	24	38
50-64	113	8.0	55	2	3	6	11	18	26	33
65 +	64	10.5	69	2	4	8	15	22	25	41
B. Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1779	24.1	368	3	9	21	36	52	66	99 +
20-34	1976	10.7	98	2	4	7	15	23	29	45
35-49	1411	10.1	83	2	4	7	14	22	28	45
50-64	667	9.8	78	2	3	7	14	21	27	48
65 +	579	10.2	72	2	4	8	14	21	27	43
B. Operated										
0-19 YRS	24	22.8	364	2	5	24	39	62	99 +	99 +
20-34	60	12.0	122	1	5	10	15	23	27	59
35-49	38	21.9	327	5	8	16	32	49	57	77
50-64	38	17.1	286	3	6	13	21	35	44	91
65 +	32	14.4	163	4	6	10	19	30	41	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1568	11.3	152	2	3	7	15	28	36	62
B. Operated	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	6412	14.1	203	2	4	9	20	33	44	79
B. Operated	192	16.7	245	3	6	12	22	40	56	96
1. SINGLE DX	1570	11.3	151	2	3	7	15	28	36	62
2. MULTIPLE DX	6604	14.2	204	2	4	9	20	33	45	79
A. Not Operated	7980	13.6	194	2	4	9	19	32	43	74
B. Operated	194	16.6	243	3	6	12	22	39	56	96
TOTAL										
0-19 YRS	2325	22.8	351	3	8	19	34	50	63	99 +
20-34	2530	10.0	90	2	3	7	14	22	28	44
35-49	1825	9.9	87	2	3	7	14	22	28	47
50-64	818	9.9	87	2	3	7	14	22	28	47
65 +	676	10.4	76	2	4	8	14	22	28	43
GRAND TOTAL	**8174**	**13.6**	**196**	**2**	**4**	**9**	**19**	**32**	**44**	**75**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	489	10.7	263	1	2	4	13	35	49	99 +
20-34	598	8.3	119	1	2	5	10	20	32	59
35-49	302	9.5	119	1	2	5	14	21	30	61
50-64	78	7.2	53	1	2	4	11	16	21	36
65 +	47	6.4	43	1	2	4	9	13	18	36
B. Operated										
0-19 YRS	4	6.0	25	2	2	4	9	13	13	13
20-34	85	7.3	32	1	2	9	9	11	18	31
35-49	52	5.9	15	1	2	7	9	9	11	15
50-64	31	3.3	5	1	2	3	4	7	9	9
65 +	10	3.1	4	< 1	1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	943	13.7	306	1	3	6	18	42	63	99 +
20-34	2094	9.5	132	1	2	5	12	23	34	63
35-49	1195	9.1	109	1	2	5	12	22	29	51
50-64	477	9.9	122	2	3	6	13	24	30	50
65 +	529	8.6	80	2	3	6	11	19	26	43
B. Operated										
0-19 YRS	37	16.0	320	1	3	7	32	43	50	66
20-34	106	11.1	110	1	3	9	15	27	36	75
35-49	100	11.3	128	1	3	9	17	30	44	99 +
50-64	59	6.4	43	2	2	4	9	17	21	30
65 +	72	15.2	231	3	6	11	20	32	44	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1514	9.2	161	1	2	4	12	23	36	82
B. Operated	182	5.9	23	1	2	5	9	9	12	24
2. MULTIPLE DX										
A. Not Operated	5238	10.1	155	1	3	6	13	25	36	81
B. Operated	374	11.7	155	1	3	8	15	28	40	99
1. SINGLE DX	1696	8.9	147	1	2	5	11	22	35	76
2. MULTIPLE DX	5612	10.2	155	1	3	6	13	25	37	82
A. Not Operated	6752	9.9	156	1	2	5	13	25	36	81
B. Operated	556	9.8	119	1	3	7	12	24	36	65
TOTAL										
0-19 YRS	1473	12.7	293	1	2	6	16	39	60	99 +
20-34	2883	9.2	126	1	2	5	12	22	33	62
35-49	1649	9.2	110	1	2	6	12	22	30	57
50-64	645	9.0	104	1	3	5	12	21	29	48
65 +	658	9.1	98	2	3	6	11	20	28	49
GRAND TOTAL	**7308**	**9.9**	**153**	**1**	**2**	**5**	**13**	**25**	**36**	**81**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	9.1	183	1	1	3	10	28	29	63
20-34	1620	7.3	82	1	2	3	6	25	29	35
35-49	1790	7.2	76	1	2	4	6	23	29	35
50-64	685	6.8	70	1	2	4	6	24	29	34
65 +	148	6.4	60	1	2	4	6	18	29	34
B. Operated										
0-19 YRS	0									
20-34	4	2.5	2	< 1	1	2	3	4	4	4
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2411	23.8	217	3	11	26	33	42	45	61
20-34	13157	14.8	117	2	4	14	25	28	30	37
35-49	11784	12.9	111	2	4	8	22	28	29	36
50-64	5651	12.4	110	2	4	7	21	28	30	35
65 +	2335	12.0	99	2	4	8	20	28	30	37
B. Operated										
0-19 YRS	37	20.4	204	1	6	21	28	40	43	56
20-34	239	17.9	120	2	7	21	28	30	33	41
35-49	277	17.2	126	3	7	19	27	30	35	62
50-64	196	18.3	149	5	8	18	27	32	39	99 +
65 +	104	17.0	159	3	8	14	26	32	36	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4381	7.2	81	1	2	4	6	24	29	35
B. Operated	7	3.7	8	< 1	1	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	35338	14.2	127	2	4	10	24	28	31	42
B. Operated	853	17.8	137	3	7	19	27	30	36	67
1. SINGLE DX	4388	7.2	80	1	2	4	6	24	29	35
2. MULTIPLE DX	36191	14.3	128	2	4	10	25	29	31	42
A. Not Operated	39719	13.4	127	2	4	8	23	28	30	42
B. Operated	860	17.7	137	3	7	19	27	30	36	67
TOTAL										
0-19 YRS	2586	23.0	226	2	9	25	32	42	44	61
20-34	15020	14.0	119	2	4	10	25	28	30	36
35-49	13853	12.2	111	2	3	7	21	28	29	36
50-64	6532	12.0	111	2	4	7	21	28	30	36
65 +	2588	11.9	102	2	4	8	20	28	30	38
GRAND TOTAL	**40579**	**13.5**	**127**	**2**	**4**	**8**	**23**	**28**	**31**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	26.5	682	3	4	24	31	67	88	90
20-34	223	7.2	64	2	3	4	7	21	26	35
35-49	152	7.5	62	2	3	4	9	21	24	35
50-64	3	3.3	4	1	2	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	21.8	180	3	9	27	32	36	42	51
20-34	1252	13.4	106	3	4	10	21	28	30	39
35-49	933	12.5	96	3	4	8	21	28	30	37
50-64	111	12.9	100	3	4	9	21	28	29	39
65 +	39	12.4	89	2	5	10	17	26	28	42
B. Operated										
0-19 YRS	2	28.5	1013	6	6	28	51	51	51	51
20-34	34	18.6	141	6	8	16	30	32	33	43
35-49	32	22.1	222	4	10	22	29	36	42	77
50-64	4	17.0	50	9	12	16	22	26	26	26
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	7.8	89	2	3	4	8	21	27	41
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2432	13.4	107	3	4	10	21	28	30	42
B. Operated	72	20.4	184	5	8	20	29	33	42	71
1. SINGLE DX	389	7.8	89	2	3	4	8	21	27	41
2. MULTIPLE DX	2504	13.6	111	3	4	10	21	28	30	42
A. Not Operated	2821	12.6	108	2	4	8	21	28	30	42
B. Operated	72	20.4	184	5	8	20	29	33	42	71
TOTAL										
0-19 YRS	110	22.4	233	3	7	27	32	37	44	69
20-34	1509	12.6	106	2	4	8	21	28	30	39
35-49	1117	12.1	100	2	4	8	21	28	30	40
50-64	118	12.8	98	3	4	9	21	28	29	39
65 +	39	12.4	89	2	5	10	17	26	28	42
GRAND TOTAL	**2893**	**12.8**	**112**	**3**	**4**	**8**	**21**	**28**	**30**	**42**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	135	15.6	258	2	3	9	28	33	42	82
20-34	1005	8.3	83	2	3	4	11	25	28	34
35-49	244	8.8	82	2	3	4	14	24	29	31
50-64	14	15.8	355	2	3	4	29	40	59	64
65 +	6	3.5	8	1	1	3	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	1	22.0		22	22	22	22	22	22	22
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1770	25.0	230	4	13	27	35	42	48	68
20-34	6984	15.7	111	3	5	15	25	29	30	40
35-49	2027	15.0	106	3	5	14	24	28	30	39
50-64	249	17.3	126	3	8	17	27	30	30	45
65 +	149	15.6	106	3	7	14	23	30	34	41
B. Operated										
0-19 YRS	18	28.1	191	9	20	27	40	43	52	58
20-34	144	22.4	108	6	15	24	29	33	42	45
35-49	51	23.2	137	4	16	25	30	39	42	46
50-64	12	20.3	108	6	14	19	27	33	42	43
65 +	4	18.5	137	4	9	21	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1404	9.2	106	2	3	4	14	27	29	41
B. Operated	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated	11179	17.1	141	3	6	17	27	30	36	46
B. Operated	229	22.8	122	6	15	25	29	38	42	46
1. SINGLE DX	1405	9.2	106	2	3	4	14	27	29	41
2. MULTIPLE DX	11408	17.2	141	3	6	17	27	30	37	46
A. Not Operated	12583	16.2	143	3	5	15	27	30	35	45
B. Operated	230	22.8	122	6	15	24	29	37	42	46
TOTAL										
0-19 YRS	1923	24.4	237	3	11	26	34	42	47	68
20-34	8134	14.9	114	2	4	14	24	29	30	41
35-49	2322	14.5	109	3	5	13	23	28	30	39
50-64	275	17.3	135	3	7	17	27	30	31	48
65 +	159	15.3	108	3	6	14	23	30	34	41
GRAND TOTAL	**12813**	**16.3**	**144**	**3**	**5**	**15**	**27**	**30**	**35**	**46**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	413	1.5	5	< 1	< 1	1	1	2	2	14
20-34	275	3.0	28	< 1	< 1	1	3	6	9	29
35-49	164	3.2	19	< 1	1	2	4	6	8	29
50-64	68	3.4	16	< 1	1	2	4	7	10	23
65 +	14	2.5	8	< 1	< 1	1	4	6	10	11
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	637	6.1	107	< 1	1	2	5	26	31	44
20-34	897	5.6	70	< 1	1	2	5	20	28	32
35-49	635	6.1	71	1	1	3	6	18	28	33
50-64	310	4.4	24	1	1	3	5	9	14	28
65 +	192	5.6	49	1	2	3	6	12	21	39
B. Operated										
0-19 YRS	20	7.3	218	< 1	< 1	1	2	38	45	46
20-34	31	5.2	44	< 1	1	1	8	16	19	25
35-49	36	7.7	89	< 1	1	3	10	27	29	30
50-64	11	6.0	68	< 1	1	4	6	18	28	29
65 +	14	5.0	40	< 1	1	2	8	14	21	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	934	2.4	15	< 1	< 1	1	2	5	7	27
B. Operated	5	1.4		< 1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2671	5.7	72	< 1	1	2	6	17	28	36
B. Operated	112	6.4	89	< 1	1	2	7	20	29	45
1. SINGLE DX	939	2.4	15	< 1	< 1	1	2	5	7	27
2. MULTIPLE DX	2783	5.7	73	< 1	1	2	6	18	28	36
A. Not Operated	3605	4.8	60	< 1	1	2	5	12	27	34
B. Operated	117	6.2	86	< 1	1	2	7	19	28	45
TOTAL										
0-19 YRS	1071	4.3	74	< 1	1	1	2	10	28	43
20-34	1206	5.0	60	< 1	1	2	5	15	28	32
35-49	835	5.6	63	1	1	3	6	15	28	31
50-64	390	4.3	24	1	1	3	5	9	14	28
65 +	220	5.3	46	1	2	3	6	12	21	36
GRAND TOTAL	**3722**	**4.9**	**60**	**< 1**	**1**	**2**	**5**	**12**	**27**	**34**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	6.1	98	< 1	1	2	5	21	32	42
20-34	253	5.3	55	1	1	2	5	15	26	34
35-49	76	4.9	32	< 1	2	3	5	10	19	28
50-64	5	12.2	112	1	3	14	18	28	28	28
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	488	18.1	279	1	3	14	29	42	47	77
20-34	1385	11.5	126	1	3	6	21	28	31	42
35-49	445	11.1	122	1	3	6	20	28	30	42
50-64	79	10.6	97	2	4	6	19	27	30	40
65 +	57	9.0	78	2	3	7	10	27	29	34
B. Operated										
0-19 YRS	5	18.2	333	1	5	8	35	43	43	43
20-34	43	14.4	116	3	7	12	21	28	38	45
35-49	17	13.2	81	5	5	11	24	25	27	28
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	9.7	20	5	6	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	423	5.5	61	< 1	1	2	5	15	27	36
B. Operated	5	3.2	3	2	2	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	2454	12.7	161	1	3	7	22	29	36	50
B. Operated	70	13.9	115	3	6	11	21	28	36	45
1. SINGLE DX	428	5.5	60	< 1	1	2	5	15	27	36
2. MULTIPLE DX	2524	12.7	160	1	3	7	22	29	36	49
A. Not Operated	2877	11.6	153	1	2	6	21	29	35	48
B. Operated	75	13.1	114	2	5	9	20	28	35	44
TOTAL										
0-19 YRS	582	16.3	270	1	2	10	28	41	45	75
20-34	1683	10.7	120	1	2	6	18	28	31	42
35-49	541	10.3	113	1	2	5	16	28	29	42
50-64	86	10.5	96	2	4	6	18	27	29	39
65 +	60	9.0	74	2	3	7	11	26	29	34
GRAND TOTAL	**2952**	**11.7**	**152**	**1**	**2**	**6**	**21**	**29**	**35**	**48**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	4.5	173	1	1	2	3	5	11	84
20-34	36	3.4	8	1	2	3	4	5	9	16
35-49	24	2.4	6	1	1	2	2	4	8	12
50-64	15	2.5	2	1	1	2	4	4	6	6
65 +	8	8.9	136	1	2	3	15	28	30	30
B. Operated										
0-19 YRS	5	2.4	2	1	1	3	3	4	4	4
20-34	0									
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	0									
65 +	3	5.7	12	2	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	159	9.2	183	1	2	3	9	32	48	60
20-34	153	4.6	39	1	2	3	4	9	17	34
35-49	178	4.0	17	1	2	3	5	8	11	23
50-64	142	3.6	19	1	2	2	4	7	9	18
65 +	253	4.5	17	1	2	3	6	8	13	20
B. Operated										
0-19 YRS	13	9.5	244	2	2	6	8	23	53	60
20-34	17	5.2	11	2	3	5	7	10	12	13
35-49	21	5.7	18	1	2	5	8	12	15	17
50-64	16	6.3	28	2	3	5	7	18	19	19
65 +	27	16.5	521	3	5	7	13	61	80	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	3.8	69	1	1	2	4	5	11	45
B. Operated	10	4.1	7	1	2	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	885	5.1	54	1	2	3	5	10	18	47
B. Operated	94	9.3	210	2	3	5	9	17	36	81
1. SINGLE DX	133	3.8	65	1	1	2	4	6	10	39
2. MULTIPLE DX	979	5.5	71	1	2	3	6	11	19	51
A. Not Operated	1008	4.9	56	1	2	3	5	9	17	46
B. Operated	104	8.8	193	2	3	5	8	14	29	80
TOTAL										
0-19 YRS	217	8.2	183	1	2	3	6	27	45	68
20-34	206	4.5	32	1	2	3	5	8	14	30
35-49	225	4.0	16	1	2	3	5	8	12	21
50-64	173	3.7	19	1	2	3	4	7	10	19
65 +	291	5.7	77	1	2	4	6	10	18	55
GRAND TOTAL	**1112**	**5.3**	**70**	**1**	**2**	**3**	**5**	**10**	**18**	**51**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	962	10.8	142	1	3	7	14	28	36	72
20-34	1139	6.4	45	1	2	4	8	14	19	33
35-49	670	6.9	68	1	2	4	9	16	22	40
50-64	195	9.1	76	1	2	7	13	22	26	42
65 +	109	11.5	116	2	4	8	15	27	35	52
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	5	4.6	35	< 1	1	3	6	15	15	15
35-49	3	10.3	140	3	3	4	19	24	24	24
50-64	0									
65 +	3	12.7	58	6	7	11	18	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1916	12.8	208	1	3	8	18	32	42	82
20-34	3412	7.9	72	1	3	5	10	18	24	41
35-49	2229	8.8	92	1	3	6	11	20	26	49
50-64	771	9.6	89	2	3	7	13	21	28	46
65 +	887	9.9	85	2	4	7	13	21	27	48
B. Operated										
0-19 YRS	36	14.8	380	1	1	5	25	60	88	99 +
20-34	119	11.7	159	1	3	7	17	30	36	58
35-49	61	12.5	137	2	4	8	17	32	39	48
50-64	39	15.8	164	4	6	11	23	36	46	50
65 +	59	18.5	223	5	8	14	27	48	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3075	8.2	89	1	2	5	11	19	28	46
B. Operated	15	6.5	59	< 1	1	3	10	21	23	24
2. MULTIPLE DX										
A. Not Operated	9215	9.5	111	1	3	6	12	22	29	54
B. Operated	314	14.0	197	2	4	9	21	36	48	99 +
1. SINGLE DX	3090	8.2	89	1	2	5	11	19	28	46
2. MULTIPLE DX	9529	9.6	114	1	3	6	12	22	30	56
A. Not Operated	12290	9.2	106	1	3	6	12	21	29	53
B. Operated	329	13.7	193	1	4	8	20	35	47	99 +
TOTAL										
0-19 YRS	2918	12.2	189	1	3	7	16	30	41	82
20-34	4675	7.6	68	1	2	5	10	17	24	40
35-49	2963	8.5	88	1	3	6	11	19	25	47
50-64	1005	9.8	91	2	3	7	13	22	28	47
65 +	1058	10.6	99	2	4	7	14	23	31	51
GRAND TOTAL	**12619**	**9.3**	**108**	**1**	**3**	**6**	**12**	**21**	**29**	**54**

1,107 Hospitals, United States, January-December 1988

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1017	13.3	231	1	3	8	18	35	49	99 +
20-34	661	6.2	78	1	2	4	7	13	20	57
35-49	376	6.2	52	1	2	4	8	14	18	40
50-64	66	7.0	66	1	1	4	9	17	23	43
65 +	55	7.4	34	1	3	5	12	15	18	27
B. Operated										
0-19 YRS	2	41.5	761	22	22	41	61	61	61	61
20-34	2	16.5	145	8	8	16	25	25	25	25
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2060	14.4	236	1	4	9	21	37	47	87
20-34	2214	7.7	83	1	2	5	10	18	26	44
35-49	1364	7.8	68	1	2	5	10	19	26	36
50-64	453	8.2	76	2	3	6	10	18	24	46
65 +	334	9.1	74	2	3	6	13	21	27	42
B. Operated										
0-19 YRS	41	13.1	341	1	2	5	23	54	99 +	99 +
20-34	77	12.3	249	1	3	7	18	27	43	87
35-49	38	12.0	109	2	4	9	18	32	36	99 +
50-64	18	12.8	75	4	7	10	21	25	31	35
65 +	13	12.1	79	2	4	10	20	23	27	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2175	9.6	156	1	2	5	12	24	36	82
B. Operated	6	20.7	476	2	7	15	25	57	61	61
2. MULTIPLE DX										
A. Not Operated	6425	10.0	137	1	3	6	13	25	35	62
B. Operated	187	12.4	209	1	3	8	19	31	45	99 +
1. SINGLE DX	2181	9.6	157	1	2	5	12	25	36	82
2. MULTIPLE DX	6612	10.1	140	1	3	6	13	25	35	63
A. Not Operated	8600	9.9	142	1	2	6	13	25	35	65
B. Operated	193	12.7	217	1	3	8	20	32	48	99 +
TOTAL										
0-19 YRS	3120	14.1	237	1	3	9	20	36	48	96
20-34	2954	7.5	87	1	2	5	9	18	25	45
35-49	1780	7.5	66	1	2	5	10	18	26	37
50-64	537	8.2	76	1	3	6	10	18	25	46
65 +	402	9.0	69	1	3	6	13	21	27	41
GRAND TOTAL	**8793**	**10.0**	**144**	**1**	**3**	**6**	**13**	**25**	**35**	**66**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1391	18.7	323	2	5	14	29	45	67	99 +
20-34	184	17.1	300	1	2	9	30	40	48	70
35-49	66	9.7	146	1	2	4	10	32	35	50
50-64	19	5.8	74	1	2	3	4	19	29	33
65 +	11	8.4	76	1	2	4	14	22	27	27
B. Operated										
0-19 YRS	13	30.5	880	3	5	26	50	78	83	84
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	3.3	9	< 1	< 1	2	5	8	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3621	23.6	392	3	8	20	36	55	71	99 +
20-34	1071	20.0	326	2	4	15	31	44	55	90
35-49	468	14.1	241	2	3	7	24	41	44	67
50-64	187	9.5	178	1	3	5	9	26	39	66
65 +	181	7.0	35	2	3	5	8	15	22	29
B. Operated										
0-19 YRS	73	26.8	472	3	9	24	44	59	74	99
20-34	44	18.8	505	3	5	8	30	74	90	99 +
35-49	33	15.3	220	2	5	8	24	36	52	54
50-64	17	18.5	230	2	4	17	30	46	78	99 +
65 +	32	9.2	114	2	3	6	11	18	26	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1671	18.0	314	2	4	13	28	44	62	99 +
B. Operated	27	16.1	607	1	1	5	23	65	78	84
2. MULTIPLE DX										
A. Not Operated	5528	21.1	367	2	5	16	33	49	64	99 +
B. Operated	199	19.6	393	2	5	11	30	52	68	99 +
1. SINGLE DX	1698	17.9	318	2	4	13	28	44	63	99 +
2. MULTIPLE DX	5727	21.0	368	2	5	16	33	49	64	99 +
A. Not Operated	7199	20.4	356	2	5	15	31	48	64	99 +
B. Operated	226	19.2	417	2	4	10	30	53	76	99 +
TOTAL										
0-19 YRS	5098	22.3	380	3	7	18	34	53	70	99 +
20-34	1301	19.6	328	2	4	14	30	44	55	89
35-49	575	13.5	228	2	3	6	23	40	44	64
50-64	225	9.8	178	1	2	5	10	28	40	74
65 +	226	7.3	48	2	3	5	8	16	22	31
GRAND TOTAL	**7425**	**20.3**	**358**	**2**	**5**	**15**	**31**	**48**	**64**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	9.9	110	1	2	6	17	27	28	28
20-34	4	5.0	11	< 1	2	5	7	9	9	9
35-49	2	24.5	925	3	3	24	46	46	46	46
50-64	0									
65 +	2	10.5	5	9	9	10	12	12	12	12
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	11.2	173	2	4	7	14	41	77	99 +
20-34	65	15.2	300	2	4	9	18	34	51	88
35-49	29	10.6	140	2	4	6	11	34	41	43
50-64	8	9.5	22	4	7	8	12	17	18	18
65 +	8	8.5	37	2	3	8	12	17	19	19
B. Operated										
0-19 YRS	9	7.3	56	1	2	4	11	20	24	24
20-34	5	6.0	23	1	2	7	9	13	13	13
35-49	4	4.0	3	2	3	4	5	6	6	6
50-64	2	6.0		6	6	6	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	10.5	148	1	3	6	12	28	40	46
B. Operated	4	2.3	4	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	171	12.4	204	2	4	8	15	32	48	99 +
B. Operated	20	6.2	30	1	2	5	7	13	19	24
1. SINGLE DX	21	9.0	130	1	2	5	10	27	36	46
2. MULTIPLE DX	191	11.7	190	2	4	7	14	31	47	99 +
A. Not Operated	188	12.2	199	2	4	7	15	32	48	99 +
B. Operated	24	5.5	28	1	2	4	7	13	16	24
TOTAL										
0-19 YRS	82	10.2	149	1	3	6	13	28	57	99 +
20-34	75	13.9	272	2	4	8	16	32	47	86
35-49	35	10.7	159	2	3	5	11	38	42	46
50-64	10	8.8	20	4	6	7	11	16	18	18
65 +	10	8.9	30	2	4	9	12	16	19	19
GRAND TOTAL	**212**	**11.5**	**184**	**2**	**4**	**7**	**14**	**29**	**45**	**99 +**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1005	9.3	16	3	7	10	11	14	15	21
20-34	99	5.7	14	2	2	4	9	10	13	15
35-49	62	7.0	32	1	2	5	11	14	16	26
50-64	21	8.0	55	1	3	5	12	18	25	29
65 +	17	9.8	99	2	4	7	14	16	34	43
B. Operated										
0-19 YRS	67	14.3	104	5	10	12	16	30	36	56
20-34	25	6.6	50	1	2	4	7	15	21	31
35-49	35	6.2	143	1	2	3	7	14	16	71
50-64	24	5.4	22	1	2	3	8	14	15	15
65 +	11	14.7	518	< 1	1	5	19	48	75	77
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1610	10.7	29	4	9	10	13	16	19	26
20-34	183	9.1	53	2	4	7	12	20	25	79
35-49	183	11.2	86	3	5	9	15	22	32	61
50-64	178	12.0	66	4	6	11	15	21	26	46
65 +	179	14.2	124	4	7	13	18	27	34	82
B. Operated										
0-19 YRS	347	20.5	208	8	11	16	26	43	54	87
20-34	105	21.3	266	4	8	19	30	44	53	87
35-49	167	18.1	213	2	6	15	29	40	48	66
50-64	157	21.9	506	2	7	15	25	68	79	99 +
65 +	165	22.5	387	3	9	18	29	53	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1204	8.9	20	3	6	10	11	14	15	21
B. Operated	162	10.1	133	1	3	7	13	18	31	69
2. MULTIPLE DX										
A. Not Operated	2333	11.0	46	3	7	10	13	17	22	38
B. Operated	941	20.8	297	4	9	16	28	46	61	99 +
1. SINGLE DX	1366	9.0	33	2	5	10	11	14	16	29
2. MULTIPLE DX	3274	13.8	138	4	8	11	16	26	38	76
A. Not Operated	3537	10.3	38	3	7	10	12	16	20	33
B. Operated	1103	19.2	287	3	8	15	26	44	58	96
TOTAL										
0-19 YRS	3029	11.4	58	4	9	10	13	17	23	48
20-34	412	11.2	134	2	4	7	14	27	37	76
35-49	447	12.8	149	2	4	9	16	31	39	67
50-64	380	15.5	275	2	6	11	17	34	58	91
65 +	372	17.7	268	3	7	14	22	38	54	99
GRAND TOTAL	**4640**	**12.4**	**112**	**3**	**7**	**10**	**14**	**22**	**32**	**69**

1,107 Hospitals, United States, January-December 1988

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	12	3.9	8	1	1	4	6	7	8	8
50-64	45	3.8	12	1	1	3	5	8	10	18
65 +	110	6.5	54	1	3	5	9	12	15	39
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	7	4.7	10	1	2	3	8	9	9	9
65 +	4	3.5	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	21.0	98	14	14	21	28	28	28	28
20-34	4	9.0	18	4	5	9	12	13	13	13
35-49	35	6.6	34	1	2	5	10	14	20	24
50-64	149	8.4	99	2	4	6	9	14	22	52
65 +	1270	10.3	110	3	5	7	12	20	31	86
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	22	13.5	81	5	7	10	23	26	31	36
65 +	188	16.5	221	4	8	12	21	47	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	5.6	41	1	2	4	7	11	14	18
B. Operated	11	4.3	9	1	1	3	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	1460	10.0	108	3	4	7	12	19	30	80
B. Operated	213	16.0	207	4	7	12	21	42	57	99 +
1. SINGLE DX	179	5.5	39	1	2	4	7	11	14	18
2. MULTIPLE DX	1673	10.8	124	3	5	8	13	22	35	98
A. Not Operated	1628	9.6	103	2	4	7	11	18	28	73
B. Operated	224	15.4	204	3	7	11	20	38	56	99 +
TOTAL										
0-19 YRS	4	12.3	136	2	3	9	21	28	28	28
20-34	4	9.0	18	4	5	9	12	13	13	13
35-49	49	5.8	28	1	2	5	7	13	16	24
50-64	223	7.8	83	1	3	6	9	14	23	40
65 +	1572	10.8	125	3	5	8	13	22	35	99 +
GRAND TOTAL	**1852**	**10.3**	**118**	**3**	**4**	**7**	**12**	**21**	**32**	**95**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.3	16	2	3	4	5	12	16	16
20-34	310	6.0	19	2	3	5	8	12	14	20
35-49	401	6.4	23	2	4	5	8	12	14	23
50-64	118	6.6	15	2	4	5	9	12	14	18
65 +	11	6.5	25	3	4	5	7	13	20	21
B. Operated										
0-19 YRS	0									
20-34	17	4.6	14	1	2	3	8	9	12	14
35-49	34	4.6	17	1	1	4	5	11	13	17
50-64	9	2.8	4	< 1	1	2	5	6	6	6
65 +	3	4.7	40	1	1	1	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	7.4	43	2	3	6	10	14	18	34
20-34	389	8.4	44	2	4	7	11	16	21	39
35-49	827	8.6	46	3	4	7	11	15	22	36
50-64	345	8.6	37	3	4	7	11	15	21	34
65 +	113	10.4	115	3	5	8	12	20	28	82
B. Operated										
0-19 YRS	4	21.0	412	6	7	14	35	50	50	50
20-34	56	11.2	170	2	4	8	12	25	40	76
35-49	144	11.1	114	2	5	8	14	27	51	99 +
50-64	108	15.5	309	2	6	10	17	44	62	99 +
65 +	20	16.0	287	3	7	14	21	49	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	851	6.3	20	2	3	5	9	12	14	21
B. Operated	63	4.3	15	1	1	3	5	10	13	17
2. MULTIPLE DX										
A. Not Operated	1701	8.7	48	3	4	7	11	16	21	37
B. Operated	332	13.0	203	2	5	9	15	31	58	99 +
1. SINGLE DX	914	6.1	20	2	3	5	8	12	14	21
2. MULTIPLE DX	2033	9.4	76	3	4	7	11	17	26	75
A. Not Operated	2552	7.9	40	2	4	6	10	14	19	35
B. Operated	395	11.6	183	2	4	8	14	27	52	99 +
TOTAL										
0-19 YRS	42	8.2	80	2	3	5	9	15	26	50
20-34	772	7.6	44	2	4	6	10	14	19	37
35-49	1406	8.1	47	2	4	7	10	15	21	50
50-64	580	9.4	92	3	4	7	11	17	26	64
65 +	147	10.8	134	3	5	8	14	21	29	99 +
GRAND TOTAL	**2947**	**8.4**	**61**	**2**	**4**	**7**	**10**	**15**	**21**	**59**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2125	3.0	8	1	1	2	4	6	8	14
20-34	857	3.1	10	1	1	2	4	6	9	15
35-49	439	3.0	6	1	1	2	4	6	8	14
50-64	256	3.2	12	1	1	2	4	6	9	18
65 +	172	3.4	6	1	2	3	4	6	9	12
B. Operated										
0-19 YRS	72	9.4	101	2	3	8	11	20	29	59
20-34	85	9.4	48	2	5	8	11	19	24	34
35-49	38	9.6	82	2	4	8	11	19	24	49
50-64	11	4.9	24	1	2	3	6	12	17	18
65 +	4	5.3	36	1	1	3	9	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4098	4.2	24	1	2	3	5	9	12	25
20-34	1930	4.7	34	1	2	3	5	9	15	28
35-49	1808	4.8	24	1	2	3	6	9	12	24
50-64	1888	5.7	32	2	3	4	7	11	16	35
65 +	3545	6.9	58	2	3	5	8	14	19	45
B. Operated										
0-19 YRS	283	13.7	244	2	4	9	17	32	48	98
20-34	203	11.5	163	2	3	7	16	29	42	87
35-49	193	11.7	165	2	4	8	15	26	41	96
50-64	220	11.8	166	3	4	8	15	30	50	99 +
65 +	356	16.4	273	4	7	11	20	36	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3849	3.1	8	1	1	2	4	6	8	15
B. Operated	210	9.2	71	2	3	8	11	19	24	41
2. MULTIPLE DX										
A. Not Operated	13269	5.3	37	1	2	4	6	11	15	32
B. Operated	1255	13.5	217	2	4	9	17	32	50	99 +
1. SINGLE DX	4059	3.4	14	1	1	2	4	7	9	18
2. MULTIPLE DX	14524	6.0	58	1	2	4	7	12	18	43
A. Not Operated	17118	4.8	31	1	2	3	6	10	14	29
B. Operated	1465	12.9	198	2	4	9	16	29	45	99 +
TOTAL										
0-19 YRS	6578	4.3	34	1	2	3	5	9	13	30
20-34	3075	4.9	40	1	2	3	5	10	16	33
35-49	2478	5.1	37	1	2	3	6	10	14	30
50-64	2375	6.0	46	1	2	4	7	12	18	48
65 +	4077	7.6	82	2	3	5	9	15	22	63
GRAND TOTAL	**18583**	**5.4**	**49**	**1**	**2**	**3**	**6**	**11**	**17**	**37**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 356-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	564	3.6	23	1	1	2	4	7	10	19
20-34	331	3.3	7	1	2	3	4	7	9	14
35-49	279	3.8	14	1	2	3	4	8	10	22
50-64	159	4.7	18	1	2	3	6	10	13	19
65 +	195	6.3	46	1	3	4	8	13	18	30
B. Operated										
0-19 YRS	901	5.2	36	1	2	3	6	10	16	29
20-34	285	4.1	12	1	1	3	6	8	11	17
35-49	283	4.3	16	1	1	3	6	8	10	20
50-64	180	5.0	45	1	1	3	7	9	12	44
65 +	157	5.8	26	1	2	4	8	13	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1256	5.4	72	1	2	3	6	11	18	59
20-34	815	5.7	56	1	2	4	7	11	17	54
35-49	950	6.5	71	1	2	4	8	13	20	57
50-64	1067	8.8	105	2	3	6	10	19	29	74
65 +	3623	9.6	102	2	4	7	12	20	28	81
B. Operated										
0-19 YRS	1576	8.7	122	2	3	6	10	21	36	99 +
20-34	603	9.2	118	2	3	6	11	20	30	89
35-49	724	10.3	189	1	3	6	13	23	39	99 +
50-64	810	11.7	179	2	3	8	14	33	46	99 +
65 +	1521	14.1	176	3	6	10	18	30	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1528	4.1	21	1	2	3	5	8	11	22
B. Operated	1806	4.9	29	1	2	3	6	9	13	27
2. MULTIPLE DX										
A. Not Operated	7711	8.0	92	2	3	5	10	17	26	68
B. Operated	5234	11.0	160	2	4	7	14	27	42	99 +
1. SINGLE DX	3334	4.5	26	1	2	3	6	9	13	26
2. MULTIPLE DX	12945	9.2	122	2	3	6	11	21	32	98
A. Not Operated	9239	7.4	82	1	2	5	9	16	23	62
B. Operated	7040	9.5	134	1	3	6	11	23	34	99 +
TOTAL										
0-19 YRS	4297	6.4	80	1	2	4	7	14	25	74
20-34	2034	6.1	65	1	2	4	7	13	19	61
35-49	2236	7.1	101	1	2	4	8	16	23	80
50-64	2216	9.2	126	1	3	6	11	21	35	99 +
65 +	5496	10.7	124	2	4	7	13	23	33	96
GRAND TOTAL	**16279**	**8.3**	**106**	**1**	**3**	**5**	**10**	**19**	**28**	**82**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	351	2.2	2	1	1	2	3	4	5	7
20-34	777	2.9	5	1	1	2	4	5	7	11
35-49	642	3.1	6	1	1	2	4	6	7	12
50-64	163	3.1	7	1	2	2	4	5	7	14
65 +	37	2.9	3	1	2	2	4	5	6	8
B. Operated										
0-19 YRS	12	2.3	1	1	1	2	3	4	4	4
20-34	54	2.7	6	1	1	2	3	6	9	10
35-49	33	3.3	8	1	1	3	5	6	8	15
50-64	16	3.4	8	1	1	3	4	8	10	11
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	373	3.0	9	1	1	2	4	6	8	13
20-34	1266	4.2	14	1	2	3	5	8	11	22
35-49	1389	4.5	14	1	2	3	6	9	11	20
50-64	608	4.2	12	1	2	3	5	9	11	18
65 +	281	4.1	9	1	2	3	5	8	10	15
B. Operated										
0-19 YRS	24	4.3	16	< 1	1	3	6	10	13	15
20-34	106	6.3	37	2	2	4	8	13	21	28
35-49	133	5.9	25	1	2	5	7	12	16	25
50-64	54	5.6	15	1	3	5	8	11	13	20
65 +	25	6.3	26	2	3	5	8	13	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1970	2.8	5	1	1	2	4	5	7	11
B. Operated	116	3.0	6	1	1	2	4	6	9	12
2. MULTIPLE DX										
A. Not Operated	3917	4.2	13	1	2	3	5	8	11	18
B. Operated	342	5.9	27	1	2	4	7	12	16	27
1. SINGLE DX	2086	2.8	5	1	1	2	4	5	7	11
2. MULTIPLE DX	4259	4.3	14	1	2	3	6	9	11	20
A. Not Operated	5887	3.7	11	1	2	3	5	7	10	17
B. Operated	458	5.1	23	1	2	4	7	11	15	26
TOTAL										
0-19 YRS	760	2.6	6	1	1	2	3	5	7	11
20-34	2203	3.8	12	1	2	3	5	8	10	19
35-49	2197	4.1	13	1	2	3	5	8	10	18
50-64	841	4.1	11	1	2	3	5	8	11	18
65 +	344	4.2	10	1	2	3	5	8	11	16
GRAND TOTAL	**6345**	**3.8**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.0	2	< 1	1	1	3	5	5	5
35-49	5	2.4	3	< 1	1	2	3	5	5	5
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	9	1.4	1	< 1	< 1	1	2	3	3	3
20-34	221	1.2	1	< 1	< 1	< 1	1	2	2	4
35-49	385	1.1		< 1	< 1	< 1	< 1	1	2	4
50-64	310	1.2	1	< 1	< 1	< 1	< 1	1	2	6
65 +	235	1.1		< 1	< 1	< 1	< 1	1	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	10	1	2	2	4	9	9	9
20-34	8	2.8	4	< 1	1	2	4	6	6	6
35-49	18	3.1	5	< 1	1	3	4	6	8	9
50-64	25	2.2	2	< 1	< 1	2	3	5	5	6
65 +	29	3.1	7	< 1	1	2	4	8	9	10
B. Operated										
0-19 YRS	17	2.8	9	1	1	1	3	6	11	13
20-34	125	2.3	10	< 1	1	1	2	5	7	15
35-49	242	2.1	4	< 1	1	1	2	4	6	10
50-64	258	2.2	8	< 1	1	1	2	4	6	12
65 +	250	2.2	11	< 1	1	1	2	4	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.0	2	< 1	1	1	3	4	5	5
B. Operated	1160	1.2	1	< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX										
A. Not Operated	85	2.8	5	< 1	1	2	3	6	9	10
B. Operated	892	2.2	8	< 1	1	1	2	4	6	11
1. SINGLE DX	1180	1.2	1	< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX	977	2.2	8	< 1	1	1	2	4	7	10
A. Not Operated	105	2.6	4	< 1	1	2	3	5	7	10
B. Operated	2052	1.6	4	< 1	< 1	< 1	1	3	4	9
TOTAL										
0-19 YRS	33	2.4	7	< 1	1	1	3	5	9	13
20-34	363	1.6	5	< 1	< 1	< 1	1	3	4	8
35-49	650	1.6	2	< 1	< 1	< 1	2	3	4	8
50-64	595	1.7	4	< 1	< 1	1	2	3	5	10
65 +	516	1.7	6	< 1	< 1	1	2	3	4	10
GRAND TOTAL	**2157**	**1.7**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**9**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	5.8	60	1	2	3	7	13	22	43
20-34	168	4.9	20	1	2	3	6	10	14	24
35-49	188	4.3	20	1	2	3	5	9	12	25
50-64	171	4.2	27	1	1	3	5	8	11	38
65 +	94	4.3	16	1	2	3	6	9	12	21
B. Operated										
0-19 YRS	155	3.8	29	< 1	1	2	4	7	13	26
20-34	714	2.7	5	1	1	2	4	5	6	11
35-49	826	2.8	10	1	1	2	3	6	7	14
50-64	522	2.5	7	1	1	2	3	5	7	15
65 +	297	3.1	27	1	1	2	4	7	9	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	188	9.4	159	2	3	5	10	23	39	63
20-34	268	6.5	59	1	2	4	8	14	26	37
35-49	442	6.3	58	1	2	4	8	14	19	52
50-64	699	6.3	52	1	2	4	8	12	19	50
65 +	1202	7.1	55	2	3	5	9	14	19	41
B. Operated										
0-19 YRS	181	6.3	105	1	2	3	6	16	23	80
20-34	613	4.9	66	1	2	3	5	9	15	69
35-49	830	5.0	51	1	1	3	6	10	18	45
50-64	746	6.2	87	1	1	3	7	15	23	85
65 +	864	8.6	142	1	2	5	10	20	34	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	812	4.7	31	1	2	3	5	10	15	26
B. Operated	2514	2.8	11	1	1	2	3	6	7	16
2. MULTIPLE DX										
A. Not Operated	2799	6.9	63	1	3	4	8	14	20	50
B. Operated	3234	6.3	92	1	2	3	7	14	23	84
1. SINGLE DX	3326	3.3	17	1	1	2	4	7	9	21
2. MULTIPLE DX	6033	6.6	78	1	2	4	8	14	22	64
A. Not Operated	3611	6.4	56	1	2	4	8	13	19	46
B. Operated	5748	4.8	60	1	1	2	5	10	17	56
TOTAL										
0-19 YRS	715	6.4	94	1	2	3	7	14	24	55
20-34	1763	4.3	38	1	1	3	5	8	12	31
35-49	2286	4.4	37	1	1	3	5	9	14	32
50-64	2138	5.2	54	1	1	3	6	11	17	53
65 +	2457	7.0	84	1	2	4	9	15	23	67
GRAND TOTAL	**9359**	**5.4**	**59**	**1**	**2**	**3**	**6**	**12**	**18**	**50**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	2.5		2	2	2	3	3	3	3
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	5	3.4	2	2	2	4	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	134	2.6	2	1	1	2	3	5	6	7
20-34	282	2.6	4	1	1	2	3	5	6	11
35-49	415	2.5	3	1	1	2	3	4	5	8
50-64	815	2.5	4	1	1	2	3	4	5	11
65 +	753	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	9	1.3	1	< 1	< 1	1	1	3	4	4
35-49	10	1.0		< 1	1	1	1	1	1	1
50-64	22	2.0	2	< 1	< 1	1	2	5	6	6
65 +	26	2.7	5	1	1	2	4	7	8	10
B. Operated										
0-19 YRS	164	3.0	7	1	1	2	3	5	7	16
20-34	342	3.1	8	1	2	2	4	6	7	17
35-49	517	3.1	6	1	2	3	4	5	8	15
50-64	1244	3.1	6	1	2	2	4	5	7	13
65 +	1870	3.1	5	1	2	3	4	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.4	2	1	1	2	3	4	5	5
B. Operated	2399	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	72	2.0	3	< 1	1	1	2	4	6	9
B. Operated	4137	3.1	6	1	2	3	4	5	7	12
1. SINGLE DX	2412	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX	4209	3.1	6	1	2	3	4	5	7	12
A. Not Operated	85	2.0	3	< 1	1	1	2	4	6	9
B. Operated	6536	2.9	5	1	2	2	3	5	6	11
TOTAL										
0-19 YRS	305	2.7	5	1	1	2	3	5	6	13
20-34	637	2.9	6	1	2	2	3	5	6	14
35-49	944	2.8	5	1	2	2	3	5	6	12
50-64	2086	2.9	5	1	2	2	3	5	6	12
65 +	2649	2.9	4	1	2	3	4	5	6	10
GRAND TOTAL	**6621**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**11**

1,107 Hospitals, United States, January-December 1988

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	1.8	1	1	1	2	2	4	4	4
50-64	16	1.5	1	< 1	1	1	2	3	3	3
65 +	29	1.9	1	1	1	2	2	3	4	5
B. Operated										
0-19 YRS	18	1.7	1	< 1	1	1	2	3	4	5
20-34	13	2.4	5	1	1	2	2	5	8	9
35-49	31	1.6	1	< 1	1	1	2	3	3	3
50-64	88	2.0	2	1	1	2	2	3	5	9
65 +	174	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	< 1	< 1	1	3	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	8	1.6	1	1	1	1	2	3	3	3
50-64	20	1.5		1	1	1	2	2	3	3
65 +	71	3.0	9	1	1	2	3	6	11	15
B. Operated										
0-19 YRS	12	1.9	2	< 1	1	1	2	5	6	6
20-34	18	3.8	20	1	1	2	4	7	15	20
35-49	55	3.3	5	1	2	3	4	7	8	11
50-64	184	3.1	7	1	2	2	4	6	8	21
65 +	669	3.3	14	1	2	2	4	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	1.7	1	< 1	1	1	2	3	4	5
B. Operated	324	2.0	2	< 1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	106	2.6	7	1	1	2	3	4	8	14
B. Operated	938	3.3	12	1	2	2	4	6	8	20
1. SINGLE DX	381	2.0	2	< 1	1	2	2	3	5	8
2. MULTIPLE DX	1044	3.2	11	1	2	2	4	6	8	19
A. Not Operated	163	2.3	5	1	1	2	3	4	5	14
B. Operated	1262	2.9	10	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	38	1.7	1	< 1	1	1	2	3	5	6
20-34	36	2.9	12	1	1	2	3	7	8	20
35-49	100	2.6	4	1	1	2	3	5	7	10
50-64	308	2.6	5	1	1	2	3	5	7	14
65 +	943	3.0	11	1	1	2	3	5	8	14
GRAND TOTAL	**1425**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	4	1.3		1	1	1	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65 +	9	5.6	87	1	1	2	4	20	30	30
B. Operated										
0-19 YRS	13	2.3	4	< 1	< 1	1	3	6	7	7
20-34	14	2.4	2	1	1	2	3	4	6	6
35-49	26	2.9	7	< 1	1	2	4	8	9	10
50-64	54	2.5	3	1	1	2	3	5	6	10
65 +	108	2.2	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	7	1.7	1	1	1	2	2	3	3	3
35-49	7	2.3	1	1	2	2	3	4	4	4
50-64	10	2.7	2	1	2	3	3	4	5	5
65 +	59	3.1	14	1	1	2	3	5	11	22
B. Operated										
0-19 YRS	24	1.8	1	1	1	2	3	3	4	4
20-34	43	4.0	13	1	2	3	5	9	12	17
35-49	74	2.8	5	1	2	2	3	5	8	12
50-64	119	3.3	10	1	1	2	4	7	9	17
65 +	292	3.3	30	1	1	2	4	7	9	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.1	40	< 1	1	1	2	5	17	30
B. Operated	215	2.4	4	< 1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	87	2.9	10	1	1	2	3	5	9	20
B. Operated	552	3.2	20	1	1	2	4	7	9	14
1. SINGLE DX	236	2.4	7	< 1	1	2	3	5	6	10
2. MULTIPLE DX	639	3.2	19	1	1	2	3	7	9	16
A. Not Operated	108	2.9	16	1	1	2	3	5	9	26
B. Operated	767	3.0	15	1	1	2	3	6	8	13
TOTAL										
0-19 YRS	46	1.9	2	< 1	< 1	1	3	4	5	7
20-34	65	3.3	10	1	1	2	4	8	10	17
35-49	111	2.8	5	1	1	2	3	5	8	11
50-64	185	3.0	8	1	1	2	4	6	8	14
65 +	468	3.0	23	1	1	2	3	6	8	16
GRAND TOTAL	**875**	**3.0**	**15**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	77	1.2		< 1	< 1	1	1	2	2	5
20-34	21	1.2	1	< 1	< 1	1	1	2	3	5
35-49	96	1.1		< 1	< 1	< 1	1	1	1	3
50-64	522	1.1		< 1	< 1	< 1	< 1	1	2	2
65 +	3403	1.1		< 1	< 1	< 1	< 1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	1.4	1	< 1	< 1	1	1	3	4	4
50-64	20	2.8	31	< 1	< 1	1	2	4	15	26
65 +	122	2.0	6	< 1	< 1	1	2	4	7	13
B. Operated										
0-19 YRS	76	1.9	2	< 1	1	1	2	4	5	7
20-34	47	2.3	7	< 1	1	1	2	4	6	17
35-49	140	2.1	3	< 1	1	2	2	4	6	10
50-64	629	1.9	8	< 1	1	1	2	3	4	12
65 +	4281	1.9	8	< 1	1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	4119	1.1		< 1	< 1	< 1	< 1	1	2	2
2. MULTIPLE DX										
A. Not Operated	154	2.1	8	< 1	< 1	1	2	4	7	16
B. Operated	5173	1.9	8	< 1	1	1	2	3	4	9
1. SINGLE DX	4123	1.1		< 1	< 1	< 1	< 1	1	2	2
2. MULTIPLE DX	5327	1.9	8	< 1	1	1	2	3	4	9
A. Not Operated	158	2.1	8	< 1	< 1	1	2	4	7	16
B. Operated	9292	1.5	5	< 1	< 1	1	2	2	3	7
TOTAL										
0-19 YRS	159	1.5	1	< 1	1	1	2	3	4	7
20-34	69	2.0	5	< 1	1	1	2	4	5	15
35-49	243	1.7	2	< 1	< 1	1	2	3	4	8
50-64	1171	1.6	5	< 1	< 1	1	2	2	3	8
65 +	7808	1.5	5	< 1	< 1	1	2	2	3	7
GRAND TOTAL	**9450**	**1.5**	**5**	**< 1**	**< 1**	**1**	**2**	**2**	**3**	**7**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.6	5	1	1	2	4	6	7	8
20-34	9	3.8	5	< 1	2	4	5	7	7	7
35-49	10	2.5	3	1	1	2	4	5	5	5
50-64	5	1.6		1	1	2	2	2	2	2
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	816	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	39	1.2	1	< 1	< 1	< 1	1	2	3	6
35-49	34	1.1		< 1	< 1	1	1	2	2	3
50-64	30	2.1	7	< 1	< 1	1	2	4	7	14
65 +	15	2.3	6	< 1	< 1	1	3	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.1	3	< 1	< 1	1	2	4	6	8
20-34	16	3.3	6	2	2	2	4	8	9	9
35-49	13	3.1	4	1	1	3	4	6	6	6
50-64	41	3.7	6	1	2	3	5	7	9	11
65 +	76	4.6	12	2	2	3	6	9	10	20
B. Operated										
0-19 YRS	358	1.2	1	< 1	< 1	< 1	1	1	2	3
20-34	38	2.5	25	< 1	< 1	1	1	4	11	29
35-49	33	2.8	15	< 1	< 1	1	2	6	13	19
50-64	48	3.7	12	< 1	1	2	5	9	12	15
65 +	65	4.1	19	1	1	2	6	8	15	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.6	4	1	1	2	4	6	7	8
B. Operated	934	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	186	3.6	8	1	2	3	5	7	9	12
B. Operated	542	1.9	8	< 1	< 1	1	1	4	6	15
1. SINGLE DX	985	1.2	1	< 1	< 1	< 1	1	1	2	6
2. MULTIPLE DX	728	2.4	8	< 1	< 1	1	2	5	7	15
A. Not Operated	237	3.4	7	1	2	3	5	7	9	11
B. Operated	1476	1.4	3	< 1	< 1	< 1	1	2	3	9
TOTAL										
0-19 YRS	1238	1.1	1	< 1	< 1	< 1	1	1	2	4
20-34	102	2.2	11	< 1	< 1	1	2	5	7	21
35-49	90	2.2	7	< 1	< 1	1	2	5	6	17
50-64	124	3.2	9	< 1	1	2	4	7	10	14
65 +	159	4.1	14	1	2	3	6	8	11	21
GRAND TOTAL	**1713**	**1.7**	**4**	**< 1**	**< 1**	**< 1**	**1**	**3**	**5**	**11**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	264	2.7	4	< 1	1	2	3	5	6	10
20-34	53	3.3	8	1	2	2	4	6	7	19
35-49	26	4.2	6	1	2	3	7	8	8	9
50-64	23	4.3	13	< 1	2	3	6	8	14	15
65 +	45	3.9	5	< 1	2	4	6	7	7	8
B. Operated										
0-19 YRS	173	1.6	2	< 1	< 1	1	1	3	5	7
20-34	145	1.8	1	< 1	1	1	2	3	4	6
35-49	239	1.5	1	< 1	1	1	2	2	3	7
50-64	208	1.5	1	< 1	< 1	1	2	3	3	5
65 +	490	1.7	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	413	3.5	7	1	2	3	4	6	8	13
20-34	71	5.1	26	1	3	4	6	9	10	36
35-49	68	4.9	8	2	3	5	6	8	10	14
50-64	61	6.0	39	1	2	4	6	12	21	33
65 +	226	5.7	16	1	3	5	8	11	14	19
B. Operated										
0-19 YRS	175	3.2	17	< 1	1	2	3	7	11	22
20-34	143	2.8	9	< 1	1	2	3	6	8	21
35-49	290	2.3	6	< 1	1	1	3	5	7	12
50-64	503	2.5	11	1	1	2	3	4	7	18
65 +	1644	2.8	12	1	1	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	411	3.1	5	< 1	1	3	4	6	7	13
B. Operated	1255	1.6	1	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	839	4.5	14	1	2	4	6	8	11	19
B. Operated	2755	2.7	11	1	1	2	3	5	7	16
1. SINGLE DX	1666	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	3594	3.1	13	1	1	2	4	6	9	18
A. Not Operated	1250	4.0	12	1	2	3	5	8	10	18
B. Operated	4010	2.4	9	< 1	1	2	3	4	6	14
TOTAL										
0-19 YRS	1025	2.9	7	< 1	1	2	4	5	7	15
20-34	412	2.9	10	< 1	1	2	4	6	8	17
35-49	623	2.4	5	< 1	1	1	3	5	7	12
50-64	795	2.6	12	< 1	1	2	3	5	7	19
65 +	2405	2.8	11	< 1	1	2	3	6	8	15
GRAND TOTAL	**5260**	**2.8**	**10**	**< 1**	**1**	**2**	**3**	**5**	**8**	**15**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1206	3.1	3	2	2	3	4	5	6	9
20-34	111	3.7	5	1	2	3	5	7	7	11
35-49	69	3.6	5	1	2	3	5	7	7	10
50-64	30	3.1	9	1	1	2	4	7	11	13
65 +	50	4.2	6	1	2	4	6	8	10	10
B. Operated										
0-19 YRS	211	2.2	4	< 1	1	2	2	5	7	10
20-34	80	2.5	5	1	1	2	3	5	7	10
35-49	72	2.8	5	1	1	2	3	5	7	12
50-64	133	2.5	6	1	1	2	3	5	6	10
65 +	313	2.3	5	< 1	1	1	2	4	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1710	3.8	6	2	2	3	5	7	8	12
20-34	198	4.8	19	2	2	4	6	8	13	27
35-49	170	5.2	17	1	2	4	6	10	14	22
50-64	212	4.5	11	1	2	4	6	9	11	17
65 +	425	5.2	19	1	2	4	7	9	13	22
B. Operated										
0-19 YRS	292	5.6	43	1	2	4	7	12	17	29
20-34	281	4.0	21	1	2	3	4	7	13	28
35-49	349	4.6	39	1	2	3	5	9	14	32
50-64	555	3.7	15	1	2	2	4	8	10	20
65 +	1299	3.6	20	1	1	2	4	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1466	3.2	3	1	2	3	4	6	7	10
B. Operated	809	2.4	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	2715	4.2	10	2	2	3	5	7	10	17
B. Operated	2776	4.0	24	1	2	2	5	8	12	23
1. SINGLE DX	2275	2.9	4	1	2	2	4	5	7	10
2. MULTIPLE DX	5491	4.1	17	1	2	3	5	8	11	20
A. Not Operated	4181	3.9	8	1	2	3	5	7	9	15
B. Operated	3585	3.6	20	1	1	2	4	8	11	21
TOTAL										
0-19 YRS	3419	3.6	8	1	2	3	4	7	8	14
20-34	670	4.0	16	1	2	3	5	7	10	22
35-49	660	4.5	26	1	2	3	5	9	13	24
50-64	930	3.7	13	1	2	3	5	8	10	19
65 +	2087	3.7	18	1	1	2	5	8	11	20
GRAND TOTAL	**7766**	**3.8**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.1	2	< 1	1	2	3	5	5	6
20-34	10	1.9	2	< 1	1	1	2	4	5	5
35-49	14	1.6	1	< 1	1	1	2	3	4	4
50-64	9	2.1	2	< 1	1	2	3	4	5	5
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	14	1.5	1	< 1	< 1	1	2	3	4	4
20-34	16	1.5	1	1	1	1	2	2	4	4
35-49	8	2.4	2	< 1	1	2	3	5	5	5
50-64	8	3.5	8	< 1	1	2	6	8	8	8
65 +	10	2.2	4	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	2.2	3	1	1	2	3	4	5	9
20-34	49	2.7	5	1	1	2	3	5	7	12
35-49	48	3.5	11	1	1	2	4	9	12	14
50-64	54	3.2	4	1	2	3	4	7	7	10
65 +	132	4.3	12	1	2	3	5	10	14	32
B. Operated										
0-19 YRS	18	2.3	7	< 1	1	1	2	7	9	9
20-34	31	2.3	4	1	1	2	3	5	5	11
35-49	30	2.5	3	1	1	2	4	5	6	7
50-64	49	2.6	3	1	1	2	4	5	7	8
65 +	68	3.8	14	1	1	2	5	10	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.1	2	< 1	1	1	3	4	5	7
B. Operated	56	2.0	3	< 1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	333	3.5	9	1	2	2	4	7	10	15
B. Operated	196	2.9	8	1	1	2	4	7	9	15
1. SINGLE DX	125	2.0	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX	529	3.3	8	1	1	2	4	7	10	15
A. Not Operated	402	3.2	8	1	1	2	4	7	9	15
B. Operated	252	2.7	7	1	1	2	3	6	8	14
TOTAL										
0-19 YRS	117	2.1	3	< 1	1	1	3	4	5	9
20-34	106	2.3	4	1	1	2	3	5	6	11
35-49	100	2.9	7	1	1	2	4	6	8	13
50-64	120	2.9	4	1	1	2	4	6	7	9
65 +	211	4.1	12	1	2	3	5	9	13	17
GRAND TOTAL	**654**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1062	2.7	4	1	2	2	3	4	5	10
20-34	19	2.6	3	1	2	2	3	5	7	8
35-49	8	6.4	28	1	2	5	9	15	16	16
50-64	7	3.7	3	1	2	4	5	6	6	6
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	3032	1.1		< 1	< 1	< 1	< 1	1	1	4
20-34	198	1.2		< 1	1	1	1	2	2	4
35-49	188	1.3	1	1	1	1	1	2	2	4
50-64	173	1.3		1	1	1	1	2	3	4
65 +	75	1.6	13	< 1	1	1	1	2	2	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3775	2.9	4	1	2	3	3	5	6	11
20-34	102	3.5	6	1	2	3	5	6	10	12
35-49	62	4.0	5	1	2	4	5	7	9	11
50-64	56	4.9	15	1	3	3	6	10	13	21
65 +	67	5.0	14	1	3	4	7	9	14	17
B. Operated										
0-19 YRS	3030	1.7	6	< 1	1	1	1	3	5	13
20-34	341	1.4	2	1	1	1	1	2	3	9
35-49	354	1.6	3	1	1	1	1	2	5	11
50-64	362	1.5	3	1	1	1	2	2	3	10
65 +	230	1.9	5	1	1	1	2	3	4	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1098	2.7	4	1	2	2	3	4	5	11
B. Operated	3666	1.1	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	4062	3.0	5	1	2	3	4	5	6	12
B. Operated	4317	1.7	5	< 1	1	1	1	3	5	13
1. SINGLE DX	4764	1.5	2	< 1	< 1	< 1	1	3	4	6
2. MULTIPLE DX	8379	2.3	5	< 1	1	2	3	4	6	12
A. Not Operated	5160	2.9	4	1	2	3	3	5	6	11
B. Operated	7983	1.4	3	< 1	< 1	1	1	2	3	10
TOTAL										
0-19 YRS	10899	2.0	4	< 1	< 1	1	3	4	5	10
20-34	660	1.7	3	1	1	1	2	3	5	10
35-49	612	1.8	4	1	1	1	2	4	6	11
50-64	598	1.8	4	1	1	1	2	3	5	13
65 +	374	2.4	10	1	1	1	2	5	8	16
GRAND TOTAL	**13143**	**2.0**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	365	3.2	4	1	2	3	4	5	7	12
20-34	94	4.0	6	2	3	4	5	6	8	16
35-49	56	4.0	7	1	2	3	5	8	11	12
50-64	17	6.1	17	3	4	5	7	10	16	20
65 +	12	4.3	5	2	2	4	6	8	8	8
B. Operated										
0-19 YRS	291	2.3	5	< 1	< 1	1	3	6	8	10
20-34	48	2.9	25	1	1	1	2	7	10	31
35-49	60	2.7	11	1	1	1	3	6	10	18
50-64	39	1.7	2	1	1	1	2	3	4	8
65 +	38	2.7	12	1	1	1	2	7	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	984	3.5	6	1	2	3	4	6	8	13
20-34	197	4.5	9	2	3	4	5	7	9	19
35-49	165	4.4	10	2	3	4	5	8	9	19
50-64	130	5.2	9	2	3	5	7	10	11	14
65 +	178	7.7	48	3	4	6	10	14	22	42
B. Operated										
0-19 YRS	582	3.7	25	< 1	1	2	5	10	13	19
20-34	167	3.1	20	1	1	2	3	7	10	21
35-49	168	2.9	12	1	1	2	3	6	11	17
50-64	146	3.8	23	1	1	2	4	10	16	24
65 +	141	8.3	109	1	1	3	13	21	35	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	3.5	6	1	2	3	4	6	8	12
B. Operated	476	2.4	8	< 1	1	1	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	1654	4.3	13	1	2	3	5	8	10	18
B. Operated	1204	4.1	34	1	1	2	5	10	15	29
1. SINGLE DX	1020	3.0	7	< 1	1	2	4	6	8	13
2. MULTIPLE DX	2858	4.2	22	1	2	3	5	9	12	23
A. Not Operated	2198	4.1	11	1	2	3	5	7	10	17
B. Operated	1680	3.6	28	< 1	1	2	4	9	13	25
TOTAL										
0-19 YRS	2222	3.4	11	1	1	3	4	7	9	14
20-34	506	3.8	14	1	2	3	5	7	10	21
35-49	449	3.6	11	1	1	3	4	7	10	17
50-64	332	4.2	16	1	1	3	6	9	13	19
65 +	369	7.3	69	1	2	4	9	17	24	42
GRAND TOTAL	**3878**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.8	8	1	1	2	3	4	7	16
20-34	136	2.3	2	1	1	2	3	4	5	7
35-49	255	2.6	3	1	1	2	3	5	6	9
50-64	329	2.5	3	1	1	2	3	5	6	8
65 +	404	2.7	3	1	2	2	3	5	6	8
B. Operated										
0-19 YRS	31	1.3	1	< 1	1	1	1	2	2	5
20-34	88	2.2	3	1	1	1	3	5	6	8
35-49	166	2.2	3	1	1	1	3	6	6	8
50-64	140	2.3	3	1	1	2	3	5	6	8
65 +	67	2.7	6	1	1	2	3	5	7	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.0	5	1	2	2	3	6	8	13
20-34	228	3.1	4	1	2	3	4	6	7	11
35-49	603	3.2	7	1	2	3	4	6	7	11
50-64	1427	3.4	9	1	2	3	4	6	7	13
65 +	3224	4.0	14	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	21	1.9	2	< 1	1	1	2	3	5	7
20-34	56	4.1	21	1	2	3	5	9	12	26
35-49	105	4.0	10	1	2	3	5	8	9	18
50-64	144	4.3	13	1	2	3	5	8	11	19
65 +	212	6.6	40	2	3	5	8	13	18	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1152	2.6	3	1	1	2	3	5	6	9
B. Operated	492	2.2	3	1	1	1	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	5527	3.7	12	1	2	3	5	7	9	14
B. Operated	538	5.0	25	1	2	3	6	10	14	21
1. SINGLE DX	1644	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX	6065	3.9	13	1	2	3	5	7	9	16
A. Not Operated	6679	3.5	10	1	2	3	4	6	8	14
B. Operated	1030	3.7	17	1	1	2	5	8	11	19
TOTAL										
0-19 YRS	125	2.3	5	1	1	2	3	4	6	14
20-34	508	2.9	5	1	1	2	4	5	7	11
35-49	1129	3.0	6	1	1	2	4	6	7	11
50-64	2040	3.3	8	1	2	3	4	6	7	13
65 +	3907	4.0	14	1	2	3	5	7	9	17
GRAND TOTAL	**7709**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**8**	**15**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.6	2	1	1	1	2	4	4	4
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	3	1.7		1	1	2	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	29	1.3		1	1	1	2	2	2	3
20-34	218	1.3	1	1	1	1	1	2	2	4
35-49	349	1.2		1	1	1	1	2	2	3
50-64	228	1.3		1	1	1	2	2	2	3
65 +	94	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	5	1.4	1	< 1	< 1	1	2	3	3	3
65 +	5	2.6	7	1	1	1	4	7	7	7
B. Operated										
0-19 YRS	8	1.3		1	1	1	2	2	2	2
20-34	123	1.5	2	1	1	1	2	2	3	9
35-49	170	1.4	1	1	1	1	2	2	3	6
50-64	146	1.5	1	1	1	1	2	2	3	5
65 +	107	1.6	1	1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.4	1	< 1	1	1	2	2	4	4
B. Operated	918	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	18	1.6	2	< 1	< 1	1	1	3	5	7
B. Operated	554	1.5	1	1	1	1	2	2	3	5
1. SINGLE DX	932	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX	572	1.5	1	1	1	1	2	2	3	6
A. Not Operated	32	1.5	2	< 1	1	1	2	3	4	7
B. Operated	1472	1.4	1	1	1	1	2	2	2	4
TOTAL										
0-19 YRS	38	1.3		1	1	1	1	2	2	3
20-34	348	1.4	1	1	1	1	1	2	2	5
35-49	528	1.3		1	1	1	1	2	2	3
50-64	382	1.4		1	1	1	2	2	3	4
65 +	208	1.5	1	1	1	1	2	2	3	5
GRAND TOTAL	**1504**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**4**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.5	7	< 1	< 1	< 1	3	7	8	14
20-34	25	3.0	9	< 1	1	2	3	7	9	15
35-49	22	3.6	5	1	3	3	4	6	8	11
50-64	24	2.8	2	1	1	3	4	5	5	5
65 +	12	2.3	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	1081	1.2	1	< 1	1	1	1	1	2	4
20-34	392	1.2		< 1	1	1	1	2	2	4
35-49	339	1.3	1	< 1	1	1	1	2	2	6
50-64	250	1.4	4	< 1	1	1	1	2	2	9
65 +	101	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	4.5	42	< 1	1	3	6	9	11	42
20-34	31	3.4	7	< 1	1	3	4	8	10	10
35-49	34	3.6	6	1	2	4	4	6	10	12
50-64	60	3.9	6	1	2	3	5	8	9	11
65 +	73	4.7	14	1	3	4	5	10	13	22
B. Operated										
0-19 YRS	1134	1.3	2	< 1	1	1	1	2	3	8
20-34	461	1.6	4	1	1	1	1	2	4	11
35-49	475	1.5	2	1	1	1	1	2	3	8
50-64	417	1.6	3	1	1	1	2	3	4	7
65 +	269	2.3	17	1	1	1	2	4	7	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.8	6	< 1	1	2	4	5	8	14
B. Operated	2163	1.2	1	< 1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	279	4.2	19	1	2	3	5	8	10	15
B. Operated	2756	1.5	4	1	1	1	1	2	4	10
1. SINGLE DX	2301	1.3	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	3035	1.8	6	1	1	1	2	3	5	11
A. Not Operated	417	3.7	15	< 1	1	3	5	7	10	15
B. Operated	4919	1.4	3	< 1	1	1	1	2	3	8
TOTAL										
0-19 YRS	2351	1.4	3	< 1	1	1	1	2	3	9
20-34	909	1.5	3	< 1	1	1	1	2	4	9
35-49	870	1.5	2	1	1	1	1	3	4	8
50-64	751	1.7	4	1	1	1	2	3	5	9
65 +	455	2.5	14	1	1	1	3	5	7	15
GRAND TOTAL	**5336**	**1.6**	**4**	**< 1**	**1**	**1**	**1**	**3**	**4**	**10**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	5.0	12	2	3	4	6	9	12	17
20-34	16	5.2	7	3	3	4	6	10	11	11
35-49	9	6.2	12	1	3	7	9	10	11	11
50-64	4	3.8	18	1	1	2	6	10	10	10
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	4	5.5	6	3	4	5	7	9	9	9
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	7.5	38	2	3	6	10	17	21	29
20-34	23	5.1	7	2	3	5	6	9	12	12
35-49	29	7.6	59	2	4	7	9	12	20	42
50-64	26	7.1	44	1	3	5	8	16	21	31
65 +	30	7.0	26	2	4	5	9	17	18	20
B. Operated										
0-19 YRS	14	17.5	304	4	7	14	20	42	63	69
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	15	8.6	18	3	6	8	11	15	16	17
50-64	20	10.9	108	1	3	9	13	25	36	43
65 +	13	12.7	67	2	8	11	16	26	29	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	5.0	11	2	3	4	7	9	11	16
B. Operated	5	4.6	9	1	2	5	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	223	7.1	37	2	3	5	9	16	19	30
B. Operated	64	12.0	124	2	5	9	15	22	33	65
1. SINGLE DX	161	5.0	11	2	3	4	7	9	11	16
2. MULTIPLE DX	287	8.2	60	2	3	6	10	17	21	41
A. Not Operated	379	6.3	27	2	3	5	8	12	17	28
B. Operated	69	11.4	119	2	5	9	14	21	30	64
TOTAL										
0-19 YRS	258	6.8	46	2	3	5	8	14	19	30
20-34	41	5.1	7	2	3	4	6	9	11	12
35-49	53	7.7	39	2	4	7	9	12	17	41
50-64	51	8.2	70	1	3	5	11	17	29	43
65 +	45	8.4	44	2	4	6	11	18	21	30
GRAND TOTAL	**448**	**7.1**	**45**	**2**	**3**	**5**	**9**	**14**	**19**	**31**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.3	12	1	2	3	6	9	9	9
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	13	3.8	5	1	2	4	5	7	8	8
50-64	5	3.8	18	< 1	1	2	6	11	11	11
65 +	10	4.5	12	1	2	3	7	10	12	12
B. Operated										
0-19 YRS	33	4.8	14	1	2	2	8	10	11	13
20-34	35	3.8	13	1	1	2	7	8	10	14
35-49	112	4.3	20	1	1	2	7	10	14	20
50-64	114	5.2	23	1	1	2	10	12	13	17
65 +	56	5.9	68	1	1	2	10	14	16	51
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	6.3	28	2	3	4	8	13	19	22
20-34	44	4.4	12	1	2	3	6	10	12	13
35-49	115	5.3	26	1	2	4	7	9	12	34
50-64	223	5.9	25	2	3	4	7	12	16	30
65 +	584	8.1	56	3	4	6	10	14	20	39
B. Operated										
0-19 YRS	43	8.2	95	1	2	6	10	20	42	99 +
20-34	85	10.8	108	1	3	9	15	21	26	57
35-49	420	8.6	76	1	2	8	11	16	20	41
50-64	921	10.2	111	1	2	9	13	21	29	62
65 +	1011	12.0	142	1	2	10	16	26	36	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.0	9	1	2	3	5	8	11	12
B. Operated	350	4.9	27	1	1	2	8	12	14	17
2. MULTIPLE DX										
A. Not Operated	983	7.0	45	2	3	5	9	13	18	35
B. Operated	2480	10.7	119	1	2	9	14	22	31	63
1. SINGLE DX	384	4.8	26	1	1	2	8	11	13	17
2. MULTIPLE DX	3463	9.6	100	1	3	8	13	20	28	56
A. Not Operated	1017	6.9	44	2	3	5	8	13	18	34
B. Operated	2830	9.9	111	1	2	8	13	21	29	61
TOTAL										
0-19 YRS	97	6.6	53	1	2	5	9	14	21	75
20-34	166	7.5	72	1	2	6	10	15	21	46
35-49	660	7.2	59	1	2	6	10	14	18	33
50-64	1263	9.0	92	1	2	8	12	18	24	48
65 +	1661	10.4	113	1	3	8	14	22	31	61
GRAND TOTAL	**3847**	**9.1**	**95**	**1**	**2**	**7**	**12**	**19**	**27**	**52**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.7	3	1	1	2	3	6	6	9
20-34	87	3.2	7	1	2	2	4	5	7	17
35-49	330	3.0	4	1	2	2	4	6	7	9
50-64	339	3.4	7	1	2	3	4	6	8	13
65 +	208	3.4	5	1	2	3	4	6	8	12
B. Operated										
0-19 YRS	19	3.2	12	1	1	2	4	7	12	15
20-34	25	1.8	2	1	1	1	2	4	5	6
35-49	48	2.4	5	1	1	2	3	5	6	13
50-64	61	3.5	36	< 1	1	2	3	7	10	42
65 +	29	3.2	11	1	1	2	4	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	3.6	10	1	2	3	4	7	10	17
20-34	440	4.0	21	1	2	3	5	7	9	15
35-49	1705	4.2	10	1	2	3	5	8	10	16
50-64	2476	4.3	11	2	2	3	5	8	10	17
65 +	3367	5.1	23	2	3	4	6	9	12	23
B. Operated										
0-19 YRS	43	7.7	179	1	2	3	8	27	49	99 +
20-34	93	5.4	21	1	2	4	7	12	16	21
35-49	256	6.0	20	1	3	5	8	12	15	20
50-64	443	6.4	73	1	2	4	8	13	17	50
65 +	581	7.3	66	1	2	5	9	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1027	3.2	5	1	2	3	4	6	8	11
B. Operated	182	2.9	17	1	1	2	3	6	9	15
2. MULTIPLE DX										
A. Not Operated	8141	4.6	16	2	2	4	6	8	11	20
B. Operated	1416	6.7	60	1	2	5	8	14	19	45
1. SINGLE DX	1209	3.2	7	1	2	2	4	6	8	12
2. MULTIPLE DX	9557	4.9	23	1	2	4	6	9	12	24
A. Not Operated	9168	4.4	15	1	2	3	5	8	11	19
B. Operated	1598	6.3	57	1	2	4	8	13	18	42
TOTAL										
0-19 YRS	278	4.0	37	1	2	3	4	8	11	35
20-34	645	4.0	19	1	2	3	5	7	10	18
35-49	2339	4.2	11	1	2	3	5	8	10	16
50-64	3319	4.5	20	1	2	3	5	8	11	19
65 +	4185	5.3	29	2	2	4	6	10	14	27
GRAND TOTAL	**10766**	**4.7**	**22**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	9	3.6	2	2	2	4	4	6	6	6
35-49	41	4.0	4	1	2	4	5	7	8	9
50-64	80	4.2	4	2	3	4	5	7	8	10
65 +	123	4.8	8	2	3	4	6	9	11	14
B. Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	14	3.5	8	1	1	2	6	9	9	9
50-64	24	3.0	10	1	1	2	3	8	11	12
65 +	15	3.3	21	1	1	1	2	12	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	8.2	61	3	4	6	10	22	22	22
20-34	41	5.0	24	2	3	3	7	8	10	32
35-49	412	5.7	16	2	3	5	7	10	12	24
50-64	1314	6.2	18	2	3	5	8	11	15	21
65 +	5054	7.7	40	3	4	6	9	14	19	36
B. Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	20	4.9	12	1	2	4	7	10	11	13
35-49	88	6.6	32	1	2	6	10	15	18	25
50-64	314	8.1	74	1	3	6	11	18	23	34
65 +	665	12.2	110	2	5	10	15	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	4.5	6	2	3	4	6	8	9	13
B. Operated	55	3.1	12	1	1	1	3	9	12	14
2. MULTIPLE DX										
A. Not Operated	6826	7.3	35	3	4	6	9	13	17	31
B. Operated	1088	10.5	97	2	4	8	14	21	30	50
1. SINGLE DX	311	4.2	7	1	2	4	5	8	9	13
2. MULTIPLE DX	7914	7.7	45	3	4	6	9	14	20	35
A. Not Operated	7082	7.2	34	3	4	6	9	13	17	31
B. Operated	1143	10.1	95	1	4	8	13	21	29	49
TOTAL										
0-19 YRS	9	9.8	84	3	5	6	11	26	29	29
20-34	72	4.7	18	1	2	3	7	8	10	28
35-49	555	5.7	18	2	3	5	7	10	14	23
50-64	1732	6.4	28	2	3	5	8	12	16	26
65 +	5857	8.2	50	3	4	6	10	15	20	40
GRAND TOTAL	**8225**	**7.6**	**44**	**2**	**4**	**6**	**9**	**14**	**19**	**35**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.7	6	1	2	3	5	7	10	11
20-34	11	3.8	6	1	2	4	5	7	10	10
35-49	9	3.6	3	1	2	3	5	6	6	6
50-64	10	5.7	19	1	2	5	8	13	13	13
65 +	4	7.5	26	4	4	5	10	15	15	15
B. Operated										
0-19 YRS	13	4.8	9	1	2	4	7	9	11	11
20-34	37	3.4	26	1	1	2	3	8	9	30
35-49	30	5.3	18	1	2	4	9	11	14	16
50-64	28	3.6	15	1	1	2	4	10	13	16
65 +	33	3.3	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	76	4.3	12	1	2	3	6	9	13	15
20-34	67	4.6	32	1	2	3	5	8	11	38
35-49	125	5.8	37	2	3	4	7	10	16	31
50-64	149	6.4	25	2	3	5	8	12	17	24
65 +	318	7.6	42	2	4	6	8	14	19	32
B. Operated										
0-19 YRS	64	9.7	106	2	3	8	12	22	35	94
20-34	163	8.6	63	2	3	7	11	17	24	43
35-49	274	8.4	62	2	3	6	11	19	24	32
50-64	348	9.8	118	2	3	7	12	22	30	53
65 +	451	11.2	127	2	3	8	14	25	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	4.3	10	1	2	4	5	9	12	15
B. Operated	141	4.0	17	1	1	2	5	9	12	17
2. MULTIPLE DX										
A. Not Operated	735	6.4	35	2	3	5	8	12	16	27
B. Operated	1300	9.8	103	2	3	7	12	21	29	53
1. SINGLE DX	197	4.1	15	1	1	3	5	9	12	16
2. MULTIPLE DX	2035	8.6	81	2	3	6	10	19	26	50
A. Not Operated	791	6.3	33	2	3	5	8	12	15	27
B. Operated	1441	9.3	97	1	3	7	12	20	28	53
TOTAL										
0-19 YRS	175	6.2	52	1	2	4	8	13	19	55
20-34	278	6.8	53	1	2	5	9	14	21	41
35-49	438	7.4	53	2	3	5	9	16	21	30
50-64	535	8.4	88	1	3	6	10	18	26	46
65 +	806	9.4	92	2	4	7	11	20	27	53
GRAND TOTAL	**2232**	**8.2**	**77**	**2**	**3**	**6**	**10**	**18**	**24**	**49**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	7	5.0	5	2	4	5	6	8	9	9
50-64	5	3.2	3	1	2	4	4	5	5	5
65 +	9	5.8	25	3	3	3	7	14	18	18
B. Operated										
0-19 YRS	10	5.9	104	1	1	2	5	21	34	34
20-34	7	3.0	8	1	1	2	3	8	9	9
35-49	10	3.4	10	1	1	2	3	9	10	10
50-64	23	3.1	6	1	1	2	4	7	9	11
65 +	14	2.9	8	1	1	2	2	7	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	6.3	54	1	2	4	7	15	22	35
20-34	18	3.9	12	1	2	3	5	5	12	17
35-49	54	5.8	27	1	2	4	6	12	21	22
50-64	102	6.3	42	2	3	5	7	12	19	38
65 +	219	8.5	71	2	4	6	10	16	23	46
B. Operated										
0-19 YRS	34	6.0	43	1	2	4	8	11	19	34
20-34	19	7.9	107	1	1	2	9	26	34	36
35-49	82	7.0	79	1	2	4	9	15	21	53
50-64	156	8.9	115	2	2	5	11	18	34	68
65 +	268	10.6	79	2	3	9	14	23	31	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	4.3	11	2	2	4	5	8	10	18
B. Operated	64	3.5	22	1	1	2	4	8	10	31
2. MULTIPLE DX										
A. Not Operated	420	7.3	56	2	3	5	9	15	20	38
B. Operated	559	9.2	90	1	3	7	12	20	30	51
1. SINGLE DX	92	3.8	19	1	2	2	4	8	10	27
2. MULTIPLE DX	979	8.4	76	2	3	6	11	18	25	44
A. Not Operated	448	7.1	54	2	3	5	9	15	20	37
B. Operated	623	8.7	86	1	2	6	11	19	30	47
TOTAL										
0-19 YRS	76	5.8	51	1	2	3	7	13	20	35
20-34	46	5.4	53	1	2	3	5	14	21	36
35-49	153	6.2	53	1	2	4	7	13	18	33
50-64	286	7.4	81	1	2	4	9	16	22	58
65 +	510	9.4	75	2	3	7	12	20	27	39
GRAND TOTAL	**1071**	**8.0**	**73**	**1**	**3**	**5**	**10**	**17**	**24**	**42**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	49	5.6	12	1	2	5	8	10	11	15
35-49	608	6.1	9	2	4	6	8	10	11	13
50-64	1240	6.8	10	2	5	7	9	11	12	14
65+	1239	7.4	11	3	5	7	9	11	12	17
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	54	6.9	11	2	4	7	9	11	12	15
35-49	416	6.9	9	3	5	7	8	11	12	15
50-64	635	7.3	11	3	5	7	9	11	13	17
65+	295	7.9	19	4	5	7	10	12	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	10.4	23	3	7	11	15	16	16	16
20-34	182	7.3	44	2	4	6	9	12	15	29
35-49	2597	7.3	14	3	5	7	9	11	13	19
50-64	9447	8.3	19	4	6	8	10	13	15	23
65+	26379	9.9	34	5	7	9	12	15	19	33
B. Operated										
0-19 YRS	3	7.7	32	3	4	6	12	14	14	14
20-34	261	8.7	40	4	6	7	10	15	18	34
35-49	3202	8.5	28	4	6	8	10	13	17	31
50-64	7863	10.2	50	4	6	9	12	17	22	40
65+	8769	12.9	84	6	8	11	15	23	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3136	6.9	10	2	5	7	9	11	12	15
B. Operated	1401	7.3	12	3	5	7	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	38615	9.3	30	5	6	8	11	14	18	30
B. Operated	20098	11.1	64	5	7	9	13	19	25	48
1. SINGLE DX	4537	7.0	11	3	5	7	9	11	12	16
2. MULTIPLE DX	58713	9.9	42	5	7	9	12	16	21	37
A. Not Operated	41751	9.1	28	4	6	8	11	14	17	29
B. Operated	21499	10.9	62	4	7	9	13	19	25	47
TOTAL										
0-19 YRS	14	9.3	26	3	6	9	14	15	16	16
20-34	546	7.8	37	2	5	7	9	13	16	29
35-49	6823	7.7	20	3	5	7	9	12	15	23
50-64	19185	9.0	32	4	6	8	11	14	18	32
65+	36682	10.5	47	5	7	9	12	17	22	39
GRAND TOTAL	**63250**	**9.7**	**40**	**4**	**6**	**8**	**11**	**16**	**20**	**36**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	73	2.3	2	1	1	2	3	4	4	10
35-49	659	2.4	2	1	1	2	3	4	5	7
50-64	931	2.6	3	1	1	2	3	5	5	8
65+	806	2.7	4	1	2	2	3	5	6	9
B. Operated										
0-19 YRS	0									
20-34	17	2.1	1	1	1	2	3	4	4	4
35-49	237	2.4	3	1	1	2	3	5	6	8
50-64	430	2.1	3	1	1	2	2	4	6	9
65+	221	2.4	6	1	1	2	2	5	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.0	2	1	2	3	4	5	5	5
20-34	317	2.9	3	1	2	3	4	5	6	8
35-49	3328	3.1	4	1	2	3	4	5	7	10
50-64	8606	3.5	6	1	2	3	4	6	8	12
65+	17110	4.1	12	2	2	3	5	7	9	16
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	103	3.7	15	1	1	3	5	7	10	24
35-49	1823	3.7	15	1	1	2	5	8	10	19
50-64	5418	4.0	18	1	1	2	6	9	12	19
65+	5116	5.3	33	1	2	3	8	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2469	2.6	3	1	2	2	3	4	5	8
B. Operated	905	2.3	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	29367	3.8	9	1	2	3	5	7	8	14
B. Operated	12461	4.5	24	1	1	3	6	10	13	23
1. SINGLE DX	3374	2.5	3	1	1	2	3	4	6	9
2. MULTIPLE DX	41828	4.0	14	1	2	3	5	8	10	18
A. Not Operated	31836	3.7	9	1	2	3	4	6	8	14
B. Operated	13366	4.4	23	1	1	2	6	10	13	23
TOTAL										
0-19 YRS	7	2.9	2	1	2	3	4	5	5	5
20-34	510	2.9	5	1	2	2	4	5	6	10
35-49	6047	3.2	7	1	2	2	4	6	8	12
50-64	15385	3.6	10	1	2	3	4	7	9	15
65+	23253	4.3	17	1	2	3	5	8	11	20
GRAND TOTAL	**45202**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	72	2.8	3	1	2	3	4	5	6	11
35-49	778	2.9	3	1	2	3	4	5	6	9
50-64	1447	3.2	4	1	2	3	4	6	7	11
65 +	1802	3.5	5	1	2	3	4	6	7	11
B. Operated										
0-19 YRS	0									
20-34	5	3.8	9	1	2	2	7	7	7	7
35-49	224	3.9	6	1	2	3	5	8	9	11
50-64	545	4.2	12	1	2	3	6	8	11	17
65 +	443	5.1	38	1	2	4	7	10	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	282	3.6	6	1	2	3	4	7	8	12
35-49	4375	3.8	7	1	2	3	5	7	8	13
50-64	15029	4.2	8	2	2	4	5	7	9	14
65 +	35516	5.1	16	2	3	4	6	9	11	19
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	101	6.6	38	2	3	4	9	14	18	34
35-49	3102	6.2	26	2	3	5	8	12	15	24
50-64	10414	7.1	36	2	3	6	10	14	17	29
65 +	13129	8.9	65	2	4	7	12	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4099	3.3	4	1	2	3	4	6	7	11
B. Operated	1217	4.5	21	1	2	3	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	55205	4.7	13	2	3	4	6	8	10	17
B. Operated	26747	7.9	50	2	3	6	10	15	20	34
1. SINGLE DX	5316	3.6	8	1	2	3	4	6	8	14
2. MULTIPLE DX	81952	5.8	27	2	3	4	7	11	15	26
A. Not Operated	59304	4.6	13	2	3	4	6	8	10	17
B. Operated	27964	7.7	49	2	3	6	10	15	19	34
TOTAL										
0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	460	4.1	15	1	2	3	5	8	11	20
35-49	8479	4.6	15	1	2	3	6	9	11	18
50-64	27435	5.3	20	2	2	4	7	10	13	22
65 +	50890	6.0	31	2	3	4	7	12	15	27
GRAND TOTAL	**87268**	**5.6**	**26**	**2**	**3**	**4**	**7**	**11**	**14**	**25**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.8	4	< 1	< 1	2	4	5	5	5
35-49	59	3.2	6	1	2	2	4	7	8	13
50-64	126	2.7	4	1	1	2	3	5	5	11
65 +	107	3.6	12	1	1	3	5	7	8	20
B. Operated										
0-19 YRS	4	2.0	2	< 1	< 1	1	3	4	4	4
20-34	41	3.1	7	1	1	2	3	7	9	12
35-49	1132	3.0	8	1	1	2	4	8	9	12
50-64	3621	3.3	11	1	1	2	4	9	10	15
65 +	2104	3.7	15	1	1	2	4	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	7.3	162	1	1	3	4	30	36	36
20-34	40	2.8	5	1	1	2	4	5	5	14
35-49	533	3.4	6	1	2	3	4	6	8	12
50-64	1709	3.8	10	1	2	3	5	7	9	16
65 +	2866	5.2	21	2	3	4	6	9	13	23
B. Operated										
0-19 YRS	15	3.3	7	1	1	2	5	8	8	8
20-34	181	3.9	12	1	1	3	5	9	11	17
35-49	5183	5.0	23	1	2	3	8	11	14	21
50-64	18158	6.0	39	1	2	4	9	13	16	29
65 +	16384	7.7	66	1	2	6	11	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	3.1	8	1	1	2	4	6	7	19
B. Operated	6902	3.3	12	1	1	2	4	9	10	15
2. MULTIPLE DX										
A. Not Operated	5155	4.5	16	1	2	4	6	8	11	20
B. Operated	39921	6.6	49	1	2	4	9	14	18	34
1. SINGLE DX	7199	3.3	11	1	1	2	4	9	10	15
2. MULTIPLE DX	45076	6.3	46	1	2	4	9	13	17	33
A. Not Operated	5452	4.5	16	1	2	3	6	8	11	20
B. Operated	46823	6.1	45	1	2	3	9	13	17	32
TOTAL										
0-19 YRS	27	4.1	45	1	1	2	4	8	12	36
20-34	266	3.6	10	1	1	2	5	8	10	15
35-49	6907	4.5	20	1	1	3	7	10	12	19
50-64	23614	5.4	34	1	2	3	8	12	15	26
65 +	21461	7.0	56	1	2	5	10	15	20	37
GRAND TOTAL	**52275**	**5.9**	**42**	**1**	**2**	**3**	**9**	**13**	**17**	**31**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	6.6	5	3	5	6	9	9	9	9
20-34	132	7.0	9	3	5	7	9	10	12	16
35-49	157	7.5	9	4	6	7	9	11	12	18
50-64	163	8.3	10	5	6	8	10	12	14	20
65 +	148	8.0	10	5	6	8	9	11	12	17
B. Operated										
0-19 YRS	7	12.0	220	1	2	8	12	38	44	44
20-34	36	8.0	10	5	6	8	9	11	15	19
35-49	46	8.4	14	3	6	8	10	14	15	16
50-64	44	9.5	21	5	7	9	11	15	21	23
65 +	20	11.7	80	3	6	11	13	20	32	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	8.5	24	3	5	8	11	14	17	23
20-34	306	8.7	18	4	6	8	10	13	15	26
35-49	606	8.8	15	5	7	8	10	13	16	21
50-64	1202	9.4	17	5	7	9	11	14	17	24
65 +	3071	10.8	39	6	7	9	12	17	20	33
B. Operated										
0-19 YRS	19	14.2	119	2	8	14	17	28	41	48
20-34	161	11.3	57	5	7	9	13	19	25	41
35-49	285	11.8	56	5	8	10	14	19	24	47
50-64	513	12.6	57	7	8	11	15	20	24	44
65 +	969	14.9	99	7	9	12	18	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	610	7.7	10	4	6	8	9	11	13	18
B. Operated	153	9.2	33	4	6	8	11	14	19	42
2. MULTIPLE DX										
A. Not Operated	5212	10.1	30	6	7	9	12	16	19	29
B. Operated	1947	13.5	80	6	8	11	16	23	31	52
1. SINGLE DX	763	8.0	15	4	6	8	9	12	14	20
2. MULTIPLE DX	7159	11.0	46	6	7	10	13	18	22	39
A. Not Operated	5822	9.8	29	5	7	9	11	15	18	28
B. Operated	2100	13.2	78	6	8	11	15	23	30	51
TOTAL										
0-19 YRS	63	10.3	75	3	5	9	13	17	26	47
20-34	635	8.9	28	4	6	8	10	14	17	31
35-49	1094	9.4	27	5	7	8	11	14	18	30
50-64	1922	10.2	29	6	7	9	12	16	19	29
65 +	4208	11.6	55	6	8	10	13	19	24	42
GRAND TOTAL	**7922**	**10.7**	**44**	**6**	**7**	**9**	**12**	**17**	[illegible]	**38**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	10.1	69	3	6	7	10	24	30	30
20-34	12	14.5	208	2	4	8	24	35	46	48
35-49	3	7.0	7	4	5	8	9	9	9	9
50-64	3	36.3	490	11	20	46	50	52	52	52
65 +	10	9.0	75	2	3	6	10	24	28	28
B. Operated										
0-19 YRS	3	8.3	5	7	7	7	10	11	11	11
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	0									
50-64	3	14.0	109	7	7	9	22	26	26	26
65 +	3	13.3	224	< 1	2	9	25	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	20.8	261	3	6	17	31	43	47	76
20-34	187	18.9	159	4	7	17	29	37	42	47
35-49	150	20.0	162	4	10	17	29	38	44	58
50-64	152	18.2	141	4	9	15	28	36	42	44
65 +	316	22.2	192	7	12	20	30	41	47	84
B. Operated										
0-19 YRS	29	29.3	332	5	16	30	41	62	74	99 +
20-34	132	31.2	252	12	18	29	42	51	63	76
35-49	152	28.9	277	9	15	29	41	52	58	92
50-64	119	29.5	281	9	16	29	42	53	59	69
65 +	238	30.3	333	10	15	30	42	52	63	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	13.0	178	2	4	7	19	30	47	52
B. Operated	12	9.4	87	1	3	7	10	27	30	30
2. MULTIPLE DX										
A. Not Operated	859	20.3	176	5	10	17	29	40	44	58
B. Operated	670	30.0	294	10	16	29	42	52	61	94
1. SINGLE DX	50	12.2	156	2	4	7	14	29	46	52
2. MULTIPLE DX	1529	24.5	251	6	12	23	34	45	53	80
A. Not Operated	897	20.0	178	4	9	17	29	40	44	58
B. Operated	682	29.6	297	9	15	29	42	52	60	94
TOTAL										
0-19 YRS	96	21.9	288	4	7	18	31	44	54	89
20-34	334	23.4	237	5	11	23	33	43	48	73
35-49	305	24.3	240	6	12	23	33	44	54	91
50-64	277	23.2	235	5	11	20	32	44	51	63
65 +	567	25.3	269	7	13	22	35	46	54	97
GRAND TOTAL	**1579**	**24.1**	**252**	**6**	**12**	**22**	**33**	**45**	**52**	**79**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.9	8	1	1	2	4	5	9	15
20-34	51	1.7	1	< 1	1	1	2	3	4	4
35-49	98	1.8	1	1	1	2	2	3	4	6
50-64	142	2.1	2	1	1	2	3	4	5	7
65 +	93	2.3	2	1	1	2	3	4	4	9
B. Operated										
0-19 YRS	7	2.6	2	1	2	2	4	5	5	5
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	4.8	18	1	2	3	7	12	13	13
50-64	4	5.5	6	2	4	6	7	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	3.2	12	1	1	2	3	6	11	19
20-34	153	2.4	2	1	1	2	3	5	5	8
35-49	350	2.7	5	1	1	2	3	5	7	11
50-64	834	3.5	12	1	2	3	4	6	8	15
65 +	1984	4.6	17	1	2	4	6	8	11	21
B. Operated										
0-19 YRS	11	4.5	11	1	2	3	7	9	10	10
20-34	15	2.8	5	1	1	2	4	6	8	9
35-49	22	6.6	21	2	3	6	10	13	15	16
50-64	55	6.0	23	1	3	4	9	12	14	27
65 +	155	10.6	84	3	5	8	13	22	31	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	463	2.2	3	1	1	2	3	4	5	10
B. Operated	21	4.3	12	1	2	3	6	10	12	13
2. MULTIPLE DX										
A. Not Operated	3440	4.0	14	1	2	3	5	8	10	18
B. Operated	258	8.6	65	2	3	6	11	19	25	47
1. SINGLE DX	484	2.3	3	1	1	2	3	4	5	11
2. MULTIPLE DX	3698	4.3	19	1	2	3	5	8	11	23
A. Not Operated	3903	3.8	13	1	2	3	5	7	10	17
B. Operated	279	8.2	62	2	3	6	11	18	24	46
TOTAL										
0-19 YRS	216	3.1	10	1	1	2	4	6	10	16
20-34	220	2.3	3	1	1	2	3	4	5	8
35-49	478	2.8	6	1	1	2	3	6	8	13
50-64	1035	3.4	12	1	2	3	4	6	9	15
65 +	2233	4.9	23	1	2	4	6	9	13	29
GRAND TOTAL	**4182**	**4.1**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	2.5	5	1	1	2	3	5	6	14
20-34	247	2.0	2	< 1	1	2	2	4	5	9
35-49	441	1.8	2	< 1	1	1	2	3	4	6
50-64	772	2.2	3	< 1	1	2	3	4	6	9
65 +	923	2.8	9	1	1	2	3	5	7	13
B. Operated										
0-19 YRS	0									
20-34	3	3.3	16	< 1	< 1	1	6	8	8	8
35-49	20	3.0	21	1	1	1	3	6	14	21
50-64	28	3.4	8	1	1	2	4	7	10	13
65 +	25	5.0	42	1	1	2	5	15	19	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	132	4.0	9	1	2	3	5	8	10	13
20-34	459	2.5	5	1	1	2	3	5	6	12
35-49	1380	3.2	7	1	1	2	4	6	8	14
50-64	5211	3.9	10	1	2	3	5	8	10	16
65 +	17088	5.2	21	2	2	4	6	10	13	22
B. Operated										
0-19 YRS	15	7.4	101	< 1	1	3	11	13	33	40
20-34	19	4.0	8	1	1	4	6	8	9	10
35-49	98	6.4	38	1	2	4	8	14	18	33
50-64	507	7.4	51	2	3	6	9	15	21	38
65 +	1792	10.6	111	2	4	8	13	22	31	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2433	2.4	5	1	1	2	3	4	6	10
B. Operated	76	3.8	23	1	1	2	4	9	14	27
2. MULTIPLE DX										
A. Not Operated	24270	4.7	18	1	2	4	6	9	12	21
B. Operated	2431	9.7	97	2	4	7	12	20	28	60
1. SINGLE DX	2509	2.4	6	1	1	2	3	5	6	10
2. MULTIPLE DX	26701	5.2	27	1	2	4	6	10	14	26
A. Not Operated	26703	4.5	17	1	2	3	6	9	12	20
B. Operated	2507	9.5	96	2	4	7	12	20	28	60
TOTAL										
0-19 YRS	197	3.9	16	1	1	3	5	7	11	17
20-34	728	2.4	5	1	1	2	3	5	6	10
35-49	1939	3.0	8	1	1	2	4	6	8	15
50-64	6518	4.0	14	1	2	3	5	8	10	18
65 +	19828	5.5	32	1	2	4	7	11	15	29
GRAND TOTAL	**29210**	**4.9**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	305	3.1	15	1	1	2	4	6	9	20
20-34	257	2.3	3	1	1	2	3	4	6	9
35-49	484	2.4	3	1	1	2	3	4	6	9
50-64	596	2.7	4	1	1	2	4	5	6	9
65 +	617	3.3	6	1	2	3	4	6	8	11
B. Operated										
0-19 YRS	106	3.8	9	1	2	3	6	8	10	52
20-34	59	5.0	22	1	2	3	7	10	14	25
35-49	95	3.8	14	1	1	3	5	7	10	22
50-64	189	3.9	14	1	1	3	5	8	11	20
65 +	557	3.9	11	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	670	3.8	19	1	1	2	4	8	11	21
20-34	884	3.1	9	1	1	2	4	6	7	12
35-49	2217	3.6	11	1	2	3	4	7	9	16
50-64	5817	4.5	17	1	2	3	5	8	11	21
65 +	17740	5.6	25	2	3	4	7	10	14	24
B. Operated										
0-19 YRS	245	7.1	85	1	2	4	8	16	24	63
20-34	203	6.3	43	1	2	4	8	13	16	30
35-49	522	7.2	83	1	2	5	9	14	19	42
50-64	2064	8.4	79	2	3	6	10	17	26	46
65 +	9938	8.4	59	2	4	6	10	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2259	2.8	6	1	1	2	4	5	7	11
B. Operated	1006	3.9	12	1	2	3	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	27328	5.1	22	2	2	4	6	10	13	23
B. Operated	12972	8.3	64	2	4	6	10	16	22	44
1. SINGLE DX	3265	3.2	8	1	1	2	4	6	8	13
2. MULTIPLE DX	40300	6.1	38	2	3	4	7	12	16	31
A. Not Operated	29587	4.9	22	1	2	4	6	9	12	22
B. Operated	13978	8.0	61	2	3	6	10	16	22	43
TOTAL										
0-19 YRS	1326	4.3	31	1	1	3	5	9	13	30
20-34	1403	3.5	15	1	1	2	4	7	9	17
35-49	3318	4.0	23	1	2	3	5	8	10	21
50-64	8666	5.3	34	1	2	4	6	10	15	31
65 +	28852	6.5	38	2	3	5	8	12	17	31
GRAND TOTAL	**43565**	**5.9**	**36**	**2**	**3**	**4**	**7**	**12**	**16**	**30**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	6.5	75	2	2	4	7	11	28	45
20-34	5	4.8	7	2	3	5	6	9	9	9
35-49	49	4.8	14	1	3	4	6	9	10	23
50-64	253	4.7	13	2	2	4	6	9	11	20
65 +	1314	5.1	14	2	3	4	6	9	12	20
B. Operated										
0-19 YRS	3	10.3	86	4	4	6	17	21	21	21
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	5	4.0	17	1	1	1	8	9	9	9
50-64	16	7.8	80	1	3	7	9	33	79	99 +
65 +	35	7.7	48	1	3	5	11	16	21	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	569	6.2	46	2	3	4	7	12	18	39
20-34	417	6.1	22	2	3	5	8	12	16	22
35-49	2536	6.3	27	2	3	5	8	12	15	25
50-64	14310	6.8	29	2	4	5	8	12	16	26
65 +	71288	7.7	41	3	4	6	9	14	18	33
B. Operated										
0-19 YRS	159	14.3	255	2	5	9	17	42	59	99 +
20-34	151	8.4	68	2	3	6	10	17	25	60
35-49	561	10.0	112	2	4	7	12	21	29	69
50-64	2467	11.8	113	3	5	9	15	24	33	69
65 +	8152	14.1	138	4	7	11	18	28	39	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1661	5.0	15	2	3	4	6	9	12	21
B. Operated	61	7.5	54	1	2	6	10	17	26	93
2. MULTIPLE DX										
A. Not Operated	89120	7.5	38	3	4	6	9	14	18	32
B. Operated	11490	13.3	134	4	6	10	17	27	38	81
1. SINGLE DX	1722	5.1	17	2	3	4	6	9	12	22
2. MULTIPLE DX	100610	8.2	53	3	4	6	10	15	21	40
A. Not Operated	90781	7.5	38	3	4	6	9	14	18	32
B. Operated	11551	13.3	133	4	6	10	17	27	37	81
TOTAL										
0-19 YRS	771	7.9	101	2	3	5	9	17	28	66
20-34	575	6.7	35	2	3	5	8	13	18	33
35-49	3151	6.9	44	2	3	5	8	13	18	34
50-64	17046	7.5	44	2	4	6	9	14	19	35
65 +	80789	8.3	54	3	4	6	10	16	21	40
GRAND TOTAL	**102332**	**8.1**	**52**	**3**	**4**	**6**	**10**	**15**	**20**	**40**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	5.3	22	2	3	4	6	12	17	20
20-34	19	4.3	11	1	2	3	5	10	12	14
35-49	29	3.6	10	1	1	3	5	10	10	11
50-64	31	3.8	4	1	2	4	5	7	8	9
65 +	20	4.7	5	1	3	5	7	7	8	8
B. Operated										
0-19 YRS	30	2.2	4	1	1	2	2	4	7	10
20-34	23	5.2	51	1	1	2	8	10	21	33
35-49	93	2.6	6	1	1	2	3	6	7	14
50-64	118	2.4	6	1	1	1	3	5	9	12
65 +	38	3.1	27	1	1	1	2	6	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	5.8	26	1	2	4	7	14	16	61
20-34	143	6.3	17	2	3	5	8	12	15	18
35-49	561	6.5	34	2	3	5	8	12	16	32
50-64	1224	7.1	33	2	4	6	9	14	18	30
65 +	2106	8.4	48	3	4	7	10	15	20	36
B. Operated										
0-19 YRS	126	11.7	250	1	2	6	15	33	41	91
20-34	103	11.2	241	1	2	6	12	32	53	92
35-49	449	8.1	133	1	2	4	9	19	33	77
50-64	795	8.6	127	1	2	5	11	20	35	97
65 +	711	9.6	130	1	2	6	13	22	34	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	4.2	10	1	2	3	5	8	10	16
B. Operated	302	2.8	12	1	1	2	3	6	9	19
2. MULTIPLE DX										
A. Not Operated	4139	7.6	41	2	4	6	9	14	18	33
B. Operated	2184	9.1	142	1	2	5	11	22	35	88
1. SINGLE DX	419	3.2	12	1	1	2	4	7	10	19
2. MULTIPLE DX	6323	8.1	76	2	3	6	10	16	23	52
A. Not Operated	4256	7.5	40	2	4	6	9	14	18	33
B. Operated	2486	8.4	131	1	2	4	10	20	33	85
TOTAL										
0-19 YRS	279	8.0	136	1	2	4	9	20	32	88
20-34	288	7.8	105	1	3	5	9	15	25	66
35-49	1132	6.8	73	1	2	4	8	14	21	52
50-64	2168	7.4	68	1	3	5	9	16	22	48
65 +	2875	8.6	69	2	4	7	11	16	22	46
GRAND TOTAL	6742	7.8	74	1	3	6	10	16	22	50

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	4.4	26	1	2	3	4	8	11	30
20-34	254	2.8	3	1	2	2	4	5	7	9
35-49	325	2.9	5	1	2	2	4	5	6	9
50-64	215	3.0	5	1	2	2	4	6	7	12
65 +	92	3.6	9	1	2	3	4	6	9	17
B. Operated										
0-19 YRS	168	3.2	11	1	1	2	5	8	9	16
20-34	78	3.8	11	1	1	2	6	8	10	15
35-49	191	3.5	12	1	1	2	5	9	10	15
50-64	271	3.9	18	1	1	2	7	10	11	16
65 +	283	4.4	26	1	1	2	8	11	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	270	4.6	16	1	2	4	6	9	12	24
20-34	606	4.2	17	1	2	3	5	8	10	25
35-49	1096	4.1	13	1	2	3	5	7	10	18
50-64	1656	5.4	21	1	3	4	7	11	13	21
65 +	2848	6.6	34	2	3	5	8	12	16	30
B. Operated										
0-19 YRS	378	8.3	137	1	2	4	10	21	32	97
20-34	312	9.0	83	1	2	7	11	19	28	50
35-49	773	7.1	42	1	2	6	10	15	19	33
50-64	2023	9.1	79	1	2	8	12	18	25	46
65 +	3566	11.1	114	1	3	9	15	23	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	991	3.1	7	1	2	2	4	6	7	15
B. Operated	991	3.8	18	1	1	2	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	6476	5.6	26	2	3	4	7	11	14	27
B. Operated	7052	9.8	98	1	2	8	13	21	28	53
1. SINGLE DX	1982	3.5	13	1	1	2	4	8	10	18
2. MULTIPLE DX	13528	7.8	68	1	2	5	10	16	22	43
A. Not Operated	7467	5.2	24	1	2	4	6	10	13	26
B. Operated	8043	9.1	92	1	2	7	12	20	26	50
TOTAL										
0-19 YRS	921	5.8	70	1	2	3	7	12	21	51
20-34	1250	5.1	36	1	2	3	6	10	15	34
35-49	2385	4.9	24	1	2	3	6	10	14	25
50-64	4165	7.0	53	1	2	5	9	15	20	36
65 +	6789	8.8	81	1	3	6	12	19	25	50
GRAND TOTAL	15510	7.2	63	1	2	5	9	16	21	42

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	< 1	< 1	< 1	4	5	5	5
20-34	5	5.2	21	< 1	2	4	7	13	13	13
35-49	9	6.0	50	1	2	3	7	18	23	23
50-64	9	5.4	73	< 1	1	1	6	21	21	21
65 +	7	2.0	3	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	14	13.7	81	2	7	13	21	26	28	29
20-34	36	10.9	37	2	6	11	15	19	23	25
35-49	93	10.8	36	3	7	10	14	20	22	25
50-64	79	13.5	85	2	7	12	19	28	30	40
65 +	18	15.7	157	4	7	12	19	37	45	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	6.8	30	1	1	5	12	14	15	15
20-34	20	6.8	21	2	2	7	10	13	16	16
35-49	27	7.0	43	1	1	3	11	17	20	24
50-64	39	7.3	68	1	2	4	10	19	23	40
65 +	111	13.2	133	2	6	9	20	28	40	78
B. Operated										
0-19 YRS	21	16.9	365	4	8	12	22	49	96	99 +
20-34	85	17.9	139	7	10	15	22	29	38	69
35-49	240	22.7	276	8	12	19	30	54	76	99 +
50-64	257	25.2	364	8	13	20	40	70	99 +	99 +
65 +	210	28.1	356	8	14	24	40	67	79	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.5	37	< 1	1	2	5	14	21	23
B. Operated	240	12.2	65	2	7	11	17	23	28	40
2. MULTIPLE DX										
A. Not Operated	207	10.3	102	1	3	8	14	23	30	59
B. Operated	813	24.2	321	8	13	20	34	60	89	99 +
1. SINGLE DX	273	11.3	68	2	5	10	16	22	27	39
2. MULTIPLE DX	1020	21.4	308	4	10	18	29	54	76	99 +
A. Not Operated	240	9.5	97	1	2	7	13	22	28	55
B. Operated	1053	21.5	288	6	11	17	28	52	75	99 +
TOTAL										
0-19 YRS	48	12.9	206	1	4	10	19	26	33	99 +
20-34	146	14.2	114	3	8	13	18	26	31	58
35-49	369	18.1	232	3	9	14	23	41	62	99 +
50-64	384	20.5	317	3	9	16	28	54	90	99 +
65 +	346	22.1	323	4	9	19	32	54	72	99 +
GRAND TOTAL	**1293**	**19.3**	**274**	**3**	**9**	**15**	**26**	**48**	**69**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	2	15.5	5	14	14	15	17	17	17	17
50-64	4	14.8	372	< 1	2	7	27	43	43	43
65 +	22	15.0	70	4	8	15	19	29	31	33
B. Operated										
0-19 YRS	3	14.7	192	3	5	11	25	30	30	30
20-34	10	21.3	232	9	12	17	34	74	98	99 +
35-49	36	34.1	488	9	18	34	55	94	99 +	99 +
50-64	40	31.4	349	14	21	27	41	63	82	99 +
65 +	29	31.4	275	14	20	29	54	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	29	15.0	93	4	8	14	19	29	33	43
B. Operated	118	30.9	367	11	18	27	49	75	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	147	27.8	353	8	14	25	42	69	99 +	99 +
A. Not Operated	29	15.0	93	4	8	14	19	29	33	43
B. Operated	118	30.9	367	11	18	27	49	75	99 +	99 +
TOTAL										
0-19 YRS	3	14.7	192	3	5	11	25	30	30	30
20-34	11	20.6	214	9	12	15	31	70	96	99 +
35-49	38	33.1	480	9	17	32	54	92	99 +	99 +
50-64	44	29.8	366	11	18	25	41	61	76	99 +
65 +	51	24.4	251	7	14	22	39	63	99 +	99 +
GRAND TOTAL	**147**	**27.8**	**353**	**8**	**14**	**25**	**42**	**69**	**99 +**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	5.2	21	1	2	3	8	12	14	16
20-34	18	3.6	6	1	2	3	4	8	9	10
35-49	14	8.8	70	1	2	6	15	17	28	31
50-64	38	10.1	387	<1	3	4	8	16	61	92
65 +	114	8.9	91	2	4	6	11	17	24	57
B. Operated										
0-19 YRS	37	7.4	41	2	4	5	9	15	23	31
20-34	36	8.8	54	2	5	7	10	12	24	41
35-49	42	7.8	46	1	3	6	11	15	25	30
50-64	73	8.2	51	3	4	7	9	15	22	38
65 +	110	10.6	83	3	6	8	12	21	29	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	7.8	58	1	3	6	11	16	29	99 +
20-34	29	6.7	31	1	2	5	9	16	19	20
35-49	117	10.3	89	3	5	8	12	22	26	58
50-64	377	12.5	158	3	5	9	15	24	38	83
65 +	1719	12.3	125	4	6	9	16	25	31	79
B. Operated										
0-19 YRS	90	14.5	244	2	5	10	18	36	60	94
20-34	73	14.2	131	3	6	11	20	34	47	99 +
35-49	179	18.0	282	5	8	13	26	48	96	99 +
50-64	350	18.0	257	5	8	13	24	46	73	99 +
65 +	988	20.5	276	6	9	16	28	49	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	8.3	133	1	3	5	10	15	20	80
B. Operated	298	9.0	62	2	4	7	11	16	26	39
2. MULTIPLE DX										
A. Not Operated	2285	12.1	127	3	5	9	15	24	32	80
B. Operated	1680	19.1	268	5	8	14	26	46	74	99 +
1. SINGLE DX	500	8.7	91	2	4	7	11	16	25	44
2. MULTIPLE DX	3965	15.1	199	4	7	11	19	33	52	99 +
A. Not Operated	2487	11.8	128	3	5	9	15	24	31	80
B. Operated	1978	17.6	250	5	7	13	24	41	66	99 +
TOTAL										
0-19 YRS	188	10.7	153	2	4	7	13	24	42	94
20-34	156	10.3	95	2	4	8	13	26	35	96
35-49	352	13.8	199	3	6	10	17	34	55	99 +
50-64	838	14.3	211	3	6	10	17	34	53	99 +
65 +	2931	14.9	190	4	7	11	19	32	48	99 +
GRAND TOTAL	**4465**	**14.4**	**191**	**4**	**6**	**10**	**18**	**32**	**48**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	3	18.7	33	12	14	22	22	22	22	22
35-49	32	13.6	119	3	6	10	18	29	38	48
50-64	171	15.4	207	4	7	10	19	34	49	76
65 +	698	15.0	163	5	7	11	19	29	43	85
B. Operated										
0-19 YRS	11	21.3	253	6	11	16	27	50	54	54
20-34	11	13.6	50	6	10	12	18	52	93	99 +
35-49	51	27.1	365	8	12	23	40	69	96	99 +
50-64	102	24.6	313	9	12	19	39	69	99 +	99 +
65 +	286	24.2	348	7	12	19	34	63	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	907	15.0	169	5	7	11	19	29	44	81
B. Operated	461	24.3	335	8	12	19	35	64	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1368	18.1	244	5	8	14	23	42	65	99 +
A. Not Operated	907	15.0	169	5	7	11	19	29	44	81
B. Operated	461	24.3	335	8	12	19	35	64	99 +	99 +
TOTAL										
0-19 YRS	14	17.5	251	3	6	13	23	48	53	54
20-34	14	14.7	48	7	11	13	21	31	83	99 +
35-49	83	21.9	312	7	9	18	32	51	79	99 +
50-64	273	18.9	265	5	8	13	25	49	71	99 +
65 +	984	17.7	234	5	8	13	22	38	61	99 +
GRAND TOTAL	**1368**	**18.1**	**244**	**5**	**8**	**14**	**23**	**42**	**65**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	4.1	10	1	2	3	6	9	10	10
50-64	36	5.5	112	1	1	2	5	10	20	62
65 +	68	4.6	16	1	2	4	6	10	11	23
B. Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	8	4.3	13	1	1	3	7	10	10	10
35-49	78	4.2	11	1	2	4	5	7	10	20
50-64	632	3.7	6	1	2	3	5	7	9	12
65 +	1309	4.0	8	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	10.0	72	1	4	8	15	23	23	23
35-49	36	5.0	14	1	2	4	8	9	13	17
50-64	258	4.7	17	1	2	3	6	8	13	23
65 +	1144	6.4	45	2	3	5	7	12	15	36
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	15.4	553	1	3	9	12	51	77	77
35-49	245	5.5	29	2	3	4	6	10	12	29
50-64	2956	5.6	25	2	3	4	6	10	13	24
65 +	7875	6.4	33	2	3	5	8	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	4.8	45	1	2	4	5	10	12	38
B. Operated	2029	3.9	8	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1443	6.1	40	2	3	5	7	11	15	29
B. Operated	11086	6.2	32	2	3	5	7	12	16	28
1. SINGLE DX	2142	4.0	10	1	2	3	5	7	9	15
2. MULTIPLE DX	12529	6.2	32	2	3	5	7	12	15	28
A. Not Operated	1556	6.0	40	2	3	5	7	11	14	29
B. Operated	13115	5.8	28	2	3	4	7	11	15	26
TOTAL										
0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	22	10.1	254	1	2	7	12	16	45	77
35-49	368	5.1	23	1	3	4	6	9	11	24
50-64	3882	5.2	23	2	3	4	6	10	13	22
65 +	10396	6.1	32	2	3	5	7	12	15	28
GRAND TOTAL	**14671**	**5.9**	**30**	**2**	**3**	**4**	**7**	**11**	**15**	**27**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	12	9.0	47	3	5	8	10	17	26	28
50-64	42	10.9	73	3	5	8	14	20	31	42
65 +	118	9.1	43	4	5	7	12	18	24	58
B. Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	24	13.2	232	3	5	8	13	30	51	68
50-64	184	9.2	103	2	4	6	10	18	24	67
65 +	379	11.2	111	3	5	8	15	24	31	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	172	9.6	51	3	5	7	12	18	25	41
B. Operated	588	10.7	114	3	4	7	14	23	29	73
1. SINGLE DX	0									
2. MULTIPLE DX	760	10.4	100	3	5	7	13	22	28	71
A. Not Operated	172	9.6	51	3	5	7	12	18	25	41
B. Operated	588	10.7	114	3	4	7	14	23	29	73
TOTAL										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	36	11.8	171	3	5	8	11	27	39	68
50-64	226	9.5	97	3	4	6	11	19	25	61
65 +	497	10.7	96	3	5	8	14	22	29	92
GRAND TOTAL	**760**	**10.4**	**100**	**3**	**5**	**7**	**13**	**22**	**28**	**71**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	19	4.8	13	2	2	4	6	9	14	16
35-49	65	5.7	36	2	3	5	7	10	12	41
50-64	257	6.0	20	2	3	5	7	12	14	23
65 +	718	6.7	31	2	3	5	8	12	16	32
B. Operated										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	18	7.0	43	2	4	6	8	11	23	31
35-49	35	6.4	72	1	3	5	7	10	12	52
50-64	48	5.3	13	1	2	5	7	11	13	14
65 +	60	10.0	126	2	4	6	10	27	36	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	6.0	21	3	3	4	6	14	16	16
20-34	93	9.0	79	3	4	7	10	16	24	53
35-49	627	8.2	72	2	4	6	9	15	22	47
50-64	3412	8.8	74	3	4	7	10	17	24	52
65 +	17924	10.4	101	3	5	8	12	20	29	69
B. Operated										
0-19 YRS	8	10.0	36	4	7	9	11	20	23	23
20-34	59	14.2	309	1	5	8	18	35	67	99
35-49	254	12.2	154	3	5	8	14	27	45	99
50-64	731	14.0	199	3	6	9	17	34	54	99 +
65 +	2587	19.1	308	5	8	14	25	50	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1061	6.4	28	2	3	5	8	12	15	31
B. Operated	164	7.4	73	1	3	5	9	13	26	52
2. MULTIPLE DX										
A. Not Operated	22063	10.1	96	3	5	7	12	20	28	67
B. Operated	3639	17.5	281	4	7	12	23	45	71	99 +
1. SINGLE DX	1225	6.6	34	2	3	5	8	12	15	33
2. MULTIPLE DX	25702	11.1	129	3	5	8	13	23	34	89
A. Not Operated	23124	9.9	93	3	5	7	12	19	28	65
B. Operated	3803	17.1	277	4	7	12	22	44	70	99 +
TOTAL										
0-19 YRS	20	6.9	30	2	3	5	9	14	19	23
20-34	189	10.0	149	2	4	6	10	20	32	84
35-49	981	9.0	94	2	4	7	10	16	28	57
50-64	4448	9.5	95	3	4	7	11	19	28	71
65 +	21289	11.3	132	3	5	8	13	23	35	91
GRAND TOTAL	**26927**	**10.9**	**125**	**3**	**5**	**8**	**13**	**22**	**34**	**86**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	14.0	95	6	6	11	21	27	27	27
20-34	42	10.5	91	2	4	9	14	20	23	58
35-49	302	11.5	136	3	6	8	12	22	32	61
50-64	1686	11.9	122	3	5	9	14	24	35	64
65 +	7928	12.6	128	4	6	9	15	25	35	77
B. Operated										
0-19 YRS	4	32.8	908	5	11	26	54	74	74	74
20-34	39	18.2	287	3	7	11	28	51	61	99 +
35-49	92	18.9	305	6	8	12	25	55	86	99 +
50-64	330	19.8	305	5	8	14	27	46	62	87
65 +	1066	22.5	326	7	10	18	31	56	88	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9962	12.4	127	4	6	9	15	25	35	74
B. Operated	1531	21.6	322	6	9	17	29	54	77	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	11493	13.7	163	4	6	10	16	29	43	96
A. Not Operated	9962	12.4	127	4	6	9	15	25	35	74
B. Operated	1531	21.6	322	6	9	17	29	54	77	99 +
TOTAL										
0-19 YRS	8	23.4	531	5	6	16	31	62	74	74
20-34	81	14.2	198	3	6	10	18	41	56	89
35-49	394	13.2	185	4	6	9	15	29	46	97
50-64	2016	13.2	160	4	6	9	16	29	42	73
65 +	8994	13.8	162	4	6	10	17	29	42	99 +
GRAND TOTAL	**11493**	**13.7**	**163**	**4**	**6**	**10**	**16**	**29**	**43**	**96**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9	2	1	1	1	3	5	5	5
20-34	45	2.4	2	1	1	2	3	4	5	7
35-49	172	3.1	6	1	1	2	4	6	7	14
50-64	490	3.1	5	1	2	2	4	6	7	11
65 +	1070	3.6	13	1	2	3	4	6	8	14
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	3.3	2	2	2	3	4	6	7	7
35-49	58	3.8	5	1	2	3	5	7	8	13
50-64	144	3.5	8	1	1	3	5	7	9	13
65 +	164	3.5	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.7	4	1	2	2	3	5	8	10
20-34	132	3.9	11	1	2	3	4	6	10	21
35-49	767	4.0	7	1	2	3	5	7	9	14
50-64	3622	4.3	13	1	2	4	5	8	10	16
65 +	18390	5.7	36	2	3	4	7	10	14	33
B. Operated										
0-19 YRS	5	5.0	9	2	2	6	7	9	9	9
20-34	30	5.5	25	1	2	4	7	13	17	21
35-49	196	5.1	13	1	2	4	7	10	12	17
50-64	928	6.4	38	2	3	5	8	13	17	30
65 +	2610	8.9	88	2	4	6	11	18	27	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1784	3.3	10	1	2	3	4	6	8	13
B. Operated	383	3.5	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	22937	5.4	32	2	3	4	6	10	13	30
B. Operated	3769	8.0	73	2	3	6	10	16	23	57
1. SINGLE DX	2167	3.4	10	1	2	3	4	6	8	13
2. MULTIPLE DX	26706	5.8	38	2	3	4	7	11	15	34
A. Not Operated	24721	5.2	30	2	3	4	6	9	13	29
B. Operated	4152	7.6	69	2	3	5	9	15	21	54
TOTAL										
0-19 YRS	39	2.9	5	1	1	2	4	6	8	10
20-34	223	3.8	11	1	2	3	4	7	9	21
35-49	1193	4.1	8	1	2	3	5	7	10	15
50-64	5184	4.6	17	1	2	4	6	9	11	20
65 +	22234	5.9	42	2	3	4	7	11	15	37
GRAND TOTAL	**28873**	**5.6**	**37**	**2**	**3**	**4**	**7**	**10**	**14**	**33**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	8	3.5	2	2	2	4	5	5	5	5
35-49	32	4.2	6	1	2	4	5	8	10	10
50-64	149	4.8	13	2	3	4	6	9	11	21
65 +	511	6.3	39	2	3	5	7	11	14	35
B. Operated										
0-19 YRS	0									
20-34	7	4.9	5	2	4	5	7	8	8	8
35-49	18	7.4	24	1	3	7	12	14	16	17
50-64	24	5.6	12	2	3	5	8	11	12	12
65 +	30	6.0	42	1	2	5	7	11	13	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.3	21	2	2	5	9	13	14	14
20-34	29	6.1	29	1	3	4	7	14	20	23
35-49	223	6.3	26	2	3	5	8	11	16	34
50-64	1267	7.5	52	2	3	6	9	15	21	41
65 +	7216	8.7	68	3	4	7	10	16	22	49
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	6.8	41	2	3	5	6	21	22	22
35-49	68	10.0	107	2	4	7	11	21	32	59
50-64	224	11.4	116	3	5	8	13	22	36	55
65 +	827	16.4	226	5	7	12	20	37	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	702	5.8	32	2	3	4	7	10	13	30
B. Operated	79	6.1	25	1	2	5	8	12	13	30
2. MULTIPLE DX										
A. Not Operated	8743	8.4	65	3	4	6	10	16	22	47
B. Operated	1136	14.9	200	4	6	11	19	32	49	99 +
1. SINGLE DX	781	5.9	31	2	3	5	7	11	13	31
2. MULTIPLE DX	9879	9.2	84	3	4	7	11	18	25	58
A. Not Operated	9445	8.2	63	3	4	6	10	15	21	46
B. Operated	1215	14.3	194	4	6	10	18	32	48	99 +
TOTAL										
0-19 YRS	11	5.9	20	2	2	4	10	12	14	14
20-34	60	5.8	26	2	3	4	6	12	21	23
35-49	341	6.9	43	2	3	5	8	13	18	37
50-64	1664	7.8	59	2	3	6	9	15	21	45
65 +	8584	9.3	87	3	4	7	11	18	25	61
GRAND TOTAL	**10660**	**8.9**	**81**	**3**	**4**	**7**	**10**	**17**	**24**	**56**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	6.2	13	1	4	6	9	11	12	12
35-49	87	8.5	112	3	4	6	9	15	21	65
50-64	482	8.5	48	3	4	7	10	16	22	38
65 +	2771	10.0	80	3	5	8	12	19	27	58
B. Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	5	11.4	28	7	8	9	15	20	20	20
35-49	28	14.2	230	3	5	10	18	23	49	75
50-64	78	14.7	231	4	6	9	16	39	58	95
65 +	295	17.8	238	6	9	14	22	39	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3353	9.7	76	3	5	7	11	18	26	53
B. Operated	408	16.8	234	5	8	13	20	37	62	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	3761	10.5	98	3	5	8	12	20	29	71
A. Not Operated	3353	9.7	76	3	5	7	11	18	26	53
B. Operated	408	16.8	234	5	8	13	20	37	62	99 +
TOTAL										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	18	7.7	21	2	5	7	10	13	17	20
35-49	115	9.9	145	3	4	6	11	18	23	72
50-64	560	9.3	78	3	4	7	11	17	25	53
65 +	3066	10.8	100	3	5	8	13	21	30	76
GRAND TOTAL	**3761**	**10.5**	**98**	**3**	**5**	**8**	**12**	**20**	**29**	**71**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.9	21	< 1	1	2	3	13	14	14
20-34	23	3.1	8	1	1	2	3	7	9	13
35-49	83	3.2	4	1	2	3	4	6	7	9
50-64	103	3.1	4	1	2	3	4	6	7	9
65 +	134	4.5	20	1	2	4	5	8	12	26
B. Operated										
0-19 YRS	16	4.4	10	1	1	4	6	10	10	10
20-34	21	5.6	47	1	1	4	7	11	22	31
35-49	83	5.4	22	1	1	5	9	12	15	19
50-64	76	4.8	20	1	1	3	7	12	13	21
65 +	46	4.0	23	< 1	1	2	5	9	12	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	5.9	29	1	2	4	8	12	19	25
20-34	112	4.7	23	1	2	3	6	9	10	30
35-49	456	4.8	16	1	2	4	6	10	12	21
50-64	884	5.3	22	2	2	4	7	10	14	26
65 +	2915	7.2	61	2	3	5	8	13	19	50
B. Operated										
0-19 YRS	35	11.3	228	1	3	5	11	38	51	59
20-34	77	9.9	145	1	3	7	12	24	44	99 +
35-49	196	12.8	213	2	4	9	15	26	50	75
50-64	357	10.0	94	2	4	7	14	22	29	72
65 +	546	10.7	152	2	4	7	13	23	37	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	354	3.7	11	1	2	3	4	7	8	18
B. Operated	242	4.9	23	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. Not Operated	4427	6.5	48	2	3	5	8	12	17	40
B. Operated	1211	10.8	147	2	4	7	13	23	37	87
1. SINGLE DX	596	4.2	16	1	1	3	6	9	12	21
2. MULTIPLE DX	5638	7.4	73	2	3	5	9	15	21	54
A. Not Operated	4781	6.3	46	2	3	4	7	12	17	37
B. Operated	1453	9.8	131	1	3	7	12	21	31	83
TOTAL										
0-19 YRS	122	7.0	89	1	2	4	8	13	24	53
20-34	233	6.3	70	1	2	4	8	13	23	81
35-49	818	6.6	75	1	2	4	8	13	19	55
50-64	1420	6.3	44	1	2	4	8	14	18	36
65 +	3641	7.6	75	2	3	5	9	15	21	56
GRAND TOTAL	**6234**	**7.1**	**68**	**2**	**3**	**5**	**8**	**14**	**20**	**52**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	5.4	7	1	4	6	7	8	8	8
20-34	10	7.2	10	2	4	8	10	11	11	11
35-49	21	3.7	7	1	1	3	6	8	8	9
50-64	36	4.0	9	1	1	4	6	8	10	10
65 +	35	4.5	14	1	1	4	7	8	13	14
B. Operated										
0-19 YRS	6	6.0	31	1	1	5	8	15	16	16
20-34	30	5.2	14	1	2	5	8	10	11	14
35-49	132	4.5	12	1	1	4	7	9	11	14
50-64	556	4.8	17	1	1	4	7	9	12	19
65 +	673	5.1	20	1	1	4	7	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.6	33	< 1	1	6	12	13	13	13
20-34	23	7.2	10	3	5	8	9	11	12	14
35-49	51	6.0	24	1	2	5	8	11	18	22
50-64	202	6.2	20	1	3	6	9	11	12	22
65 +	676	7.2	39	1	3	6	9	13	16	29
B. Operated										
0-19 YRS	10	6.6	24	1	2	6	8	14	17	17
20-34	71	9.9	81	2	6	8	12	16	19	62
35-49	685	9.8	112	1	4	7	12	19	31	62
50-64	3548	10.0	110	1	4	7	12	21	30	69
65 +	9946	12.0	125	2	5	9	15	25	34	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	4.4	11	1	1	4	7	8	10	14
B. Operated	1397	4.9	18	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	957	7.0	34	1	3	6	9	12	15	27
B. Operated	14260	11.4	121	2	5	9	14	23	33	69
1. SINGLE DX	1504	4.9	17	1	1	4	7	10	12	19
2. MULTIPLE DX	15217	11.1	117	2	5	8	14	23	32	68
A. Not Operated	1064	6.7	32	1	3	6	9	12	15	27
B. Operated	15657	10.8	115	2	5	8	13	22	32	67
TOTAL										
0-19 YRS	26	6.2	22	1	2	6	8	13	16	17
20-34	134	8.2	52	2	4	8	11	13	16	40
35-49	889	8.7	94	1	3	6	10	17	24	55
50-64	4342	9.1	97	1	3	7	11	19	27	62
65 +	11330	11.3	117	2	5	9	14	23	32	67
GRAND TOTAL	**16721**	**10.5**	**111**	**2**	**4**	**8**	**13**	**21**	**31**	**66**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	4	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	20	3.5	16	1	1	1	5	9	12	16
50-64	50	2.7	11	1	1	1	2	7	8	19
65 +	54	4.1	96	1	1	2	4	8	10	70
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	9	3.0	5	1	1	2	5	6	7	7
50-64	26	4.0	9	1	1	3	6	8	10	12
65 +	126	6.9	79	2	3	4	7	16	21	46
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	7.5	94	1	2	3	9	19	32	39
35-49	155	6.1	80	1	1	4	8	10	15	70
50-64	569	7.2	47	1	2	6	10	13	20	32
65 +	664	8.3	77	1	2	6	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.6	1	< 1	1	1	2	3	3	3
B. Operated	124	3.4	49	1	1	1	3	8	9	33
2. MULTIPLE DX										
A. Not Operated	162	6.2	65	1	2	4	7	12	20	34
B. Operated	1406	7.6	66	1	2	6	10	16	21	41
1. SINGLE DX	131	3.3	46	1	1	1	3	8	9	29
2. MULTIPLE DX	1568	7.5	66	1	2	6	10	16	21	40
A. Not Operated	169	6.0	63	1	2	4	7	12	20	33
B. Operated	1530	7.3	65	1	2	5	10	15	21	40
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	17	7.5	94	1	2	3	9	19	32	39
35-49	184	5.6	70	1	1	3	8	10	14	56
50-64	648	6.7	44	1	2	6	9	13	19	30
65 +	848	7.8	79	1	2	5	10	17	23	43
GRAND TOTAL	**1699**	**7.1**	**65**	**1**	**2**	**5**	**10**	**15**	**21**	**40**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	16	2.5	5	< 1	< 1	2	3	7	8	8
65 +	36	3.2	20	< 1	1	2	4	6	11	25
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	11	6.0	17	< 1	1	7	9	11	12	12
50-64	140	8.1	13	2	7	8	10	11	14	17
65 +	301	9.2	24	2	7	9	11	14	17	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	5.6	23	< 1	1	5	10	11	11	11
35-49	12	3.7	6	1	2	3	5	8	8	8
50-64	93	4.3	15	1	2	3	6	8	11	21
65 +	535	5.9	39	1	2	4	8	12	17	28
B. Operated										
0-19 YRS	3	15.0	108	9	9	9	23	27	27	27
20-34	29	12.7	131	2	7	10	17	22	35	59
35-49	88	11.3	114	2	6	9	13	26	36	84
50-64	1413	12.0	85	6	8	10	14	21	29	60
65 +	4705	14.0	115	6	9	11	16	26	36	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.0	15	< 1	1	2	3	6	10	25
B. Operated	453	8.8	20	2	7	9	11	13	16	24
2. MULTIPLE DX										
A. Not Operated	645	5.6	35	1	2	4	7	11	16	27
B. Operated	6238	13.5	109	6	8	11	15	25	35	74
1. SINGLE DX	505	8.2	23	1	6	8	10	13	15	24
2. MULTIPLE DX	6883	12.8	107	4	8	10	15	24	33	67
A. Not Operated	697	5.4	34	1	2	4	7	11	15	27
B. Operated	6691	13.2	104	6	8	10	15	24	33	67
TOTAL										
0-19 YRS	4	13.5	81	9	9	9	18	27	27	27
20-34	34	11.7	121	1	6	10	14	19	32	59
35-49	111	9.9	99	1	3	8	11	23	33	75
50-64	1662	11.2	79	3	7	9	13	19	27	52
65 +	5577	12.9	109	3	8	10	15	24	33	67
GRAND TOTAL	**7388**	**12.5**	**103**	**3**	**8**	**10**	**15**	**23**	**32**	**66**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	3	4.3	24	1	1	2	8	10	10	10
65 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	5	3.6	7	1	1	4	5	7	7	7
20-34	15	5.3	15	1	1	6	8	10	12	13
35-49	40	4.6	14	1	1	3	7	10	11	16
50-64	88	5.7	12	1	3	5	8	10	11	16
65 +	89	5.8	17	1	3	5	8	10	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	4	2.8	4	< 1	< 1	2	4	5	5	5
50-64	16	4.8	43	1	1	1	6	14	21	24
65 +	44	7.5	99	1	2	4	7	18	37	43
B. Operated										
0-19 YRS	9	9.7	48	2	3	11	14	19	22	22
20-34	47	11.0	128	1	3	7	14	30	38	47
35-49	117	9.0	70	2	3	7	12	19	29	66
50-64	384	8.6	44	2	4	7	11	18	21	35
65 +	877	10.6	85	3	5	8	12	21	28	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.0	17	1	2	3	10	11	11	11
B. Operated	237	5.5	14	1	2	5	8	10	13	18
2. MULTIPLE DX										
A. Not Operated	66	6.5	78	1	1	4	7	15	26	43
B. Operated	1434	9.9	74	3	5	8	12	20	27	47
1. SINGLE DX	246	5.5	14	1	2	5	8	10	13	18
2. MULTIPLE DX	1500	9.8	75	2	5	8	12	19	27	46
A. Not Operated	75	6.3	71	1	1	4	7	14	23	42
B. Operated	1671	9.3	68	2	4	7	11	18	25	45
TOTAL										
0-19 YRS	14	7.5	41	1	3	5	12	16	21	22
20-34	65	9.5	102	1	2	7	11	20	36	46
35-49	163	7.7	58	1	2	6	11	16	28	48
50-64	491	8.0	39	2	4	7	10	16	21	33
65 +	1013	10.0	81	2	5	8	12	20	27	46
GRAND TOTAL	**1746**	**9.2**	**68**	**2**	**4**	**7**	**11**	**18**	**25**	**44**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	8.4	19	2	6	9	11	14	14	14
35-49	8	7.6	35	1	4	7	9	17	20	20
50-64	8	4.4	13	1	2	3	6	10	11	11
65 +	3	3.7	14	1	1	2	6	8	8	8
B. Operated										
0-19 YRS	6	4.8	10	1	2	4	8	9	9	9
20-34	24	5.8	22	1	2	4	8	12	17	18
35-49	96	4.8	12	1	1	4	8	10	11	12
50-64	223	5.0	13	1	1	4	8	10	11	13
65 +	112	5.0	19	1	1	4	7	11	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	14	5.7	13	1	3	5	9	11	11	11
35-49	33	5.7	29	1	2	5	7	9	15	29
50-64	68	4.9	16	1	2	4	7	11	12	17
65 +	153	7.4	25	2	4	6	10	13	18	27
B. Operated										
0-19 YRS	10	22.7	932	4	7	10	16	77	97	97
20-34	53	7.9	54	1	3	6	10	17	30	97
35-49	356	8.3	48	1	5	8	10	14	18	46
50-64	1221	9.5	69	2	5	8	11	17	24	45
65 +	1513	10.6	82	2	5	9	13	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	6.0	23	1	2	6	8	11	15	20
B. Operated	461	5.0	15	1	1	4	8	10	11	14
2. MULTIPLE DX										
A. Not Operated	270	6.5	23	1	3	6	9	12	15	26
B. Operated	3153	9.9	76	2	5	8	12	18	25	47
1. SINGLE DX	486	5.0	15	1	1	4	8	10	11	15
2. MULTIPLE DX	3423	9.7	73	2	5	8	12	18	24	46
A. Not Operated	295	6.4	23	1	2	6	9	12	15	25
B. Operated	3614	9.3	71	2	4	8	11	17	24	45
TOTAL										
0-19 YRS	19	14.1	558	1	4	7	10	41	79	97
20-34	96	7.1	39	1	3	6	9	16	19	69
35-49	493	7.4	41	1	3	7	9	13	16	32
50-64	1520	8.6	61	1	4	8	11	16	20	42
65 +	1781	10.0	75	2	5	8	12	19	25	45
GRAND TOTAL	**3909**	**9.1**	**68**	**2**	**4**	**8**	**11**	**17**	**23**	**45**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	390	4.3	5	2	3	4	5	8	9	12
20-34	20	4.3	24	1	1	2	5	12	16	19
35-49	30	4.0	26	1	1	3	5	7	10	28
50-64	51	3.8	13	< 1	1	2	5	9	11	14
65 +	42	5.2	115	< 1	1	3	4	8	17	68
B. Operated										
0-19 YRS	41	4.4	16	1	2	4	5	10	14	18
20-34	59	4.3	22	1	1	2	6	10	17	21
35-49	167	3.3	11	1	1	2	5	8	10	15
50-64	405	3.3	14	1	1	2	4	8	11	18
65 +	416	3.9	31	1	1	2	5	9	12	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	359	6.0	54	2	3	5	7	11	13	26
20-34	97	5.5	26	1	2	4	7	11	18	25
35-49	169	4.9	13	1	2	4	7	9	11	19
50-64	303	5.3	39	1	2	4	6	11	15	37
65 +	769	6.8	51	1	3	5	8	14	17	30
B. Operated										
0-19 YRS	81	10.2	179	2	3	6	12	23	39	72
20-34	162	8.8	62	2	3	6	12	18	24	49
35-49	474	7.9	101	1	2	5	9	18	29	56
50-64	1543	8.0	94	1	2	5	10	18	25	52
65 +	3301	10.1	117	1	3	7	13	22	31	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	533	4.3	16	1	2	4	5	8	10	14
B. Operated	1088	3.6	21	1	1	2	5	9	11	20
2. MULTIPLE DX										
A. Not Operated	1697	6.1	44	1	3	4	7	12	16	29
B. Operated	5561	9.3	110	1	2	6	12	21	29	60
1. SINGLE DX	1621	3.9	19	1	1	3	5	8	11	19
2. MULTIPLE DX	7258	8.5	96	1	2	6	11	19	26	56
A. Not Operated	2230	5.7	38	1	2	4	7	11	15	28
B. Operated	6649	8.3	100	1	2	5	11	19	27	56
TOTAL										
0-19 YRS	871	5.6	45	2	3	4	6	10	13	27
20-34	338	6.8	46	1	2	5	9	16	20	35
35-49	840	6.2	67	1	1	4	8	13	20	45
50-64	2302	6.7	75	1	2	4	8	15	22	44
65 +	4528	8.9	102	1	2	6	11	19	27	60
GRAND TOTAL	**8879**	**7.7**	**86**	**1**	**2**	**5**	**10**	**17**	**24**	**52**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	5.8	20	2	3	5	8	10	10	25
20-34	317	6.2	10	2	4	6	8	10	12	15
35-49	504	6.3	11	2	4	6	8	10	11	19
50-64	450	6.6	12	3	4	6	8	10	12	16
65 +	429	6.6	9	3	5	6	8	10	12	15
B. Operated										
0-19 YRS	18	5.7	6	3	3	6	8	9	9	9
20-34	195	5.8	17	1	3	5	8	10	12	22
35-49	254	5.9	16	1	3	6	8	11	13	18
50-64	257	6.3	13	2	4	6	8	10	13	18
65 +	227	7.2	13	2	5	7	9	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	8.0	25	2	5	7	10	14	20	22
20-34	449	7.1	16	2	4	7	9	13	14	20
35-49	1008	7.4	19	3	5	7	9	12	15	26
50-64	1689	7.8	20	3	5	7	9	12	15	25
65 +	3348	8.3	22	4	6	8	10	13	16	25
B. Operated										
0-19 YRS	23	7.7	17	3	5	7	10	12	16	21
20-34	294	8.8	50	2	4	7	11	15	21	43
35-49	635	8.3	35	2	4	7	11	15	18	30
50-64	1017	8.6	37	3	5	8	10	15	19	33
65 +	2038	10.3	67	4	6	9	12	17	24	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1732	6.4	11	3	4	6	8	10	12	16
B. Operated	951	6.3	15	2	3	6	8	11	13	18
2. MULTIPLE DX										
A. Not Operated	6537	7.9	21	3	5	7	10	13	15	25
B. Operated	4007	9.4	53	3	5	8	11	16	21	39
1. SINGLE DX	2683	6.4	12	2	4	6	8	10	12	17
2. MULTIPLE DX	10544	8.5	34	3	5	8	10	14	18	32
A. Not Operated	8269	7.6	19	3	5	7	9	12	15	23
B. Operated	4958	8.8	47	3	5	8	11	15	20	36
TOTAL										
0-19 YRS	116	7.0	20	2	4	6	9	12	15	23
20-34	1255	7.1	24	2	4	6	9	12	15	25
35-49	2401	7.2	22	3	4	7	9	12	15	25
50-64	3413	7.8	24	3	5	7	9	13	15	26
65 +	6042	8.8	37	4	6	8	10	14	18	33
GRAND TOTAL	**13227**	**8.1**	**30**	**3**	**5**	**7**	**10**	**13**	**16**	**29**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.0	10	1	1	3	6	9	9	9
35-49	26	5.0	36	1	2	3	6	10	16	30
50-64	26	6.6	49	2	2	4	9	12	19	35
65 +	46	7.3	48	2	3	6	9	14	18	43
B. Operated										
0-19 YRS	26	2.5	28	< 1	1	1	2	2	9	28
20-34	816	2.0	4	1	1	2	2	3	4	7
35-49	1495	2.1	3	1	1	2	2	4	4	11
50-64	807	2.6	8	1	1	2	3	4	7	17
65 +	312	5.0	70	1	2	3	5	10	15	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	40	5.4	13	< 1	2	5	8	11	12	15
35-49	108	6.8	25	2	3	6	8	12	17	26
50-64	226	8.7	46	3	4	7	10	17	23	35
65 +	879	10.4	81	3	5	8	13	20	26	48
B. Operated										
0-19 YRS	7	2.3	3	1	1	2	3	5	6	6
20-34	299	3.5	19	1	1	2	3	8	15	23
35-49	662	4.2	29	1	1	2	4	9	15	30
50-64	842	6.8	83	1	2	3	7	19	25	40
65 +	1056	13.1	172	2	4	9	19	31	38	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	6.3	43	1	2	4	9	12	16	39
B. Operated	3456	2.4	11	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. Not Operated	1254	9.6	70	3	5	8	12	19	24	43
B. Operated	2866	8.2	112	1	2	4	11	22	30	54
1. SINGLE DX	3561	2.6	13	1	1	2	3	4	7	17
2. MULTIPLE DX	4120	8.6	100	1	2	5	11	21	28	51
A. Not Operated	1359	9.4	68	3	5	7	11	18	24	43
B. Operated	6322	5.0	65	1	1	2	4	13	21	40
TOTAL										
0-19 YRS	34	2.4	22	1	1	1	2	3	6	28
20-34	1162	2.5	9	1	1	2	3	4	7	17
35-49	2291	2.9	14	1	1	2	3	5	9	21
50-64	1901	5.2	52	1	1	3	5	13	20	32
65 +	2293	10.9	128	2	4	8	14	24	33	62
GRAND TOTAL	**7681**	**5.8**	**68**	**1**	**1**	**3**	**7**	**15**	**22**	**40**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	52	2.4	3	< 1	1	2	3	4	6	8
35-49	68	2.0	2	< 1	1	1	3	4	5	9
50-64	45	1.8	2	< 1	< 1	1	2	4	5	6
65 +	38	2.1	3	< 1	< 1	1	3	4	6	8
B. Operated										
0-19 YRS	19	2.3	2	< 1	1	2	4	4	5	5
20-34	371	2.6	2	1	1	2	3	5	6	7
35-49	691	2.4	2	1	1	2	3	4	5	7
50-64	389	2.4	2	1	1	2	3	4	5	7
65 +	166	2.8	3	1	2	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.0	14	1	2	3	5	10	12	12
20-34	124	3.1	5	1	1	2	4	6	8	11
35-49	201	2.8	4	< 1	1	2	4	5	7	9
50-64	247	3.3	7	< 1	1	2	4	6	8	17
65 +	470	4.4	14	1	2	4	6	8	11	21
B. Operated										
0-19 YRS	38	2.4	3	1	1	2	3	5	6	8
20-34	1657	2.8	4	1	2	2	4	5	6	10
35-49	3230	2.8	4	1	2	2	4	5	6	9
50-64	2576	3.1	5	1	2	3	4	5	7	12
65 +	1773	4.1	15	1	2	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	2.1	2	< 1	1	2	3	4	5	8
B. Operated	1636	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	1052	3.7	10	1	2	3	5	7	9	17
B. Operated	9274	3.1	7	1	2	3	4	5	7	13
1. SINGLE DX	1844	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	10326	3.2	7	1	2	3	4	6	7	13
A. Not Operated	1260	3.4	9	< 1	1	3	4	7	9	16
B. Operated	10910	3.0	6	1	2	3	4	5	7	12
TOTAL										
0-19 YRS	72	2.6	4	1	1	2	3	5	7	11
20-34	2204	2.8	4	1	2	2	4	5	6	10
35-49	4190	2.7	4	1	2	2	3	5	6	9
50-64	3257	3.0	5	1	2	2	4	5	7	11
65 +	2447	4.0	14	1	2	3	5	7	10	17
GRAND TOTAL	**12170**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	4.1	10	1	1	3	6	9	10	15
20-34	310	6.1	8	2	4	6	8	10	11	13
35-49	369	6.1	8	2	4	6	8	10	11	13
50-64	426	6.1	11	2	4	6	8	10	11	16
65 +	451	6.2	14	2	4	6	8	10	11	17
B. Operated										
0-19 YRS	192	3.5	53	< 1	1	1	4	9	11	19
20-34	351	4.8	14	1	1	4	7	10	11	14
35-49	344	5.6	16	1	2	6	8	10	12	17
50-64	322	6.8	19	1	4	7	9	11	14	22
65 +	282	6.8	19	1	4	7	8	11	13	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	249	4.7	19	1	2	3	6	11	14	21
20-34	663	6.3	19	2	3	6	8	11	14	21
35-49	1409	6.5	21	2	3	6	8	11	14	24
50-64	2726	6.6	19	2	3	6	9	12	14	22
65 +	7331	6.9	31	2	4	6	9	12	15	28
B. Operated										
0-19 YRS	211	6.3	63	1	1	4	8	16	23	80
20-34	668	7.1	44	1	2	6	9	14	18	34
35-49	1152	8.6	67	1	4	7	10	16	23	43
50-64	1788	9.2	53	2	5	8	11	17	22	44
65 +	3557	10.6	75	3	6	8	12	19	27	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1648	6.0	11	2	4	6	8	10	11	15
B. Operated	1491	5.6	23	1	2	5	8	10	13	21
2. MULTIPLE DX										
A. Not Operated	12378	6.7	26	2	3	6	9	12	15	25
B. Operated	7376	9.5	67	2	5	8	11	18	24	47
1. SINGLE DX	3139	5.8	17	1	3	6	8	10	12	17
2. MULTIPLE DX	19754	7.7	43	2	4	7	10	14	18	35
A. Not Operated	14026	6.6	25	2	3	6	8	11	14	25
B. Operated	8867	8.9	62	1	4	7	11	16	22	44
TOTAL										
0-19 YRS	744	4.8	40	1	1	3	6	11	15	29
20-34	1992	6.3	26	1	2	6	8	12	14	24
35-49	3274	7.1	36	2	3	6	9	12	16	29
50-64	5262	7.4	31	2	4	7	9	13	17	29
65 +	11621	8.0	46	2	4	7	10	14	19	38
GRAND TOTAL	**22893**	**7.5**	**40**	**2**	**4**	**7**	**9**	**13**	**17**	**33**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5648	2.2	2	1	1	2	3	4	5	7
20-34	578	2.7	2	1	2	2	3	4	5	7
35-49	282	3.0	3	1	2	3	4	5	6	9
50-64	125	3.6	4	2	2	3	5	6	7	10
65 +	58	3.1	3	1	2	3	4	6	6	8
B. Operated										
0-19 YRS	445	1.7	6	1	1	1	1	3	5	11
20-34	112	2.2	5	1	1	1	2	5	7	12
35-49	56	3.7	8	1	1	3	5	8	10	11
50-64	25	4.2	12	1	2	3	6	8	12	15
65 +	5	4.2	7	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10547	2.9	4	1	2	2	4	5	6	10
20-34	1592	3.3	5	1	2	3	4	6	7	10
35-49	969	3.7	6	1	2	3	5	7	8	13
50-64	937	4.7	14	2	3	4	6	8	11	17
65 +	1440	5.8	26	2	3	5	7	10	13	25
B. Operated										
0-19 YRS	877	3.6	38	1	1	1	4	8	12	29
20-34	266	4.5	40	1	1	3	6	10	13	26
35-49	172	5.3	30	1	2	4	8	11	15	33
50-64	164	6.8	46	1	2	5	9	14	18	32
65 +	181	9.1	81	2	4	7	11	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6691	2.3	2	1	1	2	3	4	5	7
B. Operated	643	2.1	7	1	1	1	2	5	7	12
2. MULTIPLE DX										
A. Not Operated	15485	3.4	8	1	2	3	4	6	8	13
B. Operated	1660	4.9	46	1	1	2	6	10	16	32
1. SINGLE DX	7334	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	17145	3.5	12	1	2	3	4	6	9	15
A. Not Operated	22176	3.0	6	1	2	2	4	5	7	12
B. Operated	2303	4.1	37	1	1	2	5	9	13	29
TOTAL										
0-19 YRS	17517	2.7	5	1	1	2	3	5	6	10
20-34	2548	3.3	8	1	2	3	4	6	7	12
35-49	1479	3.8	8	1	2	3	5	7	9	14
50-64	1251	4.9	18	2	2	4	6	9	12	20
65 +	1684	6.1	32	2	3	5	7	11	14	28
GRAND TOTAL	**24479**	**3.1**	**9**	**1**	**2**	**2**	**4**	**6**	**8**	**14**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6937	3.0	3	1	2	3	4	5	6	9
20-34	249	3.3	3	1	2	3	4	5	7	9
35-49	257	3.9	23	1	2	3	4	6	8	13
50-64	242	3.9	4	2	2	4	5	7	7	10
65 +	318	4.8	11	2	3	4	6	8	10	14
B. Operated										
0-19 YRS	40	3.1	10	1	1	2	4	6	8	18
20-34	8	3.1	4	< 1	1	3	4	6	7	7
35-49	10	4.1	6	< 1	2	4	6	7	7	7
50-64	12	5.5	13	< 1	2	6	8	10	13	13
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15249	3.9	8	2	2	3	5	7	8	14
20-34	1450	4.7	13	2	3	4	6	9	12	19
35-49	2593	4.9	11	2	3	4	6	8	11	18
50-64	7878	6.2	18	3	4	5	8	11	14	22
65 +	20534	6.9	25	3	4	6	8	12	15	26
B. Operated										
0-19 YRS	250	10.6	160	2	4	7	14	21	38	86
20-34	127	8.9	62	2	4	7	12	18	20	54
35-49	191	8.2	34	3	4	7	10	17	22	28
50-64	610	11.6	133	4	5	9	14	21	31	79
65 +	1430	12.7	111	4	6	10	15	25	32	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8003	3.1	4	1	2	3	4	5	7	9
B. Operated	71	3.8	10	< 1	1	2	5	7	8	17
2. MULTIPLE DX										
A. Not Operated	47704	5.6	19	2	3	5	7	10	13	22
B. Operated	2608	11.7	114	3	6	9	14	22	30	68
1. SINGLE DX	8074	3.2	4	1	2	3	4	5	7	10
2. MULTIPLE DX	50312	5.9	26	2	3	5	7	11	14	25
A. Not Operated	55707	5.3	18	2	3	4	7	10	12	20
B. Operated	2679	11.5	113	3	5	9	14	22	30	68
TOTAL										
0-19 YRS	22476	3.7	9	1	2	3	4	6	8	14
20-34	1834	4.8	16	2	3	4	6	9	13	20
35-49	3051	5.0	14	2	3	4	6	9	12	19
50-64	8742	6.5	28	3	4	5	8	11	15	24
65 +	22283	7.2	32	3	4	6	9	13	16	30
GRAND TOTAL	**58386**	**5.6**	**24**	**2**	**3**	**4**	**7**	**10**	**13**	**23**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	3	5.0	48	<1	<1	1	10	13	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65+	0									
B. Operated										
0-19 YRS	323	1.3		1	1	1	1	2	2	4
20-34	760	1.3	1	<1	1	1	1	2	2	5
35-49	393	1.3		<1	1	1	2	2	2	4
50-64	185	1.3		1	1	1	1	2	2	4
65+	49	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	19	1.4	1	<1	<1	<1	1	3	4	4
35-49	17	1.2	1	<1	<1	<1	1	1	3	4
50-64	10	1.1		<1	<1	1	1	2	2	2
65+	3	1.0		<1	<1	1	1	1	1	1
B. Operated										
0-19 YRS	837	1.2		1	1	1	1	2	2	4
20-34	2385	1.3		1	1	1	1	2	2	4
35-49	1891	1.4	1	1	1	1	2	2	3	5
50-64	1010	1.5	1	1	1	1	2	2	3	6
65+	286	1.6	1	1	1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.9	17	<1	<1	1	2	10	13	13
B. Operated	1710	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	52	1.2		<1	<1	<1	1	2	3	4
B. Operated	6409	1.4	1	1	1	1	1	2	3	5
1. SINGLE DX	1718	1.3	1	1	1	1	1	2	2	4
2. MULTIPLE DX	6461	1.4	1	1	1	1	1	2	3	5
A. Not Operated	60	1.4	3	<1	<1	1	1	2	3	12
B. Operated	8119	1.3	1	1	1	1	1	2	3	5
TOTAL										
0-19 YRS	1164	1.3		1	1	1	1	2	2	4
20-34	3167	1.3		1	1	1	1	2	2	4
35-49	2304	1.4	1	1	1	1	2	2	3	5
50-64	1206	1.5	1	1	1	1	2	2	3	6
65+	338	1.6	1	1	1	1	2	3	4	6
GRAND TOTAL	**8179**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**5**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
B. Operated										
0-19 YRS	33	1.4	1	<1	1	1	1	3	4	5
20-34	45	1.4	1	<1	1	1	2	3	4	4
35-49	54	1.5	1	<1	1	1	2	3	4	5
50-64	64	1.4	1	<1	1	1	2	3	3	4
65+	34	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	0									
B. Operated										
0-19 YRS	127	1.9	4	1	1	1	2	3	5	14
20-34	187	1.7	2	1	1	1	2	3	4	6
35-49	301	1.8	20	1	1	1	2	3	3	6
50-64	339	1.8	2	1	1	1	2	3	4	7
65+	221	1.7	1	1	1	1	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	230	1.5	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	15	1.1		<1	<1	1	1	2	2	2
B. Operated	1175	1.8	7	1	1	1	2	3	4	6
1. SINGLE DX	232	1.5	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	1190	1.8	7	1	1	1	2	3	4	6
A. Not Operated	17	1.4	2	<1	<1	1	1	2	5	6
B. Operated	1405	1.7	6	1	1	1	2	3	4	6
TOTAL										
0-19 YRS	162	1.8	4	1	1	1	2	3	5	14
20-34	236	1.6	2	1	1	1	2	3	4	5
35-49	360	1.7	17	1	1	1	2	3	3	5
50-64	409	1.7	1	1	1	1	2	3	4	7
65+	255	1.7	1	1	1	1	2	3	4	5
GRAND TOTAL	**1422**	**1.7**	**6**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	1.3		1	1	1	1	2	3	4
20-34	57	1.3	1	1	1	1	1	2	3	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	15575	1.1		1	1	1	1	1	1	2
20-34	3046	1.1		1	1	1	1	2	2	3
35-49	399	1.2		1	1	1	1	2	2	4
50-64	44	1.2		1	1	1	1	2	3	3
65 +	10	1.4	1	< 1	1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	257	1.9	4	< 1	< 1	1	2	4	5	12
20-34	48	2.3	3	< 1	< 1	2	3	5	5	8
35-49	6	1.8	1	< 1	< 1	1	2	4	4	4
50-64	3	1.7		1	1	2	2	2	2	2
65 +	2	10.0	18	7	7	10	13	13	13	13
B. Operated										
0-19 YRS	13471	1.2	1	1	1	1	1	1	2	4
20-34	991	1.3	1	1	1	1	1	2	3	5
35-49	236	1.6	3	1	1	1	2	3	4	13
50-64	48	2.3	6	1	1	2	3	5	6	16
65 +	19	3.5	18	1	1	2	3	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	1.3		1	1	1	1	2	3	5
B. Operated	19074	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	316	2.0	5	< 1	< 1	1	2	4	6	12
B. Operated	14765	1.2	1	1	1	1	1	1	2	5
1. SINGLE DX	19260	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX	15081	1.2	1	1	1	1	1	2	2	5
A. Not Operated	502	1.7	3	< 1	< 1	1	2	3	5	9
B. Operated	33839	1.1	1	1	1	1	1	1	2	4
TOTAL										
0-19 YRS	29429	1.1	1	1	1	1	1	1	2	3
20-34	4142	1.2		1	1	1	1	2	2	4
35-49	643	1.4	1	1	1	1	1	2	3	6
50-64	95	1.8	4	1	1	1	2	3	5	12
65 +	32	3.2	16	< 1	1	1	3	11	13	15
GRAND TOTAL	**34341**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	977	2.6	3	1	1	2	3	4	5	9
20-34	471	2.7	5	1	2	2	3	4	5	8
35-49	205	2.9	3	1	2	3	4	5	6	9
50-64	77	2.7	3	< 1	1	2	3	5	7	8
65 +	47	2.5	4	< 1	< 1	2	3	5	7	11
B. Operated										
0-19 YRS	1212	2.5	8	1	1	2	3	5	7	14
20-34	903	2.0	2	1	1	2	2	3	5	7
35-49	712	1.8	2	< 1	1	1	2	3	5	8
50-64	489	1.7	2	< 1	1	1	2	3	5	8
65 +	247	1.8	5	< 1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1470	3.4	10	1	2	3	4	6	8	12
20-34	552	3.3	5	1	2	3	4	6	7	12
35-49	397	3.8	9	1	2	3	5	7	10	16
50-64	303	4.2	9	1	2	4	5	8	10	14
65 +	359	4.8	18	1	2	4	6	9	12	21
B. Operated										
0-19 YRS	1904	4.2	56	1	1	2	4	9	15	42
20-34	1472	2.3	7	1	1	1	2	5	6	15
35-49	1760	2.3	10	1	1	1	2	4	7	15
50-64	1400	2.7	20	1	1	1	3	5	8	23
65 +	1027	3.8	26	1	1	2	4	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1777	2.7	3	1	2	2	3	4	6	9
B. Operated	3563	2.1	5	1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	3081	3.7	10	1	2	3	5	7	9	14
B. Operated	7563	3.0	26	1	1	2	3	6	10	27
1. SINGLE DX	5340	2.3	4	1	1	2	3	4	6	9
2. MULTIPLE DX	10644	3.2	21	1	1	2	4	6	10	22
A. Not Operated	4858	3.3	8	1	2	3	4	6	8	13
B. Operated	11126	2.7	19	1	1	1	3	5	9	21
TOTAL										
0-19 YRS	5563	3.3	24	1	1	2	4	6	9	24
20-34	3398	2.4	6	1	1	2	3	5	6	12
35-49	3074	2.4	8	1	1	1	3	5	7	14
50-64	2269	2.7	15	1	1	2	3	5	8	18
65 +	1680	3.7	21	1	1	2	4	8	12	26
GRAND TOTAL	**15984**	**2.9**	**16**	**1**	**1**	**2**	**3**	**6**	**8**	**19**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	927	3.7	5	2	2	3	5	7	8	11
20-34	454	4.7	8	2	3	4	6	8	10	15
35-49	346	5.0	7	2	3	4	6	8	10	13
50-64	337	5.7	9	3	4	5	7	9	12	16
65 +	489	6.4	24	3	4	5	8	10	12	24
B. Operated										
0-19 YRS	14	9.4	106	2	3	6	13	19	36	41
20-34	14	8.4	16	4	5	8	12	14	14	14
35-49	20	10.0	147	2	3	5	12	21	38	54
50-64	25	10.0	15	5	7	9	11	16	18	20
65 +	25	14.4	77	4	8	13	19	29	32	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2647	6.5	32	2	3	5	8	14	16	27
20-34	1653	7.5	30	3	4	6	10	15	18	27
35-49	1961	7.3	25	3	4	6	9	13	16	26
50-64	4227	8.3	34	3	5	7	10	14	19	31
65 +	17097	9.6	49	4	5	8	12	17	21	38
B. Operated										
0-19 YRS	243	16.8	184	5	8	14	21	35	53	99 +
20-34	300	17.4	199	5	8	13	21	37	52	82
35-49	466	18.4	247	6	9	14	22	42	58	99 +
50-64	888	17.8	215	6	9	14	21	35	55	99 +
65 +	2949	19.4	213	7	10	15	24	38	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2553	4.8	11	2	3	4	6	8	10	15
B. Operated	98	10.8	73	3	5	9	14	19	27	48
2. MULTIPLE DX										
A. Not Operated	27585	8.8	43	3	5	7	11	16	20	35
B. Operated	4846	18.7	215	6	9	15	23	38	56	99 +
1. SINGLE DX	2651	5.1	14	2	3	4	6	9	11	18
2. MULTIPLE DX	32431	10.3	81	4	5	8	12	19	26	56
A. Not Operated	30138	8.5	42	3	5	7	10	15	20	34
B. Operated	4944	18.6	213	6	9	14	23	38	55	99 +
TOTAL										
0-19 YRS	3831	6.5	44	2	3	4	8	14	17	35
20-34	2421	8.2	60	3	4	6	10	16	21	42
35-49	2793	8.9	79	3	4	6	10	17	24	55
50-64	5477	9.7	74	4	5	7	11	18	24	53
65 +	20560	10.9	84	4	6	8	13	20	27	58
GRAND TOTAL	**35082**	**9.9**	**78**	**3**	**5**	**8**	**12**	**19**	**25**	**55**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10539	3.4	3	2	2	3	4	6	7	10
20-34	1717	4.2	5	2	3	4	5	7	8	12
35-49	1464	4.6	6	2	3	4	6	8	9	12
50-64	1014	5.0	7	2	3	5	6	8	10	14
65 +	1626	5.9	13	3	4	5	7	10	12	17
B. Operated										
0-19 YRS	105	4.4	15	1	2	3	6	9	11	19
20-34	45	7.4	27	2	3	6	9	16	19	20
35-49	70	7.1	17	2	4	7	10	13	15	17
50-64	76	8.2	30	2	4	7	11	14	21	26
65 +	74	10.8	124	4	6	9	12	18	21	78
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24417	4.2	10	2	2	3	5	7	9	16
20-34	4037	5.5	14	2	3	5	7	10	12	20
35-49	5268	6.1	19	3	4	5	7	11	13	21
50-64	10083	6.9	21	3	4	6	8	12	15	23
65 +	40729	8.6	41	4	5	7	10	15	19	35
B. Operated										
0-19 YRS	744	13.0	169	3	5	9	16	28	46	99 +
20-34	499	11.8	95	4	6	10	14	21	28	56
35-49	865	12.8	126	4	7	10	15	23	33	77
50-64	1641	13.1	102	5	7	10	16	24	33	59
65 +	4945	15.9	140	6	9	13	19	29	41	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16360	3.9	6	2	2	3	5	7	8	12
B. Operated	370	7.4	46	1	3	6	10	14	18	26
2. MULTIPLE DX										
A. Not Operated	84534	6.8	31	2	4	5	8	12	16	28
B. Operated	8694	14.6	134	5	8	12	18	27	38	93
1. SINGLE DX	16730	4.0	7	2	2	3	5	7	8	13
2. MULTIPLE DX	93228	7.6	46	2	4	6	9	14	19	36
A. Not Operated	100894	6.4	28	2	3	5	8	12	15	26
B. Operated	9064	14.3	132	5	7	11	18	27	37	92
TOTAL										
0-19 YRS	35805	4.1	13	2	2	3	5	7	9	18
20-34	6298	5.7	22	2	3	4	7	10	13	23
35-49	7667	6.6	33	3	4	5	8	12	15	29
50-64	12814	7.6	35	3	4	6	9	13	17	31
65 +	47374	9.3	56	4	5	7	11	17	22	44
GRAND TOTAL	**109958**	**7.0**	**41**	**2**	**3**	**5**	**9**	**13**	**18**	**33**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	208	2.4	2	1	1	2	3	4	5	7
20-34	132	2.9	3	1	2	3	4	5	6	9
35-49	112	3.1	2	1	2	3	4	5	6	8
50-64	87	3.8	4	1	2	3	5	7	8	9
65 +	102	4.5	8	2	2	4	6	7	9	17
B. Operated										
0-19 YRS	8	2.4	1	1	2	2	3	4	5	5
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	12.0		12	12	12	12	12	12	12
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	696	3.4	7	1	2	3	4	6	8	13
20-34	463	3.2	4	1	2	3	4	5	7	11
35-49	544	3.6	5	1	2	3	5	7	8	11
50-64	765	4.7	11	2	3	4	6	8	10	20
65 +	2138	6.0	25	2	3	5	7	11	14	24
B. Operated										
0-19 YRS	14	11.6	197	1	3	7	11	42	44	45
20-34	12	5.8	29	1	2	4	10	14	15	15
35-49	23	8.6	71	1	2	6	11	21	30	33
50-64	34	9.4	74	2	4	6	11	21	23	42
65 +	106	13.2	99	4	6	11	15	28	37	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	641	3.2	4	1	2	3	4	6	7	10
B. Operated	13	3.2	8	1	2	2	3	6	11	12
2. MULTIPLE DX										
A. Not Operated	4606	4.8	17	2	3	4	6	9	11	20
B. Operated	189	11.3	97	2	5	9	14	25	37	43
1. SINGLE DX	654	3.2	4	1	2	3	4	6	7	10
2. MULTIPLE DX	4795	5.1	22	2	3	4	6	9	12	23
A. Not Operated	5247	4.6	16	2	2	4	6	8	11	20
B. Operated	202	10.8	95	2	4	8	14	22	36	43
TOTAL										
0-19 YRS	926	3.3	9	1	2	3	4	6	7	13
20-34	609	3.2	5	1	2	3	4	5	7	12
35-49	680	3.7	7	1	2	3	5	7	8	13
50-64	887	4.8	14	2	3	4	6	8	11	21
65 +	2347	6.3	30	2	3	5	7	11	15	28
GRAND TOTAL	**5449**	**4.9**	**20**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	563	2.4	2	1	1	2	3	4	5	8
20-34	42	4.1	38	1	2	3	4	6	12	39
35-49	80	3.5	3	1	2	3	5	6	6	9
50-64	156	5.0	17	2	3	4	6	9	12	22
65 +	187	5.6	13	2	3	5	7	11	12	17
B. Operated										
0-19 YRS	22	2.6	8	< 1	1	1	3	8	10	11
20-34	3	2.7	4	< 1	< 1	2	4	5	5	5
35-49	13	2.7	6	< 1	< 1	1	4	6	8	8
50-64	19	3.1	6	< 1	< 1	2	4	7	9	10
65 +	12	3.0	8	< 1	1	2	4	7	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1182	3.4	6	1	2	3	4	6	8	13
20-34	249	4.4	38	2	2	3	5	7	9	16
35-49	468	4.7	12	2	3	4	6	8	11	20
50-64	1388	6.0	19	2	3	5	7	11	14	22
65 +	3041	7.0	30	3	4	6	9	13	16	28
B. Operated										
0-19 YRS	45	4.8	31	1	1	3	6	14	16	27
20-34	38	7.0	54	2	3	5	7	16	20	39
35-49	59	7.1	45	1	2	5	9	17	25	93
50-64	187	8.8	53	2	4	7	11	21	24	79
65 +	360	11.6	94	3	5	9	15	25	33	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1028	3.6	10	1	2	3	4	7	9	14
B. Operated	69	2.8	7	< 1	< 1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated	6328	5.8	24	2	3	5	7	11	14	24
B. Operated	689	9.8	77	2	4	7	13	22	29	84
1. SINGLE DX	1097	3.5	9	1	2	3	4	7	9	14
2. MULTIPLE DX	7017	6.2	31	2	3	5	8	12	16	30
A. Not Operated	7356	5.5	23	2	3	4	7	10	13	24
B. Operated	758	9.1	74	1	3	7	12	21	28	64
TOTAL										
0-19 YRS	1812	3.1	6	1	2	3	4	5	7	13
20-34	332	4.7	40	1	2	3	5	8	12	26
35-49	620	4.7	15	1	3	4	6	9	11	22
50-64	1750	6.2	23	2	3	5	8	11	15	26
65 +	3600	7.4	38	3	4	6	9	13	17	36
GRAND TOTAL	**8114**	**5.8**	**29**	**2**	**3**	**4**	**7**	**11**	**15**	**28**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	30	1	1	2	9	11	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	20	4.2	8	1	2	3	6	8	9	10
50-64	150	5.6	15	2	3	5	7	10	14	22
65 +	165	5.9	15	2	3	5	7	11	15	21
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	5	7.4	26	1	3	8	11	14	14	14
35-49	10	7.7	15	3	5	7	10	13	15	15
50-64	7	4.6	9	1	2	4	7	9	9	9
65 +	4	5.0	3	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.6	7	2	3	4	6	9	9	9
20-34	9	7.1	24	1	3	6	9	15	16	16
35-49	103	5.9	14	2	3	5	7	11	13	20
50-64	1092	7.7	47	3	4	6	10	14	18	36
65 +	2376	8.1	49	3	4	6	10	14	20	35
B. Operated										
0-19 YRS	17	12.5	181	4	4	8	14	33	46	52
20-34	45	9.8	35	5	6	7	13	17	20	32
35-49	54	11.9	73	4	7	10	15	21	24	50
50-64	129	16.7	329	4	6	12	21	45	96	99 +
65 +	265	17.7	229	5	8	13	22	35	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	5.6	15	2	3	5	7	10	14	21
B. Operated	29	6.1	13	2	3	5	8	11	14	15
2. MULTIPLE DX										
A. Not Operated	3588	7.9	47	3	4	6	10	14	19	35
B. Operated	510	16.0	225	4	7	12	20	34	61	99 +
1. SINGLE DX	368	5.7	15	2	3	5	7	10	14	21
2. MULTIPLE DX	4098	8.9	77	3	4	7	11	17	23	57
A. Not Operated	3927	7.7	45	3	4	6	9	14	18	34
B. Operated	539	15.4	219	4	7	11	19	33	57	99 +
TOTAL										
0-19 YRS	31	8.9	117	2	4	5	9	20	34	52
20-34	60	9.1	33	4	6	7	12	16	20	31
35-49	187	7.5	38	2	3	6	10	15	19	31
50-64	1378	8.3	77	3	4	6	10	16	22	73
65 +	2810	8.8	72	3	4	7	10	16	23	53
GRAND TOTAL	**4466**	**8.6**	**72**	**3**	**4**	**6**	**10**	**16**	**22**	**54**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22757	2.6	2	1	2	2	3	4	5	7
20-34	3858	3.4	4	1	2	3	4	6	7	10
35-49	3518	3.9	6	2	2	3	5	7	8	12
50-64	2177	4.4	8	2	3	4	6	7	9	15
65 +	1220	4.7	9	2	3	4	6	8	9	14
B. Operated										
0-19 YRS	89	3.7	9	1	2	3	4	8	10	14
20-34	28	4.7	14	1	2	3	8	9	12	15
35-49	25	4.4	15	1	2	4	6	9	15	15
50-64	16	5.2	17	< 1	3	4	6	10	15	17
65 +	13	7.2	15	3	4	6	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20696	3.1	4	1	2	3	4	5	6	10
20-34	4817	4.2	8	2	2	4	5	7	9	15
35-49	6731	5.0	12	2	3	4	6	9	11	17
50-64	9226	5.8	17	2	3	5	7	10	13	20
65 +	12451	6.8	25	3	4	6	8	12	15	25
B. Operated										
0-19 YRS	301	7.4	69	1	3	5	9	14	20	60
20-34	147	7.7	34	2	4	6	10	16	21	24
35-49	304	9.7	64	3	5	8	12	18	23	49
50-64	444	12.0	127	4	5	9	14	24	33	70
65 +	621	14.0	156	4	7	11	17	27	38	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33530	3.0	4	1	2	3	4	5	6	10
B. Operated	171	4.4	12	1	2	3	6	9	13	15
2. MULTIPLE DX										
A. Not Operated	53921	4.8	15	2	2	4	6	9	11	19
B. Operated	1817	11.2	116	3	5	8	14	22	32	70
1. SINGLE DX	33701	3.0	4	1	2	3	4	5	7	10
2. MULTIPLE DX	55738	5.0	19	2	2	4	6	9	12	21
A. Not Operated	87451	4.1	11	1	2	3	5	8	10	16
B. Operated	1988	10.6	110	3	5	8	13	21	31	68
TOTAL										
0-19 YRS	43843	2.9	4	1	2	2	3	5	6	9
20-34	8850	3.9	7	1	2	3	5	7	8	14
35-49	10578	4.7	12	2	3	4	6	8	10	18
50-64	11863	5.8	21	2	3	5	7	10	13	22
65 +	14305	6.9	32	3	4	6	8	12	16	29
GRAND TOTAL	**89439**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.9	9	1	2	3	5	8	11	11
20-34	21	3.5	6	1	2	3	4	6	9	12
35-49	76	4.7	12	2	3	4	6	8	10	21
50-64	513	5.2	11	2	3	5	7	9	11	16
65 +	727	5.4	23	2	3	4	7	10	12	20
B. Operated										
0-19 YRS	5	7.2	39	1	2	6	11	17	17	17
20-34	9	6.1	9	2	5	6	8	11	11	11
35-49	11	5.5	10	2	4	4	8	10	11	11
50-64	19	5.3	23	1	1	4	8	13	17	18
65 +	15	5.6	14	< 1	2	6	9	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	10.1	36	3	6	10	13	17	22	32
20-34	89	7.2	81	2	3	5	8	13	15	57
35-49	494	6.2	34	2	3	5	8	11	15	26
50-64	3602	6.5	24	2	4	5	8	12	15	25
65 +	8019	7.4	37	3	4	6	9	13	17	32
B. Operated										
0-19 YRS	43	12.2	98	3	5	11	16	23	41	99 +
20-34	29	10.1	34	2	7	9	14	16	21	28
35-49	81	9.1	60	3	4	7	11	17	23	47
50-64	420	10.8	127	3	5	8	13	21	32	98
65 +	796	12.6	122	3	6	10	16	26	34	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1349	5.3	17	2	3	4	7	9	11	19
B. Operated	59	5.7	17	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. Not Operated	12319	7.1	34	3	4	6	9	13	17	29
B. Operated	1369	11.7	118	3	5	9	14	24	33	82
1. SINGLE DX	1408	5.3	17	2	3	4	7	9	11	19
2. MULTIPLE DX	13688	7.6	44	3	4	6	9	14	18	36
A. Not Operated	13668	6.9	32	2	4	6	8	12	16	28
B. Operated	1428	11.5	116	3	5	9	14	24	32	81
TOTAL										
0-19 YRS	175	10.1	53	3	5	10	13	18	23	49
20-34	148	7.1	60	2	3	6	9	14	15	29
35-49	662	6.4	35	2	3	5	8	12	16	28
50-64	4554	6.8	34	2	4	5	8	12	16	30
65 +	9557	7.6	45	3	4	6	9	14	19	38
GRAND TOTAL	**15096**	**7.3**	**42**	**2**	**4**	**6**	**9**	**13**	**18**	**35**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	2.3	3	1	1	2	3	4	6	11
20-34	255	2.8	5	1	1	2	3	5	6	12
35-49	66	3.3	5	1	1	3	5	7	8	11
50-64	22	4.1	11	1	2	3	6	8	12	14
65 +	5	5.0	9	2	3	4	6	10	10	10
B. Operated										
0-19 YRS	309	5.2	9	2	3	4	6	9	12	15
20-34	1215	5.3	11	2	3	4	7	10	12	18
35-49	395	5.3	10	2	3	4	7	9	11	18
50-64	146	6.7	27	3	3	5	9	13	17	30
65 +	103	7.0	45	2	3	5	8	14	17	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	3.6	13	1	1	2	4	8	13	19
20-34	129	4.0	14	1	2	3	5	8	11	22
35-49	49	4.8	10	1	2	4	6	10	12	14
50-64	101	6.5	46	2	3	5	7	12	17	41
65 +	158	6.9	25	2	4	6	9	13	15	28
B. Operated										
0-19 YRS	171	9.9	54	3	5	8	13	19	25	30
20-34	698	8.3	54	3	4	6	10	16	20	37
35-49	457	8.5	43	3	4	7	11	18	22	36
50-64	593	10.9	95	3	5	8	14	22	29	56
65 +	977	11.8	111	3	5	9	14	24	32	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	2.8	5	1	1	2	3	5	7	12
B. Operated	2168	5.5	14	2	3	4	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	496	5.5	25	1	2	4	7	11	14	25
B. Operated	2896	10.1	82	3	4	7	13	20	27	46
1. SINGLE DX	2643	5.0	13	2	3	4	6	9	12	18
2. MULTIPLE DX	3392	9.5	77	3	4	7	12	19	25	45
A. Not Operated	971	4.2	17	1	2	3	5	9	12	20
B. Operated	5064	8.1	58	3	4	6	10	16	22	39
TOTAL										
0-19 YRS	666	5.7	27	1	2	4	7	12	16	26
20-34	2297	5.9	27	2	3	4	7	11	15	23
35-49	967	6.7	29	2	3	5	8	13	18	28
50-64	862	9.5	80	3	4	7	12	20	25	51
65 +	1243	10.7	98	3	5	8	13	22	30	47
GRAND TOTAL	**6035**	**7.5**	**54**	**2**	**3**	**5**	**9**	**15**	**21**	**37**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.1	17	1	1	2	3	5	8	24
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	11	5.5	26	2	2	3	8	13	18	19
50-64	30	8.4	50	1	4	7	12	19	25	28
65 +	58	6.8	28	2	4	5	9	14	17	28
B. Operated										
0-19 YRS	5	15.6	1030	< 1	1	1	20	73	73	73
20-34	0									
35-49	3	15.7	80	10	10	11	22	26	26	26
50-64	10	13.6	563	1	2	4	13	49	79	79
65 +	9	14.4	94	2	6	15	22	27	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	600	6.7	64	1	2	4	8	15	21	51
20-34	248	6.6	49	2	3	4	8	15	20	31
35-49	692	7.3	42	2	3	6	9	14	18	32
50-64	3593	8.8	49	3	5	7	11	16	21	34
65 +	8543	9.4	55	3	5	8	12	17	22	40
B. Operated										
0-19 YRS	143	23.3	509	4	9	17	53	99 +	99 +	99 +
20-34	60	25.1	531	5	9	16	33	63	86	99 +
35-49	181	24.1	453	6	9	17	38	69	99	99 +
50-64	699	21.6	347	6	10	16	28	54	85	99 +
65 +	1461	21.0	292	6	10	16	29	55	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	5.8	32	1	2	4	8	14	18	28
B. Operated	27	14.5	389	1	2	10	18	29	74	79
2. MULTIPLE DX										
A. Not Operated	13676	8.9	54	3	5	7	11	17	22	40
B. Operated	2544	21.6	337	6	9	16	30	59	95	99 +
1. SINGLE DX	175	7.1	95	1	2	4	9	17	23	62
2. MULTIPLE DX	16220	10.9	119	3	5	8	13	22	33	90
A. Not Operated	13824	8.9	53	3	4	7	11	17	22	40
B. Operated	2571	21.5	338	6	9	16	30	59	95	99 +
TOTAL										
0-19 YRS	794	9.5	189	1	2	5	12	26	58	99 +
20-34	311	10.1	194	2	3	5	12	24	38	86
35-49	887	10.7	172	2	4	7	12	24	41	99
50-64	4332	10.8	120	3	5	8	13	21	31	83
65 +	10071	11.1	106	3	5	8	13	22	32	79
GRAND TOTAL	**16395**	**10.9**	**119**	**3**	**5**	**8**	**13**	**22**	**33**	**90**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1453	2.9	7	1	2	2	3	5	7	16
20-34	297	3.5	11	1	1	2	4	8	12	16
35-49	251	3.5	20	1	2	3	4	6	9	13
50-64	225	3.8	11	1	2	3	5	8	11	21
65 +	263	4.7	16	1	2	3	6	10	13	18
B. Operated										
0-19 YRS	248	4.5	71	< 1	1	2	5	9	13	39
20-34	132	6.4	29	1	3	5	8	14	18	26
35-49	222	6.1	32	1	3	5	8	13	16	36
50-64	265	6.1	34	1	2	5	8	12	18	32
65 +	223	6.3	36	1	2	5	9	14	17	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3923	4.8	29	1	2	3	5	10	14	26
20-34	1076	5.8	35	1	2	4	7	12	16	29
35-49	1603	5.8	29	2	2	4	7	12	15	27
50-64	3464	6.3	30	2	3	5	8	12	16	26
65 +	11331	8.3	51	2	4	7	10	16	20	38
B. Operated										
0-19 YRS	1216	11.0	208	1	2	6	15	35	58	99 +
20-34	611	12.3	155	2	4	8	16	28	41	63
35-49	1101	11.4	137	2	4	8	14	25	36	65
50-64	2224	11.9	131	2	5	9	15	25	35	78
65 +	4599	14.6	166	3	7	11	18	30	41	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2489	3.3	10	1	2	2	4	6	9	17
B. Operated	1090	5.8	42	1	1	4	7	12	17	32
2. MULTIPLE DX										
A. Not Operated	21397	7.0	43	2	3	5	9	14	18	33
B. Operated	9751	13.0	162	2	5	9	17	28	41	85
1. SINGLE DX	3579	4.1	21	1	2	3	5	8	12	21
2. MULTIPLE DX	31148	8.9	88	2	3	6	11	19	26	57
A. Not Operated	23886	6.6	41	2	3	5	8	13	18	32
B. Operated	10841	12.3	154	2	4	9	16	27	39	82
TOTAL										
0-19 YRS	6840	5.5	65	1	2	3	6	13	19	59
20-34	2116	7.4	76	1	2	5	9	16	24	48
35-49	3177	7.6	74	1	3	5	9	16	23	49
50-64	6178	8.3	74	2	3	6	10	17	24	49
65 +	16416	9.9	91	3	4	7	12	20	27	57
GRAND TOTAL	**34727**	**8.4**	**83**	**2**	**3**	**6**	**10**	**18**	**25**	**54**

1,107 Hospitals, United States, January-December 1988

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	3.1	19	1	1	2	3	5	8	29
20-34	68	3.3	5	1	2	3	4	7	8	10
35-49	42	3.2	4	1	2	3	4	6	8	9
50-64	21	2.6	8	< 1	1	2	3	4	9	14
65 +	6	3.3	4	< 1	2	3	4	7	7	7
B. Operated										
0-19 YRS	1809	1.8	1	< 1	< 1	1	2	3	4	5
20-34	1841	2.1	2	1	1	2	3	3	4	6
35-49	1093	2.2	4	1	1	2	3	3	4	7
50-64	309	1.9	2	1	1	2	2	4	4	8
65 +	110	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	203	3.2	6	1	2	3	4	6	8	12
20-34	157	3.4	5	1	2	3	4	6	7	12
35-49	116	3.9	13	1	2	3	5	8	11	20
50-64	87	4.2	11	1	2	3	6	9	11	18
65 +	102	5.1	25	1	3	4	5	11	14	29
B. Operated										
0-19 YRS	2278	2.3	5	< 1	1	2	3	4	5	10
20-34	1781	2.8	7	1	2	2	3	5	6	11
35-49	1067	2.9	12	1	1	2	3	5	7	15
50-64	635	2.8	12	1	1	2	3	5	9	18
65 +	571	3.4	22	1	1	2	3	7	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	3.1	10	1	2	2	4	6	8	15
B. Operated	5162	2.0	2	< 1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	665	3.8	11	1	2	3	5	7	10	15
B. Operated	6332	2.7	9	1	1	2	3	5	6	15
1. SINGLE DX	5381	2.0	2	< 1	1	2	2	3	4	7
2. MULTIPLE DX	6997	2.8	9	1	1	2	3	5	7	15
A. Not Operated	884	3.6	11	1	2	3	4	7	9	15
B. Operated	11494	2.4	6	< 1	1	2	3	4	5	11
TOTAL										
0-19 YRS	4372	2.2	4	< 1	1	2	3	4	5	9
20-34	3847	2.5	5	1	1	2	3	4	5	10
35-49	2318	2.6	8	1	1	2	3	4	6	12
50-64	1052	2.7	9	1	1	2	3	5	7	16
65 +	789	3.4	20	1	1	2	4	7	11	26
GRAND TOTAL	**12378**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**4**	**5**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	255	3.2	3	2	2	3	4	5	6	10
20-34	72	3.2	3	1	2	3	4	5	6	10
35-49	75	3.6	4	1	2	3	5	6	8	9
50-64	47	4.0	7	1	2	3	5	8	10	12
65 +	40	4.4	15	1	2	3	6	9	10	22
B. Operated										
0-19 YRS	340	2.4	4	1	1	2	3	5	6	10
20-34	206	2.4	5	1	1	2	3	5	6	12
35-49	236	2.0	3	1	1	1	2	3	5	10
50-64	191	1.9	2	1	1	2	2	3	5	7
65 +	171	2.4	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	488	3.9	8	1	2	3	5	7	9	13
20-34	130	4.4	10	2	2	4	5	7	9	20
35-49	142	5.3	14	2	3	4	7	11	14	17
50-64	175	5.9	18	2	3	5	7	10	14	23
65 +	386	7.1	22	3	4	6	9	12	17	26
B. Operated										
0-19 YRS	380	3.2	13	1	1	2	4	6	8	13
20-34	225	3.8	17	1	1	3	5	7	10	20
35-49	311	3.2	16	1	1	2	3	7	12	21
50-64	362	3.9	32	1	1	2	4	8	11	31
65 +	443	5.1	41	1	2	3	6	12	17	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	489	3.5	4	1	2	3	4	6	7	11
B. Operated	1144	2.2	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	1321	5.3	16	2	3	4	7	10	13	21
B. Operated	1721	3.9	26	1	1	2	4	9	12	27
1. SINGLE DX	1633	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	3042	4.5	22	1	2	3	6	9	12	24
A. Not Operated	1810	4.8	14	2	2	4	6	9	11	20
B. Operated	2865	3.2	18	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	1463	3.2	8	1	2	3	4	6	8	11
20-34	633	3.4	11	1	1	3	4	6	8	17
35-49	764	3.2	12	1	1	2	4	7	10	17
50-64	775	3.9	22	1	1	2	5	8	11	24
65 +	1040	5.3	30	1	2	4	7	11	15	27
GRAND TOTAL	**4675**	**3.8**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1212	2.5	5	1	1	2	3	5	6	12
20-34	204	2.5	3	< 1	1	2	3	4	6	9
35-49	331	2.4	2	1	1	2	3	4	6	8
50-64	271	2.5	5	1	1	2	3	5	7	13
65 +	168	3.0	6	1	1	2	4	6	8	14
B. Operated										
0-19 YRS	448	5.0	52	1	1	3	6	10	14	43
20-34	123	4.6	10	1	2	4	6	8	11	15
35-49	162	4.6	8	1	2	4	7	8	9	12
50-64	155	4.1	11	< 1	1	3	6	8	10	19
65 +	203	4.1	11	< 1	1	3	6	8	10	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2234	3.9	14	1	2	3	5	7	11	19
20-34	968	3.5	6	1	2	3	4	6	8	13
35-49	1915	3.5	10	1	2	3	4	6	8	14
50-64	2536	3.7	8	1	2	3	5	7	9	15
65 +	4062	4.9	20	2	2	4	6	9	12	21
B. Operated										
0-19 YRS	1511	10.6	134	1	4	7	13	24	34	74
20-34	476	7.3	76	2	3	5	8	14	20	49
35-49	1140	6.6	48	1	3	5	8	12	19	39
50-64	1602	6.8	52	1	3	5	8	13	19	42
65 +	3236	8.2	70	2	3	6	10	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2186	2.5	5	1	1	2	3	5	6	11
B. Operated	1091	4.6	28	1	1	4	6	9	11	22
2. MULTIPLE DX										
A. Not Operated	11715	4.1	14	1	2	3	5	8	10	18
B. Operated	7965	8.1	78	2	3	6	9	16	24	56
1. SINGLE DX	3277	3.2	13	1	1	2	4	7	8	16
2. MULTIPLE DX	19680	5.7	44	1	2	4	7	11	16	35
A. Not Operated	13901	3.8	13	1	2	3	5	7	10	17
B. Operated	9056	7.7	73	1	3	5	9	16	22	51
TOTAL										
0-19 YRS	5405	5.6	59	1	2	3	6	12	18	44
20-34	1771	4.5	28	1	2	3	5	8	11	24
35-49	3548	4.4	24	1	2	3	5	8	11	26
50-64	4564	4.8	26	1	2	3	6	9	12	26
65 +	7669	6.2	44	2	3	4	7	12	17	35
GRAND TOTAL	**22957**	**5.4**	**40**	**1**	**2**	**4**	**6**	**11**	**15**	**33**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.0	3	1	2	3	3	6	7	8
20-34	72	2.9	5	1	2	2	4	5	6	13
35-49	106	3.6	6	1	2	3	5	6	8	13
50-64	77	3.3	4	< 1	2	3	4	7	8	9
65 +	46	5.1	52	< 1	2	4	6	8	10	49
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	4.7	6	1	3	5	7	8	8	8
35-49	79	5.6	10	2	3	6	7	10	12	16
50-64	78	4.8	10	1	2	4	7	9	10	14
65 +	48	5.7	38	< 1	2	4	8	9	14	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	3.7	4	1	2	3	5	7	8	8
20-34	183	4.7	10	2	3	4	6	9	11	17
35-49	437	4.3	8	1	2	4	6	8	9	15
50-64	480	4.6	11	2	3	4	6	8	10	15
65 +	868	5.8	19	2	3	5	7	10	13	24
B. Operated										
0-19 YRS	27	6.4	27	2	3	5	8	16	17	20
20-34	123	6.4	29	2	3	5	8	12	18	28
35-49	414	6.7	30	2	3	5	8	12	17	29
50-64	552	7.3	42	2	4	6	9	12	18	32
65 +	1042	8.5	66	3	4	7	10	15	20	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	3.6	12	1	2	3	4	6	8	13
B. Operated	231	5.2	15	< 1	3	5	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	2008	5.0	14	2	3	4	6	9	11	19
B. Operated	2158	7.7	51	2	4	6	9	14	19	39
1. SINGLE DX	552	4.3	14	1	2	3	6	8	9	14
2. MULTIPLE DX	4166	6.4	35	2	3	5	8	12	16	30
A. Not Operated	2329	4.8	14	2	3	4	6	9	11	19
B. Operated	2389	7.5	48	2	4	6	9	14	18	39
TOTAL										
0-19 YRS	88	4.3	13	1	2	3	5	8	13	19
20-34	403	4.9	16	1	2	4	6	9	13	21
35-49	1036	5.3	18	2	3	4	7	10	12	21
50-64	1187	5.8	27	2	3	5	7	10	14	26
65 +	2004	7.2	46	2	4	6	8	13	17	39
GRAND TOTAL	**4718**	**6.2**	**33**	**2**	**3**	**5**	**8**	**11**	**15**	**28**

1,107 Hospitals, United States, January-December 1988

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.1	7	1	1	2	4	8	9	9
20-34	76	3.5	3	2	2	3	4	6	7	10
35-49	129	3.5	2	2	2	3	5	6	6	7
50-64	193	3.7	4	2	2	3	5	6	8	9
65 +	187	4.4	18	2	3	4	5	7	9	14
B. Operated										
0-19 YRS	15	6.7	17	2	4	6	8	14	15	16
20-34	69	5.9	7	3	4	6	8	9	10	15
35-49	106	6.8	16	3	4	6	9	11	14	22
50-64	137	6.3	10	3	4	6	8	10	12	17
65 +	144	7.0	28	2	3	6	8	14	18	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	3.5	3	2	2	3	4	6	7	10
20-34	228	4.0	6	2	3	3	5	6	8	14
35-49	606	4.6	8	2	3	4	5	7	10	16
50-64	1219	4.9	8	2	3	4	6	8	10	15
65 +	3439	6.2	22	3	4	5	7	11	14	24
B. Operated										
0-19 YRS	31	9.5	83	3	5	7	11	17	34	45
20-34	165	7.1	23	3	4	6	9	12	16	35
35-49	553	8.9	68	3	4	7	11	18	25	47
50-64	1269	8.6	65	3	4	6	10	16	23	46
65 +	3988	10.2	87	3	5	7	12	20	27	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	602	3.8	8	2	2	3	5	6	8	11
B. Operated	471	6.6	17	3	4	6	8	11	15	21
2. MULTIPLE DX										
A. Not Operated	5528	5.6	17	2	3	5	7	10	13	21
B. Operated	6006	9.7	79	3	5	7	11	19	26	53
1. SINGLE DX	1073	5.0	14	2	3	4	6	9	11	18
2. MULTIPLE DX	11534	7.7	54	3	4	6	9	15	20	41
A. Not Operated	6130	5.4	16	2	3	4	6	9	12	21
B. Operated	6477	9.4	75	3	4	7	11	18	25	50
TOTAL										
0-19 YRS	99	5.8	38	1	3	4	7	11	15	40
20-34	538	5.1	13	2	3	4	6	9	11	21
35-49	1394	6.4	37	2	3	5	7	12	17	31
50-64	2818	6.5	37	2	3	5	8	12	16	34
65 +	7758	8.2	59	3	4	6	10	16	22	43
GRAND TOTAL	**12607**	**7.5**	**51**	**3**	**4**	**5**	**9**	**14**	**19**	**39**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	2.8	3	1	2	2	4	5	6	9
20-34	334	2.9	3	1	2	3	4	5	6	9
35-49	367	3.0	3	1	2	3	4	5	6	9
50-64	199	3.2	4	1	2	3	4	6	7	10
65 +	96	3.6	4	1	2	3	5	6	7	11
B. Operated										
0-19 YRS	6	5.2	11	1	3	4	8	10	10	10
20-34	39	5.7	11	1	4	6	7	10	12	16
35-49	96	6.5	11	3	4	6	8	10	13	19
50-64	26	6.5	9	3	5	6	8	11	12	13
65 +	15	7.3	39	2	4	5	9	14	23	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	3.5	8	1	2	3	4	6	9	17
20-34	636	3.6	5	1	2	3	4	6	8	11
35-49	1019	3.8	6	1	2	3	5	7	8	13
50-64	1092	4.3	7	2	3	4	5	8	9	14
65 +	1781	5.4	21	2	3	4	6	9	12	19
B. Operated										
0-19 YRS	18	10.5	395	< 1	2	5	7	33	66	80
20-34	120	6.1	18	2	3	6	8	11	14	23
35-49	329	8.0	34	3	4	7	9	15	19	29
50-64	292	7.5	34	3	4	6	9	14	18	39
65 +	510	9.1	58	3	4	7	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1082	3.1	3	1	2	3	4	5	6	9
B. Operated	182	6.4	13	2	4	6	8	10	13	20
2. MULTIPLE DX										
A. Not Operated	4646	4.5	12	2	3	4	6	8	10	16
B. Operated	1269	8.2	48	3	4	7	10	16	20	38
1. SINGLE DX	1264	3.5	6	1	2	3	5	6	8	12
2. MULTIPLE DX	5915	5.3	22	2	3	4	6	10	13	24
A. Not Operated	5728	4.2	11	2	2	4	5	8	9	15
B. Operated	1451	8.0	44	3	4	6	9	15	19	33
TOTAL										
0-19 YRS	228	3.8	39	1	2	3	4	6	8	27
20-34	1129	3.7	7	1	2	3	5	7	9	13
35-49	1811	4.6	14	1	2	4	6	8	11	19
50-64	1609	4.8	13	2	3	4	6	9	11	18
65 +	2402	6.1	31	2	3	5	7	11	15	27
GRAND TOTAL	**7179**	**5.0**	**20**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	3.1	3	1	2	3	5	6	7	7
20-34	234	3.3	3	2	2	3	4	6	7	10
35-49	315	3.4	3	2	2	3	4	5	6	9
50-64	344	3.5	3	2	2	3	4	6	7	9
65 +	254	4.0	5	2	3	4	5	7	8	12
B. Operated										
0-19 YRS	12	6.8	11	3	5	6	8	12	13	13
20-34	160	6.6	6	4	5	7	8	9	10	13
35-49	177	6.8	7	4	5	7	8	10	11	15
50-64	198	7.1	12	3	5	7	9	11	13	21
65 +	133	7.7	25	3	4	7	10	13	14	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	3.9	6	2	3	3	5	6	9	14
20-34	574	3.9	5	2	3	3	5	6	8	11
35-49	1081	4.3	7	2	3	4	5	7	9	15
50-64	1736	4.9	12	2	3	4	6	8	11	18
65 +	4187	6.6	32	3	4	5	8	11	15	28
B. Operated										
0-19 YRS	35	7.5	41	3	4	6	8	19	30	99 +
20-34	263	9.1	91	3	5	7	10	15	20	75
35-49	662	9.1	73	3	4	7	11	15	20	52
50-64	1033	10.0	79	3	5	8	12	18	27	54
65 +	2660	13.0	130	4	6	10	16	26	36	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1189	3.6	4	2	2	3	4	6	7	10
B. Operated	680	7.0	12	3	5	7	8	10	13	21
2. MULTIPLE DX										
A. Not Operated	7653	5.7	23	2	3	5	7	10	13	23
B. Operated	4653	11.5	111	4	5	9	14	22	32	67
1. SINGLE DX	1869	4.8	9	2	3	4	6	9	10	14
2. MULTIPLE DX	12306	7.9	64	3	4	6	9	15	21	45
A. Not Operated	8842	5.4	21	2	3	4	6	9	12	22
B. Operated	5333	10.9	100	4	5	8	13	21	29	64
TOTAL										
0-19 YRS	164	4.7	16	2	3	3	6	8	12	30
20-34	1231	5.3	28	2	3	4	6	9	11	21
35-49	2235	5.8	31	2	3	4	7	10	13	26
50-64	3311	6.5	38	2	3	5	7	12	16	35
65 +	7234	8.9	77	3	4	6	10	17	24	52
GRAND TOTAL	**14175**	**7.5**	**58**	**2**	**4**	**5**	**9**	**14**	**20**	**42**

204: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	12	4.7	6	2	3	4	6	9	10	10
35-49	31	4.2	6	1	2	4	6	7	9	12
50-64	27	5.4	5	3	4	5	6	7	8	14
65 +	31	5.5	9	2	3	5	8	10	10	13
B. Operated										
0-19 YRS	4	4.8	7	2	2	5	7	7	7	7
20-34	9	7.7	9	3	5	8	9	12	12	12
35-49	58	10.3	50	4	6	9	11	18	25	39
50-64	32	10.2	21	5	7	10	12	16	19	23
65 +	34	9.8	34	3	6	9	15	18	21	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.5	17	1	3	5	8	12	15	15
20-34	40	5.0	45	2	2	4	5	8	10	44
35-49	70	5.6	12	2	4	5	7	10	12	21
50-64	96	6.1	28	2	3	5	7	11	13	33
65 +	307	7.5	28	3	4	6	10	13	17	31
B. Operated										
0-19 YRS	4	27.5	458	5	10	26	45	52	52	52
20-34	54	12.9	98	3	6	10	17	32	34	41
35-49	172	13.8	97	6	8	11	16	24	34	50
50-64	302	13.2	105	5	7	11	16	24	31	52
65 +	560	15.9	186	5	8	12	20	30	43	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	5.0	7	2	3	4	6	9	10	13
B. Operated	137	9.8	36	3	6	9	12	18	21	36
2. MULTIPLE DX										
A. Not Operated	523	6.8	27	3	4	5	8	12	15	31
B. Operated	1092	14.7	148	5	7	11	18	28	37	82
1. SINGLE DX	240	7.7	29	2	4	7	10	14	18	28
2. MULTIPLE DX	1615	12.1	123	3	5	9	15	24	32	68
A. Not Operated	626	6.5	24	2	4	5	8	11	14	29
B. Operated	1229	14.2	137	5	7	11	18	26	36	79
TOTAL										
0-19 YRS	20	9.7	166	2	3	6	8	27	45	52
20-34	115	8.9	77	2	3	6	11	19	33	42
35-49	331	10.5	76	3	5	8	13	20	26	44
50-64	457	11.0	87	3	5	9	13	20	26	52
65 +	932	12.6	139	4	5	9	16	25	32	83
GRAND TOTAL	**1855**	**11.6**	**113**	**3**	**5**	**9**	**14**	**23**	**31**	**63**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	502	2.2	2	1	1	2	3	4	5	7
20-34	793	2.5	5	1	1	2	3	4	5	9
35-49	600	2.7	6	1	1	2	3	5	6	10
50-64	329	2.7	3	1	1	2	3	5	6	8
65 +	215	3.0	5	1	1	2	4	6	7	9
B. Operated										
0-19 YRS	46	3.5	6	1	2	3	5	7	8	9
20-34	67	3.8	7	< 1	2	4	6	7	9	13
35-49	82	3.7	11	< 1	1	3	5	7	9	18
50-64	64	3.9	13	< 1	1	3	5	9	11	17
65 +	46	3.6	17	< 1	< 1	1	5	8	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1582	2.6	3	1	2	2	3	4	6	9
20-34	2724	3.4	6	1	2	3	4	6	8	12
35-49	3574	3.8	9	1	2	3	5	7	9	14
50-64	3506	4.3	10	2	2	4	5	8	10	15
65 +	5872	5.3	17	2	3	4	6	10	12	21
B. Operated										
0-19 YRS	131	4.7	21	1	2	3	6	10	14	23
20-34	463	5.5	18	2	3	4	7	11	14	20
35-49	800	5.9	26	2	3	5	7	11	14	29
50-64	1029	7.1	39	2	4	5	9	13	18	36
65 +	2002	8.5	62	3	4	6	10	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2439	2.6	4	1	1	2	3	5	6	9
B. Operated	305	3.7	10	< 1	1	3	5	7	9	16
2. MULTIPLE DX										
A. Not Operated	17258	4.2	12	1	2	3	5	8	10	17
B. Operated	4425	7.3	46	2	3	6	9	14	19	37
1. SINGLE DX	2744	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	21683	4.8	20	1	2	4	6	9	12	23
A. Not Operated	19697	4.0	11	1	2	3	5	7	10	16
B. Operated	4730	7.0	44	2	3	5	9	13	19	37
TOTAL										
0-19 YRS	2261	2.7	4	1	1	2	3	5	6	11
20-34	4047	3.5	8	1	2	3	4	6	8	14
35-49	5056	4.0	12	1	2	3	5	7	10	16
50-64	4928	4.7	17	1	2	4	6	9	11	21
65 +	8135	6.0	30	2	3	5	7	11	15	28
GRAND TOTAL	**24427**	**4.6**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	138	2.9	5	1	1	2	4	6	7	11
20-34	118	3.2	8	1	1	2	4	7	9	16
35-49	128	2.9	4	1	2	2	4	6	6	12
50-64	76	3.6	18	1	2	3	5	6	7	29
65 +	41	3.4	7	1	2	3	4	6	9	14
B. Operated										
0-19 YRS	158	3.4	4	2	2	3	4	6	6	9
20-34	16	5.1	17	< 1	2	4	7	9	15	17
35-49	39	8.1	51	2	3	7	9	15	21	41
50-64	38	8.7	41	1	5	7	14	16	24	27
65 +	29	10.2	45	2	6	9	15	21	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	465	3.5	23	1	1	2	4	6	9	21
20-34	451	3.8	11	1	2	3	5	7	11	16
35-49	648	4.3	15	1	2	3	5	9	11	21
50-64	659	4.5	13	1	2	4	6	8	11	19
65 +	1261	5.7	26	2	3	4	7	11	15	29
B. Operated										
0-19 YRS	160	8.9	186	1	3	4	9	25	36	99 +
20-34	144	9.9	130	1	4	6	11	20	30	61
35-49	362	11.1	93	3	5	8	14	24	31	46
50-64	445	12.6	104	4	6	10	17	24	32	51
65 +	846	13.6	132	4	6	10	17	29	39	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	501	3.1	8	1	1	2	4	6	7	15
B. Operated	280	5.6	27	2	3	4	7	11	16	26
2. MULTIPLE DX										
A. Not Operated	3484	4.7	20	1	2	3	6	9	12	22
B. Operated	1957	12.2	125	3	5	9	16	26	35	60
1. SINGLE DX	781	4.0	16	1	2	3	5	8	11	22
2. MULTIPLE DX	5441	7.4	71	1	3	5	9	16	23	45
A. Not Operated	3985	4.5	18	1	2	3	6	9	12	21
B. Operated	2237	11.4	117	2	4	8	15	25	33	59
TOTAL										
0-19 YRS	921	4.3	50	1	2	3	4	8	11	48
20-34	729	4.9	40	1	2	3	6	10	15	30
35-49	1177	6.4	49	1	2	4	8	14	21	36
50-64	1218	7.5	63	2	3	5	9	17	22	40
65 +	2177	8.8	82	2	3	6	11	19	28	50
GRAND TOTAL	**6222**	**7.0**	**65**	**1**	**2**	**4**	**8**	**15**	**22**	**43**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	2.4	2	<1	1	2	3	5	6	7
20-34	92	2.3	2	1	1	2	3	4	5	7
35-49	34	2.7	1	1	2	3	4	4	5	5
50-64	11	2.7	4	<1	<1	2	4	6	8	8
65+	4	3.3		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	10772	2.9	2	2	2	3	3	4	5	8
20-34	7743	3.1	2	2	2	3	4	5	5	7
35-49	2836	3.3	2	2	2	3	4	5	6	8
50-64	832	3.7	3	2	3	3	4	6	7	10
65+	230	4.4	5	2	3	4	5	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.1	2	1	1	2	3	4	5	7
20-34	36	2.7	6	1	1	2	3	5	8	12
35-49	24	4.3	15	1	2	3	5	7	14	18
50-64	10	3.8	4	1	3	4	5	7	8	8
65+	18	4.3	13	<1	2	3	7	9	12	14
B. Operated										
0-19 YRS	2121	4.0	12	2	3	3	5	6	8	14
20-34	2122	4.2	6	2	3	4	5	7	8	14
35-49	1060	5.2	14	2	3	4	6	9	12	19
50-64	628	5.7	13	3	3	5	7	10	13	18
65+	470	7.1	19	3	4	6	9	12	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	2.4	2	1	1	2	3	4	5	7
B. Operated	22413	3.1	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	132	3.1	8	1	1	2	4	6	9	15
B. Operated	6401	4.7	12	2	3	4	5	8	10	17
1. SINGLE DX	22662	3.1	2	2	2	3	4	5	5	8
2. MULTIPLE DX	6533	4.6	12	2	3	4	5	8	10	16
A. Not Operated	381	2.6	4	1	1	2	3	5	6	11
B. Operated	28814	3.4	4	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	13045	3.1	3	2	2	3	4	5	6	9
20-34	9993	3.3	3	2	2	3	4	5	6	10
35-49	3954	3.8	6	2	3	3	4	6	8	13
50-64	1481	4.5	8	2	3	4	5	8	10	15
65+	722	6.1	16	3	4	5	8	11	13	19
GRAND TOTAL	**29195**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	7.9	10	4	6	8	10	12	14	15
20-34	24	7.1	8	4	5	7	8	11	13	14
35-49	26	5.7	11	2	3	5	8	10	11	14
50-64	17	6.7	12	2	4	6	9	12	12	12
65+	10	6.8	15	3	3	6	10	12	13	13
B. Operated										
0-19 YRS	2718	6.3	9	3	4	6	8	10	11	16
20-34	1383	5.6	8	3	4	5	7	9	10	15
35-49	912	6.0	7	3	4	6	7	9	10	14
50-64	550	7.0	10	4	5	7	8	11	12	17
65+	215	7.5	9	4	6	7	9	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	8.7	20	3	6	8	11	15	16	19
20-34	12	8.1	22	4	5	7	9	16	19	20
35-49	14	8.3	10	4	6	9	9	12	15	16
50-64	23	10.9	37	6	7	10	13	18	23	31
65+	19	10.2	63	2	6	9	13	16	29	38
B. Operated										
0-19 YRS	1997	8.8	29	4	6	8	10	14	19	31
20-34	1211	8.1	23	4	5	7	9	13	16	25
35-49	1151	8.8	21	4	6	8	10	14	18	26
50-64	1085	10.6	46	5	7	9	12	17	23	40
65+	1235	12.0	70	6	8	10	14	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	7.1	11	3	5	7	9	12	13	14
B. Operated	5778	6.2	9	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. Not Operated	97	9.4	31	4	6	9	11	16	18	35
B. Operated	6679	9.6	39	5	6	8	11	16	21	33
1. SINGLE DX	5911	6.2	9	3	4	6	8	10	11	15
2. MULTIPLE DX	6776	9.6	39	5	6	8	11	16	21	33
A. Not Operated	230	8.1	20	3	5	8	10	13	15	22
B. Operated	12457	8.0	28	4	5	7	9	13	17	28
TOTAL										
0-19 YRS	4800	7.4	19	3	5	7	9	12	14	24
20-34	2630	6.8	16	3	4	6	8	11	13	22
35-49	2103	7.5	17	4	5	7	9	12	15	23
50-64	1675	9.4	37	4	6	8	11	15	20	34
65+	1479	11.3	64	5	7	9	13	19	25	42
GRAND TOTAL	**12687**	**8.0**	**28**	**4**	**5**	**7**	**9**	**13**	**17**	**28**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	90	1.4	1	1	1	1	2	3	3	4
20-34	74	2.2	4	1	1	2	3	4	5	12
35-49	33	2.6	2	1	1	2	4	5	5	6
50-64	13	2.6	3	1	1	2	3	5	6	6
65 +	8	2.6	1	1	2	3	3	4	4	4
B. Operated										
0-19 YRS	727	3.0	2	2	2	3	3	5	5	10
20-34	510	3.4	3	2	2	3	4	5	6	10
35-49	169	3.7	4	2	3	3	4	6	7	11
50-64	43	4.0	3	2	3	4	5	6	7	10
65 +	13	4.8	4	3	3	4	7	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	2.2	7	1	1	1	2	3	6	15
20-34	56	2.2	3	1	1	2	3	5	6	8
35-49	33	3.0	3	1	1	3	4	5	6	8
50-64	16	4.5	17	2	2	3	5	11	14	16
65 +	14	5.6	7	3	4	5	7	9	11	12
B. Operated										
0-19 YRS	406	4.0	8	2	2	3	4	6	9	16
20-34	393	4.5	6	2	3	4	5	7	9	14
35-49	177	5.4	9	3	3	4	7	9	12	16
50-64	59	6.9	38	3	3	5	8	13	16	42
65 +	69	8.2	44	3	4	6	9	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.0	2	1	1	1	3	4	5	7
B. Operated	1462	3.2	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	207	2.7	7	1	1	2	3	5	8	14
B. Operated	1104	4.8	13	2	3	4	6	8	11	22
1. SINGLE DX	1680	3.1	3	1	2	3	4	5	6	10
2. MULTIPLE DX	1311	4.5	12	2	3	4	5	8	11	18
A. Not Operated	425	2.3	5	1	1	2	3	5	6	13
B. Operated	2566	3.9	8	2	2	3	4	6	8	14
TOTAL										
0-19 YRS	1311	3.1	5	1	2	3	4	5	6	12
20-34	1033	3.7	5	2	2	3	4	6	8	12
35-49	412	4.3	7	2	3	4	5	8	9	14
50-64	131	5.2	22	2	3	4	6	10	13	22
65 +	104	7.0	34	2	4	5	8	12	22	31
GRAND TOTAL	**2991**	**3.7**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.2	1	< 1	1	1	1	2	3	5
20-34	19	1.9	6	1	1	1	2	3	8	12
35-49	14	1.4	1	< 1	1	1	2	3	3	3
50-64	19	1.7	1	1	1	1	3	3	3	3
65 +	19	2.0	3	1	1	1	2	4	6	8
B. Operated										
0-19 YRS	3279	1.2		< 1	< 1	1	1	2	2	3
20-34	2827	1.5	2	1	1	1	2	3	3	5
35-49	3226	1.6	1	1	1	1	2	3	3	5
50-64	4099	1.7	3	1	1	1	2	3	4	5
65 +	3241	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	1.5	1	< 1	< 1	1	1	3	4	6
20-34	21	1.9	6	< 1	< 1	1	2	3	7	12
35-49	31	1.7	3	< 1	< 1	1	1	4	6	9
50-64	74	2.0	5	< 1	< 1	1	2	4	5	14
65 +	151	3.2	12	< 1	1	2	4	8	10	15
B. Operated										
0-19 YRS	2792	1.5	2	< 1	1	1	2	2	4	8
20-34	1265	1.9	2	1	1	2	2	3	4	8
35-49	2307	2.2	3	1	1	2	3	4	5	8
50-64	4342	2.4	4	1	1	2	3	4	6	10
65 +	7833	3.2	11	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	1.6	2	< 1	1	1	2	3	3	9
B. Operated	16672	1.6	2	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	396	2.3	7	< 1	< 1	1	2	5	8	13
B. Operated	18539	2.5	7	1	1	2	3	5	7	12
1. SINGLE DX	16785	1.6	2	< 1	1	1	2	3	3	5
2. MULTIPLE DX	18935	2.5	7	1	1	2	3	5	7	12
A. Not Operated	509	2.1	6	< 1	< 1	1	2	5	6	12
B. Operated	35211	2.1	5	1	1	1	2	4	5	10
TOTAL										
0-19 YRS	6232	1.4	1	< 1	< 1	1	1	2	3	6
20-34	4132	1.7	2	1	1	1	2	3	4	6
35-49	5578	1.8	2	1	1	1	2	3	4	7
50-64	8534	2.1	4	1	1	2	3	4	5	8
65 +	11244	2.8	8	1	1	2	3	5	7	14
GRAND TOTAL	**35720**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**5**	**10**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.2		< 1	< 1	1	1	1	3	4
20-34	5	1.2		1	1	1	2	2	2	2
35-49	7	1.6	1	< 1	1	1	2	3	3	3
50-64	12	1.7	1	< 1	< 1	1	2	3	4	4
65 +	15	1.9	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	752	1.5	1	< 1	1	1	2	3	3	5
20-34	302	2.1	3	1	1	2	3	4	5	6
35-49	235	2.3	2	1	1	2	3	4	5	7
50-64	306	2.6	3	1	1	2	3	5	6	9
65 +	469	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	1.4	1	< 1	1	1	2	3	4	5
20-34	5	3.6	10	< 1	1	2	6	8	8	8
35-49	7	3.9	12	1	2	2	5	10	11	11
50-64	14	3.9	12	< 1	1	3	5	8	12	13
65 +	99	4.6	28	1	2	3	5	10	14	31
B. Operated										
0-19 YRS	767	2.4	11	1	1	2	3	4	6	13
20-34	143	3.3	14	1	1	3	4	6	8	13
35-49	181	4.3	16	1	2	3	5	9	13	21
50-64	477	4.2	14	1	2	3	5	9	11	16
65 +	2030	6.9	52	2	3	5	8	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	67	1.5	1	< 1	1	1	2	3	4	4
B. Operated	2064	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	161	3.8	20	1	1	2	5	8	12	28
B. Operated	3598	5.3	39	1	2	3	6	11	16	32
1. SINGLE DX	2131	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	3759	5.2	38	1	2	3	6	11	15	32
A. Not Operated	228	3.1	16	< 1	1	2	4	7	10	24
B. Operated	5662	4.2	28	1	1	3	5	9	13	26
TOTAL										
0-19 YRS	1583	1.9	6	1	1	1	2	3	4	9
20-34	455	2.5	7	1	1	2	3	5	6	8
35-49	430	3.2	9	1	1	2	4	6	8	19
50-64	809	3.6	10	1	2	3	4	7	10	14
65 +	2613	6.1	45	1	2	4	7	13	17	35
GRAND TOTAL	**5890**	**4.1**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	6	< 1	1	1	1	6	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.0	12	< 1	< 1	1	5	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	3	2.7	8	< 1	< 1	1	5	6	6	6
B. Operated										
0-19 YRS	320	1.5	4	< 1	< 1	1	1	2	3	8
20-34	136	1.7	1	< 1	1	1	2	3	4	6
35-49	292	1.6	1	< 1	1	1	2	3	3	5
50-64	198	2.1	2	1	1	2	3	4	5	7
65 +	83	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	1.4	1	< 1	< 1	1	2	3	3	3
20-34	5	1.4	1	< 1	< 1	1	2	3	3	3
35-49	15	2.2	11	< 1	< 1	1	1	4	11	14
50-64	16	3.8	7	< 1	2	3	5	6	10	11
65 +	9	3.6	5	< 1	1	4	5	6	6	6
B. Operated										
0-19 YRS	138	3.7	41	< 1	1	1	3	10	27	99 +
20-34	112	2.8	5	1	1	2	4	6	7	10
35-49	315	2.7	7	1	1	2	3	5	6	16
50-64	370	3.2	9	1	1	2	4	6	8	13
65 +	309	4.4	34	1	2	3	5	9	11	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.3	6	< 1	1	1	3	7	7	7
B. Operated	1029	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	58	2.6	6	< 1	1	1	4	6	6	14
B. Operated	1244	3.4	18	1	1	2	4	7	9	25
1. SINGLE DX	1044	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1302	3.4	18	1	1	2	4	7	9	25
A. Not Operated	73	2.5	6	< 1	1	1	3	6	7	13
B. Operated	2273	2.6	12	< 1	1	2	3	5	7	17
TOTAL										
0-19 YRS	477	2.1	15	< 1	< 1	1	2	3	7	36
20-34	254	2.2	3	< 1	1	2	3	4	6	9
35-49	625	2.2	4	1	1	2	3	4	5	11
50-64	586	2.8	7	1	1	2	3	5	7	12
65 +	404	3.9	27	1	1	3	4	8	11	19
GRAND TOTAL	**2346**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**7**	**16**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	16	3.1	2	< 1	2	3	4	5	6	6
50-64	11	4.5	24	< 1	< 1	2	6	12	17	17
65 +	11	3.0	2	1	2	3	4	5	6	6
B. Operated										
0-19 YRS	127	2.2	5	< 1	< 1	1	3	5	6	11
20-34	454	2.8	5	1	1	2	4	5	6	11
35-49	981	3.0	3	1	2	3	4	5	6	8
50-64	1025	3.2	4	1	2	3	4	6	7	10
65 +	767	3.5	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	9	< 1	< 1	1	3	8	8	8
20-34	18	2.3	4	< 1	< 1	2	3	4	7	9
35-49	52	1.9	1	< 1	< 1	1	3	4	4	5
50-64	82	3.7	21	< 1	1	2	4	7	15	25
65 +	132	4.2	12	1	2	4	6	8	11	20
B. Operated										
0-19 YRS	76	3.1	6	1	1	2	4	6	9	11
20-34	410	3.7	6	1	2	3	5	7	8	12
35-49	1341	4.4	15	1	2	4	5	7	10	21
50-64	1990	5.0	18	2	3	4	6	9	11	21
65 +	2540	5.4	16	2	3	5	7	10	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.4	8	< 1	2	3	4	6	7	17
B. Operated	3354	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	289	3.5	13	< 1	1	3	4	7	10	20
B. Operated	6357	4.9	16	2	3	4	6	9	11	21
1. SINGLE DX	3396	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX	6646	4.9	16	1	3	4	6	9	11	21
A. Not Operated	331	3.5	12	< 1	1	3	4	7	9	20
B. Operated	9711	4.3	13	1	2	4	5	8	10	18
TOTAL										
0-19 YRS	209	2.5	5	< 1	1	2	3	6	7	10
20-34	885	3.2	6	1	2	3	4	6	7	12
35-49	2390	3.8	10	1	2	3	5	7	8	16
50-64	3108	4.4	14	1	2	4	5	8	10	18
65 +	3450	5.0	14	1	3	4	6	9	11	20
GRAND TOTAL	**10042**	**4.3**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	13	2.3	2	1	1	2	3	5	6	6
35-49	59	2.6	4	1	2	2	3	5	7	11
50-64	56	2.6	3	< 1	2	2	3	5	7	8
65 +	45	2.6	3	< 1	1	2	3	5	7	8
B. Operated										
0-19 YRS	22	6.3	19	3	4	6	7	9	15	23
20-34	11	4.5	8	1	2	4	7	8	8	8
35-49	31	5.6	8	2	4	5	8	9	10	11
50-64	48	6.0	8	1	5	6	7	10	11	13
65 +	26	6.1	24	< 1	2	6	8	11	16	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.8	7	1	2	3	5	8	9	10
20-34	123	3.1	3	1	2	3	4	5	7	9
35-49	435	3.2	6	1	2	3	4	5	7	12
50-64	764	3.6	5	1	2	3	5	6	8	12
65 +	1293	4.4	12	2	2	4	5	8	10	16
B. Ooerated										
0-19 YRS	62	10.0	43	4	6	8	11	22	28	91
20-34	125	6.6	47	3	4	5	7	10	11	51
35-49	286	7.4	45	3	4	6	9	12	14	31
50-64	449	7.6	47	2	5	7	8	13	17	26
65 +	543	9.1	49	3	5	8	11	17	21	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	177	2.6	3	< 1	1	2	3	5	7	10
B. Operated	138	5.9	13	1	3	6	8	10	11	22
2. MULTIPLE DX										
A. Not Operated	2636	3.9	8	2	2	3	5	7	9	14
B. Operated	1465	8.1	48	3	5	7	9	14	18	41
1. SINGLE DX	315	4.0	10	1	2	3	6	8	10	14
2. MULTIPLE DX	4101	5.4	27	2	3	4	7	10	13	24
A. Not Operated	2813	3.8	8	1	2	3	5	7	8	14
B. Operated	1603	7.9	46	3	5	7	9	13	18	39
TOTAL										
0-19 YRS	109	7.7	37	2	4	7	9	16	23	59
20-34	272	4.7	27	1	2	4	6	8	10	19
35-49	811	4.7	24	1	2	4	6	9	11	19
50-64	1317	5.0	23	2	3	4	6	9	12	20
65 +	1907	5.7	27	2	3	4	7	11	14	25
GRAND TOTAL	**4416**	**5.3**	**26**	**2**	**3**	**4**	**7**	**10**	**13**	**23**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	19	2.1	3	< 1	< 1	1	3	5	6	7
20-34	57	2.0	4	1	1	1	2	4	5	13
35-49	101	1.7	1	1	1	1	2	3	4	5
50-64	90	2.1	4	1	1	2	2	4	4	13
65 +	115	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	2.2		2	2	2	3	3	3	3
35-49	7	3.7	4	1	2	4	5	6	6	6
50-64	9	3.4	12	< 1	1	2	4	9	12	12
65 +	18	5.4	12	1	3	5	8	9	12	14
B. Operated										
0-19 YRS	14	5.4	19	< 1	2	5	7	11	16	17
20-34	41	2.7	3	1	2	2	3	5	7	7
35-49	80	3.6	14	1	1	2	4	8	11	20
50-64	120	3.6	10	1	2	3	4	8	10	16
65 +	251	4.6	15	1	2	3	6	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	3	< 1	1	1	4	4	4	4
B. Operated	382	2.1	3	1	1	2	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	41	4.1	10	< 1	2	3	6	8	10	14
B. Operated	506	4.1	13	1	2	3	5	9	11	17
1. SINGLE DX	387	2.1	3	1	1	2	2	4	5	11
2. MULTIPLE DX	547	4.1	13	1	2	3	5	9	11	17
A. Not Operated	46	3.9	9	< 1	1	3	5	8	10	14
B. Operated	888	3.2	10	1	1	2	4	7	10	16
TOTAL										
0-19 YRS	35	3.3	12	< 1	< 1	2	5	7	10	17
20-34	105	2.3	3	1	1	2	3	4	6	10
35-49	189	2.6	8	1	1	2	3	5	7	16
50-64	221	3.0	8	1	1	2	4	6	10	15
65 +	384	4.0	13	1	2	3	5	9	11	16
GRAND TOTAL	**934**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**10**	**16**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	2	< 1	< 1	1	3	4	4	4
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	20	2.8	3	1	1	2	4	5	6	7
50-64	19	3.1	6	1	1	2	5	7	8	8
65 +	31	3.4	5	1	2	3	5	7	8	10
B. Operated										
0-19 YRS	73	2.1	3	1	1	1	2	4	6	7
20-34	195	2.6	6	1	1	2	3	5	7	15
35-49	472	3.1	8	1	1	2	4	6	8	12
50-64	450	3.5	7	1	1	3	5	7	9	13
65 +	461	4.6	12	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	4	1	2	3	5	6	6	6
20-34	12	2.4	3	< 1	1	2	3	5	6	6
35-49	41	3.9	8	1	2	3	5	7	10	14
50-64	71	4.2	8	1	2	4	5	7	9	15
65 +	262	6.3	59	2	3	4	7	13	18	43
B. Operated										
0-19 YRS	61	5.4	21	1	2	4	8	12	15	21
20-34	188	5.2	22	1	2	4	6	11	15	28
35-49	704	5.6	25	1	3	4	7	11	14	24
50-64	1180	7.3	65	2	3	5	9	14	19	44
65 +	2711	9.9	81	2	4	8	12	19	27	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	3.0	5	1	1	3	4	6	8	9
B. Operated	1651	3.5	9	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	390	5.5	43	2	3	4	6	11	16	27
B. Operated	4844	8.4	69	2	3	6	10	16	23	45
1. SINGLE DX	1731	3.5	9	1	1	3	5	7	9	13
2. MULTIPLE DX	5234	8.2	67	2	3	6	10	16	22	45
A. Not Operated	470	5.1	38	1	2	4	6	10	14	26
B. Operated	6495	7.2	58	1	3	5	9	14	20	41
TOTAL										
0-19 YRS	144	3.5	13	1	1	2	5	9	11	17
20-34	399	3.8	15	1	1	2	5	8	12	21
35-49	1237	4.6	19	1	2	3	6	9	12	21
50-64	1720	6.2	50	1	2	4	8	12	15	39
65 +	3465	8.8	73	2	4	7	11	17	25	47
GRAND TOTAL	**6965**	**7.0**	**57**	**1**	**3**	**5**	**9**	**14**	**19**	**41**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	638	2.2	8	1	1	2	3	4	6	10
20-34	528	3.6	9	1	2	3	5	6	8	14
35-49	861	3.7	6	1	2	3	5	6	8	13
50-64	915	4.1	7	1	2	4	5	7	9	12
65 +	981	4.1	7	1	2	4	5	7	9	11
B. Operated										
0-19 YRS	518	5.7	18	2	3	5	7	9	13	26
20-34	310	7.6	17	4	5	7	9	12	14	25
35-49	362	8.3	16	4	6	7	10	14	16	21
50-64	345	9.1	31	5	6	8	10	14	17	24
65 +	369	10.3	17	6	7	10	13	16	17	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	620	3.6	12	1	2	3	4	7	9	18
20-34	855	4.5	11	1	2	4	6	8	11	18
35-49	1697	5.0	14	2	3	4	6	9	12	19
50-64	3040	5.6	22	2	3	4	7	10	13	22
65 +	9003	6.6	31	2	3	5	8	12	15	27
B. Operated										
0-19 YRS	827	10.3	127	3	5	7	11	20	30	82
20-34	683	11.0	70	5	6	9	12	19	26	49
35-49	1348	12.5	79	5	7	10	15	23	31	48
50-64	2075	14.1	101	6	8	11	17	26	34	57
65 +	5515	16.0	119	7	9	13	19	29	38	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3923	3.6	8	1	2	3	5	7	8	12
B. Operated	1904	8.0	22	3	5	7	10	13	16	24
2. MULTIPLE DX										
A. Not Operated	15215	6.0	26	2	3	5	7	11	14	25
B. Operated	10448	14.4	111	6	8	11	17	26	35	66
1. SINGLE DX	5827	5.1	17	1	2	4	7	10	12	19
2. MULTIPLE DX	25663	9.4	78	2	4	7	12	19	25	49
A. Not Operated	19138	5.5	23	2	3	4	7	10	13	23
B. Operated	12352	13.4	103	5	7	11	16	25	33	62
TOTAL										
0-19 YRS	2603	5.8	59	1	2	4	7	11	17	47
20-34	2376	6.6	38	2	3	5	8	12	16	34
35-49	4268	7.4	47	2	3	6	9	15	20	36
50-64	6375	8.3	63	2	4	6	10	16	22	45
65 +	15868	9.8	81	3	4	7	12	20	26	50
GRAND TOTAL	**31490**	**8.6**	**69**	**2**	**4**	**6**	**11**	**17**	**23**	**45**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5386	2.2	2	1	1	2	3	4	5	7
20-34	2292	2.1	2	1	1	2	3	4	5	7
35-49	1068	2.5	3	1	1	2	3	4	5	8
50-64	586	2.7	4	1	1	2	3	5	6	11
65 +	436	3.0	6	1	1	2	4	6	7	12
B. Operated										
0-19 YRS	181	4.2	20	2	2	3	4	7	10	30
20-34	242	4.0	7	2	3	3	5	7	9	13
35-49	151	4.2	7	2	2	4	5	7	9	14
50-64	72	4.8	9	< 1	2	5	6	9	11	13
65 +	45	4.2	9	< 1	2	4	6	10	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15747	2.8	4	1	2	2	3	5	6	10
20-34	4406	2.8	4	1	1	2	3	5	6	10
35-49	3416	3.5	7	1	2	3	4	6	8	14
50-64	3543	4.0	10	1	2	3	5	7	9	16
65 +	7924	5.0	22	2	3	4	6	9	12	24
B. Operated										
0-19 YRS	446	9.6	187	2	3	5	9	25	42	70
20-34	519	5.5	23	2	3	4	7	10	13	23
35-49	547	6.9	39	2	3	5	8	13	17	39
50-64	635	8.8	87	3	4	6	10	16	23	51
65 +	1350	10.2	77	3	5	8	13	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9768	2.2	3	1	1	2	3	4	5	8
B. Operated	691	4.2	11	1	2	3	5	7	10	14
2. MULTIPLE DX										
A. Not Operated	35036	3.5	10	1	2	3	4	6	8	15
B. Operated	3497	8.7	82	2	4	6	10	17	24	55
1. SINGLE DX	10459	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	38533	4.0	19	1	2	3	4	7	10	21
A. Not Operated	44804	3.2	9	1	2	3	4	6	8	14
B. Operated	4188	7.9	73	2	3	5	9	16	23	51
TOTAL										
0-19 YRS	21760	2.8	9	1	2	2	3	5	6	12
20-34	7459	2.8	6	1	1	2	3	5	7	11
35-49	5182	3.6	11	1	2	3	4	7	9	16
50-64	4836	4.5	22	1	2	3	5	8	11	21
65 +	9755	5.6	32	2	3	4	7	11	15	30
GRAND TOTAL	**48992**	**3.6**	**16**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	177	4.4	4	2	3	4	5	7	8	11
35-49	947	4.6	6	2	3	4	6	7	9	13
50-64	1192	4.7	6	2	3	4	6	8	9	12
65 +	1073	4.5	7	1	3	4	6	8	9	14
B. Operated										
0-19 YRS	10	7.0	8	3	5	7	8	11	13	13
20-34	100	7.1	13	4	5	7	8	10	14	24
35-49	297	8.1	12	5	6	8	9	12	15	22
50-64	404	8.7	13	5	7	8	10	14	16	21
65 +	237	9.7	29	5	7	9	11	15	17	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.7	4	2	3	5	6	8	8	8
20-34	129	5.4	12	2	3	5	7	9	10	21
35-49	1063	5.4	8	2	3	5	7	9	11	14
50-64	3055	5.4	10	2	3	5	7	9	11	16
65 +	10427	6.3	21	2	4	5	8	11	14	23
B. Operated										
0-19 YRS	12	8.8	19	5	6	7	9	17	19	19
20-34	191	10.1	34	5	7	9	12	18	23	32
35-49	1071	10.6	37	5	7	9	12	18	23	32
50-64	2190	11.5	55	5	7	10	14	19	25	45
65 +	5282	13.7	113	5	8	11	17	25	33	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3393	4.6	6	2	3	4	6	8	9	13
B. Operated	1048	8.6	17	5	7	8	10	14	16	23
2. MULTIPLE DX										
A. Not Operated	14683	6.0	18	2	4	5	7	10	13	21
B. Operated	8746	12.7	89	5	7	10	15	23	30	56
1. SINGLE DX	4441	5.5	12	2	3	5	7	9	11	17
2. MULTIPLE DX	23429	8.5	55	3	4	7	10	16	21	39
A. Not Operated	18076	5.8	16	2	3	5	7	10	12	20
B. Operated	9794	12.2	83	5	7	10	14	22	29	54
TOTAL										
0-19 YRS	35	6.6	13	3	4	6	8	10	15	19
20-34	597	6.9	23	3	4	6	8	12	16	27
35-49	3378	7.1	24	3	4	6	9	12	16	26
50-64	6841	7.4	33	3	4	6	9	13	17	30
65 +	17019	8.5	61	3	4	7	10	16	22	42
GRAND TOTAL	**27870**	**8.0**	**49**	**3**	**4**	**6**	**10**	**15**	**20**	**36**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.4	11	< 1	1	2	4	7	12	14
20-34	36	3.6	5	1	2	3	5	7	8	11
35-49	43	3.0	3	1	2	3	4	5	5	9
50-64	15	3.7	8	1	1	3	6	7	9	10
65 +	5	4.4	2	3	3	5	5	6	6	6
B. Operated										
0-19 YRS	241	2.5	6	1	1	2	3	5	7	13
20-34	1144	2.3	2	1	1	2	3	4	5	8
35-49	1265	2.2	3	1	1	2	3	4	5	10
50-64	582	2.4	4	1	1	2	3	5	6	10
65 +	177	2.8	13	1	1	2	3	5	7	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	4.6	24	1	2	3	7	9	12	28
20-34	89	4.0	10	< 1	2	3	5	8	11	17
35-49	107	4.5	16	1	2	4	6	9	13	21
50-64	93	5.6	40	1	2	4	7	11	14	41
65 +	122	8.3	76	2	3	5	9	22	29	45
B. Operated										
0-19 YRS	192	5.0	83	1	1	3	5	13	15	95
20-34	1166	3.4	17	1	1	2	4	6	9	20
35-49	1637	3.3	15	1	1	2	4	7	9	19
50-64	1319	4.0	32	1	1	3	4	8	12	34
65 +	926	5.7	41	1	2	3	7	13	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	3.4	6	1	1	3	4	7	8	14
B. Operated	3409	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	517	5.5	38	1	2	4	7	11	16	33
B. Operated	5240	4.0	27	1	1	3	4	8	12	28
1. SINGLE DX	3554	2.4	4	1	1	2	3	4	6	10
2. MULTIPLE DX	5757	4.1	28	1	1	3	5	8	13	29
A. Not Operated	662	5.1	31	1	2	3	6	10	14	31
B. Operated	8649	3.3	19	1	1	2	4	6	9	22
TOTAL										
0-19 YRS	585	3.8	36	1	1	2	4	8	13	43
20-34	2435	2.9	10	1	1	2	3	5	7	15
35-49	3052	2.9	10	1	1	2	3	6	8	16
50-64	2009	3.6	25	1	1	2	4	7	10	28
65 +	1230	5.5	42	1	2	3	7	12	18	33
GRAND TOTAL	**9311**	**3.5**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

1,107 Hospitals, United States, January-December 1988

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	136	2.9	4	1	2	3	4	5	6	11
20-34	245	3.5	6	1	2	3	4	6	8	12
35-49	162	3.9	14	1	2	3	5	7	9	16
50-64	86	3.6	7	1	1	3	5	7	9	12
65 +	60	3.7	6	1	2	3	5	7	9	13
B. Operated										
0-19 YRS	33	4.9	12	2	3	4	6	9	13	17
20-34	48	4.2	5	2	3	4	5	7	8	12
35-49	38	4.7	8	1	2	4	7	8	10	13
50-64	17	6.5	16	2	3	5	9	13	14	14
65 +	16	7.4	48	3	4	6	8	10	25	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	180	3.6	8	1	2	3	5	6	7	15
20-34	444	4.0	10	1	2	3	5	7	9	14
35-49	502	4.8	24	2	3	4	6	8	10	18
50-64	457	5.2	14	2	3	4	7	9	11	19
65 +	887	6.7	29	2	3	5	8	12	16	31
B. Operated										
0-19 YRS	40	9.2	83	3	4	6	9	26	33	36
20-34	134	6.8	48	2	3	5	8	11	17	43
35-49	163	7.3	35	3	4	6	9	14	18	54
50-64	165	9.0	49	3	5	7	10	17	22	59
65 +	372	11.8	110	4	5	9	15	22	34	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	689	3.5	8	1	2	3	5	6	8	13
B. Operated	152	5.1	14	2	3	4	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	2470	5.3	22	2	3	4	7	10	13	22
B. Operated	874	9.6	78	3	5	7	11	19	26	61
1. SINGLE DX	841	3.8	9	1	2	3	5	7	9	13
2. MULTIPLE DX	3344	6.4	40	2	3	5	8	12	16	36
A. Not Operated	3159	4.9	19	1	2	4	6	9	12	21
B. Operated	1026	8.9	71	3	4	7	10	18	24	59
TOTAL										
0-19 YRS	389	4.1	18	1	2	3	5	7	9	29
20-34	871	4.3	15	1	2	3	5	8	10	18
35-49	865	5.1	25	2	3	4	6	9	11	21
50-64	725	5.9	24	2	3	5	8	10	14	26
65 +	1335	8.0	57	2	4	6	10	15	21	43
GRAND TOTAL	**4185**	**5.9**	**35**	**2**	**3**	**4**	**7**	**11**	**15**	**32**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	247	5.5	17	2	3	4	7	10	13	23
20-34	465	5.3	14	2	3	5	7	10	12	16
35-49	263	5.1	11	2	3	4	7	9	11	16
50-64	85	5.6	17	2	3	4	7	12	14	22
65 +	47	5.6	10	2	3	5	8	10	13	14
B. Operated										
0-19 YRS	247	9.1	61	2	4	7	11	18	25	40
20-34	457	8.3	32	3	5	7	10	15	19	27
35-49	267	8.5	36	2	4	8	10	16	21	32
50-64	130	8.2	27	< 1	4	8	11	16	18	21
65 +	71	9.2	89	2	4	7	12	16	20	63
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	334	6.5	36	2	3	5	8	13	15	29
20-34	894	6.3	26	2	3	5	8	12	15	26
35-49	732	6.2	20	2	3	5	8	12	15	23
50-64	406	7.2	25	2	4	6	9	13	18	26
65 +	437	7.2	27	3	4	6	9	13	18	30
B. Operated										
0-19 YRS	446	13.3	122	4	6	9	17	29	37	53
20-34	1227	12.1	90	4	6	9	15	24	32	49
35-49	1022	12.5	82	4	7	10	15	24	32	47
50-64	691	12.8	128	4	6	10	15	25	35	71
65 +	949	14.3	149	4	7	11	17	30	41	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1107	5.3	14	2	3	4	7	10	13	17
B. Operated	1172	8.6	42	2	4	7	10	16	20	36
2. MULTIPLE DX										
A. Not Operated	2803	6.6	26	2	3	5	8	13	16	26
B. Operated	4335	12.9	111	4	6	10	16	26	34	57
1. SINGLE DX	2279	7.0	31	2	3	6	9	13	17	28
2. MULTIPLE DX	7138	10.4	87	3	5	8	13	21	29	50
A. Not Operated	3910	6.2	23	2	3	5	8	12	15	25
B. Operated	5507	12.0	99	4	6	9	15	24	32	55
TOTAL										
0-19 YRS	1274	9.2	77	2	4	7	11	18	28	46
20-34	3043	8.8	59	3	4	7	11	17	23	38
35-49	2284	9.2	58	3	4	7	11	18	24	41
50-64	1312	10.1	87	3	5	8	12	20	27	49
65 +	1504	11.7	118	3	5	8	14	25	33	70
GRAND TOTAL	**9417**	**9.6**	**76**	**3**	**4**	**7**	**12**	**19**	**27**	**47**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	5.3	14	1	3	5	7	8	14	17
20-34	23	4.9	8	1	3	5	7	9	10	10
35-49	19	4.2	5	1	3	4	5	8	9	9
50-64	19	5.7	32	1	2	4	7	11	20	25
65 +	11	4.5	16	< 1	3	3	4	12	14	14
B. Operated										
0-19 YRS	30	8.2	35	3	4	7	11	19	22	24
20-34	51	7.0	18	3	4	6	8	14	14	20
35-49	32	7.0	29	2	3	5	10	14	18	22
50-64	21	7.7	37	3	4	5	11	17	20	24
65 +	16	20.0	676	2	6	10	18	63	87	96
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	166	6.2	27	2	3	5	8	11	13	29
20-34	151	5.7	22	2	3	5	6	10	14	28
35-49	232	6.9	26	2	3	6	9	13	16	23
50-64	287	8.5	36	3	4	7	11	16	21	30
65 +	266	9.5	64	3	5	8	12	18	22	33
B. Operated										
0-19 YRS	131	13.9	156	4	6	10	18	28	44	99 +
20-34	166	12.9	163	4	6	9	14	26	36	67
35-49	238	14.7	186	4	7	11	17	30	40	73
50-64	281	16.6	194	5	8	13	20	35	51	97
65 +	373	20.3	258	7	10	16	25	42	59	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	5.0	14	1	3	4	6	9	10	22
B. Operated	150	8.7	107	2	4	6	10	17	20	66
2. MULTIPLE DX										
A. Not Operated	1102	7.7	39	2	4	6	10	15	19	29
B. Operated	1189	16.6	211	5	8	12	20	34	51	93
1. SINGLE DX	240	7.3	75	2	3	5	9	14	18	42
2. MULTIPLE DX	2291	12.3	148	3	5	9	15	25	35	78
A. Not Operated	1192	7.5	38	2	4	6	10	15	18	29
B. Operated	1339	15.7	206	4	7	12	19	32	48	92
TOTAL										
0-19 YRS	345	9.2	89	2	4	7	11	19	27	57
20-34	391	8.9	92	3	4	6	10	17	24	62
35-49	521	10.4	114	2	4	7	13	19	30	54
50-64	608	12.1	126	3	5	9	16	23	33	77
65 +	666	15.7	215	4	7	12	19	31	46	91
GRAND TOTAL	**2531**	**11.8**	**143**	**3**	**5**	**8**	**15**	**24**	**34**	**77**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	596	2.4	5	1	1	2	3	4	6	13
20-34	226	2.7	6	1	1	2	3	5	8	11
35-49	262	3.0	15	< 1	1	2	4	5	7	28
50-64	202	3.6	17	1	1	2	4	7	10	24
65 +	325	3.4	14	< 1	1	2	4	7	9	17
B. Operated										
0-19 YRS	304	3.9	15	1	1	3	6	8	9	19
20-34	291	4.5	10	1	2	4	6	8	10	14
35-49	339	5.2	24	1	2	4	7	10	12	20
50-64	251	5.2	20	1	2	4	7	10	13	19
65 +	322	5.8	36	1	2	5	8	10	14	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1048	3.2	12	1	1	2	4	6	9	17
20-34	607	4.0	16	1	2	3	5	8	10	21
35-49	933	4.3	20	1	2	3	5	8	11	18
50-64	1381	5.0	25	1	2	4	6	10	13	22
65 +	5561	6.0	35	2	3	4	7	12	15	29
B. Operated										
0-19 YRS	580	8.4	114	2	3	5	10	19	30	98
20-34	1060	7.5	69	2	3	5	9	15	23	45
35-49	1420	9.4	116	2	4	6	11	20	29	65
50-64	1934	10.6	124	2	4	8	13	22	31	62
65 +	4895	12.2	132	3	5	9	15	25	36	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1611	2.9	10	< 1	1	2	3	5	8	17
B. Operated	1507	4.9	22	1	2	4	7	9	12	22
2. MULTIPLE DX										
A. Not Operated	9530	5.3	29	1	2	4	6	11	14	26
B. Operated	9889	10.8	123	2	4	8	13	23	32	68
1. SINGLE DX	3118	3.9	17	1	1	3	5	8	10	19
2. MULTIPLE DX	19419	8.1	85	2	3	5	10	17	24	54
A. Not Operated	11141	4.9	27	1	2	4	6	10	13	25
B. Operated	11396	10.0	114	2	4	7	12	21	30	64
TOTAL										
0-19 YRS	2528	4.3	40	1	1	3	5	9	12	36
20-34	2184	5.7	43	1	2	4	7	11	16	34
35-49	2954	6.8	73	1	2	4	8	13	21	44
50-64	3768	7.8	83	1	3	5	9	16	23	51
65 +	11103	8.7	87	2	3	6	11	18	26	56
GRAND TOTAL	**22537**	**7.5**	**77**	**1**	**3**	**5**	**9**	**16**	**23**	**50**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	18	3.6	4	2	2	4	4	6	8	10
35-49	33	6.8	32	2	3	5	7	15	19	26
50-64	27	7.5	23	3	4	6	9	15	20	20
65 +	3	17.3	234	8	8	9	28	35	35	35
B. Operated										
0-19 YRS	0									
20-34	6	2.8	3	1	1	2	5	5	5	5
35-49	22	4.5	24	1	1	2	6	14	16	17
50-64	21	2.4	4	< 1	1	1	4	5	6	7
65 +	15	5.5	19	1	2	4	8	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	385	8.1	45	2	4	6	11	17	21	36
35-49	1253	9.0	66	3	4	7	11	19	25	40
50-64	1253	9.9	87	3	5	7	12	20	27	50
65 +	654	10.2	67	3	5	8	13	18	26	45
B. Operated										
0-19 YRS	0									
20-34	106	12.3	177	2	4	7	16	30	43	82
35-49	467	12.2	127	3	5	8	16	28	35	82
50-64	602	12.0	117	2	5	8	16	27	35	58
65 +	292	14.0	147	4	6	11	17	28	38	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	6.7	34	2	3	5	8	14	20	32
B. Operated	64	3.9	15	1	1	2	5	9	13	17
2. MULTIPLE DX										
A. Not Operated	3547	9.5	72	3	4	7	12	19	25	45
B. Operated	1467	12.5	131	3	5	9	16	28	36	65
1. SINGLE DX	145	5.5	27	1	2	4	7	12	15	26
2. MULTIPLE DX	5014	10.3	91	3	5	7	13	21	29	54
A. Not Operated	3628	9.4	71	3	4	7	11	19	25	45
B. Operated	1531	12.1	129	2	5	8	16	27	35	65
TOTAL										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	515	8.8	75	2	4	6	11	19	26	46
35-49	1775	9.8	83	3	4	7	12	20	29	48
50-64	1903	10.4	96	3	5	7	13	21	30	54
65 +	964	11.3	94	3	6	9	14	21	30	57
GRAND TOTAL	**5159**	**10.2**	**90**	**3**	**4**	**7**	**13**	**21**	**29**	**52**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	3.5	14	< 1	1	2	4	7	13	17
20-34	12	3.8	9	1	2	3	5	9	10	10
35-49	23	5.0	17	1	2	3	7	12	14	15
50-64	27	4.8	16	1	1	4	7	8	15	16
65 +	10	5.1	13	2	3	4	5	11	14	14
B. Operated										
0-19 YRS	95	2.9	34	1	1	1	2	4	11	37
20-34	108	1.5	2	1	1	1	1	2	5	9
35-49	141	1.7	4	< 1	1	1	1	3	6	10
50-64	140	1.9	8	1	1	1	1	4	6	15
65 +	70	3.3	30	1	1	1	2	7	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	4.5	20	1	2	3	6	9	11	28
20-34	69	6.2	27	1	3	5	8	12	18	26
35-49	231	6.8	39	2	3	5	8	13	19	37
50-64	436	8.0	56	2	4	6	10	15	19	36
65 +	684	9.8	78	3	5	8	12	18	23	64
B. Operated										
0-19 YRS	129	9.8	279	1	2	2	10	30	49	95
20-34	124	5.9	92	1	1	2	7	14	16	50
35-49	347	7.9	117	1	1	5	10	18	26	78
50-64	587	8.1	88	1	2	5	11	19	26	51
65 +	615	10.7	123	1	3	8	14	23	32	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	4.4	14	1	2	3	6	9	14	17
B. Operated	554	2.1	13	1	1	1	2	4	7	22
2. MULTIPLE DX										
A. Not Operated	1491	8.4	63	2	4	6	10	16	21	42
B. Operated	1802	8.9	121	1	2	6	11	20	29	64
1. SINGLE DX	647	2.4	14	1	1	1	2	5	8	20
2. MULTIPLE DX	3293	8.7	95	1	3	6	11	18	26	58
A. Not Operated	1584	8.1	61	2	4	6	10	16	21	39
B. Operated	2356	7.3	104	1	1	4	10	18	26	58
TOTAL										
0-19 YRS	316	6.1	139	1	1	2	5	15	30	80
20-34	313	4.4	48	1	1	2	5	11	14	34
35-49	742	6.3	73	1	1	4	8	14	20	47
50-64	1190	7.3	69	1	2	5	9	16	23	44
65 +	1379	9.8	98	1	4	7	13	20	28	59
GRAND TOTAL	**3940**	**7.7**	**87**	**1**	**2**	**5**	**10**	**17**	**24**	**51**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	3.4	7	1	2	3	4	7	9	13
20-34	138	4.5	7	2	3	4	6	8	9	13
35-49	89	3.8	6	1	2	3	5	7	8	12
50-64	70	4.6	10	2	2	4	6	10	12	15
65 +	41	6.5	48	1	3	5	6	14	24	33
B. Operated										
0-19 YRS	52	3.9	25	1	1	2	5	10	15	26
20-34	27	5.8	19	1	1	5	9	12	13	16
35-49	43	4.6	38	1	1	2	5	12	16	33
50-64	54	6.2	71	1	1	3	8	14	23	46
65 +	32	4.4	46	1	1	1	5	15	20	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	4.9	22	1	2	4	6	10	14	25
20-34	362	6.0	29	2	3	5	7	11	15	31
35-49	705	7.3	59	2	3	5	8	14	21	38
50-64	1064	7.7	54	2	4	6	9	14	20	37
65 +	1426	8.8	60	3	4	7	11	16	22	44
B. Operated										
0-19 YRS	187	14.2	339	1	2	7	21	44	67	99 +
20-34	136	12.7	149	2	4	9	16	29	45	64
35-49	276	13.7	213	2	4	9	18	32	51	99 +
50-64	444	13.2	127	1	5	11	19	27	36	65
65 +	536	14.8	148	3	6	11	21	30	40	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	413	4.4	12	1	2	4	5	8	9	17
B. Operated	208	5.0	42	1	1	2	7	12	16	33
2. MULTIPLE DX										
A. Not Operated	3749	7.7	54	2	4	6	9	15	20	37
B. Operated	1579	13.9	176	2	5	10	19	30	43	88
1. SINGLE DX	621	4.6	22	1	2	3	6	9	12	27
2. MULTIPLE DX	5328	9.5	98	2	4	6	12	21	28	54
A. Not Operated	4162	7.4	51	2	3	6	9	14	19	36
B. Operated	1787	12.9	169	1	4	9	18	29	41	84
TOTAL										
0-19 YRS	506	8.0	160	1	2	4	8	21	36	96
20-34	663	7.0	57	2	3	5	8	14	19	48
35-49	1113	8.5	102	2	3	5	10	18	28	62
50-64	1632	9.0	79	2	4	6	11	20	26	48
65 +	2035	10.2	90	3	4	7	13	21	28	49
GRAND TOTAL	**5949**	**9.0**	**93**	**2**	**3**	**6**	**11**	**20**	**28**	**53**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.2	2	1	1	2	3	5	5	6
20-34	520	2.3	3	1	1	2	3	4	5	8
35-49	550	2.3	3	1	1	2	3	4	5	8
50-64	424	2.8	5	1	1	2	3	5	7	11
65 +	304	3.3	5	1	2	3	5	7	7	9
B. Operated										
0-19 YRS	686	4.3	3	3	3	4	5	6	8	10
20-34	7713	4.3	3	3	3	4	5	6	7	10
35-49	7152	4.5	3	3	3	4	5	7	8	11
50-64	5285	4.8	4	3	4	4	6	7	9	12
65 +	2475	5.7	7	3	4	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	3.0	4	1	2	3	4	6	7	10
20-34	666	3.3	13	1	2	3	4	6	7	11
35-49	950	3.4	8	1	2	3	4	6	8	15
50-64	1448	4.1	12	1	2	3	5	8	10	18
65 +	3460	5.8	27	2	3	5	7	11	14	24
B. Operated										
0-19 YRS	608	6.1	17	3	4	5	7	10	12	21
20-34	7485	5.6	10	3	4	5	7	9	11	16
35-49	10330	5.8	13	3	4	5	7	9	11	18
50-64	12732	6.8	23	3	4	6	8	11	14	23
65 +	16389	9.3	43	4	5	8	11	16	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1855	2.6	4	1	1	2	3	5	6	9
B. Operated	23311	4.6	4	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	6609	4.8	21	1	2	4	6	9	12	20
B. Operated	47544	7.2	28	3	4	6	9	12	16	28
1. SINGLE DX	25166	4.5	4	3	3	4	5	7	8	11
2. MULTIPLE DX	54153	6.9	28	3	4	6	8	12	15	27
A. Not Operated	8464	4.3	18	1	2	3	5	9	11	19
B. Operated	70855	6.4	22	3	4	5	7	11	14	24
TOTAL										
0-19 YRS	1436	4.9	10	2	3	4	6	8	10	14
20-34	16384	4.8	7	3	3	4	6	8	9	14
35-49	18982	5.1	9	3	3	4	6	8	10	15
50-64	19889	6.0	18	3	4	5	7	10	12	20
65 +	22628	8.3	39	3	5	7	10	15	19	34
GRAND TOTAL	**79319**	**6.2**	**22**	**3**	**4**	**5**	**7**	**11**	**14**	**23**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.6	2	1	1	3	4	5	6	7
20-34	282	2.7	3	1	1	2	4	5	6	10
35-49	280	2.9	4	1	1	2	4	5	7	10
50-64	171	2.9	4	1	1	2	4	6	7	9
65 +	79	4.1	9	1	2	3	5	8	9	16
B. Operated										
0-19 YRS	58	5.2	41	1	3	4	5	8	11	46
20-34	555	4.7	5	3	3	4	5	8	10	13
35-49	593	4.9	5	3	3	4	6	8	9	13
50-64	365	5.5	6	3	4	5	7	8	10	13
65 +	159	6.8	14	4	4	6	8	11	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.6	7	1	1	3	5	7	9	13
20-34	308	3.8	10	1	2	3	5	7	8	16
35-49	448	4.1	11	1	2	3	5	7	9	17
50-64	519	4.4	9	2	2	4	6	8	9	14
65 +	1033	6.4	23	2	3	5	8	11	16	25
B. Operated										
0-19 YRS	61	7.5	109	2	3	5	9	12	16	75
20-34	858	5.9	16	3	4	5	7	11	13	21
35-49	1290	6.5	24	3	4	5	8	11	14	24
50-64	1189	7.8	28	4	4	6	9	14	17	27
65 +	1575	10.8	62	4	6	9	13	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	853	2.9	4	1	1	2	4	5	7	11
B. Operated	1730	5.1	8	3	3	4	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	2352	5.1	17	2	3	4	6	9	12	20
B. Operated	4973	8.1	41	3	4	6	10	14	19	36
1. SINGLE DX	2583	4.4	8	2	3	4	5	8	9	13
2. MULTIPLE DX	7325	7.1	35	3	4	6	9	13	17	30
A. Not Operated	3205	4.5	15	1	2	4	6	8	11	19
B. Operated	6703	7.3	34	3	4	6	9	13	17	31
TOTAL										
0-19 YRS	204	5.0	49	1	2	4	5	9	12	35
20-34	2003	4.8	11	2	3	4	6	8	11	17
35-49	2611	5.3	17	2	3	4	6	9	12	21
50-64	2244	6.3	21	2	4	5	8	11	14	23
65 +	2846	8.8	49	3	5	7	11	16	21	40
GRAND TOTAL	**9908**	**6.4**	**29**	**2**	**3**	**5**	**8**	**12**	**15**	**27**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	6	2	2	3	5	7	7	7
20-34	27	2.7	4	1	2	2	3	5	8	10
35-49	32	2.2	3	1	1	2	3	4	7	7
50-64	29	3.3	5	1	2	2	5	7	8	9
65 +	33	3.5	5	1	2	3	5	7	7	8
B. Operated										
0-19 YRS	21	6.4	6	3	5	6	8	10	11	11
20-34	220	5.7	9	2	4	5	8	9	11	15
35-49	208	6.0	14	1	3	5	8	11	12	18
50-64	183	6.2	17	1	3	6	9	11	14	18
65 +	279	6.5	28	1	2	5	8	13	16	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.1	3	1	2	3	5	6	6	6
20-34	50	3.5	13	1	2	3	4	6	6	21
35-49	72	3.5	6	1	2	3	5	7	9	10
50-64	129	4.5	8	1	3	4	6	9	10	12
65 +	418	6.0	19	2	3	5	8	11	14	17
B. Operated										
0-19 YRS	38	7.3	16	4	5	6	9	11	17	22
20-34	379	7.4	12	4	5	7	9	12	14	18
35-49	395	7.8	24	3	5	7	10	13	16	26
50-64	672	9.7	61	3	5	8	12	17	22	44
65 +	2452	11.9	69	4	7	10	15	21	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	2.9	4	1	1	2	4	7	7	9
B. Operated	911	6.1	17	1	3	5	8	11	13	22
2. MULTIPLE DX										
A. Not Operated	676	5.2	16	2	3	4	7	10	12	17
B. Operated	3936	10.6	60	4	6	9	13	19	24	43
1. SINGLE DX	1036	5.7	17	1	3	5	8	11	13	21
2. MULTIPLE DX	4612	9.9	58	3	5	8	12	18	23	41
A. Not Operated	801	4.9	15	1	2	4	7	9	12	16
B. Operated	4847	9.8	55	3	5	8	12	18	23	39
TOTAL										
0-19 YRS	70	6.4	13	3	4	6	8	10	11	21
20-34	676	6.4	13	2	4	6	8	11	13	18
35-49	707	6.6	21	2	4	6	9	11	15	22
50-64	1013	8.2	49	2	4	7	10	15	20	36
65 +	3182	10.6	65	3	6	9	13	19	25	43
GRAND TOTAL	**5648**	**9.1**	**53**	**2**	**5**	**8**	**11**	**17**	**22**	**38**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	5.0	13	2	2	4	6	11	13	15
20-34	36	3.1	3	1	2	3	4	5	7	9
35-49	48	4.8	6	1	3	5	7	8	9	11
50-64	38	4.8	15	2	2	4	6	9	12	21
65 +	48	4.8	14	1	2	4	7	9	11	22
B. Operated										
0-19 YRS	35	7.3	34	1	2	7	11	15	16	26
20-34	31	4.2	17	1	1	2	6	11	13	17
35-49	66	5.3	29	1	1	3	8	12	16	25
50-64	66	4.8	26	1	1	3	6	11	14	27
65 +	60	5.4	23	1	1	5	8	10	13	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	132	7.5	23	2	4	7	10	13	15	27
20-34	80	5.0	18	2	3	4	6	8	13	27
35-49	149	6.0	19	2	3	5	8	13	15	19
50-64	249	6.2	21	2	3	5	8	12	15	26
65 +	658	7.3	30	2	4	6	9	14	17	28
B. Operated										
0-19 YRS	106	16.2	253	3	7	13	20	30	44	88
20-34	121	9.1	60	1	4	7	12	20	26	38
35-49	242	8.8	53	1	3	7	12	17	23	37
50-64	433	10.3	72	2	5	8	13	21	25	43
65 +	935	12.2	117	3	6	10	15	25	34	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	4.5	11	1	2	4	6	9	10	18
B. Operated	258	5.3	26	1	1	4	8	12	15	26
2. MULTIPLE DX										
A. Not Operated	1268	6.8	26	2	3	6	9	13	16	27
B. Operated	1837	11.4	105	2	5	9	14	22	30	61
1. SINGLE DX	454	5.0	20	1	2	4	7	11	13	22
2. MULTIPLE DX	3105	9.5	78	2	4	7	12	19	25	50
A. Not Operated	1464	6.5	25	2	3	5	8	12	15	25
B. Operated	2095	10.6	99	2	4	8	14	21	28	56
TOTAL										
0-19 YRS	299	10.3	124	2	4	8	13	20	27	71
20-34	268	6.5	41	1	2	5	8	14	19	32
35-49	505	7.1	38	1	3	6	10	15	19	27
50-64	786	8.3	55	2	3	6	10	17	22	38
65 +	1701	9.9	84	2	4	8	13	19	27	53
GRAND TOTAL	**3559**	**8.9**	**73**	**2**	**4**	**7**	**11**	**18**	**24**	**47**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	4.8	14	1	3	4	6	9	12	21
20-34	680	4.7	14	2	3	4	6	9	10	15
35-49	767	5.0	23	2	3	4	6	9	11	21
50-64	521	5.1	12	2	3	5	6	8	10	16
65 +	293	5.2	14	2	3	4	7	8	12	21
B. Operated										
0-19 YRS	13	8.5	33	4	5	7	10	16	22	24
20-34	84	9.5	60	3	5	8	11	20	25	83
35-49	123	7.5	43	1	3	6	9	15	21	34
50-64	113	7.3	46	1	2	6	10	14	20	34
65 +	62	8.3	73	1	2	7	9	18	21	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	176	5.5	20	2	3	4	6	10	15	24
20-34	2618	6.0	19	2	3	5	7	11	14	23
35-49	4224	6.6	26	3	4	5	8	12	16	28
50-64	2752	6.8	29	2	4	5	8	12	16	27
65 +	3415	7.2	32	3	4	6	9	13	16	28
B. Operated										
0-19 YRS	66	16.6	197	4	8	12	21	32	50	74
20-34	648	14.7	162	4	7	11	18	29	45	99
35-49	1241	15.5	179	4	7	11	20	36	48	99 +
50-64	1139	15.6	195	5	7	11	19	36	51	96
65 +	1604	14.6	144	5	8	11	17	29	41	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2379	5.0	16	2	3	4	6	9	11	17
B. Operated	395	8.0	52	1	4	7	10	17	21	37
2. MULTIPLE DX										
A. Not Operated	13185	6.7	27	3	4	5	8	12	16	27
B. Operated	4698	15.1	169	5	7	11	18	32	46	92
1. SINGLE DX	2774	5.4	22	2	3	4	7	9	12	24
2. MULTIPLE DX	17883	8.9	78	3	4	6	10	17	25	54
A. Not Operated	15564	6.4	26	2	4	5	8	11	15	26
B. Operated	5093	14.6	164	4	7	11	18	31	45	85
TOTAL										
0-19 YRS	373	7.3	68	2	3	5	8	15	23	46
20-34	4030	7.2	53	2	3	5	8	14	19	43
35-49	6355	8.2	69	3	4	6	9	16	24	50
50-64	4525	8.8	85	3	4	6	10	17	25	55
65 +	5374	9.3	77	3	4	7	11	18	25	50
GRAND TOTAL	**20657**	**8.4**	**72**	**3**	**4**	**6**	**10**	**16**	**24**	**51**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	191	2.1	2	1	1	2	3	4	5	6
20-34	175	2.6	3	1	1	2	3	5	6	9
35-49	210	2.7	7	1	1	2	3	5	5	13
50-64	218	3.3	7	1	2	3	4	6	7	15
65 +	339	3.9	10	1	2	3	5	8	10	13
B. Operated										
0-19 YRS	20	2.7	4	< 1	1	2	4	6	7	8
20-34	18	3.6	7	1	2	3	5	5	9	12
35-49	29	3.8	10	< 1	2	3	5	7	10	16
50-64	43	5.1	12	< 1	2	4	8	10	11	13
65 +	41	6.5	53	1	3	4	8	12	19	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	606	3.4	13	1	2	3	4	6	8	19
20-34	992	3.7	9	1	2	3	4	7	8	14
35-49	1789	4.3	11	2	2	3	5	8	10	16
50-64	2975	5.0	18	2	3	4	6	9	12	21
65 +	10970	6.3	30	2	3	5	7	11	15	27
B. Operated										
0-19 YRS	144	8.4	142	1	2	5	8	19	36	62
20-34	226	6.6	36	2	3	5	8	14	18	33
35-49	550	7.3	53	2	3	5	9	15	20	43
50-64	1181	7.7	52	2	4	6	9	15	21	39
65 +	3916	9.7	80	3	4	7	12	20	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1133	3.1	7	1	1	2	4	5	7	12
B. Operated	151	4.7	23	1	2	4	6	10	12	20
2. MULTIPLE DX										
A. Not Operated	17332	5.6	25	2	3	4	7	10	13	24
B. Operated	6017	9.0	73	3	4	6	11	18	26	48
1. SINGLE DX	1284	3.3	9	1	1	3	4	6	8	13
2. MULTIPLE DX	23349	6.5	39	2	3	5	8	12	17	34
A. Not Operated	18465	5.4	24	2	3	4	7	10	13	24
B. Operated	6168	8.9	72	3	4	6	10	18	25	47
TOTAL										
0-19 YRS	961	3.9	34	1	2	3	4	6	10	31
20-34	1411	4.0	14	1	2	3	5	8	10	20
35-49	2578	4.8	22	1	2	4	6	9	12	23
50-64	4417	5.7	28	2	3	4	7	10	14	29
65 +	15266	7.1	45	2	3	5	8	13	18	37
GRAND TOTAL	**24633**	**6.3**	**38**	**2**	**3**	**5**	**7**	**12**	**17**	**33**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	116	4.0	46	1	2	3	4	6	8	40
20-34	2	5.5	41	1	1	5	10	10	10	10
35-49	4	5.0	3	3	4	5	6	7	7	7
50-64	6	3.3	3	1	1	4	5	5	5	5
65 +	5	5.8	33	2	3	4	7	16	16	16
B. Operated										
0-19 YRS	39	4.7	16	1	2	4	6	9	14	19
20-34	10	4.7	28	< 1	2	3	4	13	19	19
35-49	15	10.5	198	1	4	7	10	15	48	59
50-64	4	3.3	5	1	1	3	5	6	6	6
65 +	4	5.8	12	< 1	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	6.5	54	2	3	4	7	14	18	41
20-34	28	6.6	31	2	3	6	8	15	20	25
35-49	58	7.8	45	2	4	6	9	16	20	38
50-64	72	8.4	135	2	3	5	10	17	25	98
65 +	112	9.0	67	2	4	7	11	16	24	44
B. Operated										
0-19 YRS	141	17.7	387	2	5	11	30	78	99 +	99 +
20-34	33	12.8	59	3	7	12	17	23	28	36
35-49	78	14.5	212	3	6	10	18	33	48	97
50-64	94	14.9	241	5	7	10	16	31	49	99
65 +	134	15.6	147	3	8	12	22	32	43	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	4.1	42	1	2	3	5	6	8	33
B. Operated	72	5.9	58	1	2	4	7	10	17	50
2. MULTIPLE DX										
A. Not Operated	606	7.3	65	2	3	5	9	15	21	46
B. Operated	480	15.7	241	3	6	11	21	38	65	99 +
1. SINGLE DX	205	4.7	48	1	2	3	5	8	13	41
2. MULTIPLE DX	1086	11.0	160	2	4	7	14	25	39	99 +
A. Not Operated	739	6.7	62	2	3	4	8	14	19	41
B. Operated	552	14.4	228	3	5	10	19	35	60	99 +
TOTAL										
0-19 YRS	632	8.4	149	1	2	4	9	24	40	99 +
20-34	73	9.1	53	2	3	7	14	19	23	34
35-49	155	11.4	152	2	5	8	14	24	37	88
50-64	176	11.6	197	3	4	8	14	23	33	99
65 +	255	12.4	119	3	5	9	16	25	36	56
GRAND TOTAL	**1291**	**10.0**	**147**	**2**	**3**	**6**	**12**	**24**	**35**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	322	4.2	18	1	2	3	5	7	10	17
20-34	24	3.3	6	1	2	3	4	6	8	13
35-49	16	3.8	11	1	1	2	6	10	10	10
50-64	6	2.3	4	1	1	2	3	6	6	6
65 +	5	6.8	29	1	2	7	10	15	15	15
B. Operated										
0-19 YRS	305	2.2	4	1	1	2	2	5	6	11
20-34	103	2.1	5	1	1	1	2	4	6	14
35-49	72	2.3	9	1	1	1	2	4	8	20
50-64	46	3.0	18	1	1	1	3	8	11	23
65 +	24	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	460	4.6	19	< 1	2	3	6	9	12	20
20-34	99	5.6	21	1	2	5	8	12	14	65
35-49	79	5.0	20	1	2	3	7	10	12	25
50-64	104	6.8	25	2	3	5	10	12	16	26
65 +	196	7.9	35	2	4	6	10	15	21	31
B. Operated										
0-19 YRS	230	6.9	79	1	2	3	9	17	27	65
20-34	176	6.1	61	1	2	3	8	13	19	45
35-49	218	5.3	50	1	1	3	7	13	18	24
50-64	239	8.5	136	1	2	4	11	20	29	67
65 +	282	10.8	128	1	2	7	15	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	373	4.1	17	1	2	3	5	7	10	16
B. Operated	550	2.3	6	1	1	2	2	5	6	12
2. MULTIPLE DX										
A. Not Operated	938	5.7	25	1	2	4	7	12	15	26
B. Operated	1145	7.8	98	1	2	4	10	19	27	49
1. SINGLE DX	923	3.0	11	1	1	2	4	6	8	15
2. MULTIPLE DX	2083	6.8	66	1	2	4	9	15	22	41
A. Not Operated	1311	5.2	23	1	2	4	7	11	13	24
B. Operated	1695	6.0	75	1	1	2	7	15	23	45
TOTAL										
0-19 YRS	1317	4.4	28	1	2	3	5	9	13	28
20-34	402	4.8	37	1	1	2	6	11	15	37
35-49	385	4.6	36	1	1	2	6	11	15	23
50-64	395	7.3	94	1	2	4	9	17	24	44
65 +	507	9.2	90	1	3	6	12	21	28	47
GRAND TOTAL	**3006**	**5.7**	**53**	**1**	**2**	**3**	**7**	**13**	**19**	**37**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	3.7	7	2	2	3	5	6	6	18
20-34	4	8.5	108	2	3	4	14	24	24	24
35-49	4	6.0	3	4	4	6	7	8	8	8
50-64	4	2.8	1	2	2	3	3	4	4	4
65 +	3	6.7	14	4	4	5	9	11	11	11
B. Operated										
0-19 YRS	18	3.0	13	1	1	2	4	7	12	15
20-34	6	1.3		1	1	1	2	2	2	2
35-49	6	4.2	13	1	1	4	7	9	9	9
50-64	3	6.7	24	1	3	9	10	10	10	10
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	4.8	9	2	3	4	6	9	11	16
20-34	31	4.4	8	1	2	4	6	9	11	11
35-49	20	6.4	31	2	4	5	6	18	20	20
50-64	33	7.8	24	3	4	7	9	16	19	22
65 +	83	8.2	30	3	5	6	10	14	18	32
B. Operated										
0-19 YRS	29	7.5	19	2	4	7	10	15	15	16
20-34	27	6.0	34	2	2	5	8	10	18	30
35-49	37	10.5	137	1	2	8	14	21	30	63
50-64	54	12.4	268	2	3	7	14	28	51	79
65 +	79	14.3	120	4	7	11	19	30	40	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	4.1	12	2	2	3	5	6	8	23
B. Operated	34	3.2	12	1	1	1	4	9	10	15
2. MULTIPLE DX										
A. Not Operated	336	6.0	19	2	3	5	8	11	15	21
B. Operated	226	11.4	142	2	4	8	14	26	35	66
1. SINGLE DX	119	3.8	12	1	2	3	5	7	9	22
2. MULTIPLE DX	562	8.2	75	2	3	6	10	16	23	43
A. Not Operated	421	5.6	18	2	3	4	7	11	14	21
B. Operated	260	10.3	133	1	3	7	14	22	31	62
TOTAL										
0-19 YRS	286	4.7	11	2	2	4	6	9	11	16
20-34	68	5.0	24	1	2	4	6	10	12	29
35-49	67	8.4	91	1	3	5	12	18	23	58
50-64	94	10.2	170	2	3	7	11	18	34	78
65 +	166	11.0	82	3	5	8	14	24	30	43
GRAND TOTAL	**681**	**7.4**	**67**	**2**	**3**	**5**	**9**	**15**	**21**	**43**

1,107 Hospitals, United States, January-December 1988

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	4.4	38	1	1	2	4	12	21	26
20-34	6	2.2	4	< 1	1	1	2	6	6	6
35-49	16	2.1	2	1	1	2	3	3	5	6
50-64	15	2.4	5	1	1	2	2	4	8	10
65 +	38	2.6	13	1	1	1	2	6	11	18
B. Operated										
0-19 YRS	74	6.2	31	1	2	5	8	13	16	30
20-34	60	4.1	79	< 1	1	2	4	9	12	61
35-49	76	3.1	14	< 1	1	2	3	8	13	18
50-64	88	3.8	33	1	1	2	4	9	11	34
65 +	104	3.9	39	1	1	2	4	8	12	41
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	5.6	77	1	1	3	7	12	14	40
20-34	95	3.7	8	1	2	3	5	7	9	16
35-49	149	6.8	56	1	2	4	9	14	21	45
50-64	246	7.5	64	2	3	5	9	15	20	39
65 +	737	8.9	57	2	4	7	12	17	23	34
B. Operated										
0-19 YRS	401	13.8	150	2	4	11	20	31	39	99
20-34	622	9.7	91	2	3	7	14	21	27	44
35-49	889	9.6	120	1	3	6	12	21	31	57
50-64	1154	9.6	93	1	3	7	12	22	30	47
65 +	1378	11.0	144	2	3	7	15	24	32	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	3.0	18	1	1	1	3	6	11	24
B. Operated	402	4.2	38	1	1	2	5	9	13	34
2. MULTIPLE DX										
A. Not Operated	1394	7.7	60	1	3	6	10	15	21	37
B. Operated	4444	10.4	120	2	3	7	14	23	32	58
1. SINGLE DX	509	3.9	34	1	1	2	4	9	13	29
2. MULTIPLE DX	5838	9.8	107	2	3	7	13	22	30	55
A. Not Operated	1501	7.4	58	1	3	5	9	15	21	35
B. Operated	4846	9.9	117	1	3	7	13	23	31	57
TOTAL										
0-19 YRS	674	10.5	130	1	3	7	15	25	34	59
20-34	783	8.5	85	1	2	5	11	20	24	44
35-49	1130	8.7	107	1	2	5	11	19	30	50
50-64	1503	8.8	86	1	3	6	11	20	27	47
65 +	2257	9.9	112	2	3	7	13	21	29	64
GRAND TOTAL	**6347**	**9.3**	**104**	**1**	**3**	**6**	**12**	**21**	**29**	**52**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.9	13	1	2	3	5	9	14	14
20-34	2	9.5	41	5	5	9	14	14	14	14
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	10	4.1	10	1	2	3	6	9	11	11
65 +	22	6.6	28	1	3	5	9	15	18	20
B. Operated										
0-19 YRS	5	8.2	54	1	3	4	15	18	18	18
20-34	11	3.6	8	1	2	3	4	8	11	11
35-49	7	2.6	6	1	1	2	3	7	8	8
50-64	17	3.1	8	< 1	1	2	4	8	9	9
65 +	18	3.5	7	1	2	3	4	7	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	5.3	21	1	2	4	7	11	14	23
20-34	103	6.1	23	2	3	5	8	11	14	26
35-49	197	6.9	30	2	3	6	8	12	19	29
50-64	443	8.0	36	3	4	7	9	15	19	34
65 +	2287	9.6	58	3	5	8	12	18	22	43
B. Operated										
0-19 YRS	77	15.2	175	3	6	12	21	28	32	78
20-34	147	11.4	92	3	6	9	15	22	29	47
35-49	245	15.0	154	3	7	12	19	30	42	60
50-64	486	15.7	192	3	7	12	20	31	48	81
65 +	1365	17.6	201	5	8	14	22	36	46	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	5.6	21	1	2	4	8	13	15	20
B. Operated	58	3.7	12	1	1	3	4	8	11	18
2. MULTIPLE DX										
A. Not Operated	3108	9.0	52	3	5	7	11	17	21	39
B. Operated	2320	16.4	189	4	8	13	21	33	46	85
1. SINGLE DX	105	4.5	17	1	2	3	6	11	14	19
2. MULTIPLE DX	5428	12.2	124	3	6	9	15	24	33	67
A. Not Operated	3155	8.9	52	3	5	7	11	17	21	38
B. Operated	2378	16.1	189	4	7	13	20	32	45	85
TOTAL										
0-19 YRS	171	9.7	115	1	3	6	13	24	28	56
20-34	263	9.0	69	2	4	7	11	19	22	45
35-49	451	11.2	114	2	4	8	14	26	32	54
50-64	956	11.8	131	3	5	9	14	24	33	71
65 +	3692	12.5	126	4	6	9	16	25	34	73
GRAND TOTAL	**5533**	**12.0**	**123**	**3**	**5**	**9**	**15**	**24**	**33**	**67**

1,107 Hospitals, United States, January-December 1988

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	676	3.5	3	2	2	3	4	6	7	9
20-34	988	3.6	3	2	2	3	4	6	7	9
35-49	273	3.8	4	2	2	3	5	6	7	12
50-64	145	3.9	3	2	3	4	5	6	7	9
65 +	77	5.0	9	2	3	5	6	8	9	20
B. Operated										
0-19 YRS	18	5.3	5	3	3	5	6	9	10	10
20-34	28	4.8	8	3	3	4	5	7	10	17
35-49	11	5.4	16	2	3	5	6	11	16	16
50-64	7	7.0	11	2	4	7	10	11	11	11
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1702	4.3	6	2	3	4	5	7	8	11
20-34	2678	4.4	9	2	3	4	5	7	8	13
35-49	1414	5.1	8	2	3	5	6	9	10	16
50-64	1354	5.8	13	3	4	5	7	10	12	17
65 +	2763	6.8	26	3	4	6	8	11	14	25
B. Operated										
0-19 YRS	172	7.6	33	3	4	6	9	13	17	26
20-34	244	7.8	47	3	4	6	9	13	17	37
35-49	206	9.4	43	4	5	8	11	17	24	37
50-64	260	10.4	67	4	6	8	12	20	28	46
65 +	502	12.6	78	5	7	10	15	24	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2159	3.7	3	2	2	3	5	6	7	9
B. Operated	66	5.2	9	3	3	4	6	9	10	17
2. MULTIPLE DX										
A. Not Operated	9911	5.3	15	2	3	5	6	9	11	17
B. Operated	1384	10.2	64	4	6	8	12	19	26	46
1. SINGLE DX	2225	3.7	3	2	2	3	5	6	7	10
2. MULTIPLE DX	11295	5.9	23	2	3	5	7	10	13	25
A. Not Operated	12070	5.0	13	2	3	4	6	8	10	16
B. Operated	1450	10.0	62	4	5	8	12	18	25	44
TOTAL										
0-19 YRS	2568	4.3	8	2	3	4	5	7	9	13
20-34	3938	4.4	10	2	3	4	5	7	9	14
35-49	1904	5.4	14	2	3	5	6	9	12	19
50-64	1766	6.3	23	3	4	5	7	10	13	28
65 +	3344	7.6	38	3	4	6	9	13	17	34
GRAND TOTAL	**13520**	**5.6**	**21**	**2**	**3**	**5**	**7**	**10**	**12**	**23**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	583	3.6	6	2	2	3	4	5	6	11
20-34	667	3.5	3	2	2	3	4	6	6	9
35-49	192	3.7	4	1	2	3	5	6	7	10
50-64	70	4.4	7	2	3	4	5	8	10	15
65 +	51	4.7	6	2	3	4	6	8	11	12
B. Operated										
0-19 YRS	55	5.1	7	2	3	5	7	9	9	13
20-34	44	5.1	12	1	3	4	7	10	13	15
35-49	28	5.4	17	1	3	5	7	10	14	20
50-64	15	5.6	11	< 1	3	5	8	10	11	11
65 +	10	5.5	13	2	3	4	8	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1257	4.4	6	2	3	4	5	7	9	14
20-34	1443	4.4	8	2	3	4	5	7	9	15
35-49	760	5.0	9	2	3	4	6	9	11	15
50-64	681	6.1	16	3	4	5	7	10	14	21
65 +	1268	6.9	21	3	4	6	8	12	14	24
B. Operated										
0-19 YRS	167	7.9	23	3	5	7	10	15	18	26
20-34	214	8.8	47	3	5	7	10	17	22	38
35-49	212	10.4	91	4	5	8	11	20	23	53
50-64	242	12.0	107	4	6	9	15	22	27	64
65 +	386	14.3	121	5	7	11	17	28	35	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1563	3.6	4	2	2	3	4	6	7	10
B. Operated	152	5.2	11	2	3	5	7	9	12	15
2. MULTIPLE DX										
A. Not Operated	5409	5.3	13	2	3	4	6	9	11	19
B. Operated	1221	11.3	92	4	6	9	14	21	29	50
1. SINGLE DX	1715	3.8	5	2	2	3	5	6	7	12
2. MULTIPLE DX	6630	6.4	33	2	3	5	7	11	15	29
A. Not Operated	6972	4.9	11	2	3	4	6	8	11	17
B. Operated	1373	10.6	87	3	5	8	13	20	27	49
TOTAL										
0-19 YRS	2062	4.4	9	2	3	4	5	7	10	15
20-34	2368	4.6	12	2	3	4	5	7	10	19
35-49	1192	5.8	28	2	3	4	7	10	14	23
50-64	1008	7.4	44	3	4	6	9	14	19	33
65 +	1715	8.5	53	3	4	6	10	15	21	38
GRAND TOTAL	**8345**	**5.8**	**28**	**2**	**3**	**4**	**7**	**11**	**14**	**27**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	1.6	1	1	1	1	2	3	4	5
20-34	819	1.7	2	< 1	1	1	2	3	4	7
35-49	1182	1.6	1	< 1	1	1	2	3	3	5
50-64	752	1.6	1	< 1	1	1	2	3	4	6
65 +	290	1.6	1	1	1	1	2	3	3	5
B. Operaied										
0-19 YRS	49	3.0	10	1	1	2	4	6	7	21
20-34	418	2.6	6	< 1	1	2	3	6	8	13
35-49	716	2.4	5	< 1	1	1	3	5	7	11
50-64	638	2.4	5	< 1	1	1	3	5	7	12
65 +	279	3.0	12	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	2.7	4	1	1	2	4	5	7	28
20-34	840	2.6	7	1	1	2	3	5	6	12
35-49	1088	2.4	6	1	1	2	3	4	6	11
50-64	1076	2.6	6	1	1	2	3	5	7	10
65 +	851	3.3	8	1	1	2	4	7	9	14
B. Operated										
0-19 YRS	64	6.3	25	2	3	5	8	11	18	26
20-34	466	5.4	27	1	2	4	7	12	15	23
35-49	837	5.3	29	1	2	4	7	11	14	29
50-64	1038	5.7	37	1	2	4	7	12	17	30
65 +	1140	6.8	50	1	2	5	9	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3168	1.6	1	< 1	1	1	2	3	4	6
B. Operated	2100	2.6	6	< 1	1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated	3985	2.7	7	1	1	2	3	5	7	11
B. Operated	3545	5.9	38	1	2	4	8	12	16	30
1. SINGLE DX	5268	2.0	4	< 1	1	1	2	4	5	10
2. MULTIPLE DX	7530	4.2	24	1	1	3	5	9	12	24
A. Not Operated	7153	2.2	5	1	1	2	3	4	6	10
B. Operated	5645	4.7	29	1	1	3	6	10	14	27
TOTAL										
0-19 YRS	368	3.0	10	1	1	2	4	6	8	20
20-34	2543	2.8	11	1	1	2	3	6	8	16
35-49	3823	2.8	11	1	1	2	3	6	9	15
50-64	3504	3.3	17	1	1	2	4	7	10	21
65 +	2560	4.6	30	1	1	3	6	10	14	27
GRAND TOTAL	**12798**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	348	1.7	1	1	1	1	2	3	3	8
20-34	2886	1.6	1	1	1	1	2	3	4	5
35-49	3962	1.6	1	1	1	1	2	3	4	5
50-64	2075	1.8	1	1	1	1	2	3	4	6
65 +	552	1.8	1	1	1	2	2	3	4	6
B. Operated										
0-19 YRS	229	3.0	4	1	2	3	4	5	6	10
20-34	2085	2.9	4	1	1	2	4	6	6	10
35-49	3105	2.9	4	1	1	2	4	6	7	10
50-64	1927	2.9	5	1	1	2	4	6	7	11
65 +	639	3.3	7	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	217	2.2	3	1	1	2	3	4	5	8
20-34	1626	2.0	2	1	1	2	2	4	4	7
35-49	2644	2.1	2	1	1	2	3	4	5	7
50-64	2226	2.3	3	1	1	2	3	4	5	8
65 +	1319	2.7	7	1	1	2	3	5	6	11
B. Operated										
0-19 YRS	111	4.5	14	1	2	3	6	8	9	21
20-34	1388	4.2	9	1	2	4	5	8	9	14
35-49	2504	4.2	11	1	2	3	5	8	10	15
50-64	2640	4.6	14	1	2	4	6	9	12	18
65 +	2288	6.0	32	1	3	4	8	12	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9823	1.7	1	1	1	1	2	3	4	6
B. Operated	7985	2.9	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	8032	2.2	3	1	1	2	3	4	5	8
B. Operated	8931	4.8	18	1	2	4	6	9	12	21
1. SINGLE DX	17808	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX	16963	3.6	12	1	1	3	4	7	10	17
A. Not Operated	17855	1.9	2	1	1	2	2	3	4	7
B. Operated	16916	3.9	12	1	2	3	5	8	10	17
TOTAL										
0-19 YRS	905	2.5	5	1	1	2	3	5	6	10
20-34	7985	2.5	4	1	1	2	3	5	6	10
35-49	12215	2.6	5	1	1	2	3	5	7	11
50-64	8868	3.0	8	1	1	2	4	6	8	14
65 +	4798	4.3	21	1	2	3	5	9	12	23
GRAND TOTAL	**34771**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.6	7	< 1	1	2	3	5	6	18
20-34	74	2.5	4	1	1	2	3	5	7	10
35-49	80	2.0	2	< 1	1	2	2	4	5	7
50-64	50	2.2	2	1	1	2	3	4	4	7
65 +	27	3.8	11	1	2	3	4	8	12	15
B. Operated										
0-19 YRS	1193	4.8	6	2	3	5	6	8	9	13
20-34	236	5.1	11	1	2	5	7	9	11	16
35-49	248	4.2	9	1	2	4	6	8	9	13
50-64	204	4.3	16	1	1	3	6	8	10	19
65 +	153	3.7	14	1	1	2	6	8	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	261	3.7	12	1	1	2	5	9	11	17
20-34	194	3.1	8	1	1	2	4	6	9	13
35-49	229	3.7	9	1	2	3	4	8	11	16
50-64	264	4.4	23	1	2	3	5	9	11	20
65 +	566	6.9	35	2	3	6	9	14	17	35
B. Operated										
0-19 YRS	1474	6.3	19	2	4	5	8	11	14	21
20-34	618	6.4	24	1	3	6	8	12	15	26
35-49	777	6.9	38	1	3	6	8	13	18	38
50-64	1019	7.6	54	1	3	6	9	15	21	37
65 +	1558	9.1	67	2	4	7	12	19	25	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	2.5	5	1	1	2	3	5	6	11
B. Operated	2034	4.7	9	1	3	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	1514	5.0	24	1	2	3	6	11	14	25
B. Operated	5446	7.4	44	2	3	6	9	14	20	36
1. SINGLE DX	2345	4.4	9	1	2	4	6	8	9	14
2. MULTIPLE DX	6960	6.9	40	1	3	5	9	14	18	35
A. Not Operated	1825	4.5	22	1	2	3	6	10	13	22
B. Operated	7480	6.7	36	1	3	5	8	13	17	32
TOTAL										
0-19 YRS	3008	5.4	14	2	3	5	7	9	12	19
20-34	1122	5.3	19	1	2	5	7	10	13	21
35-49	1334	5.5	28	1	2	4	7	11	14	28
50-64	1537	6.5	45	1	2	5	8	13	18	35
65 +	2304	8.1	57	1	3	6	11	17	23	40
GRAND TOTAL	**9305**	**6.3**	**34**	**1**	**3**	**5**	**8**	**12**	**16**	**31**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.9	2	1	1	1	2	4	5	6
20-34	101	1.6	1	< 1	1	1	2	3	4	5
35-49	149	1.7	1	< 1	1	1	2	3	4	7
50-64	85	1.7	1	< 1	1	1	2	3	4	4
65 +	23	2.9	18	< 1	1	2	3	5	11	21
B. Operated										
0-19 YRS	17	1.9	2	< 1	1	1	3	4	5	5
20-34	51	2.7	5	1	1	2	4	6	7	10
35-49	58	2.9	5	1	1	2	4	6	9	9
50-64	65	2.6	4	1	1	2	3	5	7	9
65 +	58	2.8	6	1	1	2	3	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.3	2	1	1	2	3	4	6	7
20-34	82	2.6	7	1	1	2	3	5	6	17
35-49	106	2.5	4	1	1	2	3	5	6	12
50-64	98	3.0	10	1	1	2	3	5	10	19
65 +	78	3.8	8	1	2	3	5	8	9	16
B. Operated										
0-19 YRS	44	3.0	5	< 1	1	2	4	7	7	12
20-34	64	4.7	17	1	2	3	6	10	15	19
35-49	122	4.3	15	1	2	3	6	9	12	20
50-64	277	4.6	19	1	2	3	6	10	12	26
65 +	801	5.8	39	1	2	4	7	11	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	379	1.8	2	< 1	1	1	2	3	4	6
B. Operated	249	2.7	5	1	1	2	3	6	8	9
2. MULTIPLE DX										
A. Not Operated	382	2.9	7	1	1	2	3	6	8	15
B. Operated	1308	5.3	31	1	2	4	7	11	14	29
1. SINGLE DX	628	2.1	3	1	1	1	3	4	6	9
2. MULTIPLE DX	1690	4.7	27	1	2	3	6	10	13	26
A. Not Operated	761	2.3	5	1	1	2	3	4	6	11
B. Operated	1557	4.9	28	1	2	3	6	10	13	27
TOTAL										
0-19 YRS	100	2.4	4	1	1	2	3	5	7	10
20-34	298	2.7	8	< 1	1	2	3	6	7	16
35-49	435	2.8	7	1	1	2	3	6	8	14
50-64	525	3.6	14	1	1	2	4	8	10	22
65 +	960	5.4	35	1	2	4	7	11	15	29
GRAND TOTAL	**2318**	**4.0**	**22**	**1**	**1**	**3**	**5**	**9**	**11**	**23**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.4	3	1	1	2	3	4	7	8
20-34	36	2.6	4	1	1	2	3	6	7	8
35-49	22	2.7	4	1	1	2	3	6	7	8
50-64	17	1.9	3	< 1	1	2	2	3	6	8
65 +	19	2.5	2	1	1	3	3	4	6	7
B. Operated										
0-19 YRS	26	2.5	3	< 1	< 1	2	3	6	6	6
20-34	79	2.6	7	< 1	1	2	3	5	9	14
35-49	102	2.2	8	< 1	1	1	2	4	5	17
50-64	90	2.4	7	< 1	1	1	3	5	7	13
65 +	115	2.5	7	1	1	1	3	5	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	157	3.2	7	1	2	3	4	6	8	16
20-34	160	3.5	8	1	2	3	4	6	8	17
35-49	139	4.2	10	1	2	3	5	7	11	17
50-64	152	4.7	14	1	3	4	6	8	11	29
65 +	667	6.1	19	2	3	5	8	11	14	23
B. Operated										
0-19 YRS	64	6.2	35	1	2	4	7	14	22	25
20-34	160	5.9	89	1	2	4	6	12	16	66
35-49	239	5.2	24	1	2	4	6	10	14	23
50-64	479	5.4	39	1	2	4	7	11	15	40
65 +	1501	7.0	71	1	2	5	8	14	21	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	2.5	3	1	1	2	3	5	7	8
B. Operated	412	2.4	7	< 1	1	1	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	1275	5.1	16	2	3	4	6	9	12	22
B. Operated	2443	6.4	61	1	2	4	8	13	18	45
1. SINGLE DX	558	2.4	6	< 1	1	2	3	5	7	13
2. MULTIPLE DX	3718	6.0	46	1	2	4	7	12	16	37
A. Not Operated	1421	4.8	15	1	2	4	6	9	12	21
B. Operated	2855	5.9	55	1	2	4	7	12	17	41
TOTAL										
0-19 YRS	299	3.7	14	1	2	3	4	7	10	23
20-34	435	4.2	39	1	2	3	5	8	12	24
35-49	502	4.2	17	1	2	3	5	9	11	20
50-64	738	4.8	30	1	2	3	6	10	13	29
65 +	2302	6.5	53	1	3	5	8	13	18	40
GRAND TOTAL	**4276**	**5.5**	**42**	**1**	**2**	**4**	**7**	**11**	**15**	**32**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.8	3	< 1	< 1	1	2	5	5	5
35-49	6	2.5	6	< 1	< 1	1	5	6	6	6
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	7	1.9	1	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	195	1.8	4	< 1	< 1	1	2	3	5	12
20-34	199	2.0	4	1	1	1	2	4	6	11
35-49	157	1.8	2	1	1	1	2	4	6	7
50-64	148	2.2	3	< 1	1	1	3	5	5	9
65 +	194	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.4		< 1	1	1	2	2	2	2
20-34	7	2.7	3	1	1	2	4	6	6	6
35-49	19	3.3	7	< 1	1	3	4	8	9	9
50-64	16	2.9	15	< 1	< 1	1	3	6	13	16
65 +	73	5.7	32	1	2	4	7	11	17	34
B. Operated										
0-19 YRS	220	3.1	21	< 1	< 1	1	3	7	10	23
20-34	219	2.8	8	1	1	2	4	5	7	17
35-49	279	2.9	9	1	1	2	3	6	8	14
50-64	435	3.5	9	1	1	3	5	7	9	15
65 +	1227	4.5	25	1	2	3	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	1.9	2	< 1	< 1	1	2	5	6	6
B. Operated	893	2.0	3	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	122	4.6	24	1	2	3	6	9	13	25
B. Operated	2380	3.8	19	1	1	3	5	8	11	20
1. SINGLE DX	916	2.0	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX	2502	3.9	19	1	1	3	5	8	11	20
A. Not Operated	145	4.1	22	< 1	1	3	5	9	12	21
B. Operated	3273	3.3	15	1	1	2	4	7	10	18
TOTAL										
0-19 YRS	423	2.5	13	< 1	< 1	1	2	5	8	17
20-34	431	2.4	6	1	1	2	3	5	6	16
35-49	461	2.5	7	1	1	1	3	6	7	13
50-64	602	3.2	8	1	1	2	4	6	9	14
65 +	1501	4.2	23	1	1	3	5	9	11	22
GRAND TOTAL	**3418**	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	752	3.0	4	1	2	3	4	5	7	10
20-34	216	2.8	2	1	2	3	4	5	6	7
35-49	139	3.4	4	1	2	3	4	6	6	11
50-64	115	3.9	5	1	2	4	5	7	8	11
65 +	259	5.2	31	2	3	4	6	9	11	24
B. Operated										
0-19 YRS	85	3.2	7	< 1	< 1	2	5	7	8	14
20-34	23	2.3	4	< 1	< 1	1	3	6	36	99 +
35-49	12	3.4	6	< 1	1	3	5	7	8	8
50-64	14	4.4	14	< 1	< 1	3	6	10	11	11
65 +	23	6.0	32	< 1	1	5	7	12	18	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3366	4.1	7	2	2	3	5	7	9	14
20-34	1579	4.5	19	1	2	4	5	8	10	19
35-49	1572	5.7	28	2	3	4	7	10	14	26
50-64	2781	6.3	27	2	4	5	8	11	15	25
65 +	16767	8.2	47	3	4	7	10	14	19	40
B. Operated										
0-19 YRS	467	6.6	44	2	3	5	8	12	17	34
20-34	236	9.2	99	2	4	6	11	18	29	59
35-49	298	10.1	83	2	5	8	13	23	32	99 +
50-64	599	11.4	100	4	6	9	13	23	30	55
65 +	3004	14.7	157	5	7	11	18	30	46	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1481	3.5	9	1	2	3	4	6	7	11
B. Operated	157	3.6	12	< 1	< 1	3	5	7	10	25
2. MULTIPLE DX										
A. Not Operated	26065	7.1	39	2	4	6	8	13	17	34
B. Operated	4604	12.9	138	4	6	10	16	26	40	99 +
1. SINGLE DX	1638	3.5	9	1	2	3	4	6	8	12
2. MULTIPLE DX	30669	7.9	58	2	4	6	9	15	21	48
A. Not Operated	27546	6.9	38	2	3	5	8	13	17	34
B. Operated	4761	12.6	137	3	6	9	15	26	39	99 +
TOTAL										
0-19 YRS	4670	4.2	11	1	2	3	5	8	10	16
20-34	2054	4.9	29	1	2	4	6	9	12	29
35-49	2021	6.2	37	2	3	5	7	12	16	39
50-64	3509	7.1	43	2	4	5	8	13	17	37
65 +	20053	9.1	69	3	5	7	11	17	23	55
GRAND TOTAL	**32307**	**7.7**	**57**	**2**	**4**	**6**	**9**	**15**	**20**	**47**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	2.4	10	1	1	2	3	5	6	18
20-34	75	1.9	1	< 1	1	2	2	4	4	5
35-49	51	2.3	2	< 1	1	2	3	4	4	6
50-64	57	2.8	6	< 1	1	2	3	6	9	13
65 +	85	2.8	5	1	1	2	3	6	7	12
B. Operated										
0-19 YRS	247	2.6	7	< 1	1	2	3	6	8	14
20-34	190	2.4	3	< 1	1	2	3	5	7	9
35-49	246	2.4	4	< 1	1	2	3	5	6	13
50-64	329	2.6	8	< 1	1	2	3	5	8	13
65 +	474	2.5	6	1	1	2	3	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	278	2.8	7	1	1	2	3	5	8	12
20-34	196	3.5	19	1	1	2	4	7	10	34
35-49	235	3.6	10	1	2	3	4	7	10	17
50-64	378	4.3	19	1	2	3	5	8	10	19
65 +	1339	5.5	39	1	2	4	6	10	13	30
B. Operated										
0-19 YRS	319	4.5	20	1	2	3	6	10	14	22
20-34	334	5.0	29	1	2	4	6	10	13	25
35-49	582	5.4	44	1	2	3	7	11	15	34
50-64	1322	5.4	44	1	2	3	6	11	15	35
65 +	4105	6.0	44	1	2	4	7	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	382	2.4	5	< 1	1	2	3	4	6	11
B. Operated	1486	2.5	6	< 1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	2426	4.6	29	1	2	3	6	9	12	26
B. Operated	6662	5.7	42	1	2	4	7	12	17	34
1. SINGLE DX	1868	2.5	6	< 1	1	2	3	5	7	12
2. MULTIPLE DX	9088	5.4	39	1	2	4	6	11	15	33
A. Not Operated	2808	4.3	26	1	2	3	5	9	11	24
B. Operated	8148	5.1	37	1	2	3	6	11	15	31
TOTAL										
0-19 YRS	958	3.3	12	1	1	2	4	7	10	20
20-34	795	3.7	19	1	1	2	5	8	11	22
35-49	1114	4.2	28	1	1	3	5	9	12	24
50-64	2086	4.7	34	1	2	3	6	9	13	31
65 +	6003	5.6	40	1	2	4	7	11	16	33
GRAND TOTAL	**10956**	**4.9**	**35**	**1**	**2**	**3**	**6**	**10**	**14**	**29**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	2	< 1	1	3	4	4	4	4
50-64	18	2.0	3	< 1	< 1	< 1	3	5	6	7
65 +	52	2.1	3	< 1	< 1	1	3	4	5	7
B. Operated										
0-19 YRS	0									
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	98	3.1	2	1	2	3	4	5	5	7
50-64	2338	3.7	3	2	3	4	4	6	7	9
65 +	4622	4.0	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	16	3.3	3	1	1	3	5	6	6	6
50-64	201	3.0	7	< 1	1	2	4	6	9	13
65 +	717	4.7	33	< 1	1	3	6	9	13	25
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	12	3.9	8	1	2	3	5	8	11	11
35-49	292	4.1	7	2	3	4	5	7	9	16
50-64	8148	4.6	9	2	3	4	5	8	10	15
65 +	28687	5.6	20	3	3	4	6	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	2.1	3	< 1	< 1	1	3	4	5	7
B. Operated	7062	3.9	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	934	4.3	27	< 1	1	3	5	9	11	24
B. Operated	37141	5.4	18	2	3	4	6	9	12	21
1. SINGLE DX	7136	3.9	3	2	3	4	5	6	7	10
2. MULTIPLE DX	38075	5.4	18	2	3	4	6	9	12	21
A. Not Operated	1008	4.1	26	< 1	1	3	5	8	11	23
B. Operated	44203	5.1	16	2	3	4	6	9	11	20
TOTAL										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	17	3.5	7	1	2	3	5	7	10	11
35-49	409	3.8	6	1	2	3	5	6	8	13
50-64	10705	4.4	8	2	3	4	5	7	9	15
65 +	34078	5.4	18	2	3	4	6	9	12	22
GRAND TOTAL	**45211**	**5.1**	**16**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	3.2	3	1	2	3	4	6	6	6
20-34	75	3.3	4	1	2	3	4	6	7	10
35-49	85	3.8	3	2	3	4	5	6	6	10
50-64	72	4.1	4	2	3	4	6	7	7	9
65 +	27	3.0	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
20-34	16	2.1	2	< 1	< 1	1	3	4	5	6
35-49	30	3.1	4	< 1	1	3	5	6	7	7
50-64	38	2.9	5	< 1	1	2	4	6	8	10
65 +	37	3.1	7	< 1	1	2	4	7	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.0	3	1	2	3	3	6	7	7
20-34	130	3.5	5	1	2	3	5	6	7	11
35-49	219	4.3	7	2	3	4	5	7	8	12
50-64	422	4.3	4	2	3	4	5	7	8	10
65 +	383	4.9	7	2	3	4	6	8	10	14
B. Operated										
0-19 YRS	8	3.5	5	< 1	1	3	5	7	8	8
20-34	66	4.7	8	1	3	4	6	8	10	14
35-49	118	4.7	11	1	3	4	6	8	10	21
50-64	241	5.5	16	2	3	4	7	11	13	19
65 +	489	6.1	26	2	3	4	8	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	3.7	3	1	2	3	5	6	7	9
B. Operated	123	2.9	5	< 1	1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	1165	4.4	6	2	3	4	6	7	8	12
B. Operated	922	5.6	20	1	3	4	7	11	14	22
1. SINGLE DX	388	3.4	4	1	2	3	5	6	7	10
2. MULTIPLE DX	2087	4.9	13	2	3	4	6	9	11	19
A. Not Operated	1430	4.3	5	2	3	4	5	7	8	12
B. Operated	1045	5.3	19	1	3	4	7	11	13	22
TOTAL										
0-19 YRS	27	3.2	3	< 1	2	3	4	6	7	8
20-34	287	3.6	5	1	2	3	5	7	8	11
35-49	452	4.2	7	2	3	4	5	7	8	13
50-64	773	4.6	8	2	3	4	6	8	10	15
65 +	936	5.4	18	2	3	4	7	10	13	22
GRAND TOTAL	**2475**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**11**	**18**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.3		<1	1	1	2	2	3	3
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	3	4.0	19	1	1	2	7	9	9	9
50-64	4	1.5	1	<1	<1	1	2	3	3	3
65+	0									
B. Operated										
0-19 YRS	198	1.2		<1	<1	1	1	2	2	4
20-34	97	1.5	1	1	1	1	2	3	3	5
35-49	143	1.5	1	1	1	1	2	3	4	5
50-64	200	1.5	1	1	1	1	2	3	3	6
65+	134	1.8	3	1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.5	15	<1	1	1	2	6	13	16
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	4.3	12	<1	3	3	4	10	11	11
65+	14	3.9	24	<1	<1	2	6	9	17	19
B. Operated										
0-19 YRS	247	1.6	2	<1	1	1	2	3	4	7
20-34	64	2.0	3	1	1	1	2	4	6	10
35-49	94	1.9	3	1	1	1	2	4	5	10
50-64	241	2.3	4	1	1	2	3	4	5	14
65+	325	3.0	8	1	1	2	3	6	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	1.8	3	<1	1	1	2	4	6	9
B. Operated	772	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	40	3.3	16	<1	<1	1	4	7	13	19
B. Operated	971	2.3	5	1	1	1	3	4	6	14
1. SINGLE DX	795	1.5	1	<1	1	1	2	3	3	6
2. MULTIPLE DX	1011	2.3	6	1	1	1	3	4	6	14
A. Not Operated	63	2.7	12	<1	1	1	3	6	10	19
B. Operated	1743	1.9	4	1	1	1	2	3	5	11
TOTAL										
0-19 YRS	475	1.5	2	<1	1	1	1	2	3	7
20-34	166	1.7	2	1	1	1	2	3	4	7
35-49	241	1.7	2	1	1	1	2	3	4	7
50-64	451	1.9	3	1	1	1	2	3	4	11
65+	473	2.7	8	1	1	2	3	5	8	16
GRAND TOTAL	**1806**	**2.0**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	152	3.4	4	1	2	3	4	6	7	10
20-34	297	3.9	4	2	3	3	5	7	8	9
35-49	215	4.1	4	2	3	4	5	7	8	11
50-64	105	4.4	5	2	3	4	5	7	9	12
65+	62	4.8	4	2	4	4	6	8	9	10
B. Operated										
0-19 YRS	70	2.4	3	1	1	2	3	6	6	7
20-34	87	3.2	11	1	1	2	4	6	10	19
35-49	62	3.5	12	1	1	2	5	8	10	18
50-64	41	2.9	7	1	1	2	4	8	9	10
65+	37	3.1	8	1	1	2	5	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	4.4	7	1	3	4	6	7	9	15
20-34	186	4.2	7	1	2	4	5	8	9	13
35-49	253	4.9	7	2	3	4	6	9	10	13
50-64	289	5.6	8	3	4	5	7	9	11	15
65+	415	6.2	12	3	4	5	8	10	12	20
B. Operated										
0-19 YRS	59	4.0	9	1	2	3	5	9	12	13
20-34	81	5.3	19	1	2	4	7	12	14	21
35-49	91	5.4	23	1	1	4	8	11	17	22
50-64	114	6.1	27	1	2	5	8	13	15	29
65+	270	7.4	50	1	3	6	9	15	18	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	831	4.0	4	2	2	4	5	7	8	11
B. Operated	297	3.0	9	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	1230	5.4	10	2	3	5	7	9	11	15
B. Operated	615	6.3	35	1	2	5	8	13	16	26
1. SINGLE DX	1128	3.7	6	1	2	3	5	7	8	11
2. MULTIPLE DX	1845	5.7	18	2	3	5	7	10	13	21
A. Not Operated	2061	4.8	8	2	3	4	6	8	10	14
B. Operated	912	5.2	29	1	2	4	7	11	15	23
TOTAL										
0-19 YRS	368	3.5	6	1	2	3	5	6	8	12
20-34	651	4.0	8	1	2	3	5	7	9	15
35-49	621	4.6	9	1	2	4	6	8	10	16
50-64	549	5.3	12	2	3	5	7	9	11	17
65+	784	6.4	25	2	4	5	8	11	15	22
GRAND TOTAL	**2973**	**4.9**	**14**	**1**	**3**	**4**	**6**	**9**	**11**	**18**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	1.3		< 1	< 1	1	1	2	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	285	1.0		< 1	< 1	< 1	1	1	1	2
20-34	49	1.3	1	< 1	< 1	< 1	1	2	3	8
35-49	35	1.1		< 1	< 1	< 1	1	2	2	3
50-64	33	1.2		< 1	< 1	< 1	1	2	2	3
65 +	26	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.0	6	< 1	1	1	2	5	8	11
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	5	1.6	2	< 1	< 1	1	2	4	4	4
50-64	6	2.0	2	< 1	< 1	1	4	4	4	4
65 +	10	2.6	5	< 1	1	2	3	6	8	8
B. Operated										
0-19 YRS	115	1.3	1	< 1	< 1	1	1	2	3	5
20-34	30	1.8	2	< 1	< 1	1	2	4	5	5
35-49	56	1.7	3	< 1	< 1	1	2	3	7	9
50-64	83	2.0	3	< 1	1	1	2	3	6	11
65 +	109	3.2	14	< 1	1	2	4	8	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.3		< 1	< 1	1	1	2	3	3
B. Operated	428	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	43	2.1	5	< 1	1	1	2	5	7	11
B. Operated	393	2.1	6	< 1	< 1	1	2	4	7	13
1. SINGLE DX	463	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	436	2.1	6	< 1	< 1	1	2	4	7	13
A. Not Operated	78	1.7	3	< 1	< 1	1	2	4	5	10
B. Operated	821	1.6	3	< 1	< 1	1	1	2	4	11
TOTAL										
0-19 YRS	449	1.2	1	< 1	< 1	< 1	1	1	2	4
20-34	82	1.5	1	< 1	< 1	1	1	3	4	7
35-49	97	1.5	2	< 1	< 1	1	1	2	4	9
50-64	123	1.7	2	< 1	< 1	1	2	3	5	9
65 +	148	2.8	11	< 1	1	1	3	7	11	17
GRAND TOTAL	**899**	**1.6**	**3**	**< 1**	**< 1**	**1**	**1**	**2**	**4**	**11**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	1.8	1	< 1	1	1	2	3	4	7
20-34	52	2.8	4	1	1	2	4	6	7	9
35-49	36	3.4	21	< 1	1	2	4	8	10	26
50-64	25	3.4	8	< 1	1	2	5	7	9	12
65 +	4	3.8	1	3	3	4	4	5	5	5
B. Operated										
0-19 YRS	1306	1.3	1	< 1	1	1	1	2	3	5
20-34	438	1.7	2	< 1	1	1	2	3	4	8
35-49	349	2.2	4	< 1	1	1	3	4	6	10
50-64	511	2.2	3	1	1	2	3	4	5	8
65 +	257	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	3.2	5	1	1	3	4	6	8	11
20-34	72	4.6	12	1	2	4	6	9	12	16
35-49	65	5.1	39	1	2	4	7	8	10	44
50-64	86	4.9	31	1	2	3	6	9	19	30
65 +	102	5.8	31	1	2	4	8	12	17	27
B. Operated										
0-19 YRS	522	2.2	13	1	1	1	2	4	6	14
20-34	342	3.2	19	1	1	2	4	7	9	18
35-49	578	4.1	32	1	1	3	5	8	12	25
50-64	1155	3.7	34	1	1	2	4	6	9	23
65 +	882	4.8	64	1	2	3	5	10	14	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	2.5	6	< 1	1	2	3	5	7	10
B. Operated	2861	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	441	4.6	23	1	2	3	6	9	12	23
B. Operated	3479	3.8	37	1	1	2	4	7	11	28
1. SINGLE DX	3101	1.8	2	< 1	1	1	2	3	5	8
2. MULTIPLE DX	3920	3.9	36	1	1	2	4	7	11	28
A. Not Operated	681	3.9	18	1	1	3	5	8	11	22
B. Operated	6340	2.8	22	1	1	2	3	5	8	19
TOTAL										
0-19 YRS	2067	1.7	5	< 1	1	1	2	3	4	8
20-34	904	2.6	10	1	1	2	3	6	8	13
35-49	1028	3.5	23	1	1	2	4	7	10	20
50-64	1777	3.3	25	1	1	2	4	6	8	21
65 +	1245	4.3	49	1	1	3	4	9	13	32
GRAND TOTAL	**7021**	**2.9**	**22**	**1**	**1**	**2**	**3**	**6**	**8**	**19**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	2.3	1	< 1	1	2	3	4	4	4
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	3	2.0	3	< 1	< 1	1	3	4	4	4
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	23	1.3		< 1	< 1	< 1	1	2	3	3
20-34	207	1.6	1	< 1	< 1	1	2	3	4	5
35-49	696	1.6	1	< 1	< 1	< 1	2	3	4	6
50-64	424	1.5	1	< 1	< 1	< 1	2	3	4	5
65 +	241	1.4	1	< 1	< 1	< 1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	9.1	138	< 1	1	4	12	30	34	34
35-49	11	2.1	2	< 1	< 1	< 1	3	5	5	5
50-64	9	3.3	6	< 1	1	3	5	7	7	7
65 +	8	2.6	5	< 1	1	2	4	6	7	7
B. Operated										
0-19 YRS	14	3.2	9	1	1	2	4	7	11	12
20-34	179	2.5	3	< 1	1	2	4	4	5	9
35-49	752	2.5	3	< 1	1	2	3	5	6	9
50-64	627	2.3	4	< 1	1	2	3	4	6	10
65 +	449	2.4	5	< 1	1	2	3	5	6	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.9	1	< 1	< 1	1	3	4	4	4
B. Operated	1591	1.6	1	< 1	< 1	< 1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	35	3.9	35	< 1	< 1	2	5	7	12	34
B. Operated	2021	2.4	4	< 1	1	2	3	5	6	10
1. SINGLE DX	1604	1.6	1	< 1	< 1	< 1	2	3	4	5
2. MULTIPLE DX	2056	2.4	4	< 1	1	2	3	5	6	11
A. Not Operated	48	3.4	26	< 1	< 1	2	4	7	8	34
B. Operated	3612	2.0	3	< 1	< 1	1	3	4	5	8
TOTAL										
0-19 YRS	37	2.0	4	< 1	< 1	1	2	4	6	12
20-34	399	2.2	5	< 1	< 1	1	3	4	5	9
35-49	1461	2.1	3	< 1	< 1	1	3	4	5	7
50-64	1063	2.0	3	< 1	< 1	1	2	4	5	9
65 +	700	2.1	4	< 1	< 1	1	2	4	5	11
GRAND TOTAL	**3660**	**2.0**	**3**	**< 1**	**< 1**	**1**	**3**	**4**	**5**	**8**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	3.6	4	1	2	3	5	6	8	9
20-34	81	3.5	4	2	2	3	4	6	7	13
35-49	45	3.9	5	1	2	4	5	7	8	10
50-64	10	4.0	11	< 1	1	4	4	9	11	11
65 +	8	1.9	3	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	666	2.0	1	1	1	2	2	3	4	5
20-34	1281	2.1	2	1	1	2	3	3	4	7
35-49	803	2.2	2	1	1	2	3	4	4	7
50-64	462	2.1	2	< 1	1	2	3	4	5	7
65 +	168	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	4.1	5	1	2	4	6	7	8	8
20-34	66	3.3	9	< 1	1	3	4	6	10	17
35-49	66	4.1	9	< 1	2	3	6	8	10	12
50-64	72	4.0	12	< 1	1	3	6	9	12	15
65 +	72	4.7	21	1	1	4	6	11	15	83
B. Operated										
0-19 YRS	191	2.3	3	1	1	2	3	4	5	9
20-34	659	2.6	3	1	2	2	3	4	5	9
35-49	924	2.9	8	1	2	2	3	5	7	15
50-64	641	2.9	6	1	1	2	4	5	7	13
65 +	354	3.3	15	1	1	2	4	6	9	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	179	3.6	5	1	2	3	4	6	8	11
B. Operated	3380	2.1	2	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	316	4.0	12	< 1	1	3	6	8	11	17
B. Operated	2769	2.9	7	1	1	2	3	5	7	14
1. SINGLE DX	3559	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX	3085	3.0	8	1	1	2	3	5	7	14
A. Not Operated	495	3.9	9	< 1	2	3	5	8	10	15
B. Operated	6149	2.4	4	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	932	2.2	2	1	1	2	3	4	5	8
20-34	2087	2.4	3	1	1	2	3	4	5	8
35-49	1838	2.7	6	1	1	2	3	5	6	11
50-64	1185	2.7	5	1	1	2	3	5	6	12
65 +	602	3.1	12	< 1	1	2	4	6	9	21
GRAND TOTAL	**6644**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	646	1.8	1	1	1	1	2	3	4	6
20-34	1035	2.0	1	1	1	2	2	3	4	6
35-49	271	2.0	2	1	1	2	2	4	5	7
50-64	8	2.8	3	1	1	2	4	5	6	6
65 +	6	2.7	1	2	2	3	3	4	4	4
B. Operated										
0-19 YRS	803	3.2	3	1	2	3	4	5	6	8
20-34	1965	3.2	3	1	2	3	4	5	6	8
35-49	659	3.7	3	1	3	4	4	6	6	9
50-64	93	4.4	2	3	4	4	5	6	7	9
65 +	51	5.3	4	3	4	5	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	458	2.2	2	1	1	2	3	4	5	7
20-34	858	2.7	5	1	1	2	3	5	7	11
35-49	303	2.7	5	1	1	2	3	5	7	10
50-64	22	2.7	3	1	1	3	3	4	6	8
65 +	13	4.8	51	1	1	2	4	13	24	27
B. Operated										
0-19 YRS	809	3.8	4	1	3	3	5	6	7	11
20-34	5114	4.1	5	2	3	4	5	6	8	12
35-49	3300	4.7	6	3	3	4	5	7	9	14
50-64	502	5.4	8	3	4	5	6	8	10	16
65 +	345	7.1	27	4	5	6	8	11	16	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1966	1.9	1	1	1	2	2	3	4	6
B. Operated	3571	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	1654	2.6	5	1	1	2	3	5	6	10
B. Operated	10070	4.4	6	2	3	4	5	7	8	14
1. SINGLE DX	5537	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	11724	4.2	7	1	3	4	5	7	8	13
A. Not Operated	3620	2.2	3	1	1	2	3	4	5	8
B. Operated	13641	4.1	6	2	3	4	5	6	8	13
TOTAL										
0-19 YRS	2716	2.9	3	1	1	3	4	5	6	9
20-34	8972	3.5	4	1	2	3	4	6	7	11
35-49	4533	4.3	6	2	3	4	5	7	8	13
50-64	625	5.1	7	3	4	5	6	8	9	15
65 +	415	6.8	25	4	4	6	7	11	15	25
GRAND TOTAL	**17261**	**3.7**	**6**	**1**	**2**	**4**	**5**	**6**	**7**	**12**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1620	3.8	4	2	2	3	5	6	7	11
20-34	3549	3.7	3	2	3	3	5	6	7	10
35-49	600	4.3	5	2	3	4	5	7	8	11
50-64	18	3.7	3	2	2	3	5	6	7	7
65 +	5	4.2	3	2	3	5	5	6	6	6
B. Operated										
0-19 YRS	228	4.6	8	2	3	4	6	8	10	16
20-34	1089	4.0	6	1	3	4	5	7	8	13
35-49	422	4.3	7	1	3	4	5	8	10	13
50-64	54	5.0	9	2	3	4	6	8	12	16
65 +	17	4.9	4	3	4	5	6	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1503	4.3	6	2	3	4	5	7	9	14
20-34	3552	4.3	5	2	3	4	5	7	9	12
35-49	809	5.1	8	2	3	4	6	9	10	17
50-64	65	5.7	16	2	3	5	6	9	16	22
65 +	42	8.4	38	3	5	7	9	14	20	36
B. Operated										
0-19 YRS	562	5.4	14	2	3	5	6	9	11	21
20-34	5674	4.7	9	2	3	4	5	8	10	16
35-49	2930	5.6	19	3	4	4	6	10	13	21
50-64	338	7.5	34	3	4	5	9	14	19	33
65 +	137	11.5	84	4	6	9	14	23	30	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5792	3.8	4	2	3	3	5	6	7	10
B. Operated	1810	4.2	6	1	3	4	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	5971	4.5	6	2	3	4	5	7	9	14
B. Operated	9641	5.2	15	2	3	4	6	9	12	20
1. SINGLE DX	7602	3.9	4	2	3	4	5	6	7	11
2. MULTIPLE DX	15612	4.9	12	2	3	4	6	8	10	18
A. Not Operated	11763	4.1	5	2	3	4	5	7	8	12
B. Operated	11451	5.0	14	2	3	4	6	8	11	19
TOTAL										
0-19 YRS	3913	4.3	7	2	3	4	5	7	9	14
20-34	13864	4.3	7	2	3	4	5	7	9	14
35-49	4761	5.2	14	2	3	4	6	9	11	18
50-64	475	6.8	29	3	4	5	8	13	17	28
65 +	201	10.1	70	4	5	7	11	20	26	42
GRAND TOTAL	**23214**	**4.6**	**10**	**2**	**3**	**4**	**5**	**7**	**10**	**16**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.4	1	1	2	2	3	4	5	5
20-34	68	2.4	2	1	1	2	3	5	5	6
35-49	27	3.1	2	1	2	3	4	5	6	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	47	2.7	4	<1	1	2	4	5	6	10
20-34	944	3.3	3	<1	2	3	4	5	6	7
35-49	733	3.9	2	2	3	4	5	5	6	8
50-64	58	4.2	3	3	3	4	5	6	6	13
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.8	7	1	2	3	4	8	10	10
20-34	126	3.1	4	1	2	3	4	5	7	10
35-49	57	3.0	3	1	1	3	4	6	6	8
50-64	3	3.3	16	<1	<1	1	6	8	8	8
65+	0									
B. Operated										
0-19 YRS	124	3.3	3	1	2	3	4	5	7	9
20-34	6087	4.1	3	2	3	4	5	6	7	10
35-49	9185	4.6	3	3	4	4	5	6	7	11
50-64	890	5.0	6	3	4	5	6	7	8	15
65+	97	6.0	7	4	4	5	7	10	12	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	2.6	2	1	1	2	4	5	5	7
B. Operated	1784	3.6	3	1	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	195	3.1	4	1	2	3	4	6	7	10
B. Operated	16383	4.4	3	3	4	4	5	6	7	11
1. SINGLE DX	1887	3.5	3	1	3	4	4	5	6	8
2. MULTIPLE DX	16578	4.4	3	3	4	4	5	6	7	11
A. Not Operated	298	2.9	3	1	1	3	4	5	6	9
B. Operated	18167	4.3	3	3	4	4	5	6	7	11
TOTAL										
0-19 YRS	188	3.2	4	1	1	3	4	5	6	10
20-34	7225	4.0	3	2	3	4	5	6	7	10
35-49	10002	4.5	3	3	4	4	5	6	7	11
50-64	951	4.9	6	3	4	5	5	7	8	14
65+	99	6.0	7	4	4	5	7	10	12	15
GRAND TOTAL	18465	4.3	3	3	3	4	5	6	7	11

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	6	3.5	3	2	2	3	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	2.3	2	<1	<1	2	4	4	5	5
35-49	28	3.0	3	<1	<1	3	5	5	5	6
50-64	14	2.5	3	<1	1	2	4	5	5	5
65+	5	3.4	4	<1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.2	8	1	1	2	4	6	10	12
20-34	21	3.2	6	<1	1	3	4	6	8	10
35-49	6	3.3	2	1	3	3	4	5	5	5
50-64	0									
65+	2	14.0	242	3	3	14	25	25	25	25
B. Operated										
0-19 YRS	7	1.7	1	<1	<1	1	2	4	4	4
20-34	307	3.9	3	1	3	4	5	6	7	9
35-49	416	3.9	4	1	3	4	5	6	7	12
50-64	99	3.5	5	<1	1	4	5	6	7	11
65+	35	3.9	6	<1	2	4	6	6	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.9	2	1	2	2	5	5	5	5
B. Operated	67	2.7	3	<1	<1	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	45	3.7	16	1	1	3	4	6	10	25
B. Operated	864	3.9	4	1	3	4	5	6	7	10
1. SINGLE DX	77	2.7	3	<1	1	2	4	5	5	6
2. MULTIPLE DX	909	3.8	5	1	3	4	5	6	7	11
A. Not Operated	55	3.5	14	1	1	3	5	6	9	24
B. Operated	931	3.8	4	<1	2	4	5	6	7	10
TOTAL										
0-19 YRS	27	2.6	6	1	1	2	4	5	7	12
20-34	353	3.8	4	1	3	4	5	6	7	9
35-49	451	3.9	4	<1	3	4	5	6	7	12
50-64	113	3.4	5	<1	1	3	5	6	7	10
65+	42	4.3	16	<1	2	4	6	7	9	25
GRAND TOTAL	986	3.8	4	<1	2	4	5	6	7	11

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	3.2	2	1	2	3	4	5	6	7
20-34	160	3.1	3	1	2	3	4	5	6	7
35-49	42	3.1	3	1	2	3	4	6	6	6
50-64	8	4.6	3	3	3	4	5	7	8	8
65 +	5	7.0	22	2	3	7	11	13	13	13
B. Operated										
0-19 YRS	75	2.0	3	< 1	1	1	2	4	5	9
20-34	290	1.6	1	< 1	1	1	2	3	4	7
35-49	167	1.6	2	< 1	1	1	2	3	4	9
50-64	38	1.9	1	< 1	1	1	3	3	4	5
65 +	18	2.5	4	< 1	1	2	4	5	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	4.0	7	2	2	3	5	8	10	13
20-34	260	3.9	4	2	3	3	5	6	7	10
35-49	96	4.5	7	2	3	4	6	7	8	16
50-64	31	5.0	19	2	2	3	6	9	18	20
65 +	48	9.9	338	2	4	5	7	14	48	93
B. Operated										
0-19 YRS	50	4.4	25	1	1	3	5	9	12	31
20-34	282	3.6	7	1	1	3	5	7	8	14
35-49	217	3.8	12	< 1	1	3	5	8	9	18
50-64	91	8.2	110	1	2	5	9	19	25	63
65 +	92	9.1	66	2	3	7	13	19	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	3.2	3	1	2	3	4	5	6	9
B. Operated	588	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	564	4.6	37	2	3	4	5	7	9	18
B. Operated	732	5.0	34	1	2	3	6	10	15	27
1. SINGLE DX	877	2.2	3	< 1	1	2	3	4	5	8
2. MULTIPLE DX	1296	4.8	35	1	2	3	5	9	12	25
A. Not Operated	853	4.1	26	2	2	3	5	7	8	16
B. Operated	1320	3.5	22	< 1	1	2	4	8	11	23
TOTAL										
0-19 YRS	328	3.4	8	1	2	3	4	6	9	12
20-34	992	3.0	5	1	1	3	4	6	7	10
35-49	522	3.2	8	< 1	1	2	4	6	8	15
50-64	168	6.0	70	1	2	3	7	13	20	39
65 +	163	8.6	141	2	3	5	9	18	22	85
GRAND TOTAL	**2173**	**3.7**	**24**	**1**	**1**	**3**	**4**	**7**	**9**	**20**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	6	2.5	3	< 1	1	2	4	5	5	5
65 +	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	338	3.8	2	2	3	4	4	5	6	10
35-49	904	4.1	2	2	3	4	5	6	7	8
50-64	1674	4.3	3	2	3	4	5	6	7	9
65 +	1644	4.7	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	2.3	15	< 1	< 1	1	2	4	13	16
35-49	34	2.2	4	< 1	< 1	1	3	6	7	7
50-64	55	3.0	12	< 1	< 1	1	4	7	12	17
65 +	111	3.8	70	< 1	1	2	4	6	12	49
B. Operated										
0-19 YRS	10	6.0	38	2	3	4	6	15	23	23
20-34	1921	4.2	2	3	3	4	5	6	7	8
35-49	5074	4.5	3	3	4	4	5	6	7	10
50-64	5318	5.0	4	3	4	5	6	7	9	13
65 +	6377	5.6	9	3	4	5	7	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.1	2	< 1	< 1	1	4	4	5	5
B. Operated	4562	4.4	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	215	3.3	41	< 1	< 1	1	4	6	10	28
B. Operated	18700	5.0	6	3	4	5	6	7	9	13
1. SINGLE DX	4576	4.3	3	2	3	4	5	6	7	9
2. MULTIPLE DX	18915	5.0	6	3	4	5	6	7	9	13
A. Not Operated	229	3.2	39	< 1	< 1	1	4	6	9	28
B. Operated	23262	4.9	5	3	4	5	6	7	8	13
TOTAL										
0-19 YRS	15	4.4	30	< 1	1	3	4	7	19	23
20-34	2274	4.1	2	3	3	4	5	6	7	9
35-49	6014	4.5	3	3	3	4	5	6	7	10
50-64	7053	4.8	4	3	4	5	6	7	8	12
65 +	8135	5.4	9	3	4	5	6	8	9	15
GRAND TOTAL	**23491**	**4.9**	**5**	**3**	**4**	**5**	**6**	**7**	**8**	**13**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	1.9	2	1	1	2	2	3	4	8
20-34	62	1.6	1	< 1	1	1	2	2	4	5
35-49	23	1.6	1	< 1	1	1	2	3	4	4
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	31	1.4	1	< 1	< 1	1	2	2	3	4
20-34	303	2.1	3	< 1	< 1	1	3	5	5	7
35-49	383	2.1	2	< 1	< 1	1	3	4	5	6
50-64	49	1.9	2	< 1	< 1	1	3	4	4	7
65 +	3	3.0	4	< 1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	2.4	3	1	1	2	3	4	6	11
20-34	131	2.4	3	1	1	2	3	4	6	9
35-49	106	2.3	3	< 1	1	2	3	5	6	8
50-64	10	2.6	3	1	2	2	3	5	7	7
65 +	3	9.3	161	2	2	2	19	24	24	24
B. Operated										
0-19 YRS	74	2.9	11	1	1	2	3	5	7	22
20-34	1214	3.6	4	1	2	4	4	6	7	9
35-49	2297	3.9	4	1	3	4	5	6	7	10
50-64	283	3.6	4	1	2	4	5	6	7	10
65 +	25	5.8	29	< 1	3	5	7	9	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	1.7	1	< 1	1	1	2	3	4	6
B. Operated	769	2.1	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	335	2.4	4	1	1	2	3	4	6	9
B. Operated	3893	3.7	4	1	2	4	5	6	7	10
1. SINGLE DX	893	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	4228	3.6	4	1	2	4	5	6	7	10
A. Not Operated	459	2.2	4	1	1	2	3	4	6	8
B. Operated	4662	3.5	4	< 1	2	4	5	6	7	10
TOTAL										
0-19 YRS	226	2.4	6	< 1	1	2	3	4	6	11
20-34	1710	3.1	4	< 1	1	3	4	5	6	9
35-49	2809	3.5	4	< 1	2	4	5	6	6	10
50-64	345	3.3	4	< 1	1	3	5	6	7	9
65 +	31	5.8	36	< 1	2	5	7	10	23	28
GRAND TOTAL	5121	3.4	4	< 1	1	3	4	6	6	10

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.5	1	1	1	1	2	2	4	5
20-34	65	1.7	1	< 1	1	1	2	3	4	6
35-49	35	1.6	1	1	1	1	2	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	27	1.6	1	< 1	< 1	1	2	3	4	5
20-34	423	2.3	3	< 1	< 1	1	4	5	5	7
35-49	762	2.4	4	< 1	< 1	1	4	5	5	7
50-64	90	1.9	3	< 1	< 1	1	2	4	6	9
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	2.1	2	1	1	2	2	3	4	10
20-34	145	2.3	10	< 1	1	2	3	4	5	11
35-49	188	2.5	5	< 1	1	2	3	5	7	12
50-64	28	2.6	3	< 1	1	2	4	5	6	6
65 +	6	2.5	2	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	53	2.6	3	1	1	2	4	5	5	7
20-34	2318	3.8	3	1	3	4	5	6	6	9
35-49	6055	4.0	3	1	3	4	5	6	7	10
50-64	640	4.0	5	1	3	4	5	6	7	11
65 +	23	5.1	7	2	4	5	6	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	1.6	1	< 1	1	1	2	3	3	5
B. Operated	1303	2.3	3	< 1	< 1	1	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	444	2.4	6	< 1	1	2	3	4	5	11
B. Operated	9089	4.0	3	1	3	4	5	6	7	10
1. SINGLE DX	1429	2.3	3	< 1	< 1	1	3	5	5	7
2. MULTIPLE DX	9533	3.9	4	1	3	4	5	6	7	10
A. Not Operated	570	2.2	5	< 1	1	2	3	4	5	10
B. Operated	10392	3.8	4	1	3	4	5	6	7	10
TOTAL										
0-19 YRS	181	2.1	2	1	1	2	3	4	5	7
20-34	2951	3.5	4	1	2	4	5	5	6	9
35-49	7040	3.8	4	1	3	4	5	6	7	10
50-64	759	3.7	5	< 1	2	4	5	6	7	11
65 +	31	4.5	7	1	3	4	6	8	10	12
GRAND TOTAL	10962	3.7	4	1	2	4	5	6	6	10

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	7	1.9	2	< 1	1	1	2	4	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	11	2.9	3	< 1	< 1	3	4	5	5	5
35-49	64	1.5	1	< 1	< 1	< 1	1	3	4	6
50-64	191	1.5	2	< 1	< 1	< 1	1	3	5	7
65 +	97	1.7	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	12	3.6	8	< 1	1	4	5	8	9	9
50-64	37	2.2	3	1	1	2	3	5	6	7
65 +	53	5.0	122	1	1	3	6	7	9	80
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	43	3.6	2	< 1	3	4	4	5	6	7
35-49	271	3.5	4	< 1	2	4	5	6	7	10
50-64	716	3.5	10	< 1	1	3	5	6	7	15
65 +	555	4.0	15	1	1	3	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.7	1	< 1	1	1	2	3	5	5
B. Operated	363	1.6	2	< 1	< 1	< 1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	107	3.8	63	1	1	2	4	7	8	41
B. Operated	1586	3.7	11	< 1	1	3	5	6	8	17
1. SINGLE DX	374	1.6	2	< 1	< 1	< 1	2	4	5	6
2. MULTIPLE DX	1693	3.7	14	< 1	1	3	5	7	8	17
A. Not Operated	118	3.6	58	1	1	2	4	7	8	33
B. Operated	1949	3.3	10	< 1	1	3	5	6	8	15
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	60	3.3	2	< 1	2	4	4	5	6	7
35-49	349	3.1	4	< 1	1	3	4	5	7	10
50-64	951	3.1	9	< 1	1	2	5	6	7	12
65 +	706	3.7	22	< 1	1	2	5	7	10	19
GRAND TOTAL	**2067**	**3.3**	**12**	**< 1**	**1**	**2**	**5**	**6**	**8**	**15**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	1.7	1	< 1	1	1	2	4	4	5
20-34	102	2.1	3	< 1	1	2	2	4	5	12
35-49	28	2.8	4	1	1	2	4	7	7	8
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	10	2.7	3	< 1	1	2	4	5	5	5
B. Operated										
0-19 YRS	164	2.9	3	< 1	1	3	4	5	6	9
20-34	1016	2.7	4	< 1	1	2	4	5	6	9
35-49	730	3.1	4	< 1	1	3	4	5	7	10
50-64	320	3.3	9	< 1	1	3	4	6	7	14
65 +	125	4.0	17	< 1	1	3	5	8	11	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.5	3	1	1	2	3	4	6	11
20-34	151	2.4	4	< 1	1	2	3	4	6	13
35-49	116	3.1	7	< 1	1	2	4	7	9	14
50-64	55	4.9	17	1	2	3	7	11	13	16
65 +	112	6.5	66	1	2	4	8	14	26	75
B. Operated										
0-19 YRS	262	4.3	14	1	2	4	5	7	9	22
20-34	2442	3.8	6	1	3	4	5	6	7	11
35-49	3784	4.3	8	1	3	4	5	7	8	14
50-64	2008	4.9	15	1	3	4	5	8	10	21
65 +	1154	7.2	57	1	4	5	9	14	19	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	2.1	3	< 1	1	1	2	4	5	9
B. Operated	2355	3.0	5	< 1	1	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated	491	3.8	23	< 1	1	2	4	8	11	28
B. Operated	9650	4.7	16	1	3	4	5	7	10	20
1. SINGLE DX	2552	2.9	5	< 1	1	3	4	5	6	10
2. MULTIPLE DX	10141	4.6	16	1	3	4	5	7	10	20
A. Not Operated	688	3.3	18	< 1	1	2	4	7	10	22
B. Operated	12005	4.3	14	1	3	4	5	7	9	18
TOTAL										
0-19 YRS	537	3.4	9	1	1	3	4	6	7	15
20-34	3711	3.4	6	1	2	3	4	6	7	11
35-49	4658	4.1	7	1	3	4	5	6	8	13
50-64	2386	4.6	15	1	3	4	5	7	10	20
65 +	1401	6.9	54	1	3	5	8	13	19	42
GRAND TOTAL	**12693**	**4.3**	**15**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	250	1.7	1	1	1	1	2	3	4	7
20-34	357	2.1	2	1	1	2	3	4	5	7
35-49	70	1.9	1	< 1	1	2	2	3	5	7
50-64	16	2.1	3	< 1	< 1	1	4	4	6	7
65 +	10	2.1	5	< 1	< 1	< 1	1	6	7	7
B. Operated										
0-19 YRS	106	2.3	4	< 1	< 1	1	3	4	6	10
20-34	931	2.8	3	< 1	1	3	4	5	5	8
35-49	1272	3.9	3	2	3	4	5	6	7	9
50-64	945	4.2	3	2	3	4	5	7	7	9
65 +	479	4.7	5	2	3	4	6	8	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	2.2	5	1	1	2	3	3	5	8
20-34	461	2.5	6	< 1	1	2	3	5	6	15
35-49	164	3.1	28	< 1	1	2	3	5	8	28
50-64	42	2.9	7	< 1	< 1	2	4	7	8	12
65 +	39	5.1	21	< 1	1	4	7	10	12	24
B. Operated										
0-19 YRS	151	3.2	8	1	1	3	4	6	8	25
20-34	4245	3.9	3	1	3	4	5	6	7	10
35-49	4100	4.4	4	3	3	4	5	6	7	11
50-64	1691	5.0	5	3	4	5	6	8	9	13
65 +	1206	5.6	12	3	4	5	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	703	2.0	2	< 1	1	1	2	4	5	7
B. Operated	3733	3.8	4	1	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	906	2.6	11	< 1	1	2	3	5	7	15
B. Operated	11393	4.4	5	2	3	4	5	7	8	12
1. SINGLE DX	4436	3.5	4	1	2	3	5	6	7	9
2. MULTIPLE DX	12299	4.3	6	2	3	4	5	7	8	12
A. Not Operated	1609	2.3	7	< 1	1	2	3	4	6	10
B. Operated	15126	4.3	5	2	3	4	5	7	8	11
TOTAL										
0-19 YRS	707	2.2	4	< 1	1	2	3	4	5	10
20-34	5994	3.5	4	1	2	4	4	5	6	10
35-49	5606	4.3	4	2	3	4	5	6	7	10
50-64	2694	4.7	5	2	3	4	6	7	8	13
65 +	1734	5.3	11	2	4	5	6	8	10	14
GRAND TOTAL	**16735**	**4.1**	**5**	**1**	**3**	**4**	**5**	**6**	**8**	**11**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.1	4	< 1	1	1	3	4	7	9
20-34	120	1.7	1	< 1	1	1	2	3	4	5
35-49	11	2.0	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	363	3.4	2	2	3	3	4	5	6	7
20-34	4478	3.4	2	2	3	3	4	5	5	7
35-49	720	3.5	2	2	3	3	4	5	6	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.2	2	< 1	1	1	3	4	5	5
20-34	77	2.4	4	1	1	2	3	4	5	12
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	372	3.9	2	2	3	4	4	6	6	9
20-34	5451	3.9	2	2	3	4	5	5	6	9
35-49	1041	4.1	3	2	3	4	5	6	7	11
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	1.7	1	< 1	1	1	2	3	4	6
B. Operated	5563	3.4	2	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	95	2.4	4	1	1	2	3	4	5	12
B. Operated	6865	3.9	2	2	3	4	5	5	6	9
1. SINGLE DX	5714	3.4	2	2	3	3	4	5	5	7
2. MULTIPLE DX	6960	3.9	2	2	3	4	5	5	6	9
A. Not Operated	246	2.0	2	< 1	1	1	3	4	4	9
B. Operated	12428	3.7	2	2	3	4	4	5	6	8
TOTAL										
0-19 YRS	768	3.6	2	2	3	4	4	5	6	8
20-34	10126	3.7	2	2	3	4	4	5	6	8
35-49	1777	3.8	3	2	3	4	5	5	6	10
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	0									
GRAND TOTAL	**12674**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**8**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.7	1	< 1	< 1	1	2	3	4	5
20-34	78	1.8	1	1	1	1	2	3	4	7
35-49	22	1.5	1	1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	324	1.3		< 1	< 1	1	1	2	3	4
20-34	551	1.4	1	< 1	< 1	1	1	2	3	5
35-49	113	1.2		< 1	< 1	< 1	1	2	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.5	4	1	1	2	3	5	7	9
20-34	137	2.1	3	1	1	1	2	5	6	10
35-49	44	1.5	1	1	1	1	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	379	1.5	2	< 1	< 1	< 1	1	2	4	10
20-34	1351	1.7	4	< 1	< 1	< 1	2	3	5	11
35-49	258	2.2	5	< 1	< 1	1	3	5	6	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	1.7	1	< 1	1	1	2	3	4	6
B. Operated	988	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	215	2.0	3	1	1	1	2	4	6	9
B. Operated	1988	1.7	4	< 1	< 1	< 1	2	3	5	11
1. SINGLE DX	1108	1.4	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	2203	1.8	4	< 1	< 1	< 1	2	3	5	10
A. Not Operated	335	1.9	2	1	1	1	2	4	5	9
B. Operated	2976	1.6	3	< 1	< 1	< 1	1	3	4	9
TOTAL										
0-19 YRS	757	1.4	2	< 1	< 1	< 1	1	2	3	8
20-34	2117	1.7	3	< 1	< 1	< 1	2	3	5	9
35-49	437	1.8	3	< 1	< 1	1	2	3	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**3311**	**1.6**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	3.7		3	3	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	10.7	280	< 1	< 1	1	23	30	30	30
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2	8.5	25	5	5	8	12	12	12	12
B. Operated	3	10.7	280	< 1	< 1	1	23	30	30	30
1. SINGLE DX	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX	5	9.8	148	< 1	1	5	16	30	30	30
A. Not Operated	2	8.5	25	5	5	8	12	12	12	12
B. Operated	6	7.2	127	< 1	1	3	4	27	30	30
TOTAL										
0-19 YRS	0									
20-34	8	7.5	95	< 1	2	4	8	25	30	30
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**8**	**7.5**	**95**	**< 1**	**2**	**4**	**8**	**25**	**30**	**30**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	311	1.4	1	<1	<1	1	1	2	3	4
20-34	1077	1.4	1	<1	1	1	1	2	3	5
35-49	131	1.4	1	<1	<1	1	1	2	3	7
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1842	1.2	1	<1	<1	1	1	2	2	4
20-34	9906	1.2		<1	<1	1	1	2	2	4
35-49	1911	1.1		<1	<1	1	1	1	2	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	97	2.0	2	<1	1	1	2	4	5	9
20-34	405	1.9	3	<1	1	1	2	4	5	8
35-49	49	1.8	1	<1	1	1	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	440	1.9	2	1	1	1	2	4	4	6
20-34	2476	2.0	4	<1	1	1	2	4	5	10
35-49	588	1.8	3	<1	1	1	2	4	5	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1521	1.4	1	<1	1	1	1	2	3	5
B. Operated	13661	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	551	1.9	2	<1	1	1	2	4	5	8
B. Operated	3505	1.9	4	<1	1	1	2	4	5	10
1. SINGLE DX	15182	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	4056	1.9	3	<1	1	1	2	4	5	10
A. Not Operated	2072	1.5	1	<1	1	1	2	3	4	6
B. Operated	17166	1.3	1	<1	<1	1	1	2	3	6
TOTAL										
0-19 YRS	2690	1.4	1	<1	1	1	1	2	3	5
20-34	13864	1.4	1	<1	<1	1	1	2	3	6
35-49	2679	1.3	1	<1	<1	1	1	2	3	6
50-64	5	1.2		<1	<1	1	1	2	2	2
65 +	0									
GRAND TOTAL	**19238**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	2.3	2	<1	1	2	3	4	5	6
20-34	558	1.9	2	1	1	1	2	4	5	7
35-49	80	1.7	2	<1	1	1	2	3	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	302	1.5	1	<1	1	1	2	2	3	6
20-34	2318	1.3	1	<1	<1	1	1	2	3	4
35-49	450	1.2		<1	<1	1	1	2	3	4
50-64	3	3.3	10	1	1	2	6	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	3.0	4	1	2	2	4	6	8	10
20-34	340	2.7	4	1	1	2	4	5	7	12
35-49	40	3.2	4	1	1	3	5	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	185	2.5	4	1	1	2	3	5	6	11
20-34	1006	2.4	7	<1	1	2	3	5	7	14
35-49	227	2.0	3	<1	1	1	2	5	6	8
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	785	2.0	2	<1	1	1	3	4	5	7
B. Operated	3073	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	489	2.8	4	1	1	2	4	5	7	12
B. Operated	1419	2.4	6	<1	1	2	3	5	6	13
1. SINGLE DX	3858	1.4	1	<1	<1	1	1	3	3	6
2. MULTIPLE DX	1908	2.5	5	1	1	2	3	5	6	12
A. Not Operated	1274	2.3	3	1	1	2	3	4	6	8
B. Operated	4492	1.6	3	<1	<1	1	2	3	4	8
TOTAL										
0-19 YRS	743	2.1	3	<1	1	2	3	4	5	8
20-34	4222	1.8	3	<1	1	1	2	3	5	8
35-49	797	1.6	2	<1	1	1	2	3	5	7
50-64	4	4.0	9	1	1	4	6	7	7	7
65 +	0									
GRAND TOTAL	**5766**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	227	1.6	1	< 1	1	1	2	3	4	5
20-34	1302	1.8	2	< 1	1	1	2	3	4	6
35-49	139	1.8	1	< 1	1	1	2	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.5	1	< 1	1	1	2	3	4	5
20-34	102	1.6	2	< 1	1	1	2	3	4	7
35-49	7	1.9	5	< 1	< 1	1	1	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	2.0	2	< 1	1	2	2	4	5	7
20-34	515	2.4	4	1	1	2	3	4	5	11
35-49	68	3.0	39	< 1	1	2	3	5	6	44
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.0	8	< 1	1	2	6	7	7	7
20-34	77	2.2	3	< 1	1	2	3	4	6	9
35-49	5	2.0	2	< 1	1	1	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1668	1.8	1	< 1	1	1	2	3	4	6
B. Operated	126	1.6	2	< 1	1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	685	2.4	7	1	1	2	3	4	5	11
B. Operated	88	2.3	3	< 1	1	2	3	5	6	9
1. SINGLE DX	1794	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	773	2.4	7	1	1	2	3	4	5	11
A. Not Operated	2353	2.0	3	< 1	1	1	2	3	4	8
B. Operated	214	1.9	2	< 1	1	1	2	4	5	8
TOTAL										
0-19 YRS	352	1.8	1	< 1	1	1	2	3	4	6
20-34	1996	2.0	2	< 1	1	1	2	4	5	8
35-49	219	2.2	13	< 1	1	1	2	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**2567**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.4	1	< 1	1	1	1	3	4	5
20-34	173	2.0	3	< 1	1	1	2	4	5	10
35-49	17	1.9	4	< 1	1	1	2	4	7	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	15	2.1	2	< 1	1	1	3	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.4	5	< 1	1	2	3	6	8	9
20-34	90	2.3	4	1	1	2	3	4	6	11
35-49	8	2.0	1	< 1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	3.4	7	1	1	2	6	7	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	1.9	3	< 1	1	1	2	4	5	9
B. Operated	18	1.9	2	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	114	2.3	3	1	1	2	3	4	6	10
B. Operated	22	3.4	6	1	1	2	6	7	8	8
1. SINGLE DX	234	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	136	2.4	4	1	1	2	3	6	7	10
A. Not Operated	330	2.0	3	< 1	1	1	2	4	5	9
B. Operated	40	2.7	5	< 1	1	1	4	6	7	8
TOTAL										
0-19 YRS	46	1.7	2	< 1	1	1	2	3	5	9
20-34	297	2.2	3	< 1	1	2	3	4	6	10
35-49	27	2.1	3	< 1	1	1	3	4	6	9
50-64	0									
65 +	0									
GRAND TOTAL	**370**	**2.1**	**3**	**<1**	**1**	**1**	**3**	**4**	**6**	**9**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	473	2.6	4	1	1	2	3	4	6	10
20-34	2501	2.7	4	1	2	2	3	5	6	10
35-49	306	2.9	4	1	2	3	3	5	7	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	63	2.9	6	1	1	2	3	7	8	12
20-34	333	2.7	4	1	1	2	3	5	7	12
35-49	59	3.0	5	1	1	2	4	5	7	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	3.0	12	1	2	2	3	5	7	16
20-34	1051	3.0	6	1	2	2	4	5	8	12
35-49	189	3.5	9	1	2	3	4	7	10	14
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	58	2.9	6	< 1	1	2	4	7	8	12
20-34	356	3.3	18	< 1	1	2	4	7	11	19
35-49	59	3.9	27	< 1	1	3	5	7	10	35
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3280	2.7	4	1	2	2	3	5	6	10
B. Operated	455	2.8	5	1	1	2	3	6	7	12
2. MULTIPLE DX										
A. Not Operated	1438	3.1	7	1	2	2	4	6	8	14
B. Operated	473	3.3	18	< 1	1	2	4	7	10	19
1. SINGLE DX	3735	2.7	4	1	2	2	3	5	6	11
2. MULTIPLE DX	1911	3.1	10	1	1	2	4	6	8	15
A. Not Operated	4718	2.8	5	1	2	2	3	5	7	11
B. Operated	928	3.1	12	< 1	1	2	4	6	9	16
TOTAL										
0-19 YRS	791	2.8	6	1	1	2	3	5	7	13
20-34	4241	2.8	6	1	1	2	3	5	7	12
35-49	613	3.2	8	1	2	3	4	6	8	13
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**5646**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	736	2.9	3	1	2	3	4	5	6	9
20-34	4327	3.3	6	1	2	3	4	6	7	12
35-49	219	3.7	5	2	2	3	4	7	8	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	43	6.0	37	1	2	4	9	12	14	35
35-49	3	23.7	1045	5	5	5	47	61	61	61
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	584	3.2	7	1	2	3	4	6	7	13
20-34	2984	3.4	6	1	2	3	4	6	8	12
35-49	166	3.7	7	1	2	3	5	8	9	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	4.0	22	1	1	3	5	7	12	24
20-34	143	7.7	78	1	2	5	9	17	27	43
35-49	16	14.7	333	< 1	3	8	15	45	60	66
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5282	3.3	6	1	2	3	4	6	7	11
B. Operated	50	6.9	93	1	2	4	8	12	15	61
2. MULTIPLE DX										
A. Not Operated	3734	3.4	6	1	2	3	4	6	8	13
B. Operated	183	7.8	97	1	2	5	9	17	28	46
1. SINGLE DX	5332	3.3	7	1	2	3	4	6	7	12
2. MULTIPLE DX	3917	3.6	11	1	2	3	4	7	8	16
A. Not Operated	9016	3.3	6	1	2	3	4	6	7	12
B. Operated	233	7.6	96	1	2	4	9	16	27	49
TOTAL										
0-19 YRS	1348	3.1	5	1	2	3	4	5	7	11
20-34	7497	3.5	8	1	2	3	4	6	8	13
35-49	404	4.3	31	1	2	3	5	8	10	24
50-64	0									
65 +	0									
GRAND TOTAL	**9249**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1523	1.1		< 1	< 1	< 1	1	1	2	3
20-34	6311	1.1	1	< 1	< 1	< 1	1	1	2	3
35-49	403	1.1		< 1	< 1	< 1	1	1	1	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	519	1.1	1	< 1	< 1	< 1	1	1	2	4
20-34	2281	1.1	1	< 1	< 1	< 1	1	1	1	4
35-49	163	1.1		< 1	< 1	< 1	1	1	1	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	203	1.6	3	< 1	< 1	1	2	3	4	8
20-34	984	1.5	2	< 1	< 1	1	1	3	4	8
35-49	85	1.7	3	< 1	< 1	1	1	3	6	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	78	1.3	1	< 1	< 1	1	1	2	3	6
20-34	312	1.8	7	< 1	< 1	1	1	3	5	15
35-49	32	2.5	23	< 1	< 1	1	2	5	8	27
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8237	1.1		< 1	< 1	< 1	1	1	2	3
B. Operated	2963	1.1	1	< 1	< 1	< 1	1	1	1	4
2. MULTIPLE DX										
A. Not Operated	1272	1.5	2	< 1	< 1	1	1	3	4	8
B. Operated	422	1.7	7	< 1	< 1	1	1	3	4	14
1. SINGLE DX	11200	1.1	1	< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	1694	1.6	3	< 1	< 1	1	1	3	4	9
A. Not Operated	9509	1.2	1	< 1	< 1	< 1	1	1	2	4
B. Operated	3385	1.2	2	< 1	< 1	< 1	1	1	2	5
TOTAL										
0-19 YRS	2323	1.2	1	< 1	< 1	< 1	1	1	2	4
20-34	9888	1.2	1	< 1	< 1	< 1	1	1	2	4
35-49	683	1.2	2	< 1	< 1	< 1	1	1	2	7
50-64	0									
65 +	0									
GRAND TOTAL	**12894**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1.**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.8	10	< 1	1	2	3	6	6	18
20-34	855	2.9	13	1	1	2	3	5	7	19
35-49	126	3.2	14	1	1	2	4	6	10	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.8	3	2	3	3	5	6	6	6
20-34	154	2.9	11	1	1	2	3	5	9	21
35-49	28	3.2	9	< 1	1	2	4	7	9	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.1	7	1	1	2	4	7	10	12
20-34	427	4.5	36	1	2	3	5	10	15	30
35-49	82	4.5	21	1	2	3	6	9	16	21
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	12.3	178	1	1	8	22	32	33	33
20-34	102	6.3	71	1	2	4	7	13	20	50
35-49	22	6.9	67	1	2	3	6	22	28	29
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1043	3.0	13	1	1	2	3	5	7	19
B. Operated	187	3.0	11	1	1	2	3	5	9	21
2. MULTIPLE DX										
A. Not Operated	541	4.4	32	1	2	3	5	9	15	27
B. Operated	130	6.7	75	1	2	4	7	14	24	43
1. SINGLE DX	1230	3.0	13	1	1	2	3	5	8	19
2. MULTIPLE DX	671	4.9	41	1	2	3	5	10	16	35
A. Not Operated	1584	3.5	20	1	1	2	4	7	10	22
B. Operated	317	4.5	40	1	1	2	5	9	15	35
TOTAL										
0-19 YRS	105	3.5	22	1	1	2	3	7	13	27
20-34	1538	3.6	24	1	1	2	4	7	10	24
35-49	258	3.9	21	1	1	2	5	8	13	28
50-64	0									
65 +	0									
GRAND TOTAL	**1901**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	1.7	3	< 1	1	1	2	3	4	10
20-34	1093	1.9	4	< 1	1	1	2	3	5	9
35-49	112	1.9	2	< 1	1	1	2	3	4	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	2.3	8	< 1	< 1	1	2	5	10	14
20-34	214	1.9	3	< 1	< 1	1	2	4	5	9
35-49	21	1.4	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	2.9	7	< 1	1	2	4	7	8	13
20-34	559	2.8	12	< 1	1	2	3	6	8	17
35-49	63	2.6	5	1	1	2	3	5	8	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	5.0	83	< 1	1	2	4	9	25	43
20-34	174	3.5	18	< 1	1	2	4	8	11	22
35-49	18	2.2	4	< 1	1	2	3	4	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1402	1.9	3	< 1	1	1	2	3	5	9
B. Operated	275	1.9	3	< 1	< 1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	745	2.8	10	< 1	1	2	3	6	8	14
B. Operated	213	3.5	23	< 1	1	2	4	8	11	25
1. SINGLE DX	1677	1.9	3	< 1	1	1	2	3	5	9
2. MULTIPLE DX	958	3.0	13	< 1	1	2	3	6	9	18
A. Not Operated	2147	2.2	6	< 1	1	1	2	4	6	12
B. Operated	488	2.6	13	< 1	1	1	3	5	9	18
TOTAL										
0-19 YRS	381	2.3	10	< 1	1	1	2	5	7	14
20-34	2040	2.3	7	< 1	1	1	3	4	7	13
35-49	214	2.1	3	< 1	1	1	3	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**2635**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**4**	**7**	**13**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	402	2.7	2	1	1	2	4	5	5	7
20-34	861	2.8	3	1	2	3	4	5	6	7
35-49	38	2.9	2	1	2	3	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	41	2.1	3	< 1	< 1	1	3	5	6	7
20-34	76	2.6	6	< 1	< 1	1	3	6	7	12
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1378	3.2	3	1	2	3	4	5	6	9
20-34	3118	3.2	6	1	2	3	4	5	6	10
35-49	127	3.3	5	1	2	3	4	6	7	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	160	3.3	7	< 1	1	3	4	6	7	10
20-34	352	3.7	10	< 1	1	3	5	7	10	14
35-49	25	3.8	6	< 1	1	3	5	8	9	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1301	2.8	3	1	2	3	4	5	6	7
B. Operated	121	2.4	4	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	4623	3.2	5	1	2	3	4	5	6	10
B. Operated	537	3.6	9	< 1	1	3	5	7	9	14
1. SINGLE DX	1422	2.8	3	1	1	3	4	5	6	8
2. MULTIPLE DX	5160	3.2	5	1	2	3	4	5	7	10
A. Not Operated	5924	3.1	4	1	2	3	4	5	6	9
B. Operated	658	3.3	8	< 1	1	3	4	7	9	14
TOTAL										
0-19 YRS	1981	3.1	3	1	2	3	4	5	6	9
20-34	4407	3.1	5	1	2	3	4	5	6	11
35-49	194	3.3	5	1	2	3	4	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**6582**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	2.7	5	< 1	1	2	3	5	7	12
20-34	1445	3.2	10	1	2	2	4	6	7	11
35-49	304	3.7	7	1	2	3	5	7	9	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	2.7	20	< 1	< 1	1	3	4	14	20
20-34	128	2.6	5	< 1	1	2	3	6	7	11
35-49	23	3.4	6	1	2	3	5	8	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1134	3.0	10	< 1	1	2	4	6	8	16
20-34	5616	3.3	11	1	1	2	4	6	8	16
35-49	682	3.7	15	1	2	3	5	7	9	16
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	191	3.2	9	< 1	1	2	4	8	10	14
20-34	1022	3.7	16	< 1	1	3	5	8	11	21
35-49	87	3.4	9	1	1	2	5	8	11	13
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1882	3.2	9	1	2	3	4	6	8	12
B. Operated	169	2.7	6	< 1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	7433	3.3	11	1	1	2	4	6	8	16
B. Operated	1301	3.6	15	< 1	1	2	4	8	11	18
1. SINGLE DX	2051	3.2	9	1	2	2	4	6	8	12
2. MULTIPLE DX	8734	3.3	12	1	1	2	4	7	9	17
A. Not Operated	9315	3.3	11	1	1	2	4	6	8	16
B. Operated	1470	3.5	14	< 1	1	2	4	8	10	17
TOTAL										
0-19 YRS	1476	3.0	10	< 1	1	2	4	6	8	15
20-34	8211	3.3	11	1	1	2	4	6	8	16
35-49	1096	3.7	12	1	2	3	5	7	9	15
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
GRAND TOTAL	**10785**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2483	2.0	5	< 1	1	1	2	4	5	11
20-34	10274	2.0	5	< 1	1	1	2	4	5	11
35-49	808	2.2	8	< 1	< 1	1	2	4	6	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	926	2.2	8	< 1	< 1	1	2	4	6	17
20-34	4780	2.1	8	< 1	< 1	1	2	4	6	15
35-49	467	2.0	5	< 1	1	1	2	4	6	13
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1552	2.9	16	< 1	1	2	3	5	8	20
20-34	6918	3.1	19	< 1	1	2	3	6	9	23
35-49	658	3.5	20	< 1	1	2	4	7	11	28
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	719	2.8	13	< 1	1	2	3	6	8	16
20-34	3734	3.2	20	< 1	1	2	4	6	9	22
35-49	444	3.2	27	< 1	1	2	3	6	10	32
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13565	2.0	5	< 1	1	1	2	4	5	12
B. Operated	6174	2.1	8	< 1	< 1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated	9128	3.1	19	< 1	1	2	3	6	9	23
B. Operated	4898	3.1	20	< 1	1	2	4	6	9	23
1. SINGLE DX	19739	2.0	6	< 1	< 1	1	2	4	5	12
2. MULTIPLE DX	14026	3.1	19	< 1	1	2	3	6	9	23
A. Not Operated	22693	2.4	11	< 1	1	1	3	5	7	16
B. Operated	11072	2.5	13	< 1	< 1	1	3	5	8	19
TOTAL										
0-19 YRS	5680	2.4	10	< 1	1	1	3	4	6	14
20-34	25706	2.5	12	< 1	1	1	3	5	7	17
35-49	2377	2.7	14	< 1	1	1	3	5	8	22
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**33765**	**2.5**	**12**	**< 1**	**1**	**1**	**3**	**5**	**7**	**17**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	308	2.3	1	1	2	2	3	3	4	5
20-34	1733	2.3	1	1	2	2	3	3	4	4
35-49	185	2.2	1	1	2	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	169	2.8	2	2	2	3	3	4	5	13
20-34	1386	2.7	4	2	2	2	3	4	5	6
35-49	154	2.8	1	2	2	3	3	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	583	2.3	1	1	2	2	3	3	4	6
20-34	3223	2.4	2	1	2	2	3	3	4	6
35-49	322	2.6	2	1	2	2	3	3	5	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	978	3.2	10	2	2	3	4	5	7	13
20-34	7695	3.6	17	2	2	3	4	5	7	18
35-49	1218	3.9	13	2	2	3	4	6	7	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2227	2.3	1	1	2	2	3	3	4	4
B. Operated	1709	2.8	3	2	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	4129	2.4	2	1	2	2	3	3	4	6
B. Operated	9891	3.6	16	2	2	3	4	5	7	17
1. SINGLE DX	3936	2.5	2	1	2	2	3	4	4	6
2. MULTIPLE DX	14020	3.2	12	2	2	3	4	5	6	14
A. Not Operated	6356	2.4	2	1	2	2	3	3	4	6
B. Operated	11600	3.5	14	2	2	3	4	5	6	16
TOTAL										
0-19 YRS	2038	2.8	6	1	2	2	3	4	5	11
20-34	14037	3.1	10	2	2	3	3	5	6	13
35-49	1879	3.4	9	2	2	3	4	5	6	15
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**17956**	**3.1**	**10**	**1**	**2**	**3**	**3**	**5**	**6**	**13**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11714	2.0	1	1	2	2	2	3	3	4
20-34	70508	2.1	1	1	2	2	3	3	3	4
35-49	5212	2.1	1	1	2	2	3	3	3	4
50-64	12	2.2		1	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	5542	2.1	1	1	2	2	2	3	3	4
20-34	33745	2.1	1	1	2	2	3	3	3	4
35-49	2452	2.1	1	1	2	2	3	3	3	4
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	542	2.2	1	1	2	2	3	3	4	5
20-34	3038	2.2	1	1	2	2	3	3	4	5
35-49	272	2.2	1	1	1	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	436	2.1	1	1	2	2	3	3	3	4
20-34	10682	2.5	1	2	2	2	3	3	4	5
35-49	1432	2.6	1	2	2	3	3	4	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87446	2.1	1	1	2	2	3	3	3	4
B. Operated	41741	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	3852	2.2	1	1	2	2	3	3	4	5
B. Operated	12551	2.5	1	2	2	2	3	3	4	5
1. SINGLE DX	129187	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX	16403	2.4	1	1	2	2	3	3	4	5
A. Not Operated	91298	2.1	1	1	2	2	3	3	3	4
B. Operated	54292	2.2	1	1	2	2	3	3	3	4
TOTAL										
0-19 YRS	18234	2.1	1	1	2	2	2	3	3	4
20-34	117973	2.1	1	1	2	2	3	3	3	4
35-49	9368	2.2	1	1	2	2	3	3	4	4
50-64	15	2.1		2	2	2	2	3	3	3
65 +	0									
GRAND TOTAL	**145590**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.9	3	< 1	2	2	4	5	6	6
20-34	38	2.5	2	1	2	2	3	4	5	8
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	3.4	1	2	2	3	4	5	6	6
20-34	344	6.1	61	3	4	4	5	7	21	49
35-49	60	5.3	24	3	3	4	5	7	11	31
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.3	8	1	1	2	5	8	9	9
20-34	58	3.3	11	1	2	2	4	6	8	24
35-49	6	2.2	2	< 1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	8.1	64	3	4	5	8	20	23	43
20-34	1134	8.9	126	3	4	5	8	20	33	57
35-49	315	10.1	170	3	4	5	8	25	43	67
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	2.6	2	1	2	2	3	4	6	8
B. Operated	420	5.9	53	3	4	4	5	7	19	48
2. MULTIPLE DX										
A. Not Operated	74	3.2	10	1	2	2	4	6	8	21
B. Operated	1500	9.1	133	3	4	5	8	21	34	60
1. SINGLE DX	469	5.5	49	2	3	4	5	7	15	47
2. MULTIPLE DX	1574	8.8	129	3	4	5	7	20	33	59
A. Not Operated	123	2.9	7	1	2	2	3	5	7	13
B. Operated	1920	8.4	117	3	4	5	7	19	31	57
TOTAL										
0-19 YRS	85	6.2	45	2	3	4	6	12	22	39
20-34	1574	7.9	107	3	4	4	6	18	30	55
35-49	384	9.1	147	3	4	5	7	21	35	64
50-64	0									
65 +	0									
GRAND TOTAL	**2043**	**8.1**	**112**	**3**	**4**	**5**	**6**	**18**	**30**	**57**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.2	2	1	1	2	3	4	6	6
20-34	262	2.1	1	1	1	2	3	3	3	6
35-49	34	1.7	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	3.1	2	1	2	3	4	5	5	7
20-34	434	3.5	21	1	2	3	4	5	5	8
35-49	40	3.5	5	1	2	3	4	5	6	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	2.5	4	1	2	2	3	4	5	14
20-34	382	3.0	12	1	2	2	3	4	7	16
35-49	35	2.7	2	2	2	2	3	5	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	298	4.1	9	1	2	4	5	6	8	19
20-34	1991	4.5	18	2	3	4	5	6	9	24
35-49	260	5.2	41	2	3	4	5	7	11	39
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	2.1	1	1	1	2	3	3	3	6
B. Operated	525	3.4	18	1	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	482	2.9	10	1	2	2	3	4	7	15
B. Operated	2549	4.5	19	2	3	4	5	6	9	25
1. SINGLE DX	854	2.9	12	1	2	3	4	5	5	7
2. MULTIPLE DX	3031	4.2	18	2	2	4	5	6	9	24
A. Not Operated	811	2.6	7	1	2	2	3	4	5	14
B. Operated	3074	4.3	19	2	3	4	5	6	8	24
TOTAL										
0-19 YRS	447	3.6	7	1	2	3	4	6	7	17
20-34	3069	3.9	17	2	2	3	5	6	8	20
35-49	369	4.5	31	2	2	4	5	6	8	37
50-64	0									
65 +	0									
GRAND TOTAL	**3885**	**3.9**	**17**	**1**	**2**	**3**	**5**	**6**	**7**	**21**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.9		1	2	2	2	3	3	3
20-34	87	2.2	1	1	2	2	3	3	4	4
35-49	6	2.2	1	1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	151	2.1	1	1	2	2	3	3	3	4
20-34	1181	2.1	1	1	2	2	3	3	4	4
35-49	120	2.1	1	1	1	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.6	4	1	1	2	3	4	8	9
20-34	64	2.2	1	1	2	2	3	3	4	4
35-49	7	2.4	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	126	2.3	2	1	2	2	3	3	4	9
20-34	1243	2.5	3	1	2	2	3	4	4	8
35-49	146	2.7	4	1	2	2	3	4	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	2.1	1	1	2	2	3	3	3	4
B. Operated	1452	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	86	2.3	1	1	2	2	3	3	4	7
B. Operated	1515	2.5	3	1	2	2	3	4	4	8
1. SINGLE DX	1564	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX	1601	2.5	2	1	2	2	3	4	4	8
A. Not Operated	198	2.2	1	1	2	2	3	3	4	4
B. Operated	2967	2.3	2	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	311	2.2	1	1	2	2	3	3	3	8
20-34	2575	2.3	2	1	2	2	3	3	4	6
35-49	279	2.4	2	1	2	2	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**3165**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	2.1	1	1	2	2	2	3	3	4
20-34	447	2.1	1	1	2	2	3	3	3	4
35-49	36	2.3	1	1	1	2	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	59	2.2	1	1	2	2	3	3	4	5
20-34	313	2.3	1	1	2	2	3	3	4	4
35-49	21	2.2	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	2.6	4	1	2	2	3	4	4	15
20-34	287	2.4	1	1	2	2	3	3	4	5
35-49	30	2.3	1	1	1	2	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	96	2.9	7	1	2	2	3	4	7	17
20-34	663	2.7	2	2	2	2	3	4	5	7
35-49	61	3.2	7	2	2	3	4	5	6	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	560	2.1	1	1	2	2	3	3	3	4
B. Operated	393	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	387	2.4	2	1	2	2	3	3	4	5
B. Operated	820	2.8	3	2	2	2	3	4	5	8
1. SINGLE DX	953	2.2	1	1	2	2	3	3	4	4
2. MULTIPLE DX	1207	2.7	2	1	2	2	3	4	5	7
A. Not Operated	947	2.2	1	1	2	2	3	3	4	5
B. Operated	1213	2.6	2	1	2	2	3	4	4	7
TOTAL										
0-19 YRS	302	2.5	4	1	2	2	3	3	4	12
20-34	1710	2.4	1	1	2	2	3	4	4	6
35-49	148	2.7	4	1	2	2	3	4	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**2160**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.1	5	1	2	3	3	5	9	10
20-34	140	2.7	3	1	2	2	3	4	5	8
35-49	14	2.7	2	1	2	3	3	4	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	3.4	7	2	2	3	3	6	11	12
20-34	227	3.5	3	2	2	3	4	5	6	8
35-49	25	4.2	4	2	3	4	5	7	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.7	1	2	2	3	3	4	4	5
20-34	218	3.5	17	2	2	3	4	5	6	27
35-49	27	3.4	8	1	2	3	4	7	11	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	144	5.6	33	2	3	4	5	10	17	34
20-34	2092	5.0	24	2	3	4	5	7	11	28
35-49	294	5.2	18	3	3	4	5	7	13	30
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	2.7	3	1	2	2	3	4	5	9
B. Operated	266	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	272	3.4	14	2	2	3	4	5	6	24
B. Operated	2530	5.1	24	2	3	4	5	7	11	29
1. SINGLE DX	434	3.2	3	2	2	3	4	5	6	9
2. MULTIPLE DX	2802	4.9	23	2	3	4	5	7	11	29
A. Not Operated	440	3.1	10	1	2	3	3	4	5	17
B. Operated	2796	4.9	22	2	3	4	5	7	11	28
TOTAL										
0-19 YRS	199	4.9	26	2	2	4	5	9	14	32
20-34	2677	4.6	21	2	3	4	5	7	10	27
35-49	360	4.9	16	2	3	4	5	7	11	27
50-64	0									
65 +	0									
GRAND TOTAL	**3236**	**4.7**	**21**	**2**	**3**	**4**	**5**	**7**	**10**	**27**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.1	1	1	1	2	3	4	4	4
20-34	195	2.1	1	1	1	2	3	3	4	5
35-49	25	2.1		1	2	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	540	3.8	1	3	3	4	4	5	5	7
20-34	4352	3.8	1	3	3	4	4	5	5	6
35-49	339	3.9	2	3	3	4	4	5	5	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.7	1	1	1	2	2	3	4	4
20-34	153	2.3	3	1	1	2	3	4	4	6
35-49	20	2.6	2	1	1	2	3	4	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	682	4.6	5	3	4	4	5	6	8	14
20-34	6135	4.3	6	3	3	4	5	6	7	11
35-49	878	4.5	7	3	4	4	5	6	7	17
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	241	2.1	1	1	1	2	3	3	4	5
B. Operated	5231	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	194	2.3	3	1	1	2	3	4	4	7
B. Operated	7696	4.3	6	3	3	4	5	6	7	12
1. SINGLE DX	5472	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX	7890	4.3	6	3	3	4	5	6	7	12
A. Not Operated	435	2.2	2	1	1	2	3	3	4	5
B. Operated	12927	4.1	4	3	3	4	5	5	6	10
TOTAL										
0-19 YRS	1264	4.1	4	3	3	4	5	6	7	11
20-34	10835	4.0	4	3	3	4	5	5	6	9
35-49	1262	4.2	6	3	3	4	5	6	7	15
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**13362**	**4.1**	**4**	**3**	**3**	**4**	**5**	**5**	**6**	**10**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	2.0		1	2	2	2	3	3	3
20-34	1179	2.1	1	1	2	2	3	3	3	4
35-49	104	2.2	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	302	2.9	2	2	2	3	4	5	5	7
20-34	2162	2.8	2	1	2	3	4	5	5	6
35-49	200	3.0	2	1	2	3	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	2.2	1	1	2	2	3	3	4	5
20-34	907	2.2	1	1	2	2	3	3	4	5
35-49	107	2.4	2	1	2	2	3	3	4	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1273	3.7	6	2	2	3	4	6	7	11
20-34	10275	3.6	4	2	3	4	4	5	6	9
35-49	1292	4.0	8	2	3	4	5	6	6	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1414	2.1	1	1	2	2	3	3	3	4
B. Operated	2664	2.9	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	1127	2.2	1	1	2	2	3	3	4	5
B. Operated	12840	3.7	4	2	3	4	4	5	6	9
1. SINGLE DX	4078	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX	13967	3.6	4	2	2	3	4	5	6	9
A. Not Operated	2541	2.2	1	1	2	2	3	3	3	5
B. Operated	15504	3.5	4	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	1819	3.4	5	2	2	3	4	5	6	9
20-34	14523	3.3	3	2	2	3	4	5	6	8
35-49	1703	3.7	7	2	2	3	4	5	6	10
50-64	0									
65 +	0									
GRAND TOTAL	**18045**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.7	1	1	2	3	3	4	4	4
20-34	72	2.6	1	1	2	2	3	4	5	5
35-49	7	3.0	5	1	1	2	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	564	4.2	1	3	4	4	5	5	6	7
20-34	3093	4.3	1	3	4	4	5	5	6	7
35-49	236	4.4	1	3	4	4	5	6	6	7
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.8	1	2	3	4	5	5	5	5
20-34	56	3.1	1	1	2	3	4	5	5	5
35-49	10	2.2	2	< 1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2358	4.8	4	3	4	4	5	7	8	12
20-34	14887	4.6	2	3	4	4	5	6	7	9
35-49	1444	4.7	2	3	4	5	5	6	7	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	2.6	1	1	2	3	3	4	5	6
B. Operated	3894	4.3	1	3	4	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	76	3.1	2	1	2	3	4	5	5	5
B. Operated	18690	4.6	2	3	4	4	5	6	7	10
1. SINGLE DX	3984	4.2	1	3	4	4	5	5	6	7
2. MULTIPLE DX	18766	4.6	2	3	4	4	5	6	7	10
A. Not Operated	166	2.8	1	1	2	3	4	4	5	5
B. Operated	22584	4.5	2	3	4	4	5	6	7	9
TOTAL										
0-19 YRS	2943	4.7	3	3	4	4	5	6	8	11
20-34	18108	4.5	2	3	4	4	5	6	6	9
35-49	1697	4.6	2	3	4	5	5	6	7	9
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	0									
GRAND TOTAL	**22750**	**4.5**	**2**	**3**	**4**	**4**	**5**	**6**	**7**	**9**

293: Uterine inertia, delivered (661.0-661.2 with 5th digit 0, 1; 662.0-662.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	283	2.2	1	1	2	2	3	3	4	4
20-34	1764	2.3	1	1	2	2	3	3	4	4
35-49	144	2.3	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	610	3.3	2	2	2	3	4	5	5	7
20-34	4253	3.4	2	2	2	3	4	5	6	6
35-49	363	3.4	2	2	2	3	4	5	6	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	265	2.5	2	1	2	2	3	4	4	5
20-34	1513	2.5	1	1	2	2	3	4	4	5
35-49	135	2.5	1	1	2	2	3	4	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1740	4.0	4	2	2	4	5	6	7	11
20-34	12539	3.8	4	2	3	4	5	6	6	9
35-49	1389	3.9	3	2	3	4	5	6	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2191	2.3	1	1	2	2	3	3	4	4
B. Operated	5227	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	1913	2.5	1	1	2	2	3	4	4	5
B. Operated	15668	3.8	4	2	3	4	5	6	6	9
1. SINGLE DX	7418	3.0	2	2	2	3	4	5	5	6
2. MULTIPLE DX	17581	3.7	4	2	2	3	5	5	6	9
A. Not Operated	4104	2.4	1	1	2	2	3	3	4	5
B. Operated	20895	3.7	3	2	2	4	5	5	6	9
TOTAL										
0-19 YRS	2898	3.5	4	2	2	3	4	6	7	11
20-34	20069	3.5	3	2	2	3	4	5	6	8
35-49	2031	3.6	3	2	2	3	5	5	6	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**24999**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.0	1	1	1	2	2	3	3	4
20-34	289	2.3	1	1	2	2	3	3	4	5
35-49	34	2.4	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	118	3.3	2	1	2	3	4	5	6	7
20-34	893	3.3	2	2	2	3	4	5	5	6
35-49	100	3.3	2	1	2	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	3.0	13	1	2	2	3	5	8	24
20-34	282	2.8	8	1	2	2	3	4	5	17
35-49	37	2.4	1	1	2	2	3	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	297	4.0	7	2	3	4	5	6	7	12
20-34	3080	4.0	8	2	3	4	5	6	6	11
35-49	502	4.4	23	2	3	4	5	6	7	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	354	2.3	1	1	2	2	3	3	4	5
B. Operated	1111	3.3	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	365	2.8	8	1	2	2	3	4	5	18
B. Operated	3880	4.1	10	2	3	4	5	6	7	11
1. SINGLE DX	1465	3.0	2	1	2	3	4	5	5	6
2. MULTIPLE DX	4245	4.0	10	2	3	4	5	6	7	12
A. Not Operated	719	2.5	5	1	2	2	3	4	4	9
B. Operated	4991	3.9	8	2	3	4	5	6	6	11
TOTAL										
0-19 YRS	491	3.6	6	1	2	3	5	5	6	11
20-34	4544	3.7	7	2	2	3	4	5	6	10
35-49	673	4.0	18	2	3	4	5	6	7	10
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
GRAND TOTAL	**5710**	**3.7**	**8**	**2**	**2**	**4**	**5**	**5**	**6**	**10**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.1	1	1	2	2	3	3	4	4
20-34	920	2.1	1	1	2	2	3	3	4	5
35-49	92	2.2	1	1	2	2	3	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	856	3.8	1	3	3	4	4	5	5	7
20-34	15892	3.9	1	3	3	4	4	5	5	6
35-49	1471	4.0	1	3	3	4	5	5	6	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	2.2	1	1	2	2	2	3	4	6
20-34	511	2.3	1	1	2	2	3	4	4	5
35-49	77	2.2	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	829	4.2	4	3	3	4	5	6	6	9
20-34	26548	4.1	3	3	3	4	5	5	6	9
35-49	4196	4.3	3	3	4	4	5	6	6	9
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1060	2.1	1	1	2	2	3	3	4	4
B. Operated	18220	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	616	2.3	1	1	2	2	3	3	4	5
B. Operated	31576	4.1	3	3	3	4	5	5	6	9
1. SINGLE DX	19280	3.8	1	2	3	4	4	5	5	6
2. MULTIPLE DX	32192	4.1	3	3	3	4	5	5	6	9
A. Not Operated	1676	2.2	1	1	2	2	3	3	4	5
B. Operated	49796	4.0	2	3	3	4	5	5	6	8
TOTAL										
0-19 YRS	1761	3.9	3	2	3	4	5	5	6	8
20-34	43871	4.0	3	3	3	4	4	5	6	8
35-49	5836	4.2	2	3	3	4	5	6	6	9
50-64	4	3.5	2	2	2	3	4	5	5	5
65 +	0									
GRAND TOTAL	**51472**	**4.0**	**3**	**3**	**3**	**4**	**5**	**5**	**6**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	409	2.5	1	1	2	2	3	4	4	5
20-34	2704	2.5	1	1	2	2	3	3	4	5
35-49	259	2.6	2	1	2	2	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	406	2.6	4	1	2	2	3	4	4	6
20-34	3136	2.6	2	1	2	2	3	4	4	6
35-49	324	2.7	3	2	2	2	3	4	4	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	428	3.3	13	2	2	3	3	5	7	20
20-34	2893	3.0	8	1	2	3	3	4	6	12
35-49	318	3.0	5	1	2	3	3	5	6	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1425	3.9	15	2	2	3	4	6	8	18
20-34	11126	3.7	9	2	2	3	4	6	7	16
35-49	1440	4.1	13	2	2	3	5	6	8	19
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3372	2.5	1	1	2	2	3	3	4	5
B. Operated	3866	2.6	2	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	3639	3.1	9	1	2	3	3	4	6	13
B. Operated	13993	3.8	10	2	2	3	4	6	7	16
1. SINGLE DX	7238	2.5	2	1	2	2	3	4	4	5
2. MULTIPLE DX	17632	3.6	10	2	2	3	4	6	7	15
A. Not Operated	7011	2.8	5	1	2	2	3	4	5	10
B. Operated	17859	3.5	8	2	2	3	4	5	7	14
TOTAL										
0-19 YRS	2668	3.4	11	2	2	3	4	5	7	16
20-34	19859	3.3	7	2	2	3	4	5	6	13
35-49	2341	3.6	10	2	2	3	4	6	7	14
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**24870**	**3.3**	**8**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1359	2.0	1	1	2	2	2	3	3	4
20-34	11450	2.1	1	1	2	2	2	3	3	4
35-49	962	2.1	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1327	2.1	1	1	2	2	3	3	3	4
20-34	9420	2.2	1	1	2	2	3	3	3	4
35-49	704	2.2	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	555	2.2	1	1	2	2	3	3	4	5
20-34	3910	2.2	1	1	2	2	3	3	3	4
35-49	371	2.2	1	1	2	2	3	3	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1254	2.4	2	1	2	2	3	4	4	7
20-34	11132	2.4	2	1	2	2	3	4	4	6
35-49	1301	2.6	2	1	2	2	3	4	5	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13771	2.1	1	1	2	2	2	3	3	4
B. Operated	11451	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	4837	2.2	1	1	2	2	3	3	3	5
B. Operated	13687	2.5	2	1	2	2	3	4	4	6
1. SINGLE DX	25222	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX	18524	2.4	2	1	2	2	3	4	4	6
A. Not Operated	18608	2.1	1	1	2	2	3	3	3	4
B. Operated	25138	2.3	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	4495	2.2	1	1	2	2	3	3	4	5
20-34	35912	2.2	1	1	2	2	3	3	4	5
35-49	3338	2.3	1	1	2	2	3	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**43746**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	366	1.9	1	1	1	2	2	3	3	4
20-34	2301	1.9		1	1	2	2	3	3	4
35-49	216	1.8	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3395	2.0	1	1	1	2	2	3	3	4
20-34	25294	2.0	1	1	1	2	2	3	3	4
35-49	2588	2.1	1	1	1	2	3	3	3	4
50-64	8	1.9	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	232	2.3	2	1	2	2	3	3	4	8
20-34	1193	2.0	1	1	1	2	2	3	3	5
35-49	133	2.0	1	1	1	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2189	2.2	2	1	2	2	3	3	4	6
20-34	20043	2.2	1	1	2	2	3	3	4	5
35-49	2487	2.3	2	1	2	2	3	3	4	6
50-64	3	2.7		2	2	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2883	1.9	1	1	1	2	2	3	3	4
B. Operated	31285	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	1558	2.1	1	1	1	2	2	3	4	6
B. Operated	24722	2.2	1	1	2	2	3	3	4	5
1. SINGLE DX	34168	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	26280	2.2	1	1	2	2	3	3	4	5
A. Not Operated	4441	2.0	1	1	1	2	2	3	3	4
B. Operated	56007	2.1	1	1	2	2	3	3	3	4
TOTAL										
0-19 YRS	6182	2.1	1	1	1	2	2	3	3	5
20-34	48831	2.1	1	1	2	2	3	3	3	4
35-49	5424	2.2	1	1	2	2	3	3	4	5
50-64	11	2.1	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**60448**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	2.1		1	2	2	3	3	3	4
20-34	568	2.1	1	1	2	2	3	3	3	4
35-49	30	2.1	1	1	2	2	3	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2265	2.2	1	1	2	2	3	3	3	4
20-34	9629	2.2	1	1	2	2	3	3	3	4
35-49	472	2.2	1	1	2	2	3	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	2.5	1	1	2	2	3	4	4	8
20-34	328	2.3	1	1	2	2	3	3	4	5
35-49	18	2.4	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1974	2.5	2	1	2	2	3	4	4	7
20-34	9374	2.5	1	2	2	2	3	4	4	6
35-49	702	2.6	2	2	2	2	3	4	4	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	757	2.1	1	1	2	2	3	3	3	4
B. Operated	12366	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	424	2.3	1	1	2	2	3	3	4	6
B. Operated	12050	2.5	1	1	2	2	3	4	4	6
1. SINGLE DX	13123	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX	12474	2.5	1	1	2	2	3	4	4	6
A. Not Operated	1181	2.2	1	1	2	2	3	3	3	5
B. Operated	24416	2.4	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	4476	2.3	1	1	2	2	3	3	4	6
20-34	19899	2.4	1	1	2	2	3	3	4	5
35-49	1222	2.5	1	1	2	2	3	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**25597**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	168	1.9	1	1	1	2	2	3	3	4
20-34	771	2.1	1	1	2	2	2	3	3	5
35-49	30	2.5	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1020	2.0		1	2	2	2	3	3	4
20-34	4333	2.0	1	1	2	2	2	3	3	4
35-49	234	2.1	1	1	2	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	2.2	1	1	2	2	3	3	4	5
20-34	445	2.2	1	1	2	2	3	3	4	5
35-49	23	2.5	2	1	2	2	3	4	5	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	896	2.4	3	1	2	2	3	3	4	7
20-34	4656	2.4	2	1	2	2	3	3	4	7
35-49	329	2.6	4	1	2	2	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	969	2.0	1	1	2	2	2	3	3	5
B. Operated	5588	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	576	2.2	1	1	2	2	3	3	4	5
B. Operated	5881	2.4	3	1	2	2	3	3	4	7
1. SINGLE DX	6557	2.0	1	1	2	2	2	3	3	4
2. MULTIPLE DX	6457	2.4	2	1	2	2	3	3	4	7
A. Not Operated	1545	2.1	1	1	2	2	2	3	3	5
B. Operated	11469	2.2	2	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	2192	2.2	2	1	2	2	3	3	4	6
20-34	10205	2.2	1	1	2	2	3	3	4	5
35-49	616	2.4	2	1	2	2	3	3	4	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**13014**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2337	2.3	2	1	2	2	3	3	4	7
20-34	11976	2.2	2	1	2	2	3	3	4	6
35-49	1062	2.3	2	1	2	2	3	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4742	2.6	2	1	2	2	3	4	5	7
20-34	25827	2.6	2	1	2	2	3	4	5	7
35-49	2011	2.7	2	1	2	2	3	4	5	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2234	2.7	4	1	2	2	3	4	6	9
20-34	10952	2.5	4	1	2	2	3	4	5	9
35-49	1131	2.6	6	1	2	2	3	4	5	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	10051	3.6	9	2	2	3	4	6	8	14
20-34	61575	3.6	9	2	2	3	4	6	7	15
35-49	7423	4.0	16	2	2	3	5	6	8	19
50-64	7	5.7	14	3	4	5	5	12	14	14
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15375	2.2	2	1	2	2	3	3	4	6
B. Operated	32581	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	14318	2.5	4	1	2	2	3	4	5	9
B. Operated	79056	3.6	10	2	2	3	4	6	7	15
1. SINGLE DX	47956	2.5	2	1	2	2	3	4	5	7
2. MULTIPLE DX	93374	3.5	9	1	2	3	4	6	7	15
A. Not Operated	29693	2.4	3	1	2	2	3	3	4	8
B. Operated	111637	3.3	8	1	2	3	4	5	7	13
TOTAL										
0-19 YRS	19364	3.1	6	1	2	3	4	5	7	12
20-34	110330	3.1	7	1	2	3	4	5	6	12
35-49	11627	3.5	12	1	2	3	4	6	7	15
50-64	9	4.9	13	2	3	4	5	11	14	14
65 +	0									
GRAND TOTAL	**141330**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	3.1	2	1	2	3	4	5	7	8
20-34	414	3.2	2	2	2	3	4	5	6	9
35-49	33	3.3	2	2	2	3	4	6	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	5.5	27	1	1	5	10	10	10	10
20-34	26	5.5	13	2	3	4	7	12	13	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	3.8	5	2	2	3	4	6	7	14
20-34	536	3.6	5	2	2	3	4	6	7	11
35-49	52	4.1	7	2	2	3	5	8	9	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	4.6	6	2	3	4	6	8	9	9
20-34	104	4.8	9	2	3	4	6	9	10	16
35-49	9	5.1	21	2	2	3	7	13	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	558	3.2	2	2	2	3	4	5	6	9
B. Operated	31	5.4	13	2	3	4	8	11	12	14
2. MULTIPLE DX										
A. Not Operated	729	3.7	5	2	2	3	4	6	7	13
B. Operated	129	4.8	9	2	3	4	6	9	11	15
1. SINGLE DX	589	3.3	3	2	2	3	4	5	7	10
2. MULTIPLE DX	858	3.9	6	2	2	3	5	6	8	13
A. Not Operated	1287	3.5	4	2	2	3	4	6	7	11
B. Operated	160	4.9	10	2	3	4	6	10	11	14
TOTAL										
0-19 YRS	272	3.6	4	2	2	3	4	6	7	12
20-34	1080	3.6	5	2	2	3	4	6	7	12
35-49	95	3.9	7	2	2	3	5	7	9	13
50-64	0									
65 +	0									
GRAND TOTAL	**1447**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.1		<1	1	1	1	2	2	2
20-34	80	1.4	1	<1	1	1	2	3	3	4
35-49	10	1.5	1	<1	1	1	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	39	1.5	1	<1	<1	1	2	2	4	4
20-34	317	1.6	4	<1	1	1	2	3	3	7
35-49	21	1.6	4	<1	1	1	1	3	7	10
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.5	1	1	2	2	3	4	4	4
20-34	76	2.0	2	1	1	2	3	3	4	7
35-49	7	1.4		1	1	1	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	51	2.7	6	1	1	2	3	5	6	17
20-34	274	2.4	4	1	1	2	3	5	6	12
35-49	33	2.4	3	<1	1	2	3	5	6	9
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	1.4	1	<1	1	1	2	2	3	4
B. Operated	377	1.6	4	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	95	2.0	1	1	1	2	3	3	4	7
B. Operated	358	2.4	4	1	1	2	3	5	6	12
1. SINGLE DX	478	1.6	3	<1	1	1	2	3	3	7
2. MULTIPLE DX	453	2.3	4	1	1	2	3	5	6	11
A. Not Operated	196	1.7	1	<1	1	1	2	3	4	6
B. Operated	735	2.0	4	<1	1	1	2	4	5	9
TOTAL										
0-19 YRS	113	2.1	4	<1	1	2	2	4	4	11
20-34	747	1.9	4	<1	1	1	2	4	5	7
35-49	71	1.9	3	<1	1	1	2	4	6	10
50-64	0									
65+	0									
GRAND TOTAL	**931**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	3.5	6	1	2	3	4	6	10	12
20-34	274	3.5	7	1	2	3	4	8	9	12
35-49	43	4.0	12	1	2	3	5	9	11	16
50-64	0									
65+	0									
B. Operated										
0-19 YRS	81	2.5	5	1	1	2	3	4	8	12
20-34	407	2.7	5	1	1	2	3	6	8	12
35-49	60	2.8	6	1	1	2	3	5	7	15
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.8	7	1	2	3	5	8	9	12
20-34	288	4.6	11	1	2	4	7	10	12	14
35-49	48	5.1	26	1	2	3	6	12	15	28
50-64	0									
65+	0									
B. Operated										
0-19 YRS	70	3.3	9	1	2	2	4	6	11	16
20-34	426	4.2	43	1	2	3	5	9	13	27
35-49	51	5.1	15	2	2	4	7	10	13	19
50-64	1	13.0		13	13	13	13	13	13	13
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	379	3.6	7	1	2	3	4	8	9	13
B. Operated	548	2.7	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. Not Operated	388	4.5	12	1	2	3	6	9	12	15
B. Operated	548	4.2	36	1	2	3	5	9	13	22
1. SINGLE DX	927	3.1	6	1	2	2	4	6	9	12
2. MULTIPLE DX	936	4.3	26	1	2	3	5	9	12	18
A. Not Operated	767	4.1	10	1	2	3	5	9	11	14
B. Operated	1096	3.5	21	1	2	2	4	7	10	16
TOTAL										
0-19 YRS	265	3.2	7	1	2	2	4	6	10	12
20-34	1395	3.7	19	1	2	3	4	8	10	15
35-49	202	4.2	15	1	2	3	5	9	12	18
50-64	1	13.0		13	13	13	13	13	13	13
65+	0									
GRAND TOTAL	**1863**	**3.7**	**17**	**1**	**2**	**3**	**4**	**8**	**10**	**15**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1977	3.3	4	1	2	3	4	6	7	11
20-34	1269	3.7	4	2	2	3	5	6	8	11
35-49	1097	4.2	6	2	3	4	5	7	9	13
50-64	716	4.9	9	2	3	4	6	8	10	17
65 +	572	5.5	13	2	3	5	7	10	12	18
B. Operated										
0-19 YRS	750	3.9	9	1	2	3	5	8	9	13
20-34	627	4.6	14	1	2	4	6	8	11	22
35-49	456	4.9	13	1	2	4	6	9	12	20
50-64	263	5.5	16	2	3	4	7	12	14	18
65 +	169	7.6	43	2	3	5	9	18	22	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2617	4.0	7	2	2	3	5	7	9	14
20-34	2539	4.9	12	2	3	4	6	9	11	19
35-49	3493	6.0	20	2	3	5	7	11	13	22
50-64	4302	6.9	23	3	4	6	8	12	15	25
65 +	8278	8.2	44	3	4	7	10	14	19	37
B. Operated										
0-19 YRS	1002	5.8	25	2	3	5	7	11	14	25
20-34	1705	7.6	46	2	3	6	9	15	21	38
35-49	2177	9.6	93	3	4	7	11	19	26	57
50-64	2393	11.5	102	3	5	9	14	23	32	57
65 +	3449	13.3	131	4	6	10	16	27	36	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5631	4.0	7	2	2	3	5	7	8	13
B. Operated	2265	4.8	15	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	21229	6.6	30	2	3	5	8	12	15	28
B. Operated	10726	10.5	99	3	5	8	13	22	30	59
1. SINGLE DX	7896	4.2	9	2	2	3	5	7	9	16
2. MULTIPLE DX	31955	7.9	57	3	4	6	9	15	21	42
A. Not Operated	26860	6.1	26	2	3	5	7	11	14	25
B. Operated	12991	9.5	90	2	4	7	12	20	28	55
TOTAL										
0-19 YRS	6346	4.1	10	2	2	3	5	7	9	15
20-34	6140	5.4	22	2	3	4	6	10	13	25
35-49	7223	6.7	43	2	3	5	8	12	17	35
50-64	7674	8.1	52	3	4	6	10	15	21	40
65 +	12468	9.4	73	3	5	7	11	18	24	53
GRAND TOTAL	**39851**	**7.2**	**49**	**2**	**3**	**5**	**8**	**14**	**19**	**36**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	551	3.8	5	2	2	3	5	7	8	11
20-34	235	3.4	7	2	2	3	4	6	7	11
35-49	130	3.9	5	2	2	3	5	7	9	11
50-64	63	4.1	17	1	2	3	5	7	11	28
65 +	57	4.5	13	< 1	3	4	5	8	11	22
B. Operated										
0-19 YRS	329	3.8	15	< 1	1	3	5	7	9	15
20-34	177	3.6	9	1	2	3	5	6	8	19
35-49	128	3.6	8	< 1	2	3	5	8	9	13
50-64	72	4.3	20	< 1	2	3	5	8	14	24
65 +	40	5.2	34	1	2	3	6	10	22	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	923	4.0	11	2	2	3	5	7	9	13
20-34	365	4.6	14	2	2	4	5	8	11	24
35-49	340	5.5	14	2	3	4	6	10	12	22
50-64	398	6.7	18	3	4	6	8	12	15	24
65 +	652	7.2	46	3	4	6	9	12	15	33
B. Operated										
0-19 YRS	453	5.8	27	2	3	5	7	11	14	30
20-34	364	6.1	30	2	3	5	7	12	17	26
35-49	387	7.2	44	2	3	5	9	15	20	36
50-64	411	9.4	78	2	4	7	11	20	28	46
65 +	584	11.4	142	3	5	8	14	23	36	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1036	3.8	7	2	2	3	5	7	8	12
B. Operated	746	3.8	14	1	1	3	5	7	9	19
2. MULTIPLE DX										
A. Not Operated	2678	5.5	23	2	3	4	7	10	12	22
B. Operated	2199	8.3	75	2	3	6	10	17	23	47
1. SINGLE DX	1782	3.8	10	1	2	3	5	7	9	15
2. MULTIPLE DX	4877	6.7	49	2	3	5	8	13	18	39
A. Not Operated	3714	5.0	19	2	3	4	6	9	11	20
B. Operated	2945	7.1	63	1	3	5	8	15	21	43
TOTAL										
0-19 YRS	2256	4.3	14	1	2	3	5	8	10	16
20-34	1141	4.7	18	1	2	3	6	9	12	24
35-49	985	5.7	25	2	3	4	7	11	14	28
50-64	944	7.5	47	2	3	6	9	15	20	39
65 +	1333	8.8	91	3	4	6	10	17	24	60
GRAND TOTAL	**6659**	**5.9**	**40**	**2**	**3**	**4**	**7**	**11**	**15**	**32**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.2	7	1	1	2	5	6	9	10
20-34	20	3.0	8	1	1	2	3	7	10	12
35-49	6	2.8	2	1	2	3	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	863	2.0	2	1	1	1	2	4	5	7
20-34	1444	2.0	2	1	1	2	2	4	4	7
35-49	251	2.0	3	1	1	1	2	3	5	8
50-64	47	2.0	2	1	1	1	2	4	5	8
65 +	6	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.8	6	1	1	2	3	6	9	10
20-34	22	2.6	5	< 1	< 1	2	3	6	8	9
35-49	7	3.0	2	< 1	2	3	4	5	5	5
50-64	3	5.3	16	< 1	1	6	8	9	9	9
65 +	4	2.8	6	< 1	< 1	2	4	6	6	6
B. Operated										
0-19 YRS	133	3.4	33	1	1	2	4	6	9	34
20-34	297	3.0	17	1	1	2	4	5	8	13
35-49	112	3.5	23	1	1	2	4	6	9	32
50-64	46	4.7	48	1	2	2	5	9	18	38
65 +	31	4.5	36	1	1	3	6	7	10	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.0	6	1	1	2	4	6	9	12
B. Operated	2611	2.0	2	1	1	2	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	48	2.9	5	< 1	1	2	3	6	9	10
B. Operated	619	3.4	25	1	1	2	4	6	9	29
1. SINGLE DX	2653	2.0	2	1	1	2	2	4	5	7
2. MULTIPLE DX	667	3.4	23	1	1	2	4	6	9	29
A. Not Operated	90	3.0	6	< 1	1	2	4	6	9	11
B. Operated	3230	2.2	7	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	1024	2.2	7	1	1	2	3	4	5	9
20-34	1783	2.2	5	1	1	2	3	4	5	9
35-49	376	2.5	9	1	1	2	3	4	6	14
50-64	96	3.4	26	1	1	2	3	7	9	34
65 +	41	4.0	29	1	1	2	5	7	9	34
GRAND TOTAL	**3320**	**2.3**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	< 1	1	2	4	5	5	5
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	134	1.2		< 1	< 1	< 1	1	2	2	4
20-34	106	1.2	1	< 1	< 1	< 1	1	2	3	5
35-49	112	1.2		< 1	< 1	< 1	1	2	3	4
50-64	71	1.4	1	< 1	< 1	< 1	1	2	4	8
65 +	47	1.3	1	< 1	< 1	< 1	< 1	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	< 1	< 1	1	2	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64	4	2.3	2	< 1	1	2	3	4	4	4
65 +	3	4.0	1	3	3	4	52	99 +	99 +	99 +
B. Operated										
0-19 YRS	33	1.8	5	< 1	1	1	2	3	9	11
20-34	39	2.3	4	< 1	1	2	3	5	7	8
35-49	59	2.7	7	< 1	< 1	2	4	6	8	15
50-64	63	3.3	24	< 1	< 1	1	4	6	9	32
65 +	58	4.0	12	< 1	1	3	6	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.7	3	< 1	< 1	2	4	5	6	6
B. Operated	470	1.2	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	17	2.8	2	< 1	2	3	4	5	62	99 +
B. Operated	252	3.0	12	< 1	1	2	4	7	8	15
1. SINGLE DX	482	1.3	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX	269	3.0	11	< 1	1	2	4	7	8	17
A. Not Operated	29	2.7	2	< 1	1	3	4	5	6	99 +
B. Operated	722	1.8	5	< 1	< 1	< 1	2	4	6	10
TOTAL										
0-19 YRS	177	1.4	1	< 1	< 1	< 1	1	2	3	9
20-34	148	1.6	2	< 1	< 1	< 1	1	3	5	7
35-49	176	1.8	3	< 1	< 1	< 1	2	4	5	10
50-64	141	2.2	12	< 1	< 1	< 1	2	5	7	17
65 +	109	2.8	9	< 1	< 1	1	4	7	8	51
GRAND TOTAL	**751**	**1.9**	**5**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**11**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.7	14	1	2	3	6	11	13	13
20-34	19	7.1	58	2	3	6	7	14	26	35
35-49	19	8.8	64	2	3	8	11	21	28	31
50-64	10	8.3	78	1	3	5	13	22	30	30
65 +	41	10.2	104	2	5	7	11	22	33	52
B. Operated										
0-19 YRS	50	10.7	122	1	2	7	16	28	34	43
20-34	69	8.1	54	1	3	6	11	18	22	37
35-49	105	8.4	58	2	3	6	10	19	25	37
50-64	87	7.6	72	1	3	6	9	15	23	46
65 +	168	11.1	111	1	3	8	15	25	34	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	9.5	110	2	3	6	10	21	39	50
20-34	190	10.4	93	2	4	7	13	24	32	53
35-49	278	10.0	108	3	5	7	11	19	29	68
50-64	490	10.5	91	3	5	8	13	21	30	89
65 +	2003	11.8	118	4	6	9	14	23	32	76
B. Operated										
0-19 YRS	216	18.5	270	3	6	15	26	43	51	75
20-34	639	19.9	297	4	8	15	30	48	68	99 +
35-49	775	19.8	317	4	7	15	27	47	71	99 +
50-64	1123	18.2	281	3	7	13	24	44	60	99 +
65 +	3717	18.5	254	4	8	14	25	44	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	8.5	76	2	3	6	10	16	28	46
B. Operated	479	9.4	87	1	3	7	13	21	30	48
2. MULTIPLE DX										
A. Not Operated	3053	11.3	112	3	5	8	14	22	32	71
B. Operated	6470	18.8	271	4	8	14	25	45	62	99 +
1. SINGLE DX	579	9.2	85	1	3	7	12	21	30	48
2. MULTIPLE DX	9523	16.4	232	4	7	12	21	39	55	99 +
A. Not Operated	3153	11.2	111	3	5	8	13	22	31	70
B. Operated	6949	18.1	264	4	7	14	24	43	60	99 +
TOTAL										
0-19 YRS	369	14.8	222	2	4	9	20	37	46	67
20-34	917	16.8	254	3	6	11	24	41	59	99 +
35-49	1177	16.3	264	3	6	11	22	41	59	99 +
50-64	1710	15.4	230	3	6	11	20	36	52	99 +
65 +	5929	16.0	214	4	7	12	21	37	53	99 +
GRAND TOTAL	**10102**	**15.9**	**226**	**3**	**6**	**11**	**21**	**38**	**53**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	643	3.9	19	1	2	2	4	8	14	23
20-34	238	5.0	42	1	2	3	6	12	18	22
35-49	193	5.8	36	1	2	3	7	14	18	27
50-64	143	6.7	42	1	3	4	8	20	22	24
65 +	86	6.8	38	1	2	4	9	15	21	28
B. Operated										
0-19 YRS	476	2.4	11	< 1	< 1	1	2	5	8	18
20-34	444	2.8	9	< 1	1	2	3	6	8	15
35-49	451	2.5	7	< 1	1	1	3	5	8	15
50-64	379	1.8	4	< 1	1	1	2	3	5	12
65 +	244	2.1	9	< 1	< 1	1	2	4	8	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1025	3.8	13	1	2	3	4	7	10	20
20-34	563	6.0	37	1	2	4	7	14	19	28
35-49	687	6.9	40	1	3	4	9	17	21	27
50-64	776	8.0	47	2	3	5	11	19	23	28
65 +	1162	8.3	60	2	4	6	11	17	22	38
B. Operated										
0-19 YRS	569	4.3	43	1	1	2	5	10	16	30
20-34	526	5.2	56	1	1	3	6	11	16	40
35-49	772	5.1	42	1	1	3	5	12	19	33
50-64	762	4.9	42	1	1	2	6	13	18	33
65 +	722	8.1	91	1	2	5	11	20	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1303	4.9	30	1	2	3	5	12	18	24
B. Operated	1994	2.4	8	< 1	1	1	3	5	8	16
2. MULTIPLE DX										
A. Not Operated	4213	6.6	43	1	2	4	8	15	21	28
B. Operated	3351	5.6	57	1	1	3	7	14	21	38
1. SINGLE DX	3297	3.4	18	< 1	1	2	4	7	12	21
2. MULTIPLE DX	7564	6.2	49	1	2	4	8	15	21	33
A. Not Operated	5516	6.2	41	1	2	4	8	15	20	27
B. Operated	5345	4.4	41	< 1	1	2	5	11	17	33
TOTAL										
0-19 YRS	2713	3.7	20	1	1	2	4	8	12	23
20-34	1771	4.8	38	1	1	3	6	11	16	30
35-49	2103	5.2	36	1	1	3	6	13	18	28
50-64	2060	5.6	42	1	1	3	7	16	21	26
65 +	2214	7.5	67	1	2	5	10	17	23	40
GRAND TOTAL	**10861**	**5.3**	**42**	**1**	**1**	**3**	**6**	**13**	**19**	**29**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	2.5	5	1	1	2	3	6	8	10
20-34	99	3.6	27	1	1	2	4	6	8	37
35-49	64	3.5	9	1	2	2	4	7	11	15
50-64	28	3.8	8	1	2	3	4	8	10	13
65 +	8	3.4	3	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	68	3.9	17	1	1	2	5	10	12	22
20-34	43	4.6	31	1	2	3	5	10	13	33
35-49	36	4.5	29	1	1	2	6	11	14	28
50-64	17	6.2	29	1	2	4	8	16	17	17
65 +	6	8.0	21	3	5	7	10	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	296	5.0	29	1	2	3	6	12	15	25
20-34	454	5.6	36	1	2	4	7	11	16	34
35-49	417	6.6	36	2	3	5	8	14	19	32
50-64	275	7.5	28	2	4	6	10	15	19	27
65 +	268	9.1	57	2	4	7	12	19	23	40
B. Operated										
0-19 YRS	124	12.7	160	2	4	10	16	32	41	53
20-34	244	10.7	154	2	3	7	12	25	38	87
35-49	225	12.4	173	2	4	9	16	28	38	99 +
50-64	175	14.3	246	3	5	9	18	32	64	99 +
65 +	204	16.1	182	5	7	13	20	34	47	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	386	3.1	12	1	1	2	4	6	8	14
B. Operated	170	4.6	25	1	1	3	6	11	15	27
2. MULTIPLE DX										
A. Not Operated	1710	6.6	38	2	3	5	8	14	19	32
B. Operated	972	13.1	184	2	5	9	17	30	43	99 +
1. SINGLE DX	556	3.5	16	1	1	2	4	8	10	17
2. MULTIPLE DX	2682	9.0	101	2	3	6	11	20	28	67
A. Not Operated	2096	5.9	35	1	2	4	7	13	18	31
B. Operated	1142	11.8	170	2	4	8	15	28	39	99
TOTAL										
0-19 YRS	675	5.6	57	1	1	3	6	13	21	41
20-34	840	6.8	75	1	2	4	8	14	24	43
35-49	742	8.0	84	2	3	5	10	18	26	62
50-64	495	9.7	116	2	4	7	12	21	28	99
65 +	486	11.9	121	3	5	8	15	24	34	67
GRAND TOTAL	**3238**	**8.0**	**91**	**1**	**2**	**5**	**10**	**18**	**26**	**57**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	182	4.3	11	1	2	3	6	8	11	18
20-34	49	4.2	10	2	3	4	5	7	10	19
35-49	74	4.5	10	2	2	4	5	9	11	17
50-64	98	4.3	5	2	3	4	5	7	9	12
65 +	73	5.2	10	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	47	5.5	16	1	2	5	8	10	13	16
20-34	102	5.1	14	1	2	4	8	10	12	16
35-49	281	4.7	15	1	2	3	7	10	13	18
50-64	541	5.4	19	1	2	4	8	11	14	19
65 +	441	6.6	25	1	2	6	10	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	6.7	47	2	3	5	9	14	19	40
20-34	80	6.9	53	2	3	5	8	12	19	47
35-49	205	6.3	21	2	3	5	8	12	14	25
50-64	448	6.0	28	2	3	5	7	10	13	26
65 +	828	7.1	42	2	4	5	8	13	16	31
B. Operated										
0-19 YRS	85	9.9	234	1	3	6	10	21	32	92
20-34	134	6.2	26	1	2	5	8	12	13	29
35-49	438	6.2	35	1	2	4	8	12	15	28
50-64	1101	7.4	42	2	3	6	10	14	18	33
65 +	1322	9.4	62	2	4	8	12	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	476	4.5	9	2	2	4	5	8	10	17
B. Operated	1412	5.6	20	1	2	4	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	1775	6.7	37	2	3	5	8	12	16	30
B. Operated	3080	8.1	55	2	3	7	11	15	21	35
1. SINGLE DX	1888	5.3	18	1	2	4	8	11	14	18
2. MULTIPLE DX	4855	7.6	49	2	3	6	10	14	19	34
A. Not Operated	2251	6.2	32	2	3	5	7	11	15	28
B. Operated	4492	7.3	46	1	3	6	10	14	18	31
TOTAL										
0-19 YRS	528	6.3	65	1	2	4	8	12	17	39
20-34	365	5.8	27	1	2	4	8	11	13	27
35-49	998	5.7	25	1	2	4	8	12	14	26
50-64	2188	6.5	33	2	3	5	9	13	15	28
65 +	2664	8.1	50	2	4	7	10	15	20	33
GRAND TOTAL	**6743**	**7.0**	**42**	**2**	**3**	**5**	**9**	**13**	**17**	**30**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	9	4.2	3	1	3	5	6	6	6	6
35-49	12	5.4	12	1	2	5	8	10	11	11
50-64	33	7.4	16	1	4	8	10	11	13	16
65 +	98	7.1	33	< 1	2	6	10	14	17	30
B. Operated										
0-19 YRS	11	6.9	13	2	4	7	10	11	11	11
20-34	116	5.4	14	1	3	5	8	10	11	17
35-49	576	6.3	13	2	4	6	9	11	13	15
50-64	2883	8.4	11	4	6	8	10	12	14	18
65 +	5353	9.7	11	6	8	9	11	14	15	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	9	3.7	7	< 1	1	3	5	8	8	8
35-49	42	4.7	32	< 1	1	3	5	13	19	26
50-64	201	4.1	17	< 1	1	2	5	10	13	18
65 +	1025	6.5	68	1	2	4	8	13	19	47
B. Operated										
0-19 YRS	30	8.2	34	2	4	8	10	15	17	29
20-34	199	6.0	14	1	3	5	8	11	13	16
35-49	840	7.3	21	1	4	7	10	12	14	22
50-64	5195	9.6	24	5	7	9	11	14	17	26
65 +	16741	11.4	32	7	8	10	13	16	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	6.8	26	1	3	6	10	12	15	27
B. Operated	8939	9.0	12	5	7	9	11	13	15	19
2. MULTIPLE DX										
A. Not Operated	1279	6.0	59	1	2	4	8	13	17	45
B. Operated	23005	10.8	31	6	8	10	13	16	19	31
1. SINGLE DX	9094	8.9	13	5	7	9	11	13	15	19
2. MULTIPLE DX	24284	10.5	34	5	8	10	12	16	19	31
A. Not Operated	1434	6.1	56	1	2	4	8	13	17	44
B. Operated	31944	10.3	27	6	8	10	12	15	18	28
TOTAL										
0-19 YRS	46	7.5	26	2	4	7	10	11	16	29
20-34	333	5.7	14	1	3	5	8	11	13	16
35-49	1470	6.8	19	1	4	7	9	11	13	20
50-64	8312	9.0	20	4	7	9	11	14	16	23
65 +	23217	10.8	30	6	8	10	13	16	19	30
GRAND TOTAL	**33378**	**10.1**	**29**	**5**	**8**	**9**	**12**	**15**	**18**	**29**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17- 715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	9	< 1	< 1	1	4	7	7	7
35-49	6	3.2	3	< 1	2	3	5	5	5	5
50-64	10	3.2	4	1	1	3	4	6	6	6
65 +	22	4.0	5	1	2	4	6	7	8	9
B. Operated										
0-19 YRS	14	2.7	5	1	1	2	3	7	8	8
20-34	127	2.3	3	1	1	2	3	4	5	9
35-49	315	2.3	3	1	1	2	3	4	6	9
50-64	499	3.2	9	1	1	2	4	8	9	14
65 +	345	4.9	14	1	2	4	8	11	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	4	2.0	2	< 1	< 1	1	3	4	4	4
35-49	38	4.3	16	1	2	3	5	9	15	17
50-64	96	4.6	9	1	3	4	6	8	10	15
65 +	458	7.4	98	2	3	5	8	14	19	88
B. Operated										
0-19 YRS	11	2.7	5	< 1	1	2	3	6	9	9
20-34	138	2.7	3	1	1	2	4	5	6	9
35-49	328	3.3	11	1	1	2	4	7	9	18
50-64	656	4.1	14	1	2	3	5	9	11	19
65 +	979	7.2	36	1	3	6	10	14	18	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.6	5	1	2	3	5	7	7	9
B. Operated	1300	3.3	9	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. Not Operated	598	6.7	79	2	3	5	7	13	17	81
B. Operated	2112	5.3	26	1	2	4	7	11	15	24
1. SINGLE DX	1342	3.3	9	1	1	2	4	8	10	14
2. MULTIPLE DX	2710	5.6	38	1	2	4	7	12	15	27
A. Not Operated	640	6.5	75	2	3	5	7	12	16	81
B. Operated	3412	4.6	21	1	2	3	6	10	13	21
TOTAL										
0-19 YRS	27	3.1	7	1	1	2	4	8	9	10
20-34	273	2.5	3	1	1	2	3	5	5	9
35-49	687	2.9	8	1	1	2	3	6	8	14
50-64	1261	3.8	12	1	1	3	5	8	11	17
65 +	1804	6.8	48	1	3	5	9	13	17	33
GRAND TOTAL	**4052**	**4.9**	**30**	**1**	**2**	**3**	**6**	**11**	**14**	**24**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	285	6.0	25	1	3	4	8	12	15	22
20-34	104	5.2	14	2	3	4	6	10	14	18
35-49	82	3.8	10	1	2	3	4	8	10	18
50-64	47	4.0	7	1	2	3	5	8	10	12
65 +	80	4.3	28	< 1	< 1	2	5	10	16	28
B. Operated										
0-19 YRS	258	9.5	53	3	5	8	12	19	23	31
20-34	312	4.1	12	1	2	3	5	8	11	17
35-49	384	4.2	17	1	2	3	5	8	11	24
50-64	396	5.3	18	1	2	4	8	11	13	18
65 +	265	7.6	26	2	3	8	11	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	322	7.8	34	2	3	6	11	15	20	28
20-34	195	6.8	36	2	3	5	8	12	19	30
35-49	203	6.7	34	2	3	5	8	13	19	28
50-64	251	7.6	44	2	3	5	9	16	21	31
65 +	560	8.4	68	2	4	6	10	16	24	44
B. Operated										
0-19 YRS	431	13.2	85	4	7	11	17	25	31	44
20-34	465	8.0	116	1	3	4	9	16	25	62
35-49	639	8.1	79	2	3	5	10	19	28	55
50-64	705	10.2	122	2	3	8	12	22	36	57
65 +	1058	13.7	139	3	7	11	16	29	38	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	598	5.2	21	1	2	4	7	10	14	22
B. Operated	1615	5.9	27	1	2	4	8	12	15	25
2. MULTIPLE DX										
A. Not Operated	1531	7.7	48	2	3	6	10	15	21	36
B. Operated	3298	11.0	119	2	4	8	14	23	32	60
1. SINGLE DX	2213	5.7	26	1	2	4	8	12	15	24
2. MULTIPLE DX	4829	9.9	99	2	4	7	13	21	29	55
A. Not Operated	2129	7.0	42	2	3	5	9	14	19	31
B. Operated	4913	9.3	95	2	3	7	12	20	28	54
TOTAL										
0-19 YRS	1296	9.5	60	2	4	7	13	20	24	37
20-34	1076	6.4	64	1	2	4	7	12	18	46
35-49	1308	6.5	53	1	2	4	8	14	21	40
50-64	1399	8.1	80	1	3	6	10	16	23	47
65 +	1963	11.0	108	2	4	9	14	23	31	59
GRAND TOTAL	**7042**	**8.6**	**80**	**2**	**3**	**6**	**11**	**18**	**25**	**47**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.5	2	1	1	3	3	4	5	5
20-34	13	2.2	2	< 1	1	2	3	4	5	5
35-49	14	2.6	5	< 1	1	2	4	6	7	8
50-64	6	2.8	3	1	2	2	4	6	6	6
65 +	6	3.8	3	2	3	3	4	7	7	7
B. Operated										
0-19 YRS	562	2.3	2	< 1	1	2	3	4	5	7
20-34	1205	2.6	2	< 1	1	2	3	4	5	7
35-49	505	2.2	2	< 1	< 1	2	3	4	5	7
50-64	159	1.8	3	< 1	< 1	1	2	4	5	10
65 +	68	1.6	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	4	4
20-34	28	2.8	17	< 1	< 1	1	3	5	14	19
35-49	18	2.3	3	< 1	< 1	1	4	5	6	6
50-64	13	4.5	56	< 1	< 1	1	6	12	25	28
65 +	17	4.5	19	1	2	3	6	12	15	16
B. Operated										
0-19 YRS	692	2.5	2	< 1	1	2	3	4	5	8
20-34	1819	2.7	4	< 1	1	2	3	5	6	8
35-49	1024	2.4	4	< 1	1	2	3	5	6	11
50-64	558	2.2	5	< 1	< 1	1	3	4	6	13
65 +	331	2.5	6	< 1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.6	3	< 1	1	2	4	5	6	8
B. Operated	2499	2.4	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	84	3.2	19	< 1	< 1	1	4	6	13	25
B. Operated	4424	2.5	4	< 1	1	2	3	5	6	10
1. SINGLE DX	2554	2.4	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	4508	2.5	4	< 1	1	2	3	5	6	11
A. Not Operated	139	3.0	13	< 1	1	2	4	6	8	20
B. Operated	6923	2.5	4	< 1	1	2	3	4	5	9
TOTAL										
0-19 YRS	1278	2.4	2	< 1	1	2	3	4	5	7
20-34	3065	2.7	4	< 1	1	2	3	5	5	8
35-49	1561	2.3	4	< 1	1	2	3	5	5	9
50-64	736	2.2	6	< 1	< 1	1	3	4	6	13
65 +	422	2.5	6	< 1	1	2	3	5	7	14
GRAND TOTAL	**7062**	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

1,107 Hospitals, United States, January-December 1988

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	227	2.9	5	1	1	2	4	5	7	13
20-34	83	3.3	8	1	2	3	4	6	9	16
35-49	82	2.6	4	1	1	2	3	5	6	11
50-64	59	2.6	3	1	1	2	4	5	5	9
65 +	80	3.9	21	< 1	1	2	4	10	13	23
B. Operated										
0-19 YRS	1887	2.3	3	1	1	2	3	4	5	8
20-34	3000	2.3	2	1	1	2	3	4	5	7
35-49	978	2.5	5	1	1	2	3	4	5	9
50-64	309	2.6	4	< 1	1	2	3	5	7	11
65 +	150	4.0	15	1	2	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	311	4.2	31	1	1	3	5	8	12	33
20-34	193	4.6	46	< 1	1	2	5	9	15	39
35-49	226	5.0	38	1	1	3	5	11	19	30
50-64	262	5.7	38	1	2	4	6	11	21	35
65 +	765	6.7	51	1	3	4	8	14	21	39
B. Operated										
0-19 YRS	1687	3.6	20	1	2	2	4	6	9	28
20-34	1754	3.0	10	1	1	2	3	5	7	16
35-49	1064	3.2	12	1	1	2	4	6	9	15
50-64	609	4.6	35	1	1	3	6	10	15	29
65 +	637	6.6	51	1	2	5	9	14	20	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	531	3.1	8	1	1	2	4	5	9	15
B. Operated	6324	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	1757	5.6	44	1	2	4	6	12	19	37
B. Operated	5751	3.8	22	1	2	2	4	8	11	24
1. SINGLE DX	6855	2.4	4	1	1	2	3	4	5	9
2. MULTIPLE DX	7508	4.2	28	1	2	3	5	9	12	29
A. Not Operated	2288	5.0	37	1	2	3	6	11	16	35
B. Operated	12075	3.1	13	1	1	2	3	5	8	17
TOTAL										
0-19 YRS	4112	3.0	13	1	1	2	3	5	7	17
20-34	5030	2.7	7	1	1	2	3	5	6	12
35-49	2350	3.1	12	1	1	2	3	6	8	18
50-64	1239	4.2	28	1	1	3	5	9	12	25
65 +	1632	6.3	47	1	2	4	8	13	19	39
GRAND TOTAL	14363	3.4	17	1	1	2	4	6	9	22

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	5.4	11	2	3	5	7	11	11	11
50-64	4	5.5	12	1	3	6	8	9	9	9
65 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	3	6.7	6	4	5	7	8	9	9	9
35-49	10	6.9	25	1	2	7	9	14	16	16
50-64	2	7.5	5	6	6	7	9	9	9	9
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	11.5	178	2	3	6	20	31	31	31
20-34	5	5.6	3	4	4	5	7	8	8	8
35-49	23	5.8	14	1	2	7	9	11	12	14
50-64	24	6.3	12	2	4	6	8	11	13	14
65 +	22	9.3	112	2	3	5	10	24	38	42
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	7.2	22	2	4	7	10	14	16	16
35-49	16	10.1	39	5	6	8	11	20	25	27
50-64	18	10.6	71	1	5	8	16	20	29	34
65 +	18	16.5	207	5	6	11	22	41	48	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.5	10	1	2	5	6	9	11	11
B. Operated	16	7.0	16	1	4	7	9	13	15	16
2. MULTIPLE DX										
A. Not Operated	78	7.2	48	2	3	5	9	13	18	40
B. Operated	66	11.3	98	2	5	8	14	22	34	50
1. SINGLE DX	29	5.9	15	1	2	5	8	10	13	16
2. MULTIPLE DX	144	9.1	75	2	4	7	10	19	30	44
A. Not Operated	91	6.8	44	2	3	5	8	11	16	39
B. Operated	82	10.5	85	2	5	8	13	21	31	49
TOTAL										
0-19 YRS	5	9.6	151	2	2	4	14	31	31	31
20-34	23	6.3	16	2	4	5	9	11	15	16
35-49	54	7.3	26	1	4	7	9	13	16	27
50-64	48	7.9	37	2	4	7	9	15	19	34
65 +	43	12.0	157	2	4	7	15	34	43	51
GRAND TOTAL	**173**	**8.5**	**66**	**2**	**4**	**7**	**10**	**17**	**26**	**44**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	8	1	2	2	4	8	8	8
20-34	34	3.1	6	1	1	2	4	7	9	10
35-49	100	4.0	12	1	1	3	5	8	10	18
50-64	116	4.7	13	1	1	4	7	10	12	15
65 +	120	4.1	9	1	2	4	5	8	9	14
B. Operated										
0-19 YRS	5	6.8	52	1	2	6	9	19	19	19
20-34	150	3.8	8	1	1	3	5	7	9	17
35-49	698	3.7	8	1	1	3	5	7	9	14
50-64	879	4.1	9	1	1	4	6	8	10	15
65 +	410	4.8	19	1	1	4	7	10	11	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	6.8	36	2	3	4	9	17	19	19
20-34	42	5.0	16	1	2	4	7	11	13	17
35-49	241	5.3	17	1	3	4	7	10	11	16
50-64	590	5.9	23	2	3	5	8	12	15	22
65 +	1879	6.9	31	2	3	6	9	13	17	30
B. Operated										
0-19 YRS	9	7.4	5	5	6	7	10	10	10	10
20-34	160	5.5	67	1	2	5	7	9	11	90
35-49	946	5.1	21	1	2	4	6	9	12	26
50-64	1581	6.3	44	1	2	5	8	12	16	32
65 +	1895	9.5	82	1	4	8	12	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	4.2	11	1	1	3	6	9	10	15
B. Operated	2142	4.1	11	1	1	3	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	2761	6.5	28	2	3	5	8	12	16	28
B. Operated	4591	7.3	59	1	3	5	9	15	20	40
1. SINGLE DX	2517	4.1	11	1	1	3	6	8	10	16
2. MULTIPLE DX	7352	7.0	48	1	3	5	9	14	18	37
A. Not Operated	3136	6.3	27	2	3	5	8	12	15	27
B. Operated	6733	6.3	46	1	2	5	8	13	17	34
TOTAL										
0-19 YRS	28	6.4	23	1	3	6	8	13	19	19
20-34	386	4.6	34	1	2	4	6	8	10	19
35-49	1985	4.6	16	1	2	4	6	9	11	19
50-64	3166	5.5	30	1	2	4	7	11	14	24
65 +	4304	7.8	55	2	3	6	10	15	21	41
GRAND TOTAL	**9869**	**6.3**	**40**	**1**	**3**	**5**	**8**	**12**	**17**	**32**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	5.3	12	1	3	5	7	11	13	14
20-34	1119	4.9	13	1	2	4	6	9	11	17
35-49	1847	5.2	15	1	2	4	7	10	12	19
50-64	867	5.4	16	1	3	4	7	11	13	17
65 +	246	5.8	16	1	3	5	8	10	13	19
B. Operated										
0-19 YRS	305	3.8	6	1	2	3	5	6	9	14
20-34	8057	4.3	9	1	2	4	5	8	10	16
35-49	12338	4.5	10	1	2	4	6	8	10	16
50-64	4538	4.7	13	1	2	4	6	9	11	18
65 +	1118	5.4	17	1	2	5	7	11	13	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	6.0	21	1	3	5	8	12	15	21
20-34	758	5.9	20	1	3	5	8	11	13	20
35-49	1785	6.3	19	2	3	5	8	12	14	22
50-64	1628	6.7	20	2	4	6	9	12	15	21
65 +	1707	7.8	29	3	4	7	10	14	18	29
B. Operated										
0-19 YRS	76	6.4	25	3	4	5	7	13	16	27
20-34	2908	6.2	24	2	3	5	8	11	15	25
35-49	6350	6.4	25	2	3	5	8	12	15	24
50-64	4926	6.9	29	2	4	6	9	13	17	28
65 +	3382	9.4	59	2	5	8	12	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4120	5.2	15	1	2	4	7	10	12	18
B. Operated	26356	4.5	11	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	5908	6.8	23	2	4	6	9	12	15	23
B. Operated	17642	7.1	34	2	4	6	9	14	18	30
1. SINGLE DX	30476	4.6	11	1	2	4	6	8	11	17
2. MULTIPLE DX	23550	7.0	31	2	4	6	9	13	17	29
A. Not Operated	10028	6.1	20	1	3	5	8	11	14	22
B. Operated	43998	5.5	22	1	3	4	7	10	14	23
TOTAL										
0-19 YRS	452	4.5	12	1	3	4	5	8	11	17
20-34	12842	4.9	14	1	3	4	6	9	11	19
35-49	22320	5.2	17	1	3	4	7	10	12	20
50-64	11959	5.9	22	1	3	5	8	11	15	23
65 +	6453	8.2	45	2	4	7	10	16	20	34
GRAND TOTAL	**54026**	**5.6**	**21**	**1**	**3**	**5**	**7**	**11**	**14**	**23**

321: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.7	14	< 1	1	2	6	10	13	13
20-34	128	4.4	14	1	2	4	6	9	11	17
35-49	245	4.7	14	1	1	4	7	10	13	16
50-64	123	4.7	13	1	1	4	7	10	11	16
65 +	33	4.8	7	1	3	5	6	7	11	12
B. Operated										
0-19 YRS	6	3.3	5	1	2	3	4	7	7	7
20-34	862	3.9	8	1	2	3	5	7	9	15
35-49	2654	3.8	8	1	2	3	5	7	9	14
50-64	974	3.8	7	1	2	3	5	7	9	15
65 +	133	4.2	8	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.8	28	1	2	6	11	13	13	13
20-34	104	4.7	15	1	2	4	6	10	13	18
35-49	317	5.4	23	1	2	4	7	12	15	23
50-64	275	6.0	27	1	3	4	8	12	15	29
65 +	258	6.7	32	2	3	5	8	13	17	33
B. Operated										
0-19 YRS	5	13.2	524	1	2	3	18	54	54	54
20-34	430	5.0	14	1	2	4	7	9	12	20
35-49	1855	5.0	18	1	2	4	6	9	13	22
50-64	1233	5.4	27	1	3	4	7	10	14	28
65 +	440	7.6	60	2	3	6	9	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	539	4.6	13	1	2	4	6	10	12	16
B. Operated	4629	3.8	8	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	958	5.9	26	1	2	4	8	12	15	25
B. Operated	3963	5.4	26	1	3	4	7	10	14	26
1. SINGLE DX	5168	3.9	9	1	2	3	5	7	9	14
2. MULTIPLE DX	4921	5.5	26	1	3	4	7	11	14	26
A. Not Operated	1497	5.4	22	1	2	4	7	11	14	24
B. Operated	8592	4.6	17	1	2	4	6	8	11	21
TOTAL										
0-19 YRS	25	6.0	112	1	2	3	6	13	23	54
20-34	1524	4.3	11	1	2	4	6	8	10	17
35-49	5071	4.4	13	1	2	4	6	8	11	18
50-64	2605	4.8	19	1	2	4	6	9	12	22
65 +	864	6.7	43	1	3	5	8	13	18	33
GRAND TOTAL	**10089**	**4.7**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	6.9	52	2	4	4	8	13	26	30
20-34	52	4.5	7	2	3	4	6	8	11	12
35-49	60	4.8	9	1	3	4	6	8	10	18
50-64	28	4.6	8	2	2	4	6	8	9	13
65 +	4	4.8	5	2	3	5	6	7	7	7
B. Operated										
0-19 YRS	7	8.6	75	1	2	6	15	22	23	23
20-34	74	3.8	14	1	1	2	6	9	11	17
35-49	106	4.5	11	1	1	4	7	9	10	13
50-64	31	4.6	13	1	1	4	7	10	11	12
65 +	7	6.1	26	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	7.4	15	2	4	8	9	12	14	14
20-34	64	6.2	25	2	3	5	8	14	16	25
35-49	95	5.1	13	2	3	4	6	8	13	19
50-64	97	6.4	35	2	4	5	8	10	13	40
65 +	76	6.7	43	2	3	5	8	12	18	42
B. Operated										
0-19 YRS	4	12.0	51	6	7	10	17	22	22	22
20-34	91	7.6	51	1	2	6	9	17	21	34
35-49	128	7.7	44	1	4	7	10	13	17	37
50-64	70	7.4	48	1	3	7	9	12	17	45
65 +	27	9.4	33	3	6	8	13	18	21	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	4.8	12	2	3	4	6	8	10	19
B. Operated	225	4.5	15	1	1	3	7	9	12	17
2. MULTIPLE DX										
A. Not Operated	342	6.1	28	2	3	5	8	11	15	26
B. Operated	320	7.8	46	1	3	7	10	15	20	34
1. SINGLE DX	383	4.6	14	1	1	4	7	9	11	18
2. MULTIPLE DX	662	6.9	37	1	3	6	9	13	17	33
A. Not Operated	500	5.7	23	2	3	4	7	10	13	23
B. Operated	545	6.4	36	1	1	6	9	12	17	33
TOTAL										
0-19 YRS	35	7.9	44	1	4	6	9	18	23	30
20-34	281	5.7	30	1	2	4	8	12	17	31
35-49	389	5.7	24	1	3	5	8	10	13	23
50-64	226	6.3	33	1	3	5	8	11	13	35
65 +	114	7.2	39	2	3	6	9	14	19	33
GRAND TOTAL	**1045**	**6.1**	**30**	**1**	**3**	**5**	**8**	**12**	**15**	**28**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	99	5.6	15	2	2	5	8	12	13	18
35-49	150	5.7	12	2	3	5	7	10	12	17
50-64	90	5.4	11	2	3	4	7	10	12	15
65 +	38	4.9	10	1	3	4	6	9	10	17
B. Operated										
0-19 YRS	5	2.8	9	1	1	2	4	8	8	8
20-34	78	4.1	31	1	1	2	5	12	16	28
35-49	103	3.4	27	1	1	2	4	7	10	34
50-64	51	3.5	12	1	1	2	5	9	11	14
65 +	22	3.5	8	1	1	2	6	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	84	6.5	32	2	3	5	8	12	14	36
35-49	213	6.6	21	2	4	5	9	13	16	22
50-64	231	6.3	16	2	3	6	8	11	14	19
65 +	359	7.4	45	2	4	6	9	13	16	39
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	63	6.3	45	1	2	4	8	14	19	35
35-49	107	6.3	44	1	1	4	9	14	20	33
50-64	90	6.7	34	1	2	6	9	15	18	31
65 +	85	8.9	121	1	3	6	12	19	28	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	380	5.5	12	2	3	5	7	10	12	17
B. Operated	259	3.6	23	1	1	2	4	8	12	28
2. MULTIPLE DX										
A. Not Operated	890	6.8	31	2	4	6	9	13	15	25
B. Operated	346	7.0	61	1	2	5	9	15	20	39
1. SINGLE DX	639	4.7	17	1	2	4	7	10	12	18
2. MULTIPLE DX	1236	6.9	39	1	3	5	9	13	17	30
A. Not Operated	1270	6.4	26	2	3	5	8	12	14	21
B. Operated	605	5.6	47	1	1	3	8	13	18	36
TOTAL										
0-19 YRS	12	3.3	6	1	2	2	4	8	8	8
20-34	324	5.6	29	1	2	4	8	12	14	28
35-49	573	5.7	25	1	2	5	8	12	15	25
50-64	462	5.9	19	1	3	5	8	11	14	19
65 +	504	7.3	55	2	3	6	9	14	17	51
GRAND TOTAL	**1875**	**6.2**	**33**	**1**	**3**	**5**	**8**	**12**	**15**	**27**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	143	3.0	5	1	1	2	4	6	8	10
20-34	974	4.3	11	1	2	4	6	8	10	18
35-49	1559	4.2	13	1	2	3	6	8	11	17
50-64	781	4.1	10	1	1	3	6	8	10	15
65 +	404	4.0	12	< 1	1	3	6	9	11	15
B. Operated										
0-19 YRS	87	2.8	11	1	1	1	3	6	8	20
20-34	1216	2.8	9	1	1	1	4	7	8	13
35-49	2206	3.0	9	1	1	2	4	7	9	13
50-64	1666	3.7	10	1	1	3	5	8	9	13
65 +	1303	5.5	17	1	2	5	8	10	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	208	3.6	19	1	1	2	4	7	10	24
20-34	1379	5.7	30	1	2	4	7	11	16	25
35-49	2502	6.2	32	1	3	5	8	12	17	26
50-64	2234	5.9	19	2	3	5	7	11	14	25
65 +	3045	7.0	40	2	3	6	9	13	18	33
B. Operated										
0-19 YRS	75	5.4	43	1	1	4	7	10	14	41
20-34	1057	4.8	33	1	1	3	6	10	14	27
35-49	2418	5.2	32	1	1	4	7	11	15	26
50-64	2984	6.6	38	1	2	5	8	13	17	29
65 +	4453	9.2	59	2	5	8	11	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3861	4.2	12	1	2	3	6	8	10	17
B. Operated	6478	3.6	12	1	1	2	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	9368	6.2	32	1	3	5	8	12	16	27
B. Operated	10987	7.1	48	1	2	6	9	14	19	34
1. SINGLE DX	10339	3.8	12	1	1	3	5	8	10	16
2. MULTIPLE DX	20355	6.7	41	1	3	5	9	13	18	31
A. Not Operated	13229	5.6	27	1	2	4	7	11	14	25
B. Operated	17465	5.9	37	1	1	4	8	12	16	29
TOTAL										
0-19 YRS	513	3.6	18	1	1	2	4	7	10	21
20-34	4626	4.4	23	1	1	3	6	9	12	25
35-49	8685	4.8	24	1	1	4	6	10	13	24
50-64	7665	5.5	25	1	2	4	7	11	14	25
65 +	9205	7.7	47	1	3	6	10	15	20	36
GRAND TOTAL	**30694**	**5.8**	**33**	**1**	**2**	**4**	**8**	**12**	**16**	**28**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	425	3.0	5	1	2	2	4	6	7	10
20-34	152	3.7	6	1	2	3	5	7	9	11
35-49	132	2.9	4	1	1	2	4	6	7	10
50-64	115	3.7	7	1	2	3	5	7	9	14
65 +	59	3.9	8	1	2	3	6	9	10	12
B. Operated										
0-19 YRS	259	2.3	7	< 1	1	1	2	5	8	15
20-34	935	2.1	3	< 1	1	2	2	4	5	9
35-49	1495	2.0	2	< 1	1	2	2	3	4	8
50-64	1022	2.1	3	< 1	1	2	3	4	5	8
65 +	305	2.4	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	3.2	7	1	1	3	4	6	8	14
20-34	203	4.4	9	2	2	4	5	8	9	13
35-49	296	4.3	13	1	2	3	5	9	11	19
50-64	362	4.7	12	1	2	4	6	9	11	17
65 +	505	5.5	26	2	3	4	7	11	13	19
B. Operated										
0-19 YRS	195	3.3	8	1	1	2	5	7	9	14
20-34	767	3.3	22	1	1	2	4	7	9	18
35-49	1669	2.7	9	1	1	2	3	5	8	13
50-64	1610	3.2	12	1	1	2	3	6	9	18
65 +	859	4.6	29	1	2	3	5	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	883	3.3	6	1	2	3	4	7	8	11
B. Operated	4016	2.1	3	< 1	1	2	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	1596	4.6	16	1	2	4	6	9	11	18
B. Operated	5100	3.3	16	1	1	2	4	7	10	19
1. SINGLE DX	4899	2.3	4	< 1	1	2	3	4	6	10
2. MULTIPLE DX	6696	3.6	16	1	1	2	4	7	10	19
A. Not Operated	2479	4.1	13	1	2	3	5	8	10	16
B. Operated	9116	2.8	11	1	1	2	3	5	8	15
TOTAL										
0-19 YRS	1109	2.9	7	1	1	2	4	6	8	13
20-34	2057	2.9	12	1	1	2	3	6	8	13
35-49	3592	2.5	7	1	1	2	3	5	7	12
50-64	3109	3.0	10	1	1	2	3	6	9	15
65 +	1728	4.4	24	1	2	3	5	10	12	22
GRAND TOTAL	**11595**	**3.0**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**15**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	243	1.9	1	1	1	2	2	3	4	5
20-34	450	1.8	1	< 1	1	1	2	3	4	5
35-49	636	1.9	1	< 1	1	2	2	3	4	5
50-64	587	1.9	1	1	1	2	2	3	4	5
65 +	274	1.9	2	< 1	1	1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	10	1.3		< 1	< 1	< 1	2	2	2	2
35-49	14	1.4	1	< 1	< 1	< 1	1	3	4	4
50-64	25	1.9	5	< 1	< 1	1	2	4	6	11
65 +	26	2.1	3	< 1	< 1	1	3	4	6	8
B. Operated										
0-19 YRS	388	2.1	1	1	1	2	3	4	4	6
20-34	797	2.1	12	1	1	2	2	4	4	7
35-49	1438	2.1	3	1	1	2	3	4	5	7
50-64	2292	2.3	2	1	1	2	3	4	5	7
65 +	1828	2.6	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	3	1	1	1	3	5	5	5
B. Operated	2190	1.8	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	78	1.8	3	< 1	< 1	1	2	3	5	10
B. Operated	6743	2.3	4	1	1	2	3	4	5	7
1. SINGLE DX	2195	1.8	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX	6821	2.3	4	1	1	2	3	4	5	7
A. Not Operated	83	1.8	3	< 1	< 1	1	2	3	5	10
B. Operated	8933	2.2	3	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	634	2.0	1	1	1	2	2	4	4	5
20-34	1258	2.0	8	< 1	1	2	2	3	4	5
35-49	2089	2.0	2	1	1	2	3	4	4	6
50-64	2906	2.2	2	1	1	2	3	4	5	7
65 +	2129	2.5	3	1	1	2	3	4	5	9
GRAND TOTAL	**9016**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	6	1.5		< 1	1	1	2	2	2	2
50-64	5	2.6	2	1	2	2	4	4	4	4
65 +	5	4.8	18	1	1	4	8	11	11	11
B. Operated										
0-19 YRS	158	1.2		< 1	< 1	< 1	1	2	2	3
20-34	235	1.4	1	< 1	< 1	< 1	1	2	3	6
35-49	237	1.3	1	< 1	< 1	< 1	1	2	3	4
50-64	165	1.7	2	< 1	< 1	1	2	3	4	8
65 +	75	1.7	2	< 1	< 1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	< 1	< 1	1	2	4	4	4
20-34	6	3.2	7	1	1	2	4	8	8	8
35-49	13	3.8	4	1	2	4	5	7	8	8
50-64	27	3.8	6	1	2	4	6	7	8	11
65 +	34	5.0	19	1	2	4	5	12	12	21
B. Operated										
0-19 YRS	30	1.7	2	< 1	1	1	2	3	5	7
20-34	83	1.9	3	< 1	< 1	1	2	4	5	11
35-49	117	2.9	19	< 1	1	2	3	5	11	26
50-64	160	3.1	19	< 1	1	2	3	6	9	29
65 +	170	4.1	20	1	2	3	5	9	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.6	6	< 1	1	2	3	5	9	11
B. Operated	870	1.4	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	84	4.2	11	1	2	3	5	8	11	18
B. Operated	560	3.1	17	< 1	1	2	3	7	9	25
1. SINGLE DX	891	1.4	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX	644	3.3	16	< 1	1	2	4	7	10	23
A. Not Operated	105	3.8	11	1	2	3	5	8	11	16
B. Operated	1430	2.1	8	< 1	< 1	1	2	4	6	14
TOTAL										
0-19 YRS	195	1.3	1	< 1	< 1	< 1	1	2	2	5
20-34	326	1.5	2	< 1	< 1	< 1	2	3	4	7
35-49	373	1.9	7	< 1	< 1	1	2	3	5	16
50-64	357	2.5	10	< 1	1	1	3	5	7	15
65 +	284	3.6	17	< 1	1	2	4	8	11	24
GRAND TOTAL	**1535**	**2.2**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**7**	**14**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	262	9.2	38	3	5	8	11	18	22	29
20-34	38	7.5	29	2	4	6	9	15	21	24
35-49	54	7.6	42	2	3	6	10	15	20	36
50-64	36	7.3	59	2	3	5	9	13	21	43
65 +	29	8.9	55	2	3	7	12	21	23	30
B. Operated										
0-19 YRS	280	10.8	99	2	5	8	15	22	28	45
20-34	161	8.5	71	1	3	6	11	20	26	42
35-49	156	8.6	63	1	3	6	12	17	24	42
50-64	128	8.8	104	1	3	6	10	18	26	58
65 +	95	7.4	65	1	3	6	9	13	23	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	303	12.0	70	4	6	10	15	24	29	40
20-34	152	11.3	108	3	5	7	15	26	32	51
35-49	211	10.8	87	3	4	8	13	22	31	46
50-64	337	12.0	87	3	6	9	15	24	30	50
65 +	515	14.2	133	4	6	11	18	29	39	56
B. Operated										
0-19 YRS	528	15.6	148	4	7	12	21	33	43	53
20-34	538	15.0	194	3	6	11	18	39	48	99 +
35-49	795	16.9	234	3	7	12	22	43	50	90
50-64	1108	16.0	182	4	7	12	21	35	45	85
65 +	1538	18.3	246	5	8	14	23	42	52	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	8.7	41	2	4	7	11	18	22	29
B. Operated	820	9.2	85	1	3	7	12	20	27	44
2. MULTIPLE DX										
A. Not Operated	1518	12.5	103	3	6	10	16	27	32	50
B. Operated	4507	16.8	212	4	7	12	22	39	49	89
1. SINGLE DX	1239	9.0	70	2	4	7	12	19	24	43
2. MULTIPLE DX	6025	15.7	188	4	7	12	20	35	46	82
A. Not Operated	1937	11.7	92	3	5	9	15	24	30	48
B. Operated	5327	15.6	200	3	6	11	20	36	46	85
TOTAL										
0-19 YRS	1373	12.6	106	3	6	10	16	27	33	48
20-34	889	12.9	157	3	5	9	17	29	43	79
35-49	1216	14.4	191	3	5	10	18	34	46	77
50-64	1609	14.4	160	3	6	11	19	31	42	67
65 +	2177	16.7	217	4	7	12	21	39	49	87
GRAND TOTAL	**7264**	**14.6**	**174**	**3**	**6**	**11**	**19**	**32**	**44**	**74**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	262	5.7	37	1	2	4	7	12	16	26
20-34	135	2.9	6	1	1	2	4	5	7	13
35-49	219	2.7	6	1	1	2	3	5	7	13
50-64	176	3.4	11	1	2	2	4	7	9	18
65 +	263	6.3	56	1	3	5	7	11	14	35
B. Operated										
0-19 YRS	2216	3.6	11	1	1	3	4	7	9	16
20-34	1311	3.1	6	1	1	2	4	6	8	11
35-49	982	3.9	12	1	2	3	5	8	10	14
50-64	575	4.6	14	1	2	3	7	10	11	17
65 +	363	7.2	38	1	3	6	10	14	15	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	7.1	87	1	2	4	9	17	28	51
20-34	304	3.4	13	1	1	2	4	7	8	18
35-49	807	3.7	13	1	2	3	4	8	11	18
50-64	1183	5.8	38	1	2	4	7	12	17	29
65 +	6205	8.3	58	2	4	7	10	16	21	45
B. Operated										
0-19 YRS	1104	4.9	42	1	2	3	6	10	15	37
20-34	1528	4.6	27	1	2	3	6	9	12	25
35-49	1630	6.6	54	1	2	5	8	13	17	39
50-64	1793	9.0	74	2	4	7	11	17	23	48
65 +	3427	12.4	103	4	7	10	15	24	33	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1055	4.5	29	1	2	3	6	9	12	22
B. Operated	5447	3.9	13	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	8742	7.4	53	2	3	5	9	15	19	38
B. Operated	9482	8.7	80	1	3	7	11	18	25	51
1. SINGLE DX	6502	4.0	16	1	2	3	5	8	11	17
2. MULTIPLE DX	18224	8.0	67	2	3	6	10	16	22	46
A. Not Operated	9797	7.0	51	2	3	5	9	14	19	36
B. Operated	14929	6.9	61	1	2	4	9	14	20	42
TOTAL										
0-19 YRS	3825	4.3	28	1	2	3	5	9	12	28
20-34	3278	3.8	17	1	2	3	5	8	10	21
35-49	3638	5.0	33	1	2	3	6	10	13	26
50-64	3727	7.0	54	1	2	5	9	14	19	39
65 +	10258	9.6	76	3	4	8	12	18	25	53
GRAND TOTAL	**24726**	**7.0**	**57**	**1**	**2**	**5**	**9**	**14**	**20**	**41**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.8	42	< 1	1	3	4	15	22	23
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	518	3.1	26	1	1	2	3	5	7	20
20-34	116	2.9	6	1	1	2	4	6	8	13
35-49	91	3.1	10	< 1	1	2	4	6	7	18
50-64	54	3.3	7	1	1	3	4	6	9	15
65 +	35	3.4	5	< 1	1	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.4	14	< 1	< 1	1	2	6	11	18
20-34	10	2.5	4	< 1	1	2	4	6	7	7
35-49	10	10.8	174	< 1	1	3	21	32	36	36
50-64	18	10.1	146	< 1	2	5	15	28	38	44
65 +	21	12.1	131	2	4	9	17	30	39	42
B. Operated										
0-19 YRS	1210	3.9	33	1	2	3	4	7	9	29
20-34	270	3.9	21	1	2	3	5	8	10	23
35-49	250	3.7	19	1	1	3	4	7	9	20
50-64	237	4.4	18	1	2	3	5	9	12	24
65 +	181	6.7	45	1	3	5	9	14	18	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.0	32	< 1	1	2	4	9	19	23
B. Operated	814	3.1	19	1	1	2	4	5	7	17
2. MULTIPLE DX										
A. Not Operated	99	6.7	94	< 1	1	2	7	20	29	43
B. Operated	2148	4.2	30	1	2	3	5	8	11	27
1. SINGLE DX	829	3.1	19	1	1	2	4	6	7	17
2. MULTIPLE DX	2247	4.3	33	1	2	3	5	8	12	31
A. Not Operated	114	6.3	86	< 1	1	2	7	19	28	43
B. Operated	2962	3.9	27	1	2	3	4	7	10	25
TOTAL										
0-19 YRS	1779	3.6	31	1	1	2	4	7	9	25
20-34	397	3.6	16	1	1	3	4	7	9	23
35-49	353	3.7	22	1	1	3	4	7	10	29
50-64	309	4.5	25	1	2	3	5	9	12	29
65 +	238	6.7	50	1	3	4	8	14	19	42
GRAND TOTAL	**3076**	**3.9**	**29**	**1**	**1**	**3**	**4**	**7**	**10**	**28**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	247	2.4	39	< 1	< 1	1	2	4	7	12
20-34	275	3.1	5	1	1	2	4	6	8	11
35-49	297	3.5	9	1	1	3	4	7	9	14
50-64	198	3.9	50	1	1	2	4	7	11	16
65 +	102	3.4	8	1	1	2	5	7	8	15
B. Operated										
0-19 YRS	1266	5.4	14	1	2	6	8	9	11	18
20-34	782	3 5	11	< 1	1	2	5	8	10	14
35-49	839	3.1	11	1	1	2	4	7	9	17
50-64	731	2.7	8	1	1	2	3	6	8	15
65 +	398	2.5	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	379	3.3	15	< 1	1	2	4	7	9	24
20-34	556	4.3	19	1	2	3	5	9	11	26
35-49	920	4.5	16	1	2	3	6	9	12	22
50-64	943	4.6	17	1	2	3	6	9	13	21
65 +	1383	5.9	31	1	3	4	7	12	16	28
B. Operated										
0-19 YRS	2086	6.0	57	1	1	3	8	13	19	36
20-34	1232	5.0	42	1	1	2	7	11	17	32
35-49	1380	5.0	41	1	1	3	7	10	15	30
50-64	1450	5.9	65	1	2	3	8	12	19	40
65 +	1409	6.9	74	1	2	4	9	15	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1119	3.2	22	< 1	1	2	4	7	8	14
B. Operated	4016	3.8	12	1	1	2	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	4181	4.8	22	1	2	3	6	10	14	24
B. Operated	7557	5.8	57	1	1	3	8	13	18	40
1. SINGLE DX	5135	3.6	14	1	1	2	5	8	10	15
2. MULTIPLE DX	11738	5.5	45	1	2	3	7	12	17	32
A. Not Operated	5300	4.5	23	1	2	3	6	9	13	23
B. Operated	11573	5.1	42	1	1	3	7	11	15	31
TOTAL										
0-19 YRS	3978	5.3	39	1	1	3	8	10	15	27
20-34	2845	4.3	26	1	1	2	5	9	13	26
35-49	3436	4.3	25	1	1	3	5	9	12	24
50-64	3322	4.7	39	1	1	3	6	10	14	30
65 +	3292	5.8	48	1	2	4	7	13	17	36
GRAND TOTAL	**16873**	**4.9**	**36**	**1**	**1**	**3**	**7**	**10**	**15**	**28**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	3	5.0	13	2	2	4	8	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	17	4.3	11	2	2	3	5	10	12	12
35-49	18	5.2	8	2	3	5	7	9	11	13
50-64	7	4.7	15	1	2	3	7	11	12	12
65 +	9	9.8	176	2	3	4	11	32	43	43
B. Operated										
0-19 YRS	0									
20-34	5	2.4	2	1	1	3	3	4	4	4
35-49	5	3.0	3	< 1	1	3	4	5	5	5
50-64	6	2.3	2	1	1	2	4	4	4	4
65 +	2	5.5	25	2	2	5	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.5	6	2	3	4	6	8	9	9
B. Operated	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	53	5.6	39	2	3	4	7	11	13	42
B. Operated	18	2.9	4	1	1	3	4	5	7	9
1. SINGLE DX	11	3.9	6	1	2	4	4	8	9	9
2. MULTIPLE DX	71	4.9	31	1	2	4	5	10	12	37
A. Not Operated	61	5.5	34	2	3	4	7	10	13	40
B. Operated	21	2.8	4	1	1	3	4	5	7	9
TOTAL										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	26	3.9	8	1	2	3	4	8	11	12
35-49	27	4.6	8	1	3	4	6	9	10	13
50-64	14	3.6	9	1	1	3	4	8	11	12
65 +	12	8.6	135	2	3	4	9	24	40	43
GRAND TOTAL	**82**	**4.8**	**28**	**1**	**2**	**4**	**5**	**9**	**12**	**34**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	3.7	51	< 1	1	2	4	6	8	49
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	2	8.0	18	5	5	8	11	11	11	11
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	361	5.1	12	2	3	4	6	9	11	19
20-34	25	8.5	238	1	3	5	7	11	35	80
35-49	21	6.8	31	1	3	5	8	12	19	26
50-64	11	10.1	95	3	5	8	11	22	37	38
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	311	4.6	46	1	1	2	5	10	14	41
20-34	20	5.2	22	1	2	4	6	12	17	18
35-49	5	5.4	16	< 1	1	6	8	11	11	11
50-64	7	5.1	14	1	2	4	8	11	11	11
65 +	18	7.4	34	1	2	7	10	14	19	22
B. Operated										
0-19 YRS	865	9.1	110	2	4	6	10	21	35	99 +
20-34	48	9.3	76	4	5	7	10	26	97	99 +
35-49	51	11.6	126	4	6	8	13	24	39	63
50-64	42	11.5	75	3	5	9	16	28	31	33
65 +	32	13.3	152	4	7	11	16	29	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.6	44	< 1	1	2	4	6	9	46
B. Operated	419	5.5	29	2	3	5	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	361	4.8	43	1	1	3	6	10	15	41
B. Operated	1038	9.5	109	2	4	7	11	22	35	99 +
1. SINGLE DX	492	5.2	31	1	2	4	6	9	11	24
2. MULTIPLE DX	1399	8.3	97	1	3	6	10	19	31	99 +
A. Not Operated	434	4.6	43	1	1	3	5	10	14	41
B. Operated	1457	8.3	89	2	4	6	9	18	30	99 +
TOTAL										
0-19 YRS	1598	7.1	78	1	3	5	8	15	24	99 +
20-34	99	7.8	104	2	3	6	9	17	40	99 +
35-49	80	9.6	96	2	4	7	10	19	29	56
50-64	62	10.4	72	2	5	8	12	23	31	37
65 +	52	10.9	113	2	5	9	14	22	30	99
GRAND TOTAL	**1891**	**7.5**	**81**	**1**	**3**	**5**	**9**	**16**	**26**	**99 +**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	1.4	1	< 1	< 1	< 1	1	3	3	6
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	6	2.5	2	1	1	2	3	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	909	1.5	2	< 1	1	1	2	3	4	7
20-34	146	1.6	2	< 1	1	1	2	3	4	9
35-49	69	1.5	1	1	1	1	2	3	3	6
50-64	42	1.6	1	< 1	< 1	1	2	3	4	7
65 +	17	1.8	2	< 1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	2.4	8	< 1	< 1	1	3	5	6	17
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	3	4.0	9	1	2	4	6	7	7	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	524	2.7	25	< 1	1	1	2	5	8	23
20-34	62	2.2	3	1	1	1	3	5	7	7
35-49	59	2.3	5	1	1	1	3	5	7	11
50-64	31	2.1	6	1	1	1	2	4	7	14
65 +	31	2.3	8	1	1	1	2	4	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	1.5	1	< 1	< 1	< 1	1	3	4	6
B. Operated	1183	1.6	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	79	2.5	8	< 1	< 1	1	3	5	7	16
B. Operated	707	2.6	20	< 1	1	1	2	5	8	17
1. SINGLE DX	1308	1.6	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX	786	2.6	19	< 1	1	1	3	5	8	17
A. Not Operated	204	1.9	4	< 1	< 1	1	2	4	5	11
B. Operated	1890	1.9	9	< 1	1	1	2	4	6	10
TOTAL										
0-19 YRS	1618	1.9	10	< 1	1	1	2	4	6	10
20-34	215	1.8	2	1	1	1	2	4	5	8
35-49	137	1.9	3	1	1	1	2	4	5	10
50-64	74	1.8	3	< 1	1	1	2	3	4	12
65 +	50	2.2	6	1	1	1	2	5	6	13
GRAND TOTAL	**2094**	**1.9**	**8**	**< 1**	**1**	**1**	**2**	**4**	**6**	**10**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	204	4.2	42	1	1	2	4	8	15	47
20-34	15	2.7	2	1	2	2	4	5	5	5
35-49	10	3.2	5	1	1	3	4	7	8	8
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	3107	4.3	21	1	2	4	6	8	10	18
20-34	203	4.0	11	1	1	2	7	8	10	13
35-49	93	3.8	12	1	1	2	6	8	10	17
50-64	58	3.8	14	1	1	2	6	10	11	14
65 +	15	5.9	19	1	2	6	10	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1093	3.9	37	< 1	1	2	4	8	13	33
20-34	104	3.4	14	< 1	1	2	4	8	12	19
35-49	44	4.6	38	1	1	3	6	9	12	39
50-64	43	4.3	15	1	1	3	6	9	13	18
65 +	76	7.2	55	2	3	5	8	15	24	42
B. Operated										
0-19 YRS	8203	7.9	100	1	2	6	10	17	27	85
20-34	370	7.2	64	1	2	6	9	15	21	42
35-49	271	7.0	50	1	2	6	9	14	21	33
50-64	197	8.2	88	1	2	7	10	15	22	48
65 +	148	8.1	48	1	2	7	12	16	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	3.9	36	1	1	2	4	8	14	45
B. Operated	3476	4.3	20	1	1	4	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	1360	4.1	36	< 1	1	2	4	9	13	32
B. Operated	9189	7.9	96	1	2	6	10	17	27	77
1. SINGLE DX	3715	4.3	21	1	1	3	6	8	10	19
2. MULTIPLE DX	10549	7.4	90	1	2	5	9	16	25	69
A. Not Operated	1599	4.0	36	< 1	1	2	4	9	13	35
B. Operated	12665	6.9	78	1	2	5	8	14	23	64
TOTAL										
0-19 YRS	12607	6.6	77	1	2	5	8	14	22	65
20-34	692	5.6	42	1	1	4	8	11	16	37
35-49	418	6.0	42	1	2	4	8	12	17	31
50-64	304	6.6	66	1	1	5	9	14	18	37
65 +	243	7.5	48	1	2	6	10	15	22	32
GRAND TOTAL	**14264**	**6.6**	**74**	**1**	**2**	**5**	**8**	**14**	**21**	**62**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	3.2	35	1	1	2	3	5	6	38
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1804	2.4	2	1	1	2	3	4	5	7
20-34	16	1.8	1	1	1	2	2	4	4	4
35-49	5	1.2		1	1	1	2	2	2	2
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	2.0	6	< 1	< 1	1	2	4	7	14
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2059	2.7	6	1	1	2	3	5	6	9
20-34	41	2.1	1	1	1	2	3	4	5	5
35-49	10	2.3	5	1	1	1	3	6	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.2	35	1	1	2	3	5	6	38
B. Operated	1827	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	119	2.0	6	< 1	< 1	1	2	4	7	14
B. Operated	2111	2.7	6	1	1	2	3	5	6	9
1. SINGLE DX	1866	2.4	3	1	1	2	3	4	5	7
2. MULTIPLE DX	2230	2.7	6	1	1	2	3	5	6	10
A. Not Operated	158	2.3	13	< 1	< 1	1	2	5	6	18
B. Operated	3938	2.6	4	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	4019	2.6	4	1	1	2	3	4	6	9
20-34	59	2.0	1	1	1	2	2	4	5	5
35-49	15	1.9	4	1	1	1	2	4	7	8
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
GRAND TOTAL	**4096**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.4	5	1	1	2	3	4	9	10
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1897	3.0	2	2	2	3	4	4	5	7
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	3.0	9	<1	1	2	4	7	9	18
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	714	4.5	19	2	3	4	5	7	9	29
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.4	5	1	1	2	3	4	9	10
B. Operated	1897	3.0	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	52	3.0	9	<1	1	2	4	7	9	18
B. Operated	714	4.5	19	2	3	4	5	7	9	29
1. SINGLE DX	1940	3.0	2	2	2	3	4	4	5	7
2. MULTIPLE DX	766	4.4	18	2	3	3	5	7	9	26
A. Not Operated	95	2.8	7	1	1	2	3	6	9	15
B. Operated	2611	3.4	7	2	2	3	4	5	6	11
TOTAL										
0-19 YRS	2706	3.4	7	2	2	3	4	5	6	11
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**2706**	3.4	7	2	2	3	4	5	6	11

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	3.0	13	<1	1	2	3	6	10	20
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	6	5.3	7	1	4	6	7	8	8	8
50-64	5	2.8	9	<1	<1	<1	4	8	8	8
65+	0									
B. Operated										
0-19 YRS	1266	5.3	39	1	2	4	7	11	13	32
20-34	67	5.1	17	1	1	5	7	10	14	19
35-49	43	4.1	8	1	1	4	6	8	10	11
50-64	23	4.4	14	<1	1	3	7	10	13	13
65+	12	3.8	8	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	544	4.9	43	1	2	3	6	10	17	47
20-34	9	1.9	2	<1	1	1	2	4	5	5
35-49	22	4.3	10	1	1	3	7	9	10	10
50-64	17	7.1	29	2	2	6	10	16	18	19
65+	39	5.9	26	1	3	4	7	12	14	28
B. Operated										
0-19 YRS	2057	9.6	161	1	3	6	11	25	46	99+
20-34	147	6.1	25	1	3	5	8	11	14	28
35-49	110	6.4	25	1	3	6	8	12	17	26
50-64	106	7.8	44	1	3	7	10	16	21	34
65+	108	9.9	96	1	4	8	13	18	24	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	3.0	13	<1	1	2	3	7	10	20
B. Operated	1411	5.3	36	1	2	4	7	11	13	31
2. MULTIPLE DX										
A. Not Operated	631	4.9	40	1	2	3	6	11	16	46
B. Operated	2528	9.2	141	1	3	6	10	22	39	99+
1. SINGLE DX	1665	4.9	33	1	1	3	7	10	13	30
2. MULTIPLE DX	3159	8.4	123	1	2	5	9	20	35	99+
A. Not Operated	885	4.4	33	1	1	3	5	9	14	30
B. Operated	3939	7.8	107	1	2	5	9	17	30	99+
TOTAL										
0-19 YRS	4107	7.3	105	1	2	4	8	16	29	99+
20-34	226	5.6	23	1	2	5	7	11	14	26
35-49	181	5.6	19	1	2	5	7	10	14	19
50-64	151	7.1	38	1	2	6	9	15	19	32
65+	159	8.5	77	1	3	6	11	16	22	50
GRAND TOTAL	**4824**	**7.2**	**95**	**1**	**2**	**5**	**8**	**15**	**26**	**95**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	< 1	1	1	2	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	773	1.3	1	< 1	1	1	1	2	2	5
20-34	41	1.4	1	< 1	1	1	2	2	3	4
35-49	14	1.8	3	< 1	1	1	2	3	6	7
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	1.3	2	< 1	< 1	1	1	1	4	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	729	1.6	2	< 1	1	1	2	3	4	6
20-34	53	2.2	5	1	1	1	3	4	5	15
35-49	30	2.3	5	1	1	2	2	5	6	12
50-64	8	2.3	3	1	1	2	3	5	5	5
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.6	1	< 1	1	1	2	4	4	4
B. Operated	830	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	27	1.3	1	< 1	< 1	1	1	1	4	7
B. Operated	822	1.6	2	< 1	1	1	2	3	4	7
1. SINGLE DX	838	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	849	1.6	2	< 1	1	1	2	3	4	7
A. Not Operated	35	1.4	1	< 1	< 1	1	1	3	4	7
B. Operated	1652	1.5	1	< 1	1	1	2	2	3	6
TOTAL										
0-19 YRS	1535	1.4	1	< 1	1	1	1	2	3	6
20-34	95	1.8	3	1	1	1	2	4	4	11
35-49	45	2.1	4	< 1	1	1	2	4	6	12
50-64	10	2.0	2	1	1	1	3	4	5	5
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
GRAND TOTAL	**1687**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	83	1.9	3	< 1	1	1	2	4	6	10
20-34	19	2.3	2	< 1	1	2	3	4	5	5
35-49	7	2.7	4	1	1	3	4	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated										
0-19 YRS	2140	3.2	9	1	1	2	4	7	9	14
20-34	189	3.6	7	1	2	3	5	7	9	15
35-49	76	3.5	6	1	2	3	5	7	8	12
50-64	28	3.5	8	1	1	3	5	8	8	10
65 +	14	3.5	5	< 1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	3.0	15	< 1	1	2	3	6	9	22
20-34	92	2.8	5	< 1	1	2	4	5	8	13
35-49	97	3.0	8	< 1	1	2	3	7	8	17
50-64	39	3.8	7	1	2	3	5	9	10	12
65 +	19	4.1	9	1	2	3	6	8	10	12
B. Operated										
0-19 YRS	1632	5.7	37	1	2	4	7	12	16	35
20-34	335	4.9	30	1	2	4	5	9	12	20
35-49	255	5.6	16	2	3	5	7	10	13	21
50-64	124	7.0	33	1	4	6	9	14	17	31
65 +	101	7.8	90	2	4	6	9	13	17	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	2.1	3	< 1	1	1	3	4	6	9
B. Operated	2447	3.2	9	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	434	3.1	10	< 1	1	2	4	6	9	16
B. Operated	2447	5.7	36	1	2	4	7	11	15	32
1. SINGLE DX	2560	3.2	8	1	1	2	4	7	9	14
2. MULTIPLE DX	2881	5.3	33	1	2	4	7	11	15	31
A. Not Operated	547	2.9	9	< 1	1	2	3	6	8	15
B. Operated	4894	4.5	24	1	1	3	6	9	13	24
TOTAL										
0-19 YRS	4042	4.1	22	1	1	3	5	9	12	25
20-34	635	4.1	20	1	2	3	5	8	11	16
35-49	435	4.6	14	1	2	4	6	8	11	18
50-64	193	5.8	26	1	3	5	7	12	15	26
65 +	136	6.8	72	1	3	5	8	12	15	37
GRAND TOTAL	**5441**	**4.3**	**23**	**1**	**1**	**3**	**5**	**9**	**12**	**24**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.0	3	< 1	< 1	1	3	5	6	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1507	2.3	3	1	1	2	3	4	5	9
20-34	26	2.7	2	1	1	2	3	5	5	6
35-49	11	2.0	2	< 1	1	2	3	4	5	5
50-64	14	2.7	3	1	1	2	4	5	6	6
65 +	5	3.6	13	< 1	1	2	5	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	1.2	1	< 1	< 1	1	1	1	3	5
20-34	2	5.5	41	1	1	5	10	10	10	10
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	846	3.1	14	1	1	2	4	5	7	12
20-34	90	2.6	2	1	1	2	3	5	5	8
35-49	76	2.5	3	1	1	2	3	4	6	9
50-64	66	2.6	5	1	1	2	3	4	7	12
65 +	49	3.4	28	< 1	1	2	4	6	7	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.0	3	< 1	< 1	1	3	5	6	7
B. Operated	1563	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	59	1.3	2	< 1	< 1	1	1	2	4	10
B. Operated	1127	3.0	13	1	1	2	4	5	7	11
1. SINGLE DX	1584	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1186	2.9	12	1	1	2	3	5	7	11
A. Not Operated	80	1.5	2	< 1	< 1	1	1	3	5	9
B. Operated	2690	2.6	7	1	1	2	3	5	6	10
TOTAL										
0-19 YRS	2431	2.6	7	1	1	2	3	4	6	10
20-34	118	2.7	3	1	1	2	3	5	6	9
35-49	87	2.5	2	1	1	2	3	4	5	9
50-64	80	2.7	4	1	1	2	3	5	6	11
65 +	54	3.4	26	< 1	1	2	4	6	9	36
GRAND TOTAL	**2770**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	386	2.6	11	< 1	1	1	3	5	8	18
20-34	34	3.7	9	1	2	3	5	8	11	12
35-49	20	3.8	11	< 1	1	2	7	8	10	13
50-64	13	3.2	8	1	1	2	5	8	9	9
65 +	4	4.8	6	3	3	4	6	8	8	8
B. Operated										
0-19 YRS	3815	3.6	15	1	1	3	5	7	9	20
20-34	478	2.8	8	1	1	2	3	7	9	14
35-49	320	3.0	8	1	1	2	4	8	9	13
50-64	148	3.8	14	1	1	2	5	9	12	23
65 +	34	4.1	26	1	1	2	5	10	19	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	690	4.6	54	< 1	1	2	5	10	14	41
20-34	82	4.8	13	1	2	4	7	9	11	15
35-49	69	5.3	15	1	2	5	8	10	12	20
50-64	58	4.6	11	1	2	4	6	9	12	15
65 +	79	6.2	21	2	3	5	8	13	15	25
B. Operated										
0-19 YRS	2623	6.1	77	1	2	4	7	13	23	99 +
20-34	409	5.4	23	1	2	4	8	11	14	21
35-49	381	6.2	35	1	2	5	8	11	14	30
50-64	312	6.9	40	1	2	6	9	13	18	26
65 +	177	8.4	45	1	3	7	12	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	457	2.7	11	< 1	1	1	3	6	9	17
B. Operated	4795	3.5	14	1	1	2	5	7	9	19
2. MULTIPLE DX										
A. Not Operated	978	4.8	43	1	1	3	6	10	14	34
B. Operated	3902	6.2	63	1	2	4	8	13	19	71
1. SINGLE DX	5252	3.4	14	1	1	2	4	7	9	19
2. MULTIPLE DX	4880	5.9	59	1	2	4	7	12	18	65
A. Not Operated	1435	4.1	33	< 1	1	2	5	9	12	28
B. Operated	8697	4.7	38	1	1	3	6	9	14	37
TOTAL										
0-19 YRS	7514	4.5	42	1	1	3	5	9	14	42
20-34	1003	4.1	16	1	1	2	6	9	11	17
35-49	790	4.8	24	1	1	3	7	10	12	23
50-64	531	5.7	31	1	2	4	8	11	16	25
65 +	294	7.3	38	1	3	6	10	16	20	28
GRAND TOTAL	**10132**	**4.6**	**37**	**1**	**1**	**3**	**6**	**9**	**14**	**36**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	312	11.8	69	3	7	10	15	23	29	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	38.3	997	9	16	77	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1307	18.7	261	4	8	15	25	43	67	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	390	32.9	607	8	17	50	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	11.8	69	3	7	10	15	23	29	99 +
B. Operated	7	38.3	997	9	16	77	99 +	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	1307	18.7	261	4	8	15	25	43	67	99 +
B. Operated	390	32.9	607	8	17	50	99 +	99 +	99 +	99 +
1. SINGLE DX	319	12.4	101	3	7	10	15	24	34	99 +
2. MULTIPLE DX	1697	21.9	376	5	9	18	40	99 +	99 +	99 +
A. Not Operated	1619	17.4	231	4	7	13	23	39	60	99 +
B. Operated	397	33.0	612	8	17	51	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	2016	20.4	345	5	9	16	35	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2016**	**20.4**	**345**	**5**	**9**	**16**	**35**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4924	2.1	1	1	2	2	2	3	4	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	3.3	3	2	2	3	4	5	7	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1491	2.9	9	1	2	2	3	5	6	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	4.5	12	2	3	3	5	9	11	22
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4924	2.1	1	1	2	2	2	3	4	5
B. Operated	47	3.3	3	2	2	3	4	5	7	8
2. MULTIPLE DX										
A. Not Operated	1491	2.9	9	1	2	2	3	5	6	13
B. Operated	54	4.5	12	2	3	3	5	9	11	22
1. SINGLE DX	4971	2.1	1	1	2	2	3	3	4	5
2. MULTIPLE DX	1545	3.0	9	1	2	2	3	5	6	14
A. Not Operated	6415	2.3	3	1	2	2	3	3	4	8
B. Operated	101	3.9	8	2	2	3	4	7	9	17
TOTAL										
0-19 YRS	6516	2.3	3	1	2	2	3	3	4	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**6516**	**2.3**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**8**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	921	3.6	18	1	2	3	4	7	10	17
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	99	3.1	6	< 1	1	3	4	6	8	14
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	5	1.4	1	< 1	< 1	< 1	1	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2102	7.6	95	2	3	4	9	16	27	68
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	593	17.2	368	3	6	12	43	99 +	99 +	99 +
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	923	3.6	18	1	2	3	4	7	10	17
B. Operated	107	3.0	6	< 1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	2102	7.6	95	2	3	4	9	16	27	68
B. Operated	594	17.1	368	3	6	12	43	99 +	99 +	99 +
1. SINGLE DX	1030	3.5	17	1	2	3	4	7	10	16
2. MULTIPLE DX	2696	9.7	171	2	3	6	12	33	80	99 +
A. Not Operated	3025	6.4	75	1	2	4	7	13	20	57
B. Operated	701	15.0	338	2	5	10	34	99 +	99 +	99 +
TOTAL										
0-19 YRS	3715	8.0	136	1	2	4	10	22	53	99 +
20-34	6	1.5		< 1	< 1	1	2	2	2	2
35-49	5	1.4	1	< 1	< 1	< 1	1	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**3726**	**8.0**	**136**	**1**	**2**	**4**	**10**	**21**	**53**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3838	2.4	4	1	1	2	3	4	5	10
20-34	894	2.6	5	1	1	2	3	5	6	10
35-49	513	2.6	3	1	1	2	3	5	6	8
50-64	268	2.9	5	1	2	2	4	5	7	13
65 +	235	3.6	9	1	2	3	4	7	9	13
B. Operated										
0-19 YRS	43	6.5	128	1	2	3	6	19	38	99 +
20-34	12	2.8	4	< 1	1	2	4	6	6	6
35-49	9	9.2	198	1	2	2	11	35	39	39
50-64	8	4.1	5	1	2	4	6	7	7	7
65 +	6	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7676	2.8	6	1	1	2	3	5	7	13
20-34	1677	3.5	10	1	2	3	4	7	9	16
35-49	2049	4.2	17	1	2	3	5	8	10	22
50-64	2132	5.1	32	1	2	4	6	10	13	25
65 +	4117	6.3	33	2	3	5	8	12	16	28
B. Operated										
0-19 YRS	219	9.0	132	2	3	6	10	20	27	79
20-34	167	6.1	44	1	2	4	7	14	20	35
35-49	182	8.5	99	2	3	6	10	18	30	55
50-64	194	11.4	162	2	4	7	13	26	33	72
65 +	364	14.8	177	3	6	11	20	32	45	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5748	2.5	5	1	1	2	3	5	6	10
B. Operated	78	5.7	96	1	2	3	5	13	27	91
2. MULTIPLE DX										
A. Not Operated	17651	4.1	19	1	2	3	5	8	11	21
B. Operated	1126	10.8	143	2	3	7	13	25	35	72
1. SINGLE DX	5826	2.6	6	1	1	2	3	5	6	10
2. MULTIPLE DX	18777	4.5	29	1	2	3	5	9	13	27
A. Not Operated	23399	3.7	16	1	2	3	4	7	10	19
B. Operated	1204	10.5	141	2	3	7	13	25	34	73
TOTAL										
0-19 YRS	11776	2.8	9	1	1	2	3	5	7	14
20-34	2750	3.4	11	1	2	2	4	6	9	17
35-49	2753	4.2	22	1	2	3	5	8	11	25
50-64	2602	5.4	42	1	2	4	6	10	14	30
65 +	4722	6.8	49	2	3	5	8	14	19	38
GRAND TOTAL	**24603**	**4.1**	**24**	**1**	**2**	**3**	**5**	**8**	**11**	**25**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1530	2.8	3	1	2	3	3	4	5	10
20-34	115	3.9	8	1	2	3	5	7	8	16
35-49	106	3.5	4	1	2	3	5	6	7	11
50-64	72	4.1	6	1	2	4	5	7	9	13
65 +	89	4.3	9	2	2	4	6	7	8	19
B. Operated										
0-19 YRS	37	5.6	21	2	2	4	7	13	15	21
20-34	9	8.7	76	1	3	7	10	23	29	29
35-49	13	8.4	55	3	3	8	9	21	27	28
50-64	9	7.0	24	2	4	7	8	15	18	18
65 +	10	8.5	42	2	4	5	16	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4188	3.5	8	1	2	3	4	6	8	14
20-34	719	4.5	14	2	2	4	5	8	11	18
35-49	737	5.5	19	2	3	4	7	11	14	25
50-64	1124	5.9	26	2	3	5	7	10	14	25
65 +	2535	6.8	34	2	4	5	8	12	16	30
B. Operated										
0-19 YRS	217	8.7	104	2	3	5	11	20	29	68
20-34	131	10.7	92	3	4	7	14	24	29	47
35-49	187	10.5	53	3	5	8	13	20	28	36
50-64	246	10.4	94	3	5	8	13	20	25	45
65 +	486	14.0	145	4	7	10	17	31	41	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1912	3.0	4	1	2	3	3	5	6	10
B. Operated	78	6.9	36	2	3	5	8	16	19	29
2. MULTIPLE DX										
A. Not Operated	9303	4.9	20	2	2	4	6	9	12	22
B. Operated	1267	11.5	113	3	5	8	14	24	33	61
1. SINGLE DX	1990	3.2	5	1	2	3	4	5	7	13
2. MULTIPLE DX	10570	5.7	36	2	3	4	7	11	15	31
A. Not Operated	11215	4.6	18	2	2	3	5	9	12	21
B. Operated	1345	11.3	110	3	5	8	14	24	32	59
TOTAL										
0-19 YRS	5972	3.5	11	1	2	3	4	6	8	16
20-34	974	5.3	29	2	2	4	6	11	15	29
35-49	1043	6.3	28	2	3	5	8	12	17	28
50-64	1451	6.6	39	2	3	5	8	12	17	30
65 +	3120	7.8	58	2	4	6	9	14	21	42
GRAND TOTAL	**12560**	**5.3**	**32**	**2**	**2**	**4**	**6**	**10**	**14**	**29**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	173	2.1	2	1	1	2	3	4	5	7
20-34	387	2.8	5	1	1	2	4	5	7	11
35-49	274	3.4	9	1	2	3	4	6	9	17
50-64	89	2.2	3	1	1	2	3	4	5	10
65 +	24	2.4	2	1	1	2	4	4	5	6
B. Operated										
0-19 YRS	16	2.1	2	1	1	2	3	5	5	5
20-34	56	2.6	6	1	1	2	3	6	8	14
35-49	56	2.9	7	1	1	2	3	7	9	11
50-64	37	2.5	6	1	1	2	3	5	7	14
65 +	14	2.1	5	< 1	< 1	1	2	5	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	486	2.7	6	1	1	2	3	5	7	13
20-34	794	3.5	9	1	2	3	4	7	8	14
35-49	791	4.0	11	1	2	3	5	8	10	18
50-64	497	3.8	12	1	2	3	5	7	9	20
65 +	415	4.3	18	1	2	3	5	8	10	19
B. Operated										
0-19 YRS	46	3.5	7	1	2	3	5	7	8	13
20-34	67	5.0	18	1	2	4	7	11	14	19
35-49	109	4.3	17	1	2	3	5	10	13	20
50-64	88	4.9	16	1	2	4	7	10	11	21
65 +	75	7.5	39	2	3	6	10	15	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	947	2.8	5	1	1	2	3	5	7	12
B. Operated	179	2.6	6	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated	2983	3.7	11	1	2	3	5	7	9	17
B. Operated	385	5.1	22	1	2	4	7	11	14	22
1. SINGLE DX	1126	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX	3368	3.8	12	1	2	3	5	7	10	18
A. Not Operated	3930	3.5	10	1	2	3	4	7	8	16
B. Operated	564	4.3	18	1	1	3	6	9	13	20
TOTAL										
0-19 YRS	721	2.6	5	1	1	2	3	5	7	12
20-34	1304	3.3	8	1	2	3	4	7	8	14
35-49	1230	3.8	11	1	2	3	5	8	10	18
50-64	711	3.7	11	1	2	3	5	7	9	19
65 +	528	4.6	22	1	2	3	5	9	13	24
GRAND TOTAL	**4494**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.4		1	1	1	2	2	3	3
20-34	49	2.4	2	< 1	1	2	3	4	6	7
35-49	88	2.8	3	1	1	3	4	5	5	8
50-64	102	2.8	2	1	1	3	4	5	6	7
65 +	146	2.9	6	1	1	2	4	5	7	11
B. Operated										
0-19 YRS	41	1.8	2	< 1	< 1	1	2	4	5	6
20-34	64	3.6	6	1	2	3	5	6	7	15
35-49	147	3.7	5	1	2	3	5	6	7	10
50-64	213	3.8	5	1	2	3	5	7	8	11
65 +	228	3.5	5	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	2.2	3	< 1	1	2	3	4	6	10
20-34	69	3.6	10	1	2	3	4	6	8	21
35-49	166	3.7	6	1	2	3	5	7	9	11
50-64	433	3.6	6	1	2	3	5	6	8	13
65 +	836	3.9	13	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	45	3.2	16	1	1	2	4	7	10	24
20-34	94	4.8	15	1	2	4	6	8	12	22
35-49	215	4.5	8	1	2	4	6	8	10	14
50-64	505	4.7	8	2	3	4	6	8	10	15
65 +	908	5.0	14	2	3	4	6	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	410	2.7	4	1	1	2	4	5	6	8
B. Operated	693	3.6	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	1611	3.7	10	1	2	3	5	7	9	14
B. Operated	1767	4.8	12	1	3	4	6	9	10	19
1. SINGLE DX	1103	3.2	5	1	2	3	4	6	7	10
2. MULTIPLE DX	3378	4.3	11	1	2	4	5	8	10	16
A. Not Operated	2021	3.5	9	1	2	3	4	6	8	13
B. Operated	2460	4.4	10	1	2	4	6	8	10	17
TOTAL										
0-19 YRS	218	2.3	6	< 1	1	1	3	5	6	11
20-34	276	3.8	10	1	2	3	5	7	8	20
35-49	616	3.8	6	1	2	3	5	7	9	12
50-64	1253	4.0	7	1	2	4	5	7	8	14
65 +	2118	4.3	13	1	2	4	5	8	10	17
GRAND TOTAL	**4481**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	3.1	5	1	1	3	5	6	7	10
20-34	31	2.3	4	1	1	2	2	4	6	10
35-49	36	2.5	3	1	1	2	3	5	7	8
50-64	33	2.6	3	1	2	2	3	4	5	9
65 +	22	2.3	4	< 1	1	2	3	3	6	10
B. Operated										
0-19 YRS	147	1.8	3	< 1	< 1	1	2	4	6	9
20-34	142	2.0	5	< 1	1	1	2	4	6	15
35-49	89	1.7	2	< 1	< 1	1	2	3	4	9
50-64	64	1.9	3	< 1	1	1	2	5	6	9
65 +	42	2.3	11	< 1	< 1	1	2	4	7	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	173	4.8	31	1	2	3	5	11	16	29
20-34	136	3.6	26	1	1	2	4	7	11	31
35-49	228	3.7	17	1	2	2	4	8	10	17
50-64	312	4.8	33	1	2	3	6	11	14	30
65 +	649	6.5	54	1	2	4	8	14	18	43
B. Operated										
0-19 YRS	147	7.5	101	1	1	3	9	22	28	55
20-34	87	5.9	80	1	1	3	7	12	20	54
35-49	124	5.0	72	1	1	2	6	12	14	43
50-64	173	7.9	104	1	1	4	11	21	30	62
65 +	299	12.2	155	1	3	9	17	25	34	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	2.7	4	1	1	2	3	5	7	10
B. Operated	484	1.9	4	< 1	< 1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	1498	5.3	40	1	2	3	7	11	16	33
B. Operated	830	8.7	122	1	2	5	12	22	30	63
1. SINGLE DX	690	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX	2328	6.5	72	1	2	3	8	15	22	45
A. Not Operated	1704	5.0	37	1	2	3	6	11	16	31
B. Operated	1314	6.2	89	< 1	1	2	8	16	24	50
TOTAL										
0-19 YRS	551	4.5	43	< 1	1	2	5	10	16	31
20-34	396	3.4	30	< 1	1	2	3	7	11	32
35-49	477	3.5	28	1	1	2	4	8	11	22
50-64	582	5.3	53	1	1	3	6	13	18	40
65 +	1012	7.9	90	1	2	5	10	18	24	60
GRAND TOTAL	**3018**	**5.5**	**60**	**1**	**1**	**3**	**7**	**13**	**19**	**40**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	6	1	2	5	6	7	7	7
20-34	0									
35-49	2	9.0	50	4	4	9	14	14	14	14
50-64	3	5.7	41	< 1	1	3	10	13	13	13
65 +	7	8.0	19	3	4	8	10	15	16	16
B. Operated										
0-19 YRS	16	7.2	112	< 1	2	5	8	10	35	45
20-34	27	7.1	59	1	2	5	8	19	23	32
35-49	12	6.6	52	1	2	3	11	17	24	25
50-64	34	5.6	23	1	2	4	9	13	15	19
65 +	97	9.0	53	2	4	7	12	20	24	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	6.6	24	1	4	5	9	14	18	18
20-34	12	7.8	63	1	2	7	10	18	27	29
35-49	13	5.7	6	3	4	6	8	9	10	10
50-64	44	7.4	17	3	4	7	10	14	15	16
65 +	217	9.9	122	2	4	8	11	19	29	54
B. Operated										
0-19 YRS	35	8.5	51	1	3	7	13	18	25	27
20-34	94	13.7	220	3	5	9	18	35	41	99 +
35-49	176	15.8	179	3	6	12	22	38	46	91
50-64	555	17.0	230	4	7	12	22	36	50	85
65 +	1775	16.3	194	4	7	12	21	34	47	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	6.5	21	1	3	5	9	14	15	16
B. Operated	186	7.8	54	1	2	6	10	17	23	37
2. MULTIPLE DX										
A. Not Operated	296	9.1	97	2	4	7	10	16	26	53
B. Operated	2635	16.2	200	4	7	12	21	34	47	96
1. SINGLE DX	203	7.7	51	1	3	6	10	16	22	36
2. MULTIPLE DX	2931	15.5	194	4	7	12	20	33	46	94
A. Not Operated	313	9.0	93	2	4	7	10	16	23	52
B. Operated	2821	15.6	195	4	7	12	20	33	46	94
TOTAL										
0-19 YRS	66	7.5	58	1	3	5	10	18	20	42
20-34	133	11.8	180	2	4	8	16	29	38	99 +
35-49	203	14.5	169	3	5	11	20	34	44	82
50-64	636	15.7	216	3	6	12	20	34	48	83
65 +	2096	15.2	185	4	7	11	20	32	44	95
GRAND TOTAL	**3134**	**15.0**	**189**	**3**	**6**	**11**	**19**	**32**	**44**	**93**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	1.9	2	< 1	1	1	3	4	5	7
20-34	1362	2.1	6	1	1	2	2	3	4	7
35-49	5098	2.0	2	1	1	2	3	4	4	7
50-64	3708	2.2	2	1	1	2	3	4	5	7
65 +	1446	2.4	3	1	1	2	3	4	6	9
B. Operated										
0-19 YRS	11	1.7	1	1	1	1	2	4	4	4
20-34	152	2.0	2	1	1	1	2	4	6	8
35-49	1132	2.0	2	1	1	1	2	4	5	8
50-64	1389	1.9	2	1	1	1	2	4	5	8
65 +	443	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	279	2.5	4	1	1	2	3	4	6	10
20-34	3096	2.5	3	1	1	2	3	4	6	9
35-49	13257	2.7	3	1	1	2	3	5	6	9
50-64	16627	2.9	4	1	2	2	4	5	6	10
65 +	15958	3.4	7	1	2	3	4	6	8	13
B. Operated										
0-19 YRS	19	4.0	5	2	2	4	5	8	8	8
20-34	318	3.6	8	1	1	3	5	7	8	14
35-49	2799	3.1	7	1	1	2	4	6	8	13
50-64	4663	3.2	11	1	1	2	4	7	8	15
65 +	2932	4.2	23	1	2	3	5	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11725	2.1	2	1	1	2	3	4	5	7
B. Operated	3127	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	49217	3.0	5	1	2	2	4	5	7	11
B. Operated	10731	3.5	13	1	1	2	4	7	9	16
1. SINGLE DX	14852	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	59948	3.1	6	1	2	2	4	6	7	12
A. Not Operated	60942	2.8	4	1	2	2	3	5	6	10
B. Operated	13858	3.1	11	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	420	2.4	3	1	1	2	3	4	6	9
20-34	4928	2.4	4	1	1	2	3	4	6	10
35-49	22286	2.5	3	1	1	2	3	5	6	9
50-64	26387	2.8	5	1	1	2	3	5	7	10
65 +	20779	3.4	9	1	2	3	4	6	8	15
GRAND TOTAL	**74800**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1386	2.6	5	1	1	2	3	5	6	11
20-34	49	1.9	3	<1	1	1	2	4	5	10
35-49	59	2.1	2	<1	1	2	3	4	5	8
50-64	60	2.7	8	1	1	2	3	5	7	19
65 +	47	2.5	7	<1	1	2	3	4	6	17
B. Operated										
0-19 YRS	104	2.5	5	<1	1	2	3	5	8	11
20-34	40	2.6	5	<1	1	2	3	6	8	10
35-49	79	2.5	4	<1	1	2	3	5	6	10
50-64	129	3.3	19	<1	1	2	4	8	12	27
65 +	67	2.6	6	<1	<1	1	4	6	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2654	4.2	25	1	2	3	5	8	12	24
20-34	195	3.4	9	1	1	2	4	8	10	14
35-49	346	3.5	10	1	1	3	4	7	9	17
50-64	732	4.4	15	1	2	3	6	8	11	18
65 +	1359	5.2	20	1	2	4	7	10	13	24
B. Operated										
0-19 YRS	353	10.8	245	1	1	5	15	32	59	99 +
20-34	93	4.5	13	1	2	4	6	9	12	18
35-49	239	4.3	21	1	1	3	6	9	12	30
50-64	490	5.2	23	1	2	4	7	12	15	24
65 +	639	6.9	59	1	2	5	8	14	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1601	2.5	5	1	1	2	3	5	6	11
B. Operated	419	2.8	9	<1	1	2	3	5	9	14
2. MULTIPLE DX										
A. Not Operated	5286	4.4	21	1	2	3	5	9	12	22
B. Operated	1814	6.7	83	1	2	4	8	15	23	79
1. SINGLE DX	2020	2.6	6	1	1	2	3	5	7	12
2. MULTIPLE DX	7100	5.0	38	1	2	3	6	10	14	32
A. Not Operated	6887	4.0	18	1	2	3	5	8	11	20
B. Operated	2233	6.0	71	1	2	3	7	13	21	62
TOTAL										
0-19 YRS	4497	4.2	40	1	1	3	4	8	13	34
20-34	377	3.4	9	1	1	2	5	8	10	15
35-49	723	3.5	13	1	1	2	4	7	10	19
50-64	1411	4.5	18	1	2	3	6	9	13	22
65 +	2112	5.5	32	1	2	4	7	11	15	28
GRAND TOTAL	**9120**	**4.5**	**32**	**1**	**2**	**3**	**5**	**9**	**13**	**27**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	1.7	1	1	1	1	2	3	4	5
20-34	395	1.8	1	1	1	1	2	3	4	6
35-49	597	1.8	2	1	1	1	2	3	4	6
50-64	317	1.7	1	1	1	1	2	3	4	5
65 +	133	2.4	4	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	59	2.2	5	<1	<1	1	2	5	7	10
20-34	70	3.1	4	1	1	3	5	6	7	7
35-49	95	3.3	3	1	2	3	4	6	7	8
50-64	69	3.6	5	1	2	3	4	6	8	12
65 +	60	3.8	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	2.7	8	1	1	2	3	5	7	16
20-34	439	2.4	3	1	1	2	3	5	6	9
35-49	632	2.5	4	1	1	2	3	5	6	12
50-64	617	3.2	8	1	1	2	4	6	8	15
65 +	1175	5.0	27	1	2	4	6	9	13	29
B. Operated										
0-19 YRS	155	5.9	36	1	2	4	8	14	19	28
20-34	189	4.2	22	1	1	3	5	9	12	27
35-49	256	4.8	15	1	2	4	6	10	12	19
50-64	384	5.1	16	1	2	4	6	10	14	17
65 +	1125	6.8	41	2	3	5	8	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1562	1.8	2	1	1	1	2	3	4	6
B. Operated	353	3.2	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	3018	3.6	15	1	1	3	4	7	10	20
B. Operated	2109	5.9	32	1	3	4	8	12	16	27
1. SINGLE DX	1915	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX	5127	4.6	24	1	2	3	6	9	13	25
A. Not Operated	4580	3.0	11	1	1	2	4	6	8	16
B. Operated	2462	5.5	29	1	2	4	7	12	15	26
TOTAL										
0-19 YRS	489	3.4	18	1	1	2	4	8	12	22
20-34	1093	2.5	6	1	1	2	3	5	7	12
35-49	1580	2.6	6	1	1	2	3	5	7	14
50-64	1387	3.4	10	1	1	2	4	7	10	16
65 +	2493	5.6	33	1	2	4	7	11	15	29
GRAND TOTAL	**7042**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3729	1.8	2	1	1	1	2	3	4	6
20-34	3252	2.2	3	1	1	2	3	4	5	8
35-49	1952	2.5	5	1	1	2	3	5	6	10
50-64	856	2.7	3	1	1	2	3	5	6	9
65 +	515	2.8	5	1	1	2	3	6	7	11
B. Operated										
0-19 YRS	498	3.1	6	1	2	3	4	5	6	11
20-34	685	3.3	4	1	2	3	4	6	7	10
35-49	273	3.6	9	1	2	3	4	7	10	16
50-64	114	3.8	10	1	1	3	5	7	11	15
65 +	54	3.7	9	< 1	1	3	6	9	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2985	2.3	5	1	1	2	3	4	6	10
20-34	4029	2.9	7	1	1	2	4	6	7	12
35-49	3258	3.5	8	1	2	3	5	7	8	14
50-64	2957	3.8	9	1	2	3	5	7	9	15
65 +	4398	4.6	14	1	2	4	6	9	11	19
B. Operated										
0-19 YRS	492	3.9	9	1	2	3	5	7	9	18
20-34	1012	4.7	15	1	2	4	6	9	12	21
35-49	743	5.9	27	1	3	5	7	11	14	26
50-64	602	6.4	30	1	3	5	8	13	16	30
65 +	831	7.8	62	2	3	6	10	15	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10304	2.2	3	1	1	2	3	4	5	9
B. Operated	1624	3.3	6	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	17627	3.5	10	1	2	3	4	7	9	15
B. Operated	3680	5.8	31	1	3	4	7	11	15	28
1. SINGLE DX	11928	2.3	4	1	1	2	3	4	6	9
2. MULTIPLE DX	21307	3.9	14	1	2	3	5	8	10	18
A. Not Operated	27931	3.0	8	1	1	2	4	6	8	13
B. Operated	5304	5.1	25	1	2	4	6	10	13	25
TOTAL										
0-19 YRS	7704	2.2	4	1	1	2	3	4	5	9
20-34	8978	2.9	7	1	1	2	4	6	7	12
35-49	6226	3.5	10	1	2	3	4	7	9	15
50-64	4529	3.9	12	1	2	3	5	7	10	17
65 +	5798	4.9	22	1	2	4	6	9	13	23
GRAND TOTAL	**33235**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	402	2.2	3	1	1	2	3	4	6	9
20-34	89	2.5	4	< 1	1	2	3	6	7	9
35-49	82	2.4	4	< 1	1	1	3	5	6	11
50-64	62	2.6	6	< 1	1	2	3	5	7	13
65 +	82	3.9	16	1	1	2	5	8	14	19
B. Operated										
0-19 YRS	79	3.3	7	1	1	3	4	6	10	13
20-34	61	3.7	7	1	2	3	5	7	9	13
35-49	60	4.1	11	1	1	3	6	8	11	17
50-64	55	2.8	7	< 1	< 1	1	4	7	9	10
65 +	41	3.5	11	< 1	1	2	5	6	10	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1553	3.0	12	1	1	2	4	6	8	16
20-34	699	3.3	7	1	2	3	4	6	8	14
35-49	859	4.4	21	1	2	3	5	8	12	21
50-64	1188	4.7	19	1	2	4	6	9	13	22
65 +	2779	5.6	33	2	3	4	7	10	14	29
B. Operated										
0-19 YRS	354	4.2	63	1	1	1	5	10	15	39
20-34	335	3.7	26	1	1	2	5	8	12	17
35-49	406	4.6	35	1	1	2	6	9	17	34
50-64	466	6.7	56	1	1	5	9	16	21	33
65 +	932	8.3	88	1	2	6	11	17	26	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	717	2.5	5	< 1	1	2	3	5	7	13
B. Operated	296	3.5	9	< 1	1	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	7078	4.5	23	1	2	3	5	9	12	22
B. Operated	2493	6.2	65	1	1	4	8	14	20	37
1. SINGLE DX	1013	2.8	7	< 1	1	2	4	6	8	14
2. MULTIPLE DX	9571	4.9	34	1	2	3	6	10	14	29
A. Not Operated	7795	4.3	22	1	2	3	5	8	12	22
B. Operated	2789	5.9	60	1	1	4	7	14	19	36
TOTAL										
0-19 YRS	2388	3.1	18	1	1	2	3	6	9	18
20-34	1184	3.4	12	1	1	2	4	7	9	16
35-49	1407	4.3	24	1	1	3	6	8	12	24
50-64	1771	5.1	29	1	2	4	6	11	15	27
65 +	3834	6.2	47	1	3	4	7	13	17	35
GRAND TOTAL	**10584**	**4.7**	**32**	**1**	**2**	**3**	**6**	**10**	**14**	**28**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2769	3.2	17	1	1	2	4	6	9	21
20-34	699	2.9	14	1	1	2	3	5	6	25
35-49	805	2.3	3	1	1	2	3	4	5	9
50-64	967	2.7	5	1	1	2	3	5	7	11
65 +	1304	3.1	7	1	1	2	4	6	8	12
B. Operated										
0-19 YRS	269	3.0	44	< 1	1	1	3	6	9	29
20-34	194	1.7	2	1	1	1	2	3	4	7
35-49	269	1.7	2	1	1	1	2	4	4	6
50-64	232	2.1	5	1	1	1	2	4	6	11
65 +	162	3.0	16	< 1	1	1	3	6	10	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5379	4.9	41	1	2	3	6	10	15	32
20-34	2113	3.5	16	1	1	2	4	6	9	22
35-49	3535	3.5	13	1	2	3	4	7	8	17
50-64	6565	3.9	14	1	2	3	5	7	10	19
65 +	20498	5.1	30	2	2	4	6	9	13	26
B. Operated										
0-19 YRS	798	9.2	138	1	2	5	12	23	38	99 +
20-34	426	3.8	26	1	1	2	4	8	12	42
35-49	824	4.2	35	1	1	2	5	10	13	36
50-64	1241	5.7	62	1	1	3	7	12	18	40
65 +	2821	8.6	92	1	3	6	11	19	27	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6544	3.0	11	1	1	2	3	6	8	16
B. Operated	1126	2.3	15	< 1	1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated	38090	4.6	27	1	2	3	5	9	12	24
B. Operated	6110	7.2	83	1	2	4	9	16	24	66
1. SINGLE DX	7670	2.9	12	1	1	2	3	6	8	16
2. MULTIPLE DX	44200	5.0	35	1	2	3	6	10	14	31
A. Not Operated	44634	4.4	25	1	2	3	5	8	11	23
B. Operated	7236	6.4	76	1	1	4	8	15	22	54
TOTAL										
0-19 YRS	9215	4.7	45	1	2	3	5	10	15	37
20-34	3432	3.3	16	1	1	2	4	6	9	23
35-49	5433	3.3	14	1	1	2	4	6	9	17
50-64	9005	3.9	20	1	2	3	5	8	10	22
65 +	24785	5.4	37	1	2	4	6	10	14	32
GRAND TOTAL	**51870**	**4.7**	**32**	**1**	**2**	**3**	**5**	**9**	**13**	**29**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	15.3	132	1	7	15	23	29	29	29
20-34	1	25.0		25	25	25	25	25	25	25
35-49	1	35.0		35	35	35	35	35	35	35
50-64	2	45.0	512	29	29	45	61	61	61	61
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	19.9	231	5	8	17	28	36	59	65
20-34	15	18.5	157	3	10	18	23	38	45	48
35-49	6	16.5	200	< 1	1	17	26	36	37	37
50-64	2	10.5	13	8	8	10	13	13	13	13
65 +	5	5.8	61	< 1	< 1	1	10	19	19	19
B. Operated										
0-19 YRS	94	31.6	361	11	20	29	50	81	99 +	99 +
20-34	93	37.2	502	14	20	34	53	80	97	99 +
35-49	35	35.7	511	11	23	38	56	99 +	99 +	99 +
50-64	19	42.5	358	21	34	41	68	99 +	99 +	99 +
65 +	11	43.5	444	14	36	49	84	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	26.4	311	5	15	27	32	53	61	61
2. MULTIPLE DX										
A. Not Operated	62	17.8	198	1	7	16	24	36	42	65
B. Operated	252	35.6	444	13	20	36	55	97	99 +	99 +
1. SINGLE DX	8	26.4	311	5	15	27	32	53	61	61
2. MULTIPLE DX	314	32.1	444	10	18	30	49	86	99 +	99 +
A. Not Operated	62	17.8	198	1	7	16	24	36	42	65
B. Operated	260	35.3	441	13	20	35	54	97	99 +	99 +
TOTAL										
0-19 YRS	132	28.1	349	7	16	26	42	66	99 +	99 +
20-34	109	34.5	490	13	19	28	48	73	96	99 +
35-49	42	33.0	494	10	18	35	55	99 +	99 +	99 +
50-64	23	40.0	404	14	29	40	61	98	99 +	99 +
65 +	16	31.7	637	1	11	38	63	99 +	99 +	99 +
GRAND TOTAL	**322**	**31.9**	**441**	**10**	**18**	**29**	**48**	**84**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1101	1.7	2	<1	1	1	2	3	4	8
20-34	35	3.7	12	1	2	2	4	10	13	14
35-49	24	4.9	15	1	2	3	7	11	13	15
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	7	2.6	3	1	2	2	3	5	6	6
B. Operated										
0-19 YRS	240	4.5	14	2	2	3	5	8	9	21
20-34	60	5.4	17	2	3	4	7	11	13	21
35-49	23	10.3	168	2	4	6	12	26	46	53
50-64	5	9.0	9	4	8	10	11	11	11	11
65 +	6	5.3	10	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1010	3.6	21	1	1	2	4	7	11	26
20-34	147	5.6	25	1	2	4	8	12	16	23
35-49	81	6.8	63	1	2	5	8	13	22	48
50-64	48	6.1	24	1	2	5	9	14	18	99 +
65 +	76	9.3	45	2	4	8	13	18	24	29
B. Operated										
0-19 YRS	413	10.8	164	1	3	6	13	27	40	87
20-34	326	11.8	153	2	4	8	15	29	46	99 +
35-49	169	12.9	207	2	4	8	15	30	45	76
50-64	84	12.9	227	2	4	8	14	35	42	75
65 +	49	16.6	214	3	6	12	25	38	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1170	1.8	3	1	1	1	2	3	5	10
B. Operated	334	5.1	27	2	3	4	6	9	12	26
2. MULTIPLE DX										
A. Not Operated	1362	4.4	28	1	1	3	5	10	15	27
B. Operated	1041	11.9	176	2	4	7	15	30	42	99 +
1. SINGLE DX	1504	2.5	10	1	1	1	3	5	8	14
2. MULTIPLE DX	2403	7.7	106	1	2	4	9	19	29	63
A. Not Operated	2532	3.2	18	1	1	2	3	7	11	23
B. Operated	1375	10.2	148	2	3	6	12	25	38	83
TOTAL										
0-19 YRS	2764	4.0	43	1	1	2	4	8	14	37
20-34	568	9.0	107	1	3	6	11	21	35	99 +
35-49	297	10.4	158	2	3	6	12	23	39	60
50-64	140	10.2	156	2	3	7	12	20	40	77
65 +	138	11.4	118	2	4	8	16	26	35	77
GRAND TOTAL	3907	5.7	75	1	1	3	6	13	22	55

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3; 6; 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	504	1.9	3	1	1	1	2	4	5	9
20-34	89	3.2	7	1	1	2	4	8	9	11
35-49	41	4.9	27	1	2	3	6	10	16	28
50-64	20	4.3	12	1	2	3	6	8	11	14
65 +	16	5.2	20	1	2	3	8	13	14	15
B. Operated										
0-19 YRS	69	5.0	21	1	2	4	6	9	15	28
20-34	39	4.5	18	1	2	3	5	9	10	25
35-49	11	6.2	34	2	2	4	8	16	21	21
50-64	3	3.3	10	1	1	2	6	7	7	7
65 +	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	780	4.2	24	1	2	3	5	9	13	27
20-34	396	5.7	43	1	2	4	7	12	17	36
35-49	206	6.0	38	1	2	4	8	13	16	35
50-64	106	8.5	159	2	3	4	9	17	35	77
65 +	138	8.0	58	2	4	6	11	14	17	36
B. Operated										
0-19 YRS	345	10.2	152	2	3	6	12	23	36	77
20-34	402	11.3	162	2	3	8	14	27	42	99 +
35-49	209	14.3	223	2	5	10	20	33	61	99 +
50-64	71	14.0	225	2	5	11	19	41	97	99 +
65 +	85	13.4	115	3	5	11	21	32	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	670	2.4	6	1	1	2	3	5	7	12
B. Operated	124	4.9	21	1	2	4	6	9	13	27
2. MULTIPLE DX										
A. Not Operated	1626	5.4	44	1	2	3	6	12	16	33
B. Operated	1112	11.9	173	2	4	8	16	29	44	99 +
1. SINGLE DX	794	2.8	9	1	1	2	3	6	8	15
2. MULTIPLE DX	2738	8.0	106	1	2	5	10	19	29	75
A. Not Operated	2296	4.5	35	1	1	3	5	10	14	30
B. Operated	1236	11.2	162	2	3	7	14	28	42	99 +
TOTAL										
0-19 YRS	1698	4.8	52	1	1	2	5	10	17	40
20-34	926	7.9	100	1	2	5	9	19	29	73
35-49	467	9.6	138	1	3	6	12	23	33	85
50-64	200	9.9	175	2	3	5	12	28	41	99 +
65 +	241	9.7	83	2	4	8	13	21	31	99 +
GRAND TOTAL	3532	6.9	89	1	2	4	8	16	26	68

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	1.6	1	< 1	1	1	2	3	4	5
20-34	84	1.8	2	< 1	1	1	2	4	5	7
35-49	25	1.7	1	1	1	1	2	4	4	5
50-64	7	1.9	1	< 1	< 1	1	3	4	4	4
65 +	11	5.9	153	1	1	2	4	20	41	43
B. Operated										
0-19 YRS	953	1.8	2	< 1	1	1	2	3	4	7
20-34	1358	2.2	5	1	1	2	3	4	6	10
35-49	398	2.5	5	1	1	2	3	5	7	11
50-64	90	2.3	5	1	1	1	3	5	6	14
65 +	41	2.7	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	240	2.3	6	1	1	2	3	4	5	12
20-34	382	2.3	4	< 1	1	2	3	4	6	12
35-49	177	3.1	6	1	1	2	4	6	8	13
50-64	98	3.3	9	1	1	3	4	7	9	17
65 +	199	5.2	38	1	2	3	6	11	16	27
B. Operated										
0-19 YRS	1412	3.9	27	1	1	3	5	8	11	21
20-34	2640	4.2	18	1	2	3	5	9	12	22
35-49	1137	4.5	20	1	2	3	6	10	13	21
50-64	415	5.2	28	1	2	3	7	11	15	31
65 +	394	7.2	72	1	2	5	9	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	1.9	10	< 1	1	1	2	4	5	7
B. Operated	2840	2.1	4	< 1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	1096	3.0	12	1	1	2	4	6	8	17
B. Operated	5998	4.4	25	1	2	3	5	9	13	25
1. SINGLE DX	3030	2.1	5	< 1	1	1	3	4	5	10
2. MULTIPLE DX	7094	4.2	24	1	1	3	5	9	12	24
A. Not Operated	1286	2.9	12	1	1	2	3	6	8	16
B. Operated	8838	3.7	20	1	1	2	4	8	11	21
TOTAL										
0-19 YRS	2668	2.9	16	1	1	2	3	6	8	16
20-34	4464	3.4	14	1	1	2	4	7	10	18
35-49	1737	3.9	16	1	1	3	5	8	11	17
50-64	610	4.4	23	1	1	3	6	10	13	25
65 +	645	6.3	60	1	2	4	7	14	19	43
GRAND TOTAL	**10124**	**3.6**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	375	3.2	8	1	2	2	4	6	8	13
20-34	737	3.8	8	1	2	3	5	7	9	14
35-49	485	4.3	12	1	2	4	5	8	10	16
50-64	345	5.2	16	2	3	4	7	9	11	18
65 +	414	5.9	19	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	97	8.8	29	3	5	8	11	15	20	28
20-34	157	8.2	45	2	4	7	10	16	19	28
35-49	73	8.3	31	2	4	7	11	14	21	26
50-64	37	8.1	34	1	4	6	13	17	18	21
65 +	36	10.2	49	2	4	9	16	19	23	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	466	5.1	30	1	2	4	6	9	13	35
20-34	1101	4.9	16	1	2	4	6	10	12	19
35-49	786	5.4	24	1	2	4	7	10	13	22
50-64	977	7.1	31	2	4	6	9	14	17	31
65 +	4711	8.7	57	3	4	7	11	16	21	44
B. Operated										
0-19 YRS	300	10.1	92	2	4	8	13	21	27	68
20-34	611	11.4	117	2	5	8	15	24	30	61
35-49	378	11.6	128	2	5	9	15	23	32	72
50-64	271	13.7	170	3	5	10	17	31	39	79
65 +	633	14.9	144	5	7	12	19	30	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2356	4.4	13	1	2	4	6	8	11	17
B. Operated	400	8.5	38	2	4	7	11	16	20	27
2. MULTIPLE DX										
A. Not Operated	8041	7.5	46	2	4	6	9	14	18	37
B. Operated	2193	12.5	132	3	5	10	16	26	37	83
1. SINGLE DX	2756	5.0	19	1	2	4	6	10	13	21
2. MULTIPLE DX	10234	8.6	69	2	4	6	10	17	23	47
A. Not Operated	10397	6.8	40	2	3	5	8	13	17	33
B. Operated	2593	11.9	120	3	5	9	15	25	34	76
TOTAL										
0-19 YRS	1238	6.0	46	1	2	4	7	13	17	38
20-34	2606	6.3	48	1	2	4	8	13	18	33
35-49	1722	6.6	52	2	3	5	8	13	18	35
50-64	1630	7.8	58	2	4	6	9	15	21	41
65 +	5794	9.2	69	3	4	7	11	17	24	49
GRAND TOTAL	**12990**	**7.8**	**60**	**2**	**3**	**6**	**10**	**16**	**21**	**43**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.4	3	1	1	2	3	4	6	7
20-34	13	3.8	12	1	2	2	5	8	12	13
35-49	7	3.9	17	1	1	1	6	11	12	12
50-64	9	7.4	47	1	4	5	9	19	20	20
65 +	4	8.5	56	2	2	7	14	18	18	18
B. Operated										
0-19 YRS	20	14.4	128	4	7	11	19	24	39	53
20-34	25	12.1	97	4	7	10	13	21	31	52
35-49	13	11.8	146	2	5	9	15	25	44	48
50-64	8	21.3	707	4	6	11	24	66	84	84
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	8.0	29	1	2	8	12	15	17	18
20-34	48	14.5	415	1	4	7	14	42	75	85
35-49	20	16.9	550	1	3	9	20	44	78	97
50-64	26	10.0	55	2	4	8	14	23	25	28
65 +	79	10.8	111	3	5	8	12	19	25	64
B. Operated										
0-19 YRS	85	22.6	254	6	12	22	34	67	99 +	99 +
20-34	244	26.0	405	7	13	21	43	85	99 +	99 +
35-49	105	24.5	261	8	11	23	37	60	98	99 +
50-64	59	25.7	370	8	12	22	40	80	99 +	99 +
65 +	50	30.0	615	8	14	22	43	86	95	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	4.5	22	1	1	3	6	12	18	20
B. Operated	66	13.8	185	3	6	10	15	24	49	79
2. MULTIPLE DX										
A. Not Operated	187	12.1	224	2	4	8	13	23	42	81
B. Operated	543	25.5	370	8	13	22	41	78	99 +	99 +
1. SINGLE DX	113	10.0	138	1	3	7	12	21	25	64
2. MULTIPLE DX	730	22.1	367	5	9	17	33	63	99 +	99 +
A. Not Operated	234	10.6	192	1	3	7	12	21	30	77
B. Operated	609	24.3	363	7	11	20	37	68	99 +	99 +
TOTAL										
0-19 YRS	133	17.7	235	2	7	15	27	52	99 +	99 +
20-34	330	22.4	406	4	9	17	35	70	99 +	99 +
35-49	145	21.3	307	4	9	18	32	54	69	99 +
50-64	102	19.8	338	5	7	15	26	56	98	99 +
65 +	133	17.9	383	3	6	12	21	44	79	99 +
GRAND TOTAL	**843**	**20.5**	**353**	**3**	**8**	**15**	**29**	**59**	**97**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.7	1	1	1	1	2	3	4	5
20-34	135	2.1	1	1	1	2	3	3	4	6
35-49	178	2.2	2	1	1	2	3	4	5	8
50-64	175	2.7	3	1	2	2	3	5	6	9
65 +	150	3.6	9	1	2	3	4	8	10	15
B. Operated										
0-19 YRS	4	6.3	25	2	2	5	10	13	13	13
20-34	11	3.7	6	1	1	3	6	7	7	7
35-49	8	5.1	9	1	3	5	7	9	10	10
50-64	4	8.0	23	5	5	6	11	15	15	15
65 +	5	5.0	12	1	2	6	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	3.2	50	1	1	2	3	5	7	23
20-34	732	3.4	9	1	1	3	4	6	8	15
35-49	986	4.0	10	1	2	3	5	8	10	17
50-64	1121	4.7	14	1	2	4	6	9	11	18
65 +	2803	6.8	43	2	3	5	8	13	17	32
B. Operated										
0-19 YRS	92	8.0	81	2	3	6	9	17	22	57
20-34	337	6.6	43	2	3	5	8	13	16	32
35-49	347	7.7	80	2	3	5	9	15	25	54
50-64	350	9.1	78	2	4	7	11	19	27	55
65 +	498	14.0	214	3	5	9	17	30	49	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	699	2.6	4	1	1	2	3	5	6	11
B. Operated	32	5.1	12	1	2	5	7	9	13	15
2. MULTIPLE DX										
A. Not Operated	5842	5.3	30	1	2	4	7	11	14	26
B. Operated	1624	9.7	122	2	3	6	11	21	31	66
1. SINGLE DX	731	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	7466	6.3	53	1	2	4	7	12	17	38
A. Not Operated	6541	5.1	28	1	2	4	6	10	13	24
B. Operated	1656	9.6	120	2	3	6	11	20	30	66
TOTAL										
0-19 YRS	357	4.2	54	1	1	2	4	8	12	30
20-34	1215	4.1	20	1	2	3	5	8	11	21
35-49	1519	4.6	28	1	2	3	6	9	12	27
50-64	1650	5.4	31	1	2	4	7	10	14	31
65 +	3456	7.7	73	2	3	5	9	15	21	50
GRAND TOTAL	**8197**	**6.0**	**50**	**1**	**2**	**4**	**7**	**12**	**17**	**36**

1,107 Hospitals, United States, January-December 1988

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	211	4.1	23	1	2	3	4	7	10	30
20-34	188	5.5	34	1	3	4	6	10	14	37
35-49	111	7.5	52	2	3	5	9	16	21	41
50-64	135	6.0	36	2	3	5	7	9	14	40
65 +	500	7.2	44	2	4	6	9	13	17	33
B. Operated										
0-19 YRS	22	13.3	170	2	4	8	21	30	46	48
20-34	32	12.2	89	3	5	11	16	23	32	44
35-49	14	13.1	96	6	7	10	16	25	37	41
50-64	10	17.2	345	4	7	10	15	51	57	57
65 +	10	18.7	241	5	8	13	23	45	54	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	441	6.9	49	2	3	5	8	14	22	39
20-34	520	8.7	74	2	4	6	10	18	27	46
35-49	374	9.7	101	3	4	7	10	19	31	57
50-64	455	10.8	104	2	5	8	13	21	31	56
65 +	3742	10.5	83	3	5	8	13	20	27	57
B. Operated										
0-19 YRS	260	15.0	188	3	6	10	20	34	46	93
20-34	441	18.6	277	5	7	13	24	44	57	84
35-49	262	19.8	226	5	9	15	28	43	52	71
50-64	196	22.7	322	5	10	17	31	47	59	91
65 +	508	18.2	213	6	9	14	22	40	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1145	6.3	40	2	3	5	7	11	16	37
B. Operated	88	13.9	153	4	6	10	17	30	44	56
2. MULTIPLE DX										
A. Not Operated	5532	10.0	84	3	5	8	12	19	27	53
B. Operated	1667	18.6	245	5	8	14	24	42	53	90
1. SINGLE DX	1233	6.8	52	2	3	5	8	13	19	42
2. MULTIPLE DX	7199	12.0	134	3	5	8	14	25	37	69
A. Not Operated	6677	9.4	78	3	4	7	11	18	26	50
B. Operated	1755	18.4	241	5	8	14	24	42	52	89
TOTAL										
0-19 YRS	934	8.7	102	2	3	5	10	21	30	50
20-34	1181	12.0	172	2	4	7	14	28	43	69
35-49	761	12.9	162	3	5	9	16	31	42	62
50-64	796	13.0	183	3	5	8	16	30	43	70
65 +	4760	11.0	100	3	5	8	13	21	30	65
GRAND TOTAL	8432	11.2	125	3	5	8	13	24	34	65

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	322	2.1	10	< 1	1	1	2	3	7	17
20-34	63	2.2	2	< 1	1	1	3	4	5	8
35-49	47	2.1	2	1	1	2	3	4	6	8
50-64	69	2.9	8	1	1	2	3	5	7	18
65 +	201	3.2	11	1	1	2	4	6	8	16
B. Operated										
0-19 YRS	2954	2.4	10	1	1	1	2	4	7	19
20-34	341	3.2	10	1	1	2	4	6	8	16
35-49	262	3.1	5	1	2	3	4	6	8	13
50-64	331	3.6	10	1	2	3	4	7	9	18
65 +	447	4.2	12	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	224	4.3	34	1	1	2	5	10	17	35
20-34	97	3.9	23	1	1	2	4	8	17	25
35-49	89	4.3	23	1	1	3	5	9	11	28
50-64	208	5.2	36	1	2	4	6	10	15	33
65 +	1390	7.8	85	2	3	5	9	16	26	60
B. Operated										
0-19 YRS	918	4.7	33	1	1	3	5	11	16	24
20-34	484	7.2	68	2	3	5	8	16	24	57
35-49	434	6.6	72	1	2	4	8	14	19	39
50-64	553	7.1	63	2	3	5	8	14	22	38
65 +	1680	8.9	87	2	4	6	11	18	27	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	702	2.5	9	1	1	1	3	5	7	17
B. Operated	4335	2.8	10	1	1	2	3	5	8	18
2. MULTIPLE DX										
A. Not Operated	2008	6.8	71	1	2	4	8	14	22	53
B. Operated	4069	7.3	70	1	3	5	9	15	22	50
1. SINGLE DX	5037	2.7	10	1	1	2	3	5	8	18
2. MULTIPLE DX	6077	7.1	71	1	2	5	8	15	22	50
A. Not Operated	2710	5.7	59	1	2	3	7	12	19	47
B. Operated	8404	4.9	44	1	1	3	6	11	16	32
TOTAL										
0-19 YRS	4418	2.9	17	1	1	2	3	6	11	21
20-34	985	5.2	43	1	2	3	6	12	17	34
35-49	832	5.0	45	1	2	3	6	10	15	29
50-64	1161	5.5	43	1	2	4	6	11	16	29
65 +	3718	7.6	76	2	3	5	9	16	24	54
GRAND TOTAL	11114	5.1	48	1	1	3	6	11	17	36

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165	1.5	1	1	1	1	2	2	3	6
20-34	50	1.9	1	1	1	2	2	3	5	6
35-49	38	2.1	2	1	1	2	3	4	5	6
50-64	31	2.1	3	< 1	1	2	3	4	4	9
65 +	41	2.0	1	< 1	1	2	2	4	4	5
B. Operated										
0-19 YRS	3797	1.6	4	1	1	1	2	3	4	6
20-34	1192	2.5	4	1	1	2	3	4	6	10
35-49	988	2.2	3	1	1	2	3	4	5	8
50-64	877	2.2	3	1	1	2	3	4	5	8
65 +	731	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139	2.3	5	1	1	2	2	5	6	14
20-34	131	2.7	6	1	1	2	3	5	8	13
35-49	98	3.7	9	1	2	3	5	9	10	14
50-64	74	4.0	12	1	2	3	5	8	11	18
65 +	268	7.5	84	1	3	5	9	17	24	43
B. Operated										
0-19 YRS	1064	3.3	24	1	1	2	4	6	11	24
20-34	1250	5.1	32	1	2	3	6	10	14	29
35-49	868	4.9	33	1	2	3	6	10	13	31
50-64	921	4.6	35	1	2	3	5	9	13	29
65 +	1695	5.6	45	1	2	4	7	12	17	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	1.8	1	1	1	1	2	3	4	6
B. Operated	7585	2.0	4	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	710	4.7	41	1	1	3	5	10	15	30
B. Operated	5798	4.8	35	1	2	3	5	10	14	30
1. SINGLE DX	7910	2.0	4	1	1	1	2	4	5	8
2. MULTIPLE DX	6508	4.8	36	1	2	3	5	10	14	30
A. Not Operated	1035	3.8	31	1	1	2	4	8	12	28
B. Operated	13383	3.2	19	1	1	2	4	6	10	21
TOTAL										
0-19 YRS	5165	2.0	9	1	1	1	2	4	5	13
20-34	2623	3.7	19	1	1	3	4	7	10	20
35-49	1992	3.4	18	1	1	2	4	7	9	23
50-64	1903	3.5	20	1	1	2	4	7	10	20
65 +	2735	4.9	40	1	2	3	5	10	15	35
GRAND TOTAL	**14418**	**3.2**	**20**	**1**	**1**	**2**	**4**	**6**	**10**	**22**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.2	2	1	1	2	3	5	5	7
20-34	60	2.1	2	1	1	2	3	4	5	8
35-49	32	2.5	5	< 1	1	2	3	5	9	10
50-64	20	2.1	1	< 1	1	2	3	4	4	5
65 +	7	2.6	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	651	1.5	1	< 1	1	1	2	3	3	6
20-34	936	1.8	2	< 1	1	1	2	3	5	8
35-49	416	1.8	2	< 1	1	1	2	4	5	8
50-64	193	2.0	2	< 1	1	1	3	4	5	9
65 +	72	2.0	4	< 1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	2.2	2	< 1	1	2	3	4	5	8
20-34	101	2.3	2	1	1	2	3	4	6	8
35-49	48	3.0	4	1	1	2	4	6	7	8
50-64	35	4.3	23	1	2	3	5	8	11	27
65 +	67	7.2	71	1	2	4	8	16	22	47
B. Operated										
0-19 YRS	487	2.7	9	1	1	2	3	6	8	14
20-34	1046	3.0	14	1	1	2	3	6	8	18
35-49	587	3.3	18	1	1	2	4	6	9	19
50-64	355	3.3	13	1	1	2	4	7	10	19
65 +	251	4.3	40	1	1	3	5	8	14	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	175	2.2	3	1	1	2	3	5	5	9
B. Operated	2268	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	317	3.6	23	1	1	2	4	7	11	24
B. Operated	2726	3.2	16	1	1	2	4	6	9	19
1. SINGLE DX	2443	1.8	2	< 1	1	1	2	3	5	8
2. MULTIPLE DX	3043	3.2	17	1	1	2	4	6	9	20
A. Not Operated	492	3.1	16	1	1	2	4	6	8	22
B. Operated	4994	2.5	10	< 1	1	2	3	5	7	14
TOTAL										
0-19 YRS	1260	2.0	5	< 1	1	1	2	4	5	11
20-34	2143	2.4	8	< 1	1	2	3	5	7	12
35-49	1083	2.7	11	1	1	2	3	5	7	14
50-64	603	2.9	10	1	1	2	3	6	8	19
65 +	397	4.4	40	1	1	2	5	9	15	34
GRAND TOTAL	**5486**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**7**	**16**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	9.8	110	1	2	5	17	26	30	45
20-34	25	6.2	47	2	2	4	7	17	21	32
35-49	26	7.0	83	1	4	5	7	10	23	49
50-64	42	7.6	102	1	3	5	8	16	21	63
65 +	225	7.5	44	2	3	5	10	16	20	35
B. Operated										
0-19 YRS	295	7.5	50	2	3	5	9	17	25	33
20-34	135	7.6	41	3	4	6	9	12	17	42
35-49	274	7.1	15	3	5	6	8	12	14	21
50-64	758	8.7	28	4	6	8	11	13	16	27
65 +	3678	10.7	29	6	7	10	13	16	19	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	12.6	140	1	2	9	22	29	36	47
20-34	33	7.2	107	1	2	5	8	15	20	57
35-49	60	11.1	240	2	3	7	11	21	49	81
50-64	147	9.8	139	2	4	6	12	20	28	96
65 +	1829	11.3	131	3	5	8	14	24	35	82
B. Operated										
0-19 YRS	294	12.9	129	3	5	10	17	27	34	55
20-34	383	14.1	205	5	7	10	15	26	47	80
35-49	575	13.9	155	5	7	10	16	26	43	90
50-64	2297	13.1	87	6	8	11	15	21	29	63
65 +	28201	14.6	104	7	9	12	17	25	35	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	432	8.0	70	1	3	5	10	19	25	43
B. Operated	5140	9.9	32	5	7	9	12	15	19	29
2. MULTIPLE DX										
A. Not Operated	2148	11.2	135	2	4	8	14	24	35	82
B. Operated	31750	14.5	105	7	9	12	17	25	35	75
1. SINGLE DX	5572	9.8	35	4	6	9	12	16	19	31
2. MULTIPLE DX	33898	14.3	108	6	9	12	16	25	35	75
A. Not Operated	2580	10.6	125	2	4	7	13	23	33	71
B. Operated	36890	13.8	98	6	8	11	16	24	33	70
TOTAL										
0-19 YRS	782	10.4	103	2	3	7	14	25	30	44
20-34	576	11.8	164	3	5	8	12	22	34	73
35-49	935	11.5	127	4	6	8	13	21	33	82
50-64	3244	11.8	80	5	7	10	14	20	27	57
65 +	33933	14.0	99	6	8	11	16	24	33	71
GRAND TOTAL	**39470**	**13.6**	**100**	**6**	**8**	**11**	**16**	**24**	**33**	**70**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1075	13.4	137	1	3	12	21	28	33	45
20-34	30	4.3	17	1	2	3	5	10	13	19
35-49	21	11.1	191	2	3	7	10	32	44	54
50-64	22	16.2	239	3	5	9	33	40	45	50
65 +	74	8.9	86	2	4	7	10	18	22	49
B. Operated										
0-19 YRS	1320	9.8	105	1	2	6	15	25	30	42
20-34	361	9.4	71	3	5	8	11	16	21	44
35-49	120	8.6	44	3	5	7	11	15	18	43
50-64	88	11.7	99	4	6	9	13	22	37	47
65 +	191	11.5	71	4	6	9	14	20	28	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	654	15.6	152	2	4	16	23	30	39	52
20-34	61	16.6	376	2	4	7	28	46	52	89
35-49	58	12.7	201	2	4	8	14	38	45	58
50-64	90	13.3	180	2	4	8	18	35	43	57
65 +	663	14.5	276	3	4	8	17	41	58	99 +
B. Operated										
0-19 YRS	1455	15.1	162	3	6	12	21	30	39	61
20-34	1091	14.5	168	5	8	11	17	28	42	86
35-49	418	16.7	203	5	8	13	20	37	49	99 +
50-64	430	17.5	219	6	8	13	20	39	59	99 +
65 +	1640	17.9	235	6	9	13	21	39	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1222	12.9	136	1	3	9	21	28	33	46
B. Operated	2080	9.9	93	2	3	7	13	23	29	44
2. MULTIPLE DX										
A. Not Operated	1526	14.9	218	2	4	10	22	35	47	87
B. Operated	5034	16.2	197	5	8	12	20	33	48	96
1. SINGLE DX	3302	11.0	111	1	3	7	17	25	31	45
2. MULTIPLE DX	6560	15.9	202	4	7	12	20	33	48	94
A. Not Operated	2748	14.0	183	2	4	10	21	31	41	67
B. Operated	7114	14.4	175	3	6	11	18	30	42	84
TOTAL										
0-19 YRS	4504	13.2	143	1	3	10	21	28	35	53
20-34	1543	13.2	156	4	6	10	15	25	40	82
35-49	617	14.5	181	3	7	11	18	33	45	85
50-64	630	16.0	201	4	7	12	19	37	50	99 +
65 +	2568	16.3	234	4	7	12	19	38	56	99 +
GRAND TOTAL	**9862**	**14.3**	**177**	**2**	**5**	**11**	**19**	**30**	**42**	**81**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	498	2.1	5	1	1	1	2	4	5	10
20-34	244	2.8	6	1	1	2	3	5	7	10
35-49	136	3.6	13	1	2	3	4	7	8	22
50-64	122	3.3	7	1	1	3	4	6	7	42
65 +	154	5.9	24	2	3	5	7	12	17	24
B. Operated										
0-19 YRS	1785	3.1	8	1	1	2	4	6	8	14
20-34	1358	4.6	16	1	2	4	6	9	12	21
35-49	1019	5.0	14	1	2	4	6	9	12	19
50-64	515	5.5	16	2	3	4	7	10	13	23
65 +	274	7.3	36	2	3	6	9	14	17	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	3.1	9	1	1	2	4	8	9	15
20-34	172	4.3	20	1	2	3	5	9	13	23
35-49	208	4.6	19	1	2	3	6	9	13	25
50-64	229	6.9	78	2	3	5	7	13	18	43
65 +	691	9.0	105	2	4	6	10	18	27	75
B. Operated										
0-19 YRS	1114	7.1	66	1	3	5	9	14	20	42
20-34	1563	10.1	121	2	4	7	12	22	33	63
35-49	1182	10.5	144	2	4	7	12	21	34	75
50-64	917	11.2	109	3	5	8	14	22	30	63
65 +	1070	12.6	139	4	6	9	15	28	39	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1154	3.0	10	1	1	2	4	6	8	20
B. Operated	4951	4.4	15	1	2	3	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	1588	6.5	69	1	2	4	8	13	20	45
B. Operated	5846	10.3	119	2	4	7	12	21	31	66
1. SINGLE DX	6105	4.1	14	1	2	3	5	8	11	20
2. MULTIPLE DX	7434	9.5	111	2	4	6	11	20	29	63
A. Not Operated	2742	5.1	47	1	2	3	6	10	15	35
B. Operated	10797	7.6	80	1	3	5	9	16	23	50
TOTAL										
0-19 YRS	3685	4.2	29	1	1	3	5	9	12	27
20-34	3337	7.1	73	1	3	4	8	15	22	46
35-49	2545	7.5	83	2	3	5	9	14	21	57
50-64	1783	8.5	80	2	3	6	10	17	24	51
65 +	2189	10.3	113	3	4	7	12	21	31	68
GRAND TOTAL	**13539**	**7.1**	**74**	**1**	**2**	**5**	**8**	**15**	**22**	**48**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	285	2.0	2	1	1	2	2	4	5	8
20-34	310	2.7	4	1	1	2	4	5	6	10
35-49	222	3.1	5	1	2	2	4	6	8	11
50-64	156	3.3	15	1	1	2	4	6	8	13
65 +	149	3.9	9	1	2	3	5	7	11	15
B. Operated										
0-19 YRS	2241	2.5	4	1	1	2	3	5	6	9
20-34	3618	3.2	5	1	2	3	4	6	7	11
35-49	3106	3.6	6	1	2	3	4	6	8	12
50-64	2265	3.9	6	2	2	3	5	7	8	12
65 +	1222	4.9	11	2	3	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	217	3.1	12	1	1	2	4	7	9	18
20-34	325	3.5	12	1	1	3	4	7	9	18
35-49	268	4.3	17	1	2	3	5	8	11	28
50-64	310	5.4	52	1	2	4	6	10	14	31
65 +	733	7.0	57	2	3	5	8	14	18	40
B. Operated										
0-19 YRS	1166	5.3	34	1	2	3	6	11	16	32
20-34	2745	5.5	36	1	2	4	6	11	15	33
35-49	2377	5.7	36	2	3	4	7	11	15	31
50-64	2320	6.4	38	2	3	5	7	11	15	38
65 +	2814	8.2	61	3	4	6	10	15	20	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1122	2.8	6	1	1	2	4	6	7	12
B. Operated	12452	3.5	6	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	1853	5.3	40	1	2	4	6	10	14	33
B. Operated	11422	6.4	44	2	3	5	7	12	17	36
1. SINGLE DX	13574	3.4	6	1	2	3	4	6	8	12
2. MULTIPLE DX	13275	6.2	43	2	3	5	7	12	16	36
A. Not Operated	2975	4.4	28	1	2	3	5	9	12	27
B. Operated	23874	4.9	26	1	2	4	6	9	12	26
TOTAL										
0-19 YRS	3909	3.3	15	1	1	2	4	6	9	21
20-34	6998	4.1	19	1	2	3	5	7	10	21
35-49	5973	4.5	19	1	2	3	5	8	11	21
50-64	5051	5.1	25	2	3	4	6	9	12	26
65 +	4918	7.1	48	2	4	5	8	13	17	39
GRAND TOTAL	**26849**	**4.8**	**26**	**1**	**2**	**4**	**6**	**9**	**12**	**26**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.4	1	< 1	1	1	2	3	3	3
20-34	49	2.0	3	< 1	1	2	2	4	5	9
35-49	12	2.4	1	1	2	2	3	4	4	4
50-64	7	1.7	1	< 1	1	2	2	3	3	3
65 +	7	5.9	123	1	1	2	3	25	31	31
B. Operated										
0-19 YRS	56	1.7	1	1	1	1	2	3	4	7
20-34	92	2.3	2	1	1	2	3	4	5	8
35-49	54	2.3	1	1	2	2	3	4	4	7
50-64	17	2.5	2	1	2	2	3	4	5	6
65 +	7	3.0	8	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	233	2.4	5	1	1	2	3	5	7	11
20-34	280	3.2	13	1	1	2	4	6	8	13
35-49	185	3.6	10	1	2	3	5	7	9	18
50-64	126	4.5	14	1	2	3	6	9	13	19
65 +	259	6.7	62	2	3	4	8	14	19	52
B. Operated										
0-19 YRS	108	3.4	11	1	1	2	4	7	11	17
20-34	194	4.0	14	1	2	3	5	9	12	18
35-49	98	6.5	119	1	2	3	6	16	22	63
50-64	72	4.5	30	1	2	3	5	9	12	36
65 +	61	11.0	110	2	3	7	17	26	34	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	2.1	9	1	1	1	2	3	4	16
B. Operated	226	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	1083	4.1	25	1	1	3	5	8	12	22
B. Operated	533	5.2	51	1	2	3	6	11	17	36
1. SINGLE DX	343	2.1	4	1	1	2	3	4	5	8
2. MULTIPLE DX	1616	4.4	34	1	2	3	5	9	13	32
A. Not Operated	1200	3.9	24	1	1	2	5	8	11	22
B. Operated	759	4.3	38	1	1	2	5	9	14	33
TOTAL										
0-19 YRS	439	2.5	6	1	1	2	3	5	7	12
20-34	615	3.2	11	1	1	2	4	6	9	14
35-49	349	4.2	41	1	2	2	4	8	12	31
50-64	222	4.2	18	1	2	3	5	9	12	19
65 +	334	7.4	73	2	3	5	9	17	24	49
GRAND TOTAL	**1959**	**4.0**	**29**	**1**	**1**	**2**	**5**	**8**	**12**	**28**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.6	4	1	1	2	4	6	7	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	10.0		10	10	10	10	10	10	10
65 +	2	7.0	50	2	2	7	12	12	12	12
B. Operated										
0-19 YRS	10	5.5	10	2	3	5	7	10	11	11
20-34	5	7.8	61	1	1	8	12	20	20	20
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	3.6	12	1	2	2	4	8	11	16
20-34	15	5.8	21	1	2	4	11	14	74	99 +
35-49	9	5.2	11	2	2	4	8	10	11	11
50-64	9	7.2	31	1	3	5	10	16	18	18
65 +	27	8.9	33	2	5	7	12	18	21	24
B. Operated										
0-19 YRS	33	17.6	386	2	6	9	27	43	82	99 +
20-34	48	12.2	83	4	6	9	19	31	40	99 +
35-49	36	20.3	354	2	10	15	27	42	70	81
50-64	17	17.2	248	2	4	15	32	48	80	99 +
65 +	19	24.8	529	4	8	18	36	52	76	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.9	7	1	1	2	4	6	9	12
B. Operated	20	5.9	25	1	2	4	8	12	17	20
2. MULTIPLE DX										
A. Not Operated	90	6.1	25	1	2	4	9	14	18	69
B. Operated	153	17.4	295	3	6	13	25	42	80	99 +
1. SINGLE DX	67	3.8	14	1	1	2	5	9	11	19
2. MULTIPLE DX	243	13.2	224	2	4	8	18	34	47	99 +
A. Not Operated	137	5.0	21	1	2	3	7	12	15	33
B. Operated	173	16.1	277	2	5	11	22	39	70	99 +
TOTAL										
0-19 YRS	115	7.4	157	1	2	3	8	22	34	89
20-34	69	10.3	74	2	4	9	17	27	39	99 +
35-49	49	16.1	310	2	4	11	20	35	48	81
50-64	28	13.2	183	2	4	7	21	40	52	99 +
65 +	49	15.1	280	3	6	9	18	36	47	93
GRAND TOTAL	**310**	**11.2**	**194**	**1**	**2**	**7**	**14**	**29**	**44**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.4	1	< 1	1	1	2	3	3	3
20-34	12	1.7	1	< 1	< 1	1	2	3	4	4
35-49	16	1.8	1	< 1	1	1	2	4	4	4
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	7	3.4	4	< 1	2	3	5	6	6	6
B. Operated										
0-19 YRS	156	1.9	1	1	1	2	2	3	4	6
20-34	593	1.8	1	1	1	2	2	3	4	5
35-49	226	1.8	1	1	1	1	2	3	4	6
50-64	81	2.0	4	< 1	1	1	2	4	5	13
65 +	49	4.2	179	< 1	1	1	3	4	8	93
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.5	5	< 1	1	2	3	6	7	7
20-34	50	2.2	2	< 1	1	2	2	4	5	9
35-49	24	2.9	6	1	1	2	4	5	8	12
50-64	18	3.7	10	1	2	3	5	8	11	13
65 +	39	7.6	215	1	2	4	6	13	30	88
B. Operated										
0-19 YRS	37	3.0	9	1	1	2	3	6	7	17
20-34	186	2.8	5	1	1	2	4	5	7	12
35-49	111	2.6	6	1	1	2	3	4	8	13
50-64	78	4.3	18	1	2	2	6	10	13	21
65 +	179	4.6	27	1	1	3	5	11	17	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	1.9	2	< 1	1	1	2	4	5	6
B. Operated	1105	1.9	9	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	139	4.0	68	1	1	2	4	7	11	36
B. Operated	591	3.5	14	1	1	2	4	7	11	20
1. SINGLE DX	1150	1.9	9	1	1	2	2	3	4	6
2. MULTIPLE DX	730	3.6	25	1	1	2	4	7	11	22
A. Not Operated	184	3.5	52	< 1	1	2	4	6	8	30
B. Operated	1696	2.5	12	1	1	2	3	4	6	15
TOTAL										
0-19 YRS	209	2.1	3	1	1	2	2	4	5	8
20-34	841	2.0	2	1	1	2	2	4	5	7
35-49	377	2.1	3	1	1	2	3	4	5	11
50-64	179	3.1	12	1	1	2	3	7	10	19
65 +	274	4.9	80	1	1	3	5	10	18	30
GRAND TOTAL	**1880**	**2.6**	**16**	**1**	**1**	**2**	**3**	**5**	**7**	**16**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.9	1	1	1	2	3	4	4	4
20-34	15	2.7	5	1	1	2	4	7	7	7
35-49	8	1.8	2	< 1	< 1	1	2	4	5	5
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	4	4.0	2	3	3	4	5	6	6	6
B. Operated										
0-19 YRS	470	1.9	1	< 1	1	1	3	4	4	5
20-34	637	2.0	2	< 1	< 1	1	3	4	5	7
35-49	404	1.9	3	< 1	< 1	1	2	4	5	10
50-64	173	1.8	5	< 1	< 1	1	2	3	4	6
65 +	60	2.5	5	< 1	< 1	1	3	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.0	3	< 1	< 1	2	2	3	7	8
20-34	28	2.9	6	< 1	1	2	4	6	8	10
35-49	16	2.9	6	< 1	1	2	4	8	8	8
50-64	18	3.6	22	< 1	1	2	5	6	15	21
65 +	27	6.9	32	2	3	6	9	13	18	27
B. Operated										
0-19 YRS	560	2.7	5	< 1	1	2	3	5	6	12
20-34	1021	2.8	10	< 1	1	2	4	5	7	13
35-49	582	2.5	8	< 1	1	2	3	5	7	13
50-64	434	2.6	12	< 1	1	1	3	6	8	14
65 +	260	3.4	15	< 1	1	2	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.4	3	1	1	2	3	5	6	7
B. Operated	1744	2.0	3	< 1	< 1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	104	3.9	18	< 1	1	2	5	8	12	24
B. Operated	2857	2.8	9	< 1	1	2	3	5	7	15
1. SINGLE DX	1792	2.0	3	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX	2961	2.8	10	< 1	1	2	3	5	7	15
A. Not Operated	152	3.4	13	< 1	1	2	4	7	10	21
B. Operated	4601	2.5	7	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	1063	2.3	4	< 1	1	2	3	4	5	9
20-34	1701	2.5	7	< 1	1	2	3	5	6	10
35-49	1010	2.3	6	< 1	1	1	3	4	6	12
50-64	628	2.4	10	< 1	< 1	1	3	5	7	15
65 +	351	3.5	16	< 1	1	2	4	8	11	22
GRAND TOTAL	**4753**	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**5**	**6**	**13**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	3.4	16	1	1	2	4	8	10	22
20-34	66	4.7	20	1	2	3	6	11	13	24
35-49	54	4.3	13	1	1	4	6	9	10	17
50-64	20	4.6	9	1	2	4	6	8	11	13
65 +	12	4.2	9	1	2	3	6	8	11	11
B. Operated										
0-19 YRS	382	3.1	12	< 1	1	1	4	7	10	20
20-34	395	2.9	8	1	1	2	4	6	8	14
35-49	294	3.2	9	1	1	2	4	7	8	15
50-64	100	3.8	17	1	1	2	5	9	14	19
65 +	75	3.0	10	1	1	2	4	7	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	5.2	31	1	2	4	7	10	13	31
20-34	138	5.6	27	1	3	5	7	9	11	40
35-49	115	6.5	18	2	4	6	9	12	15	20
50-64	76	6.1	91	1	2	5	7	10	15	65
65 +	75	7.2	50	1	2	5	10	19	22	84
B. Operated										
0-19 YRS	331	6.7	78	1	2	4	8	14	27	45
20-34	483	6.5	55	1	2	4	8	14	19	35
35-49	292	7.3	94	1	2	4	9	15	26	80
50-64	205	7.4	103	1	1	4	9	18	26	91
65 +	222	9.1	124	1	2	5	11	21	29	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	4.2	16	1	1	3	6	9	12	20
B. Operated	1246	3.1	10	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated	469	6.1	39	1	2	5	8	11	15	36
B. Operated	1533	7.2	84	1	2	4	9	16	25	55
1. SINGLE DX	1462	3.3	11	1	1	2	4	7	9	17
2. MULTIPLE DX	2002	6.9	74	1	2	5	8	15	21	48
A. Not Operated	685	5.5	33	1	2	4	7	11	15	27
B. Operated	2779	5.4	55	1	1	3	6	12	18	40
TOTAL										
0-19 YRS	842	4.7	43	1	1	3	5	10	16	36
20-34	1082	5.0	35	1	1	3	6	11	14	29
35-49	755	5.4	47	1	2	3	7	12	15	38
50-64	401	6.1	77	1	1	4	7	14	19	77
65 +	384	7.4	89	1	2	4	9	18	25	56
GRAND TOTAL	**3464**	**5.4**	**51**	**1**	**1**	**3**	**7**	**12**	**17**	**38**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.0	3	1	1	1	3	5	6	7
20-34	37	2.3	3	< 1	1	2	3	4	6	7
35-49	33	2.0	2	< 1	1	2	2	4	5	6
50-64	19	2.8	6	1	1	2	4	6	9	11
65 +	12	3.0	3	1	2	3	4	5	8	8
B. Operated										
0-19 YRS	707	2.9	2	1	2	3	4	5	5	7
20-34	1050	3.0	2	1	2	3	4	5	6	8
35-49	373	2.9	2	1	2	3	4	5	6	7
50-64	80	3.2	3	1	2	3	4	6	6	8
65 +	45	4.3	11	1	2	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.6	4	< 1	1	2	4	6	6	7
20-34	84	2.7	4	< 1	1	2	4	5	6	12
35-49	51	2.8	4	< 1	1	2	4	6	7	9
50-64	55	6.7	86	1	2	4	8	11	20	61
65 +	192	6.0	61	1	3	4	6	10	15	38
B. Operated										
0-19 YRS	986	3.1	3	1	2	3	4	5	6	8
20-34	1736	3.5	6	1	2	3	4	6	7	12
35-49	765	3.6	7	1	2	3	4	6	8	13
50-64	186	4.8	20	2	2	4	6	8	12	34
65 +	138	6.5	30	2	3	6	8	12	18	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	2.3	3	1	1	2	3	4	6	9
B. Operated	2255	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	426	4.7	43	1	2	3	6	9	12	28
B. Operated	3811	3.6	7	1	2	3	4	6	7	13
1. SINGLE DX	2382	2.9	3	1	2	3	4	5	6	8
2. MULTIPLE DX	4237	3.7	11	1	2	3	4	6	8	16
A. Not Operated	553	4.1	35	1	1	3	5	7	11	26
B. Operated	6066	3.4	6	1	2	3	4	6	7	12
TOTAL										
0-19 YRS	1763	3.0	3	1	2	3	4	5	6	8
20-34	2907	3.3	5	1	2	3	4	5	6	10
35-49	1222	3.3	5	1	2	3	4	6	7	11
50-64	340	4.6	27	1	2	4	5	8	11	27
65 +	387	5.9	43	2	3	4	7	11	15	38
GRAND TOTAL	**6619**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	3.4	4	1	2	3	5	6	8	10
20-34	705	4.2	8	1	2	4	5	8	9	14
35-49	752	4.4	9	1	2	4	6	8	10	14
50-64	280	4.6	10	2	3	4	5	8	10	18
65 +	75	4.4	7	2	2	4	6	8	10	13
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	83	4.4	23	1	1	2	6	11	15	23
35-49	101	3.1	12	1	1	1	4	8	9	18
50-64	21	4.5	30	1	1	3	6	8	16	26
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	4.0	8	1	2	3	5	7	9	15
20-34	813	5.0	10	2	3	4	6	9	11	16
35-49	1161	5.6	19	2	3	5	7	10	12	21
50-64	777	5.7	12	2	3	5	7	10	12	18
65 +	898	6.1	26	2	3	5	7	11	14	27
B. Operated										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	113	6.3	29	1	2	5	9	12	16	28
35-49	168	7.6	49	1	3	6	10	14	18	40
50-64	98	7.2	37	2	4	6	9	16	21	31
65 +	62	11.3	54	3	6	10	17	26	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1888	4.3	9	1	2	4	5	8	10	15
B. Operated	209	3.7	19	1	1	2	5	9	11	24
2. MULTIPLE DX										
A. Not Operated	3723	5.6	17	2	3	5	7	10	12	21
B. Operated	443	7.7	44	1	3	6	10	16	21	42
1. SINGLE DX	2097	4.2	10	1	2	4	5	8	10	15
2. MULTIPLE DX	4166	5.8	21	2	3	5	7	10	13	24
A. Not Operated	5611	5.1	15	2	3	4	7	9	11	18
B. Operated	652	6.4	39	1	2	5	9	14	20	34
TOTAL										
0-19 YRS	153	3.8	6	1	2	3	5	7	8	15
20-34	1714	4.7	12	1	2	4	6	9	11	17
35-49	2182	5.2	19	2	3	4	7	9	12	21
50-64	1176	5.5	14	2	3	5	7	10	12	20
65 +	1038	6.2	28	2	3	5	8	11	16	30
GRAND TOTAL	**6263**	**5.3**	**17**	**2**	**3**	**4**	**7**	**10**	**12**	**21**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	196	1.9	2	1	1	1	2	4	5	7
20-34	630	3.5	7	1	2	3	5	7	8	13
35-49	631	4.0	7	1	2	3	5	8	9	13
50-64	227	4.6	29	1	2	3	6	9	12	20
65 +	73	3.4	8	1	1	3	4	7	9	16
B. Operated										
0-19 YRS	8	4.4	12	1	1	4	7	9	10	10
20-34	138	3.2	14	1	1	2	4	7	9	16
35-49	130	3.0	9	1	1	2	4	8	10	12
50-64	23	2.6	9	< 1	1	1	3	6	10	13
65 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304	2.6	4	1	1	2	3	6	7	10
20-34	1404	4.4	9	1	2	4	6	8	10	16
35-49	1488	5.2	13	2	3	4	7	10	12	18
50-64	823	5.1	13	1	3	4	7	9	11	18
65 +	821	5.8	29	2	3	5	7	10	14	30
B. Operated										
0-19 YRS	26	2.9	8	< 1	1	2	4	5	9	14
20-34	180	4.5	13	1	1	3	6	10	12	15
35-49	178	5.9	40	1	2	4	8	13	15	36
50-64	83	5.8	17	1	2	4	9	11	14	17
65 +	53	10.6	97	3	5	7	12	20	35	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1757	3.7	10	1	2	3	5	7	9	13
B. Operated	301	3.1	11	1	1	2	4	8	9	13
2. MULTIPLE DX										
A. Not Operated	4840	4.9	15	1	2	4	6	9	11	18
B. Operated	520	5.7	34	1	2	4	8	12	15	32
1. SINGLE DX	2058	3.6	10	1	1	3	5	7	9	13
2. MULTIPLE DX	5360	5.0	17	1	2	4	6	9	12	19
A. Not Operated	6597	4.6	14	1	2	4	6	9	11	17
B. Operated	821	4.8	27	1	1	3	7	10	13	25
TOTAL										
0-19 YRS	534	2.4	4	1	1	2	3	5	7	10
20-34	2352	4.1	10	1	2	3	6	8	10	15
35-49	2427	4.8	14	1	2	4	6	9	11	18
50-64	1156	5.0	17	1	2	4	6	9	11	18
65 +	949	5.9	33	2	3	5	7	11	15	32
GRAND TOTAL	**7418**	**4.6**	**15**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.2	11	1	1	1	2	3	4	24
20-34	127	2.1	2	<1	1	2	3	4	5	8
35-49	72	2.2	2	1	1	2	3	4	5	9
50-64	54	3.0	3	1	2	3	4	5	6	11
65+	40	3.4	7	1	1	3	5	6	7	14
B. Operated										
0-19 YRS	152	1.5	1	<1	1	1	2	3	3	5
20-34	814	2.0	2	1	1	2	2	3	4	7
35-49	1491	2.1	2	1	1	2	3	4	4	6
50-64	1448	2.7	2	1	2	2	3	4	5	8
65+	653	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	2.3	4	1	1	2	3	5	7	10
20-34	167	3.0	5	1	1	3	4	6	7	13
35-49	194	3.2	8	1	1	2	4	6	9	20
50-64	168	3.5	9	1	1	3	4	8	10	13
65+	431	5.3	37	1	2	4	6	11	14	24
B. Operated										
0-19 YRS	93	1.9	2	1	1	2	2	3	4	7
20-34	337	2.7	10	1	1	2	3	5	7	13
35-49	712	2.8	6	1	2	2	3	5	7	13
50-64	1532	3.1	6	1	2	3	4	5	6	9
65+	1158	4.2	14	2	2	3	5	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	366	2.4	5	1	1	2	3	4	5	10
B. Operated	4558	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	1047	4.0	21	1	2	3	5	8	11	20
B. Operated	3832	3.3	9	1	2	3	4	6	7	15
1. SINGLE DX	4924	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	4879	3.5	12	1	2	3	4	6	8	16
A. Not Operated	1413	3.6	17	1	1	3	4	7	10	18
B. Operated	8390	2.8	6	1	2	2	3	5	6	11
TOTAL										
0-19 YRS	405	1.9	3	1	1	1	2	3	4	8
20-34	1445	2.3	4	1	1	2	3	4	5	9
35-49	2469	2.4	4	1	1	2	3	4	5	9
50-64	3202	2.9	5	1	2	3	4	5	6	10
65+	2282	4.1	16	1	2	3	5	7	10	19
GRAND TOTAL	**9803**	**2.9**	**7**	**1**	**2**	**2**	**4**	**5**	**7**	**12**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3316	1.3	1	<1	1	1	1	2	2	4
20-34	671	1.6	1	1	1	1	2	3	4	6
35-49	251	1.8	2	1	1	1	2	3	5	7
50-64	112	1.5	1	1	1	1	2	3	3	4
65+	68	2.3	12	1	1	1	2	4	6	24
B. Operated										
0-19 YRS	7	2.7	7	1	1	2	4	7	8	8
20-34	11	3.2	7	<1	1	2	5	7	9	9
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64	4	2.8	5	1	1	2	4	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4123	1.8	4	1	1	1	2	3	4	9
20-34	2742	2.5	5	1	1	2	3	5	7	12
35-49	1261	3.0	10	1	1	2	4	6	8	14
50-64	761	3.3	13	1	1	2	4	7	10	21
65+	1171	4.9	33	1	2	3	6	10	15	34
B. Operated										
0-19 YRS	1131	3.0	35	1	1	2	3	6	9	34
20-34	1258	3.3	26	1	1	2	3	6	10	27
35-49	537	3.7	22	1	1	2	4	7	11	22
50-64	299	4.5	38	1	2	3	5	9	13	27
65+	481	6.2	74	1	2	3	7	13	22	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4418	1.4	1	1	1	1	1	2	3	5
B. Operated	25	3.3	8	1	1	2	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	10058	2.6	10	1	1	2	3	5	7	15
B. Operated	3706	3.7	36	1	1	2	4	7	12	30
1. SINGLE DX	4443	1.4	1	1	1	1	1	2	3	5
2. MULTIPLE DX	13764	2.9	17	1	1	2	3	6	8	21
A. Not Operated	14476	2.2	8	1	1	1	2	4	6	13
B. Operated	3731	3.7	36	1	1	2	4	7	12	30
TOTAL										
0-19 YRS	8577	1.8	7	1	1	1	2	3	4	10
20-34	4682	2.6	10	1	1	2	3	5	7	15
35-49	2051	3.0	13	1	1	2	4	6	8	16
50-64	1176	3.5	19	1	1	2	4	7	10	22
65+	1721	5.1	44	1	2	3	6	11	16	40
GRAND TOTAL	**18207**	**2.5**	**14**	**1**	**1**	**1**	**3**	**5**	**7**	**18**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	8.0	31	3	4	7	12	14	14	14
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	16.3	210	2	5	16	27	31	31	31
20-34	0									
35-49	1	58.0		58	58	58	58	58	58	58
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	21.7	382	4	9	18	28	67	93	99 +
20-34	31	20.9	144	6	13	18	29	40	54	99 +
35-49	6	36.0	178	25	25	30	48	56	57	57
50-64	3	28.3	680	6	10	22	48	57	57	57
65 +	13	13.0	256	1	2	10	16	28	56	62
B. Operated										
0-19 YRS	154	35.9	547	12	18	30	55	92	99 +	99 +
20-34	160	33.2	354	14	21	34	59	99 +	99 +	99 +
35-49	61	39.8	509	18	25	41	79	99 +	99 +	99 +
50-64	25	34.6	378	10	23	33	46	76	99 +	99 +
65 +	28	32.7	726	7	13	33	80	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.8	26	1	2	7	10	14	14	14
B. Operated	4	26.8	574	2	12	31	68	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	112	21.4	307	4	9	18	29	57	78	99 +
B. Operated	428	35.1	472	12	20	34	62	99 +	99 +	99 +
1. SINGLE DX	9	15.7	339	1	3	11	31	79	99 +	99 +
2. MULTIPLE DX	540	32.3	468	9	18	30	56	99 +	99 +	99 +
A. Not Operated	117	20.8	304	3	9	18	28	56	75	99 +
B. Operated	432	35.0	472	12	20	34	62	99 +	99 +	99 +
TOTAL										
0-19 YRS	219	31.4	538	8	16	26	50	83	99 +	99 +
20-34	192	31.0	340	12	18	32	53	99 +	99 +	99 +
35-49	69	39.1	490	17	25	40	76	99 +	99 +	99 +
50-64	28	33.9	390	7	22	32	46	72	99 +	99 +
65 +	41	26.5	653	2	9	19	62	99 +	99 +	99 +
GRAND TOTAL	549	32.0	470	9	18	30	55	99 +	99 +	99 +

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1831	1.6	5	< 1	1	1	1	3	4	11
20-34	355	2.6	9	1	1	1	3	5	8	16
35-49	139	2.9	17	1	1	2	3	6	9	27
50-64	70	3.1	13	< 1	1	2	4	6	9	22
65 +	59	3.9	12	1	1	2	6	10	12	14
B. Operated										
0-19 YRS	123	6.3	34	2	3	5	7	13	18	34
20-34	55	7.0	26	1	4	6	9	15	21	95
35-49	46	8.0	46	3	5	7	10	13	18	45
50-64	38	6.1	24	2	3	5	7	11	15	28
65 +	81	8.9	33	4	5	7	10	18	22	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3070	2.8	22	1	1	1	3	6	9	25
20-34	1538	3.7	25	1	1	2	4	8	13	23
35-49	810	4.6	41	1	1	3	5	10	15	37
50-64	531	5.7	45	1	2	3	7	13	20	34
65 +	1119	7.8	73	1	3	5	10	17	23	50
B. Operated										
0-19 YRS	1034	10.3	222	1	2	4	13	29	48	99 +
20-34	1084	9.6	198	1	2	4	11	26	39	89
35-49	582	11.5	239	1	2	6	15	33	58	99 +
50-64	350	13.0	286	1	3	7	15	38	61	99 +
65 +	868	15.2	240	2	5	11	20	39	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2454	1.9	7	< 1	1	1	2	4	6	14
B. Operated	343	7.2	34	2	4	6	9	14	20	33
2. MULTIPLE DX										
A. Not Operated	7068	4.2	38	1	1	2	5	10	15	31
B. Operated	3918	11.6	232	1	2	6	15	31	49	99 +
1. SINGLE DX	2797	2.6	13	1	1	1	3	6	9	19
2. MULTIPLE DX	10986	6.8	120	1	1	3	8	17	28	75
A. Not Operated	9522	3.6	31	1	1	2	4	8	13	27
B. Operated	4261	11.3	217	1	2	6	14	29	46	99 +
TOTAL										
0-19 YRS	6058	3.8	60	1	1	1	3	8	16	48
20-34	3032	5.7	93	1	1	2	6	14	23	60
35-49	1577	7.1	124	1	2	3	8	18	30	80
50-64	989	8.1	141	1	2	4	9	20	32	79
65 +	2127	10.7	152	2	3	7	14	25	38	85
GRAND TOTAL	13783	6.0	101	1	1	2	6	15	24	66

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	2.4	4	1	1	2	3	5	7	10
20-34	127	2.4	2	1	1	2	3	4	6	8
35-49	57	2.6	5	1	1	2	3	5	8	11
50-64	29	2.6	2	1	2	2	4	5	5	6
65+	16	2.8	6	1	1	2	3	4	9	11
B. Operated										
0-19 YRS	110	5.0	15	2	3	4	6	9	12	21
20-34	250	4.5	9	2	3	4	5	7	10	18
35-49	93	5.0	11	2	3	4	6	9	11	18
50-64	28	4.3	2	3	3	4	5	6	7	8
65+	12	7.5	128	1	2	4	7	21	39	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	256	3.4	12	1	1	3	4	6	9	13
20-34	444	3.6	9	1	2	3	4	7	9	17
35-49	359	4.0	11	1	2	3	5	8	10	18
50-64	241	5.0	31	2	2	4	6	9	12	24
65+	476	6.8	39	2	3	5	8	13	16	37
B. Operated										
0-19 YRS	501	8.0	58	3	4	6	9	15	22	40
20-34	1208	7.9	68	3	4	6	9	15	21	71
35-49	658	8.2	54	3	4	6	10	15	20	42
50-64	419	9.8	101	3	4	7	12	20	26	58
65+	514	12.5	163	3	5	9	14	26	38	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	2.5	3	1	1	2	3	4	6	10
B. Operated	493	4.8	13	2	3	4	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	1776	4.7	23	1	2	3	6	9	13	21
B. Operated	3300	8.9	85	3	4	6	10	17	25	66
1. SINGLE DX	810	3.9	10	1	2	3	5	7	9	16
2. MULTIPLE DX	5076	7.4	67	2	3	5	9	14	21	49
A. Not Operated	2093	4.4	21	1	2	3	5	9	12	21
B. Operated	3793	8.4	78	3	4	6	10	16	23	60
TOTAL										
0-19 YRS	955	5.9	41	1	2	4	7	11	16	36
20-34	2029	6.2	48	2	3	4	7	12	16	45
35-49	1167	6.4	39	2	3	5	8	13	17	36
50-64	717	7.7	76	2	3	5	9	16	22	46
65+	1018	9.6	111	2	4	7	12	19	28	67
GRAND TOTAL	5886	6.9	61	2	3	5	8	14	19	44

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	548	4.0	10	1	1	3	6	9	10	13
20-34	212	2.8	10	1	1	2	4	6	7	14
35-49	66	3.1	9	1	1	2	4	7	8	18
50-64	26	3.0	8	1	1	2	4	7	9	13
65+	9	2.2	2	1	1	2	2	5	6	6
B. Operated										
0-19 YRS	238	6.0	10	3	4	6	7	9	11	18
20-34	272	5.7	8	3	4	6	7	9	10	17
35-49	69	6.6	18	4	5	6	7	10	14	30
50-64	35	6.5	8	4	5	6	7	8	13	16
65+	7	6.3	7	4	5	5	7	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	885	4.6	19	1	2	3	7	10	12	18
20-34	704	3.9	17	1	2	3	5	8	10	17
35-49	276	4.3	14	1	2	3	6	9	12	21
50-64	134	4.8	17	1	2	3	7	10	12	19
65+	241	6.7	68	1	3	4	8	14	18	34
B. Operated										
0-19 YRS	1146	10.9	106	4	6	8	12	21	32	59
20-34	1967	11.4	135	4	6	8	12	23	34	79
35-49	813	12.4	154	4	6	9	13	26	37	78
50-64	349	14.5	193	5	7	10	17	37	47	99+
65+	341	15.7	230	5	7	11	18	34	58	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	861	3.6	10	1	1	3	5	8	10	13
B. Operated	621	6.0	10	3	4	6	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	2240	4.6	24	1	2	3	6	9	12	20
B. Operated	4616	12.0	144	4	6	8	13	24	37	80
1. SINGLE DX	1482	4.6	11	1	2	4	6	8	10	15
2. MULTIPLE DX	6856	9.6	117	2	4	7	11	19	30	70
A. Not Operated	3101	4.3	20	1	2	3	6	9	11	19
B. Operated	5237	11.3	132	4	6	8	12	23	34	77
TOTAL										
0-19 YRS	2817	7.2	61	1	3	6	9	13	19	43
20-34	3155	8.7	102	2	4	6	9	17	26	65
35-49	1224	9.7	121	2	4	7	11	20	29	69
50-64	544	11.1	151	2	4	8	12	26	42	99+
65+	598	11.7	179	2	4	8	14	25	37	87
GRAND TOTAL	8338	8.7	102	1	3	6	10	17	27	65

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.1	2	< 1	1	2	3	4	5	6
20-34	6	2.0	2	< 1	< 1	1	3	4	4	4
35-49	6	2.8	2	1	2	3	4	5	5	5
50-64	4	3.0	7	1	1	2	5	7	7	7
65 +	0									
B. Operated										
0-19 YRS	437	2.3	3	1	1	2	3	5	5	8
20-34	225	3.1	36	1	1	2	4	5	6	9
35-49	97	2.6	2	1	1	2	3	5	6	8
50-64	24	3.0	6	1	1	2	4	7	9	9
65 +	23	2.3	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.5	5	< 1	1	3	5	6	8	10
20-34	43	2.5	3	1	1	2	3	5	6	8
35-49	17	3.2	4	1	2	3	4	6	8	9
50-64	7	2.6	3	1	1	2	3	5	6	6
65 +	10	5.0	56	< 1	2	3	4	15	26	26
B. Operated										
0-19 YRS	583	3.5	22	1	1	3	4	6	8	18
20-34	514	3.8	12	1	2	3	5	7	9	19
35-49	268	3.8	9	1	2	3	5	8	10	14
50-64	113	4.3	13	1	2	3	5	8	13	19
65 +	175	4.6	16	1	2	3	6	9	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.3	2	< 1	1	2	3	5	5	7
B. Operated	806	2.6	12	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	124	3.2	8	1	1	2	4	6	7	14
3. Operated	1653	3.8	15	1	1	3	5	7	10	18
1. SINGLE DX	854	2.5	12	1	1	2	3	5	6	8
2. MULTIPLE DX	1777	3.7	15	1	1	3	5	7	10	18
A. Not Operated	172	2.9	7	1	1	2	4	5	7	10
B. Operated	2459	3.4	15	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	1099	2.9	13	1	1	2	4	6	7	13
20-34	788	3.5	18	1	1	3	4	6	8	17
35-49	388	3.4	7	1	2	3	4	7	9	13
50-64	148	4.0	12	1	2	3	5	8	11	17
65 +	208	4.3	17	1	2	3	5	8	13	22
GRAND TOTAL	**2631**	**3.4**	**14**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	266	2.0	2	1	1	1	3	4	5	8
20-34	124	2.1	4	< 1	1	1	2	4	5	12
35-49	35	2.1	2	< 1	1	2	3	3	5	7
50-64	13	2.5	2	1	1	2	3	5	6	6
65 +	7	2.1	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	635	1.8	10	< 1	1	1	2	3	5	9
20-34	314	2.0	3	< 1	1	1	2	4	5	9
35-49	105	2.3	6	< 1	1	1	2	4	7	15
50-64	41	2.0	8	< 1	1	1	2	4	5	18
65 +	29	3.6	73	< 1	1	1	3	7	10	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	442	2.2	2	1	1	2	3	4	5	7
20-34	407	2.2	6	< 1	1	1	2	4	5	13
35-49	193	2.6	5	1	1	2	3	5	7	13
50-64	93	3.7	17	1	1	2	4	7	11	23
65 +	163	4.2	19	1	1	3	5	10	12	21
B. Operated										
0-19 YRS	1514	2.7	10	1	1	2	3	5	7	16
20-34	1720	3.0	17	1	1	2	3	6	8	18
35-49	727	3.7	23	1	1	2	4	8	11	25
50-64	384	4.0	34	1	1	2	4	9	12	31
65 +	524	5.3	53	1	2	3	6	12	16	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	2.1	3	< 1	1	1	3	4	5	8
B. Operated	1124	2.0	9	< 1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	1298	2.6	7	1	1	2	3	5	7	15
B. Operated	4869	3.3	22	1	1	2	4	6	10	23
1. SINGLE DX	1569	2.0	7	< 1	1	1	2	4	5	9
2. MULTIPLE DX	6167	3.2	19	1	1	2	4	6	9	21
A. Not Operated	1743	2.5	6	1	1	2	3	5	6	13
B. Operated	5993	3.1	20	1	1	2	3	6	9	21
TOTAL										
0-19 YRS	2857	2.4	8	1	1	1	3	5	6	14
20-34	2565	2.7	13	1	1	2	3	5	7	16
35-49	1060	3.3	18	1	1	2	4	6	9	23
50-64	531	3.8	28	1	1	2	4	8	11	26
65 +	723	5.0	46	1	1	3	6	10	16	41
GRAND TOTAL	**7736**	**2.9**	**17**	**1**	**1**	**2**	**3**	**6**	**8**	**19**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	266	1.9	5	< 1	1	1	2	3	4	12
20-34	428	1.7	2	< 1	1	1	2	3	4	7
35-49	110	1.8	2	< 1	1	1	2	3	3	10
50-64	27	2.7	5	< 1	1	2	3	5	8	11
65 +	10	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	388	2.1	4	1	1	1	3	4	6	10
20-34	361	3.2	18	< 1	1	2	4	6	7	18
35-49	136	2.8	6	< 1	1	2	4	5	7	14
50-64	35	2.8	6	< 1	1	2	4	6	7	12
65 +	19	3.6	10	1	1	3	5	8	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	160	2.5	10	1	1	2	3	5	7	21
20-34	424	2.3	5	< 1	1	2	3	5	6	13
35-49	192	2.9	6	1	1	2	4	6	8	13
50-64	42	3.1	8	1	1	2	4	7	10	11
65 +	32	4.6	21	1	2	4	6	9	10	25
B. Operated										
0-19 YRS	416	4.4	18	1	1	3	6	10	12	22
20-34	808	5.1	36	1	2	4	6	10	15	33
35-49	338	6.4	85	1	2	4	7	11	18	60
50-64	100	7.4	64	1	3	5	8	17	25	74
65 +	48	10.8	245	1	3	5	11	28	40	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	841	1.8	3	< 1	1	1	2	3	4	10
B. Operated	939	2.7	10	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	850	2.6	7	1	1	2	3	5	7	13
B. Operated	1710	5.5	50	1	2	4	7	11	16	40
1. SINGLE DX	1780	2.3	7	< 1	1	1	3	4	6	12
2. MULTIPLE DX	2560	4.5	38	1	1	3	6	9	13	32
A. Not Operated	1691	2.2	5	< 1	1	1	2	4	6	12
B. Operated	2649	4.5	38	1	1	3	5	9	13	32
TOTAL										
0-19 YRS	1230	2.9	11	1	1	2	3	7	9	15
20-34	2021	3.4	21	< 1	1	2	4	7	10	21
35-49	776	4.2	44	1	1	2	5	8	12	37
50-64	204	5.1	40	1	1	3	6	11	17	42
65 +	109	6.9	127	1	2	4	7	15	25	68
GRAND TOTAL	**4340**	**3.6**	**26**	**1**	**1**	**2**	**4**	**8**	**10**	**25**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	362	2.6	2	1	1	2	3	4	6	8
20-34	439	2.7	3	1	1	2	3	5	6	9
35-49	221	2.8	3	1	1	2	4	5	6	8
50-64	66	3.0	4	1	2	3	3	5	7	12
65 +	31	4.6	9	2	3	4	5	8	10	16
B. Operated										
0-19 YRS	1243	2.0	5	< 1	1	1	2	4	5	11
20-34	1780	2.3	6	< 1	1	1	3	5	6	12
35-49	842	2.3	6	< 1	1	1	3	5	7	13
50-64	391	2.3	4	1	1	1	3	5	7	10
65 +	152	2.3	4	1	1	1	3	5	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	316	3.2	8	1	2	2	4	6	8	16
20-34	582	3.2	8	1	2	3	4	6	8	13
35-49	252	3.8	20	1	2	3	4	6	8	25
50-64	153	4.1	9	1	2	3	5	8	10	14
65 +	149	5.8	35	2	3	4	7	11	14	40
B. Operated										
0-19 YRS	1305	3.0	18	1	1	2	3	6	9	17
20-34	2521	3.5	23	1	1	2	4	7	11	25
35-49	1169	3.7	24	1	1	2	4	8	11	22
50-64	610	4.2	26	1	1	2	5	10	14	27
65 +	408	4.6	29	1	1	3	6	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1119	2.8	3	1	2	2	3	5	6	9
B. Operated	4408	2.2	5	< 1	1	1	2	5	6	12
2. MULTIPLE DX										
A. Not Operated	1452	3.7	14	1	2	3	4	7	9	19
B. Operated	6013	3.6	23	1	1	2	4	8	11	25
1. SINGLE DX	5527	2.3	5	< 1	1	2	3	5	6	11
2. MULTIPLE DX	7465	3.6	21	1	1	2	4	7	11	23
A. Not Operated	2571	3.3	9	1	2	3	4	6	8	14
B. Operated	10421	3.0	16	1	1	2	3	6	9	20
TOTAL										
0-19 YRS	3226	2.6	10	1	1	2	3	5	7	15
20-34	5322	3.0	14	1	1	2	3	6	9	18
35-49	2484	3.2	16	1	1	2	4	6	9	19
50-64	1220	3.5	16	1	1	2	4	8	10	20
65 +	740	4.3	25	1	1	3	5	9	13	27
GRAND TOTAL	**12992**	**3.1**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	445	2.5	3	1	1	2	3	5	6	8
20-34	364	2.5	3	1	1	2	3	4	6	10
35-49	131	3.3	8	1	2	3	4	7	8	14
50-64	38	4.3	11	1	2	3	6	9	11	14
65 +	18	5.9	24	1	2	4	8	14	16	16
B. Operated										
0-19 YRS	1152	3.1	11	1	1	2	4	6	8	17
20-34	892	3.1	9	1	1	2	4	6	8	17
35-49	320	3.9	38	1	1	3	4	8	11	21
50-64	127	4.3	23	1	2	3	5	10	13	26
65 +	80	5.6	30	1	2	4	7	13	16	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	296	3.7	25	1	2	3	4	6	9	18
20-34	283	3.9	13	1	2	3	5	7	10	18
35-49	161	4.2	9	1	2	3	6	8	10	15
50-64	123	6.2	35	2	3	5	7	10	21	31
65 +	182	6.3	22	2	3	5	7	12	14	27
B. Operated										
0-19 YRS	747	5.8	50	1	2	3	7	12	19	41
20-34	924	6.1	62	1	2	4	7	13	20	48
35-49	480	7.4	92	1	2	4	8	15	25	57
50-64	270	9.9	118	2	3	6	12	24	34	60
65 +	339	11.6	120	3	5	9	14	24	33	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	996	2.8	4	1	1	2	3	5	7	11
B. Operated	2571	3.3	15	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	1045	4.6	21	1	2	3	5	9	12	24
B. Operated	2760	7.3	81	1	2	4	8	16	25	46
1. SINGLE DX	3567	3.2	12	1	1	2	4	6	8	17
2. MULTIPLE DX	3805	6.5	66	1	2	4	7	14	21	43
A. Not Operated	2041	3.7	14	1	2	3	4	7	9	17
B. Operated	5331	5.4	53	1	2	3	6	12	17	39
TOTAL										
0-19 YRS	2640	3.8	24	1	1	2	4	7	11	26
20-34	2463	4.2	31	1	1	3	5	8	13	28
35-49	1092	5.4	57	1	2	3	6	11	16	42
50-64	558	7.4	77	1	2	5	8	16	26	42
65 +	619	9.1	84	2	4	6	11	18	26	43
GRAND TOTAL	**7372**	**4.9**	**43**	**1**	**2**	**3**	**5**	**10**	**15**	**35**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	5	< 1	1	2	3	6	7	7
20-34	7	3.6	11	1	1	1	7	8	8	8
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	45	5.0	55	1	2	2	5	8	18	40
20-34	57	2.9	7	1	1	2	4	7	8	12
35-49	24	2.8	9	1	1	1	3	8	10	11
50-64	8	2.6	4	< 1	1	2	4	6	6	6
65 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.6	8	< 1	1	1	3	8	10	10
20-34	13	4.1	13	< 1	1	4	5	8	13	14
35-49	23	5.0	52	1	1	2	6	11	21	34
50-64	3	4.3	8	1	2	6	6	6	6	6
65 +	12	6.7	45	1	2	5	9	14	23	25
B. Operated										
0-19 YRS	166	8.3	145	1	2	4	9	21	36	63
20-34	430	9.6	166	1	2	5	11	22	36	80
35-49	177	8.7	161	1	2	5	9	20	33	67
50-64	62	8.7	179	1	2	5	10	19	30	82
65 +	55	10.3	127	2	3	6	15	22	31	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.2	8	1	1	2	6	7	8	8
B. Operated	138	3.5	23	1	1	2	4	7	10	33
2. MULTIPLE DX										
A. Not Operated	69	4.4	31	1	1	2	6	10	14	32
B. Operated	890	9.1	159	1	2	5	10	21	34	66
1. SINGLE DX	158	3.4	21	1	1	2	4	7	9	31
2. MULTIPLE DX	959	8.8	151	1	2	5	10	21	33	66
A. Not Operated	89	4.2	26	1	1	2	6	9	11	30
B. Operated	1028	8.4	145	1	2	5	9	20	32	65
TOTAL										
0-19 YRS	239	7.0	116	1	1	3	8	14	25	62
20-34	507	8.6	147	1	2	5	9	20	33	72
35-49	226	7.7	136	1	1	4	8	17	30	66
50-64	73	7.9	157	1	2	4	8	17	28	78
65 +	72	9.1	110	1	2	5	11	22	29	56
GRAND TOTAL	**1117**	**8.0**	**136**	**1**	**2**	**4**	**9**	**20**	**30**	**64**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	< 1	< 1	2	4	5	5	5
20-34	6	2.7	10	1	1	1	3	8	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	48	2.6	4	1	1	2	4	5	6	8
20-34	75	2.9	9	1	1	2	3	6	8	15
35-49	43	2.3	4	1	1	1	2	6	7	8
50-64	21	3.0	6	1	1	2	4	7	9	10
65 +	7	5.9	17	2	4	4	9	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	5.3	37	1	2	3	5	16	21	22
20-34	28	4.1	19	1	1	3	6	8	12	22
35-49	30	8.6	69	1	3	5	10	25	25	25
50-64	19	6.1	51	1	2	4	8	23	66	99 +
65 +	28	8.7	153	1	3	5	8	22	33	61
B. Operated										
0-19 YRS	48	3.9	21	1	1	3	5	7	12	28
20-34	98	4.2	24	1	1	2	6	9	13	27
35-49	65	6.5	107	1	1	3	8	14	25	61
50-64	50	6.5	46	1	2	4	8	13	25	35
65 +	34	9.9	169	2	4	6	11	16	45	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.5	11	< 1	1	2	5	9	10	10
B. Operated	194	2.8	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	125	6.7	71	1	2	4	8	21	25	70
B. Operated	295	5.7	65	1	2	3	7	12	17	46
1. SINGLE DX	205	2.8	7	1	1	2	4	6	8	14
2. MULTIPLE DX	420	6.0	67	1	2	3	7	13	22	54
A. Not Operated	136	6.4	66	1	2	3	7	19	25	66
B. Operated	489	4.5	44	1	1	2	5	9	14	35
TOTAL										
0-19 YRS	119	3.6	17	1	1	2	4	7	10	24
20-34	207	3.6	18	1	1	2	4	8	11	19
35-49	139	5.6	71	1	1	2	6	14	25	39
50-64	90	5.6	39	1	2	4	7	12	25	73
65 +	70	9.0	144	1	3	5	10	17	30	63
GRAND TOTAL	**625**	**5.0**	**49**	**1**	**1**	**3**	**6**	**11**	**16**	**36**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	348	4.0	4	2	3	4	5	6	8	10
20-34	121	3.4	3	1	2	3	5	5	6	10
35-49	36	3.7	8	1	2	3	5	5	7	17
50-64	11	2.8	3	1	1	3	4	5	5	5
65 +	3	3.0	7	1	1	2	5	6	6	6
B. Operated										
0-19 YRS	9	4.1	15	< 1	1	2	8	10	11	11
20-34	8	3.6	5	1	2	3	5	7	7	7
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	17.0		17	17	17	17	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	4.2	11	1	2	4	5	7	9	11
20-34	135	3.3	4	1	2	3	5	5	7	11
35-49	59	3.1	6	1	1	3	4	5	7	15
50-64	20	3.8	3	1	3	4	5	6	6	7
65 +	55	4.9	13	2	3	4	5	12	14	95
B. Operated										
0-19 YRS	58	5.6	18	2	2	5	7	11	14	21
20-34	48	3.5	11	1	1	3	5	6	7	22
35-49	19	3.4	6	1	2	2	4	7	9	10
50-64	11	4.8	22	1	2	3	7	12	17	17
65 +	18	3.7	8	< 1	1	4	5	7	10	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	519	3.8	4	1	2	4	5	6	7	10
B. Operated	21	4.3	17	1	1	3	6	9	14	17
2. MULTIPLE DX										
A. Not Operated	538	3.9	9	1	2	4	5	7	9	15
B. Operated	154	4.4	14	1	2	3	6	9	12	22
1. SINGLE DX	540	3.8	4	1	2	4	5	6	7	11
2. MULTIPLE DX	692	4.0	10	1	2	4	5	7	10	17
A. Not Operated	1057	3.9	6	1	2	4	5	6	8	12
B. Operated	175	4.4	14	1	2	3	6	9	12	21
TOTAL										
0-19 YRS	684	4.2	8	1	2	4	5	7	9	13
20-34	312	3.4	5	1	2	3	5	5	6	11
35-49	117	3.3	6	1	2	3	4	5	7	16
50-64	43	4.1	12	1	2	3	5	7	11	17
65 +	76	4.6	11	1	2	4	5	11	12	78
GRAND TOTAL	**1232**	**3.9**	**8**	**1**	**2**	**4**	**5**	**6**	**9**	**15**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1111	1.6	2	< 1	1	1	2	3	4	6
20-34	753	2.0	3	< 1	1	1	2	4	6	8
35-49	373	2.1	3	1	1	2	3	4	5	8
50-64	196	2.4	7	1	1	2	3	4	6	9
65 +	217	3.4	12	1	1	2	4	7	10	19
B. Operated										
0-19 YRS	172	2.5	7	< 1	1	1	3	5	8	15
20-34	149	2.7	6	< 1	1	2	3	6	7	11
35-49	90	3.5	19	< 1	1	2	4	8	11	26
50-64	54	3.1	7	< 1	1	2	4	6	9	12
65 +	30	4.2	18	< 1	1	3	5	10	14	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2071	1.9	3	1	1	1	2	4	5	9
20-34	2110	2.4	6	1	1	2	3	5	6	11
35-49	1359	2.8	6	1	1	2	4	5	7	12
50-64	1057	3.7	12	1	1	3	5	8	10	17
65 +	3076	5.9	45	1	2	4	7	12	16	37
B. Operated										
0-19 YRS	265	3.2	21	1	1	2	3	6	8	21
20-34	462	3.4	15	1	1	2	4	7	9	17
35-49	287	4.3	27	1	1	3	5	10	13	25
50-64	215	6.2	43	1	2	4	8	13	18	33
65 +	431	8.8	95	2	3	6	11	19	28	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2650	2.0	4	1	1	1	2	4	5	9
B. Operated	495	2.9	10	< 1	1	2	3	6	9	16
2. MULTIPLE DX										
A. Not Operated	9673	3.6	21	1	1	2	4	7	11	21
B. Operated	1660	5.3	47	1	2	3	6	12	17	36
1. SINGLE DX	3145	2.1	5	1	1	1	2	4	6	11
2. MULTIPLE DX	11333	3.9	25	1	1	2	5	8	12	25
A. Not Operated	12323	3.3	18	1	1	2	4	7	10	19
B. Operated	2155	4.7	40	1	1	3	6	11	16	31
TOTAL										
0-19 YRS	3619	1.9	4	< 1	1	1	2	4	5	10
20-34	3474	2.5	7	1	1	2	3	5	6	12
35-49	2109	2.9	9	1	1	2	4	6	8	14
50-64	1522	3.8	16	1	1	3	5	8	11	21
65 +	3754	6.1	50	1	2	4	7	12	17	43
GRAND TOTAL	**14478**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**11**	**22**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	1.8	1	1	1	1	2	3	4	7
20-34	92	1.9	2	1	1	2	2	3	4	9
35-49	37	2.2	8	1	1	2	2	3	6	18
50-64	13	3.2	21	< 1	1	1	2	11	15	16
65 +	6	1.8	1	1	1	2	2	4	4	4
B. Operated										
0-19 YRS	55	3.9	30	< 1	1	2	4	10	17	27
20-34	101	4.2	25	1	1	2	4	9	16	26
35-49	45	4.2	21	1	1	2	5	9	15	21
50-64	23	4.7	20	1	1	2	8	12	13	14
65 +	9	4.2	24	1	1	1	8	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	2.2	3	1	1	2	3	4	6	7
20-34	99	3.4	11	1	2	2	4	7	10	18
35-49	59	3.1	8	1	1	2	4	7	9	15
50-64	18	4.2	6	2	3	4	5	7	9	11
65 +	23	5.8	14	2	3	5	7	11	14	16
B. Operated										
0-19 YRS	99	7.6	130	1	1	3	9	20	31	61
20-34	230	6.7	66	1	2	4	9	15	22	47
35-49	135	6.6	85	1	2	3	8	18	23	52
50-64	75	6.1	46	1	2	4	7	17	22	33
65 +	32	11.1	352	1	2	3	7	49	58	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	2.0	4	1	1	2	2	3	4	11
B. Operated	233	4.2	24	1	1	2	4	10	16	26
2. MULTIPLE DX										
A. Not Operated	253	3.4	9	1	1	2	4	7	10	16
B. Operated	571	7.0	95	1	2	3	8	17	23	53
1. SINGLE DX	494	3.0	15	1	1	2	3	7	11	21
2. MULTIPLE DX	824	5.9	72	1	2	3	7	13	21	50
A. Not Operated	514	2.7	7	1	1	2	3	6	8	15
B. Operated	804	6.2	76	1	2	3	7	14	22	50
TOTAL										
0-19 YRS	321	4.0	52	1	1	2	4	8	15	42
20-34	522	4.8	40	1	1	2	5	11	16	30
35-49	276	4.9	51	1	1	2	5	11	19	43
50-64	129	5.3	34	1	2	3	6	12	20	28
65 +	70	7.7	177	1	2	4	7	14	49	71
GRAND TOTAL	**1318**	**4.8**	**52**	**1**	**1**	**2**	**5**	**11**	**18**	**43**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1697	1.2		< 1	< 1	1	1	2	2	4
20-34	151	1.3	1	< 1	1	1	1	2	3	5
35-49	151	1.3	1	< 1	1	1	1	2	3	4
50-64	136	1.4	2	< 1	1	1	1	2	3	11
65 +	109	1.4	1	< 1	1	1	2	2	3	5
B. Operated										
0-19 YRS	675	1.5	2	< 1	1	1	2	3	4	8
20-34	51	3.2	10	< 1	1	2	4	8	10	14
35-49	37	2.8	7	< 1	1	2	4	7	8	13
50-64	24	2.5	7	< 1	< 1	1	3	7	9	10
65 +	24	2.6	10	1	1	1	3	6	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	567	2.2	5	< 1	1	1	2	4	6	13
20-34	113	2.9	6	< 1	1	2	4	7	9	11
35-49	144	2.3	5	< 1	1	1	3	5	7	13
50-64	210	2.7	6	< 1	1	2	3	6	8	12
65 +	526	3.7	17	1	1	2	5	8	11	28
B. Operated										
0-19 YRS	326	4.0	34	1	1	2	4	9	13	38
20-34	74	7.8	187	1	2	4	8	15	41	95
35-49	113	6.3	36	1	2	5	9	12	17	33
50-64	132	6.2	110	1	1	3	8	14	18	68
65 +	326	6.6	74	1	2	4	9	15	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2244	1.2	1	< 1	< 1	1	1	2	2	4
B. Operated	811	1.8	3	< 1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	1560	2.8	10	1	1	2	3	6	9	15
B. Operated	971	5.7	71	1	1	3	7	13	17	46
1. SINGLE DX	3055	1.4	1	< 1	1	1	1	2	3	7
2. MULTIPLE DX	2531	3.9	35	1	1	2	5	9	13	28
A. Not Operated	3804	1.9	5	< 1	1	1	2	4	6	11
B. Operated	1782	3.9	44	1	1	2	4	10	13	33
TOTAL										
0-19 YRS	3265	1.7	6	< 1	1	1	2	3	4	11
20-34	389	3.2	44	< 1	1	1	3	7	10	37
35-49	445	3.0	15	< 1	1	1	4	7	11	18
50-64	502	3.3	36	< 1	1	1	4	8	11	19
65 +	985	4.4	37	1	1	2	5	10	14	28
GRAND TOTAL	**5586**	**2.5**	**18**	**< 1**	**1**	**1**	**2**	**5**	**9**	**18**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	4.2	22	1	2	3	5	8	11	29
20-34	33	4.3	18	1	2	3	5	12	16	17
35-49	15	3.9	9	1	1	3	6	9	10	10
50-64	6	6.7	10	1	5	8	8	10	10	10
65 +	4	4.3	8	2	2	4	6	8	8	8
B. Operated										
0-19 YRS	147	5.7	37	1	1	4	8	12	17	32
20-34	111	8.1	57	1	3	5	11	21	25	31
35-49	66	7.4	43	1	3	5	10	19	24	26
50-64	27	8.7	76	1	2	5	15	23	27	31
65 +	27	11.7	133	1	2	9	19	32	32	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	6.3	58	1	2	4	8	14	19	45
20-34	116	5.8	36	1	2	4	8	11	15	37
35-49	74	7.7	110	1	2	4	10	16	31	54
50-64	53	8.5	50	2	4	6	11	18	21	39
65 +	76	11.2	86	3	5	8	14	28	39	99 +
B. Operated										
0-19 YRS	510	16.4	200	2	6	14	23	37	51	99 +
20-34	384	15.2	223	2	5	11	20	39	56	99 +
35-49	246	17.9	263	3	6	13	26	43	59	99 +
50-64	186	20.4	302	3	9	15	26	47	60	99 +
65 +	232	22.6	347	5	10	17	32	51	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	4.3	18	1	2	3	5	9	12	22
B. Operated	378	7.4	56	1	2	5	10	19	25	32
2. MULTIPLE DX										
A. Not Operated	562	7.2	66	1	2	5	9	16	22	49
B. Operated	1558	17.7	256	2	7	14	25	42	59	99 +
1. SINGLE DX	493	6.7	49	1	2	4	8	16	24	32
2. MULTIPLE DX	2120	15.0	227	2	5	11	20	37	52	99 +
A. Not Operated	677	6.7	59	1	2	4	9	15	20	44
B. Operated	1936	15.7	234	2	5	12	22	37	53	99 +
TOTAL										
0-19 YRS	957	11.5	156	1	3	8	16	28	40	99 +
20-34	644	11.7	169	1	3	8	16	30	44	99 +
35-49	401	13.7	216	2	4	9	20	35	54	99 +
50-64	272	16.6	254	2	5	13	23	38	53	98
65 +	339	19.0	296	4	7	14	28	42	65	99 +
GRAND TOTAL	**2613**	**13.4**	**204**	**1**	**4**	**9**	**18**	**34**	**47**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	607	3.6	11	1	1	2	5	8	11	15
20-34	215	3.2	11	1	1	2	4	7	10	17
35-49	103	3.1	8	1	1	2	4	7	9	14
50-64	43	3.8	13	1	1	2	5	9	10	18
65 +	17	6.2	25	1	2	5	8	13	18	20
B. Operated										
0-19 YRS	162	6.7	42	1	2	5	9	15	18	27
20-34	69	5.2	22	1	2	4	6	11	18	20
35-49	41	4.9	29	1	2	3	6	10	19	26
50-64	16	9.6	38	2	4	8	14	18	20	21
65 +	4	3.5	14	< 1	< 1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1834	5.0	22	1	2	3	7	11	14	21
20-34	724	4.3	18	1	1	3	6	9	12	21
35-49	414	5.1	32	1	2	3	6	11	14	29
50-64	201	6.2	30	1	2	5	9	13	16	26
65 +	214	7.9	59	2	4	6	10	16	22	54
B. Operated										
0-19 YRS	548	10.4	100	2	4	7	14	22	28	45
20-34	264	10.0	148	1	3	7	12	21	33	65
35-49	191	10.9	87	2	4	9	14	22	30	52
50-64	120	13.3	153	3	5	10	17	32	47	99 +
65 +	107	14.0	147	3	6	9	19	37	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	985	3.5	11	1	1	2	5	8	11	15
B. Operated	292	6.2	36	1	2	4	8	15	18	26
2. MULTIPLE DX										
A. Not Operated	3387	5.1	26	1	2	3	7	11	15	24
B. Operated	1230	11.0	119	2	4	8	14	25	34	64
1. SINGLE DX	1277	4.1	18	1	1	3	5	9	13	20
2. MULTIPLE DX	4617	6.7	57	1	2	4	9	15	20	40
A. Not Operated	4372	4.8	23	1	2	3	6	11	14	22
B. Operated	1522	10.1	106	2	3	7	13	22	31	59
TOTAL										
0-19 YRS	3151	5.8	39	1	2	4	7	13	17	30
20-34	1272	5.3	50	1	1	3	7	11	16	35
35-49	749	6.3	50	1	2	4	8	14	20	40
50-64	380	8.3	79	1	2	6	11	17	26	59
65 +	342	9.7	93	2	4	7	12	22	35	99 +
GRAND TOTAL	**5894**	**6.1**	**50**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.3	2	1	1	2	3	4	5	7
20-34	58	3.5	6	1	2	3	5	8	9	10
35-49	41	3.6	9	1	1	2	5	8	10	12
50-64	14	4.1	10	1	2	4	5	6	12	14
65 +	7	6.7	10	3	5	6	7	12	13	13
B. Operated										
0-19 YRS	93	2.3	6	< 1	1	1	3	5	6	13
20-34	168	2.1	3	< 1	1	1	2	4	6	9
35-49	80	2.6	11	< 1	1	1	2	6	11	17
50-64	33	3.9	66	< 1	1	1	3	8	14	46
65 +	8	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	4.8	66	1	1	3	4	10	16	53
20-34	127	5.1	33	1	2	4	6	11	18	49
35-49	101	5.5	28	1	2	4	8	11	13	30
50-64	52	7.2	42	2	3	5	9	15	20	37
65 +	102	8.5	71	2	4	6	10	18	25	48
B. Operated										
0-19 YRS	257	3.4	43	< 1	1	1	3	8	15	99 +
20-34	383	4.3	65	1	1	2	4	9	18	42
35-49	185	5.7	96	1	1	2	6	16	29	99 +
50-64	79	11.0	325	1	1	3	12	30	53	92
65 +	67	15.0	398	1	2	8	19	44	75	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	194	3.2	6	1	1	3	4	7	9	13
B. Operated	382	2.4	11	< 1	1	1	3	5	7	15
2. MULTIPLE DX										
A. Not Operated	469	6.1	49	1	2	4	7	13	19	39
B. Operated	971	5.6	119	1	1	2	5	14	29	91
1. SINGLE DX	576	2.7	9	< 1	1	2	3	6	8	14
2. MULTIPLE DX	1440	5.8	96	1	1	2	6	14	24	77
A. Not Operated	663	5.3	38	1	2	3	7	11	16	35
B. Operated	1353	4.7	90	1	1	2	4	11	21	77
TOTAL										
0-19 YRS	511	3.3	34	1	1	2	3	7	12	55
20-34	736	3.9	42	1	1	2	4	8	13	35
35-49	407	4.8	55	1	1	2	6	11	17	64
50-64	178	8.0	177	1	1	3	8	21	34	71
65 +	184	10.5	197	1	3	6	13	25	40	90
GRAND TOTAL	**2016**	**4.9**	**73**	**1**	**1**	**2**	**5**	**11**	**18**	**56**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	561	1.9	3	< 1	1	1	2	4	5	9
20-34	418	2.3	7	1	1	1	2	4	6	14
35-49	197	2.5	7	1	1	2	3	5	6	16
50-64	88	2.6	8	1	1	2	3	4	7	17
65 +	54	3.5	21	1	1	2	3	8	11	29
B. Operated										
0-19 YRS	141	3.6	17	< 1	1	2	4	7	10	23
20-34	150	4.1	22	1	1	3	5	9	11	24
35-49	77	4.9	41	1	1	3	7	12	14	39
50-64	39	4.9	34	1	1	3	7	10	12	34
65 +	14	4.4	15	< 1	1	3	6	9	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	782	2.8	15	1	1	2	3	5	7	19
20-34	886	2.8	9	1	1	2	3	6	8	14
35-49	476	3.2	9	1	1	2	4	7	9	16
50-64	318	4.0	13	1	2	3	5	8	12	19
65 +	618	6.5	36	2	3	5	8	13	18	31
B. Operated										
0-19 YRS	261	6.6	79	1	2	4	8	14	23	84
20-34	445	6.7	60	1	2	4	8	16	21	37
35-49	252	7.6	68	1	2	4	10	19	26	98
50-64	156	8.7	71	1	3	6	12	20	23	58
65 +	213	11.6	135	2	4	8	14	27	35	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1318	2.2	6	1	1	1	2	4	6	12
B. Operated	421	4.2	24	1	1	3	5	9	12	27
2. MULTIPLE DX										
A. Not Operated	3080	3.7	18	1	1	2	4	8	11	21
B. Operated	1327	7.9	82	1	2	5	10	18	26	59
1. SINGLE DX	1739	2.7	11	1	1	2	3	6	8	16
2. MULTIPLE DX	4407	5.0	41	1	1	3	6	11	16	34
A. Not Operated	4398	3.3	15	1	1	2	4	7	10	20
B. Operated	1748	7.0	70	1	2	4	9	16	23	48
TOTAL										
0-19 YRS	1745	3.1	23	1	1	2	3	6	10	25
20-34	1899	3.7	24	1	1	2	4	8	12	23
35-49	1002	4.3	29	1	1	3	5	9	14	31
50-64	601	5.1	34	1	2	3	6	12	17	31
65 +	899	7.5	64	2	3	5	9	15	23	45
GRAND TOTAL	**6146**	**4.3**	**34**	**1**	**1**	**2**	**5**	**10**	**14**	**30**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3855	1.5	2	< 1	1	1	2	3	3	6
20-34	1246	1.7	4	< 1	1	1	2	3	4	8
35-49	504	1.8	3	< 1	1	1	2	3	4	8
50-64	132	1.9	2	< 1	1	1	2	4	5	8
65 +	71	2.9	7	1	1	2	4	7	8	13
B. Operated										
0-19 YRS	11	2.1	2	< 1	1	2	3	4	5	5
20-34	5	2.4	1	1	2	3	3	3	3	3
35-49	5	3.0	12	< 1	1	2	4	9	9	9
50-64	3	11.3	190	< 1	1	6	22	27	27	27
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6929	2.7	19	1	1	2	3	5	8	21
20-34	7995	3.1	21	1	1	2	3	6	9	24
35-49	4743	3.4	22	1	1	2	4	7	11	25
50-64	1957	4.4	23	1	2	3	5	9	13	24
65 +	2850	5.5	33	1	2	4	7	11	14	27
B. Operated										
0-19 YRS	117	6.8	81	1	2	3	8	16	23	44
20-34	250	8.7	169	1	2	4	9	25	39	78
35-49	213	11.2	216	1	3	6	14	26	50	84
50-64	153	12.3	155	2	4	8	18	26	34	63
65 +	232	12.8	180	3	5	9	16	29	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5808	1.6	3	< 1	1	1	2	3	4	7
B. Operated	24	3.5	29	< 1	1	2	3	6	14	27
2. MULTIPLE DX										
A. Not Operated	24474	3.4	23	1	1	2	4	7	11	24
B. Operated	965	10.6	173	1	3	6	13	25	41	86
1. SINGLE DX	5832	1.6	3	< 1	1	1	2	3	4	7
2. MULTIPLE DX	25439	3.7	30	1	1	2	4	8	12	29
A. Not Operated	30282	3.1	19	1	1	2	3	6	9	22
B. Operated	989	10.4	171	1	3	6	13	25	40	84
TOTAL										
0-19 YRS	10912	2.4	14	< 1	1	1	2	4	6	19
20-34	9496	3.1	23	1	1	2	3	6	9	26
35-49	5465	3.6	30	1	1	2	4	7	12	29
50-64	2245	4.8	35	1	2	3	5	10	15	29
65 +	3153	6.0	47	1	2	4	7	12	17	36
GRAND TOTAL	**31271**	**3.3**	**26**	**1**	**1**	**2**	**3**	**7**	**11**	**26**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1912	2.1	4	1	1	1	2	5	6	8
20-34	488	1.6	2	< 1	1	1	2	3	4	7
35-49	293	1.7	6	< 1	1	1	2	3	4	18
50-64	139	1.7	2	1	1	1	2	3	4	9
65 +	51	2.3	12	1	1	1	3	5	6	24
B. Operated										
0-19 YRS	36	2.3	5	< 1	1	1	3	7	8	9
20-34	11	2.5	3	1	1	2	4	5	7	7
35-49	12	3.7	7	1	1	3	6	8	8	8
50-64	7	11.1	114	1	3	8	19	28	29	29
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1324	3.0	13	1	1	2	4	6	8	21
20-34	915	2.7	16	1	1	2	3	5	8	18
35-49	695	2.8	12	1	1	2	3	6	8	18
50-64	426	3.5	21	1	1	2	4	7	10	20
65 +	412	4.5	39	1	1	3	5	9	13	45
B. Operated										
0-19 YRS	67	7.4	114	1	2	4	7	22	37	92
20-34	80	6.2	42	1	2	4	8	13	18	33
35-49	58	10.8	207	2	3	6	15	24	30	92
50-64	37	13.0	275	1	3	6	17	32	55	73
65 +	53	17.1	366	3	4	11	25	53	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2883	2.0	4	< 1	1	1	2	5	6	8
B. Operated	69	3.4	22	1	1	1	4	8	9	28
2. MULTIPLE DX										
A. Not Operated	3772	3.1	18	1	1	2	4	6	9	21
B. Operated	295	10.2	191	1	3	5	13	27	38	98
1. SINGLE DX	2952	2.0	4	1	1	1	2	5	6	8
2. MULTIPLE DX	4067	3.6	33	1	1	2	4	7	11	31
A. Not Operated	6655	2.6	12	1	1	1	3	6	7	17
B. Operated	364	8.9	166	1	2	5	10	24	35	96
TOTAL										
0-19 YRS	3339	2.6	10	1	1	1	3	6	7	15
20-34	1494	2.6	14	1	1	1	3	5	7	18
35-49	1058	3.0	25	1	1	2	3	6	9	26
50-64	609	3.7	40	1	1	2	4	7	11	29
65 +	519	5.6	85	1	1	3	6	12	24	79
GRAND TOTAL	**7019**	**3.0**	**22**	**1**	**1**	**1**	**3**	**6**	**8**	**24**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	811	1.7	3	1	1	1	2	3	4	9
20-34	404	1.9	3	1	1	1	2	3	5	9
35-49	291	1.9	4	1	1	1	2	4	5	10
50-64	172	2.0	3	1	1	1	2	4	5	9
65 +	143	2.1	3	1	1	2	3	4	5	16
B. Operated										
0-19 YRS	17	6.2	55	1	1	3	7	21	22	22
20-34	10	5.9	39	1	1	3	12	15	18	18
35-49	5	3.6	28	1	1	1	5	13	13	13
50-64	5	9.2	149	3	3	4	11	31	31	31
65 +	5	10.0	265	1	2	4	13	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1219	3.4	39	1	1	2	3	6	10	29
20-34	867	2.8	8	1	1	2	3	6	8	14
35-49	980	3.6	22	1	1	2	4	7	10	22
50-64	1189	4.3	26	1	2	3	5	8	12	23
65 +	2844	5.8	33	2	2	4	7	11	15	30
B. Operated										
0-19 YRS	129	11.6	385	1	1	4	15	57	98	99 +
20-34	125	8.7	179	1	1	3	11	29	41	99 +
35-49	123	7.3	105	1	1	3	9	21	31	67
50-64	164	10.9	206	1	2	6	16	31	42	99 +
65 +	340	12.7	207	1	3	9	17	30	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1821	1.8	3	1	1	1	2	3	5	9
B. Operated	42	6.6	76	1	1	3	7	20	26	39
2. MULTIPLE DX										
A. Not Operated	7099	4.5	29	1	2	3	5	9	12	25
B. Operated	881	10.9	217	1	1	6	15	31	50	99 +
1. SINGLE DX	1863	2.0	5	1	1	1	2	4	5	12
2. MULTIPLE DX	7980	5.2	54	1	2	3	6	11	16	45
A. Not Operated	8920	3.9	25	1	1	2	5	8	11	23
B. Operated	923	10.7	212	1	1	6	14	31	49	99 +
TOTAL										
0-19 YRS	2176	3.3	51	1	1	2	3	6	10	50
20-34	1406	3.1	25	1	1	2	3	6	9	27
35-49	1399	3.6	27	1	1	2	4	7	11	29
50-64	1530	4.7	48	1	1	3	5	9	14	36
65 +	3332	6.3	55	1	2	4	8	13	19	47
GRAND TOTAL	**9843**	**4.6**	**47**	**1**	**1**	**3**	**5**	**10**	**14**	**39**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	205	4.5	28	1	1	3	5	10	15	28
20-34	82	3.8	8	1	2	3	5	7	10	14
35-49	96	3.9	13	1	2	3	4	8	12	19
50-64	112	4.3	17	1	1	3	6	9	12	20
65 +	161	4.3	16	1	2	3	6	8	15	18
B. Operated										
0-19 YRS	1375	4.2	27	1	2	3	5	8	11	22
20-34	706	3.8	20	1	1	2	5	8	10	24
35-49	880	4.2	17	1	1	3	6	9	12	19
50-64	1126	5.4	26	1	2	4	8	11	14	25
65 +	2091	5.9	35	1	2	4	9	12	16	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1136	6.1	34	1	2	4	8	13	17	26
20-34	465	5.6	31	1	2	4	7	11	16	30
35-49	675	6.1	35	1	2	5	8	12	15	31
50-64	828	5.9	26	1	2	5	8	12	15	22
65 +	1752	6.8	50	1	3	5	8	13	19	41
B. Operated										
0-19 YRS	4254	8.4	123	1	2	4	10	20	30	66
20-34	2419	7.3	78	1	2	4	9	16	24	48
35-49	3981	7.7	82	1	2	5	10	17	23	52
50-64	6837	8.5	94	1	2	6	10	18	27	52
65 +	13010	9.6	111	1	3	7	12	20	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	656	4.2	18	1	1	3	5	9	13	21
B. Operated	6178	5.0	28	1	2	3	7	11	14	25
2. MULTIPLE DX										
A. Not Operated	4856	6.3	39	1	2	5	8	13	17	31
B. Operated	30501	8.8	103	1	2	6	11	19	28	57
1. SINGLE DX	6834	4.9	27	1	2	3	7	11	14	24
2. MULTIPLE DX	35357	8.4	95	1	2	6	11	18	26	54
A. Not Operated	5512	6.0	37	1	2	4	8	12	16	31
B. Operated	36679	8.1	92	1	2	5	10	17	26	53
TOTAL										
0-19 YRS	6970	7.1	90	1	2	4	8	16	24	55
20-34	3672	6.4	61	1	2	4	8	14	21	43
35-49	5632	6.9	66	1	2	4	9	15	21	45
50-64	8903	7.8	79	1	2	5	10	16	23	49
65 +	17014	8.8	97	1	3	6	11	18	27	55
GRAND TOTAL	**42191**	**7.8**	**85**	**1**	**2**	**5**	**10**	**17**	**24**	**51**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	442	1.4	1	< 1	1	1	2	2	3	5
20-34	261	1.9	2	1	1	1	2	4	5	7
35-49	197	2.3	3	1	1	2	3	4	6	9
50-64	241	2.7	3	1	1	2	3	5	6	9
65 +	322	3.0	4	1	2	3	4	5	6	10
B. Operated										
0-19 YRS	509	1.5	1	< 1	1	1	2	3	3	6
20-34	397	2.1	4	< 1	1	1	2	4	6	10
35-49	275	2.5	6	1	1	2	3	5	7	12
50-64	163	2.7	5	1	1	2	3	6	8	12
65 +	167	3.5	13	1	2	3	4	7	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	209	1.9	1	1	1	1	2	4	4	6
20-34	239	2.7	5	1	1	2	3	5	7	11
35-49	266	3.2	6	1	1	2	4	7	9	12
50-64	475	3.5	7	1	2	3	4	6	9	13
65 +	1140	3.9	9	1	2	3	5	7	9	15
B. Operated										
0-19 YRS	360	2.0	4	1	1	1	2	4	6	10
20-34	474	3.3	25	1	1	2	4	7	10	25
35-49	503	3.5	15	1	1	2	4	8	11	21
50-64	653	4.0	21	1	1	2	5	9	14	23
65 +	1535	4.8	36	1	1	3	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1463	2.2	3	1	1	2	3	4	5	9
B. Operated	1511	2.2	5	< 1	1	1	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	2329	3.4	7	1	2	3	4	6	9	13
B. Operated	3525	4.0	27	1	1	2	5	9	12	23
1. SINGLE DX	2974	2.2	4	1	1	1	3	4	6	10
2. MULTIPLE DX	5854	3.8	19	1	1	2	5	8	11	20
A. Not Operated	3792	2.9	6	1	1	2	4	6	7	12
B. Operated	5036	3.4	21	1	1	2	4	8	11	21
TOTAL										
0-19 YRS	1520	1.6	2	< 1	1	1	2	3	4	8
20-34	1371	2.6	11	1	1	2	3	5	7	15
35-49	1241	3.0	9	1	1	2	4	7	9	15
50-64	1532	3.5	13	1	1	2	4	7	10	18
65 +	3164	4.2	22	1	2	3	5	8	12	21
GRAND TOTAL	**8828**	**3.2**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	192	4.4	10	1	2	4	6	8	10	17
20-34	320	4.3	9	2	2	4	5	7	10	15
35-49	256	4.7	8	2	3	4	6	8	11	15
50-64	204	5.2	17	2	3	4	6	10	11	28
65 +	132	5.5	9	2	3	5	7	9	12	16
B. Operated										
0-19 YRS	190	5.6	19	1	3	5	7	11	13	22
20-34	251	5.9	19	2	3	5	8	12	14	20
35-49	216	6.1	34	2	3	5	7	12	15	25
50-64	167	7.9	49	2	3	6	10	15	22	35
65 +	137	8.6	71	2	3	7	11	17	23	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	361	5.6	16	2	3	4	7	10	13	20
20-34	537	5.6	23	2	3	4	7	10	13	22
35-49	675	6.6	26	2	4	5	8	12	15	29
50-64	711	7.1	28	3	4	6	9	13	16	29
65 +	1100	8.1	39	3	4	7	10	15	19	30
B. Operated										
0-19 YRS	330	11.2	116	2	4	8	14	26	31	54
20-34	557	10.5	94	2	4	8	13	22	31	51
35-49	846	11.9	162	2	5	8	14	25	36	74
50-64	1030	13.0	139	3	5	9	16	29	38	66
65 +	1535	15.1	186	3	6	11	19	32	44	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1104	4.7	10	2	3	4	6	8	11	16
B. Operated	961	6.6	36	2	3	5	8	13	16	29
2. MULTIPLE DX										
A. Not Operated	3384	6.9	30	2	4	5	9	13	16	29
B. Operated	4298	13.1	155	3	5	9	16	28	39	71
1. SINGLE DX	2065	5.6	23	2	3	4	7	11	14	24
2. MULTIPLE DX	7682	10.4	109	3	4	7	13	22	31	59
A. Not Operated	4488	6.4	26	2	3	5	8	12	15	27
B. Operated	5259	11.9	140	2	5	8	15	26	36	66
TOTAL										
0-19 YRS	1073	7.1	54	2	3	5	9	14	20	34
20-34	1665	7.0	50	2	3	5	8	14	20	40
35-49	1993	8.5	90	2	4	6	10	17	25	57
50-64	2112	9.8	92	3	4	7	12	21	30	51
65 +	2904	11.7	130	3	5	8	14	24	33	66
GRAND TOTAL	**9747**	**9.3**	**95**	**2**	**4**	**6**	**11**	**20**	**28**	**53**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	150	2.8	4	1	1	2	4	6	7	9
20-34	202	3.2	7	1	1	2	4	7	9	13
35-49	211	3.7	7	1	2	3	5	7	9	12
50-64	173	3.9	11	1	1	3	6	9	10	15
65 +	135	4.7	23	1	2	3	6	10	13	20
B. Operated										
0-19 YRS	195	4.2	29	< 1	1	2	6	8	14	28
20-34	269	4.1	13	1	1	3	6	9	10	21
35-49	313	5.5	32	1	2	4	7	11	15	25
50-64	244	4.8	20	1	1	4	6	9	13	22
65 +	266	4.9	24	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	662	3.2	14	1	1	2	4	7	11	18
20-34	853	3.4	8	1	1	2	5	7	9	14
35-49	1042	4.4	16	1	2	3	6	9	12	16
50-64	1228	5.0	19	1	2	4	7	10	13	22
65 +	1997	6.0	34	1	2	5	8	12	15	26
B. Operated										
0-19 YRS	1357	3.9	52	1	1	1	4	10	15	51
20-34	1926	3.8	40	1	1	1	4	9	13	30
35-49	2558	5.3	61	1	1	2	7	12	18	41
50-64	2822	7.1	91	1	1	4	9	17	25	52
65 +	4894	7.9	109	1	2	4	10	19	27	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	871	3.6	10	1	1	3	5	8	9	14
B. Operated	1287	4.7	24	1	1	3	6	10	13	24
2. MULTIPLE DX										
A. Not Operated	5782	4.8	22	1	2	3	6	10	13	22
B. Operated	13557	6.3	83	1	1	3	8	15	23	51
1. SINGLE DX	2158	4.3	19	1	1	3	6	9	12	20
2. MULTIPLE DX	19339	5.8	65	1	1	3	7	13	20	44
A. Not Operated	6653	4.6	21	1	2	3	6	10	12	21
B. Operated	14844	6.1	78	1	1	3	8	14	22	49
TOTAL										
0-19 YRS	2364	3.6	37	1	1	2	4	9	13	31
20-34	3250	3.7	28	1	1	2	4	8	11	26
35-49	4124	5.0	45	1	1	3	6	11	16	32
50-64	4467	6.3	65	1	1	4	8	14	21	44
65 +	7292	7.2	84	1	2	4	9	16	23	50
GRAND TOTAL	**21497**	**5.7**	**61**	**1**	**1**	**3**	**7**	**13**	**19**	**42**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.0	2	1	1	2	2	3	5	9
20-34	30	3.0	3	1	2	3	4	6	6	7
35-49	18	3.9	6	1	1	4	6	8	9	9
50-64	13	4.1	3	2	3	4	5	7	7	7
65+	12	5.0	33	1	1	2	9	14	17	17
B. Operated										
0-19 YRS	3	13.3	352	2	2	3	27	35	35	35
20-34	1	30.0		30	30	30	30	30	30	30
35-49	6	5.0	6	3	3	4	7	9	9	9
50-64	6	9.8	67	4	5	7	10	24	26	26
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	3.2	16	1	1	2	3	7	9	23
20-34	62	4.5	16	1	2	3	5	10	11	23
35-49	84	3.9	8	1	2	4	5	7	8	17
50-64	103	4.4	14	1	2	3	6	9	14	18
65+	220	5.1	30	1	1	3	6	11	16	27
B. Operated										
0-19 YRS	18	9.4	137	1	1	6	11	20	37	49
20-34	27	8.6	69	1	3	6	11	21	25	37
35-49	53	7.9	39	2	3	6	11	19	24	97
50-64	57	9.6	134	1	3	5	13	22	32	59
65+	74	11.1	109	2	4	8	15	24	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.8	6	1	1	2	3	6	7	13
B. Operated	16	9.9	110	3	3	6	9	30	33	35
2. MULTIPLE DX										
A. Not Operated	644	4.3	20	1	1	3	5	9	13	22
B. Operated	229	9.5	96	1	3	6	13	22	27	54
1. SINGLE DX	169	3.5	20	1	1	2	4	7	9	29
2. MULTIPLE DX	873	5.7	45	1	2	3	7	13	19	37
A. Not Operated	797	4.0	18	1	1	3	5	8	11	21
B. Operated	245	9.6	97	1	3	6	13	22	28	53
TOTAL										
0-19 YRS	276	3.4	26	1	1	2	3	7	10	32
20-34	120	5.3	33	1	2	3	6	10	16	32
35-49	161	5.3	21	1	3	4	7	10	17	27
50-64	179	6.2	59	1	2	4	7	14	19	47
65+	306	6.6	55	1	2	4	8	15	21	36
GRAND TOTAL	**1042**	**5.3**	**42**	**1**	**2**	**3**	**6**	**12**	**18**	**35**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	P[illegible]TILES						
				10TH	25TH	50T[illegible]	[illegible]H	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	10	1.3		< 1	< 1	1	1	2	3	3
20-34	1225	1.2		< 1	< 1	< 1	1	2	2	4
35-49	583	1.3	1	< 1	< 1	< 1	1	2	3	4
50-64	4	1.0		< 1	< 1	< 1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	32	1.5	2	< 1	< 1	< 1	1	3	4	7
35-49	12	1.3		< 1	< 1	1	1	2	3	3
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	8	1.6	1	< 1	1	1	2	3	3	3
20-34	831	1.7	1	< 1	1	1	2	3	4	6
35-49	553	1.8	2	< 1	< 1	1	2	4	4	6
50-64	3	2.7	2	< 1	1	3	4	4	4	4
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.0		< 1	< 1	1	1	1	1	1
B. Operated	1823	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	45	1.4	1	< 1	< 1	< 1	1	3	4	7
B. Operated	1395	1.7	2	< 1	1	1	2	3	4	6
1. SINGLE DX	1829	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX	1440	1.7	2	< 1	< 1	1	2	3	4	6
A. Not Operated	51	1.4	1	< 1	< 1	< 1	1	3	3	7
B. Operated	3218	1.5	1	< 1	< 1	1	1	3	4	5
TOTAL										
0-19 YRS	19	1.4		< 1	< 1	1	2	3	3	3
20-34	2091	1.4	1	< 1	< 1	1	1	3	3	5
35-49	1150	1.6	1	< 1	< 1	1	2	3	4	6
50-64	7	1.7	2	< 1	< 1	1	3	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**3269**	**1.5**	**1**	**<1**	**<1**	**1**	**1**	**3**	**4**	**5**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	[illegible]	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	12	21.2	1324	1	1	2	30	88	97	98
1000-1499	13	48.1	158	33	41	47	55	65	67	67
1500-1749	17	27.1	161	14	20	23	33	48	51	51
1750-2499	4395	2.8	7	1	2	2	3	4	5	13
2500 +	300329	2.4	1	1	2	2	3	4	4	6
B. Operated										
1-999 G	1	97.0		97	98	99 +	99 +	99 +	99 +	99 +
1000-1499	6	47.0	824	13	51	74	99 +	99 +	99 +	99 +
1500-1749	1	70.0		70	70	70	70	70	70	70
1750-2499	12	11.3	243	2	2	4	16	33	51	54
2500 +	308	3.1	18	1	2	2	3	4	5	20
2. MULTIPLE DX										
A. Not Operated										
1-999 G	110	66.0	426	44	57	75	98	99 +	99 +	99 +
1000-1499	751	38.8	232	21	28	37	48	61	70	93
1500-1749	989	23.7	115	12	16	22	29	38	45	66
1750-2499	15660	6.5	40	2	2	4	8	15	19	29
2500 +	190328	3.2	4	1	2	3	4	5	6	10
B. Operated										
1-999 G	309	74.3	251	57	72	89	99 +	99 +	99 +	99 +
1000-1499	783	51.1	341	30	39	52	66	92	99 +	99 +
1500-1749	488	32.9	222	17	23	30	40	54	69	99 +
1750-2499	1537	18.0	185	5	9	15	24	36	46	91
2500 +	4291	8.0	83	2	3	5	9	16	24	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304766	2.4	2	1	2	2	3	4	4	6
B. Operated	328	4.7	114	1	2	2	4	6	23	99 +
2. MULTIPLE DX										
A. Not Operated	207838	3.7	18	2	2	3	4	6	8	21
B. Operated	7408	19.1	466	2	5	10	29	63	90	99 +
1. SINGLE DX	305094	2.4	2	1	2	2	3	4	4	6
2. MULTIPLE DX	215246	4.2	41	2	2	3	4	6	10	39
A. Not Operated	512604	2.9	9	1	2	2	3	5	5	12
B. Operated	7736	18.4	460	2	4	10	28	62	88	99 +
TOTAL										
1-999 G	432	70.8	406	53	67	86	99 +	99 +	99 +	99 +
1000-1499	1553	45.1	325	25	33	43	59	77	96	99 +
1500-1749	1495	26.8	170	13	18	24	33	44	53	93
1750-2499	21604	6.6	56	2	2	4	8	15	21	37
2500 +	495256	2.7	4	1	2	2	3	4	5	8
GRAND TOTAL	**520340**	**3.1**	**19**	**1**	**2**	**2**	**3**	**5**	**6**	**19**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	1	61.0		61	61	61	61	61	61	61
1000-1499	4	41.3	915	9	18	38	64	79	79	79
1500-1749	6	35.8	233	22	23	31	48	58	59	59
1750-2499	670	4.1	9	2	3	4	5	6	8	16
2500 +	2664	3.6	2	2	3	4	4	5	6	8
B. Operated										
1-999 G	1	85.0		85	89	99 +	99 +	99 +	99 +	99 +
1000-1499	0									
1500-1749	1	63.0		63	63	63	63	63	63	63
1750-2499	2	11.0	128	3	3	11	19	19	19	19
2500 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	29	57.8	352	40	47	63	76	99 +	99 +	99 +
1000-1499	208	38.2	241	21	28	36	49	59	68	97
1500-1749	296	24.2	95	12	17	23	29	37	43	53
1750-2499	2912	8.4	43	3	4	6	12	17	21	31
2500 +	2897	4.6	8	2	3	4	5	7	9	15
B. Operated										
1-999 G	68	70.4	267	50	68	88	99 +	99 +	99 +	99 +
1000-1499	217	51.6	325	31	40	51	66	84	97	99 +
1500-1749	136	32.7	169	19	23	31	39	50	59	80
1750-2499	317	19.3	151	6	11	18	24	33	41	71
2500 +	109	9.0	47	3	4	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3345	3.8	9	2	3	4	5	5	6	12
B. Operated	6	29.7	1263	3	4	41	92	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	6342	8.6	96	3	4	5	9	20	29	52
B. Operated	847	32.5	539	7	15	29	53	82	99 +	99 +
1. SINGLE DX	3351	3.9	12	2	3	4	5	5	6	13
2. MULTIPLE DX	7189	11.4	207	3	4	5	13	30	47	93
A. Not Operated	9687	7.0	71	2	3	4	6	15	23	47
B. Operated	853	32.5	543	7	15	29	53	83	99 +	99 +
TOTAL										
1-999 G	99	66.8	320	47	60	81	99 +	99 +	99 +	99 +
1000-1499	429	45.0	332	23	33	44	57	76	88	99 +
1500-1749	439	27.1	138	14	19	25	33	42	49	63
1750-2499	3901	8.5	59	3	4	5	12	18	23	35
2500 +	5672	4.2	7	2	3	4	5	6	8	14
GRAND TOTAL	**10540**	**9.0**	**158**	**2**	**3**	**5**	**8**	**22**	**37**	**82**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	1	1.0		1	1	1	1	1	1	1
1750-2499	45	2.4	2	1	2	2	3	4	6	7
2500 +	782	2.0	1	1	1	2	2	3	3	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	13	23.6	849	1	3	10	70	99 +	99 +	99 +
1000-1499	47	27.4	649	3	8	25	41	87	96	99 +
1500-1749	20	21.0	334	2	7	18	29	46	64	72
1750-2499	177	9.9	138	2	3	6	12	24	36	63
2500 +	659	5.1	69	1	2	3	5	10	16	52
B. Operated										
1-999 G	20	37.6	1075	5	15	60	99 +	99 +	99 +	99 +
1000-1499	39	23.6	249	9	15	21	37	99 +	99 +	99 +
1500-1749	13	35.7	537	9	21	29	58	86	97	99 +
1750-2499	29	24.6	417	6	11	20	36	82	99	99 +
2500 +	88	15.3	231	4	7	11	20	38	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	828	2.0	1	1	1	2	2	3	4	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	916	7.8	160	1	2	3	7	19	35	94
B. Operated	189	22.2	424	5	10	17	35	94	99 +	99 +
1. SINGLE DX	828	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX	1105	10.3	234	2	2	4	12	31	58	99 +
A. Not Operated	1744	5.1	93	1	2	2	4	10	20	67
B. Operated	189	22.2	424	5	10	17	35	94	99 +	99 +
TOTAL										
1-999 G	33	32.1	1005	2	10	30	95	99 +	99 +	99 +
1000-1499	86	25.7	466	5	11	22	37	94	99 +	99 +
1500-1749	34	26.0	459	3	11	23	35	66	81	99 +
1750-2499	251	10.3	179	2	2	5	12	27	37	84
2500 +	1529	4.1	54	1	2	2	4	8	14	47
GRAND TOTAL	**1933**	**6.7**	**151**	**1**	**2**	**3**	**6**	**18**	**35**	**99 +**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.8	3	< 1	< 1	1	2	3	7	8
20-34	10	1.2		< 1	< 1	1	1	2	2	2
35-49	11	1.6	2	< 1	< 1	1	2	4	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	6	3.8	23	< 1	< 1	1	5	12	13	13
B. Operated										
0-19 YRS	1002	1.6	1	< 1	1	1	2	3	4	6
20-34	1002	1.8	2	< 1	1	1	2	3	4	8
35-49	582	1.9	2	< 1	1	1	2	4	5	8
50-64	321	1.9	3	< 1	1	1	2	3	4	9
65 +	206	2.7	6	< 1	1	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.4	17	< 1	< 1	1	4	12	14	15
20-34	12	1.6	2	< 1	< 1	1	2	4	5	5
35-49	5	1.2		< 1	< 1	< 1	1	2	2	2
50-64	5	2.8	5	< 1	1	2	4	6	6	6
65 +	9	5.7	33	1	1	4	8	15	17	17
B. Operated										
0-19 YRS	737	2.2	6	1	1	1	3	4	6	13
20-34	444	2.5	4	1	1	2	3	5	6	8
35-49	282	3.1	10	1	1	2	4	6	8	15
50-64	230	2.9	6	1	1	2	4	6	9	11
65 +	251	4.2	20	1	2	3	5	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	1.9	5	< 1	< 1	1	2	3	7	13
B. Operated	3113	1.8	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	57	3.1	15	< 1	< 1	1	4	7	13	17
B. Operated	1944	2.7	8	1	1	2	3	5	8	15
1. SINGLE DX	3157	1.8	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	2001	2.8	8	1	1	2	3	5	8	15
A. Not Operated	101	2.6	11	< 1	< 1	1	2	6	13	16
B. Operated	5057	2.2	5	< 1	1	1	3	4	6	11
TOTAL										
0-19 YRS	1780	1.9	4	< 1	1	1	2	3	4	10
20-34	1468	2.0	3	< 1	1	1	2	4	5	8
35-49	880	2.3	5	< 1	1	2	3	5	6	12
50-64	558	2.3	4	< 1	1	2	3	4	6	11
65 +	472	3.6	15	< 1	1	2	4	8	11	17
GRAND TOTAL	**5158**	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**4**	**6**	**12**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	2	1	1	2	3	5	5	5
20-34	5	3.8	3	2	3	3	5	6	6	6
35-49	98	2.2	2	2	2	2	2	3	3	10
50-64	72	2.3	2	1	2	2	2	3	5	9
65 +	99	2.3	4	1	2	2	2	3	4	15
B. Operated										
0-19 YRS	24	5.2	12	1	2	4	8	9	12	13
20-34	71	3.5	21	< 1	1	2	4	6	10	29
35-49	120	4.3	27	1	2	3	5	8	14	26
50-64	163	4.0	13	1	2	3	5	9	14	18
65 +	165	6.2	40	1	2	4	9	14	24	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	281	2.3	2	1	2	2	2	3	4	12
B. Operated	543	4.7	26	1	2	3	6	11	16	31
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	824	3.9	19	1	2	2	4	8	13	28
A. Not Operated	282	2.3	2	1	2	2	2	3	4	12
B. Operated	543	4.7	26	1	2	3	6	11	16	31
TOTAL										
0-19 YRS	31	4.5	11	1	2	3	8	9	12	13
20-34	76	3.5	20	1	1	2	4	6	10	29
35-49	218	3.4	17	1	2	2	3	7	9	18
50-64	235	3.5	10	1	2	2	4	7	11	17
65 +	265	4.7	29	1	2	2	5	12	16	35
GRAND TOTAL	**825**	**3.9**	**19**	**1**	**2**	**2**	**4**	**8**	**13**	**28**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	272	3.6	6	1	2	3	5	6	7	15
20-34	40	3.1	3	1	1	3	5	5	5	6
35-49	149	2.3	3	1	1	1	4	5	5	6
50-64	321	2.3	4	1	1	1	3	5	6	9
65 +	323	2.3	3	1	1	2	3	5	5	7
B. Operated										
0-19 YRS	8	6.9	19	3	4	6	7	14	17	17
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	13	3.5	5	1	1	4	5	6	8	8
65 +	18	3.9	7	< 1	1	5	6	6	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9613	3.0	5	1	2	2	4	5	6	10
20-34	3060	3.3	7	1	1	3	5	6	6	13
35-49	7937	2.9	6	1	1	2	4	5	6	11
50-64	19741	2.9	6	1	1	2	4	5	6	11
65 +	20724	3.1	7	1	1	2	4	5	6	11
B. Operated										
0-19 YRS	728	5.3	39	1	2	4	6	10	16	31
20-34	361	7.1	87	1	2	4	7	18	27	54
35-49	997	6.2	80	1	2	4	6	12	23	47
50-64	2138	6.0	50	1	2	5	6	11	18	39
65 +	2130	5.6	39	1	2	4	6	10	16	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1105	2.6	4	1	1	2	4	5	6	9
B. Operated	46	4.3	9	1	1	5	6	7	8	17
2. MULTIPLE DX										
A. Not Operated	61075	3.0	6	1	1	2	4	5	6	11
B. Operated	6354	5.9	52	1	2	4	6	11	19	41
1. SINGLE DX	1151	2.7	5	1	1	2	4	5	6	9
2. MULTIPLE DX	67429	3.3	11	1	1	2	4	6	7	16
A. Not Operated	62180	3.0	6	1	1	2	4	5	6	11
B. Operated	6400	5.9	52	1	2	4	6	11	18	41
TOTAL										
0-19 YRS	10621	3.2	8	1	2	3	4	5	6	13
20-34	3465	3.7	17	1	2	3	5	6	7	23
35-49	9086	3.3	15	1	1	2	4	6	7	19
50-64	22213	3.2	11	1	1	2	4	6	7	15
65 +	23195	3.3	11	1	1	2	4	6	7	15
GRAND TOTAL	**68580**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**7**	**16**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1932	2.1	8	< 1	1	1	2	4	6	13
20-34	1836	1.9	4	< 1	1	1	2	3	5	11
35-49	706	2.0	6	< 1	1	1	2	4	5	12
50-64	474	2.3	14	< 1	1	1	2	4	6	28
65 +	497	4.1	68	< 1	< 1	1	3	10	19	51
B. Operated										
0-19 YRS	978	3.1	12	< 1	1	2	4	7	9	14
20-34	1185	3.3	6	< 1	1	2	5	7	8	11
35-49	1035	3.5	10	< 1	1	2	5	8	9	12
50-64	738	4.3	20	< 1	1	3	7	9	10	16
65 +	468	4.8	24	< 1	1	3	8	10	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3507	4.9	92	< 1	1	2	4	12	29	99 +
20-34	2613	6.6	156	< 1	1	2	6	23	38	99 +
35-49	2463	9.0	163	1	2	3	11	27	38	87
50-64	3626	11.1	181	1	2	5	16	30	41	80
65 +	10769	15.0	179	2	5	12	21	33	43	82
B. Operated										
0-19 YRS	2609	4.0	51	1	1	2	5	9	15	99 +
20-34	2446	4.5	63	1	1	2	5	9	16	99 +
35-49	3511	4.5	54	1	1	2	5	9	13	50
50-64	4035	6.0	87	1	1	3	8	12	22	71
65 +	5582	8.6	130	1	1	5	10	22	35	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5445	2.2	13	< 1	1	1	2	4	6	17
B. Operated	4404	3.6	13	< 1	1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	22978	11.2	177	1	2	6	17	30	41	96
B. Operated	18183	6.0	89	1	1	3	8	13	24	68
1. SINGLE DX	9849	2.9	13	< 1	1	1	3	7	9	15
2. MULTIPLE DX	41161	8.9	145	1	1	4	12	25	36	84
A. Not Operated	28423	9.5	159	1	1	4	14	27	37	78
B. Operated	22587	5.6	75	1	1	3	7	12	20	62
TOTAL										
0-19 YRS	9026	3.9	55	< 1	1	2	4	8	15	77
20-34	8080	4.4	75	< 1	1	2	4	9	19	85
35-49	7715	5.6	84	1	1	2	6	12	25	59
50-64	8873	7.8	124	1	1	3	9	22	33	71
65 +	17316	12.4	168	1	3	8	18	30	40	73
GRAND TOTAL	**51010**	**7.8**	**125**	**1**	**1**	**3**	**9**	**22**	**33**	**71**

Length of Stay Tables
Operation Groups

1,107 Hospitals, United States, January-December 1988, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	204566	2.9	14	1	1	2	3	5	8	18
20-34	409940	2.7	5	1	2	2	3	4	6	11
35-49	153468	3.4	11	1	1	3	4	7	9	15
50-64	104969	4.0	15	1	1	3	5	8	11	17
65 +	90604	5.0	23	1	2	4	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	259031	6.1	92	1	2	3	6	14	24	69
20-34	489359	4.5	31	1	2	3	5	8	12	30
35-49	354488	6.0	49	1	2	4	7	12	17	39
50-64	440260	7.5	65	1	3	5	9	15	21	45
65 +	906575	9.4	87	2	4	7	12	19	26	56
TOTAL SINGLE DX	963547	3.2	11	1	1	2	4	6	9	15
TOTAL MULTIPLE DX	2449713	7.2	71	1	3	5	9	15	22	48
TOTAL										
0-19 YRS	463597	4.7	60	1	1	2	5	9	16	50
20-34	899299	3.7	20	1	2	3	4	6	9	23
35-49	507956	5.2	39	1	2	4	6	10	15	33
50-64	545229	6.8	57	1	2	5	8	14	19	41
65 +	997179	9.0	83	2	4	7	11	18	25	54
GRAND TOTAL	**3413260**	**6.1**	**57**	**1**	**2**	**4**	**7**	**13**	**19**	**42**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	529	7.8	48	1	3	6	10	14	21	36
20-34	282	8.6	44	3	5	7	10	13	19	40
35-49	341	8.4	29	3	5	7	10	15	18	28
50-64	408	8.8	36	3	5	7	11	15	19	32
65 +	371	10.1	75	3	6	9	12	18	22	46
2. MULTIPLE DX										
0-19 YRS	1343	14.8	245	2	5	10	19	36	53	99 +
20-34	621	17.0	249	4	7	12	22	44	63	99 +
35-49	955	16.1	242	5	7	11	20	39	60	99 +
50-64	1425	16.5	218	5	8	12	20	36	54	99 +
65 +	2086	18.5	231	6	9	14	23	41	58	99 +
TOTAL SINGLE DX	1931	8.7	48	2	5	7	11	15	20	36
TOTAL MULTIPLE DX	6430	16.8	237	4	7	12	21	40	57	99 +
TOTAL										
0-19 YRS	1872	12.8	200	2	5	9	15	30	47	98
20-34	903	14.4	200	4	6	10	17	35	52	99 +
35-49	1296	14.1	198	4	6	10	16	31	52	99 +
50-64	1833	14.8	188	4	7	11	17	32	49	92
65 +	2457	17.3	217	5	8	13	21	37	55	99 +
GRAND TOTAL	8361	14.9	205	4	7	11	18	33	51	99 +

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	320	7.0	61	2	4	5	8	12	21	56
20-34	75	8.3	28	4	5	7	10	19	22	80
35-49	82	9.2	58	4	5	7	12	15	17	50
50-64	67	8.3	20	3	6	7	10	14	16	26
65 +	71	10.5	107	4	5	9	11	17	29	68
2. MULTIPLE DX										
0-19 YRS	440	14.9	276	4	5	8	19	36	68	99 +
20-34	259	18.4	232	6	8	13	24	42	52	99
35-49	268	19.9	278	6	8	14	27	47	67	99 +
50-64	273	20.4	359	6	8	14	25	45	73	99
65 +	463	20.3	269	6	10	15	27	44	67	99 +
TOTAL SINGLE DX	615	8.0	59	3	4	6	9	14	22	54
TOTAL MULTIPLE DX	1703	18.6	286	5	8	13	25	44	67	99 +
TOTAL										
0-19 YRS	760	11.6	201	3	4	7	13	29	49	99 +
20-34	334	16.1	204	5	7	11	21	37	48	99 +
35-49	350	17.4	247	5	7	12	23	40	60	99 +
50-64	340	18.0	316	5	8	12	22	42	64	96
65 +	534	19.0	259	6	9	14	25	42	65	99 +
GRAND TOTAL	2318	15.8	247	4	6	10	20	38	57	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	774	4.2	5	2	3	4	5	7	8	13
20-34	104	5.0	14	2	3	4	6	10	12	21
35-49	48	5.3	40	2	2	4	5	10	14	43
50-64	24	4.7	31	1	2	3	5	10	16	28
65 +	16	4.6	7	2	3	4	5	8	11	13
2. MULTIPLE DX										
0-19 YRS	625	8.2	116	2	3	5	8	17	29	98
20-34	240	11.6	217	2	4	7	13	34	62	99 +
35-49	163	11.2	171	3	4	7	14	29	44	97
50-64	61	12.4	162	3	4	7	16	38	48	99 +
65 +	42	10.9	138	3	4	6	11	34	37	49
TOTAL SINGLE DX	966	4.4	9	2	3	4	5	7	9	16
TOTAL MULTIPLE DX	1131	9.7	151	2	4	6	9	24	40	99 +
TOTAL										
0-19 YRS	1399	6.0	59	2	3	4	6	9	17	57
20-34	344	9.6	165	2	3	6	10	22	39	99 +
35-49	211	9.9	147	2	3	6	10	26	42	88
50-64	85	10.2	137	2	4	5	12	36	41	99 +
65 +	58	9.1	109	2	4	5	10	25	36	48
GRAND TOTAL	2097	7.2	93	2	3	5	7	14	26	82

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	564	4.6	14	2	3	4	5	8	10	20
20-34	42	5.2	10	2	3	5	6	9	13	14
35-49	48	7.4	43	2	4	6	9	13	21	38
50-64	45	7.9	69	2	3	6	8	13	24	43
65 +	73	7.0	17	3	4	6	8	12	16	22
2. MULTIPLE DX										
0-19 YRS	1192	15.2	355	3	4	8	21	54	89	99 +
20-34	178	19.5	350	5	7	12	29	53	66	99 +
35-49	182	19.4	410	3	6	13	28	62	98	99 +
50-64	254	19.2	298	4	8	13	27	46	71	99 +
65 +	518	18.9	211	6	9	15	25	41	58	99 +
TOTAL SINGLE DX	772	5.2	21	2	3	4	6	9	13	25
TOTAL MULTIPLE DX	2324	17.1	324	3	5	11	24	50	77	99 +
TOTAL										
0-19 YRS	1756	11.8	270	2	3	5	13	39	70	99 +
20-34	220	16.7	317	4	5	9	22	46	60	99 +
35-49	230	16.9	357	3	5	10	23	52	84	99 +
50-64	299	17.5	280	4	7	12	25	43	66	99 +
65 +	591	17.4	203	5	8	13	23	39	53	99 +
GRAND TOTAL	3096	14.1	275	3	4	8	19	42	65	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	981	4.6	38	2	2	3	5	8	12	30
20-34	115	7.1	43	2	3	5	8	17	21	32
35-49	48	8.5	68	2	3	5	11	17	21	49
50-64	26	7.6	133	1	2	5	6	14	32	58
65 +	24	8.5	44	2	3	6	13	17	21	27
2. MULTIPLE DX										
0-19 YRS	2502	8.0	108	2	2	4	9	19	29	65
20-34	366	12.7	193	3	4	7	17	34	51	99 +
35-49	198	13.1	174	3	5	8	17	33	46	99 +
50-64	169	12.7	169	3	5	9	15	32	54	99 +
65 +	249	13.3	169	3	5	9	16	30	42	74
TOTAL SINGLE DX	1194	5.2	44	2	2	3	5	10	16	32
TOTAL MULTIPLE DX	3484	9.4	134	2	3	5	11	24	35	79
TOTAL										
0-19 YRS	3483	7.0	91	2	2	4	7	16	26	58
20-34	481	11.4	163	2	4	7	15	30	45	99 +
35-49	246	12.2	157	3	5	8	16	30	43	99 +
50-64	195	12.0	167	2	5	8	14	30	53	99 +
65 +	273	12.9	160	3	5	9	16	29	41	72
GRAND TOTAL	4678	8.3	114	2	3	4	9	20	30	72

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	7.6	23	3	5	7	9	13	17	28
20-34	425	5.8	17	3	4	5	7	9	12	20
35-49	974	5.6	11	2	3	5	7	9	11	19
50-64	1124	5.9	18	3	4	5	7	9	12	21
65 +	917	7.2	14	4	5	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	204	10.9	109	4	6	8	12	23	44	99 +
20-34	510	10.1	112	4	5	7	11	19	31	65
35-49	1418	8.6	71	3	4	6	9	16	23	61
50-64	2315	9.2	65	4	5	7	10	16	22	45
65 +	3782	11.6	88	5	6	9	14	21	28	54
TOTAL SINGLE DX	3527	6.2	16	3	4	5	7	10	12	20
TOTAL MULTIPLE DX	8229	10.3	83	4	5	8	12	19	27	55
TOTAL										
0-19 YRS	291	9.9	86	4	5	7	11	19	32	99 +
20-34	935	8.2	74	3	4	6	9	15	22	56
35-49	2392	7.3	49	3	4	6	8	13	18	44
50-64	3439	8.1	52	3	4	6	9	14	19	39
65 +	4699	10.8	77	4	6	8	12	20	27	49
GRAND TOTAL	11756	9.1	66	3	5	7	10	16	23	47

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	337	8.9	46	3	5	7	10	20	26	29
20-34	204	4.9	20	1	1	4	7	11	13	20
35-49	266	4.9	22	1	1	4	7	10	14	26
50-64	124	5.7	19	1	2	5	8	13	15	19
65 +	83	7.9	35	1	3	7	12	17	20	23
2. MULTIPLE DX										
0-19 YRS	766	11.3	105	3	5	8	14	26	33	92
20-34	367	10.2	95	2	3	8	14	23	32	91
35-49	485	9.6	105	2	3	7	12	19	33	62
50-64	431	12.4	159	2	4	9	16	25	38	69
65 +	456	15.0	197	3	6	11	20	31	44	86
TOTAL SINGLE DX	1014	6.6	34	1	3	5	8	14	19	27
TOTAL MULTIPLE DX	2505	11.7	133	2	5	8	15	26	37	72
TOTAL										
0-19 YRS	1103	10.6	89	3	5	7	13	25	30	66
20-34	571	8.3	75	1	3	6	11	18	27	58
35-49	751	7.9	81	1	3	6	10	16	24	56
50-64	555	10.9	136	1	4	8	14	23	32	66
65 +	539	13.9	179	2	5	10	18	29	42	81
GRAND TOTAL	3519	10.2	110	2	4	7	13	23	30	63

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	3.8	17	< 1	1	2	5	8	13	23
20-34	186	3.7	11	< 1	1	3	5	8	9	20
35-49	269	3.6	10	< 1	1	2	6	8	9	15
50-64	173	3.2	9	< 1	1	2	4	7	9	15
65 +	130	2.7	7	< 1	1	1	3	7	8	11
2. MULTIPLE DX										
0-19 YRS	83	7.0	189	1	2	3	5	19	45	94
20-34	177	5.4	82	1	1	3	6	10	20	41
35-49	244	5.9	59	1	1	3	7	14	19	42
50-64	269	6.5	73	1	2	4	8	15	22	69
65 +	249	6.3	91	1	2	3	8	16	21	77
TOTAL SINGLE DX	838	3.4	11	< 1	1	2	5	7	9	16
TOTAL MULTIPLE DX	1022	6.2	85	1	1	3	7	14	21	62
TOTAL										
0-19 YRS	163	5.5	107	< 1	1	3	5	11	24	81
20-34	363	4.5	47	< 1	1	3	6	9	11	39
35-49	513	4.7	35	< 1	1	3	6	10	15	33
50-64	442	5.2	51	1	1	3	7	11	17	49
65 +	379	5.1	66	1	1	2	6	13	18	33
GRAND TOTAL	1860	4.9	54	1	1	3	6	10	16	41

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	222	2.2	5	<1	<1	1	2	5	7	10
20-34	674	1.7	2	<1	<1	1	2	3	4	8
35-49	779	1.6	2	<1	<1	1	2	3	5	8
50-64	611	1.6	2	<1	<1	1	2	3	5	9
65 +	372	1.6	4	<1	<1	<1	1	3	4	10
2. MULTIPLE DX										
0-19 YRS	385	2.3	6	<1	1	1	3	5	6	12
20-34	802	2.9	17	1	1	2	3	6	8	24
35-49	849	2.9	18	1	1	2	3	6	8	21
50-64	712	3.8	49	1	1	2	4	8	12	28
65 +	616	3.8	40	1	1	2	4	8	12	38
TOTAL SINGLE DX	2658	1.7	3	<1	<1	1	2	3	5	9
TOTAL MULTIPLE DX	3364	3.2	28	<1	1	2	3	7	10	26
TOTAL										
0-19 YRS	607	2.2	6	<1	1	1	2	5	6	12
20-34	1476	2.4	11	<1	1	1	2	4	7	15
35-49	1628	2.3	11	<1	1	1	2	5	7	14
50-64	1323	2.8	29	<1	<1	1	2	6	9	22
65 +	988	3.0	28	<1	<1	1	3	7	9	26
GRAND TOTAL	**6022**	**2.5**	**17**	**<1**	**1**	**1**	**2**	**5**	**8**	**18**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	11.5	181	2	2	11	21	21	21	21
20-34	68	4.0	4	1	3	4	5	7	9	83
35-49	45	5.5	72	2	3	4	5	8	10	59
50-64	22	5.2	11	1	3	5	6	9	13	15
65 +	13	4.5	4	2	4	4	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	5	5.0	3	3	3	6	6	7	7	7
20-34	78	5.5	14	2	3	4	7	12	14	18
35-49	65	6.2	12	3	4	5	7	10	14	20
50-64	81	9.3	61	3	5	7	11	20	24	45
65 +	184	11.7	70	3	7	9	14	21	28	51
TOTAL SINGLE DX	150	4.8	28	2	3	4	6	8	9	59
TOTAL MULTIPLE DX	413	9.1	55	3	4	7	11	18	23	46
TOTAL										
0-19 YRS	7	6.9	42	2	3	6	7	18	21	21
20-34	146	4.8	10	2	3	4	6	9	13	21
35-49	110	5.9	37	2	3	5	7	9	14	36
50-64	103	8.5	53	3	4	6	10	17	23	44
65 +	197	11.2	69	3	6	9	14	21	28	51
GRAND TOTAL	**563**	**7.9**	**51**	**2**	**4**	**6**	**9**	**16**	**21**	**47**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	7.5	155	<1	1	2	9	17	41	49
20-34	44	5.0	29	<1	1	3	7	11	17	27
35-49	53	3.7	18	<1	<1	2	4	8	16	19
50-64	47	2.8	11	<1	<1	1	3	7	10	18
65 +	26	4.7	25	<1	<1	2	7	12	17	18
2. MULTIPLE DX										
0-19 YRS	15	10.5	281	1	2	3	7	49	50	51
20-34	46	9.4	126	1	3	7	12	17	26	68
35-49	102	9.5	139	2	3	5	11	22	32	69
50-64	106	9.1	60	1	3	7	12	20	23	36
65 +	119	9.9	91	2	4	7	13	20	27	53
TOTAL SINGLE DX	185	4.2	32	<1	<1	2	5	10	17	24
TOTAL MULTIPLE DX	388	9.6	106	1	3	6	12	20	27	54
TOTAL										
0-19 YRS	30	9.0	213	<1	1	3	7	35	49	51
20-34	90	7.3	83	<1	1	4	9	17	19	55
35-49	155	7.5	106	1	2	4	8	18	26	63
50-64	153	7.2	54	1	1	5	10	18	21	30
65 +	145	9.0	84	1	3	6	11	18	25	52
GRAND TOTAL	**573**	**7.8**	**88**	**1**	**2**	**5**	**10**	**18**	**24**	**51**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	247	2.3	1	1	1	2	3	4	4	7
20-34	1188	2.4	1	1	2	2	3	4	5	7
35-49	1678	2.3	1	1	2	2	3	4	4	6
50-64	975	2.4	1	1	2	2	3	4	4	6
65 +	509	2.9	4	1	2	2	3	4	5	12
2. MULTIPLE DX										
0-19 YRS	94	3.7	7	1	2	3	4	7	10	15
20-34	634	3.2	8	1	2	3	4	5	7	15
35-49	1154	3.1	10	1	2	3	3	5	7	12
50-64	1122	3.6	10	2	2	3	4	6	6	19
65 +	1104	5.4	56	2	2	3	5	10	17	39
TOTAL SINGLE DX	4597	2.4	2	1	2	2	3	4	4	7
TOTAL MULTIPLE DX	4108	3.9	23	1	2	3	4	6	9	24
TOTAL										
0-19 YRS	341	2.7	3	1	2	2	3	4	6	11
20-34	1822	2.7	4	1	2	2	3	4	5	9
35-49	2832	2.6	5	1	2	2	3	4	5	9
50-64	2097	3.0	6	1	2	3	4	5	6	12
65 +	1613	4.6	42	2	2	3	5	8	13	33
GRAND TOTAL	8705	3.1	13	1	2	2	3	5	7	17

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	523	1.5	1	1	1	1	2	2	4	8
20-34	188	2.3	5	1	1	2	3	4	6	9
35-49	168	2.4	4	1	1	2	3	4	5	13
50-64	169	2.7	8	1	2	2	3	4	5	10
65 +	100	3.5	12	1	2	3	4	7	10	21
2. MULTIPLE DX										
0-19 YRS	127	4.9	110	1	1	2	4	11	16	77
20-34	180	5.3	26	1	2	4	7	11	14	24
35-49	358	5.3	43	2	2	3	5	10	15	40
50-64	582	5.1	40	2	2	3	5	9	16	42
65 +	647	7.2	103	2	3	4	7	16	27	67
TOTAL SINGLE DX	1148	2.1	5	1	1	1	2	4	5	11
TOTAL MULTIPLE DX	1894	5.9	67	2	2	3	6	12	19	51
TOTAL										
0-19 YRS	650	2.2	25	1	1	1	2	4	6	16
20-34	368	3.8	18	1	1	2	4	9	12	20
35-49	526	4.4	33	1	2	3	4	8	12	32
50-64	751	4.6	34	1	2	3	5	8	14	36
65 +	747	6.7	92	2	2	4	6	15	25	67
GRAND TOTAL	3042	4.5	47	1	1	3	4	9	15	36

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	6.9	11	3	5	6	9	11	13	19
20-34	90	6.2	10	3	4	6	8	10	11	19
35-49	101	6.9	9	4	5	6	8	10	13	18
50-64	72	7.4	12	3	5	7	9	12	14	17
65 +	27	6.7	6	3	5	7	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	127	11.0	111	4	6	8	12	22	32	88
20-34	162	8.7	37	4	5	7	11	15	19	29
35-49	226	9.8	73	4	5	8	11	16	25	57
50-64	255	11.3	83	5	6	9	13	21	28	53
65 +	261	13.2	122	5	6	10	16	26	33	59
TOTAL SINGLE DX	355	6.8	10	3	5	6	8	11	13	18
TOTAL MULTIPLE DX	1031	11.0	89	4	6	8	13	21	28	57
TOTAL										
0-19 YRS	192	9.6	81	4	6	7	10	18	24	73
20-34	252	7.8	29	3	5	6	9	14	17	28
35-49	327	8.9	55	4	5	7	9	14	20	45
50-64	327	10.4	70	5	6	8	12	19	25	48
65 +	288	12.6	115	5	6	9	15	24	33	59
GRAND TOTAL	1386	9.9	72	4	5	8	11	18	25	53

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	1.1		<1	<1	<1	<1	1	2	3
20-34	12	1.6	1	<1	<1	<1	2	3	4	4
35-49	23	1.0		<1	<1	<1	<1	1	2	2
50-64	33	1.3		<1	<1	<1	1	2	3	4
65 +	50	1.5	5	<1	<1	1	1	2	2	18
2. MULTIPLE DX										
0-19 YRS	34	3.7	20	<1	1	2	4	11	16	19
20-34	24	7.4	236	<1	1	3	7	12	36	77
35-49	26	6.5	68	1	1	4	7	24	28	28
50-64	50	4.4	46	<1	1	1	4	13	16	36
65 +	143	6.4	134	1	1	2	8	15	25	93
TOTAL SINGLE DX	228	1.2	1	<1	<1	<1	1	2	2	4
TOTAL MULTIPLE DX	277	5.8	107	<1	1	2	7	14	23	74
TOTAL										
0-19 YRS	144	1.7	6	<1	<1	<1	1	3	4	17
20-34	36	5.5	164	<1	<1	2	5	9	16	77
35-49	49	3.9	43	<1	<1	1	4	10	25	28
50-64	83	3.1	30	<1	<1	1	2	7	14	33
65 +	193	5.2	106	<1	1	2	5	13	20	81
GRAND TOTAL	**505**	**3.7**	**65**	**<1**	**<1**	**1**	**3**	**9**	**15**	**43**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	276	1.3		<1	<1	1	1	2	3	6
20-34	73	2.3	47	<1	<1	1	2	3	4	47
35-49	94	1.3		<1	1	1	1	2	4	4
50-64	109	1.2		<1	<1	1	1	2	2	3
65 +	148	1.2		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
0-19 YRS	626	3.0	19	1	1	2	3	6	9	19
20-34	697	3.7	24	1	1	2	4	7	11	28
35-49	403	3.0	14	1	1	2	4	6	8	19
50-64	417	3.7	55	1	1	2	3	7	12	46
65 +	574	5.5	57	1	1	3	7	14	22	55
TOTAL SINGLE DX	700	1.4	6	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	2717	3.8	35	1	1	2	4	8	12	35
TOTAL										
0-19 YRS	902	2.5	14	<1	1	1	2	5	7	16
20-34	770	3.5	27	1	1	2	4	7	10	28
35-49	497	2.7	13	1	1	2	3	5	8	18
50-64	526	3.2	45	<1	1	1	3	6	11	32
65 +	722	4.6	49	<1	1	2	5	12	19	50
GRAND TOTAL	**3417**	**3.3**	**30**	**<1**	**1**	**2**	**3**	**7**	**11**	**30**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	1.4		<1	1	1	1	2	3	6
20-34	38	1.2		<1	1	1	1	2	2	2
35-49	52	1.3		<1	1	1	1	2	3	7
50-64	37	1.2		<1	1	1	1	2	3	3
65 +	75	1.3		1	1	1	1	2	3	7
2. MULTIPLE DX										
0-19 YRS	84	2.6	8	1	1	1	3	6	9	15
20-34	57	1.8	2	<1	1	1	2	4	6	7
35-49	55	1.9	2	<1	1	1	2	4	5	9
50-64	70	1.8	5	<1	1	1	2	3	4	17
65 +	212	1.6	1	<1	1	1	2	3	4	9
TOTAL SINGLE DX	279	1.3	1	<1	1	1	1	2	3	6
TOTAL MULTIPLE DX	478	1.9	4	<1	1	1	2	4	6	10
TOTAL										
0-19 YRS	161	2.0	5	<1	1	1	2	4	7	14
20-34	95	1.6	2	<1	1	1	2	2	4	7
35-49	107	1.6	2	<1	1	1	2	3	4	8
50-64	107	1.6	4	<1	1	1	2	2	3	14
65 +	287	1.5	2	<1	1	1	2	3	4	8
GRAND TOTAL	**757**	**1.6**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**9**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.5	1	<1	<1	<1	1	2	4	7
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	7	2.3	2	<1	<1	2	3	5	5	5
65 +	6	4.0	35	<1	1	2	3	15	16	16
2. MULTIPLE DX										
0-19 YRS	31	2.5	13	<1	1	1	2	5	9	20
20-34	13	5.1	26	1	2	4	7	11	18	20
35-49	18	7.1	143	1	1	4	6	16	38	52
50-64	8	2.9	10	1	1	1	4	8	9	9
65 +	29	6.3	118	1	1	3	6	15	23	57
TOTAL SINGLE DX	49	1.9	6	<1	<1	1	2	4	5	16
TOTAL MULTIPLE DX	99	4.8	71	1	1	2	5	10	19	55
TOTAL										
0-19 YRS	58	2.0	8	<1	<1	1	2	4	7	19
20-34	19	4.0	21	1	1	2	5	8	15	20
35-49	21	6.2	126	<1	1	3	5	13	33	52
50-64	15	2.6	6	<1	1	1	3	7	8	9
65 +	35	5.9	104	1	1	3	6	16	20	57
GRAND TOTAL	**148**	**3.9**	**51**	**<1**	**1**	**2**	**4**	**8**	**16**	**52**

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	1.8	1	1	1	1	2	3	4	7
20-34	78	2.0	1	1	1	2	2	3	4	7
35-49	128	1.9	1	1	1	2	2	3	3	7
50-64	73	2.1	1	1	1	2	2	3	4	7
65 +	301	2.0	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	72	2.3	2	1	1	2	3	4	6	8
20-34	76	2.4	1	1	1	2	3	5	5	6
35-49	119	2.8	6	1	1	2	3	6	9	11
50-64	244	3.1	16	1	2	2	3	4	7	32
65 +	1332	2.8	11	1	2	2	3	4	6	14
TOTAL SINGLE DX	631	2.0	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	1843	2.8	11	1	2	2	3	4	6	14
TOTAL										
0-19 YRS	123	2.1	2	1	1	2	3	4	5	7
20-34	154	2.2	2	1	1	2	3	4	5	6
35-49	247	2.4	4	1	1	2	3	4	7	11
50-64	317	2.8	13	1	1	2	3	4	6	21
65 +	1633	2.7	9	1	2	2	3	4	5	12
GRAND TOTAL	2474	2.6	8	1	1	2	3	4	5	12

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	196	2.8	3	1	1	3	4	5	6	10
20-34	104	2.6	2	< 1	1	2	4	5	5	7
35-49	61	2.6	4	< 1	1	2	3	4	6	13
50-64	21	1.4		< 1	< 1	1	2	2	3	4
65 +	33	2.2	3	< 1	1	1	2	5	7	9
2. MULTIPLE DX										
0-19 YRS	197	4.0	13	1	2	3	5	7	9	21
20-34	128	4.2	13	1	2	4	5	7	8	21
35-49	91	4.1	9	1	2	3	6	8	11	14
50-64	58	4.7	16	1	2	4	5	9	13	23
65 +	146	4.4	20	1	1	3	6	11	14	28
TOTAL SINGLE DX	415	2.6	3	< 1	1	2	3	5	5	9
TOTAL MULTIPLE DX	620	4.2	15	1	2	3	5	8	12	21
TOTAL										
0-19 YRS	393	3.4	9	1	1	3	4	6	7	18
20-34	232	3.5	9	1	2	3	4	6	7	14
35-49	152	3.5	8	1	2	3	5	7	9	14
50-64	79	3.8	14	< 1	1	3	5	8	11	21
65 +	179	4.0	18	< 1	1	2	5	10	14	24
GRAND TOTAL	1035	3.6	11	1	1	3	4	7	9	16

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	1.5	1	< 1	1	1	2	3	4	6
20-34	32	2.8	4	1	2	2	3	6	8	9
35-49	49	2.2	3	< 1	1	2	3	4	6	10
50-64	112	2.3	2	1	1	2	3	4	5	9
65 +	226	2.2	2	< 1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	74	3.6	88	1	1	2	3	6	11	65
20-34	75	3.4	7	1	1	2	4	8	10	13
35-49	115	3.1	5	1	1	2	4	7	9	12
50-64	273	3.2	11	1	1	2	4	7	9	23
65 +	829	3.6	30	1	2	2	4	7	9	23
TOTAL SINGLE DX	530	2.1	3	< 1	1	2	3	4	5	9
TOTAL MULTIPLE DX	1366	3.5	27	1	1	2	4	7	9	22
TOTAL										
0-19 YRS	185	2.4	37	< 1	1	1	2	4	6	18
20-34	107	3.2	7	1	1	2	4	7	9	12
35-49	164	2.8	5	1	1	2	4	6	8	11
50-64	385	2.9	9	1	1	2	3	6	8	22
65 +	1055	3.3	25	1	1	2	4	6	8	20
GRAND TOTAL	1896	3.1	20	1	1	2	3	6	8	18

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	2.8	3	1	1	2	4	5	6	11
20-34	58	3.0	2	1	2	3	4	6	6	7
35-49	30	2.4	2	< 1	1	3	3	4	5	8
50-64	47	2.0	2	< 1	1	1	2	4	5	9
65 +	81	2.2	4	< 1	1	1	2	5	7	11
2. MULTIPLE DX										
0-19 YRS	90	4.9	21	1	2	3	6	10	15	22
20-34	83	4.0	9	1	2	3	5	6	10	18
35-49	69	3.8	13	1	2	3	4	8	12	18
50-64	92	3.6	13	1	1	2	5	8	10	19
65 +	347	4.9	35	1	1	3	6	11	19	37
TOTAL SINGLE DX	271	2.5	4	< 1	1	2	3	5	6	10
TOTAL MULTIPLE DX	681	4.5	25	1	2	3	6	10	14	30
TOTAL										
0-19 YRS	145	4.1	16	1	1	3	5	9	11	21
20-34	141	3.6	7	1	2	3	5	6	7	12
35-49	99	3.4	10	1	1	3	4	7	10	18
50-64	139	3.0	10	1	1	2	4	7	10	15
65 +	428	4.4	31	1	1	2	5	10	15	36
GRAND TOTAL	952	3.9	20	1	1	3	5	9	11	23

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.3		<1	1	1	1	2	2	6
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	1.7	1	<1	<1	1	2	4	4	4
50-64	15	1.6		<1	1	1	2	3	4	4
65+	56	1.4		<1	1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	58	2.8	32	<1	1	1	2	4	15	36
20-34	13	3.2	5	1	2	2	4	6	8	9
35-49	19	2.8	4	1	2	2	3	5	8	10
50-64	66	2.8	50	<1	1	2	2	3	5	51
65+	347	3.0	32	1	1	2	2	6	9	45
TOTAL SINGLE DX	129	1.4	1	<1	1	1	2	2	2	5
TOTAL MULTIPLE DX	503	3.0	33	<1	1	2	2	5	9	41
TOTAL										
0-19 YRS	107	2.1	18	<1	1	1	2	2	6	27
20-34	16	2.9	5	1	1	2	4	5	8	9
35-49	25	2.6	4	1	1	2	3	5	6	10
50-64	81	2.6	41	<1	1	1	2	3	5	45
65+	403	2.8	28	<1	1	2	2	5	9	39
GRAND TOTAL	632	2.7	27	<1	1	1	2	4	7	35

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	163	1.4		<1	1	1	2	2	2	4
20-34	23	1.3		<1	<1	1	1	2	3	5
35-49	95	1.1		<1	<1	<1	1	1	1	6
50-64	520	1.1		<1	<1	<1	<1	1	2	3
65+	3331	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
0-19 YRS	101	2.1	5	<1	1	1	2	4	6	14
20-34	50	2.5	9	<1	1	1	2	6	9	17
35-49	155	2.5	10	<1	1	2	2	5	8	19
50-64	692	2.7	25	<1	1	2	2	4	8	37
65+	4652	2.6	34	<1	1	2	2	4	7	32
TOTAL SINGLE DX	4132	1.1		<1	<1	<1	<1	1	2	2
TOTAL MULTIPLE DX	5650	2.6	32	<1	1	2	2	4	7	31
TOTAL										
0-19 YRS	264	1.7	3	<1	1	1	2	3	4	9
20-34	73	2.1	7	<1	1	1	2	4	8	16
35-49	250	2.0	7	<1	<1	1	2	3	6	15
50-64	1212	2.0	16	<1	<1	1	2	3	5	19
65+	7983	2.0	21	<1	<1	1	2	2	4	19
GRAND TOTAL	9782	2.0	19	<1	<1	1	2	2	4	19

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	8	1.3		<1	<1	1	1	2	2	2
50-64	24	1.1		<1	<1	<1	<1	1	2	3
65+	138	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	7	2.6	2	<1	1	2	4	5	5	5
50-64	40	2.3	7	<1	<1	1	2	5	6	17
65+	221	3.1	51	<1	1	2	2	5	10	40
TOTAL SINGLE DX	175	1.2		<1	<1	<1	1	2	2	4
TOTAL MULTIPLE DX	275	3.0	42	<1	1	2	2	5	9	32
TOTAL										
0-19 YRS	6	2.2	1	<1	1	2	3	4	4	4
20-34	6	2.0	2	<1	1	1	2	5	5	5
35-49	15	1.9	2	<1	<1	1	2	4	5	5
50-64	64	1.9	5	<1	<1	1	2	3	5	16
65+	359	2.4	33	<1	<1	1	2	4	5	21
GRAND TOTAL	450	2.3	27	<1	<1	1	2	4	5	17

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	134	2.5	2	1	1	2	3	5	7	22
20-34	276	2.6	4	1	1	2	3	4	6	11
35-49	404	2.5	2	1	1	2	3	4	5	8
50-64	798	2.6	3	1	1	2	3	4	6	11
65+	735	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	193	4.0	67	1	1	2	4	6	9	48
20-34	388	3.4	9	1	2	3	4	6	7	20
35-49	537	3.2	5	1	2	3	4	6	8	12
50-64	1252	3.2	7	1	2	3	4	6	7	15
65+	1909	3.2	5	1	2	3	4	6	7	12
TOTAL SINGLE DX	2347	2.5	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	4279	3.2	9	1	2	3	4	6	7	14
TOTAL										
0-19 YRS	327	3.4	41	1	1	2	3	6	7	31
20-34	664	3.1	7	1	2	2	4	5	7	16
35-49	941	2.9	5	1	2	2	3	5	6	11
50-64	2050	3.0	6	1	2	2	3	5	7	13
65+	2644	3.0	5	1	2	3	4	5	7	11
GRAND TOTAL	6626	3.0	7	1	2	2	4	5	7	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	118	2.0	2	1	1	1	2	4	6	10
20-34	63	2.4	2	1	1	2	3	5	6	7
35-49	72	2.9	4	1	2	2	4	5	6	12
50-64	111	2.6	6	1	1	2	3	4	6	17
65 +	252	2.5	4	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	152	4.1	54	1	1	2	5	32	99 +	99 +
20-34	304	3.2	10	1	2	2	4	5	8	21
35-49	400	3.4	20	1	2	2	4	6	8	21
50-64	620	3.3	14	1	2	2	3	6	9	21
65 +	1133	3.2	10	1	1	2	4	7	9	17
TOTAL SINGLE DX	616	2.4	4	1	1	2	3	5	6	13
TOTAL MULTIPLE DX	2609	3.3	16	1	1	2	4	7	10	28
TOTAL										
0-19 YRS	270	3.2	33	1	1	2	4	9	99 +	99 +
20-34	367	3.1	9	1	2	2	4	5	7	18
35-49	472	3.3	18	1	2	2	4	6	8	16
50-64	731	3.2	13	1	2	2	3	6	8	19
65 +	1385	3.1	9	1	1	2	3	6	9	16
GRAND TOTAL	3225	3.1	14	1	1	2	3	6	9	24

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	823	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	35	1.0		< 1	< 1	< 1	1	1	1	2
35-49	29	1.0		< 1	< 1	< 1	1	1	1	2
50-64	21	1.1		< 1	< 1	1	1	2	2	2
65 +	7	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	413	1.3	1	< 1	< 1	1	1	2	2	7
20-34	39	2.6	35	< 1	< 1	1	1	3	16	32
35-49	31	1.2		< 1	< 1	1	1	2	2	2
50-64	20	3.4	87	< 1	< 1	1	2	3	23	43
65 +	30	1.8	2	1	1	1	2	4	6	6
TOTAL SINGLE DX	915	1.0		< 1	< 1	< 1	< 1	1	1	2
TOTAL MULTIPLE DX	533	1.5	7	< 1	< 1	1	1	2	2	10
TOTAL										
0-19 YRS	1236	1.1	1	< 1	< 1	< 1	1	1	1	3
20-34	74	1.9	19	< 1	< 1	< 1	1	2	3	30
35-49	60	1.1		< 1	< 1	1	1	2	2	2
50-64	41	2.2	43	< 1	< 1	1	1	2	3	43
65 +	37	1.6	2	< 1	1	1	2	2	5	6
GRAND TOTAL	1448	1.2	3	<1	<1	<1	1	1	2	5

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	235	2.9	5	< 1	1	2	4	7	8	11
20-34	122	3.3	65	1	1	2	4	5	7	34
35-49	84	2.4	3	1	1	2	3	5	7	9
50-64	68	2.4	3	1	1	2	3	5	7	9
65 +	68	2.1	3	1	1	1	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	281	5.8	62	1	2	4	7	11	18	75
20-34	231	4.3	34	1	1	2	5	9	14	38
35-49	213	4.0	16	1	1	3	5	8	11	19
50-64	202	4.1	19	1	2	3	5	9	13	29
65 +	456	5.0	37	1	2	3	6	11	16	26
TOTAL SINGLE DX	577	2.8	18	1	1	2	3	6	7	11
TOTAL MULTIPLE DX	1383	4.8	37	1	2	3	6	10	14	36
TOTAL										
0-19 YRS	516	4.5	39	1	1	3	6	9	12	39
20-34	353	4.0	46	1	1	2	4	7	12	37
35-49	297	3.6	13	1	1	2	5	8	10	18
50-64	270	3.7	16	1	1	2	5	7	10	27
65 +	524	4.6	34	1	1	3	6	10	14	24
GRAND TOTAL	1960	4.2	32	1	1	3	5	9	12	28

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	529	1.7	2	<1	1	1	2	3	5	7
20-34	105	1.7	4	<1	<1	1	1	3	6	12
35-49	80	1.7	2	<1	<1	1	1	4	5	10
50-64	36	1.6	1	<1	<1	1	2	3	4	8
65 +	82	1.7	3	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
0-19 YRS	592	2.9	10	1	1	2	4	5	8	19
20-34	278	3.7	25	1	1	2	4	7	10	32
35-49	153	4.4	45	1	1	2	5	9	16	42
50-64	140	4.7	47	<1	1	2	6	12	16	39
65 +	289	7.0	81	1	1	4	9	17	23	87
TOTAL SINGLE DX	832	1.7	3	<1	<1	1	2	3	5	8
TOTAL MULTIPLE DX	1452	4.2	37	1	1	2	5	9	15	37
TOTAL										
0-19 YRS	1121	2.3	7	<1	1	1	3	5	6	15
20-34	383	3.2	21	<1	1	2	4	7	10	27
35-49	233	3.5	33	<1	1	1	4	7	12	34
50-64	176	4.1	40	<1	1	2	4	9	15	34
65 +	371	5.8	69	<1	1	3	7	16	21	68
GRAND TOTAL	2284	3.3	26	<1	1	2	3	7	12	27

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	1.2		1	1	1	1	2	2	3
20-34	245	1.3		1	1	1	1	2	2	4
35-49	369	1.2		1	1	1	1	2	2	3
50-64	258	1.3		1	1	1	2	2	2	3
65 +	108	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX										
0-19 YRS	80	1.2		1	1	1	1	2	2	4
20-34	179	1.5	1	1	1	1	2	2	3	7
35-49	231	1.4		1	1	1	2	2	3	7
50-64	205	1.5	1	1	1	1	2	2	3	7
65 +	141	1.5		1	1	1	2	2	3	5
TOTAL SINGLE DX	1046	1.3		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	836	1.4	1	1	1	1	2	2	3	6
TOTAL										
0-19 YRS	146	1.2		1	1	1	1	2	2	3
20-34	424	1.4	1	1	1	1	1	2	3	5
35-49	600	1.3		1	1	1	1	2	2	4
50-64	463	1.4	1	1	1	1	2	2	3	4
65 +	249	1.4	1	1	1	1	2	2	3	5
GRAND TOTAL	1882	1.3	1	1	1	1	2	2	2	4

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	818	1.1		<1	1	1	1	1	1	2
20-34	313	1.1		<1	1	1	1	1	2	3
35-49	229	1.1		<1	1	1	1	1	2	2
50-64	195	1.3	3	<1	1	1	1	1	2	4
65 +	70	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
0-19 YRS	797	1.2	7	1	1	1	1	1	2	4
20-34	342	1.4	4	1	1	1	1	2	2	10
35-49	338	1.3		1	1	1	1	2	3	5
50-64	314	1.4	2	1	1	1	1	2	3	10
65 +	205	1.6	2	1	1	1	2	2	3	11
TOTAL SINGLE DX	1625	1.1	1	<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	1996	1.3	4	1	1	1	1	2	2	6
TOTAL										
0-19 YRS	1615	1.1	4	<1	1	1	1	1	2	3
20-34	655	1.3	3	<1	1	1	1	2	2	4
35-49	567	1.2	1	1	1	1	1	2	2	4
50-64	509	1.3	3	1	1	1	1	2	2	8
65 +	275	1.4	2	1	1	1	1	2	3	10
GRAND TOTAL	3621	1.2	3	1	1	1	1	2	2	4

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2735	1.1	1	<1	<1	<1	<1	1	1	5
20-34	49	1.4		<1	<1	1	1	2	3	7
35-49	46	1.9	3	<1	<1	1	2	4	8	9
50-64	36	1.3		<1	<1	1	1	2	2	3
65 +	30	1.9	10	<1	<1	1	1	3	6	18
2. MULTIPLE DX										
0-19 YRS	3303	2.4	17	<1	1	1	2	5	9	20
20-34	76	3.8	35	<1	1	1	3	11	14	34
35-49	93	3.5	19	<1	1	1	4	10	14	20
50-64	77	5.4	91	<1	1	1	5	16	23	90
65 +	90	8.1	76	1	2	5	12	18	24	41
TOTAL SINGLE DX	2896	1.2	2	<1	<1	<1	<1	1	2	6
TOTAL MULTIPLE DX	3639	2.6	22	<1	1	1	2	6	10	23
TOTAL										
0-19 YRS	6038	1.8	10	<1	<1	<1	1	3	6	15
20-34	125	2.8	23	<1	1	1	2	6	12	28
35-49	139	3.0	15	<1	1	1	3	8	13	19
50-64	113	4.1	66	<1	<1	1	3	13	19	78
65 +	120	6.5	67	<1	1	3	9	17	20	41
GRAND TOTAL	6535	2.0	13	<1	<1	1	1	4	7	18

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	463	1.4	1	1	1	1	1	2	3	7
20-34	177	1.3	1	1	1	1	1	2	3	6
35-49	173	1.5	2	1	1	1	1	2	3	13
50-64	140	1.6	1	1	1	1	2	2	3	8
65 +	78	2.3	16	1	1	1	2	3	6	28
2. MULTIPLE DX										
0-19 YRS	802	2.6	23	1	1	1	2	5	10	22
20-34	412	2.0	17	1	1	1	2	3	5	11
35-49	446	1.9	8	1	1	1	2	3	5	18
50-64	390	2.2	7	1	1	1	2	4	6	18
65 +	270	3.4	32	1	1	1	3	7	15	32
TOTAL SINGLE DX	1031	1.5	3	1	1	1	1	2	3	8
TOTAL MULTIPLE DX	2320	2.4	18	1	1	1	2	4	8	21
TOTAL										
0-19 YRS	1265	2.1	15	1	1	1	1	4	7	19
20-34	589	1.8	13	1	1	1	2	3	4	11
35-49	619	1.8	7	1	1	1	2	3	5	14
50-64	530	2.0	6	1	1	1	2	3	5	16
65 +	348	3.1	29	1	1	1	2	6	13	32
GRAND TOTAL	3351	2.1	13	1	1	1	2	3	6	18

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	372	1.6	20	< 1	< 1	1	1	2	4	10
20-34	157	1.7	6	1	1	1	2	2	4	10
35-49	251	1.8	3	1	1	1	2	3	5	8
50-64	177	1.7	1	1	1	1	2	3	4	8
65 +	88	2.0	1	1	1	2	2	4	4	8
2. MULTIPLE DX										
0-19 YRS	446	2.2	9	< 1	1	1	2	5	10	16
20-34	183	1.8	3	1	1	1	2	3	5	11
35-49	230	2.4	9	1	1	1	3	5	8	18
50-64	219	2.3	6	1	1	1	3	4	7	18
65 +	152	3.0	10	1	1	2	3	6	11	15
TOTAL SINGLE DX	1045	1.7	9	< 1	1	1	2	3	4	8
TOTAL MULTIPLE DX	1230	2.3	8	1	1	1	2	5	8	16
TOTAL										
0-19 YRS	818	1.9	14	< 1	< 1	1	1	4	7	14
20-34	340	1.8	5	1	1	1	2	3	4	10
35-49	481	2.1	6	1	1	1	2	4	7	14
50-64	396	2.0	5	1	1	1	2	4	6	12
65 +	240	2.6	8	1	1	2	3	5	8	15
GRAND TOTAL	2275	2.0	9	<1	1	1	2	4	6	14

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	126	1.4		1	1	1	2	2	2	4
20-34	288	1.4	1	1	1	1	2	2	2	3
35-49	127	1.4		1	1	1	2	2	3	5
50-64	77	1.4		1	1	1	2	2	3	5
65 +	26	1.5	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	429	1.4	10	1	1	1	1	2	2	4
20-34	1124	1.4	2	1	1	1	1	2	3	5
35-49	877	1.4	2	1	1	1	1	2	3	7
50-64	509	1.9	15	1	1	1	2	3	4	8
65 +	149	2.4	8	1	1	1	2	5	7	17
TOTAL SINGLE DX	644	1.4	1	1	1	1	2	2	3	4
TOTAL MULTIPLE DX	3088	1.6	6	1	1	1	2	2	3	7
TOTAL										
0-19 YRS	555	1.4	8	1	1	1	1	2	2	4
20-34	1412	1.4	2	1	1	1	1	2	3	5
35-49	1004	1.4	2	1	1	1	1	2	3	6
50-64	586	1.8	14	1	1	1	2	3	4	7
65 +	175	2.3	8	1	1	1	2	5	7	16
GRAND TOTAL	3732	1.5	5	1	1	1	2	2	3	7

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	522	1.5	1	1	1	1	2	3	4	7
20-34	766	1.3		<1	1	1	1	2	3	5
35-49	430	1.4		<1	1	1	2	2	3	6
50-64	194	1.4	1	1	1	1	1	2	3	7
65+	62	1.7	1	<1	1	1	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	1142	1.7	3	1	1	1	2	3	4	8
20-34	2029	1.6	2	1	1	1	2	2	3	8
35-49	1547	1.6	4	1	1	1	2	2	4	7
50-64	841	1.9	6	1	1	1	2	3	5	11
65+	475	3.0	24	1	1	2	3	6	10	20
TOTAL SINGLE DX	1974	1.4	1	<1	1	1	2	2	3	6
TOTAL MULTIPLE DX	6034	1.7	6	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	1664	1.6	3	1	1	1	2	3	4	7
20-34	2795	1.5	2	1	1	1	2	2	3	7
35-49	1977	1.6	4	1	1	1	2	2	3	7
50-64	1035	1.8	6	1	1	1	2	3	5	10
65+	537	2.8	22	1	1	2	3	6	9	19
GRAND TOTAL	8008	1.7	5	1	1	1	2	3	4	9

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	129	1.9	3	<1	1	1	2	4	6	9
20-34	83	1.4		<1	1	1	2	2	3	5
35-49	107	1.7	2	<1	<1	1	1	3	5	10
50-64	112	1.5	1	<1	<1	1	2	3	4	6
65+	142	1.8	4	<1	<1	1	2	4	5	12
2. MULTIPLE DX										
0-19 YRS	257	2.3	6	1	1	1	2	5	9	14
20-34	360	1.9	7	1	1	1	2	3	5	18
35-49	425	2.0	7	1	1	1	2	3	5	15
50-64	355	2.6	17	1	1	1	2	4	8	30
65+	465	5.1	59	1	1	2	6	12	20	46
TOTAL SINGLE DX	573	1.7	3	<1	<1	1	2	3	4	10
TOTAL MULTIPLE DX	1862	2.9	24	1	1	1	2	6	10	30
TOTAL										
0-19 YRS	386	2.1	6	<1	1	1	2	5	7	13
20-34	443	1.8	6	1	1	1	2	3	4	15
35-49	532	1.9	6	<1	1	1	2	3	5	13
50-64	467	2.3	14	<1	1	1	2	4	7	28
65+	607	4.3	49	<1	1	2	4	10	17	45
GRAND TOTAL	2435	2.6	19	<1	1	1	2	5	9	26

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	366	1.3		<1	<1	1	1	2	3	6
20-34	300	2.0	6	<1	1	1	2	4	6	8
35-49	195	3.1	4	1	1	3	4	6	7	9
50-64	211	3.6	5	1	2	3	5	7	8	11
65+	225	3.5	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	406	3.2	25	1	1	1	3	6	10	29
20-34	619	3.4	17	1	1	2	4	8	11	23
35-49	472	4.0	18	1	1	3	5	8	10	22
50-64	597	4.7	18	1	2	4	6	8	10	24
65+	1081	5.3	26	2	3	4	6	9	13	26
TOTAL SINGLE DX	1297	2.5	5	<1	1	2	3	5	7	10
TOTAL MULTIPLE DX	3175	4.3	22	1	1	3	5	8	11	24
TOTAL										
0-19 YRS	772	2.3	15	<1	1	1	2	5	7	18
20-34	919	2.9	14	<1	1	1	3	6	9	19
35-49	667	3.7	14	1	1	3	5	7	9	20
50-64	808	4.4	14	1	2	4	6	7	10	22
65+	1306	5.0	23	1	2	4	6	9	11	24
GRAND TOTAL	4472	3.8	18	1	1	3	5	7	10	22

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.9	4	1	1	1	2	4	7	11
20-34	156	1.8	4	1	1	1	2	2	4	13
35-49	187	1.6	2	1	1	1	2	2	3	11
50-64	141	1.7	1	1	1	1	2	3	4	8
65+	56	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	109	3.5	22	1	1	1	3	11	16	21
20-34	335	2.3	8	1	1	1	2	5	6	16
35-49	418	2.2	7	1	1	1	2	4	8	11
50-64	330	2.6	12	1	1	2	3	5	7	16
65+	259	4.2	52	1	1	2	4	10	16	40
TOTAL SINGLE DX	588	1.7	3	1	1	1	2	3	3	10
TOTAL MULTIPLE DX	1451	2.8	18	1	1	2	3	5	9	22
TOTAL										
0-19 YRS	158	3.0	17	1	1	1	3	8	14	21
20-34	491	2.2	8	1	1	1	2	4	6	16
35-49	605	2.0	6	1	1	1	2	3	6	11
50-64	471	2.3	9	1	1	1	2	4	7	14
65+	314	3.8	45	1	1	2	3	9	14	37
GRAND TOTAL	2039	2.5	14	1	1	1	2	4	8	20

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	219	2.3	7	<1	1	1	3	6	8	14
20-34	190	2.3	5	1	1	1	2	5	7	14
35-49	259	2.1	3	1	1	1	2	4	6	11
50-64	174	2.3	4	1	1	2	3	4	6	14
65+	96	2.3	7	1	1	2	3	5	6	17
2. MULTIPLE DX										
0-19 YRS	660	4.7	42	1	1	2	6	11	16	33
20-34	745	3.5	31	1	1	1	3	9	14	26
35-49	944	2.6	18	1	1	1	2	6	9	18
50-64	856	3.1	18	1	1	1	3	7	11	21
65+	657	5.0	55	1	1	2	6	13	18	40
TOTAL SINGLE DX	938	2.2	6	1	1	1	2	5	7	12
TOTAL MULTIPLE DX	3862	3.7	32	1	1	2	4	9	14	27
TOTAL										
0-19 YRS	879	4.1	35	1	1	2	5	10	14	27
20-34	935	3.3	27	1	1	1	3	7	13	22
35-49	1203	2.5	15	1	1	1	2	5	9	17
50-64	1030	3.0	17	1	1	2	3	7	10	20
65+	753	4.7	50	1	1	2	5	12	17	38
GRAND TOTAL	4800	3.4	27	1	1	2	3	8	12	24

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	371	1.3	2	<1	<1	<1	1	1	3	5
20-34	176	1.4	2	<1	<1	<1	1	2	3	11
35-49	50	2.3	27	<1	<1	1	2	3	6	37
50-64	43	2.1	5	<1	<1	1	2	5	8	11
65+	34	1.4		<1	<1	1	1	2	4	4
2. MULTIPLE DX										
0-19 YRS	644	3.1	33	<1	1	1	3	6	11	42
20-34	598	6.2	79	1	1	3	7	19	28	47
35-49	414	6.7	113	1	1	3	8	19	28	93
50-64	382	5.2	49	1	1	2	6	13	19	44
65+	575	8.4	149	1	2	4	11	21	40	99+
TOTAL SINGLE DX	674	1.4	4	<1	<1	<1	1	2	3	11
TOTAL MULTIPLE DX	2613	5.9	88	1	1	2	6	16	27	71
TOTAL										
0-19 YRS	1015	2.4	23	<1	<1	1	2	4	7	26
20-34	774	5.1	66	<1	1	2	5	14	26	43
35-49	464	6.2	106	<1	1	2	7	18	27	89
50-64	425	4.9	46	1	1	2	6	12	17	40
65+	609	8.0	144	1	2	3	10	21	38	99+
GRAND TOTAL	3287	5.0	74	<1	1	2	5	13	22	60

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	213	1.1		<1	<1	<1	<1	1	1	3
20-34	18	2.2	5	<1	<1	1	2	7	8	8
35-49	9	2.2	3	1	1	1	3	5	6	6
50-64	6	1.0		<1	<1	1	1	1	1	1
65+	6	1.5		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	427	2.1	23	<1	<1	1	2	2	4	33
20-34	70	4.3	74	<1	1	2	2	11	34	89
35-49	20	4.2	45	<1	1	2	5	20	61	99+
50-64	10	2.3	1	<1	1	2	3	4	5	5
65+	7	1.9		<1	1	2	3	3	3	3
TOTAL SINGLE DX	252	1.2	1	<1	<1	<1	<1	1	2	6
TOTAL MULTIPLE DX	534	2.5	30	<1	<1	1	2	3	7	43
TOTAL										
0-19 YRS	640	1.8	16	<1	<1	<1	1	2	3	21
20-34	88	3.9	61	<1	1	2	2	8	29	79
35-49	29	3.6	32	1	1	2	4	11	29	99+
50-64	16	1.8	2	<1	<1	1	2	4	5	5
65+	13	1.7	1	<1	1	2	2	3	3	3
GRAND TOTAL	786	2.1	21	<1	<1	1	2	3	5	35

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	153	1.5		<1	<1	1	2	2	3	4
20-34	34	3.1	30	<1	1	2	3	5	10	32
35-49	50	1.5		1	1	1	2	2	4	4
50-64	66	2.0	3	1	1	2	2	3	4	13
65+	33	1.9	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	346	2.6	16	<1	<1	1	3	5	6	19
20-34	121	3.8	22	1	1	2	4	9	15	24
35-49	126	4.5	46	1	1	2	5	9	16	40
50-64	164	4.8	48	1	1	2	4	14	21	35
65+	186	5.1	61	1	1	2	5	11	24	42
TOTAL SINGLE DX	336	1.8	4	<1	1	1	2	3	4	9
TOTAL MULTIPLE DX	943	3.9	36	<1	1	2	3	8	16	35
TOTAL										
0-19 YRS	499	2.2	12	<1	<1	1	2	4	5	18
20-34	155	3.7	24	1	1	2	4	8	14	25
35-49	176	3.6	35	1	1	2	3	8	13	32
50-64	230	4.0	37	1	1	2	3	11	19	33
65+	219	4.6	54	1	1	2	4	10	19	42
GRAND TOTAL	1279	3.3	29	<1	1	2	3	7	13	32

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	222	2.4	5	1	1	2	3	4	7	15
20-34	478	2.0	1	1	1	2	2	3	4	6
35-49	720	1.9	2	1	1	2	2	3	4	7
50-64	622	2.0	1	1	1	2	2	3	4	6
65 +	520	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	149	2.6	6	1	1	2	3	5	9	12
20-34	228	2.6	8	1	1	2	3	5	6	12
35-49	470	2.7	9	1	1	2	3	5	7	16
50-64	613	3.0	9	1	1	2	3	5	8	16
65 +	965	4.2	35	1	2	3	4	9	12	33
TOTAL SINGLE DX	2562	2.1	3	1	1	2	2	3	4	8
TOTAL MULTIPLE DX	2425	3.3	20	1	1	2	4	6	10	20
TOTAL										
0-19 YRS	371	2.5	6	1	1	2	3	5	8	14
20-34	706	2.2	4	1	1	2	3	4	5	8
35-49	1190	2.2	5	1	1	2	2	4	5	11
50-64	1235	2.5	6	1	1	2	3	4	6	11
65 +	1485	3.5	25	1	1	2	4	7	10	22
GRAND TOTAL	4987	2.7	12	1	1	2	3	5	7	15

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1084	2.4	1	1	1	2	3	4	5	7
20-34	12	1.5		1	1	1	2	3	4	4
35-49	10	2.3	2	1	1	2	3	5	6	6
50-64	9	1.7	1	1	1	1	2	4	4	4
65 +	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	1473	2.9	5	1	2	2	3	5	6	10
20-34	41	3.0	4	1	1	3	4	5	8	9
35-49	74	2.2	3	1	1	2	3	4	5	12
50-64	50	2.9	6	1	1	2	3	6	8	13
65 +	9	2.6	1	1	2	3	3	4	4	4
TOTAL SINGLE DX	1119	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1647	2.8	5	1	2	2	3	5	6	11
TOTAL										
0-19 YRS	2557	2.7	4	1	2	2	3	4	5	8
20-34	53	2.6	4	1	1	2	4	5	8	9
35-[illegible]	84	2.3	3	1	1	2	3	4	5	11
50-64	59	2.7	6	1	1	2	3	5	8	13
65 +	13	2.3	1	1	1	2	3	4	4	4
GRAND TOTAL	2766	2.7	4	1	2	2	3	4	5	9

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1295	2.3	3	<1	1	2	3	5	6	8
20-34	196	3.4	6	1	1	3	5	7	9	13
35-49	159	3.8	24	1	1	2	4	9	14	27
50-64	186	3.5	13	1	1	2	4	8	11	17
65 +	243	3.0	9	<1	1	2	4	7	10	16
2. MULTIPLE DX										
0-19 YRS	1544	3.3	27	1	1	2	4	6	8	41
20-34	721	4.2	17	1	2	3	5	8	11	22
35-49	567	5.6	47	1	2	3	7	13	19	34
50-64	735	7.5	88	1	2	4	9	17	25	49
65 +	1007	7.8	86	1	2	5	10	18	27	48
TOTAL SINGLE DX	2079	2.7	7	<1	1	2	3	5	7	13
TOTAL MULTIPLE DX	4574	5.4	55	1	1	3	6	12	19	43
TOTAL										
0-19 YRS	2839	2.9	17	1	1	2	3	5	7	20
20-34	917	4.0	16	1	2	3	5	8	10	20
35-49	726	5.2	43	1	2	3	6	12	18	32
50-64	921	6.7	76	1	2	4	8	15	22	47
65 +	1250	6.9	75	1	2	4	8	16	24	45
GRAND TOTAL	6653	4.6	42	1	1	3	5	10	15	37

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5654	1.1		1	1	1	1	1	2	3
20-34	3006	1.2		1	1	1	1	2	2	4
35-49	423	1.3		1	1	1	1	2	2	5
50-64	51	1.3		1	1	1	1	2	3	3
65 +	18	1.7	2	1	1	1	2	4	6	7
2. MULTIPLE DX										
0-19 YRS	2517	1.4	3	1	1	1	1	2	3	7
20-34	1089	1.5	2	1	1	1	1	2	4	7
35-49	275	1.7	2	1	1	1	2	3	4	8
50-64	79	3.1	17	1	1	2	3	8	14	23
65 +	41	4.7	34	1	1	3	6	10	20	27
TOTAL SINGLE DX	9152	1.1		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	4001	1.5	4	1	1	1	1	2	3	8
TOTAL										
0-19 YRS	8171	1.2	1	1	1	1	1	2	2	5
20-34	4095	1.3	1	1	1	1	1	2	2	5
35-49	698	1.4	2	1	1	1	1	2	3	7
50-64	130	2.4	11	1	1	1	2	4	9	19
65 +	59	3.8	26	1	1	2	4	8	15	27
GRAND TOTAL	13153	1.2	1	1	1	1	1	2	2	5

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10459	1.1		1	1	1	1	1	1	2
20-34	253	1.1		1	1	1	1	2	2	3
35-49	19	1.3		1	1	1	2	2	2	2
50-64	4	1.5		1	1	1	2	2	2	2
65 +	3	3.7	14	< 1	< 1	2	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	11738	1.3	2	1	1	1	1	1	2	7
20-34	171	1.4	1	1	1	1	1	2	4	5
35-49	10	1.2		1	1	1	1	2	2	2
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	3	4.3	33	1	1	1	9	11	11	11
TOTAL SINGLE DX	10738	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	11925	1.3	3	1	1	1	1	2	2	7
TOTAL										
0-19 YRS	22197	1.2	2	1	1	1	1	1	2	4
20-34	424	1.3	1	1	1	1	1	2	2	5
35-49	29	1.2		1	1	1	2	2	2	2
50-64	7	1.7	1	1	1	1	2	4	4	4
65 +	6	4.0	19	< 1	1	2	8	11	11	11
GRAND TOTAL	22663	1.2	2	1	1	1	1	1	2	4

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	315	1.0		< 1	< 1	1	1	1	1	2
20-34	10	1.0		1	1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1105	1.5	9	< 1	< 1	1	1	1	3	15
20-34	17	1.2		< 1	1	1	1	2	3	3
35-49	4	3.5	7	1	1	3	5	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	327	1.0		< 1	< 1	1	1	1	1	2
TOTAL MULTIPLE DX	1127	1.5	9	< 1	< 1	1	1	1	3	15
TOTAL										
0-19 YRS	1420	1.4	7	< 1	< 1	1	1	1	2	12
20-34	27	1.1		1	1	1	1	1	2	3
35-49	6	2.7	6	< 1	1	2	4	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	1454	1.4	7	<1	<1	1	1	1	2	12

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1121	2.0	4	< 1	1	1	2	4	5	9
20-34	565	2.1	2	1	1	2	3	4	5	7
35-49	280	2.3	3	1	1	2	3	4	7	12
50-64	150	2.8	9	1	1	2	3	5	7	21
65 +	86	3.4	7	1	1	2	5	8	10	11
2. MULTIPLE DX										
0-19 YRS	628	3.5	24	1	1	2	4	7	10	31
20-34	361	3.2	11	1	1	2	4	6	8	17
35-49	412	3.6	29	1	1	2	3	7	13	33
50-64	426	5.1	55	1	1	3	5	13	19	42
65 +	347	8.9	153	1	2	5	10	20	28	71
TOTAL SINGLE DX	2202	2.2	4	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	2174	4.6	54	1	1	2	5	10	16	41
TOTAL										
0-19 YRS	1749	2.5	12	1	1	2	3	5	7	14
20-34	926	2.5	6	1	1	2	3	5	6	13
35-49	692	3.1	20	1	1	2	3	6	9	29
50-64	576	4.5	44	1	1	2	4	11	17	41
65 +	433	7.8	129	1	2	4	9	18	25	70
GRAND TOTAL	4376	3.4	30	1	1	2	3	7	11	29

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	1.8	2	< 1	1	1	2	3	6	10
20-34	33	2.4	2	1	1	2	3	4	6	7
35-49	43	2.6	2	< 1	1	2	3	5	6	8
50-64	53	3.5	18	1	2	2	4	6	8	30
65 +	67	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	289	3.2	8	1	2	2	4	5	7	15
20-34	85	5.2	28	1	2	3	6	9	20	25
35-49	108	5.0	17	1	2	4	6	10	15	54
50-64	261	5.3	38	1	2	4	6	10	16	26
65 +	500	5.3	30	1	2	4	6	12	16	38
TOTAL SINGLE DX	255	2.5	6	< 1	1	2	3	5	6	8
TOTAL MULTIPLE DX	1243	4.8	26	1	2	3	5	10	15	27
TOTAL										
0-19 YRS	348	3.0	7	1	2	2	4	5	7	14
20-34	118	4.4	22	1	2	3	5	8	16	25
35-49	151	4.3	14	1	2	3	5	10	11	23
50-64	314	5.0	36	1	2	3	6	10	15	27
65 +	567	5.0	28	1	2	3	6	11	15	33
GRAND TOTAL	1498	4.4	23	1	2	3	5	9	13	26

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	309	1.8	8	<1	1	1	2	3	4	18
20-34	51	1.3	1	<1	<1	1	1	2	3	7
35-49	99	1.4	2	<1	<1	1	1	2	3	12
50-64	162	1.5	2	<1	<1	1	1	2	3	9
65 +	107	1.5	2	<1	<1	1	1	2	4	10
2. MULTIPLE DX										
0-19 YRS	281	4.7	70	1	1	1	4	12	24	43
20-34	44	3.7	75	1	1	1	3	9	14	56
35-49	128	4.1	31	1	1	1	5	9	15	31
50-64	281	4.7	58	1	1	2	6	11	18	36
65 +	349	5.3	76	1	1	2	6	12	20	38
TOTAL SINGLE DX	728	1.6	5	<1	<1	1	1	2	4	13
TOTAL MULTIPLE DX	1083	4.8	65	1	1	2	5	12	20	38
TOTAL										
0-19 YRS	590	3.2	40	<1	1	1	2	7	14	37
20-34	95	2.4	36	<1	1	1	2	3	8	38
35-49	227	2.9	21	<1	1	1	2	8	13	25
50-64	443	3.5	40	<1	1	1	3	9	13	32
65 +	456	4.4	62	<1	1	1	4	11	15	34
GRAND TOTAL	**1811**	**3.5**	**43**	**<1**	**1**	**1**	**3**	**9**	**13**	**34**

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	4.1	33	1	1	2	4	13	14	32
20-34	3	9.3	30	3	5	12	13	13	13	13
35-49	19	6.5	27	2	3	5	9	12	18	23
50-64	41	8.2	68	1	3	7	11	14	16	51
65 +	31	8.9	51	1	4	8	11	18	26	32
2. MULTIPLE DX										
0-19 YRS	174	7.3	167	1	1	3	7	16	51	97
20-34	23	6.2	51	1	1	3	7	19	22	25
35-49	43	11.8	234	1	2	5	15	44	54	99 +
50-64	125	12.0	137	1	3	10	16	29	35	76
65 +	150	12.1	139	2	4	10	15	23	36	60
TOTAL SINGLE DX	138	6.8	50	1	2	5	10	13	17	34
TOTAL MULTIPLE DX	515	10.2	157	1	2	6	13	23	41	85
TOTAL										
0-19 YRS	218	6.7	142	1	1	3	6	14	36	92
20-34	26	6.5	49	1	1	4	9	19	21	25
35-49	62	10.1	176	1	2	5	12	33	52	94
50-64	166	11.1	122	1	3	9	14	24	33	68
65 +	181	11.5	126	2	4	9	15	22	32	57
GRAND TOTAL	**653**	**9.5**	**136**	**1**	**2**	**6**	**13**	**21**	**34**	**74**

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	15	13.5	98	7	8	10	15	21	40	46
50-64	68	12.6	86	8	9	10	14	17	22	70
65 +	42	11.8	24	9	9	11	13	16	18	36
2. MULTIPLE DX										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	0									
35-49	69	18.4	173	10	12	13	21	32	42	84
50-64	329	18.7	155	9	11	14	22	35	47	77
65 +	351	19.0	154	10	12	15	22	37	57	99 +
TOTAL SINGLE DX	126	12.5	66	8	9	10	14	17	21	54
TOTAL MULTIPLE DX	750	18.8	156	10	11	15	22	35	52	99 +
TOTAL										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	1	11.0		11	11	11	11	11	11	11
35-49	84	17.6	163	9	11	13	20	31	42	79
50-64	397	17.7	149	9	11	14	20	30	45	77
65 +	393	18.2	145	10	11	14	21	34	55	99 +
GRAND TOTAL	**876**	**17.9**	**148**	**9**	**11**	**14**	**21**	**32**	**47**	**98**

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	17.4	374	2	5	9	23	54	77	99 +
20-34	16	5.8	17	1	2	6	9	14	70	99 +
35-49	28	8.3	62	3	4	5	9	20	27	36
50-64	29	6.2	18	1	3	5	8	13	15	17
65 +	22	18.0	533	2	4	10	17	52	80	91
2. MULTIPLE DX										
0-19 YRS	317	26.5	465	6	14	27	80	99 +	99 +	99 +
20-34	192	32.9	613	6	12	31	56	94	99 +	99 +
35-49	283	30.2	675	5	9	29	59	99 +	99 +	99 +
50-64	583	32.9	628	5	13	32	2	99 +	99 +	99 +
65 +	901	38.2	601	9	20	42	69	99 +	99 +	99 +
TOTAL SINGLE DX	132	11.7	237	2	4	6	13	30	57	99 +
TOTAL MULTIPLE DX	2276	33.8	615	7	15	34	66	99 +	99 +	99 +
TOTAL										
0-19 YRS	354	25.5	462	6	12	25	69	99 +	99 +	99 +
20-34	208	30.8	620	5	10	28	55	93	99 +	99 +
35-49	311	28.3	660	4	8	22	56	99 +	99 +	99 +
50-64	612	31.6	631	5	12	30	61	99 +	99 +	99 +
65 +	923	37.7	609	8	20	41	68	99 +	99 +	99 +
GRAND TOTAL	**2408**	**32.5**	**620**	**6**	**14**	**32**	**63**	**99 +**	**99 +**	**99 +**

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	175	4.5	30	1	1	2	6	11	15	30
20-34	17	1.9	2	< 1	1	1	3	4	5	6
35-49	24	2.4	6	1	1	1	3	6	9	10
50-64	35	2.8	20	1	1	1	2	5	13	24
65 +	26	1.3		1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	476	12.3	269	1	2	7	17	41	91	99 +
20-34	36	7.6	55	1	2	5	13	20	27	99 +
35-49	72	5.7	45	1	1	3	9	16	23	85
50-64	133	7.7	195	1	2	3	8	18	48	99 +
65 +	188	10.4	261	1	2	4	12	30	46	98
TOTAL SINGLE DX	277	3.6	24	1	1	1	4	8	14	24
TOTAL MULTIPLE DX	905	10.5	235	1	2	5	14	32	61	99 +
TOTAL										
0-19 YRS	651	10.2	217	1	1	5	14	32	63	99 +
20-34	53	5.8	45	1	1	3	7	18	25	97
35-49	96	4.9	37	1	1	2	6	14	19	69
50-64	168	6.7	163	1	1	3	6	15	38	99
65 +	214	9.3	238	1	1	3	10	27	44	97
GRAND TOTAL	1182	8.9	194	1	1	8	11	26	52	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	3.1	4	< 1	1	3	5	6	7	10
20-34	84	6.1	23	1	2	5	9	11	16	24
35-49	140	5.8	34	< 1	2	4	8	12	15	31
50-64	208	5.5	30	< 1	1	3	9	12	15	25
65 +	196	6.5	36	< 1	2	5	10	14	18	31
2. MULTIPLE DX										
0-19 YRS	148	8.4	88	1	2	6	12	19	25	99 +
20-34	571	13.1	133	3	6	10	16	26	36	66
35-49	1022	12.1	111	3	5	9	16	23	31	56
50-64	2466	11.1	87	3	5	9	14	21	29	54
65 +	4965	12.4	98	3	6	10	16	24	32	54
TOTAL SINGLE DX	682	5.7	31	< 1	1	4	8	12	16	28
TOTAL MULTIPLE DX	9172	12.0	100	3	6	10	15	23	31	55
TOTAL										
0-19 YRS	202	7.0	71	1	2	4	9	16	21	87
20-34	655	12.2	125	3	5	9	16	24	33	65
35-49	1162	11.3	106	2	5	8	15	23	30	55
50-64	2674	10.7	85	2	5	9	14	21	28	53
65 +	5161	12.2	98	3	6	10	16	24	31	53
GRAND TOTAL	9854	11.6	97	2	5	9	15	23	30	54

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	13.4	245	3	5	8	13	41	48	48
20-34	2	17.5	181	8	8	17	27	27	27	27
35-49	0									
50-64	8	16.8	212	1	3	16	25	38	43	43
65 +	9	14.8	37	10	11	12	16	26	28	28
TOTAL SINGLE DX	7	2.7	3	< 1	1	2	4	5	5	5
TOTAL MULTIPLE DX	26	15.2	140	3	8	12	22	28	44	48
TOTAL										
0-19 YRS	9	10.8	212	1	3	8	10	34	48	48
20-34	4	10.3	133	1	3	6	17	27	27	27
35-49	2	4.0		4	4	4	4	4	4	4
50-64	9	15.1	210	1	2	15	24	37	43	43
65 +	9	14.8	37	10	11	12	16	26	28	28
GRAND TOTAL	33	12.6	137	2	4	10	16	28	41	48

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	8.2	52	3	4	6	9	14	21	42
20-34	202	7.5	19	2	5	7	10	13	16	20
35-49	278	6.3	17	2	4	6	8	11	15	22
50-64	500	6.6	39	1	3	6	8	12	16	27
65 +	403	6.2	23	1	2	6	9	12	15	21
2. MULTIPLE DX										
0-19 YRS	343	14.2	244	4	6	9	16	37	61	99 +
20-34	845	13.2	126	4	6	10	16	26	35	62
35-49	1364	12.1	100	3	6	9	16	24	33	54
50-64	3349	11.3	96	3	5	9	14	22	29	56
65 +	5710	12.4	103	3	6	10	16	25	32	54
TOTAL SINGLE DX	1464	6.6	29	1	3	6	9	12	16	23
TOTAL MULTIPLE DX	11611	12.2	107	3	6	9	15	24	32	57
TOTAL										
0-19 YRS	424	13.1	213	4	5	8	14	31	53	99 +
20-34	1047	12.1	111	4	6	9	15	24	32	56
35-49	1642	11.1	91	3	5	8	14	23	30	52
50-64	3849	10.7	91	3	5	8	13	21	28	53
65 +	6113	12.0	101	3	6	9	15	24	31	54
GRAND TOTAL	13075	11.5	102	3	6	9	14	23	30	55

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	9.3	23	5	6	8	10	17	21	22
20-34	11	8.5	8	6	7	8	9	13	16	16
35-49	70	9.2	17	5	7	8	10	14	18	26
50-64	222	9.2	22	6	7	8	10	13	17	30
65 +	184	10.1	33	6	7	9	11	14	17	24
2. MULTIPLE DX										
0-19 YRS	42	12.8	119	5	7	10	16	25	80	99 +
20-34	86	15.5	193	7	8	11	18	31	47	75
35-49	329	12.6	84	6	7	9	14	23	31	59
50-64	1453	12.6	68	7	8	10	15	21	27	51
65 +	1842	13.7	76	7	9	11	16	24	31	53
TOTAL SINGLE DX	507	9.5	26	6	7	8	11	14	17	26
TOTAL MULTIPLE DX	3752	13.2	78	7	8	10	15	23	29	54
TOTAL										
0-19 YRS	62	11.6	91	5	7	10	14	22	41	99 +
20-34	97	14.7	177	7	7	10	16	30	44	73
35-49	399	12.0	75	6	7	9	14	22	30	55
50-64	1675	12.1	64	6	8	10	14	20	26	46
65 +	2026	13.4	74	7	8	11	15	23	30	52
GRAND TOTAL	4259	12.8	73	7	8	10	15	22	28	53

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	875	2.5	20	< 1	1	1	2	5	8	15
20-34	94	5.8	29	1	1	4	8	14	18	22
35-49	108	5.0	21	< 1	1	3	7	11	15	22
50-64	178	5.1	52	< 1	1	3	7	11	14	26
65 +	121	6.9	69	< 1	1	4	9	15	27	43
2. MULTIPLE DX										
0-19 YRS	1627	7.8	131	1	2	4	9	18	28	92
20-34	667	13.2	133	2	6	10	17	27	34	64
35-49	963	12.2	123	3	5	9	15	25	33	66
50-64	1608	11.2	97	3	5	9	14	23	29	53
65 +	3187	13.5	126	4	6	11	17	26	34	64
TOTAL SINGLE DX	1376	3.7	32	< 1	1	2	4	9	12	27
TOTAL MULTIPLE DX	8052	11.7	127	2	5	9	15	24	32	67
TOTAL										
0-19 YRS	2502	5.9	99	1	1	2	7	14	22	78
20-34	761	12.3	127	2	5	9	16	25	33	64
35-49	1071	11.5	118	2	5	9	15	23	31	65
50-64	1786	10.6	96	2	5	8	14	22	28	53
65 +	3308	13.3	126	3	6	10	17	26	34	63
GRAND TOTAL	9428	10.5	121	1	3	8	14	23	30	64

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	5.0	10	2	3	4	6	11	11	12
20-34	81	5.1	8	2	3	4	6	9	12	15
35-49	30	6.0	14	2	3	5	8	11	11	19
50-64	14	4.1	8	1	2	3	6	8	10	11
65 +	16	6.2	19	1	2	5	10	12	14	15
2. MULTIPLE DX										
0-19 YRS	63	10.5	107	3	5	8	13	21	27	66
20-34	95	9.0	79	3	4	6	12	17	35	99 +
35-49	87	10.7	130	3	4	7	11	24	31	68
50-64	126	12.9	112	3	6	10	17	26	33	52
65 +	212	13.3	119	3	5	10	18	27	37	51
TOTAL SINGLE DX	170	5.2	11	2	3	4	7	11	12	15
TOTAL MULTIPLE DX	583	11.8	114	3	5	9	14	26	33	56
TOTAL										
0-19 YRS	92	8.8	83	2	4	6	11	18	25	54
20-34	176	7.2	50	2	4	5	8	14	17	87
35-49	117	9.5	105	3	4	6	11	18	27	60
50-64	140	12.0	109	3	5	9	15	26	31	51
65 +	228	12.8	116	3	5	10	17	26	35	50
GRAND TOTAL	753	10.3	98	3	4	7	12	22	29	54

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	418	5.5	48	2	3	4	6	10	12	28
20-34	1278	4.9	12	2	3	4	6	9	11	18
35-49	477	5.3	16	2	3	4	7	9	11	18
50-64	235	6.2	20	2	3	5	8	11	14	25
65 +	157	6.9	33	2	3	5	8	13	16	36
2. MULTIPLE DX										
0-19 YRS	981	12.1	204	3	4	8	14	28	49	99 +
20-34	1670	8.1	66	3	4	6	9	16	22	43
35-49	1488	9.6	85	3	4	7	12	20	27	50
50-64	2112	10.7	90	3	5	8	13	21	28	46
65 +	3380	12.0	102	4	6	9	15	24	32	58
TOTAL SINGLE DX	2565	5.3	21	2	3	4	6	9	12	19
TOTAL MULTIPLE DX	9631	10.7	103	3	5	8	13	22	30	61
TOTAL										
0-19 YRS	1399	10.1	167	2	4	6	11	22	39	96
20-34	2948	6.7	46	2	3	5	8	12	18	35
35-49	1965	8.5	72	3	4	6	10	17	24	46
50-64	2347	10.2	85	3	5	8	13	21	27	45
65 +	3537	11.8	101	3	5	9	15	24	31	57
GRAND TOTAL	12196	9.6	91	3	4	7	11	20	27	54

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	525	5.2	7	3	4	5	6	8	9	15
20-34	233	4.6	16	1	1	4	6	11	12	21
35-49	251	4.4	25	1	1	3	6	9	15	23
50-64	225	4.6	22	1	1	3	7	10	15	21
65+	189	4.7	27	1	1	3	6	11	15	29
2. MULTIPLE DX										
0-19 YRS	354	10.3	157	3	4	6	11	21	33	99+
20-34	463	11.6	134	2	5	8	14	26	36	68
35-49	623	10.7	131	1	3	8	14	24	30	65
50-64	1203	10.6	123	1	3	8	13	23	33	67
65+	1774	11.6	113	2	4	9	15	25	33	49
TOTAL SINGLE DX	1423	4.8	17	1	2	4	6	9	12	21
TOTAL MULTIPLE DX	4417	11.1	125	2	4	8	14	24	33	64
TOTAL										
0-19 YRS	879	7.2	74	3	4	5	7	13	19	73
20-34	696	9.2	106	1	3	6	12	20	29	61
35-49	874	8.9	109	1	2	6	11	21	28	62
50-64	1428	9.7	112	1	3	7	13	22	30	59
65+	1963	10.9	109	1	4	8	15	24	32	48
GRAND TOTAL	5840	9.6	106	1	3	7	12	21	29	57

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1088	6.9	39	2	5	6	8	11	13	26
20-34	89	7.3	15	3	5	7	8	10	13	26
35-49	102	8.6	14	4	7	8	10	13	15	23
50-64	128	9.9	13	7	8	9	11	13	15	22
65+	114	10.7	37	5	8	10	12	16	21	38
2. MULTIPLE DX										
0-19 YRS	3337	12.3	124	5	7	9	14	25	36	89
20-34	359	16.0	203	7	8	10	18	35	52	85
35-49	731	14.9	160	7	8	11	16	30	47	99
50-64	1763	15.8	136	8	9	12	17	30	41	92
65+	2788	17.2	139	8	10	14	21	31	42	77
TOTAL SINGLE DX	1521	7.6	36	3	5	7	9	12	15	27
TOTAL MULTIPLE DX	8978	14.9	142	6	8	11	17	29	41	85
TOTAL										
0-19 YRS	4425	11.0	109	5	6	8	12	22	32	81
20-34	448	14.3	178	6	7	9	16	32	47	75
35-49	833	14.1	147	7	8	10	15	28	44	94
50-64	1891	15.4	130	8	9	12	17	29	40	85
65+	2902	16.9	137	8	10	14	20	31	42	76
GRAND TOTAL	10499	13.8	133	5	7	10	16	27	38	79

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.2	6	1	2	2	4	8	8	8
20-34	23	4.4	10	2	3	3	5	10	12	14
35-49	643	4.0	6	2	2	3	5	8	9	13
50-64	1495	3.5	6	2	2	3	4	7	8	13
65+	830	3.6	6	1	2	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	18	4.1	18	1	1	2	7	10	14	16
20-34	179	5.5	15	2	3	5	7	10	13	19
35-49	3779	4.9	13	2	2	4	7	9	11	18
50-64	9760	5.0	16	2	2	4	7	10	12	18
65+	8364	6.0	25	2	3	5	8	12	15	25
TOTAL SINGLE DX	3000	3.7	6	2	2	3	5	7	9	13
TOTAL MULTIPLE DX	22100	5.4	20	2	2	4	7	10	13	21
TOTAL										
0-19 YRS	27	3.8	14	1	1	2	6	9	12	16
20-34	202	5.4	15	2	3	4	7	10	13	18
35-49	4422	4.7	13	2	2	4	6	9	11	17
50-64	11255	4.8	16	2	2	4	6	9	12	18
65+	9194	5.8	24	2	3	4	8	11	15	25
GRAND TOTAL	25100	5.2	19	2	2	4	7	10	13	21

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	9.3	56	2	4	9	15	17	17	17
20-34	9	6.1	14	1	2	7	8	11	12	12
35-49	167	8.6	6	7	7	8	10	12	13	17
50-64	668	9.7	8	7	8	9	11	14	15	21
65+	455	10.8	14	8	8	10	12	15	17	24
2. MULTIPLE DX										
0-19 YRS	8	17.8	178	3	7	13	30	36	38	38
20-34	68	11.4	23	7	8	11	14	18	20	27
35-49	2708	10.9	31	7	8	9	12	17	20	34
50-64	11092	12.1	48	7	8	10	14	19	24	43
65+	11938	14.6	80	8	9	12	17	24	31	60
TOTAL SINGLE DX	1302	9.9	11	7	8	9	11	14	16	21
TOTAL MULTIPLE DX	25814	13.2	64	7	9	11	15	21	27	52
TOTAL										
0-19 YRS	11	15.5	151	2	7	9	26	34	38	38
20-34	77	10.8	25	7	7	10	13	18	20	27
35-49	2875	10.7	30	7	8	9	12	16	20	33
50-64	11760	12.0	47	7	8	10	13	19	23	41
65+	12393	14.5	79	8	9	12	17	24	30	59
GRAND TOTAL	27116	13.0	62	7	9	11	15	21	27	50

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1447	1.7	1	<1	1	1	2	2	3	8
20-34	398	2.6	7	1	1	2	3	7	9	12
35-49	2739	2.4	5	1	1	1	3	6	8	11
50-64	4986	2.3	4	1	1	1	2	5	8	11
65+	2514	2.5	9	1	1	1	2	6	8	13
2. MULTIPLE DX										
0-19 YRS	3985	2.7	19	1	1	2	2	5	9	26
20-34	1133	4.4	23	1	1	3	6	9	13	22
35-49	10869	4.0	16	1	1	2	6	9	11	17
50-64	28352	4.2	19	1	1	2	6	10	12	20
65+	25880	5.3	30	1	2	3	8	12	15	26
TOTAL SINGLE DX	12084	2.3	6	1	1	1	2	5	7	11
TOTAL MULTIPLE DX	70219	4.5	24	1	1	3	6	10	13	22
TOTAL										
0-19 YRS	5432	2.4	15	<1	1	2	2	4	7	22
20-34	1531	3.9	20	1	1	2	5	9	12	20
35-49	13608	3.7	15	1	1	2	5	8	10	16
50-64	33338	3.9	18	1	1	2	6	9	11	19
65+	28394	5.1	29	1	1	3	7	11	15	25
GRAND TOTAL	82303	4.2	22	1	1	2	6	10	12	21

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	3.9	8	1	2	3	5	8	8	17
20-34	41	4.0	9	1	2	3	4	9	10	15
35-49	79	3.6	17	1	1	2	5	7	9	27
50-64	211	3.5	9	1	1	2	4	7	8	19
65+	1049	3.1	7	1	1	2	4	6	9	13
2. MULTIPLE DX										
0-19 YRS	299	6.8	99	2	3	4	7	14	20	75
20-34	163	5.9	44	2	2	3	7	12	16	37
35-49	377	8.0	65	2	3	6	10	16	22	44
50-64	2044	8.8	69	2	4	6	11	18	24	44
65+	13499	8.8	68	2	4	7	11	18	24	45
TOTAL SINGLE DX	1491	3.3	9	1	1	2	4	7	9	15
TOTAL MULTIPLE DX	16382	8.8	69	2	4	7	11	18	24	45
TOTAL										
0-19 YRS	410	6.0	77	2	2	4	6	12	17	55
20-34	204	5.5	38	1	2	3	7	11	15	36
35-49	456	7.2	60	1	2	5	9	15	21	44
50-64	2255	8.3	66	2	3	6	11	17	23	44
65+	14548	8.4	67	2	3	6	11	17	23	44
GRAND TOTAL	17873	8.3	67	2	3	6	11	17	23	44

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	5.6	9	1	3	6	7	9	10	15
20-34	32	5.9	11	1	3	6	9	10	10	15
35-49	35	5.1	16	1	2	5	7	9	12	19
50-64	37	5.7	21	1	1	5	8	13	16	17
65+	21	7.3	24	1	3	8	10	14	18	18
2. MULTIPLE DX										
0-19 YRS	352	10.3	117	2	4	7	12	24	39	98
20-34	238	11.0	125	2	5	8	14	20	31	87
35-49	395	10.4	99	2	3	8	14	21	29	53
50-64	605	11.1	93	2	4	9	15	24	31	51
65+	523	14.6	124	4	7	12	19	29	34	61
TOTAL SINGLE DX	219	5.7	15	1	2	6	8	10	13	18
TOTAL MULTIPLE DX	2113	11.7	112	2	5	9	15	25	33	63
TOTAL										
0-19 YRS	446	9.3	98	2	4	7	10	20	31	74
20-34	270	10.4	114	2	4	8	13	19	29	82
35-49	430	9.9	94	2	3	7	13	21	29	52
50-64	642	10.8	91	2	4	9	14	23	30	46
65+	544	14.3	122	3	7	11	18	28	34	61
GRAND TOTAL	2332	11.1	106	2	4	8	15	23	32	62

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1297	2.6	10	1	1	2	3	5	7	12
20-34	220	3.3	13	<1	1	2	4	8	12	18
35-49	229	3.2	10	<1	1	2	4	7	9	18
50-64	302	3.2	14	<1	1	2	4	8	10	21
65+	269	3.6	22	<1	1	2	4	9	11	27
2. MULTIPLE DX										
0-19 YRS	2725	5.4	70	1	2	3	5	11	18	63
20-34	741	9.0	83	1	3	7	12	20	27	53
35-49	1369	9.3	84	1	3	7	12	19	26	51
50-64	3051	9.1	70	2	3	7	12	19	24	40
65+	8168	11.3	90	3	5	9	15	22	29	53
TOTAL SINGLE DX	2317	2.9	13	<1	1	2	3	6	9	17
TOTAL MULTIPLE DX	16054	9.6	87	2	3	7	13	20	27	52
TOTAL										
0-19 YRS	4022	4.5	53	1	2	3	5	8	14	45
20-34	961	7.7	73	1	2	5	10	17	24	49
35-49	1598	8.4	78	1	2	6	11	18	24	49
50-64	3353	8.5	69	1	3	6	11	18	24	39
65+	8437	11.0	90	2	5	9	14	22	29	52
GRAND TOTAL	18371	8.7	83	1	3	6	12	19	26	50

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.6		<1	1	1	2	2	4	5
20-34	807	1.9	1	1	1	2	2	3	4	6
35-49	1468	2.0	2	1	1	2	2	3	4	7
50-64	770	2.2	4	1	1	2	3	4	5	9
65+	234	2.7	10	1	1	2	3	4	7	12
2. MULTIPLE DX										
0-19 YRS	10	7.8	150	1	1	2	4	30	36	36
20-34	294	2.4	4	1	1	2	3	4	6	14
35-49	640	3.0	10	1	1	2	3	6	8	21
50-64	680	3.7	17	1	2	3	4	7	12	22
65+	436	5.5	55	1	2	3	6	13	19	32
TOTAL SINGLE DX	3309	2.1	3	1	1	2	2	4	4	8
TOTAL MULTIPLE DX	2060	3.7	23	1	1	2	4	7	12	24
TOTAL										
0-19 YRS	40	3.1	43	<1	1	1	2	4	15	36
20-34	1101	2.0	2	1	1	2	2	3	4	8
35-49	2108	2.3	5	1	1	2	3	4	5	11
50-64	1450	2.9	11	1	1	2	3	5	8	18
65+	670	4.5	42	1	2	3	5	9	16	28
GRAND TOTAL	5369	2.7	11	1	1	2	3	5	7	18

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	8.2	95	5	5	6	8	12	14	97
20-34	10	6.3	4	3	5	6	7	9	10	10
35-49	122	7.0	9	4	5	7	9	10	12	17
50-64	447	7.3	10	4	5	7	9	11	13	20
65+	410	8.5	27	4	5	8	10	13	16	27
2. MULTIPLE DX										
0-19 YRS	560	12.2	120	5	7	9	14	27	47	99+
20-34	114	13.2	108	4	7	10	17	31	42	71
35-49	810	12.2	107	5	7	9	14	23	33	69
50-64	4004	12.5	121	5	7	9	14	24	33	77
65+	7857	14.5	134	6	8	11	17	28	38	74
TOTAL SINGLE DX	1069	7.8	24	4	5	7	9	12	14	22
TOTAL MULTIPLE DX	13345	13.6	129	5	7	10	16	26	37	77
TOTAL										
0-19 YRS	640	11.7	119	5	6	8	13	25	46	99+
20-34	124	12.6	104	4	6	9	16	24	42	67
35-49	932	11.5	98	5	6	9	13	21	31	68
50-64	4451	11.9	113	5	6	9	13	22	32	75
65+	8267	14.2	131	5	8	11	17	27	38	72
GRAND TOTAL	14414	13.2	124	5	7	10	15	25	36	76

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	4.1	20	1	1	3	5	9	16	18
20-34	19	4.1	22	<1	1	3	4	9	16	21
35-49	11	4.7	47	<1	1	1	4	18	19	19
50-64	17	5.4	20	1	2	4	9	9	15	18
65+	20	6.2	79	1	1	3	5	21	31	31
2. MULTIPLE DX										
0-19 YRS	204	6.6	73	1	2	4	8	14	21	43
20-34	1073	5.4	36	1	2	4	7	11	16	30
35-49	1609	6.1	45	1	2	4	7	12	18	35
50-64	2536	6.7	53	2	3	5	8	13	19	36
65+	3563	7.7	72	2	3	5	9	15	21	45
TOTAL SINGLE DX	81	5.0	38	1	1	3	5	11	19	31
TOTAL MULTIPLE DX	8985	6.8	58	2	3	5	8	14	20	40
TOTAL										
0-19 YRS	218	6.5	71	1	2	4	8	14	21	42
20-34	1092	5.4	37	1	2	4	7	11	16	30
35-49	1620	6.1	45	1	2	4	7	12	18	35
50-64	2553	6.7	53	2	3	5	8	13	19	36
65+	3583	7.6	73	2	3	5	9	15	22	44
GRAND TOTAL	9066	6.8	58	2	3	5	8	13	20	40

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	4.4	26	1	2	3	5	10	20	23
20-34	52	5.6	220	1	1	2	3	6	39	80
35-49	72	2.8	8	<1	1	2	3	8	9	13
50-64	93	4.3	40	1	1	2	5	10	16	37
65+	117	4.2	37	1	1	2	4	9	12	40
2. MULTIPLE DX										
0-19 YRS	202	11.1	198	2	3	6	14	27	44	93
20-34	761	8.0	78	1	2	5	10	18	25	53
35-49	1353	10.0	146	1	3	6	12	23	32	65
50-64	2192	10.3	134	1	3	7	14	24	33	69
65+	3023	13.1	188	2	4	9	18	30	39	78
TOTAL SINGLE DX	366	4.2	58	1	1	2	4	9	13	46
TOTAL MULTIPLE DX	7531	11.2	157	1	3	7	15	26	35	72
TOTAL										
0-19 YRS	234	10.2	180	1	2	5	12	26	38	89
20-34	813	7.9	87	1	2	5	10	18	26	64
35-49	1425	9.6	142	1	2	6	12	22	31	64
50-64	2285	10.1	132	1	2	6	13	24	33	68
65+	3140	12.8	186	1	3	9	17	29	39	77
GRAND TOTAL	7897	10.8	155	1	3	7	14	26	35	71

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	47	5.0	10	3	3	4	5	7	11	22
50-64	439	4.3	5	2	3	4	5	7	9	13
65 +	999	4.7	7	2	3	4	5	7	9	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	197	6.6	33	3	4	5	7	12	17	29
50-64	2599	6.4	32	3	4	5	7	12	16	28
65 +	7167	7.5	40	3	4	5	9	15	19	34
TOTAL SINGLE DX	1486	4.6	7	2	3	4	5	7	9	14
TOTAL MULTIPLE DX	9964	7.2	39	3	4	5	8	14	18	33
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	244	6.3	30	3	3	5	7	11	16	28
50-64	3038	6.1	29	3	3	5	7	11	15	27
65 +	8166	7.2	38	3	4	5	8	14	18	33
GRAND TOTAL	11450	6.9	35	3	4	5	8	13	17	31

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1049	5.3	33	1	3	4	6	9	13	56
20-34	350	4.4	19	1	1	3	6	10	13	19
35-49	511	4.9	27	1	1	3	7	11	14	21
50-64	1021	5.3	31	1	1	4	7	11	14	28
65 +	1143	5.9	29	1	2	4	9	12	15	27
2. MULTIPLE DX										
0-19 YRS	6822	17.5	370	3	5	10	25	57	87	99 +
20-34	1711	9.4	122	1	2	6	12	21	31	62
35-49	2886	10.3	150	1	3	7	13	25	35	77
50-64	7652	10.2	114	1	4	8	12	21	31	67
65 +	15712	11.9	124	2	5	9	15	25	34	66
TOTAL SINGLE DX	4074	5.3	30	1	2	4	7	11	14	29
TOTAL MULTIPLE DX	34783	12.4	180	2	4	9	15	29	45	99 +
TOTAL										
0-19 YRS	7871	15.9	342	2	5	9	22	53	81	99 +
20-34	2061	8.5	109	1	2	5	10	20	28	59
35-49	3397	9.5	136	1	2	6	12	22	33	72
50-64	8673	9.6	107	1	3	7	12	20	29	62
65 +	16855	11.5	120	2	5	9	14	24	33	65
GRAND TOTAL	38857	11.6	169	2	4	8	14	27	42	99 +

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	704	3.3	10	< 1	1	2	4	7	9	15
20-34	346	3.1	10	< 1	1	2	4	7	9	16
35-49	305	2.7	6	< 1	1	2	3	6	8	12
50-64	360	3.3	12	< 1	1	2	4	8	10	14
65 +	295	3.5	10	< 1	1	2	5	8	9	15
2. MULTIPLE DX										
0-19 YRS	506	7.1	74	1	2	5	9	15	22	53
20-34	469	8.5	104	1	2	5	10	19	30	70
35-49	645	8.0	78	1	2	5	10	17	24	49
50-64	1186	8.2	77	1	2	6	11	18	25	42
65 +	1875	9.8	95	1	3	7	13	22	29	49
TOTAL SINGLE DX	2010	3.2	10	< 1	1	2	4	7	9	15
TOTAL MULTIPLE DX	4681	8.7	88	1	3	6	11	19	27	49
TOTAL										
0-19 YRS	1210	4.9	41	< 1	1	3	6	10	15	33
20-34	815	6.2	72	1	1	3	8	14	22	45
35-49	950	6.3	61	1	1	4	8	15	20	39
50-64	1546	7.1	66	1	2	5	9	16	22	40
65 +	2170	9.0	88	1	3	6	12	20	27	46
GRAND TOTAL	6691	7.1	71	1	2	4	9	16	23	42

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	3.3	4	1	1	3	4	6	7	10
20-34	83	4.2	9	1	1	4	7	7	9	15
35-49	123	3.9	7	1	2	3	6	8	9	36
50-64	228	3.9	7	1	2	3	5	7	8	14
65 +	202	4.9	31	1	2	4	5	9	11	35
2. MULTIPLE DX										
0-19 YRS	45	7.9	161	1	2	5	8	16	20	84
20-34	148	6.3	18	1	3	6	8	10	15	21
35-49	330	6.3	33	2	3	4	8	14	18	28
50-64	706	7.6	57	2	3	5	9	17	24	38
65 +	1002	8.3	73	2	4	6	9	17	24	42
TOTAL SINGLE DX	666	4.2	15	1	2	3	5	8	9	22
TOTAL MULTIPLE DX	2231	7.6	61	2	3	5	9	16	22	38
TOTAL										
0-19 YRS	75	6.1	103	1	2	4	7	10	17	69
20-34	231	5.5	16	1	2	5	8	10	13	21
35-49	453	5.7	28	1	2	4	7	12	17	28
50-64	934	6.7	48	2	3	4	8	14	21	36
65 +	1204	7.7	68	2	3	5	9	16	23	40
GRAND TOTAL	2897	6.8	52	2	3	5	8	14	20	37

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	39.1	460	13	27	36	49	65	84	94
20-34	12	31.0	320	4	23	31	37	56	67	69
35-49	3	43.0	63	37	38	40	49	52	52	52
50-64	1	28.0		28	28	28	28	28	28	28
65 +	0									
2. MULTIPLE DX										
0-19 YRS	104	48.1	244	32	37	50	59	83	99 +	99 +
20-34	66	42.7	246	27	35	40	49	63	76	94
35-49	51	39.7	260	25	32	40	43	56	78	87
50-64	11	35.9	49	26	30	37	40	45	46	46
65 +	1	18.0		18	18	18	18	18	18	18
TOTAL SINGLE DX	36	36.4	374	6	27	34	45	56	73	94
TOTAL MULTIPLE DX	233	44.0	254	29	35	42	54	71	89	99 +
TOTAL										
0-19 YRS	124	46.6	287	30	36	49	58	81	99 +	99 +
20-34	78	40.9	272	26	31	39	47	62	72	93
35-49	54	39.9	248	26	34	40	43	56	77	87
50-64	12	35.3	50	26	29	36	39	45	46	46
65 +	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	269	43.0	275	27	34	41	53	70	87	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1153	4.7	16	1	2	4	6	9	12	19
20-34	446	5.3	12	2	3	5	7	9	12	21
35-49	335	5.3	24	2	2	4	6	8	13	30
50-64	273	6.6	30	2	3	5	8	12	16	31
65 +	257	6.4	29	1	3	5	8	12	16	25
2. MULTIPLE DX										
0-19 YRS	1844	9.8	109	2	4	7	11	22	31	65
20-34	1604	11.6	148	3	5	7	13	25	35	69
35-49	1764	11.4	119	3	5	8	14	24	33	62
50-64	2602	12.4	126	3	6	9	15	27	37	64
65 +	7636	12.1	104	4	6	9	15	24	33	61
TOTAL SINGLE DX	2464	5.3	20	1	2	4	7	10	13	26
TOTAL MULTIPLE DX	15450	11.8	116	3	5	9	14	24	34	63
TOTAL										
0-19 YRS	2997	7.8	80	1	3	5	9	16	24	51
20-34	2050	10.2	126	3	5	7	11	22	33	67
35-49	2099	10.5	110	2	5	7	12	23	32	57
50-64	2875	11.8	121	3	5	8	14	25	36	61
65 +	7893	11.9	104	4	6	9	15	24	32	61
GRAND TOTAL	17914	10.9	108	3	5	8	13	23	32	60

587: Venous catheterization, except umbilical (38.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	594	6.9	72	1	2	4	9	16	25	43
20-34	199	9.0	95	1	2	6	12	21	29	38
35-49	158	7.7	132	< 1	2	4	9	17	28	78
50-64	154	6.7	59	< 1	1	4	9	16	25	36
65 +	102	6.5	69	< 1	1	4	7	16	23	45
2. MULTIPLE DX										
0-19 YRS	2137	16.8	321	2	5	11	24	47	75	99 +
20-34	1577	13.8	175	2	5	10	18	31	42	69
35-49	2440	12.7	162	2	4	9	16	29	38	77
50-64	3449	12.4	150	2	4	8	16	28	36	63
65 +	5108	14.6	171	3	6	11	19	31	41	77
TOTAL SINGLE DX	1207	7.3	82	1	2	4	9	17	26	41
TOTAL MULTIPLE DX	14711	14.0	189	2	5	10	18	32	43	88
TOTAL										
0-19 YRS	2731	14.6	284	2	4	9	20	41	65	99 +
20-34	1776	13.3	169	2	5	9	17	30	39	67
35-49	2598	12.3	162	2	4	8	16	29	38	77
50-64	3603	12.1	147	2	4	8	16	27	37	62
65 +	5210	14.4	170	3	6	11	19	31	41	76
GRAND TOTAL	15918	13.5	184	2	5	9	18	31	42	85

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	4.7	20	1	2	3	6	12	15	20
20-34	17	8.1	35	1	2	9	13	14	19	21
35-49	9	5.8	18	1	2	6	9	12	13	13
50-64	14	2.1	3	< 1	< 1	< 1	3	4	6	7
65 +	10	2.2	5	< 1	< 1	< 1	2	6	7	7
2. MULTIPLE DX										
0-19 YRS	336	6.6	62	1	3	4	7	14	20	50
20-34	38	11.9	61	1	5	14	16	22	26	31
35-49	52	10.9	120	2	4	8	13	25	37	58
50-64	99	8.1	63	2	4	6	9	17	25	44
65 +	150	8.5	33	3	4	7	11	17	23	98
TOTAL SINGLE DX	121	4.8	22	< 1	1	3	7	13	14	21
TOTAL MULTIPLE DX	675	7.9	63	2	3	5	10	16	23	51
TOTAL										
0-19 YRS	407	6.2	56	1	2	4	7	14	17	45
20-34	55	10.7	56	1	3	12	15	21	24	31
35-49	61	10.2	106	2	4	7	12	22	33	56
50-64	113	7.3	60	1	3	5	8	16	24	42
65 +	160	8.1	34	2	4	7	11	17	22	91
GRAND TOTAL	796	7.4	58	1	3	5	9	15	21	46

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	221	3.3	24	< 1	1	1	4	7	12	27
20-34	74	4.2	20	1	1	3	6	7	8	29
35-49	105	4.4	19	1	1	3	6	10	13	21
50-64	164	4.4	37	< 1	1	3	5	10	13	30
65 +	183	4.6	27	< 1	1	3	6	9	14	28
2. MULTIPLE DX										
0-19 YRS	576	7.7	142	1	1	3	9	19	37	99 +
20-34	428	8.3	112	2	3	5	10	16	27	60
35-49	1059	8.0	71	1	3	6	9	17	24	46
50-64	1859	9.1	96	2	4	6	11	19	28	64
65 +	3451	10.1	112	2	4	7	12	21	31	62
TOTAL SINGLE DX	747	4.1	27	< 1	1	2	5	8	12	26
TOTAL MULTIPLE DX	7373	9.3	106	2	3	6	11	19	29	65
TOTAL										
0-19 YRS	797	6.5	114	1	1	3	7	16	28	88
20-34	502	7.7	101	1	3	5	9	15	26	59
35-49	1164	7.7	68	1	3	6	9	16	23	46
50-64	2023	8.7	93	1	3	6	11	19	27	62
65 +	3634	9.9	110	2	4	7	12	20	30	62
GRAND TOTAL	8120	8.8	101	1	3	6	11	19	28	62

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2010	3.0	1	2	2	3	4	4	5	7
20-34	7	7.7	13	4	5	7	10	13	14	14
35-49	8	7.3	5	4	6	7	8	10	11	11
50-64	2	8.0	8	6	6	8	10	10	10	10
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	770	4.8	32	2	3	4	5	7	10	43
20-34	22	19.4	564	3	7	9	19	60	79	85
35-49	38	12.6	111	5	6	10	14	20	44	47
50-64	45	14.5	147	7	9	11	15	21	44	68
65 +	105	19.1	229	6	10	14	22	37	54	77
TOTAL SINGLE DX	2028	3.0	2	2	2	3	4	5	5	8
TOTAL MULTIPLE DX	980	7.4	100	2	3	4	7	15	24	59
TOTAL										
0-19 YRS	2780	3.5	11	2	2	3	4	5	6	13
20-34	29	16.6	452	3	5	9	14	51	75	85
35-49	46	11.7	97	5	6	9	12	20	43	47
50-64	47	14.3	143	7	8	10	14	21	42	68
65 +	106	19.0	229	6	10	14	22	37	54	77
GRAND TOTAL	3008	4.5	38	2	2	3	4	7	11	38

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	7.8	123	1	2	4	10	15	28	63
20-34	9	9.1	64	2	4	8	11	23	24	24
35-49	9	7.8	117	1	2	4	8	26	35	35
50-64	12	6.5	20	1	3	5	9	13	16	16
65 +	67	8.9	77	1	2	6	13	22	30	39
2. MULTIPLE DX										
0-19 YRS	493	15.7	260	3	5	11	23	50	99 +	99 +
20-34	124	18.6	367	3	6	12	28	64	88	99 +
35-49	216	18.2	316	3	7	13	25	51	88	99 +
50-64	609	18.7	276	3	7	14	25	45	62	99 +
65 +	4485	19.2	282	4	8	15	25	46	71	99 +
TOTAL SINGLE DX	141	8.3	87	1	2	5	10	19	27	42
TOTAL MULTIPLE DX	5927	18.8	284	4	8	14	25	47	73	99 +
TOTAL										
0-19 YRS	537	15.0	254	3	5	10	22	49	90	99 +
20-34	133	17.9	352	3	6	12	26	63	87	99 +
35-49	225	17.8	313	3	7	12	25	50	86	99 +
50-64	621	18.5	274	3	7	14	24	44	61	99 +
65 +	4552	19.1	281	4	8	15	25	46	71	99 +
GRAND TOTAL	6068	18.6	282	4	8	14	25	46	71	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	4.9	32	1	1	4	6	8	13	34
20-34	82	4.0	6	< 1	2	4	5	7	9	12
35-49	139	4.6	16	1	2	4	6	8	10	23
50-64	163	5.1	18	1	3	4	7	9	11	19
65 +	167	5.1	21	< 1	2	4	7	9	10	21
2. MULTIPLE DX										
0-19 YRS	153	6.1	45	1	3	4	7	13	18	22
20-34	586	6.4	33	2	3	5	7	11	15	33
35-49	1300	6.7	37	2	3	5	8	13	18	32
50-64	2397	7.7	53	3	4	6	9	14	20	43
65 +	6508	9.2	62	3	5	7	11	17	23	43
TOTAL SINGLE DX	590	4.8	18	1	2	4	6	8	10	20
TOTAL MULTIPLE DX	10944	8.4	57	3	4	6	10	16	22	42
TOTAL										
0-19 YRS	192	5.8	43	1	2	4	7	13	17	29
20-34	668	6.1	31	2	3	5	7	11	14	32
35-49	1439	6.5	36	2	3	5	8	12	17	32
50-64	2560	7.5	51	3	4	6	9	14	19	41
65 +	6675	9.1	62	3	5	7	11	17	23	43
GRAND TOTAL	11534	8.2	56	3	4	6	10	15	21	41

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	5.7	33	2	2	3	8	16	17	17
20-34	42	7.8	21	3	6	7	9	12	14	30
35-49	127	9.8	16	6	7	9	11	16	18	23
50-64	105	10.1	12	7	7	9	12	15	17	22
65 +	103	11.5	30	7	8	10	14	19	21	35
2. MULTIPLE DX										
0-19 YRS	19	11.4	76	6	7	9	14	31	72	99 +
20-34	134	12.7	72	6	8	10	15	25	33	68
35-49	509	14.0	90	7	8	11	16	26	33	51
50-64	895	15.7	126	7	9	12	18	28	39	72
65 +	1847	19.5	174	9	11	15	23	36	48	82
TOTAL SINGLE DX	384	10.0	21	6	7	9	12	16	19	27
TOTAL MULTIPLE DX	3404	17.3	151	8	10	14	21	32	43	78
TOTAL										
0-19 YRS	26	9.8	69	2	6	8	13	19	52	99 +
20-34	176	11.5	65	5	7	9	13	21	30	56
35-49	636	13.2	78	7	8	10	15	24	31	50
50-64	1000	15.1	117	7	9	12	17	26	37	65
65 +	1950	19.1	170	8	11	15	23	35	47	80
GRAND TOTAL	3788	16.6	142	7	9	13	20	31	41	77

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	12.3	19	6	9	13	15	16	16	16
35-49	8	13.5	93	7	8	10	15	30	35	35
50-64	17	14.5	31	8	10	14	16	22	26	28
65 +	12	14.2	28	8	11	13	17	23	25	25
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	16.3	81	9	10	12	21	33	34	34
35-49	55	20.2	237	8	11	14	23	49	65	98
50-64	221	19.5	172	10	12	16	23	34	47	84
65 +	353	21.7	201	10	12	18	26	41	56	99 +
TOTAL SINGLE DX	41	14.0	38	8	10	12	17	22	26	35
TOTAL MULTIPLE DX	642	20.7	193	10	12	17	25	38	53	99 +
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	16	15.3	67	8	10	13	18	32	34	34
35-49	63	19.3	222	8	10	13	21	42	61	96
50-64	238	19.1	164	9	11	16	22	33	45	81
65 +	365	21.4	198	10	12	17	26	40	56	99 +
GRAND TOTAL	683	20.3	186	10	12	16	24	37	53	99

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	5.1	21	2	3	4	6	9	11	29
20-34	62	7.0	7	5	6	7	8	9	11	21
35-49	109	7.4	14	4	6	7	8	10	12	25
50-64	93	8.8	21	5	6	8	10	15	18	26
65 +	41	10.5	35	5	7	9	14	20	22	27
2. MULTIPLE DX										
0-19 YRS	45	10.3	110	2	5	7	11	31	42	99 +
20-34	160	11.8	115	5	6	9	13	20	32	60
35-49	361	10.9	52	5	7	9	12	19	23	42
50-64	426	12.9	85	6	8	10	16	23	28	66
65 +	711	16.4	140	7	9	13	19	29	42	73
TOTAL SINGLE DX	346	7.8	21	4	6	7	9	12	16	27
TOTAL MULTIPLE DX	1703	13.8	110	6	8	11	17	25	34	68
TOTAL										
0-19 YRS	86	7.8	74	2	3	5	8	16	31	82
20-34	222	10.4	90	5	6	8	11	18	28	60
35-49	470	10.1	46	5	7	8	11	18	21	38
50-64	519	12.2	77	6	7	10	15	21	26	63
65 +	752	16.1	137	7	9	13	19	29	41	71
GRAND TOTAL	2049	12.8	100	5	7	10	15	23	31	63

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	241	7.5	88	1	4	6	8	11	20	79
20-34	346	6.2	4	4	5	6	7	9	9	13
35-49	354	6.5	7	4	5	6	7	9	10	17
50-64	183	7.5	8	5	6	7	9	11	13	19
65 +	100	10.8	99	5	7	9	12	15	18	67
2. MULTIPLE DX										
0-19 YRS	1416	16.2	257	5	7	11	21	45	77	99 +
20-34	772	8.7	64	4	5	6	9	15	22	44
35-49	1507	9.6	79	5	5	7	10	17	26	59
50-64	1259	13.1	123	5	7	9	15	26	36	63
65 +	1998	17.5	171	7	9	13	21	35	48	99 +
TOTAL SINGLE DX	1224	7.1	31	4	5	6	8	10	13	26
TOTAL MULTIPLE DX	6952	13.8	160	5	6	9	17	30	44	99 +
TOTAL										
0-19 YRS	1657	14.9	242	4	6	9	19	42	70	99 +
20-34	1118	7.9	47	4	5	6	8	11	19	41
35-49	1861	9.0	67	4	5	7	9	15	23	57
50-64	1442	12.4	113	5	6	9	14	25	34	60
65 +	2098	17.2	171	7	9	13	21	35	47	98
GRAND TOTAL	8176	12.8	147	5	6	9	15	27	41	99 +

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	436	4.6	19	1	2	3	6	9	12	21
20-34	515	5.4	17	2	3	4	7	10	14	22
35-49	541	4.2	11	< 1	2	4	6	8	10	18
50-64	534	3.9	17	< 1	< 1	3	5	8	11	19
65 +	529	4.0	18	< 1	< 1	2	6	9	13	19
2. MULTIPLE DX										
0-19 YRS	914	7.6	78	2	3	5	8	16	24	52
20-34	1715	7.0	41	2	3	5	8	13	18	36
35-49	2554	7.3	47	2	3	6	9	14	20	38
50-64	4273	7.6	51	2	4	6	9	15	21	37
65 +	12664	9.3	76	2	4	7	11	18	25	49
TOTAL SINGLE DX	2555	4.4	17	< 1	1	3	6	9	12	20
TOTAL MULTIPLE DX	22120	8.5	66	2	4	6	10	17	23	45
TOTAL										
0-19 YRS	1350	6.6	61	1	2	5	7	13	20	46
20-34	2230	6.6	36	2	3	5	8	13	17	33
35-49	3095	6.8	43	1	3	5	8	13	18	37
50-64	4807	7.2	49	1	3	5	9	14	20	36
65 +	13193	9.1	75	2	4	7	11	18	25	48
GRAND TOTAL	24675	8.1	63	2	4	6	10	16	23	43

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	8.9	58	5	6	7	9	12	16	54
20-34	79	9.1	14	6	7	8	10	14	17	24
35-49	86	9.1	13	5	7	8	11	14	16	20
50-64	77	12.3	100	6	7	10	12	23	32	64
65 +	96	10.1	27	6	7	9	11	16	17	38
2. MULTIPLE DX										
0-19 YRS	407	19.0	380	6	8	12	39	99 +	99 +	99 +
20-34	504	13.8	138	6	8	10	15	25	36	95
35-49	622	15.6	183	6	8	11	18	31	46	87
50-64	1007	16.6	156	7	9	12	19	33	46	86
65 +	2319	18.9	184	8	10	15	23	38	51	98
TOTAL SINGLE DX	432	9.8	43	5	7	8	11	15	20	42
TOTAL MULTIPLE DX	4859	17.5	193	7	9	13	21	38	55	99 +
TOTAL										
0-19 YRS	501	17.1	335	6	7	10	28	98	99 +	99 +
20-34	583	13.1	124	6	8	10	14	24	32	90
35-49	708	14.8	168	6	8	10	17	29	41	86
50-64	1084	16.3	153	7	9	12	19	33	45	78
65 +	2415	18.5	181	8	10	14	22	37	51	98
GRAND TOTAL	5291	16.8	185	7	9	12	20	36	53	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	151	9.0	25	5	6	8	10	14	19	32
20-34	293	8.8	19	5	7	8	10	13	17	25
35-49	514	9.1	14	6	7	8	10	13	16	24
50-64	1031	9.0	9	6	7	8	10	12	15	19
65 +	1106	9.6	15	6	7	9	11	13	16	23
2. MULTIPLE DX										
0-19 YRS	372	16.3	225	6	8	11	20	42	72	99 +
20-34	898	13.7	105	7	8	10	15	26	34	53
35-49	2228	12.2	61	7	8	10	14	21	28	49
50-64	5721	12.8	75	7	8	10	14	21	28	52
65 +	15839	15.3	105	8	9	12	18	26	35	69
TOTAL SINGLE DX	3095	9.2	14	6	7	8	10	13	15	23
TOTAL MULTIPLE DX	25058	14.4	98	7	9	11	16	25	34	65
TOTAL										
0-19 YRS	523	14.2	179	6	7	10	16	34	53	99 +
20-34	1191	12.5	89	6	7	9	14	23	32	51
35-49	2742	11.6	54	6	8	9	13	20	26	46
50-64	6752	12.2	67	7	8	10	13	20	27	49
65 +	16945	14.9	102	8	9	12	17	26	35	67
GRAND TOTAL	28153	13.8	91	7	8	11	16	24	32	62

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	7.2	26	3	4	6	8	12	17	32
20-34	18	7.6	34	3	4	6	9	11	22	29
35-49	27	8.6	23	3	5	7	11	15	19	22
50-64	34	7.9	11	4	6	7	9	12	15	20
65 +	32	8.4	12	5	6	8	9	12	14	22
2. MULTIPLE DX										
0-19 YRS	110	19.0	460	5	6	11	24	79	99 +	99 +
20-34	54	15.0	121	6	8	11	21	31	48	98
35-49	132	13.2	98	6	7	11	15	27	36	74
50-64	263	15.1	108	6	8	12	18	29	37	73
65 +	739	17.9	156	7	10	15	23	34	46	99 +
TOTAL SINGLE DX	163	7.8	21	4	5	7	9	13	17	28
TOTAL MULTIPLE DX	1298	16.8	168	6	9	13	21	34	50	99 +
TOTAL										
0-19 YRS	162	15.2	350	4	6	9	18	54	92	99 +
20-34	72	13.2	110	5	6	9	15	29	39	89
35-49	159	12.4	89	5	7	10	14	22	34	67
50-64	297	14.2	103	6	8	11	17	28	37	72
65 +	771	17.5	154	7	9	14	22	34	44	99 +
GRAND TOTAL	1461	15.8	160	6	8	12	20	32	45	99 +

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	576	5.6	10	2	3	5	7	9	11	19
20-34	256	6.9	5	4	5	7	8	9	10	12
35-49	297	7.3	11	4	5	7	9	10	11	17
50-64	327	7.4	9	4	6	7	9	10	12	18
65 +	293	8.3	26	3	5	8	10	13	16	28
2. MULTIPLE DX										
0-19 YRS	1144	10.9	141	4	5	7	11	21	39	88
20-34	692	10.2	74	5	6	8	11	18	26	63
35-49	963	11.1	76	5	7	9	12	21	29	53
50-64	1429	11.9	93	5	7	9	13	21	31	69
65 +	2935	12.6	83	6	8	10	15	23	30	58
TOTAL SINGLE DX	1749	6.9	13	3	5	7	8	10	12	20
TOTAL MULTIPLE DX	7163	11.8	94	5	7	9	13	22	31	64
TOTAL										
0-19 YRS	1720	9.1	104	3	5	7	9	16	29	68
20-34	948	9.3	58	5	6	8	10	14	22	56
35-49	1260	10.2	64	5	6	8	11	18	26	46
50-64	1756	11.1	81	5	7	9	12	19	29	60
65 +	3228	12.2	80	5	7	10	14	22	29	57
GRAND TOTAL	8912	10.8	82	4	6	8	12	19	28	58

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	7.6	34	4	5	6	9	12	13	40
20-34	8	7.6	3	5	6	8	9	10	10	10
35-49	16	10.8	27	7	8	9	12	15	23	27
50-64	34	10.9	50	4	7	10	14	18	24	40
65 +	53	10.6	46	4	7	10	13	16	20	48
2. MULTIPLE DX										
0-19 YRS	224	15.8	241	5	7	12	21	39	99 +	99 +
20-34	112	17.5	241	6	8	12	20	39	55	91
35-49	208	17.1	208	6	9	12	19	39	53	99 +
50-64	475	20.1	265	7	10	14	25	45	63	98
65 +	1374	19.9	189	8	11	16	25	37	49	96
TOTAL SINGLE DX	183	9.3	41	4	6	8	11	14	18	42
TOTAL MULTIPLE DX	2393	19.2	215	7	10	15	24	39	55	99 +
TOTAL										
0-19 YRS	296	13.8	204	4	6	9	17	37	82	99 +
20-34	120	16.8	231	6	8	12	19	37	54	89
35-49	224	16.6	198	6	9	12	19	38	51	99 +
50-64	509	19.5	256	7	9	14	24	43	61	95
65 +	1427	19.5	187	8	10	16	24	37	48	94
GRAND TOTAL	2576	18.5	209	7	9	14	23	38	53	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15373	3.5	4	2	2	3	4	6	8	11
20-34	10497	3.4	3	2	2	3	4	5	7	9
35-49	4095	3.9	4	2	3	3	5	7	8	11
50-64	1453	4.9	7	2	3	4	6	8	10	14
65 +	455	5.7	8	3	4	5	7	10	12	15
2. MULTIPLE DX										
0-19 YRS	5372	5.7	21	2	3	4	7	10	13	24
20-34	4514	5.3	13	2	3	4	6	9	12	20
35-49	2557	6.7	19	3	4	6	8	12	15	23
50-64	1761	8.3	33	3	5	7	10	14	18	29
65 +	1740	10.0	42	4	6	9	12	18	23	33
TOTAL SINGLE DX	31873	3.6	4	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	15944	6.5	25	2	3	5	8	12	15	26
TOTAL										
0-19 YRS	20745	4.1	10	2	2	3	5	7	10	15
20-34	15011	4.0	7	2	3	3	5	7	8	14
35-49	6652	5.0	12	2	3	4	6	9	11	19
50-64	3214	6.8	25	3	4	5	8	12	15	26
65 +	2195	9.1	38	4	5	8	11	16	21	32
GRAND TOTAL	47817	4.6	13	2	3	3	5	8	11	19

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	6.6	12	3	4	6	8	10	12	22
20-34	30	7.5	10	3	5	8	9	11	13	14
35-49	14	7.8	5	5	7	8	9	11	12	12
50-64	9	7.4	7	4	5	8	9	11	11	11
65 +	7	10.1	19	7	7	8	12	18	19	19
2. MULTIPLE DX										
0-19 YRS	41	10.5	73	5	7	8	12	16	21	56
20-34	28	10.8	91	3	5	9	14	15	28	51
35-49	25	10.6	38	4	6	8	14	19	22	30
50-64	22	11.1	21	5	7	11	15	17	18	19
65 +	29	16.1	154	7	9	11	17	36	43	60
TOTAL SINGLE DX	104	7.3	11	3	5	7	9	11	12	20
TOTAL MULTIPLE DX	145	11.8	82	5	7	10	14	19	27	56
TOTAL										
0-19 YRS	85	8.5	45	4	5	7	9	14	17	45
20-34	58	9.1	52	3	5	9	11	14	15	49
35-49	39	9.6	28	4	6	8	12	17	19	30
50-64	31	10.1	20	5	6	10	14	16	18	19
65 +	36	15.0	132	7	8	11	16	30	41	60
GRAND TOTAL	249	9.9	57	4	6	8	12	16	20	51

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	166	3.8	18	<1	1	2	5	8	9	21
20-34	68	3.1	14	<1	1	2	3	6	15	19
35-49	77	2.3	2	1	1	2	3	4	5	10
50-64	149	2.4	3	1	1	2	3	5	7	9
65 +	253	2.7	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	246	7.7	90	1	3	5	8	17	29	49
20-34	119	7.0	53	2	3	5	9	15	21	40
35-49	183	6.7	60	1	2	4	8	15	22	41
50-64	424	6.4	69	1	2	4	7	14	19	51
65 +	1458	7.9	79	1	3	5	10	17	24	47
TOTAL SINGLE DX	713	2.9	8	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	2430	7.5	76	1	3	5	9	16	23	47
TOTAL										
0-19 YRS	412	6.2	65	1	2	4	7	12	22	40
20-34	187	5.6	42	1	2	4	7	12	18	32
35-49	260	5.4	47	1	2	3	6	11	19	38
50-64	573	5.3	55	1	2	3	6	12	15	48
65 +	1711	7.2	72	1	2	4	9	16	22	45
GRAND TOTAL	3143	5.5	65	1	2	4	8	14	20	43

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	96	2.9	7	1	1	2	4	5	7	16
20-34	379	2.5	3	1	1	2	3	5	6	9
35-49	356	2.5	3	1	1	2	3	5	6	10
50-64	161	2.9	4	1	1	2	4	6	7	9
65 +	42	3.6	17	1	2	2	4	6	11	26
2. MULTIPLE DX										
0-19 YRS	90	6.3	141	1	2	3	5	15	18	75
20-34	332	4.9	41	1	2	3	5	10	15	30
35-49	398	4.9	30	1	2	3	6	10	14	34
50-64	359	6.2	58	1	2	4	7	14	21	56
65 +	268	9.5	110	2	3	6	12	20	28	61
TOTAL SINGLE DX	1034	2.6	4	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	1447	6.1	64	1	2	4	7	14	19	46
TOTAL										
0-19 YRS	186	4.6	75	1	1	3	4	8	15	45
20-34	711	3.6	22	1	1	2	4	7	9	21
35-49	754	3.8	19	1	1	3	4	7	10	28
50-64	520	5.1	44	1	2	3	6	10	16	48
65 +	310	8.7	101	2	3	5	11	19	26	53
GRAND TOTAL	2481	4.7	42	1	2	3	5	9	15	34

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	145	8.3	29	5	6	7	9	12	13	25
20-34	38	9.2	5	7	8	9	10	13	14	16
35-49	85	9.7	15	7	8	9	10	15	18	27
50-64	242	9.5	9	6	8	9	11	13	15	18
65 +	314	10.4	11	7	8	10	12	15	17	21
2. MULTIPLE DX										
0-19 YRS	247	10.4	54	5	7	9	11	17	22	44
20-34	165	14.0	114	7	8	11	16	25	31	65
35-49	395	13.5	98	7	8	11	15	23	30	59
50-64	1407	13.4	60	7	9	11	15	21	27	48
65 +	3197	16.2	112	8	10	13	19	29	39	77
TOTAL SINGLE DX	824	9.6	15	6	8	9	11	14	16	20
TOTAL MULTIPLE DX	5411	14.9	98	8	9	12	17	26	35	66
TOTAL										
0-19 YRS	392	9.6	47	5	7	8	11	14	19	42
20-34	203	13.1	97	7	8	10	14	23	29	63
35-49	480	12.8	86	7	8	10	14	21	29	55
50-64	1649	12.8	55	7	9	11	14	20	26	46
65 +	3511	15.7	106	8	10	13	18	28	38	75
GRAND TOTAL	6235	14.2	90	7	9	12	16	24	33	62

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	685	2.9	6	1	1	2	4	6	8	13
20-34	1240	3.7	9	1	2	3	5	7	9	15
35-49	1474	3.8	9	1	2	3	5	7	9	15
50-64	1308	3.8	7	< 1	2	3	5	7	9	14
65 +	1166	4.2	15	< 1	1	3	5	8	10	20
2. MULTIPLE DX										
0-19 YRS	1714	5.8	57	1	2	4	7	12	17	41
20-34	5685	5.6	33	2	3	4	7	10	15	30
35-49	9616	6.1	36	2	3	4	7	11	16	31
50-64	13625	6.7	39	2	3	5	8	13	17	34
65 +	33112	8.3	60	3	4	6	10	16	22	44
TOTAL SINGLE DX	5873	3.8	10	< 1	2	3	5	7	9	15
TOTAL MULTIPLE DX	63752	7.3	51	2	3	5	9	14	19	39
TOTAL										
0-19 YRS	2399	5.0	45	1	2	3	6	10	15	36
20-34	6925	5.3	30	1	2	4	6	10	14	29
35-49	11090	5.8	34	2	3	4	7	11	15	30
50-64	14933	6.4	37	2	3	5	8	12	17	33
65 +	34278	8.2	60	3	4	6	10	16	21	43
GRAND TOTAL	69625	7.0	49	2	3	5	8	14	19	37

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	1.4	2	< 1	1	1	1	2	3	11
20-34	337	1.9	1	1	1	1	2	3	4	6
35-49	448	1.9	2	1	1	2	2	3	4	8
50-64	214	2.0	1	1	1	2	2	3	5	8
65 +	63	2.0	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	40	5.8	133	1	1	2	4	12	36	53
20-34	312	2.7	9	1	1	2	3	5	7	21
35-49	488	2.6	10	1	1	2	3	5	7	17
50-64	413	2.7	10	1	1	2	3	5	7	15
65 +	265	4.1	33	1	1	2	4	8	14	30
TOTAL SINGLE DX	1112	1.9	2	1	1	1	2	3	4	8
TOTAL MULTIPLE DX	1518	3.0	18	1	1	2	3	5	8	21
TOTAL										
0-19 YRS	90	3.4	65	< 1	1	1	3	5	11	53
20-34	649	2.3	6	1	1	2	3	4	5	13
35-49	936	2.3	7	1	1	2	3	4	5	13
50-64	627	2.5	8	1	1	2	3	4	6	14
65 +	328	3.7	28	1	1	2	4	8	12	26
GRAND TOTAL	2630	2.6	11	1	1	2	3	4	6	16

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	1.6	1	< 1	1	1	2	3	4	6
20-34	155	1.9	1	< 1	1	1	2	4	4	7
35-49	146	1.9	1	< 1	1	2	2	4	4	6
50-64	63	2.0	2	< 1	1	1	2	4	6	9
65 +	63	2.4	3	< 1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	25	5.0	86	< 1	1	2	4	9	24	46
20-34	284	2.6	7	1	1	2	3	5	7	14
35-49	387	3.0	15	1	1	2	3	5	8	29
50-64	297	2.7	4	1	1	2	3	5	7	12
65 +	313	5.0	41	1	2	3	5	12	17	36
TOTAL SINGLE DX	474	1.9	2	< 1	1	1	2	4	5	7
TOTAL MULTIPLE DX	1306	3.4	20	1	1	2	4	6	10	26
TOTAL										
0-19 YRS	72	2.8	33	< 1	1	1	2	5	8	40
20-34	439	2.3	6	1	1	2	3	4	6	10
35-49	533	2.7	12	1	1	2	3	5	6	23
50-64	360	2.5	4	1	1	2	3	4	7	12
65 +	376	4.6	36	1	1	3	5	11	16	34
GRAND TOTAL	1780	3.0	15	1	1	2	3	6	8	19

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.8	1	1	2	3	4	4	5	5
20-34	358	2.6	2	1	1	2	3	5	6	7
35-49	669	2.4	1	1	1	2	3	4	5	7
50-64	373	2.5	1	1	1	2	3	4	5	7
65 +	168	2.8	2	1	2	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	32	2.6	3	1	1	2	3	5	7	8
20-34	1715	2.9	6	1	2	2	4	5	6	11
35-49	3282	2.9	8	1	2	2	4	5	6	11
50-64	2607	3.1	7	1	2	3	4	5	7	13
65 +	1778	4.3	20	1	2	3	5	8	12	22
TOTAL SINGLE DX	1582	2.5	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	9414	3.2	10	1	2	3	4	6	7	15
TOTAL										
0-19 YRS	46	2.7	3	1	1	2	3	5	6	8
20-34	2073	2.9	6	1	1	2	4	5	6	10
35-49	3951	2.8	7	1	2	2	3	5	6	10
50-64	2980	3.0	7	1	2	2	4	5	7	12
65 +	1946	4.1	19	1	2	3	5	8	11	22
GRAND TOTAL	10996	3.1	9	1	2	3	4	5	7	14

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	252	3.4	8	1	1	2	4	7	10	15
20-34	363	2.5	2	1	1	2	3	5	6	8
35-49	391	2.7	12	1	1	2	3	5	7	9
50-64	179	2.6	4	1	1	2	3	5	7	12
65 +	97	3.4	20	1	1	2	4	7	9	28
2. MULTIPLE DX										
0-19 YRS	304	5.8	36	1	2	4	8	11	17	32
20-34	491	4.0	17	1	2	3	5	8	13	22
35-49	570	4.3	37	1	1	3	5	8	14	34
50-64	443	4.4	37	1	2	3	5	9	12	28
65 +	531	6.8	56	1	2	4	8	15	21	44
TOTAL SINGLE DX	1282	2.8	9	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	2339	5.0	39	1	2	3	6	10	16	33
TOTAL										
0-19 YRS	556	4.7	25	1	2	3	6	9	13	22
20-34	854	3.4	12	1	1	2	4	6	9	18
35-49	961	3.6	28	1	1	2	4	7	10	27
50-64	622	3.9	29	1	1	3	4	8	11	26
65 +	628	6.3	52	1	2	4	8	14	20	42
GRAND TOTAL	3621	4.2	29	1	1	3	5	9	13	27

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	8.3	36	2	3	7	12	17	18	18
20-34	17	8.2	12	2	7	9	11	12	13	13
35-49	13	9.4	71	1	3	9	11	19	30	33
50-64	10	11.2	171	2	5	7	11	30	47	47
65 +	12	10.3	79	1	3	8	16	23	29	30
2. MULTIPLE DX										
0-19 YRS	31	18.1	196	6	8	13	24	45	46	54
20-34	40	14.1	198	5	7	10	15	26	33	87
35-49	55	16.5	180	5	9	13	20	31	36	86
50-64	89	17.8	168	4	9	15	23	36	49	62
65 +	161	19.4	180	6	9	16	26	35	45	65
TOTAL SINGLE DX	58	9.4	65	1	5	8	12	17	26	46
TOTAL MULTIPLE DX	376	17.9	182	5	9	15	24	34	45	67
TOTAL										
0-19 YRS	37	16.5	182	4	8	12	22	43	46	54
20-34	57	12.4	149	5	7	10	13	24	27	84
35-49	68	15.1	166	4	7	12	18	31	33	80
50-64	99	17.2	171	4	8	14	22	36	48	60
65 +	173	18.8	179	5	9	16	26	34	45	64
GRAND TOTAL	434	16.8	175	5	8	13	23	33	43	66

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	300	4.5	54	1	1	2	5	10	15	35
20-34	234	2.7	9	1	1	1	4	8	9	13
35-49	308	2.4	9	1	1	1	2	6	8	13
50-64	289	2.5	11	1	1	1	2	6	9	18
65 +	142	3.8	26	1	1	1	5	10	14	25
2. MULTIPLE DX										
0-19 YRS	748	14.9	314	1	3	9	21	44	64	99 +
20-34	649	11.0	153	1	4	7	13	24	39	76
35-49	1023	10.2	157	1	2	7	13	24	37	90
50-64	1597	9.4	102	1	2	7	12	21	29	55
65 +	2168	10.9	91	1	5	9	15	22	28	46
TOTAL SINGLE DX	1273	3.1	23	1	1	1	4	8	11	21
TOTAL MULTIPLE DX	6185	10.9	141	1	3	8	14	24	34	75
TOTAL										
0-19 YRS	1048	11.9	262	1	2	6	16	34	56	99 +
20-34	883	8.8	129	1	1	6	11	21	33	67
35-49	1331	8.4	134	1	1	5	11	20	33	78
50-64	1886	8.3	95	1	1	6	11	19	27	51
65 +	2310	10.5	90	1	4	9	14	21	28	45
GRAND TOTAL	7458	9.6	129	1	2	7	13	22	32	68

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	764	4.4	4	3	3	4	5	7	8	12
20-34	8417	4.4	3	3	3	4	5	6	8	11
35-49	7846	4.5	3	3	3	4	5	7	8	11
50-64	5734	4.9	4	3	4	4	6	8	9	13
65 +	2741	6.0	9	3	4	5	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	745	6.6	20	3	4	5	8	11	14	25
20-34	8848	5.9	17	3	4	5	7	10	12	20
35-49	12095	6.1	19	3	4	5	7	10	13	22
50-64	14664	7.3	30	3	4	6	8	12	15	29
65 +	19941	10.2	57	4	6	8	12	18	23	44
TOTAL SINGLE DX	25502	4.7	5	3	3	4	5	7	9	12
TOTAL MULTIPLE DX	56293	7.8	39	3	4	6	9	14	18	34
TOTAL										
0-19 YRS	1509	5.5	13	3	3	5	6	9	11	19
20-34	17265	5.2	11	3	3	4	6	8	10	16
35-49	19941	5.5	14	3	4	5	6	9	11	18
50-64	20398	6.6	24	3	4	5	8	11	14	25
65 +	22682	9.7	53	4	5	8	12	17	22	41
GRAND TOTAL	81795	6.9	30	3	4	5	8	12	16	29

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	13.7	374	2	2	3	28	36	36	36
20-34	15	3.1	6	1	1	2	5	7	8	9
35-49	13	1.7	1	< 1	1	1	2	4	4	4
50-64	14	2.0	2	1	1	1	3	4	5	5
65 +	37	3.8	17	1	1	2	4	8	15	19
2. MULTIPLE DX										
0-19 YRS	10	7.4	21	1	3	8	10	13	14	14
20-34	15	7.0	36	1	2	5	13	15	18	19
35-49	42	7.0	54	1	2	5	10	15	21	38
50-64	97	9.0	68	1	3	8	11	18	25	44
65 +	218	10.8	119	2	4	8	15	21	29	58
TOTAL SINGLE DX	82	3.4	23	1	1	2	4	7	9	31
TOTAL MULTIPLE DX	382	9.7	95	2	3	7	13	19	27	50
TOTAL										
0-19 YRS	13	8.8	86	2	3	8	11	18	33	36
20-34	30	5.0	25	1	1	3	7	14	15	19
35-49	55	5.8	47	1	1	3	8	14	19	37
50-64	111	8.1	65	1	2	6	11	17	23	43
65 +	255	9.8	111	2	3	7	14	20	28	54
GRAND TOTAL	464	8.6	88	1	2	6	11	19	25	45

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (51.97; 52.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	8.6	180	< 1	1	5	8	25	46	49
20-34	127	4.8	31	1	1	3	6	9	12	26
35-49	206	4.3	18	1	1	3	6	10	13	22
50-64	195	3.9	19	1	1	2	5	9	11	25
65 +	212	4.2	21	1	1	2	6	9	11	27
2. MULTIPLE DX										
0-19 YRS	46	9.1	128	1	2	4	12	21	26	65
20-34	316	6.8	36	1	3	5	8	13	21	28
35-49	699	8.0	62	1	3	6	10	16	23	37
50-64	950	8.3	70	1	3	6	10	16	22	42
65 +	2410	9.3	70	2	4	7	12	18	24	46
TOTAL SINGLE DX	752	4.3	24	1	1	3	6	9	12	26
TOTAL MULTIPLE DX	4421	8.7	68	2	4	7	11	17	23	43
TOTAL										
0-19 YRS	58	9.0	137	1	2	5	12	20	29	64
20-34	443	6.3	36	1	2	5	8	12	17	28
35-49	905	7.1	55	1	2	5	9	15	20	36
50-64	1145	7.5	65	1	3	6	9	15	21	40
65 +	2622	8.9	68	2	4	7	11	18	24	46
GRAND TOTAL	5173	8.1	64	1	3	6	10	17	22	42

619: Miscellaneous operations on biliary tract (51.01-51.13; 51.31-51.95; 51.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	10.0	29	5	7	9	13	16	20	30
20-34	44	6.5	13	1	4	6	8	13	14	15
35-49	63	7.1	33	1	1	7	10	14	22	24
50-64	81	8.7	37	1	5	8	11	15	18	36
65 +	103	9.4	32	2	6	8	11	17	21	28
2. MULTIPLE DX										
0-19 YRS	112	17.4	189	6	9	14	22	36	51	96
20-34	152	10.6	49	4	6	9	14	20	26	40
35-49	276	12.7	131	3	7	10	16	23	34	80
50-64	632	14.0	115	5	8	11	17	26	39	53
65 +	1809	16.2	128	7	9	13	20	29	39	71
TOTAL SINGLE DX	356	8.6	32	1	5	8	11	15	19	28
TOTAL MULTIPLE DX	2981	15.2	127	6	8	12	18	28	38	70
TOTAL										
0-19 YRS	177	14.7	143	5	8	12	17	26	39	84
20-34	196	9.6	44	3	5	8	12	18	25	37
35-49	339	11.7	118	2	6	9	15	22	30	76
50-64	713	13.4	110	4	7	11	17	25	36	53
65 +	1912	15.8	126	7	9	13	19	29	38	70
GRAND TOTAL	3337	14.5	121	5	8	12	18	26	36	69

620: Operations on pancreas, except ERCP (52.01-52.12; 52.2-52.83; 52.92-52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	9.6	19	5	7	8	14	16	18	18
20-34	25	8.6	24	5	6	8	10	17	21	22
35-49	42	9.1	41	2	5	7	12	17	22	34
50-64	70	8.6	58	1	3	6	12	18	25	36
65 +	46	10.2	48	1	6	9	15	21	22	26
2. MULTIPLE DX										
0-19 YRS	41	21.9	262	8	11	16	29	42	52	81
20-34	161	22.6	320	8	11	18	28	57	78	99 +
35-49	326	21.5	257	7	10	18	29	49	65	99 +
50-64	482	20.4	256	6	10	17	27	47	65	99 +
65 +	729	18.9	231	4	9	15	25	40	54	99 +
TOTAL SINGLE DX	193	9.1	46	1	5	8	12	18	22	33
TOTAL MULTIPLE DX	1739	20.2	253	5	9	16	27	45	61	99 +
TOTAL										
0-19 YRS	51	19.5	238	6	9	14	27	41	49	81
20-34	186	20.7	303	6	9	16	27	48	65	99 +
35-49	368	20.1	248	6	9	16	26	46	62	99 +
50-64	552	18.9	246	4	9	15	24	46	62	99 +
65 +	775	18.4	225	4	8	15	24	39	52	98
GRAND TOTAL	1932	19.1	244	5	9	15	25	43	59	99 +

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	379	3.1	10	1	1	2	4	7	9	16
20-34	393	4.2	11	1	2	3	6	8	11	16
35-49	445	4.3	15	< 1	2	3	5	8	10	22
50-64	387	4.0	11	< 1	2	3	5	8	10	18
65 +	416	4.3	15	< 1	1	3	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	674	5.6	52	1	2	3	6	12	16	43
20-34	1150	6.3	49	1	3	4	7	13	20	43
35-49	1816	6.4	37	2	3	5	8	12	17	34
50-64	3191	7.0	41	2	3	5	9	13	18	33
65 +	10572	8.4	61	3	4	6	10	16	22	44
TOTAL SINGLE DX	2020	4.0	13	< 1	1	3	5	8	11	18
TOTAL MULTIPLE DX	17403	7.7	55	2	4	6	9	15	21	41
TOTAL										
0-19 YRS	1053	4.7	39	1	1	3	5	10	14	39
20-34	1543	5.7	40	1	2	4	7	11	18	34
35-49	2261	5.9	34	2	3	4	7	11	16	32
50-64	3578	6.7	39	2	3	5	8	13	18	32
65 +	10988	8.3	61	2	4	6	10	16	22	43
GRAND TOTAL	**19423**	**7.3**	**52**	**2**	**3**	**5**	**9**	**14**	**20**	**40**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2305	1.3		< 1	< 1	1		2	3	4
20-34	2845	1.6	1	1	1	1	2	3	3	5
35-49	2908	1.6		1	1	1	2	3	3	5
50-64	3785	1.8	3	1	1	1	2	3	4	6
65 +	3263	2.0	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	1897	2.3	32	< 1	1	1	2	3	6	57
20-34	1434	2.1	6	1	1	1	2	4	5	12
35-49	2293	2.3	5	1	1	2	3	4	6	14
50-64	4351	2.6	7	1	1	2	3	5	7	13
65 +	9304	3.9	25	1	1	3	4	8	12	24
TOTAL SINGLE DX	15106	1.7	2	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	19279	3.1	19	1	1	2	3	6	9	20
TOTAL										
0-19 YRS	4202	1.7	15	< 1	< 1	1	2	2	4	13
20-34	4279	1.8	4	1	1	1	2	3	4	7
35-49	5201	1.9	3	1	1	1	2	3	5	9
50-64	8136	2.2	6	1	1	2	3	4	5	11
65 +	12567	3.4	20	1	1	2	4	7	10	21
GRAND TOTAL	**34385**	**2.5**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1731	1.3	3	< 1	1	1	1	2	2	4
20-34	281	1.8	1	1	1	1	2	3	3	5
35-49	559	1.8	1	1	1	2	2	3	4	5
50-64	618	2.0	1	1	1	2	2	3	4	6
65 +	453	2.2	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	2041	4.1	153	< 1	1	1	2	6	35	99 +
20-34	198	2.0	2	1	1	2	2	3	4	6
35-49	479	2.2	2	1	1	2	3	4	5	7
50-64	828	2.8	4	1	1	2	3	5	6	10
65 +	1347	3.9	15	1	2	3	5	7	11	20
TOTAL SINGLE DX	3642	1.6	2	< 1	1	1	2	3	4	5
TOTAL MULTIPLE DX	4893	3.5	70	1	1	2	3	6	9	95
TOTAL										
0-19 YRS	3772	2.8	87	< 1	1	1	2	3	7	99 +
20-34	479	1.9	2	1	1	2	2	3	4	6
35-49	1038	2.0	2	1	1	2	3	4	4	6
50-64	1446	2.4	3	1	1	2	3	4	6	9
65 +	1800	3.5	13	1	2	3	4	6	9	19
GRAND TOTAL	**8535**	**2.7**	**42**	**1**	**1**	**1**	**3**	**4**	**6**	**60**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.9	4	< 1	< 1	1	2	3	8	9
20-34	86	1.7		1	1	2	2	3	4	5
35-49	162	1.9	1	1	1	2	2	3	4	8
50-64	183	2.3	2	1	1	2	3	4	5	9
65 +	264	3.0	4	1	1	2	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	14	4.6	34	1	1	2	4	17	19	19
20-34	49	2.9	7	1	1	2	3	5	7	17
35-49	104	3.1	21	1	1	2	3	5	9	29
50-64	230	4.0	14	1	1	3	5	9	12	20
65 +	896	7.0	56	2	3	5	9	14	20	43
TOTAL SINGLE DX	710	2.4	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	1293	6.0	47	1	2	4	8	13	18	35
TOTAL										
0-19 YRS	29	3.2	20	< 1	1	1	3	8	17	19
20-34	135	2.2	4	1	1	2	3	4	5	13
35-49	266	2.4	10	1	1	2	3	4	5	15
50-64	413	3.3	10	1	1	2	4	7	9	17
65 +	1160	6.1	48	1	2	4	8	13	17	36
GRAND TOTAL	**2003**	**4.7**	**34**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	367	1.7	13	<1	<1	1	1	2	3	8
20-34	208	1.8	1	<1	1	1	2	3	4	6
35-49	474	1.8	1	1	1	1	2	3	4	6
50-64	340	2.3	2	1	1	2	3	4	6	8
65+	159	2.5	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	228	6.2	125	1	1	2	6	22	43	99+
20-34	193	2.9	6	1	1	2	4	6	9	13
35-49	581	3.4	15	1	1	2	4	6	9	19
50-64	731	4.0	16	1	2	3	5	8	11	16
65+	770	6.6	66	1	2	4	8	14	21	42
TOTAL SINGLE DX	1548	1.9	5	<1	1	1	2	4	5	7
TOTAL MULTIPLE DX	2503	4.8	43	1	2	3	5	10	14	38
TOTAL										
0-19 YRS	595	3.4	61	<1	<1	1	2	7	15	87
20-34	401	2.3	4	1	1	2	3	4	7	12
35-49	1055	2.7	10	1	1	2	3	5	7	14
50-64	1071	3.5	13	1	1	2	4	7	10	15
65+	929	5.9	58	1	2	4	7	12	18	38
GRAND TOTAL	4051	3.7	30	1	1	2	4	8	11	30

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	2.0	2	<1	1	1	2	4	5	8
20-34	525	2.7	5	1	1	2	4	5	6	11
35-49	1162	3.1	4	1	2	3	4	6	7	9
50-64	1184	3.3	4	1	2	3	4	6	7	10
65+	931	3.8	6	1	2	3	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	100	3.5	31	1	1	2	4	6	8	38
20-34	506	4.1	18	1	2	3	5	7	10	20
35-49	1687	4.6	16	1	2	4	6	8	11	21
50-64	2574	5.6	32	2	3	4	6	10	14	32
65+	3516	6.5	38	2	3	5	8	12	16	34
TOTAL SINGLE DX	3938	3.2	5	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	8383	5.7	32	2	3	4	7	10	14	30
TOTAL										
0-19 YRS	236	2.6	15	<1	1	2	3	6	7	13
20-34	1031	3.4	12	1	2	3	4	6	8	14
35-49	2849	4.0	12	1	2	3	5	7	9	18
50-64	3758	4.8	25	1	2	4	6	9	12	24
65+	4447	6.0	33	2	3	5	7	11	15	31
GRAND TOTAL	12321	4.9	25	1	2	4	6	9	12	26

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	6.0	14	1	4	6	7	9	13	23
20-34	20	4.4	10	1	2	3	7	9	11	11
35-49	33	5.3	7	1	3	5	7	9	10	11
50-64	54	6.4	10	3	5	6	8	10	12	19
65+	49	7.7	19	2	5	7	9	12	15	22
2. MULTIPLE DX										
0-19 YRS	135	15.0	237	5	6	10	20	54	99+	99+
20-34	63	9.9	118	3	5	7	10	18	43	95
35-49	190	9.0	78	4	6	7	10	13	18	63
50-64	286	9.2	57	4	6	8	11	16	19	37
65+	492	13.4	100	5	8	11	16	25	32	79
TOTAL SINGLE DX	209	6.2	14	1	4	6	8	11	12	22
TOTAL MULTIPLE DX	1166	11.6	108	5	6	9	13	22	31	99+
TOTAL										
0-19 YRS	188	12.5	191	4	5	8	16	34	73	99+
20-34	83	8.6	98	2	4	6	9	15	34	87
35-49	223	8.5	70	3	5	7	9	13	16	56
50-64	340	8.7	51	4	6	7	10	15	18	34
65+	541	12.9	96	5	7	10	15	25	31	69
GRAND TOTAL	1375	10.8	98	4	5	8	12	21	28	94

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	344	4.1	16	1	1	3	6	8	11	21
20-34	395	3.8	9	1	1	3	5	7	9	16
35-49	357	4.1	13	1	2	3	5	8	11	17
50-64	281	4.9	17	1	2	4	7	10	13	20
65+	192	5.7	38	1	2	4	7	12	17	36
2. MULTIPLE DX										
0-19 YRS	528	8.7	111	1	3	6	11	18	25	67
20-34	960	7.8	72	1	3	5	9	17	24	44
35-49	1746	9.4	70	2	4	7	12	19	26	42
50-64	2572	10.6	99	3	5	8	13	21	29	56
65+	3712	11.8	109	3	5	9	15	23	31	62
TOTAL SINGLE DX	1569	4.4	17	1	1	3	6	9	12	20
TOTAL MULTIPLE DX	9518	10.4	98	2	4	8	13	21	29	56
TOTAL										
0-19 YRS	872	6.9	79	1	2	4	8	14	21	50
20-34	1355	6.6	58	1	3	4	8	14	20	39
35-49	2103	8.5	65	2	3	6	10	18	25	40
50-64	2853	10.0	94	2	4	7	12	21	28	52
65+	3904	11.5	108	3	5	9	14	23	30	60
GRAND TOTAL	11087	9.6	91	2	4	7	12	20	27	52

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	526	4.9	11	2	3	4	6	9	12	20
20-34	725	4.7	11	2	3	4	6	8	10	15
35-49	354	5.7	16	2	3	5	7	10	13	23
50-64	207	7.7	27	3	5	6	9	14	17	24
65 +	146	7.8	23	3	5	7	9	13	16	29
2. MULTIPLE DX										
0-19 YRS	789	9.6	102	3	4	7	11	21	34	99 +
20-34	1743	7.4	61	3	4	5	8	14	21	49
35-49	1219	10.1	115	3	5	7	11	20	30	69
50-64	1218	13.1	121	5	6	10	16	26	35	65
65 +	1967	15.6	166	5	8	12	19	30	42	82
TOTAL SINGLE DX	1958	5.5	16	2	3	4	7	10	13	22
TOTAL MULTIPLE DX	6936	11.5	126	3	5	8	14	24	33	71
TOTAL										
0-19 YRS	1315	7.7	72	2	3	5	9	15	25	64
20-34	2468	6.6	48	3	3	5	7	12	17	40
35-49	1573	9.1	97	3	4	6	10	17	26	57
50-64	1425	12.3	112	4	6	9	15	24	33	64
65 +	2113	15.1	161	5	7	12	18	29	40	80
GRAND TOTAL	8894	10.2	108	3	4	7	12	21	30	64

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	531	2.7	4	< 1	1	2	4	5	7	10
20-34	1804	2.5	4	< 1	1	2	3	5	6	9
35-49	347	2.2	3	< 1	< 1	1	3	4	5	9
50-64	33	2.1	4	< 1	< 1	1	3	5	5	10
65 +	16	2.8	6	< 1	< 1	1	4	7	8	9
2. MULTIPLE DX										
0-19 YRS	600	3.8	11	1	1	3	5	7	9	20
20-34	3034	3.2	8	< 1	1	2	4	6	8	14
35-49	805	3.4	21	< 1	1	2	4	7	9	17
50-64	130	6.1	64	< 1	1	4	7	12	22	47
65 +	113	8.7	72	1	2	6	14	21	24	38
TOTAL SINGLE DX	2731	2.5	4	< 1	1	2	3	5	6	9
TOTAL MULTIPLE DX	4682	3.5	15	< 1	1	2	5	7	9	20
TOTAL										
0-19 YRS	1131	3.3	9	1	1	2	4	7	8	13
20-34	4838	2.9	7	< 1	1	2	4	6	7	11
35-49	1152	3.0	17	< 1	< 1	2	4	6	8	16
50-64	163	5.3	55	< 1	1	3	6	11	20	44
65 +	129	8.0	68	1	1	5	12	21	23	37
GRAND TOTAL	7413	3.1	11	< 1	1	2	4	6	8	16

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	306	7.4	35	2	4	6	8	13	21	46
20-34	586	5.5	16	2	3	5	7	10	12	21
35-49	528	6.4	16	2	4	6	8	12	14	19
50-64	384	7.2	16	2	5	7	9	12	14	22
65 +	341	9.3	35	3	6	9	12	15	17	31
2. MULTIPLE DX										
0-19 YRS	882	13.1	199	3	5	8	16	32	55	99 +
20-34	2272	6.6	46	2	3	5	8	12	18	42
35-49	2308	9.0	78	2	4	6	11	19	26	50
50-64	2334	11.7	101	3	6	9	14	23	32	55
65 +	3949	15.0	138	5	8	12	18	29	38	75
TOTAL SINGLE DX	2145	6.9	24	2	4	6	9	12	15	24
TOTAL MULTIPLE DX	11745	11.4	116	3	5	8	14	23	33	68
TOTAL										
0-19 YRS	1188	11.6	164	3	5	7	14	28	45	99 +
20-34	2858	6.3	40	2	3	5	7	12	17	38
35-49	2836	8.5	68	2	4	6	10	17	23	45
50-64	2718	11.0	92	3	5	9	13	21	29	54
65 +	4290	14.5	132	5	8	12	18	28	37	72
GRAND TOTAL	13890	10.7	105	3	4	8	13	22	31	64

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	178	6.2	17	2	3	5	8	12	14	20
20-34	108	6.6	2	5	6	6	8	8	9	10
35-49	183	7.0	4	5	6	7	8	9	11	14
50-64	246	7.8	8	5	6	7	9	11	13	20
65 +	186	8.3	6	5	7	8	10	12	13	16
2. MULTIPLE DX										
0-19 YRS	455	9.4	87	3	4	7	11	19	27	71
20-34	288	10.0	91	4	5	7	10	18	28	60
35-49	537	10.8	79	5	6	8	12	19	24	57
50-64	1049	12.0	83	6	7	9	13	22	29	57
65 +	1765	13.3	89	6	8	10	16	24	31	60
TOTAL SINGLE DX	901	7.3	9	4	6	7	9	11	13	17
TOTAL MULTIPLE DX	4094	12.0	88	5	7	9	14	22	29	59
TOTAL										
0-19 YRS	633	8.5	70	2	4	6	10	16	23	57
20-34	396	9.1	69	5	5	7	9	15	23	57
35-49	720	9.8	63	5	6	8	11	16	22	48
50-64	1295	11.2	72	6	7	8	12	20	26	51
65 +	1951	12.8	83	6	8	10	15	22	30	55
GRAND TOTAL	4995	11.1	77	5	7	9	12	20	27	55

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	7.6	258	1	2	3	7	8	39	77
20-34	72	4.0	8	1	2	3	5	8	10	13
35-49	120	4.3	8	1	2	4	6	9	10	14
50-64	107	4.3	7	1	2	4	6	7	8	14
65 +	67	5.0	11	1	2	4	7	8	10	18
2. MULTIPLE DX										
0-19 YRS	60	7.2	55	1	3	5	10	12	20	47
20-34	141	8.7	54	2	4	7	12	17	20	39
35-49	232	8.7	62	2	4	7	11	17	24	43
50-64	380	9.4	89	2	4	7	12	21	29	49
65 +	680	12.0	100	3	5	9	16	25	32	51
TOTAL SINGLE DX	387	4.5	22	1	2	4	6	8	10	16
TOTAL MULTIPLE DX	1493	10.3	88	2	4	8	13	21	29	49
TOTAL										
0-19 YRS	81	7.3	106	1	3	5	8	11	20	68
20-34	213	7.1	44	2	3	5	9	14	18	37
35-49	352	7.2	49	2	3	5	9	14	18	38
50-64	487	8.2	76	2	3	6	10	19	27	46
65 +	747	11.3	97	2	4	9	15	23	31	50
GRAND TOTAL	1880	9.1	80	2	3	7	11	19	27	47

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	10.7	10	7	8	11	13	16	16	16
20-34	4	10.3	3	9	9	10	11	13	13	13
35-49	12	11.5	13	7	8	10	15	16	16	16
50-64	5	11.4	4	9	10	11	13	14	14	14
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	198	20.5	150	9	13	18	25	37	52	99 +
20-34	264	15.8	120	7	9	13	19	27	36	67
35-49	279	15.3	96	7	9	13	18	28	35	52
50-64	165	16.0	112	7	9	13	19	29	41	61
65 +	18	13.6	44	6	9	12	18	25	29	30
TOTAL SINGLE DX	41	10.9	9	7	8	10	13	16	16	16
TOTAL MULTIPLE DX	924	16.6	120	7	9	14	20	30	40	71
TOTAL										
0-19 YRS	217	19.6	146	8	12	17	25	36	49	99 +
20-34	268	15.7	120	7	9	13	19	27	36	67
35-49	291	15.2	93	7	9	13	17	27	34	51
50-64	170	15.8	109	7	9	13	19	28	41	60
65 +	19	13.3	44	7	9	12	17	24	29	30
GRAND TOTAL	965	16.4	117	7	9	14	20	30	40	69

636: Miscellaneous operations on kidney, except percutaneous nephrostomy 55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1019	3.6	7	1	2	3	5	7	9	13
20-34	332	4.1	13	1	1	3	6	8	11	16
35-49	253	4.2	14	1	1	3	6	8	11	19
50-64	193	4.7	13	1	1	4	7	10	11	17
65 +	110	4.2	14	1	1	3	7	10	12	14
2. MULTIPLE DX										
0-19 YRS	1060	7.2	53	1	3	5	9	15	21	36
20-34	813	7.5	50	1	2	6	10	15	21	37
35-49	866	7.5	67	1	2	6	10	17	21	45
50-64	956	8.9	90	1	3	6	11	18	26	55
65 +	1249	11.2	94	2	5	9	14	23	30	47
TOTAL SINGLE DX	1907	3.9	11	1	1	3	6	8	10	15
TOTAL MULTIPLE DX	4944	8.6	75	1	3	6	11	18	24	46
TOTAL										
0-19 YRS	2079	5.4	34	1	2	4	7	11	15	29
20-34	1145	6.5	42	1	2	5	8	14	18	33
35-49	1119	6.7	58	1	2	5	9	14	20	35
50-64	1149	8.2	80	1	2	6	10	17	24	48
65 +	1359	10.6	92	2	4	8	14	22	29	47
GRAND TOTAL	6851	7.3	62	1	2	5	9	16	21	40

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	3.6	10	1	2	3	4	6	12	15
20-34	111	5.3	10	2	3	5	7	10	11	15
35-49	127	4.4	10	1	2	4	6	8	10	16
50-64	112	5.7	10	2	3	5	8	10	12	14
65 +	55	6.5	13	1	4	7	9	11	13	15
2. MULTIPLE DX										
0-19 YRS	32	6.0	41	1	2	4	8	13	15	34
20-34	134	6.9	21	2	4	6	9	13	17	22
35-49	206	7.6	38	2	4	7	9	13	16	33
50-64	265	8.3	53	2	4	7	10	15	20	45
65 +	356	10.7	74	3	5	9	13	20	26	54
TOTAL SINGLE DX	422	5.3	11	1	3	5	7	10	12	15
TOTAL MULTIPLE DX	993	8.8	55	2	4	7	11	16	21	40
TOTAL										
0-19 YRS	49	5.2	31	1	2	3	6	11	15	34
20-34	245	6.2	17	2	3	5	8	11	15	20
35-49	333	6.4	30	2	3	6	8	12	15	25
50-64	377	7.5	42	2	4	6	9	14	18	37
65 +	411	10.2	69	3	5	8	13	18	25	49
GRAND TOTAL	**1415**	**7.7**	**45**	**2**	**4**	**6**	**9**	**15**	**18**	**34**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	809	5.4	6	3	4	5	7	8	9	14
20-34	32	6.5	7	2	5	7	8	10	10	13
35-49	20	7.7	9	4	6	7	8	12	15	17
50-64	15	9.5	10	6	8	9	10	11	17	19
65 +	23	11.5	40	5	8	10	14	18	26	32
2. MULTIPLE DX										
0-19 YRS	1010	7.5	26	3	4	6	9	13	17	27
20-34	128	10.2	70	5	6	8	12	17	20	49
35-49	118	12.2	60	6	7	10	14	20	28	43
50-64	142	13.8	110	6	8	12	16	28	34	99 +
65 +	255	16.4	153	6	9	13	20	31	44	76
TOTAL SINGLE DX	899	5.7	9	3	4	5	7	9	11	17
TOTAL MULTIPLE DX	1653	9.9	70	3	5	8	12	19	24	51
TOTAL										
0-19 YRS	1819	6.5	18	3	4	6	8	11	14	23
20-34	160	9.5	60	4	6	8	10	16	19	39
35-49	138	11.6	56	5	7	9	14	20	26	42
50-64	157	13.3	102	6	8	11	16	27	34	99 +
65 +	278	15.9	146	6	9	13	19	29	41	76
GRAND TOTAL	**2552**	**8.4**	**53**	**3**	**4**	**7**	**10**	**16**	**21**	**41**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	116	3.0	3	1	2	3	4	5	6	9
20-34	1071	2.8	2	1	1	2	4	5	6	8
35-49	1534	2.8	3	1	1	2	4	5	6	9
50-64	918	2.8	3	1	1	2	4	5	7	9
65 +	284	2.7	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	45	3.9	8	1	2	3	5	8	10	13
20-34	718	3.9	6	1	2	3	5	7	9	13
35-49	1201	3.8	9	1	2	3	5	7	9	13
50-64	1193	4.2	12	1	2	3	5	8	10	18
65 +	1083	5.1	25	1	2	4	6	10	13	28
TOTAL SINGLE DX	3923	2.8	3	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	4240	4.3	14	1	2	3	5	8	10	19
TOTAL										
0-19 YRS	161	3.2	5	1	2	3	4	6	7	13
20-34	1789	3.2	5	1	2	3	4	6	7	11
35-49	2735	3.2	6	1	2	3	4	6	8	11
50-64	2111	3.6	9	1	2	3	5	7	8	15
65 +	1367	4.6	22	1	2	3	6	9	12	26
GRAND TOTAL	**8163**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	5.5	13	1	3	5	7	11	13	17
20-34	60	4.0	10	1	2	3	6	8	9	18
35-49	87	3.5	10	1	1	2	4	8	10	18
50-64	65	4.1	13	1	1	3	6	8	10	21
65 +	57	4.2	18	1	1	2	6	10	13	21
2. MULTIPLE DX										
0-19 YRS	184	8.0	35	3	4	7	9	15	20	32
20-34	104	6.2	36	1	2	5	8	11	22	29
35-49	149	6.6	44	1	3	5	8	14	18	30
50-64	195	6.3	42	1	2	4	8	14	18	35
65 +	350	9.2	69	1	4	8	11	18	23	43
TOTAL SINGLE DX	347	4.3	14	1	2	3	6	9	11	19
TOTAL MULTIPLE DX	982	7.7	52	1	3	6	10	15	21	37
TOTAL										
0-19 YRS	262	7.3	30	2	4	6	9	13	18	26
20-34	164	5.4	28	1	2	4	7	11	14	28
35-49	236	5.4	35	1	2	4	7	11	16	28
50-64	260	5.7	36	1	2	4	7	12	17	34
65 +	407	8.5	65	1	3	7	11	17	22	42
GRAND TOTAL	**1329**	**6.8**	**44**	**1**	**2**	**5**	**9**	**14**	**19**	**35**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	350	2.6	6	<1	<1	1	3	6	7	10
20-34	948	3.0	5	1	1	2	4	6	7	12
35-49	1282	2.9	5	1	1	2	4	6	7	11
50-64	1036	2.8	5	<1	1	2	4	6	7	11
65 +	769	2.8	8	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	656	5.1	47	<1	1	3	6	10	15	42
20-34	1506	6.1	52	1	2	4	7	12	18	45
35-49	2492	6.0	40	1	2	4	7	12	18	35
50-64	3656	6.8	52	1	3	5	8	14	19	42
65 +	9345	9.6	94	2	4	7	12	20	28	59
TOTAL SINGLE DX	4385	2.8	6	<1	1	2	4	6	7	12
TOTAL MULTIPLE DX	17655	8.1	76	1	3	6	10	17	24	50
TOTAL										
0-19 YRS	1006	4.2	35	<1	1	3	5	9	12	36
20-34	2454	4.9	37	1	2	3	6	10	14	33
35-49	3774	5.0	31	1	2	3	6	10	14	28
50-64	4692	5.9	45	1	2	4	7	12	17	36
65 +	10114	9.1	91	1	3	7	12	19	27	56
GRAND TOTAL	22040	7.0	66	1	2	5	9	15	21	46

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.6	5	1	1	2	3	5	8	11
20-34	68	2.3	5	1	1	1	3	4	7	13
35-49	268	2.1	15	1	1	1	2	4	4	8
50-64	976	2.3	2	1	1	2	3	4	6	8
65 +	1851	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	58	5.7	21	1	2	4	9	13	15	19
20-34	169	5.0	31	1	2	3	6	12	14	34
35-49	528	4.7	40	1	1	3	6	10	14	38
50-64	2386	4.3	33	1	1	3	5	9	13	27
65 +	9565	5.5	48	1	2	3	6	12	17	37
TOTAL SINGLE DX	3182	2.4	5	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	12706	5.3	45	1	2	3	6	11	16	35
TOTAL										
0-19 YRS	77	5.0	19	1	2	3	7	11	14	19
20-34	237	4.3	26	1	1	3	5	10	13	29
35-49	796	3.8	34	1	1	2	4	9	11	29
50-64	3362	3.7	25	1	1	2	4	8	11	23
65 +	11416	5.0	43	1	2	3	6	11	16	33
GRAND TOTAL	15888	4.7	39	1	2	3	5	10	15	32

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	2.5	4	1	1	2	3	6	7	7
20-34	41	3.0	6	1	1	2	3	7	10	12
35-49	50	2.9	6	1	1	2	3	5	7	15
50-64	48	2.3	3	1	1	2	3	5	5	9
65 +	50	2.5	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
0-19 YRS	24	4.2	15	1	1	3	6	9	14	14
20-34	53	5.5	45	<1	1	3	6	15	18	33
35-49	103	6.1	74	1	1	3	8	13	19	49
50-64	249	5.7	81	1	2	3	6	11	15	68
65 +	762	6.5	63	1	2	4	8	13	19	43
TOTAL SINGLE DX	203	2.6	5	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	1191	6.2	66	1	2	4	7	13	19	42
TOTAL										
0-19 YRS	38	3.6	12	1	1	2	5	8	12	14
20-34	94	4.4	30	1	1	3	4	10	15	32
35-49	153	5.0	54	1	1	3	5	11	16	38
50-64	297	5.1	70	1	2	3	5	10	15	54
65 +	812	6.2	61	1	2	4	7	13	19	42
GRAND TOTAL	1394	5.7	59	1	2	3	7	12	18	40

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	4.9	21	1	2	3	6	11	14	22
20-34	84	4.6	9	1	2	4	6	9	11	14
35-49	194	4.7	7	2	2	4	7	9	10	13
50-64	264	6.0	21	1	2	4	9	12	15	21
65 +	317	5.8	27	1	2	4	9	12	15	25
2. MULTIPLE DX										
0-19 YRS	731	9.7	92	2	4	7	13	22	30	76
20-34	301	10.0	128	2	4	7	13	20	27	80
35-49	476	8.5	76	2	3	6	10	18	24	61
50-64	1020	10.0	103	2	4	8	13	20	28	56
65 +	3015	10.9	116	2	4	8	14	22	30	61
TOTAL SINGLE DX	1032	5.4	20	1	2	4	8	11	14	21
TOTAL MULTIPLE DX	5543	10.3	109	2	4	8	13	21	29	63
TOTAL										
0-19 YRS	904	8.8	82	2	3	6	11	20	27	59
20-34	385	8.8	108	2	3	6	11	18	24	74
35-49	670	7.4	60	2	3	5	9	15	21	44
50-64	1284	9.2	90	2	3	7	12	18	27	53
65 +	3332	10.4	110	2	3	8	14	21	29	60
GRAND TOTAL	6575	9.6	98	2	3	7	12	20	27	58

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.3	1	< 1	< 1	< 1	1	1	3	8
20-34	8	2.4	1	< 1	< 1	2	3	4	4	4
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	6	1.3		1	1	1	2	2	2	2
65 +	4	1.3		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	40	1.8	2	< 1	< 1	1	2	4	6	8
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	13	2.8	7	1	1	2	4	7	9	10
50-64	19	11.4	400	2	2	3	9	38	66	80
65 +	38	9.5	217	1	2	6	10	26	66	99 +
TOTAL SINGLE DX	66	1.4	2	< 1	< 1	< 1	1	2	4	8
TOTAL MULTIPLE DX	113	6.2	155	< 1	1	2	6	12	27	87
TOTAL										
0-19 YRS	86	1.5	2	< 1	< 1	< 1	1	2	6	8
20-34	11	2.9	6	< 1	< 1	3	4	6	9	9
35-49	15	2.5	7	1	1	1	3	6	9	10
50-64	25	9.0	319	1	2	2	5	23	56	80
65 +	42	8.7	203	1	2	5	10	23	63	99 +
GRAND TOTAL	179	4.4	103	< 1	< 1	1	4	9	15	78

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1521	2.7	6	1	1	2	3	6	8	12
20-34	141	2.8	5	1	1	2	3	6	7	11
35-49	133	2.8	4	1	1	2	4	5	6	12
50-64	97	2.8	4	1	1	3	4	5	6	12
65 +	89	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	772	4.2	21	1	1	2	5	10	13	23
20-34	143	4.4	20	1	2	3	5	10	15	23
35-49	150	4.2	17	1	2	3	5	8	11	25
50-64	190	4.3	15	1	2	3	5	8	13	23
65 +	393	5.2	37	1	2	3	6	10	15	31
TOTAL SINGLE DX	1981	2.7	6	1	1	2	3	6	8	12
TOTAL MULTIPLE DX	1648	4.5	24	1	1	3	6	10	13	25
TOTAL										
0-19 YRS	2293	3.2	12	1	1	2	4	7	10	15
20-34	284	3.6	14	1	1	2	4	7	11	19
35-49	283	3.6	12	1	1	3	5	7	8	20
50-64	287	3.8	12	1	1	3	5	8	10	19
65 +	482	4.7	32	1	1	3	6	9	14	29
GRAND TOTAL	3629	3.5	15	1	1	2	4	8	10	19

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	1.6	2	< 1	< 1	< 1	2	3	4	10
20-34	36	3.3	13	< 1	1	2	4	7	12	16
35-49	57	2.9	4	1	1	2	4	5	7	10
50-64	43	3.0	7	< 1	1	2	5	7	10	11
65 +	36	2.8	5	< 1	1	2	4	7	8	10
2. MULTIPLE DX										
0-19 YRS	122	4.7	56	< 1	< 1	2	5	9	24	36
20-34	148	6.2	51	1	3	5	7	11	17	30
35-49	217	6.5	61	1	2	5	8	12	16	38
50-64	344	7.7	89	1	3	5	9	16	24	43
65 +	1234	9.5	77	2	4	7	12	19	25	49
TOTAL SINGLE DX	223	2.7	6	< 1	1	2	4	6	8	12
TOTAL MULTIPLE DX	2065	8.4	77	1	3	6	11	18	24	46
TOTAL										
0-19 YRS	173	3.8	42	< 1	< 1	1	4	8	13	34
20-34	184	5.6	45	1	2	4	7	10	16	29
35-49	274	5.7	51	1	2	4	7	11	14	31
50-64	387	7.2	82	1	2	5	8	15	22	41
65 +	1270	9.3	76	2	4	7	12	19	25	49
GRAND TOTAL	2288	7.8	73	1	3	6	10	17	22	45

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	1.8	1	< 1	1	1	2	4	5	7
20-34	141	1.9	2	1	1	1	2	3	5	8
35-49	108	1.8	2	1	1	1	2	4	6	9
50-64	108	2.3	3	1	1	2	3	4	5	11
65 +	190	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	167	4.1	42	1	1	2	5	8	11	47
20-34	190	3.7	34	1	1	2	4	8	10	39
35-49	227	4.0	40	1	1	2	5	10	14	32
50-64	444	4.2	23	1	2	3	5	8	11	22
65 +	1404	5.8	45	1	2	4	7	11	18	39
TOTAL SINGLE DX	632	2.1	3	1	1	1	3	4	5	9
TOTAL MULTIPLE DX	2432	5.1	41	1	2	3	6	10	15	37
TOTAL										
0-19 YRS	252	3.3	30	1	1	2	4	7	9	44
20-34	331	2.9	22	1	1	2	3	5	9	23
35-49	335	3.3	29	1	1	2	3	7	11	24
50-64	552	3.8	20	1	1	3	5	8	10	21
65 +	1594	5.4	42	1	2	4	6	11	16	38
GRAND TOTAL	3064	4.4	34	1	1	3	5	9	13	33

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	63	4.1	1	3	3	4	5	6	7	7
35-49	448	4.7	2	3	4	5	6	7	7	9
50-64	389	4.7	2	3	4	5	6	7	7	9
65 +	204	5.1	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	5	5.4	6	2	3	6	7	8	8	8
20-34	110	4.9	5	3	4	4	6	7	9	15
35-49	731	5.2	3	3	4	5	6	7	8	13
50-64	718	5.8	11	3	4	5	7	8	10	18
65 +	549	6.2	7	3	4	6	7	9	11	15
TOTAL SINGLE DX	1107	4.7	3	3	4	5	6	7	8	10
TOTAL MULTIPLE DX	2113	5.6	8	3	4	5	6	8	10	16
TOTAL										
0-19 YRS	8	4.8	5	2	3	5	6	8	8	8
20-34	173	4.6	4	3	4	4	5	7	8	13
35-49	1179	5.0	3	3	4	5	6	7	8	11
50-64	1107	5.4	9	3	4	5	6	8	9	17
65 +	753	5.9	7	3	4	5	7	9	11	15
GRAND TOTAL	3220	5.3	6	3	4	5	6	8	9	15

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.7	6	1	1	3	6	7	7	7
20-34	63	4.0	2	2	3	4	5	6	7	9
35-49	444	3.8	2	2	3	4	5	6	6	8
50-64	437	3.9	2	2	3	4	5	6	7	9
65 +	233	4.4	4	2	3	4	5	8	8	12
2. MULTIPLE DX										
0-19 YRS	24	7.1	24	1	4	5	12	17	38	99 +
20-34	111	4.4	4	2	3	4	5	7	8	12
35-49	624	4.4	5	2	3	4	5	7	8	12
50-64	777	4.6	4	2	3	4	6	7	8	12
65 +	761	5.4	15	2	3	5	6	8	11	18
TOTAL SINGLE DX	1183	4.0	3	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	2297	4.8	9	2	3	4	6	8	9	14
TOTAL										
0-19 YRS	30	6.4	23	1	3	5	10	15	18	99 +
20-34	174	4.3	4	2	3	4	5	7	8	11
35-49	1068	4.2	4	2	3	4	5	6	7	11
50-64	1214	4.3	4	2	3	4	5	7	8	12
65 +	994	5.2	13	2	3	5	6	8	10	16
GRAND TOTAL	3480	4.5	7	2	3	4	5	7	8	13

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	2.6	4	1	1	2	3	5	9	11
20-34	250	2.8	4	1	1	2	4	6	7	10
35-49	382	2.9	5	1	1	2	4	6	7	11
50-64	255	2.6	4	1	1	2	3	5	6	9
65 +	122	2.7	10	1	1	2	3	5	6	18
2. MULTIPLE DX										
0-19 YRS	54	5.4	30	1	3	4	6	10	12	37
20-34	392	4.7	12	1	2	4	6	9	12	16
35-49	603	5.3	30	1	2	4	7	11	14	27
50-64	676	6.1	41	1	2	4	8	13	18	32
65 +	974	8.0	67	1	3	5	10	17	24	37
TOTAL SINGLE DX	1057	2.8	6	1	1	2	4	6	7	11
TOTAL MULTIPLE DX	2699	6.4	45	1	2	4	8	14	18	34
TOTAL										
0-19 YRS	102	4.1	20	1	2	3	5	9	11	25
20-34	642	4.0	10	1	2	3	5	8	11	15
35-49	985	4.4	22	1	2	3	5	9	12	21
50-64	931	5.1	34	1	2	3	6	11	15	29
65 +	1096	7.4	64	1	2	5	10	16	23	37
GRAND TOTAL	3756	5.4	37	1	2	3	7	11	16	30

652: Ultrasonic lithotripsy, except by percutaneous nephrostomy (59.95-59.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	51	1.6	1	< 1	1	1	2	3	3	6
20-34	524	1.5	1	< 1	1	1	2	2	4	7
35-49	1012	1.5	1	< 1	1	1	2	3	4	7
50-64	810	1.5	1	< 1	1	1	2	2	3	7
65 +	366	1.7	3	1	1	1	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	26	4.5	36	1	1	2	7	11	40	99 +
20-34	274	3.0	10	1	1	2	3	6	9	17
35-49	474	2.7	10	1	1	2	3	6	8	15
50-64	677	2.9	14	1	1	2	3	6	9	16
65 +	710	3.6	20	1	1	2	4	8	13	23
TOTAL SINGLE DX	2763	1.5	2	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	2161	3.1	16	1	1	2	3	7	10	19
TOTAL										
0-19 YRS	77	2.6	15	1	1	1	3	6	10	80
20-34	798	2.0	5	< 1	1	1	2	4	6	11
35-49	1486	1.9	5	< 1	1	1	2	4	5	11
50-64	1487	2.1	8	< 1	1	1	2	4	6	14
65 +	1076	3.0	16	1	1	2	3	7	10	22
GRAND TOTAL	4924	2.2	8	< 1	1	1	2	4	7	15

653: Miscellaneous operations on urinary tract (59.0-59.21, 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.9	9	1	3	5	6	9	11	11
20-34	12	3.4	9	1	1	2	5	8	11	11
35-49	10	6.2	3	3	5	6	8	8	8	8
50-64	7	9.0	52	2	3	7	14	20	21	21
65 +	7	4.1	3	2	3	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	12	5.8	8	3	4	5	8	10	11	11
20-34	37	9.9	104	3	5	7	10	16	38	50
35-49	55	9.5	43	3	5	8	11	21	25	29
50-64	63	13.9	193	4	6	9	16	30	46	76
65 +	128	13.2	147	2	5	9	17	29	42	61
TOTAL SINGLE DX	44	5.3	16	1	2	5	7	11	13	21
TOTAL MULTIPLE DX	295	11.9	130	3	5	9	14	25	34	58
TOTAL										
0-19 YRS	20	5.4	8	2	3	5	6	10	11	11
20-34	49	8.3	88	1	3	6	9	15	23	50
35-49	65	9.0	38	3	5	8	11	21	24	29
50-64	70	13.4	180	3	6	9	15	28	45	74
65 +	135	12.7	144	2	5	9	16	28	41	60
GRAND TOTAL	339	11.1	120	2	5	8	13	24	32	56

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	7	1.9		1	1	2	2	3	3	3
35-49	82	3.5	1	2	3	3	4	5	6	7
50-64	2347	3.8	2	2	3	4	4	6	6	8
65 +	5247	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	12	11.8	216	2	3	5	13	40	45	46
20-34	20	4.9	15	2	2	3	6	10	14	17
35-49	325	5.2	24	2	3	4	5	9	13	29
50-64	8983	4.9	17	2	3	4	5	8	11	21
65 +	37551	6.4	37	3	3	5	7	12	17	33
TOTAL SINGLE DX	7686	4.0	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	46891	6.1	34	3	3	5	7	11	16	31
TOTAL										
0-19 YRS	15	9.8	188	1	2	4	8	37	44	46
20-34	27	4.1	13	1	2	3	5	9	13	17
35-49	407	4.8	20	2	3	4	5	8	11	27
50-64	11330	4.7	15	2	3	4	5	7	10	20
65 +	42798	6.1	34	3	3	5	7	11	16	31
GRAND TOTAL	54577	5.8	30	3	3	4	6	10	15	29

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.3	1	1	1	2	3	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	14	6.5	8	4	5	6	7	11	12	12
50-64	361	7.8	7	5	6	7	9	12	13	17
65 +	538	8.1	6	5	6	8	9	11	13	16
2. MULTIPLE DX										
0-19 YRS	6	18.2	596	2	4	9	20	61	66	66
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	22	10.1	25	5	8	9	11	17	22	23
50-64	961	9.4	22	5	7	8	11	14	18	29
65 +	2760	10.9	47	6	7	9	13	17	23	37
TOTAL SINGLE DX	918	7.9	7	5	6	8	9	11	13	16
TOTAL MULTIPLE DX	3751	10.5	42	6	7	9	12	16	21	35
TOTAL										
0-19 YRS	10	11.8	399	1	2	4	13	43	66	66
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	36	8.7	22	4	6	8	11	14	20	23
50-64	1322	9.0	19	5	7	8	10	13	16	27
65 +	3298	10.4	42	5	7	9	12	16	21	36
GRAND TOTAL	4669	10.0	36	5	7	9	11	15	19	34

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	4	4.0	22	1	1	2	7	11	11	11
35-49	29	2.5	5	< 1	1	1	4	4	7	11
50-64	148	1.8	2	< 1	1	1	2	4	5	7
65 +	238	2.1	4	< 1	1	1	2	5	6	13
2. MULTIPLE DX										
0-19 YRS	9	6.1	18	1	2	5	9	12	13	13
20-34	8	6.3	14	1	3	6	10	11	11	11
35-49	46	6.5	70	1	2	4	6	20	25	43
50-64	388	5.1	44	1	1	3	7	11	15	32
65 +	1418	6.7	45	1	2	4	9	15	20	33
TOTAL SINGLE DX	422	2.0	4	< 1	1	1	2	4	6	11
TOTAL MULTIPLE DX	1869	6.4	46	1	2	4	9	14	19	34
TOTAL										
0-19 YRS	12	5.4	17	1	2	4	8	12	13	13
20-34	12	5.5	16	1	2	5	10	11	11	11
35-49	75	5.0	49	1	1	3	5	11	21	39
50-64	536	4.2	35	1	1	2	5	10	12	26
65 +	1656	6.0	42	1	1	4	8	14	19	32
GRAND TOTAL	2291	5.6	41	1	1	3	8	13	18	32

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	234	1.5	1	< 1	1	1	2	3	4	6
20-34	147	2.4	3	1	1	2	3	5	6	11
35-49	145	2.6	6	1	1	2	3	6	8	14
50-64	110	2.1	4	1	1	1	2	4	7	12
65 +	70	2.4	5	1	1	1	3	6	9	11
2. MULTIPLE DX										
0-19 YRS	172	2.7	33	< 1	1	1	2	5	7	30
20-34	127	4.4	53	1	1	3	5	8	12	80
35-49	163	5.7	49	1	1	3	8	13	19	38
50-64	239	6.2	89	1	1	3	8	14	22	79
65 +	314	5.6	46	1	2	3	7	12	19	33
TOTAL SINGLE DX	706	2.1	4	< 1	1	1	2	4	6	11
TOTAL MULTIPLE DX	1015	5.1	57	1	1	3	6	12	18	38
TOTAL										
0-19 YRS	406	2.0	15	< 1	1	1	2	3	5	13
20-34	274	3.3	28	1	1	2	4	7	9	24
35-49	308	4.3	32	1	1	2	5	10	14	27
50-64	349	4.9	66	1	1	2	5	12	16	37
65 +	384	5.0	40	1	1	3	6	11	18	31
GRAND TOTAL	1721	3.9	37	1	1	2	4	9	13	29

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	319	1.6	2	< 1	1	1	2	3	4	8
20-34	396	2.0	4	1	1	1	2	4	5	10
35-49	197	2.0	3	1	1	1	2	3	6	10
50-64	119	2.0	2	1	1	1	2	4	5	9
65 +	365	2.0	4	1	1	1	2	4	6	12
2. MULTIPLE DX										
0-19 YRS	275	2.4	5	1	1	2	3	5	7	15
20-34	230	4.4	30	1	1	2	6	11	16	55
35-49	193	4.3	26	1	1	2	5	10	14	28
50-64	397	5.4	43	1	1	3	8	13	18	31
65 +	2276	6.7	74	1	1	3	9	17	22	41
TOTAL SINGLE DX	1396	1.9	3	1	1	1	2	3	5	10
TOTAL MULTIPLE DX	3371	5.9	61	1	1	3	8	15	21	37
TOTAL										
0-19 YRS	594	2.0	4	1	1	1	2	4	5	12
20-34	626	2.9	15	1	1	2	3	7	10	22
35-49	390	3.1	16	1	1	2	3	7	11	21
50-64	516	4.7	36	1	1	2	6	11	15	29
65 +	2641	6.0	67	1	1	3	8	15	21	39
GRAND TOTAL	4767	4.7	47	1	1	2	5	12	18	34

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1335	1.3		< 1	1	1	1	2	2	4
20-34	188	1.4		1	1	1	2	2	3	4
35-49	16	1.6		1	1	1	2	3	4	4
50-64	4	3.0	8	1	1	2	5	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	868	1.7	10	< 1	1	1	2	3	4	13
20-34	71	2.8	9	1	1	2	3	5	8	20
35-49	10	1.8	1	< 1	< 1	1	2	4	5	5
50-64	9	3.6	22	1	1	2	3	11	16	16
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
TOTAL SINGLE DX	1544	1.3	1	< 1	1	1	1	2	2	4
TOTAL MULTIPLE DX	960	1.8	10	< 1	1	1	2	3	5	16
TOTAL										
0-19 YRS	2203	1.4	4	< 1	1	1	1	2	3	6
20-34	259	1.8	3	1	1	1	2	3	4	8
35-49	26	1.7	1	< 1	1	1	2	3	4	5
50-64	13	3.4	17	1	1	2	3	9	15	16
65 +	3	1.0		< 1	< 1	1	1	1	1	1
GRAND TOTAL	2504	1.5	4	< 1	1	1	1	2	3	7

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	298	1.3		< 1	1	1	1	2	3	6
20-34	107	1.8	1	1	1	1	2	3	4	7
35-49	52	1.9	2	< 1	1	1	2	4	6	9
50-64	14	2.5	13	< 1	1	1	1	7	12	14
65 +	5	4.4	14	1	1	4	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	131	2.2	8	< 1	1	1	2	5	7	15
20-34	60	2.0	4	1	1	1	2	4	5	13
35-49	41	4.5	45	1	1	2	4	13	21	32
50-64	24	1.8	1	1	1	1	2	3	5	6
65 +	27	9.9	344	1	1	3	8	32	50	87
TOTAL SINGLE DX	476	1.6	2	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	283	3.2	48	1	1	1	3	6	10	34
TOTAL										
0-19 YRS	429	1.6	3	< 1	1	1	1	3	5	9
20-34	167	1.9	3	1	1	1	2	3	5	10
35-49	93	3.0	23	1	1	1	3	6	11	29
50-64	38	2.1	6	1	1	1	2	4	6	14
65 +	32	9.0	294	1	1	3	7	24	43	87
GRAND TOTAL	759	2.2	20	<1	1	1	2	4	6	18

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	27	1.0		< 1	< 1	< 1	< 1	1	1	2
35-49	20	1.2		< 1	< 1	< 1	< 1	1	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	3.7	21	< 1	< 1	1	7	9	9	9
20-34	18	1.2		< 1	< 1	1	1	2	3	3
35-49	22	1.9	3	< 1	1	1	2	4	6	9
50-64	4	2.0		< 1	1	2	3	3	3	3
65 +	5	5.6	4	3	4	7	7	7	7	7
TOTAL SINGLE DX	50	1.1		< 1	< 1	< 1	< 1	1	1	4
TOTAL MULTIPLE DX	52	2.1	4	< 1	1	1	2	5	7	9
TOTAL										
0-19 YRS	5	2.6	13	< 1	< 1	1	3	9	9	9
20-34	45	1.1		< 1	< 1	< 1	1	1	2	3
35-49	42	1.5	2	< 1	< 1	1	1	3	4	9
50-64	5	1.8	1	< 1	1	2	2	3	3	3
65 +	5	5.6	4	3	4	7	7	7	7	7
GRAND TOTAL	102	1.6	3	<1	<1	1	1	3	5	9

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	137	1.6	1	< 1	1	1	2	3	5	7
20-34	141	1.4	1	< 1	1	1	1	2	3	8
35-49	197	1.3		< 1	1	1	1	2	3	5
50-64	127	1.6	1	< 1	1	1	2	3	4	6
65 +	41	1.9	8	1	1	1	2	3	4	19
2. MULTIPLE DX										
0-19 YRS	60	2.2	4	1	1	1	2	5	9	9
20-34	69	2.1	3	1	1	1	3	4	5	11
35-49	133	1.9	16	< 1	1	1	2	2	5	18
50-64	131	2.5	7	1	1	2	3	5	8	15
65 +	108	3.1	9	1	1	2	4	8	11	13
TOTAL SINGLE DX	643	1.5	2	< 1	1	1	1	2	3	7
TOTAL MULTIPLE DX	501	2.4	9	1	1	1	2	5	8	12
TOTAL										
0-19 YRS	197	1.7	3	< 1	1	1	2	4	6	9
20-34	210	1.6	2	< 1	1	1	2	3	3	9
35-49	330	1.5	7	< 1	1	1	1	2	3	8
50-64	258	2.0	5	1	1	1	2	4	6	10
65 +	149	2.7	9	1	1	2	3	6	11	13
GRAND TOTAL	1144	1.9	5	<1	1	1	2	3	6	11

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	344	1.3	4	< 1	< 1	< 1	1	1	2	10
20-34	56	1.7	8	< 1	< 1	< 1	1	3	3	20
35-49	47	1.5	4	< 1	< 1	< 1	1	2	3	14
50-64	43	1.2		< 1	< 1	< 1	1	2	3	3
65 +	31	1.4	1	< 1	< 1	< 1	1	2	4	8
2. MULTIPLE DX										
0-19 YRS	198	4.1	39	< 1	< 1	1	4	13	20	34
20-34	54	3.5	23	< 1	1	2	4	9	15	27
35-49	114	3.4	16	< 1	1	2	4	8	10	20
50-64	150	4.4	63	< 1	1	2	5	9	14	30
65 +	211	5.9	56	1	1	3	8	13	20	45
TOTAL SINGLE DX	521	1.3	4	< 1	< 1	< 1	1	1	2	10
TOTAL MULTIPLE DX	727	4.5	45	< 1	1	2	6	11	17	33
TOTAL										
0-19 YRS	542	2.3	19	< 1	< 1	< 1	1	4	11	26
20-34	110	2.6	16	< 1	< 1	1	2	6	9	23
35-49	161	2.8	13	< 1	< 1	1	3	7	9	14
50-64	193	3.7	51	< 1	1	1	3	9	12	30
65 +	242	5.3	52	< 1	1	2	7	13	18	43
GRAND TOTAL	1248	3.2	31	<1	<1	1	2	8	13	27

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	3.4	3	1	2	3	4	6	8	8
35-49	96	2.8	3	1	1	2	4	6	7	9
50-64	368	2.4	4	1	1	2	3	4	5	8
65 +	222	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	4	5.0	4	3	3	4	6	8	8	8
20-34	86	3.8	7	1	2	3	5	7	10	14
35-49	356	3.1	3	1	2	3	4	5	7	10
50-64	1045	3.0	6	1	2	2	4	5	6	12
65 +	697	2.9	4	1	1	2	4	5	7	11
TOTAL SINGLE DX	700	2.5	4	1	1	2	3	4	6	8
TOTAL MULTIPLE DX	2188	3.0	6	1	2	3	4	5	7	12
TOTAL										
0-19 YRS	5	4.2	7	1	2	4	6	8	8	8
20-34	99	3.7	7	1	2	3	5	7	10	14
35-49	452	3.1	4	1	2	3	4	5	7	10
50-64	1413	2.8	6	1	1	2	4	5	6	11
65 +	919	2.7	4	1	1	2	4	5	6	10
GRAND TOTAL	2888	2.9	5	1	1	2	4	5	6	11

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	2.4	13	<1	1	1	2	5	7	15
20-34	95	3.1	19	<1	<1	1	3	9	12	24
35-49	80	2.5	4	<1	1	2	3	5	7	10
50-64	79	2.8	5	1	1	2	4	6	8	11
65 +	59	4.0	14	<1	1	3	5	10	13	16
2. MULTIPLE DX										
0-19 YRS	211	3.2	14	1	1	2	4	7	11	22
20-34	127	6.6	50	1	2	4	8	17	26	29
35-49	142	7.2	70	1	1	5	9	17	24	57
50-64	162	5.0	31	1	1	3	6	12	19	25
65 +	220	7.1	70	1	3	5	9	15	20	41
TOTAL SINGLE DX	470	2.8	12	<1	1	1	3	6	10	16
TOTAL MULTIPLE DX	862	5.7	49	1	1	3	7	13	20	33
TOTAL										
0-19 YRS	368	2.9	14	<1	1	2	3	6	10	20
20-34	222	5.1	40	<1	1	2	6	12	22	28
35-49	222	5.5	52	1	1	3	7	13	20	47
50-64	241	4.3	24	1	1	2	5	9	15	24
65 +	279	6.5	60	1	2	4	8	14	18	39
GRAND TOTAL	1332	4.7	38	1	1	2	6	11	16	28

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	555	3.7	2	2	3	3	4	5	6	8
20-34	1464	3.6	1	2	3	4	4	5	6	8
35-49	253	3.8	1	2	3	4	5	5	6	8
50-64	26	5.4	4	3	4	5	7	8	9	11
65 +	16	5.7	4	4	4	5	6	9	10	11
2. MULTIPLE DX										
0-19 YRS	600	4.3	5	2	3	4	5	6	9	13
20-34	3539	4.1	3	2	3	4	5	6	7	11
35-49	941	4.7	9	2	3	4	5	7	10	16
50-64	116	8.7	57	3	5	7	10	16	18	49
65 +	153	11.8	89	5	6	9	14	24	32	98
TOTAL SINGLE DX	2314	3.7	2	2	3	4	4	5	6	8
TOTAL MULTIPLE DX	5349	4.6	11	2	3	4	5	7	9	17
TOTAL										
0-19 YRS	1155	4.0	4	2	3	4	5	6	7	11
20-34	5003	4.0	3	2	3	4	5	6	7	10
35-49	1194	4.5	8	2	3	4	5	7	9	15
50-64	142	8.1	49	3	4	7	9	14	18	44
65 +	169	11.2	85	4	5	8	14	23	32	92
GRAND TOTAL	7663	4.3	8	2	3	4	5	6	8	15

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	302	4.1	3	2	3	4	5	6	7	10
20-34	1180	4.0	2	3	3	4	4	5	6	10
35-49	688	4.1	3	3	3	4	5	6	7	11
50-64	93	4.4	2	3	3	4	5	6	8	10
65 +	49	5.8	20	3	4	5	6	8	11	31
2. MULTIPLE DX										
0-19 YRS	395	5.0	16	3	3	4	5	7	9	17
20-34	3597	4.5	5	3	3	4	5	7	9	14
35-49	2435	4.9	8	3	4	4	5	7	9	15
50-64	313	7.8	41	3	4	6	9	15	19	42
65 +	366	10.4	75	4	5	8	12	19	25	48
TOTAL SINGLE DX	2312	4.1	3	3	3	4	5	6	7	11
TOTAL MULTIPLE DX	7106	5.1	14	3	3	4	6	8	11	20
TOTAL										
0-19 YRS	697	4.6	11	3	3	4	5	7	8	15
20-34	4777	4.4	5	3	3	4	5	6	8	13
35-49	3123	4.7	7	3	3	4	5	7	9	14
50-64	406	7.0	35	3	4	5	8	13	17	36
65 +	415	9.8	71	4	5	7	11	18	25	47
GRAND TOTAL	9418	4.9	12	3	3	4	5	7	10	18

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.3	3	1	2	3	4	6	7	7
20-34	131	4.0	2	2	3	4	5	6	7	9
35-49	253	4.3	2	3	3	4	5	6	7	10
50-64	153	4.8	4	3	4	4	5	7	10	12
65 +	79	5.8	7	3	4	5	7	9	11	19
2. MULTIPLE DX										
0-19 YRS	13	5.2	6	3	4	4	6	8	11	12
20-34	843	4.4	3	3	3	4	5	6	8	11
35-49	2131	5.0	8	3	4	4	5	7	10	17
50-64	762	7.2	30	3	4	5	8	13	18	32
65 +	705	9.7	55	4	5	7	11	17	24	42
TOTAL SINGLE DX	628	4.5	4	3	3	4	5	6	8	12
TOTAL MULTIPLE DX	4454	6.0	22	3	4	5	6	10	14	28
TOTAL										
0-19 YRS	25	4.2	6	2	3	4	5	7	8	12
20-34	974	4.4	3	3	3	4	5	6	8	11
35-49	2384	4.9	7	3	4	4	5	7	10	16
50-64	915	6.8	27	3	4	5	7	12	16	30
65 +	784	9.3	52	4	5	7	10	17	23	41
GRAND TOTAL	5082	5.8	20	3	4	5	6	10	13	26

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	124	2.9	5	1	1	2	4	5	6	14
20-34	328	2.8	3	< 1	1	3	4	5	6	8
35-49	73	2.8	3	< 1	1	3	4	5	7	9
50-64	5	4.8	4	2	3	5	6	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	186	4.2	32	1	2	3	4	6	9	29
20-34	1371	3.5	4	1	2	3	4	5	6	12
35-49	388	3.9	11	1	2	3	5	6	9	15
50-64	19	5.3	8	2	4	5	6	8	12	15
65 +	18	15.7	387	2	4	8	20	37	67	82
TOTAL SINGLE DX	531	2.9	4	< 1	1	3	4	5	6	9
TOTAL MULTIPLE DX	1982	3.8	13	1	2	3	4	6	7	16
TOTAL										
0-19 YRS	310	3.7	22	1	2	3	4	6	8	23
20-34	1699	3.4	4	1	2	3	4	5	6	11
35-49	461	3.7	11	< 1	2	3	4	6	8	14
50-64	24	5.2	8	2	4	5	6	8	11	15
65 +	19	14.9	377	1	4	8	19	35	65	82
GRAND TOTAL	2513	3.6	11	1	2	3	4	6	7	15

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	595	1.1		< 1	< 1	< 1	< 1	1	1	4
35-49	269	1.1		< 1	< 1	< 1	< 1	1	1	3
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9	2.4	2	< 1	1	2	3	5	5	5
20-34	633	2.0	7	< 1	< 1	1	3	3	4	8
35-49	277	1.7	5	< 1	< 1	1	2	3	4	10
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
TOTAL SINGLE DX	869	1.1		< 1	< 1	< 1	< 1	1	1	4
TOTAL MULTIPLE DX	921	1.9	7	< 1	< 1	1	2	3	4	9
TOTAL										
0-19 YRS	12	2.1	2	< 1	< 1	2	3	4	5	5
20-34	1228	1.6	4	< 1	< 1	< 1	2	3	3	6
35-49	546	1.4	3	< 1	< 1	< 1	1	2	3	6
50-64	4	2.8	4	< 1	< 1	2	4	5	5	5
65 +	0									
GRAND TOTAL	1790	1.5	4	<1	<1	<1	1	3	3	6

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.7	1	< 1	< 1	1	2	4	4	4
20-34	843	1.7	1	< 1	1	1	2	3	4	5
35-49	342	1.8	1	< 1	1	1	3	4	4	5
50-64	6	2.2	1	1	1	2	3	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	40	2.9	3	1	2	2	3	5	7	9
20-34	6143	2.6	2	1	2	2	3	4	4	7
35-49	1392	2.8	3	1	2	3	3	4	5	9
50-64	9	4.3	3	3	3	4	5	7	9	9
65 +	0									
TOTAL SINGLE DX	1197	1.8	1	< 1	1	1	2	3	4	5
TOTAL MULTIPLE DX	7584	2.7	2	1	2	2	3	4	4	7
TOTAL										
0-19 YRS	46	2.7	3	1	2	2	3	5	7	9
20-34	6986	2.5	2	1	2	2	3	4	4	7
35-49	1734	2.6	3	1	1	2	3	4	5	8
50-64	15	3.5	4	1	2	3	4	5	8	9
65 +	0									
GRAND TOTAL	8781	2.5	2	1	2	2	3	4	4	7

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	288	3.6	1	2	3	3	4	5	6	7
20-34	3975	3.5	1	2	3	3	4	5	6	7
35-49	794	3.5	1	2	3	3	4	5	6	8
50-64	3	4.0	3	3	3	3	5	6	6	6
65 +	4	4.8	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	388	4.0	3	2	3	4	4	6	7	10
20-34	5749	3.9	2	2	3	4	4	5	6	9
35-49	1349	4.0	3	2	3	4	5	6	7	10
50-64	28	8.5	50	3	4	7	10	14	26	35
65 +	19	11.2	51	4	5	9	15	20	26	31
TOTAL SINGLE DX	5064	3.5	2	2	3	3	4	5	6	7
TOTAL MULTIPLE DX	7533	3.9	3	2	3	4	5	6	6	10
TOTAL										
0-19 YRS	676	3.8	3	2	3	4	4	6	6	9
20-34	9724	3.7	2	2	3	4	4	5	6	8
35-49	2143	3.8	3	2	3	4	4	6	6	9
50-64	31	8.1	47	3	3	7	9	14	24	35
65 +	23	10.1	49	4	5	8	15	19	24	31
GRAND TOTAL	12597	3.8	3	2	3	4	4	5	6	9

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.3		< 1	1	1	2	2	2	2
20-34	306	1.3		< 1	< 1	1	1	2	3	4
35-49	192	1.3		< 1	< 1	1	1	2	2	5
50-64	67	1.6	2	< 1	1	1	2	3	4	10
65 +	19	1.6		< 1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	13	5.2	133	< 1	< 1	1	2	19	38	42
20-34	287	1.7	6	< 1	1	1	2	4	5	6
35-49	221	2.4	17	< 1	1	1	2	4	6	25
50-64	114	2.3	9	< 1	1	1	2	4	7	18
65 +	75	3.8	63	1	1	1	3	6	14	52
TOTAL SINGLE DX	594	1.3	1	< 1	< 1	1	1	2	3	4
TOTAL MULTIPLE DX	710	2.3	19	< 1	1	1	2	4	6	21
TOTAL										
0-19 YRS	23	3.5	77	< 1	< 1	1	2	5	23	42
20-34	593	1.5	3	< 1	< 1	1	1	2	4	6
35-49	413	1.9	10	< 1	1	1	2	3	5	14
50-64	181	2.1	7	< 1	1	1	2	4	7	16
65 +	94	3.4	51	1	1	1	2	6	10	47
GRAND TOTAL	1304	1.9	11	< 1	1	1	2	3	5	14

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.1		< 1	< 1	< 1	1	2	2	2
20-34	186	1.3	1	< 1	< 1	< 1	1	2	3	9
35-49	114	1.7	2	< 1	< 1	1	2	4	5	9
50-64	51	2.1	5	< 1	< 1	1	2	6	7	12
65 +	52	3.2	13	< 1	1	2	4	6	8	25
2. MULTIPLE DX										
0-19 YRS	27	4.0	69	< 1	1	1	4	8	14	44
20-34	281	3.4	53	< 1	< 1	1	3	6	16	52
35-49	320	2.9	17	< 1	< 1	1	3	7	9	25
50-64	200	5.0	88	< 1	1	2	5	11	19	49
65 +	327	7.6	94	1	2	5	9	15	23	72
TOTAL SINGLE DX	428	1.7	4	< 1	< 1	< 1	2	3	6	10
TOTAL MULTIPLE DX	1155	4.7	65	< 1	1	2	5	11	18	44
TOTAL										
0-19 YRS	52	2.6	38	< 1	< 1	1	1	6	8	43
20-34	467	2.6	34	< 1	< 1	1	2	5	9	31
35-49	434	2.6	14	< 1	< 1	1	3	6	8	21
50-64	251	4.4	73	< 1	1	2	4	10	13	40
65 +	379	7.0	86	1	2	4	8	15	21	68
GRAND TOTAL	1583	3.9	50	<1	<1	1	4	9	14	35

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	2.1	1	1	1	2	3	4	5	7
20-34	1129	1.8	3	1	1	1	2	3	4	7
35-49	212	1.8	2	1	1	1	2	3	4	7
50-64	5	2.0	1	< 1	1	2	3	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	34	3.1	3	1	2	3	5	6	6	7
20-34	521	3.1	18	1	1	2	4	6	8	12
35-49	141	2.5	4	1	1	2	3	5	7	26
50-64	7	3.0	8	1	1	1	5	8	8	8
65 +	2	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	1415	1.8	3	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	705	3.0	15	1	1	2	4	6	8	13
TOTAL										
0-19 YRS	102	2.4	2	1	1	2	3	5	6	7
20-34	1650	2.2	9	1	1	1	3	4	5	11
35-49	353	2.1	3	1	1	2	2	4	5	10
50-64	12	2.6	5	< 1	1	2	3	7	8	8
65 +	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	2120	2.2	8	1	1	1	3	4	5	11

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.0	13	< 1	1	3	5	10	12	12
20-34	505	3.7	2	1	3	4	5	5	6	7
35-49	262	3.6	3	1	2	4	5	6	7	9
50-64	18	1.8	3	< 1	1	1	2	4	7	9
65 +	7	4.3	4	1	3	5	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	31	5.2	12	2	3	4	6	14	16	99 +
20-34	1314	4.4	7	2	3	4	5	7	8	14
35-49	1045	4.6	13	1	3	4	5	7	9	19
50-64	116	6.6	100	< 1	1	3	8	15	20	60
65 +	135	8.4	64	1	2	6	12	20	23	34
TOTAL SINGLE DX	800	3.6	3	1	3	4	5	6	6	9
TOTAL MULTIPLE DX	2641	4.8	18	1	3	4	6	7	10	22
TOTAL										
0-19 YRS	39	4.9	13	1	3	4	6	12	15	99 +
20-34	1819	4.2	6	2	3	4	5	6	7	13
35-49	1307	4.4	11	1	3	4	5	7	8	13
50-64	134	5.9	90	< 1	1	3	7	14	20	53
65 +	142	8.2	63	1	2	6	12	19	23	33
GRAND TOTAL	3441	4.5	15	1	3	4	5	7	9	20

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	5.5	15	1	2	5	8	12	13	13
20-34	1411	4.4	2	3	4	4	5	6	6	9
35-49	3166	4.6	1	3	4	4	5	6	7	9
50-64	1087	4.9	2	3	4	5	6	7	8	11
65 +	606	5.7	6	4	4	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	70	5.4	16	3	4	4	6	8	9	26
20-34	12413	4.8	4	3	4	4	5	6	8	12
35-49	37628	5.0	5	3	4	5	5	7	8	13
50-64	9580	5.7	11	4	4	5	6	8	10	19
65 +	4833	7.8	30	4	5	6	8	13	18	32
TOTAL SINGLE DX	6278	4.7	3	3	4	4	5	6	7	10
TOTAL MULTIPLE DX	64524	5.3	8	3	4	5	6	7	9	17
TOTAL										
0-19 YRS	78	5.4	16	2	4	4	6	8	11	26
20-34	13824	4.8	4	3	4	4	5	6	8	12
35-49	40794	5.0	5	3	4	5	5	7	8	13
50-64	10667	5.6	11	4	4	5	6	8	10	18
65 +	5439	7.6	28	4	5	6	8	13	17	31
GRAND TOTAL	70802	5.2	8	3	4	5	6	7	9	16

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	840	3.5	1	2	3	3	4	5	5	6
35-49	1155	3.8	2	2	3	4	4	5	6	8
50-64	700	4.7	2	3	4	4	5	7	7	9
65 +	633	5.2	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	12	2.8	2	< 1	1	3	4	5	5	5
20-34	4241	3.8	2	2	3	4	4	5	6	8
35-49	9301	4.0	2	3	3	4	5	6	7	9
50-64	3418	4.9	4	3	4	5	6	7	8	13
65 +	3211	5.9	9	4	4	5	7	8	10	16
TOTAL SINGLE DX	3332	4.1	3	3	3	4	5	6	7	9
TOTAL MULTIPLE DX	20183	4.4	4	3	3	4	5	6	8	11
TOTAL										
0-19 YRS	16	2.8	2	1	1	3	4	4	5	5
20-34	5081	3.8	2	2	3	4	4	5	6	8
35-49	10456	4.0	3	3	3	4	5	6	6	9
50-64	4118	4.9	4	3	4	5	6	7	8	12
65 +	3844	5.8	8	4	4	5	7	8	10	16
GRAND TOTAL	23515	4.4	4	3	3	4	5	6	7	11

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	47	7.6	4	5	6	7	9	10	12	15
35-49	51	7.6	4	5	6	8	9	10	11	14
50-64	24	10.4	48	6	7	9	11	14	28	38
65 +	15	8.4	10	5	7	8	9	11	16	18
2. MULTIPLE DX										
0-19 YRS	2	10.0	8	8	8	10	12	12	12	12
20-34	103	8.9	27	5	7	7	10	13	20	34
35-49	187	10.8	46	6	7	9	12	18	24	35
50-64	132	12.7	78	6	8	9	15	22	31	50
65 +	115	15.2	197	6	8	12	16	27	36	93
TOTAL SINGLE DX	138	8.2	13	5	6	8	9	11	12	26
TOTAL MULTIPLE DX	539	11.8	87	6	7	9	13	20	27	48
TOTAL										
0-19 YRS	3	10.0	4	8	8	10	11	12	12	12
20-34	150	8.5	21	5	6	7	9	12	16	32
35-49	238	10.1	39	6	7	8	11	16	21	32
50-64	156	12.3	75	6	8	9	13	22	31	46
65 +	130	14.4	181	6	8	11	15	24	36	92
GRAND TOTAL	677	11.1	74	6	7	9	12	18	25	42

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1795	1.3		< 1	< 1	1	1	2	3	5
20-34	10580	1.3	1	< 1	< 1	1	1	2	3	5
35-49	2670	1.2		< 1	< 1	1	1	2	2	5
50-64	379	1.3	1	< 1	< 1	< 1	1	2	3	6
65 +	158	1.9	5	< 1	< 1	1	2	3	5	17
2. MULTIPLE DX										
0-19 YRS	821	2.7	11	1	1	2	3	5	7	18
20-34	5528	2.5	10	< 1	1	2	3	5	7	14
35-49	3587	2.5	14	< 1	1	1	3	5	7	18
50-64	1275	3.6	36	< 1	1	1	4	8	13	37
65 +	1086	5.6	67	1	1	3	7	13	20	40
TOTAL SINGLE DX	15582	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	12297	2.9	20	< 1	1	2	3	6	9	22
TOTAL										
0-19 YRS	2616	1.8	4	< 1	1	1	2	3	4	9
20-34	16108	1.7	5	< 1	1	1	2	3	5	9
35-49	6257	2.0	9	< 1	< 1	1	2	4	6	14
50-64	1654	3.1	29	< 1	< 1	1	3	7	10	32
65 +	1244	5.2	61	< 1	1	2	6	12	19	37
GRAND TOTAL	27879	2.0	10	<1	<1	1	2	4	6	14

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	80	1.1		< 1	< 1	< 1	1	2	2	3
20-34	273	1.5	1	< 1	< 1	1	2	3	4	8
35-49	60	1.2		< 1	< 1	1	1	2	3	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	47	4.2	39	< 1	1	2	4	7	16	33
20-34	271	3.6	22	< 1	1	2	4	8	14	26
35-49	75	3.1	17	< 1	1	1	4	7	11	25
50-64	0									
65 +	0									
TOTAL SINGLE DX	413	1.4	1	< 1	< 1	1	1	2	3	7
TOTAL MULTIPLE DX	393	3.6	23	< 1	1	2	4	8	13	27
TOTAL										
0-19 YRS	127	2.3	17	< 1	< 1	1	2	4	6	31
20-34	544	2.5	13	< 1	1	1	3	5	8	20
35-49	135	2.3	11	< 1	1	1	2	5	7	19
50-64	0									
65 +	0									
GRAND TOTAL	806	2.5	13	<1	<1	1	2	5	8	20

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	133	1.4	10	< 1	< 1	< 1	< 1	1	2	11
20-34	418	1.2		< 1	< 1	< 1	1	1	2	4
35-49	101	1.2		< 1	< 1	< 1	1	1	2	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	319	1.7	23	< 1	< 1	< 1	< 1	2	4	17
20-34	1025	1.8	7	< 1	< 1	< 1	1	3	6	16
35-49	138	2.1	7	< 1	< 1	< 1	2	4	6	18
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
TOTAL SINGLE DX	652	1.2	3	< 1	< 1	< 1	1	1	2	4
TOTAL MULTIPLE DX	1483	1.8	11	< 1	< 1	< 1	1	3	6	16
TOTAL										
0-19 YRS	452	1.6	20	< 1	< 1	< 1	< 1	1	3	16
20-34	1443	1.6	6	< 1	< 1	< 1	1	2	5	13
35-49	239	1.7	5	< 1	< 1	< 1	1	3	5	13
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
GRAND TOTAL	2135	1.6	8	<1	<1	<1	1	2	5	13

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	440	1.2		< 1	< 1	1	1	2	3	5
20-34	2666	1.2		< 1	< 1	1	1	2	2	4
35-49	573	1.2	1	< 1	< 1	1	1	1	3	4
50-64	7	1.6	1	< 1	< 1	< 1	2	4	4	4
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	160	2.3	4	< 1	1	2	3	4	6	13
20-34	911	2.3	4	< 1	1	1	3	5	6	11
35-49	224	2.0	3	< 1	1	1	2	5	6	10
50-64	15	11.1	310	< 1	1	6	15	20	57	70
65 +	16	8.9	114	1	2	6	12	15	36	45
TOTAL SINGLE DX	3687	1.2		< 1	< 1	1	1	2	2	4
TOTAL MULTIPLE DX	1326	2.4	11	< 1	1	1	3	5	7	15
TOTAL										
0-19 YRS	600	1.5	2	< 1	< 1	1	1	3	4	8
20-34	3577	1.5	2	< 1	< 1	1	1	3	4	8
35-49	797	1.4	2	< 1	< 1	1	1	2	4	7
50-64	22	8.0	228	< 1	< 1	2	11	17	40	70
65 +	17	8.4	111	1	2	6	11	15	34	45
GRAND TOTAL	5013	1.5	3	<1	<1	1	1	3	4	8

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	3.0	2	< 1	2	3	4	5	6	7
35-49	9	4.2	4	2	3	4	5	8	8	8
50-64	3	4.3	1	3	3	5	5	5	5	5
65 +	7	4.4	5	2	3	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	9	4.3	7	1	2	4	6	9	9	9
20-34	149	4.0	12	1	3	4	4	6	8	24
35-49	28	3.6	3	2	2	3	5	6	7	8
50-64	8	5.5	2	3	4	5	7	8	8	8
65 +	24	7.3	23	3	3	6	10	15	18	20
TOTAL SINGLE DX	48	3.5	3	1	2	3	4	6	7	8
TOTAL MULTIPLE DX	218	4.4	13	2	3	4	5	8	9	21
TOTAL										
0-19 YRS	10	4.0	8	1	1	4	5	8	9	9
20-34	177	3.8	11	1	3	3	4	6	7	22
35-49	37	3.8	4	2	2	3	5	7	8	8
50-64	11	5.2	2	3	4	5	6	7	8	8
65 +	31	6.6	20	2	3	5	9	13	17	20
GRAND TOTAL	266	4.2	11	2	3	4	5	7	9	20

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	2.8	2	< 1	1	3	4	5	6	6
20-34	228	2.4	3	< 1	1	2	3	5	5	8
35-49	88	2.3	2	< 1	1	2	3	5	6	7
50-64	25	2.9	1	1	2	3	3	4	5	6
65 +	23	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	60	3.3	12	1	1	2	4	6	7	24
20-34	540	3.3	18	< 1	1	3	4	6	8	17
35-49	209	3.1	12	< 1	1	2	4	6	7	25
50-64	86	3.7	9	1	2	3	4	6	9	19
65 +	105	4.2	16	1	2	3	5	8	13	22
TOTAL SINGLE DX	403	2.5	3	< 1	1	2	3	5	5	7
TOTAL MULTIPLE DX	1000	3.4	16	< 1	1	3	4	6	8	21
TOTAL										
0-19 YRS	99	3.1	8	< 1	1	2	4	5	7	18
20-34	768	3.1	14	< 1	1	2	4	5	7	15
35-49	297	2.9	10	< 1	1	2	4	6	6	16
50-64	111	3.5	8	1	2	3	4	6	8	18
65 +	128	3.9	14	1	2	3	4	7	10	22
GRAND TOTAL	1403	3.1	13	<1	1	2	4	5	7	18

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		< 1	1	1	1	1	1	1
20-34	91	3.5	3	1	2	3	4	6	7	10
35-49	382	3.7	2	2	3	3	5	6	7	9
50-64	874	4.0	2	2	3	4	5	6	7	9
65 +	790	4.3	3	2	3	4	5	7	7	9
2. MULTIPLE DX										
0-19 YRS	7	3.7	3	2	2	3	5	6	6	6
20-34	229	3.7	3	2	2	4	5	6	7	9
35-49	1000	4.5	4	2	3	4	5	7	8	14
50-64	1855	4.7	4	3	3	4	6	7	8	13
65 +	2060	5.2	7	3	4	5	6	8	9	15
TOTAL SINGLE DX	2143	4.0	3	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	5151	4.8	6	3	3	4	6	7	9	14
TOTAL										
0-19 YRS	13	2.5	3	< 1	1	2	3	6	6	6
20-34	320	3.6	3	1	2	3	5	6	7	10
35-49	1382	4.3	4	2	3	4	5	7	8	13
50-64	2729	4.5	4	2	3	4	5	7	8	11
65 +	2850	5.0	6	3	3	5	6	7	9	14
GRAND TOTAL	7294	4.6	5	2	3	4	5	7	8	12

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	2.7	8	< 1	1	2	3	7	8	15
20-34	225	2.9	4	1	1	2	4	5	6	10
35-49	89	3.0	5	1	1	2	4	6	8	11
50-64	79	3.5	6	1	2	3	4	6	8	14
65 +	58	4.3	3	2	3	4	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	139	4.8	29	1	1	3	6	11	16	24
20-34	208	3.5	13	1	2	3	4	6	9	17
35-49	138	4.2	12	1	2	3	5	9	10	17
50-64	212	6.3	37	2	3	5	7	10	15	37
65 +	273	8.2	79	3	4	6	10	14	21	56
TOTAL SINGLE DX	543	3.1	6	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	970	5.8	43	1	2	4	7	11	15	34
TOTAL										
0-19 YRS	231	4.0	22	1	1	2	5	9	13	21
20-34	433	3.2	9	1	1	2	4	6	8	14
35-49	227	3.7	10	1	2	3	5	8	10	15
50-64	291	5.6	31	2	3	4	6	10	14	32
65 +	331	7.5	69	3	4	5	8	13	20	45
GRAND TOTAL	1513	4.8	31	1	2	4	6	9	13	27

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	86	3.1	8	< 1	1	2	4	7	10	14
20-34	292	2.8	5	< 1	1	2	4	6	7	11
35-49	116	3.1	9	< 1	1	2	4	7	10	14
50-64	98	3.1	4	1	1	3	4	5	6	13
65 +	134	3.8	4	2	2	3	5	6	8	10
2. MULTIPLE DX										
0-19 YRS	186	4.1	32	1	1	2	4	8	16	39
20-34	636	4.1	24	1	1	3	5	9	11	24
35-49	284	5.3	30	1	2	4	7	11	15	30
50-64	345	5.5	31	2	3	4	7	11	15	33
65 +	673	5.8	34	2	3	4	6	11	17	36
TOTAL SINGLE DX	726	3.1	6	< 1	1	2	4	6	8	12
TOTAL MULTIPLE DX	2124	5.0	31	1	2	4	6	10	14	33
TOTAL										
0-19 YRS	272	3.7	25	1	1	2	4	8	12	38
20-34	928	3.7	19	< 1	1	3	5	7	10	20
35-49	400	4.7	25	1	1	3	6	10	13	26
50-64	443	5.0	27	1	2	4	5	9	13	28
65 +	807	5.4	30	2	3	4	6	10	15	34
GRAND TOTAL	2850	4.5	25	1	2	3	5	9	13	27

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	176	2.2	6	< 1	1	1	2	4	6	18
20-34	374	1.8	4	< 1	1	1	2	3	4	7
35-49	218	1.5	1	< 1	< 1	1	2	3	4	8
50-64	76	1.6	1	< 1	< 1	1	2	3	3	9
65 +	60	2.7	8	< 1	< 1	1	3	6	7	18
2. MULTIPLE DX										
0-19 YRS	146	3.8	15	1	2	3	4	8	10	25
20-34	345	3.6	33	1	1	2	3	7	12	38
35-49	221	4.8	40	1	1	2	5	11	15	34
50-64	147	7.8	117	1	2	4	9	18	29	50
65 +	220	7.9	72	1	2	5	11	19	23	72
TOTAL SINGLE DX	904	1.8	4	< 1	1	1	2	3	5	9
TOTAL MULTIPLE DX	1079	5.3	55	1	2	3	6	12	19	42
TOTAL										
0-19 YRS	322	2.9	12	< 1	1	2	3	6	9	21
20-34	719	2.7	19	< 1	1	2	3	5	7	31
35-49	439	3.2	24	< 1	1	1	3	8	11	29
50-64	223	5.7	87	< 1	1	2	6	13	24	44
65 +	280	6.8	63	1	2	4	9	16	21	60
GRAND TOTAL	1983	3.7	35	< 1	1	2	4	8	13	33

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	9	2.9	12	< 1	1	1	3	9	12	12
35-49	22	5.1	11	1	2	4	8	11	11	11
50-64	30	4.9	20	1	1	3	7	12	13	19
65 +	30	4.9	12	1	2	4	8	10	11	14
2. MULTIPLE DX										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	20	7.6	23	3	4	7	9	15	18	20
35-49	42	9.6	260	1	2	5	10	19	34	99
50-64	85	9.0	68	2	3	7	11	19	27	42
65 +	195	10.8	91	3	5	8	13	22	31	66
TOTAL SINGLE DX	95	4.6	15	1	1	3	7	11	12	17
TOTAL MULTIPLE DX	344	10.0	102	2	4	8	12	20	30	57
TOTAL										
0-19 YRS	6	3.7	22	< 1	1	2	4	12	13	13
20-34	29	6.1	25	1	2	4	9	13	17	20
35-49	64	8.1	178	1	2	5	9	15	24	90
50-64	115	7.9	59	2	2	6	11	17	23	37
65 +	225	10.1	85	2	4	8	13	20	29	60
GRAND TOTAL	439	8.9	88	2	3	7	11	17	27	48

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	1.5	1	< 1	1	1	2	3	4	7
20-34	75	1.8		< 1	1	2	2	3	4	5
35-49	29	2.2	4	< 1	1	2	2	4	6	11
50-64	10	2.4	2	< 1	1	2	4	4	4	4
65 +	5	3.4	4	< 1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	55	3.2	25	1	1	2	3	6	11	34
20-34	98	2.3	2	1	1	2	3	4	5	9
35-49	38	2.9	8	1	1	2	4	6	10	14
50-64	19	4.3	10	1	2	3	5	10	11	11
65 +	12	4.3	4	1	3	4	6	7	7	7
TOTAL SINGLE DX	212	1.8	2	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	222	2.9	10	1	1	2	4	6	7	13
TOTAL										
0-19 YRS	148	2.1	11	1	1	1	2	4	6	13
20-34	173	2.1	2	< 1	1	2	2	4	5	7
35-49	67	2.6	7	1	1	2	3	6	7	14
50-64	29	3.6	8	1	2	3	4	9	11	11
65 +	17	4.1	4	1	2	4	6	7	7	7
GRAND TOTAL	**434**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.7	2	< 1	< 1	< 1	2	4	6	6
20-34	9	3.4	9	< 1	< 1	3	4	9	11	11
35-49	4	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	22	9.5	201	1	1	4	9	36	46	51
20-34	19	4.7	90	< 1	1	2	4	8	28	43
35-49	12	3.3	22	< 1	1	1	4	10	16	17
50-64	8	4.9	7	1	2	5	7	8	8	8
65 +	17	7.6	59	1	4	6	9	11	27	35
TOTAL SINGLE DX	34	2.1	4	< 1	< 1	1	3	5	6	11
TOTAL MULTIPLE DX	78	6.5	98	1	1	3	7	12	35	49
TOTAL										
0-19 YRS	41	5.9	122	< 1	< 1	2	5	15	38	51
20-34	28	4.3	63	< 1	1	2	4	8	14	43
35-49	16	2.8	17	< 1	1	1	2	7	14	17
50-64	9	4.4	8	1	2	5	7	8	8	8
65 +	18	7.2	58	1	3	6	9	11	25	35
GRAND TOTAL	**112**	**5.2**	**73**	**<1**	**1**	**2**	**6**	**10**	**17**	**46**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1807	2.4		1	2	2	3	3	4	4
20-34	9863	2.4		2	2	2	3	3	4	4
35-49	659	2.5		1	2	2	3	4	4	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2486	2.7	2	2	2	2	3	4	5	8
20-34	14611	2.7	2	2	2	3	3	4	4	8
35-49	1344	2.8	2	2	2	3	3	4	5	8
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
TOTAL SINGLE DX	12330	2.4	1	2	2	2	3	3	4	4
TOTAL MULTIPLE DX	18444	2.7	2	2	2	3	3	4	4	8
TOTAL										
0-19 YRS	4293	2.6	2	2	2	2	3	4	4	7
20-34	24474	2.6	2	2	2	2	3	4	4	6
35-49	2003	2.7	2	2	2	3	3	4	4	6
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	0									
GRAND TOTAL	**30774**	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**4**	**6**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	2.1		1	2	2	3	3	4	4
20-34	195	2.1		1	2	2	3	3	3	4
35-49	24	1.8		1	1	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	78	2.4	6	1	1	2	3	4	5	18
20-34	618	2.7	4	1	2	2	3	4	5	11
35-49	78	3.1	5	1	2	2	4	5	9	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
TOTAL SINGLE DX	241	2.1	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	775	2.7	5	1	2	2	3	4	5	11
TOTAL										
0-19 YRS	100	2.3	5	1	1	2	3	3	5	14
20-34	813	2.5	4	1	2	2	3	4	5	9
35-49	102	2.8	4	1	2	2	3	4	7	12
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**1016**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1110	2.1		1	2	2	3	3	3	5
20-34	7688	2.2		1	2	2	3	3	3	4
35-49	640	2.2		1	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1715	2.5	2	1	2	2	3	4	4	8
20-34	12682	2.5	2	1	2	2	3	4	4	7
35-49	1396	2.6	2	1	2	2	3	4	4	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	9438	2.2	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	15793	2.5	2	1	2	2	3	4	4	7
TOTAL										
0-19 YRS	2825	2.3	2	1	2	2	3	3	4	7
20-34	20370	2.4	2	1	2	2	3	3	4	6
35-49	2036	2.5	2	1	2	2	3	4	4	6
50-64	0									
65 +	0									
GRAND TOTAL	25231	2.4	2	1	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26311	2.1		1	2	2	3	3	3	4
20-34	160342	2.1		1	2	2	3	3	3	4
35-49	12411	2.2		1	2	2	3	3	3	4
50-64	19	2.1		1	2	2	2	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12227	2.6	4	1	2	2	3	4	5	10
20-34	81643	2.5	3	1	2	2	3	4	4	8
35-49	9026	2.7	4	1	2	2	3	4	5	9
50-64	8	5.1	53	1	2	3	4	17	23	23
65 +	0									
TOTAL SINGLE DX	199083	2.1	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	102904	2.6	4	1	2	2	3	4	4	9
TOTAL										
0-19 YRS	38538	2.3	2	1	2	2	3	3	4	7
20-34	241985	2.3	2	1	2	2	3	3	4	5
35-49	21437	2.4	2	1	2	2	3	3	4	6
50-64	27	3.0	16	1	2	2	3	3	7	23
65 +	0									
GRAND TOTAL	301987	2.3	2	1	2	2	3	3	4	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3013	4.1	1	3	3	4	5	5	6	8
20-34	29397	4.1	1	3	3	4	5	5	6	7
35-49	2619	4.3	1	3	4	4	5	5	6	7
50-64	2	6.5	13	4	4	6	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	9526	5.1	8	3	4	4	5	7	9	15
20-34	88285	4.8	8	3	4	4	5	6	7	15
35-49	12364	5.1	14	3	4	4	5	6	8	20
50-64	11	5.3	9	3	4	5	5	9	14	14
65 +	0									
TOTAL SINGLE DX	35031	4.1	2	3	4	4	5	5	6	7
TOTAL MULTIPLE DX	110186	4.8	9	3	4	4	5	6	8	15
TOTAL										
0-19 YRS	12539	4.8	7	3	4	4	5	7	8	14
20-34	117682	4.6	7	3	4	4	5	6	7	13
35-49	14983	4.9	12	3	4	4	5	6	7	18
50-64	13	5.5	9	3	4	5	5	10	13	14
65 +	0									
GRAND TOTAL	145217	4.7	7	3	4	4	5	6	7	13

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	111	4.2	1	3	4	4	5	6	6	8
20-34	672	4.1	4	3	3	4	4	5	6	7
35-49	57	4.5	1	3	4	4	5	6	7	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	329	5.6	15	3	4	5	6	8	10	21
20-34	2233	6.1	37	3	4	5	6	9	14	36
35-49	408	7.3	65	3	4	5	8	13	17	44
50-64	0									
65 +	0									
TOTAL SINGLE DX	840	4.2	4	3	3	4	5	5	6	8
TOTAL MULTIPLE DX	2970	6.2	39	3	4	5	6	9	14	36
TOTAL										
0-19 YRS	440	5.3	13	3	4	5	6	8	9	18
20-34	2905	5.6	31	3	4	4	5	8	12	32
35-49	465	7.0	59	3	4	5	7	11	16	44
50-64	0									
65 +	0									
GRAND TOTAL	3810	5.8	32	3	4	4	6	8	12	31

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	2.9	1	1	2	3	4	4	5	5
20-34	366	2.9	1	1	2	3	4	4	5	6
35-49	42	2.6	1	1	2	2	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	33	3.8	2	2	3	4	5	6	7	8
20-34	448	3.6	2	2	3	4	4	5	6	9
35-49	66	4.0	6	1	3	4	5	6	8	17
50-64	0									
65 +	0									
TOTAL SINGLE DX	452	2.9	2	1	2	3	4	4	5	6
TOTAL MULTIPLE DX	547	3.7	3	2	3	4	4	5	7	9
TOTAL										
0-19 YRS	77	3.3	2	2	2	3	4	5	5	8
20-34	814	3.3	2	1	2	3	4	5	6	8
35-49	108	3.4	5	1	2	3	4	5	7	15
50-64	0									
65 +	0									
GRAND TOTAL	999	3.3	3	1	2	3	4	5	6	8

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	1.5		1	1	1	2	2	3	4
20-34	99	1.6		1	1	1	2	3	4	5
35-49	16	1.5		1	1	1	2	2	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	27	1.8		1	1	2	2	3	3	3
20-34	90	2.4	17	1	1	2	3	3	4	28
35-49	30	1.8		1	1	2	2	3	3	4
50-64	0									
65 +	0									
TOTAL SINGLE DX	235	1.6	1	1	1	1	2	2	3	4
TOTAL MULTIPLE DX	147	2.2	11	1	1	2	2	3	4	10
TOTAL										
0-19 YRS	147	1.6		1	1	1	2	2	3	3
20-34	189	2.0	9	1	1	2	2	3	4	8
35-49	46	1.7	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
GRAND TOTAL	382	1.8	5	1	1	2	2	3	3	5

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	165	4.6	29	1	1	3	5	10	14	32
20-34	597	3.7	19	1	1	2	4	8	12	21
35-49	59	4.0	20	1	1	2	5	10	14	21
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	190	4.9	29	1	2	3	6	10	15	29
20-34	846	5.3	51	1	2	3	6	11	18	39
35-49	99	7.5	114	1	2	4	7	18	31	58
50-64	0									
65 +	0									
TOTAL SINGLE DX	821	3.9	22	1	1	2	4	9	13	22
TOTAL MULTIPLE DX	1135	5.5	53	1	2	3	6	11	18	40
TOTAL										
0-19 YRS	355	4.8	29	1	2	3	5	10	15	32
20-34	1443	4.7	39	1	1	3	5	10	15	29
35-49	158	6.2	82	1	2	3	6	13	21	45
50-64	0									
65 +	0									
GRAND TOTAL	1956	4.8	41	1	2	3	5	11	15	34

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2846	1.7	1	< 1	1	2	2	3	3	5
20-34	15593	1.9	1	< 1	1	2	2	3	3	6
35-49	1264	2.0	1	< 1	1	2	2	3	4	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1406	2.3	5	< 1	1	2	3	4	5	10
20-34	8088	2.5	8	< 1	1	2	3	4	5	13
35-49	830	2.7	10	< 1	1	2	3	4	6	18
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
TOTAL SINGLE DX	19705	1.9	2	< 1	1	2	2	3	3	6
TOTAL MULTIPLE DX	10326	2.5	8	< 1	1	2	3	4	5	12
TOTAL										
0-19 YRS	4252	1.9	3	< 1	1	2	2	3	4	7
20-34	23681	2.1	4	< 1	1	2	2	3	4	9
35-49	2094	2.3	6	< 1	1	2	3	3	4	9
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	30031	2.1	4	< 1	1	2	2	3	4	8

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4410	2.0		1	2	2	2	3	3	4
20-34	27653	2.0		1	1	2	2	3	3	4
35-49	2563	2.1	1	1	1	2	3	3	3	4
50-64	4	2.0		1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	5104	2.4	2	1	2	2	3	3	4	8
20-34	34376	2.4	2	1	2	2	3	3	4	7
35-49	3833	2.4	2	1	2	2	3	4	4	7
50-64	4	2.5		2	2	2	3	3	3	3
65 +	0									
TOTAL SINGLE DX	34630	2.0	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	43317	2.4	3	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	9514	2.2	2	1	2	2	3	3	4	6
20-34	62029	2.2	2	1	2	2	3	3	4	5
35-49	6396	2.3	2	1	2	2	3	3	4	6
50-64	8	2.3	1	1	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	77947	2.2	2	1	2	2	3	3	4	5

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	3.1	7	1	1	2	4	6	10	14
20-34	53	3.5	28	1	1	2	3	5	14	28
35-49	62	2.2	4	< 1	1	2	2	4	6	13
50-64	30	3.8	9	1	1	3	6	8	9	12
65 +	36	3.9	15	1	1	2	6	9	13	17
2. MULTIPLE DX										
0-19 YRS	91	4.4	76	1	2	3	5	8	10	58
20-34	79	4.3	13	1	2	3	5	10	13	17
35-49	98	6.9	57	1	2	3	10	19	23	33
50-64	116	9.5	197	1	2	5	10	20	35	78
65 +	167	10.6	109	2	3	8	14	24	27	48
TOTAL SINGLE DX	249	3.2	13	1	1	2	4	7	10	17
TOTAL MULTIPLE DX	551	7.8	106	1	2	4	10	18	25	55
TOTAL										
0-19 YRS	159	3.8	47	1	1	3	4	7	10	23
20-34	132	4.0	20	1	1	3	4	9	14	26
35-49	160	5.1	42	1	1	2	5	14	21	31
50-64	146	8.4	164	1	2	5	9	18	28	77
65 +	203	9.4	99	1	3	7	13	22	27	44
GRAND TOTAL	800	6.4	81	1	2	3	8	15	22	37

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1088	2.3	1	1	1	2	3	4	5	8
20-34	1660	2.1	1	1	1	2	3	3	4	5
35-49	960	2.1	1	1	1	2	3	3	4	5
50-64	206	1.9	1	1	1	2	2	3	4	6
65 +	43	2.0		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-19 YRS	1065	2.9	6	1	2	2	3	5	6	12
20-34	1268	2.7	3	1	2	2	3	4	5	9
35-49	710	2.7	3	1	2	2	3	4	5	8
50-64	228	2.8	8	1	1	2	3	5	8	24
65 +	84	6.9	96	1	2	3	7	19	28	47
TOTAL SINGLE DX	3957	2.2	1	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	3355	2.9	7	1	2	2	3	5	6	13
TOTAL										
0-19 YRS	2153	2.6	4	1	2	2	3	4	5	10
20-34	2928	2.4	2	1	2	2	3	4	5	7
35-49	1670	2.4	2	1	2	2	3	4	5	7
50-64	434	2.4	5	1	1	2	3	4	6	18
65 +	127	5.3	69	1	2	2	4	13	25	45
GRAND TOTAL	7312	2.5	4	1	2	2	3	4	5	9

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	236	2.0	1	1	1	2	2	3	5	7
20-34	343	2.4	6	1	1	2	3	4	5	8
35-49	75	2.9	5	1	1	2	4	6	7	12
50-64	16	2.2	2	1	1	2	3	4	5	6
65 +	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	409	3.6	19	1	1	3	4	7	8	23
20-34	592	4.4	17	1	2	3	5	9	12	27
35-49	189	5.4	46	1	2	4	6	10	13	43
50-64	57	6.0	83	1	2	3	6	13	24	50
65 +	59	8.2	50	2	3	6	12	17	22	34
TOTAL SINGLE DX	675	2.3	5	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1306	4.5	28	1	2	3	5	9	13	28
TOTAL										
0-19 YRS	645	3.0	14	1	1	2	4	6	7	20
20-34	935	3.6	14	1	2	3	4	7	10	23
35-49	264	4.7	36	1	2	3	5	8	12	26
50-64	73	5.2	68	1	1	3	5	10	18	48
65 +	64	7.7	50	2	2	5	11	17	21	33
GRAND TOTAL	1981	3.8	21	1	1	2	4	7	11	25

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	331	2.1	2	1	1	2	3	4	5	7
20-34	693	2.5	4	1	1	2	3	5	7	10
35-49	263	2.9	18	1	1	2	3	6	8	14
50-64	66	2.5	6	1	1	2	3	5	6	15
65 +	25	2.8	5	1	1	2	4	5	7	10
2. MULTIPLE DX										
0-19 YRS	665	5.5	34	1	2	4	7	11	15	30
20-34	1462	5.4	42	1	2	4	6	11	15	33
35-49	672	6.0	36	1	2	4	8	13	17	27
50-64	246	7.0	48	1	2	5	9	14	22	40
65 +	175	8.7	90	2	3	6	11	17	28	71
TOTAL SINGLE DX	1378	2.5	7	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	3220	5.9	43	1	2	4	7	12	17	33
TOTAL										
0-19 YRS	996	4.4	26	1	1	3	5	9	13	28
20-34	2155	4.5	32	1	2	3	5	9	13	28
35-49	935	5.1	34	1	2	3	6	12	15	25
50-64	312	6.0	43	1	2	4	8	13	19	38
65 +	200	8.0	84	1	3	5	11	16	26	69
GRAND TOTAL	4598	4.8	35	1	2	3	6	10	15	30

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	98	2.4	2	1	1	2	3	4	5	8
20-34	43	2.4	3	1	1	2	3	4	6	11
35-49	61	3.4	25	1	1	2	3	6	10	35
50-64	56	1.9	2	1	1	1	2	4	5	8
65 +	19	1.9	1	1	1	1	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	126	3.3	14	1	2	3	4	6	7	22
20-34	92	4.4	39	1	1	2	4	10	17	32
35-49	87	4.0	17	1	1	2	5	10	12	21
50-64	90	3.5	23	1	1	2	3	7	11	29
65 +	62	6.3	105	1	1	3	7	16	18	68
TOTAL SINGLE DX	277	2.5	8	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	457	4.1	35	1	1	2	4	8	14	29
TOTAL										
0-19 YRS	224	2.9	9	1	1	2	3	5	7	14
20-34	135	3.8	29	1	1	2	3	8	14	30
35-49	148	3.8	20	1	1	2	4	8	12	23
50-64	146	2.9	16	1	1	2	3	6	9	19
65 +	81	5.3	84	1	1	3	6	15	17	58
GRAND TOTAL	734	3.5	25	1	1	2	4	7	11	27

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	347	5.0	20	2	3	4	6	9	12	28
20-34	37	4.4	7	1	2	3	7	8	9	12
35-49	32	4.4	8	1	2	4	5	8	11	13
50-64	19	7.0	14	2	5	7	8	14	15	15
65 +	12	8.8	21	3	6	8	11	17	18	18
2. MULTIPLE DX										
0-19 YRS	649	5.8	48	2	3	4	6	10	14	35
20-34	83	7.9	56	3	4	6	9	14	21	47
35-49	56	8.2	35	3	4	6	10	17	21	28
50-64	39	12.5	123	3	5	9	15	31	38	50
65 +	44	17.2	206	4	10	12	21	32	38	85
TOTAL SINGLE DX	447	5.1	19	2	3	4	6	9	12	28
TOTAL MULTIPLE DX	871	7.1	67	2	3	5	8	13	20	45
TOTAL										
0-19 YRS	996	5.6	39	2	3	4	6	9	13	32
20-34	120	6.8	44	2	3	5	8	12	17	40
35-49	88	6.8	29	2	4	5	8	15	19	26
50-64	58	10.7	94	2	5	8	14	21	34	49
65 +	56	15.4	178	4	8	11	19	31	35	83
GRAND TOTAL	1318	6.4	51	2	3	4	7	11	17	35

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	723	3.3	12	1	1	2	4	6	8	21
20-34	283	3.1	6	1	1	2	4	6	7	13
35-49	323	3.4	4	1	2	3	4	5	7	11
50-64	361	4.1	5	2	3	4	5	7	8	13
65 +	73	3.9	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	698	5.1	52	1	2	3	5	10	14	36
20-34	370	5.0	45	1	2	3	5	10	15	45
35-49	488	5.1	45	1	2	3	6	9	13	32
50-64	621	5.4	40	1	3	4	6	10	14	37
65 +	317	8.2	93	2	3	5	9	17	25	49
TOTAL SINGLE DX	1763	3.5	9	1	2	3	4	6	8	14
TOTAL MULTIPLE DX	2494	5.5	54	1	2	4	6	10	16	43
TOTAL										
0-19 YRS	1421	4.2	33	1	2	3	4	8	12	26
20-34	653	4.2	30	1	2	3	5	7	12	27
35-49	811	4.4	30	1	2	3	5	8	11	28
50-64	982	4.9	28	1	3	4	6	8	11	25
65 +	390	7.4	80	2	3	5	8	15	21	47
GRAND TOTAL	4257	4.7	36	1	2	3	5	9	13	31

713: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	223	2.0	1	1	1	2	3	4	4	6
20-34	390	1.8	1	1	1	2	2	3	4	5
35-49	529	1.9	1	1	1	2	2	3	4	5
50-64	466	1.9	1	1	1	2	3	3	4	6
65 +	171	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	406	2.3	8	1	1	2	3	4	5	6
20-34	800	2.2	12	1	1	2	3	4	4	7
35-49	1314	2.2	4	1	1	2	3	4	5	7
50-64	1971	2.3	3	1	1	2	3	4	5	7
65 +	1556	2.9	9	1	1	2	3	5	6	14
TOTAL SINGLE DX	1779	1.9	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	6047	2.4	7	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	629	2.2	6	1	1	2	3	4	4	6
20-34	1190	2.1	9	1	1	2	3	4	4	6
35-49	1843	2.1	4	1	1	2	3	4	5	7
50-64	2437	2.3	3	1	1	2	3	4	5	7
65 +	1727	2.8	9	1	1	2	3	5	6	14
GRAND TOTAL	7826	2.3	6	1	1	2	3	4	5	9

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	456	3.3	16	1	1	2	4	7	11	22
20-34	162	4.4	35	1	1	2	4	10	16	36
35-49	103	3.2	8	1	1	2	4	8	9	13
50-64	64	4.6	42	1	1	3	5	8	22	36
65 +	28	5.7	24	1	2	3	7	14	16	18
2. MULTIPLE DX										
0-19 YRS	235	11.2	122	1	3	7	17	29	34	99 +
20-34	201	13.1	253	1	3	7	17	41	60	99 +
35-49	154	13.1	298	1	2	5	17	41	57	83
50-64	159	14.2	248	2	3	9	19	35	44	90
65 +	246	16.0	256	3	6	12	20	41	53	96
TOTAL SINGLE DX	813	3.7	22	1	1	2	4	8	13	26
TOTAL MULTIPLE DX	995	13.5	231	1	3	8	18	34	50	96
TOTAL										
0-19 YRS	691	6.0	67	1	1	3	7	17	27	47
20-34	363	9.2	175	1	2	4	11	24	43	92
35-49	257	9.2	206	1	2	3	9	27	43	81
50-64	223	11.4	208	1	2	5	15	31	39	72
65 +	274	15.0	242	2	5	11	18	35	51	91
GRAND TOTAL	1808	9.1	161	1	2	4	11	24	37	74

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1845	3.0	18	1	1	2	3	6	9	21
20-34	1731	2.9	9	1	1	2	3	5	8	16
35-49	1537	3.0	14	1	1	2	3	6	9	17
50-64	870	3.3	18	1	1	2	4	6	9	22
65 +	469	3.7	17	1	1	3	4	8	10	23
2. MULTIPLE DX										
0-19 YRS	1233	7.2	93	1	2	4	9	18	28	49
20-34	2067	6.8	93	1	2	3	7	17	27	50
35-49	2147	6.6	102	1	2	3	7	15	26	56
50-64	2123	8.0	110	1	2	4	10	21	30	55
65 +	2346	10.5	141	1	3	7	14	24	35	62
TOTAL SINGLE DX	6452	3.1	15	1	1	2	3	6	9	19
TOTAL MULTIPLE DX	9916	7.9	113	1	2	4	9	20	29	56
TOTAL										
0-19 YRS	3078	4.7	53	1	1	2	5	11	17	41
20-34	3798	5.0	59	1	1	3	5	11	18	43
35-49	3684	5.1	69	1	1	2	5	11	19	48
50-64	2993	6.7	88	1	2	3	7	17	26	50
65 +	2815	9.4	127	1	2	5	12	22	32	60
GRAND TOTAL	16368	6.0	80	1	1	3	6	15	23	48

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1070	5.1	36	1	2	3	6	9	15	31
20-34	104	6.9	31	3	4	5	9	13	15	34
35-49	86	5.9	11	3	3	5	7	10	11	20
50-64	105	7.3	37	3	4	6	9	11	13	43
65 +	269	8.7	21	4	6	8	11	15	16	26
2. MULTIPLE DX										
0-19 YRS	555	8.5	106	1	2	5	10	22	29	52
20-34	199	11.7	177	3	5	8	13	21	35	83
35-49	171	10.3	140	3	5	7	12	20	30	89
50-64	293	11.2	84	4	6	9	13	20	27	52
65 +	1527	13.1	97	5	8	10	15	25	34	65
TOTAL SINGLE DX	1634	6.0	34	2	3	4	7	11	16	30
TOTAL MULTIPLE DX	2745	11.7	110	3	6	9	14	23	32	65
TOTAL										
0-19 YRS	1625	6.2	63	1	2	4	7	14	22	40
20-34	303	10.0	133	3	4	7	11	17	25	80
35-49	257	8.8	101	3	4	6	9	17	24	72
50-64	398	10.2	75	4	5	8	11	18	26	50
65 +	1796	12.5	88	5	7	10	15	22	31	60
GRAND TOTAL	4379	9.6	89	2	4	7	12	19	27	58

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	488	3.9	51	1	1	2	4	7	11	39
20-34	494	3.1	13	1	1	3	4	5	7	11
35-49	291	3.8	16	1	2	3	5	7	8	18
50-64	154	4.1	14	1	2	3	5	8	10	21
65 +	75	4.6	11	1	2	4	6	10	12	14
2. MULTIPLE DX										
0-19 YRS	429	5.1	58	1	2	3	5	11	20	42
20-34	503	5.4	52	1	2	3	6	11	16	41
35-49	387	6.5	116	1	2	4	6	12	19	71
50-64	310	7.5	104	1	3	4	8	15	29	51
65 +	293	8.6	65	2	4	6	11	17	27	48
TOTAL SINGLE DX	1502	3.7	26	1	1	3	4	7	9	21
TOTAL MULTIPLE DX	1922	6.4	78	1	2	4	7	13	21	47
TOTAL										
0-19 YRS	917	4.4	55	1	1	2	4	8	14	42
20-34	997	4.3	34	1	2	3	5	8	12	32
35-49	678	5.3	75	1	2	3	5	9	15	52
50-64	464	6.3	77	1	2	4	7	11	25	47
65 +	368	7.8	57	2	3	6	10	15	21	47
GRAND TOTAL	3424	5.2	57	1	2	3	5	10	15	43

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1184	2.0	6	<1	1	1	2	3	4	15
20-34	1326	2.1	5	<1	1	1	2	4	5	14
35-49	825	2.2	4	<1	1	1	2	4	6	10
50-64	496	2.4	6	<1	1	2	3	5	7	15
65 +	399	3.6	17	<1	1	2	4	7	11	23
2. MULTIPLE DX										
0-19 YRS	1101	4.0	69	1	1	2	3	7	14	53
20-34	905	4.6	51	1	1	2	5	10	18	44
35-49	659	5.3	75	1	1	3	5	10	18	50
50-64	615	6.0	78	1	1	3	7	13	22	48
65 +	1103	8.6	109	1	2	5	11	19	30	74
TOTAL SINGLE DX	4230	2.3	7	<1	1	1	2	4	6	15
TOTAL MULTIPLE DX	4383	5.8	81	1	1	3	6	13	22	55
TOTAL										
0-19 YRS	2285	2.9	38	<1	1	1	3	5	9	32
20-34	2231	3.2	26	1	1	2	3	6	10	30
35-49	1484	3.5	38	1	1	2	4	7	10	31
50-64	1111	4.4	49	1	1	2	5	9	15	42
65 +	1502	7.3	90	1	2	4	9	16	25	59
GRAND TOTAL	8613	4.0	48	1	1	2	4	9	14	39

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	266	12.8	111	3	4	8	21	28	34	40
20-34	112	7.3	16	4	5	6	9	12	16	24
35-49	72	6.8	13	3	5	6	9	11	13	22
50-64	125	8.0	26	4	5	6	10	14	16	29
65 +	276	9.9	37	5	7	9	12	15	18	34
2. MULTIPLE DX										
0-19 YRS	319	14.4	144	4	6	11	19	30	38	60
20-34	260	12.1	81	5	7	10	14	20	29	60
35-49	119	15.5	202	5	7	11	18	43	57	99 +
50-64	286	13.3	148	5	7	10	13	26	39	73
65 +	2084	13.1	89	6	8	11	15	23	32	70
TOTAL SINGLE DX	851	9.9	59	4	5	8	12	20	26	37
TOTAL MULTIPLE DX	3068	13.3	105	5	8	10	15	24	35	67
TOTAL										
0-19 YRS	585	13.7	130	3	5	10	20	29	36	55
20-34	372	10.7	67	4	6	9	13	18	22	46
35-49	191	12.3	149	4	5	8	13	24	44	87
50-64	411	11.7	117	5	6	9	12	21	29	65
65 +	2360	12.8	84	6	8	10	15	22	31	66
GRAND TOTAL	3919	12.6	97	5	7	10	15	23	32	64

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	374	7.0	46	2	3	5	8	12	17	37
20-34	289	7.9	24	3	5	7	10	14	17	29
35-49	263	7.6	18	3	5	7	9	13	15	19
50-64	494	9.0	26	4	6	8	11	14	17	32
65 +	1909	10.8	35	6	7	10	13	16	20	31
2. MULTIPLE DX										
0-19 YRS	598	12.3	98	4	6	10	15	23	32	55
20-34	933	14.1	137	5	8	11	17	25	34	70
35-49	762	14.3	116	6	8	11	17	26	37	69
50-64	1743	14.3	112	6	8	11	16	25	36	79
65 +	16120	15.3	123	7	9	12	17	28	38	83
TOTAL SINGLE DX	3329	9.6	35	4	6	9	12	15	18	31
TOTAL MULTIPLE DX	20156	15.0	122	7	9	12	17	27	38	81
TOTAL										
0-19 YRS	972	10.3	85	3	5	8	12	20	26	50
20-34	1222	12.7	118	4	7	10	15	23	32	65
35-49	1025	12.6	99	5	7	10	15	23	33	62
50-64	2237	13.1	98	6	8	11	15	23	32	73
65 +	18029	14.8	116	7	9	12	17	26	36	80
GRAND TOTAL	23485	14.2	114	6	8	11	16	25	35	75

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	858	7.7	85	1	2	3	10	22	29	38
20-34	36	13.5	303	2	4	7	16	39	44	90
35-49	15	12.3	158	3	5	7	19	38	39	40
50-64	26	11.1	159	2	4	6	9	34	45	47
65 +	79	7.5	47	1	3	6	9	14	22	38
2. MULTIPLE DX										
0-19 YRS	536	13.2	172	2	3	9	20	29	38	64
20-34	87	15.6	270	3	5	10	22	43	52	99 +
35-49	75	20.8	317	3	7	15	30	46	65	94
50-64	83	14.8	262	2	5	9	17	43	55	64
65 +	340	15.4	274	3	5	10	18	39	54	97
TOTAL SINGLE DX	1014	8.1	94	1	2	4	10	23	29	42
TOTAL MULTIPLE DX	1121	14.7	230	2	4	10	20	34	48	83
TOTAL										
0-19 YRS	1394	9.8	126	1	2	5	15	26	31	49
20-34	123	15.0	279	3	4	9	21	41	50	99 +
35-49	90	19.4	299	3	6	14	28	44	57	91
50-64	109	13.9	239	2	4	8	16	40	53	64
65 +	419	13.9	241	2	5	9	17	34	50	91
GRAND TOTAL	2135	11.5	177	1	3	6	16	29	39	71

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1157	2.4	10	1	1	1	2	4	7	19
20-34	426	2.9	7	1	1	2	4	6	8	14
35-49	370	3.3	10	1	1	2	4	7	9	17
50-64	270	2.6	4	1	1	2	3	5	7	10
65 +	181	2.9	8	1	1	2	3	7	9	17
2. MULTIPLE DX										
0-19 YRS	353	5.4	43	1	1	3	7	14	19	27
20-34	342	6.0	50	1	2	4	7	13	17	47
35-49	307	7.0	71	1	2	4	9	15	25	44
50-64	301	6.3	59	1	2	4	7	14	21	43
65 +	451	7.4	86	1	2	5	9	15	22	53
TOTAL SINGLE DX	2404	2.7	9	1	1	2	3	5	8	18
TOTAL MULTIPLE DX	1754	6.5	64	1	2	4	8	14	20	46
TOTAL										
0-19 YRS	1510	3.1	20	1	1	2	3	7	13	22
20-34	768	4.3	29	1	1	3	5	9	13	27
35-49	677	5.0	42	1	1	3	6	11	16	33
50-64	571	4.6	37	1	1	3	5	9	15	37
65 +	632	6.1	68	1	2	4	7	13	19	50
GRAND TOTAL	4158	4.3	36	1	1	2	5	10	14	31

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4341	2.4	5	1	1	2	3	4	6	9
20-34	5391	3.1	5	1	2	3	4	6	7	12
35-49	4117	3.5	5	1	2	3	4	6	8	12
50-64	2837	3.9	7	1	2	3	5	7	9	13
65 +	1637	4.9	13	2	3	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	2246	5.1	39	1	2	3	6	11	15	35
20-34	4694	6.1	50	1	2	4	7	13	18	39
35-49	3761	6.7	62	2	3	4	7	13	20	46
50-64	3482	7.1	52	2	3	5	8	14	20	41
65 +	4435	8.7	67	3	4	6	10	17	24	46
TOTAL SINGLE DX	18323	3.3	7	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	18618	6.9	57	2	3	5	8	14	20	43
TOTAL										
0-19 YRS	6587	3.3	18	1	1	2	4	6	9	22
20-34	10085	4.5	29	1	2	3	5	9	13	27
35-49	7878	5.0	35	1	2	4	6	9	13	32
50-64	6319	5.7	35	2	3	4	7	11	15	33
65 +	6072	7.7	56	2	4	6	9	15	20	42
GRAND TOTAL	36941	5.1	36	1	2	4	6	10	15	32

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5531	1.9	5	1	1	1	2	3	5	13
20-34	1245	2.9	6	1	1	2	3	6	8	14
35-49	1020	2.9	6	1	1	2	4	6	7	12
50-64	796	2.9	7	1	1	2	4	6	7	14
65 +	702	3.6	18	1	1	2	4	7	10	20
2. MULTIPLE DX										
0-19 YRS	1830	4.5	50	1	1	2	5	10	15	37
20-34	1374	6.0	64	1	2	3	7	13	20	47
35-49	1083	6.1	69	1	2	4	7	13	20	50
50-64	1081	6.6	71	1	2	4	7	16	22	47
65 +	2549	8.2	106	1	3	5	10	17	28	76
TOTAL SINGLE DX	9294	2.4	7	1	1	1	3	5	7	14
TOTAL MULTIPLE DX	7917	6.5	78	1	2	4	7	14	22	54
TOTAL										
0-19 YRS	7361	2.6	18	1	1	1	2	5	8	20
20-34	2619	4.5	40	1	1	3	5	9	14	36
35-49	2103	4.6	42	1	2	3	5	9	14	35
50-64	1877	5.1	48	1	2	3	6	11	17	34
65 +	3251	7.2	91	1	2	4	8	15	24	65
GRAND TOTAL	17211	4.3	44	1	1	2	5	9	14	36

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	414	5.5	31	1	2	4	7	14	17	26
20-34	51	3.9	11	1	1	3	5	7	14	15
35-49	36	4.9	30	1	1	3	5	15	17	24
50-64	77	3.8	21	1	1	2	4	10	13	25
65 +	286	4.3	19	1	1	3	5	8	12	24
2. MULTIPLE DX										
0-19 YRS	269	7.5	66	2	3	5	9	18	24	40
20-34	155	9.9	136	2	4	6	12	21	26	62
35-49	53	11.6	201	2	4	8	12	24	54	68
50-64	120	8.2	95	1	2	5	10	19	31	45
65 +	539	9.3	130	1	3	6	11	21	35	68
TOTAL SINGLE DX	864	4.8	26	1	1	3	6	12	16	25
TOTAL MULTIPLE DX	1136	9.0	116	2	3	5	11	20	31	60
TOTAL										
0-19 YRS	683	6.3	46	1	2	4	8	15	20	31
20-34	206	8.4	112	1	3	6	10	16	25	61
35-49	89	8.9	142	1	2	5	10	17	33	64
50-64	197	6.5	71	1	2	3	8	16	25	43
65 +	825	7.6	97	1	2	4	9	18	26	56
GRAND TOTAL	2000	7.2	81	1	2	4	9	16	23	50

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	363	1.9	4	<1	1	1	2	3	5	10
20-34	541	2.1	2	<1	1	1	3	4	5	8
35-49	302	2.3	3	1	1	2	3	4	6	11
50-64	147	2.4	6	<1	1	2	3	4	6	28
65 +	109	3.3	78	<1	1	2	4	5	7	43
2. MULTIPLE DX										
0-19 YRS	192	4.6	51	1	1	3	5	10	15	41
20-34	370	4.3	23	1	1	3	5	9	14	26
35-49	251	4.6	41	1	1	3	5	11	14	32
50-64	225	5.5	58	1	2	3	7	12	17	31
65 +	410	7.1	101	1	2	4	8	17	25	57
TOTAL SINGLE DX	1462	2.2	10	<1	1	1	3	4	5	10
TOTAL MULTIPLE DX	1448	5.4	59	1	1	3	6	12	18	39
TOTAL										
0-19 YRS	555	2.8	22	1	1	1	3	5	9	23
20-34	911	3.0	13	1	1	2	4	6	9	20
35-49	553	3.3	22	1	[illegible]	2	4	7	11	18
50-64	372	4.3	40	1	[illegible]	3	5	10	15	27
65 +	519	6.3	99	1	[illegible]	3	7	15	24	56
GRAND TOTAL	2910	3.8	37	1	1	2	4	8	12	28

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	972	3.8	24	1	1	2	4	9	14	22
20-34	668	2.9	11	<1	1	2	3	6	8	14
35-49	442	3.1	15	<1	1	2	3	6	9	27
50-64	219	4.0	37	1	1	2	4	8	12	33
65 +	158	8.2	101	1	2	5	10	16	31	52
2. MULTIPLE DX										
0-19 YRS	1001	7.1	74	1	2	4	9	19	25	42
20-34	840	4.7	44	1	1	3	5	10	15	39
35-49	752	5.9	84	1	1	3	7	14	23	57
50-64	583	10.4	166	1	2	6	13	27	41	67
65 +	902	14.9	228	2	5	10	20	37	51	99 +
TOTAL SINGLE DX	2459	3.7	27	1	1	2	4	8	12	26
TOTAL MULTIPLE DX	4078	8.6	132	1	2	4	11	22	33	63
TOTAL										
0-19 YRS	1973	5.4	53	1	1	2	6	14	21	36
20-34	1508	3.9	31	1	1	2	4	8	12	29
35-49	1194	4.9	61	1	1	2	5	10	18	41
50-64	802	8.6	139	1	2	4	10	22	36	58
65 +	1060	13.9	215	2	4	9	19	34	49	90
GRAND TOTAL	6537	6.7	98	1	1	3	8	17	27	55

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.4	3	<1	1	2	3	5	7	7
20-34	59	2.9	7	<1	1	2	4	5	8	17
35-49	74	2.9	11	1	1	2	3	5	8	20
50-64	22	3.3	7	1	2	2	3	8	9	10
65 +	6	3.2	15	<1	1	2	3	10	11	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	13	7.4	79	1	2	4	8	25	27	28
35-49	16	4.4	9	1	2	4	6	8	11	13
50-64	10	7.5	29	2	3	6	11	16	18	18
65 +	5	10.4	26	4	6	11	14	17	17	17
TOTAL SINGLE DX	172	2.9	9	1	1	2	3	6	9	18
TOTAL MULTIPLE DX	44	6.7	38	1	2	5	8	14	20	28
TOTAL										
0-19 YRS	11	2.4	3	<1	1	2	3	5	7	7
20-34	72	3.7	23	<1	1	2	4	7	13	27
35-49	90	3.1	11	1	1	2	4	6	8	19
50-64	32	4.6	17	1	2	3	7	10	14	18
65 +	11	6.5	32	<1	1	4	11	15	17	17
GRAND TOTAL	216	3.7	17	1	1	2	4	8	12	22

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	280	5.0	22	2	3	4	5	9	11	23
20-34	6866	4.7	8	2	3	4	6	8	10	16
35-49	11463	4.8	8	2	3	4	6	8	10	15
50-64	4248	5.2	10	2	3	4	6	9	11	18
65 +	1066	6.4	15	3	4	5	8	11	14	21
2. MULTIPLE DX										
0-19 YRS	123	10.9	69	4	5	7	17	24	28	56
20-34	2519	6.8	33	3	4	5	8	12	17	30
35-49	6424	6.6	25	3	4	5	8	12	16	27
50-64	5188	7.5	35	3	4	6	9	13	18	31
65 +	3747	10.1	59	4	5	8	12	19	25	41
TOTAL SINGLE DX	23923	4.9	10	2	3	4	6	8	11	17
TOTAL MULTIPLE DX	18001	7.7	39	3	4	6	9	14	19	33
TOTAL										
0-19 YRS	403	6.8	44	2	3	4	7	16	22	33
20-34	9385	5.3	16	2	3	4	6	9	12	21
35-49	17887	5.5	16	2	3	5	7	9	12	20
50-64	9436	6.4	25	3	4	5	8	11	15	26
65 +	4813	9.3	52	3	5	7	11	17	23	38
GRAND TOTAL	41924	6.1	24	2	3	5	7	11	15	26

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	245	1.5		< 1	< 1	1	2	3	4	5
20-34	547	1.6	1	< 1	< 1	1	2	3	4	6
35-49	424	1.6	1	< 1	< 1	1	2	3	4	5
50-64	224	1.6	1	< 1	< 1	1	2	3	4	7
65 +	87	1.5		< 1	< 1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	501	2.4	3	< 1	1	2	3	4	5	7
20-34	1343	2.4	3	< 1	1	2	3	4	5	8
35-49	917	2.2	5	< 1	1	1	3	4	5	10
50-64	821	2.5	25	< 1	1	1	2	5	6	21
65 +	572	2.6	10	< 1	1	2	3	5	9	19
TOTAL SINGLE DX	1527	1.6	1	< 1	< 1	1	2	3	4	6
TOTAL MULTIPLE DX	4154	2.4	9	< 1	1	2	3	4	6	13
TOTAL										
0-19 YRS	746	2.1	3	< 1	1	2	3	4	4	6
20-34	1890	2.2	3	< 1	1	2	3	4	5	8
35-49	1341	2.0	4	< 1	< 1	1	2	4	5	9
50-64	1045	2.3	20	< 1	1	1	2	4	6	20
65 +	659	2.5	9	< 1	1	1	3	5	8	18
GRAND TOTAL	5681	2.2	7	<1	1	1	3	4	5	11

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	455	2.2	7	< 1	< 1	1	2	4	6	15
20-34	608	1.8	2	< 1	< 1	1	2	3	5	9
35-49	335	1.8	1	< 1	< 1	1	2	4	5	7
50-64	177	2.5	9	< 1	< 1	1	3	5	7	17
65 +	70	2.8	16	< 1	< 1	1	3	6	9	25
2. MULTIPLE DX										
0-19 YRS	374	3.3	40	< 1	1	1	3	6	13	34
20-34	716	3.0	27	< 1	1	2	3	5	9	24
35-49	482	3.0	23	< 1	1	2	3	6	10	30
50-64	334	3.5	27	< 1	1	2	3	8	12	27
65 +	230	6.5	117	< 1	1	2	7	18	30	99 +
TOTAL SINGLE DX	1645	2.0	5	< 1	< 1	1	2	4	6	11
TOTAL MULTIPLE DX	2136	3.5	40	< 1	1	2	3	7	12	35
TOTAL										
0-19 YRS	829	2.7	23	< 1	< 1	1	3	5	8	22
20-34	1324	2.5	16	< 1	1	1	3	4	6	18
35-49	817	2.5	15	< 1	1	1	3	5	7	19
50-64	511	3.1	22	< 1	1	1	3	7	11	23
65 +	300	5.6	97	< 1	1	2	6	14	27	95
GRAND TOTAL	3781	2.9	25	<1	1	1	3	5	9	26

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	349	2.7	12	< 1	< 1	1	3	7	9	15
20-34	516	2.2	8	< 1	1	1	2	4	6	16
35-49	470	2.0	4	< 1	1	1	2	4	5	11
50-64	309	2.4	10	< 1	1	1	3	4	7	15
65 +	167	3.1	15	< 1	1	2	3	7	10	25
2. MULTIPLE DX										
0-19 YRS	373	5.0	56	< 1	1	2	5	13	21	42
20-34	745	3.8	44	< 1	1	2	4	8	13	35
35-49	834	3.9	36	< 1	1	2	4	9	14	39
50-64	726	5.2	56	1	1	2	5	14	20	44
65 +	689	9.8	182	1	2	4	12	27	42	66
TOTAL SINGLE DX	1811	2.4	9	< 1	1	1	3	5	7	15
TOTAL MULTIPLE DX	3367	5.5	80	< 1	1	2	5	14	22	52
TOTAL										
0-19 YRS	722	3.9	36	< 1	1	1	4	10	14	31
20-34	1261	3.1	31	< 1	1	2	3	6	11	28
35-49	1304	3.2	26	< 1	1	2	3	7	12	30
50-64	1035	4.4	45	< 1	1	2	4	10	17	40
65 +	856	8.5	157	1	1	3	10	23	35	65
GRAND TOTAL	5178	4.4	58	<1	1	2	4	10	17	44

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	899	7.9	8	5	6	7	9	11	13	19
20-34	552	7.2	16	3	5	7	9	11	15	20
35-49	968	6.1	13	3	4	5	8	10	12	19
50-64	421	6.2	14	3	4	5	8	10	13	18
65 +	91	7.7	29	3	4	6	9	12	19	30
2. MULTIPLE DX										
0-19 YRS	1119	11.7	66	6	7	9	13	22	29	60
20-34	891	11.8	110	5	6	9	14	23	33	94
35-49	1398	9.2	58	3	5	7	10	16	23	46
50-64	1063	10.3	89	4	5	8	12	19	27	65
65 +	560	13.1	118	4	7	10	15	25	35	73
TOTAL SINGLE DX	2931	6.9	14	3	5	7	8	11	13	20
TOTAL MULTIPLE DX	5031	10.9	84	4	6	8	12	20	28	66
TOTAL										
0-19 YRS	2018	10.0	44	6	7	8	11	16	23	45
20-34	1443	10.1	80	4	6	8	11	18	26	62
35-49	2366	7.9	42	3	4	7	9	14	18	38
50-64	1484	9.2	71	3	5	7	10	17	24	51
65 +	651	12.4	110	4	6	10	14	24	34	69
GRAND TOTAL	7962	9.4	62	4	5	8	11	17	24	49

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	220	3.0	3	1	2	3	4	5	7	9
20-34	426	3.1	4	1	2	3	4	5	7	11
35-49	455	3.1	5	1	2	3	4	6	7	10
50-64	418	3.0	4	1	1	3	4	6	7	10
65 +	229	3.6	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	327	4.2	16	1	2	3	5	8	9	16
20-34	518	3.9	27	1	2	3	4	7	10	21
35-49	618	3.9	12	1	2	3	5	7	8	17
50-64	705	4.0	9	1	2	3	5	8	10	16
65 +	557	5.7	55	1	2	4	6	11	17	52
TOTAL SINGLE DX	1748	3.1	5	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	2725	4.3	24	1	2	3	5	8	10	25
TOTAL										
0-19 YRS	547	3.7	12	1	2	3	5	7	8	14
20-34	944	3.5	17	1	2	3	4	6	9	15
35-49	1073	3.6	10	1	2	3	4	6	8	12
50-64	1123	3.7	8	1	2	3	5	7	9	14
65 +	786	5.1	42	1	2	3	6	10	15	44
GRAND TOTAL	4473	3.9	17	1	2	3	5	7	9	18

735: Total hip replacement (81.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	6.5	4	4	5	7	7	9	11	11
20-34	145	8.4	10	5	7	8	10	12	14	20
35-49	461	8.7	10	6	7	8	10	12	14	18
50-64	1626	9.2	8	6	7	9	10	13	14	20
65 +	3004	10.1	13	6	8	9	12	14	16	22
2. MULTIPLE DX										
0-19 YRS	25	11.5	8	8	9	11	14	15	16	18
20-34	329	9.5	19	6	7	9	11	14	16	27
35-49	990	10.3	34	6	7	9	11	15	21	38
50-64	3627	11.1	44	7	8	10	12	16	20	42
65 +	11959	12.9	57	7	9	11	14	20	26	47
TOTAL SINGLE DX	5249	9.6	12	6	8	9	11	14	15	21
TOTAL MULTIPLE DX	16930	12.3	54	7	8	11	14	19	25	45
TOTAL										
0-19 YRS	38	9.8	13	5	7	9	11	15	16	18
20-34	474	9.2	17	5	7	8	10	13	16	26
35-49	1451	9.8	27	6	7	9	11	14	18	34
50-64	5253	10.5	34	6	8	9	12	15	18	38
65 +	14963	12.4	50	7	9	11	14	19	24	44
GRAND TOTAL	22179	11.7	45	7	8	10	13	17	22	42

736: Other arthroplasty of hip (81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	5.1	12	2	3	4	7	10	11	18
20-34	27	7.6	11	4	5	7	10	13	14	15
35-49	70	9.3	27	5	7	8	10	13	17	36
50-64	210	9.8	39	6	7	9	11	13	15	37
65 +	1331	11.1	26	7	8	10	13	16	20	28
2. MULTIPLE DX										
0-19 YRS	85	8.2	68	2	4	6	9	20	25	47
20-34	67	8.8	30	4	6	8	10	15	17	37
35-49	156	13.6	142	6	8	10	15	24	33	87
50-64	792	13.5	89	7	9	11	15	21	32	64
65 +	9048	14.7	98	7	9	12	17	25	34	72
TOTAL SINGLE DX	1683	10.7	29	6	8	10	13	16	19	29
TOTAL MULTIPLE DX	10148	14.5	98	7	9	12	16	25	33	72
TOTAL										
0-19 YRS	130	7.1	51	2	3	5	8	13	21	38
20-34	94	8.5	25	4	6	8	10	14	16	32
35-49	226	12.3	111	6	7	10	13	20	30	86
50-64	1002	12.7	81	6	8	10	14	21	29	61
65 +	10379	14.2	91	7	9	12	16	24	32	70
GRAND TOTAL	11831	13.9	90	7	9	11	16	23	32	69

737: Total knee replacement (81.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	7.9	18	2	5	8	11	13	16	16
20-34	37	7.1	10	2	5	7	9	12	12	15
35-49	180	8.9	11	5	7	8	11	13	15	18
50-64	1537	9.2	10	6	7	9	11	13	15	20
65 +	3328	9.9	11	6	8	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	18	9.5	51	1	7	9	11	18	26	31
20-34	49	9.0	16	4	7	9	11	14	15	25
35-49	331	10.5	34	6	8	9	12	15	19	29
50-64	2992	10.7	27	6	8	10	12	15	18	31
65 +	10844	11.6	29	7	9	11	13	17	20	32
TOTAL SINGLE DX	5094	9.6	11	6	7	9	11	14	15	20
TOTAL MULTIPLE DX	14234	11.4	29	7	8	10	13	16	20	32
TOTAL										
0-19 YRS	30	8.9	37	1	7	8	11	16	18	31
20-34	86	8.2	15	3	6	8	10	13	14	22
35-49	511	9.9	27	6	7	9	11	14	17	28
50-64	4529	10.2	22	6	8	9	12	15	17	28
65 +	14172	11.2	26	7	8	10	13	16	19	30
GRAND TOTAL	19328	10.9	25	7	8	10	12	16	18	29

738: Arthroplasty of knee, except total replacement (81.42-81.47)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1382	2.8	1	1	2	3	4	5	5	7
20-34	2017	3.1	2	1	2	3	4	5	6	8
35-49	599	3.3	3	1	2	3	4	5	7	10
50-64	160	5.0	9	1	3	4	7	9	11	13
65 +	159	6.8	14	2	4	6	9	11	14	19
2. MULTIPLE DX										
0-19 YRS	1549	3.2	3	1	2	3	4	5	6	10
20-34	2870	3.5	6	2	2	3	4	5	7	13
35-49	1205	3.7	6	1	2	3	4	6	8	13
50-64	412	5.9	26	1	3	4	8	11	14	25
65 +	471	8.4	29	3	5	8	10	15	18	26
TOTAL SINGLE DX	4317	3.3	4	1	2	3	4	5	7	10
TOTAL MULTIPLE DX	6507	4.0	11	1	2	3	5	7	9	17
TOTAL										
0-19 YRS	2931	3.0	3	1	2	3	4	5	6	8
20-34	4887	3.3	5	2	2	3	4	5	6	10
35-49	1804	3.5	6	1	2	3	4	6	7	12
50-64	572	5.7	22	1	3	4	8	11	13	21
65 +	630	8.0	26	3	5	7	10	14	17	25
GRAND TOTAL	10824	3.7	8	1	2	3	4	6	8	15

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.71; 81.81; 81.84; 81.86)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.8	1	1	1	2	3	3	4	4
20-34	87	2.6	3	1	1	2	3	4	5	11
35-49	194	3.0	4	1	2	2	4	6	8	10
50-64	403	3.0	5	1	2	2	4	6	7	13
65 +	365	4.4	10	1	2	4	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	15	2.4	1	<1	1	2	3	4	5	5
20-34	103	3.6	16	1	2	3	4	7	9	27
35-49	241	3.7	12	1	2	3	4	7	9	16
50-64	650	4.0	14	1	2	3	5	8	11	21
65 +	943	6.1	35	2	3	4	8	12	16	27
TOTAL SINGLE DX	1061	3.4	7	1	2	3	4	7	9	14
TOTAL MULTIPLE DX	1952	5.0	26	1	2	4	6	10	13	25
TOTAL										
0-19 YRS	27	2.1	1	1	1	2	3	4	4	5
20-34	190	3.1	11	1	1	2	4	5	7	18
35-49	435	3.4	9	1	2	3	4	6	8	14
50-64	1053	3.6	11	1	2	3	4	7	9	18
65 +	1308	5.7	29	1	2	4	7	11	14	25
GRAND TOTAL	3013	4.4	20	1	2	3	5	9	12	22

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1132	2.0	1	1	1	2	2	3	4	6
20-34	2506	2.1	2	1	1	2	3	3	4	6
35-49	1318	2.1	1	1	1	2	3	3	4	7
50-64	895	2.4	2	1	1	2	3	4	5	8
65 +	346	3.0	5	1	2	3	4	5	6	13
2. MULTIPLE DX										
0-19 YRS	363	2.3	2	1	1	2	3	4	5	10
20-34	1078	2.6	6	1	1	2	3	4	6	11
35-49	1267	2.4	4	1	1	2	3	4	5	10
50-64	1456	2.9	9	1	2	2	3	5	6	12
65 +	884	4.1	15	1	2	3	5	7	11	23
TOTAL SINGLE DX	6197	2.2	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	5048	2.9	9	1	1	2	3	5	7	14
TOTAL										
0-19 YRS	1495	2.1	2	1	1	2	3	3	4	7
20-34	3584	2.2	4	1	1	2	3	4	4	7
35-49	2585	2.3	3	1	1	2	3	4	5	8
50-64	2351	2.7	7	1	1	2	3	4	6	11
65 +	1230	3.8	13	1	2	3	4	7	10	22
GRAND TOTAL	11245	2.5	5	1	1	2	3	4	5	10

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	850	3.7	19	<1	1	2	4	8	13	23
20-34	449	3.0	7	<1	1	2	4	6	9	15
35-49	357	2.9	12	<1	1	2	3	7	9	13
50-64	207	2.6	7	<1	<1	1	3	6	7	14
65+	90	3.7	21	<1	<1	2	4	9	12	25
2. MULTIPLE DX										
0-19 YRS	1473	4.5	38	1	2	3	5	9	14	31
20-34	678	6.5	70	1	2	4	8	14	19	51
35-49	626	6.5	73	1	2	4	8	15	22	52
50-64	509	7.3	79	1	2	4	9	16	26	50
65+	569	9.1	128	1	3	6	12	20	28	72
TOTAL SINGLE DX	1953	3.2	15	<1	1	2	4	7	10	20
TOTAL MULTIPLE DX	3855	6.2	71	1	2	4	7	14	20	51
TOTAL										
0-19 YRS	2323	4.2	32	1	1	3	4	8	14	27
20-34	1127	5.1	49	1	1	3	6	11	15	38
35-49	983	5.2	55	1	1	3	6	11	18	46
50-64	716	5.9	63	<1	1	3	7	14	21	46
65+	659	8.4	118	1	2	5	11	19	24	64
GRAND TOTAL	5808	5.2	54	1	1	3	6	12	17	41

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	543	2.4	19	<1	<1	1	2	4	7	16
20-34	382	1.9	3	<1	<1	1	2	4	6	10
35-49	420	1.9	4	<1	<1	1	2	4	6	12
50-64	314	2.3	7	<1	<1	1	2	5	8	14
65+	164	2.8	8	<1	1	2	4	7	8	13
2. MULTIPLE DX										
0-19 YRS	319	7.9	138	1	1	3	10	23	46	99+
20-34	241	6.7	94	1	1	3	7	18	28	41
35-49	382	7.0	117	1	1	3	8	17	25	67
50-64	582	7.5	99	1	2	4	10	18	26	53
65+	762	10.1	127	1	2	6	14	23	30	65
TOTAL SINGLE DX	1823	2.2	10	<1	<1	1	2	4	7	13
TOTAL MULTIPLE DX	2286	8.3	119	1	2	4	11	20	29	65
TOTAL										
0-19 YRS	862	4.4	71	<1	1	2	4	11	20	60
20-34	623	3.7	44	<1	<1	1	4	8	13	38
35-49	802	4.4	65	<1	1	2	4	11	17	48
50-64	896	5.7	73	<1	1	2	7	14	20	45
65+	926	8.8	114	1	2	5	12	21	28	60
GRAND TOTAL	4109	5.6	79	<1	1	2	6	14	22	53

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	1.5		<1	<1	1	2	3	4	4
20-34	39	3.4	12	<1	1	2	5	8	10	17
35-49	71	1.7	3	<1	1	1	1	4	5	10
50-64	168	1.3		<1	1	1	1	2	3	6
65+	158	1.4		<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	38	3.8	28	1	1	2	3	8	18	26
20-34	66	5.2	66	1	1	3	7	11	15	94
35-49	81	4.3	39	1	1	2	6	11	17	81
50-64	134	2.5	18	1	1	1	2	5	8	26
65+	240	2.9	25	1	1	1	2	5	9	35
TOTAL SINGLE DX	465	1.6	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	559	3.3	31	1	1	2	3	7	12	40
TOTAL										
0-19 YRS	67	2.8	18	<1	1	1	3	5	10	25
20-34	105	4.5	47	1	1	3	6	10	13	79
35-49	152	3.1	24	<1	1	1	3	7	12	41
50-64	302	1.9	9	<1	1	1	2	3	5	9
65+	398	2.3	16	<1	1	1	2	4	7	32
GRAND TOTAL	1024	2.5	19	<1	1	1	2	5	8	29

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	455	1.5	1	<1	1	1	2	2	3	5
20-34	604	1.6	1	<1	1	1	2	3	4	8
35-49	268	1.7	1	<1	1	1	2	3	4	7
50-64	115	1.6	1	<1	1	1	2	3	3	7
65+	49	1.6	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	542	1.9	4	<1	1	1	2	4	5	9
20-34	799	2.3	7	1	1	1	3	4	7	13
35-49	434	2.3	17	1	1	1	2	4	5	15
50-64	206	3.4	52	1	1	2	3	6	10	32
65+	124	2.9	10	1	1	2	3	6	10	16
TOTAL SINGLE DX	1491	1.6	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	2105	2.4	13	1	1	1	2	4	6	14
TOTAL										
0-19 YRS	997	1.7	3	<1	1	1	2	3	4	8
20-34	1403	2.0	5	<1	1	1	2	4	5	11
35-49	702	2.1	12	<1	1	1	2	4	5	13
50-64	321	2.8	35	1	1	2	3	5	6	24
65+	173	2.5	8	1	1	2	3	5	8	14
GRAND TOTAL	3596	2.0	9	<1	1	1	2	4	5	12

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	306	2.2	6	1	1	2	2	4	5	14
20-34	763	2.1	2	1	1	2	3	4	5	8
35-49	1125	2.2	2	1	1	2	3	4	4	7
50-64	1223	2.6	1	1	2	2	3	4	5	7
65+	569	3.0	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-19 YRS	278	3.7	40	1	1	2	4	7	10	34
20-34	643	4.1	40	1	1	2	4	8	12	31
35-49	877	3.7	22	1	2	3	4	7	10	27
50-64	1407	3.7	25	1	2	3	4	6	8	22
65+	1147	5.1	45	2	2	3	5	9	13	38
TOTAL SINGLE DX	3986	2.4	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	4352	4.1	34	1	2	3	4	7	11	31
TOTAL										
0-19 YRS	584	2.9	23	1	1	2	3	5	8	23
20-34	1406	3.0	21	1	1	2	3	6	8	20
35-49	2002	2.9	12	1	1	2	3	5	7	16
50-64	2630	3.2	15	1	2	3	3	5	7	16
65+	1716	4.4	33	1	2	3	5	7	11	33
GRAND TOTAL	8338	3.3	20	1	2	2	4	6	8	20

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1392	2.3	3	1	1	2	3	4	6	10
20-34	639	2.6	3	1	1	2	3	5	6	10
35-49	667	2.3	2	1	1	2	3	4	5	9
50-64	318	3.0	5	1	1	2	4	6	7	12
65+	148	3.7	5	1	2	3	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	1768	2.9	20	1	1	2	3	5	7	22
20-34	506	4.5	50	1	2	3	5	9	13	48
35-49	382	4.6	49	1	2	3	4	9	15	44
50-64	401	6.1	90	1	2	3	6	15	31	99
65+	368	8.3	111	1	3	5	9	20	37	61
TOTAL SINGLE DX	3164	2.5	4	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	3425	4.3	49	1	1	2	4	8	14	45
TOTAL										
0-19 YRS	3160	2.7	13	1	1	2	3	4	6	16
20-34	1145	3.4	25	1	1	2	4	6	9	28
35-49	1049	3.1	21	1	1	2	3	5	8	22
50-64	719	4.7	56	1	2	3	5	8	18	50
65+	516	7.0	86	1	2	4	7	15	28	58
GRAND TOTAL	6589	3.4	28	1	1	2	4	6	9	31

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	100	1.7	2	<1	1	1	2	3	5	9
20-34	150	2.0	6	1	1	1	2	4	5	13
35-49	111	2.0	3	1	1	1	2	4	6	10
50-64	87	2.1	3	1	1	2	2	4	7	10
65+	46	2.9	17	1	1	1	2	6	13	23
2. MULTIPLE DX										
0-19 YRS	79	3.8	77	1	1	2	4	7	12	92
20-34	232	4.6	27	1	1	3	6	12	17	28
35-49	186	4.7	64	1	1	2	5	10	17	70
50-64	176	5.5	39	1	2	3	8	14	17	37
65+	214	8.4	120	1	2	5	10	25	34	99+
TOTAL SINGLE DX	494	2.0	5	1	1	1	2	4	6	12
TOTAL MULTIPLE DX	887	5.7	67	1	1	3	7	13	23	80
TOTAL										
0-19 YRS	179	2.6	37	<1	1	1	2	5	7	60
20-34	382	3.6	21	1	1	2	4	8	13	26
35-49	297	3.7	43	1	1	2	4	9	11	37
50-64	263	4.4	30	1	1	2	5	12	15	35
65+	260	7.4	106	1	1	4	9	23	32	98
GRAND TOTAL	1381	4.4	48	1	1	2	5	11	16	38

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.3	11	1	2	2	7	10	10	10
20-34	14	4.1	10	1	1	3	7	9	10	10
35-49	9	5.2	23	1	2	3	9	13	14	14
50-64	5	2.6	2	1	1	3	4	4	4	4
65+	8	5.8	35	2	3	4	5	16	20	20
2. MULTIPLE DX										
0-19 YRS	11	11.5	139	2	3	6	23	30	33	33
20-34	27	8.9	110	1	4	5	10	24	34	45
35-49	24	9.1	100	1	3	5	12	31	53	99+
50-64	29	12.8	156	2	4	9	15	37	42	43
65+	41	13.0	145	3	6	9	14	37	42	52
TOTAL SINGLE DX	45	4.5	16	1	2	3	6	10	12	20
TOTAL MULTIPLE DX	132	11.3	132	2	4	7	14	31	41	60
TOTAL										
0-19 YRS	20	8.3	91	2	2	5	9	27	30	33
20-34	41	7.2	80	1	2	4	8	17	28	45
35-49	33	8.0	81	1	2	5	11	27	36	99+
50-64	34	11.3	146	1	3	7	14	32	42	43
65+	49	11.8	134	3	4	8	14	30	41	52
GRAND TOTAL	177	9.5	111	1	3	6	11	26	38	50

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	2.2	4	< 1	1	2	2	5	6	14
20-34	39	4.9	49	1	1	3	5	11	19	39
35-49	30	3.1	8	< 1	1	2	4	7	8	15
50-64	45	4.9	29	1	2	3	7	9	14	31
65 +	79	5.7	33	< 1	2	4	7	12	15	32
2. MULTIPLE DX										
0-19 YRS	64	7.8	86	1	1	4	10	22	28	41
20-34	157	9.6	67	2	4	7	13	18	29	38
35-49	509	14.3	144	3	6	12	20	29	38	67
50-64	1188	14.8	180	3	7	11	19	30	41	77
65 +	2012	14.6	154	3	6	12	19	30	40	72
TOTAL SINGLE DX	245	4.4	28	1	1	2	6	9	14	31
TOTAL MULTIPLE DX	3930	14.3	158	3	6	11	18	30	39	72
TOTAL										
0-19 YRS	116	5.3	57	1	1	2	6	12	23	37
20-34	196	8.7	67	1	3	6	12	18	28	39
35-49	539	13.6	143	2	5	11	19	29	36	64
50-64	1233	14.5	179	3	6	11	18	30	39	75
65 +	2091	14.3	153	3	6	11	18	30	39	71
GRAND TOTAL	4175	13.7	156	2	5	11	18	29	38	72

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	6.2	31	2	4	5	6	11	21	24
20-34	13	7.2	21	3	4	6	8	15	18	19
35-49	15	10.1	53	4	6	7	14	20	27	30
50-64	16	11.3	36	4	6	10	17	20	21	22
65 +	34	12.1	180	5	6	9	13	19	29	80
2. MULTIPLE DX										
0-19 YRS	22	21.1	517	3	7	16	31	93	99 +	99 +
20-34	100	19.0	309	4	7	14	23	40	55	91
35-49	260	18.9	254	5	8	14	24	43	61	99 +
50-64	803	21.7	272	7	10	16	28	45	59	99
65 +	2265	20.8	258	7	10	16	27	44	62	99 +
TOTAL SINGLE DX	91	10.1	93	4	5	7	12	19	24	60
TOTAL MULTIPLE DX	3450	20.8	265	7	10	16	27	44	61	99 +
TOTAL										
0-19 YRS	35	15.6	384	3	5	8	23	61	97	99 +
20-34	113	17.6	290	4	7	13	21	39	53	90
35-49	275	18.4	248	5	8	14	23	42	60	99 +
50-64	819	21.5	270	7	10	16	28	45	59	99
65 +	2299	20.6	258	7	10	16	27	43	62	99 +
GRAND TOTAL	3541	20.5	263	6	10	16	27	43	61	99 +

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	7.1	19	4	4	5	8	15	17	19
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	7	11.0	12	6	8	12	14	15	15	15
50-64	13	8.5	49	3	4	5	11	20	25	26
65 +	56	11.1	77	4	6	8	13	28	31	38
2. MULTIPLE DX										
0-19 YRS	26	17.7	171	5	9	14	21	35	52	52
20-34	44	19.2	475	5	6	12	23	76	95	99 +
35-49	85	18.2	346	5	7	13	23	42	78	99 +
50-64	370	21.5	317	7	10	16	28	48	81	99 +
65 +	2463	17.3	210	6	8	13	22	40	59	99 +
TOTAL SINGLE DX	97	9.9	58	4	5	7	12	22	29	36
TOTAL MULTIPLE DX	2988	17.8	232	6	8	13	23	41	61	99 +
TOTAL										
0-19 YRS	45	13.2	134	4	5	10	17	25	39	52
20-34	46	18.7	460	5	6	11	22	71	95	99 +
35-49	92	17.6	324	5	7	12	22	40	73	99 +
50-64	383	21.1	314	6	10	16	27	47	76	99 +
65 +	2519	17.1	208	6	8	13	22	39	58	99 +
GRAND TOTAL	3085	17.6	229	6	8	13	22	40	61	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	7.3	36	2	3	5	10	17	22	24
20-34	11	7.3	47	2	3	3	8	20	22	22
35-49	15	7.1	36	2	4	5	8	14	22	25
50-64	14	12.5	83	2	7	11	14	24	33	36
65 +	13	9.3	47	3	5	7	13	19	24	25
2. MULTIPLE DX										
0-19 YRS	40	11.5	276	2	2	6	14	30	65	99 +
20-34	44	21.7	425	4	7	15	33	48	89	99 +
35-49	157	21.4	268	6	10	17	27	46	55	99
50-64	383	21.6	276	5	10	16	30	49	61	95
65 +	616	20.7	240	6	10	17	26	45	57	99 +
TOTAL SINGLE DX	79	8.5	50	2	3	6	11	20	24	33
TOTAL MULTIPLE DX	1240	20.8	265	5	10	16	28	46	59	99 +
TOTAL										
0-19 YRS	66	9.8	184	2	3	5	12	24	34	99
20-34	55	18.8	382	3	6	13	25	43	79	99 +
35-49	172	20.1	264	5	8	16	25	43	54	98
50-64	397	21.3	273	5	10	16	29	48	60	93
65 +	629	20.4	239	6	10	16	26	44	57	99 +
GRAND TOTAL	1319	20.1	261	5	9	16	26	45	58	99 +

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	3.5	8	1	1	3	5	8	10	12
20-34	52	4.8	11	1	2	4	7	11	12	14
35-49	20	4.5	9	1	2	5	6	8	10	12
50-64	18	5.0	12	1	2	5	8	9	10	11
65 +	5	2.4	2	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	35	5.3	11	1	2	5	8	10	11	13
20-34	63	8.0	55	2	3	6	9	16	29	33
35-49	37	8.8	23	4	6	8	11	13	20	26
50-64	20	7.2	32	2	3	6	9	13	20	26
65 +	9	5.9	8	2	4	5	8	9	10	10
TOTAL SINGLE DX	149	4.2	10	1	1	4	6	9	11	12
TOTAL MULTIPLE DX	164	7.4	35	2	4	6	9	13	18	32
TOTAL										
0-19 YRS	89	4.2	10	1	1	3	6	9	11	13
20-34	115	6.6	38	1	3	5	8	12	17	32
35-49	57	7.3	23	2	5	7	10	12	14	26
50-64	38	6.2	24	1	2	6	8	11	14	26
65 +	14	4.6	9	1	2	4	8	8	10	10
GRAND TOTAL	313	5.9	25	1	2	5	8	11	13	29

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	2.0	4	1	1	1	2	5	7	9
20-34	67	3.1	8	< 1	1	2	4	7	8	16
35-49	42	3.6	13	1	1	2	5	8	11	18
50-64	38	4.6	26	1	1	2	5	14	18	19
65 +	43	5.1	18	1	2	4	7	10	16	19
2. MULTIPLE DX										
0-19 YRS	33	8.3	288	1	1	2	7	17	47	87
20-34	88	7.8	114	1	2	4	8	25	33	85
35-49	108	8.6	80	1	2	5	12	19	24	48
50-64	227	11.5	151	2	4	7	14	28	41	98
65 +	389	12.8	141	3	5	9	16	28	39	59
TOTAL SINGLE DX	213	3.7	15	1	1	2	5	8	12	19
TOTAL MULTIPLE DX	845	11.2	142	2	4	7	14	27	38	62
TOTAL										
0-19 YRS	56	5.7	180	1	1	2	5	10	21	85
20-34	155	5.7	74	1	1	3	7	11	28	61
35-49	150	7.2	66	1	2	4	11	17	21	45
50-64	265	10.5	139	1	3	7	13	25	36	91
65 +	432	12.0	134	2	5	8	15	27	38	56
GRAND TOTAL	1058	9.7	125	1	3	6	12	23	34	58

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	20.7	208	4	10	29	29	29	29	29
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	2	65.0		65	65	65	65	65	65	65
20-34	2	5.0		5	5	5	5	5	5	5
35-49	4	7.3	19	3	3	7	11	12	12	12
50-64	10	10.9	228	1	3	5	10	36	50	50
65 +	17	10.9	32	4	8	10	13	20	24	25
TOTAL SINGLE DX	14	7.6	87	1	3	4	8	29	29	29
TOTAL MULTIPLE DX	35	13.3	247	3	5	9	13	25	61	65
TOTAL										
0-19 YRS	5	38.4	694	4	23	29	65	65	65	65
20-34	4	3.0	5	< 1	< 1	3	5	5	5	5
35-49	6	5.8	17	3	3	4	10	12	12	12
50-64	13	9.2	183	1	3	5	7	28	46	50
65 +	21	10.1	29	4	7	9	13	17	23	25
GRAND TOTAL	49	11.7	205	2	[illegible]	7	12	27	51	65

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	1.3		<1	<1	<1	1	2	3	5
20-34	437	1.5	2	<1	<1	<1	1	3	4	7
35-49	1318	1.7	1	<1	<1	1	2	3	4	7
50-64	1213	1.9	2	<1	<1	1	2	4	5	7
65 +	919	2.1	4	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	38	5.7	134	<1	1	2	4	15	32	61
20-34	317	4.1	55	<1	1	2	4	8	16	41
35-49	1355	3.5	29	<1	1	2	4	7	13	29
50-64	1664	4.1	28	<1	1	2	5	10	14	27
65 +	2552	6.0	64	1	2	3	7	14	21	50
TOTAL SINGLE DX	3991	1.8	3	<1	<1	1	2	4	5	7
TOTAL MULTIPLE DX	5926	4.8	47	<1	1	2	5	11	17	36
TOTAL										
0-19 YRS	142	2.5	39	<1	<1	1	2	3	5	38
20-34	754	2.6	26	<1	<1	1	2	5	8	28
35-49	2673	2.6	17	<1	<1	1	3	5	7	20
50-64	2877	3.2	18	<1	1	2	3	7	11	24
65 +	3471	5.0	52	<1	1	3	6	11	18	43
GRAND TOTAL	9917	3.6	32	<1	1	2	4	8	13	30

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.9	1	<1	1	2	3	3	4	6
20-34	51	2.5	3	1	1	2	4	4	6	10
35-49	226	3.6	19	2	2	3	4	5	7	12
50-64	262	3.3	2	2	2	3	4	5	6	8
65 +	263	3.7	3	1	2	3	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	6	1.7		1	1	2	2	3	3	3
20-34	58	3.8	6	1	2	3	5	6	9	14
35-49	336	4.0	13	2	2	3	4	6	10	24
50-64	501	4.7	25	2	2	3	5	8	13	26
65 +	920	5.7	41	2	3	4	8	11	16	34
TOTAL SINGLE DX	826	3.4	8	1	2	3	4	6	7	9
TOTAL MULTIPLE DX	1871	5.0	31	2	3	4	5	9	14	29
TOTAL										
0-19 YRS	30	1.8	1	<1	1	2	2	3	3	6
20-34	109	3.2	5	1	1	3	4	6	8	13
35-49	612	3.9	16	2	2	3	4	6	8	18
50-64	763	4.2	18	2	2	3	5	7	10	19
65 +	1183	5.3	34	2	3	4	6	9	14	30
GRAND TOTAL	2697	4.5	24	2	2	3	5	8	11	23

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	209	3.9	2	2	3	4	5	6	7	8
35-49	1503	3.8	2	2	3	4	5	6	7	9
50-64	2385	3.9	3	2	3	4	5	6	7	9
65 +	2580	4.3	3	2	3	4	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	4	5.8	6	3	4	5	7	9	9	9
20-34	258	4.6	7	2	3	4	5	7	9	16
35-49	2241	4.5	9	2	3	4	5	7	9	16
50-64	4326	4.9	9	2	3	4	6	8	10	17
65 +	7689	5.7	17	3	3	5	7	9	12	22
TOTAL SINGLE DX	6681	4.0	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	14518	5.3	14	2	3	4	6	8	11	19
TOTAL										
0-19 YRS	8	3.9	8	<1	1	3	5	8	9	9
20-34	467	4.3	5	2	3	4	5	7	8	14
35-49	3744	4.2	7	2	3	4	5	7	8	13
50-64	6711	4.5	8	2	3	4	5	7	9	15
65 +	10269	5.3	15	2	3	5	6	9	11	19
GRAND TOTAL	21199	4.9	11	2	3	4	6	8	10	17

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	662	1.9		1	1	2	2	3	4	5
20-34	1402	2.1	1	1	1	2	3	3	4	6
35-49	1137	2.2	1	1	1	2	3	4	5	7
50-64	531	2.2	1	1	1	2	3	4	5	6
65 +	134	2.6	3	1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	239	2.3	2	1	1	2	3	4	5	8
20-34	954	2.7	9	1	1	2	3	4	6	13
35-49	2000	2.8	10	1	1	2	3	5	7	12
50-64	1227	2.9	7	1	1	2	3	5	7	11
65 +	382	3.8	23	1	2	2	4	7	10	31
TOTAL SINGLE DX	3866	2.2	2	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	4802	2.9	10	1	1	2	3	5	7	13
TOTAL										
0-19 YRS	901	2.0	1	1	1	2	3	3	4	7
20-34	2356	2.4	5	1	1	2	3	4	5	8
35-49	3137	2.6	7	1	1	2	3	4	6	10
50-64	1758	2.7	6	1	1	2	3	5	6	10
65 +	516	3.5	19	1	2	2	4	6	10	27
GRAND TOTAL	8668	2.5	7	1	1	2	3	4	6	10

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	830	1.9	1	1	1	1	2	4	5	6
20-34	1408	1.9	1	1	1	2	2	4	4	7
35-49	245	2.0	2	1	1	1	2	3	5	8
50-64	46	2.0	2	1	1	2	2	4	5	8
65 +	7	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	145	4.4	88	1	1	2	4	7	12	58
20-34	332	3.2	22	1	1	2	4	6	9	18
35-49	130	3.9	24	1	1	2	4	8	12	31
50-64	51	5.3	67	1	2	2	5	9	28	40
65 +	34	4.2	11	1	1	4	6	7	14	99 +
TOTAL SINGLE DX	2536	1.9	2	1	1	2	2	4	4	7
TOTAL MULTIPLE DX	692	3.8	40	1	1	2	4	7	11	42
TOTAL										
0-19 YRS	975	2.3	15	1	1	2	2	4	5	11
20-34	1740	2.2	6	1	1	2	3	4	5	10
35-49	375	2.6	11	1	1	2	3	5	7	16
50-64	97	3.7	39	1	1	2	3	7	9	39
65 +	41	3.8	10	1	1	3	6	7	14	99 +
GRAND TOTAL	3228	2.3	11	1	1	2	3	4	5	12

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1135	2.1	10	< 1	< 1	1	2	4	7	15
20-34	694	2.1	5	< 1	< 1	1	2	4	6	13
35-49	695	2.2	7	< 1	< 1	1	2	5	8	14
50-64	584	1.9	5	< 1	< 1	1	2	4	6	12
65 +	523	2.3	9	< 1	< 1	1	2	5	8	16
2. MULTIPLE DX										
0-19 YRS	836	5.8	75	< 1	1	3	6	13	24	50
20-34	794	8.6	125	1	2	4	11	23	29	66
35-49	1118	8.0	108	1	2	4	10	19	29	57
50-64	1368	8.3	100	1	2	6	11	19	26	56
65 +	2559	10.2	126	1	3	7	13	23	34	86
TOTAL SINGLE DX	3631	2.2	8	< 1	< 1	1	2	4	7	15
TOTAL MULTIPLE DX	6675	8.7	113	1	2	5	11	21	30	65
TOTAL										
0-19 YRS	1971	3.7	41	< 1	1	1	4	8	13	35
20-34	1488	5.6	80	< 1	1	2	6	15	24	56
35-49	1813	5.8	77	< 1	1	2	7	14	22	44
50-64	1952	6.4	80	< 1	1	3	8	15	22	48
65 +	3082	8.9	115	< 1	2	6	11	21	31	76
GRAND TOTAL	10306	6.4	86	< 1	1	3	8	16	24	56

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1177	4.2	26	1	1	3	5	9	13	27
20-34	1251	4.4	23	1	1	3	5	10	15	24
35-49	704	5.1	32	1	2	3	6	12	16	27
50-64	421	6.5	51	1	2	4	8	14	21	35
65 +	329	9.3	105	1	3	7	12	20	27	52
2. MULTIPLE DX										
0-19 YRS	2665	8.5	119	1	2	4	10	21	32	64
20-34	3605	10.1	158	1	3	6	12	25	39	86
35-49	3125	12.9	200	2	4	8	16	32	48	99 +
50-64	3820	15.2	218	3	6	11	20	34	50	99 +
65 +	8004	18.6	264	5	8	14	24	44	65	99 +
TOTAL SINGLE DX	3882	5.1	38	1	1	3	6	12	16	29
TOTAL MULTIPLE DX	21219	14.4	225	2	5	10	19	35	52	99 +
TOTAL										
0-19 YRS	3842	7.2	95	1	2	4	8	17	27	57
20-34	4856	8.7	130	1	2	5	10	21	33	68
35-49	3829	11.5	178	1	3	7	15	29	43	99
50-64	4241	14.4	208	2	5	10	18	33	48	99
65 +	8333	18.2	262	4	8	14	24	43	64	99 +
GRAND TOTAL	25101	13.0	208	2	4	8	17	32	48	99 +

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2030	3.4	15	< 1	1	2	4	7	9	20
20-34	1666	3.5	10	1	1	3	4	7	9	16
35-49	1095	3.9	20	1	1	3	5	8	10	20
50-64	661	4.0	18	1	1	3	5	8	12	22
65 +	1595	4.6	29	1	1	3	6	10	12	29
2. MULTIPLE DX										
0-19 YRS	4616	4.7	47	1	1	2	5	10	16	41
20-34	6385	5.0	47	1	1	3	6	11	17	36
35-49	4626	7.1	82	1	2	4	8	15	24	51
50-64	3893	8.5	91	1	3	6	10	19	27	48
65 +	6590	9.3	108	2	3	6	12	20	29	64
TOTAL SINGLE DX	6047	3.7	17	1	1	2	5	8	10	20
TOTAL MULTIPLE DX	26110	6.9	79	1	2	4	8	16	23	49
TOTAL										
0-19 YRS	5646	4.3	38	1	1	2	5	9	13	33
20-34	8051	4.7	40	1	1	3	5	10	15	34
35-49	5721	6.4	72	1	2	4	7	14	21	47
50-64	4554	7.8	83	1	2	5	10	17	25	46
65 +	7185	8.9	104	1	3	6	11	20	28	61
GRAND TOTAL	32157	6.3	69	1	2	4	7	14	21	45

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	395	5.1	40	1	1	3	7	12	18	32
20-34	295	5.6	42	1	1	3	7	14	19	31
35-49	227	5.6	34	1	1	3	7	15	20	26
50-64	156	6.1	36	1	1	4	9	15	18	26
65 +	204	8.7	73	1	2	6	12	22	30	34
2. MULTIPLE DX										
0-19 YRS	733	13.9	193	1	4	11	19	31	41	94
20-34	605	13.3	187	2	4	9	18	34	45	91
35-49	588	15.5	215	2	5	12	22	35	49	99 +
50-64	733	14.6	200	2	5	11	21	33	47	78
65 +	1329	17.7	242	3	7	13	24	40	53	99 +
TOTAL SINGLE DX	1277	6.0	46	1	1	3	8	15	20	32
TOTAL MULTIPLE DX	3988	15.4	216	2	5	11	21	35	48	98
TOTAL										
0-19 YRS	1128	10.8	157	1	2	6	16	27	35	73
20-34	900	10.8	153	1	2	7	15	27	38	81
35-49	815	12.8	185	1	3	8	19	30	43	95
50-64	889	13.1	182	1	3	9	18	29	43	73
65 +	1533	16.5	229	2	6	12	23	37	51	99 +
GRAND TOTAL	5265	13.2	191	1	3	9	19	31	43	88

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	3.1	31	< 1	1	1	2	6	9	39
20-34	119	4.0	45	< 1	1	2	4	7	18	39
35-49	115	3.4	21	< 1	1	2	4	8	12	26
50-64	52	2.9	7	< 1	1	2	4	7	8	15
65 +	42	4.5	42	< 1	1	2	6	11	16	36
2. MULTIPLE DX										
0-19 YRS	148	9.4	181	1	2	4	12	28	46	91
20-34	222	13.9	273	1	3	8	24	42	61	99 +
35-49	203	13.4	284	1	2	7	19	36	46	90
50-64	177	13.6	280	1	2	7	17	43	50	85
65 +	289	16.7	346	1	4	10	26	49	73	99 +
TOTAL SINGLE DX	470	3.5	31	< 1	1	2	4	7	11	36
TOTAL MULTIPLE DX	1039	13.9	288	1	2	7	21	41	57	99 +
TOTAL										
0-19 YRS	290	6.3	117	1	1	2	6	18	31	53
20-34	341	10.4	216	1	1	4	13	34	50	99 +
35-49	318	9.8	212	1	1	4	12	26	41	83
50-64	229	11.1	238	1	2	4	14	33	46	81
65 +	331	15.1	324	1	3	8	24	47	70	99 +
GRAND TOTAL	1509	10.6	231	1	1	4	13	33	48	99 +

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	565	2.0	4	< 1	1	1	2	4	6	12
20-34	284	2.3	6	< 1	1	1	3	4	7	16
35-49	377	2.3	3	< 1	1	2	3	4	6	11
50-64	292	2.1	9	1	1	1	2	4	6	17
65 +	144	2.8	15	< 1	1	1	3	5	12	19
2. MULTIPLE DX										
0-19 YRS	691	4.1	47	1	1	2	4	9	15	49
20-34	551	5.2	73	1	1	3	5	10	21	45
35-49	846	4.8	51	1	2	3	5	10	15	38
50-64	855	5.6	67	1	1	3	6	13	21	46
65 +	951	11.6	161	1	4	8	15	29	43	99 +
TOTAL SINGLE DX	1662	2.2	7	< 1	1	1	2	4	6	16
TOTAL MULTIPLE DX	3894	6.6	93	1	1	3	8	16	26	77
TOTAL										
0-19 YRS	1256	3.2	29	1	1	1	3	7	10	27
20-34	835	4.2	53	1	1	2	4	8	15	42
35-49	1223	4.0	38	1	1	2	4	8	12	31
50-64	1147	4.7	55	1	1	2	5	11	18	38
65 +	1095	10.4	151	1	3	7	14	27	41	99 +
GRAND TOTAL	5556	5.3	71	1	1	2	6	13	21	54

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	3.1	11	1	1	2	3	8	11	16
20-34	18	3.7	27	1	1	2	3	9	17	22
35-49	14	3.8	8	1	1	2	6	8	9	9
50-64	9	2.2	9	<1	1	1	2	7	10	10
65+	9	5.3	62	1	1	3	5	18	26	26
2. MULTIPLE DX										
0-19 YRS	103	5.1	34	1	2	3	5	11	17	30
20-34	46	5.0	25	1	2	4	5	14	21	99+
35-49	62	5.2	49	1	2	3	6	9	13	48
50-64	97	6.9	49	2	3	5	9	12	16	43
65+	246	9.1	110	2	4	6	11	19	26	77
TOTAL SINGLE DX	88	3.4	19	1	1	2	4	8	10	24
TOTAL MULTIPLE DX	554	7.2	75	2	3	5	9	14	22	59
TOTAL										
0-19 YRS	141	4.6	29	1	1	3	5	10	14	30
20-34	64	4.7	26	1	2	3	4	12	21	88
35-49	76	4.9	42	1	2	3	6	9	10	44
50-64	106	6.5	47	2	3	4	9	12	15	42
65+	255	8.9	109	2	3	6	10	19	26	77
GRAND TOTAL	642	6.7	69	1	2	4	8	13	21	51

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	258	2.1	8	1	1	1	2	5	7	17
20-34	3289	2.4	8	1	1	1	2	6	8	14
35-49	5322	2.2	7	1	1	1	2	5	7	13
50-64	2680	2.1	7	1	1	1	2	5	7	13
65+	1029	2.2	9	1	1	1	2	5	8	15
2. MULTIPLE DX										
0-19 YRS	314	3.9	36	1	1	2	4	9	17	33
20-34	2070	4.0	26	1	1	2	5	9	13	24
35-49	4040	3.8	21	1	1	2	5	9	13	24
50-64	3751	4.5	41	1	1	2	6	11	16	29
65+	3312	6.2	56	1	1	3	8	15	20	38
TOTAL SINGLE DX	12578	2.2	8	1	1	1	2	5	8	14
TOTAL MULTIPLE DX	13487	4.6	38	1	1	2	6	11	16	29
TOTAL										
0-19 YRS	572	3.1	24	1	1	1	3	7	11	28
20-34	5359	3.0	16	1	1	1	3	7	10	18
35-49	9362	2.9	14	1	1	1	3	7	10	18
50-64	6431	3.5	28	1	1	1	4	9	13	26
65+	4341	5.2	48	1	1	2	7	14	18	33
GRAND TOTAL	26065	3.5	25	1	1	1	4	9	12	24

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	183	2.5	5	1	1	2	3	5	7	13
20-34	347	2.8	10	1	1	2	3	6	9	17
35-49	435	3.5	14	1	1	2	5	8	11	18
50-64	640	3.1	11	1	1	2	4	7	10	16
65+	625	2.7	9	<1	1	2	3	6	8	15
2. MULTIPLE DX										
0-19 YRS	232	6.1	92	1	2	3	7	13	20	66
20-34	490	6.5	65	1	2	4	8	16	22	45
35-49	1027	6.5	55	1	2	4	8	14	18	41
50-64	2501	6.2	51	1	2	4	8	13	17	35
65+	4444	6.4	42	1	2	5	8	13	18	32
TOTAL SINGLE DX	2230	3.0	11	1	1	2	3	7	10	17
TOTAL MULTIPLE DX	8694	6.3	49	1	2	4	8	13	18	35
TOTAL										
0-19 YRS	415	4.5	57	1	1	2	5	10	15	41
20-34	837	5.0	46	1	1	2	6	12	18	34
35-49	1462	5.6	45	1	2	4	7	12	17	37
50-64	3141	5.6	45	1	2	3	7	12	16	32
65+	5069	5.9	40	1	2	4	8	13	17	29
GRAND TOTAL	10924	5.7	43	1	2	4	7	12	17	32

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.0		1	2	2	2	3	4	4
20-34	7	4.4	11	<1	1	4	7	9	10	10
35-49	63	2.8	7	<1	1	1	4	7	9	11
50-64	125	3.2	8	<1	1	2	5	8	9	12
65+	56	3.3	20	<1	1	1	4	8	12	26
2. MULTIPLE DX										
0-19 YRS	28	5.0	47	2	2	2	5	13	16	34
20-34	17	5.1	12	1	2	6	7	8	12	14
35-49	305	4.2	14	<1	1	3	6	9	13	19
50-64	763	4.4	23	1	1	3	6	9	12	17
65+	913	5.4	28	<1	2	4	7	12	16	24
TOTAL SINGLE DX	263	3.1	10	<1	1	2	4	7	9	14
TOTAL MULTIPLE DX	2026	4.8	25	1	1	3	7	11	14	22
TOTAL										
0-19 YRS	40	4.1	35	1	2	2	2	11	13	34
20-34	24	4.9	12	1	2	5	7	8	11	14
35-49	368	3.9	14	<1	1	2	6	9	12	19
50-64	888	4.3	21	<1	1	3	6	9	11	17
65+	969	5.3	28	<1	1	4	7	12	16	24
GRAND TOTAL	2289	4.6	23	<1	1	3	6	10	13	21

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	347	3.2	10	1	1	2	4	8	10	15
20-34	961	4.3	14	1	1	3	7	9	11	17
35-49	1077	4.5	14	1	1	3	7	10	11	17
50-64	1300	4.1	13	1	1	2	6	9	11	17
65 +	1152	4.2	14	1	1	2	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	433	5.6	54	1	2	3	7	12	16	44
20-34	1605	6.9	48	1	2	5	9	13	18	39
35-49	3054	6.5	30	1	2	5	9	13	16	30
50-64	5774	6.4	37	1	2	5	9	13	16	31
65 +	11272	7.7	52	1	3	6	10	15	20	37
TOTAL SINGLE DX	4837	4.2	14	1	1	3	7	9	11	16
TOTAL MULTIPLE DX	22138	7.1	46	1	2	6	9	14	18	35
TOTAL										
0-19 YRS	780	4.6	36	1	1	2	6	10	14	28
20-34	2566	5.9	37	1	2	5	8	12	15	29
35-49	4131	6.0	27	1	2	5	8	12	15	27
50-64	7074	6.0	34	1	2	5	8	12	16	29
65 +	12424	7.4	50	1	2	6	10	14	19	35
GRAND TOTAL	26975	6.6	41	1	2	5	9	13	17	32

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5075	3.3	29	1	1	2	3	6	10	30
20-34	3480	4.6	34	1	2	3	5	9	14	33
35-49	3035	5.2	36	1	2	4	6	10	14	30
50-64	2275	5.3	41	1	2	4	6	10	15	31
65 +	2329	5.9	39	1	2	4	7	11	16	34
2. MULTIPLE DX										
0-19 YRS	10474	5.2	58	1	2	3	6	11	18	45
20-34	10333	6.3	63	1	2	4	7	14	21	43
35-49	12696	6.8	55	2	3	5	8	14	21	40
50-64	20367	7.7	62	2	3	6	9	15	21	45
65 +	64493	9.4	87	3	4	7	11	18	26	62
TOTAL SINGLE DX	16194	4.6	36	1	2	3	5	9	13	31
TOTAL MULTIPLE DX	118363	8.2	77	2	3	6	10	17	24	53
TOTAL										
0-19 YRS	15549	4.6	50	1	1	2	5	10	15	42
20-34	13813	5.9	57	1	2	4	7	12	20	41
35-49	15731	6.5	52	2	3	4	8	13	19	39
50-64	22642	7.5	61	2	3	5	9	15	21	44
65 +	66822	9.3	87	3	4	7	11	18	26	61
GRAND TOTAL	134557	7.8	74	2	3	5	9	16	23	50

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11260	3.4	17	1	1	2	4	6	9	20
20-34	15807	3.2	9	1	1	2	4	6	8	15
35-49	9953	3.4	11	1	1	2	4	7	9	17
50-64	6350	3.9	13	1	2	3	5	8	10	17
65 +	4498	4.9	20	1	2	4	6	9	12	23
2. MULTIPLE DX										
0-19 YRS	23684	5.6	56	1	2	4	6	11	17	44
20-34	29098	4.9	30	1	2	3	6	9	14	29
35-49	31227	5.6	31	2	2	4	7	11	15	29
50-64	46444	6.3	29	2	3	5	8	12	15	28
65 +	112946	7.8	46	3	4	6	9	14	19	37
TOTAL SINGLE DX	47868	3.5	14	1	2	3	4	7	9	17
TOTAL MULTIPLE DX	243399	6.7	42	2	3	5	8	13	17	34
TOTAL										
0-19 YRS	34944	4.9	45	1	2	3	5	9	14	38
20-34	44905	4.3	24	1	2	3	5	8	12	27
35-49	41180	5.0	28	1	2	4	6	10	14	28
50-64	52794	6.0	28	2	3	5	7	11	15	27
65 +	117444	7.7	46	2	4	6	9	14	19	36
GRAND TOTAL	291267	6.2	38	2	3	5	8	12	16	32

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	184	6.9	120	1	2	4	7	13	24	58
20-34	36	3.6	5	1	2	3	4	5	8	14
35-49	37	4.1	15	1	2	3	5	7	9	24
50-64	45	4.4	8	2	3	4	6	8	9	18
65 +	39	8.6	82	2	3	5	12	21	26	46
2. MULTIPLE DX										
0-19 YRS	2050	17.5	368	3	5	10	25	52	79	99 +
20-34	403	9.4	112	2	3	6	11	22	32	91
35-49	605	11.1	147	2	4	7	13	24	37	74
50-64	1372	13.4	143	4	6	10	16	27	39	84
65 +	3683	13.9	124	5	7	11	17	27	35	72
TOTAL SINGLE DX	341	6.1	80	1	2	4	6	11	20	51
TOTAL MULTIPLE DX	8113	14.3	195	3	6	10	18	32	48	99 +
TOTAL										
0-19 YRS	2234	16.6	357	2	4	9	23	50	76	99 +
20-34	439	8.9	106	2	3	5	11	21	31	86
35-49	642	10.7	143	2	4	7	13	23	37	72
50-64	1417	13.1	142	3	6	10	16	27	38	83
65 +	3722	13.9	124	4	7	11	17	27	35	72
GRAND TOTAL	8454	14.0	193	3	5	10	17	31	47	99 +

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11116	4.4	36	1	2	3	4	8	18	32
20-34	3464	6.4	52	1	2	4	8	14	20	36
35-49	3329	6.4	45	1	3	4	7	13	20	34
50-64	2113	5.9	35	1	2	4	7	12	16	29
65 +	1769	6.8	48	2	3	5	8	13	18	38
2. MULTIPLE DX										
0-19 YRS	18294	5.9	65	1	2	3	6	13	22	44
20-34	7387	8.8	99	2	3	6	10	21	28	51
35-49	8948	8.2	78	2	3	6	10	18	26	48
50-64	12884	8.2	69	2	4	6	9	16	24	48
65 +	36393	9.8	92	3	4	7	12	20	28	61
TOTAL SINGLE DX	21791	5.4	42	1	2	3	6	12	18	34
TOTAL MULTIPLE DX	83906	8.5	85	2	3	6	10	18	26	52
TOTAL										
0-19 YRS	29410	5.3	55	1	2	3	5	11	20	41
20-34	10851	8.1	86	2	3	5	9	18	27	47
35-49	12277	7.7	70	2	3	5	9	16	25	44
50-64	14967	7.9	65	2	3	6	9	16	23	46
65 +	38162	9.7	91	3	4	7	11	19	28	60
GRAND TOTAL	105697	7.8	77	2	3	5	9	17	25	49

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2829	3.0	8	1	2	3	4	5	6	11
20-34	1011	3.5	7	1	2	3	4	7	8	14
35-49	1011	3.8	8	1	2	3	5	7	9	14
50-64	881	4.4	10	1	2	4	6	8	10	15
65 +	873	5.3	20	2	3	4	7	10	11	20
2. MULTIPLE DX										
0-19 YRS	5614	5.8	63	1	2	4	6	11	19	49
20-34	3353	5.5	38	1	2	4	7	11	17	33
35-49	5014	6.0	42	2	3	4	7	11	16	34
50-64	10997	6.7	34	2	3	5	8	13	17	29
65 +	31922	8.3	55	3	4	6	10	16	21	42
TOTAL SINGLE DX	6605	3.7	11	1	2	3	5	7	9	14
TOTAL MULTIPLE DX	56900	7.4	51	2	3	6	9	14	19	39
TOTAL										
0-19 YRS	8443	4.9	47	1	2	3	5	9	14	40
20-34	4364	5.1	32	1	2	3	6	10	15	29
35-49	6025	5.6	37	1	2	4	7	11	15	32
50-64	11878	6.6	33	2	3	5	8	12	16	29
65 +	32795	8.2	54	3	4	6	10	15	21	42
GRAND TOTAL	63505	7.0	48	2	3	5	9	14	19	38

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9409	3.4	32	1	1	2	4	5	8	30
20-34	4530	3.6	31	1	1	2	4	7	12	31
35-49	4486	3.5	20	1	1	2	4	7	10	25
50-64	3944	3.7	16	1	2	3	4	7	10	22
65 +	3438	4.4	19	1	2	3	6	9	11	21
2. MULTIPLE DX										
0-19 YRS	25594	6.8	123	1	2	3	6	15	30	73
20-34	11978	5.5	61	1	2	3	6	12	21	42
35-49	18040	5.2	40	1	2	3	6	10	16	32
50-64	32676	5.7	37	2	2	4	7	11	15	32
65 +	82425	7.3	52	2	3	5	9	14	19	41
TOTAL SINGLE DX	25807	3.6	26	1	1	2	4	7	10	28
TOTAL MULTIPLE DX	170713	6.6	60	2	3	4	8	13	19	45
TOTAL										
0-19 YRS	35003	5.9	101	1	2	3	5	12	24	67
20-34	16508	5.0	54	1	1	3	5	11	19	39
35-49	22526	4.8	37	1	2	3	5	10	15	31
50-64	36620	5.5	35	1	2	4	7	11	15	31
65 +	85863	7.2	52	2	3	5	9	14	19	40
GRAND TOTAL	196520	6.2	57	1	2	4	7	12	18	43

Appendix

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

Diagnosis Groups (continued)

358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental ICD-9-CM Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index
Part III: Crosswalk

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1988, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1988 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism

Group No.	Title
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
305	skin and subcutaneous tissue, except digit

Group No.	Title
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary
354	renal

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell

Group No.	Title
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebralvascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration

DIAGNOSIS INDEX (continued)

Group No.	Title
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
	Dependence (continued)
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial

Group No.	Title
	Disease (continued)
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
145	renal
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
	Disease **(continued)**
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol

DIAGNOSIS INDEX (continued)

Group No.	Title
	Drug (continued)
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization

Group No.	Title
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension

DIAGNOSIS INDEX (continued)

Group No.	Title
	Examination
417	follow-up
417	medical
	Failure
156	heart
408	postoperative
238	renal, except chronic
237	chronic
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper

Group No.	Title
	Fracture (continued)
	arm, except upper (continued)
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
	skull (continued)
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage

Group No.	Title
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device
	Heart
147	attack
156	failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn

DIAGNOSIS INDEX (continued)

Group No.	Title
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional

Group No.	Title
	Hernia **(continued)**
	incisional (continued)
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly
84	Hyperbilirubinemia, except neonatal
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy

DIAGNOSIS INDEX (continued)

Group No.	Title
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis

Group No.	Title
	Infertility (continued)
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion
386	internal, except chest
385	chest
376	knee ligament or meniscus
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
	Laceration **(continued)**
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria

DIAGNOSIS INDEX (continued)

Group No. Title

- 32 Malignant melanoma, skin
- 105 Manic-depressive psychosis
- 256 Mastitis, except puerperal
  - 304 puerperal
- 9 Measles
  - 20 late effect
- 126 Median nerve entrapment
- 32 Melanoma, malignant
- 138 Meniere's disease
- 120 Meningitis, except tuberculous and viral
  - 4 tuberculous
  - 8 viral
    - 20 late effect
- 265 Menopause
- 264 Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
- 119 Mental deficiency or retardation
- 224 Mesenteric artery syndrome
- 92 Mesenteric lymphadenitis
- 261 Metritis
- 263 Metrorrhagia
- 125 Migraine
- 4 Miliary tuberculosis
- Mitral valve disease-*see Valvular disease*
- 342 Mongolism
- 16 Moniliasis
- 11 Mononucleosis
- 221 Mucous colitis
- Multiparity
  - 282 without delivery
  - 410 without pregnancy
- 282 Multiple pregnancy
  - 289 with delivery
- 122 Multiple sclerosis
- 13 Mumps
- 124 Muscular dystrophy
- 16 Mycosis

Group No. Title

- 147 Myocardial infarction, acute

- 184 Nasal polyp
- 356 Nausea
- Neoplasm, benign
  - 65 bladder
  - 57 bone
  - 67 brain
  - 59 breast
  - 56 bronchus
  - 54 buccal cavity
  - 61 cervix
  - 57 connective tissue
  - 55 digestive
  - 69 endocrine, except thyroid
  - 66 eye
  - genitalia
    - 63 female, except uterus and ovary
    - 64 male
  - 65 kidney
  - 56 larynx
  - 56 lung
  - 57 muscle
  - 67 nervous system
  - 62 ovary
  - 54 pharynx
  - 64 prostate
  - 56 respiratory
  - 64 scrotum
  - 58 skin
  - 56 thymus
  - 68 thyroid
  - 65 ureter
  - 65 urethra
  - 65 urinary
  - 61 uterus, except fibroma
    - 60 fibroma

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
38	fallopian tube
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, except colon and rectum
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland
	Neoplasm, malignant **(continued)**
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive

DIAGNOSIS INDEX (continued)

Group No.	Title
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia
	Organic brain syndrome **(continued)**
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
136	chronic and unspecified
137	acute
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary

Group No.	Title
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Pregnancy **(continued)**
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism

Group No.	Title
	Pulmonary **(continued)**
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congenital
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic
237	chronic
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst

Group No.	Title
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee

DIAGNOSIS INDEX (continued)

Group No.	Title
	Sprain, except knee, back, and sacroiliac region **(continued)**
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)

Group No.	Title
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery

DIAGNOSIS INDEX (continued)

Group No.	Title
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation
	Ulcer **(continued)**
	peptic, except gastric (continued)
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper resiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb

DIAGNOSIS INDEX (continued)

Group No.	Title
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	Open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	Title
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, and temporomandibular
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
737	total replacement, except hip and knee
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain
757	breast

Group No.	Title
	Biopsy (continued)
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura
657	prostate

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
606	rectum
549	salivary gland or duct
658	scrotum
593	stomach
762	skin
598	small intestine
507	spinal meninges
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
597	gastric

Group No.	Title
	Bypass, graft or shunt (continued)
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix

OPERATION INDEX (continued)

Group No.	Title
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
582	blood vessel
568	chest
629	laparotomy site
	Control of hemorrhage **(continued)**
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERCP (endoscopic retrograde cholangiopancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy)
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine

Group No.	Title
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral

OPERATION INDEX (continued)

Group No. Title
Excision (continued)
549 parotid gland
761 pilonidal cyst or sinus
515 pituitary gland
656 prostate, except transurethral approach
655   transurethral approach
522 pterygium
762 sebaceous cyst, except of eyelid
517   eyelid, eyebrow
730 semilunar cartilage, knee
586 spleen
514 thyroglossal duct or tract
513 thyroid
767 toenail
551 tongue
552 tonsil, except with adenoids
553   with adenoids
555 tonsil tag
tubes and ovaries
670   bilateral
669   unilateral
678 uterine fibroid
577 varicocele, except of spermatic cord
663   spermatic cord
Excision of lesion (and destruction of tissue)
628 abdominal wall
611 anus
619 bile duct
644 bladder, except transurethral approach
642   transurethral approach
715 bone, except facial and femur
706   facial
714   femur
501 brain
757 breast
562 bronchus
501 cerebral meninges

Group No. Title
Excision of lesion (continued)
676 cervix, except by conization
675   conization
598 colon
520 conjunctiva
522 cornea
598 duodenum
533 ear, external
589 esophagus
531 eye
517 eyelid
674 fallopian tube
548 gingiva, gums
598 intestine
524 iris
636 kidney
598 large intestine
557 larynx
551 lip
564 lung
meninges
501   cerebral
507   spinal
742 muscle
nerve
508   peripheral
511   sympathetic
542 nose, except submucous resection
540   submucous resection
668 ovary
549 parotid gland
666 penis
perineum
691   female
762   male
508 peripheral nerve
607 perirectal tissue

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion (continued)
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation

Group No.	Title
	Extracorporeal (continued)
582	membrane oxygenation (ECMO)
652	shock wave lithotripsy (ESWL)
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*

OPERATION INDEX (continued)

Group No. **Title**

- 697 Forceps delivery, except low forceps
  - 695 low forceps
- Formation
  - 580 arteriovenous shunt for dialysis
  - 602 endoileal rectal pouch
  - 638 ileal conduit or bladder
- Fracture-reduction
  - 709 facial bone, except closed reduction
    - 708 closed reduction
  - femur
    - 721 closed, except with internal fixation
      - 719 with internal fixation
    - 721 open, except with internal fixation
      - 720 with internal fixation
  - 709 mandible, except closed reduction
    - 708 closed reduction
  - 709 maxillofacial, except closed reduction
    - 708 closed reduction
  - 543 nose
  - other sites
    - 724 closed, except with internal fixation
      - 722 with internal fixation
    - 724 open, except with internal fixation
      - 723 with internal fixation
- 551 Frenectomy (labial) (tongue)
- 556 Frenotomy (labial) (tongue)
- 734 Fusion, joint, except spinal
  - 733 spinal

- 508 Ganglionectomy, except of tendon
  - 742 tendon (of hand)
- 508 Gasserian ganglionectomy
- 594 Gastrectomy, except total
  - 595 total
- 590 Gastroscopy, except surgical approach
  - 597 surgical approach (transabdominal)
- 592 Gastrostomy

Group No. **Title**

- 591 Gastrotomy
- 707 Genioplasty
- 775 G.I. series x-ray
- 548 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 551 Glossectomy
- Graft
  - 717 bone, except facial, femur and skull
    - 710 facial
    - 716 femur
    - 503 skull
  - 765 free, of skin
  - 551 lip
  - 746 muscle, except of hand
    - 744 hand
  - 766 pedicle, of skin
  - skin
    - 765 free
    - 766 pedicle
  - 746 tendon, except of hand
    - 744 hand

- 573 Heart catheterization
- 582 Heart-lung bypass
- 600 Hemicolectomy
- 579 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 627 diaphragmatic
  - 626 epigastric
  - 624 femoral
  - 626 incisional
  - inguinal
    - 623 bilateral
    - 622 unilateral
  - 625 umbilical

OPERATION INDEX (continued)

Group No.	Title
	Herniorrhaphy **(continued)**
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain

Group No.	Title
	Incision (and drainage) **(continued)**
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast

Group No.	Title
	Insertion **(continued)**
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins

OPERATION INDEX (continued)

Group No. **Title**

- Lithotripsy
  - 644 bladder
  - 652 extracorporeal shock wave (ESWL)
  - 639 kidney
  - 652 ultrasonic
  - 640 ureter
- Lobectomy
  - 501 brain
  - 615 liver
  - 565 lung, except partial
    - 564 partial
- 695 Low forceps delivery
- 512 Lumbar puncture
- Lysis, adhesions
  - 632 abdominal
  - 744 hand
  - 524 iris
  - 727 joint
  - 746 muscle, except hand
    - 744 hand
  - 632 pelvis
  - 632 peritoneum
  - 746 tendon, except of hand
    - 744 hand

- 775 Magnetic resonance imaging (MRI)
- 760 Mammectomy
- 775 Mammography
- 760 Mammoplasty, augmentation or reduction
- 707 Mandibulectomy, except partial
  - 706 partial
- 707 Mandibulotomy
- Mastectomy
  - 758 complete
  - 759 radical
  - 758 simple, except extended
    - 759 extended

Group No. **Title**

- Mastectomy (continued)
  - 757 subtotal
- 537 Mastoidectomy, except revision
  - 538 revision
- 760 Mastotomy
- Meatotomy
  - 640 ureteral
  - 645 urethral
- 698 Medical induction of labor
- 730 Meniscectomy, knee
- 694 Menstrual extraction or regulation
- 707 Mentoplasty
- 782 Monitoring, circulatory (CVP) (PCW)
- 775 MRI (magnetic resonance imaging)
- 770 Myelography
- 678 Myomectomy, uterus
- 536 Myringotomy

- 633 Nephrectomy (complete)
- 636 Nephropexy
- 775 NMR (nuclear magnetic resonance imaging)
- Nutritional infusion
  - 783 enteral
  - 781 parenteral (PPN) (TPN)

- 690 Obliteration, vagina or vaginal vault
- 767 Onychectomy
- 767 Onychoplasty
- Oophorectomy
  - 670 bilateral
  - 669 unilateral
- 532 Ophthalmoscopy
- 659 Orchiectomy
- 660 Orchiopexy
- 661 Orchioplasty, except suspension
  - 660 suspension

OPERATION INDEX (continued)

Group No. Title
715 Ostectomy, except facial bone and femur
707   facial bone, except partial
706   partial
714   femur
717 Osteoplasty, except facial bone and femur
707   facial bone
714   femur
712 Osteotomy, except facial bone and femur
707   facial bone
711   femur
539 Otoscopy

550 Palatoplasty
620 Pancreatectomy
620 Pancreatotomy
Paracentesis
628   abdominal
524   anterior chamber (eye)
576   thoracic
514 Parathyroidectomy
549 Parotidectomy
681 Pelvic exenteration
582 Percutaneous transluminal angioplasty, except coronary
571   coronary artery (PTCA)
575 Pericardiocentesis
631 Peritoneal dialysis
630 Peritoneoscopy
556 Pharyngoscopy
555 Pharyngotomy
773 Phlebography
781 Photopheresis
539 Piercing, ear
781 Plasmapheresis
781 Plateletpheresis
576 Pleurocentesis
576 Pleurodesis, chemical
569 Pleurosclerosis

Group No. Title
Plication
650   urethral, urethrovesical
582   vena cava
769 Pneumoencephalography
565 Pneumonectomy
783 Polysomnogram
781 PPN (peripheral parenteral nutrition)
667 Preputiotomy
608 Proctectomy
609 Proctopexy
621 Proctosigmoidoscopy, except surgical approach
609   surgical approach (transabdominal)
607 Proctotomy
656 Prostatectomy, except transurethral approach
655   transurethral approach
779 Psychiatric testing and evaluation
779 Psychotherapy
571 PTCA (percutaneous transluminal coronary angioplasty)
Puncture
501   cranial
512   lumbar
501   skull, for drainage
512   spinal
775 Pyelogram (intravenous) (retrograde)
641 Pyeloscopy
636 Pyelotomy, except percutaneous
634   percutaneous
591 Pyloromyotomy
596 Pyloroplasty

776 Radiation therapy
Radiography
773   arteries, except cerebral and coronary
771   cerebral
772   coronary
775   breast

OPERATION INDEX (continued)

Group No.	Title
	Radiography (continued)
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
	Reduction (continued)
	fracture (continued)
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur
	Repair (continued)
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	Laceration-*see also Repair, by site*
705	obstetric
561	larynx

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures
	Repair (continued)
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump

OPERATION INDEX (continued)

Group No.	Title
	Revision (continued)
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
617	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin

OPERATION INDEX (continued)

Group No.	Title
	Suture (continued)
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation

Group No.	Title
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
746	muscle, except of hand
744	hand
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy

OPERATION INDEX (continued)

Group No.	Title
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

PART III: CROSSWALK

From Old to New Hospital Diagnosis and Procedure Groups

In January 1989, Hospital Diagnosis Groups (List A) and Hospital Procedure Groups (List B) were revised. This crosswalk is provided to facilitate tracking back and forth between the old and new group numbers.

A. Hospital Diagnosis Groups (List A)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
001	002*	035	037	069	073	103	109	137	143	171	179
002	003	036	038	070	074	104	110	138	144	172	180
003	004	037	039	071	075	105	111	139	146*	173	181
004	005	038	040	072	076	106	112	140	147	174	182
005	006	039	041	073	078*	107	113	141	148	175	183
006	007	040	042	074	079	108	114	142	149	176	184
007	008	041	043	075	080	109	115	143	150	177	185
008	009	042	044	076	081	110	117*	144	151	178	186
009	010	043	045	077	082	111	118*	145	152	179	188*
010	011	044	046	078	083	112	119	146	153	180	189
011	012	045	047	079	084	113	120	147	154	181	190
012	013	046	048	080	085	114	121	148	155	182	191
013	014	047	050*	081	086	115	122	149	156	183	192
014	015	048	052*	082	087	116	123	150	158*	184	193
015	016	049	053	083	088	117	124	151	150	185	194
016	017	050	054	084	089	118	125	152	159	186	196*
017	019*	051	055	085	090	119	126	153	160	187	197
018	020	052	056	086	091	120	127	154	161	188	198
019	021	053	057	087	092	121	128	155	162	189	199
020	022	054	058	088	093	122	129	156	163	190	200
021	023	055	059	089	094	123	130	157	164	191	201
022	024	056	060	090	097*	124	131	158	165	192	202
023	025	057	061	091	096	125	131	159	166	193	203
024	026	058	062	092	098	126	132	160	167	194	204
025	027	059	063	093	099	127	133	161	168	195	205
026	028	060	064	094	100	128	134	162	169	196	206
027	029	061	065	095	101	129	135	163	170	197	207
028	030	062	066	096	102	130	136	164	172*	198	208
029	031	063	067	097	103	131	137	165	173	199	209
030	032	064	068	098	104	132	138	166	174	200	210
031	033	065	069	099	105	133	139	167	175*	201	211
032	034	066	070	100	106	134	140	168	176	202	212
033	035	067	071	101	107	135	141	169	177	203	213
034	036	068	072	102	108	136	142	170	178	204	214

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

Hospital Diagnosis Groups (continued)

LIST A

Old	New
205	215
206	216
207	217
208	218
209	219
210	220
211	224*
212	225
213	226
214	227
215	228
216	229
217	230
218	231
219	232
220	233
221	234
222	235
223	236
224	237
225	238
226	239
227	240
228	241
229	242
230	243
231	244
232	245
233	246
234	248*
235	249
236	250
237	251
238	252

LIST A

Old	New
239	253
240	254
241	255
242	256
243	257
244	258
245	259
246	260
247	261
248	262
249	263
250	264*
251	265
252	266
253	267
254	268
255	269
256	270
257	271
258	272
259	273
260	274
261	275
262	276
263	277
264	278
265	279
266	280
267	281
268	282
269	283
270	284
271	285
272	286

LIST A

Old	New
273	287
274	288
275	289
276	290
277	291
278	292
279	293
280	294
281	295
282	296
283	297
284	298
285	299
286	300
287	301
288	302
289	303
290	304
291	305
292	306
293	307
294	308
295	310*
296	311
297	312
298	314*
299	315
300	316
301	317
302	318
303	319
304	320
305	321
306	322

LIST A

Old	New
307	323
308	324
309	325
310	326
311	327
312	328
313	329
314	330
315	331
316	331
317	332
318	333
319	334
320	335
321	336
322	337
323	338
324	339
325	340
326	341
327	342
328	345*
329	346
330	347
331	348
332	349
333	350
334	351
335	352
336	353
337	354
338	355
339	356
340	357

LIST A

Old	New
341	359*
342	360*
343	361
344	362
345	363
346	364
347	365
348	366
349	367
350	368
351	369
352	370
353	371
354	372
355	373
356	374
357	375
358	376
359	377
360	378
361	379
362	380
363	381
364	382
365	384*
366	385
367	386
368	387
369	388
370	389
371	390
372	391
373	392
374	393

LIST A

Old	New
375	394
376	395
377	396
378	397
379	397
380	398
381	399
382	400
383	401
384	402
385	403
386	404
387	405
388	406
389	407
390	408
391	409
392	410
393	411
394	412
395	413
396	414
397	415
398	417*

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

A. Hospital Diagnosis Groups (List A) - APPENDIX

List A Group			Now in LIST A:
OLD	NEW	Except for Diagnosis Code(s)	
001	002	008.6, 008.8	001
017	019	136.3	018
047	050	204.0	049
048	052	205.0	051
073	078	250.70-250.71	077
090	097	290.10-290.13	095
110	117	309.0-309.1	116
111	118	311	116
139	146	403.0-403.9	145
150	158	425.0-425.9	157
164	172	440.2	171
167	175	444.22	171
179	188	481-482.9	187
186	196	518.81-518.82	195
211	224	564.1;	221
		555.0-556;	222
		567.0-567.9	223
234	248	599.0	247
250	264	626.8	263
295	310	707.0-707.9	309
298	314	715.15-715.16, 715.25-715.26, 715.35-715.36, 715.95-715.96	313
328	345	765.00-765.19;	343
		773.0-774.9	344
341	359	800.0-800.9 with 5th digit 4, 5, 803.0-803.9 with 5th digit 4, 5	358
342	360	801.0-801.9 with 5th digit 4, 5	358
365	384	851.0-854.1 with 5th digit 4, 5	383
398	417	V58.1	416

B. Hospital Procedure-Groups (List B)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
501	501	535	534	569	568	603	604	637	642	671	679
502	502	536	535	570	569	604	604	638	644*	672	680
503	503	537	536	571	570	605	605	639	645	673	681
504	504	538	537	572	572	606	606	640	646	674	682
505	505*	539	538	573	573	607	607	641	647	675	683
506	506	540	539	574	574	608	608	642	648	676	684
507	507	541	540	575	575*	609	609	643	649	677	685
508	508	542	541	576	576	610	610	644	650	678	686
509	509	543	542	577	577	611	611	645	651	679	687
510	510	544	543	578	578*	612	612	646	653*	680	688
511	511	545	544	579	582	613	613*	647	654	681	689
512	512	546	545	580	579	614	614	648	655	682	690
513	513	547	546	581	582*	615	615	649	656	683	691
514	514	548	547	582	583	616	616	650	657	684	692
515	515	549	548	583	584	617	619*	651	658	685	693
516	516	550	549	584	588	618	620*	652	659	686	694
517	517	551	550	585	585	619	621	653	660	687	695
518	518	552	551	586	586	620	622	654	661	688	696
519	519	553	552	587	588*	621	623	655	662	689	697
520	520	554	553	588	589	622	624	656	663	690	698
521	521	555	554	589	590	623	625	657	664	691	699
522	522	556	555	590	591	624	626	658	666*	692	700
523	523	557	556	591	592	625	627	659	667	693	701
524	524	558	557	592	593	626	628	660	668	694	702
525	525	559	558	593	594	627	629	661	669	695	703
526	526	560	559	594	595	628	630	662	670	696	704
527	527	561	560	595	596	629	631	663	671	697	705
528	528	562	561*	596	597*	630	632	664	672	698	706
529	529	563	562	597	598	631	633	665	673	699	707
530	530	564	563	598	599	632	636*	666	674	700	708
531	530	565	564	599	600	633	637	667	675	701	709
532	531	566	565	600	601	634	638	668	676	702	710
533	532	567	566	601	602	635	640*	669	677	703	712*
534	533	568	567	602	603	636	641	670	678	704	713

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (Continued)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
705	715*	716	727	727	742	738	753	749	765	760	778*
706	717*	717	729*	728	743	739	754	750	766	761	779
707	718	718	730	729	744	740	755	751	767	762	780
708	719	719	732*	730	745	741	756	752	768	763	781
709	720	720	733	731	746	742	757	753	769	764	783*
710	721	721	734	732	747	743	758	754	770		
711	722	722	735	733	748	744	759	755	771		
712	723	723	736	734	749	745	760	756	772		
713	724	724	738*	735	750	746	761	757	773		
714	726*	725	740*	736	751	747	762	758	775*		
715	726*	726	741	737	752	748	764*	759	776		

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (List B) - APPENDIX

List B Group OLD	 NEW	Except for Procedure Code(s)	Now in LIST B:
505	505	02.2	504
562	561	31.1	560
575	575	36.00-36.02,36.04-36.09	571
578	578	39.27	580
581	582	39.42-39.43, 39.93-39.94;	580
		38.12	581
587	588	38.93	587
596	597	44.21-44.29	596
613	613	49.49	612
617	619	51.96, 51.98;	617
		51.97	618
618	620	52.91	618
632	636	55.03-55.04;	634
		55.6	635
635	640	56.0	639
638	644	57.0	643
646	653	59.95-59.96	652
658	666	64.95, 64.97	665
703	712	77.05, 77.15, 77.25, 77.35	711
705	715	77.45, 77.65, 77.75, 77.85, 77.95, 79.65	714
706	717	78.05, 78.15, 78.25, 78.35, 78.45, 78.55, 78.75, 78.85, 78.95, 79.95	716
714	726	79.75	725
715	726	79.85	725
717	729	80.52	728
719	732	80.20-80.29	731
724	738	81.41	737
725	740	81.31, 81.48, 81.71, 81.81, 81.84, 81.86	739
748	764	86.22	763
758	775	87.03, 87.41, 87.71, 88.01, 88.38	774
760	778	93.90-93.92	777
764	783	89.61-89.69	782

B4465-1.24

LENGTH OF STAY

HKS PUBLICATIONS

Length of Stay
by Diagnosis and Operation, North Central Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
October, 1989

LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1988
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1988
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1988
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Length of Stay by Psychiatric Diagnosis* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data
Data Quality
Database Characteristics

Organization of Length of Stay Tables x

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of Statistics xi

Application of Length of Stay Tables xii

Twenty-Five Years of Length of Stay xiii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 287

Indexes

Part I: Diagnosis Index 295
Part II: Operation Index 317
Part III: Crosswalk from Old to New Hospital Diagnosis and Procedure Groups 337

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1988 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are included in the 1988 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available.

1988 LENGTH OF STAY SERIES

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS

Linda E. Vanek, Assistant Manager, Normative Publications
Stacey Koepke, Customer Service Representative

INFORMATION SERVICES

Marion S. Morris, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),

Ruth Blumenauer and Kay Brown, Client Development Specialists, HKS,
Cindy Derr and the entire Word Processing staff,
Mary Kay Murray, Marketing Specialist, HKS,
Nancy Ramirez, Medical Systems Specialist, HKS,
Sally Smith, Senior Programmer Analyst,
Robert Travis, Librarian.

INTRODUCTION

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings. Now in its twenty-fifth year, and still drawn from CPHA's extensive database, *Length of Stay* remains the industry standard for inpatient normative data.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Table 1. Table definitions are as follows:

Region and Census Division

The regional volumes of Length of Stay series are defined by four census regions as described in the map below.



See Table 2 for the states comprising each region and the number of hospitals and patients included in each volume.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976

TABLE 1
1988 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	382	46	12.0
25-49	1,158	208	18.0
50-99	1,244	254	20.4
100-199	1,203	237	19.7
200-299	726	158	21.8
300-399	423	96	22.7
400-499	216	49	22.7
500+	293	59	20.1
Total	**5,645**	**1,107**	**19.6**
Region and Census Division			
Northeast	803	259	32.3
New England	241	97	40.2
Middle Atlantic	562	162	28.8
North Central	1,645	354	21.5
East North Central	870	300	34.5
West North Central	775	54	7.0
South	2,096	197	9.4
South Atlantic	812	112	13.8
East South Central	485	45	9.3
West South Central	799	40	5.0
West	1,101	297	27.0
Mountain	365	136	37.3
Pacific	736	161	21.9
Location			
Urban	2,996	604	20.2
Rural	2,649	503	19.0
Teaching Intensity			
Low	4,641	834	18.0
Medium	619	143	23.1
High	319	64	20.1
Unknown	66	66	100

---

[1] Hospitals with average stay less than 30 days.

[2] 1987 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Table 2
STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number of hospitals and total patients included in the length of stay tables are shown below.

Region	Number of Hospitals	Number of Patients
Northeast	259	1,407,115
North Central	354	1,810,030
South	197	862,390
West	297	1,406,144
U.S.	1,107	5,485,679

The Pediatric book was compiled from the data of 1,077 hospitals. The Geriatric book was compiled from the data of 1,058 hospitals.

ORGANIZATION OF LENGTH OF STAY TABLES

Classification System

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group, patients are stratified by single or multiple diagnosis and age.

NOTE: The composition of List A Diagnosis and List B Procedure groups in the 1988 Length of Stay series has been revised to reflect advances in medical technology and current trends in clinical medicine. The title of each group includes a brief English description and *ICD-9-CM* codes that fall into that group. Where space is limited, a full description can be found in the Appendix. For tracking purposes, a crosswalk from the old Diagnosis and Procedure groups is provided in Part III of the Index at the back of the book.

Patient Data Assignment

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*, updated as of October 1988.

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication. [2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients, their average length of stay, the variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The *Length of Stay* series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The *LOS* series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the *LOS* series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate *Length of Stay* for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in *Length of Stay*. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

TWENTY-FIVE YEARS OF LENGTH OF STAY

Now in their 25th year, the *Length of Stay* publications are drawn from a unique database of hospital medical experience. The original series in 1963-64 utilized discharge records submitted to CPHA through the Professional Activity Study. The 1988 *LOS* series, published by HKS with data from PAS hospitals and hospital associations, is based on over five million patient records, representing almost 20 percent of the short-term, nonfederal hospitals in the United States.

With LOS data, healthcare professionals can track trends over time and examine current patterns of inpatient hospitalization. For a broad perspective, total days spent in the hospital for various conditions can be compared from the earliest data (1963-64) to the current data (1988). For example, average stay for a diagnosis of diabetes mellitus without complications which was 11.3 days in the 60's, dropped to 5.1 days in 1988.

The following table illustrates hospital stay over a ten year period:

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1988

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
All Patients										
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8	5.7
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8	4.7
All Patients Except Newborn										
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1	6.0
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0	5.9
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0	5.0

Source: *Length of Stay by Diagnosis*, U.S. and Regions, 1979-1988.

As expected, there is a steady decline over the time period with almost a 15% decrease, from an average stay of 6.7 days in 1979 to 5.7 days in 1988. A slight levelling off can be observed since 1986. Regional variations remain consistent, with hospital stays highest in the Northeast and North Central, and lowest in the South and West.

A specific example of this pattern is evidenced in the table below which displays length of stay for normal delivery (ICD-9-CM 650) from 1980 through 1988. This table illustrates the overall decline in length of stay as well as the regional variations described above:

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.2	2.1
Northeast	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6
North Central	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.4	2.2
South	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
West	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1980 for frequently performed surgeries in the United States:

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
Cervical Cesarean Section	6.3	6.2	6.1	5.8	5.6	5.3	5.0	4.8	4.7
Cholecystectomy	10.9	10.7	10.4	9.9	9.1	8.2	7.7	7.2	6.9
Transurethral Prostatectomy	10.4	10.3	9.9	9.3	8.2	7.1	6.5	6.1	5.8
Unilateral Repair of Inguinal Hernia	4.8	4.7	4.4	4.1	3.7	3.2	2.8	2.6	2.5
Vaginal Hysterectomy	7.4	7.3	7.1	6.7	6.3	5.8	5.2	4.8	4.4

Researchers have looked at a variety of factors to explain the decline in hospital stay. Clearly one incentive to decrease stay resulted from the federal government's implementation of a fixed price prospective payment system (PPS) to reimburse hospitals for inpatient costs by Medicare patients. The effect of PPS is demonstrated in studies showing that between 1980 and 1985 Medicare beneficiaries have the greatest relative decline in stay. LOS data show increasingly shorter stays throughout the 80's with the most significant drop occurring between 1983 and 1984. Length of stay dropped 0.4 days for all U.S. hospitals over that year, and continued downward an additional 0.2 days in 1985.

In the 1980's new medical technologies have shortened the number of days a patient needs to be in the hospital. For example, the use of arthroscopic surgeries on the knee has decreased significantly the length of stay in U.S. short-term hospitals. Length of stay data for both internal derangement of the knee joint and dislocation of the knee show a decline from more than 4 days in 1980 to 2.5 days in 1988. Similarly the advent of chemoneucleolysis for herniated discs has reduced hospital stay dramatically.

Issues of cost containment have led to greater scrutiny over hospital stay, translated into the practice of discharging patients as soon as it is medically acceptable. Evidence of this practice is particularly clear for patients receiving medical/surgical procedures. Routine pre-operative examinations are now performed on an outpatient basis prior to admission. Post-operative stay has been shortened, with an increasing reliance on transfer to an alternative care facility after discharge.

The proliferation of HMO's and PPO's may provide yet another explanation for reduced inpatient days. With medical services now being prepaid, the incentive is to closely monitor all service delivery and to reduce costly hospital stays whenever possible.

Length of stay data are only one indicator of inpatient costs. This annual publication of norms from the CPHA database serves a significant function in offering a consistently reliable measure for review and analysis.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	165296	2.8	12	1	2	2	3	4	5	14
20-34	72162	3.3	22	1	2	2	3	5	9	27
35-49	25803	4.7	40	1	2	3	5	10	16	33
50-64	15213	4.6	34	1	2	3	5	9	14	29
65 +	12585	5.1	33	1	2	4	6	10	15	30
B. Operated										
0-19 YRS	47204	2.9	11	1	1	2	3	6	8	16
20-34	86177	2.8	5	1	2	2	3	5	6	10
35-49	38067	3.4	9	1	1	3	4	7	9	14
50-64	29985	4.0	13	1	1	3	5	8	10	16
65 +	26339	4.8	18	< 1	1	4	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192468	4.7	49	1	2	3	4	8	14	42
20-34	90557	6.5	64	1	2	3	7	18	25	35
35-49	84331	6.5	53	1	2	4	7	15	22	34
50-64	113812	6.1	36	2	3	4	7	12	17	31
65 +	259735	7.1	35	2	3	6	9	13	18	31
B. Operated										
0-19 YRS	57549	6.8	117	1	2	3	7	16	29	92
20-34	122358	4.6	31	2	2	3	5	8	12	31
35-49	85370	6.3	54	1	3	4	7	12	18	42
50-64	104735	8.0	72	1	3	6	10	16	23	46
65 +	180284	10.0	83	2	4	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291059	3.3	19	1	2	2	3	5	8	24
B. Operated	227772	3.3	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	740903	6.2	45	2	2	4	7	13	19	34
B. Operated	550296	7.5	72	1	3	5	9	16	23	48
1. SINGLE DX	518831	3.3	15	1	2	2	4	6	9	20
2. MULTIPLE DX	1291199	6.7	57	1	2	4	8	14	21	40
A. Not Operated	1031962	5.4	40	1	2	3	6	11	17	32
B. Operated	778068	6.3	58	1	2	4	8	14	19	41
TOTAL										
0-19 YRS	462517	4.1	42	1	2	2	4	7	12	39
20-34	371254	4.4	33	1	2	3	4	8	14	29
35-49	233571	5.7	46	1	2	4	6	12	19	34
50-64	263745	6.5	49	1	2	5	8	13	19	36
65 +	478943	8.0	55	2	3	6	10	16	21	38
GRAND TOTAL	**1810030**	**5.8**	**48**	**1**	**2**	**4**	**7**	**12**	**18**	**36**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66411	3.4	27	1	1	2	3	6	8	28
20-34	72162	3.3	22	1	2	2	3	5	9	27
35-49	25803	4.7	40	1	2	3	5	10	16	33
50-64	15213	4.6	34	1	2	3	5	9	14	29
65 +	12585	5.1	33	1	2	4	6	10	15	30
B. Operated										
0-19 YRS	46980	2.9	11	1	1	2	3	6	8	16
20-34	86177	2.8	5	1	2	2	3	5	6	10
35-49	38067	3.4	9	1	1	3	4	7	9	14
50-64	29985	4.0	13	1	1	3	5	8	10	16
65 +	26339	4.8	18	< 1	1	4	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123229	5.1	62	1	2	3	5	10	18	43
20-34	90557	6.5	64	1	2	3	7	18	25	35
35-49	84331	6.5	53	1	2	4	7	15	22	34
50-64	113812	6.1	36	2	3	4	7	12	17	31
65 +	259735	7.1	35	2	3	6	9	13	18	31
B. Operated										
0-19 YRS	54620	6.0	82	1	1	3	7	14	23	72
20-34	122358	4.6	31	2	2	3	5	8	12	31
35-49	85370	6.3	54	1	3	4	7	12	18	42
50-64	104735	8.0	72	1	3	6	10	16	23	46
65 +	180284	10.0	83	2	4	8	13	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192174	3.7	28	1	2	2	4	7	11	28
B. Operated	227548	3.3	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	671664	6.4	47	2	3	4	8	13	20	35
B. Operated	547367	7.4	69	1	3	5	9	16	22	46
1. SINGLE DX	419722	3.5	18	1	1	2	4	7	10	22
2. MULTIPLE DX	1219031	6.9	57	1	3	5	8	14	21	40
A. Not Operated	863838	5.8	44	1	2	4	7	12	18	33
B. Operated	774915	6.2	55	1	2	4	8	13	19	40
TOTAL										
0-19 YRS	291240	4.5	51	1	2	3	4	9	15	42
20-34	371254	4.4	33	1	2	3	4	8	14	29
35-49	233571	5.7	46	1	2	4	6	12	19	34
50-64	263745	6.5	49	1	2	5	8	13	19	36
65 +	478943	8.0	55	2	3	6	10	16	21	38
GRAND TOTAL	**1638753**	**6.0**	**49**	**1**	**2**	**4**	**7**	**13**	**19**	**36**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	788	2.3	2	1	1	2	3	4	5	7
20-34	185	1.9	1	1	1	2	2	3	4	5
35-49	83	2.3	2	1	1	2	3	4	6	8
50-64	26	2.3	1	1	2	2	3	3	4	6
65 +	33	2.5	2	1	2	2	3	5	5	5
B. Operated										
0-19 YRS	11	2.8	1	1	2	3	4	4	4	4
20-34	8	5.6	5	3	4	5	7	9	9	9
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65 +										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2695	3.0	3	1	2	3	4	5	6	10
20-34	414	2.9	3	1	2	2	3	5	6	10
35-49	292	3.3	5	1	2	3	4	6	8	12
50-64	283	3.6	5	2	2	3	4	6	8	12
65 +	610	4.5	12	2	2	4	5	8	10	19
B. Operated										
0-19 YRS	48	9.1	126	2	3	5	11	31	60	99 +
20-34	27	5.3	21	1	3	4	6	10	18	21
35-49	22	5.5	11	2	4	5	6	10	14	15
50-64	29	6.8	29	3	4	5	8	13	17	28
65 +	35	7.5	26	2	4	6	10	13	18	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1115	2.2	2	1	1	2	3	4	5	7
B. Operated	20	4.0	4	2	2	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	4294	3.3	5	1	2	3	4	6	7	12
B. Operated	161	7.2	55	2	3	5	9	15	24	95
1. SINGLE DX	1135	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	4455	3.4	7	1	2	3	4	6	8	13
A. Not Operated	5409	3.1	5	1	2	3	4	5	7	11
B. Operated	181	6.8	50	2	3	5	8	14	22	87
TOTAL										
0-19 YRS	3542	2.9	5	1	2	2	4	5	6	11
20-34	634	2.7	4	1	1	2	3	5	6	10
35-49	398	3.2	5	1	2	3	4	6	8	12
50-64	338	3.8	8	2	2	3	5	7	9	14
65 +	678	4.6	13	2	2	4	6	9	11	20
GRAND TOTAL	**5590**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	460	3.2	6	1	2	3	4	5	7	15
20-34	117	3.5	4	1	2	3	4	7	8	9
35-49	66	3.4	4	1	2	3	5	6	7	11
50-64	36	3.6	4	1	2	3	5	6	8	8
65 +	14	3.4	6	1	1	3	5	7	8	8
B. Operated										
0-19 YRS	22	5.1	6	2	4	4	7	8	10	11
20-34	27	4.8	9	2	3	4	6	9	10	15
35-49	21	5.0	9	2	4	4	6	8	12	16
50-64	5	5.0	5	2	3	5	6	8	8	8
65 +	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	914	4.1	11	1	2	3	5	7	11	16
20-34	264	3.7	5	1	2	3	5	7	7	10
35-49	210	4.1	7	2	2	4	5	7	8	14
50-64	172	5.2	8	2	3	5	7	9	11	13
65 +	310	7.0	23	3	4	6	9	14	17	24
B. Operated										
0-19 YRS	47	10.1	158	2	4	5	11	30	44	57
20-34	57	5.9	23	2	4	4	6	9	18	26
35-49	50	5.6	7	2	4	5	7	9	11	14
50-64	54	8.1	23	4	5	7	10	13	19	26
65 +	98	12.7	128	4	6	8	15	26	45	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	693	3.3	5	1	2	3	4	6	7	13
B. Operated	78	4.9	7	2	3	4	6	8	9	16
2. MULTIPLE DX										
A. Not Operated	1870	4.6	13	2	2	4	6	9	11	18
B. Operated	306	9.1	82	3	4	6	10	18	26	54
1. SINGLE DX	771	3.5	6	1	2	3	4	6	8	15
2. MULTIPLE DX	2176	5.2	25	2	3	4	6	10	14	26
A. Not Operated	2563	4.3	11	1	2	3	5	8	11	17
B. Operated	384	8.2	70	3	4	6	9	15	23	52
TOTAL										
0-19 YRS	1443	4.0	16	1	2	3	5	7	10	17
20-34	465	4.0	8	1	2	4	5	7	8	14
35-49	347	4.2	7	2	2	4	5	7	9	14
50-64	267	5.6	13	2	3	5	7	10	12	20
65 +	425	8.2	53	3	4	6	10	16	21	48
GRAND TOTAL	**2947**	**4.8**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	5	1	2	4	6	6	6	6
20-34	18	8.9	17	4	6	9	12	14	16	17
35-49	17	9.8	30	5	7	9	11	14	23	28
50-64	5	8.4	55	1	3	14	79	99+	99+	99+
65+	3	9.7	26	4	6	11	13	14	14	14
B. Operated										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	5	7.8	17	5	5	5	11	14	14	14
50-64	5	11.8	11	8	9	12	14	16	16	16
65+	8	7.3	19	1	5	6	9	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	5.9	16	3	3	5	7	13	14	15
20-34	21	14.8	70	8	10	11	15	31	35	35
35-49	43	13.1	111	4	7	12	15	21	45	99+
50-64	36	11.4	66	2	5	10	16	21	23	41
65+	56	13.5	109	3	7	11	18	25	28	62
B. Operated										
0-19 YRS	5	8.4	61	<1	2	8	12	21	21	21
20-34	14	12.9	59	6	7	11	19	25	26	26
35-49	26	17.8	276	6	9	14	20	66	99+	99+
50-64	21	13.7	141	5	7	9	15	34	44	48
65+	49	17.0	218	4	7	11	23	37	55	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	8.7	25	3	6	8	12	16	28	99+
B. Operated	22	8.0	19	2	5	7	10	15	16	16
2. MULTIPLE DX										
A. Not Operated	171	12.4	91	3	6	10	16	23	30	66
B. Operated	115	15.7	192	4	8	11	19	36	56	99+
1. SINGLE DX	70	8.5	23	3	5	8	12	15	18	99+
2. MULTIPLE DX	286	13.7	134	4	7	11	17	29	41	88
A. Not Operated	219	11.6	79	3	6	10	15	22	29	99+
B. Operated	137	14.5	172	4	7	10	18	33	53	99+
TOTAL										
0-19 YRS	27	5.8	21	<1	3	5	7	12	16	21
20-34	55	12.1	54	4	7	11	14	24	27	35
35-49	91	13.5	144	5	7	11	15	28	65	99+
50-64	67	11.9	84	3	6	10	16	23	42	99+
65+	116	14.4	152	3	7	10	18	31	38	63
GRAND TOTAL	**356**	**12.7**	**116**	**4**	**6**	**10**	**16**	**26**	**37**	**99+**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	0									
35-49	1	21.0		21	21	21	21	21	21	21
50-64	0									
65+	0									
B. Operated										
0-19 YRS	5	7.6	72	1	2	2	15	20	20	20
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	16	3	4	7	10	11	11	11
20-34	3	16.0	91	7	9	15	23	26	26	26
35-49	5	12.0	45	4	6	13	16	21	21	21
50-64	2	12.0	18	9	9	12	15	15	15	15
65+	6	18.0	106	6	14	15	26	33	34	34
B. Operated										
0-19 YRS	7	8.7	68	2	4	5	12	23	25	25
20-34	7	19.0	258	5	8	17	19	46	53	53
35-49	10	22.3	231	6	12	18	31	47	48	48
50-64	11	30.5	818	6	15	18	39	84	88	88
65+	10	18.1	115	5	11	16	23	35	38	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	22.0	2	21	21	22	23	23	23	23
B. Operated	6	7.3	58	1	2	4	13	19	20	20
2. MULTIPLE DX										
A. Not Operated	19	13.7	68	4	7	14	15	26	31	34
B. Operated	45	20.7	350	5	7	16	23	47	60	88
1. SINGLE DX	8	11.0	88	1	2	9	20	22	23	23
2. MULTIPLE DX	64	18.7	274	5	7	15	22	39	49	87
A. Not Operated	21	14.5	67	5	7	14	21	26	30	34
B. Operated	51	19.2	333	4	6	15	22	45	53	88
TOTAL										
0-19 YRS	16	8.9	63	1	3	6	13	23	24	25
20-34	10	18.1	194	5	7	16	20	39	53	53
35-49	16	19.0	174	5	10	15	22	45	48	48
50-64	14	26.1	708	6	9	16	23	82	87	88
65+	16	18.1	104	5	11	15	24	34	37	38
GRAND TOTAL	**72**	**17.8**	**258**	**4**	**7**	**15**	**21**	**35**	**48**	**86**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	2.4	2	1	1	2	3	4	5	6
20-34	49	2.6	1	1	2	3	3	4	4	6
35-49	11	2.5	1	< 1	1	3	3	4	4	4
50-64	3	4.7	1	4	4	4	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	38	1.0		1	1	1	1	1	1	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	585	2.7	2	1	2	2	3	4	5	8
20-34	137	2.9	2	1	2	3	3	4	6	8
35-49	39	3.0	2	2	2	3	4	5	6	7
50-64	28	4.9	21	2	3	3	5	7	15	25
65 +	27	3.9	5	2	2	3	5	7	9	9
B. Operated										
0-19 YRS	36	2.6	12	1	1	1	3	5	8	19
20-34	7	4.6	14	1	1	4	8	10	10	10
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	2	12.5	41	8	8	12	17	17	17	17
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	2.5	1	1	2	2	3	4	5	6
B. Operated	41	1.0		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	816	2.8	3	1	2	3	3	5	6	9
B. Operated	48	3.6	17	1	1	1	5	9	12	19
1. SINGLE DX	228	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX	864	2.9	4	1	2	3	4	5	6	10
A. Not Operated	1003	2.8	3	1	2	2	3	5	5	8
B. Operated	89	2.4	11	1	1	1	2	6	9	18
TOTAL										
0-19 YRS	783	2.6	3	1	1	2	3	4	5	8
20-34	196	2.8	2	1	2	3	3	4	6	9
35-49	52	2.9	2	1	2	3	4	5	5	7
50-64	33	5.3	23	2	3	4	5	9	17	25
65 +	28	4.1	6	2	2	3	5	8	9	11
GRAND TOTAL	**1092**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	405	4.3	9	2	2	3	5	10	10	14
20-34	13	4.3	10	1	3	4	4	7	13	14
35-49	8	4.4	2	2	3	5	6	6	6	6
50-64	13	5.7	10	2	4	6	7	11	13	13
65 +	36	6.8	34	2	3	5	9	12	14	34
B. Operated										
0-19 YRS	9	6.3	30	1	3	5	8	15	19	19
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	2	7.5	1	7	7	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1225	5.8	22	2	3	4	7	11	14	23
20-34	255	8.7	54	2	5	7	10	16	25	42
35-49	439	9.2	55	3	5	8	11	16	22	47
50-64	773	9.8	49	4	6	8	12	16	22	42
65 +	3437	10.3	42	4	6	9	12	17	22	34
B. Operated										
0-19 YRS	137	16.6	193	5	8	13	20	38	52	99 +
20-34	128	19.2	299	5	7	14	27	45	62	99 +
35-49	205	16.9	180	5	8	14	20	36	50	95
50-64	358	19.4	225	7	10	15	24	40	50	92
65 +	1107	18.6	176	7	10	15	23	35	46	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	4.5	11	2	2	3	6	10	11	14
B. Operated	13	7.3	25	2	4	7	9	16	18	19
2. MULTIPLE DX										
A. Not Operated	6129	9.2	43	3	5	8	11	16	20	35
B. Operated	1935	18.4	195	7	10	14	23	37	48	86
1. SINGLE DX	488	4.6	12	2	2	3	6	10	11	15
2. MULTIPLE DX	8064	11.4	96	3	6	9	14	22	30	57
A. Not Operated	6604	8.8	43	3	5	7	11	16	20	34
B. Operated	1948	18.4	195	7	9	14	23	37	48	86
TOTAL										
0-19 YRS	1776	6.3	41	2	3	4	8	12	16	37
20-34	397	11.9	157	3	5	8	14	27	40	77
35-49	653	11.6	107	4	6	9	14	22	30	66
50-64	1144	12.7	124	5	6	9	15	24	34	73
65 +	4582	12.3	87	5	7	10	14	22	30	54
GRAND TOTAL	**8552**	**11.0**	**93**	**3**	**5**	**9**	**13**	**21**	**29**	**55**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	5.9	16	2	3	5	8	11	12	15
20-34	27	5.0	9	2	3	4	6	10	11	11
35-49	19	6.5	16	3	3	5	10	13	14	14
50-64	14	5.9	8	3	4	5	8	11	11	11
65 +	6	10.8	99	4	4	5	21	25	26	26
B. Operated										
0-19 YRS	7	4.1	24	1	1	2	4	13	15	15
20-34	5	6.2	4	3	5	7	7	8	8	8
35-49	4	5.5	10	2	3	5	8	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	6.9	21	2	3	6	9	13	15	23
20-34	61	5.6	17	2	3	4	7	11	13	23
35-49	52	6.6	26	3	4	5	7	11	20	28
50-64	78	6.9	26	3	3	6	9	13	15	31
65 +	148	7.7	25	3	4	6	10	13	17	27
B. Operated										
0-19 YRS	32	14.5	298	1	3	11	17	26	57	85
20-34	22	11.9	170	3	4	6	15	30	45	56
35-49	23	18.7	262	3	5	13	27	40	53	64
50-64	40	18.7	238	5	9	16	25	34	43	87
65 +	48	18.6	305	4	7	15	25	46	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	6.0	17	2	3	5	8	11	12	20
B. Operated	16	5.1	14	1	2	4	7	9	13	15
2. MULTIPLE DX										
A. Not Operated	627	6.9	23	3	4	6	9	13	15	24
B. Operated	165	17.0	264	3	6	13	24	37	56	99 +
1. SINGLE DX	275	5.9	17	2	3	5	8	11	12	20
2. MULTIPLE DX	792	9.0	89	3	4	6	10	17	26	56
A. Not Operated	886	6.6	21	2	4	5	9	12	14	24
B. Operated	181	15.9	253	3	5	12	23	35	50	99
TOTAL										
0-19 YRS	520	6.9	39	2	3	6	9	13	15	24
20-34	115	6.7	49	2	3	5	8	13	15	44
35-49	98	9.4	103	3	4	5	10	23	30	56
50-64	132	10.4	117	3	4	7	12	22	32	53
65 +	202	10.4	114	3	5	7	12	24	31	99
GRAND TOTAL	**1067**	**8.2**	**72**	**2**	**4**	**6**	**10**	**15**	**23**	**46**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	499	3.4	4	2	2	3	4	5	7	11
20-34	181	3.5	3	2	2	3	4	6	7	10
35-49	43	4.9	10	2	3	4	6	8	12	15
50-64	9	4.4	6	2	3	4	5	9	9	9
65 +	4	4.8	4	2	3	5	6	7	7	7
B. Operated										
0-19 YRS	7	3.0	2	2	2	2	4	6	6	6
20-34	3	6.7	21	4	4	4	10	12	12	12
35-49	1	16.0		16	16	16	16	16	16	16
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	441	4.2	8	2	3	3	5	7	10	17
20-34	168	4.7	12	2	3	4	6	9	10	22
35-49	59	5.2	8	2	3	4	7	9	11	13
50-64	22	7.2	15	3	4	6	9	13	16	18
65 +	27	10.6	98	3	4	8	14	19	38	44
B. Operated										
0-19 YRS	6	7.3	30	1	4	5	13	15	15	15
20-34	8	9.4	49	4	4	6	19	69	99 +	99 +
35-49	12	12.2	56	4	8	11	14	23	30	31
50-64	3	19.7	446	6	7	9	35	44	44	44
65 +	4	12.3	33	7	8	11	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	736	3.5	4	2	2	3	4	6	7	11
B. Operated	12	4.9	20	2	2	3	5	13	16	16
2. MULTIPLE DX										
A. Not Operated	717	4.7	14	2	3	4	6	9	11	19
B. Operated	33	11.3	76	4	6	10	15	23	41	99 +
1. SINGLE DX	748	3.5	5	2	2	3	4	6	7	12
2. MULTIPLE DX	750	5.0	19	2	3	4	6	9	13	22
A. Not Operated	1453	4.1	10	2	2	3	5	7	10	17
B. Operated	45	9.6	69	2	4	7	13	20	34	99 +
TOTAL										
0-19 YRS	953	3.8	6	2	2	3	4	6	9	15
20-34	360	4.2	9	2	2	3	5	7	9	22
35-49	115	5.9	19	2	3	5	7	11	14	23
50-64	35	7.4	53	3	4	6	9	12	17	44
65 +	35	10.1	83	3	5	8	13	19	33	44
GRAND TOTAL	**1498**	**4.3**	**12**	**2**	**2**	**3**	**5**	**8**	**10**	**19**

354 Hospitals, North Central Region, January-December 1988

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	3.4	7	1	2	3	4	6	8	15
20-34	43	4.8	5	2	3	5	6	8	9	11
35-49	11	4.8	6	2	3	5	6	8	11	11
50-64	16	5.8	32	1	2	4	7	13	20	23
65 +	38	4.2	8	1	2	3	6	8	10	13
B. Operated										
0-19 YRS	4	6.3	13	3	3	5	9	11	11	11
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	5.2	20	1	2	3	10	10	10	10
65 +	8	3.8	9	1	1	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	585	4.3	11	1	2	3	5	8	10	17
20-34	117	5.0	8	2	3	4	7	8	10	14
35-49	58	5.7	8	3	4	5	7	10	12	14
50-64	154	6.7	18	3	4	6	8	11	14	25
65 +	441	7.2	27	2	4	6	9	13	17	27
B. Operated										
0-19 YRS	27	13.0	101	4	7	10	15	27	38	43
20-34	13	16.8	315	1	3	9	27	48	51	52
35-49	14	15.0	98	5	8	11	25	27	35	37
50-64	21	12.2	59	5	7	9	16	25	29	32
65 +	88	12.5	95	3	6	10	16	24	36	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	253	4.0	9	1	2	3	5	7	9	15
B. Operated	18	4.7	12	1	2	4	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	1355	5.6	18	2	3	5	7	10	13	22
B. Operated	163	13.1	108	4	6	10	17	26	37	49
1. SINGLE DX	271	4.0	9	1	2	3	5	7	10	15
2. MULTIPLE DX	1518	6.4	33	2	3	5	8	12	17	32
A. Not Operated	1608	5.4	17	2	3	4	7	10	13	22
B. Operated	181	12.3	104	3	5	10	15	26	36	48
TOTAL										
0-19 YRS	761	4.4	16	1	2	3	5	8	11	22
20-34	173	5.8	38	2	3	5	7	9	11	44
35-49	84	7.1	34	3	4	5	8	13	21	33
50-64	196	7.2	26	2	4	6	9	14	17	27
65 +	575	7.8	40	2	4	6	10	15	20	36
GRAND TOTAL	**1789**	**6.1**	**30**	**2**	**3**	**5**	**7**	**11**	**16**	**29**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	4.8	12	1	2	4	6	10	12	16
20-34	104	5.2	9	2	3	4	7	8	11	15
35-49	46	5.3	9	2	3	5	7	8	12	15
50-64	12	6.4	12	3	4	6	9	12	12	12
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	4	2.3	6	1	1	1	4	6	6	6
20-34	6	5.3	15	< 1	1	5	9	10	10	10
35-49	8	3.6	11	1	1	2	6	8	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	7.7	49	1	2	7	13	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	4.6	9	1	3	4	6	8	9	17
20-34	150	6.3	23	2	3	5	8	12	15	24
35-49	79	5.4	7	2	3	5	7	9	10	13
50-64	40	6.5	14	3	3	6	8	12	13	18
65 +	52	8.0	40	3	4	6	9	14	26	32
B. Operated										
0-19 YRS	3	8.3		8	8	9	54	99 +	99 +	99 +
20-34	20	6.3	59	1	2	4	8	12	24	35
35-49	23	11.1	104	2	4	8	14	29	35	35
50-64	18	8.6	116	1	1	4	10	22	33	41
65 +	14	10.8	34	5	6	10	13	16	25	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	5.2	10	2	3	4	7	10	12	15
B. Operated	22	4.4	16	1	1	3	7	9	12	15
2. MULTIPLE DX										
A. Not Operated	375	6.1	20	2	3	5	8	11	14	25
B. Operated	78	9.1	79	1	3	7	12	23	35	83
1. SINGLE DX	228	5.1	10	2	3	4	7	9	12	15
2. MULTIPLE DX	453	6.6	31	2	3	5	8	12	16	35
A. Not Operated	581	5.8	17	2	3	5	7	10	13	22
B. Operated	100	8.1	69	1	2	6	10	20	31	70
TOTAL										
0-19 YRS	103	4.7	10	1	2	4	6	9	12	55
20-34	280	5.9	20	2	3	5	7	11	14	23
35-49	156	6.1	26	2	3	5	7	10	14	34
50-64	71	6.9	39	2	3	5	9	13	19	37
65 +	71	8.4	39	3	4	7	10	15	26	31
GRAND TOTAL	**681**	**6.1**	**25**	**2**	**3**	**5**	**8**	**12**	**14**	**31**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	3.1	3	1	2	3	4	5	7	8
20-34	41	4.0	4	2	2	4	5	7	8	9
35-49	7	3.4	1	2	3	4	4	4	4	4
50-64	3	4.0	3	3	3	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	670	3.5	3	2	2	3	4	6	7	10
20-34	142	4.3	7	2	2	4	5	8	10	12
35-49	34	5.1	10	2	3	4	7	10	11	13
50-64	11	4.7	3	3	4	4	6	7	7	7
65 +	3	6.7		6	6	7	7	7	7	7
B. Operated										
0-19 YRS	14	12.1	196	2	4	9	16	56	89	99 +
20-34	6	9.2	7	7	7	8	10	14	14	14
35-49	4	8.8	74	1	3	6	14	21	21	21
50-64	4	11.3	124	1	4	8	18	27	27	27
65 +	3	7.0	12	5	5	5	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	3.3	3	1	2	3	4	6	7	9
B. Operated	5	4.4	9	1	2	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	860	3.8	4	2	2	3	5	6	8	11
B. Operated	31	10.5	110	2	5	8	13	24	53	99 +
1. SINGLE DX	214	3.3	3	1	2	3	4	6	7	9
2. MULTIPLE DX	891	4.0	10	2	2	3	5	7	9	14
A. Not Operated	1069	3.7	4	2	2	3	4	6	7	11
B. Operated	36	9.7	100	2	4	7	11	23	46	99 +
TOTAL										
0-19 YRS	843	3.6	8	2	2	3	4	6	7	12
20-34	190	4.4	7	2	2	4	6	8	10	13
35-49	45	5.2	14	2	3	4	6	10	12	21
50-64	20	6.2	29	2	3	5	7	9	18	27
65 +	7	6.4	5	4	5	6	7	10	11	11
GRAND TOTAL	**1105**	**3.9**	**8**	**2**	**2**	**3**	**5**	**7**	**8**	**13**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	1.2		< 1	< 1	< 1	1	2	2	2
20-34	77	1.3	1	< 1	< 1	< 1	1	2	3	7
35-49	29	1.3		< 1	< 1	< 1	1	2	3	3
50-64	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.8	21	< 1	1	2	5	10	16	17
20-34	28	2.5	4	< 1	1	2	4	6	7	7
35-49	13	3.1	17	< 1	1	1	3	7	14	16
50-64	4	2.5	9	< 1	< 1	1	4	7	7	7
65 +	8	4.0	7	< 1	1	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	142	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	6	3.7	7	1	2	3	5	8	8	8
B. Operated	66	3.1	10	< 1	1	2	5	7	8	17
1. SINGLE DX	145	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX	72	3.1	10	< 1	1	2	5	7	8	17
A. Not Operated	9	2.8	6	< 1	1	2	4	7	8	8
B. Operated	208	1.8	4	< 1	< 1	1	2	4	6	11
TOTAL										
0-19 YRS	42	2.0	8	< 1	< 1	1	2	3	7	17
20-34	110	1.7	2	< 1	< 1	< 1	2	4	6	8
35-49	44	1.9	6	< 1	< 1	1	2	3	5	16
50-64	8	1.8	5	< 1	< 1	< 1	1	5	7	7
65 +	13	2.8	6	< 1	< 1	1	5	7	7	7
GRAND TOTAL	**217**	**1.9**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**11**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1219	2.5	2	1	2	2	3	4	4	6
20-34	118	2.8	5	1	1	2	4	5	7	13
35-49	61	4.7	14	1	2	3	7	10	14	15
50-64	31	3.3	6	1	2	3	4	6	8	13
65 +	10	5.0	7	2	3	5	6	9	11	11
B. Operated										
0-19 YRS	15	4.6	63	1	2	3	4	5	26	33
20-34	17	4.7	42	< 1	< 1	2	4	18	20	20
35-49	10	3.7	20	< 1	< 1	< 1	5	11	14	14
50-64	4	7.3	14	4	4	7	10	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2213	3.0	6	1	2	3	4	5	7	12
20-34	466	4.8	38	1	2	3	5	10	14	32
35-49	322	5.1	33	2	2	4	6	10	14	24
50-64	248	5.1	25	2	2	4	6	9	13	28
65 +	364	4.9	13	2	3	4	6	9	11	19
B. Operated										
0-19 YRS	72	8.5	194	1	2	4	9	16	28	89
20-34	109	15.3	218	3	6	12	19	32	46	95
35-49	94	14.0	108	3	6	11	18	27	36	46
50-64	40	11.9	125	2	4	6	16	28	37	45
65 +	32	15.4	158	5	6	12	17	34	42	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1439	2.7	3	1	2	2	3	4	5	9
B. Operated	46	4.7	40	< 1	< 1	2	4	13	20	33
2. MULTIPLE DX										
A. Not Operated	3613	3.8	15	1	2	3	4	7	9	19
B. Operated	347	13.2	172	2	4	9	17	29	39	86
1. SINGLE DX	1485	2.7	4	1	2	2	3	4	5	11
2. MULTIPLE DX	3960	4.6	36	1	2	3	5	9	14	32
A. Not Operated	5052	3.5	12	1	2	3	4	6	8	16
B. Operated	393	12.2	164	2	4	8	16	27	36	77
TOTAL										
0-19 YRS	3519	3.0	9	1	2	3	3	5	6	12
20-34	710	6.1	76	1	2	3	6	14	20	49
35-49	487	6.7	57	2	2	4	8	15	21	38
50-64	323	5.8	41	2	2	4	6	12	17	38
65 +	406	5.7	32	2	3	4	7	11	15	33
GRAND TOTAL	**5445**	**4.1**	**28**	**1**	**2**	**3**	**4**	**7**	**12**	**28**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	4.2	8	2	2	4	5	8	11	13
20-34	11	3.9	7	2	3	3	4	9	10	10
35-49	10	3.5	5	1	2	3	4	7	9	9
50-64	5	6.0	4	4	5	5	8	8	8	8
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2	12.5	5	11	11	12	14	14	14	14
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	5.9	15	2	3	5	8	12	14	15
20-34	14	4.6	12	2	2	4	5	10	13	14
35-49	14	5.0	12	2	2	4	6	10	13	14
50-64	21	8.1	25	3	4	7	11	15	19	21
65 +	13	7.5	21	3	4	6	10	15	17	17
B. Operated										
0-19 YRS	3	6.7	12	3	4	7	9	10	10	10
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	4	15.3	220	2	4	12	26	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	4.2	7	2	2	4	5	8	10	13
B. Operated	3	8.7	46	< 1	3	11	13	14	14	14
2. MULTIPLE DX										
A. Not Operated	89	6.3	18	2	3	5	9	14	14	20
B. Operated	10	10.0	98	2	5	6	10	26	35	35
1. SINGLE DX	55	4.4	9	2	2	4	5	9	11	14
2. MULTIPLE DX	99	6.7	27	2	3	5	9	14	16	28
A. Not Operated	141	5.5	15	2	3	4	7	11	14	18
B. Operated	13	9.7	81	2	4	7	12	21	32	35
TOTAL										
0-19 YRS	57	5.5	14	2	3	4	7	12	13	15
20-34	26	4.2	10	1	2	3	5	10	11	14
35-49	25	4.4	9	2	2	4	5	9	10	14
50-64	28	7.7	20	3	4	7	9	14	17	21
65 +	18	9.1	66	2	4	6	10	18	28	35
GRAND TOTAL	**154**	**5.9**	**21**	**2**	**3**	**4**	**8**	**12**	**14**	**21**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	4.7	7	2	3	4	6	8	10	14
20-34	99	4.6	3	3	3	4	5	7	9	11
35-49	12	4.5	9	1	3	4	5	10	10	10
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	7	3.7	6	< 1	2	3	5	7	8	8
20-34	19	3.4	10	< 1	< 1	1	5	8	11	11
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	107	5.1	7	2	3	5	6	7	11	14
20-34	136	5.2	7	3	4	5	6	8	11	29
35-49	22	7.7	31	3	5	6	9	16	23	24
50-64	12	6.0	28	1	2	5	8	13	18	19
65 +	17	12.0	74	3	7	11	14	22	33	38
B. Operated										
0-19 YRS	13	5.9	17	2	3	4	8	11	15	16
20-34	38	7.7	29	1	4	7	10	14	19	24
35-49	19	6.7	36	1	3	5	8	11	20	28
50-64	6	9.3	25	6	6	8	10	18	19	19
65 +	4	21.8	142	10	11	22	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215	4.7	6	2	3	4	5	8	10	13
B. Operated	33	3.4	10	< 1	< 1	2	5	8	11	12
2. MULTIPLE DX										
A. Not Operated	294	5.8	16	3	4	5	6	10	13	24
B. Operated	80	8.0	42	2	4	7	10	15	22	32
1. SINGLE DX	248	4.5	6	2	3	4	5	8	10	12
2. MULTIPLE DX	374	6.2	22	2	4	5	7	11	14	31
A. Not Operated	509	5.3	12	2	3	5	6	9	11	20
B. Operated	113	6.7	37	1	2	5	9	13	19	32
TOTAL										
0-19 YRS	230	5.0	8	2	3	4	6	8	10	14
20-34	292	5.2	10	2	3	5	6	9	11	20
35-49	57	6.3	28	1	3	5	8	11	19	28
50-64	20	6.6	28	1	2	6	9	15	19	19
65 +	23	13.3	93	3	8	11	15	32	34	38
GRAND TOTAL	**622**	**5.5**	**17**	**2**	**3**	**5**	**6**	**10**	**12**	**24**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.3	6	1	2	3	4	6	8	15
20-34	7	4.4	8	2	2	4	6	9	9	9
35-49	8	6.6	48	< 1	1	5	8	18	22	22
50-64	3	17.3	214	4	7	15	28	33	33	33
65 +	3	5.7	6	3	4	6	7	8	8	8
B. Operated										
0-19 YRS	7	6.3	36	1	3	5	7	17	19	19
20-34	7	13.4	61	3	7	13	19	23	24	24
35-49	8	4.1	5	< 1	2	4	6	7	7	7
50-64	8	6.0	8	2	4	6	7	10	11	11
65 +	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	229	4.2	17	2	2	3	5	7	9	19
20-34	34	7.6	47	2	3	6	9	23	24	24
35-49	43	7.5	30	2	3	5	11	15	16	26
50-64	42	9.3	77	3	4	7	11	17	20	55
65 +	133	11.4	111	4	5	9	13	21	27	65
B. Operated										
0-19 YRS	34	21.5	403	4	7	11	29	53	63	80
20-34	36	19.5	320	2	6	13	29	47	57	66
35-49	50	16.1	190	4	5	10	23	40	44	51
50-64	49	15.3	201	4	6	9	20	38	50	60
65 +	61	19.8	282	6	9	15	29	46	73	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	4.5	24	1	2	3	5	8	14	30
B. Operated	32	7.4	34	1	4	6	9	18	20	24
2. MULTIPLE DX										
A. Not Operated	481	7.2	60	2	3	5	9	15	20	45
B. Operated	230	18.2	269	4	7	12	25	44	56	91
1. SINGLE DX	105	5.4	28	1	2	4	6	11	18	28
2. MULTIPLE DX	711	10.8	154	2	4	6	13	25	39	64
A. Not Operated	554	6.8	56	2	3	4	8	14	20	35
B. Operated	262	16.9	253	4	6	10	23	44	53	88
TOTAL										
0-19 YRS	322	5.9	84	2	2	3	5	9	20	54
20-34	84	12.9	195	2	4	7	17	30	47	64
35-49	109	11.1	123	3	4	7	15	26	39	49
50-64	102	12.1	144	3	5	8	15	24	45	58
65 +	199	13.9	175	4	6	10	17	29	43	94
GRAND TOTAL	**816**	**10.1**	**141**	**2**	**3**	**6**	**11**	**23**	**36**	**63**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	3.0	5	< 1	2	2	3	6	9	9
20-34	2	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.4	4	1	2	3	5	6	6	6
20-34	7	5.0	5	2	3	5	7	8	8	8
35-49	3	9.3	70	4	4	5	15	19	19	19
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	10.5	61	5	5	10	16	16	16	16
B. Operated										
0-19 YRS	4	4.8	2	4	4	4	6	7	7	7
20-34	3	21.0	1141	1	1	2	45	60	60	60
35-49	2	25.0	578	8	8	25	42	42	42	42
50-64	3	39.7	2137	11	12	15	73	93	93	93
65 +	4	14.5	26	11	11	12	17	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	4	2	2	4	5	6	6	6
B. Operated	12	3.2	5	1	2	3	4	6	9	9
2. MULTIPLE DX										
A. Not Operated	21	5.5	19	2	3	5	6	11	17	19
B. Operated	16	19.3	632	2	4	11	18	58	83	93
1. SINGLE DX	15	3.3	4	1	2	3	4	6	8	9
2. MULTIPLE DX	37	11.5	322	2	4	5	11	21	54	93
A. Not Operated	24	5.3	17	2	3	5	6	9	17	19
B. Operated	28	12.4	419	1	3	4	12	36	63	93
TOTAL										
0-19 YRS	23	3.5	4	1	2	3	4	6	8	9
20-34	14	8.1	227	2	2	4	6	13	50	60
35-49	5	15.6	253	4	5	8	25	42	42	42
50-64	4	31.0	1725	5	8	13	54	93	93	93
65 +	6	13.2	32	6	11	12	16	21	22	22
GRAND TOTAL	**52**	**9.1**	**242**	**2**	**3**	**4**	**8**	**17**	**40**	**92**

18: Pneumocystosis(136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	10.4	56	2	5	9	15	22	23	23
20-34	32	10.2	73	3	5	7	14	21	26	43
35-49	29	9.3	42	3	5	8	13	21	22	26
50-64	9	8.0	30	3	4	5	10	16	20	20
65 +	12	10.1	24	4	6	10	13	17	20	21
B. Operated										
0-19 YRS	10	23.6	228	12	13	19	48	99 +	99 +	99 +
20-34	96	16.1	119	7	9	14	18	32	43	53
35-49	61	16.5	176	5	8	13	21	33	47	70
50-64	18	21.7	116	9	13	22	24	39	46	47
65 +	7	19.0	126	9	10	12	29	35	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	92	9.7	49	3	5	8	13	21	22	36
B. Operated	192	17.3	144	7	9	14	22	36	47	88
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	284	14.8	126	5	7	12	20	30	44	66
A. Not Operated	92	9.7	49	3	5	8	13	21	22	36
B. Operated	193	17.2	144	7	9	14	22	36	47	87
TOTAL										
0-19 YRS	20	17.0	180	4	11	14	23	64	99 +	99 +
20-34	129	14.6	113	5	8	12	17	29	41	50
35-49	90	14.2	143	4	7	11	20	26	36	64
50-64	27	17.1	128	5	9	18	23	29	44	47
65 +	19	13.4	76	5	8	11	15	28	34	36
GRAND TOTAL	**285**	**14.8**	**125**	**5**	**7**	**12**	**20**	**30**	**44**	**66**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.4	25	< 1	1	2	6	13	14	14
20-34	9	7.1	20	1	4	7	10	14	14	14
35-49	10	4.2	4	2	3	4	5	7	8	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	35	4.3	16	1	1	2	8	10	11	14
35-49	39	2.4	7	1	1	1	2	6	8	13
50-64	16	4.1	11	1	1	3	7	9	10	11
65 +	3	4.0	27	1	1	1	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.1	7	2	2	3	5	9	9	10
20-34	40	7.5	49	2	3	5	10	16	18	37
35-49	56	9.0	74	2	4	6	12	22	28	41
50-64	32	5.8	13	2	3	6	7	10	14	18
65 +	23	8.0	20	3	4	7	10	15	17	19
B. Operated										
0-19 YRS	3	33.0	279	15	20	36	45	48	48	48
20-34	56	7.8	81	1	3	5	8	16	22	57
35-49	55	8.1	42	2	3	7	10	18	23	25
50-64	38	8.8	59	1	4	7	11	16	27	37
65 +	16	6.9	31	1	2	7	10	13	19	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	5.1	15	1	2	4	7	12	14	14
B. Operated	94	3.4	12	1	1	2	5	9	11	14
2. MULTIPLE DX										
A. Not Operated	171	7.3	44	2	3	6	9	15	19	37
B. Operated	168	8.5	71	1	3	7	10	17	23	46
1. SINGLE DX	124	3.8	13	1	1	2	6	10	12	14
2. MULTIPLE DX	339	7.9	57	2	3	6	10	16	22	38
A. Not Operated	201	7.0	40	2	3	5	8	14	18	36
B. Operated	262	6.7	55	1	2	5	9	13	20	37
TOTAL										
0-19 YRS	33	6.7	100	1	2	3	8	14	33	48
20-34	140	6.8	53	1	2	5	8	14	18	39
35-49	160	6.8	49	1	2	4	9	16	23	35
50-64	88	6.7	35	1	3	6	8	13	16	35
65 +	42	7.3	25	1	3	7	10	14	17	21
GRAND TOTAL	**463**	**6.8**	**49**	**1**	**2**	**5**	**9**	**14**	**19**	**37**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	14.0		14	14	14	14	14	14	14
50-64	3	27.3	408	9	13	24	43	49	49	49
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	2.3	2	1	1	2	3	4	4	4
B. Operated	5	20.0	318	4	8	14	30	49	49	49
1. SINGLE DX	0									
2. MULTIPLE DX	9	12.1	247	1	2	4	16	39	49	49
A. Not Operated	4	2.3	2	1	1	2	3	4	4	4
B. Operated	5	20.0	318	4	8	14	30	49	49	49
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	14.0		14	14	14	14	14	14	14
50-64	4	21.0	433	2	5	16	36	49	49	49
65 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**9**	**12.1**	**247**	**1**	**2**	**4**	**16**	**39**	**49**	**49**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.3	9	2	3	6	7	8	8	8
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	11	3.0	5	< 1	1	3	3	7	9	9
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	9	9.1	173	1	2	4	12	30	42	42
20-34	13	3.0	2	1	2	3	4	5	5	5
35-49	45	4.5	22	1	1	2	6	14	15	18
50-64	79	3.7	11	1	1	3	4	9	12	14
65 +	96	3.6	12	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.1	14	2	3	5	6	10	15	15
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	19	11.5	153	2	4	10	15	18	40	57
50-64	44	8.0	25	3	4	7	11	14	16	26
65 +	42	6.8	23	3	4	5	9	15	17	23
B. Operated										
0-19 YRS	12	16.7	281	5	7	14	18	34	62	67
20-34	17	12.6	111	1	3	13	17	31	34	34
35-49	96	11.9	99	2	4	10	17	25	30	49
50-64	351	11.6	113	2	4	9	15	24	34	59
65 +	397	11.1	163	1	2	7	15	26	35	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.4	6	1	2	3	4	8	9	9
B. Operated	242	4.0	20	1	1	2	5	10	13	17
2. MULTIPLE DX										
A. Not Operated	118	7.8	46	2	4	6	10	15	17	36
B. Operated	873	11.5	136	1	3	8	16	25	34	65
1. SINGLE DX	259	3.9	19	1	1	2	5	10	13	17
2. MULTIPLE DX	991	,11.1	127	2	3	8	15	23	33	59
A. Not Operated	135	7.3	43	2	3	5	10	15	17	31
B. Operated	1115	9.9	121	1	2	6	14	22	31	58
TOTAL										
0-19 YRS	35	10.1	162	2	3	6	14	19	36	67
20-34	32	8.2	81	1	2	4	14	20	32	34
35-49	161	9.7	93	1	2	7	14	21	26	54
50-64	485	9.8	96	1	3	7	13	21	29	54
65 +	537	9.4	133	1	2	5	13	21	31	68
GRAND TOTAL	**1250**	**9.6**	**113**	**1**	**2**	**6**	**13**	**21**	**31**	**57**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.0	3	< 1	1	4	4	4	4	4
65 +	7	3.0	9	< 1	< 1	1	4	8	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	11	10.5	42	2	5	12	16	19	20	20
65 +	14	7.4	28	< 1	2	7	12	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	3.7	3	< 1	2	4	5	6	6	6
50-64	32	7.9	50	2	3	5	10	19	23	31
65 +	62	8.0	43	2	4	6	8	20	21	30
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	27	19.0	328	8	10	14	22	46	94	99 +
50-64	162	15.1	136	4	7	12	19	30	38	57
65 +	221	16.4	182	4	7	12	22	34	40	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.0	7	< 1	< 1	2	4	7	9	9
B. Operated	27	8.7	33	< 1	4	8	12	17	19	20
2. MULTIPLE DX										
A. Not Operated	101	7.7	43	2	4	5	8	19	22	31
B. Operated	410	16.0	173	4	8	12	20	33	44	69
1. SINGLE DX	37	7.1	32	< 1	2	5	12	16	18	20
2. MULTIPLE DX	511	14.4	158	3	6	11	19	31	39	64
A. Not Operated	111	7.3	41	2	3	5	8	18	22	31
B. Operated	437	15.6	168	4	7	12	19	33	41	66
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	36	15.4	285	3	6	11	17	42	77	99 +
50-64	208	13.6	124	3	5	11	18	29	34	57
65 +	304	13.9	158	3	5	10	18	31	38	61
GRAND TOTAL	**548**	**13.9**	**153**	**3**	**5**	**11**	**18**	**30**	**38**	**64**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	2	7.0	2	6	6	7	8	8	8	8
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	13.0		13	13	13	13	13	13	13
35-49	5	10.0	82	1	5	8	14	25	25	25
50-64	16	9.7	46	< 1	4	10	15	16	22	24
65 +	20	9.0	20	3	6	8	11	15	17	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	5.7	3	3	4	6	7	8	8	8
50-64	37	7.2	22	3	4	6	9	14	18	22
65 +	85	7.3	31	2	3	6	10	14	19	28
B. Operated										
0-19 YRS	0									
20-34	8	14.4	83	7	9	11	17	30	34	34
35-49	61	14.4	110	5	9	12	19	25	28	67
50-64	223	15.8	165	6	9	12	19	27	37	78
65 +	569	16.6	139	6	9	14	20	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.6	6	2	3	4	6	8	8	8
B. Operated	43	9.6	35	2	6	9	14	16	21	25
2. MULTIPLE DX										
A. Not Operated	129	7.2	27	2	3	6	10	14	19	24
B. Operated	861	16.2	143	6	9	13	20	31	40	77
1. SINGLE DX	48	9.1	34	2	5	8	13	16	19	25
2. MULTIPLE DX	990	15.0	137	4	8	12	19	29	38	70
A. Not Operated	134	7.1	26	2	3	6	9	13	18	24
B. Operated	904	15.9	140	6	9	13	20	30	38	74
TOTAL										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	9	14.2	73	7	9	12	16	29	34	34
35-49	73	13.3	104	4	7	11	17	25	26	63
50-64	279	14.2	149	4	7	11	17	24	34	75
65 +	676	15.2	132	5	8	12	19	31	40	67
GRAND TOTAL	**1038**	**14.8**	**134**	**4**	**8**	**12**	**18**	**28**	**37**	**68**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	16.0		16	16	16	16	16	16	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	6.3	20	2	3	6	10	11	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65 +	3	7.3	10	5	5	6	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	5.6	7	4	4	4	7	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	3.7	1	3	3	3	5	5	5	5
65 +	11	7.5	32	3	4	6	10	15	21	22
B. Operated										
0-19 YRS	0									
20-34	5	15.6	64	7	8	15	22	26	26	26
35-49	10	19.4	208	7	9	16	21	41	56	56
50-64	48	16.4	169	6	9	13	21	33	57	99 +
65 +	96	17.0	136	8	10	14	21	34	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	16.0		16	16	16	16	16	16	16
B. Operated	7	6.6	11	3	5	6	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	20	6.3	21	3	4	5	8	11	16	22
B. Operated	159	17.0	146	7	9	14	21	33	53	99 +
1. SINGLE DX	8	7.8	21	3	5	6	11	15	16	16
2. MULTIPLE DX	179	15.8	143	6	9	13	20	29	51	99 +
A. Not Operated	21	6.7	24	3	4	5	9	13	19	22
B. Operated	166	16.5	144	7	9	14	21	32	51	99 +
TOTAL										
0-19 YRS	0									
20-34	10	10.6	59	4	4	8	15	23	26	26
35-49	15	15.5	175	4	7	15	20	27	49	56
50-64	52	15.5	167	5	8	13	19	33	56	99
65 +	110	15.8	132	6	9	13	19	29	49	99 +
GRAND TOTAL	**187**	**15.4**	**140**	**5**	**8**	**12**	**19**	**28**	**50**	**99 +**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	4.8	25	1	1	3	8	12	12	12
65 +	7	5.1	19	1	1	4	9	12	12	12
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	5	4.8	5	2	3	6	6	7	7	7
35-49	36	8.9	3	7	8	8	10	11	13	14
50-64	149	8.8	9	6	7	8	10	12	14	19
65 +	199	8.9	9	6	7	9	11	12	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	26	8.9	90	1	3	6	10	28	33	34
50-64	67	7.5	43	2	3	6	11	15	18	38
65 +	186	7.6	45	2	3	6	10	15	19	28
B. Operated										
0-19 YRS	6	11.7	14	7	9	12	15	16	16	16
20-34	36	12.7	84	6	8	10	14	25	38	42
35-49	203	11.5	56	6	7	9	13	21	25	45
50-64	981	12.0	53	7	8	10	14	20	26	45
65 +	3212	13.8	70	7	9	11	16	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.0	19	1	1	4	9	12	12	12
B. Operated	390	8.8	9	6	7	9	10	12	14	18
2. MULTIPLE DX										
A. Not Operated	282	7.7	48	2	3	6	10	15	20	34
B. Operated	4438	13.3	67	7	8	11	16	22	28	49
1. SINGLE DX	401	8.7	9	6	7	8	10	12	14	18
2. MULTIPLE DX	4720	13.0	67	7	8	11	15	22	28	49
A. Not Operated	293	7.6	47	2	3	6	10	15	19	34
B. Operated	4828	12.9	63	7	8	11	15	21	28	48
TOTAL										
0-19 YRS	8	11.6	14	7	8	12	15	16	16	16
20-34	43	11.5	79	4	6	9	13	23	36	42
35-49	265	10.9	53	6	7	9	12	20	24	44
50-64	1201	11.4	49	6	8	10	13	19	24	43
65 +	3604	13.2	69	7	8	11	16	22	28	49
GRAND TOTAL	**5121**	**12.6**	**64**	**7**	**8**	**10**	**15**	**21**	**27**	**48**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	5.5	25	1	2	5	5	14	15	15
65 +	8	4.5	17	< 1	2	4	5	11	14	14
B. Operated										
0-19 YRS	0									
20-34	4	11.0	10	8	8	10	13	15	15	15
35-49	24	8.0	26	2	5	8	10	17	19	20
50-64	114	9.3	30	2	7	9	11	12	16	39
65 +	145	8.4	16	2	7	9	11	13	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	16	8.1	14	4	5	8	10	13	16	17
50-64	52	7.6	22	2	4	6	10	14	17	20
65 +	98	8.6	120	1	3	6	10	15	22	70
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	16	11.9	37	6	8	10	15	22	24	25
35-49	109	11.0	43	4	7	10	14	18	24	69
50-64	527	12.5	62	7	9	11	14	20	25	44
65 +	1183	13.5	74	6	9	12	16	22	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.3	16	< 1	3	4	5	12	15	15
B. Operated	287	8.8	22	2	7	9	11	13	15	20
2. MULTIPLE DX										
A. Not Operated	168	8.2	78	2	4	7	10	14	18	46
B. Operated	1836	13.1	69	6	9	11	15	21	28	48
1. SINGLE DX	305	8.6	22	2	6	9	11	13	15	20
2. MULTIPLE DX	2004	12.7	72	5	8	11	15	21	28	48
A. Not Operated	186	7.9	72	2	4	6	10	14	18	44
B. Operated	2123	12.5	65	6	8	11	15	20	26	46
TOTAL										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	24	11.0	29	6	8	9	12	19	23	25
35-49	150	10.2	39	4	7	9	12	18	20	48
50-64	699	11.6	56	5	8	10	13	19	22	40
65 +	1434	12.6	75	4	8	11	15	21	28	48
GRAND TOTAL	**2309**	**12.1**	**67**	**5**	**8**	**11**	**14**	**20**	**26**	**47**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.3	4	2	2	5	6	6	6	6
20-34	0									
35-49	3	5.3	26	1	2	4	9	11	11	11
50-64	6	6.2	33	1	3	4	10	15	16	16
65 +	2	10.0	50	5	5	10	15	15	15	15
B. Operated										
0-19 YRS	15	5.9	11	2	4	5	6	13	13	13
20-34	3	5.7	16	2	3	5	9	10	10	10
35-49	9	7.4	20	2	5	7	9	14	17	17
50-64	11	8.6	19	5	6	8	10	15	20	20
65 +	25	8.3	29	2	4	8	11	16	18	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	4.9	12	1	2	5	5	11	12	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	21	6.2	20	1	3	5	8	14	15	16
50-64	28	8.6	96	2	4	6	9	18	27	51
65 +	96	8.1	45	3	4	6	9	14	25	38
B. Operated										
0-19 YRS	22	18.5	306	6	7	11	24	39	55	77
20-34	12	11.4	133	1	4	9	14	24	41	44
35-49	44	13.1	96	3	6	11	17	26	36	41
50-64	148	13.5	119	4	7	10	16	25	41	67
65 +	376	13.5	83	5	7	11	17	25	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.7	20	1	3	4	6	14	16	16
B. Operated	63	7.5	21	2	5	7	10	13	17	23
2. MULTIPLE DX										
A. Not Operated	164	7.6	47	2	4	6	9	14	20	38
B. Operated	602	13.6	102	4	7	11	17	26	36	58
1. SINGLE DX	81	7.1	21	2	4	6	10	14	16	22
2. MULTIPLE DX	766	12.3	97	3	6	10	15	24	33	51
A. Not Operated	182	7.4	45	2	4	6	9	14	18	38
B. Operated	665	13.1	98	4	7	11	16	24	34	56
TOTAL										
0-19 YRS	62	9.9	153	2	4	6	11	23	37	73
20-34	16	10.0	106	1	4	8	13	16	36	44
35-49	77	10.3	73	2	4	8	15	20	27	41
50-64	193	12.3	112	4	6	10	15	23	39	63
65 +	499	12.2	78	4	6	10	15	23	31	45
GRAND TOTAL	**847**	**11.8**	**92**	**3**	**6**	**10**	**15**	**23**	**32**	**51**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	7	2.3	2	1	1	2	4	4	4	4
65 +	7	5.1	5	3	3	4	7	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	14	9.8	104	1	3	7	12	20	36	40
65 +	14	11.9	59	2	7	9	18	23	25	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.0	3	< 1	1	4	4	4	4	4
35-49	22	6.8	21	2	3	5	11	13	15	16
50-64	69	7.0	17	2	4	6	9	14	16	18
65 +	161	8.3	35	2	4	7	10	16	20	29
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	14.9	63	5	9	15	22	23	24	24
35-49	61	17.3	219	5	8	13	21	34	47	79
50-64	221	15.3	124	4	8	12	20	35	43	66
65 +	501	16.0	110	6	9	14	19	29	38	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.9	6	1	2	4	6	7	9	9
B. Operated	30	10.4	78	1	3	8	13	22	26	40
2. MULTIPLE DX										
A. Not Operated	255	7.8	29	2	4	7	10	15	18	28
B. Operated	792	15.9	121	5	9	14	20	30	41	56
1. SINGLE DX	45	8.3	63	1	3	7	12	18	23	40
2. MULTIPLE DX	1047	13.9	111	4	7	11	18	27	36	54
A. Not Operated	270	7.5	29	2	4	6	10	15	17	27
B. Operated	822	15.7	121	5	9	13	20	30	40	55
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	11.6	76	2	4	9	21	23	24	24
35-49	86	14.2	184	3	6	10	18	31	37	76
50-64	311	12.9	111	3	6	10	16	27	40	52
65 +	683	14.0	102	4	7	12	18	26	33	52
GRAND TOTAL	**1092**	**13.7**	**110**	**4**	**7**	**11**	**17**	**27**	**35**	**54**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	11	3.2	3	1	2	3	5	6	6	6
50-64	50	4.0	13	< 1	1	3	5	9	13	15
65 +	36	5.9	38	1	3	4	7	13	23	28
B. Operated										
0-19 YRS	0									
20-34	5	11.8	92	1	5	9	18	26	26	26
35-49	45	8.0	34	2	4	7	10	14	20	29
50-64	217	6.7	25	1	3	7	9	12	14	21
65 +	175	6.5	28	< 1	1	7	9	12	16	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	8.1	54	2	3	5	12	20	22	22
35-49	111	6.7	40	2	3	4	9	13	16	37
50-64	652	7.5	43	2	3	6	10	16	19	30
65 +	870	8.2	41	2	4	6	11	17	20	33
B. Operated										
0-19 YRS	3	26.0	633	10	11	13	44	55	55	55
20-34	27	11.2	117	4	6	8	12	22	33	55
35-49	294	10.7	64	4	6	8	13	22	28	46
50-64	1732	11.4	71	4	6	9	14	21	28	49
65 +	2488	12.2	83	4	7	10	15	23	31	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	99	4.6	22	< 1	2	3	6	9	13	27
B. Operated	442	6.8	28	1	2	7	9	12	16	26
2. MULTIPLE DX										
A. Not Operated	1641	7.8	42	2	3	6	10	16	20	31
B. Operated	4544	11.8	78	4	7	10	15	22	29	49
1. SINGLE DX	541	6.4	27	1	2	6	9	12	15	26
2. MULTIPLE DX	6185	10.8	72	3	5	9	14	21	27	44
A. Not Operated	1740	7.7	41	2	3	6	10	16	20	31
B. Operated	4986	11.4	76	3	6	9	14	21	28	46
TOTAL										
0-19 YRS	3	26.0	633	10	11	13	44	55	55	55
20-34	42	10.3	97	3	4	7	13	22	27	55
35-49	461	9.3	57	3	4	7	11	18	26	40
50-64	2651	9.9	64	2	5	8	13	19	25	43
65 +	3569	10.9	74	3	6	9	14	21	28	44
GRAND TOTAL	**6726**	**10.4**	**69**	**3**	**5**	**8**	**13**	**20**	**26**	**43**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	1.7	1	< 1	< 1	< 1	2	3	3	3
50-64	0									
65 +	3	3.0	12	< 1	< 1	< 1	5	7	7	7
B. Operated										
0-19 YRS	7	6.3	17	2	3	5	10	13	13	13
20-34	5	5.4	13	1	2	5	8	10	10	10
35-49	19	4.4	16	< 1	1	2	7	9	13	16
50-64	69	7.2	27	1	1	8	11	14	16	18
65 +	68	5.8	37	1	1	3	9	12	15	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.3	6	1	3	4	5	8	9	9
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	6.6	11	3	4	6	8	12	13	13
50-64	33	8.5	79	1	3	6	11	18	25	45
65 +	47	6.5	20	1	3	5	11	13	15	17
B. Operated										
0-19 YRS	19	12.0	68	5	7	9	14	23	31	37
20-34	9	9.9	14	5	7	10	12	15	16	16
35-49	64	12.0	141	1	4	8	16	27	35	62
50-64	236	12.9	101	2	6	11	17	25	32	56
65 +	280	13.6	139	3	7	11	16	25	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	5	< 1	< 1	< 1	2	6	7	7
B. Operated	168	6.2	30	1	1	5	9	13	15	26
2. MULTIPLE DX										
A. Not Operated	97	7.0	39	1	3	5	9	13	17	36
B. Operated	608	13.0	120	2	6	11	16	25	34	60
1. SINGLE DX	175	6.1	29	1	1	5	9	13	15	26
2. MULTIPLE DX	705	12.2	114	2	5	10	16	24	33	57
A. Not Operated	104	6.6	38	1	3	5	9	13	17	35
B. Operated	776	11.6	109	1	5	10	15	23	31	55
TOTAL										
0-19 YRS	34	8.9	55	3	4	7	11	18	24	37
20-34	16	7.6	19	2	4	8	11	14	15	16
35-49	94	9.7	111	1	3	6	13	23	31	55
50-64	338	11.3	89	1	5	9	15	23	29	55
65 +	398	11.4	119	1	4	9	14	22	31	57
GRAND TOTAL	**880**	**11.0**	**103**	**1**	**4**	**9**	**14**	**22**	**29**	**55**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.4	14	1	2	3	6	11	12	13
20-34	4	3.8	2	2	3	4	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	2	4.0		4	4	4	4	4	4	4
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	97	5.8	24	1	2	5	8	12	15	23
20-34	30	5.3	11	2	2	4	8	11	12	12
35-49	35	4.5	9	1	2	4	6	8	10	14
50-64	47	4.0	14	1	1	3	5	9	10	21
65 +	42	5.9	29	1	2	5	8	12	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	5.8	35	1	3	4	6	11	15	37
20-34	12	5.9	44	1	3	4	6	13	24	26
35-49	19	6.5	42	1	3	4	8	14	22	28
50-64	19	8.6	66	1	2	5	12	23	26	27
65 +	21	8.4	81	1	3	6	9	21	33	34
B. Operated										
0-19 YRS	69	10.8	119	2	4	7	14	23	33	93
20-34	30	7.8	50	1	2	6	10	18	26	28
35-49	45	10.6	130	2	4	8	14	24	26	69
50-64	93	10.3	99	2	3	7	13	24	32	47
65 +	140	13.7	156	2	4	9	21	29	37	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	4.2	10	1	2	4	5	10	11	13
B. Operated	251	5.2	19	1	2	4	7	11	13	22
2. MULTIPLE DX										
A. Not Operated	126	6.8	49	1	3	4	8	14	25	35
B. Operated	377	11.5	126	2	3	8	16	26	33	66
1. SINGLE DX	279	5.1	18	1	2	4	7	11	13	22
2. MULTIPLE DX	503	10.3	111	2	3	7	14	25	32	62
A. Not Operated	154	6.3	43	1	3	4	7	13	20	34
B. Operated	628	9.0	93	1	3	6	11	22	27	55
TOTAL										
0-19 YRS	239	7.1	58	1	3	5	9	15	21	52
20-34	76	6.3	32	2	3	5	8	12	18	28
35-49	101	7.5	76	1	3	5	8	15	24	50
50-64	161	8.2	77	1	2	5	11	20	27	45
65 +	205	11.5	131	1	3	7	16	26	34	63
GRAND TOTAL	**782**	**8.5**	**84**	**1**	**3**	**5**	**11**	**20**	**26**	**50**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	5	3.2	4	1	2	3	4	6	6	6
20-34	35	4.2	9	1	2	4	6	8	9	14
35-49	60	4.0	10	1	2	3	5	8	11	14
50-64	69	3.4	9	1	1	2	4	7	9	16
65 +	46	3.2	7	1	1	2	4	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	10.5	167	1	1	4	22	30	31	31
50-64	9	4.8	14	1	2	4	6	11	12	12
65 +	10	6.3	33	1	3	3	10	15	19	19
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	5.3	9	2	3	5	7	9	11	12
35-49	40	5.6	28	2	3	5	7	9	11	34
50-64	59	6.9	122	1	2	5	7	12	20	73
65 +	77	6.3	29	1	3	5	8	12	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	6	< 1	< 1	1	4	6	6	6
B. Operated	215	3.6	9	1	1	3	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	26	6.6	56	1	2	3	10	18	24	31
B. Operated	195	6.2	54	1	2	5	7	11	14	36
1. SINGLE DX	219	3.6	9	1	1	3	5	8	9	14
2. MULTIPLE DX	221	6.3	54	1	2	5	7	12	15	35
A. Not Operated	30	6.0	51	1	1	3	7	16	22	31
B. Operated	410	4.9	32	1	2	4	6	9	12	29
TOTAL										
0-19 YRS	6	3.2	3	1	2	3	4	6	6	6
20-34	54	4.5	9	1	2	4	6	8	10	14
35-49	108	4.9	26	1	2	4	6	9	13	32
50-64	138	5.0	60	1	2	3	6	9	13	43
65 +	134	5.2	23	1	2	4	7	11	14	29
GRAND TOTAL	**440**	**4.9**	**33**	**1**	**2**	**4**	**6**	**9**	**13**	**30**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	9	3.9	6	< 1	2	4	6	7	7	7
20-34	4	2.5	6	< 1	< 1	1	4	6	6	6
35-49	20	2.1	6	< 1	< 1	1	2	4	8	11
50-64	56	1.5	2	< 1	< 1	< 1	1	3	4	8
65 +	152	1.7	3	< 1	< 1	< 1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	12.3	148	3	4	8	20	30	30	30
35-49	3	8.0	27	5	5	5	12	14	14	14
50-64	6	6.8	17	< 1	5	6	11	12	12	12
65 +	7	13.4	40	6	8	13	18	22	23	23
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	5	9.4	207	1	2	4	12	35	35	35
35-49	28	4.4	47	< 1	1	2	5	9	15	35
50-64	66	4.2	60	< 1	< 1	1	3	11	16	46
65 +	236	5.3	47	< 1	1	2	7	14	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	241	1.8	3	< 1	< 1	< 1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	20	10.4	52	4	5	9	13	21	26	30
B. Operated	338	5.0	51	< 1	1	2	6	13	20	36
1. SINGLE DX	242	1.8	3	< 1	< 1	< 1	2	4	6	8
2. MULTIPLE DX	358	5.3	52	< 1	1	2	7	14	21	35
A. Not Operated	21	10.1	52	4	5	7	13	21	26	30
B. Operated	579	3.7	34	< 1	< 1	1	4	9	14	30
TOTAL										
0-19 YRS	12	3.6	4	1	2	3	5	7	7	7
20-34	13	8.2	124	< 1	2	4	7	31	34	35
35-49	51	3.7	31	< 1	< 1	2	4	9	13	35
50-64	128	3.1	35	< 1	< 1	1	3	7	12	34
65 +	396	4.1	34	< 1	< 1	2	5	10	17	27
GRAND TOTAL	**600**	**3.9**	**36**	**< 1**	**< 1**	**1**	**4**	**10**	**15**	**30**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	7	3.6	4	1	2	3	5	7	7	7
65 +	10	4.8	6	< 1	4	5	7	8	9	9
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	109	3.6	3	2	2	3	5	6	7	8
35-49	604	3.5	3	2	2	3	4	6	6	9
50-64	948	3.6	3	2	3	3	4	5	6	8
65 +	965	4.0	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	7.0	80	3	3	3	8	23	23	23
35-49	42	7.8	41	2	3	5	11	17	22	26
50-64	89	7.8	59	2	3	6	10	16	21	47
65 +	110	7.4	39	1	3	5	9	16	23	28
B. Operated										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	105	4.2	7	2	3	4	5	7	10	17
35-49	824	4.5	14	2	3	4	5	7	9	18
50-64	1682	5.0	13	2	3	4	6	8	11	20
65 +	2995	5.5	15	2	3	5	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.9	5	1	2	4	5	7	8	9
B. Operated	2627	3.7	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	246	7.6	47	2	3	5	10	17	22	32
B. Operated	5609	5.2	14	2	3	4	6	8	11	20
1. SINGLE DX	2649	3.7	3	2	3	4	5	6	7	9
2. MULTIPLE DX	5855	5.3	16	2	3	4	6	9	12	22
A. Not Operated	268	7.3	44	1	3	5	9	16	22	31
B. Operated	8236	4.7	11	2	3	4	6	8	10	17
TOTAL										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	219	3.9	7	2	3	3	5	6	8	15
35-49	1475	4.2	11	2	3	4	5	6	8	17
50-64	2726	4.6	12	2	3	4	5	7	10	19
65 +	4080	5.2	13	2	3	4	6	8	11	20
GRAND TOTAL	**8504**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**	**19**

354 Hospitals, North Central Region, January-December 1988

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	12	4.2	20	1	2	3	4	8	17	18
50-64	21	2.7	3	1	2	2	3	4	7	10
65 +	14	2.5	1	1	2	3	3	3	4	4
B. Operated										
0-19 YRS	0									
20-34	47	5.0	8	2	3	4	7	8	10	15
35-49	62	5.2	8	1	3	5	7	9	10	12
50-64	44	4.4	7	1	2	4	6	8	10	12
65 +	17	2.6	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	4.2	6	1	2	3	6	8	9	9
35-49	34	5.8	41	1	2	4	6	13	21	30
50-64	45	5.8	24	2	2	4	8	14	16	21
65 +	47	7.6	71	2	3	5	8	13	32	39
B. Operated										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	86	7.4	39	3	4	6	9	11	13	44
35-49	173	8.2	48	3	4	6	9	17	23	39
50-64	109	8.0	61	2	3	5	10	18	22	41
65 +	115	8.4	39	2	4	7	11	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.0	7	1	2	3	3	4	5	18
B. Operated	170	4.7	7	2	3	4	6	8	10	12
2. MULTIPLE DX										
A. Not Operated	137	6.3	43	1	2	4	7	13	19	39
B. Operated	485	8.1	47	3	4	6	9	15	21	35
1. SINGLE DX	219	4.3	8	1	2	4	6	8	10	13
2. MULTIPLE DX	622	7.7	47	2	3	6	9	15	21	36
A. Not Operated	186	5.4	35	1	2	3	6	12	17	36
B. Operated	655	7.2	39	2	3	5	9	14	19	35
TOTAL										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	146	6.3	27	2	4	5	8	10	13	32
35-49	281	7.1	39	2	4	5	8	14	20	34
50-64	219	6.3	40	2	3	4	8	13	19	35
65 +	193	7.2	45	2	3	5	9	15	21	36
GRAND TOTAL	**841**	**6.8**	**39**	**2**	**3**	**5**	**8**	**13**	**19**	**35**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	2.0		2	2	2	2	2	2	2
50-64	16	2.9	2	2	2	3	3	4	7	8
65 +	22	3.0	3	2	2	3	3	4	7	10
B. Operated										
0-19 YRS	0									
20-34	3	4.3		4	4	4	5	5	5	5
35-49	36	4.8	5	2	4	5	6	8	8	12
50-64	131	4.9	4	2	4	5	6	7	9	28
65 +	164	5.5	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	3.8	10	< 1	1	3	6	8	8	8
50-64	29	4.3	15	1	2	3	6	8	10	21
65 +	69	5.4	20	1	2	4	8	11	14	21
B. Operated										
0-19 YRS	0									
20-34	21	5.9	8	3	4	5	7	10	12	14
35-49	143	5.9	23	3	4	5	6	11	12	19
50-64	483	6.5	26	4	4	5	7	9	12	27
65 +	763	7.3	19	4	5	6	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.9	3	2	2	2	3	4	6	10
B. Operated	334	5.2	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	103	5.0	18	1	2	4	7	10	13	21
B. Operated	1410	6.9	22	4	5	6	8	11	14	27
1. SINGLE DX	377	4.9	5	2	4	5	6	8	9	12
2. MULTIPLE DX	1513	6.7	22	4	4	6	8	11	14	26
A. Not Operated	146	4.4	14	1	2	3	5	9	11	21
B. Operated	1744	6.5	19	4	4	6	7	10	13	26
TOTAL										
0-19 YRS	0									
20-34	26	5.6	7	3	4	5	7	10	12	14
35-49	187	5.5	19	3	4	5	6	9	12	16
50-64	659	6.0	21	3	4	5	7	9	11	26
65 +	1018	6.8	17	3	5	6	8	11	15	25
GRAND TOTAL	**1890**	**6.4**	**19**	**3**	**4**	**5**	**7**	**10**	**13**	**25**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	9	3.8	20	< 1	1	2	5	12	14	14
65 +	4	3.8	8	1	1	3	6	7	7	7
B. Operated										
0-19 YRS	4	5.0	3	3	4	5	6	7	7	7
20-34	28	5.4	2	3	5	5	6	7	8	9
35-49	30	6.3	7	3	4	6	8	9	9	14
50-64	41	6.3	8	3	5	6	8	10	12	15
65 +	30	6.9	13	4	5	6	8	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	3	22.3	1121	3	3	3	47	61	61	61
35-49	19	6.9	65	1	2	4	8	20	26	31
50-64	68	6.4	54	1	2	4	8	16	19	38
65 +	63	6.8	19	2	4	6	8	12	16	22
B. Operated										
0-19 YRS	6	10.7	14	7	8	9	13	17	17	17
20-34	42	8.0	95	4	4	6	8	10	21	61
35-49	135	8.7	66	4	5	6	9	12	23	43
50-64	325	11.4	86	4	6	9	13	21	27	62
65 +	385	14.1	100	6	8	11	17	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.5	12	1	1	2	5	8	12	14
B. Operated	133	6.2	8	3	5	5	8	9	12	16
2. MULTIPLE DX										
A. Not Operated	155	6.9	58	1	2	5	8	15	19	39
B. Operated	893	12.0	93	5	6	9	14	22	31	57
1. SINGLE DX	151	5.9	9	2	4	5	7	9	12	15
2. MULTIPLE DX	1048	11.2	91	4	6	9	14	22	29	56
A. Not Operated	173	6.6	54	1	2	5	8	15	18	37
B. Operated	1026	11.2	86	4	6	9	13	21	28	54
TOTAL										
0-19 YRS	12	7.8	16	4	5	7	9	14	17	17
20-34	75	7.5	95	4	4	5	7	9	11	61
35-49	187	8.0	56	4	5	6	9	12	21	37
50-64	443	10.0	78	3	5	8	12	20	24	54
65 +	482	12.6	92	5	7	10	15	24	31	51
GRAND TOTAL	**1199**	**10.6**	**84**	**4**	**5**	**8**	**12**	**20**	**27**	**52**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	4	1.8	2	1	1	1	3	4	4	4
65 +	4	2.5	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	6	4.5	21	1	1	3	8	12	12	12
35-49	8	5.4	12	1	3	5	8	10	11	11
50-64	10	5.8	18	1	1	6	8	12	13	13
65 +	23	4.3	16	1	1	3	6	8	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	8	2.6	1	1	2	3	3	4	4	4
65 +	11	8.2	66	1	3	6	9	20	29	30
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	7.5	23	3	3	6	10	15	17	17
35-49	23	10.0	81	2	4	8	11	24	33	37
50-64	54	8.6	52	2	5	7	10	18	25	36
65 +	113	9.8	40	3	6	8	13	17	22	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.4	3	1	1	2	4	5	5	5
B. Operated	47	4.8	16	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	24	5.6	37	1	2	4	7	10	18	30
B. Operated	201	9.4	46	3	5	8	12	17	23	35
1. SINGLE DX	56	4.4	14	1	1	4	7	9	12	19
2. MULTIPLE DX	225	9.0	47	2	4	8	11	17	23	34
A. Not Operated	33	4.7	29	1	2	3	6	9	12	30
B. Operated	248	8.5	44	2	4	7	11	16	22	34
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	20	6.1	20	1	3	5	8	13	15	17
35-49	33	8.5	64	2	4	7	10	16	30	37
50-64	76	7.3	45	1	3	6	9	14	21	35
65 +	151	8.6	41	2	4	8	12	16	21	30
GRAND TOTAL	**281**	**8.1**	**43**	**2**	**3**	**7**	**10**	**15**	**21**	**33**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	8	2.9	3	< 1	1	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	10	5.9	11	1	3	6	8	10	11	11
50-64	202	5.6	11	1	3	5	8	10	12	16
65 +	647	4.7	10	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.5	11	1	2	4	7	9	9	9
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	42	8.2	53	2	3	5	10	20	25	30
65 +	283	7.1	37	2	3	5	9	15	21	30
B. Operated										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	4	11.8	15	8	9	11	14	17	17	17
35-49	13	8.8	15	3	5	10	12	13	14	14
50-64	705	7.0	26	2	4	6	9	13	16	28
65 +	3821	7.0	39	2	4	5	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.6	3	< 1	1	2	4	5	5	5
B. Operated	859	5.0	11	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	330	7.2	39	2	3	5	9	16	22	30
B. Operated	4545	7.0	37	2	4	5	9	13	17	29
1. SINGLE DX	870	4.9	10	1	2	4	7	9	11	15
2. MULTIPLE DX	4875	7.0	37	2	4	5	9	13	17	30
A. Not Operated	341	7.0	38	2	3	5	9	15	21	30
B. Operated	5404	6.7	33	2	3	5	8	12	16	28
TOTAL										
0-19 YRS	7	5.3	12	2	4	4	8	11	11	11
20-34	4	11.8	15	8	9	11	14	17	17	17
35-49	24	7.4	15	2	4	7	11	12	13	14
50-64	951	6.8	25	2	4	6	9	12	16	26
65 +	4759	6.7	36	2	3	5	8	12	16	29
GRAND TOTAL	**5745**	**6.7**	**34**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	4.0	5	1	2	4	5	7	7	7
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	5.0	20	1	2	3	7	12	13	13
20-34	107	2.7	5	1	1	2	4	7	7	9
35-49	54	2.1	2	1	1	2	2	4	6	6
50-64	9	2.6	2	< 1	1	2	4	4	4	4
65 +	11	3.2	6	< 1	1	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	3.9	3	1	2	4	5	6	6	6
35-49	5	4.0	1	3	3	4	4	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	8	12.4	351	1	2	5	13	44	57	57
20-34	52	10.0	213	1	2	7	11	24	44	99 +
35-49	23	7.9	89	1	2	5	8	24	34	34
50-64	17	5.8	31	1	1	4	9	13	18	21
65 +	45	7.0	32	2	3	4	10	17	18	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.8	5	1	2	4	5	6	7	7
B. Operated	187	2.6	5	1	1	2	3	6	7	10
2. MULTIPLE DX										
A. Not Operated	18	4.0	2	2	3	4	5	6	6	6
B. Operated	145	8.4	122	1	2	5	10	17	32	92
1. SINGLE DX	195	2.7	5	1	1	2	4	6	7	10
2. MULTIPLE DX	163	7.9	111	1	2	5	9	16	25	87
A. Not Operated	26	3.9	3	1	3	4	5	6	6	7
B. Operated	332	5.1	64	1	1	2	6	11	16	47
TOTAL										
0-19 YRS	15	8.9	197	1	2	5	11	14	46	57
20-34	176	5.0	77	1	1	2	6	10	15	79
35-49	84	3.8	32	1	1	2	4	6	10	34
50-64	27	4.7	22	1	1	4	5	11	14	21
65 +	56	6.3	29	1	2	4	8	16	17	21
GRAND TOTAL	**358**	**5.0**	**60**	**1**	**1**	**3**	**6**	**10**	**16**	**44**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	9	1.9	2	< 1	< 1	1	2	5	5	5
65 +	47	2.2	67	< 1	< 1	< 1	< 1	1	1	57
B. Operated										
0-19 YRS	7	5.6	33	1	1	4	9	15	16	16
20-34	5	4.2	11	1	2	3	7	9	9	9
35-49	52	3.1	11	1	1	2	3	10	11	12
50-64	245	3.2	10	1	1	2	4	8	10	16
65 +	439	3.3	12	< 1	1	2	3	7	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.7	37	2	4	10	13	14	14	14
20-34	2	13.0	288	1	1	13	25	25	25	25
35-49	5	6.6	76	1	2	3	9	22	22	22
50-64	20	6.2	35	1	3	4	6	15	22	24
65 +	89	6.9	48	1	3	5	9	14	23	34
B. Operated										
0-19 YRS	9	11.6	58	2	5	10	19	21	23	23
20-34	12	6.7	52	1	2	4	12	39	89	99 +
35-49	91	6.4	72	1	2	3	8	17	23	46
50-64	515	6.6	69	1	2	4	9	14	20	41
65 +	2012	6.7	56	1	2	4	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.2	56	< 1	< 1	< 1	< 1	1	3	54
B. Operated	748	3.3	12	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. Not Operated	119	6.9	48	1	3	4	9	14	24	34
B. Operated	2639	6.7	59	1	2	4	9	15	20	36
1. SINGLE DX	804	3.2	15	< 1	1	2	3	8	10	16
2. MULTIPLE DX	2758	6.7	58	1	2	4	9	15	20	36
A. Not Operated	175	5.4	55	< 1	< 1	3	6	11	21	34
B. Operated	3387	5.9	50	1	2	4	8	13	19	32
TOTAL										
0-19 YRS	19	8.9	49	1	3	8	14	19	21	23
20-34	19	6.7	56	1	2	4	10	24	62	99 +
35-49	148	5.2	52	1	1	2	6	12	20	32
50-64	789	5.5	52	1	2	3	7	12	16	32
65 +	2587	6.1	50	1	2	4	8	14	19	33
GRAND TOTAL	**3562**	**5.9**	**51**	**1**	**2**	**3**	**8**	**13**	**19**	**33**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	3.3	16	< 1	< 1	< 1	6	8	8	8
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	36	8.1	11	4	6	8	11	13	14	14
20-34	6	7.0	4	4	6	7	8	10	10	10
35-49	38	6.8	6	4	5	7	8	10	11	13
50-64	80	7.3	11	4	5	7	9	11	12	21
65 +	77	7.0	14	1	4	7	9	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.4	71	1	1	3	8	20	29	32
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	8	3.4	4	< 1	1	3	5	6	6	6
50-64	43	6.7	33	1	3	5	9	17	20	23
65 +	74	8.3	62	2	4	6	11	14	22	48
B. Operated										
0-19 YRS	42	12.9	77	6	8	10	15	27	35	39
20-34	18	9.7	25	5	7	9	10	16	22	24
35-49	98	10.0	58	4	6	8	11	19	22	48
50-64	340	10.6	46	5	7	8	13	21	26	34
65 +	581	11.6	54	5	7	9	14	21	26	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.9	5	< 1	1	2	4	6	8	8
B. Operated	237	7.2	11	2	5	7	9	11	13	15
2. MULTIPLE DX										
A. Not Operated	145	7.3	52	1	3	5	9	14	23	37
B. Operated	1079	11.2	53	5	7	9	14	20	26	41
1. SINGLE DX	248	7.1	12	2	5	7	9	11	13	15
2. MULTIPLE DX	1224	10.7	54	4	7	9	13	20	25	41
A. Not Operated	156	7.0	49	1	3	5	8	14	22	36
B. Operated	1316	10.5	47	4	7	9	12	19	24	39
TOTAL										
0-19 YRS	99	9.6	58	2	5	8	11	19	29	38
20-34	27	8.4	22	3	6	7	10	13	19	24
35-49	146	8.7	45	3	5	7	10	15	20	43
50-64	466	9.6	41	3	6	8	11	19	24	34
65 +	734	10.8	53	4	7	9	13	19	24	41
GRAND TOTAL	**1472**	**10.1**	**49**	**3**	**6**	**8**	**12**	**19**	**24**	**39**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	2.4	3	1	1	2	3	5	7	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	5.3	14	1	2	5	8	10	10	10
50-64	12	1.9	1	< 1	1	2	3	3	4	4
65 +	6	2.2	4	1	1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	13.8	114	2	6	10	22	29	29	29
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	13	15.2	407	1	3	6	19	54	62	64
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	15	3.5	11	1	1	2	3	10	11	12
65 +	24	4.3	15	1	2	3	4	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	51	2.5	4	1	1	2	3	6	6	10
2. MULTIPLE DX										
A. Not Operated	9	10.1	80	1	5	8	12	25	29	29
B. Operated	57	6.5	121	1	2	3	6	14	23	63
1. SINGLE DX	52	2.5	4	1	1	2	3	6	6	10
2. MULTIPLE DX	66	7.0	115	1	2	3	8	15	27	62
A. Not Operated	10	9.4	76	1	3	7	10	24	29	29
B. Operated	108	4.6	69	1	1	2	4	9	14	56
TOTAL										
0-19 YRS	46	7.3	158	1	1	3	6	20	33	64
20-34	5	3.6	22	< 1	1	2	5	12	12	12
35-49	9	4.6	10	1	2	4	7	9	10	10
50-64	27	2.8	7	1	1	2	3	6	10	12
65 +	31	3.9	13	1	1	3	5	9	14	15
GRAND TOTAL	**118**	**5.0**	**71**	**1**	**1**	**3**	**5**	**10**	**16**	**55**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	3.7	9	1	1	3	6	9	10	11
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	8	5.9	33	1	2	4	8	16	18	18
50-64	27	5.5	21	2	3	4	6	11	15	23
65 +	16	5.6	18	1	2	5	7	11	15	16
B. Operated										
0-19 YRS	111	8.9	68	1	4	7	11	15	25	48
20-34	59	7.7	12	4	5	7	10	12	14	20
35-49	52	9.4	47	3	5	8	11	18	25	38
50-64	83	9.2	44	3	5	9	12	15	19	41
65 +	43	9.6	29	2	6	9	14	17	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	6.3	61	1	2	4	7	12	27	40
20-34	33	4.8	5	2	3	5	7	8	8	10
35-49	51	6.6	29	2	3	5	9	15	16	25
50-64	88	9.1	84	2	3	6	12	21	27	48
65 +	115	8.8	44	3	4	7	12	18	23	31
B. Operated										
0-19 YRS	207	14.5	198	3	6	11	17	36	51	99 +
20-34	79	11.2	149	3	6	8	14	19	29	76
35-49	100	13.5	160	4	7	10	13	26	47	64
50-64	161	13.6	117	4	8	11	16	26	33	56
65 +	167	17.2	153	7	10	14	20	30	43	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	4.7	16	1	2	3	6	10	11	21
B. Operated	348	8.9	45	2	5	8	11	15	19	38
2. MULTIPLE DX										
A. Not Operated	379	7.6	54	2	3	5	10	16	22	37
B. Operated	714	14.4	161	4	7	11	17	28	44	75
1. SINGLE DX	445	8.0	42	2	4	7	11	14	18	37
2. MULTIPLE DX	1093	12.0	134	3	5	9	15	24	36	66
A. Not Operated	476	7.0	47	1	3	5	9	16	21	36
B. Operated	1062	12.6	129	3	6	10	14	24	36	66
TOTAL										
0-19 YRS	452	10.4	136	1	4	7	12	23	37	76
20-34	175	8.7	79	3	4	7	10	14	19	59
35-49	211	10.5	104	3	5	8	12	19	27	59
50-64	359	10.9	91	3	5	9	13	20	28	52
65 +	341	12.8	112	3	6	11	16	24	31	65
GRAND TOTAL	**1538**	**10.9**	**111**	**2**	**4**	**8**	**13**	**21**	**30**	**64**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	8.4	62	3	4	6	10	15	29	33
20-34	4	10.5	8	8	8	10	13	13	13	13
35-49	4	9.0	13	6	6	8	11	14	14	14
50-64	5	12.2	90	5	5	10	17	28	28	28
65 +	7	10.7	40	4	6	9	17	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	4.7	7	1	2	5	7	8	8	8
65 +	9	8.1	25	3	4	7	12	16	17	17
B. Operated										
0-19 YRS	19	14.4	177	3	7	10	17	30	48	59
20-34	5	9.6	12	5	7	9	13	13	13	13
35-49	9	17.7	289	4	8	14	20	45	59	59
50-64	14	16.4	113	3	8	15	22	33	33	33
65 +	12	15.3	77	6	7	13	24	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	34	9.8	46	4	5	8	13	19	26	33
2. MULTIPLE DX										
A. Not Operated	21	5.9	18	1	3	5	8	12	15	17
B. Operated	59	15.1	140	4	8	13	19	30	34	59
1. SINGLE DX	36	9.3	47	3	5	8	12	18	26	33
2. MULTIPLE DX	80	12.7	124	3	6	9	17	26	33	59
A. Not Operated	23	5.6	18	1	2	5	8	12	15	17
B. Operated	93	13.2	111	4	7	10	16	27	33	59
TOTAL										
0-19 YRS	38	10.7	126	1	4	8	13	21	34	59
20-34	10	9.3	13	4	8	9	13	13	13	13
35-49	14	14.3	204	5	7	9	16	28	52	59
50-64	26	12.4	100	2	5	9	17	32	33	33
65 +	28	11.8	58	4	6	9	18	25	27	27
GRAND TOTAL	**116**	**11.7**	**102**	**3**	**5**	**9**	**15**	**25**	**32**	**59**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.5	5	1	1	2	3	6	7	7
20-34	7	1.9	1	1	1	2	3	3	3	3
35-49	18	1.6	1	1	1	1	2	3	3	3
50-64	7	2.6	2	2	2	2	2	5	6	6
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	24	2.8	4	1	1	2	4	5	6	8
20-34	65	2.7	3	1	2	2	3	6	6	7
35-49	68	2.8	2	1	2	2	3	5	5	9
50-64	39	3.3	3	2	2	3	4	6	7	8
65 +	35	3.0	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.6	11	1	2	2	4	6	13	16
20-34	21	2.9	5	1	2	2	3	5	8	11
35-49	19	2.5	1	2	2	2	3	4	5	6
50-64	15	5.7	72	1	2	3	4	26	27	27
65 +	21	4.4	12	1	2	3	6	10	12	13
B. Operated										
0-19 YRS	63	13.6	233	4	5	8	16	33	55	98
20-34	91	3.5	5	2	2	3	4	5	8	14
35-49	115	4.3	45	2	2	3	4	7	9	41
50-64	59	5.1	42	2	2	4	6	9	10	47
65 +	97	7.8	60	2	3	5	10	17	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.0	2	1	1	2	2	3	5	7
B. Operated	231	2.9	3	1	2	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	119	3.7	16	1	2	2	4	6	12	26
B. Operated	425	6.4	78	2	3	4	7	13	21	54
1. SINGLE DX	273	2.7	3	1	2	2	3	5	6	8
2. MULTIPLE DX	544	5.8	66	2	2	3	6	12	18	49
A. Not Operated	161	3.3	13	1	2	2	3	6	10	25
B. Operated	656	5.2	54	2	2	3	5	10	16	45
TOTAL										
0-19 YRS	138	8.0	137	1	2	4	8	19	30	87
20-34	184	3.1	4	1	2	3	4	5	7	11
35-49	220	3.4	25	1	2	3	3	6	7	23
50-64	120	4.5	31	2	2	3	5	8	9	34
65 +	155	6.2	44	2	3	4	7	13	18	35
GRAND TOTAL	**817**	**4.8**	**47**	**1**	**2**	**3**	**5**	**9**	**15**	**39**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.1	7	2	3	6	6	8	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	7.0	8	5	5	7	9	9	9	9
50-64	23	2.9	3	< 1	1	3	4	5	6	7
65 +	13	8.2	36	2	4	7	11	16	22	23
B. Operated										
0-19 YRS	33	5.9	27	1	2	5	8	11	15	26
20-34	8	4.8	16	< 1	1	4	8	10	11	11
35-49	30	6.2	27	1	3	5	8	11	15	27
50-64	69	5.0	19	< 1	2	4	7	11	14	22
65 +	55	4.6	24	< 1	1	2	6	13	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	5.0	26	1	2	4	6	10	15	27
20-34	79	6.6	54	1	3	5	7	14	17	47
35-49	507	7.7	40	2	4	6	10	16	20	29
50-64	1440	8.3	49	2	4	6	11	17	23	34
65 +	2497	8.8	52	2	4	7	11	17	22	34
B. Operated										
0-19 YRS	139	12.5	243	2	5	8	13	30	67	99 +
20-34	193	9.4	75	2	4	7	11	19	26	39
35-49	861	11.0	112	3	4	8	14	23	30	58
50-64	2257	11.8	114	3	5	9	15	24	32	57
65 +	3137	12.3	103	3	5	10	16	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	4.9	17	1	2	4	6	10	12	23
B. Operated	195	5.2	23	1	2	4	7	11	15	25
2. MULTIPLE DX										
A. Not Operated	4586	8.4	50	2	4	6	11	17	22	34
B. Operated	6587	11.9	110	3	5	9	15	24	32	57
1. SINGLE DX	245	5.2	22	1	2	4	7	11	14	24
2. MULTIPLE DX	11173	10.4	88	2	4	8	13	22	28	49
A. Not Operated	4636	8.4	50	2	4	6	11	17	22	34
B. Operated	6782	11.7	109	2	5	9	15	24	32	56
TOTAL										
0-19 YRS	246	9.4	160	1	3	6	10	20	37	84
20-34	281	8.4	69	2	3	6	10	18	25	40
35-49	1400	9.7	86	2	4	7	12	20	26	50
50-64	3789	10.3	91	2	4	8	13	22	29	49
65 +	5702	10.7	83	2	5	8	14	22	28	47
GRAND TOTAL	**11418**	**10.3**	**88**	**2**	**4**	**8**	**13**	**21**	**28**	**49**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.6	1	< 1	1	1	2	3	4	4
20-34	10	2.2	2	1	1	2	3	4	5	5
35-49	4	2.0	2	1	1	2	28	99 +	99 +	99 +
50-64	2	7.0	50	2	2	7	12	12	12	12
65 +	0									
B. Operated										
0-19 YRS	89	5.4	11	1	2	5	8	9	11	14
20-34	91	4.6	15	1	1	5	6	8	9	23
35-49	38	4.0	5	< 1	2	4	6	7	7	9
50-64	14	3.4	7	1	1	2	5	8	8	8
65 +	7	5.1	22	1	1	5	7	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	5.2	10	2	3	5	7	10	11	14
20-34	34	6.5	29	1	3	5	9	13	19	23
35-49	11	4.5	19	< 1	1	3	5	12	15	15
50-64	7	4.1	7	2	2	3	6	9	9	9
65 +	13	9.5	28	2	5	10	15	16	16	16
B. Operated										
0-19 YRS	55	13.6	272	2	4	7	12	50	55	69
20-34	109	17.8	317	3	5	8	31	46	51	67
35-49	50	16.3	203	3	7	11	24	34	45	66
50-64	32	12.8	138	4	5	7	17	32	41	44
65 +	39	14.2	152	3	7	10	17	33	42	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.3	6	1	1	2	3	5	30	99 +
B. Operated	239	4.8	12	1	2	5	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	94	6.1	22	1	3	5	9	13	16	22
B. Operated	285	15.7	247	3	6	9	21	43	50	65
1. SINGLE DX	264	4.5	11	1	2	4	6	8	10	17
2. MULTIPLE DX	379	13.3	208	2	4	8	15	37	48	62
A. Not Operated	119	5.3	21	1	2	4	8	12	15	46
B. Operated	524	10.7	169	1	4	6	11	30	44	58
TOTAL										
0-19 YRS	182	7.7	104	1	2	5	8	12	20	57
20-34	244	10.7	192	1	3	6	9	32	45	60
35-49	103	10.0	140	1	3	6	12	30	37	82
50-64	55	9.1	103	1	3	6	9	23	36	44
65 +	59	12.1	118	2	5	10	15	30	34	52
GRAND TOTAL	**643**	**9.7**	**146**	**1**	**3**	**6**	**10**	**27**	**41**	**57**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	3.6	6	1	1	3	5	7	9	11
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	121	7.7	73	1	3	6	10	14	20	47
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	5	6.8	7	3	4	8	9	9	9	9
50-64	0									
65 +	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	5.3	52	1	1	3	6	12	20	39
20-34	9	11.3	121	2	2	11	16	29	31	31
35-49	5	7.2	97	1	1	2	12	24	24	24
50-64	3	23.3	341	2	10	34	34	34	34	34
65 +	9	9.8	82	3	4	9	11	24	32	32
B. Operated										
0-19 YRS	174	16.8	225	4	7	11	24	37	48	97
20-34	22	22.9	402	1	6	20	36	50	67	69
35-49	15	34.3	425	9	19	34	44	65	69	71
50-64	10	20.4	98	7	16	26	32	99 +	99 +	99 +
65 +	20	20.9	478	3	7	13	30	40	68	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	3.7	6	1	1	3	5	7	9	11
B. Operated	130	7.7	70	1	3	6	10	14	20	43
2. MULTIPLE DX										
A. Not Operated	240	6.0	63	1	1	3	7	14	25	39
B. Operated	241	18.9	283	3	7	13	28	42	65	99 +
1. SINGLE DX	209	6.2	50	1	2	5	8	11	15	32
2. MULTIPLE DX	481	12.5	215	1	3	7	17	34	42	94
A. Not Operated	319	5.4	50	1	1	3	6	11	20	36
B. Operated	371	15.0	237	2	5	9	21	36	45	99
TOTAL										
0-19 YRS	586	9.0	129	1	2	5	10	23	35	66
20-34	36	17.6	317	2	4	10	26	42	58	69
35-49	25	23.4	451	2	7	17	36	63	66	71
50-64	13	21.1	132	3	16	27	34	99 +	99 +	99 +
65 +	30	17.6	363	3	4	11	24	38	41	96
GRAND TOTAL	**690**	**10.6**	**173**	**1**	**2**	**6**	**12**	**30**	**39**	**76**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	4.0	5	1	2	4	5	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	4.5	4	3	3	4	6	7	7	7
65 +	6	2.7	2	< 1	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	9.3	5	7	7	9	11	12	12	12
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	27	7.2	35	2	4	7	8	11	16	33
65 +	78	7.2	35	2	4	5	9	15	19	32
B. Operated										
0-19 YRS	3	13.3	196	2	4	9	24	29	29	29
20-34	3	46.3	1560	7	17	46	76	86	86	86
35-49	8	9.0	37	1	3	9	14	17	17	17
50-64	24	10.8	76	3	5	8	14	22	28	41
65 +	66	10.8	139	2	4	8	12	18	36	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.6	3	1	2	3	5	6	7	7
B. Operated	11	3.2	4	1	2	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	111	7.2	33	2	4	6	9	13	19	34
B. Operated	104	11.8	178	2	4	8	13	22	42	72
1. SINGLE DX	19	3.4	3	1	2	3	5	6	7	7
2. MULTIPLE DX	215	9.4	108	2	4	7	11	18	25	60
A. Not Operated	119	6.9	32	2	4	6	8	13	19	34
B. Operated	115	10.9	167	2	4	8	12	21	38	70
TOTAL										
0-19 YRS	8	10.1	68	3	5	8	11	24	29	29
20-34	3	46.3	1560	7	17	46	76	86	86	86
35-49	12	6.8	35	1	2	4	11	16	17	17
50-64	60	8.2	51	2	4	7	9	15	22	40
65 +	151	8.5	83	2	4	6	10	15	21	59
GRAND TOTAL	**234**	**8.9**	**102**	**2**	**4**	**7**	**10**	**16**	**23**	**59**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	4.4	15	< 1	1	3	6	11	13	14
20-34	9	3.4	1	3	3	3	4	5	6	6
35-49	9	7.8	68	2	3	4	11	21	27	27
50-64	9	2.8	1	< 1	2	3	4	4	4	4
65 +	5	4.4	20	1	1	4	6	12	12	12
B. Operated										
0-19 YRS	25	7.8	94	1	1	3	10	22	34	36
20-34	4	17.8	170	5	6	18	29	29	29	29
35-49	9	11.0	138	3	4	6	13	32	32	32
50-64	2	31.5	1201	7	7	31	56	56	56	56
65 +	6	13.2	97	3	6	9	25	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	9.6	109	1	3	7	10	22	37	47
20-34	9	11.0	152	2	3	6	13	33	39	39
35-49	21	12.4	125	3	5	9	19	28	35	44
50-64	34	8.6	77	1	3	6	11	23	30	39
65 +	51	9.6	81	3	4	7	12	21	28	43
B. Operated										
0-19 YRS	64	27.3	497	4	9	16	45	64	70	97
20-34	40	32.3	277	5	23	36	40	52	61	69
35-49	55	31.2	397	5	18	28	44	56	65	97
50-64	64	28.1	340	3	15	30	38	66	99 +	99 +
65 +	111	22.6	328	4	7	22	34	53	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	4.5	21	1	2	3	4	11	13	27
B. Operated	46	11.0	152	1	3	7	11	31	34	56
2. MULTIPLE DX										
A. Not Operated	153	9.9	96	2	4	7	11	24	33	44
B. Operated	334	27.1	376	4	9	28	39	58	69	99 +
1. SINGLE DX	94	7.7	95	1	2	4	9	25	31	47
2. MULTIPLE DX	487	21.7	352	3	6	15	35	48	64	99 +
A. Not Operated	201	8.6	83	1	3	5	10	22	28	43
B. Operated	380	25.2	376	3	7	26	38	56	67	99 +
TOTAL										
0-19 YRS	143	16.6	361	1	4	9	27	49	63	81
20-34	62	24.1	340	3	4	25	38	44	56	68
35-49	94	22.8	376	3	6	22	32	47	56	90
50-64	109	20.0	340	2	4	14	33	49	67	99 +
65 +	173	17.9	277	3	5	10	30	42	60	94
GRAND TOTAL	**581**	**19.4**	**337**	**2**	**5**	**12**	**32**	**46**	**63**	**99 +**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.7	33	< 1	2	3	6	10	19	25
20-34	0									
35-49	6	4.7	17	< 1	1	4	6	11	12	12
50-64	5	11.0	105	1	3	6	21	23	23	23
65 +	7	2.3	5	< 1	< 1	1	3	6	7	7
B. Operated										
0-19 YRS	11	12.7	745	1	1	5	8	47	90	94
20-34	6	4.3	20	1	2	3	5	12	13	13
35-49	4	11.0	161	4	4	5	18	30	30	30
50-64	4	10.3	38	3	6	10	14	18	18	18
65 +	5	7.2	11	3	5	6	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	13.5	174	2	4	8	18	35	41	45
20-34	7	3.0	4	1	1	3	4	6	7	7
35-49	17	5.6	17	2	3	6	7	9	15	19
50-64	31	7.6	87	2	3	5	8	12	24	51
65 +	81	7.4	54	2	3	4	10	19	25	29
B. Operated										
0-19 YRS	51	19.5	433	3	5	11	30	52	57	97
20-34	23	20.9	233	1	6	21	33	39	44	52
35-49	37	22.8	317	4	6	19	39	45	59	61
50-64	39	16.7	233	3	5	11	24	40	44	69
65 +	97	16.1	285	4	6	9	17	43	54	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	5.1	38	< 1	1	3	6	12	22	25
B. Operated	30	9.6	293	1	2	5	10	16	30	94
2. MULTIPLE DX										
A. Not Operated	153	7.8	71	2	3	5	9	19	27	45
B. Operated	247	18.3	309	3	5	11	29	43	55	69
1. SINGLE DX	66	7.1	156	1	2	4	7	15	23	84
2. MULTIPLE DX	400	14.3	244	2	4	8	19	38	48	68
A. Not Operated	189	7.2	66	1	2	4	8	18	25	41
B. Operated	277	17.4	313	3	5	10	26	43	54	78
TOTAL										
0-19 YRS	97	14.9	370	1	3	7	19	42	56	96
20-34	36	14.6	221	1	2	7	29	37	40	52
35-49	64	15.8	264	2	4	7	25	41	49	61
50-64	79	12.5	173	2	4	8	16	32	43	64
65 +	190	11.7	190	2	3	7	14	29	43	66
GRAND TOTAL	**466**	**13.3**	**238**	**2**	**4**	**7**	**17**	**35**	**46**	**68**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	4.1	15	1	1	4	6	8	13	16
20-34	12	2.5	3	1	1	2	4	5	6	6
35-49	16	4.3	46	1	1	2	4	7	22	29
50-64	38	4.5	12	1	2	3	7	10	11	15
65+	23	6.0	43	1	2	4	7	13	24	26
B. Operated										
0-19 YRS	40	7.4	97	2	2	5	8	14	26	56
20-34	26	3.6	7	1	2	3	6	8	9	9
35-49	68	5.0	22	1	2	3	6	11	13	26
50-64	113	5.3	22	1	2	4	8	10	13	24
65+	121	5.2	25	< 1	1	3	8	12	16	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	5.7	61	1	1	3	6	15	26	35
20-34	27	7.4	70	1	2	4	8	23	26	30
35-49	65	7.0	30	2	3	5	9	14	18	25
50-64	236	8.4	47	2	4	7	11	17	25	31
65+	398	8.2	47	2	4	6	10	16	22	31
B. Operated										
0-19 YRS	65	16.8	340	4	6	10	20	68	83	99+
20-34	60	20.2	385	2	5	13	31	46	63	84
35-49	152	16.3	319	3	5	9	21	41	63	95
50-64	393	12.4	112	3	5	10	16	26	33	53
65+	835	13.4	114	3	6	11	18	26	35	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	4.5	23	1	2	3	6	9	12	27
B. Operated	368	5.3	31	1	2	4	7	11	15	27
2. MULTIPLE DX										
A. Not Operated	769	8.0	47	2	4	6	10	16	23	31
B. Operated	1505	13.9	157	3	6	10	18	29	39	70
1. SINGLE DX	474	5.2	29	1	2	4	7	10	15	28
2. MULTIPLE DX	2274	11.9	128	2	5	8	15	25	34	63
A. Not Operated	875	7.6	46	2	3	6	9	16	23	31
B. Operated	1873	12.2	144	2	4	9	16	26	37	66
TOTAL										
0-19 YRS	165	10.3	201	1	3	6	11	29	57	99+
20-34	125	12.3	260	1	2	5	16	36	43	76
35-49	301	11.1	202	2	3	6	13	26	42	74
50-64	780	9.8	83	2	4	7	12	21	28	47
65+	1377	11.1	95	2	4	8	15	23	30	46
GRAND TOTAL	**2748**	**10.7**	**117**	**2**	**4**	**8**	**14**	**23**	**31**	**60**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	28	2.2	2	1	1	2	2	4	6	7
20-34	94	1.8	1	1	1	2	2	3	3	4
35-49	156	1.7	1	1	1	2	2	3	3	5
50-64	109	1.7	1	1	1	2	2	3	3	4
65+	93	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-19 YRS	12	2.0	4	1	1	1	2	5	8	8
20-34	19	2.0	2	1	1	2	2	4	5	6
35-49	59	2.1	2	1	1	2	2	4	5	8
50-64	78	2.3	3	1	1	2	3	4	5	10
65+	114	2.4	2	1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	480	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	4	3.0	16	1	1	1	5	9	9	9
B. Operated	282	2.3	2	1	1	2	3	4	5	8
1. SINGLE DX	480	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	286	2.3	2	1	1	2	3	4	6	9
A. Not Operated	4	3.0	16	1	1	1	5	9	9	9
B. Operated	762	2.0	1	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	40	2.2	3	1	1	2	2	4	6	8
20-34	113	1.8	1	1	1	2	2	3	4	5
35-49	217	1.8	1	1	1	2	2	3	4	6
50-64	187	2.0	1	1	1	2	2	3	4	7
65+	209	2.2	2	1	1	2	3	4	5	8
GRAND TOTAL	**766**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	9	2.2	4	< 1	< 1	< 1	3	6	7	7
65 +	6	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	26	4.8	15	1	2	3	7	11	13	15
20-34	23	6.0	15	< 1	3	7	9	12	13	13
35-49	52	3.5	8	< 1	< 1	2	6	7	8	11
50-64	96	3.8	9	< 1	< 1	2	7	8	9	10
65 +	134	3.2	11	< 1	< 1	1	6	9	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	10.4	354	1	1	2	14	44	44	44
20-34	5	4.6	3	2	3	5	6	6	6	6
35-49	8	3.8	14	1	1	2	5	10	12	12
50-64	26	3.5	9	< 1	1	3	4	10	11	11
65 +	38	4.7	11	< 1	2	4	7	9	11	16
B. Operated										
0-19 YRS	25	6.0	65	1	2	4	6	15	21	40
20-34	38	6.3	15	1	3	6	9	12	13	14
35-49	93	5.6	31	< 1	1	4	8	12	17	27
50-64	278	6.4	24	< 1	2	6	9	13	15	20
65 +	623	7.2	42	< 1	2	7	10	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.3	6	< 1	< 1	1	3	5	8	10
B. Operated	331	3.7	11	< 1	< 1	2	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	82	4.5	29	< 1	2	3	6	9	11	35
B. Operated	1057	6.8	36	< 1	2	6	9	14	17	29
1. SINGLE DX	351	3.7	11	< 1	< 1	2	7	8	9	12
2. MULTIPLE DX	1139	6.6	35	< 1	2	6	9	14	17	29
A. Not Operated	102	4.1	25	< 1	1	3	5	9	11	29
B. Operated	1388	6.1	31	< 1	1	5	8	12	15	28
TOTAL										
0-19 YRS	59	5.6	61	1	2	3	7	12	15	44
20-34	67	6.1	14	< 1	3	6	9	12	13	14
35-49	154	4.8	23	< 1	< 1	3	7	10	14	25
50-64	409	5.5	21	< 1	1	5	8	11	14	18
65 +	801	6.4	37	< 1	1	5	9	14	17	29
GRAND TOTAL	**1490**	**5.9**	**31**	**< 1**	**1**	**5**	**8**	**12**	**15**	**28**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	66	1.7	3	1	1	1	1	4	6	8
20-34	18	3.0	6	< 1	1	2	5	7	8	8
35-49	26	3.2	5	1	2	2	5	6	7	8
50-64	40	4.5	16	< 1	1	3	7	9	10	21
65 +	36	3.8	9	< 1	1	3	6	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	< 1	1	2	3	4	4	4
20-34	0									
35-49	0									
50-64	1	23.0		23	23	23	23	23	23	23
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	57	3.5	14	1	1	1	5	8	13	16
20-34	19	6.8	21	1	3	7	9	13	16	19
35-49	39	6.5	78	1	2	5	8	9	11	57
50-64	49	6.7	28	2	4	5	8	12	16	32
65 +	52	6.8	26	2	3	6	9	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.1		< 1	< 1	1	1	2	2	2
B. Operated	186	3.0	8	1	1	2	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	7	5.0	64	< 1	1	2	4	19	23	23
B. Operated	216	5.9	34	1	2	5	8	11	14	29
1. SINGLE DX	194	3.0	8	1	1	2	5	7	9	11
2. MULTIPLE DX	223	5.8	34	1	2	5	8	11	14	28
A. Not Operated	15	2.9	32	< 1	< 1	1	2	4	18	23
B. Operated	402	4.6	24	1	1	3	7	9	12	21
TOTAL										
0-19 YRS	133	2.4	8	1	1	1	3	7	8	14
20-34	39	4.8	17	1	1	4	7	10	13	19
35-49	65	5.2	51	1	2	4	7	8	10	50
50-64	91	5.9	27	1	2	5	8	11	16	28
65 +	89	5.5	21	1	2	5	8	11	12	25
GRAND TOTAL	**417**	**4.5**	**24**	**1**	**1**	**3**	**7**	**9**	**12**	**22**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	281	2.2	4	1	1	1	3	5	6	11
20-34	126	2.1	4	< 1	1	1	2	4	5	12
35-49	172	2.2	5	< 1	< 1	1	2	5	7	11
50-64	135	1.8	3	< 1	< 1	1	2	4	5	10
65 +	71	1.8	2	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	9	< 1	1	2	4	8	8	8
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	4	5.8	16	< 1	2	6	9	10	10	10
50-64	2	8.5	61	3	3	8	14	14	14	14
65 +	7	5.9	6	2	4	7	8	8	8	8
B. Operated										
0-19 YRS	88	3.5	11	1	1	3	4	7	9	20
20-34	42	3.3	8	1	1	2	4	8	9	12
35-49	102	3.6	9	< 1	1	3	5	7	8	17
50-64	115	5.1	81	1	1	2	6	10	13	56
65 +	107	5.2	31	1	2	3	8	11	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.4	1	1	1	1	1	3	4	4
B. Operated	785	2.1	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	21	4.9	13	1	2	4	8	9	12	14
B. Operated	454	4.3	33	1	1	3	5	9	12	30
1. SINGLE DX	793	2.1	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX	475	4.3	32	1	1	3	6	9	12	29
A. Not Operated	29	3.9	12	1	1	2	7	8	10	14
B. Operated	1239	2.9	16	< 1	1	2	3	6	9	16
TOTAL										
0-19 YRS	380	2.5	6	1	1	2	3	5	7	12
20-34	172	2.4	5	< 1	1	2	3	4	8	12
35-49	279	2.8	7	< 1	1	2	4	6	8	13
50-64	252	3.4	42	< 1	1	1	4	7	10	35
65 +	185	3.9	22	< 1	1	2	5	9	13	28
GRAND TOTAL	**1268**	**2.9**	**16**	**< 1**	**1**	**2**	**3**	**7**	**9**	**16**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.4	4	1	1	2	3	4	7	10
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	2	4.0	18	< 1	< 1	3	7	7	7	7
65 +	2	3.5	13	< 1	< 1	3	6	6	6	6
B. Operated										
0-19 YRS	329	2.5	10	1	1	1	3	5	7	15
20-34	68	2.6	9	< 1	< 1	2	3	5	7	15
35-49	60	1.7	2	< 1	< 1	1	2	4	5	9
50-64	37	1.7	2	< 1	< 1	1	2	3	6	8
65 +	36	2.1	9	< 1	< 1	< 1	1	4	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.2	12	1	1	2	4	7	10	17
20-34	9	4.7	27	1	2	3	4	13	18	18
35-49	7	7.4	41	2	2	5	13	17	17	17
50-64	8	4.6	5	2	3	4	6	8	9	9
65 +	9	7.0	63	1	3	6	7	19	27	27
B. Operated										
0-19 YRS	150	4.9	72	1	1	2	5	12	18	81
20-34	48	4.9	20	< 1	< 1	4	7	12	13	18
35-49	56	5.2	53	< 1	< 1	2	7	10	20	38
50-64	61	4.9	47	< 1	1	2	7	10	13	45
65 +	61	6.6	42	< 1	1	6	9	12	15	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.5	4	< 1	1	2	3	6	7	10
B. Operated	530	2.3	8	< 1	1	1	2	5	7	15
2. MULTIPLE DX										
A. Not Operated	66	4.5	24	1	1	3	6	9	17	26
B. Operated	376	5.2	53	< 1	1	3	7	11	16	45
1. SINGLE DX	565	2.3	8	< 1	1	1	2	5	7	14
2. MULTIPLE DX	442	5.1	49	< 1	1	3	7	11	16	41
A. Not Operated	101	3.8	18	1	1	2	5	8	12	22
B. Operated	906	3.5	29	< 1	1	2	4	8	12	26
TOTAL										
0-19 YRS	538	3.2	28	1	1	2	3	7	10	25
20-34	127	3.6	15	< 1	< 1	2	5	9	13	18
35-49	126	3.6	30	< 1	< 1	1	4	8	15	33
50-64	108	3.8	30	< 1	< 1	2	5	9	10	30
65 +	108	5.1	36	< 1	< 1	3	8	11	14	33
GRAND TOTAL	**1007**	**3.6**	**28**	**< 1**	**1**	**2**	**4**	**8**	**12**	**25**

354 Hospitals, North Central Region, January-December 1988

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.1		< 1	< 1	< 1	1	1	2	2
20-34	32	1.1		< 1	< 1	< 1	< 1	1	2	3
35-49	32	1.2		< 1	< 1	< 1	< 1	1	3	3
50-64	29	1.1		< 1	< 1	< 1	< 1	1	2	3
65 +	13	1.8	3	< 1	< 1	< 1	1	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	15	1.5		< 1	< 1	1	2	2	3	3
35-49	30	2.7	15	< 1	< 1	1	2	7	9	20
50-64	33	2.5	4	< 1	< 1	1	3	5	8	9
65 +	29	4.6	22	< 1	1	3	5	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	122	1.2		< 1	< 1	< 1	< 1	2	3	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	107	3.0	12	< 1	< 1	2	3	7	9	18
1. SINGLE DX	122	1.2		< 1	< 1	< 1	< 1	2	3	5
2. MULTIPLE DX	108	2.9	12	< 1	< 1	2	3	7	9	18
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	229	2.0	7	< 1	< 1	< 1	2	4	6	16
TOTAL										
0-19 YRS	16	1.1		< 1	< 1	< 1	1	1	2	2
20-34	47	1.2		< 1	< 1	< 1	1	2	2	3
35-49	62	1.9	8	< 1	< 1	< 1	2	3	7	19
50-64	63	1.8	3	< 1	< 1	< 1	2	4	5	9
65 +	42	3.7	18	< 1	< 1	2	5	9	16	17
GRAND TOTAL	**230**	**2.0**	**7**	**<1**	**<1**	**<1**	**2**	**4**	**6**	**16**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	2.8	2	1	2	3	4	5	5	5
35-49	13	3.5	4	1	2	3	5	6	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	201	3.8	1	2	3	4	4	5	5	7
35-49	600	4.3	2	3	4	4	5	6	6	8
50-64	79	4.3	2	3	4	4	5	6	6	7
65 +	7	8.7	17	5	6	7	12	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	21	2.3	3	< 1	1	2	3	5	6	6
35-49	85	2.6	6	1	1	2	3	5	7	14
50-64	9	3.4	11	< 1	1	2	4	9	10	10
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	6	5.0	2	2	5	5	6	6	6	6
20-34	920	4.7	4	3	4	4	5	6	8	12
35-49	6101	4.8	3	3	4	4	5	6	8	12
50-64	1162	5.1	6	3	4	5	6	7	8	16
65 +	142	6.3	11	4	5	5	7	10	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.3	3	1	2	3	5	5	6	7
B. Operated	888	4.2	2	3	4	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	116	2.6	6	1	1	2	3	5	7	13
B. Operated	8331	4.9	4	3	4	4	5	7	8	13
1. SINGLE DX	912	4.2	2	3	4	4	5	6	6	8
2. MULTIPLE DX	8447	4.8	4	3	4	4	5	7	8	13
A. Not Operated	140	2.8	5	1	1	2	3	5	7	12
B. Operated	9219	4.8	4	3	4	4	5	6	8	12
TOTAL										
0-19 YRS	8	4.4	4	1	3	5	6	6	6	6
20-34	1151	4.5	4	3	4	4	5	6	7	12
35-49	6799	4.7	3	3	4	4	5	6	7	11
50-64	1251	5.0	6	3	4	5	5	7	8	15
65 +	150	6.4	12	4	5	5	7	11	15	24
GRAND TOTAL	**9359**	**4.8**	**4**	**3**	**4**	**4**	**5**	**6**	**8**	**12**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	9	2.9	3	< 1	1	3	4	5	5	5
35-49	6	4.7	3	4	4	4	4	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	4.6	5	1	3	5	6	7	8	9
35-49	56	4.8	9	3	4	4	5	6	5	24
50-64	18	4.9	4	3	4	4	5	8	10	11
65 +	8	7.3	11	4	5	6	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	17	3.8	4	< 1	3	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	97	5.0	8	3	4	4	6	7	9	19
1. SINGLE DX	18	3.8	4	< 1	3	4	5	6	8	8
2. MULTIPLE DX	98	5.0	8	3	4	4	6	7	9	19
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	114	4.8	7	3	4	4	5	7	9	17
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	3.9	4	< 1	2	4	5	6	7	9
35-49	63	4.8	8	3	4	4	5	6	7	23
50-64	19	4.8	4	3	4	4	5	8	10	11
65 +	9	7.2	9	4	5	7	9	12	12	12
GRAND TOTAL	**116**	**4.8**	**7**	**3**	**4**	**4**	**5**	**7**	**9**	**17**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	92	3.6	1	2	3	4	4	5	5	6
20-34	291	3.6	1	3	3	4	4	5	5	8
35-49	119	3.9	2	3	3	4	5	5	6	8
50-64	78	4.3	2	3	4	4	5	6	6	10
65 +	38	5.1	2	4	4	5	6	7	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	5.3	19	1	2	4	8	11	11	11
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	70	4.1	3	2	3	4	5	6	6	13
20-34	369	4.2	3	3	3	4	5	6	7	11
35-49	420	4.8	6	3	4	4	5	7	9	14
50-64	262	5.6	6	4	4	5	6	8	11	17
65 +	283	7.4	21	4	5	6	8	11	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4	3	1	1	2	3	5	5	5
B. Operated	618	3.9	1	3	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	9	4.2	10	< 1	2	4	6	9	11	11
B. Operated	1404	5.3	9	3	4	5	6	8	10	16
1. SINGLE DX	623	3.8	2	3	3	4	4	5	6	8
2. MULTIPLE DX	1413	5.3	9	3	4	5	6	8	10	16
A. Not Operated	14	3.6	8	1	1	3	5	7	10	11
B. Operated	2022	4.9	7	3	4	4	5	7	9	15
TOTAL										
0-19 YRS	165	3.8	2	2	3	4	4	5	6	9
20-34	666	3.9	2	3	3	4	4	5	6	11
35-49	543	4.6	5	3	4	4	5	7	8	13
50-64	340	5.3	6	4	4	5	6	8	10	15
65 +	322	7.1	20	4	5	6	8	11	14	25
GRAND TOTAL	**2036**	**4.8**	**7**	**3**	**4**	**4**	**5**	**7**	**9**	**14**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	3.4	1	2	3	3	4	5	5	5
35-49	5	4.2	5	1	2	5	6	6	6	6
50-64	6	3.0	5	< 1	< 1	2	5	6	6	6
65 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	4.9	4	3	4	4	5	8	10	10
35-49	14	4.6	3	3	4	5	6	7	8	8
50-64	8	4.0	3	1	3	4	5	6	7	7
65 +	4	3.8	12	1	1	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	21	3.3	3	< 1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	41	4.4	4	1	3	4	5	7	8	10
1. SINGLE DX	21	3.3	3	< 1	1	3	5	6	6	6
2. MULTIPLE DX	42	4.4	4	1	4	4	5	7	8	10
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	62	4.0	4	1	3	4	5	6	8	10
TOTAL										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	21	4.4	3	3	3	4	5	7	9	10
35-49	20	4.5	3	2	3	5	6	6	7	8
50-64	14	3.6	4	< 1	1	4	5	6	7	7
65 +	6	2.8	9	< 1	< 1	1	5	8	8	8
GRAND TOTAL	63	4.0	4	1	3	4	5	6	8	10

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	4	1.3		1	1	1	2	2	2	2
35-49	9	1.4	1	< 1	1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	6	1.5	2	< 1	< 1	1	1	4	4	4
65 +	4	3.5	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	18	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	16	1.9	2	< 1	< 1	1	3	4	5	5
1. SINGLE DX	18	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	16	1.9	2	< 1	< 1	1	3	4	5	5
A. Not Operated	0									
B. Operated	34	1.7	1	< 1	1	1	2	4	4	5
TOTAL										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	5	1.2		< 1	< 1	1	1	2	2	2
35-49	13	1.5	1	< 1	1	1	2	3	3	3
50-64	7	1.6	1	< 1	< 1	1	2	4	4	4
65 +	5	3.0	3	1	2	3	4	5	5	5
GRAND TOTAL	34	1.7	1	< 1	1	1	2	4	4	5

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	12	< 1	< 1	1	5	7	7	7
35-49	8	5.5	8	1	3	6	7	9	10	10
50-64	7	2.9	8	1	1	1	5	8	8	8
65 +	10	1.9	3	< 1	1	1	2	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	5.6	19	1	2	6	6	12	14	14
50-64	19	6.1	19	1	3	5	8	13	15	17
65 +	52	4.9	23	1	2	3	7	10	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	29	3.2	8	< 1	1	2	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	3	5.7	14	3	3	4	8	10	10	10
B. Operated	81	5.4	21	1	2	4	7	12	14	22
1. SINGLE DX	29	3.2	8	< 1	1	2	6	7	8	10
2. MULTIPLE DX	84	5.4	21	1	2	4	7	11	14	22
A. Not Operated	3	5.7	14	3	3	4	8	10	10	10
B. Operated	110	4.8	19	1	1	4	7	10	13	21
TOTAL										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	4	5.0	24	< 1	< 1	4	9	11	11	11
35-49	16	5.8	13	1	3	6	7	10	13	14
50-64	27	5.1	17	1	2	5	7	12	14	17
65 +	63	4.4	21	1	1	3	7	9	14	23
GRAND TOTAL	**113**	**4.8**	**18**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.0	6	1	1	3	5	6	6	6
20-34	0									
35-49	3	2.3	5	< 1	< 1	1	4	5	5	5
50-64	0									
65 +	3	2.3	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	15	1.5	1	< 1	1	1	2	2	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	10	2.6	4	< 1	1	2	4	5	6	6
1. SINGLE DX	16	1.6	1	< 1	1	1	2	2	4	4
2. MULTIPLE DX	10	2.6	4	< 1	1	2	4	5	6	6
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	25	2.0	2	< 1	1	1	2	4	5	6
TOTAL										
0-19 YRS	9	2.0	3	< 1	1	1	2	5	6	6
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	7	1.6	2	< 1	1	1	1	4	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	6	2.0	1	1	1	2	2	4	4	4
GRAND TOTAL	**26**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**	**6**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	2.8	6	1	1	2	4	6	6	6
65 +	5	2.6	4	1	1	2	4	6	6	6
B. Operated										
0-19 YRS	17	8.4	13	3	7	9	10	14	14	14
20-34	25	6.9	11	4	5	7	8	12	14	16
35-49	68	7.3	6	4	6	7	9	10	12	14
50-64	61	7.1	13	2	6	7	9	11	13	22
65 +	40	9.6	32	4	6	8	12	16	19	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	7	3.0	4	1	1	2	5	6	6	6
50-64	12	4.9	42	2	2	3	5	12	23	25
65 +	59	6.4	20	1	3	5	8	13	16	21
B. Operated										
0-19 YRS	26	10.2	98	2	5	8	12	15	25	54
20-34	43	10.8	60	4	6	9	13	17	23	48
35-49	86	12.7	139	5	7	10	15	20	37	93
50-64	159	14.0	159	5	7	10	17	26	37	67
65 +	176	15.1	184	5	8	12	18	29	50	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.4	4	1	1	2	3	6	6	6
B. Operated	211	7.7	15	3	6	7	9	12	14	22
2. MULTIPLE DX										
A. Not Operated	82	5.7	22	1	2	5	7	12	15	24
B. Operated	490	13.7	154	5	7	10	16	25	42	83
1. SINGLE DX	223	7.4	16	3	5	7	9	12	14	22
2. MULTIPLE DX	572	12.5	143	3	6	9	15	24	35	79
A. Not Operated	94	5.3	21	1	2	4	7	11	15	23
B. Operated	701	11.9	119	4	7	9	13	21	32	74
TOTAL										
0-19 YRS	45	9.1	64	2	5	8	11	14	16	54
20-34	71	9.1	45	3	6	8	12	16	17	43
35-49	163	9.9	85	3	6	8	11	16	21	77
50-64	236	11.5	125	2	6	8	13	22	32	64
65 +	280	12.3	139	3	6	9	15	23	36	89
GRAND TOTAL	**795**	**11.1**	**112**	**3**	**6**	**8**	**13**	**21**	**29**	**69**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	2.0	1	1	1	2	3	3	4	4
20-34	147	2.0	1	1	1	2	3	3	3	6
35-49	183	2.0	1	1	1	2	2	3	3	4
50-64	102	2.2	1	1	2	2	3	3	4	4
65 +	46	2.5	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	6.0	61	1	1	2	12	15	15	15
B. Operated										
0-19 YRS	6	3.0	7	1	1	2	3	8	8	8
20-34	39	2.3	1	1	2	2	3	3	4	5
35-49	117	2.4	1	1	2	2	3	4	4	8
50-64	105	2.8	3	1	2	2	3	5	7	9
65 +	94	4.0	11	2	2	3	4	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	504	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	4	5.5	42	1	1	3	9	15	15	15
B. Operated	361	2.9	5	1	2	2	3	5	7	12
1. SINGLE DX	505	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	365	3.0	5	1	2	2	3	5	8	14
A. Not Operated	5	4.6	35	1	1	2	7	15	15	15
B. Operated	865	2.4	3	1	2	2	3	4	5	9
TOTAL										
0-19 YRS	32	2.2	2	1	1	2	3	4	4	8
20-34	187	2.0	1	1	1	2	3	3	3	6
35-49	300	2.1	1	1	2	2	3	3	4	5
50-64	208	2.5	2	1	2	2	3	4	5	9
65 +	143	3.6	9	1	2	3	4	5	10	18
GRAND TOTAL	**870**	**2.5**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	6.3	5	4	5	6	7	10	10	10
20-34	23	5.4	5	3	4	6	7	8	9	9
35-49	28	5.3	5	2	4	5	7	8	9	11
50-64	38	4.7	7	2	3	4	7	8	11	12
65 +	17	3.9	4	2	2	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	6	1	1	2	4	6	6	6
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	6	7.7	16	1	6	8	11	12	12	12
50-64	10	5.3	7	2	3	5	7	9	10	10
65 +	14	13.4	70	5	9	11	18	22	33	36
B. Operated										
0-19 YRS	11	9.4	89	3	4	6	9	24	34	35
20-34	44	8.5	86	4	4	6	8	15	27	52
35-49	71	6.8	22	2	3	6	8	13	15	24
50-64	135	6.2	32	2	3	4	7	11	17	34
65 +	141	7.5	67	2	3	4	9	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	112	5.0	6	2	3	5	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	36	8.6	48	1	5	7	11	17	20	36
B. Operated	402	7.1	50	2	3	5	8	14	20	38
1. SINGLE DX	114	4.9	6	2	3	5	7	8	9	12
2. MULTIPLE DX	438	7.2	50	2	3	5	8	14	20	37
A. Not Operated	38	8.2	48	1	3	7	11	17	20	36
B. Operated	514	6.6	41	2	3	5	8	12	18	36
TOTAL										
0-19 YRS	22	6.9	53	1	3	5	8	12	24	35
20-34	70	7.3	58	3	4	6	7	10	19	50
35-49	105	6.5	17	2	4	6	8	12	14	23
50-64	183	5.8	26	2	3	4	7	10	15	30
65 +	172	7.7	65	2	3	5	9	16	23	36
GRAND TOTAL	**552**	**6.7**	**42**	**2**	**3**	**5**	**8**	**12**	**18**	**36**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	177	3.4	2	1	3	4	4	5	5	6
35-49	104	3.7	2	2	3	4	5	5	6	6
50-64	30	4.1	5	2	3	4	4	5	10	12
55 +	10	3.8	2	2	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.5		1	1	1	2	2	2	2
35-49	5	2.4	5	< 1	1	1	4	6	6	6
50-64	0									
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	270	4.2	3	3	3	4	5	6	8	12
35-49	274	4.6	10	3	3	4	5	6	8	15
50-64	93	5.1	12	3	4	5	6	7	9	24
65 +	39	5.4	9	3	4	5	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	321	3.6	2	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	11	2.1	3	< 1	1	1	3	5	6	6
B. Operated	677	4.6	8	3	3	4	5	6	8	14
1. SINGLE DX	322	3.6	2	2	3	4	4	5	5	6
2. MULTIPLE DX	688	4.5	8	3	3	4	5	6	8	14
A. Not Operated	12	2.3	3	< 1	1	2	3	5	6	6
B. Operated	998	4.3	6	2	3	4	5	6	7	13
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	452	3.9	3	1	3	4	5	6	6	9
35-49	383	4.3	8	3	3	4	5	6	7	13
50-64	123	4.9	10	2	4	4	5	7	9	21
65 +	51	5.0	8	2	3	4	6	8	9	18
GRAND TOTAL	**1010**	**4.2**	**6**	**2**	**3**	**4**	**5**	**6**	**7**	**13**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	12	4.6	9	2	3	4	5	9	12	12
35-49	56	4.4	66	1	2	3	4	5	7	60
50-64	87	3.5	4	1	2	3	5	6	7	10
65 +	76	3.9	8	< 1	1	3	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	5	3.0	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	20	5.9	26	2	3	4	6	15	18	20
35-49	116	4.4	7	1	3	4	5	7	9	14
50-64	172	5.9	23	2	3	5	8	12	17	24
65 +	308	6.5	31	1	3	5	8	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.0	23	2	2	3	8	12	12	12
B. Operated	231	3.9	20	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	8	2.8	1	1	2	3	3	5	5	5
B. Operated	616	5.9	24	1	3	5	8	12	15	25
1. SINGLE DX	235	3.9	20	1	2	3	5	7	8	12
2. MULTIPLE DX	624	5.9	24	1	3	4	8	12	15	25
A. Not Operated	12	3.5	8	1	2	3	4	7	11	12
B. Operated	847	5.4	24	1	3	4	7	11	13	23
TOTAL										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	32	5.4	19	2	3	4	6	13	16	20
35-49	175	4.4	25	1	3	4	5	7	8	16
50-64	261	5.1	18	1	2	4	6	10	13	20
65 +	389	5.9	27	1	3	5	8	12	14	28
GRAND TOTAL	**859**	**5.3**	**24**	**1**	**3**	**4**	**7**	**11**	**13**	**23**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.6	4	< 1	1	2	3	6	7	7
20-34	17	2.7	6	1	1	2	3	4	9	11
35-49	16	3.2	7	1	1	2	4	7	10	11
50-64	11	2.5	4	< 1	1	2	3	6	8	8
65 +	17	3.6	15	< 1	1	2	4	11	13	13
B. Operated										
0-19 YRS	105	4.0	19	1	1	2	5	9	11	26
20-34	77	3.9	9	1	1	3	5	8	9	16
35-49	100	3.7	8	1	1	3	5	8	9	12
50-64	101	3.6	13	< 1	1	2	5	9	11	16
65 +	102	3.6	16	< 1	1	2	5	9	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	5.2	71	1	1	3	5	12	13	57
20-34	31	3.1	5	1	2	3	4	6	7	11
35-49	38	4.8	13	1	2	4	7	9	11	18
50-64	83	4.8	19	1	2	3	6	10	14	22
65 +	166	7.0	41	1	3	5	9	14	19	33
B. Operated										
0-19 YRS	86	8.9	118	2	3	7	10	18	32	90
20-34	95	8.4	94	2	3	5	10	19	31	49
35-49	193	6.7	35	2	4	5	8	13	17	32
50-64	223	8.7	55	2	4	7	11	17	22	41
65 +	425	8.8	54	2	4	7	11	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.0	7	< 1	1	2	4	7	10	13
B. Operated	485	3.7	13	< 1	1	2	5	8	10	18
2. MULTIPLE DX										
A. Not Operated	368	5.7	35	1	2	4	8	12	15	29
B. Operated	1022	8.3	60	2	4	7	10	16	22	44
1. SINGLE DX	563	3.6	13	< 1	1	2	5	8	10	17
2. MULTIPLE DX	1390	7.6	55	1	3	6	10	15	20	42
A. Not Operated	446	5.2	31	1	2	3	7	12	14	26
B. Operated	1507	6.9	50	1	2	5	9	14	19	38
TOTAL										
0-19 YRS	258	5.8	66	1	2	3	7	12	17	59
20-34	220	5.6	51	1	2	4	6	11	17	42
35-49	347	5.5	25	1	2	4	7	10	14	24
50-64	418	6.5	42	1	2	5	9	14	18	31
65 +	710	7.5	48	1	3	6	10	15	20	34
GRAND TOTAL	**1953**	**6.5**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	20	2.2		1	2	2	3	3	3	3
20-34	105	2.2	1	1	2	2	3	3	4	5
35-49	190	2.4	4	1	2	2	3	3	4	7
50-64	117	2.4	2	1	2	2	3	4	5	9
65 +	73	2.8	2	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	3.7	12	< 1	1	3	4	10	11	11
50-64	9	3.0	6	< 1	< 1	3	4	7	8	8
65 +	18	5.3	22	< 1	3	4	6	13	16	18
B. Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	58	2.5	1	1	2	2	3	4	4	6
35-49	104	3.0	4	2	2	2	3	5	7	13
50-64	151	3.7	9	2	2	3	4	6	9	22
65 +	149	4.1	9	2	2	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	505	2.4	3	1	2	2	3	3	4	7
2. MULTIPLE DX										
A. Not Operated	35	4.3	16	< 1	1	3	5	11	13	18
B. Operated	466	3.5	7	2	2	3	4	6	8	15
1. SINGLE DX	509	2.4	3	1	2	2	3	3	4	7
2. MULTIPLE DX	501	3.6	8	1	2	3	4	6	8	16
A. Not Operated	39	4.0	15	< 1	1	3	5	10	13	18
B. Operated	971	2.9	5	1	2	2	3	4	6	13
TOTAL										
0-19 YRS	25	2.2	1	1	2	2	3	3	4	4
20-34	165	2.3	1	1	2	2	3	3	4	5
35-49	301	2.6	5	1	2	2	3	4	5	11
50-64	278	3.1	6	1	2	3	4	5	7	12
65 +	241	3.7	8	2	2	3	4	6	9	18
GRAND TOTAL	**1010**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**6**	**13**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.9	3	1	2	4	5	6	6	6
20-34	20	4.8	8	2	3	4	6	8	11	14
35-49	12	5.7	10	2	3	5	8	10	11	11
50-64	7	3.3	3	1	2	3	5	6	6	6
65 +	3	4.3	5	3	3	3	6	7	7	7
B. Operated										
0-19 YRS	32	3.0	5	1	2	3	4	5	7	13
20-34	77	2.6	2	1	2	2	3	4	5	8
35-49	85	2.7	2	2	2	2	3	4	5	11
50-64	42	2.4	1	1	2	2	3	4	5	7
65 +	27	2.7	3	1	2	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	5.1	10	2	3	4	7	8	10	15
20-34	47	4.1	9	1	2	3	5	8	11	14
35-49	78	5.2	9	2	3	5	7	10	12	75
50-64	91	5.4	9	2	3	5	7	9	10	14
65 +	170	8.3	39	3	4	7	10	15	18	37
B. Operated										
0-19 YRS	6	6.8	29	2	3	4	12	15	15	15
20-34	38	4.4	23	1	2	3	4	12	17	21
35-49	61	2.8	3	1	2	3	3	4	5	12
50-64	74	3.9	10	2	2	3	4	8	10	19
65 +	76	6.7	42	2	3	4	9	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	4.6	7	2	3	4	6	8	10	14
B. Operated	263	2.7	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	411	6.4	24	2	3	5	8	12	15	31
B. Operated	255	4.6	22	1	2	3	5	10	14	23
1. SINGLE DX	315	3.0	4	1	2	2	4	5	7	11
2. MULTIPLE DX	666	5.7	24	2	3	4	7	11	15	27
A. Not Operated	463	6.2	22	2	3	5	8	11	15	31
B. Operated	518	3.6	13	1	2	3	4	7	11	20
TOTAL										
0-19 YRS	73	4.2	9	1	2	3	5	7	12	15
20-34	182	3.6	9	1	2	3	4	6	10	18
35-49	236	3.7	6	1	2	3	5	7	10	13
50-64	214	4.2	9	1	2	4	5	8	10	15
65 +	276	7.2	39	2	3	6	9	15	19	35
GRAND TOTAL	**981**	**4.8**	**19**	**2**	**2**	**3**	**6**	**10**	**13**	**21**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	199	5.3	4	3	4	5	6	7	9	12
20-34	28	4.0	3	2	3	4	5	6	7	11
35-49	46	2.7	2	1	2	2	4	4	6	7
50-64	31	2.9	3	1	1	3	4	5	7	7
65 +	8	4.1	7	1	2	4	6	8	9	9
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	10.3	49	3	5	11	15	17	17	17
35-49	4	3.3	15	1	1	2	5	9	9	9
50-64	2	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123	5.1	6	2	4	5	7	9	9	12
20-34	46	5.1	37	1	3	4	6	8	8	43
35-49	105	5.1	10	2	3	4	6	10	12	15
50-64	138	5.4	8	2	3	5	7	9	11	14
65 +	127	6.1	12	3	4	5	8	11	13	17
B. Operated										
0-19 YRS	3	4.0	3	2	3	5	5	5	5	5
20-34	6	4.5	4	1	4	5	6	6	6	6
35-49	9	6.3	12	3	4	5	8	12	14	14
50-64	13	7.8	40	3	5	7	8	13	24	27
65 +	20	8.1	30	1	4	7	13	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	4.5	5	2	3	4	6	7	8	11
B. Operated	10	6.5	26	1	2	7	9	14	17	17
2. MULTIPLE DX										
A. Not Operated	539	5.4	11	2	3	5	7	9	11	15
B. Operated	51	7.0	25	2	4	6	8	14	16	27
1. SINGLE DX	322	4.6	6	2	3	4	6	7	9	12
2. MULTIPLE DX	590	5.5	13	2	3	5	7	9	12	17
A. Not Operated	851	5.1	9	2	3	5	6	9	10	15
B. Operated	61	7.0	25	2	4	6	8	14	16	26
TOTAL										
0-19 YRS	326	5.2	5	3	4	5	6	8	9	12
20-34	83	4.9	24	2	3	4	6	7	10	34
35-49	164	4.4	9	1	2	4	6	8	11	15
50-64	184	5.2	11	2	3	5	7	9	10	16
65 +	155	6.2	15	2	4	5	8	13	14	18
GRAND TOTAL	**912**	**5.2**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**16**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	768	3.6	5	1	2	3	5	7	8	11
20-34	233	3.7	5	1	2	3	5	7	8	9
35-49	81	3.9	6	1	2	3	5	7	9	12
50-64	47	5.3	10	2	3	5	7	10	12	15
65 +	23	8.6	90	3	4	6	8	20	31	45
B. Operated										
0-19 YRS	7	6.4	3	4	5	7	8	9	9	9
20-34	7	4.1	2	2	4	5	5	5	5	5
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1157	4.1	16	2	2	3	5	7	8	13
20-34	1112	4.7	9	2	3	4	6	8	10	15
35-49	679	5.8	16	2	3	5	7	10	13	24
50-64	470	7.6	31	3	4	6	9	14	17	30
65 +	592	8.7	34	3	5	7	11	16	19	27
B. Operated										
0-19 YRS	51	7.5	22	3	5	6	10	12	14	26
20-34	138	9.3	49	3	5	8	11	16	23	40
35-49	117	12.7	120	4	6	9	16	22	37	57
50-64	103	12.2	68	5	6	10	15	22	31	73
65 +	130	18.1	191	7	10	15	22	32	41	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1152	3.8	7	1	2	3	5	7	8	12
B. Operated	17	5.4	3	4	4	5	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	4010	5.6	21	2	3	5	7	10	13	23
B. Operated	539	12.6	112	4	6	9	16	23	31	60
1. SINGLE DX	1169	3.8	7	1	2	3	5	7	8	12
2. MULTIPLE DX	4549	6.5	37	2	3	5	8	12	16	30
A. Not Operated	5162	5.2	19	2	3	4	7	9	12	21
B. Operated	556	12.3	110	4	6	9	15	23	31	58
TOTAL										
0-19 YRS	1983	4.0	12	1	2	3	5	7	8	13
20-34	1490	5.0	14	2	3	4	6	9	11	21
35-49	880	6.6	35	2	3	5	8	12	17	35
50-64	620	8.2	39	3	5	7	10	15	20	41
65 +	745	10.3	76	3	5	8	13	19	24	45
GRAND TOTAL	**5718**	**5.9**	**32**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	5.5	25	2	2	5	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	10.5	181	1	1	10	20	20	20	20
50-64	3	2.7	4	1	1	2	4	5	5	5
65 +	3	6.7	24	1	3	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	15	9.5	33	3	5	8	13	17	21	22
50-64	28	7.4	26	2	3	7	10	14	20	20
65 +	90	9.4	70	3	4	7	12	17	22	51
B. Operated										
0-19 YRS	0									
20-34	30	14.3	92	4	7	13	21	28	30	41
35-49	116	16.2	151	5	8	14	21	34	42	99 +
50-64	370	17.6	182	5	9	14	23	33	47	85
65 +	669	15.6	146	5	8	13	20	31	40	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	25	2	2	5	9	9	9	9
B. Operated	8	6.1	45	1	1	3	9	17	20	20
2. MULTIPLE DX										
A. Not Operated	133	9.0	57	2	4	7	12	17	21	34
B. Operated	1185	16.2	157	5	8	13	21	32	42	71
1. SINGLE DX	10	6.0	38	1	1	4	9	15	20	20
2. MULTIPLE DX	1318	15.5	151	4	7	13	20	30	41	69
A. Not Operated	135	8.9	56	2	4	7	12	17	21	33
B. Operated	1193	16.2	157	5	8	13	21	31	42	71
TOTAL										
0-19 YRS	0									
20-34	30	14.3	92	4	7	13	21	28	30	41
35-49	133	15.4	142	4	8	13	21	33	41	99 +
50-64	401	16.7	178	4	8	14	22	31	44	80
65 +	764	14.8	140	4	7	12	19	29	38	62
GRAND TOTAL	**1328**	**15.4**	**151**	**4**	**7**	**12**	**20**	**30**	**41**	**69**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	354	4.7	6	2	3	4	6	8	9	13
20-34	211	3.9	5	2	3	4	5	6	7	13
35-49	260	4.7	12	2	3	4	6	8	9	15
50-64	275	4.8	7	2	3	4	6	8	9	13
65 +	209	5.3	7	3	4	5	7	9	10	15
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	3.4	2	1	2	4	5	5	5	5
35-49	12	5.0	43	1	2	3	5	12	23	25
50-64	17	4.2	15	1	2	3	5	10	14	16
65 +	17	5.0	18	1	2	3	7	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	504	4.9	16	2	3	4	6	8	10	18
20-34	925	5.1	14	2	3	4	6	9	12	18
35-49	1658	5.7	14	2	3	5	7	10	13	21
50-64	2670	6.0	15	3	4	5	7	10	13	20
65 +	3793	6.9	21	3	4	6	8	12	14	24
B. Operated										
0-19 YRS	16	7.6	58	1	2	5	10	19	26	28
20-34	236	8.8	81	2	3	6	11	18	25	53
35-49	464	10.7	124	2	4	8	12	23	36	70
50-64	873	11.3	110	2	4	8	15	24	31	54
65 +	941	12.8	113	3	6	10	16	27	35	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1309	4.7	8	2	3	4	6	8	9	13
B. Operated	59	4.4	18	1	2	3	5	9	14	24
2. MULTIPLE DX										
A. Not Operated	9550	6.2	17	2	4	5	7	10	13	22
B. Operated	2530	11.5	112	2	5	9	15	24	33	55
1. SINGLE DX	1368	4.7	8	2	3	4	6	8	9	15
2. MULTIPLE DX	12080	7.3	42	2	4	6	8	13	18	36
A. Not Operated	10859	6.0	16	2	4	5	7	10	13	22
B. Operated	2589	11.3	111	2	5	8	14	24	32	55
TOTAL										
0-19 YRS	876	4.9	13	2	3	4	6	8	9	16
20-34	1383	5.5	26	2	3	4	7	10	14	26
35-49	2394	6.6	39	2	3	5	8	12	16	37
50-64	3835	7.1	41	2	4	5	8	13	18	36
65 +	4960	7.9	43	3	4	6	9	14	20	37
GRAND TOTAL	**13448**	**7.0**	**39**	**2**	**4**	**5**	**8**	**13**	**17**	**35**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	20	3.3	1	2	2	3	4	5	5	5
35-49	3	2.3	2	< 1	< 1	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	10	3.9	11	< 1	1	4	5	9	12	12
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	0									
65 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	7	4.7	6	2	3	5	6	8	9	9
20-34	63	4.1	4	2	3	4	5	7	8	11
35-49	22	4.2	1	3	4	4	5	5	6	7
50-64	4	5.3	2	4	4	5	6	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	2	1	1	1	3	4	4	4
B. Operated	27	3.1	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	18	3.8	11	1	1	3	5	10	12	12
B. Operated	96	4.2	3	2	3	4	5	7	8	10
1. SINGLE DX	32	3.0	2	1	2	3	4	5	5	5
2. MULTIPLE DX	114	4.1	5	1	3	4	5	7	9	12
A. Not Operated	23	3.4	9	1	1	3	4	7	12	12
B. Operated	123	4.0	3	2	3	4	5	6	8	10
TOTAL										
0-19 YRS	17	3.4	4	1	2	3	4	6	8	9
20-34	96	3.8	4	1	3	4	5	6	8	12
35-49	28	4.0	2	2	3	4	5	5	6	7
50-64	4	5.3	2	4	4	5	6	7	7	7
65 +	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**146**	**3.9**	**4**	**1**	**3**	**4**	**5**	**6**	**8**	**12**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	146	2.2	5	1	1	2	2	4	6	12
20-34	25	3.0	4	1	1	3	4	7	7	8
35-49	20	2.8	6	1	1	2	3	4	8	12
50-64	13	3.1	7	1	1	2	4	8	10	10
65 +	23	2.5	2	1	1	2	4	4	5	7
B. Operated										
0-19 YRS	19	2.3	2	1	1	2	3	5	6	6
20-34	12	3.1	3	1	1	3	4	5	6	6
35-49	17	3.5	4	1	2	3	5	7	7	7
50-64	7	3.0	7	< 1	1	2	4	7	8	8
65 +	6	5.5	12	2	4	5	6	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	360	3.2	16	1	1	2	4	6	9	22
20-34	250	4.1	19	1	2	3	5	8	10	28
35-49	330	5.4	35	1	2	4	6	10	12	36
50-64	500	5.3	25	2	3	4	6	10	13	20
65 +	1452	6.1	24	2	3	5	8	11	15	26
B. Operated										
0-19 YRS	41	11.1	260	1	3	5	14	38	60	99 +
20-34	48	8.6	98	2	4	5	11	15	34	50
35-49	111	9.2	128	2	3	6	11	18	27	69
50-64	139	9.6	84	2	4	7	13	19	25	52
65 +	223	11.0	106	2	4	8	14	28	37	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	2.4	5	1	1	2	3	5	7	12
B. Operated	61	3.2	5	1	2	2	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	2892	5.4	25	1	2	4	7	10	14	26
B. Operated	562	10.1	116	2	4	7	13	22	34	64
1. SINGLE DX	288	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX	3454	6.1	43	1	2	4	7	12	16	37
A. Not Operated	3119	5.1	24	1	2	4	6	10	14	26
B. Operated	623	9.4	109	2	3	6	12	21	32	60
TOTAL										
0-19 YRS	566	3.5	35	1	1	2	4	6	10	36
20-34	335	4.7	31	1	2	3	5	8	13	34
35-49	478	6.1	57	1	2	4	7	11	15	41
50-64	659	6.1	40	2	3	4	7	12	16	35
65 +	1704	6.7	37	2	3	5	8	13	17	35
GRAND TOTAL	**3742**	**5.9**	**41**	**1**	**2**	**4**	**7**	**12**	**16**	**36**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.1	4	3	3	5	6	8	9	9
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	15.0	18	12	12	15	18	18	18	18
65 +	2	7.0	18	4	4	7	10	10	10	10
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	2	8.0	98	< 1	< 1	7	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	10.4	137	2	4	7	12	21	35	66
20-34	25	21.8	451	3	4	11	40	46	63	80
35-49	42	8.0	51	2	4	6	12	15	22	35
50-64	73	11.5	97	3	5	8	16	24	30	49
65 +	254	9.1	73	3	5	7	11	17	24	87
B. Operated										
0-19 YRS	38	19.3	425	2	4	10	37	61	91	99 +
20-34	22	17.2	379	2	4	10	17	57	63	65
35-49	20	9.7	48	2	4	9	13	20	25	27
50-64	55	14.1	107	3	6	12	21	30	40	96
65 +	262	11.6	95	3	5	9	16	25	30	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	8.4	28	3	4	6	12	17	18	18
B. Operated	4	7.3	35	< 1	2	6	11	15	15	15
2. MULTIPLE DX										
A. Not Operated	490	10.3	113	3	4	7	12	20	32	73
B. Operated	397	12.9	146	3	5	9	17	29	40	73
1. SINGLE DX	18	8.1	28	3	4	6	12	16	18	18
2. MULTIPLE DX	887	11.5	129	3	5	8	14	25	36	73
A. Not Operated	504	10.2	111	3	4	7	12	20	31	72
B. Operated	401	12.9	145	3	5	9	17	29	40	73
TOTAL										
0-19 YRS	143	12.4	221	2	4	7	13	37	51	99 +
20-34	48	19.6	405	2	4	11	34	52	61	80
35-49	64	8.6	49	2	4	6	13	15	24	34
50-64	130	12.7	101	3	5	10	18	28	36	59
65 +	520	10.4	85	3	5	8	13	22	29	52
GRAND TOTAL	**905**	**11.4**	**127**	**3**	**5**	**8**	**14**	**25**	**36**	**71**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	8.9	24	1	4	10	13	14	16	18
20-34	45	11.2	28	4	9	12	14	15	19	28
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	11.2	86	2	3	11	16	23	32	34
20-34	7	12.3	34	3	10	14	17	18	18	18
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	413	10.7	35	3	7	10	14	17	21	28
20-34	147	13.4	36	6	10	13	17	21	24	29
35-49	18	12.2	27	6	7	13	15	19	21	23
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	78	14.3	83	4	9	14	17	24	36	47
20-34	28	18.6	134	10	12	16	22	28	34	67
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	9.5	26	2	5	10	14	14	16	20
B. Operated	21	11.6	66	2	3	11	16	20	27	34
2. MULTIPLE DX										
A. Not Operated	578	11.4	36	4	7	11	14	20	22	29
B. Operated	106	15.5	99	6	10	14	19	26	35	56
1. SINGLE DX	206	9.7	30	2	5	10	14	15	18	25
2. MULTIPLE DX	684	12.0	48	4	8	11	15	21	23	36
A. Not Operated	763	10.9	34	3	7	11	14	18	21	28
B. Operated	127	14.8	95	3	10	14	18	25	34	52
TOTAL										
0-19 YRS	644	10.7	42	3	6	10	14	18	21	35
20-34	227	13.6	50	5	10	13	16	21	25	30
35-49	19	12.3	26	6	7	13	15	19	21	23
50-64	0									
65 +	0									
GRAND TOTAL	**890**	**11.5**	**45**	**3**	**7**	**11**	**14**	**20**	**22**	**34**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	5.5		5	5	5	6	6	6	6
20-34	59	4.8	3	3	3	5	6	7	8	8
35-49	47	5.0	5	3	3	5	6	7	8	16
50-64	12	4.6	2	3	3	4	5	7	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.6	21	1	2	3	5	13	14	14
20-34	3	4.7	40	1	1	1	9	12	12	12
35-49	11	5.5	32	1	2	3	7	13	20	21
50-64	6	4.7	10	< 1	3	4	6	10	10	10
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	6	6.8	3	5	5	7	8	9	9	9
20-34	121	6.4	24	4	5	6	7	8	9	39
35-49	242	6.7	23	4	5	6	7	9	10	36
50-64	57	6.0	4	4	5	6	7	9	10	93
65 +	3	6.0	4	4	4	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.8	9	1	1	1	4	8	8	8
B. Operated	122	4.9	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	31	4.9	22	1	2	3	6	12	14	21
B. Operated	429	6.5	20	4	5	6	7	9	10	38
1. SINGLE DX	127	4.8	4	3	3	5	6	7	8	11
2. MULTIPLE DX	460	6.4	20	4	5	6	7	9	10	37
A. Not Operated	36	4.6	20	1	1	3	6	12	13	21
B. Operated	551	6.1	17	3	5	6	7	8	9	35
TOTAL										
0-19 YRS	24	4.8	12	1	2	5	6	9	13	14
20-34	183	5.9	17	3	4	5	7	8	9	30
35-49	301	6.4	20	3	5	6	7	9	10	29
50-64	75	5.7	5	3	5	5	7	9	10	77
65 +	4	5.5	4	4	4	5	7	8	8	8
GRAND TOTAL	**587**	**6.0**	**17**	**3**	**5**	**5**	**7**	**8**	**10**	**30**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	3.0	9	1	1	2	3	7	8	17
20-34	37	3.5	9	1	1	3	5	7	10	13
35-49	15	4.3	5	1	3	4	6	6	9	10
50-64	14	6.8	36	< 1	1	5	12	14	19	20
65 +	11	4.9	25	1	2	3	6	14	15	15
B. Operated										
0-19 YRS	53	4.2	27	1	1	3	6	9	16	97
20-34	27	2.7	6	1	1	1	4	8	8	9
35-49	43	2.5	3	< 1	1	2	4	5	6	6
50-64	21	2.8	7	< 1	1	1	3	7	9	10
65 +	11	3.6	5	< 1	1	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	267	4.6	27	1	2	3	5	9	15	28
20-34	79	4.7	31	< 1	1	3	5	11	19	29
35-49	101	7.4	49	2	4	6	8	15	20	40
50-64	174	7.5	37	2	4	6	10	13	19	34
65 +	295	8.1	54	3	4	6	10	15	20	28
B. Operated										
0-19 YRS	89	10.5	177	2	3	6	13	30	51	99 +
20-34	47	6.2	30	2	3	4	10	15	32	99 +
35-49	126	6.8	83	1	2	4	8	16	22	58
50-64	119	7.4	56	1	2	5	10	18	24	34
65 +	122	12.6	72	4	7	11	16	21	30	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	3.6	13	1	1	3	4	7	11	18
B. Operated	155	3.2	13	1	1	2	4	7	9	32
2. MULTIPLE DX										
A. Not Operated	916	6.6	43	1	3	5	8	13	19	29
B. Operated	503	9.0	91	1	3	6	12	20	28	92
1. SINGLE DX	337	3.4	13	1	1	2	4	7	10	21
2. MULTIPLE DX	1419	7.4	61	1	3	5	10	16	22	45
A. Not Operated	1098	6.1	39	1	2	4	8	13	18	28
B. Operated	658	7.6	78	1	2	5	10	18	25	84
TOTAL										
0-19 YRS	514	5.3	55	1	2	3	6	11	21	62
20-34	190	4.6	24	1	1	3	6	11	15	71
35-49	285	6.2	57	1	2	4	7	14	19	44
50-64	328	7.1	43	1	3	5	10	14	19	31
65 +	439	9.1	62	3	4	7	11	17	21	36
GRAND TOTAL	**1756**	**6.7**	**54**	**1**	**2**	**4**	**8**	**15**	**20**	**41**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.6	2	< 1	1	3	4	4	4	4
35-49	7	3.1	6	1	1	2	5	7	7	7
50-64	14	2.9	1	1	2	3	3	5	5	5
65 +	18	3.4	4	1	2	3	5	5	8	9
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	5	4.0	38	< 1	< 1	1	5	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	5.4	8	2	3	4	8	9	9	9
35-49	45	4.4	6	2	3	4	5	9	9	10
50-64	75	4.5	7	2	3	4	6	7	9	14
65 +	204	5.5	18	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	8	7.0	79	2	2	3	9	23	27	27
50-64	22	5.6	17	1	3	5	8	10	14	19
65 +	52	9.1	49	2	4	7	12	20	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.1	3	1	2	3	4	5	6	9
B. Operated	12	3.3	16	< 1	1	2	4	9	14	15
2. MULTIPLE DX										
A. Not Operated	334	5.1	14	2	3	4	6	9	12	22
B. Operated	82	8.0	45	2	3	6	10	18	24	28
1. SINGLE DX	58	3.1	6	1	1	3	4	5	7	15
2. MULTIPLE DX	416	5.7	21	2	3	4	7	11	15	25
A. Not Operated	380	4.9	13	2	3	4	6	9	11	22
B. Operated	94	7.4	43	1	3	5	9	17	23	28
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	4.3	7	1	3	4	6	9	9	9
35-49	62	4.5	15	1	2	4	5	9	10	25
50-64	115	4.4	8	2	3	4	6	7	9	16
65 +	279	6.0	26	2	3	5	7	12	17	26
GRAND TOTAL	**474**	**5.4**	**20**	**2**	**3**	**4**	**7**	**10**	**14**	**24**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	128	2.1	1	1	1	2	2	4	4	6
20-34	25	2.0	1	< 1	1	2	3	4	4	4
35-49	22	2.7	3	1	1	2	4	4	6	8
50-64	38	3.0	4	1	1	2	4	6	7	9
65 +	87	4.6	15	1	2	3	6	10	13	19
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	6.0	61	1	1	2	12	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4496	3.0	8	1	2	2	3	5	7	13
20-34	988	3.4	8	1	2	3	4	6	8	15
35-49	1094	4.9	25	2	2	4	6	9	12	27
50-64	2099	5.6	22	2	3	4	7	10	14	25
65 +	9113	6.8	26	2	4	6	8	13	16	26
B. Operated										
0-19 YRS	143	8.9	117	1	2	6	11	26	35	99 +
20-34	92	8.4	96	1	3	6	10	16	24	55
35-49	166	10.2	140	2	3	6	13	22	32	77
50-64	327	11.9	106	3	5	9	15	24	34	59
65 +	1352	14.3	117	4	7	11	18	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	300	3.0	7	1	1	2	4	6	8	14
B. Operated	7	4.1	25	1	1	2	4	13	15	15
2. MULTIPLE DX										
A. Not Operated	17790	5.4	23	2	2	4	7	11	14	23
B. Operated	2080	12.9	120	3	6	10	17	26	35	62
1. SINGLE DX	307	3.0	7	1	1	2	4	6	8	15
2. MULTIPLE DX	19870	6.2	38	2	3	4	8	13	17	32
A. Not Operated	18090	5.4	23	2	2	4	7	10	14	23
B. Operated	2087	12.9	120	3	6	10	17	26	35	62
TOTAL										
0-19 YRS	4767	3.1	12	1	2	2	3	5	7	17
20-34	1106	3.8	17	1	2	3	4	7	10	20
35-49	1284	5.5	43	2	2	4	6	10	15	35
50-64	2465	6.4	37	2	3	5	8	13	17	33
65 +	10555	7.8	44	3	4	6	9	15	20	35
GRAND TOTAL	**20177**	**6.1**	**38**	**2**	**3**	**4**	**7**	**13**	**17**	**31**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	3.0	5	1	1	2	4	7	8	8
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49	12	2.3	2	< 1	1	2	3	4	6	6
50-64	11	3.5	5	1	2	3	5	7	8	8
65 +	30	3.5	6	< 1	2	3	5	6	7	13
B. Operated										
0-19 YRS	0									
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	9	3.7	3	1	3	4	5	6	6	6
65 +	16	2.9	4	< 1	1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	3.6	6	1	2	3	5	6	8	15
20-34	64	3.3	6	1	1	2	5	6	8	12
35-49	159	3.6	6	1	2	3	5	7	8	15
50-64	192	5.1	39	1	2	4	6	9	11	18
65 +	880	5.3	15	2	3	4	7	9	12	21
B. Operated										
0-19 YRS	10	7.4	32	1	3	6	11	15	19	19
20-34	26	6.4	54	2	2	4	7	14	25	34
35-49	88	6.4	31	2	4	5	7	11	17	30
50-64	102	7.9	26	3	4	7	10	14	17	27
65 +	402	8.3	28	3	5	7	10	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	3.1	5	1	1	2	4	6	7	11
B. Operated	31	3.2	3	1	2	3	4	6	6	7
2. MULTIPLE DX										
A. Not Operated	1380	4.9	17	2	3	4	6	9	11	18
B. Operated	628	7.9	30	3	4	7	10	14	18	30
1. SINGLE DX	129	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	2008	5.8	23	2	3	5	7	11	14	25
A. Not Operated	1478	4.8	16	1	2	4	6	8	11	18
B. Operated	659	7.7	29	3	4	6	10	14	17	30
TOTAL										
0-19 YRS	133	3.7	9	1	2	3	5	7	9	17
20-34	100	4.0	20	1	2	3	5	8	10	28
35-49	262	4.5	16	1	2	4	6	8	10	28
50-64	314	5.9	34	2	3	5	7	10	14	25
65 +	1328	6.2	21	2	3	5	8	11	14	25
GRAND TOTAL	**2137**	**5.7**	**22**	**2**	**3**	**5**	**7**	**10**	**13**	**25**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1059	4.1	8	2	2	3	5	7	9	14
20-34	729	5.5	17	2	3	5	7	10	13	22
35-49	157	4.7	8	2	3	4	6	8	10	13
50-64	11	5.4	2	4	4	6	6	7	8	8
65 +	0									
B. Operated										
0-19 YRS	15	6.8	61	1	3	5	7	11	27	33
20-34	29	11.3	66	3	5	10	14	22	28	37
35-49	7	7.7	43	1	2	8	10	18	20	20
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	993	5.1	15	2	3	4	6	9	12	18
20-34	904	7.2	35	3	4	6	9	13	16	34
35-49	275	6.8	21	3	4	6	9	11	14	22
50-64	29	6.0	9	3	4	6	7	10	11	16
65 +	6	6.0	17	2	2	5	10	11	11	11
B. Operated										
0-19 YRS	37	11.6	171	2	5	7	16	26	57	99 +
20-34	131	17.0	221	5	8	11	21	34	56	71
35-49	29	15.6	232	5	6	10	21	31	43	78
50-64	4	7.8	13	3	5	8	10	11	11	11
65 +	2	11.5	61	6	6	11	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1956	4.7	12	2	2	4	6	8	11	18
B. Operated	52	9.4	63	2	4	8	12	20	27	37
2. MULTIPLE DX										
A. Not Operated	2207	6.2	25	2	3	5	8	11	14	25
B. Operated	203	15.6	211	5	6	10	20	33	52	77
1. SINGLE DX	2008	4.8	14	2	3	4	6	9	11	19
2. MULTIPLE DX	2410	7.0	48	2	3	5	8	13	17	36
A. Not Operated	4163	5.5	19	2	3	4	7	10	13	21
B. Operated	255	14.3	187	4	6	10	18	33	41	77
TOTAL										
0-19 YRS	2104	4.7	16	2	2	4	6	8	11	19
20-34	1793	7.3	50	2	3	5	9	13	19	36
35-49	468	6.7	36	2	3	5	8	11	15	27
50-64	45	6.0	8	3	4	6	7	10	11	16
65 +	8	7.4	27	2	3	7	10	15	17	17
GRAND TOTAL	**4418**	**6.0**	**33**	**2**	**3**	**5**	**7**	**11**	**15**	**32**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	174	2.8	7	1	1	2	4	6	8	13
20-34	26	2.9	6	< 1	1	2	5	6	8	9
35-49	18	4.1	14	< 1	1	3	6	9	12	14
50-64	50	2.8	16	< 1	1	1	3	6	8	23
65 +	112	2.4	7	< 1	< 1	1	3	5	8	15
B. Operated										
0-19 YRS	67	4.5	13	2	3	4	5	7	11	21
20-34	10	7.4	99	< 1	2	4	7	23	34	34
35-49	16	5.6	11	1	3	5	7	9	12	14
50-64	12	4.9	22	< 1	1	4	6	14	15	15
65 +	31	4.7	12	< 1	1	4	7	10	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	317	3.9	24	1	1	2	5	8	11	23
20-34	144	4.0	18	1	1	3	5	8	11	23
35-49	219	4.3	11	1	2	4	6	8	11	16
50-64	509	4.7	20	1	1	4	6	10	13	21
65 +	1578	5.4	22	1	2	4	7	11	15	22
B. Operated										
0-19 YRS	138	10.4	188	2	4	6	11	30	55	99 +
20-34	72	8.2	98	1	3	5	9	18	26	59
35-49	96	8.1	61	2	3	6	10	18	23	42
50-64	204	10.0	115	3	4	7	11	21	30	57
65 +	618	9.5	58	3	4	7	12	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	380	2.7	8	< 1	1	2	3	6	8	16
B. Operated	136	4.9	19	1	2	4	6	10	13	24
2. MULTIPLE DX										
A. Not Operated	2767	5.0	21	1	2	4	7	10	13	22
B. Operated	1128	9.5	87	2	4	7	11	20	28	48
1. SINGLE DX	516	3.3	12	< 1	1	2	4	7	10	18
2. MULTIPLE DX	3895	6.3	44	1	2	5	8	13	18	34
A. Not Operated	3147	4.7	20	1	2	3	6	10	13	21
B. Operated	1264	9.0	82	2	4	7	11	19	27	47
TOTAL										
0-19 YRS	696	5.0	58	1	1	3	6	10	16	66
20-34	252	5.3	46	1	1	4	6	11	17	34
35-49	349	5.4	27	1	2	4	7	11	14	28
50-64	775	6.0	50	1	2	4	8	12	17	36
65 +	2339	6.3	34	1	3	5	8	13	18	30
GRAND TOTAL	**4411**	**5.9**	**41**	**1**	**2**	**4**	**7**	**12**	**17**	**33**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.8	8	1	1	3	5	7	11	11
20-34	8	3.0	2	< 1	2	3	4	5	5	5
35-49	3	4.0	1	3	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	7.4	39	1	2	5	13	15	15	15
20-34	3	11.7	9	9	9	11	14	15	15	15
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	5.0	36	1	2	4	5	8	15	39
20-34	22	8.9	219	2	3	4	7	20	49	65
35-49	12	4.7	9	2	2	4	6	10	10	10
50-64	5	5.4	1	4	5	5	6	7	7	7
65 +	3	15.0	93	8	9	11	22	26	26	26
B. Operated										
0-19 YRS	11	11.6	54	5	6	8	14	24	28	28
20-34	7	9.1	64	1	2	6	17	20	20	20
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.7	6	1	2	3	5	6	9	11
B. Operated	10	9.2	29	2	5	10	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	110	6.0	72	1	2	4	6	10	19	51
B. Operated	18	10.7	56	2	6	8	15	21	25	28
1. SINGLE DX	52	4.8	15	1	2	4	5	11	14	15
2. MULTIPLE DX	128	6.7	72	1	2	4	7	13	21	47
A. Not Operated	152	5.4	55	1	2	4	6	9	12	42
B. Operated	28	10.1	45	2	5	9	15	20	22	28
TOTAL										
0-19 YRS	115	5.4	34	1	2	4	6	11	15	33
20-34	40	8.0	135	1	3	4	8	17	29	65
35-49	16	4.6	7	2	3	4	6	9	10	10
50-64	6	7.0	16	4	5	6	7	14	15	15
65 +	3	15.0	93	8	9	11	22	26	26	26
GRAND TOTAL	**180**	**6.1**	**56**	**1**	**2**	**4**	**6**	**12**	**19**	**41**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	296	2.7	4	1	1	2	3	5	6	9
20-34	24	3.9	4	2	2	3	5	7	7	8
35-49	17	4.4	6	2	2	4	6	8	9	9
50-64	30	2.6	3	< 1	< 1	2	4	6	6	7
65 +	21	3.8	31	< 1	< 1	1	4	9	18	25
B. Operated										
0-19 YRS	149	4.4	10	1	2	4	5	8	13	15
20-34	66	5.1	6	3	3	5	6	8	10	14
35-49	28	4.8	8	1	3	4	6	8	9	14
50-64	23	6.0	27	1	3	5	8	10	16	26
65 +	36	5.7	17	< 1	2	5	8	9	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	817	4.7	21	1	2	4	6	9	12	22
20-34	171	5.4	22	1	3	4	7	10	13	28
35-49	229	6.2	27	2	3	5	7	11	16	23
50-64	431	6.3	22	2	3	5	8	12	14	22
65 +	803	6.6	23	2	4	6	8	12	15	26
B. Operated										
0-19 YRS	179	9.9	153	2	3	6	11	20	43	75
20-34	121	8.9	99	2	4	6	10	18	24	62
35-49	127	8.4	52	2	5	6	10	16	21	43
50-64	220	11.3	128	3	5	8	14	21	38	56
65 +	417	11.8	94	4	6	9	15	23	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	388	2.9	5	1	1	2	4	5	6	9
B. Operated	302	4.9	11	1	3	4	6	9	12	15
2. MULTIPLE DX										
A. Not Operated	2451	5.8	23	2	3	5	7	11	14	24
B. Operated	1064	10.6	108	3	5	7	13	21	31	56
1. SINGLE DX	690	3.7	9	1	2	3	5	7	9	14
2. MULTIPLE DX	3515	7.3	54	2	3	5	9	14	19	41
A. Not Operated	2839	5.4	22	1	2	4	7	10	14	22
B. Operated	1366	9.4	92	2	4	6	11	18	26	54
TOTAL										
0-19 YRS	1441	4.9	37	1	2	3	6	9	14	32
20-34	382	6.4	46	2	3	5	7	11	15	37
35-49	401	6.7	34	2	4	5	8	12	17	31
50-64	704	7.7	61	2	3	6	9	15	19	47
65 +	1277	8.2	52	2	4	6	10	15	21	34
GRAND TOTAL	**4205**	**6.7**	**48**	**2**	**3**	**5**	**8**	**13**	**18**	**37**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	357	1.7	1	1	1	1	2	3	4	4
20-34	89	1.9	2	1	1	2	2	4	5	6
35-49	16	2.1	1	1	1	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	178	3.0	1	2	2	3	4	4	5	7
20-34	72	3.3	2	2	2	3	4	5	6	9
35-49	12	3.0	2	2	2	3	3	5	7	7
50-64	4	4.0	3	2	2	4	5	6	6	6
65 +	3	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	271	2.0	1	1	1	2	3	3	4	6
20-34	69	2.5	3	1	1	2	3	4	5	11
35-49	18	2.9	1	1	2	3	3	5	5	5
50-64	6	2.3	1	1	2	2	3	4	4	4
65 +	4	2.3	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	112	3.4	3	2	2	3	4	6	7	10
20-34	48	4.4	5	2	3	4	5	7	9	14
35-49	12	4.1	5	1	2	4	6	7	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	13.0	32	9	9	13	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	464	1.7	1	1	1	1	2	3	4	5
B. Operated	269	3.1	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	368	2.2	2	1	1	2	3	4	5	7
B. Operated	175	3.9	5	2	2	3	5	6	8	13
1. SINGLE DX	733	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX	543	2.7	3	1	1	2	3	5	6	9
A. Not Operated	832	1.9	1	1	1	2	2	3	4	6
B. Operated	444	3.4	3	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	918	2.2	2	1	1	2	3	4	5	7
20-34	278	2.8	3	1	2	2	4	5	6	10
35-49	58	2.9	3	1	2	3	4	5	6	7
50-64	13	3.2	4	1	2	2	4	6	8	8
65 +	9	4.9	26	1	2	3	5	14	17	17
GRAND TOTAL	**1276**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	4.2	6	2	2	4	6	7	8	12
20-34	6	1.5	1	< 1	< 1	1	2	3	3	3
35-49	4	3.0	2	1	2	3	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	53	5.0	11	1	2	4	7	10	12	13
20-34	11	1.5	1	< 1	1	1	2	3	4	4
35-49	8	1.3	1	< 1	< 1	1	1	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	4.3	7	2	3	4	6	8	9	14
20-34	13	4.2	7	2	3	4	5	9	11	11
35-49	9	3.4	4	1	2	3	4	6	8	8
50-64	8	4.8	7	2	3	4	6	9	9	9
65 +	4	4.0	2	2	3	4	5	5	5	5
B. Operated										
0-19 YRS	35	7.5	15	3	4	8	10	14	15	16
20-34	13	4.5	10	< 1	2	4	7	9	10	10
35-49	13	4.8	11	1	2	4	8	9	10	10
50-64	5	5.0	19	1	2	5	7	12	12	12
65 +	8	3.3	9	1	1	2	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	4.0	6	1	2	4	5	7	8	12
B. Operated	75	3.9	11	< 1	1	3	6	9	11	13
2. MULTIPLE DX										
A. Not Operated	203	4.3	6	2	3	4	5	8	9	13
B. Operated	74	5.9	15	1	3	5	9	10	14	16
1. SINGLE DX	245	4.0	7	1	2	3	5	8	9	13
2. MULTIPLE DX	277	4.7	9	1	3	4	6	9	10	15
A. Not Operated	373	4.2	6	2	2	4	5	7	9	13
B. Operated	149	4.9	14	1	1	4	7	10	12	15
TOTAL										
0-19 YRS	415	4.6	8	2	3	4	6	8	10	14
20-34	43	3.2	7	< 1	1	2	4	7	9	11
35-49	34	3.4	7	< 1	1	3	4	8	9	10
50-64	16	4.3	10	1	2	4	5	9	11	12
65 +	14	3.1	6	1	1	2	5	7	9	9
GRAND TOTAL	**522**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	17	11.9	92	1	5	8	17	29	30	30
35-49	14	11.4	108	2	3	7	18	25	34	37
50-64	15	10.6	177	2	2	3	15	24	43	49
65 +	29	15.0	205	2	6	14	18	27	40	73
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	22.3	553	2	3	12	42	64	71	72
20-34	124	16.3	148	3	6	14	23	33	39	51
35-49	108	14.6	150	3	4	12	21	32	45	49
50-64	153	12.6	160	2	5	8	17	26	40	58
65 +	595	10.2	72	2	4	8	14	21	28	37
B. Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	5	24.6	381	1	6	28	42	44	44	44
35-49	11	16.3	345	5	7	10	23	77	97	99 +
50-64	13	24.8	465	2	10	24	30	67	69	70
65 +	64	12.2	76	2	5	9	19	26	27	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	12.0	151	1	3	8	17	26	33	66
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1009	12.2	124	2	4	9	17	26	35	51
B. Operated	95	14.9	189	2	5	11	21	30	43	86
1. SINGLE DX	80	12.0	151	1	3	8	17	26	33	66
2. MULTIPLE DX	1104	12.4	130	2	4	9	17	26	35	57
A. Not Operated	1089	12.2	125	2	4	9	17	26	35	51
B. Operated	95	14.9	189	2	5	11	21	30	43	86
TOTAL										
0-19 YRS	36	18.6	505	1	2	7	29	56	70	72
20-34	146	16.1	150	3	6	14	23	32	40	48
35-49	133	14.4	160	3	4	11	21	32	46	72
50-64	181	13.3	190	2	4	9	19	29	44	69
65 +	688	10.6	78	2	4	8	15	22	28	37
GRAND TOTAL	**1184**	**12.4**	**131**	**2**	**4**	**9**	**17**	**26**	**35**	**58**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	4.0	3	2	2	4	5	6	6	6
65 +	18	8.2	41	3	4	5	12	14	22	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	32.0		32	32	32	32	32	32	32
50-64	31	15.1	158	4	9	12	18	33	46	55
65 +	313	10.2	102	3	4	7	12	21	31	63
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	19.0		19	19	19	19	19	19	19
65 +	31	11.6	69	3	6	10	14	24	32	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	7.4	36	3	3	5	12	13	20	28
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	347	10.7	109	3	4	8	13	22	31	56
B. Operated	32	11.8	69	3	6	10	14	23	31	36
1. SINGLE DX	23	7.4	34	3	3	5	11	13	19	28
2. MULTIPLE DX	379	10.8	106	3	5	8	13	22	31	55
A. Not Operated	369	10.5	105	3	4	7	13	21	31	55
B. Operated	33	11.7	67	4	6	10	14	22	31	36
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	32.0		32	32	32	32	32	32	32
50-64	36	14.0	149	3	6	11	18	24	46	55
65 +	363	10.2	96	3	4	7	12	21	30	54
GRAND TOTAL	**402**	**10.6**	**102**	**3**	**4**	**8**	**13**	**21**	**31**	**55**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	7.5	5	6	6	7	9	9	9	9
65 +	10	7.6	26	2	4	5	11	15	16	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	25	10.9	66	3	6	9	14	26	28	33
65 +	306	11.1	86	3	5	8	14	22	28	49
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	13.3	116	1	5	18	20	21	21	21
65 +	31	17.9	90	6	11	17	25	31	32	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	7.6	21	3	4	6	10	15	16	16
B Operated	0									
2. MULTIPLE DX										
A. Not Operated	332	11.1	84	3	5	8	14	22	28	49
B. Operated	34	17.5	90	6	10	17	25	31	32	41
1. SINGLE DX	12	7.6	21	3	4	6	10	15	16	16
2. MULTIPLE DX	366	11.7	88	3	5	9	15	24	30	48
A. Not Operated	344	11.0	82	3	5	8	14	22	28	48
B. Operated	34	17.5	90	6	10	17	25	31	32	41
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	30	10.9	64	2	6	9	16	23	26	33
65 +	347	11.6	88	3	5	9	15	24	30	48
GRAND TOTAL	**378**	**11.5**	**86**	**3**	**5**	**9**	**15**	**24**	**30**	**47**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	4.9	181	< 1	1	1	2	4	31	72
20-34	41	6.5	220	1	1	3	6	12	14	96
35-49	23	5.4	33	1	2	3	7	17	19	22
50-64	12	12.0	122	3	6	7	14	32	37	38
65 +	126	11.1	86	2	4	9	16	23	30	61
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	8.5	297	1	1	2	5	22	60	85
20-34	183	9.7	107	1	2	6	14	25	36	51
35-49	135	9.9	101	2	3	6	14	22	30	46
50-64	122	14.2	124	3	7	11	18	29	35	58
65 +	1254	10.8	86	3	5	8	14	21	28	44
B. Operated										
0-19 YRS	14	2.2	4	1	1	1	2	5	7	8
20-34	18	7.6	87	1	2	5	10	13	30	41
35-49	5	10.8	33	5	7	9	14	20	20	20
50-64	11	13.9	97	2	6	15	19	28	33	33
65 +	116	15.5	119	4	8	13	19	29	40	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	8.4	133	1	2	4	12	20	29	72
B. Operated	2	7.5	85	1	1	7	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	1799	10.7	105	2	4	8	14	22	30	51
B. Operated	164	13.2	118	2	6	11	18	28	36	50
1. SINGLE DX	268	8.4	132	1	2	4	12	20	29	72
2. MULTIPLE DX	1963	10.9	107	2	4	8	14	22	30	51
A. Not Operated	2065	10.4	109	2	3	7	14	21	29	54
B. Operated	166	13.2	117	2	6	11	17	28	36	50
TOTAL										
0-19 YRS	183	6.8	237	1	1	2	4	16	43	76
20-34	242	9.0	125	1	2	5	13	20	34	55
35-49	163	9.3	91	2	3	6	13	21	28	45
50-64	145	14.0	120	3	6	11	18	29	35	57
65 +	1498	11.1	90	3	5	9	15	21	29	47
GRAND TOTAL	**2231**	**10.6**	**110**	**2**	**4**	**8**	**14**	**22**	**30**	**53**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	3.2	6	1	2	3	4	5	8	13
35-49	46	3.5	5	1	2	3	5	6	8	11
50-64	25	4.3	16	1	2	2	6	9	14	17
65 +	8	10.5	72	1	3	10	18	20	21	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	6.7	67	1	2	3	8	21	25	28
20-34	856	5.9	58	2	2	3	4	19	26	32
35-49	1402	5.3	42	2	2	3	5	11	24	31
50-64	651	6.1	44	2	3	3	6	14	24	32
65 +	259	8.5	67	2	3	5	10	20	27	38
B. Operated										
0-19 YRS	0									
20-34	18	16.2	184	3	5	10	29	35	41	44
35-49	42	8.7	169	2	3	5	9	20	24	82
50-64	33	8.2	41	3	4	6	10	15	24	31
65 +	18	17.2	186	3	8	17	21	29	48	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	4.2	16	1	2	3	5	8	14	20
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3188	5.9	49	2	3	3	5	15	25	32
B. Operated	111	11.1	147	2	4	7	14	25	32	69
1. SINGLE DX	106	4.2	16	1	2	3	5	8	14	20
2. MULTIPLE DX	3299	6.1	54	2	3	3	6	16	25	32
A. Not Operated	3294	5.9	48	2	2	3	5	14	25	32
B. Operated	111	11.1	147	2	4	7	14	25	32	69
TOTAL										
0-19 YRS	21	6.6	64	1	2	3	7	21	24	28
20-34	900	6.0	61	2	2	3	5	21	27	33
35-49	1490	5.4	45	2	2	3	5	11	23	31
50-64	709	6.1	43	2	3	3	6	14	23	31
65 +	285	9.1	78	2	3	6	12	21	28	45
GRAND TOTAL	**3405**	**6.0**	**53**	**2**	**3**	**3**	**6**	**15**	**25**	**32**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	9.0	68	2	2	8	16	18	18	18
20-34	22	3.6	6	1	2	3	5	7	8	9
35-49	13	3.9	9	1	2	3	5	9	10	10
50-64	4	3.8	4	2	2	4	5	6	6	6
65 +	8	7.5	18	2	4	8	11	12	13	13
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	9.6	288	1	2	3	10	21	45	94
20-34	558	5.2	44	2	3	3	4	11	23	31
35-49	285	5.1	34	2	3	3	4	10	19	29
50-64	114	5.7	36	2	3	4	6	12	18	32
65 +	216	7.2	44	2	3	5	9	14	22	34
B. Operated										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	5	6.2	16	1	4	6	8	12	12	12
35-49	5	19.6	62	11	12	19	27	29	29	29
50-64	5	13.6	36	6	9	13	19	21	21	21
65 +	16	9.4	59	3	5	7	13	17	28	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.7	15	1	2	3	7	10	13	18
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	1218	5.7	51	2	3	3	5	13	22	31
B. Operated	32	11.4	63	4	6	10	16	22	29	33
1. SINGLE DX	53	4.7	15	1	2	3	6	10	13	18
2. MULTIPLE DX	1250	5.9	52	2	3	3	6	13	22	31
A. Not Operated	1269	5.7	50	2	3	3	6	12	21	31
B. Operated	34	10.9	64	3	6	9	14	21	28	33
TOTAL										
0-19 YRS	50	9.7	264	1	2	3	13	20	41	94
20-34	586	5.2	43	2	3	3	4	11	23	30
35-49	303	5.3	37	2	3	3	5	11	20	29
50-64	124	6.0	37	2	3	4	6	12	20	31
65 +	240	7.3	44	2	3	5	9	14	21	33
GRAND TOTAL	**1303**	**5.8**	**51**	**2**	**3**	**3**	**6**	**13**	**21**	**31**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	23.6	416	5	9	18	33	71	82	99 +
20-34	768	16.4	175	4	7	13	22	33	44	62
35-49	470	16.4	167	4	7	13	22	34	42	70
50-64	152	17.4	169	5	9	14	23	30	42	82
65 +	44	19.0	115	8	12	17	23	34	38	61
B. Operated										
0-19 YRS	0									
20-34	3	21.7	97	15	15	17	29	33	33	33
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	22.5	239	6	11	18	34	45	58	99 +
20-34	816	16.9	185	4	7	13	22	35	46	85
35-49	592	17.5	166	5	9	14	23	35	42	58
50-64	316	18.6	164	6	10	16	25	34	40	65
65 +	125	19.8	204	6	8	15	27	43	49	63
B. Operated										
0-19 YRS	2	38.5	1513	11	11	38	66	66	66	66
20-34	29	18.3	144	5	9	15	22	39	45	45
35-49	27	21.1	123	10	12	19	30	36	39	53
50-64	10	19.7	180	5	11	18	22	41	50	50
65 +	14	17.3	51	10	12	15	24	28	30	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1481	16.8	179	4	7	14	23	34	44	74
B. Operated	4	17.5	134	5	10	16	25	33	33	33
2. MULTIPLE DX										
A. Not Operated	1898	17.7	179	5	8	14	23	36	44	70
B. Operated	82	19.7	147	7	11	17	26	35	45	62
1. SINGLE DX	1485	16.8	179	4	7	14	23	34	44	74
2. MULTIPLE DX	1980	17.8	178	5	8	14	23	36	45	70
A. Not Operated	3379	17.3	179	4	8	14	23	35	44	72
B. Operated	86	19.6	145	6	11	17	26	35	45	61
TOTAL										
0-19 YRS	98	23.4	337	6	11	18	33	60	73	99 +
20-34	1616	16.7	179	4	7	13	22	34	45	72
35-49	1089	17.1	166	4	8	14	23	35	42	63
50-64	479	18.2	165	6	9	15	24	33	41	65
65 +	183	19.4	170	7	9	16	25	37	46	61
GRAND TOTAL	**3465**	**17.4**	**179**	**4**	**8**	**14**	**23**	**35**	**44**	**71**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	16.1	98	5	6	13	27	28	29	29
20-34	28	13.3	101	4	7	10	15	28	32	44
35-49	5	12.2	70	3	4	12	20	22	22	22
50-64	4	19.0	305	7	7	13	31	44	44	44
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	0									
20-34	2	9.5	113	2	2	9	17	17	17	17
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	30.1	437	7	13	27	38	64	65	65
20-34	39	16.6	236	5	7	12	20	41	58	64
35-49	10	9.4	26	3	7	8	12	17	19	19
50-64	8	13.3	167	5	5	8	16	35	43	43
65 +	7	15.1	89	2	6	18	21	27	28	28
B. Operated										
0-19 YRS	0									
20-34	2	14.5	221	4	4	14	25	25	25	25
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	14.2	106	4	7	11	20	29	32	44
B. Operated	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. Not Operated	74	16.9	237	5	7	12	20	38	58	65
B. Operated	4	13.0	85	4	6	11	20	25	25	25
1. SINGLE DX	50	14.0	105	4	7	11	19	28	31	44
2. MULTIPLE DX	78	16.7	228	5	7	12	20	36	58	65
A. Not Operated	122	15.9	186	5	7	12	20	31	47	64
B. Operated	6	11.8	77	2	4	11	17	24	25	25
TOTAL										
0-19 YRS	20	23.1	305	5	10	21	30	51	64	65
20-34	71	15.0	176	4	7	11	19	28	52	63
35-49	17	10.5	35	3	6	9	15	19	21	22
50-64	12	15.2	197	5	6	9	17	43	44	44
65 +	8	15.0	76	3	8	16	20	26	28	28
GRAND TOTAL	**128**	**15.7**	**181**	**4**	**7**	**12**	**20**	**30**	**45**	**64**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	22.2	346	3	7	17	33	53	61	99 +
20-34	1052	16.6	185	3	7	13	23	34	43	68
35-49	672	15.7	167	3	7	13	21	32	41	65
50-64	218	17.0	194	3	7	14	22	33	47	71
65 +	58	21.0	196	6	11	18	28	43	51	58
B. Operated										
0-19 YRS	0									
20-34	2	15.0	8	13	13	15	17	17	17	17
35-49	3	23.3	102	17	17	18	31	35	35	35
50-64	3	19.0	144	7	10	19	28	31	31	31
65 +	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	24.1	349	5	9	23	33	57	79	99 +
20-34	1583	17.1	171	4	8	14	23	33	42	65
35-49	1152	17.1	180	4	8	14	22	35	44	69
50-64	608	18.7	176	5	9	15	25	37	44	66
65 +	251	20.1	186	6	10	17	27	37	50	66
B. Operated										
0-19 YRS	4	45.5	626	32	32	33	58	83	83	83
20-34	48	20.3	100	8	13	20	27	36	39	99 +
35-49	72	21.7	237	7	11	17	26	47	57	65
50-64	31	23.9	147	11	14	23	27	42	46	61
65 +	19	24.8	156	10	14	22	34	41	47	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2145	16.9	194	3	7	13	23	34	44	70
B. Operated	9	21.2	96	9	16	18	32	35	35	35
2. MULTIPLE DX										
A. Not Operated	3735	17.8	184	4	8	14	24	35	45	68
B. Operated	174	22.6	192	9	13	20	29	42	52	78
1. SINGLE DX	2154	16.9	194	3	7	13	23	34	44	70
2. MULTIPLE DX	3909	18.0	185	4	8	15	24	36	45	68
A. Not Operated	5880	17.5	188	4	8	14	23	35	44	69
B. Operated	183	22.5	187	9	13	20	29	42	51	77
TOTAL										
0-19 YRS	290	23.4	356	3	8	20	33	56	70	99 +
20-34	2685	17.0	175	4	7	14	23	34	42	67
35-49	1899	16.8	179	4	8	14	22	34	43	68
50-64	860	18.4	181	5	9	15	24	37	45	66
65 +	329	20.6	186	6	11	18	28	39	50	63
GRAND TOTAL	**6063**	**17.6**	**189**	**4**	**8**	**14**	**24**	**35**	**45**	**69**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	25.0	507	4	7	18	42	53	79	85
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	30.5	562	3	11	28	50	74	98	99 +
20-34	4	20.3	138	10	12	17	28	37	37	37
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	7.0	12	5	5	5	10	11	11	11
65 +	0									
B. Operated										
0-19 YRS	1	73.0		73	73	73	73	73	73	73
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	25.0	507	4	7	18	42	53	79	85
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	56	28.2	528	3	10	23	42	73	90	99 +
B. Operated	1	73.0		73	73	73	73	73	73	73
1. SINGLE DX	22	25.0	507	4	7	18	42	53	79	85
2. MULTIPLE DX	57	29.0	553	3	10	25	47	74	89	99 +
A. Not Operated	78	27.3	517	4	9	22	42	72	81	99 +
B. Operated	1	73.0		73	73	73	73	73	73	73
TOTAL										
0-19 YRS	71	29.4	564	3	9	25	43	74	84	99 +
20-34	4	20.3	138	10	12	17	28	37	37	37
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	7.0	12	5	5	5	10	11	11	11
65 +	0									
GRAND TOTAL	**79**	**27.9**	**537**	**4**	**9**	**22**	**42**	**73**	**81**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	494	22.0	366	4	7	17	31	49	61	97
20-34	946	12.2	99	3	5	9	17	26	33	44
35-49	980	13.6	129	3	6	11	18	28	36	57
50-64	444	14.2	124	3	6	12	20	28	36	54
65 +	341	17.8	151	4	9	15	23	34	43	57
B. Operated										
0-19 YRS	2	29.5	145	21	21	29	38	38	38	38
20-34	4	16.5	300	1	2	13	30	38	38	38
35-49	3	12.3	6	10	10	12	14	15	15	15
50-64	3	27.3	332	11	14	24	41	47	47	47
65 +	3	12.7	41	8	8	10	17	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1186	26.6	379	5	11	23	41	51	70	99 +
20-34	2741	14.6	119	3	7	12	20	28	35	52
35-49	2930	15.6	137	4	7	13	21	29	37	60
50-64	1626	16.3	130	4	8	14	21	31	39	56
65 +	1947	19.3	166	6	10	17	25	36	44	63
B. Operated										
0-19 YRS	33	34.7	458	8	20	38	53	71	96	99 +
20-34	111	20.6	184	5	13	20	26	34	54	70
35-49	152	21.0	182	7	12	18	28	39	50	71
50-64	110	22.6	193	7	13	19	28	45	55	61
65 +	172	25.1	235	11	15	20	30	46	58	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3205	15.0	170	3	6	12	20	31	41	64
B. Operated	15	18.8	179	4	10	15	24	38	45	47
2. MULTIPLE DX										
A. Not Operated	10430	17.4	178	4	8	14	23	35	43	68
B. Operated	578	23.2	225	8	14	20	29	44	58	77
1. SINGLE DX	3220	15.0	170	3	6	12	20	31	41	64
2. MULTIPLE DX	11008	17.7	182	4	8	15	23	35	43	69
A. Not Operated	13635	16.8	177	4	7	14	22	34	42	68
B. Operated	593	23.1	224	8	14	20	29	44	58	77
TOTAL										
0-19 YRS	1715	25.4	382	4	10	21	39	51	70	99 +
20-34	3802	14.2	119	3	6	12	20	28	34	50
35-49	4065	15.3	139	4	7	13	20	30	37	60
50-64	2183	16.2	135	4	8	14	21	31	39	57
65 +	2463	19.5	171	6	10	17	25	36	44	64
GRAND TOTAL	**14228**	**17.1**	**180**	**4**	**8**	**14**	**22**	**34**	**43**	**68**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	21.6	402	3	7	15	32	57	68	99 +
20-34	577	15.0	157	4	7	12	20	31	40	64
35-49	604	14.2	132	4	7	11	18	28	35	64
50-64	313	16.8	159	5	8	13	21	33	42	62
65 +	127	19.3	160	5	10	17	26	35	42	63
B. Operated										
0-19 YRS	0									
20-34	1	22.0		22	22	22	22	22	22	22
35-49	3	21.0	7	19	19	20	23	24	24	24
50-64	2	24.5	85	18	18	24	31	31	31	31
65 +	2	21.0	18	18	18	21	24	24	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	261	25.1	419	5	10	19	38	62	73	99 +
20-34	1149	17.1	165	4	8	14	22	34	43	61
35-49	1252	16.3	136	4	9	14	21	30	39	58
50-64	774	18.1	155	6	9	15	24	36	44	60
65 +	525	19.3	167	5	10	17	25	37	46	60
B. Operated										
0-19 YRS	6	31.7	788	3	10	23	62	69	70	70
20-34	44	23.4	271	5	10	21	29	46	60	67
35-49	45	24.6	178	10	14	22	34	42	46	66
50-64	47	25.5	216	9	15	22	34	48	56	63
65 +	37	27.1	337	8	13	21	35	53	70	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1760	15.9	172	4	7	12	21	32	42	71
B. Operated	8	22.0	19	18	19	21	24	29	31	31
2. MULTIPLE DX										
A. Not Operated	3961	17.9	175	5	9	15	23	35	45	68
B. Operated	179	25.3	259	8	14	21	35	48	62	73
1. SINGLE DX	1768	15.9	172	4	7	13	21	32	42	71
2. MULTIPLE DX	4140	18.2	181	5	9	15	23	36	45	68
A. Not Operated	5721	17.3	175	4	8	14	22	34	44	68
B. Operated	187	25.2	249	8	14	21	34	48	62	73
TOTAL										
0-19 YRS	406	24.0	419	4	9	18	35	60	72	99 +
20-34	1771	16.6	167	4	8	14	21	33	43	62
35-49	1904	15.9	138	4	8	13	21	30	39	59
50-64	1136	18.1	161	5	9	15	24	36	44	62
65 +	691	19.7	177	6	10	17	26	37	48	65
GRAND TOTAL	**5908**	**17.5**	**179**	**4**	**8**	**14**	**23**	**35**	**45**	**68**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	18.3	315	2	5	12	27	44	55	78
20-34	160	10.1	81	1	4	8	13	21	29	39
35-49	111	10.9	103	2	4	8	15	23	28	54
50-64	69	11.1	61	1	6	10	15	21	23	39
65 +	59	10.4	77	2	3	8	14	24	29	34
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	19.1	343	2	5	14	26	44	68	99 +
20-34	434	13.6	124	3	5	10	20	30	37	55
35-49	319	11.6	97	2	5	9	15	24	30	42
50-64	268	11.8	90	2	5	9	17	25	30	44
65 +	631	10.8	84	3	5	8	14	23	29	46
B. Operated										
0-19 YRS	0									
20-34	11	12.8	41	5	10	12	16	22	25	25
35-49	15	17.1	290	4	5	13	21	41	60	67
50-64	27	18.3	147	4	9	16	26	36	45	46
65 +	73	14.3	124	6	7	12	17	22	29	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	470	11.7	125	2	4	9	16	26	33	55
B. Operated	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	1753	12.3	116	2	5	9	17	27	35	50
B. Operated	126	15.3	141	5	7	13	19	28	42	67
1. SINGLE DX	472	11.7	124	2	4	9	16	26	33	55
2. MULTIPLE DX	1879	12.5	118	2	5	9	17	27	35	53
A. Not Operated	2223	12.2	117	2	5	9	17	26	35	53
B. Operated	128	15.2	140	4	7	13	19	28	41	67
TOTAL										
0-19 YRS	172	18.8	330	2	5	14	27	43	62	97
20-34	606	12.6	113	2	5	10	18	28	35	49
35-49	445	11.6	105	2	5	9	15	24	30	49
50-64	364	12.1	91	2	5	10	17	25	30	45
65 +	764	11.1	88	3	5	8	15	23	29	46
GRAND TOTAL	**2351**	**12.3**	**119**	**2**	**5**	**9**	**17**	**27**	**35**	**53**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	6.1	77	1	2	3	8	15	29	36
20-34	77	4.7	30	< 1	1	2	6	14	17	26
35-49	78	4.2	24	< 1	1	2	4	11	14	24
50-64	26	5.4	37	< 1	2	3	6	14	18	28
65 +	20	5.4	26	1	2	3	7	15	16	17
B. Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	8.8	92	1	2	5	13	25	33	35
20-34	244	9.5	111	1	3	6	13	26	33	46
35-49	269	7.6	77	1	2	4	10	19	26	48
50-64	219	6.4	61	1	2	4	8	16	21	49
65 +	194	6.1	43	1	2	4	7	14	18	29
B. Operated										
0-19 YRS	0									
20-34	7	10.4	158	1	2	8	12	32	37	37
35-49	5	6.0	56	1	1	4	8	19	19	19
50-64	17	8.7	63	1	3	5	13	22	26	27
65 +	11	7.0	30	3	4	5	7	16	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	4.8	32	< 1	1	3	5	13	16	28
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	964	7.6	77	1	2	4	9	18	26	46
B. Operated	40	8.2	66	1	3	5	11	20	25	37
1. SINGLE DX	220	4.8	32	< 1	1	3	5	13	16	28
2. MULTIPLE DX	1004	7.6	77	1	2	4	9	19	26	46
A. Not Operated	1182	7.1	70	1	2	4	9	17	25	42
B. Operated	42	7.9	64	1	2	5	11	20	25	37
TOTAL										
0-19 YRS	55	8.0	88	1	2	3	10	21	33	36
20-34	329	8.4	96	1	2	5	11	21	29	43
35-49	352	6.9	67	1	2	4	9	17	25	46
50-64	263	6.4	59	1	2	4	8	16	22	45
65 +	225	6.1	41	1	2	4	7	15	18	28
GRAND TOTAL	**1224**	**7.1**	**70**	**1**	**2**	**4**	**9**	**17**	**25**	**42**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	202	19.4	307	3	6	14	29	43	61	99
20-34	232	8.2	47	2	3	7	11	17	22	33
35-49	177	8.9	76	2	3	7	11	18	26	44
50-64	43	9.4	80	2	3	6	11	26	30	35
65 +	29	12.4	57	4	5	12	18	23	24	32
B. Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	658	24.7	366	4	10	21	36	53	67	99 +
20-34	797	11.1	85	2	4	8	15	23	30	42
35-49	592	10.4	79	2	4	8	14	22	27	48
50-64	241	9.4	57	2	4	8	13	18	25	47
65 +	237	11.3	80	3	5	9	15	22	30	45
B. Operated										
0-19 YRS	8	23.9	376	2	7	22	38	51	55	55
20-34	26	11.9	120	2	5	10	14	21	30	56
35-49	16	21.3	278	3	8	18	30	48	56	59
50-64	15	16.5	159	4	6	13	27	32	42	46
65 +	16	14.0	82	4	6	11	22	28	29	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	683	12.0	157	2	4	8	16	28	36	67
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	2525	14.3	192	2	5	10	19	32	44	75
B. Operated	81	16.2	184	3	6	12	22	33	47	58
1. SINGLE DX	684	12.0	157	2	4	8	16	28	36	67
2. MULTIPLE DX	2606	14.4	192	3	5	10	19	32	45	75
A. Not Operated	3208	13.8	185	2	5	10	18	32	43	73
B. Operated	82	16.1	182	3	6	12	22	32	47	58
TOTAL										
0-19 YRS	868	23.5	356	3	9	19	34	52	66	99 +
20-34	1056	10.5	79	2	4	8	14	22	28	40
35-49	785	10.3	85	2	4	8	14	22	28	49
50-64	299	9.8	67	2	4	8	13	21	28	46
65 +	282	11.6	78	3	5	10	16	23	30	44
GRAND TOTAL	**3290**	**13.9**	**185**	**2**	**5**	**10**	**18**	**32**	**43**	**73**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	173	13.0	350	1	2	5	19	42	61	99 +
20-34	211	8.3	91	1	2	5	11	19	24	45
35-49	108	9.0	68	1	3	5	14	20	26	35
50-64	30	8.1	31	2	4	7	13	16	16	21
65 +	17	8.5	75	2	2	5	12	17	30	36
B. Operated										
0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	28	7.1	48	1	1	5	10	19	24	24
35-49	13	4.9	20	< 1	1	5	7	12	14	15
50-64	8	3.1	2	1	2	3	4	5	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	367	15.7	347	1	3	8	23	49	70	99 +
20-34	681	11.0	136	1	3	7	14	28	35	63
35-49	383	10.0	85	1	3	7	15	24	30	43
50-64	162	10.0	88	2	3	7	14	24	30	43
65 +	135	9.0	74	2	4	7	11	20	29	43
B. Operated										
0-19 YRS	17	18.6	314	1	5	9	36	45	50	52
20-34	40	14.0	80	3	6	14	19	27	36	99 +
35-49	43	16.5	186	3	7	12	25	40	52	99 +
50-64	20	7.0	26	2	3	6	11	14	16	18
65 +	17	12.3	161	3	4	7	15	28	43	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	539	10.0	169	1	2	5	13	24	38	93
B. Operated	51	6.0	35	1	1	4	9	14	20	24
2. MULTIPLE DX										
A. Not Operated	1728	11.5	165	1	3	7	15	29	41	85
B. Operated	137	14.1	152	2	5	11	19	35	44	99 +
1. SINGLE DX	590	9.6	159	1	2	5	13	23	37	93
2. MULTIPLE DX	1865	11.7	164	2	3	7	16	29	41	87
A. Not Operated	2267	11.2	166	1	3	6	15	28	40	90
B. Operated	188	11.9	133	1	4	8	17	28	40	83
TOTAL										
0-19 YRS	559	14.9	347	1	3	7	22	47	66	99 +
20-34	960	10.4	123	1	3	6	14	25	34	62
35-49	547	10.2	92	1	3	7	15	24	30	44
50-64	220	9.2	74	2	3	6	13	21	29	42
65 +	169	9.3	82	2	4	7	11	20	29	43
GRAND TOTAL	**2455**	**11.2**	**164**	**1**	**3**	**7**	**15**	**28**	**40**	**91**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	11.6	266	1	1	3	19	29	46	82
20-34	742	7.7	95	1	2	3	8	25	28	35
35-49	760	7.1	81	1	2	3	5	23	28	35
50-64	281	6.8	83	1	2	3	5	24	28	37
65 +	56	6.2	56	1	2	3	5	18	27	32
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1388	25.2	201	4	15	27	33	42	44	63
20-34	5821	16.1	110	2	4	20	25	28	29	34
35-49	4713	14.2	113	2	3	13	24	28	29	34
50-64	2060	14.0	112	2	4	12	24	28	30	34
65 +	751	12.8	92	2	4	10	21	28	29	35
B. Operated										
0-19 YRS	22	24.9	163	6	20	22	30	41	48	56
20-34	86	18.2	88	3	9	21	26	29	30	35
35-49	108	17.6	123	2	6	21	27	30	33	43
50-64	82	18.0	153	3	7	19	26	31	35	88
65 +	34	15.6	117	3	7	13	22	29	35	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1912	7.5	94	1	2	3	6	24	28	36
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	14733	15.9	129	2	4	18	26	29	31	42
B. Operated	332	18.1	126	3	8	21	26	30	35	57
1. SINGLE DX	1912	7.5	94	1	2	3	6	24	28	36
2. MULTIPLE DX	15065	16.0	129	2	4	18	26	29	31	42
A. Not Operated	16645	14.9	132	2	3	14	25	29	31	42
B. Operated	332	18.1	126	3	8	21	26	30	35	57
TOTAL										
0-19 YRS	1483	24.5	212	3	14	27	32	42	44	63
20-34	6649	15.2	115	2	3	18	25	28	29	34
35-49	5581	13.3	115	2	3	10	22	28	29	35
50-64	2423	13.3	116	2	3	10	23	28	30	35
65 +	841	12.4	94	2	4	10	20	28	29	35
GRAND TOTAL	**16977**	**15.0**	**132**	**2**	**3**	**14**	**25**	**29**	**31**	**42**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	44.3	1316	4	17	41	71	90	90	90
20-34	109	7.2	75	2	3	3	6	21	25	42
35-49	82	7.9	64	2	3	4	12	21	23	33
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	16.8	223	2	5	12	27	37	49	55
20-34	465	13.2	95	3	4	10	21	28	28	35
35-49	440	12.5	84	3	4	10	21	27	28	34
50-64	42	12.0	83	3	4	9	21	25	29	31
65 +	11	9.6	61	1	2	9	16	20	24	24
B. Operated										
0-19 YRS	0									
20-34	9	16.4	142	2	6	16	28	31	33	33
35-49	14	19.1	95	6	10	21	28	29	32	33
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	8.3	116	2	3	4	9	21	26	52
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	978	12.9	92	3	4	10	21	27	28	34
B. Operated	23	18.0	110	4	7	21	28	30	33	33
1. SINGLE DX	196	8.3	116	2	3	4	9	21	26	52
2. MULTIPLE DX	1001	13.0	93	3	4	10	21	28	28	34
A. Not Operated	1174	12.1	99	2	3	8	21	27	28	35
B. Operated	23	18.0	110	4	7	21	28	30	33	33
TOTAL										
0-19 YRS	24	21.3	466	2	5	14	30	52	65	90
20-34	583	12.1	98	2	3	8	21	27	28	36
35-49	536	12.0	85	2	4	9	21	26	28	34
50-64	43	11.8	83	3	4	9	21	25	29	31
65 +	11	9.6	61	1	2	9	16	20	24	24
GRAND TOTAL	**1197**	**12.2**	**100**	**2**	**3**	**9**	**21**	**27**	**28**	**35**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	17.6	364	2	3	12	25	42	54	90
20-34	634	8.4	86	2	3	3	13	25	28	34
35-49	165	7.9	71	2	3	3	12	21	25	30
50-64	10	9.6	160	2	3	3	9	33	37	37
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	22.0		22	22	22	22	22	22	22
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	904	26.1	235	6	15	27	38	42	49	82
20-34	3656	15.0	97	3	5	15	23	28	29	32
35-49	1114	14.8	94	3	5	14	22	28	29	33
50-64	112	16.5	83	4	8	18	24	28	29	31
65 +	61	17.1	126	3	10	14	24	33	38	49
B. Operated										
0-19 YRS	6	20.7	160	5	13	21	23	40	42	42
20-34	57	22.1	87	10	16	22	28	30	37	48
35-49	30	18.4	131	3	6	21	28	30	37	42
50-64	4	18.0	75	7	12	18	24	28	28	28
65 +	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	876	9.0	111	2	3	3	14	25	28	42
B. Operated	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated	5847	16.8	134	3	6	18	25	29	34	47
B. Operated	98	20.6	103	4	14	21	28	30	38	45
1. SINGLE DX	877	9.0	111	2	3	3	14	25	28	42
2. MULTIPLE DX	5945	16.8	134	3	6	18	25	29	34	47
A. Not Operated	6723	15.7	138	3	4	15	24	29	33	45
B. Operated	99	20.6	102	5	14	21	28	30	38	45
TOTAL										
0-19 YRS	976	25.5	247	4	13	26	37	42	49	83
20-34	4348	14.1	102	2	4	14	22	28	29	32
35-49	1309	14.0	98	3	4	13	21	28	29	33
50-64	126	16.0	90	3	7	16	24	28	29	33
65 +	63	16.8	124	3	10	14	24	33	38	49
GRAND TOTAL	**6822**	**15.8**	**138**	**3**	**4**	**15**	**24**	**29**	**33**	**45**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	164	1.8	9	< 1	< 1	1	2	2	4	14
20-34	147	2.8	36	< 1	< 1	1	1	3	22	29
35-49	54	3.4	47	< 1	1	1	2	4	25	30
50-64	19	4.8	45	< 1	1	2	4	16	21	25
65 +	5	1.8	2	< 1	1	1	2	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	241	6.9	116	< 1	1	2	7	26	33	46
20-34	340	6.0	74	< 1	1	2	5	21	28	31
35-49	204	5.3	59	< 1	1	2	4	15	28	31
50-64	105	3.8	19	1	1	3	4	7	11	26
65 +	53	5.9	46	1	2	4	6	15	24	31
B. Operated										
0-19 YRS	9	11.0	383	< 1	< 1	1	13	46	46	46
20-34	10	5.3	68	< 1	1	1	6	20	25	25
35-49	14	5.4	66	< 1	1	2	4	20	25	27
50-64	4	6.8	8	5	5	6	8	11	11	11
65 +	5	3.4	7	1	2	3	4	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	389	2.6	26	< 1	< 1	1	2	4	12	29
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	943	5.8	74	< 1	1	2	5	20	28	36
B. Operated	42	6.5	118	< 1	1	2	6	21	34	46
1. SINGLE DX	390	2.6	26	< 1	< 1	1	2	4	12	29
2. MULTIPLE DX	985	5.9	76	< 1	1	2	5	20	28	36
A. Not Operated	1332	4.9	62	< 1	1	2	4	14	28	32
B. Operated	43	6.4	116	< 1	1	2	6	20	33	46
TOTAL										
0-19 YRS	414	5.0	85	< 1	1	1	3	14	29	45
20-34	497	5.1	64	< 1	1	1	3	20	28	31
35-49	272	4.9	57	< 1	1	2	4	14	28	31
50-64	129	4.0	22	1	1	3	4	7	14	26
65 +	63	5.3	41	1	2	3	5	12	23	30
GRAND TOTAL	**1375**	**4.9**	**64**	**< 1**	**1**	**2**	**4**	**15**	**28**	**33**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	6.1	131	< 1	1	2	3	30	35	42
20-34	92	5.1	61	1	1	2	4	15	27	35
35-49	25	5.0	34	1	2	3	5	14	17	27
50-64	3	18.7	65	14	14	14	25	28	28	28
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	19.4	347	1	3	13	30	44	60	88
20-34	426	12.4	121	1	3	7	23	28	29	35
35-49	156	12.2	120	1	3	7	24	28	29	31
50-64	26	9.0	75	2	3	5	19	21	25	32
65 +	17	9.9	100	2	3	7	10	30	31	31
B. Operated										
0-19 YRS	2	19.5	313	7	7	19	32	32	32	32
20-34	13	16.2	84	3	9	18	24	27	27	27
35-49	6	12.7	128	1	5	9	25	28	28	28
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	5.5	70	1	1	2	4	15	28	35
B. Operated	4	3.5	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	766	13.5	168	1	3	7	24	29	32	59
B. Operated	23	15.0	99	3	5	14	25	27	29	32
1. SINGLE DX	147	5.5	68	1	1	2	4	14	28	35
2. MULTIPLE DX	789	13.5	166	1	3	8	24	29	32	58
A. Not Operated	909	12.2	161	1	2	6	22	28	31	56
B. Operated	27	13.3	101	2	4	12	23	27	29	32
TOTAL										
0-19 YRS	166	17.6	335	1	3	10	30	43	57	86
20-34	533	11.2	118	1	2	6	21	28	29	34
35-49	189	11.2	114	1	2	5	22	28	28	31
50-64	30	9.8	79	2	3	6	19	22	28	32
65 +	18	10.2	95	2	4	7	14	29	31	31
GRAND TOTAL	**936**	**12.3**	**159**	**1**	**2**	**6**	**22**	**28**	**31**	**56**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	4	1	1	1	3	6	7	7
20-34	8	3.0	8	1	2	2	3	8	10	10
35-49	11	3.3	11	1	1	2	4	8	12	12
50-64	6	2.8	2	1	1	3	4	4	4	4
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	7.8	139	1	2	3	6	25	33	56
20-34	54	6.6	85	1	2	3	6	21	26	46
35-49	67	3.7	17	1	2	2	4	8	10	26
50-64	50	3.5	9	1	2	3	4	7	7	16
65 +	81	4.8	17	1	2	4	6	10	15	20
B. Operated										
0-19 YRS	7	11.7	465	1	2	2	9	50	60	60
20-34	9	6.2	14	3	3	5	9	12	13	13
35-49	8	6.4	33	< 1	1	4	10	15	17	17
50-64	3	4.7	6	2	3	5	6	7	7	7
65 +	3	6.7	1	6	6	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.9	6	1	1	2	3	6	9	12
B. Operated	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	310	5.2	52	1	2	3	5	12	20	39
B. Operated	30	7.4	115	1	2	5	9	12	17	60
1. SINGLE DX	40	2.8	6	1	1	2	3	5	8	12
2. MULTIPLE DX	340	5.4	58	1	2	3	5	12	19	47
A. Not Operated	347	5.0	48	1	2	3	5	10	18	35
B. Operated	33	6.9	106	1	2	4	8	12	16	60
TOTAL										
0-19 YRS	77	7.3	147	1	2	2	5	24	33	59
20-34	71	6.2	68	1	2	3	7	15	24	44
35-49	86	3.9	17	1	2	2	4	8	12	24
50-64	59	3.5	8	1	2	3	4	7	7	16
65 +	87	4.8	16	2	2	4	6	9	15	20
GRAND TOTAL	**380**	**5.1**	**53**	**1**	**2**	**3**	**5**	**11**	**17**	**43**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	341	10.7	143	1	3	7	14	28	40	76
20-34	402	6.2	36	1	2	4	8	14	18	30
35-49	220	6.1	38	1	2	4	8	13	19	31
50-64	78	8.9	69	1	2	8	13	22	26	37
65 +	33	6.8	18	2	4	6	10	14	15	15
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	24.0		24	24	24	24	24	24	24
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	659	14.3	222	2	4	8	20	36	44	73
20-34	1145	8.2	58	1	3	6	11	18	23	37
35-49	687	9.0	71	2	3	7	12	21	26	37
50-64	245	9.9	74	2	4	7	14	21	27	46
65 +	313	10.1	81	2	4	7	14	21	27	49
B. Operated										
0-19 YRS	13	17.6	383	1	1	7	30	49	56	58
20-34	27	11.4	156	2	3	6	15	25	44	50
35-49	23	14.0	99	3	7	13	18	25	38	41
50-64	20	13.5	128	3	5	9	20	30	39	43
65 +	18	14.6	70	4	8	15	20	25	31	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1074	7.8	77	1	2	5	10	18	26	47
B. Operated	4	10.5	122	< 1	1	8	19	24	24	24
2. MULTIPLE DX										
A. Not Operated	3049	10.0	105	2	3	7	13	22	31	49
B. Operated	101	13.8	148	2	4	9	20	31	42	54
1. SINGLE DX	1078	7.8	77	1	2	5	10	18	26	47
2. MULTIPLE DX	3150	10.2	107	2	3	7	13	22	31	49
A. Not Operated	4123	9.5	99	2	3	6	12	21	30	49
B. Operated	105	13.6	146	2	4	9	20	30	41	54
TOTAL										
0-19 YRS	1015	13.1	200	2	4	8	18	34	43	74
20-34	1575	7.7	55	1	3	5	10	17	23	37
35-49	931	8.5	66	1	3	6	11	20	24	38
50-64	343	9.9	77	2	3	8	14	22	27	43
65 +	364	10.1	77	2	4	7	14	21	26	49
GRAND TOTAL	**4228**	**9.6**	**100**	**2**	**3**	**6**	**12**	**21**	**30**	**49**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	382	15.1	273	1	3	9	23	40	56	99 +
20-34	254	6.9	97	1	2	4	7	15	23	76
35-49	135	6.7	62	1	2	4	8	14	18	51
50-64	25	5.3	35	1	1	2	9	12	17	25
65 +	17	6.0	31	< 1	2	4	8	17	18	18
B. Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	757	15.1	237	2	4	9	22	40	45	73
20-34	769	8.1	69	1	3	5	10	19	27	40
35-49	490	9.7	97	1	3	7	14	24	29	41
50-64	150	8.7	74	2	3	7	11	18	22	56
65 +	113	11.4	87	2	4	8	15	26	33	41
B. Operated										
0-19 YRS	18	13.6	241	1	1	6	22	38	45	49
20-34	34	15.5	313	1	3	10	21	31	45	91
35-49	15	12.3	95	2	8	11	14	29	36	38
50-64	6	14.2	143	2	7	10	21	34	35	35
65 +	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	813	10.6	188	1	2	6	13	28	42	84
B. Operated	3	12.3	70	7	7	8	18	22	22	22
2. MULTIPLE DX										
A. Not Operated	2279	11.0	141	2	3	7	15	28	36	60
B. Operated	74	14.3	227	1	3	10	20	35	42	81
1. SINGLE DX	816	10.6	187	1	2	6	13	28	42	84
2. MULTIPLE DX	2353	11.1	144	2	3	7	15	28	37	60
A. Not Operated	3092	10.9	153	1	3	6	14	28	37	66
B. Operated	77	14.2	220	1	3	9	20	34	42	80
TOTAL										
0-19 YRS	1158	15.1	248	2	4	9	23	40	49	91
20-34	1058	8.1	85	1	2	5	10	19	27	45
35-49	641	9.1	91	1	3	6	13	21	29	43
50-64	181	8.4	72	1	3	7	10	18	23	50
65 +	131	10.7	83	2	4	8	15	23	30	40
GRAND TOTAL	**3169**	**11.0**	**155**	**1**	**3**	**6**	**14**	**28**	**37**	**66**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	441	17.7	312	2	4	13	27	42	54	97
20-34	51	13.2	153	1	2	8	24	31	33	49
35-49	21	5.6	56	1	2	3	6	13	26	33
50-64	3	3.3		3	3	3	4	4	4	4
65 +	4	7.5	47	1	2	6	13	16	16	16
B. Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	5.0	16	< 1	1	5	8	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1333	24.7	416	3	8	21	38	58	76	99 +
20-34	320	19.2	324	2	4	15	28	39	53	93
35-49	146	12.1	221	2	3	6	16	31	42	69
50-64	51	8.3	116	1	2	5	9	25	27	63
65 +	59	6.4	27	2	3	5	8	12	21	24
B. Operated										
0-19 YRS	24	31.8	647	6	9	29	44	77	83	96
20-34	15	15.9	356	3	5	10	21	30	64	76
35-49	16	14.1	202	2	5	8	22	33	48	54
50-64	9	14.8	278	1	2	6	27	42	46	46
65 +	12	5.8	19	1	2	5	8	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	520	16.6	290	2	3	11	26	39	49	95
B. Operated	6	3.7	9	< 1	2	3	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	1909	21.8	392	2	6	17	34	51	68	99 +
B. Operated	76	18.8	427	2	5	9	28	47	71	91
1. SINGLE DX	526	16.4	289	2	3	10	26	38	49	95
2. MULTIPLE DX	1985	21.7	393	2	6	17	33	51	68	99 +
A. Not Operated	2429	20.7	374	2	5	16	31	49	66	99 +
B. Operated	82	17.7	412	2	4	8	26	46	66	90
TOTAL										
0-19 YRS	1798	23.1	403	3	7	19	35	54	72	99 +
20-34	388	18.2	305	2	4	13	28	38	51	90
35-49	186	11.4	201	2	3	6	15	31	40	66
50-64	64	8.9	135	2	2	5	9	26	32	61
65 +	75	6.4	26	2	3	5	8	13	18	24
GRAND TOTAL	**2511**	**20.6**	**376**	**2**	**5**	**15**	**31**	**48**	**66**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.5	102	3	5	10	20	26	26	26
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	24.5	925	3	3	24	46	46	46	46
50-64	0									
65 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	11.4	298	2	2	5	16	57	86	99 +
20-34	16	18.9	464	2	5	13	20	57	69	74
35-49	8	10.9	183	2	3	6	11	34	43	43
50-64	3	13.7	20	9	10	14	17	18	18	18
65 +	0									
B. Operated										
0-19 YRS	6	5.3	25	1	2	3	10	13	13	13
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	14.0	233	1	3	9	20	40	46	46
B. Operated	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	45	14.2	317	2	3	7	17	44	69	99 +
B. Operated	7	5.4	21	1	2	4	9	12	13	13
1. SINGLE DX	11	10.8	194	< 1	2	5	13	34	45	46
2. MULTIPLE DX	52	13.0	285	2	3	6	15	43	67	99
A. Not Operated	53	14.1	299	2	3	7	17	44	66	99
B. Operated	10	4.5	17	1	1	3	6	11	13	13
TOTAL										
0-19 YRS	30	9.7	201	1	2	4	12	32	67	99 +
20-34	18	17.2	437	1	5	9	17	54	68	74
35-49	11	12.9	255	2	3	6	12	44	46	46
50-64	3	13.7	20	9	10	14	17	18	18	18
65 +	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**63**	**12.6**	**266**	**2**	**3**	**6**	**14**	**43**	**62**	**96**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	333	9.2	17	3	8	10	11	12	14	16
20-34	28	6.7	17	2	3	7	10	12	14	16
35-49	20	4.4	13	1	1	3	7	10	12	13
50-64	10	6.2	23	1	3	5	9	13	16	16
65 +	5	8.0	49	2	2	5	15	16	16	16
B. Operated										
0-19 YRS	19	17.9	212	8	10	12	16	43	53	58
20-34	11	5.5	24	1	2	4	7	14	15	15
35-49	18	4.3	11	1	2	3	6	8	12	14
50-64	7	5.4	36	1	1	2	12	14	14	14
65 +	4	7.5	72	1	2	4	12	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	631	10.6	27	4	9	10	13	16	19	25
20-34	54	8.2	39	2	4	7	12	15	24	97
35-49	43	10.0	40	3	5	9	14	16	22	32
50-64	58	12.0	85	4	6	11	15	20	24	52
65 +	47	11.2	42	4	7	11	15	19	22	33
B. Operated										
0-19 YRS	117	20.8	199	7	11	16	28	44	52	83
20-34	31	23.1	212	6	10	21	32	45	47	56
35-49	64	19.3	262	2	6	15	29	44	52	65
50-64	46	24.0	568	2	8	16	40	72	81	99 +
65 +	55	23.2	392	4	10	18	30	46	72	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	396	8.7	18	3	6	10	11	12	14	16
B. Operated	59	9.3	118	1	2	6	13	16	33	57
2. MULTIPLE DX										
A. Not Operated	833	10.6	34	3	8	10	13	16	20	31
B. Operated	313	21.6	300	4	10	16	29	47	58	87
1. SINGLE DX	455	8.8	31	2	5	10	11	13	15	30
2. MULTIPLE DX	1146	13.6	130	3	8	11	15	25	37	71
A. Not Operated	1229	10.0	29	3	7	10	12	15	18	26
B. Operated	372	19.6	291	3	7	15	27	45	56	85
TOTAL										
0-19 YRS	1100	11.4	57	3	9	10	13	17	23	48
20-34	124	11.3	121	2	4	8	14	29	41	67
35-49	145	12.6	169	1	3	8	15	32	42	57
50-64	121	15.7	304	2	5	11	17	44	59	93
65 +	111	16.9	254	3	7	14	21	34	46	81
GRAND TOTAL	**1601**	**12.2**	**107**	**3**	**7**	**10**	**14**	**22**	**32**	**59**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	14	3.4	10	1	1	2	4	8	10	10
65 +	31	8.5	151	1	3	6	9	15	18	70
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	4.6	24	1	1	2	8	13	13	13
50-64	52	7.2	56	2	3	6	8	12	15	51
65 +	404	8.8	63	3	4	7	11	16	22	52
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	10	13.3	79	4	5	11	23	26	28	28
65 +	72	14.0	185	3	6	10	15	32	43	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	6.7	108	1	1	4	8	12	16	70
B. Operated	4	3.3	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	466	8.6	63	2	4	7	10	15	22	51
B. Operated	85	13.5	170	3	6	10	15	31	37	69
1. SINGLE DX	51	6.4	101	1	1	4	8	11	16	69
2. MULTIPLE DX	551	9.3	82	2	4	7	11	18	27	58
A. Not Operated	513	8.4	67	2	4	7	10	15	22	54
B. Operated	89	13.0	167	2	5	10	14	31	35	68
TOTAL										
0-19 YRS	2	15.0	338	2	2	15	28	28	28	28
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	3.5	18	1	1	2	3	12	13	13
50-64	78	7.2	56	1	3	5	9	13	23	45
65 +	509	9.5	88	3	4	7	11	18	27	63
GRAND TOTAL	**602**	**9.1**	**84**	**2**	**4**	**7**	**11**	**17**	**25**	**58**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.7	27	2	2	4	5	15	16	16
20-34	120	6.5	18	2	3	6	9	13	14	21
35-49	151	7.0	21	2	4	7	9	13	14	24
50-64	53	7.5	15	2	5	8	10	12	14	19
65 +	4	9.3	64	3	4	6	14	21	21	21
B. Operated										
0-19 YRS	0									
20-34	11	4.3	8	2	2	3	7	9	9	9
35-49	13	3.5	12	1	1	2	5	10	10	10
50-64	4	2.8	6	1	1	2	4	6	6	6
65 +	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.1	15	2	3	5	7	12	14	14
20-34	155	8.2	24	3	5	8	10	14	18	35
35-49	392	8.7	41	3	5	7	11	15	18	31
50-64	144	8.9	34	3	5	8	11	15	19	34
65 +	32	8.1	24	3	4	7	10	17	17	17
B. Operated										
0-19 YRS	3	25.3	505	6	9	20	42	50	50	50
20-34	22	9.1	72	2	5	7	11	14	27	43
35-49	57	10.8	77	2	6	8	14	28	35	95
50-64	47	14.6	309	3	6	9	14	39	63	99 +
65 +	6	17.0	123	3	8	22	28	86	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	334	6.9	20	2	4	6	10	13	14	21
B. Operated	30	3.9	11	1	1	2	6	9	10	12
2. MULTIPLE DX										
A. Not Operated	737	8.6	35	3	5	8	11	15	18	33
B. Operated	135	12.4	171	2	6	9	14	31	47	99 +
1. SINGLE DX	364	6.7	20	2	3	6	9	13	14	21
2. MULTIPLE DX	872	9.2	57	3	5	8	11	16	21	48
A. Not Operated	1071	8.1	30	3	4	7	10	14	17	29
B. Operated	165	10.9	153	1	4	8	12	28	42	99 +
TOTAL										
0-19 YRS	23	8.5	106	2	3	5	10	17	30	50
20-34	308	7.5	26	2	4	7	10	13	16	30
35-49	613	8.4	40	2	4	7	10	15	18	34
50-64	248	9.6	87	3	5	8	11	15	26	59
65 +	44	9.4	47	2	4	8	14	21	27	99 +
GRAND TOTAL	**1236**	**8.4**	**48**	**2**	**4**	**7**	**10**	**15**	**19**	**36**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	591	3.1	8	1	1	2	4	6	8	14
20-34	266	3.6	12	1	2	3	4	6	9	20
35-49	141	3.1	6	1	1	2	4	6	8	12
50-64	65	3.3	8	1	1	3	4	6	10	13
65 +	42	3.4	7	1	1	3	4	7	9	12
B. Operated										
0-19 YRS	16	11.0	44	1	8	9	16	21	22	23
20-34	14	14.3	88	3	7	15	19	25	33	35
35-49	4	15.3	511	2	2	5	28	49	49	49
50-64	4	4.5	6	3	3	4	6	8	8	8
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1317	4.1	23	1	2	3	5	8	12	23
20-34	658	4.9	27	1	2	3	6	9	15	28
35-49	602	5.1	34	1	2	4	6	9	12	28
50-64	605	5.5	19	2	3	4	7	10	13	23
65 +	1068	6.6	29	2	3	5	8	13	17	28
B. Operated										
0-19 YRS	109	15.3	283	2	5	11	19	33	47	98
20-34	79	13.8	231	2	4	7	21	36	50	93
35-49	86	12.5	202	2	4	8	16	27	44	97
50-64	81	12.4	149	2	4	9	16	34	48	99 +
65 +	114	14.7	165	4	7	11	17	29	35	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1105	3.2	9	1	1	2	4	6	8	15
B. Operated	39	11.7	100	2	3	9	17	23	30	49
2. MULTIPLE DX										
A. Not Operated	4250	5.2	27	1	2	4	6	10	14	26
B. Operated	469	13.9	207	2	5	9	18	32	46	99
1. SINGLE DX	1144	3.5	14	1	1	2	4	7	10	19
2. MULTIPLE DX	4719	6.1	52	1	2	4	7	12	18	37
A. Not Operated	5355	4.8	24	1	2	3	6	10	13	24
B. Operated	508	13.7	199	2	5	9	17	31	46	98
TOTAL										
0-19 YRS	2033	4.5	40	1	2	3	5	9	13	31
20-34	1017	5.3	47	1	2	3	6	11	19	37
35-49	833	5.6	55	1	2	4	6	11	16	42
50-64	755	6.1	37	2	3	4	7	12	16	36
65 +	1225	7.2	47	2	3	5	9	15	19	35
GRAND TOTAL	**5863**	**5.6**	**45**	**1**	**2**	**4**	**6**	**12**	**16**	**35**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	236	3.7	14	1	2	3	4	7	9	18
20-34	128	3.5	8	1	2	2	4	8	10	14
35-49	112	3.6	11	1	1	3	4	8	10	19
50-64	53	4.6	12	1	2	3	7	10	12	13
65 +	59	5.0	16	1	2	4	7	11	12	19
B. Operated										
0-19 YRS	297	5.2	33	1	2	4	7	9	11	37
20-34	111	4.0	12	1	1	3	6	8	11	18
35-49	100	3.4	9	1	1	3	5	7	9	15
50-64	58	4.6	36	1	1	3	6	9	10	41
65 +	48	6.1	32	1	2	4	8	14	21	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	437	5.7	80	1	2	3	6	11	18	61
20-34	312	5.0	24	1	2	4	6	10	14	28
35-49	352	5.9	47	1	2	4	7	12	17	46
50-64	373	8.1	60	2	3	6	10	17	25	39
65 +	1126	8.9	66	3	4	7	11	18	23	40
B. Operated										
0-19 YRS	525	8.9	121	1	3	6	10	24	36	99 +
20-34	247	8.8	118	2	3	5	10	20	27	65
35-49	279	9.3	134	1	3	6	12	21	26	99 +
50-64	296	10.7	136	1	3	8	14	27	40	99 +
65 +	531	13.7	157	3	6	11	17	28	36	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	588	3.8	12	1	2	3	4	8	10	17
B. Operated	614	4.7	26	1	2	3	6	9	11	25
2. MULTIPLE DX										
A. Not Operated	2600	7.4	62	2	3	5	9	15	21	43
B. Operated	1878	10.6	139	2	3	7	14	25	35	99 +
1. SINGLE DX	1202	4.3	20	1	2	3	6	8	11	20
2. MULTIPLE DX	4478	8.7	97	2	3	6	11	19	27	67
A. Not Operated	3188	6.7	55	1	3	5	8	14	19	39
B. Operated	2492	9.1	118	1	3	6	11	21	31	84
TOTAL										
0-19 YRS	1495	6.4	78	1	2	4	7	13	24	76
20-34	798	5.8	53	1	2	4	7	12	17	43
35-49	843	6.4	71	1	2	4	8	15	20	50
50-64	780	8.6	88	1	3	6	11	19	29	66
65 +	1764	10.2	97	2	4	7	13	21	27	54
GRAND TOTAL	**5680**	**7.8**	**84**	**1**	**3**	**5**	**9**	**17**	**25**	**57**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	133	2.5	3	1	1	2	3	5	6	8
20-34	258	3.1	7	1	1	2	4	6	8	15
35-49	214	3.5	7	1	2	3	5	7	8	12
50-64	53	3.0	4	1	2	2	4	5	7	9
65 +	13	3.8	3	2	2	3	5	6	8	8
B. Operated										
0-19 YRS	6	2.5	1	1	2	2	3	4	4	4
20-34	21	3.1	8	1	1	2	4	8	10	10
35-49	13	4.8	14	1	2	5	6	9	14	15
50-64	5	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	171	3.3	7	1	1	2	4	7	9	11
20-34	553	5.0	18	1	2	4	7	10	12	24
35-49	577	5.4	16	1	2	4	7	10	13	20
50-64	268	5.1	13	2	2	4	6	10	13	16
65 +	108	5.2	11	2	3	4	7	10	12	16
B. Operated										
0-19 YRS	11	7.0	19	2	3	7	10	13	15	15
20-34	43	6.7	41	2	3	4	8	18	22	27
35-49	55	6.1	22	1	3	5	8	13	15	23
50-64	28	5.8	11	2	3	5	8	11	12	12
65 +	13	6.8	36	2	3	5	8	15	21	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	671	3.1	6	1	1	2	4	6	7	12
B. Operated	45	3.4	9	1	1	2	5	7	10	15
2. MULTIPLE DX										
A. Not Operated	1677	5.0	15	1	2	4	7	10	12	21
B. Operated	150	6.4	26	2	3	5	8	13	17	25
1. SINGLE DX	716	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	1827	5.1	16	1	2	4	7	10	13	22
A. Not Operated	2348	4.4	13	1	2	3	6	9	11	18
B. Operated	195	5.7	23	1	2	4	8	12	15	24
TOTAL										
0-19 YRS	321	3.1	6	1	1	2	4	7	9	11
20-34	875	4.5	16	1	2	3	6	9	11	23
35-49	859	4.9	14	1	2	4	7	10	13	20
50-64	354	4.8	12	2	2	4	6	10	12	15
65 +	134	5.2	13	2	3	4	7	10	12	18
GRAND TOTAL	**2543**	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**12**	**20**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	89	1.1		< 1	< 1	< 1	1	1	2	4
35-49	151	1.1		< 1	< 1	< 1	< 1	1	2	3
50-64	129	1.1		< 1	< 1	< 1	< 1	1	1	3
65 +	102	1.0		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	10	3.4	6	< 1	2	3	4	7	9	9
50-64	11	2.7	3	< 1	< 1	2	4	6	6	6
65 +	10	2.9	2	2	2	2	4	5	6	6
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	25	2.8	7	< 1	1	1	3	8	8	9
35-49	57	2.5	7	< 1	1	1	3	5	8	16
50-64	65	2.2	5	< 1	1	1	2	3	8	12
65 +	53	2.5	6	< 1	1	1	3	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.6	1	2	2	2	3	4	4	4
B. Operated	472	1.1		< 1	< 1	< 1	< 1	1	2	3
2. MULTIPLE DX										
A. Not Operated	37	3.1	3	< 1	2	3	4	6	6	9
B. Operated	202	2.4	6	< 1	1	1	3	6	8	11
1. SINGLE DX	477	1.1		< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX	239	2.5	6	< 1	1	2	3	6	8	11
A. Not Operated	42	3.0	3	1	2	3	4	6	6	9
B. Operated	674	1.5	2	< 1	< 1	< 1	1	2	4	9
TOTAL										
0-19 YRS	6	1.5	1	< 1	1	1	2	3	3	3
20-34	118	1.6	2	< 1	< 1	< 1	1	3	6	8
35-49	220	1.6	3	< 1	< 1	< 1	1	3	4	9
50-64	206	1.5	2	< 1	< 1	< 1	1	3	4	10
65 +	166	1.6	2	< 1	< 1	< 1	1	3	5	9
GRAND TOTAL	**716**	**1.6**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**	**9**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	6.3	73	1	2	4	7	13	23	51
20-34	53	4.6	18	1	2	3	6	9	12	25
35-49	69	3.7	13	1	2	3	5	7	10	23
50-64	68	3.4	13	1	1	2	4	7	10	22
65 +	22	4.6	15	1	2	4	6	11	13	15
B. Operated										
0-19 YRS	47	4.8	69	1	1	2	4	9	22	49
20-34	218	2.8	8	1	1	2	4	5	7	14
35-49	259	3.0	18	1	1	2	4	6	7	14
50-64	189	2.3	4	1	1	2	3	5	6	8
65 +	104	2.6	7	1	1	1	3	7	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	8.3	113	1	2	4	10	22	35	51
20-34	87	6.5	56	1	2	4	7	14	28	32
35-49	171	6.0	61	1	2	4	7	13	16	46
50-64	267	5.3	25	2	2	4	7	11	13	21
65 +	451	6.7	30	2	3	5	9	14	17	26
B. Operated										
0-19 YRS	46	6.1	76	1	1	3	6	19	26	38
20-34	181	5.0	77	1	2	3	5	10	15	80
35-49	261	5.0	49	1	1	3	6	11	22	40
50-64	257	6.1	53	1	2	4	7	16	22	36
65 +	303	8.3	108	1	2	5	11	20	30	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	4.5	28	1	2	3	5	9	13	25
B. Operated	817	2.8	14	1	1	2	3	6	7	15
2. MULTIPLE DX										
A. Not Operated	1032	6.3	41	1	3	4	8	13	17	33
B. Operated	1048	6.3	74	1	2	3	7	16	23	69
1. SINGLE DX	1087	3.2	18	1	1	2	4	6	9	22
2. MULTIPLE DX	2080	6.3	58	1	2	4	8	14	20	42
A. Not Operated	1302	5.9	39	1	2	4	8	12	16	30
B. Operated	1865	4.8	51	1	1	2	5	11	17	41
TOTAL										
0-19 YRS	207	6.5	84	1	1	3	7	17	25	50
20-34	539	4.3	41	1	1	3	5	8	12	30
35-49	760	4.4	39	1	1	3	5	9	14	34
50-64	781	4.7	30	1	1	3	6	10	14	27
65 +	880	6.7	57	1	2	4	9	15	20	47
GRAND TOTAL	**3167**	**5.2**	**46**	**1**	**2**	**3**	**6**	**12**	**17**	**37**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	62	2.4	3	1	1	2	3	5	6	7
20-34	93	2.4	3	1	1	2	3	4	5	11
35-49	141	2.2	2	1	1	2	3	4	5	8
50-64	240	2.0	2	1	1	2	2	3	5	6
65 +	235	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	1.6	2	< 1	< 1	1	2	4	4	4
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	10	1.9	2	< 1	1	1	2	4	5	5
65 +	7	3.4	10	1	1	2	4	9	10	10
B. Operated										
0-19 YRS	51	3.2	6	1	1	3	4	6	8	13
20-34	121	3.0	6	1	2	2	4	6	6	44
35-49	186	2.6	4	1	1	2	3	5	6	12
50-64	366	2.7	4	1	1	2	3	5	6	10
65 +	512	2.9	4	1	1	2	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	2	< 1	1	2	3	4	4	4
B. Operated	771	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	27	2.1	4	< 1	1	1	2	4	6	10
B. Operated	1236	2.8	4	1	1	2	3	5	6	11
1. SINGLE DX	777	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1263	2.8	4	1	1	2	3	5	6	11
A. Not Operated	33	2.1	3	< 1	1	1	2	4	5	10
B. Operated	2007	2.6	3	1	1	2	3	5	6	10
TOTAL										
0-19 YRS	116	2.7	4	1	1	2	4	6	7	10
20-34	221	2.7	5	1	1	2	3	5	6	15
35-49	332	2.4	3	1	1	2	3	4	5	10
50-64	617	2.4	3	1	1	2	3	4	6	10
65 +	754	2.6	3	1	1	2	3	5	6	10
GRAND TOTAL	**2040**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		1	1	1	2	2	2	2
50-64	6	1.3	1	< 1	< 1	1	1	3	3	3
65 +	8	2.0	1	1	1	2	2	4	4	4
B. Operated										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	5	2.2	1	1	1	2	3	4	4	4
35-49	18	1.7	1	< 1	1	2	2	3	3	3
50-64	48	2.2	3	< 1	1	2	2	3	5	10
65 +	74	2.4	3	< 1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	1.8	1	1	1	2	3	3	3	3
50-64	11	1.6		1	1	2	2	3	3	3
65 +	33	3.2	11	1	1	2	4	6	13	15
B. Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	9	2.8	3	1	2	2	3	6	7	7
35-49	26	3.3	5	1	2	3	4	8	8	9
50-64	87	3.0	4	1	2	3	3	6	7	66
65 +	333	3.4	13	1	2	3	4	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.5	1	< 1	1	1	2	3	3	4
B. Operated	151	2.2	2	< 1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	52	2.7	8	1	1	2	3	4	9	15
B. Operated	459	3.3	10	1	2	2	4	6	8	19
1. SINGLE DX	172	2.1	2	< 1	1	2	3	4	4	10
2. MULTIPLE DX	511	3.2	10	1	2	2	4	6	8	17
A. Not Operated	73	2.3	6	1	1	2	3	4	5	15
B. Operated	610	3.0	9	1	2	2	3	5	7	14
TOTAL										
0-19 YRS	13	1.9	1	1	1	2	3	3	4	4
20-34	17	2.4	2	1	2	2	3	4	6	7
35-49	53	2.5	4	1	1	2	3	5	7	9
50-64	152	2.6	3	1	2	2	3	4	6	12
65 +	448	3.2	11	1	2	2	4	5	8	15
GRAND TOTAL	**683**	**3.0**	**8**	**1**	**2**	**2**	**3**	**5**	**7**	**14**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	5	7.2	163	1	1	1	10	30	30	30
B. Operated										
0-19 YRS	5	3.4	7	1	1	3	5	7	7	7
20-34	8	2.1	1	1	1	2	3	4	4	4
35-49	14	3.0	4	< 1	1	3	4	6	7	8
50-64	23	2.3	1	1	2	2	3	4	5	5
65 +	56	2.3	4	< 1	< 1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	3.0		3	3	3	3	3	3	3
65 +	16	3.1	8	1	1	2	3	8	10	11
B. Operated										
0-19 YRS	6	2.2	1	1	2	2	3	3	3	3
20-34	15	3.7	7	1	2	3	5	8	9	10
35-49	20	3.9	7	1	2	3	5	8	9	10
50-64	46	3.5	14	1	1	2	4	8	10	23
65 +	108	3.0	6	1	1	2	3	7	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.9	104	< 1	1	1	2	22	30	30
B. Operated	106	2.4	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	27	2.9	5	1	2	2	3	4	9	11
B. Operated	195	3.2	8	1	1	2	4	7	9	12
1. SINGLE DX	114	2.6	10	< 1	1	2	3	5	7	17
2. MULTIPLE DX	222	3.2	8	1	2	2	4	7	9	11
A. Not Operated	35	3.3	26	1	1	2	3	4	10	30
B. Operated	301	2.9	6	1	1	2	3	6	8	11
TOTAL										
0-19 YRS	14	2.6	3	1	1	2	3	5	7	7
20-34	28	2.9	5	1	1	2	3	6	8	10
35-49	38	3.4	5	1	2	3	4	7	9	10
50-64	71	3.1	10	1	2	2	4	6	8	20
65 +	185	2.9	9	1	1	2	3	7	9	12
GRAND TOTAL	**336**	**3.0**	**8**	**1**	**1**	**2**	**3**	**6**	**9**	**11**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	1.2		< 1	1	1	1	2	2	3
20-34	8	1.0		< 1	< 1	1	1	1	1	1
35-49	49	1.1		< 1	< 1	< 1	< 1	1	1	4
50-64	230	1.0		< 1	< 1	< 1	< 1	1	1	2
65 +	1756	1.0		< 1	< 1	< 1	< 1	< 1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	4	1.3		< 1	< 1	1	2	2	2	2
65 +	28	2.1	6	< 1	< 1	< 1	1	6	8	11
B. Operated										
0-19 YRS	28	2.5	4	1	1	2	4	6	7	7
20-34	10	2.0	2	< 1	1	1	3	4	5	5
35-49	39	2.2	3	< 1	1	2	3	5	6	6
50-64	109	2.0	5	< 1	1	1	2	3	5	15
65 +	804	1.7	6	< 1	1	1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	2069	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	34	1.9	5	< 1	< 1	< 1	1	5	7	11
B. Operated	990	1.8	6	< 1	1	1	2	3	4	8
1. SINGLE DX	2070	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	1024	1.8	6	< 1	1	1	2	3	4	9
A. Not Operated	35	1.9	5	< 1	< 1	< 1	1	5	7	11
B. Operated	3059	1.3	2	< 1	< 1	< 1	1	2	2	6
TOTAL										
0-19 YRS	55	1.9	2	1	1	1	2	4	6	7
20-34	18	1.6	1	< 1	1	1	1	4	5	5
35-49	90	1.5	1	< 1	< 1	1	1	3	5	6
50-64	343	1.3	2	< 1	< 1	< 1	1	2	3	8
65 +	2588	1.2	2	< 1	< 1	< 1	1	2	2	5
GRAND TOTAL	**3094**	**1.3**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**2**	**6**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	4	3.0	3	< 1	1	3	4	5	5	5
35-49	6	2.5	3	1	1	2	4	5	5	5
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	79	1.1		< 1	< 1	1	1	1	2	5
20-34	7	1.3	1	< 1	< 1	< 1	1	3	3	3
35-49	8	1.1		< 1	< 1	< 1	1	2	2	2
50-64	9	2.0	4	< 1	< 1	1	2	5	7	7
65 +	7	2.3	4	< 1	< 1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.9	6	< 1	1	2	4	8	8	8
20-34	6	3.5	8	1	2	3	4	8	9	9
35-49	6	3.0	3	1	2	3	4	6	6	6
50-64	15	3.9	7	2	2	4	5	7	10	11
65 +	32	4.5	7	2	2	4	6	9	10	11
B. Operated										
0-19 YRS	57	1.2		< 1	1	1	1	2	3	3
20-34	10	5.0	74	< 1	1	2	5	17	29	29
35-49	11	3.4	29	< 1	1	1	3	11	18	19
50-64	9	3.3	4	< 1	1	4	4	6	7	7
65 +	13	3.7	10	< 1	1	3	5	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.3	2	1	1	2	4	5	5	5
B. Operated	110	1.3	1	< 1	< 1	1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	72	3.9	7	1	2	3	5	8	10	11
B. Operated	100	2.4	13	< 1	1	1	2	5	7	24
1. SINGLE DX	127	1.4	1	< 1	< 1	1	1	2	4	6
2. MULTIPLE DX	172	3.0	11	1	1	2	4	7	8	17
A. Not Operated	89	3.6	6	1	2	3	5	7	9	11
B. Operated	210	1.8	7	< 1	1	1	1	3	6	14
TOTAL										
0-19 YRS	155	1.3	1	< 1	1	1	1	2	3	8
20-34	27	3.4	30	< 1	1	2	4	6	12	29
35-49	31	2.5	12	< 1	1	1	3	5	6	19
50-64	33	3.2	6	< 1	1	3	4	7	7	11
65 +	53	3.9	8	1	2	3	6	8	10	11
GRAND TOTAL	**299**	**2.3**	**7**	**< 1**	**1**	**1**	**3**	**5**	**7**	**11**

354 Hospitals, North Central Region, January-December 1988

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	2.8	3	1	2	2	3	5	5	12
20-34	24	2.8	3	1	2	2	3	6	7	8
35-49	16	5.0	7	2	3	4	8	8	9	9
50-64	7	5.3	20	2	3	3	6	13	15	15
65 +	15	4.4	7	< 1	1	5	7	7	8	8
B. Operated										
0-19 YRS	52	1.7	2	< 1	1	1	2	4	5	6
20-34	62	1.7	1	< 1	1	1	2	3	4	7
35-49	89	1.7	3	< 1	1	1	2	3	3	11
50-64	92	1.3	1	< 1	< 1	1	2	2	2	5
65 +	245	1.8	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	181	3.4	5	1	2	3	4	6	8	11
20-34	32	5.2	9	2	4	5	6	9	10	16
35-49	27	5.0	7	2	3	5	6	8	10	12
50-64	25	6.1	28	1	3	5	7	11	20	23
65 +	87	5.9	14	2	3	5	8	11	13	18
B. Operated										
0-19 YRS	56	3.7	24	1	1	2	4	6	14	29
20-34	52	2.9	17	< 1	1	2	3	6	8	22
35-49	113	2.2	5	1	1	1	3	5	7	11
50-64	185	2.9	12	1	1	2	3	6	9	19
65 +	726	2.9	11	1	1	2	3	4	7	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	3.3	5	1	2	3	4	7	8	14
B. Operated	540	1.7	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	352	4.5	11	1	2	4	6	9	10	18
B. Operated	1132	2.9	12	1	1	2	3	5	8	19
1. SINGLE DX	693	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1484	3.3	12	1	1	2	4	6	9	19
A. Not Operated	505	4.1	9	1	2	3	5	8	10	16
B. Operated	1672	2.5	9	< 1	1	2	3	4	7	17
TOTAL										
0-19 YRS	380	3.0	7	1	1	2	4	5	7	15
20-34	170	2.9	9	< 1	1	2	4	6	8	20
35-49	245	2.5	6	< 1	1	1	3	6	8	12
50-64	309	2.7	12	< 1	1	2	3	6	9	19
65 +	1073	2.9	10	< 1	1	2	3	6	8	17
GRAND TOTAL	**2177**	**2.9**	**9**	**< 1**	**1**	**2**	**3**	**6**	**8**	**16**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	399	3.0	2	1	2	3	4	5	6	8
20-34	36	3.9	4	1	2	4	6	7	7	7
35-49	35	3.9	5	1	2	4	5	7	7	11
50-64	16	2.5	2	1	1	2	3	4	6	7
65 +	17	4.2	8	1	2	3	7	8	9	10
B. Operated										
0-19 YRS	113	2.0	2	1	1	2	2	3	6	8
20-34	39	2.5	5	1	1	1	4	6	8	9
35-49	27	3.0	5	1	1	2	4	6	7	10
50-64	52	2.3	2	< 1	1	2	2	5	6	7
65 +	144	2.1	4	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	667	3.8	6	2	2	3	4	7	8	12
20-34	76	4.6	7	2	3	4	6	8	9	15
35-49	64	5.3	17	1	3	4	7	10	13	23
50-64	77	4.5	11	1	3	4	5	9	11	18
65 +	162	5.0	12	1	2	4	7	9	11	17
B. Operated										
0-19 YRS	116	5.2	55	1	1	3	7	11	14	38
20-34	111	3.5	11	1	2	2	4	7	10	18
35-49	128	4.4	40	1	2	2	5	9	15	37
50-64	219	3.7	18	1	2	2	4	8	10	27
65 +	448	3.4	14	1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	503	3.1	3	1	2	3	4	6	7	8
B. Operated	375	2.2	4	< 1	1	2	2	5	6	9
2. MULTIPLE DX										
A. Not Operated	1046	4.2	8	2	2	3	5	7	10	15
B. Operated	1022	3.8	22	1	2	2	4	8	11	21
1. SINGLE DX	878	2.8	3	1	1	2	3	5	7	9
2. MULTIPLE DX	2068	4.0	15	1	2	3	5	8	10	18
A. Not Operated	1549	3.8	7	1	2	3	5	7	8	13
B. Operated	1397	3.4	18	1	1	2	4	7	10	19
TOTAL										
0-19 YRS	1295	3.5	9	1	2	3	4	6	8	13
20-34	262	3.7	8	1	2	3	5	7	9	14
35-49	254	4.4	26	1	2	3	5	9	12	25
50-64	364	3.6	14	1	2	2	4	7	10	19
65 +	771	3.5	12	1	1	2	5	8	10	18
GRAND TOTAL	**2946**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**16**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.5	3	1	1	2	3	5	6	6
20-34	4	3.0	3	< 1	1	3	4	5	5	5
35-49	5	1.6	2	< 1	< 1	1	2	4	4	4
50-64	4	2.3	4	< 1	< 1	1	3	5	5	5
65 +	0									
B. Operated										
0-19 YRS	5	1.6	1	1	1	1	2	3	3	3
20-34	12	1.3		1	1	1	2	2	2	2
35-49	5	2.6	3	< 1	1	2	4	5	5	5
50-64	6	3.7	9	< 1	1	2	7	8	8	8
65 +	6	1.3		< 1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.1	2	1	1	1	3	4	5	5
20-34	21	2.4	2	1	1	2	3	5	5	6
35-49	12	3.8	13	1	1	2	5	10	12	12
50-64	19	2.9	2	1	2	3	3	5	6	7
65 +	44	4.2	16	1	2	3	5	10	15	18
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	13	2.2	7	1	1	1	2	5	10	11
35-49	10	2.7	3	1	1	2	4	5	6	6
50-64	20	2.7	5	1	1	2	3	6	7	8
65 +	30	3.3	12	1	1	2	4	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.3	3	< 1	1	2	3	5	5	6
B. Operated	34	2.0	3	1	1	1	2	4	7	8
2. MULTIPLE DX										
A. Not Operated	110	3.3	9	1	1	2	4	6	10	17
B. Operated	75	2.8	8	1	1	2	3	6	9	15
1. SINGLE DX	60	2.1	3	< 1	1	1	3	5	6	8
2. MULTIPLE DX	185	3.1	9	1	1	2	4	6	10	16
A. Not Operated	136	3.1	8	1	1	2	4	6	9	16
B. Operated	109	2.6	6	1	1	2	3	6	8	13
TOTAL										
0-19 YRS	34	2.1	2	1	1	2	3	4	5	6
20-34	50	2.2	3	1	1	2	2	4	5	11
35-49	32	2.9	7	1	1	2	4	6	9	12
50-64	49	2.9	4	1	1	2	3	6	7	8
65 +	80	3.7	14	1	1	2	4	9	13	17
GRAND TOTAL	**245**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	363	2.5	4	1	2	2	3	4	4	9
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	3.8	4	1	2	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	437	1.2	1	< 1	< 1	1	1	1	3	7
20-34	94	1.1		1	1	1	1	2	2	3
35-49	86	1.2		1	1	1	1	2	2	4
50-64	85	1.2		1	1	1	1	2	2	4
65 +	41	1.9	23	< 1	1	1	1	2	2	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1544	2.8	4	1	2	2	3	5	6	10
20-34	42	3.5	8	1	2	3	5	7	10	14
35-49	25	4.4	7	1	3	4	6	7	10	11
50-64	15	3.6	7	< 1	2	3	4	8	9	10
65 +	23	5.5	20	1	3	4	7	14	15	16
B. Operated										
0-19 YRS	860	1.9	9	< 1	1	1	1	3	6	14
20-34	141	1.5	3	1	1	1	1	2	3	15
35-49	138	1.3	1	1	1	1	1	2	3	7
50-64	137	1.5	3	1	1	1	1	2	4	11
65 +	79	1.9	5	1	1	1	2	3	6	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	371	2.5	4	1	2	2	3	4	4	8
B. Operated	743	1.3	2	< 1	< 1	1	1	2	2	6
2. MULTIPLE DX										
A. Not Operated	1649	2.9	4	1	2	3	3	5	6	11
B. Operated	1355	1.7	7	1	1	1	1	3	5	14
1. SINGLE DX	1114	1.7	3	< 1	1	1	2	3	4	6
2. MULTIPLE DX	3004	2.4	6	1	1	2	3	4	6	12
A. Not Operated	2020	2.9	4	1	2	2	3	5	6	11
B. Operated	2098	1.6	5	< 1	1	1	1	2	4	10
TOTAL										
0-19 YRS	3204	2.3	5	< 1	1	2	3	4	5	10
20-34	280	1.7	3	1	1	1	2	3	5	13
35-49	250	1.6	2	1	1	1	1	3	5	7
50-64	241	1.6	3	1	1	1	1	3	4	10
65 +	143	2.5	14	< 1	1	1	2	5	9	17
GRAND TOTAL	**4118**	**2.2**	**5**	**1**	**1**	**1**	**3**	**4**	**5**	**11**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	102	3.4	7	1	2	3	4	7	9	13
20-34	31	3.8	12	2	2	3	4	5	6	21
35-49	13	3.5	8	1	2	2	4	8	10	10
50-64	5	8.4	46	3	4	7	11	20	20	20
65 +	7	5.3	6	2	3	6	7	8	8	8
B. Operated										
0-19 YRS	77	2.8	5	< 1	1	2	4	7	8	11
20-34	15	4.4	61	1	1	1	3	10	26	31
35-49	17	3.4	24	1	1	1	3	11	17	19
50-64	14	1.4		< 1	1	1	2	2	3	3
65 +	14	1.4	1	< 1	1	1	2	2	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	286	3.4	5	1	2	3	4	6	8	12
20-34	68	4.8	16	2	3	4	5	9	12	23
35-49	56	4.2	3	2	3	4	5	7	8	11
50-64	45	5.0	7	2	3	5	7	8	10	11
65 +	58	7.2	33	3	3	6	9	13	23	27
B. Operated										
0-19 YRS	191	3.8	39	1	1	2	5	9	11	25
20-34	58	2.3	7	1	1	1	2	6	9	12
35-49	63	2.8	13	1	1	2	3	5	9	23
50-64	53	2.8	9	1	1	1	3	7	9	16
65 +	49	9.8	151	1	1	4	14	31	39	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	3.7	10	1	2	3	4	7	9	20
B. Operated	137	2.8	13	< 1	1	1	3	7	8	21
2. MULTIPLE DX										
A. Not Operated	513	4.3	11	2	2	3	5	8	10	20
B. Operated	414	4.0	45	1	1	1	4	10	14	38
1. SINGLE DX	295	3.3	11	1	1	2	4	7	8	20
2. MULTIPLE DX	927	4.1	26	1	1	3	5	8	11	26
A. Not Operated	671	4.1	11	2	2	3	5	8	10	20
B. Operated	551	3.7	37	1	1	1	4	8	13	33
TOTAL										
0-19 YRS	656	3.5	16	1	1	3	4	7	9	16
20-34	172	3.7	17	1	1	3	4	7	10	23
35-49	149	3.4	11	1	1	3	4	7	9	19
50-64	117	3.7	11	1	1	3	5	8	10	17
65 +	128	7.4	79	1	2	4	9	17	27	43
GRAND TOTAL	**1222**	**3.9**	**23**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.5	3	1	1	2	4	5	6	6
20-34	42	2.5	2	1	2	2	3	4	5	9
35-49	71	2.6	4	1	1	2	3	5	6	12
50-64	119	2.5	2	1	1	2	3	5	5	7
65 +	131	3.0	3	1	2	3	4	5	6	9
B. Operated										
0-19 YRS	6	2.0	2	< 1	1	1	2	5	5	5
20-34	44	2.2	3	1	1	1	3	4	7	8
35-49	78	2.4	4	1	1	1	3	6	7	8
50-64	77	2.5	3	1	1	2	3	5	7	8
65 +	30	2.3	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	3.2	7	1	2	3	4	5	9	13
20-34	89	3.1	4	1	2	3	4	5	6	11
35-49	213	3.3	4	1	2	3	4	6	7	10
50-64	519	3.6	6	1	2	3	5	6	7	13
65 +	987	4.0	7	2	2	3	5	7	9	13
B. Operated										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	31	3.7	7	1	2	3	4	8	9	11
35-49	59	4.1	9	1	3	3	5	8	10	17
50-64	65	4.8	13	1	3	4	6	9	12	19
65 +	79	6.5	24	2	3	5	9	14	18	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	373	2.7	3	1	2	2	3	5	6	9
B. Operated	235	2.4	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
A. Not Operated	1830	3.7	6	1	2	3	5	7	8	13
B. Operated	237	5.0	16	1	3	4	6	10	13	19
1. SINGLE DX	608	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	2067	3.9	7	1	2	3	5	7	9	14
A. Not Operated	2203	3.5	6	1	2	3	5	6	8	13
B. Operated	472	3.7	11	1	1	3	5	8	10	19
TOTAL										
0-19 YRS	41	2.8	5	1	1	3	3	5	6	13
20-34	206	2.9	4	1	2	2	4	5	8	10
35-49	421	3.1	5	1	2	3	4	6	8	10
50-64	780	3.4	6	1	2	3	4	6	7	13
65 +	1227	4.0	8	1	2	3	5	7	9	14
GRAND TOTAL	**2675**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	13	1.3		1	1	1	2	2	3	3
20-34	81	1.2		1	1	1	1	2	2	4
35-49	162	1.2		1	1	1	1	2	2	2
50-64	113	1.2		1	1	1	1	2	2	3
65 +	43	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	4	3.0	8	1	1	2	5	7	7	7
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	46	1.4	1	1	1	1	2	2	3	5
35-49	57	1.4		1	1	1	2	2	3	4
50-64	46	1.3		1	1	1	2	2	2	3
65 +	35	1.6	1	1	1	1	2	2	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	412	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	6	2.3	6	< 1	1	1	3	7	7	7
B. Operated	187	1.4	1	1	1	1	2	2	3	5
1. SINGLE DX	414	1.2		1	1	1	1	2	2	3
2. MULTIPLE DX	193	1.4	1	1	1	1	2	2	3	5
A. Not Operated	8	2.1	4	< 1	1	1	2	6	7	7
B. Operated	599	1.3		1	1	1	1	2	2	3
TOTAL										
0-19 YRS	17	1.3		1	1	1	2	2	3	3
20-34	128	1.3		1	1	1	2	2	2	4
35-49	220	1.2		1	1	1	1	2	2	3
50-64	160	1.3		1	1	1	2	2	2	3
65 +	82	1.5	1	1	1	1	2	2	3	6
GRAND TOTAL	**607**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**	**4**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.1	18	1	2	6	8	12	14	14
20-34	6	2.8	6	< 1	< 1	2	4	7	7	7
35-49	10	2.8	3	< 1	1	3	4	5	6	6
50-64	12	2.8	2	< 1	1	3	4	5	5	5
65 +	6	3.2	2	1	3	3	4	5	5	5
B. Operated										
0-19 YRS	428	1.1		< 1	1	1	1	1	2	3
20-34	145	1.2		1	1	1	1	2	2	4
35-49	107	1.2		< 1	1	1	1	2	2	5
50-64	83	1.2	1	< 1	1	1	1	1	2	7
65 +	35	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.5	7	< 1	1	2	6	7	8	8
20-34	14	3.5	5	1	2	3	4	6	9	10
35-49	13	3.8	8	1	2	3	5	7	11	12
50-64	21	4.6	9	1	2	4	7	9	10	11
65 +	23	4.0	5	1	3	4	5	7	9	10
B. Operated										
0-19 YRS	448	1.2	1	1	1	1	1	1	2	4
20-34	178	1.5	2	1	1	1	2	2	3	8
35-49	166	1.5	2	1	1	1	1	3	4	8
50-64	142	1.6	3	1	1	1	2	3	4	9
65 +	78	2.1	6	1	1	1	2	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.5	7	< 1	1	3	4	7	8	14
B. Operated	798	1.1		< 1	1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	92	3.9	7	1	2	3	5	8	10	12
B. Operated	1012	1.4	2	1	1	1	1	2	3	8
1. SINGLE DX	840	1.3	1	< 1	1	1	1	2	2	6
2. MULTIPLE DX	1104	1.6	3	1	1	1	1	3	5	9
A. Not Operated	134	3.8	7	< 1	2	3	5	8	9	12
B. Operated	1810	1.3	1	1	1	1	1	2	2	7
TOTAL										
0-19 YRS	905	1.2	1	1	1	1	1	1	2	7
20-34	343	1.5	2	1	1	1	1	2	3	7
35-49	296	1.5	2	1	1	1	1	3	4	8
50-64	258	1.8	4	1	1	1	2	3	5	10
65 +	142	2.2	5	1	1	1	3	5	7	13
GRAND TOTAL	**1944**	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**4**	**8**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	4.7	12	2	2	3	6	9	10	20
20-34	7	4.7	9	2	3	4	5	10	11	11
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	7.0	25	2	3	5	10	14	17	21
20-34	4	5.0	5	3	3	4	6	8	8	8
35-49	10	9.3	142	< 1	3	7	8	26	42	42
50-64	10	4.3	3	2	3	4	6	7	7	7
65 +	8	5.1	3	3	4	5	6	8	9	9
B. Operated										
0-19 YRS	5	18.0	816	4	4	5	23	69	69	69
20-34	0									
35-49	3	8.3	1	7	7	9	9	9	9	9
50-64	7	11.0	83	2	5	9	14	26	29	29
65 +	6	12.2	114	1	2	12	16	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	4.6	12	2	2	3	6	9	10	19
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	75	6.6	34	2	3	5	8	13	16	37
B. Operated	21	12.6	227	2	5	9	14	29	48	69
1. SINGLE DX	65	4.6	12	2	2	3	6	9	10	19
2. MULTIPLE DX	96	7.9	81	2	4	5	9	15	20	57
A. Not Operated	140	5.7	25	2	3	4	7	11	14	23
B. Operated	21	12.6	227	2	5	9	14	29	48	69
TOTAL										
0-19 YRS	102	6.3	57	2	3	4	7	12	16	44
20-34	11	4.8	7	2	3	4	5	9	11	11
35-49	15	8.5	95	1	3	7	9	11	34	42
50-64	19	6.4	43	1	3	5	7	13	23	29
65 +	14	8.1	59	2	4	5	10	17	27	30
GRAND TOTAL	**161**	**6.6**	**55**	**2**	**3**	**5**	**8**	**12**	**16**	**41**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	5.3	34	< 1	1	3	10	12	12	12
B. Operated										
0-19 YRS	8	3.6	8	1	1	2	6	8	8	8
20-34	12	4.8	11	1	2	4	8	9	10	10
35-49	39	5.8	31	1	1	5	9	13	15	27
50-64	37	5.2	29	1	1	2	9	14	16	18
65 +	11	4.5	24	1	1	2	7	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.8	8	1	2	3	4	9	9	9
20-34	13	4.0	8	1	2	3	5	9	10	10
35-49	35	5.9	50	2	2	4	8	10	13	42
50-64	55	6.1	30	2	2	4	8	15	17	29
65 +	152	7.3	24	3	4	6	9	13	15	29
B. Operated										
0-19 YRS	19	7.9	47	< 1	2	8	12	18	22	23
20-34	20	8.8	81	1	2	7	11	23	29	34
35-49	130	9.1	103	1	2	9	11	17	20	66
50-64	270	10.4	104	1	2	9	13	21	27	58
65 +	296	12.6	138	1	3	10	17	26	40	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.1	14	< 1	2	3	5	11	12	12
B. Operated	107	5.2	25	1	1	3	8	13	14	22
2. MULTIPLE DX										
A. Not Operated	261	6.6	28	2	3	5	8	13	16	30
B. Operated	735	10.9	117	1	3	9	14	23	31	61
1. SINGLE DX	114	5.1	25	1	1	3	8	12	14	21
2. MULTIPLE DX	996	9.8	97	1	3	8	13	20	27	55
A. Not Operated	268	6.5	28	2	3	5	8	13	15	30
B. Operated	842	10.2	109	1	2	9	13	21	28	58
TOTAL										
0-19 YRS	33	6.2	34	1	2	4	9	15	19	23
20-34	45	6.3	44	1	2	4	8	11	22	34
35-49	207	7.9	81	1	2	6	10	15	19	51
50-64	363	9.2	89	1	2	8	12	17	25	47
65 +	462	10.6	104	2	3	8	14	23	31	56
GRAND TOTAL	**1110**	**9.3**	**92**	**1**	**2**	**8**	**12**	**19**	**26**	**50**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.5	5	1	1	2	3	6	8	9
20-34	33	3.0	4	1	2	2	5	5	6	9
35-49	130	3.1	4	1	2	2	4	6	6	9
50-64	117	3.3	5	1	2	3	4	7	8	11
65 +	79	3.4	5	1	2	3	5	6	8	12
B. Operated										
0-19 YRS	6	2.3	3	1	1	2	2	6	6	6
20-34	10	2.0	2	1	1	1	3	4	5	5
35-49	14	2.3	4	< 1	1	2	3	4	7	8
50-64	23	2.3	3	< 1	1	2	3	4	6	8
65 +	5	3.4	18	< 1	1	2	4	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	4.1	15	1	2	3	5	8	11	23
20-34	159	4.3	42	1	2	3	5	8	11	17
35-49	609	4.5	13	2	2	4	6	8	11	17
50-64	929	4.5	9	2	3	4	6	8	10	17
55 +	1184	5.2	20	2	3	4	6	9	12	21
B. Operated										
0-19 YRS	20	6.7	67	1	1	3	8	20	28	29
20-34	37	5.9	18	1	3	5	7	12	15	18
35-49	111	5.8	15	1	3	5	8	11	13	18
50-64	182	6.2	41	1	2	4	8	13	17	39
65 +	202	7.2	67	1	2	5	9	14	20	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	376	3.2	4	1	2	3	4	6	7	11
B. Operated	58	2.3	4	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	2950	4.7	17	2	3	4	6	8	11	20
B. Operated	552	6.5	45	1	2	5	8	13	17	40
1. SINGLE DX	434	3.1	4	1	2	2	4	6	7	11
2. MULTIPLE DX	3502	5.0	21	2	3	4	6	9	12	21
A. Not Operated	3326	4.6	15	2	2	4	6	8	11	19
B. Operated	610	6.1	42	1	2	4	8	13	17	33
TOTAL										
0-19 YRS	112	4.2	23	1	1	3	5	9	12	28
20-34	239	4.3	32	1	2	3	5	8	11	17
35-49	864	4.4	12	1	2	3	6	8	11	17
50-64	1251	4.6	14	2	2	4	6	8	11	19
65 +	1470	5.3	27	2	3	4	6	10	13	22
GRAND TOTAL	**3936**	**4.8**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	12	3.5	4	1	2	3	4	7	8	8
50-64	27	4.5	5	2	3	4	5	8	9	10
65 +	26	4.3	5	2	3	4	6	7	8	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	2.8	12	< 1	1	1	4	9	9	9
50-64	9	3.6	10	< 1	1	3	5	9	11	11
65 +	4	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	13	6.5	62	2	3	4	7	12	28	32
35-49	144	6.0	18	2	4	5	7	10	14	26
50-64	438	6.3	20	2	3	5	8	12	15	22
65 +	1489	7.2	22	3	4	6	9	13	16	26
B. Operated										
0-19 YRS	0									
20-34	7	4.4	9	1	2	4	6	9	10	10
35-49	35	7.9	43	1	3	7	11	18	21	27
50-64	102	8.9	62	1	3	7	12	19	27	36
65 +	212	11.6	90	2	5	9	15	23	32	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	4.2	4	2	3	4	5	7	8	10
B. Operated	18	2.8	9	< 1	1	1	3	8	10	11
2. MULTIPLE DX										
A. Not Operated	2086	6.9	22	3	4	6	8	13	16	26
B. Operated	356	10.3	78	2	4	8	13	21	29	43
1. SINGLE DX	86	3.9	6	1	2	4	5	7	9	11
2. MULTIPLE DX	2442	7.4	31	3	4	6	9	14	18	29
A. Not Operated	2154	6.8	22	3	4	6	8	12	16	26
B. Operated	374	9.9	77	1	4	8	13	20	28	44
TOTAL										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	22	5.6	40	2	3	4	7	8	19	32
35-49	196	6.1	22	2	3	5	7	11	16	27
50-64	576	6.6	28	2	3	5	8	13	16	30
65 +	1731	7.7	32	3	4	6	9	14	19	29
GRAND TOTAL	**2528**	**7.3**	**31**	**2**	**4**	**6**	**9**	**14**	**18**	**29**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.0	3	1	2	3	4	6	6	6
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	4	3.0	5	1	1	3	5	5	5	5
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	5	5.4	10	~~1~~	~~2~~	7	8	8	8	8
20-34	10	2.2	4	1	1	2	2	5	8	8
35-49	10	4.7	12	< 1	2	3	8	9	10	10
50-64	3	1.3		1	1	1	2	2	2	2
65 +	9	2.7	5	1	1	2	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.6	8	1	1	3	4	8	11	12
20-34	28	3.4	6	1	2	3	4	7	9	11
35-49	44	6.5	73	1	3	4	7	11	21	54
50-64	42	5.2	13	2	3	4	7	10	13	17
65 +	116	8.3	32	3	4	7	11	15	20	29
B. Operated										
0-19 YRS	11	11.2	287	1	2	8	10	34	58	60
20-34	41	10.0	110	1	2	8	13	19	40	45
35-49	77	7.9	49	1	3	6	10	18	21	32
50-64	95	8.7	74	1	2	6	12	19	26	45
65 +	134	10.7	108	1	3	8	14	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.1	3	1	1	3	5	6	6	6
B. Operated	37	3.4	8	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	262	6.4	34	2	3	5	8	13	17	25
B. Operated	358	9.5	92	1	3	7	12	20	28	52
1. SINGLE DX	57	3.2	6	1	1	2	5	8	8	10
2. MULTIPLE DX	620	8.2	69	1	3	6	10	18	23	47
A. Not Operated	282	6.2	32	2	3	5	8	12	16	24
B. Operated	395	8.9	87	1	2	7	12	20	27	52
TOTAL										
0-19 YRS	57	5.1	66	1	2	3	6	10	12	57
20-34	82	6.6	69	1	2	3	9	14	19	45
35-49	134	7.1	54	1	2	5	9	15	21	36
50-64	144	7.4	56	1	2	5	10	16	21	37
65 +	260	9.3	73	2	4	7	12	20	24	51
GRAND TOTAL	**677**	**7.8**	**66**	**1**	**2**	**6**	**10**	**17**	**22**	**45**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	7	4.1	12	1	2	3	7	10	10	10
50-64	11	3.2	8	1	2	2	4	7	11	11
65 +	4	4.3	20	2	2	2	7	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	8.3	32	3	4	6	10	18	20	20
20-34	11	4.4	20	1	2	3	5	10	16	17
35-49	18	4.7	20	1	2	4	5	13	16	17
50-64	27	7.6	111	1	2	4	7	22	33	47
65 +	68	8.3	39	3	4	6	11	16	21	31
B. Operated										
0-19 YRS	7	5.1	15	1	2	4	8	10	11	11
20-34	5	3.6	10	1	2	2	5	9	9	9
35-49	27	10.9	176	1	2	7	14	28	37	63
50-64	50	10.3	156	2	3	8	12	16	21	69
65 +	77	11.2	94	2	4	9	14	24	34	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.0	3	2	3	5	5	5	5	5
B. Operated	29	3.7	10	1	2	2	4	10	11	11
2. MULTIPLE DX										
A. Not Operated	132	7.3	50	2	3	5	9	16	20	34
B. Operated	166	10.4	121	2	3	8	13	21	32	63
1. SINGLE DX	32	3.8	10	1	2	2	4	9	11	11
2. MULTIPLE DX	298	9.0	92	2	3	6	11	19	30	54
A. Not Operated	135	7.3	49	2	3	5	9	16	20	33
B. Operated	195	9.4	110	1	2	7	11	19	31	62
TOTAL										
0-19 YRS	18	6.3	24	1	3	5	8	12	17	20
20-34	20	4.1	15	1	2	3	5	9	13	17
35-49	53	7.8	106	1	2	5	9	16	28	62
50-64	90	8.5	125	2	2	5	11	16	23	66
65 +	149	9.7	69	2	4	8	12	20	30	37
GRAND TOTAL	**330**	**8.5**	**86**	**2**	**3**	**6**	**11**	**17**	**27**	**50**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	5.3	11	< 1	2	6	8	10	10	10
35-49	192	5.9	8	2	4	6	8	9	10	13
50-64	307	6.3	9	2	4	7	8	10	11	13
65 +	363	7.3	9	3	5	7	9	11	12	16
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	7.1	12	1	4	8	10	12	12	12
35-49	190	6.9	8	4	5	7	8	11	12	15
50-64	280	7.3	11	3	5	7	9	11	13	18
65 +	97	8.0	13	4	6	7	9	13	15	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	14.0	2	13	13	14	15	15	15	15
20-34	62	7.1	29	2	4	6	9	11	18	30
35-49	777	6.8	11	2	5	7	9	11	12	16
50-64	2504	8.1	17	4	6	8	10	12	15	24
65 +	7586	9.4	23	5	7	9	11	15	18	27
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	92	9.8	73	4	6	8	11	16	25	55
35-49	1044	8.6	27	4	6	8	10	13	16	33
50-64	2622	10.3	42	5	7	9	12	17	21	41
65 +	2926	12.9	79	6	8	11	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	871	6.6	9	2	5	7	8	10	11	14
B. Operated	583	7.3	11	3	5	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated	10931	8.9	21	4	6	8	11	14	17	26
B. Operated	6685	11.2	59	5	7	9	13	19	25	46
1. SINGLE DX	1454	6.9	10	3	5	7	9	10	12	16
2. MULTIPLE DX	17616	9.8	37	5	7	9	11	16	20	34
A. Not Operated	11802	8.8	21	4	6	8	10	14	17	26
B. Operated	7268	10.9	56	5	7	9	13	19	24	45
TOTAL										
0-19 YRS	4	11.3	31	3	8	13	14	15	15	15
20-34	178	8.4	51	3	5	7	10	13	19	34
35-49	2203	7.6	19	3	5	7	9	12	14	23
50-64	5713	9.0	30	4	6	8	11	14	18	31
65 +	10972	10.3	40	5	7	9	12	17	21	35
GRAND TOTAL	**19070**	**9.6**	**35**	**4**	**6**	**8**	**11**	**15**	**20**	**33**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	37	2.2	1	1	2	2	3	3	4	6
35-49	289	2.4	2	1	1	2	3	4	5	6
50-64	317	2.5	3	1	1	2	3	4	5	9
65 +	263	2.7	4	1	2	2	3	5	6	12
B. Operated										
0-19 YRS	0									
20-34	5	2.4	2	1	1	3	3	4	4	4
35-49	90	2.5	3	1	1	2	3	5	6	8
50-64	176	2.4	5	1	1	2	3	5	7	12
65 +	78	2.6	7	1	1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	156	2.8	2	1	2	3	4	5	6	7
35-49	1213	3.2	4	1	2	3	4	6	7	10
50-64	2966	3.5	5	1	2	3	4	6	7	11
65 +	5411	4.1	7	2	2	3	5	7	9	15
B. Operated										
0-19 YRS	0									
20-34	50	3.8	18	1	1	3	5	6	9	29
35-49	657	3.8	18	1	1	2	5	8	10	23
50-64	1953	4.0	17	1	1	2	6	9	12	19
65 +	1730	5.3	29	1	2	3	7	12	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	906	2.5	3	1	2	2	3	4	5	8
B. Operated	349	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	9748	3.8	6	1	2	3	5	7	8	13
B. Operated	4390	4.5	22	1	1	3	6	10	13	23
1. SINGLE DX	1255	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	14138	4.0	11	1	2	3	5	8	10	17
A. Not Operated	10654	3.7	6	1	2	3	5	6	8	13
B. Operated	4739	4.3	21	1	1	3	6	10	12	23
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	248	2.9	5	1	2	2	4	5	6	9
35-49	2249	3.2	8	1	2	3	4	6	8	12
50-64	5412	3.6	9	1	2	3	4	7	9	14
65 +	7482	4.3	12	1	2	3	5	8	11	18
GRAND TOTAL	**15393**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	33	2.5	3	1	1	2	3	4	4	11
35-49	311	3.0	4	1	2	3	4	5	6	11
50-64	494	3.0	3	1	2	3	4	5	6	10
65 +	567	3.6	5	1	2	3	5	6	7	11
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	79	4.2	7	1	2	4	6	8	9	14
50-64	198	4.7	15	1	2	4	6	10	12	19
65 +	148	4.7	15	1	2	4	6	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	130	3.1	3	1	2	3	4	5	7	8
35-49	1753	3.8	6	1	2	3	5	7	8	13
50-64	5184	4.1	6	2	3	4	5	7	9	13
65 +	11326	4.9	11	2	3	4	6	8	11	17
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	36	6.6	36	3	3	5	8	12	15	35
35-49	1143	6.3	26	1	3	5	8	13	15	24
50-64	3696	7.2	32	2	3	6	9	14	17	29
65 +	4628	9.0	58	2	4	7	12	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1405	3.2	4	1	2	3	4	5	7	10
B. Operated	426	4.6	13	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. Not Operated	18393	4.6	9	2	3	4	6	8	10	15
B. Operated	9504	8.0	45	2	3	7	10	16	20	33
1. SINGLE DX	1831	3.5	6	1	2	3	4	6	8	14
2. MULTIPLE DX	27897	5.7	24	2	3	4	7	11	14	24
A. Not Operated	19798	4.5	9	2	3	4	6	8	10	15
B. Operated	9930	7.8	44	2	3	6	10	15	19	32
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	200	3.7	11	1	2	3	4	6	9	15
35-49	3286	4.6	15	1	2	4	6	9	12	19
50-64	9572	5.3	19	2	3	4	7	10	13	21
65 +	16669	6.0	27	2	3	5	7	12	15	26
GRAND TOTAL	**29728**	**5.6**	**23**	**2**	**3**	**4**	**7**	**11**	**14**	**24**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	23	2.7	3	1	1	3	3	5	7	7
50-64	52	2.1	2	< 1	1	2	3	4	4	5
65 +	28	4.0	16	1	1	3	5	7	13	20
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	2.9	7	1	1	2	3	7	9	10
35-49	503	2.9	7	1	1	2	3	7	8	11
50-64	1647	3.3	10	1	1	2	4	8	10	15
65 +	924	4.1	19	1	1	2	6	10	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	11.0	279	1	2	3	20	36	36	36
20-34	13	2.6	1	1	2	2	3	4	5	5
35-49	209	2.9	5	1	1	2	4	5	7	13
50-64	587	3.6	7	1	2	3	5	7	9	13
65 +	944	5.1	18	2	3	4	6	9	12	18
B. Operated										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	53	4.7	18	1	2	3	7	10	15	18
35-49	1870	5.5	26	1	2	4	8	11	14	23
50-64	6618	6.5	40	1	2	5	9	13	17	30
65 +	5952	8.5	72	1	2	7	12	17	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	2.8	6	1	1	2	4	5	6	16
B. Operated	3093	3.5	12	1	1	2	4	9	11	15
2. MULTIPLE DX										
A. Not Operated	1757	4.3	14	1	2	3	5	8	11	16
B. Operated	14499	7.2	53	1	2	6	10	15	19	36
1. SINGLE DX	3198	3.4	12	1	1	2	4	9	11	15
2. MULTIPLE DX	16256	6.9	49	1	2	5	9	14	18	35
A. Not Operated	1862	4.2	14	1	2	3	5	8	10	16
B. Operated	17592	6.5	48	1	2	4	9	14	18	34
TOTAL										
0-19 YRS	12	5.1	96	1	1	2	4	14	33	36
20-34	85	4.0	14	1	2	3	5	9	11	18
35-49	2605	4.8	22	1	1	3	7	10	13	20
50-64	8904	5.7	34	1	2	3	8	12	16	26
65 +	7848	7.6	62	1	2	6	10	16	21	42
GRAND TOTAL	**19454**	**6.3**	**45**	**1**	**2**	**4**	**9**	**14**	**18**	**32**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	8.3	2	6	7	9	9	9	9	9
20-34	38	7.0	5	4	6	7	8	10	11	12
35-49	52	7.6	10	4	6	8	9	10	11	20
50-64	44	8.0	6	5	6	8	10	11	12	14
65 +	48	7.8	10	4	5	8	9	11	14	17
B. Operated										
0-19 YRS	3	6.3	30	1	2	6	10	12	12	12
20-34	18	7.7	10	5	6	7	8	10	16	19
35-49	14	8.4	20	3	6	8	10	15	16	16
50-64	5	5.2	10	1	2	6	7	9	9	9
65 +	5	7.6	27	1	2	11	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.7	36	3	4	7	12	18	23	23
20-34	104	9.1	16	5	7	9	11	14	16	25
35-49	175	8.5	11	5	7	8	10	13	15	19
50-64	375	9.7	13	6	7	9	11	14	16	23
65 +	975	10.6	21	6	8	10	12	16	19	27
B. Operated										
0-19 YRS	7	11.0	49	2	4	11	16	20	21	21
20-34	58	11.2	41	5	8	10	13	20	25	35
35-49	95	11.8	54	5	8	10	14	20	24	45
50-64	184	13.2	60	7	9	11	16	21	25	54
65 +	326	14.6	79	7	9	12	17	25	33	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	7.6	8	4	6	8	9	10	12	17
B. Operated	45	7.6	16	3	6	7	9	12	15	19
2. MULTIPLE DX										
A. Not Operated	1640	10.1	18	6	7	9	12	15	18	24
B. Operated	670	13.5	68	6	9	11	16	23	29	46
1. SINGLE DX	231	7.6	9	4	6	8	9	11	13	17
2. MULTIPLE DX	2310	11.1	35	6	8	10	13	18	21	35
A. Not Operated	1826	9.8	18	6	7	9	11	15	18	24
B. Operated	715	13.1	67	6	8	11	15	22	28	46
TOTAL										
0-19 YRS	25	9.0	32	3	5	9	12	17	21	23
20-34	218	9.2	22	5	6	8	11	15	19	27
35-49	336	9.3	26	5	7	9	11	14	17	30
50-64	608	10.6	30	6	8	10	12	16	19	28
65 +	1354	11.5	38	6	8	10	13	18	22	36
GRAND TOTAL	**2541**	**10.8**	**34**	**6**	**8**	**10**	**12**	**17**	**21**	**33**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	0									
35-49	0									
50-64	1	11.0		11	11	11	11	11	11	11
65 +	2	11.5	181	2	2	11	21	21	21	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	2	15.5	421	< 1	< 1	15	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	24.7	204	4	15	26	34	44	44	45
20-34	55	19.9	159	5	7	21	29	34	41	47
35-49	33	19.6	126	3	12	18	29	32	37	40
50-64	42	14.6	104	3	6	14	24	29	31	37
65 +	69	23.0	163	10	14	19	29	42	45	71
B. Operated										
0-19 YRS	4	17.0	197	1	11	18	51	99 +	99 +	99 +
20-34	40	32.5	196	15	23	29	41	49	59	75
35-49	30	30.0	356	8	15	29	41	52	63	92
50-64	36	31.1	247	11	19	29	40	54	62	75
65 +	68	33.6	232	13	23	34	42	50	53	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	8.8	62	2	2	8	13	21	21	21
B. Operated	3	13.3	224	< 1	2	9	25	30	30	30
2. MULTIPLE DX										
A. Not Operated	220	20.3	157	4	10	18	29	36	43	47
B. Operated	178	31.9	249	12	20	30	41	51	61	96
1. SINGLE DX	8	10.5	105	1	2	8	16	27	30	30
2. MULTIPLE DX	398	25.5	231	6	14	27	34	44	50	76
A. Not Operated	225	20.0	157	4	9	17	29	36	43	47
B. Operated	181	31.6	253	11	20	30	41	51	60	96
TOTAL										
0-19 YRS	27	22.1	212	2	9	23	33	44	50	99 +
20-34	95	25.2	212	5	13	28	33	43	48	70
35-49	63	24.6	259	6	13	26	31	43	51	88
50-64	80	21.9	234	4	9	18	30	41	51	71
65 +	141	27.8	229	11	16	27	39	45	51	78
GRAND TOTAL	**406**	**25.2**	**232**	**6**	**14**	**26**	**34**	**43**	**49**	**76**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.6	6	< 1	1	2	3	5	8	11
20-34	26	1.7	1	< 1	1	1	2	3	3	4
35-49	30	2.0	2	1	1	2	2	4	4	7
50-64	35	2.1	2	< 1	1	2	3	4	5	6
65 +	28	2.3	2	1	1	2	3	4	6	8
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.5	9	1	2	3	4	8	11	13
20-34	52	2.6	3	1	1	2	4	5	6	8
35-49	118	2.9	6	1	1	2	4	5	8	13
50-64	257	3.6	9	1	2	3	4	6	8	16
65 +	555	4.4	11	1	2	4	6	8	10	15
B. Operated										
0-19 YRS	3	8.0	4	6	6	8	9	10	10	10
20-34	4	1.5		< 1	< 1	1	2	2	2	2
35-49	9	7.6	16	3	3	9	10	13	13	13
50-64	19	8.2	38	3	4	6	12	14	22	28
65 +	43	8.5	28	3	5	8	11	16	19	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	2.1	2	< 1	1	2	2	4	5	8
B. Operated	6	3.5	3	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1011	3.9	10	1	2	3	5	7	9	15
B. Operated	78	7.9	28	3	4	7	11	13	18	27
1. SINGLE DX	145	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1089	4.2	12	1	2	3	5	8	11	17
A. Not Operated	1150	3.7	9	1	2	3	5	7	9	15
B. Operated	84	7.6	27	2	4	7	10	13	18	27
TOTAL										
0-19 YRS	54	3.3	9	1	1	2	4	8	11	13
20-34	82	2.3	2	1	1	2	3	5	6	8
35-49	160	3.0	7	1	1	2	4	6	9	13
50-64	312	3.7	12	1	2	3	4	6	11	18
65 +	626	4.6	13	1	2	4	6	8	11	18
GRAND TOTAL	**1234**	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**11**	**17**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.9	2	1	1	1	3	4	5	5
20-34	88	2.0	3	1	1	2	2	3	5	10
35-49	141	1.9	2	< 1	1	1	2	4	5	8
50-64	215	2.3	3	1	1	2	3	4	6	10
65 +	218	2.8	6	1	1	2	4	5	7	10
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	3.3	7	1	1	2	5	8	8	8
50-64	9	3.9	13	< 1	2	4	4	10	13	13
65 +	8	2.6	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.1	4	1	2	3	5	6	7	7
20-34	147	2.5	4	1	1	2	3	5	5	12
35-49	439	3.2	5	1	2	3	4	6	8	12
50-64	1518	4.1	9	1	2	3	5	8	9	16
65 +	4898	5.2	15	2	3	4	7	10	12	19
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	5	5.0	14	1	2	5	8	10	10	10
35-49	35	5.5	21	1	2	4	8	11	16	18
50-64	187	6.7	29	2	3	6	8	12	17	30
65 +	550	10.0	73	2	4	8	13	20	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	681	2.4	4	1	1	2	3	4	6	10
B. Operated	24	3.5	9	1	1	3	4	8	10	13
2. MULTIPLE DX										
A. Not Operated	7035	4.8	14	1	2	4	6	9	12	18
B. Operated	780	9.0	62	2	4	7	11	18	22	38
1. SINGLE DX	705	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX	7815	5.2	20	1	2	4	7	10	13	21
A. Not Operated	7716	4.6	13	1	2	4	6	9	11	18
B. Operated	804	8.8	62	2	4	7	11	18	22	38
TOTAL										
0-19 YRS	55	2.6	3	1	1	2	4	5	6	7
20-34	241	2.4	4	1	1	2	3	5	6	10
35-49	621	3.0	6	1	1	2	4	6	8	13
50-64	1929	4.1	12	1	2	3	5	8	10	17
65 +	5674	5.6	23	2	3	4	7	11	14	23
GRAND TOTAL	**8520**	**5.0**	**19**	**1**	**2**	**4**	**6**	**10**	**13**	**21**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	3.1	19	1	1	2	4	7	9	24
20-34	103	2.1	2	1	1	2	3	3	4	9
35-49	173	2.6	3	1	1	2	3	5	6	10
50-64	212	2.8	4	1	1	2	4	5	6	8
65 +	207	3.2	5	1	2	3	4	6	7	11
B. Operated										
0-19 YRS	47	3.5	7	< 1	2	3	4	8	9	11
20-34	22	3.6	12	< 1	2	3	4	8	13	15
35-49	38	3.7	8	1	1	3	5	9	11	11
50-64	65	4.2	18	1	1	3	5	8	12	22
65 +	161	3.5	8	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	278	3.6	11	1	1	3	4	8	10	18
20-34	372	3.0	12	1	1	2	4	5	7	13
35-49	844	3.7	10	1	2	3	4	7	8	17
50-64	2083	4.5	13	1	2	4	6	8	11	19
65 +	6159	5.6	20	2	3	4	7	10	13	22
B. Operated										
0-19 YRS	89	6.3	70	1	2	4	7	13	22	49
20-34	67	5.4	21	2	2	4	7	10	11	28
35-49	188	6.7	84	1	2	4	8	14	19	36
50-64	727	8.4	79	2	3	6	10	17	24	49
65 +	3124	8.4	47	2	4	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	815	2.8	6	1	1	2	3	5	7	11
B. Operated	333	3.7	10	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	9736	5.0	18	2	3	4	6	9	12	22
B. Operated	4195	8.2	54	2	4	6	10	16	22	37
1. SINGLE DX	1148	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX	13931	6.0	31	2	3	5	7	12	16	28
A. Not Operated	10551	4.9	17	1	2	4	6	9	12	21
B. Operated	4528	7.9	52	2	3	6	10	16	21	37
TOTAL										
0-19 YRS	534	3.9	23	1	1	2	5	8	10	25
20-34	564	3.2	12	1	1	2	4	6	8	14
35-49	1243	4.0	21	1	2	3	5	8	10	22
50-64	3087	5.3	32	1	2	4	6	10	14	28
65 +	9651	6.4	30	2	3	5	8	12	16	27
GRAND TOTAL	**15079**	**5.8**	**30**	**2**	**3**	**4**	**7**	**11**	**15**	**27**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.9	7	< 1	2	3	5	8	9	9
20-34	3	4.0	3	2	3	5	5	5	5	5
35-49	19	5.3	24	1	3	3	7	9	17	23
50-64	84	5.1	13	2	2	4	7	11	11	19
65 +	436	5.3	13	2	3	4	7	10	13	19
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	5	12.2	226	4	5	6	15	39	39	39
65 +	14	6.1	18	2	2	4	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	185	6.2	35	2	3	5	8	12	16	36
20-34	120	6.5	25	2	3	5	8	12	17	25
35-49	881	6.3	19	2	4	5	8	12	15	22
50-64	5015	6.8	25	3	4	6	8	12	15	25
65 +	23317	7.5	27	3	4	6	9	14	17	27
B. Operated										
0-19 YRS	52	13.1	284	2	5	8	13	45	86	99 +
20-34	44	10.2	106	2	6	8	12	18	46	99 +
35-49	186	11.1	168	2	4	8	13	23	35	89
50-64	924	12.0	104	3	6	9	15	24	32	67
65 +	2817	13.7	104	5	7	11	17	25	33	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	550	5.2	13	2	3	4	7	10	12	20
B. Operated	21	7.7	64	2	4	6	9	13	25	39
2. MULTIPLE DX										
A. Not Operated	29518	7.3	26	3	4	6	9	13	17	27
B. Operated	4023	13.2	110	4	7	10	16	25	33	58
1. SINGLE DX	571	5.3	15	2	3	4	7	10	12	21
2. MULTIPLE DX	33541	8.0	40	3	4	6	10	15	19	32
A. Not Operated	30068	7.3	26	3	4	6	9	13	17	26
B. Operated	4044	13.1	110	4	7	10	16	25	33	57
TOTAL										
0-19 YRS	246	7.6	94	2	3	5	9	15	26	92
20-34	167	7.4	49	2	4	6	9	15	18	57
35-49	1087	7.1	48	2	4	5	8	13	17	35
50-64	6028	7.5	41	3	4	6	9	14	18	34
65 +	26584	8.1	38	3	4	7	10	15	19	32
GRAND TOTAL	**34112**	**8.0**	**40**	**3**	**4**	**6**	**10**	**15**	**19**	**32**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	4.7	12	1	3	4	6	10	11	11
20-34	5	4.6	12	2	2	3	7	10	10	10
35-49	16	3.3	6	1	1	3	4	7	9	10
50-64	11	3.4	5	1	2	3	4	7	9	9
65 +	4	5.3	2	4	4	5	6	7	7	7
B. Operated										
0-19 YRS	11	3.1	8	< 1	1	2	4	8	10	10
20-34	11	2.2	6	1	1	1	2	6	9	9
35-49	30	2.4	5	1	1	1	2	6	7	9
50-64	56	2.8	8	1	1	1	4	8	10	13
65 +	10	3.1	35	1	1	1	2	11	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	6.3	33	1	2	5	8	13	16	30
20-34	41	6.6	16	3	3	5	9	13	15	18
35-49	212	5.9	20	2	3	5	8	11	14	23
50-64	452	6.9	27	2	4	5	9	13	18	25
65 +	685	8.1	32	3	4	7	10	14	19	30
B. Operated										
0-19 YRS	57	9.9	190	1	2	4	12	33	42	98
20-34	36	10.8	266	1	2	5	11	28	42	86
35-49	194	8.9	168	1	2	5	10	19	33	71
50-64	301	9.5	149	1	2	5	12	23	39	84
65 +	256	10.2	97	1	3	8	14	23	35	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.8	7	1	2	3	5	8	10	11
B. Operated	118	2.7	9	1	1	1	3	7	9	15
2. MULTIPLE DX										
A. Not Operated	1435	7.3	29	2	4	6	9	14	17	29
B. Operated	844	9.7	145	1	2	6	12	23	37	72
1. SINGLE DX	160	3.0	9	1	1	2	4	7	10	13
2. MULTIPLE DX	2279	8.2	73	2	3	6	10	16	23	45
A. Not Operated	1477	7.2	28	2	4	6	9	13	17	29
B. Operated	962	6.8	133	1	2	5	11	21	35	66
TOTAL										
0-19 YRS	119	7.7	110	1	2	4	9	20	32	80
20-34	93	7.6	118	1	3	4	9	14	21	70
35-49	452	6.9	85	1	2	4	8	14	19	51
50-64	820	7.5	74	1	3	5	9	16	22	45
65 +	955	8.6	50	2	4	7	11	16	21	38
GRAND TOTAL	**2439**	**7.8**	**70**	**1**	**3**	**6**	**9**	**16**	**22**	**44**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	4.0	16	1	2	3	5	7	9	26
20-34	94	2.9	3	1	2	2	4	5	7	9
35-49	87	3.0	3	1	2	3	3	6	7	9
50-64	60	3.4	6	1	2	3	4	6	8	16
65 +	32	4.6	16	1	2	3	6	10	13	19
B. Operated										
0-19 YRS	66	3.2	12	1	1	2	5	8	9	19
20-34	31	3.4	9	1	1	2	4	8	8	15
35-49	75	3.6	14	1	1	2	6	10	13	15
50-64	96	3.7	15	1	1	2	5	10	11	17
65 +	82	4.8	25	1	1	2	9	11	13	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	4.9	17	1	2	4	6	9	12	23
20-34	180	4.1	16	1	2	3	5	8	10	35
35-49	334	3.9	7	1	2	3	5	7	10	16
50-64	520	5.6	20	2	3	5	7	11	13	20
65 +	789	6.4	23	2	3	5	8	12	14	24
B. Operated										
0-19 YRS	148	7.2	101	1	2	3	9	20	33	99 +
20-34	127	9.0	74	1	2	7	12	18	31	39
35-49	260	7.4	43	1	2	7	10	16	20	36
50-64	662	9.1	74	1	2	8	12	18	26	44
65 +	1089	12.0	135	1	4	10	16	24	33	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	318	3.4	7	1	2	3	4	6	8	14
B. Operated	350	3.8	16	1	1	2	5	10	12	17
2. MULTIPLE DX										
A. Not Operated	1925	5.4	19	2	3	4	7	10	13	22
B. Operated	2286	10.2	105	1	3	8	13	21	29	54
1. SINGLE DX	668	3.6	12	1	1	2	4	8	10	17
2. MULTIPLE DX	4211	8.0	71	1	3	6	10	17	23	44
A. Not Operated	2243	5.1	18	2	3	4	7	10	13	21
B. Operated	2636	9.3	98	1	2	8	13	20	27	51
TOTAL										
0-19 YRS	361	5.4	53	1	2	3	7	11	20	53
20-34	432	5.2	36	1	2	3	6	11	16	38
35-49	756	5.0	23	1	2	3	7	10	14	26
50-64	1338	7.1	50	1	2	5	10	14	19	36
65 +	1992	9.4	93	2	3	7	12	20	26	52
GRAND TOTAL	**4879**	**7.4**	**65**	**1**	**2**	**5**	**10**	**16**	**22**	**42**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	6.8	77	1	2	2	11	22	23	23
50-64	4	10.8	127	< 1	< 1	10	20	21	21	21
65 +	3	3.3	4	1	2	4	5	5	5	5
B. Operated										
0-19 YRS	3	9.0	64	1	3	9	15	17	17	17
20-34	11	11.3	35	4	8	10	14	20	25	25
35-49	26	9.8	33	2	7	9	13	18	20	25
50-64	27	13.9	114	1	5	11	25	29	30	33
65 +	5	8.0	42	2	3	4	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	9.0	52	1	3	11	14	15	15	15
20-34	6	7.7	6	3	7	8	9	10	10	10
35-49	8	8.6	35	2	3	8	13	17	18	18
50-64	10	7.6	35	1	4	6	10	17	20	20
65 +	25	11.0	67	3	6	8	15	23	29	29
B. Operated										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	23	21.4	304	7	12	16	23	51	64	76
35-49	74	22.8	342	7	11	17	25	50	62	89
50-64	83	24.5	309	8	13	20	41	74	99 +	99 +
65 +	60	29.1	231	11	18	28	37	49	53	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	6.9	63	1	1	4	10	21	22	23
B. Operated	72	11.4	67	2	5	10	16	25	29	32
2. MULTIPLE DX										
A. Not Operated	52	9.5	48	2	5	8	12	20	23	29
B. Operated	242	24.7	302	8	13	20	35	53	76	99 +
1. SINGLE DX	87	10.6	69	2	4	9	15	24	28	32
2. MULTIPLE DX	294	22.0	290	5	11	18	29	50	70	99 +
A. Not Operated	67	8.9	51	1	3	7	12	21	23	29
B. Operated	314	21.6	279	5	11	17	29	49	67	99 +
TOTAL										
0-19 YRS	9	8.4	31	1	4	9	12	16	17	17
20-34	41	16.2	214	5	8	12	18	29	53	76
35-49	114	18.0	277	3	8	13	22	39	55	87
50-64	124	20.4	273	3	9	17	29	53	98	99 +
65 +	93	22.3	255	4	8	21	33	46	52	69
GRAND TOTAL	**381**	**19.4**	**262**	**3**	**8**	**15**	**26**	**47**	**56**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	17.0		17	17	17	17	17	17	17
50-64	0									
65 +	6	18.7	93	7	8	19	29	29	29	29
B. Operated										
0-19 YRS	0									
20-34	4	18.3	154	8	10	14	26	36	36	36
35-49	6	33.5	361	17	26	33	84	99+	99 +	99 +
50-64	20	28.9	140	14	22	27	36	53	79	99 +
65 +	13	32.0	275	17	21	30	59	99+	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	18.4	78	7	10	19	27	29	29	29
B. Operated	43,	29.5	212	13	21	28	43	99+	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	50	27.9	207	12	19	27	40	96	99 +	99 +
A. Not Operated	7	18.4	78	7	10	19	27	29	29	29
B. Operated	43	29.5	212	13	21	28	43	99+	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	4	18.3	154	8	10	14	26	36	36	36
35-49	7	31.1	340	15	24	31	77	99+	99 +	99 +
50-64	20	28.9	140	14	22	27	36	53	79	99 +
65 +	19	27.8	250	11	19	27	54	99+	99 +	99 +
GRAND TOTAL	**50**	**27.9**	**207**	**12**	**19**	**27**	**40**	**96**	**99 +**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.7	22	2	2	4	9	11	11	11
20-34	4	4.3	4	3	3	4	5	7	7	7
35-49	3	8.3	50	2	3	7	14	16	16	16
50-64	10	7.2	48	< 1	3	4	10	19	21	21
65 +	40	9.1	53	3	4	7	13	17	23	38
B. Operated										
0-19 YRS	12	5.0	11	2	3	4	6	11	13	13
20-34	9	7.8	20	3	5	7	10	15	17	17
35-49	15	6.7	13	3	4	6	9	11	14	15
50-64	21	7.0	27	1	3	5	9	14	18	22
65 +	39	11.4	128	3	7	9	12	22	28	69
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	9.0	83	1	3	7	13	25	59	99 +
20-34	7	6.6	21	< 1	2	9	9	12	13	13
35-49	31	10.0	141	3	4	7	10	23	35	59
50-64	97	10.9	57	3	6	9	14	24	27	34
65 +	489	11.9	66	4	7	10	15	23	28	39
B. Operated										
0-19 YRS	23	12.0	169	2	4	8	17	31	59	99 +
20-34	28	18.0	156	4	8	15	23	39	41	49
35-49	65	15.0	183	4	7	11	19	46	64	99 +
50-64	106	16.3	158	6	8	12	20	31	43	66
65 +	336	17.9	152	6	10	15	23	35	43	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	8.3	47	2	3	6	12	16	20	37
B. Operated	96	8.6	68	2	4	7	10	15	22	51
2. MULTIPLE DX										
A. Not Operated	647	11.5	69	4	6	9	15	23	28	42
B. Operated	568	16.9	159	5	8	13	22	36	46	96
1. SINGLE DX	156	8.4	60	2	4	7	11	16	21	37
2. MULTIPLE DX	1215	14.0	118	4	7	11	18	28	37	63
A. Not Operated	707	11.2	68	3	6	9	15	23	28	40
B. Operated	664	15.7	155	5	7	12	20	33	44	83
TOTAL										
0-19 YRS	71	9.6	113	2	3	6	13	24	45	99 +
20-34	48	13.3	129	3	5	10	17	33	40	49
35-49	114	12.4	154	3	5	9	15	34	53	99 +
50-64	234	12.8	111	4	6	10	16	26	31	54
65 +	904	14.0	109	4	7	11	18	28	34	59
GRAND TOTAL	**1371**	**13.4**	**115**	**4**	**7**	**11**	**17**	**28**	**36**	**62**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	5	15.0	113	5	8	11	21	32	32	32
50-64	50	15.8	147	5	8	12	19	34	42	60
65 +	204	13.3	66	5	8	11	17	24	30	42
B. Operated										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	5	16.2	74	10	11	13	20	31	31	31
35-49	11	29.2	503	8	12	25	37	64	81	83
50-64	41	21.3	208	9	12	17	33	63	99 +	99 +
65 +	92	22.6	200	8	11	19	30	45	53	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	260	13.9	82	5	8	12	18	25	32	45
B. Operated	150	22.5	219	8	12	19	31	48	62	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	410	17.0	149	6	9	13	23	34	46	99 +
A. Not Operated	260	13.9	82	5	8	12	18	25	32	45
B. Operated	150	22.5	219	8	12	19	31	48	62	99 +
TOTAL										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	6	15.5	62	10	11	12	16	29	31	31
35-49	16	24.8	411	7	10	18	33	50	73	83
50-64	91	18.3	180	7	10	14	26	44	62	99 +
65 +	296	16.2	126	6	9	13	22	31	38	55
GRAND TOTAL	**410**	**17.0**	**149**	**6**	**9**	**13**	**23**	**34**	**46**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	10	2.3	4	1	1	1	3	6	6	6
65 +	24	4.3	14	1	2	3	5	8	13	17
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	3.8	15	1	1	2	6	10	10	10
35-49	38	3.8	7	1	2	3	5	7	8	15
50-64	286	3.6	6	1	2	3	5	6	8	12
65 +	549	3.9	6	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	16	5.4	23	1	2	4	8	13	16	17
50-64	104	4.8	22	1	2	3	6	8	14	27
65 +	459	6.0	20	2	3	5	7	11	14	21
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	22.3	1345	1	1	5	43	77	77	77
35-49	94	5.5	21	2	3	4	7	10	11	27
50-64	1339	5.8	26	2	3	5	7	10	14	25
65 +	3425	6.7	30	2	4	5	8	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.6	11	1	1	3	5	6	11	17
B. Operated	879	3.8	6	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	581	5.8	20	2	3	5	7	11	14	22
B. Operated	4863	6.4	30	2	4	5	8	12	16	27
1. SINGLE DX	915	3.8	6	1	2	4	5	7	8	13
2. MULTIPLE DX	5444	6.3	29	2	3	5	8	12	16	27
A. Not Operated	617	5.7	20	2	3	5	7	11	14	22
B. Operated	5742	6.0	27	2	3	5	7	11	15	26
TOTAL										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	11	11.7	487	1	1	5	10	39	74	77
35-49	150	5.0	18	1	2	4	6	9	11	24
50-64	1739	5.4	23	2	3	4	6	10	13	24
65 +	4457	6.2	27	2	3	5	7	12	16	26
GRAND TOTAL	**6359**	**6.0**	**27**	**2**	**3**	**5**	**7**	**11**	**15**	**26**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	5.8	2	4	4	6	7	7	7	7
50-64	12	8.1	21	3	4	7	11	15	18	18
65 +	40	8.2	23	3	5	7	10	15	18	23
B. Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	9	16.0	445	2	3	8	18	52	68	68
50-64	83	8.3	69	3	4	6	10	14	21	52
65 +	173	11.6	71	3	5	9	17	24	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	56	8.0	21	3	5	7	10	13	18	23
B. Operated	266	10.7	84	3	5	8	14	22	27	56
1. SINGLE DX	0									
2. MULTIPLE DX	322	10.2	74	3	5	8	13	21	26	49
A. Not Operated	56	8.0	21	3	5	7	10	13	18	23
B. Operated	266	10.7	84	3	5	8	14	22	27	56
TOTAL										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	13	12.8	321	3	4	7	10	36	62	68
50-64	95	8.3	62	3	4	6	10	14	19	50
65 +	213	10.9	63	3	5	8	16	22	26	45
GRAND TOTAL	**322**	**10.2**	**74**	**3**	**5**	**8**	**13**	**21**	**26**	**49**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.3	5	2	2	6	6	6	6	6
35-49	22	5.7	13	2	3	5	6	12	13	15
50-64	84	5.5	15	2	3	4	7	10	13	21
65 +	211	6.6	21	2	4	6	8	11	14	32
B. Operated										
0-19 YRS	0									
20-34	6	9.8	117	1	4	6	10	29	31	31
35-49	12	4.8	7	1	2	5	7	8	9	9
50-64	20	4.7	16	1	1	4	6	12	13	14
65 +	29	8.1	51	1	4	6	10	17	24	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	33	7.8	23	3	4	6	11	16	17	19
35-49	214	7.1	28	2	4	6	9	12	16	30
50-64	1064	8.0	33	3	4	7	10	14	19	32
65 +	5362	9.0	42	3	5	7	11	16	21	34
B. Operated										
0-19 YRS	4	12.3	52	8	8	9	16	23	23	23
20-34	19	17.3	242	6	7	10	24	55	82	99 +
35-49	98	11.5	135	3	6	8	13	28	49	99 +
50-64	278	13.6	199	4	6	9	15	29	48	95
65 +	896	15.6	146	5	8	12	20	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	324	6.2	19	2	3	5	8	11	14	30
B. Operated	67	6.6	40	1	2	5	9	13	18	33
2. MULTIPLE DX										
A. Not Operated	6676	8.8	40	3	5	7	11	16	20	33
B. Operated	1295	14.9	159	4	7	11	18	30	43	77
1. SINGLE DX	391	6.3	22	2	3	5	8	11	14	31
2. MULTIPLE DX	7971	9.8	65	3	5	8	12	18	24	45
A. Not Operated	7000	8.6	39	3	5	7	11	15	20	33
B. Operated	1362	14.5	156	4	7	11	18	30	43	77
TOTAL										
0-19 YRS	7	8.6	47	3	4	8	9	20	23	23
20-34	65	10.4	111	3	4	7	13	22	34	94
35-49	346	8.2	61	2	4	6	9	15	23	55
50-64	1446	8.9	69	3	4	7	10	16	23	54
65 +	6498	9.8	61	3	5	8	12	18	24	43
GRAND TOTAL	**8362**	**9.6**	**63**	**3**	**5**	**8**	**12**	**18**	**24**	**45**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	15	10.5	38	4	6	9	13	21	24	25
35-49	94	11.7	108	5	6	8	12	23	37	56
50-64	546	11.2	84	4	6	9	13	22	31	53
65 +	2554	10.9	55	4	6	9	13	20	25	38
B. Operated										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	17	21.4	337	5	8	12	30	52	61	65
35-49	38	18.7	369	5	8	11	24	50	82	99 +
50-64	152	19.4	246	6	9	14	25	44	58	68
65 +	399	18.9	148	7	10	16	25	35	43	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3210	11.0	61	4	6	9	13	20	26	43
B. Operated	607	19.1	190	6	9	15	25	38	49	71
1. SINGLE DX	0									
2. MULTIPLE DX	3817	12.3	91	4	7	10	15	24	31	53
A. Not Operated	3210	11.0	61	4	6	9	13	20	26	43
B. Operated	607	19.1	190	6	9	15	25	38	49	71
TOTAL										
0-19 YRS	2	11.5	61	6	6	11	17	17	17	17
20-34	32	16.3	221	5	7	11	19	41	54	65
35-49	132	13.7	191	5	6	9	16	31	44	93
50-64	698	13.0	130	4	6	9	15	27	38	64
65 +	2953	12.0	75	4	7	10	15	22	29	45
GRAND TOTAL	**3817**	**12.3**	**91**	**4**	**7**	**10**	**15**	**24**	**31**	**53**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	18	2.7	2	1	2	2	4	5	6	7
35-49	63	2.9	4	1	1	2	4	6	7	8
50-64	174	3.0	3	1	2	3	4	6	7	8
65 +	309	3.4	4	1	2	3	4	6	7	10
B. Operated										
0-19 YRS	0									
20-34	9	3.4	3	2	2	3	4	7	7	7
35-49	28	3.5	3	1	2	3	5	6	6	8
50-64	61	3.6	11	1	1	2	5	7	11	17
65 +	81	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.0	2	< 1	1	2	2	4	5	5
20-34	53	3.5	3	1	2	3	4	6	6	10
~~35-49~~	287	4.1	6	2	2	4	5	7	9	14
50-64	1263	4.1	8	2	2	4	5	7	9	14
65 +	5949	5.0	13	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	3	5.7	12	2	3	6	8	9	9	9
20-34	13	5.0	13	2	3	4	6	9	14	15
35-49	92	4.9	11	2	2	4	6	10	11	17
50-64	405	6.3	36	2	3	5	8	12	16	26
65 +	1057	7.9	41	2	4	6	10	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	567	3.2	4	1	2	3	4	6	7	9
B. Operated	179	3.3	6	1	1	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	7561	4.8	12	2	3	4	6	9	11	17
B. Operated	1570	7.3	39	2	3	6	9	14	18	33
1. SINGLE DX	746	3.2	5	1	2	3	4	6	7	10
2. MULTIPLE DX	9131	5.3	18	2	3	4	6	10	12	21
A. Not Operated	8128	4.7	12	2	3	4	6	8	11	17
B. Operated	1749	6.9	37	2	3	5	9	14	17	32
TOTAL										
0-19 YRS	15	2.9	6	1	1	2	4	6	8	9
20-34	93	3.5	5	1	2	3	4	6	7	13
35-49	470	4.0	7	1	2	4	5	7	9	14
50-64	1903	4.5	14	2	2	4	5	8	11	18
65 +	7396	5.4	18	2	3	4	7	10	13	22
GRAND TOTAL	**9877**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**12**	**20**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	5.6	8	2	3	5	8	9	10	10
50-64	46	4.5	6	2	3	4	5	8	10	10
65 +	158	6.0	20	2	3	5	7	10	14	31
B. Operated										
0-19 YRS	0									
20-34	3	6.3	4	4	5	7	8	8	8	8
35-49	7	6.7	21	1	3	7	11	13	13	13
50-64	10	5.9	21	1	2	4	11	12	12	12
65 +	12	5.3	9	1	3	6	7	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.7	20	2	3	7	10	11	11	11
20-34	16	5.9	29	1	2	4	7	15	18	20
35-49	71	6.7	19	3	4	5	8	14	17	22
50-64	387	7.7	51	2	4	6	9	13	20	44
65 +	2238	8.1	39	3	4	7	10	14	18	32
B. Operated										
0-19 YRS	0									
20-34	8	4.9	11	1	2	5	6	10	12	12
35-49	32	9.5	73	2	4	7	11	22	31	35
50-64	97	11.7	133	2	5	8	13	23	42	55
65 +	322	13.8	93	5	7	12	17	25	31	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	5.7	17	2	3	5	7	10	12	23
B. Operated	32	5.9	14	1	2	6	8	12	12	13
2. MULTIPLE DX										
A. Not Operated	2715	8.0	40	3	4	7	10	14	18	32
B. Operated	459	12.9	101	4	6	10	17	25	32	55
1. SINGLE DX	246	5.7	16	2	3	5	7	10	12	19
2. MULTIPLE DX	3174	8.7	52	3	4	7	11	16	22	38
A. Not Operated	2929	7.8	39	3	4	6	10	14	18	32
B. Operated	491	12.5	99	4	6	10	16	24	31	55
TOTAL										
0-19 YRS	4	7.8	18	2	4	9	11	11	11	11
20-34	28	5.6	20	1	3	4	7	12	15	20
35-49	118	7.4	34	2	4	6	8	15	20	33
50-64	540	8.1	65	2	4	6	9	15	21	48
65 +	2730	8.7	48	3	4	7	11	16	21	36
GRAND TOTAL	**3420**	**8.5**	**50**	**3**	**4**	**7**	**10**	**16**	**21**	**37**

354 Hospitals, North Central Region, January-December 1988

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	6.0	16	1	3	5	10	11	11	11
35-49	36	10.0	132	3	4	7	10	20	42	55
50-64	182	9.4	62	3	4	7	11	18	25	43
65 +	945	9.2	40	4	5	8	11	16	21	32
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	9.0		9	9	9	9	9	9	9
35-49	13	15.7	369	2	4	13	18	33	67	75
50-64	40	14.6	249	4	6	9	15	31	51	83
65 +	130	16.3	105	7	9	14	20	33	39	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1169	9.3	46	3	5	8	11	17	22	36
B. Operated	185	15.8	151	6	8	13	18	33	40	80
1. SINGLE DX	0									
2. MULTIPLE DX	1354	10.2	65	4	5	8	12	19	25	45
A. Not Operated	1169	9.3	46	3	5	8	11	17	22	36
B. Operated	185	15.8	151	6	8	13	18	33	40	80
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	6.4	15	1	3	7	10	11	11	11
35-49	49	11.5	195	3	4	7	13	22	50	75
50-64	222	10.3	99	3	4	8	12	19	28	55
65 +	1075	10.1	53	4	6	8	13	18	25	40
GRAND TOTAL	**1354**	**10.2**	**65**	**4**	**5**	**8**	**12**	**19**	**25**	**45**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.0	20	1	2	3	3	12	14	14
20-34	8	3.1	16	1	1	2	3	10	13	13
35-49	34	3.1	4	1	2	3	4	6	8	10
50-64	38	3.2	4	1	2	3	4	6	7	11
65 +	48	4.6	19	1	2	4	6	8	12	25
B. Operated										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	9	7.9	91	1	2	4	9	24	31	31
35-49	33	5.0	14	1	2	5	7	11	12	14
50-64	33	3.9	18	1	1	3	6	8	12	22
65 +	19	4.7	16	< 1	1	4	8	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	6.0	39	1	2	4	6	12	24	25
20-34	55	5.4	27	2	2	4	7	10	16	28
35-49	188	5.2	17	2	2	4	7	10	13	21
50-64	354	5.7	22	2	3	4	7	11	15	30
65 +	1113	6.5	27	2	3	5	8	12	15	24
B. Operated										
0-19 YRS	6	5.2	23	1	1	3	10	12	12	12
20-34	26	10.4	110	2	4	8	11	37	53	99 +
35-49	85	11.4	145	1	4	9	14	24	36	61
50-64	158	9.2	80	1	3	7	11	21	25	45
65 +	236	9.3	104	1	3	7	11	18	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	3.7	11	1	2	3	4	7	10	19
B. Operated	99	4.7	23	1	1	3	7	10	13	27
2. MULTIPLE DX										
A. Not Operated	1735	6.1	26	2	3	5	8	11	15	24
B. Operated	511	9.6	103	1	3	7	12	20	28	59
1. SINGLE DX	234	4.1	16	1	2	3	5	8	11	22
2. MULTIPLE DX	2246	6.9	45	2	3	5	9	13	18	35
A. Not Operated	1870	6.0	25	2	3	5	7	11	15	24
B. Operated	610	8.8	93	1	3	6	11	18	27	55
TOTAL										
0-19 YRS	43	5.1	30	1	2	3	6	12	17	25
20-34	98	6.8	58	1	2	4	9	14	26	73
35-49	340	6.5	55	1	2	4	8	13	18	50
50-64	583	6.4	40	1	3	4	8	13	18	31
65 +	1416	6.8	41	2	3	5	8	13	17	32
GRAND TOTAL	**2480**	**6.7**	**43**	**2**	**3**	**5**	**8**	**13**	**17**	**33**

354 Hospitals, North Central Region, January-December 1988

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.8	6	1	3	6	6	6	6	6
20-34	7	7.6	12	2	5	8	11	11	11	11
35-49	3	1.3		1	1	1	2	2	2	2
50-64	14	4.1	7	1	2	5	6	7	9	9
65 +	9	5.9	20	< 1	2	7	8	12	14	14
B. Operated										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	9	5.4	13	1	2	6	8	10	10	10
35-49	47	4.9	16	1	1	4	7	11	12	16
50-64	222	4.3	13	1	1	3	7	9	11	17
65 +	258	4.6	18	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	10.3	14	6	7	12	13	13	13	13
20-34	11	7.5	7	4	5	8	10	11	11	11
35-49	19	5.8	24	< 1	2	5	9	10	16	21
50-64	78	5.6	13	2	3	5	8	11	12	17
65 +	239	6.0	17	1	3	5	9	11	13	19
B. Operated										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	33	10.5	151	2	5	8	11	17	32	69
35-49	258	8.5	61	1	3	7	11	17	21	40
50-64	1375	9.5	102	1	4	7	11	19	27	50
65 +	3463	11.1	91	2	5	9	14	22	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	5.1	12	1	2	5	7	10	11	14
B. Operated	540	4.5	15	1	1	3	7	10	11	17
2. MULTIPLE DX										
A. Not Operated	350	6.0	16	1	3	6	8	11	13	19
B. Operated	5131	10.5	93	2	5	8	13	21	28	51
1. SINGLE DX	577	4.6	15	1	1	3	7	10	11	17
2. MULTIPLE DX	5481	10.2	.90	2	4	8	13	21	27	51
A. Not Operated	387	5.9	16	1	3	6	8	11	13	19
B. Operated	5671	9.9	89	1	4	8	13	20	27	50
TOTAL										
0-19 YRS	13	5.8	18	1	2	6	8	12	13	13
20-34	60	8.8	89	2	5	8	11	12	17	66
35-49	327	7.7	54	1	3	7	10	16	20	33
50-64	1689	8.6	89	1	3	7	10	17	24	47
65 +	3969	10.3	85	2	4	8	13	21	27	50
GRAND TOTAL	**6058**	**9.7**	**85**	**1**	**4**	**8**	**12**	**20**	**27**	**49**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.0	4	1	1	1	2	6	6	6
50-64	24	2.1	4	1	1	1	2	6	7	8
65 +	30	2.5	5	< 1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	5	3.0	4	1	2	3	4	6	6	6
65 +	46	5.5	35	1	2	4	6	12	22	26
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	6.0	11	2	3	7	9	9	9	9
35-49	61	5.2	28	1	1	2	8	11	14	25
50-64	207	6.6	33	1	2	6	10	12	16	26
65 +	236	7.8	83	1	2	5	11	17	23	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	60	2.3	4	1	1	2	2	6	7	11
2. MULTIPLE DX										
A. Not Operated	54	5.0	31	1	2	3	6	10	22	26
B. Operated	510	7.0	56	1	2	5	10	15	21	33
1. SINGLE DX	63	2.3	4	< 1	1	1	2	6	7	11
2. MULTIPLE DX	564	6.8	54	1	2	4	10	15	21	31
A. Not Operated	57	4.8	30	1	2	3	5	10	21	26
B. Operated	570	6.5	52	1	2	4	9	14	19	31
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	6.0	11	2	3	7	9	9	9	9
35-49	70	4.8	26	1	1	2	8	10	13	25
50-64	238	6.0	31	1	1	4	9	12	15	25
65 +	313	6.9	71	1	2	4	9	16	22	46
GRAND TOTAL	**627**	**6.3**	**50**	**1**	**2**	**4**	**9**	**14**	**19**	**30**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	1.8	1	< 1	< 1	2	2	3	3	3
65 +	12	3.7	10	< 1	1	3	5	8	11	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	6.0	29	1	1	5	10	12	12	12
50-64	49	7.7	13	1	7	8	10	11	15	15
65 +	94	9.0	15	2	8	9	10	13	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	35	4.6	13	1	2	3	7	11	12	14
65 +	168	5.8	32	1	2	4	8	12	15	29
B. Operated										
0-19 YRS	2	18.0	162	9	9	18	27	27	27	27
20-34	9	11.4	61	1	5	11	18	22	24	24
35-49	30	10.9	150	2	5	8	10	27	36	60
50-64	511	12.4	101	6	8	10	14	20	32	83
65 +	1571	13.8	92	7	9	11	16	25	33	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.1	8	< 1	1	2	5	6	9	11
B. Operated	147	8.5	15	2	7	9	10	13	14	18
2. MULTIPLE DX										
A. Not Operated	205	5.6	29	1	2	4	7	11	14	28
B. Operated	2123	13.4	95	6	8	11	15	24	32	64
1. SINGLE DX	164	7.9	17	1	6	8	10	13	14	18
2. MULTIPLE DX	2328	12.7	94	4	8	10	15	23	31	63
A. Not Operated	222	5.4	28	1	2	4	7	11	14	28
B. Operated	2270	13.1	91	6	8	11	15	23	31	63
TOTAL										
0-19 YRS	2	18.0	162	9	9	18	27	27	27	27
20-34	9	11.4	61	1	5	11	18	22	24	24
35-49	36	9.9	132	1	3	8	10	26	34	60
50-64	600	11.4	93	3	7	10	13	18	27	75
65 +	1845	12.8	89	4	8	11	15	23	31	57
GRAND TOTAL	**2492**	**12.4**	**90**	**3**	**8**	**10**	**15**	**23**	**30**	**59**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	4.3	24	1	1	2	8	10	10	10
65 +	0									
B. Operated										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	5	4.2	7	< 1	1	5	6	7	7	7
35-49	17	3.2	8	1	1	2	5	8	9	9
50-64	50	5.5	9	1	3	5	8	9	10	13
65 +	37	5.8	19	1	2	6	8	12	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	9	6.4	69	1	1	1	11	20	24	24
65 +	13	4.1	14	1	2	2	6	9	13	14
B. Operated										
0-19 YRS	3	9.3	32	3	5	11	13	14	14	14
20-34	18	8.9	80	2	2	8	13	17	30	38
35-49	41	12.3	122	1	3	9	16	30	33	50
50-64	169	8.8	42	2	5	8	10	18	22	34
65 +	366	9.7	58	3	5	8	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.0	27	1	1	6	10	11	11	11
B. Operated	112	5.2	12	1	2	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated	23	5.0	34	1	1	2	7	14	18	24
B. Operated	597	9.6	58	2	5	8	11	19	24	41
1. SINGLE DX	116	5.2	13	1	2	5	7	9	11	16
2. MULTIPLE DX	620	9.4	58	2	5	8	11	18	24	41
A. Not Operated	27	5.1	32	1	1	2	7	13	16	24
B. Operated	709	8.9	54	2	4	7	11	17	22	40
TOTAL										
0-19 YRS	6	6.3	25	1	3	4	11	14	14	14
20-34	24	7.7	65	1	2	6	9	17	23	38
35-49	59	9.7	103	1	2	7	13	26	32	49
50-64	231	7.9	37	2	4	7	10	16	21	32
65 +	416	9.1	55	2	5	8	11	17	22	42
GRAND TOTAL	**736**	**8.7**	**53**	**2**	**4**	**7**	**11**	**17**	**22**	**40**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	6.7	20	2	3	7	10	11	11	11
50-64	3	5.0	9	2	3	5	7	8	8	8
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	4.0	6	1	2	4	5	8	9	9
35-49	39	3.9	10	1	1	2	7	9	9	10
50-64	85	4.9	12	1	2	4	8	10	11	13
65+	48	4.1	14	1	1	2	7	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	6.7	14	2	4	7	10	11	11	11
35-49	16	5.9	15	1	3	6	8	10	14	16
50-64	25	4.5	9	1	2	5	6	9	10	11
65+	47	6.7	15	2	3	7	9	12	12	18
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	8.6	62	1	2	7	12	17	27	31
35-49	138	8.9	81	1	5	8	10	14	19	59
50-64	417	9.7	77	2	5	8	11	17	25	45
65+	569	10.5	75	2	5	9	13	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	5.8	15	1	2	6	9	11	11	11
B. Operated	185	4.4	12	1	1	3	7	9	11	13
2. MULTIPLE DX										
A. Not Operated	94	6.0	14	2	2	6	8	11	12	17
B. Operated	1141	10.0	76	2	5	8	12	18	25	45
1. SINGLE DX	193	4.5	12	1	1	3	7	9	11	13
2. MULTIPLE DX	1235	9.7	73	2	5	8	12	17	24	45
A. Not Operated	102	6.0	14	2	2	6	8	11	12	17
B. Operated	1326	9.2	71	1	4	8	11	17	23	44
TOTAL										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	35	6.7	36	1	2	5	9	15	17	31
35-49	196	7.6	64	1	3	7	9	13	16	53
50-64	530	8.7	67	1	4	8	11	16	22	43
65+	665	9.7	70	2	4	8	12	18	24	44
GRAND TOTAL	**1428**	**9.0**	**68**	**1**	**4**	**8**	**11**	**16**	**22**	**44**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	4.4	5	1	3	4	5	7	9	12
20-34	5	2.6	6	1	1	2	3	7	7	7
35-49	7	2.4	3	1	1	2	3	5	6	6
50-64	17	4.0	14	<1	1	2	6	9	12	14
65+	15	8.2	283	<1	1	4	5	13	54	68
B. Operated										
0-19 YRS	12	5.1	27	1	2	3	5	14	17	18
20-34	18	5.1	25	1	1	3	7	13	17	19
35-49	72	3.0	9	1	1	1	4	8	9	11
50-64	177	3.1	11	1	1	2	4	8	9	18
65+	182	3.3	11	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	5.9	16	2	3	5	7	10	14	22
20-34	25	4.4	23	1	2	3	5	8	14	24
35-49	52	4.6	15	1	2	4	6	10	12	19
50-64	106	5.3	33	1	2	4	6	11	15	32
65+	244	6.4	42	1	3	5	8	13	17	34
B. Operated										
0-19 YRS	32	9.3	97	1	3	6	13	18	30	48
20-34	46	8.7	68	2	4	6	11	18	25	99+
35-49	195	7.4	114	1	1	4	9	17	28	67
50-64	627	7.1	85	1	1	4	9	17	22	48
65+	1167	8.9	91	1	2	6	12	20	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	167	4.5	31	1	2	4	5	8	9	14
B. Operated	461	3.3	12	1	1	2	4	8	10	18
2. MULTIPLE DX										
A. Not Operated	548	5.8	32	1	2	4	7	12	16	26
B. Operated	2067	8.2	91	1	2	5	11	18	25	50
1. SINGLE DX	628	3.6	17	1	1	2	5	8	10	18
2. MULTIPLE DX	2615	7.7	80	1	2	5	10	17	23	48
A. Not Operated	715	5.5	32	1	2	4	7	10	14	25
B. Operated	2528	7.3	80	1	2	4	10	17	23	48
TOTAL										
0-19 YRS	288	5.6	23	2	3	5	7	10	14	25
20-34	94	6.5	48	1	2	5	8	15	20	77
35-49	326	5.9	76	1	1	3	7	13	19	55
50-64	927	6.1	66	1	1	3	8	14	20	41
65+	1608	7.9	79	1	2	5	10	17	24	41
GRAND TOTAL	**3243**	**6.9**	**70**	**1**	**2**	**4**	**9**	**16**	**22**	**43**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	6.9	30	3	4	5	9	10	21	25
20-34	106	6.6	14	2	4	6	8	12	15	17
35-49	171	6.0	7	2	4	6	8	10	11	13
50-64	129	6.5	13	2	4	6	9	11	12	18
65 +	130	6.7	9	3	5	7	9	10	12	16
B. Operated										
0-19 YRS	3	5.3	4	3	4	6	7	7	7	7
20-34	78	5.1	11	1	2	5	7	9	11	17
35-49	87	5.9	24	1	2	5	8	11	14	28
50-64	85	6.3	14	2	4	6	8	10	12	21
65 +	77	6.5	13	2	4	7	8	12	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	8.3	32	2	5	7	9	18	21	22
20-34	139	7.2	20	2	4	7	9	13	15	28
35-49	332	6.8	13	3	4	6	9	12	14	18
50-64	591	7.5	16	3	5	7	9	12	14	23
65 +	1027	7.8	15	4	5	7	9	12	15	22
B. Operated										
0-19 YRS	9	8.7	31	3	5	7	11	18	21	21
20-34	116	8.8	43	3	5	8	11	15	22	37
35-49	233	7.4	26	2	4	6	9	14	16	27
50-64	367	8.2	27	3	5	7	10	14	17	27
65 +	649	9.5	41	4	6	8	11	16	20	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	552	6.4	11	3	4	6	8	11	12	16
B. Operated	330	6.0	16	1	3	6	8	10	13	18
2. MULTIPLE DX										
A. Not Operated	2107	7.5	16	3	5	7	9	12	14	22
B. Operated	1374	8.7	35	3	5	8	11	15	19	30
1. SINGLE DX	882	6.3	13	2	4	6	8	10	12	17
2. MULTIPLE DX	3481	8.0	24	3	5	7	10	13	16	26
A. Not Operated	2659	7.3	15	3	5	7	9	12	14	22
B. Operated	1704	8.2	33	2	5	7	10	14	18	29
TOTAL										
0-19 YRS	46	7.7	29	3	4	7	9	15	21	25
20-34	439	7.1	24	2	4	6	9	13	15	25
35-49	823	6.7	17	2	4	6	9	12	15	20
50-64	1172	7.5	19	3	5	7	9	12	15	25
65 +	1883	8.2	24	3	5	8	10	13	16	27
GRAND TOTAL	**4363**	**7.6**	**22**	**3**	**5**	**7**	**9**	**12**	**15**	**25**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	6	7.2	129	1	1	3	6	28	30	30
50-64	6	7.8	18	2	4	8	12	12	12	12
65 +	18	6.4	21	2	3	6	8	14	17	18
B. Operated										
0-19 YRS	12	1.3		< 1	1	1	2	2	2	2
20-34	287	1.8	1	1	1	1	2	3	4	6
35-49	485	1.9	3	1	1	2	2	3	4	11
50-64	249	2.5	9	1	1	2	3	4	6	17
65 +	90	4.6	48	1	1	3	4	9	14	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	5.1	7	2	3	5	7	8	9	10
35-49	36	5.9	6	2	4	6	8	9	9	11
50-64	67	8.0	23	3	4	8	10	15	20	22
65 +	264	9.3	50	3	5	8	11	17	21	30
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	106	3.2	22	1	1	2	3	6	17	24
35-49	222	4.1	26	1	1	2	5	9	14	29
50-64	256	6.0	63	1	2	3	6	18	24	39
65 +	289	12.2	150	1	4	9	16	28	35	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	6.8	36	1	3	6	8	13	18	30
B. Operated	1123	2.2	8	1	1	2	2	4	5	13
2. MULTIPLE DX										
A. Not Operated	384	8.6	41	3	5	7	10	16	19	29
B. Operated	875	7.2	90	1	2	3	9	19	26	41
1. SINGLE DX	1155	2.4	9	1	1	2	2	4	6	16
2. MULTIPLE DX	1259	7.6	75	1	2	5	10	18	24	38
A. Not Operated	416	8.4	41	3	5	7	10	16	19	30
B. Operated	1998	4.4	50	1	1	2	4	11	19	35
TOTAL										
0-19 YRS	15	1.5		1	1	1	2	2	2	2
20-34	411	2.3	8	1	1	2	2	4	6	18
35-49	749	2.8	12	1	1	2	3	6	9	18
50-64	578	4.7	39	1	1	2	5	13	19	31
65 +	661	9.9	99	2	4	7	12	21	29	50
GRAND TOTAL	**2414**	**5.1**	**51**	**1**	**1**	**2**	**6**	**13**	**19**	**34**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	13	2.4	5	< 1	1	2	3	6	8	8
35-49	21	1.8	2	< 1	< 1	1	2	4	5	6
50-64	9	1.8	3	< 1	< 1	< 1	2	5	6	6
65 +	17	2.2	4	< 1	< 1	< 1	3	6	7	8
B. Operated										
0-19 YRS	4	2.3	2	< 1	< 1	2	3	4	4	4
20-34	97	2.9	3	1	2	3	3	5	6	10
35-49	159	2.6	2	1	1	2	3	5	5	9
50-64	111	2.7	2	1	2	2	3	5	6	9
65 +	45	2.4	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.8	18	2	2	3	7	12	12	12
20-34	39	3.2	7	< 1	1	2	4	7	9	12
35-49	73	2.6	3	< 1	1	2	3	5	6	10
50-64	60	3.2	10	< 1	1	2	4	6	8	17
65 +	129	3.6	7	< 1	2	3	5	7	8	12
B. Operated										
0-19 YRS	13	2.5	3	1	1	2	3	5	7	7
20-34	505	2.9	4	1	2	2	3	5	5	9
35-49	1001	2.9	5	1	2	3	3	5	6	10
50-64	839	3.0	4	1	2	3	4	5	7	10
65 +	576	4.3	18	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.0	3	< 1	< 1	1	2	5	6	8
B. Operated	416	2.7	2	1	2	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	306	3.3	7	< 1	1	3	4	7	8	13
B. Operated	2934	3.2	7	1	2	3	4	5	7	13
1. SINGLE DX	478	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	3240	3.2	7	1	2	3	4	5	7	13
A. Not Operated	368	3.1	6	< 1	1	2	4	6	8	12
B. Operated	3350	3.1	7	1	2	3	4	5	7	13
TOTAL										
0-19 YRS	24	2.9	6	1	1	2	3	5	8	12
20-34	654	2.9	4	1	2	2	3	5	6	10
35-49	1254	2.8	5	1	2	2	3	5	6	9
50-64	1019	3.0	4	1	2	3	4	5	7	10
65 +	767	4.0	15	1	2	3	5	7	10	16
GRAND TOTAL	**3718**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	4.3	11	1	1	4	7	8	10	15
20-34	118	6.3	9	2	4	7	8	10	12	14
35-49	109	5.9	9	2	4	6	8	10	11	14
50-64	156	6.6	10	2	4	7	8	10	12	16
65 +	153	6.0	8	2	4	6	8	10	10	13
B. Operated										
0-19 YRS	55	3.6	15	< 1	1	1	6	10	12	15
20-34	103	5.3	15	1	1	5	9	10	12	16
35-49	128	6.0	16	1	2	7	8	10	14	18
50-64	129	7.1	21	1	5	7	9	12	14	24
65 +	120	7.2	25	2	4	7	9	12	16	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	5.1	22	1	2	3	7	12	14	23
20-34	233	6.2	16	2	3	6	8	11	14	18
35-49	543	7.0	25	2	4	7	9	11	14	25
50-64	1007	6.9	22	2	4	6	9	12	15	25
65 +	2549	6.7	22	2	4	6	9	12	14	21
B. Operated										
0-19 YRS	57	7.0	53	1	1	4	10	18	21	33
20-34	220	8.1	60	1	3	7	10	15	20	36
35-49	421	9.0	77	2	4	8	11	16	21	46
50-64	690	9.1	49	2	5	8	11	17	21	35
65 +	1371	10.5	67	3	6	9	12	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	6.1	9	2	4	6	8	10	11	14
B. Operated	535	6.2	20	1	2	6	8	11	13	23
2. MULTIPLE DX										
A. Not Operated	4430	6.7	22	2	4	6	9	12	14	23
B. Operated	2759	9.7	64	2	5	8	12	17	23	46
1. SINGLE DX	1106	6.1	14	1	3	6	8	10	12	19
2. MULTIPLE DX	7189	7.9	40	2	4	7	10	14	18	32
A. Not Operated	5001	6.7	20	2	4	6	9	11	14	22
B. Operated	3294	9.1	59	2	5	8	11	17	22	42
TOTAL										
0-19 YRS	245	5.1	27	1	1	3	7	12	16	23
20-34	674	6.7	30	1	3	6	9	12	15	29
35-49	1201	7.5	42	2	4	7	9	12	16	31
50-64	1982	7.7	31	2	4	7	10	13	17	29
65 +	4193	7.9	39	2	4	7	10	14	18	33
GRAND TOTAL	**8295**	**7.6**	**37**	**2**	**4**	**7**	**9**	**13**	**17**	**31**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2030	2.2	2	1	1	2	3	4	5	7
20-34	166	2.7	2	1	2	3	3	5	5	6
35-49	68	3.0	3	1	2	3	4	4	5	13
50-64	33	3.8	4	2	3	4	4	6	8	10
65 +	15	3.3	4	1	2	3	4	6	8	8
B. Operated										
0-19 YRS	116	2.6	17	1	1	1	3	6	9	25
20-34	30	2.1	4	1	1	1	2	6	6	7
35-49	13	3.0	4	1	1	3	4	6	6	6
50-64	5	3.4	6	1	2	2	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4329	2.9	5	1	2	2	4	5	6	10
20-34	519	3.2	5	1	2	3	4	5	7	10
35-49	302	3.7	5	1	2	3	5	7	8	12
50-64	292	4.7	14	2	2	4	6	8	12	17
65 +	376	5.5	12	2	3	5	7	10	12	19
B. Operated										
0-19 YRS	286	4.5	67	1	1	2	5	8	16	40
20-34	66	4.5	14	1	2	4	6	8	12	20
35-49	52	6.2	39	1	2	4	8	12	17	38
50-64	53	8.7	54	1	4	7	10	19	28	32
65 +	51	9.4	62	2	4	7	11	22	27	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2312	2.3	2	1	1	2	3	4	5	7
B. Operated	164	2.6	13	1	1	1	3	6	8	20
2. MULTIPLE DX										
A. Not Operated	5818	3.3	6	1	2	3	4	6	7	12
B. Operated	508	5.6	58	1	1	3	7	12	19	35
1. SINGLE DX	2476	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX	6326	3.4	11	1	2	3	4	6	8	15
A. Not Operated	8130	3.0	5	1	2	2	4	5	7	12
B. Operated	672	4.8	49	1	1	3	6	10	18	34
TOTAL										
0-19 YRS	6761	2.8	7	1	1	2	3	5	6	10
20-34	781	3.2	5	1	2	3	4	5	7	11
35-49	435	3.9	10	1	2	3	5	7	9	14
50-64	383	5.1	20	2	2	4	6	10	13	27
65 +	442	5.9	19	2	3	5	7	11	13	25
GRAND TOTAL	**8802**	**3.1**	**9**	**1**	**2**	**2**	**4**	**6**	**7**	**13**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2919	3.0	3	1	2	3	4	5	6	9
20-34	86	3.4	2	2	2	3	4	5	6	9
35-49	96	3.5	5	1	2	3	4	6	7	13
50-64	68	3.9	3	2	3	4	5	7	8	8
65 +	90	4.9	6	2	3	5	6	8	8	15
B. Operated										
0-19 YRS	15	2.3	3	1	1	2	2	6	7	7
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	5	4.0	7	< 1	1	4	6	7	7	7
50-64	6	4.7	8	< 1	2	5	7	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7049	3.9	8	2	2	3	5	7	8	14
20-34	534	4.8	14	2	3	4	6	9	14	19
35-49	896	4.8	12	2	3	4	6	9	11	17
50-64	2509	6.0	13	3	4	5	7	10	13	19
65 +	6027	6.7	17	3	4	6	8	12	14	21
B. Operated										
0-19 YRS	109	12.4	198	4	5	8	14	23	55	92
20-34	46	8.2	30	2	4	7	13	17	18	21
35-49	70	8.5	36	2	5	7	11	19	23	26
50-64	217	10.9	112	4	5	8	12	21	31	63
65 +	441	12.2	87	4	7	10	15	21	29	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3259	3.1	3	1	2	3	4	5	6	9
B. Operated	28	3.1	5	< 1	1	2	5	7	7	8
2. MULTIPLE DX										
A. Not Operated	17015	5.3	14	2	3	4	7	10	12	18
B. Operated	883	11.4	101	4	6	9	14	20	28	62
1. SINGLE DX	3287	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX	17898	5.6	20	2	3	4	7	10	13	21
A. Not Operated	20274	4.9	13	2	3	4	6	9	12	18
B. Operated	911	11.1	100	3	6	9	14	20	28	62
TOTAL										
0-19 YRS	10092	3.7	10	1	2	3	4	6	8	14
20-34	668	4.8	14	2	3	4	6	9	14	19
35-49	1067	5.0	14	2	3	4	6	9	12	20
50-64	2800	6.3	22	3	4	5	8	11	14	23
65 +	6558	7.0	23	3	4	6	9	12	15	24
GRAND TOTAL	**21185**	**5.2**	**18**	**2**	**3**	**4**	**6**	**10**	**12**	**20**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	1.3	1	1	1	1	1	2	3	6
20-34	190	1.4	1	< 1	1	1	1	2	3	7
35-49	110	1.3		1	1	1	1	2	2	4
50-64	39	1.3	1	1	1	1	1	2	2	6
65 +	8	1.5	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	6	1.0		< 1	< 1	< 1	1	1	1	1
50-64	4	1.3		< 1	< 1	1	1	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	245	1.2	1	1	1	1	1	2	2	4
20-34	678	1.2		1	1	1	1	2	2	3
35-49	635	1.3	1	1	1	1	1	2	3	6
50-64	352	1.5	1	1	1	1	2	2	3	7
65 +	125	1.5	1	1	1	1	2	2	3	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	13.0		13	13	13	13	13	13	13
B. Operated	428	1.4	1	1	1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	16	1.1		< 1	< 1	< 1	1	1	2	2
B. Operated	2035	1.3	1	1	1	1	1	2	3	5
1. SINGLE DX	429	1.4	1	1	1	1	1	2	3	6
2. MULTIPLE DX	2051	1.3	1	1	1	1	1	2	3	5
A. Not Operated	17	1.8	8	< 1	< 1	< 1	1	2	9	13
B. Operated	2463	1.3	1	1	1	1	1	2	3	5
TOTAL										
0-19 YRS	327	1.2	1	1	1	1	1	2	2	4
20-34	872	1.3	1	1	1	1	1	2	2	5
35-49	752	1.4	1	1	1	1	1	2	3	6
50-64	395	1.5	1	1	1	1	2	2	3	7
65 +	134	1.5	1	1	1	1	2	2	3	7
GRAND TOTAL	**2480**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**6**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.6	1	1	1	1	2	4	4	4
20-34	12	1.5	1	1	1	1	2	3	4	4
35-49	17	1.1		< 1	1	1	1	2	2	2
50-64	19	1.2		< 1	< 1	1	1	2	3	3
65 +	10	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.0		1	1	1	1	1	1	1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	51	1.9	2	1	1	1	2	3	4	10
20-34	63	1.8	3	1	1	1	2	3	4	13
35-49	113	2.3	53	1	1	1	2	3	4	34
50-64	129	1.6	1	1	1	1	2	3	4	7
65 +	77	1.5	1	1	1	1	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	65	1.3		< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	7	1.1		< 1	< 1	1	1	2	2	2
B. Operated	433	1.8	15	1	1	1	2	3	4	7
1. SINGLE DX	65	1.3		< 1	1	1	1	2	3	4
2. MULTIPLE DX	440	1.8	15	1	1	1	2	3	4	7
A. Not Operated	7	1.1		< 1	< 1	1	1	2	2	2
B. Operated	498	1.8	13	1	1	1	2	3	4	7
TOTAL										
0-19 YRS	59	1.8	2	1	1	1	2	3	4	10
20-34	77	1.8	3	1	1	1	2	3	4	12
35-49	133	2.1	45	1	1	1	2	3	4	20
50-64	149	1.6	1	1	1	1	2	3	4	7
65 +	87	1.5	1	1	1	1	2	3	3	4
GRAND TOTAL	**505**	**1.8**	**13**	**1**	**1**	**1**	**2**	**3**	**4**	**7**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.4		< 1	1	1	2	2	3	3
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	5389	1.1		1	1	1	1	1	1	2
20-34	844	1.1		1	1	1	1	1	2	3
35-49	116	1.2		1	1	1	1	2	2	4
50-64	16	1.3		1	1	1	1	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	1.8	3	< 1	< 1	1	2	4	5	9
20-34	12	2.8	3	< 1	1	3	4	5	5	5
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	4396	1.2	2	1	1	1	1	1	2	4
20-34	267	1.3	1	1	1	1	1	2	3	7
35-49	74	1.4	1	1	1	1	1	2	3	7
50-64	18	3.1	14	1	1	2	3	7	13	16
65 +	3	1.0		< 1	< 1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.7	1	< 1	1	1	2	3	4	4
B. Operated	6366	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	105	1.9	3	< 1	< 1	1	2	4	5	9
B. Operated	4758	1.2	2	1	1	1	1	1	2	5
1. SINGLE DX	6384	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX	4863	1.2	2	1	1	1	1	2	2	5
A. Not Operated	123	1.9	2	< 1	< 1	1	2	4	5	9
B. Operated	11124	1.1	1	1	1	1	1	1	2	3
TOTAL										
0-19 YRS	9886	1.1	1	1	1	1	1	1	2	3
20-34	1127	1.2		1	1	1	1	2	2	4
35-49	193	1.3	1	1	1	1	1	2	3	5
50-64	36	2.2	8	1	1	1	2	3	7	16
65 +	5	1.2		< 1	< 1	1	1	2	2	2
GRAND TOTAL	**11247**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**4**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	313	2.6	3	1	1	2	3	4	6	9
20-34	128	3.1	16	1	2	2	3	5	6	20
35-49	67	2.9	3	1	2	2	4	5	6	8
50-64	22	2.5	3	< 1	1	2	3	5	6	7
65 +	21	1.9	1	< 1	< 1	1	3	4	4	5
B. Operated										
0-19 YRS	401	2.7	9	1	1	2	3	5	8	18
20-34	257	2.0	3	1	1	2	2	3	5	7
35-49	226	1.8	3	< 1	1	1	2	3	4	9
50-64	148	1.7	3	< 1	1	1	2	4	5	7
65 +	70	1.8	4	< 1	1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	570	3.3	5	1	2	3	4	6	7	12
20-34	161	3.4	4	1	2	3	4	6	8	11
35-49	117	4.0	8	1	2	3	5	7	10	15
50-64	107	4.1	9	1	2	4	5	8	10	16
65 +	98	5.3	26	1	2	4	6	10	12	32
B. Operated										
0-19 YRS	708	5.1	77	1	1	2	5	11	20	58
20-34	450	2.4	9	1	1	1	3	5	7	18
35-49	544	2.3	11	1	1	1	2	4	7	16
50-64	445	3.0	29	1	1	1	3	6	10	28
65 +	304	4.1	30	1	1	2	5	10	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	2.7	6	1	2	2	3	5	6	9
B. Operated	1102	2.2	5	1	1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	1053	3.7	8	1	2	3	5	7	9	14
B. Operated	2451	3.5	37	1	1	2	3	8	12	31
1. SINGLE DX	1653	2.4	6	1	1	2	3	4	6	11
2. MULTIPLE DX	3504	3.5	28	1	1	2	4	7	11	28
A. Not Operated	1604	3.3	7	1	2	3	4	6	8	13
B. Operated	3553	3.1	27	1	1	2	3	6	10	27
TOTAL										
0-19 YRS	1992	3.7	32	1	1	2	4	7	11	30
20-34	996	2.6	8	1	1	2	3	5	6	13
35-49	954	2.4	8	1	1	2	3	5	7	14
50-64	722	2.9	21	1	1	2	3	6	9	19
65 +	493	3.9	25	1	1	2	5	9	12	30
GRAND TOTAL	**5157**	**3.2**	**21**	**1**	**1**	**2**	**3**	**6**	**9**	**22**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	392	3.6	4	2	2	3	4	6	8	11
20-34	126	4.6	6	2	3	4	6	8	9	14
35-49	88	4.9	5	2	3	5	6	8	9	12
50-64	94	5.8	7	3	4	5	7	10	11	13
65 +	131	6.6	27	3	4	6	8	10	16	29
B. Operated										
0-19 YRS	5	6.4	26	2	2	5	10	14	14	14
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49	5	18.6	436	2	4	13	28	54	54	54
50-64	7	10.1	21	5	7	9	13	17	18	18
65 +	10	13.8	52	6	7	13	18	24	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1207	6.5	31	2	3	5	8	14	17	25
20-34	500	8.2	33	3	4	6	11	15	20	28
35-49	582	7.5	24	3	4	6	9	14	17	25
50-64	1232	8.4	29	4	5	7	10	14	18	29
65 +	4663	9.7	40	4	6	8	12	17	21	34
B. Operated										
0-19 YRS	111	16.8	205	6	9	13	20	34	54	99 +
20-34	85	18.6	215	7	10	14	22	41	60	91
35-49	157	19.5	291	6	9	15	24	35	56	87
50-64	307	19.0	236	7	10	14	23	41	55	99 +
65 +	946	20.3	213	7	11	16	25	38	52	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	831	4.6	10	2	3	4	6	8	10	14
B. Operated	29	12.1	104	3	6	11	15	19	30	54
2. MULTIPLE DX										
A. Not Operated	8184	8.8	37	3	5	7	11	16	20	31
B. Operated	1606	19.6	225	7	10	15	24	38	54	90
1. SINGLE DX	860	4.9	14	2	3	4	6	8	11	18
2. MULTIPLE DX	9790	10.6	84	4	5	8	13	20	26	53
A. Not Operated	9015	8.4	36	3	5	7	10	15	19	30
B. Operated	1635	19.5	224	7	10	15	24	38	54	90
TOTAL										
0-19 YRS	1715	6.5	44	2	3	4	8	14	18	33
20-34	713	8.8	64	3	4	6	11	17	23	47
35-49	832	9.5	99	3	4	7	11	18	25	55
50-64	1640	10.3	84	4	5	8	12	18	26	55
65 +	5750	11.4	84	4	6	9	14	21	28	52
GRAND TOTAL	**10650**	**10.1**	**81**	**3**	**5**	**8**	**12**	**19**	**26**	**50**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4065	3.3	3	2	2	3	4	6	7	9
20-34	577	4.2	4	2	3	4	5	7	8	12
35-49	461	4.5	5	2	3	4	6	7	9	12
50-64	326	4.9	5	2	3	5	6	8	10	13
65 +	458	5.6	10	3	4	5	7	10	12	17
B. Operated										
0-19 YRS	34	4.4	13	1	1	4	6	8	10	17
20-34	12	6.5	20	2	3	6	8	14	16	16
35-49	19	8.0	21	2	4	8	12	14	15	16
50-64	24	6.7	25	1	3	7	9	11	16	24
65 +	19	7.1	10	2	5	8	9	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10061	4.1	9	2	2	3	5	7	9	15
20-34	1316	5.3	11	2	3	4	6	9	12	17
35-49	1649	6.0	13	3	4	5	7	10	12	18
50-64	3373	6.9	17	3	4	6	8	12	15	21
65 +	12691	8.2	27	4	5	7	10	14	18	28
B. Operated										
0-19 YRS	292	13.2	171	3	5	10	16	28	45	99 +
20-34	132	12.4	131	4	6	9	14	21	42	60
35-49	296	12.5	118	4	7	10	15	21	32	65
50-64	585	13.2	104	5	7	11	16	23	33	59
65 +	1625	14.9	86	6	9	13	19	26	32	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5887	3.8	4	2	2	3	5	6	8	11
B. Operated	108	6.2	18	1	3	6	9	12	14	20
2. MULTIPLE DX										
A. Not Operated	29090	6.4	21	2	3	5	8	12	15	23
B. Operated	2930	14.0	104	5	8	12	17	25	33	59
1. SINGLE DX	5995	3.8	5	2	2	3	5	6	8	12
2. MULTIPLE DX	32020	7.1	34	2	4	6	9	13	17	29
A. Not Operated	34977	6.0	19	2	3	5	7	11	14	22
B. Operated	3038	13.8	103	5	8	11	17	25	32	59
TOTAL										
0-19 YRS	14452	4.1	12	2	2	3	5	7	9	17
20-34	2037	5.5	20	2	3	4	6	10	12	20
35-49	2425	6.5	30	3	4	5	8	11	15	27
50-64	4308	7.6	33	3	4	6	9	13	17	29
65 +	14793	8.9	37	4	5	7	11	16	20	32
GRAND TOTAL	**38015**	**6.6**	**30**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	2.4	2	1	1	2	3	4	5	6
20-34	28	2.5	2	1	2	2	3	5	5	6
35-49	29	3.2	3	1	2	3	4	6	6	8
50-64	14	3.5	5	1	2	3	5	7	7	7
65 +	20	4.8	17	2	2	4	6	8	14	20
B. Operated										
0-19 YRS	5	2.4	2	1	1	2	3	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	203	3.6	7	1	2	3	4	7	9	13
20-34	126	3.3	5	1	2	3	4	5	8	12
35-49	119	3.5	5	1	2	3	4	6	9	12
50-64	192	5.0	15	2	3	4	6	9	13	21
65 +	415	5.6	14	2	3	5	7	10	13	22
B. Operated										
0-19 YRS	6	13.7	205	3	7	8	14	39	42	42
20-34	6	5.7	20	2	3	4	7	13	14	14
35-49	5	10.4	175	1	1	7	16	33	33	33
50-64	8	6.1	11	2	4	6	8	11	11	11
65 +	21	11.5	41	6	7	10	14	21	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	144	3.0	5	1	2	3	4	6	7	9
B. Operated	5	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	1055	4.6	12	2	2	4	6	8	11	19
B. Operated	46	10.0	69	3	6	8	11	16	29	42
1. SINGLE DX	149	3.0	5	1	2	2	4	6	7	8
2. MULTIPLE DX	1101	4.8	15	2	2	4	6	9	12	21
A. Not Operated	1199	4.4	11	2	2	3	5	8	11	19
B. Operated	51	9.2	67	2	4	7	11	16	28	42
TOTAL										
0-19 YRS	267	3.6	13	1	2	3	4	6	8	14
20-34	160	3.3	5	1	2	3	4	5	7	14
35-49	153	3.7	11	1	2	3	4	6	9	13
50-64	214	5.0	14	2	3	4	6	9	12	21
65 +	456	5.8	17	2	3	5	7	10	14	24
GRAND TOTAL	**1250**	**4.6**	**14**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	255	2.3	2	1	1	2	3	4	5	8
20-34	18	2.4	2	1	1	3	3	4	5	5
35-49	34	3.4	3	1	2	3	5	6	6	8
50-64	56	4.2	7	1	2	3	5	9	9	12
65 +	48	5.1	10	2	3	5	6	9	11	18
B. Operated										
0-19 YRS	11	1.5	1	< 1	1	1	2	3	3	3
20-34	0									
35-49	5	3.2	10	< 1	< 1	< 1	6	8	8	8
50-64	5	2.0	3	< 1	< 1	< 1	3	5	5	5
65 +	5	3.8	19	< 1	< 1	< 1	6	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	530	3.5	7	1	2	3	4	6	8	13
20-34	100	4.0	6	2	2	4	5	7	9	14
35-49	178	4.7	13	2	3	4	5	8	10	19
50-64	450	6.1	20	2	3	5	7	10	14	21
65 +	926	6.6	17	3	4	6	8	11	14	23
B. Operated										
0-19 YRS	24	5.3	41	1	1	3	7	14	21	27
20-34	16	6.0	42	1	2	4	6	16	21	23
35-49	20	5.5	12	2	3	5	8	10	12	14
50-64	70	8.9	65	2	4	6	12	22	27	89
65 +	112	11.2	83	3	5	8	14	24	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	411	3.0	5	1	2	2	4	6	7	11
B. Operated	26	2.4	6	< 1	< 1	1	3	5	9	11
2. MULTIPLE DX										
A. Not Operated	2184	5.4	16	2	3	4	7	10	13	20
B. Operated	242	9.1	69	2	4	7	12	22	27	47
1. SINGLE DX	437	3.0	5	1	1	2	4	6	7	11
2. MULTIPLE DX	2426	5.8	23	2	3	5	7	11	14	26
A. Not Operated	2595	5.1	15	2	3	4	6	9	12	19
B. Operated	268	8.5	67	1	3	6	10	20	27	46
TOTAL										
0-19 YRS	820	3.1	7	1	2	3	4	6	7	13
20-34	134	4.0	10	1	2	3	5	7	10	17
35-49	237	4.5	11	2	3	4	5	8	10	17
50-64	581	6.2	26	2	3	5	8	11	15	27
65 +	1091	7.0	26	3	4	6	9	12	16	28
GRAND TOTAL	**2863**	**5.4**	**21**	**2**	**3**	**4**	**7**	**10**	**13**	**24**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	4.8	10	1	2	4	7	9	10	10
50-64	53	5.6	12	2	3	5	7	11	12	17
65 +	48	6.1	21	2	3	5	7	11	18	21
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	7.3	28	3	4	5	10	15	15	15
50-64	4	5.0	9	2	3	4	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.3	12	1	2	3	6	9	9	9
20-34	3	3.7	6	1	2	4	5	6	6	6
35-49	33	5.6	8	3	4	5	7	9	11	14
50-64	442	7.2	30	3	4	6	9	13	17	23
65 +	879	7.6	32	3	4	6	10	14	17	27
B. Operated										
0-19 YRS	3	16.7	274	< 1	4	15	29	34	34	34
20-34	15	11.2	29	6	7	8	16	20	21	21
35-49	19	8.8	32	2	5	8	11	18	20	22
50-64	51	14.2	226	4	5	11	19	32	90	99 +
65 +	82	15.0	169	5	7	12	18	24	40	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	5.7	15	2	3	5	7	11	14	20
B. Operated	9	5.9	16	2	4	5	7	13	15	15
2. MULTIPLE DX										
A. Not Operated	1361	7.4	31	3	4	6	9	13	16	25
B. Operated	170	13.8	161	4	6	11	17	25	35	99
1. SINGLE DX	124	5.7	15	2	3	5	7	11	15	20
2. MULTIPLE DX	1531	8.1	49	3	4	6	10	15	19	34
A. Not Operated	1476	7.3	30	3	4	6	9	13	16	25
B. Operated	179	13.4	157	4	6	11	17	25	35	99
TOTAL										
0-19 YRS	7	9.6	141	< 1	1	4	13	30	34	34
20-34	20	9.4	33	4	5	7	14	18	20	21
35-49	69	6.4	18	2	3	6	8	11	15	21
50-64	550	7.7	51	3	4	6	9	15	18	34
65 +	1009	8.1	46	3	4	6	10	15	19	32
GRAND TOTAL	**1655**	**7.9**	**47**	**3**	**4**	**6**	**10**	**15**	**18**	**34**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9112	2.6	2	1	2	2	3	4	5	7
20-34	1265	3.3	3	1	2	3	4	5	7	9
35-49	988	3.9	6	2	2	3	5	7	8	12
50-64	569	4.5	8	2	3	4	6	7	9	17
65 +	332	4.8	15	2	3	4	6	8	10	17
B. Operated										
0-19 YRS	43	4.5	9	2	3	4	5	9	11	14
20-34	9	4.6	8	1	2	4	8	8	8	8
35-49	5	5.8	29	2	2	4	8	15	15	15
50-64	3	5.3	16	3	3	3	8	10	10	10
65 +	2	8.5	41	4	4	8	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9685	3.2	4	1	2	3	4	5	6	10
20-34	1566	4.1	6	2	3	4	5	7	9	12
35-49	2183	4.8	9	2	3	4	6	8	10	16
50-64	2935	5.8	17	2	3	5	7	10	12	20
65 +	3718	6.6	19	3	4	6	8	11	14	22
B. Operated										
0-19 YRS	149	7.7	87	2	4	5	8	12	16	62
20-34	59	7.3	29	2	4	6	10	13	15	33
35-49	110	7.8	30	3	4	7	10	14	18	62
50-64	161	11.5	83	4	6	9	15	22	31	39
65 +	172	14.0	127	4	7	11	17	28	35	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12266	3.0	4	1	2	3	4	5	6	9
B. Operated	62	4.8	11	2	3	4	6	9	13	15
2. MULTIPLE DX										
A. Not Operated	20087	4.4	11	2	2	4	5	8	10	16
B. Operated	651	10.3	89	3	5	8	13	21	30	59
1. SINGLE DX	12328	3.0	4	1	2	3	4	5	6	9
2. MULTIPLE DX	20738	4.6	15	2	2	4	6	8	11	18
A. Not Operated	32353	3.9	9	1	2	3	5	7	9	15
B. Operated	713	9.8	84	3	4	7	12	20	28	58
TOTAL										
0-19 YRS	18989	3.0	4	1	2	3	4	5	6	9
20-34	2899	3.8	6	2	2	3	5	7	8	12
35-49	3286	4.6	9	2	3	4	6	8	10	16
50-64	3668	5.8	20	2	3	5	7	10	13	22
65 +	4224	6.7	25	3	4	6	8	12	15	25
GRAND TOTAL	**33066**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	8	3.9	14	< 1	1	3	5	10	12	12
35-49	25	4.7	16	2	3	4	5	8	13	21
50-64	169	5.0	15	2	3	4	6	9	11	26
65 +	181	4.9	8	2	3	4	6	9	11	14
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	5.7	20	< 1	1	6	9	10	10	10
35-49	3	9.0	3	8	8	8	10	11	11	11
50-64	7	6.0	33	1	2	5	7	16	18	18
65 +	3	6.3	14	2	3	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.0	15	1	2	4	7	11	13	13
20-34	33	5.7	9	2	4	5	7	11	11	12
35-49	185	6.0	23	2	3	4	7	12	16	26
50-64	1163	6.5	18	3	4	6	8	11	14	22
65 +	2291	7.0	21	3	4	6	9	12	15	24
B. Operated										
0-19 YRS	5	11.8	151	1	3	8	18	32	32	32
20-34	8	9.1	17	2	7	9	12	14	14	14
35-49	26	9.8	60	3	4	7	14	22	26	31
50-64	154	11.3	142	3	6	9	13	25	41	99 +
65 +	252	12.3	95	4	7	10	14	25	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	384	4.9	12	2	3	4	6	9	11	17
B. Operated	17	6.4	19	1	3	6	9	11	16	18
2. MULTIPLE DX										
A. Not Operated	3682	6.8	20	3	4	6	8	12	15	24
B. Operated	445	11.8	109	3	6	9	14	25	32	74
1. SINGLE DX	401	5.0	12	2	3	4	6	9	11	18
2. MULTIPLE DX	4127	7.3	32	3	4	6	9	13	17	31
A. Not Operated	4066	6.6	20	3	4	6	8	12	15	24
B. Operated	462	11.6	106	3	6	9	13	24	31	72
TOTAL										
0-19 YRS	17	7.2	58	1	3	4	9	14	26	32
20-34	52	5.9	13	1	3	5	9	11	12	14
35-49	239	6.3	28	2	3	4	8	13	18	26
50-64	1493	6.8	33	3	4	6	8	12	16	30
65 +	2727	7.4	30	3	4	6	9	13	17	30
GRAND TOTAL	**4528**	**7.1**	**31**	**3**	**4**	**6**	**9**	**13**	**16**	**30**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.0	1	< 1	1	2	2	3	4	7
20-34	91	2.7	4	1	1	2	4	5	6	11
35-49	25	2.6	4	1	1	2	3	5	7	9
50-64	7	4.9	9	1	2	4	7	9	10	10
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	92	5.1	10	2	3	4	6	10	12	17
20-34	393	5.1	9	2	3	4	6	9	11	17
35-49	97	5.1	13	2	3	4	6	9	12	20
50-64	51	5.8	14	3	3	4	7	12	15	19
65 +	19	4.7	12	2	3	4	5	8	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.0	20	1	1	2	5	10	15	19
20-34	46	3.6	6	1	2	3	5	7	9	11
35-49	17	5.0	10	1	3	5	6	10	12	12
50-64	42	6.4	31	2	3	5	8	13	21	25
65 +	58	7.6	35	3	4	6	10	16	20	29
B. Operated										
0-19 YRS	63	11.0	77	4	5	8	14	24	26	51
20-34	238	8.0	40	3	4	6	10	16	20	31
35-49	130	8.2	33	3	4	7	10	17	19	29
50-64	227	11.4	115	3	5	8	14	23	31	61
65 +	301	11.4	110	3	5	8	14	27	33	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	2.6	4	1	1	2	3	5	6	10
B. Operated	652	5.1	10	2	3	4	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	186	5.6	25	1	2	4	7	12	16	25
B. Operated	959	10.1	83	3	4	7	12	21	28	48
1. SINGLE DX	817	4.6	10	2	3	4	6	9	11	17
2. MULTIPLE DX	1145	9.4	77	3	4	7	12	20	26	45
A. Not Operated	351	4.2	17	1	2	3	5	9	12	24
B. Operated	1611	8.1	60	3	4	6	10	16	23	42
TOTAL										
0-19 YRS	218	6.1	40	1	2	4	7	13	19	27
20-34	768	5.6	21	2	3	4	7	11	14	22
35-49	269	6.4	25	2	3	5	8	12	17	26
50-64	327	9.8	92	3	4	7	12	21	25	60
65 +	380	10.5	97	3	4	7	12	24	31	46
GRAND TOTAL	**1962**	**7.4**	**54**	**2**	**3**	**5**	**9**	**15**	**21**	**39**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.0	1	1	1	2	2	4	5	5
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	4	3.5	6	2	2	3	5	7	7	7
50-64	6	7.7	88	1	1	3	17	21	22	22
65 +	17	5.8	16	1	3	4	8	13	15	15
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	3	28.7	1902	2	3	5	60	79	79	79
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	216	6.5	46	2	2	4	8	14	19	47
20-34	100	7.2	73	1	3	4	8	16	24	47
35-49	268	7.1	43	2	3	6	9	13	16	35
50-64	1267	8.5	38	3	5	7	10	16	20	31
65 +	3015	8.9	38	3	5	7	11	17	20	31
B. Operated										
0-19 YRS	37	18.7	213	5	9	16	30	76	99 +	99 +
20-34	21	26.8	694	4	8	15	42	64	88	96
35-49	83	21.9	361	6	9	16	29	58	82	99 +
50-64	252	21.4	296	6	10	17	26	49	68	99 +
65 +	576	19.3	225	6	9	15	26	46	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.2	21	1	1	3	5	9	15	22
B. Operated	7	14.6	819	1	1	3	9	65	79	79
2. MULTIPLE DX										
A. Not Operated	4866	8.6	40	3	5	7	11	16	20	31
B. Operated	969	20.2	265	6	9	16	27	49	74	99 +
1. SINGLE DX	53	5.6	125	1	1	3	5	12	17	77
2. MULTIPLE DX	5835	10.5	96	3	5	8	13	21	29	67
A. Not Operated	4912	8.5	40	3	5	7	11	16	20	31
B. Operated	976	20.2	269	6	9	16	27	49	75	99 +
TOTAL										
0-19 YRS	271	7.9	85	2	2	5	10	20	31	99 +
20-34	123	10.5	228	1	3	5	13	26	44	85
35-49	356	10.5	156	2	4	7	12	22	40	97
50-64	1528	10.7	107	3	5	8	13	21	27	69
65 +	3610	10.6	82	4	5	8	13	20	28	61
GRAND TOTAL	**5888**	**10.5**	**96**	**3**	**5**	**8**	**13**	**21**	**29**	**68**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	589	2.5	5	1	1	2	3	4	6	14
20-34	73	2.8	5	1	1	2	4	4	6	14
35-49	84	2.8	5	1	1	2	3	5	7	12
50-64	73	3.0	5	1	1	2	4	6	7	12
65 +	77	4.0	11	1	2	3	6	8	10	16
B. Operated										
0-19 YRS	109	3.7	20	1	1	2	5	8	12	25
20-34	46	6.8	37	1	3	5	8	15	21	28
35-49	72	6.3	41	1	2	5	7	12	17	37
50-64	88	4.5	13	< 1	1	4	6	9	12	19
65 +	53	5.4	23	1	1	4	8	11	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1918	4.6	31	1	2	3	5	10	14	27
20-34	388	6.1	32	2	2	4	8	14	18	28
35-49	541	5.8	27	2	3	4	7	12	15	25
50-64	1139	6.3	28	2	3	5	8	11	16	26
65 +	3618	7.8	33	3	4	7	10	14	18	29
B. Operated										
0-19 YRS	560	9.9	181	1	2	5	13	32	49	99 +
20-34	196	11.0	123	2	4	7	15	24	31	54
35-49	339	12.4	162	2	5	8	15	28	41	62
50-64	748	11.7	113	2	5	9	15	24	33	64
65 +	1494	13.8	130	4	7	11	17	26	34	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	896	2.8	5	1	1	2	3	5	7	13
B. Operated	368	5.0	26	1	1	4	7	10	15	27
2. MULTIPLE DX										
A. Not Operated	7604	6.5	33	2	3	5	8	13	17	27
B. Operated	3337	12.4	140	2	5	9	16	26	37	72
1. SINGLE DX	1264	3.4	13	1	1	2	4	7	9	18
2. MULTIPLE DX	10941	8.3	73	2	3	6	10	17	24	47
A. Not Operated	8500	6.1	31	2	3	5	8	12	16	27
B. Operated	3705	11.6	133	2	4	8	15	25	35	68
TOTAL										
0-19 YRS	3176	5.1	57	1	2	3	5	12	18	56
20-34	703	7.2	61	1	2	5	9	16	22	39
35-49	1036	7.7	81	2	3	5	9	16	24	49
50-64	2048	8.1	66	2	3	6	10	17	23	40
65 +	5242	9.4	68	3	4	7	12	18	24	44
GRAND TOTAL	**12205**	**7.8**	**69**	**2**	**3**	**5**	**10**	**16**	**22**	**46**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.4	1	1	2	2	3	4	4	4
20-34	17	2.9	2	1	2	3	4	5	5	5
35-49	12	4.7	5	2	3	4	6	8	9	9
50-64	10	1.6	1	< 1	< 1	1	2	3	4	4
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	589	2.1	1	1	1	2	3	3	4	5
20-34	557	2.2	3	1	1	2	3	4	4	6
35-49	364	2.2	1	1	1	2	3	3	5	6
50-64	148	1.8	2	1	1	2	2	3	4	8
65 +	45	1.6	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	3.4	6	1	2	3	4	6	9	13
20-34	49	3.4	4	1	2	3	4	6	7	10
35-49	36	3.9	17	< 1	2	3	4	6	10	25
50-64	25	4.1	14	1	2	3	5	6	12	19
65 +	34	5.1	11	2	3	4	7	11	12	15
B. Operated										
0-19 YRS	671	2.6	6	1	2	2	3	4	5	9
20-34	522	3.0	6	1	2	3	3	5	6	11
35-49	342	3.2	22	1	2	2	3	5	8	20
50-64	219	3.2	17	1	1	2	3	7	11	21
65 +	183	3.3	15	1	1	2	3	7	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.9	3	< 1	2	3	4	5	6	9
B. Operated	1703	2.1	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	225	3.8	9	1	2	3	4	7	10	16
B. Operated	1937	3.0	11	1	2	2	3	5	7	17
1. SINGLE DX	1763	2.1	2	1	1	2	3	3	4	6
2. MULTIPLE DX	2162	3.0	11	1	2	2	3	5	7	17
A. Not Operated	285	3.6	8	1	2	3	4	7	9	14
B. Operated	3640	2.6	7	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	1360	2.4	4	1	2	2	3	4	5	7
20-34	1145	2.6	4	1	2	2	3	4	5	9
35-49	754	2.8	12	1	2	2	3	5	6	12
50-64	402	2.7	11	1	1	2	3	5	8	19
65 +	264	3.3	13	1	1	2	4	7	12	17
GRAND TOTAL	**3925**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	94	3.2	3	2	2	3	4	5	6	10
20-34	17	3.4	4	2	2	3	4	5	8	10
35-49	20	3.6	3	1	2	3	5	6	6	7
50-64	9	3.0	3	1	2	3	4	6	6	6
65 +	13	3.7	8	1	2	3	4	9	11	11
B. Operated										
0-19 YRS	121	2.4	3	1	1	2	3	5	6	8
20-34	61	2.4	6	1	1	1	3	4	7	14
35-49	73	1.6	1	1	1	1	2	3	3	5
50-64	61	1.9	2	1	1	2	2	3	5	7
65 +	58	2.0	4	1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	199	4.0	6	2	2	3	5	7	9	11
20-34	47	5.1	16	2	3	4	6	8	16	20
35-49	51	5.9	15	2	3	5	7	11	14	18
50-64	58	5.3	8	2	3	5	7	9	10	14
65 +	144	7.5	27	3	4	6	10	13	19	29
B. Operated										
0-19 YRS	161	3.5	24	1	1	2	4	6	9	24
20-34	61	3.9	10	1	2	3	5	7	9	19
35-49	98	3.0	20	1	1	2	2	5	11	28
50-64	114	3.8	17	1	1	2	5	8	12	21
65 +	144	4.9	36	1	1	2	6	10	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	3.3	3	1	2	3	4	5	7	11
B. Operated	374	2.1	3	1	1	2	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	499	5.5	16	2	3	4	7	10	13	20
B. Operated	578	3.8	24	1	1	2	4	8	11	27
1. SINGLE DX	527	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX	1077	4.6	21	1	2	3	6	9	12	25
A. Not Operated	652	5.0	14	2	3	4	6	9	11	20
B. Operated	952	3.2	16	1	1	2	3	6	9	21
TOTAL										
0-19 YRS	575	3.4	10	1	2	3	4	6	8	12
20-34	186	3.7	11	1	2	3	5	7	9	20
35-49	242	3.2	14	1	1	2	4	6	10	18
50-64	242	3.7	12	1	1	2	5	8	10	15
65 +	359	5.4	30	1	2	4	7	11	16	29
GRAND TOTAL	**1604**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	447	2.4	3	1	1	2	3	4	5	8
20-34	70	2.5	3	< 1	1	2	3	5	6	10
35-49	93	2.1	1	1	1	2	3	4	5	6
50-64	74	2.5	3	1	1	2	4	4	5	8
65 +	43	2.4	2	< 1	1	2	3	4	5	6
B. Operated										
0-19 YRS	153	5.1	19	1	2	4	7	11	13	22
20-34	39	4.8	11	1	2	5	7	8	12	15
35-49	57	5.3	9	1	3	5	7	9	11	14
50-64	51	4.0	6	< 1	2	4	6	7	8	11
65 +	58	4.0	12	< 1	1	3	6	7	9	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	799	3.7	12	1	2	3	4	7	10	18
20-34	289	3.5	6	1	2	3	4	7	8	12
35-49	600	3.5	6	1	2	3	4	6	8	13
50-64	763	3.8	8	1	2	3	5	7	9	15
65 +	1143	4.7	12	2	3	4	6	8	12	18
B. Operated										
0-19 YRS	502	11.7	111	2	5	8	16	25	32	67
20-34	165	7.4	68	2	3	5	8	14	21	48
35-49	384	6.9	53	1	3	5	8	12	18	38
50-64	558	6.4	34	1	3	5	8	12	17	29
65 +	1018	7.3	48	1	3	6	9	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	727	2.4	3	1	1	2	3	4	5	8
B. Operated	358	4.8	14	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	3594	4.0	10	1	2	3	5	7	10	17
B. Operated	2627	7.9	63	1	3	6	9	16	22	44
1. SINGLE DX	1085	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	6221	5.6	36	1	2	4	7	11	16	30
A. Not Operated	4321	3.7	9	1	2	3	5	7	9	15
B. Operated	2985	7.5	58	1	3	6	9	15	21	40
TOTAL										
0-19 YRS	1901	5.6	50	1	2	3	6	13	20	37
20-34	563	4.6	27	1	2	3	6	9	11	24
35-49	1134	4.6	24	1	2	3	6	9	11	21
50-64	1446	4.7	19	1	2	4	6	9	12	23
65 +	2262	5.8	30	1	3	4	7	11	16	26
GRAND TOTAL	**7306**	**5.3**	**32**	**1**	**2**	**4**	**6**	**11**	**15**	**28**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	3	2	2	3	4	6	6	6
20-34	18	2.9	8	< 1	1	2	4	5	10	13
35-49	28	2.9	3	1	1	3	4	5	6	8
50-64	23	2.7	3	< 1	1	3	3	5	6	8
65 +	11	2.1	2	< 1	< 1	< 1	3	4	5	5
B. Operated										
0-19 YRS	0									
20-34	5	2.4	5	< 1	< 1	1	4	6	6	6
35-49	32	5.3	8	1	3	5	7	9	11	12
50-64	28	4.6	10	< 1	2	4	7	9	10	13
65 +	14	3.4	10	< 1	< 1	3	4	7	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.2	6	2	3	3	7	8	8	8
20-34	77	4.3	6	2	3	4	6	8	9	13
35-49	163	4.4	7	1	2	4	6	8	9	12
50-64	176	4.7	16	2	3	4	6	8	10	15
65 +	317	5.6	17	2	3	5	7	10	12	21
B. Operated										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	53	5.9	23	2	3	5	7	10	17	27
35-49	165	7.2	28	2	3	6	9	14	18	26
50-64	205	7.9	62	3	4	6	9	13	18	48
65 +	395	8.2	57	3	4	7	9	15	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.7	4	< 1	1	2	4	5	6	11
B. Operated	79	4.5	9	< 1	2	4	6	9	11	13
2. MULTIPLE DX										
A. Not Operated	742	5.0	14	2	3	4	6	9	11	19
B. Operated	820	7.8	50	2	4	6	9	14	19	36
1. SINGLE DX	164	3.6	7	< 1	1	3	5	7	9	13
2. MULTIPLE DX	1562	6.4	35	2	3	5	8	11	16	31
A. Not Operated	827	4.7	13	1	3	4	6	8	10	17
B. Operated	899	7.5	48	2	4	6	9	14	19	34
TOTAL										
0-19 YRS	16	4.2	6	2	2	3	6	8	9	10
20-34	153	4.6	13	1	2	4	6	9	10	19
35-49	388	5.5	18	2	3	4	7	11	13	21
50-64	432	6.1	40	2	3	5	7	10	14	33
65 +	737	6.9	40	2	3	5	8	13	17	34
GRAND TOTAL	**1726**	**6.2**	**33**	**2**	**3**	**5**	**8**	**11**	**15**	**27**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	16	3.5	5	1	2	3	4	6	9	10
35-49	28	3.8	2	2	3	4	5	6	6	7
50-64	44	3.8	4	2	2	3	5	7	8	9
65 +	47	5.0	57	2	2	3	5	7	10	53
B. Operated										
0-19 YRS	4	7.3	29	2	3	6	11	14	14	14
20-34	21	5.8	6	3	4	6	8	9	10	10
35-49	26	7.2	30	2	3	6	9	14	20	26
50-64	31	5.8	8	2	3	5	8	10	11	11
65 +	33	5.6	11	2	3	5	8	9	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3		2	2	2	3	3	3	3
20-34	89	4.0	10	2	2	3	5	6	9	21
35-49	193	4.7	10	2	3	4	6	8	10	20
50-64	373	4.9	8	2	3	4	6	8	9	17
65 +	1136	6.1	15	3	4	5	7	11	13	21
B. Operated										
0-19 YRS	9	8.0	17	3	5	7	11	14	15	15
20-34	59	7.3	35	2	4	6	9	12	23	94
35-49	193	8.1	53	3	4	6	10	15	19	41
50-64	385	8.8	63	3	4	7	10	15	24	47
65 +	1312	10.3	86	3	5	8	12	19	26	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	4.1	22	2	2	3	4	7	8	19
B. Operated	115	6.1	14	2	4	5	8	10	12	21
2. MULTIPLE DX										
A. Not Operated	1798	5.6	13	2	3	5	7	10	12	20
B. Operated	1958	9.7	77	3	5	7	11	18	25	54
1. SINGLE DX	253	5.0	19	2	3	4	6	9	10	18
2. MULTIPLE DX	3756	7.7	51	3	4	6	9	14	19	41
A. Not Operated	1936	5.5	14	2	3	5	7	10	12	20
B. Operated	2073	9.5	75	3	5	7	11	18	25	53
TOTAL										
0-19 YRS	23	5.3	19	2	2	4	8	13	14	15
20-34	185	5.2	19	2	3	4	6	10	11	33
35-49	440	6.3	33	2	3	5	7	12	16	30
50-64	833	6.7	37	3	4	5	8	11	15	36
65 +	2528	8.3	57	3	4	6	10	15	20	44
GRAND TOTAL	**4009**	**7.6**	**49**	**3**	**4**	**6**	**9**	**14**	**19**	**40**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.7	2	1	2	2	3	5	6	7
20-34	100	2.9	2	1	2	3	4	5	6	8
35-49	107	3.2	3	1	2	3	4	6	6	9
50-64	60	3.4	4	1	2	3	4	6	7	9
65 +	33	3.5	5	1	2	3	5	7	9	9
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	13	5.2	4	3	4	6	7	7	8	8
35-49	25	6.8	9	3	5	7	8	9	13	16
50-64	6	6.3	7	2	5	6	8	10	10	10
65 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	3.5	5	1	2	3	4	7	9	10
20-34	226	3.8	5	1	2	3	4	6	9	11
35-49	327	3.9	5	1	2	4	5	7	8	12
50-64	352	4.2	5	2	3	4	5	7	9	12
65 +	525	5.1	10	2	3	4	6	9	11	16
B. Operated										
0-19 YRS	4	15.0	378	3	4	6	26	44	44	44
20-34	37	6.6	25	3	4	6	7	13	15	29
35-49	103	8.0	37	3	4	7	9	15	18	37
50-64	108	7.1	21	3	4	6	9	12	17	25
65 +	191	9.0	49	3	4	7	11	18	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	333	3.1	3	1	2	3	4	6	7	9
B. Operated	47	6.3	8	3	4	6	8	9	11	16
2. MULTIPLE DX										
A. Not Operated	1480	4.4	7	2	3	4	5	8	9	13
B. Operated	443	8.1	41	3	4	6	10	15	20	29
1. SINGLE DX	380	3.5	5	1	2	3	5	7	8	10
2. MULTIPLE DX	1923	5.2	17	2	3	4	6	9	12	21
A. Not Operated	1813	4.1	7	2	2	4	5	7	9	13
B. Operated	490	8.0	38	3	4	6	9	15	19	29
TOTAL										
0-19 YRS	88	3.8	23	1	2	3	4	7	9	31
20-34	376	3.9	7	1	2	3	5	7	9	14
35-49	562	4.7	14	1	2	4	6	8	11	18
50-64	526	4.7	10	2	3	4	6	9	10	17
65 +	751	6.0	23	2	3	5	7	11	14	24
GRAND TOTAL	**2303**	**5.0**	**16**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.3	3	1	2	3	5	6	6	6
20-34	54	3.1	3	1	2	3	4	5	6	10
35-49	81	3.3	3	2	2	3	4	6	7	8
50-64	94	3.6	3	2	2	3	4	5	6	9
65 +	77	4.2	5	2	3	4	5	7	8	13
B. Operated										
0-19 YRS	4	6.5	2	5	5	6	7	8	8	8
20-34	38	6.4	6	3	5	6	8	10	10	13
35-49	47	6.9	8	3	5	7	8	11	13	14
50-64	55	7.7	15	3	5	7	9	11	13	23
65 +	27	7.0	13	3	4	7	9	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	4.0	6	2	3	3	5	6	9	14
20-34	177	4.1	6	2	3	3	5	7	9	12
35-49	301	4.6	9	2	3	4	5	7	9	19
50-64	510	5.0	9	2	3	4	6	8	10	17
65 +	1260	6.3	15	3	4	5	8	11	14	21
B. Operated										
0-19 YRS	14	6.4	39	2	3	5	7	27	82	99 +
20-34	82	9.2	111	3	4	7	10	15	20	71
35-49	199	10.3	107	3	5	8	12	17	26	64
50-64	319	10.4	117	3	5	7	12	19	29	73
65 +	812	12.0	90	4	6	9	15	23	29	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	3.6	3	1	2	3	4	6	7	9
B. Operated	171	7.0	10	3	5	7	8	10	13	22
2. MULTIPLE DX										
A. Not Operated	2271	5.6	12	2	3	5	7	10	12	19
B. Operated	1426	11.2	100	4	5	9	13	20	29	62
1. SINGLE DX	491	4.8	9	2	3	4	6	8	10	14
2. MULTIPLE DX	3697	7.7	54	3	4	6	9	14	19	39
A. Not Operated	2591	5.3	12	2	3	4	6	9	12	19
B. Operated	1597	10.7	92	4	5	8	13	20	28	61
TOTAL										
0-19 YRS	55	4.6	14	2	3	4	6	7	12	96
20-34	351	5.4	35	2	3	4	6	9	11	20
35-49	628	6.4	47	2	3	5	7	11	15	41
50-64	978	6.8	51	3	3	5	8	12	17	39
65 +	2176	8.3	50	3	4	6	10	16	21	37
GRAND TOTAL	**4188**	**7.4**	**49**	**3**	**4**	**5**	**9**	**14**	**19**	**38**

204: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	6	4.2	3	2	3	4	5	7	7	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	13	5.6	10	2	3	6	7	10	12	13
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	23	10.6	58	5	6	8	11	21	30	35
50-64	9	9.9	26	3	6	9	14	17	18	18
65 +	6	8.8	22	3	6	8	10	16	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.3	9	2	3	6	7	8	8	8
20-34	14	3.9	2	2	3	4	4	6	7	7
35-49	21	6.6	21	3	4	5	7	12	18	23
50-64	26	8.0	76	3	4	6	10	13	21	47
65 +	71	7.3	30	3	4	5	9	13	20	29
B. Operated										
0-19 YRS	2	21.5	545	5	5	21	38	38	38	38
20-34	15	15.7	202	3	5	8	32	36	40	41
35-49	45	12.6	127	5	8	10	14	21	24	78
50-64	84	14.2	130	5	8	11	17	27	39	63
65 +	161	15.6	129	5	8	13	20	29	39	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	5.1	7	2	3	5	7	8	10	13
B. Operated	41	9.8	42	4	6	8	11	17	23	35
2. MULTIPLE DX										
A. Not Operated	135	6.9	35	3	4	5	8	13	15	33
B. Operated	307	14.8	134	5	8	11	18	29	38	64
1. SINGLE DX	65	8.1	34	3	4	7	9	15	18	34
2. MULTIPLE DX	442	12.4	117	4	5	9	16	25	33	57
A. Not Operated	159	6.6	31	3	4	5	8	12	14	30
B. Operated	348	14.2	125	5	7	11	17	28	36	63
TOTAL										
0-19 YRS	8	9.4	139	2	4	6	8	29	38	38
20-34	32	9.5	128	2	4	5	8	33	36	41
35-49	95	10.3	86	4	5	8	12	20	23	59
50-64	121	12.4	116	4	6	9	15	23	36	57
65 +	251	12.5	109	3	5	9	16	26	32	57
GRAND TOTAL	**507**	**11.8**	**108**	**3**	**5**	**9**	**15**	**24**	**32**	**54**

354 Hospitals, North Central Region, January-December 1988

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	213	2.2	2	1	1	2	3	4	4	7
20-34	293	2.5	3	1	1	2	3	4	5	9
35-49	209	3.0	12	1	1	2	4	5	7	11
50-64	106	2.4	3	1	1	2	3	4	5	9
65 +	73	2.6	3	< 1	1	2	3	5	7	9
B. Operated										
0-19 YRS	7	4.9	6	2	3	5	7	9	9	9
20-34	25	4.3	8	1	2	4	6	9	10	11
35-49	19	3.1	6	< 1	< 1	3	5	7	8	8
50-64	17	3.7	12	< 1	1	3	5	9	12	13
65 +	12	4.0	17	< 1	< 1	3	5	9	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	672	2.7	3	1	2	2	3	4	6	11
20-34	1018	3.6	7	1	2	3	5	6	8	13
35-49	1239	3.9	7	1	2	3	5	7	9	13
50-64	1191	4.2	8	2	2	4	5	8	9	14
65 +	1855	5.1	13	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	37	5.1	26	1	2	3	7	11	18	24
20-34	173	5.7	23	2	3	4	7	11	15	22
35-49	300	5.9	23	2	3	5	7	10	13	27
50-64	363	7.0	44	2	4	5	8	12	17	39
65 +	640	7.9	31	3	4	6	10	15	18	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	894	2.5	5	1	1	2	3	4	5	9
B. Operated	80	3.9	9	< 1	1	3	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	5975	4.1	9	1	2	3	5	8	10	15
B. Operated	1513	7.0	32	2	4	5	9	13	17	32
1. SINGLE DX	974	2.6	5	1	1	2	3	5	6	10
2. MULTIPLE DX	7488	4.7	15	2	2	4	6	9	11	20
A. Not Operated	6869	3.9	9	1	2	3	5	7	9	15
B. Operated	1593	6.8	32	2	3	5	8	13	17	32
TOTAL										
0-19 YRS	929	2.7	4	1	2	2	3	4	6	11
20-34	1509	3.6	9	1	2	3	4	7	9	15
35-49	1767	4.1	11	1	2	3	5	7	9	16
50-64	1677	4.7	17	1	2	4	6	9	11	20
65 +	2580	5.7	19	2	3	5	7	11	14	23
GRAND TOTAL	**8462**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**11**	**19**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.8	3	1	2	2	4	6	7	7
20-34	40	2.8	5	1	1	2	3	6	8	11
35-49	36	2.7	2	1	2	2	3	6	6	6
50-64	23	2.8	3	1	1	2	4	5	6	7
65 +	12	3.2	7	< 1	1	2	4	7	10	10
B. Operated										
0-19 YRS	54	3.2	3	1	2	3	4	5	7	9
20-34	7	4.1	6	1	2	5	6	7	7	7
35-49	13	7.2	33	2	3	7	8	12	22	24
50-64	8	7.8	59	1	3	6	9	21	25	25
65 +	10	8.5	50	< 1	3	9	9	18	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	4.0	38	1	2	2	4	7	11	42
20-34	156	3.8	9	1	2	3	5	7	9	16
35-49	218	4.6	13	1	2	4	6	9	11	22
50-64	220	4.6	14	1	2	4	6	8	12	20
65 +	388	5.7	21	2	3	5	7	10	13	23
B. Operated										
0-19 YRS	63	7.7	72	1	3	5	8	20	30	35
20-34	41	9.5	68	3	5	7	10	22	31	37
35-49	127	10.6	79	4	5	8	13	22	30	42
50-64	148	12.5	100	4	6	10	16	25	30	45
65 +	252	14.5	124	4	7	11	18	28	38	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	2.8	4	1	2	2	3	5	7	10
B. Operated	92	4.8	21	1	2	3	6	9	10	26
2. MULTIPLE DX										
A. Not Operated	1179	4.7	20	1	2	4	6	9	12	21
B. Operated	631	12.2	105	3	5	9	16	26	34	51
1. SINGLE DX	247	3.5	11	1	2	3	4	7	9	24
2. MULTIPLE DX	1810	7.4	62	1	3	5	9	16	23	40
A. Not Operated	1334	4.5	18	1	2	3	6	9	11	20
B. Operated	723	11.3	100	3	5	8	15	25	31	50
TOTAL										
0-19 YRS	358	4.4	37	1	2	3	5	8	12	35
20-34	244	4.6	23	1	2	3	5	9	13	29
35-49	394	6.4	42	1	3	5	8	13	20	36
50-64	399	7.5	61	1	3	5	9	17	23	37
65 +	662	9.0	79	2	4	6	11	19	26	49
GRAND TOTAL	**2057**	**6.9**	**58**	**1**	**2**	**4**	**8**	**15**	**22**	**38**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	2.3	2	< 1	1	2	3	4	6	7
20-34	23	2.2	2	1	1	2	3	4	5	6
35-49	10	2.5	1	< 1	2	2	3	4	4	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	3329	2.9	2	2	2	3	3	4	5	7
20-34	2386	3.0	2	2	2	3	4	4	5	7
35-49	790	3.4	2	2	2	3	4	5	6	8
50-64	253	3.7	3	2	3	4	4	6	6	10
65 +	58	4.4	4	2	3	4	5	7	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.1	3	1	2	2	4	6	7	7
20-34	12	3.7	12	1	1	2	4	10	12	12
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	4	4.0	9	1	2	3	6	8	8	8
65 +	6	3.0	2	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	693	3.8	5	2	3	3	4	6	8	11
20-34	668	4.2	5	2	3	4	5	7	8	12
35-49	328	5.2	12	2	3	4	6	9	12	19
50-64	193	5.4	10	3	3	5	6	9	12	17
65 +	155	7.3	27	3	4	6	9	12	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.3	2	1	1	2	3	4	5	7
B. Operated	6816	3.0	2	2	2	3	4	5	5	8
2. MULTIPLE DX										
A. Not Operated	40	3.3	6	1	2	3	4	7	8	12
B. Operated	2037	4.6	9	2	3	4	5	8	10	16
1. SINGLE DX	6880	3.0	2	2	2	3	4	5	5	8
2. MULTIPLE DX	2077	4.6	9	2	3	4	5	8	10	16
A. Not Operated	104	2.7	4	1	1	2	3	5	6	10
B. Operated	8853	3.4	4	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	4065	3.0	2	2	2	3	4	5	6	9
20-34	3089	3.3	3	2	2	3	4	5	6	10
35-49	1133	3.9	5	2	3	3	4	6	8	14
50-64	451	4.4	6	2	3	4	5	7	9	15
65 +	219	6.4	22	3	4	5	8	11	14	21
GRAND TOTAL	**8957**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	8.9	11	5	7	9	11	14	15	15
20-34	7	7.3	12	3	5	7	8	13	14	14
35-49	12	5.8	14	2	3	5	8	11	14	14
50-64	7	5.7	13	1	3	6	8	11	11	11
65 +	3	6.3	33	3	3	3	11	13	13	13
B. Operated										
0-19 YRS	809	6.3	9	3	4	6	8	10	11	17
20-34	394	5.7	10	3	4	5	7	9	10	15
35-49	253	5.8	7	3	4	5	7	9	11	13
50-64	180	6.7	14	4	5	6	8	11	13	16
65 +	58	7.3	10	3	5	7	9	11	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	7.4	21	1	5	8	9	14	16	16
20-34	6	8.3	35	4	5	6	8	19	20	20
35-49	4	6.8	4	4	5	7	8	9	9	9
50-64	3	9.0	7	6	7	10	11	11	11	11
65 +	4	8.8	25	2	5	10	12	13	13	13
B. Operated										
0-19 YRS	629	9.0	34	4	6	8	10	15	19	34
20-34	352	8.1	23	4	5	7	9	13	16	24
35-49	323	8.4	19	4	6	7	10	13	17	23
50-64	349	11.0	44	5	7	9	13	19	23	44
65 +	366	12.0	74	6	7	10	14	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	7.2	14	2	5	7	10	13	14	15
B. Operated	1694	6.2	10	3	4	6	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	26	7.9	18	2	6	7	10	13	17	20
B. Operated	2019	9.6	41	5	6	8	11	16	20	34
1. SINGLE DX	1740	6.2	10	3	4	6	8	10	11	16
2. MULTIPLE DX	2045	9.6	40	5	6	8	11	16	20	34
A. Not Operated	72	7.4	16	2	5	7	10	13	14	19
B. Operated	3713	8.1	29	4	5	7	9	13	17	28
TOTAL										
0-19 YRS	1464	7.5	21	3	5	7	9	12	15	25
20-34	759	6.8	18	3	4	6	8	11	14	22
35-49	592	7.2	15	3	5	6	9	12	14	21
50-64	539	9.5	37	4	6	8	11	16	20	40
65 +	431	11.3	67	5	7	10	13	19	23	35
GRAND TOTAL	**3785**	**8.0**	**29**	**4**	**5**	**7**	**9**	**13**	**17**	**28**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.4	1	1	1	1	2	3	3	3
20-34	22	1.7	1	1	1	1	2	3	4	5
35-49	11	2.0	1	1	1	2	2	4	5	5
50-64	5	1.8	2	1	1	1	2	4	4	4
65 +	5	2.2	1	1	2	2	3	3	3	3
B. Operated										
0-19 YRS	269	3.0	2	2	2	3	3	5	6	9
20-34	166	3.3	3	2	2	3	4	6	7	9
35-49	49	3.6	5	2	3	3	4	5	7	16
50-64	9	4.2	2	2	3	5	5	6	6	6
65 +	3	4.3	2	3	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	1.9	5	< 1	1	1	2	3	3	13
20-34	20	1.8	1	1	1	1	2	3	4	5
35-49	10	2.9	3	1	1	3	4	5	6	6
50-64	5	3.6	9	2	2	2	4	9	9	9
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	144	4.2	10	2	3	3	5	7	10	19
20-34	145	4.6	6	2	3	4	5	7	9	14
35-49	55	5.1	7	2	3	4	6	10	11	13
50-64	19	8.3	85	3	4	6	9	13	30	44
65 +	15	7.2	11	3	4	7	9	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	1.7	1	1	1	1	2	3	4	5
B. Operated	496	3.2	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	69	2.2	4	1	1	2	2	4	5	12
B. Operated	378	4.8	12	2	3	4	6	8	11	15
1. SINGLE DX	564	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	447	4.4	12	2	3	4	5	8	10	14
A. Not Operated	137	1.9	2	1	1	1	2	4	5	10
B. Operated	874	3.9	7	2	2	3	4	6	8	14
TOTAL										
0-19 YRS	470	3.2	5	1	2	3	4	5	7	12
20-34	353	3.6	5	1	2	3	4	6	8	12
35-49	125	4.1	6	2	2	3	5	7	10	14
50-64	38	5.8	49	1	2	5	6	10	13	44
65 +	25	5.6	11	2	3	5	8	9	12	15
GRAND TOTAL	**1011**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.2	1	< 1	1	1	1	1	3	5
20-34	6	1.5	1	1	1	1	2	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	9	1.8	1	1	1	1	3	3	3	3
65 +	4	1.8	2	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	672	1.2	1	< 1	1	1	1	2	2	5
20-34	791	1.4	1	1	1	1	2	2	3	5
35-49	953	1.5	1	1	1	1	2	3	3	5
50-64	1237	1.6	1	1	1	1	2	3	3	5
65 +	1010	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	1.7	2	< 1	< 1	1	2	4	5	6
20-34	5	1.4		< 1	< 1	1	2	2	2	2
35-49	6	1.3	1	< 1	< 1	1	1	3	3	3
50-64	20	1.8	1	< 1	< 1	1	2	4	4	5
65 +	32	4.1	31	< 1	1	1	6	11	13	27
B. Operated										
0-19 YRS	729	1.7	5	1	1	1	2	3	5	13
20-34	343	1.9	2	1	1	1	2	3	4	9
35-49	650	2.0	3	1	1	2	2	3	5	8
50-64	1276	2.2	3	1	1	2	3	4	6	9
65 +	2156	2.9	8	1	1	2	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.5	1	< 1	1	1	1	3	4	5
B. Operated	4663	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	93	2.5	12	< 1	< 1	1	2	6	8	21
B. Operated	5154	2.4	6	1	1	2	3	5	6	12
1. SINGLE DX	4705	1.5	1	1	1	1	2	3	3	5
2. MULTIPLE DX	5247	2.4	6	1	1	2	3	5	6	12
A. Not Oparated	135	2.2	9	< 1	1	1	2	5	7	15
B. Operated	9817	2.0	4	1	1	1	2	4	5	10
TOTAL										
0-19 YRS	1451	1.5	3	1	1	1	1	2	3	8
20-34	1145	1.6	1	1	1	1	2	3	3	6
35-49	1612	1.7	2	1	1	1	2	3	4	7
50-64	2542	1.9	2	1	1	1	2	3	5	8
65 +	3202	2.6	6	1	1	2	3	5	7	13
GRAND TOTAL	**9952**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**	**10**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	< 1	< 1	1	2	3	3	3
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	4	2.5	2	< 1	1	2	3	4	4	4
B. Operated										
0-19 YRS	213	1.4	1	1	1	1	2	2	3	4
20-34	80	2.1	1	1	1	2	3	4	4	5
35-49	54	2.2	1	1	1	2	3	4	4	5
50-64	101	2.7	3	1	1	2	3	5	6	10
65 +	142	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.3		< 1	1	1	2	2	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	36	5.4	33	1	2	3	7	13	15	29
B. Operated										
0-19 YRS	214	2.5	28	1	1	2	3	4	5	13
20-34	41	3.9	39	1	1	3	4	6	8	41
35-49	65	3.7	15	1	1	3	4	7	11	22
50-64	159	4.1	10	1	2	3	5	9	11	15
65 +	637	6.6	41	2	3	5	8	13	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	590	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	55	4.0	25	< 1	1	2	5	10	14	28
B. Operated	1116	5.2	35	1	2	3	6	11	15	29
1. SINGLE DX	605	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1171	5.1	35	1	2	3	6	11	15	29
A. Not Operated	70	3.5	21	< 1	1	2	3	9	13	26
B. Operated	1706	4.1	26	1	1	3	5	9	13	24
TOTAL										
0-19 YRS	447	1.9	14	1	1	1	2	3	4	8
20-34	123	2.7	14	1	1	2	3	5	6	17
35-49	124	3.0	9	1	1	2	4	5	7	20
50-64	263	3.5	8	1	2	3	4	8	10	14
65 +	819	5.9	36	1	2	4	7	12	16	30
GRAND TOTAL	**1776**	**4.1**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	38	1.5	1	< 1	< 1	1	2	3	4	7
20-34	30	1.7	1	< 1	1	1	2	3	4	6
35-49	90	1.4	1	1	1	1	2	3	3	4
50-64	59	2.0	4	< 1	1	1	2	4	6	12
65 +	32	2.1	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	14.0		14	14	14	14	14	14	14
50-64	6	2.8	4	< 1	1	2	4	6	6	6
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	27	4.1	35	1	1	2	5	17	32	99 +
20-34	21	2.2	1	1	1	2	3	4	4	4
35-49	94	2.3	5	1	1	2	3	4	5	15
50-64	110	3.0	9	1	1	2	4	6	8	17
65 +	87	4.1	19	1	1	3	5	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	249	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	11	3.8	15	< 1	1	3	5	9	14	14
B. Operated	339	3.1	12	1	1	2	4	6	9	20
1. SINGLE DX	253	1.7	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	350	3.	12	1	1	2	4	6	9	20
A. Not Operated	15	3.1	12	1	1	1	4	6	12	14
B. Operated	588	2.5	8	1	1	2	3	5	7	18
TOTAL										
0-19 YRS	69	2.5	16	< 1	1	1	2	6	10	85
20-34	52	1.9	1	1	1	2	3	4	4	6
35-49	185	1.9	4	1	1	1	2	3	4	12
50-64	176	2.6	7	1	1	2	3	5	7	15
65 +	121	3.6	14	1	1	2	4	7	10	20
GRAND TOTAL	**603**	**2.5**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	5	2.6	2	1	2	2	4	4	4	4
50-64	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	31	2.9	5	1	1	2	4	7	8	9
20-34	128	2.8	4	1	1	2	4	5	6	9
35-49	308	2.9	3	1	2	3	4	5	6	8
50-64	314	3.3	4	1	2	3	4	6	7	11
65 +	246	3.5	3	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.0	2	< 1	< 1	1	3	4	4	4
35-49	15	2.3	2	< 1	1	2	3	4	5	5
50-64	28	3.4	6	1	1	3	5	6	9	10
65 +	33	4.5	13	1	2	5	6	7	11	19
B. Operated										
0-19 YRS	26	3.1	4	1	2	2	5	6	6	7
20-34	139	3.5	5	1	2	3	4	6	8	11
35-49	463	4.4	13	1	2	4	5	8	10	21
50-64	649	4.9	17	1	3	4	6	9	11	21
65 +	796	5.3	17	2	3	4	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.1	1	< 1	1	2	3	4	4	4
B. Operated	1027	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	82	3.5	8	1	1	3	5	6	8	17
B. Operated	2073	4.8	15	1	2	4	6	9	11	21
1. SINGLE DX	1039	3.1	4	1	2	3	4	6	7	9
2. MULTIPLE DX	2155	4.8	15	1	2	4	6	9	11	20
A. Not Operated	94	3.4	8	< 1	1	3	5	6	8	16
B. Operated	3100	4.3	12	1	2	4	5	8	10	17
TOTAL										
0-19 YRS	59	2.9	5	1	1	2	5	6	7	9
20-34	272	3.1	4	1	2	3	4	6	7	11
35-49	791	3.8	9	1	2	3	5	7	8	17
50-64	994	4.3	13	1	2	4	5	7	10	18
65 +	1078	4.8	15	2	3	4	6	9	11	19
GRAND TOTAL	**3194**	**4.2**	**12**	**1**	**2**	**4**	**5**	**7**	**10**	**18**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	17	2.4	2	< 1	1	2	3	4	6	7
50-64	13	2.0	1	< 1	1	2	2	3	4	4
65 +	19	2.2	5	< 1	< 1	< 1	2	6	8	8
B. Operated										
0-19 YRS	12	7.2	30	3	4	6	8	14	22	23
20-34	5	6.0	7	2	4	7	8	8	8	8
35-49	4	7.3	1	6	6	7	8	8	8	8
50-64	13	5.3	5	1	4	6	7	8	9	9
65 +	6	5.5	15	2	2	4	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.2	9	1	1	4	7	8	8	8
20-34	41	2.9	3	1	2	2	3	5	7	8
35-49	114	3.0	4	1	2	3	4	5	6	11
50-64	218	3.8	6	1	2	3	5	6	8	13
65 +	395	4.2	7	2	2	4	5	7	9	16
B. Operated										
0-19 YRS	26	10.8	64	4	5	8	16	28	42	99 +
20-34	27	7.9	80	1	4	5	9	12	25	47
35-49	73	6.5	18	2	4	6	8	12	14	26
50-64	136	7.3	44	2	4	7	8	11	13	46
65 +	170	8.5	46	3	5	7	10	16	20	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.2	3	< 1	< 1	2	2	4	7	8
B. Operated	40	6.2	13	2	4	6	8	9	10	23
2. MULTIPLE DX										
A. Not Operated	774	3.8	6	1	2	3	5	7	8	14
B. Operated	432	7.9	44	2	4	7	9	14	19	47
1. SINGLE DX	93	3.9	11	< 1	2	2	6	8	9	18
2. MULTIPLE DX	1206	5.3	24	1	3	4	7	9	13	23
A. Not Operated	827	3.7	6	1	2	3	5	7	8	14
B. Operated	472	7.7	42	2	4	7	9	14	18	46
TOTAL										
0-19 YRS	45	8.7	52	3	4	7	10	23	30	99 +
20-34	76	4.8	35	1	2	3	6	9	11	40
35-49	208	4.3	12	1	2	3	6	8	10	16
50-64	380	5.0	22	1	2	4	6	8	11	19
65 +	590	5.4	23	1	3	4	7	10	14	21
GRAND TOTAL	**1299**	**5.2**	**23**	**1**	**2**	**4**	**7**	**9**	**13**	**22**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.9	1	1	1	2	3	4	4	4
20-34	18	2.0	8	< 1	1	1	1	4	10	13
35-49	24	1.4	1	< 1	1	1	2	3	3	3
50-64	29	2.3	8	< 1	1	1	2	5	10	14
65 +	33	2.5	5	1	1	1	4	5	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	9	6.9	15	2	4	8	9	12	14	14
B. Operated										
0-19 YRS	6	8.2	29	1	6	8	10	16	17	17
20-34	8	3.6	5	1	2	3	5	7	7	7
35-49	25	4.8	31	1	1	3	5	15	18	22
50-64	35	3.5	13	1	1	2	4	8	12	16
65 +	72	3.9	9	1	2	3	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	112	2.1	5	1	1	1	2	4	7	13
2. MULTIPLE DX										
A. Not Operated	13	5.7	14	2	3	4	8	10	13	14
B. Operated	146	4.1	14	1	1	3	6	8	13	17
1. SINGLE DX	112	2.1	5	1	1	1	2	4	7	13
2. MULTIPLE DX	159	4.3	15	1	2	3	6	9	13	17
A. Not Operated	13	5.7	14	2	3	4	8	10	13	14
B. Operated	258	3.3	11	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	14	4.6	22	1	1	3	6	11	16	17
20-34	28	2.5	7	< 1	1	1	3	6	8	13
35-49	51	3.1	18	1	1	2	3	7	15	22
50-64	64	3.0	11	1	1	2	3	7	11	16
65 +	114	3.8	9	1	1	3	5	8	9	15
GRAND TOTAL	**271**	**3.4**	**12**	**1**	**1**	**2**	**4**	**8**	**10**	**17**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	5	2.4	1	1	2	2	3	4	4	4
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	6	2.8	3	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	19	2.1	3	1	1	2	2	4	6	7
20-34	65	2.5	3	1	1	2	3	5	6	10
35-49	118	3.3	14	1	1	2	4	7	9	19
50-64	141	3.4	8	1	1	3	4	6	10	13
65 +	114	4.4	9	1	2	4	6	9	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	4	1.3		< 1	< 1	1	2	2	2	2
35-49	16	3.6	10	1	2	3	4	7	12	14
50-64	20	5.6	13	1	3	5	7	10	14	16
65 +	79	5.7	23	2	3	4	6	13	17	25
B. Operated										
0-19 YRS	22	5.3	22	1	2	5	7	10	15	21
20-34	60	6.1	34	1	2	5	8	13	23	92
35-49	229	5.5	27	1	2	4	7	11	14	25
50-64	350	7.2	64	2	3	5	9	14	18	44
65 +	820	9.6	71	2	4	8	12	18	25	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.6	2	1	1	2	4	5	5	5
B. Operated	457	3.4	9	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	121	5.2	19	2	3	4	6	12	15	22
B. Operated	1481	8.2	63	2	3	6	10	16	22	43
1. SINGLE DX	471	3.4	9	1	1	3	4	7	9	13
2. MULTIPLE DX	1602	8.0	61	2	3	6	10	15	21	42
A. Not Operated	135	4.9	18	1	2	4	6	11	14	21
B. Operated	1938	7.1	55	1	3	5	9	14	20	36
TOTAL										
0-19 YRS	44	3.7	14	1	1	2	5	8	10	21
20-34	129	4.1	21	1	1	2	5	10	12	45
35-49	368	4.7	23	1	2	3	6	10	12	22
50-64	513	6.1	49	1	2	4	7	12	15	39
65 +	1019	8.7	64	2	4	7	11	17	23	40
GRAND TOTAL	**2073**	**6.9**	**53**	**1**	**3**	**5**	**9**	**14**	**19**	**36**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	220	2.1	3	1	1	2	3	4	5	9
20-34	171	3.9	14	1	2	3	5	7	8	21
35-49	244	3.7	8	1	2	3	4	6	10	15
50-64	247	3.9	5	2	2	4	5	7	8	12
65 +	249	4.4	12	2	3	4	5	8	9	20
B. Operated										
0-19 YRS	199	5.6	11	2	3	5	7	9	12	18
20-34	91	7.4	25	3	5	6	9	12	13	33
35-49	111	8.1	13	4	6	7	10	13	14	22
50-64	103	8.7	25	5	6	7	10	13	16	32
65 +	114	10.7	22	6	8	10	13	17	22	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	220	3.3	8	1	1	2	4	7	9	14
20-34	365	4.5	11	2	2	4	5	8	11	18
35-49	581	5.1	12	2	3	4	6	9	12	18
50-64	1004	5.7	25	2	3	5	7	10	14	24
65 +	2983	6.5	21	2	4	5	8	12	15	23
B. Operated										
0-19 YRS	269	10.4	135	3	5	7	11	21	32	78
20-34	236	10.8	51	4	6	9	13	18	25	40
35-49	468	12.8	95	5	7	10	15	23	34	48
50-64	698	14.4	108	6	8	12	17	27	36	55
65 +	1871	15.8	110	7	9	13	19	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1131	3.6	9	1	2	3	4	7	8	14
B. Operated	618	7.8	21	3	5	7	9	13	15	24
2. MULTIPLE DX										
A. Not Operated	5153	5.9	20	2	3	5	7	11	14	22
B. Operated	3542	14.4	109	6	8	12	17	26	35	59
1. SINGLE DX	1749	5.1	17	1	2	4	7	10	13	21
2. MULTIPLE DX	8695	9.4	74	2	4	7	12	19	25	47
A. Not Operated	6284	5.5	19	2	3	4	7	10	13	22
B. Operated	4160	13.4	101	5	7	11	16	25	33	58
TOTAL										
0-19 YRS	908	5.6	56	1	2	4	7	11	16	42
20-34	863	6.4	32	2	3	5	8	12	16	31
35-49	1404	7.7	53	2	3	6	9	14	20	40
50-64	2052	8.6	69	2	4	6	10	17	23	48
65 +	5217	9.8	73	3	4	8	12	19	25	44
GRAND TOTAL	**10444**	**8.7**	**67**	**2**	**4**	**6**	**11**	**17**	**23**	**43**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1734	2.1	2	1	1	2	3	4	4	7
20-34	675	2.1	2	1	1	2	3	4	4	7
35-49	300	2.5	2	1	1	2	3	4	5	8
50-64	182	2.9	4	1	1	2	4	5	7	12
65 +	124	2.8	3	1	1	2	4	5	6	7
B. Operated										
0-19 YRS	55	5.0	32	2	2	3	5	8	18	31
20-34	73	4.4	12	2	3	3	5	8	12	21
35-49	43	4.2	5	2	3	4	6	7	8	9
50-64	29	5.5	11	1	3	5	8	11	11	12
65 +	9	4.8	12	< 1	2	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6726	2.8	4	1	2	2	3	5	6	10
20-34	1582	2.9	4	1	2	2	4	5	6	11
35-49	1165	3.5	6	1	2	3	4	6	8	12
50-64	1199	4.1	10	2	2	3	5	7	9	16
65 +	2587	5.0	14	2	3	4	6	9	12	19
B. Operated										
0-19 YRS	165	9.2	132	2	3	5	9	24	36	68
20-34	162	5.3	15	2	3	4	7	10	13	23
35-49	173	7.8	53	3	4	6	9	15	20	40
50-64	193	9.2	64	3	4	7	11	18	24	40
65 +	433	10.3	67	4	5	8	13	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3015	2.2	2	1	1	2	3	4	5	7
B. Operated	209	4.7	15	1	3	4	6	9	11	25
2. MULTIPLE DX										
A. Not Operated	13259	3.4	8	1	2	3	4	6	8	14
B. Operated	1126	8.8	69	3	4	6	11	18	25	44
1. SINGLE DX	3224	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	14385	3.9	15	1	2	3	4	7	10	19
A. Not Operated	16274	3.2	7	1	2	3	4	6	8	13
B. Operated	1335	8.2	63	2	4	6	10	17	24	41
TOTAL										
0-19 YRS	8680	2.8	7	1	2	2	3	5	6	12
20-34	2492	2.8	5	1	1	2	3	5	7	12
35-49	1681	3.8	12	1	2	3	4	7	9	17
50-64	1603	4.6	19	1	2	3	6	8	12	23
65 +	3153	5.6	25	2	3	4	7	11	14	26
GRAND TOTAL	**17609**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**	**18**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	58	4.0	4	2	2	4	5	6	7	10
35-49	288	4.4	5	2	3	4	5	7	8	12
50-64	358	4.2	5	2	3	4	5	7	8	10
65 +	303	4.0	5	1	3	4	5	7	8	12
B. Operated										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	27	6.6	4	3	6	7	8	9	10	10
35-49	89	7.9	11	4	6	8	9	11	12	23
50-64	113	8.2	10	5	7	8	9	12	14	19
65 +	62	9.7	51	5	7	8	11	14	16	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	44	4.5	4	2	3	4	5	7	9	10
35-49	353	5.2	7	2	3	5	7	8	10	12
50-64	927	5.3	10	2	3	5	7	9	11	16
65 +	3075	6.1	15	2	4	5	7	10	13	21
B. Operated										
0-19 YRS	4	7.3	5	5	5	7	9	10	10	10
20-34	61	9.6	30	5	7	8	10	18	22	30
35-49	343	10.5	42	6	7	9	12	18	22	40
50-64	669	11.2	39	6	8	9	14	18	24	35
65 +	1595	13.2	95	5	8	11	16	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1009	4.2	5	2	3	4	5	7	8	11
B. Operated	294	8.3	19	5	6	8	9	12	14	21
2. MULTIPLE DX										
A. Not Operated	4402	5.8	13	2	4	5	7	10	12	20
B. Operated	2672	12.3	74	5	7	10	14	21	27	47
1. SINGLE DX	1303	5.1	11	2	3	5	7	9	10	15
2. MULTIPLE DX	7074	8.3	46	3	4	7	10	15	20	33
A. Not Operated	5411	5.5	12	2	3	5	7	9	11	18
B. Operated	2966	11.9	70	5	7	10	14	21	26	43
TOTAL										
0-19 YRS	12	5.2	8	2	3	4	8	9	10	10
20-34	190	6.3	18	2	4	6	8	10	13	24
35-49	1073	6.9	25	2	4	6	8	11	15	27
50-64	2067	7.2	27	2	4	6	9	13	17	28
65 +	5035	8.2	52	3	4	6	10	15	21	36
GRAND TOTAL	**8377**	**7.8**	**42**	**3**	**4**	**6**	**9**	**14**	**19**	**32**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.9	5	< 1	1	2	4	7	8	8
20-34	12	4.2	10	1	2	3	6	9	11	11
35-49	9	3.0	2	< 1	2	3	4	5	5	5
50-64	4	3.5	4	< 1	1	3	5	6	6	6
65 +	0									
B. Operated										
0-19 YRS	75	2.7	9	1	1	1	3	7	11	13
20-34	273	2.2	2	1	1	2	3	4	6	8
35-49	293	2.2	3	1	1	2	3	4	5	10
50-64	159	2.4	4	1	1	2	3	4	6	11
65 +	42	2.4	15	1	1	2	2	3	5	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	3.8	11	1	2	3	5	8	9	18
20-34	28	4.0	11	< 1	2	3	5	7	11	17
35-49	38	5.0	29	< 1	1	4	5	12	18	26
50-64	37	6.2	79	1	2	4	6	10	25	49
65 +	36	8.3	95	1	2	5	10	23	31	46
B. Operated										
0-19 YRS	69	4.4	45	1	2	3	5	7	14	46
20-34	339	3.4	10	1	1	2	4	7	9	16
35-49	434	3.6	19	1	1	2	4	7	9	23
50-64	401	4.0	23	1	2	3	5	8	11	32
65 +	253	6.4	42	1	2	4	8	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	3.3	6	1	1	3	4	7	8	11
B. Operated	842	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	180	5.5	47	1	2	4	6	10	17	42
B. Operated	1496	4.2	24	1	2	3	5	8	12	28
1. SINGLE DX	885	2.4	4	1	1	2	3	4	6	11
2. MULTIPLE DX	1676	4.3	27	1	2	3	5	8	13	28
A. Not Operated	223	5.1	40	1	2	3	6	9	15	37
B. Operated	2338	3.5	18	1	1	2	4	7	10	23
TOTAL										
0-19 YRS	203	3.5	22	1	1	2	4	7	10	17
20-34	652	2.9	7	1	1	2	4	6	8	14
35-49	774	3.1	14	1	1	2	4	6	8	19
50-64	601	3.7	22	1	2	2	4	7	10	29
65 +	331	6.1	46	1	2	4	7	14	20	35
GRAND TOTAL	**2561**	**3.6**	**20**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.8	2	1	2	3	3	5	6	8
20-34	82	3.8	6	1	2	3	5	7	9	12
35-49	54	3.1	4	1	2	3	4	5	7	10
50-64	27	2.6	3	< 1	1	2	4	5	6	7
65 +	18	3.9	9	< 1	2	3	5	7	11	13
B. Operated										
0-19 YRS	9	6.2	29	2	3	4	7	16	17	17
20-34	13	3.8	4	2	3	4	5	6	8	9
35-49	11	5.6	8	2	4	5	8	9	11	11
50-64	4	10.3	14	7	7	10	13	14	14	14
65 +	3	6.7	10	3	4	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	3.5	7	1	2	3	5	6	7	15
20-34	129	4.1	9	1	2	3	5	7	11	15
35-49	171	4.6	11	2	3	4	6	8	10	20
50-64	145	4.8	7	2	3	4	6	8	9	14
65 +	263	6.4	20	2	3	5	8	13	16	21
B. Operated										
0-19 YRS	11	8.6	100	1	3	5	9	24	35	36
20-34	44	8.5	102	2	4	6	8	13	38	50
35-49	53	8.4	68	3	5	6	9	14	20	58
50-64	59	7.9	29	3	5	7	9	15	22	93
65 +	94	12.1	109	4	5	9	15	21	28	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	3.3	5	1	2	3	4	6	7	12
B. Operated	40	5.7	14	2	3	5	7	12	14	17
2. MULTIPLE DX										
A. Not Operated	773	5.1	14	2	3	4	6	9	13	18
B. Operated	261	9.6	83	3	5	7	11	19	25	58
1. SINGLE DX	279	3.6	7	1	2	3	5	7	9	14
2. MULTIPLE DX	1034	6.2	35	2	3	5	7	11	16	33
A. Not Operated	1012	4.7	12	1	2	4	6	9	11	18
B. Operated	301	9.1	76	3	5	7	10	18	23	54
TOTAL										
0-19 YRS	143	3.8	15	1	2	3	4	6	9	18
20-34	268	4.7	26	1	2	4	5	8	11	33
35-49	289	5.1	23	2	3	4	6	9	11	21
50-64	235	5.4	15	1	3	5	7	9	13	24
65 +	378	7.7	48	2	4	6	9	15	19	37
GRAND TOTAL	**1313**	**5.7**	**30**	**2**	**3**	**4**	**7**	**11**	**15**	**27**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	4.9	16	2	3	4	6	10	12	25
20-34	157	5.2	11	2	3	5	7	9	13	16
35-49	87	4.5	7	2	3	4	6	8	9	13
50-64	26	5.3	14	2	3	4	7	11	13	15
65 +	8	6.1	16	2	3	5	8	13	14	14
B. Operated										
0-19 YRS	88	8.3	34	2	4	7	11	15	18	32
20-34	162	8.0	33	3	5	7	9	14	20	35
35-49	80	7.8	27	2	5	7	9	15	20	26
50-64	33	7.0	33	< 1	2	7	9	16	19	20
65 +	28	7.7	26	1	4	7	10	14	18	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	5.4	11	2	3	5	8	10	12	16
20-34	304	5.9	25	2	3	5	7	11	13	20
35-49	268	6.3	19	2	3	5	8	12	16	21
50-64	129	7.7	23	3	4	7	10	14	18	23
65 +	106	6.6	21	2	4	5	8	12	15	26
B. Operated										
0-19 YRS	169	12.1	85	4	6	9	16	27	31	42
20-34	467	11.6	71	4	6	9	14	23	28	46
35-49	334	12.3	80	4	7	10	15	23	30	55
50-64	249	12.6	93	4	6	9	16	25	31	45
65 +	287	14.3	137	4	7	11	17	28	42	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351	5.0	11	2	3	4	6	9	12	15
B. Operated	391	7.9	31	2	4	7	9	15	20	26
2. MULTIPLE DX										
A. Not Operated	929	6.3	21	2	3	5	8	12	14	21
B. Operated	1506	12.5	91	4	6	10	15	24	31	49
1. SINGLE DX	742	6.5	24	2	3	5	8	12	15	23
2. MULTIPLE DX	2435	10.1	74	3	5	8	13	20	27	47
A. Not Operated	1280	5.9	19	2	3	5	7	11	13	21
B. Operated	1897	11.5	82	4	6	9	14	22	30	48
TOTAL										
0-19 YRS	452	8.4	53	2	4	6	10	17	24	39
20-34	1090	8.5	51	3	4	7	10	16	23	37
35-49	769	8.9	55	3	4	7	11	18	23	42
50-64	437	10.3	70	3	5	8	14	20	26	38
65 +	429	11.8	111	3	5	9	14	23	30	57
GRAND TOTAL	**3177**	**9.3**	**64**	**3**	**4**	**7**	**11**	**18**	**25**	**44**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.7	4	2	3	5	6	8	8	8
20-34	7	4.1	3	1	3	4	5	7	7	7
35-49	6	3.5	8	< 1	2	3	4	8	9	9
50-64	10	6.4	50	1	2	4	8	17	25	25
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	7	8.3	57	2	4	7	9	21	24	24
20-34	18	7.6	25	3	4	6	9	15	18	20
35-49	8	8.6	48	1	2	7	15	18	18	18
50-64	6	9.8	37	3	5	10	16	16	16	16
65 +	4	9.3	49	< 1	4	9	14	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	6.5	43	2	3	5	8	12	14	41
20-34	62	5.9	20	2	3	5	7	11	15	23
35-49	87	6.5	19	2	3	5	9	14	16	20
50-64	88	8.3	36	3	4	6	11	15	18	30
65 +	75	11.3	135	3	4	9	15	22	26	77
B. Operated										
0-19 YRS	38	14.2	148	4	6	10	18	29	44	56
20-34	57	14.6	268	4	6	9	17	30	59	83
35-49	83	14.1	179	3	6	11	18	27	34	82
50-64	106	15.9	207	5	6	13	19	35	43	81
65 +	125	21.2	224	7	12	17	27	39	46	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.8	19	1	2	4	6	8	9	25
B. Operated	43	8.3	35	2	4	6	13	17	19	24
2. MULTIPLE DX										
A. Not Operated	373	7.8	54	2	3	6	10	15	19	30
B. Operated	409	16.8	216	4	7	13	20	33	43	80
1. SINGLE DX	74	6.9	31	2	3	5	9	16	18	25
2. MULTIPLE DX	782	12.5	159	3	5	9	16	26	35	74
A. Not Operated	404	7.5	52	2	3	6	9	15	19	30
B. Operated	452	16.0	205	4	7	12	20	32	43	80
TOTAL										
0-19 YRS	113	9.1	89	2	4	7	11	19	28	48
20-34	144	9.5	134	2	4	6	10	17	27	68
35-49	184	9.9	106	2	4	7	13	19	27	54
50-64	210	12.1	137	3	5	9	15	23	35	66
65 +	205	17.3	211	4	8	15	22	32	42	80
GRAND TOTAL	**856**	**12.0**	**150**	**3**	**4**	**8**	**15**	**25**	**34**	**69**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	202	2.3	4	1	1	2	3	4	6	10
20-34	65	2.7	4	< 1	1	2	3	5	8	9
35-49	84	3.2	19	< 1	1	2	4	6	7	30
50-64	70	3.8	24	< 1	1	2	4	8	14	28
65 +	86	3.7	32	< 1	1	2	4	7	11	36
B. Operated										
0-19 YRS	109	3.4	7	1	1	2	5	7	8	12
20-34	95	4.7	8	1	3	4	6	9	10	14
35-49	106	5.1	40	< 1	2	4	7	9	10	35
50-64	89	5.2	14	1	3	5	7	10	13	18
65 +	93	5.2	20	1	2	4	8	9	12	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	392	3.4	14	1	1	2	4	7	10	20
20-34	203	3.8	14	1	2	3	5	7	9	21
35-49	316	4.3	13	1	2	3	6	8	12	19
50-64	434	5.0	19	1	2	4	6	10	13	22
65 +	1535	5.7	21	2	3	4	7	11	14	23
B. Operated										
0-19 YRS	203	8.0	80	2	3	6	10	18	22	99 +
20-34	328	7.8	68	2	3	6	9	16	23	36
35-49	421	10.3	127	2	4	7	12	21	34	73
50-64	633	11.3	146	2	4	8	13	22	33	71
65 +	1497	12.2	115	3	5	10	15	24	33	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	507	2.9	14	< 1	1	2	3	5	8	21
B. Operated	492	4.7	18	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. Not Operated	2880	5.0	19	1	2	4	6	10	13	22
B. Operated	3082	11.0	118	2	4	8	13	22	31	66
1. SINGLE DX	999	3.8	17	< 1	1	3	5	8	10	19
2. MULTIPLE DX	5962	8.1	79	2	3	6	10	17	23	48
A. Not Operated	3387	4.7	19	1	2	3	6	9	12	22
B. Operated	3574	10.1	109	2	4	7	12	21	28	63
TOTAL										
0-19 YRS	906	4.2	30	1	1	3	5	9	12	29
20-34	691	5.7	42	1	2	4	7	11	16	30
35-49	927	7.0	77	1	2	5	8	14	21	57
50-64	1226	8.2	95	1	3	5	10	16	23	52
65 +	3211	8.7	76	2	3	6	11	18	24	46
GRAND TOTAL	**6961**	**7.5**	**73**	**1**	**3**	**5**	**9**	**16**	**22**	**45**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	3.7	1	2	3	4	4	5	5	5
35-49	9	5.6	15	3	3	4	6	12	15	15
50-64	5	4.6	4	3	3	4	5	8	8	8
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	6.3	31	< 1	2	5	9	15	17	17
50-64	3	1.0		1	1	1	1	1	1	1
65 +	3	8.0	28	4	4	6	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	131	8.4	43	3	4	6	11	16	21	34
35-49	355	8.6	50	3	4	7	10	16	23	38
50-64	330	9.4	55	3	5	7	11	19	24	43
65 +	161	9.9	45	3	5	8	13	18	24	34
B. Operated										
0-19 YRS	0									
20-34	34	15.5	259	3	4	11	20	36	59	68
35-49	119	13.4	136	4	6	10	19	30	36	99 +
50-64	179	11.2	110	2	4	8	14	28	33	47
65 +	71	13.3	76	5	8	11	17	26	32	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	4.9	8	3	3	4	5	8	11	15
B. Operated	15	5.6	28	1	1	4	8	14	16	17
2. MULTIPLE DX										
A. Not Operated	977	9.1	50	3	4	7	11	18	23	37
B. Operated	403	12.6	125	3	5	9	16	28	35	66
1. SINGLE DX	37	5.2	15	1	3	4	6	12	15	17
2. MULTIPLE DX	1380	10.1	74	3	5	8	13	21	28	45
A. Not Operated	999	9.0	49	3	4	7	11	18	23	37
B. Operated	418	12.3	123	3	5	9	16	28	35	66
TOTAL										
0-19 YRS	0									
20-34	172	9.6	92	3	4	6	13	20	27	59
35-49	492	9.6	74	3	4	7	12	21	29	47
50-64	517	9.9	74	3	5	7	12	21	29	46
65 +	236	10.9	56	4	6	9	14	21	27	36
GRAND TOTAL	**1417**	**10.0**	**73**	**3**	**5**	**7**	**12**	**21**	**28**	**45**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.4	6	1	2	2	5	7	9	9
20-34	6	2.5	3	1	1	2	4	5	5	5
35-49	5	4.6	13	1	2	4	7	10	10	10
50-64	11	6.2	27	1	2	5	8	15	16	16
65 +	2	8.0	72	2	2	8	14	14	14	14
B. Operated										
0-19 YRS	32	2.7	10	1	1	2	2	6	12	14
20-34	25	1.6	3	1	1	1	1	4	6	8
35-49	33	1.5	2	1	1	1	2	3	5	6
50-64	39	1.9	15	1	1	1	1	3	4	25
65 +	27	1.6	3	1	1	1	1	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.9	8	1	2	3	5	8	10	12
20-34	19	5.7	22	1	2	5	8	12	17	20
35-49	68	7.0	38	3	4	5	7	13	20	36
50-64	162	8.0	46	2	4	6	11	15	18	35
65 +	195	10.1	70	3	5	8	12	18	22	48
B. Operated										
0-19 YRS	34	5.0	27	1	2	2	8	15	19	99 +
20-34	43	5.6	39	1	1	4	8	14	16	33
35-49	119	7.8	97	1	2	5	10	17	21	85
50-64	182	8.4	79	1	2	6	11	18	25	47
65 +	159	10.8	88	1	3	9	16	24	29	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.6	17	1	2	3	6	10	15	16
B. Operated	156	1.9	7	1	1	1	2	4	6	14
2. MULTIPLE DX										
A. Not Operated	469	8.4	54	3	4	6	11	16	20	38
B. Operated	537	8.5	82	1	2	6	12	19	26	46
1. SINGLE DX	190	2.4	10	1	1	1	2	5	8	16
2. MULTIPLE DX	1006	8.5	69	1	3	6	11	18	23	45
A. Not Operated	503	8.2	53	2	4	6	11	16	20	38
B. Operated	693	7.0	73	1	1	4	10	18	24	45
TOTAL										
0-19 YRS	101	3.8	15	1	1	2	5	10	13	58
20-34	93	4.4	26	1	1	2	5	11	14	27
35-49	225	6.6	68	1	1	4	9	15	20	54
50-64	394	7.5	61	1	2	6	10	16	20	41
65 +	383	9.8	77	1	4	8	13	20	25	42
GRAND TOTAL	**1196**	**7.5**	**65**	**1**	**2**	**5**	**10**	**17**	**22**	**42**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.5	5	1	2	3	4	7	9	9
20-34	46	4.0	4	2	3	4	5	7	8	9
35-49	29	4.0	9	1	2	3	5	8	9	14
50-64	24	5.3	12	2	2	5	8	10	12	13
65 +	10	6.3	15	3	4	5	7	12	16	16
B. Operated										
0-19 YRS	23	3.2	15	1	1	2	4	7	12	18
20-34	8	8.6	29	1	4	9	12	15	16	16
35-49	7	4.1	14	1	2	3	5	11	12	12
50-64	14	9.1	138	1	3	6	8	21	41	47
65 +	7	6.9	124	1	1	1	10	27	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	4.8	14	2	2	4	6	9	13	19
20-34	111	6.7	40	2	3	5	8	13	18	40
35-49	227	7.4	41	2	4	5	9	14	20	37
50-64	324	7.5	27	3	4	6	9	13	17	26
65 +	390	8.3	53	3	4	6	10	15	21	33
B. Operated										
0-19 YRS	64	17.8	427	1	3	12	28	53	80	99 +
20-34	44	13.1	129	2	5	11	16	29	47	99 +
35-49	105	16.6	278	2	6	11	24	48	69	99 +
50-64	158	14.4	134	2	6	12	22	32	43	99 +
65 +	155	15.2	128	4	7	13	22	30	42	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	4.3	8	2	2	4	6	9	9	14
B. Operated	59	5.9	61	1	1	3	8	13	18	45
2. MULTIPLE DX										
A. Not Operated	1115	7.5	40	2	4	6	9	14	19	33
B. Operated	526	15.4	196	2	6	12	22	37	48	99 +
1. SINGLE DX	194	4.8	24	1	2	4	6	9	13	25
2. MULTIPLE DX	1641	10.0	104	2	4	7	12	22	32	61
A. Not Operated	1250	7.2	38	2	4	6	9	14	18	32
B. Operated	585	14.4	191	1	5	11	21	35	47	99 +
TOTAL										
0-19 YRS	176	9.1	205	1	2	4	9	25	49	99 +
20-34	209	7.6	59	2	3	5	9	15	19	50
35-49	368	9.7	125	2	4	6	11	23	37	97
50-64	520	9.5	72	2	4	7	12	21	28	47
65 +	562	10.2	83	3	4	7	13	22	28	44
GRAND TOTAL	**1835**	**9.5**	**98**	**2**	**4**	**6**	**12**	**21**	**30**	**60**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.6	3	< 1	1	2	4	5	5	5
20-34	178	2.2	3	1	1	2	3	4	5	10
35-49	173	2.5	3	1	1	2	3	5	6	10
50-64	142	2.8	4	1	1	2	4	6	7	10
65 +	90	3.1	4	1	1	2	5	6	7	9
B. Operated										
0-19 YRS	220	4.3	3	3	3	4	5	6	7	9
20-34	2518	4.2	3	3	3	4	5	6	7	10
35-49	2293	4.4	3	3	3	4	5	6	8	10
50-64	1742	4.7	4	3	4	4	5	7	8	11
65 +	777	5.3	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.7	6	1	2	3	4	7	9	11
20-34	238	2.9	4	1	2	2	4	5	7	10
35-49	315	3.6	7	1	2	3	4	7	9	14
50-64	510	4.2	13	1	2	3	5	8	10	16
65 +	1078	5.5	15	2	3	5	7	10	13	18
B. Operated										
0-19 YRS	183	6.0	10	3	4	5	8	10	12	17
20-34	2478	5.4	9	3	4	5	6	8	10	15
35-49	3352	5.7	14	3	4	5	7	9	11	17
50-64	4267	6.5	20	3	4	5	8	11	13	23
65 +	5224	8.9	34	4	5	7	11	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	598	2.6	3	1	1	2	3	5	6	10
B. Operated	7550	4.5	3	3	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	2165	4.6	13	1	2	4	6	9	11	17
B. Operated	15504	7.0	24	3	4	6	8	12	15	25
1. SINGLE DX	8148	4.3	4	3	3	4	5	7	8	11
2. MULTIPLE DX	17669	6.7	23	3	4	5	8	12	15	24
A. Not Operated	2763	4.2	12	1	2	3	5	8	10	16
B. Operated	23054	6.2	18	3	4	5	7	10	13	22
TOTAL										
0-19 YRS	442	4.9	7	2	3	4	6	8	10	14
20-34	5412	4.6	6	3	3	4	5	7	9	13
35-49	6133	5.0	10	3	3	4	6	8	10	15
50-64	6661	5.8	16	3	4	5	7	10	12	19
65 +	7169	8.0	30	3	5	7	10	14	18	28
GRAND TOTAL	**25817**	**5.9**	**18**	**3**	**4**	**5**	**7**	**10**	**13**	**22**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.6	3	<1	1	2	4	5	6	6
20-34	83	2.7	4	1	1	2	3	5	5	11
35-49	80	2.7	2	1	2	3	3	5	5	7
50-64	59	2.7	2	1	2	2	4	5	6	9
65 +	26	4.3	5	1	3	4	6	8	8	9
B. Operated										
0-19 YRS	20	4.5	7	2	3	4	5	7	10	14
20-34	162	4.7	6	3	3	4	5	7	11	13
35-49	209	4.9	5	3	4	4	6	8	9	13
50-64	108	5.1	6	3	4	5	6	8	8	16
65 +	46	6.7	8	4	4	6	8	10	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.9	3	1	1	3	4	6	7	7
20-34	113	3.9	14	1	2	3	5	6	9	21
35-49	165	4.3	17	1	2	3	5	8	9	24
50-64	193	4.4	7	2	3	4	6	7	9	13
65 +	332	6.1	23	2	3	5	8	11	14	26
B. Operated										
0-19 YRS	26	6.5	11	3	4	6	9	11	12	14
20-34	303	5.9	19	3	3	5	7	10	13	20
35-49	493	6.5	28	3	4	5	7	12	15	28
50-64	422	7.3	24	3	4	6	9	13	16	27
65 +	517	10.5	54	4	6	9	13	17	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	2.8	3	1	2	2	4	5	6	9
B. Operated	545	5.0	6	3	4	4	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	821	5.0	17	2	3	4	6	9	11	20
B. Operated	1761	7.8	36	3	4	6	10	14	17	32
1. SINGLE DX	806	4.3	6	2	3	4	5	7	9	13
2. MULTIPLE DX	2582	6.9	32	3	4	5	8	13	16	30
A. Not Operated	1082	4.5	15	1	2	4	6	8	11	18
B. Operated	2306	7.1	30	3	4	5	9	13	16	29
TOTAL										
0-19 YRS	77	4.5	9	1	2	4	6	9	11	14
20-34	661	4.8	14	2	3	4	6	8	11	17
35-49	947	5.5	20	2	3	4	6	9	13	20
50-64	782	5.9	19	2	3	5	7	11	14	22
65 +	921	8.6	44	3	4	7	11	15	20	32
GRAND TOTAL	**3388**	**6.3**	**27**	**2**	**3**	**5**	**8**	**12**	**15**	**26**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	14	2.5	3	1	2	2	3	4	7	8
35-49	13	1.7	1	1	1	1	2	3	4	4
50-64	7	3.3	8	1	2	2	4	8	9	9
65 +	11	3.5	4	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	4	7.5	6	5	5	7	9	10	10	10
20-34	68	6.1	9	2	4	6	8	10	10	15
35-49	64	5.9	14	1	4	5	8	11	13	18
50-64	63	6.8	15	2	4	6	9	12	14	17
65 +	89	7.4	29	2	3	6	10	15	20	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	8	4.8	45	1	1	2	4	16	21	21
35-49	25	3.6	6	1	2	3	4	7	9	10
50-64	47	4.4	6	2	3	4	6	8	9	11
65 +	129	5.8	12	2	3	5	7	10	12	16
B. Operated										
0-19 YRS	10	8.3	12	4	6	8	9	13	16	16
20-34	116	7.2	9	4	5	7	9	11	13	16
35-49	115	7.8	17	4	5	7	10	12	16	23
50-64	214	10.1	61	3	5	8	12	18	28	43
65 +	744	11.3	43	5	7	10	14	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.6	3	1	1	2	3	6	7	9
B. Operated	288	6.6	18	2	4	6	9	12	15	22
2. MULTIPLE DX										
A. Not Operated	213	5.1	11	2	3	4	7	9	11	17
B. Operated	1199	10.3	42	4	6	9	13	18	22	36
1. SINGLE DX	335	6.1	18	1	3	5	8	11	14	21
2. MULTIPLE DX	1412	9.5	41	3	5	8	12	17	21	34
A. Not Operated	260	4.7	11	1	2	4	6	9	11	16
B. Operated	1487	9.6	39	3	5	8	12	17	21	33
TOTAL										
0-19 YRS	20	6.5	13	2	4	6	9	10	13	16
20-34	206	6.4	11	2	4	6	8	10	12	17
35-49	217	6.4	17	2	4	6	9	11	14	22
50-64	331	8.5	48	2	4	7	11	15	21	40
65 +	973	10.1	42	3	6	9	13	18	22	33
GRAND TOTAL	**1747**	**8.9**	**38**	**3**	**5**	**8**	**11**	**16**	**20**	**32**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.0	19	2	2	5	10	13	13	13
20-34	16	2.9	4	1	2	3	4	5	8	9
35-49	12	3.8	4	1	2	4	5	6	7	7
50-64	15	4.5	12	2	2	4	5	10	13	14
65 +	7	2.6	2	< 1	1	2	4	5	5	5
B. Operated										
0-19 YRS	8	9.8	23	5	6	8	15	16	16	16
20-34	10	4.8	31	1	1	3	4	15	17	17
35-49	21	5.4	37	1	1	3	8	13	19	25
50-64	15	7.1	52	< 1	1	5	10	13	25	29
65 +	22	6.2	14	1	2	7	9	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	7.6	23	2	4	7	11	13	14	22
20-34	36	4.9	10	2	3	4	6	8	13	15
35-49	45	6.2	23	2	3	5	9	13	17	19
50-64	78	6.8	25	2	3	5	9	13	16	25
65 +	214	6.7	18	2	4	6	8	12	15	20
B. Operated										
0-19 YRS	39	17.5	306	3	8	14	18	30	65	83
20-34	38	9.6	53	1	5	8	13	19	27	31
35-49	78	9.1	49	1	3	8	13	18	23	32
50-64	147	11.9	92	3	6	9	16	24	32	47
65 +	309	12.7	98	3	7	11	15	25	30	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.9	8	1	2	3	5	7	11	14
B. Operated	76	6.3	31	1	1	5	9	14	16	28
2. MULTIPLE DX										
A. Not Operated	404	6.6	20	2	3	5	9	13	15	22
B. Operated	611	12.1	104	3	6	10	15	24	30	54
1. SINGLE DX	133	5.3	23	1	2	4	7	11	15	26
2. MULTIPLE DX	1015	9.9	78	2	4	8	13	19	26	43
A. Not Operated	461	6.2	19	2	3	5	8	12	14	22
B. Operated	687	11.5	99	2	5	9	15	23	29	51
TOTAL										
0-19 YRS	85	12.2	174	2	5	10	15	21	30	82
20-34	100	6.3	34	1	3	4	8	14	16	29
35-49	156	7.4	39	1	3	5	11	15	20	25
50-64	255	9.6	71	2	4	7	12	20	27	42
65 +	552	10.0	72	2	5	8	13	19	26	41
GRAND TOTAL	**1148**	**9.4**	**73**	**2**	**4**	**7**	**12**	**19**	**25**	**41**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	5.2	11	1	3	4	7	9	11	16
20-34	232	4.8	9	2	3	4	6	9	11	15
35-49	253	5.2	40	2	3	4	6	9	11	21
50-64	158	5.1	6	2	3	4	6	9	10	12
65 +	75	4.6	6	2	3	4	6	8	9	14
B. Operated										
0-19 YRS	3	8.7	16	5	6	8	12	13	13	13
20-34	12	15.2	189	3	6	11	18	34	49	52
35-49	29	6.7	29	1	3	6	8	13	21	23
50-64	26	6.9	54	1	2	6	8	12	19	37
65 +	15	6.1	20	< 1	1	7	9	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	5.4	17	2	3	4	6	9	11	27
20-34	959	5.9	15	2	3	5	7	11	13	19
35-49	1470	6.6	23	3	4	5	8	12	16	27
50-64	912	6.7	25	3	4	5	8	12	16	26
65 +	1125	7.1	21	3	4	6	9	12	16	25
B. Operated										
0-19 YRS	22	14.5	91	4	8	11	20	31	34	38
20-34	244	15.0	183	5	8	11	17	28	44	84
35-49	433	15.1	153	5	8	11	19	32	44	93
50-64	376	14.8	171	5	7	11	17	31	46	99
65 +	535	14.7	131	5	8	12	17	30	42	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	752	5.0	19	2	3	4	6	9	10	15
B. Operated	85	7.9	63	1	2	7	10	15	21	47
2. MULTIPLE DX										
A. Not Operated	4533	6.6	21	3	4	5	8	12	15	25
B. Operated	1610	14.9	153	5	8	11	18	30	43	86
1. SINGLE DX	837	5.3	24	2	3	4	6	9	11	20
2. MULTIPLE DX	6143	8.8	69	3	4	6	10	17	24	49
A. Not Operated	5285	6.3	21	3	4	5	8	11	15	23
B. Operated	1695	14.5	151	5	7	11	17	30	42	84
TOTAL										
0-19 YRS	126	7.0	40	2	4	5	8	13	20	33
20-34	1447	7.3	57	2	3	5	9	14	18	40
35-49	2185	8.1	63	3	4	6	9	16	23	48
50-64	1472	8.6	74	3	4	6	10	16	23	54
65 +	1750	9.3	67	3	5	7	11	17	24	47
GRAND TOTAL	**6980**	**8.3**	**65**	**3**	**4**	**6**	**10**	**16**	**22**	**48**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.3	2	1	1	2	3	4	5	9
20-34	53	2.5	3	1	1	2	3	5	6	9
35-49	76	2.9	14	1	1	2	3	5	6	26
50-64	67	3.5	13	< 1	1	3	4	6	10	20
65 +	101	4.0	15	1	2	3	5	7	10	23
B. Operated										
0-19 YRS	9	2.4	3	1	1	2	4	5	5	5
20-34	7	4.3	14	1	2	3	5	11	12	12
35-49	11	3.0	4	< 1	< 1	3	4	6	6	6
50-64	8	4.1	10	< 1	1	4	6	9	10	10
65 +	13	7.0	36	3	4	4	8	19	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	212	3.5	19	1	2	3	4	5	7	21
20-34	315	4.0	7	1	2	3	5	8	9	14
35-49	526	4.5	8	2	3	4	6	8	10	14
50-64	865	5.2	17	2	3	4	6	9	12	24
65 +	3423	6.2	17	2	4	5	8	11	14	22
B. Operated										
0-19 YRS	51	7.7	172	1	3	4	8	13	19	79
20-34	69	7.6	47	2	3	5	9	14	21	35
35-49	190	7.6	42	2	4	5	9	16	23	31
50-64	408	7.8	56	3	4	6	8	15	21	42
65 +	1371	10.0	77	3	5	7	12	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	368	3.1	11	1	1	2	4	5	7	17
B. Operated	48	4.4	17	1	1	4	5	9	13	20
2. MULTIPLE DX										
A. Not Operated	5341	5.6	16	2	3	5	7	10	13	21
B. Operated	2089	9.2	72	3	4	7	11	18	26	45
1. SINGLE DX	416	3.3	12	1	1	2	4	6	8	19
2. MULTIPLE DX	7430	6.6	35	2	3	5	8	12	17	31
A. Not Operated	5709	5.5	16	2	3	4	7	10	13	21
B. Operated	2137	9.1	72	3	4	6	11	18	26	44
TOTAL										
0-19 YRS	343	3.9	40	1	2	3	4	6	10	23
20-34	444	4.4	15	1	2	3	5	8	11	18
35-49	803	5.0	19	2	3	4	6	9	12	25
50-64	1348	5.9	30	2	3	4	7	11	15	30
65 +	4908	7.2	37	3	4	6	8	13	18	32
GRAND TOTAL	**7846**	**6.4**	**34**	**2**	**3**	**5**	**8**	**12**	**16**	**31**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	5.2	114	1	2	3	4	7	18	65
20-34	2	5.5	41	1	1	5	10	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	2	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	22	5.0	13	2	3	4	6	9	13	17
20-34	4	3.5		3	3	3	4	4	4	4
35-49	5	5.6	6	3	4	5	7	9	9	9
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	166	6.8	56	2	3	4	7	15	18	38
20-34	12	4.7	5	2	3	5	6	7	9	9
35-49	26	7.0	29	2	4	6	9	11	15	29
50-64	23	9.0	45	3	4	7	14	21	47	99 +
65 +	23	7.6	24	2	5	6	9	13	18	24
B. Operated										
0-19 YRS	63	15.9	347	2	4	8	24	52	88	99 +
20-34	13	12.1	47	3	6	14	17	20	22	23
35-49	29	12.5	116	3	5	9	17	23	33	53
50-64	42	15.4	328	4	6	9	16	35	56	97
65 +	48	15.2	135	4	8	11	22	35	40	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	5.0	97	1	2	3	4	8	13	65
B. Operated	34	4.9	10	2	3	4	6	9	10	17
2. MULTIPLE DX										
A. Not Operated	250	7.0	47	2	3	5	8	15	19	39
B. Operated	195	14.8	234	3	5	10	20	35	53	99 +
1. SINGLE DX	80	4.9	59	1	2	3	5	8	10	53
2. MULTIPLE DX	445	10.4	144	2	3	7	12	24	35	97
A. Not Operated	296	6.7	55	2	3	4	7	14	19	49
B. Operated	229	13.4	213	3	5	8	17	33	51	99 +
TOTAL										
0-19 YRS	290	8.4	138	2	3	4	8	24	35	93
20-34	31	7.7	37	2	3	6	11	17	19	23
35-49	61	9.4	75	2	4	7	11	20	27	51
50-64	69	12.6	227	3	5	8	15	24	52	99
65 +	74	12.4	109	3	6	9	15	24	36	50
GRAND TOTAL	**525**	**9.6**	**135**	**2**	**3**	**6**	**11**	**23**	**35**	**88**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	4.2	12	1	2	3	5	7	11	20
20-34	7	2.3	2	1	1	2	4	4	4	4
35-49	5	1.6		1	1	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	92	2.3	5	1	1	2	2	5	7	12
20-34	26	1.8	5	1	1	1	2	3	6	12
35-49	19	2.7	10	< 1	1	1	3	8	11	11
50-64	14	1.2		1	1	1	1	2	2	2
65 +	9	1.7	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	156	5.1	25	1	2	4	6	10	13	26
20-34	42	5.6	16	1	3	5	9	11	13	15
35-49	24	4.1	10	1	2	3	6	9	11	11
50-64	27	7.3	20	3	3	7	11	14	15	17
65 +	61	8.5	31	3	5	7	11	15	20	29
B. Operated										
0-19 YRS	80	7.9	97	1	1	4	11	22	27	87
20-34	54	6.3	27	1	2	6	10	13	15	22
35-49	56	4.6	19	1	2	3	6	12	14	17
50-64	72	9.4	149	1	2	5	14	22	27	74
65 +	92	9.8	63	1	2	7	15	22	26	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.9	11	1	2	3	5	7	10	20
B. Operated	160	2.1	5	1	1	1	2	4	7	12
2. MULTIPLE DX										
A. Not Operated	310	5.9	25	1	3	4	8	12	14	25
B. Operated	354	8.0	78	1	2	5	12	19	24	38
1. SINGLE DX	271	2.9	8	1	1	2	4	6	9	12
2. MULTIPLE DX	664	7.0	55	1	2	5	10	15	21	32
A. Not Operated	421	5.4	22	1	2	4	7	11	13	22
B. Operated	514	6.1	63	1	1	2	9	16	22	34
TOTAL										
0-19 YRS	425	4.8	34	1	1	3	6	11	15	30
20-34	129	5.0	20	1	1	3	7	12	13	18
35-49	104	4.0	15	1	1	2	5	11	12	16
50-64	115	7.8	105	1	2	4	11	18	25	53
65 +	162	8.9	51	1	3	7	12	20	24	30
GRAND TOTAL	**935**	**5.8**	**45**	**1**	**2**	**3**	**8**	**13**	**19**	**29**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	5.2	21	2	3	4	5	8	18	21
20-34	4	8.5	108	2	3	4	14	24	24	24
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	3.0	19	1	1	1	4	10	15	15
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	4.7	10	1	2	6	7	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	5.4	13	2	3	4	6	11	13	20
20-34	7	4.9	6	2	3	5	6	8	9	9
35-49	7	6.4	21	3	4	5	7	14	16	16
50-64	18	8.3	22	3	5	8	9	14	19	22
65 +	23	7.3	23	3	4	6	10	15	17	19
B. Operated										
0-19 YRS	9	5.7	12	1	3	4	8	11	11	11
20-34	11	5.7	19	1	2	5	8	12	16	16
35-49	10	10.2	28	2	7	11	13	17	18	18
50-64	17	10.8	317	1	2	6	10	17	56	77
65 +	27	16.1	187	5	7	10	25	41	44	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	5.9	37	2	3	4	5	16	23	24
B. Operated	16	3.5	17	1	1	1	5	10	13	15
2. MULTIPLE DX										
A. Not Operated	113	6.3	17	2	3	5	8	12	15	21
B. Operated	74	11.3	161	2	4	8	12	26	41	70
1. SINGLE DX	35	4.8	28	1	1	4	5	10	19	24
2. MULTIPLE DX	187	8.2	80	2	4	6	10	16	22	47
A. Not Operated	132	6.2	20	2	3	5	8	12	16	22
B. Operated	90	9.9	144	1	2	7	11	21	36	66
TOTAL										
0-19 YRS	92	5.1	15	1	3	4	6	11	13	21
20-34	24	5.5	27	1	2	4	7	11	18	24
35-49	20	8.1	26	2	4	7	12	16	17	18
50-64	36	9.5	157	2	4	8	10	15	21	77
65 +	50	12.1	129	3	5	8	15	27	43	50
GRAND TOTAL	**222**	**7.7**	**73**	**2**	**3**	**5**	**9**	**15**	**21**	**45**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.2	22	1	2	5	6	13	16	16
20-34	4	1.5		1	1	1	2	2	2	2
35-49	13	2.0	2	1	1	2	2	4	6	6
50-64	7	1.4		1	1	1	2	2	2	2
65 +	4	9.0	61	2	2	8	15	18	18	18
B. Operated										
0-19 YRS	27	5.9	15	2	3	5	8	12	13	16
20-34	12	3.3	8	< 1	1	2	4	9	9	9
35-49	18	3.8	23	< 1	1	2	4	13	16	16
50-64	27	2.8	6	< 1	1	2	3	7	9	10
65 +	33	3.0	10	1	1	1	3	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	4.5	28	1	1	3	6	10	14	30
20-34	54	4.0	12	1	2	3	5	8	12	17
35-49	56	6.3	31	1	2	4	9	14	19	24
50-64	105	6.6	42	1	3	5	8	11	17	38
65 +	272	8.2	29	3	4	7	11	15	20	26
B. Operated										
0-19 YRS	132	14.0	168	2	4	11	21	33	49	99 +
20-34	222	10.3	88	2	3	8	14	21	30	44
35-49	317	10.2	124	1	3	6	13	24	32	53
50-64	402	9.6	97	1	3	7	12	22	29	48
65 +	421	9.5	96	1	3	7	13	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.4	17	1	1	2	3	8	15	18
B. Operated	117	3.8	13	1	1	2	5	9	11	16
2. MULTIPLE DX										
A. Not Operated	544	6.9	32	1	3	5	9	14	18	28
B. Operated	1494	10.2	108	1	3	7	14	23	32	51
1. SINGLE DX	154	3.7	14	1	1	2	5	9	13	16
2. MULTIPLE DX	2038	9.3	90	1	3	7	12	21	29	48
A. Not Operated	581	6.7	32	1	3	5	9	14	18	28
B. Operated	1611	9.7	104	1	3	7	13	22	31	49
TOTAL										
0-19 YRS	225	10.3	128	1	3	6	14	23	36	69
20-34	292	8.7	77	1	2	6	12	20	24	44
35-49	404	9.1	108	1	2	5	12	21	30	46
50-64	541	8.6	84	1	3	6	11	19	27	47
65 +	730	8.7	68	1	3	7	12	18	24	36
GRAND TOTAL	**2192**	**8.9**	**87**	**1**	**3**	**6**	**12**	**20**	**28**	**47**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	6.5	41	2	2	6	11	11	11	11
65 +	5	6.4	14	1	4	7	9	11	11	11
B. Operated										
0-19 YRS	0									
20-34	3	6.0	19	3	3	4	9	11	11	11
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	5	5.4	6	2	3	6	7	8	8	8
65 +	5	3.0	3	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.5	11	1	2	4	5	11	12	13
20-34	36	5.7	18	1	3	4	8	11	13	20
35-49	68	6.3	25	2	3	5	7	12	16	26
50-64	183	7.9	26	3	5	7	9	14	18	27
65 +	809	9.4	36	4	6	8	12	16	20	33
B. Operated										
0-19 YRS	23	13.8	70	4	7	12	19	27	29	31
20-34	47	10.1	92	1	5	7	12	18	38	46
35-49	75	13.9	82	4	7	13	18	28	31	43
50-64	163	13.8	124	3	7	12	18	24	29	64
65 +	483	16.6	150	5	8	14	21	33	39	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.5	13	1	3	4	8	11	11	11
B. Operated	16	4.1	7	1	2	3	5	8	10	11
2. MULTIPLE DX										
A. Not Operated	1121	8.8	34	3	5	8	11	15	19	31
B. Operated	791	15.3	135	4	8	13	19	29	38	68
1. SINGLE DX	26	4.7	10	1	2	4	7	10	11	11
2. MULTIPLE DX	1912	11.5	86	3	6	9	14	22	29	46
A. Not Operated	1131	8.7	34	3	5	8	11	15	19	31
B. Operated	807	15.1	135	4	7	13	19	29	38	67
TOTAL										
0-19 YRS	50	8.7	59	1	3	6	12	20	27	31
20-34	86	8.1	62	1	3	7	10	15	20	44
35-49	147	10.1	69	3	4	7	14	21	28	42
50-64	353	10.6	80	3	5	8	13	21	25	51
65 +	1302	12.1	90	4	6	9	15	23	30	46
GRAND TOTAL	**1938**	**11.4**	**86**	**3**	**6**	**9**	**14**	**22**	**29**	**46**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	258	3.5	3	2	2	3	4	5	7	10
20-34	297	3.6	3	2	3	3	4	5	6	9
35-49	90	3.6	4	2	3	3	4	5	7	13
50-64	48	3.8	3	2	2	4	5	6	7	9
65 +	22	5.7	19	3	4	5	6	9	15	23
B. Operated										
0-19 YRS	6	5.0	2	3	3	6	6	6	6	6
20-34	7	4.9	2	3	4	5	6	7	7	7
35-49	5	5.2	3	3	4	5	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	585	4.2	4	2	3	4	5	6	7	11
20-34	846	4.3	5	2	3	4	5	7	8	12
35-49	433	5.0	7	2	3	4	6	8	10	14
50-64	423	5.9	16	3	4	5	7	10	11	18
65 +	863	6.5	13	3	4	6	8	11	14	18
B. Operated										
0-19 YRS	48	6.0	8	3	4	5	7	10	13	15
20-34	91	8.9	80	3	5	6	10	16	21	58
35-49	92	9.0	40	4	5	7	11	14	21	38
50-64	77	9.6	35	4	6	8	11	19	23	28
65 +	177	11.7	36	6	8	10	15	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	715	3.6	3	2	3	3	4	6	7	10
B. Operated	20	4.7	3	2	3	5	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	3150	5.2	10	2	3	5	6	9	11	16
B. Operated	485	9.8	45	4	6	8	12	17	22	36
1. SINGLE DX	735	3.7	3	2	3	3	4	6	7	9
2. MULTIPLE DX	3635	5.8	17	2	3	5	7	10	13	21
A. Not Operated	3865	4.9	9	2	3	4	6	8	10	15
B. Operated	505	9.6	44	4	5	8	12	17	22	36
TOTAL										
0-19 YRS	897	4.1	4	2	3	4	5	6	8	11
20-34	1241	4.5	11	2	3	4	5	7	8	15
35-49	620	5.4	14	2	3	5	7	9	12	17
50-64	549	6.2	20	3	4	5	7	10	13	24
65 +	1063	7.4	21	3	4	6	9	13	16	23
GRAND TOTAL	**4370**	**5.5**	**15**	**2**	**3**	**4**	**7**	**10**	**12**	**19**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	213	3.4	3	2	2	3	4	5	6	9
20-34	186	3.5	2	2	2	3	4	5	6	7
35-49	40	3.8	2	2	3	3	5	6	6	7
50-64	19	3.8	4	2	3	4	4	5	8	11
65 +	17	4.4	6	3	3	3	5	7	10	12
B. Operated										
0-19 YRS	25	4.9	9	2	3	4	7	8	12	13
20-34	19	4.8	10	2	3	4	6	10	13	14
35-49	5	7.8	17	4	4	7	11	13	13	13
50-64	6	6.7	14	< 1	5	7	10	11	11	11
65 +	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	507	4.4	5	2	3	4	5	7	9	13
20-34	431	4.4	10	2	3	4	5	7	8	18
35-49	239	4.9	6	2	3	4	6	8	10	14
50-64	213	6.0	13	3	4	5	7	9	12	22
65 +	396	6.8	16	3	4	6	8	11	14	24
B. Operated										
0-19 YRS	77	7.9	22	3	5	7	10	14	16	26
20-34	80	8.4	45	3	5	7	9	14	20	43
35-49	81	9.0	33	4	5	8	11	16	23	29
50-64	82	11.8	63	4	7	10	15	21	28	82
65 +	137	11.9	57	5	7	11	14	22	26	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	3.5	3	2	2	3	4	5	6	10
B. Operated	57	5.3	11	2	3	4	7	11	12	14
2. MULTIPLE DX										
A. Not Operated	1786	5.2	11	2	3	4	6	9	10	17
B. Operated	457	10.1	48	4	6	8	12	18	25	43
1. SINGLE DX	532	3.7	4	2	2	3	5	6	7	12
2. MULTIPLE DX	2243	6.2	22	3	3	5	7	11	14	26
A. Not Operated	2261	4.8	9	2	3	4	6	8	10	16
B. Operated	514	9.6	46	3	5	8	12	18	24	41
TOTAL										
0-19 YRS	822	4.5	8	2	3	4	5	7	10	15
20-34	716	4.7	13	2	3	4	5	7	9	23
35-49	365	5.8	15	3	3	5	7	10	12	24
50-64	320	7.4	32	3	4	6	9	14	19	35
65 +	552	8.0	31	3	5	6	10	14	18	31
GRAND TOTAL	**2775**	**5.7**	**20**	**2**	**3**	**5**	**7**	**10**	**14**	**25**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	1.5	1	1	1	1	2	2	2	6
20-34	297	1.8	4	1	1	1	2	3	4	12
35-49	396	1.4	1	1	1	1	2	2	3	4
50-64	305	1.4	1	1	1	1	2	3	3	5
65 +	117	1.5	1	1	1	1	2	3	3	6
B. Operated										
0-19 YRS	16	2.5	3	1	1	2	3	5	6	7
20-34	157	2.2	5	1	1	1	3	5	7	9
35-49	280	2.2	4	1	1	1	3	5	6	10
50-64	240	2.1	4	1	1	1	3	4	6	10
65 +	112	2.3	4	1	1	1	3	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.8	4	1	1	2	4	6	9	99 +
20-34	271	2.9	13	1	1	2	3	6	7	15
35-49	377	2.2	2	1	1	2	3	4	5	8
50-64	359	2.6	4	1	1	2	3	5	7	10
65 +	281	3.0	8	1	1	2	4	7	9	13
B. Operated										
0-19 YRS	28	6.5	22	1	3	6	8	12	17	21
20-34	162	5.7	37	1	2	4	7	11	16	36
35-49	320	4.9	25	1	2	4	6	10	13	25
50-64	366	5.4	36	1	2	4	7	11	16	30
65 +	410	6.1	40	1	2	5	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1151	1.5	1	1	1	1	2	3	3	6
B. Operated	805	2.2	4	1	1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	1329	2.6	6	1	1	2	3	5	7	11
B. Operated	1286	5.6	34	1	2	4	7	11	15	31
1. SINGLE DX	1956	1.8	3	1	1	1	2	3	5	9
2. MULTIPLE DX	2615	4.1	22	1	1	3	5	9	12	24
A. Not Operated	2480	2.1	4	1	1	1	2	4	6	10
B. Operated	2091	4.3	25	1	1	3	5	9	13	25
TOTAL										
0-19 YRS	121	3.2	10	1	1	2	4	7	10	43
20-34	887	2.9	15	1	1	2	3	6	9	18
35-49	1373	2.6	9	1	1	2	3	5	8	13
50-64	1270	3.0	15	1	1	2	3	7	9	20
65 +	920	4.1	24	1	1	2	5	9	13	25
GRAND TOTAL	**4571**	**3.1**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	111	1.7	1	< 1	1	1	2	3	3	7
20-34	924	1.7	2	1	1	1	2	3	4	5
35-49	1219	1.6	1	1	1	1	2	3	3	5
50-64	631	1.8	1	1	1	2	2	3	4	5
65 +	142	1.8	1	1	1	1	2	3	4	4
B. Operated										
0-19 YRS	90	3.4	6	1	2	3	4	6	8	14
20-34	675	2.9	3	1	2	2	4	5	6	9
35-49	976	3.1	5	1	1	3	4	6	7	10
50-64	598	2.9	4	1	1	2	4	6	7	10
65 +	224	3.3	7	1	1	2	4	7	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	2.4	4	1	1	2	3	4	5	13
20-34	567	2.0	2	1	1	2	2	4	4	7
35-49	888	2.1	2	1	1	2	3	4	5	7
50-64	751	2.4	3	1	1	2	3	4	6	8
65 +	411	2.6	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	42	4.1	9	1	2	3	6	8	10	16
20-34	496	4.1	9	1	2	3	5	8	9	13
35-49	869	4.1	9	1	2	3	5	8	10	15
50-64	943	4.5	13	1	2	3	6	9	11	18
65 +	793	5.8	27	1	3	4	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3027	1.7	1	1	1	1	2	3	4	5
B. Operated	2563	3.0	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	2698	2.2	2	1	1	2	3	4	5	7
B. Operated	3143	4.7	15	1	2	4	6	9	11	17
1. SINGLE DX	5590	2.3	3	1	1	2	3	5	6	9
2. MULTIPLE DX	5841	3.5	11	1	1	3	4	7	9	15
A. Not Operated	5725	1.9	2	1	1	2	2	3	4	7
B. Operated	5706	3.9	11	1	2	3	5	8	10	15
TOTAL										
0-19 YRS	324	2.7	5	1	1	2	3	5	7	14
20-34	2662	2.5	4	1	1	2	3	5	6	10
35-49	3952	2.6	5	1	1	2	3	5	7	11
50-64	2923	3.1	7	1	1	2	4	6	8	14
65 +	1570	4.2	18	1	2	3	5	9	12	18
GRAND TOTAL	**11431**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.1	17	1	1	2	4	5	9	22
20-34	18	3.1	4	1	2	3	4	6	8	8
35-49	24	1.9	1	1	1	2	2	3	4	5
50-64	11	2.1	1	1	1	2	3	4	4	4
65 +	6	2.8	1	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	456	4.8	6	2	3	5	6	8	9	11
20-34	71	5.0	11	1	2	5	7	9	12	18
35-49	82	4.3	10	1	2	4	6	8	9	17
50-64	53	4.1	13	1	1	3	6	9	10	20
65 +	49	3.8	13	< 1	1	2	6	9	10	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	3.4	7	1	1	2	4	8	10	11
20-34	63	3.3	8	1	1	2	4	7	9	14
35-49	84	3.7	10	1	2	3	5	8	11	16
50-64	92	4.4	23	1	2	3	5	9	12	29
65 +	191	6.6	26	2	3	5	9	13	16	28
B. Operated										
0-19 YRS	557	6.3	19	3	4	6	8	11	13	21
20-34	213	6.3	29	2	3	6	8	11	14	30
35-49	269	6.6	24	2	3	6	8	12	14	36
50-64	330	7.6	61	1	3	6	9	16	23	44
65 +	500	8.9	61	2	4	7	11	17	24	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.6	7	1	1	2	3	4	5	17
B. Operated	711	4.6	8	1	3	4	6	8	9	15
2. MULTIPLE DX										
A. Not Operated	530	4.8	19	1	2	3	6	10	13	20
B. Operated	1869	7.3	41	2	4	6	9	14	18	36
1. SINGLE DX	796	4.4	8	1	2	4	6	8	9	15
2. MULTIPLE DX	2399	6.7	37	1	3	5	8	13	17	34
A. Not Operated	615	4.5	18	1	2	3	6	10	13	20
B. Operated	2580	6.6	33	1	3	5	8	12	16	32
TOTAL										
0-19 YRS	1139	5.4	14	2	3	5	7	9	11	19
20-34	365	5.4	22	1	2	5	7	9	12	25
35-49	459	5.4	20	1	2	5	7	11	13	25
50-64	486	6.5	50	1	2	5	8	13	18	38
65 +	746	8.0	51	1	3	6	11	15	21	36
GRAND TOTAL	**3195**	**6.2**	**31**	**1**	**3**	**5**	**8**	**12**	**15**	**29**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.9	3	1	1	1	2	5	6	6
20-34	33	1.5	1	< 1	1	1	2	3	3	4
35-49	42	1.6	1	< 1	1	1	2	3	4	6
50-64	24	1.5		< 1	1	1	2	2	3	3
65 +	7	1.9		1	1	2	2	3	3	3
B. Operated										
0-19 YRS	6	2.2	3	< 1	1	2	3	5	5	5
20-34	11	2.2	2	1	1	2	3	4	5	5
35-49	17	2.8	3	1	1	2	4	5	6	7
50-64	12	2.5	3	1	1	2	3	5	7	7
65 +	25	2.2	3	1	1	1	3	3	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.4	3	2	2	3	4	6	7	7
20-34	32	2.9	15	1	1	2	3	6	9	21
35-49	37	2.0	1	1	1	2	3	4	5	5
50-64	34	2.5	6	1	1	2	3	4	10	12
65 +	25	3.6	2	2	3	3	4	6	6	7
B. Operated										
0-19 YRS	19	4.0	8	1	2	3	6	7	10	12
20-34	26	4.6	17	1	2	3	6	10	15	17
35-49	32	4.4	17	1	2	3	6	9	14	19
50-64	71	4.8	28	1	2	3	5	10	12	34
65 +	226	5.6	23	1	3	5	7	11	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	1.6	1	< 1	1	1	2	3	3	6
B. Operated	71	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	135	2.7	6	1	1	2	3	5	6	13
B. Operated	374	5.2	22	1	2	4	7	10	12	19
1. SINGLE DX	187	1.9	2	< 1	1	1	2	3	5	7
2. MULTIPLE DX	509	4.5	19	1	2	3	6	9	12	19
A. Not Operated	251	2.2	4	1	1	2	3	4	6	11
B. Operated	445	4.8	20	1	2	4	6	9	12	19
TOTAL										
0-19 YRS	42	3.1	6	1	1	2	4	7	7	12
20-34	102	2.8	11	1	1	2	3	6	8	19
35-49	128	2.6	7	1	1	2	3	5	7	16
50-64	141	3.5	18	1	1	2	4	7	11	21
65 +	283	5.0	20	1	2	4	7	10	12	17
GRAND TOTAL	**696**	**3.8**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.7	4	< 1	1	2	4	6	7	8
20-34	12	2.1	3	1	1	2	2	4	7	7
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	7	2.9	5	1	2	2	3	7	8	8
65 +	7	3.0	4	1	1	3	4	6	7	7
B. Operated										
0-19 YRS	8	3.1	5	< 1	1	2	5	6	6	6
20-34	20	2.3	4	< 1	< 1	1	3	5	7	9
35-49	34	2.2	2	< 1	1	2	3	4	5	5
50-64	23	2.1	7	< 1	< 1	1	2	5	8	13
65 +	30	2.7	8	< 1	1	1	4	6	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	3.1	4	1	2	3	4	6	7	11
20-34	52	4.2	17	1	2	3	4	8	10	25
35-49	47	4.4	16	1	2	3	5	7	16	20
50-64	59	4.8	8	2	3	5	6	9	12	91
65 +	238	6.1	15	2	3	5	8	11	15	20
B. Operated										
0-19 YRS	29	5.5	18	2	3	4	6	12	13	22
20-34	62	8.5	195	1	2	5	8	16	20	85
35-49	90	5.2	18	1	2	4	7	11	15	19
50-64	149	5.4	45	1	2	4	7	10	14	52
65 +	516	7.5	65	2	3	5	9	14	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.6	4	1	1	2	3	6	7	8
B. Operated	115	2.4	5	< 1	< 1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	463	5.1	14	2	3	4	7	9	13	20
B. Operated	846	6.9	65	1	3	5	8	13	18	42
1. SINGLE DX	166	2.4	5	< 1	1	2	3	5	7	12
2. MULTIPLE DX	1309	6.2	48	1	3	5	8	12	16	35
A. Not Operated	514	4.8	14	1	2	4	6	9	12	20
B. Operated	961	6.3	60	1	2	4	8	13	17	41
TOTAL										
0-19 YRS	124	3.6	9	1	2	3	4	6	9	15
20-34	146	5.6	96	1	2	3	6	11	16	72
35-49	176	4.3	15	1	2	3	5	9	14	19
50-64	238	4.9	32	1	2	4	6	9	13	52
65 +	791	6.8	48	1	3	5	8	13	18	35
GRAND TOTAL	**1475**	**5.8**	**44**	**1**	**2**	**4**	**7**	**11**	**16**	**32**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	72	2.0	6	< 1	1	1	2	4	7	14
20-34	66	2.2	5	< 1	1	1	3	4	6	12
35-49	50	1.8	2	< 1	1	1	2	4	6	6
50-64	48	2.0	2	< 1	1	1	3	4	5	7
65 +	69	2.1	3	< 1	1	1	3	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	7	3.1	7	1	1	3	5	7	8	8
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	28	5.6	14	1	2	5	8	12	12	13
B. Operated										
0-19 YRS	75	2.4	6	< 1	1	1	3	5	7	14
20-34	89	2.7	6	1	1	2	4	6	7	14
35-49	96	2.9	5	1	1	2	4	6	8	10
50-64	153	3.5	8	1	1	2	5	7	9	14
65 +	408	4.3	15	1	2	3	6	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.1		< 1	< 1	< 1	1	2	2	2
B. Operated	305	2.0	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX										
A. Not Operated	43	4.5	13	1	1	3	7	11	12	13
B. Operated	821	3.6	11	1	1	2	5	8	10	16
1. SINGLE DX	317	2.0	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX	864	3.7	11	1	1	2	5	8	10	16
A. Not Operated	55	3.7	12	< 1	1	2	5	9	12	13
B. Operated	1126	3.2	10	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	150	2.2	6	< 1	1	1	2	5	7	14
20-34	161	2.4	5	1	1	2	3	5	7	13
35-49	156	2.5	4	1	1	2	3	6	7	9
50-64	206	3.1	7	1	1	2	4	7	8	13
65 +	508	4.1	14	1	1	3	5	8	11	18
GRAND TOTAL	**1181**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	228	3.0	4	1	2	3	4	5	6	10
20-34	73	2.7	2	1	2	2	4	5	5	7
35-49	43	3.2	2	1	2	3	4	5	6	7
50-64	38	4.3	7	1	2	4	5	9	10	13
65 +	76	5.0	16	2	3	4	6	8	11	24
B. Operated										
0-19 YRS	19	3.2	5	< 1	< 1	3	5	7	8	8
20-34	15	1.8	2	< 1	< 1	1	2	3	5	6
35-49	4	3.5	10	< 1	1	2	5	8	8	8
50-64	8	2.1	3	< 1	< 1	< 1	3	5	5	5
65 +	9	4.3	9	< 1	< 1	5	6	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1177	3.9	6	2	2	3	5	7	8	13
20-34	539	4.7	29	2	3	4	5	8	11	22
35-49	540	5.9	22	2	3	5	7	11	14	25
50-64	953	6.4	19	3	4	5	8	11	14	24
65 +	5501	7.9	30	3	4	7	10	14	17	28
B. Operated										
0-19 YRS	163	6.4	23	2	3	5	9	11	15	30
20-34	86	9.3	102	2	3	6	11	17	30	54
35-49	106	10.9	102	3	5	8	13	27	40	99 +
50-64	208	12.1	97	4	6	10	14	24	31	53
65 +	1122	14.0	106	5	8	11	17	26	36	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	458	3.4	6	1	2	3	4	6	7	13
B. Operated	55	2.9	5	< 1	< 1	2	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	8710	6.9	27	2	4	6	8	12	16	27
B. Operated	1685	12.6	102	4	6	10	16	25	34	65
1. SINGLE DX	513	3.3	6	1	2	3	4	6	7	12
2. MULTIPLE DX	10395	7.8	44	3	4	6	10	14	19	36
A. Not Operated	9168	6.7	27	2	4	5	8	12	15	27
B. Operated	1740	12.3	101	3	6	10	15	24	34	64
TOTAL										
0-19 YRS	1587	4.0	8	2	2	3	5	7	9	15
20-34	713	5.0	37	1	2	4	6	9	13	31
35-49	693	6.5	37	2	3	5	8	12	16	43
50-64	1207	7.3	37	2	4	6	9	13	17	32
65 +	6708	8.9	48	3	5	7	11	16	21	38
GRAND TOTAL	**10908**	**7.6**	**43**	**2**	**4**	**6**	**9**	**14**	**19**	**36**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.4	19	< 1	1	1	2	3	5	30
20-34	19	1.6	1	< 1	< 1	1	2	3	4	4
35-49	24	2.4	2	< 1	1	2	3	4	5	6
50-64	17	1.8	1	< 1	< 1	1	2	3	4	4
65 +	28	2.6	4	< 1	1	2	3	5	8	9
B. Operated										
0-19 YRS	70	2.6	7	1	1	2	3	7	8	14
20-34	61	2.3	4	< 1	1	2	3	5	7	9
35-49	73	2.3	3	< 1	1	2	3	4	5	11
50-64	124	2.3	5	< 1	1	2	3	4	7	13
65 +	176	2.4	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	105	2.5	4	1	1	2	3	5	6	11
20-34	64	3.5	6	1	2	3	5	6	8	14
35-49	79	3.3	5	1	2	2	5	7	7	11
50-64	123	4.3	23	1	2	3	6	8	11	27
65 +	440	5.0	15	2	2	4	6	10	12	20
B. Operated										
0-19 YRS	125	5.0	20	1	2	4	7	10	14	23
20-34	105	5.3	24	1	2	4	6	11	15	24
35-49	211	5.1	21	1	2	3	7	11	14	22
50-64	430	5.1	28	1	2	4	6	10	14	34
65 +	1434	5.9	37	1	3	4	7	12	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	2.3	8	< 1	1	2	3	4	5	13
B. Operated	504	2.4	4	< 1	1	2	3	4	7	11
2. MULTIPLE DX										
A. Not Operated	811	4.3	14	1	2	3	5	9	11	19
B. Operated	2305	5.6	33	1	2	4	7	12	15	29
1. SINGLE DX	636	2.4	5	< 1	1	2	3	4	6	10
2. MULTIPLE DX	3116	5.3	28	1	2	4	6	11	14	26
A. Not Operated	943	4.0	14	1	2	3	5	8	11	19
B. Operated	2809	5.0	29	1	2	3	6	11	14	27
TOTAL										
0-19 YRS	344	3.4	14	1	1	2	4	7	10	20
20-34	249	3.8	15	1	1	3	5	8	11	22
35-49	387	4.0	15	1	2	3	5	9	12	20
50-64	694	4.4	23	1	2	3	5	9	12	23
65 +	2078	5.4	30	1	2	4	6	11	15	28
GRAND TOTAL	**3752**	**4.8**	**25**	**1**	**2**	**3**	**6**	**10**	**14**	**25**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	10	1.6	4	< 1	< 1	< 1	< 1	4	7	7
65 +	32	1.4	1	< 1	< 1	< 1	1	3	4	5
B. Operated										
0-19 YRS	0									
20-34	2	4.0		4	4	4	4	4	4	4
35-49	33	3.0	2	< 1	2	3	4	5	5	7
50-64	790	3.7	2	2	3	4	4	5	6	9
65 +	1448	4.0	2	2	3	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	4.1	1	3	3	4	5	6	6	6
50-64	65	2.8	5	< 1	1	2	3	6	8	9
65 +	208	4.2	13	< 1	2	3	5	9	11	19
B. Operated										
0-19 YRS	0									
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	98	4.4	10	2	3	4	5	7	9	19
50-64	2536	4.5	7	3	3	4	5	7	9	14
65 +	8903	5.5	13	3	4	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.4	2	< 1	< 1	< 1	< 1	3	5	7
B. Operated	2273	3.9	2	2	3	4	5	5	6	9
2. MULTIPLE DX										
A. Not Operated	282	3.9	11	< 1	2	3	5	8	10	16
B. Operated	11539	5.3	12	3	3	4	6	9	11	19
1. SINGLE DX	2316	3.8	2	2	3	4	5	5	6	9
2. MULTIPLE DX	11821	5.2	12	3	3	4	6	9	11	19
A. Not Operated	325	3.5	10	< 1	1	3	4	8	10	15
B. Operated	13812	5.0	10	3	3	4	6	8	11	18
TOTAL										
0-19 YRS	0									
20-34	4	5.0	2	4	4	5	6	7	7	7
35-49	141	4.0	8	2	3	3	5	6	9	18
50-64	3401	4.3	6	2	3	4	5	7	8	13
65 +	10591	5.2	12	3	3	4	6	9	11	19
GRAND TOTAL	**14137**	**5.0**	**10**	**3**	**3**	**4**	**6**	**8**	**11**	**18**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	18	2.9	3	1	2	3	3	6	7	7
35-49	26	3.9	2	3	3	4	5	6	6	7
50-64	18	4.1	5	2	2	4	5	8	9	9
65 +	4	4.3	1	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
20-34	10	2.3	3	< 1	< 1	1	3	5	6	6
35-49	9	2.1	4	< 1	< 1	1	3	6	6	6
50-64	10	2.8	4	< 1	1	3	3	6	8	8
65 +	13	2.4	3	< 1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	36	3.5	5	2	2	3	4	7	8	10
35-49	59	4.2	3	2	3	4	5	7	8	8
50-64	123	4.1	3	2	3	4	5	7	8	9
65 +	93	5.1	5	3	3	5	6	8	10	12
B. Operated										
0-19 YRS	5	3.4	9	< 1	1	2	6	8	8	8
20-34	19	4.3	11	< 1	2	3	6	7	12	15
35-49	38	4.9	14	< 1	3	4	6	8	10	22
50-64	82	5.0	17	1	2	4	6	9	12	25
65 +	162	5.7	16	2	3	5	8	11	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	3.7	3	2	2	3	5	6	7	9
B. Operated	44	2.4	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	313	4.3	4	2	3	4	6	7	8	10
B. Operated	306	5.3	16	1	3	4	7	10	13	21
1. SINGLE DX	112	3.2	4	1	2	3	4	6	7	9
2. MULTIPLE DX	619	4.8	10	2	3	4	6	8	11	16
A. Not Operated	381	4.2	4	2	3	4	5	7	8	10
B. Operated	350	5.0	15	1	2	4	6	9	12	21
TOTAL										
0-19 YRS	11	3.8	6	< 1	1	3	6	7	8	8
20-34	83	3.4	6	1	2	3	4	6	8	13
35-49	132	4.2	6	1	3	4	5	7	8	13
50-64	233	4.4	9	2	3	4	5	8	9	14
65 +	272	5.3	12	2	3	5	7	10	12	19
GRAND TOTAL	**731**	**4.6**	**9**	**1**	**3**	**4**	**6**	**8**	**10**	**16**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	1.2		< 1	1	1	1	2	2	2
20-34	27	1.4	1	1	1	1	2	2	3	4
35-49	29	1.4	1	1	1	1	2	2	3	4
50-64	43	1.3		1	1	1	1	2	3	3
65 +	45	1.9	8	< 1	1	1	2	3	4	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	56	1.9	3	1	1	1	2	4	6	10
20-34	17	2.3	7	1	1	1	2	6	9	10
35-49	38	1.7	2	1	1	1	2	3	5	6
50-64	74	1.9	1	1	1	2	2	3	4	6
65 +	101	2.8	8	1	1	2	3	5	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated	183	1.5	2	< 1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	10	1.4	1	< 1	< 1	1	1	3	4	4
B. Operated	286	2.2	4	1	1	1	3	4	6	12
1. SINGLE DX	187	1.4	2	< 1	1	1	2	2	3	5
2. MULTIPLE DX	296	2.2	4	1	1	1	3	4	6	12
A. Not Operated	14	1.4	1	< 1	< 1	1	1	2	4	4
B. Operated	469	1.9	4	1	1	1	2	3	5	11
TOTAL										
0-19 YRS	104	1.6	2	< 1	1	1	2	3	4	8
20-34	46	1.8	3	1	1	1	2	4	6	10
35-49	68	1.6	1	1	1	1	2	3	4	6
50-64	117	1.7	1	1	1	1	2	3	4	5
65 +	148	2.5	8	1	1	1	3	4	8	16
GRAND TOTAL	**483**	**1.9**	**4**	**1**	**1**	**1**	**2**	**3**	**5**	**11**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	3.5	3	1	2	3	5	6	7	8
20-34	94	3.9	5	2	2	3	5	7	8	11
35-49	69	4.0	5	1	3	4	5	7	8	11
50-64	42	4.5	5	2	3	4	6	7	9	11
65 +	14	4.7	2	3	4	5	6	6	7	7
B. Operated										
0-19 YRS	22	2.2	3	1	1	1	3	5	6	6
20-34	31	2.9	11	1	1	1	3	7	11	15
35-49	24	3.9	20	1	1	2	4	10	15	18
50-64	15	2.3	3	1	1	2	4	4	6	6
65 +	13	2.8	9	1	1	1	4	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	4.3	7	1	2	4	6	7	11	12
20-34	70	4.0	6	1	2	3	5	8	10	11
35-49	95	4.8	7	2	3	5	6	8	10	13
50-64	87	5.9	9	3	4	5	7	9	11	19
65 +	136	6.1	11	3	4	5	8	10	12	20
B. Operated										
0-19 YRS	23	4.0	11	1	2	3	5	9	12	13
20-34	26	4.5	12	< 1	1	4	6	11	12	13
35-49	28	6.6	22	1	2	7	9	12	17	18
50-64	44	7.1	29	1	3	5	11	13	17	26
65 +	108	7.5	38	1	4	6	9	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	4.0	4	2	3	4	5	7	8	11
B. Operated	105	2.9	10	1	1	2	4	6	10	16
2. MULTIPLE DX										
A. Not Operated	424	5.3	9	2	3	5	7	9	10	15
B. Operated	229	6.6	30	1	3	5	9	13	16	25
1. SINGLE DX	395	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	653	5.7	17	2	3	5	7	10	13	22
A. Not Operated	714	4.7	8	2	3	4	6	8	10	13
B. Operated	334	5.4	27	1	1	4	8	12	15	23
TOTAL										
0-19 YRS	152	3.6	5	1	2	3	5	6	7	12
20-34	221	3.9	7	1	2	3	5	8	9	12
35-49	216	4.7	10	1	2	4	6	9	11	17
50-64	188	5.6	14	2	3	5	7	10	13	20
65 +	271	6.4	22	2	4	5	8	11	15	22
GRAND TOTAL	**1048**	**5.0**	**14**	**1**	**3**	**4**	**6**	**9**	**11**	**18**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	32	1.0		< 1	< 1	1	1	1	1	2
20-34	7	1.4	1	< 1	< 1	1	2	3	3	3
35-49	6	1.2		< 1	< 1	< 1	< 1	2	2	2
50-64	7	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9	2	< 1	1	1	2	4	5	5
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	28	1.5	1	< 1	1	1	2	3	3	4
20-34	4	2.0	4	< 1	< 1	1	3	5	5	5
35-49	9	1.1		< 1	< 1	1	1	2	2	2
50-64	16	1.9	3	< 1	< 1	1	2	5	6	6
65 +	32	5.1	28	1	1	3	8	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	57	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	13	1.8	2	< 1	1	1	2	4	5	5
B. Operated	89	2.9	14	< 1	1	1	3	8	12	19
1. SINGLE DX	62	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX	102	2.7	12	< 1	1	1	2	7	11	18
A. Not Operated	18	1.6	1	< 1	1	1	2	4	5	5
B. Operated	146	2.2	9	< 1	< 1	1	2	5	9	17
TOTAL										
0-19 YRS	70	1.3	1	< 1	< 1	1	1	2	3	5
20-34	11	1.6	2	< 1	< 1	1	2	4	5	5
35-49	16	1.3	1	< 1	< 1	< 1	1	2	3	4
50-64	25	1.6	2	< 1	< 1	1	2	2	6	6
65 +	42	4.2	24	< 1	1	1	6	12	15	20
GRAND TOTAL	**164**	**2.1**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**8**	**16**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.7	1	< 1	1	2	2	3	4	4
20-34	13	3.2	5	1	1	3	4	7	7	7
35-49	8	3.0	4	< 1	1	3	5	5	5	5
50-64	14	3.7	11	< 1	1	2	6	8	11	12
65 +	0									
B. Operated										
0-19 YRS	384	1.3	1	< 1	1	1	1	2	3	6
20-34	138	2.0	3	< 1	1	1	2	4	5	10
35-49	93	2.2	5	< 1	1	1	3	4	7	13
50-64	170	2.4	3	1	1	2	3	5	6	8
65 +	82	2.8	4	< 1	1	2	4	6	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.8	3	1	1	3	4	5	6	8
20-34	32	4.0	5	2	2	4	6	7	8	8
35-49	26	4.5	8	1	2	4	7	9	10	10
50-64	32	4.5	44	1	1	2	5	8	18	35
65 +	33	6.1	33	2	2	4	8	13	19	27
B. Operated										
0-19 YRS	171	2.2	5	1	1	1	2	4	7	13
20-34	113	4.3	42	1	1	3	4	9	12	39
35-49	192	3.9	15	1	2	3	5	7	10	22
50-64	445	3.6	22	1	2	3	4	6	8	19
65 +	321	5.4	60	1	2	4	5	11	16	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.5	4	< 1	1	2	3	5	7	11
B. Operated	867	1.9	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	175	4.2	18	1	2	3	5	8	10	25
B. Operated	1242	4.0	31	1	2	3	4	7	11	28
1. SINGLE DX	944	1.9	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1417	4.0	29	1	2	3	4	7	11	27
A. Not Operated	252	3.7	14	1	1	3	5	7	10	19
B. Operated	2109	3.1	20	1	1	2	4	6	8	19
TOTAL										
0-19 YRS	649	1.7	2	< 1	1	1	2	3	4	8
20-34	296	3.1	19	1	1	2	4	7	9	19
35-49	319	3.4	12	1	1	2	4	7	10	16
50-64	661	3.3	18	1	2	3	4	6	7	19
65 +	436	5.0	48	1	2	3	5	10	15	39
GRAND TOTAL	**2361**	**3.2**	**20**	**1**	**1**	**2**	**4**	**6**	**8**	**19**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.0	1	< 1	1	2	3	3	3	3
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	5	1.8	1	< 1	< 1	2	2	3	3	3
20-34	63	1.6	1	< 1	< 1	< 1	2	3	3	4
35-49	177	2.0	2	< 1	< 1	1	3	4	5	7
50-64	108	1.5	1	< 1	< 1	< 1	1	3	4	5
65 +	57	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	12.8	228	< 1	1	8	23	34	34	34
35-49	5	1.4		< 1	< 1	< 1	2	2	2	2
50-64	1	7.0		7	7	7	7	7	7	7
65 +	5	3.6	5	< 1	1	4	5	7	7	7
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	50	2.8	2	< 1	1	3	4	5	5	6
35-49	210	2.7	4	< 1	1	2	4	5	6	10
50-64	180	2.6	5	< 1	< 1	2	3	5	8	10
65 +	96	2.8	10	< 1	< 1	2	4	6	7	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.3	1	< 1	1	2	3	4	4	4
B. Operated	410	1.7	1	< 1	< 1	< 1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	15	5.5	73	< 1	< 1	2	6	13	29	34
B. Operated	538	2.7	5	< 1	< 1	2	4	5	7	12
1. SINGLE DX	416	1.7	1	< 1	< 1	< 1	2	4	4	6
2. MULTIPLE DX	553	2.8	7	< 1	< 1	2	4	5	7	13
A. Not Operated	21	4.6	54	< 1	< 1	2	4	10	22	34
B. Operated	948	2.3	4	< 1	< 1	1	3	5	5	9
TOTAL										
0-19 YRS	7	2.3	2	< 1	1	2	3	5	5	5
20-34	122	2.5	11	< 1	< 1	2	3	4	5	19
35-49	392	2.4	3	< 1	< 1	2	3	5	6	7
50-64	290	2.2	4	< 1	< 1	1	3	4	5	10
65 +	158	2.3	7	< 1	< 1	1	3	5	6	22
GRAND TOTAL	**969**	**2.3**	**5**	**< 1**	**< 1**	**1**	**3**	**5**	**6**	**10**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.3	6	< 1	2	3	4	7	8	8
20-34	32	3.3	6	1	2	3	4	5	6	15
35-49	13	3.3	2	1	2	4	5	5	5	5
50-64	3	2.3	2	< 1	< 1	2	3	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	187	1.9	1	1	1	2	2	3	4	6
20-34	375	2.2	1	1	1	2	3	4	4	6
35-49	243	2.2	2	1	1	2	3	4	4	8
50-64	138	2.2	2	< 1	1	2	3	4	4	7
65 +	37	2.0	2	< 1	< 1	1	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	3.5	4	1	2	3	5	6	7	8
20-34	17	3.1	7	1	2	3	3	5	10	12
35-49	20	4.3	11	< 1	2	3	7	10	11	11
50-64	18	5.6	19	< 1	1	5	8	13	14	14
65 +	17	4.4	4	2	3	4	6	7	8	8
B. Operated										
0-19 YRS	57	2.6	5	1	1	2	3	5	6	14
20-34	185	2.6	2	1	2	2	3	5	6	8
35-49	288	2.9	5	1	2	2	3	6	7	13
50-64	192	2.9	6	1	1	2	3	6	7	13
65 +	82	3.6	12	1	2	3	4	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.2	5	1	2	3	4	5	6	14
B. Operated	980	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	92	4.2	9	< 1	2	3	6	8	11	14
B. Operated	804	2.9	5	1	2	2	3	5	7	14
1. SINGLE DX	1038	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX	896	3.0	6	1	2	2	4	6	7	14
A. Not Operated	150	3.8	8	1	2	3	5	7	10	14
B. Operated	1784	2.5	3	1	1	2	3	4	6	9
TOTAL										
0-19 YRS	273	2.2	2	1	1	2	3	4	5	8
20-34	609	2.4	2	1	2	2	3	4	5	8
35-49	564	2.7	4	1	1	2	3	5	7	11
50-64	351	2.7	5	1	1	2	3	5	7	13
65 +	137	3.2	9	< 1	1	3	4	6	8	17
GRAND TOTAL	**1934**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	219	1.8	1	1	1	1	2	3	4	7
20-34	336	2.0	1	1	1	2	2	4	4	7
35-49	81	2.3	3	1	1	2	3	5	6	8
50-64	3	3.3	1	2	2	4	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	238	3.2	3	1	2	3	4	5	7	9
20-34	571	3.3	4	1	2	3	4	5	6	8
35-49	198	3.8	3	2	3	4	4	6	6	10
50-64	32	4.5	2	3	4	4	5	6	8	8
65 +	17	5.8	5	4	4	5	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	171	2.2	2	1	1	2	3	4	5	7
20-34	254	2.7	4	1	1	2	4	5	6	9
35-49	92	2.9	4	1	2	2	4	6	7	9
50-64	6	2.5	1	< 1	2	2	3	4	4	4
65 +	2	14.0	338	1	1	14	27	27	27	27
B. Operated										
0-19 YRS	292	4.0	5	2	3	4	5	6	8	11
20-34	1555	4.2	5	2	3	4	5	7	8	13
35-49	1052	4.7	5	3	4	4	5	7	8	13
50-64	157	5.5	7	4	4	5	6	9	11	14
65 +	128	7.0	18	4	5	6	8	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	640	2.0	2	1	1	2	2	4	5	7
B. Operated	1056	3.5	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	525	2.6	4	1	1	2	3	5	6	9
B. Operated	3184	4.5	6	2	3	4	5	7	9	14
1. SINGLE DX	1696	2.9	3	1	2	3	4	5	6	8
2. MULTIPLE DX	3709	4.2	6	2	3	4	5	7	8	14
A. Not Operated	1165	2.3	3	1	1	2	3	4	5	8
B. Operated	4240	4.3	6	2	3	4	5	7	8	13
TOTAL										
0-19 YRS	920	2.9	4	1	2	3	4	5	6	9
20-34	2716	3.6	5	1	2	3	4	6	7	11
35-49	1423	4.3	5	2	3	4	5	6	8	13
50-64	198	5.2	6	3	4	5	6	8	10	14
65 +	148	6.9	19	4	5	6	8	11	15	27
GRAND TOTAL	**5405**	**3.8**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	506	3.6	3	2	3	3	4	5	6	9
20-34	1018	3.8	3	2	2	4	5	6	7	10
35-49	136	4.1	4	2	3	4	5	7	8	12
50-64	4	3.8	3	2	2	3	5	6	6	6
65 +	3	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	70	4.7	9	2	3	4	6	7	9	19
20-34	346	4.2	5	2	3	4	5	7	8	14
35-49	119	4.4	6	1	3	4	5	8	9	13
50-64	14	4.9	12	2	3	4	5	8	14	16
65 +	7	4.7	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	546	4.0	4	2	3	4	5	6	8	11
20-34	1308	4.3	5	2	3	4	5	7	8	11
35-49	234	5.0	5	2	3	5	6	8	9	13
50-64	29	5.3	11	3	3	5	6	9	14	16
65 +	13	6.1	7	3	4	7	8	9	10	10
B. Operated										
0-19 YRS	186	5.4	13	3	3	5	6	9	11	20
20-34	1850	4.9	9	3	3	4	6	8	10	16
35-49	843	6.0	18	3	4	5	6	11	13	21
50-64	119	6.9	25	3	4	5	8	13	18	27
65 +	45	10.0	50	4	5	8	13	21	26	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1667	3.7	3	2	3	3	5	6	7	10
B. Operated	556	4.3	6	1	3	4	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	2130	4.3	5	2	3	4	5	7	8	11
B. Operated	3043	5.4	13	3	3	4	6	9	12	19
1. SINGLE DX	2223	3.9	4	2	3	4	5	6	7	11
2. MULTIPLE DX	5173	4.9	10	2	3	4	6	8	10	17
A. Not Operated	3797	4.0	4	2	3	4	5	7	8	11
B. Operated	3599	5.2	12	3	3	4	6	9	11	19
TOTAL										
0-19 YRS	1308	4.0	5	2	3	4	5	6	8	12
20-34	4522	4.4	6	2	3	4	5	7	9	14
35-49	1332	5.4	14	3	4	5	6	9	12	18
50-64	166	6.4	22	3	4	5	7	13	16	25
65 +	68	8.4	40	3	4	6	10	16	23	31
GRAND TOTAL	**7396**	**4.6**	**9**	**2**	**3**	**4**	**5**	**8**	**10**	**16**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	27	2.1	2	1	1	2	3	4	4	5
35-49	8	3.5	1	2	3	4	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.5	7	< 1	1	4	5	7	9	10
20-34	296	3.5	2	1	3	4	4	5	6	8
35-49	247	3.9	2	3	3	4	4	5	6	8
50-64	22	4.2	6	2	3	4	5	5	9	14
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.8	13	2	2	3	7	10	10	10
20-34	45	2.7	5	< 1	1	2	3	5	9	10
35-49	18	3.0	4	1	1	3	5	6	6	6
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	36	3.1	2	< 1	2	3	4	5	5	8
20-34	1904	4.3	3	3	4	4	5	6	7	11
35-49	2859	4.6	3	3	4	4	5	6	7	10
50-64	293	5.0	4	4	4	5	6	7	8	14
65 +	35	6.7	10	4	5	5	8	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.4	2	1	1	2	4	4	5	5
B. Operated	578	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	68	3.0	5	1	1	2	4	6	9	10
B. Operated	5127	4.5	3	3	4	4	5	6	7	11
1. SINGLE DX	616	3.6	2	1	3	4	4	5	6	8
2. MULTIPLE DX	5195	4.5	3	3	4	4	5	6	7	11
A. Not Operated	106	2.8	4	1	1	2	4	5	7	10
B. Operated	5705	4.5	3	3	4	4	5	6	7	11
TOTAL										
0-19 YRS	56	3.2	4	1	2	3	4	5	7	10
20-34	2272	4.2	3	2	3	4	5	6	7	11
35-49	3132	4.5	3	3	4	4	5	6	7	10
50-64	316	5.0	4	3	4	5	5	7	8	14
65 +	35	6.7	10	4	5	5	8	12	14	15
GRAND TOTAL	**5811**	**4.4**	**3**	**3**	**4**	**4**	**5**	**6**	**7**	**11**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.5	3	2	2	3	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	7	2.3	3	< 1	< 1	1	4	5	5	5
35-49	11	3.5	3	< 1	1	4	5	5	5	5
50-64	8	2.6	3	< 1	1	2	4	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.7	3	1	1	2	4	5	5	5
20-34	6	2.7	2	1	2	2	3	5	5	5
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	0									
55 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	98	4.3	2	3	4	4	5	6	6	9
35-49	132	4.3	3	2	4	4	5	6	7	12
50-64	21	3.2	4	< 1	1	4	5	6	6	6
65 +	10	4.7	4	< 1	4	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.2	2	2	2	3	5	5	5	5
B. Operated	26	2.9	3	< 1	< 1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	15	2.7	2	1	1	3	4	5	5	5
B. Operated	262	4.2	3	1	4	4	5	6	7	9
1. SINGLE DX	32	3.0	3	< 1	1	3	5	5	5	5
2. MULTIPLE DX	277	4.1	3	1	3	4	5	6	7	9
A. Not Operated	21	2.8	2	1	2	3	4	5	5	5
B. Operated	288	4.1	3	1	3	4	5	6	6	9
TOTAL										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	115	4.1	2	2	3	4	5	6	6	9
35-49	147	4.2	3	1	4	4	5	6	7	12
50-64	29	3.1	3	< 1	1	3	5	6	6	6
65 +	10	4.7	4	< 1	4	6	6	6	6	6
GRAND TOTAL	**309**	**4.0**	**3**	**1**	**3**	**4**	**5**	**6**	**6**	**9**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.0	1	1	2	3	4	5	5	6
20-34	52	3.2	2	1	3	3	4	5	6	7
35-49	14	3.4	3	1	2	3	5	6	6	6
50-64	3	3.7		3	3	4	4	4	4	4
65 +	2	6.5	25	3	3	6	10	10	10	10
B. Operated										
0-19 YRS	15	2.3	3	< 1	1	2	3	4	6	7
20-34	42	2.0	3	< 1	1	2	2	3	5	10
35-49	30	2.2	3	< 1	1	2	3	4	6	7
50-64	4	2.5		2	2	2	3	3	3	3
65 +	5	2.0	3	< 1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	3.7	7	1	2	3	4	9	10	10
20-34	80	4.1	6	2	3	3	5	7	9	14
35-49	35	4.9	7	2	3	5	6	8	11	13
50-64	16	6.9	28	2	3	6	8	17	19	20
65 +	21	5.4	11	3	4	5	6	7	13	18
B. Operated										
0-19 YRS	16	5.5	53	1	2	3	7	9	24	31
20-34	68	4.0	6	1	2	4	5	7	8	11
35-49	48	4.5	14	1	2	4	5	10	14	17
50-64	23	7.5	48	2	2	4	12	19	21	23
65 +	24	8.8	61	2	4	7	12	15	26	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.3	2	1	2	3	4	5	6	9
B. Operated	96	2.1	3	< 1	1	2	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	194	4.5	9	2	3	4	6	8	10	18
B. Operated	179	5.4	27	1	2	4	6	11	16	29
1. SINGLE DX	189	2.7	3	1	1	3	3	5	6	9
2. MULTIPLE DX	373	4.9	18	2	3	4	6	9	13	21
A. Not Operated	287	4.1	7	2	3	3	5	7	9	17
B. Operated	275	4.2	21	1	1	3	5	9	13	22
TOTAL										
0-19 YRS	95	3.6	13	1	2	3	4	8	10	22
20-34	242	3.5	5	1	2	3	4	6	8	12
35-49	127	4.0	9	1	2	3	5	8	10	16
50-64	46	6.6	35	2	3	4	7	18	20	23
65 +	52	6.7	37	2	3	5	8	13	18	37
GRAND TOTAL	**562**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	105	3.8	1	2	3	4	5	5	6	6
35-49	311	4.0	2	2	3	4	5	6	7	8
50-64	576	4.3	2	3	3	4	5	6	7	9
65 +	568	4.8	3	3	4	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	10	1.7	2	< 1	< 1	< 1	1	4	5	5
50-64	15	1.7	1	< 1	< 1	1	2	4	4	4
65 +	35	3.2	21	< 1	1	2	4	6	7	27
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	567	4.3	2	3	4	4	5	6	7	9
35-49	1520	4.7	4	3	4	4	5	7	7	10
50-64	1775	5.1	4	3	4	5	6	7	9	12
65 +	2023	5.6	6	3	4	5	6	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	3	< 1	< 1	2	4	4	4	4
B. Operated	1561	4.4	3	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	64	2.5	13	< 1	< 1	1	3	5	6	24
B. Operated	5887	5.1	5	3	4	5	6	7	8	13
1. SINGLE DX	1567	4.4	3	3	3	4	5	6	7	9
2. MULTIPLE DX	5951	5.0	5	3	4	5	6	7	8	13
A. Not Operated	70	2.5	12	< 1	< 1	1	4	5	6	23
B. Operated	7448	4.9	4	3	4	5	6	7	8	12
TOTAL										
0-19 YRS	4	2.0	1	< 1	< 1	1	3	3	3	3
20-34	676	4.2	2	3	4	4	5	6	7	8
35-49	1843	4.5	4	3	4	4	5	6	7	9
50-64	2367	4.8	4	3	4	5	6	7	8	12
65 +	2628	5.4	5	3	4	5	6	8	9	14
GRAND TOTAL	**7518**	**4.9**	**4**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	< 1	1	1	2	3	4	4
20-34	13	1.5		< 1	1	1	2	2	2	2
35-49	11	1.5	1	< 1	< 1	1	2	3	3	3
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	82	2.4	3	< 1	1	1	4	5	6	7
35-49	109	2.4	3	< 1	< 1	2	4	5	5	8
50-64	10	2.1	2	< 1	< 1	2	3	4	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.0	2	1	1	2	3	3	5	7
20-34	50	2.7	4	1	1	2	3	5	6	12
35-49	31	2.0	1	< 1	1	2	3	4	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	13.0	242	2	2	13	24	24	24	24
B. Operated										
0-19 YRS	21	2.9	4	1	2	2	3	5	8	9
20-34	453	4.0	4	2	3	4	5	6	7	10
35-49	851	4.3	4	2	3	4	5	6	7	13
50-64	105	4.0	4	1	3	4	5	6	7	11
65 +	8	10.0	58	5	6	7	10	23	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	1.6	1	< 1	1	1	2	3	3	4
B. Operated	205	2.4	3	< 1	< 1	2	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	119	2.5	6	1	1	2	3	4	5	16
B. Operated	1438	4.2	4	2	3	4	5	6	7	12
1. SINGLE DX	242	2.3	3	< 1	< 1	2	3	4	5	7
2. MULTIPLE DX	1557	4.0	5	1	3	4	5	6	7	12
A. Not Operated	156	2.3	5	1	1	2	3	4	5	12
B. Operated	1643	4.0	4	1	3	4	5	6	7	11
TOTAL										
0-19 YRS	70	2.2	2	1	1	2	3	4	5	9
20-34	598	3.6	4	1	2	4	4	5	7	10
35-49	1002	4.0	4	1	3	4	5	6	7	12
50-64	119	3.8	4	1	2	4	5	6	7	10
65 +	10	10.6	74	3	5	7	12	26	28	28
GRAND TOTAL	**1799**	**3.8**	**5**	**1**	**3**	**4**	**5**	**6**	**7**	**11**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	19	1.6	2	< 1	< 1	1	2	3	5	6
35-49	7	2.4	2	< 1	1	2	3	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	100	2.8	3	< 1	1	3	4	5	5	7
35-49	208	2.8	7	< 1	< 1	3	4	5	5	7
50-64	29	2.3	5	< 1	< 1	< 1	3	5	6	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	1.9	1	1	1	2	2	3	4	4
20-34	56	2.2	1	< 1	1	2	3	4	5	6
35-49	54	2.6	5	< 1	1	2	3	5	7	11
50-64	6	2.3	2	1	2	2	2	5	5	5
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	15	2.8	2	1	2	2	4	5	5	5
20-34	734	4.1	3	2	3	4	5	6	7	9
35-49	2035	4.3	3	3	4	4	5	6	7	11
50-64	214	4.6	5	2	4	4	5	7	8	16
65 +	7	6.3	12	2	4	5	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.8	2	< 1	1	1	2	3	5	6
B. Operated	340	2.8	6	< 1	< 1	2	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	146	2.3	3	< 1	1	2	3	4	5	9
B. Operated	3005	4.3	3	2	3	4	5	6	7	11
1. SINGLE DX	370	2.7	5	< 1	< 1	2	4	5	5	7
2. MULTIPLE DX	3151	4.2	3	2	3	4	5	6	7	11
A. Not Operated	176	2.2	2	< 1	1	2	3	4	5	9
B. Operated	3345	4.1	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	50	2.1	1	1	1	2	2	4	5	5
20-34	909	3.8	3	1	3	4	5	6	6	9
35-49	2304	4.1	4	2	3	4	5	6	7	11
50-64	249	4.3	6	1	3	4	5	6	8	16
65 +	9	5.2	14	1	2	5	7	11	12	12
GRAND TOTAL	**3521**	**4.0**	**4**	**1**	**3**	**4**	**5**	**6**	**7**	**11**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.0	5	< 1	< 1	3	5	5	5	5
35-49	20	2.1	2	< 1	< 1	1	3	4	5	6
50-64	53	1.5	1	< 1	< 1	< 1	1	3	4	6
65 +	25	1.6	1	< 1	< 1	< 1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0		2	2	2	2	2	2	2
35-49	7	4.4	10	1	2	4	7	9	9	9
50-64	16	2.3	2	1	1	2	3	5	6	6
65 +	15	4.0	8	1	2	3	6	9	10	10
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	3.9	2	1	3	4	5	6	6	6
35-49	83	4.1	4	1	3	4	5	7	8	11
50-64	187	4.3	17	< 1	2	4	5	6	8	24
65 +	156	4.1	11	1	1	4	5	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	102	1.7	2	< 1	< 1	< 1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	41	3.2	6	1	2	2	4	7	9	10
B. Operated	439	4.2	12	1	2	4	5	7	9	17
1. SINGLE DX	104	1.7	2	< 1	< 1	< 1	2	4	5	6
2. MULTIPLE DX	480	4.1	12	1	2	4	5	7	9	17
A. Not Operated	43	3.2	6	1	1	2	4	7	9	10
B. Operated	541	3.7	11	< 1	1	4	5	6	8	16
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	19	3.4	3	1	2	4	5	5	6	6
35-49	110	3.8	5	< 1	2	4	5	7	8	10
50-64	258	3.6	14	< 1	1	3	5	6	7	17
65 +	196	3.8	10	< 1	1	3	5	7	10	18
GRAND TOTAL	**584**	**3.7**	**11**	**< 1**	**1**	**3**	**5**	**6**	**8**	**15**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	1.9	2	< 1	1	1	3	4	5	5
20-34	28	2.2	4	1	1	2	2	4	5	10
35-49	10	2.5	3	< 1	1	2	3	5	7	7
50-64	0									
65 +	7	2.7	4	< 1	< 1	2	5	5	5	5
B. Operated										
0-19 YRS	43	3.1	3	1	2	3	4	6	7	9
20-34	276	2.9	4	< 1	1	3	4	5	6	9
35-49	200	3.2	4	< 1	1	3	4	5	7	9
50-64	88	3.9	16	1	2	4	4	7	8	26
65 +	32	4.2	7	< 1	1	4	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.4	3	< 1	1	2	3	5	6	7
20-34	55	2.2	2	< 1	1	2	3	4	4	6
35-49	34	3.3	5	1	1	3	4	7	8	9
50-64	23	5.7	24	1	2	4	10	13	15	16
65 +	42	6.4	49	1	2	4	8	13	24	32
B. Operated										
0-19 YRS	93	4.8	14	2	3	4	5	7	12	23
20-34	734	4.2	7	1	3	4	5	6	8	12
35-49	1271	4.5	5	2	4	4	5	7	8	13
50-64	647	5.0	15	2	4	4	5	7	10	22
65 +	354	7.4	54	2	4	5	9	15	22	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.2	3	< 1	1	2	3	4	5	9
B. Operated	639	3.2	6	< 1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	176	3.9	19	1	1	3	4	9	11	28
B. Operated	3099	4.9	14	2	3	4	5	7	10	21
1. SINGLE DX	707	3.1	6	< 1	1	3	4	5	7	10
2. MULTIPLE DX	3275	4.8	14	2	3	4	5	7	10	21
A. Not Operated	244	3.4	15	1	1	2	4	7	10	20
B. Operated	3738	4.6	13	1	3	4	5	7	10	19
TOTAL										
0-19 YRS	181	3.7	10	1	2	3	5	6	8	20
20-34	1093	3.7	6	1	2	4	5	6	7	11
35-49	1515	4.3	5	2	3	4	5	6	8	13
50-64	758	4.9	15	1	3	4	5	8	10	22
65 +	435	7.0	50	1	4	5	8	14	21	33
GRAND TOTAL	**3982**	**4.5**	**13**	**1**	**3**	**4**	**5**	**7**	**10**	**19**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	1.8	2	< 1	1	1	2	3	4	8
20-34	108	2.3	3	1	1	2	3	5	7	9
35-49	21	1.5		< 1	1	1	2	3	3	3
50-64	10	1.9	4	< 1	< 1	< 1	1	5	7	7
65 +	7	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	19	3.0	3	< 1	1	3	4	5	6	6
20-34	270	3.2	3	< 1	2	3	4	5	6	10
35-49	427	4.2	3	2	3	4	5	6	7	9
50-64	338	4.3	2	2	3	4	5	6	7	9
65 +	170	5.2	5	3	3	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.1	2	1	1	2	3	4	4	8
20-34	144	2.4	6	1	1	2	3	5	6	12
35-49	52	2.8	5	1	1	2	4	6	8	12
50-64	14	3.1	12	< 1	< 1	1	5	8	11	12
65 +	12	7.0	40	1	2	7	9	14	23	24
B. Operated										
0-19 YRS	49	3.6	15	1	1	3	4	7	9	25
20-34	1259	4.1	3	2	3	4	5	6	7	11
35-49	1300	4.6	3	3	4	4	5	7	8	11
50-64	562	5.2	5	3	4	5	6	8	9	13
65 +	414	5.5	6	3	4	5	7	9	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	2.0	2	< 1	1	1	2	4	5	8
B. Operated	1224	4.1	4	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	282	2.7	7	1	1	2	3	5	7	12
B. Operated	3584	4.6	4	3	3	4	5	7	8	12
1. SINGLE DX	1451	3.8	4	1	2	4	5	6	7	9
2. MULTIPLE DX	3866	4.4	5	2	3	4	5	7	8	12
A. Not Operated	509	2.4	5	< 1	1	2	3	5	7	11
B. Operated	4808	4.5	4	2	3	4	5	7	8	12
TOTAL										
0-19 YRS	209	2.4	5	1	1	2	3	4	6	9
20-34	1781	3.7	4	1	3	4	4	6	7	10
35-49	1800	4.4	3	2	3	4	5	6	7	11
50-64	924	4.8	5	3	4	5	6	7	8	13
65 +	603	5.4	6	3	4	5	7	8	10	13
GRAND TOTAL	**5317**	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	**11**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	48	1.7	1	< 1	1	1	2	3	3	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	114	3.5	2	2	3	3	4	5	5	7
20-34	1272	3.4	1	2	3	3	4	5	5	6
35-49	174	3.4	2	2	3	3	4	5	6	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.3	3	1	2	3	4	5	5	5
20-34	28	2.4	8	1	1	1	2	5	10	13
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	111	3.8	2	2	3	4	4	5	6	8
20-34	1651	3.9	2	2	3	4	4	5	6	9
35-49	273	4.2	3	2	3	4	5	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	1.7	1	< 1	1	1	2	3	3	4
B. Operated	1561	3.4	1	2	3	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	32	2.5	7	1	1	1	3	5	10	13
B. Operated	2035	3.9	2	2	3	4	4	5	6	10
1. SINGLE DX	1616	3.4	2	2	3	3	4	5	5	6
2. MULTIPLE DX	2067	3.9	2	2	3	4	4	5	6	10
A. Not Operated	87	2.0	3	1	1	1	2	4	4	12
B. Operated	3596	3.7	2	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	234	3.6	2	2	3	4	4	5	6	7
20-34	2999	3.6	2	2	3	4	4	5	6	8
35-49	449	3.9	3	2	3	4	5	6	6	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**3683**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.9	2	< 1	< 1	1	2	5	5	5
20-34	33	1.8	1	< 1	1	1	2	3	4	5
35-49	6	1.3	1	< 1	1	1	1	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	1.4	1	< 1	1	1	2	3	3	3
20-34	47	1.8	1	< 1	1	1	2	3	4	5
35-49	5	1.6		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.7	7	1	1	1	4	7	9	9
20-34	52	1.9	3	1	1	1	2	3	6	10
35-49	14	1.6	1	1	1	1	2	3	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	2.6	5	1	1	2	3	6	9	10
20-34	153	3.0	8	1	1	2	4	6	9	16
35-49	30	2.2	5	1	1	1	2	5	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	1.8	1	< 1	1	1	2	4	4	5
B. Operated	73	1.7	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	77	2.0	3	1	1	1	2	5	6	10
B. Operated	216	2.8	7	1	1	2	3	6	9	13
1. SINGLE DX	121	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	293	2.6	6	1	1	2	3	5	9	12
A. Not Operated	125	1.9	2	1	1	1	2	4	5	9
B. Operated	289	2.5	6	1	1	2	3	5	8	12
TOTAL										
0-19 YRS	74	2.2	4	1	1	2	2	5	8	10
20-34	285	2.5	5	1	1	2	3	5	6	12
35-49	55	1.9	3	1	1	1	2	4	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**414**	**2.3**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	30.0		30	30	30	30	30	30	30
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	1	30.0		30	30	30	30	30	30	30
1. SINGLE DX	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX	2	17.5	313	5	5	17	30	30	30	30
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	3	12.3	234	3	3	4	23	30	30	30
TOTAL										
0-19 YRS	0									
20-34	4	10.5	170	3	3	4	17	30	30	30
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**4**	**10.5**	**170**	**3**	**3**	**4**	**17**	**30**	**30**	**30**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	1.3		< 1	< 1	1	1	2	3	4
20-34	348	1.4	1	< 1	< 1	1	1	2	3	5
35-49	35	1.2		< 1	< 1	1	1	2	2	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	522	1.3	1	< 1	< 1	1	1	2	3	5
20-34	2204	1.2		< 1	< 1	1	1	2	2	4
35-49	314	1.2	1	< 1	< 1	1	1	2	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.2	3	< 1	1	2	3	4	5	8
20-34	136	1.9	2	< 1	1	1	2	4	5	6
35-49	13	1.8	1	< 1	1	1	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	157	2.0	3	1	1	1	2	4	4	10
20-34	730	2.0	4	< 1	1	1	2	4	5	9
35-49	152	2.1	4	< 1	1	1	2	4	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	503	1.3	1	< 1	< 1	1	1	2	3	4
B. Operated	3040	1.2	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	183	1.9	2	< 1	1	1	2	4	5	7
B. Operated	1039	2.0	4	< 1	1	1	2	4	5	9
1. SINGLE DX	3543	1.3	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	1222	2.0	4	< 1	1	1	2	4	5	9
A. Not Operated	686	1.5	1	< 1	1	1	2	3	3	5
B. Operated	4079	1.4	2	< 1	1	1	1	2	3	6
TOTAL										
0-19 YRS	833	1.5	1	< 1	1	1	2	3	4	6
20-34	3418	1.4	2	< 1	< 1	1	1	2	3	6
35-49	514	1.5	2	< 1	1	1	1	2	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**4765**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.1	2	< 1	1	2	3	4	5	6
20-34	180	1.6	2	< 1	1	1	2	3	4	7
35-49	20	1.6	2	< 1	< 1	1	2	3	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	81	1.5	1	< 1	1	1	2	2	3	5
20-34	459	1.4	1	< 1	1	1	2	3	3	5
35-49	84	1.4	1	< 1	1	1	2	3	3	4
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	2.8	3	1	1	3	3	6	7	8
20-34	95	2.5	3	1	1	2	4	5	6	7
35-49	12	4.1	7	1	2	4	6	8	8	8
50-64	0									
65 +	0									
B Operated										
0-19 YRS	61	2.8	5	1	1	2	4	5	7	12
20-34	267	2.7	8	1	1	2	3	5	6	15
35-49	48	2.4	3	< 1	1	2	3	5	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	1.7	2	< 1	1	1	2	3	4	7
B. Operated	626	1.4	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	152	2.7	3	1	1	2	4	5	6	8
B. Operated	376	2.7	7	1	1	2	3	5	6	13
1. SINGLE DX	870	1.5	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	528	2.7	6	1	1	2	3	5	6	11
A. Not Operated	396	2.1	2	< 1	1	1	3	4	6	8
B. Operated	1002	1.9	3	< 1	1	1	2	4	5	8
TOTAL										
0-19 YRS	231	2.2	3	1	1	2	3	4	6	9
20-34	1001	1.9	3	< 1	1	1	2	4	5	8
35-49	164	1.9	2	< 1	1	1	2	4	6	8
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	0									
GRAND TOTAL	**1398**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	1.6	1	< 1	1	1	2	3	4	4
20-34	458	1.8	1	< 1	1	1	2	3	4	6
35-49	39	1.6	1	1	1	1	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	33	1.6	1	< 1	< 1	1	2	3	4	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	2.1	2	1	1	2	3	4	5	6
20-34	209	2.2	2	1	1	2	3	4	5	7
35-49	20	2.2	1	1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.7	8	< 1	< 1	1	5	6	6	6
20-34	26	2.2	3	< 1	1	2	3	4	6	9
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	561	1.7	1	< 1	1	1	2	3	4	6
B. Operated	36	1.6	1	< 1	< 1	1	2	3	5	5
2. MULTIPLE DX										
A. Not Operated	278	2.2	2	1	1	2	3	4	5	6
B. Operated	30	2.2	3	< 1	< 1	2	3	5	6	9
1. SINGLE DX	597	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	308	2.2	2	1	1	2	3	4	5	7
A. Not Operated	839	1.9	1	1	1	2	2	3	4	6
B. Operated	66	1.9	2	< 1	< 1	1	2	4	5	9
TOTAL										
0-19 YRS	118	1.9	1	1	1	2	2	4	5	6
20-34	726	1.9	2	< 1	1	1	2	3	4	6
35-49	61	1.8	1	1	1	2	2	3	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**905**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.3		< 1	1	1	1	2	3	3
20-34	75	1.9	4	1	1	1	2	4	4	13
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.1	3	< 1	< 1	1	3	5	6	6
20-34	34	1.9	2	1	1	2	2	3	6	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	8	2.6	5	< 1	1	2	4	6	6	6
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	1.9	3	1	1	1	2	4	4	12
B. Operated	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	43	2.0	2	< 1	1	2	2	3	6	7
B. Operated	8	2.6	5	< 1	1	2	4	6	6	6
1. SINGLE DX	93	1.9	3	1	1	1	2	3	4	12
2. MULTIPLE DX	51	2.1	2	< 1	1	2	2	5	6	7
A. Not Operated	131	1.9	3	1	1	1	2	4	4	11
B. Operated	13	2.2	3	< 1	1	1	3	6	6	6
TOTAL										
0-19 YRS	18	1.7	2	< 1	1	1	2	3	5	6
20-34	122	2.0	3	1	1	1	2	4	5	11
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**144**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**	**10**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	163	2.8	6	1	2	2	3	5	7	16
20-34	841	2.5	4	1	2	2	3	4	5	9
35-49	97	2.7	2	1	2	2	3	5	6	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	2.9	9	< 1	1	2	4	8	11	12
20-34	109	2.8	4	< 1	1	2	4	5	7	12
35-49	19	2.9	9	1	1	2	3	7	11	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	3.0	9	1	1	2	3	5	8	16
20-34	397	3.2	7	1	2	3	4	5	7	16
35-49	70	4.0	9	1	2	3	4	9	11	14
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	15	2.5	4	< 1	1	2	3	5	7	8
20-34	147	2.7	11	< 1	< 1	1	3	6	10	14
35-49	13	4.8	19	< 1	1	5	6	9	15	17
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1101	2.6	4	1	2	2	3	4	5	10
B. Operated	151	2.8	5	< 1	1	2	4	5	7	13
2. MULTIPLE DX										
A. Not Operated	535	3.2	7	1	2	3	4	5	8	16
B. Operated	175	2.9	11	< 1	< 1	2	3	6	10	16
1. SINGLE DX	1252	2.6	4	1	2	2	3	4	5	10
2. MULTIPLE DX	710	3.2	8	< 1	1	2	4	6	8	16
A. Not Operated	1636	2.8	5	1	2	2	3	5	6	11
B. Operated	326	2.8	8	< 1	1	2	3	6	9	14
TOTAL										
0-19 YRS	268	2.9	7	1	1	2	3	5	7	16
20-34	1494	2.7	5	1	1	2	3	5	6	11
35-49	199	3.3	7	1	2	3	4	6	8	14
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**1962**	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**7**	**13**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	244	3.0	4	1	2	3	4	5	7	10
20-34	1371	3.5	9	1	2	3	4	6	7	11
35-49	55	3.6	5	1	2	3	4	6	9	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	15	9.0	68	1	4	8	11	15	30	35
35-49	2	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	242	3.5	10	1	2	3	4	6	8	14
20-34	1062	3.6	6	1	2	3	4	6	8	13
35-49	61	3.8	5	1	2	3	5	8	9	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	6.0	44	< 1	3	4	7	16	24	24
20-34	44	9.0	118	1	2	4	11	26	31	46
35-49	2	9.0	32	5	5	9	13	13	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1670	3.4	8	1	2	3	4	6	7	11
B. Operated	21	7.6	54	2	3	7	9	13	24	35
2. MULTIPLE DX										
A. Not Operated	1365	3.6	7	1	2	3	4	7	8	13
B. Operated	56	8.4	101	1	2	5	10	25	27	46
1. SINGLE DX	1691	3.4	9	1	2	3	4	6	7	12
2. MULTIPLE DX	1421	3.8	11	1	2	3	4	7	9	17
A. Not Operated	3035	3.5	7	1	2	3	4	6	8	12
B. Operated	77	8.2	88	1	2	5	9	24	27	44
TOTAL										
0-19 YRS	500	3.3	7	1	2	3	4	6	7	13
20-34	2492	3.7	11	1	2	3	4	6	8	15
35-49	120	3.8	6	1	2	3	5	7	9	13
50-64	0									
65 +	0									
GRAND TOTAL	**3112**	**3.6**	**10**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	573	1.1		< 1	< 1	< 1	1	1	1	3
20-34	2188	1.1		< 1	< 1	< 1	1	1	2	3
35-49	120	1.1		< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	1.1	1	< 1	< 1	< 1	1	1	2	4
20-34	803	1.2	2	< 1	< 1	< 1	1	1	2	4
35-49	41	1.1		< 1	< 1	< 1	1	1	1	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	1.4	1	< 1	< 1	1	1	2	4	7
20-34	326	1.3	1	< 1	< 1	1	1	2	3	6
35-49	18	1.8	3	< 1	< 1	1	1	4	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	1.5	1	< 1	< 1	1	1	2	3	7
20-34	123	1.7	8	< 1	< 1	1	1	3	5	15
35-49	8	1.3		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2881	1.1		< 1	< 1	< 1	1	1	2	3
B. Operated	1038	1.2	1	< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	412	1.4	1	< 1	< 1	1	1	2	3	7
B. Operated	164	1.7	6	< 1	< 1	1	1	2	4	11
1. SINGLE DX	3919	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	576	1.5	3	< 1	< 1	1	1	2	4	8
A. Not Operated	3293	1.1		< 1	< 1	< 1	1	1	2	4
B. Operated	1202	1.2	2	< 1	< 1	< 1	1	1	2	6
TOTAL										
0-19 YRS	868	1.1		< 1	< 1	< 1	1	1	2	4
20-34	3440	1.1	1	< 1	< 1	< 1	1	1	2	4
35-49	187	1.2	1	< 1	< 1	< 1	1	1	2	7
50-64	0									
65 +	0									
GRAND TOTAL	**4495**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.4	5	< 1	1	2	3	6	7	10
20-34	314	3.0	12	1	1	2	3	6	7	19
35-49	35	2.6	4	1	2	2	3	5	7	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	48	2.6	6	1	1	2	3	5	8	13
35-49	5	3.2	8	1	2	2	4	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.9	9	1	2	3	4	8	11	12
20-34	177	4.4	41	1	2	3	5	8	11	44
35-49	23	5.1	27	1	2	3	6	10	19	22
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	18.7	264	1	6	22	30	33	33	33
20-34	34	5.1	18	1	2	4	7	11	15	19
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	376	2.9	10	1	1	2	3	6	7	16
B. Operated	54	2.7	6	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated	214	4.5	37	1	2	3	5	8	12	33
B. Operated	39	6.0	44	1	2	4	7	14	21	33
1. SINGLE DX	430	2.9	10	1	1	2	3	5	7	15
2. MULTIPLE DX	253	4.7	38	1	2	3	5	9	15	33
A. Not Operated	590	3.5	21	1	1	2	4	7	9	23
B. Operated	93	4.1	24	1	1	2	4	9	13	28
TOTAL										
0-19 YRS	45	4.0	34	1	1	2	3	7	14	33
20-34	573	3.5	21	1	1	2	4	7	10	23
35-49	65	3.5	13	1	2	2	4	7	9	21
50-64	0									
65 +	0									
GRAND TOTAL	**683**	**3.6**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	1.6	1	< 1	1	1	2	3	4	6
20-34	356	1.9	2	< 1	1	1	2	4	5	7
35-49	29	1.8	2	< 1	1	1	2	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	3.6	21	< 1	< 1	1	5	12	14	14
20-34	67	1.7	4	< 1	< 1	1	2	3	4	14
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.5	11	< 1	1	2	5	8	10	17
20-34	159	2.8	8	< 1	1	2	3	6	9	13
35-49	18	1.9	1	< 1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.4	13	< 1	1	1	6	9	9	9
20-34	58	2.9	7	< 1	1	2	3	7	9	13
35-49	5	1.6	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	448	1.8	2	< 1	1	1	2	3	4	7
B. Operated	83	2.0	7	< 1	< 1	1	2	3	7	15
2. MULTIPLE DX										
A. Not Operated	234	2.9	8	< 1	1	2	4	7	9	14
B. Operated	68	2.8	7	< 1	1	2	3	7	9	12
1. SINGLE DX	531	1.9	3	< 1	1	1	2	3	5	9
2. MULTIPLE DX	302	2.9	8	< 1	1	2	4	7	9	13
A. Not Operated	682	2.2	4	< 1	1	1	3	4	6	11
B. Operated	151	2.4	7	< 1	< 1	1	3	6	8	14
TOTAL										
0-19 YRS	137	2.6	8	< 1	1	1	3	7	9	14
20-34	640	2.2	4	< 1	1	1	3	4	6	12
35-49	56	1.8	1	< 1	1	1	2	3	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**833**	**2.2**	**5**	**<1**	**1**	**1**	**3**	**5**	**7**	**12**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	2.5	2	1	1	2	3	5	5	6
20-34	206	2.8	4	< 1	1	3	4	5	6	9
35-49	11	3.1	2	1	2	3	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.9	3	< 1	< 1	< 1	< 1	5	6	6
20-34	32	2.0	2	< 1	< 1	1	3	4	6	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	453	3.2	3	1	2	3	4	5	7	9
20-34	995	3.2	4	1	2	3	4	6	7	11
35-49	41	3.7	5	1	2	3	5	6	8	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	60	3.3	6	< 1	1	3	4	6	9	10
20-34	102	3.6	9	< 1	1	3	5	8	11	12
35-49	11	3.5	3	< 1	1	3	5	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	323	2.8	3	1	1	3	4	5	5	7
B. Operated	47	1.9	3	< 1	< 1	< 1	3	4	6	7
2. MULTIPLE DX										
A. Not Operated	1489	3.2	4	1	2	3	4	6	7	10
B. Operated	173	3.5	7	< 1	1	3	5	7	10	12
1. SINGLE DX	370	2.6	3	< 1	1	2	3	5	5	7
2. MULTIPLE DX	1662	3.3	4	1	2	3	4	6	7	11
A. Not Operated	1812	3.1	4	1	2	3	4	5	6	10
B. Operated	220	3.2	7	< 1	1	2	4	7	9	12
TOTAL										
0-19 YRS	633	3.1	3	1	2	3	4	5	6	9
20-34	1335	3.2	4	1	2	3	4	6	7	11
35-49	64	3.5	4	1	2	3	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**2032**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.6	4	1	1	2	3	4	7	12
20-34	475	3.0	4	1	2	2	4	6	7	10
35-49	102	3.1	4	1	2	3	4	6	8	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.0	1	1	1	2	3	3	3	3
20-34	44	2.6	4	< 1	1	2	3	6	7	9
35-49	6	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	434	3.2	10	1	1	2	4	6	8	17
20-34	2082	3.5	11	1	2	3	4	7	8	17
35-49	229	3.5	20	1	2	3	5	6	7	11
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	71	3.4	10	< 1	1	2	4	8	11	13
20-34	376	3.9	18	< 1	1	3	5	8	12	22
35-49	27	3.1	8	< 1	1	2	4	5	10	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	619	3.0	4	1	2	2	4	6	7	11
B. Operated	58	2.5	4	< 1	1	2	3	6	7	9
2. MULTIPLE DX										
A. Not Operated	2746	3.4	12	1	1	3	4	7	8	17
B. Operated	474	3.8	16	< 1	1	3	5	8	12	21
1. SINGLE DX	677	2.9	4	1	2	2	4	6	7	11
2. MULTIPLE DX	3220	3.5	13	1	1	3	4	7	9	17
A. Not Operated	3365	3.3	11	1	2	2	4	6	8	16
B. Operated	532	3.7	15	< 1	1	2	5	8	11	20
TOTAL										
0-19 YRS	555	3.2	9	1	1	2	4	6	9	17
20-34	2977	3.4	11	1	1	3	4	7	8	17
35-49	364	3.4	15	1	2	3	4	6	7	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**3897**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**8**	**16**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	793	2.0	6	< 1	1	1	2	3	5	11
20-34	3147	2.0	4	< 1	1	1	2	4	5	10
35-49	208	2.3	10	< 1	< 1	1	2	4	6	21
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	271	2.1	6	< 1	< 1	1	2	4	6	15
20-34	1610	2.0	8	< 1	< 1	1	2	4	5	15
35-49	129	1.7	2	< 1	< 1	1	2	4	5	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	495	2.9	15	< 1	1	2	3	6	8	22
20-34	2304	3.1	22	< 1	1	2	3	6	9	22
35-49	180	3.8	22	< 1	1	2	5	8	11	29
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	268	2.8	16	< 1	< 1	2	3	6	8	15
20-34	1379	3.0	16	< 1	< 1	2	4	6	9	21
35-49	125	2.8	24	< 1	< 1	1	3	5	7	30
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4148	2.0	5	< 1	1	1	2	4	5	11
B. Operated	2010	2.0	8	< 1	< 1	1	2	4	5	14
2. MULTIPLE DX										
A. Not Operated	2979	3.1	21	< 1	1	2	3	6	9	23
B. Operated	1773	2.9	17	< 1	< 1	2	3	6	9	21
1. SINGLE DX	6158	2.0	6	< 1	1	1	2	4	5	12
2. MULTIPLE DX	4752	3.1	19	< 1	1	2	3	6	9	21
A. Not Operated	7127	2.5	12	< 1	1	1	3	5	7	15
B. Operated	3783	2.4	12	< 1	< 1	1	3	5	7	18
TOTAL										
0-19 YRS	1827	2.4	10	< 1	1	1	3	4	6	14
20-34	8440	2.5	12	< 1	1	1	3	5	7	16
35-49	642	2.7	15	< 1	1	1	3	5	8	22
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**10910**	**2.5**	**12**	**< 1**	**1**	**1**	**3**	**5**	**7**	**16**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	2.3		1	2	2	3	3	3	4
20-34	452	2.2		2	2	2	3	3	3	4
35-49	45	2.3	1	1	2	2	3	3	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	41	2.3	1	1	2	2	3	4	5	99 +
20-34	392	2.6	2	2	2	2	3	4	4	6
35-49	36	2.5	1	2	2	2	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	234	2.4	1	2	2	2	3	3	3	6
20-34	1152	2.4	2	2	2	2	3	3	3	6
35-49	95	2.5	1	2	2	2	3	3	4	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	314	3.2	9	2	2	2	4	5	7	16
20-34	2268	3.7	20	2	2	3	4	5	7	18
35-49	318	4.0	24	2	2	3	4	5	8	36
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	570	2.2		2	2	2	3	3	3	4
B. Operated	469	2.6	1	2	2	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	1482	2.4	2	2	2	2	3	3	3	6
B. Operated	2900	3.7	19	2	2	3	4	5	7	19
1. SINGLE DX	1039	2.4	1	2	2	2	3	3	4	5
2. MULTIPLE DX	4382	3.3	13	2	2	3	4	5	6	14
A. Not Operated	2052	2.3	1	2	2	2	3	3	3	5
B. Operated	3369	3.5	17	2	2	3	4	5	7	18
TOTAL										
0-19 YRS	661	2.8	5	2	2	2	3	4	5	13
20-34	4264	3.1	12	2	2	2	3	4	6	12
35-49	494	3.5	16	2	2	3	4	5	6	21
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**5421**	**3.1**	**11**	**2**	**2**	**2**	**3**	**4**	**6**	**13**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3665	2.1		1	2	2	2	3	3	4
20-34	22343	2.1		1	2	2	2	3	3	4
35-49	1406	2.2		1	2	2	3	3	3	4
50-64	3	2.3		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1859	2.1		2	2	2	2	3	3	4
20-34	11220	2.2		2	2	2	2	3	3	4
35-49	697	2.2		2	2	2	3	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	140	2.2	1	1	2	2	3	3	4	5
20-34	757	2.4	1	1	2	2	3	3	4	5
35-49	47	2.3	1	2	2	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	125	2.2	1	1	2	2	3	3	4	5
20-34	3154	2.5	1	2	2	2	3	3	4	4
35-49	375	2.7	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27417	2.1		1	2	2	2	3	3	4
B. Operated	13777	2.2		2	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	944	2.3	1	1	2	2	3	3	4	5
B. Operated	3654	2.5	1	2	2	2	3	3	4	4
1. SINGLE DX	41194	2.2		1	2	2	2	3	3	4
2. MULTIPLE DX	4598	2.5	1	2	2	2	3	3	4	5
A. Not Operated	28361	2.1		1	2	2	2	3	3	4
B. Operated	17431	2.2		2	2	2	3	3	3	4
TOTAL										
0-19 YRS	5789	2.1		1	2	2	2	3	3	4
20-34	37474	2.2		2	2	2	3	3	3	4
35-49	2525	2.3		2	2	2	3	3	3	4
50-64	4	2.3		2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**45792**	**2.2**		**1**	**2**	**2**	**3**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
20-34	13	2.5	1	2	2	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	4.5	1	4	4	4	5	6	6	6
20-34	95	6.3	88	3	4	4	5	6	17	58
35-49	10	4.3	2	3	3	4	5	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	7	1	1	2	5	7	7	7
20-34	20	2.7	3	1	2	2	3	5	7	9
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	6.8	21	2	4	6	8	13	18	19
20-34	330	9.8	155	3	4	5	10	23	37	58
35-49	82	8.3	102	4	4	5	8	18	26	65
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.4	1	1	2	2	3	4	4	4
B. Operated	109	6.0	77	3	4	4	5	6	16	57
2. MULTIPLE DX										
A. Not Operated	27	2.8	4	1	2	2	3	6	7	9
B. Operated	425	9.4	141	3	4	5	8	21	35	58
1. SINGLE DX	126	5.5	68	2	3	4	5	6	15	56
2. MULTIPLE DX	452	9.0	135	3	4	5	8	20	35	57
A. Not Operated	44	2.7	3	1	2	2	3	4	6	9
B. Operated	534	8.7	129	3	4	5	7	19	34	57
TOTAL										
0-19 YRS	25	5.2	15	1	2	4	7	8	13	19
20-34	458	8.5	134	2	4	4	7	19	35	57
35-49	95	7.7	90	3	4	5	7	16	25	62
50-64	0									
65 +	0									
GRAND TOTAL	**578**	**8.3**	**122**	**2**	**4**	**5**	**7**	**18**	**32**	**57**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	2	1	2	2	2	4	6	6
20-34	70	2.2		1	2	2	3	3	3	4
35-49	6	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	2.0	1	1	1	2	3	3	3	3
20-34	152	3.2	2	2	2	3	4	5	5	7
35-49	12	3.6	1	2	3	4	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	2.2	1	1	1	2	3	4	4	4
20-34	134	2.8	11	1	2	2	3	4	5	19
35-49	8	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	110	4.2	6	2	3	4	5	6	8	17
20-34	640	4.5	15	2	3	4	5	6	10	22
35-49	65	5.3	39	2	3	4	5	8	15	38
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.2	1	1	2	2	3	3	3	5
B. Operated	175	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	170	2.7	9	1	2	2	3	4	4	14
B. Operated	815	4.5	16	2	3	4	5	6	10	22
1. SINGLE DX	261	2.8	2	1	2	3	4	4	5	6
2. MULTIPLE DX	985	4.2	15	2	2	4	5	6	8	22
A. Not Operated	256	2.5	6	1	2	2	3	3	4	7
B. Operated	990	4.3	13	2	3	4	5	6	8	20
TOTAL										
0-19 YRS	159	3.6	6	2	2	3	4	6	7	16
20-34	996	3.9	12	2	2	3	4	6	7	19
35-49	91	4.6	30	2	2	4	5	6	11	37
50-64	0									
65 +	0									
GRAND TOTAL	**1246**	**3.9**	**12**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0		2	2	2	2	2	2	2
20-34	31	2.2		2	2	2	2	3	3	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	2.2	1	1	2	2	3	3	3	4
20-34	426	2.2	1	1	2	2	3	3	3	4
35-49	38	2.2	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	30	2.2	1	1	2	2	3	3	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	48	2.3	1	1	2	2	3	3	4	7
20-34	467	2.6	2	2	2	2	3	4	5	7
35-49	50	2.8	2	2	2	3	3	4	5	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.2		2	2	2	2	3	3	4
B. Operated	515	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	34	2.2	1	1	2	2	3	3	4	4
B. Operated	565	2.6	2	2	2	2	3	4	5	7
1. SINGLE DX	553	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX	599	2.6	2	2	2	2	3	4	5	7
A. Not Operated	72	2.2		1	2	2	3	3	3	4
B. Operated	1080	2.4	1	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	109	2.3	1	1	2	2	3	3	4	6
20-34	954	2.4	1	1	2	2	3	3	4	6
35-49	89	2.5	1	2	2	2	3	4	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**1152**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.1		2	2	2	2	3	3	3
20-34	132	2.2		2	2	2	3	3	3	4
35-49	5	3.4	5	1	2	3	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	2.3	1	2	2	2	3	3	4	4
20-34	101	2.3	1	2	2	2	3	3	4	5
35-49	9	2.4	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.3		2	2	2	3	3	4	4
20-34	93	2.6	1	2	2	2	3	3	5	6
35-49	5	2.4		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	26	3.2	12	2	2	2	3	6	9	19
20-34	228	2.7	1	2	2	2	3	4	5	7
35-49	17	2.9	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.3	1	2	2	2	3	3	3	4
B. Operated	126	2.3	1	2	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	117	2.5	1	2	2	2	3	3	4	6
B. Operated	271	2.8	2	2	2	2	3	4	5	7
1. SINGLE DX	279	2.3	1	2	2	2	3	3	4	4
2. MULTIPLE DX	388	2.7	2	2	2	2	3	4	5	7
A. Not Operated	270	2.4	1	2	2	2	3	3	3	5
B. Operated	397	2.6	2	2	2	2	3	4	4	7
TOTAL										
0-19 YRS	77	2.6	4	2	2	2	3	3	4	16
20-34	554	2.5	1	2	2	2	3	4	4	6
35-49	36	2.8	1	2	2	3	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**667**	**2.5**	**1**	**2**	**2**	**2**	**3**	**4**	**4**	**7**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.2	1	1	2	2	3	3	3	3
20-34	44	2.6	1	2	2	2	3	3	4	6
35-49	3	3.3		3	3	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.8	2	2	2	2	3	5	5	5
20-34	74	3.3	1	2	2	3	4	5	5	7
35-49	5	4.0	4	2	3	4	5	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.7	1	2	2	2	4	5	5	5
20-34	81	3.9	20	2	2	3	4	6	9	29
35-49	11	3.6	8	1	2	3	4	8	11	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	46	6.7	45	2	3	4	8	14	22	34
20-34	747	5.1	30	2	3	4	5	7	11	27
35-49	65	5.4	19	3	4	4	6	7	11	31
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.6	1	2	2	2	3	4	4	6
B. Operated	84	3.3	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	103	3.7	17	2	2	3	4	5	9	28
B. Operated	858	5.2	30	2	3	4	5	8	12	33
1. SINGLE DX	137	3.0	1	2	2	3	4	4	5	7
2. MULTIPLE DX	961	5.0	29	2	3	4	5	7	12	30
A. Not Operated	156	3.3	11	2	2	3	3	5	6	25
B. Operated	942	5.0	28	2	3	4	5	7	11	30
TOTAL										
0-19 YRS	68	5.4	35	2	2	4	5	11	15	33
20-34	946	4.7	26	2	3	4	5	7	10	27
35-49	84	5.0	16	3	3	4	5	7	10	28
50-64	0									
65 +	0									
GRAND TOTAL	**1098**	**4.8**	**26**	**2**	**3**	**4**	**5**	**7**	**11**	**29**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	82	2.0	1	1	2	2	2	3	3	4
35-49	11	2.1		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	186	3.9	1	3	3	4	4	5	5	7
20-34	1325	3.8	1	3	3	4	4	5	5	6
35-49	91	4.0	2	3	4	4	4	5	5	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	55	2.4	1	1	2	2	3	4	4	4
35-49	6	1.8	1	< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	218	4.6	5	3	4	4	5	6	9	15
20-34	1808	4.3	7	3	4	4	5	6	7	10
35-49	218	4.2	4	3	4	4	4	6	7	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.0		1	2	2	2	3	3	4
B. Operated	1602	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	67	2.3	1	1	2	2	3	4	4	4
B. Operated	2245	4.3	6	3	4	4	5	6	7	11
1. SINGLE DX	1703	3.7	1	2	3	4	4	5	5	6
2. MULTIPLE DX	2312	4.2	6	3	3	4	5	6	7	11
A. Not Operated	168	2.1	1	1	2	2	2	3	4	4
B. Operated	3847	4.1	4	3	3	4	4	5	6	9
TOTAL										
0-19 YRS	418	4.2	3	3	3	4	4	6	7	12
20-34	3270	4.0	4	2	3	4	4	5	6	9
35-49	326	4.0	3	2	3	4	4	5	6	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**4015**	**4.0**	**4**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.2		1	2	2	3	3	3	3
20-34	400	2.3	1	2	2	2	3	3	3	4
35-49	35	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	85	2.9	1	2	2	3	4	4	5	7
20-34	642	3.0	1	2	2	3	4	5	5	6
35-49	59	3.3	2	2	2	3	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	2.4	1	2	2	2	3	3	4	5
20-34	305	2.4	1	2	2	2	3	3	4	5
35-49	37	2.4	2	2	2	2	2	3	4	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	416	3.9	3	2	3	4	5	6	7	11
20-34	3368	3.8	5	2	3	4	4	5	6	10
35-49	366	4.0	7	2	3	4	5	6	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	2.3	1	2	2	2	3	3	3	4
B. Operated	786	3.0	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	379	2.4	1	2	2	2	3	3	4	6
B. Operated	4150	3.9	5	2	3	4	5	5	6	10
1. SINGLE DX	1261	2.7	1	2	2	2	3	4	5	6
2. MULTIPLE DX	4529	3.7	5	2	3	4	4	5	6	9
A. Not Operated	854	2.3	1	2	2	2	3	3	3	5
B. Operated	4936	3.7	5	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	578	3.5	3	2	2	3	4	5	6	9
20-34	4715	3.5	4	2	2	3	4	5	6	9
35-49	497	3.7	6	2	2	4	4	5	6	10
50-64	0									
65 +	0									
GRAND TOTAL	**5790**	**3.5**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	29	2.9	1	2	2	2	4	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	132	4.2	1	3	4	4	5	5	6	7
20-34	763	4.2	1	3	4	4	5	5	6	6
35-49	48	4.2	1	3	4	4	5	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	3.1	1	1	2	3	4	4	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	681	5.0	3	3	4	5	5	7	9	12
20-34	3948	4.5	2	3	4	4	5	6	6	9
35-49	323	4.7	1	4	4	5	5	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.8	1	2	2	3	4	4	5	5
B. Operated	943	4.2	1	3	4	4	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	18	3.0	1	1	2	3	4	4	5	5
B. Operated	4952	4.6	3	3	4	4	5	6	7	10
1. SINGLE DX	977	4.2	1	3	4	4	5	5	6	6
2. MULTIPLE DX	4970	4.6	3	3	4	4	5	6	7	10
A. Not Operated	52	2.9	1	1	2	3	4	4	5	5
B. Operated	5895	4.5	2	3	4	4	5	6	6	9
TOTAL										
0-19 YRS	817	4.8	3	3	4	4	5	7	8	11
20-34	4756	4.5	2	3	4	4	5	6	6	9
35-49	374	4.7	1	4	4	5	5	6	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**5947**	**4.5**	**2**	**3**	**4**	**4**	**5**	**6**	**6**	**9**

293: Uterine inertia, delivered (661.0-661.2 with 5th digit 0, 1; 662.0-662.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.3	1	2	2	2	3	3	4	4
20-34	549	2.4	1	2	2	2	3	3	3	4
35-49	34	2.3		2	2	2	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	173	3.4	4	2	2	3	4	5	5	11
20-34	1197	3.3	1	2	2	3	4	5	5	6
35-49	81	3.4	2	2	2	3	4	5	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	2.5	1	1	2	2	3	4	4	5
20-34	431	2.4	1	2	2	2	3	3	4	5
35-49	27	2.7	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	530	4.1	4	2	3	4	5	6	8	11
20-34	3393	3.8	2	2	3	4	5	5	6	9
35-49	318	3.9	3	2	3	4	5	6	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	662	2.4	1	2	2	2	3	3	3	4
B. Operated	1452	3.3	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	544	2.5	1	2	2	2	3	3	4	5
B. Operated	4241	3.8	3	2	3	4	5	6	6	9
1. SINGLE DX	2114	3.0	2	2	2	3	4	5	5	6
2. MULTIPLE DX	4785	3.7	3	2	2	4	5	5	6	9
A. Not Operated	1206	2.4	1	2	2	2	3	3	4	5
B. Operated	5693	3.7	3	2	3	4	5	5	6	9
TOTAL										
0-19 YRS	868	3.6	4	2	2	3	5	6	7	11
20-34	5570	3.4	2	2	2	3	4	5	6	8
35-49	460	3.6	3	2	2	3	5	5	6	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**6899**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1		1	2	2	3	3	3	3
20-34	113	2.3		2	2	2	3	3	4	4
35-49	10	2.2		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	3.5	2	2	3	3	5	5	5	6
20-34	285	3.3	2	2	2	3	4	5	5	6
35-49	27	3.1	2	2	2	2	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.2	38	2	2	3	4	14	22	24
20-34	73	2.4	1	2	2	2	3	3	4	6
35-49	9	2.4	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	98	4.2	3	2	3	4	5	7	8	10
20-34	979	4.0	8	2	3	4	5	5	6	11
35-49	115	5.2	67	2	3	4	5	6	7	64
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	2.3		2	2	2	3	3	3	4
B. Operated	345	3.3	2	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	95	2.8	6	2	2	2	3	4	5	18
B. Operated	1193	4.1	14	2	3	4	5	6	6	11
1. SINGLE DX	475	3.0	2	2	2	3	4	5	5	6
2. MULTIPLE DX	1288	4.0	13	2	3	4	5	5	6	11
A. Not Operated	225	2.5	3	2	2	2	3	3	4	7
B. Operated	1538	3.9	11	2	3	4	5	5	6	11
TOTAL										
0-19 YRS	151	4.0	6	2	3	4	5	6	7	11
20-34	1450	3.6	6	2	2	3	4	5	6	9
35-49	161	4.5	50	2	2	4	5	6	7	58
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**1763**	**3.8**	**10**	**2**	**2**	**4**	**4**	**5**	**6**	**11**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.3	1	1	2	2	3	3	4	4
20-34	253	2.3	1	2	2	2	3	3	4	4
35-49	30	2.4	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	307	3.8	1	3	3	4	4	5	5	7
20-34	5296	3.8	1	3	3	4	4	5	5	6
35-49	426	3.9	1	3	4	4	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.4	3	1	2	2	2	5	6	6
20-34	116	2.4	1	2	2	2	3	3	4	5
35-49	26	2.0	1	1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	298	4.4	7	3	4	4	5	6	7	10
20-34	8594	4.1	3	3	4	4	4	5	6	8
35-49	1122	4.3	2	3	4	4	5	5	6	9
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	2.3	1	2	2	2	3	3	4	5
B. Operated	6029	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	149	2.3	1	1	2	2	3	3	4	5
B. Operated	10016	4.1	3	3	4	4	4	5	6	9
1. SINGLE DX	6325	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX	10165	4.1	3	3	4	4	4	5	6	9
A. Not Operated	445	2.3	1	1	2	2	3	3	4	5
B. Operated	16045	4.0	3	3	4	4	4	5	5	8
TOTAL										
0-19 YRS	625	4.0	4	3	3	4	4	5	6	9
20-34	14259	4.0	3	3	3	4	4	5	5	7
35-49	1604	4.1	2	3	4	4	4	5	6	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	0									
GRAND TOTAL	**16490**	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**5**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	2.4	1	2	2	2	3	3	4	5
20-34	770	2.4	1	2	2	2	3	3	4	5
35-49	66	2.5	1	1	2	2	3	3	4	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	158	2.8	7	2	2	2	3	4	4	13
20-34	1157	2.6	4	2	2	2	3	3	4	6
35-49	102	2.4	1	2	2	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	3.4	10	2	2	3	4	5	7	23
20-34	951	3.2	15	2	2	3	3	4	6	14
35-49	75	2.9	2	2	2	3	3	4	6	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	474	4.2	27	2	2	3	4	6	9	29
20-34	3371	3.6	7	2	2	3	4	5	7	15
35-49	347	4.0	12	2	2	3	4	7	9	22
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	962	2.4	1	2	2	2	3	3	4	5
B. Operated	1417	2.6	4	2	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	1164	3.2	14	2	2	3	3	4	6	15
B. Operated	4193	3.7	10	2	2	3	4	6	7	17
1. SINGLE DX	2379	2.5	3	2	2	2	3	3	4	5
2. MULTIPLE DX	5357	3.6	11	2	2	3	4	5	7	16
A. Not Operated	2126	2.8	8	2	2	2	3	4	5	11
B. Operated	5610	3.4	9	2	2	3	4	5	6	14
TOTAL										
0-19 YRS	896	3.6	18	2	2	3	4	5	7	26
20-34	6249	3.2	7	2	2	3	4	5	6	13
35-49	590	3.4	8	2	2	3	4	5	8	14
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**7736**	**3.3**	**9**	**2**	**2**	**3**	**4**	**5**	**6**	**14**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	494	2.2	1	1	2	2	3	3	3	4
20-34	4219	2.1		1	2	2	2	3	3	4
35-49	317	2.1		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	477	2.2		2	2	2	3	3	3	4
20-34	3017	2.2		2	2	2	3	3	3	4
35-49	195	2.3	1	2	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	202	2.3	1	2	2	2	3	3	4	6
20-34	1310	2.2		1	2	2	3	3	3	4
35-49	102	2.2		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	427	2.6	1	2	2	2	3	4	4	7
20-34	3666	2.5	1	2	2	2	3	4	4	6
35-49	372	2.6	1	2	2	2	3	4	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5030	2.1		1	2	2	2	3	3	4
B. Operated	3689	2.2		2	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	1614	2.2	1	1	2	2	3	3	3	4
B. Operated	4465	2.5	1	2	2	2	3	4	4	6
1. SINGLE DX	8719	2.2		2	2	2	2	3	3	4
2. MULTIPLE DX	6079	2.4	1	2	2	2	3	3	4	5
A. Not Operated	6644	2.2		1	2	2	2	3	3	4
B. Operated	8154	2.4	1	2	2	2	3	3	4	5
TOTAL										
0-19 YRS	1600	2.3	1	2	2	2	3	3	4	5
20-34	12212	2.3	1	2	2	2	3	3	3	5
35-49	986	2.3	1	2	2	2	3	3	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**14798**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	2.0		1	2	2	2	3	3	4
20-34	690	2.1		1	2	2	2	3	3	4
35-49	61	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1005	2.2	1	1	2	2	2	3	3	4
20-34	7149	2.1		1	2	2	2	3	3	4
35-49	670	2.1		1	2	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	2.1	1	1	2	2	2	3	4	6
20-34	262	2.2	1	1	2	2	2	3	3	5
35-49	43	2.0	1	1	2	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	726	2.4	1	2	2	2	3	3	4	7
20-34	5946	2.3	1	2	2	2	3	3	3	5
35-49	622	2.4	2	1	2	2	3	3	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	852	2.1		1	2	2	2	3	3	4
B. Operated	8825	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	346	2.1	1	1	2	2	2	3	3	5
B. Operated	7295	2.3	1	2	2	2	3	3	4	5
1. SINGLE DX	9677	2.1		1	2	2	2	3	3	4
2. MULTIPLE DX	7641	2.3	1	2	2	2	3	3	4	5
A. Not Operated	1198	2.1	1	1	2	2	2	3	3	4
B. Operated	16120	2.2	1	1	2	2	3	3	3	4
TOTAL										
0-19 YRS	1873	2.2	1	1	2	2	3	3	3	5
20-34	14047	2.2	1	1	2	2	3	3	3	4
35-49	1396	2.3	1	1	2	2	3	3	3	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**17318**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.3		2	2	2	3	3	3	4
20-34	213	2.3		2	2	2	3	3	3	4
35-49	8	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	869	2.3		2	2	2	3	3	3	4
20-34	3579	2.3		2	2	2	3	3	3	4
35-49	143	2.3		2	2	2	3	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.7	2	2	2	2	3	4	6	8
20-34	110	2.3	1	2	2	2	3	3	4	5
35-49	8	2.8	1	2	2	3	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	821	2.7	2	2	2	2	3	4	4	8
20-34	3401	2.5	1	2	2	2	3	3	4	6
35-49	212	2.6	1	2	2	2	3	4	4	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	2.3		2	2	2	3	3	3	4
B. Operated	4591	2.3		2	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	139	2.4	1	2	2	2	3	3	4	6
B. Operated	4434	2.6	1	2	2	2	3	3	4	6
1. SINGLE DX	4881	2.3		2	2	2	3	3	3	4
2. MULTIPLE DX	4573	2.6	1	2	2	2	3	3	4	6
A. Not Operated	429	2.3	1	2	2	2	3	3	3	5
B. Operated	9025	2.4	1	2	2	2	3	3	4	5
TOTAL										
0-19 YRS	1780	2.5	1	2	2	2	3	3	4	6
20-34	7303	2.4	1	2	2	2	3	3	4	5
35-49	371	2.5	1	2	2	2	3	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**9454**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.2	1	2	2	2	2	3	3	6
20-34	291	2.1	1	1	2	2	2	3	3	5
35-49	9	2.4	1	1	2	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	393	2.1		2	2	2	2	3	3	4
20-34	1684	2.2		2	2	2	2	3	3	4
35-49	69	2.2		2	2	2	2	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	2.2		2	2	2	2	3	3	5
20-34	202	2.2	1	1	2	2	3	3	4	5
35-49	9	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	431	2.5	2	2	2	2	3	4	4	8
20-34	1931	2.5	1	2	2	2	3	3	4	7
35-49	120	2.8	8	2	2	2	3	4	4	14
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	363	2.1	1	1	2	2	2	3	3	5
B. Operated	2147	2.2		2	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	261	2.2	1	1	2	2	3	3	3	5
B. Operated	2482	2.6	2	2	2	2	3	3	4	7
1. SINGLE DX	2510	2.2		2	2	2	2	3	3	4
2. MULTIPLE DX	2743	2.5	2	2	2	2	3	3	4	7
A. Not Operated	624	2.2	1	1	2	2	2	3	3	5
B. Operated	4629	2.4	1	2	2	2	3	3	4	6
TOTAL										
0-19 YRS	937	2.3	1	2	2	2	3	3	4	6
20-34	4108	2.3	1	2	2	2	3	3	4	6
35-49	207	2.6	5	2	2	2	3	3	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**5253**	**2.3**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**6**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	756	2.5	3	1	2	2	3	3	4	9
20-34	3790	2.2	3	1	2	2	3	3	4	5
35-49	283	2.3	1	1	2	2	3	3	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1317	2.7	2	2	2	2	3	4	5	8
20-34	7261	2.7	2	2	2	2	3	4	5	7
35-49	500	2.9	3	2	2	3	3	4	5	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	819	2.7	3	1	2	2	3	4	6	11
20-34	3580	2.5	4	1	2	2	3	4	5	9
35-49	340	2.6	10	1	2	2	3	3	4	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3190	3.8	9	2	2	3	5	6	8	14
20-34	17974	3.7	10	2	2	3	4	6	8	16
35-49	1867	3.9	15	2	2	3	5	6	8	17
50-64	3	7.0	37	3	3	4	11	14	14	14
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4829	2.3	3	1	2	2	3	3	4	6
B. Operated	9079	2.7	2	2	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	4739	2.6	4	1	2	2	3	4	5	9
B. Operated	23034	3.7	10	2	2	3	4	6	8	16
1. SINGLE DX	13908	2.6	2	2	2	2	3	4	5	7
2. MULTIPLE DX	27773	3.5	9	2	2	3	4	6	7	15
A. Not Operated	9568	2.4	4	1	2	2	3	3	4	7
B. Operated	32113	3.4	8	2	2	3	4	5	7	14
TOTAL										
0-19 YRS	6082	3.3	6	2	2	3	4	5	7	13
20-34	32605	3.2	7	2	2	3	4	5	6	13
35-49	2990	3.5	11	2	2	3	4	5	7	15
50-64	4	6.0	29	3	3	4	9	14	14	14
65 +	0									
GRAND TOTAL	**41681**	**3.2**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.5	3	2	3	3	4	5	7	9
20-34	137	3.3	2	2	2	3	4	5	6	8
35-49	4	4.3	4	3	3	4	5	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	7	7.0	19	2	4	5	11	14	14	14
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	54	3.5	3	2	2	3	4	5	6	12
20-34	175	3.9	7	2	2	3	5	6	7	19
35-49	19	4.1	3	2	3	4	5	6	8	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	4.0	7	1	2	4	6	7	7	7
20-34	39	4.8	11	2	3	4	6	9	12	18
35-49	5	5.0	22	2	2	3	7	13	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	3.3	2	2	2	3	4	5	6	9
B. Operated	7	7.0	19	2	4	5	11	14	14	14
2. MULTIPLE DX										
A. Not Operated	248	3.8	6	2	2	3	4	6	7	13
B. Operated	48	4.8	11	2	3	4	6	9	13	18
1. SINGLE DX	181	3.5	4	2	2	3	4	5	7	12
2. MULTIPLE DX	296	4.0	7	2	2	3	5	6	8	16
A. Not Operated	422	3.6	5	2	2	3	4	6	7	12
B. Operated	55	5.1	13	2	3	4	6	10	14	18
TOTAL										
0-19 YRS	91	3.5	3	2	2	3	4	5	7	11
20-34	358	3.8	6	2	2	3	4	6	7	14
35-49	28	4.3	6	2	3	4	5	7	9	13
50-64	0									
65 +	0									
GRAND TOTAL	**477**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	41	1.3		< 1	1	1	2	2	2	3
35-49	5	1.6		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.2		< 1	1	1	1	2	2	2
20-34	77	2.3	14	< 1	1	1	2	3	5	26
35-49	7	2.3	12	1	1	1	1	8	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	26	1.8	2	1	1	1	2	3	4	7
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	2.5	2	1	1	2	4	5	6	6
20-34	96	2.6	4	1	1	2	3	5	7	10
35-49	11	2.3	2	< 1	1	2	3	5	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	1.3		< 1	1	1	2	2	2	3
B. Operated	94	2.2	12	< 1	1	1	2	3	5	23
2. MULTIPLE DX										
A. Not Operated	34	1.9	2	1	1	2	2	3	4	7
B. Operated	125	2.6	3	1	1	2	3	5	6	9
1. SINGLE DX	143	1.9	8	< 1	1	1	2	3	4	12
2. MULTIPLE DX	159	2.4	3	1	1	2	3	5	6	8
A. Not Operated	83	1.6	1	1	1	1	2	2	3	6
B. Operated	219	2.4	7	1	1	2	3	5	6	10
TOTAL										
0-19 YRS	39	2.0	2	1	1	2	2	4	5	6
20-34	240	2.2	6	1	1	2	2	4	5	8
35-49	23	2.1	4	1	1	1	2	4	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**302**	**2.2**	**6**	**1**	**1**	**2**	**2**	**4**	**5**	**9**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.3	5	2	2	3	4	5	9	11
20-34	95	3.6	8	1	2	3	5	8	9	12
35-49	14	3.5	14	1	2	3	4	6	14	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	2.6	7	1	2	2	2	5	11	11
20-34	117	2.9	5	1	2	2	3	7	9	11
35-49	16	3.2	6	1	2	3	4	7	9	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.6	6	1	2	3	6	8	8	9
20-34	83	3.6	7	1	2	3	4	7	9	13
35-49	17	5.6	17	2	2	3	9	12	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	2.8	4	1	2	2	3	5	5	11
20-34	148	4.0	16	1	2	2	5	10	13	16
35-49	21	4.1	6	2	2	3	7	8	8	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	3.6	8	1	2	3	4	8	9	13
B. Operated	160	2.9	6	1	2	2	3	6	9	11
2. MULTIPLE DX										
A. Not Operated	121	3.9	8	1	2	3	5	8	10	13
B. Operated	199	3.8	13	1	2	2	4	9	12	16
1. SINGLE DX	287	3.2	7	1	2	2	4	7	9	12
2. MULTIPLE DX	320	3.9	11	1	2	3	4	8	11	15
A. Not Operated	248	3.7	8	1	2	3	4	8	9	13
B. Operated	359	3.4	10	1	2	2	4	8	11	15
TOTAL										
0-19 YRS	96	3.0	5	1	2	2	3	6	9	11
20-34	443	3.6	10	1	2	2	4	8	10	14
35-49	68	4.1	11	1	2	3	5	9	12	15
50-64	0									
65 +	0									
GRAND TOTAL	**607**	**3.5**	**9**	**1**	**2**	**2**	**4**	**8**	**10**	**14**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	700	3.3	3	2	2	3	4	6	7	9
20-34	357	3.8	5	2	2	3	5	6	8	10
35-49	306	4.2	7	2	3	4	5	7	8	12
50-64	206	4.9	10	2	3	4	6	8	10	17
65 +	154	5.6	24	2	3	5	7	9	12	22
B. Operated										
0-19 YRS	251	4.2	11	1	2	3	5	8	9	13
20-34	173	5.1	15	2	3	4	6	9	13	22
35-49	143	4.7	13	1	2	4	6	9	12	20
50-64	80	4.8	15	1	2	4	6	11	13	18
65 +	47	7.6	51	2	3	5	8	16	28	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	989	4.1	8	2	3	3	5	7	10	15
20-34	803	4.9	13	2	3	4	6	9	12	20
35-49	1136	6.1	21	2	4	5	7	11	13	21
50-64	1415	6.6	17	3	4	6	8	11	15	21
65 +	2590	7.6	23	3	4	6	9	14	17	26
B. Operated										
0-19 YRS	360	6.3	33	2	3	5	8	11	16	25
20-34	531	8.0	51	2	4	6	10	16	22	39
35-49	682	10.0	90	3	4	7	12	20	30	57
50-64	763	11.4	86	4	5	9	14	23	31	47
65 +	1105	12.0	88	4	6	9	15	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1723	4.0	7	2	2	3	5	7	8	12
B. Operated	694	4.8	16	1	2	4	6	9	12	24
2. MULTIPLE DX										
A. Not Operated	6933	6.3	20	2	3	5	8	11	15	23
B. Operated	3441	10.3	80	3	5	8	13	21	27	48
1. SINGLE DX	2417	4.2	10	2	2	3	5	7	9	16
2. MULTIPLE DX	10374	7.6	43	3	4	6	9	15	19	35
A. Not Operated	8656	5.9	18	2	3	5	7	11	14	22
B. Operated	4135	9.3	73	2	4	7	12	19	25	45
TOTAL										
0-19 YRS	2300	4.2	11	2	2	3	5	7	10	17
20-34	1864	5.6	25	2	3	4	7	10	14	26
35-49	2267	6.9	44	2	3	5	8	13	18	38
50-64	2464	7.9	43	3	4	6	9	15	20	36
65 +	3896	8.8	46	3	5	7	11	16	21	35
GRAND TOTAL	**12791**	**7.0**	**39**	**2**	**3**	**5**	**8**	**13**	**18**	**33**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	3.5	4	1	2	3	4	6	7	11
20-34	64	3.3	3	2	2	3	4	6	6	10
35-49	31	3.5	3	2	2	3	5	6	7	9
50-64	12	3.8	4	2	2	4	5	7	8	8
65 +	22	3.6	7	< 1	< 1	3	5	7	9	11
B. Operated										
0-19 YRS	98	3.9	6	1	2	4	5	7	9	13
20-34	42	3.3	6	1	1	3	5	6	7	12
35-49	34	3.3	4	< 1	1	3	5	6	7	8
50-64	15	6.0	44	< 1	1	4	7	18	22	23
65 +	12	5.2	49	< 1	1	3	6	13	24	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	341	3.9	6	2	2	3	5	7	9	13
20-34	127	4.6	15	2	2	4	5	8	11	27
35-49	111	5.8	12	2	3	5	7	10	12	18
50-64	133	6.6	18	3	4	6	8	11	14	26
65 +	198	6.7	13	3	5	6	9	12	13	16
B. Operated										
0-19 YRS	165	5.9	20	2	3	5	7	11	14	22
20-34	128	6.2	36	1	2	5	7	13	16	34
35-49	136	7.6	43	2	3	6	9	15	21	35
50-64	133	9.2	78	2	4	7	11	18	24	57
65 +	170	11.5	148	3	4	8	15	23	38	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	316	3.5	4	1	2	3	4	6	7	11
B. Operated	201	3.9	11	1	2	3	5	7	9	20
2. MULTIPLE DX										
A. Not Operated	910	5.2	13	2	3	4	7	10	12	17
B. Operated	732	8.2	72	2	3	6	10	17	23	45
1. SINGLE DX	517	3.6	7	1	2	3	5	7	8	12
2. MULTIPLE DX	1642	6.6	41	2	3	5	8	12	17	33
A. Not Operated	1226	4.8	11	2	3	4	6	9	11	15
B. Operated	933	7.3	62	2	3	5	8	15	21	43
TOTAL										
0-19 YRS	791	4.2	9	1	2	3	5	7	10	15
20-34	361	4.8	21	1	2	4	6	9	13	26
35-49	312	6.1	27	2	3	5	7	11	15	29
50-64	293	7.6	48	2	4	6	9	15	20	29
65 +	402	8.6	78	2	4	7	10	17	22	52
GRAND TOTAL	**2159**	**5.9**	**35**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

354 Hospitals, North Central Region, January-December 1988

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.7	4	< 1	2	5	5	6	6	6
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	215	1.8	3	1	1	1	2	3	5	8
20-34	301	1.8	2	1	1	1	2	4	4	6
35-49	48	1.7	2	< 1	1	1	2	3	4	8
50-64	13	1.8	1	< 1	1	2	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.1	7	1	2	3	3	7	10	10
20-34	5	3.0	12	< 1	< 1	2	4	9	9	9
35-49	4	2.5		2	2	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	34	5.0	11	1	1	2	3	6	13	14
20-34	68	3.1	54	1	1	2	3	4	6	52
35-49	28	4.1	48	1	1	2	4	7	10	38
50-64	15	2.8	5	< 1	1	2	4	7	8	8
65 +	8	7.4	119	1	2	4	6	26	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.2	3	1	2	3	5	5	6	6
B. Operated	578	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	20	3.1	6	< 1	2	2	3	7	9	10
B. Operated	153	3.4	42	1	1	2	3	5	8	38
1. SINGLE DX	591	1.8	2	1	1	1	2	3	5	7
2. MULTIPLE DX	173	3.4	38	1	1	2	3	6	9	37
A. Not Operated	33	3.2	5	1	2	3	4	6	9	10
B. Operated	731	2.1	11	1	1	1	2	4	5	11
TOTAL										
0-19 YRS	265	2.0	4	1	1	1	2	4	5	13
20-34	377	2.1	11	1	1	1	2	4	5	9
35-49	83	2.6	18	1	1	2	3	4	6	28
50-64	29	2.4	4	< 1	1	2	3	6	7	8
65 +	10	6.3	98	1	2	3	5	20	34	34
GRAND TOTAL	**764**	**2.2**	**10**	**1**	**1**	**1**	**2**	**4**	**5**	**11**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	33	1.4		< 1	< 1	1	2	2	2	4
20-34	34	1.2	1	< 1	< 1	< 1	1	1	3	5
35-49	46	1.1		< 1	< 1	< 1	< 1	1	2	3
50-64	39	1.3	1	< 1	< 1	< 1	< 1	2	4	4
65 +	27	1.0		< 1	< 1	< 1	< 1	< 1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	8	3.5	19	1	1	1	6	11	11	11
20-34	13	2.3	4	< 1	< 1	1	3	6	7	7
35-49	28	2.6	5	< 1	< 1	2	4	5	8	10
50-64	23	3.9	50	< 1	< 1	1	5	6	17	35
65 +	21	3.1	6	< 1	< 1	3	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated	179	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	7	2.9	1	1	2	3	4	4	4	4
B. Operated	93	3.1	17	< 1	< 1	2	4	6	9	25
1. SINGLE DX	184	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	100	3.1	16	< 1	< 1	2	4	6	8	23
A. Not Operated	12	2.2	1	< 1	< 1	2	3	4	4	4
B. Operated	272	1.8	7	< 1	< 1	< 1	1	4	6	10
TOTAL										
0-19 YRS	46	1.8	4	< 1	< 1	1	2	2	5	11
20-34	47	1.5	2	< 1	< 1	< 1	1	3	5	7
35-49	75	1.7	3	< 1	< 1	< 1	2	4	5	9
50-64	65	2.2	19	< 1	< 1	< 1	1	4	6	31
65 +	51	2.0	4	< 1	< 1	< 1	2	5	6	9
GRAND TOTAL	**284**	**1.8**	**7**	**< 1**	**< 1**	**< 1**	**2**	**4**	**5**	**10**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	8	7.0	15	2	6	7	8	13	15	15
35-49	5	7.8	26	1	3	10	11	13	13	13
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	12	9.3	201	1	2	5	9	26	48	52
B. Operated										
0-19 YRS	20	10.4	134	1	2	5	15	31	36	39
20-34	25	7.2	35	< 1	2	6	11	15	20	22
35-49	43	7.8	62	2	3	6	9	15	23	41
50-64	34	6.8	50	1	2	5	8	15	20	36
65 +	38	9.4	126	1	2	6	12	24	35	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	10.1	86	2	4	7	13	24	32	40
20-34	83	9.3	71	2	4	6	12	23	28	37
35-49	115	9.8	107	3	4	7	11	21	25	56
50-64	160	9.7	65	3	5	7	12	18	24	46
65 +	674	11.2	123	4	5	8	13	21	28	65
B. Operated										
0-19 YRS	80	17.3	218	2	6	14	25	36	47	72
20-34	247	20.7	307	4	8	15	30	45	61	99 +
35-49	296	20.2	298	5	8	15	27	44	60	96
50-64	383	18.3	279	3	7	13	24	42	56	93
65 +	1184	17.1	174	4	8	14	23	36	47	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	7.3	86	1	2	6	8	14	15	52
B. Operated	160	8.2	79	1	3	6	10	17	27	41
2. MULTIPLE DX										
A. Not Operated	1067	10.6	108	3	5	8	13	20	27	53
B. Operated	2190	18.2	227	4	8	14	24	40	51	94
1. SINGLE DX	191	8.0	80	1	3	6	9	16	25	48
2. MULTIPLE DX	3257	15.7	201	4	6	11	21	34	46	88
A. Not Operated	1098	10.5	107	3	5	8	12	20	27	53
B. Operated	2350	17.5	224	4	7	13	24	38	50	92
TOTAL										
0-19 YRS	139	14.1	180	2	4	9	20	33	40	59
20-34	363	16.9	259	3	6	11	25	40	52	86
35-49	459	16.3	253	3	6	11	21	41	52	86
50-64	579	15.2	225	3	6	11	19	33	48	89
65 +	1908	14.8	164	4	7	11	19	30	41	86
GRAND TOTAL	**3448**	**15.3**	**197**	**3**	**6**	**11**	**20**	**34**	**45**	**87**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	272	4.7	31	1	2	2	5	12	18	27
20-34	90	6.3	40	1	2	3	8	17	21	23
35-49	84	7.7	53	1	2	6	11	18	22	36
50-64	55	9.3	63	2	3	5	19	21	23	24
65 +	37	8.9	50	1	3	8	14	21	21	25
B. Operated										
0-19 YRS	142	3.3	17	< 1	1	2	4	8	12	21
20-34	150	2.7	7	< 1	1	2	3	5	8	15
35-49	146	2.6	9	< 1	1	2	3	5	7	17
50-64	118	1.7	4	< 1	< 1	1	1	3	5	13
65 +	109	1.8	7	< 1	< 1	1	2	3	7	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	428	4.1	16	1	2	3	4	9	12	20
20-34	238	7.2	55	1	2	4	9	18	21	36
35-49	303	8.1	50	1	3	5	12	19	21	27
50-64	300	9.9	60	2	3	7	16	21	24	28
65 +	426	8.6	45	2	4	6	12	20	23	27
B. Operated										
0-19 YRS	215	4.6	31	1	1	3	6	10	14	29
20-34	173	5.8	68	1	2	3	6	12	19	42
35-49	269	6.5	59	1	2	3	8	18	23	35
50-64	246	5.7	49	1	1	3	7	16	21	33
65 +	246	9.4	91	1	2	7	14	23	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	538	6.2	43	1	2	3	8	17	21	26
B. Operated	665	2.5	9	< 1	< 1	1	3	5	8	17
2. MULTIPLE DX										
A. Not Operated	1695	7.4	47	1	3	5	10	19	21	27
B. Operated	1149	6.5	62	1	1	3	8	17	23	37
1. SINGLE DX	1203	4.1	28	< 1	1	2	4	11	17	24
2. MULTIPLE DX	2844	7.0	53	1	2	4	9	18	22	33
A. Not Operated	2233	7.1	46	1	2	4	10	19	21	27
B. Operated	1814	5.0	47	< 1	1	2	6	13	19	34
TOTAL										
0-19 YRS	1057	4.2	23	1	1	3	5	9	15	25
20-34	651	5.7	48	1	2	3	7	14	20	33
35-49	802	6.5	50	1	2	4	9	17	21	33
50-64	719	7.1	56	1	1	4	10	20	22	28
65 +	818	8.0	60	1	2	5	12	20	24	34
GRAND TOTAL	**4047**	**6.2**	**48**	**1**	**2**	**3**	**8**	**17**	**21**	**29**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.7	6	1	1	2	4	7	9	11
20-34	29	3.2	43	1	1	2	3	4	6	37
35-49	27	3.0	3	1	2	2	4	6	7	7
50-64	10	3.1	5	1	2	3	4	7	9	9
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	22	3.4	11	1	1	2	4	9	11	13
20-34	11	5.4	86	1	2	3	3	17	32	33
35-49	11	3.4	13	< 1	1	1	5	10	11	11
50-64	6	5.7	27	1	2	4	8	14	15	15
65 +	3	10.7	25	6	7	10	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	4.8	33	1	2	3	6	11	14	32
20-34	184	5.1	20	2	2	4	7	9	14	24
35-49	152	6.7	34	2	3	5	8	13	19	33
50-64	81	7.6	32	2	4	6	9	16	20	27
65 +	96	8.4	36	2	4	6	11	18	22	27
B. Operated										
0-19 YRS	42	10.7	107	1	4	8	12	23	38	45
20-34	83	10.8	134	2	3	7	13	26	39	88
35-49	83	12.6	157	3	6	9	17	25	31	97
50-64	58	13.7	187	4	7	10	17	22	27	94
65 +	59	13.1	205	4	6	9	15	25	34	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	2.9	13	1	1	2	3	6	8	16
B. Operated	53	4.5	30	1	1	3	6	10	15	32
2. MULTIPLE DX										
A. Not Operated	622	6.3	31	2	2	5	8	13	18	29
B. Operated	325	12.2	158	2	5	9	15	25	34	93
1. SINGLE DX	182	3.4	19	1	1	2	4	7	10	28
2. MULTIPLE DX	947	8.3	83	2	3	6	10	18	23	45
A. Not Operated	751	5.7	30	1	2	4	7	12	16	28
B. Operated	378	11.1	147	2	4	8	14	24	33	89
TOTAL										
0-19 YRS	235	5.2	44	1	1	3	7	11	16	41
20-34	307	6.4	62	2	2	4	7	14	24	43
35-49	273	8.0	78	2	3	6	10	18	23	51
50-64	155	9.5	99	3	4	7	12	20	23	40
65 +	159	10.2	103	3	5	7	13	20	24	68
GRAND TOTAL	**1129**	**7.5**	**76**	**1**	**2**	**5**	**9**	**16**	**22**	**43**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	4.1	9	1	2	3	6	8	9	17
20-34	13	4.3	21	2	2	3	4	8	17	19
35-49	31	5.5	16	2	2	5	8	10	15	17
50-64	28	3.9	4	2	3	3	5	6	8	11
65 +	23	6.0	9	3	4	5	8	9	12	16
B. Operated										
0-19 YRS	18	4.4	21	1	1	2	6	12	15	16
20-34	38	5.7	11	2	3	5	8	11	12	12
35-49	92	5.0	14	1	2	4	7	10	12	18
50-64	166	6.0	18	2	3	4	9	12	15	18
65 +	157	7.3	18	2	4	7	10	13	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	6.2	43	1	2	4	8	12	15	41
20-34	28	6.0	16	2	3	6	8	10	15	20
35-49	82	6.6	26	2	4	5	8	12	18	27
50-64	165	6.0	13	2	3	6	8	10	13	20
65 +	286	6.9	33	3	4	5	8	12	15	25
B. Operated										
0-19 YRS	30	9.9	328	1	2	4	8	22	55	87
20-34	35	6.5	17	1	3	7	10	12	13	16
35-49	145	6.2	28	1	3	5	8	12	13	28
50-64	416	7.6	54	2	3	6	10	14	21	47
65 +	474	9.1	47	2	4	8	12	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	4.6	11	2	2	4	6	8	11	18
B. Operated	471	6.1	18	2	3	5	9	12	14	18
2. MULTIPLE DX										
A. Not Operated	639	6.5	27	2	3	5	8	12	14	25
B. Operated	1100	8.1	54	2	3	7	10	15	21	38
1. SINGLE DX	628	5.7	16	2	3	4	8	11	14	18
2. MULTIPLE DX	1739	7.5	45	2	3	6	10	13	18	37
A. Not Operated	796	6.1	25	2	3	5	8	11	14	24
B. Operated	1571	7.5	44	2	3	6	10	14	17	35
TOTAL										
0-19 YRS	188	5.9	77	1	2	3	7	11	15	51
20-34	114	5.9	15	2	3	5	8	11	13	19
35-49	350	5.9	23	1	3	5	8	11	13	25
50-64	775	6.8	36	2	3	5	9	12	16	33
65 +	940	8.1	38	2	4	7	10	14	18	31
GRAND TOTAL	**2367**	**7.0**	**38**	**2**	**3**	**6**	**9**	**13**	**16**	**30**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	5	5.2	9	< 1	3	5	8	8	8	8
50-64	9	5.2	18	< 1	< 1	3	9	11	11	11
65 +	36	5.7	24	< 1	2	4	9	12	16	21
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	37	5.2	8	1	3	5	7	10	10	11
35-49	243	6.0	10	2	4	6	8	10	12	14
50-64	1251	8.5	10	4	7	9	10	12	14	18
65 +	2128	9.9	9	7	8	9	11	14	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.0	10	< 1	1	3	6	8	8	8
35-49	14	4.9	41	< 1	1	3	5	9	22	26
50-64	80	3.7	14	1	1	2	5	8	12	19
65 +	353	4.6	16	1	1	3	6	10	13	18
B. Operated										
0-19 YRS	12	7.5	27	2	3	7	10	16	17	17
20-34	65	5.9	15	1	2	5	8	11	13	15
35-49	265	7.6	19	2	4	8	10	12	14	21
50-64	2096	9.6	20	5	7	9	11	14	16	25
65 +	6423	11.2	22	7	9	10	13	16	19	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	5.5	20	< 1	2	4	8	11	13	21
B. Operated	3660	9.1	11	5	7	9	11	13	15	18
2. MULTIPLE DX										
A. Not Operated	451	4.4	17	1	1	3	6	9	13	19
B. Operated	8861	10.7	22	7	8	10	12	15	18	28
1. SINGLE DX	3714	9.1	11	5	7	9	11	13	15	18
2. MULTIPLE DX	9312	10.4	24	6	8	10	12	15	18	27
A. Not Operated	505	4.5	17	1	1	3	6	10	13	20
B. Operated	12521	10.2	19	6	8	10	12	15	17	25
TOTAL										
0-19 YRS	14	6.9	26	2	3	6	10	16	17	17
20-34	109	5.6	12	1	3	5	8	11	12	14
35-49	527	6.8	16	2	4	7	9	11	12	17
50-64	3436	9.0	17	4	7	9	11	13	15	22
65 +	8940	10.6	21	7	8	10	12	15	17	26
GRAND TOTAL	**13026**	**10.0**	**21**	**5**	**8**	**10**	**12**	**15**	**17**	**25**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17- 715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	5	4.8	8	2	3	4	7	9	9	9
B. Operated										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	34	2.1	1	1	1	2	3	4	4	4
35-49	109	2.4	4	1	1	2	3	5	7	9
50-64	147	3.4	7	1	2	2	4	8	9	13
65 +	119	5.2	13	1	2	5	8	10	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	18	4.1	12	1	2	3	5	9	11	13
50-64	30	4.4	5	< 1	3	5	6	7	8	8
65 +	135	5.4	11	2	3	5	7	10	12	29
B. Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	35	2.7	4	1	1	2	3	5	7	8
35-49	123	3.2	7	1	1	2	4	7	9	13
50-64	239	4.3	12	1	2	3	6	9	11	20
65 +	317	6.5	22	2	3	5	9	13	16	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.9	6	2	3	4	7	9	9	9
B. Operated	414	3.5	9	1	1	2	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	184	5.1	10	2	3	5	7	10	11	16
B. Operated	718	5.0	17	1	2	3	7	11	14	19
1. SINGLE DX	421	3.5	9	1	1	2	5	8	9	14
2. MULTIPLE DX	902	5.0	16	1	2	4	7	10	13	19
A. Not Operated	191	5.1	10	2	3	4	7	10	11	16
B. Operated	1132	4.5	14	1	2	3	6	10	12	18
TOTAL										
0-19 YRS	10	2.9	8	1	1	2	4	7	10	10
20-34	70	2.5	3	1	1	2	3	5	7	8
35-49	250	2.9	6	1	1	2	4	6	8	12
50-64	417	4.0	10	1	2	3	5	8	9	16
65 +	576	6.0	17	1	3	5	8	12	15	19
GRAND TOTAL	**1323**	**4.6**	**14**	**1**	**2**	**3**	**6**	**10**	**12**	**18**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	5.5	16	1	3	5	7	10	12	22
20-34	28	5.1	11	2	3	4	7	8	11	17
35-49	24	3.9	7	2	2	3	5	8	10	10
50-64	18	3.9	9	< 1	2	3	5	9	11	12
65 +	43	3.7	31	< 1	< 1	< 1	5	9	13	31
B. Operated										
0-19 YRS	77	9.9	40	3	5	9	14	18	23	30
20-34	89	4.2	11	1	2	3	6	8	10	18
35-49	121	4.9	19	1	2	4	7	9	11	27
50-64	115	5.4	23	1	2	4	8	12	14	24
65 +	99	7.9	15	2	5	8	11	13	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	113	7.4	24	2	4	6	11	14	15	21
20-34	59	5.7	13	2	3	5	8	10	12	18
35-49	79	7.4	34	2	4	6	9	16	22	26
50-64	89	8.6	53	2	4	6	11	17	22	39
65 +	209	8.3	55	2	4	6	11	15	23	37
B. Operated										
0-19 YRS	130	14.5	87	5	8	13	19	27	32	45
20-34	149	10.1	204	1	3	5	10	22	38	79
35-49	181	8.4	75	2	3	6	10	16	25	48
50-64	224	10.6	113	2	4	8	13	22	36	56
65 +	383	13.4	112	3	7	11	16	27	34	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	213	4.7	17	< 1	2	3	6	10	12	21
B. Operated	501	6.3	25	1	2	5	9	12	15	25
2. MULTIPLE DX										
A. Not Operated	549	7.7	41	2	4	6	10	15	20	32
B. Operated	1067	11.6	120	2	4	9	14	24	32	59
1. SINGLE DX	714	5.8	23	1	2	4	8	12	14	25
2. MULTIPLE DX	1616	10.3	96	2	4	8	13	21	29	54
A. Not Operated	762	6.9	36	2	3	5	9	14	19	29
B. Operated	1568	9.9	96	2	3	8	12	20	28	53
TOTAL										
0-19 YRS	420	9.6	57	2	4	8	13	20	25	35
20-34	325	7.3	106	1	3	4	8	14	22	66
35-49	405	6.9	49	2	3	5	9	15	20	33
50-64	446	8.6	79	2	3	6	11	17	24	49
65 +	734	10.6	87	2	4	9	13	20	29	50
GRAND TOTAL	**2330**	**8.9**	**78**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	181	2.5	2	< 1	1	2	3	4	5	7
20-34	357	2.6	2	< 1	1	3	4	5	5	7
35-49	136	2.1	2	< 1	< 1	1	3	4	5	6
50-64	50	1.5	1	< 1	< 1	< 1	1	3	4	4
65 +	24	1.6	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	6	2.8	3	< 1	< 1	3	4	5	5	5
50-64	5	3.4	11	1	1	1	6	8	8	8
65 +	5	3.8	15	1	1	2	6	10	10	10
B. Operated										
0-19 YRS	215	2.7	2	1	2	2	3	4	5	7
20-34	488	2.7	3	< 1	1	2	3	4	5	10
35-49	262	2.3	3	< 1	1	2	3	4	6	8
50-64	162	2.1	3	< 1	< 1	1	3	4	5	9
65 +	80	2.7	7	< 1	< 1	2	3	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.9	4	< 1	1	2	4	6	7	7
B. Operated	748	2.4	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	23	2.9	6	< 1	1	2	4	6	9	10
B. Operated	1207	2.5	3	< 1	1	2	3	4	6	9
1. SINGLE DX	756	2.4	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	1230	2.5	3	< 1	1	2	3	4	6	9
A. Not Operated	31	2.9	6	< 1	1	2	4	6	8	10
B. Operated	1955	2.5	3	< 1	1	2	3	4	5	8
TOTAL										
0-19 YRS	398	2.6	2	< 1	1	2	3	4	5	7
20-34	852	2.6	3	< 1	1	2	3	4	5	8
35-49	406	2.2	3	< 1	< 1	2	3	4	5	8
50-64	219	2.0	2	< 1	< 1	1	3	4	5	8
65 +	111	2.5	6	< 1	< 1	2	3	5	7	14
GRAND TOTAL	**1986**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**8**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	3.1	6	1	2	3	4	5	6	15
20-34	17	3.9	13	1	2	2	4	11	12	12
35-49	26	1.7	1	1	1	2	2	3	3	3
50-64	30	2.3	2	1	1	2	3	5	5	5
65 +	35	2.9	14	< 1	1	1	3	9	12	18
B. Operated										
0-19 YRS	624	2.3	3	1	1	2	3	4	4	8
20-34	904	2.3	2	1	1	2	3	4	4	7
35-49	305	2.4	3	1	1	2	3	4	5	8
50-64	105	2.5	3	< 1	1	2	3	4	6	8
65 +	55	4.2	19	1	2	3	5	8	11	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139	4.1	31	1	1	2	5	8	10	36
20-34	51	3.0	12	< 1	1	2	4	6	8	22
35-49	74	5.2	31	1	1	3	7	12	17	25
50-64	96	4.9	25	1	2	3	6	11	18	24
65 +	250	4.9	20	1	2	4	6	10	12	24
B. Operated										
0-19 YRS	600	3.9	25	1	2	3	4	7	10	31
20-34	526	2.8	5	1	2	2	3	5	7	13
35-49	328	3.3	12	1	2	2	4	6	9	14
50-64	193	5.1	47	1	2	3	6	10	15	29
65 +	214	6.1	32	1	2	4	8	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	200	2.8	7	1	1	2	3	5	8	15
B. Operated	1993	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	610	4.6	24	1	2	3	6	10	13	25
B. Operated	1861	3.9	21	1	2	3	4	8	10	23
1. SINGLE DX	2193	2.4	3	1	1	2	3	4	5	9
2. MULTIPLE DX	2471	4.1	22	1	2	3	5	8	11	24
A. Not Operated	810	4.2	20	1	2	3	5	9	12	24
B. Operated	3854	3.1	12	1	1	2	3	6	8	17
TOTAL										
0-19 YRS	1455	3.2	16	1	2	2	3	5	8	20
20-34	1498	2.5	3	1	1	2	3	4	6	10
35-49	733	3.1	11	1	1	2	3	6	8	18
50-64	424	4.2	29	1	2	3	5	8	12	22
65 +	554	5.2	25	1	2	4	7	11	13	26
GRAND TOTAL	**4664**	**3.3**	**14**	**1**	**2**	**2**	**4**	**6**	**9**	**18**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	5	8.0	28	2	4	8	11	16	16	16
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	12	5.7	16	1	2	6	8	10	13	14
50-64	3	3.7	8	2	2	2	6	7	7	7
65 +	5	16.0	259	2	4	11	25	42	42	42
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	8.3	12	5	5	8	10	14	14	14
35-49	5	12.2	76	4	8	10	15	27	27	27
50-64	5	12.0	180	1	2	9	19	34	34	34
65 +	5	15.0	152	1	7	13	22	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	9	1	2	5	6	7	7	7
B. Operated	9	7.2	16	3	5	7	8	13	16	16
2. MULTIPLE DX										
A. Not Operated	23	8.7	100	1	2	7	9	22	35	42
B. Operated	22	11.3	90	2	5	9	14	29	34	34
1. SINGLE DX	12	6.5	15	2	4	6	8	11	15	16
2. MULTIPLE DX	45	10.0	95	1	3	7	12	27	34	42
A. Not Operated	26	8.2	91	1	2	6	8	19	33	42
B. Operated	31	10.1	71	2	5	9	12	22	33	34
TOTAL										
0-19 YRS	2	16.5	421	2	2	16	31	31	31	31
20-34	11	6.6	12	3	4	7	9	12	14	14
35-49	22	7.7	35	1	4	7	9	15	20	27
50-64	10	8.4	97	1	2	6	9	24	34	34
65 +	12	14.0	162	2	5	10	19	36	41	42
GRAND TOTAL	**57**	**9.2**	**79**	**1**	**4**	**7**	**10**	**20**	**33**	**41**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	13	2.6	6	< 1	1	1	4	6	8	9
35-49	37	4.2	14	1	1	3	6	9	10	19
50-64	41	3.9	9	1	1	4	6	9	9	11
65 +	34	3.7	5	1	2	3	5	7	8	9
B. Operated										
0-19 YRS	2	10.0	162	1	1	10	19	19	19	19
20-34	64	3.9	9	1	1	3	5	7	8	16
35-49	249	3.4	8	1	1	3	5	7	9	13
50-64	314	3.9	10	1	1	3	5	8	9	16
65 +	153	4.5	17	1	1	4	7	8	10	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	12.0	67	3	6	14	18	19	19	19
20-34	13	5.2	12	1	2	5	8	10	11	11
35-49	85	4.8	7	2	3	4	7	9	10	12
50-64	213	5.5	19	2	3	4	7	11	13	21
65 +	616	6.1	17	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	55	5.2	13	1	2	5	7	9	12	19
35-49	321	5.0	21	1	2	4	7	10	12	23
50-64	596	6.0	37	1	2	5	8	11	15	35
65 +	703	9.3	79	1	4	7	12	19	26	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	3.8	9	1	1	3	6	8	9	13
B. Operated	782	3.9	11	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	930	5.8	17	2	3	5	8	11	13	20
B. Operated	1678	7.1	54	1	3	5	9	14	20	38
1. SINGLE DX	909	3.9	11	1	1	3	5	8	9	16
2. MULTIPLE DX	2608	6.7	41	1	3	5	9	13	17	32
A. Not Operated	1057	5.6	17	2	3	5	7	10	13	20
B. Operated	2460	6.1	43	1	2	5	8	12	17	32
TOTAL										
0-19 YRS	10	8.3	44	2	3	6	14	19	19	19
20-34	145	4.4	11	1	1	4	7	8	10	17
35-49	692	4.4	15	1	2	4	6	9	11	17
50-64	1164	5.3	26	1	2	4	7	10	13	25
65 +	1506	7.4	49	1	3	6	9	15	20	34
GRAND TOTAL	**3517**	**6.0**	**35**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.3	7	1	1	4	6	8	10	10
20-34	336	4.3	8	1	2	4	6	8	10	12
35-49	562	4.8	11	1	2	4	6	9	11	16
50-64	264	4.9	16	1	2	4	6	9	13	21
65 +	67	5.4	10	1	3	5	7	10	11	15
B. Operated										
0-19 YRS	120	3.5	4	1	2	3	5	6	8	10
20-34	2753	4.2	9	1	2	4	5	8	10	15
35-49	4251	4.4	10	1	2	4	6	8	10	15
50-64	1629	4.5	10	1	2	4	6	8	10	16
65 +	377	5.6	17	1	3	5	7	11	13	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.9	34	1	2	4	6	15	21	21
20-34	236	5.4	13	1	3	5	7	10	11	17
35-49	627	6.2	18	2	4	5	8	11	13	22
50-64	563	6.3	16	2	4	5	8	11	14	19
65 +	482	7.2	20	3	4	6	9	12	16	23
B. Operated										
0-19 YRS	23	5.0	27	2	3	4	5	6	14	28
20-34	910	6.2	19	2	3	6	8	11	14	22
35-49	2132	6.4	28	2	4	5	8	12	15	25
50-64	1789	6.8	25	2	4	6	9	13	17	26
65 +	1163	9.2	57	2	5	8	12	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1243	4.8	11	1	2	4	6	9	11	16
B. Operated	9130	4.4	10	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	1918	6.4	18	2	4	6	8	11	14	21
B. Operated	6017	7.0	32	2	4	6	9	13	17	28
1. SINGLE DX	10373	4.5	10	1	2	4	6	8	10	16
2. MULTIPLE DX	7935	6.9	29	2	4	6	9	13	16	27
A. Not Operated	3161	5.7	16	1	3	5	7	10	13	19
B. Operated	15147	5.5	20	1	3	4	7	10	13	22
TOTAL										
0-19 YRS	167	3.9	10	1	2	4	5	6	8	19
20-34	4235	4.7	12	1	2	4	6	9	11	17
35-49	7572	5.2	16	1	3	4	7	10	12	19
50-64	4245	5.8	19	1	3	5	7	11	14	22
65 +	2089	8.0	42	2	4	7	10	15	19	32
GRAND TOTAL	**18308**	**5.5**	**20**	**1**	**3**	**5**	**7**	**10**	**13**	**22**

354 Hospitals, North Central Region, January-December 1988

321: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.3	44	1	1	2	10	13	13	13
20-34	42	3.9	9	1	2	3	5	8	10	14
35-49	78	3.7	10	1	1	3	5	9	11	14
50-64	35	4.3	13	1	1	3	6	11	12	14
65 +	5	3.2	4	1	2	3	4	6	6	6
B. Operated										
0-19 YRS	0									
20-34	279	3.7	7	1	2	3	5	7	8	16
35-49	851	3.7	7	1	2	3	5	7	8	13
50-64	315	3.9	7	1	2	3	5	7	9	13
65 +	46	4.3	6	1	2	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	16	1	2	4	8	9	9	9
20-34	25	4.8	12	1	2	4	7	9	13	13
35-49	95	5.4	22	1	3	4	7	11	13	25
50-64	83	5.5	21	1	2	4	7	11	13	26
65 +	66	5.2	10	2	3	5	7	9	11	16
B. Operated										
0-19 YRS	2	30.0	1152	6	6	30	54	54	54	54
20-34	118	4.9	9	1	3	4	6	9	11	14
35-49	544	5.0	15	1	3	4	6	10	12	17
50-64	434	5.2	16	1	3	4	7	10	13	22
65 +	146	7.4	49	1	4	6	9	14	19	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	163	3.9	11	1	1	3	5	8	12	14
B. Operated	1491	3.8	7	1	2	3	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	272	5.3	17	1	3	4	7	10	13	24
B. Operated	1244	5.4	21	1	3	4	7	10	13	21
1. SINGLE DX	1654	3.8	8	1	2	3	5	7	9	14
2. MULTIPLE DX	1516	5.4	21	1	3	4	7	10	13	21
A. Not Operated	435	4.8	15	1	2	4	7	10	12	17
B. Operated	2735	4.5	14	1	2	4	6	8	11	18
TOTAL										
0-19 YRS	8	11.3	316	1	2	5	11	42	54	54
20-34	464	4.1	8	1	2	3	5	8	9	15
35-49	1568	4.3	12	1	2	4	5	8	10	16
50-64	867	4.7	14	1	2	4	6	9	11	18
65 +	263	6.2	33	1	3	5	8	12	15	27
GRAND TOTAL	**3170**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	20	4.5	4	2	3	4	6	7	8	9
35-49	17	4.5	6	1	3	4	6	8	9	9
50-64	12	4.0	9	2	2	3	4	8	12	13
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	2	9.5	145	1	1	9	18	18	18	18
20-34	35	3.0	13	< 1	1	1	4	7	11	16
35-49	49	3.6	10	1	1	2	6	7	9	14
50-64	16	4.2	11	1	1	3	7	8	11	12
65 +	3	3.7	21	1	1	1	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.0	7	4	5	8	9	9	9	9
20-34	21	7.2	18	3	4	6	9	15	16	17
35-49	48	4.6	9	2	3	4	6	8	8	20
50-64	40	6.7	57	2	3	5	8	11	12	49
65 +	36	6.7	65	2	4	5	7	12	15	49
B. Operated										
0-19 YRS	0									
20-34	32	6.1	33	1	1	4	9	16	18	21
35-49	53	6.1	27	1	1	5	9	13	16	24
50-64	30	4.9	13	1	1	5	8	9	10	13
65 +	9	10.6	44	4	6	8	15	21	24	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	4.4	6	2	3	4	6	8	9	13
B. Operated	105	3.6	13	1	1	2	6	7	12	17
2. MULTIPLE DX										
A. Not Operated	148	6.1	37	2	3	5	7	10	13	49
B. Operated	124	6.1	28	1	1	5	9	13	17	24
1. SINGLE DX	158	3.9	11	1	1	3	6	8	10	16
2. MULTIPLE DX	272	6.1	33	1	3	5	8	11	16	24
A. Not Operated	201	5.7	29	2	3	4	7	9	12	34
B. Operated	229	5.0	23	1	1	4	7	11	15	22
TOTAL										
0-19 YRS	7	7.4	30	2	4	8	9	16	18	18
20-34	108	5.0	21	1	1	4	7	11	16	19
35-49	167	4.8	16	1	2	4	7	9	13	22
50-64	98	5.4	31	1	2	4	8	9	12	32
65 +	50	7.1	58	2	4	5	8	13	17	49
GRAND TOTAL	**430**	**5.3**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	3.7	5	1	2	3	5	7	8	8
35-49	44	5.1	11	1	2	5	7	10	10	17
50-64	25	5.6	13	2	3	4	7	11	13	15
65 +	16	5.0	13	2	3	4	5	9	15	17
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	34	3.4	25	1	1	1	4	7	12	27
35-49	36	2.4	4	1	1	2	3	5	8	9
50-64	27	4.0	14	1	1	3	5	11	12	14
65 +	11	3.9	11	1	1	3	7	8	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	22	6.0	11	3	4	5	7	10	14	15
35-49	55	6.3	23	2	3	5	8	12	17	24
50-64	61	6.4	13	3	3	6	9	11	14	17
65 +	93	6.7	13	3	4	6	9	11	13	20
B. Operated										
0-19 YRS	0									
20-34	19	4.6	18	1	1	3	7	12	14	14
35-49	27	8.7	66	1	3	6	12	22	26	30
50-64	35	6.0	19	1	2	6	8	12	14	19
65 +	21	5.7	19	1	3	5	7	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	4.8	10	1	3	4	6	9	10	17
B. Operated	109	3.2	14	1	1	2	4	8	10	19
2. MULTIPLE DX										
A. Not Operated	234	6.4	15	3	4	6	8	11	13	21
B. Operated	102	6.4	33	1	2	5	9	13	19	27
1. SINGLE DX	222	4.0	13	1	1	3	6	8	10	17
2. MULTIPLE DX	336	6.4	20	2	3	6	9	12	15	23
A. Not Operated	347	5.9	14	2	3	5	8	11	13	19
B. Operated	211	4.8	25	1	1	3	6	11	14	26
TOTAL										
0-19 YRS	5	4.2	6	2	2	4	6	8	8	8
20-34	102	4.3	16	1	1	3	6	8	13	21
35-49	162	5.5	26	1	2	4	7	11	18	25
50-64	148	5.7	15	1	3	5	8	11	14	17
65 +	141	6.1	15	2	4	5	8	11	13	19
GRAND TOTAL	**558**	**5.5**	**19**	**1**	**2**	**4**	**7**	**11**	**13**	**21**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.6	4	1	1	2	4	5	6	10
20-34	333	3.7	9	1	1	3	5	8	9	14
35-49	572	3.9	14	1	1	3	5	8	11	20
50-64	294	3.3	8	1	1	2	5	7	8	13
65 +	138	3.1	9	< 1	1	2	4	7	8	15
B. Operated										
0-19 YRS	36	2.1	4	1	1	1	3	4	6	10
20-34	465	2.7	8	1	1	1	4	6	8	14
35-49	849	3.0	8	1	1	2	4	7	9	14
50-64	683	3.5	9	1	1	3	5	7	9	13
65 +	531	5.8	18	1	2	5	8	11	14	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	3.1	10	1	1	2	3	7	10	17
20-34	463	5.8	40	1	2	4	8	11	17	25
35-49	863	5.7	24	1	2	5	7	10	14	25
50-64	798	5.6	19	1	3	5	7	11	14	25
65 +	986	6.5	32	2	3	5	8	12	15	28
B. Operated										
0-19 YRS	28	3.6	10	1	1	2	5	9	11	11
20-34	387	4.5	29	1	1	3	6	9	12	26
35-49	875	5.1	31	1	1	4	7	11	15	23
50-64	1130	6.1	24	1	2	5	8	12	15	24
65 +	1706	9.0	48	2	5	8	11	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1395	3.6	11	1	1	3	5	8	9	16
B. Operated	2564	3.6	11	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	3199	5.8	28	1	3	5	7	11	15	25
B. Operated	4126	6.9	39	1	2	6	9	14	18	30
1. SINGLE DX	3959	3.6	11	1	1	2	5	8	10	16
2. MULTIPLE DX	7325	6.5	34	1	2	5	8	13	17	28
A. Not Operated	4594	5.2	24	1	2	4	7	10	13	25
B. Operated	6690	5.7	31	1	1	4	8	12	16	27
TOTAL										
0-19 YRS	211	2.8	7	1	1	2	3	6	9	13
20-34	1648	4.2	23	1	1	3	5	9	11	25
35-49	3159	4.5	21	1	1	3	6	9	13	24
50-64	2905	5.1	19	1	2	4	7	10	13	22
65 +	3361	7.5	40	1	3	6	10	14	18	31
GRAND TOTAL	**11284**	**5.5**	**28**	**1**	**2**	**4**	**7**	**11**	**15**	**25**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	2.9	4	1	2	2	4	6	7	9
20-34	39	3.5	4	1	2	3	5	6	7	8
35-49	43	2.6	5	1	1	2	3	6	7	10
50-64	39	3.4	3	2	2	3	4	6	7	10
65 +	12	4.8	10	2	2	3	8	9	10	10
B. Operated										
0-19 YRS	83	2.3	6	< 1	1	1	3	5	7	14
20-34	279	2.2	3	< 1	1	2	2	4	6	8
35-49	508	2.0	2	< 1	1	2	2	3	4	9
50-64	337	2.1	2	< 1	1	2	3	4	5	8
65 +	102	2.1	3	< 1	< 1	2	2	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	3.0	8	1	1	2	4	6	7	17
20-34	63	4.0	13	1	2	4	5	6	8	26
35-49	88	4.7	12	1	2	4	6	10	11	18
50-64	111	4.5	11	1	2	4	6	9	12	15
65 +	152	5.1	13	2	2	4	7	10	12	17
B. Operated										
0-19 YRS	66	3.7	10	1	1	3	5	9	10	13
20-34	242	3.5	14	1	1	2	4	8	10	20
35-49	493	2.7	9	1	1	2	3	5	8	17
50-64	548	3.1	11	1	1	2	3	6	8	17
65 +	259	4.7	27	1	2	3	6	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	3.1	4	1	2	3	4	6	7	10
B. Operated	1309	2.1	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	500	4.4	12	1	2	4	6	9	11	16
B. Operated	1608	3.3	14	1	1	2	4	7	9	19
1. SINGLE DX	1589	2.3	3	< 1	1	2	3	4	6	9
2. MULTIPLE DX	2108	3.6	14	1	1	2	4	7	10	19
A. Not Operated	780	3.9	9	1	2	3	5	8	10	15
B. Operated	2917	2.8	9	1	1	2	3	5	8	16
TOTAL										
0-19 YRS	382	2.9	6	1	1	2	4	6	8	13
20-34	623	2.9	9	1	1	2	4	6	8	16
35-49	1132	2.5	6	1	1	2	3	5	7	13
50-64	1035	2.9	8	1	1	2	3	6	8	15
65 +	525	4.3	19	1	2	3	5	9	11	20
GRAND TOTAL	**3697**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	97	2.0	1	1	1	2	2	3	4	7
20-34	156	1.9	1	1	1	2	2	3	4	5
35-49	244	2.0	1	1	1	2	2	3	4	5
50-64	225	1.9	1	1	1	2	2	3	4	5
65 +	105	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	1.0		< 1	< 1	< 1	1	1	1	1
50-64	7	3.1	13	< 1	1	1	4	10	11	11
65 +	3	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-19 YRS	148	2.0	1	1	1	2	3	4	4	5
20-34	267	2.4	32	1	1	2	3	4	4	8
35-49	485	2.2	2	1	1	2	3	4	5	7
50-64	863	2.3	2	1	1	2	3	4	5	7
65 +	700	2.5	3	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	827	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	15	2.2	7	< 1	< 1	1	3	4	9	11
B. Operated	2463	2.3	5	1	1	2	3	4	5	7
1. SINGLE DX	829	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	2478	2.3	5	1	1	2	3	4	5	7
A. Not Operated	17	2.1	6	< 1	< 1	1	2	4	9	11
B. Operated	3290	2.2	4	1	1	2	3	4	5	7
TOTAL										
0-19 YRS	245	2.0	1	1	1	2	2	4	4	5
20-34	426	2.2	20	1	1	2	3	4	4	8
35-49	733	2.1	1	1	1	2	3	4	4	6
50-64	1095	2.2	2	1	1	2	3	4	5	6
65 +	808	2.4	3	1	1	2	3	4	5	8
GRAND TOTAL	**3307**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	38	1.1		< 1	< 1	< 1	1	2	2	2
20-34	83	1.3		< 1	< 1	< 1	1	2	3	4
35-49	66	1.3		< 1	< 1	< 1	1	2	3	4
50-64	53	1.6	1	< 1	< 1	1	2	3	4	5
65 +	28	1.8	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	3.4	8	1	1	3	5	8	8	8
35-49	9	4.2	4	2	3	4	5	7	8	8
50-64	16	3.6	4	1	2	4	5	6	7	7
65 +	10	3.5	2	1	3	4	5	5	5	5
B. Operated										
0-19 YRS	8	1.8	2	1	1	1	2	4	5	5
20-34	11	1.6	1	< 1	1	1	2	3	4	4
35-49	29	4.1	38	< 1	1	2	5	10	14	32
50-64	43	4.1	33	1	1	2	4	8	16	31
65 +	65	3.1	4	1	2	3	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.0	12	< 1	1	2	3	9	11	11
B. Operated	268	1.4	1	< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	40	3.7	4	1	2	4	5	6	7	8
B. Operated	156	3.4	18	1	1	2	4	7	9	31
1. SINGLE DX	276	1.4	1	< 1	< 1	< 1	2	2	3	5
2. MULTIPLE DX	196	3.5	15	1	1	3	4	7	9	27
A. Not Operated	48	3.6	5	1	2	3	5	6	8	11
B. Operated	424	2.1	8	< 1	< 1	1	2	4	5	13
TOTAL										
0-19 YRS	49	1.3		< 1	< 1	< 1	1	2	2	5
20-34	100	1.4	1	< 1	< 1	< 1	2	2	3	6
35-49	105	2.3	13	< 1	< 1	1	2	5	6	22
50-64	114	2.8	15	< 1	1	2	3	5	7	26
65 +	104	2.9	4	< 1	1	2	4	5	7	10
GRAND TOTAL	**472**	**2.3**	**8**	**< 1**	**< 1**	**1**	**3**	**4**	**6**	**13**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	9.7	30	4	5	9	14	16	20	28
20-34	19	8.1	41	3	4	6	9	21	24	24
35-49	18	6.9	30	2	4	6	8	16	21	22
50-64	14	6.4	34	2	3	5	6	13	22	24
65 +	10	7.6	59	2	2	5	8	21	23	23
B. Operated										
0-19 YRS	88	12.7	173	2	5	9	17	26	30	79
20-34	33	9.0	85	1	3	6	11	23	29	42
35-49	55	8.2	46	2	3	6	11	17	22	33
50-64	41	8.8	59	2	3	7	12	19	24	38
65 +	32	8.7	92	2	3	7	9	14	38	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	12.7	72	4	7	10	16	24	32	40
20-34	61	11.0	120	3	5	7	13	27	41	50
35-49	91	11.5	90	3	5	8	15	23	32	44
50-64	133	11.6	82	3	6	9	15	22	29	45
65 +	190	14.3	128	4	7	12	17	28	42	58
B. Operated										
0-19 YRS	170	16.7	142	5	7	13	24	33	42	50
20-34	194	15.5	216	3	5	11	19	42	48	98
35-49	276	16.9	188	4	7	13	22	43	47	73
50-64	392	15.4	129	4	8	12	21	32	42	57
65 +	491	18.5	204	5	9	14	23	40	50	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	8.6	35	3	4	7	11	17	21	26
B. Operated	249	10.0	107	2	4	7	13	21	28	44
2. MULTIPLE DX										
A. Not Operated	560	12.6	103	4	6	10	16	25	34	50
B. Operated	1523	16.8	178	4	8	13	22	38	46	62
1. SINGLE DX	385	9.5	81	2	4	7	12	20	24	43
2. MULTIPLE DX	2083	15.7	161	4	7	12	21	34	44	60
A. Not Operated	696	11.8	92	3	6	9	15	23	32	49
B. Operated	1772	15.9	173	4	7	12	21	35	45	61
TOTAL										
0-19 YRS	418	13.8	121	4	6	10	19	29	34	47
20-34	307	13.4	179	3	5	9	17	37	44	76
35-49	440	14.3	155	3	6	10	19	33	45	58
50-64	580	13.9	117	3	6	11	19	28	39	55
65 +	723	16.8	184	4	8	13	21	37	47	61
GRAND TOTAL	**2468**	**14.7**	**154**	**4**	**6**	**11**	**19**	**32**	**43**	**59**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	5.4	20	1	2	4	7	11	14	23
20-34	53	2.7	3	1	1	2	3	6	6	8
35-49	74	2.4	2	1	1	2	3	4	5	8
50-64	62	2.8	5	1	1	2	3	6	9	10
65 +	70	5.5	22	1	3	4	7	9	12	31
B. Operated										
0-19 YRS	754	3.7	15	1	2	3	5	7	9	17
20-34	488	3.2	6	1	2	3	4	6	8	10
35-49	356	3.9	8	1	2	3	5	8	10	13
50-64	178	4.5	17	1	2	3	6	10	11	23
65 +	129	6.9	23	1	3	6	9	14	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	7.6	87	1	2	4	9	20	29	47
20-34	115	3.3	18	1	1	2	4	6	9	25
35-49	308	3.8	11	1	2	3	4	7	11	18
50-64	395	5.2	28	1	2	3	6	11	16	28
65 +	1772	7.4	29	3	4	6	9	13	16	26
B. Operated										
0-19 YRS	332	5.2	35	1	2	3	6	11	17	36
20-34	484	5.0	32	1	2	4	7	9	12	37
35-49	504	6.6	48	1	2	5	9	13	17	36
50-64	575	9.4	82	2	4	7	12	18	25	46
65 +	1123	11.7	71	4	7	10	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	3.9	14	1	2	3	5	8	10	18
B. Operated	1905	3.9	13	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	2690	6.5	30	2	3	5	8	13	16	27
B. Operated	3018	8.6	66	2	3	7	11	17	23	41
1. SINGLE DX	2263	3.9	13	1	2	3	5	8	10	16
2. MULTIPLE DX	5708	7.6	51	2	3	6	10	15	20	37
A. Not Operated	3048	6.2	29	2	3	5	8	12	15	27
B. Operated	4923	6.8	51	1	2	5	9	14	19	36
TOTAL										
0-19 YRS	1285	4.5	28	1	2	3	5	9	13	28
20-34	1140	4.0	19	1	2	3	5	8	10	22
35-49	1242	4.9	27	1	2	3	6	10	13	26
50-64	1210	6.9	56	1	2	5	9	15	20	36
65 +	3094	8.9	48	3	4	7	11	16	21	36
GRAND TOTAL	**7971**	**6.6**	**43**	**1**	**2**	**5**	**9**	**13**	**18**	**33**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	229	3.5	49	1	1	2	3	6	8	41
20-34	36	3.4	10	1	1	3	4	6	10	17
35-49	28	2.9	5	1	1	3	4	5	6	11
50-64	17	5.0	13	1	3	4	6	10	13	15
65 +	8	4.1	12	1	2	3	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	3.2	17	1	1	1	5	7	14	16
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	15.0	281	< 1	1	11	28	36	36	36
50-64	5	20.4	259	6	6	18	32	44	44	44
65 +	6	13.0	162	3	5	8	17	35	37	37
B. Operated										
0-19 YRS	330	3.6	41	1	2	3	4	6	8	39
20-34	74	3.9	8	1	2	3	5	8	9	14
35-49	79	3.4	8	1	1	3	4	6	8	17
50-64	81	4.3	17	2	2	3	5	8	11	26
65 +	57	6.7	43	2	3	5	9	13	14	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5		1	1	1	2	2	2	2
B. Operated	318	3.5	38	1	1	2	4	6	9	22
2. MULTIPLE DX										
A. Not Operated	32	9.2	142	1	1	4	12	30	37	44
B. Operated	621	4.0	31	1	2	3	4	7	10	23
1. SINGLE DX	322	3.5	37	1	1	2	4	6	8	22
2. MULTIPLE DX	653	4.3	37	1	2	3	4	8	11	36
A. Not Operated	36	8.3	132	1	1	3	8	27	37	44
B. Operated	939	3.9	33	1	2	3	4	7	10	21
TOTAL										
0-19 YRS	578	3.6	43	1	2	2	4	6	8	34
20-34	112	3.7	8	1	2	3	4	8	9	15
35-49	111	3.7	19	1	1	3	4	6	10	27
50-64	103	5.2	38	2	2	3	6	9	15	37
65 +	71	6.9	51	2	3	5	9	13	15	44
GRAND TOTAL	**975**	**4.0**	**37**	**1**	**2**	**3**	**4**	**7**	**10**	**34**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	2.1	2	1	1	1	3	4	5	7
20-34	97	2.8	4	1	1	2	4	5	7	11
35-49	109	3.6	13	1	1	2	4	8	9	23
50-64	83	3.0	9	1	1	2	4	6	8	16
65 +	38	3.8	12	1	1	3	5	8	9	18
B. Operated										
0-19 YRS	396	5.6	14	1	2	6	8	10	11	18
20-34	245	3.8	14	1	1	2	5	8	10	15
35-49	289	3.0	8	1	1	2	4	7	9	15
50-64	292	2.8	9	1	1	2	3	6	9	17
65 +	142	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	3.3	16	1	1	2	4	7	9	24
20-34	191	4.0	13	1	2	3	5	8	9	21
35-49	363	4.8	17	1	2	3	6	10	12	24
50-64	349	4.7	16	1	2	3	6	10	13	19
65 +	478	5.3	17	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	693	6.0	51	1	1	3	8	13	20	40
20-34	374	5.1	46	1	1	3	7	11	18	34
35-49	465	5.3	40	1	1	3	7	10	18	30
50-64	500	5.5	36	1	2	3	8	11	18	35
65 +	476	6.9	56	1	2	4	9	16	21	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	407	3.0	8	1	1	2	4	6	8	16
B. Operated	1364	3.8	12	1	1	2	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	1526	4.7	17	1	2	3	6	9	12	23
B. Operated	2508	5.8	47	1	1	3	8	13	19	33
1. SINGLE DX	1771	3.6	11	1	1	2	5	8	9	16
2. MULTIPLE DX	4034	5.4	36	1	2	3	7	11	17	29
A. Not Operated	1933	4.3	15	1	2	3	5	9	12	22
B. Operated	3872	5.1	35	1	1	3	7	11	16	29
TOTAL										
0-19 YRS	1314	5.3	34	1	1	3	8	11	16	27
20-34	907	4.3	27	1	1	3	5	9	12	25
35-49	1226	4.5	24	1	1	3	6	9	12	24
50-64	1224	4.5	23	1	2	3	6	10	13	24
65 +	1134	5.6	34	1	2	4	7	12	17	28
GRAND TOTAL	**5805**	**4.8**	**29**	**1**	**1**	**3**	**7**	**10**	**14**	**25**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	4.3	14	1	2	3	5	11	12	12
35-49	9	5.7	5	3	4	5	7	9	9	9
50-64	3	6.3	24	3	3	4	10	12	12	12
65 +	4	5.8	48	1	2	3	10	16	16	16
B. Operated										
0-19 YRS	0									
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.2	3	2	3	4	5	7	7	7
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	28	5.2	14	2	3	4	7	12	13	16
B. Operated	9	2.8	1	1	2	3	4	4	4	4
1. SINGLE DX	7	3.4	4	1	2	4	4	6	7	7
2. MULTIPLE DX	37	4.6	12	1	3	3	5	11	12	16
A. Not Operated	33	5.1	13	2	3	4	7	11	12	16
B. Operated	11	2.5	1	1	1	3	4	4	4	4
TOTAL										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	17	4.0	10	1	2	3	4	10	12	12
35-49	14	4.6	5	2	3	4	7	8	9	9
50-64	7	4.4	12	1	3	4	4	10	12	12
65 +	4	5.8	48	1	2	3	10	16	16	16
GRAND TOTAL	**44**	**4.4**	**11**	**1**	**2**	**4**	**5**	**9**	**12**	**16**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.7	3	< 1	1	2	4	4	6	7
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	121	5.2	13	2	3	4	6	9	12	19
20-34	9	13.7	625	2	4	5	8	52	80	80
35-49	9	5.9	21	1	1	5	9	12	14	14
50-64	4	8.5	6	6	6	8	10	11	11	11
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	4.4	15	1	1	3	7	9	11	19
20-34	7	6.7	31	1	3	5	8	16	18	18
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	11.0		11	11	11	11	11	11	11
65 +	3	3.3	16	1	1	1	6	8	8	8
B. Operated										
0-19 YRS	275	10.9	181	2	4	7	13	34	76	99 +
20-34	17	9.8	154	4	5	7	10	83	99 +	99 +
35-49	18	10.7	86	4	6	8	11	24	34	40
50-64	12	11.3	34	4	7	11	15	19	21	21
65 +	7	9.3	30	4	5	9	11	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.8	3	< 1	1	3	4	5	6	7
B. Operated	144	5.9	52	2	3	5	7	10	13	24
2. MULTIPLE DX										
A. Not Operated	114	4.5	16	1	1	3	7	9	11	20
B. Operated	329	10.9	165	2	4	7	13	32	72	99 +
1. SINGLE DX	160	5.6	48	1	2	5	7	10	12	21
2. MULTIPLE DX	443	9.2	134	1	3	6	11	23	45	99 +
A. Not Operated	130	4.3	15	1	1	3	7	9	11	19
B. Operated	473	9.3	136	2	4	6	10	22	45	99 +
TOTAL										
0-19 YRS	513	8.0	113	1	3	5	9	20	36	99 +
20-34	33	10.2	245	3	5	7	9	57	95	99 +
35-49	28	8.9	67	1	5	7	10	19	26	40
50-64	17	10.6	26	5	7	11	13	18	20	21
65 +	12	7.1	27	1	4	6	9	14	19	20
GRAND TOTAL	**603**	**8.2**	**114**	**1**	**3**	**6**	**9**	**20**	**37**	**99 +**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.9	4	< 1	< 1	< 1	2	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	263	1.6	2	1	1	1	2	3	4	7
20-34	48	1.5	1	1	1	1	2	2	3	4
35-49	29	1.6	1	1	1	1	2	3	3	7
50-64	21	1.7	2	< 1	< 1	1	2	4	5	7
65 +	7	2.0	3	< 1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.5	7	< 1	1	1	3	6	8	12
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	169	2.7	17	1	1	1	3	6	8	20
20-34	20	2.1	4	1	1	1	2	6	7	7
35-49	26	1.8	2	1	1	1	2	4	5	5
50-64	7	1.4		1	1	1	2	2	2	2
65 +	5	1.2		< 1	< 1	1	1	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.0	3	< 1	< 1	1	3	6	6	6
B. Operated	368	1.6	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	26	2.5	7	< 1	1	1	3	6	7	12
B. Operated	227	2.4	13	1	1	1	2	6	7	13
1. SINGLE DX	383	1.6	2	1	1	1	2	3	4	7
2. MULTIPLE DX	253	2.5	12	1	1	1	2	6	7	12
A. Not Operated	41	2.3	5	< 1	< 1	1	3	6	6	12
B. Operated	595	1.9	6	1	1	1	2	4	6	10
TOTAL										
0-19 YRS	467	2.1	8	1	1	1	2	4	6	10
20-34	70	1.6	2	1	1	1	2	3	4	7
35-49	56	1.7	1	1	1	1	2	3	5	7
50-64	29	1.6	2	< 1	< 1	1	2	3	4	7
65 +	14	2.0	3	< 1	1	1	2	5	6	6
GRAND TOTAL	**636**	**2.0**	**6**	**1**	**1**	**1**	**2**	**4**	**6**	**10**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.1	5	< 1	1	2	2	3	4	14
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	1054	4.3	17	1	2	4	6	8	9	17
20-34	79	3.7	9	1	1	2	6	8	9	12
35-49	24	4.3	19	1	1	3	7	8	12	20
50-64	24	4.8	18	1	1	3	8	11	12	14
65 +	9	5.7	21	1	2	6	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	397	4.1	49	< 1	1	2	5	8	12	41
20-34	35	2.8	11	< 1	1	2	3	6	12	16
35-49	20	3.9	10	1	1	3	5	9	10	11
50-64	21	4.1	10	< 1	2	3	6	9	11	12
65 +	20	4.6	19	1	2	3	5	11	16	18
B. Operated										
0-19 YRS	2830	7.9	100	1	2	6	9	17	28	68
20-34	133	7.6	86	1	2	6	9	18	23	57
35-49	79	8.4	86	1	2	7	10	18	24	55
50-64	66	9.6	165	1	1	8	11	16	22	85
65 +	41	7.6	33	1	2	9	12	15	17	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.0	4	< 1	1	2	2	3	4	14
B. Operated	1190	4.3	16	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	493	4.0	42	< 1	1	2	4	8	12	37
B. Operated	3149	7.9	99	1	2	6	9	17	27	67
1. SINGLE DX	1232	4.2	16	1	2	4	6	8	10	16
2. MULTIPLE DX	3642	7.4	93	1	2	5	9	16	25	64
A. Not Operated	535	3.8	39	< 1	1	2	4	8	12	36
B. Operated	4339	6.9	79	1	2	5	8	14	23	59
TOTAL										
0-19 YRS	4315	6.6	77	1	2	5	8	14	23	59
20-34	250	5.6	54	1	1	3	7	12	18	39
35-49	126	6.8	63	1	2	5	8	14	21	42
50-64	113	7.4	108	1	1	6	10	13	18	66
65 +	70	6.5	29	1	2	4	10	14	15	22
GRAND TOTAL	**4874**	**6.6**	**76**	**1**	**2**	**5**	**8**	**14**	**22**	**57**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	669	2.3	2	1	1	2	3	4	5	7
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.5	7	< 1	1	1	3	6	10	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	784	2.7	8	1	1	2	3	5	6	10
20-34	15	1.7	1	1	1	1	2	3	4	4
35-49	5	1.6	2	1	1	1	2	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	677	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	32	2.5	7	< 1	1	1	3	6	10	11
B. Operated	804	2.7	8	1	1	2	3	5	6	10
1. SINGLE DX	679	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	836	2.7	8	1	1	2	3	5	6	10
A. Not Operated	34	2.6	7	< 1	1	1	3	6	9	11
B. Operated	1481	2.5	5	1	1	2	3	5	6	9
TOTAL										
0-19 YRS	1487	2.5	6	1	1	2	3	5	6	9
20-34	21	1.7	1	1	1	1	2	3	4	4
35-49	7	1.4	1	1	1	1	1	3	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**1515**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.7	1	1	1	2	2	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	688	2.9	2	2	2	3	4	4	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.2	16	< 1	1	2	3	8	13	18
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	257	4.8	25	2	3	4	5	8	10	39
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.7	1	1	1	2	2	3	3	3
B. Operated	688	2.9	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	21	3.2	16	< 1	1	2	3	8	13	18
B. Operated	257	4.8	25	2	3	4	5	8	10	39
1. SINGLE DX	703	2.9	2	2	2	3	4	4	5	7
2. MULTIPLE DX	278	4.7	24	2	3	3	5	8	10	38
A. Not Operated	36	2.6	10	1	1	2	3	6	8	18
B. Operated	945	3.5	9	2	2	3	4	5	6	16
TOTAL										
0-19 YRS	981	3.4	9	2	2	3	4	5	7	17
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**981**	**3.4**	**9**	**2**	**2**	**3**	**4**	**5**	**7**	**17**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	2.9	14	1	1	2	3	5	7	25
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	4.5	25	< 1	< 1	4	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	436	5.8	31	1	2	5	8	11	15	25
20-34	17	4.6	7	1	2	5	6	8	9	10
35-49	10	3.9	2	2	3	4	5	6	7	7
50-64	9	4.7	8	< 1	2	5	7	8	8	8
65 +	7	3.0	5	< 1	1	2	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	201	4.7	46	1	2	3	5	8	16	37
20-34	2	2.0	2	< 1	< 1	1	3	3	3	3
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	7	9.7	41	2	4	10	15	19	19	19
65 +	16	5.3	14	< 1	2	5	7	11	12	12
B. Operated										
0-19 YRS	756	9.6	147	1	3	6	11	22	38	99 +
20-34	53	7.0	41	1	4	5	8	13	24	31
35-49	38	6.3	35	1	3	6	7	10	16	35
50-64	36	5.9	27	1	2	5	8	12	18	23
65 +	38	9.2	144	1	2	6	12	18	27	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	3.0	14	1	1	2	4	6	7	25
B. Operated	479	5.7	29	1	2	5	8	11	14	24
2. MULTIPLE DX										
A. Not Operated	231	4.8	43	1	2	3	5	10	16	32
B. Operated	921	9.2	133	1	3	6	11	21	34	99 +
1. SINGLE DX	564	5.3	27	1	2	4	7	10	14	24
2. MULTIPLE DX	1152	8.3	118	1	2	5	10	19	29	98
A. Not Operated	316	4.3	36	1	2	3	4	8	13	29
B. Cperated	1400	8.0	100	1	3	5	9	17	26	89
TOTAL										
0-19 YRS	1475	7.5	97	1	2	5	8	17	25	85
20-34	72	6.3	33	1	3	5	7	11	19	30
35-49	54	5.4	28	1	2	5	6	9	14	34
50-64	54	6.1	26	1	2	5	8	12	19	23
65 +	61	7.5	98	< 1	2	5	11	15	20	64
GRAND TOTAL	**1716**	**7.3**	**90**	**1**	**2**	**5**	**8**	**16**	**23**	**78**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	214	1.3		1	1	1	1	2	2	5
20-34	11	1.1		< 1	1	1	1	2	2	2
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	191	1.7	3	1	1	1	2	3	5	8
20-34	14	1.5	1	1	1	1	2	3	3	3
35-49	5	2.4	4	1	1	2	3	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	229	1.2		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	5	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	212	1.7	2	1	1	1	2	3	5	8
1. SINGLE DX	231	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX	217	1.7	2	1	1	1	2	3	5	8
A. Not Operated	7	1.4	1	< 1	< 1	1	1	3	4	4
B. Operated	441	1.5	1	1	1	1	1	2	4	6
TOTAL										
0-19 YRS	412	1.5	1	1	1	1	1	2	4	7
20-34	25	1.3		1	1	1	2	2	3	3
35-49	8	1.9	3	< 1	1	1	2	5	6	6
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	0									
GRAND TOTAL	**448**	**1.5**	**1**	**1**	**1**	**1**	**1**	**2**	**4**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.0	3	< 1	1	1	2	5	7	8
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated										
0-19 YRS	636	2.8	8	1	1	2	3	6	8	12
20-34	68	3.6	6	1	2	3	5	7	9	11
35-49	22	3.3	8	1	1	3	4	7	10	13
50-64	8	1.6	1	1	1	1	2	4	4	4
65 +	6	2.5	3	< 1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	3.3	11	< 1	1	2	5	7	10	16
20-34	11	3.7	4	1	3	4	5	6	8	8
35-49	11	3.6	19	1	1	2	4	11	15	15
50-64	9	5.3	11	1	3	5	9	10	10	10
65 +	5	4.0	9	1	1	5	6	8	8	8
B. Operated										
0-19 YRS	544	5.5	38	1	2	4	7	10	15	38
20-34	88	4.3	8	1	3	4	5	8	10	16
35-49	75	6.1	23	2	3	5	8	11	15	27
50-64	40	7.3	30	2	4	6	8	14	19	28
65 +	34	7.0	28	1	4	6	8	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.0	3	< 1	1	1	3	4	6	8
B. Operated	740	2.9	7	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	102	3.6	11	< 1	1	3	5	8	10	15
B. Operated	781	5.6	33	1	2	4	7	10	15	32
1. SINGLE DX	772	2.8	7	1	1	2	4	6	8	12
2. MULTIPLE DX	883	5.3	31	1	2	4	7	10	14	31
A. Not Operated	134	3.2	9	< 1	1	2	4	8	9	15
B. Operated	1521	4.3	22	1	1	3	5	9	11	27
TOTAL										
0-19 YRS	1268	4.0	23	1	1	2	5	8	11	27
20-34	172	3.9	7	1	2	4	5	7	9	12
35-49	110	5.2	21	1	2	4	7	10	14	24
50-64	58	6.1	26	1	3	5	7	12	16	28
65 +	47	5.9	25	1	3	5	7	12	14	29
GRAND TOTAL	**1655**	**4.2**	**21**	**1**	**1**	**3**	**5**	**9**	**11**	**27**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	3	< 1	1	2	4	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	594	2.4	4	1	1	2	3	4	5	10
20-34	9	2.8	1	1	2	3	3	5	5	5
35-49	6	1.3		< 1	1	1	2	2	2	2
50-64	4	1.5	1	< 1	< 1	1	2	3	3	3
65 +	2	5.5	41	< 1	< 1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	1.2		< 1	< 1	1	1	2	3	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	305	2.9	5	1	2	3	3	5	6	11
20-34	38	2.3	1	1	1	2	3	4	4	5
35-49	28	2.2	1	1	1	2	3	4	4	4
50-64	28	2.7	4	1	1	2	3	4	7	10
65 +	12	3.7	7	1	2	3	5	7	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.6	3	< 1	1	2	4	5	5	5
B. Operated	615	2.4	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	20	1.2		< 1	< 1	1	1	2	3	4
B. Operated	411	2.8	4	1	2	2	3	5	6	10
1. SINGLE DX	624	2.4	4	1	1	2	3	4	5	10
2. MULTIPLE DX	431	2.7	4	1	1	2	3	5	6	10
A. Not Operated	29	1.6	2	< 1	< 1	1	2	4	4	5
B. Operated	1026	2.5	4	1	1	2	3	4	5	10
TOTAL										
0-19 YRS	928	2.5	4	1	1	2	3	4	5	11
20-34	47	2.4	1	1	2	2	3	4	4	5
35-49	34	2.0	1	1	1	2	2	4	4	4
50-64	32	2.6	4	1	1	2	3	4	7	10
65 +	14	3.9	9	1	1	3	5	10	10	10
GRAND TOTAL	**1055**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	2.8	15	1	1	1	3	6	10	24
20-34	16	4.2	10	< 1	2	3	6	10	11	11
35-49	9	5.2	14	1	2	4	7	11	13	13
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	1240	3.8	21	1	1	3	5	7	10	23
20-34	142	3.3	11	1	1	2	4	8	9	17
35-49	100	3.1	7	< 1	1	2	4	7	8	12
50-64	50	4.3	18	1	1	3	6	9	14	21
65 +	15	4.3	32	1	1	2	5	14	18	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	244	5.2	69	1	1	3	6	12	18	56
20-34	26	5.3	16	1	2	4	8	10	14	15
35-49	21	7.4	21	2	4	8	10	12	16	21
50-64	13	4.5	14	1	1	4	6	10	12	13
65 +	25	6.6	24	1	3	5	10	15	16	17
B. Operated										
0-19 YRS	852	7.0	110	1	2	4	8	16	32	99 +
20-34	123	5.6	16	1	2	5	8	10	13	21
35-49	145	6.5	42	1	2	6	9	13	15	30
50-64	114	6.8	37	1	3	6	9	13	16	34
65 +	71	7.7	35	1	2	7	12	15	21	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.1	15	< 1	1	2	4	7	10	24
B. Operated	1547	3.7	19	1	1	3	5	7	10	22
2. MULTIPLE DX										
A. Not Operated	329	5.4	56	1	1	3	7	12	16	45
B. Operated	1305	6.8	83	1	2	4	8	14	25	88
1. SINGLE DX	1699	3.7	19	1	1	2	5	7	10	22
2. MULTIPLE DX	1634	6.5	78	1	2	4	8	13	23	75
A. Not Operated	481	4.7	44	1	1	2	6	10	15	34
B. Operated	2852	5.1	51	1	1	3	6	10	16	53
TOTAL										
0-19 YRS	2461	5.0	59	1	1	3	5	9	16	65
20-34	307	4.4	14	1	1	3	7	9	11	18
35-49	275	5.3	30	1	1	4	8	11	13	25
50-64	178	5.9	31	1	2	5	8	11	16	24
65 +	112	7.0	33	1	2	6	11	15	19	23
GRAND TOTAL	**3333**	**5.1**	**50**	**1**	**1**	**3**	**6**	**10**	**16**	**49**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	10.2	48	3	5	10	13	16	24	36
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	42.0	2450	7	7	42	77	77	77	77
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	550	21.2	348	4	8	16	30	57	79	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	132	36.1	718	10	26	78	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	10.2	48	3	5	10	13	16	24	36
B. Operated	2	42.0	2450	7	7	42	77	77	77	77
2. MULTIPLE DX										
A. Not Operated	550	21.2	348	4	8	16	30	57	79	99 +
B. Operated	132	36.1	718	10	26	78	99 +	99 +	99 +	99 +
1. SINGLE DX	68	11.1	112	3	5	10	13	18	26	70
2. MULTIPLE DX	682	24.1	453	5	10	21	52	99 +	99 +	99 +
A. Not Operated	616	20.1	328	4	8	15	29	52	75	99 +
B. Operated	134	36.1	726	9	25	77	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	750	22.9	436	5	9	19	49	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**750**	**22.9**	**436**	**5**	**9**	**19**	**49**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1424	2.1	1	1	2	2	3	3	4	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	3.9	4	2	2	4	5	7	8	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	510	3.2	17	1	2	2	3	5	7	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	5.4	20	2	3	4	5	11	16	22
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1424	2.1	1	1	2	2	3	3	4	5
B. Operated	19	3.9	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	510	3.2	17	1	2	2	3	5	7	14
B. Operated	22	5.4	20	2	3	4	5	11	16	22
1. SINGLE DX	1443	2.1	1	1	2	2	3	3	4	5
2. MULTIPLE DX	532	3.3	17	1	2	2	3	5	7	17
A. Not Operated	1934	2.4	5	1	2	2	3	4	4	8
B. Operated	41	4.7	13	2	3	4	5	9	11	22
TOTAL										
0-19 YRS	1975	2.5	6	1	2	2	3	4	5	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**1975**	**2.5**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	319	3.3	5	1	2	3	4	6	8	13
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	3.2	8	1	1	3	4	5	10	15
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	991	9.1	129	2	3	5	11	19	33	81
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	245	22.4	514	4	9	17	69	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	3.3	5	1	2	3	4	6	8	13
B. Operated	34	3.0	8	1	1	2	3	5	9	15
2. MULTIPLE DX										
A. Not Operated	991	9.1	129	2	3	5	11	19	33	81
B. Operated	245	22.4	514	4	9	17	69	99 +	99 +	99 +
1. SINGLE DX	354	3.3	6	1	2	3	4	6	8	14
2. MULTIPLE DX	1236	11.7	233	2	4	7	14	44	99 +	99 +
A. Not Operated	1311	7.7	105	2	3	4	9	16	29	68
B. Operated	279	20.0	493	3	6	14	60	99 +	99 +	99 +
TOTAL										
0-19 YRS	1586	9.9	195	2	3	5	12	33	74	99 +
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
GRAND TOTAL	**1590**	**9.9**	**194**	**2**	**3**	[illegible]	[illegible]	**33**	**74**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1466	2.6	6	1	1	2	3	5	6	11
20-34	312	2.7	3	1	1	2	3	5	6	8
35-49	175	2.7	3	1	1	2	3	5	6	8
50-64	101	3.1	7	1	2	3	4	6	7	16
65 +	77	3.5	7	1	2	3	4	8	9	13
B. Operated										
0-19 YRS	21	6.4	212	1	2	3	4	9	36	69
20-34	6	3.3	4	1	2	3	5	6	6	6
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	5	3.8	4	2	3	3	5	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3177	3.0	8	1	2	2	4	5	7	14
20-34	616	3.7	10	1	2	3	4	7	9	15
35-49	755	4.2	13	1	2	3	5	8	11	18
50-64	778	4.8	18	2	2	4	6	9	12	20
65 +	1297	6.0	20	2	3	5	8	11	15	23
B. Operated										
0-19 YRS	111	8.5	145	2	2	6	10	18	27	88
20-34	66	6.0	55	1	2	3	7	13	22	39
35-49	72	10.6	155	2	4	6	11	30	36	68
50-64	76	11.1	176	2	4	7	12	24	40	73
65 +	133	12.6	97	4	6	11	17	26	31	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2131	2.6	6	1	1	2	3	5	6	11
B. Operated	36	5.1	124	1	2	3	4	7	10	69
2. MULTIPLE DX										
A. Not Operated	6623	4.0	14	1	2	3	5	8	11	18
B. Operated	458	10.1	129	2	3	7	13	22	31	78
1. SINGLE DX	2167	2.7	8	1	1	2	3	5	6	11
2. MULTIPLE DX	7081	4.4	23	1	2	3	5	9	12	23
A. Not Operated	8754	3.7	12	1	2	3	4	7	10	17
B. Operated	494	9.7	130	2	3	6	12	22	30	77
TOTAL										
0-19 YRS	4775	3.0	12	1	1	2	4	5	7	15
20-34	1000	3.5	11	1	2	3	4	6	9	16
35-49	1005	4.4	25	1	2	3	5	8	11	30
50-64	960	5.1	33	2	2	4	6	9	13	27
65 +	1508	6.5	30	2	3	5	8	13	17	28
GRAND TOTAL	**9248**	**4.0**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**22**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	630	2.7	1	1	2	3	3	4	5	7
20-34	32	4.0	5	1	2	4	6	7	8	8
35-49	32	3.8	7	1	2	3	5	7	10	11
50-64	23	3.3	5	1	2	3	4	7	8	9
65 +	26	4.3	4	2	3	4	6	7	7	8
B. Operated										
0-19 YRS	9	5.3	16	2	3	4	6	12	15	15
20-34	2	16.0	338	3	3	16	29	29	29	29
35-49	5	7.2	48	3	3	3	11	19	19	19
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1870	3.4	6	1	2	3	4	6	8	14
20-34	213	4.3	10	2	2	4	5	8	10	16
35-49	198	5.6	16	2	3	5	7	10	13	22
50-64	305	5.8	16	2	3	5	7	10	14	22
65 +	654	6.8	26	3	4	5	8	13	16	24
B. Operated										
0-19 YRS	88	9.4	148	2	3	5	11	21	29	74
20-34	37	11.5	86	3	5	8	16	23	27	46
35-49	53	11.1	57	4	6	8	14	21	27	38
50-64	65	12.2	188	3	6	9	13	19	32	88
65 +	122	14.2	123	5	7	11	16	30	36	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	743	2.8	2	1	2	3	3	5	6	8
B. Operated	19	6.5	51	2	3	4	7	17	24	29
2. MULTIPLE DX										
A. Not Operated	3240	4.5	14	2	2	3	5	9	11	19
B. Operated	365	12.0	129	3	5	9	14	23	32	63
1. SINGLE DX	762	2.9	4	1	2	3	3	5	6	9
2. MULTIPLE DX	3605	5.3	30	2	2	4	6	10	14	28
A. Not Operated	3983	4.2	12	2	2	3	5	8	10	18
B. Operated	384	11.7	127	3	5	8	14	23	32	63
TOTAL										
0-19 YRS	2597	3.4	11	1	2	3	4	5	8	15
20-34	284	5.3	27	2	2	4	6	9	14	28
35-49	288	6.4	28	2	3	5	8	12	18	31
50-64	394	6.7	50	2	3	5	8	12	17	30
65 +	804	7.8	47	3	4	6	9	15	21	37
GRAND TOTAL	**4367**	**4.9**	**27**	**2**	**2**	**3**	**5**	**9**	**13**	**26**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	2.3	2	1	1	2	3	4	5	7
20-34	129	2.6	4	1	1	2	3	5	6	9
35-49	87	3.2	7	1	2	2	4	7	10	14
50-64	28	3.0	5	1	2	2	4	6	7	11
65 +	6	2.2	1	< 1	1	2	3	4	4	4
B. Operated										
0-19 YRS	12	2.3	2	1	1	2	3	5	5	5
20-34	28	2.2	7	1	1	1	3	4	7	14
35-49	29	2.6	7	1	1	2	3	6	10	11
50-64	23	2.0	2	1	1	2	3	4	6	7
65 +	10	2.5	7	< 1	< 1	1	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	243	2.8	6	1	1	2	3	4	7	13
20-34	284	3.2	7	1	2	3	4	6	8	13
35-49	272	4.1	11	1	2	3	5	8	10	17
50-64	175	3.9	8	1	2	3	5	7	8	17
65 +	142	4.0	8	1	2	3	5	8	10	14
B. Operated										
0-19 YRS	22	3.1	5	1	1	3	4	6	8	9
20-34	33	5.1	16	1	2	5	7	11	14	17
35-49	50	4.2	18	1	2	3	5	9	13	21
50-64	45	5.3	20	1	2	4	7	11	13	22
65 +	37	6.5	21	1	3	5	10	14	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	326	2.7	4	1	1	2	3	5	7	12
B. Operated	102	2.3	5	1	1	2	3	4	7	12
2. MULTIPLE DX										
A. Not Operated	1116	3.5	8	1	2	3	4	7	9	14
B. Operated	187	4.9	18	1	2	3	7	11	14	20
1. SINGLE DX	428	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1303	3.7	10	1	2	3	5	8	10	17
A. Not Operated	1442	3.3	7	1	2	3	4	7	8	14
B. Operated	289	4.0	15	1	1	3	5	9	13	18
TOTAL										
0-19 YRS	353	2.7	5	1	1	2	3	5	7	12
20-34	474	3.1	7	1	1	2	4	6	8	14
35-49	438	3.8	11	1	2	3	5	8	10	17
50-64	271	3.9	10	1	2	3	5	7	9	18
65 +	195	4.4	11	1	2	3	5	9	12	16
GRAND TOTAL	**1731**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	15	2.1	1	< 1	1	2	3	4	4	4
35-49	32	2.7	2	1	1	2	4	5	5	5
50-64	35	2.8	3	1	1	2	4	5	6	6
65 +	54	2.9	3	1	1	3	4	5	6	9
B. Operated										
0-19 YRS	15	1.9	2	< 1	1	1	3	4	5	5
20-34	24	3.5	4	1	2	3	5	6	7	7
35-49	53	3.6	7	1	2	3	5	6	7	17
50-64	67	3.6	5	1	2	3	5	7	8	10
65 +	82	3.3	4	1	2	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.4	4	< 1	1	2	3	4	5	12
20-34	19	3.1	3	1	2	3	4	6	7	7
35-49	60	3.2	3	1	2	3	4	6	6	10
50-64	162	3.8	7	1	2	4	5	6	8	16
65 +	277	3.5	6	1	2	3	4	6	8	13
B. Operated										
0-19 YRS	19	2.5	6	< 1	1	1	3	6	8	10
20-34	30	4.6	14	1	2	4	6	9	12	18
35-49	70	4.2	8	2	2	4	5	8	10	15
50-64	156	4.5	8	2	3	4	6	7	10	14
65 +	316	4.7	10	2	3	4	6	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	2.7	3	1	1	2	4	5	6	7
B. Operated	241	3.4	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	561	3.5	6	1	2	3	4	6	8	13
B. Operated	591	4.5	10	1	2	4	6	8	10	17
1. SINGLE DX	384	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	1152	4.0	8	1	2	3	5	7	9	15
A. Not Operated	704	3.3	5	1	2	3	4	6	7	12
B. Operated	832	4.2	8	1	2	4	5	7	9	15
TOTAL										
0-19 YRS	84	2.3	4	< 1	1	2	3	4	5	11
20-34	88	3.5	7	1	2	3	5	7	7	16
35-49	215	3.6	6	1	2	3	5	6	8	14
50-64	420	3.9	7	1	2	4	5	7	8	14
65 +	729	4.0	8	1	2	3	5	7	9	15
GRAND TOTAL	**1536**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.5	6	1	1	3	5	6	9	11
20-34	12	2.7	6	< 1	1	2	3	6	9	10
35-49	9	2.4	1	1	2	3	3	4	4	4
50-64	11	2.5	2	1	1	2	3	5	5	5
65 +	7	3.1	10	< 1	< 1	3	3	9	10	10
B. Operated										
0-19 YRS	48	1.6	4	< 1	1	1	1	3	4	13
20-34	55	2.2	8	< 1	< 1	1	2	4	10	15
35-49	18	1.7	2	< 1	1	1	2	3	5	6
50-64	20	1.3	1	< 1	< 1	1	1	2	4	5
65 +	14	3.5	30	< 1	< 1	1	2	9	18	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	4.7	26	1	1	3	6	11	16	27
20-34	51	3.8	33	1	1	2	4	9	11	39
35-49	76	4.0	28	1	1	2	5	9	10	35
50-64	108	4.6	23	1	2	3	6	11	14	23
65 +	225	6.1	26	1	2	5	8	14	16	21
B. Operated										
0-19 YRS	47	9.6	153	1	2	6	11	25	31	60
20-34	22	4.6	25	< 1	1	3	7	11	17	20
35-49	37	4.2	17	1	1	2	6	11	13	15
50-64	63	9.9	167	1	2	6	13	24	49	95
65 +	97	12.9	121	2	5	10	17	29	35	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	3.0	5	1	1	2	4	6	9	11
B. Operated	155	2.0	7	< 1	< 1	1	2	4	7	15
2. MULTIPLE DX										
A. Not Operated	541	5.1	27	1	2	3	7	11	16	25
B. Operated	266	9.7	124	1	2	7	13	24	31	60
1. SINGLE DX	224	2.3	7	< 1	1	1	2	5	7	14
2. MULTIPLE DX	807	6.6	63	1	2	4	9	15	21	43
A. Not Operated	610	4.8	25	1	2	3	6	11	15	23
B. Operated	421	6.9	95	< 1	1	2	9	18	25	57
TOTAL										
0-19 YRS	206	4.9	54	1	1	2	6	11	16	40
20-34	140	3.2	20	< 1	1	2	4	8	11	22
35-49	140	3.6	21	1	1	2	5	9	11	18
50-64	202	5.8	73	1	1	3	7	14	20	60
65 +	343	7.8	63	1	2	5	11	17	24	41
GRAND TOTAL	**1031**	**5.7**	**54**	**1**	**1**	**3**	**7**	**13**	**19**	**42**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.5	6	1	3	5	6	7	7	7
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	7.0	72	< 1	< 1	6	13	13	13	13
65 +	3	9.7	42	3	5	10	14	16	16	16
B. Operated										
0-19 YRS	7	12.3	213	4	5	7	10	38	45	45
20-34	11	6.9	31	1	3	6	8	16	20	20
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	11	6.2	14	1	3	7	8	11	13	13
65 +	40	7.5	29	1	4	6	10	14	19	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	7.7	10	4	5	9	10	10	10	10
20-34	4	8.0	28	< 1	3	9	12	13	13	13
35-49	4	4.0	3	2	3	4	5	6	6	6
50-64	16	7.3	20	2	4	7	10	14	15	16
65 +	80	8.7	50	3	4	8	11	16	22	41
B. Operated										
0-19 YRS	12	7.5	56	1	2	5	10	18	26	27
20-34	34	10.7	88	2	4	8	14	22	41	99 +
35-49	72	15.6	159	3	7	11	21	35	43	54
50-64	209	16.1	180	4	7	12	21	33	42	66
65 +	665	16.1	147	5	8	13	21	32	38	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.5	25	< 1	3	5	10	14	16	16
B. Operated	71	7.6	44	1	4	7	9	13	20	40
2. MULTIPLE DX										
A. Not Operated	107	8.3	42	3	4	7	10	14	20	36
B. Operated	992	15.8	153	4	7	13	21	32	40	63
1. SINGLE DX	81	7.5	41	1	4	6	9	13	18	38
2. MULTIPLE DX	1099	15.1	147	4	7	12	20	31	39	62
A. Not Operated	117	8.1	40	2	4	7	10	14	19	34
B. Operated	1063	15.2	150	4	7	12	20	32	39	63
TOTAL										
0-19 YRS	26	8.3	84	1	4	6	10	14	31	45
20-34	49	9.6	72	2	4	7	13	20	40	99 +
35-49	79	14.6	155	3	6	11	20	33	43	53
50-64	238	15.0	170	3	7	11	19	32	39	64
65 +	788	14.9	139	4	7	12	19	29	37	59
GRAND TOTAL	**1180**	**14.5**	**144**	**4**	**7**	**11**	**19**	**30**	**38**	**61**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	2.1	3	< 1	1	2	3	4	6	8
20-34	484	2.0	2	1	1	2	2	4	4	7
35-49	1565	2.1	2	1	1	2	3	4	4	7
50-64	1052	2.1	2	1	1	2	3	4	5	6
65 +	354	2.5	4	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	67	1.9	2	< 1	1	1	2	4	4	8
35-49	449	1.9	2	1	1	1	2	4	5	8
50-64	552	1.8	2	1	1	1	2	4	5	8
65 +	179	2.0	3	1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	2.8	4	1	1	2	4	5	6	11
20-34	1109	2.6	3	1	1	2	3	5	6	9
35-49	4410	2.8	3	1	2	2	3	5	6	9
50-64	5000	3.0	4	1	2	3	4	5	6	10
65 +	4578	3.5	5	1	2	3	4	6	8	12
B. Operated										
0-19 YRS	9	4.7	5	2	3	4	7	8	8	8
20-34	117	4.0	9	1	2	3	6	7	9	15
35-49	914	3.4	10	1	1	3	4	7	9	16
50-64	1491	3.2	9	1	1	2	4	7	9	14
65 +	941	4.5	24	1	2	3	6	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3496	2.1	2	1	1	2	3	4	5	7
B. Operated	1251	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	15216	3.0	4	1	2	3	4	5	7	10
B. Operated	3472	3.7	13	1	1	3	5	7	10	16
1. SINGLE DX	4747	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	18688	3.1	6	1	2	3	4	6	7	12
A. Not Operated	18712	2.9	4	1	2	2	4	5	6	10
B. Operated	4723	3.2	11	1	1	2	4	7	9	15
TOTAL										
0-19 YRS	173	2.7	4	1	1	2	3	5	7	10
20-34	1777	2.5	3	1	1	2	3	5	6	9
35-49	7338	2.6	4	1	1	2	3	5	6	10
50-64	8095	2.8	5	1	1	2	4	5	7	10
65 +	6052	3.5	8	1	2	3	4	6	8	14
GRAND TOTAL	**23435**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	595	2.6	7	1	1	2	3	4	6	11
20-34	21	1.7	1	< 1	1	1	2	4	4	5
35-49	21	2.3	2	< 1	1	2	3	5	5	5
50-64	24	2.6	3	1	1	2	3	4	6	7
65 +	16	3.3	18	< 1	1	2	3	8	15	17
B. Operated										
0-19 YRS	47	2.7	5	1	1	2	4	5	7	10
20-34	11	2.0	1	< 1	< 1	2	3	4	4	4
35-49	23	2.3	2	< 1	1	2	3	4	5	5
50-64	42	2.7	8	< 1	1	1	3	6	9	14
65 +	22	1.7	1	< 1	< 1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1249	4.4	21	1	2	3	5	9	13	24
20-34	65	3.5	10	1	1	2	5	9	11	12
35-49	126	3.2	6	1	1	3	4	6	8	13
50-64	237	4.5	18	1	2	3	6	8	12	17
65 +	434	5.3	20	1	2	4	7	10	13	23
B. Operated										
0-19 YRS	162	11.1	249	1	1	5	16	31	59	99 +
20-34	34	4.2	9	1	2	3	6	9	11	12
35-49	74	4.0	19	1	2	3	5	8	10	28
50-64	162	5.8	30	1	2	4	7	12	19	25
65 +	211	7.4	47	2	3	5	10	17	23	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	677	2.6	6	1	1	2	3	4	6	12
B. Operated	145	2.4	5	< 1	1	1	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	2111	4.5	20	1	2	3	6	9	12	22
B. Operated	643	7.3	94	1	2	4	9	18	26	80
1. SINGLE DX	822	2.6	6	1	1	2	3	5	6	11
2. MULTIPLE DX	2754	5.2	38	1	2	3	6	11	15	33
A. Not Operated	2788	4.0	17	1	2	3	5	8	11	20
B. Operated	788	6.4	81	1	2	4	7	16	23	73
TOTAL										
0-19 YRS	2053	4.4	39	1	2	3	5	8	14	31
20-34	131	3.3	8	1	1	2	4	8	10	12
35-49	244	3.3	10	1	1	3	4	6	8	17
50-64	465	4.7	21	1	2	3	6	10	13	23
65 +	683	5.8	29	1	2	4	7	12	17	34
GRAND TOTAL	**3576**	**4.6**	**32**	**1**	**2**	**3**	**5**	**9**	**14**	**28**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	1.7	1	1	1	1	2	3	4	4
20-34	78	1.8	1	1	1	1	2	3	4	7
35-49	131	1.7	1	1	1	1	2	3	3	6
50-64	77	1.7	1	< 1	1	1	2	3	4	6
65 +	45	2.6	7	< 1	1	2	3	5	7	16
B. Operated										
0-19 YRS	28	2.0	4	< 1	< 1	1	2	5	6	9
20-34	21	3.2	4	< 1	2	3	5	6	7	7
35-49	35	3.2	3	1	2	3	4	6	6	8
50-64	26	3.1	2	1	2	3	5	5	5	5
65 +	20	4.2	10	1	2	4	5	9	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.4	4	1	1	2	3	5	7	10
20-34	129	2.3	3	1	1	2	3	5	7	10
35-49	186	2.5	4	1	1	2	3	5	5	15
50-64	181	2.9	8	1	1	2	4	6	8	13
65 +	374	4.6	17	1	2	4	6	8	11	20
B. Operated										
0-19 YRS	57	5.8	36	1	2	4	8	12	21	28
20-34	69	4.1	17	1	1	3	5	8	13	24
35-49	111	5.0	14	1	3	4	7	9	12	19
50-64	143	5.3	14	2	3	4	6	11	14	16
65 +	393	6.6	29	2	3	5	8	13	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	371	1.8	2	< 1	1	1	2	3	4	7
B. Operated	130	3.1	5	< 1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	922	3.4	11	1	1	2	4	7	9	15
B. Operated	773	5.8	24	1	3	5	7	12	14	25
1. SINGLE DX	501	2.2	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX	1695	4.5	18	1	2	3	6	9	13	22
A. Not Operated	1293	3.0	9	1	1	2	4	6	8	14
B. Operated	903	5.4	22	1	3	4	7	11	14	24
TOTAL										
0-19 YRS	177	3.3	17	< 1	1	2	4	8	11	23
20-34	297	2.7	7	1	1	2	3	5	7	14
35-49	463	2.9	7	1	1	2	4	6	8	16
50-64	427	3.5	10	1	1	3	4	7	10	16
65 +	832	5.4	23	1	2	4	7	11	14	24
GRAND TOTAL	**2196**	**4.0**	**16**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1344	1.7	1	1	1	1	2	3	4	6
20-34	952	2.2	2	1	1	2	3	4	5	7
35-49	514	2.5	6	1	1	2	3	5	6	9
50-64	253	2.7	4	1	1	2	4	5	6	9
65 +	147	2.6	4	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	145	3.3	11	1	2	3	4	5	6	21
20-34	178	3.2	4	1	2	3	4	5	6	12
35-49	82	3.5	7	1	2	3	4	7	9	14
50-64	27	3.4	4	1	2	3	5	6	7	9
65 +	10	4.4	13	< 1	1	3	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1174	2.3	4	1	1	2	3	4	5	11
20-34	1335	3.0	7	1	1	2	4	6	8	12
35-49	1065	3.7	11	1	2	3	5	7	8	14
50-64	943	3.8	9	1	2	3	5	7	9	14
65 +	1349	4.5	10	1	2	4	6	8	10	18
B. Operated										
0-19 YRS	168	4.0	7	2	2	3	5	7	9	17
20-34	316	5.0	14	1	3	4	6	9	12	20
35-49	232	5.8	21	1	3	5	7	10	14	22
50-64	181	6.3	20	2	3	5	8	13	15	23
65 +	244	8.4	53	2	4	7	10	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3210	2.1	3	1	1	2	3	4	5	7
B. Operated	442	3.3	7	1	2	3	4	5	7	14
2. MULTIPLE DX										
A. Not Operated	5866	3.5	9	1	2	3	4	7	9	14
B. Operated	1141	5.9	26	2	3	5	7	11	15	25
1. SINGLE DX	3652	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	7007	3.9	13	1	2	3	5	8	10	17
A. Not Operated	9076	3.0	7	1	1	2	4	6	8	13
B. Operated	1583	5.2	22	1	3	4	7	10	13	24
TOTAL										
0-19 YRS	2831	2.2	4	1	1	2	3	4	5	9
20-34	2781	3.0	7	1	1	2	4	6	7	12
35-49	1893	3.6	12	1	2	3	5	7	9	15
50-64	1404	3.9	11	1	2	3	5	7	10	15
65 +	1750	4.9	18	1	2	4	6	9	12	21
GRAND TOTAL	**10659**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	141	2.3	3	1	1	2	3	5	6	8
20-34	30	2.8	4	1	1	2	4	6	7	8
35-49	29	3.0	7	< 1	1	2	4	6	8	12
50-64	17	2.5	5	< 1	1	1	4	6	7	8
65 +	22	4.6	30	< 1	1	3	4	15	18	19
B. Operated										
0-19 YRS	28	3.1	3	1	2	3	4	5	6	6
20-34	12	4.2	10	2	2	3	5	8	12	13
35-49	19	3.9	4	1	3	4	5	7	7	7
50-64	19	3.1	8	< 1	< 1	2	4	8	10	10
65 +	16	2.9	11	< 1	< 1	2	3	5	11	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	654	3.1	8	1	1	2	4	6	8	15
20-34	201	3.5	8	1	2	3	4	7	9	15
35-49	225	4.1	17	1	2	3	5	7	9	20
50-64	341	5.0	18	1	2	4	6	10	13	24
65 +	790	5.6	29	2	3	4	7	11	14	25
B. Operated										
0-19 YRS	140	4.4	79	1	1	2	5	9	13	37
20-34	94	3.8	13	1	1	2	5	8	12	16
35-49	108	4.4	29	1	1	3	6	9	12	31
50-64	155	7.2	46	1	2	5	10	16	20	36
65 +	285	8.6	73	1	3	6	11	17	26	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	2.7	6	1	1	2	3	6	7	14
B. Operated	94	3.4	6	< 1	1	3	4	6	7	14
2. MULTIPLE DX										
A. Not Operated	2211	4.4	19	1	2	3	5	9	12	21
B. Operated	782	6.4	59	1	1	4	8	14	19	36
1. SINGLE DX	333	2.9	6	< 1	1	2	4	6	7	14
2. MULTIPLE DX	2993	4.9	31	1	2	3	6	10	14	26
A. Not Operated	2450	4.2	18	1	2	3	5	8	11	21
B. Operated	876	6.1	55	1	1	4	8	13	19	35
TOTAL										
0-19 YRS	963	3.1	18	1	1	2	4	6	9	16
20-34	337	3.5	9	1	1	3	4	8	9	16
35-49	381	4.1	19	1	1	3	5	7	9	21
50-64	532	5.5	27	1	2	4	7	12	16	26
65 +	1113	6.3	42	1	3	5	8	13	17	32
GRAND TOTAL	**3326**	**4.7**	**28**	**1**	**2**	**3**	**6**	**10**	**13**	**26**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1148	3.0	9	1	1	2	4	6	8	15
20-34	233	2.4	4	1	1	2	3	4	5	9
35-49	278	2.4	3	1	1	2	3	4	6	9
50-64	360	2.9	8	1	1	2	3	6	8	12
65 +	431	3.6	7	1	2	3	5	7	9	13
B. Operated										
0-19 YRS	115	2.2	4	1	1	1	3	5	7	10
20-34	61	2.1	6	1	1	1	2	5	6	16
35-49	98	2.0	2	< 1	1	1	3	4	5	6
50-64	83	2.3	8	< 1	1	1	3	4	7	18
65 +	65	4.1	31	< 1	1	2	4	10	16	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2356	4.9	37	1	2	3	6	10	15	30
20-34	781	3.3	8	1	2	3	4	6	8	15
35-49	1276	3.6	8	1	2	3	4	7	9	15
50-64	2241	4.0	15	1	2	3	5	7	10	19
65 +	6044	4.8	17	2	2	4	6	9	11	19
B. Operated										
0-19 YRS	340	9.4	138	1	2	6	13	22	36	99 +
20-34	136	4.5	31	1	1	3	5	9	16	28
35-49	293	4.6	33	1	2	3	6	10	14	33
50-64	440	5.8	60	1	2	3	7	12	19	38
65 +	910	8.1	55	2	3	6	10	17	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2450	3.0	8	1	1	2	4	6	7	13
B. Operated	422	2.5	9	1	1	1	3	5	7	18
2. MULTIPLE DX										
A. Not Operated	12698	4.5	19	1	2	3	5	8	11	21
B. Operated	2119	7.1	68	1	2	5	9	16	22	47
1. SINGLE DX	2872	2.9	8	1	1	2	4	6	7	13
2. MULTIPLE DX	14817	4.9	27	1	2	3	6	9	13	25
A. Not Operated	15148	4.2	17	1	2	3	5	8	11	20
B. Operated	2541	6.4	61	1	2	4	8	15	20	44
TOTAL										
0-19 YRS	3959	4.7	40	1	2	3	5	9	15	33
20-34	1211	3.2	10	1	1	2	4	6	8	18
35-49	1945	3.5	11	1	2	3	4	7	9	17
50-64	3124	4.1	21	1	2	3	5	8	11	23
65 +	7450	5.2	22	2	2	4	6	10	13	22
GRAND TOTAL	**17689**	**4.5**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**23**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	10.7	72	1	4	14	16	17	17	17
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	21.2	172	4	11	24	30	38	38	38
20-34	4	23.5	94	18	18	19	29	38	38	38
35-49	2	8.0	98	< 1	< 1	7	15	15	15	15
50-64	0									
65 +	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	28	27.1	217	10	19	27	41	99 +	99 +	99 +
20-34	18	28.8	261	13	19	23	46	60	83	99 +
35-49	9	28.4	262	7	16	34	43	76	99 +	99 +
50-64	6	46.5	591	15	34	42	68	79	80	80
65 +	5	38.6	417	10	28	36	52	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	10.7	72	1	4	14	16	17	17	17
2. MULTIPLE DX										
A. Not Operated	14	15.6	171	< 1	1	16	24	38	38	38
B. Operated	66	30.4	297	11	19	30	47	72	99 +	99 +
1. SINGLE DX	3	10.7	72	1	4	14	16	17	17	17
2. MULTIPLE DX	80	27.8	304	6	18	26	43	68	99 +	99 +
A. Not Operated	14	15.6	171	< 1	1	16	24	38	38	38
B. Operated	69	29.5	302	11	19	28	46	68	99 +	99 +
TOTAL										
0-19 YRS	36	24.9	214	7	18	24	38	84	99 +	99 +
20-34	22	27.9	229	16	18	21	42	57	75	99 +
35-49	11	24.7	287	2	13	28	41	66	95	99 +
50-64	6	46.5	591	15	34	42	68	79	80	80
65 +	8	24.5	617	< 1	1	22	41	60	66	66
GRAND TOTAL	**83**	**27.2**	**305**	**5**	**17**	**24**	**41**	**67**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	409	1.7	2	< 1	1	1	2	3	5	8
20-34	11	3.8	10	1	2	3	5	9	12	12
35-49	7	6.3	19	< 1	2	7	10	12	12	12
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	3	3.3	6	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	85	4.6	21	1	2	3	6	8	10	30
20-34	14	4.1	4	1	3	4	5	7	8	8
35-49	5	5.8	16	2	3	5	8	12	12	12
50-64	2	7.5	25	4	4	7	11	11	11	11
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	357	3.5	23	1	1	2	4	7	11	27
20-34	42	5.5	20	1	2	4	8	12	14	17
35-49	25	9.6	145	2	3	7	9	23	32	58
50-64	16	4.6	20	1	1	3	7	13	14	14
65 +	39	9.4	37	3	5	9	12	18	22	28
B. Operated										
0-19 YRS	130	10.1	157	1	3	6	13	24	30	64
20-34	83	9.2	75	2	4	7	11	23	37	99 +
35-49	41	11.9	140	3	4	8	14	32	39	50
50-64	23	7.6	22	2	4	7	11	14	17	18
65 +	12	9.8	50	3	5	7	15	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	432	1.8	3	< 1	1	1	2	3	5	10
B. Operated	107	4.7	18	1	3	3	6	8	11	26
2. MULTIPLE DX										
A. Not Operated	479	4.5	34	1	1	2	5	10	16	28
B. Operated	289	9.9	116	2	3	6	13	24	35	80
1. SINGLE DX	539	2.4	7	< 1	1	1	3	5	7	12
2. MULTIPLE DX	768	6.6	71	1	2	4	8	16	24	49
A. Not Operated	911	3.3	21	1	1	2	3	8	11	24
B. Operated	396	8.5	95	2	3	5	10	20	28	53
TOTAL										
0-19 YRS	981	3.7	39	1	1	2	4	8	13	32
20-34	150	7.3	53	1	3	5	9	17	24	98
35-49	78	10.3	125	2	3	7	12	23	37	56
50-64	43	6.2	22	1	2	4	10	13	15	18
65 +	55	9.1	39	2	4	7	12	18	23	28
GRAND TOTAL	**1307**	**4.8**	**49**	**1**	**1**	**2**	**6**	**11**	**18**	**38**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3; 6; 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	1.7	1	1	1	1	2	3	4	6
20-34	28	4.4	9	1	2	4	7	9	10	10
35-49	12	7.1	55	2	3	4	9	17	26	28
50-64	5	6.0	25	2	2	5	9	14	14	14
65 +	4	4.8	14	2	2	4	7	10	10	10
B. Operated										
0-19 YRS	21	4.9	48	1	2	2	4	11	23	31
20-34	11	4.5	6	2	3	4	6	8	9	9
35-49	4	4.3	8	2	2	4	6	8	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	218	4.1	28	1	1	2	4	8	13	27
20-34	95	6.1	81	1	2	4	6	10	27	50
35-49	49	5.0	12	1	2	4	7	10	11	17
50-64	27	5.4	14	1	2	4	8	12	13	13
65 +	51	6.9	24	2	3	6	10	14	16	21
B. Operated										
0-19 YRS	79	8.5	74	1	3	6	10	21	30	84
20-34	84	9.8	127	2	3	7	13	24	43	99 +
35-49	52	15.3	230	3	5	9	21	36	52	61
50-64	23	15.0	153	4	6	12	24	49	99 +	99 +
65 +	28	11.4	126	3	4	8	11	31	35	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	218	2.5	8	1	1	2	3	5	8	13
B. Operated	38	4.7	29	1	2	3	5	8	13	31
2. MULTIPLE DX										
A. Not Operated	440	5.0	37	1	2	3	6	11	15	33
B. Operated	266	11.1	139	2	4	7	14	29	46	99 +
1. SINGLE DX	256	2.8	12	1	1	2	3	6	9	16
2. MULTIPLE DX	706	7.3	84	1	2	4	9	17	28	61
A. Not Operated	658	4.2	29	1	1	2	5	9	13	28
B. Operated	304	10.3	129	2	3	6	12	28	41	99 +
TOTAL										
0-19 YRS	487	4.0	32	1	1	2	4	8	15	31
20-34	218	7.2	90	1	2	4	8	15	29	74
35-49	117	9.7	137	2	3	5	10	26	33	61
50-64	56	9.4	91	2	4	6	13	25	46	99 +
65 +	84	8.2	62	2	3	6	10	15	23	44
GRAND TOTAL	**962**	**6.1**	**69**	**1**	**2**	**3**	**7**	**14**	**24**	**53**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.7	1	< 1	1	1	2	3	3	3
20-34	22	2.1	3	< 1	1	1	4	5	6	7
35-49	6	1.5	2	< 1	1	1	1	4	4	4
50-64	3	2.3	2	< 1	< 1	2	3	4	4	4
65 +	5	2.0	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	263	2.0	2	< 1	1	1	3	4	5	7
20-34	391	2.1	7	1	1	1	3	4	5	10
35-49	113	2.3	4	1	1	1	3	5	6	10
50-64	19	1.8	1	1	1	1	3	3	4	4
65 +	11	3.4	12	1	1	2	4	8	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	2.2	2	1	1	2	3	4	5	8
20-34	130	2.7	5	1	1	2	4	6	7	13
35-49	61	3.1	6	1	1	2	4	6	7	14
50-64	28	2.7	3	1	1	3	3	5	6	9
65 +	72	4.1	14	1	2	3	5	8	13	20
B. Operated										
0-19 YRS	457	4.0	31	1	1	3	5	8	12	21
20-34	834	4.1	18	1	2	3	5	8	11	22
35-49	401	4.6	18	1	2	3	6	10	12	17
50-64	120	4.8	18	1	2	3	7	10	12	22
65 +	126	6.9	59	1	2	5	9	15	23	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	1.9	2	< 1	1	1	2	4	4	7
B. Operated	797	2.1	5	1	1	1	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	376	2.9	7	1	1	2	4	6	8	14
B. Operated	1938	4.4	24	1	2	3	5	9	12	24
1. SINGLE DX	851	2.1	4	1	1	1	3	4	5	9
2. MULTIPLE DX	2314	4.2	22	1	1	3	5	9	12	22
A. Not Operated	430	2.8	6	1	1	2	4	6	7	14
B. Operated	2735	3.7	20	1	1	2	4	8	11	21
TOTAL										
0-19 YRS	823	3.1	19	1	1	2	4	6	8	17
20-34	1377	3.4	14	1	1	2	4	7	9	16
35-49	581	4.0	15	1	1	3	5	8	11	17
50-64	170	4.1	15	1	1	3	5	9	10	21
65 +	214	5.7	42	1	2	4	7	13	16	33
GRAND TOTAL	**3165**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	2.9	4	1	2	2	3	5	7	11
20-34	190	3.5	6	1	2	3	4	7	9	11
35-49	136	3.8	7	1	2	3	5	7	10	14
50-64	110	4.9	10	1	2	4	7	9	11	16
65 +	106	5.3	15	2	3	4	8	9	11	21
B. Operated										
0-19 YRS	29	8.8	26	4	5	8	10	18	21	22
20-34	66	7.8	28	3	4	6	10	15	19	25
35-49	28	9.4	39	2	5	9	12	16	25	26
50-64	13	6.2	38	1	1	5	7	17	20	21
65 +	10	12.8	57	3	8	13	17	23	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	4.7	14	1	2	4	6	8	12	21
20-34	328	4.8	15	1	2	4	6	9	12	18
35-49	226	5.1	14	1	3	4	6	10	13	19
50-64	313	6.7	30	2	3	5	8	13	15	31
65 +	1481	7.7	28	3	4	6	10	13	17	26
B. Operated										
0-19 YRS	84	9.0	68	2	4	7	12	16	22	85
20-34	160	9.5	53	3	4	7	13	19	26	31
35-49	102	11.3	73	3	6	10	14	22	26	45
50-64	93	15.2	210	3	5	11	19	36	46	71
65 +	204	13.5	94	4	7	11	17	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	646	4.0	9	1	2	3	5	8	10	14
B. Operated	146	8.5	34	2	4	7	11	16	21	26
2. MULTIPLE DX										
A. Not Operated	2482	6.8	26	2	4	6	9	13	16	25
B. Operated	643	11.8	98	3	5	9	15	24	31	56
1. SINGLE DX	792	4.8	16	1	2	4	6	10	12	21
2. MULTIPLE DX	3125	7.8	45	2	4	6	10	15	20	34
A. Not Operated	3128	6.2	24	2	3	5	8	12	15	24
B. Operated	789	11.2	88	3	5	9	15	22	28	52
TOTAL										
0-19 YRS	351	5.5	31	1	2	4	7	12	16	25
20-34	744	5.7	27	1	2	4	7	12	16	27
35-49	492	6.3	34	2	3	5	8	13	17	27
50-64	529	7.8	70	2	3	5	9	15	22	46
65 +	1801	8.2	39	3	4	7	10	15	19	31
GRAND TOTAL	**3917**	**7.2**	**41**	**2**	**3**	**6**	**9**	**14**	**18**	**32**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	8.0	69	1	3	5	13	20	20	20
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	8	10.9	24	4	10	11	12	18	20	20
35-49	4	21.8	314	9	12	15	32	48	48	48
50-64	3	33.3	1929	6	7	10	65	84	84	84
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.7	30	1	2	7	11	12	12	12
20-34	8	7.0	39	1	3	5	10	17	19	19
35-49	4	28.3	2112	2	3	7	53	97	97	97
50-64	7	9.1	37	4	5	8	10	20	22	22
65 +	20	10.9	84	3	5	9	12	22	32	41
B. Operated										
0-19 YRS	26	22.3	423	3	6	15	30	51	67	79
20-34	55	20.9	321	4	11	18	32	99	99 +	99 +
35-49	22	19.8	224	7	11	14	24	39	54	67
50-64	15	21.9	383	6	9	13	30	43	69	78
65 +	8	27.3	797	1	12	24	49	96	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.5	27	1	2	3	5	10	19	20
B. Operated	17	16.5	409	3	8	10	15	42	71	84
2. MULTIPLE DX										
A. Not Operated	42	11.2	241	3	5	7	11	20	31	97
B. Operated	126	21.5	351	4	10	17	32	65	99 +	99 +
1. SINGLE DX	29	11.5	281	1	3	6	12	20	50	84
2. MULTIPLE DX	168	18.9	342	3	7	14	25	51	95	99 +
A. Not Operated	54	9.7	200	2	4	6	10	19	24	95
B. Operated	143	20.9	358	4	10	15	31	61	99	99 +
TOTAL										
0-19 YRS	35	17.6	379	2	3	12	23	50	61	79
20-34	72	18.0	278	3	9	15	26	65	99 +	99 +
35-49	32	19.9	419	3	9	13	22	47	65	97
50-64	29	18.1	412	5	6	11	22	41	78	84
65 +	29	15.1	316	3	5	10	19	38	90	99 +
GRAND TOTAL	**197**	**17.8**	**339**	**3**	**6**	**13**	**23**	**48**	**86**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.6	1	1	1	1	2	3	4	5
20-34	40	2.3	2	1	1	2	3	4	4	7
35-49	63	2.3	2	1	1	2	3	4	5	8
50-64	54	2.5	2	1	1	2	3	4	6	8
65 +	44	3.0	4	1	1	3	4	7	8	8
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	5	3.2	5	1	2	2	5	6	6	6
35-49	3	3.7	14	1	1	2	6	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	4.0	142	1	1	2	3	5	8	85
20-34	225	3.2	6	1	2	3	4	6	8	12
35-49	323	4.1	12	1	2	3	5	9	11	18
50-64	353	4.6	14	1	2	4	6	9	11	20
65 +	927	6.3	24	2	3	5	8	12	15	22
B. Operated										
0-19 YRS	22	6.4	23	2	3	5	8	12	17	22
20-34	83	7.6	98	2	3	5	8	13	20	62
35-49	104	7.7	99	2	3	5	8	13	23	64
50-64	109	9.6	94	2	3	7	12	20	27	52
65 +	129	13.7	171	3	6	10	17	28	37	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.4	2	1	1	2	3	4	6	8
B. Operated	13	3.8	6	1	2	3	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	1889	5.2	23	1	2	4	7	10	13	21
B. Operated	447	9.8	121	2	4	6	11	20	29	67
1. SINGLE DX	236	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX	2336	6.1	45	1	2	4	7	12	16	35
A. Not Operated	2112	4.9	22	1	2	4	6	10	12	20
B. Operated	460	9.6	118	2	4	6	11	20	29	67
TOTAL										
0-19 YRS	107	4.1	88	1	1	2	4	7	10	53
20-34	353	4.2	31	1	2	3	5	8	11	28
35-49	493	4.6	32	1	2	3	6	9	12	24
50-64	517	5.5	35	1	2	4	6	11	14	31
65 +	1102	7.0	47	2	3	5	9	13	18	36
GRAND TOTAL	**2572**	**5.7**	**42**	**1**	**2**	**4**	**7**	**11**	**15**	**34**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	3.3	4	1	2	3	4	6	7	10
20-34	63	5.2	36	2	3	4	5	7	10	44
35-49	21	7.6	51	2	3	5	10	16	24	32
50-64	34	7.3	82	2	3	5	7	14	33	44
65 +	132	6.0	17	2	3	5	8	10	13	23
B. Operated										
0-19 YRS	9	18.1	210	3	4	21	24	39	48	48
20-34	9	12.0	31	5	8	11	16	20	22	22
35-49	5	11.2	12	7	9	10	14	16	16	16
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	3	13.3		13	13	13	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	7.7	55	2	4	6	9	17	26	39
20-34	136	8.8	68	2	4	6	10	19	27	44
35-49	124	9.2	94	3	4	7	10	18	27	54
50-64	135	9.1	61	3	5	7	11	16	22	44
65 +	1172	8.6	30	3	5	7	11	15	19	29
B. Operated										
0-19 YRS	78	14.0	105	4	7	11	20	32	36	85
20-34	125	16.9	240	4	7	13	22	37	54	90
35-49	73	18.6	211	5	9	14	26	45	51	59
50-64	44	26.5	509	5	11	17	39	55	82	99
65 +	174	15.8	137	5	9	13	20	29	40	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	5.5	28	2	3	4	6	9	12	35
B. Operated	28	13.5	86	4	7	12	17	24	27	48
2. MULTIPLE DX										
A. Not Operated	1698	8.6	42	3	5	7	10	15	20	36
B. Operated	494	17.1	210	5	8	13	21	37	47	85
1. SINGLE DX	350	6.1	37	2	3	5	7	11	15	37
2. MULTIPLE DX	2192	10.5	93	3	5	8	13	20	28	52
A. Not Operated	2020	8.1	41	3	4	7	10	15	19	35
B. Operated	522	17.0	204	5	8	13	21	37	47	84
TOTAL										
0-19 YRS	290	8.6	78	2	3	5	10	22	28	45
20-34	333	11.2	146	3	4	7	13	26	36	65
35-49	223	12.2	146	3	5	9	15	28	45	56
50-64	215	12.3	205	3	5	7	14	28	42	82
65 +	1481	9.2	47	3	5	8	12	16	21	38
GRAND TOTAL	**2542**	**9.9**	**87**	**3**	**5**	**7**	**12**	**19**	**27**	**50**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	132	1.9	7	< 1	1	1	1	3	5	17
20-34	19	2.6	4	< 1	1	2	4	6	7	8
35-49	15	1.9	3	1	1	1	2	3	7	8
50-64	22	2.3	2	< 1	1	2	3	4	5	7
65 +	70	3.1	8	1	1	2	4	7	8	18
B. Operated										
0-19 YRS	933	2.5	11	1	1	2	2	4	7	21
20-34	99	3.4	16	1	1	2	4	5	9	27
35-49	71	3.4	5	1	2	3	4	6	8	11
50-64	84	4.3	18	1	2	3	5	9	11	25
65 +	156	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	4.1	28	1	1	2	4	9	15	26
20-34	31	3.6	23	1	2	2	4	6	13	26
35-49	29	4.1	9	1	1	4	6	9	10	10
50-64	76	4.8	24	1	2	4	6	9	12	30
65 +	453	6.0	37	2	3	5	7	11	14	33
B. Operated										
0-19 YRS	310	5.0	40	1	2	3	6	12	18	29
20-34	159	7.1	62	1	3	5	8	15	20	40
35-49	130	6.8	86	1	2	4	8	14	25	50
50-64	140	7.2	49	2	3	5	8	15	23	38
65 +	535	7.7	41	2	4	6	9	15	21	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	2.3	7	< 1	1	1	3	4	7	16
B. Operated	1343	2.9	11	1	1	2	3	5	8	21
2. MULTIPLE DX										
A. Not Operated	677	5.4	33	1	2	4	7	10	14	28
B. Operated	1274	6.8	50	1	3	5	8	15	20	37
1. SINGLE DX	1601	2.8	11	1	1	2	3	5	8	20
2. MULTIPLE DX	1951	6.4	44	1	2	4	8	13	18	34
A. Not Operated	935	4.6	28	1	1	3	6	9	13	26
B. Operated	2617	4.8	34	1	1	3	6	11	16	28
TOTAL										
0-19 YRS	1463	3.0	19	1	1	2	3	6	11	22
20-34	308	5.3	43	1	2	3	6	12	17	31
35-49	245	5.2	51	1	2	3	6	10	15	31
50-64	322	5.5	34	1	2	4	7	11	17	29
65 +	1214	6.3	36	2	3	5	8	12	17	33
GRAND TOTAL	**3552**	**4.7**	**32**	**1**	**1**	**3**	**6**	**10**	**15**	**28**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	1.6	1	1	1	1	2	3	3	6
20-34	9	1.7	1	< 1	1	2	2	3	3	3
35-49	10	2.0	2	< 1	1	2	3	4	4	4
50-64	6	2.8	10	1	1	2	3	8	9	9
65 +	12	2.0	2	< 1	1	1	3	4	5	5
B. Operated										
0-19 YRS	1233	1.6	5	1	1	1	2	3	4	6
20-34	298	2.4	3	1	1	2	3	4	5	9
35-49	278	2.3	4	1	1	2	3	4	5	7
50-64	260	2.2	3	1	1	2	3	4	5	8
65 +	211	2.6	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.6	6	1	1	2	3	5	6	15
20-34	32	2.3	2	< 1	1	2	3	4	5	8
35-49	28	3.7	9	1	1	3	4	10	10	11
50-64	22	4.2	20	1	1	3	5	9	15	20
65 +	71	5.5	21	1	2	4	6	11	15	23
B. Operated										
0-19 YRS	354	3.4	19	1	1	2	4	6	9	24
20-34	363	5.2	24	1	2	4	6	11	14	27
35-49	255	5.2	33	1	2	3	6	10	14	31
50-64	256	4.3	19	1	2	3	5	9	12	29
65 +	550	5.1	24	1	2	3	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	1.7	1	1	1	1	2	3	4	7
B. Operated	2280	2.0	4	1	1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	195	3.9	14	1	1	3	5	9	11	21
B. Operatod	1778	4.7	24	1	2	3	6	10	14	27
1. SINGLE DX	2397	1.9	4	1	1	1	2	4	4	8
2. MULTIPLE DX	1973	4.6	23	1	2	3	6	10	14	26
A. Not Operated	312	3.1	11	1	1	2	4	6	10	18
B. Operated	4058	3.1	15	1	1	2	4	6	9	20
TOTAL										
0-19 YRS	1709	2.0	8	1	1	1	2	4	5	11
20-34	702	3.8	16	1	2	3	4	8	11	20
35-49	571	3.7	19	1	1	2	4	7	10	25
50-64	544	3.3	12	1	1	2	4	7	9	20
65 +	844	4.5	20	1	2	3	5	10	14	22
GRAND TOTAL	**4370**	**3.1**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.0	1	1	1	2	3	4	5	5
20-34	19	1.5	1	< 1	1	1	2	3	4	5
35-49	9	2.0	2	< 1	1	2	3	4	4	4
50-64	5	1.6	1	< 1	1	1	2	3	3	3
65 +	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	152	1.7	2	< 1	1	1	2	3	4	8
20-34	203	1.9	2	< 1	1	1	2	3	5	8
35-49	89	2.0	3	< 1	1	1	2	3	5	10
50-64	51	2.0	3	1	1	1	3	4	7	98
65 +	20	2.0	2	< 1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.0	1	< 1	1	2	3	4	4	4
20-34	30	2.3	2	1	1	2	3	4	5	6
35-49	12	2.8	3	1	1	3	4	5	5	5
50-64	14	4.6	46	1	2	2	5	10	23	27
65 +	21	7.7	114	1	2	6	8	15	33	50
B. Operated										
0-19 YRS	137	3.0	10	1	1	2	3	7	10	16
20-34	294	3.1	20	1	1	2	3	6	9	20
35-49	149	3.1	12	1	1	2	4	7	10	18
50-64	101	3.0	12	1	1	2	3	6	9	20
65 +	72	3.3	10	1	1	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	1.8	1	< 1	1	1	2	4	5	5
B. Operated	515	1.9	2	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	97	3.8	36	1	1	2	4	7	9	39
B. Operated	753	3.1	15	1	1	2	4	6	9	18
1. SINGLE DX	569	1.9	2	< 1	1	1	2	4	5	9
2. MULTIPLE DX	850	3.2	17	1	1	2	4	6	9	20
A. Not Operated	151	3.1	24	1	1	2	3	6	8	27
B. Operated	1268	2.6	10	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	327	2.3	6	< 1	1	1	3	4	7	13
20-34	546	2.6	12	1	1	2	3	5	7	16
35-49	259	2.7	9	1	1	2	3	5	8	16
50-64	171	2.8	12	1	1	2	3	6	8	27
65 +	116	3.9	30	1	1	2	5	8	10	30
GRAND TOTAL	**1419**	**2.7**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

354 Hospitals, North Central Region, January-December 1988

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	9.5	115	1	2	4	18	25	29	43
20-34	9	7.1	94	1	2	3	7	23	32	32
35-49	7	4.7	3	3	3	5	5	7	8	8
50-64	14	10.6	256	2	3	5	10	26	55	63
65 +	81	6.9	48	2	3	5	8	13	19	41
B. Operated										
0-19 YRS	100	8.2	68	3	3	5	9	25	28	34
20-34	36	8.2	50	4	4	6	10	14	20	42
35-49	76	6.6	8	3	5	6	8	10	12	17
50-64	219	8.8	14	5	7	8	11	12	15	24
65 +	1151	10.1	14	6	7	10	12	14	17	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	13.1	161	1	3	7	23	29	35	51
20-34	12	3.9	9	1	1	3	6	9	10	10
35-49	17	7.5	27	3	4	7	9	15	20	22
50-64	51	8.4	133	1	3	5	10	17	20	68
65 +	548	9.1	61	2	4	7	11	18	24	43
B. Operated										
0-19 YRS	79	12.9	103	3	6	10	18	27	30	53
20-34	108	13.5	135	5	7	10	14	27	45	57
35-49	160	13.8	124	5	7	11	16	24	35	54
50-64	710	12.4	54	6	8	11	14	20	26	44
65 +	8635	12.5	41	7	9	11	15	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	7.8	84	2	3	5	9	19	25	45
B. Operated	1582	9.6	19	5	7	9	12	14	17	25
2. MULTIPLE DX										
A. Not Operated	656	9.1	70	2	4	7	11	13	26	48
B. Operated	9692	12.5	45	7	9	11	15	19	24	41
1. SINGLE DX	1729	9.4	25	4	6	9	12	14	17	27
2. MULTIPLE DX	10348	12.3	47	6	8	11	14	19	24	41
A. Not Operated	803	8.8	73	2	4	6	11	18	26	47
B. Operated	11274	12.1	42	6	8	11	14	19	23	39
TOTAL										
0-19 YRS	243	10.5	100	2	3	6	15	26	30	45
20-34	165	11.3	114	4	5	8	12	22	34	52
35-49	260	11.0	92	4	6	8	13	20	30	49
50-64	994	11.4	54	5	7	10	13	19	24	45
65 +	10415	12.0	40	6	8	11	14	18	23	38
GRAND TOTAL	**12077**	**11.9**	**45**	**6**	**8**	**11**	**14**	**19**	**23**	**39**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	425	13.4	127	1	3	13	22	27	32	45
20-34	6	2.7	1	2	2	3	3	4	4	4
35 49	9	10.7	116	2	3	8	14	29	30	30
50-64	11	13.1	267	3	4	8	10	45	50	50
65 +	26	8.0	80	1	3	6	10	19	25	44
B. Operated										
0-19 YRS	390	10.2	109	1	2	6	16	26	31	44
20-34	113	9.5	113	3	5	8	10	14	27	69
35-49	36	10.6	95	3	6	8	12	19	35	51
50-64	19	12.5	144	3	6	9	13	32	45	46
65 +	66	10.5	67	3	6	9	12	17	22	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	216	14.4	127	2	3	15	23	27	33	46
20-34	8	6.9	15	2	4	7	9	12	13	13
35-49	16	11.4	222	2	3	5	13	30	50	58
50-64	24	15.3	240	3	6	10	18	34	55	59
65 +	225	12.7	248	2	4	7	13	37	51	99
B. Operated										
0-19 YRS	451	15.8	167	3	6	13	22	31	38	74
20-34	334	14.4	146	5	8	11	16	29	43	79
35-49	105	17.5	239	6	8	13	21	41	66	89
50-64	136	15.4	146	5	9	13	17	28	38	74
65 +	589	15.5	141	6	9	12	18	28	42	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	477	12.9	128	1	3	9	21	27	32	45
B. Operated	624	10.2	106	2	3	7	13	23	31	49
2. MULTIPLE DX										
A. Not Operated	489	13.4	190	2	4	8	20	31	41	72
B. Operated	1615	15.4	156	5	8	12	19	30	42	75
1. SINGLE DX	1101	11.4	117	1	3	7	18	26	31	48
2. MULTIPLE DX	2104	15.0	165	4	7	12	19	30	42	75
A. Not Operated	966	13.2	159	2	3	9	21	28	36	59
B. Operated	2239	14.0	148	3	6	11	18	29	39	70
TOTAL										
0-19 YRS	1482	13.4	139	2	3	10	21	28	34	50
20-34	461	12.9	140	4	7	10	14	24	40	77
35-49	166	15.1	207	4	7	11	18	33	48	80
50-64	190	15.0	162	5	8	12	17	30	44	70
65 +	906	14.2	164	4	7	11	17	28	43	75
GRAND TOTAL	**3205**	**13.7**	**151**	**2**	**5**	**11**	**19**	**28**	**38**	**68**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	2.0	5	1	1	1	2	3	4	8
20-34	69	2.3	2	1	1	2	3	4	4	8
35-49	45	2.8	4	1	1	2	3	5	7	11
50-64	44	3.2	4	1	1	3	5	6	7	7
65 +	45	4.8	9	2	3	4	6	8	11	15
B. Operated										
0-19 YRS	590	3.0	6	1	1	2	4	6	8	11
20-34	385	4.6	13	2	3	4	5	8	12	22
35-49	294	4.9	11	2	3	4	6	9	10	17
50-64	161	5.2	12	2	3	4	7	9	11	21
65 +	74	7.3	25	3	4	7	9	11	13	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	2.5	5	1	1	2	3	5	8	10
20-34	40	4.2	25	1	2	3	5	7	13	30
35-49	65	3.9	7	1	2	3	5	8	9	12
50-64	88	6.5	82	2	3	5	7	11	14	59
65 +	224	7.6	65	2	4	6	8	14	19	47
B. Operated										
0-19 YRS	342	6.6	45	1	3	5	8	14	19	33
20-34	450	9.6	90	2	4	7	12	21	29	50
35-49	332	10.0	96	2	5	7	12	19	29	58
50-64	296	10.0	69	3	5	8	13	19	25	44
65 +	319	10.8	103	4	6	8	13	19	26	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	2.6	6	1	1	2	3	5	6	11
B. Operated	1504	4.2	12	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	525	5.6	49	1	2	4	7	11	15	35
B. Operated	1739	9.4	83	2	4	7	12	19	26	48
1. SINGLE DX	1894	3.9	11	1	2	3	5	8	10	16
2. MULTIPLE DX	2264	8.5	78	2	3	6	10	17	24	47
A. Not Operated	915	4.3	33	1	1	3	5	8	11	26
B. Operated	3243	7.0	56	1	3	5	8	14	20	40
TOTAL										
0-19 YRS	1227	3.8	19	1	1	2	4	8	11	24
20-34	944	6.8	57	2	3	4	8	15	21	39
35-49	736	7.0	56	2	3	5	8	13	19	45
50-64	589	7.6	57	2	3	6	9	15	20	36
65 +	662	8.9	78	3	4	7	10	15	21	52
GRAND TOTAL	**4158**	**6.4**	**52**	**1**	**2**	**4**	**8**	**13**	**19**	**38**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	1.7	1	< 1	1	1	2	3	4	5
20-34	88	2.4	3	1	1	2	3	4	6	9
35-49	80	3.2	5	1	2	3	4	6	8	11
50-64	55	2.9	5	1	1	2	4	5	7	13
65 +	44	3.6	9	1	1	3	5	7	8	17
B. Operated										
0-19 YRS	707	2.5	4	1	1	2	3	5	6	9
20-34	1095	3.1	4	1	2	3	4	5	6	10
35-49	967	3.4	3	1	2	3	4	6	7	9
50-64	727	3.8	4	2	2	3	5	6	8	10
65 +	357	4.9	8	2	3	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	2.4	3	1	1	2	3	4	7	9
20-34	111	3.5	13	1	1	3	4	7	9	19
35-49	79	3.8	12	1	2	3	5	8	10	20
50-64	118	4.5	14	1	2	3	5	10	12	19
65 +	233	5.9	22	2	3	5	8	12	14	27
B. Operated										
0-19 YRS	364	5.2	33	1	2	3	6	12	15	32
20-34	862	5.1	24	2	2	4	6	10	13	25
35-49	737	5.5	27	2	3	4	6	10	13	21
50-64	767	5.9	25	2	3	5	7	10	14	28
65 +	915	7.2	25	3	4	6	9	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	380	2.6	4	1	1	2	3	5	7	10
B. Operated	3853	3.4	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	610	4.5	17	1	2	3	6	10	12	20
B. Operated	3645	5.9	26	2	3	5	7	11	14	26
1. SINGLE DX	4233	3.3	4	1	2	3	4	6	7	10
2. MULTIPLE DX	4255	5.7	25	2	3	4	7	11	14	26
A. Not Operated	990	3.8	13	1	1	3	5	8	11	17
B. Operated	7498	4.6	17	1	2	4	5	8	11	20
TOTAL										
0-19 YRS	1253	3.2	14	1	1	2	4	6	9	19
20-34	2156	3.9	13	1	2	3	5	7	10	19
35-49	1863	4.2	14	1	2	3	5	7	10	17
50-64	1667	4.8	15	2	3	4	6	8	11	19
65 +	1549	6.4	22	2	4	5	8	11	15	24
GRAND TOTAL	**8488**	**4.5**	**16**	**1**	**2**	**4**	**5**	**8**	**11**	**19**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.2		< 1	1	1	1	2	3	3
20-34	13	1.8	5	< 1	1	1	2	4	8	9
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	0									
65 +	3	11.3	290	1	1	2	24	31	31	31
B. Operated										
0-19 YRS	23	1.4	1	1	1	1	2	3	3	4
20-34	33	2.3	2	1	1	2	3	4	5	8
35-49	12	2.8	2	2	2	2	3	4	7	7
50-64	7	2.4	3	1	1	2	3	5	6	6
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	2.5	5	1	1	2	3	5	8	10
20-34	81	3.0	9	1	1	2	3	6	8	19
35-49	45	3.6	8	1	2	3	4	5	9	17
50-64	38	4.0	8	1	2	3	5	7	9	16
65 +	84	4.7	13	2	2	4	6	10	12	19
B. Operated										
0-19 YRS	37	3.5	18	1	1	2	4	8	12	22
20-34	43	3.5	7	1	2	3	5	7	10	12
35-49	27	5.0	54	1	2	3	5	12	20	37
50-64	13	4.4	18	1	2	2	5	12	14	14
65 +	16	9.7	138	1	2	5	9	33	35	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.7	32	< 1	1	1	2	4	10	31
B. Operated	78	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	328	3.5	9	1	2	3	4	7	10	17
B. Operated	136	4.6	38	1	2	3	5	10	14	36
1. SINGLE DX	107	2.3	10	1	1	2	2	4	5	18
2. MULTIPLE DX	464	3.8	18	1	2	3	5	8	11	22
A. Not Operated	357	3.4	11	1	1	2	4	7	10	19
B. Operated	214	3.7	26	1	1	2	4	7	12	34
TOTAL										
0-19 YRS	149	2.5	7	1	1	1	3	5	8	12
20-34	170	2.9	7	1	1	2	4	6	8	12
35-49	88	3.9	22	1	2	3	4	6	11	29
50-64	58	3.9	10	1	2	3	5	8	11	16
65 +	106	5.6	40	1	2	4	6	11	19	34
GRAND TOTAL	**571**	**3.5**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.1	3	1	1	1	2	5	6	6
20-34	0									
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	0									
B. Operated										
0-19 YRS	4	6.3	9	3	4	6	8	10	10	10
20-34	3	6.0	19	1	3	8	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	3.4	10	1	1	3	4	9	10	10
20-34	4	7.0	18	3	3	6	10	12	12	12
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	9.0	45	2	4	8	13	18	18	18
65 +	10	7.6	30	2	5	6	8	16	21	21
B. Operated										
0-19 YRS	10	12.5	104	3	6	8	22	28	33	33
20-34	11	9.3	33	3	5	8	12	19	21	21
35-49	5	23.2	1105	1	2	12	35	81	81	81
50-64	2	24.0	800	4	4	24	44	44	44	44
65 +	9	15.8	99	4	8	16	20	30	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.8	8	1	1	2	4	7	10	10
B. Operated	9	6.4	19	1	3	7	9	12	14	14
2. MULTIPLE DX										
A. Not Operated	26	6.6	25	2	3	6	9	12	19	21
B. Operated	37	14.4	228	2	5	9	19	31	41	81
1. SINGLE DX	21	4.3	16	1	1	2	7	10	12	14
2. MULTIPLE DX	63	11.2	157	2	4	8	14	22	34	76
A. Not Operated	38	5.4	23	1	2	4	7	11	16	21
B. Operated	46	12.8	196	1	5	9	17	24	38	81
TOTAL										
0-19 YRS	32	6.2	55	1	1	4	8	14	24	33
20-34	18	8.2	27	2	4	8	9	16	19	21
35-49	7	17.7	827	1	1	7	18	69	81	81
50-64	7	13.4	208	2	5	9	16	39	44	44
65 +	20	11.6	73	3	5	8	17	21	29	36
GRAND TOTAL	**84**	**9.5**	**130**	**1**	**3**	**7**	**11**	**21**	**27**	**68**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	7	1.7	1	< 1	1	1	2	4	4	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	3.5	13	< 1	< 1	3	6	6	6	6
B. Operated										
0-19 YRS	59	2.0	1	1	1	2	2	3	4	6
20-34	177	1.8	1	1	1	2	2	3	4	4
35-49	68	1.9	1	1	1	2	2	3	4	5
50-64	13	1.6	2	< 1	1	1	2	4	5	5
65 +	11	3.8	42	1	1	2	3	12	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	10	1.7	1	< 1	< 1	1	2	3	4	4
35-49	11	3.8	11	1	1	3	5	8	12	12
50-64	3	1.3		1	1	1	2	2	2	2
65 +	12	2.8	2	1	2	2	3	5	6	6
B. Operated										
0-19 YRS	13	3.1	3	1	2	3	4	6	7	7
20-34	58	3.4	9	1	2	2	4	6	11	14
35-49	34	3.1	5	1	2	3	4	6	9	10
50-64	28	4.2	13	1	1	3	7	10	12	13
65 +	44	3.8	10	1	1	3	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.7	2	< 1	< 1	1	2	4	6	6
B. Operated	328	1.9	2	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	39	2.6	5	< 1	1	2	3	5	6	12
B. Operated	177	3.5	9	1	2	3	4	8	10	14
1. SINGLE DX	342	1.9	2	1	1	2	2	3	4	5
2. MULTIPLE DX	216	3.4	8	1	1	2	4	7	10	13
A. Not Operated	53	2.4	4	< 1	1	2	3	5	6	12
B. Operated	505	2.5	5	1	1	2	3	4	7	12
TOTAL										
0-19 YRS	76	2.2	2	1	1	2	3	4	5	7
20-34	248	2.2	3	1	1	2	3	4	4	12
35-49	120	2.4	3	1	1	2	3	5	6	11
50-64	45	3.2	10	< 1	1	2	4	8	10	13
65 +	69	3.6	13	1	1	3	5	7	9	21
GRAND TOTAL	**558**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	1	1	1	2	4	4	4
20-34	10	2.5	5	< 1	1	2	3	6	7	7
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	151	2.0	2	< 1	< 1	2	3	4	5	5
20-34	182	2.2	3	< 1	< 1	2	3	4	6	10
35-49	104	1.9	2	< 1	< 1	1	3	4	4	7
50-64	51	1.6	1	< 1	< 1	< 1	2	3	4	5
65 +	26	2.1	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	< 1	< 1	1	2	3	3	3
20-34	11	3.2	9	< 1	1	2	4	8	10	10
35-49	8	4.3	8	1	2	3	7	8	8	8
50-64	3	3.0	4	< 1	1	3	4	5	5	5
65 +	5	8.4	109	2	3	4	10	27	27	27
B. Operated										
0-19 YRS	161	2.6	4	< 1	1	2	3	5	6	11
20-34	260	3.0	8	1	1	2	4	6	7	16
35-49	140	2.5	3	1	1	2	3	4	6	9
50-64	90	3.4	32	< 1	1	2	4	7	10	38
65 +	51	4.2	17	< 1	1	2	6	12	15	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.1	3	< 1	1	1	2	5	7	7
B. Operated	514	2.0	2	< 1	< 1	1	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	35	3.8	22	< 1	1	2	5	8	10	27
B. Operated	702	2.9	10	< 1	1	2	3	6	7	16
1. SINGLE DX	533	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	737	3.0	11	< 1	1	2	4	6	8	16
A. Not Operated	54	3.2	16	< 1	1	2	4	7	8	26
B. Operated	1216	2.5	7	< 1	1	2	3	5	6	13
TOTAL										
0-19 YRS	326	2.3	3	< 1	1	2	3	4	5	8
20-34	463	2.7	7	< 1	1	2	3	5	7	14
35-49	254	2.3	3	< 1	1	2	3	4	6	8
50-64	145	2.7	21	< 1	< 1	1	3	6	7	31
65 +	82	3.8	19	< 1	1	2	5	9	15	76
GRAND TOTAL	**1270**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**6**	**14**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.8	11	1	1	3	5	9	10	13
20-34	14	2.4	2	< 1	1	2	3	5	5	5
35-49	9	3.9	8	< 1	1	4	5	8	9	9
50-64	6	4.2	8	1	2	4	5	9	9	9
65 +	5	4.2	19	1	1	2	7	11	11	11
B. Operated										
0-19 YRS	117	3.3	12	< 1	1	2	4	7	9	18
20-34	135	2.4	4	1	1	2	3	5	8	9
35-49	74	2.7	4	1	1	2	4	5	7	10
50-64	16	3.9	8	1	2	3	5	9	10	10
65 +	28	3.1	12	1	1	2	4	7	12	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	5.2	60	< 1	1	2	6	13	26	31
20-34	24	4.7	11	1	2	4	8	9	11	13
35-49	24	5.8	19	2	3	4	7	12	16	17
50-64	17	5.1	25	1	2	4	5	15	17	18
65 +	20	4.4	11	1	2	3	7	11	53	99 +
B. Operated										
0-19 YRS	110	6.0	91	1	2	3	5	10	25	57
20-34	133	7.7	71	1	3	5	9	17	23	47
35-49	81	6.0	45	1	2	5	8	12	14	41
50-64	73	7.5	57	1	2	5	11	18	20	38
65 +	70	11.0	178	1	3	7	13	26	36	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.6	8	1	1	3	5	9	9	13
B. Operated	370	2.9	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	101	5.0	22	1	2	4	7	11	16	64
B. Operated	467	7.5	87	1	2	5	9	17	25	53
1. SINGLE DX	429	3.0	8	1	1	2	4	6	8	15
2. MULTIPLE DX	568	7.1	76	1	2	4	8	15	23	52
A. Not Operated	160	4.5	18	1	2	3	6	10	13	30
B. Operated	837	5.4	57	1	1	3	6	12	19	41
TOTAL										
0-19 YRS	268	4.6	48	1	1	3	5	9	13	43
20-34	306	4.9	40	1	1	3	6	10	14	34
35-49	188	4.6	26	1	2	3	5	10	12	30
50-64	112	6.5	44	1	2	4	9	17	19	32
65 +	123	7.9	119	1	2	4	9	20	27	85
GRAND TOTAL	**997**	**5.3**	**51**	**1**	**1**	**3**	**6**	**11**	**17**	**40**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.8	2	< 1	1	1	3	4	4	4
20-34	15	1.7	1	< 1	1	1	2	4	4	4
35-49	8	1.9	3	< 1	< 1	1	3	5	5	5
50-64	6	1.7	1	< 1	1	1	2	4	4	4
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	188	3.0	2	1	2	3	4	5	5	7
20-34	240	2.9	2	1	2	3	4	5	5	7
35-49	78	3.0	2	1	2	3	4	5	6	7
50-64	18	3.3	3	1	2	3	4	6	7	7
65 +	10	5.8	23	2	3	4	7	14	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.6	5	1	1	4	5	6	7	7
20-34	26	2.3	2	< 1	1	2	3	5	5	6
35-49	13	2.5	3	1	1	2	3	5	6	6
50-64	17	4.6	12	1	2	4	6	11	11	11
65 +	63	4.6	10	1	2	4	6	8	10	18
B. Operated										
0-19 YRS	280	2.9	2	1	2	3	4	5	5	7
20-34	374	3.7	10	1	2	3	4	6	8	13
35-49	145	4.2	15	1	2	3	5	7	11	27
50-64	46	4.4	13	2	3	4	5	7	8	24
65 +	40	6.9	23	2	4	6	8	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.8	2	< 1	1	1	2	4	4	5
B. Operated	534	3.0	3	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	135	3.8	8	1	2	3	5	7	9	15
B. Operated	885	3.7	10	1	2	3	4	6	8	16
1. SINGLE DX	576	2.9	3	1	2	3	4	5	6	7
2. MULTIPLE DX	1020	3.7	9	1	2	3	4	6	8	16
A. Not Operated	177	3.3	7	1	1	3	5	6	8	14
B. Operated	1419	3.5	7	1	2	3	4	6	7	13
TOTAL										
0-19 YRS	494	2.9	2	1	2	3	4	5	5	7
20-34	655	3.3	7	1	2	3	4	5	7	11
35-49	244	3.6	10	1	2	3	5	6	8	17
50-64	87	4.0	10	1	2	4	5	7	10	19
65 +	116	5.4	17	2	3	4	7	10	14	21
GRAND TOTAL	**1596**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	3.5	5	2	2	3	4	6	8	11
20-34	213	4.2	7	1	2	4	6	8	9	13
35-49	228	4.7	12	2	3	4	6	9	11	17
50-64	87	3.9	5	2	2	4	5	7	9	11
65 +	17	5.1	9	2	3	5	7	8	11	13
B. Operated										
0-19 YRS	0									
20-34	32	4.6	26	1	1	3	6	11	17	22
35-49	45	3.9	20	1	1	2	6	9	10	24
50-64	8	5.5	71	1	1	3	5	20	26	26
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	5.0	11	2	3	4	6	9	13	15
20-34	298	4.9	10	2	3	4	6	8	10	14
35-49	444	5.6	13	2	3	5	7	10	12	19
50-64	267	5.5	9	2	3	5	7	9	11	16
65 +	297	5.9	19	2	3	5	7	10	12	24
B. Operated										
0-19 YRS	0									
20-34	36	8.6	45	2	4	7	11	19	22	32
35-49	61	8.6	51	2	4	7	11	17	19	40
50-64	40	6.4	39	1	2	5	8	11	17	36
65 +	25	11.6	58	4	7	9	16	23	27	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	574	4.4	8	2	2	4	5	8	10	15
B. Operated	87	4.3	26	1	1	2	6	10	14	25
2. MULTIPLE DX										
A. Not Operated	1331	5.5	13	2	3	5	7	9	12	17
B. Operated	162	8.5	49	2	4	7	11	18	21	36
1. SINGLE DX	661	4.4	11	1	2	4	6	8	10	15
2. MULTIPLE DX	1493	5.8	18	2	3	5	7	10	13	22
A. Not Operated	1905	5.1	12	2	3	4	6	9	11	16
B. Operated	249	7.1	45	1	2	6	9	15	20	34
TOTAL										
0-19 YRS	54	4.2	8	2	3	3	5	8	11	15
20-34	579	4.9	13	1	3	4	6	9	11	18
35-49	778	5.5	17	2	3	4	7	10	13	23
50-64	402	5.2	13	2	3	5	7	9	11	16
65 +	341	6.2	24	2	3	5	8	11	14	26
GRAND TOTAL	**2154**	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**12**	**21**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.0	2	1	1	2	2	4	5	9
20-34	224	3.6	6	1	2	3	5	6	8	13
35-49	188	3.9	6	1	2	3	5	7	9	13
50-64	61	4.9	69	1	2	3	5	7	11	59
65 +	27	3.0	6	1	1	3	4	6	9	9
B. Operated										
0-19 YRS	3	6.3	2	5	5	6	7	8	8	8
20-34	59	3.8	26	1	1	2	5	8	10	33
35-49	50	3.2	10	1	1	2	4	9	10	11
50-64	8	1.8	2	1	1	1	2	4	5	5
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	2.3	3	1	1	2	3	5	7	8
20-34	419	4.1	10	1	2	4	5	8	10	17
35-49	504	5.1	11	2	3	4	6	9	12	18
50-64	255	4.9	11	2	3	4	6	9	11	17
65 +	242	6.1	27	2	3	5	7	11	14	32
B. Operated										
0-19 YRS	8	3.4	6	< 1	1	3	5	7	8	8
20-34	69	4.4	16	1	1	3	6	11	13	16
35-49	74	6.2	48	1	2	4	8	13	19	40
50-64	38	5.9	18	1	2	5	9	11	15	17
65 +	16	8.6	95	2	4	6	9	12	34	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	564	3.6	13	1	2	3	5	6	9	13
B. Operated	121	3.5	17	1	1	2	5	8	10	20
2. MULTIPLE DX										
A. Not Operated	1512	4.8	13	1	2	4	6	9	11	18
B. Operated	205	5.6	34	1	2	4	8	12	14	36
1. SINGLE DX	685	3.6	14	1	1	3	5	7	9	13
2. MULTIPLE DX	1717	4.9	16	1	2	4	6	9	12	20
A. Not Operated	2076	4.5	14	1	2	4	6	8	11	17
B. Operated	326	4.8	29	1	1	3	7	11	13	31
TOTAL										
0-19 YRS	167	2.3	3	1	1	2	3	5	6	8
20-34	771	4.0	11	1	2	3	5	8	10	15
35-49	816	4.8	14	1	2	4	6	9	11	19
50-64	362	4.9	21	1	2	4	6	9	12	17
65 +	286	5.9	29	2	3	5	7	10	14	39
GRAND TOTAL	**2402**	**4.5**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.8	1	1	1	2	2	3	4	4
20-34	47	2.0	1	1	1	2	2	3	4	4
35-49	19	2.0	4	1	1	1	2	4	7	10
50-64	21	2.8	2	1	2	3	4	5	5	5
65 +	13	3.9	4	1	2	5	5	6	7	7
B. Operated										
0-19 YRS	40	1.4	1	1	1	1	2	3	3	4
20-34	230	1.9	1	1	1	2	2	3	4	7
35-49	492	2.2	2	1	1	2	3	4	4	7
50-64	480	2.8	2	1	2	3	3	5	5	7
65 +	211	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.2	3	1	1	2	3	5	6	8
20-34	54	3.4	5	1	2	3	4	6	7	13
35-49	59	2.9	4	1	2	2	4	5	7	11
50-64	57	4.0	15	1	2	3	4	9	11	21
65 +	150	4.5	12	1	2	4	6	8	11	18
B. Operated										
0-19 YRS	29	2.0	1	1	1	2	3	4	4	4
20-34	89	2.8	11	1	1	2	3	5	6	22
35-49	221	2.7	4	1	2	2	3	4	5	14
50-64	497	3.1	5	1	2	3	4	5	6	8
65 +	376	4.5	16	2	3	3	5	8	10	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	2.3	2	1	1	2	3	4	5	8
B. Operated	1453	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	347	3.8	10	1	2	3	5	8	10	13
B. Operated	1212	3.4	9	1	2	3	4	6	7	15
1. SINGLE DX	1577	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1559	3.5	9	1	2	3	4	6	8	15
A. Not Operated	471	3.4	8	1	2	3	4	7	8	13
B. Operated	2665	2.9	5	1	2	2	3	5	6	11
TOTAL										
0-19 YRS	120	1.8	1	1	1	2	2	3	4	6
20-34	420	2.3	4	1	1	2	3	4	5	9
35-49	791	2.4	3	1	1	2	3	4	5	8
50-64	1055	3.0	4	1	2	3	4	5	6	9
65 +	750	4.1	11	2	2	3	5	7	9	18
GRAND TOTAL	**3136**	**3.0**	**6**	**1**	**2**	**2**	**4**	**5**	**6**	**11**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	858	1.3	2	1	1	1	1	2	2	4
20-34	168	1.7	1	1	1	1	2	3	4	6
35-49	71	2.0	3	1	1	1	2	4	6	10
50-64	37	1.7	1	< 1	1	1	2	3	4	4
65 +	18	3.1	36	1	1	2	2	3	18	27
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1157	1.8	5	1	1	1	2	3	4	7
20-34	779	2.4	6	1	1	2	3	5	7	12
35-49	399	3.1	15	1	1	2	4	6	8	18
50-64	235	3.3	11	1	1	2	4	6	10	21
65 +	346	4.2	12	1	2	3	5	8	11	17
B. Operated										
0-19 YRS	292	2.7	17	1	1	1	2	5	8	31
20-34	285	3.1	13	1	1	2	3	7	10	23
35-49	144	3.8	16	1	1	2	5	8	14	19
50-64	64	4.7	59	1	2	3	5	9	11	53
65 +	118	4.5	16	1	2	3	5	9	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1152	1.5	3	1	1	1	2	2	3	5
B. Operated	7	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	2916	2.5	8	1	1	2	3	5	7	13
B. Operated	903	3.4	19	1	1	2	4	7	10	22
1. SINGLE DX	1159	1.5	3	1	1	1	2	2	3	5
2. MULTIPLE DX	3819	2.7	11	1	1	2	3	6	8	16
A. Not Operated	4068	2.2	7	1	1	1	2	4	6	12
B. Operated	910	3.4	19	1	1	2	4	7	10	22
TOTAL										
0-19 YRS	2310	1.7	5	1	1	1	2	3	4	9
20-34	1235	2.5	7	1	1	2	3	5	7	12
35-49	614	3.1	14	1	1	2	4	6	9	17
50-64	337	3.4	19	1	1	2	4	7	9	22
65 +	482	4.3	14	1	2	3	5	9	11	17
GRAND TOTAL	**4978**	**2.4**	**9**	**1**	**1**	**1**	**3**	**5**	**7**	**15**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	29.2	1064	2	10	17	40	86	89	89
20-34	5	20.0	36	16	16	17	23	30	30	30
35-49	2	36.5	265	25	25	36	48	48	48	48
50-64	0									
65 +	2	17.0	2	16	16	17	18	18	18	18
B. Operated										
0-19 YRS	49	35.0	599	13	18	27	52	97	99 +	99 +
20-34	52	34.3	280	15	22	36	49	92	99 +	99 +
35-49	26	32.0	328	11	20	28	54	91	99 +	99 +
50-64	10	29.7	228	4	25	32	40	45	46	46
65 +	9	42.7	828	11	18	38	66	84	87	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	14.0		14	14	14	14	14	14	14
B. Operated	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	18	26.1	563	5	16	18	26	71	86	89
B. Operated	146	34.3	420	13	20	33	50	95	99 +	99 +
1. SINGLE DX	2	15.0	2	14	14	15	16	16	16	16
2. MULTIPLE DX	164	33.4	439	13	18	31	50	88	99 +	99 +
A. Not Operated	19	25.5	540	6	15	17	26	68	85	89
B. Operated	147	34.2	419	13	20	33	50	94	99 +	99 +
TOTAL										
0-19 YRS	60	33.5	648	11	17	26	52	97	99 +	99 +
20-34	57	33.0	274	15	20	34	48	79	99 +	99 +
35-49	28	32.3	314	13	21	28	52	86	99 +	99 +
50-64	10	29.7	228	4	25	32	40	45	46	46
65 +	11	38.0	771	11	16	25	58	83	87	87
GRAND TOTAL	**166**	**33.2**	**438**	**13**	**18**	**31**	**49**	**88**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	727	1.5	3	< 1	1	1	1	3	3	7
20-34	106	2.4	6	1	1	2	3	5	6	14
35-49	45	2.9	29	1	1	2	2	6	8	36
50-64	18	2.4	2	1	1	2	3	5	6	6
65 +	16	3.9	15	1	2	2	5	11	13	14
B. Operated										
0-19 YRS	40	5.6	10	2	3	5	7	9	10	18
20-34	18	6.9	27	1	3	6	9	14	19	21
35-49	15	6.3	16	3	4	6	6	11	16	18
50-64	9	8.0	64	2	4	5	9	21	28	28
65 +	20	8.8	31	3	5	7	11	18	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1248	2.4	13	1	1	1	2	5	7	20
20-34	563	3.6	28	1	1	2	4	7	10	25
35-49	282	4.1	15	1	2	3	5	9	12	22
50-64	197	5.4	35	1	2	3	6	14	17	31
65 +	360	6.8	38	1	3	5	9	15	20	27
B. Operated										
0-19 YRS	379	9.2	161	1	2	4	13	23	39	99 +
20-34	352	7.2	115	1	2	3	8	20	32	46
35-49	185	11.1	235	1	2	5	14	32	52	96
50-64	136	10.8	229	1	2	6	12	22	42	93
65 +	288	13.2	182	2	4	9	17	29	42	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	912	1.7	5	< 1	1	1	2	3	4	11
B. Operated	102	6.8	23	2	4	6	9	11	18	25
2. MULTIPLE DX										
A. Not Operated	2650	3.7	24	1	1	2	4	8	13	25
B. Operated	1340	10.0	175	1	2	5	12	25	38	90
1. SINGLE DX	1014	2.2	9	< 1	1	1	2	5	7	15
2. MULTIPLE DX	3990	5.8	83	1	1	3	6	14	22	51
A. Not Operated	3562	3.2	20	1	1	2	3	7	11	23
B. Operated	1442	9.7	165	1	2	5	12	24	37	89
TOTAL										
0-19 YRS	2394	3.3	40	1	1	1	3	7	13	37
20-34	1039	4.7	59	1	1	2	5	9	17	37
35-49	527	6.5	105	1	2	3	7	15	26	64
50-64	360	7.3	114	1	2	4	9	17	24	49
65 +	684	9.5	108	1	3	7	12	21	28	54
GRAND TOTAL	**5004**	**5.1**	**70**	**1**	**1**	**2**	**5**	**12**	**20**	**45**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.3	3	1	1	2	3	5	6	7
20-34	38	2.7	3	1	2	2	3	6	7	9
35-49	17	2.7	4	1	1	2	4	6	8	8
50-64	12	2.9	3	1	1	2	4	5	6	6
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	36	4.6	7	2	3	4	5	9	10	12
20-34	55	4.9	13	2	3	4	6	9	10	22
35-49	26	4.5	13	2	2	3	5	9	11	18
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	3	3.7	6	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	3.6	8	1	2	3	4	8	10	14
20-34	164	3.8	10	1	2	3	5	7	9	19
35-49	115	4.3	9	2	2	4	5	8	10	16
50-64	87	5.4	51	1	2	4	6	10	13	46
65 +	150	6.6	26	2	3	5	8	13	16	22
B. Operated										
0-19 YRS	137	8.5	58	2	4	7	10	16	21	44
20-34	360	7.2	42	3	4	6	9	12	16	44
35-49	204	9.1	59	3	4	7	11	18	21	42
50-64	119	10.9	124	4	5	7	13	23	27	62
65 +	146	12.2	143	4	6	10	14	24	37	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	2.6	3	1	1	2	3	6	7	9
B. Operated	123	4.7	11	2	3	4	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	604	4.8	21	1	2	4	6	9	13	20
B. Operated	966	9.0	76	3	4	7	10	17	23	50
1. SINGLE DX	221	3.8	8	1	2	3	5	7	9	17
2. MULTIPLE DX	1570	7.4	59	2	3	5	9	14	20	42
A. Not Operated	702	4.5	19	1	2	3	5	9	12	19
B. Operated	1089	8.5	71	3	4	6	10	16	22	47
TOTAL										
0-19 YRS	290	5.9	37	1	2	4	8	12	16	34
20-34	617	5.8	32	2	3	4	7	10	14	29
35-49	362	6.9	43	2	3	5	9	14	19	40
50-64	221	8.2	96	2	3	5	9	17	25	53
65 +	301	9.2	91	3	4	7	11	17	24	67
GRAND TOTAL	**1791**	**6.9**	**54**	**2**	**3**	**5**	**8**	**13**	**19**	**41**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	192	4.6	10	1	2	4	7	9	11	13
20-34	51	2.8	4	1	1	3	4	5	6	10
35-49	18	3.6	21	1	1	2	4	9	15	19
50-64	13	3.3	5	1	1	3	4	6	8	8
65 +	3	3.0	7	1	1	2	5	6	6	6
B. Operated										
0-19 YRS	66	5.8	8	3	4	5	7	9	10	17
20-34	57	5.2	4	3	4	5	7	7	8	11
35-49	18	8.9	46	5	6	7	10	13	26	34
50-64	7	5.9	2	4	4	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	282	4.6	16	1	2	3	7	10	12	19
20-34	203	4.2	10	1	2	3	6	8	10	16
35-49	83	4.2	14	1	2	3	6	8	10	22
50-64	47	5.1	25	1	2	3	8	10	12	28
65 +	90	5.5	21	1	2	4	8	13	15	20
B. Operated										
0-19 YRS	329	11.2	108	3	6	8	13	24	31	52
20-34	542	11.0	95	4	6	8	12	20	30	55
35-49	232	12.5	141	5	6	9	13	26	36	65
50-64	111	15.0	204	5	7	10	18	33	38	87
65 +	111	15.8	179	5	7	13	19	34	38	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	4.1	10	1	2	3	6	9	10	13
B. Operated	148	6.0	12	3	4	6	7	9	10	17
2. MULTIPLE DX										
A. Not Operated	705	4.6	16	1	2	3	6	10	12	18
B. Operated	1325	12.1	125	4	6	9	13	25	33	64
1. SINGLE DX	425	4.8	11	1	2	4	7	9	10	14
2. MULTIPLE DX	2030	9.5	99	2	4	7	11	19	28	53
A. Not Operated	982	4.5	14	1	2	3	6	9	11	17
B. Operated	1473	11.5	117	4	6	8	13	24	33	63
TOTAL										
0-19 YRS	869	7.2	59	1	2	6	9	13	20	42
20-34	853	8.5	75	2	4	7	10	16	24	51
35-49	351	9.9	114	2	4	7	11	20	29	64
50-64	178	11.2	158	2	4	8	13	26	35	70
65 +	204	11.1	134	2	4	8	14	24	35	62
GRAND TOTAL	**2455**	**8.7**	**87**	**2**	**3**	**6**	**10**	**17**	**26**	**51**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.1	1	< 1	1	2	3	4	5	5
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	149	2.4	3	1	1	2	3	5	5	8
20-34	61	2.7	2	1	1	3	3	5	5	6
35-49	29	2.7	3	1	2	2	3	5	6	8
50-64	7	3.0	5	1	1	2	4	7	7	7
65 +	10	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.6	4	< 1	1	2	4	6	6	6
20-34	15	2.1	1	1	1	2	3	4	4	4
35-49	0									
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	184	3.5	7	1	1	3	5	6	8	13
20-34	184	4.1	15	1	2	3	5	7	10	19
35-49	90	4.2	8	1	2	3	6	8	10	13
50-64	35	4.9	8	2	3	5	6	8	11	14
65 +	53	5.0	19	1	2	3	6	9	16	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.1	2	< 1	1	2	3	4	5	5
B. Operated	256	2.5	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. Not Operated	33	2.4	2	< 1	1	2	3	5	6	6
B. Operated	546	4.0	11	1	2	3	5	7	10	16
1. SINGLE DX	274	2.5	3	1	1	2	3	5	5	8
2. MULTIPLE DX	579	3.9	11	1	2	3	5	7	9	16
A. Not Operated	51	2.3	2	< 1	1	2	3	5	5	6
B. Operated	802	3.5	9	1	1	3	5	7	8	15
TOTAL										
0-19 YRS	359	2.9	5	1	1	2	4	6	7	11
20-34	264	3.6	11	1	2	3	5	6	8	15
35-49	120	3.8	7	1	2	3	5	8	9	12
50-64	45	4.4	8	2	2	4	6	8	11	14
65 +	65	4.5	17	1	2	3	5	8	15	21
GRAND TOTAL	**853**	**3.5**	**9**	**1**	**1**	**3**	**5**	**6**	**8**	**15**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	2.0	2	1	1	1	3	4	5	8
20-34	41	2.2	5	< 1	1	1	2	5	6	14
35-49	10	3.2	4	1	2	3	4	6	7	7
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	209	1.7	2	< 1	1	1	2	3	4	8
20-34	89	2.2	5	< 1	1	1	2	5	7	12
35-49	23	1.7	1	< 1	< 1	1	2	4	5	5
50-64	11	1.9	1	1	1	2	2	4	4	4
65 +	12	2.4	5	< 1	1	1	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	179	2.4	3	1	1	2	3	5	6	8
20-34	116	2.5	7	1	1	2	3	4	6	17
35-49	45	2.3	2	1	1	2	3	4	5	7
50-64	29	3.5	8	1	1	3	4	7	10	12
65 +	56	5.6	30	1	2	4	8	12	16	30
B. Operated										
0-19 YRS	470	2.7	7	1	1	2	3	5	7	15
20-34	466	3.1	16	1	1	2	4	6	9	21
35-49	193	3.9	19	1	1	3	5	8	10	24
50-64	98	5.5	92	1	2	3	5	9	21	58
65 +	113	4.8	36	1	2	4	6	9	12	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	2.2	3	1	1	2	3	4	6	10
B. Operated	344	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	425	2.9	9	1	1	2	3	6	8	17
B. Operated	1340	3.4	21	1	1	2	4	7	9	22
1. SINGLE DX	512	2.0	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	1765	3.3	18	1	1	2	4	6	9	21
A. Not Operated	593	2.7	7	1	1	2	3	5	7	14
B. Operated	1684	3.1	18	1	1	2	4	6	9	21
TOTAL										
0-19 YRS	970	2.3	5	1	1	2	3	5	6	11
20-34	712	2.9	13	1	1	2	3	6	8	18
35-49	271	3.4	15	1	1	2	4	7	9	24
50-64	140	4.8	67	1	1	3	5	9	13	39
65 +	184	4.8	32	1	2	3	6	10	12	32
GRAND TOTAL	**2277**	**3.0**	**15**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	2.1	3	< 1	1	1	3	4	5	11
20-34	115	1.8	3	< 1	1	1	2	3	4	10
35-49	24	2.0	4	1	1	1	2	3	6	10
50-64	6	1.8	1	< 1	< 1	1	2	4	4	4
65 +	5	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	113	2.3	4	1	1	1	3	4	6	11
20-34	97	3.8	47	< 1	1	2	4	6	8	43
35-49	41	3.5	9	1	1	3	5	6	7	18
50-64	9	3.1	5	1	1	2	5	7	7	7
65 +	5	5.4	25	< 1	1	3	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.0	20	1	1	2	3	5	9	29
20-34	112	2.4	6	< 1	1	2	3	4	6	13
35-49	61	3.2	8	1	1	2	4	6	9	16
50-64	15	3.0	8	1	1	2	4	7	9	10
65 +	12	3.1	6	< 1	1	2	4	6	9	9
B. Operated										
0-19 YRS	136	5.0	22	1	2	4	7	11	12	26
20-34	256	5.6	48	1	2	4	7	10	17	45
35-49	97	6.8	80	1	2	5	7	13	23	53
50-64	34	8.3	63	1	3	6	10	22	25	32
65 +	15	6.5	25	1	3	4	11	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	247	1.9	3	< 1	1	1	2	3	5	10
B. Operated	265	3.1	21	1	1	2	4	6	7	18
2. MULTIPLE DX										
A. Not Operated	246	2.8	9	1	1	2	3	5	7	17
B. Operated	538	5.9	46	1	2	4	7	11	17	37
1. SINGLE DX	512	2.5	13	< 1	1	2	3	5	6	13
2. MULTIPLE DX	784	4.9	38	1	1	3	6	10	14	32
A. Not Operated	493	2.4	6	< 1	1	2	3	5	6	12
B. Operated	803	5.0	41	1	1	3	6	10	14	34
TOTAL										
0-19 YRS	392	3.3	14	1	1	2	4	7	10	19
20-34	580	3.9	33	< 1	1	2	5	8	11	29
35-49	223	4.7	43	1	2	3	5	9	14	36
50-64	64	5.7	44	1	1	3	7	14	23	31
65 +	37	4.6	18	1	2	3	5	12	14	17
GRAND TOTAL	**1296**	**4.0**	**29**	**1**	**1**	**2**	**5**	**8**	**12**	**28**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	2.4	2	1	1	2	3	4	5	7
20-34	98	2.5	2	1	1	2	3	4	5	8
35-49	48	2.9	6	1	1	2	4	6	6	14
50-64	17	2.8	4	1	2	3	3	4	8	10
65 +	5	3.6	5	1	2	3	5	7	7	7
B. Operated										
0-19 YRS	404	2.3	8	< 1	1	1	2	5	7	15
20-34	519	2.3	6	< 1	1	1	3	4	6	12
35-49	235	2.2	5	< 1	1	1	3	5	7	12
50-64	113	2.3	5	< 1	1	1	2	6	7	10
65 +	48	2.2	4	1	1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	3.1	7	1	2	3	4	5	7	14
20-34	185	3.3	14	1	2	2	4	5	8	26
35-49	74	3.8	10	2	2	3	4	5	7	22
50-64	44	4.0	7	2	2	3	5	7	10	14
65 +	36	5.2	14	2	3	4	7	9	13	19
B. Operated										
0-19 YRS	414	3.3	18	1	1	2	4	7	11	22
20-34	682	3.5	19	1	1	2	4	7	11	25
35-49	337	3.7	23	1	1	2	4	8	12	23
50-64	173	3.8	17	1	1	2	4	9	14	20
65 +	117	4.2	28	1	1	2	5	9	14	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	2.6	3	1	1	2	3	4	6	8
B. Operated	1319	2.3	6	< 1	1	1	2	5	7	12
2. MULTIPLE DX										
A. Not Operated	457	3.5	11	1	2	3	4	6	8	24
B. Operated	1723	3.6	20	1	1	2	4	8	12	23
1. SINGLE DX	1646	2.3	5	< 1	1	1	3	4	6	12
2. MULTIPLE DX	2180	3.6	18	1	1	2	4	7	11	24
A. Not Operated	784	3.1	8	1	2	3	4	5	7	14
B. Operated	3042	3.0	14	1	1	2	3	7	10	20
TOTAL										
0-19 YRS	1095	2.8	11	1	1	2	3	5	8	17
20-34	1484	3.0	13	1	1	2	3	6	9	22
35-49	694	3.2	15	1	1	2	4	6	9	21
50-64	347	3.3	12	1	1	2	4	7	10	15
65 +	206	3.9	21	1	1	2	5	8	12	34
GRAND TOTAL	**3826**	**3.0**	**13**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	185	2.4	2	1	1	2	3	4	5	8
20-34	100	2.2	2	1	1	2	3	4	4	9
35-49	28	3.4	10	< 1	1	2	4	9	12	13
50-64	10	3.8	4	1	2	3	6	7	7	7
65 +	5	7.2	38	< 1	1	6	13	15	15	15
B. Operated										
0-19 YRS	391	3.2	13	1	1	2	3	6	9	20
20-34	271	2.8	10	1	1	2	3	5	7	19
35-49	81	3.8	19	1	1	3	4	9	12	24
50-64	44	3.5	6	1	2	3	4	7	9	12
65 +	20	3.7	14	1	1	2	5	9	13	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	137	3.5	8	1	2	3	4	6	9	17
20-34	86	3.5	11	1	1	3	5	8	9	18
35-49	44	4.1	7	1	2	3	6	8	10	11
50-64	28	6.5	24	2	3	5	8	10	21	22
65 +	48	5.6	19	2	3	5	7	10	12	28
B. Operated										
0-19 YRS	243	5.8	56	1	2	3	6	12	18	42
20-34	282	5.2	32	1	2	4	6	11	16	32
35-49	135	6.9	95	1	2	4	8	13	24	51
50-64	76	11.3	174	2	3	6	13	29	40	66
65 +	82	8.6	38	2	5	8	11	15	23	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	2.5	4	1	1	2	3	4	6	12
B. Operated	807	3.1	12	1	1	2	4	6	9	20
2. MULTIPLE DX										
A. Not Operated	343	4.1	13	1	2	3	5	8	10	21
B. Operated	818	6.6	66	1	2	4	8	13	22	43
1. SINGLE DX	1135	3.0	10	1	1	2	3	5	8	17
2. MULTIPLE DX	1161	5.8	52	1	2	4	7	12	18	41
A. Not Operated	671	3.3	9	1	1	3	4	6	9	16
B. Operated	1625	4.9	42	1	2	3	5	10	14	36
TOTAL										
0-19 YRS	956	3.7	23	1	1	3	4	7	11	26
20-34	739	3.7	19	1	1	2	4	8	11	24
35-49	288	5.3	54	1	2	3	6	10	13	44
50-64	158	7.8	102	1	2	5	8	18	28	61
65 +	155	7.0	32	2	3	5	9	14	17	28
GRAND TOTAL	**2296**	**4.4**	**33**	**1**	**2**	**3**	**5**	**9**	**13**	**32**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	10	1	2	6	7	7	7	7
20-34	4	2.3	6	1	1	1	4	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	4.7	64	1	1	2	4	11	27	32
20-34	16	4.1	12	1	1	2	6	10	11	12
35-49	4	1.3		1	1	1	2	2	2	2
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.7	14	1	1	4	8	10	10	10
20-34	5	5.8	25	< 1	2	5	8	14	14	14
35-49	5	3.4	8	1	1	2	6	7	7	7
50-64	0									
65 +	5	10.8	66	5	6	9	13	25	25	25
B. Operated										
0-19 YRS	53	10.0	269	1	2	3	9	27	62	65
20-34	124	12.0	272	1	3	6	14	28	47	90
35-49	63	6.6	73	1	1	5	8	15	23	47
50-64	22	12.8	353	2	3	6	15	30	54	87
65 +	20	7.2	96	1	2	4	7	15	32	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.9	10	1	1	4	7	8	8	8
B. Operated	39	3.7	30	1	1	2	4	9	12	32
2. MULTIPLE DX										
A. Not Operated	22	6.0	31	1	2	5	9	11	18	25
B. Operated	282	10.1	223	1	2	5	10	24	44	81
1. SINGLE DX	47	3.8	26	1	1	2	5	8	11	32
2. MULTIPLE DX	304	9.8	210	1	2	5	10	24	42	76
A. Not Cperated	30	5.5	25	1	1	5	7	10	14	25
B. Operated	321	9.3	204	1	2	5	10	22	39	73
TOTAL										
0-19 YRS	78	8.3	201	1	1	3	8	20	49	64
20-34	149	10.6	237	1	2	6	12	26	45	88
35-49	73	6.1	66	1	1	4	7	13	20	46
50-64	24	11.8	333	1	2	6	14	29	48	87
65 +	27	7.4	85	1	2	4	8	19	28	44
GRAND TOTAL	**351**	**9.0**	**190**	**1**	**2**	**5**	**9**	**21**	**37**	**67**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.3	17	1	1	3	7	9	9	9
35-49	0									
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	16	3.4	6	1	1	3	5	8	8	8
20-34	24	4.3	12	1	2	3	6	8	13	14
35-49	20	2.9	6	< 1	1	2	5	7	7	8
50-64	10	2.1	1	1	1	2	2	4	5	5
65 +	3	7.0	27	4	4	4	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.7	7	1	3	3	3	8	9	9
20-34	11	5.4	37	< 1	1	3	7	14	21	22
35-49	11	14.6	109	3	4	14	25	25	25	25
50-64	8	5.0	19	1	2	5	9	66	99 +	99 +
65 +	10	10.8	323	2	2	5	10	36	61	61
B. Operated										
0-19 YRS	22	2.7	3	1	1	2	4	5	6	8
20-34	38	5.1	41	1	2	3	6	9	12	39
35-49	12	7.4	39	1	2	7	11	16	20	21
50-64	18	6.9	84	2	2	3	7	22	31	35
65 +	11	5.9	17	2	4	4	7	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.8	20	1	2	6	9	10	10	10
B. Operated	73	3.5	9	1	1	2	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	46	8.5	119	1	2	5	10	25	31	99 +
B. Operated	101	5.3	39	1	2	3	7	11	15	37
1. SINGLE DX	77	3.6	9	1	1	2	5	8	10	14
2. MULTIPLE DX	147	6.3	65	1	2	4	7	14	25	62
A. Not Operated	50	8.3	111	1	2	5	10	25	25	99 +
B. Operated	174	4.5	27	1	2	3	6	9	13	33
TOTAL										
0-19 YRS	44	3.1	5	1	1	3	4	6	8	9
20-34	76	4.9	30	1	2	3	6	9	14	35
35-49	43	7.1	62	1	1	4	9	25	25	25
50-64	36	5.1	49	1	2	2	6	14	32	99 +
65 +	25	8.2	136	2	3	5	10	13	26	61
GRAND TOTAL	**224**	**5.4**	**48**	**1**	**2**	**3**	**6**	**12**	**21**	**44**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	4.1	4	1	3	4	5	6	8	9
20-34	42	3.3	2	1	2	3	5	5	5	6
35-49	13	2.8	2	1	2	3	4	4	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	6.0	18	2	2	5	9	11	11	11
20-34	6	4.3	5	1	3	4	6	7	7	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	4.0	6	1	2	4	5	7	9	11
20-34	53	3.5	4	1	2	3	5	6	7	9
35-49	19	3.2	12	< 1	1	3	4	5	11	16
50-64	7	3.6	4	1	2	4	5	6	6	6
65 +	11	3.6	2	2	3	3	5	6	6	6
B. Operated										
0-19 YRS	30	6.0	22	2	2	5	10	11	15	22
20-34	14	3.8	2	2	2	4	5	5	6	6
35-49	6	3.8	12	1	2	2	6	10	10	10
50-64	2	5.0	8	3	3	5	7	7	7	7
65 +	9	3.1	3	< 1	2	4	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	3.8	4	1	2	4	5	6	7	9
B. Operated	12	4.8	8	2	2	4	6	9	11	11
2. MULTIPLE DX										
A. Not Operated	200	3.8	6	1	2	4	5	6	8	11
B. Operated	61	4.8	14	2	2	4	6	10	11	21
1. SINGLE DX	224	3.9	4	1	2	4	5	6	8	9
2. MULTIPLE DX	261	4.0	8	1	2	4	5	7	10	15
A. Not Operated	412	3.8	5	1	2	4	5	6	8	10
B. Operated	73	4.8	13	2	2	4	6	10	11	20
TOTAL										
0-19 YRS	298	4.3	7	1	2	4	5	8	9	12
20-34	115	3.5	3	1	2	3	5	6	7	8
35-49	40	3.2	8	< 1	1	3	4	5	8	16
50-64	12	3.4	4	1	2	3	5	6	7	7
65 +	20	3.4	2	1	2	3	5	5	6	6
GRAND TOTAL	**485**	**3.9**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**11**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	330	1.6	1	< 1	1	1	2	3	4	5
20-34	209	2.1	3	< 1	1	2	2	5	6	8
35-49	114	2.3	3	1	1	2	3	5	6	9
50-64	57	2.2	3	1	1	2	3	4	6	9
65 +	69	3.2	12	1	1	2	3	7	8	22
B. Operated										
0-19 YRS	39	2.4	4	< 1	1	2	3	5	7	9
20-34	45	2.5	8	1	1	1	3	6	8	15
35-49	21	4.5	26	< 1	1	2	6	14	17	18
50-64	17	3.4	7	1	2	3	5	6	10	12
65 +	8	3.0	20	< 1	1	1	2	10	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	649	2.1	4	1	1	1	2	4	6	10
20-34	638	2.5	8	1	1	2	3	5	6	10
35-49	430	3.0	6	1	1	2	4	6	8	11
50-64	358	3.8	12	1	2	3	5	7	10	18
65 +	989	5.1	23	1	2	4	7	10	13	20
B. Operated										
0-19 YRS	78	3.4	14	1	1	2	4	7	12	19
20-34	143	3.3	15	1	1	2	4	6	9	18
35-49	101	4.0	14	1	1	3	5	9	11	19
50-64	69	7.2	64	1	2	5	9	15	30	42
65 +	128	7.0	28	2	3	5	10	16	18	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	779	2.0	3	< 1	1	1	2	4	5	8
B. Operated	130	2.9	11	< 1	1	2	3	7	11	16
2. MULTIPLE DX										
A. Not Operated	3064	3.5	14	1	1	2	4	7	10	16
B. Operated	519	4.9	27	1	2	3	6	11	16	26
1. SINGLE DX	909	2.2	4	< 1	1	1	2	4	6	11
2. MULTIPLE DX	3583	3.7	16	1	1	2	5	8	10	18
A. Not Operated	3843	3.2	12	1	1	2	4	7	9	15
B. Operated	649	4.5	25	1	1	3	5	10	15	22
TOTAL										
0-19 YRS	1096	2.1	4	1	1	1	2	4	6	10
20-34	1035	2.5	8	1	1	2	3	5	7	11
35-49	666	3.1	8	1	1	2	4	6	8	14
50-64	501	4.1	20	1	2	3	5	8	11	28
65 +	1194	5.2	23	1	2	4	7	10	13	21
GRAND TOTAL	**4492**	**3.4**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.0	2	1	1	2	2	3	5	8
20-34	29	2.1	2	1	1	2	2	3	4	7
35-49	14	1.9	2	1	1	1	2	4	5	6
50-64	6	3.7	37	1	1	1	2	15	16	16
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	19	2.3	3	< 1	1	1	4	5	5	5
20-34	36	3.8	8	1	2	3	5	8	10	12
35-49	18	4.3	22	1	1	3	7	8	15	20
50-64	7	4.6	18	1	1	3	8	11	12	12
65 +	3	5.3	56	1	1	1	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.9	2	1	1	1	3	4	5	5
20-34	31	3.2	5	1	2	2	4	6	9	10
35-49	17	2.7	7	< 1	1	2	3	8	9	9
50-64	6	4.7	13	2	2	3	7	11	11	11
65 +	8	5.6	22	1	2	4	7	13	16	16
B. Operated										
0-19 YRS	40	6.4	65	1	2	3	8	16	24	40
20-34	84	6.9	80	1	2	4	9	13	21	49
35-49	45	7.6	118	1	2	3	9	20	30	53
50-64	26	8.1	84	2	3	4	8	24	28	35
65 +	14	7.8	168	1	2	3	6	21	44	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	2.1	4	1	1	2	2	3	6	12
B. Operated	83	3.7	12	1	1	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	81	3.1	8	1	1	2	4	7	9	14
B. Operated	209	7.2	90	1	2	3	9	18	25	50
1. SINGLE DX	188	2.8	8	1	1	2	3	6	8	15
2. MULTIPLE DX	290	6.1	70	1	2	3	7	13	22	48
A. Not Operated	186	2.5	6	1	1	2	3	6	7	14
B. Operated	292	6.2	70	1	2	3	7	13	22	48
TOTAL										
0-19 YRS	133	3.4	25	1	1	2	3	6	12	28
20-34	180	4.9	44	1	2	3	6	10	13	45
35-49	94	5.2	67	1	1	2	6	13	20	49
50-64	45	6.5	59	1	2	3	7	20	24	35
65 +	26	6.6	100	1	1	3	7	16	24	50
GRAND TOTAL	**478**	**4.8**	**48**	**1**	**1**	**2**	**5**	**10**	**16**	**43**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	499	1.2		< 1	< 1	1	1	2	2	4
20-34	37	1.5	1	< 1	1	1	2	3	4	7
35-49	25	1.4	1	< 1	1	1	1	3	3	4
50-64	26	1.6	4	< 1	1	1	1	2	4	11
65 +	24	1.5	1	< 1	1	1	2	3	3	4
B. Operated										
0-19 YRS	231	1.5	2	< 1	1	1	2	2	3	8
20-34	16	2.9	5	< 1	1	2	4	6	8	9
35-49	6	4.2	9	< 1	1	4	7	8	8	8
50-64	6	2.7	4	< 1	1	2	4	6	6	6
65 +	9	4.0	22	< 1	1	1	6	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	208	2.4	7	1	1	2	3	4	7	16
20-34	34	2.7	6	1	1	2	3	5	10	11
35-49	38	2.6	7	< 1	1	1	3	6	9	13
50-64	55	3.0	8	1	1	2	4	6	10	14
65 +	141	4.2	25	1	1	3	5	9	12	30
B. Operated										
0-19 YRS	112	4.3	39	1	1	2	5	10	15	36
20-34	27	4.2	13	1	2	3	6	13	23	99 +
35-49	36	6.9	20	2	3	7	10	13	15	18
50-64	38	7.5	137	< 1	1	4	8	16	31	63
65 +	110	6.8	68	1	2	5	9	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	611	1.3	1	< 1	1	1	1	2	3	4
B. Operated	268	1.7	3	< 1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	476	3.1	13	1	1	2	4	6	10	17
B. Operated	323	5.8	57	1	2	3	7	12	18	50
1. SINGLE DX	879	1.4	1	< 1	1	1	1	2	3	8
2. MULTIPLE DX	799	4.2	33	1	1	2	5	10	13	30
A. Not Operated	1087	2.1	7	< 1	1	1	2	4	6	13
B. Operated	591	4.0	37	1	1	2	5	9	13	34
TOTAL										
0-19 YRS	1050	1.8	7	< 1	1	1	2	3	5	13
20-34	114	2.7	7	< 1	1	2	3	6	10	44
35-49	105	3.8	15	1	1	2	5	10	13	17
50-64	125	4.1	51	< 1	1	2	4	9	13	46
65 +	284	5.0	42	1	1	3	6	10	17	33
GRAND TOTAL	**1678**	**2.7**	**18**	**< 1**	**1**	**1**	**3**	**6**	**10**	**21**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.4	20	1	1	3	6	11	16	18
20-34	13	5.2	15	1	2	5	7	12	13	13
35-49	5	5.2	18	< 1	1	5	9	10	10	10
50-64	3	6.3	22	1	3	8	9	10	10	10
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	39	8.6	73	1	3	6	11	19	25	44
20-34	37	9.2	70	2	4	6	11	23	26	35
35-49	25	7.9	46	1	3	5	10	20	23	26
50-64	8	9.6	90	1	2	6	16	25	26	26
65 +	11	14.4	132	1	5	10	24	32	33	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	7.7	101	1	2	5	9	17	24	52
20-34	44	6.2	12	2	3	6	9	11	13	15
35-49	28	8.7	136	< 1	1	5	11	19	34	55
50-64	14	6.2	28	2	3	4	8	13	19	21
65 +	20	9.6	61	3	4	7	12	22	28	32
B. Operated										
0-19 YRS	171	15.2	121	4	8	14	21	32	66	99 +
20-34	133	14.2	176	2	5	10	18	34	40	59
35-49	63	17.5	291	2	7	13	20	45	62	97
50-64	54	20.2	255	4	7	15	30	47	59	61
65 +	72	22.4	470	5	7	15	28	56	79	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.9	17	1	2	4	7	11	13	18
B. Operated	120	9.2	73	1	3	6	12	23	26	38
2. MULTIPLE DX										
A. Not Operated	179	7.6	74	1	3	5	9	15	22	52
B. Operated	493	16.8	230	3	7	13	22	39	58	99 +
1. SINGLE DX	161	8.1	62	1	3	5	10	20	26	35
2. MULTIPLE DX	672	14.4	205	2	5	10	18	33	52	99 +
A. Not Operated	220	7.1	65	1	2	5	9	13	20	52
B. Operated	613	15.3	208	3	6	12	20	34	53	99 +
TOTAL										
0-19 YRS	301	11.9	118	1	4	9	17	27	44	99 +
20-34	227	11.3	130	2	4	8	14	28	35	58
35-49	121	13.0	213	1	3	9	16	29	56	87
50-64	79	16.2	224	2	5	12	22	36	50	61
65 +	105	18.8	377	4	6	12	22	44	69	88
GRAND TOTAL	**833**	**13.2**	**183**	**2**	**4**	**9**	**17**	**31**	**47**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	244	3.3	10	1	1	2	4	7	11	15
20-34	64	3.4	17	1	1	2	4	7	14	22
35-49	35	3.3	9	1	1	2	4	8	11	12
50-64	16	3.4	10	1	1	2	5	9	9	9
65 +	5	4.8	17	1	1	4	8	10	10	10
B. Operated										
0-19 YRS	60	7.2	34	1	3	6	9	15	20	26
20-34	14	4.3	8	1	2	4	6	8	10	10
35-49	11	3.6	25	< 1	1	2	3	11	17	18
50-64	8	8.5	23	3	5	8	12	16	16	16
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	732	4.6	18	1	2	3	6	10	13	20
20-34	255	3.6	11	1	1	2	5	8	11	14
35-49	149	4.7	23	1	2	3	6	10	12	20
50-64	63	5.9	25	1	2	5	9	12	14	25
65 +	65	8.1	53	2	4	6	11	15	17	47
B. Operated										
0-19 YRS	211	9.0	75	2	3	7	12	19	27	45
20-34	73	9.4	80	2	4	9	11	17	23	57
35-49	46	9.5	67	2	4	7	14	20	24	41
50-64	30	17.0	228	3	5	14	32	42	52	99 +
65 +	28	13.8	126	3	6	9	19	30	40	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	364	3.3	11	1	1	2	4	7	11	16
B. Operated	95	6.3	30	1	2	5	8	14	16	26
2. MULTIPLE DX										
A. Not Operated	1264	4.7	20	1	2	3	6	10	13	20
B. Operated	388	10.1	95	2	3	7	13	22	32	48
1. SINGLE DX	459	4.0	17	1	1	2	5	9	13	20
2. MULTIPLE DX	1652	6.0	43	1	2	4	8	13	17	39
A. Not Operated	1628	4.4	18	1	1	3	6	10	13	19
B. Operated	483	9.4	84	2	3	7	12	20	27	47
TOTAL										
0-19 YRS	1247	5.2	30	1	2	3	7	12	15	27
20-34	406	4.7	29	1	1	3	6	11	13	23
35-49	241	5.4	33	1	2	3	7	12	17	29
50-64	117	8.6	99	1	2	6	11	19	35	67
65 +	100	9.4	78	2	4	7	12	19	26	47
GRAND TOTAL	**2111**	**5.5**	**38**	**1**	**2**	**4**	**7**	**12**	**16**	**32**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.3	3	1	1	2	3	4	6	7
20-34	18	3.1	4	1	2	3	4	6	8	9
35-49	13	3.5	8	1	1	2	5	8	9	9
50-64	5	5.4	26	1	2	5	7	14	14	14
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	30	2.3	4	< 1	1	2	3	5	5	10
20-34	46	1.7	3	< 1	1	1	2	3	4	10
35-49	22	2.9	18	< 1	1	1	2	11	14	15
50-64	8	8.8	236	< 1	1	2	8	35	46	46
65 +	3	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	4.2	20	1	1	3	4	12	16	16
20-34	34	4.7	16	1	2	3	7	9	12	18
35-49	16	5.9	34	1	2	4	8	11	20	24
50-64	16	7.6	70	2	3	5	8	11	29	37
65 +	30	6.3	24	2	3	5	8	14	19	20
B. Operated										
0-19 YRS	68	3.7	39	< 1	1	1	3	12	16	87
20-34	125	4.5	52	1	1	2	4	12	15	44
35-49	51	5.3	69	< 1	1	2	4	15	22	45
50-64	19	12.9	330	1	1	5	15	48	57	57
65 +	18	8.7	63	1	2	8	12	22	27	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.1	7	1	1	2	4	7	8	13
B. Operated	109	2.6	24	< 1	1	1	2	5	10	28
2. MULTIPLE DX										
A. Not Operated	123	5.5	28	1	2	4	7	11	16	27
B. Operated	281	5.3	75	1	1	2	5	13	24	55
1. SINGLE DX	170	2.8	16	< 1	1	1	3	6	9	15
2. MULTIPLE DX	404	5.4	61	1	1	2	6	12	19	47
A. Not Operated	184	4.7	22	1	2	3	7	9	13	23
B. Operated	390	4.5	62	< 1	1	2	4	12	16	48
TOTAL										
0-19 YRS	149	3.3	23	< 1	1	2	3	8	12	34
20-34	223	3.9	33	1	1	2	4	9	13	33
35-49	102	4.6	45	< 1	1	2	5	12	16	38
50-64	48	9.7	194	1	2	4	10	33	47	57
65 +	52	6.8	38	1	2	5	9	15	20	29
GRAND TOTAL	**574**	**4.6**	**49**	**1**	**1**	**2**	**5**	**11**	**16**	**44**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	204	2.0	3	< 1	1	1	2	4	6	10
20-34	113	2.7	10	1	1	2	3	5	8	18
35-49	48	2.3	4	1	1	2	3	4	6	11
50-64	17	2.1	5	1	1	2	2	3	8	10
65 +	16	2.3	6	1	1	2	2	4	9	11
B. Operated										
0-19 YRS	54	3.4	6	1	1	3	5	7	8	9
20-34	40	5.7	48	1	2	3	8	11	18	37
35-49	20	5.4	109	1	1	2	4	10	30	48
50-64	10	8.9	86	3	3	7	9	22	34	34
65 +	2	3.5	13	< 1	< 1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	284	3.1	21	1	1	2	3	6	8	21
20-34	247	3.1	7	1	1	2	4	6	8	14
35-49	138	3.6	9	1	2	3	5	7	10	16
50-64	100	3.9	13	1	2	3	5	8	10	21
65 +	148	5.7	21	1	3	4	7	12	15	22
B. Operated										
0-19 YRS	98	6.8	103	1	2	4	8	13	20	94
20-34	139	6.4	34	1	2	5	8	15	18	27
35-49	79	6.4	35	1	2	4	8	15	20	25
50-64	57	10.0	123	1	3	6	13	21	36	58
65 +	57	11.2	70	2	5	9	14	25	29	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	398	2.3	5	1	1	2	3	4	6	11
B. Operated	126	4.9	43	1	1	3	6	9	12	40
2. MULTIPLE DX										
A. Not Operated	917	3.7	15	1	1	3	4	7	10	19
B. Operated	430	7.6	69	1	2	5	10	16	23	39
1. SINGLE DX	524	2.9	16	1	1	2	3	6	9	17
2. MULTIPLE DX	1347	4.9	36	1	2	3	6	11	15	28
A. Not Operated	1315	3.2	13	1	1	2	4	7	9	17
B. Operated	556	7.0	64	1	2	5	9	15	22	38
TOTAL										
0-19 YRS	640	3.3	29	1	1	2	4	7	10	24
20-34	539	4.0	20	1	1	3	5	9	13	22
35-49	285	4.3	24	1	1	3	5	9	14	24
50-64	184	5.9	58	1	2	3	7	13	20	41
65 +	223	6.9	39	1	3	5	9	14	22	30
GRAND TOTAL	**1871**	**4.4**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**23**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1326	1.5	1	< 1	1	1	2	3	3	6
20-34	380	1.7	2	< 1	1	1	2	3	4	8
35-49	154	1.9	3	< 1	1	1	2	4	5	11
50-64	38	1.7	2	< 1	1	1	2	3	4	8
65 +	14	2.3	3	1	1	2	3	5	6	6
B. Operated										
0-19 YRS	5	2.8	3	1	2	2	4	5	5	5
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	16.5	221	6	6	16	27	27	27	27
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2548	2.9	19	1	1	2	3	5	8	21
20-34	2732	3.3	24	1	1	2	3	6	10	26
35-49	1468	3.6	23	1	1	2	4	7	12	26
50-64	622	4.5	20	1	2	3	5	9	14	21
65 +	884	5.5	21	2	3	4	7	10	13	25
B. Operated										
0-19 YRS	48	7.6	139	1	1	3	8	23	44	45
20-34	85	7.7	117	1	2	4	8	19	31	61
35-49	72	10.4	210	2	3	6	11	19	34	84
50-64	55	14.5	203	3	5	10	20	26	54	63
65 +	87	11.4	136	2	5	9	14	20	29	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1912	1.6	1	< 1	1	1	2	3	4	6
B. Operated	8	6.1	74	1	2	3	5	21	27	27
2. MULTIPLE DX										
A. Not Operated	8254	3.5	22	1	1	2	4	7	11	24
B. Operated	347	10.2	162	1	3	6	12	22	35	64
1. SINGLE DX	1920	1.6	2	< 1	1	1	2	3	4	6
2. MULTIPLE DX	8601	3.8	30	1	1	2	4	8	12	27
A. Not Operated	10166	3.2	19	1	1	2	3	6	10	22
B. Operated	355	10.2	160	1	3	6	12	22	34	64
TOTAL										
0-19 YRS	3927	2.5	15	1	1	1	2	4	6	20
20-34	3197	3.2	25	1	1	2	3	6	9	27
35-49	1695	3.7	31	1	1	2	4	8	12	28
50-64	717	5.2	41	1	2	3	6	11	17	29
65 +	985	6.0	34	2	3	4	7	12	15	28
GRAND TOTAL	**10521**	**3.4**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	765	2.3	4	1	1	1	3	6	6	8
20-34	127	1.6	2	< 1	1	1	2	3	5	9
35-49	80	2.0	9	< 1	1	1	2	4	6	77
50-64	50	1.6	3	1	1	1	1	3	4	9
65 +	18	1.8	3	< 1	1	1	2	5	6	6
B. Operated										
0-19 YRS	20	1.9	5	< 1	1	1	1	5	8	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	4.0	19	1	1	2	7	9	9	9
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	555	3.2	12	1	1	2	5	6	8	15
20-34	271	2.7	19	1	1	2	3	5	7	19
35-49	210	3.2	14	1	1	2	4	7	9	23
50-64	139	3.1	14	1	1	2	4	6	9	23
65 +	127	4.1	21	1	1	3	5	9	11	22
B. Operated										
0-19 YRS	23	7.1	68	1	2	4	8	18	27	36
20-34	27	5.6	19	1	2	5	8	12	14	16
35-49	21	8.5	57	1	3	6	11	21	25	28
50-64	11	9.1	87	1	3	6	13	23	32	33
65 +	14	21.2	614	5	9	12	25	59	86	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1040	2.2	4	1	1	1	3	5	6	8
B. Operated	27	2.1	6	< 1	1	1	2	6	9	9
2. MULTIPLE DX										
A. Not Operated	1302	3.2	15	1	1	2	4	6	8	20
B. Operated	96	9.3	152	1	3	6	11	20	28	76
1. SINGLE DX	1067	2.2	4	1	1	1	3	5	6	9
2. MULTIPLE DX	1398	3.6	27	1	1	2	4	7	10	25
A. Not Operated	2342	2.7	10	1	1	2	3	6	7	15
B. Operated	123	7.7	129	1	2	5	10	16	26	65
TOTAL										
0-19 YRS	1363	2.7	9	1	1	1	4	6	7	12
20-34	426	2.6	15	1	1	1	3	5	8	17
35-49	313	3.2	18	1	1	2	4	7	10	27
50-64	203	3.1	17	1	1	2	3	6	10	25
65 +	160	5.3	92	1	1	3	6	10	14	54
GRAND TOTAL	**2465**	**3.0**	**17**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	283	1.9	2	1	1	1	2	4	5	8
20-34	126	1.9	2	1	1	1	2	4	5	8
35-49	101	2.0	2	1	1	1	2	4	6	7
50-64	53	1.8	1	1	1	1	2	3	4	7
65 +	55	2.2	4	1	1	1	3	4	6	10
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	7.7	22	4	4	6	11	13	13	13
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	450	3.5	37	1	1	2	4	7	10	24
20-34	327	2.9	6	1	1	2	4	6	7	12
35-49	361	3.5	13	1	2	3	4	7	10	18
50-64	494	4.1	12	1	2	3	5	9	11	17
65 +	1131	5.5	18	2	3	4	7	11	14	23
B. Operated										
0-19 YRS	40	13.9	549	1	1	4	13	48	77	95
20-34	43	10.5	275	1	1	4	11	29	44	87
35-49	46	7.4	138	1	1	3	7	19	39	56
50-64	69	12.3	156	1	3	8	17	30	35	64
65 +	141	10.6	120	1	3	8	13	22	31	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	618	1.9	2	1	1	1	2	4	5	8
B. Operated	5	6.0	17	3	4	4	8	13	13	13
2. MULTIPLE DX										
A. Not Operated	2763	4.4	19	1	2	3	6	9	12	21
B. Operated	339	10.9	200	1	2	6	13	25	38	72
1. SINGLE DX	623	2.0	3	1	1	1	2	4	5	8
2. MULTIPLE DX	3102	5.1	43	1	2	3	6	10	15	32
A. Not Operated	3381	3.9	17	1	1	3	5	8	11	20
B. Operated	344	10.8	198	1	2	6	13	25	38	71
TOTAL										
0-19 YRS	774	3.4	57	1	1	2	3	6	10	35
20-34	499	3.3	33	1	1	2	4	6	9	26
35-49	508	3.6	24	1	1	2	4	7	10	22
50-64	617	4.8	34	1	2	3	6	10	15	31
65 +	1327	5.9	31	1	3	4	7	12	16	25
GRAND TOTAL	**3725**	**4.6**	**38**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

354 Hospitals, North Central Region, January-December 1988

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	3.8	16	1	2	3	4	8	9	25
20-34	24	3.3	7	1	2	2	4	5	10	13
35-49	30	4.4	19	1	2	3	5	10	12	22
50-64	46	4.0	12	1	1	3	6	9	11	14
65 +	56	4.1	12	1	1	3	6	8	10	18
B. Operated										
0-19 YRS	578	4.1	15	1	2	3	5	8	11	19
20-34	228	4.1	17	1	1	3	6	9	12	18
35-49	277	4.3	15	1	1	3	6	9	11	17
50-64	399	6.0	33	1	2	4	8	12	17	29
65 +	748	6.4	39	1	2	5	9	13	16	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	362	6.5	38	1	2	5	9	14	17	31
20-34	159	5.9	26	2	2	5	7	11	16	30
35-49	232	6.4	30	1	3	5	8	13	16	27
50-64	276	6.4	34	1	3	5	9	13	16	26
65 +	549	6.7	37	1	3	5	9	13	17	35
B. Operated										
0-19 YRS	1375	8.7	122	1	2	5	11	20	31	64
20-34	724	7.9	77	1	2	5	10	17	25	45
35-49	1246	8.5	97	1	3	6	11	18	26	54
50-64	2068	9.0	98	1	3	7	11	18	27	50
65 +	4159	9.9	102	2	3	8	13	20	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	242	3.9	14	1	2	3	5	8	11	18
B. Operated	2230	5.2	28	1	2	3	7	11	14	26
2. MULTIPLE DX										
A. Not Operated	1578	6.5	35	1	3	5	8	13	17	31
B. Operated	9572	9.2	102	1	3	7	12	19	28	54
1. SINGLE DX	2472	5.1	26	1	2	3	7	11	14	25
2. MULTIPLE DX	11150	8.8	93	1	3	6	11	18	26	51
A. Not Operated	1820	6.2	32	1	2	4	8	13	16	30
B. Operated	11802	8.5	90	1	2	6	11	18	26	50
TOTAL										
0-19 YRS	2401	7.1	84	1	2	4	8	16	23	51
20-34	1135	6.8	59	1	2	4	8	15	21	41
35-49	1785	7.5	77	1	2	5	9	16	22	50
50-64	2789	8.3	83	1	3	6	10	16	24	49
65 +	5512	9.0	89	1	3	7	12	18	26	49
GRAND TOTAL	**13622**	**8.1**	**83**	**1**	**2**	**5**	**10**	**17**	**24**	**49**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	207	1.3	1	< 1	1	1	1	2	2	5
20-34	111	1.8	2	1	1	1	2	4	5	7
35-49	65	2.4	3	1	1	2	3	4	6	8
50-64	90	2.6	2	1	1	2	3	5	6	7
65 +	124	3.0	3	1	2	3	4	5	6	11
B. Operated										
0-19 YRS	180	1.4	1	< 1	1	1	2	2	3	4
20-34	125	2.1	3	1	1	1	3	4	6	11
35-49	94	2.7	6	1	1	2	3	5	8	13
50-64	60	3.0	7	1	1	2	4	8	9	12
65 +	46	3.7	9	1	2	3	4	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	82	1.9	1	1	1	1	2	4	5	6
20-34	80	3.0	4	1	2	2	4	6	8	10
35-49	85	3.2	5	1	1	3	4	6	7	11
50-64	156	3.6	9	1	2	3	4	7	10	13
65 +	362	3.8	8	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	160	1.8	4	1	1	1	2	4	6	10
20-34	161	2.9	8	1	1	2	4	7	9	14
35-49	178	3.7	16	1	1	2	4	9	11	23
50-64	242	4.4	33	1	1	2	5	12	16	27
65 +	489	5.3	55	1	1	3	6	11	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	597	2.1	2	1	1	1	3	4	5	7
B. Operated	505	2.2	4	1	1	1	3	4	7	11
2. MULTIPLE DX										
A. Not Operated	765	3.4	7	1	2	3	4	6	9	13
B. Operated	1230	4.1	34	1	1	2	5	9	14	25
1. SINGLE DX	1102	2.1	3	1	1	1	3	4	5	10
2. MULTIPLE DX	1995	3.9	24	1	1	2	5	8	11	22
A. Not Operated	1362	2.8	5	1	1	2	4	5	7	11
B. Operated	1735	3.6	26	1	1	2	4	8	11	22
TOTAL										
0-19 YRS	629	1.5	2	< 1	1	1	2	3	4	6
20-34	477	2.4	5	1	1	2	3	5	7	11
35-49	422	3.2	10	1	1	2	4	6	9	15
50-64	548	3.7	19	1	1	2	4	8	12	23
65 +	1021	4.4	31	1	2	3	5	9	12	23
GRAND TOTAL	**3097**	**3.2**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	4.4	9	1	2	4	6	10	10	11
20-34	109	4.1	7	2	2	3	5	7	11	15
35-49	71	4.8	7	2	3	4	6	9	10	13
50-64	50	5.9	29	2	3	4	6	10	11	29
65 +	51	5.7	11	2	3	5	7	10	13	18
B. Operated										
0-19 YRS	55	5.4	18	2	3	4	6	10	16	22
20-34	73	5.9	19	2	3	5	8	11	14	25
35-49	64	7.4	69	2	3	5	9	15	18	55
50-64	60	8.0	82	1	3	5	10	15	26	52
65 +	51	9.7	105	1	3	7	11	20	31	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	140	5.6	17	2	3	5	7	10	13	21
20-34	166	6.1	23	2	3	5	8	12	14	21
35-49	227	6.7	22	2	4	5	8	12	16	26
50-64	234	7.4	27	3	4	6	9	13	16	30
65 +	360	8.0	29	3	4	7	10	15	17	29
B. Operated										
0-19 YRS	89	10.8	94	2	4	8	13	23	28	54
20-34	162	10.8	93	2	4	8	15	22	30	50
35-49	262	11.2	148	3	4	7	14	24	34	80
50-64	329	13.4	143	3	5	9	18	30	41	67
65 +	492	15.7	208	4	6	12	20	33	48	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	345	4.8	12	2	3	4	6	9	11	16
B. Operated	303	7.2	58	2	3	5	9	14	18	47
2. MULTIPLE DX										
A. Not Operated	1127	7.0	25	2	4	6	9	13	16	27
B. Operated	1334	13.3	162	3	5	9	17	29	41	67
1. SINGLE DX	648	5.9	34	2	3	4	7	11	14	30
2. MULTIPLE DX	2461	10.4	109	3	4	7	13	22	30	60
A. Not Operated	1472	6.5	23	2	3	5	8	12	15	26
B. Operated	1637	12.2	149	3	4	8	15	26	38	65
TOTAL										
0-19 YRS	348	6.7	41	2	3	5	8	13	20	30
20-34	510	7.2	48	2	3	5	9	15	19	40
35-49	624	8.5	84	2	4	6	10	16	24	55
50-64	673	10.2	98	3	4	7	13	23	31	54
65 +	954	11.9	140	3	5	8	14	24	35	65
GRAND TOTAL	**3109**	**9.5**	**97**	**2**	**4**	**6**	**12**	**20**	**29**	**54**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	2.7	5	1	1	2	3	5	8	11
20-34	54	3.5	11	1	1	2	5	8	10	16
35-49	65	3.6	7	1	2	3	4	7	9	13
50-64	52	3.5	8	< 1	1	3	5	8	8	15
65 +	40	4.8	16	1	2	3	7	11	13	16
B. Operated										
0-19 YRS	59	4.5	53	< 1	1	2	5	8	18	42
20-34	79	3.9	10	< 1	1	3	6	9	10	15
35-49	100	5.0	18	1	2	4	7	11	14	19
50-64	84	4.7	17	1	2	4	6	9	13	21
65 +	88	5.2	24	1	2	5	7	10	13	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	269	2.8	10	1	1	2	3	6	9	17
20-34	282	3.3	8	1	1	2	4	7	8	13
35-49	317	4.4	12	1	2	4	6	9	10	15
50-64	351	4.9	15	1	2	4	7	10	12	20
65 +	601	5.8	38	1	2	4	7	12	16	28
B. Operated										
0-19 YRS	566	3.3	51	1	1	1	2	7	12	50
20-34	659	4.1	53	1	1	2	4	10	14	29
35-49	868	5.0	66	1	1	2	6	11	18	50
50-64	991	6.5	66	1	1	4	9	15	22	45
65 +	1579	7.6	92	1	2	4	10	18	25	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	263	3.6	9	1	2	3	5	8	10	15
B. Operated	410	4.7	22	1	1	3	6	10	13	22
2. MULTIPLE DX										
A. Not Operated	1820	4.5	22	1	2	3	6	10	12	21
B. Operated	4663	5.9	73	1	1	3	7	14	21	49
1. SINGLE DX	673	4.3	18	1	1	3	6	9	11	19
2. MULTIPLE DX	6483	5.5	59	1	1	3	7	12	18	41
A. Not Operated	2083	4.4	20	1	2	3	6	9	12	21
B. Operated	5073	5.8	69	1	1	3	7	13	20	47
TOTAL										
0-19 YRS	946	3.2	37	1	1	1	3	7	11	31
20-34	1074	3.8	36	1	1	2	4	9	12	26
35-49	1350	4.8	47	1	1	3	6	10	14	31
50-64	1478	5.9	50	1	1	4	8	13	18	38
65 +	2308	7.0	74	1	2	4	9	16	22	48
GRAND TOTAL	**7156**	**5.4**	**55**	**1**	**1**	**3**	**7**	**12**	**17**	**38**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	1.9	2	1	1	2	2	3	5	8
20-34	7	3.3	5	1	1	3	5	7	7	7
35-49	4	4.8	2	3	3	5	6	6	6	6
50-64	6	4.3	2	3	3	4	5	7	7	7
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	1	30.0		30	30	30	30	30	30	30
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	2.4	3	1	1	2	3	5	6	9
20-34	25	3.6	7	1	2	3	5	7	10	10
35-49	22	4.2	17	< 1	1	3	5	9	14	19
50-64	46	4.3	11	1	2	3	6	9	10	14
65 +	78	5.1	32	1	1	3	6	13	19	27
B. Operated										
0-19 YRS	5	13.0	419	1	1	4	20	49	49	49
20-34	7	10.1	21	4	7	9	14	17	17	17
35-49	14	6.9	40	1	3	6	8	14	22	25
50-64	21	7.8	124	1	2	4	8	15	33	52
65 +	17	9.4	45	2	4	8	13	20	24	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.5	3	1	1	2	3	5	7	8
B. Operated	4	12.5	140	4	5	8	19	30	30	30
2. MULTIPLE DX										
A. Not Operated	240	3.9	17	1	1	3	5	9	12	21
B. Operated	64	8.7	91	1	3	6	12	17	25	52
1. SINGLE DX	58	3.2	17	1	1	2	4	7	8	28
2. MULTIPLE DX	304	4.9	36	1	1	3	6	11	15	27
A. Not Operated	294	3.7	14	1	1	2	5	8	10	20
B. Operated	68	8.9	92	1	3	6	12	17	26	51
TOTAL										
0-19 YRS	109	2.7	23	1	1	2	3	5	7	26
20-34	40	5.4	31	1	2	4	7	11	16	30
35-49	42	5.3	24	1	2	4	7	11	15	25
50-64	74	5.3	43	1	2	4	6	10	14	44
65 +	97	5.8	36	1	1	4	8	15	20	27
GRAND TOTAL	**362**	**4.7**	**33**	**1**	**1**	**3**	**6**	**10**	**15**	**29**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	212	1.2		< 1	< 1	< 1	1	2	3	4
35-49	102	1.2		< 1	< 1	< 1	1	2	3	4
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.3		< 1	< 1	1	1	2	2	2
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	148	1.8	2	< 1	1	1	2	3	4	6
35-49	86	1.9	3	< 1	< 1	1	2	3	5	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	315	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	236	1.8	2	< 1	1	1	2	3	4	7
1. SINGLE DX	317	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX	241	1.8	2	< 1	1	1	2	3	4	7
A. Not Operated	7	1.1		< 1	< 1	1	1	2	2	2
B. Operated	551	1.5	1	< 1	< 1	1	2	3	3	6
TOTAL										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	365	1.5	1	< 1	< 1	1	2	3	3	5
35-49	188	1.5	2	< 1	< 1	< 1	2	3	3	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**558**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**3**	**6**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	6	2.0	1	1	1	2	3	3	3	3
1000-1499	0									
1500-1749	1	13.0		13	13	13	13	13	13	13
1750-2499	1350	2.6	2	2	2	2	3	4	5	8
2500 +	96174	2.4	1	1	2	2	3	4	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	3	2.7	1	2	2	2	4	4	4	4
2500 +	218	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
1-999 G	56	67.5	421	44	57	74	92	99 +	99 +	99 +
1000-1499	299	38.7	213	22	29	37	48	61	68	99 +
1500-1749	408	23.6	85	13	17	22	28	36	40	53
1750-2499	5416	6.6	39	2	2	4	8	15	19	29
2500 +	60576	3.1	4	2	2	3	4	5	6	10
B. Operated										
1-999 G	129	76.9	205	61	74	92	99 +	99 +	99 +	99 +
1000-1499	287	51.6	303	31	39	52	65	87	99 +	99 +
1500-1749	172	32.7	222	17	23	29	40	56	69	99 +
1750-2499	537	19.1	188	6	10	16	25	39	53	99 +
2500 +	1444	8.1	84	2	3	5	10	16	23	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97531	2.4	1	1	2	2	3	4	4	5
B. Operated	221	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	66755	3.7	21	2	2	3	4	6	8	24
B. Operated	2569	20.4	509	2	5	11	32	69	95	99 +
1. SINGLE DX	97752	2.4	1	1	2	2	3	4	4	5
2. MULTIPLE DX	69324	4.4	49	2	2	3	4	6	11	44
A. Not Operated	164286	2.9	10	2	2	2	3	4	5	14
B. Operated	2790	19.0	492	2	4	10	29	65	91	99 +
TOTAL										
1-999 G	191	71.7	437	54	68	86	99 +	99 +	99 +	99 +
1000-1499	586	45.0	298	25	34	43	58	72	91	99 +
1500-1749	581	26.3	142	14	18	24	32	41	52	82
1750-2499	7306	6.8	58	2	2	4	8	16	21	37
2500 +	158412	2.7	3	2	2	2	3	4	5	8
GRAND TOTAL	**167076**	**3.2**	**22**	**2**	**2**	**2**	**3**	**4**	**6**	**22**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	202	3.9	4	2	3	4	4	5	8	14
2500 +	869	3.5	2	2	3	4	4	5	5	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	1	3.0		3	3	3	3	3	3	3
2500 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	13	55.1	521	26	43	62	74	97	99	99 +
1000-1499	86	39.2	248	21	29	36	47	58	67	92
1500-1749	117	23.8	98	12	16	22	29	37	43	53
1750-2499	1058	9.2	49	3	4	6	13	19	23	33
2500 +	927	4.7	15	2	3	4	5	7	10	18
B. Operated										
1-999 G	32	69.2	243	49	62	81	99 +	99 +	99 +	99 +
1000-1499	89	50.5	293	33	41	52	65	82	99	99 +
1500-1749	44	33.1	192	18	23	31	39	53	59	82
1750-2499	126	18.5	99	7	11	18	23	30	38	54
2500 +	40	7.0	22	3	4	5	10	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1071	3.6	2	2	3	4	4	5	6	9
B. Operated	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2201	9.5	115	3	4	5	12	22	31	55
B. Operated	331	32.6	537	7	16	28	53	81	99 +	99 +
1. SINGLE DX	1074	3.6	2	2	3	4	4	5	6	9
2. MULTIPLE DX	2532	12.5	230	3	4	6	16	33	50	94
A. Not Operated	3272	7.6	86	2	3	4	7	18	26	48
B. Operated	334	32.3	540	7	16	28	53	81	99 +	99 +
TOTAL										
1-999 G	45	65.1	355	46	57	78	99 +	99 +	99 +	99 +
1000-1499	175	44.9	301	23	34	44	57	69	87	99 +
1500-1749	161	26.3	140	13	18	24	33	42	49	59
1750-2499	1387	9.3	59	3	4	6	13	20	25	36
2500 +	1838	4.2	9	2	3	4	5	6	8	14
GRAND TOTAL	**3606**	**9.9**	**179**	**2**	**3**	**5**	**10**	**25**	**41**	**83**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V30.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	20	2.6	2	2	2	2	2	5	6	7
2500 +	263	2.0	1	1	1	2	2	3	3	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	3	38.3	1774	1	8	30	70	84	84	84
1000-1499	6	36.0	267	16	29	35	37	62	65	65
1500-1749	4	21.8	86	11	14	23	29	30	30	30
1750-2499	63	8.0	62	2	3	5	9	19	25	36
2500 +	207	4.3	40	2	2	3	4	9	14	54
B. Operated										
1-999 G	3	76.7	85	66	74	82	91	99 +	99 +	99 +
1000-1499	1	69.0		69	69	84	99 +	99 +	99 +	99 +
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	5	21.4	58	12	16	20	28	31	31	31
2500 +	19	13.3	202	3	7	9	15	28	49	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	283	2.0	1	1	2	2	2	3	3	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	283	6.4	97	2	2	3	6	15	28	69
B. Operated	29	23.4	593	5	8	16	31	82	99	99 +
1. SINGLE DX	283	2.0	1	1	2	2	2	3	3	7
2. MULTIPLE DX	312	8.0	166	2	2	3	8	19	35	89
A. Not Operated	566	4.2	54	1	2	2	3	8	15	37
B. Operated	29	23.4	593	5	8	16	31	82	99	99 +
TOTAL										
1-999 G	6	57.5	1185	7	39	82	84	97	99 +	99 +
1000-1499	7	40.7	378	19	31	36	67	91	99 +	99 +
1500-1749	5	21.6	65	11	15	21	29	30	30	30
1750-2499	88	7.5	64	2	2	4	9	20	27	36
2500 +	489	3.4	30	1	2	2	3	7	10	28
GRAND TOTAL	**595**	**5.1**	**96**	**1**	**2**	**2**	**4**	**10**	**20**	**77**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	314	1.6	2	1	1	1	2	3	4	7
20-34	290	1.8	2	< 1	1	1	2	3	4	8
35-49	181	2.1	4	< 1	1	1	2	4	5	9
50-64	94	1.8	2	< 1	< 1	1	2	3	4	10
65 +	62	2.2	2	< 1	< 1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.6	25	< 1	< 1	1	3	13	13	13
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	209	2.4	8	1	1	2	3	4	6	12
20-34	119	2.6	3	1	1	2	3	5	6	8
35-49	68	3.1	7	1	1	2	4	6	8	14
50-64	40	2.5	3	1	1	2	3	5	6	10
65 +	60	4.5	22	1	2	3	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		< 1	< 1	1	1	2	2	2
B. Operated	941	1.8	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	13	4.2	26	< 1	< 1	1	6	13	13	13
B. Operated	496	2.8	8	1	1	2	3	5	7	14
1. SINGLE DX	947	1.8	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	509	2.8	9	1	1	2	3	5	8	14
A. Not Operated	19	3.2	20	< 1	< 1	1	3	13	13	13
B. Operated	1437	2.1	5	< 1	1	1	3	4	5	11
TOTAL										
0-19 YRS	536	1.9	5	1	1	1	2	4	4	12
20-34	413	2.0	2	< 1	1	1	2	4	5	8
35-49	249	2.3	5	< 1	1	2	3	5	6	11
50-64	135	2.1	3	< 1	1	2	3	4	4	10
65 +	123	3.4	14	< 1	1	2	4	8	11	19
GRAND TOTAL	**1456**	**2.2**	**5**	**< 1**	**1**	**1**	**3**	**4**	**5**	**12**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	92	2.2	2	2	2	2	2	3	3	10
50-64	62	2.0	1	1	2	2	2	2	3	7
65 +	88	2.2	3	2	2	2	2	3	3	12
B. Operated										
0-19 YRS	11	5.8	12	2	3	7	8	10	13	13
20-34	15	3.6	9	1	1	3	5	9	10	10
35-49	21	2.7	3	< 1	1	2	3	4	6	9
50-64	25	4.2	11	1	2	3	5	9	12	14
65 +	24	7.7	76	< 1	2	4	7	26	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	246	2.1	2	1	2	2	2	3	3	7
B. Operated	96	4.8	28	1	2	3	5	9	14	28
1. SINGLE DX	0									
2. MULTIPLE DX	342	2.9	10	1	2	2	3	5	8	20
A. Not Operated	246	2.1	2	1	2	2	2	3	3	7
B. Operated	96	4.8	28	1	2	3	5	9	14	28
TOTAL										
0-19 YRS	14	5.0	12	2	2	3	8	9	12	13
20-34	16	3.5	8	1	1	3	5	9	10	10
35-49	113	2.3	2	1	2	2	2	3	4	11
50-64	87	2.6	4	1	2	2	2	4	7	13
65 +	112	3.4	23	1	2	2	3	5	13	28
GRAND TOTAL	**342**	**2.9**	**10**	**1**	**2**	**2**	**3**	**5**	**8**	**20**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	3.7	4	2	2	3	5	7	7	8
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	19	2.7	4	< 1	1	2	4	5	7	9
50-64	57	2.5	5	1	1	2	4	4	7	12
65 +	54	2.3	3	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	4	6.0	1	5	5	6	7	7	7	7
20-34	0									
35-49	0									
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	4	2.5	6	< 1	< 1	1	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3119	3.1	7	1	2	2	4	5	6	11
20-34	1259	3.3	5	1	2	3	5	6	6	11
35-49	2979	3.0	7	1	1	2	4	5	6	11
50-64	8159	3.1	6	1	2	2	4	6	6	11
65 +	8403	3.2	6	1	2	3	4	6	6	12
B. Operated										
0-19 YRS	278	5.3	43	1	2	4	6	9	14	32
20-34	155	7.3	76	2	2	4	8	20	28	48
35-49	347	6.0	54	1	2	4	7	12	17	37
50-64	918	6.4	63	1	3	5	7	12	19	43
65 +	904	5.9	40	1	3	5	7	10	17	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	2.8	4	1	1	2	4	6	7	9
B. Operated	10	3.9	6	< 1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	23919	3.1	6	1	2	3	4	6	6	11
B. Operated	2602	6.1	53	1	2	5	7	11	18	43
1. SINGLE DX	202	2.9	4	1	1	2	4	6	7	9
2. MULTIPLE DX	26521	3.4	11	1	2	3	4	6	7	16
A. Not Operated	24111	3.1	6	1	2	3	4	6	6	11
B. Operated	2612	6.1	52	1	2	5	7	11	18	43
TOTAL										
0-19 YRS	3461	3.3	10	1	2	3	4	6	7	13
20-34	1416	3.7	14	1	2	3	5	6	8	21
35-49	3345	3.3	13	1	1	2	4	6	7	17
50-64	9136	3.4	12	1	2	3	4	6	7	15
65 +	9365	3.5	10	1	2	3	5	6	7	15
GRAND TOTAL	**26723**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**7**	**16**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	538	1.8	5	< 1	< 1	1	2	3	4	10
20-34	325	1.7	2	< 1	1	1	2	3	3	8
35-49	127	1.6	1	< 1	< 1	1	2	3	4	6
50-64	102	1.5	2	< 1	< 1	< 1	1	3	5	52
65 +	136	3.0	57	< 1	< 1	< 1	1	5	19	68
B. Operated										
0-19 YRS	356	2.9	12	< 1	1	1	4	7	8	13
20-34	296	3.5	7	< 1	1	3	5	8	9	10
35-49	279	3.4	8	< 1	1	2	6	8	9	11
50-64	188	3.7	10	< 1	1	2	6	9	9	12
65 +	128	3.7	14	< 1	< 1	1	7	10	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1011	5.8	105	1	1	2	5	17	39	99 +
20-34	701	8.7	188	1	1	3	11	29	63	99 +
35-49	796	9.4	147	1	2	6	11	27	37	96
50-64	1115	12.4	181	1	2	7	19	34	44	99 +
65 +	3464	16.3	159	2	6	15	23	35	42	99 +
B. Operated										
0-19 YRS	1123	3.3	32	1	1	1	4	8	13	99 +
20-34	786	4.8	80	1	1	2	5	10	21	93
35-49	1079	4.8	65	1	1	2	5	10	16	49
50-64	1170	6.8	123	1	1	3	8	16	33	96
65 +	1774	9.6	139	1	2	6	11	26	37	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1228	1.9	9	< 1	< 1	1	2	3	5	13
B. Operated	1247	3.4	10	< 1	1	2	5	8	9	12
2. MULTIPLE DX										
A. Not Operated	7087	12.7	172	1	2	8	20	32	42	99 +
B. Operated	5932	6.3	100	1	1	2	8	16	30	68
1. SINGLE DX	2475	2.6	10	< 1	1	1	3	7	8	12
2. MULTIPLE DX	13019	9.8	149	1	2	5	14	28	38	99 +
A. Not Operated	8315	11.1	163	1	2	6	17	30	40	99 +
B. Operated	7179	5.8	85	1	1	2	7	13	25	63
TOTAL										
0-19 YRS	3028	3.9	51	< 1	1	2	3	8	16	99 +
20-34	2108	5.4	100	1	1	2	6	14	29	99 +
35-49	2281	6.1	90	1	1	3	7	14	27	62
50-64	2575	8.8	146	1	1	4	10	26	40	96
65 +	5502	13.5	162	1	3	10	21	32	40	74
GRAND TOTAL	**15494**	**8.6**	**134**	**1**	**1**	**4**	**11**	**25**	**36**	**96**

Length of Stay Tables
Operation Groups

354 Hospitals, North Central Region, January-December 1988, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64476	3.0	13	1	1	2	3	6	8	19
20-34	128180	2.7	6	1	2	2	3	4	6	11
35-49	47660	3.5	11	1	1	3	4	7	9	16
50-64	35428	4.0	14	1	1	3	5	8	11	17
65 +	30908	4.9	20	< 1	1	4	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	87963	6.4	101	1	2	3	6	14	26	74
20-34	154767	4.7	32	1	2	3	5	8	13	31
35-49	114991	6.2	49	1	3	4	7	12	18	38
50-64	148795	7.5	61	2	3	5	9	15	21	42
65 +	293866	9.1	66	2	4	7	11	18	24	43
TOTAL SINGLE DX	306652	3.3	11	1	2	2	4	6	9	16
TOTAL MULTIPLE DX	800382	7.2	63	2	3	5	9	15	21	43
TOTAL										
0-19 YRS	152439	4.9	67	1	1	3	5	10	18	55
20-34	282947	3.8	21	1	2	3	4	6	9	24
35-49	162651	5.4	39	1	2	4	6	10	15	33
50-64	184223	6.8	54	1	3	5	8	14	19	39
65 +	324774	8.7	63	2	4	7	11	17	23	42
GRAND TOTAL	**1107034**	**6.1**	**51**	**1**	**2**	**4**	**7**	**13**	**18**	**38**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	176	8.3	66	1	4	6	10	15	20	45
20-34	103	7.7	22	3	5	7	9	12	14	29
35-49	106	8.3	30	3	5	7	10	15	18	32
50-64	141	8.9	37	3	5	8	11	15	19	30
65 +	127	9.9	61	3	5	9	12	18	22	40
2. MULTIPLE DX										
0-19 YRS	422	14.2	231	2	5	9	18	36	48	95
20-34	200	15.0	200	3	6	11	18	38	51	99 +
35-49	303	15.0	197	5	7	10	17	37	54	99 +
50-64	535	16.0	194	5	8	12	19	34	51	91
65 +	682	17.9	179	7	9	14	22	34	47	75
TOTAL SINGLE DX	653	8.6	47	3	5	7	11	15	19	36
TOTAL MULTIPLE DX	2142	16.0	200	4	8	12	20	34	50	94
TOTAL										
0-19 YRS	598	12.5	190	2	5	8	15	27	46	85
20-34	303	12.5	152	3	6	9	14	28	45	99 +
35-49	409	13.3	162	4	6	9	15	28	49	99 +
50-64	676	14.5	170	5	7	11	17	31	48	83
65 +	809	16.6	170	6	8	13	20	31	43	74
GRAND TOTAL	2795	14.3	174	4	7	10	17	30	46	85

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	112	7.3	73	3	4	5	7	11	20	56
20-34	25	7.7	21	4	5	7	9	12	17	25
35-49	26	8.5	14	4	6	8	11	15	15	15
50-64	22	9.4	17	5	7	9	11	14	17	22
65 +	21	9.8	26	4	6	9	11	16	21	26
2. MULTIPLE DX										
0-19 YRS	152	14.3	248	4	5	8	19	40	68	99 +
20-34	76	17.5	136	7	8	13	25	37	45	87
35-49	78	19.9	221	7	8	14	29	46	56	89
50-64	87	18.7	297	6	8	14	22	41	51	97
65 +	159	18.7	196	7	10	14	25	40	48	99 +
TOTAL SINGLE DX	206	8.0	49	3	4	6	9	14	16	45
TOTAL MULTIPLE DX	552	17.5	225	5	8	13	24	40	52	99 +
TOTAL										
0-19 YRS	264	11.3	186	3	4	7	12	29	52	99 +
20-34	101	15.1	125	5	8	11	21	34	42	75
35-49	104	17.0	194	5	7	11	23	37	51	79
50-64	109	16.8	254	6	8	11	20	39	45	95
65 +	180	17.7	185	6	9	13	24	39	45	99 +
GRAND TOTAL	758	14.9	195	4	6	10	20	37	47	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	249	4.0	5	2	2	4	5	7	8	15
20-34	30	4.7	5	2	3	4	6	7	9	12
35-49	11	3.8	4	2	2	4	5	7	9	9
50-64	8	7.5	76	2	3	4	8	23	28	28
65 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	206	9.6	164	2	4	6	9	19	28	84
20-34	58	9.2	109	2	4	6	9	20	34	59
35-49	38	13.3	203	3	4	7	19	30	48	62
50-64	23	9.2	67	3	4	6	13	24	56	99 +
65 +	14	10.3	131	4	6	7	10	16	42	49
TOTAL SINGLE DX	300	4.2	7	2	3	4	5	7	8	15
TOTAL MULTIPLE DX	339	9.9	152	2	4	6	10	22	34	76
TOTAL										
0-19 YRS	455	6.5	85	2	3	4	7	10	19	53
20-34	88	7.7	78	2	3	5	8	14	22	52
35-49	49	11.2	174	2	4	6	12	28	45	62
50-64	31	8.8	68	3	4	5	12	24	36	99 +
65 +	16	9.5	119	3	5	6	10	12	38	49
GRAND TOTAL	639	7.2	92	2	3	5	7	14	24	56

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	230	4.5	19	2	2	3	5	9	10	26
20-34	15	5.1	13	2	2	5	6	13	13	13
35-49	15	8.0	36	2	4	7	9	17	23	25
50-64	10	10.7	138	3	6	7	10	28	43	43
65 +	22	6.6	16	3	4	6	8	10	15	21
2. MULTIPLE DX										
0-19 YRS	419	14.8	314	2	4	8	21	52	98	99 +
20-34	62	16.6	225	5	6	9	25	45	53	94
35-49	62	21.0	418	5	7	13	29	57	70	99
50-64	84	17.7	190	5	8	12	27	39	49	90
65 +	169	19.1	193	7	9	15	25	40	51	97
TOTAL SINGLE DX	292	5.1	25	2	2	4	6	9	12	28
TOTAL MULTIPLE DX	796	16.6	280	3	6	11	24	48	72	99 +
TOTAL										
0-19 YRS	649	11.1	234	2	3	5	14	36	71	99 +
20-34	77	14.4	205	3	5	8	19	42	51	88
35-49	77	18.5	369	4	7	10	24	52	68	98
50-64	94	16.9	188	5	8	12	25	39	47	87
65 +	191	17.7	189	6	8	14	23	38	50	94
GRAND TOTAL	1088	13.5	238	2	4	8	18	38	57	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	398	4.2	16	2	2	3	5	8	11	21
20-34	44	7.5	48	2	3	5	9	17	23	35
35-49	13	8.8	151	2	4	5	8	18	43	49
50-64	9	7.3	56	1	3	6	7	20	26	26
65 +	12	9.3	62	2	3	6	16	20	26	27
2. MULTIPLE DX										
0-19 YRS	833	8.0	116	1	2	4	9	19	29	71
20-34	110	13.7	183	3	4	9	20	34	58	99 +
35-49	69	14.3	158	4	6	10	18	34	41	63
50-64	56	11.9	127	3	4	8	15	31	41	97
65 +	64	13.4	140	3	6	10	18	29	36	60
TOTAL SINGLE DX	476	4.9	26	2	2	3	5	10	15	26
TOTAL MULTIPLE DX	1132	9.4	133	2	3	5	12	24	34	76
TOTAL										
0-19 YRS	1231	6.8	87	2	2	4	7	16	24	59
20-34	154	11.9	152	3	4	7	17	31	44	99 +
35-49	82	13.5	160	3	5	8	18	33	42	61
50-64	65	11.2	120	3	4	8	14	31	37	93
65 +	76	12.7	130	3	5	9	17	27	33	60
GRAND TOTAL	1608	8.1	105	2	2	4	9	19	29	62

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	8.6	31	4	6	8	10	13	18	33
20-34	144	5.2	7	2	3	5	6	8	10	16
35-49	314	5.4	10	3	3	5	7	9	11	17
50-64	404	5.8	25	3	4	5	7	9	10	22
65 +	355	7.7	15	4	5	7	9	12	15	22
2. MULTIPLE DX										
0-19 YRS	85	10.0	99	5	6	7	10	16	47	99 +
20-34	155	8.3	64	3	4	6	9	15	22	63
35-49	479	8.2	70	3	4	6	9	15	22	55
50-64	868	9.0	54	4	5	7	10	16	22	41
65 +	1345	11.7	71	5	7	9	14	22	28	45
TOTAL SINGLE DX	1252	6.3	18	3	4	5	7	10	12	20
TOTAL MULTIPLE DX	2932	10.1	69	4	5	8	12	18	26	47
TOTAL										
0-19 YRS	120	9.6	79	5	6	7	10	16	32	99 +
20-34	299	6.8	39	3	4	5	7	12	15	44
35-49	793	7.1	49	3	4	5	8	12	16	35
50-64	1272	8.0	48	3	4	6	9	14	19	34
65 +	1700	10.9	63	4	6	9	13	20	27	44
GRAND TOTAL	4184	9.0	57	3	5	7	10	16	22	43

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	130	7.6	18	3	5	7	9	13	17	22
20-34	66	5.3	18	1	2	4	8	13	14	16
35-49	97	4.7	17	1	2	3	7	10	14	21
50-64	43	4.8	12	1	2	4	8	9	11	16
65 +	26	9.2	41	2	4	7	15	19	21	22
2. MULTIPLE DX										
0-19 YRS	216	12.4	118	4	5	8	16	31	43	99 +
20-34	95	8.9	68	2	3	6	13	21	25	41
35-49	172	8.9	57	2	3	7	12	17	25	41
50-64	163	11.5	118	2	4	8	16	24	31	51
65 +	134	14.7	123	3	7	12	21	30	41	63
TOTAL SINGLE DX	362	6.2	21	1	3	6	8	12	16	21
TOTAL MULTIPLE DX	780	11.4	104	2	4	8	15	25	35	58
TOTAL										
0-19 YRS	346	10.6	86	3	5	7	13	24	35	99 +
20-34	161	7.4	51	1	2	5	10	16	23	33
35-49	269	7.4	47	1	3	6	10	15	20	35
50-64	206	10.1	104	1	3	7	13	23	30	50
65 +	160	13.8	113	3	6	11	19	27	36	57
GRAND TOTAL	1142	9.8	83	2	4	7	13	22	29	51

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	3.7	12	< 1	1	3	4	9	13	14
20-34	52	3.7	12	< 1	1	3	5	7	8	21
35-49	83	3.9	8	< 1	1	3	7	8	9	10
50-64	75	2.9	6	< 1	1	1	5	7	8	10
65 +	48	2.4	5	< 1	1	1	3	7	7	9
2. MULTIPLE DX										
0-19 YRS	24	12.0	319	1	2	3	16	44	56	67
20-34	48	4.4	11	1	1	3	7	9	10	13
35-49	77	6.5	63	1	2	3	8	16	18	48
50-64	97	7.9	82	1	2	5	9	20	33	75
65 +	99	6.0	38	1	1	3	9	16	20	26
TOTAL SINGLE DX	285	3.3	9	< 1	1	2	5	7	8	12
TOTAL MULTIPLE DX	345	6.8	75	1	2	4	9	17	22	51
TOTAL										
0-19 YRS	51	7.6	171	1	1	3	6	20	42	67
20-34	100	4.0	12	< 1	1	3	6	8	10	17
35-49	160	5.2	37	< 1	1	3	7	10	15	30
50-64	172	5.7	56	1	1	3	7	12	22	46
65 +	147	4.9	31	1	1	2	7	14	18	25
GRAND TOTAL	630	5.3	48	1	1	3	7	11	18	42

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	2.3	5	<1	1	1	3	5	8	10
20-34	221	1.6	3	<1	<1	1	2	3	4	11
35-49	286	1.6	2	<1	<1	1	2	3	5	8
50-64	225	1.6	2	<1	<1	<1	1	3	5	8
65 +	143	1.5	2	<1	<1	<1	1	2	4	9
2. MULTIPLE DX										
0-19 YRS	94	2.4	13	<1	1	1	2	5	6	23
20-34	244	3.4	29	1	1	2	3	7	12	28
35-49	264	2.9	15	1	1	1	3	7	10	21
50-64	209	3.8	20	1	1	2	5	8	10	24
65 +	181	4.3	25	1	1	2	6	10	15	37
TOTAL SINGLE DX	921	1.6	3	<1	<1	1	2	3	5	9
TOTAL MULTIPLE DX	992	3.4	22	1	1	2	4	8	11	24
TOTAL										
0-19 YRS	140	2.3	11	<1	1	1	2	5	6	13
20-34	465	2.6	18	<1	1	1	2	5	8	15
35-49	550	2.3	9	<1	<1	1	2	5	7	17
50-64	434	2.6	12	<1	<1	1	3	6	8	19
65 +	324	3.0	17	<1	<1	1	3	8	11	23
GRAND TOTAL	**1913**	**2.6**	**13**	**<1**	**<1**	**1**	**2**	**6**	**8**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	22	4.5	6	1	3	5	6	8	10	11
35-49	18	7.9	171	1	3	5	6	12	41	59
50-64	10	3.7	6	1	1	3	6	7	8	8
65 +	6	4.0	6	1	2	4	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	21	7.0	23	2	4	5	9	15	17	19
35-49	21	6.9	17	3	4	6	9	11	16	21
50-64	19	10.8	52	2	5	9	16	23	24	25
65 +	44	9.4	43	3	5	8	13	17	21	34
TOTAL SINGLE DX	57	5.7	64	1	3	5	6	9	13	56
TOTAL MULTIPLE DX	106	8.7	37	2	5	7	11	17	21	31
TOTAL										
0-19 YRS	2	13.5	113	6	6	13	21	21	21	21
20-34	43	5.7	16	1	3	5	7	12	15	19
35-49	39	7.4	86	2	4	5	8	11	18	59
50-64	29	8.4	48	1	3	6	11	20	23	25
65 +	50	8.8	42	2	5	7	10	16	18	34
GRAND TOTAL	**163**	**7.6**	**48**	**2**	**4**	**6**	**9**	**15**	**20**	**33**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	29.5	761	10	10	29	49	49	49	49
20-34	23	5.0	28	<1	<1	3	8	15	17	17
35-49	29	2.1	3	<1	<1	<1	3	5	6	8
50-64	29	1.4		<1	<1	1	2	3	3	4
65 +	18	2.9	9	<1	<1	1	4	8	10	10
2. MULTIPLE DX										
0-19 YRS	4	8.0	78	2	2	4	13	21	21	21
20-34	21	10.5	205	2	3	8	11	20	44	68
35-49	46	8.8	77	2	4	5	12	20	27	45
50-64	49	9.0	60	1	3	7	12	21	26	30
65 +	41	11.5	81	3	6	10	15	20	26	52
TOTAL SINGLE DX	101	3.2	32	<1	<1	1	3	8	10	33
TOTAL MULTIPLE DX	161	9.7	89	2	3	7	13	20	26	51
TOTAL										
0-19 YRS	6	15.2	322	2	3	8	21	46	49	49
20-34	44	7.6	118	<1	1	4	10	17	19	68
35-49	75	6.2	59	<1	1	4	7	16	21	42
50-64	78	6.2	52	<1	1	3	8	17	22	30
65 +	59	8.9	75	<1	3	7	13	18	21	50
GRAND TOTAL	**262**	**7.2**	**77**	**<1**	**1**	**4**	**10**	**17**	**21**	**49**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	89	2.3	1	1	1	2	3	4	4	6
20-34	386	2.3	1	1	1	2	3	4	4	7
35-49	522	2.3	2	1	2	2	3	3	4	7
50-64	287	2.4	1	1	2	2	3	4	4	7
65 +	179	2.7	1	1	2	3	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	24	3.7	11	1	2	3	4	8	13	15
20-34	218	3.3	16	1	2	3	3	5	6	20
35-49	383	3.2	16	1	2	2	3	5	7	13
50-64	360	3.6	10	2	2	3	4	6	8	22
65 +	356	5.0	44	2	2	3	5	9	16	33
TOTAL SINGLE DX	1463	2.4	2	1	2	2	3	4	4	7
TOTAL MULTIPLE DX	1341	3.8	23	1	2	3	4	6	8	23
TOTAL										
0-19 YRS	113	2.6	4	1	1	2	3	4	5	13
20-34	604	2.6	7	1	2	2	3	4	5	9
35-49	905	2.7	8	1	2	2	3	4	5	10
50-64	647	3.0	7	1	2	2	4	5	6	11
65 +	535	4.2	31	2	2	3	4	7	10	24
GRAND TOTAL	**2804**	**3.0**	**12**	**1**	**2**	**2**	**3**	**5**	**6**	**17**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	1.4	1	1	1	1	1	2	3	6
20-34	59	2.5	11	1	1	2	3	3	6	25
35-49	44	2.1	1	1	1	2	3	4	4	5
50-64	50	2.5	2	1	1	2	3	4	5	11
65 +	29	2.9	3	1	2	2	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	48	6.8	248	1	1	2	4	11	37	78
20-34	59	5.8	38	2	3	4	7	13	17	39
35-49	112	5.5	35	2	2	4	6	12	18	31
50-64	190	5.7	58	2	2	3	5	10	19	51
65 +	245	7.1	96	2	3	4	7	14	21	63
TOTAL SINGLE DX	346	2.0	4	1	1	1	2	4	4	8
TOTAL MULTIPLE DX	654	6.3	81	2	3	4	6	13	20	52
TOTAL										
0-19 YRS	212	2.6	62	1	1	1	2	4	5	50
20-34	118	4.2	28	1	2	3	4	9	13	31
35-49	158	4.5	28	1	2	3	4	9	15	25
50-64	240	5.0	48	2	2	3	5	9	16	50
65 +	274	6.7	88	2	3	4	7	13	21	60
GRAND TOTAL	**1000**	**4.8**	**58**	**1**	**2**	**3**	**4**	**9**	**15**	**40**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	6.1	4	2	5	6	8	9	10	10
20-34	43	5.3	5	2	4	5	7	8	9	11
35-49	29	6.0	3	4	5	6	7	8	9	11
50-64	26	6.4	7	3	4	7	8	11	11	12
65 +	6	6.7	6	4	5	6	7	11	11	11
2. MULTIPLE DX										
0-19 YRS	42	11.5	177	5	6	7	13	24	50	99 +
20-34	53	9.2	61	4	5	7	10	17	20	51
35-49	78	10.5	77	5	6	8	12	18	27	53
50-64	83	11.3	86	5	6	9	13	19	27	58
65 +	76	12.5	65	5	7	10	16	26	29	35
TOTAL SINGLE DX	120	5.9	5	3	4	6	7	9	10	12
TOTAL MULTIPLE DX	332	11.1	87	5	6	8	14	21	29	58
TOTAL										
0-19 YRS	58	10.0	135	4	5	7	9	21	30	99
20-34	96	7.4	40	3	5	6	8	12	18	41
35-49	107	9.3	61	4	5	7	9	16	23	48
50-64	109	10.1	72	4	6	8	11	17	23	52
65 +	82	12.1	63	5	6	10	16	26	29	35
GRAND TOTAL	**452**	**9.7**	**71**	**4**	**5**	**7**	**11**	**18**	**26**	**52**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.1		<1	<1	<1	1	1	2	2
20-34	5	1.8		<1	<1	2	2	3	3	3
35-49	7	1.0		<1	<1	<1	<1	1	1	1
50-64	10	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	23	1.0		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	9	4.8	32	1	2	3	5	14	19	19
20-34	15	9.9	366	1	2	3	9	18	62	77
35-49	13	8.0	92	<1	1	5	9	28	28	28
50-64	10	1.9	2	<1	1	1	2	4	5	5
65 +	32	3.7	39	<1	1	1	3	9	21	29
TOTAL SINGLE DX	61	1.1		<1	<1	<1	1	1	2	3
TOTAL MULTIPLE DX	79	5.5	107	<1	1	2	5	14	25	63
TOTAL										
0-19 YRS	25	2.4	14	<1	<1	1	2	4	10	19
20-34	20	7.9	284	<1	1	3	7	14	47	77
35-49	20	5.6	70	<1	<1	1	6	21	28	28
50-64	20	1.5	1	<1	<1	<1	1	3	4	5
65 +	55	2.6	24	<1	<1	1	2	3	11	29
GRAND TOTAL	140	3.6	65	<1	<1	1	2	7	16	34

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	1.5	1	<1	1	1	1	3	3	6
20-34	15	1.5	1	<1	<1	1	2	3	4	5
35-49	17	1.2		<1	<1	1	1	1	3	4
50-64	38	1.0		<1	<1	<1	1	1	1	2
65 +	84	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
0-19 YRS	210	2.8	11	1	1	2	3	6	8	14
20-34	229	4.2	28	1	1	2	4	9	14	30
35-49	129	3.3	16	1	1	2	4	7	9	21
50-64	120	3.3	22	1	1	2	3	7	15	24
65 +	165	5.8	69	<1	1	3	7	14	24	49
TOTAL SINGLE DX	245	1.2	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	853	3.9	31	1	1	2	4	8	14	30
TOTAL										
0-19 YRS	301	2.4	9	1	1	1	3	6	7	12
20-34	244	4.0	27	<1	1	2	4	8	14	30
35-49	146	3.0	15	<1	1	2	4	7	9	18
50-64	158	2.8	18	<1	1	1	2	6	11	23
65 +	249	4.2	51	<1	<1	1	5	10	16	48
GRAND TOTAL	1098	3.3	25	<1	1	2	3	7	11	28

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.3		<1	1	1	2	2	3	3
20-34	18	1.2		<1	1	1	1	2	2	2
35-49	17	1.1		1	1	1	1	1	2	3
50-64	17	1.0		<1	<1	1	1	1	1	1
65 +	26	1.3	1	<1	1	1	1	2	3	8
2. MULTIPLE DX										
0-19 YRS	23	3.5	11	1	1	2	4	8	12	15
20-34	19	2.3	4	<1	1	1	3	6	7	7
35-49	24	2.1	3	1	1	1	3	5	6	9
50-64	21	1.7	3	1	1	1	2	2	6	10
65 +	68	1.3		<1	1	1	1	2	3	5
TOTAL SINGLE DX	97	1.2	1	<1	1	1	1	2	2	6
TOTAL MULTIPLE DX	155	1.9	4	1	1	1	2	4	6	10
TOTAL										
0-19 YRS	42	2.5	8	1	1	2	3	5	9	15
20-34	37	1.8	3	<1	1	1	2	4	6	7
35-49	41	1.7	3	1	1	1	2	4	5	9
50-64	38	1.4	2	<1	1	1	1	2	2	10
65 +	94	1.3	1	<1	1	1	1	2	2	7
GRAND TOTAL	252	1.7	3	<1	1	1	2	3	5	10

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.7	1	<1	1	1	2	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	4.1	42	1	1	2	3	15	20	20
20-34	6	4.0	3	2	2	4	6	6	6	6
35-49	7	4.7	36	1	1	3	5	15	18	18
50-64	4	3.0	16	1	1	1	5	9	9	9
65 +	4	8.5	76	2	2	5	14	21	21	21
TOTAL SINGLE DX	13	1.5	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	29	4.7	31	1	1	3	5	14	20	21
TOTAL										
0-19 YRS	14	3.1	25	1	1	1	3	6	17	20
20-34	7	3.6	4	1	2	4	5	6	6	6
35-49	8	4.4	32	1	1	2	4	14	18	18
50-64	6	2.3	11	<1	<1	1	1	8	9	9
65 +	7	5.4	53	1	1	2	7	18	21	21
GRAND TOTAL	42	3.7	24	1	1	2	4	8	19	21

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.3		1	1	1	2	2	3	3
20-34	39	1.8	1	1	1	2	2	3	4	7
35-49	61	1.9	1	1	1	2	2	3	3	7
50-64	41	2.0	1	1	1	2	2	3	3	7
65+	163	2.1	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	29	2.5	1	1	1	2	3	5	5	6
20-34	30	1.7	1	1	1	1	2	3	3	6
35-49	57	2.6	6	1	1	2	3	5	10	12
50-64	126	3.0	10	1	2	2	3	5	7	18
65+	681	3.0	16	1	2	2	3	4	6	17
TOTAL SINGLE DX	329	2.0	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	923	2.9	15	1	2	2	3	4	6	15
TOTAL										
0-19 YRS	54	1.9	1	1	1	2	2	4	5	6
20-34	69	1.8	1	1	1	1	2	3	3	7
35-49	118	2.2	4	1	1	2	2	3	7	11
50-64	167	2.7	9	1	2	2	3	4	6	14
65+	844	2.8	14	1	2	2	3	4	5	15
GRAND TOTAL	1252	2.7	11	1	1	2	3	4	5	12

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	3.2	3	1	2	3	4	5	6	10
20-34	28	2.7	1	1	2	3	4	5	5	5
35-49	17	2.9	10	<1	<1	2	3	6	11	14
50-64	7	1.3		<1	<1	<1	1	2	2	2
65+	11	2.9	6	<1	<1	2	4	7	9	9
2. MULTIPLE DX										
0-19 YRS	65	4.2	9	1	2	4	5	6	11	18
20-34	50	4.6	23	2	3	4	5	6	7	37
35-49	24	5.2	8	2	3	5	6	9	12	14
50-64	19	6.2	28	2	3	5	7	13	19	24
65+	50	4.3	12	1	2	3	6	9	11	18
TOTAL SINGLE DX	129	3.0	4	<1	1	3	4	5	6	12
TOTAL MULTIPLE DX	208	4.6	15	2	2	4	5	8	11	21
TOTAL										
0-19 YRS	131	3.7	6	1	2	3	5	6	7	14
20-34	78	3.9	17	2	2	3	5	6	6	29
35-49	41	4.3	10	<1	2	3	6	8	12	14
50-64	26	4.8	25	<1	2	4	5	11	16	24
65+	61	4.0	12	1	2	3	6	9	10	17
GRAND TOTAL	337	4.0	12	1	2	3	5	7	10	18

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	2.0	2	1	1	1	2	4	5	7
20-34	18	2.6	1	1	2	2	3	4	5	6
35-49	28	2.2	1	<1	1	2	3	4	5	5
50-64	57	2.2	1	1	1	2	3	4	4	8
65+	103	2.4	2	<1	1	2	3	5	5	9
2. MULTIPLE DX										
0-19 YRS	19	3.5	22	1	1	2	3	10	16	20
20-34	26	3.3	7	1	2	2	4	9	9	10
35-49	50	3.0	5	1	1	2	4	7	9	10
50-64	126	3.0	7	1	2	2	4	6	8	41
65+	394	3.4	13	1	2	2	4	6	9	15
TOTAL SINGLE DX	239	2.3	2	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	615	3.3	11	1	2	2	4	6	9	17
TOTAL										
0-19 YRS	52	2.5	10	1	1	1	3	5	7	20
20-34	44	3.0	5	1	2	2	4	7	9	10
35-49	78	2.7	4	1	1	2	3	5	8	10
50-64	183	2.8	6	1	2	2	3	5	7	19
65+	497	3.2	11	1	2	2	4	6	9	14
GRAND TOTAL	854	3.0	9	1	2	2	3	6	8	14

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	3.0	5	<1	1	2	4	6	8	11
20-34	18	3.5	3	1	2	3	5	6	7	7
35-49	12	2.4	4	<1	1	2	3	6	8	8
50-64	18	1.8	1	<1	<1	1	3	3	4	4
65+	32	2.2	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	40	6.1	27	1	2	4	9	13	18	22
20-34	34	4.0	5	2	2	3	6	6	9	11
35-49	14	3.9	7	1	2	3	6	8	9	10
50-64	30	2.7	7	1	1	2	3	7	10	11
65+	105	4.5	29	1	1	3	5	9	19	62
TOTAL SINGLE DX	101	2.5	4	<1	1	2	3	5	6	11
TOTAL MULTIPLE DX	223	4.4	22	1	2	3	6	10	14	29
TOTAL										
0-19 YRS	61	5.0	22	1	2	3	6	11	15	22
20-34	52	3.8	5	2	2	3	5	6	7	11
35-49	26	3.2	7	1	1	2	5	7	8	10
50-64	48	2.4	5	<1	1	2	3	4	10	11
65+	137	4.0	24	1	1	2	4	9	16	41
GRAND TOTAL	324	3.8	17	1	1	3	5	8	11	23

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.3		1	1	1	1	2	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	5	1.8		1	1	2	2	3	3	3
65+	10	1.6		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	22	2.7	16	1	1	1	2	8	13	18
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	9	3.0	7	1	2	2	3	7	10	10
50-64	17	1.8		1	1	2	2	3	3	3
65+	59	2.3	7	1	1	1	2	5	7	17
TOTAL SINGLE DX	37	1.5		1	1	1	2	2	3	3
TOTAL MULTIPLE DX	109	2.4	8	1	1	1	2	5	7	18
TOTAL										
0-19 YRS	41	2.0	9	1	1	1	2	3	8	18
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	11	2.7	6	<1	1	2	3	6	10	10
50-64	22	1.8	1	1	1	2	2	3	3	3
65+	69	2.2	7	1	1	1	2	5	7	16
GRAND TOTAL	**146**	**2.2**	**6**	**1**	**1**	**1**	**2**	**4**	**7**	**18**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	1.6		1	1	2	2	2	2	4
20-34	6	1.0		<1	<1	<1	1	1	1	1
35-49	50	1.1		<1	<1	<1	<1	1	1	4
50-64	227	1.0		<1	<1	<1	<1	1	1	2
65+	1736	1.0		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
0-19 YRS	32	2.5	4	1	1	2	4	5	6	10
20-34	11	3.2	15	<1	1	1	4	10	12	12
35-49	44	3.3	26	<1	1	1	2	8	16	25
50-64	140	3.2	40	<1	1	1	2	6	13	39
65+	974	2.4	18	<1	1	1	2	4	7	27
TOTAL SINGLE DX	2077	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	1201	2.6	21	<1	1	1	2	5	8	27
TOTAL										
0-19 YRS	90	1.9	2	1	1	2	2	4	4	8
20-34	17	2.4	11	<1	1	1	2	8	11	12
35-49	94	2.1	14	<1	<1	1	1	3	7	22
50-64	367	1.9	17	<1	<1	<1	1	2	5	18
65+	2710	1.5	7	<1	<1	<1	1	2	3	12
GRAND TOTAL	**3278**	**1.6**	**8**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**14**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	14	1.1		<1	<1	<1	<1	1	2	3
65+	58	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	7	2.0	2	<1	1	2	2	4	5	5
65+	44	2.6	11	1	1	2	3	4	6	22
TOTAL SINGLE DX	75	1.1		<1	<1	<1	<1	1	1	3
TOTAL MULTIPLE DX	56	2.5	9	1	1	2	3	4	5	21
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	1.7		1	1	2	2	2	2	2
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64	21	1.4	1	<1	<1	<1	1	3	4	5
65+	102	1.7	5	<1	<1	<1	2	3	4	15
GRAND TOTAL	**131**	**1.7**	**4**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**11**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	2.2	2	1	1	2	3	4	6	7
20-34	89	2.3	2	1	1	2	3	4	5	11
35-49	136	2.2	1	1	1	2	3	4	5	8
50-64	229	2.0	1	1	1	2	3	4	5	6
65+	222	2.1	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	60	5.7	195	1	1	2	5	8	11	87
20-34	110	3.4	8	1	2	3	4	6	7	52
35-49	172	2.6	3	1	1	2	3	5	6	10
50-64	333	3.1	9	1	1	2	4	6	7	16
65+	500	2.9	4	1	2	2	4	5	6	11
TOTAL SINGLE DX	737	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1175	3.1	16	1	1	2	4	5	7	14
TOTAL										
0-19 YRS	121	3.9	100	1	1	2	3	6	8	74
20-34	199	2.9	6	1	1	2	4	5	7	19
35-49	308	2.4	3	1	1	2	3	4	6	8
50-64	562	2.6	6	1	1	2	3	5	6	13
65+	722	2.7	4	1	1	2	3	5	6	10
GRAND TOTAL	**1912**	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	2.1	3	1	1	1	2	5	7	9
20-34	29	2.3	3	1	1	2	3	6	6	7
35-49	29	3.3	3	1	2	3	4	5	6	10
50-64	49	2.0	1	1	1	2	2	3	4	6
65 +	106	2.3	4	1	1	2	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	68	3.8	74	1	1	3	5	99 +	99 +	99 +
20-34	128	2.9	12	1	1	2	3	5	7	24
35-49	159	3.3	9	1	2	2	4	6	8	15
50-64	241	3.4	16	1	2	2	3	7	9	22
65 +	401	3.1	10	1	1	2	4	7	9	18
TOTAL SINGLE DX	267	2.3	3	1	1	2	3	5	6	10
TOTAL MULTIPLE DX	997	3.2	16	1	1	2	4	7	10	84
TOTAL										
0-19 YRS	122	3.0	43	1	1	2	4	8	99 +	99 +
20-34	157	2.8	10	1	1	2	3	5	7	24
35-49	188	3.3	8	1	2	2	4	6	8	15
50-64	290	3.1	14	1	1	2	3	6	8	20
65 +	507	3.0	9	1	1	2	3	6	9	17
GRAND TOTAL	1264	3.0	13	1	1	2	3	6	9	32

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	1.1		<1	<1	1	1	1	2	2
20-34	6	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.0		<1	<1	<1	<1	1	1	1
50-64	5	1.0		<1	<1	<1	1	1	1	1
65 +	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	74	1.6	5	<1	1	1	1	2	3	16
20-34	8	7.6	150	<1	1	1	12	29	32	32
35-49	9	1.1		<1	<1	1	1	2	2	2
50-64	5	1.4	1	<1	<1	1	2	3	3	3
65 +	4	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	98	1.1		<1	<1	1	1	1	2	2
TOTAL MULTIPLE DX	100	2.0	17	<1	1	1	1	3	4	27
TOTAL										
0-19 YRS	152	1.3	3	<1	1	1	1	2	2	8
20-34	14	4.8	92	<1	<1	1	1	23	30	32
35-49	15	1.1		<1	<1	1	1	1	2	2
50-64	10	1.2		<1	<1	<1	1	2	3	3
65 +	7	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	198	1.5	9	<1	<1	1	1	2	3	21

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	2.9	5	1	1	2	4	6	8	11
20-34	55	2.4	4	1	1	2	3	4	6	12
35-49	43	2.7	4	1	1	2	3	5	7	10
50-64	31	2.5	3	<1	1	2	4	5	7	7
65 +	34	2.2	4	1	1	1	3	4	8	9
2. MULTIPLE DX										
0-19 YRS	109	5.5	32	1	1	4	7	13	19	58
20-34	90	4.7	54	1	1	2	5	10	13	48
35-49	94	4.2	24	1	1	3	5	9	12	28
50-64	87	3.9	14	1	2	2	5	7	13	20
65 +	167	4.6	22	1	2	3	6	11	14	22
TOTAL SINGLE DX	246	2.6	5	1	1	2	3	6	7	10
TOTAL MULTIPLE DX	547	4.6	29	1	1	3	6	10	15	30
TOTAL										
0-19 YRS	192	4.4	22	1	1	3	6	8	14	30
20-34	145	3.8	37	1	1	2	4	8	12	39
35-49	137	3.8	18	1	1	2	5	8	10	22
50-64	118	3.5	12	1	2	2	5	6	9	19
65 +	201	4.2	20	1	1	3	6	9	13	21
GRAND TOTAL	793	4.0	22	1	1	2	5	8	12	25

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	152	1.8	1	1	1	1	2	4	5	7
20-34	28	1.9	6	<1	<1	1	1	4	8	13
35-49	20	2.1	7	<1	<1	1	2	5	9	12
50-64	10	1.5		<1	<1	1	2	3	3	3
65+	31	1.5	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	205	3.0	11	1	1	2	4	5	9	16
20-34	74	3.9	27	1	1	2	4	7	12	33
35-49	47	4.9	49	1	1	2	5	14	25	32
50-64	34	5.1	24	1	1	3	7	14	16	20
65+	79	7.6	69	1	2	4	10	18	26	40
TOTAL SINGLE DX	241	1.8	3	<1	1	1	2	4	5	8
TOTAL MULTIPLE DX	439	4.4	32	1	1	2	5	10	15	32
TOTAL										
0-19 YRS	357	2.5	8	1	1	2	3	5	7	15
20-34	102	3.4	23	<1	1	2	4	7	11	31
35-49	67	4.0	38	<1	1	2	4	8	18	31
50-64	44	4.3	21	<1	1	3	7	10	15	20
65+	110	5.9	58	<1	1	3	8	15	22	39
GRAND TOTAL	**680**	**3.5**	**23**	**1**	**1**	**2**	**4**	**7**	**12**	**28**

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.2		1	1	1	1	2	3	3
20-34	85	1.2		1	1	1	1	2	2	4
35-49	165	1.2		1	1	1	1	2	2	2
50-64	126	1.2		1	1	1	1	2	2	3
65+	47	1.3		1	1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	30	1.0		1	1	1	1	1	1	2
20-34	74	1.5		1	1	1	2	2	3	5
35-49	73	1.4	1	1	1	1	2	2	3	7
50-64	68	1.4	1	1	1	1	2	2	2	8
65+	47	1.5		1	1	1	2	2	3	5
TOTAL SINGLE DX	447	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	292	1.4	1	1	1	1	2	2	3	5
TOTAL										
0-19 YRS	54	1.1		1	1	1	1	2	2	3
20-34	159	1.3		1	1	1	2	2	3	4
35-49	238	1.2		1	1	1	1	2	2	4
50-64	194	1.3	1	1	1	1	1	2	2	4
65+	94	1.4	1	1	1	1	2	2	3	5
GRAND TOTAL	**739**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**	**4**

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	345	1.0		<1	1	1	1	1	1	2
20-34	131	1.1		1	1	1	1	1	2	3
35-49	88	1.1		1	1	1	1	1	2	3
50-64	76	1.1		<1	1	1	1	2	2	4
65+	33	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	361	1.4	15	1	1	1	1	1	2	5
20-34	151	1.4	5	1	1	1	1	2	2	16
35-49	134	1.3	1	1	1	1	1	2	3	7
50-64	126	1.6	3	1	1	1	1	2	5	12
65+	78	1.5	2	1	1	1	2	2	3	10
TOTAL SINGLE DX	673	1.1		<1	1	1	1	1	2	2
TOTAL MULTIPLE DX	850	1.4	8	1	1	1	1	2	2	10
TOTAL										
0-19 YRS	706	1.2	8	1	1	1	1	1	1	3
20-34	282	1.3	3	1	1	1	1	2	2	5
35-49	222	1.2	1	1	1	1	1	2	3	5
50-64	202	1.4	2	1	1	1	1	2	3	10
65+	111	1.3	1	1	1	1	1	2	2	8
GRAND TOTAL	**1523**	**1.3**	**5**	**1**	**1**	**1**	**1**	**1**	**2**	**5**

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	306	1.6	9	<1	<1	<1	1	3	4	8
20-34	22	1.6	1	<1	1	1	2	3	5	7
35-49	19	1.2		<1	1	1	1	2	2	2
50-64	19	1.1		<1	<1	<1	1	2	2	2
65+	17	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	1155	2.8	19	1	1	1	3	7	10	24
20-34	25	3.0	25	1	1	1	2	6	14	25
35-49	44	4.2	28	1	1	2	5	14	18	21
50-64	29	8.9	198	1	1	3	12	23	37	66
65+	26	12.6	138	2	4	8	18	34	40	42
TOTAL SINGLE DX	383	1.5	8	<1	<1	<1	1	2	4	8
TOTAL MULTIPLE DX	1279	3.2	29	1	1	1	3	7	12	33
TOTAL										
0-19 YRS	1461	2.5	18	<1	1	1	2	6	9	21
20-34	47	2.3	15	<1	1	1	2	5	7	25
35-49	63	3.3	22	<1	1	1	3	8	16	21
50-64	48	5.8	133	<1	1	1	4	19	24	66
65+	43	8.0	115	<1	1	3	12	21	37	42
GRAND TOTAL	**1662**	**2.8**	**25**	**<1**	**1**	**1**	**2**	**6**	**10**	**25**

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	184	1.3		1	1	1	1	2	3	6
20-34	67	1.1		1	1	1	1	2	2	3
35-49	55	1.3		1	1	1	1	2	2	3
50-64	56	1.4		1	1	1	2	2	3	7
65 +	31	2.5	30	1	1	1	2	3	3	32
2. MULTIPLE DX										
0-19 YRS	305	2.3	29	1	1	1	1	3	9	29
20-34	154	1.5	1	1	1	1	2	2	3	8
35-49	164	1.9	7	1	1	1	2	3	5	17
50-64	139	2.0	7	1	1	1	2	3	5	18
65 +	75	2.7	21	1	1	1	2	6	12	29
TOTAL SINGLE DX	393	1.4	3	1	1	1	1	2	3	6
TOTAL MULTIPLE DX	837	2.1	16	1	1	1	2	3	6	18
TOTAL										
0-19 YRS	489	1.9	19	1	1	1	1	2	5	18
20-34	221	1.4	1	1	1	1	1	2	3	7
35-49	219	1.7	6	1	1	1	2	2	4	15
50-64	195	1.9	6	1	1	1	2	3	4	17
65 +	106	2.7	24	1	1	1	2	4	11	32
GRAND TOTAL	1230	1.8	12	1	1	1	1	3	5	16

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	117	1.4	1	< 1	< 1	1	1	2	4	8
20-34	78	1.9	12	1	1	1	2	3	3	25
35-49	119	2.0	5	1	1	1	2	4	7	12
50-64	85	1.8	1	1	1	1	2	3	4	8
65 +	38	2.0	1	1	1	2	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	133	2.1	8	1	1	1	1	5	8	16
20-34	87	1.7	1	1	1	1	2	3	4	8
35-49	110	2.5	6	1	1	1	3	6	9	12
50-64	82	2.3	6	1	1	1	3	5	7	15
65 +	56	3.4	10	1	1	2	4	6	12	15
TOTAL SINGLE DX	437	1.8	5	< 1	1	1	2	3	4	9
TOTAL MULTIPLE DX	468	2.3	7	1	1	1	3	5	8	15
TOTAL										
0-19 YRS	250	1.8	5	< 1	1	1	1	4	5	15
20-34	165	1.8	7	1	1	1	2	3	4	10
35-49	229	2.2	6	1	1	1	3	4	8	11
50-64	167	2.1	4	1	1	1	3	4	6	9
65 +	94	2.8	7	1	1	2	3	5	7	15
GRAND TOTAL	905	2.1	[illegible]	1	1	1	2	4	6	13

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.5	1	1	1	1	2	4	4	4
20-34	48	1.7	9	1	1	1	2	2	3	22
35-49	23	1.3		< 1	1	1	2	2	3	3
50-64	23	1.4		1	1	1	2	2	4	5
65 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	111	1.8	39	1	1	1	1	2	3	29
20-34	255	1.7	9	1	1	1	1	2	3	18
35-49	286	1.5	3	1	1	1	1	2	3	8
50-64	170	2.1	36	1	1	1	2	3	4	7
65 +	73	2.2	6	1	1	1	2	4	7	16
TOTAL SINGLE DX	111	1.5	4	1	1	1	2	2	3	12
TOTAL MULTIPLE DX	895	1.8	16	1	1	1	1	2	4	14
TOTAL										
0-19 YRS	124	1.8	35	1	1	1	1	2	3	21
20-34	303	1.7	9	1	1	1	1	2	3	20
35-49	309	1.5	3	1	1	1	1	2	3	7
50-64	193	2.0	32	1	1	1	2	3	4	7
65 +	77	2.2	6	1	1	1	2	4	7	15
GRAND TOTAL	1006	1.7	15	1	1	1	1	2	4	13

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	158	1.6	2	1	1	1	2	3	5	8
20-34	219	1.4	1	<1	1	1	1	2	4	7
35-49	137	1.4		1	1	1	1	2	3	6
50-64	57	1.6	1	1	1	1	2	3	6	6
65+	23	1.9	3	<1	<1	1	2	3	6	9
2. MULTIPLE DX										
0-19 YRS	402	1.6	4	1	1	1	2	3	4	6
20-34	681	1.6	3	1	1	1	2	3	4	10
35-49	537	1.7	7	1	1	1	2	2	4	7
50-64	291	1.7	5	1	1	1	2	3	4	9
65+	164	2.9	15	1	1	1	3	7	11	22
TOTAL SINGLE DX	594	1.5	2	<1	1	1	1	2	5	7
TOTAL MULTIPLE DX	2075	1.7	6	1	1	1	2	3	4	11
TOTAL										
0-19 YRS	560	1.6	4	1	1	1	2	3	4	8
20-34	900	1.6	3	1	1	1	1	2	4	8
35-49	674	1.6	7	1	1	1	2	2	3	7
50-64	348	1.7	5	1	1	1	2	3	5	9
65+	187	2.8	14	1	1	1	3	7	10	21
GRAND TOTAL	2669	1.7	5	1	1	1	2	3	4	9

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	1.9	2	1	1	1	2	4	6	6
20-34	22	1.7	1	<1	1	1	2	3	4	5
35-49	36	1.5	3	<1	<1	1	1	2	4	11
50-64	36	1.4		<1	<1	1	1	3	4	4
65+	42	1.9	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	88	2.8	9	1	1	2	3	7	11	15
20-34	118	2.3	14	1	1	1	2	3	9	21
35-49	162	2.0	8	1	1	1	2	3	5	17
50-64	148	2.4	14	1	1	1	2	4	7	30
65+	154	4.3	35	1	1	2	5	11	17	29
TOTAL SINGLE DX	170	1.7	2	<1	<1	1	2	4	5	10
TOTAL MULTIPLE DX	670	2.8	18	1	1	1	2	6	10	25
TOTAL										
0-19 YRS	122	2.5	8	1	1	1	3	6	9	15
20-34	140	2.2	12	1	1	1	2	3	7	20
35-49	198	1.9	8	1	1	1	2	3	5	16
50-64	184	2.2	12	<1	1	1	2	4	6	25
65+	196	3.8	29	<1	1	2	4	9	14	27
GRAND TOTAL	840	2.6	15	<1	1	1	2	5	8	24

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	1.5	1	<1	<1	1	1	3	5	8
20-34	91	1.8	2	<1	<1	1	2	4	6	8
35-49	64	3.1	6	1	1	3	4	5	7	16
50-64	64	3.4	5	1	1	3	5	7	8	12
65+	76	3.3	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	121	2.9	33	1	1	1	2	6	8	41
20-34	188	3.0	12	1	1	2	4	7	9	18
35-49	162	3.8	17	1	1	3	5	8	10	27
50-64	177	4.8	22	1	2	4	6	8	12	28
65+	364	4.8	14	1	3	4	6	8	11	23
TOTAL SINGLE DX	377	2.5	4	<1	1	2	3	5	7	10
TOTAL MULTIPLE DX	1012	4.1	19	1	1	3	5	8	10	24
TOTAL										
0-19 YRS	203	2.3	21	<1	1	1	2	5	7	23
20-34	279	2.6	10	<1	1	1	3	6	8	16
35-49	226	3.6	14	1	1	3	4	7	9	21
50-64	241	4.4	18	1	2	3	5	8	10	24
65+	440	4.5	13	1	2	4	5	8	10	21
GRAND TOTAL	1389	3.7	15	1	1	3	5	7	9	20

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.2		1	1	1	1	2	2	2
20-34	39	2.0	9	1	1	1	2	3	5	20
35-49	46	1.7	4	1	1	1	2	2	3	15
50-64	30	1.6		1	1	1	2	3	3	4
65+	17	1.5		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	51	3.6	18	1	1	2	4	11	15	17
20-34	86	2.6	18	1	1	1	2	5	7	28
35-49	99	2.4	9	1	1	1	2	5	7	19
50-64	84	3.6	34	1	1	2	3	9	14	34
65+	64	4.4	32	1	1	2	4	10	21	25
TOTAL SINGLE DX	145	1.7	4	1	1	1	2	2	3	15
TOTAL MULTIPLE DX	384	3.2	22	1	1	2	3	7	12	24
TOTAL										
0-19 YRS	64	3.1	16	1	1	1	3	11	13	17
20-34	125	2.4	15	1	1	1	2	4	6	24
35-49	145	2.2	8	1	1	1	2	5	6	16
50-64	114	3.1	26	1	1	1	3	6	12	33
65+	81	3.8	27	1	1	2	4	9	18	24
GRAND TOTAL	529	2.8	18	1	1	1	2	5	10	23

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	89	1.9	3	1	1	1	2	5	6	9
20-34	49	1.8	1	1	1	1	2	4	5	7
35-49	97	1.9	2	1	1	1	2	4	5	10
50-64	65	1.8	3	1	1	1	2	3	4	13
65+	32	1.8	1	1	1	1	2	3	5	5
2. MULTIPLE DX										
0-19 YRS	241	5.8	51	1	1	3	8	12	20	38
20-34	210	3.8	36	1	1	2	4	8	15	30
35-49	256	2.6	29	1	1	1	2	5	9	18
50-64	259	3.3	22	1	1	1	3	9	11	27
65+	197	5.4	70	1	1	2	6	15	21	57
TOTAL SINGLE DX	332	1.9	3	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	1163	4.1	42	1	1	2	4	10	15	35
TOTAL										
0-19 YRS	330	4.8	41	1	1	2	6	11	15	33
20-34	259	3.4	30	1	1	2	3	7	13	22
35-49	353	2.4	22	1	1	1	2	4	7	16
50-64	324	3.0	19	1	1	1	2	7	11	24
65+	229	4.9	63	1	1	2	5	14	21	47
GRAND TOTAL	1495	3.6	34	1	1	2	3	9	13	29

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	1.1		<1	<1	<1	1	1	2	3
20-34	37	2.3	9	<1	<1	<1	2	6	11	14
35-49	17	1.1		<1	<1	<1	1	1	2	2
50-64	15	1.7	4	<1	<1	<1	1	3	7	9
65+	13	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	175	3.6	19	1	1	2	4	8	14	20
20-34	170	8.0	78	1	2	4	11	24	28	33
35-49	134	6.9	90	1	2	4	8	20	28	99+
50-64	115	6.0	46	1	1	3	9	15	19	33
65+	179	8.8	121	1	2	5	11	20	32	48
TOTAL SINGLE DX	158	1.4	3	<1	<1	<1	1	2	3	11
TOTAL MULTIPLE DX	773	6.7	76	1	2	3	8	18	27	45
TOTAL										
0-19 YRS	251	2.8	15	<1	1	1	3	6	12	20
20-34	207	7.0	71	<1	1	3	8	21	28	33
35-49	151	6.2	83	<1	1	3	7	17	28	99
50-64	130	5.5	44	<1	1	3	9	13	18	32
65+	192	8.2	117	1	2	4	11	19	30	48
GRAND TOTAL	931	5.8	67	<1	1	2	7	16	24	43

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.3		<1	<1	1	1	2	4	4
20-34	4	3.5	11	<1	<1	2	6	8	8	8
35-49	5	2.2	4	1	1	1	3	6	6	6
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	82	3.3	47	1	1	2	2	4	11	45
20-34	13	8.7	220	1	1	3	9	51	89	99+
35-49	4	8.8	184	1	1	3	16	29	29	29
50-64	6	2.5	2	<1	<1	2	4	5	5	5
65+	2	2.0	2	1	1	2	3	3	3	3
TOTAL SINGLE DX	28	1.8	3	<1	<1	1	2	4	6	8
TOTAL MULTIPLE DX	107	4.1	71	1	1	2	2	7	30	70
TOTAL										
0-19 YRS	95	3.0	41	1	1	2	2	4	9	43
20-34	17	7.5	173	<1	1	3	8	43	78	99+
35-49	9	5.1	83	1	1	1	4	20	29	29
50-64	10	1.9	2	<1	<1	1	2	4	5	5
65+	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	135	3.6	57	1	1	2	2	6	19	56

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.7		1	1	2	2	3	3	4
20-34	7	2.4	11	<1	<1	1	2	8	10	10
35-49	17	1.6		1	1	2	2	2	3	4
50-64	25	1.7		1	1	2	2	3	3	3
65+	10	1.8	1	<1	1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	103	3.2	20	1	2	2	3	5	8	30
20-34	31	4.3	25	1	1	2	5	10	14	24
35-49	34	5.5	93	1	1	2	6	11	20	54
50-64	56	4.0	35	1	1	2	4	11	18	31
65+	69	3.9	27	1	1	2	4	9	14	32
TOTAL SINGLE DX	92	1.8	1	1	1	2	2	3	3	8
TOTAL MULTIPLE DX	293	3.9	34	1	1	2	3	8	14	33
TOTAL										
0-19 YRS	136	2.8	16	1	1	2	3	4	6	22
20-34	38	3.9	23	1	1	2	4	9	14	24
35-49	51	4.2	65	1	1	2	3	9	14	54
50-64	81	3.3	26	1	1	2	3	6	14	29
65+	79	3.7	25	1	1	2	3	8	13	30
GRAND TOTAL	385	3.4	27	1	1	2	3	7	11	29

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	2.3	2	1	1	2	3	5	6	8
20-34	146	1.9	1	1	1	2	2	3	4	6
35-49	248	1.7		1	1	1	2	3	3	4
50-64	179	1.8		1	1	2	2	3	3	5
65 +	168	2.0	2	1	1	2	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	67	2.8	8	1	1	2	3	6	11	15
20-34	65	2.8	20	1	1	2	3	4	5	33
35-49	162	2.5	10	1	1	2	2	4	6	13
50-64	198	2.8	10	1	1	2	3	5	8	16
65 +	301	3.5	20	1	1	2	4	7	10	27
TOTAL SINGLE DX	826	1.9	1	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	793	3.0	15	1	1	2	3	6	9	20
TOTAL										
0-19 YRS	152	2.5	5	1	1	2	3	5	7	12
20-34	211	2.2	7	1	1	2	3	3	4	8
35-49	410	2.0	5	1	1	2	2	3	4	10
50-64	377	2.4	6	1	1	2	3	4	5	11
65 +	469	3.0	15	1	1	2	3	6	9	20
GRAND TOTAL	1619	2.4	8	1	1	2	3	4	6	12

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	409	2.4	2	1	1	2	3	4	5	7
20-34	5	1.8	1	1	1	1	2	4	4	4
35-49	5	2.2		1	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	562	2.9	7	1	2	2	4	5	6	11
20-34	18	3.1	6	1	1	2	4	8	9	9
35-49	25	2.0	1	1	1	2	2	4	5	6
50-64	17	3.1	8	1	2	2	3	6	11	13
65 +	2	3.0	2	2	2	3	4	4	4	4
TOTAL SINGLE DX	420	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	624	2.9	8	1	1	2	4	5	6	11
TOTAL										
0-19 YRS	971	2.7	6	1	1	2	3	5	6	9
20-34	23	2.8	6	1	1	2	4	6	9	9
35-49	30	2.0	1	1	1	2	3	4	4	6
50-64	18	3.0	8	1	1	2	3	5	10	13
65 +	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	1044	2.7	6	1	1	2	3	5	6	9

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	435	2.4	5	1	1	2	3	5	6	9
20-34	61	3.3	7	<1	1	3	4	6	8	15
35-49	51	3.4	12	<1	1	2	4	8	14	15
50-64	63	3.3	12	<1	1	2	4	7	12	18
65 +	81	3.0	10	<1	1	2	4	6	11	16
2. MULTIPLE DX										
0-19 YRS	552	3.5	37	1	1	2	4	6	9	46
20-34	210	4.6	21	1	2	3	6	9	14	21
35-49	173	5.2	41	1	2	3	5	11	19	34
50-64	254	8.5	94	1	2	5	10	19	28	46
65 +	325	7.6	86	1	2	5	9	18	27	50
TOTAL SINGLE DX	691	2.7	7	1	1	2	3	5	7	15
TOTAL MULTIPLE DX	1514	5.5	59	1	1	3	6	13	20	42
TOTAL										
0-19 YRS	987	3.0	23	1	1	2	3	6	7	32
20-34	271	4.3	19	1	1	3	5	9	13	20
35-49	224	4.8	35	1	2	3	5	11	16	31
50-64	317	7.4	82	1	2	4	10	18	24	43
65 +	406	6.7	74	1	2	4	8	16	23	46
GRAND TOTAL	2205	4.6	45	1	1	2	5	10	16	37

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1856	1.1		1	1	1	1	1	2	3
20-34	840	1.2		1	1	1	1	2	2	4
35-49	129	1.3		1	1	1	1	2	3	6
50-64	19	1.3		1	1	1	1	3	3	3
65 +	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	758	1.4	5	1	1	1	1	2	3	7
20-34	320	1.5	1	1	1	1	1	3	4	7
35-49	93	1.8	2	1	1	1	2	4	5	8
50-64	31	3.6	28	1	1	2	3	10	16	25
65 +	12	3.6	6	1	2	3	5	7	9	9
TOTAL SINGLE DX	2849	1.1		1	1	1	1	1	2	3
TOTAL MULTIPLE DX	1214	1.6	5	1	1	1	1	3	4	8
TOTAL										
0-19 YRS	2614	1.2	2	1	1	1	1	2	2	4
20-34	1160	1.3	1	1	1	1	1	2	3	5
35-49	222	1.5	1	1	1	1	2	3	4	7
50-64	50	2.8	19	1	1	1	3	4	14	25
65 +	17	3.0	5	1	1	2	5	6	8	9
GRAND TOTAL	4063	1.3	2	1	1	1	1	2	2	5

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3741	1.1		1	1	1	1	1	1	2
20-34	70	1.1		1	1	1	1	1	1	4
35-49	7	1.3		1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	4027	1.3	3	1	1	1	1	1	2	7
20-34	37	1.5	2	1	1	1	1	3	5	9
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	3820	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	4068	1.3	4	1	1	1	1	1	2	7
TOTAL										
0-19 YRS	7768	1.2	2	1	1	1	1	1	2	5
20-34	107	1.2	1	1	1	1	1	1	3	7
35-49	10	1.2		1	1	1	1	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	4.5	25	1	1	4	8	8	8	8
GRAND TOTAL	7888	1.2	2	1	1	1	1	1	2	5

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	1.1		<1	1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	249	2.0	17	<1	1	1	1	3	6	25
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
TOTAL SINGLE DX	57	1.1		<1	1	1	1	2	2	2
TOTAL MULTIPLE DX	255	2.0	17	<1	1	1	1	3	6	25
TOTAL										
0-19 YRS	303	1.9	15	<1	1	1	1	3	5	23
20-34	7	1.3	1	<1	1	1	1	3	3	3
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	0									
65 +	0									
GRAND TOTAL	312	1.9	14	<1	1	1	1	3	5	23

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	379	2.2	7	1	1	1	3	4	6	12
20-34	176	2.0	1	1	1	2	3	4	4	7
35-49	99	2.3	3	1	1	2	3	4	5	12
50-64	54	2.8	9	1	1	2	3	4	7	21
65 +	23	3.2	6	1	1	2	4	8	9	10
2. MULTIPLE DX										
0-19 YRS	232	3.2	18	1	1	2	4	6	9	29
20-34	108	3.0	6	1	2	2	4	5	7	15
35-49	157	3.9	41	1	1	2	3	7	17	36
50-64	182	5.3	62	1	1	3	5	12	21	42
65 +	99	8.1	72	1	2	6	11	18	23	46
TOTAL SINGLE DX	731	2.2	6	1	1	2	3	4	6	11
TOTAL MULTIPLE DX	778	4.4	41	1	1	2	4	10	15	37
TOTAL										
0-19 YRS	611	2.6	12	1	1	2	3	5	7	14
20-34	284	2.4	4	1	1	2	3	4	5	10
35-49	256	3.3	27	1	1	2	3	5	9	31
50-64	236	4.7	51	1	1	2	4	11	19	40
65 +	122	7.1	64	1	2	4	9	15	21	44
GRAND TOTAL	1509	3.4	25	1	1	2	3	6	11	28

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	1.6		<1	1	1	2	3	4	4
20-34	10	2.8	2	1	2	3	3	5	6	6
35-49	8	2.6	3	1	1	2	4	5	6	6
50-64	19	3.1	4	1	1	2	5	6	7	8
65 +	21	2.3	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	148	3.0	7	1	2	2	4	5	5	9
20-34	33	5.9	36	2	3	4	6	12	23	26
35-49	44	4.8	25	1	2	3	5	14	21	99 +
50-64	91	4.5	17	1	2	3	5	10	13	23
65 +	154	5.1	20	1	2	4	6	10	15	23
TOTAL SINGLE DX	81	2.4	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	470	4.4	19	1	2	3	5	8	13	24
TOTAL										
0-19 YRS	171	2.8	7	1	2	2	4	5	5	9
20-34	43	5.2	30	1	2	3	6	8	21	26
35-49	52	4.5	23	1	2	3	5	11	20	98
50-64	110	4.3	16	1	2	3	5	8	13	22
65 +	175	4.8	20	1	2	4	6	10	15	23
GRAND TOTAL	551	4.1	17	1	2	3	5	8	11	24

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	1.7	3	1	1	1	2	3	5	14
20-34	11	1.4		< 1	1	1	2	2	2	2
35-49	16	1.1		< 1	< 1	1	1	1	2	2
50-64	31	1.4	1	< 1	< 1	1	1	2	3	6
65 +	20	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
0-19 YRS	113	4.0	40	1	1	1	4	12	18	64
20-34	16	5.9	183	1	1	2	4	9	42	56
35-49	48	5.8	47	1	1	3	8	15	21	33
50-64	80	6.4	65	1	1	2	9	17	26	35
65 +	95	6.5	67	1	1	3	9	13	22	46
TOTAL SINGLE DX	150	1.5	2	< 1	1	1	1	3	4	6
TOTAL MULTIPLE DX	352	5.5	61	1	1	2	7	13	23	44
TOTAL										
0-19 YRS	185	3.1	27	1	1	1	3	7	14	39
20-34	27	4.1	111	1	1	1	3	6	16	56
35-49	64	4.6	40	1	1	1	7	13	19	32
50-64	111	5.0	52	< 1	1	1	6	13	23	34
65 +	115	5.6	60	1	1	2	8	12	18	41
GRAND TOTAL	**502**	**4.3**	**47**	**1**	**1**	**1**	**4**	**11**	**17**	**34**

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	3.0	8	1	1	2	3	7	11	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	4.3	6	1	2	4	6	8	8	8
50-64	12	6.8	31	1	2	4	12	15	16	16
65 +	13	7.8	63	1	2	7	8	15	29	32
2. MULTIPLE DX										
0-19 YRS	85	7.7	236	1	1	3	6	19	56	99 +
20-34	10	3.6	9	< 1	1	2	6	8	9	9
35-49	18	12.5	258	1	2	5	19	43	52	53
50-64	45	12.1	113	1	4	10	18	33	39	99 +
65 +	49	10.6	76	2	3	9	14	23	26	41
TOTAL SINGLE DX	54	5.2	29	1	2	3	8	12	14	31
TOTAL MULTIPLE DX	207	9.6	166	1	2	5	13	23	42	99 +
TOTAL										
0-19 YRS	106	6.8	194	1	1	3	5	13	52	99 +
20-34	11	3.5	8	< 1	1	3	5	8	9	9
35-49	25	10.2	199	1	2	4	11	23	51	53
50-64	57	10.9	100	1	3	9	16	27	38	95
65 +	62	10.0	74	2	3	8	13	22	28	40
GRAND TOTAL	**261**	**8.7**	**140**	**1**	**2**	**4**	**11**	**21**	**39**	**98**

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	5	10.0	15	7	7	8	13	16	16	16
50-64	28	10.5	8	7	8	10	12	15	16	18
65 +	18	10.7	5	9	9	10	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	28	16.1	67	8	11	13	21	27	33	41
50-64	127	17.4	109	9	11	14	22	30	36	72
65 +	123	18.9	150	10	11	14	22	36	46	67
TOTAL SINGLE DX	51	10.5	8	7	9	10	12	15	16	18
TOTAL MULTIPLE DX	278	17.9	124	9	11	14	22	31	39	65
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	33	15.2	63	7	10	13	18	26	31	41
50-64	155	16.2	99	9	10	13	20	29	36	64
65 +	141	17.9	140	9	11	14	20	33	42	66
GRAND TOTAL	**329**	**16.8**	**113**	**9**	**10**	**13**	**20**	**29**	**38**	**64**

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	13.1	88	2	5	11	21	23	31	34
20-34	4	7.3	6	6	6	6	9	11	11	11
35-49	8	5.9	25	2	4	5	5	14	18	18
50-64	10	4.8	9	1	3	4	6	9	12	12
65 +	7	7.6	28	2	3	7	11	16	17	17
2. MULTIPLE DX										
0-19 YRS	115	26.0	476	6	13	25	81	99 +	99 +	99 +
20-34	56	32.3	692	5	9	27	55	80	98	99 +
35-49	105	32.5	735	3	9	29	56	92	99 +	99 +
50-64	247	32.4	598	5	13	30	60	95	99 +	99 +
65 +	320	37.9	542	10	20	37	63	99 +	99 +	99 +
TOTAL SINGLE DX	45	8.6	53	2	4	6	11	20	22	34
TOTAL MULTIPLE DX	843	33.6	596	6	16	32	61	99 +	99 +	99 +
TOTAL										
0-19 YRS	131	24.5	446	5	11	23	64	99 +	99 +	99 +
20-34	60	30.6	685	5	8	26	55	79	98	99 +
35-49	113	30.6	732	3	8	25	53	91	99 +	99 +
50-64	257	31.3	604	4	12	27	58	93	99 +	99 +
65 +	327	37.2	551	9	20	36	63	99	99 +	99 +
GRAND TOTAL	**888**	**32.3**	**599**	**6**	**13**	**31**	**60**	**99 +**	**99 +**	**99 +**

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	4.5	29	1	1	2	6	12	15	29
20-34	6	1.7	1	1	1	1	3	3	3	3
35-49	5	3.0	8	1	1	2	4	8	8	8
50-64	14	3.4	36	1	1	1	3	7	20	24
65 +	10	1.4		1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	264	12.6	268	1	3	7	17	41	78	99 +
20-34	8	6.4	35	1	2	5	8	16	19	19
35-49	27	5.9	42	1	1	3	9	18	20	23
50-64	58	6.5	215	1	2	3	6	11	42	99 +
65 +	68	10.5	284	1	1	3	11	31	44	90
TOTAL SINGLE DX	122	3.9	26	1	1	2	4	10	15	26
TOTAL MULTIPLE DX	425	10.9	250	1	2	5	14	33	58	99 +
TOTAL										
0-19 YRS	351	10.6	221	1	2	6	15	32	56	99 +
20-34	14	4.4	25	1	1	3	6	11	17	19
35-49	32	5.4	38	1	1	3	8	17	20	23
50-64	72	5.9	182	1	1	3	5	11	23	99
65 +	78	9.3	257	1	1	2	10	30	41	87
GRAND TOTAL	547	9.4	208	1	2	4	11	27	52	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	3.2	4	1	1	3	5	6	7	8
20-34	23	5.8	32	1	1	5	9	10	16	26
35-49	34	6.0	20	< 1	2	5	9	13	14	15
50-64	61	5.5	21	< 1	1	5	9	12	14	18
65 +	56	6.8	28	< 1	1	6	9	16	17	19
2. MULTIPLE DX										
0-19 YRS	33	8.8	74	1	2	6	12	22	37	99 +
20-34	152	12.0	100	4	6	9	15	24	34	56
35-49	286	10.7	69	2	5	9	14	21	26	50
50-64	801	11.1	67	3	6	9	14	21	27	41
65 +	1539	12.5	84	4	7	10	16	24	31	46
TOTAL SINGLE DX	191	5.8	24	< 1	1	5	8	13	15	19
TOTAL MULTIPLE DX	2811	11.9	80	4	6	10	15	23	30	46
TOTAL										
0-19 YRS	50	6.9	58	1	2	5	8	20	25	99
20-34	175	11.2	95	3	5	9	14	21	32	53
35-49	320	10.2	67	2	5	8	13	20	26	48
50-64	862	10.7	66	2	6	9	14	20	26	41
65 +	1595	12.3	84	4	7	10	16	23	31	46
GRAND TOTAL	3002	11.5	78	3	6	9	15	22	29	45

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	15.8	467	3	3	6	28	48	48	48
20-34	1	8.0		8	8	8	8	8	8	8
35-49	0									
50-64	4	8.8	166	1	1	3	16	28	28	28
65 +	5	14.0	22	10	11	12	16	22	22	22
TOTAL SINGLE DX	5	2.6	3	< 1	1	2	4	5	5	5
TOTAL MULTIPLE DX	14	12.6	163	2	4	9	14	30	44	48
TOTAL										
0-19 YRS	5	12.8	394	< 1	2	4	18	48	48	48
20-34	3	4.7	12	1	2	5	7	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	7.4	134	1	2	2	10	28	28	28
65 +	5	14.0	22	10	11	12	16	22	22	22
GRAND TOTAL	19	9.9	139	1	2	5	12	26	39	48

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	7.4	23	4	4	6	8	14	21	22
20-34	67	7.8	18	3	5	7	10	13	17	20
35-49	85	6.7	21	1	4	6	8	14	15	26
50-64	174	5.8	18	1	2	5	8	10	14	21
65 +	120	4.9	15	< 1	1	4	8	10	11	17
2. MULTIPLE DX										
0-19 YRS	122	14.6	232	4	6	10	17	39	52	99 +
20-34	247	12.6	146	4	6	9	15	25	38	60
35-49	427	11.1	70	4	6	8	14	22	29	47
50-64	1180	11.3	81	3	6	9	14	22	27	56
65 +	2004	12.4	84	3	7	10	16	24	31	45
TOTAL SINGLE DX	469	6.1	20	1	3	6	8	11	14	20
TOTAL MULTIPLE DX	3980	12.0	91	4	6	9	15	23	30	52
TOTAL										
0-19 YRS	145	13.5	206	4	5	9	16	27	50	99 +
20-34	314	11.6	123	4	6	8	13	22	33	57
35-49	512	10.4	65	4	6	8	13	20	26	46
50-64	1354	10.6	77	3	5	8	13	20	25	52
65 +	2124	12.0	84	3	6	9	15	24	31	43
GRAND TOTAL	4449	11.4	87	3	6	9	14	22	29	49

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	7.3	4	5	6	7	9	10	10	10
20-34	6	9.2	12	6	7	8	9	15	16	16
35-49	18	10.6	25	7	8	9	11	17	23	26
50-64	65	9.2	26	6	7	8	10	12	14	41
65 +	55	9.8	13	7	8	9	10	14	19	25
2. MULTIPLE DX										
0-19 YRS	13	11.5	25	6	8	11	15	17	22	23
20-34	18	13.7	139	6	7	8	13	38	42	43
35-49	100	12.1	82	5	7	8	14	22	29	56
50-64	516	12.5	63	7	8	10	15	22	26	52
65 +	554	13.0	52	7	9	11	15	21	30	42
TOTAL SINGLE DX	150	9.5	20	6	7	9	10	13	16	26
TOTAL MULTIPLE DX	1201	12.7	60	7	8	10	15	21	28	46
TOTAL										
0-19 YRS	19	10.2	22	5	7	9	13	16	20	23
20-34	24	12.6	110	6	7	8	12	32	42	43
35-49	118	11.9	74	5	7	9	14	22	28	55
50-64	581	12.1	60	7	8	10	14	21	26	46
65 +	609	12.7	50	7	8	10	15	21	28	41
GRAND TOTAL	**1351**	**12.3**	**57**	**7**	**8**	**10**	**14**	**21**	**28**	**45**

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	421	2.4	7	1	1	1	3	5	8	13
20-34	29	7.1	34	<1	2	5	10	17	20	20
35-49	41	4.9	27	<1	1	3	6	11	14	27
50-64	46	6.3	138	<1	<1	3	8	11	16	79
65 +	36	6.7	62	<1	<1	5	9	13	25	38
2. MULTIPLE DX										
0-19 YRS	850	7.3	113	1	2	4	8	16	24	96
20-34	183	12.0	118	2	5	9	16	24	31	60
35-49	286	10.9	93	2	5	8	14	23	32	61
50-64	571	11.3	79	3	5	9	15	23	28	52
65 +	1050	13.4	112	4	7	11	17	25	32	62
TOTAL SINGLE DX	573	3.4	27	<1	1	1	4	8	11	20
TOTAL MULTIPLE DX	2940	10.9	111	2	4	8	14	23	29	64
TOTAL										
0-19 YRS	1271	5.6	84	1	1	3	7	14	20	74
20-34	212	11.4	110	2	4	9	15	23	28	56
35-49	327	10.2	89	2	4	8	13	21	30	60
50-64	617	10.9	86	3	5	9	14	22	28	54
65 +	1086	13.2	112	4	6	11	17	25	31	62
GRAND TOTAL	**3513**	**9.7**	**105**	**1**	**3**	**7**	**13**	**21**	**28**	**61**

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	5.4	12	1	2	5	8	10	11	11
20-34	26	4.4	4	2	3	4	5	7	9	12
35-49	6	7.0	42	2	3	4	10	18	19	19
50-64	3	4.3	4	2	3	5	6	6	6	6
65 +	6	4.2	4	2	3	4	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	14	8.4	22	4	6	7	11	15	18	19
20-34	22	10.0	75	3	4	7	12	21	32	37
35-49	24	10.6	119	2	4	8	11	26	34	51
50-64	35	17.2	197	5	9	12	22	44	50	54
65 +	49	12.3	80	4	6	10	16	25	27	44
TOTAL SINGLE DX	49	4.9	10	2	3	4	5	9	11	19
TOTAL MULTIPLE DX	144	12.5	115	4	6	9	15	26	38	51
TOTAL										
0-19 YRS	22	7.3	20	2	4	7	9	14	17	19
20-34	48	7.0	44	2	3	5	8	13	18	37
35-49	30	9.9	104	2	4	7	11	22	27	51
50-64	38	16.2	194	4	8	10	21	43	50	54
65 +	55	11.4	78	3	5	8	15	24	27	44
GRAND TOTAL	**193**	**10.5**	**99**	**3**	**4**	**7**	**13**	**23**	**29**	**51**

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	5.0	10	2	3	4	6	10	12	16
20-34	393	5.1	19	2	3	4	6	8	11	20
35-49	123	5.2	35	2	3	4	5	8	10	42
50-64	78	6.0	17	3	3	5	8	11	14	25
65 +	23	6.4	29	2	3	5	8	14	19	24
2. MULTIPLE DX										
0-19 YRS	335	13.3	239	3	5	8	15	31	66	99 +
20-34	501	7.6	53	3	4	6	9	14	20	44
35-49	458	9.7	84	3	4	7	12	19	26	58
50-64	727	10.8	87	3	5	8	14	21	28	49
65 +	1058	11.9	93	4	6	9	14	24	30	54
TOTAL SINGLE DX	749	5.2	21	2	3	4	6	9	12	20
TOTAL MULTIPLE DX	3079	10.8	103	3	5	8	13	22	29	62
TOTAL										
0-19 YRS	467	10.9	188	3	4	7	12	24	52	99 +
20-34	894	6.5	40	2	3	5	7	11	18	30
35-49	581	8.8	78	3	4	6	10	17	23	53
50-64	805	10.3	83	3	5	8	13	20	26	47
65 +	1081	11.8	93	4	6	9	14	24	30	53
GRAND TOTAL	**3828**	**9.7**	**92**	**3**	**4**	**7**	**12**	**20**	**27**	**60**

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	4.8	4	3	3	4	6	7	9	12
20-34	85	3.6	7	1	1	3	5	7	9	12
35-49	63	4.6	33	1	1	3	5	11	18	33
50-64	71	4.1	15	1	1	3	6	10	13	17
65 +	60	3.6	12	< 1	1	2	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	131	10.0	108	3	4	7	13	20	39	99 +
20-34	158	12.5	135	2	5	9	16	25	40	58
35-49	195	11.4	166	2	4	7	14	24	37	65
50-64	405	10.6	121	1	4	8	13	23	31	56
65 +	566	11.5	100	2	5	9	15	23	30	48
TOTAL SINGLE DX	436	4.3	12	1	1	4	6	8	11	18
TOTAL MULTIPLE DX	1455	11.2	120	2	4	8	14	23	32	64
TOTAL										
0-19 YRS	288	7.2	58	3	4	5	8	14	19	89
20-34	243	9.3	109	1	3	6	12	19	30	52
35-49	258	9.7	142	1	3	6	12	22	31	64
50-64	476	9.6	111	1	3	7	13	21	28	54
65 +	626	10.8	97	1	4	8	14	23	29	47
GRAND TOTAL	1891	9.6	104	1	3	7	12	21	28	58

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	394	6.5	27	3	5	6	7	9	12	21
20-34	33	6.9	8	3	5	7	8	11	12	15
35-49	39	9.1	20	3	7	9	11	14	15	27
50-64	43	10.0	14	5	8	10	12	15	17	18
65 +	36	10.4	33	4	6	10	13	15	23	30
2. MULTIPLE DX										
0-19 YRS	1134	12.1	123	5	6	8	13	25	34	69
20-34	114	17.0	228	6	7	11	22	38	55	91
35-49	239	16.0	230	7	8	11	17	31	50	94
50-64	602	16.0	146	8	9	12	18	30	43	93
65 +	929	17.8	166	8	10	14	21	34	43	79
TOTAL SINGLE DX	545	7.3	27	3	5	6	8	12	14	24
TOTAL MULTIPLE DX	3018	15.1	159	6	8	11	18	30	42	79
TOTAL										
0-19 YRS	1528	10.7	104	5	6	7	11	21	30	66
20-34	147	14.7	197	5	7	9	18	33	45	86
35-49	278	15.0	207	7	8	10	16	30	48	93
50-64	645	15.6	140	8	9	12	17	29	42	91
65 +	965	17.5	163	8	10	14	21	34	43	79
GRAND TOTAL	3563	13.9	147	5	7	10	16	28	39	77

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YPS	6	4.0	7	2	2	3	7	8	8	8
20-34	8	3.1	1	2	2	3	4	5	5	5
35-49	324	3.9	6	1	2	3	5	7	9	11
50-64	750	3.5	5	2	2	3	4	7	8	12
65 +	368	3.8	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	12	4.8	21	1	2	2	7	12	15	16
20-34	67	5.4	14	2	3	4	7	11	14	17
35-49	1287	4.7	14	1	2	3	6	9	11	18
50-64	3544	4.9	14	2	2	4	7	10	12	17
65 +	2980	6.1	26	2	3	5	8	12	15	27
TOTAL SINGLE DX	1456	3.7	6	2	2	3	5	7	9	13
TOTAL MULTIPLE DX	7890	5.3	19	2	2	4	7	10	13	21
TOTAL										
0-19 YRS	18	4.5	16	2	2	2	7	10	14	16
20-34	75	5.2	13	2	3	4	7	11	14	16
35-49	1611	4.5	13	1	2	3	6	9	11	17
50-64	4294	4.6	13	2	2	3	6	9	12	17
65 +	3348	5.8	25	2	3	4	8	11	15	26
GRAND TOTAL	9346	5.0	18	2	2	4	7	10	13	20

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	8.0	3	7	7	7	9	10	10	10
35-49	68	8.7	6	6	7	8	10	12	14	17
50-64	310	9.7	9	7	8	9	11	14	15	22
65 +	211	11.2	17	7	8	10	13	16	19	24
2. MULTIPLE DX										
0-19 YRS	3	18.7	100	9	11	18	26	29	29	29
20-34	22	10.4	20	7	8	9	12	14	21	28
35-49	1098	11.0	30	7	8	9	12	17	20	34
50-64	4291	12.1	42	7	8	10	14	19	24	40
65 +	4557	15.0	90	8	9	12	17	25	33	70
TOTAL SINGLE DX	592	10.1	13	7	8	9	12	14	17	22
TOTAL MULTIPLE DX	9971	13.3	66	7	8	11	15	21	28	54
TOTAL										
0-19 YRS	3	18.7	100	9	11	18	26	29	29	29
20-34	25	10.1	19	7	7	9	11	13	19	28
35-49	1166	10.9	29	7	8	9	12	17	20	33
50-64	4601	11.9	41	7	8	10	14	19	23	40
65 +	4768	14.8	88	8	9	12	17	25	32	68
GRAND TOTAL	10563	13.1	63	7	8	11	15	21	27	51

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	512	1.6	1	< 1	1	1	2	2	3	8
20-34	154	2.4	5	1	1	1	2	5	8	12
35-49	1062	2.5	5	1	1	1	3	6	8	11
50-64	1976	2.2	4	1	1	1	2	5	7	11
65 +	925	2.3	5	1	1	1	2	5	7	12
2. MULTIPLE DX										
0-19 YRS	1502	2.5	15	1	1	2	2	4	8	23
20-34	416	4.8	31	1	1	3	6	9	13	30
35-49	3637	4.1	17	1	1	3	6	9	10	16
50-64	9457	4.5	19	1	1	3	7	10	12	20
65 +	8504	5.6	30	1	2	4	8	12	15	25
TOTAL SINGLE DX	4629	2.2	5	1	1	1	2	5	7	11
TOTAL MULTIPLE DX	23516	4.7	24	1	1	3	7	10	13	22
TOTAL										
0-19 YRS	2014	2.3	12	1	1	2	2	3	7	21
20-34	570	4.1	26	1	1	2	5	9	12	26
35-49	4699	3.7	15	1	1	2	5	8	10	16
50-64	11433	4.1	18	1	1	2	6	9	12	19
65 +	9429	5.3	29	1	2	4	8	11	15	25
GRAND TOTAL	**28145**	**4.3**	**22**	**1**	**1**	**2**	**6**	**10**	**12**	**21**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	4.1	14	2	2	3	5	8	11	21
20-34	15	4.3	11	2	2	3	4	8	13	15
35-49	21	3.0	4	1	1	2	4	6	7	9
50-64	67	3.9	14	1	2	3	5	7	8	22
65 +	311	2.9	6	1	1	2	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	85	6.0	33	2	3	4	7	13	19	30
20-34	44	5.5	47	1	2	3	6	10	19	37
35-49	130	8.5	79	2	3	6	11	18	27	47
50-64	662	8.7	58	2	4	7	11	18	24	41
65 +	4185	8.8	55	2	4	7	11	18	23	37
TOTAL SINGLE DX	447	3.2	8	1	1	2	4	6	8	15
TOTAL MULTIPLE DX	5106	8.7	57	2	4	7	11	18	23	38
TOTAL										
0-19 YRS	118	5.5	29	2	2	4	7	12	18	28
20-34	59	5.2	38	2	2	3	6	10	15	36
35-49	151	7.8	73	2	3	5	9	16	22	44
50-64	729	8.2	57	2	3	6	10	17	23	39
65 +	4496	8.4	55	2	3	7	11	17	22	37
GRAND TOTAL	**5553**	**8.3**	**55**	**2**	**3**	**6**	**11**	**17**	**22**	**37**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	5.5	6	1	5	6	7	9	10	13
20-34	10	4.9	7	1	2	5	6	8	10	10
35-49	16	5.6	26	< 1	1	4	7	13	17	19
50-64	20	5.7	24	1	1	5	9	14	15	16
65 +	8	7.5	25	3	4	6	9	16	18	18
2. MULTIPLE DX										
0-19 YRS	114	12.7	191	2	5	8	14	43	62	99 +
20-34	86	11.9	158	2	6	8	15	23	29	78
35-49	141	10.9	92	1	5	9	15	21	27	55
50-64	245	11.5	108	1	5	9	15	25	31	59
65 +	168	15.5	135	3	8	13	20	30	34	61
TOTAL SINGLE DX	90	5.7	16	1	2	5	7	11	13	19
TOTAL MULTIPLE DX	754	12.5	132	2	5	9	16	27	36	66
TOTAL										
0-19 YRS	150	11.0	157	2	5	7	12	38	51	99 +
20-34	96	11.1	147	2	5	7	14	21	28	76
35-49	157	10.3	88	1	4	8	15	20	26	53
50-64	265	11.1	104	1	4	8	14	24	31	59
65 +	176	15.2	133	3	7	13	20	30	34	61
GRAND TOTAL	**844**	**11.8**	**124**	**2**	**5**	**8**	**15**	**26**	**34**	**65**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	497	2.8	18	1	2	2	3	5	7	10
20-34	73	2.7	12	< 1	1	2	3	5	7	23
35-49	74	3.0	11	< 1	1	2	4	6	10	18
50-64	95	2.6	5	< 1	1	1	3	6	8	12
65 +	91	3.3	12	< 1	1	2	4	9	11	18
2. MULTIPLE DX										
0-19 YRS	1024	5.2	64	2	2	3	5	10	16	60
20-34	214	8.7	105	1	3	6	11	17	22	55
35-49	444	8.9	78	2	3	7	12	18	24	52
50-64	1009	8.7	55	2	4	7	11	17	23	36
65 +	2479	11.0	68	3	5	9	14	21	26	42
TOTAL SINGLE DX	830	2.9	15	< 1	1	2	3	5	8	14
TOTAL MULTIPLE DX	5170	9.1	72	2	3	7	12	19	25	45
TOTAL										
0-19 YRS	1521	4.5	51	1	2	3	4	8	12	50
20-34	287	7.2	88	1	2	4	9	16	20	54
35-49	518	8.1	73	1	3	6	11	17	22	51
50-64	1104	8.1	54	1	3	6	11	17	23	35
65 +	2570	10.7	68	2	5	9	14	21	26	41
GRAND TOTAL	**6000**	**8.2**	**69**	**2**	**3**	**6**	**11**	**18**	**23**	**42**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.6	1	1	1	1	2	2	4	5
20-34	286	1.7		1	1	1	2	3	3	5
35-49	479	1.8	1	1	1	2	2	3	4	6
50-64	238	2.2	7	1	1	2	3	4	5	10
65 +	69	2.9	26	1	1	2	3	4	7	36
2. MULTIPLE DX										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	106	2.0	2	1	1	2	2	3	4	10
35-49	211	2.8	6	1	1	2	3	6	8	13
50-64	229	3.2	11	1	1	2	4	6	9	19
65 +	112	5.0	61	1	2	3	5	11	18	43
TOTAL SINGLE DX	1087	1.9	4	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	662	3.2	17	1	1	2	4	6	9	19
TOTAL										
0-19 YRS	19	1.8	1	1	1	2	2	4	5	5
20-34	392	1.8	1	1	1	2	2	3	4	6
35-49	690	2.1	3	1	1	2	2	4	5	11
50-64	467	2.7	9	1	1	2	3	5	6	17
65 +	181	4.2	49	1	1	3	4	8	14	38
GRAND TOTAL	**1749**	**2.4**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	7.2	8	4	5	6	9	11	12	17
20-34	5	7.2	5	4	5	7	9	10	10	10
35-49	53	7.0	8	4	5	7	9	10	11	16
50-64	169	7.4	10	4	6	7	8	11	14	21
65 +	144	8.2	14	4	6	8	10	12	16	23
2. MULTIPLE DX										
0-19 YRS	207	12.5	114	5	6	9	14	27	38	99 +
20-34	31	13.2	86	5	7	12	16	25	36	43
35-49	299	12.2	79	5	7	9	14	22	32	55
50-64	1397	12.3	114	5	7	9	14	21	30	68
65 +	2657	14.0	102	6	8	11	17	25	34	61
TOTAL SINGLE DX	403	7.6	12	4	5	7	9	11	14	21
TOTAL MULTIPLE DX	4591	13.3	106	5	7	10	15	24	33	64
TOTAL										
0-19 YRS	239	11.8	103	5	6	8	13	24	33	99 +
20-34	36	12.4	79	5	7	10	15	19	35	43
35-49	352	11.4	72	5	7	9	13	21	30	54
50-64	1566	11.8	105	5	7	9	13	21	29	62
65 +	2801	13.7	100	6	8	11	16	25	33	60
GRAND TOTAL	**4994**	**12.8**	**101**	**5**	**7**	**10**	**15**	**23**	**32**	**62**

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	5.0	18	< 1	2	4	8	11	11	11
35-49	4	1.3		1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	7	7.4	115	1	2	3	8	27	31	31
2. MULTIPLE DX										
0-19 YRS	56	5.2	39	1	2	3	5	11	21	30
20-34	290	5.7	32	1	2	4	7	11	16	36
35-49	457	6.1	34	1	3	5	7	12	19	33
50-64	661	6.7	40	2	3	5	8	13	21	33
65 +	902	7.3	56	2	3	5	9	14	20	45
TOTAL SINGLE DX	18	4.6	51	1	1	2	4	10	23	31
TOTAL MULTIPLE DX	2366	6.6	45	2	3	5	8	13	19	36
TOTAL										
0-19 YRS	57	5.2	39	1	2	3	5	11	21	30
20-34	294	5.7	33	1	2	4	7	11	16	36
35-49	461	6.1	35	1	3	5	7	12	19	33
50-64	663	6.7	41	2	3	5	8	13	21	33
65 +	909	7.3	57	2	3	5	9	14	20	45
GRAND TOTAL	**2384**	**6.6**	**45**	**2**	**3**	**5**	**8**	**13**	**19**	**36**

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.8	2	1	2	2	4	5	5	5
20-34	10	9.7	611	1	1	2	3	42	80	80
35-49	12	2.3	5	< 1	1	1	2	5	8	9
50-64	26	3.1	7	1	1	2	4	8	9	10
65 +	32	3.1	9	1	1	2	4	8	10	13
2. MULTIPLE DX										
0-19 YRS	62	10.1	180	2	3	7	11	19	42	98
20-34	208	7.7	72	1	2	5	10	17	21	45
35-49	379	9.0	110	1	2	6	12	20	28	61
50-64	578	9.9	106	1	2	7	14	24	28	52
65 +	895	12.5	170	1	3	8	17	29	36	75
TOTAL SINGLE DX	89	3.7	74	1	1	2	4	8	9	54
TOTAL MULTIPLE DX	2122	10.6	136	1	3	7	15	24	33	60
TOTAL										
0-19 YRS	71	9.2	164	2	3	5	11	18	32	97
20-34	218	7.8	94	1	2	5	10	17	21	48
35-49	391	8.8	108	1	2	6	12	20	28	61
50-64	604	9.6	104	1	2	7	14	24	28	52
65 +	927	12.2	168	1	3	8	17	29	36	74
GRAND TOTAL	**2211**	**10.3**	**135**	**1**	**2**	**7**	**14**	**24**	**32**	**61**

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	17	4.2	1	3	3	4	5	6	7	7
50-64	202	4.3	5	2	3	4	5	7	9	13
65 +	382	4.8	4	3	3	4	6	7	9	14
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	76	6.8	28	3	4	5	8	11	19	29
50-64	1136	6.5	26	3	4	5	7	11	15	29
65 +	3068	7.9	39	3	4	6	9	15	19	33
TOTAL SINGLE DX	602	4.6	5	3	3	4	5	7	9	13
TOTAL MULTIPLE DX	4281	7.5	36	3	4	6	9	14	18	32
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	93	6.3	25	3	4	4	7	11	17	29
50-64	1338	6.2	24	3	4	5	7	11	14	28
65 +	3450	7.6	36	3	4	6	9	15	19	32
GRAND TOTAL	**4883**	**7.2**	**33**	**3**	**4**	**5**	**8**	**13**	**18**	**30**

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	345	4.7	10	1	3	4	5	7	10	18
20-34	111	4.7	22	1	1	3	7	11	14	23
35-49	184	4.1	13	1	1	3	6	9	11	17
50-64	440	4.7	22	1	1	3	7	9	12	28
65 +	466	5.0	20	1	1	3	8	11	14	20
2. MULTIPLE DX										
0-19 YRS	2345	19.0	400	3	6	11	29	66	99 +	99 +
20-34	525	10.0	134	1	3	7	12	21	31	65
35-49	1014	10.7	145	1	3	7	14	25	36	75
50-64	2804	10.3	111	2	4	8	13	22	31	69
65 +	5565	11.6	102	2	5	9	15	23	31	56
TOTAL SINGLE DX	1546	4.7	18	1	2	4	6	10	12	22
TOTAL MULTIPLE DX	12253	12.6	177	2	5	9	15	29	47	99 +
TOTAL										
0-19 YRS	2690	17.1	374	3	5	10	25	61	98	99 +
20-34	636	9.1	119	1	2	6	11	20	29	63
35-49	1198	9.7	131	1	2	6	12	22	34	70
50-64	3244	9.5	103	1	3	7	12	20	28	63
65 +	6031	11.1	100	2	5	9	14	23	30	54
GRAND TOTAL	**13799**	**11.7**	**165**	**2**	**4**	**8**	**14**	**27**	**43**	**99 +**

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	221	3.7	12	1	1	2	5	8	10	18
20-34	99	3.2	14	< 1	< 1	1	5	8	10	21
35-49	95	2.7	5	1	1	2	3	6	8	11
50-64	118	3.3	12	< 1	1	2	5	8	10	17
65 +	107	3.3	7	< 1	1	2	5	7	9	14
2. MULTIPLE DX										
0-19 YRS	172	7.0	53	1	3	5	9	15	21	56
20-34	136	8.4	95	1	3	5	10	19	30	44
35-49	195	8.6	100	1	3	6	10	19	25	57
50-64	399	8.9	78	1	3	7	12	19	25	46
65 +	603	10.1	88	2	3	8	14	21	28	50
TOTAL SINGLE DX	640	3.3	11	< 1	1	2	5	8	9	15
TOTAL MULTIPLE DX	1505	9.1	85	1	3	7	12	20	27	50
TOTAL										
0-19 YRS	393	5.1	33	1	2	3	7	11	15	29
20-34	235	6.2	68	< 1	1	4	8	13	26	39
35-49	290	6.7	77	1	2	4	8	14	21	53
50-64	517	7.3	69	1	2	5	10	17	22	44
65 +	710	9.1	82	1	3	7	12	20	26	49
GRAND TOTAL	**2145**	**7.4**	**70**	**1**	**2**	**5**	**9**	**17**	**23**	**43**

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.6	11	1	2	4	7	9	10	10
20-34	31	4.7	8	1	2	5	7	8	9	13
35-49	37	4.7	9	1	2	4	7	9	11	14
50-64	69	3.6	6	1	2	3	5	7	8	13
65 +	48	4.5	10	1	2	4	6	8	11	15
2. MULTIPLE DX										
0-19 YRS	17	10.7	376	1	2	6	9	17	61	84
20-34	43	6.3	19	1	3	6	8	12	16	21
35-49	112	7.1	37	2	3	5	9	16	21	28
50-64	271	7.6	43	2	4	5	10	16	21	35
65 +	311	9.4	89	3	4	7	10	19	25	53
TOTAL SINGLE DX	192	4.3	8	1	2	4	6	8	10	14
TOTAL MULTIPLE DX	754	8.2	68	2	4	6	10	17	21	39
TOTAL										
0-19 YRS	24	8.9	273	1	2	6	8	13	38	84
20-34	74	5.6	16	1	3	5	7	10	14	20
35-49	149	6.5	32	2	3	5	8	14	20	27
50-64	340	6.8	39	2	3	5	8	14	19	33
65 +	359	8.7	81	2	4	6	10	18	22	50
GRAND TOTAL	**946**	**7.4**	**59**	**2**	**3**	**5**	**9**	**16**	**20**	**36**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	56.0	1182	2	40	56	80	94	94	94
20-34	1	34.0		34	34	34	34	34	34	34
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	42	53.7	190	38	44	56	70	99 +	99 +	99 +
20-34	45	42.2	249	28	34	40	47	59	77	92
35-49	34	39.4	222	27	34	40	43	54	68	81
50-64	6	35.7	72	23	28	38	40	45	46	46
65 +	0									
TOTAL SINGLE DX	6	52.3	1027	5	34	54	75	92	94	94
TOTAL MULTIPLE DX	127	44.9	251	30	38	42	54	74	98	99 +
TOTAL										
0-19 YRS	47	53.9	273	37	44	56	70	99 +	99 +	99 +
20-34	46	42.0	245	28	34	40	47	58	76	92
35-49	34	39.4	222	27	34	40	43	54	68	81
50-64	6	35.7	72	23	28	38	40	45	46	46
65 +	0									
GRAND TOTAL	**133**	**45.3**	**281**	**30**	**37**	**43**	**56**	**75**	**97**	**99 +**

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	384	4.6	11	1	2	4	6	9	11	16
20-34	155	4.9	11	2	3	5	6	8	9	17
35-49	116	4.9	18	2	2	4	6	8	10	31
50-64	89	5.4	14	2	3	4	7	10	11	21
65 +	112	5.4	19	< 1	2	4	8	10	12	24
2. MULTIPLE DX										
0-19 YRS	673	9.9	113	2	4	7	11	22	32	64
20-34	521	10.8	116	3	5	7	12	24	34	56
35-49	606	11.2	119	3	5	8	13	25	34	55
50-64	911	12.2	129	3	6	9	15	27	36	62
65 +	2661	11.4	81	4	6	9	14	21	29	50
TOTAL SINGLE DX	856	4.9	14	1	2	4	6	9	11	19
TOTAL MULTIPLE DX	5372	11.3	102	3	5	8	14	23	32	55
TOTAL										
0-19 YRS	1057	8.0	83	2	3	5	9	16	25	57
20-34	676	9.4	98	2	4	6	10	21	29	48
35-49	722	10.2	109	2	4	7	12	23	32	49
50-64	1000	11.6	123	3	5	8	14	25	35	58
65 +	2773	11.2	81	4	6	9	14	21	28	49
GRAND TOTAL	**6228**	**10.4**	**95**	**3**	**5**	**8**	**13**	**21**	**30**	**51**

587: Venous catheterization, except umbilical (38.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	210	7.3	57	1	2	5	10	18	26	34
20-34	79	10.1	78	1	3	8	14	23	29	37
35-49	47	6.6	34	1	2	5	9	15	20	24
50-64	43	6.4	54	1	1	3	10	14	19	39
65 +	30	6.8	51	< 1	1	5	7	20	22	26
2. MULTIPLE DX										
0-19 YRS	832	17.7	344	3	5	12	25	50	80	99 +
20-34	642	14.1	179	3	6	10	17	32	42	70
35-49	916	13.1	164	3	5	9	17	28	37	77
50-64	1288	12.3	132	2	5	8	16	27	37	59
65 +	1912	15.1	151	3	6	12	20	31	40	64
TOTAL SINGLE DX	409	7.7	59	1	2	5	10	19	24	35
TOTAL MULTIPLE DX	5590	14.4	184	3	5	10	19	32	44	84
TOTAL										
0-19 YRS	1042	15.6	304	2	4	10	21	44	74	99 +
20-34	721	13.7	170	3	5	10	17	30	40	67
35-49	963	12.8	160	2	5	9	16	27	36	77
50-64	1331	12.1	131	2	5	8	16	27	37	59
65 +	1942	15.0	151	3	6	12	20	31	39	64
GRAND TOTAL	**5999**	**13.9**	**179**	**2**	**5**	**10**	**18**	**31**	**42**	**82**

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	4.3	19	1	2	3	5	10	16	21
20-34	4	8.5	81	1	2	6	15	21	21	21
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	10	1.4	1	< 1	< 1	< 1	< 1	3	4	4
65 +	8	1.8	4	< 1	< 1	< 1	1	5	7	7
2. MULTIPLE DX										
0-19 YRS	120	5.8	72	1	2	4	6	13	15	54
20-34	9	9.2	94	< 1	1	6	17	24	26	26
35-49	14	10.0	61	2	4	7	14	25	25	25
50-64	30	10.1	116	1	4	7	12	21	33	52
65 +	52	8.8	31	3	5	8	11	13	16	31
TOTAL SINGLE DX	66	3.8	20	< 1	1	2	4	9	15	21
TOTAL MULTIPLE DX	225	7.5	71	1	3	5	10	14	20	45
TOTAL										
0-19 YRS	162	5.4	59	1	2	4	5	13	15	40
20-34	13	9.0	84	1	1	6	17	23	25	26
35-49	16	9.2	59	1	4	7	13	24	25	25
50-64	40	7.9	101	< 1	1	4	11	18	28	52
65 +	60	7.8	33	1	4	7	11	12	15	31
GRAND TOTAL	**291**	**6.6**	**62**	**1**	**2**	**4**	**8**	**14**	**19**	**39**

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	3.3	10	1	1	2	5	8	11	16
20-34	27	4.7	43	1	1	3	6	8	12	35
35-49	34	4.5	23	< 1	1	3	5	11	13	25
50-64	49	2.9	6	< 1	1	2	4	6	10	12
65 +	66	3.7	14	< 1	1	2	5	7	12	20
2. MULTIPLE DX										
0-19 YRS	182	7.6	124	1	2	4	10	18	28	93
20-34	175	7.6	74	1	3	5	10	14	19	48
35-49	369	8.4	87	1	4	6	10	18	23	46
50-64	685	8.3	71	1	3	6	10	17	24	47
65 +	1232	9.4	86	2	4	7	11	19	27	50
TOTAL SINGLE DX	243	3.7	16	< 1	1	2	5	7	11	21
TOTAL MULTIPLE DX	2643	8.7	85	1	3	6	11	18	26	49
TOTAL										
0-19 YRS	249	6.5	97	1	1	3	8	15	23	79
20-34	202	7.2	71	1	2	5	9	14	19	46
35-49	403	8.1	83	1	3	6	9	17	23	45
50-64	734	8.0	69	1	3	6	10	17	23	47
65 +	1298	9.1	84	1	4	7	11	19	26	49
GRAND TOTAL	**2886**	**8.3**	**81**	**1**	**3**	**6**	**10**	**18**	**24**	**49**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	729	2.9	1	2	2	3	4	4	5	7
20-34	3	4.7		4	4	5	5	5	5	5
35-49	3	7.7		7	7	8	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	277	4.9	28	2	3	4	5	8	11	44
20-34	5	16.6	425	2	6	9	21	53	53	53
35-49	11	13.4	127	5	7	10	15	29	44	45
50-64	10	14.3	101	6	9	11	18	30	40	40
65 +	33	18.2	150	7	10	16	22	34	46	58
TOTAL SINGLE DX	735	3.0	2	2	2	3	4	5	5	7
TOTAL MULTIPLE DX	336	7.0	69	2	3	4	7	16	24	54
TOTAL										
0-19 YRS	1006	3.5	10	2	2	3	4	5	7	17
20-34	8	12.1	281	3	4	7	10	40	53	53
35-49	14	12.1	104	6	7	9	11	22	40	45
50-64	10	14.3	102	6	9	11	18	30	40	40
65 +	33	18.2	150	7	10	16	22	34	46	58
GRAND TOTAL	**1071**	**4.2**	**26**	**2**	**2**	**3**	**4**	**6**	**10**	**37**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	5.4	18	1	2	4	9	12	14	14
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	3	5.0	7	2	3	6	7	7	7	7
65 +	18	9.6	70	1	3	8	14	22	29	33
2. MULTIPLE DX										
0-19 YRS	176	16.1	264	3	5	13	22	57	99 +	99 +
20-34	50	15.4	230	3	6	12	21	30	64	99 +
35-49	82	17.5	313	3	6	12	22	49	71	99 +
50-64	224	18.7	219	4	9	15	24	41	55	87
65 +	1615	17.5	161	4	9	15	23	34	43	65
TOTAL SINGLE DX	38	7.2	43	1	3	6	9	15	21	33
TOTAL MULTIPLE DX	2147	17.5	183	4	8	15	23	35	46	92
TOTAL										
0-19 YRS	187	15.5	256	3	5	13	21	54	99 +	99 +
20-34	53	14.8	223	3	6	12	20	29	61	99
35-49	85	17.1	308	2	6	10	22	47	67	99 +
50-64	227	18.5	219	4	9	15	24	41	55	87
65 +	1633	17.4	161	4	9	15	23	34	43	64
GRAND TOTAL	**2185**	**17.3**	**182**	**4**	**8**	**14**	**23**	**35**	**46**	**91**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.6	6	1	1	4	5	7	9	9
20-34	25	3.9	6	< 1	2	4	5	7	9	11
35-49	35	5.0	37	< 1	2	4	6	7	15	35
50-64	40	3.6	5	< 1	1	3	5	7	8	9
65 +	51	4.1	8	< 1	2	3	6	9	9	11
2. MULTIPLE DX										
0-19 YRS	52	6.1	27	1	2	4	7	13	18	21
20-34	240	6.6	35	2	3	5	8	11	16	34
35-49	559	6.9	37	2	3	5	8	13	18	37
50-64	906	7.6	38	3	4	6	9	14	18	35
65 +	2431	8.8	47	3	5	7	11	16	21	37
TOTAL SINGLE DX	165	4.1	13	< 1	2	3	6	7	9	17
TOTAL MULTIPLE DX	4188	8.1	44	3	4	6	10	15	20	37
TOTAL										
0-19 YRS	66	5.6	24	1	2	4	7	13	18	21
20-34	265	6.3	33	2	3	5	8	11	15	33
35-49	594	6.8	37	2	3	5	8	12	18	36
50-64	946	7.4	38	3	4	6	9	13	17	34
65 +	2482	8.7	47	3	5	7	11	16	21	37
GRAND TOTAL	**4353**	**8.0**	**43**	**3**	**4**	**6**	**10**	**15**	**20**	**36**

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	6.0	38	2	2	3	10	16	17	17
20-34	12	5.2	5	2	3	6	7	8	8	8
35-49	36	9.0	23	5	6	8	10	15	19	27
50-64	23	9.8	10	6	7	9	12	14	15	16
65 +	19	10.8	14	7	8	10	12	17	20	20
2. MULTIPLE DX										
0-19 YRS	6	15.2	221	4	6	14	37	89	99 +	99 +
20-34	45	14.2	132	6	8	11	16	34	45	99 +
35-49	145	14.7	103	7	9	12	17	27	31	66
50-64	256	17.1	181	7	9	12	20	34	43	78
65 +	579	19.4	172	9	11	15	23	34	48	70
TOTAL SINGLE DX	96	8.9	20	4	6	8	10	15	18	24
TOTAL MULTIPLE DX	1031	17.9	166	8	10	14	22	33	44	78
TOTAL										
0-19 YRS	12	10.6	141	2	3	7	16	55	92	99 +
20-34	57	12.3	119	3	6	9	14	29	39	97
35-49	181	13.6	92	6	8	11	16	25	29	59
50-64	279	16.5	171	7	9	12	19	32	42	77
65 +	598	19.1	170	8	10	15	23	33	48	70
GRAND TOTAL	**1127**	**17.1**	**160**	**7**	**9**	**13**	**20**	**32**	**43**	**74**

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	17.7	226	8	8	10	29	35	35	35
50-64	8	14.5	20	8	10	15	18	20	20	20
65 +	4	13.8	18	9	10	13	17	19	19	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	6	15.3	106	8	9	10	21	33	34	34
35-49	22	21.8	265	10	11	16	24	51	61	72
50-64	69	19.5	206	10	11	16	22	34	56	78
65 +	107	22.0	216	10	12	17	29	47	58	99 +
TOTAL SINGLE DX	16	14.9	45	8	10	14	18	20	30	35
TOTAL MULTIPLE DX	204	20.9	214	10	11	16	25	42	57	89
TOTAL										
0-19 YRS	0									
20-34	7	15.1	89	8	9	10	19	31	34	34
35-49	25	21.3	253	10	11	16	24	50	58	72
50-64	77	18.9	189	9	11	16	20	33	52	78
65 +	111	21.7	211	10	12	17	28	47	58	99 +
GRAND TOTAL	**220**	**20.5**	**204**	**10**	**11**	**16**	**24**	**40**	**56**	**86**

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.2	3	3	4	5	6	8	9	9
20-34	16	6.1	5	2	5	6	7	9	10	10
35-49	33	8.3	5	6	7	8	9	12	14	15
50-64	28	8.9	27	5	6	8	10	16	23	25
65 +	8	10.6	40	2	7	9	15	20	21	21
2. MULTIPLE DX										
0-19 YRS	15	10.7	117	2	5	8	11	31	37	39
20-34	48	10.5	63	4	6	8	11	25	31	34
35-49	119	10.1	29	5	7	9	12	18	20	34
50-64	144	13.1	82	6	8	10	17	24	33	99 +
65 +	238	16.2	112	7	10	14	19	28	38	89
TOTAL SINGLE DX	98	7.9	16	4	6	7	9	12	17	24
TOTAL MULTIPLE DX	564	13.5	89	6	8	11	17	25	32	69
TOTAL										
0-19 YRS	28	8.1	71	2	4	6	8	16	32	39
20-34	64	9.4	53	4	6	8	10	20	30	34
35-49	152	9.8	25	5	7	9	11	15	20	33
50-64	172	12.4	76	6	8	10	16	23	30	93
65 +	246	16.0	111	7	9	13	19	28	38	88
GRAND TOTAL	**662**	**12.7**	**82**	**6**	**7**	**10**	**16**	**24**	**30**	**60**

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	6.6	18	2	4	6	8	11	15	23
20-34	111	5.6	4	3	4	6	7	8	9	14
35-49	116	6.4	10	3	5	6	7	9	11	21
50-64	67	6.8	5	4	5	6	8	10	11	15
65 +	27	9.3	23	5	7	8	10	16	19	26
2. MULTIPLE DX										
0-19 YRS	563	16.5	235	5	7	12	22	43	67	99 +
20-34	273	9.2	65	4	5	7	9	17	27	44
35-49	591	9.1	83	4	5	7	9	15	22	58
50-64	421	13.1	137	5	6	9	15	25	36	68
65 +	583	16.6	117	7	9	13	20	34	42	57
TOTAL SINGLE DX	422	6.5	11	3	4	6	8	10	13	20
TOTAL MULTIPLE DX	2431	13.3	145	5	6	9	16	28	42	96
TOTAL										
0-19 YRS	664	15.0	215	4	6	10	20	36	61	99 +
20-34	384	8.2	50	4	5	6	8	14	21	42
35-49	707	8.7	72	4	5	6	9	14	21	56
50-64	488	12.2	124	5	6	8	14	24	33	66
65 +	610	16.3	116	7	9	13	20	32	42	57
GRAND TOTAL	**2853**	**12.3**	**131**	**4**	**6**	**8**	**15**	**26**	**39**	**75**

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	161	4.8	21	1	2	4	6	10	15	20
20-34	160	5.5	17	1	3	4	7	10	13	23
35-49	176	4.1	8	< 1	2	4	6	8	9	15
50-64	144	4.0	25	< 1	< 1	3	6	8	12	20
65 +	161	3.3	13	< 1	< 1	1	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	328	7.4	77	2	3	5	8	17	23	43
20-34	554	6.9	42	2	3	5	8	14	19	36
35-49	865	7.6	49	2	4	6	9	15	21	41
50-64	1496	7.7	46	2	4	6	9	15	21	37
65 +	3978	9.0	57	3	4	7	11	18	23	38
TOTAL SINGLE DX	802	4.4	17	< 1	1	3	6	9	12	19
TOTAL MULTIPLE DX	7221	8.4	55	2	4	6	10	17	22	38
TOTAL										
0-19 YRS	489	6.5	60	1	2	5	7	14	20	37
20-34	714	6.6	37	2	3	5	8	13	17	30
35-49	1041	7.0	44	2	3	5	8	14	20	37
50-64	1640	7.4	46	1	3	6	9	15	20	37
65 +	4139	8.8	57	2	4	7	11	17	22	38
GRAND TOTAL	**8023**	**8.0**	**52**	**2**	**4**	**6**	**10**	**16**	**21**	**37**

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	8.2	26	5	6	7	9	11	17	33
20-34	27	9.7	19	6	7	8	11	14	22	25
35-49	24	8.6	15	6	7	8	8	13	20	20
50-64	24	12.0	80	6	7	9	12	22	37	41
65 +	30	10.2	20	6	8	9	11	15	16	29
2. MULTIPLE DX										
0-19 YRS	136	17.9	321	6	8	12	32	99 +	99 +	99 +
20-34	169	13.1	120	6	8	10	14	25	29	91
35-49	198	14.8	144	6	8	11	17	29	42	77
50-64	350	16.4	158	7	9	12	19	33	45	69
65 +	778	18.7	180	8	10	15	22	37	51	94
TOTAL SINGLE DX	140	9.6	32	5	7	8	11	15	20	36
TOTAL MULTIPLE DX	1631	17.1	180	7	9	13	20	37	53	99 +
TOTAL										
0-19 YRS	171	15.9	276	5	7	10	23	95	99 +	99 +
20-34	196	12.6	108	6	7	10	14	25	28	89
35-49	222	14.1	134	6	7	10	16	28	38	73
50-64	374	16.1	154	7	9	12	19	32	44	68
65 +	808	18.4	177	8	10	14	21	37	51	91
GRAND TOTAL	**1771**	**16.5**	**172**	**7**	**9**	**12**	**20**	**35**	**51**	**99 +**

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	10.2	35	6	7	9	12	15	21	39
20-34	97	9.0	26	6	7	8	9	13	17	36
35-49	153	8.7	9	6	7	8	9	11	14	23
50-64	311	8.8	7	6	7	8	10	12	14	19
65 +	298	9.6	15	7	8	9	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	140	17.0	237	6	8	11	19	40	49	79
20-34	305	12.8	84	6	8	9	15	23	31	45
35-49	684	12.2	70	6	8	9	13	22	29	52
50-64	1788	13.1	84	7	8	10	15	22	29	55
65 +	4908	14.8	89	8	9	12	17	25	32	58
TOTAL SINGLE DX	905	9.1	14	6	7	8	10	12	15	21
TOTAL MULTIPLE DX	7825	14.2	90	7	9	11	16	24	31	56
TOTAL										
0-19 YRS	186	15.3	196	6	8	10	17	34	46	77
20-34	402	11.9	73	6	7	9	13	21	27	45
35-49	837	11.6	61	6	7	9	12	20	27	50
50-64	2099	12.5	75	7	8	10	14	20	27	53
65 +	5206	14.5	87	8	9	12	17	24	31	57
GRAND TOTAL	**8730**	**13.6**	**85**	**7**	**8**	**11**	**15**	**23**	**30**	**55**

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	6.0	13	3	4	6	7	10	16	17
20-34	5	6.4	7	3	4	6	9	9	9	9
35-49	4	7.8	13	5	5	6	10	13	13	13
50-64	17	8.2	18	4	6	7	9	14	18	20
65 +	15	8.2	18	5	6	7	8	12	19	22
2. MULTIPLE DX										
0-19 YRS	40	17.0	248	5	7	14	23	59	99 +	99 +
20-34	21	15.4	155	6	6	11	18	34	44	51
35-49	44	14.1	172	6	8	9	13	36	53	99 +
50-64	94	15.4	103	7	9	13	18	28	36	59
65 +	252	16.2	87	7	10	14	20	28	34	47
TOTAL SINGLE DX	54	7.5	16	4	5	7	8	12	17	22
TOTAL MULTIPLE DX	451	15.8	116	7	9	13	20	30	38	79
TOTAL										
0-19 YRS	53	14.3	212	4	6	9	20	49	93	99 +
20-34	26	13.7	138	5	6	9	14	31	41	51
35-49	48	13.6	162	6	7	9	13	36	49	99 +
50-64	111	14.3	97	6	8	12	16	27	34	54
65 +	267	15.7	87	7	9	13	20	28	33	46
GRAND TOTAL	**505**	**14.9**	**112**	**6**	**8**	**12**	**19**	**28**	**37**	**76**

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	190	5.6	9	2	3	5	7	9	12	16
20-34	62	6.6	4	4	5	7	8	9	10	11
35-49	84	7.1	5	4	6	7	9	10	10	13
50-64	69	6.9	8	3	5	7	9	10	12	14
65 +	80	7.5	21	2	4	7	10	12	15	25
2. MULTIPLE DX										
0-19 YRS	360	11.1	158	3	6	7	11	24	42	99
20-34	222	12.0	139	5	6	9	11	26	35	79
35-49	327	11.7	98	5	7	9	13	23	34	58
50-64	443	11.7	82	6	7	9	13	22	32	58
65 +	908	12.7	75	6	8	10	15	24	30	47
TOTAL SINGLE DX	485	6.5	11	3	4	6	8	10	12	17
TOTAL MULTIPLE DX	2260	12.1	100	5	7	9	13	23	33	67
TOTAL										
0-19 YRS	550	9.2	114	3	5	7	9	17	31	91
20-34	284	10.8	115	5	6	8	11	19	33	73
35-49	411	10.8	83	5	6	8	11	20	27	54
50-64	512	11.1	75	5	7	8	12	20	30	53
65 +	988	12.3	73	5	7	10	14	23	30	46
GRAND TOTAL	**2745**	**11.1**	**89**	**4**	**6**	**8**	**12**	**21**	**30**	**57**

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	10.1	68	4	6	8	11	15	31	43
20-34	4	8.5		8	8	8	9	9	9	9
35-49	8	9.1	13	4	7	9	11	14	15	15
50-64	10	14.3	97	4	12	14	14	27	40	40
65 +	15	9.2	13	4	6	9	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	99	13.7	131	4	7	11	18	26	40	99 +
20-34	44	17.3	282	6	8	12	16	33	60	82
35-49	65	17.4	216	7	9	13	18	41	54	97
50-64	171	19.1	220	7	9	14	24	43	54	97
65 +	484	19.8	183	8	11	16	25	35	44	78
TOTAL SINGLE DX	65	10.3	50	4	7	9	12	15	20	43
TOTAL MULTIPLE DX	863	18.6	195	7	10	15	23	36	49	86
TOTAL										
0-19 YRS	127	12.9	119	4	6	10	16	26	39	99 +
20-34	48	16.5	265	6	8	11	16	31	57	82
35-49	73	16.5	201	7	9	12	18	37	50	95
50-64	181	18.8	214	7	9	14	23	42	54	96
65 +	499	19.5	181	8	11	16	24	35	44	77
GRAND TOTAL	**928**	**18.1**	**189**	**7**	**9**	**14**	**22**	**36**	**47**	**83**

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4708	3.5	4	2	2	3	4	6	8	11
20-34	3175	3.4	3	2	2	3	4	5	7	10
35-49	1135	3.9	4	2	3	3	5	6	8	11
50-64	442	4.8	8	2	3	4	6	8	10	14
65 +	120	5.8	8	3	3	5	7	10	12	15
2. MULTIPLE DX										
0-19 YRS	1742	5.6	19	2	3	4	7	10	13	22
20-34	1386	5.1	9	2	3	4	6	9	11	17
35-49	778	6.5	16	3	4	5	8	12	14	21
50-64	556	8.6	31	3	5	7	11	15	20	29
65 +	528	9.8	33	4	6	9	12	18	21	32
TOTAL SINGLE DX	9580	3.6	5	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	4990	6.4	21	2	3	5	8	12	15	24
TOTAL										
0-19 YRS	6450	4.1	9	2	2	3	5	7	10	15
20-34	4561	3.9	6	2	2	3	4	7	8	13
35-49	1913	4.9	11	2	3	4	6	9	11	18
50-64	998	6.9	24	3	4	6	8	13	16	25
65 +	648	9.1	32	4	5	8	11	15	20	31
GRAND TOTAL	**14570**	**4.5**	**12**	**2**	**3**	**3**	**5**	**8**	**11**	**18**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	8.3	25	5	6	7	8	15	22	22
20-34	7	7.4	11	2	6	9	10	11	11	11
35-49	3	7.7		7	7	8	8	8	8	8
50-64	5	8.0	4	5	7	8	9	11	11	11
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	9	16.3	252	5	7	11	16	43	56	56
20-34	8	13.4	251	3	4	7	14	40	51	51
35-49	7	8.7	27	4	5	7	11	18	19	19
50-64	2	10.5	25	7	7	10	14	14	14	14
65 +	10	15.4	96	6	8	14	18	31	39	39
TOTAL SINGLE DX	26	7.9	13	5	6	8	9	11	13	22
TOTAL MULTIPLE DX	36	13.6	146	5	6	10	15	24	47	56
TOTAL										
0-19 YRS	19	12.1	142	5	6	8	12	23	42	56
20-34	15	10.6	140	3	5	9	11	15	42	51
35-49	10	8.4	18	4	6	7	8	15	19	19
50-64	7	8.7	9	5	7	8	10	13	14	14
65 +	11	14.7	92	7	8	14	17	29	38	39
GRAND TOTAL	62	11.2	97	5	6	8	13	20	30	55

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	3.9	9	1	1	2	6	9	9	13
20-34	20	3.3	10	< 1	1	2	5	6	11	15
35-49	20	2.0	1	< 1	1	2	3	4	5	5
50-64	40	2.5	3	1	1	2	3	5	6	8
65 +	54	2.2	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	87	8.9	118	2	3	5	11	21	30	64
20-34	35	7.3	42	2	3	5	9	12	22	34
35-49	50	5.6	18	1	3	5	7	11	16	21
50-64	129	6.5	66	1	2	4	8	13	19	50
65 +	430	8.0	63	2	3	6	10	17	23	32
TOTAL SINGLE DX	200	2.9	6	1	1	2	4	6	8	12
TOTAL MULTIPLE DX	731	7.6	67	2	3	5	10	16	22	39
TOTAL										
0-19 YRS	153	6.7	78	1	2	4	8	13	22	48
20-34	55	5.9	35	1	2	5	7	11	16	33
35-49	70	4.6	16	1	2	4	6	8	15	20
50-64	169	5.5	54	1	2	3	6	11	17	48
65 +	484	7.4	60	1	3	5	10	16	21	31
GRAND TOTAL	931	6.6	58	1	2	4	8	15	19	34

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	2.8	8	1	1	2	3	6	11	12
20-34	90	2.5	3	1	1	2	3	5	7	9
35-49	83	2.6	3	1	1	2	3	5	6	10
50-64	45	2.8	3	1	2	2	3	6	6	10
65 +	9	5.0	62	1	2	2	3	17	26	26
2. MULTIPLE DX										
0-19 YRS	30	6.1	60	1	3	4	7	11	15	43
20-34	93	5.0	63	1	2	3	5	8	10	55
35-49	116	4.7	33	1	2	3	5	9	13	38
50-64	109	5.8	33	2	2	4	7	14	17	63
65 +	73	11.6	138	3	4	8	15	23	28	74
TOTAL SINGLE DX	255	2.7	6	1	1	2	3	5	7	12
TOTAL MULTIPLE DX	421	6.3	66	1	2	4	7	14	19	46
TOTAL										
0-19 YRS	58	4.5	38	1	1	3	5	10	12	41
20-34	183	3.8	35	1	1	3	4	7	9	30
35-49	199	3.8	22	1	1	3	5	7	9	26
50-64	154	4.9	26	1	2	3	6	11	15	38
65 +	82	10.9	134	2	4	7	14	24	28	70
GRAND TOTAL	676	5.0	46	1	2	3	5	10	15	39

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	8.6	48	5	6	7	9	12	14	52
20-34	12	8.8	4	7	8	8	9	11	14	15
35-49	31	9.8	18	6	7	9	11	18	20	20
50-64	88	9.5	8	6	8	9	11	12	15	18
65 +	101	10.1	10	7	8	9	12	15	15	18
2. MULTIPLE DX										
0-19 YRS	78	10.8	44	6	7	9	12	19	24	39
20-34	53	15.4	137	7	9	11	18	29	40	66
35-49	133	13.4	85	7	8	10	15	24	30	62
50-64	510	13.3	66	8	9	11	15	21	27	51
65 +	1012	15.3	84	8	10	13	17	26	35	58
TOTAL SINGLE DX	308	9.5	20	6	7	9	11	14	15	20
TOTAL MULTIPLE DX	1786	14.4	81	8	9	12	16	24	32	55
TOTAL										
0-19 YRS	154	9.7	47	5	7	8	10	17	21	40
20-34	65	14.2	119	7	8	10	15	27	36	64
35-49	164	12.7	75	7	8	10	15	22	29	55
50-64	598	12.8	59	7	9	11	14	20	25	48
65 +	1113	14.8	80	8	10	12	17	25	33	55
GRAND TOTAL	2094	13.7	75	7	9	11	15	22	30	53

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	204	2.9	5	1	1	2	4	6	8	12
20-34	385	3.6	9	< 1	2	3	5	7	8	15
35-49	455	3.8	10	< 1	2	3	5	7	9	15
50-64	406	3.8	9	< 1	1	3	5	8	10	15
65 +	368	3.8	18	< 1	< 1	3	5	8	10	26
2. MULTIPLE DX										
0-19 YRS	544	5.7	51	1	2	4	7	11	16	49
20-34	2018	5.7	28	2	3	4	7	11	15	30
35-49	3178	6.3	33	2	3	5	7	12	18	30
50-64	4374	7.0	39	2	3	5	8	13	18	33
65 +	10433	8.2	46	3	4	6	10	16	21	35
TOTAL SINGLE DX	1818	3.7	11	< 1	1	3	5	7	9	15
TOTAL MULTIPLE DX	20547	7.3	42	2	4	6	9	14	19	34
TOTAL										
0-19 YRS	748	4.9	40	1	2	3	6	9	14	38
20-34	2403	5.4	26	1	3	4	6	10	14	29
35-49	3633	6.0	31	2	3	5	7	11	15	30
50-64	4780	6.7	38	2	3	5	8	13	17	32
65 +	10801	8.1	46	3	4	6	10	15	20	35
GRAND TOTAL	**22365**	**7.0**	**41**	**2**	**3**	**5**	**9**	**14**	**19**	**33**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.0	10	< 1	1	1	1	6	11	11
20-34	71	1.6	1	1	1	1	2	3	3	7
35-49	98	1.7		1	1	2	2	2	3	6
50-64	59	1.9	2	1	1	2	2	3	3	10
65 +	18	1.6		1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	19	4.8	137	1	1	2	3	5	31	53
20-34	85	2.7	12	1	1	2	3	5	7	23
35-49	136	2.3	2	1	1	2	3	5	6	8
50-64	127	2.9	12	1	1	2	3	4	6	20
65 +	75	3.9	11	1	2	3	5	8	11	17
TOTAL SINGLE DX	256	1.7	2	1	1	1	2	3	3	8
TOTAL MULTIPLE DX	442	2.9	15	1	1	2	3	5	7	17
TOTAL										
0-19 YRS	29	3.8	94	1	1	1	3	5	13	53
20-34	156	2.2	8	1	1	1	2	4	6	20
35-49	234	2.0	2	1	1	2	2	4	5	7
50-64	186	2.6	9	1	1	2	3	4	6	14
65 +	93	3.5	11	1	1	2	4	8	10	17
GRAND TOTAL	**698**	**2.5**	**10**	**1**	**1**	**2**	**3**	**4**	**7**	**15**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.4		1	1	1	2	2	3	3
20-34	36	1.9	2	1	1	1	2	4	5	7
35-49	36	1.7		< 1	1	1	2	3	4	5
50-64	12	2.0	2	1	1	2	2	4	6	6
65 +	20	2.4	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	7	5.7	32	1	1	4	8	15	17	17
20-34	65	3.0	20	1	1	2	3	5	8	27
35-49	86	4.1	37	1	2	2	4	7	16	35
50-64	87	2.5	3	1	1	2	3	5	6	10
65 +	81	4.3	24	1	1	3	5	12	17	23
TOTAL SINGLE DX	121	1.9	2	< 1	1	1	2	3	5	7
TOTAL MULTIPLE DX	326	3.5	22	1	1	2	3	7	12	27
TOTAL										
0-19 YRS	24	2.7	13	1	1	1	2	7	11	17
20-34	101	2.6	14	1	1	2	3	5	6	27
35-49	122	3.4	28	1	1	2	3	5	10	33
50-64	99	2.4	3	1	1	2	3	5	6	10
65 +	101	3.9	21	1	1	2	5	9	15	22
GRAND TOTAL	**447**	**3.1**	**17**	**1**	**1**	**2**	**3**	**6**	**8**	**25**

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	94	2.8	3	1	2	3	3	5	6	10
35-49	159	2.6	2	1	1	2	3	5	5	9
50-64	107	2.7	2	1	2	2	3	5	6	9
65 +	46	2.4	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	12	2.7	3	1	1	2	3	6	7	7
20-34	544	3.0	7	1	2	2	3	5	6	13
35-49	1038	2.9	5	1	2	2	3	5	6	11
50-64	860	3.1	5	1	2	3	4	5	7	11
65 +	587	4.4	19	1	2	3	5	9	12	20
TOTAL SINGLE DX	408	2.7	2	1	2	2	3	5	5	9
TOTAL MULTIPLE DX	3041	3.3	9	1	2	3	4	6	7	14
TOTAL										
0-19 YRS	14	2.8	3	1	1	3	3	5	7	7
20-34	638	3.0	7	1	2	2	3	5	6	11
35-49	1197	2.9	5	1	2	2	3	5	6	10
50-64	967	3.0	5	1	2	3	4	5	7	11
65 +	633	4.3	18	1	2	3	5	8	12	20
GRAND TOTAL	**3449**	**3.2**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	3.7	8	1	2	3	5	7	10	15
20-34	97	2.6	2	1	1	2	4	5	6	7
35-49	90	3.4	44	1	1	2	4	5	7	43
50-64	48	2.5	2	1	1	2	3	5	6	7
65 +	27	2.4	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	92	6.1	36	2	3	4	8	11	18	33
20-34	141	5.0	30	1	2	3	6	12	16	30
35-49	155	5.0	69	1	1	3	6	9	15	49
50-64	124	4.3	12	1	2	3	5	9	12	17
65 +	153	7.5	57	2	3	5	9	16	24	36
TOTAL SINGLE DX	332	3.0	15	1	1	2	4	6	7	12
TOTAL MULTIPLE DX	665	5.6	44	1	2	4	7	12	17	33
TOTAL										
0-19 YRS	162	5.1	26	1	2	3	6	10	14	30
20-34	238	4.1	20	1	2	3	5	7	13	29
35-49	245	4.4	61	1	1	3	5	8	11	51
50-64	172	3.8	10	1	2	3	5	8	10	15
65 +	180	6.7	52	1	2	4	8	15	21	35
GRAND TOTAL	997	4.7	36	1	2	3	5	9	15	31

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	8.7	69	2	3	6	15	18	18	18
20-34	5	9.4	9	6	7	9	12	13	13	13
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	3	18.7	614	< 1	2	8	37	47	47	47
65 +	3	17.3	124	9	10	13	26	30	30	30
2. MULTIPLE DX										
0-19 YRS	13	19.8	240	7	9	13	26	47	53	54
20-34	10	10.7	3	8	10	11	12	13	14	14
35-49	15	16.3	117	5	9	14	20	31	39	42
50-64	24	21.1	190	6	12	20	26	35	47	67
65 +	23	19.7	249	3	7	19	31	44	51	52
TOTAL SINGLE DX	16	12.2	135	2	6	9	13	29	42	47
TOTAL MULTIPLE DX	85	18.4	183	5	9	14	25	36	46	62
TOTAL										
0-19 YRS	16	17.7	222	6	8	12	22	44	51	54
20-34	15	10.3	5	7	8	10	12	13	14	14
35-49	17	15.2	114	4	8	13	19	31	38	42
50-64	27	20.9	217	4	10	20	27	37	50	67
65 +	26	19.4	230	3	8	16	30	42	50	52
GRAND TOTAL	101	17.5	179	4	8	13	24	36	46	60

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	108	3.8	19	1	1	2	5	9	11	23
20-34	66	3.7	13	1	1	2	6	9	11	16
35-49	77	3.0	8	1	1	1	4	7	9	13
50-64	66	3.2	22	1	1	1	3	8	16	24
65 +	40	3.7	21	1	1	1	5	11	15	17
2. MULTIPLE DX										
0-19 YRS	205	14.3	297	1	3	9	20	40	77	99 +
20-34	238	11.3	125	1	4	9	15	24	34	69
35-49	354	12.0	204	1	3	8	16	30	48	99 +
50-64	537	10.6	124	1	3	8	13	25	32	58
65 +	706	11.0	76	2	5	9	15	21	27	42
TOTAL SINGLE DX	357	3.5	17	1	1	2	5	8	12	18
TOTAL MULTIPLE DX	2040	11.4	140	1	4	9	15	25	35	81
TOTAL										
0-19 YRS	313	10.7	226	1	2	6	13	32	50	99 +
20-34	304	9.6	111	1	2	7	13	21	30	62
35-49	431	10.4	181	1	2	6	14	26	46	99 +
50-64	603	9.7	118	1	2	7	13	23	30	57
65 +	746	10.6	76	1	5	9	14	21	26	41
GRAND TOTAL	2397	10.2	130	1	2	7	14	23	33	76

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	246	4.5	4	3	3	4	5	7	8	14
20-34	2719	4.3	2	3	3	4	5	6	7	11
35-49	2527	4.5	3	3	3	4	5	7	8	11
50-64	1883	4.8	4	3	4	4	5	7	9	12
65 +	864	5.6	6	3	4	5	7	8	10	15
2. MULTIPLE DX										
0-19 YRS	238	6.8	16	3	4	6	9	11	14	25
20-34	2954	5.8	16	3	4	5	7	9	11	18
35-49	3986	6.0	20	3	4	5	7	10	13	20
50-64	4952	7.1	30	3	4	6	8	12	15	31
65 +	6411	9.9	46	4	6	8	12	17	22	36
TOTAL SINGLE DX	8239	4.6	4	3	3	4	5	7	8	12
TOTAL MULTIPLE DX	18541	7.6	34	3	4	6	9	13	17	31
TOTAL										
0-19 YRS	484	5.6	11	3	3	5	7	9	12	18
20-34	5673	5.0	11	3	3	4	6	8	10	15
35-49	6513	5.4	14	3	4	4	6	9	11	18
50-64	6835	6.5	25	3	4	5	7	11	14	27
65 +	7275	9.4	44	4	5	8	11	16	21	35
GRAND TOTAL	26780	6.7	27	3	4	5	8	12	15	27

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	5.0	8	1	3	5	7	9	9	9
35-49	8	1.5	1	1	1	1	2	3	4	4
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	8	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	7	5.7	19	1	2	4	9	12	13	13
20-34	6	10.0	31	3	3	12	14	15	15	15
35-49	12	11.4	106	2	5	9	13	27	36	38
50-64	30	11.0	85	3	4	9	13	23	29	43
65 +	75	10.1	67	2	3	8	15	23	28	31
TOTAL SINGLE DX	25	2.6	5	1	1	2	3	6	7	9
TOTAL MULTIPLE DX	130	10.2	71	2	3	8	14	22	28	39
TOTAL										
0-19 YRS	8	5.3	18	1	2	3	8	12	13	13
20-34	11	7.7	26	2	3	6	13	15	15	15
35-49	20	7.5	87	1	1	3	10	18	30	38
50-64	33	10.2	84	2	3	8	12	22	29	43
65 +	83	9.4	66	1	3	7	15	22	27	31
GRAND TOTAL	155	9.0	68	1	3	7	13	21	27	38

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (51.97; 52.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.8	5	1	2	4	5	6	6	6
20-34	31	5.9	91	1	1	3	6	13	18	52
35-49	50	4.4	13	1	2	3	6	9	11	17
50-64	43	4.4	13	1	1	3	7	11	12	14
65 +	53	3.7	10	< 1	1	2	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	15	6.5	71	1	2	3	7	19	29	32
20-34	87	7.4	35	2	4	6	9	14	24	27
35-49	207	8.9	60	2	4	7	11	17	26	37
50-64	278	8.0	37	2	4	7	10	15	20	30
65 +	675	9.6	64	2	4	8	12	18	23	44
TOTAL SINGLE DX	181	4.4	26	1	1	3	6	9	11	18
TOTAL MULTIPLE DX	1262	8.9	56	2	4	7	12	17	23	39
TOTAL										
0-19 YRS	19	5.9	57	1	2	3	6	15	26	32
20-34	118	7.0	50	1	3	5	8	14	23	36
35-49	257	8.0	55	1	3	6	10	17	22	37
50-64	321	7.5	36	1	3	6	9	14	19	30
65 +	728	9.2	62	2	4	7	12	17	22	43
GRAND TOTAL	1443	8.4	55	1	4	7	11	16	22	38

619: Miscellaneous operations on biliary tract (51.01-51.13; 51.31-51.95; 51.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	10.2	31	5	6	8	14	19	21	22
20-34	16	7.6	15	2	5	7	10	13	14	14
35-49	23	5.9	25	1	1	5	10	14	15	16
50-64	16	10.9	79	2	6	10	13	16	33	40
65 +	37	8.7	20	4	6	8	11	15	18	22
2. MULTIPLE DX										
0-19 YRS	23	16.3	74	7	11	16	20	25	64	99 +
20-34	48	11.0	59	3	7	9	13	20	27	40
35-49	82	12.2	113	4	7	10	15	21	29	67
50-64	187	13.9	108	4	7	12	17	28	41	53
65 +	580	15.1	89	7	9	13	18	25	33	70
TOTAL SINGLE DX	116	8.6	33	1	5	8	12	15	18	28
TOTAL MULTIPLE DX	920	14.4	95	6	9	12	18	25	35	70
TOTAL										
0-19 YRS	47	13.1	61	5	7	13	18	22	25	99 +
20-34	64	10.1	50	3	6	9	12	18	26	39
35-49	105	10.8	100	1	6	8	14	20	25	57
50-64	203	13.7	106	4	7	11	17	27	40	53
65 +	617	14.7	88	7	9	12	18	25	33	70
GRAND TOTAL	1036	13.8	91	5	8	12	17	25	33	63

620: Operations on pancreas, except ERCP (52.01-52.12; 52.2-52.83; 52.92-52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	11.0	27	8	8	8	15	17	17	17
35-49	11	8.4	32	3	5	7	10	16	22	23
50-64	12	9.5	100	1	3	6	12	24	35	37
65 +	11	13.4	58	5	8	9	21	24	26	26
2. MULTIPLE DX										
0-19 YRS	15	22.5	384	8	10	17	27	42	71	81
20-34	55	21.8	228	8	10	20	27	43	56	78
35-49	112	22.0	290	8	11	16	25	51	62	95
50-64	148	18.8	235	6	10	15	23	49	74	99 +
65 +	219	19.7	215	5	10	16	26	42	58	99 +
TOTAL SINGLE DX	38	10.3	61	2	5	8	13	22	25	37
TOTAL MULTIPLE DX	549	20.2	242	7	10	16	25	44	62	99 +
TOTAL										
0-19 YRS	16	21.4	380	4	10	15	27	42	69	81
20-34	58	21.2	223	8	9	19	27	41	55	77
35-49	123	20.8	282	7	11	15	24	49	62	94
50-64	160	18.1	231	5	9	14	22	46	69	99 +
65 +	230	19.4	209	5	10	16	25	42	56	99 +
GRAND TOTAL	587	19.6	236	6	10	15	25	43	61	99 +

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	150	3.2	11	1	1	2	4	7	10	14
20-34	116	4.3	7	1	2	4	6	8	9	12
35-49	125	4.2	15	< 1	2	3	5	7	11	23
50-64	134	3.7	8	< 1	1	3	6	7	9	12
65 +	132	3.9	11	< 1	< 1	3	6	8	12	16
2. MULTIPLE DX										
0-19 YRS	241	5.5	39	1	2	3	6	12	17	29
20-34	370	6.7	57	2	3	4	7	16	24	44
35-49	644	7.0	45	2	3	5	8	13	21	36
50-64	1038	7.1	38	2	3	5	9	13	18	32
65 +	3388	8.0	41	3	4	6	10	15	20	33
TOTAL SINGLE DX	657	3.8	11	< 1	1	3	5	8	10	15
TOTAL MULTIPLE DX	5681	7.5	42	2	4	6	9	15	20	34
TOTAL										
0-19 YRS	391	4.6	30	1	1	3	5	11	14	27
20-34	486	6.2	46	2	2	4	7	12	21	43
35-49	769	6.5	41	2	3	5	8	13	19	36
50-64	1172	6.7	36	2	3	5	8	13	18	31
65 +	3520	7.9	41	3	4	6	10	15	20	33
GRAND TOTAL	**6338**	**7.1**	**40**	**2**	**3**	**6**	**9**	**14**	**19**	**33**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	508	1.3		< 1	1	1	1	2	2	4
20-34	781	1.4		1	1	1	2	2	3	5
35-49	835	1.5		1	1	1	2	3	3	5
50-64	1121	1.6	1	1	1	1	2	3	4	6
65 +	993	1.9	1	1	1	1	2	4	4	7
2. MULTIPLE DX										
0-19 YRS	482	3.1	69	1	1	1	2	5	10	99 +
20-34	392	2.2	11	1	1	1	2	4	6	16
35-49	652	2.2	5	1	1	1	2	4	6	15
50-64	1259	2.4	5	1	1	2	3	5	7	13
65 +	2614	3.8	22	1	1	2	4	8	12	23
TOTAL SINGLE DX	4238	1.6	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	5399	3.1	20	1	1	2	3	6	9	21
TOTAL										
0-19 YRS	990	2.2	35	1	1	1	2	3	5	64
20-34	1173	1.7	4	1	1	1	2	3	4	8
35-49	1487	1.8	3	1	1	1	2	3	4	9
50-64	2380	2.0	4	1	1	1	2	4	5	11
65 +	3607	3.3	17	1	1	2	4	7	10	20
GRAND TOTAL	**9637**	**2.4**	**12**	**1**	**1**	**1**	**3**	**5**	**7**	**16**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	373	1.3		1	1	1	1	2	3	5
20-34	85	1.8		1	1	2	2	3	4	5
35-49	174	1.7		1	1	2	2	3	3	4
50-64	214	1.8		1	1	2	2	3	4	5
65 +	160	2.2	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	641	4.7	181	1	1	1	2	10	70	99 +
20-34	70	1.9	1	1	1	1	2	4	4	6
35-49	153	1.9	1	1	1	2	2	3	4	5
50-64	285	2.8	7	1	1	2	3	5	6	14
65 +	434	3.8	15	1	2	3	5	7	11	19
TOTAL SINGLE DX	1006	1.7	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	1583	3.7	80	1	1	2	3	6	13	99 +
TOTAL										
0-19 YRS	1014	3.4	118	1	1	1	2	5	17	99 +
20-34	155	1.9	1	1	1	2	2	3	4	6
35-49	327	1.8	1	1	1	2	2	3	4	5
50-64	499	2.4	5	1	1	2	3	4	6	10
65 +	594	3.4	12	1	2	2	4	6	9	19
GRAND TOTAL	**2589**	**2.9**	**50**	**1**	**1**	**2**	**3**	**5**	**8**	**95**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	29	1.4		< 1	1	1	2	2	2	2
35-49	39	1.7	1	1	1	1	2	3	4	6
50-64	60	2.0	1	1	1	2	3	4	5	5
65 +	64	3.0	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	5	4.8	48	< 1	1	1	7	17	17	17
20-34	13	3.4	18	1	1	2	3	7	15	17
35-49	30	3.2	13	1	1	2	4	6	8	20
50-64	68	3.6	15	1	1	2	4	8	13	20
65 +	274	5.9	23	2	2	4	8	13	15	24
TOTAL SINGLE DX	197	2.2	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	390	5.2	22	1	2	3	7	12	15	21
TOTAL										
0-19 YRS	10	3.1	25	< 1	1	1	3	10	17	17
20-34	42	2.0	6	1	1	1	2	3	4	17
35-49	69	2.3	7	1	1	1	3	4	6	18
50-64	128	2.8	9	1	1	2	3	5	8	18
65 +	338	5.3	21	1	2	4	7	12	15	22
GRAND TOTAL	**587**	**4.1**	**18**	**1**	**1**	**3**	**5**	**9**	**13**	**20**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.6	1	<1	1	1	2	3	3	7
20-34	55	1.9	1	<1	1	2	2	3	4	6
35-49	126	1.7	1	1	1	1	2	3	4	5
50-64	110	2.0	2	<1	1	1	3	4	5	7
65+	51	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	68	7.3	128	1	1	3	9	24	48	99+
20-34	46	2.8	7	1	1	2	3	6	10	13
35-49	179	3.0	17	1	1	2	3	5	9	19
50-64	210	3.8	13	1	1	3	5	8	11	17
65+	218	5.7	34	1	2	4	7	12	17	31
TOTAL SINGLE DX	388	1.9	2	<1	1	1	2	4	5	7
TOTAL MULTIPLE DX	721	4.4	33	1	1	3	5	10	14	36
TOTAL										
0-19 YRS	114	5.0	85	<1	1	2	6	13	28	99+
20-34	101	2.3	4	1	1	2	3	4	6	12
35-49	305	2.5	11	1	1	2	3	4	6	17
50-64	320	3.2	10	1	1	2	4	7	9	15
65+	269	5.0	30	1	2	3	6	11	15	28
GRAND TOTAL	1109	3.5	24	1	1	2	4	7	11	27

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	2.5	4	1	1	2	4	6	7	9
20-34	153	2.7	3	1	1	2	4	5	6	8
35-49	355	3.0	6	1	2	3	4	5	7	9
50-64	349	3.3	4	1	2	3	4	6	7	12
65+	287	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	39	2.7	3	1	1	2	4	6	7	7
20-34	168	4.5	39	1	2	3	5	8	10	27
35-49	583	4.6	15	1	2	4	6	9	11	21
50-64	835	5.3	29	2	3	4	6	10	13	21
65+	1087	6.3	32	2	3	5	8	12	15	28
TOTAL SINGLE DX	1180	3.2	5	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	2712	5.5	28	2	3	4	7	10	14	25
TOTAL										
0-19 YRS	75	2.6	4	1	1	2	4	6	7	9
20-34	321	3.7	23	1	2	3	4	6	8	23
35-49	938	4.0	12	1	2	3	5	7	10	19
50-64	1184	4.7	23	1	2	4	6	8	12	19
65+	1374	5.8	27	2	3	4	7	11	14	26
GRAND TOTAL	3892	4.8	22	1	2	4	6	9	12	23

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	6.7	24	2	4	6	8	12	18	23
20-34	4	5.0	4	2	3	5	6	7	7	7
35-49	11	5.5	7	1	3	7	7	8	8	8
50-64	17	6.1	10	2	5	6	7	11	13	14
65+	15	6.3	11	1	4	6	9	11	12	12
2. MULTIPLE DX										
0-19 YRS	54	16.4	286	5	7	10	22	65	99+	99+
20-34	21	11.0	129	3	5	8	12	36	68	99+
35-49	54	8.9	51	3	6	7	10	15	19	49
50-64	103	8.7	28	4	6	8	10	16	18	32
65+	148	14.3	130	5	8	10	17	28	41	68
TOTAL SINGLE DX	68	6.1	14	1	4	6	7	10	12	21
TOTAL MULTIPLE DX	380	12.2	122	4	6	9	15	25	42	99+
TOTAL										
0-19 YRS	75	13.7	231	4	6	8	18	54	92	99+
20-34	25	10.1	114	3	5	7	9	31	58	99+
35-49	65	8.3	45	3	5	7	9	14	18	46
50-64	120	8.4	27	4	5	8	9	14	18	29
65+	163	13.6	125	5	7	10	17	27	40	68
GRAND TOTAL	448	11.2	110	4	6	8	13	23	32	99+

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	109	3.9	13	1	1	3	5	7	11	20
20-34	112	3.8	5	1	2	3	5	7	8	13
35-49	114	3.9	13	1	1	3	5	7	11	20
50-64	86	4.3	11	1	1	4	6	10	11	15
65+	65	4.3	14	<1	1	2	7	9	11	19
2. MULTIPLE DX										
0-19 YRS	185	9.8	158	2	3	7	12	19	31	80
20-34	305	8.3	78	2	3	6	10	18	26	52
35-49	488	9.1	62	2	4	7	11	19	27	41
50-64	771	11.0	107	3	5	8	13	22	29	57
65+	1057	11.5	81	3	6	9	15	22	28	46
TOTAL SINGLE DX	486	4.0	11	1	1	3	5	8	10	16
TOTAL MULTIPLE DX	2806	10.5	91	3	5	8	13	21	28	48
TOTAL										
0-19 YRS	294	7.6	112	1	2	5	9	15	22	63
20-34	417	7.1	63	1	3	5	8	14	21	42
35-49	602	8.1	58	1	3	6	10	17	25	38
50-64	857	10.3	102	3	5	8	12	21	28	52
65+	1122	11.1	80	3	5	9	14	22	27	45
GRAND TOTAL	3292	9.5	85	2	4	7	12	20	26	45

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	166	4.7	11	2	3	4	6	8	10	22
20-34	214	4.4	6	2	3	4	5	7	10	15
35-49	103	5.2	12	2	3	4	6	9	12	21
50-64	68	7.0	23	3	4	6	8	15	17	24
65 +	47	7.5	22	3	5	7	9	12	14	31
2. MULTIPLE DX										
0-19 YRS	269	9.8	116	3	4	7	11	23	39	96
20-34	549	7.3	59	3	4	5	8	13	20	39
35-49	368	9.9	117	3	4	7	11	19	26	75
50-64	445	13.4	128	4	6	10	16	25	36	62
65 +	612	14.7	114	5	8	12	18	27	35	57
TOTAL SINGLE DX	598	5.2	13	2	3	4	6	9	12	21
TOTAL MULTIPLE DX	2243	11.2	113	3	5	8	14	23	32	63
TOTAL										
0-19 YRS	435	7.9	83	2	3	5	9	16	27	65
20-34	763	6.4	46	3	3	5	7	12	16	35
35-49	471	8.9	98	3	4	6	10	17	24	62
50-64	513	12.5	119	4	6	9	15	24	34	62
65 +	659	14.2	111	5	8	11	17	27	35	56
GRAND TOTAL	2841	10.0	98	3	4	7	12	20	28	57

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	144	2.9	4	< 1	1	2	4	5	7	10
20-34	469	2.7	3	< 1	1	2	4	5	6	9
35-49	73	2.6	3	< 1	1	2	3	5	6	9
50-64	9	2.2	2	< 1	1	1	4	5	5	5
65 +	8	3.0	8	< 1	< 1	2	4	8	9	9
2. MULTIPLE DX										
0-19 YRS	189	4.2	17	1	2	3	5	8	10	30
20-34	860	3.9	13	1	1	3	5	8	9	18
35-49	209	4.1	18	< 1	1	3	5	9	10	21
50-64	35	5.9	34	1	1	5	7	13	21	23
65 +	38	10.4	90	1	2	9	15	22	32	39
TOTAL SINGLE DX	703	2.7	4	< 1	1	2	4	5	6	9
TOTAL MULTIPLE DX	1331	4.2	19	1	1	3	5	8	11	24
TOTAL										
0-19 YRS	333	3.7	12	1	1	3	5	7	9	25
20-34	1329	3.5	10	1	1	3	5	7	8	14
35-49	282	3.7	15	< 1	1	3	5	8	10	16
50-64	44	5.1	30	< 1	1	4	6	12	20	23
65 +	46	9.2	83	< 1	2	6	14	21	27	39
GRAND TOTAL	2034	3.7	14	1	1	3	5	7	9	21

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	106	6.9	16	3	5	6	8	12	13	24
20-34	168	5.6	18	2	3	5	7	10	12	22
35-49	166	6.3	11	2	4	6	8	11	13	15
50-64	127	6.6	15	2	4	6	9	11	13	21
65 +	103	8.9	21	2	6	9	11	15	17	23
2. MULTIPLE DX										
0-19 YRS	298	12.5	199	3	5	8	14	30	58	99 +
20-34	769	6.8	45	2	3	5	8	14	19	42
35-49	778	9.2	82	3	4	7	11	19	26	47
50-64	815	11.6	87	3	6	9	15	22	31	49
65 +	1290	14.6	106	5	8	12	19	27	34	59
TOTAL SINGLE DX	670	6.7	17	2	4	6	9	12	14	22
TOTAL MULTIPLE DX	3950	11.3	102	3	5	8	14	23	32	60
TOTAL										
0-19 YRS	404	11.0	158	3	5	7	12	24	39	99 +
20-34	937	6.6	41	2	3	5	8	13	17	39
35-49	944	8.7	72	3	4	6	10	18	23	43
50-64	942	10.9	81	3	5	9	14	20	29	48
65 +	1393	14.2	103	5	8	12	18	26	33	59
GRAND TOTAL	4620	10.6	92	3	5	8	13	21	30	56

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	5.6	11	2	3	5	8	11	13	14
20-34	44	6.6	1	5	6	7	8	8	9	10
35-49	63	7.2	3	5	6	7	8	10	11	13
50-64	79	7.6	8	5	6	7	9	11	12	22
65+	62	8.3	5	6	7	8	10	11	13	15
2. MULTIPLE DX										
0-19 YRS	165	10.5	119	3	4	7	12	23	34	70
20-34	90	10.4	98	4	5	7	11	20	25	60
35-49	174	10.9	92	5	7	8	11	19	27	55
50-64	384	11.6	58	6	7	9	13	22	26	55
65+	578	12.7	57	6	8	10	15	23	29	42
TOTAL SINGLE DX	315	7.1	8	4	5	7	8	11	12	14
TOTAL MULTIPLE DX	1391	11.7	73	5	7	9	14	22	29	49
TOTAL										
0-19 YRS	232	9.1	93	2	4	6	10	17	31	67
20-34	134	9.2	69	5	6	7	9	15	24	48
35-49	237	9.9	71	5	6	8	10	15	22	53
50-64	463	10.9	52	6	7	8	12	20	25	49
65+	640	12.2	54	6	8	10	14	22	28	41
GRAND TOTAL	1706	10.9	64	5	7	8	12	20	26	43

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	4.7	7	2	3	3	8	8	8	8
20-34	18	3.3	4	1	2	3	4	6	8	9
35-49	37	3.9	5	1	2	3	5	7	9	10
50-64	31	4.6	6	2	3	4	7	7	8	13
65+	25	4.2	14	1	2	3	6	8	11	18
2. MULTIPLE DX										
0-19 YRS	19	7.1	31	2	3	6	10	14	20	24
20-34	47	7.9	56	2	4	6	10	16	18	47
35-49	81	9.4	65	2	4	7	12	17	26	44
50-64	123	9.2	75	2	4	6	13	21	28	60
65+	237	12.3	101	3	5	9	16	26	34	50
TOTAL SINGLE DX	121	4.1	8	1	2	3	6	8	9	14
TOTAL MULTIPLE DX	507	10.5	85	2	4	8	14	22	30	47
TOTAL										
0-19 YRS	29	6.2	24	2	3	5	8	11	16	24
20-34	65	6.6	46	2	3	4	8	14	18	43
35-49	118	7.7	53	2	3	6	10	15	19	41
50-64	154	8.3	65	2	3	6	11	19	26	46
65+	262	11.6	99	2	5	9	15	26	34	49
GRAND TOTAL	628	9.3	77	2	4	7	12	19	28	46

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	9.5	8	7	8	8	12	14	16	16
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	11.4	19	7	8	10	16	16	16	16
50-64	1	10.0		10	10	10	10	10	10	10
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	69	21.9	184	9	13	17	30	49	60	99+
20-34	89	17.8	123	8	10	15	21	31	44	61
35-49	98	18.1	113	8	11	15	23	33	40	55
50-64	77	17.1	113	8	10	14	20	32	41	59
65+	11	15.4	54	8	10	13	18	28	30	30
TOTAL SINGLE DX	18	9.9	10	7	8	9	12	16	16	16
TOTAL MULTIPLE DX	344	18.5	130	8	10	15	23	34	44	63
TOTAL										
0-19 YRS	79	20.4	179	8	12	16	26	49	59	99+
20-34	90	17.7	123	8	10	15	21	31	44	60
35-49	103	17.8	111	8	10	15	22	32	40	55
50-64	78	17.0	112	8	10	14	20	32	41	59
65+	12	14.8	54	8	9	12	18	28	30	30
GRAND TOTAL	362	18.1	128	8	10	15	22	33	44	63

636: Miscellaneous operations on kidney, except percutaneous nephrostomy 55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	348	3.5	8	1	1	3	5	7	9	13
20-34	80	4.3	22	1	1	2	6	9	12	27
35-49	76	3.8	9	1	1	3	6	7	10	13
50-64	51	4.2	12	1	1	3	7	9	10	16
65+	31	3.8	13	1	1	2	6	9	11	14
2. MULTIPLE DX										
0-19 YRS	358	7.4	57	1	3	5	10	16	21	36
20-34	232	8.3	46	1	4	7	12	16	21	34
35-49	250	8.3	60	1	3	7	11	18	22	74
50-64	306	8.2	81	1	3	6	10	17	21	63
65+	387	10.6	75	2	5	9	14	21	26	40
TOTAL SINGLE DX	586	3.7	11	1	1	3	5	8	10	14
TOTAL MULTIPLE DX	1533	8.6	67	1	3	7	11	18	23	45
TOTAL										
0-19 YRS	706	5.5	37	1	2	4	7	11	16	28
20-34	312	7.3	43	1	2	6	10	15	20	34
35-49	326	7.2	52	1	2	6	10	16	21	53
50-64	357	7.7	73	1	2	6	9	16	20	58
65+	418	10.1	74	2	4	8	13	21	26	40
GRAND TOTAL	2119	7.3	56	1	2	5	10	15	21	37

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.1	19	1	2	3	3	12	15	15
20-34	32	4.8	9	2	2	4	7	9	10	12
35-49	41	5.0	10	1	2	5	7	9	10	15
50-64	22	4.5	6	2	3	4	6	9	10	10
65 +	16	7.4	12	3	4	7	10	12	14	15
2. MULTIPLE DX										
0-19 YRS	14	3.9	11	1	1	3	6	8	11	12
20-34	43	6.7	22	2	4	5	9	14	17	22
35-49	53	7.6	18	3	4	6	11	14	16	17
50-64	81	8.1	39	2	4	7	10	15	20	32
65 +	113	9.9	31	3	5	9	13	18	20	26
TOTAL SINGLE DX	119	5.1	11	1	3	4	7	10	11	15
TOTAL MULTIPLE DX	304	8.3	31	2	4	7	11	16	18	27
TOTAL										
0-19 YRS	22	4.0	14	1	1	3	5	9	13	15
20-34	75	5.9	17	2	3	5	8	10	15	21
35-49	94	6.5	17	2	3	6	9	13	15	17
50-64	103	7.4	34	2	3	6	9	14	18	31
65 +	129	9.6	30	3	5	9	13	17	20	25
GRAND TOTAL	**423**	**7.4**	**27**	**2**	**3**	**6**	**10**	**15**	**17**	**26**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	291	5.3	6	3	4	5	6	8	9	15
20-34	11	5.5	8	1	3	6	8	9	9	9
35-49	6	8.0	24	3	4	7	9	16	17	17
50-64	4	9.8		9	9	10	10	10	10	10
65 +	9	10.7	10	6	9	10	12	15	16	16
2. MULTIPLE DX										
0-19 YRS	366	7.2	18	3	4	6	8	12	14	28
20-34	53	9.8	38	5	7	8	12	16	20	40
35-49	40	11.8	27	6	8	12	14	19	20	29
50-64	36	12.9	57	7	8	10	17	27	34	99 +
65 +	88	16.2	165	5	9	13	19	26	41	73
TOTAL SINGLE DX	321	5.5	8	3	4	5	7	9	10	17
TOTAL MULTIPLE DX	583	9.4	56	4	5	7	12	17	22	44
TOTAL										
0-19 YRS	657	6.3	14	3	4	6	7	11	13	24
20-34	64	9.1	36	4	6	8	10	15	18	38
35-49	46	11.3	29	6	7	11	14	19	20	29
50-64	40	12.6	53	7	8	10	16	25	34	99 +
65 +	97	15.7	153	5	9	13	18	25	39	73
GRAND TOTAL	**904**	**8.1**	**43**	**3**	**4**	**6**	**9**	**14**	**20**	**35**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	3.1	4	1	2	3	4	6	7	13
20-34	348	2.7	2	1	1	2	4	5	6	8
35-49	471	3.0	4	1	1	3	4	5	7	9
50-64	290	2.9	3	1	1	2	4	5	7	10
65 +	113	2.5	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	15	3.9	10	1	2	3	5	9	11	12
20-34	276	3.8	5	1	2	3	5	7	9	11
35-49	451	3.6	6	1	2	3	5	7	9	11
50-64	435	4.3	17	1	2	3	5	8	10	23
65 +	373	4.9	17	1	2	4	6	9	11	23
TOTAL SINGLE DX	1264	2.9	4	1	1	2	4	5	7	9
TOTAL MULTIPLE DX	1550	4.1	12	1	2	3	5	8	10	17
TOTAL										
0-19 YRS	57	3.3	6	1	2	3	4	6	8	13
20-34	624	3.2	4	1	2	3	4	6	7	10
35-49	922	3.3	5	1	2	3	4	6	8	11
50-64	725	3.7	12	1	2	3	5	7	8	16
65 +	486	4.3	15	1	2	3	5	9	11	18
GRAND TOTAL	**2814**	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	4.7	7	2	3	4	7	8	9	12
20-34	22	3.2	5	1	1	2	5	7	7	8
35-49	37	3.9	16	1	1	2	5	9	12	20
50-64	29	4.7	19	1	2	4	6	10	12	22
65 +	16	5.4	18	1	1	5	8	12	14	15
2. MULTIPLE DX										
0-19 YRS	71	8.1	33	3	4	7	9	13	16	38
20-34	35	5.6	26	1	2	4	8	11	13	28
35-49	58	5.0	10	1	2	5	6	9	12	16
50-64	66	5.7	24	1	2	4	8	14	16	22
65 +	129	8.3	53	1	4	7	10	16	20	40
TOTAL SINGLE DX	131	4.3	14	1	2	3	6	9	11	20
TOTAL MULTIPLE DX	359	7.0	36	1	3	6	9	14	17	38
TOTAL										
0-19 YRS	98	7.2	29	3	4	7	9	13	15	33
20-34	57	4.6	19	1	2	4	6	9	11	27
35-49	95	4.6	13	1	2	4	6	9	12	18
50-64	95	5.3	23	1	2	4	7	11	15	22
65 +	145	8.0	50	1	4	7	10	15	19	40
GRAND TOTAL	**490**	**6.3**	**32**	**1**	**3**	**5**	**8**	**12**	**15**	**32**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	3.1	5	< 1	1	3	5	6	8	9
20-34	317	2.9	3	< 1	1	2	4	6	7	9
35-49	423	2.8	4	< 1	1	2	4	5	7	11
50-64	364	2.5	4	< 1	1	2	3	5	7	10
65 +	286	2.4	4	< 1	< 1	1	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	239	5.8	73	1	2	4	6	11	17	61
20-34	586	6.7	59	1	3	5	8	13	20	48
35-49	999	6.5	44	1	3	5	8	13	19	35
50-64	1360	7.1	51	1	3	5	9	14	21	42
65 +	3560	9.3	72	2	4	7	12	18	25	45
TOTAL SINGLE DX	1494	2.7	5	< 1	1	2	4	6	7	10
TOTAL MULTIPLE DX	6744	8.1	65	1	3	6	10	16	23	44
TOTAL										
0-19 YRS	343	5.0	54	1	1	3	6	9	15	51
20-34	903	5.3	44	1	2	4	6	10	15	45
35-49	1422	5.4	35	1	2	4	7	11	16	33
50-64	1724	6.1	45	1	2	4	8	13	19	40
65 +	3846	8.8	71	1	3	7	11	18	24	44
GRAND TOTAL	**8238**	**7.1**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.6	12	1	1	2	4	10	11	11
20-34	13	3.1	7	1	1	2	4	7	9	9
35-49	62	1.7		< 1	1	1	2	3	3	4
50-64	255	2.2	2	1	1	2	3	4	5	6
65 +	493	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	24	7.7	19	2	4	8	10	14	15	18
20-34	49	4.8	30	1	2	3	6	10	13	36
35-49	175	5.1	60	1	2	3	5	11	13	48
50-64	673	4.5	24	1	2	3	5	9	13	30
65 +	2738	5.7	42	1	2	4	7	12	17	32
TOTAL SINGLE DX	830	2.4	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	3659	5.4	40	1	2	3	7	11	16	32
TOTAL										
0-19 YRS	31	6.8	21	1	2	6	10	13	14	18
20-34	62	4.5	26	1	2	3	6	9	12	33
35-49	237	4.2	47	1	1	2	4	9	12	43
50-64	928	3.8	19	1	1	3	4	8	11	24
65 +	3231	5.2	37	1	2	3	6	11	16	30
GRAND TOTAL	**4489**	**4.9**	**34**	**1**	**2**	**3**	**6**	**10**	**14**	**30**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.9	4	1	2	3	6	7	7	7
20-34	8	3.5	11	1	1	2	5	9	10	10
35-49	15	3.2	3	1	2	3	4	7	7	7
50-64	15	2.3	2	1	1	2	3	5	5	5
65 +	18	2.1	4	1	1	1	3	4	7	9
2. MULTIPLE DX										
0-19 YRS	11	4.7	25	< 1	1	2	7	14	14	14
20-34	22	4.6	42	< 1	1	3	4	10	19	31
35-49	43	6.8	65	1	2	4	9	14	24	38
50-64	81	5.8	36	1	2	4	7	12	17	35
65 +	250	6.8	42	1	3	5	8	14	19	35
TOTAL SINGLE DX	63	2.8	5	1	1	2	4	6	7	10
TOTAL MULTIPLE DX	407	6.4	43	1	2	4	8	13	19	36
TOTAL										
0-19 YRS	18	4.4	17	1	2	3	6	12	14	14
20-34	30	4.3	34	1	1	3	4	9	11	31
35-49	58	5.8	51	1	2	3	8	11	17	38
50-64	96	5.2	33	1	2	4	6	11	16	33
65 +	268	6.5	41	1	3	5	8	13	19	35
GRAND TOTAL	**470**	**5.9**	**40**	**1**	**2**	**4**	**7**	**12**	**18**	**36**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	6.3	35	1	2	5	9	13	16	32
20-34	39	4.2	8	1	2	4	5	9	10	11
35-49	72	4.6	7	2	3	4	6	9	10	12
50-64	99	5.4	17	1	2	4	8	11	15	18
65 +	117	5.5	27	1	2	3	8	12	15	25
2. MULTIPLE DX										
0-19 YRS	228	9.4	84	2	4	8	12	20	27	95
20-34	102	9.5	104	2	3	7	13	20	24	93
35-49	162	9.3	87	2	4	6	11	20	29	61
50-64	353	10.0	117	2	4	8	12	19	27	56
65 +	1055	10.5	97	2	4	8	14	21	28	46
TOTAL SINGLE DX	377	5.3	20	1	2	4	7	11	14	21
TOTAL MULTIPLE DX	1900	10.1	99	2	4	8	13	20	27	52
TOTAL										
0-19 YRS	278	8.9	77	2	4	7	11	18	26	78
20-34	141	8.0	83	2	3	5	11	17	22	88
35-49	234	7.9	68	2	3	5	10	18	24	47
50-64	452	9.0	99	2	3	6	11	18	24	52
65 +	1172	10.0	92	2	3	8	13	20	27	46
GRAND TOTAL	**2277**	**9.3**	**89**	**2**	**3**	**7**	**12**	**19**	**25**	**50**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.1	6	<1	<1	<1	1	7	8	8
20-34	5	2.2	1	<1	<1	2	3	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	15	2.3	4	<1	1	1	3	6	7	8
20-34	0									
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	7	4.0	8	2	2	3	5	9	10	10
65+	10	6.7	59	2	3	5	6	17	28	28
TOTAL SINGLE DX	19	2.0	4	<1	<1	<1	2	6	8	8
TOTAL MULTIPLE DX	35	3.9	23	1	2	2	5	7	9	28
TOTAL										
0-19 YRS	27	2.2	5	<1	<1	1	2	7	8	8
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	4	2.3	2	<1	1	2	3	4	4	4
50-64	7	4.0	8	2	2	3	5	9	10	10
65+	11	6.2	56	1	2	4	6	15	27	28
GRAND TOTAL	54	3.3	17	<1	1	2	4	7	8	27

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	473	2.2	4	1	1	1	3	4	7	10
20-34	38	3.3	5	1	1	3	5	7	7	11
35-49	31	2.6	2	<1	1	3	4	5	5	6
50-64	25	2.3	1	1	1	2	3	4	4	4
65+	26	3.4	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	260	3.6	24	1	1	2	4	8	10	42
20-34	47	4.4	12	1	2	4	6	10	12	16
35-49	50	4.2	8	1	2	3	6	7	8	16
50-64	58	4.6	8	1	3	4	5	9	10	14
65+	138	5.5	41	1	2	4	7	10	16	31
TOTAL SINGLE DX	593	2.4	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	553	4.3	25	1	1	3	5	8	11	25
TOTAL										
0-19 YRS	733	2.7	12	1	1	2	3	6	8	14
20-34	85	3.9	10	1	1	3	5	7	11	15
35-49	81	3.6	6	1	2	3	5	7	8	14
50-64	83	3.9	7	1	2	3	5	8	9	14
65+	164	5.1	36	1	2	4	6	9	14	28
GRAND TOTAL	1146	3.3	15	1	1	2	4	7	9	17

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.9	2	<1	<1	1	2	4	6	6
20-34	13	4.0	16	<1	1	2	6	11	13	13
35-49	17	2.8	3	1	1	3	3	5	7	8
50-64	14	3.5	8	<1	1	3	5	7	10	11
65+	15	2.7	6	<1	<1	1	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	48	7.6	114	<1	1	3	7	31	33	42
20-34	52	7.0	50	1	3	5	8	16	27	29
35-49	81	6.5	50	1	3	5	8	12	15	44
50-64	139	8.5	96	1	3	6	10	19	28	55
65+	429	8.8	59	2	4	7	11	18	24	40
TOTAL SINGLE DX	73	2.9	7	<1	1	2	4	7	8	13
TOTAL MULTIPLE DX	749	8.3	69	1	3	6	11	18	25	42
TOTAL										
0-19 YRS	62	6.4	95	<1	1	3	6	23	33	41
20-34	65	6.4	45	1	2	5	7	13	26	29
35-49	98	5.9	44	1	2	4	7	11	13	41
50-64	153	8.1	91	1	3	5	9	18	25	53
65+	444	8.6	59	1	3	7	11	17	23	40
GRAND TOTAL	822	7.8	66	1	3	6	10	17	24	41

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	1.9	2	1	1	1	2	4	6	7
20-34	45	1.9	2	1	1	1	2	4	5	8
35-49	34	2.0	3	1	1	1	2	4	6	9
50-64	38	2.2	1	1	1	2	3	4	5	5
65+	61	3.1	8	1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	78	3.9	57	1	1	2	4	6	10	48
20-34	73	3.8	42	1	1	2	4	6	13	41
35-49	81	3.8	20	1	1	2	5	8	13	25
50-64	164	3.9	11	1	2	3	5	8	11	18
65+	533	5.7	34	1	2	4	7	12	18	27
TOTAL SINGLE DX	217	2.3	4	1	1	1	3	5	6	10
TOTAL MULTIPLE DX	929	4.9	32	1	2	3	6	10	15	27
TOTAL										
0-19 YRS	117	3.2	40	1	1	2	3	6	8	48
20-34	118	3.1	28	1	1	1	3	5	9	37
35-49	115	3.2	16	1	1	2	4	6	11	24
50-64	202	3.6	10	1	2	3	5	7	9	17
65+	594	5.4	32	1	2	4	6	11	17	26
GRAND TOTAL	1146	4.4	28	1	1	3	5	9	13	26

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	24	4.0	1	2	3	4	5	5	6	7
35-49	173	4.6	2	3	4	4	5	7	7	9
50-64	131	4.7	2	3	4	5	5	7	7	8
65 +	67	5.6	3	3	4	5	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	36	4.9	8	3	4	4	5	8	9	19
35-49	238	5.3	4	3	4	5	6	7	8	15
50-64	229	6.1	21	4	4	5	6	9	12	21
65 +	170	6.1	5	4	5	6	7	9	11	15
TOTAL SINGLE DX	397	4.8	3	3	4	5	6	7	8	9
TOTAL MULTIPLE DX	673	5.8	11	3	4	5	6	8	9	18
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	60	4.6	6	3	4	4	5	6	8	18
35-49	411	5.0	4	3	4	5	6	7	8	10
50-64	360	5.6	15	3	4	5	6	8	9	19
65 +	237	6.0	5	3	5	6	7	9	10	14
GRAND TOTAL	1070	5.4	8	3	4	5	6	8	9	15

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.8	5	1	1	2	4	6	6	6
20-34	26	4.4	2	2	3	4	5	7	7	8
35-49	154	4.0	2	2	3	4	5	6	6	7
50-64	165	4.2	2	2	3	4	5	6	7	9
65 +	75	5.3	5	2	3	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	18	6.2	20	1	4	5	7	13	16	18
20-34	34	4.6	5	2	3	4	6	7	10	11
35-49	217	4.9	8	2	3	4	6	8	9	16
50-64	263	5.0	6	2	3	5	6	8	10	13
65 +	239	5.2	6	2	4	5	7	8	10	14
TOTAL SINGLE DX	424	4.3	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	771	5.0	7	2	3	5	6	8	10	14
TOTAL										
0-19 YRS	22	5.5	20	1	3	5	6	12	15	18
20-34	60	4.5	4	2	3	4	6	7	8	11
35-49	371	4.5	6	2	3	4	5	7	8	13
50-64	428	4.7	5	2	3	4	6	7	9	13
65 +	314	5.2	7	2	3	5	7	8	10	14
GRAND TOTAL	1195	4.8	6	2	3	4	6	8	9	13

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.2	1	1	1	2	3	4	5	5
20-34	84	2.8	5	1	1	2	4	5	6	16
35-49	125	3.0	4	1	1	2	4	6	7	10
50-64	64	2.6	4	1	1	2	3	6	7	9
65 +	36	2.8	3	1	1	2	4	6	6	7
2. MULTIPLE DX										
0-19 YRS	19	6.8	68	2	3	4	7	13	27	38
20-34	102	4.7	11	1	2	4	6	10	12	15
35-49	211	5.4	40	1	2	4	7	11	14	32
50-64	187	6.4	47	1	2	4	9	14	19	32
65 +	270	8.0	61	1	3	6	10	17	23	38
TOTAL SINGLE DX	326	2.8	5	1	1	2	4	6	7	10
TOTAL MULTIPLE DX	789	6.5	48	1	2	4	8	14	19	35
TOTAL										
0-19 YRS	36	4.6	41	1	2	3	5	8	13	38
20-34	186	3.8	10	1	2	3	5	8	11	15
35-49	336	4.5	29	1	2	3	6	9	12	28
50-64	251	5.4	39	1	2	3	7	12	17	29
65 +	306	7.4	57	1	3	5	9	16	22	37
GRAND TOTAL	1115	5.4	38	1	2	4	7	12	16	32

652: Ultrasonic lithotripsy, except by percutaneous nephrostomy (59.95-59.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.9	2	1	1	2	2	5	6	6
20-34	208	1.6	1	1	1	1	1	3	5	7
35-49	381	1.5	1	1	1	1	1	3	4	5
50-64	351	1.4	1	1	1	1	1	3	3	7
65 +	171	1.6	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	12	4.6	13	1	2	4	8	29	87	99 +
20-34	116	3.3	9	1	1	2	5	7	10	15
35-49	196	2.9	9	1	1	2	3	7	10	16
50-64	266	2.8	16	1	1	1	3	6	9	14
65 +	292	3.6	21	1	1	2	4	8	13	22
TOTAL SINGLE DX	1127	1.5	1	1	1	1	1	3	4	7
TOTAL MULTIPLE DX	882	3.2	16	1	1	2	4	7	11	19
TOTAL										
0-19 YRS	28	3.1	8	1	1	2	5	9	15	99 +
20-34	324	2.2	5	1	1	1	2	5	7	11
35-49	577	2.0	5	1	1	1	2	4	5	12
50-64	617	2.0	8	1	1	1	2	4	6	12
65 +	463	2.9	15	1	1	1	3	7	10	20
GRAND TOTAL	2009	2.2	8	1	1	1	2	5	7	14

653: Miscellaneous operations on urinary tract (59.0-59.21, 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	4	6.0	8	2	4	7	8	8	8	8
50-64	2	8.0	72	2	2	8	14	14	14	14
65 +	3	5.0	7	3	3	4	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	5	4.6	1	3	4	5	5	6	6	6
20-34	14	14.4	216	5	6	8	15	46	49	50
35-49	19	9.4	27	4	6	9	11	18	22	22
50-64	23	13.3	77	5	8	11	16	30	33	34
65 +	45	12.9	162	2	4	8	17	25	40	63
TOTAL SINGLE DX	15	4.7	13	1	2	4	7	8	13	14
TOTAL MULTIPLE DX	106	12.2	121	3	6	9	15	24	35	56
TOTAL										
0-19 YRS	8	3.8	3	1	2	4	5	6	6	6
20-34	17	12.4	197	2	6	7	13	40	49	50
35-49	23	8.8	25	3	6	8	11	15	21	22
50-64	25	12.9	76	4	7	11	15	29	32	34
65 +	48	12.4	156	2	4	8	16	25	39	63
GRAND TOTAL	**121**	**11.2**	**113**	**2**	**5**	**8**	**14**	**23**	**33**	**54**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	26	3.4	1	2	3	3	4	5	6	7
50-64	798	3.8	1	2	3	4	4	5	6	8
65 +	1683	4.0	2	2	3	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	8	7.0	26	2	3	5	10	15	17	17
35-49	97	5.2	14	2	3	4	6	9	14	21
50-64	2872	5.0	14	3	3	4	5	8	11	20
65 +	11969	6.2	24	3	4	5	7	11	15	27
TOTAL SINGLE DX	2508	3.9	2	2	3	4	5	6	6	8
TOTAL MULTIPLE DX	14948	6.0	23	3	4	5	7	11	15	26
TOTAL										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	9	6.4	26	2	3	5	9	15	17	17
35-49	123	4.8	13	2	3	4	5	9	13	20
50-64	3670	4.7	12	3	3	4	5	7	10	19
65 +	13652	6.0	22	3	4	5	6	11	15	26
GRAND TOTAL	**17456**	**5.7**	**20**	**3**	**3**	**4**	**6**	**10**	**14**	**24**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	6.4	13	<1	4	7	8	11	11	11
50-64	103	8.3	6	5	7	8	10	12	13	16
65 +	153	8.7	6	6	7	8	10	12	14	16
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	9	11.1	24	6	9	10	12	19	22	22
50-64	264	9.8	21	6	7	9	11	15	18	31
65 +	664	11.2	53	6	8	10	13	18	23	37
TOTAL SINGLE DX	263	8.4	7	5	7	8	10	12	13	16
TOTAL MULTIPLE DX	938	10.8	45	6	8	9	12	17	22	34
TOTAL										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	14	9.4	24	4	7	9	11	15	20	22
50-64	367	9.4	18	6	7	8	11	14	16	29
65 +	817	10.8	46	6	8	9	12	17	22	33
GRAND TOTAL	**1201**	**10.3**	**37**	**6**	**7**	**9**	**12**	**15**	**20**	**32**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	1	11.0		11	11	11	11	11	11	11
35-49	10	2.4	1	<1	1	2	4	4	4	4
50-64	37	1.6	1	<1	1	1	2	3	4	7
65 +	57	2.3	5	<1	<1	1	3	6	8	9
2. MULTIPLE DX										
0-19 YRS	7	4.7	13	1	2	4	7	10	11	11
20-34	3	6.0	16	2	3	6	9	10	10	10
35-49	17	8.4	76	2	3	4	13	24	26	26
50-64	129	6.3	72	1	2	4	8	13	16	38
65 +	459	7.5	50	1	2	5	10	16	21	32
TOTAL SINGLE DX	108	2.2	4	<1	<1	1	3	5	7	10
TOTAL MULTIPLE DX	615	7.2	56	1	2	5	10	16	21	32
TOTAL										
0-19 YRS	10	4.3	12	1	2	3	7	9	11	11
20-34	4	7.3	17	2	4	8	10	11	11	11
35-49	27	6.2	56	1	2	3	6	21	25	26
50-64	166	5.2	61	1	1	3	7	11	15	25
65 +	516	6.9	48	1	2	5	10	15	20	32
GRAND TOTAL	723	6.5	51	1	2	4	9	14	20	32

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.5		<1	1	1	2	2	3	5
20-34	47	2.6	4	1	1	2	4	5	6	13
35-49	38	2.8	11	1	1	1	3	6	12	15
50-64	33	2.0	3	1	1	1	2	4	8	9
65 +	29	2.8	8	<1	1	1	3	8	10	11
2. MULTIPLE DX										
0-19 YRS	52	2.2	3	1	1	1	3	5	7	7
20-34	39	3.6	14	1	1	2	5	9	11	18
35-49	60	5.8	58	1	1	3	7	16	23	38
50-64	73	6.5	112	1	1	3	7	13	23	67
65 +	114	5.2	30	1	2	3	7	11	16	28
TOTAL SINGLE DX	218	2.2	5	1	1	1	2	5	7	13
TOTAL MULTIPLE DX	338	4.9	48	1	1	3	6	11	17	32
TOTAL										
0-19 YRS	123	1.8	2	1	1	1	2	4	5	7
20-34	86	3.1	9	1	1	2	4	6	10	16
35-49	98	4.6	42	1	1	2	5	12	19	34
50-64	106	5.1	82	1	1	2	5	11	22	52
65 +	143	4.7	27	1	1	3	6	11	15	25
GRAND TOTAL	556	3.9	33	1	1	2	4	9	13	26

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	1.6	3	1	1	1	1	3	4	12
20-34	124	2.2	4	1	1	1	2	4	6	11
35-49	67	2.0	3	1	1	2	2	3	5	10
50-64	39	1.9	2	1	1	1	2	4	5	8
65 +	127	1.9	4	1	1	1	2	3	6	13
2. MULTIPLE DX										
0-19 YRS	88	2.5	6	1	1	2	3	4	10	14
20-34	67	5.3	56	1	1	2	7	14	23	90
35-49	53	4.8	20	1	1	3	6	11	15	21
50-64	137	5.4	34	1	1	3	7	13	18	26
65 +	695	6.4	54	1	1	3	9	17	21	33
TOTAL SINGLE DX	451	1.9	4	1	1	1	2	4	5	10
TOTAL MULTIPLE DX	1040	5.8	47	1	1	3	8	15	21	32
TOTAL										
0-19 YRS	182	2.0	5	1	1	1	2	4	5	14
20-34	191	3.3	25	1	1	2	3	8	11	39
35-49	120	3.3	13	1	1	2	4	8	11	19
50-64	176	4.6	29	1	1	2	6	12	16	25
65 +	822	5.7	49	1	1	2	8	16	21	31
GRAND TOTAL	1491	4.6	37	1	1	2	6	12	18	29

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	372	1.3		<1	1	1	1	2	2	4
20-34	63	1.4		<1	1	1	2	2	3	5
35-49	5	1.8	1	1	1	1	2	4	4	4
50-64	3	3.7	9	1	1	3	6	7	7	7
65 +	0									
2. MULTIPLE DX										
0-19 YRS	244	1.8	3	1	1	1	2	3	5	8
20-34	16	1.3		1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
TOTAL SINGLE DX	443	1.3	1	1	1	1	1	2	3	5
TOTAL MULTIPLE DX	264	1.7	3	1	1	1	2	3	5	8
TOTAL										
0-19 YRS	616	1.5	2	1	1	1	1	2	3	7
20-34	79	1.4	1	1	1	1	2	2	3	5
35-49	7	1.7	1	1	1	1	2	4	4	4
50-64	5	3.0	6	1	1	3	4	7	7	7
65 +	0									
GRAND TOTAL	707	1.5	2	1	1	1	1	2	3	7

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	1.3		<1	1	1	1	2	3	6
20-34	31	2.0	2	1	1	1	3	4	5	8
35-49	15	2.1	1	<1	1	2	3	4	5	5
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	42	2.0	3	1	1	1	2	5	6	9
20-34	15	3.3	13	1	1	2	4	10	12	13
35-49	9	6.2	105	1	1	1	7	24	32	32
50-64	7	1.7	1	<1	1	1	3	4	4	4
65+	8	4.8	15	1	2	3	7	11	12	12
TOTAL SINGLE DX	133	1.6	2	<1	1	1	1	3	4	7
TOTAL MULTIPLE DX	81	3.0	18	1	1	1	3	7	10	26
TOTAL										
0-19 YRS	125	1.5	2	1	1	1	1	3	5	7
20-34	46	2.4	6	1	1	1	3	5	8	13
35-49	24	3.6	42	1	1	2	3	6	17	32
50-64	10	2.0	3	<1	1	1	3	5	6	6
65+	9	4.7	14	1	2	4	7	10	12	12
GRAND TOTAL	**214**	**2.1**	**8**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	14	1.0		<1	<1	<1	<1	1	1	1
35-49	6	1.0		<1	<1	<1	<1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	3	3.7	21	<1	<1	1	7	9	9	9
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	7	2.4	9	<1	1	1	3	8	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	5.7	5	3	4	7	7	7	7	7
TOTAL SINGLE DX	20	1.0		<1	<1	<1	<1	1	1	1
TOTAL MULTIPLE DX	19	2.8	8	<1	1	1	3	8	9	9
TOTAL										
0-19 YRS	3	3.7	21	<1	<1	1	7	9	9	9
20-34	19	1.0		<1	<1	<1	<1	1	1	1
35-49	13	1.8	5	<1	<1	1	1	4	8	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	5.7	5	3	4	7	7	7	7	7
GRAND TOTAL	**39**	**1.9**	**5**	**<1**	**<1**	**<1**	**1**	**5**	**8**	**9**

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	1.6	1	<1	1	1	2	3	5	6
20-34	38	1.5	2	<1	1	1	1	2	2	11
35-49	58	1.4	1	<1	1	1	1	2	3	8
50-64	40	1.6	1	<1	1	1	2	4	5	6
65+	13	3.0	24	<1	1	1	2	7	17	19
2. MULTIPLE DX										
0-19 YRS	23	1.8	1	<1	1	1	2	4	5	6
20-34	22	2.6	6	1	1	2	3	6	9	12
35-49	37	2.0	5	<1	1	1	2	4	7	12
50-64	35	3.2	17	1	1	1	3	8	10	23
65+	38	3.3	11	1	1	2	5	8	12	13
TOTAL SINGLE DX	188	1.6	3	<1	1	1	2	3	4	10
TOTAL MULTIPLE DX	155	2.6	9	1	1	1	3	6	9	13
TOTAL										
0-19 YRS	62	1.7	1	<1	1	1	2	3	5	6
20-34	60	1.9	4	<1	1	1	2	3	6	12
35-49	95	1.6	3	<1	1	1	1	3	5	10
50-64	75	2.3	10	<1	1	1	2	6	8	20
65+	51	3.2	14	1	1	2	4	8	12	19
GRAND TOTAL	**343**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**4**	**7**	**12**

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.0		<1	<1	1	1	1	1	2
20-34	9	1.6		<1	<1	1	2	3	3	3
35-49	6	1.2		<1	<1	<1	<1	2	2	2
50-64	9	1.0		<1	<1	<1	<1	<1	<1	<1
65+	7	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	48	4.0	33	<1	1	1	4	12	15	26
20-34	11	7.5	62	1	2	6	8	21	26	27
35-49	27	4.6	40	<1	1	2	7	9	17	31
50-64	40	4.8	39	<1	1	2	7	9	19	29
65+	57	7.1	64	1	1	5	9	19	23	42
TOTAL SINGLE DX	67	1.1		<1	<1	<1	1	1	2	3
TOTAL MULTIPLE DX	183	5.4	48	<1	1	2	8	13	23	30
TOTAL										
0-19 YRS	84	2.7	21	<1	1	1	2	6	12	26
20-34	20	4.9	43	<1	1	2	6	13	22	27
35-49	33	4.0	34	<1	<1	1	6	9	13	31
50-64	49	4.1	34	<1	<1	1	6	9	13	29
65+	64	6.4	61	1	1	4	9	17	23	40
GRAND TOTAL	**250**	**4.3**	**39**	**<1**	**1**	**1**	**6**	**10**	**17**	**29**

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	6	3.5	6	1	2	3	4	8	8	8
35-49	28	3.0	2	1	2	3	4	6	7	7
50-64	127	2.8	8	1	2	2	3	5	6	13
65+	70	2.8	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	42	4.3	10	1	2	3	5	10	12	15
35-49	135	3.4	4	1	2	3	4	6	8	11
50-64	424	3.2	3	1	2	3	4	5	6	12
65+	241	3.3	3	1	2	3	4	5	6	11
TOTAL SINGLE DX	231	2.9	6	1	2	2	3	5	6	8
TOTAL MULTIPLE DX	843	3.3	4	1	2	3	4	5	7	12
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	48	4.2	10	1	2	3	5	9	12	15
35-49	163	3.4	4	1	2	3	4	6	7	10
50-64	551	3.1	5	1	2	3	4	5	6	12
65+	311	3.2	4	1	2	3	4	5	6	9
GRAND TOTAL	**1074**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	2.2	4	1	1	1	3	4	6	13
20-34	51	3.7	30	< 1	< 1	1	4	10	17	24
35-49	32	2.5	6	< 1	1	1	3	6	8	11
50-64	26	2.9	3	1	1	2	4	6	7	8
65+	23	3.5	10	< 1	< 1	2	5	8	10	13
2. MULTIPLE DX										
0-19 YRS	81	3.2	16	1	1	2	3	7	12	23
20-34	62	8.8	75	1	2	6	11	26	28	30
35-49	61	8.0	70	1	2	5	10	22	26	40
50-64	68	5.1	35	1	1	3	6	12	18	31
65+	95	7.9	56	2	3	6	10	16	20	43
TOTAL SINGLE DX	178	3.0	13	< 1	1	1	4	7	10	22
TOTAL MULTIPLE DX	367	6.5	53	1	2	4	8	16	23	32
TOTAL										
0-19 YRS	127	2.8	12	1	1	2	3	6	11	18
20-34	113	6.5	61	< 1	1	3	9	19	27	29
35-49	93	6.1	55	1	1	4	8	16	23	35
50-64	94	4.5	27	1	1	3	5	9	16	29
65+	118	7.1	51	1	2	5	9	15	19	42
GRAND TOTAL	**545**	**5.4**	**43**	**1**	**1**	**3**	**7**	**13**	**19**	**29**

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	3.6	1	2	3	4	4	5	6	9
20-34	444	3.6	1	2	3	4	4	5	5	8
35-49	77	3.5	1	2	3	3	4	5	5	6
50-64	7	5.4	3	4	4	5	6	8	9	9
65+	3	6.0	4	4	4	6	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	217	4.4	7	2	3	4	5	7	10	16
20-34	1048	4.1	3	2	3	4	5	6	7	11
35-49	257	4.9	11	2	3	4	5	8	11	17
50-64	40	9.5	91	3	5	8	11	16	19	62
65+	49	12.4	85	5	7	9	14	25	32	51
TOTAL SINGLE DX	695	3.6	2	2	3	4	4	5	6	8
TOTAL MULTIPLE DX	1611	4.7	12	2	3	4	5	7	10	18
TOTAL										
0-19 YRS	381	4.1	5	2	3	4	5	6	8	13
20-34	1492	4.0	3	2	3	4	4	6	7	11
35-49	334	4.6	9	2	3	4	5	7	9	16
50-64	47	8.9	80	4	5	7	10	16	18	62
65+	52	12.0	83	5	6	9	14	25	31	51
GRAND TOTAL	**2306**	**4.3**	**9**	**2**	**3**	**4**	**5**	**6**	**9**	**16**

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	3.8	1	2	3	4	4	5	6	9
20-34	408	3.9	4	3	3	4	4	5	6	11
35-49	221	4.2	4	2	3	4	5	6	8	15
50-64	40	4.3	3	3	3	4	5	6	8	12
65 +	16	5.3	4	2	4	5	6	7	10	11
2. MULTIPLE DX										
0-19 YRS	140	5.2	25	3	3	4	6	8	11	21
20-34	1199	4.6	5	3	3	4	5	7	9	14
35-49	805	4.8	7	3	4	4	5	7	9	14
50-64	111	8.5	68	3	4	6	10	15	22	54
65 +	126	10.6	59	4	5	8	13	21	25	46
TOTAL SINGLE DX	782	4.0	4	2	3	4	4	5	7	12
TOTAL MULTIPLE DX	2381	5.2	15	3	3	4	5	9	11	21
TOTAL										
0-19 YRS	237	4.6	16	3	3	4	5	7	9	16
20-34	1607	4.4	5	3	3	4	5	7	9	13
35-49	1026	4.7	7	3	3	4	5	7	9	14
50-64	151	7.4	54	3	4	5	9	13	19	46
65 +	142	10.0	56	4	5	8	12	20	24	45
GRAND TOTAL	**3163**	**4.9**	**13**	**3**	**3**	**4**	**5**	**8**	**10**	**19**

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.8	5	1	1	2	4	7	7	7
20-34	46	4.4	3	3	3	4	5	7	7	12
35-49	72	4.3	2	3	3	4	5	6	8	11
50-64	46	5.0	4	3	4	4	5	7	11	12
65 +	28	5.1	4	3	4	5	6	7	8	13
2. MULTIPLE DX										
0-19 YRS	4	6.3	19	2	3	5	9	12	12	12
20-34	266	4.4	3	3	3	4	5	6	8	12
35-49	646	5.1	8	3	4	4	5	8	10	17
50-64	242	7.5	35	4	4	5	9	13	18	34
65 +	241	9.8	59	4	5	8	11	16	23	43
TOTAL SINGLE DX	198	4.6	4	3	3	4	5	7	8	12
TOTAL MULTIPLE DX	1399	6.2	25	3	4	5	7	11	14	29
TOTAL										
0-19 YRS	10	4.2	12	1	2	3	7	10	12	12
20-34	312	4.4	4	3	3	4	5	6	8	12
35-49	718	5.0	8	3	4	4	5	8	10	16
50-64	288	7.1	32	4	4	5	8	12	16	33
65 +	269	9.3	55	4	5	7	11	15	22	43
GRAND TOTAL	**1597**	**6.0**	**23**	**3**	**4**	**5**	**6**	**10**	**13**	**27**

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	2.8	2	1	1	3	4	5	6	7
20-34	94	3.0	3	1	1	3	4	6	7	8
35-49	19	3.1	3	< 1	2	3	4	5	7	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	56	5.5	89	1	2	3	5	8	19	62
20-34	404	3.8	6	1	3	3	4	6	7	15
35-49	90	4.4	24	1	2	3	5	7	13	32
50-64	9	4.8	2	3	4	5	6	7	7	7
65 +	5	10.0	56	4	4	6	17	20	20	20
TOTAL SINGLE DX	150	3.0	3	1	1	3	4	5	7	8
TOTAL MULTIPLE DX	564	4.1	18	1	3	4	4	6	8	22
TOTAL										
0-19 YRS	92	4.4	57	1	2	3	4	6	9	51
20-34	498	3.6	6	1	2	3	4	6	7	15
35-49	109	4.2	21	1	2	3	4	6	11	26
50-64	10	4.7	2	3	4	5	6	7	7	7
65 +	5	10.0	56	4	4	6	17	20	20	20
GRAND TOTAL	**714**	**3.9**	**15**	**1**	**2**	**3**	**4**	**6**	**8**	**20**

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	113	1.2		< 1	< 1	< 1	< 1	1	2	6
35-49	62	1.0		< 1	< 1	< 1	< 1	< 1	1	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	164	2.6	23	< 1	1	2	3	3	4	25
35-49	54	2.7	22	< 1	< 1	1	2	4	11	29
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	176	1.1		< 1	< 1	< 1	< 1	< 1	1	5
TOTAL MULTIPLE DX	222	2.6	23	< 1	1	2	3	4	5	28
TOTAL										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	277	2.0	15	< 1	< 1	1	2	3	4	9
35-49	116	1.8	11	< 1	< 1	< 1	1	2	4	22
50-64	2	3.0	8	< 1	< 1	2	5	5	5	5
65 +	0									
GRAND TOTAL	**398**	**2.0**	**14**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**	**15**

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	198	2.2	1	1	1	2	3	3	4	5
35-49	52	2.3	1	<1	1	2	3	4	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	0									
2. MULTIPLE DX										
0-19 YRS	11	3.6	5	2	2	3	3	8	9	9
20-34	1942	2.7	1	2	2	3	3	4	4	7
35-49	361	3.0	4	2	2	3	3	4	5	9
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	0									
TOTAL SINGLE DX	252	2.2	1	1	1	2	3	4	4	5
TOTAL MULTIPLE DX	2316	2.7	2	2	2	3	3	4	4	8
TOTAL										
0-19 YRS	11	3.6	5	2	2	3	3	8	9	9
20-34	2140	2.6	2	2	2	2	3	4	4	7
35-49	413	2.9	4	1	2	3	3	4	5	9
50-64	4	3.8	2	2	3	4	5	5	5	5
65+	0									
GRAND TOTAL	**2568**	**2.7**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**8**

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	95	3.6	1	2	3	4	4	5	6	8
20-34	1070	3.4	1	2	3	3	4	5	5	6
35-49	187	3.3	2	2	2	3	4	5	5	9
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	108	4.0	2	2	3	4	5	6	6	9
20-34	1782	3.8	2	2	3	4	4	5	6	9
35-49	382	4.1	6	2	3	4	5	6	7	12
50-64	12	7.9	39	3	4	6	9	17	24	25
65+	4	8.5	48	2	3	7	13	18	18	18
TOTAL SINGLE DX	1352	3.4	2	2	3	3	4	5	5	7
TOTAL MULTIPLE DX	2288	3.9	3	2	3	4	4	5	6	10
TOTAL										
0-19 YRS	203	3.8	2	2	3	4	4	6	6	8
20-34	2852	3.7	2	2	3	4	4	5	6	8
35-49	569	3.8	5	2	3	4	4	6	6	11
50-64	12	7.9	39	3	4	6	9	17	24	25
65+	4	8.5	48	2	3	7	13	18	18	18
GRAND TOTAL	**3640**	**3.7**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	41	1.1		<1	1	1	1	2	2	3
35-49	18	1.5	1	<1	<1	1	1	4	4	4
50-64	12	2.7	9	<1	1	1	3	9	10	10
65+	4	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	3	18.7	444	1	4	13	35	42	42	42
20-34	52	1.8	2	<1	1	1	1	5	6	7
35-49	49	3.2	26	<1	1	2	3	5	10	34
50-64	29	3.4	25	<1	1	1	3	11	17	21
65+	16	5.0	72	1	1	2	4	15	28	33
TOTAL SINGLE DX	76	1.5	2	<1	1	1	1	3	4	9
TOTAL MULTIPLE DX	149	3.3	33	<1	1	1	3	6	14	34
TOTAL										
0-19 YRS	4	14.3	374	1	1	7	27	42	42	42
20-34	93	1.5	2	<1	1	1	1	3	5	7
35-49	67	2.8	20	<1	1	1	3	4	7	31
50-64	41	3.2	21	<1	1	1	3	9	15	21
65+	20	4.5	58	1	1	2	3	12	24	33
GRAND TOTAL	**225**	**2.7**	**23**	**<1**	**1**	**1**	**3**	**5**	**9**	**33**

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	<1	<1	1	2	2
20-34	56	1.3	2	<1	<1	<1	<1	1	3	11
35-49	32	1.8	2	<1	<1	1	2	4	5	9
50-64	15	1.9	1	<1	1	2	3	4	4	4
65+	13	3.5	5	<1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	8	2.5	5	<1	1	1	4	6	7	7
20-34	75	3.4	29	<1	<1	1	3	9	17	82
35-49	69	3.6	13	<1	1	2	5	7	9	20
50-64	58	6.1	64	<1	1	3	7	16	23	40
65+	89	7.7	72	2	3	5	9	14	19	53
TOTAL SINGLE DX	126	1.7	3	<1	<1	<1	2	4	5	9
TOTAL MULTIPLE DX	299	5.2	48	<1	1	3	6	12	18	37
TOTAL										
0-19 YRS	18	1.7	3	<1	<1	1	1	4	6	7
20-34	131	2.5	19	<1	<1	<1	2	6	11	43
35-49	101	3.0	11	<1	<1	1	4	7	9	18
50-64	73	5.3	55	<1	1	3	5	12	21	39
65+	102	7.1	66	2	3	5	8	14	19	47
GRAND TOTAL	**425**	**4.2**	**37**	**<1**	**<1**	**2**	**5**	**9**	**14**	**32**

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.8	1	1	1	1	2	3	4	4
20-34	427	1.7	2	1	1	1	2	3	4	7
35-49	67	1.5		1	1	1	2	3	3	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	13	2.8	3	1	2	2	4	6	7	7
20-34	163	2.9	5	1	1	2	4	5	8	13
35-49	29	2.3	3	1	1	2	3	4	6	10
50-64	3	2.7	8	1	1	1	5	6	6	6
65 +	0									
TOTAL SINGLE DX	521	1.6	2	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	208	2.8	5	1	1	2	4	5	7	12
TOTAL										
0-19 YRS	38	2.2	2	1	1	2	3	4	5	7
20-34	590	2.0	3	1	1	1	2	4	5	9
35-49	96	1.7	2	1	1	1	2	3	4	8
50-64	5	2.2	5	1	1	1	3	6	6	6
65 +	0									
GRAND TOTAL	729	2.0	3	1	1	1	2	4	5	9

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	157	3.5	1	1	3	4	4	5	5	7
35-49	70	3.6	2	1	2	4	5	6	6	8
50-64	5	1.2		< 1	< 1	1	1	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	9	5.8	14	2	4	5	6	12	15	15
20-34	367	4.2	4	2	3	4	5	6	7	14
35-49	263	4.2	11	1	3	4	5	6	8	23
50-64	46	4.8	17	< 1	2	3	6	12	14	16
65 +	44	9.0	42	< 1	4	8	12	19	23	27
TOTAL SINGLE DX	234	3.5	2	1	3	4	4	5	6	7
TOTAL MULTIPLE DX	729	4.5	12	1	3	4	5	7	10	20
TOTAL										
0-19 YRS	10	5.6	13	2	4	5	6	11	15	15
20-34	524	4.0	4	2	3	4	5	6	7	11
35-49	333	4.1	10	1	3	4	5	6	8	21
50-64	51	4.5	17	< 1	1	3	6	11	14	16
65 +	45	8.9	42	< 1	4	8	12	19	23	27
GRAND TOTAL	963	4.3	9	1	3	4	5	7	9	19

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	492	4.2	1	3	4	4	5	5	6	8
35-49	1009	4.5	1	3	4	4	5	6	6	9
50-64	375	4.9	2	4	4	5	5	7	8	12
65 +	222	5.9	4	4	5	5	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	31	4.6	3	2	3	4	5	7	8	8
20-34	4277	4.9	5	3	4	4	5	7	8	14
35-49	12658	5.0	4	4	4	5	5	7	8	13
50-64	3259	5.6	10	4	4	5	6	8	10	19
65 +	1594	7.6	23	4	5	6	8	13	17	28
TOTAL SINGLE DX	2100	4.7	2	3	4	4	5	6	7	10
TOTAL MULTIPLE DX	21819	5.2	8	4	4	5	6	7	9	16
TOTAL										
0-19 YRS	33	4.5	3	2	3	4	5	7	8	8
20-34	4769	4.8	5	3	4	4	5	6	8	13
35-49	13667	4.9	5	4	4	4	5	7	8	13
50-64	3634	5.6	10	4	4	5	6	8	10	19
65 +	1816	7.4	22	4	5	6	8	12	16	28
GRAND TOTAL	23919	5.2	7	4	4	5	5	7	9	16

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	261	3.6	1	2	3	3	4	5	5	6
35-49	374	3.8	3	2	3	4	4	5	6	7
50-64	254	4.5	2	3	4	4	5	7	7	9
65 +	243	5.1	2	3	4	5	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1135	4.1	2	3	3	4	5	6	6	9
35-49	2648	4.3	3	3	3	4	5	6	7	10
50-64	1103	5.1	4	3	4	5	6	7	8	13
65 +	1059	5.9	5	4	5	5	7	8	10	15
TOTAL SINGLE DX	1133	4.2	3	3	3	4	5	6	7	9
TOTAL MULTIPLE DX	5948	4.7	4	3	4	4	5	7	8	12
TOTAL										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	1396	4.0	2	3	3	4	5	5	6	9
35-49	3022	4.2	4	3	3	4	5	6	7	9
50-64	1357	5.0	4	3	4	5	6	7	8	12
65 +	1302	5.7	5	4	4	5	6	8	9	15
GRAND TOTAL	7081	4.6	4	3	3	4	5	7	8	11

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	20	7.3	6	4	6	7	8	10	13	15
35-49	26	7.2	4	5	6	7	8	10	11	12
50-64	10	12.9	104	6	7	9	12	31	38	38
65 +	4	6.5	1	5	5	6	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	43	7.9	9	4	6	8	10	12	13	18
35-49	57	10.5	33	5	7	9	12	18	24	31
50-64	37	12.4	55	6	8	10	15	21	29	36
65 +	29	13.5	56	6	8	13	15	24	32	36
TOTAL SINGLE DX	60	8.1	25	5	6	7	9	11	14	37
TOTAL MULTIPLE DX	167	10.8	39	5	7	9	13	19	24	35
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	63	7.7	8	4	6	7	9	11	13	18
35-49	83	9.4	27	5	6	8	10	15	22	30
50-64	47	12.5	64	6	7	9	15	23	31	38
65 +	33	12.7	55	5	7	12	15	21	31	36
GRAND TOTAL	**227**	**10.1**	**37**	**5**	**7**	**8**	**11**	**17**	**23**	**36**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	51	1.8	2	< 1	< 1	1	2	4	6	9
35-49	12	1.9	2	< 1	1	1	2	4	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	2.9	4	1	1	2	4	6	8	8
20-34	52	3.6	11	1	1	2	5	8	10	16
35-49	15	3.1	6	1	1	2	5	7	8	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	67	1.8	3	< 1	1	1	2	4	6	9
TOTAL MULTIPLE DX	79	3.4	9	1	1	2	5	8	9	15
TOTAL										
0-19 YRS	16	2.6	4	1	1	2	4	5	7	8
20-34	103	2.7	8	< 1	1	1	3	7	8	15
35-49	27	2.6	5	1	1	2	3	6	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**146**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**6**	**8**	**14**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	518	1.4	1	< 1	1	1	1	2	3	6
20-34	2437	1.4	1	< 1	< 1	1	1	2	3	5
35-49	544	1.3		< 1	< 1	1	1	2	3	5
50-64	91	1.2		< 1	< 1	< 1	1	2	3	5
65 +	38	2.2	6	< 1	< 1	< 1	3	4	9	13
2. MULTIPLE DX										
0-19 YRS	277	2.7	14	1	1	2	3	4	6	13
20-34	1576	2.9	13	1	1	2	3	5	7	18
35-49	905	3.5	27	< 1	1	2	4	7	11	24
50-64	344	4.7	54	< 1	1	2	5	10	19	40
65 +	308	5.9	47	1	1	4	7	12	21	35
TOTAL SINGLE DX	3628	1.4	1	< 1	< 1	1	1	2	3	6
TOTAL MULTIPLE DX	3410	3.5	25	1	1	2	4	7	11	26
TOTAL										
0-19 YRS	795	1.9	6	< 1	1	1	2	3	4	9
20-34	4013	2.0	7	< 1	1	1	2	4	5	11
35-49	1449	2.7	18	< 1	1	1	3	5	8	23
50-64	435	4.0	45	< 1	< 1	1	4	9	17	38
65 +	346	5.5	44	< 1	1	3	7	12	19	34
GRAND TOTAL	**7038**	**2.4**	**14**	**<1**	**1**	**1**	**2**	**5**	**7**	**20**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	5.1	152	< 1	1	1	1	23	38	38
20-34	18	1.3		< 1	< 1	1	1	3	3	3
35-49	7	2.0	2	< 1	< 1	1	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	15	2.8	7	1	1	2	3	8	9	10
20-34	71	4.2	26	1	1	3	5	8	18	28
35-49	13	2.8	5	1	1	2	4	6	8	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	34	2.5	40	< 1	< 1	1	1	3	4	38
TOTAL MULTIPLE DX	99	3.8	21	1	1	2	5	8	12	26
TOTAL										
0-19 YRS	24	3.7	59	1	1	1	2	8	18	38
20-34	89	3.7	22	< 1	1	2	4	7	13	27
35-49	20	2.5	4	< 1	1	2	4	5	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**133**	**3.5**	**26**	**1**	**1**	**2**	**4**	**6**	**10**	**31**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	1.3		< 1	< 1	1	1	2	3	5
20-34	465	1.3		< 1	< 1	1	1	2	3	4
35-49	72	1.7	5	< 1	< 1	1	1	3	4	17
50-64	5	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-19 YRS	47	2.9	9	< 1	1	2	3	6	11	15
20-34	289	2.7	5	1	1	2	3	6	8	12
35-49	61	2.5	3	< 1	1	2	4	5	7	9
50-64	0									
65 +	3	10.7	12	7	8	11	13	14	14	14
TOTAL SINGLE DX	665	1.3	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	400	2.7	6	1	1	2	3	6	8	13
TOTAL										
0-19 YRS	169	1.7	3	< 1	1	1	2	3	4	13
20-34	754	1.8	3	< 1	1	1	2	4	5	9
35-49	133	2.1	5	< 1	1	1	2	4	6	12
50-64	5	1.0		< 1	< 1	< 1	1	1	1	1
65 +	4	8.3	32	< 1	3	9	12	14	14	14
GRAND TOTAL	1065	1.9	3	<1	1	1	2	4	5	10

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	12	3.5	3	1	3	3	4	6	7	7
35-49	3	5.3	2	4	4	5	6	7	7	7
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	55	4.4	19	2	3	3	4	6	9	33
35-49	8	3.9	3	2	2	3	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65 +	3	8.7	58	2	3	7	14	17	17	17
TOTAL SINGLE DX	17	3.9	3	1	3	3	5	7	7	7
TOTAL MULTIPLE DX	71	4.5	18	2	3	4	5	7	9	30
TOTAL										
0-19 YRS	4	5.3	7	3	3	4	7	9	9	9
20-34	67	4.2	17	2	3	3	4	6	8	30
35-49	11	4.3	3	2	2	4	6	7	7	7
50-64	3	4.3	1	3	3	5	5	5	5	5
65 +	3	8.7	58	2	3	7	14	17	17	17
GRAND TOTAL	88	4.4	15	2	3	4	5	7	9	28

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.3	2	< 1	1	2	3	4	5	5
20-34	89	2.3	2	< 1	< 1	2	3	5	5	7
35-49	20	2.3	3	< 1	< 1	1	3	6	6	7
50-64	8	2.4		< 1	2	2	3	4	4	4
65 +	11	2.0	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	3.6	6	< 1	1	3	5	7	9	11
20-34	165	3.3	15	1	1	3	4	6	7	11
35-49	70	3.4	9	< 1	1	3	4	6	9	19
50-64	39	3.5	9	< 1	2	3	4	5	11	16
65 +	42	4.7	28	1	2	3	4	11	20	24
TOTAL SINGLE DX	140	2.3	2	< 1	< 1	2	3	5	5	7
TOTAL MULTIPLE DX	336	3.5	15	1	2	3	4	6	8	21
TOTAL										
0-19 YRS	32	3.1	5	< 1	1	3	4	6	7	11
20-34	254	2.9	11	< 1	1	2	4	5	6	9
35-49	90	3.1	8	< 1	1	2	4	6	7	17
50-64	47	3.3	8	< 1	2	3	4	5	9	16
65 +	53	4.1	23	1	2	3	4	8	19	24
GRAND TOTAL	476	3.1	11	<1	1	3	4	5	7	19

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	30	3.5	2	1	2	4	4	5	6	6
35-49	136	3.7	3	2	3	3	5	6	7	9
50-64	290	4.0	2	2	3	4	5	6	6	8
65 +	240	4.4	2	2	3	4	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	76	3.7	3	2	3	4	5	6	6	10
35-49	303	4.5	4	2	3	4	5	7	8	13
50-64	600	4.7	4	3	3	4	6	7	8	12
65 +	610	5.2	5	3	4	5	6	8	9	14
TOTAL SINGLE DX	697	4.1	3	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	1591	4.8	5	3	3	4	6	7	8	12
TOTAL										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	106	3.6	3	1	3	4	5	5	6	9
35-49	439	4.2	4	2	3	4	5	7	8	11
50-64	890	4.5	4	2	3	4	5	7	8	11
65 +	850	5.0	5	3	4	5	6	7	8	11
GRAND TOTAL	2288	4.6	4	2	3	4	5	7	8	11

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	3.1	11	1	1	2	3	7	9	16
20-34	79	3.1	3	1	2	3	4	6	6	10
35-49	21	3.0	3	1	2	3	4	5	7	8
50-64	19	3.9	2	2	3	4	4	6	6	8
65 +	20	4.5	2	2	3	4	6	7	7	8
2. MULTIPLE DX										
0-19 YRS	46	4.5	12	1	2	3	6	9	11	16
20-34	68	4.3	27	1	2	3	5	9	10	36
35-49	40	3.9	6	1	2	3	5	8	10	10
50-64	72	6.1	36	2	3	5	7	9	15	39
65 +	81	8.1	100	3	4	6	9	13	15	70
TOTAL SINGLE DX	167	3.4	5	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	307	5.7	46	1	3	4	7	10	13	36
TOTAL										
0-19 YRS	74	3.9	13	1	1	3	6	9	10	16
20-34	147	3.7	15	1	2	3	4	6	9	19
35-49	61	3.6	6	1	2	3	4	7	9	10
50-64	91	5.6	30	2	3	4	6	8	10	37
65 +	101	7.4	83	3	4	5	8	12	15	59
GRAND TOTAL	**474**	**4.9**	**33**	**1**	**2**	**4**	**6**	**9**	**11**	**29**

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	4.0	10	< 1	1	3	7	9	11	12
20-34	96	3.1	9	< 1	1	2	4	7	8	18
35-49	43	3.6	11	< 1	1	2	5	9	11	15
50-64	34	3.1	3	1	1	3	4	5	6	10
65 +	45	4.1	4	2	3	3	5	7	8	10
2. MULTIPLE DX										
0-19 YRS	47	4.1	31	1	2	3	5	7	11	99 +
20-34	159	4.5	16	1	2	3	6	10	12	16
35-49	86	6.2	42	1	3	4	6	13	17	38
50-64	124	4.7	14	2	2	4	5	8	13	20
65 +	249	5.7	28	2	3	4	6	11	17	31
TOTAL SINGLE DX	240	3.4	8	< 1	1	3	5	7	9	15
TOTAL MULTIPLE DX	665	5.2	25	1	2	4	6	10	14	32
TOTAL										
0-19 YRS	69	4.0	25	1	1	3	6	8	10	88
20-34	255	4.0	15	< 1	1	3	5	8	11	16
35-49	129	5.3	33	1	2	4	6	12	15	34
50-64	158	4.4	12	1	2	3	5	8	12	19
65 +	294	5.4	25	2	3	4	6	10	15	29
GRAND TOTAL	**905**	**4.7**	**21**	**1**	**2**	**4**	**6**	**9**	**13**	**25**

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	2.3	10	< 1	1	1	2	4	7	20
20-34	66	2.1	1	< 1	1	2	3	4	5	7
35-49	52	2.0	2	< 1	1	1	3	4	5	8
50-64	23	1.7	1	< 1	1	1	2	3	4	6
65 +	20	3.4	17	< 1	< 1	1	4	7	13	19
2. MULTIPLE DX										
0-19 YRS	53	4.2	14	1	2	3	5	9	13	20
20-34	108	3.8	32	1	2	2	3	8	11	39
35-49	70	5.1	37	1	1	3	6	13	17	32
50-64	49	6.9	45	2	2	4	10	17	21	31
65 +	78	8.9	81	1	3	7	11	20	25	50
TOTAL SINGLE DX	202	2.2	5	< 1	1	1	3	4	6	13
TOTAL MULTIPLE DX	358	5.6	46	1	2	3	7	14	19	34
TOTAL										
0-19 YRS	94	3.4	14	< 1	1	2	4	8	11	20
20-34	174	3.1	21	1	1	2	3	6	8	33
35-49	122	3.8	24	< 1	1	2	4	9	14	28
50-64	72	5.3	37	1	1	3	6	15	18	29
65 +	98	7.7	73	1	2	5	10	19	24	44
GRAND TOTAL	**560**	**4.4**	**34**	**< 1**	**1**	**2**	**5**	**11**	**16**	**29**

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	4.5	27	1	1	3	8	12	12	12
35-49	11	4.2	8	1	2	4	5	9	11	11
50-64	14	5.4	13	1	2	5	7	11	13	13
65 +	11	4.6	11	1	1	3	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	0									
20-34	8	6.5	24	2	3	6	8	15	17	17
35-49	14	7.7	64	1	3	6	8	15	29	33
50-64	32	9.1	54	2	4	7	11	22	26	32
65 +	86	9.6	41	3	5	8	12	16	25	33
TOTAL SINGLE DX	42	4.6	12	1	2	4	7	10	12	13
TOTAL MULTIPLE DX	140	9.1	45	2	5	8	12	16	25	33
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	12	5.8	24	1	2	4	8	13	16	17
35-49	25	6.2	42	1	3	5	8	11	18	33
50-64	46	8.0	45	2	3	7	11	14	24	32
65 +	97	9.1	40	2	5	8	12	15	23	32
GRAND TOTAL	**182**	**8.1**	**41**	**2**	**4**	**7**	**11**	**14**	**23**	**33**

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	1.7	1	<1	1	1	2	3	5	6
20-34	22	1.8		<1	1	2	2	3	4	5
35-49	7	2.9	13	<1	<1	2	2	9	11	11
50-64	3	2.3	2	1	1	2	3	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	24	2.5	2	1	1	2	4	5	6	6
20-34	34	2.5	3	1	1	2	3	4	5	11
35-49	17	3.6	8	1	2	3	5	6	11	13
50-64	13	4.2	6	2	2	4	5	8	10	11
65 +	5	3.4	2	1	2	4	4	5	5	5
TOTAL SINGLE DX	66	1.9	2	<1	1	1	2	3	5	10
TOTAL MULTIPLE DX	93	3.0	5	1	1	2	4	5	6	12
TOTAL										
0-19 YRS	57	2.0	2	1	1	1	3	5	5	6
20-34	56	2.2	3	<1	1	2	3	4	5	11
35-49	24	3.4	10	1	1	2	4	7	12	13
50-64	16	3.8	6	2	2	3	5	7	10	11
65 +	6	3.3	2	1	3	3	4	5	5	5
GRAND TOTAL	**159**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.2	3	<1	1	1	3	5	5	5
20-34	3	5.0	28	<1	1	3	9	11	11	11
35-49	0									
50-64	0									
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	7	3.0	5	<1	1	2	5	6	6	6
20-34	8	8.0	202	1	2	3	5	32	43	43
35-49	4	6.5	57	<1	<1	4	12	17	17	17
50-64	3	4.0	7	1	2	5	6	6	6	6
65 +	6	5.8	4	3	4	6	7	9	9	9
TOTAL SINGLE DX	9	3.0	11	<1	<1	1	4	9	11	11
TOTAL MULTIPLE DX	28	5.6	65	1	2	4	6	8	20	43
TOTAL										
0-19 YRS	12	2.7	4	<1	1	2	5	6	6	6
20-34	11	7.2	149	1	2	3	6	24	41	43
35-49	4	6.5	57	<1	<1	4	12	17	17	17
50-64	3	4.0	7	1	2	5	6	6	6	6
65 +	7	5.1	7	1	3	6	7	9	9	9
GRAND TOTAL	**37**	**5.0**	**53**	**<1**	**1**	**3**	**6**	**9**	**15**	**43**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	462	2.4	1	2	2	2	3	3	3	4
20-34	2563	2.4		2	2	2	3	3	4	4
35-49	142	2.6		2	2	3	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	814	2.8	2	2	2	2	3	4	5	8
20-34	4402	2.7	1	2	2	3	3	4	4	7
35-49	334	2.7	1	2	2	3	3	4	4	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
TOTAL SINGLE DX	3167	2.4	1	2	2	2	3	3	4	4
TOTAL MULTIPLE DX	5552	2.7	2	2	2	3	3	4	4	7
TOTAL										
0-19 YRS	1276	2.6	2	2	2	2	3	4	4	7
20-34	6965	2.6	1	2	2	2	3	4	4	6
35-49	476	2.7	1	2	2	3	3	4	4	5
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
GRAND TOTAL	**8719**	**2.6**	**1**	**2**	**2**	**2**	**3**	**4**	**4**	**6**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	2.0		1	1	2	3	3	3	3
20-34	73	2.2		1	2	2	3	3	3	4
35-49	8	1.6		1	1	2	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	29	2.0		1	1	2	3	3	4	4
20-34	212	2.7	4	1	2	2	3	4	5	14
35-49	23	3.2	7	1	2	2	4	6	11	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	89	2.1		1	2	2	2	3	3	4
TOTAL MULTIPLE DX	264	2.7	5	1	2	2	3	4	5	14
TOTAL										
0-19 YRS	37	2.0	1	1	1	2	3	3	4	4
20-34	285	2.6	4	1	2	2	3	4	4	12
35-49	31	2.8	6	1	1	2	3	4	11	12
50-64	0									
65 +	0									
GRAND TOTAL	**353**	**2.5**	**4**	**1**	**2**	**2**	**3**	**4**	**4**	**12**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	237	2.3		2	2	2	3	3	3	5
20-34	1806	2.4		2	2	2	3	3	3	4
35-49	112	2.4		2	2	2	3	3	3	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	398	2.6	1	2	2	2	3	4	4	7
20-34	2880	2.6	1	2	2	2	3	4	4	7
35-49	219	2.8	3	2	2	3	3	4	5	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	2155	2.4	1	2	2	2	3	3	3	4
TOTAL MULTIPLE DX	3497	2.6	2	2	2	2	3	4	4	7
TOTAL										
0-19 YRS	635	2.5	1	2	2	2	3	3	4	7
20-34	4686	2.5	1	2	2	2	3	3	4	6
35-49	331	2.7	3	2	2	2	3	4	4	6
50-64	0									
65 +	0									
GRAND TOTAL	5652	2.5	1	2	2	2	3	3	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8490	2.2		1	2	2	3	3	3	4
20-34	52605	2.2		1	2	2	3	3	3	4
35-49	3513	2.2		1	2	2	3	3	3	4
50-64	5	2.2		2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4198	2.7	3	2	2	2	3	4	5	11
20-34	26043	2.6	4	2	2	2	3	4	4	9
35-49	2443	2.6	3	2	2	2	3	4	4	8
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
TOTAL SINGLE DX	64613	2.2	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	32687	2.6	4	2	2	2	3	4	4	9
TOTAL										
0-19 YRS	12688	2.4	2	1	2	2	3	3	4	7
20-34	78648	2.3	2	2	2	2	3	3	4	5
35-49	5956	2.4	2	1	2	2	3	3	4	6
50-64	8	2.4	1	1	2	2	3	4	4	4
65 +	0									
GRAND TOTAL	97300	2.3	2	2	2	2	3	3	4	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	929	4.1	1	3	4	4	5	5	6	8
20-34	9055	4.1	1	3	4	4	4	5	5	6
35-49	711	4.2	1	3	4	4	5	5	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3112	5.2	8	3	4	4	6	8	9	16
20-34	26607	4.7	8	3	4	4	5	6	7	15
35-49	3087	4.9	14	3	4	4	5	6	8	18
50-64	5	6.6	17	4	4	5	7	14	14	14
65 +	0									
TOTAL SINGLE DX	10696	4.1	2	3	4	4	4	5	5	7
TOTAL MULTIPLE DX	32811	4.8	9	3	4	4	5	6	8	15
TOTAL										
0-19 YRS	4041	4.9	7	3	4	4	5	7	9	14
20-34	35662	4.6	7	3	4	4	5	6	7	13
35-49	3798	4.8	12	3	4	4	5	6	7	17
50-64	6	6.2	15	4	4	5	5	13	14	14
65 +	0									
GRAND TOTAL	43507	4.6	7	3	4	4	5	6	7	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	4.1	1	3	3	4	4	6	7	8
20-34	262	4.0		3	4	4	4	5	5	6
35-49	17	4.2		3	4	4	5	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	145	6.1	24	4	4	5	6	9	11	31
20-34	922	6.6	50	3	4	5	6	10	16	39
35-49	160	7.1	24	4	4	5	8	12	16	23
50-64	0									
65 +	0									
TOTAL SINGLE DX	310	4.0	1	3	4	4	4	5	5	7
TOTAL MULTIPLE DX	1227	6.6	44	4	4	5	7	10	16	37
TOTAL										
0-19 YRS	176	5.8	21	4	4	5	6	8	10	27
20-34	1184	6.0	40	3	4	4	6	9	13	36
35-49	177	6.8	23	4	4	5	8	12	16	23
50-64	0									
65 +	0									
GRAND TOTAL	1537	6.1	36	3	4	5	6	9	13	35

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	3.4		2	3	3	4	5	5	5
20-34	122	3.2	1	1	2	3	4	5	5	6
35-49	11	3.3	1	1	2	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	3.5	1	1	3	4	4	5	5	5
20-34	143	3.8	2	2	3	4	4	5	7	10
35-49	11	3.8	9	1	3	3	4	8	12	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	144	3.2	1	1	2	3	4	5	5	6
TOTAL MULTIPLE DX	162	3.8	3	2	3	4	4	5	7	11
TOTAL										
0-19 YRS	19	3.4	1	2	3	3	4	5	5	5
20-34	265	3.5	2	2	3	3	4	5	6	9
35-49	22	3.5	5	1	3	3	5	5	8	12
50-64	0									
65 +	0									
GRAND TOTAL	306	3.5	2	2	3	3	4	5	6	9

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	10	1.4		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	2.0		1	1	2	3	3	3	3
20-34	23	3.8	65	1	1	2	3	5	20	40
35-49	8	1.8		< 1	1	2	2	3	3	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	15	1.3		1	1	1	2	2	2	2
TOTAL MULTIPLE DX	35	3.1	43	1	1	2	3	4	8	40
TOTAL										
0-19 YRS	8	1.5	1	< 1	1	1	2	3	3	3
20-34	33	3.1	46	1	1	2	2	4	8	40
35-49	9	1.7	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	50	2.6	31	1	1	1	2	3	4	40

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	4.8	21	1	2	3	6	13	15	18
20-34	200	3.9	21	1	1	2	4	8	13	22
35-49	16	3.4	11	1	1	2	4	8	12	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	68	5.2	50	1	2	3	6	9	12	44
20-34	267	5.8	76	1	2	3	6	13	20	39
35-49	30	9.2	176	1	3	5	11	20	25	71
50-64	0									
65 +	0									
TOTAL SINGLE DX	277	4.1	21	1	1	2	5	10	13	18
TOTAL MULTIPLE DX	365	5.9	80	1	2	3	6	13	21	46
TOTAL										
0-19 YRS	129	5.0	36	1	2	3	6	11	14	36
20-34	467	5.0	54	1	2	3	5	11	16	33
35-49	46	7.2	126	1	2	4	8	17	22	71
50-64	0									
65 +	0									
GRAND TOTAL	642	5.1	55	1	2	3	5	11	17	34

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1028	1.8		< 1	1	2	2	3	3	5
20-34	5027	2.0	1	< 1	1	2	2	3	3	5
35-49	402	2.2	2	1	2	2	2	3	3	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	461	2.5	6	< 1	1	2	3	4	5	15
20-34	2976	2.5	4	1	2	2	3	4	5	11
35-49	286	2.7	8	1	2	2	3	4	5	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	7057	2.0	2	< 1	1	2	2	3	3	5
TOTAL MULTIPLE DX	3724	2.5	5	1	2	2	3	4	5	11
TOTAL										
0-19 YRS	1489	2.1	3	< 1	1	2	2	3	4	8
20-34	8603	2.2	3	< 1	1	2	3	3	4	8
35-49	688	2.4	5	1	2	2	3	3	4	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	10781	2.2	3	<1	1	2	3	3	4	8

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1461	2.2	1	1	2	2	3	3	3	4
20-34	7963	2.1		1	2	2	2	3	3	4
35-49	617	2.1		1	2	2	2	3	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1869	2.6	2	2	2	2	3	4	5	9
20-34	10556	2.5	3	2	2	2	3	3	4	7
35-49	1010	2.5	3	1	2	2	3	3	4	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	10042	2.1	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	13436	2.5	4	2	2	2	3	3	4	7
TOTAL										
0-19 YRS	3330	2.4	2	2	2	2	3	3	4	7
20-34	18519	2.3	2	2	2	2	3	3	3	6
35-49	1627	2.3	2	1	2	2	3	3	4	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	23478	2.3	2	2	2	2	3	3	4	6

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.6	3	1	1	2	4	6	6	6
20-34	18	3.5	38	1	1	2	3	4	18	28
35-49	23	1.9	2	<1	1	1	2	4	6	7
50-64	13	3.6	7	1	1	3	5	8	9	9
65 +	11	3.6	7	1	1	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	26	4.7	22	1	2	3	7	8	13	24
20-34	24	3.8	7	2	2	3	4	6	10	14
35-49	30	5.7	31	1	1	3	9	14	18	19
50-64	44	6.9	88	1	2	4	8	18	22	55
65 +	60	10.2	106	1	2	6	15	27	31	38
TOTAL SINGLE DX	89	2.9	11	1	1	2	3	6	7	21
TOTAL MULTIPLE DX	184	7.1	70	1	2	4	9	19	25	37
TOTAL										
0-19 YRS	50	3.7	14	1	1	3	5	7	8	24
20-34	42	3.7	20	1	2	3	4	5	11	28
35-49	53	4.0	22	1	1	2	5	12	14	19
50-64	57	6.1	71	1	2	4	7	15	21	53
65 +	71	9.2	97	1	2	5	12	26	31	38
GRAND TOTAL	273	5.7	54	1	2	3	6	14	23	35

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	457	2.3	1	1	2	2	3	4	4	7
20-34	529	2.2	1	1	1	2	3	4	4	6
35-49	303	2.2	1	1	1	2	3	3	4	6
50-64	99	1.8		1	1	2	2	3	4	5
65 +	17	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	401	3.0	9	2	2	2	3	4	6	15
20-34	389	3.0	6	2	2	3	3	4	5	9
35-49	237	2.9	4	1	2	2	3	5	6	11
50-64	80	2.9	7	1	1	2	3	6	9	15
65 +	24	7.3	118	1	2	2	6	25	35	44
TOTAL SINGLE DX	1405	2.2	1	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	1131	3.1	10	1	2	2	3	5	6	15
TOTAL										
0-19 YRS	858	2.6	5	1	2	2	3	4	5	10
20-34	918	2.5	3	1	2	2	3	4	5	7
35-49	540	2.5	3	1	2	2	3	4	5	8
50-64	179	2.3	4	1	1	2	2	4	6	11
65 +	41	4.9	76	1	1	2	3	13	27	44
GRAND TOTAL	2536	2.6	5	1	2	2	3	4	5	9

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	2.0	1	1	1	2	2	3	5	7
20-34	90	2.4	18	1	1	2	2	4	5	27
35-49	20	2.5	3	1	1	2	4	5	6	7
50-64	6	1.8	1	1	1	2	3	3	3	3
65 +	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	131	3.3	8	1	2	2	4	~~6~~	7	20
20-34	168	4.4	19	1	2	3	5	10	14	86
35-49	63	4.9	13	2	2	4	6	10	12	19
50-64	14	6.4	117	1	2	3	5	13	36	43
65 +	17	8.8	69	2	2	6	11	18	28	34
TOTAL SINGLE DX	190	2.3	10	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	393	4.4	21	1	2	3	5	8	12	34
TOTAL										
0-19 YRS	203	2.8	6	1	1	2	3	5	7	14
20-34	258	3.7	20	1	1	2	4	8	12	40
35-49	83	4.3	12	1	2	3	6	8	11	19
50-64	20	5.0	85	1	1	3	4	8	26	43
65 +	19	8.1	67	2	2	6	10	17	27	34
GRAND TOTAL	583	3.7	18	1	1	2	4	7	10	30

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	106	2.3	2	1	1	2	3	4	5	8
20-34	199	2.3	2	1	1	2	3	4	6	9
35-49	72	2.7	7	1	1	2	3	5	8	16
50-64	10	2.2	1	1	1	2	3	4	4	4
65 +	8	2.5	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	213	5.5	29	1	2	4	7	11	14	28
20-34	483	4.7	19	1	2	3	6	10	13	24
35-49	235	5.7	28	1	2	4	7	12	16	25
50-64	77	7.0	38	1	3	5	9	14	20	34
65 +	59	7.2	35	1	3	6	10	15	19	29
TOTAL SINGLE DX	395	2.4	3	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	1067	5.4	26	1	2	4	7	11	15	27
TOTAL										
0-19 YRS	319	4.4	23	1	2	3	5	10	13	27
20-34	682	4.0	16	1	1	3	5	8	11	22
35-49	307	5.0	25	1	2	3	6	11	15	23
50-64	87	6.4	37	1	2	4	9	13	18	33
65 +	67	6.6	34	1	3	5	9	14	17	28
GRAND TOTAL	1462	4.6	22	1	2	3	6	10	13	25

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	2.5	2	1	1	2	3	5	6	8
20-34	13	2.5	2	1	1	2	3	5	6	6
35-49	28	2.5	2	1	1	2	3	5	5	7
50-64	24	2.2	3	1	1	1	2	5	7	8
65 +	7	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	61	3.5	23	1	1	3	4	6	7	34
20-34	27	5.6	55	1	1	3	6	16	27	29
35-49	37	2.9	5	1	1	2	3	7	8	12
50-64	43	3.5	15	1	1	2	5	7	13	18
65 +	18	5.6	33	1	1	3	6	17	17	17
TOTAL SINGLE DX	111	2.4	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	186	3.9	24	1	1	3	4	8	14	28
TOTAL										
0-19 YRS	100	3.1	16	1	1	2	4	6	7	25
20-34	40	4.6	40	1	1	3	4	10	22	29
35-49	65	2.7	4	1	1	2	3	5	8	11
50-64	67	3.0	12	1	1	2	4	7	9	18
65 +	25	4.4	27	1	1	3	5	17	17	17
GRAND TOTAL	297	3.3	17	1	1	2	4	6	9	23

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	131	4.7	17	2	3	4	5	7	11	31
20-34	13	3.2	3	1	2	3	4	6	7	7
35-49	11	4.9	11	2	3	4	6	11	11	11
50-64	9	7.3	28	2	3	6	13	15	15	15
65 +	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	175	5.3	46	2	3	4	6	8	11	31
20-34	21	7.5	113	3	4	5	7	10	29	53
35-49	17	7.4	26	2	4	6	11	15	18	20
50-64	15	9.3	39	2	4	10	13	17	21	22
65 +	21	12.0	55	3	8	11	15	20	27	35
TOTAL SINGLE DX	166	4.7	17	2	3	4	5	8	12	28
TOTAL MULTIPLE DX	249	6.4	54	2	3	4	7	11	17	35
TOTAL										
0-19 YRS	306	5.0	34	2	3	4	5	8	11	31
20-34	34	5.9	75	2	3	4	6	9	10	53
35-49	28	6.4	21	2	3	5	9	13	15	20
50-64	24	8.5	34	2	3	8	13	17	19	22
65 +	23	11.4	55	3	8	11	15	19	25	35
GRAND TOTAL	415	5.8	40	2	3	4	6	11	15	32

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	280	3.7	19	1	2	3	4	6	10	23
20-34	101	3.2	4	1	2	3	4	6	7	9
35-49	139	3.5	5	1	2	3	4	5	7	11
50-64	129	4.3	4	2	3	4	5	7	8	14
65 +	24	3.8	5	2	2	3	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	213	4.8	37	1	2	3	5	9	13	33
20-34	108	5.3	45	1	2	4	6	9	15	42
35-49	158	5.0	33	1	2	3	6	10	15	32
50-64	230	5.7	38	2	3	4	6	11	13	43
65 +	98	9.2	148	2	3	5	9	18	37	70
TOTAL SINGLE DX	673	3.7	11	1	2	3	4	6	8	17
TOTAL MULTIPLE DX	807	5.7	53	1	2	4	6	11	16	43
TOTAL										
0-19 YRS	493	4.2	28	1	2	3	4	7	13	30
20-34	209	4.3	26	1	2	3	5	7	10	32
35-49	297	4.3	21	1	2	3	5	7	12	27
50-64	359	5.2	27	2	3	4	6	9	12	25
65 +	122	8.1	125	2	3	5	8	16	32	65
GRAND TOTAL	1480	4.8	35	1	2	3	5	8	13	33

713: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	2.2	1	1	1	2	3	4	4	8
20-34	141	1.9		1	1	2	2	3	4	5
35-49	210	2.0	1	1	1	2	3	3	4	5
50-64	172	2.0	1	1	1	2	3	3	4	5
65 +	78	1.9	1	1	1	2	2	4	4	5
2. MULTIPLE DX										
0-19 YRS	147	2.0	1	1	1	2	2	4	4	5
20-34	275	2.5	33	1	1	2	3	4	4	8
35-49	456	2.3	4	1	1	2	3	4	5	8
50-64	753	2.4	4	1	1	2	3	4	5	7
65 +	580	2.7	8	1	1	2	3	5	6	14
TOTAL SINGLE DX	689	2.0	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	2211	2.4	9	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	235	2.0	1	1	1	2	3	4	4	5
20-34	416	2.3	22	1	1	2	3	4	4	8
35-49	666	2.2	4	1	1	2	3	4	5	7
50-64	925	2.3	4	1	1	2	3	4	5	7
65 +	658	2.6	8	1	1	2	3	4	6	13
GRAND TOTAL	2900	2.3	7	1	1	2	3	4	5	8

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	3.6	21	1	1	2	4	8	11	29
20-34	54	5.2	66	1	1	3	5	12	25	42
35-49	26	3.2	6	1	1	2	4	8	8	9
50-64	19	7.3	106	1	2	3	6	25	33	38
65 +	10	3.3	17	< 1	1	2	3	9	15	15
2. MULTIPLE DX										
0-19 YRS	68	11.4	126	1	3	7	17	31	33	90
20-34	59	12.2	259	1	3	6	14	44	53	61
35-49	54	11.8	240	1	3	5	12	32	47	71
50-64	56	12.9	188	1	3	8	17	31	39	64
65 +	82	16.3	186	3	8	13	21	36	46	68
TOTAL SINGLE DX	266	4.1	36	1	1	2	4	8	15	36
TOTAL MULTIPLE DX	319	13.2	198	1	3	8	17	33	45	67
TOTAL										
0-19 YRS	225	5.9	66	1	1	3	7	16	29	38
20-34	113	8.8	179	1	2	4	8	20	44	61
35-49	80	9.0	180	1	2	4	9	30	38	68
50-64	75	11.4	172	1	3	6	15	31	38	61
65 +	92	14.9	184	2	5	12	20	33	45	66
GRAND TOTAL	585	9.0	144	1	2	4	11	26	36	60

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	581	3.0	28	1	1	2	3	6	9	20
20-34	490	2.7	7	1	1	2	3	5	6	15
35-49	497	2.9	8	1	1	2	3	6	9	15
50-64	267	3.5	15	1	1	2	4	7	11	25
65 +	140	3.8	19	1	2	3	4	9	10	15
2. MULTIPLE DX										
0-19 YRS	367	7.3	106	1	2	3	8	18	28	50
20-34	584	6.8	97	1	2	3	7	16	27	56
35-49	606	6.8	98	1	2	3	8	16	25	52
50-64	708	7.7	89	1	2	4	10	20	27	46
65 +	715	10.0	119	1	3	7	13	22	32	55
TOTAL SINGLE DX	1975	3.0	16	1	1	2	3	6	9	18
TOTAL MULTIPLE DX	2980	7.8	104	1	2	4	10	19	28	52
TOTAL										
0-19 YRS	948	4.7	63	1	1	2	4	10	17	43
20-34	1074	5.0	61	1	1	2	5	11	18	49
35-49	1103	5.0	62	1	1	2	5	11	18	46
50-64	975	6.5	73	1	2	3	7	17	24	45
65 +	855	9.0	108	1	3	5	11	20	30	52
GRAND TOTAL	4955	5.9	74	1	2	3	6	14	22	47

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	373	5.3	53	1	2	3	5	9	20	43
20-34	40	5.8	21	3	3	4	7	10	12	28
35-49	38	5.4	13	2	3	5	7	9	10	22
50-64	38	7.5	12	4	5	7	9	11	12	23
65 +	90	8.5	17	4	6	8	11	14	16	21
2. MULTIPLE DX										
0-19 YRS	185	9.2	106	1	3	5	12	24	31	53
20-34	66	10.6	81	4	5	9	12	18	28	53
35-49	41	9.8	150	3	4	6	9	21	31	73
50-64	95	11.3	55	5	7	9	14	20	27	43
65 +	530	12.3	55	6	8	11	14	19	26	51
TOTAL SINGLE DX	579	6.0	42	1	3	4	7	11	16	32
TOTAL MULTIPLE DX	917	11.3	73	3	6	10	14	21	27	52
TOTAL										
0-19 YRS	558	6.6	75	1	2	4	7	15	24	45
20-34	106	8.8	64	3	4	7	10	16	24	49
35-49	79	7.7	88	2	3	5	8	12	23	61
50-64	133	10.2	46	4	6	8	12	19	23	37
65 +	620	11.7	51	6	8	10	14	18	24	47
GRAND TOTAL	1496	9.3	68	2	4	8	12	18	24	46

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	4.7	92	1	2	2	4	8	10	69
20-34	156	2.8	3	1	2	2	4	5	6	9
35-49	103	3.5	5	1	2	3	5	6	8	11
50-64	48	3.4	9	1	1	3	4	5	7	21
65 +	25	4.4	9	1	2	4	6	8	11	14
2. MULTIPLE DX										
0-19 YRS	143	5.8	99	1	2	3	5	11	27	63
20-34	149	4.8	25	1	2	4	6	9	11	37
35-49	118	6.1	72	1	2	4	6	13	18	50
50-64	110	8.5	121	2	3	5	9	21	32	54
65 +	96	8.6	61	2	4	6	11	18	26	42
TOTAL SINGLE DX	514	3.8	37	1	2	3	4	6	8	25
TOTAL MULTIPLE DX	616	6.6	76	1	2	4	7	13	23	49
TOTAL										
0-19 YRS	325	5.2	95	1	2	3	5	8	15	68
20-34	305	3.8	15	1	2	3	5	7	9	15
35-49	221	4.9	42	1	2	3	5	8	13	38
50-64	158	7.0	93	1	2	4	6	15	28	51
65 +	121	7.8	54	2	3	6	10	15	20	38
GRAND TOTAL	1130	5.3	60	1	2	3	5	10	15	44

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	386	2.2	11	1	1	1	2	4	5	21
20-34	403	2.2	4	< 1	1	1	2	4	6	13
35-49	266	2.2	4	< 1	1	2	2	4	6	12
50-64	153	2.1	3	< 1	1	1	3	4	6	9
65 +	127	3.4	16	< 1	1	2	4	7	11	22
2. MULTIPLE DX										
0-19 YRS	333	4.2	72	1	1	2	3	8	14	45
20-34	248	5.0	62	1	2	3	5	10	15	60
35-49	192	6.3	120	1	2	3	6	12	23	71
50-64	190	7.1	83	1	2	4	8	18	26	43
65 +	343	8.9	96	2	3	6	12	20	30	60
TOTAL SINGLE DX	1335	2.3	8	< 1	1	1	2	4	6	16
TOTAL MULTIPLE DX	1306	6.3	89	1	2	3	7	14	24	58
TOTAL										
0-19 YRS	719	3.1	41	1	1	1	3	5	12	28
20-34	651	3.2	29	1	1	2	3	7	10	30
35-49	458	3.9	57	< 1	1	2	4	7	12	45
50-64	343	4.9	53	1	1	2	5	11	20	42
65 +	470	7.4	81	1	2	4	9	16	26	49
GRAND TOTAL	2641	4.3	52	1	1	2	4	10	15	37

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	11.9	116	2	3	7	22	29	33	39
20-34	29	7.3	11	4	5	6	9	11	14	18
35-49	19	6.6	8	3	5	6	8	11	13	14
50-64	31	8.0	20	4	5	7	9	12	15	27
65 +	90	9.2	10	6	7	8	11	13	15	20
2. MULTIPLE DX										
0-19 YRS	91	15.3	141	5	6	12	21	31	45	55
20-34	62	12.9	83	6	8	10	16	21	29	61
35-49	28	15.2	183	6	8	11	16	22	49	70
50-64	92	11.7	59	5	7	10	13	18	27	43
65 +	659	11.3	35	6	8	10	14	17	20	41
TOTAL SINGLE DX	257	9.5	51	3	5	8	11	21	27	36
TOTAL MULTIPLE DX	932	12.0	57	6	8	10	14	19	24	47
TOTAL										
0-19 YRS	179	13.6	132	3	5	10	21	29	37	50
20-34	91	11.1	67	5	7	9	13	18	26	51
35-49	47	11.7	130	5	6	9	13	21	27	70
50-64	123	10.7	52	5	6	9	12	17	26	43
65 +	749	11.0	33	6	8	10	13	17	20	36
GRAND TOTAL	1189	11.4	57	5	7	10	13	19	24	45

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	113	7.3	58	3	3	5	8	13	22	48
20-34	87	7.4	21	3	5	7	8	11	14	30
35-49	76	7.4	11	3	5	7	9	12	14	19
50-64	140	9.0	14	4	7	8	11	13	16	20
65 +	593	10.1	17	6	7	10	12	15	17	22
2. MULTIPLE DX										
0-19 YRS	175	12.0	78	4	6	10	14	22	30	55
20-34	276	13.7	115	5	7	11	15	24	36	61
35-49	234	14.9	134	6	8	11	18	27	38	66
50-64	521	13.9	101	7	9	11	16	22	29	72
65 +	4784	12.9	51	7	9	11	15	20	25	44
TOTAL SINGLE DX	1009	9.2	23	4	6	9	11	14	17	24
TOTAL MULTIPLE DX	5990	13.1	63	7	9	11	15	21	26	48
TOTAL										
0-19 YRS	288	10.2	76	3	5	8	12	20	30	50
20-34	363	12.2	100	5	6	9	14	22	33	58
35-49	310	13.0	114	5	7	10	15	24	33	63
50-64	661	12.9	87	6	8	11	14	21	27	47
65 +	5377	12.6	48	7	9	11	15	19	24	43
GRAND TOTAL	6999	12.5	59	6	8	11	14	20	25	47

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	247	7.9	82	1	2	3	11	23	29	38
20-34	13	16.5	531	3	4	13	16	37	80	90
35-49	4	13.5	313	3	4	5	23	40	40	40
50-64	5	13.6	298	2	3	9	18	44	44	44
65 +	30	8.9	69	2	5	6	11	19	24	42
2. MULTIPLE DX										
0-19 YRS	148	14.4	211	2	4	10	22	30	37	74
20-34	27	13.1	126	3	5	10	21	43	99 +	99 +
35-49	16	19.0	263	3	4	15	34	44	45	46
50-64	25	11.8	118	3	5	9	13	27	34	49
65 +	116	12.1	135	3	5	9	14	23	34	68
TOTAL SINGLE DX	299	8.5	107	1	2	4	11	24	30	42
TOTAL MULTIPLE DX	332	13.5	174	2	4	10	18	29	41	76
TOTAL										
0-19 YRS	395	10.3	141	1	2	5	16	28	31	51
20-34	40	14.2	251	3	5	11	18	41	94	99 +
35-49	20	17.9	263	3	4	11	34	43	45	46
50-64	30	12.1	140	3	4	9	13	28	44	49
65 +	146	11.5	123	3	5	9	14	23	32	67
GRAND TOTAL	631	11.2	149	2	3	7	15	28	35	70

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	366	2.3	6	1	1	2	2	4	6	17
20-34	107	2.9	3	1	1	2	4	6	7	9
35-49	95	3.5	9	1	1	3	4	7	10	17
50-64	73	2.7	3	1	1	2	4	5	6	10
65 +	47	2.9	6	1	1	2	4	7	10	10
2. MULTIPLE DX										
0-19 YRS	108	6.0	46	1	2	3	8	15	21	34
20-34	88	6.2	72	1	2	4	6	14	22	49
35-49	72	7.3	62	1	2	5	10	16	24	43
50-64	88	8.2	102	1	2	4	10	18	29	53
65 +	158	7.2	48	1	3	5	9	14	18	40
TOTAL SINGLE DX	688	2.6	6	1	1	2	3	5	7	15
TOTAL MULTIPLE DX	514	6.9	63	1	2	4	9	15	21	45
TOTAL										
0-19 YRS	474	3.1	18	1	1	2	3	7	12	21
20-34	195	4.4	37	1	2	3	5	8	13	40
35-49	167	5.1	36	1	2	3	6	12	16	33
50-64	161	5.7	65	1	2	3	6	14	19	45
65 +	205	6.2	42	1	2	4	8	12	16	37
GRAND TOTAL	1202	4.5	35	1	1	2	5	10	15	33

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1314	2.5	5	1	1	2	3	4	5	8
20-34	1575	3.1	4	1	2	3	4	5	7	11
35-49	1229	3.5	3	1	2	3	4	6	7	10
50-64	910	3.8	5	1	2	3	5	7	8	12
65 +	495	4.8	10	2	3	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	728	4.6	28	1	2	3	5	9	13	33
20-34	1407	5.6	32	1	2	4	7	11	15	32
35-49	1137	6.3	44	2	3	4	7	12	17	39
50-64	1090	6.7	44	2	3	5	8	13	19	34
65 +	1458	7.9	45	3	4	6	10	15	19	36
TOTAL SINGLE DX	5523	3.3	6	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	5820	6.4	41	2	3	5	8	13	17	34
TOTAL										
0-19 YRS	2042	3.3	15	1	1	2	4	6	8	17
20-34	2982	4.3	19	1	2	3	5	8	12	21
35-49	2366	4.8	25	2	2	4	6	9	12	27
50-64	2000	5.4	29	2	3	4	6	10	14	29
65 +	1953	7.1	39	2	4	6	9	13	17	33
GRAND TOTAL	11343	4.9	26	1	2	4	6	9	13	26

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1818	1.9	5	1	1	1	2	3	5	13
20-34	357	2.7	5	1	1	2	3	5	7	13
35-49	305	2.7	4	1	1	2	4	5	7	11
50-64	220	2.8	7	1	1	2	3	5	7	14
65 +	219	3.1	7	1	1	2	4	7	8	15
2. MULTIPLE DX										
0-19 YRS	604	5.2	76	1	1	2	5	12	19	41
20-34	429	6.4	70	1	2	3	7	14	22	45
35-49	345	6.1	61	1	2	4	7	12	18	47
50-64	335	6.0	64	1	2	4	7	12	20	37
65 +	782	6.5	49	1	3	5	8	13	17	34
TOTAL SINGLE DX	2919	2.2	6	1	1	1	3	4	6	13
TOTAL MULTIPLE DX	2495	6.1	63	1	2	4	7	13	19	40
TOTAL										
0-19 YRS	2422	2.7	25	1	1	1	2	5	9	23
20-34	786	4.7	44	1	2	3	5	10	15	33
35-49	650	4.5	38	1	1	3	5	9	13	34
50-64	555	4.7	44	1	2	3	5	9	14	31
65 +	1001	5.8	42	1	2	4	7	12	15	32
GRAND TOTAL	5414	4.0	36	1	1	2	4	8	13	31

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	125	6.1	35	1	2	4	8	15	17	27
20-34	11	2.5	1	1	2	2	4	4	4	4
35-49	5	4.2	11	2	2	3	5	10	10	10
50-64	25	5.8	34	1	3	4	8	10	18	29
65 +	94	4.7	25	1	1	4	6	10	16	27
2. MULTIPLE DX										
0-19 YRS	84	6.5	63	1	3	4	7	13	22	49
20-34	47	11.4	130	3	5	8	13	23	37	61
35-49	13	8.8	32	3	4	8	13	16	20	21
50-64	41	7.2	59	1	2	4	9	18	24	36
65 +	189	8.7	95	2	3	5	11	20	33	50
TOTAL SINGLE DX	260	5.4	30	1	2	4	6	13	17	28
TOTAL MULTIPLE DX	374	8.4	88	2	3	5	10	18	26	52
TOTAL										
0-19 YRS	209	6.2	46	1	3	4	7	15	17	29
20-34	58	9.7	118	2	4	6	13	21	32	60
35-49	18	7.5	30	2	3	5	11	15	19	21
50-64	66	6.7	50	1	2	4	9	16	24	35
65 +	283	7.4	76	1	2	4	9	16	25	43
GRAND TOTAL	**634**	**7.1**	**66**	**1**	**2**	**4**	**9**	**16**	**23**	**41**

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	106	1.9	1	1	1	2	2	3	4	6
20-34	165	1.9	2	1	1	1	2	4	5	8
35-49	83	2.1	2	1	1	2	3	4	5	9
50-64	27	2.7	3	1	1	3	3	6	6	7
65 +	24	1.8	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	69	5.1	43	1	1	3	5	14	19	34
20-34	99	4.9	36	1	1	3	6	11	17	33
35-49	74	5.6	79	1	2	3	6	11	15	60
50-64	67	6.2	108	1	2	3	7	12	15	72
65 +	121	5.3	26	1	2	4	7	10	17	28
TOTAL SINGLE DX	405	2.0	2	1	1	1	2	4	5	8
TOTAL MULTIPLE DX	430	5.4	53	1	2	3	6	11	17	30
TOTAL										
0-19 YRS	175	3.1	20	1	1	2	3	5	12	26
20-34	264	3.0	17	1	1	2	3	6	10	20
35-49	157	3.8	42	1	1	2	4	8	11	27
50-64	94	5.2	80	1	2	3	6	10	14	55
65 +	145	4.8	24	1	2	3	6	9	15	27
GRAND TOTAL	**835**	**3.7**	**31**	**1**	**1**	**2**	**4**	**8**	**12**	**25**

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	294	3.8	22	1	1	2	4	10	15	21
20-34	197	3.0	7	<1	1	2	4	7	9	13
35-49	124	3.2	18	<1	1	2	3	7	11	27
50-64	64	4.5	50	1	1	2	4	8	18	44
65 +	49	9.1	131	1	3	7	10	16	42	61
2. MULTIPLE DX										
0-19 YRS	333	7.3	80	1	2	3	9	21	27	41
20-34	246	5.0	57	1	1	3	6	10	15	45
35-49	221	5.3	58	1	1	2	7	12	20	39
50-64	209	11.1	150	1	3	6	16	26	39	72
65 +	285	15.0	203	3	5	11	19	35	48	68
TOTAL SINGLE DX	728	3.9	29	1	1	2	4	9	14	26
TOTAL MULTIPLE DX	1294	8.8	125	1	2	4	11	22	32	58
TOTAL										
0-19 YRS	627	5.7	56	1	1	2	7	15	21	35
20-34	443	4.1	36	<1	1	2	5	9	12	38
35-49	345	4.5	45	1	1	2	5	10	16	31
50-64	273	9.6	135	1	2	5	13	23	35	65
65 +	334	14.2	197	2	5	10	17	34	46	67
GRAND TOTAL	**2022**	**7.1**	**96**	**1**	**2**	**3**	**8**	**18**	**27**	**54**

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.0	3	1	2	3	3	6	7	7
20-34	36	3.3	9	1	1	3	4	5	8	18
35-49	37	3.2	17	1	1	2	4	5	13	21
50-64	14	3.6	8	1	2	2	5	9	10	10
65 +	4	4.3	21	<1	1	2	7	11	11	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	10	7.6	98	1	1	4	7	26	28	28
35-49	8	2.8	3	<1	1	2	4	5	5	5
50-64	7	9.4	28	3	5	8	13	17	18	18
65 +	5	10.4	26	4	6	11	14	17	17	17
TOTAL SINGLE DX	98	3.3	12	1	1	2	4	6	10	20
TOTAL MULTIPLE DX	30	7.2	49	1	2	4	11	17	24	28
TOTAL										
0-19 YRS	7	3.0	4	1	2	3	3	6	7	7
20-34	46	4.2	30	1	1	3	4	7	19	28
35-49	45	3.1	15	1	1	2	4	5	9	21
50-64	21	5.6	22	1	2	3	8	12	16	18
65 +	9	7.7	31	1	3	7	12	15	17	17
GRAND TOTAL	**128**	**4.2**	**23**	**1**	**1**	**3**	**5**	**10**	**17**	**25**

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	4.3	7	2	3	4	5	8	10	16
20-34	2271	4.6	8	2	3	4	6	8	10	15
35-49	3767	4.8	8	2	3	4	6	8	11	15
50-64	1491	5.1	8	2	3	4	6	8	11	16
65 +	389	6.5	14	3	4	6	8	12	14	21
2. MULTIPLE DX										
0-19 YRS	35	9.8	49	4	4	7	17	22	27	99 +
20-34	741	7.0	24	3	4	6	8	12	16	25
35-49	1950	6.8	25	3	4	5	8	12	16	28
50-64	1767	7.4	28	3	4	6	9	13	17	28
65 +	1265	9.9	48	4	5	8	12	18	23	35
TOTAL SINGLE DX	8019	4.9	9	2	3	4	6	8	11	16
TOTAL MULTIPLE DX	5758	7.7	33	3	4	6	9	14	18	30
TOTAL										
0-19 YRS	136	5.7	24	2	3	4	6	11	19	37
20-34	3012	5.2	13	2	3	4	6	9	12	19
35-49	5717	5.5	15	2	3	5	7	10	12	20
50-64	3258	6.3	21	3	4	5	8	11	14	24
65 +	1654	9.1	43	4	5	7	11	17	22	34
GRAND TOTAL	**13777**	**6.1**	**21**	**2**	**3**	**5**	**7**	**11**	**14**	**24**

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	1.6	1	< 1	< 1	< 1	2	3	4	5
20-34	150	1.7	1	< 1	< 1	1	2	3	4	6
35-49	117	1.6	1	< 1	< 1	1	2	3	4	7
50-64	72	1.5	1	< 1	< 1	< 1	2	3	4	6
65 +	30	1.6		< 1	< 1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	152	2.6	1	1	1	2	3	4	5	7
20-34	335	2.5	5	< 1	1	2	3	4	5	11
35-49	243	2.2	8	< 1	1	1	3	4	6	10
50-64	208	2.6	17	< 1	1	1	3	5	7	17
65 +	147	2.5	9	< 1	1	1	3	5	9	23
TOTAL SINGLE DX	437	1.6	1	< 1	< 1	< 1	2	3	4	6
TOTAL MULTIPLE DX	1085	2.5	8	< 1	1	2	3	4	6	13
TOTAL										
0-19 YRS	220	2.3	2	< 1	1	2	3	4	5	6
20-34	485	2.3	4	< 1	1	2	3	4	5	9
35-49	360	2.0	7	< 1	< 1	1	2	4	5	9
50-64	280	2.3	13	< 1	< 1	1	2	5	6	14
65 +	177	2.3	8	< 1	< 1		3	4	8	21
GRAND TOTAL	**1522**	**2.2**	**7**	**< 1**	**<**[illegible]	[illegible]	**3**	**4**	**5**	**11**

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	113	2.7	14	< 1	< 1	1	3	6	9	24
20-34	158	1.7	1	< 1	< 1	1	2	3	5	7
35-49	93	2.1	2	< 1	< 1	1	3	4	5	9
50-64	58	2.4	7	< 1	< 1	1	3	5	7	17
65 +	19	2.8	7	< 1	< 1	1	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	95	4.6	91	< 1	1	2	4	12	15	62
20-34	174	4.0	58	< 1	1	2	4	7	10	39
35-49	108	3.6	24	1	1	2	4	8	11	33
50-64	78	3.6	24	1	1	2	4	7	11	31
65 +	53	9.8	124	1	1	5	14	27	30	47
TOTAL SINGLE DX	441	2.2	6	< 1	< 1	1	3	4	6	12
TOTAL MULTIPLE DX	508	4.6	62	1	1	2	4	10	17	41
TOTAL										
0-19 YRS	208	3.6	51	< 1	< 1	1	3	7	13	40
20-34	332	2.9	33	< 1	1	1	3	5	7	31
35-49	201	2.9	15	< 1	1	2	3	6	8	22
50-64	136	3.1	17	< 1	1	2	4	6	8	21
65 +	72	8.0	103	< 1	1	3	11	23	30	46
GRAND TOTAL	**949**	**3.5**	**38**	**< 1**	**1**	**2**	**3**	**7**	**12**	**32**

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	100	2.9	12	< 1	< 1	1	4	6	9	20
20-34	138	2.3	9	< 1	< 1	1	3	4	6	14
35-49	109	2.4	6	< 1	1	1	3	5	7	14
50-64	78	3.0	12	< 1	1	2	3	7	9	20
65 +	47	3.3	14	< 1	< 1	1	3	10	12	15
2. MULTIPLE DX										
0-19 YRS	108	5.0	43	< 1	1	2	7	13	20	33
20-34	201	4.5	67	< 1	1	2	4	10	16	39
35-49	220	4.1	43	1	1	2	4	8	18	41
50-64	215	6.4	88	1	1	3	7	16	29	51
65 +	209	9.4	123	1	2	5	13	25	31	54
TOTAL SINGLE DX	472	2.7	10	< 1	1	1	3	6	8	17
TOTAL MULTIPLE DX	953	6.0	80	1	1	2	7	15	25	48
TOTAL										
0-19 YRS	208	4.0	30	< 1	1	1	5	10	14	30
20-34	339	3.6	45	< 1	1	2	3	8	12	31
35-49	329	3.6	32	< 1	1	2	3	7	13	39
50-64	293	5.5	70	1	1	3	5	13	20	49
65 +	256	8.3	109	1	2	4	11	23	30	53
GRAND TOTAL	**1425**	**4.9**	**59**	**< 1**	**1**	**2**	**5**	**12**	**20**	**40**

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	298	8.2	11	6	7	7	9	11	14	23
20-34	232	7.3	15	3	5	7	9	11	16	21
35-49	376	5.8	14	3	3	5	7	10	12	17
50-64	196	6.0	11	3	4	5	8	10	12	18
65 +	33	7.9	31	3	4	7	9	13	18	31
2. MULTIPLE DX										
0-19 YRS	354	12.6	75	6	8	10	14	24	32	59
20-34	293	11.3	96	5	6	8	13	22	29	99
35-49	492	8.8	36	4	5	8	10	15	20	38
50-64	420	10.1	82	4	5	8	11	18	25	50
65 +	200	13.1	91	5	7	11	15	23	34	47
TOTAL SINGLE DX	1135	6.8	15	3	4	6	8	10	13	21
TOTAL MULTIPLE DX	1759	10.8	74	4	6	8	12	20	27	53
TOTAL										
0-19 YRS	652	10.6	51	6	7	8	11	19	24	50
20-34	525	9.5	65	4	6	8	10	17	24	59
35-49	868	7.5	29	3	4	7	9	12	15	32
50-64	616	8.8	63	3	4	7	10	16	20	45
65 +	233	12.4	86	4	7	10	14	22	32	47
GRAND TOTAL	2894	9.2	54	4	5	8	10	16	22	46

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	2.9	4	1	2	2	4	5	6	13
20-34	124	2.9	3	1	2	3	4	5	6	10
35-49	159	3.1	3	1	2	3	4	6	7	9
50-64	136	3.1	3	1	2	3	4	6	7	9
65 +	81	3.7	8	1	2	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	85	4.0	6	1	2	3	5	7	10	13
20-34	156	4.5	45	1	2	3	5	8	11	21
35-49	196	3.6	5	1	2	3	4	6	8	13
50-64	220	4.1	7	2	2	3	5	8	10	14
65 +	178	5.9	52	1	2	4	7	12	18	30
TOTAL SINGLE DX	597	3.1	4	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	835	4.4	24	1	2	3	5	8	11	19
TOTAL										
0-19 YRS	182	3.4	6	1	2	3	4	6	8	13
20-34	280	3.8	27	1	2	3	4	6	9	15
35-49	355	3.4	5	1	2	3	4	6	7	12
50-64	356	3.7	6	1	2	3	5	7	9	11
65 +	259	5.2	40	1	2	3	6	11	15	29
GRAND TOTAL	1432	3.9	16	1	2	3	5	7	9	16

735: Total hip replacement (81.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	6.0	2	5	5	6	7	8	8	8
20-34	62	8.5	10	5	7	8	10	11	13	24
35-49	168	8.6	7	5	7	8	10	12	14	17
50-64	625	9.3	8	6	8	9	10	12	15	20
65 +	1112	10.1	10	7	8	10	12	14	15	20
2. MULTIPLE DX										
0-19 YRS	5	10.6	11	8	8	10	12	16	16	16
20-34	102	9.6	15	6	7	9	11	14	17	25
35-49	316	10.5	39	6	7	9	11	16	21	39
50-64	1350	11.0	39	7	8	10	12	16	20	38
65 +	4234	12.5	39	8	9	11	14	19	24	38
TOTAL SINGLE DX	1971	9.7	10	6	8	9	11	13	15	20
TOTAL MULTIPLE DX	6007	12.0	40	7	9	10	13	18	23	38
TOTAL										
0-19 YRS	9	8.6	12	5	6	8	10	14	16	16
20-34	164	9.2	14	6	7	8	10	13	16	25
35-49	484	9.8	29	6	7	9	11	14	18	35
50-64	1975	10.4	30	7	8	9	11	15	19	31
65 +	5346	12.0	34	7	9	11	13	17	22	37
GRAND TOTAL	7978	11.4	33	7	8	10	13	16	21	36

736: Other arthroplasty of hip (81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	5.0	12	1	2	4	8	10	12	13
20-34	7	8.4	11	5	6	8	10	14	15	15
35-49	25	8.4	11	6	6	8	9	10	14	22
50-64	61	10.2	28	6	8	9	11	13	15	43
65 +	434	10.3	12	7	8	10	12	14	16	20
2. MULTIPLE DX										
0-19 YRS	25	6.8	29	2	3	5	8	15	21	21
20-34	26	7.5	9	5	6	7	9	11	13	16
35-49	47	12.1	54	6	8	10	14	19	27	43
50-64	262	13.7	109	7	9	11	14	20	28	65
65 +	2914	13.1	48	7	9	11	15	20	25	42
TOTAL SINGLE DX	545	10.0	15	6	8	9	12	14	16	20
TOTAL MULTIPLE DX	3274	13.0	53	7	9	11	15	20	25	44
TOTAL										
0-19 YRS	43	6.0	23	2	3	4	8	12	17	21
20-34	33	7.7	10	5	6	8	9	11	15	16
35-49	72	10.8	42	6	7	9	11	18	24	41
50-64	323	13.0	96	7	9	11	14	19	26	62
65 +	3348	12.7	44	7	9	11	15	19	24	40
GRAND TOTAL	3819	12.6	49	7	9	11	14	19	24	42

737: Total knee replacement (81.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	10.0	18	7	7	9	13	16	16	16
20-34	15	7.1	15	2	4	7	8	12	14	15
35-49	68	8.4	7	5	7	8	10	12	14	15
50-64	692	9.3	8	6	7	9	11	13	14	19
65 +	1410	10.1	9	7	8	10	12	14	15	20
2. MULTIPLE DX										
0-19 YRS	6	10.7	12	7	8	10	11	16	17	17
20-34	10	9.1	10	3	9	10	11	12	13	13
35-49	114	10.4	18	7	8	10	12	16	19	28
50-64	1264	10.5	21	7	8	10	12	15	17	30
65 +	4348	11.5	21	8	9	11	13	16	19	30
TOTAL SINGLE DX	2189	9.8	9	6	8	9	11	14	15	19
TOTAL MULTIPLE DX	5742	11.2	22	7	9	10	13	16	19	29
TOTAL										
0-19 YRS	10	10.4	13	7	7	10	11	16	17	17
20-34	25	7.9	14	2	5	8	11	12	13	15
35-49	182	9.7	15	6	7	9	11	14	16	26
50-64	1956	10.1	17	6	8	9	11	14	16	24
65 +	5758	11.2	19	7	9	10	13	16	18	28
GRAND TOTAL	7931	10.8	19	7	8	10	12	15	18	27

738: Arthroplasty of knee, except total replacement (81.42-81.47)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	463	2.8	1	1	2	3	3	4	5	7
20-34	591	3.1	2	1	2	3	4	5	6	8
35-49	159	3.7	5	2	2	3	4	6	8	13
50-64	51	4.9	8	2	3	4	7	9	10	12
65 +	60	7.1	10	3	4	8	9	11	12	17
2. MULTIPLE DX										
0-19 YRS	467	2.9	2	1	2	3	3	5	5	8
20-34	752	3.4	6	1	2	3	4	6	7	13
35-49	286	3.8	9	1	2	3	5	7	8	15
50-64	143	5.9	18	2	3	5	9	11	13	21
65 +	205	8.7	21	3	5	8	11	15	17	25
TOTAL SINGLE DX	1324	3.3	4	2	2	3	4	5	7	11
TOTAL MULTIPLE DX	1853	4.1	12	1	2	3	5	8	11	17
TOTAL										
0-19 YRS	930	2.9	2	1	2	3	3	4	5	7
20-34	1343	3.3	5	1	2	3	4	5	6	11
35-49	445	3.7	8	1	2	3	5	7	8	14
50-64	194	5.6	16	2	3	4	8	10	12	19
65 +	265	8.3	20	3	5	8	10	14	17	24
GRAND TOTAL	3177	3.8	9	1	2	3	4	7	9	15

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.71; 81.81; 81.84; 81.86)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	1	1	1	1	3	3	3	3
20-34	29	2.6	2	1	1	2	3	5	5	5
35-49	73	3.0	4	1	2	2	3	6	8	10
50-64	145	2.9	3	1	2	3	4	5	6	8
65 +	119	4.6	8	1	2	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	6	2.5	2	1	1	2	4	4	4	4
20-34	25	3.5	16	1	2	3	4	5	10	22
35-49	97	3.7	15	1	2	3	4	6	8	25
50-64	276	3.6	6	1	2	3	4	7	8	16
65 +	339	5.8	26	2	3	4	7	11	15	22
TOTAL SINGLE DX	371	3.4	6	1	2	3	5	7	8	11
TOTAL MULTIPLE DX	743	4.6	18	2	2	3	6	9	12	22
TOTAL										
0-19 YRS	11	2.2	2	1	1	2	3	4	4	4
20-34	54	3.0	9	1	2	3	3	5	5	21
35-49	170	3.4	11	1	2	3	4	6	8	13
50-64	421	3.4	5	1	2	3	4	6	8	13
65 +	458	5.5	22	2	3	4	7	10	13	21
GRAND TOTAL	1114	4.2	14	1	2	3	5	8	11	18

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	340	2.0	3	1	1	2	2	3	4	5
20-34	717	2.1	1	1	1	2	3	3	4	6
35-49	433	2.2	1	1	1	2	3	4	4	7
50-64	315	2.4	1	1	1	2	3	4	5	7
65 +	117	3.4	7	1	2	3	4	5	6	19
2. MULTIPLE DX										
0-19 YRS	112	2.3	2	1	1	2	3	4	5	11
20-34	324	2.6	5	1	1	2	3	4	6	16
35-49	390	2.5	3	1	1	2	3	4	5	9
50-64	503	2.9	6	1	2	2	3	4	6	10
65 +	331	4.0	14	1	2	3	5	7	10	22
TOTAL SINGLE DX	1922	2.2	2	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	1660	2.9	7	1	2	2	3	5	7	14
TOTAL										
0-19 YRS	452	2.1	3	1	1	2	2	3	4	8
20-34	1041	2.2	3	1	1	2	3	4	4	8
35-49	823	2.3	2	1	1	2	3	4	5	8
50-64	818	2.7	5	1	2	2	3	4	5	9
65 +	448	3.8	13	1	2	3	4	6	9	22
GRAND TOTAL	3582	2.5	5	1	1	2	3	4	5	10

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	377	3.8	20	1	1	2	4	8	14	25
20-34	136	2.9	5	<1	1	2	4	7	9	10
35-49	111	3.0	24	<1	1	2	3	7	9	27
50-64	67	2.7	7	<1	<1	1	4	7	9	12
65+	30	3.6	35	<1	<1	1	3	7	21	28
2. MULTIPLE DX										
0-19 YRS	578	4.4	30	1	2	3	4	9	14	29
20-34	193	6.6	42	1	2	5	9	14	19	34
35-49	171	6.7	92	1	2	4	7	14	28	52
50-64	167	6.2	47	1	2	4	8	13	19	34
65+	195	7.5	65	1	3	5	9	18	21	42
TOTAL SINGLE DX	721	3.4	18	<1	1	2	4	8	10	23
TOTAL MULTIPLE DX	1304	5.7	49	1	2	3	6	13	18	39
TOTAL										
0-19 YRS	955	4.2	27	1	2	3	4	9	14	25
20-34	329	5.1	31	1	2	3	7	11	15	26
35-49	282	5.2	69	<1	1	3	5	11	18	47
50-64	234	5.2	38	<1	1	3	7	11	15	33
65+	225	7.0	63	1	2	4	8	18	21	41
GRAND TOTAL	2025	4.9	39	1	2	3	5	11	16	33

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	162	2.8	17	<1	1	2	3	5	9	16
20-34	115	2.0	4	<1	<1	1	2	5	6	12
35-49	125	2.0	3	<1	<1	1	2	4	6	10
50-64	106	2.3	5	<1	<1	1	3	5	8	13
65+	56	3.3	13	<1	1	2	4	8	9	21
2. MULTIPLE DX										
0-19 YRS	120	9.9	161	1	2	4	11	30	47	68
20-34	71	7.5	120	1	1	4	7	21	38	54
35-49	109	8.3	150	1	2	4	10	21	27	69
50-64	202	8.6	77	1	2	6	12	19	25	43
65+	263	9.8	116	1	3	6	13	21	29	65
TOTAL SINGLE DX	564	2.4	9	<1	<1	1	3	5	7	14
TOTAL MULTIPLE DX	765	9.1	118	1	2	5	12	22	30	58
TOTAL										
0-19 YRS	282	5.8	91	<1	1	2	6	15	29	52
20-34	186	4.1	55	<1	<1	2	4	8	13	39
35-49	234	5.0	82	<1	1	2	5	11	21	49
50-64	308	6.4	62	<1	1	3	9	15	22	37
65+	319	8.6	105	1	2	5	12	20	27	63
GRAND TOTAL	1329	6.2	83	<1	1	3	7	16	23	51

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.6		<1	<1	1	2	3	3	3
20-34	8	4.5	10	<1	1	5	7	8	8	8
35-49	21	1.7	1	<1	<1	1	2	4	5	5
50-64	51	1.5	1	<1	1	1	1	3	6	6
65+	48	1.3		<1	1	1	1	2	3	4
2. MULTIPLE DX										
0-19 YRS	10	4.9	60	<1	1	2	3	17	26	26
20-34	15	5.3	30	1	2	4	7	11	19	22
35-49	10	2.6	4	<1	1	2	4	6	6	6
50-64	36	4.3	49	1	1	2	5	9	9	42
65+	50	4.0	36	1	1	2	4	8	19	34
TOTAL SINGLE DX	135	1.6	2	<1	1	1	2	3	6	8
TOTAL MULTIPLE DX	121	4.2	38	1	1	2	4	9	15	36
TOTAL										
0-19 YRS	17	3.5	37	<1	1	2	2	8	20	26
20-34	23	5.0	22	1	1	4	7	9	15	22
35-49	31	2.0	3	<1	<1	1	3	5	6	6
50-64	87	2.6	23	1	1	1	2	6	8	30
65+	98	2.7	20	<1	1	1	2	5	9	28
GRAND TOTAL	256	2.8	21	<1	1	1	3	7	9	26

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	154	1.5		<1	1	1	2	2	3	6
20-34	152	1.7	2	<1	1	1	2	3	4	9
35-49	67	2.0	3	1	1	1	2	4	5	13
50-64	25	1.7	1	<1	1	1	2	3	4	6
65+	12	1.8	1	<1	1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	184	2.0	8	1	1	1	2	4	5	10
20-34	237	2.6	9	1	1	2	3	5	8	16
35-49	129	2.3	6	1	1	1	2	4	7	15
50-64	58	2.5	5	1	1	2	2	6	8	13
65+	41	2.8	7	1	1	2	3	6	10	12
TOTAL SINGLE DX	410	1.7	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	649	2.4	8	1	1	1	2	5	7	15
TOTAL										
0-19 YRS	338	1.8	5	1	1	1	2	3	4	8
20-34	389	2.3	7	<1	1	1	2	4	7	13
35-49	196	2.2	6	1	1	1	2	4	5	15
50-64	83	2.2	4	1	1	2	2	4	7	12
65+	53	2.6	6	1	1	2	3	6	9	12
GRAND TOTAL	1059	2.1	6	1	1	1	2	4	6	13

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	1.9	1	1	1	2	2	4	4	6
20-34	238	2.1	3	1	1	2	2	4	5	9
35-49	360	2.4	4	1	1	2	3	4	5	9
50-64	397	2.6	1	1	2	2	3	4	5	6
65 +	173	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	97	3.5	19	1	1	2	4	7	10	27
20-34	182	5.1	73	1	2	3	5	10	16	46
35-49	263	3.9	38	1	1	2	4	6	10	41
50-64	439	3.5	12	1	2	3	4	6	8	21
65 +	344	5.4	58	2	3	4	6	9	12	44
TOTAL SINGLE DX	1256	2.5	3	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1325	4.3	39	1	2	3	4	7	11	32
TOTAL										
0-19 YRS	185	2.8	11	1	1	2	3	5	7	22
20-34	420	3.4	36	1	1	2	3	6	9	32
35-49	623	3.0	19	1	1	2	3	4	6	26
50-64	836	3.0	7	1	2	3	3	5	6	14
65 +	517	4.6	41	2	2	3	5	8	11	25
GRAND TOTAL	**2581**	**3.4**	**22**	**1**	**2**	**2**	**4**	**6**	**8**	**22**

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	494	2.4	3	1	1	2	3	4	5	11
20-34	200	2.6	4	1	1	2	3	5	6	11
35-49	186	2.3	2	1	1	2	3	4	6	9
50-64	82	3.2	8	1	2	2	4	6	7	19
65 +	51	4.0	4	1	2	4	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	611	2.9	19	1	1	2	3	5	7	31
20-34	172	4.0	26	1	2	3	4	6	10	35
35-49	117	4.2	27	1	2	3	4	10	16	61
50-64	140	6.5	142	1	2	3	6	13	33	98
65 +	113	7.7	82	2	3	5	8	15	28	48
TOTAL SINGLE DX	1013	2.6	4	1	1	2	3	4	6	11
TOTAL MULTIPLE DX	1153	4.1	45	1	2	3	4	7	12	45
TOTAL										
0-19 YRS	1105	2.7	12	1	1	2	3	4	6	17
20-34	372	3.3	15	1	1	2	4	6	8	17
35-49	303	3.0	13	1	1	2	3	6	8	20
50-64	222	5.3	95	1	2	3	5	8	21	72
65 +	164	6.5	61	2	3	4	7	11	21	48
GRAND TOTAL	**2166**	**3.4**	**26**	**1**	**1**	**2**	**4**	**6**	**9**	**32**

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.7	3	< 1	1	1	1	3	6	10
20-34	47	2.8	16	< 1	1	1	3	6	11	24
35-49	26	2.1	5	< 1	1	1	2	4	7	12
50-64	30	2.5	6	1	1	2	2	6	9	11
65 +	14	4.4	39	1	1	2	6	13	21	23
2. MULTIPLE DX										
0-19 YRS	25	6.5	226	1	2	2	*	23	80	99 +
20-34	81	5.2	33	1	1	2	7	13	17	26
35-49	48	6.4	163	1	1	2	6	16	21	84
50-64	62	5.9	27	1	2	3	11	14	16	17
65 +	62	7.5	80	1	2	5	8	16	34	43
TOTAL SINGLE DX	141	2.6	12	< 1	1	1	2	6	10	23
TOTAL MULTIPLE DX	278	6.2	82	1	1	3	8	14	19	66
TOTAL										
0-19 YRS	49	4.1	121	< 1	1	2	3	7	25	99 +
20-34	128	4.3	28	1	1	2	6	11	14	26
35-49	74	4.9	111	1	1	2	4	11	18	70
50-64	92	4.8	23	1	1	2	8	13	15	17
65 +	76	6.9	74	1	1	4	8	16	30	42
GRAND TOTAL	**419**	**5.0**	**61**	**1**	**1**	**2**	**6**	**12**	**17**	**38**

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.5	13	1	1	2	6	9	9	9
20-34	4	2.8	8	1	1	2	4	7	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	3.7		3	3	4	4	4	4	4
65 +	4	4.5	1	3	3	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	4	10.3	143	2	3	5	17	28	28	28
20-34	6	6.3	12	4	4	5	7	12	13	13
35-49	12	9.4	65	2	4	6	13	23	26	27
50-64	4	13.3	161	1	5	10	21	31	31	31
65 +	9	9.7	24	6	6	7	13	18	20	20
TOTAL SINGLE DX	17	3.4	5	1	2	3	4	7	8	9
TOTAL MULTIPLE DX	35	9.5	59	2	5	6	13	22	28	31
TOTAL										
0-19 YRS	8	6.9	80	1	2	4	7	22	28	28
20-34	10	4.9	13	1	2	4	7	10	13	13
35-49	14	8.4	63	1	3	5	11	22	26	27
50-64	7	9.1	107	1	3	4	11	27	31	31
65 +	13	8.1	23	4	5	6	10	15	19	20
GRAND TOTAL	**52**	**7.5**	**49**	**1**	**3**	**5**	**9**	**16**	**26**	**31**

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.8	3	1	1	2	4	6	6	6
20-34	10	1.6	1	< 1	1	1	2	3	4	4
35-49	10	2.7	5	< 1	< 1	2	3	6	8	8
50-64	16	4.6	12	1	2	3	7	10	11	12
65 +	24	6.1	27	1	2	5	7	14	17	23
2. MULTIPLE DX										
0-19 YRS	17	8.5	89	1	3	5	10	23	31	35
20-34	58	10.4	71	2	4	8	13	19	29	40
35-49	174	13.7	118	3	6	11	17	29	36	47
50-64	346	14.6	148	3	6	11	19	29	36	67
65 +	569	13.7	114	3	6	11	17	27	33	52
TOTAL SINGLE DX	76	4.0	15	1	1	3	6	8	11	21
TOTAL MULTIPLE DX	1164	13.7	123	3	6	11	18	28	35	55
TOTAL										
0-19 YRS	33	5.7	55	1	1	4	6	13	23	35
20-34	68	9.1	71	1	3	7	12	18	28	40
35-49	184	13.1	118	2	5	10	17	28	35	47
50-64	362	14.1	147	3	6	11	19	28	36	66
65 +	593	13.4	113	3	6	11	17	27	32	52
GRAND TOTAL	1240	13.1	122	2	5	10	17	27	34	54

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	8.3	62	2	5	6	7	22	24	24
20-34	2	5.0		5	5	5	5	5	5	5
35-49	5	10.8	31	6	7	8	14	20	20	20
50-64	4	10.3	35	4	6	9	14	18	18	18
65 +	15	8.9	23	2	5	10	13	15	16	16
2. MULTIPLE DX										
0-19 YRS	5	18.6	565	3	3	7	30	59	59	59
20-34	27	13.9	96	4	5	13	20	22	39	40
35-49	81	17.5	154	6	10	14	23	37	41	66
50-64	266	20.4	219	7	11	16	26	41	50	72
65 +	728	19.5	202	7	10	15	25	38	49	83
TOTAL SINGLE DX	32	9.0	30	3	5	7	12	17	20	24
TOTAL MULTIPLE DX	1107	19.4	203	7	10	15	24	38	48	78
TOTAL										
0-19 YRS	11	13.0	286	2	4	6	18	38	57	59
20-34	29	13.2	95	4	5	11	20	22	39	40
35-49	86	17.1	149	6	9	14	22	37	41	65
50-64	270	20.2	218	7	11	16	25	40	49	72
65 +	743	19.3	201	7	10	15	24	38	48	83
GRAND TOTAL	1139	19.1	201	7	10	15	24	38	47	77

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	9.4	31	4	5	8	13	18	19	19
20-34	0									
35-49	3	10.0	16	6	7	10	13	14	14	14
50-64	8	7.4	28	3	4	5	9	16	19	19
65 +	19	11.2	56	6	6	8	13	24	29	31
2. MULTIPLE DX										
0-19 YRS	9	14.0	125	3	5	12	23	31	35	35
20-34	16	16.0	348	2	6	11	16	33	65	78
35-49	19	26.3	639	6	11	16	27	67	84	98
50-64	132	19.1	221	7	10	15	23	37	52	98
65 +	750	16.6	158	6	8	13	21	33	46	79
TOTAL SINGLE DX	37	9.9	42	4	6	8	13	19	24	31
TOTAL MULTIPLE DX	926	17.1	181	6	8	13	21	34	47	90
TOTAL										
0-19 YRS	16	12.0	85	4	5	9	17	25	32	35
20-34	16	16.0	349	2	6	11	16	33	65	78
35-49	22	24.0	582	6	10	14	27	66	79	98
50-64	140	18.4	218	7	9	15	22	35	48	97
65 +	769	16.5	156	6	8	13	21	33	46	78
GRAND TOTAL	963	16.9	178	6	8	13	21	33	46	88

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	5.1	17	2	3	3	7	12	14	14
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	4	5.8	32	2	2	4	9	14	14	14
50-64	2	9.5	25	6	6	9	13	13	13	13
65 +	5	10.8	73	3	6	7	15	25	25	25
2. MULTIPLE DX										
0-19 YRS	14	10.0	74	3	3	8	14	20	30	33
20-34	18	17.9	276	4	6	10	32	42	52	58
35-49	39	21.3	193	7	11	17	25	43	51	56
50-64	113	22.5	200	6	13	20	32	43	49	64
65 +	170	18.2	169	5	8	16	23	36	44	58
TOTAL SINGLE DX	23	6.8	32	2	3	5	9	14	18	25
TOTAL MULTIPLE DX	354	19.6	190	5	9	16	25	40	47	61
TOTAL										
0-19 YRS	23	8.1	56	2	3	5	12	15	24	33
20-34	21	16.0	258	3	5	8	24	41	49	58
35-49	43	19.9	198	5	9	16	25	42	50	56
50-64	115	22.3	200	6	13	19	32	43	49	64
65 +	175	18.0	168	5	8	15	23	35	44	58
GRAND TOTAL	377	18.8	189	4	8	16	25	39	46	60

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	3.7	9	<1	1	3	5	9	10	11
20-34	19	5.9	16	1	3	4	9	12	13	14
35-49	9	4.6	6	1	3	5	6	8	8	8
50-64	6	4.2	14	1	1	2	9	9	9	9
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	14	4.6	8	1	2	4	7	8	10	11
20-34	21	7.0	34	2	4	5	7	13	22	28
35-49	8	8.1	13	3	6	7	11	13	13	13
50-64	10	5.6	15	1	3	5	7	11	15	15
65 +	1	5.0		5	5	5	5	5	5	5
TOTAL SINGLE DX	57	4.6	12	1	1	4	7	9	12	14
TOTAL MULTIPLE DX	54	6.3	21	2	3	6	7	11	15	28
TOTAL										
0-19 YRS	35	4.1	9	1	1	3	6	8	10	11
20-34	40	6.5	26	2	4	5	8	12	15	28
35-49	17	6.2	12	1	4	6	8	12	13	13
50-64	16	5.1	15	1	2	4	7	9	13	15
65 +	3	3.3	4	1	2	4	5	5	5	5
GRAND TOTAL	111	5.4	17	1	2	5	7	11	12	21

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.9	1	<1	1	1	3	4	4	4
20-34	15	3.6	5	2	2	3	5	8	8	8
35-49	16	2.2	3	1	1	1	3	5	6	7
50-64	13	2.1	1	1	1	2	3	4	4	4
65 +	15	5.2	21	1	2	5	7	9	16	19
2. MULTIPLE DX										
0-19 YRS	10	18.4	824	2	2	4	23	69	87	87
20-34	22	10.2	194	1	2	6	10	27	42	62
35-49	33	7.2	49	1	3	4	9	19	22	28
50-64	68	10.3	87	2	4	7	15	24	28	44
65 +	148	13.2	171	3	5	9	16	28	44	66
TOTAL SINGLE DX	67	3.1	9	1	1	2	4	7	8	17
TOTAL MULTIPLE DX	281	11.8	164	2	4	8	15	26	34	65
TOTAL										
0-19 YRS	18	11.1	508	1	1	2	6	43	73	87
20-34	37	7.5	126	1	2	4	8	18	28	62
35-49	49	5.6	40	1	1	3	7	17	20	28
50-64	81	9.0	83	1	3	6	11	22	27	43
65 +	163	12.5	163	2	5	9	15	27	41	65
GRAND TOTAL	348	10.1	145	1	3	6	13	24	29	62

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	65.0		65	65	65	65	65	65	65
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	14.0	162	5	5	14	23	23	23	23
65 +	5	10.8	47	3	7	8	16	21	21	21
TOTAL SINGLE DX	3	3.3		3	3	3	4	4	4	4
TOTAL MULTIPLE DX	10	21.5	574	3	5	11	23	65	65	65
TOTAL										
0-19 YRS	3	44.7	1240	4	19	65	65	65	65	65
20-34	0									
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	10.3	121	3	3	5	18	23	23	23
65 +	5	10.8	48	3	7	8	16	21	21	21
GRAND TOTAL	13	17.3	494	3	3	8	21	65	65	65

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.1		<1	<1	<1	1	2	2	2
20-34	111	1.7	1	<1	<1	<1	2	3	4	8
35-49	285	2.0	2	<1	<1	1	3	4	5	7
50-64	304	1.9	1	<1	<1	1	2	4	5	6
65+	227	2.2	2	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	9	11.1	152	1	3	5	20	32	36	36
20-34	96	4.6	57	<1	1	2	5	9	16	45
35-49	373	4.2	34	<1	1	2	4	9	17	29
50-64	430	4.7	30	<1	1	3	5	11	16	30
65+	643	6.4	54	1	2	4	8	15	20	42
TOTAL SINGLE DX	949	1.9	2	<1	<1	1	3	4	5	7
TOTAL MULTIPLE DX	1551	5.3	45	<1	1	3	6	13	18	34
TOTAL										
0-19 YRS	31	4.0	62	<1	<1	1	2	10	25	36
20-34	207	3.0	29	<1	<1	1	3	6	9	19
35-49	658	3.2	22	<1	<1	2	3	7	12	25
50-64	734	3.5	21	<1	<1	2	4	8	13	24
65+	870	5.3	45	<1	1	3	6	12	18	37
GRAND TOTAL	2500	4.0	31	<1	<1	2	4	9	15	29

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.3		<1	1	1	2	3	3	3
20-34	11	2.9	4	<1	1	2	4	6	7	7
35-49	79	4.5	48	2	2	3	5	7	8	49
50-64	89	3.3	1	2	2	3	4	5	6	8
65+	66	3.4	3	1	2	3	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	25	3.7	3	2	3	3	5	6	7	9
35-49	152	4.4	21	2	2	3	4	6	11	32
50-64	185	5.1	29	2	3	4	5	9	13	34
65+	316	5.3	15	2	3	4	6	11	15	23
TOTAL SINGLE DX	254	3.6	17	1	2	3	4	5	7	10
TOTAL MULTIPLE DX	680	5.0	20	2	3	4	5	9	13	28
TOTAL										
0-19 YRS	11	1.4		<1	1	1	2	3	3	3
20-34	36	3.5	3	1	2	3	5	6	7	9
35-49	231	4.4	31	2	2	3	4	6	10	33
50-64	274	4.5	21	2	3	3	5	7	10	25
65+	382	5.0	14	2	3	4	6	9	13	22
GRAND TOTAL	934	4.6	20	2	3	4	5	8	11	25

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	72	4.2	3	2	3	4	5	6	8	13
35-49	432	3.8	2	2	3	4	5	6	6	8
50-64	712	4.0	2	2	3	4	5	6	6	9
65+	766	4.4	2	2	3	4	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	72	4.6	8	2	3	4	5	7	11	19
35-49	671	4.6	12	2	3	4	5	7	8	17
50-64	1446	4.9	8	2	3	4	6	8	10	18
65+	2509	5.6	12	3	4	5	6	9	11	19
TOTAL SINGLE DX	1983	4.1	3	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	4700	5.2	11	3	3	4	6	8	11	18
TOTAL										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	144	4.4	6	2	3	4	5	6	8	15
35-49	1103	4.3	9	2	3	4	5	6	8	16
50-64	2158	4.6	7	2	3	4	5	7	9	15
65+	3275	5.3	10	3	4	5	6	8	11	18
GRAND TOTAL	6683	4.9	9	3	3	4	6	8	9	17

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	2.0		1	1	2	2	3	4	5
20-34	418	2.2	1	1	1	2	3	4	4	6
35-49	349	2.3	2	1	1	2	3	4	5	6
50-64	160	2.3	1	1	1	2	3	4	5	7
65+	29	2.7	2	1	2	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	74	2.6	4	1	1	2	3	5	7	13
20-34	280	2.7	6	1	1	2	3	5	6	12
35-49	539	2.9	7	1	1	2	3	5	7	14
50-64	329	3.1	12	1	1	2	3	6	7	17
65+	98	4.2	26	1	2	3	4	9	13	32
TOTAL SINGLE DX	1138	2.2	2	1	1	2	3	4	5	6
TOTAL MULTIPLE DX	1320	3.0	10	1	1	2	3	5	7	15
TOTAL										
0-19 YRS	256	2.1	2	1	1	2	3	3	4	8
20-34	698	2.4	4	1	1	2	3	4	5	8
35-49	888	2.7	6	1	1	2	3	5	6	12
50-64	489	2.8	9	1	1	2	3	5	6	14
65+	127	3.9	22	1	2	2	4	7	11	32
GRAND TOTAL	2458	2.6	6	1	1	2	3	4	6	12

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	202	1.7	1	1	1	1	2	3	4	7
20-34	294	1.8	1	1	1	1	2	3	4	6
35-49	46	1.8	1	<1	1	1	2	3	4	8
50-64	12	1.8		1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	43	6.3	200	1	1	2	3	14	49	65
20-34	81	3.3	49	1	1	2	3	5	9	47
35-49	33	3.8	42	1	1	2	4	6	10	38
50-64	17	2.9	4	1	2	2	3	7	8	8
65+	8	4.8	16	<1	1	4	6	11	13	13
TOTAL SINGLE DX	555	1.8	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	182	4.2	78	1	1	2	3	7	13	59
TOTAL										
0-19 YRS	245	2.5	39	1	1	1	2	4	5	46
20-34	375	2.1	12	1	1	1	2	4	5	10
35-49	79	2.6	20	1	1	2	3	5	7	30
50-64	29	2.4	3	1	1	2	3	5	7	8
65+	9	4.3	16	<1	1	3	6	11	13	13
GRAND TOTAL	737	2.4	21	1	1	1	2	4	5	14

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	311	2.5	10	<1	1	1	2	5	8	17
20-34	213	2.3	7	<1	<1	1	2	5	8	14
35-49	227	2.4	9	<1	<1	1	2	6	9	15
50-64	225	1.9	5	<1	<1	<1	1	4	7	15
65+	213	1.8	7	<1	<1	<1	1	3	6	16
2. MULTIPLE DX										
0-19 YRS	290	5.4	62	1	1	3	6	11	19	51
20-34	266	10.1	134	1	2	6	14	25	30	67
35-49	381	9.0	121	<1	2	5	12	21	28	57
50-64	492	8.6	97	<1	2	6	12	19	25	48
65+	835	9.2	76	1	3	7	12	19	27	44
TOTAL SINGLE DX	1189	2.2	8	<1	<1	1	2	5	8	16
TOTAL MULTIPLE DX	2264	8.7	95	1	2	6	11	20	27	51
TOTAL										
0-19 YRS	601	3.9	38	<1	1	2	4	9	13	37
20-34	479	6.6	92	<1	1	2	8	20	27	59
35-49	608	6.5	90	<1	<1	3	8	16	24	53
50-64	717	6.5	78	<1	<1	3	9	16	22	43
65+	1048	7.7	71	<1	1	5	11	18	25	43
GRAND TOTAL	3453	6.4	75	<1	1	3	8	16	23	43

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	425	4.5	24	1	1	3	5	10	14	26
20-34	400	4.5	22	1	1	3	5	11	15	24
35-49	233	5.4	46	1	2	3	6	13	17	35
50-64	148	6.0	52	1	2	4	7	14	21	34
65+	107	8.7	100	1	1	6	11	16	35	46
2. MULTIPLE DX										
0-19 YRS	957	8.8	100	1	2	5	11	22	30	60
20-34	1249	10.5	148	1	3	6	13	25	37	65
35-49	981	13.2	181	2	5	9	17	31	46	99+
50-64	1253	15.5	199	3	6	11	21	33	46	87
65+	2636	17.5	189	5	8	14	23	37	48	99+
TOTAL SINGLE DX	1313	5.2	38	1	1	3	6	12	16	31
TOTAL MULTIPLE DX	7076	14.1	182	2	5	10	19	32	44	87
TOTAL										
0-19 YRS	1382	7.4	81	1	2	4	9	18	26	53
20-34	1649	9.0	125	1	2	5	11	22	33	58
35-49	1214	11.7	165	2	3	8	15	29	42	83
50-64	1401	14.5	192	3	5	10	19	32	45	85
65+	2743	17.1	189	5	8	14	22	36	48	99
GRAND TOTAL	8389	12.7	170	2	4	9	17	30	42	81

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	652	3.5	12	1	1	2	4	7	9	19
20-34	443	3.5	10	1	1	3	4	7	9	16
35-49	295	3.9	13	1	1	3	5	8	10	21
50-64	215	4.0	18	1	1	3	5	8	12	23
65+	176	4.0	19	<1	1	3	5	8	10	29
2. MULTIPLE DX										
0-19 YRS	1504	5.3	65	1	1	3	6	11	19	46
20-34	1765	5.4	56	1	1	3	6	12	20	39
35-49	1393	7.5	91	1	2	5	9	16	24	52
50-64	1295	8.8	87	1	3	6	11	20	28	48
65+	1995	8.7	78	2	3	6	11	19	25	48
TOTAL SINGLE DX	1781	3.7	14	1	1	3	5	7	10	20
TOTAL MULTIPLE DX	7952	7.1	77	1	2	4	9	16	23	46
TOTAL										
0-19 YRS	2156	4.8	50	1	1	3	5	10	15	42
20-34	2208	5.0	48	1	1	3	6	11	17	36
35-49	1688	6.9	79	1	2	4	8	15	21	51
50-64	1510	8.1	81	1	2	5	10	18	26	46
65+	2171	8.3	76	2	3	6	11	19	25	44
GRAND TOTAL	9733	6.5	67	1	2	4	8	15	21	43

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	131	5.5	42	1	1	3	7	12	19	33
20-34	95	5.5	41	1	1	4	7	14	20	33
35-49	79	5.1	32	1	1	3	7	12	20	26
50-64	41	5.7	37	< 1	1	3	9	16	17	26
65 +	65	8.2	75	1	2	6	10	24	30	35
2. MULTIPLE DX										
0-19 YRS	267	12.4	163	1	4	10	17	27	38	99
20-34	201	12.6	162	2	4	8	17	32	41	68
35-49	182	14.7	174	1	5	11	20	35	44	88
50-64	210	15.6	250	2	5	11	20	40	53	84
65 +	379	17.2	238	4	7	12	23	34	48	89
TOTAL SINGLE DX	411	5.9	46	1	1	3	8	15	20	32
TOTAL MULTIPLE DX	1239	14.8	206	2	5	11	20	34	46	88
TOTAL										
0-19 YRS	398	10.1	134	1	2	7	14	24	32	86
20-34	296	10.3	135	1	2	6	14	26	37	57
35-49	261	11.8	151	1	3	7	18	29	42	64
50-64	251	14.0	229	1	3	9	18	37	48	81
65 +	444	15.9	225	3	6	11	22	33	42	87
GRAND TOTAL	1650	12.6	181	1	3	8	17	29	41	79

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	3.2	39	< 1	1	2	2	7	11	39
20-34	34	5.2	94	< 1	1	1	3	16	33	42
35-49	39	3.7	31	< 1	1	2	4	8	11	34
50-64	15	2.5	4	< 1	1	1	3	7	7	7
65 +	15	6.0	80	< 1	1	2	8	11	30	36
2. MULTIPLE DX										
0-19 YRS	45	10.7	294	1	2	4	14	37	56	99 +
20-34	80	15.2	303	1	3	9	26	43	52	95
35-49	67	15.8	398	1	2	9	22	38	62	93
50-64	57	17.5	361	1	3	11	28	50	61	98
65 +	67	18.4	344	2	6	12	26	52	90	99 +
TOTAL SINGLE DX	147	4.0	51	< 1	1	2	3	8	16	39
TOTAL MULTIPLE DX	316	15.8	343	1	3	9	23	47	62	99 +
TOTAL										
0-19 YRS	89	7.0	181	1	1	2	6	21	39	96
20-34	114	12.2	261	1	1	4	17	37	51	90
35-49	106	11.3	297	1	2	4	12	30	46	90
50-64	72	14.4	324	1	2	7	20	46	59	95
65 +	82	16.1	317	1	5	10	24	48	77	99 +
GRAND TOTAL	463	12.0	280	1	2	5	16	38	51	99 +

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	204	2.2	6	1	1	1	2	5	7	14
20-34	63	2.5	11	< 1	1	1	3	4	6	22
35-49	124	2.4	3	< 1	1	2	3	5	6	9
50-64	77	2.4	9	< 1	1	1	3	4	7	17
65 +	55	2.5	8	< 1	1	1	3	5	10	15
2. MULTIPLE DX										
0-19 YRS	264	5.0	80	1	1	2	5	11	19	70
20-34	180	5.5	59	1	2	3	5	12	22	43
35-49	322	5.5	55	1	2	3	6	13	19	41
50-64	265	6.1	93	1	1	3	7	15	23	46
65 +	257	10.9	110	1	4	8	14	24	29	48
TOTAL SINGLE DX	523	2.4	7	< 1	1	1	3	5	6	15
TOTAL MULTIPLE DX	1288	6.6	85	1	2	3	8	17	25	47
TOTAL										
0-19 YRS	468	3.8	50	1	1	2	4	8	12	31
20-34	243	4.7	49	1	1	2	4	11	21	39
35-49	446	4.7	43	1	1	3	5	10	17	38
50-64	342	5.2	77	1	1	2	5	13	20	39
65 +	312	9.5	103	1	2	6	13	23	27	48
GRAND TOTAL	1811	5.4	66	1	1	3	6	13	21	41

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.5	1	1	1	1	2	3	4	4
20-34	7	4.9	57	1	1	2	3	18	22	22
35-49	4	4.8	15	1	1	4	8	9	9	9
50-64	4	3.8	18	< 1	< 1	2	6	10	10	10
65 +	4	2.0	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	60	5.4	32	1	2	4	6	12	18	29
20-34	29	4.6	18	1	2	4	4	11	12	21
35-49	35	6.0	72	2	2	3	7	10	15	51
50-64	41	6.6	19	2	3	5	10	13	14	16
65 +	66	8.1	45	2	3	6	11	18	22	30
TOTAL SINGLE DX	29	3.1	19	1	1	2	3	8	11	22
TOTAL MULTIPLE DX	231	6.4	39	2	2	4	9	13	18	30
TOTAL										
0-19 YRS	70	4.9	30	1	2	3	6	11	14	29
20-34	36	4.6	25	1	2	3	4	11	18	22
35-49	39	5.9	66	1	2	3	7	10	13	51
50-64	45	6.4	19	2	3	5	10	12	14	16
65 +	70	7.7	45	2	3	5	10	17	22	30
GRAND TOTAL	**260**	**6.0**	**38**	**1**	**2**	**4**	**8**	**13**	**17**	**30**

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	1.7	2	1	1	1	2	3	6	9
20-34	1228	2.3	7	1	1	1	2	6	8	13
35-49	2010	2.2	6	1	1	1	2	5	8	12
50-64	999	1.9	6	1	1	1	2	4	7	11
65 +	387	2.0	5	1	1	1	2	4	7	11
2. MULTIPLE DX										
0-19 YRS	121	3.6	26	1	1	2	4	8	13	52
20-34	772	4.1	28	1	1	2	6	9	13	21
35-49	1504	3.8	21	1	1	2	5	9	12	23
50-64	1552	4.6	40	1	1	2	6	11	17	32
65 +	1408	6.3	45	1	1	4	9	15	19	32
TOTAL SINGLE DX	4718	2.1	6	1	1	1	2	5	7	12
TOTAL MULTIPLE DX	5357	4.7	35	1	1	2	6	11	16	29
TOTAL										
0-19 YRS	215	2.8	17	1	1	1	3	6	9	30
20-34	2000	3.0	16	1	1	1	4	7	10	17
35-49	3514	2.9	13	1	1	1	3	7	10	18
50-64	2551	3.6	29	1	1	1	4	9	13	27
65 +	1795	5.3	40	1	1	3	8	14	18	31
GRAND TOTAL	**10075**	**3.5**	**23**	**1**	**1**	**1**	**4**	**9**	**12**	**24**

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	2.5	6	1	1	2	3	5	6	15
20-34	129	3.1	13	1	1	2	3	6	10	20
35-49	177	3.4	10	1	1	2	5	8	10	16
50-64	284	3.1	12	1	1	2	3	7	10	17
65 +	301	2.6	7	< 1	1	2	3	5	8	14
2. MULTIPLE DX										
0-19 YRS	83	7.3	87	1	2	5	9	14	22	57
20-34	219	6.5	48	1	2	4	8	15	19	37
35-49	447	6.4	41	1	2	5	8	14	18	34
50-64	1141	6.4	57	1	2	4	8	13	17	38
65 +	2047	6.4	36	1	2	5	9	13	17	29
TOTAL SINGLE DX	965	2.9	10	1	1	2	3	7	9	16
TOTAL MULTIPLE DX	3937	6.4	45	1	2	5	8	13	18	34
TOTAL										
0-19 YRS	157	5.0	55	1	1	2	6	11	16	40
20-34	348	5.2	39	1	1	3	6	12	18	31
35-49	624	5.6	34	1	2	4	7	12	16	30
50-64	1425	5.7	50	1	2	4	7	12	16	35
65 +	2348	5.9	35	1	2	4	8	12	17	28
GRAND TOTAL	**4902**	**5.8**	**40**	**1**	**2**	**4**	**8**	**12**	**17**	**30**

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	24	3.7	9	1	1	3	6	9	10	11
50-64	63	4.2	10	< 1	1	4	6	8	11	14
65 +	18	4.9	18	< 1	1	4	7	12	14	15
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	7.4	16	3	5	7	9	14	14	14
35-49	138	5.3	21	1	2	4	7	12	14	21
50-64	291	5.6	20	1	2	4	8	11	14	19
65 +	283	7.6	44	2	3	6	10	16	20	33
TOTAL SINGLE DX	107	4.2	11	< 1	1	4	6	9	11	14
TOTAL MULTIPLE DX	717	6.3	31	1	2	5	8	13	17	23
TOTAL										
0-19 YRS	0									
20-34	7	7.3	14	3	4	7	9	13	14	14
35-49	162	5.0	20	1	2	4	7	12	14	21
50-64	354	5.3	19	1	2	4	8	11	13	18
65 +	301	7.5	43	1	3	6	10	16	20	32
GRAND TOTAL	**824**	**6.1**	**29**	**1**	**2**	**5**	**8**	**13**	**16**	**23**

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	3.0	8	1	1	2	4	7	10	12
20-34	372	4.3	13	1	1	3	7	9	11	17
35-49	403	4.5	15	1	1	3	7	9	11	18
50-64	469	3.9	13	1	1	2	6	9	10	16
65 +	452	4.1	13	1	1	2	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	171	6.0	50	1	2	4	7	13	17	37
20-34	677	7.2	56	1	3	6	9	13	18	42
35-49	1151	6.6	32	1	3	5	9	13	16	31
50-64	2234	6.5	36	1	2	5	9	12	16	30
65 +	4227	7.5	41	1	3	6	10	14	18	34
TOTAL SINGLE DX	1818	4.1	14	1	1	3	6	9	11	16
TOTAL MULTIPLE DX	8460	7.0	40	1	3	6	9	14	18	33
TOTAL										
0-19 YRS	293	4.8	35	1	1	3	6	11	14	26
20-34	1049	6.2	43	1	2	5	8	12	16	36
35-49	1554	6.1	29	1	2	5	8	12	15	30
50-64	2703	6.0	33	1	2	5	8	12	16	29
65 +	4679	7.1	40	1	2	6	10	14	18	33
GRAND TOTAL	**10278**	**6.5**	**37**	**1**	**2**	**5**	**9**	**13**	**16**	**31**

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1570	3.0	16	1	1	2	3	6	9	22
20-34	1155	5.0	37	1	2	3	6	10	15	33
35-49	1047	5.5	43	1	2	4	6	11	16	38
50-64	823	5.3	39	1	2	3	6	10	16	31
65 +	732	5.9	28	2	3	5	7	11	16	29
2. MULTIPLE DX										
0-19 YRS	3490	5.2	58	1	2	3	6	11	18	43
20-34	3509	6.4	51	1	2	4	7	15	21	38
35-49	4409	6.8	47	2	3	5	8	14	21	36
50-64	7003	7.4	47	2	3	5	9	15	21	36
65 +	20382	8.3	41	3	4	7	10	15	20	33
TOTAL SINGLE DX	5327	4.7	33	1	2	3	5	9	14	29
TOTAL MULTIPLE DX	38793	7.5	47	2	3	6	9	15	20	36
TOTAL										
0-19 YRS	5060	4.5	47	1	1	2	5	9	15	41
20-34	4664	6.1	49	1	2	4	7	13	21	37
35-49	5456	6.6	47	2	3	5	8	13	20	36
50-64	7826	7.2	47	2	3	5	9	14	20	36
65 +	21114	8.2	41	3	4	7	10	15	20	33
GRAND TOTAL	**44120**	**7.2**	**46**	**2**	**3**	**5**	**9**	**14**	**20**	**35**

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3665	3.1	7	1	1	2	4	6	7	14
20-34	5186	3.1	9	1	1	2	4	6	7	15
35-49	3213	3.3	13	1	1	2	4	6	8	19
50-64	2101	3.8	14	1	2	3	5	7	9	18
65 +	1506	4.8	21	1	2	4	6	9	11	25
2. MULTIPLE DX										
0-19 YRS	8703	5.7	56	1	2	4	6	11	18	43
20-34	10528	5.0	31	1	2	3	6	9	14	30
35-49	11118	5.5	28	2	2	4	7	10	14	29
50-64	16162	6.1	24	2	3	5	8	11	15	25
65 +	38096	7.3	30	3	4	6	9	13	17	29
TOTAL SINGLE DX	15671	3.4	12	1	1	3	4	6	8	17
TOTAL MULTIPLE DX	84607	6.4	33	2	3	5	8	12	16	30
TOTAL										
0-19 YRS	12368	4.9	44	1	2	3	5	9	15	36
20-34	15714	4.4	25	1	2	3	5	8	12	28
35-49	14331	5.0	26	1	2	4	6	10	13	28
50-64	18263	5.8	24	2	3	5	7	11	14	25
65 +	39602	7.2	30	3	4	6	9	13	17	29
GRAND TOTAL	**100278**	**5.9**	**31**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	3.8	9	1	2	3	5	9	11	14
20-34	21	4.4	7	2	3	4	5	7	11	14
35-49	12	3.3	4	1	2	3	4	7	7	7
50-64	11	4.6	2	3	3	4	6	7	8	8
65 +	19	9.7	116	2	3	6	13	22	37	46
2. MULTIPLE DX										
0-19 YRS	648	20.3	438	3	5	12	36	62	91	99 +
20-34	128	9.2	86	2	3	6	11	22	31	62
35-49	219	11.2	142	3	4	8	13	22	35	75
50-64	500	13.1	138	4	6	10	16	26	36	75
65 +	1259	12.9	82	5	7	10	16	24	31	45
TOTAL SINGLE DX	102	5.1	32	1	2	4	6	10	14	36
TOTAL MULTIPLE DX	2754	14.4	193	4	6	10	18	33	48	99 +
TOTAL										
0-19 YRS	687	19.4	429	3	5	11	33	62	87	99 +
20-34	149	8.6	78	2	3	5	10	20	28	52
35-49	231	10.8	138	3	4	7	13	21	34	74
50-64	511	12.9	137	4	6	10	16	26	36	73
65 +	1278	12.9	83	5	7	10	16	24	31	45
GRAND TOTAL	**2856**	**14.1**	**190**	**3**	**6**	**10**	**17**	**32**	**47**	**99 +**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3337	5.3	54	1	2	3	5	13	22	37
20-34	1315	7.4	68	1	3	5	9	16	24	43
35-49	1192	7.0	54	1	3	4	8	16	23	36
50-64	732	6.1	49	1	2	4	7	14	20	35
65 +	586	6.9	51	1	3	5	8	15	20	41
2. MULTIPLE DX										
0-19 YRS	5934	6.7	91	1	2	4	6	15	28	48
20-34	2828	8.9	96	2	3	6	11	21	28	51
35-49	3440	8.2	69	2	3	6	10	17	25	42
50-64	4204	7.8	60	2	3	6	9	16	23	43
65 +	11562	9.0	61	3	4	7	11	17	23	43
TOTAL SINGLE DX	7162	6.2	57	1	2	3	7	15	22	38
TOTAL MULTIPLE DX	27968	8.2	73	2	3	6	10	17	25	45
TOTAL										
0-19 YRS	9271	6.2	78	1	2	3	5	14	25	45
20-34	4143	8.4	88	2	3	5	10	19	27	49
35-49	4632	7.9	66	2	3	5	9	17	25	41
50-64	4936	7.6	59	2	3	5	9	15	22	43
65 +	12148	8.9	61	3	4	7	11	17	23	43
GRAND TOTAL	**35130**	**7.8**	**70**	**2**	**3**	**5**	**9**	**17**	**24**	**44**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	406	3.0	3	1	2	2	4	5	6	10
20-34	210	3.6	6	1	2	3	4	7	8	13
35-49	206	3.9	11	1	2	3	5	7	11	22
50-64	181	4.2	8	1	2	4	6	8	10	14
65 +	187	5.3	11	2	3	5	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	1033	6.9	100	2	2	4	6	15	26	58
20-34	730	5.8	48	1	2	4	7	12	17	41
35-49	1083	5.9	36	2	3	4	7	11	16	43
50-64	2449	7.3	33	2	4	6	9	14	19	29
65 +	6689	8.6	45	3	4	7	11	16	21	36
TOTAL SINGLE DX	1190	3.8	8	1	2	3	5	7	9	14
TOTAL MULTIPLE DX	11984	7.8	48	2	4	6	10	15	20	37
TOTAL										
0-19 YRS	1439	5.8	76	1	2	3	5	11	21	51
20-34	940	5.3	40	1	2	4	6	11	15	36
35-49	1289	5.6	33	2	2	4	7	11	15	37
50-64	2630	7.1	32	2	3	6	9	14	18	29
65 +	6876	8.5	45	3	4	7	11	16	21	35
GRAND TOTAL	13174	7.4	46	2	3	6	9	15	20	36

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3087	3.3	16	1	2	2	4	6	7	24
20-34	1780	4.1	35	1	1	2	4	8	14	32
35-49	1510	3.9	23	1	1	2	4	8	12	25
50-64	1279	3.9	19	1	2	3	5	8	10	28
65 +	1165	4.7	24	1	2	3	6	9	13	25
2. MULTIPLE DX										
0-19 YRS	9456	7.0	128	1	2	3	6	15	31	72
20-34	4761	5.7	55	1	2	3	6	13	22	41
35-49	6661	5.5	45	1	2	4	6	11	17	35
50-64	11057	5.8	33	2	3	4	7	11	16	31
65 +	27163	7.2	37	2	3	6	9	14	18	32
TOTAL SINGLE DX	8821	3.8	23	1	2	3	4	7	10	26
TOTAL MULTIPLE DX	59098	6.6	54	2	3	4	8	13	19	41
TOTAL										
0-19 YRS	12543	6.1	103	1	2	3	5	12	26	66
20-34	6541	5.3	50	1	2	3	5	12	20	38
35-49	8171	5.2	41	1	2	3	6	10	17	33
50-64	12336	5.6	32	1	2	4	7	11	15	30
65 +	28328	7.1	37	2	3	5	9	14	18	32
GRAND TOTAL	67919	6.2	51	1	2	4	7	12	18	39

Appendix

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

Diagnosis Groups (continued)

358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental ICD-9-CM Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index
Part III: Crosswalk

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1988, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1988 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
305	skin and subcutaneous tissue, except digit

Group No.	Title
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary
354	renal

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebralvascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 94 Delirium
- Delivery, complicated by:
  - 292 abnormality, bony pelvis
  - 286 abruptio placentae
  - 301 acute toxemia
  - 290 breech presentation
  - 292 cephalopelvic disproportion
  - 301 complication, not elsewhere classified
  - 301 eclampsia
  - 292 fetopelvic disproportion
  - 301 hypertensive disorder
  - 291 malpresentation, except breech
  - 289 multiple fetation
  - placenta
    - 286 abruptio
    - 285 previa
  - 301 pre-eclampsia
  - premature
    - 296 rupture of membranes
    - 286 separation of placenta
  - 295 previous cesarean section
  - 293 prolonged labor, not otherwise specified
  - 301 toxemia
  - 293 uterine inertia
- 284 Delivery, normal or uncomplicated
- Dementia
  - 95 Alzheimer's
  - 96 arteriosclerotic
  - 95 presenile
  - 97 senile
- Dependence
  - 110 alcoholic
  - 112 amphetamine
  - 112 barbiturate
  - 112 cocaine
  - 111 heroin
  - 112 LSD

Group No. **Title**

- Dependence (continued)
  - 112 marijuana
  - 111 methadone
  - 111 morphine
  - 111 opioid
- 116 Depression, except neurotic, postpartum, and psychotic
  - 108 neurotic
  - 281 postpartum
  - 104 psychotic
- Depressive
  - 108 neurosis
  - 104 psychosis
  - 108 reaction
- 317 Derangement, joint except knee
  - 316 knee joint
- 310 Dermatitis
- 16 Dermatomycosis
- 128 Detachment of retina
- 183 Deviated nasal septum
- Diabetes mellitus
  - 357 chemical
  - 75 uncomplicated
  - 78 uncontrolled
- Diabetic complications
  - 76 acidosis
  - 78 cataract
  - 77 circulatory disorder
  - 76 coma
  - 77 gangrene
  - 78 nephropathy
  - 78 neuropathy
  - 78 retinopathy
  - 78 ulcer
- Dialysis
  - 415 peritoneal
  - 415 renal
- 214 Diaphragmatic hernia

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial

Group No.	Title
	Disease (continued)
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
145	renal
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease **(continued)**
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
	Disease **(continued)**
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol

DIAGNOSIS INDEX (continued)

Group No.	Title
	Drug **(continued)**
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization

Group No.	Title
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension

DIAGNOSIS INDEX (continued)

Group No.	Title
	Examination
417	follow-up
417	medical
	Failure
156	heart
408	postoperative
238	renal, except chronic
237	chronic
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper

Group No.	Title
	Fracture (continued)
	arm, except upper (continued)
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
	skull (continued)
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device
	Heart
147	attack
156	failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn

Group No. **Title**

- 344 Hemolytic disease of newborn
- 90 Hemophilia
- 353 Hemoptysis
- Hemorrhage
  - 279 antepartum, except early
    - 274 early
  - 180 blood vessel, spontaneous
  - 263 dysfunctional uterine
  - 233 gastrointestinal
  - 161 intracerebral, except subarachnoid
    - 162 with paralysis
    - 161 without paralysis
  - 272 postabortal
  - 406 postoperative wound
  - 288 postpartum, except delayed or secondary
    - 303 delayed or secondary
  - 274 pregnancy, early
  - 303 puerperal, after 24 hours
  - subarachnoid
    - 159 without paralysis
    - 160 with paralysis
- 179 Hemorrhoids
- 227 Hepatitis, except chronic and viral
  - 226 chronic
  - 10 infectious
  - 10 serum
  - 10 viral
- Hernia
  - 215 abdominal, except inguinal
    - 216 with complication
  - 214 diaphragmatic
    - 216 with complication
  - 215 femoral
    - 216 with complication
  - 214 hiatal
    - 216 with complication
  - 213 incisional

Group No. **Title**

- Hernia **(continued)**
  - incisional (continued)
    - 216 with complication
  - 210 inguinal
    - 211 with complication
  - 213 postoperative
    - 216 with complication
  - 212 umbilical
    - 216 with complication
  - 213 ventral
    - 216 with complication
- 111 Heroin dependence or addiction
- 9 Herpes simplex
  - 20 late effect
- 9 Herpes zoster
  - 20 late effect
- 84 Histiocytosis
- 13 HIV infection
- 48 Hodgkin's disease
- 13 Human immunodeficiency virus (disease) (illness)
- 251 Hydrocele
- 333 Hydrocephaly
- 84 Hyperbilirubinemia, except neonatal
  - 344 neonatal
- 84 Hypercalcemia
- 276 Hyperemesis gravidarum
- 80 Hyperinsulinism
- 84 Hyperlipoproteinemia
- 80 Hyperparathyroidism
- 249 Hyperplasia of prostate
- 86 Hyperpotassemia
- 143 Hypertension, except renal and of pregnancy
  - 275 of pregnancy
  - 301 with delivery
  - 145 renal
  - 146 renovascular
- 134 Hypertensive retinopathy

DIAGNOSIS INDEX (continued)

Group No.	Title
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis

Group No.	Title
	Infertility (continued)
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion
386	internal, except chest
385	chest
376	knee ligament or meniscus
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
	Laceration **(continued)**
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria

DIAGNOSIS INDEX (continued)

Group No.	Title
32	Malignant melanoma, skin
105	Manic-depressive psychosis
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis

Group No.	Title
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma

DIAGNOSIS INDEX (continued)

Group No. Title

- Neoplasm, benign (continued)
  - 63 vagina
  - 63 vulva
- Neoplasm, malignant
  - 46 adrenal gland
  - 41 bladder
  - 31 bone
  - 44 brain
  - 34 breast
  - 29 bronchus
  - 21 buccal cavity
  - 45 cerebral meninges
  - 35 cervix uteri
  - 25 colon
  - 31 connective tissue
  - 46 endocrine glands
  - 22 esophagus
  - 43 eye
  - 38 fallopian tube
  - genitalia
    - 38 female, except uterus and ovary
    - 40 male, except prostate
  - 47 ill-defined sites
  - 27 intestine, except colon and rectum
    - 25 large, except rectum
    - 24 small
  - 42 kidney
  - 25 large intestine, except rectum
  - 29 lung
  - 53 lymphatic, except Hodgkin's disease
  - 47 metastatic
  - 21 mouth
  - 45 nervous system, except brain
  - 37 ovary
  - 28 pancreas
  - 21 pharynx
  - 46 pituitary gland

Group No. Title

- Neoplasm, malignant (continued)
  - 38 placenta
  - 39 prostate
  - 26 rectum
  - 30 respiratory system, except bronchus and lung
  - 40 scrotum
  - 47 secondary
  - 33 skin, except genitalia and melanoma
  - 24 small intestine
  - 45 spinal cord and meninges
  - 23 stomach
  - 46 thyroid gland
  - 42 ureter
  - 42 urethra
  - 42 urinary tract, except bladder
  - 36 uterus, except cervix
  - 38 vagina
  - 38 vulva
- 72 Neoplasm, uncertain behavior or unspecified type, any site
- 235 Nephritis, except acute
  - 236 acute
- 235 Nephrosis, except tubular
  - 238 tubular
- 235 Nephropathy, except diabetic
  - 78 diabetic
- 331 Neuralgia, except sciatic and trigeminal
  - 323 sciatic
  - 127 trigeminal
- 331 Neuritis, except median and sciatic
  - 126 median
  - 323 sciatic
- 127 Neuroma, except amputation stump
  - 408 amputation stump
- 109 Neurosis, except anxiety, cardiac, and depressive
  - 107 anxiety
  - 115 cardiac
  - 108 depressive

DIAGNOSIS INDEX (continued)

Group No. Title
Nevus
58 skin
342 vascular
Newborn, hospital
412 multiple
411 single term
412 twin
Newborn, nonhospital
413 multiple
413 single
284 Normal delivery
131 Nuclear cataract
89 Nutritional anemia
134 Nystagmus

83 Obesity
282 Obstructed labor
294 with delivery
Obstruction
231 bile duct, except calculus
217 intestinal, except postoperative
408 postoperative
180 portal vein
180 vena cava
193 Obstructive pulmonary disease, not otherwise specified (COPD)
Occlusion
165 cerebral, without paralysis
166 with paralysis
163 precerebral, without paralysis
164 with paralysis
129 Open-angle glaucoma
111 Opioid dependence or addiction
134 Optic atrophy
252 Orchitis
Organic brain syndrome
94 acute
95 Alzheimer's dementia

Group No. Title
Organic brain syndrome **(continued)**
96 arteriosclerotic
94 transient
314 Osteoarthritis
313 hip
313 knee
319 spinal
328 Osteomyelitis
332 Osteopathic somatic dysfunction
Otitis media
136 chronic and unspecified
137 acute
139 Otosclerosis
Ovarian
257 cyst
266 disease, except endometriosis
79 dysfunction
268 pregnancy
79 Ovary, polycystic
402 Overdose, drug

Paget's disease-*see Disease, Paget's*
Pain
355 abdominal
352 chest
267 female genital organ
348 head
352 precordial
232 Pancreatic disease
134 Papilledema
121 Paralysis agitans
217 Paralytic ileus
106 Paranoia, except schizophrenic
100 schizophrenia
121 Parkinsonism
153 Paroxysmal atrial or supraventricular tachycardia
19 Pediculosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Pregnancy **(continued)**
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism

Group No.	Title
	Pulmonary **(continued)**
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic
237	chronic
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst

Group No.	Title
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee

DIAGNOSIS INDEX (continued)

Group No.	Title
	Sprain, except knee, back, and sacroiliac region **(continued)**
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)

Group No.	Title
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery

DIAGNOSIS INDEX (continued)

Group No.	Title
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation

Group No.	Title
	Ulcer **(continued)**
	peptic, except gastric (continued)
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper resiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb

DIAGNOSIS INDEX (continued)

Group No.	Title
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	Open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs. *(Revised Group Numbers as of January 1, 1989)*

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, and temporomandibular
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
737	total replacement, except hip and knee
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain
757	breast

Group No.	Title
	Biopsy **(continued)**
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura
657	prostate

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
606	rectum
549	salivary gland or duct
658	scrotum
593	stomach
762	skin
598	small intestine
507	spinal meninges
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
597	gastric

Group No.	Title
	Bypass, graft or shunt (continued)
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix

OPERATION INDEX (continued)

Group No.	Title
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
582	blood vessel
568	chest
629	laparotomy site

Group No.	Title
	Control of hemorrhage **(continued)**
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce

Group No.	Title
	Drainage-*see also incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERCP (endoscopic retrograde cholangiopancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy)
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine

Group No.	Title
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral

OPERATION INDEX (continued)

Group No.	Title
	Excision **(continued)**
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges

Group No.	Title
	Excision of lesion **(continued)**
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion (continued)
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
[illegible]	Exteriorization, intestine
	Extracorporeal
582	circulation
	Extracorporeal (continued)
582	membrane oxygenation (ECMO)
652	shock wave lithotripsy (ESWL)
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*

OPERATION INDEX (continued)

Group No.	Title
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy

Group No.	Title
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical

OPERATION INDEX (continued)

Group No.	Title
	Herniorrhaphy **(continued)**
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain

Group No.	Title
	Incision (and drainage) **(continued)**
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast

Group No.	Title
	Insertion **(continued)**
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins

OPERATION INDEX (continued)

Group No.	Title
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended

Group No.	Title
	Mastectomy (continued)
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension

OPERATION INDEX (continued)

Group No.	Title
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
681	Pelvic exenteration
582	Percutaneous transluminal angioplasty, except coronary
571	coronary artery (PTCA)
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast

OPERATION INDEX (continued)

Group No. **Title**

- Radiography **(continued)**
  - 771 cerebral
    - 771 arteries
    - 769 ventricles
  - 775 chest
  - 774 computerized axial tomography (C.A.T. Scan)
  - 775 gallbladder
  - 775 kidney
  - 775 skeletal
  - 775 spine, except myelogram
    - 770 myelogram
  - 773 veins
- Reattachment
  - 753 extremity
  - 528 retina
  - 746 tendon, except of hand
    - 744 hand
- 530 Recession, ocular muscle
- Reconstruction
  - 534 ear ossicles
  - 707 mandible
  - 744 thumb
- 688 Rectocele repair
- Reduction
  - 726 dislocation, except hip and temporomandibular
    - 725 hip (closed) (open)
    - 710 temporomandibular (joint)
  - fracture
    - 709 facial bone, except closed reduction
      - 708 closed reduction
    - femur
      - 721 closed, except with internal fixation
        - 719 with internal fixation
      - 721 open, except with internal fixation
        - 720 with internal fixation
    - 709 mandible, except closed reduction
      - 708 closed reduction

Group No. **Title**

- Reduction **(continued)**
  - fracture (continued)
    - 709 maxillofacial, except closed reduction
      - 708 closed reduction
    - 543 nose
    - site, other than above
      - 724 closed, except with internal fixation
        - 722 with internal fixation
      - 724 open, except with internal fixation
        - 723 with internal fixation
  - 621 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 783 manual
  - 602 intestinal torsion
  - 602 intussusception, intestine
  - 760 mammoplasty
  - 602 volvulus, intestine
- Release
  - adhesions-*see Lysis, adhesions*
  - 743 Dupuytren's contracture
  - 767 scar contracture, skin
  - 648 urethral stricture
- Removal
  - 718 bone growth stimulator
  - calculus
    - 619 biliary tract, except by ERCP or percutaneous
      - 618 by ERCP
      - 617 percutaneous
    - 644 bladder, except transurethral approach
      - 643 transurethral approach
    - 636 kidney, except transurethral approach
      - 639 transurethral approach
    - 519 lacrimal tract (by incision)
      - 532 without incision
    - 637 ureter, except transurethral approach
      - 639 transurethral approach
  - 783 catheter, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal **(continued)**
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur

Group No.	Title
	Repair **(continued)**
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	Laceration-*see also Repair, by site*
705	obstetric
561	larynx

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures

Group No.	Title
	Repair (continued)
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump

OPERATION INDEX (continued)

Group No.	Title
	Revision **(continued)**
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy

Group No.	Title
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
617	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin

OPERATION INDEX (continued)

Group No.	Title
	Suture (continued)
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation

Group No.	Title
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
746	muscle, except of hand
744	hand
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy

OPERATION INDEX (continued)

Group No.	Title
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

PART III: CROSSWALK

From Old to New Hospital Diagnosis and Procedure Groups

In January 1989, Hospital Diagnosis Groups (List A) and Hospital Procedure Groups (List B) were revised. This crosswalk is provided to facilitate tracking back and forth between the old and new group numbers.

A. Hospital Diagnosis Groups (List A)

Old	New
001	002*
002	003
003	004
004	005
005	006
006	007
007	008
008	009
009	010
010	011
011	012
012	013
013	014
014	015
015	016
016	017
017	019*
018	020
019	021
020	022
021	023
022	024
023	025
024	026
025	027
026	028
027	029
028	030
029	031
030	032
031	033
032	034
033	035
034	036
035	037
036	038
037	039
038	040
039	041
040	042
041	043
042	044
043	045
044	046
045	047
046	048
047	050*
048	052*
049	053
050	054
051	055
052	056
053	057
054	058
055	059
056	060
057	061
058	062
059	063
060	064
061	065
062	066
063	067
064	068
065	069
066	070
067	071
068	072
069	073
070	074
071	075
072	076
073	078*
074	079
075	080
076	081
077	082
078	083
079	084
080	085
081	086
082	087
083	088
084	089
085	090
086	091
087	092
088	093
089	094
090	097*
091	096
092	098
093	099
094	100
095	101
096	102
097	103
098	104
099	105
100	106
101	107
102	108
103	109
104	110
105	111
106	112
107	113
108	114
109	115
110	117*
111	118*
112	119
113	120
114	121
115	122
116	123
117	124
118	125
119	126
120	127
121	128
122	129
123	130
124	131
125	131
126	132
127	133
128	134
129	135
130	136
131	137
132	138
133	139
134	140
135	141
136	142
137	143
138	144
139	146*
140	147
141	148
142	149
143	150
144	151
145	152
146	153
147	154
148	155
149	156
150	158*
151	150
152	159
153	160
154	161
155	162
156	163
157	164
158	165
159	166
160	167
161	168
162	169
163	170
164	172*
165	173
166	174
167	175*
168	176
169	177
170	178
171	179
172	180
173	181
174	182
175	183
176	184
177	185
178	186
179	188*
180	189
181	190
182	191
183	192
184	193
185	194
186	196*
187	197
188	198
189	199
190	200
191	201
192	202
193	203
194	204
195	205
196	206
197	207
198	208
199	209
200	210
201	211
202	212
203	213
204	214

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

Hospital Diagnosis Groups (continued)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
205	215	239	253	273	287	307	323	341	359*	375	394
206	216	240	254	274	288	308	324	342	360*	376	395
207	217	241	255	275	289	309	325	343	361	377	396
208	218	242	256	276	290	310	326	344	362	378	397
209	219	243	257	277	291	311	327	345	363	379	397
210	220	244	258	278	292	312	328	346	364	380	398
211	224*	245	259	279	293	313	329	347	365	381	399
212	225	246	260	280	294	314	330	348	366	382	400
213	226	247	261	281	295	315	331	349	367	383	401
214	227	248	262	282	296	316	331	350	368	384	402
215	228	249	263	283	297	317	332	351	369	385	403
216	229	250	264*	284	298	318	333	352	370	386	404
217	230	251	265	285	299	319	334	353	371	387	405
218	231	252	266	286	300	320	335	354	372	388	406
219	232	253	267	287	301	321	336	355	373	389	407
220	233	254	268	288	302	322	337	356	374	390	408
221	234	255	269	289	303	323	338	357	375	391	409
222	235	256	270	290	304	324	339	358	376	392	410
223	236	257	271	291	305	325	340	359	377	393	411
224	237	258	272	292	306	326	341	360	378	394	412
225	238	259	273	293	307	327	342	361	379	395	413
226	239	260	274	294	308	328	345*	362	380	396	414
227	240	261	275	295	310*	329	346	363	381	397	415
228	241	262	276	296	311	330	347	364	382	398	417*
229	242	263	277	297	312	331	348	365	384*		
230	243	264	278	298	314*	332	349	366	385		
231	244	265	279	299	315	333	350	367	386		
232	245	266	280	300	316	334	351	368	387		
233	246	267	281	301	317	335	352	369	388		
234	248*	268	282	302	318	336	353	370	389		
235	249	269	283	303	319	337	354	371	390		
236	250	270	284	304	320	338	355	372	391		
237	251	271	285	305	321	339	356	373	392		
238	252	272	286	306	322	340	357	374	393		

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

A. Hospital Diagnosis Groups (List A) - APPENDIX

List A Group			Now in
OLD	NEW	Except for Diagnosis Code(s)	LIST A:
001	002	008.6, 008.8	001
017	019	136.3	018
047	050	204.0	049
048	052	205.0	051
073	078	250.70-250.71	077
090	097	290.10-290.13	095
110	117	309.0-309.1	116
111	118	311	116
139	146	403.0-403.9	145
150	158	425.0-425.9	157
164	172	440.2	171
167	175	444.22	171
179	188	481-482.9	187
186	196	518.81-518.82	195
211	224	564.1;	221
		555.0-556;	222
		567.0-567.9	223
234	248	599.0	247
250	264	626.8	263
295	310	707.0-707.9	309
298	314	715.15-715.16, 715.25-715.26, 715.35-715.36, 715.95-715.96	313
328	345	765.00-765.19;	343
		773.0-774.9	344
341	359	800.0-800.9 with 5th digit 4, 5, 803.0-803.9 with 5th digit 4, 5	358
342	360	801.0-801.9 with 5th digit 4, 5	358
365	384	851.0-854.1 with 5th digit 4, 5	383
398	417	V58.1	416

B. Hospital Procedure Groups (List B)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	New	Old	New	Old	New	Old	New	Old	New	Old	New
501	501	535	534	569	568	603	604	637	642	671	679
502	502	536	535	570	569	604	604	638	644*	672	680
503	503	537	536	571	570	605	605	639	645	673	681
504	504	538	537	572	572	606	606	640	646	674	682
505	505*	539	538	573	573	607	607	641	647	675	683
506	506	540	539	574	574	608	608	642	648	676	684
507	507	541	540	575	575*	609	609	643	649	677	685
508	508	542	541	576	576	610	610	644	650	678	686
509	509	543	542	577	577	611	611	645	651	679	687
510	510	544	543	578	578*	612	612	646	653*	680	688
511	511	545	544	579	582	613	613*	647	654	681	689
512	512	546	545	580	579	614	614	648	655	682	690
513	513	547	546	581	582*	615	615	649	656	683	691
514	514	548	547	582	583	616	616	650	657	684	692
515	515	549	548	583	584	617	619*	651	658	685	693
516	516	550	549	584	588	618	620*	652	659	686	694
517	517	551	550	585	585	619	621	653	660	687	695
518	518	552	551	586	586	620	622	654	661	688	696
519	519	553	552	587	588*	621	623	655	662	689	697
520	520	554	553	588	589	622	624	656	663	690	698
521	521	555	554	589	590	623	625	657	664	691	699
522	522	556	555	590	591	624	626	658	666*	692	700
523	523	557	556	591	592	625	627	659	667	693	701
524	524	558	557	592	593	626	628	660	668	694	702
525	525	559	558	593	594	627	629	661	669	695	703
526	526	560	559	594	595	628	630	662	670	696	704
527	527	561	560	595	596	629	631	663	671	697	705
528	528	562	561*	596	597*	630	632	664	672	698	706
529	529	563	562	597	598	631	633	665	673	699	707
530	530	564	563	598	599	632	636*	666	674	700	708
531	530	565	564	599	600	633	637	667	675	701	709
532	531	566	565	600	601	634	638	668	676	702	710
533	532	567	566	601	602	635	640*	669	677	703	712*
534	533	568	567	602	603	636	641	670	678	704	713

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (Continued)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	New	Old	New	Old	New	Old	New	Old	New	Old	New
705	715*	716	727	727	742	738	753	749	765	760	778*
706	717*	717	729*	728	743	739	754	750	766	761	779
707	718	718	730	729	744	740	755	751	767	762	780
708	719	719	732*	730	745	741	756	752	768	763	781
709	720	720	733	731	746	742	757	753	769	764	783*
710	721	721	734	732	747	743	758	754	770		
711	722	722	735	733	748	744	759	755	771		
712	723	723	736	734	749	745	760	756	772		
713	724	724	738*	735	750	746	761	757	773		
714	726*	725	740*	736	751	747	762	758	775*		
715	726*	726	741	737	752	748	764*	759	776		

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (List B) - APPENDIX

List B Group			Now in
OLD	NEW	Except for Procedure Code(s)	LIST B:
505	505	02.2	504
562	561	31.1	560
575	575	36.00-36.02,36.04-36.09	571
578	578	39.27	580
581	582	39.42-39.43, 39.93-39.94;	580
		38.12	581
587	588	38.93	587
596	597	44.21-44.29	596
613	613	49.49	612
617	619	51.96, 51.98;	617
		51.97	618
618	620	52.91	618
632	636	55.03-55.04;	634
		55.6	635
635	640	56.0	639
638	644	57.0	643
646	653	59.95-59.96	652
658	666	64.95, 64.97	665
703	712	77.05, 77.15, 77.25, 77.35	711
705	715	77.45, 77.65, 77.75, 77.85, 77.95, 79.65	714
706	717	78.05, 78.15, 78.25, 78.35, 78.45, 78.55, 78.75, 78.85, 78.95, 79.95	716
714	726	79.75	725
715	726	79.85	725
717	729	80.52	728
719	732	80.20-80.29	731
724	738	81.41	737
725	740	81.31, 81.48, 81.71, 81.81, 81.84, 81.86	739
748	764	86.22	763
758	775	87.03, 87.41, 87.71, 88.01, 88.38	774
760	778	93.90-93.92	777
764	783	89.61-89.69	782

B4465-1.3 U

LOS

LENGTH OF STAY

HKS PUBLICATIONS

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
October, 1989

LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1988
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1988
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1988
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Length of Stay by Psychiatric Diagnosis* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data
Data Quality
Database Characteristics

Organization of Length of Stay Tables x

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of Statistics xi

Application of Length of Stay Tables xii

Twenty-Five Years of Length of Stay xiii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 287

Indexes

Part I: Diagnosis Index 295
Part II: Operation Index 317
Part III: Crosswalk from Old to New Hospital Diagnosis and Procedure Groups 337

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1988 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are included in the 1988 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available.

1988 LENGTH OF STAY SERIES

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS

Linda E. Vanek, Assistant Manager, Normative Publications
Stacey Koepke, Customer Service Representative

INFORMATION SERVICES

Marion S. Morris, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),

Ruth Blumenauer and Kay Brown, Client Development Specialists, HKS,
Cindy Derr and the entire Word Processing staff,
Mary Kay Murray, Marketing Specialist, HKS,
Nancy Ramirez, Medical Systems Specialist, HKS,
Sally Smith, Senior Programmer Analyst,
Robert Travis, Librarian.

INTRODUCTION

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings. Now in its twenty-fifth year, and still drawn from CPHA's extensive database, *Length of Stay* remains the industry standard for inpatient normative data.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Table 1. Table definitions are as follows:

Region and Census Division

The regional volumes of Length of Stay series are defined by four census regions as described in the map below.



** includes Alaska and Hawaii

See Table 2 for the states comprising each region and the number of hospitals and patients included in each volume.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976

TABLE 1
1988 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	382	46	12.0
25-49	1,158	208	18.0
50-99	1,244	254	20.4
100-199	1,203	237	19.7
200-299	726	158	21.8
300-399	423	96	22.7
400-499	216	49	22.7
500+	293	59	20.1
Total	**5,645**	**1,107**	**19.6**
Region and Census Division			
Northeast	803	259	32.3
New England	241	97	40.2
Middle Atlantic	562	162	28.8
North Central	1,645	354	21.5
East North Central	870	300	34.5
West North Central	775	54	7.0
South	2,096	197	9.4
South Atlantic	812	112	13.8
East South Central	485	45	9.3
West South Central	799	40	5.0
West	1,101	297	27.0
Mountain	365	136	37.3
Pacific	736	161	21.9
Location			
Urban	2,996	604	20.2
Rural	2,649	503	19.0
Teaching Intensity			
Low	4,641	834	18.0
Medium	619	143	23.1
High	319	64	20.1
Unknown	66	66	100

---

[1] Hospitals with average stay less than 30 days.

[2] 1987 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Table 2
STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number of hospitals and total patients included in the length of stay tables are shown below.

Region	Number of Hospitals	Number of Patients
Northeast	259	1,407,115
North Central	354	1,810,030
South	197	862,390
West	297	1,406,144
U.S.	1,107	5,485,679

The Pediatric book was compiled from the data of 1,077 hospitals. The Geriatric book was compiled from the data of 1,058 hospitals.

ORGANIZATION OF LENGTH OF STAY TABLES

Classification System

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

NOTE: The composition of List A Diagnosis and List B Procedure groups in the 1988 Length of Stay series has been revised to reflect advances in medical technology and current trends in clinical medicine. The title of each group includes a brief English description and *ICD-9-CM* codes that fall into that group. Where space is limited, a full description can be found in the Appendix. For tracking purposes, a crosswalk from the old Diagnosis and Procedure groups is provided in Part III of the Index at the back of the book.

Patient Data Assignment

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*, updated as of October 1988.

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication. [2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*. Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients, their average length of stay, the variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The *Length of Stay* series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The *LOS* series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the *LOS* series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate *Length of Stay* for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in *Length of Stay*. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

TWENTY-FIVE YEARS OF LENGTH OF STAY

Now in their 25th year, the *Length of Stay* publications are drawn from a unique database of hospital medical experience. The original series in 1963-64 utilized discharge records submitted to CPHA through the Professional Activity Study. The 1988 *LOS* series, published by HKS with data from PAS hospitals and hospital associations, is based on over five million patient records, representing almost 20 percent of the short-term, nonfederal hospitals in the United States.

With LOS data, healthcare professionals can track trends over time and examine current patterns of inpatient hospitalization. For a broad perspective, total days spent in the hospital for various conditions can be compared from the earliest data (1963-64) to the current data (1988). For example, average stay for a diagnosis of diabetes mellitus without complications which was 11.3 days in the 60's, dropped to 5.1 days in 1988.

The following table illustrates hospital stay over a ten year period:

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1988

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
All Patients										
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8	5.7
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8	4.7
All Patients Except Newborn										
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1	6.0
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0	5.9
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0	5.0

Source: *Length of Stay by Diagnosis*, U.S. and Regions, 1979-1988.

As expected, there is a steady decline over the time period with almost a 15% decrease, from an average stay of 6.7 days in 1979 to 5.7 days in 1988. A slight levelling off can be observed since 1986. Regional variations remain consistent, with hospital stays highest in the Northeast and North Central, and lowest in the South and West.

A specific example of this pattern is evidenced in the table below which displays length of stay for normal delivery (ICD-9-CM 650) from 1980 through 1988. This table illustrates the overall decline in length of stay as well as the regional variations described above:

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.2	2.1
Northeast	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6
North Central	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.4	2.2
South	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
West	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1980 for frequently performed surgeries in the United States:

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
Cervical Cesarean Section	6.3	6.2	6.1	5.8	5.6	5.3	5.0	4.8	4.7
Cholecystectomy	10.9	10.7	10.4	9.9	9.1	8.2	7.7	7.2	6.9
Transurethral Prostatectomy	10.4	10.3	9.9	9.3	8.2	7.1	6.5	6.1	5.8
Unilateral Repair of Inguinal Hernia	4.8	4.7	4.4	4.1	3.7	3.2	2.8	2.6	2.5
Vaginal Hysterectomy	7.4	7.3	7.1	6.7	6.3	5.8	5.2	4.8	4.4

Researchers have looked at a variety of factors to explain the decline in hospital stay. Clearly one incentive to decrease stay resulted from the federal government's implementation of a fixed price prospective payment system (PPS) to reimburse hospitals for inpatient costs by Medicare patients. The effect of PPS is demonstrated in studies showing that between 1980 and 1985 Medicare beneficiaries have the greatest relative decline in stay. LOS data show increasingly shorter stays throughout the 80's with the most significant drop occurring between 1983 and 1984. Length of stay dropped 0.4 days for all U.S. hospitals over that year, and continued downward an additional 0.2 days in 1985.

In the 1980's new medical technologies have shortened the number of days a patient needs to be in the hospital. For example, the use of arthroscopic surgeries on the knee has decreased significantly the length of stay in U.S. short-term hospitals. Length of stay data for both internal derangement of the knee joint and dislocation of the knee show a decline from more than 4 days in 1980 to 2.5 days in 1988. Similarly the advent of chemoneucleolysis for herniated discs has reduced hospital stay dramatically.

Issues of cost containment have led to greater scrutiny over hospital stay, translated into the practice of discharging patients as soon as it is medically acceptable. Evidence of this practice is particularly clear for patients receiving medical/surgical procedures. Routine pre-operative examinations are now performed on an outpatient basis prior to admission. Post-operative stay has been shortened, with an increasing reliance on transfer to an alternative care facility after discharge.

The proliferation of HMO's and PPO's may provide yet another explanation for reduced inpatient days. With medical services now being prepaid, the incentive is to closely monitor all service delivery and to reduce costly hospital stays whenever possible.

Length of stay data are only one indicator of inpatient costs. This annual publication of norms from the CPHA database serves a significant function in offering a consistently reliable measure for review and analysis.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119671	3.1	10	1	2	3	3	5	6	14
20-34	60643	3.4	20	1	2	3	3	5	8	25
35-49	21512	4.7	34	1	2	3	5	9	14	32
50-64	12610	5.2	34	1	2	4	6	10	14	30
65 +	10570	5.8	41	1	2	4	7	11	15	33
B. Operated										
0-19 YRS	37446	2.9	16	<1	1	2	3	6	8	18
20-34	74663	3.0	6	1	1	3	4	5	6	11
35-49	31588	3.5	10	1	1	3	5	7	9	15
50-64	21847	4.2	15	1	1	3	6	9	11	18
65 +	18094	5.2	28	1	2	4	7	11	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116726	4.6	36	1	2	3	5	8	12	34
20-34	64124	5.9	59	1	2	4	6	13	21	39
35-49	60842	6.5	53	1	3	4	7	13	20	39
50-64	91204	6.9	51	2	3	5	8	13	19	39
65 +	230446	9.2	90	2	4	7	11	18	26	63
B. Operated										
0-19 YRS	41451	6.2	102	1	1	3	7	15	26	73
20-34	94233	5.1	40	1	2	4	5	9	14	36
35-49	65244	6.8	71	1	2	5	8	14	22	51
50-64	80419	8.9	105	1	3	6	11	19	28	63
65 +	153782	12.4	166	2	4	9	16	28	41	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225006	3.6	19	1	2	3	4	6	9	23
B. Operated	183638	3.4	12	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. Not Operated	563342	7.2	68	2	3	5	8	15	21	48
B. Operated	435129	8.8	116	1	3	5	11	20	30	72
1. SINGLE DX	408644	3.5	16	1	2	3	4	6	9	20
2. MULTIPLE DX	998471	7.9	90	1	3	5	9	17	25	59
A. Not Operated	788348	6.2	57	1	2	4	7	13	19	42
B. Operated	618767	7.2	91	1	2	4	8	16	25	60
TOTAL										
0-19 YRS	315294	4.0	34	1	2	3	4	7	11	33
20-34	293663	4.4	33	1	2	3	5	8	12	30
35-49	179186	5.9	52	1	2	4	7	12	18	39
50-64	206080	7.3	70	1	3	5	9	15	21	48
65 +	412892	10.1	118	2	4	7	12	21	32	76
GRAND TOTAL	**1407115**	**6.6**	**72**	**1**	**2**	**4**	**8**	**14**	**21**	**51**

259 Hospitals, North Eastern Region,January-December 1988

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44600	3.4	23	1	1	2	4	6	9	25
20-34	60643	3.4	20	1	2	3	3	5	8	25
35-49	21512	4.7	34	1	2	3	5	9	14	32
50-64	12610	5.2	34	1	2	4	6	10	14	30
65 +	10570	5.8	41	1	2	4	7	11	15	33
B. Operated										
0-19 YRS	37399	2.9	15	< 1	1	2	3	6	8	17
20-34	74663	3.0	6	1	1	3	4	5	6	11
35-49	31588	3.5	10	1	1	3	5	7	9	15
50-64	21847	4.2	15	1	1	3	6	9	11	18
65 +	18094	5.2	28	1	2	4	7	11	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62939	4.7	45	1	2	3	5	9	14	39
20-34	64124	5.9	59	1	2	4	6	13	21	39
35-49	60842	6.5	53	1	3	4	7	13	20	39
50-64	91204	6.9	51	2	3	5	8	13	19	39
65 +	230446	9.2	90	2	4	7	11	18	26	63
B. Operated										
0-19 YRS	39824	5.7	80	1	1	3	6	13	22	61
20-34	94233	5.1	40	1	2	4	5	9	14	36
35-49	65244	6.8	71	1	2	5	8	14	22	51
50-64	80419	8.9	105	1	3	6	11	19	28	63
65 +	153782	12.4	166	2	4	9	16	28	41	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149935	3.9	26	1	2	3	4	7	11	28
B. Operated	183591	3.4	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	509555	7.5	72	2	3	5	9	15	22	50
B. Operated	433502	8.7	114	1	3	5	11	20	30	71
1. SINGLE DX	333526	3.6	19	1	1	3	4	7	10	21
2. MULTIPLE DX	943057	8.1	92	1	3	5	10	17	26	60
A. Not Operated	659490	6.7	64	1	2	4	8	14	20	45
B. Operated	617093	7.1	90	1	2	4	8	16	25	59
TOTAL										
0-19 YRS	184762	4.2	43	1	1	2	4	8	14	37
20-34	293663	4.4	33	1	2	3	5	8	12	30
35-49	179186	5.9	52	1	2	4	7	12	18	39
50-64	206080	7.3	70	1	3	5	9	15	21	48
65 +	412892	10.1	118	2	4	7	12	21	32	76
GRAND TOTAL	**1276583**	**6.9**	**76**	**1**	**2**	**4**	**8**	**15**	**22**	**52**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	587	2.3	2	1	1	2	3	4	5	6
20-34	158	2.4	4	1	1	2	3	4	5	13
35-49	68	2.6	2	1	1	2	4	5	6	7
50-64	38	3.3	4	1	2	3	4	6	7	10
65 +	14	2.9	2	1	2	3	4	4	5	5
B. Operated										
0-19 YRS	10	2.6	1	1	2	3	3	4	4	4
20-34	4	4.3	4	2	2	4	6	6	6	6
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65 +										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1065	2.9	7	1	2	2	3	5	6	11
20-34	331	2.8	3	1	2	2	4	5	6	9
35-49	195	3.3	8	1	2	3	4	5	7	11
50-64	237	3.9	7	1	2	3	5	7	10	15
65 +	522	4.9	14	2	3	4	6	9	11	20
B. Operated										
0-19 YRS	27	10.8	219	2	3	5	11	31	41	66
20-34	23	5.4	24	2	3	5	5	9	16	25
35-49	18	9.1	82	3	4	5	12	21	32	38
50-64	17	5.6	8	2	3	6	7	10	11	11
65 +	36	11.0	50	4	6	8	17	21	24	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	865	2.4	2	1	1	2	3	4	5	7
B. Operated	15	3.2	2	1	2	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	2350	3.5	9	1	2	3	4	6	8	14
B. Operated	121	8.8	85	2	4	6	10	20	26	46
1. SINGLE DX	880	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2471	3.7	14	1	2	3	4	7	9	18
A. Not Operated	3215	3.2	7	1	2	3	4	6	7	13
B. Operated	136	8.2	79	2	3	5	9	20	25	42
TOTAL										
0-19 YRS	1689	2.8	9	1	2	2	3	5	6	11
20-34	516	2.8	5	1	1	2	4	5	6	12
35-49	281	3.5	14	1	2	3	4	6	7	21
50-64	293	3.9	7	1	2	3	5	7	10	14
65 +	572	5.2	18	2	3	4	6	9	13	22
GRAND TOTAL	**3351**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	235	4.6	16	2	3	4	5	8	10	22
20-34	151	3.4	4	1	2	3	4	6	8	9
35-49	65	4.1	10	1	2	3	6	7	11	17
50-64	20	4.6	18	1	2	4	6	7	14	20
65 +	21	4.4	8	1	2	4	6	9	10	11
B. Operated										
0-19 YRS	13	7.5	26	3	4	6	10	14	19	20
20-34	21	3.8	3	2	2	4	5	7	7	8
35-49	16	4.9	3	2	4	5	6	7	8	8
50-64	3	5.7	4	4	4	5	7	8	8	8
65 +	3	7.3	30	2	3	7	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	373	4.9	19	2	3	4	6	9	13	24
20-34	263	4.9	29	1	3	4	6	9	12	26
35-49	164	5.9	20	2	3	4	8	11	15	25
50-64	141	5.8	17	2	3	5	7	10	14	21
65 +	330	8.7	82	3	4	6	10	15	21	60
B. Operated										
0-19 YRS	23	11.0	122	3	5	6	13	28	40	42
20-34	56	8.6	103	3	4	6	8	16	32	58
35-49	57	8.9	62	3	4	6	10	17	29	41
50-64	49	11.6	128	4	5	8	14	25	32	59
65 +	126	15.4	201	4	6	11	20	31	45	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	492	4.2	11	2	2	3	5	7	9	19
B. Operated	56	5.3	11	2	3	5	7	8	13	20
2. MULTIPLE DX										
A. Not Operated	1271	6.1	40	2	3	4	7	11	15	34
B. Operated	311	12.0	148	3	5	8	14	27	41	59
1. SINGLE DX	548	4.3	11	2	2	4	5	7	9	20
2. MULTIPLE DX	1582	7.3	67	2	3	5	8	14	20	47
A. Not Operated	1763	5.6	33	2	3	4	7	10	14	29
B. Operated	367	11.0	133	3	4	7	13	24	37	58
TOTAL										
0-19 YRS	644	5.1	23	2	3	4	6	9	13	25
20-34	491	4.8	31	1	2	4	6	8	11	31
35-49	302	6.0	27	2	3	4	7	11	15	32
50-64	213	7.0	49	2	3	5	8	14	18	39
65 +	480	10.2	120	3	5	7	11	20	31	65
GRAND TOTAL	**2130**	**6.5**	**54**	**2**	**3**	**5**	**7**	**12**	**18**	**42**

259 Hospitals, North Eastern Region,January-December 1988

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	6.0	23	2	3	4	8	14	15	15
20-34	11	10.6	40	3	5	10	15	20	21	21
35-49	12	11.7	92	3	5	11	13	22	37	39
50-64	7	7.7	14	1	5	9	10	12	12	12
65 +	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-19 YRS	3	17.3	537	2	3	6	34	44	44	44
20-34	11	9.6	25	4	6	8	14	17	17	17
35-49	17	8.5	52	1	3	8	11	15	25	30
50-64	7	8.4	19	3	5	9	13	14	14	14
65 +	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	8.1	14	4	6	8	8	15	16	16
20-34	58	12.3	78	3	7	10	17	26	30	41
35-49	59	13.6	109	3	6	12	17	34	39	95
50-64	52	15.2	116	5	8	12	18	31	41	50
65 +	59	16.5	228	3	7	14	21	34	58	98
B. Operated										
0-19 YRS	3	24.3	460	10	11	14	40	49	49	49
20-34	44	21.8	215	8	12	18	28	40	57	65
35-49	39	24.0	370	8	11	18	27	50	72	86
50-64	32	17.9	231	4	8	14	20	38	53	67
65 +	57	18.2	146	5	9	17	24	43	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	9.0	47	3	4	8	12	15	20	39
B. Operated	40	9.5	64	2	4	8	12	16	24	44
2. MULTIPLE DX										
A. Not Operated	240	14.1	130	4	7	11	18	29	38	82
B. Operated	175	20.5	234	7	10	17	26	47	54	96
1. SINGLE DX	83	9.2	54	2	4	8	12	15	20	42
2. MULTIPLE DX	415	16.8	183	5	8	14	22	33	49	90
A. Not Operated	283	13.3	120	3	6	10	17	28	37	79
B. Operated	215	18.4	220	5	8	14	24	41	52	91
TOTAL										
0-19 YRS	29	9.9	121	2	4	7	11	16	44	49
20-34	124	15.3	141	4	8	12	21	29	34	65
35-49	127	16.0	208	4	7	12	20	36	46	89
50-64	98	15.1	147	5	8	11	18	31	44	60
65 +	120	17.0	184	4	7	15	23	36	50	99 +
GRAND TOTAL	**498**	**15.5**	**170**	**4**	**7**	**12**	**20**	**31**	**46**	**83**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.8	151	5	5	7	20	31	31	31
20-34	3	9.7	105	1	2	7	17	21	21	21
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	6	8.8	113	< 1	< 1	5	12	26	28	28
20-34	4	11.0	35	3	6	12	15	16	16	16
35-49	2	4.0	18	< 1	< 1	3	7	7	7	7
50-64	2	12.0	18	9	9	12	15	15	15	15
65 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	18.7	272	2	6	19	31	35	35	35
20-34	13	8.7	92	1	3	6	11	21	33	36
35-49	12	11.7	111	2	4	10	14	23	38	41
50-64	8	36.0	398	12	22	33	45	66	74	74
65 +	11	22.8	317	4	9	20	38	73	96	99 +
B. Operated										
0-19 YRS	4	23.0	683	1	2	17	43	57	57	57
20-34	17	19.3	177	5	9	17	33	42	78	99 +
35-49	28	29.8	384	12	17	24	37	75	84	99 +
50-64	16	29.2	486	8	11	28	41	69	75	77
65 +	14	27.9	563	5	15	18	49	85	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	9.6	90	1	3	6	11	26	31	31
B. Operated	15	9.7	59	< 1	1	10	15	16	25	28
2. MULTIPLE DX										
A. Not Operated	47	18.0	289	2	5	13	32	42	62	99 +
B. Operated	79	26.7	400	7	12	23	36	67	84	99 +
1. SINGLE DX	25	9.6	68	< 1	3	9	15	21	29	31
2. MULTIPLE DX	126	23.5	374	4	9	18	35	59	82	99 +
A. Not Operated	57	16.6	262	2	5	12	31	40	56	98
B. Operated	94	24.0	384	5	10	18	33	62	83	99 +
TOTAL										
0-19 YRS	17	14.8	260	< 1	2	9	28	34	49	57
20-34	37	13.9	144	2	5	10	21	36	41	99 +
35-49	44	22.6	366	3	10	17	31	53	82	99 +
50-64	27	29.0	451	8	12	29	41	67	74	77
65 +	26	25.3	430	5	14	19	38	78	99 +	99 +
GRAND TOTAL	**151**	**21.2**	**349**	**2**	**8**	**16**	**32**	**53**	**76**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	2.6	1	1	2	3	3	4	5	6
20-34	29	2.7	1	2	2	2	3	4	5	5
35-49	10	2.7	2	< 1	2	2	3	5	5	5
50-64	5	4.0	2	2	3	4	5	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	58	1.0		1	1	1	1	1	1	2
20-34	11	1.0		< 1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	302	2.9	3	1	2	2	4	5	6	8
20-34	114	3.4	5	2	2	3	4	6	7	12
35-49	18	3.2	3	1	2	3	4	6	6	6
50-64	21	4.0	6	2	2	3	5	8	9	10
65 +	6	4.7	6	2	3	4	5	9	9	9
B. Operated										
0-19 YRS	44	1.6	4	1	1	1	1	3	5	12
20-34	6	4.8	71	< 1	1	1	2	20	22	22
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	2.7	1	1	2	3	3	4	5	6
B. Operated	69	1.0		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	461	3.1	4	1	2	3	4	6	6	9
B. Operated	52	2.0	11	1	1	1	2	3	8	22
1. SINGLE DX	202	2.1	1	1	1	2	3	4	5	6
2. MULTIPLE DX	513	3.0	5	1	2	2	4	6	6	10
A. Not Operated	594	3.0	3	1	2	3	4	5	6	9
B. Operated	121	1.5	5	1	1	1	1	2	3	15
TOTAL										
0-19 YRS	492	2.5	3	1	1	2	3	5	6	8
20-34	160	3.2	6	1	2	3	4	6	7	19
35-49	30	3.0	3	1	2	3	4	5	6	6
50-64	26	4.0	5	2	2	3	5	8	9	10
65 +	7	4.6	5	2	3	4	5	8	9	9
GRAND TOTAL	**715**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	344	4.6	11	2	3	3	5	10	11	15
20-34	12	6.1	12	3	3	5	9	11	12	12
35-49	4	5.0	5	3	3	4	6	8	8	8
50-64	12	6.7	28	2	3	5	9	14	19	20
65 +	15	7.5	29	2	3	5	12	15	17	17
B. Operated										
0-19 YRS	13	7.6	37	3	4	6	9	15	23	25
20-34	0									
35-49	0									
50-64	0									
65 +	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	682	5.7	22	2	3	4	7	12	15	23
20-34	180	9.4	68	3	5	7	10	19	28	48
35-49	293	11.1	90	3	5	8	13	24	34	44
50-64	602	10.6	51	4	6	9	13	19	24	43
65 +	2456	12.9	99	5	7	10	15	24	33	69
B. Operated										
0-19 YRS	90	15.3	206	3	7	11	20	33	52	94
20-34	70	19.7	305	5	8	15	27	44	78	99 +
35-49	123	21.9	255	7	10	17	32	45	52	99 +
50-64	247	21.2	315	6	10	15	28	51	67	99 +
65 +	858	22.4	255	8	12	18	31	48	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	387	4.8	13	2	3	4	6	10	12	17
B. Operated	15	7.9	33	3	4	7	9	13	22	25
2. MULTIPLE DX										
A. Not Operated	4213	11.2	85	3	6	9	14	21	29	53
B. Operated	1388	21.6	267	7	10	17	30	47	70	99 +
1. SINGLE DX	402	4.9	14	2	3	4	6	10	12	18
2. MULTIPLE DX	5601	13.7	150	4	6	10	17	30	42	98
A. Not Operated	4600	10.6	82	3	5	8	13	20	29	53
B. Operated	1403	21.4	267	7	10	17	30	47	70	99 +
TOTAL										
0-19 YRS	1129	6.2	41	2	3	4	8	12	16	35
20-34	262	12.0	150	3	5	8	14	28	41	98
35-49	420	14.2	162	4	6	10	17	34	42	76
50-64	861	13.6	149	5	7	10	16	27	40	85
65 +	3331	15.4	156	5	8	12	18	32	44	99 +
GRAND TOTAL	**6003**	**13.1**	**146**	**3**	**6**	**10**	**16**	**29**	**40**	**96**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	173	6.5	14	2	3	6	9	12	13	16
20-34	14	8.9	44	4	5	7	10	15	26	29
35-49	15	5.5	18	2	3	5	6	11	16	18
50-64	12	5.5	9	2	3	6	8	9	11	11
65 +	6	7.7	9	5	5	7	9	13	13	13
B. Operated										
0-19 YRS	5	6.4	21	1	2	6	11	11	11	11
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	2	11.5	113	4	4	11	19	19	19	19
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	8.0	36	2	4	7	10	15	18	33
20-34	67	7.2	29	2	3	6	9	15	18	27
35-49	39	10.8	104	3	4	7	13	23	34	50
50-64	49	7.2	49	3	4	6	8	12	14	49
65 +	118	9.9	55	4	5	8	11	21	28	59
B. Operated										
0-19 YRS	38	20.7	386	3	7	14	27	46	50	98
20-34	15	15.4	121	5	9	13	16	33	42	45
35-49	28	26.5	500	6	12	21	30	60	85	89
50-64	33	20.2	222	7	10	15	28	51	55	99 +
65 +	42	19.0	282	5	9	14	23	56	85	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	6.5	16	2	3	6	9	12	13	18
B. Operated	9	7.3	32	2	3	6	11	16	19	19
2. MULTIPLE DX										
A. Not Operated	440	8.5	49	3	4	7	10	16	23	38
B. Operated	156	20.7	320	5	9	15	27	50	62	99 +
1. SINGLE DX	229	6.6	16	2	3	6	9	12	13	19
2. MULTIPLE DX	596	11.7	148	3	5	8	14	26	38	87
A. Not Operated	660	7.9	39	2	4	7	10	14	19	36
B. Operated	165	19.9	313	4	9	15	26	47	61	99 +
TOTAL										
0-19 YRS	383	8.5	76	2	4	7	10	15	23	46
20-34	97	8.7	52	2	4	6	11	16	23	39
35-49	83	15.1	286	3	5	8	20	32	53	88
50-64	96	11.6	142	3	4	8	12	28	48	79
65 +	166	12.1	126	4	6	9	15	28	37	99 +
GRAND TOTAL	**825**	**10.3**	**116**	**3**	**4**	**7**	**12**	**21**	**32**	**65**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	356	3.4	4	2	2	3	4	6	8	11
20-34	203	3.8	6	1	2	3	5	7	8	11
35-49	55	3.7	3	2	3	3	5	6	7	8
50-64	7	4.0	10	2	2	3	4	10	11	11
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	4.5	13	2	3	3	5	8	12	22
20-34	138	5.1	11	2	3	5	6	8	11	18
35-49	50	4.9	18	2	2	3	6	10	15	23
50-64	25	6.0	18	1	3	5	8	12	15	17
65 +	17	9.1	20	5	6	9	11	13	19	23
B. Operated										
0-19 YRS	8	13.0	187	2	2	7	23	35	38	38
20-34	6	15.2	261	3	7	8	20	43	46	46
35-49	4	12.3	97	7	7	8	17	27	27	27
50-64	3	15.7	60	7	10	18	21	22	22	22
65 +	2	27.5	145	19	19	27	36	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	622	3.6	5	2	2	3	4	6	8	11
B. Operated	9	4.0	4	2	3	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	468	5.0	14	2	3	4	6	9	12	22
B. Operated	23	15.0	161	3	7	8	21	36	41	46
1. SINGLE DX	631	3.6	5	2	2	3	4	6	8	11
2. MULTIPLE DX	491	5.5	25	2	3	4	6	10	15	27
A. Not Operated	1090	4.2	9	2	2	3	5	7	10	15
B. Operated	32	11.9	141	2	3	7	19	30	38	46
TOTAL										
0-19 YRS	606	4.0	11	2	2	3	4	7	9	17
20-34	349	4.6	14	2	2	4	6	8	9	17
35-49	112	4.5	15	2	2	3	5	8	10	25
50-64	35	6.4	27	2	3	4	9	14	18	22
65 +	20	11.0	57	5	6	9	12	21	29	36
GRAND TOTAL	**1122**	**4.4**	**14**	**2**	**2**	**3**	**5**	**8**	**10**	**22**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	3.7	6	1	2	3	5	7	8	14
20-34	31	4.3	5	2	3	3	6	7	8	12
35-49	20	6.3	10	2	4	6	8	10	12	15
50-64	21	4.7	13	1	3	4	6	9	14	17
65 +	22	6.1	7	3	4	6	9	9	10	10
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	9.3	25	4	5	10	13	14	14	14
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	1.5		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	330	4.9	16	2	3	4	6	8	11	22
20-34	97	6.2	23	2	3	5	8	12	14	27
35-49	71	7.5	34	3	4	5	9	14	21	31
50-64	107	7.8	27	3	4	6	10	14	18	61
65 +	430	9.1	61	3	5	7	11	17	22	44
B. Operated										
0-19 YRS	17	19.3	396	2	5	14	22	59	60	60
20-34	11	10.5	42	4	5	11	18	99 +	99 +	99 +
35-49	13	22.5	375	6	8	13	29	59	61	61
50-64	7	15.6	150	1	8	14	20	36	39	39
65 +	43	16.8	227	4	8	12	19	45	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	4.4	8	2	2	4	6	8	10	16
B. Operated	10	4.2	19	< 1	1	3	4	12	14	14
2. MULTIPLE DX										
A. Not Operated	1035	7.2	41	2	4	6	9	14	18	37
B. Operated	91	17.2	252	4	7	12	22	57	61	99 +
1. SINGLE DX	219	4.4	9	2	2	4	6	8	10	16
2. MULTIPLE DX	1126	8.1	65	2	4	6	10	15	22	59
A. Not Operated	1244	6.8	37	2	3	5	8	13	17	35
B. Operated	101	15.9	244	3	6	11	20	57	60	99 +
TOTAL										
0-19 YRS	464	5.1	34	2	3	4	6	8	12	44
20-34	142	6.2	22	2	3	5	8	13	15	99 +
35-49	104	9.1	55	3	4	6	9	19	26	60
50-64	136	7.7	35	3	4	6	10	14	19	47
65 +	499	9.6	78	3	5	7	11	18	24	60
GRAND TOTAL	**1345**	**7.5**	**58**	**2**	**3**	**5**	**9**	**14**	**20**	**58**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	4.8	14	1	2	4	7	9	11	19
20-34	88	5.9	15	2	4	5	7	11	14	22
35-49	37	5.9	15	3	3	5	7	10	17	19
50-64	12	5.6	10	2	3	5	8	10	11	11
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	3	6.3	37	1	2	5	11	13	13	13
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	4.9	9	2	3	4	6	10	11	13
20-34	139	6.5	19	2	4	6	8	11	14	29
35-49	90	6.0	15	2	3	5	8	11	13	20
50-64	54	9.8	43	3	5	8	13	18	21	32
65 +	42	12.5	196	3	7	8	12	27	32	86
B. Operated										
0-19 YRS	2	24.0	32	20	20	24	28	28	28	28
20-34	6	10.2	73	1	1	9	20	20	20	20
35-49	13	8.6	40	1	1	8	14	17	18	18
50-64	6	17.2	170	2	7	17	23	36	38	38
65 +	8	13.9	222	2	5	9	36	76	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	5.7	14	2	3	5	7	10	13	19
B. Operated	8	3.8	17	1	1	3	5	11	13	13
2. MULTIPLE DX										
A. Not Operated	358	7.4	46	2	4	6	9	13	18	31
B. Operated	35	12.4	115	1	4	10	20	34	39	99 +
1. SINGLE DX	184	5.6	15	2	3	5	7	10	13	19
2. MULTIPLE DX	393	7.9	54	2	4	6	10	15	20	37
A. Not Operated	534	6.9	36	2	3	5	8	12	16	30
B. Operated	43	10.8	108	1	1	8	17	29	39	99 +
TOTAL										
0-19 YRS	73	5.4	21	2	3	4	7	10	13	26
20-34	235	6.4	19	2	4	5	8	11	14	26
35-49	143	6.1	18	2	3	5	8	12	15	19
50-64	75	9.6	53	2	5	8	13	19	22	36
65 +	51	12.6	193	3	6	8	13	32	39	99 +
GRAND TOTAL	**577**	**7.2**	**43**	**2**	**3**	**6**	**9**	**13**	**19**	**33**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	159	3.3	3	1	2	3	4	6	7	8
20-34	50	4.4	7	2	3	4	6	8	9	14
35-49	5	4.4	13	1	2	3	7	10	10	10
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	411	3.9	5	2	2	3	5	7	8	12
20-34	133	4.8	8	2	3	4	6	9	10	16
35-49	17	6.1	8	3	3	6	9	10	11	11
50-64	3	6.0	19	1	3	8	9	9	9	9
65 +	2	5.5	41	1	1	5	10	10	10	10
B. Operated										
0-19 YRS	13	7.0	24	2	4	5	9	14	17	18
20-34	9	9.9	31	4	7	8	15	18	18	18
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	22.0		22	22	22	22	22	22	22
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	217	3.5	4	2	2	3	4	6	7	11
B. Operated	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	566	4.2	6	2	3	4	5	7	9	13
B. Operated	24	8.9	33	2	5	8	12	18	19	22
1. SINGLE DX	220	3.5	4	2	2	3	4	6	7	11
2. MULTIPLE DX	590	4.4	8	2	3	4	5	8	9	16
A. Not Operated	783	4.0	5	2	2	3	5	7	9	13
B. Operated	27	8.3	33	2	4	7	11	18	19	22
TOTAL										
0-19 YRS	585	3.8	5	2	2	3	5	6	8	12
20-34	192	4.9	10	2	3	4	6	9	11	17
35-49	24	6.0	10	2	3	6	9	11	11	12
50-64	7	6.9	54	1	2	4	9	19	22	22
65 +	2	5.5	41	1	1	5	10	10	10	10
GRAND TOTAL	**810**	**4.1**	**7**	**2**	**2**	**3**	**5**	**7**	**9**	**15**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	1.3		< 1	< 1	< 1	1	2	3	4
20-34	88	1.5	1	< 1	< 1	1	2	2	4	8
35-49	30	1.2		< 1	< 1	1	1	2	2	4
50-64	12	1.9	1	< 1	< 1	1	3	4	4	4
65 +	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	9.0	330	< 1	1	1	4	42	46	46
20-34	46	2.1	2	< 1	< 1	1	3	4	5	7
35-49	19	2.2	2	< 1	1	2	3	5	6	6
50-64	11	2.9	8	< 1	1	2	4	8	9	9
65 +	4	2.5	3	1	1	2	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	169	1.4	1	< 1	< 1	1	1	3	4	7
2. MULTIPLE DX										
A. Not Operated	4	2.3	4	< 1	< 1	1	3	5	5	5
B. Operated	86	2.7	25	< 1	1	2	3	5	6	33
1. SINGLE DX	171	1.4	1	< 1	< 1	1	1	3	4	6
2. MULTIPLE DX	90	2.7	24	< 1	1	2	3	5	6	31
A. Not Operated	6	2.2	2	< 1	1	2	2	5	5	5
B. Operated	255	1.9	9	< 1	< 1	1	2	4	4	8
TOTAL										
0-19 YRS	47	2.3	43	< 1	< 1	1	1	3	4	46
20-34	135	1.7	2	< 1	< 1	1	2	4	4	7
35-49	49	1.6	1	< 1	< 1	1	2	3	4	6
50-64	23	2.4	4	< 1	1	2	3	5	8	9
65 +	7	2.3	3	1	1	2	4	5	5	5
GRAND TOTAL	**261**	**1.9**	**9**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**8**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1374	2.9	3	1	2	3	3	5	6	9
20-34	154	3.2	6	1	2	3	4	7	8	14
35-49	63	4.7	64	1	2	3	5	8	14	55
50-64	31	3.0	3	1	2	2	5	6	6	6
65 +	19	3.6	5	2	2	3	4	7	9	10
B. Operated										
0-19 YRS	25	4.0	48	< 1	1	2	4	7	14	36
20-34	10	2.9	7	< 1	< 1	2	4	7	9	9
35-49	6	6.0	18	1	2	5	11	11	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1729	3.3	9	1	2	3	4	5	7	13
20-34	797	8.2	107	1	2	5	10	17	29	75
35-49	691	10.3	147	2	3	6	13	23	31	74
50-64	328	6.5	66	2	3	4	7	14	19	40
65 +	544	5.9	35	2	3	4	7	11	15	40
B. Operated										
0-19 YRS	70	12.3	227	2	3	5	15	42	48	65
20-34	281	21.8	287	4	10	18	28	49	60	99 +
35-49	319	22.0	303	5	10	18	30	53	64	99 +
50-64	61	21.6	393	5	9	16	23	58	66	91
65 +	40	20.6	326	4	7	15	28	47	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1641	3.0	6	1	2	3	4	5	6	11
B. Operated	42	4.0	32	< 1	1	3	5	8	11	36
2. MULTIPLE DX										
A. Not Operated	4089	6.0	67	1	2	4	6	13	19	46
B. Operated	771	20.9	305	4	8	17	28	49	63	99 +
1. SINGLE DX	1683	3.0	6	1	2	3	4	5	6	12
2. MULTIPLE DX	4860	8.4	134	2	2	4	9	21	32	70
A. Not Operated	5730	5.1	51	1	2	3	5	11	16	40
B. Operated	813	20.0	304	3	7	16	27	49	61	99 +
TOTAL										
0-19 YRS	3198	3.3	13	1	2	3	4	5	7	16
20-34	1242	10.6	174	1	3	6	14	27	40	83
35-49	1079	13.4	220	2	4	8	18	32	50	97
50-64	421	8.4	137	2	3	5	9	18	27	66
65 +	603	6.8	67	2	3	5	7	13	20	54
GRAND TOTAL	**6543**	**7.0**	**107**	**1**	**2**	**3**	**7**	**17**	**27**	**63**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	85	4.3	16	1	2	3	6	10	14	17
20-34	62	3.8	10	1	2	3	4	8	11	16
35-49	62	3.5	12	1	1	2	4	9	13	14
50-64	26	3.1	8	1	1	2	4	5	8	14
65 +	9	3.1	15	1	1	2	3	9	13	13
B. Operated										
0-19 YRS	3	11.3	32	5	7	13	15	16	16	16
20-34	0									
35-49	3	6.3	9	3	4	7	8	9	9	9
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	5.5	21	1	2	4	8	11	13	24
20-34	66	6.5	33	1	3	5	8	15	18	29
35-49	54	6.7	27	1	2	5	10	15	16	21
50-64	54	8.1	64	1	2	6	12	15	29	37
65 +	51	7.9	56	1	2	5	14	16	21	40
B. Operated										
0-19 YRS	4	11.8	123	2	3	9	20	26	26	26
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	20.5	5	19	19	20	22	22	22	22
50-64	2	13.5	1	13	13	13	14	14	14	14
65 +	7	16.0	50	6	12	16	20	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	244	3.8	13	1	1	3	4	9	13	16
B. Operated	7	9.1	21	3	5	9	12	15	16	16
2. MULTIPLE DX										
A. Not Operated	273	6.9	41	1	2	5	10	15	16	33
B. Operated	16	14.4	60	4	8	15	20	26	27	27
1. SINGLE DX	251	3.9	14	1	1	3	5	10	13	16
2. MULTIPLE DX	289	7.3	44	1	2	5	11	15	20	33
A. Not Operated	517	5.4	30	1	2	3	7	14	15	26
B. Operated	23	12.8	53	4	6	13	18	23	26	27
TOTAL										
0-19 YRS	140	5.1	22	1	2	3	7	12	15	24
20-34	129	5.1	23	1	2	4	6	12	16	24
35-49	121	5.3	25	1	2	3	7	14	15	21
50-64	83	6.7	51	1	1	4	10	14	16	36
65 +	67	8.1	59	1	2	5	14	16	21	38
GRAND TOTAL	**540**	**5.8**	**33**	**1**	**2**	**4**	**8**	**14**	**16**	**27**

259 Hospitals, North Eastern Region, January-December 1988

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	6.3	12	3	4	5	9	11	12	19
20-34	80	4.7	4	2	3	5	6	7	8	11
35-49	14	4.6	12	2	2	4	5	12	12	12
50-64	2	8.5	85	2	2	8	15	15	15	15
65 +	3	8.7	5	6	7	10	10	10	10	10
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	2.6	5	< 1	< 1	2	4	6	7	7
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	6.2	29	3	3	5	7	11	14	37
20-34	96	6.4	19	2	3	5	8	11	15	22
35-49	42	9.8	137	1	4	7	11	17	28	71
50-64	14	8.7	28	2	3	10	14	15	16	16
65 +	18	15.1	388	3	5	9	14	46	69	77
B. Operated										
0-19 YRS	6	18.0	118	9	9	15	25	34	35	35
20-34	14	8.0	34	2	4	7	9	19	19	19
35-49	8	15.3	376	1	2	6	28	47	50	50
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	6	18.7	261	1	6	14	38	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	5.4	9	2	4	5	6	10	11	15
B. Operated	14	2.1	3	< 1	1	1	2	5	6	7
2. MULTIPLE DX										
A. Not Operated	239	7.7	75	2	3	6	9	14	18	58
B. Operated	36	12.7	171	1	3	8	17	38	40	50
1. SINGLE DX	182	5.2	9	2	3	5	6	10	11	14
2. MULTIPLE DX	275	8.4	90	2	3	6	10	15	22	54
A. Not Operated	407	6.8	49	2	4	5	8	12	15	36
B. Operated	50	9.7	146	< 1	1	5	13	30	39	50
TOTAL										
0-19 YRS	145	6.7	29	3	4	5	9	11	14	35
20-34	198	5.7	14	2	3	5	7	10	14	21
35-49	66	9.1	140	1	2	6	11	16	35	68
50-64	20	7.2	33	1	2	6	13	15	16	16
65 +	28	14.7	308	2	5	10	14	39	58	77
GRAND TOTAL	**457**	**7.1**	**60**	**2**	**3**	**5**	**8**	**12**	**17**	**41**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	4.0	12	1	2	3	5	7	11	18
20-34	7	5.7	8	1	4	6	8	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	16.0		16	16	16	16	16	16	16
65 +	4	9.3	64	3	4	6	14	21	21	21
B. Operated										
0-19 YRS	2	10.0	18	7	7	10	13	13	13	13
20-34	0									
35-49	2	6.5	61	< 1	< 1	6	12	12	12	12
50-64	3	5.0	4	3	3	5	6	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	104	5.0	22	2	3	4	5	10	11	32
20-34	42	10.5	115	2	4	7	14	25	28	60
35-49	43	12.2	225	2	3	8	12	33	47	72
50-64	31	10.8	150	3	4	7	11	25	43	55
65 +	55	11.7	115	4	5	10	14	20	28	67
B. Operated										
0-19 YRS	17	27.5	654	6	8	19	50	85	96	99 +
20-34	29	28.9	331	9	17	28	42	75	99	99 +
35-49	46	24.7	334	5	11	19	42	57	69	99 +
50-64	28	26.9	587	3	9	21	41	67	70	90
65 +	31	20.9	221	7	9	17	28	39	61	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	5.1	20	1	2	4	6	10	17	21
B. Operated	8	6.1	21	< 1	2	6	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	275	9.0	109	2	3	5	10	18	28	59
B. Operated	151	25.8	391	6	11	20	40	63	76	99 +
1. SINGLE DX	49	5.3	20	1	2	4	6	11	16	21
2. MULTIPLE DX	426	14.9	273	2	4	9	19	41	58	99 +
A. Not Operated	316	8.5	99	2	3	5	10	17	27	57
B. Operated	159	24.8	391	5	10	19	39	62	75	99 +
TOTAL										
0-19 YRS	151	7.4	139	2	3	4	7	13	31	91
20-34	78	16.9	270	3	5	11	26	43	67	99 +
35-49	92	18.2	313	2	5	12	30	49	62	99 +
50-64	63	18.6	415	3	5	10	23	55	65	87
65 +	91	14.6	167	4	6	11	19	29	38	67
GRAND TOTAL	**475**	**13.9**	**255**	**2**	**4**	**8**	**17**	**39**	**55**	**97**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	5.9	15	3	3	4	8	12	13	13
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.0	6	1	2	4	5	8	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	5	10.8	40	5	5	9	17	18	18	18
65 +	4	17.0	41	12	12	15	21	26	26	26
B. Operated										
0-19 YRS	2	20.5	221	10	10	20	31	31	31	31
20-34	5	12.4	81	3	6	8	21	23	23	23
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.6	11	3	3	4	7	12	13	13
B. Operated	4	4.5	20	1	1	3	7	11	11	11
2. MULTIPLE DX										
A. Not Operated	21	7.9	46	1	3	5	12	18	22	26
B. Operated	10	12.9	87	2	7	10	21	27	31	31
1. SINGLE DX	16	5.3	12	2	3	4	7	11	12	13
2. MULTIPLE DX	31	9.5	63	2	4	7	13	22	26	31
A. Not Operated	33	7.1	34	2	4	5	10	17	18	26
B. Operated	14	10.5	80	2	3	9	13	24	29	31
TOTAL										
0-19 YRS	20	6.3	44	2	3	4	7	12	22	31
20-34	11	7.4	59	1	2	4	8	22	23	23
35-49	5	5.8	18	2	3	5	7	13	13	13
50-64	6	10.8	32	5	5	10	17	18	18	18
65 +	5	15.8	38	11	12	13	19	26	26	26
GRAND TOTAL	**47**	**8.1**	**49**	**2**	**3**	**5**	**11**	**18**	**23**	**31**

18: Pneumocystosis(136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	9.0	64	< 1	2	9	15	17	17	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	4	11.3	45	5	5	11	17	18	18	18
35-49	3	16.3	80	6	10	21	22	22	22	22
50-64	1	15.0		15	15	15	15	15	15	15
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	12.0	83	3	5	9	20	26	28	28
20-34	130	14.2	81	5	8	12	19	25	32	46
35-49	159	16.7	170	5	7	14	22	32	41	68
50-64	25	15.1	88	4	8	12	19	27	36	37
65 +	10	12.5	65	4	6	9	18	25	26	26
B. Operated										
0-19 YRS	14	31.5	539	6	16	26	52	80	95	99 +
20-34	232	20.8	173	8	12	20	24	36	50	76
35-49	234	22.2	202	9	14	20	26	38	48	84
50-64	42	21.8	127	10	14	21	31	38	71	99 +
65 +	7	16.3	132	5	7	14	25	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.8	49	< 1	2	6	13	17	17	17
B. Operated	9	16.2	103	5	6	16	21	31	37	37
2. MULTIPLE DX										
A. Not Operated	334	15.4	124	5	8	13	20	28	36	57
B. Operated	529	21.7	193	8	13	20	26	37	52	86
1. SINGLE DX	13	13.6	98	3	6	15	19	25	35	37
2. MULTIPLE DX	863	19.2	176	6	10	17	24	35	45	80
A. Not Operated	338	15.3	124	5	8	13	20	28	36	57
B. Operated	538	21.6	192	8	13	20	25	37	51	86
TOTAL										
0-19 YRS	25	23.9	423	4	8	20	37	69	84	99 +
20-34	367	18.3	149	6	10	16	23	31	43	72
35-49	399	19.9	194	6	10	17	24	35	46	79
50-64	68	19.3	120	6	11	18	27	35	44	99 +
65 +	17	14.1	90	4	6	10	19	28	33	35
GRAND TOTAL	**876**	**19.2**	**175**	**6**	**10**	**17**	**24**	**35**	**45**	**80**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	6.2	48	2	3	3	7	18	23	23
20-34	9	5.2	12	2	3	5	6	11	13	13
35-49	8	4.3	6	< 1	2	4	6	7	8	8
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	3	7.3	102	1	1	2	15	19	19	19
20-34	54	4.3	30	1	1	2	6	10	17	28
35-49	44	3.5	14	< 1	1	2	5	8	9	20
50-64	13	4.3	37	1	1	2	4	12	21	23
65 +	4	3.0	11	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	8.9	101	2	3	6	8	25	34	39
20-34	51	10.7	161	3	4	8	14	19	25	86
35-49	64	13.0	131	4	5	9	17	27	36	95
50-64	24	12.6	119	3	5	8	16	30	37	41
65 +	14	7.6	30	2	4	7	9	14	21	23
B. Operated										
0-19 YRS	4	4.8	4	2	3	5	6	7	7	7
20-34	53	11.3	212	2	3	6	15	21	47	79
35-49	59	10.3	196	1	2	5	14	28	49	98
50-64	35	8.1	52	1	2	5	12	19	24	26
65 +	24	10.6	81	1	4	8	14	23	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.0	21	1	2	3	6	10	14	23
B. Operated	118	4.0	25	1	1	2	5	9	16	25
2. MULTIPLE DX										
A. Not Operated	174	11.3	127	3	4	8	15	25	30	82
B. Operated	175	10.1	152	1	3	6	13	21	33	79
1. SINGLE DX	146	4.2	24	1	1	2	6	9	14	23
2. MULTIPLE DX	349	10.7	139	2	3	7	14	24	32	80
A. Not Operated	202	10.5	117	2	4	7	14	24	29	76
B. Operated	293	7.6	109	1	2	4	9	19	25	69
TOTAL										
0-19 YRS	37	7.6	75	1	3	5	7	21	28	39
20-34	167	8.5	135	1	2	5	11	19	22	76
35-49	175	9.3	131	1	2	5	13	24	31	94
50-64	74	8.7	77	1	2	6	12	23	27	40
65 +	42	8.9	61	1	3	8	11	21	27	33
GRAND TOTAL	**495**	**8.8**	**114**	**1**	**2**	**5**	**11**	**21**	**27**	**72**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	7.5	61	2	2	7	13	13	13	13
B. Operated	3	7.7	6	5	6	8	9	10	10	10
1. SINGLE DX	0									
2. MULTIPLE DX	5	7.6	18	2	4	8	11	13	13	13
A. Not Operated	2	7.5	61	2	2	7	13	13	13	13
B. Operated	3	7.7	6	5	6	8	9	10	10	10
TOTAL										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**5**	**7.6**	**18**	**2**	**4**	**8**	**11**	**13**	**13**	**13**

259 Hospitals, North Eastern Region,January-December 1988

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	0									
35-49	6	4.8	5	2	3	5	6	8	8	8
50-64	10	4.4	15	< 1	1	3	6	11	11	11
65 +	9	3.4	10	< 1	1	2	5	9	10	10
B. Operated										
0-19 YRS	9	3.9	4	1	2	5	6	6	6	6
20-34	8	3.0	3	1	2	3	4	6	6	6
35-49	17	8.0	112	< 1	1	3	11	25	34	38
50-64	61	4.7	25	1	1	3	6	12	15	22
65 +	88	3.7	18	1	1	2	5	8	9	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	7.3	82	1	2	4	8	23	25	25
20-34	0									
35-49	13	9.9	90	2	3	5	19	25	26	26
50-64	39	11.7	151	1	3	7	17	29	39	53
65 +	49	10.4	82	2	4	8	16	21	30	41
B. Operated										
0-19 YRS	4	5.3	15	1	2	5	8	9	9	9
20-34	5	9.8	65	5	5	7	12	24	24	24
35-49	87	11.5	171	1	2	7	17	25	32	77
50-64	227	14.1	275	1	3	9	16	37	53	96
65 +	314	12.7	212	2	3	8	16	29	46	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.9	10	< 1	1	3	6	9	11	11
B. Operated	183	4.4	29	1	1	3	5	10	14	31
2. MULTIPLE DX										
A. Not Operated	107	10.7	107	2	3	7	17	25	31	48
B. Operated	637	12.9	227	1	3	8	16	31	48	90
1. SINGLE DX	211	4.3	26	1	1	3	5	10	13	30
2. MULTIPLE DX	744	12.6	210	1	3	8	16	29	45	89
A. Not Operated	135	9.3	94	1	2	6	12	23	30	46
B. Operated	820	11.0	195	1	2	6	14	27	42	87
TOTAL										
0-19 YRS	22	4.7	27	1	2	3	6	8	15	25
20-34	13	5.6	35	1	2	5	6	11	22	24
35-49	123	10.5	147	1	2	6	14	25	30	65
50-64	337	11.8	221	1	3	7	15	30	48	91
65 +	460	10.5	170	1	2	6	13	26	41	77
GRAND TOTAL	**955**	**10.8**	**181**	**1**	**2**	**6**	**14**	**26**	**38**	**81**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	8.0	10	4	5	8	10	11	11	11
65 +	6	6.8	31	2	3	5	9	16	17	17
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	14	8.0	40	< 1	2	8	12	17	21	22
65 +	14	6.5	28	1	2	4	12	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	8.0	22	2	3	11	11	12	12	12
50-64	33	9.2	96	2	3	5	11	20	30	49
65 +	44	10.4	106	3	4	7	12	25	31	55
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	19	26.6	350	7	14	22	40	52	63	71
50-64	109	17.9	213	4	8	13	25	41	53	83
65 +	208	18.9	284	4	7	14	25	43	59	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	7.3	21	2	4	6	10	14	17	17
B. Operated	30	7.1	32	1	2	7	12	15	16	22
2. MULTIPLE DX										
A. Not Operated	82	9.8	96	2	4	7	11	22	31	53
B. Operated	337	19.0	266	4	7	14	25	44	54	94
1. SINGLE DX	40	7.2	29	1	2	7	11	15	17	22
2. MULTIPLE DX	419	17.2	246	3	7	12	23	40	53	89
A. Not Operated	92	9.5	88	2	4	7	11	20	31	52
B. Operated	367	18.1	257	3	7	13	24	42	54	92
TOTAL										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	26	21.3	335	2	8	15	28	50	57	71
50-64	160	15.0	186	3	5	11	18	37	48	70
65 +	272	16.7	254	3	6	12	22	36	54	92
GRAND TOTAL	**459**	**16.3**	**235**	**3**	**6**	**12**	**22**	**37**	**52**	**87**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	30.0		30	30	30	30	30	30	30
35-49	5	9.4	16	3	7	11	12	13	13	13
50-64	9	11.2	16	6	8	10	15	17	17	17
65 +	22	11.5	30	6	8	10	13	21	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	10.7	225	2	2	2	22	28	28	28
50-64	32	8.1	46	2	3	7	12	16	18	33
65 +	93	9.8	65	3	5	8	12	21	25	42
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	8.8	81	2	3	5	14	22	22	22
35-49	35	12.9	74	5	7	11	15	27	31	38
50-64	184	16.6	154	6	10	14	20	27	40	71
65 +	561	19.4	203	7	10	16	24	38	47	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	37	11.6	33	6	8	11	13	19	25	30
2. MULTIPLE DX										
A. Not Operated	128	9.4	62	2	4	7	12	20	25	37
B. Operated	785	18.4	188	6	10	15	23	35	46	86
1. SINGLE DX	38	11.5	33	6	8	10	13	19	25	30
2. MULTIPLE DX	913	17.1	180	5	9	14	22	33	45	80
A. Not Operated	129	9.4	62	2	4	7	12	20	25	37
B. Operated	822	18.1	183	6	10	14	22	34	45	85
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	13.0	151	2	4	6	24	30	30	30
35-49	43	12.3	74	2	6	11	15	27	29	38
50-64	225	15.2	142	4	8	13	18	27	34	67
65 +	677	17.8	190	5	9	14	22	35	46	86
GRAND TOTAL	**951**	**16.9**	**175**	**5**	**9**	**13**	**22**	**32**	**45**	**77**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	11.5	13	9	9	11	14	14	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	2	9.5	61	4	4	9	15	15	15	15
50-64	3	8.7	44	3	4	7	14	16	16	16
65 +	10	7.7	23	3	4	6	11	15	17	17
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	12.6	45	2	9	15	16	20	20	20
35-49	12	21.7	156	8	12	18	30	39	48	50
50-64	41	17.0	113	7	9	15	21	31	40	53
65 +	90	19.6	218	7	11	16	24	44	55	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	11.5	13	9	9	11	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	17	7.8	25	3	4	7	11	16	17	17
B. Operated	149	18.7	180	7	10	16	22	36	50	80
1. SINGLE DX	2	11.5	13	9	9	11	14	14	14	14
2. MULTIPLE DX	166	17.5	174	6	9	15	21	34	47	78
A. Not Operated	17	7.8	25	3	4	7	11	16	17	17
B. Operated	151	18.6	178	7	10	15	22	36	49	80
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	10.4	47	2	4	11	15	19	20	20
35-49	16	18.9	145	8	10	16	25	35	45	50
50-64	44	16.4	111	7	9	14	21	29	38	53
65 +	100	18.4	211	6	10	15	21	43	52	90
GRAND TOTAL	**168**	**17.5**	**173**	**6**	**9**	**15**	**21**	**34**	**47**	**78**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.7	30	1	1	2	9	11	11	11
65 +	8	6.9	74	1	2	4	8	22	27	27
B. Operated										
0-19 YRS	0									
20-34	6	8.2	22	3	7	7	8	16	17	17
35-49	34	9.6	12	7	7	9	11	14	15	23
50-64	112	9.6	11	7	8	9	11	13	14	22
65 +	202	10.1	21	7	8	10	11	14	16	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	10	11.6	74	3	6	7	17	25	26	26
50-64	53	7.3	40	2	3	6	9	15	19	36
65 +	196	9.4	75	2	4	7	12	18	30	44
B. Operated										
0-19 YRS	0									
20-34	27	14.4	186	7	9	11	14	22	32	79
35-49	168	13.5	66	7	8	11	16	23	32	46
50-64	894	12.9	54	7	9	11	15	21	27	43
65 +	3298	16.7	131	8	10	13	20	30	40	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	6.3	59	1	1	4	8	17	26	27
B. Operated	354	9.9	17	7	8	9	11	14	15	23
2. MULTIPLE DX										
A. Not Operated	260	9.0	68	2	4	7	11	18	28	43
B. Operated	4387	15.8	116	8	10	13	18	28	37	72
1. SINGLE DX	365	9.8	19	7	8	9	11	14	15	26
2. MULTIPLE DX	4647	15.4	116	7	9	12	18	28	37	71
A. Not Operated	271	8.9	68	2	4	6	11	18	28	42
B. Operated	4741	15.4	111	8	9	12	18	27	36	70
TOTAL										
0-19 YRS	0									
20-34	34	13.1	156	7	8	10	14	19	23	79
35-49	212	12.7	60	7	8	11	15	21	27	45
50-64	1062	12.3	51	7	9	10	14	20	24	41
65 +	3704	15.9	127	7	9	13	19	29	39	74
GRAND TOTAL	**5012**	**15.0**	**111**	**7**	**9**	**12**	**17**	**27**	**36**	**69**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	6	5.3	25	1	3	4	6	14	15	15
65 +	7	5.6	24	2	2	3	9	13	14	14
B. Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	21	7.3	11	2	3	9	9	11	12	12
50-64	91	8.5	25	1	4	9	11	14	17	22
65 +	131	8.8	31	1	4	9	12	17	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	6	5.0	16	1	1	4	8	11	11	11
50-64	35	8.4	109	1	2	5	12	15	27	55
65 +	111	9.8	95	2	3	7	12	23	27	51
B. Operated										
0-19 YRS	0									
20-34	15	11.0	36	2	8	11	15	18	22	23
35-49	94	13.8	129	4	9	11	16	22	28	73
50-64	503	13.6	76	5	9	12	16	23	30	46
65 +	1380	16.4	143	5	10	13	20	31	41	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.5	21	2	3	4	6	14	15	15
B. Operated	244	8.6	27	1	4	9	12	15	18	22
2. MULTIPLE DX										
A. Not Operated	154	9.2	94	2	3	6	12	22	27	55
B. Operated	1992	15.5	126	5	9	13	19	29	38	75
1. SINGLE DX	258	8.4	27	1	3	9	11	15	17	22
2. MULTIPLE DX	2146	15.1	127	4	9	12	18	28	37	69
A. Not Operated	168	8.9	89	2	3	6	11	22	26	53
B. Operated	2236	14.8	120	4	9	12	18	28	36	67
TOTAL										
0-19 YRS	0									
20-34	18	10.2	35	2	8	10	14	17	21	23
35-49	122	12.2	111	3	8	10	13	20	26	68
50-64	635	12.5	74	3	8	11	15	23	28	45
65 +	1629	15.3	137	4	9	13	19	30	39	79
GRAND TOTAL	**2404**	**14.4**	**120**	**3**	**9**	**12**	**17**	**27**	**36**	**66**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	19	1	1	2	6	10	10	10
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	8.0	50	3	3	8	13	13	13	13
B. Operated										
0-19 YRS	12	12.7	240	2	4	9	12	32	55	59
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	4.8	8	1	2	5	7	8	8	8
50-64	20	6.4	41	1	1	5	9	14	21	26
65 +	12	6.6	29	1	2	7	9	13	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	8.4	52	1	1	10	14	17	17	17
20-34	1	11.0		11	11	11	11	11	11	11
35-49	7	15.4	160	6	8	12	16	38	43	43
50-64	25	7.4	22	2	3	8	10	14	16	18
65 +	63	12.4	145	3	5	8	17	24	45	56
B. Operated										
0-19 YRS	22	22.7	318	9	14	19	26	52	94	99 +
20-34	12	16.9	133	7	10	16	24	57	92	99 +
35-49	25	13.4	274	2	6	9	13	25	44	84
50-64	129	17.5	188	6	8	14	24	35	40	87
65 +	323	17.8	200	5	9	14	22	35	43	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.1	22	1	1	3	9	12	13	13
B. Operated	50	7.8	85	1	2	6	10	15	20	59
2. MULTIPLE DX										
A. Not Operated	101	11.2	113	2	4	8	14	21	35	54
B. Operated	511	17.7	204	5	9	14	23	35	44	90
1. SINGLE DX	57	7.4	78	1	2	5	10	14	20	57
2. MULTIPLE DX	612	16.6	195	4	8	13	21	34	43	89
A. Not Operated	108	10.8	109	2	4	8	14	20	30	54
B. Operated	561	16.8	202	4	8	13	22	34	42	89
TOTAL										
0-19 YRS	43	16.5	276	1	7	13	21	36	69	99 +
20-34	14	15.6	125	5	9	12	22	46	86	99 +
35-49	37	12.6	221	2	6	9	12	25	39	84
50-64	175	14.7	167	3	7	11	20	32	37	83
65 +	400	16.6	192	4	8	13	20	34	43	82
GRAND TOTAL	**669**	**15.9**	**191**	**3**	**8**	**12**	**20**	**33**	**42**	**88**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	8	5.9	12	2	4	5	8	11	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	22	8.3	40	1	2	8	9	19	20	21
65 +	23	9.8	51	1	2	9	16	19	22	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	6	8.3	52	2	3	7	9	21	22	22
50-64	58	8.5	65	2	3	5	11	17	24	42
65 +	154	10.1	99	2	4	7	12	22	30	69
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	2	17.0	32	13	13	17	21	21	21	21
35-49	40	16.9	105	6	9	16	22	35	38	40
50-64	196	17.7	184	3	8	15	25	37	47	87
65 +	485	19.6	210	6	11	16	24	38	51	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.5	9	2	4	5	6	10	12	12
B. Operated	46	9.1	44	1	2	8	13	19	21	24
2. MULTIPLE DX										
A. Not Operated	219	9.6	88	2	4	7	12	21	28	63
B. Operated	724	18.9	197	5	10	15	24	37	49	82
1. SINGLE DX	57	8.4	39	1	3	8	12	18	20	24
2. MULTIPLE DX	943	16.7	187	4	8	14	22	35	46	78
A. Not Operated	230	9.4	85	2	4	7	12	20	27	62
B. Operated	770	18.3	193	5	9	15	23	37	47	80
TOTAL										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	4	12.8	48	4	8	13	17	21	21	21
35-49	47	15.6	104	5	8	14	21	32	38	40
50-64	278	14.9	164	2	5	11	21	33	43	72
65 +	670	16.9	196	4	8	14	22	35	47	80
GRAND TOTAL	**1000**	**16.3**	**182**	**3**	**7**	**13**	**21**	**34**	**45**	**76**

259 Hospitals, North Eastern Region, January-December 1988

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	6.7	46	1	2	4	10	18	22	22
50-64	18	4.9	12	1	2	4	7	10	12	12
65 +	25	7.7	37	2	3	5	10	16	22	24
B. Operated										
0-19 YRS	3	14.3	170	2	5	13	24	28	28	28
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	33	8.3	37	2	4	8	10	15	22	30
50-64	151	6.8	25	1	2	7	10	12	17	22
65 +	151	7.7	29	1	2	7	11	14	19	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.3	18	2	2	4	8	11	11	11
35-49	88	8.1	56	2	3	6	9	18	22	42
50-64	400	9.5	90	2	4	6	12	19	26	56
65 +	762	10.8	103	3	4	8	14	23	30	55
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	9.9	23	3	7	9	13	17	19	19
35-49	263	12.4	109	3	7	9	16	22	33	52
50-64	1453	13.0	124	3	7	10	16	25	36	64
65 +	2312	14.2	136	3	7	11	18	29	37	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	6.5	30	1	2	5	9	13	21	24
B. Operated	339	7.4	29	1	2	7	10	14	18	25
2. MULTIPLE DX										
A. Not Operated	1254	10.2	96	2	4	7	13	22	29	53
B. Operated	4043	13.7	130	3	7	11	17	27	36	69
1. SINGLE DX	391	7.3	30	1	2	7	10	13	18	25
2. MULTIPLE DX	5297	12.8	124	3	6	10	16	26	35	66
A. Not Operated	1306	10.0	94	2	4	7	13	21	29	52
B. Operated	4382	13.2	125	3	7	10	16	26	35	66
TOTAL										
0-19 YRS	4	12.5	127	2	4	10	20	28	28	28
20-34	19	8.4	27	2	4	8	12	15	18	19
35-49	393	11.0	94	2	5	9	14	21	30	48
50-64	2022	11.8	114	2	5	9	15	23	33	61
65 +	3250	13.1	126	3	6	10	16	27	35	69
GRAND TOTAL	**5688**	**12.5**	**120**	**2**	**6**	**10**	**16**	**25**	**34**	**65**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.7	2	1	1	3	4	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	4.1	12	< 1	1	3	7	9	10	10
65 +	4	3.8	12	1	1	3	6	8	8	8
B. Operated										
0-19 YRS	8	6.8	10	3	4	6	9	12	12	12
20-34	4	10.5	51	3	5	9	15	20	20	20
35-49	16	8.3	56	1	2	6	13	21	22	23
50-64	71	7.6	137	< 1	1	4	11	14	24	74
65 +	50	7.1	68	1	1	3	12	15	30	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.0	49	1	3	4	5	18	20	20
20-34	2	9.5	41	5	5	9	14	14	14	14
35-49	9	11.0	75	2	5	9	18	24	27	27
50-64	32	10.9	161	2	4	7	14	29	60	99 +
65 +	28	5.7	15	1	2	6	8	11	22	99 +
B. Operated										
0-19 YRS	19	10.9	116	3	5	6	14	29	37	42
20-34	9	10.4	45	3	5	10	14	21	22	22
35-49	55	12.7	139	1	5	11	15	32	37	60
50-64	182	14.6	180	2	6	12	19	30	40	72
65 +	263	14.2	200	1	3	12	19	30	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.5	7	1	1	3	5	8	9	10
B. Operated	149	7.5	95	1	1	4	11	15	23	51
2. MULTIPLE DX										
A. Not Operated	77	8.6	89	1	3	6	11	20	30	99 +
B. Operated	528	14.0	181	2	5	12	19	30	45	99 +
1. SINGLE DX	174	6.9	84	1	1	4	10	14	21	47
2. MULTIPLE DX	605	13.3	173	2	5	11	18	29	44	99 +
A. Not Operated	102	7.4	74	1	2	5	9	18	28	99 +
B. Operated	677	12.6	169	1	3	11	16	26	39	87
TOTAL										
0-19 YRS	44	7.4	68	1	3	5	7	16	26	42
20-34	16	10.1	37	3	5	9	13	20	21	22
35-49	81	11.5	116	1	3	10	15	24	36	54
50-64	293	12.2	173	1	3	9	15	26	37	75
65 +	345	12.4	174	1	3	11	17	27	49	99 +
GRAND TOTAL	**779**	**11.9**	**160**	**1**	**3**	**9**	**16**	**26**	**37**	**96**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	3.4	5	1	2	3	4	5	10	12
20-34	13	3.5	7	2	2	3	4	6	11	12
35-49	0									
50-64	0									
65 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	61	5.5	26	1	2	4	7	13	17	23
20-34	20	4.5	14	1	2	3	6	10	13	15
35-49	17	7.1	47	2	3	5	9	15	23	27
50-64	28	5.8	29	< 1	2	5	7	15	20	21
65 +	34	4.7	17	1	1	4	6	10	15	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	3.9	15	1	1	3	5	8	10	22
20-34	18	3.2	11	< 1	1	2	3	8	12	14
35-49	1	2.0		2	2	2	2	2	2	2
50-64	10	9.9	88	2	4	5	14	26	27	27
65 +	13	9.7	69	3	5	8	12	19	31	34
B. Operated										
0-19 YRS	51	12.5	151	2	5	9	18	29	51	99
20-34	12	11.6	68	3	5	10	18	24	26	26
35-49	17	12.5	207	1	4	7	23	47	81	99 +
50-64	53	15.8	236	3	5	10	20	46	53	62
65 +	109	15.0	242	2	5	11	17	32	47	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	3.4	5	1	2	3	4	5	10	13
B. Operated	160	5.4	25	1	2	4	7	13	16	23
2. MULTIPLE DX										
A. Not Operated	137	4.8	29	1	2	3	5	10	15	28
B. Operated	242	14.3	209	2	5	10	18	33	52	91
1. SINGLE DX	248	4.7	19	1	2	3	6	10	15	22
2. MULTIPLE DX	379	10.9	165	1	3	6	14	27	39	71
A. Not Operated	225	4.2	20	1	2	3	5	9	12	27
B. Operated	402	10.8	155	2	3	6	14	25	38	70
TOTAL										
0-19 YRS	280	5.7	50	1	2	3	6	12	19	48
20-34	63	5.3	31	1	2	3	6	13	18	26
35-49	35	9.5	129	2	3	5	13	30	47	99 +
50-64	91	12.0	175	2	3	7	16	26	48	60
65 +	158	12.2	194	2	4	8	15	29	39	73
GRAND TOTAL	**627**	**8.4**	**116**	**1**	**2**	**5**	**10**	**20**	**29**	**62**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	3	7.3	57	2	2	4	13	16	16	16
B. Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	22	3.2	7	1	1	2	4	8	10	11
35-49	44	3.3	11	1	1	2	5	7	9	18
50-64	51	3.6	17	1	1	2	5	8	12	23
65 +	53	4.1	20	1	1	3	4	10	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	14.5	59	8	8	14	21	23	23	23
35-49	4	8.0	29	< 1	4	8	11	14	14	14
50-64	6	6.7	71	< 1	< 1	3	8	21	23	23
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	7	9.3	77	1	3	6	14	24	26	26
35-49	33	6.0	44	1	2	4	7	10	13	38
50-64	69	5.1	27	1	1	3	8	11	15	23
65 +	103	8.0	93	1	2	5	9	17	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.8	40	2	3	4	10	16	16	16
B. Operated	173	3.6	15	1	1	2	4	8	12	22
2. MULTIPLE DX										
A. Not Operated	16	8.6	56	< 1	2	8	11	22	23	23
B. Operated	214	6.8	64	1	2	5	9	14	22	41
1. SINGLE DX	177	3.7	15	1	1	2	4	8	12	22
2. MULTIPLE DX	230	6.9	63	1	2	5	9	15	22	41
A. Not Operated	20	8.2	51	< 1	3	6	11	21	23	23
B. Operated	387	5.4	44	1	1	3	7	11	17	37
TOTAL										
0-19 YRS	5	3.2	11	1	1	2	4	9	9	9
20-34	33	5.8	42	1	1	4	8	16	22	26
35-49	82	4.6	26	1	1	3	6	9	12	32
50-64	126	4.6	25	1	1	3	6	11	14	23
65 +	161	6.7	70	1	2	4	8	15	22	42
GRAND TOTAL	**407**	**5.5**	**45**	**1**	**1**	**3**	**7**	**11**	**18**	**37**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.7	2	3	3	5	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	15	2.3	5	< 1	1	1	3	7	7	7
35-49	27	2.8	12	< 1	< 1	1	4	6	13	14
50-64	60	2.3	6	< 1	< 1	1	2	5	8	14
65 +	156	2.7	9	< 1	< 1	1	3	7	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	6.8	11	3	4	7	9	11	14	14
35-49	7	10.6	36	4	7	10	12	20	22	22
50-64	4	13.8	90	2	6	14	21	24	24	24
65 +	19	7.2	44	1	3	4	10	19	23	23
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	16.9	514	1	6	9	17	51	77	87
35-49	43	8.4	153	1	1	3	10	26	33	65
50-64	84	5.2	65	< 1	1	2	7	12	17	49
65 +	373	6.0	65	1	1	3	7	14	21	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.7	2	3	3	5	6	6	6	6
B. Operated	261	2.6	8	< 1	< 1	1	3	6	9	14
2. MULTIPLE DX										
A. Not Operated	41	8.3	40	2	4	7	11	19	23	24
B. Operated	517	6.4	89	1	1	3	7	15	22	51
1. SINGLE DX	264	2.6	8	< 1	< 1	1	3	6	9	14
2. MULTIPLE DX	558	6.6	86	1	1	3	8	15	22	50
A. Not Operated	44	8.1	38	2	3	6	11	18	22	24
B. Operated	778	5.1	65	< 1	1	2	6	12	19	44
TOTAL										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34	42	9.0	234	1	1	6	9	16	35	87
35-49	77	6.7	100	< 1	1	3	9	14	27	58
50-64	151	4.3	45	< 1	1	2	5	11	15	24
65 +	548	5.1	51	< 1	1	2	6	12	20	41
GRAND TOTAL	**822**	**5.3**	**64**	**< 1**	**1**	**2**	**6**	**12**	**20**	**43**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.2	2	1	1	2	2	5	5	5
50-64	14	4.7	8	1	2	5	6	8	10	11
65 +	14	4.8	3	3	4	4	6	7	9	9
B. Operated										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	63	4.1	4	2	3	4	5	6	7	10
35-49	526	4.1	5	1	3	4	5	7	7	12
50-64	833	4.1	4	2	3	4	5	7	8	10
65 +	817	4.6	5	2	3	4	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	37.0		37	37	37	37	37	37	37
35-49	27	6.1	20	1	2	5	9	13	15	17
50-64	70	9.1	89	2	3	6	11	20	23	54
65 +	92	9.5	168	1	2	6	12	18	26	82
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	87	6.7	67	2	4	5	8	10	13	56
35-49	727	5.6	23	2	3	5	6	9	12	28
50-64	1506	5.9	17	2	4	5	7	9	13	24
65 +	2854	6.7	32	3	4	6	8	11	15	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	4.3	6	1	2	4	6	7	9	11
B. Operated	2241	4.3	5	2	3	4	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	190	9.0	122	1	3	6	11	17	25	61
B. Operated	5175	6.3	27	3	4	5	7	10	14	29
1. SINGLE DX	2275	4.3	5	2	3	4	6	7	8	11
2. MULTIPLE DX	5365	6.4	31	2	4	5	7	10	14	29
A. Not Operated	224	8.3	107	1	3	6	10	17	23	59
B. Operated	7416	5.7	21	2	3	5	7	9	12	24
TOTAL										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	151	5.8	48	2	3	5	6	9	11	37
35-49	1286	5.0	16	2	3	5	6	8	10	20
50-64	2423	5.3	16	2	3	5	6	9	11	22
65 +	3777	6.3	30	2	4	5	7	10	14	30
GRAND TOTAL	**7640**	**5.8**	**24**	**2**	**3**	**5**	**7**	**9**	**12**	**25**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	11	2.9	1	2	2	3	4	4	4	4
50-64	9	3.0	1	1	2	3	4	4	4	4
65 +	6	3.2	1	1	3	3	4	4	4	4
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	29	4.8	12	1	1	4	7	10	12	12
35-49	55	4.7	7	2	3	4	6	9	9	14
50-64	25	4.2	6	1	2	4	6	8	8	9
65 +	20	4.2	27	1	2	3	4	6	16	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	10.2	317	< 1	1	2	13	42	42	42
35-49	19	7.7	68	1	2	5	9	21	29	32
50-64	25	4.0	14	1	2	3	4	8	12	18
65 +	25	11.0	126	2	3	7	19	29	57	99 +
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	52	6.9	36	1	2	6	9	12	16	35
35-49	115	8.3	38	1	4	7	11	16	18	32
50-64	77	8.8	87	1	3	6	11	21	30	43
65 +	104	8.8	73	2	3	6	11	20	34	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.2	2	2	2	3	4	4	5	9
B. Operated	130	4.6	11	1	3	4	6	9	9	16
2. MULTIPLE DX										
A. Not Operated	74	7.7	89	1	2	4	9	25	31	86
B. Operated	349	8.3	59	1	3	7	11	18	23	39
1. SINGLE DX	158	4.3	9	1	3	4	5	9	9	14
2. MULTIPLE DX	423	8.2	64	1	3	6	11	18	26	42
A. Not Operated	102	6.5	69	1	2	3	7	18	29	71
B. Operated	479	7.3	48	1	3	5	9	15	20	37
TOTAL										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	88	6.4	41	1	2	5	9	12	15	39
35-49	200	6.9	33	1	3	6	9	14	18	30
50-64	136	6.7	59	1	3	4	8	15	21	42
65 +	155	8.3	77	2	3	5	10	20	33	45
GRAND TOTAL	**581**	**7.2**	**52**	**1**	**3**	**5**	**9**	**15**	**21**	**41**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	2.8	2	1	2	3	4	4	4	4
50-64	9	2.0	1	1	1	2	3	4	4	4
65 +	9	2.2	1	1	2	2	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	21	5.0	4	2	4	5	6	7	8	9
50-64	87	5.3	5	1	4	6	7	8	9	12
65 +	92	5.9	6	2	5	6	7	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	6.3	12	3	4	6	9	10	10	10
50-64	18	4.8	21	1	2	3	5	12	16	18
65 +	41	8.2	76	1	2	4	10	24	28	29
B. Operated										
0-19 YRS	0									
20-34	13	6.9	7	3	5	7	9	10	11	11
35-49	103	7.3	32	4	5	6	8	11	15	37
50-64	376	7.5	36	3	5	6	8	12	15	36
65 +	638	8.8	46	4	6	7	10	15	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.2	1	1	2	2	3	4	4	4
B. Operated	201	5.6	6	2	4	6	7	8	9	12
2. MULTIPLE DX										
A. Not Operated	62	7.1	59	1	2	4	10	22	27	29
B. Operated	1130	8.2	41	4	5	7	9	14	18	38
1. SINGLE DX	223	5.2	6	1	4	5	7	8	9	12
2. MULTIPLE DX	1192	8.2	42	3	5	7	9	14	19	37
A. Not Operated	84	5.8	48	1	2	3	6	15	24	29
B. Operated	1331	7.8	37	3	5	7	9	13	17	35
TOTAL										
0-19 YRS	0									
20-34	14	6.8	7	4	5	7	9	10	11	11
35-49	131	6.7	27	3	4	6	7	10	13	34
50-64	490	6.9	30	2	5	6	8	11	14	35
65 +	780	8.4	44	3	5	7	10	15	20	37
GRAND TOTAL	**1415**	**7.7**	**38**	**3**	**5**	**7**	**8**	**13**	**18**	**35**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.7		4	4	5	5	5	5	5
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	7	2.4	5	1	1	2	3	6	7	7
65 +	7	1.9	2	1	1	1	2	4	5	5
B. Operated										
0-19 YRS	11	7.5	13	4	5	6	11	13	15	15
20-34	13	5.2	3	3	4	5	6	8	8	8
35-49	17	7.9	10	4	5	8	10	13	14	15
50-64	27	6.1	7	2	4	6	8	9	10	11
65 +	19	8.4	26	2	5	7	11	15	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	2	4.0		4	4	4	4	4	4	4
35-49	11	4.7	60	< 1	1	2	4	16	26	27
50-64	51	7.5	133	1	2	4	8	13	26	65
65 +	53	9.0	148	1	2	5	10	16	40	59
B. Operated										
0-19 YRS	5	6.4	6	3	5	6	8	10	10	10
20-34	37	7.0	9	4	5	7	9	11	12	15
35-49	117	10.1	40	5	6	8	12	18	24	62
50-64	216	12.1	76	5	7	9	14	23	31	48
65 +	296	15.9	136	6	9	13	19	32	42	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	3.0	4	1	1	2	5	5	6	7
B. Operated	87	7.0	13	4	5	6	9	11	13	20
2. MULTIPLE DX										
A. Not Operated	119	7.8	128	1	2	4	9	15	27	61
B. Operated	671	13.1	100	5	7	10	16	24	35	66
1. SINGLE DX	112	6.1	13	1	4	5	8	11	12	19
2. MULTIPLE DX	790	12.3	108	4	6	9	15	24	34	64
A. Not Operated	144	7.0	110	1	2	4	8	13	26	59
B. Operated	758	12.4	94	5	7	10	15	23	33	61
TOTAL										
0-19 YRS	27	6.2	8	4	5	5	6	11	13	15
20-34	52	6.4	7	4	5	6	8	10	11	15
35-49	147	9.3	41	4	6	8	11	17	22	45
50-64	301	10.5	84	2	6	8	12	20	27	51
65 +	375	14.3	140	4	7	11	17	30	42	80
GRAND TOTAL	**902**	**11.5**	**100**	**4**	**6**	**9**	**14**	**23**	**32**	**60**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	9.7	44	2	5	13	14	14	14	14
20-34	4	2.8	3	< 1	1	2	4	5	5	5
35-49	7	7.4	14	2	5	9	10	11	11	11
50-64	6	6.0	55	< 1	1	2	11	18	19	19
65 +	20	4.5	14	1	2	3	6	10	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	2	7.5	61	2	2	7	13	13	13	13
50-64	4	3.3	11	< 1	< 1	2	5	8	8	8
65 +	14	10.1	221	1	3	6	9	23	51	59
B. Operated										
0-19 YRS	2	15.0	8	13	13	15	17	17	17	17
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	12	11.4	86	2	4	10	15	23	33	35
50-64	30	13.7	101	3	5	11	17	31	32	35
65 +	99	13.7	161	3	6	10	17	30	39	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4	2	1	1	3	3	4	4	4
B. Operated	40	5.4	22	1	2	4	9	12	14	19
2. MULTIPLE DX										
A. Not Operated	21	8.7	157	< 1	2	5	10	16	37	59
B. Operated	145	13.4	138	3	5	11	17	30	36	75
1. SINGLE DX	45	5.1	21	1	2	3	8	11	14	19
2. MULTIPLE DX	166	12.8	142	2	5	10	16	30	36	74
A. Not Operated	26	7.5	133	< 1	2	4	8	14	27	59
B. Operated	185	11.7	123	2	4	9	16	26	33	73
TOTAL										
0-19 YRS	6	12.2	27	3	13	13	14	17	17	17
20-34	8	3.5	9	< 1	1	3	4	8	10	10
35-49	22	9.3	59	1	4	9	13	17	25	35
50-64	41	11.3	98	< 1	3	10	16	29	32	35
65 +	134	11.9	154	2	4	8	15	26	38	78
GRAND TOTAL	**211**	**11.2**	**126**	**2**	**4**	**8**	**15**	**25**	**32**	**73**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	0									
35-49	0									
50-64	5	4.8	16	1	2	3	8	10	10	10
65 +	7	1.9	1	< 1	1	2	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	3.5	13	< 1	< 1	3	6	6	6	6
50-64	116	5.4	13	1	2	5	8	11	12	16
65 +	427	4.7	12	1	2	4	6	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	0									
35-49	0									
50-64	30	8.0	54	1	4	6	9	16	23	37
65 +	249	9.5	118	2	3	7	12	20	33	99
B. Operated										
0-19 YRS	4	34.3	698	12	13	46	74	99 +	99 +	99 +
20-34	0									
35-49	16	12.6	66	5	6	10	19	24	27	28
50-64	486	7.9	47	2	4	6	10	14	19	31
65 +	3119	8.5	68	2	4	6	10	16	22	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.1	7	1	1	2	3	8	10	10
B. Operated	546	4.9	12	1	2	4	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	282	9.3	110	2	3	7	11	20	32	94
B. Operated	3625	8.4	66	2	4	6	10	16	22	49
1. SINGLE DX	560	4.8	12	1	2	4	7	9	11	15
2. MULTIPLE DX	3907	8.5	70	2	4	6	10	17	23	52
A. Not Operated	296	9.0	107	1	3	6	11	19	31	91
B. Operated	4171	8.0	61	2	4	6	10	15	21	45
TOTAL										
0-19 YRS	10	15.3	499	2	3	4	38	80	98	99 +
20-34	0									
35-49	18	11.6	68	3	5	8	16	24	26	28
50-64	637	7.4	42	2	4	6	9	13	18	30
65 +	3802	8.1	66	2	4	6	10	16	22	49
GRAND TOTAL	**4467**	**8.0**	**64**	**2**	**4**	**6**	**10**	**15**	**21**	**49**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	2.0	3	< 1	< 1	1	3	4	4	4
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	11	2.7	10	< 1	1	1	3	8	11	11
20-34	103	2.4	4	1	1	2	3	5	7	11
35-49	30	2.3	6	1	1	1	2	6	9	10
50-64	10	3.0	7	1	2	2	3	7	10	10
65 +	7	6.6	14	2	4	6	9	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	4	7.0	17	4	4	5	9	13	13	13
35-49	4	6.3	15	1	3	7	9	10	10	10
50-64	0									
65 +	1	19.0		19	19	19	19	19	19	19
B. Operated										
0-19 YRS	7	8.9	32	2	5	9	11	17	19	19
20-34	50	6.1	23	1	2	5	9	13	16	99
35-49	35	6.3	91	1	1	3	6	16	31	44
50-64	15	4.8	11	1	2	4	7	10	11	11
65 +	20	7.1	21	2	4	6	9	13	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	3	< 1	1	2	4	5	5	5
B. Operated	161	2.6	6	1	1	2	3	6	9	12
2. MULTIPLE DX										
A. Not Operated	11	7.4	28	1	4	6	10	15	19	19
B. Operated	127	6.3	40	1	2	4	9	13	19	56
1. SINGLE DX	169	2.6	6	1	1	2	3	6	8	12
2. MULTIPLE DX	138	6.4	39	1	2	5	9	13	19	50
A. Not Operated	19	5.3	23	1	1	4	7	12	16	19
B. Operated	288	4.2	24	1	1	2	5	10	13	30
TOTAL										
0-19 YRS	22	4.8	24	1	1	2	8	11	14	19
20-34	160	3.6	13	1	1	2	5	9	12	22
35-49	71	4.6	51	1	1	2	5	10	16	42
50-64	25	4.1	10	1	2	3	5	10	10	11
65 +	29	7.2	24	2	4	6	9	14	19	20
GRAND TOTAL	**307**	**4.3**	**24**	**1**	**1**	**2**	**6**	**10**	**13**	**28**

259 Hospitals, North Eastern Region,January-December 1988

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	11	3.0	9	1	1	2	4	7	11	11
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	2.4	2	< 1	1	3	3	4	4	4
35-49	66	2.6	7	1	1	2	3	5	9	13
50-64	315	3.1	11	1	1	2	3	7	10	18
65 +	563	3.4	10	1	1	3	4	6	9	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	3	7.3	60	< 1	1	5	13	16	16	16
50-64	22	8.0	49	1	2	6	13	21	22	23
65 +	134	9.8	127	2	3	5	11	23	36	51
B. Operated										
0-19 YRS	5	9.4	40	2	3	10	15	16	16	16
20-34	11	16.4	602	1	3	5	15	56	81	83
35-49	84	5.3	34	1	2	3	7	11	14	33
50-64	673	6.5	69	1	2	4	8	15	22	50
65 +	2577	7.3	68	1	3	5	9	16	23	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.4	6	1	1	1	3	5	9	11
B. Operated	954	3.2	10	1	1	2	4	6	10	16
2. MULTIPLE DX										
A. Not Operated	160	9.5	114	2	3	5	11	22	34	47
B. Operated	3350	7.1	69	1	2	4	9	16	23	49
1. SINGLE DX	971	3.2	10	1	1	2	4	6	10	16
2. MULTIPLE DX	3510	7.2	72	1	2	4	9	16	23	49
A. Not Operated	177	8.8	108	1	3	5	10	21	33	46
B. Operated	4304	6.3	59	1	2	4	7	14	20	46
TOTAL										
0-19 YRS	11	5.3	32	1	1	3	9	15	16	16
20-34	20	10.1	368	< 1	2	3	8	26	60	83
35-49	153	4.2	24	1	1	2	5	10	13	32
50-64	1012	5.5	53	1	2	3	6	13	19	40
65 +	3285	6.7	63	1	2	4	8	15	22	47
GRAND TOTAL	**4481**	**6.4**	**61**	**1**	**2**	**4**	**8**	**15**	**21**	**46**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	5.7	30	2	3	4	5	14	18	25
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	5	2.2	3	1	1	2	3	5	5	5
65 +	0									
B. Operated										
0-19 YRS	22	12.7	62	6	7	10	15	27	31	33
20-34	5	6.8	4	4	5	7	8	9	9	9
35-49	23	7.0	13	1	5	7	9	12	13	14
50-64	70	7.5	16	1	6	8	9	11	15	21
65 +	54	7.9	11	2	7	8	10	11	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	7.1	17	3	4	6	11	12	15	16
20-34	0									
35-49	10	10.7	96	2	4	7	12	27	34	34
50-64	34	9.5	73	2	3	7	14	22	26	38
65 +	62	10.6	95	2	5	8	14	24	42	99 +
B. Operated										
0-19 YRS	36	13.5	93	5	9	11	14	23	35	50
20-34	7	19.3	340	7	9	12	18	52	60	60
35-49	62	11.0	62	4	7	9	12	19	27	47
50-64	258	12.0	77	5	8	10	14	21	27	59
65 +	530	14.0	117	6	8	11	17	26	34	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	4.9	25	1	2	4	4	13	14	25
B. Operated	174	8.2	22	1	7	8	10	13	15	29
2. MULTIPLE DX										
A. Not Operated	124	9.8	78	2	4	8	12	23	30	99 +
B. Operated	893	13.3	103	5	8	10	16	25	31	65
1. SINGLE DX	204	7.7	24	1	5	7	10	13	15	28
2. MULTIPLE DX	1017	12.8	101	4	8	10	16	25	31	66
A. Not Operated	154	8.8	71	2	4	6	12	22	28	97
B. Operated	1067	12.4	93	5	8	10	15	22	30	61
TOTAL										
0-19 YRS	99	10.3	68	3	4	9	12	21	28	43
20-34	12	14.1	228	5	7	9	15	31	56	60
35-49	97	9.8	55	3	6	8	11	19	26	42
50-64	367	10.8	68	3	7	9	12	20	25	51
65 +	646	13.2	110	5	8	10	16	25	33	78
GRAND TOTAL	**1221**	**12.0**	**92**	**4**	**7**	**10**	**14**	**22**	**29**	**62**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	8.0	32	4	4	8	12	12	12	12
65 +	4	7.3	6	4	5	8	9	9	9	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	16.5	421	2	2	16	31	31	31	31
65 +	9	5.2	35	1	2	3	6	15	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated	7	1.3		< 1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	7	6.6	14	2	4	7	9	11	12	12
B. Operated	13	6.4	80	1	2	2	6	22	29	31
1. SINGLE DX	10	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	20	6.5	55	1	2	4	8	16	25	31
A. Not Operated	10	5.2	15	< 1	1	4	9	11	12	12
B. Operated	20	4.6	57	1	1	2	3	13	25	31
TOTAL										
0-19 YRS	9	1.4	1	< 1	1	1	2	3	4	4
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	4	12.3	175	2	3	8	21	31	31	31
65 +	15	5.3	24	1	2	4	7	9	17	20
GRAND TOTAL	**30**	**4.8**	**42**	**1**	**1**	**2**	**6**	**11**	**20**	**31**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.3	12	1	1	2	4	9	11	14
20-34	5	7.0	48	1	2	3	14	15	15	15
35-49	7	4.1	4	2	3	3	5	7	8	8
50-64	8	9.0	87	1	3	6	12	25	29	29
65 +	13	10.0	77	1	3	7	18	22	27	28
B. Operated										
0-19 YRS	62	8.2	41	2	3	7	11	14	24	29
20-34	33	12.0	170	3	5	9	13	20	52	60
35-49	35	10.1	45	5	6	8	12	16	25	36
50-64	43	11.0	32	3	7	11	15	17	21	24
65 +	26	11.7	84	3	6	8	16	29	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	4.4	20	1	1	3	6	9	14	22
20-34	22	9.0	105	2	4	6	9	19	32	49
35-49	31	9.1	269	1	3	4	9	14	32	91
50-64	71	11.5	221	1	4	7	14	26	46	99 +
65 +	118	16.3	288	3	6	10	20	39	50	82
B. Operated										
0-19 YRS	159	15.3	238	4	6	11	18	33	63	99 +
20-34	39	13.3	204	4	6	10	15	23	37	85
35-49	77	17.0	212	4	8	14	21	35	52	96
50-64	91	21.1	454	5	9	14	21	61	90	99 +
65 +	113	24.3	334	8	12	18	35	52	61	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	6.0	45	1	1	3	8	16	20	29
B. Operated	199	10.2	67	2	5	9	13	19	25	47
2. MULTIPLE DX										
A. Not Operated	316	11.2	215	1	3	6	13	26	43	93
B. Operated	479	18.7	307	4	8	14	21	45	63	99 +
1. SINGLE DX	256	9.3	65	2	4	8	12	19	25	36
2. MULTIPLE DX	795	15.7	283	3	5	11	19	39	57	98
A. Not Operated	373	10.4	192	1	3	6	13	25	39	87
B. Operated	678	16.2	251	4	7	12	19	38	57	97
TOTAL										
0-19 YRS	319	10.5	157	1	3	7	13	24	34	98
20-34	99	11.6	163	2	5	8	13	20	37	73
35-49	150	13.2	190	3	5	9	16	26	40	91
50-64	213	15.4	300	3	6	11	17	35	64	99 +
65 +	270	18.9	300	4	7	14	23	44	57	77
GRAND TOTAL	**1051**	**14.1**	**238**	**2**	**5**	**10**	**17**	**31**	**50**	**96**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	12	10.9	116	4	5	7	16	53	91	99 +
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	4	6.8	5	4	5	7	8	9	9	9
65 +	4	10.3	31	5	6	9	14	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	9	< 1	< 1	1	5	7	7	7
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	4	18.3	933	1	2	4	34	64	64	64
65 +	8	6.3	11	2	3	6	9	10	11	11
B. Operated										
0-19 YRS	15	13.5	187	5	6	9	14	35	49	54
20-34	2	14.5	41	10	10	14	19	19	19	19
35-49	6	27.3	672	4	11	20	65	95	99 +	99 +
50-64	8	11.9	62	3	5	9	18	23	25	25
65 +	10	28.3	616	6	15	19	39	71	82	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.6	1	< 1	< 1	1	2	3	3	3
B. Operated	24	9.2	67	3	5	8	10	20	56	99 +
2. MULTIPLE DX										
A. Not Operated	20	7.5	187	< 1	1	4	7	10	37	64
B. Operated	41	18.9	355	4	7	14	20	56	77	99 +
1. SINGLE DX	29	7.9	64	1	3	6	10	19	41	99 +
2. MULTIPLE DX	61	15.1	325	2	5	9	19	45	68	98
A. Not Operated	25	6.3	154	< 1	1	3	7	9	24	64
B. Operated	65	15.3	268	4	6	10	19	41	74	99 +
TOTAL										
0-19 YRS	37	9.6	132	< 1	2	7	12	30	49	99 +
20-34	6	8.3	37	2	3	8	10	18	19	19
35-49	8	21.9	584	3	7	19	49	89	99 +	99 +
50-64	16	12.2	234	3	4	7	14	24	52	64
65 +	23	16.3	378	3	5	9	18	43	68	82
GRAND TOTAL	**90**	**12.8**	**251**	**1**	**4**	**8**	**16**	**40**	**64**	**99 +**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.4	1	< 1	< 1	1	2	3	4	4
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	7	2.7	11	< 1	1	1	3	9	10	10
50-64	4	2.3		2	2	2	3	3	3	3
65 +	5	4.4	11	2	2	4	6	10	10	10
B. Operated										
0-19 YRS	27	4.9	14	1	2	4	7	10	12	16
20-34	45	3.2	3	1	2	3	4	6	6	10
35-49	43	2.8	4	1	1	3	3	4	5	13
50-64	25	3.4	2	1	3	3	4	6	6	6
65 +	11	3.3	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	3.8	63	1	1	1	4	7	9	48
20-34	7	2.4		2	2	2	3	3	3	3
35-49	6	12.0	138	2	2	7	23	29	30	30
50-64	10	6.7	54	1	2	4	7	20	21	21
65 +	20	10.1	143	3	4	7	11	19	38	56
B. Operated										
0-19 YRS	52	11.0	170	2	4	7	10	26	30	70
20-34	44	4.3	14	2	2	3	5	8	12	20
35-49	59	5.0	13	2	3	4	6	10	12	21
50-64	62	6.3	44	2	3	4	7	16	20	37
65 +	61	14.1	328	3	4	8	16	34	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	2.2	4	< 1	1	2	2	4	7	10
B. Operated	151	3.4	5	1	2	3	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	79	6.2	89	1	1	3	7	17	22	54
B. Operated	278	8.3	132	2	3	5	8	19	27	76
1. SINGLE DX	191	3.2	5	1	2	3	4	6	7	12
2. MULTIPLE DX	357	7.8	123	1	3	4	8	19	27	69
A. Not Operated	119	4.9	64	1	1	2	4	10	19	50
B. Operated	429	6.6	93	2	3	4	7	13	22	60
TOTAL										
0-19 YRS	134	6.5	99	1	1	4	7	12	26	60
20-34	101	3.5	8	1	2	3	4	6	8	19
35-49	115	4.4	19	1	2	3	5	9	12	25
50-64	101	5.5	34	2	3	4	6	12	18	32
65 +	97	11.5	249	2	4	6	13	27	54	99 +
GRAND TOTAL	**548**	**6.2**	**87**	**1**	**2**	**4**	**6**	**13**	**21**	**57**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	2	1	1	3	3	4	4	4
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	6	4.2	20	1	2	3	4	12	13	13
50-64	15	4.9	8	< 1	3	4	7	9	10	10
65 +	7	6.0	13	< 1	2	8	9	10	10	10
B. Operated										
0-19 YRS	15	8.0	26	3	4	7	11	14	19	20
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	14	5.1	61	< 1	1	2	5	14	26	29
50-64	54	4.0	17	< 1	1	2	6	8	13	22
65 +	35	5.9	41	1	2	4	7	15	17	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.1	7	1	1	2	4	6	7	15
20-34	73	7.3	40	2	3	6	10	16	19	34
35-49	420	9.0	78	2	3	6	11	19	28	48
50-64	1256	9.7	76	2	4	7	13	20	28	43
65 +	2426	11.9	126	3	5	9	15	24	34	63
B. Operated										
0-19 YRS	66	11.4	237	1	4	6	10	28	50	77
20-34	133	11.9	173	2	4	8	14	28	39	65
35-49	632	11.7	130	2	5	8	15	27	34	59
50-64	1728	13.2	165	2	5	9	17	29	39	66
65 +	2878	14.8	183	3	6	11	19	31	42	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	4.4	10	1	2	4	7	9	10	13
B. Operated	120	5.2	31	1	1	4	7	12	16	30
2. MULTIPLE DX										
A. Not Operated	4219	10.8	106	2	4	8	14	22	30	55
B. Operated	5437	13.8	173	2	5	10	18	30	40	72
1. SINGLE DX	159	5.0	26	1	1	4	7	11	14	28
2. MULTIPLE DX	9656	12.5	146	2	5	9	16	27	36	66
A. Not Operated	4258	10.8	105	2	4	8	14	22	30	54
B. Operated	5557	13.6	171	2	5	10	17	29	40	72
TOTAL										
0-19 YRS	134	7.7	136	1	2	4	7	15	27	63
20-34	210	10.2	129	2	3	7	11	24	35	60
35-49	1072	10.5	110	2	4	7	13	24	32	53
50-64	3053	11.6	129	2	4	8	15	25	36	58
65 +	5346	13.4	158	3	5	10	17	28	38	73
GRAND TOTAL	**9815**	**12.4**	**145**	**2**	**5**	**9**	**16**	**27**	**36**	**65**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.1	2	< 1	1	1	3	4	6	6
20-34	9	7.9	73	1	2	6	9	22	29	29
35-49	7	7.6	55	1	2	6	10	20	22	22
50-64	1	11.0		11	11	11	11	11	11	11
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	61	6.2	31	1	2	5	8	14	16	28
20-34	76	6.2	88	1	1	4	7	11	21	59
35-49	41	5.2	43	1	2	3	7	10	14	40
50-64	17	4.2	10	1	2	4	6	10	11	11
65 +	6	2.8	6	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.8	51	< 1	1	1	4	18	23	23
20-34	20	5.5	25	1	2	3	8	12	16	20
35-49	6	5.8	10	3	3	5	8	11	11	11
50-64	9	8.1	23	2	4	7	12	15	16	16
65 +	9	8.0	77	< 1	2	4	11	23	24	24
B. Operated										
0-19 YRS	26	11.1	118	3	6	8	11	25	32	54
20-34	89	12.6	154	2	5	9	16	30	42	99 +
35-49	50	11.3	88	2	5	9	14	25	32	41
50-64	46	11.8	167	2	4	8	16	22	37	73
65 +	32	15.9	215	3	8	11	20	30	45	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	5.1	40	1	1	2	6	11	21	29
B. Operated	201	5.7	52	1	2	4	7	11	16	35
2. MULTIPLE DX										
A. Not Operated	55	6.2	36	1	2	4	9	14	21	24
B. Operated	243	12.5	147	2	5	9	16	28	36	81
1. SINGLE DX	233	5.7	50	1	2	4	7	11	16	33
2. MULTIPLE DX	298	11.3	132	2	4	8	14	25	34	77
A. Not Operated	87	5.8	37	1	2	3	8	13	22	27
B. Operated	444	9.4	115	1	3	7	11	23	31	73
TOTAL										
0-19 YRS	111	6.7	56	1	2	5	8	15	23	39
20-34	194	9.2	120	1	2	6	11	24	31	91
35-49	104	8.3	71	1	2	6	10	20	29	40
50-64	73	9.6	120	1	3	7	11	18	29	66
65 +	49	12.3	181	1	4	9	15	28	34	74
GRAND TOTAL	**531**	**8.8**	**104**	**1**	**2**	**6**	**11**	**21**	**29**	**70**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	4.3	31	< 1	1	3	5	8	11	35
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	26.0		26	26	26	26	26	26	26
50-64	1	13.0		13	13	13	13	13	13	13
65 +	2	7.0	50	2	2	7	12	12	12	12
B. Operated										
0-19 YRS	111	7.6	92	< 1	1	4	9	19	28	46
20-34	8	32.3	665	2	12	31	45	72	80	80
35-49	4	10.3	128	2	2	7	18	26	26	26
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	6.5	38	1	2	4	9	15	19	30
20-34	15	13.8	225	2	3	8	20	30	50	57
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	13.0		13	13	13	13	13	13	13
65 +	2	12.0	200	2	2	12	22	22	22	22
B. Operated										
0-19 YRS	138	19.2	321	3	6	13	29	43	53	97
20-34	21	29.0	312	6	14	27	42	53	63	66
35-49	18	21.1	209	5	10	19	28	41	52	57
50-64	6	22.0	224	5	12	18	39	40	40	40
65 +	9	36.6	339	7	31	41	56	79	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	4.8	37	< 1	1	3	5	9	15	35
B. Operated	123	9.3	162	1	2	4	11	27	36	60
2. MULTIPLE DX										
A. Not Operated	108	7.7	70	1	3	5	10	19	24	41
B. Operated	192	21.4	322	4	7	16	33	48	57	99
1. SINGLE DX	202	7.5	117	< 1	1	4	8	22	31	50
2. MULTIPLE DX	300	16.4	274	2	4	10	25	41	51	94
A. Not Operated	187	6.4	58	1	2	4	8	15	22	35
B. Operated	315	16.6	294	1	4	10	26	42	51	93
TOTAL										
0-19 YRS	412	10.7	184	1	2	6	12	30	39	71
20-34	45	23.9	390	2	6	23	34	52	62	80
35-49	24	18.8	198	2	6	16	26	34	49	57
50-64	8	19.8	178	6	12	13	31	40	40	40
65 +	13	28.2	418	2	8	35	46	62	92	99 +
GRAND TOTAL	**502**	**12.8**	**230**	**1**	**3**	**7**	**18**	**35**	**45**	**80**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	3	6.7	2	5	5	7	8	8	8	8
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	2	6.5	61	1	1	6	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	26	9.3	28	3	6	8	13	16	20	24
65 +	65	8.8	57	3	4	6	11	19	27	35
B. Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	26.0		26	26	26	26	26	26	26
35-49	2	11.0	2	10	10	11	12	12	12	12
50-64	23	10.6	50	4	6	8	14	18	25	34
65 +	70	14.6	148	4	7	11	17	30	44	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	6.0	6	3	4	6	8	9	9	9
B. Operated	6	4.5	17	< 1	1	4	5	11	12	12
2. MULTIPLE DX										
A. Not Operated	96	8.7	47	3	4	7	11	18	24	34
B. Operated	97	13.9	125	4	7	11	16	29	37	59
1. SINGLE DX	12	5.3	11	1	3	5	7	10	12	12
2. MULTIPLE DX	193	11.3	93	3	5	8	14	24	30	50
A. Not Operated	102	8.5	45	3	4	7	10	18	23	33
B. Operated	103	13.3	123	4	6	10	16	27	36	58
TOTAL										
0-19 YRS	2	15.0	392	< 1	< 1	14	29	29	29	29
20-34	3	11.0	171	2	3	5	21	26	26	26
35-49	7	6.4	13	2	4	5	9	12	12	12
50-64	53	9.5	37	3	5	8	13	17	20	34
65 +	140	11.6	109	3	5	8	15	26	33	55
GRAND TOTAL	**205**	**10.9**	**90**	**3**	**5**	**8**	**14**	**23**	**30**	**49**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.0	4	< 1	1	3	5	6	7	7
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	20.0	722	1	1	20	39	39	39	39
65 +	4	3.5	7	1	1	3	5	7	7	7
B. Operated										
0-19 YRS	18	5.0	81	1	1	2	5	8	28	40
20-34	16	9.2	215	1	1	2	7	31	44	50
35-49	18	8.3	133	1	2	2	7	27	32	36
50-64	13	22.8	352	2	2	25	33	48	58	60
65 +	4	15.0	712	< 1	< 1	2	29	55	55	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	10.5	117	1	3	6	17	28	33	35
20-34	11	6.3	37	< 1	2	5	8	15	21	22
35-49	9	20.3	443	3	5	8	31	54	65	65
50-64	11	12.4	126	1	2	9	24	29	29	29
65 +	31	11.2	136	2	3	7	17	24	39	50
B. Operated										
0-19 YRS	44	34.9	507	6	11	36	52	64	73	85
20-34	24	31.7	405	5	25	32	42	54	95	99 +
35-49	30	33.9	214	14	29	35	43	59	96	99 +
50-64	42	28.8	356	4	23	28	35	50	69	86
65 +	77	26.0	359	4	8	25	42	46	64	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.0	45	< 1	1	2	5	6	7	39
B. Operated	69	10.8	234	1	2	2	13	34	45	59
2. MULTIPLE DX										
A. Not Operated	79	11.6	156	2	3	7	18	28	36	61
B. Operated	217	30.1	380	5	12	31	42	56	71	99 +
1. SINGLE DX	101	8.6	183	1	1	2	7	31	39	57
2. MULTIPLE DX	296	25.1	387	3	7	26	38	52	65	96
A. Not Operated	111	9.4	135	1	2	5	11	27	35	56
B. Operated	286	25.4	412	2	5	27	39	53	65	97
TOTAL										
0-19 YRS	102	18.4	463	1	2	7	35	53	61	83
20-34	53	18.5	398	1	2	8	32	50	54	99 +
35-49	58	23.3	351	2	2	27	37	52	66	99 +
50-64	68	24.7	347	2	6	26	33	46	60	84
65 +	116	20.9	346	2	5	15	35	45	53	74
GRAND TOTAL	**397**	**20.9**	**386**	**2**	**4**	**16**	**35**	**48**	**59**	**89**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.7	3	< 1	1	3	4	5	5	5
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	5	3.6	5	1	2	3	5	7	7	7
50-64	9	8.3	102	< 1	1	3	15	25	30	30
65 +	5	3.0	4	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	5	5.2	16	< 1	1	5	8	11	11	11
20-34	4	7.3	10	5	5	6	9	12	12	12
35-49	8	14.8	293	4	5	7	20	45	51	51
50-64	7	5.0	9	2	3	3	7	10	10	10
65 +	4	8.5	139	< 1	1	3	15	26	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.4	17	1	2	3	6	10	15	16
20-34	12	6.3	69	1	2	4	7	16	29	31
35-49	9	7.3	26	1	3	8	10	14	16	16
50-64	26	6.4	22	1	3	5	8	11	18	21
65 +	64	10.0	118	2	3	7	12	20	34	58
B. Operated										
0-19 YRS	7	13.1	538	1	2	2	10	54	65	65
20-34	12	17.2	599	1	3	9	19	47	84	90
35-49	27	17.8	245	4	5	10	32	42	46	57
50-64	19	22.5	291	3	12	20	34	56	85	99 +
65 +	63	18.9	379	3	6	10	28	43	67	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.0	39	1	1	3	5	12	18	30
B. Operated	28	8.6	114	2	3	6	8	22	33	51
2. MULTIPLE DX										
A. Not Operated	125	8.1	78	1	3	5	9	17	22	48
B. Operated	128	18.7	358	3	5	12	29	43	65	92
1. SINGLE DX	56	6.8	78	1	2	4	7	14	29	50
2. MULTIPLE DX	253	13.4	247	2	4	8	17	33	44	87
A. Not Operated	153	7.5	72	1	3	5	9	16	21	44
B. Operated	156	16.9	328	3	5	9	26	41	60	90
TOTAL										
0-19 YRS	33	6.0	125	1	2	3	6	10	15	65
20-34	30	10.8	283	1	3	6	10	26	31	90
35-49	49	13.9	208	2	4	7	17	35	44	57
50-64	61	11.5	167	1	3	7	17	31	40	96
65 +	136	13.8	256	2	4	8	18	33	44	83
GRAND TOTAL	**309**	**12.2**	**223**	**2**	**3**	**7**	**15**	**31**	**43**	**84**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.6	5	1	2	4	4	7	9	9
20-34	0									
35-49	9	2.7	3	< 1	< 1	3	4	5	6	6
50-64	26	5.4	21	1	2	4	6	14	16	18
65 +	23	7.4	51	2	2	6	9	16	22	30
B. Operated										
0-19 YRS	34	6.4	57	1	1	2	9	18	26	29
20-34	23	6.0	118	1	2	2	5	12	29	53
35-49	49	4.7	41	1	2	2	6	10	15	40
50-64	90	6.3	39	1	1	5	9	13	18	33
65 +	95	6.0	30	1	2	4	8	15	19	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	7.7	64	1	3	5	11	17	26	36
20-34	20	6.8	47	1	2	5	9	14	22	30
35-49	44	8.3	79	2	3	6	10	17	25	45
50-64	143	11.1	136	2	4	7	15	24	31	57
65 +	332	12.1	130	3	5	9	16	25	36	80
B. Operated										
0-19 YRS	49	18.1	280	2	6	12	26	46	56	64
20-34	53	17.6	213	4	8	12	24	42	49	60
35-49	133	13.8	234	3	4	9	17	34	57	99 +
50-64	326	15.4	250	2	5	10	20	37	56	99 +
65 +	723	16.8	227	3	6	12	23	37	49	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	5.4	28	1	2	4	7	14	16	28
B. Operated	291	5.9	44	1	1	4	8	13	19	34
2. MULTIPLE DX										
A. Not Operated	565	11.2	123	2	4	8	15	24	34	72
B. Operated	1284	16.2	235	3	6	11	22	37	51	95
1. SINGLE DX	362	5.8	41	1	2	4	8	13	18	30
2. MULTIPLE DX	1849	14.7	206	2	5	10	20	34	48	88
A. Not Operated	636	10.5	116	2	4	7	14	23	30	70
B. Operated	1575	14.3	216	2	4	10	20	34	48	85
TOTAL										
0-19 YRS	122	11.1	175	1	2	6	13	32	40	62
20-34	96	12.6	185	1	3	8	16	30	47	58
35-49	235	10.4	171	1	3	7	12	25	38	99
50-64	585	12.5	192	2	4	8	16	29	48	86
65 +	1173	14.4	192	2	5	10	20	32	44	79
GRAND TOTAL	**2211**	**13.2**	**190**	**2**	**4**	**9**	**18**	**31**	**44**	**78**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	26	1.7	1	< 1	1	1	2	3	4	4
20-34	80	2.6	4	1	2	2	3	4	5	13
35-49	111	2.7	7	1	2	2	3	4	5	17
50-64	117	2.4	2	1	1	2	3	4	5	8
65 +	83	2.8	7	1	2	2	3	4	5	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	12	3.9	11	1	1	3	6	9	11	11
20-34	24	3.4	5	1	2	3	4	5	8	11
35-49	38	3.5	15	1	1	3	4	6	9	23
50-64	88	3.3	4	1	2	3	4	6	7	11
65 +	121	4.3	13	1	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	2	2	2	3	4	4	4	4
B. Operated	417	2.6	5	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	283	3.8	10	1	2	3	5	7	10	19
1. SINGLE DX	419	2.6	5	1	1	2	3	4	5	12
2. MULTIPLE DX	284	3.8	10	1	2	3	5	7	10	19
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	700	3.0	7	1	2	2	4	5	7	17
TOTAL										
0-19 YRS	38	2.4	5	< 1	1	2	3	5	8	11
20-34	104	2.8	4	1	2	2	3	4	5	14
35-49	149	2.9	9	1	1	2	3	5	5	23
50-64	206	2.8	3	1	2	2	4	5	6	10
65 +	206	3.7	11	1	2	3	4	6	9	20
GRAND TOTAL	**703**	**3.0**	**7**	**1**	**2**	**2**	**4**	**5**	**7**	**17**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	0									
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	3	2.3	5	< 1	< 1	< 1	4	5	5	5
B. Operated										
0-19 YRS	11	5.0	18	1	1	4	8	11	13	13
20-34	10	5.9	14	< 1	4	6	7	11	14	14
35-49	31	4.5	18	< 1	< 1	3	7	11	13	17
50-64	68	4.5	13	< 1	1	3	8	9	10	12
65 +	78	4.2	18	< 1	1	2	8	11	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	< 1	1	2	3	3	3	3
20-34	3	5.3	16	3	3	3	8	10	10	10
35-49	7	2.7	1	1	2	3	3	4	4	4
50-64	12	2.4	6	< 1	< 1	1	3	6	9	9
65 +	61	6.6	97	1	1	4	7	15	21	60
B. Operated										
0-19 YRS	21	7.2	39	1	2	7	11	12	20	28
20-34	31	8.0	101	1	2	6	9	16	37	45
35-49	66	6.6	18	1	3	7	9	11	12	23
50-64	242	8.0	86	1	2	6	10	15	23	50
65 +	720	8.8	81	1	3	7	11	19	25	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.3	6	< 1	1	2	5	7	8	8
B. Operated	198	4.5	16	< 1	1	3	8	10	12	17
2. MULTIPLE DX										
A. Not Operated	87	5.4	72	1	1	3	6	11	17	54
B. Operated	1080	8.4	78	1	2	7	10	17	24	48
1. SINGLE DX	209	4.4	15	< 1	1	2	8	10	12	16
2. MULTIPLE DX	1167	8.2	78	1	2	6	10	17	23	48
A. Not Operated	98	5.2	65	1	1	3	5	10	16	52
B. Operated	1278	7.8	70	1	2	6	10	16	22	46
TOTAL										
0-19 YRS	39	5.6	29	1	2	4	9	11	14	28
20-34	47	7.1	72	1	2	6	8	13	24	45
35-49	104	5.7	18	< 1	[illegible]	5	8	11	12	21
50-64	324	7.1	70	1	1	5	9	12	20	47
65 +	862	8.2	78	1	2	6	10	18	23	50
GRAND TOTAL	**1376**	**7.6**	**70**	**1**	**2**	**6**	**10**	**16**	**22**	**46**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	103	2.0	7	1	1	1	2	4	6	17
20-34	13	2.3	4	< 1	1	1	3	6	8	8
35-49	22	4.6	18	< 1	1	3	6	11	14	16
50-64	24	3.6	8	< 1	1	3	6	7	9	10
65 +	13	2.7	5	< 1	1	2	4	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.7	11	< 1	2	4	8	9	9	9
20-34	0									
35-49	0									
50-64	4	3.5	6	1	2	3	5	7	7	7
65 +	5	8.6	49	1	1	12	14	15	15	15
B. Operated										
0-19 YRS	49	5.9	58	1	1	2	8	16	23	32
20-34	13	5.3	14	< 1	2	5	8	10	11	11
35-49	25	7.6	37	2	3	6	9	19	21	23
50-64	43	8.3	46	2	4	8	10	14	17	42
65 +	47	8.8	38	2	5	8	11	18	22	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	175	2.7	9	1	1	1	3	6	8	15
2. MULTIPLE DX										
A. Not Operated	15	5.7	24	1	1	3	9	14	15	15
B. Operated	177	7.4	44	1	2	6	10	15	21	31
1. SINGLE DX	178	2.6	9	< 1	1	1	3	6	8	15
2. MULTIPLE DX	192	7.3	43	1	2	6	10	15	20	31
A. Not Operated	18	4.9	23	< 1	1	3	8	13	15	15
B. Operated	352	5.1	32	1	1	2	8	12	16	28
TOTAL										
0-19 YRS	160	3.3	26	1	1	1	3	9	13	29
20-34	26	3.8	11	< 1	1	2	8	9	10	11
35-49	48	6.1	30	< 1	2	5	8	14	19	23
50-64	71	6.4	35	1	2	6	9	11	15	37
65 +	65	7.5	37	1	2	6	11	15	19	27
GRAND TOTAL	**370**	**5.0**	**32**	**1**	**1**	**2**	**8**	**12**	**15**	**27**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	274	2.3	4	< 1	1	2	3	5	7	12
20-34	164	2.2	4	< 1	1	2	3	4	6	10
35-49	205	1.9	2	< 1	1	1	2	4	5	7
50-64	145	2.1	6	< 1	< 1	1	2	4	6	11
65 +	69	2.6	7	< 1	1	1	3	6	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	9.7	231	1	2	3	10	37	40	40
20-34	3	1.7	1	< 1	< 1	1	2	3	3	3
35-49	2	14.5	25	11	11	14	18	18	18	18
50-64	8	4.8	27	< 1	2	2	7	13	14	14
65 +	6	6.7	18	1	3	7	10	11	11	11
B. Operated										
0-19 YRS	52	3.6	15	< 1	1	2	4	8	13	19
20-34	77	3.4	11	1	1	2	4	8	10	18
35-49	119	3.3	24	1	1	2	3	7	8	26
50-64	125	3.3	8	1	1	2	4	7	10	35
65 +	143	5.6	36	1	2	3	8	13	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.7	3	1	1	3	4	5	5	5
B. Operated	857	2.2	4	< 1	1	1	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	25	6.8	73	1	2	3	10	14	23	40
B. Operated	516	4.0	22	1	1	2	5	9	13	22
1. SINGLE DX	868	2.2	4	< 1	1	1	3	4	6	11
2. MULTIPLE DX	541	4.1	24	1	1	2	5	9	13	23
A. Not Operated	36	5.6	54	1	1	3	8	12	17	40
B. Operated	1373	2.8	11	< 1	1	2	3	7	9	16
TOTAL										
0-19 YRS	337	2.6	10	< 1	1	2	3	5	8	14
20-34	246	2.6	6	< 1	1	2	3	5	8	12
35-49	328	2.5	11	< 1	1	2	3	5	7	16
50-64	280	2.7	8	< 1	1	2	3	7	9	14
65 +	218	4.7	28	1	1	2	7	11	15	24
GRAND TOTAL	**1409**	**2.9**	**13**	**< 1**	**1**	**2**	**3**	**7**	**9**	**17**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.4	13	< 1	1	2	5	8	12	15
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	7.7	8	6	6	6	10	11	11	11
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	274	2.7	18	< 1	1	1	3	5	8	18
20-34	53	2.2	3	< 1	< 1	1	3	5	7	8
35-49	54	2.1	4	< 1	< 1	1	2	5	7	8
50-64	26	3.2	19	< 1	1	2	4	5	10	23
65 +	15	1.7	3	< 1	< 1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	5.5	29	< 1	1	4	7	15	17	19
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	5	5.2	24	1	2	2	10	11	11	11
65 +	9	7.6	17	3	5	6	10	14	14	14
B. Operated										
0-19 YRS	105	5.6	49	1	1	3	6	12	23	34
20-34	40	3.9	43	< 1	< 1	1	4	8	15	38
35-49	41	4.2	22	< 1	< 1	2	6	11	13	23
50-64	40	5.0	35	< 1	1	2	7	16	19	19
65 +	42	7.7	118	1	1	3	8	21	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.7	13	< 1	1	2	5	9	11	15
B. Operated	422	2.6	14	< 1	1	1	3	5	7	17
2. MULTIPLE DX										
A. Not Operated	43	5.7	23	< 1	2	5	8	14	15	19
B. Operated	268	5.4	53	< 1	1	2	6	14	20	36
1. SINGLE DX	451	2.6	14	< 1	1	1	3	6	8	16
2. MULTIPLE DX	311	5.4	49	< 1	1	3	7	14	19	35
A. Not Operated	72	4.9	20	< 1	1	3	6	12	15	18
B. Operated	690	3.7	31	< 1	1	2	4	8	12	30
TOTAL										
0-19 YRS	423	3.6	28	< 1	1	2	4	8	12	27
20-34	98	2.9	20	< 1	< 1	1	3	6	8	28
35-49	100	3.2	13	< 1	< 1	2	4	7	11	19
50-64	74	4.2	27	< 1	1	2	5	11	18	22
65 +	67	6.4	82	1	1	3	8	17	26	50
GRAND TOTAL	**762**	**3.8**	**30**	**< 1**	**1**	**2**	**4**	**8**	**14**	**28**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	1.5	1	< 1	< 1	1	2	3	3	6
20-34	52	1.1		< 1	< 1	< 1	1	1	2	2
35-49	78	1.3		< 1	< 1	< 1	1	2	3	4
50-64	55	1.3		< 1	< 1	1	2	2	2	3
65 +	27	1.8	1	< 1	< 1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	6	2.0	2	< 1	1	2	3	4	4	4
20-34	17	1.6	2	< 1	1	1	2	3	5	6
35-49	87	1.6	1	< 1	< 1	1	2	3	4	6
50-64	62	1.7	1	< 1	1	1	2	3	3	5
65 +	91	3.1	74	< 1	1	2	2	5	6	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	242	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	263	2.1	27	< 1	1	1	2	4	5	7
1. SINGLE DX	242	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	265	2.1	27	< 1	1	1	2	4	5	7
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	505	1.8	14	< 1	< 1	1	2	3	4	6
TOTAL										
0-19 YRS	36	1.6	1	< 1	< 1	1	2	3	4	6
20-34	69	1.2		< 1	< 1	1	1	2	2	5
35-49	165	1.5	1	< 1	< 1	1	2	3	4	6
50-64	118	1.5	1	< 1	1	1	2	2	3	5
65 +	119	2.8	57	< 1	1	2	2	5	6	32
GRAND TOTAL	**507**	**1.8**	**14**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**6**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	30TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.7	4	1	1	2	3	6	7	7
35-49	15	2.8	2	1	2	3	4	4	6	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	155	4.5	3	2	4	5	6	6	7	9
35-49	476	4.7	3	2	4	5	6	7	7	8
50-64	87	4.9	3	2	4	5	6	7	7	11
65 +	6	5.8	5	2	5	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	29	2.7	8	< 1	1	1	4	6	8	14
35-49	94	2.4	6	< 1	1	1	3	5	7	13
50-64	15	2.3	3	< 1	1	2	3	5	6	6
65 +	7	6.1	16	2	3	6	7	13	14	14
B. Operated										
0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	588	5.3	12	3	4	5	6	8	9	15
35-49	4847	5.6	8	4	4	5	6	8	9	14
50-64	936	5.8	9	4	5	6	7	8	10	15
65 +	115	7.7	43	4	5	6	8	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.6	3	1	1	2	3	5	7	7
B. Operated	724	4.7	3	2	4	5	6	7	7	9
2. MULTIPLE DX										
A. Not Operated	145	2.6	7	< 1	1	1	3	6	7	14
B. Operated	6490	5.7	9	4	4	5	6	8	9	15
1. SINGLE DX	748	4.6	3	2	4	5	6	7	7	8
2. MULTIPLE DX	6635	5.6	9	3	4	5	6	8	9	15
A. Not Operated	169	2.6	6	< 1	1	2	3	6	7	14
B. Operated	7214	5.6	8	3	4	5	6	8	9	14
TOTAL										
0-19 YRS	5	4.0	5	1	2	4	6	6	6	6
20-34	779	5.0	10	2	4	5	6	7	9	14
35-49	5432	5.5	8	3	4	5	6	8	9	14
50-64	1039	5.7	9	3	4	5	7	8	9	15
65 +	128	7.5	40	4	5	6	8	12	16	37
GRAND TOTAL	**7383**	**5.5**	**9**	**3**	**4**	**5**	**6**	**8**	**9**	**14**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	4.0	6	1	2	5	6	6	6	6
35-49	10	3.9	5	1	2	4	4	7	8	8
50-64	0									
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	16	4.2	4	1	3	5	6	6	7	8
35-49	54	5.0	6	2	4	5	6	7	7	18
50-64	19	4.3	4	1	4	4	5	7	8	8
65 +	7	11.0	307	1	1	6	9	42	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	17	3.8	5	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	96	5.2	27	1	4	5	6	7	8	35
1. SINGLE DX	19	3.6	5	1	2	4	5	7	8	8
2. MULTIPLE DX	96	5.2	27	1	4	5	6	7	8	35
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	113	4.9	24	1	3	5	6	7	8	30
TOTAL										
0-19 YRS	0									
20-34	21	4.1	4	1	2	5	6	6	7	8
35-49	65	4.8	6	1	4	5	6	7	8	17
50-64	20	4.2	4	1	3	4	5	7	8	8
65 +	9	9.1	245	< 1	1	4	8	34	50	50
GRAND TOTAL	**115**	**4.9**	**24**	**1**	**3**	**5**	**6**	**7**	**8**	**29**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.0	2	1	2	3	4	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	60	4.4	1	3	4	4	5	6	7	8
20-34	228	4.4	2	3	4	4	5	6	6	8
35-49	102	4.7	3	3	4	5	6	6	7	11
50-64	35	5.3	2	4	4	5	6	7	8	11
65 +	23	6.7	7	4	5	7	8	10	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	10.5	113	3	3	10	18	18	18	18
B. Operated										
0-19 YRS	58	5.2	3	3	4	5	6	7	9	12
20-34	319	4.9	4	3	4	5	6	7	8	11
35-49	325	5.6	7	3	4	5	6	8	9	18
50-64	209	6.6	9	4	5	6	7	9	13	22
65 +	216	9.3	68	5	5	7	10	16	25	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.7	3	1	1	3	4	5	5	5
B. Operated	448	4.7	2	3	4	4	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	8	5.1	29	1	2	4	5	14	18	18
B. Operated	1127	6.3	20	4	4	5	7	9	13	25
1. SINGLE DX	455	4.6	2	3	4	4	5	6	7	11
2. MULTIPLE DX	1135	6.3	21	4	4	5	7	9	13	25
A. Not Operated	15	4.0	17	1	2	4	4	5	15	18
B. Operated	1575	5.8	16	3	4	5	6	8	11	23
TOTAL										
0-19 YRS	119	4.8	2	3	4	4	5	6	8	11
20-34	554	4.7	3	3	4	5	5	6	7	10
35-49	431	5.4	6	3	4	5	6	7	9	17
50-64	245	6.4	8	4	5	6	7	8	11	22
65 +	241	9.1	63	5	5	7	9	16	24	63
GRAND TOTAL	**1590**	**5.8**	**16**	**3**	**4**	**5**	**6**	**8**	**11**	**23**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.0	7	< 1	1	5	6	6	6	6
20-34	5	3.8	3	1	3	4	5	5	5	5
35-49	11	3.5	5	< 1	1	3	6	7	7	7
50-64	2	5.0	8	3	3	5	7	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	3.5	4	1	2	3	5	6	6	6
35-49	16	4.0	2	3	3	4	5	6	7	7
50-64	9	5.4	10	2	3	6	6	10	12	12
65 +	6	5.2	13	1	2	5	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	22	3.7	4	< 1	1	4	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	37	4.5	6	2	3	4	6	7	10	12
1. SINGLE DX	22	3.7	4	< 1	1	4	5	6	7	7
2. MULTIPLE DX	37	4.5	6	2	3	4	6	7	10	12
A. Not Operated	0									
B. Operated	59	4.2	5	1	3	4	6	7	7	12
TOTAL										
0-19 YRS	3	4.0	7	< 1	1	5	6	6	6	6
20-34	11	3.6	3	1	2	4	5	6	6	6
35-49	27	3.8	3	1	3	4	5	6	7	7
50-64	11	5.4	8	2	3	6	7	9	12	12
65 +	7	4.6	13	1	1	5	6	10	11	11
GRAND TOTAL	**59**	**4.2**	**5**	**1**	**3**	**4**	**6**	**7**	**7**	**12**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	9	1.9	1	< 1	1	1	3	4	4	4
35-49	5	1.6		< 1	1	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	5	3.4	14	1	1	2	4	10	10	10
65 +	18	5.9	14	2	4	5	6	11	15	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	19	1.6	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	31	4.5	13	1	2	4	5	10	11	18
1. SINGLE DX	19	1.6	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	31	4.5	13	1	2	4	5	10	11	18
A. Not Operated	0									
B. Operated	50	3.4	10	1	1	2	5	6	10	18
TOTAL										
0-19 YRS	5	1.4		< 1	< 1	1	2	2	2	2
20-34	11	1.9	1	< 1	1	1	3	4	4	4
35-49	9	2.0	1	< 1	1	2	3	4	4	4
50-64	7	2.9	10	1	1	2	2	8	10	10
65 +	18	5.9	14	2	4	5	6	11	15	18
GRAND TOTAL	**50**	**3.4**	**10**	**1**	**1**	**2**	**5**	**6**	**10**	**18**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	12.0	72	6	6	12	18	18	18	18
20-34	3	4.0	27	< 1	< 1	1	8	10	10	10
35-49	10	4.5	12	< 1	1	4	7	9	10	10
50-64	13	3.7	13	< 1	< 1	2	7	9	11	11
65 +	10	2.5	7	< 1	1	1	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	5	5.2	9	2	3	5	6	10	10	10
50-64	24	4.8	18	1	1	3	7	12	13	15
65 +	60	7.8	145	1	2	4	9	18	21	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	38	4.1	16	< 1	1	2	7	10	11	18
2. MULTIPLE DX										
A. Not Operated	2	9.0		9	9	9	9	9	9	9
B. Operated	93	6.6	100	1	2	4	8	13	20	61
1. SINGLE DX	38	4.1	16	< 1	1	2	7	10	11	18
2. MULTIPLE DX	95	6.7	98	1	2	4	9	12	20	60
A. Not Operated	2	9.0		9	9	9	9	9	9	9
B. Operated	131	5.9	77	1	1	3	8	12	18	39
TOTAL										
0-19 YRS	4	8.8	46	2	4	7	13	18	18	18
20-34	6	3.2	14	< 1	1	1	5	9	10	10
35-49	15	4.7	10	< 1	2	5	7	10	10	10
50-64	38	4.6	16	< 1	1	3	8	11	12	15
65 +	70	7.0	128	1	1	3	9	16	21	74
GRAND TOTAL	**133**	**5.9**	**76**	**1**	**1**	**4**	**8**	**12**	**18**	**38**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	1.2		< 1	< 1	< 1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	2.0	2	< 1	< 1	1	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	1.2		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	2.4	2	< 1	< 1	3	3	4	4	4
1. SINGLE DX	10	1.2		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX	5	2.4	2	< 1	< 1	3	3	4	4	4
A. Not Operated	0									
B. Operated	15	1.6	1	< 1	< 1	< 1	2	3	4	4
TOTAL										
0-19 YRS	10	1.2		< 1	< 1	< 1	1	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	2.0	2	< 1	< 1	1	3	3	3	3
GRAND TOTAL	**15**	**1.6**	**1**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**	**4**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	2	4.5	13	2	2	4	7	7	7	7
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	10	7.8	12	4	6	7	8	13	16	16
20-34	11	7.0	7	4	6	7	8	11	12	12
35-49	36	8.5	28	2	5	7	12	16	20	22
50-64	36	8.4	22	2	5	7	11	15	16	20
65 +	27	14.2	310	4	8	10	14	19	45	96
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	6	5.2	26	< 1	2	3	6	14	15	15
50-64	13	6.6	29	2	4	6	7	13	20	22
65 +	68	12.2	128	3	5	9	14	34	46	90
B. Operated										
0-19 YRS	27	8.9	34	2	5	8	11	18	21	25
20-34	18	11.9	78	3	8	9	14	22	34	40
35-49	66	13.3	185	3	6	10	15	28	36	85
50-64	97	14.5	144	4	7	10	18	30	40	58
65 +	143	19.0	257	5	9	15	23	45	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.5	4	1	2	3	4	7	7	7
B. Operated	120	9.6	90	3	6	8	12	16	18	54
2. MULTIPLE DX										
A. Not Operated	92	10.4	109	2	4	7	13	25	38	78
B. Operated	351	15.6	195	4	7	11	19	34	46	99 +
1. SINGLE DX	126	9.3	88	3	5	7	12	16	18	50
2. MULTIPLE DX	443	14.5	181	3	6	11	18	32	46	99 +
A. Not Operated	98	10.0	105	2	4	7	12	24	38	75
B. Operated	471	14.0	175	4	7	10	17	29	41	98
TOTAL										
0-19 YRS	39	8.2	29	2	5	7	10	16	19	25
20-34	32	9.6	53	3	6	8	11	17	23	40
35-49	111	11.0	128	2	5	9	13	21	29	64
50-64	148	12.2	112	3	6	9	15	27	33	55
65 +	239	16.5	234	4	7	12	20	40	56	99 +
GRAND TOTAL	**569**	**13.3**	**165**	**3**	**6**	**10**	**16**	**28**	**41**	**98**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.7	1	1	1	2	2	3	3	3
20-34	93	2.5	1	1	2	2	3	4	4	6
35-49	145	2.6	1	1	2	3	3	4	5	6
50-64	74	2.8	1	2	2	3	4	4	4	5
65 +	30	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	2	15.0	242	4	4	15	26	26	26	26
B. Operated										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	38	2.5	4	1	2	2	3	4	5	12
35-49	80	3.6	7	2	2	3	4	5	7	19
50-64	67	3.2	2	2	2	3	4	5	5	8
65 +	63	4.6	15	2	3	3	5	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	356	2.6	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	3	10.3	186	< 1	1	4	20	26	26	26
B. Operated	252	3.5	8	2	2	3	4	5	8	15
1. SINGLE DX	360	2.6	1	1	2	3	3	4	5	6
2. MULTIPLE DX	255	3.6	10	2	2	3	4	5	8	22
A. Not Operated	7	5.4	84	< 1	1	2	4	22	26	26
B. Operated	608	3.0	4	1	2	3	3	5	5	13
TOTAL										
0-19 YRS	18	1.8	1	1	1	2	2	3	4	4
20-34	133	2.5	2	1	2	2	3	4	4	7
35-49	228	3.0	4	1	2	3	3	5	5	8
50-64	141	3.0	1	2	2	3	4	4	5	7
65 +	95	4.3	16	2	2	3	4	8	14	24
GRAND TOTAL	**615**	**3.0**	**5**	**1**	**2**	**3**	**3**	**5**	**5**	**13**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3
65 +	1	16.0		16	16	16	16	16	16	16
B. Operated										
0-19 YRS	4	6.8	13	2	4	7	9	10	10	10
20-34	5	5.2	15	1	2	4	8	11	11	11
35-49	17	6.8	18	2	3	6	9	14	15	16
50-64	29	5.7	17	1	3	4	9	12	13	14
65 +	14	4.9	9	2	2	4	8	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	5.8	30	1	2	4	8	15	15	15
35-49	7	6.7	14	2	3	6	10	12	12	12
50-64	4	6.0	15	2	3	5	9	11	11	11
65 +	14	9.4	97	1	3	7	13	17	35	40
B. Operated										
0-19 YRS	8	10.4	102	2	5	9	10	27	34	34
20-34	30	10.5	40	3	6	10	12	18	28	28
35-49	48	6.9	38	2	3	5	9	14	16	36
50-64	117	7.2	91	2	3	5	7	13	25	60
65 +	106	9.6	100	2	4	6	12	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.8	40	1	1	3	6	16	16	16
B. Operated	69	5.8	15	2	3	5	9	12	13	16
2. MULTIPLE DX										
A. Not Operated	31	7.5	54	1	3	6	10	14	15	40
B. Operated	309	8.4	82	2	3	5	10	18	27	45
1. SINGLE DX	74	5.7	16	2	3	4	9	12	14	16
2. MULTIPLE DX	340	8.3	79	2	3	5	10	17	27	41
A. Not Operated	36	7.1	52	1	3	5	10	14	16	40
B. Operated	378	7.9	71	2	3	5	10	15	23	38
TOTAL										
0-19 YRS	13	8.6	70	2	3	8	10	15	30	34
20-34	40	9.2	39	2	5	9	12	16	23	28
35-49	74	6.7	30	2	3	5	9	13	15	32
50-64	152	6.8	74	2	3	4	8	12	19	53
65 +	135	9.1	91	2	3	6	12	20	28	45
GRAND TOTAL	**414**	**7.8**	**69**	**2**	**3**	**5**	**10**	**15**	**22**	**39**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	136	2.7	4	< 1	1	2	4	5	7	8
35-49	116	3.2	5	< 1	1	3	5	6	7	10
50-64	29	2.8	5	< 1	1	2	5	6	7	7
65 +	11	3.7	4	< 1	1	5	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	8	< 1	< 1	1	5	6	6	6
35-49	7	1.7	4	< 1	< 1	< 1	1	5	6	6
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	2.0	4	< 1	< 1	1	3	5	5	5
B. Operated										
0-19 YRS	0									
20-34	142	3.7	5	1	1	4	5	7	8	16
35-49	217	4.9	8	1	3	5	6	8	9	17
50-64	81	5.5	22	1	3	5	6	8	13	29
65 +	48	5.3	12	1	3	5	7	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	295	2.9	4	< 1	1	2	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	16	1.9	4	< 1	< 1	1	1	6	6	6
B. Operated	488	4.7	10	1	3	4	6	8	9	18
1. SINGLE DX	296	2.9	4	< 1	1	2	5	6	7	9
2. MULTIPLE DX	504	4.6	10	1	2	4	6	8	9	18
A. Not Operated	17	1.8	3	< 1	< 1	1	1	6	6	6
B. Operated	783	4.0	9	1	1	4	5	7	8	16
TOTAL										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	282	3.2	5	< 1	1	3	5	6	7	9
35-49	340	4.2	8	1	2	4	6	7	9	14
50-64	112	4.7	18	1	2	4	6	8	10	28
65 +	63	4.8	11	1	2	5	6	8	10	18
GRAND TOTAL	**800**	**4.0**	**9**	**1**	**1**	**4**	**5**	**7**	**8**	**16**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	4.0	7	1	2	5	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	7	2.4	1	< 1	2	3	3	3	3	3
35-49	33	3.4	11	1	1	3	5	6	8	18
50-64	61	3.6	8	< 1	1	3	5	7	8	15
65 +	54	4.4	18	< 1	1	4	6	8	11	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	4	13.5	388	2	3	4	24	43	43	43
B. Operated										
0-19 YRS	0									
20-34	11	4.2	14	< 1	1	2	7	10	10	10
35-49	49	4.5	28	< 1	2	4	5	7	10	36
50-64	141	5.3	17	1	2	5	7	10	13	20
65 +	286	8.3	98	1	3	5	10	16	25	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	7	1	1	3	5	6	6	6
B. Operated	155	3.8	11	< 1	1	3	5	7	9	18
2. MULTIPLE DX										
A. Not Operated	6	9.5	272	< 1	2	3	5	39	43	43
B. Operated	487	6.9	68	1	2	5	8	14	19	45
1. SINGLE DX	159	3.7	11	< 1	1	3	5	7	9	18
2. MULTIPLE DX	493	7.0	70	1	2	5	8	14	20	45
A. Not Operated	10	7.0	164	< 1	1	3	5	24	43	43
B. Operated	642	6.2	56	1	2	4	7	12	17	40
TOTAL										
0-19 YRS	0									
20-34	18	3.5	9	< 1	1	2	5	9	10	10
35-49	83	4.0	21	< 1	1	3	5	7	9	30
50-64	207	4.7	15	1	2	4	6	9	12	18
65 +	344	7.7	90	1	2	5	9	15	24	52
GRAND TOTAL	**652**	**6.2**	**58**	**1**	**2**	**4**	**7**	**12**	**17**	**42**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.1	4	< 1	1	1	2	6	7	7
20-34	6	3.8	7	1	1	4	6	7	7	7
35-49	17	2.4	4	< 1	1	2	3	6	7	8
50-64	17	4.3	9	1	2	3	7	9	10	10
65 +	15	2.1	4	1	1	1	2	4	7	8
B. Operated										
0-19 YRS	64	4.6	22	1	1	3	6	11	13	25
20-34	78	4.4	27	1	2	3	5	8	14	31
35-49	77	3.7	7	1	1	3	5	7	9	11
50-64	80	3.6	10	1	1	3	5	7	10	16
65 +	107	4.4	17	1	1	3	7	10	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	3.3	16	< 1	1	2	4	6	10	25
20-34	18	3.6	17	1	1	2	3	10	14	16
35-49	43	3.9	19	< 1	1	3	5	7	8	28
50-64	58	5.7	50	1	2	4	7	11	16	46
65 +	196	7.7	49	1	3	6	10	18	22	71
B. Operated										
0-19 YRS	68	11.0	115	1	3	7	16	24	35	50
20-34	82	6.3	33	1	3	5	6	14	21	28
35-49	111	8.3	149	3	4	5	8	13	17	86
50-64	215	8.6	103	1	3	6	10	16	23	55
65 +	505	9.8	127	2	3	7	12	21	28	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	2.8	6	1	1	2	4	7	8	10
B. Operated	406	4.1	16	1	1	3	5	9	11	19
2. MULTIPLE DX										
A. Not Operated	364	6.1	42	1	2	4	8	14	20	39
B. Operated	981	9.2	116	2	3	6	11	19	27	64
1. SINGLE DX	480	3.9	15	1	1	3	5	8	11	18
2. MULTIPLE DX	1345	8.3	98	1	3	6	10	18	25	57
A. Not Operated	438	5.6	38	1	2	4	7	13	18	36
B. Operated	1387	7.7	92	1	2	5	9	16	23	54
TOTAL										
0-19 YRS	200	6.2	62	1	1	3	8	16	23	39
20-34	184	5.1	29	1	2	4	6	11	16	28
35-49	248	5.7	77	1	2	4	6	9	13	47
50-64	370	6.9	75	1	2	5	8	13	18	53
65 +	823	8.4	96	1	2	6	11	18	26	66
GRAND TOTAL	**1825**	**7.2**	**80**	**1**	**2**	**5**	**9**	**15**	**21**	**51**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	5.7	16	2	3	5	9	10	10	10
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	14	2.9	1	2	2	3	3	4	5	5
20-34	76	2.8	2	1	2	3	4	4	5	6
35-49	137	2.9	2	1	2	3	4	4	5	7
50-64	91	2.8	2	1	2	3	4	5	5	6
65 +	49	3.3	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	5	3.6	7	< 1	1	3	5	8	8	8
50-64	4	2.0	2	< 1	< 1	1	3	4	4	4
65 +	10	4.1	6	1	1	4	6	7	7	7
B. Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	29	3.2	2	2	2	3	4	5	6	9
35-49	87	3.6	12	1	2	3	4	6	8	23
50-64	99	4.0	6	2	2	3	5	7	8	17
65 +	118	5.7	22	2	3	4	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.6	11	2	2	4	6	10	10	10
B. Operated	367	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	22	3.2	5	< 1	1	3	5	7	8	8
B. Operated	337	4.4	14	2	2	4	5	7	11	22
1. SINGLE DX	372	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX	359	4.3	13	2	2	4	5	7	10	21
A. Not Operated	27	3.4	6	< 1	1	3	5	7	8	10
B. Operated	704	3.6	8	1	2	3	4	6	7	19
TOTAL										
0-19 YRS	18	2.7	1	1	2	3	3	4	5	5
20-34	108	2.9	2	1	2	3	4	5	5	7
35-49	230	3.2	6	1	2	3	4	5	6	13
50-64	197	3.4	4	2	2	3	4	6	7	12
65 +	178	4.9	17	2	3	4	5	9	14	25
GRAND TOTAL	**731**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**7**	**19**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.4	21	1	1	2	3	6	15	21
20-34	13	3.9	3	1	3	4	5	6	8	8
35-49	10	5.6	6	2	4	6	7	8	9	9
50-64	4	7.3	16	4	4	6	10	13	13	13
65 +	3	3.7		3	3	4	4	4	4	4
B. Operated										
0-19 YRS	24	3.1	7	1	1	3	4	6	10	12
20-34	44	3.9	14	1	2	3	4	7	11	21
35-49	54	3.1	3	1	2	3	4	5	6	8
50-64	27	2.4	1	1	2	2	3	4	5	5
65 +	17	3.5	2	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.3	21	1	2	3	5	7	14	23
20-34	30	6.4	36	1	2	4	9	13	18	28
35-49	62	6.2	32	2	3	4	9	12	16	33
50-64	62	7.6	42	2	4	6	9	15	21	34
65 +	167	13.0	224	3	5	8	15	26	49	77
B. Operated										
0-19 YRS	8	6.8	17	3	4	5	10	13	14	14
20-34	40	4.7	13	2	3	4	5	10	13	17
35-49	44	5.6	35	2	2	4	5	14	19	29
50-64	43	4.2	6	2	2	3	6	9	10	99 +
65 +	53	11.8	155	2	3	8	17	38	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	4.3	12	1	2	4	6	8	9	21
B. Operated	166	3.2	6	1	2	3	4	5	7	16
2. MULTIPLE DX										
A. Not Operated	342	9.7	138	2	4	6	10	19	30	68
B. Operated	188	6.9	66	2	3	4	8	17	25	99 +
1. SINGLE DX	215	3.5	8	1	2	3	4	6	8	18
2. MULTIPLE DX	530	8.7	114	2	3	5	10	18	28	76
A. Not Operated	391	9.0	125	2	3	6	10	18	28	65
B. Operated	354	5.2	41	2	2	3	5	10	18	58
TOTAL										
0-19 YRS	72	3.9	16	1	2	3	4	8	12	23
20-34	127	4.7	18	1	2	4	5	10	15	23
35-49	170	5.0	23	2	2	4	6	10	14	28
50-64	136	5.5	26	2	3	4	7	10	15	43
65 +	240	11.9	196	2	4	8	14	26	50	84
GRAND TOTAL	**745**	**7.2**	**89**	**2**	**3**	**4**	**8**	**16**	**23**	**63**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	5.1	6	2	3	5	6	8	10	13
20-34	9	3.3	2	2	3	3	4	6	7	7
35-49	8	3.3	4	< 1	1	3	4	6	7	7
50-64	4	3.5	2	2	2	3	4	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	108	6.0	11	2	4	6	7	8	10	20
20-34	18	5.3	6	2	4	5	6	8	10	12
35-49	27	5.4	20	2	3	4	6	8	18	21
50-64	35	5.6	14	2	3	5	7	11	13	16
65 +	50	7.4	63	3	4	6	10	13	53	99 +
B. Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	22.0	448	7	8	11	34	57	57	57
50-64	8	10.4	42	2	5	11	15	19	19	19
65 +	10	9.8	60	2	5	7	13	22	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	4.8	6	2	3	4	6	7	9	12
B. Operated	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	238	6.1	23	2	4	6	7	10	13	61
B. Operated	26	11.7	136	2	5	9	13	26	34	57
1. SINGLE DX	139	4.9	6	2	3	5	6	8	10	12
2. MULTIPLE DX	264	6.7	36	2	4	6	7	12	15	57
A. Not Operated	375	5.6	17	2	3	5	7	9	12	25
B. Operated	28	11.5	126	2	5	9	13	25	31	57
TOTAL										
0-19 YRS	226	5.5	8	2	4	6	7	8	10	15
20-34	28	4.5	5	2	3	4	6	7	8	12
35-49	41	7.1	91	2	3	4	7	14	24	57
50-64	47	6.2	21	2	3	5	9	12	16	19
65 +	61	7.7	62	3	4	6	10	14	38	99 +
GRAND TOTAL	**403**	**6.0**	**27**	**2**	**4**	**5**	**7**	**10**	**13**	**41**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	452	4.0	7	1	2	3	5	7	9	11
20-34	236	3.8	8	1	2	3	5	7	9	15
35-49	79	4.2	7	2	2	4	5	8	9	13
50-64	31	6.1	15	2	4	6	8	10	11	21
65 +	20	5.8	13	2	3	5	7	10	13	16
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	3	8.3	46	3	4	6	13	16	16	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	501	4.8	20	1	2	4	6	9	12	22
20-34	698	5.2	15	2	3	4	7	10	12	20
35-49	462	6.7	38	2	4	5	8	12	15	29
50-64	358	8.8	49	3	5	7	11	15	19	40
65 +	554	11.8	115	4	6	9	14	21	35	99 +
B. Operated										
0-19 YRS	21	8.3	46	4	4	7	8	16	28	29
20-34	72	10.8	68	3	5	8	13	22	31	37
35-49	69	16.8	207	6	8	13	20	36	67	99 +
50-64	70	17.8	151	6	8	15	27	46	91	99 +
65 +	117	24.4	451	7	11	18	33	72	95	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	818	4.1	8	1	2	3	5	7	9	15
B. Operated	7	6.7	18	3	5	5	7	14	16	16
2. MULTIPLE DX										
A. Not Operated	2573	7.3	53	2	3	6	9	14	18	43
B. Operated	349	17.8	268	5	7	13	24	45	76	99 +
1. SINGLE DX	825	4.1	8	1	2	3	5	7	9	15
2. MULTIPLE DX	2922	8.6	90	2	3	6	10	17	26	85
A. Not Operated	3391	6.5	44	2	3	5	8	13	17	37
B. Operated	356	17.6	265	5	7	13	24	44	74	99 +
TOTAL										
0-19 YRS	976	4.5	15	1	2	4	6	8	10	20
20-34	1009	5.3	20	2	3	4	7	10	13	24
35-49	611	7.5	64	2	3	6	9	14	20	50
50-64	460	10.0	73	3	5	8	12	19	28	97
65 +	691	13.8	192	4	6	10	16	32	57	99 +
GRAND TOTAL	**3747**	**7.6**	**76**	**2**	**3**	**5**	**9**	**15**	**21**	**71**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	36.0		36	36	36	36	36	36	36
65 +	3	5.7	52	< 1	< 1	2	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	30.0		30	30	30	30	30	30	30
35-49	16	7.1	20	4	5	5	8	11	19	22
50-64	53	11.0	46	4	6	9	14	22	26	30
65 +	96	11.4	95	3	6	8	14	23	27	57
B. Operated										
0-19 YRS	0									
20-34	20	21.5	369	2	11	17	28	41	64	84
35-49	133	21.5	317	6	9	15	29	50	56	94
50-64	462	22.9	414	6	9	16	31	59	86	99 +
65 +	880	22.9	307	6	10	18	32	53	68	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	13.3	265	< 1	1	8	25	36	36	36
2. MULTIPLE DX										
A. Not Operated	166	11.0	75	4	5	8	14	22	26	51
B. Operated	1495	22.7	341	6	10	17	32	53	73	99 +
1. SINGLE DX	4	13.3	265	< 1	1	8	25	36	36	36
2. MULTIPLE DX	1661	21.5	327	5	9	16	30	51	69	99 +
A. Not Operated	166	11.0	75	4	5	8	14	22	26	51
B. Operated	1499	22.7	341	6	10	17	32	53	73	99 +
TOTAL										
0-19 YRS	0									
20-34	21	21.9	354	2	11	17	29	41	62	84
35-49	149	19.9	305	5	8	14	27	48	54	93
50-64	516	21.7	388	5	9	15	29	56	79	99 +
65 +	979	21.7	298	5	9	17	31	50	66	99 +
GRAND TOTAL	**1665**	**21.5**	**327**	**5**	**9**	**16**	**30**	**51**	**69**	**99 +**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	276	4.9	7	2	3	5	6	8	10	13
20-34	144	4.9	35	2	3	4	6	8	9	17
35-49	159	4.8	8	2	3	4	6	8	10	16
50-64	201	5.9	19	3	3	5	7	10	13	24
65 +	188	6.2	22	3	4	5	7	10	12	32
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.0	8	1	1	2	4	8	8	8
35-49	4	5.3	18	2	2	4	8	11	11	11
50-64	13	4.5	32	< 1	1	2	5	16	17	17
65 +	8	2.0	2	< 1	1	2	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	5.7	32	2	3	5	7	10	12	48
20-34	515	5.7	32	2	3	5	7	10	14	24
35-49	1013	6.6	25	2	4	5	8	12	15	26
50-64	1910	7.5	39	3	4	6	9	13	18	39
65 +	3218	9.4	82	3	5	7	11	17	24	65
B. Operated										
0-19 YRS	16	9.7	108	2	3	4	16	22	33	38
20-34	119	10.8	241	2	2	6	13	22	30	94
35-49	308	12.5	139	2	5	9	16	28	38	75
50-64	741	15.6	256	3	6	11	19	39	56	99 +
65 +	951	17.2	237	4	7	13	22	37	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	968	5.4	17	2	3	5	6	9	11	16
B. Operated	31	3.6	18	1	1	2	4	9	16	17
2. MULTIPLE DX										
A. Not Operated	6894	8.0	58	3	4	6	9	14	20	46
B. Operated	2135	15.5	233	3	6	11	20	36	55	99 +
1. SINGLE DX	999	5.3	17	2	3	5	6	9	11	17
2. MULTIPLE DX	9029	9.8	109	3	4	7	11	20	30	76
A. Not Operated	7862	7.7	54	3	4	6	9	14	19	43
B. Operated	2166	15.4	232	3	6	11	20	36	54	99 +
TOTAL										
0-19 YRS	531	5.4	21	2	3	5	7	9	11	25
20-34	783	6.3	67	2	3	5	7	11	16	32
35-49	1484	7.6	53	2	4	6	9	15	21	40
50-64	2865	9.4	107	3	4	7	11	19	29	76
65 +	4365	10.9	124	3	5	8	13	22	34	85
GRAND TOTAL	**10028**	**9.4**	**102**	**3**	**4**	**7**	**11**	**19**	**28**	**72**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.2	6	< 1	1	2	5	7	7	7
20-34	25	3.1	3	< 1	1	4	4	5	6	7
35-49	3	2.0	3	< 1	< 1	< 1	3	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.5	8	1	2	3	4	8	9	9
20-34	12	7.0	58	1	2	4	9	20	25	26
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	3.6	3	1	2	4	5	6	6	6
20-34	51	3.8	7	1	2	4	5	6	7	18
35-49	11	4.8	4	2	4	5	6	7	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.2	1	1	2	2	3	3	3	3
B. Operated	34	3.0	3	< 1	1	3	4	5	7	7
2. MULTIPLE DX										
A. Not Operated	19	5.6	41	1	2	4	7	15	22	26
B. Operated	71	4.0	6	1	3	4	5	6	7	16
1. SINGLE DX	40	2.9	3	< 1	1	3	4	5	6	7
2. MULTIPLE DX	90	4.3	14	1	2	4	5	7	9	23
A. Not Operated	25	4.8	33	1	2	3	4	11	19	26
B. Operated	105	3.7	5	< 1	2	4	5	6	7	13
TOTAL										
0-19 YRS	22	3.4	5	1	2	3	5	6	8	9
20-34	91	4.0	13	1	2	4	5	6	8	23
35-49	16	3.9	5	< 1	2	4	5	7	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
GRAND TOTAL	**130**	**3.9**	**11**	**< 1**	**2**	**4**	**5**	**7**	**8**	**20**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	1.8	2	1	1	1	2	3	5	8
20-34	26	2.6	3	1	1	2	4	5	6	9
35-49	24	5.8	50	1	1	3	5	17	22	29
50-64	14	3.2	5	1	1	2	6	7	7	7
65 +	21	7.4	300	1	2	3	5	11	43	82
B. Operated										
0-19 YRS	16	4.6	8	1	2	4	7	7	10	11
20-34	9	6.0	36	1	2	3	8	16	20	20
35-49	8	2.6	2	1	1	2	4	5	5	5
50-64	14	3.9	7	1	2	3	5	8	9	10
65 +	4	5.5	34	1	2	3	9	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	288	3.0	22	1	1	2	3	6	8	30
20-34	147	4.1	17	1	2	3	5	8	10	24
35-49	194	5.0	20	1	2	4	6	11	13	19
50-64	383	5.9	35	2	3	4	7	12	15	27
65 +	1292	7.9	67	2	3	6	10	16	22	55
B. Operated										
0-19 YRS	23	7.3	54	2	3	5	9	23	51	99 +
20-34	19	8.3	41	2	4	6	10	20	22	22
35-49	45	8.5	96	2	3	5	11	26	42	99 +
50-64	93	9.1	146	2	3	6	10	18	28	76
65 +	165	14.9	208	3	6	11	19	40	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	200	3.1	42	1	1	2	3	5	8	24
B. Operated	51	4.4	13	1	2	3	6	8	11	20
2. MULTIPLE DX										
A. Not Operated	2304	6.5	52	1	2	4	8	13	19	40
B. Operated	345	11.6	166	2	4	8	14	29	48	99 +
1. SINGLE DX	251	3.4	36	1	1	2	3	7	10	20
2. MULTIPLE DX	2649	7.1	70	1	3	5	9	15	22	56
A. Not Operated	2504	6.2	52	1	2	4	8	13	19	40
B. Operated	396	10.7	152	2	3	7	13	27	41	99 +
TOTAL										
0-19 YRS	442	3.0	19	1	1	2	3	6	8	30
20-34	201	4.4	20	1	2	3	5	9	12	23
35-49	271	5.6	36	1	2	4	7	12	16	41
50-64	504	6.3	55	2	3	4	7	13	16	33
65 +	1482	8.7	90	2	3	6	10	18	27	69
GRAND TOTAL	**2900**	**6.8**	**68**	**1**	**2**	**4**	**8**	**14**	**21**	**55**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	29.0	564	4	9	33	65	99+	99+	99+
20-34	3	22.3	1121	3	3	3	47	61	61	61
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	1.3		1	1	1	2	2	2	2
65+	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	13.2	139	4	6	9	17	31	42	54
20-34	12	12.8	141	3	5	8	15	36	38	38
35-49	13	5.8	11	3	4	4	7	12	13	13
50-64	41	10.3	38	3	5	9	13	20	21	23
65+	187	14.7	233	4	6	10	19	36	66	99+
B. Operated										
0-19 YRS	33	20.8	494	3	6	15	27	65	92	99+
20-34	19	12.6	71	2	5	12	18	26	29	29
35-49	8	10.8	54	6	7	8	19	71	99+	99+
50-64	36	17.0	173	2	9	14	22	42	50	99+
65+	214	15.7	278	2	5	9	20	38	51	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	23.5	568	3	5	16	61	90	99+	99+
B. Operated	13	3.1	7	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated	298	13.4	182	4	5	9	18	31	53	99+
B. Operated	310	16.1	272	2	5	10	22	39	53	98
1. SINGLE DX	29	14.3	414	1	2	5	30	64	98	99+
2. MULTIPLE DX	608	14.8	229	3	5	10	19	36	53	99+
A. Not Operated	314	13.9	205	4	5	9	19	35	61	99+
B. Operated	323	15.5	268	2	5	10	21	38	52	98
TOTAL										
0-19 YRS	90	17.6	334	4	6	11	23	52	77	99+
20-34	37	12.8	156	2	4	8	16	29	37	61
35-49	22	7.5	31	3	4	6	9	18	52	99+
50-64	81	12.9	112	2	5	11	18	25	41	85
65+	407	15.1	255	3	5	9	20	37	57	99+
GRAND TOTAL	**637**	**14.7**	**237**	**3**	**5**	**9**	**20**	**37**	**55**	**99+**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	204	11.8	44	4	8	11	14	18	21	35
20-34	46	10.9	24	3	9	11	14	17	19	25
35-49	1	41.0		41	41	41	41	41	41	41
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	19.5	214	4	7	21	32	32	32	32
20-34	5	14.6	69	4	9	12	22	24	24	24
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	302	12.9	38	6	9	13	15	21	24	35
20-34	139	14.1	39	8	10	13	17	22	26	33
35-49	16	14.9	62	11	12	14	15	18	35	43
50-64	0									
65+	0									
B. Operated										
0-19 YRS	40	19.3	74	11	13	17	25	32	43	99+
20-34	23	22.7	119	10	14	22	28	35	46	50
35-49	2	27.0	32	23	23	27	31	31	31	31
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	251	11.8	43	4	8	11	14	18	21	41
B. Operated	10	15.3	130	3	4	11	24	32	32	32
2. MULTIPLE DX										
A. Not Operated	457	13.3	40	6	10	13	15	21	25	35
B. Operated	65	20.8	90	11	14	19	26	33	45	92
1. SINGLE DX	261	11.9	47	4	8	11	14	19	23	40
2. MULTIPLE DX	522	14.3	52	7	10	13	17	23	29	43
A. Not Operated	708	12.8	41	5	9	13	15	20	24	35
B. Operated	75	20.0	97	10	13	19	26	32	42	87
TOTAL										
0-19 YRS	550	13.0	47	5	9	13	15	21	26	38
20-34	213	14.4	54	6	10	13	17	24	28	44
35-49	20	16.8	107	9	12	14	17	36	42	43
50-64	0									
65+	0									
GRAND TOTAL	**783**	**13.5**	**51**	**6**	**10**	**13**	**15**	**22**	**27**	**42**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	19.0		19	19	19	19	19	19	19
65 +	0									
B. Operated										
0-19 YRS	6	8.0	9	4	5	8	10	12	12	12
20-34	47	6.4	3	4	5	6	8	9	9	10
35-49	34	6.4	3	4	5	6	7	9	10	11
50-64	4	6.3	1	5	5	6	7	7	7	7
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	18.8	155	3	7	20	29	33	34	34
20-34	4	5.0	13	1	2	5	8	9	9	9
35-49	4	13.0	72	5	6	12	20	23	23	23
50-64	5	9.8	72	2	4	8	13	24	24	24
65 +	2	8.5	5	7	7	8	10	10	10	10
B. Operated										
0-19 YRS	6	7.7	11	4	5	7	11	12	12	12
20-34	100	8.1	33	5	5	7	9	11	17	38
35-49	146	8.9	56	5	6	7	9	13	19	68
50-64	25	8.3	18	5	6	7	10	12	15	25
65 +	1	30.0		30	30	65	99 +	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	9.5	42	5	5	7	13	19	19	19
B. Operated	92	6.6	4	4	5	6	8	9	10	13
2. MULTIPLE DX										
A. Not Operated	23	12.5	102	2	5	9	21	27	33	34
B. Operated	278	8.6	45	5	6	7	9	12	19	64
1. SINGLE DX	96	6.7	5	4	5	6	8	9	10	16
2. MULTIPLE DX	301	8.9	50	5	6	7	10	14	24	61
A. Not Operated	27	12.1	92	2	5	8	18	26	32	34
B. Operated	370	8.1	35	5	5	7	9	11	15	54
TOTAL										
0-19 YRS	22	11.6	88	4	5	9	12	28	33	34
20-34	151	7.5	24	4	5	7	8	10	15	28
35-49	185	8.5	48	5	6	7	9	12	19	63
50-64	35	8.6	25	5	6	7	10	12	23	25
65 +	4	15.0	106	7	9	13	47	99 +	99 +	99 +
GRAND TOTAL	**397**	**8.4**	**40**	**5**	**5**	**7**	**9**	**12**	**19**	**52**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	2.7	15	< 1	1	2	3	5	6	23
20-34	20	3.3	8	1	1	3	4	6	9	13
35-49	18	3.3	7	1	1	3	4	8	10	11
50-64	16	4.6	41	1	1	2	6	11	21	26
65 +	10	3.5	4	1	2	3	5	6	7	7
B. Operated										
0-19 YRS	32	4.1	18	1	1	3	5	10	15	18
20-34	50	1.4		< 1	1	1	2	3	3	3
35-49	66	2.2	7	< 1	1	1	2	4	6	17
50-64	26	1.8	3	< 1	1	1	2	4	6	8
65 +	8	2.3	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	227	3.9	19	1	2	2	5	8	12	22
20-34	81	4.8	34	< 1	< 1	3	6	11	17	30
35-49	99	7.0	62	1	2	5	9	15	20	46
50-64	152	10.5	161	2	3	7	13	21	29	89
65 +	215	10.3	95	3	4	7	13	21	30	50
B. Operated										
0-19 YRS	67	12.5	209	2	3	8	20	45	98	99 +
20-34	41	7.2	193	1	2	4	6	19	51	99 +
35-49	86	6.4	166	1	2	4	6	10	19	98
50-64	83	7.3	70	1	1	4	10	18	22	44
65 +	103	15.5	264	2	6	11	22	38	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	3.0	15	< 1	1	2	3	5	7	23
B. Operated	182	2.3	7	< 1	1	1	2	4	6	17
2. MULTIPLE DX										
A. Not Operated	774	7.5	83	1	2	5	9	17	23	46
B. Operated	380	10.2	195	1	2	6	13	27	47	99 +
1. SINGLE DX	366	2.6	11	< 1	1	2	3	5	7	17
2. MULTIPLE DX	1154	8.4	122	1	2	5	10	20	30	89
A. Not Operated	958	6.6	73	1	2	4	8	15	21	44
B. Operated	562	7.6	148	1	1	3	9	21	35	99 +
TOTAL										
0-19 YRS	446	4.9	57	1	2	2	5	11	21	64
20-34	192	4.3	60	< 1	1	2	5	10	15	62
35-49	269	5.4	82	1	1	3	6	11	17	70
50-64	277	8.4	119	1	2	6	11	19	23	51
65 +	336	11.5	151	2	4	8	15	26	37	85
GRAND TOTAL	**1520**	**7.0**	**101**	**1**	**2**	**4**	**8**	**17**	**25**	**75**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.0	5	1	1	2	4	6	6	6
35-49	11	3.1	4	1	2	3	4	6	8	8
50-64	8	5.3	5	3	4	5	7	9	9	9
65 +	15	3.4	4	1	2	3	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	2.2	3	< 1	1	1	4	4	4	4
65 +	4	3.3	5	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	3.5	5	1	2	3	5	7	8	8
35-49	30	3.5	5	1	2	3	5	7	8	10
50-64	63	6.3	27	2	3	5	9	13	17	25
65 +	189	7.7	49	2	4	6	9	16	20	34
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	9.2	38	2	6	8	11	19	19	19
50-64	24	9.5	285	2	3	5	8	15	45	84
65 +	45	12.4	137	1	3	9	14	34	38	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.7	5	1	2	3	5	7	8	9
B. Operated	11	2.6	3	< 1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	290	6.9	40	2	3	5	8	14	19	30
B. Operated	75	11.2	174	2	3	7	13	29	37	73
1. SINGLE DX	49	3.4	4	1	2	3	4	7	8	9
2. MULTIPLE DX	365	7.8	70	2	3	5	9	16	23	40
A. Not Operated	328	6.5	37	2	3	5	8	13	18	28
B. Operated	86	10.1	167	1	2	6	12	28	36	69
TOTAL										
0-19 YRS	0									
20-34	14	3.4	5	1	2	3	6	6	8	8
35-49	47	4.0	11	1	2	3	5	8	9	19
50-64	100	6.8	86	2	3	5	8	12	17	56
65 +	253	8.2	66	2	3	6	9	17	24	40
GRAND TOTAL	**414**	**7.2**	**64**	**2**	**3**	**5**	**8**	**15**	**22**	**38**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	139	2.7	6	1	1	2	3	5	7	14
20-34	14	2.8	5	1	1	2	4	9	77	99 +
35-49	19	4.6	27	1	1	3	5	13	17	20
50-64	14	3.1	8	1	1	2	3	8	10	10
65 +	43	4.3	7	1	2	4	6	8	9	10
B. Operated										
0-19 YRS	4	4.8		4	4	5	5	5	5	5
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2806	3.2	12	1	2	2	4	5	7	17
20-34	729	3.6	16	1	2	3	4	7	9	17
35-49	751	5.2	34	2	2	4	6	10	13	29
50-64	1349	6.4	46	2	3	5	7	12	18	43
65 +	6543	10.5	138	3	4	7	12	22	37	99 +
B. Operated										
0-19 YRS	90	10.7	128	1	3	6	16	30	41	99 +
20-34	59	9.4	221	1	2	5	9	23	40	91
35-49	94	11.5	235	2	4	6	13	23	48	84
50-64	187	15.2	254	3	5	10	17	35	53	88
65 +	1008	18.7	265	5	8	14	24	48	85	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	3.2	8	1	1	2	4	7	9	17
B. Operated	5	4.6		4	4	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	12178	7.7	96	2	3	5	9	17	25	81
B. Operated	1438	16.9	260	4	7	13	22	43	66	99 +
1. SINGLE DX	234	3.2	8	1	1	2	4	7	9	17
2. MULTIPLE DX	13616	8.6	121	2	3	5	10	19	31	98
A. Not Operated	12407	7.6	95	2	3	5	9	16	25	81
B. Operated	1443	16.9	260	4	7	13	21	43	66	99 +
TOTAL										
0-19 YRS	3039	3.4	17	1	2	2	4	6	8	23
20-34	802	4.1	33	1	2	3	4	7	10	27
35-49	864	5.8	59	2	2	4	7	11	16	49
50-64	1551	7.5	79	2	3	5	8	15	22	55
65 +	7594	11.6	162	3	5	8	14	26	44	99 +
GRAND TOTAL	**13850**	**8.5**	**120**	**2**	**3**	**5**	**10**	**19**	**31**	**98**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.4	6	< 1	1	2	3	4	9	10
20-34	2	4.0		4	4	4	4	4	4	4
35-49	11	2.7	2	1	2	2	3	5	5	5
50-64	6	2.8	6	< 1	1	2	4	7	7	7
65 +	19	4.0	5	1	2	4	5	7	8	8
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	8.2	63	3	4	5	8	22	24	24
50-64	5	6.0	14	3	3	6	8	12	12	12
65 +	5	4.6	5	1	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	3.9	9	1	1	3	6	8	9	13
20-34	48	3.5	6	1	2	3	5	8	9	10
35-49	111	4.6	13	1	2	4	6	8	10	24
50-64	131	5.7	17	1	3	5	8	10	14	24
65 +	851	6.7	39	2	3	5	8	13	17	34
B. Operated										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	17	6.1	13	2	4	5	8	12	13	13
35-49	49	7.3	34	2	3	6	9	14	24	25
50-64	62	11.0	57	3	6	9	16	22	29	92
65 +	381	11.7	124	4	6	9	13	22	36	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.2	4	1	1	3	4	6	7	10
B. Operated	17	6.2	27	3	3	5	6	11	20	24
2. MULTIPLE DX										
A. Not Operated	1173	6.2	33	2	3	5	8	12	16	29
B. Operated	512	11.0	106	4	5	8	13	21	31	94
1. SINGLE DX	69	3.9	11	1	2	3	5	7	8	22
2. MULTIPLE DX	1685	7.6	60	2	3	6	9	15	21	45
A. Not Operated	1225	6.1	32	1	3	5	8	12	16	29
B. Operated	529	10.8	104	4	5	8	13	21	30	93
TOTAL										
0-19 YRS	49	3.5	8	1	1	3	5	8	9	13
20-34	68	4.2	9	1	2	4	6	9	10	13
35-49	177	5.4	22	2	2	4	7	10	14	25
50-64	204	7.2	35	2	3	6	9	15	21	35
65 +	1256	8.2	70	2	4	6	10	16	22	59
GRAND TOTAL	**1754**	**7.5**	**58**	**2**	**3**	**6**	**9**	**15**	**21**	**44**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	604	4.0	8	1	2	3	5	8	9	13
20-34	337	5.3	14	1	2	5	7	10	12	17
35-49	54	7.2	17	2	5	6	8	13	14	22
50-64	5	4.0	4	2	3	3	5	7	7	7
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	4	4.5	3	2	3	5	6	6	6	6
20-34	5	12.8	26	8	9	11	16	21	21	21
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	424	5.7	17	2	3	5	8	11	14	20
20-34	362	8.9	42	3	5	8	10	15	22	30
35-49	138	9.1	33	3	6	8	11	16	21	32
50-64	25	7.0	18	3	4	6	9	12	14	19
65 +	3	7.7	37	1	3	9	12	13	13	13
B. Operated										
0-19 YRS	14	7.8	15	2	5	8	12	14	78	99 +
20-34	25	13.9	272	2	5	12	16	23	42	85
35-49	13	14.9	114	1	9	11	23	33	34	34
50-64	3	10.7	41	6	6	8	15	18	18	18
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1002	4.6	11	1	2	4	6	9	11	16
B. Operated	9	9.1	33	3	5	8	12	18	21	21
2. MULTIPLE DX										
A. Not Operated	952	7.4	31	2	4	6	9	13	18	29
B. Operated	55	12.4	160	2	6	10	16	23	34	99
1. SINGLE DX	1011	4.6	11	1	2	4	6	9	11	16
2. MULTIPLE DX	1007	7.7	39	2	4	6	10	14	19	31
A. Not Operated	1954	6.0	23	1	3	5	8	11	14	24
B. Operated	64	12.0	142	2	6	10	15	23	33	98
TOTAL										
0-19 YRS	1046	4.7	12	1	2	4	6	9	12	17
20-34	729	7.4	41	2	4	6	9	13	18	29
35-49	205	9.0	37	3	5	8	11	16	22	33
50-64	33	6.8	19	3	4	6	9	12	17	19
65 +	5	6.0	25	1	2	5	10	13	13	13
GRAND TOTAL	**2018**	**6.2**	**28**	**1**	**3**	**5**	**8**	**12**	**15**	**26**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	122	2.7	10	1	1	2	3	6	8	18
20-34	45	1.8	5	1	1	1	2	4	5	14
35-49	18	2.7	5	1	1	2	3	6	8	9
50-64	38	2.5	5	1	1	2	3	6	7	12
65 +	89	2.9	6	1	1	2	4	7	7	11
B. Operated										
0-19 YRS	55	5.0	18	1	2	4	6	8	15	25
20-34	5	6.0	12	3	4	4	9	11	11	11
35-49	13	8.0	91	1	2	5	8	21	32	35
50-64	14	7.8	15	4	4	7	11	14	15	15
65 +	22	7.5	13	3	5	7	9	13	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	188	3.7	19	1	1	2	4	8	10	25
20-34	237	3.2	16	1	1	2	4	7	11	24
35-49	321	3.8	18	1	1	2	5	8	12	21
50-64	432	5.1	34	1	2	3	6	11	15	28
65 +	1571	6.5	69	1	2	4	8	14	20	54
B. Operated										
0-19 YRS	66	11.8	224	2	4	7	13	30	68	95
20-34	53	9.1	88	2	4	7	10	18	31	54
35-49	78	11.1	135	1	3	7	13	28	37	57
50-64	150	11.0	80	3	5	8	13	22	28	49
65 +	596	13.3	153	4	6	10	16	27	44	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	2.6	7	1	1	2	3	6	7	15
B. Operated	109	6.2	26	1	3	5	8	12	16	29
2. MULTIPLE DX										
A. Not Operated	2749	5.5	51	1	2	3	7	12	17	41
B. Operated	943	12.4	142	3	6	9	15	26	39	80
1. SINGLE DX	421	3.6	14	1	1	2	5	8	10	18
2. MULTIPLE DX	3692	7.3	84	1	2	5	9	16	23	57
A. Not Operated	3061	5.2	48	1	1	3	6	11	16	36
B. Operated	1052	11.8	134	3	5	8	14	25	37	73
TOTAL										
0-19 YRS	431	4.8	57	1	1	2	5	9	17	43
20-34	340	4.0	31	1	1	2	5	9	12	30
35-49	430	5.2	49	1	1	3	7	12	18	36
50-64	634	6.4	49	1	2	4	8	14	19	35
65 +	2278	8.2	98	1	2	5	10	17	26	69
GRAND TOTAL	**4113**	**6.9**	**78**	**1**	**2**	**4**	**8**	**15**	**22**	**53**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	3.4	7	1	2	3	4	6	8	14
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.4	7	1	1	3	5	6	10	12
20-34	13	7.8	37	2	3	6	12	16	20	21
35-49	4	5.3	11	< 1	2	5	7	9	9	9
50-64	1	19.0		19	19	19	19	19	19	19
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	6	8.0	41	1	2	8	13	16	16	16
20-34	4	8.8	46	2	3	8	14	16	16	16
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.3	7	1	2	2	4	6	8	14
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	63	4.7	19	1	2	3	6	12	14	21
B. Operated	12	8.7	33	2	3	10	13	16	16	16
1. SINGLE DX	60	3.3	7	1	2	3	4	6	8	14
2. MULTIPLE DX	75	5.4	23	1	2	4	7	13	16	20
A. Not Operated	122	4.0	14	1	2	3	5	8	12	20
B. Operated	13	8.2	32	2	3	9	13	16	16	16
TOTAL										
0-19 YRS	105	3.6	10	1	2	3	4	7	12	15
20-34	20	7.4	35	1	3	5	12	15	18	21
35-49	6	5.2	13	< 1	1	5	9	9	9	9
50-64	2	11.0	128	3	3	11	19	19	19	19
65 +	2	9.5	13	7	7	9	12	12	12	12
GRAND TOTAL	**135**	**4.5**	**17**	**1**	**2**	**3**	**6**	**12**	**13**	**19**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	299	3.7	14	1	2	2	4	8	11	19
20-34	29	4.6	10	1	2	4	7	9	11	14
35-49	17	3.8	9	1	2	3	5	8	11	13
50-64	12	5.8	16	< 1	1	6	9	11	12	12
65 +	28	3.2	8	< 1	1	2	5	7	9	12
B. Operated										
0-19 YRS	93	5.4	42	1	2	4	6	9	12	43
20-34	38	6.1	10	3	5	5	7	11	16	99 +
35-49	29	5.6	7	2	3	5	8	8	10	11
50-64	20	6.2	12	2	4	6	8	11	13	15
65 +	22	8.3	59	3	4	6	8	15	25	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	637	4.5	17	1	2	3	6	9	12	19
20-34	145	6.2	65	1	3	4	7	11	16	61
35-49	189	5.9	22	2	3	5	7	10	14	22
50-64	304	6.3	23	2	3	5	8	11	16	25
65 +	635	7.1	37	2	3	6	9	13	18	34
B. Operated										
0-19 YRS	107	10.5	132	2	4	7	12	21	40	57
20-34	115	10.1	182	3	4	7	10	16	32	88
35-49	106	11.2	96	3	5	9	13	21	28	84
50-64	155	12.1	116	3	6	9	15	23	33	71
65 +	331	13.3	123	4	7	11	16	27	36	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	385	3.8	14	1	2	3	5	8	11	17
B. Operated	202	5.9	30	2	3	5	7	10	13	47
2. MULTIPLE DX										
A. Not Operated	1910	5.9	30	1	3	5	8	11	15	30
B. Operated	814	12.0	129	3	5	9	14	25	35	83
1. SINGLE DX	587	4.5	20	1	2	3	6	9	12	24
2. MULTIPLE DX	2724	7.7	67	2	3	6	9	15	22	47
A. Not Operated	2295	5.6	28	1	2	4	7	11	14	29
B. Operated	1016	10.8	115	3	5	8	13	22	31	75
TOTAL										
0-19 YRS	1136	4.9	32	1	2	3	6	10	13	33
20-34	327	7.4	98	2	3	5	8	12	19	69
35-49	341	7.4	49	2	4	6	9	14	20	45
50-64	491	8.1	59	2	4	6	9	16	20	49
65 +	1016	9.0	74	2	4	7	11	18	26	49
GRAND TOTAL	**3311**	**7.2**	**60**	**1**	**3**	**5**	**9**	**14**	**20**	**44**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	228	1.8	1	1	1	2	2	3	3	5
20-34	83	2.2	3	1	1	2	3	4	5	10
35-49	13	2.3	1	1	2	2	3	4	5	5
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	131	3.5	3	2	3	3	4	5	6	10
20-34	73	3.6	2	2	3	3	4	5	6	9
35-49	12	3.2		2	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	151	2.0	1	1	1	2	2	3	4	7
20-34	44	2.3	1	1	1	2	3	4	5	6
35-49	18	2.8	1	1	2	3	4	5	5	5
50-64	4	3.0	1	2	2	3	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	66	4.2	6	2	3	4	5	6	8	15
20-34	46	6.1	15	2	3	5	9	12	14	15
35-49	10	6.0	4	4	4	5	7	9	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	3	14.7	17	10	11	16	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	1.9	2	1	1	2	2	3	4	8
B. Operated	216	3.5	2	2	3	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	218	2.1	1	1	1	2	3	4	4	6
B. Operated	126	5.3	12	2	3	4	6	10	13	16
1. SINGLE DX	543	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX	344	3.3	8	1	2	2	4	6	10	15
A. Not Operated	545	2.0	1	1	1	2	2	3	4	7
B. Operated	342	4.2	7	2	3	3	5	7	10	15
TOTAL										
0-19 YRS	576	2.5	3	1	1	2	3	4	5	8
20-34	246	3.4	7	1	2	3	4	6	9	14
35-49	53	3.4	3	2	2	3	4	5	7	10
50-64	7	3.4	1	2	2	4	4	5	5	5
65 +	5	9.6	57	2	2	10	16	18	18	18
GRAND TOTAL	**887**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**13**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	4.5	6	2	2	4	6	7	9	11
20-34	7	4.3	5	1	2	4	6	7	7	7
35-49	4	3.5	4	< 1	1	3	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	38	3.8	20	< 1	1	2	5	9	14	22
20-34	28	1.9	2	< 1	1	1	2	3	4	8
35-49	18	2.6	7	1	1	2	2	7	9	10
50-64	9	2.2	5	< 1	1	2	2	6	8	8
65 +	5	3.8	4	2	2	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	4.8	13	2	3	4	6	9	10	23
20-34	10	6.2	8	3	4	5	9	10	11	11
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	6	5.3	8	< 1	4	6	8	8	8	8
65 +	3	8.0	31	2	4	9	12	13	13	13
B. Operated										
0-19 YRS	15	5.7	17	< 1	3	4	9	11	13	14
20-34	18	6.5	214	< 1	1	2	6	10	42	64
35-49	16	2.3	3	< 1	1	2	3	5	6	7
50-64	18	5.2	17	1	2	3	8	12	14	14
65 +	10	6.7	58	1	1	3	15	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	4.4	6	1	2	4	6	7	9	11
B. Operated	98	2.9	11	< 1	1	2	3	7	9	18
2. MULTIPLE DX										
A. Not Operated	108	5.0	12	2	3	4	7	9	10	20
B. Operated	77	5.2	65	1	1	3	7	11	15	53
1. SINGLE DX	198	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	185	5.1	34	1	2	4	7	10	12	27
A. Not Operated	208	4.7	9	2	3	4	6	8	9	12
B. Operated	175	3.9	36	< 1	1	2	4	9	13	22
TOTAL										
0-19 YRS	227	4.6	12	1	2	4	6	9	10	16
20-34	63	4.1	66	1	1	2	5	8	10	57
35-49	41	2.6	5	< 1	1	2	3	6	7	10
50-64	34	4.4	13	1	2	3	8	9	12	14
65 +	18	6.1	38	1	2	3	9	15	19	22
GRAND TOTAL	**383**	**4.4**	**21**	**1**	**2**	**3**	**6**	**9**	**10**	**20**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.0	30	1	2	4	10	14	14	14
20-34	15	16.5	170	3	6	10	23	37	41	43
35-49	7	13.4	237	2	2	7	22	39	43	43
50-64	9	14.0	228	1	2	11	22	39	43	43
65 +	20	14.8	381	2	5	10	17	26	59	91
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	23.0		23	23	23	23	23	23	23
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	11.3	153	1	3	8	25	94	99 +	99 +
20-34	103	11.1	94	2	5	8	14	26	30	50
35-49	70	11.8	101	3	5	10	16	25	30	92
50-64	79	20.7	489	3	5	14	27	65	75	99
65 +	357	13.1	242	2	4	8	15	32	49	97
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	34.0	693	3	14	28	57	68	68	68
35-49	5	12.8	69	3	5	14	19	23	23	23
50-64	4	28.0	1385	1	6	14	49	83	83	83
65 +	40	16.8	225	2	9	14	24	49	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	14.2	244	2	4	9	20	32	43	88
B. Operated	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated	623	13.6	238	2	4	8	17	32	49	99 +
B. Operated	55	18.5	334	2	9	14	25	63	95	99 +
1. SINGLE DX	57	14.3	241	2	4	10	21	32	43	88
2. MULTIPLE DX	678	14.0	247	2	4	9	18	33	54	99 +
A. Not Operated	679	13.6	238	2	4	8	17	32	48	99
B. Operated	56	18.6	328	2	9	14	25	62	94	99 +
TOTAL										
0-19 YRS	20	9.6	118	1	2	6	21	59	99 +	99 +
20-34	123	12.7	144	2	5	8	17	28	36	61
35-49	82	12.0	107	2	5	10	16	25	32	88
50-64	93	20.4	487	3	5	14	26	65	75	98
65 +	417	13.5	247	2	4	8	16	33	50	99 +
GRAND TOTAL	**735**	**14.0**	**246**	**2**	**4**	**9**	**18**	**33**	**51**	**99 +**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	13.5	172	1	5	10	21	32	32	32
65 +	16	8.7	50	1	3	7	12	21	23	23
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	18.0	436	4	6	25	71	99 +	99 +	99 +
50-64	16	14.9	151	4	5	12	21	43	80	99 +
65 +	241	19.7	406	3	6	13	30	61	93	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65 +	27	24.2	298	8	12	33	99 +	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	9.7	70	1	3	7	13	22	27	32
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	260	19.4	389	3	6	13	29	61	96	99 +
B. Operated	29	23.1	294	7	12	28	90	99 +	99 +	99 +
1. SINGLE DX	20	9.7	70	1	3	7	13	22	27	32
2. MULTIPLE DX	289	19.8	380	4	7	14	33	79	99 +	99 +
A. Not Operated	280	18.7	373	3	6	12	28	56	92	99 +
B. Operated	29	23.1	294	7	12	28	90	99 +	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	4	16.5	300	4	7	12	56	99 +	99 +	99 +
50-64	21	14.2	144	3	5	11	20	40	66	99 +
65 +	284	19.5	383	3	6	14	32	72	99 +	99 +
GRAND TOTAL	**309**	**19.1**	**366**	**3**	**6**	**13**	**32**	**68**	**99 +**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	6	9.0	32	3	5	7	16	16	16	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	12	19.2	231	5	8	21	41	99 +	99 +	99 +
65 +	182	18.1	253	5	8	14	27	55	99 +	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	49.0		49	49	49	49	49	49	49
50-64	3	10.0	21	6	7	9	13	15	15	15
65 +	17	34.2	563	9	12	33	64	92	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	9.0	32	3	5	7	16	16	16	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	196	18.1	249	5	8	14	28	57	99 +	99 +
B. Operated	21	31.5	543	8	11	30	59	84	99 +	99 +
1. SINGLE DX	6	9.0	32	3	5	7	16	16	16	16
2. MULTIPLE DX	217	19.4	291	5	8	14	30	65	99 +	99 +
A. Not Operated	202	17.8	245	5	8	14	28	55	99 +	99 +
B. Operated	21	31.5	543	8	11	30	59	84	99 +	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	3	21.3	574	7	7	8	39	49	49	49
50-64	15	17.3	199	6	7	14	34	89	99 +	99 +
65 +	205	19.2	292	5	8	14	29	63	99 +	99 +
GRAND TOTAL	**223**	**19.1**	**287**	**5**	**8**	**14**	**29**	**63**	**99 +**	**99 +**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	2.2	20	1	1	1	2	3	4	33
20-34	41	3.0	10	1	1	2	4	6	10	16
35-49	17	2.1	1	1	1	2	3	4	4	4
50-64	10	7.7	106	2	2	3	10	24	35	35
65 +	60	11.3	169	1	2	6	15	28	37	62
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	~~1~~	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	5.3	52	1	2	3	6	9	19	39
20-34	175	8.8	186	1	2	6	8	15	31	75
35-49	104	8.9	66	3	4	7	9	16	30	41
50-64	94	13.7	198	3	5	8	19	37	48	99 +
65 +	862	18.3	338	4	7	12	26	58	92	99 +
B. Operated										
0-19 YRS	7	1.4	1	< 1	1	1	2	3	3	3
20-34	12	13.9	719	1	2	7	10	39	90	98
35-49	5	29.4	102	16	22	31	35	43	43	43
50-64	9	12.7	172	3	4	5	18	34	42	42
65 +	99	27.2	542	5	12	20	50	95	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	5.7	86	1	1	2	5	15	24	53
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1310	15.2	290	2	5	9	20	44	73	99 +
B. Operated	132	23.7	533	3	9	16	42	88	99 +	99 +
1. SINGLE DX	184	5.6	85	1	1	2	5	15	24	52
2. MULTIPLE DX	1442	16.0	318	2	5	10	22	49	77	99 +
A. Not Operated	1492	14.0	275	2	4	8	18	41	68	99 +
B. Operated	134	23.4	533	2	8	16	42	87	99 +	99 +
TOTAL										
0-19 YRS	136	3.9	39	1	1	2	4	7	10	36
20-34	229	8.0	186	1	2	4	8	14	28	80
35-49	126	8.8	81	1	4	6	9	17	33	42
50-64	113	13.1	188	2	4	8	17	36	46	99 +
65 +	1022	18.7	358	4	7	13	27	61	94	99 +
GRAND TOTAL	**1626**	**14.8**	**302**	**2**	**4**	**9**	**20**	**45**	**74**	**99 +**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	34	3.6	6	1	2	3	5	6	7	13
35-49	61	5.1	12	2	3	5	6	10	11	18
50-64	25	5.3	13	3	3	4	5	9	14	19
65 +	4	4.0	9	1	2	3	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.5	6	1	1	3	5	7	8	9
20-34	1023	5.2	8	3	5	5	5	7	10	18
35-49	1943	5.5	9	4	5	5	5	7	11	17
50-64	917	6.8	53	3	5	5	6	11	16	38
65 +	246	10.2	156	4	5	6	11	27	45	99 +
B. Operated										
0-19 YRS	0									
20-34	15	7.8	24	2	4	6	11	13	17	19
35-49	34	14.0	144	4	6	9	20	30	33	59
50-64	33	17.7	371	5	7	12	24	62	98	99 +
65 +	16	27.8	496	7	12	26	43	98	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	4.6	11	1	2	4	6	9	11	19
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	4146	6.0	28	3	5	5	5	9	14	30
B. Operated	98	16.6	287	4	6	11	24	45	94	99 +
1. SINGLE DX	127	4.6	11	1	2	4	6	9	11	19
2. MULTIPLE DX	4244	6.2	37	3	5	5	5	10	14	36
A. Not Operated	4272	5.9	28	3	5	5	5	9	14	29
B. Operated	99	16.5	285	4	6	11	24	44	94	99 +
TOTAL										
0-19 YRS	19	3.2	6	< 1	1	2	5	6	8	9
20-34	1072	5.2	8	3	5	5	5	7	11	18
35-49	2038	5.6	12	3	5	5	5	8	12	20
50-64	976	7.1	66	3	5	5	6	13	17	50
65 +	266	11.2	191	4	5	6	12	31	61	99 +
GRAND TOTAL	**4371**	**6.2**	**36**	**3**	**5**	**5**	**5**	**10**	**14**	**35**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	10.5	120	2	4	7	9	30	36	38
20-34	91	5.3	5	3	4	5	7	8	9	12
35-49	63	6.1	11	3	4	5	7	11	13	16
50-64	5	5.8	17	1	3	5	8	12	12	12
65 +	5	11.4	100	5	6	7	15	29	29	29
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	7.4	146	1	3	5	7	14	16	86
20-34	443	6.9	39	3	4	6	7	13	18	26
35-49	221	7.4	43	3	4	6	8	13	15	33
50-64	54	6.9	121	2	3	5	7	11	17	78
65 +	170	10.6	150	3	4	7	12	23	28	66
B. Operated										
0-19 YRS	0									
20-34	4	9.3	26	4	5	9	13	15	15	15
35-49	6	14.2	145	4	6	11	16	35	37	37
50-64	7	10.0	20	5	6	9	14	17	17	17
65 +	10	20.3	417	4	6	13	52	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	6.2	22	3	4	5	7	10	12	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	944	7.7	73	3	4	6	8	14	20	42
B. Operated	27	14.6	202	4	6	11	16	53	99 +	99 +
1. SINGLE DX	180	6.2	22	3	4	5	7	10	12	30
2. MULTIPLE DX	971	7.9	77	3	4	6	8	14	21	57
A. Not Operated	1124	7.5	65	3	4	6	8	14	20	39
B. Operated	27	14.6	202	4	6	11	16	53	99 +	99 +
TOTAL										
0-19 YRS	72	8.1	140	2	4	5	8	14	26	79
20-34	538	6.7	33	3	4	5	7	11	16	26
35-49	290	7.2	39	3	4	6	8	13	15	34
50-64	66	7.1	103	2	3	5	8	14	17	71
65 +	185	11.2	165	3	4	7	13	25	43	97
GRAND TOTAL	**1151**	**7.7**	**69**	**3**	**4**	**6**	**8**	**14**	**20**	**45**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	31.3	553	3	15	29	45	57	87	87
20-34	383	19.5	238	4	7	17	27	40	50	76
35-49	251	17.9	193	3	8	15	24	35	50	87
50-64	71	19.1	153	4	10	17	28	38	42	90
65 +	14	23.1	87	11	15	24	29	36	38	38
B. Operated										
0-19 YRS	0									
20-34	1	39.0		39	39	39	39	39	39	39
35-49	2	15.5	13	13	13	15	18	18	18	18
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	20.7	485	3	6	13	30	68	81	99 +
20-34	384	19.9	297	4	8	15	27	46	56	87
35-49	272	20.3	256	5	9	15	28	43	55	93
50-64	128	22.5	273	6	11	19	30	48	64	99 +
65 +	73	25.4	374	7	14	21	32	53	80	99
B. Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	17	19.2	202	4	8	16	25	37	51	58
35-49	13	30.5	482	10	18	27	51	99 +	99 +	99 +
50-64	6	20.2	166	9	13	22	71	99 +	99 +	99 +
65 +	3	33.3	112	22	28	39	71	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	743	19.3	226	4	8	17	27	39	50	87
B. Operated	3	23.3	190	13	14	18	34	39	39	39
2. MULTIPLE DX										
A. Not Operated	883	20.9	294	5	9	16	28	46	60	99
B. Operated	40	24.3	292	7	13	23	43	99 +	99 +	99 +
1. SINGLE DX	746	19.4	226	4	8	17	27	39	50	87
2. MULTIPLE DX	923	21.0	294	5	9	16	28	47	62	99 +
A. Not Operated	1626	20.2	263	4	8	16	28	42	55	94
B. Operated	43	24.2	280	7	13	23	41	95	99 +	99 +
TOTAL										
0-19 YRS	51	25.8	525	3	8	18	40	66	86	99 +
20-34	785	19.7	266	4	8	16	27	42	54	83
35-49	538	19.4	234	4	9	15	26	42	54	99 +
50-64	205	21.3	229	5	11	18	29	43	61	99 +
65 +	90	25.3	321	8	14	22	33	47	80	99 +
GRAND TOTAL	**1669**	**20.3**	**264**	**4**	**9**	**16**	**28**	**43**	**56**	**99**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	25.9	254	13	14	22	34	66	90	99 +
20-34	31	22.4	339	3	10	17	31	55	60	67
35-49	8	11.3	83	1	3	9	19	24	25	25
50-64	1	12.0		12	12	12	12	12	12	12
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	46.8	970	11	30	42	96	99 +	99 +	99 +
20-34	27	21.2	286	6	10	15	26	47	57	75
35-49	5	17.2	36	11	13	14	23	25	25	25
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	18.7	85	8	12	24	24	24	24	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	33.0		33	33	33	33	33	33	33
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	21.2	289	3	12	17	28	52	64	98
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	46	25.9	496	8	11	19	40	73	98	99 +
B. Operated	1	33.0		33	33	33	33	33	33	33
1. SINGLE DX	57	21.2	289	3	12	17	28	52	64	98
2. MULTIPLE DX	47	26.0	486	8	11	22	39	73	98	99 +
A. Not Operated	103	23.3	383	5	12	17	31	57	79	99 +
B. Operated	1	33.0		33	33	33	33	33	33	33
TOTAL										
0-19 YRS	26	33.9	610	12	17	28	53	99	99 +	99 +
20-34	58	21.8	309	4	9	16	29	52	59	74
35-49	14	14.9	91	2	6	14	22	26	31	33
50-64	2	10.0	8	8	8	10	12	12	12	12
65 +	4	14.5	126	2	5	16	24	24	24	24
GRAND TOTAL	**104**	**23.4**	**380**	**5**	**12**	**17**	**32**	**56**	**78**	**99 +**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	26.0	344	5	9	24	41	55	60	97
20-34	595	20.0	247	4	9	17	27	40	54	84
35-49	373	18.2	205	4	7	14	26	36	47	67
50-64	122	22.8	280	4	12	20	30	48	60	85
65 +	24	13.5	153	1	3	12	19	28	37	52
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	25.0		25	25	25	25	25	25	25
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	25.6	443	3	9	23	44	68	99 +	99 +
20-34	661	21.3	256	5	10	17	29	43	57	92
35-49	556	19.1	223	5	8	15	27	41	54	99 +
50-64	288	22.0	263	6	11	19	29	45	58	95
65 +	173	25.9	348	8	14	22	34	62	93	99 +
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	12	21.7	226	3	13	21	36	60	92	99 +
35-49	12	27.6	425	10	14	22	55	76	95	99 +
50-64	19	26.5	232	8	14	27	33	49	55	60
65 +	11	29.6	557	8	13	20	54	66	68	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1176	19.9	244	4	8	16	28	42	53	80
B. Operated	2	17.5	113	10	10	17	25	25	25	25
2. MULTIPLE DX										
A. Not Operated	1747	21.3	267	5	10	18	29	45	61	99 +
B. Operated	55	26.1	322	8	14	21	35	62	69	99 +
1. SINGLE DX	1178	19.9	244	4	8	16	28	42	53	80
2. MULTIPLE DX	1802	21.5	269	5	10	18	29	46	61	99 +
A. Not Operated	2923	20.8	258	5	9	17	29	44	57	99 +
B. Operated	57	25.8	315	8	14	21	34	62	69	99 +
TOTAL										
0-19 YRS	132	25.7	391	4	9	23	43	59	88	99 +
20-34	1268	20.7	251	4	9	17	28	42	55	90
35-49	942	18.8	219	4	8	15	27	40	53	99 +
50-64	430	22.4	266	6	11	19	29	46	59	90
65 +	208	24.6	350	7	13	20	32	61	84	99 +
GRAND TOTAL	**2980**	**20.9**	**259**	**5**	**9**	**17**	**29**	**44**	**57**	**99 +**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	29.2	681	3	7	25	43	67	88	97
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	20.7	376	4	5	21	35	89	99 +	99 +
20-34	5	19.4	358	4	5	12	32	49	49	49
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	50.0	2178	17	17	50	83	83	83	83
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	29.2	681	3	7	25	43	67	88	97
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	23	19.8	348	4	5	19	34	72	99 +	99 +
B. Operated	2	50.0	2178	17	17	50	83	83	83	83
1. SINGLE DX	19	29.2	681	3	7	25	43	67	88	97
2. MULTIPLE DX	25	22.2	480	4	5	19	35	81	99 +	99 +
A. Not Operated	42	24.0	508	4	5	21	37	72	98	99 +
B. Operated	2	50.0	2178	17	17	50	83	83	83	83
TOTAL										
0-19 YRS	38	26.5	602	3	5	22	41	80	98	99 +
20-34	5	19.4	358	4	5	12	32	49	49	49
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**44**	**25.2**	**565**	**4**	**5**	**21**	**38**	**76**	**98**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	160	18.4	294	2	4	15	27	41	60	99 +
20-34	451	14.1	135	3	6	11	20	29	35	59
35-49	451	14.8	122	4	7	12	20	28	35	57
50-64	277	17.6	141	4	9	16	24	32	38	58
65 +	315	22.1	206	6	12	20	29	40	47	79
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	23.0		23	23	23	23	23	23	23
50-64	0									
65 +	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	322	22.1	317	4	9	19	32	46	67	99 +
20-34	1170	17.0	227	3	7	13	22	35	47	86
35-49	1182	17.8	193	4	8	15	24	36	47	73
50-64	894	18.6	172	5	9	16	26	37	45	78
65 +	1517	23.1	263	6	12	20	31	45	58	91
B. Operated										
0-19 YRS	2	29.0	128	21	25	37	84	99 +	99 +	99 +
20-34	36	20.8	184	7	10	19	28	43	58	99 +
35-49	40	27.0	278	10	15	24	35	52	76	99 +
50-64	41	26.7	281	10	14	23	36	55	71	99 +
65 +	93	32.2	443	11	17	27	44	69	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1654	16.8	169	3	7	14	23	33	41	74
B. Operated	3	14.7	82	5	8	16	21	23	23	23
2. MULTIPLE DX										
A. Not Operated	5085	19.6	232	4	9	16	27	40	51	87
B. Operated	212	28.2	346	10	15	24	37	61	84	99 +
1. SINGLE DX	1657	16.8	169	3	7	14	23	33	41	74
2. MULTIPLE DX	5297	19.9	239	4	9	16	27	41	53	90
A. Not Operated	6739	18.9	218	4	8	16	26	38	49	85
B. Operated	215	28.0	344	10	15	24	37	60	83	99 +
TOTAL										
0-19 YRS	484	20.9	311	3	7	18	30	45	69	99 +
20-34	1658	16.3	203	3	7	12	22	34	44	83
35-49	1674	17.2	179	4	8	14	23	35	44	72
50-64	1212	18.7	171	5	9	16	26	36	44	78
65 +	1926	23.3	266	6	12	20	31	45	58	91
GRAND TOTAL	**6954**	**19.2**	**224**	**4**	**8**	**16**	**26**	**39**	**50**	**87**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	18.1	134	4	10	17	27	32	43	99 +
20-34	463	17.5	187	4	7	14	24	35	48	64
35-49	412	17.3	162	4	8	14	23	36	43	73
50-64	210	18.0	173	4	9	16	23	33	51	67
65 +	72	18.8	288	4	8	14	22	38	64	77
B. Operated										
0-19 YRS	0									
20-34	2	14.0	8	12	12	14	16	16	16	16
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	27.1	414	7	12	21	40	64	70	99 +
20-34	659	20.1	246	4	10	16	27	39	53	92
35-49	638	18.3	181	4	9	15	25	36	45	68
50-64	480	20.8	240	5	10	18	29	41	50	79
65 +	435	22.4	223	6	13	19	30	44	54	99 +
B. Operated										
0-19 YRS	0									
20-34	19	24.2	238	9	16	23	28	35	57	75
35-49	27	29.4	370	13	16	22	44	49	98	99 +
50-64	25	27.0	224	9	14	27	36	58	99 +	99 +
65 +	36	29.4	472	11	16	20	40	72	90	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1252	17.7	178	4	8	15	23	35	45	72
B. Operated	2	14.0	8	12	12	14	16	16	16	16
2. MULTIPLE DX										
A. Not Operated	2311	20.5	233	5	10	17	28	41	51	87
B. Operated	107	27.9	341	11	16	24	38	58	97	99 +
1. SINGLE DX	1254	17.6	177	4	8	15	23	35	45	72
2. MULTIPLE DX	2418	20.8	240	5	10	17	28	42	53	94
A. Not Operated	3563	19.5	216	4	9	16	26	39	50	82
B. Operated	109	27.7	339	11	16	23	38	58	97	99 +
TOTAL										
0-19 YRS	194	22.7	295	6	10	20	30	53	68	99 +
20-34	1143	19.1	223	4	8	16	26	38	51	83
35-49	1077	18.2	182	4	9	15	24	37	45	71
50-64	715	20.2	223	5	9	17	27	40	52	82
65 +	543	22.4	252	6	12	19	30	44	58	99 +
GRAND TOTAL	**3672**	**19.7**	**221**	**5**	**9**	**16**	**27**	**40**	**51**	**86**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	47	12.9	185	1	3	9	18	34	46	99 +
20-34	127	12.9	158	2	4	9	16	29	39	65
35-49	83	12.3	111	2	5	10	15	26	39	46
50-64	31	9.9	54	2	3	10	15	20	25	25
65 +	40	13.1	82	2	6	12	20	27	32	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	17.1	209	2	6	13	27	43	52	99 +
20-34	224	14.6	192	2	5	11	19	35	42	78
35-49	154	12.4	92	4	6	11	16	25	37	97
50-64	137	13.3	155	2	4	10	17	33	42	52
65 +	380	13.6	175	3	5	9	18	31	40	80
B. Operated										
0-19 YRS	0									
20-34	8	22.1	262	6	10	18	41	80	99 +	99 +
35-49	8	12.0	63	4	6	9	18	24	24	24
50-64	4	19.5	191	5	15	29	99 +	99 +	99 +	99 +
65 +	34	20.6	322	4	11	16	30	49	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	328	12.5	130	2	4	10	16	28	38	66
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	934	13.8	164	2	5	10	18	31	41	79
B. Operated	54	19.5	264	4	9	16	34	74	99 +	99 +
1. SINGLE DX	328	12.5	130	2	4	10	16	28	38	66
2. MULTIPLE DX	988	14.1	171	3	5	10	19	33	44	99 +
A. Not Operated	1262	13.4	156	2	5	10	18	30	40	78
B. Operated	54	19.5	264	4	9	16	34	74	99 +	99 +
TOTAL										
0-19 YRS	86	14.8	198	2	3	11	23	38	50	99 +
20-34	359	14.1	183	2	5	10	19	34	42	73
35-49	245	12.4	97	3	6	10	16	25	39	53
50-64	172	12.8	139	2	4	10	17	32	43	89
65 +	454	14.1	180	3	6	10	19	32	42	99 +
GRAND TOTAL	**1316**	**13.7**	**161**	**2**	**5**	**10**	**18**	**32**	**42**	**99 +**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.6	18	< 1	1	2	4	11	13	13
20-34	38	5.1	36	1	1	2	7	13	22	24
35-49	44	4.2	22	1	1	2	5	10	14	26
50-64	27	8.1	92	1	2	5	9	22	28	43
65 +	10	7.5	80	< 1	2	3	12	22	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	13.5	226	1	3	7	20	28	48	63
20-34	114	9.9	113	1	3	6	13	23	33	50
35-49	133	6.5	54	1	2	3	8	20	23	29
50-64	130	5.7	36	1	2	3	7	15	17	28
65 +	144	7.0	69	2	2	4	8	14	24	42
B. Operated										
0-19 YRS	0									
20-34	2	29.0	2	28	28	29	30	30	30	30
35-49	6	10.0	284	1	2	3	8	40	44	44
50-64	7	8.1	153	1	3	3	6	30	36	36
65 +	7	13.1	366	1	1	3	29	43	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	5.5	47	1	2	3	7	13	22	32
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	546	7.4	77	1	2	4	9	20	24	42
B. Operated	22	12.1	250	1	2	3	28	40	44	44
1. SINGLE DX	127	5.5	47	1	1	3	7	13	22	31
2. MULTIPLE DX	568	7.6	84	1	2	4	9	21	26	44
A. Not Operated	672	7.1	72	1	2	4	9	18	24	42
B. Operated	23	11.7	244	1	2	3	23	39	44	44
TOTAL										
0-19 YRS	32	11.3	196	< 1	2	5	18	27	41	63
20-34	154	8.9	102	1	2	5	12	23	29	46
35-49	184	6.0	54	1	2	3	7	17	23	32
50-64	164	6.2	50	1	2	3	7	16	21	38
65 +	161	7.3	81	1	2	4	8	16	27	44
GRAND TOTAL	**695**	**7.2**	**78**	**1**	**2**	**4**	**9**	**20**	**25**	**43**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	17.6	320	3	6	10	25	56	59	99 +
20-34	67	6.9	51	1	2	4	9	18	22	34
35-49	49	8.2	43	1	3	8	12	17	23	25
50-64	14	5.8	12	2	3	5	8	10	12	13
65 +	7	7.9	34	1	2	8	13	16	16	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	187	28.2	588	3	9	24	49	77	94	99 +
20-34	410	15.3	155	2	6	14	21	28	35	65
35-49	241	13.9	105	3	5	12	21	27	30	48
50-64	111	12.9	144	2	4	9	21	28	32	87
65 +	98	10.7	62	3	5	8	16	22	26	33
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	14.8	179	1	3	14	26	29	29	29
35-49	2	46.5	113	39	39	46	54	54	54	54
50-64	5	34.2	1297	2	4	31	54	91	91	91
65 +	5	19.6	530	5	5	14	26	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	206	10.7	158	1	3	7	13	25	42	87
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1047	16.6	242	3	5	13	22	35	54	99 +
B. Operated	17	24.9	650	2	5	14	40	59	80	91
1. SINGLE DX	206	10.7	158	1	3	7	13	25	42	87
2. MULTIPLE DX	1064	16.7	249	3	5	13	22	35	55	99
A. Not Operated	1253	15.6	233	2	5	11	21	34	52	99
B. Operated	17	24.9	650	2	5	14	40	59	80	91
TOTAL										
0-19 YRS	257	25.3	537	3	7	19	44	64	92	99 +
20-34	481	14.1	149	2	4	12	21	28	35	59
35-49	292	13.1	107	2	4	11	21	27	29	50
50-64	130	12.9	187	2	4	8	21	28	32	93
65 +	110	10.9	81	3	5	8	16	22	26	45
GRAND TOTAL	**1270**	**15.8**	**239**	**2**	**5**	**11**	**21**	**35**	**54**	**99**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	10.0	193	1	2	4	13	26	37	72
20-34	125	10.0	152	1	2	5	13	27	38	75
35-49	66	15.9	278	1	5	10	21	36	60	69
50-64	13	8.7	162	1	2	2	10	35	37	37
65 +	13	5.9	15	1	2	6	9	11	12	12
B. Operated										
0-19 YRS	0									
20-34	13	8.9	75	2	4	9	11	17	32	35
35-49	7	3.6	14	1	1	2	7	9	9	9
50-64	11	2.9	1	1	2	3	4	5	5	5
65 +	5	2.6	2	< 1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	12.1	222	1	3	6	16	37	63	99 +
20-34	458	11.3	170	1	3	7	14	28	44	84
35-49	230	11.3	223	1	2	6	13	28	41	83
50-64	103	11.6	174	2	4	7	15	27	40	74
65 +	156	11.2	143	2	4	7	14	24	32	71
B. Operated										
0-19 YRS	6	24.5	694	1	1	20	39	63	66	66
20-34	19	11.5	157	1	3	8	14	31	43	48
35-49	14	4.7	42	1	2	3	5	26	81	99 +
50-64	16	6.2	75	1	2	3	5	24	29	30
65 +	24	17.8	402	2	4	13	23	33	54	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	11.0	191	1	2	6	14	29	39	68
B. Operated	36	5.2	37	1	2	3	7	11	12	35
2. MULTIPLE DX										
A. Not Operated	1131	11.5	185	1	3	7	14	28	42	84
B. Operated	79	12.1	260	1	2	5	18	33	43	99
1. SINGLE DX	353	10.4	179	1	2	5	13	27	37	67
2. MULTIPLE DX	1210	11.5	190	1	3	7	14	29	42	86
A. Not Operated	1448	11.4	187	1	3	7	14	28	41	83
B. Operated	115	9.9	199	1	2	4	11	31	36	98
TOTAL										
0-19 YRS	290	11.6	223	1	2	6	15	33	50	99 +
20-34	615	11.0	164	1	3	7	14	28	43	83
35-49	317	11.8	228	1	3	6	14	29	43	84
50-64	143	10.1	154	2	3	5	13	26	36	66
65 +	198	11.4	169	2	4	7	15	25	33	72
GRAND TOTAL	**1563**	**11.3**	**187**	**1**	**3**	**7**	**14**	**28**	**41**	**84**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.3	13	1	1	2	5	7	9	18
20-34	480	4.4	5	2	3	5	6	7	7	12
35-49	498	4.8	7	2	3	5	6	7	9	15
50-64	175	4.8	5	2	4	5	6	7	8	11
65 +	29	4.4	3	1	3	5	6	6	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	254	11.0	120	1	3	6	14	28	28	47
20-34	3789	10.2	76	3	4	6	14	27	28	29
35-49	3464	8.8	61	3	4	6	10	23	28	29
50-64	1544	8.6	67	3	4	6	10	21	26	31
65 +	441	8.7	77	2	4	6	10	21	27	46
B. Operated										
0-19 YRS	6	8.5	110	< 1	1	4	12	26	28	28
20-34	59	15.8	107	4	6	14	26	29	30	35
35-49	68	14.7	128	4	7	12	23	29	36	99 +
50-64	49	16.0	159	5	7	14	21	33	40	99 +
65 +	17	17.1	106	3	9	16	28	33	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1208	4.6	6	2	3	5	6	7	8	13
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	9492	9.4	71	3	4	6	12	25	28	30
B. Operated	199	15.4	127	4	7	14	25	29	36	99 +
1. SINGLE DX	1209	4.6	6	2	3	5	6	7	8	13
2. MULTIPLE DX	9691	9.5	73	3	4	6	12	25	28	31
A. Not Operated	10700	8.8	66	3	4	6	10	24	28	29
B. Operated	200	15.3	127	4	7	14	25	29	35	99 +
TOTAL										
0-19 YRS	286	10.2	115	1	3	6	14	28	28	45
20-34	4328	9.6	73	2	4	6	13	26	28	29
35-49	4031	8.4	57	3	4	6	9	22	28	29
50-64	1768	8.4	66	3	4	6	9	21	26	32
65 +	487	8.7	77	2	4	6	10	21	28	48
GRAND TOTAL	**10900**	**9.0**	**68**	**3**	**4**	**6**	**10**	**25**	**28**	**30**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	59	5.5	9	3	4	5	6	9	13	15
35-49	37	5.2	9	3	4	5	6	7	14	16
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	12.0	87	3	4	9	19	27	28	28
20-34	276	9.5	59	3	4	7	13	21	27	31
35-49	147	9.2	46	3	5	7	11	22	26	28
50-64	14	11.6	76	3	4	10	18	25	26	26
65 +	5	8.8	32	2	5	7	14	16	16	16
B. Operated										
0-19 YRS	0									
20-34	5	11.4	87	6	7	8	13	28	28	28
35-49	3	35.0	1423	4	9	24	64	77	77	77
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	5.4	9	3	4	5	6	8	13	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	453	9.5	55	3	4	7	13	21	27	29
B. Operated	8	20.3	605	5	6	8	26	62	77	77
1. SINGLE DX	98	5.4	9	3	4	5	6	8	13	16
2. MULTIPLE DX	461	9.7	66	3	4	7	13	21	27	29
A. Not Operated	551	8.8	50	3	4	6	12	21	26	28
B. Operated	8	20.3	605	5	6	8	26	62	77	77
TOTAL										
0-19 YRS	13	10.5	85	3	3	7	15	27	28	28
20-34	340	8.9	53	3	4	6	12	21	27	29
35-49	187	8.9	67	3	4	6	10	21	25	28
50-64	14	11.6	76	3	4	10	18	25	26	26
65 +	5	8.8	32	2	5	7	14	16	16	16
GRAND TOTAL	**559**	**9.0**	**58**	**3**	**4**	**6**	**12**	**21**	**27**	**29**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	6.6	24	1	3	5	13	14	14	14
20-34	164	5.5	11	3	3	5	6	11	14	16
35-49	35	7.5	23	3	5	6	8	14	18	24
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	9.1	77	2	3	6	13	28	28	34
20-34	966	10.0	48	3	5	7	14	21	25	28
35-49	286	9.2	41	3	5	7	13	20	23	28
50-64	40	11.5	51	2	7	11	15	21	27	28
65 +	19	12.2	34	4	9	14	16	20	22	23
B. Operated										
0-19 YRS	2	16.0	162	7	7	16	25	25	25	25
20-34	14	13.2	79	3	5	12	20	28	28	28
35-49	2	35.0	242	24	24	35	46	46	46	46
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	217	6.0	14	2	3	5	7	13	14	17
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1435	9.8	49	3	5	7	14	21	25	28
B. Operated	19	15.4	132	3	5	14	23	28	38	46
1. SINGLE DX	217	6.0	14	2	3	5	7	13	14	17
2. MULTIPLE DX	1454	9.9	50	3	5	7	14	21	25	28
A. Not Operated	1652	9.3	46	3	5	7	14	21	24	28
B. Operated	19	15.4	132	3	5	14	23	28	38	46
TOTAL										
0-19 YRS	144	8.9	72	2	3	6	13	23	28	33
20-34	1144	9.4	45	3	5	7	14	21	24	28
35-49	323	9.2	44	3	5	7	13	19	23	29
50-64	41	11.4	51	2	7	10	15	21	27	28
55 +	19	12.2	34	4	9	14	16	20	22	23
GRAND TOTAL	**1671**	**9.4**	**47**	**3**	**5**	**7**	**14**	**21**	**25**	**28**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	123	1.3	2	< 1	< 1	1	1	2	2	7
20-34	61	2.8	4	< 1	1	2	4	6	6	9
35-49	43	3.4	5	< 1	1	3	5	6	7	9
50 64	13	2.5	5	< 1	1	1	4	6	7	7
65 +	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	190	4.3	54	< 1	1	1	3	9	28	33
20-34	223	4.3	32	< 1	1	3	6	7	11	31
35-49	158	5.9	58	1	3	5	6	9	16	69
50-64	73	4.5	13	1	2	4	6	8	10	20
65 +	54	5.6	60	1	2	3	6	13	20	44
B. Operated										
0-19 YRS	5	1.4		< 1	< 1	< 1	2	2	2	2
20-34	9	5.2	38	< 1	< 1	1	8	15	19	19
35-49	6	4.0	11	< 1	1	3	7	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	6.8	118	< 1	< 1	1	12	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	243	2.1	4	< 1	1	1	3	5	6	9
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	698	4.8	44	< 1	1	3	6	9	16	37
B. Operated	25	4.2	33	< 1	< 1	1	6	10	20	23
1. SINGLE DX	244	2.1	4	< 1	1	1	3	5	6	9
2. MULTIPLE DX	723	4.8	44	< 1	1	3	6	9	17	37
A. Not Operated	941	4.1	35	< 1	1	2	5	7	13	32
B. Operated	26	4.1	32	< 1	< 1	1	6	10	20	23
TOTAL										
0-19 YRS	318	3.1	35	< 1	1	1	2	7	16	29
20-34	294	4.0	27	< 1	1	3	5	7	10	25
35-49	207	5.3	46	1	2	4	6	9	14	53
50-64	87	4.2	12	1	1	4	6	7	9	20
65 +	61	5.4	60	< 1	1	2	6	13	22	44
GRAND TOTAL	**967**	**4.1**	**35**	**< 1**	**1**	**2**	**5**	**7**	**13**	**31**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.8	14	< 1	< 1	1	3	8	13	14
20-34	46	4.5	18	1	1	3	6	12	15	15
35-49	12	4.1	5	2	2	4	6	7	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	65	8.9	112	1	2	5	12	23	31	47
20-34	301	8.5	88	1	3	5	10	21	29	50
35-49	77	8.5	69	2	3	5	11	21	27	38
50-64	9	12.0	100	2	4	8	22	27	29	29
65 +	5	5.6	41	2	2	3	7	17	17	17
B. Operated										
0-19 YRS	0									
20-34	9	8.0	12	3	7	8	10	13	13	13
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	4.1	15	1	1	2	5	10	15	15
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	457	8.6	88	1	3	5	10	21	28	48
B. Operated	11	8.1	11	4	6	8	10	12	13	13
1. SINGLE DX	73	4.1	15	1	1	2	5	10	15	15
2. MULTIPLE DX	468	8.6	86	1	3	5	10	21	28	47
A. Not Operated	530	8.0	80	1	2	5	10	20	28	45
B. Operated	11	8.1	11	4	6	8	10	12	13	13
TOTAL										
0-19 YRS	78	7.9	101	1	1	4	9	20	28	46
20-34	356	8.0	79	1	3	5	9	18	28	49
35-49	91	7.9	61	2	2	5	10	21	27	37
50-64	11	10.3	95	2	3	6	18	26	29	29
65 +	5	5.6	41	2	2	3	7	17	17	17
GRAND TOTAL	**541**	**8.0**	**79**	**1**	**2**	**5**	**10**	**19**	**28**	**44**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	10.3	555	1	1	3	4	36	77	84
20-34	15	3.3	2	1	2	3	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	3	3.3	5	2	2	2	5	6	6	6
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	12.7	260	1	3	5	26	46	53	99 +
20-34	34	3.3	9	1	1	3	4	6	8	17
35-49	46	3.3	4	1	2	3	5	6	7	8
50-64	33	3.7	5	1	2	3	5	7	8	10
65 +	62	4.7	16	2	2	3	6	9	14	20
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64	1	19.0		19	19	19	19	19	19	19
65 +	12	26.8	920	5	6	12	45	80	81	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	5.6	193	1	2	3	4	6	14	84
B. Operated	1	1.0		1	1	1	1	1	1	1
2 MULTIPLE DX										
A. Not Operated	205	5.2	55	1	2	3	5	9	17	52
B. Operated	18	20.4	694	3	5	9	19	76	81	81
1. SINGLE DX	36	5.4	189	1	1	3	4	6	13	84
2. MULTIPLE DX	223	6.4	121	1	2	3	6	12	26	80
A. Not Operated	240	5.2	75	1	2	3	5	8	17	56
B. Operated	19	19.4	675	2	5	7	19	74	81	81
TOTAL										
0-19 YRS	44	11.8	321	1	2	4	14	42	61	99 +
20-34	50	3.3	7	1	2	3	4	5	7	17
35-49	52	3.2	4	1	2	3	5	6	7	8
50-64	36	4.1	12	1	2	3	5	8	9	19
65 +	77	8.1	211	2	2	4	7	15	23	81
GRAND TOTAL	**259**	**6.3**	**130**	**1**	**2**	**3**	**6**	**11**	**22**	**81**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	204	9.6	74	1	3	7	14	21	29	40
20-34	208	7.3	55	1	2	5	9	16	23	34
35-49	117	8.6	129	1	3	5	10	19	24	63
50-64	38	10.0	72	1	3	8	16	24	28	29
65 +	34	15.4	214	3	4	10	27	36	43	58
B. Operated										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	345	11.1	118	2	3	7	15	26	37	56
20-34	788	10.0	111	2	4	7	13	23	29	55
35-49	489	10.7	141	2	3	7	13	22	32	59
50-64	143	11.1	134	2	4	8	13	23	29	75
65 +	190	11.9	127	3	4	9	16	26	33	76
B. Operated										
0-19 YRS	4	11.3	144	< 1	< 1	10	21	24	24	24
20-34	35	17.7	255	3	5	12	28	36	38	77
35-49	8	17.8	235	3	5	14	26	42	47	47
50-64	8	29.6	209	11	19	28	41	49	50	50
65 +	13	23.6	338	6	9	21	47	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	601	9.0	89	1	3	6	12	20	29	41
B. Operated	3	9.0	108	3	3	3	17	21	21	21
2. MULTIPLE DX										
A. Not Operated	1955	10.6	123	2	4	7	14	23	31	58
B. Operated	68	19.9	265	3	7	17	32	47	62	99 +
1. SINGLE DX	604	9.0	89	1	3	6	12	20	29	41
2. MULTIPLE DX	2023	10.9	130	2	4	7	14	24	33	61
A. Not Operated	2556	10.2	115	2	3	7	13	23	30	55
B. Operated	71	19.4	261	3	7	17	32	47	60	99 +
TOTAL										
0-19 YRS	553	10.5	102	1	3	7	15	24	32	45
20-34	1033	9.7	107	2	3	6	12	22	29	53
35-49	614	10.4	141	1	3	7	13	22	31	59
50-64	189	11.7	138	2	4	8	15	25	32	65
65 +	238	13.1	156	3	4	9	18	31	41	99 +
GRAND TOTAL	**2627**	**10.5**	**121**	**2**	**3**	**7**	**14**	**23**	**32**	**58**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	185	12.3	185	2	4	8	17	29	39	99 +
20-34	144	7.1	59	1	3	5	8	15	23	60
35-49	69	6.4	48	1	2	4	8	13	20	40
50-64	21	9.3	125	1	3	4	14	24	37	46
65 +	8	9.6	29	3	4	12	14	15	15	15
B. Operated										
0-19 YRS	1	61.0		61	61	61	61	61	61	61
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	380	15.5	247	2	4	10	22	37	55	88
20-34	530	9.3	120	2	3	6	12	21	30	54
35-49	263	8.6	66	2	3	6	12	21	28	39
50-64	92	9.3	102	2	3	5	10	25	32	46
65 +	73	10.8	81	2	4	9	16	23	34	86
B. Operated										
0-19 YRS	3	29.0	2352	1	1	1	64	85	85	85
20-34	13	13.2	396	2	4	9	12	31	68	77
35-49	8	5.9	58	1	2	4	11	70	99 +	99 +
50-64	4	13.0	29	9	10	11	16	21	21	21
65 +	6	11.5	108	2	3	8	20	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	427	9.4	120	1	3	6	13	22	31	99 +
B. Operated	1	61.0		61	61	61	61	61	61	61
2. MULTIPLE DX										
A. Not Operated	1338	11.0	150	2	3	7	14	28	36	67
B. Operated	34	12.6	354	1	3	7	13	28	83	99 +
1. SINGLE DX	428	9.5	126	1	3	6	13	23	32	99 +
2. MULTIPLE DX	1372	11.1	155	2	3	7	14	28	36	71
A. Not Operated	1765	10.6	143	2	3	6	14	27	35	71
B. Operated	35	13.9	410	1	3	8	17	58	83	99 +
TOTAL										
0-19 YRS	569	14.6	240	2	4	10	20	35	55	99 +
20-34	687	8.9	113	1	3	6	11	20	29	57
35-49	340	8.1	63	1	3	5	11	20	27	40
50-64	117	9.4	103	2	3	6	11	24	32	47
65 +	87	10.8	77	2	4	9	16	23	30	78
GRAND TOTAL	**1800**	**10.7**	**149**	**2**	**3**	**6**	**14**	**27**	**36**	**80**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	332	21.4	421	2	6	17	33	71	99 +	99 +
20-34	45	24.5	406	1	5	27	35	47	64	84
35-49	8	11.9	295	1	2	5	14	41	52	52
50-64	2	17.5	481	2	2	17	33	33	33	33
65 +	3	10.3	209	1	1	3	21	27	27	27
B. Operated										
0-19 YRS	9	39.7	966	3	13	31	72	81	84	84
20-34	0									
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	636	24.8	464	3	7	21	39	61	85	99 +
20-34	195	22.0	401	2	5	17	34	52	70	99 +
35-49	80	13.5	207	2	3	7	23	32	41	66
50-64	45	7.8	194	1	2	5	8	12	19	93
65 +	50	8.4	43	3	4	6	9	18	22	33
B. Operated										
0-19 YRS	7	17.3	282	2	6	12	21	46	52	52
20-34	8	23.9	241	6	10	30	44	99 +	99 +	99 +
35-49	4	17.0	77	5	10	19	23	24	24	24
50-64	1	2.0		2	2	2	2	2	2	2
65 +	9	15.4	283	4	6	11	14	44	58	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	21.5	415	2	6	17	33	66	87	99 +
B. Operated	12	30.4	984	1	4	22	57	79	83	84
2. MULTIPLE DX										
A. Not Operated	1006	21.8	426	2	5	16	33	57	73	99 +
B. Operated	29	18.0	231	4	6	12	25	54	98	99 +
1. SINGLE DX	402	21.8	432	2	6	17	33	68	86	99 +
2. MULTIPLE DX	1035	21.7	421	2	5	16	33	57	74	99 +
A. Not Operated	1396	21.7	423	2	5	16	33	58	78	99 +
B. Operated	41	21.6	465	2	6	15	35	71	89	99 +
TOTAL										
0-19 YRS	984	23.8	456	2	7	20	37	64	86	99 +
20-34	248	22.5	395	2	5	20	35	52	71	99 +
35-49	94	13.3	203	2	3	7	23	31	42	66
50-64	48	8.1	196	1	2	5	8	14	28	93
65 +	63	9.4	84	3	4	6	11	22	24	55
GRAND TOTAL	**1437**	**21.7**	**424**	**2**	**5**	**16**	**33**	**58**	**78**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	13.3	213	4	4	6	19	38	48	48
20-34	11	24.4	738	2	6	9	39	65	88	90
35-49	4	13.0	284	2	3	6	23	38	38	38
50-64	5	7.0	8	3	6	7	8	11	11	11
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.0	72	1	1	7	13	13	13	13
35-49	0									
50-64	2	6.0		6	6	6	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	30	16.3	395	3	4	7	26	45	48	90
B. Operated	5	5.8	21	1	2	6	8	13	13	13
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	35	14.8	353	2	4	7	17	42	48	90
A. Not Operated	31	15.9	387	3	4	7	24	44	48	90
B. Operated	5	5.8	21	1	2	6	8	13	13	13
TOTAL										
0-19 YRS	11	12.4	201	3	4	5	17	36	47	48
20-34	14	20.4	635	2	4	8	29	52	82	90
35-49	4	13.0	284	2	3	6	23	38	38	38
50-64	7	6.7	6	4	6	7	7	10	11	11
65 +	0									
GRAND TOTAL	**36**	**14.5**	**346**	**2**	**4**	**7**	**16**	**42**	**48**	**90**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	169	9.8	21	3	8	10	12	15	17	22
20-34	20	6.6	15	2	4	5	10	12	14	14
35-49	16	9.3	38	1	4	9	14	16	20	22
50-64	6	13.8	107	3	3	13	22	28	29	29
65 +	5	15.2	266	2	4	12	21	43	43	43
B. Operated										
0-19 YRS	13	13.5	108	3	6	12	16	34	36	36
20-34	7	7.6	113	< 1	2	3	7	26	31	31
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	9	5.2	21	1	2	3	8	13	15	15
65 +	4	21.0	1397	< 1	< 1	3	41	77	77	77
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	11.6	42	5	9	11	14	18	21	42
20-34	56	10.7	58	3	5	10	14	24	25	34
35-49	62	13.0	90	3	6	12	18	27	37	93
50-64	54	12.6	73	2	6	12	17	26	31	37
65 +	53	17.4	185	7	12	15	19	27	34	94
B. Operated										
0-19 YRS	54	21.3	273	9	11	16	26	45	64	99
20-34	23	17.4	308	3	4	12	26	37	55	77
35-49	33	17.1	155	3	7	15	31	35	42	99 +
50-64	35	26.9	581	2	6	20	46	58	77	91
65 +	38	29.9	600	4	13	25	46	86	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	216	9.7	30	3	5	10	12	15	19	28
B. Operated	37	10.0	207	1	2	4	12	28	35	77
2. MULTIPLE DX										
A. Not Operated	447	12.5	74	4	8	11	15	21	27	45
B. Operated	183	22.9	399	3	9	18	32	55	78	99 +
1. SINGLE DX	253	9.7	55	2	5	10	12	16	20	36
2. MULTIPLE DX	630	15.5	191	4	8	12	18	32	45	94
A. Not Operated	663	11.6	61	3	7	11	14	20	25	43
B. Operated	220	20.8	389	2	7	16	30	52	77	99 +
TOTAL										
0-19 YRS	458	12.1	75	4	9	11	14	19	26	54
20-34	106	11.2	118	2	4	8	14	25	31	58
35-49	115	13.3	107	3	5	12	18	33	37	99 +
50-64	104	16.8	292	2	5	13	21	37	53	84
65 +	100	22.2	412	4	11	16	29	53	85	99 +
GRAND TOTAL	**883**	**13.9**	**158**	**3**	**7**	**11**	**16**	**27**	**38**	**89**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	5	8.4	34	3	4	7	11	18	18	18
65 +	18	5.7	18	1	3	5	8	11	15	17
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	6.3	13	1	4	7	8	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	12.5	1	12	12	12	13	13	13	13
35-49	7	9.9	82	2	3	5	18	23	24	24
50-64	38	13.6	251	4	6	8	13	30	36	93
65 +	403	14.1	195	4	6	10	17	35	53	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	6	14.3	161	2	7	9	23	35	36	36
65 +	59	23.4	322	8	12	19	40	99	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	6.3	20	1	4	5	8	12	17	18
B. Operated	4	6.3	13	1	4	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	450	14.0	196	4	6	10	17	34	52	99 +
B. Operated	65	22.6	312	8	11	18	36	97	99 +	99 +
1. SINGLE DX	29	6.3	18	1	4	6	8	11	17	18
2. MULTIPLE DX	515	15.1	218	4	6	10	19	38	62	99 +
A. Not Operated	475	13.6	190	4	6	9	17	32	49	99 +
B. Operated	69	21.6	309	7	9	17	34	93	99 +	99 +
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	12.5	1	12	12	12	13	13	13	13
35-49	8	9.5	72	2	3	6	15	23	24	24
50-64	53	12.7	203	4	6	8	13	28	36	91
65 +	480	14.9	216	4	6	10	18	40	64	99 +
GRAND TOTAL	**544**	**14.6**	**212**	**4**	**6**	**10**	**18**	**36**	**58**	**99 +**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	82	6.8	29	2	3	5	9	13	15	32
35-49	128	6.8	31	3	4	5	9	11	15	29
50-64	37	6.4	15	3	4	5	8	13	14	17
65 +	2	6.5	5	5	5	6	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	11	5.7	27	1	2	4	9	15	17	17
50-64	4	3.3	4	1	1	3	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	11.0	117	4	4	7	13	30	34	34
20-34	117	9.8	79	2	4	8	11	19	26	80
35-49	220	9.7	61	3	5	8	13	17	29	99 +
50-64	97	8.8	31	3	5	8	13	16	20	66
65 +	39	14.7	251	4	6	9	17	44	69	99 +
B. Operated										
0-19 YRS	0									
20-34	14	11.4	95	2	2	10	15	26	31	32
35-49	42	14.4	239	2	5	10	19	42	62	99 +
50-64	40	17.6	399	2	5	11	21	59	75	99 +
65 +	5	21.6	1071	3	7	8	27	80	80	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	249	6.7	28	2	4	5	9	12	15	24
B. Operated	17	4.6	20	1	2	4	5	12	16	17
2. MULTIPLE DX										
A. Not Operated	480	10.0	77	3	5	8	13	18	27	99 +
B. Operated	101	15.6	315	2	5	10	19	47	68	99 +
1. SINGLE DX	266	6.6	28	2	4	5	9	12	15	24
2. MULTIPLE DX	581	11.0	122	3	5	9	13	22	35	99 +
A. Not Operated	729	8.9	62	3	4	7	11	16	23	71
B. Operated	118	14.0	287	2	4	9	17	39	63	99 +
TOTAL										
0-19 YRS	7	11.0	117	4	4	7	13	30	34	34
20-34	215	8.7	63	2	4	7	11	18	25	51
35-49	401	9.2	74	3	4	7	11	17	26	86
50-64	178	10.2	125	2	4	7	13	18	28	96
65 +	46	15.1	316	4	6	9	16	48	73	99 +
GRAND TOTAL	**847**	**9.6**	**97**	**2**	**4**	**7**	**12**	**18**	**27**	**88**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	601	3.3	10	1	1	2	4	7	9	17
20-34	292	3.3	13	1	1	2	4	7	9	15
35-49	127	3.4	8	1	2	3	4	7	8	15
50-64	94	3.4	8	1	1	3	4	7	8	16
65 +	56	3.9	6	1	2	3	5	6	8	15
B. Operated										
0-19 YRS	28	10.1	174	1	3	7	10	22	38	66
20-34	66	8.9	35	2	6	8	10	18	23	30
35-49	33	8.8	41	2	4	8	11	19	22	26
50-64	4	2.8	6	1	1	2	4	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1071	4.7	33	1	2	3	6	9	14	30
20-34	578	5.7	65	1	2	4	6	12	18	35
35-49	527	5.2	25	1	2	4	6	10	15	27
50-64	607	6.9	53	2	3	5	8	14	24	99 +
65 +	1082	9.0	114	2	4	6	10	18	29	97
B. Operated										
0-19 YRS	62	14.0	267	2	4	8	20	36	65	97
20-34	67	11.1	153	2	3	6	16	27	42	93
35-49	47	11.7	64	3	5	12	16	25	30	99 +
50-64	67	15.0	298	3	5	9	18	42	59	97
65 +	126	21.9	432	4	8	15	30	63	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1170	3.4	10	1	1	2	4	7	9	16
B. Operated	132	8.9	66	2	4	8	10	18	23	41
2. MULTIPLE DX										
A. Not Operated	3865	6.5	65	1	2	4	7	13	20	52
B. Operated	369	16.1	299	3	5	10	21	42	68	99 +
1. SINGLE DX	1302	3.9	19	1	2	3	5	8	10	23
2. MULTIPLE DX	4234	7.3	93	1	2	4	8	16	24	71
A. Not Operated	5035	5.8	54	1	2	4	7	12	18	45
B. Operated	501	14.2	248	2	5	9	18	36	62	99 +
TOTAL										
0-19 YRS	1762	4.7	39	1	2	3	5	9	14	32
20-34	1003	5.6	58	1	2	3	6	12	18	37
35-49	734	5.5	29	1	2	4	7	12	17	28
50-64	772	7.2	75	2	3	5	8	15	25	95
65 +	1265	10.0	157	2	4	6	11	21	38	99 +
GRAND TOTAL	**5536**	**6.5**	**78**	**1**	**2**	**4**	**7**	**14**	**21**	**63**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	3.3	15	< 1	1	2	4	7	11	21
20-34	95	3.7	8	1	2	3	4	6	9	16
35-49	59	4.0	19	1	1	3	5	8	12	23
50-64	35	4.9	17	1	2	3	6	10	14	19
65 +	47	7.0	39	1	3	6	8	17	22	27
B. Operated										
0-19 YRS	177	5.5	31	1	2	4	7	10	14	38
20-34	61	4.8	14	1	2	4	7	9	12	17
35-49	64	4.8	25	1	2	4	6	9	12	33
50-64	35	4.7	20	1	1	3	7	10	13	21
65 +	31	5.8	30	1	2	4	7	13	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	282	5.0	56	1	1	3	6	10	16	37
20-34	199	7.2	125	1	2	4	7	15	27	83
35-49	236	7.8	106	1	3	5	9	15	26	82
50-64	245	10.6	159	2	3	7	13	24	43	99 +
65 +	969	12.8	187	3	5	9	16	29	54	99 +
B. Operated										
0-19 YRS	301	9.0	105	2	3	6	11	21	31	99 +
20-34	121	10.8	132	2	4	7	15	24	42	99 +
35-49	158	12.9	312	2	4	7	16	38	92	99 +
50-64	196	14.3	260	2	4	10	19	43	99	99 +
65 +	384	17.8	281	4	7	13	24	51	80	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	4.2	18	1	2	3	5	8	13	23
B. Operated	368	5.2	26	1	2	4	7	10	13	33
2. MULTIPLE DX										
A. Not Operated	1931	10.2	157	2	3	7	12	23	39	99 +
B. Operated	1160	13.5	232	2	4	9	18	37	70	99 +
1. SINGLE DX	718	4.7	22	1	2	3	6	10	13	26
2. MULTIPLE DX	3091	11.5	188	2	4	7	14	28	50	99 +
A. Not Operated	2281	9.3	140	1	3	6	11	21	35	99 +
B. Operated	1528	11.5	195	2	4	7	15	30	52	99 +
TOTAL										
0-19 YRS	874	6.2	66	1	2	4	8	14	22	70
20-34	476	7.1	95	1	2	4	8	16	24	85
35-49	517	8.6	159	1	3	5	9	19	36	99 +
50-64	511	11.3	188	2	3	7	14	30	48	99 +
65 +	1431	13.8	212	3	5	9	18	33	59	99 +
GRAND TOTAL	**3809**	**10.2**	**163**	**1**	**3**	**6**	**12**	**24**	**41**	**99 +**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.3	2	< 1	1	2	3	4	6	7
20-34	219	2.9	4	1	1	2	4	6	7	10
35-49	173	3.0	5	1	1	2	4	6	7	12
50-64	39	3.1	4	1	2	3	4	6	7	8
65 +	6	2.7	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	4.3	9	1	2	3	7	9	9	9
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	2.9	15	1	1	2	3	5	6	26
20-34	251	3.8	15	1	2	3	5	7	11	24
35-49	297	4.1	13	1	2	3	5	7	9	20
50-64	105	3.4	6	1	2	3	4	7	9	12
65 +	70	4.4	11	1	2	3	6	9	11	17
B. Operated										
0-19 YRS	5	1.8	2	< 1	1	1	2	4	4	4
20-34	19	6.0	39	1	2	5	8	12	20	27
35-49	23	6.8	36	1	2	6	10	16	19	23
50-64	7	5.3	19	1	2	4	8	12	13	13
65 +	7	5.1	6	2	3	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	518	2.8	4	1	1	2	4	5	7	10
B. Operated	16	3.7	6	1	2	3	4	8	9	9
2. MULTIPLE DX										
A. Not Operated	801	3.8	13	1	2	3	5	7	10	19
B. Operated	61	5.8	29	1	2	4	8	13	16	27
1. SINGLE DX	534	2.9	4	1	1	2	4	5	7	10
2. MULTIPLE DX	862	4.0	14	1	2	3	5	7	11	22
A. Not Operated	1319	3.4	10	1	2	3	4	7	8	14
B. Operated	77	5.3	25	1	2	4	7	12	15	26
TOTAL										
0-19 YRS	165	2.6	8	1	1	2	3	5	6	7
20-34	498	3.5	11	1	2	3	4	7	9	18
35-49	496	3.8	12	1	2	3	5	7	9	18
50-64	153	3.4	6	1	2	3	4	7	9	12
65 +	84	4.3	10	1	2	3	6	8	11	16
GRAND TOTAL	**1396**	**3.5**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**16**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	67	1.3	2	< 1	< 1	< 1	1	2	2	11
35-49	118	1.1		< 1	< 1	< 1	< 1	1	2	3
50-64	94	1.3	2	< 1	< 1	< 1	1	1	2	10
65 +	56	1.1		< 1	< 1	< 1	< 1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	3	3.0	4	< 1	1	3	4	5	5	5
50-64	8	1.4	1	< 1	< 1	1	2	3	3	3
65 +	9	3.3	12	< 1	1	1	6	9	9	9
B. Operated										
0-19 YRS	10	3.5	14	< 1	1	2	5	9	13	13
20-34	29	2.9	34	< 1	1	1	2	5	9	32
35-49	84	1.9	4	< 1	1	1	2	3	5	13
50-64	93	2.5	14	< 1	1	1	2	5	7	26
65 +	113	2.5	20	< 1	1	1	2	4	6	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	4	< 1	< 1	1	3	5	5	5
B. Operated	338	1.2	1	< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	22	2.4	6	< 1	< 1	1	3	6	9	9
B. Operated	329	2.4	15	< 1	1	1	2	4	6	29
1. SINGLE DX	342	1.2	1	< 1	< 1	< 1	1	2	2	5
2. MULTIPLE DX	351	2.4	14	< 1	1	1	2	4	6	28
A. Not Operated	26	2.3	6	< 1	< 1	1	3	5	9	9
B. Operated	667	1.8	8	< 1	< 1	1	2	3	4	13
TOTAL										
0-19 YRS	14	2.9	11	< 1	1	2	3	7	12	13
20-34	99	1.8	12	< 1	< 1	< 1	1	2	4	23
35-49	207	1.5	2	< 1	< 1	< 1	2	2	3	8
50-64	195	1.9	8	< 1	< 1	1	2	3	5	17
65 +	178	2.1	13	< 1	< 1	1	2	3	6	25
GRAND TOTAL	**693**	**1.8**	**8**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**13**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	5.4	34	1	1	3	8	14	18	26
20-34	41	5.3	34	< 1	2	3	6	14	20	25
35-49	41	5.7	38	1	2	4	6	17	21	26
50-64	27	4.3	16	< 1	1	3	6	9	12	19
65 +	31	4.5	24	< 1	2	3	6	9	10	26
B. Operated										
0-19 YRS	43	3.9	19	1	1	2	5	10	14	21
20-34	170	2.6	4	< 1	1	2	4	5	6	11
35-49	173	2.3	5	1	1	2	3	5	6	10
50-64	103	2.9	14	1	1	2	3	5	7	25
65 +	56	2.6	13	1	1	2	3	4	7	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	9.7	122	1	2	6	12	25	33	51
20-34	79	7.4	80	1	2	4	10	19	26	49
35-49	104	6.8	51	1	2	4	9	15	18	40
50-64	202	8.0	79	2	3	5	10	19	27	76
65 +	330	9.2	102	2	4	6	11	20	26	54
B. Operated										
0-19 YRS	46	5.3	33	1	2	3	7	11	26	99 +
20-34	145	4.1	24	1	1	3	5	8	14	34
35-49	167	4.7	52	1	1	3	5	9	18	61
50-64	170	8.3	186	1	2	3	9	19	38	78
65 +	241	10.5	194	1	2	6	13	26	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	5.1	30	1	2	3	6	11	20	26
B. Operated	545	2.7	8	1	1	2	3	5	7	19
2. MULTIPLE DX										
A. Not Operated	750	8.4	88	2	3	5	10	19	26	52
B. Operated	769	7.2	126	1	2	3	8	18	31	83
1. SINGLE DX	727	3.3	15	1	1	2	4	6	10	23
2. MULTIPLE DX	1519	7.8	108	1	2	4	9	18	27	68
A. Not Operated	932	7.8	78	1	3	5	9	17	25	50
B. Operated	1314	5.3	82	1	1	2	5	12	22	66
TOTAL										
0-19 YRS	166	5.9	52	1	2	3	7	14	23	48
20-34	435	4.3	30	1	1	3	5	9	14	32
35-49	485	4.4	36	1	1	2	5	9	15	33
50-64	502	3.9	103	1	2	3	8	16	25	67
65 +	658	8.9	129	1	3	5	10	21	31	77
GRAND TOTAL	**2246**	**6.3**	**82**	**1**	**2**	**3**	**7**	**15**	**24**	**60**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	2.4	1	1	2	2	3	3	4	5
20-34	71	2.9	2	1	2	3	4	5	6	7
35-49	95	3.0	3	1	2	3	4	5	6	10
50-64	211	3.1	4	1	2	3	4	5	6	14
65 +	180	3.0	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	12	2.3	4	< 1	1	2	3	6	7	7
B. Operated										
0-19 YRS	22	2.6	1	1	2	2	3	5	5	5
20-34	56	2.8	2	1	2	2	3	5	6	9
35-49	99	3.3	3	2	2	3	4	6	7	10
50-64	312	3.3	6	2	2	3	4	5	7	13
65 +	527	3.4	7	< 1	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	584	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	20	1.9	3	< 1	1	1	2	4	6	7
B. Operated	1016	3.3	6	1	2	3	4	6	7	12
1. SINGLE DX	584	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	1036	3.3	6	1	2	3	4	6	7	12
A. Not Operated	20	1.9	3	< 1	1	1	2	4	6	7
B. Operated	1600	3.2	5	1	2	3	4	5	7	11
TOTAL										
0-19 YRS	50	2.4	1	1	2	2	3	4	5	5
20-34	128	2.8	2	1	2	2	3	5	6	8
35-49	197	3.1	3	1	2	3	4	5	7	10
50-64	526	3.2	6	1	2	3	4	5	7	13
65 +	719	3.3	6	1	2	3	4	6	7	12
GRAND TOTAL	**1620**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	6	1.7	1	1	1	2	2	3	3	3
65 +	10	1.7	1	1	1	2	2	3	4	4
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	6	2.8	9	< 1	1	2	2	8	9	9
35-49	6	1.3		< 1	1	1	2	2	2	2
50-64	14	1.5		1	1	1	2	2	3	3
65 +	43	2.2	2	< 1	1	2	3	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	7	1.3		< 1	1	1	2	2	2	2
65 +	22	3.7	11	1	2	2	5	9	12	13
B. Operated										
0-19 YRS	0									
20-34	5	6.8	60	< 1	1	4	10	20	20	20
35-49	10	3.3	2	1	2	3	4	5	6	6
50-64	56	3.1	8	< 1	1	2	4	7	9	17
65 +	162	3.2	22	< 1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.8	1	< 1	1	2	2	3	4	4
B. Operated	74	2.0	2	< 1	1	2	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	33	2.8	8	< 1	1	2	3	6	11	13
B. Operated	233	3.3	19	< 1	1	2	3	6	9	20
1. SINGLE DX	94	1.9	2	< 1	1	2	2	4	5	8
2. MULTIPLE DX	266	3.2	17	< 1	1	2	3	6	9	19
A. Not Operated	53	2.4	6	< 1	1	2	3	5	8	13
B. Operated	307	3.0	15	< 1	1	2	3	6	8	18
TOTAL										
0-19 YRS	9	1.1		< 1	< 1	< 1	1	2	2	2
20-34	11	4.6	33	< 1	1	2	6	13	19	20
35-49	20	2.5	2	1	1	2	4	5	5	6
50-64	83	2.6	6	< 1	1	2	3	6	8	14
65 +	237	3.0	17	< 1	1	2	3	6	9	15
GRAND TOTAL	**360**	**2.9**	**14**	**< 1**	**1**	**2**	**3**	**6**	**8**	**17**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	18	1.9	1	1	1	2	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.0		3	3	3	3	3	3	3
65 +	18	3.1	27	1	1	1	3	5	16	23
B. Operated										
0-19 YRS	6	1.3	1	< 1	1	1	1	3	3	3
20-34	13	4.7	29	< 1	1	2	5	15	17	17
35-49	18	1.9	1	1	1	2	2	3	4	4
50-64	26	3.2	5	< 1	1	3	5	7	8	8
65 +	75	3.3	74	< 1	1	2	3	5	7	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	25	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	22	2.9	22	1	1	1	3	5	12	23
B. Operated	138	3.1	44	< 1	1	2	3	6	8	24
1. SINGLE DX	26	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX	160	3.1	41	< 1	1	2	3	6	8	22
A. Not Operated	23	2.9	21	1	1	1	3	5	11	23
B. Operated	163	2.9	38	< 1	1	2	3	5	8	17
TOTAL										
0-19 YRS	7	1.4	1	< 1	1	1	2	3	3	3
20-34	14	4.4	28	< 1	1	2	4	14	16	17
35-49	21	1.8	1	< 1	1	2	2	3	4	4
50-64	32	3.0	4	< 1	1	2	4	6	8	8
65 +	112	3.0	54	< 1	1	2	3	5	6	43
GRAND TOTAL	**186**	**2.9**	**35**	**< 1**	**1**	**2**	**3**	**5**	**8**	**21**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	1.3	1	< 1	< 1	< 1	1	2	4	5
20-34	7	1.6	2	< 1	< 1	1	1	4	5	5
35-49	26	1.1		< 1	< 1	1	1	1	2	2
50-64	129	1.3	1	< 1	< 1	< 1	1	2	2	5
65 +	695	1.3	1	< 1	< 1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	1.0		< 1	< 1	< 1	1	1	1	1
50-64	9	4.7	66	1	1	2	3	18	26	26
65 +	73	2.1	4	< 1	1	1	2	4	7	11
B. Operated										
0-19 YRS	18	1.2		< 1	< 1	1	1	2	2	2
20-34	18	2.8	16	< 1	1	2	2	7	14	17
35-49	63	2.3	5	< 1	1	2	2	3	5	14
50-64	357	2.0	10	< 1	1	2	2	2	4	12
65 +	2662	2.0	10	1	1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	876	1.3	1	< 1	< 1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	88	2.3	10	< 1	< 1	1	2	5	7	21
B. Operated	3118	2.0	10	1	1	2	2	3	4	9
1. SINGLE DX	877	1.3	1	< 1	< 1	1	2	2	2	3
2. MULTIPLE DX	3206	2.0	10	1	1	2	2	3	4	10
A. Not Operated	89	2.3	10	< 1	1	1	2	5	7	21
B. Operated	3994	1.9	8	< 1	1	2	2	2	3	9
TOTAL										
0-19 YRS	40	1.2		< 1	< 1	1	1	2	2	5
20-34	26	2.5	12	< 1	1	1	2	5	11	17
35-49	92	1.9	3	< 1	1	1	2	3	4	13
50-64	495	1.9	9	< 1	1	1	2	2	3	13
65 +	3430	1.9	8	< 1	1	2	2	2	3	8
GRAND TOTAL	**4083**	**1.9**	**8**	**< 1**	**1**	**2**	**2**	**2**	**3**	**9**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.9	7	< 1	1	2	4	7	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	376	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	21	1.0		< 1	< 1	< 1	< 1	1	2	2
35-49	16	1.1		< 1	< 1	1	1	1	2	2
50-64	12	2.6	13	< 1	1	2	2	6	13	14
65 +	4	3.5	14	< 1	< 1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.4		< 1	< 1	1	2	2	3	3
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	2	1.0		1	1	1	1	1	1	1
50-64	10	5.1	8	2	3	5	6	9	11	11
65 +	23	5.7	23	2	2	4	7	10	16	23
B. Operated										
0-19 YRS	151	1.2	1	< 1	< 1	< 1	1	1	2	5
20-34	18	1.2		< 1	< 1	< 1	1	2	3	3
35-49	11	3.3	16	< 1	< 1	2	4	9	14	14
50-64	20	3.8	19	< 1	1	2	6	11	13	15
65 +	27	4.1	23	1	1	2	6	8	17	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.6	5	< 1	1	2	3	6	8	8
B. Operated	429	1.1	1	< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	52	4.2	16	< 1	1	3	6	9	11	23
B. Operated	227	1.9	7	< 1	< 1	< 1	1	3	7	16
1. SINGLE DX	442	1.1	1	< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX	279	2.3	10	< 1	< 1	1	2	6	9	16
A. Not Operated	65	3.9	14	< 1	1	3	6	9	10	21
B. Operated	656	1.4	3	< 1	< 1	< 1	1	1	2	12
TOTAL										
0-19 YRS	550	1.1	1	< 1	< 1	< 1	< 1	1	1	3
20-34	42	1.4	2	< 1	< 1	< 1	1	2	3	9
35-49	30	1.9	7	< 1	< 1	1	2	4	6	14
50-64	44	3.7	14	< 1	1	2	5	9	13	15
65 +	55	4.7	22	1	2	3	7	9	16	23
GRAND TOTAL	**721**	**1.6**	**5**	**< 1**	**< 1**	**< 1**	**1**	**2**	**5**	**13**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.9	5	< 1	1	3	4	6	7	10
20-34	11	3.0	4	1	1	3	4	6	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	8	2.9	17	< 1	< 1	1	2	10	13	13
65 +	13	2.5	2	< 1	1	2	3	5	5	5
B. Operated										
0-19 YRS	43	1.6	2	< 1	< 1	< 1	1	3	4	7
20-34	38	1.8	2	< 1	1	1	2	4	5	6
35-49	66	1.4	1	< 1	1	1	1	2	3	6
50-64	57	1.4	1	< 1	1	1	2	2	3	4
65 +	96	1.7	1	1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	3.7	9	1	2	3	5	6	8	19
20-34	14	6.9	103	2	2	4	6	14	35	41
35-49	18	4.6	5	1	3	5	6	8	8	8
50-64	19	6.6	71	< 1	2	4	7	18	29	34
65 +	57	5.4	20	< 1	1	5	8	12	14	18
B. Operated										
0-19 YRS	44	3.8	29	< 1	1	1	4	14	17	22
20-34	46	2.7	5	< 1	1	2	4	5	7	11
35-49	98	2.0	6	< 1	1	1	2	4	6	16
50-64	195	2.1	5	< 1	1	1	2	4	5	14
65 +	442	2.5	20	< 1	1	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	2.8	5	< 1	1	2	4	6	7	11
B. Operated	300	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	195	4.8	25	1	2	4	6	9	12	30
B. Operated	825	2.4	14	< 1	1	1	2	5	6	15
1. SINGLE DX	405	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX	1020	2.9	17	< 1	1	2	3	5	8	18
A. Not Operated	300	4.1	19	< 1	1	3	5	8	10	24
B. Operated	1125	2.2	11	< 1	1	1	2	4	5	14
TOTAL										
0-19 YRS	245	3.1	10	< 1	1	2	4	6	8	21
20-34	109	3.0	18	< 1	1	2	4	6	7	23
35-49	184	2.1	5	< 1	1	1	2	5	6	11
50-64	279	2.3	10	< 1	1	1	2	4	5	18
65 +	608	2.6	17	< 1	1	2	3	5	7	15
GRAND TOTAL	**1425**	**2.6**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**	**15**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	290	3.5	4	2	2	3	4	6	7	10
20-34	28	4.5	7	1	2	4	6	8	11	12
35-49	17	3.8	4	1	2	4	5	7	7	7
50-64	5	5.8	33	1	1	3	11	13	13	13
65 +	10	4.6	8	1	2	4	6	9	10	10
B. Operated										
0-19 YRS	35	3.3	10	< 1	1	2	5	8	10	12
20-34	13	2.6	8	< 1	1	2	3	6	10	11
35-49	14	2.1	1	1	2	2	2	3	4	4
50-64	29	2.4	2	1	1	2	3	4	6	7
65 +	60	2.7	8	< 1	1	2	3	6	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	339	4.3	8	2	2	4	5	8	10	14
20-34	52	5.9	46	2	3	4	6	10	16	37
35-49	43	6.0	22	2	3	5	7	14	16	20
50-64	51	4.0	7	1	2	3	6	8	10	98
65 +	116	5.8	27	2	3	5	7	12	17	28
B. Operated										
0-19 YRS	60	6.5	37	< 1	2	5	9	17	20	24
20-34	71	4.5	30	1	2	3	4	8	16	32
35-49	75	4.7	22	1	2	3	5	13	15	22
50-64	141	4.0	17	1	2	2	5	9	12	21
65 +	389	3.8	35	< 1	1	2	4	8	11	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	3.6	5	2	2	3	4	6	8	11
B. Operated	151	2.7	7	< 1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	601	4.9	16	2	2	4	6	9	12	20
B. Operated	736	4.2	30	< 1	1	2	5	9	13	24
1. SINGLE DX	501	3.4	5	1	2	3	4	6	8	12
2. MULTIPLE DX	1337	4.5	24	1	2	3	5	9	13	24
A. Not Operated	951	4.4	12	2	2	4	5	8	10	18
B. Operated	887	3.9	27	< 1	1	2	4	9	12	23
TOTAL										
0-19 YRS	724	4.1	9	1	2	3	5	8	10	17
20-34	164	4.8	30	1	2	3	5	8	14	35
35-49	149	4.7	19	1	2	3	5	11	15	20
50-64	226	3.9	14	1	2	3	5	8	11	22
65 +	575	4.1	31	< 1	1	2	5	8	12	24
GRAND TOTAL	**1838**	**4.2**	**19**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	< 1	< 1	1	3	3	3	3
20-34	0									
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.3	2	< 1	1	2	3	5	6	6
20-34	10	2.7	6	1	1	2	2	7	9	9
35-49	11	3.5	12	1	2	2	3	9	13	13
50-64	9	4.8	5	1	3	5	7	7	7	7
65 +	37	5.9	16	1	3	5	8	13	14	15
B. Operated										
0-19 YRS	4	1.8	2	< 1	< 1	1	2	4	4	4
20-34	5	2.4	3	< 1	1	2	3	5	5	5
35-49	5	2.6	6	1	1	2	3	7	7	7
50-64	7	2.3	5	1	1	1	3	6	7	7
65 +	22	4.5	20	1	1	2	7	12	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.7	1	< 1	1	1	3	3	3	3
B. Operated	7	1.9	1	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	84	4.4	12	1	2	3	6	9	13	15
B. Operated	43	3.4	13	1	1	2	5	8	12	15
1. SINGLE DX	21	1.8	1	< 1	< 1	1	3	3	4	4
2. MULTIPLE DX	127	4.1	13	1	1	3	6	9	13	15
A. Not Operated	98	4.0	11	1	2	3	6	9	12	15
B. Operated	50	3.2	12	< 1	1	2	4	8	11	15
TOTAL										
0-19 YRS	34	2.0	2	< 1	< 1	1	3	4	5	6
20-34	17	2.6	5	1	1	2	3	5	8	9
35-49	20	3.0	8	1	1	2	3	6	10	13
50-64	16	3.7	6	1	1	3	6	7	7	7
65 +	61	5.3	17	1	2	4	8	12	14	15
GRAND TOTAL	**148**	**3.7**	**12**	**1**	**1**	**2**	**5**	**9**	**11**	**15**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	259	3.0	5	1	2	3	3	5	8	15
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	0									
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	697	1.2	1	< 1	< 1	< 1	1	1	2	7
20-34	44	1.3		< 1	< 1	1	1	2	3	4
35-49	48	1.3		< 1	1	1	1	2	2	3
50-64	34	1.5	1	1	1	1	2	3	4	4
65 +	12	1.3	1	< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	658	3.1	6	1	2	3	4	5	7	14
20-34	17	3.3	6	1	2	3	4	6	9	11
35-49	15	3.4	3	1	2	3	5	6	6	6
50-64	15	6.3	26	2	3	5	7	13	19	21
65 +	14	4.7	12	1	2	3	6	9	13	14
B. Operated										
0-19 YRS	971	1.5	4	< 1	1	1	1	2	4	13
20-34	90	1.5	1	< 1	1	1	2	2	3	7
35-49	98	2.1	6	1	1	1	2	4	9	14
50-64	109	1.5	1	< 1	1	1	2	2	3	6
65 +	90	1.9	7	1	1	1	2	2	3	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	3.0	5	1	2	3	3	5	8	15
B. Operated	835	1.2	1	< 1	< 1	< 1	1	1	2	6
2. MULTIPLE DX										
A. Not Operated	719	3.2	7	1	2	3	4	6	7	14
B. Operated	1358	1.6	4	< 1	1	1	1	2	4	13
1. SINGLE DX	1102	1.6	2	< 1	< 1	1	2	3	4	9
2. MULTIPLE DX	2077	2.1	6	< 1	1	1	2	4	6	14
A. Not Operated	986	3.1	6	1	2	3	4	5	7	14
B. Operated	2193	1.4	3	< 1	< 1	1	1	2	3	11
TOTAL										
0-19 YRS	2585	2.0	5	< 1	< 1	1	2	4	5	12
20-34	154	1.7	2	< 1	1	1	2	3	4	9
35-49	164	2.0	5	< 1	1	1	2	4	6	13
50-64	158	1.9	5	< 1	1	1	2	3	5	13
65 +	118	2.2	7	1	1	1	2	3	6	17
GRAND TOTAL	**3179**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**	**12**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	3.3	3	1	2	3	4	5	7	9
20-34	28	4.4	5	2	3	4	6	8	8	10
35-49	21	4.4	8	1	3	4	5	9	11	12
50-64	7	6.0	5	3	4	6	7	9	10	10
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	78	2.1	5	< 1	< 1	< 1	3	5	8	10
20-34	17	2.6	13	< 1	1	1	2	7	13	15
35-49	13	2.7	13	< 1	1	1	3	7	13	14
50-64	6	3.2	6	1	2	2	3	8	8	8
65 +	7	4.9	33	1	1	2	6	15	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	352	3.6	5	1	2	3	4	6	8	13
20-34	65	4.6	8	2	3	4	6	7	10	15
35-49	55	4.5	11	2	3	4	5	9	13	16
50-64	42	5.7	13	2	3	5	8	11	13	14
65 +	50	8.4	54	3	4	6	10	14	19	43
B. Operated										
0-19 YRS	169	3.8	24	< 1	1	1	5	11	14	21
20-34	55	3.4	14	1	1	2	4	7	11	21
35-49	53	3.3	14	1	1	2	4	7	14	17
50-64	44	4.4	30	1	1	2	4	13	17	24
65 +	37	10.9	139	1	2	4	19	26	39	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	3.7	5	1	2	3	5	7	8	11
B. Operated	121	2.5	9	< 1	< 1	1	3	6	9	16
2. MULTIPLE DX										
A. Not Operated	564	4.4	13	1	2	4	5	8	11	16
B. Operated	358	4.5	38	1	1	2	5	13	17	33
1. SINGLE DX	299	3.2	7	< 1	1	3	4	6	8	13
2. MULTIPLE DX	922	4.4	22	1	2	3	5	10	14	22
A. Not Operated	742	4.2	11	1	2	4	5	8	10	16
B. Operated	479	4.0	31	< 1	1	2	4	11	15	26
TOTAL										
0-19 YRS	720	3.5	10	< 1	1	3	4	7	9	15
20-34	165	4.0	10	1	2	3	5	7	10	16
35-49	142	3.9	12	1	2	3	5	8	13	17
50-64	99	5.0	20	1	2	3	7	12	14	21
65 +	95	9.0	87	1	3	6	12	19	31	44
GRAND TOTAL	**1221**	**4.1**	**19**	**1**	**2**	**3**	**5**	**8**	**12**	**20**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.9	22	1	1	3	4	11	16	16
20-34	39	2.2	3	1	1	1	3	5	6	6
35-49	70	2.8	3	1	2	2	4	5	7	8
50-64	84	3.1	8	1	1	2	4	6	8	17
65 +	97	3.2	3	1	2	3	4	6	7	10
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	21	2.4	3	1	1	2	3	6	6	6
35-49	21	2.7	3	1	1	2	4	6	6	6
50-64	24	2.5	3	1	1	2	4	5	6	7
65 +	13	3.4	5	1	2	2	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	8	1	1	2	3	8	9	9
20-34	62	3.3	4	1	2	3	4	6	7	10
35-49	139	3.7	19	1	2	2	4	7	9	31
50-64	424	3.8	18	1	2	3	5	6	7	18
65 +	938	4.9	28	2	2	4	6	9	11	22
B. Operated										
0-19 YRS	7	2.4	5	1	1	2	3	6	7	7
20-34	7	6.1	42	1	2	4	7	18	20	20
35-49	20	4.6	20	1	2	3	5	11	16	18
50-64	30	3.9	8	1	2	3	6	8	9	12
65 +	58	6.9	43	2	3	5	9	12	17	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	299	3.0	5	1	1	2	4	6	7	10
B. Operated	84	2.6	3	1	1	2	4	6	6	8
2. MULTIPLE DX										
A. Not Operated	1570	4.4	23	1	2	3	5	8	10	21
B. Operated	122	5.5	30	1	2	4	7	11	16	29
1. SINGLE DX	383	2.9	5	1	1	2	4	6	7	10
2. MULTIPLE DX	1692	4.5	24	1	2	3	5	8	10	21
A. Not Operated	1869	4.2	21	1	2	3	5	7	10	19
B. Operated	206	4.3	21	1	2	3	5	8	11	22
TOTAL										
0-19 YRS	28	2.8	10	1	1	2	3	6	10	16
20-34	129	2.9	6	1	1	2	4	6	6	12
35-49	250	3.5	13	1	2	2	4	7	8	18
50-64	562	3.6	15	1	2	3	4	6	7	17
65 +	1106	4.8	26	2	2	4	6	9	11	22
GRAND TOTAL	**2075**	**4.2**	**21**	**1**	**2**	**3**	**5**	**7**	**10**	**19**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	11	1.4		1	1	1	2	2	2	2
20-34	62	1.5	3	1	1	1	1	2	3	12
35-49	79	1.5		1	1	1	2	2	3	4
50-64	51	1.5		1	1	1	2	2	2	3
65 +	19	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	5	1.4	1	< 1	< 1	1	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	34	2.0	5	1	1	2	2	3	7	13
35-49	49	1.6	1	1	1	1	2	2	3	7
50-64	51	1.7	1	1	1	1	2	3	3	4
65 +	41	1.6		1	1	2	2	2	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.2		1	1	1	2	2	2	2
B. Operated	222	1.5	1	1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	9	1.2		< 1	< 1	1	1	2	3	3
B. Operated	177	1.7	2	1	1	1	2	2	3	8
1. SINGLE DX	231	1.4	1	1	1	1	2	2	2	4
2. MULTIPLE DX	186	1.7	2	1	1	1	2	2	3	8
A. Not Operated	18	1.2		< 1	1	1	1	2	3	3
B. Operated	399	1.6	1	1	1	1	2	2	3	6
TOTAL										
0-19 YRS	13	1.4		1	1	1	2	2	2	2
20-34	100	1.6	3	1	1	1	2	2	3	13
35-49	132	1.5	1	1	1	1	2	2	3	5
50-64	109	1.6	1	1	1	1	2	2	3	4
65 +	63	1.6		1	1	2	2	2	3	3
GRAND TOTAL	**417**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.5	8	1	1	3	6	8	8	8
20-34	12	3.5	16	1	1	2	4	9	14	15
35-49	7	4.6	10	1	3	4	5	10	11	11
50-64	7	2.7	3	1	1	2	4	5	5	5
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	277	1.2	1	< 1	1	1	1	2	2	5
20-34	110	1.3		< 1	1	1	1	2	3	4
35-49	86	1.4	1	< 1	1	1	1	3	3	7
50-64	65	1.6	3	1	1	1	2	2	4	12
65 +	27	1.3		< 1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	5.3	99	< 1	1	2	6	10	11	55
20-34	11	3.4	10	< 1	< 1	2	5	9	10	10
35-49	7	3.3	2	1	2	4	4	5	5	5
50-64	15	3.5	3	2	2	3	5	6	6	6
65 +	27	6.1	31	1	2	4	9	15	17	24
B. Operated										
0-19 YRS	297	1.6	4	< 1	1	1	1	2	4	13
20-34	136	1.7	7	< 1	1	1	2	3	4	12
35-49	114	1.7	3	< 1	1	1	2	2	3	13
50-64	104	1.8	5	1	1	1	2	3	5	13
65 +	79	3.4	46	1	1	1	3	7	12	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.4	9	1	1	3	4	7	9	15
B. Operated	565	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	90	4.8	44	1	1	3	6	10	14	43
B. Operated	730	1.8	9	< 1	1	1	2	3	5	16
1. SINGLE DX	606	1.4	2	< 1	1	1	1	2	3	8
2. MULTIPLE DX	820	2.2	14	< 1	1	1	2	4	7	17
A. Not Operated	131	4.4	34	1	1	3	5	10	11	30
B. Operated	1295	1.6	6	< 1	1	1	1	2	4	11
TOTAL										
0-19 YRS	616	1.6	8	< 1	1	1	1	2	4	11
20-34	269	1.7	5	< 1	1	1	2	3	4	10
35-49	214	1.7	3	< 1	1	1	2	3	4	10
50-64	191	1.9	4	1	1	1	2	4	5	11
65 +	136	3.5	35	1	1	1	4	7	14	28
GRAND TOTAL	**1426**	**1.9**	**9**	**< 1**	**1**	**1**	**2**	**3**	**5**	**14**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	5.2	10	2	3	4	8	10	11	13
20-34	4	7.3	8	4	5	7	9	11	11	11
35-49	4	7.0	19	1	4	8	10	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	7.3	42	1	2	5	10	19	21	21
20-34	11	4.6	8	2	3	4	6	9	12	12
35-49	9	8.8	22	4	5	8	11	16	19	19
50-64	9	10.6	88	2	5	7	15	26	31	31
65 +	8	10.0	45	2	3	9	17	18	18	18
B. Operated										
0-19 YRS	4	14.3	20	9	11	14	17	20	20	20
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	9.5	113	2	2	9	17	17	17	17
50-64	4	6.0	27	1	1	6	10	11	11	11
65 +	4	14.5	50	10	10	11	18	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	5.6	11	2	3	4	8	10	11	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	58	7.9	41	2	3	6	11	18	20	30
B. Operated	15	11.0	44	2	7	11	14	20	24	25
1. SINGLE DX	40	5.6	11	2	3	4	8	10	11	13
2. MULTIPLE DX	73	8.5	43	2	3	7	12	18	21	30
A. Not Operated	98	7.0	30	2	3	5	9	15	19	26
B. Operated	15	11.0	44	2	7	11	14	20	24	25
TOTAL										
0-19 YRS	55	6.7	28	2	3	5	9	14	19	21
20-34	16	5.4	9	2	3	5	7	11	12	12
35-49	15	8.4	26	2	5	8	11	17	18	19
50-64	14	9.2	65	1	5	7	11	20	29	31
65 +	13	10.8	49	3	4	11	17	19	24	25
GRAND TOTAL	**113**	**7.5**	**33**	**2**	**3**	**6**	**10**	**17**	**19**	**27**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	4.1	7	1	2	3	6	8	8	8
50-64	1	11.0		11	11	11	11	11	11	11
65 +	4	3.8	6	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	13	4.4	14	1	2	2	8	10	11	11
20-34	10	4.2	21	1	1	2	7	12	14	14
35-49	27	3.0	15	1	1	2	2	9	15	15
50-64	32	4.1	17	1	1	2	7	12	12	12
65 +	21	4.1	21	1	1	2	7	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	11.3	86	5	5	7	18	22	22	22
20-34	13	5.3	17	1	2	4	10	11	13	13
35-49	44	5.9	21	2	3	5	7	9	12	29
50-64	79	6.7	28	3	4	5	8	13	17	31
65 +	209	10.4	99	3	5	8	12	19	29	76
B. Operated										
0-19 YRS	12	5.3	10	2	3	5	9	28	86	99 +
20-34	23	11.3	99	2	3	9	16	21	31	46
35-49	97	7.2	39	1	2	6	12	17	20	23
50-64	287	9.3	116	1	2	8	13	19	27	64
65 +	322	12.7	188	1	2	9	18	30	43	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.1	8	1	2	3	6	8	10	11
B. Operated	103	3.9	17	1	1	2	6	11	12	16
2. MULTIPLE DX										
A. Not Operated	348	8.8	73	3	4	7	11	16	23	51
B. Operated	741	10.5	139	1	2	8	15	23	35	65
1. SINGLE DX	120	3.9	16	1	1	2	6	11	12	15
2. MULTIPLE DX	1089	10.0	119	1	2	7	13	22	31	65
A. Not Operated	365	8.6	71	2	4	7	10	16	23	49
B. Operated	844	9.7	129	1	2	7	14	22	32	64
TOTAL										
0-19 YRS	31	5.2	20	1	2	4	8	10	21	99 +
20-34	47	8.0	67	1	2	5	12	16	21	46
35-49	176	6.1	32	1	2	4	9	14	18	23
50-64	399	8.4	93	1	2	5	12	17	23	58
65 +	556	11.5	151	1	3	8	15	27	38	72
GRAND TOTAL	**1209**	**9.4**	**112**	**1**	**2**	**7**	**13**	**21**	**29**	**64**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	3.3	4	2	2	3	5	6	7	8
20-34	19	4.5	21	1	2	3	6	10	16	20
35-49	68	3.4	5	1	2	3	5	7	7	9
50-64	81	4.0	12	1	2	3	5	7	9	19
65 +	39	3.3	4	2	2	3	4	5	8	11
B. Operated										
0-19 YRS	7	3.4	26	1	1	2	2	12	15	15
20-34	5	2.0	5	< 1	< 1	1	2	6	6	6
35-49	9	3.1	15	< 1	1	2	3	10	13	13
50-64	14	6.9	138	< 1	1	2	8	18	39	45
65 +	7	4.7	13	1	2	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	3.2	5	1	2	2	4	7	8	10
20-34	76	4.3	6	2	2	4	6	8	9	11
35-49	349	4.7	11	1	2	4	6	8	10	16
50-64	539	4.8	14	2	2	4	6	10	12	17
65 +	840	6.3	43	2	3	5	8	12	16	33
B. Operated										
0-19 YRS	11	12.8	565	1	1	3	23	84	98	99 +
20-34	24	5.9	32	1	1	4	10	13	18	20
35-49	40	6.1	30	1	2	4	10	14	16	22
50-64	102	7.2	71	1	2	5	9	16	24	45
65 +	168	8.9	92	1	3	6	12	22	28	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	3.7	8	1	2	3	5	7	8	19
B. Operated	42	4.5	56	< 1	1	2	5	11	15	45
2. MULTIPLE DX										
A. Not Operated	1832	5.4	27	2	3	4	7	10	13	25
B. Operated	345	8.0	90	1	2	5	11	19	26	63
1. SINGLE DX	263	3.8	16	1	2	3	5	7	9	19
2. MULTIPLE DX	2177	5.8	38	2	3	4	7	11	16	34
A. Not Operated	2053	5.2	25	2	3	4	6	10	13	24
B. Operated	387	7.6	87	1	2	4	10	18	25	59
TOTAL										
0-19 YRS	60	5.0	115	1	2	2	4	9	25	97
20-34	124	4.5	13	1	2	4	6	9	12	20
35-49	466	4.6	12	1	2	4	6	8	11	16
50-64	736	5.1	25	1	2	4	6	10	13	29
65 +	1054	6.6	50	2	3	5	8	13	18	37
GRAND TOTAL	**2440**	**5.6**	**36**	**2**	**2**	**4**	**7**	**11**	**15**	**33**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	9	4.0	2	2	3	4	5	6	6	6
50-64	26	4.2	3	2	3	4	5	6	8	8
65 +	41	5.6	8	3	3	5	7	9	12	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	3.0	5	1	1	3	4	6	6	6
50-64	8	1.6		< 1	1	2	2	2	2	2
65 +	5	3.8	33	1	1	1	5	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	6.1	8	2	4	7	8	10	10	10
35-49	85	6.9	19	3	4	6	8	11	17	26
50-64	335	7.2	21	3	4	6	9	12	17	24
65 +	1505	9.4	66	3	5	7	11	16	23	61
B. Operated										
0-19 YRS	0									
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	15	5.9	34	1	1	5	10	11	19	22
50-64	75	7.3	33	1	2	6	12	15	20	23
65 +	170	16.2	189	2	8	13	21	34	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	4.9	6	3	3	5	6	8	10	14
B. Operated	18	2.6	10	1	1	2	2	5	11	14
2. MULTIPLE DX										
A. Not Operated	1933	8.9	56	3	5	7	11	16	21	55
B. Operated	263	13.0	153	2	5	10	18	29	37	98
1. SINGLE DX	97	4.5	8	2	3	4	6	8	10	14
2. MULTIPLE DX	2196	9.4	70	3	5	7	11	17	24	59
A. Not Operated	2012	8.7	55	3	5	7	10	15	21	54
B. Operated	281	12.3	150	1	4	9	17	27	36	95
TOTAL										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	12	5.3	9	2	3	5	8	9	10	10
35-49	114	6.3	20	2	4	5	7	11	16	24
50-64	444	6.9	23	2	4	6	9	13	17	24
65 +	1721	9.9	81	3	5	8	12	19	26	72
GRAND TOTAL	**2293**	**9.2**	**68**	**3**	**5**	**7**	**11**	**17**	**23**	**58**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.0	14	2	3	5	8	11	11	11
20-34	6	4.5	9	1	3	4	5	9	10	10
35-49	4	4.5	3	2	3	5	6	6	6	6
50-64	2	10.5	13	8	8	10	13	13	13	13
65 +	2	9.5	61	4	4	9	15	15	15	15
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	2.6	7	1	1	1	3	8	9	9
35-49	9	3.8	13	1	2	2	5	10	11	11
50-64	14	4.0	21	1	2	2	4	13	15	16
65 +	13	3.4	11	1	2	2	4	7	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.6	12	1	3	6	6	11	13	13
20-34	14	9.5	108	3	5	6	8	19	38	43
35-49	26	6.5	33	2	3	5	8	17	19	24
50-64	54	8.6	42	2	4	7	10	20	23	32
65 +	95	8.6	84	2	4	6	8	19	25	58
B. Operated										
0-19 YRS	9	14.4	190	1	3	10	23	36	42	42
20-34	25	8.2	35	2	3	7	11	16	21	23
35-49	58	9.1	61	1	2	7	13	22	25	29
50-64	83	12.7	226	2	3	8	17	30	40	79
65 +	131	13.8	196	3	4	9	18	35	44	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	6.1	15	2	4	5	8	12	14	15
B. Operated	53	3.4	12	1	1	2	4	9	12	16
2. MULTIPLE DX										
A. Not Operated	199	8.3	64	2	4	6	9	17	23	47
B. Operated	306	12.2	168	2	3	8	16	27	37	69
1. SINGLE DX	71	4.0	14	1	2	2	5	10	13	16
2. MULTIPLE DX	505	10.6	130	2	4	7	13	24	33	61
A. Not Operated	217	8.1	60	2	4	6	9	17	22	45
B. Operated	359	10.9	155	1	3	7	14	26	36	67
TOTAL										
0-19 YRS	25	8.6	90	2	3	6	10	22	31	42
20-34	60	6.7	48	1	2	5	9	14	19	41
35-49	97	7.7	50	1	2	5	10	20	24	28
50-64	153	10.5	146	2	3	7	13	24	32	73
65 +	241	11.2	149	2	4	7	13	26	37	64
GRAND TOTAL	**576**	**9.8**	**121**	**2**	**3**	**6**	**11**	**23**	**30**	**57**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	4	3.8	2	2	3	4	5	5	5	5
50-64	0									
65 +	4	8.3	50	3	3	6	13	18	18	18
B. Operated										
0-19 YRS	5	8.0	212	1	1	2	10	34	34	34
20-34	0									
35-49	0									
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.0	34	1	2	2	7	15	15	15
20-34	1	3.0		3	3	3	3	3	3	3
35-49	12	9.4	62	3	4	6	16	22	22	22
50-64	39	7.3	16	2	5	6	10	13	15	19
65 +	71	11.1	144	3	5	8	12	22	36	68
B. Operated										
0-19 YRS	7	8.3	140	1	2	2	9	29	34	34
20-34	5	11.4	151	1	2	8	19	31	31	31
35-49	22	5.0	31	1	2	4	6	11	18	26
50-64	45	9.2	103	2	2	5	12	23	42	99 +
65 +	73	11.6	75	2	4	11	15	24	31	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.0	21	2	2	4	5	12	17	18
B. Operated	13	4.3	80	1	1	2	3	10	29	34
2. MULTIPLE DX										
A. Not Operated	128	9.5	95	2	4	7	10	20	23	63
B. Operated	152	9.8	85	2	2	7	13	23	32	42
1. SINGLE DX	25	4.6	50	1	2	2	4	9	22	34
2. MULTIPLE DX	280	9.6	89	2	3	7	12	21	30	55
A. Not Operated	140	9.1	90	2	4	7	10	19	23	62
B. Operated	165	9.3	86	1	2	7	13	23	32	42
TOTAL										
0-19 YRS	19	6.7	106	1	1	2	6	26	34	34
20-34	8	8.5	104	1	2	4	11	26	31	31
35-49	38	6.3	41	1	2	4	7	19	22	26
50-64	88	8.0	62	2	3	6	10	17	24	77
65 +	152	11.0	106	2	4	8	14	23	31	61
GRAND TOTAL	**305**	**9.2**	**88**	**2**	**3**	**7**	**12**	**21**	**30**	**50**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	18	7.1	13	2	5	8	9	11	13	15
35-49	185	7.5	7	3	6	8	9	10	12	14
50-64	422	8.2	8	4	7	8	10	12	12	15
65 +	370	8.5	9	5	7	9	10	12	13	18
B. Operated										
0-19 YRS	0									
20-34	17	6.8	15	2	2	8	9	11	14	15
35-49	57	7.5	9	3	6	8	9	11	13	15
50-64	83	8.2	13	3	7	8	10	13	14	20
65 +	37	8.9	27	3	6	9	10	11	21	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	11.0	14	6	8	11	13	15	15	15
20-34	70	8.5	75	3	5	7	10	13	14	62
35-49	898	8.6	16	4	7	8	10	13	15	20
50-64	3470	9.5	23	5	7	9	11	14	16	25
65 +	8970	11.5	51	6	8	10	13	18	23	45
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	60	8.9	36	3	5	7	12	17	19	34
35-49	585	10.2	52	4	7	9	11	17	20	53
50-64	1594	12.5	81	6	8	10	14	22	31	57
65 +	1918	16.2	126	7	10	13	20	30	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	995	8.2	9	4	7	8	10	12	13	16
B. Operated	194	8.0	15	2	6	8	10	12	14	24
2. MULTIPLE DX										
A. Not Operated	13412	10.8	43	6	7	10	12	17	21	39
B. Operated	4159	13.8	102	6	8	11	16	25	35	73
1. SINGLE DX	1189	8.1	10	4	7	8	10	12	13	16
2. MULTIPLE DX	17571	11.5	59	6	8	10	13	18	24	50
A. Not Operated	14407	10.6	41	6	7	9	12	16	20	38
B. Operated	4353	13.6	100	6	8	11	16	25	34	71
TOTAL										
0-19 YRS	6	8.8	21	3	6	9	12	15	15	15
20-34	165	8.3	48	2	5	7	10	14	17	33
35-49	1725	9.0	28	4	7	8	10	13	17	28
50-64	5569	10.2	40	5	7	9	12	15	20	39
65 +	11295	12.2	66	6	8	10	14	20	27	54
GRAND TOTAL	**18760**	**11.3**	**56**	**6**	**8**	**10**	**13**	**18**	**24**	**48**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	3.0	8	1	1	2	3	7	11	11
35-49	154	3.0	4	1	2	3	4	5	7	10
50-64	221	3.1	3	1	2	3	4	5	6	9
65 +	165	3.2	4	2	2	3	4	5	6	8
B. Operated										
0-19 YRS	0									
20-34	9	2.1	1	1	1	2	3	4	4	4
35-49	66	2.4	4	1	1	2	3	6	7	8
50-64	92	2.2	3	1	1	2	2	4	7	10
65 +	55	1.9	3	1	1	2	2	2	4	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	74	3.4	4	1	2	3	4	6	7	11
35-49	868	3.4	5	1	2	3	4	6	7	12
50-64	2343	4.0	9	2	2	3	5	7	9	14
65 +	4287	4.9	24	2	3	4	6	8	11	22
B. Operated										
0-19 YRS	0									
20-34	19	4.7	19	1	2	3	6	10	15	19
35-49	420	3.9	15	1	2	2	5	8	11	20
50-64	1288	4.5	24	1	2	2	6	10	13	23
65 +	1117	5.9	44	1	2	3	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	3.1	4	1	2	3	4	5	6	9
B. Operated	222	2.2	3	1	1	2	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	7572	4.4	17	2	2	4	5	8	10	18
B. Operated	2844	5.0	31	1	2	3	7	11	14	28
1. SINGLE DX	773	2.8	4	1	2	2	4	5	6	9
2. MULTIPLE DX	10416	4.6	21	1	2	3	5	9	12	22
A. Not Operated	8123	4.3	16	2	2	3	5	8	10	17
B. Operated	3066	4.8	30	1	2	2	7	11	14	27
TOTAL										
0-19 YRS	0									
20-34	113	3.5	7	1	2	3	4	6	9	14
35-49	1508	3.5	8	1	2	3	4	7	9	15
50-64	3944	4.1	14	1	2	3	5	8	11	17
65 +	5624	5.0	27	2	2	4	6	9	12	26
GRAND TOTAL	**11189**	**4.5**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	19	3.6	3	2	2	3	4	6	8	9
35-49	242	3.3	3	1	2	3	4	5	7	8
50-64	498	3.6	5	2	2	3	5	6	8	12
65 +	544	4.2	6	2	3	4	5	7	9	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	43	3.7	6	1	2	2	5	8	8	9
50-64	96	4.2	9	1	2	4	6	8	10	13
65 +	44	5.7	18	2	2	5	7	12	16	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	89	4.4	11	2	2	4	5	8	11	19
35-49	1341	4.2	10	2	2	3	5	8	10	14
50-64	5135	4.8	11	2	3	4	6	8	10	16
65 +	11994	6.0	24	2	3	5	7	10	13	25
B. Operated										
0-19 YRS	0									
20-34	26	8.0	50	2	3	6	9	18	23	33
35-49	648	6.9	32	2	3	6	9	13	15	26
50-64	2323	8.2	50	2	3	7	11	16	20	33
65 +	2877	10.8	97	2	5	8	14	21	28	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1303	3.8	5	2	2	3	5	6	8	13
B. Operated	183	4.4	11	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. Not Operated	18561	5.5	20	2	3	4	7	10	12	22
B. Operated	5874	9.3	73	2	4	7	12	18	24	49
1. SINGLE DX	1486	3.9	6	2	2	3	5	7	8	14
2. MULTIPLE DX	24435	6.4	35	2	3	5	8	12	16	30
A. Not Operated	19864	5.4	19	2	3	4	7	9	12	21
B. Operated	6057	9.2	72	2	4	7	12	18	24	49
TOTAL										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	134	5.0	20	2	2	4	6	9	13	25
35-49	2274	4.9	17	2	2	4	6	9	12	19
50-64	8052	5.7	24	2	3	4	7	11	14	24
65 +	15459	6.8	41	2	3	5	8	13	17	34
GRAND TOTAL	**25921**	**6.3**	**34**	**2**	**3**	**5**	**8**	**12**	**16**	**29**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	13	3.8	6	1	2	3	5	8		9
50-64	33	3.1	3	1	2	3	4	6	6	9
65 +	27	3.4	5	1	2	3	4	7	8	10
B. Operated										
0-19 YRS	0									
20-34	12	2.6	3	1	2	2	3	5	8	8
35-49	315	3.0	8	1	1	2	3	8	10	12
50-64	1098	3.3	11	1	1	2	3	9	11	15
65 +	678	3.1	11	1	1	2	3	9	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	10	2.3	2	1	1	2	3	4	4	4
35-49	128	3.5	4	1	2	3	4	7	8	9
50-64	450	4.4	14	1	2	3	6	9	11	20
65 +	715	6.0	32	2	3	5	7	11	15	33
B. Operated										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	57	3.2	9	1	1	2	4	8	10	14
35-49	1415	4.6	26	1	2	3	6	10	14	22
50-64	5119	5.5	42	1	2	3	8	12	16	31
65 +	4350	7.2	72	1	2	4	10	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.3	4	1	2	3	4	6	7	10
B. Operated	2103	3.2	11	1	1	2	3	9	10	14
2. MULTIPLE DX										
A. Not Operated	1306	5.2	24	1	3	4	6	9	13	26
B. Operated	10944	6.0	53	1	2	3	9	14	18	36
1. SINGLE DX	2176	3.2	10	1	1	2	3	9	10	14
2. MULTIPLE DX	12250	5.9	50	1	2	3	8	13	18	35
A. Not Operated	1379	5.1	23	1	2	4	6	9	13	25
B. Operated	13047	5.6	47	1	2	3	8	13	17	33
TOTAL										
0-19 YRS	6	3.2	7	1	2	2	4	8	8	8
20-34	79	3.0	7	1	1	2	3	7	8	13
35-49	1871	4.2	21	1	2	2	6	10	12	20
50-64	6700	5.1	35	1	1	3	8	11	15	27
65 +	5770	6.5	62	1	2	3	9	15	19	40
GRAND TOTAL	**14426**	**5.5**	**45**	**1**	**2**	**3**	**8**	**12**	**17**	**32**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	23	8.7	16	3	6	9	11	14	15	16
35-49	28	8.9	13	4	7	9	11	12	16	18
50-64	41	10.3	17	6	8	9	13	17	19	20
65 +	27	9.0	19	6	7	9	10	11	14	28
B. Operated										
0-19 YRS	1	44.0		44	44	44	44	44	44	44
20-34	6	10.3	13	7	8	9	11	16	17	17
35-49	12	10.0	11	5	8	10	13	14	14	14
50-64	9	9.7	9	5	8	10	11	13	14	14
65 +	5	9.8	21	4	6	11	12	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	9.5	11	5	7	10	12	13	13	13
20-34	67	9.8	38	4	7	9	12	15	21	35
35-49	158	9.8	24	5	7	9	12	14	20	32
50-64	287	10.5	25	6	7	10	12	17	20	27
65 +	719	13.2	83	6	9	11	15	20	27	57
B. Operated										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	40	13.3	100	6	8	11	15	24	31	61
35-49	74	14.0	89	6	9	12	16	21	25	63
50-64	146	13.4	62	8	9	12	16	20	24	46
65 +	288	17.4	131	8	10	14	21	33	40	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	121	9.3	16	5	7	9	11	14	17	22
B. Operated	33	11.0	46	5	8	10	12	15	17	44
2. MULTIPLE DX										
A. Not Operated	1235	11.9	62	6	8	10	14	19	23	44
B. Operated	550	15.5	108	7	9	13	18	27	37	68
1. SINGLE DX	154	9.6	23	5	7	9	11	14	17	28
2. MULTIPLE DX	1785	13.0	79	6	8	11	15	21	28	55
A. Not Operated	1356	11.7	58	6	8	10	13	18	23	43
B. Operated	583	15.3	105	7	9	12	18	27	36	66
TOTAL										
0-19 YRS	9	12.1	151	4	6	9	11	32	44	44
20-34	136	10.7	54	5	7	9	12	16	24	39
35-49	272	10.9	43	5	8	10	13	17	21	39
50-64	483	11.4	37	6	8	10	13	18	20	33
65 +	1039	14.2	99	7	9	12	16	24	32	62
GRAND TOTAL	**1939**	**12.8**	**75**	**6**	[illegible]	**11**	**15**	**20**	**27**	**54**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	13.0	72	7	7	13	19	19	19	19
20-34	5	25.0	271	5	12	29	34	48	48	48
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	1	52.0		52	52	52	52	52	52	52
65 +	3	6.3	12	3	4	6	9	10	10	10
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	21.0	281	3	6	17	33	47	49	49
20-34	63	22.9	159	6	13	24	30	40	45	50
35-49	56	25.2	161	10	15	28	35	45	47	97
50-64	50	24.9	129	9	15	28	31	41	43	45
65 +	117	27.3	240	9	15	26	36	47	57	91
B. Operated										
0-19 YRS	9	32.4	368	9	16	30	44	60	67	67
20-34	28	34.4	291	10	28	31	44	57	65	78
35-49	43	33.6	282	12	23	31	43	56	71	99 +
50-64	30	34.9	232	10	27	37	45	53	55	63
65 +	59	39.8	249	22	30	38	51	62	85	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	18.4	268	5	7	10	29	49	51	52
B. Operated	3	7.3	12	4	5	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	295	25.4	191	9	15	27	33	44	47	85
B. Operated	169	36.0	269	14	27	36	46	57	67	99 +
1. SINGLE DX	16	16.3	236	4	6	9	24	46	51	52
2. MULTIPLE DX	464	29.2	245	10	16	29	40	50	57	99
A. Not Operated	308	25.1	195	8	14	26	33	44	48	85
B. Operated	172	35.5	278	12	27	35	46	57	66	99 +
TOTAL										
0-19 YRS	21	24.7	319	5	10	19	40	49	57	67
20-34	97	26.1	227	6	14	28	35	45	50	71
35-49	101	28.4	232	11	16	28	39	50	59	99 +
50-64	82	28.7	197	9	16	29	39	46	51	61
65 +	179	31.0	282	10	19	30	42	54	64	99 +
GRAND TOTAL	**480**	**28.8**	**250**	**9**	**16**	**29**	**40**	**50**	**57**	**98**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.8	18	< 1	1	2	4	11	14	16
20-34	11	2.3	2	1	1	2	3	4	4	4
35-49	21	1.8	1	1	1	2	2	3	4	4
50-64	37	2.4	2	1	1	2	3	5	6	6
65 +	33	2.4	1	1	2	2	3	4	4	4
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	1	11.0		11	11	11	11	11	11	11
35-49	2	11.0	8	9	9	11	13	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	4.3	20	1	1	3	4	13	14	16
20-34	46	2.5	3	1	1	2	3	5	6	8
35-49	93	3.2	7	1	1	2	4	6	7	16
50-64	228	4.1	23	1	2	3	5	7	9	20
65 +	560	5.9	31	2	3	4	7	11	15	34
B. Operated										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	5	3.0	5	1	1	3	4	6	6	6
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	7	5.9	15	1	2	7	9	10	10	10
65 +	56	15.8	131	5	8	12	20	32	41	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	2.5	4	1	1	2	3	4	5	13
B. Operated	6	6.7	25	1	2	6	11	13	13	13
2. MULTIPLE DX										
A. Not Operated	949	5.0	27	1	2	4	6	10	13	32
B. Operated	74	13.1	125	2	6	10	18	27	37	55
1. SINGLE DX	126	2.7	6	1	1	2	3	5	7	14
2. MULTIPLE DX	1023	5.6	38	1	2	4	6	11	16	37
A. Not Operated	1069	4.7	25	1	2	3	5	9	12	31
B. Operated	80	12.6	120	2	6	10	17	26	37	54
TOTAL										
0-19 YRS	47	3.9	17	1	1	2	4	12	14	16
20-34	63	2.7	4	1	1	2	3	5	6	11
35-49	118	3.2	8	1	1	2	4	7	8	15
50-64	272	3.9	20	1	2	3	5	7	9	19
65 +	649	6.6	47	2	3	5	8	13	19	40
GRAND TOTAL	**1149**	**5.3**	**35**	**1**	**2**	**4**	**6**	**10**	**15**	**34**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.7	4	< 1	1	2	4	6	7	7
20-34	72	2.3	2	< 1	1	2	3	4	5	8
35-49	108	1.8	1	1	1	1	2	3	4	6
50-64	218	2.6	4	< 1	1	2	3	5	7	12
65 +	263	3.3	8	1	2	3	4	6	8	17
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	1.5		1	1	1	2	2	2	2
50-64	5	1.8		1	1	2	2	2	2	2
65 +	7	4.6	29	< 1	1	2	7	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	4.5	8	1	2	4	6	9	10	11
20-34	146	2.7	4	1	1	2	3	5	7	9
35-49	362	3.9	12	1	2	3	5	8	10	18
50-64	1516	4.6	13	1	2	4	6	9	11	18
65 +	4777	6.4	38	2	3	5	8	12	17	36
B. Operated										
0-19 YRS	4	14.3	322	2	2	8	26	40	40	40
20-34	5	3.2	6	1	2	2	5	7	7	7
35-49	25	9.6	86	1	3	6	13	23	31	36
50-64	122	9.5	63	2	4	8	12	19	24	40
65 +	515	13.4	176	3	5	9	17	31	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	679	2.7	5	1	1	2	3	5	7	11
B. Operated	19	2.7	12	1	1	2	2	6	12	15
2. MULTIPLE DX										
A. Not Operated	6841	5.8	31	2	3	4	7	11	15	29
B. Operated	671	12.5	154	2	5	9	16	27	44	99 +
1. SINGLE DX	698	2.7	5	1	1	2	3	5	7	13
2. MULTIPLE DX	7512	6.4	45	2	3	5	8	12	18	39
A. Not Operated	7520	5.5	29	1	2	4	7	11	14	29
B. Operated	690	12.2	153	2	4	9	16	27	42	99 +
TOTAL										
0-19 YRS	62	4.6	29	1	2	3	6	8	11	37
20-34	224	2.5	3	1	1	2	3	5	6	9
35-49	501	3.7	15	1	1	2	4	8	10	22
50-64	1861	4.7	17	1	2	4	6	9	12	20
65 +	5562	6.9	54	2	3	5	8	14	19	46
GRAND TOTAL	**8210**	**6.1**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**38**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	4.3	18	1	2	3	5	8	11	28
20-34	62	2.7	4	1	1	2	4	6	7	9
35-49	123	2.8	4	1	1	2	3	6	7	9
50-64	128	3.3	5	1	2	3	4	6	7	12
65 +	155	3.9	10	1	2	3	5	7	9	20
B. Operated										
0-19 YRS	25	4.4	9	2	2	4	6	9	31	99 +
20-34	8	10.9	61	3	4	10	15	23	26	26
35-49	15	6.8	49	2	4	5	7	8	25	31
50-64	49	4.5	12	1	2	4	6	8	10	17
65 +	129	4.6	8	2	3	4	6	9	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	150	3.8	14	1	1	3	5	8	11	18
20-34	210	3.0	4	1	2	3	4	6	7	10
35-49	541	4.0	10	1	2	3	5	7	10	19
50-64	1533	5.4	30	2	3	4	6	10	14	29
65 +	4574	7.0	44	2	3	5	8	13	18	35
B. Operated										
0-19 YRS	73	9.2	157	2	3	5	11	21	31	98
20-34	38	5.1	19	1	2	4	6	13	14	16
35-49	95	8.2	106	1	3	6	10	16	22	65
50-64	450	10.3	120	2	4	7	12	21	33	79
65 +	2668	10.5	93	3	5	8	13	21	27	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	541	3.4	8	1	2	3	4	6	8	12
B. Operated	226	4.9	15	2	3	4	6	10	11	27
2. MULTIPLE DX										
A. Not Operated	7008	6.2	38	2	3	5	7	12	16	29
B. Operated	3324	10.3	98	3	5	8	13	21	28	82
1. SINGLE DX	767	3.8	10	1	2	3	5	7	10	17
2. MULTIPLE DX	10332	7.5	61	2	3	5	9	15	21	45
A. Not Operated	7549	6.0	36	2	3	5	7	11	16	29
B. Operated	3550	10.0	94	3	4	8	12	20	27	81
TOTAL										
0-19 YRS	321	5.2	51	1	2	3	6	11	17	49
20-34	318	3.4	9	1	2	3	4	6	9	15
35-49	774	4.4	24	1	2	3	5	8	11	21
50-64	2160	6.3	52	2	3	4	7	12	18	38
65 +	7526	8.1	63	2	4	6	10	16	22	49
GRAND TOTAL	**11029**	**7.3**	**58**	**2**	**3**	**5**	**9**	**15**	**20**	**44**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	9.7	190	2	3	4	8	37	43	45
20-34	1	3.0		3	3	3	3	3	3	3
35-49	16	4.9	8	1	3	4	6	10	11	11
50-64	52	4.5	9	2	3	4	5	8	11	17
65 +	286	5.2	10	2	3	5	6	9	11	16
B. Operated										
0-19 YRS	2	12.5	145	4	4	12	21	21	21	21
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	5.5	25	2	4	9	77	99 +	99 +	99 +
65 +	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	7.0	51	2	3	5	8	17	21	35
20-34	112	6.9	26	2	3	5	9	15	20	22
35-49	626	7.6	51	2	4	6	9	13	18	44
50-64	4025	8.0	41	3	4	6	10	15	19	32
65 +	21703	9.4	68	3	5	7	11	17	23	50
B. Operated										
0-19 YPS	41	17.8	397	2	6	13	23	41	63	98
20-34	34	8.9	71	3	4	6	11	20	30	40
35-49	114	9.6	71	2	4	8	12	21	28	69
50-64	631	13.5	137	3	6	10	17	28	40	99 +
65 +	2548	17.3	213	5	8	13	22	39	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	368	5.2	16	2	3	4	6	9	11	17
B. Operated	10	4.7	39	1	1	3	8	53	96	99 +
2. MULTIPLE DX										
A. Not Operated	26599	9.1	63	3	5	7	11	17	22	47
B. Operated	3368	16.3	199	4	8	12	21	37	54	99 +
1. SINGLE DX	378	5.2	16	2	3	4	6	9	12	21
2. MULTIPLE DX	29967	9.9	84	3	5	7	12	19	26	60
A. Not Operated	26967	9.0	63	3	5	7	11	17	22	46
B. Operated	3378	16.2	199	4	8	12	21	37	54	99 +
TOTAL										
0-19 YRS	189	9.6	153	2	3	5	12	21	31	65
20-34	148	7.3	37	2	3	6	9	15	21	32
35-49	758	7.8	54	2	4	6	10	14	19	44
50-64	4710	8.7	57	3	4	7	11	16	21	43
65 +	24540	10.1	88	3	5	8	12	19	27	64
GRAND TOTAL	**30345**	**9.8**	**83**	**3**	**5**	**7**	**12**	**19**	**26**	**60**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	5.2	25	2	3	3	6	14	14	14
35-49	4	5.0	18	2	2	4	8	11	11	11
50-64	6	4.3	3	1	4	5	6	6	6	6
65 +	5	4.2	6	1	2	4	6	7	7	7
B. Operated										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	8	4.8	24	1	1	3	7	13	15	15
35-49	32	2.5	3	1	1	2	3	5	7	7
50-64	38	1.7	1	1	1	2	2	2	4	5
65 +	13	3.3	32	1	1	2	2	7	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.1	22	2	2	4	9	14	16	16
20-34	42	7.0	17	2	3	6	10	13	15	17
35-49	119	8.6	70	2	4	6	10	16	24	49
50-64	321	8.3	52	3	4	6	10	16	19	45
65 +	569	10.0	77	3	5	8	12	18	24	51
B. Operated										
0-19 YRS	33	11.1	92	2	2	8	17	26	29	34
20-34	24	6.3	42	1	1	4	10	16	19	25
35-49	87	6.1	64	1	2	3	7	16	22	44
50-64	184	7.3	73	1	2	4	10	17	26	49
65 +	178	11.3	201	1	2	7	16	25	49	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.7	10	1	2	4	6	9	12	14
B. Operated	97	2.4	8	1	1	2	2	4	6	19
2. MULTIPLE DX										
A. Not Operated	1065	9.2	67	3	4	7	11	17	22	48
B. Operated	506	8.7	121	1	2	5	12	21	29	76
1. SINGLE DX	117	2.8	9	1	1	2	3	5	7	17
2. MULTIPLE DX	1571	9.0	84	2	3	7	11	18	25	56
A. Not Operated	1085	9.1	66	3	4	7	11	17	22	48
B. Operated	603	7.7	108	1	2	3	11	19	26	65
TOTAL										
0-19 YRS	53	8.7	74	2	2	5	14	23	28	34
20-34	79	6.4	25	1	2	5	10	14	16	23
35-49	242	6.8	62	1	2	4	8	15	22	43
50-64	549	7.5	58	1	2	6	9	16	21	44
65 +	765	10.2	106	2	4	8	13	20	27	71
GRAND TOTAL	**1688**	**8.6**	**81**	**2**	**3**	**6**	**11**	**17**	**24**	**55**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.7	18	1	2	3	4	5	11	22
20-34	77	3.1	3	1	2	3	4	5	6	9
35-49	98	3.5	10	1	2	3	4	6	7	22
50-64	64	3.2	3	1	2	3	4	6	7	8
65 +	18	3.7	8	1	2	3	4	6	11	14
B. Operated										
0-19 YRS	29	3.3	13	1	1	2	3	9	10	16
20-34	18	3.7	15	1	1	2	6	9	13	15
35-49	43	3.3	11	1	1	2	5	9	11	12
50-64	74	3.9	27	1	1	2	6	9	12	31
65 +	96	3.6	22	1	1	2	3	11	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	5.6	26	1	2	4	7	14	16	22
20-34	197	4.6	18	1	2	3	6	9	11	26
35-49	317	4.6	19	2	2	3	6	8	12	23
50-64	443	6.1	28	2	3	5	8	12	15	30
65 +	858	7.9	56	2	4	6	10	15	21	40
B. Operated										
0-19 YRS	88	7.7	148	1	2	3	10	20	25	99
20-34	68	10.9	147	2	3	6	13	22	30	65
35-49	149	8.1	66	1	2	6	11	18	23	42
50-64	557	10.2	122	1	2	8	13	22	29	58
65 +	1002	11.2	122	1	2	9	15	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	280	3.3	7	1	2	3	4	6	7	15
B. Operated	260	3.7	20	1	1	2	4	9	12	21
2. MULTIPLE DX										
A. Not Operated	1866	6.5	40	2	3	5	8	13	17	35
B. Operated	1864	10.4	120	1	2	8	14	23	31	58
1. SINGLE DX	540	3.5	13	1	1	2	4	8	10	19
2. MULTIPLE DX	3730	8.5	84	1	3	6	11	19	25	49
A. Not Operated	2146	6.1	37	2	3	4	7	12	16	31
B. Operated	2124	9.6	113	1	2	7	13	22	29	57
TOTAL										
0-19 YRS	191	6.0	82	1	2	3	7	15	21	73
20-34	360	5.4	46	1	2	3	6	11	16	33
35-49	607	5.2	31	1	2	3	6	11	15	29
50-64	1138	7.8	78	1	2	5	10	17	23	45
65 +	1974	9.3	91	1	3	7	13	21	27	53
GRAND TOTAL	**4270**	**7.9**	**78**	**1**	**2**	**5**	**10**	**17**	**24**	**47**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	0									
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	0									
B. Operated										
0-19 YRS	3	22.3	10	20	20	21	25	26	26	26
20-34	9	13.6	44	5	11	13	17	23	25	25
35-49	24	12.7	61	3	6	12	20	23	24	25
50-64	16	14.6	116	1	6	16	20	26	37	42
65+	6	26.2	243	11	12	23	40	47	48	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	10.0	19	5	7	12	13	13	13	13
20-34	6	4.3	16	<1	2	2	9	10	10	10
35-49	7	9.1	38	1	4	9	13	18	19	19
50-64	10	10.3	185	1	1	2	20	32	40	40
65+	33	18.2	214	3	7	18	26	41	61	99+
B. Operated										
0-19 YRS	3	16.0	63	10	11	19	62	99+	99+	99+
20-34	23	16.0	67	4	11	15	22	27	30	33
35-49	65	26.0	368	8	14	21	43	84	99+	99+
50-64	61	30.3	500	10	15	23	50	89	99+	99+
65+	50	29.1	458	9	14	26	54	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		<1	<1	<1	1	1	1	1
B. Operated	58	15.3	101	2	10	14	21	26	36	48
2. MULTIPLE DX										
A. Not Operated	59	13.9	178	1	3	9	21	35	42	96
B. Operated	202	26.7	406	9	14	22	45	89	99+	99+
1. SINGLE DX	62	14.3	107	1	7	13	21	25	34	47
2. MULTIPLE DX	261	23.9	382	5	11	20	37	74	99+	99+
A. Not Operated	63	13.1	177	1	2	9	21	35	42	95
B. Operated	260	24.2	360	7	13	20	35	74	99+	99+
TOTAL										
0-19 YRS	10	14.6	69	3	10	13	24	56	96	99+
20-34	38	13.6	69	2	9	13	17	26	28	33
35-49	96	21.4	309	5	10	19	32	62	99+	99+
50-64	90	24.3	457	2	10	19	40	74	97	99+
65+	89	24.8	373	6	11	22	39	75	99+	99+
GRAND TOTAL	**323**	**22.0**	**343**	**3**	**10**	**18**	**32**	**64**	**99+**	**93+**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	21.0	109	14	14	16	29	33	33	33
B. Operated										
0-19 YRS	0									
20-34	3	32.3	505	13	20	42	78	99+	99+	99+
35-49	11	34.9	742	7	15	34	79	99+	99+	99+
50-64	6	55.5	786	20	32	58	69	94	97	97
65+	4	37.0	531	13	20	49	72	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6	15.3	105	1	14	14	16	31	33	33
B. Operated	24	40.1	691	13	21	44	72	99+	99+	99+
1. SINGLE DX	0									
2. MULTIPLE DX	30	35.1	667	12	14	32	66	99+	99+	99+
A. Not Operated	6	15.3	105	1	14	14	16	31	33	33
B. Operated	24	40.1	691	13	21	44	72	99+	99+	99+
TOTAL										
0-19 YRS	0									
20-34	4	27.8	421	13	14	27	68	99+	99+	99+
35-49	12	33.2	711	7	14	30	76	99+	99+	99+
50-64	7	47.7	1079	4	22	50	68	91	97	97
65+	7	30.1	375	13	15	28	56	89	99+	99+
GRAND TOTAL	**30**	**35.1**	**667**	**12**	**14**	**32**	**66**	**99+**	**99+**	**99+**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.3	26	2	3	5	10	12	12	12
20-34	7	4.4	12	< 1	2	3	7	10	10	10
35-49	4	10.0	198	< 1	2	4	18	31	31	31
50-64	9	16.4	745	2	4	6	15	59	88	88
65 +	14	9.0	36	2	4	10	13	17	19	19
B. Operated										
0-19 YRS	4	7.5	40	1	3	6	12	16	16	16
20-34	11	7.5	56	< 1	2	5	10	18	26	27
35-49	9	9.9	57	1	5	9	13	22	26	26
50-64	15	10.0	81	5	6	7	9	19	34	39
65 +	19	11.8	64	6	7	9	15	27	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.8	14	1	2	4	8	10	10	10
20-34	11	8.6	55	1	2	6	17	20	20	20
35-49	31	11.7	113	4	6	9	12	24	25	58
50-64	107	16.0	264	4	7	12	19	37	70	99 +
65 +	463	17.8	269	4	7	13	23	40	59	99 +
B. Operated										
0-19 YRS	15	25.3	552	7	9	14	39	61	80	86
20-34	14	13.6	112	3	7	11	25	33	83	99 +
35-49	38	20.8	407	4	8	15	32	65	98	99 +
50-64	80	19.6	224	6	9	17	34	73	99 +	99 +
65 +	235	29.4	488	8	14	26	50	95	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	9.8	216	2	3	5	11	17	27	88
B. Operated	58	9.9	63	2	6	8	12	22	29	38
2. MULTIPLE DX										
A. Not Operated	617	16.9	258	4	7	12	21	38	59	99 +
B. Operated	382	25.8	434	7	11	22	40	89	99 +	99 +
1. SINGLE DX	95	9.9	121	2	4	7	12	19	29	66
2. MULTIPLE DX	999	20.3	344	5	8	15	28	58	92	99 +
A. Not Operated	654	16.5	258	4	7	12	21	37	59	99 +
B. Operated	440	23.7	413	6	9	19	37	80	99 +	99 +
TOTAL										
0-19 YRS	27	16.8	401	2	5	10	17	43	65	86
20-34	43	9.3	74	1	3	7	12	26	32	99 +
35-49	82	15.7	264	4	6	10	23	35	63	99 +
50-64	211	17.0	258	4	7	13	22	44	87	99 +
65 +	731	21.2	363	5	9	16	29	59	92	99 +
GRAND TOTAL	**1094**	**19.4**	**333**	**4**	**8**	**14**	**27**	**55**	**89**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	22.0		22	22	22	22	22	22	22
35-49	9	14.1	215	3	4	8	18	39	48	48
50-64	46	22.3	325	7	11	16	28	53	71	99 +
65 +	161	21.8	283	7	11	17	28	50	70	99 +
B. Operated										
0-19 YRS	2	30.5	545	14	14	30	47	47	47	47
20-34	1	15.0		15	15	57	99 +	99 +	99 +	99 +
35-49	13	21.8	381	7	8	18	35	99 +	99 +	99 +
50-64	15	33.6	624	12	17	30	57	99	99 +	99 +
65 +	52	37.4	721	7	20	34	77	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	217	21.6	288	7	10	17	27	49	69	99 +
B. Operated	83	33.8	653	7	15	32	75	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	300	25.0	417	7	11	19	35	76	99 +	99 +
A. Not Operated	217	21.6	288	7	10	17	27	49	69	99 +
B. Operated	83	33.8	653	7	15	32	75	99 +	99 +	99 +
TOTAL										
0-19 YRS	2	30.5	545	14	14	30	47	47	47	47
20-34	2	18.5	25	15	17	22	80	99 +	99 +	99 +
35-49	22	18.7	315	4	7	15	28	80	99 +	99 +
50-64	61	25.1	413	7	11	18	37	71	97	99 +
65 +	213	25.6	432	7	11	20	35	76	98	99 +
GRAND TOTAL	**300**	**25.0**	**417**	**7**	**11**	**19**	**35**	**76**	**99 +**	**99 +**

259 Hospitals, North Eastern Region,January-December 1988

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	6.0	9	3	4	5	8	10	10	10
50-64	12	4.2	5	1	2	5	5	7	8	8
65 +	24	5.0	8	2	3	5	6	10	10	11
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	14	3.1	3	1	1	3	4	5	7	7
50-64	118	3.9	8	1	2	3	5	8	10	12
65 +	156	4.3	10	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	14.0	162	5	5	14	23	23	23	23
35-49	10	3.8	7	< 1	1	3	5	8	8	8
50-64	72	4.6	12	1	2	4	6	9	13	18
65 +	310	8.4	109	2	3	6	9	14	22	56
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	54	5.0	13	1	2	4	7	10	11	21
50-64	549	6.5	41	2	3	5	8	13	15	27
65 +	1293	7.9	62	2	4	6	9	15	22	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	4.9	7	2	3	5	6	9	10	11
B. Operated	291	4.1	9	1	2	4	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	394	7.6	91	2	3	5	8	13	21	55
B. Operated	1896	7.4	55	2	4	5	9	14	21	45
1. SINGLE DX	332	4.2	8	1	2	4	5	8	10	15
2. MULTIPLE DX	2290	7.5	61	2	3	5	9	14	21	49
A. Not Operated	435	7.4	84	2	3	5	8	13	20	55
B. Operated	2187	7.0	50	2	3	5	8	13	20	41
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	8.5	97	1	3	5	14	23	23	23
35-49	83	4.6	11	1	2	4	6	9	10	18
50-64	751	5.9	33	1	3	5	7	12	14	26
65 +	1783	7.6	66	2	4	6	9	15	21	51
GRAND TOTAL	**2622**	**7.0**	**55**	**2**	**3**	**5**	**8**	**13**	**20**	**46**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	15	14.9	118	6	8	11	16	37	41	42
65 +	26	13.2	79	4	6	13	17	31	48	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	6.3	4	4	5	7	8	8	8	8
50-64	28'	10.2	74	2	4	6	16	24	26	30
65 +	52	13.4	200	3	5	10	17	56	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	43	13.5	89	4	7	12	16	32	40	99 +
B. Operated	83	12.1	153	3	5	9	17	26	63	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	126	12.6	130	3	5	10	17	28	56	99 +
A. Not Operated	43	13.5	89	4	7	12	16	32	40	99 +
B. Operated	83	12.1	153	3	5	9	17	26	63	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	5	7.0	8	4	5	7	9	11	11	11
50-64	43	11.8	92	3	5	9	16	24	32	42
65 +	78	13.3	158	4	5	11	17	40	81	99 +
GRAND TOTAL	**126**	**12.6**	**130**	**3**	**5**	**10**	**17**	**28**	**56**	**99 +**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	10.5	61	5	5	10	16	16	16	16
35-49	11	6.5	6	3	5	6	8	10	11	11
50-64	80	6.6	23	2	4	5	9	13	16	24
65 +	179	7.3	32	3	4	6	9	13	22	28
B. Operated										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	4	7.5	7	5	5	7	9	11	11	11
35-49	5	7.0	11	3	4	9	9	10	10	10
50-64	13	7.1	10	3	5	7	9	11	13	13
65 +	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	9.0	39	4	5	7	14	16	16	16
20-34	30	10.9	152	3	5	7	11	21	38	63
35-49	178	10.2	100	3	5	7	11	23	33	65
50-64	1108	11.3	128	3	5	8	14	23	36	99
65 +	5995	14.4	187	4	6	10	18	32	49	99 +
B. Operated										
0-19 YRS	3	8.3	25	3	4	9	12	13	13	13
20-34	12	21.3	640	5	6	14	24	56	89	94
35-49	65	14.7	208	4	6	11	16	32	55	98
50-64	198	18.1	287	4	7	12	23	49	79	99 +
65 +	875	27.2	501	7	11	21	44	85	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	274	7.1	29	3	4	6	9	13	20	26
B. Operated	27	6.8	9	3	4	7	9	11	12	13
2. MULTIPLE DX										
A. Not Operated	7314	13.8	177	4	6	10	17	30	45	99 +
B. Operated	1153	24.8	466	6	10	18	39	79	99 +	99 +
1. SINGLE DX	301	7.0	27	3	4	6	9	13	18	26
2. MULTIPLE DX	8467	15.3	231	4	6	10	19	36	58	99 +
A. Not Operated	7588	13.5	173	4	6	9	16	30	44	99 +
B. Operated	1180	24.4	463	6	10	18	38	78	99 +	99 +
TOTAL										
0-19 YRS	11	6.2	24	1	3	4	9	14	16	16
20-34	48	13.2	269	3	6	7	15	25	42	94
35-49	259	11.1	126	3	5	8	12	25	35	85
50-64	1399	11.9	151	3	5	8	14	26	43	99 +
65 +	7051	15.8	242	4	6	11	20	37	62	99 +
GRAND TOTAL	**8768**	**15.0**	**226**	**4**	**6**	**10**	**18**	**36**	**58**	**99 +**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	14	11.5	201	3	4	8	11	22	50	58
35-49	84	13.8	144	5	7	10	16	26	41	62
50-64	435	15.8	194	4	7	11	20	34	48	91
65 +	2093	18.6	250	6	8	14	24	42	62	99 +
B. Operated										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	5	5.6	8	2	3	7	8	91	99 +	99 +
35-49	18	18.6	161	7	11	14	32	44	76	99 +
50-64	74	23.3	458	6	8	14	33	59	74	99
65 +	297	33.3	489	11	18	28	50	85	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2627	17.9	238	5	8	13	23	40	58	99 +
B. Operated	395	30.4	489	8	15	25	46	79	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	3022	19.6	289	6	8	14	26	46	69	99 +
A. Not Operated	2627	17.9	238	5	8	13	23	40	58	99 +
B. Operated	395	30.4	489	8	15	25	46	79	99 +	99 +
TOTAL										
0-19 YRS	2	31.0	32	27	27	31	35	35	35	35
20-34	19	9.9	154	2	4	8	10	38	79	99 +
35-49	102	14.6	149	5	7	11	17	34	46	81
50-64	509	16.9	238	5	7	12	21	36	54	95
65 +	2390	20.4	303	6	9	15	27	48	72	99 +
GRAND TOTAL	**3022**	**19.6**	**289**	**6**	**8**	**14**	**26**	**46**	**69**	**99 +**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	16	2.1	2	1	1	2	3	4	5	5
35-49	49	4.1	7	1	3	4	5	8	10	15
50-64	115	4.0	10	1	2	3	5	6	9	19
65 +	267	4.6	37	1	2	3	5	8	10	38
B. Operated										
0-19 YRS	0									
20-34	4	2.8	2	1	2	3	4	4	4	4
35-49	8	4.1	4	2	3	4	5	7	8	8
50-64	25	3.6	8	1	1	3	5	8	9	9
65 +	22	4.1	10	1	2	3	6	9	11	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.2		2	2	2	3	3	3	3
20-34	27	4.6	28	1	2	3	4	15	18	21
35-49	208	4.7	10	2	3	4	6	8	11	16
50-64	1060	5.4	22	2	3	4	7	10	12	26
65 +	5892	7.7	78	2	3	5	9	14	22	69
B. Operated										
0-19 YRS	0									
20-34	10	5.9	28	1	1	5	9	14	17	17
35-49	37	6.6	14	2	4	6	9	12	13	16
50-64	203	8.5	71	2	4	6	10	17	21	49
65 +	703	12.9	195	2	5	9	15	33	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	448	4.3	26	1	2	3	5	7	10	21
B. Operated	59	3.8	8	1	1	3	5	8	9	12
2. MULTIPLE DX										
A. Not Operated	7192	7.3	68	2	3	5	8	13	20	61
B. Operated	953	11.6	164	2	4	8	14	28	45	99 +
1. SINGLE DX	507	4.3	24	1	2	3	5	8	10	19
2. MULTIPLE DX	8145	7.8	82	2	3	5	9	15	23	70
A. Not Operated	7640	7.1	66	2	3	5	8	13	19	59
B. Operated	1012	11.2	158	2	4	7	13	27	44	99 +
TOTAL										
0-19 YRS	6	2.0		1	2	2	2	3	3	3
20-34	57	4.0	20	1	1	3	4	9	17	21
35-49	302	4.8	10	2	3	4	6	9	11	16
50-64	1403	5.7	30	2	3	4	7	10	14	28
65 +	6884	8.1	91	2	3	6	9	16	25	79
GRAND TOTAL	**8652**	**7.6**	**79**	**2**	**3**	**5**	**9**	**14**	**22**	**66**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	3.2	3	1	2	4	4	5	5	5
50-64	15	7.3	60	1	3	4	9	21	26	28
65 +	65	6.2	20	2	3	6	7	11	16	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	6.0		6	6	6	6	6	6	6
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.5	33	2	2	5	11	14	14	14
20-34	4	10.3	80	4	4	7	16	23	23	23
35-49	32	6.3	27	2	3	6	8	10	10	30
50-64	223	8.7	61	2	4	7	11	18	25	45
65 +	1228	11.8	149	3	5	8	14	25	39	97
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	7	14.6	115	4	7	13	17	32	36	36
50-64	24	9.7	42	3	5	8	13	16	22	31
65 +	157	24.1	423	6	10	19	37	74	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	6.2	26	1	3	5	7	11	19	27
B. Operated	4	7.5	27	3	4	6	11	15	15	15
2. MULTIPLE DX										
A. Not Operated	1491	11.2	135	3	5	8	13	24	36	93
B. Operated	188	21.9	387	6	9	16	30	68	92	99 +
1. SINGLE DX	90	6.2	26	2	3	5	7	12	19	27
2. MULTIPLE DX	1679	12.4	174	3	5	8	15	27	44	99 +
A. Not Operated	1577	11.0	130	3	5	8	13	23	35	91
B. Operated	192	21.6	383	6	9	15	29	67	91	99 +
TOTAL										
0-19 YRS	4	6.5	33	2	2	5	11	14	14	14
20-34	5	8.6	74	2	3	4	13	23	23	23
35-49	45	7.4	47	2	3	6	9	15	20	36
50-64	264	8.7	59	2	4	7	11	18	24	37
65 +	1451	12.9	189	3	5	9	15	29	47	99 +
GRAND TOTAL	**1769**	**12.1**	**168**	**3**	**5**	**8**	**14**	**27**	**43**	**99 +**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	5.7	17	2	3	5	7	13	14	14
50-64	53	8.5	48	4	5	7	10	14	18	44
65 +	378	15.8	229	4	7	11	19	34	56	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	19.3	533	6	6	6	36	46	46	46
50-64	9	20.4	387	6	7	9	33	53	54	54
65 +	39	28.3	599	8	12	20	50	78	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	443	14.6	209	4	6	11	18	32	50	99 +
B. Operated	51	26.4	551	6	10	17	46	75	94	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	494	15.8	256	4	6	11	19	36	58	99 +
A. Not Operated	443	14.6	209	4	6	11	18	32	50	99 +
B. Operated	51	26.4	551	6	10	17	46	75	94	99 +
TOTAL										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	8.6	129	2	3	5	8	17	40	46
50-64	62	10.2	110	4	5	7	11	17	36	54
65 +	417	16.9	276	4	7	12	20	39	63	99 +
GRAND TOTAL	**494**	**15.8**	**256**	**4**	**6**	**11**	**19**	**36**	**58**	**99 +**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	20	3.2	4	1	2	3	4	6	7	7
50-64	22	3.2	3	1	2	3	4	6	7	7
65 +	32	5.7	43	1	2	4	6	12	21	33
B. Operated										
0-19 YRS	6	4.8	11	1	2	5	6	10	10	10
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	24	5.9	26	1	1	3	10	13	16	16
50-64	24	4.6	18	1	1	2	8	12	13	13
65 +	9	2.4	5	1	1	2	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.5	13	2	3	4	8	10	13	14
20-34	11	2.7	3	1	1	2	4	5	7	7
35-49	76	5.2	21	2	3	4	7	10	11	82
50-64	178	6.0	30	2	3	4	7	14	18	32
65 +	689	10.1	129	3	4	6	12	22	38	99 +
B. Operated										
0-19 YRS	14	11.8	235	1	1	8	11	28	52	59
20-34	15	14.8	438	2	3	7	22	74	93	99 +
35-49	42	12.7	244	2	5	9	16	23	36	93
50-64	64	12.6	169	1	3	11	16	34	77	99 +
65 +	110	15.6	336	2	4	11	19	50	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	4.1	21	1	2	3	5	7	10	30
B. Operated	66	4.7	19	1	1	2	8	11	13	16
2. MULTIPLE DX										
A. Not Operated	967	8.8	103	2	3	6	10	18	31	99 +
B. Operated	245	14.0	274	2	4	10	17	39	78	99 +
1. SINGLE DX	146	4.4	20	1	1	3	6	10	13	22
2. MULTIPLE DX	1212	9.9	142	2	4	6	12	22	39	99 +
A. Not Operated	1047	8.4	98	2	3	5	10	17	29	99
B. Operated	311	12.1	234	1	2	8	15	31	61	99 +
TOTAL										
0-19 YRS	35	7.6	109	1	2	5	9	14	23	59
20-34	33	8.2	201	1	2	3	7	32	71	99 +
35-49	162	7.0	88	1	2	4	9	14	20	87
50-64	288	7.1	66	1	2	4	9	16	26	99 +
65 +	840	10.6	156	2	4	6	12	25	43	99 +
GRAND TOTAL	**1358**	**9.3**	**132**	**2**	**3**	**6**	**11**	**20**	**36**	**99 +**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	6	5.5	4	2	5	6	7	8	8	8
50-64	6	2.5	3	< 1	1	2	4	5	5	5
65 +	13	4.2	9	1	1	4	7	8	8	8
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	4.4	15	< 1	1	4	7	10	11	11
35-49	31	4.4	11	1	1	4	7	9	10	11
50-64	156	5.3	24	1	1	5	8	10	12	19
65 +	151	5.6	25	1	1	5	8	12	13	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	8.5	61	3	3	8	14	14	14	14
35-49	15	7.9	39	1	2	8	10	18	21	22
50-64	40	6.8	22	1	3	7	10	11	12	25
65 +	178	9.3	58	2	5	8	11	16	20	49
B. Operated										
0-19 YRS	4	9.0	30	5	5	7	12	17	17	17
20-34	12	9.0	18	3	6	9	12	14	17	17
35-49	178	12.7	214	1	3	8	15	36	47	73
50-64	996	12.4	160	2	5	9	15	27	41	98
65 +	2728	15.5	205	3	7	11	19	34	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.3	7	1	1	4	7	8	8	8
B. Operated	346	5.4	23	1	1	5	8	11	12	20
2. MULTIPLE DX										
A. Not Operated	236	8.8	51	2	4	8	11	15	20	44
B. Operated	3918	14.5	195	2	6	11	18	32	47	99 +
1. SINGLE DX	372	5.3	22	1	1	5	8	11	12	20
2. MULTIPLE DX	4154	14.2	189	2	6	10	18	31	46	99 +
A. Not Operated	262	8.3	48	2	4	7	10	15	19	42
B. Operated	4264	13.8	187	2	6	10	17	31	45	99
TOTAL										
0-19 YRS	7	7.6	24	1	5	8	8	15	17	17
20-34	21	7.4	22	1	3	7	11	13	15	17
35-49	230	11.0	179	1	3	7	13	30	45	72
50-64	1198	11.2	144	1	5	8	13	25	37	89
65 +	3070	14.6	193	2	6	11	18	32	46	99 +
GRAND TOTAL	**4526**	**13.5**	**181**	**2**	**6**	**10**	**17**	**30**	**43**	**97**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	7	5.0	30	1	1	2	7	14	16	16
50-64	7	2.0	5	1	1	1	2	6	7	7
65 +	6	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	4.0	6	1	2	4	6	8	8	8
65 +	40	9.0	179	1	3	5	10	18	28	80
B. Operated										
0-19 YRS	0									
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	24	5.1	27	1	1	3	7	16	17	18
50-64	138	6.6	34	1	2	5	10	14	19	26
65 +	154	8.8	108	1	2	6	11	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	20	3.0	13	1	1	2	3	7	12	16
2. MULTIPLE DX										
A. Not Operated	49	8.0	151	1	3	5	9	17	21	80
B. Operated	320	7.5	71	1	2	5	10	17	24	39
1. SINGLE DX	21	2.9	13	1	1	2	3	7	12	16
2. MULTIPLE DX	369	7.6	81	1	2	5	10	17	24	40
A. Not Operated	50	7.9	149	1	2	4	9	16	20	80
B. Operated	340	7.2	69	1	2	5	10	16	24	39
TOTAL										
0-19 YRS	0									
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	33	4.9	26	1	1	2	7	16	17	18
50-64	152	6.2	33	1	2	4	9	13	18	26
65 +	201	8.6	120	1	2	5	10	20	28	64
GRAND TOTAL	**390**	**7.3**	**78**	**1**	**2**	**5**	**10**	**16**	**23**	**40**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	3.5	7	< 1	1	3	5	7	7	7
65 +	9	4.3	61	< 1	1	2	3	16	25	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	32	9.1	22	1	8	10	11	13	15	24
65 +	62	9.1	35	1	5	9	12	16	18	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	28	3.1	4	1	1	2	5	6	7	8
65 +	167	7.2	66	1	3	5	9	16	21	39
B. Operated										
0-19 YRS	0									
20-34	5	23.4	537	2	8	12	40	59	59	59
35-49	12	8.6	37	1	2	10	14	35	88	99 +
50-64	351	13.1	97	5	8	11	16	23	30	60
65 +	1189	15.9	154	7	10	12	18	31	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.1	42	< 1	1	2	3	11	22	25
B. Operated	95	9.0	31	1	6	9	11	15	18	29
2. MULTIPLE DX										
A. Not Operated	198	6.6	58	1	2	4	8	15	20	35
B. Operated	1557	15.2	143	6	9	12	18	29	42	99
1. SINGLE DX	108	8.4	34	1	3	9	11	15	18	28
2. MULTIPLE DX	1755	14.2	141	3	8	11	17	27	41	96
A. Not Operated	211	6.4	57	1	2	4	8	15	20	33
B. Operated	1652	14.9	139	6	9	12	17	28	41	98
TOTAL										
0-19 YRS	0									
20-34	5	23.4	537	2	8	12	40	59	59	59
35-49	16	7.4	34	1	2	8	13	18	72	99 +
50-64	415	12.0	92	2	8	10	14	22	28	59
65 +	1427	14.5	148	3	9	12	17	28	42	98
GRAND TOTAL	**1863**	**13.9**	**137**	**3**	**8**	**11**	**16**	**27**	**40**	**92**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.0	21	1	2	7	9	10	10	10
35-49	10	6.1	27	1	1	5	9	13	16	16
50-64	13	5.1	17	1	2	4	8	11	13	13
65 +	13	3.6	5	1	2	3	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	17	9.6	142	1	3	4	11	33	39	40
B. Operated										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	16	12.0	137	1	5	7	17	34	39	41
35-49	27	8.2	42	2	3	6	12	16	19	29
50-64	71	9.3	43	3	5	8	12	17	24	87
65 +	204	13.9	163	5	7	10	16	30	38	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B Operated	40	5.0	15	1	2	4	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	19	9.4	126	1	3	4	10	30	38	40
B. Operated	320	12.3	129	3	6	9	14	25	36	84
1. SINGLE DX	41	4.9	15	1	2	4	7	10	12	16
2. MULTIPLE DX	339	12.1	129	3	6	9	14	25	36	83
A. Not Operated	20	9.0	122	1	2	4	9	28	38	40
B. Operated	360	11.5	121	2	6	9	13	23	35	80
TOTAL										
0-19 YRS	3	10.0	117	1	2	7	18	22	22	22
20-34	20	10.9	116	1	5	7	12	28	38	41
35-49	37	7.6	38	2	3	6	12	16	17	29
50-64	85	8.6	41	2	5	8	11	17	21	78
65 +	235	13.0	158	3	6	9	15	29	38	84
GRAND TOTAL	**380**	**11.4**	**121**	**2**	**5**	**8**	**13**	**23**	**35**	**75**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	22	5.0	14	1	2	3	9	10	11	11
50-64	52	5.1	17	1	1	4	9	11	12	13
65 +	10	6.4	13	1	4	7	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.8	12	1	2	4	7	9	9	9
35-49	7	3.4	4	1	2	3	5	6	6	6
50-64	23	4.1	16	1	1	2	7	11	12	13
65 +	53	8.6	31	2	5	7	12	16	20	27
B. Operated										
0-19 YRS	5	38.2	1488	7	11	16	68	97	97	97
20-34	7	11.7	81	1	5	13	22	77	99 +	99 +
35-49	86	8.6	32	2	5	8	11	16	19	74
50-64	315	10.7	67	2	6	10	14	18	27	45
65 +	374	12.1	98	3	6	10	15	24	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.4	9	1	2	4	7	8	8	8
B. Operated	89	5.3	15	1	1	5	9	11	11	13
2. MULTIPLE DX										
A. Not Operated	87	6.8	28	1	2	6	10	14	18	25
B. Operated	787	11.3	91	2	6	10	14	22	29	59
1. SINGLE DX	94	5.2	15	1	1	5	9	11	11	13
2. MULTIPLE DX	874	10.9	86	2	5	9	14	21	28	57
A. Not Operated	92	6.7	27	1	2	6	9	14	18	24
B. Operated	876	10.7	86	2	5	9	13	20	28	57
TOTAL										
0-19 YRS	8	26.1	1133	3	7	11	37	85	97	97
20-34	14	8.0	57	1	2	7	15	25	81	99 +
35-49	116	7.6	30	1	3	7	10	15	17	54
50-64	391	9.6	62	1	4	9	12	18	25	44
65 +	439	11.5	90	3	6	10	14	23	29	56
GRAND TOTAL	**968**	**10.3**	**82**	**2**	**5**	**9**	**13**	**19**	**27**	**55**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	4.4	6	2	3	4	5	9	10	13
20-34	5	10.6	39	3	5	12	14	19	19	19
35-49	10	6.2	66	1	2	3	6	19	28	28
50-64	15	2.9	14	< 1	< 1	1	2	9	13	14
65 +	15	3.1	8	< 1	1	2	5	6	10	11
B. Operated										
0-19 YRS	10	2.9	2	1	2	3	4	5	5	5
20-34	16	4.4	34	1	1	2	4	14	19	21
35-49	38	3.6	15	1	1	2	5	9	13	15
50-64	92	4.1	23	1	1	2	6	10	14	24
65 +	98	3.8	22	1	1	1	5	10	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	6.9	118	2	3	5	7	12	13	74
20-34	20	7.1	34	1	3	5	9	16	21	23
35-49	38	5.9	17	2	3	5	7	11	16	19
50-64	82	5.5	49	1	2	4	7	12	16	43
65 +	231	8.0	85	2	3	6	10	15	20	38
B. Operated										
0-19 YRS	24	12.5	421	2	2	5	9	52	70	74
20-34	38	8.9	55	2	4	7	12	15	28	34
35-49	118	9.0	86	1	3	7	11	21	27	48
50-64	398	9.4	118	1	3	6	12	22	29	57
65 +	927	12.4	176	2	4	9	16	29	42	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	4.5	14	1	2	4	5	9	12	19
B. Operated	254	3.9	21	1	1	2	5	9	14	21
2. MULTIPLE DX										
A. Not Operated	450	7.2	77	1	3	5	9	14	18	30
B. Operated	1505	11.3	157	1	3	8	14	26	37	77
1. SINGLE DX	400	4.1	18	1	1	3	5	9	13	21
2. MULTIPLE DX	1955	10.3	141	1	3	7	13	23	33	75
A. Not Operated	596	6.5	63	1	3	5	8	12	17	29
B. Operated	1759	10.2	144	1	2	7	13	24	34	75
TOTAL										
0-19 YRS	214	6.2	99	2	3	4	6	10	12	70
20-34	79	7.6	46	1	2	6	10	15	22	33
35-49	204	7.3	63	1	2	5	9	17	22	40
50-64	587	7.9	96	1	2	5	10	18	26	53
65 +	1271	10.9	153	1	3	8	14	25	35	88
GRAND TOTAL	**2355**	**9.3**	**126**	**1**	**2**	**6**	**11**	**21**	**30**	**70**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.5	8	2	4	5	9	9	9	9
20-34	63	6.8	9	2	5	7	9	10	12	14
35-49	125	7.4	20	3	4	7	9	13	16	22
50-64	103	7.8	19	3	5	8	9	11	14	29
65 +	94	7.4	11	4	5	7	10	12	13	15
B. Operated										
0-19 YRS	7	5.1	7	3	3	3	8	9	9	9
20-34	56	6.9	32	2	3	7	9	11	17	33
35-49	80	6.2	13	1	3	6	8	11	12	16
50-64	78	6.5	12	2	4	6	8	10	13	17
65 +	60	8.6	16	4	6	8	10	15	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	9.5	36	2	5	10	12	18	21	21
20-34	140	7.4	18	3	5	7	9	13	15	21
35-49	285	8.3	30	3	5	7	10	13	16	32
50-64	452	8.7	32	4	6	8	10	14	16	27
65 +	946	9.7	30	5	7	9	12	16	19	33
B. Operated										
0-19 YRS	5	8.6	5	6	7	9	10	12	12	12
20-34	88	8.9	58	2	4	7	11	19	25	39
35-49	222	9.2	32	3	6	8	12	16	20	29
50-64	327	9.9	50	3	6	9	12	18	23	35
65 +	712	12.5	114	4	7	10	14	23	32	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	7.4	15	3	5	7	9	12	13	20
B. Operated	281	6.9	18	2	4	7	9	11	15	20
2. MULTIPLE DX										
A. Not Operated	1831	9.0	30	4	6	8	11	15	18	31
B. Operated	1354	11.1	84	3	7	9	13	19	26	58
1. SINGLE DX	672	7.2	17	2	4	7	9	12	14	20
2. MULTIPLE DX	3185	9.9	54	4	6	8	12	17	21	39
A. Not Operated	2222	8.7	28	4	6	8	11	14	17	30
B. Operated	1635	10.4	75	3	6	9	12	18	25	55
TOTAL										
0-19 YRS	26	7.2	18	3	4	7	9	12	14	21
20-34	347	7.6	29	2	4	7	9	13	17	33
35-49	712	8.2	28	3	5	7	10	14	17	29
50-64	960	8.8	36	3	6	8	10	15	18	32
65 +	1812	10.6	64	4	7	9	12	17	23	52
GRAND TOTAL	**3857**	**9.4**	**48**	**3**	**6**	**8**	**11**	**16**	**20**	**36**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.3	15	1	1	2	5	9	9	9
35-49	12	3.9	13	1	2	2	5	10	13	13
50-64	13	5.4	15	2	3	4	7	11	14	15
65 +	14	7.9	20	3	5	7	10	14	17	18
B. Operated										
0-19 YRS	9	1.8	1	1	1	2	2	3	4	4
20-34	280	2.2	2	1	1	2	3	4	4	7
35-49	540	2.3	3	1	1	2	3	4	5	8
50-64	254	2.8	7	1	1	2	3	5	7	15
65 +	113	5.3	78	1	2	3	5	11	15	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	5.7	25	< 1	< 1	4	10	13	15	15
35-49	44	7.4	45	1	3	6	9	17	22	31
50-64	74	10.1	61	2	4	9	14	21	26	39
65 +	289	12.9	136	3	6	10	16	24	33	62
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	103	3.5	14	1	2	2	4	7	14	19
35-49	240	4.6	36	1	2	3	4	9	21	35
50-64	348	7.7	110	1	2	4	8	20	27	53
65 +	449	14.5	196	2	4	11	20	34	46	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	5.6	18	1	2	4	9	11	14	18
B. Operated	1196	2.7	11	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	420	11.6	114	3	5	9	15	23	28	55
B. Operated	1141	9.3	138	1	2	4	13	25	33	63
1. SINGLE DX	1239	2.8	12	1	1	2	3	5	7	15
2. MULTIPLE DX	1561	9.9	133	1	3	6	14	24	32	62
A. Not Operated	463	11.1	108	2	5	8	14	22	28	53
B. Operated	2337	5.9	84	1	2	3	5	17	24	50
TOTAL										
0-19 YRS	10	1.9	1	1	1	2	2	3	4	4
20-34	400	2.6	6	1	1	2	3	5	7	15
35-49	836	3.3	17	1	1	2	4	6	9	26
50-64	689	6.1	72	1	2	3	6	16	22	34
65 +	865	12.7	166	2	4	9	17	28	40	84
GRAND TOTAL	**2800**	**6.8**	**92**	**1**	**2**	**3**	**7**	**18**	**25**	**50**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	18	2.5	2	1	2	2	3	5	5	5
35-49	20	1.9	1	< 1	1	2	3	3	4	4
50-64	10	2.0	1	< 1	1	2	3	4	4	4
65 +	10	1.9	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	105	2.6	3	1	1	2	3	5	6	7
35-49	213	2.5	2	1	2	2	3	4	5	6
50-64	110	2.5	2	1	2	2	3	4	5	7
65 +	58	3.0	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	33	3.0	5	1	1	2	4	6	9	10
35-49	48	2.6	3	< 1	1	2	3	5	7	9
50-64	83	3.6	9	< 1	2	3	5	6	9	17
65 +	187	5.6	24	2	3	4	7	10	17	24
B. Operated										
0-19 YRS	10	2.2	2	1	1	2	3	4	5	5
20-34	519	2.8	4	1	1	2	4	5	6	10
35-49	966	2.7	4	1	1	2	4	5	6	8
50-64	717	3.1	8	1	1	2	4	6	8	13
65 +	564	4.2	21	1	2	3	5	8	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.1	1	1	1	2	3	3	4	5
B. Operated	490	2.6	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	353	4.5	17	1	2	3	6	9	11	21
B. Operated	2776	3.1	9	1	1	3	4	6	8	14
1. SINGLE DX	550	2.5	2	1	1	2	3	5	6	7
2. MULTIPLE DX	3129	3.3	10	1	1	3	4	6	8	16
A. Not Operated	413	4.1	15	1	2	3	5	8	10	21
B. Operated	3266	3.1	8	1	1	2	4	6	7	13
TOTAL										
0-19 YRS	18	2.0	1	1	1	2	3	4	5	5
20-34	675	2.8	4	1	1	2	4	5	6	10
35-49	1247	2.7	3	1	1	2	4	5	6	8
50-64	920	3.1	7	1	1	2	4	6	7	13
65 +	819	4.4	20	1	2	3	5	9	12	21
GRAND TOTAL	**3679**	**3.2**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.6	10	1	1	2	5	9	10	10
20-34	65	6.3	7	3	4	6	8	9	11	14
35-49	82	6.5	9	2	4	7	8	10	12	13
50-64	83	6.4	17	1	3	6	9	11	13	21
65 +	80	6.9	13	2	5	7	9	12	13	20
B. Operated										
0-19 YRS	78	3.9	113	< 1	1	1	2	9	12	72
20-34	149	4.6	16	1	1	3	7	10	12	17
35-49	95	5.6	21	1	1	5	9	12	15	18
50-64	81	7.0	20	2	4	7	9	13	14	22
65 +	63	6.7	14	1	4	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	4.2	18	1	1	2	5	11	14	21
20-34	158	6.9	23	2	3	6	10	12	16	22
35-49	279	6.9	26	1	4	6	9	12	15	26
50-64	613	7.3	23	2	4	7	10	13	15	22
65 +	1608	8.6	64	2	4	7	10	15	20	45
B. Operated										
0-19 YRS	63	5.7	99	1	1	2	6	13	19	64
20-34	211	6.1	39	1	1	4	9	14	19	30
35-49	311	8.8	72	1	3	7	11	18	24	46
50-64	441	10.2	68	2	6	9	12	19	25	69
65 +	918	12.6	126	4	7	10	15	25	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	6.3	12	2	4	6	8	11	12	18
B. Operated	466	5.4	35	1	1	4	8	11	13	20
2. MULTIPLE DX										
A. Not Operated	2717	7.9	48	2	4	7	10	14	18	40
B. Operated	1944	10.5	99	2	5	8	13	20	30	60
1. SINGLE DX	795	5.8	26	1	2	6	8	11	13	19
2. MULTIPLE DX	4661	9.0	71	2	4	7	11	16	23	50
A. Not Operated	3046	7.7	44	2	4	7	10	14	17	35
B. Operated	2410	9.5	91	1	4	8	12	18	27	58
TOTAL										
0-19 YRS	219	4.5	75	< 1	1	2	5	10	14	45
20-34	583	5.9	26	1	2	5	9	12	15	22
35-49	767	7.5	44	1	3	7	10	13	18	35
50-64	1218	8.2	41	2	4	7	11	15	19	35
65 +	2669	9.9	87	3	5	8	12	18	27	58
GRAND TOTAL	**5456**	**8.5**	**66**	**2**	**4**	**7**	**10**	**16**	**21**	**46**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1378	2.2	2	1	1	2	3	4	5	7
20-34	183	2.9	2	1	2	3	4	5	5	9
35-49	82	3.6	3	2	2	3	4	6	7	9
50-64	33	3.6	3	1	2	4	5	6	6	8
65 +	16	3.1	1	2	2	3	4	4	5	6
B. Operated										
0-19 YRS	145	1.5	4	< 1	1	1	1	3	4	13
20-34	44	2.3	8	< 1	1	1	2	7	9	13
35-49	16	4.0	11	1	1	3	5	10	11	11
50-64	10	4.2	12	1	1	3	7	9	11	11
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2211	3.0	4	1	2	3	4	5	7	11
20-34	362	3.7	5	2	2	3	4	6	7	12
35-49	211	4.1	8	2	2	3	5	7	10	14
50-64	236	5.5	24	2	3	4	6	10	13	33
65 +	430	7.0	53	2	4	6	8	11	15	58
B. Operated										
0-19 YRS	216	3.1	17	1	1	1	4	7	11	22
20-34	93	4.6	35	1	1	2	6	11	14	33
35-49	46	4.3	12	1	1	3	7	10	10	15
50-64	45	6.9	76	1	2	5	8	15	18	55
65 +	59	10.6	153	1	3	7	15	21	28	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1692	2.4	2	1	1	2	3	4	5	8
B. Operated	216	2.0	6	< 1	1	1	2	5	7	13
2. MULTIPLE DX										
A. Not Operated	3450	3.8	14	1	2	3	5	7	9	15
B. Operated	459	4.9	49	1	1	2	6	11	17	32
1. SINGLE DX	1908	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3909	3.9	18	1	2	3	5	7	10	19
A. Not Operated	5142	3.4	10	1	2	3	4	6	8	14
B. Operated	675	4.0	37	1	1	1	5	10	14	26
TOTAL										
0-19 YRS	3950	2.7	4	1	1	2	3	5	6	10
20-34	682	3.5	9	1	2	3	4	6	8	14
35-49	355	4.0	7	1	2	3	5	7	10	14
50-64	324	5.4	29	1	3	4	6	10	13	34
65 +	506	7.3	65	2	3	5	8	12	18	58
GRAND TOTAL	**5817**	**3.4**	**13**	**1**	**2**	**3**	**4**	**6**	**9**	**16**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1611	3.3	5	1	2	3	4	6	7	10
20-34	42	3.6	6	1	2	3	5	7	8	12
35-49	41	4.1	6	2	2	3	5	8	9	13
50-64	54	4.2	5	2	2	4	5	7	8	10
65 +	51	4.8	5	2	3	5	6	7	9	12
B. Operated										
0-19 YRS	4	5.8	67	1	1	2	10	18	18	18
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2816	4.1	10	2	2	3	5	7	10	15
20-34	301	5.2	16	2	3	4	6	10	13	23
35-49	572	5.3	15	2	3	4	6	9	12	23
50-64	1840	7.0	28	3	4	6	9	12	16	23
65 +	5184	8.2	45	3	5	7	10	14	19	43
B. Operated										
0-19 YRS	38	8.5	62	2	2	5	14	18	23	38
20-34	27	10.1	106	3	4	8	11	20	28	54
35-49	52	8.4	40	3	4	6	10	17	21	30
50-64	143	14.5	260	4	6	10	16	33	69	99 +
65 +	406	15.1	147	5	8	12	19	30	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1799	3.4	5	1	2	3	4	6	7	10
B. Operated	7	5.6	36	1	2	2	7	16	18	18
2. MULTIPLE DX										
A. Not Operated	10713	6.7	33	2	3	5	8	12	16	31
B. Operated	666	13.8	161	4	6	10	17	28	40	99 +
1. SINGLE DX	1806	3.4	5	1	2	3	4	6	7	10
2. MULTIPLE DX	11379	7.1	44	2	4	5	9	13	17	37
A. Not Operated	12512	6.2	31	2	3	5	8	12	15	28
B. Operated	673	13.8	160	4	6	10	17	28	39	99 +
TOTAL										
0-19 YRS	4469	3.9	9	2	2	3	5	7	9	15
20-34	372	5.4	23	2	3	4	6	10	13	25
35-49	666	5.5	17	2	3	5	7	9	13	24
50-64	2037	7.5	48	3	4	6	9	13	17	35
65 +	5641	8.7	55	3	5	7	10	15	21	52
GRAND TOTAL	**13185**	**6.6**	**40**	**2**	**3**	**5**	**8**	**12**	**17**	**34**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1378	2.2	2	1	1	2	3	4	5	7
20-34	183	2.9	2	1	2	3	4	5	5	9
35-49	82	3.6	3	2	2	3	4	6	7	9
50-64	33	3.6	3	1	2	4	5	6	6	8
65 +	16	3.1	1	2	2	3	4	4	5	6
B. Operated										
0-19 YRS	145	1.5	4	< 1	1	1	1	3	4	13
20-34	44	2.3	8	< 1	1	1	2	7	9	13
35-49	16	4.0	11	1	1	3	5	10	11	11
50-64	10	4.2	12	1	1	3	7	9	11	11
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2211	3.0	4	1	2	3	4	5	7	11
20-34	362	3.7	5	2	2	3	4	6	7	12
35-49	211	4.1	8	2	2	3	5	7	10	14
50-64	236	5.5	24	2	3	4	6	10	13	33
65 +	430	7.0	53	2	4	6	8	11	15	58
B. Operated										
0-19 YRS	216	3.1	17	1	1	1	4	7	11	22
20-34	93	4.6	35	1	1	2	6	11	14	33
35-49	46	4.3	12	1	1	3	7	10	10	15
50-64	45	6.9	76	1	2	5	8	15	18	55
65 +	59	10.6	153	1	3	7	15	21	28	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1692	2.4	2	1	1	2	3	4	5	8
B. Operated	216	2.0	6	< 1	1	1	2	5	7	13
2. MULTIPLE DX										
A. Not Operated	3450	3.8	14	1	2	3	5	7	9	15
B. Operated	459	4.9	49	1	1	2	6	11	17	32
1. SINGLE DX	1908	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3909	3.9	18	1	2	3	5	7	10	19
A. Not Operated	5142	3.4	10	1	2	3	4	6	8	14
B. Operated	675	4.0	37	1	1	1	5	10	14	26
TOTAL										
0-19 YRS	3950	2.7	4	1	1	2	3	5	6	10
20-34	682	3.5	9	1	2	3	4	6	8	14
35-49	355	4.0	7	1	2	3	5	7	10	14
50-64	324	5.4	29	1	3	4	6	10	13	34
65 +	506	7.3	65	2	3	5	8	12	18	58
GRAND TOTAL	**5817**	**3.4**	**13**	**1**	**2**	**3**	**4**	**6**	**9**	**16**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1611	3.3	5	1	2	3	4	6	7	10
20-34	42	3.6	6	1	2	3	5	7	8	12
35-49	41	4.1	6	2	2	3	5	8	9	13
50-64	54	4.2	5	2	2	4	5	7	8	10
65 +	51	4.8	5	2	3	5	6	7	9	12
B. Operated										
0-19 YRS	4	5.8	67	1	1	2	10	18	18	18
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2816	4.1	10	2	2	3	5	7	10	15
20-34	301	5.2	16	2	3	4	6	10	13	23
35-49	572	5.3	15	2	3	4	6	9	12	23
50-64	1840	7.0	28	3	4	6	9	12	16	23
65 +	5184	8.2	45	3	5	7	10	14	19	43
B. Operated										
0-19 YRS	38	8.5	62	2	2	5	14	18	23	38
20-34	27	10.1	106	3	4	8	11	20	28	54
35-49	52	8.4	40	3	4	6	10	17	21	30
50-64	143	14.5	260	4	6	10	16	33	69	99 +
65 +	406	15.1	147	5	8	12	19	30	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1799	3.4	5	1	2	3	4	6	7	10
B. Operated	7	5.6	36	1	2	2	7	16	18	18
2. MULTIPLE DX										
A. Not Operated	10713	6.7	33	2	3	5	8	12	16	31
B. Operated	666	13.8	161	4	6	10	17	28	40	99 +
1. SINGLE DX	1806	3.4	5	1	2	3	4	6	7	10
2. MULTIPLE DX	11379	7.1	44	2	4	5	9	13	17	37
A. Not Operated	12512	6.2	31	2	3	5	8	12	15	28
B. Operated	673	13.8	160	4	6	10	17	28	39	99 +
TOTAL										
0-19 YRS	4469	3.9	9	2	2	3	5	7	9	15
20-34	372	5.4	23	2	3	4	6	10	13	25
35-49	666	5.5	17	2	3	5	7	9	13	24
50-64	2037	7.5	48	3	4	6	9	13	17	35
65 +	5641	8.7	55	3	5	7	10	15	21	52
GRAND TOTAL	**13185**	**6.6**	**40**	**2**	**3**	**5**	**8**	**12**	**17**	**34**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	200	1.3		1	1	1	1	2	2	3
20-34	431	1.3		< 1	1	1	2	2	2	3
35-49	211	1.4		< 1	1	1	2	2	3	4
50-64	101	1.2		1	1	1	1	2	2	3
65 +	21	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	10	1.3		< 1	< 1	< 1	1	2	3	3
35-49	7	1.4	1	< 1	< 1	1	1	3	4	4
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	421	1.3		1	1	1	1	2	2	3
20-34	1269	1.3		1	1	1	1	2	3	4
35-49	807	1.4	1	1	1	1	2	2	3	4
50-64	414	1.5	1	1	1	1	2	2	3	7
65 +	101	1.6	1	1	1	1	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		< 1	< 1	1	1	2	2	2
B. Operated	964	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	22	1.3	1	< 1	< 1	< 1	1	2	3	4
B. Operated	3012	1.4	1	1	1	1	2	2	3	4
1. SINGLE DX	970	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX	3034	1.4	1	1	1	1	2	2	3	4
A. Not Operated	28	1.3		< 1	< 1	< 1	1	2	3	4
B. Operated	3976	1.3	1	1	1	1	2	2	3	4
TOTAL										
0-19 YRS	623	1.3		1	1	1	1	2	2	3
20-34	1712	1.3		1	1	1	1	2	2	4
35-49	1027	1.4	1	1	1	1	2	2	3	4
50-64	518	1.4	1	1	1	1	2	2	3	6
65 +	124	1.6	1	1	1	1	2	2	3	8
GRAND TOTAL	**4004**	**1.3**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	19	1.5	1	< 1	1	1	1	3	4	5
20-34	24	1.5	1	< 1	1	1	2	3	4	4
35-49	28	1.6	1	< 1	< 1	1	2	3	3	4
50-64	30	1.6	1	< 1	1	1	2	3	4	4
65 +	15	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	4	1.3		1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	44	2.2	9	1	1	1	2	4	8	15
20-34	60	1.6	1	1	1	1	2	3	3	5
35-49	97	1.5	1	1	1	1	2	2	4	5
50-64	122	1.9	2	1	1	1	2	3	4	7
65 +	84	1.8	1	1	1	1	2	3	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	116	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	407	1.7	2	1	1	1	2	3	4	6
1. SINGLE DX	117	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	412	1.7	2	1	1	1	2	3	4	6
A. Not Operated	6	2.0	4	< 1	1	1	2	6	6	6
B. Operated	523	1.7	2	1	1	1	2	3	4	6
TOTAL										
0-19 YRS	63	2.0	6	1	1	1	2	4	6	15
20-34	85	1.5	1	1	1	1	2	3	3	5
35-49	125	1.6	1	< 1	1	1	2	3	3	5
50-64	157	1.8	2	1	1	1	2	3	4	6
65 +	99	1.7	1	1	1	1	2	3	4	5
GRAND TOTAL	**529**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	87	1.1		1	1	1	1	2	2	3
20-34	49	1.2		1	1	1	1	2	2	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5903	1.1		1	1	1	1	1	2	2
20-34	1405	1.2		1	1	1	1	2	2	3
35-49	139	1.2		1	1	1	1	2	2	3
50-64	10	1.2		1	1	1	1	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	1.8	4	< 1	< 1	< 1	2	4	5	13
20-34	25	2.2	4	< 1	< 1	1	3	5	6	8
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	2	10.0	18	7	7	10	13	13	13	13
B. Operated										
0-19 YRS	5164	1.1	1	1	1	1	1	1	2	4
20-34	390	1.3	2	1	1	1	1	2	2	5
35-49	61	1.6	1	1	1	1	2	3	4	6
50-64	8	2.0	2	< 1	1	2	3	4	5	5
65 +	6	3.7	19	1	1	2	5	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	1.2		1	1	1	1	2	2	4
B. Operated	7459	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	115	2.0	5	< 1	< 1	< 1	2	4	7	13
B. Operated	5629	1.2	1	1	1	1	1	1	2	4
1. SINGLE DX	7596	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX	5744	1.2	1	1	1	1	1	1	2	5
A. Not Operated	252	1.6	3	< 1	1	1	1	3	4	12
B. Operated	13088	1.1		1	1	1	1	1	2	3
TOTAL										
0-19 YRS	11241	1.1		1	1	1	1	1	2	3
20-34	1869	1.2	1	1	1	1	1	2	2	4
35-49	202	1.3	1	1	1	1	1	2	2	5
50-64	18	1.6	1	1	1	1	2	3	4	5
65 +	10	4.4	22	1	1	2	7	12	13	13
GRAND TOTAL	**13340**	**1.1**		**1**	**1**	**1**	**1**	**1**	**2**	**3**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	284	2.9	3	1	2	3	4	5	6	9
20-34	150	2.7	1	1	2	3	3	4	5	6
35-49	49	3.2	2	1	2	3	4	5	6	7
50-64	23	2.8	4	1	1	2	3	6	7	7
65 +	5	3.6	7	1	2	2	6	7	7	7
B. Operated										
0-19 YRS	324	2.5	9	1	1	2	3	5	6	15
20-34	327	1.9	2	1	1	1	2	3	5	9
35-49	224	1.7	2	< 1	1	1	2	3	4	8
50-64	157	1.7	2	< 1	1	1	2	3	4	8
65 +	79	1.9	8	< 1	1	1	2	3	5	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	312	3.4	16	1	2	3	4	6	8	15
20-34	171	3.4	6	1	2	3	4	6	8	13
35-49	93	4.7	14	1	2	4	6	9	14	19
50-64	72	4.7	8	1	2	4	7	9	10	12
65 +	86	5.1	20	1	2	4	6	10	12	26
B. Operated										
0-19 YRS	465	3.7	40	1	1	2	3	8	13	36
20-34	497	2.2	7	1	1	1	2	4	6	14
35-49	499	2.0	6	1	1	1	2	4	6	12
50-64	420	2.5	11	1	1	1	2	5	8	23
65 +	288	3.8	25	1	1	2	4	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	511	2.8	2	1	2	3	4	5	6	8
B. Operated	1111	2.0	5	1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	734	3.9	13	1	2	3	5	8	10	16
B. Operated	2169	2.7	17	1	1	1	3	6	9	23
1. SINGLE DX	1622	2.3	4	1	1	2	3	4	5	9
2. MULTIPLE DX	2903	3.0	17	1	1	2	3	6	9	22
A. Not Operated	1245	3.5	9	1	2	3	4	6	8	14
B. Operated	3280	2.5	13	1	1	1	2	5	7	19
TOTAL										
0-19 YRS	1385	3.2	20	1	1	2	4	6	8	27
20-34	1145	2.4	5	1	1	2	3	4	6	12
35-49	865	2.3	6	1	1	1	3	5	7	13
50-64	672	2.5	9	1	1	2	3	6	8	19
65 +	458	3.7	22	1	1	2	5	9	13	24
GRAND TOTAL	**4525**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**8**	**18**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	3.8	8	2	2	3	5	7	8	11
20-34	145	5.4	7	3	4	5	7	9	11	13
35-49	105	6.0	10	3	4	6	7	10	11	18
50-64	89	6.1	10	3	4	6	7	10	12	17
65 +	106	7.5	53	4	5	6	8	11	15	45
B. Operated										
0-19 YRS	4	18.8	250	4	8	15	29	41	41	41
20-34	5	4.6	4	2	3	4	6	7	7	7
35-49	5	9.6	103	< 1	1	4	19	23	23	23
50-64	6	9.7	10	7	8	9	9	15	16	16
65 +	5	13.6	101	3	7	13	17	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	493	7.5	37	2	3	6	10	15	18	26
20-34	516	8.7	38	3	5	7	11	16	19	27
35-49	570	8.4	37	3	5	7	10	15	20	32
50-64	1133	9.7	53	4	6	8	12	16	21	43
65 +	4432	11.5	81	5	6	9	14	20	28	58
B. Operated										
0-19 YRS	46	15.7	193	5	8	14	20	35	89	99 +
20-34	100	16.6	150	5	8	13	22	34	44	80
35-49	117	18.2	170	7	10	16	23	40	63	99 +
50-64	227	19.2	248	7	9	15	22	46	67	99 +
65 +	757	22.2	267	7	11	18	30	53	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	632	5.5	17	2	3	5	7	9	11	17
B. Operated	25	10.9	89	2	4	9	14	23	33	41
2. MULTIPLE DX										
A. Not Operated	7144	10.5	69	4	6	8	13	19	24	49
B. Operated	1247	20.6	246	7	10	17	27	48	73	99 +
1. SINGLE DX	657	5.7	21	2	3	5	7	9	12	23
2. MULTIPLE DX	8391	12.0	108	4	6	9	14	22	33	84
A. Not Operated	7776	10.1	67	4	5	8	12	18	24	49
B. Operated	1272	20.4	245	7	10	16	27	48	72	99 +
TOTAL										
0-19 YRS	730	7.1	48	2	3	5	9	15	19	36
20-34	766	9.0	56	3	4	7	11	17	23	37
35-49	797	9.5	67	3	5	7	11	18	25	63
50-64	1455	11.0	94	4	6	8	13	20	28	66
65 +	5300	13.0	122	5	7	10	15	25	36	95
GRAND TOTAL	**9048**	**11.5**	**105**	**4**	**6**	**9**	**14**	**22**	**32**	**79**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1960	3.5	4	2	2	3	4	6	7	11
20-34	437	4.5	5	2	3	4	5	7	8	13
35-49	331	5.1	6	2	3	5	7	8	9	14
50-64	243	5.9	9	3	4	5	8	10	11	16
65 +	363	6.6	15	3	4	6	8	11	12	15
B. Operated										
0-19 YRS	21	6.1	18	2	3	5	9	12	15	17
20-34	15	9.0	38	3	4	8	13	19	19	19
35-49	18	6.9	12	2	5	7	10	12	12	12
50-64	19	10.0	49	2	5	8	14	20	25	27
65 +	13	12.3	101	1	5	13	16	24	35	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4143	4.5	13	2	3	4	5	8	10	17
20-34	1140	6.4	21	2	4	5	8	12	15	23
35-49	1355	7.1	33	3	4	6	9	13	15	23
50-64	2580	7.8	30	3	5	7	10	13	16	27
65 +	11203	10.6	76	4	6	9	13	18	25	60
B. Operated										
0-19 YRS	124	13.5	215	3	5	10	16	37	60	99 +
20-34	156	13.4	117	4	7	10	18	24	30	61
35-49	218	14.8	131	6	8	12	17	30	39	62
50-64	413	14.5	114	5	8	12	19	29	41	99 +
65 +	1500	19.2	219	7	10	15	23	41	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3334	4.3	7	2	3	4	5	8	9	13
B. Operated	86	8.6	42	2	4	7	12	18	20	34
2. MULTIPLE DX										
A. Not Operated	20421	8.6	58	3	4	7	10	15	20	45
B. Operated	2411	17.3	192	6	9	14	21	36	54	99 +
1. SINGLE DX	3420	4.4	9	2	3	4	5	8	10	14
2. MULTIPLE DX	22832	9.5	79	3	5	7	11	18	24	59
A. Not Operated	23755	8.0	53	3	4	6	10	15	19	42
B. Operated	2497	17.0	189	5	9	13	21	36	53	99 +
TOTAL										
0-19 YRS	6248	4.4	16	2	2	3	5	8	10	19
20-34	1748	6.5	31	2	3	5	8	12	17	27
35-49	1922	7.6	46	3	4	6	9	14	17	33
50-64	3255	8.6	45	3	5	7	10	15	19	41
65 +	13079	11.5	99	4	6	9	13	21	30	76
GRAND TOTAL	**26252**	**8.8**	**73**	**3**	**4**	**7**	**11**	**17**	**23**	**55**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	2.4	2	1	1	2	3	4	6	6
20-34	23	3.1	2	1	2	3	4	5	6	6
35-49	11	3.5	2	2	3	3	4	6	6	6
50-64	7	6.0	6	3	4	6	7	9	10	10
65 +	7	4.6	2	3	3	4	6	7	7	7
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	3.4	6	1	2	3	4	6	7	14
20-34	71	3.5	5	1	2	3	4	7	8	11
35-49	69	4.1	6	2	2	4	5	7	8	14
50-64	114	5.2	12	2	3	4	6	9	11	19
65 +	404	7.6	66	2	4	6	9	14	17	45
B. Operated										
0-19 YRS	3	16.7	604	1	2	4	35	45	45	45
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	5	13.6	98	3	7	10	21	28	28	28
50-64	5	9.2	40	4	5	7	12	20	20	20
65 +	25	17.4	177	4	7	12	27	38	42	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.2	3	1	2	3	4	6	7	9
B. Operated	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	788	5.9	41	2	3	4	7	11	14	31
B. Operated	40	15.4	167	3	6	10	21	38	43	45
1. SINGLE DX	88	3.2	3	1	2	3	4	6	6	9
2. MULTIPLE DX	828	6.3	51	2	3	5	7	12	16	39
A. Not Operated	872	5.6	38	2	3	4	7	10	14	27
B. Operated	44	14.2	165	3	4	9	20	37	43	45
TOTAL										
0-19 YRS	171	3.4	16	1	2	3	4	6	7	19
20-34	97	3.5	6	1	2	3	4	7	8	13
35-49	86	4.5	15	2	3	4	6	7	10	25
50-64	126	5.4	13	2	3	5	7	9	12	22
65 +	436	8.1	77	3	4	6	9	14	22	45
GRAND TOTAL	**916**	**6.0**	**47**	**2**	**3**	**4**	**7**	**11**	**15**	**38**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	82	2.9	3	1	2	2	4	5	7	10
20-34	11	8.6	120	2	3	5	8	26	38	39
35-49	14	4.4	5	2	3	4	6	8	9	9
50-64	36	7.9	44	2	4	6	10	14	20	36
65 +	53	6.5	13	3	4	6	8	11	14	16
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	0									
50-64	8	4.5	9	< 1	2	4	6	9	10	10
65 +	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	143	3.3	7	1	2	2	4	6	9	14
20-34	34	4.0	7	1	2	3	5	8	9	11
35-49	89	6.2	24	2	3	5	8	13	16	25
50-64	333	7.1	26	3	4	6	9	13	16	29
65 +	877	8.9	56	3	5	7	11	16	22	50
B. Operated										
0-19 YRS	4	5.3	43	1	1	2	9	15	15	15
20-34	9	7.2	23	2	4	6	9	15	16	16
35-49	17	6.6	62	< 1	2	4	9	27	73	99 +
50-64	58	9.6	54	2	5	8	13	22	25	95
65 +	124	14.3	143	4	6	11	20	36	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	5.2	24	2	2	4	6	10	13	30
B. Operated	16	3.4	7	< 1	1	3	5	7	9	10
2. MULTIPLE DX										
A. Not Operated	1476	7.7	45	2	4	6	9	14	19	38
B. Operated	212	12.0	113	2	5	9	16	28	43	99 +
1. SINGLE DX	212	5.1	23	1	2	4	6	10	13	27
2. MULTIPLE DX	1688	8.2	55	2	4	6	10	16	23	50
A. Not Operated	1672	7.4	43	2	3	6	9	14	18	37
B. Operated	228	11.4	111	2	4	9	15	27	41	99 +
TOTAL										
0-19 YRS	231	3.2	6	1	2	2	4	5	9	14
20-34	56	5.4	33	2	2	4	6	9	15	38
35-49	120	6.0	27	2	3	4	8	13	17	52
50-64	435	7.4	31	3	4	6	9	14	17	33
65 +	1058	9.4	68	3	5	7	11	17	25	62
GRAND TOTAL	**1900**	**7.8**	**53**	**2**	**4**	**6**	**10**	**15**	**21**	**48**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	51	7.0	25	3	4	5	9	14	21	22
65 +	62	6.4	15	3	4	5	8	12	14	20
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	3	10.0	28	6	6	8	14	16	16	16
35-49	29	6.2	10	2	4	6	8	11	12	13
50-64	332	9.5	83	3	5	7	11	17	29	93
65 +	817	9.9	86	3	5	8	12	18	26	52
B. Operated										
0-19 YRS	7	18.1	277	6	8	11	24	47	52	52
20-34	17	8.4	22	4	6	7	10	16	19	20
35-49	13	16.5	166	7	9	11	18	38	49	51
50-64	37	24.3	671	5	7	14	41	94	99 +	99 +
65 +	106	20.9	306	5	9	16	31	56	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	6.4	20	2	4	5	8	12	16	22
B. Operated	5	8.4	5	5	7	8	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	1183	9.7	83	3	5	7	11	18	26	55
B. Operated	180	20.0	355	5	8	14	27	57	84	99 +
1. SINGLE DX	124	6.5	19	3	4	5	8	12	15	22
2. MULTIPLE DX	1363	11.1	131	3	5	8	12	23	34	92
A. Not Operated	1302	9.4	78	3	5	7	11	17	24	53
B. Operated	185	19.7	349	5	8	13	26	56	82	99 +
TOTAL										
0-19 YRS	12	11.8	213	2	3	7	12	35	50	52
20-34	22	8.6	20	5	6	7	10	16	18	20
35-49	47	8.9	74	2	4	7	11	15	23	51
50-64	421	10.5	145	3	5	7	12	21	35	99 +
65 +	985	10.9	118	3	5	8	12	22	32	77
GRAND TOTAL	**1487**	**10.7**	**123**	**3**	**5**	**8**	**12**	**21**	**32**	**89**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5717	2.7	3	1	2	2	3	4	5	8
20-34	1416	3.6	4	1	2	3	5	6	8	11
35-49	1256	4.4	7	2	3	4	5	8	9	12
50-64	738	4.9	8	2	3	4	6	8	10	15
65 +	386	5.3	9	2	3	5	7	9	11	14
B. Operated										
0-19 YRS	14	3.6	12	< 1	2	3	4	10	12	13
20-34	8	5.9	30	1	1	4	10	14	15	15
35-49	9	4.2	7	1	2	4	6	8	9	9
50-64	3	3.7	6	1	2	4	5	6	6	6
65 +	5	8.0	14	4	5	8	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4034	3.2	4	1	2	3	4	6	7	11
20-34	1544	4.8	12	2	3	4	6	8	11	18
35-49	1992	5.7	19	2	3	5	7	10	12	22
50-64	2704	6.6	21	3	4	6	8	12	15	23
65 +	3496	7.8	37	3	4	6	9	14	17	30
B. Operated										
0-19 YRS	44	7.9	92	1	3	5	8	19	35	99 +
20-34	32	8.9	52	2	4	6	13	21	22	24
35-49	82	10.7	79	4	5	9	13	20	24	54
50-64	126	14.1	183	4	6	11	16	30	43	93
65 +	188	16.5	222	5	8	13	19	35	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9513	3.3	5	1	2	3	4	6	7	11
B. Operated	39	4.8	15	1	2	4	7	11	13	15
2. MULTIPLE DX										
A. Not Operated	13770	5.6	22	2	3	4	7	10	13	23
B. Operated	472	13.5	171	4	6	10	16	29	49	99 +
1. SINGLE DX	9552	3.3	5	1	2	3	4	6	7	11
2. MULTIPLE DX	14242	5.9	29	2	3	5	7	11	14	26
A. Not Operated	23283	4.7	16	2	2	4	6	9	11	19
B. Operated	511	12.9	165	3	5	10	16	28	41	99 +
TOTAL										
0-19 YRS	9809	2.9	4	1	2	3	4	5	5	10
20-34	3000	4.3	9	2	2	4	5	7	9	16
35-49	3339	5.3	17	2	3	4	7	9	11	20
50-64	3571	6.5	27	2	4	5	8	11	15	25
65 +	4075	8.0	47	3	4	6	9	14	18	38
GRAND TOTAL	**23794**	**4.8**	**21**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.5	2	3	3	4	5	6	6	6
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	30	5.1	14	2	3	4	6	9	12	20
50-64	157	5.9	10	2	3	5	8	10	12	18
65+	259	6.3	40	2	3	5	7	10	14	60
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	3	5.0	21	<1	1	4	8	10	10	10
50-64	4	3.8	13	1	1	2	6	9	9	9
65+	7	4.6	18	<1	1	2	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	12.5	54	3	6	12	18	23	24	25
20-34	15	4.9	10	2	2	3	7	10	11	11
35-49	143	7.4	62	3	4	6	9	13	17	88
50-64	1071	7.5	39	3	4	6	9	13	17	30
65+	2859	8.9	61	3	5	7	10	16	21	57
B. Operated										
0-19 YRS	9	9.2	28	2	5	11	15	58	99+	99+
20-34	8	8.1	22	2	4	9	11	14	15	15
35-49	19	7.5	11	3	5	8	9	12	13	13
50-64	121	10.6	81	3	5	8	13	24	31	67
65+	283	14.8	173	4	7	12	19	30	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	455	6.0	27	2	3	5	7	10	12	20
B. Operated	18	4.8	13	<1	2	4	9	10	11	11
2. MULTIPLE DX										
A. Not Operated	4103	8.5	55	3	4	7	10	16	20	50
B. Operated	440	13.1	140	3	6	10	16	27	37	99+
1. SINGLE DX	473	6.0	27	2	3	5	7	10	12	20
2. MULTIPLE DX	4543	8.9	66	3	5	7	11	17	22	61
A. Not Operated	4558	8.2	53	3	4	7	10	15	19	49
B. Operated	458	12.8	138	3	6	10	16	26	36	99+
TOTAL										
0-19 YRS	29	10.3	43	3	5	10	15	22	25	99+
20-34	31	5.4	14	2	2	4	8	11	12	15
35-49	195	7.0	50	3	4	6	9	12	16	57
50-64	1353	7.6	40	3	4	6	9	13	18	35
65+	3408	9.2	72	3	5	7	11	17	22	68
GRAND TOTAL	**5016**	**8.7**	**63**	**3**	**4**	**7**	**10**	**16**	**21**	**57**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	2.5	4	1	1	2	3	4	5	13
20-34	80	3.0	7	1	2	3	3	5	8	16
35-49	18	4.2	5	1	3	4	6	8	8	8
50-64	5	3.6	6	<1	1	3	5	7	7	7
65+	0									
B. Operated										
0-19 YRS	95	5.3	7	2	4	5	6	9	11	14
20-34	351	5.8	14	2	3	5	7	11	13	19
35-49	115	5.7	9	3	3	5	7	9	11	16
50-64	27	8.4	40	3	4	6	12	17	21	30
65+	20	7.7	46	3	4	6	8	10	23	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.5	2	1	2	2	3	4	5	6
20-34	42	4.0	8	1	2	3	5	8	10	14
35-49	12	5.7	16	2	2	5	8	11	14	14
50-64	19	8.8	120	2	3	7	10	12	34	52
65+	36	6.9	28	2	4	6	9	13	15	29
B. Operated										
0-19 YRS	50	8.9	32	3	5	7	13	16	20	30
20-34	205	9.1	39	3	4	7	11	17	21	32
35-49	136	10.4	65	3	4	8	14	21	26	52
50-64	126	12.6	113	4	6	10	17	24	30	61
65+	255	13.1	134	4	6	10	16	25	34	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	3.0	6	1	1	3	4	5	8	13
B. Operated	608	5.9	14	3	3	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	129	5.4	33	1	2	4	7	10	13	34
B. Operated	772	11.2	89	3	5	9	14	21	28	52
1. SINGLE DX	761	5.3	14	2	3	4	7	10	12	19
2. MULTIPLE DX	901	10.4	85	3	4	8	13	20	26	49
A. Not Operated	282	4.1	20	1	2	3	5	8	11	17
B. Operated	1380	8.8	63	3	4	6	11	18	22	40
TOTAL										
0-19 YRS	215	5.2	17	1	3	4	7	11	13	20
20-34	678	6.3	24	2	3	5	8	12	17	25
35-49	281	7.9	42	3	4	6	10	16	21	39
50-64	177	11.3	103	3	5	8	14	22	29	53
65+	311	12.0	121	4	6	9	14	23	32	63
GRAND TOTAL	**1662**	**8.0**	**59**	**2**	**4**	**6**	**10**	**16**	**21**	**40**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.0	37	1	2	2	3	8	21	24
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	3	3.7	6	1	2	4	5	6	6	6
65 +	2	6.5	5	5	5	6	8	8	8	8
B. Operated										
0-19 YRS	2	37.0	2592	< 1	< 1	36	73	73	73	73
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	6.8	63	1	3	4	7	16	20	43
20-34	60	8.4	46	2	3	6	12	18	21	31
35-49	133	8.9	64	3	4	7	11	18	24	38
50-64	808	10.8	87	4	5	8	13	20	24	66
65 +	2173	11.9	96	4	6	9	14	23	31	55
B. Operated										
0-19 YRS	33	20.5	477	3	7	14	61	99 +	99 +	99 +
20-34	19	28.8	548	6	10	22	46	57	79	93
35-49	34	31.1	662	6	13	27	55	90	99 +	99 +
50-64	186	23.5	475	6	10	17	34	84	99 +	99 +
65 +	379	25.3	372	7	13	21	40	78	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.1	27	1	2	3	4	7	17	24
B. Operated	7	16.1	691	< 1	1	3	20	63	73	73
2. MULTIPLE DX										
A. Not Operated	3312	11.2	92	3	6	9	14	21	29	55
B. Operated	651	25.0	428	6	11	20	40	83	99 +	99 +
1. SINGLE DX	26	7.3	215	1	2	3	5	22	34	73
2. MULTIPLE DX	3963	13.5	173	4	6	10	16	29	45	99 +
A. Not Operated	3331	11.2	92	3	6	9	14	21	29	54
B. Operated	658	24.9	431	6	11	20	40	83	99 +	99 +
TOTAL										
0-19 YRS	186	9.4	182	2	3	5	11	31	67	99 +
20-34	80	13.1	238	2	4	8	16	31	48	83
35-49	168	13.4	261	3	5	8	15	31	60	99 +
50-64	1000	13.1	184	4	6	9	15	26	43	99 +
65 +	2555	13.9	160	4	6	10	17	30	43	99 +
GRAND TOTAL	**3989**	**13.4**	**173**	**4**	**6**	**10**	**16**	**29**	**45**	**99 +**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	246	3.9	17	1	2	3	4	9	14	20
20-34	93	5.4	18	1	2	4	7	13	14	19
35-49	63	3.6	8	1	2	2	5	7	11	14
50-64	53	3.8	7	1	2	3	5	8	9	10
65 +	64	5.6	22	1	2	4	8	12	16	22
B. Operated										
0-19 YRS	34	9.5	358	< 1	1	3	7	24	56	93
20-34	39	7.6	26	1	4	7	11	15	17	23
35-49	48	6.5	28	1	3	5	9	14	19	22
50-64	59	7.8	52	1	3	6	11	17	19	37
65 +	52	6.4	37	1	2	5	9	14	16	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	683	6.0	36	1	2	4	7	14	17	35
20-34	285	6.9	64	1	3	4	8	13	20	48
35-49	373	7.0	42	2	3	5	9	14	20	38
50-64	869	7.2	40	2	3	6	9	14	17	32
65 +	2978	10.4	91	3	5	8	13	20	28	62
B. Operated										
0-19 YRS	217	12.1	262	1	1	7	19	43	99 +	99 +
20-34	176	15.0	244	2	5	9	23	38	51	96
35-49	309	13.1	159	2	5	9	17	28	43	74
50-64	568	14.4	192	3	6	10	18	33	49	99 +
65 +	1312	17.5	239	3	7	14	23	38	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	519	4.4	16	1	2	3	6	10	13	19
B. Operated	232	7.4	83	1	2	6	9	15	19	43
2. MULTIPLE DX										
A. Not Operated	5188	8.9	73	2	4	7	11	18	24	51
B. Operated	2582	15.7	225	2	6	11	21	36	53	99 +
1. SINGLE DX	751	5.3	39	1	2	3	7	12	15	23
2. MULTIPLE DX	7770	11.1	134	2	4	8	14	24	35	79
A. Not Operated	5707	8.5	70	2	4	6	11	17	23	49
B. Operated	2814	15.0	218	2	5	11	20	35	51	99 +
TOTAL										
0-19 YRS	1180	6.8	90	1	2	4	8	16	25	99 +
20-34	593	9.1	122	1	3	6	10	22	34	63
35-49	793	9.1	95	2	3	6	11	20	27	56
50-64	1549	9.8	108	2	4	7	12	21	29	69
65 +	4406	12.4	144	3	5	9	15	26	37	81
GRAND TOTAL	**8521**	**10.6**	**128**	**2**	**4**	**7**	**13**	**23**	**34**	**77**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.4	13	1	1	2	3	8	12	16
20-34	17	3.6	7	1	2	2	7	8	8	8
35-49	11	3.5	4	1	2	3	4	6	8	8
50-64	5	5.0	26	2	2	3	6	14	14	14
65 +	4	3.8	6	< 1	1	3	5	7	7	7
B. Operated										
0-19 YRS	394	1.8	2	< 1	< 1	1	2	4	5	7
20-34	420	2.0	2	< 1	1	2	3	4	4	3
35-49	144	2.3	10	1	1	2	3	4	4	7
50-64	46	1.7	1	< 1	1	1	2	4	4	5
65 +	26	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.9	4	1	1	2	4	6	7	8
20-34	54	3.4	9	1	1	2	4	7	11	15
35-49	35	4.0	12	1	2	2	5	9	11	15
50-64	29	4.9	14	1	2	4	6	11	12	15
65 +	24	5.2	32	1	2	3	5	13	18	26
B. Operated										
0-19 YRS	598	2.2	6	< 1	1	1	3	4	5	11
20-34	490	2.8	8	1	1	2	3	5	7	16
35-49	217	2.8	11	< 1	1	2	3	6	8	19
50-64	166	2.5	6	< 1	1	2	3	5	7	15
65 +	200	3.7	39	1	1	2	3	8	13	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	3.6	10	1	2	2	4	8	9	16
B. Operated	1030	1.9	3	< 1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	185	3.8	13	1	1	3	5	8	12	15
B. Operated	1671	2.7	11	< 1	1	2	3	5	7	17
1. SINGLE DX	1087	2.0	4	< 1	1	1	3	4	5	8
2. MULTIPLE DX	1856	2.8	11	< 1	1	2	3	5	7	16
A. Not Operated	242	3.8	12	1	2	3	5	8	11	15
B. Operated	2701	2.4	8	< 1	1	2	3	4	6	13
TOTAL										
0-19 YRS	1055	2.1	5	< 1	< 1	1	3	4	5	10
20-34	981	2.5	6	< 1	1	2	3	4	6	11
35-49	407	2.7	11	< 1	1	2	3	5	8	14
50-64	246	2.6	7	< 1	1	2	3	6	8	15
65 +	254	3.6	34	1	1	2	3	7	13	39
GRAND TOTAL	**2943**	**2.5**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.7	4	2	2	3	5	7	8	10
20-34	18	3.3	3	1	2	3	4	6	7	8
35-49	27	4.1	3	1	3	4	5	7	8	8
50-64	17	5.3	9	2	3	4	8	10	11	11
65 +	16	4.9	7	2	3	4	7	9	10	10
B. Operated										
0-19 YRS	70	2.5	7	< 1	1	2	3	5	8	16
20-34	60	2.6	6	1	1	2	3	5	6	16
35-49	66	2.6	6	1	1	2	3	5	9	13
50-64	51	1.9	2	1	1	2	2	3	4	8
65 +	37	2.4	2	1	1	2	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	4.0	14	1	2	3	5	7	9	25
20-34	26	4.5	13	2	2	4	5	12	13	14
35-49	31	6.4	19	1	3	6	10	13	15	15
50-64	45	6.9	31	2	3	6	7	18	21	24
65 +	85	8.5	28	3	5	7	11	16	20	25
B. Operated										
0-19 YRS	73	3.0	6	1	1	2	4	7	9	11
20-34	61	3.6	16	1	1	2	4	8	11	21
35-49	81	3.4	10	1	1	2	5	8	11	14
50-64	114	4.7	51	1	1	2	5	10	20	40
65 +	132	5.4	68	1	2	3	6	12	18	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	4.1	5	2	2	4	5	8	9	11
B. Operated	284	2.4	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated	267	6.3	25	2	3	5	8	12	17	24
B. Operated	461	4.3	38	1	1	2	5	9	13	36
1. SINGLE DX	414	2.9	6	1	1	2	4	6	8	11
2. MULTIPLE DX	728	5.0	34	1	2	3	6	11	14	28
A. Not Operated	397	5.5	20	2	3	4	7	11	14	23
B. Operated	745	3.6	26	1	1	2	4	8	11	25
TOTAL										
0-19 YRS	275	3.3	9	1	2	3	4	7	8	11
20-34	165	3.3	11	1	1	2	4	6	10	20
35-49	205	3.7	11	1	1	3	5	9	11	14
50-64	227	4.6	35	1	1	3	5	10	15	28
65 +	270	6.0	47	1	2	4	8	12	19	49
GRAND TOTAL	**1142**	**4.3**	**25**	**1**	**1**	**3**	**5**	**9**	**12**	**24**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	197	3.0	7	1	1	2	4	6	7	16
20-34	41	2.9	3	1	2	3	4	5	6	8
35-49	76	3.3	4	1	2	3	4	6	7	10
50-64	66	3.5	10	1	2	3	4	6	13	86
65 +	36	4.1	10	1	2	3	5	8	9	17
B. Operated										
0-19 YRS	86	6.8	170	1	1	3	6	11	36	73
20-34	35	4.3	9	1	2	4	7	9	10	12
35-49	25	3.9	9	1	1	3	7	8	9	9
50-64	33	5.1	21	1	2	3	8	11	14	20
65 +	43	4.7	9	1	2	4	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	364	4.8	23	1	2	4	6	9	13	30
20-34	205	4.1	7	1	2	4	5	7	9	13
35-49	398	4.1	11	1	2	3	5	8	9	18
50-64	598	4.1	10	1	2	3	5	7	10	15
65 +	1120	6.0	37	2	3	4	7	11	15	28
B. Operated										
0-19 YRS	292	10.7	175	1	2	7	14	26	45	99 +
20-34	95	9.0	144	1	3	6	10	18	30	74
35-49	209	8.4	66	2	4	6	9	19	24	49
50-64	333	8.0	69	2	3	6	10	15	23	48
65 +	837	10.4	106	2	4	8	12	21	29	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	416	3.2	7	1	2	3	4	6	8	17
B. Operated	222	5.4	74	1	1	3	7	10	12	57
2. MULTIPLE DX										
A. Not Operated	2685	5.0	24	1	2	4	6	9	13	24
B. Operated	1766	9.6	109	2	4	7	11	20	29	65
1. SINGLE DX	638	4.0	31	1	2	3	5	7	10	23
2. MULTIPLE DX	4451	6.8	63	2	3	5	8	14	20	47
A. Not Operated	3101	4.8	22	1	2	4	6	9	12	24
B. Operated	1988	9.2	106	2	3	7	11	19	28	64
TOTAL										
0-19 YRS	939	6.5	89	1	2	4	7	14	22	63
20-34	376	5.2	46	1	2	4	6	9	13	32
35-49	708	5.3	30	1	2	4	6	9	15	28
50-64	1030	5.3	33	1	2	4	6	11	14	32
65 +	2036	7.7	69	2	3	5	9	15	22	50
GRAND TOTAL	**5089**	**6.5**	**60**	**1**	**2**	**4**	**8**	**13**	**19**	**44**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	13	2.9	2	1	2	3	4	5	6	6
35-49	23	4.3	9	2	2	3	5	7	12	14
50-64	21	3.9	6	< 1	2	3	6	7	8	9
65 +	10	4.3	6	1	3	4	6	8	8	8
B. Operated										
0-19 YRS	0									
20-34	6	6.3	5	3	4	7	8	8	8	8
35-49	8	6.1	8	3	4	6	7	11	12	12
50-64	11	4.2	10	1	2	4	5	9	12	12
65 +	7	7.4	2	5	6	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.8	4	1	2	4	5	7	8	8
20-34	38	5.7	16	3	3	4	7	10	16	18
35-49	95	4.7	11	2	2	4	6	8	12	18
50-64	112	5.3	9	2	3	5	7	10	12	14
65 +	212	7.3	28	3	4	6	8	13	19	27
B. Operated										
0-19 YRS	8	8.6	40	3	4	6	12	19	20	20
20-34	25	8.4	60	2	4	6	8	21	26	31
35-49	66	7.7	31	3	4	6	10	16	17	33
50-64	125	7.9	26	3	4	7	9	14	19	28
65 +	272	11.1	112	4	5	8	12	19	38	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.9	6	1	2	3	5	7	8	13
B. Operated	32	5.8	8	2	4	6	8	9	11	12
2. MULTIPLE DX										
A. Not Operated	467	6.1	19	2	3	5	7	11	14	24
B. Operated	496	9.7	78	3	5	7	11	17	24	47
1. SINGLE DX	102	4.5	7	1	2	4	6	8	9	13
2. MULTIPLE DX	963	7.9	53	3	4	6	9	14	19	41
A. Not Operated	537	5.8	18	2	3	5	7	10	14	24
B. Operated	528	9.4	75	3	5	7	11	17	23	47
TOTAL										
0-19 YRS	21	5.7	22	2	3	4	6	12	18	20
20-34	82	6.1	29	2	3	4	8	12	18	29
35-49	192	5.8	19	2	3	5	7	12	15	19
50-64	269	6.3	19	2	4	5	8	10	14	23
65 +	501	9.3	77	3	5	7	11	16	24	47
GRAND TOTAL	**1065**	**7.6**	**50**	**3**	**4**	**6**	**9**	**14**	**19**	**40**

259 Hospitals, North Eastern Region, January-December 1988

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	25	4.0	3	2	3	4	5	6	7	9
35-49	27	3.5	2	2	2	3	5	6	6	6
50-64	45	4.5	5	2	3	4	5	8	9	13
65 +	48	4.8	5	2	3	4	6	8	9	11
B. Operated										
0-19 YRS	6	7.5	22	3	5	6	9	15	16	16
20-34	15	6.9	14	3	4	6	9	12	15	16
35-49	28	7.9	15	3	5	7	10	14	16	17
50-64	26	6.3	5	4	4	6	8	10	10	11
65 +	35	6.6	17	3	4	6	8	13	16	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.7	3	1	2	4	4	6	7	7
20-34	43	4.4	5	2	3	4	5	7	8	13
35-49	127	5.3	8	3	4	5	6	9	11	17
50-64	293	5.7	10	3	4	5	7	9	11	20
65 +	791	7.7	38	3	4	6	9	14	18	36
B. Operated										
0-19 YRS	7	11.9	217	3	5	7	9	38	45	45
20-34	40	8.3	22	3	5	7	11	14	19	21
35-49	121	12.1	138	4	5	8	14	26	39	78
50-64	306	10.2	107	3	4	8	12	19	25	58
65 +	1078	12.0	122	4	6	9	14	23	34	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	4.3	5	2	3	4	5	7	9	11
B. Operated	110	7.0	13	3	4	6	9	12	16	18
2. MULTIPLE DX										
A. Not Operated	1265	6.9	29	3	4	5	8	12	16	31
B. Operated	1552	11.6	119	4	5	8	14	23	32	83
1. SINGLE DX	257	5.5	10	2	3	5	7	9	11	16
2. MULTIPLE DX	2817	9.5	84	3	5	7	11	19	26	66
A. Not Operated	1412	6.6	27	3	4	5	8	12	15	29
B. Operated	1662	11.3	113	4	5	8	13	22	31	82
TOTAL										
0-19 YRS	26	6.9	71	2	3	5	7	9	22	45
20-34	123	5.9	15	3	3	5	7	11	13	21
35-49	303	8.1	71	3	4	6	9	16	24	58
50-64	670	7.7	59	3	4	6	9	14	19	40
65 +	1952	10.0	89	4	5	7	12	20	28	76
GRAND TOTAL	**3074**	**9.1**	**79**	**3**	**4**	**7**	**11**	**18**	**24**	**60**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.2	5	1	2	3	4	6	9	10
20-34	86	3.5	4	1	2	3	5	6	9	10
35-49	89	3.4	3	1	2	3	4	6	7	9
50-64	51	3.6	4	1	2	3	5	6	6	12
65 +	26	3.8	3	1	3	4	5	6	7	7
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	6.5	10	3	5	6	8	11	13	13
35-49	20	7.7	20	3	4	7	9	12	17	22
50-64	5	7.2	14	3	4	7	9	13	13	13
65 +	4	9.8	18	4	7	10	12	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.2	30	1	2	2	3	9	20	22
20-34	134	3.6	4	1	2	3	5	6	7	10
35-49	223	4.5	10	2	3	4	5	7	10	15
50-64	259	5.2	10	2	3	4	6	9	11	18
65 +	521	6.7	46	2	4	5	8	12	15	33
B. Operated										
0-19 YRS	5	2.6	4	< 1	1	2	4	6	6	6
20-34	29	6.2	17	2	3	6	9	12	15	18
35-49	64	10.5	57	3	5	9	14	20	27	37
50-64	69	8.4	29	3	5	7	10	15	18	31
65 +	146	11.2	81	4	5	9	14	21	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	270	3.5	4	1	2	3	5	6	7	10
B. Operated	41	7.4	16	3	5	7	10	13	14	22
2. MULTIPLE DX										
A. Not Operated	1150	5.5	27	2	3	4	7	10	13	22
B. Operated	313	9.8	60	3	5	8	12	18	26	40
1. SINGLE DX	311	4.0	7	1	2	3	5	7	9	13
2. MULTIPLE DX	1463	6.5	37	2	3	5	8	12	16	28
A. Not Operated	1420	5.1	23	2	3	4	6	9	12	19
B. Operated	354	9.6	56	3	5	8	12	18	25	39
TOTAL										
0-19 YRS	37	3.4	13	1	2	2	4	6	9	22
20-34	260	4.0	7	1	2	3	5	7	9	13
35-49	396	5.4	22	2	3	4	6	10	14	28
50-64	384	5.6	14	2	3	5	7	10	13	19
65 +	697	7.5	55	3	4	6	9	14	18	35
GRAND TOTAL	**1774**	**6.0**	**33**	**2**	**3**	**5**	**7**	**11**	**15**	**27**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.1	3	1	2	2	5	6	6	6
20-34	60	3.9	4	2	3	3	5	7	8	13
35-49	60	4.1	4	2	3	4	5	6	7	13
50-64	71	4.3	4	2	3	4	5	8	8	11
65 +	61	5.0	6	3	3	5	6	8	11	12
B. Operated										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	27	7.2	3	5	6	7	8	9	10	10
35-49	36	7.9	11	4	6	7	9	11	15	21
50-64	43	6.9	13	3	4	6	9	11	14	18
65 +	40	9.2	52	3	5	7	11	17	24	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	5.9	14	1	3	6	8	11	13	13
20-34	124	4.6	5	2	3	4	6	7	9	11
35-49	225	5.1	9	2	3	4	6	9	10	18
50-64	453	5.8	18	3	3	5	7	10	12	25
65 +	1204	8.2	64	3	4	6	9	14	20	37
B. Operated										
0-19 YRS	5	12.8	110	6	6	9	17	31	31	31
20-34	53	10.0	57	4	6	8	12	17	31	98
35-49	154	9.2	59	4	5	7	11	16	19	51
50-64	249	11.1	86	4	6	8	13	23	35	99
65 +	747	16.0	200	5	7	12	20	34	52	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	4.3	5	2	3	4	5	7	8	12
B. Operated	148	7.8	22	4	5	7	9	12	17	27
2. MULTIPLE DX										
A. Not Operated	2015	7.1	46	3	4	5	8	12	17	33
B. Operated	1208	13.9	159	4	7	10	17	29	41	96
1. SINGLE DX	410	5.6	14	2	3	5	7	9	12	19
2. MULTIPLE DX	3223	9.6	99	3	4	7	11	19	28	66
A. Not Operated	2277	6.8	42	3	4	5	8	11	16	32
B. Operated	1356	13.2	148	4	6	10	16	27	39	90
TOTAL										
0-19 YRS	26	6.2	38	1	2	5	8	12	17	31
20-34	264	5.8	20	2	3	5	7	10	12	31
35-49	475	6.5	29	3	4	5	8	12	16	25
50-64	816	7.3	44	3	4	5	8	13	19	41
65 +	2052	11.0	126	3	5	8	12	22	32	72
GRAND TOTAL	**3633**	**9.2**	**91**	**3**	**4**	**6**	**10**	**18**	**26**	**65**

204: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	5.8	7	3	4	5	8	10	10	10
35-49	7	6.4	11	2	4	6	8	11	12	12
50-64	8	6.0	1	4	5	6	7	7	7	7
65 +	6	6.2	9	2	3	7	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	11	13.6	91	7	9	9	15	29	38	39
50-64	8	12.5	26	7	8	12	14	21	23	23
65 +	10	10.4	38	4	6	8	16	20	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	6	12.0	254	3	3	6	10	41	44	44
35-49	18	6.8	13	2	4	7	10	11	13	14
50-64	25	5.3	8	2	3	5	7	9	11	14
65 +	96	9.0	35	4	6	7	10	15	19	34
B. Operated										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	13	12.8	51	3	7	14	17	23	25	26
35-49	32	16.8	110	7	8	13	23	35	39	43
50-64	63	15.9	172	5	8	13	20	29	41	78
65 +	157	19.0	239	6	9	16	23	37	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	6.1	6	3	4	6	8	9	10	12
B. Operated	31	11.8	53	5	7	9	15	22	23	39
2. MULTIPLE DX										
A. Not Operated	147	8.3	37	3	5	7	10	15	17	34
B. Operated	266	17.8	204	6	9	14	22	35	46	99
1. SINGLE DX	58	9.1	39	4	6	8	10	16	22	38
2. MULTIPLE DX	413	14.4	165	4	6	10	18	30	41	90
A. Not Operated	174	7.9	33	3	5	7	10	14	17	34
B. Operated	297	17.2	191	6	9	13	22	33	44	98
TOTAL										
0-19 YRS	3	23.3	652	3	6	15	43	52	52	52
20-34	27	10.6	84	3	4	8	15	21	29	44
35-49	68	12.6	90	4	7	9	15	26	37	42
50-64	104	12.3	130	4	5	9	15	23	32	66
65 +	269	14.8	177	5	7	11	19	30	43	99
GRAND TOTAL	**471**	**13.8**	**152**	**4**	**6**	**10**	**17**	**27**	**39**	**85**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	121	2.0	1	1	1	2	2	4	4	6
20-34	199	2.8	10	1	1	2	3	5	6	9
35-49	142	3.0	5	1	2	3	4	5	6	14
50-64	84	3.3	4	1	2	3	5	7	7	9
65 +	56	3.7	9	1	2	3	4	7	8	19
B. Operated										
0-19 YRS	6	5.2	5	2	3	6	6	8	8	8
20-34	11	4.5	4	1	3	5	6	6	6	6
35-49	13	4.6	7	1	3	4	6	8	10	11
50-64	17	5.1	13	< 1	3	4	7	10	13	14
65 +	6	5.8	27	< 1	< 1	5	7	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	311	2.7	3	1	2	2	3	5	6	8
20-34	637	3.5	5	1	2	3	4	6	8	11
35-49	741	4.4	11	2	2	4	5	8	10	15
50-64	865	5.0	16	2	3	4	6	9	11	20
65 +	1663	6.4	26	2	3	5	8	12	15	27
B. Operated										
0-19 YRS	25	5.2	14	1	3	4	7	11	12	13
20-34	108	6.5	16	2	4	5	8	11	16	20
35-49	163	7.4	42	3	4	6	9	12	16	39
50-64	239	8.8	59	3	4	7	10	17	27	41
65 +	565	10.2	85	3	5	8	12	19	27	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	602	2.9	6	1	1	2	4	5	6	9
B. Operated	53	5.0	10	1	3	5	6	8	11	15
2. MULTIPLE DX										
A. Not Operated	4217	5.0	18	2	3	4	6	9	12	22
B. Operated	1100	9.0	66	3	4	7	10	17	25	52
1. SINGLE DX	655	3.0	7	1	2	2	4	6	7	11
2. MULTIPLE DX	5317	5.9	30	2	3	4	7	11	14	30
A. Not Operated	4819	4.8	17	2	2	4	6	9	12	21
B. Operated	1153	8.8	65	3	4	7	10	16	24	52
TOTAL										
0-19 YRS	463	2.7	3	1	1	2	3	5	6	11
20-34	955	3.7	8	1	2	3	5	7	9	14
35-49	1059	4.7	16	2	2	4	6	9	11	20
50-64	1205	5.7	26	2	3	4	7	10	14	29
65 +	2290	7.2	43	2	4	6	9	13	19	42
GRAND TOTAL	**5972**	**5.6**	**29**	**2**	**3**	**4**	**7**	**10**	**14**	**29**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	2.5	2	1	1	2	3	4	5	7
20-34	26	4.3	16	1	2	4	5	9	15	17
35-49	29	3.2	4	1	2	3	4	5	7	10
50-64	17	3.8	16	1	2	3	5	6	14	18
65 +	8	3.9	2	2	3	4	5	6	6	6
B. Operated										
0-19 YRS	22	4.0	3	2	3	4	5	6	7	8
20-34	5	4.8	4	3	4	4	6	8	8	8
35-49	8	6.9	29	2	3	5	10	15	17	17
50-64	6	9.5	62	< 1	5	6	16	21	22	22
65 +	8	10.9	38	2	6	11	15	19	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	3.6	30	1	2	3	4	5	7	37
20-34	82	4.5	14	1	2	3	6	10	13	18
35-49	116	4.8	17	1	2	4	6	9	13	23
50-64	148	4.7	14	2	2	4	6	8	11	19
65 +	301	7.4	46	2	3	6	9	15	22	39
B. Operated										
0-19 YRS	28	11.8	321	2	3	8	11	65	99 +	99 +
20-34	40	10.4	151	2	4	6	11	24	38	60
35-49	66	13.8	119	4	6	9	21	33	35	43
50-64	104	14.9	120	4	7	12	21	29	38	55
65 +	229	15.8	191	4	7	11	21	37	48	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	3.4	8	1	2	3	4	5	7	17
B. Operated	49	6.3	25	2	3	5	7	15	17	22
2. MULTIPLE DX										
A. Not Operated	727	5.7	32	2	2	4	7	11	15	32
B. Operated	467	14.6	171	4	6	10	20	33	43	71
1. SINGLE DX	162	4.3	15	1	2	3	5	8	15	20
2. MULTIPLE DX	1194	9.2	105	2	3	6	11	22	32	58
A. Not Operated	840	5.4	29	1	2	4	6	11	15	31
B. Operated	516	13.8	163	3	6	9	18	32	42	70
TOTAL										
0-19 YRS	163	4.8	79	1	2	3	5	8	12	99
20-34	153	6.0	56	1	2	4	7	12	17	50
35-49	219	7.4	64	1	3	5	9	17	27	38
50-64	275	8.6	79	2	3	5	11	21	25	44
65 +	546	10.9	123	2	4	7	13	26	37	59
GRAND TOTAL	**1356**	**8.6**	**97**	**2**	**3**	**5**	**10**	**21**	**30**	**56**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	2.8	3	1	1	2	4	5	6	7
20-34	42	2.6	2	1	2	2	3	4	6	7
35-49	13	3.5	1	2	3	4	4	5	5	5
50-64	7	3.4	5	1	2	3	4	7	8	8
65 +	0									
B. Operated										
0-19 YRS	2391	3.3	2	2	3	3	4	5	6	9
20-34	1751	3.6	2	2	3	3	4	5	6	8
35-49	590	3.8	2	2	3	4	4	6	6	9
50-64	177	4.5	3	3	3	4	5	7	8	11
65 +	58	5.0	5	3	3	4	7	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	1.5	1	1	1	1	2	3	3	3
20-34	15	2.6	3	1	1	2	4	5	6	7
35-49	13	5.5	23	1	2	5	6	13	17	18
50-64	6	3.7	1	2	3	4	5	5	5	5
65 +	5	5.8	8	2	3	7	8	9	9	9
B. Operated										
0-19 YRS	489	4.5	7	2	3	4	5	7	9	15
20-34	504	4.8	7	3	3	4	5	7	9	16
35-49	260	6.1	24	3	4	5	7	11	13	20
50-64	183	6.4	14	3	4	5	8	10	13	18
65 +	133	8.2	19	4	5	7	10	13	15	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	2.8	3	1	2	3	4	5	6	8
B. Operated	4967	3.5	2	2	3	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	57	3.3	9	1	1	2	5	7	8	18
B. Operated	1569	5.4	13	3	3	4	6	9	11	19
1. SINGLE DX	5069	3.5	2	2	3	3	4	5	6	9
2. MULTIPLE DX	1626	5.3	13	3	3	4	6	9	11	18
A. Not Operated	159	3.0	5	1	1	2	4	5	7	12
B. Operated	6536	4.0	5	2	3	3	5	6	8	12
TOTAL										
0-19 YRS	2938	3.5	3	2	3	3	4	5	6	10
20-34	2312	3.8	3	2	3	3	4	6	7	10
35-49	876	4.5	10	2	3	4	5	7	9	14
50-64	373	5.4	10	3	4	5	6	9	11	15
65 +	196	7.2	17	3	4	6	9	11	14	19
GRAND TOTAL	**6695**	**4.0**	**5**	**2**	**3**	**3**	**4**	**6**	**8**	**12**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	8.1	7	4	6	8	10	12	13	14
20-34	15	7.2	7	4	5	7	9	11	12	12
35-49	8	6.9	5	4	5	7	9	9	9	9
50-64	9	7.8	11	3	5	8	10	12	12	12
65 +	3	9.3	1	8	8	10	10	10	10	10
B. Operated										
0-19 YRS	631	6.7	10	3	4	6	9	10	12	16
20-34	347	6.1	7	3	4	6	8	9	10	16
35-49	209	6.7	9	3	5	6	8	10	11	16
50-64	115	7.9	8	5	6	8	10	11	13	17
65 +	55	8.0	8	5	6	7	9	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	8.4	4	6	7	8	10	11	11	11
20-34	3	9.0	21	5	6	8	12	14	14	14
35-49	8	10.0	8	7	9	9	11	15	16	16
50-64	13	13.2	47	7	9	10	17	21	29	31
65 +	7	13.9	141	3	6	13	16	34	38	38
B. Operated										
0-19 YRS	404	9.5	41	4	6	8	11	15	21	36
20-34	327	8.8	22	4	6	8	10	14	17	24
35-49	279	10.0	26	5	7	9	12	17	20	29
50-64	296	11.3	52	5	7	10	13	18	26	42
65 +	336	14.3	102	6	9	11	17	26	34	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	7.7	7	4	6	8	10	11	12	14
B. Operated	1357	6.7	9	3	5	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	36	11.6	48	6	8	10	14	18	27	38
B. Operated	1642	10.8	53	5	7	9	12	19	24	41
1. SINGLE DX	1416	6.8	9	3	5	6	8	10	12	16
2. MULTIPLE DX	1678	10.8	53	5	7	9	12	19	24	41
A. Not Operated	95	9.2	26	4	6	8	10	14	17	35
B. Operated	2999	8.9	37	4	6	8	10	15	20	35
TOTAL										
0-19 YRS	1064	7.8	23	3	5	7	10	12	15	27
20-34	692	7.4	16	4	5	7	9	12	14	22
35-49	504	8.6	21	4	6	8	10	14	18	26
50-64	433	10.4	42	5	7	9	12	17	22	39
65 +	401	13.4	93	6	8	11	15	25	32	92
GRAND TOTAL	**3094**	**8.9**	**37**	**4**	**6**	**8**	**10**	**15**	**20**	**35**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	5.7	17	2	3	5	7	13	14	14
50-64	53	8.5	48	4	5	7	10	14	18	44
65 +	378	15.8	229	4	7	11	19	34	56	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	19.3	533	6	6	6	36	46	46	46
50-64	9	20.4	387	6	7	9	33	53	54	54
65 +	39	28.3	599	8	12	20	50	78	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	443	14.6	209	4	6	11	18	32	50	99 +
B. Operated	51	26.4	551	6	10	17	46	75	94	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	494	15.8	256	4	6	11	19	36	58	99 +
A. Not Operated	443	14.6	209	4	6	11	18	32	50	99 +
B. Operated	51	26.4	551	6	10	17	46	75	94	99 +
TOTAL										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	8.6	129	2	3	5	8	17	40	46
50-64	62	10.2	110	4	5	7	11	17	36	54
65 +	417	16.9	276	4	7	12	20	39	63	99 +
GRAND TOTAL	**494**	**15.8**	**256**	**4**	**6**	**11**	**19**	**36**	**58**	**99 +**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	20	3.2	4	1	2	3	4	6	7	7
50-64	22	3.2	3	1	2	3	4	6	7	7
65 +	32	5.7	43	1	2	4	6	12	21	33
B. Operated										
0-19 YRS	6	4.8	11	1	2	5	6	10	10	10
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	24	5.9	26	1	1	3	10	13	16	16
50-64	24	4.6	18	1	1	2	8	12	13	13
65 +	9	2.4	5	1	1	2	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	5.5	13	2	3	4	8	10	13	14
20-34	11	2.7	3	1	1	2	4	5	7	7
35-49	76	5.2	21	2	3	4	7	10	11	82
50-64	178	6.0	30	2	3	4	7	14	18	32
65 +	689	10.1	129	3	4	6	12	22	38	99 +
B. Operated										
0-19 YRS	14	11.8	235	1	1	8	11	28	52	59
20-34	15	14.8	438	2	3	7	22	74	93	99 +
35-49	42	12.7	244	2	5	9	16	23	36	93
50-64	64	12.6	169	1	3	11	16	34	77	99 +
65 +	110	15.6	336	2	4	11	19	50	87	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	4.1	21	1	2	3	5	7	10	30
B. Operated	66	4.7	19	1	1	2	8	11	13	16
2. MULTIPLE DX										
A. Not Operated	967	8.8	103	2	3	6	10	18	31	99 +
B. Operated	245	14.0	274	2	4	10	17	39	78	99 +
1. SINGLE DX	146	4.4	20	1	1	3	6	10	13	22
2. MULTIPLE DX	1212	9.9	142	2	4	6	12	22	39	99 +
A. Not Operated	1047	8.4	98	2	3	5	10	17	29	99
B. Operated	311	12.1	234	1	2	8	15	31	61	99 +
TOTAL										
0-19 YRS	35	7.6	109	1	2	5	9	14	23	59
20-34	33	8.2	231	1	2	3	7	32	71	99 +
35-49	162	7.0	88	1	2	4	9	14	20	87
50-64	288	7.1	66	1	2	4	9	16	26	99 +
65 +	840	10.6	156	2	4	6	12	25	43	99 +
GRAND TOTAL	**1358**	**9.3**	**132**	**2**	**3**	**6**	**11**	**20**	**36**	**99 +**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	0									
35-49	6	5.5	4	2	5	6	7	8	8	8
50-64	6	2.5	3	< 1	1	2	4	5	5	5
65 +	13	4.2	9	1	1	4	7	8	8	8
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	4.4	15	< 1	1	4	7	10	11	11
35-49	31	4.4	11	1	1	4	7	9	10	11
50-64	156	5.3	24	1	1	5	8	10	12	19
65 +	151	5.6	25	1	1	5	8	12	13	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	8.5	61	3	3	8	14	14	14	14
35-49	15	7.9	39	1	2	8	10	18	21	22
50-64	40	6.8	22	1	3	7	10	11	12	25
65 +	178	9.3	58	2	5	8	11	16	20	49
B. Operated										
0-19 YRS	4	9.0	30	5	5	7	12	17	17	17
20-34	12	9.0	18	3	6	9	12	14	17	17
35-49	178	12.7	214	1	3	8	15	36	47	73
50-64	996	12.4	160	2	5	9	15	27	41	98
65 +	2728	15.5	205	3	7	11	19	34	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.3	7	1	1	4	7	8	8	8
B. Operated	346	5.4	23	1	1	5	8	11	12	20
2. MULTIPLE DX										
A. Not Operated	236	8.8	51	2	4	8	11	15	20	44
B. Operated	3918	14.5	195	2	6	11	18	32	47	99 +
1. SINGLE DX	372	5.3	22	1	1	5	8	11	12	20
2. MULTIPLE DX	4154	14.2	189	2	6	10	18	31	46	99 +
A. Not Operated	262	8.3	48	2	4	7	10	15	19	42
B. Operated	4264	13.8	187	2	6	10	17	31	45	99
TOTAL										
0-19 YRS	7	7.6	24	1	5	8	8	15	17	17
20-34	21	7.4	22	1	3	7	11	13	15	17
35-49	230	11.0	179	1	3	7	13	30	45	72
50-64	1198	11.2	144	1	5	8	13	25	37	89
65 +	3070	14.6	193	2	6	11	18	32	46	99 +
GRAND TOTAL	**4526**	**13.5**	**181**	**2**	**6**	**10**	**17**	**30**	**43**	**97**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	7	5.0	30	1	1	2	7	14	16	16
50-64	7	2.0	5	1	1	1	2	6	7	7
65 +	6	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	4.0	6	1	2	4	6	8	8	8
65 +	40	9.0	179	1	3	5	10	18	28	80
B. Operated										
0-19 YRS	0									
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	24	5.1	27	1	1	3	7	16	17	18
50-64	138	6.6	34	1	2	5	10	14	19	26
65 +	154	8.8	108	1	2	6	11	21	28	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	20	3.0	13	1	1	2	3	7	12	16
2. MULTIPLE DX										
A. Not Operated	49	8.0	151	1	3	5	9	17	21	80
B. Operated	320	7.5	71	1	2	5	10	17	24	39
1. SINGLE DX	21	2.9	13	1	1	2	3	7	12	16
2. MULTIPLE DX	369	7.6	81	1	2	5	10	17	24	40
A. Not Operated	50	7.9	149	1	2	4	9	16	20	80
B. Operated	340	7.2	69	1	2	5	10	16	24	39
TOTAL										
0-19 YRS	0									
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	33	4.9	26	1	1	2	7	16	17	18
50-64	152	6.2	33	1	2	4	9	13	18	26
65 +	201	8.6	120	1	2	5	10	20	28	64
GRAND TOTAL	**390**	**7.3**	**78**	**1**	**2**	**5**	**10**	**16**	**23**	**40**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	3.5	7	< 1	1	3	5	7	7	7
65 +	9	4.3	61	< 1	1	2	3	16	25	25
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	32	9.1	22	1	8	10	11	13	15	24
65 +	62	9.1	35	1	5	9	12	16	18	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	28	3.1	4	1	1	2	5	6	7	8
65 +	167	7.2	66	1	3	5	9	16	21	39
B. Operated										
0-19 YRS	0									
20-34	5	23.4	537	2	8	12	40	59	59	59
35-49	12	8.6	37	1	2	10	14	35	88	99 +
50-64	351	13.1	97	5	8	11	16	23	30	60
65 +	1189	15.9	154	7	10	12	18	31	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	4.1	42	< 1	1	2	3	11	22	25
B. Operated	95	9.0	31	1	6	9	11	15	18	29
2. MULTIPLE DX										
A. Not Operated	198	6.6	58	1	2	4	8	15	20	35
B. Operated	1557	15.2	143	6	9	12	18	29	42	99
1. SINGLE DX	108	8.4	34	1	3	9	11	15	18	28
2. MULTIPLE DX	1755	14.2	141	3	8	11	17	27	41	96
A. Not Operated	211	6.4	57	1	2	4	8	15	20	33
B. Operated	1652	14.9	139	6	9	12	17	28	41	98
TOTAL										
0-19 YRS	0									
20-34	5	23.4	537	2	8	12	40	59	59	59
35-49	16	7.4	34	1	2	8	13	18	72	99 +
50-64	415	12.0	92	2	8	10	14	22	28	59
65 +	1427	14.5	148	3	9	12	17	28	42	98
GRAND TOTAL	**1863**	**13.9**	**137**	**3**	**8**	**11**	**16**	**27**	**40**	**92**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.0	21	1	2	7	9	10	10	10
35-49	10	6.1	27	1	1	5	9	13	16	16
50-64	13	5.1	17	1	2	4	8	11	13	13
65 +	13	3.6	5	1	2	3	5	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	17	9.6	142	1	3	4	11	33	39	40
B. Operated										
0-19 YRS	2	11.5	221	1	1	11	22	22	22	22
20-34	16	12.0	137	1	5	7	17	34	39	41
35-49	27	8.2	42	2	3	6	12	16	19	29
50-64	71	9.3	43	3	5	8	12	17	24	87
65 +	204	13.9	163	5	7	10	16	30	38	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	40	5.0	15	1	2	4	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	19	9.4	126	1	3	4	10	30	38	40
B. Operated	320	12.3	129	3	6	9	14	25	36	84
1. SINGLE DX	41	4.9	15	1	2	4	7	10	12	16
2. MULTIPLE DX	339	12.1	129	3	6	9	14	25	36	83
A. Not Operated	20	9.0	122	1	2	4	9	28	38	40
B. Operated	360	11.5	121	2	6	9	13	23	35	80
TOTAL										
0-19 YRS	3	10.0	117	1	2	7	18	22	22	22
20-34	20	10.9	116	1	5	7	12	28	38	41
35-49	37	7.6	38	2	3	6	12	16	17	29
50-64	85	8.6	41	2	5	8	11	17	21	78
65 +	235	13.0	158	3	6	9	15	29	38	84
GRAND TOTAL	**380**	**11.4**	**121**	**2**	**5**	**8**	**13**	**23**	**35**	**75**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	5.0	18	2	2	5	8	8	8	8
B. Operated										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	22	5.0	14	1	2	3	9	10	11	11
50-64	52	5.1	17	1	1	4	9	11	12	13
65 +	10	6.4	13	1	4	7	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.8	12	1	2	4	7	9	9	9
35-49	7	3.4	4	1	2	3	5	6	6	6
50-64	23	4.1	16	1	1	2	7	11	12	13
65 +	53	8.6	31	2	5	7	12	16	20	27
B. Operated										
0-19 YRS	5	38.2	1488	7	11	16	68	97	97	97
20-34	7	11.7	81	1	5	13	22	77	99 +	99 +
35-49	86	8.6	32	2	5	8	11	16	19	74
50-64	315	10.7	67	2	6	10	14	18	27	45
65 +	374	12.1	98	3	6	10	15	24	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.4	9	1	2	4	7	8	8	8
B. Operated	89	5.3	15	1	1	5	9	11	11	13
2. MULTIPLE DX										
A. Not Operated	87	6.8	28	1	2	6	10	14	18	25
B. Operated	787	11.3	91	2	6	10	14	22	29	59
1. SINGLE DX	94	5.2	15	1	1	5	9	11	11	13
2. MULTIPLE DX	874	10.9	86	2	5	9	14	21	28	57
A. Not Operated	92	6.7	27	1	2	6	9	14	18	24
B. Operated	876	10.7	86	2	5	9	13	20	28	57
TOTAL										
0-19 YRS	8	26.1	1133	3	7	11	37	85	97	97
20-34	14	8.0	57	1	2	7	15	25	81	99 +
35-49	116	7.6	30	1	3	7	10	15	17	54
50-64	391	9.6	62	1	4	9	12	18	25	44
65 +	439	11.5	90	3	6	10	14	23	29	56
GRAND TOTAL	**968**	**10.3**	**82**	**2**	**5**	**9**	**13**	**19**	**27**	**55**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	4.4	6	2	3	4	5	9	10	13
20-34	5	10.6	39	3	5	12	14	19	19	19
35-49	10	6.2	66	1	2	3	6	19	28	28
50-64	15	2.9	14	< 1	< 1	1	2	9	13	14
65 +	15	3.1	8	< 1	1	2	5	6	10	11
B. Operated										
0-19 YRS	10	2.9	2	1	2	3	4	5	5	5
20-34	16	4.4	34	1	1	2	4	14	19	21
35-49	38	3.6	15	1	1	2	5	9	13	15
50-64	92	4.1	23	1	1	2	6	10	14	24
65 +	98	3.8	22	1	1	1	5	10	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	6.9	118	2	3	5	7	12	13	74
20-34	20	7.1	34	1	3	5	9	16	21	23
35-49	38	5.9	17	2	3	5	7	11	16	19
50-64	82	5.5	49	1	2	4	7	12	16	43
65 +	231	8.0	85	2	3	6	10	15	20	38
B. Operated										
0-19 YRS	24	12.5	421	2	2	5	9	52	70	74
20-34	38	8.9	55	2	4	7	12	15	28	34
35-49	118	9.0	86	1	3	7	11	21	27	48
50-64	398	9.4	118	1	3	6	12	22	29	57
65 +	927	12.4	176	2	4	9	16	29	42	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	4.5	14	1	2	4	5	9	12	19
B. Operated	254	3.9	21	1	1	2	5	9	14	21
2. MULTIPLE DX										
A. Not Operated	450	7.2	77	1	3	5	9	14	18	30
B. Operated	1505	11.3	157	1	3	8	14	26	37	77
1. SINGLE DX	400	4.1	18	1	1	3	5	9	13	21
2. MULTIPLE DX	1955	10.3	141	1	3	7	13	23	33	75
A. Not Operated	596	6.5	63	1	3	5	8	12	17	29
B. Operated	1759	10.2	144	1	2	7	13	24	34	75
TOTAL										
0-19 YRS	214	6.2	99	2	3	4	6	10	12	70
20-34	79	7.6	46	1	2	6	10	15	22	33
35-49	204	7.3	63	1	2	5	9	17	22	40
50-64	587	7.9	96	1	2	5	10	18	26	53
65 +	1271	10.9	153	1	3	8	14	25	35	88
GRAND TOTAL	**2355**	**9.3**	**126**	**1**	**2**	**6**	**11**	**21**	**30**	**70**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.5	8	2	4	5	9	9	9	9
20-34	63	6.8	9	2	5	7	9	10	12	14
35-49	125	7.4	20	3	4	7	9	13	16	22
50-64	103	7.8	19	3	5	8	9	11	14	29
65 +	94	7.4	11	4	5	7	10	12	13	15
B. Operated										
0-19 YRS	7	5.1	7	3	3	3	8	9	9	9
20-34	56	6.9	32	2	3	7	9	11	17	33
35-49	80	6.2	13	1	3	6	8	11	12	16
50-64	78	6.5	12	2	4	6	8	10	13	17
65 +	60	8.6	16	4	6	8	10	15	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	9.5	36	2	5	10	12	18	21	21
20-34	140	7.4	18	3	5	7	9	13	15	21
35-49	285	8.3	30	3	5	7	10	13	16	32
50-64	452	8.7	32	4	6	8	10	14	16	27
65 +	946	9.7	30	5	7	9	12	16	19	33
B. Operated										
0-19 YRS	5	8.6	5	6	7	9	10	12	12	12
20-34	88	8.9	58	2	4	7	11	19	25	39
35-49	222	9.2	32	3	6	8	12	16	20	29
50-64	327	9.9	50	3	6	9	12	18	23	35
65 +	712	12.5	114	4	7	10	14	23	32	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	7.4	15	3	5	7	9	12	13	20
B. Operated	281	6.9	18	2	4	7	9	11	15	20
2. MULTIPLE DX										
A. Not Operated	1831	9.0	30	4	6	8	11	15	18	31
B. Operated	1354	11.1	84	3	7	9	13	19	26	58
1. SINGLE DX	672	7.2	17	2	4	7	9	12	14	20
2. MULTIPLE DX	3185	9.9	54	4	6	8	12	17	21	39
A. Not Operated	2222	8.7	28	4	6	8	11	14	17	30
B. Operated	1635	10.4	75	3	6	9	12	18	25	55
TOTAL										
0-19 YRS	26	7.2	18	3	4	7	9	12	14	21
20-34	347	7.6	29	2	4	7	9	13	17	33
35-49	712	8.2	28	3	5	7	10	14	17	29
50-64	960	8.8	36	3	6	8	10	15	18	32
65 +	1812	10.6	64	4	7	9	12	17	23	52
GRAND TOTAL	**3857**	**9.4**	**48**	**3**	**6**	**8**	**11**	**16**	**20**	**36**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.3	15	1	1	2	5	9	9	9
35-49	12	3.9	13	1	2	2	5	10	13	13
50-64	13	5.4	15	2	3	4	7	11	14	15
65 +	14	7.9	20	3	5	7	10	14	17	18
B. Operated										
0-19 YRS	9	1.8	1	1	1	2	2	3	4	4
20-34	280	2.2	2	1	1	2	3	4	4	7
35-49	540	2.3	3	1	1	2	3	4	5	8
50-64	254	2.8	7	1	1	2	3	5	7	15
65 +	113	5.3	78	1	2	3	5	11	15	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	5.7	25	< 1	< 1	4	10	13	15	15
35-49	44	7.4	45	1	3	6	9	17	22	31
50-64	74	10.1	61	2	4	9	14	21	26	39
65 +	289	12.9	136	3	6	10	16	24	33	62
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	103	3.5	14	1	2	2	4	7	14	19
35-49	240	4.6	36	1	2	3	4	9	21	35
50-64	348	7.7	110	1	2	4	8	20	27	53
65 +	449	14.5	196	2	4	11	20	34	46	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	5.6	18	1	2	4	9	11	14	18
B. Operated	1196	2.7	11	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	420	11.6	114	3	5	9	15	23	28	55
B. Operated	1141	9.3	138	1	2	4	13	25	33	63
1. SINGLE DX	1239	2.8	12	1	1	2	3	5	7	15
2. MULTIPLE DX	1561	9.9	133	1	3	6	14	24	32	62
A. Not Operated	463	11.1	108	2	5	8	14	22	28	53
B. Operated	2337	5.9	84	1	2	3	5	17	24	50
TOTAL										
0-19 YRS	10	1.9	1	1	1	2	2	3	4	4
20-34	400	2.6	6	1	1	2	3	5	7	15
35-49	836	3.3	17	1	1	2	4	6	9	26
50-64	689	6.1	72	1	2	3	6	16	22	34
65 +	865	12.7	166	2	4	9	17	28	40	84
GRAND TOTAL	**2800**	**6.8**	**92**	**1**	**2**	**3**	**7**	**18**	**25**	**50**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	18	2.5	2	1	2	2	3	5	5	5
35-49	20	1.9	1	< 1	1	2	3	3	4	4
50-64	10	2.0	1	< 1	1	2	3	4	4	4
65 +	10	1.9	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	105	2.6	3	1	1	2	3	5	6	7
35-49	213	2.5	2	1	2	2	3	4	5	6
50-64	110	2.5	2	1	2	2	3	4	5	7
65 +	58	3.0	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	33	3.0	5	1	1	2	4	6	9	10
35-49	48	2.6	3	< 1	1	2	3	5	7	9
50-64	83	3.6	9	< 1	2	3	5	6	9	17
65 +	187	5.6	24	2	3	4	7	10	17	24
B. Operated										
0-19 YRS	10	2.2	2	1	1	2	3	4	5	5
20-34	519	2.8	4	1	1	2	4	5	6	10
35-49	966	2.7	4	1	1	2	4	5	6	8
50-64	717	3.1	8	1	1	2	4	6	8	13
65 +	564	4.2	21	1	2	3	5	8	12	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	2.1	1	1	1	2	3	3	4	5
B. Operated	490	2.6	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	353	4.5	17	1	2	3	6	9	11	21
B. Operated	2776	3.1	9	1	1	3	4	6	8	14
1. SINGLE DX	550	2.5	2	1	1	2	3	5	6	7
2. MULTIPLE DX	3129	3.3	10	1	1	3	4	6	8	16
A. Not Operated	413	4.1	15	1	2	3	5	8	10	21
B. Operated	3266	3.1	8	1	1	2	4	6	7	13
TOTAL										
0-19 YRS	18	2.0	1	1	1	2	3	4	5	5
20-34	675	2.8	4	1	1	2	4	5	6	10
35-49	1247	2.7	3	1	1	2	4	5	6	8
50-64	920	3.1	7	1	1	2	4	6	7	13
65 +	819	4.4	20	1	2	3	5	9	12	21
GRAND TOTAL	**3679**	**3.2**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.6	10	1	1	2	5	9	10	10
20-34	65	6.3	7	3	4	6	8	9	11	14
35-49	82	6.5	9	2	4	7	8	10	12	13
50-64	83	6.4	17	1	3	6	9	11	13	21
65 +	80	6.9	13	2	5	7	9	12	13	20
B. Operated										
0-19 YRS	78	3.9	113	< 1	1	1	2	9	12	72
20-34	149	4.6	16	1	1	3	7	10	12	17
35-49	95	5.6	21	1	1	5	9	12	15	18
50-64	81	7.0	20	2	4	7	9	13	14	22
65 +	63	6.7	14	1	4	7	9	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	4.2	18	1	1	2	5	11	14	21
20-34	158	6.9	23	2	3	6	10	12	16	22
35-49	279	6.9	26	1	4	6	9	12	15	26
50-64	613	7.3	23	2	4	7	10	13	15	22
65 +	1608	8.6	64	2	4	7	10	15	20	45
B. Operated										
0-19 YRS	63	5.7	99	1	1	2	6	13	19	64
20-34	211	6.1	39	1	1	4	9	14	19	30
35-49	311	8.8	72	1	3	7	11	18	24	46
50-64	441	10.2	68	2	6	9	12	19	25	69
65 +	918	12.6	126	4	7	10	15	25	36	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	329	6.3	12	2	4	6	8	11	12	18
B. Operated	466	5.4	35	1	1	4	8	11	13	20
2. MULTIPLE DX										
A. Not Operated	2717	7.9	48	2	4	7	10	14	18	40
B. Operated	1944	10.5	99	2	5	8	13	20	30	60
1. SINGLE DX	795	5.8	26	1	2	6	8	11	13	19
2. MULTIPLE DX	4661	9.0	71	2	4	7	11	16	23	50
A. Not Operated	3046	7.7	44	2	4	7	10	14	17	35
B. Operated	2410	9.5	91	1	4	8	12	18	27	58
TOTAL										
0-19 YRS	219	4.5	75	< 1	1	2	5	10	14	45
20-34	583	5.9	26	1	2	5	9	12	15	22
35-49	767	7.5	44	1	3	7	10	13	18	35
50-64	1218	8.2	41	2	4	7	11	15	19	35
65 +	2669	9.9	87	3	5	8	12	18	27	58
GRAND TOTAL	**5456**	**8.5**	**66**	**2**	**4**	**7**	**10**	**16**	**21**	**46**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	9.7	44	4	5	8	15	17	17	17
20-34	8	5.1	10	1	2	4	8	9	9	9
35-49	3	6.3	5	5	5	5	8	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	3.0	3	< 1	1	4	4	4	4	4
B. Operated										
0-19 YRS	6	10.3	25	5	6	10	12	18	19	19
20-34	15	6.9	12	4	4	5	8	13	14	14
35-49	8	8.1	10	4	6	8	10	12	13	13
50-64	4	9.5	30	5	5	8	13	17	17	17
65 +	3	10.7	54	5	6	8	16	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	6.1	11	2	4	5	9	11	11	14
20-34	40	6.4	30	3	4	5	7	11	13	35
35-49	63	7.7	21	2	4	7	11	14	16	19
50-64	86	10.0	44	3	5	8	14	19	21	32
65 +	85	9.8	35	3	5	8	13	19	21	25
B. Operated										
0-19 YRS	26	15.5	154	3	9	14	21	40	63	99 +
20-34	41	13.5	153	3	6	10	14	29	42	60
35-49	59	18.6	340	5	8	13	19	48	55	96
50-64	77	21.6	302	8	10	16	25	52	74	99 +
65 +	119	21.0	306	5	10	16	26	49	79	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.7	15	1	4	5	8	9	14	17
B. Operated	36	8.4	18	4	5	8	11	14	18	19
2. MULTIPLE DX										
A. Not Operated	303	8.6	34	3	4	7	11	16	20	29
B. Operated	322	19.3	285	5	9	14	24	47	60	99 +
1. SINGLE DX	54	7.5	18	3	4	6	9	13	17	19
2. MULTIPLE DX	625	14.1	192	3	6	10	17	29	48	98
A. Not Operated	321	8.4	33	3	4	7	11	16	20	29
B. Operated	358	18.2	269	5	8	14	23	43	58	99 +
TOTAL										
0-19 YRS	64	10.5	89	2	4	9	14	21	31	93
20-34	104	9.2	86	3	4	6	11	16	28	52
35-49	133	12.5	190	3	5	9	13	21	44	76
50-64	168	15.3	194	4	7	12	19	32	51	98
65 +	210	16.1	221	4	7	13	20	31	55	99 +
GRAND TOTAL	**679**	**13.6**	**181**	**3**	**5**	**10**	**16**	**28**	**45**	**97**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	186	2.7	10	1	1	2	3	5	8	18
20-34	58	3.1	11	1	1	2	4	7	10	18
35-49	64.	2.8	4	< 1	1	2	4	5	6	10
50-64	39	3.9	26	1	2	2	4	7	18	24
65 +	91	4.1	9	1	2	3	5	8	11	13
B. Operated										
0-19 YRS	70	5.2	21	1	2	4	8	9	12	25
20-34	66	4.9	16	1	2	4	6	10	10	26
35-49	80	5.5	23	1	2	4	7	11	15	25
50-64	53	4.9	12	1	2	4	8	9	12	15
65 +	96	6.4	50	1	2	4	8	13	17	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	242	3.3	15	1	1	2	4	6	9	14
20-34	151	4.3	13	1	2	3	6	8	10	22
35-49	228	5.0	47	1	2	4	6	9	12	26
50-64	390	5.8	29	2	3	4	7	11	15	29
65 +	1780	7.2	57	2	3	5	9	14	19	48
B. Operated										
0-19 YRS	125	11.1	198	2	4	7	11	22	43	79
20-34	288	8.3	89	1	3	5	10	16	23	55
35-49	387	10.1	133	2	4	7	12	21	31	66
50-64	524	11.3	133	2	4	9	14	24	36	74
65 +	1499	13.8	174	3	6	10	17	29	45	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	438	3.2	11	1	1	2	4	6	9	18
B. Operated	365	5.5	27	1	2	4	7	10	14	27
2. MULTIPLE DX										
A. Not Operated	2791	6.3	48	1	3	5	8	12	17	41
B. Operated	2823	12.2	157	2	5	9	15	26	40	81
1. SINGLE DX	803	4.2	19	1	1	3	5	9	11	24
2. MULTIPLE DX	5614	9.3	111	2	3	6	11	19	29	63
A. Not Operated	3229	5.9	44	1	2	4	7	12	16	36
B. Operated	3188	11.4	146	2	4	8	14	25	38	79
TOTAL										
0-19 YRS	623	4.9	61	1	1	3	5	10	15	46
20-34	563	6.3	57	1	2	4	8	12	19	45
35-49	759	7.5	92	1	3	5	9	15	23	55
50-64	1006	8.6	91	2	3	6	11	17	26	54
65 +	3466	10.0	118	2	4	7	12	21	32	71
GRAND TOTAL	**6417**	**8.6**	**103**	**1**	**3**	**6**	**10**	**18**	**27**	**61**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	3.2	3	1	2	3	4	6	6	6
35-49	12	7.3	26	2	4	6	9	14	19	20
50-64	10	7.9	15	4	5	6	11	14	16	16
65 +	1	35.0		35	35	35	35	35	35	35
B. Operated										
0-19 YRS	0									
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	11	3.3	20	1	1	1	4	11	15	15
50-64	9	1.7	1	< 1	1	1	2	4	4	4
65 +	5	3.8	18	1	1	2	6	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	96	9.1	48	3	4	6	12	21	25	29
35-49	374	11.0	98	3	5	8	13	22	31	55
50-64	405	12.4	145	4	6	9	15	25	35	74
65 +	220	12.3	101	4	7	9	15	22	31	71
B. Operated										
0-19 YRS	0									
20-34	36	11.6	194	1	2	7	17	34	56	99 +
35-49	149	13.8	141	3	7	10	19	31	42	99 +
50-64	187	14.5	149	2	6	11	19	31	38	64
65 +	109	16.5	234	4	8	12	20	36	57	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	7.6	46	2	4	6	9	14	21	35
B. Operated	28	2.8	12	1	1	1	3	7	11	15
2. MULTIPLE DX										
A. Not Operated	1095	11.6	113	3	6	9	14	22	30	69
B. Operated	481	14.5	170	2	6	11	19	31	43	75
1. SINGLE DX	57	5.2	35	1	1	4	6	12	16	34
2. MULTIPLE DX	1576	12.5	132	3	6	9	16	26	35	71
A. Not Operated	1124	11.5	111	3	5	8	14	22	30	69
B. Operated	509	13.9	168	1	6	10	18	31	43	75
TOTAL										
0-19 YRS	0									
20-34	141	9.3	85	2	4	6	12	21	27	60
35-49	546	11.5	110	3	5	8	14	24	34	66
50-64	611	12.8	145	3	6	9	16	26	36	71
65 +	335	13.6	148	4	7	10	16	26	37	72
GRAND TOTAL	**1633**	**12.3**	**130**	**3**	**6**	**9**	**15**	**25**	**35**	**71**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	6.5	24	1	3	6	9	14	15	15
50-64	9	4.1	9	1	1	4	7	8	8	8
65 +	4	5.0	5	3	3	4	6	8	8	8
B. Operated										
0-19 YRS	27	3.2	74	1	1	1	2	3	10	46
20-34	50	1.3	1	1	1	1	1	2	2	8
35-49	62	1.4	2	< 1	1	1	1	2	3	9
50-64	61	1.9	6	< 1	1	1	1	4	8	14
65 +	20	2.5	26	1	1	1	2	3	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	6.3	71	1	2	3	7	17	29	31
20-34	24	7.8	45	2	3	5	10	18	24	27
35-49	58	8.1	43	2	4	6	10	16	20	36
50-64	113	9.8	101	3	5	8	11	18	26	59
65 +	221	11.2	97	4	6	9	13	21	29	70
B. Operated										
0-19 YRS	39	12.5	400	1	2	2	14	42	54	93
20-34	41	6.8	190	< 1	1	2	6	15	25	82
35-49	97	8.2	138	1	1	5	10	19	26	70
50-64	180	7.9	83	1	1	4	11	22	27	40
65 +	231	12.1	195	1	2	8	16	27	43	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.0	13	1	2	5	7	9	13	15
B. Operated	220	1.8	14	1	1	1	1	3	5	17
2. MULTIPLE DX										
A. Not Operated	428	10.1	88	3	5	8	12	19	27	60
B. Operated	588	9.8	168	1	1	6	13	24	35	70
1. SINGLE DX	243	2.1	15	1	1	1	1	4	8	16
2. MULTIPLE DX	1016	9.9	134	1	3	7	12	22	30	68
A. Not Operated	451	9.8	86	3	5	8	12	19	27	58
B. Operated	808	7.6	138	1	1	2	10	19	29	67
TOTAL										
0-19 YRS	79	8.2	249	1	1	2	6	30	47	83
20-34	116	4.6	84	1	1	1	5	11	15	52
35-49	225	6.2	80	1	1	3	7	14	20	47
50-64	363	7.4	81	1	1	5	10	18	25	41
65 +	476	11.2	144	1	4	8	14	23	33	76
GRAND TOTAL	**1259**	**8.4**	**121**	**1**	**1**	**5**	**11**	**19**	**28**	**66**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.0	5	< 1	1	3	4	6	7	7
20-34	30	5.6	14	2	3	5	7	11	12	18
35-49	21	3.9	3	2	3	4	5	6	7	8
50-64	22	4.8	10	2	3	4	6	8	13	15
65 +	10	5.9	27	< 1	3	5	6	14	19	19
B. Operated										
0-19 YRS	10	6.0	62	1	1	3	7	19	26	26
20-34	9	4.9	13	1	1	5	8	10	10	10
35-49	12	7.3	94	< 1	1	2	11	21	31	33
50-64	15	2.9	10	< 1	1	1	3	9	10	10
65 +	13	1.7	3	< 1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	4.7	23	1	2	3	6	10	16	23
20-34	94	5.9	21	2	3	5	7	11	12	27
35-49	151	8.0	44	2	4	6	11	15	21	35
50-64	279	9.8	119	3	4	6	11	19	32	68
65 +	416	10.7	97	3	5	8	13	20	25	60
B. Operated										
0-19 YRS	40	15.6	327	1	2	8	28	41	68	99 +
20-34	29	15.2	171	2	4	11	22	38	42	42
35-49	51	14.0	183	1	5	8	22	32	47	54
50-64	98	16.2	189	1	6	14	22	29	41	72
65 +	165	16.8	220	2	7	12	23	34	45	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	4.8	11	2	3	4	6	8	12	19
B. Operated	59	4.3	37	1	1	1	6	10	15	32
2. MULTIPLE DX										
A. Not Operated	980	9.3	88	3	4	7	11	18	24	58
B. Operated	383	16.0	213	2	5	12	23	35	44	79
1. SINGLE DX	150	4.6	21	1	2	3	6	9	12	26
2. MULTIPLE DX	1363	11.2	132	2	4	8	13	24	34	62
A. Not Operated	1071	8.9	83	2	4	6	11	17	23	56
B. Operated	442	14.5	205	1	3	11	22	33	43	74
TOTAL										
0-19 YRS	98	9.1	176	1	2	4	10	29	39	87
20-34	162	7.4	58	2	3	5	8	16	22	41
35-49	235	8.9	81	2	3	6	11	21	29	49
50-64	414	10.8	137	2	4	7	13	23	34	65
65 +	604	12.1	137	3	5	9	14	24	34	62
GRAND TOTAL	**1513**	**10.6**	**125**	**2**	**4**	**7**	**13**	**23**	**33**	**60**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	2.1	2	1	1	2	3	4	5	6
20-34	159	2.5	4	1	1	2	3	5	6	9
35-49	146	2.7	3	1	1	2	4	5	6	8
50-64	122	3.4	8	1	2	3	4	7	9	16
65 +	86	3.7	5	1	2	3	5	7	7	11
B. Operated										
0-19 YRS	130	5.0	5	3	4	5	6	8	9	14
20-34	1831	4.9	3	3	4	5	6	7	8	11
35-49	1632	5.1	4	3	4	5	6	7	9	12
50-64	1151	5.5	5	3	4	5	6	8	10	13
65 +	543	6.8	8	4	5	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.7	2	1	2	2	4	4	6	6
20-34	188	3.9	31	1	2	3	5	6	8	32
35-49	264	3.4	7	1	2	3	4	6	9	15
50-64	421	4.6	15	1	2	4	6	9	11	23
65 +	1041	7.3	54	2	4	6	9	14	17	42
B. Operated										
0-19 YRS	125	7.6	46	3	4	6	8	12	15	40
20-34	1732	6.5	12	3	4	6	8	10	13	18
35-49	2427	6.5	12	4	4	6	8	10	13	20
50-64	3136	8.0	29	4	5	7	9	13	16	28
65 +	4276	11.2	64	5	6	9	13	19	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	533	2.9	5	1	1	2	4	6	7	11
B. Operated	5287	5.3	5	3	4	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	1929	5.8	39	2	3	4	7	11	15	30
B. Operated	11696	8.6	40	4	5	7	10	15	19	35
1. SINGLE DX	5820	5.1	5	3	4	5	6	8	9	12
2. MULTIPLE DX	13625	8.2	41	3	5	7	10	14	18	35
A. Not Operated	2462	5.2	33	1	2	4	6	10	14	27
B. Operated	16983	7.6	31	4	4	6	9	13	17	30
TOTAL										
0-19 YRS	290	5.8	25	2	4	5	7	9	12	30
20-34	3910	5.4	10	3	4	5	6	9	11	15
35-49	4469	5.7	10	3	4	5	7	9	11	17
50-64	4830	7.0	23	3	4	6	8	12	15	23
65 +	5946	10.0	60	4	6	8	12	18	23	46
GRAND TOTAL	**19445**	**7.3**	**32**	**3**	**4**	**6**	**9**	**13**	**16**	**30**

259 Hospitals, North Eastern Region,January-December 1988

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.7	2	1	1	3	4	5	5	5
20-34	105	3.1	4	1	2	3	4	5	7	10
35-49	76	3.5	7	1	2	3	5	7	8	12
50-64	49	3.5	4	1	2	3	5	6	7	8
65 +	27	4.4	10	1	2	4	6	8	11	14
B. Operated										
0-19 YRS	11	9.9	176	3	5	5	9	27	47	49
20-34	123	5.4	6	3	4	5	6	9	11	13
35-49	118	5.5	7	3	4	5	6	9	11	15
50-64	84	6.5	8	4	5	6	8	10	12	17
65 +	37	7.9	10	4	5	7	9	13	14	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.5	17	2	2	4	7	12	13	13
20-34	89	4.4	9	1	2	4	6	8	9	17
35-49	103	4.0	6	1	2	4	5	8	9	11
50-64	138	4.9	12	2	3	4	6	9	11	20
65 +	291	7.6	33	3	4	6	9	14	19	26
B. Operated										
0-19 YRS	10	14.1	593	1	3	5	11	52	81	81
20-34	177	6.9	23	3	4	5	8	12	16	30
35-49	234	7.9	41	3	5	6	9	14	20	40
50-64	278	9.5	43	4	6	8	11	17	21	33
65 +	399	13.4	104	6	8	11	16	23	37	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	267	3.4	5	1	2	3	5	6	7	12
B. Operated	373	6.0	13	3	4	5	7	10	12	15
2. MULTIPLE DX										
A. Not Operated	627	5.9	23	2	3	5	7	11	15	25
B. Operated	1098	10.2	73	4	5	8	12	19	24	60
1. SINGLE DX	640	4.9	11	2	3	4	6	8	11	15
2. MULTIPLE DX	1725	8.6	59	3	4	7	11	16	22	47
A. Not Operated	894	5.2	19	2	2	4	6	10	13	23
B. Operated	1471	9.1	61	4	5	7	11	16	22	49
TOTAL										
0-19 YRS	37	8.4	220	1	3	5	6	13	40	81
20-34	494	5.2	14	2	3	4	6	9	12	18
35-49	531	6.0	25	2	3	5	7	10	14	24
50-64	549	7.3	32	3	4	6	9	13	18	27
65 +	754	10.6	78	4	6	8	13	20	25	63
GRAND TOTAL	**2365**	**7.6**	**49**	**2**	**4**	**6**	**9**	**14**	**19**	**40**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	4.0	6	1	2	4	6	7	7	7
50-64	7	3.7	4	1	2	3	5	7	7	7
65 +	8	5.0	7	1	2	6	7	8	8	8
B. Operated										
0-19 YRS	6	7.2	5	4	6	7	9	10	10	10
20-34	53	5.9	10	2	4	5	8	10	12	18
35-49	54	6.3	16	1	3	6	9	11	13	19
50-64	55	6.4	26	1	2	6	9	11	16	28
65 +	83	6.4	37	1	2	5	8	14	20	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	15	3.1	2	2	2	3	3	5	6	6
35-49	13	3.8	6	1	2	3	4	8	10	10
50-64	41	5.3	8	2	3	5	7	10	11	12
65 +	132	6.9	23	3	4	6	9	13	15	22
B. Operated										
0-19 YRS	7	6.7	9	3	4	6	9	11	11	11
20-34	97	8.2	13	3	6	8	10	13	14	17
35-49	94	8.9	41	3	5	8	11	15	19	38
50-64	191	11.0	77	3	6	9	14	20	24	57
65 +	767	14.0	106	4	8	12	17	25	33	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.1	6	1	2	4	7	7	8	8
B. Operated	251	6.3	24	1	3	6	8	12	15	26
2. MULTIPLE DX										
A. Not Operated	203	6.1	19	2	3	5	8	11	13	17
B. Operated	1156	12.6	92	4	7	11	16	23	29	63
1. SINGLE DX	272	6.1	23	1	3	5	8	11	14	26
2. MULTIPLE DX	1359	11.6	87	3	6	10	15	22	28	60
A. Not Operated	224	5.9	18	2	3	5	8	11	13	17
B. Operated	1407	11.5	86	3	6	10	14	21	28	59
TOTAL										
0-19 YRS	15	6.6	6	3	5	6	9	10	11	11
20-34	167	6.9	14	2	4	7	9	12	14	17
35-49	165	7.5	32	2	4	7	10	14	16	31
50-64	294	9.2	63	2	4	8	11	17	21	47
65 +	990	12.4	98	3	6	11	16	24	30	67
GRAND TOTAL	**1631**	**10.7**	**80**	**2**	**5**	**9**	**14**	**20**	**27**	**50**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	7	3.6	5	< 1	2	3	5	7	7	7
35-49	16	5.6	6	3	4	6	7	8	10	11
50-64	10	4.4	5	2	3	4	6	8	9	9
65 +	17	7.1	22	2	4	7	8	11	18	22
B. Operated										
0-19 YRS	10	5.4	24	1	1	3	11	12	12	12
20-34	8	4.3	13	1	1	3	7	10	10	10
35-49	17	4.6	26	1	1	2	7	12	16	18
50-64	22	4.0	21	1	1	2	5	11	15	19
65 +	14	5.4	47	1	1	3	8	13	23	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	7.4	32	1	2	8	10	14	19	20
20-34	12	7.0	66	2	3	5	7	15	30	32
35-49	42	6.0	19	2	2	5	8	13	16	18
50-64	74	6.9	21	3	3	6	8	12	15	25
65 +	198	9.2	42	3	5	8	12	17	18	45
B. Operated										
0-19 YRS	23	17.8	438	2	4	9	24	39	62	95
20-34	30	7.7	46	1	2	7	11	13	19	34
35-49	63	9.1	49	1	3	9	12	16	24	33
50-64	119	10.5	76	2	4	9	14	21	29	43
65 +	250	14.0	179	2	7	11	18	29	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	5.6	12	2	3	5	7	9	11	22
B. Operated	71	4.6	26	1	1	2	7	12	13	25
2. MULTIPLE DX										
A. Not Operated	338	8.1	36	2	4	7	11	16	18	34
B. Operated	485	12.3	146	2	5	10	15	27	38	99
1. SINGLE DX	123	5.1	20	1	2	4	7	11	12	23
2. MULTIPLE DX	823	10.6	105	2	4	8	13	21	30	94
A. Not Operated	390	7.8	34	2	4	7	10	15	18	33
B. Operated	556	11.3	137	1	3	9	14	24	35	98
TOTAL										
0-19 YRS	47	12.1	255	1	2	8	12	30	39	95
20-34	57	6.6	41	1	2	5	8	12	17	34
35-49	138	7.2	35	1	2	6	10	14	18	30
50-64	225	8.4	55	2	3	7	11	17	22	39
65 +	479	11.5	120	2	5	9	15	23	34	99 +
GRAND TOTAL	**946**	**9.9**	**97**	**2**	**4**	**8**	**12**	**19**	**28**	**66**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	5.2	18	1	3	4	5	9	13	24
20-34	163	5.1	10	2	3	5	6	9	11	15
35-49	174	5.4	20	2	3	4	6	9	12	21
50-64	136	5.8	17	2	4	5	7	9	12	32
65 +	82	5.8	15	2	4	5	7	10	15	22
B. Operated										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	25	8.1	47	1	4	7	10	16	21	32
35-49	48	8.3	56	1	3	7	11	16	21	35
50-64	29	6.6	47	< 1	1	6	9	12	21	33
65 +	11	5.9	16	< 1	2	7	9	11	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	5.8	36	1	2	4	6	17	22	24
20-34	630	6.7	25	3	4	5	8	12	16	27
35-49	997	7.6	39	3	4	6	9	14	18	30
50-64	653	7.6	34	3	4	6	9	13	19	31
65 +	870	8.8	63	4	5	7	10	15	19	51
B. Operated										
0-19 YRS	23	17.4	133	5	10	16	23	29	40	56
20-34	150	16.4	191	5	8	13	21	34	56	99
35-49	287	17.3	220	4	7	12	25	41	55	99 +
50-64	309	16.9	223	4	8	12	21	44	56	99 +
65 +	437	16.4	183	6	8	13	19	33	46	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	593	5.5	16	2	3	5	7	9	12	23
B. Operated	115	7.7	49	1	2	7	10	16	20	34
2. MULTIPLE DX										
A. Not Operated	3176	7.7	42	3	4	6	9	14	18	31
B. Operated	1206	16.8	202	5	8	12	21	37	54	99 +
1. SINGLE DX	708	5.8	22	2	3	5	7	10	14	27
2. MULTIPLE DX	4382	10.2	102	3	5	7	12	20	30	62
A. Not Operated	3769	7.4	39	3	4	6	9	13	17	30
B. Operated	1321	16.0	195	4	8	12	20	35	50	99 +
TOTAL										
0-19 YRS	89	8.8	81	1	3	5	11	22	24	46
20-34	968	8.0	62	2	4	6	9	16	23	46
35-49	1506	9.2	87	3	4	6	10	18	29	55
50-64	1127	9.9	103	3	4	7	11	20	31	64
65 +	1400	11.0	111	4	5	8	13	20	30	69
GRAND TOTAL	**5090**	**9.6**	**93**	**3**	**4**	**7**	**11**	**19**	**28**	**58**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	1.9	1	1	1	1	3	4	4	5
20-34	47	3.0	3	1	2	3	4	5	7	9
35-49	41	3.1	8	1	2	2	4	5	6	18
50-64	43	3.7	5	1	2	3	5	7	8	9
65 +	67	4.3	9	1	2	3	6	9	11	12
B. Operated										
0-19 YRS	5	3.6	10	1	1	2	6	8	8	8
20-34	5	3.0	3	1	2	3	4	5	5	5
35-49	7	3.9	11	2	2	2	6	9	10	10
50-64	9	6.0	11	2	4	5	7	11	13	13
65 +	5	8.0	16	3	4	9	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	3.3	8	1	2	3	4	6	8	15
20-34	246	4.0	9	1	2	3	5	8	9	14
35-49	398	5.0	13	2	3	4	6	9	11	20
50-64	752	5.7	21	2	3	5	7	10	13	22
65 +	2986	7.8	55	3	4	6	9	14	19	50
B. Operated										
0-19 YRS	31	8.0	94	1	2	5	8	20	38	39
20-34	43	6.9	50	2	3	5	8	14	20	42
35-49	120	8.0	93	3	3	6	9	16	24	89
50-64	294	8.8	53	3	4	7	10	16	26	39
65 +	1099	11.5	117	3	5	8	14	24	33	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	238	3.3	6	1	2	3	4	7	8	12
B. Operated	31	5.0	12	1	2	5	7	10	13	13
2. MULTIPLE DX										
A. Not Operated	4512	6.9	44	2	3	5	8	13	17	39
B. Operated	1587	10.6	103	3	5	8	13	22	30	61
1. SINGLE DX	269	3.5	7	1	2	3	5	7	9	13
2. MULTIPLE DX	6099	7.9	62	2	4	6	9	15	21	49
A. Not Operated	4750	6.7	42	2	3	5	8	12	17	38
B. Operated	1618	10.5	102	3	5	7	13	21	30	61
TOTAL										
0-19 YRS	206	3.8	23	1	1	3	4	7	11	30
20-34	341	4.2	14	1	2	3	5	8	10	20
35-49	566	5.5	32	2	3	4	6	10	13	29
50-64	1098	6.5	31	2	3	5	8	12	15	31
65 +	4157	8.8	73	3	4	6	10	17	24	55
GRAND TOTAL	**6368**	**7.7**	**60**	**2**	**4**	**6**	**9**	**15**	**20**	**47**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	2.9	4	1	1	2	4	6	7	8
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	16.0		16	16	16	16	16	16	16
B. Operated										
0-19 YRS	5	3.0	12	1	1	1	4	9	9	9
20-34	1	19.0		19	19	19	19	19	19	19
35-49	3	24.3	902	6	6	8	46	59	59	59
50-64	0									
65 +	2	5.0	32	< 1	< 1	4	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	5.1	22	1	2	4	7	11	16	98
20-34	4	5.5	7	3	3	5	7	9	9	9
35-49	10	7.8	29	2	3	7	9	16	18	18
50-64	20	11.3	402	2	4	5	9	20	60	93
65 +	44	10.8	99	4	5	8	14	18	32	56
B. Operated										
0-19 YRS	22	16.8	179	2	6	18	28	58	99 +	99 +
20-34	7	13.0	36	7	8	13	17	22	23	23
35-49	21	15.3	104	6	9	12	24	35	66	99 +
50-64	25	15.8	75	5	9	15	23	32	47	99 +
65 +	34	16.1	160	3	8	13	23	29	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	3.4	9	1	2	3	4	7	8	16
B. Operated	11	10.6	287	< 1	1	6	9	35	57	59
2. MULTIPLE DX										
A. Not Operated	129	8.2	112	2	3	5	9	16	28	94
B. Operated	109	15.8	122	5	8	14	24	32	55	99 +
1. SINGLE DX	40	5.4	91	1	1	3	5	9	17	59
2. MULTIPLE DX	238	11.7	130	2	5	9	16	28	38	99 +
A. Not Operated	158	7.3	96	1	3	5	9	15	20	90
B. Operated	120	15.3	138	3	8	13	23	32	56	99 +
TOTAL										
0-19 YRS	105	6.9	76	1	2	4	8	24	32	99 +
20-34	12	11.0	41	4	6	9	16	20	23	23
35-49	34	13.9	148	3	7	10	18	32	55	99 +
50-64	46	13.6	217	4	5	9	18	30	43	99 +
65 +	81	12.9	128	4	5	9	17	26	43	86
GRAND TOTAL	**278**	**10.8**	**129**	**2**	**4**	**8**	**15**	**25**	**35**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	5.5	60	2	2	3	7	10	13	54
20-34	3	3.3		3	3	3	4	4	4	4
35-49	5	5.0	15	1	2	3	8	10	10	10
50-64	3	2.7	8	1	1	1	5	6	6	6
65 +	3	5.3	14	1	2	7	8	8	8	8
B. Operated										
0-19 YRS	76	2.2	3	1	1	2	2	4	6	9
20-34	35	2.8	9	1	1	2	2	5	8	17
35-49	22	2.9	19	1	1	2	3	4	11	22
50-64	11	4.9	21	1	2	3	6	12	17	17
65 +	6	2.0	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	5.0	17	1	3	4	6	11	14	21
20-34	20	6.5	44	1	2	5	8	12	21	30
35-49	21	6.0	21	1	3	6	8	11	16	20
50-64	27	7.8	49	2	4	6	10	18	23	32
65 +	43	9.2	60	2	4	7	12	18	28	35
B. Operated										
0-19 YRS	62	7.1	88	1	2	4	8	17	36	93
20-34	40	6.1	92	1	2	2	7	10	27	51
35-49	58	7.4	124	1	2	3	10	20	23	70
50-64	57	10.2	186	1	2	6	12	27	37	77
65 +	68	14.6	228	2	3	11	19	30	48	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	5.2	51	1	2	3	7	10	13	48
B. Operated	150	2.6	8	1	1	2	3	5	7	17
2. MULTIPLE DX										
A. Not Operated	192	6.6	36	2	3	5	9	13	20	32
B. Operated	285	9.4	157	1	2	5	12	24	33	76
1. SINGLE DX	224	3.5	23	1	1	2	4	7	10	18
2. MULTIPLE DX	477	8.3	110	1	2	5	10	20	29	64
A. Not Operated	266	6.2	41	1	3	4	8	13	17	32
B. Operated	435	7.1	116	1	2	3	8	18	28	68
TOTAL										
0-19 YRS	279	4.8	41	1	2	3	5	11	14	45
20-34	98	4.9	52	1	2	2	5	9	15	44
35-49	106	6.1	79	1	2	3	7	17	21	46
50-64	98	8.7	127	1	2	5	9	20	31	63
65 +	120	11.8	162	2	3	8	14	27	32	70
GRAND TOTAL	**701**	**6.8**	**87**	**1**	**2**	**3**	**8**	**15**	**24**	**54**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.2	2	1	2	3	4	5	6	6
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	6	2.7	7	1	1	2	2	7	8	8
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	5.1	7	2	3	5	7	9	10	13
20-34	8	4.9	11	2	3	4	7	10	11	11
35-49	4	7.8	71	< 1	2	5	13	20	20	20
50-64	4	12.3	55	4	6	13	18	19	19	19
65 +	14	12.1	35	5	9	11	14	21	24	25
B. Operated										
0-19 YRS	6	9.7	39	< 1	3	11	15	16	16	16
20-34	7	7.9	100	2	2	5	7	26	30	30
35-49	10	15.9	352	2	2	12	22	45	63	63
50-64	13	20.7	578	2	4	9	36	59	75	79
65 +	14	15.3	93	5	7	14	24	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.6	4	1	2	3	5	6	7	8
B. Operated	10	2.9	9	1	1	2	2	8	9	9
2. MULTIPLE DX										
A. Not Operated	71	7.0	27	2	3	5	9	14	19	24
B. Operated	50	15.1	267	2	3	9	20	33	54	79
1. SINGLE DX	25	3.3	6	1	2	2	5	8	8	9
2. MULTIPLE DX	121	10.3	140	2	3	6	12	23	30	68
A. Not Operated	86	6.4	24	2	3	5	8	13	18	24
B. Operated	60	13.1	244	2	2	8	17	30	46	77
TOTAL										
0-19 YRS	66	4.9	12	2	2	4	6	10	12	16
20-34	16	6.0	49	2	2	4	7	11	24	30
35-49	17	12.2	234	1	2	8	16	26	50	63
50-64	18	17.7	448	2	4	8	19	49	69	79
65 +	29	13.4	65	5	7	11	19	26	29	30
GRAND TOTAL	**146**	**9.1**	**124**	**2**	**3**	**6**	**10**	**20**	**29**	**64**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	3.5	13	< 1	< 1	3	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	1.8		< 1	1	2	2	2	2	2
65 +	27	1.1		1	1	1	1	1	2	2
B. Operated										
0-19 YRS	12	7.8	97	1	3	3	9	25	32	33
20-34	19	2.8	8	< 1	1	2	4	4	9	13
35-49	27	2.9	13	< 1	1	2	3	5	10	19
50-64	20	3.2	10	< 1	1	2	4	7	11	14
65 +	33	3.2	7	1	2	2	3	8	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	8.2	71	1	3	7	11	13	27	42
20-34	16	3.8	5	1	2	4	5	8	8	8
35-49	38	10.2	131	2	3	7	11	24	42	50
50-64	75	9.0	119	2	3	7	10	16	24	70
65 +	216	10.5	94	2	4	8	13	24	29	61
B. Operated										
0-19 YRS	110	14.8	109	2	5	14	21	30	35	42
20-34	147	11.1	151	2	3	7	16	23	30	77
35-49	227	12.3	201	2	3	8	16	30	37	80
50-64	334	12.2	135	2	3	9	17	28	36	51
65 +	427	13.8	242	2	4	9	18	31	49	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	1.3	1	1	1	1	1	2	3	6
B. Operated	111	3.5	20	1	1	2	4	8	13	26
2. MULTIPLE DX										
A. Not Operated	377	9.7	98	2	3	7	12	21	29	59
B. Operated	1245	12.9	184	2	4	9	18	30	38	79
1. SINGLE DX	146	3.0	16	1	1	2	3	5	10	21
2. MULTIPLE DX	1622	12.1	166	2	4	8	16	28	36	77
A. Not Operated	412	9.0	95	1	3	7	11	20	29	57
B. Operated	1356	12.1	177	2	3	8	17	28	36	77
TOTAL										
0-19 YRS	155	12.8	109	2	4	11	19	29	34	42
20-34	184	9.5	132	1	3	5	13	21	27	66
35-49	293	11.1	181	1	3	6	14	28	36	71
50-64	433	11.2	131	2	3	7	15	26	35	51
65 +	703	11.8	187	1	3	8	15	28	37	97
GRAND TOTAL	**1768**	**11.4**	**160**	**2**	**3**	**7**	**15**	**26**	**35**	**75**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	14.0		14	14	14	14	14	14	14
35-49	0									
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	3	4.0	13	1	1	3	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	4.0	19	< 1	< 1	2	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	7.8	43	1	2	6	12	16	21	24
20-34	24	6.9	37	3	4	5	8	11	21	31
35-49	53	8.6	52	2	4	6	11	17	27	34
50-64	96	10.3	66	3	5	8	13	19	25	46
65 +	542	11.7	101	4	6	9	15	21	29	64
B. Operated										
0-19 YRS	21	14.0	90	3	5	14	21	28	30	32
20-34	36	12.0	53	3	6	10	18	22	25	29
35-49	76	20.2	254	4	9	15	28	46	53	72
50-64	129	17.9	261	5	9	13	22	36	56	99 +
65 +	390	21.7	301	7	11	18	27	48	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.4	19	1	3	4	7	13	14	14
B. Operated	5	3.2	11	< 1	1	2	4	9	9	9
2. MULTIPLE DX										
A. Not Operated	732	11.0	91	3	5	8	14	21	29	58
B. Operated	652	20.0	274	5	10	16	25	44	63	99 +
1. SINGLE DX	12	4.5	16	1	2	3	6	10	13	14
2. MULTIPLE DX	1384	15.2	197	4	7	11	19	32	46	99
A. Not Operated	739	11.0	91	3	5	8	14	21	28	57
B. Operated	657	19.9	274	5	10	16	25	44	63	99 +
TOTAL										
0-19 YRS	39	11.0	76	1	4	9	17	24	28	32
20-34	62	9.9	52	3	4	8	14	21	24	31
35-49	130	15.3	203	3	5	11	20	32	49	63
50-64	230	14.4	190	3	6	10	18	31	47	98
65 +	935	15.8	209	4	7	12	19	33	48	99 +
GRAND TOTAL	**1396**	**15.2**	**196**	**4**	**7**	**11**	**19**	**31**	**46**	**99**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	3.7	3	2	2	3	5	6	7	10
20-34	237	4.1	4	2	3	4	5	7	8	10
35-49	46	4.5	4	2	3	4	6	8	8	9
50-64	26	4.3	3	2	3	4	5	8	8	8
65 +	12	5.2	5	2	3	5	7	8	8	8
B. Operated										
0-19 YRS	3	7.7	10	4	5	9	10	10	10	10
20-34	6	5.7	5	3	4	5	7	9	9	9
35-49	3	8.3	46	3	4	6	13	16	16	16
50-64	2	8.0	8	6	6	8	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	311	4.6	5	2	3	4	6	7	9	12
20-34	606	5.3	22	2	3	5	6	8	10	16
35-49	298	5.8	10	3	4	5	7	10	12	16
50-64	293	6.5	13	3	4	6	8	10	14	18
65 +	485	8.6	62	4	5	7	9	14	18	60
B. Operated										
0-19 YRS	34	7.7	24	3	5	6	9	15	18	24
20-34	49	8.0	38	3	5	6	9	14	19	36
35-49	32	9.8	46	5	6	8	10	20	25	33
50-64	81	11.3	81	4	6	8	12	21	32	47
65 +	120	16.2	137	5	8	13	22	31	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	4.1	4	2	3	4	5	7	8	10
B. Operated	14	7.0	13	3	4	6	9	11	15	16
2. MULTIPLE DX										
A. Not Operated	1993	6.2	28	3	4	5	7	10	13	23
B. Operated	316	12.1	97	4	6	9	14	25	32	62
1. SINGLE DX	459	4.2	4	2	3	4	5	7	8	10
2. MULTIPLE DX	2309	7.0	41	3	4	6	8	12	16	34
A. Not Operated	2438	5.9	24	2	3	5	7	10	12	20
B. Operated	330	11.9	94	4	6	9	14	25	32	62
TOTAL										
0-19 YRS	472	4.6	7	2	3	4	6	7	9	14
20-34	898	5.1	19	2	3	4	6	8	10	17
35-49	379	6.0	14	3	4	5	7	10	13	21
50-64	402	7.3	30	3	4	6	9	12	16	32
65 +	617	10.0	84	4	5	7	11	19	27	70
GRAND TOTAL	**2768**	**6.6**	**36**	**3**	**4**	**5**	**7**	**11**	**15**	**33**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	3.9	3	2	3	4	5	6	7	11
20-34	158	3.9	3	2	3	4	5	6	7	9
35-49	35	4.1	5	1	2	4	5	7	8	9
50-64	8	5.8	11	3	4	5	6	11	13	13
65 +	10	4.6	6	2	2	4	7	8	8	8
B. Operated										
0-19 YRS	5	6.2	1	5	5	7	7	7	7	7
20-34	9	4.7	7	1	3	5	7	8	8	8
35-49	9	5.8	33	< 1	2	4	7	15	20	20
50-64	1	7.0		7	7	7	7	7	7	7
65 +	3	8.3	20	4	5	8	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	5.0	11	2	3	4	6	8	10	22
20-34	326	5.2	10	2	3	4	7	9	11	17
35-49	142	5.8	14	2	3	5	7	11	14	18
50-64	127	7.5	20	3	4	7	9	14	17	23
65 +	220	8.5	37	3	5	7	10	14	17	30
B. Operated										
0-19 YRS	31	9.0	36	2	4	7	14	18	18	23
20-34	37	9.2	37	3	4	7	14	19	21	22
35-49	39	10.8	31	5	7	9	14	20	21	22
50-64	58	16.1	235	5	8	12	20	24	49	93
65 +	92	20.2	243	7	10	14	23	42	51	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	4.0	3	2	3	4	5	7	7	10
B. Operated	27	5.8	15	1	4	5	7	8	14	20
2. MULTIPLE DX										
A. Not Operated	1029	6.2	20	2	3	5	8	11	14	22
B. Operated	257	14.9	175	4	7	12	18	25	41	79
1. SINGLE DX	347	4.1	5	2	3	4	5	7	7	12
2. MULTIPLE DX	1286	8.0	63	3	4	6	9	15	20	42
A. Not Operated	1349	5.7	17	2	3	5	7	10	13	20
B. Operated	284	14.1	136	4	7	11	17	24	39	74
TOTAL										
0-19 YRS	359	5.0	12	2	3	4	6	8	11	19
20-34	530	5.1	11	2	3	4	6	9	12	19
35-49	225	6.4	21	2	3	5	8	14	17	21
50-64	194	10.0	99	3	5	8	12	19	23	60
65 +	325	11.7	122	4	6	9	13	22	34	62
GRAND TOTAL	**1633**	**7.2**	**53**	**2**	**3**	**5**	**8**	**14**	**19**	**37**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.6	1	1	1	1	2	3	3	4
20-34	191	1.9	2	1	1	2	2	3	4	6
35-49	285	1.9	2	1	1	1	2	4	5	7
50-64	148	1.9	1	1	1	2	2	4	4	5
65 +	43	1.9	1	1	1	2	2	3	4	5
B. Operated										
0-19 YRS	13	3.6	3	1	3	4	5	6	6	6
20-34	74	4.1	10	< 1	2	3	6	8	11	14
35-49	91	3.7	10	1	1	3	5	8	10	17
50-64	117	3.8	9	< 1	1	3	5	8	10	15
65 +	63	4.4	16	1	2	3	7	9	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.7	4	1	1	2	4	6	7	10
20-34	286	2.7	6	1	1	2	3	5	6	13
35-49	343	2.7	10	1	1	2	3	5	6	13
50-64	374	3.0	11	1	1	2	4	5	7	14
65 +	259	4.2	10	1	2	3	6	9	11	15
B. Operated										
0-19 YRS	16	7.2	55	2	2	5	7	19	25	27
20-34	115	6.4	27	1	2	4	9	13	17	23
35-49	211	6.6	29	2	3	5	9	13	17	33
50-64	275	7.5	56	2	3	5	9	16	21	41
65 +	320	8.5	76	2	3	7	10	16	24	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	698	1.9	2	1	1	2	2	4	4	6
B. Operated	358	4.0	10	1	2	3	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	1306	3.1	9	1	1	2	4	6	8	14
B. Operated	937	7.5	54	2	3	6	10	15	21	40
1. SINGLE DX	1056	2.6	6	1	1	2	3	5	7	13
2. MULTIPLE DX	2243	4.9	33	1	2	3	6	11	14	28
A. Not Operated	2004	2.7	7	1	1	2	3	5	7	12
B. Operated	1295	6.5	44	1	2	5	9	14	18	36
TOTAL										
0-19 YRS	104	3.2	14	1	1	2	4	6	8	23
20-34	666	3.3	11	1	1	2	4	7	10	17
35-49	930	3.5	15	1	1	2	4	8	10	19
50-64	914	4.3	27	1	1	3	5	9	14	27
65 +	685	6.1	46	1	2	4	8	12	16	33
GRAND TOTAL	**3299**	**4.2**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.0	1	1	1	2	3	3	4	6
20-34	635	1.8	1	1	1	1	2	3	4	6
35-49	833	1.9	2	1	1	2	2	3	4	6
50-64	479	2.0	2	1	1	2	3	4	5	7
65 +	134	1.9	2	1	1	2	2	4	4	7
B. Operated										
0-19 YRS	32	3.3	4	1	2	3	4	6	8	8
20-34	349	3.4	6	1	1	3	5	7	8	11
35-49	574	3.4	6	1	2	3	4	7	8	11
50-64	371	3.6	8	1	2	3	5	7	9	14
65 +	144	3.8	8	1	2	3	5	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.6	3	1	2	2	3	5	6	10
20-34	482	2.3	2	1	1	2	3	4	5	8
35-49	800	2.3	2	1	1	2	3	4	5	8
50-64	648	2.6	4	1	1	2	3	5	6	9
65 +	368	3.3	17	1	2	3	4	6	7	14
B. Operated										
0-19 YRS	23	6.7	34	2	4	5	8	10	19	30
20-34	331	4.8	12	1	3	4	6	8	11	17
35-49	612	4.9	13	1	2	4	6	9	11	17
50-64	687	5.6	20	1	3	4	7	11	15	23
65 +	566	7.3	48	2	3	5	9	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2151	1.9	2	1	1	2	2	3	4	6
B. Operated	1470	3.5	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	2351	2.5	5	1	1	2	3	5	6	9
B. Operated	2219	5.7	25	2	3	4	7	11	15	25
1. SINGLE DX	3621	2.5	4	1	1	2	3	5	7	10
2. MULTIPLE DX	4570	4.1	18	1	2	3	5	8	11	20
A. Not Operated	4502	2.2	4	1	1	2	3	4	5	8
B. Operated	3689	4.8	19	1	2	4	6	9	12	21
TOTAL										
0-19 YRS	178	3.0	9	1	1	2	4	6	8	12
20-34	1797	2.8	6	1	1	2	4	6	7	11
35-49	2819	2.9	7	1	1	2	4	6	8	12
50-64	2185	3.6	11	1	1	3	4	7	10	17
65 +	1212	5.1	33	1	2	3	6	11	15	29
GRAND TOTAL	**8191**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.7	5	< 1	1	2	4	6	7	7
20-34	16	2.6	6	1	1	2	3	6	9	10
35-49	33	2.1	2	< 1	1	2	2	4	6	7
50-64	14	2.2	1	1	1	2	3	4	4	4
65 +	7	3.6	6	1	2	3	5	7	8	8
B. Operated										
0-19 YRS	247	5.4	7	2	4	5	7	9	9	17
20-34	61	5.5	13	1	3	5	8	10	12	18
35-49	67	3.9	10	1	2	3	6	8	9	16
50-64	52	4.1	13	1	1	3	6	8	11	19
65 +	34	2.7	6	1	1	2	4	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	4.7	21	1	2	3	7	11	17	21
20-34	55	2.7	5	1	1	2	4	5	8	11
35-49	67	4.0	10	1	2	3	5	9	12	15
50-64	63	5.6	48	1	2	3	6	11	16	44
65 +	151	8.4	54	2	4	6	11	16	23	39
B. Operated										
0-19 YRS	331	7.0	29	2	4	6	8	13	19	26
20-34	150	7.4	24	2	4	7	9	15	17	22
35-49	189	7.7	65	1	3	6	9	15	22	44
50-64	303	8.6	69	1	3	7	11	16	23	43
65 +	442	10.0	90	2	3	8	13	23	31	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	2.4	3	1	1	2	3	5	7	9
B. Operated	461	4.8	10	1	2	5	7	8	10	17
2. MULTIPLE DX										
A. Not Operated	389	5.9	39	1	2	4	7	12	16	37
B. Operated	1415	8.4	62	2	4	7	10	17	24	43
1. SINGLE DX	542	4.5	9	1	2	4	6	8	9	17
2. MULTIPLE DX	1804	7.9	58	1	3	6	10	16	22	42
A. Not Operated	470	5.3	34	1	2	3	7	12	15	35
B. Operated	1876	7.5	52	1	3	6	9	15	21	41
TOTAL										
0-19 YRS	642	6.1	20	2	4	5	7	10	14	22
20-34	282	5.8	21	1	2	5	8	11	15	21
35-49	356	5.8	43	1	2	4	7	12	16	41
50-64	432	7.4	61	1	2	5	10	15	21	41
65 +	634	9.2	79	1	3	7	12	20	29	44
GRAND TOTAL	**2346**	**7.1**	**49**	**1**	**3**	**5**	**9**	**14**	**20**	**39**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	[illegible]
20-34	20	2.0	2	1	1	2	3	4	5	5
35-49	41	2.0	2	< 1	1	1	2	4	5	7
50-64	25	2.0	1	1	1	2	3	4	4	4
65 +	4	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
0-19 YRS	5	2.0	2	1	1	1	3	4	4	4
20-34	15	3.6	8	1	1	2	5	9	10	10
35-49	18	3.6	8	1	1	3	4	9	9	9
50-64	23	2.7	5	1	1	2	4	6	8	9
65 +	18	3.8	10	1	1	2	6	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	18	2.6	2	1	2	2	4	4	5	6
35-49	33	3.4	7	1	2	3	4	5	9	14
50-64	30	3.0	6	1	1	2	4	6	8	11
65 +	25	4.1	8	1	2	4	6	8	9	10
B. Operated										
0-19 YRS	14	2.1	1	< 1	1	2	2	4	4	4
20-34	19	3.7	6	1	2	3	5	7	9	11
35-49	36	5.5	18	1	3	5	7	10	12	23
50-64	100	4.9	20	1	2	3	7	10	13	63
65 +	296	7.3	72	1	3	5	8	16	23	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.0	2	1	1	1	3	4	4	7
B. Operated	79	3.3	7	1	1	2	5	8	9	11
2. MULTIPLE DX										
A. Not Operated	109	3.3	6	1	2	3	4	7	8	12
B. Operated	465	6.3	54	1	2	4	8	13	21	36
1. SINGLE DX	172	2.6	5	1	1	2	3	5	7	10
2. MULTIPLE DX	574	5.7	46	1	2	4	7	11	18	34
A. Not Operated	202	2.7	4	1	1	2	4	5	7	11
B. Operated	544	5.9	48	1	2	4	7	12	18	35
TOTAL										
0-19 YRS	25	1.9	1	1	1	2	2	4	4	4
20-34	72	2.9	5	1	1	2	4	6	7	11
35-49	128	3.6	10	1	1	3	4	8	9	16
50-64	178	3.9	14	1	2	3	5	9	11	26
65 +	343	6.8	65	1	2	4	8	14	22	36
GRAND TOTAL	**746**	**5.0**	**38**	**1**	**2**	**3**	**6**	**10**	**15**	**32**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.8	1	< 1	1	2	2	3	3	3
20-34	10	4.0	6	1	2	4	5	7	8	8
35-49	9	3.9	5	2	2	3	5	8	8	8
50-64	4	1.3		1	1	1	2	2	2	2
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	10	2.3	3	< 1	< 1	1	3	5	6	6
20-34	24	2.6	7	< 1	1	2	3	4	8	14
35-49	23	1.5	1	< 1	< 1	1	2	3	4	4
50-64	32	2.2	3	< 1	1	2	3	5	7	7
65 +	43	2.5	4	1	1	2	3	5	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.5	16	1	2	3	4	5	9	23
20-34	45	3.4	2	2	2	3	4	5	6	8
35-49	32	4.3	7	2	2	3	6	8	10	11
50-64	43	4.7	18	1	2	4	5	8	14	21
65 +	165	7.2	29	3	4	6	9	12	16	35
B. Operated										
0-19 YRS	14	7.5	65	< 1	1	4	12	23	25	25
20-34	31	6.1	31	1	2	4	9	14	15	26
35-49	50	5.3	19	1	2	5	7	10	14	23
50-64	179	5.9	43	1	2	4	7	11	17	40
65 +	520	8.3	116	1	2	5	10	18	27	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	2.8	4	1	1	2	3	6	8	8
B. Operated	132	2.3	4	< 1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	314	5.7	23	2	3	4	7	11	14	24
B. Operated	794	7.5	91	1	2	5	9	16	23	63
1. SINGLE DX	171	2.4	4	< 1	1	2	3	5	7	9
2. MULTIPLE DX	1108	7.0	72	1	3	5	8	15	21	49
A. Not Operated	353	5.4	22	2	3	4	7	10	13	24
B. Operated	926	6.7	81	1	2	4	8	15	22	60
TOTAL										
0-19 YRS	65	3.9	25	< 1	1	2	4	8	15	25
20-34	110	4.1	13	1	2	3	5	8	12	20
35-49	114	4.1	13	1	2	3	6	8	11	19
50-64	258	5.2	35	1	2	4	6	10	16	29
65 +	732	7.7	91	1	3	5	9	16	24	66
GRAND TOTAL	**1279**	**6.3**	**65**	**1**	**2**	**4**	**8**	**13**	**20**	**45**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	51	1.5	1	< 1	< 1	1	2	3	4	5
20-34	72	1.9	2	1	1	1	2	4	6	9
35-49	51	2.3	4	1	1	2	3	5	7	9
50-64	41	3.2	6	< 1	1	3	5	7	9	10
65 +	44	2.5	4	1	1	2	3	5	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	6	3.5	10	< 1	1	2	5	9	9	9
50-64	7	4.1	31	< 1	< 1	1	5	14	16	16
65 +	30	6.2	56	1	2	4	6	14	20	38
B. Operated										
0-19 YRS	68	3.5	44	< 1	< 1	1	3	8	10	42
20-34	52	3.3	14	1	1	2	4	5	8	23
35-49	62	3.3	12	1	1	2	4	9	12	14
50-64	149	4.0	10	1	2	3	5	8	11	16
65 +	382	5.4	41	1	2	4	7	10	14	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.0	3	1	2	3	5	5	5	5
B. Operated	259	2.2	3	< 1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	46	5.4	43	1	2	4	6	10	19	38
B. Operated	713	4.6	31	1	2	3	6	10	12	26
1. SINGLE DX	265	2.2	3	< 1	1	2	3	5	7	9
2. MULTIPLE DX	759	4.6	32	1	2	3	6	10	13	27
A. Not Operated	52	5.1	39	1	2	3	6	9	19	38
B. Operated	972	3.9	25	< 1	1	3	5	8	11	23
TOTAL										
0-19 YRS	120	2.7	26	< 1	< 1	1	2	5	8	34
20-34	128	2.6	7	1	1	2	3	5	6	18
35-49	120	2.9	8	1	1	2	4	7	10	14
50-64	198	3.8	10	1	2	3	5	8	11	16
65 +	458	5.1	39	1	2	3	6	10	14	33
GRAND TOTAL	**1024**	**4.0**	**25**	**< 1**	**1**	**3**	**5**	**8**	**11**	**23**

259 Hospitals, North Eastern Region, January-December 1988

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	208	3.1	3	1	2	3	4	5	7	8
20-34	54	3.0	2	1	2	3	4	5	6	7
35-49	43	3.6	2	2	2	3	5	6	6	8
50-64	32	4.3	3	2	3	4	6	7	7	8
65 +	61	6.8	91	2	3	5	7	10	12	69
B. Operated										
0-19 YRS	33	3.5	11	< 1	< 1	2	5	7	11	15
20-34	2	3.0	8	< 1	1	5	76	99 +	99 +	99 +
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	4.0	7	< 1	1	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	766	4.6	9	2	3	4	6	8	10	16
20-34	380	5.1	22	2	3	4	6	9	11	29
35-49	344	6.4	40	2	3	5	7	12	16	61
50-64	685	7.0	34	3	4	6	8	12	15	27
65 +	4478	10.2	81	4	5	8	12	18	26	63
B. Operated										
0-19 YRS	108	7.2	36	1	3	5	9	17	20	62
20-34	48	12.1	201	2	4	7	13	28	48	70
35-49	70	11.2	67	2	5	10	17	27	35	99 +
50-64	173	12.4	133	4	5	9	15	24	40	72
65 +	920	18.0	243	6	9	14	21	45	69	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	398	3.8	18	1	2	3	5	6	8	11
B. Operated	39	3.4	10	< 1	< 1	2	5	8	13	99 +
2. MULTIPLE DX										
A. Not Operated	6653	8.7	67	3	4	7	10	16	22	55
B. Operated	1319	15.8	213	4	7	11	20	36	59	99 +
1. SINGLE DX	437	3.8	17	1	2	3	5	6	8	13
2. MULTIPLE DX	7972	9.9	98	3	5	7	12	19	28	79
A. Not Operated	7051	8.5	65	3	4	6	10	16	22	54
B. Operated	1358	15.4	211	4	7	11	19	36	59	99 +
TOTAL										
0-19 YRS	1115	4.5	11	2	2	4	6	8	11	19
20-34	484	5.5	43	2	2	4	6	10	14	45
35-49	457	6.9	45	2	3	5	8	14	21	95
50-64	891	8.0	57	3	4	6	9	15	20	53
65 +	5462	11.5	117	4	6	8	13	22	34	98
GRAND TOTAL	**8409**	**9.6**	**96**	**3**	**4**	**7**	**11**	**19**	**27**	**78**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	3.0	6	1	1	2	4	5	7	12
20-34	23	2.1	1	1	1	2	2	4	5	5
35-49	9	2.3	2	< 1	1	2	3	4	4	4
50-64	16	3.9	14	1	1	2	6	9	12	13
65 +	30	2.6	3	1	2	2	3	5	6	7
B. Operated										
0-19 YRS	65	3.1	8	< 1	1	2	4	7	9	14
20-34	45	2.6	3	< 1	1	2	3	5	7	8
35-49	70	2.4	4	< 1	1	1	4	5	6	10
50-64	83	3.0	8	< 1	1	2	4	7	10	13
65 +	121	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	3.2	7	1	1	2	4	6	10	12
20-34	53	4.0	46	1	2	3	4	6	7	49
35-49	61	4.2	20	1	2	3	5	8	12	24
50-64	113	4.9	29	1	2	4	6	9	11	29
65 +	400	6.7	72	2	3	4	8	12	18	49
B. Operated										
0-19 YRS	80	4.6	25	< 1	1	2	6	11	16	23
20-34	95	5.4	45	1	2	3	7	10	12	41
35-49	130	5.7	62	1	2	3	7	9	16	49
50-64	379	6.8	69	1	2	4	8	15	22	52
65 +	1089	7.4	65	1	3	5	8	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.8	5	1	1	2	4	5	7	12
B. Operated	384	2.8	6	< 1	1	2	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	699	5.6	53	1	2	4	6	10	15	47
B. Operated	1773	6.9	63	1	2	4	8	15	22	42
1. SINGLE DX	490	2.8	5	< 1	1	2	3	6	8	12
2. MULTIPLE DX	2472	6.5	61	1	2	4	8	13	20	43
A. Not Operated	805	5.3	48	1	2	4	6	10	13	42
B. Operated	2157	6.2	55	1	2	4	7	13	20	38
TOTAL										
0-19 YRS	245	3.6	13	< 1	1	2	5	8	11	20
20-34	216	4.1	33	1	2	3	5	8	10	34
35-49	270	4.4	37	1	1	3	5	8	12	37
50-64	591	5.8	53	1	2	4	7	12	16	42
65 +	1640	6.8	62	1	3	4	8	14	21	41
GRAND TOTAL	**2962**	**5.9**	**53**	**1**	**2**	**4**	**7**	**12**	**19**	**39**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	2.3	1	1	1	3	3	3	3	3
65 +	8	2.9	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	23	3.1	3	< 1	1	3	5	5	6	7
50-64	624	4.4	4	2	3	4	5	7	8	10
65 +	1154	4.8	5	3	4	5	6	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	71	3.2	8	< 1	1	2	4	7	9	14
65 +	250	5.5	68	< 1	1	3	7	10	18	34
B. Operated										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	54	4.7	5	2	3	5	5	7	10	11
50-64	2171	5.8	14	3	4	5	7	10	12	21
65 +	8027	7.3	36	3	4	6	8	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.7	2	1	1	3	4	4	4	4
B. Operated	1801	4.7	4	2	3	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated	324	5.0	55	< 1	1	3	6	9	14	33
B. Operated	10254	6.9	32	3	4	5	8	12	16	31
1. SINGLE DX	1812	4.6	4	2	3	4	6	7	8	12
2. MULTIPLE DX	10578	6.9	32	3	4	5	8	12	16	31
A. Not Operated	335	4.9	54	< 1	1	3	6	9	14	33
B. Operated	12055	6.6	28	3	4	5	7	11	15	29
TOTAL										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	80	4.1	5	1	3	4	5	7	8	11
50-64	2869	5.5	12	3	4	5	6	9	11	19
65 +	9439	6.9	34	3	4	5	8	12	16	32
GRAND TOTAL	**12390**	**6.6**	**29**	**3**	**4**	**5**	**7**	**11**	**15**	**29**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.9	6	1	2	3	5	8	9	10
35-49	20	4.2	5	2	3	4	5	6	9	11
50-64	22	4.6	4	2	3	5	6	7	8	8
65 +	8	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	0									
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	10	3.6	4	< 1	2	4	5	6	7	7
50-64	14	3.2	5	< 1	< 1	3	5	6	7	7
65 +	13	3.2	5	< 1	1	3	5	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	32	4.3	7	1	2	4	6	7	11	13
35-49	34	4.5	7	2	3	4	6	8	8	12
50-64	96	4.7	3	2	4	5	6	7	8	58
65 +	93	5.5	8	3	3	5	7	9	10	17
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	4.5	8	1	2	4	6	9	10	10
35-49	26	4.7	15	1	3	4	6	8	12	20
50-64	79	6.1	18	2	3	5	8	12	13	23
65 +	136	7.4	45	2	3	5	9	15	19	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	4.1	5	2	2	4	5	7	8	11
B. Operated	40	3.1	5	< 1	< 1	3	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	257	4.9	6	2	3	5	6	8	9	14
B. Operated	259	6.5	32	2	3	5	8	12	17	25
1. SINGLE DX	112	3.7	5	1	2	4	5	6	8	10
2. MULTIPLE DX	516	5.7	20	2	3	5	7	10	13	24
A. Not Operated	329	4.7	6	2	3	4	6	8	9	13
B. Operated	299	6.1	29	1	3	5	8	12	16	25
TOTAL										
0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	73	4.1	7	1	2	4	6	8	10	13
35-49	90	4.4	8	1	3	4	6	8	8	17
50-64	211	5.1	10	2	3	5	6	8	11	21
65 +	250	6.3	29	2	3	5	8	12	17	25
GRAND TOTAL	**628**	**5.4**	**18**	**2**	**3**	**4**	**7**	**10**	**12**	**23**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	0									
B. Operated										
0-19 YRS	62	1.3		< 1	< 1	1	1	2	3	4
20-34	36	1.9	1	1	1	2	2	3	4	6
35-49	67	1.7	1	1	1	1	2	3	4	6
50-64	108	1.7	1	1	1	1	2	3	4	7
65 +	46	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	5.0	28	< 1	1	3	9	11	11	11
65 +	8	5.0	39	< 1	< 1	2	7	16	19	19
B. Operated										
0-19 YRS	106	1.5	1	< 1	1	1	2	3	3	6
20-34	28	2.1	2	1	1	2	3	3	5	7
35-49	35	2.0	5	1	1	1	2	3	5	13
50-64	97	2.5	5	1	1	2	3	4	5	16
65 +	144	3.0	7	1	1	2	3	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.4	5	< 1	1	1	3	6	8	9
B. Operated	319	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	18	3.5	23	< 1	< 1	1	3	10	16	19
B. Operated	410	2.3	5	1	1	2	3	4	6	13
1. SINGLE DX	332	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	428	2.4	6	1	1	2	3	4	7	14
A. Not Operated	31	3.0	16	< 1	< 1	1	3	8	11	19
B. Operated	729	2.0	3	1	1	1	3	4	5	11
TOTAL										
0-19 YRS	179	1.4	1	< 1	1	1	2	3	3	5
20-34	67	2.0	2	1	1	2	3	3	5	7
35-49	105	1.9	3	1	1	1	2	3	5	11
50-64	211	2.1	4	1	1	2	3	3	4	13
65 +	198	2.8	7	1	1	2	3	6	8	15
GRAND TOTAL	**760**	**2.1**	**4**	**< 1**	**1**	**1**	**3**	**4**	**5**	**11**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	3.1	6	< 1	1	3	4	6	9	10
20-34	102	4.0	4	2	3	4	5	7	8	9
35-49	58	4.3	4	2	3	4	5	7	7	11
50-64	32	4.8	7	2	3	4	6	8	11	13
55 +	21	5.0	6	2	3	4	7	8	9	10
B. Operated										
0-19 YRS	16	3.1	4	1	1	3	4	7	7	7
20-34	23	3.3	9	1	1	2	4	8	11	12
35-49	9	4.0	13	1	1	2	8	9	9	9
50-64	7	3.6	10	1	1	3	6	9	9	9
65 +	13	4.4	11	1	2	3	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	4.4	5	1	3	4	6	7	8	9
20-34	47	4.9	9	2	3	4	6	9	11	14
35-49	66	5.9	11	2	3	5	8	11	13	16
50-64	95	5.8	9	3	4	5	7	10	11	18
65 +	122	7.4	20	3	4	6	10	12	15	25
B. Operated										
0-19 YRS	8	3.3	3	2	2	3	4	6	7	7
20-34	27	6.0	29	1	2	5	8	14	16	23
35-49	20	4.5	23	1	1	2	7	11	15	18
50-64	27	5.7	24	1	2	5	9	15	15	16
65 +	77	7.6	46	2	3	6	10	17	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	236	4.2	5	2	3	4	5	7	8	11
B. Operated	68	3.6	9	1	1	2	5	9	9	12
2. MULTIPLE DX										
A. Not Operated	351	6.2	14	3	4	5	8	11	13	20
B. Operated	159	6.4	36	1	2	5	9	15	18	26
1. SINGLE DX	304	4.0	6	1	2	4	5	7	9	11
2. MULTIPLE DX	510	6.3	21	2	3	5	8	12	15	21
A. Not Operated	587	5.4	11	2	3	5	7	10	11	16
B. Operated	227	5.6	29	1	2	4	8	12	16	24
TOTAL										
0-19 YRS	68	3.5	5	1	2	3	5	7	8	10
20-34	199	4.4	9	2	2	4	6	8	10	15
35-49	153	5.0	10	2	3	4	6	9	11	16
50-64	161	5.5	11	2	3	5	7	10	12	16
65 +	233	7.1	28	2	4	6	9	13	17	27
GRAND TOTAL	**814**	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**13**	**20**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-19 YRS	11	1.5	1	< 1	< 1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
B Operated										
0-19 YRS	143	1.1		< 1	< 1	< 1	1	1	1	3
20-34	31	1.4	2	< 1	< 1	< 1	1	2	3	8
35-49	21	1.1		< 1	< 1	< 1	1	2	2	2
50-64	17	1.2		< 1	< 1	1	1	2	2	2
65 +	11	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A Not Operated										
0-19 YRS	9	2.7	13	< 1	< 1	1	3	9	11	11
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	4	1.0		< 1	< 1	1	1	1	1	1
50-64	4	2.5	3	< 1	< 1	2	4	4	4	4
65 +	5	3.0	9	< 1	1	2	4	8	8	8
B Operated										
0-19 YRS	40	1.4	1	< 1	< 1	< 1	1	2	3	7
20-34	22	1.8	1	< 1	< 1	1	2	4	5	5
35-49	32	1.7	3	< 1	< 1	1	2	3	7	9
50-64	43	1.8	3	< 1	1	1	2	3	4	12
65 +	53	2.3	6	< 1	1	2	2	4	5	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	223	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	23	2.3	7	< 1	< 1	1	3	6	9	11
B. Operated	190	1.8	3	< 1	< 1	1	2	3	5	13
1. SINGLE DX	237	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	213	1.9	4	< 1	< 1	1	2	4	5	12
A. Not Operated	37	2.0	5	< 1	< 1	1	2	4	7	11
B. Operated	413	1.5	2	< 1	< 1	1	1	2	3	9
TOTAL										
0-19 YRS	203	1.2	1	< 1	< 1	< 1	1	1	2	6
20-34	55	1.5	2	< 1	< 1	1	2	2	4	8
35-49	57	1.4	2	< 1	< 1	1	1	2	3	9
50-64	65	1.7	2	< 1	1	1	2	3	4	11
65 +	70	2.2	5	< 1	1	2	2	4	5	14
GRAND TOTAL	**450**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**4**	**9**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-19 YRS	42	1.6	1	< 1	1	1	2	3	4	5
20-34	23	2.4	4	< 1	1	1	4	5	7	7
35-49	16	2.3	4	< 1	1	2	3	4	7	9
50-64	5	2.8	2	1	2	3	4	5	5	5
65 +	0									
B Operated										
0-19 YRS	348	1.5	1	< 1	1	1	2	2	3	7
20-34	147	1.7	1	< 1	1	1	2	3	4	6
35-49	116	2.1	3	< 1	1	1	2	4	6	8
50-64	120	2.2	2	1	1	2	3	4	5	7
65 +	46	2.2	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A Not Operated										
0-19 YRS	26	3.2	5	1	1	3	4	7	8	8
20-34	17	3.3	14	1	1	2	4	7	13	16
35-49	20	5.3	8	1	3	5	7	8	10	12
50-64	25	7.0	37	2	3	5	8	19	22	22
65 +	23	7.6	54	1	2	5	12	17	25	28
B Operated										
0-19 YRS	151	3.0	37	1	1	1	2	5	9	32
20-34	99	2.6	7	< 1	1	2	3	6	8	15
35-49	155	4.6	64	1	1	3	5	8	14	52
50-64	236	4.7	53	1	1	3	5	10	16	35
65 +	172	6.6	153	1	2	3	6	12	25	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.0	2	< 1	1	1	2	4	5	8
B. Operated	777	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	111	5.3	27	1	2	4	7	12	16	25
B. Operated	813	4.5	69	1	1	2	4	9	14	53
1. SINGLE DX	863	1.8	2	< 1	1	1	2	3	5	7
2. MULTIPLE DX	924	4.6	64	1	1	2	5	9	15	47
A. Not Operated	197	3.9	19	1	1	2	5	8	13	23
B. Operated	1590	3.2	38	1	1	2	3	6	9	29
TOTAL										
0-19 YRS	567	2.0	11	< 1	1	1	2	3	5	13
20-34	286	2.2	5	< 1	1	1	2	4	6	13
35-49	307	3.6	35	1	1	2	4	7	9	33
50-64	386	4.1	37	1	1	2	4	7	13	27
65 +	241	5.8	118	1	1	3	5	12	19	63
GRAND TOTAL	**1787**	**3.2**	**36**	**1**	**1**	**2**	**3**	**6**	**9**	**27**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	9	1.2		< 1	< 1	< 1	1	2	3	3
20-34	51	1.4	1	< 1	< 1	1	2	3	3	4
35-49	198	1.3		< 1	< 1	1	1	2	3	4
50-64	120	1.5	1	< 1	< 1	1	2	3	3	5
65 +	75	1.7	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.5	25	< 1	< 1	4	8	8	8	8
35-49	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	6	3.2	6	< 1	1	3	5	6	6	6
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	51	2.2	4	< 1	1	1	3	4	6	11
35-49	211	2.1	4	< 1	1	1	2	4	5	10
50-64	212	2.0	3	< 1	1	1	2	4	5	11
65 +	196	2.2	3	1	1	2	2	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	453	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	13	2.5	6	< 1	< 1	1	5	6	8	8
B. Operated	675	2.1	3	< 1	1	1	2	4	6	11
1. SINGLE DX	457	1.4	1	< 1	< 1	1	2	2	3	5
2. MULTIPLE DX	688	2.1	4	< 1	1	1	2	4	6	11
A. Not Operated	17	2.2	5	< 1	< 1	1	2	6	7	8
B. Operated	1128	1.8	2	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	14	1.5	1	< 1	< 1	1	2	3	4	4
20-34	104	1.9	3	< 1	< 1	1	2	3	5	9
35-49	413	1.7	2	< 1	< 1	1	2	3	5	8
50-64	339	1.9	3	< 1	1	1	2	4	5	9
65 +	275	2.0	3	< 1	1	2	2	3	6	10
GRAND TOTAL	**1145**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**9**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.7	5	2	3	4	6	8	9	9
20-34	20	4.1	4	2	3	4	5	7	8	9
35-49	19	4.1	5	1	2	3	6	7	8	9
50-64	5	5.6	15	1	3	4	9	11	11	11
65 +	5	1.8	3	< 1	< 1	1	2	5	5	5
B. Operated										
0-19 YRS	218	2.1	1	1	1	2	3	3	4	6
20-34	408	2.1	2	< 1	1	2	3	3	4	6
35-49	232	2.2	2	< 1	1	2	3	4	4	7
50-64	115	2.2	2	< 1	1	2	3	4	5	7
65 +	41	2.1	4	< 1	1	2	2	3	5	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.6	8	< 1	1	6	7	8	8	8
20-34	20	4.6	19	< 1	1	4	6	10	14	18
35-49	16	3.9	11	< 1	1	3	5	10	11	12
50-64	32	3.5	11	< 1	< 1	2	5	7	11	15
65 +	32	4.4	16	1	1	4	7	12	15	99 +
B. Operated										
0-19 YRS	64	2.3	2	1	1	2	3	4	4	8
20-34	205	2.5	3	1	1	2	3	4	5	9
35-49	226	3.3	18	1	1	2	4	5	9	18
50-64	152	3.1	11	1	1	2	4	5	7	25
65 +	98	4.1	25	< 1	1	2	4	9	12	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	4.1	6	1	2	4	5	8	9	11
B. Operated	1014	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	107	4.1	14	< 1	1	3	6	10	12	52
B. Operated	745	3.1	12	1	1	2	4	5	8	18
1. SINGLE DX	1072	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	852	3.2	13	1	1	2	4	6	9	18
A. Not Operated	165	4.1	11	< 1	1	4	5	9	11	18
B. Operated	1759	2.5	7	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	298	2.3	2	1	1	2	3	4	5	8
20-34	653	2.4	3	1	1	2	3	4	5	9
35-49	493	2.9	10	1	1	2	3	5	7	16
50-64	304	2.9	8	< 1	1	2	4	5	7	14
65 +	176	3.6	18	< 1	1	2	4	9	12	32
GRAND TOTAL	**1924**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	212	1.9	1	1	1	2	2	3	4	6
20-34	334	2.1	1	1	1	2	3	4	4	6
35-49	78	2.2	2	1	1	2	3	4	5	7
50-64	4	2.8	6	1	1	2	4	6	6	6
65 +	4	2.5		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	183	3.4	3	1	2	3	5	6	6	8
20-34	469	3.3	3	1	2	3	4	5	6	8
35-49	147	4.0	6	1	3	4	5	6	7	11
50-64	22	4.9	1	3	4	5	6	6	7	7
65 +	14	5.8	2	4	4	6	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	117	2.5	3	1	1	2	3	4	6	9
20-34	283	2.8	4	1	1	2	3	5	7	12
35-49	98	2.8	8	1	1	2	3	5	7	17
50-64	5	3.4	8	< 1	1	3	5	8	8	8
65 +	6	2.7	1	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	176	3.9	5	1	2	4	5	6	8	11
20-34	1197	4.4	6	1	3	4	5	7	8	13
35-49	754	5.2	9	2	4	5	6	8	9	15
50-64	120	6.0	9	4	5	5	7	9	10	20
65 +	97	7.8	29	4	5	7	8	12	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	632	2.1	1	1	1	2	3	3	4	6
B. Operated	835	3.5	4	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	509	2.7	5	1	1	2	3	5	7	11
B. Operated	2344	4.8	8	2	3	5	6	7	9	15
1. SINGLE DX	1467	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	2853	4.4	8	1	3	4	6	7	9	15
A. Not Operated	1141	2.4	3	1	1	2	3	4	5	8
B. Operated	3179	4.5	8	1	3	4	6	7	8	15
TOTAL										
0-19 YRS	688	2.9	4	1	1	3	4	5	6	9
20-34	2283	3.6	5	1	2	3	5	6	7	11
35-49	1077	4.6	9	1	3	4	6	7	9	15
50-64	151	5.6	8	3	4	5	6	8	9	16
65 +	121	7.1	26	3	5	6	8	11	16	30
GRAND TOTAL	**4320**	**3.9**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**13**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	416	4.2	5	2	3	4	5	6	9	12
20-34	984	4.1	4	2	3	4	5	6	8	11
35-49	194	4.6	5	2	3	4	6	7	8	11
50-64	7	3.7	3	< 1	2	4	5	6	6	6
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	50	5.3	11	1	3	5	7	9	11	19
20-34	229	4.0	7	1	2	4	5	7	8	14
35-49	93	4.6	8	< 1	3	4	6	8	11	13
50-64	14	5.5	4	3	5	5	7	8	8	8
65 +	3	7.0	9	4	5	7	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	292	4.9	8	2	3	4	5	8	12	16
20-34	772	4.8	6	2	3	4	6	8	10	14
35-49	230	6.1	14	3	4	5	7	11	13	19
50-64	18	7.1	36	2	4	5	9	17	21	23
65 +	10	8.4	14	3	6	9	10	13	16	16
B. Operated										
0-19 YRS	120	5.4	13	2	3	4	7	10	13	18
20-34	1127	5.1	18	1	3	4	6	8	11	21
35-49	604	6.3	36	1	4	5	7	12	15	26
50-64	67	8.3	28	4	5	6	11	16	19	27
65 +	23	13.1	92	6	7	11	15	23	39	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1602	4.2	4	2	3	4	5	7	8	11
B. Operated	389	4.4	8	1	3	4	6	8	10	13
2. MULTIPLE DX										
A. Not Operated	1322	5.1	9	2	3	4	6	9	11	16
B. Operated	1941	5.7	26	2	3	5	6	10	14	24
1. SINGLE DX	1991	4.2	5	2	3	4	5	7	8	12
2. MULTIPLE DX	3263	5.5	19	2	3	5	6	9	12	20
A. Not Operated	2924	4.6	6	2	3	4	6	8	10	14
B. Operated	2330	5.5	23	1	3	5	6	9	13	22
TOTAL										
0-19 YRS	878	4.7	7	2	3	4	5	8	10	15
20-34	3112	4.6	10	2	3	4	6	7	10	16
35-49	1121	5.9	24	2	4	5	7	10	13	21
50-64	106	7.4	26	3	5	6	9	15	19	25
65 +	37	11.1	67	5	7	9	12	18	31	44
GRAND TOTAL	**5254**	**5.0**	**14**	**2**	**3**	**4**	**6**	**8**	**11**	**18**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	3.0	3	1	1	3	4	5	6	6
35-49	9	3.0	4	1	2	3	4	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.4	4	< 1	1	1	4	6	6	6
20-34	200	3.5	4	< 1	2	4	5	6	6	9
35-49	152	4.5	4	2	4	5	5	6	8	10
50-64	9	4.6	2	3	4	5	5	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	27	3.3	3	1	2	3	4	6	7	7
35-49	15	2.5	5	< 1	1	1	4	6	7	8
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	23	4.0	4	1	3	4	5	6	7	9
20-34	1063	4.3	4	1	3	4	5	6	7	10
35-49	1742	5.2	4	4	4	5	6	7	8	13
50-64	175	6.0	14	4	5	5	6	8	11	19
65 +	17	5.6	6	3	4	5	7	8	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.0	3	1	2	3	4	5	6	7
B. Operated	368	3.9	4	1	3	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated	45	3.0	4	< 1	1	3	4	6	7	8
B. Operated	3020	4.9	5	3	4	5	6	7	8	12
1. SINGLE DX	392	3.8	4	1	2	4	5	6	6	9
2. MULTIPLE DX	3065	4.9	5	2	4	5	6	7	8	12
A. Not Operated	69	3.0	3	< 1	1	3	4	6	7	8
B. Operated	3388	4.8	5	2	4	5	6	7	8	12
TOTAL										
0-19 YRS	32	3.7	4	1	2	4	5	6	6	9
20-34	1305	4.1	4	1	3	4	5	6	7	10
35-49	1918	5.2	4	3	4	5	6	7	8	13
50-64	185	5.9	14	4	4	5	6	8	11	19
65 +	17	5.6	6	3	4	5	7	8	11	12
GRAND TOTAL	**3457**	**4.8**	**5**	**2**	**4**	**5**	**6**	**7**	**8**	**12**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	1.8	2	< 1	< 1	1	2	4	4	4
35-49	9	2.1	3	< 1	< 1	1	3	5	5	5
50-64	3	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.3	25	1	1	4	9	12	12	12
20-34	3	3.0	4	< 1	1	3	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	41	2.4	6	< 1	< 1	1	4	6	7	12
35-49	86	3.1	7	< 1	< 1	1	5	6	7	14
50-64	35	2.5	3	< 1	< 1	2	4	5	6	7
65 +	14	2.3	2	< 1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	18	1.8	2	< 1	< 1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated	8	4.3	13	< 1	1	3	5	10	12	12
B. Operated	177	2.7	6	< 1	< 1	1	5	6	7	13
1. SINGLE DX	19	1.8	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX	185	2.8	6	< 1	< 1	1	5	6	7	13
A. Not Operated	9	3.9	13	< 1	1	3	5	10	12	12
B. Operated	195	2.6	5	< 1	< 1	1	4	6	6	13
TOTAL										
0-19 YRS	6	3.8	20	< 1	1	2	6	11	12	12
20-34	49	2.4	5	< 1	< 1	1	4	5	6	12
35-49	96	3.0	7	< 1	< 1	1	5	6	7	14
50-64	38	2.4	3	< 1	< 1	2	4	5	6	7
65 +	15	2.3	2	< 1	1	2	3	4	5	5
GRAND TOTAL	**204**	**2.7**	**6**	**< 1**	**< 1**	**1**	**4**	**6**	**6**	**13**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.0	2	1	2	3	4	5	6	7
20-34	28	3.5	6	1	2	3	4	6	8	13
35-49	7	2.3	2	1	1	2	3	5	5	5
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	35	2.0	3	1	1	1	2	4	5	10
20-34	162	1.4	1	< 1	1	1	1	2	3	6
35-49	95	1.4	1	< 1	1	1	1	2	3	7
50-64	21	1.8	2	< 1	1	1	2	4	5	5
65 +	6	1.7	1	< 1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	3.6	5	1	2	3	5	6	8	10
20-34	48	3.5	3	2	2	3	5	6	7	9
35-49	20	3.9	3	2	2	4	5	6	7	7
50-64	5	2.6		2	2	3	3	3	3	3
65 +	8	21.5	971	3	4	6	29	77	91	91
B. Operated										
0-19 YRS	11	3.0	8	< 1	1	2	4	7	10	10
20-34	96	2.8	6	1	1	2	3	7	7	13
35-49	73	3.4	17	< 1	1	2	5	8	9	24
50-64	32	8.5	197	1	2	5	9	16	25	78
65 +	34	9.4	81	2	3	6	15	19	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.2	4	1	2	3	4	5	6	12
B. Operated	319	1.5	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	100	5.0	96	2	2	3	5	7	8	67
B. Operated	246	4.6	50	< 1	1	2	6	10	16	27
1. SINGLE DX	381	1.8	2	< 1	1	1	2	4	4	7
2. MULTIPLE DX	346	4.7	63	1	1	3	5	9	15	43
A. Not Operated	162	4.3	61	1	2	3	4	6	7	40
B. Operated	565	2.9	25	< 1	1	1	3	6	9	24
TOTAL										
0-19 YRS	89	2.8	4	1	1	2	4	5	6	10
20-34	334	2.3	4	< 1	1	1	3	5	6	9
35-49	195	2.4	8	< 1	1	1	2	5	7	16
50-64	60	5.5	114	1	1	2	6	10	18	73
65 +	49	10.2	230	1	2	5	15	20	43	91
GRAND TOTAL	**727**	**3.2**	**33**	**< 1**	**1**	**2**	**3**	**6**	**9**	**24**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	49	4.0	4	1	3	4	5	7	8	10
35-49	155	4.8	2	3	4	5	6	7	7	8
50-64	407	4.9	3	3	4	5	6	7	8	11
65 +	393	5.2	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	8	2.6	6	< 1	< 1	1	4	7	7	7
50-64	21	3.4	20	< 1	< 1	1	4	11	14	17
65 +	32	5.0	188	< 1	1	2	4	6	12	79
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	196	4.5	3	3	4	4	5	7	7	10
35-49	860	5.2	4	3	4	5	6	7	9	12
50-64	1157	5.8	6	3	4	5	7	8	10	16
65 +	1573	6.5	15	4	5	6	7	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.8	2	2	2	2	4	5	5	5
B. Operated	1004	4.9	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. Not Operated	63	4.0	103	< 1	< 1	1	4	6	12	71
B. Operated	3787	5.9	9	3	4	5	7	8	10	17
1. SINGLE DX	1008	4.9	3	3	4	5	6	7	8	11
2. MULTIPLE DX	3850	5.8	11	3	4	5	7	8	10	17
A. Not Operated	67	4.0	97	< 1	1	1	4	6	12	68
B. Operated	4791	5.7	8	3	4	5	7	8	10	16
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	247	4.3	3	2	3	4	5	7	7	10
35-49	1023	5.1	4	3	4	5	6	7	9	12
50-64	1588	5.5	6	3	4	5	6	8	10	15
65 +	1998	6.2	15	3	5	6	7	9	11	18
GRAND TOTAL	**4858**	**5.6**	**10**	**3**	**4**	**5**	**7**	**8**	**10**	**16**

259 Hospitals, North Eastern Region, January-December 1988

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.3	3	1	1	2	2	4	7	8
20-34	28	1.6	1	<1	1	1	2	3	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	9	1.3	1	<1	<1	1	1	3	4	4
20-34	109	1.7	2	<1	<1	1	1	4	5	8
35-49	131	1.8	2	<1	<1	1	2	5	5	6
50-64	18	1.3	2	<1	<1	1	1	1	5	7
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.2	7	<1	1	2	4	6	9	13
20-34	34	2.5	3	<1	1	2	4	5	6	8
35-49	28	2.8	4	<1	1	2	4	6	7	9
50-64	6	3.2	5	1	2	3	4	7	7	7
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	21	2.1	2	1	1	2	3	4	5	5
20-34	206	3.1	6	<1	1	2	5	6	7	13
35-49	464	3.5	5	<1	1	4	5	6	7	10
50-64	62	3.0	6	<1	1	2	5	6	8	10
65 +	5	5.2	2	3	4	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	1.8	2	<1	1	2	2	3	4	8
B. Operated	267	1.7	2	<1	<1	1	1	4	5	7
2. MULTIPLE DX										
A. Not Operated	90	2.8	5	<1	1	2	4	6	7	11
B. Operated	758	3.3	6	<1	1	3	5	6	7	10
1. SINGLE DX	312	1.7	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	848	3.3	6	<1	1	3	5	6	7	10
A. Not Operated	135	2.5	4	<1	1	2	3	5	7	10
B. Operated	1025	2.9	5	<1	1	2	5	6	7	10
TOTAL										
0-19 YRS	65	2.4	4	<1	1	2	3	5	6	12
20-34	377	2.5	5	<1	1	1	4	6	6	9
35-49	625	3.1	5	<1	1	3	5	6	7	10
50-64	87	2.6	5	<1	1	1	4	6	7	10
65 +	6	4.7	3	2	3	5	6	6	6	6
GRAND TOTAL	**1160**	**2.9**	**5**	**<1**	**1**	**2**	**5**	**6**	**7**	**10**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	2	<1	1	1	2	4	5	5
20-34	20	1.7	1	<1	1	1	2	3	3	3
35-49	14	1.2		<1	1	1	1	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	107	2.0	3	<1	<1	1	2	5	5	9
35-49	199	2.2	3	<1	<1	1	4	5	5	8
50-64	22	1.0		<1	<1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.8	7	1	1	2	3	5	10	12
20-34	34	1.9	3	<1	1	1	2	3	4	10
35-49	48	2.3	5	<1	<1	1	3	4	6	13
50-64	13	2.7	3	<1	1	2	4	5	6	6
65 +	0									
B. Operated										
0-19 YRS	11	1.4	1	<1	1	1	1	3	3	3
20-34	308	3.4	4	<1	1	3	5	6	7	9
35-49	1043	3.7	5	<1	1	4	5	6	7	10
50-64	136	3.5	6	<1	1	4	5	6	7	12
65 +	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.5	1	<1	1	1	2	3	3	5
B. Operated	332	2.0	3	<1	<1	1	3	5	5	8
2. MULTIPLE DX										
A. Not Operated	112	2.3	4	<1	1	2	3	4	6	12
B. Operated	1500	3.6	5	<1	1	4	5	6	7	10
1. SINGLE DX	375	2.0	3	<1	<1	1	3	5	5	8
2. MULTIPLE DX	1612	3.5	5	<1	1	4	5	6	7	10
A. Not Operated	155	2.1	3	<1	1	1	3	4	5	12
B. Operated	1832	3.3	5	<1	1	3	5	6	7	9
TOTAL										
0-19 YRS	40	2.1	4	1	1	1	3	4	5	12
20-34	469	2.9	4	<1	1	2	5	6	6	9
35-49	1304	3.4	5	<1	1	4	5	6	7	9
50-64	172	3.1	6	<1	1	3	5	6	7	10
65 +	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**1987**	**3.2**	**5**	**<1**	**1**	**3**	**5**	**6**	**7**	**10**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	20	1.1		< 1	< 1	1	1	1	2	2
50-64	64	1.4	1	< 1	< 1	1	1	2	4	7
65 +	27	1.9	2	< 1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	10	2.4	2	< 1	1	2	3	5	6	6
65 +	25	7.4	248	1	2	5	7	7	26	82
B. Operated										
0-19 YRS	0									
20-34	3	3.7	6	1	2	4	5	6	6	6
35-49	45	2.7	5	< 1	1	2	4	5	6	11
50-64	191	2.9	8	< 1	1	2	5	6	7	14
65 +	171	4.2	29	1	1	2	5	10	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	112	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	36	5.8	176	1	1	3	6	7	8	82
B. Operated	410	3.4	16	< 1	1	2	5	7	10	23
1. SINGLE DX	115	1.5	1	< 1	< 1	1	2	2	4	6
2. MULTIPLE DX	446	3.6	29	< 1	1	2	5	7	9	24
A. Not Operated	39	5.5	164	1	1	2	6	7	8	82
B. Operated	522	3.0	14	< 1	1	2	4	6	8	20
TOTAL										
0-19 YRS	0									
20-34	4	3.8	4	1	2	4	5	6	6	6
35-49	67	2.2	4	< 1	< 1	1	2	5	6	10
50-64	266	2.5	6	< 1	< 1	1	3	6	7	9
65 +	224	4.3	50	1	1	2	5	8	14	30
GRAND TOTAL	**561**	**3.2**	**24**	**< 1**	**1**	**2**	**4**	**6**	**8**	**22**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.6	1	< 1	< 1	1	2	3	3	3
20-34	31	2.0	2	< 1	1	2	3	4	5	7
35-49	9	2.9	4	< 1	1	2	4	6	7	7
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	44	2.8	3	< 1	1	3	4	5	5	7
20-34	250	2.3	5	< 1	< 1	1	3	5	6	11
35-49	213	2.9	6	< 1	1	2	4	6	8	11
50-64	85	2.9	5	< 1	1	2	5	6	7	12
65 +	22	4.1	13	< 1	1	3	6	9	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	2.6	6	1	1	2	3	5	9	11
20-34	41	2.4	5	1	1	2	3	5	7	13
35-49	36	3.3	14	< 1	1	1	4	10	12	16
50-64	11	4.5	15	1	1	2	8	10	12	12
65 +	35	9.1	129	2	3	5	11	27	51	99 +
B. Operated										
0-19 YRS	47	4.1	6	1	2	4	5	8	8	14
20-34	469	3.5	9	< 1	1	3	5	6	9	14
35-49	787	4.4	18	< 1	1	4	6	7	9	21
50-64	434	5.1	26	1	2	5	6	9	12	29
65 +	264	8.5	92	1	3	6	11	17	23	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.1	2	< 1	1	2	3	4	5	7
B. Operated	614	2.7	5	< 1	1	2	4	5	6	11
2. MULTIPLE DX										
A. Not Operated	144	4.4	45	1	1	2	5	10	15	63
B. Operated	2001	4.9	29	1	1	4	6	9	12	29
1. SINGLE DX	666	2.6	5	< 1	1	2	4	5	6	11
2. MULTIPLE DX	2145	4.8	30	1	1	4	6	9	12	29
A. Not Operated	196	3.8	34	< 1	1	2	4	9	13	45
B. Operated	2615	4.3	25	< 1	1	4	5	8	11	25
TOTAL										
0-19 YRS	120	3.2	5	< 1	1	3	4	6	7	12
20-34	791	3.0	8	< 1	1	2	4	6	7	13
35-49	1045	4.0	15	< 1	1	4	5	7	8	17
50-64	532	4.7	23	1	1	4	6	8	12	25
65 +	323	8.3	91	1	2	6	10	16	25	71
GRAND TOTAL	**2811**	**4.3**	**25**	**< 1**	**1**	**4**	**5**	**8**	**11**	**26**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	1.8	1	1	1	2	2	3	4	7
20-34	97	2.0	2	1	1	2	3	4	5	6
35-49	23	2.1	2	1	1	2	3	4	5	5
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	2	6.5	1	6	6	6	7	7	7	7
B. Operated										
0-19 YRS	27	1.8	1	< 1	< 1	2	2	4	4	4
20-34	202	2.5	3	< 1	< 1	2	4	5	6	8
35-49	250	4.3	4	1	3	4	6	7	7	9
50-64	135	5.2	5	2	4	5	7	8	8	10
65 +	56	5.2	7	2	3	5	7	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	2.0	1	1	1	2	2	3	3	8
20-34	106	2.4	5	< 1	1	2	3	5	6	13
35-49	43	2.2	3	< 1	1	1	3	5	6	7
50-64	10	3.2	6	< 1	1	2	5	7	7	7
65 +	7	3.0	5	< 1	< 1	2	5	6	6	6
B. Operated										
0-19 YRS	27	3.2	6	1	1	3	4	6	10	11
20-34	684	3.8	6	< 1	2	4	5	6	7	12
35-49	566	4.8	5	2	4	5	6	7	9	11
50-64	250	6.1	8	3	4	6	7	9	11	17
65 +	164	7.7	47	4	5	6	8	11	15	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	2.0	2	1	1	2	2	4	5	7
B. Operated	670	3.9	5	< 1	2	4	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	215	2.3	4	< 1	1	2	3	5	6	10
B. Operated	1691	4.8	12	1	3	5	6	8	9	16
1. SINGLE DX	891	3.4	5	< 1	1	3	5	7	8	9
2. MULTIPLE DX	1906	4.5	11	1	3	4	6	8	9	15
A. Not Operated	436	2.2	3	< 1	1	2	3	4	5	8
B. Operated	2361	4.6	10	1	3	4	6	8	9	14
TOTAL										
0-19 YRS	199	2.0	2	< 1	1	2	2	3	4	9
20-34	1089	3.2	6	< 1	1	3	5	6	7	11
35-49	882	4.4	5	1	3	4	6	7	8	10
50-64	398	5.7	7	3	4	5	7	8	9	16
65 +	229	6.9	37	3	4	6	8	10	13	35
GRAND TOTAL	**2797**	**4.2**	**10**	**1**	**2**	**4**	**6**	**7**	**8**	**13**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	12	< 1	1	1	5	9	9	9
20-34	29	1.4	1	< 1	< 1	1	2	3	3	4
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	3.8	2	2	3	4	5	6	6	7
20-34	1068	3.9	2	2	3	4	5	6	6	8
35-49	170	4.0	2	2	3	4	5	6	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	23	2.3	2	< 1	1	2	4	4	4	4
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	4.3	2	2	3	4	5	6	7	10
20-34	1268	4.4	3	3	4	4	5	6	7	10
35-49	263	4.7	3	3	4	5	5	7	7	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	1.7	2	< 1	< 1	1	2	3	4	9
B. Operated	1308	3.9	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	27	2.3	2	< 1	1	2	4	4	4	4
B. Operated	1601	4.5	3	3	4	4	5	6	7	10
1. SINGLE DX	1344	3.8	2	2	3	4	5	6	6	8
2. MULTIPLE DX	1628	4.4	3	3	4	4	5	6	7	10
A. Not Operated	63	2.0	2	< 1	1	1	3	4	4	8
B. Operated	2909	4.2	3	2	3	4	5	6	7	9
TOTAL										
0-19 YRS	146	4.0	2	2	3	4	5	6	7	9
20-34	2388	4.1	3	2	3	4	5	6	7	9
35-49	438	4.4	3	3	4	4	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**2972**	**4.2**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	19	1.4	1	1	1	1	2	3	4	4
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	232	1.3		< 1	< 1	< 1	1	2	2	4
20-34	310	1.2		< 1	< 1	< 1	1	2	3	4
35-49	77	1.1		< 1	< 1	< 1	1	1	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.5		< 1	1	1	2	2	2	2
20-34	39	2.4	5	1	1	2	3	5	8	10
35-49	21	1.5	1	< 1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	293	1.1	1	< 1	< 1	< 1	< 1	1	2	4
20-34	891	1.4	2	< 1	< 1	< 1	< 1	2	3	8
35-49	143	2.0	5	< 1	< 1	1	2	4	6	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.5	1	1	1	1	2	3	3	4
B. Operated	619	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	68	2.0	3	1	1	1	2	4	6	10
B. Operated	1327	1.4	2	< 1	< 1	< 1	< 1	2	3	8
1. SINGLE DX	645	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX	1395	1.4	2	< 1	< 1	< 1	1	2	3	8
A. Not Operated	94	1.9	3	1	1	1	2	4	5	10
B. Operated	1946	1.3	1	< 1	< 1	< 1	1	2	3	6
TOTAL										
0-19 YRS	536	1.2	1	< 1	< 1	< 1	1	2	2	4
20-34	1259	1.4	2	< 1	< 1	< 1	1	2	3	7
35-49	245	1.7	3	< 1	< 1	< 1	2	3	4	8
50-64	0									
65 +	0									
GRAND TOTAL	**2040**	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**	**6**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
A. Not Operated	0									
B. Operated	2	2.5	5	< 1	< 1	2	4	4	4	4
TOTAL										
0-19 YRS	0									
20-34	2	2.5	5	< 1	< 1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2**	**2.5**	**5**	**< 1**	**< 1**	**2**	**4**	**4**	**4**	**4**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	1.4		< 1	< 1	1	2	2	3	4
20-34	420	1.4	1	< 1	1	1	2	2	3	5
35-49	49	1.5	2	< 1	< 1	1	2	3	3	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	583	1.1		< 1	< 1	1	1	2	2	3
20-34	4809	1.2		< 1	< 1	1	1	2	2	3
35-49	1097	1.1		< 1	< 1	1	1	1	2	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.9	1	< 1	1	2	3	4	4	4
20-34	115	2.3	4	1	1	2	3	4	5	12
35-49	12	1.9	2	< 1	1	2	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	122	1.9	2	< 1	1	1	3	4	4	6
20-34	882	1.8	2	< 1	1	1	2	3	5	9
35-49	264	1.6	3	< 1	< 1	1	1	3	5	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	555	1.4	1	< 1	1	1	2	2	3	5
B. Operated	6490	1.1		< 1	< 1	1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	142	2.2	4	1	1	2	3	4	5	10
B. Operated	1269	1.8	2	< 1	1	1	2	3	5	9
1. SINGLE DX	7045	1.2		< 1	< 1	1	1	2	2	4
2. MULTIPLE DX	1411	1.8	3	< 1	1	1	2	4	5	9
A. Not Operated	697	1.6	2	< 1	1	1	2	3	4	6
B. Operated	7759	1.2	1	< 1	< 1	1	1	2	2	5
TOTAL										
0-19 YRS	806	1.3	1	< 1	< 1	1	1	2	3	4
20-34	6226	1.3	1	< 1	< 1	1	1	2	3	5
35-49	1422	1.2	1	< 1	< 1	1	1	2	2	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
GRAND TOTAL	**8456**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**5**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	2.5	2	1	1	2	4	5	5	6
20-34	179	2.4	3	1	1	2	4	5	6	7
35-49	30	2.2	3	< 1	1	1	2	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	76	1.5	1	< 1	1	1	2	3	4	6
20-34	1003	1.2		< 1	< 1	1	1	2	2	4
35-49	215	1.2		< 1	< 1	1	1	1	2	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	3.6	7	1	2	3	4	8	10	12
20-34	90	3.3	9	1	1	2	4	7	10	14
35-49	15	2.7	2	< 1	1	2	4	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	2.4	3	< 1	1	2	3	4	6	9
20-34	313	2.4	7	< 1	1	1	3	5	7	14
35-49	85	2.0	4	< 1	1	1	2	4	6	11
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	253	2.4	3	1	1	2	4	5	6	7
B. Operated	1295	1.2		< 1	< 1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	128	3.3	8	1	1	2	4	7	9	14
B. Operated	449	2.3	6	< 1	1	1	3	5	7	14
1. SINGLE DX	1548	1.4	1	< 1	< 1	1	1	3	4	6
2. MULTIPLE DX	577	2.6	7	< 1	1	2	3	5	7	14
A. Not Operated	381	2.7	5	1	1	2	4	5	7	12
B. Operated	1744	1.5	2	< 1	< 1	1	1	3	4	7
TOTAL										
0-19 YRS	193	2.2	3	< 1	1	1	3	4	5	9
20-34	1585	1.7	3	< 1	< 1	1	2	3	5	9
35-49	345	1.5	2	< 1	< 1	1	1	3	5	7
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	0									
GRAND TOTAL	**2125**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**5**	**8**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	1.6	1	< 1	1	1	2	3	4	5
20-34	471	1.8	2	< 1	1	1	2	3	4	8
35-49	66	2.0	1	< 1	1	2	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	30	1.7	2	< 1	1	1	2	3	6	8
35-49	5	2.2	7	< 1	< 1	1	3	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.2	3	< 1	1	2	2	4	6	8
20-34	139	2.9	10	1	1	2	3	6	9	18
35-49	22	2.5	12	< 1	1	1	3	4	9	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	22	2.1	3	< 1	1	1	3	5	6	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	618	1.8	2	< 1	1	1	2	3	4	7
B. Operated	38	1.7	3	< 1	1	1	2	3	7	8
2. MULTIPLE DX										
A. Not Operated	180	2.8	9	1	1	2	3	5	8	17
B. Operated	23	2.1	3	< 1	1	1	3	4	6	7
1. SINGLE DX	656	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	203	2.7	9	1	1	2	3	5	8	17
A. Not Operated	798	2.0	4	< 1	1	1	2	4	5	10
B. Operated	61	1.8	3	< 1	1	1	2	4	6	8
TOTAL										
0-19 YRS	103	1.7	1	< 1	1	1	2	3	4	6
20-34	662	2.1	4	< 1	1	1	2	4	5	11
35-49	94	2.1	4	< 1	1	2	3	4	5	13
50-64	0									
65 +	0									
GRAND TOTAL	**859**	**2.0**	**4**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.3	1	< 1	< 1	1	1	3	3	3
20-34	53	2.0	2	< 1	1	1	3	4	5	8
35-49	9	2.1	7	< 1	1	1	2	6	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	21	2.3	2	< 1	1	2	3	4	5	5
35-49	5	2.0	1	< 1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.7	8	1	2	5	7	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	2.0	3	< 1	1	1	2	4	5	9
B. Operated	4	1.5	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	27	2.5	3	< 1	1	2	3	4	6	9
B. Operated	8	4.0	7	1	2	3	6	8	8	8
1. SINGLE DX	73	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	35	2.9	4	< 1	1	2	4	6	8	9
A. Not Operated	96	2.1	3	< 1	1	1	3	4	5	9
B. Operated	12	3.2	7	< 1	1	2	5	7	8	8
TOTAL										
0-19 YRS	9	2.1	7	< 1	1	1	2	7	9	9
20-34	84	2.3	3	< 1	1	2	3	5	6	8
35-49	15	2.1	4	< 1	1	1	3	3	8	9
50-64	0									
65 +	0									
GRAND TOTAL	**108**	**2.2**	**3**	**<1**	**1**	**1**	**3**	**5**	**6**	**9**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	41	3.3	1	2	3	3	4	5	5	6
35-49	6	3.3	2	2	2	3	4	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	61	4.5	6	3	3	4	5	6	7	18
35-49	8	4.4	4	3	3	4	5	8	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.0		2	3	3	3	4	4	4
20-34	62	3.2	1	2	3	3	4	5	5	5
35-49	6	4.3	19	1	2	3	4	12	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	5.7	46	2	3	4	5	9	21	35
20-34	416	5.3	9	3	4	5	6	7	10	21
35-49	80	5.5	11	3	4	5	6	7	10	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.3	1	2	3	3	4	5	5	6
B. Operated	72	4.4	5	3	3	4	5	6	7	17
2. MULTIPLE DX										
A. Not Operated	74	3.3	2	2	3	3	4	5	5	11
B. Operated	519	5.3	11	3	4	5	6	7	10	23
1. SINGLE DX	121	4.0	4	2	3	3	5	6	7	12
2. MULTIPLE DX	593	5.1	11	3	3	5	6	7	10	22
A. Not Operated	123	3.3	2	2	3	3	4	5	5	8
B. Operated	591	5.2	11	3	4	5	6	7	10	22
TOTAL										
0-19 YRS	34	4.9	33	2	3	3	5	7	12	35
20-34	580	4.[illegible]	8	3	3	4	6	7	9	18
35-49	100	5.2	10	3	3	5	6	7	11	21
50-64	0									
65 +	0									
GRAND TOTAL	**714**	**4.9**	**10**	**3**	**3**	**4**	**6**	**7**	**9**	**20**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	45	2.6	1	2	2	3	3	4	4	5
35-49	6	2.7	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	94	4.2	1	3	4	4	5	5	5	6
20-34	1103	4.3	1	3	4	4	5	5	6	7
35-49	93	4.4	1	3	4	4	5	5	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	39	3.1	10	2	2	2	3	5	6	21
35-49	5	3.2	1	2	2	3	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	127	4.9	2	4	4	5	5	7	8	10
20-34	1594	4.8	4	3	4	5	5	6	7	12
35-49	214	5.5	9	4	4	5	6	7	9	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	2.6	1	2	2	3	3	4	4	5
B. Operated	1290	4.3	1	3	4	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	46	3.1	8	2	2	2	3	5	5	21
B. Operated	1935	4.9	4	3	4	5	5	6	7	12
1. SINGLE DX	1344	4.3	1	3	4	4	5	5	6	7
2. MULTIPLE DX	1981	4.8	4	3	4	5	5	6	7	13
A. Not Operated	100	2.8	4	2	2	3	3	4	5	13
B. Operated	3225	4.7	3	3	4	5	5	6	7	11
TOTAL										
0-19 YRS	226	4.6	2	3	4	4	5	6	7	9
20-34	2781	4.6	3	3	4	4	5	6	6	10
35-49	318	5.1	7	3	4	5	5	6	8	18
50-64	0									
65 +	0									
GRAND TOTAL	**3325**	**4.6**	**3**	**3**	**4**	**4**	**5**	**6**	**7**	**11**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.3		2	2	2	3	3	3	3
20-34	223	2.6	1	2	2	3	3	4	4	5
35-49	24	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	3.4	2	2	2	3	5	5	6	6
20-34	472	3.6	2	2	2	3	5	5	6	7
35-49	46	3.8	2	2	2	4	5	6	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.1	1	2	3	3	4	4	5	5
20-34	185	2.6	1	2	2	3	3	4	4	5
35-49	28	2.9	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	185	4.6	21	2	3	4	5	7	8	11
20-34	1856	4.4	3	2	3	4	5	6	7	9
35-49	276	4.7	4	3	4	5	5	6	7	15
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	2.6	1	2	2	3	3	4	4	5
B. Operated	569	3.6	2	2	2	3	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	230	2.7	1	2	2	3	3	4	4	5
B. Operated	2317	4.4	4	2	3	4	5	6	7	10
1. SINGLE DX	835	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX	2547	4.3	4	2	3	4	5	6	7	10
A. Not Operated	496	2.6	1	2	2	3	3	4	4	5
B. Operated	2886	4.3	4	2	3	4	5	6	7	9
TOTAL										
0-19 YRS	272	4.2	15	2	3	4	5	6	8	10
20-34	2736	4.0	3	2	3	4	5	6	6	9
35-49	374	4.3	4	2	3	4	5	6	7	12
50-64	0									
65 +	0									
GRAND TOTAL	**3382**	**4.0**	**4**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	2.6		1	2	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	101	4.6	1	4	4	5	5	6	6	6
20-34	950	4.8	1	4	4	5	5	6	6	7
35-49	75	5.1	1	4	5	5	6	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	12	3.3	2	2	3	3	4	5	5	5
35-49	6	2.3	1	1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	451	5.4	3	4	4	5	6	7	9	13
20-34	4102	5.1	2	4	4	5	6	6	7	10
35-49	468	5.3	1	4	5	5	6	6	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.6		2	2	3	3	3	3	3
B. Operated	1126	4.8	1	4	4	5	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	21	3.2	2	1	2	3	4	5	5	5
B. Operated	5021	5.2	2	4	4	5	6	6	7	10
1. SINGLE DX	1151	4.8	1	4	4	5	5	6	6	7
2. MULTIPLE DX	5042	5.2	2	4	4	5	6	6	7	10
A. Not Operated	46	2.9	1	2	2	3	3	5	5	5
B. Operated	6147	5.1	2	4	4	5	6	6	7	10
TOTAL										
0-19 YRS	557	5.2	3	4	4	5	6	7	8	12
20-34	5086	5.1	2	4	4	5	6	6	7	9
35-49	550	5.2	1	4	5	5	6	6	7	9
50-64	0									
65 +	0									
GRAND TOTAL	**6193**	**5.1**	**2**	**4**	**4**	**5**	**6**	**6**	**7**	**10**

293: Uterine inertia, delivered (661.0-661.2 with 5th digit 0, 1; 662.0-662.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.8	1	2	2	3	3	4	4	6
20-34	491	2.8	1	2	2	3	3	4	4	5
35-49	53	2.6	1	2	2	3	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	97	3.8	2	2	3	4	5	6	6	7
20-34	1124	3.9	2	2	3	4	5	6	6	7
35-49	110	3.7	2	2	3	4	5	6	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.7	1	2	2	3	3	4	4	5
20-34	452	2.8	1	2	2	3	3	4	4	6
35-49	42	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	312	4.5	5	2	3	4	5	7	8	12
20-34	3184	4.2	3	2	3	4	5	6	7	9
35-49	378	4.5	3	3	3	5	5	6	7	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	600	2.8	1	2	2	3	3	4	4	5
B. Operated	1331	3.9	2	2	3	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	554	2.8	1	2	2	3	3	4	4	6
B. Operated	3874	4.3	4	2	3	4	5	6	7	10
1. SINGLE DX	1931	3.5	2	2	3	3	4	5	6	7
2. MULTIPLE DX	4428	4.1	3	2	3	4	5	6	7	9
A. Not Operated	1154	2.8	1	2	2	3	3	4	4	5
B. Operated	5205	4.2	3	2	3	4	5	6	6	9
TOTAL										
0-19 YRS	525	4.0	4	2	3	4	5	6	7	11
20-34	5251	3.9	3	2	3	4	5	6	6	9
35-49	583	4.1	3	2	3	4	5	6	7	10
50-64	0									
65 +	0									
GRAND TOTAL	**6359**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**6**	**9**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	77	2.8	1	2	2	3	3	4	4	6
35-49	18	2.7	1	1	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	3.6	3	2	2	4	4	6	7	7
20-34	250	3.8	2	2	3	4	5	5	6	7
35-49	31	3.8	1	2	3	4	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.3	1	1	2	2	3	3	3	3
20-34	82	3.9	23	2	2	3	3	5	10	32
35-49	14	2.8	1	1	2	3	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	41	4.5	3	2	3	4	5	6	8	10
20-34	747	4.7	9	2	3	5	5	6	7	12
35-49	153	4.7	2	3	4	5	6	7	7	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	2.7	1	2	2	3	3	4	4	6
B. Operated	298	3.8	2	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	104	3.6	19	2	2	3	3	5	7	28
B. Operated	941	4.7	8	3	3	5	5	6	7	11
1. SINGLE DX	399	3.5	2	2	2	3	5	5	6	7
2. MULTIPLE DX	1045	4.6	9	2	3	4	5	6	7	12
A. Not Operated	205	3.2	10	2	2	3	3	4	5	20
B. Operated	1239	4.5	7	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	72	3.8	3	2	2	4	5	6	6	10
20-34	1156	4.3	8	2	3	4	5	6	7	12
35-49	216	4.3	2	2	3	4	5	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	**1444**	**4.3**	**7**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.2		1	2	2	3	3	3	3
20-34	228	2.5	1	2	2	2	3	3	4	5
35-49	29	2.6		2	2	3	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	140	4.5	1	3	4	4	5	6	7	7
20-34	4361	4.4	1	3	4	4	5	6	6	7
35-49	467	4.6	1	3	4	5	5	6	6	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	129	2.6	1	2	2	3	3	4	4	5
35-49	24	2.7		2	2	3	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	134	4.9	1	4	4	5	5	6	6	9
20-34	6906	4.7	3	3	4	5	5	6	7	9
35-49	1293	5.0	3	4	4	5	6	6	7	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	2.5	1	2	2	2	3	3	4	5
B. Operated	4969	4.4	1	3	4	4	5	6	6	7
2. MULTIPLE DX										
A. Not Operated	156	2.6	1	2	2	3	3	4	4	5
B. Operated	8334	4.8	3	3	4	5	5	6	7	9
1. SINGLE DX	5235	4.3	1	3	4	4	5	6	6	7
2. MULTIPLE DX	8490	4.7	3	3	4	5	5	6	7	9
A. Not Operated	422	2.6	1	2	2	3	3	3	4	5
B. Operated	13303	4.6	2	3	4	5	5	6	6	8
TOTAL										
0-19 YRS	286	4.6	1	3	4	5	5	6	6	8
20-34	11624	4.5	2	3	4	4	5	6	6	8
35-49	1813	4.8	3	3	4	5	5	6	7	9
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**13725**	**4.6**	**2**	**3**	**4**	**5**	**5**	**6**	**6**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
0-19 YRS	136	2.9	2	2	2	3	3	4	4	7
20-34	1069	2.8	1	2	2	3	3	4	4	5
35-49	111	2.7	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	97	3.1	1	2	2	3	4	4	5	6
20-34	921	3.1	1	2	2	3	3	4	5	7
35-49	110	3.2	3	2	2	3	3	4	5	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	3.4	4	2	2	3	4	5	7	14
20-34	891	3.2	3	2	2	3	4	4	6	9
35-49	119	3.4	5	2	3	3	4	5	6	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	292	4.2	11	2	3	4	5	6	8	18
20-34	3365	4.1	7	2	3	4	5	6	7	13
35-49	493	4.4	6	2	3	4	5	7	8	13
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1316	2.8	1	2	2	3	3	4	4	5
B. Operated	1128	3.1	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	1102	3.2	3	2	2	3	4	4	6	10
B. Operated	4151	4.2	7	2	3	4	5	6	7	13
1. SINGLE DX	2444	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	5253	4.0	7	2	3	3	5	6	7	13
A. Not Operated	2418	3.0	2	2	2	3	3	4	5	8
B. Operated	5279	3.9	6	2	3	3	5	6	7	12
TOTAL										
0-19 YRS	617	3.6	7	2	2	3	4	6	6	14
20-34	6246	3.6	5	2	3	3	4	5	6	10
35-49	833	3.8	5	2	3	3	5	6	7	12
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**7697**	**3.6**	**5**	**2**	**3**	**3**	**4**	**5**	**6**	**11**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	245	2.5	1	2	2	3	3	3	4	4
20-34	2841	2.5	1	2	2	2	3	3	4	4
35-49	293	2.5		2	2	3	3	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	234	2.6	1	2	2	3	3	3	4	5
20-34	2237	2.7	1	2	2	3	3	3	4	5
35-49	196	2.7		2	2	3	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	2.6	1	2	2	3	3	4	4	6
20-34	993	2.6	1	2	2	3	3	3	4	5
35-49	113	2.7	1	1	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	215	2.9	1	2	2	3	3	4	5	7
20-34	2183	2.9	1	2	2	3	3	4	5	6
35-49	318	3.0	1	2	2	3	3	5	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3379	2.5	1	2	2	2	3	3	4	4
B. Operated	2667	2.7	1	2	2	3	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	1207	2.6	1	2	2	3	3	3	4	5
B. Operated	2716	2.9	1	2	2	3	3	4	5	6
1. SINGLE DX	6046	2.6	1	2	2	3	3	3	4	4
2. MULTIPLE DX	3923	2.8	1	2	2	3	3	4	5	6
A. Not Operated	4586	2.5	1	2	2	3	3	3	4	4
B. Operated	5383	2.8	1	2	2	3	3	4	5	6
TOTAL										
0-19 YRS	795	2.6	1	2	2	3	3	4	4	6
20-34	8254	2.7	1	2	2	3	3	4	4	5
35-49	920	2.7	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
GRAND TOTAL	**9969**	**2.7**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.4	1	2	2	2	3	4	4	4
20-34	389	2.2	1	1	2	2	3	3	3	4
35-49	34	2.1	1	1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	538	2.5	1	2	2	2	3	3	4	5
20-34	6339	2.5	1	2	2	2	3	3	4	4
35-49	750	2.5	1	2	2	3	3	3	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.5	1	2	2	2	3	4	4	4
20-34	224	2.3	1	1	2	2	3	3	4	5
35-49	12	2.5	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	378	2.7	1	2	2	3	3	4	5	7
20-34	4488	2.7	1	2	2	3	3	4	4	5
35-49	622	2.8	2	2	2	3	3	4	4	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	462	2.2	1	1	2	2	3	3	4	4
B. Operated	7628	2.5	1	2	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	270	2.3	1	1	2	2	3	3	4	4
B. Operated	5489	2.7	1	2	2	3	3	4	4	6
1. SINGLE DX	8090	2.5	1	2	2	2	3	3	4	4
2. MULTIPLE DX	5759	2.7	1	2	2	3	3	4	4	5
A. Not Operated	732	2.3	1	1	2	2	3	3	4	4
B. Operated	13117	2.6	1	2	2	3	3	3	4	5
TOTAL										
0-19 YRS	989	2.6	1	2	2	3	3	3	4	5
20-34	11440	2.5	1	2	2	3	3	3	4	5
35-49	1418	2.6	1	2	2	3	3	4	4	5
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**13849**	**2.6**	**1**	**2**	**2**	**3**	**3**	**3**	**4**	**5**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.9		2	3	3	3	4	4	4
20-34	60	2.6	1	2	2	3	3	3	4	4
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	287	2.7	1	2	2	3	3	4	4	4
20-34	1998	2.7	1	2	2	3	3	4	4	4
35-49	118	2.8	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.6		2	2	3	3	3	3	3
20-34	33	2.9	1	2	2	3	4	4	5	5
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	225	3.0	1	2	2	3	3	4	5	7
20-34	1753	3.0	1	2	2	3	3	4	4	6
35-49	148	3.3	1	2	3	3	4	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	2.7	1	2	2	3	3	4	4	5
B. Operated	2403	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	43	2.9	1	2	2	3	4	4	5	5
B. Operated	2126	3.0	1	2	2	3	3	4	5	6
1. SINGLE DX	2475	2.7	1	2	2	3	3	4	4	4
2. MULTIPLE DX	2169	3.0	1	2	2	3	3	4	5	6
A. Not Operated	115	2.7	1	2	2	3	3	4	4	5
B. Operated	4529	2.9	1	2	2	3	3	4	4	6
TOTAL										
0-19 YRS	529	2.8	1	2	2	3	3	4	4	6
20-34	3844	2.9	1	2	2	3	3	4	4	5
35-49	271	3.1	1	2	3	3	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**4644**	**2.9**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**5**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.1		1	2	2	3	3	3	3
20-34	145	2.6	1	2	2	2	3	4	4	9
35-49	11	2.8	1	2	2	3	3	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	130	2.4	1	2	2	2	3	3	3	5
20-34	730	2.5	1	2	2	3	3	3	4	5
35-49	53	2.5		2	2	3	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.5	1	2	2	2	3	3	5	5
20-34	71	2.5	1	1	2	2	3	4	4	8
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	86	2.9	2	2	2	3	3	4	5	10
20-34	687	2.9	4	2	2	3	3	4	5	7
35-49	61	3.2	2	2	3	3	4	5	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	2.5	1	2	2	2	3	3	4	8
B. Operated	913	2.5	1	2	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	89	2.5	2	2	2	2	3	4	4	9
B. Operated	834	3.0	3	2	2	3	3	4	5	7
1. SINGLE DX	1100	2.5	1	2	2	2	3	3	4	5
2. MULTIPLE DX	923	2.9	3	2	2	3	3	4	5	7
A. Not Operated	276	2.5	1	2	2	2	3	4	4	8
B. Operated	1747	2.7	2	2	2	3	3	4	4	6
TOTAL										
0-19 YRS	262	2.6	1	2	2	2	3	3	4	6
20-34	1633	2.7	2	2	2	3	3	4	4	6
35-49	128	2.9	1	2	2	3	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**2023**	**2.7**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**7**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	427	2.8	1	2	2	3	3	4	5	8
20-34	3014	2.6	2	2	2	3	3	4	4	7
35-49	325	2.7	1	2	2	3	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	687	3.2	2	2	2	3	4	5	6	7
20-34	5181	3.2	2	2	2	3	4	5	6	7
35-49	481	3.3	2	2	2	3	4	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	421	3.0	4	2	2	3	3	4	5	10
20-34	2637	2.9	5	1	2	3	3	4	5	10
35-49	295	3.1	7	1	2	3	3	5	6	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1562	4.4	13	2	3	4	5	7	9	15
20-34	12515	4.2	10	2	3	4	5	6	8	16
35-49	1818	4.7	13	2	3	4	5	7	9	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3766	2.7	2	2	2	3	3	4	4	7
B. Operated	6349	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	3353	3.0	5	1	2	3	3	4	6	10
B. Operated	15895	4.3	10	2	3	4	5	7	8	16
1. SINGLE DX	10115	3.0	2	2	2	3	3	5	5	7
2. MULTIPLE DX	19248	4.1	10	2	3	3	5	6	8	15
A. Not Operated	7119	2.8	3	2	2	3	3	4	5	8
B. Operated	22244	4.0	8	2	3	3	5	6	8	14
TOTAL										
0-19 YRS	3097	3.7	8	2	2	3	4	6	8	13
20-34	23347	3.6	7	2	2	3	4	6	7	13
35-49	2919	4.1	10	2	3	3	5	6	8	13
50-64	0									
65 +	0									
GRAND TOTAL	**29363**	**3.7**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**13**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	3.3	2	2	2	3	4	5	7	7
20-34	86	3.8	3	2	3	4	5	6	7	10
35-49	12	3.8	1	2	3	4	5	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	8	5.0	13	1	2	4	7	11	12	12
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	5.1	12	2	3	4	6	10	13	15
20-34	80	4.0	4	2	3	4	5	7	8	10
35-49	8	6.1	15	1	3	6	9	11	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	5.3	4	3	4	6	7	7	7	7
20-34	17	5.2	10	1	3	5	7	10	11	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	3.7	3	2	3	3	4	6	7	10
B. Operated	10	6.0	15	1	3	5	10	11	12	12
2. MULTIPLE DX										
A. Not Operated	104	4.4	6	2	3	4	5	7	9	13
B. Operated	21	5.0	9	1	3	5	7	9	11	12
1. SINGLE DX	132	3.9	4	2	3	3	5	6	8	11
2. MULTIPLE DX	125	4.5	6	2	3	4	6	8	9	13
A. Not Operated	226	4.0	4	2	3	4	5	7	8	11
B. Operated	31	5.4	10	2	3	5	7	10	12	12
TOTAL										
0-19 YRS	45	4.4	8	2	3	3	5	8	10	15
20-34	191	4.1	4	2	3	4	5	7	8	11
35-49	21	4.6	8	1	3	4	6	9	10	12
50-64	0									
65 +	0									
GRAND TOTAL	**257**	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**9**	**12**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	2.2	2	1	1	2	3	4	4	8
20-34	678	2.8	4	1	2	2	3	5	7	12
35-49	81	3.2	5	1	2	3	4	6	8	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	3.2	5	< 1	2	3	4	7	7	7
20-34	99	3.2	6	1	2	3	4	7	9	57
35-49	16	2.8	2	1	2	3	4	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	3.0	3	1	2	3	3	6	7	7
20-34	218	3.1	5	1	2	2	4	6	8	10
35-49	43	2.7	3	< 1	1	3	3	4	6	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.8	2	< 1	2	3	4	4	6	6
20-34	68	3.1	13	< 1	< 1	2	4	6	12	19
35-49	19	3.1	4	< 1	1	3	4	6	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	865	2.8	4	1	2	2	3	5	7	12
B. Operated	125	3.2	6	1	2	3	4	7	8	35
2. MULTIPLE DX										
A. Not Operated	292	3.0	5	1	2	2	4	6	7	10
B. Operated	101	3.1	10	< 1	1	2	4	6	8	18
1. SINGLE DX	990	2.8	4	1	2	2	3	5	7	12
2. MULTIPLE DX	393	3.0	6	< 1	1	2	4	6	7	13
A. Not Operated	1157	2.8	4	1	2	2	3	5	7	11
B. Operated	226	3.1	7	< 1	1	2	4	6	8	17
TOTAL										
0-19 YRS	161	2.5	2	1	1	2	3	4	6	8
20-34	1063	2.9	5	1	2	2	3	5	7	13
35-49	159	3.0	4	1	2	3	3	5	7	12
50-64	0									
65 +	0									
GRAND TOTAL	**1383**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**7**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	205	3.0	3	1	2	2	4	5	6	9
20-34	1273	3.6	5	1	2	3	4	6	8	12
35-49	65	4.1	4	2	3	4	5	7	8	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	11	3.1	8	< 1	1	2	3	8	9	9
35-49	1	61.0		61	61	61	61	61	61	61
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	3.2	4	1	2	3	4	6	8	10
20-34	626	3.7	7	1	2	3	5	7	9	14
35-49	40	3.8	10	1	2	3	5	9	11	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	32	9.2	120	2	3	5	10	28	41	42
35-49	4	7.3	25	2	3	7	11	12	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1543	3.5	5	1	2	3	4	6	8	12
B. Operated	12	7.9	287	< 1	1	2	6	25	56	61
2. MULTIPLE DX										
A. Not Operated	786	3.7	7	1	2	3	4	7	9	13
B. Operated	38	8.7	105	2	3	5	10	23	37	42
1. SINGLE DX	1555	3.6	7	1	2	3	4	6	8	12
2. MULTIPLE DX	824	3.9	12	1	2	3	5	7	10	15
A. Not Operated	2329	3.6	6	1	2	3	4	6	8	12
B. Operated	50	8.5	144	1	2	4	9	21	42	61
TOTAL										
0-19 YRS	327	3.1	4	1	2	3	4	6	7	9
20-34	1942	3.7	8	1	2	3	4	7	9	13
35-49	110	4.6	36	2	2	3	5	8	11	32
50-64	0									
65 +	0									
GRAND TOTAL	**2379**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**8**	**13**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	435	1.0		< 1	< 1	< 1	1	1	1	2
20-34	1992	1.1		< 1	< 1	< 1	1	1	1	3
35-49	139	1.0		< 1	< 1	< 1	1	1	1	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	122	1.1	1	< 1	< 1	< 1	1	1	2	5
20-34	740	1.1	1	< 1	< 1	< 1	1	1	1	4
35-49	74	1.1		< 1	< 1	< 1	1	1	1	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	1.8	8	< 1	< 1	1	2	3	3	21
20-34	292	1.4	2	< 1	< 1	1	1	2	3	7
35-49	33	1.7	4	< 1	< 1	1	1	3	7	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	1.1		< 1	< 1	1	1	2	2	2
20-34	83	1.5	2	< 1	< 1	1	1	3	4	9
35-49	14	3.6	49	< 1	< 1	1	1	10	23	27
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2566	1.1		< 1	< 1	< 1	1	1	1	3
B. Operated	936	1.1	1	< 1	< 1	< 1	1	1	1	4
2. MULTIPLE DX										
A. Not Operated	374	1.5	3	< 1	< 1	1	1	3	3	10
B. Operated	121	1.7	7	< 1	< 1	1	1	3	4	15
1. SINGLE DX	3502	1.1		< 1	< 1	< 1	1	1	1	3
2. MULTIPLE DX	495	1.5	4	< 1	< 1	1	1	3	4	10
A. Not Operated	2940	1.1	1	< 1	< 1	< 1	1	1	2	3
B. Operated	1057	1.2	1	< 1	< 1	< 1	1	1	2	5
TOTAL										
0-19 YRS	630	1.1	1	< 1	< 1	< 1	1	1	2	3
20-34	3107	1.1	1	< 1	< 1	< 1	1	1	2	4
35-49	260	1.3	3	< 1	< 1	< 1	1	1	2	8
50-64	0									
65 +	0									
GRAND TOTAL	**3997**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.3	17	< 1	1	2	3	6	14	17
20-34	204	2.7	9	1	1	2	3	5	6	14
35-49	27	4.6	38	1	2	3	5	9	14	33
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	55	3.3	12	< 1	1	2	4	8	10	20
35-49	8	5.6	16	2	3	4	7	12	14	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.1	1	< 1	1	2	3	4	4	4
20-34	92	4.7	27	1	2	3	5	11	16	26
35-49	11	5.1	31	1	1	4	7	13	19	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	7.1	129	1	3	4	7	9	26	61
35-49	7	11.0	145	2	3	6	23	29	29	29
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	3.0	13	1	1	2	4	5	6	18
B. Operated	65	3.6	12	1	1	2	5	8	10	20
2. MULTIPLE DX										
A. Not Operated	110	4.5	26	1	2	3	5	10	16	25
B. Operated	36	7.7	128	1	3	4	7	21	29	61
1. SINGLE DX	311	3.1	13	1	1	2	4	5	8	19
2. MULTIPLE DX	146	5.3	52	1	2	3	6	10	20	30
A. Not Operated	356	3.5	17	1	1	2	4	6	10	23
B. Operated	101	5.1	56	1	2	3	5	9	17	45
TOTAL										
0-19 YRS	25	3.0	11	< 1	1	2	3	6	9	17
20-34	379	3.6	24	1	1	2	4	7	10	23
35-49	53	5.7	48	1	2	3	5	11	27	33
50-64	0									
65 +	0									
GRAND TOTAL	**457**	**3.8**	**26**	**1**	**1**	**2**	**4**	**7**	**10**	**28**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	1.9	8	< 1	< 1	1	2	3	4	19
20-34	329	1.9	3	< 1	1	1	2	3	5	10
35-49	37	2.0	2	< 1	1	2	3	4	5	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	11	1.5		< 1	< 1	1	2	3	3	3
20-34	60	2.3	3	< 1	1	2	3	4	5	9
35-49	9	1.4	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.5	4	< 1	1	1	3	6	7	8
20-34	143	3.0	23	< 1	1	2	3	6	10	22
35-49	21	2.9	7	< 1	1	2	4	5	9	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	7.4	210	< 1	< 1	2	5	32	43	43
20-34	31	3.2	9	< 1	1	2	3	8	11	11
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	426	1.9	4	< 1	1	1	2	3	5	11
B. Operated	80	2.1	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	189	2.9	19	< 1	1	2	3	6	9	19
B. Operated	43	3.8	44	< 1	1	2	3	8	11	43
1. SINGLE DX	506	2.0	4	< 1	1	1	2	3	5	10
2. MULTIPLE DX	232	3.1	24	< 1	1	2	3	6	10	24
A. Not Operated	615	2.2	9	< 1	1	1	3	4	6	14
B. Operated	123	2.7	18	< 1	1	2	3	5	8	20
TOTAL										
0-19 YRS	104	2.4	22	< 1	1	1	2	4	6	31
20-34	563	2.3	9	< 1	1	1	3	4	7	13
35-49	71	2.2	3	< 1	1	2	3	4	5	11
50-64	0									
65 +	0									
GRAND TOTAL	**738**	**2.3**	**10**	**< 1**	**1**	**1**	**3**	**4**	**6**	**13**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	2.7	3	< 1	1	2	4	5	6	8
20-34	266	3.0	3	1	1	3	4	5	6	9
35-49	14	3.0	3	1	1	3	5	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	1.4		< 1	1	1	2	2	2	2
20-34	25	3.0	8	< 1	1	2	4	7	10	10
35-49	3	1.3		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	272	2.8	4	< 1	1	2	4	5	6	9
20-34	672	3.2	12	< 1	1	3	4	6	7	11
35-49	32	3.5	9	< 1	1	3	5	7	10	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	30	3.0	4	1	1	3	5	6	6	7
20-34	87	4.1	10	1	2	3	5	8	11	15
35-49	10	4.3	9	1	2	4	6	9	10	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	383	2.9	3	1	1	3	4	5	6	9
B. Operated	37	2.5	6	< 1	1	2	3	7	9	10
2. MULTIPLE DX										
A. Not Operated	976	3.1	10	< 1	1	3	4	6	7	10
B. Operated	127	3.9	8	1	2	3	5	7	10	14
1. SINGLE DX	420	2.9	3	< 1	1	2	4	5	6	9
2. MULTIPLE DX	1103	3.2	10	< 1	1	3	4	6	7	11
A. Not Operated	1359	3.1	8	< 1	1	3	4	6	7	10
B. Operated	164	3.6	8	< 1	1	3	5	7	10	14
TOTAL										
0-19 YRS	414	2.8	3	< 1	1	2	4	5	6	8
20-34	1050	3.2	10	< 1	1	3	4	6	7	11
35-49	59	3.4	7	< 1	1	3	5	7	9	14
50-64	0									
65 +	0									
GRAND TOTAL	**1523**	**3.1**	**8**	**< 1**	**1**	**3**	**4**	**6**	**7**	**10**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.9	5	< 1	1	2	4	7	9	9
20-34	483	3.5	18	1	2	3	4	6	8	14
35-49	128	4.0	8	1	2	3	5	7	9	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	6.5	83	< 1	< 1	2	12	20	20	20
20-34	36	3.3	7	< 1	1	2	4	6	9	13
35-49	8	2.9	4	< 1	1	2	4	6	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	293	2.4	5	< 1	< 1	1	3	5	6	10
20-34	1494	2.9	8	< 1	1	2	4	6	8	12
35-49	179	3.6	9	< 1	1	3	5	7	9	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	3.8	9	< 1	2	3	5	8	10	12
20-34	228	3.6	9	< 1	1	3	5	8	10	14
35-49	16	3.0	5	2	2	2	3	5	9	10
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	649	3.6	15	1	2	3	4	6	8	14
B. Operated	48	3.5	12	< 1	1	2	4	7	10	20
2. MULTIPLE DX										
A. Not Operated	1966	2.9	8	< 1	1	2	4	6	8	13
B. Operated	285	3.6	9	< 1	1	3	5	8	10	14
1. SINGLE DX	697	3.6	15	1	2	3	4	6	8	14
2. MULTIPLE DX	2251	3.0	8	< 1	1	2	4	6	8	14
A. Not Operated	2615	3.1	10	< 1	1	2	4	6	8	13
B. Operated	333	3.6	9	< 1	1	3	5	8	10	14
TOTAL										
0-19 YRS	375	2.6	7	< 1	1	2	3	6	7	12
20-34	2241	3.1	10	< 1	1	2	4	6	8	13
35-49	331	3.7	8	1	2	3	5	7	9	16
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**2948**	**3.1**	**10**	**< 1**	**1**	**2**	**4**	**6**	**8**	**14**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	522	1.8	3	< 1	< 1	1	2	4	5	10
20-34	2546	2.0	6	< 1	< 1	1	2	4	5	12
35-49	200	2.6	10	< 1	< 1	1	3	5	9	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	168	2.5	7	< 1	< 1	1	3	5	6	17
20-34	1023	2.2	6	< 1	< 1	1	3	5	6	13
35-49	131	2.3	6	< 1	1	1	3	4	6	14
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	265	2.7	8	< 1	1	2	3	5	7	18
20-34	1416	3.2	20	< 1	1	2	3	7	10	21
35-49	168	3.6	15	< 1	1	2	5	8	11	21
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	118	2.8	14	< 1	< 1	2	3	6	9	19
20-34	727	3.6	33	< 1	1	2	4	7	11	28
35-49	120	3.5	23	< 1	1	2	4	6	12	28
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3268	2.0	5	< 1	< 1	1	2	4	5	12
B. Operated	1323	2.2	6	< 1	< 1	1	3	5	6	13
2. MULTIPLE DX										
A. Not Operated	1849	3.2	18	< 1	1	2	4	7	10	21
B. Operated	965	3.5	29	< 1	1	2	4	7	10	28
1. SINGLE DX	4591	2.1	6	< 1	< 1	1	2	4	6	13
2. MULTIPLE DX	2814	3.3	22	< 1	1	2	4	7	10	23
A. Not Operated	5117	2.4	10	< 1	< 1	1	3	5	7	16
B. Operated	2288	2.8	16	< 1	1	1	3	6	8	20
TOTAL										
0-19 YRS	1073	2.3	6	< 1	< 1	1	3	5	6	13
20-34	5712	2.5	13	< 1	1	1	3	5	8	18
35-49	619	3.0	13	< 1	1	2	4	6	10	22
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**7405**	**2.5**	**12**	**< 1**	**< 1**	**1**	**3**	**5**	**7**	**18**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	104	2.8	1	2	2	3	3	4	4	6
20-34	596	2.7	1	2	2	3	3	4	4	5
35-49	68	2.6	1	1	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	53	2.9	1	2	2	3	3	4	5	5
20-34	422	3.2	2	2	2	3	4	5	5	8
35-49	54	3.2	1	2	2	3	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	2.9	2	2	2	3	3	4	4	11
20-34	837	2.9	3	2	2	3	3	4	4	7
35-49	99	3.0	2	2	2	3	3	4	5	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	171	4.2	27	2	3	3	4	6	8	18
20-34	1702	4.1	14	2	3	3	5	6	8	20
35-49	331	4.6	14	2	3	4	5	7	9	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	768	2.7	1	2	2	3	3	4	4	5
B. Operated	529	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	1030	2.9	3	2	2	3	3	4	4	7
B. Operated	2204	4.2	15	2	3	3	5	6	8	20
1. SINGLE DX	1297	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX	3234	3.8	11	2	3	3	4	5	7	18
A. Not Operated	1798	2.8	2	2	2	3	3	4	4	6
B. Operated	2733	4.0	13	2	3	3	4	6	7	19
TOTAL										
0-19 YRS	422	3.4	12	2	2	3	4	5	5	12
20-34	3557	3.5	8	2	2	3	4	5	6	13
35-49	552	3.9	10	2	3	3	5	6	7	17
50-64	0									
65 +	0									
GRAND TOTAL	**4531**	**3.5**	**9**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2322	2.5	1	2	2	2	3	3	4	4
20-34	19489	2.5	1	2	2	3	3	3	4	4
35-49	1635	2.6	1	2	2	3	3	3	4	4
50-64	4	2.3		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	984	2.7		2	2	3	3	3	4	4
20-34	8100	2.6		2	2	3	3	3	4	4
35-49	733	2.6		2	2	3	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	2.7	1	2	2	3	3	3	4	6
20-34	914	2.6	1	2	2	3	3	3	4	5
35-49	82	2.7	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	71	2.4	1	2	2	2	3	4	4	5
20-34	2014	3.0	1	2	2	3	3	4	4	5
35-49	306	3.1	1	2	3	3	4	4	4	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23450	2.5	1	2	2	3	3	3	4	4
B. Operated	9817	2.6		2	2	3	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	1120	2.6	1	2	2	3	3	3	4	5
B. Operated	2392	3.0	1	2	2	3	3	4	4	5
1. SINGLE DX	33267	2.5	1	2	2	3	3	3	4	4
2. MULTIPLE DX	3512	2.9	1	2	2	3	3	4	4	5
A. Not Operated	24570	2.5	1	2	2	3	3	3	4	4
B. Operated	12209	2.7	1	2	2	3	3	3	4	5
TOTAL										
0-19 YRS	3501	2.6	1	2	2	3	3	3	4	4
20-34	30517	2.6	1	2	2	3	3	3	4	4
35-49	2756	2.7	1	2	2	3	3	3	4	5
50-64	5	2.2		2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**36779**	**2.6**	**1**	**2**	**2**	**3**	**3**	**3**	**4**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	3.3	3	2	2	3	4	6	8	8
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	85	6.7	44	4	4	5	6	14	23	79
35-49	20	6.0	32	3	4	4	6	8	19	29
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	2.9	3	1	2	2	4	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	11.8	167	3	4	5	16	35	41	43
20-34	276	8.4	66	3	4	5	9	19	28	43
35-49	90	9.7	155	4	5	6	8	18	40	70
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.5	3	2	3	3	4	6	8	8
B. Operated	109	6.4	41	3	4	5	6	9	22	65
2. MULTIPLE DX										
A. Not Operated	21	3.0	2	1	2	3	3	5	6	7
B. Operated	379	8.9	91	3	4	5	8	20	30	47
1. SINGLE DX	123	6.1	37	3	4	5	6	8	21	57
2. MULTIPLE DX	400	8.6	88	3	4	5	8	19	29	46
A. Not Operated	35	3.2	3	2	2	3	4	6	7	8
B. Operated	488	8.3	80	3	4	5	7	18	29	47
TOTAL										
0-19 YRS	18	9.2	137	2	3	4	8	30	39	43
20-34	392	7.6	59	3	4	5	7	16	26	43
35-49	113	8.9	131	3	4	6	7	15	35	61
50-64	0									
65 +	0									
GRAND TOTAL	**523**	**8.0**	**77**	**3**	**4**	**5**	**7**	**16**	**28**	**46**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	4	< 1	1	2	3	6	6	6
20-34	65	2.6	1	2	2	3	3	3	4	6
35-49	7	2.3	1	1	1	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.0	1	2	3	4	5	6	6	6
20-34	85	4.0	2	2	3	4	5	6	6	8
35-49	7	4.1	2	2	3	4	5	6	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.8	2	2	2	3	3	4	6	7
20-34	79	2.8	5	1	2	2	3	5	6	14
35-49	13	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	47	4.7	10	2	3	4	5	7	8	21
20-34	466	4.8	14	2	3	4	5	7	9	23
35-49	65	5.2	12	3	4	5	6	7	8	25
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	2.6	1	1	2	3	3	3	4	6
B. Operated	102	4.0	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	107	2.8	4	1	2	3	3	4	6	13
B. Operated	578	4.9	13	2	3	4	5	7	9	23
1. SINGLE DX	180	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX	685	4.5	12	2	3	4	5	7	9	20
A. Not Operated	185	2.7	3	1	2	3	3	4	5	11
B. Operated	680	4.7	12	2	3	4	5	7	9	20
TOTAL										
0-19 YRS	78	4.1	7	2	3	4	5	6	7	18
20-34	695	4.3	11	2	3	4	5	6	8	15
35-49	92	4.5	10	2	3	4	5	7	7	22
50-64	0									
65 +	0									
GRAND TOTAL	**865**	**4.3**	**10**	**2**	**3**	**4**	**5**	**6**	**8**	**16**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	23	2.8		2	2	3	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	2.5		2	2	3	3	3	4	4
20-34	244	2.6	1	2	2	3	3	4	4	5
35-49	26	2.7	1	1	2	3	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	10	2.6	1	1	2	3	3	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	3.0	3	2	2	3	3	5	7	8
20-34	208	3.0	4	2	2	3	3	4	5	7
35-49	30	3.3	3	1	2	3	4	6	7	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.7		2	2	3	3	3	4	4
B. Operated	292	2.6	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	14	2.7	1	1	2	3	3	4	4	4
B. Operated	254	3.1	4	2	2	3	3	4	5	7
1. SINGLE DX	319	2.6	1	2	2	3	3	4	4	5
2. MULTIPLE DX	268	3.0	3	2	2	3	3	4	5	7
A. Not Operated	41	2.7	1	2	2	3	3	4	4	4
B. Operated	546	2.8	2	2	2	3	3	4	4	6
TOTAL										
0-19 YRS	43	2.7	1	2	2	3	3	4	5	8
20-34	485	2.8	2	2	2	3	3	4	4	6
35-49	59	3.0	2	1	2	3	3	4	6	7
50-64	0									
65 +	0									
GRAND TOTAL	**587**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.6	1	2	2	3	3	4	4	4
20-34	93	2.6	1	2	2	3	3	4	4	5
35-49	10	2.5	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.7		2	2	3	3	3	3	3
20-34	61	2.7	1	2	2	3	3	4	4	7
35-49	4	2.8		2	2	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	2.8	1	2	2	3	3	4	4	4
20-34	69	2.9	1	2	2	3	3	4	4	5
35-49	9	2.9	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	3.2	1	2	2	3	4	4	6	6
20-34	124	3.2	1	2	2	3	4	4	5	8
35-49	16	4.8	20	2	3	3	5	10	17	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	2.6	1	2	2	3	3	4	4	5
B. Operated	72	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	97	2.9	1	2	2	3	3	4	4	5
B. Operated	156	3.3	3	2	2	3	4	5	5	10
1. SINGLE DX	194	2.6	1	2	2	3	3	4	4	5
2. MULTIPLE DX	253	3.2	2	2	2	3	4	4	5	10
A. Not Operated	219	2.7	1	2	2	3	3	4	4	5
B. Operated	228	3.1	3	2	2	3	4	4	5	10
TOTAL										
0-19 YRS	61	2.8	1	2	2	3	3	4	4	6
20-34	347	2.9	1	2	2	3	3	4	4	6
35-49	39	3.5	9	2	2	3	4	5	8	20
50-64	0									
65 +	0									
GRAND TOTAL	**447**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**7**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	22	1.7	1	< 1	1	1	2	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	1.4	1	< 1	< 1	1	2	3	4	4
20-34	130	1.5	1	< 1	1	1	2	2	3	7
35-49	8	1.4	1	< 1	< 1	1	1	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	17	2.6	2	1	2	2	3	4	6	7
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	2.3	2	< 1	1	2	3	4	5	5
20-34	65	2.2	5	1	1	2	2	5	6	12
35-49	13	2.3	5	< 1	1	2	3	5	8	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.6	1	< 1	1	1	2	4	4	4
B. Operated	150	1.5	1	< 1	1	1	2	2	3	7
2. MULTIPLE DX										
A. Not Operated	23	2.5	2	1	2	2	3	4	5	7
B. Operated	90	2.3	4	1	1	2	2	5	6	12
1. SINGLE DX	178	1.5	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX	113	2.3	4	1	1	2	3	4	6	12
A. Not Operated	51	2.0	2	< 1	1	2	3	4	4	7
B. Operated	240	1.8	3	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	30	1.8	1	< 1	1	1	3	4	4	5
20-34	234	1.8	2	< 1	1	1	2	3	5	8
35-49	27	1.9	3	< 1	1	1	2	4	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**291**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**	**8**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.5	3	1	2	3	5	6	7	7
20-34	58	3.8	9	1	2	3	5	8	10	16
35-49	14	5.2	14	1	2	4	8	10	13	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	2.5	1	1	2	2	3	4	5	5
20-34	114	3.1	5	1	2	3	3	5	8	12
35-49	22	3.0	10	1	1	2	3	5	10	16
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.4	10	1	2	4	7	9	9	9
20-34	65	5.4	16	2	2	4	8	12	13	16
35-49	5	6.6	28	1	3	5	10	15	15	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	6.5	41	1	2	3	13	16	16	16
20-34	99	6.0	135	1	2	3	6	11	16	82
35-49	12	5.3	10	2	3	4	7	10	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.0	9	1	2	3	5	8	10	15
B. Operated	155	3.0	5	1	2	3	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	75	5.4	16	2	2	4	8	12	13	16
B. Operated	119	5.9	116	1	2	3	6	12	16	79
1. SINGLE DX	237	3.4	7	1	2	3	4	6	9	14
2. MULTIPLE DX	194	5.7	77	1	2	3	7	12	15	52
A. Not Operated	157	4.7	13	1	2	4	6	10	13	16
B. Operated	274	4.3	55	1	2	3	4	8	12	21
TOTAL										
0-19 YRS	42	3.7	11	1	2	3	4	8	13	16
20-34	336	4.5	47	1	2	3	5	9	12	19
35-49	53	4.5	14	1	2	3	6	9	14	16
50-64	0									
65 +	0									
GRAND TOTAL	**431**	**4.4**	**40**	**1**	**2**	**3**	**5**	**9**	**13**	**17**

259 Hospitals, North Eastern Region,January-December 1988

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	537	3.4	4	2	2	3	4	6	7	11
20-34	427	4.0	6	2	3	3	5	7	8	12
35-49	373	4.6	7	2	3	4	6	8	10	14
50-64	267	5.5	12	3	3	5	7	9	12	21
65 +	194	5.9	10	3	4	5	7	10	12	16
B. Operated										
0-19 YRS	181	3.9	9	1	2	3	5	7	9	15
20-34	189	4.7	15	1	3	4	6	9	12	22
35-49	140	5.2	15	1	3	4	7	9	13	20
50-64	81	6.2	18	2	3	5	8	12	15	19
65 +	54	7.6	32	2	3	6	10	18	20	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	599	4.2	8	2	2	3	5	7	9	15
20-34	737	5.3	12	2	3	4	7	10	12	20
35-49	1029	6.5	24	2	4	5	8	11	15	25
50-64	1421	7.8	33	3	5	6	9	14	17	30
65 +	2847	10.1	82	4	5	8	12	18	25	63
B. Operated										
0-19 YRS	234	5.6	16	2	3	4	7	11	13	21
20-34	513	8.0	47	3	4	6	9	15	21	40
35-49	661	10.7	118	3	4	7	13	22	32	58
50-64	803	12.9	129	4	6	10	16	28	34	69
65 +	1262	16.1	197	5	8	12	20	34	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1798	4.4	8	2	3	4	5	8	10	14
B. Operated	645	5.0	16	1	2	4	6	10	13	20
2. MULTIPLE DX										
A. Not Operated	6633	8.0	53	3	4	6	9	14	19	44
B. Operated	3473	12.4	143	3	5	9	15	26	37	81
1. SINGLE DX	2443	4.6	10	2	3	4	6	8	10	17
2. MULTIPLE DX	10106	9.5	88	3	4	7	11	18	27	61
A. Not Operated	8431	7.2	45	2	4	6	9	13	18	39
B. Operated	4118	11.3	131	3	4	8	14	24	34	75
TOTAL										
0-19 YRS	1551	4.1	8	2	2	3	5	7	9	15
20-34	1866	5.7	23	2	3	4	7	10	14	25
35-49	2203	7.4	54	2	4	5	8	14	18	40
50-64	2572	9.1	68	3	5	7	11	17	24	47
65 +	4357	11.6	120	4	6	8	14	23	33	84
GRAND TOTAL	**12549**	**8.6**	**77**	**3**	**4**	**6**	**10**	**17**	**24**	**54**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	4.1	6	2	2	4	5	7	9	13
20-34	84	3.6	13	1	2	3	4	6	7	24
35-49	40	4.9	8	2	3	4	6	9	10	15
50-64	20	3.1	2	1	2	3	4	5	6	7
65 +	17	6.0	29	2	3	4	8	12	19	23
B. Operated										
0-19 YRS	94	4.3	34	< 1	1	3	5	9	11	35
20-34	55	3.6	13	1	1	3	5	6	8	19
35-49	45	3.9	10	< 1	1	3	5	9	11	14
50-64	23	3.8	11	< 1	1	3	4	9	11	14
65 +	12	6.3	43	2	2	4	7	15	24	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	237	4.4	27	2	2	4	5	7	10	13
20-34	102	4.8	12	2	2	4	6	8	11	19
35-49	96	5.7	18	3	3	5	6	11	14	25
50-64	114	7.5	20	3	4	6	10	15	17	49
65 +	183	9.8	121	3	5	7	10	16	29	65
B. Operated										
0-19 YRS	119	6.7	50	2	3	5	8	12	18	41
20-34	108	6.2	31	1	2	5	8	13	19	27
35-49	100	7.3	51	1	3	5	9	15	23	37
50-64	132	10.6	100	2	5	7	13	23	38	47
65 +	203	14.0	191	3	6	10	16	32	46	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351	4.1	9	2	2	3	5	7	9	15
B. Operated	229	4.1	22	< 1	1	3	5	8	11	20
2. MULTIPLE DX										
A. Not Operated	732	6.4	51	2	3	5	7	12	15	40
B. Operated	662	9.7	110	2	4	6	12	21	32	59
1. SINGLE DX	580	4.1	14	1	2	3	5	8	10	18
2. MULTIPLE DX	1394	8.0	82	2	3	5	9	15	23	51
A. Not Operated	1083	5.7	38	2	3	4	7	10	14	31
B. Operated	891	8.3	93	1	3	5	10	17	27	53
TOTAL										
0-19 YRS	640	4.7	27	2	2	4	6	8	11	21
20-34	349	4.7	19	1	2	3	6	9	13	24
35-49	281	5.9	28	2	3	4	7	11	15	29
50-64	289	8.3	60	2	4	6	11	16	23	46
65 +	415	11.6	155	3	5	8	13	23	40	81
GRAND TOTAL	**1974**	**6.9**	**65**	**2**	**3**	**5**	**8**	**14**	**19**	**46**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.0	10	1	1	2	4	8	10	10
20-34	9	2.2	2	1	1	2	3	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	394	2.0	2	1	1	2	3	4	5	6
20-34	758	2.1	2	1	1	2	3	4	4	7
35-49	119	2.1	4	1	1	2	3	3	5	14
50-64	17	2.4	4	1	1	2	3	5	7	8
65 +	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	10	2.8	6	< 1	< 1	1	5	7	8	8
35-49	2	5.0		5	5	5	5	5	5	5
50-64	2	5.0	32	< 1	< 1	4	9	9	9	9
65 +	2	3.5	13	< 1	< 1	3	6	6	6	6
B. Operated										
0-19 YRS	55	2.9	4	1	1	2	4	6	7	9
20-34	146	2.8	5	1	1	2	4	5	7	9
35-49	50	3.9	23	1	1	3	4	8	14	29
50-64	18	6.6	103	1	2	2	6	23	34	38
65 +	16	3.6	8	1	1	2	6	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.6	5	1	1	2	3	5	8	10
B. Operated	1293	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	19	3.2	7	< 1	< 1	2	5	7	9	9
B. Operated	285	3.3	15	1	1	2	4	6	8	24
1. SINGLE DX	1312	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	304	3.3	14	1	1	2	4	6	8	22
A. Not Operated	38	2.9	6	< 1	1	2	5	6	9	10
B. Operated	1578	2.3	5	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	460	2.2	2	1	1	2	3	4	5	8
20-34	923	2.2	3	1	1	2	3	4	5	8
35-49	173	2.7	10	1	1	2	3	5	7	16
50-64	37	4.5	56	1	1	2	4	9	22	38
65 +	23	3.2	7	1	1	2	5	7	8	10
GRAND TOTAL	**1616**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	40	1.2		< 1	< 1	< 1	1	2	3	3
20-34	43	1.4	1	< 1	< 1	< 1	1	2	4	6
35-49	35	1.3	1	< 1	< 1	< 1	1	2	3	6
50-64	18	1.3	1	< 1	< 1	< 1	1	2	3	4
65 +	11	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.3		< 1	< 1	1	2	2	2	2
20-34	17	2.8	4	< 1	1	2	3	7	8	8
35-49	23	2.8	11	< 1	1	1	4	7	10	15
50-64	23	3.6	13	< 1	1	2	5	9	11	15
65 +	22	4.2	21	< 1	1	2	6	10	16	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	3	2	3	4	5	6	6	6
B. Operated	147	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	51	99 +	99 +	99 +	99 +
B. Operated	101	3.0	11	< 1	1	2	4	8	9	17
1. SINGLE DX	151	1.4	1	< 1	< 1	< 1	1	2	4	6
2. MULTIPLE DX	102	3.0	11	< 1	1	2	4	8	11	56
A. Not Operated	5	3.8	3	2	2	4	6	91	99 +	99 +
B. Operated	248	2.0	6	< 1	< 1	1	2	4	7	15
TOTAL										
0-19 YRS	59	1.3	1	< 1	< 1	1	1	2	3	5
20-34	62	1.9	3	< 1	< 1	1	2	4	6	8
35-49	58	1.9	5	< 1	< 1	1	2	4	7	14
50-64	41	2.6	9	< 1	< 1	1	3	6	9	15
65 +	33	3.2	16	< 1	< 1	1	4	9	17	99 +
GRAND TOTAL	**253**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**4**	**7**	**15**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.3	12	3	4	6	9	10	10	10
20-34	6	9.8	166	1	3	4	12	33	35	35
35-49	10	8.8	49	2	3	8	11	20	25	25
50-64	3	7.3	42	1	2	7	12	14	14	14
65 +	13	9.3	48	2	5	8	11	20	25	26
B. Operated										
0-19 YRS	15	12.2	158	1	4	8	14	34	41	43
20-34	23	9.3	94	1	2	8	11	21	36	37
35-49	20	8.5	59	1	3	6	11	20	24	29
50-64	23	8.4	68	1	2	7	10	16	27	38
65 +	51	12.8	108	1	4	11	17	28	32	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	10.1	165	3	3	5	9	32	45	53
20-34	45	12.7	190	2	4	8	15	37	42	59
35-49	83	10.6	89	3	6	8	13	18	36	86
50-64	158	13.2	167	4	6	9	15	31	37	99 +
65 +	616	14.3	157	5	7	11	17	27	41	94
B. Operated										
0-19 YRS	50	18.8	253	3	6	16	25	45	54	64
20-34	170	21.8	357	5	9	16	34	56	91	99 +
35-49	198	20.9	311	5	9	16	30	52	88	99 +
50-64	348	19.8	323	4	8	14	27	52	75	99 +
65 +	1204	21.7	325	5	10	17	31	55	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	8.8	59	2	3	7	11	19	26	35
B. Operated	132	10.7	98	1	3	8	14	26	34	44
2. MULTIPLE DX										
A. Not Operated	935	13.6	155	4	6	10	16	28	41	95
B. Operated	1970	21.2	324	5	9	16	30	54	80	99 +
1. SINGLE DX	167	10.3	90	1	3	8	14	25	32	42
2. MULTIPLE DX	2905	18.8	282	4	8	14	25	47	68	99 +
A. Not Operated	970	13.4	153	4	6	10	16	28	40	94
B. Operated	2102	20.6	316	4	9	16	29	52	78	99 +
TOTAL										
0-19 YRS	101	14.6	218	3	4	8	19	42	47	60
20-34	244	18.7	319	3	7	12	29	48	65	99 +
35-49	311	16.9	254	4	7	12	24	40	69	99 +
50-64	532	17.3	277	3	7	12	24	43	67	99 +
65 +	1884	19.0	275	5	8	14	25	48	66	99 +
GRAND TOTAL	**3072**	**18.3**	**276**	**4**	**8**	**13**	**25**	**46**	**65**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	3.6	11	1	2	3	4	8	11	18
20-34	74	5.0	79	1	1	3	5	9	17	60
35-49	56	5.7	26	1	2	3	7	13	17	23
50-64	41	6.1	23	2	3	4	8	13	16	23
65 +	24	6.1	38	1	2	4	7	14	19	29
B. Operated										
0-19 YRS	114	1.9	3	< 1	< 1	1	2	4	5	9
20-34	153	2.4	4	< 1	1	2	3	5	8	14
35-49	159	2.5	8	< 1	1	1	3	5	9	14
50-64	164	1.6	2	< 1	1	1	1	3	5	9
65 +	76	2.2	13	< 1	< 1	1	2	3	10	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	3.9	14	1	2	3	5	7	9	21
20-34	132	7.0	34	2	3	5	9	15	18	28
35-49	173	7.7	38	2	3	6	11	17	19	27
50-64	240	8.5	46	2	3	6	12	18	22	29
65 +	354	9.4	74	3	4	7	11	20	24	46
B. Operated										
0-19 YRS	129	4.4	33	1	1	2	5	12	21	46
20-34	185	4.9	35	1	2	3	6	12	16	31
35-49	254	4.9	39	1	1	3	5	12	17	30
50-64	286	4.5	40	1	1	2	4	12	18	34
65 +	251	8.7	120	1	2	5	11	22	30	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	344	4.7	32	1	2	3	6	11	14	23
B. Operated	666	2.1	5	< 1	1	1	2	4	7	13
2. MULTIPLE DX										
A. Not Operated	1129	7.6	50	1	3	5	10	17	21	34
B. Operated	1105	5.6	59	1	1	3	6	15	22	41
1. SINGLE DX	1010	3.0	16	< 1	1	2	3	7	10	18
2. MULTIPLE DX	2234	6.6	55	1	2	4	8	16	22	38
A. Not Operated	1473	6.9	47	1	3	5	9	15	20	31
B. Operated	1771	4.3	42	< 1	1	2	4	10	17	35
TOTAL										
0-19 YRS	622	3.6	16	< 1	1	2	4	7	11	23
20-34	544	4.7	35	1	1	3	6	11	15	28
35-49	642	5.1	33	1	1	3	7	13	17	28
50-64	731	5.2	39	1	1	3	7	14	18	28
65 +	705	8.3	88	1	2	5	11	20	26	53
GRAND TOTAL	**3244**	**5.5**	**46**	**1**	**1**	**3**	**7**	**14**	**19**	**33**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.9	5	1	2	2	3	6	8	9
20-34	34	3.5	7	1	2	3	5	6	8	14
35-49	13	3.4	4	1	2	3	4	7	7	7
50-64	5	4.4	8	2	2	4	6	9	9	9
65 +	0									
B. Operated										
0-19 YRS	13	5.3	42	1	1	3	6	14	22	24
20-34	16	3.8	12	1	2	3	4	8	13	15
35-49	12	4.2	21	< 1	1	2	6	12	15	15
50-64	4	7.8	49	< 1	2	6	13	17	17	17
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	5.9	30	1	2	4	8	14	18	26
20-34	108	7.3	81	1	2	5	8	15	24	48
35-49	91	7.1	51	2	3	5	8	15	26	76
50-64	63	8.0	34	2	4	6	10	16	23	90
65 +	70	13.6	113	4	6	11	19	27	35	49
B. Operated										
0-19 YRS	28	17.6	256	2	6	14	23	43	51	65
20-34	60	11.8	216	2	4	8	13	26	52	98
35-49	49	15.6	276	1	4	10	19	35	47	75
50-64	47	18.7	454	3	5	10	28	51	84	99 +
65 +	66	20.3	240	5	9	15	29	49	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.4	6	1	2	3	5	6	8	13
B. Operated	46	4.7	25	1	1	3	5	12	16	24
2. MULTIPLE DX										
A. Not Operated	400	8.2	70	2	3	5	10	18	26	48
B. Operated	250	16.7	289	2	5	11	23	43	64	99 +
1. SINGLE DX	124	3.9	13	1	2	3	5	8	11	19
2. MULTIPLE DX	650	11.5	171	2	4	7	15	28	42	87
A. Not Operated	478	7.4	62	1	3	5	9	17	24	46
B. Operated	296	14.9	267	2	4	9	19	38	53	99 +
TOTAL										
0-19 YRS	135	7.7	99	1	2	4	9	17	27	51
20-34	218	7.7	109	1	2	5	8	17	26	74
35-49	165	9.1	129	1	3	5	11	22	33	75
50-64	119	12.1	226	2	4	8	14	30	50	99 +
65 +	137	16.7	184	4	7	13	22	39	50	99 +
GRAND TOTAL	**774**	**10.3**	**153**	**1**	**3**	**6**	**13**	**25**	**38**	**84**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	4.4	11	1	2	4	6	8	8	20
20-34	14	4.4	12	1	3	4	5	7	13	15
35-49	14	3.9	8	1	2	3	4	7	11	12
50-64	22	4.4	7	2	3	4	5	8	11	12
65 +	13	5.8	20	3	4	4	6	14	17	18
B. Operated										
0-19 YRS	11	7.5	14	3	4	7	10	13	13	13
20-34	14	3.4	9	1	1	2	5	8	10	10
35-49	45	4.3	18	1	1	3	5	9	15	18
50-64	110	6.1	30	1	2	4	10	14	16	23
65 +	83	8.1	52	1	2	5	13	17	21	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	5.6	21	1	3	5	6	11	16	22
20-34	23	10.4	140	3	3	6	12	23	42	51
35-49	40	7.1	16	3	4	6	8	14	15	16
50-64	108	6.6	54	2	3	5	7	11	13	52
65 +	211	8.7	83	3	4	6	10	16	21	43
B. Operated										
0-19 YRS	15	7.9	71	1	2	5	11	14	29	34
20-34	28	6.9	41	2	2	6	9	15	23	28
35-49	90	6.9	36	2	2	5	10	14	17	29
50-64	222	8.3	48	1	3	7	12	15	21	38
65 +	286	11.8	106	2	6	11	15	21	27	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	4.5	11	1	2	4	6	8	12	19
B. Operated	263	6.3	35	1	2	4	10	15	17	24
2. MULTIPLE DX										
A. Not Operated	423	7.8	67	3	4	6	9	14	19	48
B. Operated	641	9.6	77	2	3	9	13	18	25	53
1. SINGLE DX	377	5.8	28	1	2	4	8	14	16	23
2. MULTIPLE DX	1064	8.9	74	2	4	7	12	17	23	50
A. Not Operated	537	7.1	57	2	3	5	8	14	18	39
B. Operated	904	8.6	67	1	3	7	12	17	23	34
TOTAL										
0-19 YRS	118	5.5	23	1	2	5	7	11	14	26
20-34	79	6.9	64	1	2	5	8	14	21	47
35-49	189	6.1	27	1	2	4	9	13	15	27
50-64	462	7.2	44	1	3	5	10	15	17	33
65 +	593	10.1	91	2	4	9	13	19	25	60
GRAND TOTAL	**1441**	**8.1**	**64**	**2**	**3**	**6**	**11**	**16**	**21**	**37**

259 Hospitals, North Eastern Region, January-December 1988

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.8	5	1	2	4	5	6	6	6
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	17	9.9	5	8	9	10	11	13	15	16
65 +	27	10.3	49	2	6	10	12	16	28	32
B. Operated										
0-19 YRS	3	7.7	17	3	4	9	10	11	11	11
20-34	24	5.3	19	< 1	2	4	8	12	15	16
35-49	102	7.5	25	2	3	8	10	13	15	28
50-64	474	9.2	15	4	7	9	11	14	15	18
65 +	767	11.5	16	8	9	11	14	16	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	15	5.3	37	< 1	1	4	6	19	20	20
50-64	63	5.5	22	< 1	1	4	9	12	15	18
65 +	328	9.0	154	1	2	5	11	19	41	99 +
B. Operated										
0-19 YRS	7	8.4	96	< 1	2	4	10	25	29	29
20-34	44	6.5	17	1	2	6	9	12	13	16
35-49	191	7.9	32	1	3	8	11	14	17	29
50-64	1114	11.0	36	5	8	10	13	17	20	36
65 +	3483	13.8	60	8	10	12	16	21	25	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	9.6	31	3	8	9	11	15	16	32
B. Operated	1370	10.3	19	5	8	10	13	15	17	24
2. MULTIPLE DX										
A. Not Operated	409	8.3	130	1	2	5	10	18	34	99 +
B. Operated	4839	12.9	56	7	9	11	15	19	24	46
1. SINGLE DX	1420	10.3	19	5	8	10	13	15	17	24
2. MULTIPLE DX	5248	12.5	63	5	9	11	15	19	24	47
A. Not Operated	459	8.5	119	1	2	6	11	17	31	99
B. Operated	6209	12.3	49	7	9	11	14	18	23	43
TOTAL										
0-19 YRS	11	8.0	62	1	3	6	10	18	28	29
20-34	74	5.9	17	1	2	5	9	11	14	16
35-49	310	7.6	30	1	3	7	10	14	17	28
50-64	1668	10.3	31	4	8	10	12	16	18	30
65 +	4605	13.1	61	7	9	12	15	20	25	47
GRAND TOTAL	**6668**	**12.1**	**54**	**5**	**9**	**11**	**14**	**18**	**23**	**45**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17- 715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	3	2.7	8	1	1	1	5	6	6	6
65 +	13	4.1	5	1	2	4	6	7	7	7
B. Operated										
0-19 YRS	3	3.0	12	< 1	< 1	1	5	7	7	7
20-34	36	2.4	4	1	1	2	3	5	7	9
35-49	53	2.3	4	< 1	1	1	3	4	8	11
50-64	109	3.9	15	1	1	2	5	9	12	18
65 +	57	6.8	23	1	2	5	11	14	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	7	6.4	49	1	1	3	13	17	17	17
50-64	8	4.3	7	1	2	4	6	8	9	9
65 +	149	10.9	233	2	4	6	12	23	52	99 +
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	41	2.7	5	1	1	2	4	5	6	13
35-49	55	3.5	16	1	1	2	4	6	10	22
50-64	144	5.1	25	1	2	3	6	12	16	24
65 +	230	10.0	58	2	4	9	14	18	24	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.6	5	< 1	1	3	6	7	7	7
B. Operated	258	4.0	15	1	1	2	5	10	13	16
2. MULTIPLE DX										
A. Not Operated	166	10.3	214	2	4	6	11	20	47	98
B. Operated	473	7.1	47	1	2	4	11	16	18	32
1. SINGLE DX	277	4.0	15	1	1	2	5	10	13	16
2. MULTIPLE DX	639	7.9	92	1	2	5	11	17	22	59
A. Not Operated	185	9.6	197	1	3	6	10	20	37	97
B. Operated	731	6.0	38	1	2	4	9	14	17	28
TOTAL										
0-19 YRS	7	3.3	7	< 1	1	2	6	7	7	7
20-34	79	2.5	4	1	1	2	3	5	6	12
35-49	117	3.1	13	1	1	2	4	6	10	21
50-64	264	4.6	20	1	2	3	6	11	14	21
65 +	449	9.7	112	2	4	8	13	18	25	81
GRAND TOTAL	**916**	**6.7**	**72**	**1**	**2**	**4**	**9**	**15**	**18**	**48**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	7.7	45	2	3	5	10	15	22	35
20-34	35	6.2	19	2	3	5	8	14	15	18
35-49	20	3.7	10	1	1	2	5	8	11	12
50-64	15	4.3	9	1	2	3	5	10	11	11
65 +	14	6.7	35	1	2	4	10	15	20	21
B. Operated										
0-19 YRS	51	10.4	116	1	3	8	13	23	29	66
20-34	87	3.9	11	1	2	3	4	7	11	18
35-49	72	4.0	17	1	2	3	5	8	10	26
50-64	94	6.0	22	1	2	4	10	12	14	20
65 +	52	8.9	52	2	4	8	13	16	18	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	9.4	59	2	3	7	14	21	28	35
20-34	67	9.1	74	2	4	7	11	20	26	50
35-49	45	8.1	56	2	3	7	10	16	21	42
50-64	66	8.2	57	2	3	6	10	18	23	41
65 +	152	10.0	86	3	4	7	13	20	30	50
B. Operated										
0-19 YRS	108	15.3	112	4	8	14	20	29	42	50
20-34	93	6.9	62	1	2	4	9	15	20	44
35-49	145	8.5	74	1	3	6	12	25	33	99 +
50-64	169	12.4	181	2	3	9	15	30	41	64
65 +	269	17.0	202	3	9	13	23	36	48	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	6.3	31	2	3	4	9	14	16	23
B. Operated	356	6.1	42	1	2	4	9	13	16	29
2. MULTIPLE DX										
A. Not Operated	399	9.2	71	2	4	7	12	19	28	46
B. Operated	784	13.0	159	2	4	10	16	30	41	74
1. SINGLE DX	503	6.2	38	1	2	4	9	13	16	29
2. MULTIPLE DX	1183	11.7	132	2	4	9	15	27	36	63
A. Not Operated	546	8.5	62	2	3	6	11	18	23	43
B. Operated	1140	10.9	132	2	3	8	14	25	35	64
TOTAL										
0-19 YRS	291	11.4	94	2	4	10	15	22	29	45
20-34	282	6.4	47	1	2	4	8	14	19	34
35-49	282	7.0	56	1	2	5	9	16	29	79
50-64	344	9.5	115	2	3	6	12	20	31	44
65 +	487	13.7	159	3	5	11	17	30	41	74
GRAND TOTAL	**1686**	**10.1**	**111**	**2**	**3**	**7**	**13**	**22**	**31**	**59**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	3	1	1	3	4	5	5	5
20-34	6	2.2	3	< 1	< 1	1	4	5	5	5
35-49	6	4.0	7	1	1	4	5	8	8	8
50-64	4	3.3	5	1	1	3	5	6	6	6
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	155	2.3	3	< 1	1	2	3	4	6	7
20-34	323	2.6	4	< 1	1	2	3	5	6	9
35-49	146	2.1	2	< 1	< 1	1	3	5	5	7
50-64	40	1.6	2	< 1	< 1	1	2	3	4	7
65 +	18	1.6	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
20-34	10	1.4	1	< 1	< 1	1	1	3	3	3
35-49	9	1.4	1	< 1	< 1	1	1	3	4	4
50-64	8	5.1	88	< 1	< 1	1	4	21	28	28
65 +	7	7.0	28	2	3	4	11	15	16	16
B. Operated										
0-19 YRS	155	2.4	3	< 1	1	2	3	5	5	9
20-34	444	2.8	9	< 1	1	2	3	5	6	15
35-49	248	2.4	8	< 1	< 1	1	3	5	6	17
50-64	168	2.2	5	< 1	1	1	2	4	6	13
65 +	91	2.6	7	< 1	1	2	3	5	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.9	4	1	1	3	4	5	6	8
B. Operated	682	2.3	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	39	3.2	27	< 1	< 1	1	3	7	14	28
B. Operated	1106	2.5	7	< 1	1	2	3	5	6	14
1. SINGLE DX	708	2.4	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX	1145	2.5	8	< 1	1	2	3	5	6	15
A. Not Operated	65	3.1	17	< 1	< 1	1	4	6	9	26
B. Operated	1788	2.5	6	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	324	2.3	3	< 1	1	2	3	4	5	8
20-34	783	2.7	7	< 1	1	2	3	5	6	11
35-49	409	2.3	6	< 1	< 1	1	3	5	6	14
50-64	220	2.2	7	< 1	< 1	1	2	4	6	14
65 +	117	2.7	8	< 1	1	2	3	5	9	16
GRAND TOTAL	**1853**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	3.1	7	1	1	2	4	6	9	14
20-34	26	3.7	5	2	2	3	4	8	9	10
35-49	21	3.0	5	1	1	2	4	6	7	8
50-64	10	4.4	7	1	2	4	5	8	9	9
65 +	14	9.0	48	2	3	9	13	20	24	25
B. Operated										
0-19 YRS	463	2.5	4	1	1	2	3	4	6	10
20-34	735	2.6	2	1	1	2	3	4	5	7
35-49	238	2.7	8	1	1	2	4	5	7	11
50-64	77	3.0	8	1	1	2	3	8	9	13
65 +	34	5.2	22	1	2	4	6	15	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	3.7	10	< 1	1	3	5	7	10	15
20-34	52	6.7	118	< 1	1	3	6	15	34	57
35-49	50	6.0	70	< 1	1	3	6	16	30	35
50-64	67	9.5	87	2	4	6	11	24	32	39
65 +	212	11.1	107	2	4	7	15	24	36	52
B. Operated										
0-19 YRS	401	4.1	25	1	2	3	5	8	11	28
20-34	391	3.5	28	1	1	2	4	6	9	19
35-49	229	3.6	14	1	1	2	4	8	11	19
50-64	146	4.7	33	1	1	3	5	10	16	34
65 +	157	9.2	120	1	2	6	11	25	39	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	3.9	13	1	2	3	5	8	10	20
B. Operated	1547	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	448	8.7	94	1	2	5	11	22	32	45
B. Operated	1324	4.5	39	1	1	3	5	9	15	36
1. SINGLE DX	1681	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX	1772	5.6	56	1	2	3	6	12	20	41
A. Not Operated	582	7.6	79	1	2	4	9	19	28	43
B. Operated	2871	3.5	21	1	1	2	4	6	9	26
TOTAL										
0-19 YRS	994	3.3	14	1	1	2	4	6	8	17
20-34	1204	3.1	17	1	1	2	4	5	7	16
35-49	538	3.4	17	1	1	2	4	7	9	29
50-64	300	5.3	43	1	2	3	6	11	20	36
65 +	417	9.8	105	2	3	6	13	23	36	79
GRAND TOTAL	**3453**	**4.2**	**33**	**1**	**1**	**3**	**4**	**8**	**14**	**35**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	11.0		11	11	11	11	11	11	11
50-64	6	5.3	10	1	3	5	7	10	10	10
65 +	8	7.9	123	2	3	4	6	27	35	35
B. Operated										
0-19 YRS	0									
20-34	5	3.8	13	1	2	2	5	10	10	10
35-49	3	7.7	9	5	5	7	10	11	11	11
50-64	4	8.8	35	4	4	7	13	17	17	17
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.7	25	1	2	5	9	11	11	11
B. Operated	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	17	6.8	60	2	3	4	7	11	27	35
B. Operated	12	6.4	22	2	3	5	9	13	16	17
1. SINGLE DX	5	5.4	21	1	1	5	9	11	11	11
2. MULTIPLE DX	29	6.6	43	2	3	5	8	11	18	35
A. Not Operated	20	6.6	54	2	3	5	7	11	23	35
B. Operated	14	6.2	21	1	2	5	9	12	16	17
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	4.7	13	1	2	4	8	10	10	10
35-49	6	7.7	17	1	5	9	11	11	11	11
50-64	11	6.5	18	2	4	5	8	13	17	17
65 +	9	7.1	113	1	3	4	5	24	35	35
GRAND TOTAL	**34**	**6.4**	**39**	**1**	**3**	**5**	**9**	**11**	**16**	**35**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	7	4.9	12	1	2	3	8	10	10	10
35-49	24	4.0	6	1	2	4	5	7	9	10
50-64	34	5.9	17	1	2	5	9	12	14	15
65 +	22	5.3	16	1	2	4	8	11	14	16
B. Operated										
0-19 YRS	3	4.7	5	2	3	6	6	6	6	6
20-34	21	4.5	9	1	2	4	6	9	10	10
35-49	122	4.0	10	1	1	3	5	8	9	17
50-64	134	4.3	10	1	1	4	6	9	9	13
65 +	65	5.3	37	1	1	3	7	11	19	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	4.5	23	1	1	3	5	12	16	17
35-49	64	5.8	15	1	3	5	8	10	15	16
50-64	156	7.3	31	2	4	6	9	15	18	28
65 +	605	8.7	55	3	4	7	11	17	22	45
B. Operated										
0-19 YRS	4	8.8	2	7	7	9	10	10	10	10
20-34	27	9.6	338	1	3	6	9	22	98	99 +
35-49	147	5.8	38	1	2	5	7	11	16	38
50-64	232	7.6	70	1	3	6	9	15	19	36
65 +	359	12.9	145	2	6	10	16	28	39	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	5.1	14	1	2	4	8	10	13	16
B. Operated	345	4.4	15	1	1	4	6	9	10	18
2. MULTIPLE DX										
A. Not Operated	841	8.1	48	2	4	6	10	16	21	43
B. Operated	769	9.8	116	1	3	7	12	21	29	78
1. SINGLE DX	435	4.5	15	1	1	4	6	9	11	18
2. MULTIPLE DX	1610	8.9	81	2	4	7	11	18	26	55
A. Not Operated	931	7.8	45	2	4	6	10	16	20	42
B. Operated	1114	8.1	91	1	2	6	10	17	26	56
TOTAL										
0-19 YRS	12	4.8	12	1	2	4	7	10	10	10
20-34	69	6.6	143	1	2	4	7	10	17	99 +
35-49	357	5.1	23	1	2	4	7	9	14	26
50-64	556	6.6	43	1	2	5	8	13	17	28
65 +	1051	9.9	89	2	4	7	12	20	28	60
GRAND TOTAL	**2045**	**8.0**	**70**	**1**	**3**	**6**	**10**	**16**	**23**	**46**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	6.6	20	1	3	7	10	13	14	14
20-34	325	6.1	20	1	3	5	8	11	14	23
35-49	508	6.8	22	2	4	6	9	12	16	21
50-64	240	7.5	16	3	4	7	10	13	15	19
65 +	57	7.8	27	3	4	6	10	15	18	26
B. Operated										
0-19 YRS	75	4.3	9	1	3	4	5	7	10	16
20-34	1709	4.8	14	1	2	4	6	9	12	19
35-49	2388	4.9	14	1	2	4	6	9	12	19
50-64	817	5.4	23	1	2	4	7	11	15	23
65 +	174	6.1	27	1	2	5	8	12	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	7.4	14	2	5	7	9	12	15	15
20-34	201	7.1	26	1	4	6	9	13	16	27
35-49	433	7.5	23	2	4	7	10	14	17	23
50-64	457	8.3	25	3	5	7	10	15	17	23
65 +	522	10.0	44	4	6	9	12	17	23	33
B. Operated										
0-19 YRS	20	6.5	16	2	4	6	8	13	15	16
20-34	619	7.2	38	1	3	6	9	15	21	29
35-49	1257	7.3	34	2	4	6	9	14	18	30
50-64	946	8.1	48	1	4	6	10	17	23	34
65 +	656	12.3	101	3	6	9	17	26	32	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1143	6.8	21	2	4	6	9	12	15	22
B. Operated	5163	5.0	16	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	1623	8.5	32	3	5	8	11	15	18	31
B. Operated	3498	8.4	55	2	4	6	10	18	23	36
1. SINGLE DX	6306	5.3	17	1	3	4	7	10	13	20
2. MULTIPLE DX	5121	8.5	47	2	4	7	11	17	22	34
A. Not Operated	2766	7.8	28	2	4	7	10	14	17	27
B. Operated	8661	6.4	34	1	3	5	8	13	18	30
TOTAL										
0-19 YRS	118	5.2	13	1	3	4	7	10	14	16
20-34	2854	5.6	22	1	3	5	7	11	14	23
35-49	4586	6.0	22	1	3	5	8	12	15	23
50-64	2460	7.2	34	1	3	6	9	14	18	30
65 +	1409	10.5	72	2	5	8	14	21	28	42
GRAND TOTAL	**11427**	**6.7**	**33**	**1**	**3**	**5**	**8**	**13**	**17**	**29**

321: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	< 1	< 1	3	6	6	6	6
20-34	23	5.8	29	1	2	5	8	11	16	25
35-49	55	7.0	21	2	3	7	11	14	15	17
50-64	23	6.5	13	2	3	6	10	11	12	14
65 +	7	6.1	6	3	5	6	7	10	11	11
B. Operated										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	188	4.0	10	1	1	4	5	8	9	18
35-49	456	4.3	14	1	1	4	6	8	12	17
50-64	163	3.8	10	1	1	3	5	8	9	16
65 +	14	3.4	13	1	1	2	5	7	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	35	5.5	15	1	2	5	8	11	14	15
35-49	80	6.7	28	1	2	5	11	14	17	21
50-64	78	8.1	42	2	4	7	11	15	17	37
65 +	80	9.5	63	3	4	7	11	19	27	38
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	93	6.3	24	1	2	6	8	12	17	21
35-49	311	6.1	32	1	2	5	7	11	17	27
50-64	227	6.2	45	1	2	5	7	12	17	41
65 +	69	10.1	87	1	3	7	14	22	31	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	6.5	20	1	3	6	9	12	14	20
B. Operated	825	4.1	12	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	273	7.8	42	2	3	6	11	15	18	35
B. Operated	701	6.5	42	1	2	5	8	13	18	33
1. SINGLE DX	935	4.4	14	1	1	4	6	9	11	17
2. MULTIPLE DX	974	6.9	42	1	3	5	8	14	18	34
A. Not Operated	383	7.4	36	2	3	6	10	14	17	34
B. Operated	1526	5.2	27	1	2	4	7	10	14	26
TOTAL										
0-19 YRS	7	2.7	4	< 1	1	2	4	6	6	6
20-34	339	4.9	17	1	2	4	7	9	13	21
35-49	902	5.3	23	1	2	4	7	11	14	23
50-64	491	5.7	34	1	2	4	7	11	15	34
65 +	170	9.1	69	2	4	6	11	19	29	39
GRAND TOTAL	**1909**	**5.7**	**30**	**1**	**2**	**4**	**7**	**12**	**15**	**28**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	9	4.8	11	2	3	4	6	10	12	12
35-49	12	4.8	5	1	4	5	6	8	9	9
50-64	2	7.5	1	7	7	7	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	12	4.8	25	< 1	1	2	8	12	16	17
35-49	11	4.0	14	1	1	2	6	10	12	12
50-64	5	3.6	19	1	1	1	6	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	13	5.2	14	< 1	2	5	6	12	13	13
35-49	9	6.3	15	1	3	6	9	12	12	12
50-64	19	7.2	42	2	4	6	8	14	23	30
65 +	18	8.5	36	3	4	7	11	20	21	21
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	15	8.9	71	1	5	7	9	21	30	33
35-49	22	9.6	64	2	5	7	13	20	30	33
50-64	15	9.1	21	2	6	9	12	17	17	17
65 +	3	13.0	109	1	5	18	19	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	5.0	7	2	3	4	7	8	10	12
B. Operated	28	4.3	19	1	1	2	7	10	12	17
2. MULTIPLE DX										
A. Not Operated	60	7.1	30	2	4	6	9	13	19	29
B. Operated	56	9.4	53	1	5	8	12	18	26	33
1. SINGLE DX	53	4.6	13	1	1	4	7	9	12	17
2. MULTIPLE DX	116	8.2	42	2	4	7	11	17	21	33
A. Not Operated	85	6.5	24	2	4	5	8	12	16	27
B. Operated	84	7.7	47	1	2	7	10	17	20	33
TOTAL										
0-19 YRS	4	7.5	8	4	5	7	9	11	11	11
20-34	49	6.1	35	1	2	5	8	13	17	33
35-49	54	6.9	38	1	3	6	8	13	16	33
50-64	41	7.4	31	1	4	7	9	13	17	30
65 +	21	9.1	44	2	4	7	13	20	21	21
GRAND TOTAL	**169**	**7.1**	**36**	**1**	**3**	**6**	**9**	**14**	**19**	**32**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	55	7.2	17	2	4	7	10	13	13	18
35-49	66	6.2	11	3	4	5	9	11	13	17
50-64	44	6.0	11	2	3	6	8	11	12	15
65 +	8	6.3	6	3	4	6	8	9	10	10
B. Operated										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	25	6.4	52	1	1	2	12	17	20	28
35-49	44	3.8	39	1	1	2	5	9	13	38
50-64	9	2.6	7	1	1	1	3	7	8	8
65 +	6	3.2	9	1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	37	7.2	56	2	3	5	9	13	17	45
35-49	95	7.2	23	2	4	7	10	14	17	23
50-64	95	7.3	17	3	4	7	10	12	15	20
65 +	149	9.6	85	3	4	8	11	16	25	61
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	7.8	61	1	2	6	9	19	24	29
35-49	38	6.4	28	1	1	5	11	14	16	19
50-64	26	10.0	66	1	4	8	15	18	24	38
65 +	22	15.6	341	1	4	11	23	63	81	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	174	6.5	13	2	4	6	9	12	13	18
B. Operated	86	4.4	37	1	1	2	5	12	16	34
2. MULTIPLE DX										
A. Not Operated	376	8.2	50	2	4	7	10	14	18	42
B. Operated	107	9.4	116	1	2	7	12	19	29	83
1. SINGLE DX	260	5.8	22	1	2	5	8	12	13	18
2. MULTIPLE DX	483	8.5	65	2	4	7	11	16	19	55
A. Not Operated	550	7.7	39	2	4	6	10	14	17	28
B. Operated	193	7.2	87	1	1	4	10	17	23	67
TOTAL										
0-19 YRS	4	3.8	8	2	2	3	5	8	8	8
20-34	137	7.1	39	1	3	6	10	13	18	31
35-49	243	6.2	24	1	2	5	9	13	15	19
50-64	174	7.1	25	2	4	6	10	13	17	21
65 +	185	10.0	114	2	4	8	11	18	28	70
GRAND TOTAL	**743**	**7.5**	**51**	**1**	**3**	**6**	**10**	**14**	**18**	**40**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	3.2	5	1	1	3	4	7	8	9
20-34	285	5.3	12	2	3	5	7	10	11	18
35-49	414	5.2	13	1	3	5	7	9	12	18
50-64	192	5.7	13	2	3	5	7	11	12	17
65 +	98	6.2	14	2	4	5	8	11	14	17
B. Operated										
0-19 YRS	20	2.5	4	1	1	1	4	6	7	7
20-34	293	3.0	15	1	1	1	3	8	10	22
35-49	479	3.1	11	1	1	1	4	8	9	18
50-64	330	3.9	13	1	1	2	6	8	10	15
65 +	208	4.7	16	1	1	4	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	4.1	8	1	2	3	6	8	10	12
20-34	357	6.3	30	1	3	6	8	12	15	24
35-49	654	7.4	51	2	4	6	9	13	17	34
50-64	593	7.0	21	2	4	6	8	13	16	25
65 +	929	9.1	68	3	4	7	11	18	23	48
B. Operated										
0-19 YRS	11	5.4	21	1	2	4	8	13	15	15
20-34	199	6.1	74	1	1	3	8	15	21	36
35-49	460	6.4	49	1	1	4	9	15	19	31
50-64	639	8.0	71	1	2	6	10	17	24	42
65 +	908	11.8	118	1	5	9	15	24	34	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1018	5.4	13	1	3	5	7	10	12	18
B. Operated	1330	3.5	14	1	1	2	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	2585	7.7	48	2	4	6	9	14	19	37
B. Operated	2217	9.0	91	1	2	7	12	20	26	56
1. SINGLE DX	2348	4.3	14	1	1	3	6	9	11	18
2. MULTIPLE DX	4802	8.3	68	1	3	6	10	17	23	44
A. Not Operated	3603	7.0	39	2	3	6	9	13	17	33
B. Operated	3547	7.0	69	1	1	5	9	16	22	43
TOTAL										
0-19 YRS	112	3.7	8	1	1	3	5	8	9	13
20-34	1134	5.2	31	1	1	4	7	10	14	25
35-49	2007	5.7	36	1	2	4	7	11	15	28
50-64	1754	6.6	39	1	2	6	8	13	17	29
65 +	2143	9.7	86	2	4	7	12	20	26	59
GRAND TOTAL	**7150**	**7.0**	**54**	**1**	**2**	**5**	**9**	**14**	**20**	**38**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	3.4	8	1	2	3	4	7	8	12
20-34	54	4.0	7	2	2	3	5	8	9	15
35-49	42	3.4	6	1	1	3	5	7	8	10
50-64	31	4.0	8	1	2	3	6	7	8	14
65 +	15	4.5	8	1	2	4	7	8	9	10
B. Operated										
0-19 YRS	82	2.4	10	< 1	< 1	1	2	6	10	18
20-34	286	2.1	4	< 1	1	2	2	4	5	12
35-49	374	2.0	3	< 1	1	1	2	3	5	9
50-64	248	2.1	3	< 1	1	2	3	4	5	9
65 +	66	2.7	6	< 1	< 1	2	3	5	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	3.8	10	1	2	3	5	7	9	20
20-34	61	4.9	8	2	3	5	6	9	10	13
35-49	75	4.7	25	1	2	3	5	9	11	31
50-64	125	4.8	10	1	3	4	7	9	11	15
65 +	152	7.0	58	2	3	6	9	13	16	22
B. Operated										
0-19 YRS	59	3.1	7	< 1	1	2	4	7	9	14
20-34	192	3.8	43	1	1	2	4	8	11	30
35-49	416	3.0	13	1	1	2	3	6	9	21
50-64	371	3.5	19	1	1	2	4	7	11	23
65 +	224	5.4	48	1	2	3	6	12	19	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	279	3.6	8	1	2	3	5	7	8	13
B. Operated	1056	2.1	4	< 1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	468	5.4	29	1	3	4	7	10	13	21
B. Operated	1262	3.7	26	1	1	2	4	8	11	27
1. SINGLE DX	1335	2.5	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX	1730	4.2	27	1	1	3	5	9	12	24
A. Not Operated	747	4.7	22	1	2	4	6	9	11	19
B. Operated	2318	3.0	16	< 1	1	2	3	6	9	19
TOTAL										
0-19 YRS	333	3.2	9	< 1	1	2	4	7	8	15
20-34	593	3.1	18	1	1	2	4	6	9	15
35-49	907	2.7	10	1	1	2	3	5	8	15
50-64	775	3.3	12	1	1	2	4	7	9	15
65 +	457	5.5	46	1	2	4	7	11	16	33
GRAND TOTAL	**3065**	**3.4**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	68	2.0	2	< 1	1	2	3	4	5	6
20-34	165	1.7	1	< 1	1	1	2	3	4	5
35-49	196	1.9	1	< 1	1	1	2	4	4	5
50-64	183	1.9	1	< 1	1	1	2	4	4	6
65 +	74	1.8	1	< 1	1	1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.2		< 1	< 1	< 1	1	2	2	2
35-49	6	2.0	2	< 1	< 1	1	3	4	4	4
50-64	12	1.5	2	< 1	< 1	1	1	4	5	5
65 +	9	1.8	1	< 1	< 1	1	2	4	4	4
B. Operated										
0-19 YRS	100	2.2	2	1	1	2	3	4	5	6
20-34	314	2.0	2	< 1	1	2	3	4	5	6
35-49	450	2.1	4	< 1	1	1	3	4	5	7
50-64	695	2.4	2	1	1	2	3	4	5	7
65 +	478	2.6	4	1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	5	1	1	1	4	5	5	5
B. Operated	686	1.8	1	< 1	1	1	2	4	4	5
2. MULTIPLE DX										
A. Not Operated	32	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	2037	2.3	3	1	1	2	3	4	5	7
1. SINGLE DX	689	1.9	1	< 1	1	1	2	4	4	5
2. MULTIPLE DX	2069	2.3	3	1	1	2	3	4	5	7
A. Not Operated	35	1.7	1	< 1	< 1	1	2	4	5	5
B. Operated	2723	2.2	2	< 1	1	2	3	4	5	7
TOTAL										
0-19 YRS	168	2.1	2	< 1	1	2	3	4	5	6
20-34	484	1.9	1	< 1	1	1	2	4	4	5
35-49	652	2.0	3	< 1	1	1	3	4	4	7
50-64	892	2.3	2	1	1	2	3	4	5	7
65 +	562	2.5	3	1	1	2	3	5	6	10
GRAND TOTAL	**2758**	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	1.8		1	1	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	65	1.2		< 1	< 1	< 1	1	2	2	4
20-34	72	1.5	1	< 1	< 1	< 1	2	3	4	6
35-49	74	1.3		< 1	< 1	< 1	1	2	2	4
50-64	54	1.7	2	< 1	< 1	1	2	3	4	8
65 +	23	1.2		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	1.7		< 1	< 1	2	2	2	2	2
50-64	6	5.2	15	1	1	5	8	11	11	11
65 +	14	7.3	35	< 1	2	6	12	13	19	21
B. Operated										
0-19 YRS	8	1.9		< 1	1	2	2	3	3	3
20-34	36	1.7	4	< 1	< 1	1	2	2	4	13
35-49	40	2.2	8	< 1	1	1	2	4	5	18
50-64	41	2.8	9	< 1	1	1	4	6	9	15
65 +	48	4.9	27	1	2	3	5	12	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	1	1	1	2	2	4	4	4
B. Operated	288	1.4	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	27	5.4	26	< 1	1	4	9	12	14	21
B. Operated	173	3.0	14	< 1	1	2	3	6	12	21
1. SINGLE DX	295	1.4	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX	200	3.3	16	< 1	1	2	4	8	12	21
A. Not Operated	34	4.7	23	< 1	1	2	7	12	12	21
B. Operated	461	2.0	6	< 1	< 1	1	2	4	5	13
TOTAL										
0-19 YRS	76	1.3		< 1	< 1	< 1	1	2	3	4
20-34	109	1.6	2	< 1	< 1	1	2	3	4	9
35-49	121	1.6	3	< 1	< 1	1	2	3	4	9
50-64	102	2.4	6	< 1	< 1	1	3	5	7	13
65 +	87	4.3	25	< 1	1	2	5	12	12	25
GRAND TOTAL	**495**	**2.2**	**8**	**< 1**	**< 1**	**1**	**2**	**4**	**7**	**14**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	11.2	55	3	5	10	17	22	27	28
20-34	9	6.3	20	2	3	4	10	13	14	14
35-49	16	8.7	34	3	4	7	12	19	20	20
50-64	6	6.5	13	< 1	5	6	10	11	11	11
65 +	8	12.9	69	5	6	12	16	26	30	30
B. Operated										
0-19 YRS	60	13.0	106	2	5	10	17	28	35	45
20-34	44	10.4	92	1	3	7	15	23	31	39
35-49	34	9.2	70	1	3	7	14	19	28	37
50-64	29	9.4	126	1	3	6	14	18	26	57
65 +	16	8.6	44	2	4	7	11	21	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	15.8	89	5	8	14	22	29	29	46
20-34	46	12.5	136	3	5	9	17	31	37	53
35-49	57	11.8	108	3	6	8	15	27	31	52
50-64	102	14.3	98	5	8	12	18	27	34	52
65 +	184	17.0	173	5	8	13	23	33	42	67
B. Operated										
0-19 YRS	114	17.7	144	6	9	14	26	36	49	99 +
20-34	123	17.1	227	3	7	13	23	48	57	99 +
35-49	195	21.5	301	5	10	17	29	47	58	96
50-64	317	19.8	252	5	9	15	27	42	49	89
65 +	479	22.6	352	5	10	17	33	49	69	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	10.1	49	3	5	9	14	20	25	29
B. Operated	183	10.7	95	1	3	8	15	23	30	44
2. MULTIPLE DX										
A. Not Operated	461	15.1	134	4	7	12	20	29	37	53
B. Operated	1228	20.7	289	5	9	16	28	46	59	99 +
1. SINGLE DX	275	10.5	79	2	4	8	15	21	28	40
2. MULTIPLE DX	1689	19.2	253	4	8	14	27	43	52	99 +
A. Not Operated	553	14.3	124	4	7	11	19	29	34	53
B. Operated	1411	19.4	275	4	8	14	27	44	54	99 +
TOTAL										
0-19 YRS	299	15.2	113	4	8	13	21	29	38	52
20-34	222	14.4	182	3	5	10	19	38	48	99 +
35-49	302	17.6	252	3	7	13	23	41	52	90
50-64	454	17.7	217	3	8	13	25	38	47	85
65 +	687	20.7	303	5	9	15	29	45	60	99 +
GRAND TOTAL	**1964**	**18.0**	**238**	**4**	**8**	**14**	**25**	**41**	**50**	**97**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	6.2	38	< 1	1	4	9	14	18	30
20-34	32	3.3	8	1	1	3	4	5	10	15
35-49	56	3.2	5	1	1	3	4	7	8	11
50-64	53	4.4	21	1	2	3	5	8	10	28
65 +	58	6.7	45	1	3	5	7	14	22	35
B. Operated										
0-19 YRS	570	4.0	10	1	2	3	5	8	10	17
20-34	330	3.0	8	1	1	2	4	6	8	13
35-49	212	4.2	28	1	1	3	5	9	11	29
50-64	117	5.0	17	1	1	4	8	11	12	17
65 +	62	9.3	113	1	4	7	12	17	23	67
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	6.8	91	1	2	4	9	14	19	62
20-34	75	3.3	7	1	2	3	4	7	8	15
35-49	201	4.1	19	1	2	3	4	10	13	24
50-64	333	7.8	65	2	3	5	10	18	23	39
65 +	1677	11.5	124	3	5	9	14	23	33	82
B. Operated										
0-19 YRS	301	5.9	73	1	2	3	6	13	18	47
20-34	330	5.0	45	1	2	3	6	10	14	35
35-49	367	8.1	103	1	2	5	9	16	25	64
50-64	382	10.8	113	2	4	8	13	22	35	64
65 +	806	16.6	187	4	8	13	22	34	54	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	4.9	27	1	2	3	6	11	15	28
B. Operated	1291	4.1	20	1	1	3	5	9	11	18
2. MULTIPLE DX										
A. Not Operated	2343	10.0	109	2	4	7	13	21	29	70
B. Operated	2186	11.0	145	1	3	8	14	25	36	78
1. SINGLE DX	1556	4.3	21	1	1	3	5	9	12	21
2. MULTIPLE DX	4529	10.5	126	2	3	7	13	23	33	77
A. Not Operated	2608	9.5	103	2	3	7	12	20	28	69
B. Operated	3477	8.4	109	1	2	5	11	20	29	65
TOTAL										
0-19 YRS	994	4.9	37	1	2	3	6	10	14	29
20-34	767	3.9	25	1	1	3	5	8	11	23
35-49	836	5.8	61	1	2	3	7	11	17	43
50-64	885	8.6	82	1	3	6	11	18	24	50
65 +	2603	13.0	148	3	6	10	16	27	38	99 +
GRAND TOTAL	**6085**	**8.9**	**107**	**1**	**3**	**6**	**11**	**20**	**28**	**67**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	83	2.6	3	1	1	2	3	5	6	8
20-34	34	2.5	4	< 1	1	2	3	5	7	9
35-49	21	2.4	3	1	1	1	4	5	6	7
50-64	14	2.1	2	1	1	2	3	4	5	5
65 +	8	2.9	5	< 1	< 1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.1		< 1	< 1	< 1	1	1	2	2
20-34	6	1.8	1	< 1	< 1	1	2	4	4	4
35-49	3	4.3	33	1	1	1	9	11	11	11
50-64	5	4.6	37	< 1	< 1	1	7	15	15	15
65 +	2	4.0	18	< 1	< 1	3	7	7	7	7
B. Operated										
0-19 YRS	370	4.9	41	1	2	4	6	9	10	45
20-34	91	4.0	41	1	1	3	5	8	12	81
35-49	59	3.8	14	< 1	1	2	5	9	13	92
50-64	55	5.1	36	1	2	3	5	11	19	33
65 +	37	6.3	35	1	2	4	8	16	18	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.2	2	< 1	1	2	3	4	4	4
B. Operated	160	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	30	2.3	11	< 1	< 1	1	2	6	11	15
B. Operated	612	4.8	38	1	2	3	6	9	11	50
1. SINGLE DX	165	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX	642	4.6	37	1	2	3	6	9	11	49
A. Not Operated	35	2.3	9	< 1	< 1	1	2	5	10	15
B. Operated	772	4.3	31	1	1	3	5	8	10	32
TOTAL										
0-19 YRS	469	4.4	34	1	2	3	5	8	10	26
20-34	132	3.5	30	< 1	1	2	4	7	10	63
35-49	84	3.4	12	1	1	2	5	8	11	72
50-64	74	4.5	30	1	1	3	5	11	14	31
65 +	48	5.6	30	1	2	4	7	14	18	27
GRAND TOTAL	**807**	**4.2**	**31**	**1**	**1**	**3**	**5**	**8**	**10**	**30**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	1.6	3	< 1	< 1	< 1	1	3	5	10
20-34	69	3.5	5	1	2	3	5	7	8	10
35-49	80	3.5	6	1	1	3	5	8	8	9
50-64	47	6.4	182	1	2	3	6	12	14	93
65 +	16	4.0	7	1	2	3	6	7	8	8
B. Operated										
0-19 YRS	292	5.0	19	1	1	4	8	10	12	22
20-34	244	2.9	10	< 1	1	1	4	7	10	15
35-49	208	3.0	11	1	1	1	4	8	11	16
50-64	135	2.4	6	< 1	1	1	3	5	8	14
65 +	91	2.4	9	< 1	1	1	3	5	7	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	2.8	8	< 1	1	2	4	6	8	17
20-34	128	4.8	26	1	2	3	5	9	15	28
35-49	178	4.3	13	1	2	3	5	10	12	18
50-64	209	5.2	22	1	2	4	6	10	15	26
65 +	334	8.0	66	2	3	6	10	17	23	87
B. Operated										
0-19 YRS	619	7.0	90	1	2	4	9	13	22	70
20-34	366	4.7	35	1	1	2	6	11	16	30
35-49	344	4.9	58	1	1	2	5	12	16	48
50-64	346	6.3	116	1	1	3	7	12	25	72
65 +	311	8.3	150	1	2	4	9	19	35	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	313	3.3	33	< 1	1	2	4	7	9	13
B. Operated	970	3.4	13	< 1	1	2	5	9	10	19
2. MULTIPLE DX										
A. Not Operated	948	5.7	38	1	2	4	7	13	17	30
B. Operated	1986	6.3	90	1	1	3	8	13	22	61
1. SINGLE DX	1283	3.4	18	< 1	1	2	4	8	10	17
2. MULTIPLE DX	2934	6.1	73	1	2	3	8	13	19	49
A. Not Operated	1261	5.1	38	1	2	3	6	11	15	28
B. Operated	2956	5.4	67	1	1	3	7	12	17	45
TOTAL										
0-19 YRS	1111	5.6	59	< 1	1	3	8	11	16	31
20-34	807	4.0	24	1	1	2	5	10	12	27
35-49	810	4.1	32	1	1	2	5	9	13	24
50-64	737	5.3	76	1	1	3	6	11	16	45
65 +	752	7.3	96	1	2	4	9	16	23	76
GRAND TOTAL	**4217**	**5.3**	**58**	**1**	**1**	**3**	**7**	**11**	**16**	**40**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	25	2	2	5	9	9	9	9
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	3	3.7		3	3	4	4	4	4	4
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	3	5.0	13	2	2	4	8	9	9	9
2. MULTIPLE DX	4	3.3	1	2	2	3	4	4	4	4
A. Not Operated	5	4.4	7	2	3	4	5	9	9	9
B. Operated	2	3.0	2	2	2	3	4	4	4	4
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**7**	**4.0**	**6**	**2**	**2**	**4**	**4**	**8**	**9**	**9**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.8	1	< 1	< 1	1	2	4	5	5
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
B. Operated										
0-19 YRS	63	5.0	12	2	3	5	6	8	12	19
20-34	7	8.3	37	2	4	6	11	18	20	20
35-49	3	8.0	9	5	6	8	10	11	11	11
50-64	2	23.0	450	8	8	23	38	38	38	38
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	5.6	107	< 1	1	3	4	12	23	59
20-34	5	5.8	36	1	2	3	8	16	16	16
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	5.3	16	1	2	6	8	9	9	9
65 +	5	4.2	13	1	2	2	7	9	9	9
B. Operated										
0-19 YRS	173	9.1	104	3	4	7	10	20	24	95
20-34	8	10.6	65	1	5	9	16	23	24	24
35-49	7	8.7	27	3	5	9	12	16	17	17
50-64	12	12.8	130	3	4	7	23	31	31	31
65 +	17	17.5	230	8	9	13	24	57	88	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	2.2	4	< 1	< 1	2	2	4	6	11
B. Operated	75	5.9	28	2	3	5	6	10	17	33
2. MULTIPLE DX										
A. Not Operated	99	5.6	94	1	1	3	5	12	17	55
B. Operated	217	10.0	115	3	5	7	11	22	31	99 +
1. SINGLE DX	102	4.9	25	< 1	2	4	6	9	13	29
2. MULTIPLE DX	316	8.6	112	1	3	6	10	19	30	85
A. Not Operated	126	4.9	77	< 1	1	2	4	9	16	48
B. Operated	292	9.0	95	2	4	6	10	20	29	90
TOTAL										
0-19 YRS	341	7.1	86	1	3	5	8	15	21	69
20-34	24	7.5	45	1	2	5	10	20	22	24
35-49	13	7.4	21	2	4	7	10	14	16	17
50-64	18	12.6	135	2	4	8	17	31	35	38
65 +	22	14.5	210	2	8	12	16	38	80	99 +
GRAND TOTAL	**418**	**7.7**	**93**	**1**	**3**	**5**	**9**	**17**	**25**	**72**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	1.2	1	< 1	< 1	< 1	1	1	3	5
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	255	1.6	2	< 1	1	1	2	3	5	10
20-34	54	2.1	4	< 1	1	1	2	4	7	10
35-49	17	1.5	1	< 1	1	1	2	3	4	4
50-64	9	1.4	1	1	1	1	2	3	3	3
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.4	7	< 1	< 1	< 1	4	5	9	11
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	156	3.4	55	< 1	1	1	3	7	10	35
20-34	31	2.4	3	< 1	1	1	4	5	7	7
35-49	16	3.1	7	1	1	2	4	8	9	10
50-64	10	3.5	17	1	1	2	3	10	14	14
65 +	15	1.7	1	1	1	2	2	2	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	1.2	1	< 1	< 1	< 1	1	1	3	5
B. Operated	338	1.6	2	< 1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	21	2.5	7	< 1	< 1	1	4	6	9	11
B. Operated	228	3.1	40	< 1	1	1	3	7	9	27
1. SINGLE DX	388	1.6	2	< 1	< 1	1	2	3	4	10
2. MULTIPLE DX	249	3.1	37	< 1	1	1	3	7	9	24
A. Not Operated	71	1.6	3	< 1	< 1	< 1	1	3	5	10
B. Operated	566	2.2	18	< 1	1	1	2	4	7	14
TOTAL										
0-19 YRS	477	2.1	20	< 1	< 1	1	2	4	7	18
20-34	87	2.2	4	< 1	1	1	3	4	7	10
35-49	36	2.4	5	1	1	1	3	6	8	10
50-64	19	2.5	10	1	1	1	3	6	11	14
65 +	18	1.7	1	1	1	2	2	3	4	5
GRAND TOTAL	**637**	**2.2**	**16**	**< 1**	**1**	**1**	**2**	**4**	**7**	**13**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	3.1	11	< 1	1	2	4	5	11	17
20-34	6	3.5	2	2	2	3	5	5	5	5
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	802	4.4	34	1	2	2	6	8	11	24
20-34	56	3.1	10	1	1	2	4	9	9	14
35-49	33	3.3	9	1	1	2	3	9	10	10
50-64	13	2.5	8	1	1	1	2	8	9	9
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	245	3.8	38	< 1	1	2	4	9	17	29
20-34	30	3.2	7	1	1	2	4	8	9	11
35-49	7	7.9	192	1	1	2	5	32	39	39
50-64	11	4.5	18	1	1	3	8	11	14	14
65 +	29	9.6	77	3	6	8	9	20	25	46
B. Operated										
0-19 YRS	2276	7.8	98	1	2	6	10	17	27	88
20-34	92	6.5	56	1	2	5	8	12	18	45
35-49	68	6.7	44	1	2	5	9	13	22	29
50-64	48	7.8	75	1	2	6	9	19	24	45
65 +	37	8.1	53	1	2	7	14	17	23	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.1	9	1	1	2	4	5	7	17
B. Operated	905	4.2	31	1	2	2	6	8	11	23
2. MULTIPLE DX										
A. Not Operated	322	4.4	43	< 1	1	2	5	9	17	38
B. Operated	2521	7.8	94	1	2	6	9	17	27	82
1. SINGLE DX	951	4.2	30	1	2	2	6	8	11	23
2. MULTIPLE DX	2843	7.4	89	1	2	5	9	16	26	69
A. Not Operated	368	4.2	39	< 1	1	2	5	9	16	36
B. Operated	3426	6.8	80	1	2	4	9	15	23	67
TOTAL										
0-19 YRS	3359	6.7	80	1	2	4	8	15	23	68
20-34	184	4.8	35	1	1	2	7	9	13	35
35-49	111	5.6	43	1	2	2	8	11	17	33
50-64	72	6.3	58	1	1	3	8	14	22	42
65 +	68	8.7	62	1	3	7	10	17	24	43
GRAND TOTAL	**3794**	**6.6**	**77**	**1**	**2**	**4**	**8**	**14**	**22**	**64**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	5.4	132	< 1	1	2	3	21	38	38
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	372	3.0	3	1	2	3	4	5	6	8
20-34	4	1.5		1	1	1	2	2	2	2
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.0	10	< 1	< 1	1	1	3	8	18
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	437	3.0	7	1	2	3	4	5	7	12
20-34	13	2.5	2	1	1	2	4	5	5	5
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.4	132	< 1	1	2	3	21	38	38
B. Operated	377	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	37	1.9	10	< 1	1	1	1	3	8	18
B. Operated	453	3.0	7	1	2	2	4	5	7	12
1. SINGLE DX	387	3.1	6	1	2	3	4	5	6	9
2. MULTIPLE DX	490	2.9	7	1	1	2	4	5	7	12
A. Not Operated	47	2.7	35	< 1	1	1	2	3	10	38
B. Operated	830	3.0	5	1	2	3	4	5	6	9
TOTAL										
0-19 YRS	854	3.0	7	1	2	3	4	5	6	10
20-34	19	2.1	2	1	1	2	2	5	5	5
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
GRAND TOTAL	**877**	**3.0**	**7**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

259 Hospitals, North Eastern Region, January-December 1988

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.3	11	< 1	1	2	4	9	10	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	393	3.3	1	2	3	3	4	5	6	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	7	< 1	1	3	4	8	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	127	4.9	20	2	3	4	5	7	9	24
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.3	11	< 1	1	2	4	9	10	10
B. Operated	393	3.3	1	2	3	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	11	3.5	7	< 1	1	3	4	8	9	9
B. Operated	127	4.9	20	2	3	4	5	7	9	24
1. SINGLE DX	403	3.3	2	2	3	3	4	5	6	8
2. MULTIPLE DX	138	4.8	19	2	3	4	5	7	9	21
A. Not Operated	21	3.4	9	< 1	1	2	4	9	9	10
B. Operated	520	3.7	6	2	3	3	4	5	6	10
TOTAL										
0-19 YRS	541	3.7	6	2	3	3	4	6	7	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**541**	**3.7**	**6**	**2**	**3**	**3**	**4**	**6**	**7**	**10**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	3.6	12	1	1	2	5	9	12	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	312	5.6	81	1	1	4	6	11	14	63
20-34	20	5.1	19	1	2	4	7	12	15	17
35-49	11	4.2	14	1	1	3	6	10	11	11
50-64	5	4.6	26	1	1	2	8	13	13	13
65 +	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	3.9	14	< 1	1	3	5	9	13	46
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	6	6.7	9	1	6	7	9	9	9	9
50-64	5	6.0	9	2	3	7	8	9	9	9
65 +	13	8.7	52	2	4	7	12	18	26	28
B. Operated										
0-19 YRS	480	10.5	200	1	2	6	11	31	49	99 +
20-34	40	4.8	18	1	1	4	7	10	12	21
35-49	24	7.2	24	1	3	6	9	15	17	18
50-64	21	10.8	62	2	7	9	16	17	26	37
65 +	30	11.6	124	2	4	9	14	26	35	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	3.5	11	1	1	2	5	9	11	14
B. Operated	350	5.5	74	1	1	4	6	11	14	60
2. MULTIPLE DX										
A. Not Operated	145	4.5	19	1	2	3	6	10	13	31
B. Operated	595	10.1	174	1	2	6	11	28	46	99 +
1. SINGLE DX	413	5.2	65	1	1	3	6	11	14	59
2. MULTIPLE DX	740	9.0	149	1	2	5	10	23	42	99 +
A. Not Operated	208	4.2	17	1	1	3	6	10	12	25
B. Operated	945	8.4	142	1	2	5	9	21	37	90
TOTAL										
0-19 YRS	969	7.7	136	1	1	4	8	19	36	92
20-34	64	4.8	17	1	1	4	6	10	13	20
35-49	43	6.2	19	1	2	6	9	12	16	18
50-64	32	8.8	53	1	3	8	12	16	17	37
65 +	45	10.3	102	2	4	8	14	18	34	51
GRAND TOTAL	**1153**	**7.6**	**122**	**1**	**2**	**4**	**8**	**17**	**32**	**78**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	251	1.4	1	< 1	1	1	1	2	3	6
20-34	12	1.6		< 1	1	1	2	3	3	3
35-49	5	1.6	1	< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	272	1.5	2	< 1	1	1	2	2	3	6
20-34	19	2.8	10	1	1	2	4	5	10	15
35-49	14	3.1	8	1	2	2	4	6	11	12
50-64	4	2.5	4	1	1	2	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated	268	1.4	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	13	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	310	1.7	3	< 1	1	1	2	3	4	9
1. SINGLE DX	272	1.4	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX	323	1.7	3	< 1	1	1	2	3	4	8
A. Not Operated	17	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	578	1.6	2	< 1	1	1	2	3	4	6
TOTAL										
0-19 YRS	539	1.4	2	< 1	1	1	2	2	3	6
20-34	31	2.4	7	1	1	2	3	4	5	15
35-49	20	2.7	6	< 1	1	2	3	5	8	12
50-64	4	2.5	4	1	1	2	4	5	5	5
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**595**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	3.1	8	1	1	2	4	7	10	11
20-34	11	2.5	2	< 1	1	2	4	5	5	5
35-49	4	3.3	4	1	2	3	5	6	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	553	3.9	14	1	1	3	5	9	12	16
20-34	58	3.5	11	< 1	1	2	5	7	10	16
35-49	18	3.3	3	1	2	3	5	6	7	7
50-64	7	4.3	13	1	1	4	7	10	10	10
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	2.6	10	< 1	< 1	1	3	6	9	16
20-34	15	3.3	6	1	2	3	4	5	10	11
35-49	9	7.7	20	4	5	7	9	15	18	18
50-64	8	5.5	11	2	3	4	7	11	12	12
65 +	4	4.3	27	1	1	2	7	12	12	12
B. Operated										
0-19 YRS	413	6.5	44	1	2	5	8	15	22	42
20-34	97	6.2	79	1	2	4	6	12	14	55
35-49	57	6.2	24	1	4	5	8	11	12	32
50-64	28	7.5	56	1	3	6	9	13	20	40
65 +	27	10.2	274	2	4	6	11	16	28	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.9	5	1	1	2	4	6	6	11
B. Operated	638	3.9	13	1	1	3	5	8	11	16
2. MULTIPLE DX										
A. Not Operated	84	3.6	13	< 1	1	2	5	9	12	17
B. Operated	622	6.6	58	1	2	5	8	14	19	44
1. SINGLE DX	667	3.8	13	1	1	3	5	8	11	16
2. MULTIPLE DX	706	6.2	54	1	2	4	8	13	18	37
A. Not Operated	113	3.4	11	< 1	1	2	5	8	11	17
B. Operated	1260	5.2	37	1	1	4	7	11	15	32
TOTAL										
0-19 YRS	1027	4.9	27	1	1	3	6	11	15	28
20-34	181	4.9	49	1	1	4	5	11	13	22
35-49	88	5.6	20	1	3	5	7	11	12	27
50-64	44	6.5	41	1	3	5	8	10	15	40
65 +	33	9.1	231	2	3	6	10	14	17	90
GRAND TOTAL	**1373**	**5.1**	**35**	**1**	**1**	**4**	**6**	**11**	**15**	**30**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	302	2.9	5	1	1	2	4	6	7	10
20-34	9	3.0	3	1	2	3	4	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.0		2	2	2	2	2	2	2
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.0		< 1	< 1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	225	3.4	14	1	2	3	4	6	8	13
20-34	27	3.3	4	1	2	3	4	7	8	8
35-49	19	2.7	2	1	2	3	3	5	6	6
50-64	13	3.0	9	1	1	2	3	6	11	12
65 +	12	6.2	98	1	2	3	6	16	34	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	317	2.9	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	22	1.0		< 1	< 1	1	1	1	1	1
B. Operated	296	3.5	15	1	2	3	4	6	8	15
1. SINGLE DX	324	2.9	5	1	1	2	4	6	7	10
2. MULTIPLE DX	318	3.3	15	1	1	2	4	6	8	14
A. Not Operated	29	1.0		< 1	< 1	1	1	1	1	1
B. Operated	613	3.2	10	1	1	2	4	6	8	11
TOTAL										
0-19 YRS	555	3.0	9	1	1	2	4	6	8	10
20-34	37	3.1	4	1	2	3	4	6	7	8
35-49	20	2.8	2	1	2	3	3	5	6	6
50-64	16	2.8	7	1	1	2	3	5	10	12
65 +	14	5.6	85	1	2	3	5	10	31	37
GRAND TOTAL	**642**	**3.1**	**10**	**1**	[illegible]	**2**	**4**	**6**	**8**	**11**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.9	14	< 1	< 1	1	3	6	13	20
20-34	6	4.5	16	1	2	3	6	11	12	12
35-49	5	2.4	7	1	1	1	3	7	7	7
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	959	3.6	16	1	1	2	5	7	10	23
20-34	146	2.4	6	1	1	2	2	6	7	12
35-49	85	2.3	6	1	1	1	2	6	9	10
50-64	36	3.4	7	1	1	2	6	8	9	9
65 +	9	3.9	42	< 1	1	2	3	14	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	3.9	58	< 1	1	2	4	8	12	48
20-34	27	4.7	14	1	1	4	7	10	11	14
35-49	15	5.3	19	1	1	5	8	12	14	15
50-64	14	6.0	18	2	2	5	9	12	14	15
65 +	25	7.0	28	3	4	6	8	11	17	28
B. Operated										
0-19 YRS	716	5.7	58	1	2	4	6	13	19	70
20-34	110	4.9	36	1	1	3	6	11	14	37
35-49	71	5.4	51	1	1	4	7	11	14	41
50-64	77	7.6	71	1	2	5	10	16	24	48
65 +	34	6.5	38	1	2	6	7	16	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	2.9	13	< 1	1	1	3	6	12	19
B. Operated	1235	3.3	14	1	1	2	4	7	9	20
2. MULTIPLE DX										
A. Not Operated	278	4.4	48	< 1	1	2	6	9	12	34
B. Operated	1008	5.7	56	1	2	4	7	12	19	49
1. SINGLE DX	1360	3.3	14	1	1	2	4	7	9	20
2. MULTIPLE DX	1286	5.5	54	1	1	3	7	11	18	47
A. Not Operated	403	4.0	37	< 1	1	2	5	9	12	28
B. Operated	2243	4.4	34	1	1	3	5	9	14	30
TOTAL										
0-19 YRS	1981	4.3	36	1	1	3	5	9	14	31
20-34	289	3.6	19	1	1	2	5	9	11	21
35-49	176	3.8	27	1	1	2	5	9	11	35
50-64	131	6.1	49	1	2	4	9	13	18	32
65 +	69	6.3	35	1	2	5	7	15	18	29
GRAND TOTAL	**2646**	**4.4**	**35**	**1**	**1**	**3**	**5**	**9**	**14**	**30**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	155	12.2	78	4	7	10	15	24	32	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	48.3	1192	20	63	99+	99+	99+	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	350	16.3	180	5	7	13	22	34	45	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	25	30.5	836	7	17	90	99+	99+	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	12.2	78	4	7	10	15	24	32	99+
B. Operated	3	48.3	1192	20	63	99+	99+	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	350	16.3	180	5	7	13	22	34	45	99+
B. Operated	25	30.5	836	7	17	90	99+	99+	99+	99+
1. SINGLE DX	158	12.9	117	4	7	11	16	29	81	99+
2. MULTIPLE DX	375	17.3	234	5	8	14	25	50	99+	99+
A. Not Operated	505	15.1	152	4	7	12	20	30	45	99+
B. Operated	28	32.4	863	7	18	90	99+	99+	99+	99+
TOTAL										
0-19 YRS	533	16.0	203	5	7	12	22	48	99+	99+
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**533**	**16.0**	**203**	**5**	**7**	**12**	**22**	**48**	**99+**	**99+**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	799	2.2	1	1	2	2	3	3	4	7
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	5	3.0	3	1	2	3	4	5	5	5
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	227	3.1	7	1	2	2	3	4	7	17
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	7	3.7	3	1	3	3	5	6	6	6
20-34	0									
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	799	2.2	1	1	2	2	3	3	4	7
B. Operated	5	3.0	3	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	227	3.1	7	1	2	2	3	4	7	17
B. Operated	7	3.7	3	1	3	3	5	6	6	6
1. SINGLE DX	804	2.2	1	1	2	2	3	3	4	7
2. MULTIPLE DX	234	3.1	7	1	2	2	3	4	7	16
A. Not Operated	1026	2.4	3	1	2	2	3	3	4	10
B. Operated	12	3.4	3	1	2	3	5	6	6	6
TOTAL										
0-19 YRS	1038	2.4	3	1	2	2	3	4	4	10
20-34	0									
35-49	0									
50-64	0									
65+	0									
GRAND TOTAL	**1038**	**2.4**	**3**	**1**	**2**	**2**	**3**	**4**	**4**	**10**

259 Hospitals, North Eastern Region,January-December 1988

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	208	4.2	15	1	2	3	5	9	12	21
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	3.6	9	< 1	1	3	4	7	11	12
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	336	6.2	39	2	3	4	8	12	17	42
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	86	14.6	331	3	6	9	22	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	4.2	15	1	2	3	5	9	12	21
B. Operated	15	3.4	9	< 1	1	2	4	6	11	12
2. MULTIPLE DX										
A. Not Operated	336	6.2	39	2	3	4	8	12	17	42
B. Operated	86	14.6	331	3	6	9	22	99 +	99 +	99 +
1. SINGLE DX	223	4.1	15	1	2	3	5	8	12	21
2. MULTIPLE DX	422	7.9	109	2	3	5	9	17	48	99 +
A. Not Operated	544	5.5	31	2	2	4	7	11	15	35
B. Operated	101	12.9	299	1	4	8	18	99 +	99 +	99 +
TOTAL										
0-19 YRS	644	6.6	80	2	3	4	8	14	23	99 +
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
GRAND TOTAL	**645**	**6.6**	**80**	**2**	**3**	**4**	**8**	**14**	**23**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	954	2.4	3	1	1	2	3	4	6	10
20-34	266	2.8	4	1	2	2	3	5	6	12
35-49	137	3.2	5	1	2	3	4	6	6	10
50-64	61	3.0	3	1	2	3	4	6	7	8
65 +	59	4.9	20	1	3	4	6	9	11	29
B. Operated										
0-19 YRS	11	6.0	43	2	2	5	7	47	92	99 +
20-34	0									
35-49	3	11.0	217	2	2	3	22	28	28	28
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1784	2.9	5	1	1	2	3	5	7	12
20-34	450	3.8	9	1	2	3	5	7	10	16
35-49	535	4.9	27	1	2	4	6	8	11	34
50-64	581	6.5	73	2	3	4	8	12	18	69
65 +	1237	8.2	63	2	4	6	10	16	23	41
B. Operated										
0-19 YRS	35	6.6	28	2	3	5	9	11	19	26
20-34	41	6.5	50	2	2	4	8	18	23	32
35-49	48	6.2	31	1	2	4	9	14	19	24
50-64	47	15.9	258	3	5	10	22	31	53	73
65 +	116	19.1	292	3	8	15	26	44	63	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1477	2.7	5	1	1	2	3	5	6	11
B. Operated	15	6.8	67	2	2	4	7	28	78	99 +
2. MULTIPLE DX										
A. Not Operated	4587	5.1	38	1	2	3	6	10	15	32
B. Operated	287	13.1	210	2	4	8	18	31	44	90
1. SINGLE DX	1492	2.7	5	1	1	2	3	5	6	12
2. MULTIPLE DX	4874	5.6	51	1	2	4	6	11	17	40
A. Not Operated	6064	4.5	31	1	2	3	5	9	13	27
B. Operated	302	12.8	205	2	4	8	18	31	44	97
TOTAL										
0-19 YRS	2784	2.8	5	1	1	2	3	5	7	12
20-34	757	3.6	10	1	2	3	4	7	9	17
35-49	723	4.7	24	1	2	4	6	8	11	26
50-64	689	6.9	86	2	3	4	8	13	20	70
65 +	1413	9.0	90	2	4	6	11	18	27	53
GRAND TOTAL	**6366**	**4.9**	**42**	**1**	**2**	**3**	**5**	**10**	**15**	**35**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	290	3.3	5	1	2	3	4	6	8	11
20-34	33	4.8	17	2	2	3	6	11	14	19
35-49	31	4.0	4	2	3	3	5	6	7	10
50-64	17	4.6	7	2	3	4	5	7	11	13
65 +	26	4.1	7	2	2	3	5	8	10	12
B. Operated										
0-19 YRS	13	7.3	32	2	3	5	10	15	20	21
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	3	6.0	3	4	5	7	7	7	7	7
65 +	2	8.5	25	5	5	8	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	722	3.6	8	1	2	3	4	6	9	17
20-34	199	5.7	30	2	3	4	6	12	17	34
35-49	190	6.6	31	2	3	5	8	14	18	29
50-64	326	6.9	47	3	4	5	8	11	16	40
65 +	748	8.2	63	3	4	6	10	14	19	39
B. Operated										
0-19 YRS	45	7.7	62	2	3	5	10	19	32	99 +
20-34	33	12.6	95	4	6	9	16	27	37	42
35-49	44	12.0	67	4	7	10	15	22	29	42
50-64	73	11.8	86	3	5	8	17	22	33	43
65 +	150	17.3	227	5	8	12	23	39	55	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	397	3.6	6	1	2	3	4	6	9	13
B. Operated	21	7.0	22	2	4	6	9	13	17	21
2. MULTIPLE DX										
A. Not Operated	2185	6.1	40	2	3	4	7	12	16	31
B. Operated	345	13.7	153	3	6	10	18	31	42	99 +
1. SINGLE DX	418	3.7	8	1	2	3	5	7	10	14
2. MULTIPLE DX	2530	7.1	62	2	3	5	8	14	20	42
A. Not Operated	2582	5.7	36	2	3	4	7	11	15	30
B. Operated	366	13.4	148	3	6	10	18	30	40	99 +
TOTAL										
0-19 YRS	1070	3.7	10	1	2	3	4	7	9	19
20-34	267	6.4	42	2	3	4	8	14	18	37
35-49	266	7.2	39	2	3	5	9	15	20	30
50-64	419	7.7	55	3	4	6	9	15	20	41
65 +	926	9.5	99	3	4	7	11	18	29	76
GRAND TOTAL	**2348**	**6.7**	**56**	**2**	**3**	**4**	**8**	**13**	**19**	**39**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	1.7	1	< 1	1	1	2	3	4	5
20-34	80	2.8	3	1	1	2	4	5	7	8
35-49	43	3.7	15	1	1	2	4	8	12	19
50-64	20	1.6		1	1	1	2	2	3	3
65 +	8	2.6	3	1	1	2	4	5	6	6
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	5	3.6	7	1	2	3	5	8	8	8
35-49	11	2.6	4	1	1	2	4	6	7	7
50-64	4	1.3		1	1	1	2	2	2	2
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	2.8	7	1	1	2	3	6	8	14
20-34	131	3.5	7	1	2	3	4	7	8	13
35-49	143	3.3	4	1	2	3	4	6	8	10
50-64	87	4.0	11	1	2	3	5	7	9	21
65 +	99	5.7	49	2	2	4	6	11	17	46
B. Operated										
0-19 YRS	12	2.8	3	< 1	1	2	4	6	6	6
20-34	6	7.0	25	2	3	5	12	14	14	14
35-49	24	5.8	28	1	1	4	8	13	16	20
50-64	15	4.1	8	2	2	3	6	8	9	10
65 +	12	11.0	90	3	5	7	14	28	31	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	2.7	6	1	1	2	3	5	7	13
B. Operated	25	2.4	4	1	1	1	3	5	7	8
2. MULTIPLE DX										
A. Not Operated	521	3.9	16	1	2	3	5	7	9	19
B. Operated	69	5.9	35	1	2	4	7	13	16	31
1. SINGLE DX	207	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX	590	4.1	18	1	2	3	5	7	11	22
A. Not Operated	703	3.6	13	1	2	3	4	7	8	17
B. Operated	94	5.0	29	1	1	3	7	12	15	30
TOTAL										
0-19 YRS	107	2.5	5	1	1	2	3	5	6	13
20-34	222	3.3	6	1	2	3	4	6	8	13
35-49	221	3.6	9	1	2	3	4	7	9	16
50-64	126	3.5	9	1	2	3	4	7	8	17
65 +	121	5.9	53	1	2	4	7	13	19	44
GRAND TOTAL	**797**	**3.7**	**15**	**1**	**2**	**3**	**4**	**7**	**9**	**20**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	11	3.0	3	< 1	1	3	4	6	7	7
35-49	21	3.3	3	1	2	3	4	6	7	7
50-64	27	2.9	2	1	2	3	4	4	6	7
65 +	38	3.2	5	1	2	3	4	6	8	10
B. Operated										
0-19 YRS	7	3.1	4	< 1	1	3	5	6	6	6
20-34	12	4.2	8	1	2	4	6	8	10	10
35-49	34	4.1	5	2	2	4	5	7	8	10
50-64	54	4.5	6	2	2	4	6	8	8	12
65 +	56	4.1	8	1	2	4	5	7	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	1.8	1	1	1	1	2	3	5	5
20-34	20	3.8	4	2	2	3	5	7	7	8
35-49	43	4.9	9	1	2	5	7	10	10	11
50-64	109	4.3	8	1	2	4	6	8	10	15
65 +	264	4.7	25	2	2	4	5	9	11	32
B. Operated										
0-19 YRS	10	3.7	10	< 1	1	3	6	8	10	10
20-34	24	5.5	22	1	2	5	7	8	16	23
35-49	57	5.4	13	1	3	5	7	9	10	21
50-64	154	5.4	10	2	3	5	7	9	10	17
65 +	247	5.6	16	2	3	5	7	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.0	3	1	1	3	4	5	7	9
B. Operated	163	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	463	4.4	18	1	2	4	6	8	10	16
B. Operated	492	5.5	14	2	3	5	7	10	13	20
1. SINGLE DX	265	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	955	5.0	16	1	3	4	6	9	11	19
A. Not Operated	565	4.2	16	1	2	3	5	7	10	14
B. Operated	655	5.2	12	2	3	5	6	9	12	19
TOTAL										
0-19 YRS	49	2.3	4	1	1	1	3	5	6	10
20-34	67	4.3	11	1	2	3	6	7	9	21
35-49	155	4.7	9	1	2	4	6	9	10	12
50-64	344	4.7	9	1	2	4	6	8	10	16
65 +	605	4.9	19	2	3	4	6	9	12	20
GRAND TOTAL	**1220**	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**10**	**18**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.1	4	1	2	3	5	6	7	7
20-34	10	1.5		1	1	1	2	2	2	2
35-49	10	2.8	7	< 1	1	2	3	7	8	8
50-64	9	3.0	6	1	2	2	3	7	9	9
65 +	5	2.0	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	42	2.0	4	< 1	1	1	2	4	8	9
20-34	53	1.9	2	1	1	1	2	4	5	7
35-49	27	2.0	3	< 1	< 1	1	2	4	6	9
50-64	19	1.8	3	1	1	1	2	4	6	7
65 +	12	1.8	2	< 1	< 1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	6.4	68	1	2	4	6	16	26	40
20-34	35	4.5	40	1	1	3	5	8	22	30
35-49	51	4.1	20	1	2	3	5	11	13	26
50-64	73	5.9	67	1	2	3	8	11	13	54
65 +	161	7.9	88	2	3	5	9	18	33	99 +
B. Operated										
0-19 YRS	34	3.8	41	1	1	1	3	9	23	28
20-34	37	4.6	41	< 1	1	3	5	9	16	36
35-49	31	4.1	11	1	2	3	5	8	13	14
50-64	50	7.6	77	1	1	4	12	21	28	37
65 +	103	13.8	209	1	3	11	20	27	35	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.6	4	1	1	2	3	6	7	9
B. Operated	153	1.9	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	353	6.5	68	1	2	4	8	14	22	77
B. Operated	255	8.7	130	1	2	4	12	23	28	69
1. SINGLE DX	205	2.1	3	< 1	1	1	2	5	6	9
2. MULTIPLE DX	608	7.4	95	1	2	4	9	18	26	70
A. Not Operated	405	6.0	62	1	2	4	7	13	20	68
B. Operated	408	6.2	93	1	1	2	7	18	24	41
TOTAL										
0-19 YRS	127	3.8	33	1	1	2	4	7	14	31
20-34	135	3.3	24	1	1	2	3	7	9	31
35-49	119	3.5	13	1	1	2	4	7	12	18
50-64	151	5.8	61	1	2	3	7	13	20	37
65 +	281	9.7	138	1	2	6	13	23	33	94
GRAND TOTAL	**813**	**6.1**	**77**	**1**	**1**	**3**	**7**	**15**	**23**	**52**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	14.0		14	14	14	14	14	14	14
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	3	14.0	247	3	4	7	26	32	32	32
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	6	6.7	44	< 1	2	4	9	18	19	19
65 +	19	10.7	91	2	4	7	13	26	31	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	6	< 1	1	3	5	6	6	6
20-34	4	8.8	183	1	1	2	16	29	29	29
35-49	1	6.0		6	6	6	6	6	6	6
50-64	10	9.0	14	3	6	9	12	14	15	15
65 +	62	14.2	287	3	5	9	13	40	52	90
B. Operated										
0-19 YRS	10	7.6	37	< 1	3	6	11	17	18	18
20-34	29	21.7	487	4	6	16	32	61	93	99 +
35-49	38	19.3	264	4	8	15	27	59	83	99 +
50-64	171	20.5	330	5	8	14	28	44	67	99 +
65 +	498	19.9	300	5	9	15	26	45	67	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	7.3	37	2	3	6	12	14	14	14
B. Operated	32	9.8	84	1	3	7	12	25	31	35
2. MULTIPLE DX										
A. Not Operated	80	12.8	238	2	4	9	13	32	49	83
B. Operated	746	19.9	309	5	8	15	26	45	68	99 +
1. SINGLE DX	35	9.6	79	1	3	7	12	25	30	35
2. MULTIPLE DX	826	19.2	307	4	8	14	25	44	67	99 +
A. Not Operated	83	12.6	232	2	4	9	13	30	48	82
B. Operated	778	19.5	304	4	8	14	26	43	67	99 +
TOTAL										
0-19 YRS	16	6.2	30	< 1	2	5	9	16	18	18
20-34	36	19.6	439	2	6	14	32	38	90	99 +
35-49	42	18.3	249	4	8	14	26	54	77	99 +
50-64	187	19.5	316	4	8	13	28	42	67	99 +
65 +	580	19.0	296	4	8	14	25	44	59	99 +
GRAND TOTAL	**861**	**18.8**	**301**	**4**	**8**	**14**	**25**	**43**	**66**	**99 +**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.2	2	< 1	1	2	3	5	5	6
20-34	354	2.4	3	1	1	2	3	4	5	10
35-49	1341	2.3	2	1	1	2	3	4	5	7
50-64	1028	2.6	2	1	2	2	3	4	5	8
65 +	372	2.8	3	1	2	2	3	5	6	8
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	26	2.4	4	1	1	2	2	6	7	9
35-49	211	2.0	2	1	1	1	2	4	5	7
50-64	274	2.0	2	1	1	2	2	4	5	8
65 +	90	2.2	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	2.3	3	1	1	2	3	4	6	10
20-34	766	2.7	4	1	2	2	3	5	6	9
35-49	3144	3.0	4	1	2	2	4	5	7	10
50-64	4089	3.3	4	1	2	3	4	6	7	10
65 +	3892	4.1	12	2	2	3	5	7	9	18
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	60	3.7	8	1	2	3	5	8	10	13
35-49	463	3.1	7	1	1	2	4	7	8	12
50-64	870	3.7	16	1	1	2	5	8	11	18
65 +	546	5.0	36	1	2	3	6	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3119	2.5	2	1	1	2	3	4	5	8
B. Operated	603	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	11948	3.4	7	1	2	3	4	6	8	13
B. Operated	1942	3.9	20	1	1	2	5	8	11	20
1. SINGLE DX	3722	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	13890	3.5	9	1	2	3	4	6	8	14
A. Not Operated	15067	3.2	6	1	2	3	4	6	7	12
B. Operated	2545	3.5	16	1	1	2	4	7	10	18
TOTAL										
0-19 YRS	86	2.2	3	1	1	2	3	4	6	9
20-34	1206	2.6	4	1	1	2	3	5	6	10
35-49	5159	2.8	4	1	2	2	3	5	6	10
50-64	6261	3.2	6	1	2	3	4	6	7	11
65 +	4900	4.0	14	1	2	3	5	7	10	19
GRAND TOTAL	**17612**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	277	2.7	4	1	1	2	3	5	7	10
20-34	9	2.1	6	< 1	1	1	2	6	8	8
35-49	15	1.9	3	1	1	1	2	3	7	8
50-64	15	2.5	4	1	1	2	3	5	7	8
65 +	9	2.7	4	< 1	1	3	4	6	6	6
B. Operated										
0-19 YRS	20	1.8	2	< 1	< 1	1	2	4	6	7
20-34	10	3.1	7	1	1	2	4	8	8	8
35-49	21	3.4	6	1	2	2	5	7	9	10
50-64	30	2.9	7	< 1	1	2	4	6	9	12
65 +	16	2.9	4	< 1	1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	438	3.9	13	1	2	3	5	8	11	19
20-34	47	4.4	14	1	2	3	7	10	12	15
35-49	71	3.9	11	1	2	3	5	7	10	17
50-64	173	4.7	13	1	2	4	6	9	11	17
65 +	356	5.8	21	2	3	5	7	11	15	24
B. Operated										
0-19 YRS	76	8.9	176	1	1	5	12	22	55	99 +
20-34	21	6.2	32	1	2	5	10	16	17	18
35-49	57	5.4	37	1	2	4	7	12	16	34
50-64	124	5.8	22	1	2	5	8	13	16	42
65 +	195	8.6	115	1	3	5	10	19	26	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	2.6	4	1	1	2	3	5	7	9
B. Operated	97	2.8	6	< 1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	1085	4.7	16	1	2	3	6	10	13	20
B. Operated	473	7.4	89	1	2	5	9	16	23	75
1. SINGLE DX	422	2.7	4	1	1	2	3	5	7	10
2. MULTIPLE DX	1558	5.5	40	1	2	4	7	11	16	33
A. Not Operated	1410	4.2	14	1	2	3	5	9	11	19
B. Operated	570	6.6	78	1	2	4	8	15	22	63
TOTAL										
0-19 YRS	811	3.9	28	1	1	2	5	8	12	24
20-34	87	4.4	18	1	1	3	6	11	14	18
35-49	164	4.2	20	1	2	3	5	9	12	23
50-64	342	4.8	16	1	2	4	6	10	14	20
65 +	576	6.6	54	1	3	5	8	13	19	33
GRAND TOTAL	**1980**	**4.9**	**34**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	1.7	1	1	1	2	2	3	4	5
20-34	207	1.8	1	1	1	2	2	3	4	6
35-49	315	1.8	2	1	1	1	2	3	4	6
50-64	157	1.8	1	1	1	2	2	3	4	5
65 +	60	2.5	2	1	2	2	3	4	5	9
B. Operated										
0-19 YRS	8	2.1	3	< 1	< 1	1	3	5	5	5
20-34	18	2.9	3	1	1	3	4	5	6	6
35-49	24	4.0	6	1	2	4	6	7	8	8
50-64	20	4.3	8	1	2	4	5	9	11	12
65 +	17	3.6	9	1	2	3	4	7	11	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	2.6	3	1	1	3	3	5	6	7
20-34	178	2.6	4	1	1	2	3	5	6	9
35-49	241	2.6	5	1	1	2	3	5	7	13
50-64	269	3.1	6	1	2	3	4	6	7	15
65 +	425	6.0	45	1	2	4	7	12	18	39
B. Operated										
0-19 YRS	40	6.2	27	1	2	5	8	13	17	21
20-34	58	5.4	41	1	2	4	6	9	25	30
35-49	73	5.3	22	1	2	4	7	11	17	21
50-64	100	5.5	23	1	3	4	7	10	13	28
65 +	312	9.1	74	2	4	7	11	19	24	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	782	1.9	1	1	1	2	2	3	4	6
B. Operated	87	3.6	6	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	1160	4.0	22	1	2	3	5	8	11	24
B. Operated	583	7.4	55	1	3	6	9	15	22	34
1. SINGLE DX	869	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX	1743	5.1	36	1	2	3	6	11	16	28
A. Not Operated	1942	3.1	15	1	1	2	3	6	8	19
B. Operated	670	6.9	50	1	3	5	9	14	21	33
TOTAL										
0-19 YRS	138	3.3	12	1	1	2	4	7	11	20
20-34	461	2.6	8	1	1	2	3	5	6	13
35-49	653	2.6	7	1	1	2	3	5	7	15
50-64	546	3.2	9	1	1	2	4	6	9	15
65 +	814	6.9	56	2	3	5	8	14	21	39
GRAND TOTAL	**2612**	**4.1**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**25**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1011	2.0	3	1	1	2	2	3	5	8
20-34	983	2.3	4	1	1	2	3	4	5	10
35-49	538	2.8	4	1	1	2	3	5	7	12
50-64	207	3.2	5	1	2	3	4	6	7	10
65 +	134	3.2	7	1	1	3	4	7	8	14
B. Operated										
0-19 YRS	95	3.5	3	2	2	3	4	6	8	10
20-34	152	3.9	6	1	3	3	5	7	9	12
35-49	48	3.7	15	< 1	1	2	4	9	13	16
50-64	37	4.2	15	< 1	1	3	6	11	13	15
65 +	19	3.0	5	< 1	1	3	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	623	2.4	6	1	1	2	3	4	6	12
20-34	933	3.2	10	1	1	2	4	7	8	14
35-49	712	3.8	8	1	2	3	5	7	9	14
50-64	674	4.3	10	1	2	4	5	8	10	16
65 +	1195	5.5	24	2	3	4	7	10	14	29
B. Operated										
0-19 YRS	93	4.1	11	1	2	3	5	7	11	19
20-34	200	4.9	17	1	2	4	6	10	13	21
35-49	153	7.6	59	1	3	6	9	14	20	44
50-64	137	6.9	39	2	4	5	8	13	18	35
65 +	182	10.5	125	2	5	8	12	18	27	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2873	2.4	4	1	1	2	3	5	6	9
B. Operated	351	3.7	7	1	2	3	4	7	9	15
2. MULTIPLE DX										
A. Not Operated	4137	4.0	14	1	2	3	5	8	10	19
B. Operated	765	7.0	59	1	3	5	9	14	18	44
1. SINGLE DX	3224	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	4902	4.5	22	1	2	3	6	9	12	24
A. Not Operated	7010	2.4	11	1	1	2	4	7	9	16
B. Operated	1116	6.0	45	1	3	4	7	12	15	30
TOTAL										
0-19 YRS	1822	2.3	5	1	1	2	3	4	6	11
20-34	2268	3.0	8	1	1	2	4	6	8	14
35-49	1451	3.8	14	1	2	3	5	8	10	18
50-64	1055	4.5	14	1	2	4	6	8	11	18
65 +	1530	5.9	38	1	3	4	7	11	15	33
GRAND TOTAL	**8126**	**3.7**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	2.1	3	< 1	1	2	2	4	5	10
20-34	19	2.6	5	1	1	2	3	6	8	10
35-49	13	2.0	1	< 1	1	2	3	3	4	4
50-64	14	2.9	5	< 1	1	2	4	5	8	9
65 +	14	4.9	19	1	2	4	8	9	15	17
B. Operated										
0-19 YRS	21	4.0	18	1	1	1	7	11	12	14
20-34	10	3.3	4	1	2	3	5	6	7	7
35-49	6	6.0	11	< 1	4	6	9	10	10	10
50-64	14	2.9	6	< 1	1	1	6	7	7	7
65 +	11	3.5	4	< 1	1	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	239	3.5	28	1	1	2	4	7	9	38
20-34	123	3.3	7	1	2	3	4	6	8	16
35-49	161	5.2	37	1	2	4	7	10	12	40
50-64	235	5.4	19	1	2	4	7	11	15	26
65 +	613	6.9	60	2	3	5	8	13	18	52
B. Operated										
0-19 YRS	93	2.9	29	1	1	1	2	7	14	32
20-34	93	2.2	8	1	1	1	2	5	9	14
35-49	110	4.0	44	1	1	1	5	10	15	38
50-64	127	6.5	60	1	1	3	9	16	25	33
65 +	240	9.7	140	1	3	6	12	21	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	169	2.4	5	< 1	1	2	3	5	7	11
B. Operated	62	3.7	10	1	1	2	6	9	10	14
2. MULTIPLE DX										
A. Not Operated	1371	5.5	42	1	2	4	7	11	15	42
B. Operated	663	6.1	83	1	1	2	8	16	22	45
1. SINGLE DX	231	2.8	7	1	1	2	3	6	9	12
2. MULTIPLE DX	2034	5.7	55	1	2	4	7	12	18	43
A. Not Operated	1540	5.2	39	1	2	4	6	10	14	39
B. Operated	725	5.9	78	1	1	2	7	15	21	44
TOTAL										
0-19 YRS	462	3.1	22	1	1	2	3	6	9	24
20-34	245	2.8	7	1	1	2	4	6	8	14
35-49	290	4.7	38	1	1	3	6	10	13	39
50-64	390	5.6	32	1	2	4	7	12	16	31
65 +	878	7.6	82	2	3	5	9	15	22	63
GRAND TOTAL	**2265**	**5.4**	**51**	**1**	**1**	**3**	**7**	**11**	**17**	**42**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	532	3.4	11	1	1	2	4	7	9	17
20-34	204	3.3	15	1	1	2	4	6	8	28
35-49	190	2.6	3	1	1	2	3	5	6	9
50-64	248	3.0	4	1	2	3	4	6	7	9
65 +	358	3.4	7	1	2	3	4	7	9	12
B. Operated										
0-19 YRS	54	4.9	168	< 1	1	1	3	9	13	81
20-34	42	1.5	1	< 1	1	1	2	3	3	4
35-49	52	1.7	1	1	1	1	2	3	4	6
50-64	34	2.2	5	1	1	2	2	4	9	11
65 +	41	2.4	5	< 1	1	1	3	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1018	6.0	70	1	2	3	7	13	18	48
20-34	521	3.8	18	1	2	3	4	8	10	22
35-49	809	3.7	14	1	2	3	4	7	9	21
50-64	1783	4.4	17	1	2	3	5	8	11	22
65 +	6371	6.5	59	2	3	5	7	12	18	49
B. Operated										
0-19 YRS	156	9.0	154	1	2	4	13	25	49	99 +
20-34	118	3.5	34	1	1	2	4	8	16	99 +
35-49	155	3.6	18	1	1	2	4	10	14	95
50-64	298	6.6	64	1	2	4	8	15	20	41
65 +	922	11.3	155	2	4	8	14	27	40	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1532	3.2	9	1	1	2	4	7	8	14
B. Operated	223	2.6	44	1	1	1	2	4	8	23
2. MULTIPLE DX										
A. Not Operated	10502	5.8	49	1	2	4	7	11	16	41
B. Operated	1649	9.0	126	1	2	6	11	22	34	99 +
1. SINGLE DX	1755	3.2	13	1	1	2	4	6	8	14
2. MULTIPLE DX	12151	6.2	60	1	2	4	7	12	19	51
A. Not Operated	12034	5.4	44	1	2	4	6	10	15	37
B. Operated	1872	8.2	120	1	2	5	10	20	31	99 +
TOTAL										
0-19 YRS	1760	5.5	65	1	2	3	6	12	17	52
20-34	885	3.6	19	1	1	2	4	7	10	30
35-49	1206	3.4	12	1	1	2	4	7	9	21
50-64	2363	4.5	22	1	2	3	5	8	12	23
65 +	7692	6.9	71	2	3	5	8	13	20	58
GRAND TOTAL	**13906**	**5.8**	**55**	**1**	**2**	**4**	**7**	**11**	**17**	**47**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	25.0		25	25	25	25	25	25	25
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	24.5	86	17	17	23	32	36	36	36
20-34	2	33.5	421	19	19	33	48	48	48	48
35-49	1	19.0		19	19	19	19	19	19	19
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	36.6	405	7	24	44	59	82	99 +	99 +
20-34	25	37.5	393	19	22	38	47	73	95	99 +
35-49	6	46.0	724	23	30	54	99 +	99 +	99 +	99 +
50-64	3	41.0	241	25	38	56	99 +	99 +	99 +	99 +
65 +	1	84.0		84	88	99 +	99 +	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. Not Operated	7	26.3	141	17	18	19	34	46	48	48
B. Operated	54	39.2	440	19	24	44	65	99 +	99 +	99 +
1. SINGLE DX	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX	61	37.7	420	18	22	42	60	99 +	99 +	99 +
A. Not Operated	7	26.3	141	17	18	19	34	46	48	48
B. Operated	55	38.9	435	19	24	44	64	99 +	99 +	99 +
TOTAL										
0-19 YRS	23	34.5	365	11	22	36	53	70	99 +	99 +
20-34	28	36.8	371	19	21	38	47	72	94	99 +
35-49	7	42.1	707	19	30	51	99 +	99 +	99 +	99 +
50-64	3	41.0	241	25	38	56	99 +	99 +	99 +	99 +
65 +	1	84.0		84	88	99 +	99 +	99 +	99 +	99 +
GRAND TOTAL	**62**	**37.5**	**415**	**18**	**23**	**42**	**59**	**99 +**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	246	1.6	2	1	1	1	2	3	4	7
20-34	7	3.4	22	1	1	2	3	12	14	14
35-49	8	3.9	21	< 1	1	2	4	12	15	15
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	45	5.4	23	2	3	4	6	10	17	24
20-34	18	8.1	30	2	4	7	12	16	20	22
35-49	6	15.7	387	1	4	7	22	50	53	53
50-64	0									
65 +	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	197	3.6	17	1	1	2	5	8	10	25
20-34	30	6.5	29	2	3	5	9	14	19	23
35-49	20	5.5	16	2	3	5	6	11	15	18
50-64	13	8.2	41	2	3	6	18	27	84	99 +
65 +	10	9.0	52	1	2	8	14	19	24	24
B. Operated										
0-19 YRS	77	13.9	248	3	4	9	17	40	62	99 +
20-34	85	13.8	189	2	5	9	17	35	54	88
35-49	37	16.1	225	3	7	11	17	44	53	61
50-64	20	15.6	300	2	6	10	17	39	58	74
65 +	15	26.1	409	3	9	31	41	71	92	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	1.7	3	1	1	1	2	3	4	13
B. Operated	71	6.9	58	2	3	4	8	14	22	47
2. MULTIPLE DX										
A. Not Operated	270	4.5	23	1	1	3	6	10	15	26
B. Operated	234	15.1	242	3	5	10	18	40	57	99 +
1. SINGLE DX	333	2.8	19	1	1	1	3	6	10	22
2. MULTIPLE DX	504	9.4	153	1	2	5	11	24	40	89
A. Not Operated	532	3.1	15	1	1	2	3	7	11	23
B. Operated	305	13.2	211	2	4	9	16	37	54	99 +
TOTAL										
0-19 YRS	565	4.3	58	1	1	2	4	9	16	54
20-34	140	11.0	138	2	4	7	13	24	38	69
35-49	71	11.7	180	2	3	7	15	25	46	60
50-64	34	12.4	204	2	4	8	17	35	66	99 +
65 +	27	18.3	319	2	5	12	34	44	77	99 +
GRAND TOTAL	**837**	**6.8**	**110**	**1**	**1**	**3**	**8**	**17**	**29**	**67**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3; 6; 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	110	2.1	4	1	1	1	2	5	6	12
20-34	19	2.7	5	< 1	1	2	4	7	8	8
35-49	8	6.4	36	2	3	4	8	17	20	20
50-64	4	4.0	13	1	1	3	6	9	9	9
65 +	4	3.3	15	1	1	2	5	9	9	9
B. Operated										
0-19 YRS	21	6.3	15	2	4	6	8	12	15	15
20-34	12	4.8	7	2	2	4	7	9	10	10
35-49	3	10.0	97	2	3	7	17	21	21	21
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	141	4.4	23	1	2	3	5	9	13	28
20-34	97	6.7	35	1	2	5	9	15	17	30
35-49	44	6.3	27	1	2	4	10	14	16	20
50-64	23	8.9	219	2	2	4	7	18	47	68
65 +	32	11.6	153	3	6	9	14	17	19	74
B. Operated										
0-19 YRS	79	11.6	194	1	4	8	15	22	41	73
20-34	102	15.2	268	2	5	10	21	38	73	99 +
35-49	45	16.7	304	2	6	13	22	57	89	99 +
50-64	17	12.7	226	3	5	9	14	54	84	99 +
65 +	22	15.7	165	4	6	14	28	58	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	2.5	7	1	1	2	3	6	8	15
B. Operated	36	6.1	19	2	3	5	8	11	15	21
2. MULTIPLE DX										
A. Not Operated	337	6.3	56	1	2	4	8	14	17	33
B. Operated	265	14.3	241	2	5	10	20	38	70	99 +
1. SINGLE DX	181	3.2	11	1	1	2	4	7	9	19
2. MULTIPLE DX	602	9.8	153	1	3	6	12	22	37	99 +
A. Not Operated	482	5.2	44	1	1	3	7	12	15	30
B. Operated	301	13.3	221	2	4	9	18	33	64	99 +
TOTAL										
0-19 YRS	351	5.4	67	1	1	3	6	12	17	42
20-34	230	10.0	156	1	3	6	12	23	35	99 +
35-49	100	11.1	177	2	3	7	15	23	48	99 +
50-64	44	9.9	204	2	3	6	11	36	63	99 +
65 +	58	12.6	155	2	5	10	16	30	63	99 +
GRAND TOTAL	**783**	**8.3**	**128**	**1**	**2**	**5**	**10**	**20**	**31**	**96**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.3		< 1	1	1	2	2	2	2
20-34	27	1.7	1	< 1	1	1	2	4	5	5
35-49	11	1.9	1	1	1	2	3	4	4	4
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	2	23.5	761	4	4	23	43	43	43	43
B. Operated										
0-19 YRS	329	1.7	2	< 1	1	1	2	3	4	7
20-34	425	2.3	6	< 1	1	2	3	4	6	10
35-49	100	2.7	5	1	1	2	4	6	7	12
50-64	21	2.4	4	1	1	1	3	6	7	7
65 +	10	3.0	8	1	1	2	4	7	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	3.1	16	1	1	2	3	5	8	26
20-34	95	2.3	4	< 1	1	2	3	4	6	13
35-49	43	3.3	10	1	1	2	4	10	11	12
50-64	24	4.0	18	1	1	3	5	9	13	20
65 +	50	7.5	96	1	3	5	8	17	19	62
B. Operated										
0-19 YRS	386	4.0	36	1	1	3	5	8	11	23
20-34	745	4.5	21	1	2	3	6	10	13	23
35-49	274	4.9	21	1	2	3	6	11	15	23
50-64	118	5.7	44	1	1	3	7	12	22	32
65 +	115	9.1	126	1	2	6	12	21	28	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.3	28	< 1	1	1	2	3	4	38
B. Operated	885	2.1	4	< 1	1	1	3	4	6	9
2. MULTIPLE DX										
A. Not Operated	280	3.7	29	1	1	2	4	8	12	26
B. Operated	1638	4.9	35	1	2	3	6	11	15	29
1. SINGLE DX	948	2.1	6	< 1	1	1	3	4	6	9
2. MULTIPLE DX	1918	4.7	34	1	1	3	6	10	14	29
A. Not Operated	343	3.4	29	1	1	2	4	6	11	29
B. Operated	2523	3.9	26	1	1	2	5	9	12	25
TOTAL										
0-19 YRS	804	2.9	20	< 1	1	2	3	6	8	16
20-34	1292	3.6	15	1	1	2	4	8	11	20
35-49	428	4.1	17	1	1	3	5	10	13	19
50-64	165	5.0	36	1	1	3	6	10	19	32
65 +	177	8.5	118	1	2	5	10	19	28	71
GRAND TOTAL	**2866**	**3.9**	**26**	**1**	**1**	**2**	**4**	**9**	**12**	**25**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	109	3.7	17	1	2	3	4	7	10	27
20-34	205	4.4	10	1	2	4	6	8	11	16
35-49	127	4.7	10	1	2	4	6	9	11	15
50-64	91	5.9	17	2	3	5	7	10	14	23
65 +	100	7.1	22	3	4	6	9	13	16	23
B. Operated										
0-19 YRS	17	10.6	28	4	7	11	13	15	22	25
20-34	40	7.6	20	2	4	7	11	15	16	16
35-49	9	9.2	27	2	6	10	12	16	19	19
50-64	9	10.6	27	4	6	11	15	17	17	17
65 +	5	12.8	26	6	9	13	17	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	6.9	62	2	3	5	8	14	20	46
20-34	249	5.7	20	2	3	5	7	11	14	24
35-49	176	6.0	18	2	3	5	8	11	13	22
50-64	261	8.5	39	3	5	7	11	16	21	41
65 +	1239	12.5	122	4	6	9	15	25	37	74
B. Operated										
0-19 YRS	70	11.8	152	3	5	8	14	25	31	71
20-34	147	12.7	119	3	5	9	17	26	33	61
35-49	73	12.7	156	3	4	10	17	25	37	94
50-64	71	15.3	187	4	6	12	21	31	39	98
65 +	180	19.4	208	7	10	15	27	46	62	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	632	5.0	15	1	2	4	6	10	13	19
B. Operated	80	9.1	25	3	5	8	13	16	17	23
2. MULTIPLE DX										
A. Not Operated	2049	10.3	95	3	5	8	12	20	29	64
B. Operated	541	15.2	176	4	7	12	20	33	47	99 +
1. SINGLE DX	712	5.4	18	1	2	4	7	12	14	20
2. MULTIPLE DX	2590	11.3	116	3	5	8	14	23	35	74
A. Not Operated	2681	9.0	81	2	4	7	11	17	25	55
B. Operated	621	14.4	160	3	6	11	18	30	45	99 +
TOTAL										
0-19 YRS	320	7.1	74	1	2	4	9	15	22	46
20-34	641	7.0	50	2	3	5	8	14	19	36
35-49	385	6.9	50	2	3	5	9	13	18	37
50-64	432	9.1	67	3	4	7	11	18	25	43
65 +	1524	13.0	133	4	6	10	16	27	40	87
GRAND TOTAL	**3302**	**10.0**	**100**	**2**	**4**	**7**	**12**	**21**	**30**	**67**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	0									
50-64	2	5.0		5	5	5	5	5	5	5
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	4	21.0	469	6	8	12	34	53	53	53
20-34	2	11.5	5	10	10	11	13	13	13	13
35-49	2	4.0	18	< 1	< 1	3	7	7	7	7
50-64	2	13.0	200	3	3	13	23	23	23	23
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	13.0	50	8	8	13	18	18	18	18
20-34	11	17.3	518	6	8	9	15	44	82	85
35-49	5	11.4	159	2	2	4	22	30	30	30
50-64	8	11.8	66	2	6	11	15	24	28	28
65 +	19	9.7	19	5	7	9	12	15	18	21
B. Operated										
0-19 YRS	18	26.7	181	13	20	25	42	99 +	99 +	99 +
20-34	62	34.6	457	14	18	31	60	99 +	99 +	99 +
35-49	19	31.7	294	12	23	36	57	99 +	99 +	99 +
50-64	15	26.1	275	11	16	25	54	99 +	99 +	99 +
65 +	9	52.4	778	14	34	46	73	89	91	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.2	10	1	1	2	5	8	11	11
B. Operated	10	14.1	227	1	6	10	15	38	53	53
2. MULTIPLE DX										
A. Not Operated	45	12.2	161	4	7	9	14	19	28	85
B. Operated	123	33.3	421	13	18	31	60	99 +	99 +	99 +
1. SINGLE DX	20	8.7	143	1	2	5	11	19	38	53
2. MULTIPLE DX	168	27.6	437	8	13	24	48	90	99 +	99 +
A. Not Operated	55	10.6	145	2	5	8	13	18	26	82
B. Operated	133	31.8	430	11	17	29	58	99 +	99 +	99 +
TOTAL										
0-19 YRS	27	22.0	246	4	12	23	37	81	99 +	99 +
20-34	79	29.9	513	8	14	24	57	86	99 +	99 +
35-49	26	25.7	344	2	12	29	44	99 +	99 +	99 +
50-64	27	19.3	236	5	10	16	30	80	99 +	99 +
65 +	29	23.0	639	5	8	11	27	69	85	91
GRAND TOTAL	**188**	**25.6**	**439**	**5**	**11**	**23**	**46**	**85**	**99 +**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.7	1	< 1	1	1	2	3	5	5
20-34	42	2.3	1	1	1	2	3	4	5	6
35-49	50	2.5	3	1	1	2	3	5	5	11
50-64	57	3.3	4	1	2	3	4	6	8	10
65 +	42	4.3	13	1	2	3	5	10	13	16
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	11.0	32	7	7	11	15	15	15	15
65 +	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.2	17	1	1	2	4	6	7	29
20-34	199	3.9	15	1	2	3	5	7	10	22
35-49	229	4.3	11	1	2	3	6	9	10	17
50-64	319	5.2	18	2	2	4	7	9	12	21
65 +	811	8.8	92	2	4	6	11	17	24	56
B. Operated										
0-19 YRS	30	8.8	117	1	3	6	9	18	28	56
20-34	87	7.5	37	2	3	5	10	15	21	30
35-49	86	7.2	86	2	2	5	8	14	28	55
50-64	105	9.6	90	2	4	7	11	19	32	75
65 +	162	18.6	388	3	6	11	26	51	72	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	3.0	6	1	1	2	4	5	7	13
B. Operated	7	7.1	20	2	3	7	9	14	15	15
2. MULTIPLE DX										
A. Not Operated	1615	6.6	58	2	3	5	8	13	18	37
B. Operated	470	11.8	208	2	4	7	13	28	49	87
1. SINGLE DX	211	3.1	7	1	1	2	4	6	8	15
2. MULTIPLE DX	2085	7.8	97	2	3	5	9	15	24	59
A. Not Operated	1819	6.2	54	1	2	4	8	12	17	35
B. Operated	477	11.8	205	2	4	7	13	28	49	87
TOTAL										
0-19 YRS	101	4.6	51	1	1	2	5	9	13	43
20-34	329	4.7	22	1	2	3	5	10	14	27
35-49	366	4.8	30	1	2	3	6	9	12	29
50-64	483	5.9	36	2	3	4	7	11	15	40
65 +	1017	10.1	149	2	4	6	12	20	31	82
GRAND TOTAL	**2296**	**7.4**	**90**	**2**	**3**	**5**	**8**	**15**	**23**	**56**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	4.9	33	1	2	3	6	10	12	34
20-34	38	6.8	48	3	3	5	7	13	21	39
35-49	33	8.8	73	2	4	6	11	21	22	42
50-64	42	5.4	9	2	3	5	7	9	11	15
65 +	141	9.8	97	3	5	8	12	16	20	53
B. Operated										
0-19 YRS	2	25.0	722	6	6	25	44	44	44	44
20-34	8	15.9	178	2	8	13	20	38	44	44
35-49	3	18.0	397	6	6	7	32	41	41	41
50-64	1	8.0		8	8	8	8	8	8	8
65 +	3	24.7	134	14	16	23	33	37	37	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	93	8.4	64	2	3	6	10	21	27	39
20-34	132	10.7	87	3	5	7	14	22	28	52
35-49	80	13.9	189	4	6	9	17	27	45	69
50-64	142	14.4	174	3	6	11	18	30	42	70
65 +	1092	15.7	168	5	8	12	19	32	45	99 +
B. Operated										
0-19 YRS	58	17.7	232	5	8	11	25	35	38	92
20-34	146	20.7	308	5	8	15	28	48	61	87
35-49	73	23.8	312	8	11	17	32	52	65	79
50-64	60	26.4	307	9	15	21	37	54	69	98
65 +	162	24.6	335	7	12	20	33	64	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	310	7.9	68	2	3	6	9	15	20	42
B. Operated	17	18.4	212	5	7	14	27	43	44	44
2. MULTIPLE DX										
A. Not Operated	1539	14.6	160	4	7	11	18	30	42	95
B. Operated	499	22.8	313	6	10	18	31	51	69	99 +
1. SINGLE DX	327	8.4	81	2	3	6	10	16	23	44
2. MULTIPLE DX	2038	16.6	210	5	7	12	21	36	51	99 +
A. Not Operated	1849	13.5	151	3	6	10	17	28	39	84
B. Operated	516	22.6	310	6	10	17	31	50	68	99 +
TOTAL										
0-19 YRS	209	10.2	130	2	3	6	11	26	34	46
20-34	324	14.9	213	3	6	9	18	39	48	74
35-49	189	16.9	249	4	6	11	21	38	53	71
50-64	245	15.8	224	3	6	11	20	39	50	75
65 +	1398	16.1	192	5	8	12	20	35	50	99 +
GRAND TOTAL	**2365**	**15.5**	**200**	**4**	**7**	**11**	**19**	**35**	**48**	**96**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	2.0	5	1	1	1	2	3	6	15
20-34	15	2.0	2	< 1	1	1	3	4	4	4
35-49	9	2.9	2	1	2	3	3	5	6	6
50-64	23	3.9	17	1	1	3	5	7	12	20
65 +	49	3.0	7	1	1	2	4	6	8	13
B. Operated										
0-19 YRS	630	2.9	14	1	1	2	3	5	10	20
20-34	89	3.8	13	1	2	3	4	7	14	19
35-49	69	3.3	7	1	2	3	4	6	10	13
50-64	104	3.7	12	1	2	3	5	7	10	20
65 +	122	4.8	17	1	2	4	6	10	12	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	5.6	63	1	1	3	6	11	21	49
20-34	21	4.0	16	< 1	1	2	5	10	13	15
35-49	21	6.7	69	1	1	4	9	22	27	28
50-64	63	6.4	42	1	2	4	8	14	18	34
65 +	425	11.3	161	2	4	7	14	30	44	99 +
B. Operated										
0-19 YRS	197	6.1	54	1	2	3	8	14	21	36
20-34	113	8.4	105	2	3	5	11	19	29	99 +
35-49	117	7.3	84	1	2	4	8	17	20	47
50-64	197	7.6	57	2	3	5	9	17	23	37
65 +	560	11.8	170	2	4	7	14	27	44	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	170	2.6	7	1	1	2	3	5	6	15
B. Operated	1014	3.3	14	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. Not Operated	582	9.9	136	1	3	6	12	26	39	91
B. Operated	1184	9.4	123	2	3	6	12	22	30	79
1. SINGLE DX	1184	3.2	13	1	1	2	4	6	10	19
2. MULTIPLE DX	1766	9.5	127	2	3	6	12	23	33	80
A. Not Operated	752	8.2	116	1	2	4	10	21	33	74
B. Operated	2198	6.6	82	1	2	3	8	15	23	58
TOTAL										
0-19 YRS	953	3.6	26	1	1	2	4	8	13	24
20-34	238	5.8	62	1	2	4	7	14	19	73
35-49	216	5.8	58	1	2	3	6	14	19	29
50-64	387	6.2	43	1	2	4	7	14	18	32
65 +	1156	10.5	150	2	3	6	13	26	40	99 +
GRAND TOTAL	**2950**	**7.0**	**91**	**1**	**2**	**4**	**8**	**17**	**26**	**60**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.6	1	1	1	1	2	3	3	3
20-34	16	1.9	2	1	1	2	2	5	5	5
35-49	7	2.0	1	< 1	1	2	3	4	4	4
50-64	13	2.2	1	< 1	1	2	3	4	4	4
65 +	12	1.9	1	< 1	1	2	3	3	3	3
B. Operated										
0-19 YRS	1059	1.7	7	< 1	1	1	2	3	4	8
20-34	360	2.8	5	1	1	2	3	5	7	15
35-49	271	2.3	3	1	1	2	3	4	5	9
50-64	282	2.4	3	1	1	2	3	4	6	8
65 +	238	2.5	5	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.4	9	1	1	2	2	5	11	14
20-34	34	4.0	12	1	2	3	4	10	13	13
35-49	24	4.2	9	1	2	3	6	9	9	10
50-64	23	3.6	7	1	2	3	5	8	9	11
65 +	78	13.5	192	2	4	9	18	29	39	78
B. Operated										
0-19 YRS	246	3.0	16	1	1	2	3	6	9	17
20-34	310	5.8	51	1	2	4	7	11	15	28
35-49	218	5.6	58	1	2	4	6	12	19	53
50-64	308	5.1	68	1	2	3	5	10	15	44
65 +	526	7.2	89	1	2	4	8	16	26	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	1.9	1	1	1	2	2	3	4	5
B. Operated	2210	2.1	6	1	1	1	3	4	5	10
2. MULTIPLE DX										
A. Not Operated	191	7.6	108	1	2	4	9	18	28	48
B. Operated	1608	5.7	64	1	2	3	6	12	18	49
1. SINGLE DX	2279	2.1	5	1	1	1	3	4	5	10
2. MULTIPLE DX	1799	5.9	69	1	2	3	7	13	19	49
A. Not Operated	260	6.1	86	1	1	3	7	15	23	44
B. Operated	3818	3.6	33	1	1	2	4	7	11	29
TOTAL										
0-19 YRS	1358	2.0	9	1	1	1	2	3	5	12
20-34	720	4.1	27	1	2	3	5	9	12	21
35-49	520	3.8	29	1	1	2	4	7	10	25
50-64	626	3.8	37	1	1	2	4	7	10	26
65 +	854	6.4	83	1	2	3	7	15	23	60
GRAND TOTAL	**4078**	**3.8**	**37**	**1**	**1**	**2**	**4**	**8**	**12**	**30**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.2	3	< 1	1	1	3	5	6	7
20-34	23	2.4	3	1	1	2	3	5	7	8
35-49	10	2.7	7	< 1	1	2	3	7	10	10
50-64	7	2.7	2	< 1	2	2	4	5	5	5
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	249	1.5	1	< 1	1	1	2	2	3	5
20-34	357	1.9	3	< 1	1	1	2	3	6	10
35-49	149	1.9	2	< 1	1	1	2	4	5	9
50-64	70	2.1	2	< 1	1	2	3	4	5	8
65 +	21	1.8	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.5	3	< 1	1	2	3	5	7	8
20-34	30	2.3	3	< 1	1	2	2	5	6	9
35-49	9	3.8	6	1	2	4	5	8	8	8
50-64	9	5.7	12	2	3	5	8	11	11	11
65 +	23	8.3	71	2	3	5	10	21	27	35
B. Operated										
0-19 YRS	141	2.8	9	1	1	2	3	5	9	13
20-34	278	3.2	15	1	1	2	4	7	10	18
35-49	188	3.2	9	1	1	2	4	7	9	15
50-64	117	3.8	17	1	1	3	4	8	13	21
65 +	82	5.0	46	1	1	3	5	11	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.5	4	< 1	1	2	3	5	7	10
B. Operated	846	1.8	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	93	4.3	27	1	1	2	5	9	15	29
B. Operated	806	3.4	16	1	1	2	4	7	10	22
1. SINGLE DX	905	1.8	2	< 1	1	1	2	3	5	8
2. MULTIPLE DX	899	3.5	17	1	1	2	4	7	11	24
A. Not Operated	152	3.6	18	1	1	2	4	8	10	22
B. Operated	1652	2.6	10	< 1	1	2	3	5	8	15
TOTAL										
0-19 YRS	430	2.0	4	< 1	1	1	2	4	5	10
20-34	688	2.5	8	< 1	1	2	3	5	7	12
35-49	356	2.6	6	< 1	1	2	3	6	8	13
50-64	203	3.2	12	1	1	2	4	6	11	19
65 +	127	5.1	46	1	1	3	5	11	21	35
GRAND TOTAL	**1804**	**2.7**	**10**	**< 1**	**1**	**2**	**3**	**5**	**8**	**17**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	8.9	116	1	2	5	12	24	32	48
20-34	4	11.5	50	4	5	12	17	18	18	18
35-49	8	5.5	8	2	4	5	7	9	10	10
50-64	10	7.4	29	1	4	7	9	15	20	20
65 +	62	9.5	55	2	3	8	14	20	23	36
B. Operated										
0-19 YRS	77	8.1	42	2	4	6	10	17	24	31
20-34	24	9.8	108	3	5	7	9	16	42	43
35-49	60	7.8	9	5	6	7	10	12	13	16
50-64	182	11.0	63	5	7	10	13	17	22	43
65 +	800	13.5	52	7	9	12	16	20	26	40
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	11.2	120	1	1	9	18	27	36	37
20-34	9	14.1	307	2	3	7	19	42	57	57
35-49	14	16.8	457	3	5	7	19	43	73	82
50-64	29	10.3	52	3	4	9	15	23	27	99 +
65 +	529	16.6	266	3	7	12	21	38	61	99 +
B. Operated										
0-19 YRS	77	14.0	154	4	6	10	18	28	38	69
20-34	97	18.9	368	6	8	11	20	53	72	85
35-49	151	17.4	220	6	9	13	21	40	60	99
50-64	612	16.5	159	7	9	13	19	31	43	95
65 +	7906	20.9	202	9	12	17	25	41	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	112	8.9	64	1	3	7	13	18	24	41
B. Operated	1143	12.4	55	5	8	11	15	20	25	41
2. MULTIPLE DX										
A. Not Operated	606	16.1	256	3	6	11	20	37	58	99 +
B. Operated	8843	20.4	202	9	12	16	25	40	59	99 +
1. SINGLE DX	1255	12.1	57	5	8	11	15	20	25	41
2. MULTIPLE DX	9449	20.1	207	8	11	16	24	40	59	99 +
A. Not Operated	718	15.0	233	3	6	10	19	33	53	97
B. Operated	9986	19.5	192	8	11	16	23	38	55	99 +
TOTAL										
0-19 YRS	207	10.8	109	2	4	7	14	24	32	50
20-34	134	16.7	317	5	7	10	18	41	61	84
35-49	233	14.5	191	5	7	10	16	27	47	89
50-64	833	15.0	139	6	8	12	17	28	39	93
65 +	9297	19.9	197	8	11	16	24	39	57	99 +
GRAND TOTAL	**10704**	**19.2**	**196**	**8**	**11**	**15**	**23**	**38**	**55**	**99 +**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	198	15.9	212	1	3	14	25	34	41	71
20-34	9	6.8	42	< 1	2	3	11	17	19	19
35-49	4	18.8	569	2	4	9	33	54	54	54
50-64	5	11.6	163	1	3	7	18	33	33	33
65 +	13	9.5	28	3	6	9	12	16	21	22
B. Operated										
0-19 YRS	292	10.9	136	1	2	5	18	27	32	53
20-34	80	11.2	92	3	5	10	14	18	28	56
35-49	27	7.0	20	1	4	6	9	13	16	19
50-64	16	14.3	80	4	9	12	16	30	34	36
65 +	42	17.4	123	7	9	15	26	31	40	56
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	175	18.3	213	2	4	18	25	40	48	63
20-34	14	22.8	769	3	4	9	40	61	86	93
35-49	12	15.9	317	3	4	7	24	48	53	54
50-64	24	17.3	195	3	6	12	26	40	46	47
65 +	177	19.2	387	4	7	12	29	56	87	99 +
B. Operated										
0-19 YRS	335	18.5	220	4	8	14	25	39	53	68
20-34	265	15.8	194	5	8	12	19	31	44	93
35-49	101	17.5	243	3	8	14	22	49	71	99 +
50-64	110	21.3	262	7	11	18	30	58	95	99 +
65 +	432	25.3	410	8	12	19	34	68	94	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	15.2	202	1	3	12	23	32	41	64
B. Operated	457	11.5	122	1	3	8	17	26	32	54
2. MULTIPLE DX										
A. Not Operated	402	18.7	308	3	6	13	27	47	58	99 +
B. Operated	1243	20.4	300	5	9	16	26	49	69	99 +
1. SINGLE DX	686	12.7	152	1	3	9	19	30	36	57
2. MULTIPLE DX	1645	20.0	302	4	9	15	27	48	66	99 +
A. Not Operated	631	17.4	272	2	4	13	25	41	54	99 +
B. Operated	1700	18.0	268	3	7	14	24	42	60	99 +
TOTAL										
0-19 YRS	1000	15.7	203	2	4	13	23	33	43	63
20-34	368	14.9	195	3	7	11	17	30	43	91
35-49	144	15.4	227	3	6	11	21	44	55	99 +
50-64	155	19.6	235	5	10	16	26	49	69	99 +
65 +	664	22.9	390	6	10	17	31	60	89	99 +
GRAND TOTAL	**2331**	**17.9**	**269**	**3**	**7**	**13**	**24**	**41**	**58**	**99 +**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	2.4	9	1	1	2	3	4	6	18
20-34	58	3.4	8	1	1	2	4	8	10	12
35-49	33	5.3	35	1	2	4	7	8	18	31
50-64	25	4.2	7	1	3	4	5	8	10	11
65 +	41	7.8	48	1	3	6	9	21	24	27
B. Operated										
0-19 YRS	503	3.6	12	1	1	3	4	8	10	18
20-34	356	5.1	23	1	2	4	6	10	13	29
35-49	263	5.7	23	1	2	4	7	11	14	24
50-64	130	6.3	23	2	3	5	8	12	17	24
65 +	76	9.3	64	2	4	7	13	17	20	48
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	4.7	18	1	2	3	7	10	12	22
20-34	54	5.6	30	1	2	3	7	12	19	24
35-49	50	5.8	25	1	2	4	7	12	17	25
50-64	60	7.7	53	2	3	5	10	18	26	31
65 +	191	12.8	226	3	5	8	14	31	42	99 +
B. Operated										
0-19 YRS	306	8.0	75	1	3	5	10	17	23	48
20-34	452	12.0	159	3	4	8	16	27	39	82
35-49	323	13.1	238	3	5	8	15	30	52	96
50-64	267	14.6	197	3	6	10	17	32	50	74
65 +	349	16.8	202	5	7	12	24	37	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	3.9	20	1	1	2	5	9	12	25
B. Operated	1328	5.0	23	1	2	4	6	10	14	24
2. MULTIPLE DX										
A. Not Operated	423	9.0	131	2	3	6	10	21	30	92
B. Operated	1697	12.9	181	3	5	9	16	29	43	88
1. SINGLE DX	1603	4.8	23	1	2	3	6	10	14	24
2. MULTIPLE DX	2120	12.1	174	2	4	8	15	28	40	89
A. Not Operated	698	7.0	94	1	2	4	8	15	25	74
B. Operated	3025	9.4	127	2	3	6	11	21	32	71
TOTAL										
0-19 YRS	995	4.9	36	1	2	3	6	11	15	31
20-34	920	8.4	101	2	3	5	10	19	28	62
35-49	669	9.3	141	2	3	6	10	19	31	82
50-64	482	11.0	139	2	4	7	13	24	33	71
65 +	657	14.2	193	3	6	10	18	31	47	99 +
GRAND TOTAL	**3723**	**9.0**	**122**	**1**	**3**	**5**	**11**	**20**	**30**	**71**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.4	3	1	1	2	3	5	6	8
20-34	90	3.1	4	1	1	3	4	6	7	11
35-49	55	3.3	5	1	2	3	5	6	8	9
50-64	43	4.0	8	1	2	3	5	8	10	13
65 +	41	5.1	13	1	3	5	7	9	13	15
B. Operated										
0-19 YRS	565	2.8	7	1	1	2	4	5	6	10
20-34	900	3.6	6	1	2	3	5	6	8	13
35-49	764	4.3	9	1	2	4	5	8	9	14
50-64	571	4.7	8	2	3	4	6	9	10	15
65 +	327	5.9	20	2	3	5	7	10	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	3.6	22	< 1	1	3	4	6	10	32
20-34	93	4.1	13	1	2	3	5	8	10	20
35-49	69	5.1	32	1	2	4	6	9	14	33
50-64	91	7.9	135	2	3	5	8	14	26	76
65 +	237	10.1	117	2	4	7	13	20	28	80
B. Operated										
0-19 YRS	298	5.9	46	1	2	4	7	11	20	33
20-34	718	6.3	49	2	3	4	7	12	17	36
35-49	570	7.0	65	2	3	5	8	13	19	55
50-64	642	7.8	59	3	4	6	9	14	21	48
65 +	784	11.4	143	3	5	8	14	22	38	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	300	3.4	6	1	1	3	5	7	8	13
B. Operated	3127	4.1	10	1	2	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	549	7.4	88	1	3	5	8	15	22	57
B. Operated	3012	8.0	83	2	3	6	9	16	23	64
1. SINGLE DX	3427	4.0	9	1	2	3	5	7	9	15
2. MULTIPLE DX	3561	7.9	84	2	3	5	9	16	23	63
A. Not Operated	849	6.0	63	1	2	4	7	12	17	37
B. Operated	6139	6.0	49	1	3	4	7	11	17	40
TOTAL										
0-19 YRS	993	3.7	21	1	1	3	4	7	10	26
20-34	1801	4.7	25	1	2	4	6	9	12	22
35-49	1458	5.4	34	2	3	4	6	9	13	32
50-64	1347	6.4	43	2	3	5	8	11	15	38
65 +	1389	9.7	112	2	4	7	12	19	28	78
GRAND TOTAL	**6988**	**6.0**	**51**	**1**	**3**	**4**	**7**	**11**	**17**	**40**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.6	1	1	1	1	2	3	3	3
20-34	13	1.9	1	1	1	2	2	3	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	2.3		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	14	2.2	3	1	1	1	3	5	6	7
20-34	21	2.3	1	1	1	2	3	4	4	5
35-49	14	2.2	2	1	1	2	3	4	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.6	7	< 1	1	2	3	6	6	17
20-34	64	3.6	8	1	2	3	5	7	10	12
35-49	43	4.5	15	1	2	4	6	8	11	22
50-64	38	6.2	24	2	3	5	7	14	18	20
65 +	76	9.1	92	2	3	6	12	22	36	88
B. Operated										
0-19 YRS	26	3.2	9	1	2	2	3	7	12	13
20-34	64	4.5	15	1	2	3	6	11	12	20
35-49	18	9.2	415	1	2	3	4	19	62	88
50-64	21	5.8	79	1	2	3	6	10	27	42
65 +	21	12.2	135	2	5	8	17	28	40	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.9	1	1	1	2	2	3	4	4
B. Operated	50	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	273	5.4	40	1	2	4	6	12	18	37
B. Operated	150	6.1	93	1	2	3	6	12	21	48
1. SINGLE DX	80	2.1	2	1	1	2	3	4	4	6
2. MULTIPLE DX	423	5.7	59	1	2	3	6	12	19	44
A. Not Operated	303	5.1	38	1	2	3	6	12	16	37
B. Operated	200	5.1	73	1	2	3	5	11	15	45
TOTAL										
0-19 YRS	104	2.6	7	1	1	2	3	5	7	15
20-34	162	3.6	10	1	2	3	4	8	11	13
35-49	77	5.1	107	1	2	3	5	9	12	70
50-64	63	5.8	40	1	2	4	7	13	17	39
65 +	97	9.8	102	2	3	6	12	23	36	78
GRAND TOTAL	**503**	**5.1**	**52**	**1**	**2**	**3**	**6**	**11**	**16**	**39**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	3	1	1	2	3	5	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	2	7.0	50	2	2	7	12	12	12	12
B. Operated										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	4.0	3	2	3	4	5	7	7	7
20-34	7	5.9	18	2	2	6	11	73	99 +	99 +
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	1	14.0		14	14	14	14	14	14	14
65 +	7	9.4	55	1	4	9	11	21	24	24
B. Operated										
0-19 YRS	17	16.5	403	2	5	9	20	37	68	83
20-34	18	12.6	99	3	5	10	21	33	73	99 +
35-49	22	16.6	122	3	10	14	25	32	39	43
50-64	5	21.2	413	2	3	25	50	95	99 +	99 +
65 +	4	60.0	503	45	46	51	74	93	93	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.4	10	1	1	2	4	8	12	12
B. Operated	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	24	6.5	28	2	2	5	10	14	43	99 +
B. Operated	66	18.5	332	2	6	14	27	46	84	99 +
1. SINGLE DX	15	3.0	8	1	1	2	3	6	10	12
2. MULTIPLE DX	90	15.3	278	2	4	11	21	43	79	99 +
A. Not Operated	35	5.5	24	1	2	4	9	12	21	99 +
B. Operated	70	17.5	327	2	5	13	26	46	80	99 +
TOTAL										
0-19 YRS	35	9.6	238	1	2	4	9	27	36	83
20-34	26	10.3	85	2	4	9	19	35	99 +	99 +
35-49	25	15.1	126	2	7	14	20	29	38	43
50-64	6	20.0	339	2	6	19	45	90	99 +	99 +
65 +	13	24.6	761	2	7	11	45	63	87	93
GRAND TOTAL	**105**	**13.5**	**258**	**2**	**3**	**9**	**19**	**40**	**58**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	4	2.3	1	< 1	1	2	3	3	3	3
35-49	4	2.3	2	< 1	1	2	3	4	4	4
50-64	0									
65 +	3	4.0	3	2	3	5	5	5	5	5
B. Operated										
0-19 YRS	32	2.1	3	< 1	1	2	3	4	4	9
20-34	137	2.0	2	1	1	2	3	4	5	6
35-49	44	1.8	2	< 1	1	1	2	3	4	6
50-64	23	2.1	8	< 1	< 1	1	2	5	8	14
65 +	15	8.3	550	1	1	2	4	4	71	93
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	9	< 1	1	3	6	7	7	7
20-34	13	2.5	1	1	2	2	3	4	5	5
35-49	4	3.0	3	< 1	1	3	4	5	5	5
50-64	6	3.5	5	1	2	3	5	7	7	7
65 +	10	16.2	710	1	3	6	14	59	88	88
B. Operated										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	41	2.8	2	1	2	3	4	5	5	6
35-49	23	2.1	2	< 1	1	2	3	4	5	5
50-64	19	4.4	23	< 1	1	3	5	10	16	21
65 +	60	7.0	54	1	2	4	10	19	24	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	2	< 1	1	2	3	5	5	5
B. Operated	251	2.4	35	< 1	1	1	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	36	6.6	221	1	2	3	5	8	25	88
B. Operated	151	4.5	29	1	1	3	5	11	19	25
1. SINGLE DX	266	2.4	33	< 1	1	2	3	4	5	9
2. MULTIPLE DX	187	4.9	66	1	1	3	5	11	19	30
A. Not Operated	51	5.4	159	1	2	3	5	7	14	87
B. Operated	402	3.2	34	1	1	2	3	5	9	24
TOTAL										
0-19 YRS	47	2.2	3	< 1	1	2	3	4	5	9
20-34	195	2.2	2	1	1	2	3	4	5	6
35-49	75	2.0	2	< 1	1	1	3	4	5	6
50-64	48	3.2	14	< 1	1	2	4	7	10	21
65 +	88	8.1	208	1	2	4	8	19	26	91
GRAND TOTAL	**453**	**3.4**	**48**	**1**	**1**	**2**	**3**	**5**	**9**	**25**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.8	2	1	1	1	2	4	4	4
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	3	2.3	5	< 1	< 1	< 1	4	5	5	5
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	142	1.8	1	< 1	1	1	3	4	4	5
20-34	232	1.9	2	< 1	1	1	2	4	5	7
35-49	159	2.0	5	< 1	< 1	1	2	4	6	13
50-64	65	2.2	12	< 1	1	1	2	4	6	24
65 +	14	3.1	11	< 1	1	1	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	6	3.7	7	< 1	1	3	5	8	8	8
35-49	4	1.3		< 1	< 1	1	1	2	2	2
50-64	8	5.0	44	< 1	2	2	5	16	21	21
65 +	9	8.8	18	3	6	8	11	15	16	16
B. Operated										
0-19 YRS	143	2.8	8	< 1	1	2	4	5	7	17
20-34	327	2.6	18	< 1	1	1	3	5	7	16
35-49	209	2.3	15	< 1	1	1	2	5	7	14
50-64	190	2.3	6	< 1	< 1	1	2	5	7	13
65 +	99	3.4	15	< 1	1	2	4	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.9	4	< 1	1	3	4	6	7	7
B. Operated	612	2.0	4	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated	30	5.0	25	< 1	2	3	7	12	16	21
B. Operated	968	2.6	13	< 1	1	1	3	5	7	15
1. SINGLE DX	627	2.0	4	< 1	1	1	2	4	5	10
2. MULTIPLE DX	998	2.7	14	< 1	1	1	3	6	8	16
A. Not Operated	45	4.3	19	< 1	1	3	6	10	14	21
B. Operated	1580	2.3	10	< 1	1	1	3	5	7	13
TOTAL										
0-19 YRS	293	2.3	5	< 1	1	2	3	4	5	11
20-34	568	2.4	11	< 1	1	1	3	5	6	11
35-49	375	2.1	11	< 1	< 1	1	2	4	7	13
50-64	265	2.3	8	< 1	< 1	1	2	5	7	16
65 +	124	3.8	16	< 1	1	2	6	9	12	21
GRAND TOTAL	**1625**	**2.4**	**10**	**< 1**	**1**	**1**	**3**	**5**	**7**	**13**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.4	4	< 1	1	1	3	6	7	8
20-34	24	6.5	37	1	2	5	9	15	18	26
35-49	18	5.1	16	1	1	4	7	10	13	15
50-64	6	6.0	16	1	5	5	7	12	13	13
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	97	3.2	17	1	1	1	4	7	13	21
20-34	98	3.0	6	< 1	1	2	4	6	7	13
35-49	64	2.5	→	1	1	2	3	5	6	11
50-64	29	3.0	13	1	1	2	3	7	9	18
65 +	16	3.4	13	1	1	2	5	8	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	6.4	28	1	3	6	8	11	14	28
20-34	73	6.3	25	2	4	6	7	10	13	34
35-49	49	7.3	16	4	5	6	9	13	15	21
50-64	37	8.4	164	1	3	7	8	11	17	81
65 +	22	12.4	84	2	5	11	19	23	30	37
B. Operated										
0-19 YRS	86	6.7	51	1	2	5	8	16	18	40
20-34	108	7.9	95	1	2	5	10	17	21	52
35-49	62	9.2	158	1	2	5	11	23	37	66
50-64	53	8.5	197	1	1	3	9	27	41	99
65 +	65	10.3	145	1	3	7	13	20	36	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	66	4.9	22	1	1	3	7	11	15	24
B. Operated	304	3.0	10	1	1	2	4	6	8	18
2. MULTIPLE DX										
A. Not Operated	209	7.6	56	2	4	6	9	13	19	38
B. Operated	374	8.4	119	1	2	5	10	18	27	67
1. SINGLE DX	370	3.3	13	1	1	2	4	7	10	18
2. MULTIPLE DX	583	8.1	96	1	3	6	9	17	25	61
A. Not Operated	275	6.9	49	1	3	6	8	12	17	35
B. Operated	678	5.9	77	1	1	3	7	15	20	49
TOTAL										
0-19 YRS	228	4.9	33	1	1	3	7	11	16	28
20-34	303	5.8	49	1	2	4	7	13	16	29
35-49	193	6.1	65	1	2	4	7	13	16	48
50-64	125	7.1	139	1	1	4	8	17	27	88
65 +	104	9.6	118	1	2	6	13	20	34	57
GRAND TOTAL	**953**	**6.2**	**69**	**1**	**1**	**4**	**7**	**14**	**19**	**43**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.3	4	1	1	2	3	6	7	7
20-34	13	2.5	3	< 1	1	2	4	5	6	6
35-49	11	1.7		1	1	2	2	3	3	3
50-64	10	3.3	10	1	1	2	4	8	11	11
65 +	4	3.5		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	205	2.9	3	1	2	3	4	5	6	8
20-34	291	3.4	4	1	2	3	5	6	7	9
35-49	99	3.2	3	1	2	3	4	6	6	9
50-64	28	3.3	4	1	2	3	5	6	7	8
65 +	16	4.4	11	1	2	4	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.4	3	< 1	1	2	4	6	6	6
20-34	22	2.7	3	1	1	2	4	5	6	7
35-49	18	2.4	3	< 1	1	2	3	5	6	7
50-64	20	10.4	200	1	3	5	10	24	44	63
65 +	62	8.8	152	2	4	6	9	15	28	81
B. Operated										
0-19 YRS	222	3.3	3	1	2	3	4	5	6	10
20-34	396	4.0	8	1	2	4	5	6	8	14
35-49	159	3.6	5	1	2	3	5	6	8	11
50-64	64	6.4	41	2	3	5	7	13	22	91
65 +	43	8.1	60	2	3	7	10	19	32	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.5	4	1	1	2	3	5	6	11
B. Operated	639	3.2	4	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. Not Operated	137	6.5	108	1	2	4	7	12	22	66
B. Operated	884	4.1	12	1	2	4	5	7	9	21
1. SINGLE DX	685	3.2	4	1	2	3	4	6	6	10
2. MULTIPLE DX	1021	4.4	26	1	2	4	5	7	10	26
A. Not Operated	183	5.5	85	1	2	3	6	10	16	56
B. Operated	1523	3.8	9	1	2	3	5	6	8	14
TOTAL										
0-19 YRS	450	3.1	3	1	2	3	4	5	6	9
20-34	722	3.7	6	1	2	3	5	6	8	12
35-49	287	3.3	4	1	2	3	4	6	7	10
50-64	122	6.1	60	1	2	4	7	12	22	73
65 +	125	7.8	99	2	3	6	9	15	25	89
GRAND TOTAL	**1706**	**3.9**	**17**	**1**	**2**	**3**	**5**	**7**	**9**	**21**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.1	4	1	1	2	5	6	6	6
20-34	172	4.6	12	1	2	4	6	8	11	18
35-49	180	4.5	7	2	3	4	6	8	10	14
50-64	71	5.1	10	2	3	4	6	9	11	18
65 +	24	4.5	7	2	2	3	6	9	9	10
B. Operated										
0-19 YRS	0									
20-34	9	5.1	63	< 1	1	2	5	19	24	24
35-49	16	3.3	10	< 1	1	1	6	8	9	9
50-64	9	4.4	10	1	1	5	7	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	3.7	10	1	1	3	5	7	10	15
20-34	206	5.4	13	2	3	5	7	10	12	21
35-49	268	6.8	44	2	4	5	8	12	15	34
50-64	212	6.6	16	3	4	5	8	11	16	21
65 +	214	7.4	49	3	4	6	10	13	20	99 +
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	27	6.6	31	1	2	6	10	13	17	25
35-49	24	9.8	138	2	4	6	9	21	38	55
50-64	16	11.8	47	4	8	10	16	22	25	26
65 +	14	11.6	37	3	9	15	19	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	465	4.6	9	1	3	4	6	8	10	17
B. Operated	34	4.1	23	< 1	1	2	7	8	11	24
2. MULTIPLE DX										
A. Not Operated	923	6.5	31	2	4	5	8	11	15	28
B. Operated	82	9.4	69	2	4	8	13	22	37	99 +
1. SINGLE DX	499	4.6	10	1	2	4	6	8	10	17
2. MULTIPLE DX	1005	6.7	35	2	4	5	8	12	17	36
A. Not Operated	1388	5.9	25	2	3	5	7	11	14	24
B. Operated	116	7.8	61	1	2	6	11	19	26	99 +
TOTAL										
0-19 YRS	42	3.5	8	1	1	3	5	6	7	15
20-34	414	5.2	15	1	3	4	7	10	12	21
35-49	488	6.0	36	2	3	5	7	11	14	31
50-64	308	6.5	18	2	4	5	8	11	16	22
65 +	252	7.3	46	3	4	6	10	15	21	99 +
GRAND TOTAL	**1504**	**6.0**	**28**	**2**	**3**	**5**	**7**	**11**	**15**	**27**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	2.2	2	1	1	2	3	4	6	7
20-34	120	3.4	6	1	2	3	5	7	9	12
35-49	136	4.5	11	1	2	4	6	9	12	15
50-64	48	5.7	27	1	2	4	7	12	16	27
65 +	13	3.2	3	1	2	3	4	6	7	7
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	1.8	3	< 1	1	1	1	5	7	7
35-49	26	2.1	4	1	1	1	2	6	6	7
50-64	5	1.6	2	< 1	< 1	1	2	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	84	3.2	5	1	1	2	5	7	8	10
20-34	484	5.3	10	2	3	5	7	9	11	17
35-49	378	5.9	15	2	4	5	7	11	13	18
50-64	202	6.2	20	2	4	6	8	10	12	22
65 +	202	6.9	57	2	3	5	8	13	17	40
B. Operated										
0-19 YRS	6	2.3	3	1	1	2	4	5	5	5
20-34	35	4.8	8	1	2	5	7	9	10	11
35-49	34	8.0	66	1	2	6	10	15	27	38
50-64	18	6.4	21	1	3	5	9	13	15	16
65 +	14	14.1	169	2	5	11	19	27	46	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	362	4.0	11	1	2	3	5	8	11	16
B. Operated	51	2.0	3	< 1	1	1	2	6	6	7
2. MULTIPLE DX										
A. Not Operated	1350	5.7	20	2	3	5	7	10	12	21
B. Operated	107	7.2	57	1	2	5	9	13	23	44
1. SINGLE DX	413	3.7	11	1	1	3	5	8	11	15
2. MULTIPLE DX	1457	5.8	23	2	3	5	7	10	13	23
A. Not Operated	1712	5.3	19	1	3	5	7	10	12	20
B. Operated	158	5.5	46	1	1	3	7	12	17	37
TOTAL										
0-19 YRS	136	2.8	4	1	1	2	4	6	7	9
20-34	657	4.8	10	1	2	4	7	8	10	16
35-49	574	5.5	18	1	3	5	7	11	13	19
50-64	273	6.0	21	2	3	5	8	11	13	23
65 +	230	7.2	63	2	3	5	8	14	19	47
GRAND TOTAL	**1870**	**5.4**	**21**	**1**	**2**	**5**	**7**	**10**	**12**	**21**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	3.1	28	1	1	2	3	5	9	29
20-34	35	2.1	1	< 1	1	2	3	4	4	5
35-49	21	2.5	2	< 1	1	2	4	5	5	6
50-64	16	3.2	2	2	2	3	4	5	6	7
65 +	8	2.0	2	1	1	2	3	4	5	5
B. Operated										
0-19 YRS	40	1.5	1	< 1	1	1	2	3	3	6
20-34	239	2.2	2	1	1	2	3	4	5	8
35-49	354	2.4	2	1	1	2	3	4	5	7
50-64	277	3.2	4	1	2	3	4	6	8	12
65 +	89	3.4	5	1	2	3	4	5	6	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.5	5	1	1	2	3	6	8	9
20-34	49	2.5	3	< 1	1	2	3	5	6	7
35-49	49	3.7	12	1	1	3	4	8	10	19
50-64	44	3.6	7	1	2	3	5	7	9	13
65 +	111	7.8	108	1	3	5	11	16	20	95
B. Operated										
0-19 YRS	24	1.9	3	1	1	1	2	3	7	7
20-34	92	2.8	6	1	1	2	4	5	7	13
35-49	157	3.3	8	1	2	2	4	7	9	15
50-64	362	3.5	6	1	2	3	4	6	8	14
65 +	206	5.6	31	2	3	4	7	10	13	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	2.6	9	1	1	2	3	4	5	16
B. Operated	999	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	273	5.0	53	1	2	3	6	12	15	41
B. Operated	841	3.9	13	1	2	3	5	7	10	17
1. SINGLE DX	1106	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1114	4.1	23	1	2	3	5	8	12	20
A. Not Operated	380	4.4	42	1	1	3	5	9	14	27
B. Operated	1840	3.2	8	1	2	3	4	6	8	15
TOTAL										
0-19 YRS	111	2.2	9	< 1	1	1	2	4	6	17
20-34	415	2.4	3	1	1	2	3	5	5	9
35-49	581	2.7	5	1	1	2	3	5	7	12
50-64	699	3.4	5	1	2	3	4	6	8	13
65 +	414	5.7	48	1	2	4	7	12	16	42
GRAND TOTAL	**2220**	**3.4**	**14**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1007	1.3	1	1	1	1	1	2	2	4
20-34	280	1.6	1	1	1	1	2	3	4	7
35-49	82	1.9	2	1	1	1	2	4	5	6
50-64	37	1.4		< 1	1	1	2	2	3	3
65 +	29	1.8	2	1	1	1	2	4	6	6
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	3.5	13	< 1	< 1	3	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1217	1.9	5	1	1	1	2	3	4	10
20-34	1022	2.6	5	1	1	2	3	5	7	12
35-49	419	3.3	10	1	1	2	4	7	9	14
50-64	299	3.8	20	1	1	2	5	8	11	24
65 +	426	6.3	65	1	2	4	7	15	25	55
B. Operated										
0-19 YRS	373	2.9	19	1	1	2	3	5	8	23
20-34	508	3.6	32	1	1	2	4	7	10	25
35-49	196	4.0	23	1	1	3	5	7	11	21
50-64	131	5.0	50	1	2	3	6	10	16	35
65 +	215	8.1	132	1	2	4	9	21	31	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1435	1.4	1	1	1	1	2	2	3	5
B. Operated	5	2.2	5	< 1	1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated	3383	3.0	16	1	1	2	3	6	9	22
B. Operated	1423	4.3	47	1	1	2	4	9	14	40
1. SINGLE DX	1440	1.4	1	1	1	1	2	2	3	5
2. MULTIPLE DX	4806	3.4	26	1	1	2	4	7	10	26
A. Not Operated	4818	2.5	12	1	1	1	3	5	7	19
B. Operated	1428	4.3	47	1	1	2	4	9	14	40
TOTAL										
0-19 YRS	2599	1.8	5	1	1	1	2	3	4	10
20-34	1812	2.8	12	1	1	2	3	5	7	15
35-49	698	3.3	13	1	1	2	4	7	9	15
50-64	467	3.9	27	1	1	2	5	8	12	26
65 +	670	6.7	85	1	2	4	8	16	25	70
GRAND TOTAL	**6246**	**2.9**	**21**	**1**	**1**	**2**	**3**	**6**	**9**	**24**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	9.0		9	9	9	9	9	9	9
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	17.4	72	7	9	19	24	29	30	30
20-34	10	21.8	231	3	18	18	31	73	98	99 +
35-49	1	30.0		30	30	30	30	30	30	30
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	28.3	850	11	11	12	49	62	62	62
B. Operated										
0-19 YRS	25	30.0	396	11	16	25	50	93	99 +	99 +
20-34	37	34.4	354	16	23	39	75	99 +	99 +	99 +
35-49	8	43.1	616	28	30	80	99 +	99 +	99 +	99 +
50-64	5	59.6	318	34	57	65	79	98	99 +	99 +
65 +	4	19.5	346	4	27	99 +	99 +	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	6.0	18	3	3	6	9	9	9	9
B. Operated	1	31.0		31	31	31	31	31	31	31
2. MULTIPLE DX										
A. Not Operated	26	20.4	204	5	10	18	28	51	68	99 +
B. Operated	79	34.8	436	15	23	42	89	99 +	99 +	99 +
1. SINGLE DX	3	14.3	217	3	4	9	25	31	31	31
2. MULTIPLE DX	105	31.2	415	10	19	31	67	99 +	99 +	99 +
A. Not Operated	28	19.4	204	4	9	18	27	46	64	99 +
B. Operated	80	34.7	431	15	23	41	86	99 +	99 +	99 +
TOTAL										
0-19 YRS	38	25.7	324	8	14	23	44	71	99 +	99 +
20-34	48	31.3	353	15	18	33	62	99 +	99 +	99 +
35-49	9	41.7	559	28	30	57	99 +	99 +	99 +	99 +
50-64	6	50.7	733	11	37	65	76	96	99 +	99 +
65 +	7	23.3	479	7	12	62	99 +	99 +	99 +	99 +
GRAND TOTAL	**108**	**30.7**	**415**	**9**	**18**	**30**	**67**	**99 +**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	404	1.8	6	1	1	1	2	3	5	16
20-34	89	2.5	6	1	1	2	3	5	5	16
35-49	33	3.3	10	1	1	2	4	8	11	13
50-64	28	3.3	7	< 1	1	2	4	8	9	11
65 +	16	4.8	23	< 1	1	2	9	12	13	14
B. Operated										
0-19 YRS	29	4.9	15	1	2	4	7	9	14	16
20-34	12	8.9	30	3	5	8	11	16	21	22
35-49	11	7.3	7	4	7	7	9	11	11	11
50-64	15	6.4	14	3	4	5	7	13	15	16
65 +	19	12.2	65	3	7	10	18	24	29	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	557	3.1	29	1	1	1	3	6	10	28
20-34	304	4.8	39	1	1	3	6	11	18	26
35-49	169	6.4	99	1	2	4	7	15	21	98
50-64	139	6.9	59	1	2	4	9	16	26	46
65 +	339	10.8	143	2	4	7	13	23	35	82
B. Operated										
0-19 YRS	205	10.3	195	1	1	5	14	29	47	99 +
20-34	243	12.5	317	1	2	4	17	32	56	89
35-49	112	13.8	338	1	3	7	18	60	76	99 +
50-64	72	15.3	326	2	4	10	17	63	75	99 +
65 +	227	18.4	347	2	6	13	26	57	81	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	570	2.2	7	1	1	1	2	4	7	16
B. Operated	86	7.6	33	2	4	7	10	14	21	29
2. MULTIPLE DX										
A. Not Operated	1508	5.9	75	1	1	3	7	14	21	52
B. Operated	859	13.9	307	1	2	8	18	43	68	99 +
1. SINGLE DX	656	2.9	14	1	1	1	3	7	10	21
2. MULTIPLE DX	2367	8.8	174	1	2	4	11	24	40	99
A. Not Operated	2078	4.9	60	1	1	2	5	12	18	41
B. Operated	945	13.4	285	1	3	7	17	39	65	99 +
TOTAL										
0-19 YRS	1195	4.0	58	1	1	1	3	9	17	44
20-34	648	7.5	154	1	1	3	7	19	29	68
35-49	325	8.7	183	1	2	4	9	23	55	99 +
50-64	254	8.8	143	1	2	5	11	24	38	99 +
65 +	601	13.5	229	2	4	9	17	34	57	99 +
GRAND TOTAL	**3023**	**7.5**	**146**	**1**	**1**	**3**	**9**	**20**	**32**	**89**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.2	5	1	1	2	2	4	8	10
20-34	28	2.4	1	1	2	2	3	4	4	4
35-49	13	2.1	1	< 1	1	2	3	3	3	3
50-64	6	2.8	1	1	2	3	4	4	4	4
65 +	6	1.8	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	25	6.9	38	3	3	5	8	14	19	31
20-34	59	5.4	11	3	3	4	7	10	12	19
35-49	17	6.1	20	2	3	5	7	13	16	18
50-64	8	4.8	2	3	4	4	5	7	8	8
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	3.7	31	1	1	2	4	6	9	39
20-34	87	4.0	11	1	2	3	5	9	11	17
35-49	89	4.7	14	1	2	3	6	9	12	20
50-64	55	5.8	35	2	3	4	7	10	15	37
65 +	123	8.5	87	2	4	6	10	15	26	50
B. Operated										
0-19 YRS	117	9.1	108	3	4	6	9	18	29	63
20-34	283	10.0	139	3	4	7	11	17	35	91
35-49	149	8.9	52	4	5	7	10	16	25	42
50-64	107	11.2	150	4	5	7	13	22	38	91
65 +	140	15.1	239	4	6	9	17	35	55	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.3	2	1	1	2	3	4	4	9
B. Operated	110	5.9	18	3	3	5	7	11	14	24
2. MULTIPLE DX										
A. Not Operated	412	5.7	44	1	2	4	7	11	15	38
B. Operated	796	10.7	141	3	5	7	12	21	37	75
1. SINGLE DX	180	4.5	15	1	2	3	5	9	12	19
2. MULTIPLE DX	1208	9.0	113	2	4	6	10	17	30	72
A. Not Operated	482	5.2	39	1	2	3	6	10	14	38
B. Operated	906	10.1	129	3	5	7	11	19	34	74
TOTAL										
0-19 YRS	217	6.9	78	1	2	4	8	13	24	48
20-34	457	7.8	98	2	3	5	9	15	21	75
35-49	268	7.0	40	2	3	6	8	13	17	36
50-64	176	8.9	110	2	4	6	10	18	26	81
65 +	270	11.8	176	3	4	8	13	29	38	73
GRAND TOTAL	**1388**	**8.4**	**103**	**2**	**3**	**6**	**9**	**16**	**27**	**71**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	4.3	13	1	1	3	7	9	11	16
20-34	65	3.3	9	1	1	2	5	7	7	18
35-49	15	3.3	7	1	1	2	5	8	8	8
50-64	3	5.0	48	1	1	1	10	13	13	13
65 +	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	61	6.7	11	4	5	6	7	10	13	23
20-34	73	6.5	15	2	4	6	7	10	15	22
35-49	13	5.2	3	3	4	5	6	8	8	8
50-64	11	7.1	14	3	6	6	8	13	16	16
65 +	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	226	5.4	37	1	2	4	7	11	13	21
20-34	231	4.1	31	1	2	3	5	8	10	21
35-49	76	5.1	21	1	2	4	7	12	14	22
50-64	38	5.3	15	1	2	4	7	11	13	15
65 +	76	8.9	159	1	3	6	10	19	26	83
B. Operated										
0-19 YRS	265	12.4	140	5	6	8	13	26	39	59
20-34	465	13.9	188	5	7	9	15	31	47	99 +
35-49	184	14.0	207	5	7	9	15	29	47	96
50-64	88	15.9	211	6	8	11	19	46	96	99 +
65 +	82	19.1	329	4	8	13	25	59	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	3.9	11	1	1	3	5	8	10	17
B. Operated	160	6.5	13	3	5	6	7	10	14	22
2. MULTIPLE DX										
A. Not Operated	647	5.3	48	1	2	3	7	11	13	23
B. Operated	1084	14.1	194	5	7	9	16	33	50	99 +
1. SINGLE DX	371	5.0	14	1	2	5	7	9	11	20
2. MULTIPLE DX	1731	10.8	158	2	4	8	12	23	40	98
A. Not Operated	858	5.0	39	1	2	3	7	10	13	22
B. Operated	1244	13.1	177	5	6	9	14	29	46	99 +
TOTAL										
0-19 YRS	677	8.1	83	1	3	6	9	14	23	50
20-34	834	9.7	138	1	3	7	11	20	34	87
35-49	288	10.7	158	2	4	8	12	23	36	87
50-64	140	12.1	162	2	6	9	15	38	61	99 +
65 +	163	13.9	267	2	4	9	17	35	64	99 +
GRAND TOTAL	**2102**	**9.8**	**137**	**1**	**3**	**7**	**11**	**20**	**34**	**86**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.5	3	< 1	< 1	2	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.0	18	1	1	4	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	98	2.3	4	1	1	1	3	5	6	9
20-34	68	2.8	5	1	1	2	4	5	7	12
35-49	23	2.7	3	1	1	3	4	6	6	6
50-64	4	2.8	2	1	2	3	4	4	4	4
65 +	6	3.0	6	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.8	8	< 1	1	4	5	8	10	10
20-34	9	2.4	3	< 1	1	2	3	5	6	6
35-49	6	3.8	8	1	2	3	4	9	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	5	7.0	114	1	2	2	9	26	26	26
B. Operated										
0-19 YRS	139	3.5	22	1	1	2	5	7	8	22
20-34	114	3.6	8	1	2	3	4	6	9	18
35-49	48	3.6	8	1	2	3	5	8	10	12
50-64	28	4.3	25	1	1	3	5	10	17	22
65 +	45	4.6	23	1	1	3	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.8	4	< 1	1	2	4	5	7	7
B. Operated	199	2.6	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	32	3.8	22	< 1	1	3	4	7	10	26
B. Operated	374	3.7	16	1	1	3	5	7	10	20
1. SINGLE DX	210	2.6	4	1	1	2	4	5	6	9
2. MULTIPLE DX	406	3.7	17	1	1	3	5	7	10	21
A. Not Operated	43	3.5	17	< 1	1	2	4	6	9	26
B. Operated	573	3.3	12	1	1	2	4	6	8	19
TOTAL										
0-19 YRS	253	3.0	14	1	1	2	4	6	8	12
20-34	193	3.2	7	1	1	3	4	6	7	15
35-49	78	3.3	6	1	1	3	4	6	9	12
50-64	36	4.0	20	1	1	3	5	7	15	22
65 +	56	4.7	28	1	1	3	6	10	18	26
GRAND TOTAL	**616**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.3	3	< 1	1	2	3	5	6	7
20-34	37	2.1	5	< 1	1	1	2	4	8	11
35-49	8	2.3	1	1	2	2	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	149	2.0	8	< 1	1	1	2	4	6	17
20-34	78	1.9	2	< 1	1	1	3	4	5	8
35-49	18	3.3	10	1	1	2	3	8	11	13
50-64	10	1.5	1	1	1	1	1	3	4	4
65 +	10	2.1	5	< 1	1	1	2	5	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	2.2	3	1	1	2	3	4	5	11
20-34	83	2.4	6	< 1	1	2	3	5	9	13
35-49	36	3.3	10	1	1	2	4	6	11	15
50-64	24	5.1	46	1	1	2	6	19	22	25
65 +	40	4.6	17	1	2	3	6	11	14	17
B. Operated										
0-19 YRS	361	2.5	9	1	1	2	3	5	6	15
20-34	458	3.0	7	1	1	2	4	6	9	13
35-49	181	4.1	30	1	1	2	4	8	13	33
50-64	122	3.6	12	1	1	3	4	7	10	18
65 +	184	6.9	99	1	2	4	8	14	30	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	106	2.2	3	< 1	1	2	3	4	5	10
B. Operated	265	2.0	6	< 1	1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	256	3.1	12	1	1	2	3	6	11	19
B. Operated	1306	3.6	26	1	1	2	4	7	10	29
1. SINGLE DX	371	2.1	5	< 1	1	1	2	4	6	11
2. MULTIPLE DX	1562	3.5	24	1	1	2	4	7	10	26
A. Not Operated	362	2.8	9	< 1	1	2	3	5	9	17
B. Operated	1571	3.4	23	1	1	2	4	7	10	27
TOTAL										
0-19 YRS	641	2.3	7	1	1	2	3	5	6	14
20-34	656	2.8	6	1	1	2	3	6	8	13
35-49	243	3.8	25	1	1	2	4	8	12	28
50-64	158	3.7	16	1	1	2	4	8	12	21
65 +	235	6.3	82	1	2	4	7	13	24	90
GRAND TOTAL	**1933**	**3.3**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	1.6	1	1	1	1	2	3	3	6
20-34	130	1.7	1	< 1	1	1	2	3	4	6
35-49	26	1.6	1	< 1	1	1	2	3	3	4
50-64	10	2.5	3	< 1	2	2	3	5	7	7
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	99	2.2	5	1	1	1	2	5	8	11
20-34	91	3.2	10	1	1	2	4	6	8	19
35-49	33	2.8	7	< 1	1	2	3	6	8	13
50-64	10	3.5	12	< 1	1	2	4	9	12	12
65 +	7	3.6	7	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.6	5	1	1	2	3	6	8	10
20-34	93	2.9	8	1	1	2	4	6	7	17
35-49	35	3.6	6	1	2	3	5	7	9	11
50-64	13	3.5	10	< 1	1	3	5	9	11	11
65 +	7	5.6	8	2	3	6	7	9	10	10
B. Operated										
0-19 YRS	104	4.2	18	1	1	3	6	10	11	23
20-34	164	4.9	20	1	1	4	7	10	14	22
35-49	69	6.7	65	1	3	5	7	12	19	51
50-64	26	7.6	69	1	2	5	7	17	28	35
65 +	9	18.0	359	1	3	9	32	48	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	237	1.7	1	< 1	1	1	2	3	4	7
B. Operated	240	2.8	8	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	200	3.1	7	1	1	2	4	7	8	14
B. Operated	372	5.5	43	1	2	4	7	11	16	37
1. SINGLE DX	477	2.2	5	1	1	1	3	4	7	10
2. MULTIPLE DX	572	4.7	32	1	1	3	6	10	14	29
A. Not Operated	437	2.3	5	1	1	2	3	5	7	10
B. Operated	612	4.5	31	1	1	3	6	9	13	28
TOTAL										
0-19 YRS	324	2.8	9	1	1	2	3	7	9	13
20-34	478	3.3	12	1	1	2	4	7	10	19
35-49	163	4.4	34	1	1	3	5	8	12	37
50-64	59	5.1	39	1	1	3	6	13	17	34
65 +	25	9.2	170	1	2	5	8	30	42	55
GRAND TOTAL	**1049**	**3.6**	**21**	**1**	**1**	**2**	**4**	**8**	**11**	**22**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	2.9	3	1	2	3	4	5	7	9
20-34	170	3.0	4	1	2	3	3	6	6	11
35-49	73	3.0	3	1	2	3	4	5	6	7
50-64	24	3.3	6	1	2	3	4	6	9	12
65 +	12	5.3	15	2	3	4	5	11	15	16
B. Operated										
0-19 YRS	375	2.0	5	1	1	1	2	4	5	11
20-34	549	2.4	7	< 1	1	2	3	5	7	12
35-49	268	2.3	7	< 1	1	1	2	5	7	14
50-64	128	2.1	3	1	1	2	2	5	6	8
65 +	38	3.1	8	< 1	1	2	4	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	3.4	8	1	2	3	4	7	8	15
20-34	140	3.4	5	1	2	3	5	7	8	11
35-49	68	3.9	42	1	2	3	4	6	7	46
50-64	56	4.0	10	1	2	3	5	7	10	21
65 +	55	7.4	70	2	3	5	9	14	19	47
B. Operated										
0-19 YRS	376	3.2	31	1	1	2	4	6	8	22
20-34	700	3.8	32	1	1	2	4	8	13	32
35-49	328	3.6	29	1	1	2	4	8	12	23
50-64	174	4.1	24	1	1	3	4	9	15	25
65 +	108	5.0	40	1	2	3	6	11	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	382	3.1	4	1	2	3	4	5	7	11
B. Operated	1358	2.3	6	< 1	1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	397	4.1	23	1	2	3	5	7	10	21
B. Operated	1686	3.7	31	1	1	2	4	8	11	27
1. SINGLE DX	1740	2.4	6	1	1	2	3	5	7	12
2. MULTIPLE DX	2083	3.8	30	1	1	2	4	8	11	27
A. Not Operated	779	3.6	14	1	2	3	4	6	8	15
B. Operated	3044	3.1	20	1	1	2	3	6	9	21
TOTAL										
0-19 YRS	932	2.7	16	1	1	2	3	5	7	13
20-34	1559	3.2	18	1	1	2	4	6	9	20
35-49	737	3.1	20	1	1	2	3	6	9	20
50-64	382	3.4	15	1	1	2	4	7	9	20
65 +	213	5.3	42	1	2	3	6	11	16	40
GRAND TOTAL	**3823**	**3.2**	**19**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	2.7	3	1	1	2	4	5	6	8
20-34	117	2.7	3	1	1	2	3	5	7	9
35-49	24	3.8	6	1	2	3	5	8	9	10
50-64	13	5.5	15	1	3	4	8	12	14	14
65 +	5	5.0	8	2	2	6	7	8	8	8
B. Operated										
0-19 YRS	268	3.3	13	1	1	2	4	7	9	20
20-34	244	3.7	12	1	1	3	5	8	10	18
35-49	103	3.9	11	1	2	3	5	8	11	17
50-64	27	5.7	48	1	2	4	6	13	17	36
65 +	19	7.4	53	2	2	4	10	19	25	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	4.9	82	2	2	3	5	7	12	64
20-34	65	4.6	19	1	2	3	5	9	14	25
35-49	31	4.8	7	2	2	5	6	8	9	14
50-64	39	7.9	64	2	4	5	9	17	26	42
65 +	45	7.8	37	3	4	7	8	14	21	34
B. Operated										
0-19 YRS	183	7.0	79	1	2	4	8	15	29	44
20-34	252	7.2	87	1	2	4	8	17	28	57
35-49	117	8.2	98	1	3	5	9	19	30	82
50-64	79	10.4	123	2	3	7	13	25	32	60
65 +	95	16.6	232	4	6	13	20	32	53	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	274	3.0	5	1	1	2	4	6	8	10
B. Operated	661	3.7	15	1	1	3	4	8	11	21
2. MULTIPLE DX										
A. Not Operated	247	5.8	47	2	2	4	7	10	15	34
B. Operated	726	8.9	119	1	3	5	11	21	33	67
1. SINGLE DX	935	3.5	12	1	1	2	4	8	9	18
2. MULTIPLE DX	973	8.1	102	1	2	5	9	18	28	62
A. Not Operated	521	4.3	26	1	2	3	5	8	11	26
B. Operated	1387	6.4	76	1	2	4	7	15	23	47
TOTAL										
0-19 YRS	633	4.4	40	1	1	3	5	8	14	36
20-34	678	4.9	42	1	2	3	5	10	17	35
35-49	275	5.8	51	1	2	4	7	12	18	44
50-64	158	8.6	90	2	3	6	10	18	27	50
65 +	164	12.7	170	3	5	9	15	26	34	74
GRAND TOTAL	**1908**	**5.9**	**63**	**1**	**2**	**3**	**6**	**13**	**19**	**43**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.8	19	1	1	3	8	11	14	14
20-34	11	3.1	7	1	1	1	6	7	8	8
35-49	8	3.6	12	1	1	2	6	9	10	10
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	1	6.0		6	6	6	6	6	6	6
65 +	3	3.7	14	1	1	2	6	8	8	8
B. Operated										
0-19 YRS	53	6.2	51	1	2	5	9	13	16	44
20-34	99	10.5	178	1	3	6	12	23	39	71
35-49	47	10.7	296	1	2	5	10	26	60	84
50-64	11	10.9	212	1	2	3	15	34	47	48
65 +	16	14.8	214	2	4	12	19	31	51	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	14	< 1	< 1	4	7	8	8	8
B. Operated	32	3.7	11	1	1	2	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	16	2.4	4	1	1	2	3	6	7	8
B. Operated	226	9.9	178	1	2	6	11	21	37	70
1. SINGLE DX	36	3.7	11	1	1	2	6	8	10	14
2. MULTIPLE DX	242	9.4	170	1	2	5	10	21	35	67
A. Not Operated	20	2.8	6	< 1	1	2	4	7	8	8
B. Operated	258	9.1	162	1	2	5	10	21	34	65
TOTAL										
0-19 YRS	70	5.5	43	1	1	3	8	12	14	40
20-34	114	9.6	161	1	2	6	10	21	35	67
35-49	60	9.1	242	1	2	4	9	16	47	82
50-64	15	8.8	165	1	2	3	10	25	42	48
65 +	19	13.1	197	1	4	9	17	28	47	59
GRAND TOTAL	**278**	**8.7**	**153**	**1**	**2**	**5**	**9**	**20**	**31**	**64**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.9	1	1	1	1	3	4	4	4
20-34	17	1.5	1	< 1	1	1	2	3	4	4
35-49	5	1.2		1	1	1	2	2	2	2
50-64	4	3.3	10	1	1	2	5	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	4	< 1	< 1	2	4	5	5	5
20-34	5	3.6	18	1	1	2	5	11	11	11
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	3	4.7	12	< 1	1	5	7	8	8	8
B. Operated										
0-19 YRS	6	4.5	36	< 1	1	2	6	15	16	16
20-34	17	2.8	10	1	1	2	3	5	11	14
35-49	11	8.6	372	< 1	1	2	4	34	63	66
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	8	21.3	555	1	4	12	36	60	64	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	34	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	13	3.3	10	< 1	1	2	5	9	11	11
B. Operated	44	7.9	231	1	1	2	6	16	55	66
1. SINGLE DX	35	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX	57	6.8	183	1	1	2	5	14	40	66
A. Not Operated	14	3.2	9	< 1	1	2	5	8	10	11
B. Operated	78	5.2	139	1	1	2	3	12	19	65
TOTAL										
0-19 YRS	18	2.9	13	< 1	1	2	3	6	12	16
20-34	39	2.3	7	1	1	1	3	4	9	14
35-49	17	6.0	246	1	1	2	2	10	47	66
50-64	6	3.3	7	1	2	2	5	8	8	8
65 +	12	15.8	421	1	3	7	17	55	63	64
GRAND TOTAL	**92**	**4.9**	**119**	**1**	**1**	**2**	**3**	**11**	**16**	**65**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	4.0	3	2	3	4	5	5	7	10
20-34	41	3.7	5	1	2	4	5	6	6	13
35-49	7	3.7	3	2	2	3	5	6	6	6
50-64	3	2.7	4	1	1	2	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	17.0		17	17	17	17	17	17	17
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	75	3.9	6	1	2	3	5	7	10	10
20-34	37	3.1	3	1	2	3	4	5	6	7
35-49	13	4.1	7	1	2	4	6	8	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	20	6.7	23	2	3	5	12	16	55	99 +
B. Operated										
0-19 YRS	7	6.7	23	1	3	6	9	14	15	15
20-34	8	1.5	2	1	1	1	1	4	5	5
35-49	4	4.5	6	2	3	4	6	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	6.5	22	< 1	2	6	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	3.8	3	2	2	4	5	5	6	11
B. Operated	3	6.7	80	1	1	2	13	17	17	17
2. MULTIPLE DX										
A. Not Operated	146	4.1	8	1	2	4	5	8	10	20
B. Operated	24	4.3	16	1	1	3	7	10	13	15
1. SINGLE DX	135	3.9	5	2	2	4	5	5	6	14
2. MULTIPLE DX	170	4.1	9	1	2	4	5	8	10	17
A. Not Operated	278	4.0	6	1	2	4	5	6	9	14
B. Operated	27	4.6	21	1	1	2	7	12	15	17
TOTAL										
0-19 YRS	164	4.0	5	1	3	4	5	6	9	11
20-34	87	3.2	4	1	2	3	5	5	6	11
35-49	24	4.0	5	1	2	4	5	7	9	10
50-64	6	5.2	37	1	1	3	5	16	17	17
65 +	24	6.6	22	2	3	5	12	15	38	99 +
GRAND TOTAL	**305**	**4.0**	**7**	**1**	**2**	**4**	**5**	**7**	**10**	**16**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	290	1.8	2	1	1	1	2	3	4	7
20-34	176	2.3	4	1	1	2	3	5	6	10
35-49	75	2.3	3	1	1	2	3	5	5	10
50-64	45	2.5	3	1	1	2	3	5	5	9
65 +	55	3.7	14	1	1	2	4	7	14	18
B. Operated										
0-19 YRS	51	2.3	8	< 1	1	1	2	4	10	15
20-34	38	2.7	3	< 1	1	2	3	5	7	8
35-49	25	3.6	9	< 1	1	2	5	9	11	11
50-64	18	3.5	11	< 1	1	2	4	9	11	12
65 +	10	4.8	24	1	2	3	4	12	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	440	2.1	4	1	1	1	2	4	5	11
20-34	458	2.6	6	1	1	2	3	5	7	13
35-49	264	3.1	8	1	1	2	4	6	8	16
50-64	228	4.4	15	1	2	3	6	10	12	18
65 +	909	8.1	95	2	3	5	10	17	27	99 +
B. Operated										
0-19 YRS	57	2.5	8	1	1	1	3	6	7	17
20-34	107	4.0	23	1	2	3	5	7	11	30
35-49	54	5.8	63	1	2	4	7	11	17	53
50-64	57	6.4	34	1	3	5	8	13	19	30
65 +	130	12.9	198	2	5	8	16	30	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	641	2.2	4	1	1	2	3	4	6	10
B. Operated	142	3.0	9	< 1	1	2	3	7	10	15
2. MULTIPLE DX										
A. Not Operated	2299	4.9	49	1	1	3	6	11	16	48
B. Operated	405	7.2	100	1	2	4	8	17	28	86
1. SINGLE DX	783	2.3	5	1	1	2	3	5	7	11
2. MULTIPLE DX	2704	5.3	57	1	1	3	6	12	18	53
A. Not Operated	2940	4.3	40	1	1	2	5	9	14	36
B. Operated	547	6.1	80	1	2	3	7	14	22	58
TOTAL										
0-19 YRS	838	2.0	4	1	1	1	2	4	5	10
20-34	779	2.7	8	1	1	2	3	6	7	14
35-49	418	3.4	15	1	1	2	4	7	9	18
50-64	348	4.4	17	1	2	3	6	10	13	23
65 +	1104	8.4	106	2	3	5	10	18	29	99 +
GRAND TOTAL	**3487**	**4.6**	**47**	**1**	**1**	**2**	**5**	**10**	**15**	**42**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.6	1	1	1	1	2	3	3	4
20-34	22	2.1	5	1	1	2	2	4	7	11
35-49	6	4.5	44	1	2	2	2	16	18	18
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	11	7.4	52	1	1	4	13	18	22	22
20-34	33	4.9	37	1	2	2	4	16	18	27
35-49	10	3.4	8	1	1	2	4	8	9	9
50-64	4	4.5	27	1	1	3	8	12	12	12
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.9	5	1	1	2	4	7	7	7
20-34	16	3.9	19	1	2	3	3	9	15	18
35-49	17	3.9	12	1	2	3	6	7	12	15
50-64	6	4.3	5	1	2	5	6	7	7	7
65 +	6	6.3	7	2	5	6	8	10	10	10
B. Operated										
0-19 YRS	23	8.1	174	1	1	3	11	20	35	62
20-34	53	5.7	34	1	2	4	7	14	19	26
35-49	28	6.2	38	1	2	4	8	17	19	22
50-64	22	4.1	11	1	2	3	5	9	12	13
65 +	9	17.7	676	1	2	6	23	64	74	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.2	7	1	1	2	2	3	5	18
B. Operated	59	5.2	34	1	1	3	7	15	17	27
2. MULTIPLE DX										
A. Not Operated	59	4.0	12	1	2	3	6	8	10	18
B. Operated	135	6.8	102	1	2	4	7	16	20	64
1. SINGLE DX	115	3.7	23	1	1	2	3	10	16	24
2. MULTIPLE DX	194	5.9	76	1	2	3	7	14	19	56
A. Not Operated	115	3.1	10	1	1	2	3	7	9	18
B. Operated	194	6.3	81	1	2	3	7	16	20	56
TOTAL										
0-19 YRS	74	4.7	69	1	1	2	4	12	19	52
20-34	124	4.6	29	1	1	2	5	12	17	26
35-49	61	5.0	27	1	2	3	6	14	18	22
50-64	33	4.1	11	1	2	3	5	8	12	13
65 +	17	12.4	375	2	2	6	9	42	65	74
GRAND TOTAL	**309**	**5.1**	**57**	**1**	**1**	**2**	**6**	**12**	**18**	**36**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	444	1.3	1	< 1	< 1	1	1	2	3	5
20-34	59	1.2		< 1	< 1	1	1	2	2	5
35-49	61	1.2		< 1	1	1	1	2	3	4
50-64	59	1.4	2	< 1	1	1	1	2	3	10
65 +	48	1.4	1	< 1	1	1	2	2	3	5
B. Operated										
0-19 YRS	136	1.8	2	< 1	1	1	2	3	4	7
20-34	18	3.8	17	< 1	1	2	6	11	13	14
35-49	10	3.7	13	< 1	1	3	4	9	13	13
50-64	6	5.0	16	< 1	< 1	4	9	10	10	10
65 +	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	1.8	2	< 1	1	1	2	4	5	7
20-34	50	3.0	6	< 1	1	2	4	7	9	10
35-49	44	2.1	3	< 1	1	1	3	5	6	8
50-64	73	2.9	7	1	1	2	4	7	8	12
65 +	161	3.7	15	1	1	2	5	8	10	21
B. Operated										
0-19 YRS	71	3.8	18	1	1	2	4	10	12	23
20-34	19	12.3	393	< 1	2	6	10	37	66	81
35-49	28	5.3	33	1	2	4	6	11	18	28
50-64	31	4.4	23	< 1	1	2	5	11	16	19
65 +	80	7.1	144	1	2	3	10	14	17	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	671	1.3	1	< 1	< 1	1	1	2	3	5
B. Operated	176	2.2	5	< 1	1	1	2	4	7	12
2. MULTIPLE DX										
A. Not Operated	438	2.8	9	1	1	2	4	7	8	13
B. Operated	229	5.9	99	1	1	2	8	13	17	54
1. SINGLE DX	847	1.5	2	< 1	1	1	1	2	4	8
2. MULTIPLE DX	667	3.9	42	1	1	2	4	9	12	24
A. Not Operated	1109	1.9	4	< 1	1	1	2	4	6	10
B. Operated	405	4.3	61	< 1	1	2	4	10	13	32
TOTAL										
0-19 YRS	761	1.7	3	< 1	1	1	2	3	4	10
20-34	146	3.6	65	< 1	1	1	3	8	10	48
35-49	143	2.5	11	< 1	1	1	3	5	7	18
50-64	169	2.7	10	< 1	1	1	3	7	10	15
65 +	295	4.2	51	1	1	2	5	10	13	25
GRAND TOTAL	**1514**	**2.5**	**21**	**<1**	**1**	**1**	**2**	**5**	**9**	**17**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.7	6	2	2	3	4	8	9	9
20-34	5	5.2	45	1	1	3	7	17	17	17
35-49	3	5.0	7	2	3	6	7	7	7	7
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	35	5.5	24	1	2	4	8	14	16	17
20-34	26	8.5	65	1	3	5	11	23	26	29
35-49	22	7.4	55	2	2	4	11	21	24	25
50-64	6	9.8	64	3	4	6	16	22	23	23
65 +	3	5.0	48	1	1	1	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	5.6	26	1	2	3	8	15	16	19
20-34	24	3.8	11	1	1	3	5	8	10	14
35-49	11	8.4	146	2	2	4	9	25	41	43
50-64	15	8.1	31	1	3	7	12	16	18	19
65 +	15	14.5	116	6	7	13	24	88	99 +	99 +
B. Operated										
0-19 YRS	107	17.0	209	3	7	12	24	38	49	90
20-34	103	17.0	278	2	7	12	22	48	69	99 +
35-49	74	21.6	320	5	9	16	34	55	80	99 +
50-64	68	22.5	424	3	9	16	30	52	67	99 +
65 +	74	23.4	308	7	10	20	34	51	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	4.7	17	1	2	3	6	9	15	17
B. Operated	92	7.1	46	1	2	4	11	17	23	27
2. MULTIPLE DX										
A. Not Operated	118	6.9	54	1	2	5	10	16	20	99 +
B. Operated	426	19.8	301	3	8	14	28	48	65	99 +
1. SINGLE DX	108	6.7	42	1	2	4	10	17	23	27
2. MULTIPLE DX	544	17.0	276	2	6	12	24	43	63	99 +
A. Not Operated	134	6.7	50	1	2	4	9	16	19	99 +
B. Operated	518	17.5	280	2	6	13	24	42	61	99 +
TOTAL										
0-19 YRS	202	11.5	155	1	3	8	16	28	39	71
20-34	158	13.2	222	1	3	10	17	33	55	99 +
35-49	110	17.0	283	2	5	12	25	44	63	99 +
50-64	89	19.2	367	2	7	14	23	47	65	99 +
65 +	93	21.2	284	6	9	18	32	51	80	99 +
GRAND TOTAL	**652**	**15.3**	**251**	**2**	**4**	**11**	**21**	**39**	**55**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	3.6	9	1	1	3	5	8	10	13
20-34	67	3.2	7	1	1	2	4	7	9	11
35-49	32	3.0	8	1	1	2	3	7	8	14
50-64	13	3.3	9	1	2	2	3	8	11	12
65 +	9	6.0	32	2	2	5	6	15	20	20
B. Operated										
0-19 YRS	45	6.9	67	1	1	4	9	17	20	44
20-34	28	6.6	28	1	2	5	10	14	18	20
35-49	13	5.5	30	1	1	3	8	13	19	20
50-64	5	15.6	14	12	13	14	19	21	21	21
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	319	4.8	20	1	2	3	7	11	15	21
20-34	178	3.6	9	1	1	3	5	7	10	15
35-49	98	5.3	37	1	2	3	5	14	21	29
50-64	50	5.3	24	1	1	3	8	11	16	21
65 +	52	10.8	123	2	4	7	15	28	35	99
B. Operated										
0-19 YRS	128	8.5	41	2	4	7	11	17	22	31
20-34	88	10.2	145	1	3	7	11	25	36	60
35-49	66	9.6	67	2	3	8	14	19	26	90
50-64	43	11.0	129	2	5	9	13	21	52	99 +
65 +	36	14.9	204	2	4	11	28	45	82	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	3.5	9	1	1	2	5	8	10	13
B. Operated	92	7.1	50	1	2	4	11	17	20	37
2. MULTIPLE DX										
A. Not Operated	697	5.0	31	1	2	3	7	11	16	28
B. Operated	361	10.0	100	2	4	7	13	21	35	94
1. SINGLE DX	390	4.3	21	1	1	3	6	10	12	20
2. MULTIPLE DX	1058	6.8	60	1	2	4	9	15	21	51
A. Not Operated	995	4.6	25	1	1	3	6	10	14	24
B. Operated	453	9.5	91	2	3	7	12	20	32	62
TOTAL										
0-19 YRS	669	5.3	27	1	2	4	7	12	16	24
20-34	361	5.3	51	1	2	3	7	11	15	36
35-49	209	6.3	47	1	2	4	8	15	21	40
50-64	111	7.7	74	1	2	5	11	17	21	76
65 +	98	11.8	148	2	4	8	17	34	50	99 +
GRAND TOTAL	**1448**	**6.1**	**50**	**1**	**2**	**4**	**8**	**14**	**19**	**44**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	3	1	1	2	4	5	5	5
20-34	14	3.8	6	1	2	3	5	8	9	9
35-49	12	4.0	6	1	2	4	6	7	9	9
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	4	7.5	14	5	5	6	10	13	13	13
B. Operated										
0-19 YRS	28	2.3	9	< 1	1	1	2	5	7	16
20-34	54	1.8	2	1	1	1	2	4	4	6
35-49	31	2.7	15	< 1	1	1	3	6	13	18
50-64	7	1.3		< 1	< 1	1	2	2	2	2
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	3.9	11	1	2	3	5	9	11	13
20-34	32	6.0	55	1	3	4	6	9	28	35
35-49	26	6.7	53	1	2	3	9	13	20	35
50-64	12	8.6	36	3	3	7	13	17	20	20
65 +	32	13.0	141	4	6	8	17	27	38	57
B. Operated										
0-19 YRS	96	3.3	59	< 1	1	1	2	6	14	78
20-34	139	3.1	35	1	1	2	3	6	8	36
35-49	63	3.7	31	1	1	2	4	8	21	91
50-64	31	10.3	492	< 1	1	1	5	25	74	98
65 +	21	23.0	743	1	3	13	39	88	95	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.7	7	1	1	3	5	6	9	13
B. Operated	122	2.1	7	< 1	1	1	2	4	6	17
2. MULTIPLE DX										
A. Not Operated	125	7.8	76	1	3	6	9	17	26	43
B. Operated	350	5.1	145	1	1	2	3	8	30	98
1. SINGLE DX	170	2.6	7	1	1	1	3	6	6	15
2. MULTIPLE DX	475	5.8	128	1	1	2	6	15	29	91
A. Not Operated	173	6.6	60	1	2	4	8	14	20	38
B. Operated	472	4.3	111	1	1	1	3	7	22	91
TOTAL										
0-19 YRS	162	3.1	38	< 1	1	1	3	6	10	53
20-34	239	3.3	30	1	1	2	3	6	8	35
35-49	132	4.1	31	1	1	2	5	10	17	46
50-64	53	8.3	302	< 1	1	2	6	23	27	97
65 +	59	15.8	367	1	5	8	20	40	72	99
GRAND TOTAL	**645**	**5.0**	**98**	**1**	**1**	**2**	**4**	**10**	**21**	**77**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	2.0	7	1	1	1	2	3	4	13
20-34	107	2.3	5	1	1	2	2	4	5	15
35-49	46	2.6	12	1	1	2	3	6	7	23
50-64	20	2.8	11	1	1	2	3	4	10	16
65 +	13	3.0	4	1	2	2	4	6	7	7
B. Operated										
0-19 YRS	28	5.3	56	< 1	1	2	5	15	23	33
20-34	37	4.2	14	1	2	3	5	8	13	18
35-49	11	1.9	2	< 1	1	1	3	4	4	4
50-64	9	1.8	1	< 1	1	1	2	4	4	4
65 +	5	4.4	6	2	3	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	179	3.1	13	1	1	2	3	6	10	20
20-34	216	3.1	8	1	1	2	4	6	10	15
35-49	117	3.9	11	1	2	3	5	9	10	17
50-64	84	4.5	15	1	2	3	6	11	13	17
65 +	193	8.6	66	2	3	6	11	19	27	47
B. Operated										
0-19 YRS	59	8.4	109	1	2	4	11	19	30	55
20-34	111	7.3	90	1	2	4	8	18	24	53
35-49	63	10.6	146	1	2	5	18	32	46	99 +
50-64	33	9.7	51	2	5	8	13	22	29	99 +
65 +	61	14.3	224	2	4	10	17	38	48	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	2.3	7	1	1	2	2	4	6	16
B. Operated	90	4.0	25	1	1	2	4	8	14	29
2. MULTIPLE DX										
A. Not Operated	789	4.7	30	1	2	3	6	11	14	29
B. Operated	327	9.7	130	1	3	5	13	25	36	76
1. SINGLE DX	410	2.7	11	1	1	2	3	5	8	20
2. MULTIPLE DX	1116	6.2	64	1	2	3	7	14	22	47
A. Not Operated	1109	4.0	24	1	1	2	4	9	13	27
B. Operated	417	8.5	113	1	2	4	11	21	32	66
TOTAL										
0-19 YRS	400	3.7	32	1	1	2	4	8	13	32
20-34	471	4.0	31	1	1	2	4	8	13	26
35-49	237	5.4	57	1	2	3	6	14	23	64
50-64	146	5.3	27	1	2	3	7	13	17	32
65 +	272	9.6	105	2	3	6	11	21	30	57
GRAND TOTAL	**1526**	**5.2**	**52**	**1**	**1**	**3**	**6**	**12**	**19**	**42**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	899	1.7	3	< 1	1	1	2	3	4	7
20-34	315	1.7	1	< 1	1	1	2	3	4	8
35-49	110	1.8	2	< 1	1	1	2	3	4	10
50-64	36	1.9	2	1	1	1	3	4	5	6
65 +	18	2.8	12	1	1	1	2	8	11	13
B. Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1542	2.9	18	1	1	2	3	5	8	19
20-34	2005	3.4	25	1	1	2	4	7	11	25
35-49	1101	3.9	31	1	1	2	4	9	13	29
50-64	456	5.1	33	1	2	3	6	11	16	28
65 +	655	7.4	77	2	3	5	9	15	20	54
B. Operated										
0-19 YRS	19	6.0	29	1	2	4	9	14	18	21
20-34	55	10.8	245	2	3	6	13	34	75	99 +
35-49	52	14.1	208	1	3	9	21	42	52	99
50-64	31	13.2	198	1	4	7	21	32	34	65
65 +	54	16.5	288	4	7	13	23	63	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1378	1.7	3	< 1	1	1	2	3	4	8
B. Operated	5	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	5759	4.0	33	1	1	2	4	9	13	28
B. Operated	211	13.0	226	2	4	8	19	35	68	99 +
1. SINGLE DX	1383	1.7	3	< 1	1	1	2	3	4	8
2. MULTIPLE DX	5970	4.3	42	1	1	2	4	9	15	34
A. Not Operated	7137	3.5	28	1	1	2	4	7	12	26
B. Operated	216	12.7	224	1	3	7	18	34	67	99 +
TOTAL										
0-19 YRS	2463	2.4	13	< 1	1	1	3	4	7	17
20-34	2376	3.4	28	1	1	2	3	7	11	27
35-49	1264	4.2	40	1	1	2	4	10	15	38
50-64	523	5.4	45	1	2	3	6	12	17	33
65 +	727	8.0	97	1	3	5	9	17	24	72
GRAND TOTAL	**7353**	**3.8**	**36**	**1**	**1**	**2**	**4**	**8**	**13**	**31**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	435	2.7	6	1	1	1	5	6	7	10
20-34	123	1.4	1	< 1	1	1	2	2	4	5
35-49	77	1.4	1	< 1	1	1	1	2	4	6
50-64	23	1.4	1	< 1	1	1	2	2	4	5
65 +	9	1.8	1	1	1	1	2	4	4	4
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	304	3.6	21	< 1	1	2	5	7	10	24
20-34	235	3.2	14	1	1	2	4	7	10	19
35-49	171	3.1	18	< 1	1	2	3	6	9	26
50-64	104	3.4	14	1	1	2	4	7	10	21
65 +	121	5.8	75	1	1	3	6	13	31	99 +
B. Operated										
0-19 YRS	17	10.8	212	1	2	5	22	48	82	99 +
20-34	15	4.0	12	< 1	2	2	7	8	12	13
35-49	13	14.9	687	1	2	3	16	43	87	97
50-64	9	10.6	77	2	3	7	20	23	24	24
65 +	16	16.4	376	3	4	8	38	92	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	667	2.3	4	< 1	1	1	3	6	6	9
B. Operated	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	935	3.6	25	1	1	2	4	7	12	30
B. Operated	70	11.4	282	1	2	5	16	38	93	99 +
1. SINGLE DX	671	2.2	4	< 1	1	1	3	6	6	9
2. MULTIPLE DX	1005	4.2	47	1	1	2	5	8	15	45
A. Not Operated	1602	3.1	17	1	1	2	4	6	8	22
B. Operated	74	10.8	271	1	2	5	15	36	89	99 +
TOTAL										
0-19 YRS	757	3.2	18	1	1	2	5	6	8	23
20-34	373	2.6	10	1	1	1	3	6	8	18
35-49	263	3.2	51	< 1	1	1	3	5	9	30
50-64	136	3.5	19	1	1	2	4	7	14	24
65 +	147	6.6	113	1	1	3	7	18	43	99 +
GRAND TOTAL	**1676**	**3.4**	**31**	**1**	**1**	**2**	**4**	**7**	**10**	**31**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	156	2.3	10	< 1	1	1	2	4	6	21
20-34	99	2.2	4	1	1	1	2	4	7	10
35-49	58	2.1	8	1	1	1	2	4	4	19
50-64	33	2.5	8	< 1	1	2	2	5	9	15
65 +	29	1.9	1	1	1	2	3	3	4	99 +
B. Operated										
0-19 YRS	5	8.8	53	2	4	7	12	21	21	21
20-34	5	6.8	61	1	1	2	13	18	18	18
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	17.0	392	3	3	17	31	31	31	31
65 +	3	2.3	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	293	3.8	31	1	1	2	4	8	13	24
20-34	201	3.2	12	1	1	2	4	7	10	19
35-49	224	3.9	34	1	1	2	4	7	11	36
50-64	270	5.0	45	1	2	3	6	10	13	39
65 +	686	6.9	57	2	3	5	9	14	19	62
B. Operated										
0-19 YRS	34	9.9	355	1	1	2	15	43	99	99 +
20-34	33	6.8	108	1	1	2	11	35	85	99 +
35-49	34	7.5	111	1	1	2	11	21	29	48
50-64	52	10.5	357	1	1	3	11	36	70	99 +
65 +	100	17.3	384	1	4	12	23	63	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	2.2	7	1	1	1	2	4	7	20
B. Operated	16	7.5	78	1	2	3	10	21	28	31
2. MULTIPLE DX										
A. Not Operated	1674	5.2	44	1	2	3	6	11	15	38
B. Operated	253	12.2	316	1	1	6	17	45	78	99 +
1. SINGLE DX	391	2.4	11	1	1	1	2	4	8	21
2. MULTIPLE DX	1927	6.1	85	1	2	3	7	13	21	73
A. Not Operated	2049	4.7	39	1	1	3	6	10	14	32
B. Operated	269	12.0	303	1	1	5	17	39	75	99 +
TOTAL										
0-19 YRS	488	3.8	50	1	1	2	4	8	15	41
20-34	338	3.3	21	1	1	2	3	8	11	35
35-49	317	3.9	39	1	1	2	4	8	12	37
50-64	357	5.6	92	1	1	3	6	12	17	68
65 +	818	8.0	108	1	3	5	10	17	27	99 +
GRAND TOTAL	**2318**	**5.5**	**75**	**1**	**1**	**3**	**6**	**12**	**19**	**69**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	8.0	51	1	2	6	12	20	23	26
20-34	23	3.7	10	1	1	3	6	7	10	14
35-49	19	4.5	13	< 1	2	3	7	11	12	13
50-64	25	4.2	17	1	1	3	5	12	14	15
65 +	39	4.3	17	1	2	3	5	10	14	18
B. Operated										
0-19 YRS	162	4.7	24	1	2	3	6	9	14	28
20-34	154	4.3	38	1	1	2	5	9	14	36
35-49	140	4.0	22	< 1	1	2	5	11	14	22
50-64	181	5.5	24	1	2	4	9	12	15	22
65 +	382	5.7	48	1	2	3	8	14	17	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	293	6.9	52	1	2	4	9	15	20	28
20-34	100	5.9	42	1	3	4	7	10	20	36
35-49	121	7.6	81	1	2	5	9	15	20	50
50-64	174	6.3	24	1	3	5	9	13	15	23
65 +	427	7.7	73	1	2	5	10	17	26	64
B. Operated										
0-19 YRS	1034	8.8	137	1	2	5	10	20	29	73
20-34	544	7.9	89	1	2	4	11	19	26	71
35-49	784	8.2	97	1	2	5	10	19	29	56
50-64	1614	9.6	127	1	3	6	12	21	34	64
65 +	3219	11.0	173	1	3	7	14	26	38	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	130	4.9	23	1	1	3	7	12	14	23
B. Operated	1019	5.0	35	1	1	3	6	12	16	30
2. MULTIPLE DX										
A. Not Operated	1115	7.1	58	1	2	5	9	15	22	45
B. Operated	7195	9.8	144	1	3	6	12	22	35	76
1. SINGLE DX	1149	5.0	34	1	1	3	6	12	15	28
2. MULTIPLE DX	8310	9.5	133	1	2	6	12	22	33	73
A. Not Operated	1245	6.9	55	1	2	5	9	15	21	43
B. Operated	8214	9.2	133	1	2	5	12	21	33	72
TOTAL										
0-19 YRS	1513	7.9	109	1	2	4	9	18	26	66
20-34	821	6.9	74	1	2	4	9	16	24	48
35-49	1064	7.5	86	1	2	4	9	17	25	52
50-64	1994	8.9	110	1	2	6	11	19	29	60
65 +	4067	10.1	152	1	2	6	13	23	36	83
GRAND TOTAL	**9459**	**8.9**	**123**	**1**	**2**	**5**	**11**	**20**	**31**	**69**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	1.6	2	< 1	1	1	2	3	4	8
20-34	66	1.8	2	1	1	1	2	3	4	8
35-49	47	2.2	2	1	1	2	3	4	5	8
50-64	63	3.1	4	1	2	3	4	5	6	11
65 +	79	3.6	5	1	2	3	5	6	7	14
B. Operated										
0-19 YRS	160	1.6	2	< 1	1	1	2	3	4	6
20-34	101	2.5	7	< 1	1	2	3	5	6	16
35-49	67	2.5	5	1	1	2	3	5	7	12
50-64	35	2.7	4	1	1	2	4	6	7	9
65 +	32	5.0	41	1	2	3	6	10	13	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	1.8	1	1	1	1	2	3	4	8
20-34	70	2.5	5	1	1	2	3	5	6	14
35-49	71	2.8	5	1	1	2	4	6	8	11
50-64	118	3.5	5	1	2	3	5	6	7	12
65 +	297	4.4	9	1	2	4	5	9	10	16
B. Operated										
0-19 YRS	105	2.1	6	1	1	1	2	4	6	15
20-34	133	4.3	63	1	1	2	5	9	16	45
35-49	125	3.0	9	1	1	2	3	7	9	13
50-64	148	3.3	9	1	1	2	4	7	10	15
65 +	367	4.7	30	1	1	3	6	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	2.4	4	1	1	2	3	5	5	10
B. Operated	395	2.4	8	< 1	1	1	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	614	3.6	7	1	2	3	5	7	9	14
B. Operated	878	3.9	26	1	1	2	5	9	12	22
1. SINGLE DX	742	2.4	6	1	1	2	3	5	6	11
2. MULTIPLE DX	1492	3.8	18	1	1	3	5	8	11	20
A. Not Operated	961	3.2	6	1	1	3	4	6	8	13
B. Operated	1273	3.4	21	1	1	2	4	7	11	21
TOTAL										
0-19 YRS	415	1.8	3	< 1	1	1	2	3	4	9
20-34	370	3.0	27	1	1	2	3	6	8	26
35-49	310	2.7	6	1	1	2	3	6	8	12
50-64	364	3.3	6	1	1	3	4	6	8	13
65 +	775	4.5	20	1	2	3	5	9	13	20
GRAND TOTAL	**2234**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	53	5.1	13	2	2	5	7	9	13	18
20-34	74	4.8	11	2	2	4	6	9	11	18
35-49	58	5.2	10	2	3	5	6	8	12	16
50-64	58	6.2	22	2	3	5	8	12	15	27
65 +	23	6.0	10	2	4	5	8	9	13	15
B. Operated										
0-19 YRS	50	6.7	29	2	3	5	9	12	15	34
20-34	70	6.3	24	1	3	5	8	13	16	25
35-49	31	8.5	36	3	5	7	11	20	24	24
50-64	39	8.4	36	3	4	7	11	19	23	24
65 +	35	9.1	41	2	5	7	11	18	22	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	6.2	18	2	3	5	8	11	14	21
20-34	130	6.0	39	2	3	5	7	10	13	36
35-49	139	7.4	28	3	4	6	9	13	17	28
50-64	169	8.4	49	3	4	6	10	16	18	47
65 +	268	9.6	63	3	5	8	12	17	21	63
B. Operated										
0-19 YRS	83	15.6	209	3	6	11	24	32	38	79
20-34	122	12.8	162	2	5	8	16	32	38	58
35-49	173	14.4	212	3	6	10	16	32	48	72
50-64	252	14.2	142	4	6	11	18	33	41	98
65 +	392	17.2	216	4	7	13	23	37	48	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	5.3	13	2	3	5	7	10	12	18
B. Operated	225	7.5	32	2	4	6	9	15	20	27
2. MULTIPLE DX										
A. Not Operated	793	8.0	47	3	4	6	10	15	19	36
B. Operated	1022	15.3	192	3	6	11	20	34	44	82
1. SINGLE DX	491	6.3	23	2	3	5	8	12	16	24
2. MULTIPLE DX	1815	12.1	142	3	5	8	15	27	37	72
A. Not Operated	1059	7.3	40	2	4	6	9	14	17	31
B. Operated	1247	13.9	172	3	6	10	18	32	41	78
TOTAL										
0-19 YRS	273	8.9	96	2	3	6	10	18	29	48
20-34	396	7.9	79	2	3	5	9	16	24	44
35-49	401	10.2	119	3	4	7	12	22	30	64
50-64	518	11.0	100	3	5	8	14	23	34	67
65 +	718	13.6	159	4	6	10	16	29	39	79
GRAND TOTAL	**2306**	**10.9**	**122**	**3**	**4**	**7**	**13**	**24**	**33**	**67**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.5	4	< 1	1	2	4	5	7	9
20-34	47	3.5	7	1	1	3	5	8	10	11
35-49	39	3.6	8	1	1	3	5	8	10	12
50-64	30	4.7	13	1	1	4	7	10	11	12
65 +	24	5.8	73	1	2	3	7	10	21	43
B. Operated										
0-19 YRS	46	4.8	31	< 1	1	2	7	12	20	23
20-34	65	4.4	23	1	1	3	6	9	12	26
35-49	59	5.6	25	1	2	4	9	12	17	22
50-64	46	5.4	16	1	2	4	8	11	13	17
65 +	55	4.6	35	< 1	1	3	6	10	12	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	3.4	14	1	1	2	4	8	11	22
20-34	158	4.2	13	1	1	3	6	8	11	20
35-49	190	5.1	25	1	1	3	7	11	15	25
50-64	260	5.7	28	1	2	4	8	11	15	24
65 +	453	7.5	60	1	3	6	9	16	20	38
B. Operated										
0-19 YRS	260	4.7	59	1	1	1	5	13	21	96
20-34	486	3.4	40	1	1	1	3	8	13	37
35-49	578	5.3	61	1	1	2	7	14	19	41
50-64	646	8.2	133	1	1	4	10	22	35	59
65 +	1138	9.7	188	1	1	5	12	25	39	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	3.9	18	1	1	3	5	9	10	12
B. Operated	271	4.9	26	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. Not Operated	1179	5.9	38	1	2	4	8	12	16	27
B. Operated	3108	7.1	125	1	1	3	9	18	30	70
1. SINGLE DX	437	4.5	23	1	1	3	6	10	12	23
2. MULTIPLE DX	4287	6.8	101	1	1	3	8	16	25	60
A. Not Operated	1345	5.6	36	1	2	4	8	11	16	27
B. Operated	3379	7.0	117	1	1	3	9	17	28	69
TOTAL										
0-19 YRS	450	4.2	42	1	1	2	4	12	17	49
20-34	756	3.7	31	1	1	1	4	8	12	28
35-49	866	5.2	48	1	1	2	7	13	17	36
50-64	982	7.3	98	1	1	4	9	17	26	50
65 +	1670	8.9	148	1	2	5	11	20	32	80
GRAND TOTAL	**4724**	**6.6**	**94**	**1**	**1**	**3**	**8**	**15**	**24**	**58**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.2	4	1	1	2	3	5	7	9
20-34	9	3.7	5	1	2	3	6	6	6	6
35-49	6	5.5	10	1	3	6	8	9	9	9
50-64	4	3.5	6	1	1	3	5	6	6	6
65 +	7	6.0	40	1	1	2	11	16	17	17
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	4.0	19	1	2	3	4	7	11	25
20-34	16	4.8	33	1	2	3	5	10	20	24
35-49	25	4.0	6	1	2	4	5	7	9	12
50-64	29	4.9	22	1	1	3	7	9	17	20
65 +	50	5.4	32	1	1	3	7	13	18	26
B. Operated										
0-19 YRS	4	9.0	88	1	1	8	17	19	19	19
20-34	8	11.4	153	1	3	7	16	32	37	37
35-49	10	4.5	16	1	2	4	6	49	96	99 +
50-64	12	11.7	76	2	4	11	19	23	26	27
65 +	17	13.9	183	1	5	10	19	33	47	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	3.6	11	1	1	2	5	8	10	17
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	164	4.7	23	1	2	3	6	10	16	25
B. Operated	51	10.7	117	1	3	7	16	25	37	99
1. SINGLE DX	50	3.5	11	1	1	2	5	8	9	17
2. MULTIPLE DX	215	6.1	51	1	2	3	7	16	22	42
A. Not Operated	212	4.4	20	1	1	3	6	9	14	24
B. Operated	53	10.4	115	1	3	7	15	24	37	98
TOTAL										
0-19 YRS	71	3.7	19	1	1	2	4	8	15	24
20-34	33	6.1	59	1	2	3	7	13	24	37
35-49	42	4.3	9	1	3	4	6	8	13	99 +
50-64	45	6.6	43	1	2	4	8	18	21	27
65 +	74	7.4	78	1	2	4	10	18	24	49
GRAND TOTAL	**265**	**5.6**	**45**	**1**	**2**	**3**	**7**	**14**	**20**	**37**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	479	1.3		< 1	< 1	1	1	2	3	4
35-49	260	1.5	1	< 1	< 1	1	2	3	3	4
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	19	1.6	2	< 1	< 1	< 1	1	4	6	7
35-49	10	1.3		< 1	< 1	< 1	1	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	399	1.7	2	< 1	< 1	1	2	3	4	6
35-49	321	1.9	2	< 1	1	1	3	4	5	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	747	1 4	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	29	1.5	2	< 1	< 1	< 1	1	3	4	7
B. Operated	723	1.8	2	< 1	< 1	1	2	4	4	6
1. SINGLE DX	748	1.4	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	752	1.8	2	< 1	< 1	1	2	4	4	6
A. Not Operated	30	1.5	2	< 1	< 1	< 1	1	3	4	7
B. Operated	1470	1.6	1	< 1	< 1	1	2	3	4	5
TOTAL										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	897	1.5	1	< 1	< 1	1	2	3	4	5
35-49	592	1.7	2	< 1	1	1	2	3	4	6
50-64	4	1.8	2	< 1	< 1	1	3	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**1500**	**1.6**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**5**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	3	79.7	434	57	64	84	94	98	98	98
1000-1499	11	51.0	100	38	43	52	58	66	67	67
1500-1749	14	30.6	111	21	22	31	33	51	51	51
1750-2499	1011	3.9	19	2	2	3	4	6	10	26
2500 +	72919	2.9	1	2	2	3	3	5	5	6
B. Operated										
1-999 G	1	97.0		97	98	99 +	99 +	99 +	99 +	99 +
1000-1499	5	54.6	596	31	55	84	99 +	99 +	99 +	99 +
1500-1749	1	70.0		70	70	70	70	70	70	70
1750-2499	5	21.6	431	1	5	23	31	54	54	54
2500 +	32	8.4	132	2	3	4	10	20	25	62
2. MULTIPLE DX										
A. Not Operated										
1-999 G	24	68.6	222	53	63	84	99 +	99 +	99 +	99 +
1000-1499	163	42.6	289	23	32	41	54	70	77	99
1500-1749	183	28.4	195	13	18	25	37	49	55	76
1750-2499	3334	7.9	56	2	3	5	10	17	22	36
2500 +	48215	3.7	6	2	2	3	5	6	7	11
B. Operated										
1-999 G	37	76.4	205	62	73	89	99 +	99 +	99 +	99 +
1000-1499	123	53.1	335	33	42	53	66	93	99 +	99 +
1500-1749	69	36.7	254	21	27	32	43	61	77	99
1750-2499	242	20.2	173	6	11	18	27	39	48	99 +
2500 +	870	8.2	81	2	3	6	10	16	23	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73958	2.9	2	2	2	3	3	5	5	6
B. Operated	44	18.6	624	2	3	8	54	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	51919	4.2	20	2	3	3	5	6	8	23
B. Operated	1341	17.9	421	3	5	9	26	58	78	99 +
1. SINGLE DX	74002	2.9	3	2	2	3	3	5	5	6
2. MULTIPLE DX	53260	4.6	35	2	3	3	5	6	10	35
A. Not Operated	125877	3.5	10	2	2	3	4	5	6	13
B. Operated	1385	17.9	427	3	5	9	26	59	82	99 +
TOTAL										
1-999 G	65	74.0	233	57	71	88	99 +	99 +	99 +	99 +
1000-1499	302	47.4	330	25	36	46	62	80	99	99 +
1500-1749	267	30.8	222	15	20	29	39	51	62	94
1750-2499	4592	7.7	66	2	3	5	9	18	23	41
2500 +	122036	3.2	4	2	2	3	4	5	6	9
GRAND TOTAL	**127262**	**3.6**	**17**	**2**	**2**	**3**	**4**	**5**	**6**	**18**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	1	61.0		61	61	61	61	61	61	61
1000-1499	3	46.0	1237	9	19	50	72	79	79	79
1500-1749	6	35.8	233	22	23	31	48	58	59	59
1750-2499	163	5.8	21	3	3	5	6	11	15	26
2500 +	716	4.3	3	2	3	4	5	6	7	10
B. Operated										
1-999 G	1	85.0		85	89	99 +	99 +	99 +	99 +	99 +
1000-1499	0									
1500-1749	1	63.0		63	63	63	63	63	63	63
1750-2499	1	19.0		19	19	19	19	19	19	19
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	7	66.9	161	50	62	72	88	99 +	99 +	99 +
1000-1499	49	44.8	222	27	33	42	53	67	69	79
1500-1749	69	27.3	108	17	22	26	31	41	45	63
1750-2499	669	9.0	47	3	5	6	12	17	22	33
2500 +	742	5.1	4	3	4	5	6	7	8	13
B. Operated										
1-999 G	8	69.0	380	44	75	90	99 +	99 +	99 +	99 +
1000-1499	36	53.4	277	38	44	52	64	83	97	99 +
1500-1749	34	36.9	205	21	28	35	41	58	66	80
1750-2499	50	21.9	189	10	16	19	24	32	56	76
2500 +	22	8.8	28	5	6	6	12	18	20	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	889	5.0	27	2	3	4	5	7	8	25
B. Operated	3	55.7	1129	19	52	85	99 +	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	1536	9.4	113	3	4	5	9	20	31	64
B. Operated	150	33.5	496	7	17	31	51	78	97	99 +
1. SINGLE DX	892	5.1	38	2	3	4	5	7	9	44
2. MULTIPLE DX	1686	11.5	194	3	5	6	12	29	46	81
A. Not Operated	2425	7.7	86	3	4	5	7	15	25	56
B. Operated	153	33.9	510	7	18	33	54	82	99 +	99 +
TOTAL										
1-999 G	17	68.6	248	48	66	84	99 +	99 +	99 +	99 +
1000-1499	88	48.4	280	29	39	49	59	73	82	99 +
1500-1749	110	31.1	170	18	22	29	38	46	59	73
1750-2499	883	9.2	62	3	5	6	12	18	24	36
2500 +	1480	4.7	4	3	3	5	5	7	8	13
GRAND TOTAL	**2578**	**9.3**	**149**	**3**	**4**	**5**	**8**	**22**	**38**	**75**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1: V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	11	2.5	1	1	2	2	3	4	4	4
2500 +	213	2.6	1	1	2	3	3	3	4	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	9	15.4	566	1	3	10	63	99 +	99 +	99 +
1000-1499	37	25.3	757	2	6	14	38	95	98	99 +
1500-1749	14	21.3	466	1	4	16	30	58	69	72
1750-2499	55	16.3	283	2	4	10	21	37	57	67
2500 +	217	8.2	151	2	3	4	8	16	29	79
B. Operated										
1-999 G	15	28.1	682	6	13	26	95	99 +	99 +	99 +
1000-1499	37	22.0	197	9	14	18	30	64	99 +	99 +
1500-1749	12	36.9	564	8	25	29	60	87	98	99 +
1750-2499	13	38.1	528	12	26	37	74	99 +	99 +	99 +
2500 +	59	17.7	257	6	9	14	24	62	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	2.6	1	1	2	3	3	3	4	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	332	12.2	295	2	3	5	14	35	55	99 +
B. Operated	136	23.7	380	8	11	20	37	94	99 +	99 +
1. SINGLE DX	224	2.6	1	1	2	3	3	3	4	7
2. MULTIPLE DX	468	15.5	347	2	3	9	23	52	87	99 +
A. Not Operated	556	8.3	199	2	2	3	7	23	37	96
B. Operated	136	23.7	380	8	11	20	37	94	99 +	99 +
TOTAL										
1-999 G	24	23.4	651	2	9	20	86	99 +	99 +	99 +
1000-1499	74	23.6	473	4	9	18	34	87	99 +	99 +
1500-1749	26	28.5	554	3	9	27	49	71	86	99 +
1750-2499	79	18.0	381	2	3	11	33	49	73	99 +
2500 +	489	6.9	121	2	2	3	7	15	27	93
GRAND TOTAL	**692**	**11.3**	**271**	**2**	**3**	**4**	**15**	**36**	**72**	**99 +**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.2	5	< 1	< 1	1	2	6	8	8
20-34	6	1.2		< 1	< 1	1	1	2	2	2
35-49	7	1.7	4	< 1	< 1	1	1	5	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	4	4.3	34	< 1	< 1	1	7	13	13	13
B. Operated										
0-19 YRS	295	1.8	2	< 1	1	1	2	3	4	7
20-34	352	1.9	3	< 1	1	1	2	3	5	8
35-49	167	1.9	3	< 1	1	1	2	4	5	8
50-64	110	2.0	3	< 1	1	1	3	4	5	10
65 +	61	3.2	9	1	1	2	4	7	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.3	27	< 1	< 1	2	6	13	15	15
20-34	7	1.6	2	< 1	< 1	< 1	1	4	5	5
35-49	4	1.3		< 1	< 1	1	1	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	5	4.6	49	1	1	1	6	17	17	17
B. Operated										
0-19 YRS	288	2.4	7	< 1	1	2	3	4	6	21
20-34	155	2.6	5	1	1	2	3	5	6	8
35-49	84	2.9	10	1	1	2	3	6	8	18
50-64	85	2.8	6	1	1	2	4	5	9	11
65 +	98	4.3	26	1	1	3	5	9	12	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.1	7	< 1	< 1	1	2	5	8	13
B. Operated	985	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	24	2.9	19	< 1	< 1	1	2	8	16	17
B. Operated	710	2.8	10	1	1	2	3	6	8	19
1. SINGLE DX	1013	2.0	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	734	2.8	10	1	1	2	3	6	8	19
A. Not Operated	52	2.5	12	< 1	< 1	1	2	6	12	17
B. Operated	1695	2.3	6	< 1	1	2	3	4	6	13
TOTAL										
0-19 YRS	599	2.1	5	< 1	1	1	3	4	5	14
20-34	520	2.1	4	< 1	1	1	2	4	5	8
35-49	262	2.2	5	< 1	1	1	2	5	6	11
50-64	198	2.4	5	< 1	1	2	3	5	6	11
65 +	168	3.9	20	1	1	3	5	9	12	24
GRAND TOTAL	**1747**	**2.3**	**6**	**< 1**	**1**	**2**	**3**	**4**	**6**	**14**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	5	2.2	1	1	2	2	3	3	3	3
50-64	8	3.6	6	1	2	3	4	8	9	9
65 +	8	3.8	16	1	1	2	4	11	13	13
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	21	3.6	43	< 1	< 1	1	4	6	18	31
35-49	29	5.6	77	1	2	3	4	16	19	45
50-64	50	3.6	12	< 1	2	3	4	9	16	99
65 +	34	7.4	59	1	2	4	11	24	27	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	25	3.2	7	1	2	3	3	5	10	13
B. Operated	136	5.0	44	< 1	2	3	5	15	22	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	161	4.7	38	1	2	3	5	12	19	93
A. Not Operated	25	3.2	7	1	2	3	3	5	10	13
B. Operated	136	5.0	44	< 1	2	3	5	15	22	99 +
TOTAL										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	23	3.6	39	< 1	< 1	2	4	6	16	31
35-49	34	5.1	67	1	2	3	4	15	18	45
50-64	58	3.6	11	< 1	2	3	4	9	14	92
65 +	42	6.7	52	1	2	4	10	20	27	99 +
GRAND TOTAL	**161**	**4.7**	**38**	**1**	**2**	**3**	**5**	**12**	**19**	**93**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	3.9	5	1	2	4	5	6	7	14
20-34	13	3.2	3	1	1	4	5	5	6	6
35-49	12	1.8	1	1	1	1	2	4	4	4
50-64	28	2.2	2	1	1	2	3	5	5	6
65 +	24	2.3	4	1	1	2	2	5	7	9
B. Operated										
0-19 YRS	3	9.3	46	4	5	7	14	17	17	17
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	4	1.5	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1758	3.0	5	1	2	2	4	5	6	9
20-34	768	3.3	8	1	1	3	4	6	6	17
35-49	2254	3.2	7	1	1	2	4	6	7	12
50-64	5851	3.0	6	1	1	2	4	6	6	11
65 +	6111	3.2	10	1	2	2	4	6	7	12
B. Operated										
0-19 YRS	149	5.3	33	1	2	4	6	9	15	30
20-34	85	9.4	154	1	3	5	7	26	39	57
35-49	318	7.1	132	1	2	4	6	18	26	69
50-64	599	5.9	52	1	2	4	6	11	20	39
65 +	618	5.4	45	2	2	4	6	9	15	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	3.3	5	1	2	3	5	6	7	11
B. Operated	9	4.1	27	< 1	< 1	2	5	13	17	17
2. MULTIPLE DX										
A. Not Operated	16742	3.1	8	1	1	2	4	6	6	12
B. Operated	1769	6.1	68	1	2	4	6	11	22	43
1. SINGLE DX	220	3.3	5	1	1	3	5	6	7	14
2. MULTIPLE DX	18511	3.4	14	1	2	3	4	6	7	18
A. Not Operated	16953	3.1	8	1	1	2	4	6	6	12
B. Operated	1778	6.0	68	1	2	4	6	11	22	43
TOTAL										
0-19 YRS	2044	3.2	7	1	2	3	4	5	6	15
20-34	867	3.9	26	1	2	3	5	6	7	27
35-49	2584	3.6	24	1	1	3	5	6	8	24
50-64	6479	3.3	11	1	1	2	4	6	7	17
65 +	6757	3.4	14	1	2	3	4	6	7	15
GRAND TOTAL	**18731**	**3.4**	**14**	**1**	**2**	**3**	**4**	**6**	**7**	**18**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	526	2.4	4	< 1	1	2	3	5	6	10
20-34	460	2.0	5	< 1	1	1	2	3	4	13
35-49	162	1.7	2	< 1	1	1	2	3	4	6
50-64	112	1.6	1	< 1	1	1	2	3	4	7
65 +	131	2.4	8	< 1	1	1	2	6	10	13
B. Operated										
0-19 YRS	214	3.7	15	< 1	1	2	6	9	10	22
20-34	356	3.2	6	< 1	1	2	4	7	9	11
35-49	282	3.3	10	< 1	1	2	5	9	10	12
50-64	199	4.1	14	< 1	1	2	8	9	10	13
65 +	155	5.1	23	< 1	1	3	9	12	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1195	4.2	59	< 1	1	2	4	10	21	62
20-34	793	5.7	180	< 1	< 1	1	3	14	38	81
35-49	560	10.1	214	1	2	3	14	32	49	96
50-64	889	13.6	270	1	2	5	21	36	51	87
65 +	2336	16.9	277	2	4	12	25	40	54	94
B. Operated										
0-19 YRS	562	4.7	56	1	1	2	7	10	18	99 +
20-34	624	4.8	60	1	1	3	5	11	14	99 +
35-49	845	5.2	80	1	1	3	6	10	14	59
50-64	1109	6.8	98	1	1	3	9	14	21	71
65 +	1558	9.0	157	1	2	5	11	21	38	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1391	2.1	4	< 1	1	1	3	4	6	12
B. Operated	1206	3.7	13	< 1	1	2	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	5773	11.6	240	< 1	1	4	17	33	47	85
B. Operated	4698	6.7	107	1	1	3	9	14	25	74
1. SINGLE DX	2597	2.9	9	< 1	1	2	3	7	9	13
2. MULTIPLE DX	10471	9.4	186	1	1	4	11	27	41	82
A. Not Operated	7164	9.7	208	< 1	1	3	13	30	43	77
B. Operated	5904	6.1	89	1	1	3	8	12	20	66
TOTAL										
0-19 YRS	2497	3.9	44	< 1	1	2	4	9	14	51
20-34	2233	4.3	85	< 1	1	2	4	9	14	68
35-49	1849	6.1	111	1	1	2	6	14	27	66
50-64	2309	8.9	167	1	1	4	10	25	38	75
65 +	4180	13.1	234	1	2	8	18	34	48	83
GRAND TOTAL	**13068**	**8.1**	**158**	**1**	**1**	**3**	**9**	**23**	**36**	**75**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52750	3.1	19	1	1	2	3	6	8	21
20-34	110535	3.0	6	1	2	3	3	5	6	11
35-49	40909	3.6	12	1	1	3	5	7	9	16
50-64	26765	4.3	16	1	1	3	6	9	11	18
65 +	22235	5.3	29	1	2	4	7	11	15	25
2. MULTIPLE DX										
0-19 YRS	63129	5.9	86	1	1	3	6	13	22	63
20-34	119834	5.1	40	1	2	4	5	9	14	35
35-49	88687	6.7	64	1	3	5	8	13	20	46
50-64	121277	8.4	88	2	3	6	10	17	25	57
65 +	269259	11.4	138	2	4	8	14	24	36	86
TOTAL SINGLE DX	253194	3.4	13	1	1	3	4	7	9	17
TOTAL MULTIPLE DX	662186	8.5	103	1	3	5	10	19	28	66
TOTAL										
0-19 YRS	115879	4.6	57	1	1	3	5	9	16	48
20-34	230369	4.1	24	1	2	3	5	7	10	26
35-49	129596	5.7	50	1	2	4	7	11	17	39
50-64	148042	7.6	77	1	3	5	9	16	23	52
65 +	291494	10.9	132	2	4	8	13	23	34	82
GRAND TOTAL	**915380**	**7.1**	**83**	**1**	**2**	**4**	**8**	**16**	**23**	**56**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	112	8.2	46	2	4	7	11	16	25	60
20-34	72	10.6	96	4	6	8	11	16	28	59
35-49	74	10.2	43	5	6	8	12	20	27	34
50-64	93	9.4	33	3	6	8	13	16	19	33
65+	73	13.2	164	5	7	9	16	27	30	85
2. MULTIPLE DX										
0-19 YRS	361	14.3	242	2	5	9	17	33	54	96
20-34	139	18.5	251	5	8	14	25	46	63	99+
35-49	215	18.4	329	5	8	13	24	49	95	99+
50-64	273	19.7	306	5	8	14	26	49	65	99+
65+	444	24.4	389	7	11	18	37	66	99	99+
TOTAL SINGLE DX	424	10.1	74	3	6	8	12	20	27	50
TOTAL MULTIPLE DX	1432	19.5	328	5	8	14	26	52	77	99+
TOTAL										
0-19 YRS	473	12.9	203	2	5	9	15	29	47	94
20-34	211	15.8	212	5	7	11	20	35	57	99+
35-49	289	16.3	269	5	7	11	21	35	84	99+
50-64	366	17.1	257	5	7	12	20	41	57	99+
65+	517	22.8	373	6	10	17	32	59	94	99+
GRAND TOTAL	**1856**	**17.3**	**285**	**4**	**7**	**12**	**22**	**44**	**68**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	6.8	31	3	4	5	8	16	24	97
20-34	20	11.5	41	5	7	9	15	22	24	25
35-49	16	11.9	145	4	6	7	14	21	44	53
50-64	11	9.6	24	5	6	7	14	17	19	19
65+	19	15.3	304	4	7	9	17	34	59	77
2. MULTIPLE DX										
0-19 YRS	82	15.4	283	4	5	9	22	41	74	99+
20-34	67	21.0	308	6	8	15	27	46	57	98
35-49	74	22.5	314	7	10	17	30	46	74	96
50-64	74	26.1	471	7	10	17	38	63	75	99
65+	129	25.6	405	8	12	21	35	72	97	99+
TOTAL SINGLE DX	119	9.9	98	3	4	7	11	22	26	84
TOTAL MULTIPLE DX	426	22.4	374	6	9	16	31	60	78	99+
TOTAL										
0-19 YRS	135	12.0	201	3	4	7	16	31	47	99+
20-34	87	18.8	262	6	8	13	24	43	53	97
35-49	90	20.6	299	6	9	15	27	45	67	94
50-64	85	24.0	443	6	9	15	33	63	74	99
65+	148	24.3	402	7	11	18	34	67	91	99+
GRAND TOTAL	**545**	**19.7**	**340**	**4**	**7**	**14**	**26**	**52**	**75**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	140	4.8	8	2	3	4	6	8	10	16
20-34	28	7.2	31	2	3	6	9	16	18	25
35-49	8	5.1	16	2	2	4	6	12	14	14
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	136	8.3	107	3	3	5	8	20	28	85
20-34	66	14.8	311	3	6	9	18	67	99+	99+
35-49	37	13.5	164	3	6	10	20	41	82	99+
50-64	15	12.5	133	4	6	9	12	38	39	40
65+	9	12.0	142	3	4	5	21	31	35	35
TOTAL SINGLE DX	181	5.2	12	2	3	4	6	9	12	20
TOTAL MULTIPLE DX	263	11.0	175	3	4	7	14	33	57	99+
TOTAL										
0-19 YRS	276	6.6	60	2	3	4	7	13	20	46
20-34	94	12.5	239	2	5	8	14	46	96	99+
35-49	45	12.0	148	2	4	7	15	38	67	99+
50-64	17	11.3	128	3	4	8	12	34	39	40
65+	12	9.9	112	3	4	5	13	29	34	35
GRAND TOTAL	**444**	**8.6**	**117**	**2**	**3**	**5**	**9**	**20**	**39**	**99+**

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	5.4	9	2	4	5	6	9	13	16
20-34	7	4.9	3	2	4	5	5	7	8	8
35-49	13	7.3	22	4	4	5	9	13	19	21
50-64	8	7.9	35	2	3	6	11	17	19	19
65+	13	6.8	14	3	4	6	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	228	16.2	323	3	5	9	23	54	87	99+
20-34	36	27.2	541	7	8	17	42	58	69	99
35-49	35	22.5	649	5	9	15	28	99	99+	99+
50-64	63	25.1	477	6	9	18	42	80	99+	99+
65+	132	22.8	277	7	11	20	33	57	80	99+
TOTAL SINGLE DX	103	6.0	14	3	4	5	7	11	14	20
TOTAL MULTIPLE DX	494	20.4	382	4	7	14	29	63	99	99+
TOTAL										
0-19 YRS	290	13.9	276	3	4	7	17	45	72	99+
20-34	43	23.6	521	5	7	14	33	57	68	99
35-49	48	18.4	522	4	6	12	24	98	99+	99+
50-64	71	23.1	456	5	8	17	40	68	99+	99+
65+	145	21.4	275	6	9	18	30	53	79	99+
GRAND TOTAL	**597**	**17.9**	**348**	**4**	**6**	**11**	**25**	**57**	**86**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	97	6.3	73	2	3	4	6	11	19	52
20-34	28	8.9	54	3	4	6	12	18	26	31
35-49	9	12.3	40	2	8	13	17	19	20	20
50-64	5	5.0	11	<1	1	6	7	9	9	9
65+	2	12.5	61	7	7	12	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	578	8.8	145	2	3	4	10	20	29	76
20-34	91	12.7	223	2	4	7	15	39	56	99+
35-49	31	13.7	156	2	5	11	20	42	93	99+
50-64	46	14.6	224	3	7	11	16	49	79	99+
65+	54	16.8	301	4	6	10	21	39	50	85
TOTAL SINGLE DX	141	7.2	68	2	3	4	8	17	20	38
TOTAL MULTIPLE DX	800	10.3	175	2	3	6	13	25	40	96
TOTAL										
0-19 YRS	675	8.4	136	2	3	4	9	19	28	73
20-34	119	11.8	185	2	4	7	15	30	53	99+
35-49	40	13.4	129	2	5	12	20	38	71	99+
50-64	51	13.6	211	2	6	9	15	40	74	99+
65+	56	16.7	292	4	6	10	20	38	50	84
GRAND TOTAL	941	9.8	160	2	3	5	12	24	38	85

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	7.6	20	4	5	5	11	15	16	16
20-34	78	6.9	17	3	4	6	8	11	13	26
35-49	188	6.3	12	3	4	5	8	10	13	19
50-64	170	6.9	16	3	4	6	8	11	12	26
65+	98	8.3	20	4	6	7	10	14	17	27
2. MULTIPLE DX										
0-19 YRS	35	11.2	61	4	6	9	15	23	37	99+
20-34	76	12.2	124	4	6	9	16	25	31	91
35-49	227	10.6	109	4	5	8	12	19	32	99+
50-64	416	11.1	112	4	6	8	12	22	32	62
65+	643	15.3	172	5	7	11	19	31	43	84
TOTAL SINGLE DX	545	6.9	17	3	4	6	8	11	14	25
TOTAL MULTIPLE DX	1397	13.0	143	4	6	9	15	27	38	87
TOTAL										
0-19 YRS	46	10.3	54	4	5	8	14	21	27	99+
20-34	154	9.5	77	4	5	7	10	19	27	67
35-49	415	8.6	70	3	4	7	10	16	21	79
50-64	586	9.9	88	4	5	7	10	18	27	58
65+	741	14.4	158	5	7	10	17	29	41	77
GRAND TOTAL	1942	11.3	115	4	6	8	13	22	32	74

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	8.2	30	4	5	7	10	16	20	30
20-34	39	6.0	43	<1	1	4	8	16	17	33
35-49	45	5.6	29	1	2	4	6	12	20	22
50-64	22	8.5	27	3	5	7	13	17	19	20
65+	14	9.2	46	1	2	9	12	19	22	23
2. MULTIPLE DX										
0-19 YRS	187	11.3	101	4	5	8	13	23	31	63
20-34	87	11.9	101	2	5	9	17	28	35	99+
35-49	86	12.1	160	3	4	8	14	33	43	90
50-64	83	16.0	216	4	6	11	22	38	49	96
65+	110	21.4	399	3	8	14	28	45	68	92
TOTAL SINGLE DX	188	7.3	35	1	4	6	9	16	20	28
TOTAL MULTIPLE DX	553	14.2	201	3	6	9	18	33	43	92
TOTAL										
0-19 YRS	255	10.5	85	4	5	8	12	20	29	58
20-34	126	10.1	90	1	3	8	15	25	33	99+
35-49	131	9.9	125	1	4	7	12	21	38	78
50-64	105	14.4	186	4	6	10	18	33	43	93
65+	124	20.0	374	3	8	14	27	43	63	92
GRAND TOTAL	741	12.5	168	2	5	8	16	28	39	86

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	4.9	32	<1	1	3	6	13	17	26
20-34	59	4.0	19	<1	1	2	6	9	12	23
35-49	68	3.7	13	<1	1	2	5	8	11	21
50-64	35	3.9	15	<1	1	2	5	9	12	19
65+	27	2.4	3	<1	1	2	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	18	9.0	362	1	2	3	8	17	57	83
20-34	51	6.2	188	1	1	2	5	14	25	87
35-49	65	5.8	77	1	1	2	6	14	24	47
50-64	64	6.1	72	1	2	3	8	15	19	94
65+	52	7.4	60	1	2	4	12	18	30	98
TOTAL SINGLE DX	217	3.8	17	<1	1	2	5	8	12	22
TOTAL MULTIPLE DX	250	6.5	114	1	1	3	8	17	25	88
TOTAL										
0-19 YRS	46	6.5	160	<1	2	3	7	15	20	83
20-34	110	5.0	98	<1	1	2	6	10	20	59
35-49	133	4.7	46	<1	1	2	5	10	18	41
50-64	99	5.3	53	1	2	3	7	13	16	80
65+	79	5.7	46	1	2	3	7	17	21	80
GRAND TOTAL	467	5.3	71	<1	1	2	6	12	18	59

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	2.1	10	<1	1	1	2	4	6	22
20-34	206	1.8	2	<1	<1	1	2	4	4	8
35-49	235	1.5	1	<1	<1	1	1	2	4	7
50-64	163	1.6	2	<1	<1	1	2	3	4	10
65 +	86	1.7	8	<1	<1	<1	1	3	4	20
2. MULTIPLE DX										
0-19 YRS	120	2.3	4	1	1	2	3	5	7	12
20-34	232	2.3	5	1	1	2	3	4	6	11
35-49	225	2.7	24	<1	1	2	2	5	7	29
50-64	209	3.7	56	<1	1	2	3	8	15	29
65 +	203	4.0	75	<1	1	2	3	8	13	53
TOTAL SINGLE DX	738	1.7	3	<1	<1	1	2	3	4	9
TOTAL MULTIPLE DX	989	3.0	35	<1	1	2	3	5	9	28
TOTAL										
0-19 YRS	168	2.3	6	<1	1	1	3	5	6	13
20-34	438	2.1	4	<1	1	1	2	4	6	11
35-49	460	2.1	13	<1	<1	1	2	4	6	14
50-64	372	2.8	34	<1	<1	1	2	5	10	27
65 +	289	3.3	56	<1	<1	1	3	6	10	44
GRAND TOTAL	1727	2.5	22	<1	1	1	2	4	7	22

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	6	3.3	2	2	2	3	5	81	99 +	99 +
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	3	5.3	5	4	4	4	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	4.6	8	1	2	4	7	9	10	10
35-49	7	9.3	33	3	4	6	15	16	16	16
50-64	26	10.8	114	4	6	7	9	20	42	47
65 +	75	14.7	106	6	8	12	19	29	43	87
TOTAL SINGLE DX	12	4.4	4	2	3	4	6	26	86	99 +
TOTAL MULTIPLE DX	123	12.3	102	4	6	9	15	27	38	64
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	20	4.3	7	1	2	4	6	9	50	99 +
35-49	8	8.8	31	3	4	6	15	16	16	16
50-64	28	10.4	107	4	5	7	9	20	42	47
65 +	78	14.3	106	5	7	12	18	29	42	86
GRAND TOTAL	135	11.6	98	3	6	8	15	27	40	99 +

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	6.7	40	2	2	4	12	16	17	17
20-34	7	6.4	85	1	1	4	5	23	27	27
35-49	13	4.2	13	1	1	4	6	9	12	13
50-64	3	5.3	4	3	4	6	7	7	7	7
65 +	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
0-19 YRS	7	16.3	535	1	1	3	38	51	51	51
20-34	13	7.8	44	1	2	7	13	17	19	19
35-49	23	15.1	399	1	2	5	24	41	67	74
50-64	25	7.2	29	2	3	6	10	17	19	21
65 +	25	12.3	134	4	5	7	17	24	35	55
TOTAL SINGLE DX	30	5.8	36	1	2	4	7	15	17	27
TOTAL MULTIPLE DX	93	11.3	191	2	3	6	14	26	47	70
TOTAL										
0-19 YRS	13	11.8	309	1	2	3	13	49	51	51
20-34	20	7.3	55	1	2	4	12	18	23	27
35-49	36	11.2	284	1	2	4	11	31	55	74
50-64	28	7.0	27	2	3	6	10	15	18	21
65 +	26	12.5	130	4	6	8	17	24	33	55
GRAND TOTAL	123	9.9	159	1	2	6	12	24	33	67

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

259 Hospitals, North Eastern Region, January-December 1988, by Operation

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	2.4	1	1	1	2	3	4	4	7
20-34	257	2.9	2	1	2	3	3	5	6	8
35-49	373	2.8	1	1	2	3	3	4	5	6
50-64	214	2.8	1	1	2	3	4	4	5	6
65+	101	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	26	4.0	7	1	2	4	5	7	9	14
20-34	138	3.6	7	1	2	3	4	5	10	17
35-49	244	3.8	15	2	2	3	4	6	8	24
50-64	256	4.5	19	2	3	3	5	7	9	28
65+	270	7.9	123	2	3	4	8	17	29	75
TOTAL SINGLE DX	1005	2.8	2	1	2	3	4	4	5	7
TOTAL MULTIPLE DX	934	5.1	49	2	2	3	5	9	15	39
TOTAL										
0-19 YRS	86	2.9	4	1	2	3	3	5	6	12
20-34	395	3.1	5	1	2	3	4	5	6	14
35-49	617	3.2	2	1	2	3	4	5	6	9
50-64	470	3.7	12	2	2	3	4	6	8	19
65+	371	6.6	94	2	3	4	6	13	21	58
GRAND TOTAL	1939	3.9	26	2	2	3	4	6	9	25

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	164	1.5	1	1	1	1	2	2	3	9
20-34	58	2.4	2	1	1	2	3	5	6	7
35-49	48	2.7	6	1	1	2	3	5	8	14
50-64	47	2.9	1	1	2	3	4	5	5	7
65+	23	4.3	13	1	2	3	5	11	13	14
2. MULTIPLE DX										
0-19 YRS	33	4.6	41	1	1	2	5	14	17	30
20-34	30	4.7	19	1	2	4	5	11	14	20
35-49	71	5.4	39	1	2	4	5	10	16	35
50-64	156	4.8	25	2	2	4	6	10	13	48
65+	139	8.5	101	2	3	4	12	27	33	99+
TOTAL SINGLE DX	340	2.2	4	1	1	1	3	4	5	12
TOTAL MULTIPLE DX	429	6.1	56	2	2	4	6	14	26	74
TOTAL										
0-19 YRS	197	2.0	9	1	1	1	2	3	6	17
20-34	88	3.2	9	1	1	2	4	6	8	18
35-49	119	4.3	28	1	2	3	5	9	12	33
50-64	203	4.4	21	2	2	3	5	7	11	35
65+	162	7.9	91	2	2	4	9	24	32	99+
GRAND TOTAL	769	4.4	37	1	1	3	5	9	16	35

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	7.9	10	4	6	7	10	12	14	16
20-34	9	10.4	27	5	7	10	12	19	21	21
35-49	16	8.9	13	5	6	8	12	14	15	16
50-64	18	7.9	14	3	5	7	12	13	14	14
65+	4	8.0		7	7	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	29	12.2	78	4	7	8	16	25	34	36
20-34	39	10.2	39	4	6	10	12	18	25	28
35-49	48	10.4	33	5	7	9	13	16	21	36
50-64	60	12.2	79	5	7	9	14	26	29	51
65+	65	15.5	178	5	7	11	20	32	45	69
TOTAL SINGLE DX	66	8.5	14	5	6	8	11	13	16	20
TOTAL MULTIPLE DX	241	12.4	93	5	7	10	14	24	31	53
TOTAL										
0-19 YRS	48	10.5	55	4	7	8	12	21	27	36
20-34	48	10.3	36	5	6	10	12	18	23	28
35-49	64	10.0	29	5	6	9	13	16	20	34
50-64	78	11.2	68	5	6	9	13	22	29	47
65+	69	15.0	171	5	7	11	20	30	44	69
GRAND TOTAL	307	11.5	79	5	6	9	13	22	28	51

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	37	1.1		<1	<1	<1	<1	1	2	3
20-34	4	1.8	2	<1	<1	<1	2	4	4	4
35-49	7	1.1		<1	<1	<1	1	2	2	2
50-64	10	1.5		<1	<1	1	2	3	3	3
65+	11	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	23	5.3	81	<1	1	1	4	17	29	36
65+	59	7.2	135	<1	1	3	9	15	44	97
TOTAL SINGLE DX	69	1.3		<1	<1	<1	1	2	3	4
TOTAL MULTIPLE DX	95	6.0	106	<1	1	2	7	14	33	84
TOTAL										
0-19 YRS	44	1.2		<1	<1	<1	1	1	3	3
20-34	8	1.9	2	<1	<1	1	3	4	4	4
35-49	9	1.2		<1	<1	<1	1	2	2	2
50-64	33	4.1	59	<1	<1	1	3	14	24	36
65+	70	6.3	118	<1	1	2	8	14	36	93
GRAND TOTAL	**164**	**4.0**	**67**	**<1**	**<1**	**1**	**3**	**11**	**15**	**64**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	1.2		<1	<1	1	1	2	3	4
20-34	26	1.6		<1	<1	1	2	3	4	4
35-49	49	1.3		<1	1	1	1	2	2	4
50-64	50	1.3		<1	1	1	1	2	3	3
65+	21	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	174	3.0	13	1	1	2	3	7	10	20
20-34	204	3.0	15	1	1	2	4	5	7	17
35-49	140	3.1	21	1	1	2	4	6	8	21
50-64	189	3.9	99	1	1	2	3	6	9	86
65+	222	5.3	52	1	1	2	6	14	24	99+
TOTAL SINGLE DX	211	1.3		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	929	3.7	43	1	1	2	4	8	12	53
TOTAL										
0-19 YRS	239	2.5	11	<1	1	1	2	5	8	15
20-34	230	2.8	14	1	1	2	3	5	7	14
35-49	189	2.6	17	1	1	1	3	5	7	16
50-64	239	3.3	80	1	1	2	3	5	8	76
65+	243	4.9	50	1	1	2	6	14	21	99+
GRAND TOTAL	**1140**	**3.3**	**36**	**1**	**1**	**2**	**3**	**6**	**11**	**47**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	1.5	1	<1	1	1	1	3	4	7
20-34	12	1.1		<1	1	1	1	2	2	2
35-49	12	1.3		<1	1	1	2	2	3	3
50-64	8	1.1		<1	1	1	1	2	2	2
65+	21	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	24	2.3	8	1	1	1	2	4	10	14
20-34	18	1.4		<1	<1	1	2	2	3	3
35-49	18	1.6		<1	<1	1	2	3	4	4
50-64	28	2.0	11	<1	<1	1	2	3	5	19
65+	87	1.8	3	<1	1	1	2	4	5	10
TOTAL SINGLE DX	81	1.3	1	<1	1	1	1	2	3	6
TOTAL MULTIPLE DX	175	1.8	5	<1	1	1	2	3	4	13
TOTAL										
0-19 YRS	52	1.8	5	<1	1	1	2	3	7	14
20-34	30	1.3		<1	1	1	2	2	2	3
35-49	30	1.5	1	<1	<1	1	2	3	3	4
50-64	36	1.8	9	<1	1	1	2	3	4	19
65+	108	1.7	3	<1	1	1	2	3	4	10
GRAND TOTAL	**256**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**3**	**4**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.4	7	<1	1	1	3	7	7	7
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	0									
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	7	3.0	12	<1	<1	1	6	9	9	9
20-34	6	6.8	51	<1	2	5	8	19	20	20
35-49	4	4.5	15	<1	1	3	7	10	10	10
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	13	6.9	230	1	1	2	4	17	49	57
TOTAL SINGLE DX	10	3.4	23	<1	1	1	3	11	16	16
TOTAL MULTIPLE DX	33	5.5	102	<1	1	2	7	9	18	57
TOTAL										
0-19 YRS	12	2.8	9	<1	<1	1	4	8	9	9
20-34	8	5.4	44	<1	1	2	8	16	20	20
35-49	5	3.8	14	<1	<1	3	5	10	10	10
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	15	7.3	204	1	1	3	5	16	47	57
GRAND TOTAL	**43**	**5.0**	**83**	**<1**	**1**	**2**	**6**	**9**	**17**	**57**

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	13	2.5	1	1	2	2	3	4	5	5
35-49	13	2.2	2	<1	1	2	3	4	6	6
50-64	9	2.4	1	1	2	2	3	4	4	4
65+	55	2.1		1	1	2	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	9	1.8		<1	1	2	2	3	3	3
20-34	12	3.6	2	1	2	4	5	5	5	5
35-49	11	2.4	2	<1	1	2	4	5	5	5
50-64	39	3.0	9	1	1	2	3	6	12	14
65+	246	2.5	3	1	1	2	3	5	6	8
TOTAL SINGLE DX	94	2.2	1	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	317	2.6	4	1	1	2	3	5	6	12
TOTAL										
0-19 YRS	13	2.2	1	<1	1	2	3	4	4	4
20-34	25	3.0	2	1	2	3	4	5	5	5
35-49	24	2.3	2	1	1	2	3	4	5	6
50-64	48	2.9	8	1	1	2	3	5	11	14
65+	301	2.4	3	1	1	2	3	4	5	8
GRAND TOTAL	411	2.5	4	1	1	2	3	5	5	11

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	2.7	4	<1	1	2	4	6	7	10
20-34	29	2.2	2	<1	1	2	3	5	5	7
35-49	13	2.5	2	1	1	2	3	5	6	6
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	10	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	39	4.2	17	<1	1	3	5	8	14	21
20-34	32	3.8	4	1	2	4	5	6	7	10
35-49	16	3.4	11	<1	1	2	4	9	12	13
50-64	18	3.1	5	<1	2	3	4	5	9	11
65+	46	2.9	14	<1	1	2	3	6	16	99+
TOTAL SINGLE DX	90	2.3	3	<1	1	2	3	5	6	9
TOTAL MULTIPLE DX	151	3.5	12	<1	1	3	4	7	11	21
TOTAL										
0-19 YRS	74	3.5	12	<1	1	3	4	7	10	20
20-34	61	3.0	4	<1	1	3	4	6	7	10
35-49	29	3.0	7	<1	1	2	4	6	9	13
50-64	21	3.0	5	<1	1	2	4	5	8	11
65+	56	2.7	12	<1	1	1	3	6	14	94
GRAND TOTAL	241	3.1	9	<1	1	2	4	6	9	21

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.3		<1	1	1	2	2	3	3
20-34	6	4.0	15	1	1	2	9	9	9	9
35-49	6	1.3		<1	1	1	2	2	2	2
50-64	14	1.6		1	1	1	2	3	3	3
65+	46	2.2	2	<1	1	2	3	5	5	7
2. MULTIPLE DX										
0-19 YRS	21	5.9	284	<1	1	2	3	8	40	79
20-34	20	3.6	11	<1	1	2	4	9	12	14
35-49	19	2.8	5	1	2	2	3	5	8	11
50-64	69	3.0	9	<1	1	2	4	7	8	18
65+	133	4.1	82	1	1	2	3	6	12	64
TOTAL SINGLE DX	97	1.9	2	<1	1	1	2	3	5	9
TOTAL MULTIPLE DX	312	3.9	70	<1	1	2	3	7	10	59
TOTAL										
0-19 YRS	46	3.4	132	<1	1	1	2	3	8	79
20-34	26	3.7	12	<1	1	2	4	9	11	14
35-49	25	2.5	4	1	1	2	3	4	6	11
50-64	83	2.8	8	<1	1	2	3	7	8	16
65+	229	3.7	67	1	1	2	3	6	9	56
GRAND TOTAL	409	3.4	55	<1	1	2	3	6	9	36

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	2.5	2	<1	1	2	4	5	6	6
20-34	14	3.4	2	<1	2	3	5	5	6	6
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	8	1.5		<1	1	1	2	2	2	2
65+	24	1.8	4	<1	1	1	2	3	7	11
2. MULTIPLE DX										
0-19 YRS	12	5.9	40	1	1	3	8	17	20	21
20-34	13	3.4	6	1	1	4	4	6	9	10
35-49	12	3.0	15	1	1	2	3	7	14	15
50-64	24	4.4	23	<1	1	3	6	9	14	23
65+	110	5.2	53	1	1	2	6	12	20	67
TOTAL SINGLE DX	66	2.2	3	<1	1	1	3	5	5	10
TOTAL MULTIPLE DX	171	4.8	42	1	1	2	6	11	19	44
TOTAL										
0-19 YRS	27	4.0	22	1	1	2	5	9	16	21
20-34	27	3.4	4	<1	2	3	5	5	7	10
35-49	17	2.5	11	<1	1	1	3	4	11	15
50-64	32	3.7	19	<1	1	2	5	8	10	23
65+	134	4.6	46	1	1	2	5	11	18	54
GRAND TOTAL	237	4.1	32	1	1	2	5	10	13	38

259 Hospitals, North Eastern Region, January-December 1988, by Operation

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.4	1	<1	<1	1	1	2	5	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	1.8	2	<1	<1	1	3	4	4	4
50-64	7	1.7	1	<1	1	1	2	4	4	4
65 +	33	1.5		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	13	2.8	24	<1	<1	<1	2	7	17	19
20-34	7	4.1	5	2	2	4	5	8	9	9
35-49	5	2.4	2	1	1	2	3	5	5	5
50-64	40	3.6	82	<1	1	2	2	4	12	57
65 +	245	3.1	36	<1	1	2	2	6	12	45
TOTAL SINGLE DX	60	1.5	1	<1	1	1	2	2	3	6
TOTAL MULTIPLE DX	310	3.2	40	<1	1	2	2	5	11	48
TOTAL										
0-19 YRS	27	2.0	13	<1	<1	<1	1	4	8	19
20-34	9	3.6	6	1	2	3	4	7	9	9
35-49	9	2.1	2	<1	1	2	3	5	5	5
50-64	47	3.3	70	<1	1	2	2	4	8	57
65 +	278	2.9	32	<1	1	2	2	5	10	42
GRAND TOTAL	370	2.9	34	<1	1	2	2	5	9	43

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	1.3		<1	<1	1	1	2	2	6
20-34	11	1.5	1	<1	<1	1	1	3	5	5
35-49	23	1.1		<1	<1	1	1	2	2	2
50-64	125	1.3	1	<1	<1	<1	1	2	2	5
65 +	662	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-19 YRS	36	1.4	1	<1	<1	1	1	2	3	9
20-34	20	2.5	14	<1	1	1	2	6	13	17
35-49	72	2.4	4	<1	1	2	2	4	6	14
50-64	369	2.7	25	<1	1	2	2	3	8	42
65 +	2699	2.8	47	1	1	2	2	3	7	42
TOTAL SINGLE DX	860	1.3	1	<1	<1	1	2	2	2	3
TOTAL MULTIPLE DX	3196	2.8	43	1	1	2	2	3	7	40
TOTAL										
0-19 YRS	75	1.4	1	<1	<1	1	1	2	3	8
20-34	31	2.1	10	<1	<1	1	2	4	9	17
35-49	95	2.1	4	<1	1	2	2	4	6	13
50-64	494	2.3	19	<1	1	2	2	3	6	35
65 +	3361	2.5	38	<1	1	2	2	3	6	34
GRAND TOTAL	4056	2.5	34	<1	1	2	2	3	6	33

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	4	1.3		<1	<1	1	1	2	2	2
65 +	36	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	17	1.7	1	<1	<1	1	2	3	4	5
65 +	126	3.3	80	<1	1	2	2	4	9	59
TOTAL SINGLE DX	45	1.3		<1	<1	1	2	2	2	2
TOTAL MULTIPLE DX	147	3.1	70	<1	1	1	2	3	7	54
TOTAL										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	1.8	1	<1	<1	2	2	3	3	3
50-64	21	1.6	1	<1	<1	1	2	3	4	5
65 +	162	2.9	64	<1	1	1	2	3	7	51
GRAND TOTAL	192	2.7	54	<1	1	1	2	3	6	45

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	2.3	1	1	2	2	3	5	16	99 +
20-34	68	2.9	2	1	2	3	4	6	6	7
35-49	91	3.1	2	1	2	3	4	5	6	10
50-64	209	3.1	4	1	2	3	4	5	6	14
65 +	173	3.0	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	26	2.8	2	1	2	2	4	5	6	7
20-34	71	3.2	8	2	2	3	3	5	7	21
35-49	85	3.3	2	2	2	3	4	5	7	9
50-64	308	3.4	10	2	2	3	4	6	7	20
65 +	532	3.3	7	<1	2	3	4	6	8	18
TOTAL SINGLE DX	568	3.0	3	1	2	3	4	5	6	10
TOTAL MULTIPLE DX	1022	3.3	8	1	2	3	4	6	7	17
TOTAL										
0-19 YRS	53	2.5	2	1	2	2	3	5	7	96
20-34	139	3.1	5	1	2	3	3	5	6	11
35-49	176	3.2	3	2	2	3	4	5	6	9
50-64	517	3.3	8	1	2	3	4	5	7	15
65 +	705	3.2	6	<1	2	3	4	6	7	13
GRAND TOTAL	1590	3.2	6	1	2	3	4	5	7	13

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	2.5	6	< 1	1	2	3	4	8	12
20-34	13	2.8	1	1	2	2	3	5	6	6
35-49	18	2.2	1	1	2	2	2	3	5	6
50-64	21	3.7	18	1	2	2	3	10	16	17
65 +	54	2.7	3	1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	21	6.6	72	1	2	3	12	45	99 +	99 +
20-34	56	3.6	17	1	2	2	4	7	11	26
35-49	83	3.0	5	1	2	2	4	6	9	11
50-64	151	3.7	19	1	2	2	3	7	12	28
65 +	331	3.1	8	< 1	1	2	4	7	10	15
TOTAL SINGLE DX	126	2.8	6	1	2	2	3	5	7	15
TOTAL MULTIPLE DX	642	3.4	14	< 1	2	2	4	7	10	24
TOTAL										
0-19 YRS	41	4.6	44	1	1	2	5	22	55	99 +
20-34	69	3.5	14	1	2	2	4	6	8	25
35-49	101	2.9	5	1	2	2	3	5	8	11
50-64	172	3.7	20	1	2	2	3	7	13	26
65 +	385	3.1	8	< 1	1	2	3	7	9	14
GRAND TOTAL	768	3.3	13	< 1	2	2	3	7	10	21

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	376	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	21	1.0		< 1	< 1	< 1	< 1	1	2	2
35-49	15	1.0		< 1	< 1	< 1	1	1	1	1
50-64	8	1.4		< 1	< 1	1	2	2	2	2
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	173	1.2	1	< 1	< 1	< 1	1	1	2	3
20-34	20	1.1		< 1	< 1	< 1	1	1	2	2
35-49	14	1.3		< 1	< 1	1	2	2	2	2
50-64	9	6.0	192	< 1	< 1	1	2	27	43	43
65 +	15	1.8	1	1	1	2	2	2	5	6
TOTAL SINGLE DX	422	1.0		< 1	< 1	< 1	< 1	1	1	2
TOTAL MULTIPLE DX	231	1.4	9	< 1	< 1	< 1	1	2	2	8
TOTAL										
0-19 YRS	549	1.1		< 1	< 1	< 1	< 1	1	1	2
20-34	41	1.0		< 1	< 1	< 1	1	1	2	2
35-49	29	1.1		< 1	< 1	1	1	2	2	2
50-64	17	3.8	102	< 1	< 1	1	2	2	29	43
65 +	17	1.7	1		1	1	2	2	5	6
GRAND TOTAL	653	1.1	3	[illegible]	< 1	< 1	1	1	2	3

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	2.6	5	< 1	< 1	2	3	7	8	10
20-34	36	3.0	8	1	1	2	4	7	10	13
35-49	11	2.5	4	1	1	2	3	6	7	7
50-64	6	3.0	3	1	2	3	4	6	6	6
65 +	13	2.4	4	< 1	1	1	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	63	5.6	69	1	2	4	6	9	14	58
20-34	51	4.4	22	1	1	3	6	10	17	20
35-49	39	4.5	14	1	2	3	7	9	12	18
50-64	49	5.3	40	1	2	3	7	11	28	99 +
65 +	115	5.9	77	1	2	3	8	14	19	87
TOTAL SINGLE DX	112	2.7	6	< 1	1	2	4	6	8	12
TOTAL MULTIPLE DX	317	5.3	53	1	2	3	7	11	19	69
TOTAL										
0-19 YRS	109	4.3	45	< 1	1	3	5	8	10	39
20-34	87	3.8	17	1	1	2	5	9	13	20
35-49	50	4.0	13	1	1	3	6	8	11	18
50-64	55	5.0	36	1	2	3	6	10	26	96
65 +	128	5.5	71	1	1	3	7	13	19	85
GRAND TOTAL	429	4.6	42	1	1	3	6	10	15	37

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	1.6	2	< 1	< 1	1	2	3	5	9
20-34	36	1.4	1	< 1	< 1	1	1	2	3	8
35-49	19	1.7	2	< 1	< 1	1	2	4	5	5
50-64	13	1.7	3	< 1	< 1	1	1	3	7	8
65 +	21	1.8	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	137	3.6	13	1	1	3	5	8	13	33
20-34	78	3.8	27	< 1	1	2	4	9	12	33
35-49	37	4.5	57	1	1	2	4	11	16	43
50-64	35	3.3	10	< 1	1	2	5	9	11	13
65 +	95	8.8	153	1	2	5	11	22	60	99 +
TOTAL SINGLE DX	262	1.6	3	< 1	< 1	1	1	3	5	8
TOTAL MULTIPLE DX	382	5.0	59	1	1	3	6	12	19	89
TOTAL										
0-19 YRS	310	2.5	9	< 1	1	1	3	5	8	19
20-34	114	3.0	20	< 1	1	1	3	8	10	27
35-49	56	3.6	40	< 1	1	1	4	7	13	41
50-64	48	2.8	9	< 1	1	1	4	7	10	13
65 +	116	7.5	133	1	1	3	10	19	52	99 +
GRAND TOTAL	**644**	**3.6**	**39**	**<1**	**1**	**2**	**4**	**8**	**13**	**53**

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.3		< 1	1	1	2	2	2	2
20-34	68	1.5	2	1	1	1	1	2	3	11
35-49	87	1.4		1	1	1	2	2	3	4
50-64	59	1.4		1	1	1	2	2	2	3
65 +	21	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	23	1.7		1	1	2	2	3	3	4
20-34	44	1.8	4	1	1	1	2	2	5	13
35-49	60	1.5		1	1	1	2	2	2	7
50-64	59	1.7		1	1	1	2	3	4	4
65 +	45	1.6		1	1	2	2	2	3	3
TOTAL SINGLE DX	252	1.4	1	1	1	1	2	2	3	4
TOTAL MULTIPLE DX	231	1.6	1	1	1	1	2	2	3	7
TOTAL										
0-19 YRS	40	1.5		1	1	1	2	2	3	4
20-34	112	1.6	3	1	1	1	2	2	3	13
35-49	147	1.5	1	1	1	1	2	2	3	4
50-64	118	1.6	1	1	1	1	2	2	3	4
65 +	66	1.5		1	1	1	2	2	3	3
GRAND TOTAL	**483**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	231	1.1		< 1	1	1	1	1	2	2
20-34	82	1.2		< 1	1	1	1	2	2	5
35-49	57	1.1		< 1	1	1	1	2	2	2
50-64	41	1.2		1	1	1	1	2	3	3
65 +	14	1.1		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	198	1.2		< 1	1	1	1	2	2	4
20-34	97	1.5	7	1	1	1	2	2	2	17
35-49	91	1.4		1	1	1	2	2	2	4
50-64	82	1.3		1	1	1	2	2	2	4
65 +	54	1.8	4	1	1	1	2	2	4	16
TOTAL SINGLE DX	425	1.1		< 1	1	1	1	1	2	3
TOTAL MULTIPLE DX	522	1.4	2	1	1	1	1	2	2	4
TOTAL										
0-19 YRS	429	1.1		< 1	1	1	1	2	2	3
20-34	179	1.4	4	< 1	1	1	1	2	2	5
35-49	148	1.3		1	1	1	2	2	2	3
50-64	123	1.3		1	1	1	1	2	2	3
65 +	68	1.6	4	1	1	1	2	2	3	14
GRAND TOTAL	**947**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	568	1.1		< 1	< 1	< 1	< 1	1	1	6
20-34	15	1.1		< 1	< 1	1	1	1	3	3
35-49	12	1.6	4	< 1	< 1	< 1	1	3	7	8
50-64	9	1.3		< 1	< 1	1	2	2	2	2
65 +	6	1.7	2	< 1	< 1	< 1	1	5	5	5
2. MULTIPLE DX										
0-19 YRS	951	1.8	7	< 1	1	1	1	3	6	18
20-34	23	4.6	71	< 1	< 1	1	4	14	27	37
35-49	24	3.3	13	< 1	< 1	1	5	9	12	14
50-64	27	3.0	20	< 1	< 1	1	1	14	23	99 +
65 +	32	6.4	55	< 1	1	3	11	13	17	36
TOTAL SINGLE DX	610	1.1	1	< 1	< 1	< 1	< 1	1	1	6
TOTAL MULTIPLE DX	1057	2.0	12	< 1	1	1	1	4	8	18
TOTAL										
0-19 YRS	1519	1.5	5	< 1	< 1	1	1	2	4	14
20-34	38	3.2	45	< 1	< 1	1	2	5	17	37
35-49	36	2.8	11	< 1	< 1	1	3	8	10	14
50-64	36	2.6	16	< 1	< 1	1	2	13	15	99 +
65 +	38	5.6	50	< 1	1	2	10	13	16	36
GRAND TOTAL	**1667**	**1.7**	**8**	**<1**	**<1**	**1**	**1**	**2**	**6**	**17**

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	119	1.6	1	1	1	1	2	3	4	8
20-34	40	2.0	5	1	1	1	2	4	5	15
35-49	36	1.8	4	1	1	1	2	3	3	14
50-64	28	2.3	6	1	1	1	2	5	8	13
65 +	11	3.2	22	1	1	1	3	9	16	17
2. MULTIPLE DX										
0-19 YRS	199	3.4	29	1	1	1	3	9	16	28
20-34	122	2.9	50	1	1	2	2	5	7	32
35-49	111	2.5	13	1	1	1	3	4	10	21
50-64	104	2.4	7	1	1	2	2	5	7	16
65 +	90	4.6	61	1	1	2	3	15	21	42
TOTAL SINGLE DX	234	1.9	5	1	1	1	2	3	5	14
TOTAL MULTIPLE DX	626	3.2	32	1	1	1	3	6	13	28
TOTAL										
0-19 YRS	318	2.7	20	1	1	1	2	6	11	22
20-34	162	2.6	39	1	1	1	2	4	6	15
35-49	147	2.3	12	1	1	1	2	3	10	15
50-64	132	2.4	7	1	1	2	2	5	8	15
65 +	101	4.4	57	1	1	2	3	15	20	41
GRAND TOTAL	860	2.8	25	1	1	1	2	5	10	22

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	2.3	65	<1	<1	1	1	3	7	41
20-34	41	1.5		<1	1	1	2	2	3	6
35-49	44	2.0	2	1	1	2	3	3	5	8
50-64	31	2.1	2	1	1	2	3	4	5	8
65 +	21	2.5	3	1	2	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	142	2.4	13	<1	1	1	2	7	11	17
20-34	40	2.0	3	<1	1	1	2	4	7	9
35-49	46	1.9	1	1	1	1	2	4	5	7
50-64	58	2.3	8	1	1	2	2	3	7	18
65 +	42	2.9	13	1	1	2	3	6	11	20
TOTAL SINGLE DX	247	2.1	30	<1	1	1	2	3	5	12
TOTAL MULTIPLE DX	328	2.3	10	<1	1	1	2	5	8	17
TOTAL										
0-19 YRS	252	2.3	36	<1	<1	1	1	5	9	16
20-34	81	1.8	2	<1	1	1	2	3	5	9
35-49	90	2.0	2	1	1	1	2	4	5	8
50-64	89	2.2	6	1	1	2	2	4	7	16
65 +	63	2.8	10	1	1	2	3	6	9	19
GRAND TOTAL	575	2.2	18	<1	1	1	2	4	7	15

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	1.4		1	1	1	2	2	2	4
20-34	206	1.4		1	1	1	2	2	2	3
35-49	88	1.5		1	1	1	2	2	3	5
50-64	45	1.4		1	1	1	2	2	2	3
65 +	11	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	273	1.3		1	1	1	1	2	2	3
20-34	732	1.4		1	1	1	2	2	3	4
35-49	466	1.4		1	1	1	1	2	3	5
50-64	247	1.7	7	1	1	1	2	2	3	9
65 +	44	2.0	2	1	1	1	2	5	6	8
TOTAL SINGLE DX	449	1.4		1	1	1	2	2	2	3
TOTAL MULTIPLE DX	1762	1.4	2	1	1	1	2	2	3	5
TOTAL										
0-19 YRS	372	1.3		1	1	1	2	2	2	3
20-34	938	1.4	1	1	1	1	2	2	3	4
35-49	554	1.4	1	1	1	1	2	2	3	5
50-64	292	1.6	6	1	1	1	2	2	3	8
65 +	55	1.9	2	1	1	1	2	4	5	8
GRAND TOTAL	2211	1.4	1	1	1	1	2	2	3	5

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	217	1.5	1	1	1	1	2	3	4	7
20-34	373	1.3		<1	1	1	1	2	2	4
35-49	186	1.4		<1	1	1	2	2	3	5
50-64	79	1.3		<1	1	1	1	2	2	6
65 +	19	1.7		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	366	1.6	1	1	1	1	2	3	4	7
20-34	760	1.4		1	1	1	2	2	3	6
35-49	469	1.4	1	1	1	1	2	2	3	5
50-64	249	1.9	6	1	1	1	2	3	5	11
65 +	159	2.9	8	1	1	2	3	7	10	16
TOTAL SINGLE DX	874	1.4	1	<1	1	1	2	2	3	5
TOTAL MULTIPLE DX	2003	1.6	3	1	1	1	2	3	4	9
TOTAL										
0-19 YRS	583	1.6	1	1	1	1	2	3	4	7
20-34	1133	1.4	1	1	1	1	2	2	3	5
35-49	655	1.4	1	1	1	1	2	2	3	5
50-64	328	1.8	5	1	1	1	2	3	4	9
65 +	178	2.7	8	1	1	2	3	6	9	16
GRAND TOTAL	2877	1.6	2	1	1	1	2	2	4	8

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	2.2	5	<1	1	1	2	4	8	13
20-34	40	1.3		<1	<1	1	1	2	3	4
35-49	43	1.7	2	<1	<1	1	2	3	5	8
50-64	44	1.5	1	<1	1	1	2	3	4	5
65 +	61	1.7	2	<1	<1	1	2	3	4	11
2. MULTIPLE DX										
0-19 YRS	92	1.9	5	1	1	1	2	4	7	15
20-34	164	1.6	4	1	1	1	2	2	3	10
35-49	156	1.8	5	1	1	1	2	3	4	11
50-64	108	2.2	10	1	1	1	2	4	5	57
65 +	144	4.8	63	1	1	2	5	10	15	64
TOTAL SINGLE DX	238	1.7	3	<1	<1	1	2	3	4	9
TOTAL MULTIPLE DX	664	2.5	20	1	1	1	2	5	8	28
TOTAL										
0-19 YRS	142	2.0	6	<1	1	1	2	4	7	14
20-34	204	1.5	4	<1	1	1	2	2	3	8
35-49	199	1.8	5	1	1	1	2	3	4	10
50-64	152	2.0	8	<1	1	1	2	4	5	28
65 +	205	3.8	47	<1	1	2	4	9	13	52
GRAND TOTAL	902	2.3	16	<1	1	1	2	4	7	25

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	171	1.4		<1	<1	1	1	3	3	6
20-34	128	1.9	9	<1	1	1	2	3	5	13
35-49	56	3.2	5	1	1	3	5	7	8	10
50-64	54	4.2	5	2	2	4	6	7	8	12
65 +	58	3.9	8	1	2	3	5	7	10	14
2. MULTIPLE DX										
0-19 YRS	146	2.8	7	1	1	2	4	6	8	14
20-34	231	3.7	27	1	1	2	5	8	13	33
35-49	135	4.3	25	1	1	3	6	9	10	26
50-64	199	5.2	17	1	3	5	6	9	11	27
65 +	303	6.1	41	2	3	5	7	11	17	32
TOTAL SINGLE DX	467	2.4	6	<1	1	1	3	5	7	10
TOTAL MULTIPLE DX	1014	4.7	28	1	1	3	6	9	13	29
TOTAL										
0-19 YRS	317	2.0	4	<1	1	1	2	5	6	13
20-34	359	3.0	22	<1	1	1	3	7	10	32
35-49	191	4.0	20	1	1	3	5	8	9	22
50-64	253	5.0	15	1	2	5	6	8	10	26
65 +	361	5.8	37	2	3	4	7	10	15	31
GRAND TOTAL	1481	3.9	22	1	1	3	5	8	10	25

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.3	6	1	1	1	3	4	9	11
20-34	59	1.8	4	1	1	1	2	2	5	13
35-49	59	1.5	1	<1	1	1	2	3	3	8
50-64	50	1.7		1	1	1	2	3	4	5
65 +	17	1.8		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	28	2.5	13	1	1	1	3	5	7	20
20-34	126	2.2	5	1	1	2	2	4	5	14
35-49	138	1.9	2	1	1	2	2	3	5	8
50-64	110	2.3	2	1	1	2	3	4	6	9
65 +	65	4.3	40	1	1	2	4	12	17	37
TOTAL SINGLE DX	201	1.7	3	1	1	1	2	3	4	11
TOTAL MULTIPLE DX	467	2.5	10	1	1	2	3	4	6	18
TOTAL										
0-19 YRS	44	2.4	11	1	1	1	3	4	7	20
20-34	185	2.1	5	1	1	2	2	4	5	13
35-49	197	1.8	2	1	1	1	2	3	5	8
50-64	160	2.1	2	1	1	2	2	4	5	8
65 +	82	3.8	33	1	1	2	3	9	15	34
GRAND TOTAL	668	2.2	8	1	1	2	2	4	6	14

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	43	3.8	21	1	1	1	6	10	14	21
20-34	59	2.4	11	1	1	1	2	5	8	20
35-49	69	1.9	3	< 1	1	1	2	3	5	11
50-64	46	2.7	5	1	1	2	3	6	8	12
65 +	25	2.9	21	1	1	1	3	5	10	24
2. MULTIPLE DX										
0-19 YRS	110	3.8	24	1	1	2	4	10	17	23
20-34	225	2.8	16	1	1	1	2	7	12	20
35-49	304	2.6	16	1	1	1	2	6	9	22
50-64	262	2.8	17	1	1	1	3	6	11	20
65 +	190	5.2	72	1	1	2	5	13	19	51
TOTAL SINGLE DX	242	2.6	11	1	1	1	3	6	8	20
TOTAL MULTIPLE DX	1091	3.3	28	1	1	1	3	8	13	26
TOTAL										
0-19 YRS	153	3.8	24	1	1	2	4	10	17	21
20-34	284	2.7	16	1	1	1	2	7	11	20
35-49	373	2.5	14	1	1	1	2	5	9	17
50-64	308	2.8	16	1	1	2	3	6	10	20
65 +	215	4.9	67	1	1	2	5	12	19	48
GRAND TOTAL	1333	3.2	25	1	1	1	3	7	12	24

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	205	1.2		< 1	< 1	< 1	1	1	2	5
20-34	119	1.1		< 1	< 1	< 1	1	1	1	4
35-49	15	1.2		< 1	< 1	< 1	1	2	2	2
50-64	16	1.4		< 1	< 1	1	2	3	4	4
65 +	11	1.5	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	225	2.1	13	< 1	1	1	2	4	6	18
20-34	228	4.7	73	< 1	1	2	4	12	27	70
35-49	128	6.2	167	< 1	1	2	6	17	28	92
50-64	137	4.1	30	< 1	1	2	5	11	16	28
65 +	224	8.0	143	1	1	4	12	23	48	99 +
TOTAL SINGLE DX	366	1.2	1	< 1	< 1	< 1	1	1	2	5
TOTAL MULTIPLE DX	942	5.0	86	< 1	1	2	5	13	24	99
TOTAL										
0-19 YRS	430	1.7	8	< 1	< 1	1	1	3	5	11
20-34	347	3.4	52	< 1	< 1	1	2	8	16	48
35-49	143	5.7	152	< 1	1	2	4	12	27	91
50-64	153	3.8	28	< 1	1	2	4	10	16	28
65 +	235	7.7	138	1	1	3	11	22	44	99 +
GRAND TOTAL	1308	3.9	65	< 1	< 1	1	3	10	18	78

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.4	1	< 1	< 1	< 1	1	3	4	5
20-34	6	2.8	7	< 1	< 1	2	3	7	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	136	2.0	12	< 1	< 1	1	2	2	4	23
20-34	38	2.9	32	< 1	1	1	2	5	12	34
35-49	9	2.9	7	1	1	2	7	54	99 +	99 +
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	30	1.7	2	< 1	< 1	1	2	4	5	8
TOTAL MULTIPLE DX	186	2.3	16	< 1	1	1	2	3	7	33
TOTAL										
0-19 YRS	155	1.9	11	< 1	< 1	1	2	2	4	22
20-34	44	2.9	29	< 1	1	1	2	6	10	34
35-49	10	3.0	6	1	1	2	6	45	95	99 +
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	3	1.3		< 1	< 1	1	2	2	2	2
GRAND TOTAL	216	2.2	14	< 1	< 1	1	2	3	7	33

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	1.8	1	< 1	1	1	2	3	4	6
20-34	11	1.6	1	< 1	1	1	2	3	4	4
35-49	12	1.7	1	< 1	< 1	1	2	4	4	4
50-64	10	1.6		1	1	1	2	3	3	3
65 +	7	1.9	1	1	1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	114	2.1	9	< 1	< 1	< 1	1	4	8	19
20-34	50	3.0	11	1	1	2	4	7	12	16
35-49	36	2.6	4	< 1	1	2	3	6	7	9
50-64	45	5.9	65	1	1	2	8	19	23	38
65 +	58	6.3	102	1	1	2	6	15	36	42
TOTAL SINGLE DX	71	1.7	1	< 1	1	1	2	3	4	6
TOTAL MULTIPLE DX	303	3.7	38	< 1	1	1	3	8	15	40
TOTAL										
0-19 YRS	145	2.0	7	< 1	< 1	1	2	4	6	17
20-34	61	2.8	10	1	1	1	3	6	11	16
35-49	48	2.3	4	< 1	1	1	3	6	7	9
50-64	55	5.1	56	1	1	2	4	18	21	37
65 +	65	5.8	93	1	1	2	5	14	32	42
GRAND TOTAL	374	3.3	31	< 1	1	1	3	7	12	36

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	2.9	8	1	1	2	3	6	9	17
20-34	142	2.5	3	1	1	2	3	4	5	9
35-49	180	2.6	5	1	1	2	3	4	5	11
50-64	179	2.3	2	1	1	2	3	4	5	6
65 +	132	2.9	6	1	2	2	4	5	6	15
2. MULTIPLE DX										
0-19 YRS	28	3.5	8	1	1	2	4	9	10	11
20-34	73	2.8	5	1	1	2	3	5	6	16
35-49	119	3.2	9	1	1	2	4	6	9	17
50-64	181	3.4	9	1	2	3	4	6	9	21
65 +	284	5.7	71	1	2	3	6	11	17	58
TOTAL SINGLE DX	686	2.6	5	1	1	2	3	4	5	11
TOTAL MULTIPLE DX	685	4.3	36	1	2	3	4	8	12	31
TOTAL										
0-19 YRS	81	3.1	8	1	1	2	3	8	10	15
20-34	215	2.6	4	1	1	2	3	4	5	13
35-49	299	2.8	7	1	1	2	3	5	8	13
50-64	360	2.9	6	1	1	2	4	5	7	13
65 +	416	4.8	52	1	2	3	5	9	13	43
GRAND TOTAL	1371	3.4	21	1	1	2	4	6	9	21

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	205	2.9	2	1	2	3	4	5	6	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	312	2.9	4	1	2	2	3	5	6	11
20-34	10	3.0	2	1	2	3	4	5	5	5
35-49	9	1.9	1	< 1	1	2	2	4	5	5
50-64	12	2.8	6	1	1	2	3	8	8	8
65 +	2	2.5	1	2	2	2	3	3	3	3
TOTAL SINGLE DX	210	2.9	3	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	345	2.8	4	1	2	2	3	5	6	10
TOTAL										
0-19 YRS	517	2.9	3	1	2	2	4	5	6	9
20-34	11	2.8	2	1	1	3	4	5	5	5
35-49	10	2.3	3	< 1	1	2	2	5	6	6
50-64	13	2.8	6	1	1	2	3	8	8	8
65 +	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	555	2.9	3	1	2	2	4	5	6	9

551. Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	309	2.6	3	< 1	1	2	4	5	6	8
20-34	54	3.3	6	1	1	2	4	7	9	11
35-49	42	5.0	55	< 1	1	2	5	13	22	38
50-64	50	3.9	11	< 1	1	3	5	9	12	13
65 +	67	2.8	5	< 1	1	2	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	365	3.5	33	1	1	2	4	6	8	45
20-34	192	4.6	24	1	2	3	6	9	13	25
35-49	143	6.2	50	1	2	4	9	14	20	30
50-64	205	7.3	113	1	2	4	8	16	25	72
65 +	290	8.7	107	1	2	5	11	22	29	59
TOTAL SINGLE DX	522	3.0	9	< 1	1	2	4	6	8	13
TOTAL MULTIPLE DX	1195	5.9	70	1	2	3	7	13	21	52
TOTAL										
0-19 YRS	674	3.1	20	1	1	2	4	5	7	34
20-34	246	4.3	21	1	2	3	5	8	11	24
35-49	185	6.0	51	1	2	3	8	14	20	35
50-64	255	6.6	95	1	1	4	8	14	21	58
65 +	357	7.6	94	1	2	4	10	18	27	58
GRAND TOTAL	1717	5.0	53	1	1	3	5	11	17	44

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2267	1.1		1	1	1	1	1	2	3
20-34	1385	1.2		1	1	1	1	2	2	3
35-49	134	1.2		1	1	1	1	2	2	3
50-64	13	1.6		1	1	1	2	3	3	3
65 +	7	1.1		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	958	1.3		1	1	1	1	2	3	5
20-34	401	1.4	1	1	1	1	1	2	3	6
35-49	68	1.6	1	1	1	1	2	3	5	6
50-64	16	3.1	18	< 1	1	1	3	9	15	17
65 +	6	2.3	4	1	1	2	3	6	6	6
TOTAL SINGLE DX	3806	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	1449	1.3	1	1	1	1	1	2	3	6
TOTAL										
0-19 YRS	3225	1.2		1	1	1	1	1	2	4
20-34	1786	1.2	1	1	1	1	1	2	2	4
35-49	202	1.3	1	1	1	1	1	2	3	5
50-64	29	2.4	11	1	1	1	2	5	9	17
65 +	13	1.7	2	1	1	1	2	4	6	6
GRAND TOTAL	5255	1.2	1	1	1	1	1	2	2	4

259 Hospitals, North Eastern Region, January-December 1988, by Operation

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3749	1.1		1	1	1	1	1	1	2
20-34	90	1.1		1	1	1	1	1	2	4
35-49	6	1.2		1	1	1	1	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	4123	1.2	1	1	1	1	1	1	2	6
20-34	59	1.3		1	1	1	1	2	3	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	3846	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	4185	1.2	2	1	1	1	1	1	2	6
TOTAL										
0-19 YRS	7872	1.1	1	1	1	1	1	1	2	4
20-34	149	1.2		1	1	1	1	2	2	5
35-49	8	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	8031	1.1	1	1	1	1	1	1	2	4

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	176	1.0		<1	<1	1	1	1	1	2
20-34	8	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	514	1.2	6	<1	1	1	1	1	1	4
20-34	11	1.1		<1	1	1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
TOTAL SINGLE DX	185	1.0		<1	<1	1	1	1	1	2
TOTAL MULTIPLE DX	526	1.2	6	<1	1	1	1	1	1	4
TOTAL										
0-19 YRS	690	1.2	4	<1	1	1	1	1	1	3
20-34	19	1.1		1	1	1	1	1	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
GRAND TOTAL	711	1.2	4	<1	1	1	1	1	1	3

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	325	2.1	2	1	1	1	3	4	5	9
20-34	181	2.4	3	1	1	2	3	4	5	11
35-49	78	2.7	6	1	1	2	3	5	7	14
50-64	37	2.9	8	1	1	2	3	7	10	11
65+	26	3.7	10	<1	1	2	6	9	10	11
2. MULTIPLE DX										
0-19 YRS	180	3.5	17	1	1	2	4	7	12	23
20-34	107	3.9	20	1	2	3	4	7	10	26
35-49	69	4.2	39	1	1	2	4	9	21	32
50-64	79	5.0	53	1	1	2	7	14	18	86
65+	93	12.3	294	1	2	6	16	27	66	72
TOTAL SINGLE DX	647	2.3	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	528	5.5	85	1	1	3	5	13	20	67
TOTAL										
0-19 YRS	505	2.6	8	1	1	2	3	5	7	14
20-34	288	2.9	10	1	1	2	4	5	7	14
35-49	147	3.4	22	1	1	2	3	7	11	29
50-64	116	4.3	40	1	1	2	5	11	16	68
65+	119	10.4	245	1	2	5	11	24	55	72
GRAND TOTAL	1175	3.7	43	1	1	2	4	7	12	35

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.6	5	<1	1	1	4	6	7	7
20-34	16	2.6	2	<1	1	3	4	4	6	7
35-49	9	2.7	3	<1	1	3	4	6	6	6
50-64	15	2.6	1	1	2	2	4	5	5	5
65+	18	2.8	2	1	2	2	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	70	3.5	6	1	2	3	4	6	9	15
20-34	22	4.7	14	1	2	3	7	8	13	18
35-49	25	6.6	17	1	3	6	10	11	15	16
50-64	76	6.6	79	1	2	4	7	13	19	58
65+	173	6.0	40	2	3	4	7	14	19	99+
TOTAL SINGLE DX	69	2.7	3	1	1	2	3	5	6	7
TOTAL MULTIPLE DX	366	5.6	40	1	2	4	7	12	16	66
TOTAL										
0-19 YRS	81	3.3	7	1	2	3	4	6	8	15
20-34	38	3.8	11	1	2	3	4	7	9	18
35-49	34	5.5	17	1	2	5	9	10	14	16
50-64	91	5.9	68	1	2	4	7	11	17	51
65+	191	5.7	38	1	2	4	7	14	18	99+
GRAND TOTAL	435	5.1	35	1	2	4	6	11	15	55

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	112	2.5	19	1	1	1	2	4	12	60
20-34	27	1.1		< 1	< 1	1	1	1	2	2
35-49	47	1.6	5	< 1	< 1	1	1	2	4	15
50-64	90	1.5	2	< 1	1	1	1	3	3	11
65 +	46	1.7	4	< 1	1	1	1	2	6	13
2. MULTIPLE DX										
0-19 YRS	76	5.4	79	1	1	2	4	21	31	36
20-34	16	2.6	14	< 1	1	1	2	8	13	15
35-49	49	3.8	29	< 1	1	1	4	9	15	30
50-64	123	3.9	67	1	1	1	3	9	13	46
65 +	141	5.3	116	1	1	2	4	13	26	72
TOTAL SINGLE DX	322	1.8	9	< 1	1	1	1	3	5	17
TOTAL MULTIPLE DX	405	4.6	80	1	1	1	3	11	22	37
TOTAL										
0-19 YRS	188	3.7	46	1	1	1	2	9	22	36
20-34	43	1.6	6	< 1	< 1	1	1	2	5	15
35-49	96	2.7	19	< 1	< 1	1	2	8	12	24
50-64	213	2.9	41	< 1	1	1	2	7	10	29
65 +	187	4.4	91	< 1	1	1	3	9	20	59
GRAND TOTAL	727	3.4	51	< 1	1	1	2	8	13	35

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	4.8	31	1	1	2	8	13	13	13
20-34	0									
35-49	1	23.0		23	23	23	23	23	23	23
50-64	11	13.6	172	3	7	11	14	30	49	51
65 +	7	6.4	28	< 1	2	4	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	38	6.8	90	1	2	4	8	14	22	54
20-34	7	10.4	109	1	1	5	20	24	25	25
35-49	9	11.6	189	< 1	2	3	20	34	36	36
50-64	36	13.3	242	1	4	9	15	32	56	69
65 +	33	17.6	306	2	8	14	19	43	58	83
TOTAL SINGLE DX	23	10.3	113	1	2	11	12	17	33	51
TOTAL MULTIPLE DX	123	12.2	213	1	2	8	15	26	44	73
TOTAL										
0-19 YRS	42	6.6	84	1	2	3	8	14	21	54
20-34	7	10.4	109	1	1	5	20	24	25	25
35-49	10	12.7	181	< 1	2	7	23	34	36	36
50-64	47	13.3	222	1	5	11	14	31	53	69
65 +	40	15.7	274	2	6	12	17	36	52	83
GRAND TOTAL	146	11.9	197	1	2	8	15	25	43	70

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	15.0	30	9	10	15	19	21	21	21
50-64	18	17.3	276	7	9	13	17	25	58	80
65 +	9	16.0	66	9	12	14	16	30	36	36
2. MULTIPLE DX										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	0									
35-49	22	21.1	372	12	12	13	17	44	72	89
50-64	99	21.1	195	11	13	16	25	37	52	97
65 +	103	20.9	195	11	13	17	23	46	80	99 +
TOTAL SINGLE DX	32	16.5	173	8	10	13	17	25	35	80
TOTAL MULTIPLE DX	225	21.1	210	11	13	16	23	41	61	99 +
TOTAL										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	1	11.0		11	11	11	11	11	11	11
35-49	26	20.2	321	12	12	13	18	37	67	89
50-64	117	20.5	207	10	13	15	25	37	52	97
65 +	112	20.5	186	11	13	17	23	44	75	99 +
GRAND TOTAL	257	20.5	207	11	13	16	22	37	61	99 +

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	34.5	711	5	8	34	55	74	81	82
20-34	4	9.3	31	2	5	10	13	15	15	15
35-49	7	9.9	145	2	3	5	11	31	36	36
50-64	3	7.3	12	4	5	7	10	11	11	11
65 +	2	12.5	5	11	11	12	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	48	28.0	544	8	14	43	99 +	99 +	99 +	99 +
20-34	44	36.7	512	9	19	44	67	99 +	99 +	99 +
35-49	67	30.3	709	5	10	33	76	99 +	99 +	99 +
50-64	136	37.0	702	8	18	42	81	99 +	99 +	99 +
65 +	255	43.6	632	13	29	56	95	99 +	99 +	99 +
TOTAL SINGLE DX	27	19.7	470	3	5	11	32	56	71	82
TOTAL MULTIPLE DX	550	38.4	668	9	20	47	92	99 +	99 +	99 +
TOTAL										
0-19 YRS	59	29.3	570	6	14	38	99 +	99 +	99 +	99 +
20-34	48	34.4	530	8	16	35	63	99 +	99 +	99 +
35-49	74	28.4	690	4	9	30	73	99 +	99 +	99 +
50-64	139	36.4	706	7	16	41	81	99 +	99 +	99 +
65 +	257	43.3	635	13	29	55	94	99 +	99 +	99 +
GRAND TOTAL	577	37.6	673	8	19	45	89	99 +	99 +	99 +

259 Hospitals, North Eastern Region, January-December 1988, by Operation

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	5.5	57	1	1	2	6	18	22	33
20-34	4	1.8	2	< 1	< 1	1	3	4	4	4
35-49	5	3.0	15	< 1	1	1	4	10	10	10
50-64	8	3.0	23	< 1	1	1	2	11	15	15
65 +	6	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	79	10.6	224	1	1	7	17	34	99 +	99 +
20-34	12	7.0	70	1	1	3	11	20	27	28
35-49	15	3.5	13	1	1	1	5	10	11	11
50-64	34	6.8	173	1	1	3	5	14	21	76
65 +	66	13.3	404	1	2	4	15	46	65	99 +
TOTAL SINGLE DX	59	4.3	42	< 1	1	1	4	14	20	32
TOTAL MULTIPLE DX	206	10.1	255	1	1	4	13	34	73	99 +
TOTAL										
0-19 YRS	115	9.0	177	1	1	4	14	28	96	99 +
20-34	16	5.7	58	1	1	2	7	16	24	28
35-49	20	3.4	13	< 1	1	1	5	10	11	11
50-64	42	6.1	146	1	1	2	5	14	20	76
65 +	72	12.3	382	1	1	3	13	44	64	99 +
GRAND TOTAL	265	8.8	213	1	1	3	11	27	61	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	3.3	8	1	1	2	4	8	10	10
20-34	29	6.7	24	1	3	7	9	14	16	19
35-49	43	5.7	36	1	2	4	8	10	21	30
50-64	56	5.9	41	1	1	4	9	12	16	37
65 +	57	5.4	33	1	2	3	7	13	17	29
2. MULTIPLE DX										
0-19 YRS	30	8.3	32	2	3	8	14	17	21	99 +
20-34	209	16.4	196	4	7	13	22	31	52	93
35-49	342	15.0	165	3	7	12	20	28	39	74
50-64	749	12.8	119	3	6	10	16	26	37	59
65 +	1506	14.2	146	3	7	12	18	29	39	86
TOTAL SINGLE DX	195	5.7	34	1	2	4	8	12	17	30
TOTAL MULTIPLE DX	2836	14.1	145	3	6	11	18	28	38	78
TOTAL										
0-19 YRS	40	7.1	31	1	3	6	11	16	19	99 +
20-34	238	15.2	186	3	6	12	21	29	48	89
35-49	385	14.0	160	2	6	11	19	26	36	71
50-64	805	12.4	117	2	5	10	16	25	35	58
65 +	1563	13.9	145	3	6	11	18	28	38	85
GRAND TOTAL	3031	13.5	142	3	6	11	18	27	37	77

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	33.0	200	23	23	33	43	43	43	43
65 +	1	28.0		28	28	28	28	28	28	28
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	3	31.3	108	23	24	28	39	43	43	43
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	33.0	200	23	23	33	43	43	43	43
65 +	1	28.0		28	28	28	28	28	28	28
GRAND TOTAL	3	31.3	108	23	24	28	39	43	43	43

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	11.2	137	2	4	7	12	36	39	44
20-34	58	7.9	25	2	5	7	10	16	19	21
35-49	64	5.9	16	2	3	5	8	11	13	21
50-64	123	6.8	29	1	2	6	9	14	17	25
65 +	104	6.8	22	1	2	6	10	13	16	20
2. MULTIPLE DX										
0-19 YRS	72	15.4	300	5	7	9	16	40	73	99 +
20-34	273	14.7	123	5	7	12	20	28	35	67
35-49	421	14.2	115	4	7	11	19	29	37	52
50-64	886	13.2	149	3	6	10	16	26	35	73
65 +	1521	14.2	153	3	7	11	18	29	39	71
TOTAL SINGLE DX	372	7.1	32	1	3	6	9	13	18	30
TOTAL MULTIPLE DX	3173	14.0	148	3	7	11	18	28	38	72
TOTAL										
0-19 YRS	95	14.4	262	4	6	8	15	37	66	99 +
20-34	331	13.5	113	4	7	11	18	26	32	59
35-49	485	13.1	110	3	6	10	17	27	37	52
50-64	1009	12.4	140	2	5	9	16	25	34	66
65 +	1625	13.8	149	2	6	11	18	28	38	69
GRAND TOTAL	3545	13.3	141	3	6	10	17	27	36	68

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	12.0	35	8	8	9	15	22	22	22
20-34	1	7.0		7	7	7	7	7	7	7
35-49	10	8.5	3	6	8	9	10	11	11	11
50-64	47	10.1	15	7	8	9	12	14	19	25
65 +	36	10.8	14	8	8	10	12	17	19	23
2. MULTIPLE DX										
0-19 YRS	9	20.2	392	8	10	16	25	85	99 +	99 +
20-34	22	20.1	374	7	8	13	19	50	70	82
35-49	89	15.0	112	7	8	12	18	28	33	62
50-64	370	14.5	88	8	9	11	17	24	30	72
65 +	489	16.1	106	8	10	13	19	29	37	83
TOTAL SINGLE DX	99	10.3	15	7	8	9	11	15	19	24
TOTAL MULTIPLE DX	979	15.5	109	8	9	12	18	28	36	78
TOTAL										
0-19 YRS	14	17.3	269	8	9	13	21	71	93	99 +
20-34	23	19.6	365	7	8	12	19	48	69	82
35-49	99	14.4	105	7	8	11	16	27	33	62
50-64	417	14.0	82	8	9	11	16	23	29	60
65 +	525	15.7	102	8	10	12	19	28	37	74
GRAND TOTAL	**1078**	**15.0**	**103**	**8**	**9**	**12**	**18**	**26**	**35**	**75**

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	129	3.5	79	1	1	1	3	6	9	45
20-34	25	7.1	43	1	2	5	12	18	20	24
35-49	22	6.5	22	< 1	2	7	10	12	15	18
50-64	49	4.2	24	< 1	1	2	5	10	15	27
65 +	29	5.4	58	< 1	1	2	7	15	28	30
2. MULTIPLE DX										
0-19 YRS	210	8.3	131	1	1	4	11	21	34	87
20-34	230	15.6	152	4	7	13	22	31	37	70
35-49	280	15.0	161	3	7	11	19	30	40	67
50-64	379	12.4	137	3	5	9	15	25	36	64
65 +	730	16.5	191	4	7	14	21	33	48	87
TOTAL SINGLE DX	254	4.5	59	< 1	1	2	5	10	15	30
TOTAL MULTIPLE DX	1829	14.4	170	2	6	11	19	30	41	78
TOTAL										
0-19 YRS	339	6.5	117	1	1	2	7	16	27	81
20-34	255	14.8	148	3	7	12	21	29	37	63
35-49	302	14.4	156	2	7	11	19	29	38	67
50-64	428	11.5	131	2	5	8	15	23	35	60
65 +	759	16.0	190	3	7	13	21	32	47	86
GRAND TOTAL	**2083**	**13.2**	**167**	**1**	**4**	**10**	**17**	**28**	**39**	**76**

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.1	10	1	2	3	5	10	11	11
20-34	25	5.8	11	3	3	5	7	12	13	14
35-49	8	8.1	4	6	6	8	10	11	11	11
50-64	3	4.0	9	1	2	4	6	7	7	7
65 +	2	10.0	8	8	8	10	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	17	12.1	58	5	7	10	14	27	28	28
20-34	27	10.3	102	3	6	8	13	17	60	99 +
35-49	19	10.6	67	4	5	8	12	23	31	35
50-64	25	14.0	91	2	7	11	20	26	31	38
65 +	56	16.9	138	4	8	14	23	34	39	54
TOTAL SINGLE DX	45	6.0	11	3	3	5	8	11	12	14
TOTAL MULTIPLE DX	144	13.7	110	4	6	11	18	29	36	58
TOTAL										
0-19 YRS	24	9.8	57	3	4	8	12	25	27	28
20-34	52	8.2	62	3	4	6	11	14	18	99
35-49	27	9.9	49	4	6	8	11	18	27	35
50-64	28	12.9	92	2	6	11	18	26	30	38
65 +	58	16.6	135	4	8	14	22	33	39	54
GRAND TOTAL	**189**	**11.9**	**97**	**3**	**5**	**9**	**15**	**26**	**34**	**56**

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	114	7.2	147	2	3	5	7	11	15	98
20-34	350	5.3	10	2	3	4	6	10	12	18
35-49	129	5.7	11	3	3	5	7	10	13	20
50-64	45	6.7	16	3	4	5	8	13	15	19
65 +	33	7.0	13	3	5	7	9	12	15	16
2. MULTIPLE DX										
0-19 YRS	187	12.6	270	3	4	7	13	33	63	99
20-34	425	9.7	84	3	4	7	11	20	27	46
35-49	363	11.8	134	3	5	8	15	27	35	84
50-64	503	12.9	149	4	6	9	15	26	35	70
65 +	919	14.4	145	4	7	11	18	30	39	73
TOTAL SINGLE DX	671	5.9	35	2	3	5	7	10	13	19
TOTAL MULTIPLE DX	2397	12.7	146	4	5	9	16	27	37	73
TOTAL										
0-19 YRS	301	10.6	230	3	4	6	10	21	54	99
20-34	775	7.7	56	3	4	6	9	15	21	38
35-49	492	10.2	109	3	4	7	12	23	33	62
50-64	548	12.4	142	4	5	9	15	25	33	65
65 +	952	14.2	143	4	6	11	18	30	38	73
GRAND TOTAL	**3068**	**11.2**	**130**	**3**	**5**	**8**	**13**	**24**	**34**	**70**

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	5.5	12	3	4	5	6	8	13	22
20-34	66	5.2	21	1	2	3	8	11	13	22
35-49	73	4.4	21	< 1	1	2	7	10	15	22
50-64	49	6.7	40	1	2	4	10	17	18	30
65 +	42	6.6	48	1	1	4	10	15	19	35
2. MULTIPLE DX										
0-19 YRS	85	11.8	217	4	5	7	11	28	33	88
20-34	114	13.7	173	2	5	9	19	30	41	84
35-49	162	11.4	134	2	3	8	16	25	31	63
50-64	330	12.4	156	2	4	9	16	29	41	99 +
65 +	559	13.7	152	2	5	10	18	31	35	63
TOTAL SINGLE DX	362	5.5	24	1	2	4	7	11	16	23
TOTAL MULTIPLE DX	1250	12.9	158	2	4	9	17	29	36	76
TOTAL										
0-19 YRS	217	8.0	102	3	4	5	7	15	27	58
20-34	180	10.6	134	1	3	7	13	26	35	72
35-49	235	9.3	110	1	2	6	12	22	27	54
50-64	379	11.6	145	2	4	8	14	28	38	95
65 +	601	13.2	148	2	4	10	18	31	35	60
GRAND TOTAL	**1612**	**11.3**	**137**	**2**	**4**	**8**	**15**	**27**	**34**	**66**

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	271	7.8	82	2	4	6	8	12	19	61
20-34	14	9.0	8	6	7	9	10	14	15	15
35-49	18	9.6	7	8	8	9	10	14	15	15
50-64	27	10.9	29	8	9	9	12	14	18	36
65 +	27	10.8	22	5	8	11	12	18	21	23
2. MULTIPLE DX										
0-19 YRS	947	12.8	130	5	7	9	15	27	40	99 +
20-34	70	13.1	153	6	7	9	14	24	46	62
35-49	128	14.9	96	7	9	12	18	32	43	99 +
50-64	411	16.3	131	8	10	13	18	29	37	69
65 +	664	18.6	135	8	11	15	22	35	44	71
TOTAL SINGLE DX	357	8.4	68	2	5	7	10	13	18	44
TOTAL MULTIPLE DX	2220	15.3	137	6	8	12	18	30	42	84
TOTAL										
0-19 YRS	1218	11.7	124	4	6	8	13	24	35	99 +
20-34	84	12.4	131	6	7	9	12	22	42	62
35-49	146	14.3	89	7	9	11	16	28	39	99 +
50-64	438	16.0	127	8	9	12	18	29	37	67
65 +	691	18.3	134	8	11	15	22	34	44	70
GRAND TOTAL	**2577**	**14.4**	**133**	**5**	**8**	**11**	**17**	**28**	**40**	**76**

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.3	6	3	3	3	6	8	8	8
35-49	106	3.9	7	2	2	3	4	8	10	14
50-64	290	3.7	6	2	2	3	4	7	8	14
65 +	148	3.5	4	2	2	3	4	7	8	10
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	26	5.8	12	2	3	5	8	10	14	16
35-49	799	5.4	16	2	3	4	7	10	13	21
50-64	1952	5.8	20	2	3	4	7	11	14	22
65 +	1432	7.2	36	2	3	5	9	14	19	30
TOTAL SINGLE DX	549	3.7	6	2	2	3	4	7	8	14
TOTAL MULTIPLE DX	4210	6.2	26	2	3	5	8	12	15	26
TOTAL										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	30	5.6	12	2	3	5	8	9	13	16
35-49	905	5.2	16	2	3	4	7	10	12	20
50-64	2242	5.5	20	2	3	4	7	10	13	21
65 +	1580	6.8	35	2	3	5	9	14	18	29
GRAND TOTAL	**4759**	**5.9**	**24**	**2**	**3**	**4**	**7**	**11**	**15**	**25**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	40	9.4	2	8	8	9	10	12	13	14
50-64	165	10.3	7	8	8	9	11	14	15	21
65 +	83	10.7	8	8	9	10	12	15	18	20
2. MULTIPLE DX										
0-19 YRS	0									
20-34	15	12.8	22	7	8	14	17	19	20	20
35-49	499	11.9	43	7	8	10	14	19	23	36
50-64	2312	13.5	73	8	9	11	15	22	29	55
65 +	2384	16.2	98	8	10	13	19	27	35	73
TOTAL SINGLE DX	289	10.3	7	8	8	9	11	14	16	20
TOTAL MULTIPLE DX	5210	14.6	84	8	9	12	17	24	31	61
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	15	12.8	23	7	8	14	17	19	20	20
35-49	539	11.7	41	7	8	10	13	18	22	35
50-64	2477	13.2	69	8	9	11	15	21	28	54
65 +	2467	16.0	97	8	10	13	19	27	35	72
GRAND TOTAL	**5499**	**14.3**	**61**	**8**	**9**	**12**	**16**	**24**	**31**	**59**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	412	1.9	2	<1	1	2	2	2	4	8
20-34	112	3.0	12	1	1	2	3	8	9	19
35-49	662	2.4	4	1	1	2	2	6	7	11
50-64	1359	2.2	4	1	1	2	2	4	7	10
65+	784	2.2	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
0-19 YRS	1154	2.9	19	1	1	2	2	5	10	32
20-34	266	4.4	19	1	2	2	6	11	13	22
35-49	2410	4.0	17	1	1	2	6	9	11	20
50-64	7328	4.3	22	1	1	2	6	10	13	22
65+	6524	5.5	39	1	2	2	8	13	17	29
TOTAL SINGLE DX	3329	2.2	4	1	1	2	2	4	7	11
TOTAL MULTIPLE DX	17682	4.6	28	1	1	2	6	11	14	24
TOTAL										
0-19 YRS	1566	2.7	15	1	1	2	2	4	8	23
20-34	378	4.0	18	1	1	2	5	10	13	22
35-49	3072	3.7	15	1	1	2	5	9	11	19
50-64	8687	3.9	20	1	1	2	5	10	12	20
65+	7308	5.1	37	1	1	2	7	12	16	28
GRAND TOTAL	**21011**	**4.2**	**25**	**1**	**1**	**2**	**6**	**10**	**13**	**23**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	5.1	8	2	3	5	7	9	11	14
20-34	5	4.8	12	3	3	3	6	11	11	11
35-49	19	5.4	43	1	2	4	6	8	21	31
50-64	48	4.1	7	2	2	4	5	7	8	17
65+	270	3.4	6	1	2	3	4	7	10	11
2. MULTIPLE DX										
0-19 YRS	54	9.6	176	3	4	6	10	19	31	99+
20-34	38	5.8	33	2	3	4	6	11	13	35
35-49	90	8.7	73	3	4	7	10	13	23	49
50-64	550	10.5	97	3	4	8	13	20	29	66
65+	3835	11.0	113	3	5	8	14	22	31	82
TOTAL SINGLE DX	365	3.7	9	1	2	3	5	7	10	14
TOTAL MULTIPLE DX	4567	10.8	111	3	4	8	14	22	30	76
TOTAL										
0-19 YRS	77	8.3	130	3	4	6	8	17	28	98
20-34	43	5.7	31	2	3	4	6	11	13	35
35-49	109	8.1	69	2	3	6	9	13	23	48
50-64	598	9.9	93	2	4	7	13	20	28	62
65+	4105	10.5	110	2	4	8	13	22	29	76
GRAND TOTAL	**4932**	**10.3**	**107**	**2**	**4**	**8**	**13**	**21**	**29**	**73**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	4.4	11	1	1	4	7	8	10	14
20-34	7	7.3	25	1	2	9	10	14	15	15
35-49	8	3.9	6	2	2	3	5	8	9	9
50-64	4	6.8	48	2	2	4	11	17	17	17
65+	4	9.8	49	1	5	10	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	115	8.1	58	1	2	6	10	20	26	33
20-34	45	16.3	239	1	8	13	20	37	65	99+
35-49	76	15.4	159	2	6	11	20	34	44	55
50-64	111	13.6	97	3	8	11	17	28	32	50
65+	139	17.1	178	4	9	14	23	35	43	77
TOTAL SINGLE DX	47	5.4	19	1	2	5	8	11	15	18
TOTAL MULTIPLE DX	486	13.8	145	2	6	11	18	29	38	65
TOTAL										
0-19 YRS	139	7.4	52	1	2	6	10	16	25	30
20-34	52	15.1	219	1	7	11	18	34	64	99
35-49	84	14.3	157	2	6	10	19	34	43	54
50-64	115	13.4	97	3	8	11	17	28	32	49
65+	143	16.9	176	4	9	13	22	34	43	76
GRAND TOTAL	**533**	**13.1**	**139**	**2**	**5**	**10**	**17**	**28**	**37**	**65**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	433	2.7	5	1	1	2	3	5	6	14
20-34	58	4.4	21	<1	1	3	5	12	16	19
35-49	51	2.5	3	<1	1	2	4	5	6	8
50-64	75	3.4	12	<1	1	2	4	8	10	19
65+	81	3.3	21	<1	1	2	4	8	9	30
2. MULTIPLE DX										
0-19 YRS	904	4.6	41	1	2	3	5	9	14	37
20-34	217	10.3	98	2	3	8	13	25	32	50
35-49	333	11.3	106	2	5	9	14	23	32	49
50-64	810	11.0	116	2	4	8	14	23	30	66
65+	2314	13.8	144	3	6	11	18	28	39	75
TOTAL SINGLE DX	698	3.0	10	1	1	2	4	6	8	17
TOTAL MULTIPLE DX	4578	11.1	126	2	4	8	15	24	33	69
TOTAL										
0-19 YRS	1337	4.0	31	1	2	3	4	7	12	27
20-34	275	9.1	88	1	3	6	12	21	30	48
35-49	384	10.2	102	1	3	7	13	22	28	47
50-64	885	10.4	112	2	4	8	14	22	29	61
65+	2395	13.4	143	2	6	11	18	28	39	75
GRAND TOTAL	**5276**	**10.1**	**118**	**1**	**3**	**7**	**14**	**23**	**31**	**65**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.8	1	1	1	2	2	3	4	4
20-34	274	2.2	1	1	1	2	3	4	4	7
35-49	529	2.3	2	1	1	2	3	4	4	7
50-64	246	2.5	3	1	1	2	3	5	6	9
65 +	85	3.0	5	1	1	2	4	5	7	14
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	104	2.9	7	1	1	2	3	5	8	16
35-49	231	3.3	11	1	1	2	4	6	8	22
50-64	276	4.4	22	1	2	3	5	10	14	24
65 +	194	6.4	68	1	2	4	7	16	23	32
TOTAL SINGLE DX	1143	2.3	3	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	806	4.4	30	1	2	3	5	9	14	25
TOTAL										
0-19 YRS	10	1.9	1	1	1	2	2	3	4	4
20-34	378	2.4	4	1	1	2	3	4	5	11
35-49	760	2.6	5	1	1	2	3	4	5	13
50-64	522	3.5	14	1	2	2	4	6	11	20
65 +	279	5.3	52	1	2	3	5	12	18	31
GRAND TOTAL	**1949**	**3.2**	**15**	**1**	**1**	**2**	**4**	**5**	**8**	**21**

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	15.0	642	5	6	7	12	94	99	99 +
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	21	7.6	5	4	6	8	9	10	11	11
50-64	103	8.3	11	4	6	8	10	12	15	20
65 +	86	10.0	23	5	7	9	12	15	19	31
2. MULTIPLE DX										
0-19 YRS	122	12.6	120	6	7	9	15	26	52	99 +
20-34	26	15.7	146	6	8	10	21	42	52	99 +
35-49	207	14.8	177	5	7	10	17	34	53	99 +
50-64	1134	14.9	169	6	8	11	17	31	44	99 +
65 +	2188	18.4	206	7	9	14	22	37	53	92
TOTAL SINGLE DX	223	9.2	46	5	6	8	11	13	17	50
TOTAL MULTIPLE DX	3677	16.9	193	6	8	12	20	35	50	99 +
TOTAL										
0-19 YRS	133	12.8	160	6	7	9	15	27	59	99 +
20-34	28	14.9	142	5	8	10	20	42	47	99 +
35-49	228	14.1	165	5	7	10	16	31	52	99 +
50-64	1237	14.3	160	5	7	10	16	30	42	99 +
65 +	2274	18.0	202	7	9	13	22	37	51	89
GRAND TOTAL	**3900**	**16.4**	**188**	**6**	**8**	**12**	**19**	**34**	**49**	**99 +**

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	9	2.8	2	< 1	1	3	4	5	5	5
35-49	2	10.0	162	1	1	10	19	19	19	19
50-64	3	3.7	14	1	1	2	6	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	42	8.0	132	1	2	4	9	19	21	70
20-34	261	6.8	70	1	2	4	8	16	22	41
35-49	341	7.4	76	1	3	5	9	15	25	52
50-64	623	8.4	95	2	3	6	9	17	25	57
65 +	1059	9.6	127	2	4	7	11	19	29	75
TOTAL SINGLE DX	18	3.8	19	1	1	2	4	8	15	19
TOTAL MULTIPLE DX	2326	8.6	106	2	3	6	10	18	26	63
TOTAL										
0-19 YRS	45	7.7	125	1	2	4	9	19	21	70
20-34	270	6.7	69	1	2	4	8	15	22	40
35-49	343	7.4	77	1	3	5	9	15	24	52
50-64	626	8.4	95	2	3	6	9	17	25	57
65 +	1060	9.6	127	2	4	7	11	19	29	75
GRAND TOTAL	**2344**	**8.6**	**106**	**2**	**3**	**6**	**10**	**18**	**25**	**63**

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	8.0	92	1	2	3	17	23	23	23
20-34	14	4.9	117	1	1	2	2	11	35	42
35-49	26	2.6	7	< 1	1	2	2	8	10	11
50-64	21	3.7	14	1	2	3	4	9	14	16
65 +	33	3.1	6	1	2	2	3	8	10	11
2. MULTIPLE DX										
0-19 YRS	47	10.7	129	2	3	5	16	32	36	46
20-34	193	8.9	87	2	3	6	12	22	31	99 +
35-49	337	14.0	249	2	4	9	18	30	54	77
50-64	576	12.9	193	2	3	8	17	33	46	98
65 +	846	16.3	280	2	4	11	22	37	53	91
TOTAL SINGLE DX	101	3.7	30	1	1	2	3	8	12	32
TOTAL MULTIPLE DX	1999	14.1	233	2	4	9	19	33	48	92
TOTAL										
0-19 YRS	54	10.4	123	2	3	5	16	28	35	46
20-34	207	8.6	90	1	2	5	11	22	31	99 +
35-49	363	13.1	241	2	3	8	17	30	51	75
50-64	597	12.6	190	2	3	8	17	32	45	97
65 +	879	15.8	277	2	4	11	22	36	51	89
GRAND TOTAL	**2100**	**13.6**	**228**	**2**	**3**	**9**	**18**	**32**	**46**	**90**

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	7	3.9		3	3	4	5	5	5	5
50-64	63	5.3	6	2	4	5	6	9	11	13
65 +	99	5.7	9	3	4	5	7	9	12	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	35	6.5	10	4	4	6	8	13	13	13
50-64	454	8.2	65	3	4	6	9	15	20	46
65 +	1030	9.8	66	4	5	7	12	20	27	68
TOTAL SINGLE DX	169	5.4	8	3	4	5	6	9	11	16
TOTAL MULTIPLE DX	1519	9.2	66	4	5	7	11	18	25	59
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	42	6.1	10	3	4	5	7	12	13	13
50-64	517	7.9	59	3	4	6	9	14	19	43
65 +	1129	9.4	63	4	5	7	12	19	26	63
GRAND TOTAL	**1688**	**8.8**	**61**	**4**	**5**	**6**	**10**	**17**	**23**	**51**

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	227	6.5	97	1	2	4	6	13	36	99 +
20-34	93	5.2	25	1	2	4	7	12	14	26
35-49	122	5.8	53	1	1	3	8	14	18	34
50-64	200	6.1	35	1	2	5	9	12	15	33
65 +	193	6.9	36	1	2	6	10	13	17	36
2. MULTIPLE DX										
0-19 YRS	1159	15.6	312	2	5	9	22	45	66	99 +
20-34	396	11.2	179	1	3	7	15	26	40	81
35-49	677	10.8	187	1	3	7	14	26	38	88
50-64	1824	11.7	152	2	4	9	14	24	37	89
65 +	3980	14.5	176	3	6	11	18	31	46	99 +
TOTAL SINGLE DX	835	6.3	54	1	2	4	8	13	17	59
TOTAL MULTIPLE DX	8036	13.5	194	2	5	10	17	31	47	99 +
TOTAL										
0-19 YRS	1386	14.1	289	2	4	8	19	43	65	99 +
20-34	489	10.1	156	1	2	6	13	24	38	78
35-49	799	10.0	170	1	2	6	12	23	34	84
50-64	2024	11.1	143	2	4	8	13	23	36	79
65 +	4173	14.1	173	2	6	11	18	31	45	99 +
GRAND TOTAL	**8871**	**12.8**	**186**	**2**	**4**	**9**	**16**	**30**	**45**	**99 +**

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	3.4	13	< 1	1	2	4	8	11	17
20-34	130	2.7	9	< 1	1	2	3	6	9	16
35-49	103	2.9	9	< 1	1	2	3	7	9	16
50-64	108	3.5	10	< 1	1	2	5	9	10	13
65 +	75	4.0	12	< 1	1	3	5	8	11	15
2. MULTIPLE DX										
0-19 YRS	118	8.0	101	1	2	5	9	20	31	55
20-34	182	9.5	156	1	2	6	11	23	37	91
35-49	225	8.9	80	1	2	6	13	21	28	41
50-64	382	8.8	85	1	2	6	12	21	30	43
65 +	550	12.0	146	2	3	8	16	29	37	51
TOTAL SINGLE DX	614	3.3	11	< 1	1	2	4	8	10	15
TOTAL MULTIPLE DX	1457	10.1	120	1	3	7	13	24	34	51
TOTAL										
0-19 YRS	316	5.1	51	1	1	3	6	11	15	35
20-34	312	6.7	106	1	1	3	9	15	28	73
35-49	328	7.0	66	1	2	4	9	16	23	38
50-64	490	7.7	74	1	2	5	10	18	26	42
65 +	625	11.0	137	1	3	7	15	27	36	51
GRAND TOTAL	**2071**	**8.0**	**97**	**1**	**2**	**5**	**10**	**20**	**29**	**50**

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.3	4	< 1	1	4	5	6	6	6
20-34	17	3.4	7	1	1	2	7	8	8	8
35-49	40	4.1	7	1	2	3	5	9	10	10
50-64	53	4.2	5	2	3	4	5	7	8	14
65 +	50	5.5	41	1	3	4	5	9	24	32
2. MULTIPLE DX										
0-19 YRS	10	5.8	32	< 1	2	3	8	15	19	19
20-34	37	5.5	17	1	2	4	8	10	11	21
35-49	88	6.1	33	1	3	4	8	13	18	30
50-64	181	8.6	90	1	3	5	11	23	28	48
65 +	256	9.6	100	3	4	6	11	22	30	74
TOTAL SINGLE DX	167	4.4	17	1	2	4	5	8	9	30
TOTAL MULTIPLE DX	572	8.4	82	2	3	5	10	20	27	47
TOTAL										
0-19 YRS	17	4.8	21	< 1	2	4	6	10	16	19
20-34	54	4.8	15	1	2	4	8	9	10	21
35-49	128	5.5	26	1	2	4	7	10	15	29
50-64	234	7.6	74	1	3	4	8	19	26	43
65 +	306	8.9	93	2	4	6	10	20	29	61
GRAND TOTAL	**739**	**7.5**	**70**	**2**	**3**	**5**	**8**	**16**	**25**	**40**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	31.0	54	24	27	28	35	43	44	44
20-34	8	32.6	377	9	23	30	41	63	69	69
35-49	1	40.0		40	40	40	40	40	40	40
50-64	1	28.0		28	28	28	28	28	28	28
65 +	0									
2. MULTIPLE DX										
0-19 YRS	38	44.1	223	33	36	45	55	63	90	99 +
20-34	13	38.8	123	26	32	38	43	54	64	66
35-49	11	38.5	301	17	29	36	42	65	77	78
50-64	3	36.7	64	29	31	36	43	45	45	45
65 +	1	18.0		18	18	18	18	18	18	18
TOTAL SINGLE DX	16	32.2	200	21	26	29	37	49	63	69
TOTAL MULTIPLE DX	66	41.4	215	26	35	39	53	59	78	99 +
TOTAL										
0-19 YRS	44	42.3	219	27	35	42	54	59	85	99 +
20-34	21	36.5	216	23	27	35	43	57	67	69
35-49	12	38.6	275	18	30	38	41	63	76	78
50-64	4	34.5	62	28	28	32	40	45	45	45
65 +	1	18.0		18	18	18	18	18	18	18
GRAND TOTAL	**82**	**39.6**	**223**	**25**	**31**	**38**	**51**	**58**	**72**	**99 +**

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	290	5.1	16	1	2	4	7	10	13	18
20-34	125	5.7	14	2	3	5	7	11	16	99 +
35-49	104	4.9	25	2	2	4	6	8	11	31
50-64	64	6.5	26	2	3	6	8	12	13	34
65 +	49	7.7	33	3	5	7	10	13	15	39
2. MULTIPLE DX										
0-19 YRS	387	10.6	140	2	4	7	12	24	35	76
20-34	427	13.4	180	3	6	9	15	30	39	85
35-49	446	13.0	157	4	6	9	16	27	36	76
50-64	709	13.6	133	4	7	10	17	28	39	98
65 +	2364	14.7	152	5	7	11	18	31	44	99 +
TOTAL SINGLE DX	632	5.5	20	1	2	5	7	10	13	27
TOTAL MULTIPLE DX	4333	13.9	153	4	6	10	17	29	42	90
TOTAL										
0-19 YRS	677	8.3	95	1	3	6	9	17	26	64
20-34	552	11.7	153	3	5	8	13	25	35	85
35-49	550	11.4	142	2	5	8	14	25	34	75
50-64	773	13.0	128	4	6	10	16	27	38	93
65 +	2413	14.6	151	4	7	11	18	31	44	99 +
GRAND TOTAL	**4965**	**12.8**	**144**	**3**	**6**	**9**	**16**	**28**	**39**	**85**

587: Venous catheterization, except umbilical (38.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	98	8.4	144	1	2	4	9	26	40	85
20-34	40	10.7	224	< 1	2	4	14	29	35	80
35-49	33	7.3	73	< 1	2	3	9	19	28	35
50-64	44	6.6	85	< 1	< 1	2	7	25	28	36
65 +	29	5.6	117	< 1	1	2	6	12	27	55
2. MULTIPLE DX										
0-19 YRS	404	16.8	363	2	4	11	24	50	82	99 +
20-34	319	17.1	259	2	5	13	24	38	50	94
35-49	481	14.2	211	1	4	9	20	37	48	99 +
50-64	747	14.2	216	2	5	9	19	34	46	78
65 +	980	17.2	281	2	6	12	23	41	59	99 +
TOTAL SINGLE DX	244	7.9	134	< 1	1	3	9	23	33	70
TOTAL MULTIPLE DX	2931	15.9	264	2	5	11	22	38	55	99 +
TOTAL										
0-19 YRS	502	15.1	332	2	3	9	21	43	75	99 +
20-34	359	16.4	259	2	5	12	23	37	49	92
35-49	514	13.8	205	1	3	9	20	36	47	99 +
50-64	791	13.7	212	1	4	9	18	33	46	77
65 +	1009	16.8	280	2	5	12	23	40	57	99 +
GRAND TOTAL	**3175**	**15.3**	**258**	**2**	**4**	**10**	**21**	**37**	**53**	**99 +**

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	5.3	21	< 1	1	4	9	11	11	11
20-34	3	4.7	6	2	3	5	6	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	30	6.3	59	1	3	4	7	13	30	34
20-34	4	6.5	64	< 1	< 1	3	12	18	18	18
35-49	10	9.6	109	2	5	7	10	25	38	38
50-64	29	7.0	25	2	4	6	9	12	17	25
65 +	37	8.4	26	3	5	7	11	17	22	99 +
TOTAL SINGLE DX	11	4.0	10	1	2	2	6	9	11	11
TOTAL MULTIPLE DX	110	7.5	43	2	3	6	9	16	24	62
TOTAL										
0-19 YRS	34	6.2	54	1	2	4	7	12	27	34
20-34	7	5.7	35	< 1	1	5	7	16	18	18
35-49	11	8.9	104	2	3	7	9	22	37	38
50-64	31	6.7	25	2	3	6	9	12	17	25
65 +	38	8.3	27	2	5	7	11	17	22	99 +
GRAND TOTAL	**121**	**7.2**	**41**	**2**	**3**	**6**	**9**	**15**	**21**	**55**

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	69	2.9	19	1	1	1	3	6	11	28
20-34	23	3.7	4	1	2	3	5	7	8	8
35-49	32	3.3	11	1	1	2	4	8	12	13
50-64	46	3.9	12	1	1	2	5	9	11	14
65 +	39	4.8	14	1	1	4	7	11	13	16
2. MULTIPLE DX										
0-19 YRS	168	6.9	131	1	1	3	8	18	38	99 +
20-34	85	9.3	110	2	3	5	11	18	30	58
35-49	237	8.7	62	2	4	7	10	19	25	62
50-64	448	10.7	132	2	4	7	13	23	37	79
65 +	918	12.0	164	2	5	8	14	25	42	85
TOTAL SINGLE DX	209	3.6	14	1	1	2	5	8	11	16
TOTAL MULTIPLE DX	1856	10.7	141	2	4	7	13	23	37	85
TOTAL										
0-19 YRS	237	5.8	102	1	1	2	6	15	22	99 +
20-34	108	8.1	93	1	3	5	10	18	29	57
35-49	269	8.1	59	1	3	7	10	18	25	55
50-64	494	10.0	125	1	4	7	12	22	35	77
65 +	957	11.7	161	2	5	8	14	24	42	85
GRAND TOTAL	2065	10.0	133	1	3	7	12	21	35	82

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	409	3.3	1	2	3	3	4	5	6	7
20-34	2	12.5	5	11	11	12	14	14	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	135	6.0	82	2	3	4	6	9	14	54
20-34	6	19.3	241	5	8	14	27	45	47	47
35-49	13	10.5	136	4	5	6	11	22	42	47
50-64	10	20.3	318	9	10	15	21	47	68	68
65 +	31	24.2	401	9	11	16	30	56	68	88
TOTAL SINGLE DX	414	3.4	2	2	3	3	4	5	6	9
TOTAL MULTIPLE DX	195	10.3	200	3	4	5	10	21	46	79
TOTAL										
0-19 YRS	544	4.0	23	2	3	3	4	6	7	15
20-34	8	17.6	183	6	9	14	21	41	47	47
35-49	14	10.0	130	3	5	6	11	19	41	47
50-64	11	19.4	296	9	10	11	20	43	66	68
65 +	32	23.7	397	8	11	15	29	55	67	88
GRAND TOTAL	609	5.6	76	2	3	3	5	9	15	50

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	14.9	470	< 1	3	9	12	53	63	63
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	6.3	34	2	2	4	11	13	13	13
50-64	3	8.3	40	< 1	3	12	12	12	12	12
65 +	17	6.4	53	1	2	5	6	16	26	30
2. MULTIPLE DX										
0-19 YRS	102	16.2	222	3	6	12	24	44	69	99 +
20-34	26	24.3	590	3	6	23	36	84	99 +	99 +
35-49	45	21.2	418	6	9	14	38	91	99 +	99 +
50-64	141	21.1	381	3	8	15	33	62	86	99 +
65 +	1299	24.4	459	5	10	19	39	80	99 +	99 +
TOTAL SINGLE DX	31	8.5	140	1	2	6	10	15	29	63
TOTAL MULTIPLE DX	1613	23.5	442	4	9	18	37	77	99 +	99 +
TOTAL										
0-19 YRS	109	16.1	234	3	6	12	24	45	66	99 +
20-34	27	23.7	577	3	6	22	36	84	99 +	99 +
35-49	48	20.3	407	4	8	13	34	86	99 +	99 +
50-64	144	20.9	378	3	8	15	33	62	84	99 +
65 +	1316	24.1	458	4	9	19	39	80	99 +	99 +
GRAND TOTAL	1644	23.2	440	4	9	18	37	76	99 +	99 +

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	6.5	68	2	2	4	6	11	29	34
20-34	16	4.3	6	1	2	5	5	8	9	10
35-49	29	4.7	5	2	3	4	6	8	8	11
50-64	39	5.6	13	< 1	3	5	8	11	14	15
65 +	38	5.7	13	1	3	6	7	9	14	18
2. MULTIPLE DX										
0-19 YRS	31	7.9	144	1	2	4	9	15	22	66
20-34	121	7.5	45	2	4	6	9	13	16	46
35-49	248	8.1	61	3	4	6	10	16	20	45
50-64	532	9.0	79	3	4	7	11	17	22	69
65 +	1762	11.2	99	4	5	8	13	22	28	65
TOTAL SINGLE DX	136	5.4	16	1	3	5	7	9	11	20
TOTAL MULTIPLE DX	2694	10.3	92	3	5	8	12	20	26	60
TOTAL										
0-19 YRS	45	7.4	119	1	2	4	8	14	25	66
20-34	137	7.1	42	2	4	6	8	13	16	45
35-49	277	7.8	56	2	4	6	9	14	20	41
50-64	571	8.7	76	3	4	7	11	16	22	66
65 +	1800	11.1	99	4	5	8	13	22	28	64
GRAND TOTAL	2830	10.0	90	3	5	7	12	19	26	58

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	11	10.0	58	3	6	8	11	22	29	30
35-49	31	11.9	18	7	9	11	13	19	22	22
50-64	26	11.7	19	7	9	11	14	18	19	23
65 +	21	13.6	33	8	10	11	16	23	25	27
2. MULTIPLE DX										
0-19 YRS	6	8.5	2	7	7	8	9	11	11	11
20-34	~~38~~	~~13.2~~	40	6	9	12	16	24	27	30
35-49	121	16.3	139	7	9	13	19	33	38	62
50-64	246	17.9	148	9	11	14	20	30	42	84
65 +	567	23.1	221	10	13	19	28	43	59	90
TOTAL SINGLE DX	89	12.0	27	7	9	11	14	20	23	29
TOTAL MULTIPLE DX	978	20.5	195	9	11	17	25	39	48	87
TOTAL										
0-19 YRS	6	8.5	2	7	7	8	9	11	11	11
20-34	49	12.5	45	6	8	11	15	24	28	30
35-49	152	15.4	118	7	9	12	17	29	37	52
50-64	272	17.3	139	9	10	14	19	29	41	84
65 +	588	22.8	218	10	13	19	27	42	58	90
GRAND TOTAL	1067	19.8	186	9	11	16	24	37	47	86

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	2	16.0	72	10	10	16	22	22	22	22
65 +	4	15.3	43	11	11	12	19	25	25	25
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	17.0	32	13	13	17	21	21	21	21
35-49	6	29.5	547	7	10	26	41	64	67	67
50-64	63	21.9	146	12	13	19	26	36	57	96
65 +	96	25.1	220	11	16	21	30	44	62	98
TOTAL SINGLE DX	7	14.9	36	10	11	12	20	24	25	25
TOTAL MULTIPLE DX	167	24.0	202	11	14	20	29	43	65	99
TOTAL										
0-19 YRS	0									
20-34	2	17.0	32	13	13	17	21	21	21	21
35-49	7	26.9	505	8	10	14	40	62	67	67
50-64	65	21.7	144	11	13	19	25	36	55	95
65 +	100	24.8	217	11	16	21	30	44	61	97
GRAND TOTAL	174	23.6	198	11	14	20	28	43	62	99

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	7.1	101	1	2	3	8	25	29	29
20-34	13	7.3	6	4	6	7	9	11	13	13
35-49	18	8.3	63	3	5	7	8	10	27	39
50-64	10	7.5	15	3	6	7	9	13	16	16
65 +	11	10.3	18	5	7	10	13	16	17	17
2. MULTIPLE DX										
0-19 YRS	6	13.5	361	3	4	8	41	90	99 +	99 +
20-34	33	14.8	175	6	7	11	17	35	48	60
35-49	54	13.6	83	5	9	11	18	22	35	47
50-64	62	11.8	29	7	8	11	13	19	24	30
65 +	146	20.1	177	8	11	15	27	39	48	69
TOTAL SINGLE DX	59	8.2	37	3	5	7	10	14	17	38
TOTAL MULTIPLE DX	301	16.5	144	7	9	13	20	32	45	68
TOTAL										
0-19 YRS	13	10.1	212	2	3	5	10	57	90	99 +
20-34	46	12.7	138	5	7	9	14	21	46	60
35-49	72	12.3	83	4	7	10	16	21	35	46
50-64	72	11.2	29	6	8	10	13	18	23	30
65 +	157	19.4	173	8	11	15	26	38	47	68
GRAND TOTAL	360	15.2	136	5	8	11	18	30	43	67

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	14.8	471	3	5	7	11	60	91	99+
20-34	79	6.8	3	4	5	7	8	9	10	12
35-49	82	7.0	5	4	5	7	8	10	11	16
50-64	33	8.3	11	5	6	7	10	12	14	22
65+	29	11.0	40	6	8	9	12	16	18	39
2. MULTIPLE DX										
0-19 YRS	186	18.7	283	5	8	13	28	53	98	99+
20-34	167	10.2	115	5	6	7	10	15	29	61
35-49	339	10.9	88	5	6	8	11	19	31	70
50-64	258	16.5	189	6	8	11	19	36	47	68
65+	558	21.3	256	8	11	17	26	46	69	99+
TOTAL SINGLE DX	255	8.5	74	4	6	7	9	11	16	77
TOTAL MULTIPLE DX	1508	16.6	215	6	8	11	21	38	56	99+
TOTAL										
0-19 YRS	218	18.2	311	4	7	12	26	54	94	99+
20-34	246	9.1	82	5	5	7	9	12	19	58
35-49	421	10.2	74	5	6	8	11	18	29	66
50-64	291	15.6	176	6	8	11	17	35	45	67
65+	587	20.8	251	8	10	17	26	45	67	99+
GRAND TOTAL	**1763**	**15.4**	**202**	**5**	**7**	**10**	**19**	**36**	**52**	**99+**

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	6.0	26	1	3	5	8	10	12	33
20-34	163	6.5	23	3	4	5	7	12	17	26
35-49	118	5.7	19	1	3	5	7	10	12	24
50-64	116	5.0	17	<1	1	4	7	9	14	22
65+	120	5.0	21	<1	1	3	8	12	14	21
2. MULTIPLE DX										
0-19 YRS	182	9.0	105	2	3	6	10	21	36	59
20-34	471	8.1	47	3	4	6	10	16	20	40
35-49	618	8.7	59	3	4	7	11	16	23	43
50-64	1165	8.9	67	2	4	7	11	18	24	44
65+	4067	11.4	114	3	5	8	14	23	32	72
TOTAL SINGLE DX	601	5.7	22	1	3	5	7	11	14	24
TOTAL MULTIPLE DX	6503	10.4	97	3	5	8	13	21	29	62
TOTAL										
0-19 YRS	266	8.1	82	2	3	5	9	16	28	50
20-34	634	7.7	42	3	4	6	9	15	20	37
35-49	736	8.2	55	2	4	6	10	15	21	43
50-64	1281	8.5	65	2	4	7	10	17	23	42
65+	4187	11.2	113	3	5	8	14	23	32	70
GRAND TOTAL	**7104**	**10.0**	**93**	**2**	**4**	**7**	**12**	**20**	**28**	**59**

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	9.9	104	5	6	8	10	13	23	58
20-34	11	8.8	18	5	6	8	9	14	20	21
35-49	24	10.0	13	5	7	9	13	14	17	19
50-64	14	10.2	7	6	9	10	12	13	15	15
65+	17	11.4	84	5	7	9	11	16	35	45
2. MULTIPLE DX										
0-19 YRS	109	19.4	443	6	8	10	33	80	99+	99+
20-34	132	15.6	141	7	9	12	19	29	38	98
35-49	145	18.9	265	8	10	13	22	41	73	99+
50-64	265	17.6	164	8	10	13	21	36	55	99+
65+	662	21.5	222	9	12	17	27	44	58	99+
TOTAL SINGLE DX	92	10.1	50	6	7	9	11	14	17	53
TOTAL MULTIPLE DX	1313	19.7	229	8	10	15	25	42	63	99+
TOTAL										
0-19 YRS	135	17.6	391	6	7	9	22	69	99+	99+
20-34	143	15.1	135	7	8	12	18	27	37	98
35-49	169	17.6	240	7	9	13	20	36	68	99+
50-64	279	17.3	159	8	10	13	21	35	55	99+
65+	679	21.3	222	9	12	17	27	44	58	99+
GRAND TOTAL	**1405**	**19.0**	**223**	**8**	**10**	**14**	**24**	**42**	**61**	**99+**

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	9.7	18	6	7	8	11	15	18	27
20-34	64	10.1	18	7	7	8	13	16	19	24
35-49	123	10.8	24	7	8	9	12	15	20	34
50-64	265	10.2	11	7	8	9	12	14	17	22
65+	298	10.7	20	7	8	10	12	15	18	32
2. MULTIPLE DX										
0-19 YRS	80	15.4	238	6	8	10	16	40	67	99+
20-34	258	14.9	100	7	9	11	18	28	35	51
35-49	605	13.5	62	7	9	11	16	23	32	48
50-64	1668	14.1	81	8	9	11	16	23	31	61
65+	4912	17.5	137	9	10	14	21	32	43	85
TOTAL SINGLE DX	789	10.4	18	7	8	9	12	15	17	26
TOTAL MULTIPLE DX	7523	16.3	121	8	10	13	19	29	40	79
TOTAL										
0-19 YRS	119	13.5	173	6	7	9	14	27	50	99+
20-34	322	14.0	88	7	8	11	16	25	34	50
35-49	728	13.0	57	7	8	11	15	23	30	47
50-64	1933	13.6	74	8	9	11	15	22	30	53
65+	5210	17.1	133	8	10	13	20	31	42	84
GRAND TOTAL	**8312**	**15.8**	**114**	**8**	**9**	**12**	**18**	**28**	**38**	**76**

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	7.5	44	3	4	4	10	19	20	20
20-34	4	12.3	131	4	5	8	19	29	29	29
35-49	9	6.8	14	3	3	7	9	12	14	14
50-64	8	8.5	7	5	7	9	10	12	13	13
65 +	5	7.6	6	5	6	7	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	14	16.2	342	7	8	10	16	29	67	78
20-34	11	12.2	39	5	7	12	19	46	92	99 +
35-49	26	14.2	88	7	8	11	16	27	35	45
50-64	76	16.1	87	7	10	13	20	28	38	87
65 +	228	21.4	258	9	12	17	27	50	78	99 +
TOTAL SINGLE DX	32	8.2	29	3	4	7	10	13	19	29
TOTAL MULTIPLE DX	355	19.3	214	8	10	15	24	41	65	99 +
TOTAL										
0-19 YRS	20	13.6	263	4	6	9	15	22	51	78
20-34	15	12.2	56	4	7	11	19	28	79	99 +
35-49	35	12.3	79	5	7	10	15	27	31	45
50-64	84	15.3	85	7	9	13	19	28	38	83
65 +	233	21.1	257	8	11	17	27	49	77	99 +
GRAND TOTAL	**387**	**18.3**	**208**	**7**	**10**	**14**	**23**	**39**	**63**	**99 +**

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	131	6.2	13	2	4	6	7	9	11	22
20-34	56	7.6	5	5	6	8	9	11	11	16
35-49	63	8.2	9	5	7	8	10	11	13	20
50-64	88	8.0	6	5	7	8	9	10	12	16
65 +	83	9.5	21	4	7	9	12	14	17	28
2. MULTIPLE DX										
0-19 YRS	254	11.6	127	4	6	8	12	26	42	66
20-34	167	10.7	50	5	7	9	11	20	24	58
35-49	222	11.8	78	6	7	9	12	20	30	59
50-64	430	12.9	109	6	8	10	14	21	35	78
65 +	857	13.6	102	6	8	11	16	24	36	81
TOTAL SINGLE DX	421	7.7	13	4	6	8	9	11	14	20
TOTAL MULTIPLE DX	1930	12.7	101	5	8	10	14	23	34	72
TOTAL										
0-19 YRS	385	9.8	95	3	5	7	10	19	33	63
20-34	223	9.9	41	5	7	8	11	16	22	47
35-49	285	11.0	65	5	7	9	11	19	28	55
50-64	518	12.1	95	6	8	10	13	20	31	76
65 +	940	13.3	96	6	8	11	15	23	33	77
GRAND TOTAL	**2351**	**11.8**	**89**	**5**	**7**	**9**	**13**	**21**	**30**	**66**

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	6.0	8	1	4	6	8	9	11	12
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	11.0	8	9	9	11	13	13	13	13
50-64	6	10.7	54	5	7	8	12	24	25	25
65 +	12	11.2	22	5	8	11	13	17	20	21
2. MULTIPLE DX										
0-19 YRS	40	22.9	574	5	7	13	36	81	99	99 +
20-34	27	21.1	218	8	11	14	31	45	54	56
35-49	54	18.8	135	7	11	15	26	40	51	99 +
50-64	131	22.8	341	8	11	16	29	55	68	99 +
65 +	425	23.4	240	9	13	20	30	46	62	99 +
TOTAL SINGLE DX	37	8.7	24	4	6	8	12	13	19	25
TOTAL MULTIPLE DX	677	22.8	270	9	11	18	30	47	65	99 +
TOTAL										
0-19 YRS	56	18.1	469	4	6	9	29	57	97	99 +
20-34	28	20.6	219	7	11	14	28	45	54	56
35-49	56	18.5	133	7	11	15	26	39	51	99 +
50-64	137	22.3	334	7	10	16	28	54	67	99 +
65 +	437	23.1	238	9	13	19	30	46	61	99 +
GRAND TOTAL	**714**	**22.1**	**267**	**8**	**11**	**18**	**29**	**47**	**64**	**99 +**

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3329	4.0	5	2	3	3	5	7	9	12
20-34	2358	3.9	3	2	3	4	5	6	7	10
35-49	852	4.5	4	2	3	4	5	7	8	11
50-64	306	5.7	7	3	4	5	7	10	11	16
65 +	113	6.3	8	3	4	6	8	10	12	14
2. MULTIPLE DX										
0-19 YRS	1129	6.2	25	3	3	5	7	11	14	29
20-34	1053	6.1	15	3	4	5	8	11	13	22
35-49	585	7.8	25	3	4	7	10	14	17	26
50-64	480	8.9	33	4	5	8	11	15	19	33
65 +	463	11.7	66	5	7	10	14	21	27	45
TOTAL SINGLE DX	6958	4.1	5	2	3	4	5	7	9	12
TOTAL MULTIPLE DX	3710	7.5	32	3	4	6	9	13	18	30
TOTAL										
0-19 YRS	4458	4.6	11	2	3	4	5	8	10	17
20-34	3411	4.6	8	2	3	4	5	8	10	15
35-49	1437	5.8	16	3	3	5	7	10	13	20
50-64	786	7.6	26	3	4	6	9	13	17	28
65 +	576	10.7	60	4	6	9	12	20	26	40
GRAND TOTAL	**10668**	**5.3**	**17**	**2**	**3**	**4**	**6**	**10**	**12**	**22**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	4.5	5	2	3	4	6	8	9	9
20-34	17	8.2	9	4	5	9	10	13	14	14
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	7.5	25	4	4	7	11	11	11	11
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	6	7.7	8	3	6	8	9	11	11	11
20-34	6	10.3	13	4	9	11	13	14	14	14
35-49	6	12.7	96	4	4	10	17	29	30	30
50-64	7	12.4	30	4	10	14	16	18	19	19
65 +	8	21.3	374	6	9	14	29	55	60	60
TOTAL SINGLE DX	32	6.9	11	3	4	7	9	11	13	14
TOTAL MULTIPLE DX	33	13.4	130	4	8	11	15	21	40	60
TOTAL										
0-19 YRS	17	5.6	9	3	3	5	8	9	10	11
20-34	23	8.8	11	4	6	9	11	13	14	14
35-49	7	12.3	82	4	5	10	16	27	30	30
50-64	9	11.3	31	3	8	11	15	18	19	19
65 +	9	19.7	350	6	8	14	23	53	60	60
GRAND TOTAL	**65**	**10.2**	**81**	**3**	**5**	**9**	**12**	**16**	**22**	**57**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	3.8	10	1	2	3	4	9	11	12
20-34	22	2.3	3	< 1	1	2	3	5	6	7
35-49	27	2.4	2	< 1	1	2	3	4	5	6
50-64	59	2.4	3	1	1	2	3	5	6	12
65 +	90	3.0	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	39	8.9	95	2	3	6	9	24	35	40
20-34	38	8.4	83	1	3	7	10	17	21	53
35-49	63	7.0	57	1	2	4	9	19	24	37
50-64	151	7.3	112	1	2	4	8	14	26	73
65 +	548	8.9	118	1	2	5	11	21	31	66
TOTAL SINGLE DX	236	2.8	5	1	1	2	4	6	7	12
TOTAL MULTIPLE DX	839	8.4	110	1	2	5	10	20	29	66
TOTAL										
0-19 YRS	77	6.4	60	1	2	4	7	13	24	39
20-34	60	6.2	62	1	2	4	8	14	18	50
35-49	90	5.6	45	1	1	3	7	13	21	34
50-64	210	5.9	87	1	2	3	6	13	20	72
65 +	638	8.0	106	1	2	5	10	19	28	63
GRAND TOTAL	**1075**	**7.2**	**92**	**1**	**2**	**4**	**8**	**16**	**26**	**56**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	2.8	3	< 1	1	3	3	5	7	9
20-34	85	2.7	2	1	1	2	3	5	6	9
35-49	64	2.8	3	1	2	2	4	5	6	10
50-64	37	3.8	4	1	2	4	5	7	8	9
65 +	5	5.6	8	2	4	5	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	20	5.1	95	1	2	3	4	6	27	46
20-34	98	4.9	25	1	2	3	5	10	18	27
35-49	101	4.9	26	1	2	3	6	9	13	32
50-64	94	8.6	128	1	3	5	10	19	30	57
65 +	77	8.7	114	2	3	6	11	17	23	70
TOTAL SINGLE DX	212	3.0	4	1	2	3	4	5	8	10
TOTAL MULTIPLE DX	390	6.5	74	1	2	4	7	14	20	50
TOTAL										
0-19 YRS	41	3.9	49	1	2	3	4	5	8	46
20-34	183	3.9	16	1	2	3	4	7	10	24
35-49	165	4.1	19	1	2	3	5	7	10	27
50-64	131	7.2	98	1	2	4	8	16	27	56
65 +	82	8.5	108	2	3	6	10	17	22	68
GRAND TOTAL	**602**	**5.3**	**52**	**1**	**2**	**3**	**6**	**10**	**16**	**43**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	8.2	14	3	5	8	11	13	14	15
20-34	9	9.7	5	7	8	10	11	13	13	13
35-49	21	10.4	28	6	8	9	11	16	23	30
50-64	60	10.0	11	7	8	10	12	14	15	18
65 +	77	12.2	14	8	9	11	15	17	20	23
2. MULTIPLE DX										
0-19 YRS	56	10.9	53	5	8	9	12	19	21	52
20-34	46	15.0	129	8	10	12	18	25	29	78
35-49	116	15.8	130	8	10	12	17	26	42	69
50-64	448	15.0	70	9	10	13	17	24	30	50
65 +	1065	19.1	159	9	11	15	23	37	49	99 +
TOTAL SINGLE DX	186	10.8	16	7	8	10	13	16	17	23
TOTAL MULTIPLE DX	1731	17.4	135	9	11	14	20	32	43	85
TOTAL										
0-19 YRS	75	10.2	45	4	7	9	12	15	20	46
20-34	55	14.2	113	7	9	11	16	23	28	76
35-49	137	15.0	119	8	9	12	16	25	39	65
50-64	508	14.4	66	8	10	12	16	23	30	49
65 +	1142	18.6	152	9	11	14	22	36	47	99 +
GRAND TOTAL	**1917**	**16.8**	**127**	**8**	**10**	**13**	**19**	**30**	**42**	**82**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	115	3.6	10	1	1	2	5	9	11	14
20-34	271	4.2	11	1	2	4	5	7	9	14
35-49	281	4.4	10	1	2	4	5	8	10	19
50-64	256	4.3	9	1	2	4	6	8	10	17
65 +	245	4.8	13	1	2	4	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	288	7.1	61	1	2	5	9	15	24	40
20-34	1179	6.1	35	2	3	5	7	11	16	31
35-49	1888	7.2	49	2	4	5	8	13	19	37
50-64	3132	7.7	54	3	4	6	9	14	19	43
65 +	8446	10.3	100	3	5	8	12	20	29	69
TOTAL SINGLE DX	1168	4.4	11	1	2	4	6	8	10	17
TOTAL MULTIPLE DX	14933	8.9	81	3	4	7	10	17	25	58
TOTAL										
0-19 YRS	403	6.1	49	1	2	4	8	13	20	37
20-34	1450	5.8	32	2	3	4	7	10	14	30
35-49	2169	6.8	45	2	3	5	8	12	18	35
50-64	3388	7.4	52	2	4	6	9	14	19	40
65 +	8691	10.1	99	3	5	7	12	19	28	68
GRAND TOTAL	**16101**	**8.6**	**77**	**2**	**4**	**6**	**10**	**17**	**23**	**55**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.5		1	1	1	2	3	3	3
20-34	133	2.1	2	1	1	2	3	4	5	9
35-49	169	2.3	4	1	1	2	3	4	4	11
50-64	77	2.2	2	1	1	2	3	4	6	9
65 +	22	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	11	10.1	241	1	2	3	13	33	51	53
20-34	117	2.9	9	1	1	2	3	6	8	20
35-49	173	3.2	21	1	1	2	3	6	11	42
50-64	156	2.9	11	1	1	2	3	5	7	23
65 +	95	4.6	58	1	1	2	4	8	14	51
TOTAL SINGLE DX	417	2.2	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	552	3.4	28	1	1	2	4	6	9	32
TOTAL										
0-19 YRS	27	5.0	112	1	1	2	3	13	25	53
20-34	250	2.5	6	1	1	2	3	5	6	15
35-49	342	2.7	13	1	1	2	3	5	7	18
50-64	233	2.7	9	1	1	2	3	5	6	12
65 +	117	4.2	49	1	1	2	4	8	12	51
GRAND TOTAL	**969**	**2.9**	**18**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.9	1	< 1	1	2	3	4	4	4
20-34	67	1.7		1	1	1	2	3	4	5
35-49	47	2.1	1	1	1	2	3	4	4	8
50-64	20	2.3	1	< 1	1	2	3	4	5	6
65 +	14	2.8	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	7	8.3	277	1	1	2	4	38	46	46
20-34	122	2.6	4	1	1	2	3	5	7	12
35-49	128	2.7	3	1	1	2	3	5	6	34
50-64	94	3.0	5	1	2	3	3	6	7	13
65 +	127	5.5	35	1	2	3	7	13	18	49
TOTAL SINGLE DX	158	2.0	2	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	478	3.5	18	1	1	3	4	7	11	32
TOTAL										
0-19 YRS	17	4.5	115	< 1	1	2	3	4	31	46
20-34	189	2.3	4	1	1	2	3	4	5	11
35-49	175	2.5	3	1	1	2	3	4	6	14
50-64	114	2.9	5	1	2	2	3	5	7	13
65 +	141	5.2	33	1	2	3	6	12	18	39
GRAND TOTAL	**636**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**24**

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	101	2.6	3	1	1	2	4	5	6	7
35-49	206	2.6	1	1	2	2	3	4	5	6
50-64	105	2.6	1	1	2	2	3	4	5	7
65 +	61	3.0	3	1	2	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	10	2.2	2	1	1	2	3	4	5	5
20-34	529	2.9	7	1	1	2	4	5	7	12
35-49	973	2.8	10	1	1	2	4	5	6	12
50-64	716	3.2	12	1	1	2	4	6	7	16
65 +	559	4.3	20	1	2	3	5	9	13	26
TOTAL SINGLE DX	477	2.6	2	1	2	2	3	5	6	7
TOTAL MULTIPLE DX	2787	3.2	13	1	1	3	4	6	8	18
TOTAL										
0-19 YRS	14	2.1	2	1	1	2	3	4	5	5
20-34	630	2.9	7	1	1	2	4	5	7	11
35-49	1179	2.8	9	1	1	2	4	5	6	11
50-64	821	3.1	12	1	1	2	4	6	7	15
65 +	620	4.2	19	1	2	3	5	8	13	26
GRAND TOTAL	**3264**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**7**	**16**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	82	3.9	12	1	2	3	5	8	11	18
20-34	142	2.7	3	1	1	2	3	5	6	9
35-49	129	2.5	3	1	1	2	3	5	7	9
50-64	59	3.4	7	1	1	3	4	7	9	15
65 +	31	4.7	51	1	1	2	4	13	25	31
2. MULTIPLE DX										
0-19 YRS	77	6.9	69	1	3	5	8	14	18	54
20-34	178	3.7	14	1	1	3	4	8	13	18
35-49	203	3.7	22	1	1	2	4	7	15	34
50-64	158	4.8	72	1	2	3	5	10	14	45
65 +	202	7.6	68	1	3	5	10	15	22	55
TOTAL SINGLE DX	443	3.1	9	1	1	2	4	6	8	18
TOTAL MULTIPLE DX	818	5.2	49	1	2	3	6	12	16	43
TOTAL										
0-19 YRS	159	5.4	42	1	2	4	7	10	16	32
20-34	320	3.3	10	1	1	2	4	6	9	17
35-49	332	3.3	15	1	1	2	4	6	10	23
50-64	217	4.4	55	1	1	3	5	8	13	34
65 +	233	7.2	67	1	2	5	9	15	22	52
GRAND TOTAL	**1261**	**4.5**	**36**	**1**	**1**	**3**	**5**	**9**	**14**	**32**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	9.5	1	9	9	9	10	10	10	10
35-49	3	15.3	246	3	5	10	27	33	33	33
50-64	2	6.5	1	6	6	6	7	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	19.5	181	10	10	19	29	29	29	29
20-34	8	32.6	531	17	20	25	33	73	87	87
35-49	13	24.8	475	7	12	16	31	48	80	88
50-64	25	22.2	237	5	9	19	31	49	52	53
65 +	64	22.8	230	8	12	20	30	40	51	79
TOTAL SINGLE DX	8	9.9	98	2	4	8	10	26	33	33
TOTAL MULTIPLE DX	112	23.5	276	7	12	20	30	43	53	87
TOTAL										
0-19 YRS	2	19.5	181	10	10	19	29	29	29	29
20-34	10	28.0	508	9	16	23	27	63	87	87
35-49	16	23.0	428	4	11	14	31	37	73	88
50-64	27	21.0	237	5	8	19	29	48	52	53
65 +	65	22.4	234	7	12	19	30	39	50	79
GRAND TOTAL	**120**	**22.6**	**275**	**7**	**10**	**19**	**30**	**41**	**52**	**87**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	5.8	158	1	1	2	4	13	22	75
20-34	83	2.0	6	1	1	1	1	7	8	13
35-49	118	1.9	4	1	1	1	1	5	7	11
50-64	111	2.0	6	< 1	1	1	1	4	8	13
65 +	52	3.4	34	1	1	1	3	8	14	33
2. MULTIPLE DX										
0-19 YRS	207	20.9	439	2	5	15	31	58	78	99 +
20-34	147	12.0	237	1	2	8	15	33	46	88
35-49	248	8.6	124	1	1	5	12	20	32	72
50-64	463	9.0	110	1	1	6	12	21	30	51
65 +	671	12.3	136	1	4	10	16	24	33	66
TOTAL SINGLE DX	426	2.7	33	1	1	1	2	6	10	24
TOTAL MULTIPLE DX	1736	11.9	185	1	2	8	16	28	40	80
TOTAL										
0-19 YRS	269	17.4	414	1	2	10	27	57	71	99 +
20-34	230	8.4	177	1	1	2	11	20	37	86
35-49	366	6.4	96	1	1	2	9	15	25	62
50-64	574	7.7	98	1	1	4	10	19	27	48
65 +	723	11.7	135	1	3	10	16	24	32	62
GRAND TOTAL	**2162**	**10.1**	**169**	**1**	**1**	**6**	**14**	**24**	**37**	**75**

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	144	5.2	4	3	4	5	6	8	9	14
20-34	1987	5.0	3	3	4	5	6	7	9	12
35-49	1773	5.2	4	3	4	5	6	8	9	13
50-64	1257	5.7	5	3	4	5	7	8	10	14
65 +	596	7.0	9	4	5	6	8	11	13	17
2. MULTIPLE DX										
0-19 YRS	142	8.1	48	4	5	6	9	13	19	40
20-34	2016	6.9	24	3	4	6	8	11	14	26
35-49	2766	7.0	23	4	4	6	8	11	15	25
50-64	3587	8.5	37	4	5	7	10	14	18	33
65 +	5160	12.3	84	5	7	10	15	22	29	67
TOTAL SINGLE DX	5757	5.4	5	3	4	5	6	8	10	13
TOTAL MULTIPLE DX	13671	9.4	56	4	5	7	11	17	22	45
TOTAL										
0-19 YRS	286	6.6	29	3	4	5	7	10	14	33
20-34	4003	5.9	15	3	4	5	7	9	12	18
35-49	4539	6.3	17	3	4	5	7	10	13	21
50-64	4844	7.8	30	4	5	6	9	13	17	29
65 +	5756	11.8	80	5	7	9	14	21	28	62
GRAND TOTAL	**19428**	**8.2**	**44**	**4**	**5**	**6**	**9**	**14**	**19**	**37**

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	6	2.7	6	1	1	2	4	7	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	14	4.9	22	2	2	3	7	10	17	19
2. MULTIPLE DX										
0-19 YRS	0									
20-34	5	7.2	48	2	2	6	10	19	19	19
35-49	7	3.6	23	1	1	1	4	12	14	14
50-64	24	10.6	103	2	4	8	12	23	36	44
65 +	52	13.2	145	3	5	10	18	29	36	65
TOTAL SINGLE DX	23	4.0	17	1	1	2	5	8	12	19
TOTAL MULTIPLE DX	88	11.4	125	2	4	8	16	22	34	57
TOTAL										
0-19 YRS	0									
20-34	11	4.7	28	1	1	2	7	12	18	19
35-49	8	3.6	20	1	1	2	4	11	14	14
50-64	26	9.9	102	1	3	8	12	21	35	44
65 +	66	11.5	131	2	3	8	17	22	34	62
GRAND TOTAL	**111**	**9.9**	**111**	**1**	**3**	**7**	**13**	**20**	**33**	**53**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (51.97; 52.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	25.0	436	11	12	15	40	49	49	49
20-34	38	4.3	12	1	1	3	7	9	10	16
35-49	67	4.5	21	< 1	1	2	8	12	13	18
50-64	77	3.3	12	< 1	1	2	4	8	11	18
65 +	76	4.2	17	1	1	2	7	10	12	22
2. MULTIPLE DX										
0-19 YRS	13	13.5	282	1	3	12	15	28	58	65
20-34	89	7.8	40	2	3	7	10	15	21	34
35-49	170	9.0	101	1	2	6	11	19	27	51
50-64	288	9.8	98	1	3	8	13	20	27	45
65 +	776	10.3	76	2	4	8	14	22	26	50
TOTAL SINGLE DX	261	4.2	24	1	1	2	6	10	12	20
TOTAL MULTIPLE DX	1336	9.9	84	2	4	8	13	21	26	50
TOTAL										
0-19 YRS	16	15.7	305	1	3	12	17	46	60	65
20-34	127	6.8	35	1	2	6	8	14	19	31
35-49	237	7.7	83	1	2	5	10	16	24	41
50-64	365	8.4	87	1	2	6	11	18	23	44
65 +	852	9.7	74	2	4	8	13	21	26	50
GRAND TOTAL	**1597**	**9.0**	**79**	**1**	**3**	**7**	**12**	**19**	**25**	**47**

619: Miscellaneous operations on biliary tract (51.01-51.13; 51.31-51.95; 51.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	10.0	12	6	7	9	13	15	16	16
20-34	7	6.9	9	2	4	8	9	10	10	10
35-49	13	7.8	30	1	5	8	9	14	20	22
50-64	27	9.0	36	1	6	9	11	18	20	26
65 +	26	10.7	65	1	7	8	18	24	27	29
2. MULTIPLE DX										
0-19 YRS	31	20.6	158	9	12	16	26	41	51	53
20-34	33	10.5	44	3	7	9	14	17	23	34
35-49	68	11.8	87	2	7	10	15	22	30	49
50-64	192	16.2	155	5	9	12	20	30	44	67
65 +	563	18.9	173	8	11	15	23	35	49	98
TOTAL SINGLE DX	84	9.3	38	1	6	8	11	18	23	28
TOTAL MULTIPLE DX	887	17.5	163	7	10	14	21	33	46	81
TOTAL										
0-19 YRS	42	17.8	141	7	10	14	23	34	47	53
20-34	40	9.9	40	3	6	9	13	17	21	34
35-49	81	11.2	80	2	6	10	15	22	27	49
50-64	219	15.3	146	5	8	12	19	28	41	64
65 +	589	18.6	171	8	11	15	23	34	49	97
GRAND TOTAL	**971**	**16.8**	**158**	**6**	**9**	**14**	**21**	**31**	**45**	**76**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.2-52.83; 52.92-52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	7.0	9	2	6	7	9	10	10	10
35-49	13	10.8	80	1	4	10	15	21	31	34
50-64	19	8.4	45	1	2	6	12	20	21	21
65 +	8	5.1	30	1	1	2	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	9	12.7	65	3	8	12	15	26	29	29
20-34	40	27.1	483	8	13	21	40	79	93	99 +
35-49	88	24.9	317	6	10	22	39	56	84	99 +
50-64	132	22.0	274	5	10	18	34	54	87	99 +
65 +	205	22.0	320	5	10	16	32	47	62	96
TOTAL SINGLE DX	47	8.3	48	1	2	7	12	17	20	34
TOTAL MULTIPLE DX	474	22.8	319	5	10	18	34	53	76	99 +
TOTAL										
0-19 YRS	9	12.7	66	3	8	12	15	26	29	29
20-34	47	24.1	484	6	9	17	32	71	90	99 +
35-49	101	23.1	309	5	10	19	37	56	82	99 +
50-64	151	20.3	266	4	9	17	29	53	72	99 +
65 +	213	21.4	320	3	9	16	31	46	61	96
GRAND TOTAL	**521**	**21.5**	**311**	**4**	**9**	**17**	**32**	**52**	**72**	**99 +**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	3.9	18	1	1	3	5	8	12	71
20-34	108	4.9	21	1	2	4	6	10	13	26
35-49	114	4.8	14	1	2	4	6	10	13	19
50-64	91	5.4	19	1	2	4	6	11	14	24
65 +	96	4.9	11	1	2	4	7	9	12	15
2. MULTIPLE DX										
0-19 YRS	107	5.1	34	1	2	4	6	10	14	35
20-34	293	6.9	58	2	3	5	8	14	18	47
35-49	420	6.7	36	2	3	5	8	14	18	31
50-64	850	7.7	44	2	4	6	10	15	18	32
65 +	3346	9.9	93	3	5	7	12	19	29	75
TOTAL SINGLE DX	500	4.8	17	1	2	4	6	10	13	24
TOTAL MULTIPLE DX	5016	9.0	79	2	4	7	11	17	25	60
TOTAL										
0-19 YRS	198	4.5	27	1	2	3	6	9	13	41
20-34	401	6.3	49	1	3	4	8	12	17	36
35-49	534	6.3	33	2	3	5	8	13	17	30
50-64	941	7.5	43	2	4	6	9	14	18	32
65 +	3442	9.8	92	3	5	7	12	19	28	73
GRAND TOTAL	5516	8.6	75	2	4	6	11	17	24	59

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	849	1.4	1	< 1	< 1	1	1	2	3	4
20-34	1320	1.7	3	1	1	1	2	3	3	5
35-49	1287	1.7	1	1	1	1	2	3	4	5
50-64	1590	1.9	1	1	1	2	2	3	4	6
65 +	1378	2.2	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	606	2.0	15	< 1	1	1	2	3	5	16
20-34	629	2.0	2	1	1	2	2	3	5	8
35-49	1001	2.4	5	1	1	2	3	4	6	14
50-64	1939	2.7	7	1	1	2	3	5	7	13
65 +	3918	4.4	33	1	2	3	5	9	14	31
TOTAL SINGLE DX	6424	1.8	2	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	8093	3.4	21	1	1	2	4	7	10	22
TOTAL										
0-19 YRS	1455	1.6	7	< 1	< 1	1	2	2	3	8
20-34	1949	1.8	3	1	1	1	2	3	4	6
35-49	2288	2.0	3	1	1	2	2	3	5	9
50-64	3529	2.4	5	1	1	2	3	4	6	11
65 +	5296	3.8	27	1	1	2	4	7	11	28
GRAND TOTAL	14517	2.7	13	1	1	2	3	5	7	17

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	512	1.5	10	< 1	1	1	2	2	3	9
20-34	98	1.9		1	1	2	3	3	3	4
35-49	166	2.2	1	1	1	2	3	4	4	6
50-64	153	2.4	1	1	1	2	3	4	5	8
65 +	93	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	527	4.0	144	< 1	1	1	2	4	11	95
20-34	50	2.1	1	1	1	2	3	4	4	6
35-49	142	2.7	3	1	1	2	4	5	6	9
50-64	234	2.9	3	1	2	2	4	5	6	11
65 +	374	4.2	16	1	2	3	5	8	11	20
TOTAL SINGLE DX	1022	1.9	6	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	1327	3.7	63	1	1	2	4	6	8	68
TOTAL										
0-19 YRS	1039	2.8	80	< 1	1	1	2	3	5	79
20-34	148	2.0	1	1	1	2	3	3	4	4
35-49	308	2.4	2	1	1	2	3	4	5	8
50-64	387	2.7	3	1	1	2	3	5	6	9
65 +	467	3.9	14	1	2	3	5	7	10	19
GRAND TOTAL	2349	2.9	39	1	1	2	3	5	6	38

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.6		< 1	< 1	1	2	3	3	3
20-34	32	1.9	1	1	1	2	3	3	4	5
35-49	64	2.2	2	1	1	2	3	4	4	11
50-64	63	2.7	2	1	1	2	4	5	6	9
65 +	96	3.3	4	1	2	3	5	6	7	8
2. MULTIPLE DX										
0-19 YRS	6	5.8	45	1	2	3	7	18	19	19
20-34	24	2.5	1	1	2	2	3	4	5	5
35-49	41	3.4	40	1	1	2	3	5	10	40
50-64	91	4.6	17	1	2	3	5	9	12	23
65 +	328	8.4	93	2	3	6	10	16	24	54
TOTAL SINGLE DX	262	2.7	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	490	7.0	74	1	2	4	8	14	20	48
TOTAL										
0-19 YRS	13	3.5	24	< 1	1	2	3	9	17	19
20-34	56	2.1	1	1	1	2	3	4	4	5
35-49	105	2.7	18	1	1	2	3	4	5	27
50-64	154	3.8	12	1	2	3	4	8	10	20
65 +	424	7.2	78	1	2	5	8	14	21	51
GRAND TOTAL	752	5.5	53	1	2	3	6	12	16	42

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	135	2.3	34	< 1	< 1	1	2	3	5	34
20-34	102	1.7	1	< 1	1	1	2	3	4	6
35-49	211	1.8	1	1	1	1	2	4	4	6
50-64	133	2.7	4	1	1	2	3	5	7	11
65 +	53	2.6	2	1	1	2	4	5	6	7
2. MULTIPLE DX										
0-19 YRS	48	4.3	46	1	1	2	4	10	27	99 +
20-34	83	2.8	5	1	1	2	3	6	8	12
35-49	200	3.6	9	1	2	3	5	7	9	13
50-64	291	4.2	21	1	2	3	5	8	11	17
65 +	303	7.7	108	2	3	4	9	15	25	78
TOTAL SINGLE DX	634	2.2	9	< 1	1	1	3	4	5	9
TOTAL MULTIPLE DX	925	5.1	51	1	2	3	6	10	14	38
TOTAL										
0-19 YRS	183	2.8	38	< 1	1	1	2	4	8	53
20-34	185	2.2	4	< 1	1	2	3	4	6	10
35-49	411	2.7	6	1	1	2	3	5	7	11
50-64	424	3.7	17	1	1	3	5	8	10	14
65 +	356	6.9	96	1	2	4	8	14	22	73
GRAND TOTAL	**1559**	**3.9**	**36**	**1**	**1**	**2**	**4**	**8**	**11**	**30**

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	1.9	2	< 1	1	1	2	4	6	7
20-34	187	3.0	9	1	1	2	4	5	7	18
35-49	338	3.3	3	1	2	3	4	6	7	9
50-64	314	3.6	4	1	2	3	4	6	8	12
65 +	231	4.5	9	1	2	4	6	8	9	12
2. MULTIPLE DX										
0-19 YRS	22	3.0	6	< 1	1	2	4	7	8	9
20-34	166	4.0	8	1	2	3	5	7	9	16
35-49	465	5.1	21	2	3	4	6	9	13	24
50-64	766	6.4	41	2	3	5	7	11	14	37
65 +	1021	8.1	68	2	4	6	9	15	22	53
TOTAL SINGLE DX	1112	3.5	6	1	2	3	5	7	8	11
TOTAL MULTIPLE DX	2440	6.7	49	2	3	5	8	12	17	39
TOTAL										
0-19 YRS	64	2.3	4	< 1	1	1	2	6	7	9
20-34	353	3.4	9	1	2	3	4	6	8	17
35-49	803	4.3	15	1	2	4	5	7	9	20
50-64	1080	5.6	33	2	3	4	7	10	13	32
65 +	1252	7.5	60	2	4	6	9	13	21	50
GRAND TOTAL	**3552**	**5.7**	**38**	**1**	**3**	**4**	**7**	**10**	**14**	**34**

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	7.0	14	2	5	8	9	12	14	14
20-34	12	3.3	10	1	1	2	5	8	11	11
35-49	9	6.2	12	1	4	5	9	11	11	11
50-64	16	6.5	9	1	5	7	9	10	11	11
65 +	16	8.6	25	3	5	8	11	15	20	22
2. MULTIPLE DX										
0-19 YRS	23	14.9	272	5	6	10	15	51	82	99 +
20-34	14	11.3	234	2	4	8	10	19	53	63
35-49	41	11.7	174	5	7	9	12	20	24	88
50-64	51	10.9	167	5	6	9	12	16	17	96
65 +	130	16.0	141	7	9	13	19	33	50	99 +
TOTAL SINGLE DX	62	6.5	17	1	3	6	9	11	12	21
TOTAL MULTIPLE DX	259	14.0	171	5	8	11	15	25	44	99 +
TOTAL										
0-19 YRS	32	12.7	210	5	6	8	14	37	71	99 +
20-34	26	7.6	143	1	2	5	9	11	24	63
35-49	50	10.7	149	4	6	8	11	17	24	88
50-64	67	9.8	132	4	6	8	11	15	16	83
65 +	146	15.2	134	6	9	13	18	29	43	99 +
GRAND TOTAL	**321**	**12.5**	**150**	**4**	**7**	**10**	**14**	**23**	**40**	**99 +**

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	4.3	18	< 1	1	3	6	10	14	20
20-34	119	4.2	16	1	1	3	5	9	12	22
35-49	101	3.9	9	1	2	3	5	8	10	14
50-64	70	5.3	15	1	2	5	7	9	14	19
65 +	40	6.6	23	1	3	5	9	14	18	19
2. MULTIPLE DX										
0-19 YRS	110	9.3	93	1	3	6	12	22	31	73
20-34	237	8.8	88	1	3	6	11	20	29	41
35-49	457	10.9	94	2	4	8	14	24	29	52
50-64	768	12.1	131	2	5	9	15	27	35	71
65 +	1149	14.3	169	3	7	11	18	29	40	89
TOTAL SINGLE DX	414	4.6	16	1	2	3	6	9	13	20
TOTAL MULTIPLE DX	2721	12.4	139	3	5	9	15	26	35	72
TOTAL										
0-19 YRS	194	7.2	67	1	2	4	10	18	24	50
20-34	356	7.3	69	1	2	5	9	16	23	38
35-49	558	9.7	86	2	4	7	13	22	27	45
50-64	838	11.5	125	2	5	9	14	25	33	70
65 +	1189	14.1	166	3	6	11	17	28	40	88
GRAND TOTAL	**3135**	**11.4**	**130**	**2**	**4**	**8**	**14**	**25**	**33**	**68**

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	107	5.6	14	2	3	5	7	11	12	21
20-34	165	5.5	24	2	3	4	6	9	12	24
35-49	71	7.4	38	3	4	6	8	13	22	37
50-64	45	8.4	18	4	5	8	11	14	16	23
65 +	26	8.8	30	4	5	8	10	15	20	29
2. MULTIPLE DX										
0-19 YRS	155	11.9	162	4	5	8	13	24	37	68
20-34	374	8.4	67	3	4	6	10	16	23	56
35-49	244	11.8	164	4	5	7	13	24	39	72
50-64	296	14.7	138	5	7	11	18	28	40	73
65 +	426	19.6	244	7	10	15	24	42	57	98
TOTAL SINGLE DX	414	6.4	25	3	3	5	8	11	14	25
TOTAL MULTIPLE DX	1495	13.8	175	4	6	9	17	30	43	78
TOTAL										
0-19 YRS	262	9.4	112	3	4	6	11	16	32	61
20-34	539	7.5	56	3	4	5	8	14	20	52
35-49	315	10.8	139	4	5	7	12	22	35	70
50-64	341	13.9	127	5	7	10	17	27	39	72
65 +	452	19.0	238	6	9	14	23	40	55	96
GRAND TOTAL	1909	12.2	152	3	5	8	14	25	39	72

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	125	2.8	4	1	1	2	4	6	7	11
20-34	471	2.3	3	<1	1	1	3	5	6	9
35-49	109	2.1	5	<1	<1	1	2	4	5	15
50-64	8	1.0		<1	<1	<1	1	1	1	1
65 +	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	140	3.3	8	1	1	2	5	7	9	13
20-34	743	2.7	6	<1	1	1	4	6	8	12
35-49	234	2.9	34	<1	<1	1	4	6	8	15
50-64	40	8.1	128	<1	1	5	9	21	35	54
65 +	28	6.9	42	1	1	4	11	18	21	21
TOTAL SINGLE DX	716	2.3	4	<1	1	1	3	5	6	10
TOTAL MULTIPLE DX	1185	3.1	18	<1	1	2	4	7	9	17
TOTAL										
0-19 YRS	265	3.1	7	1	1	2	4	6	8	12
20-34	1214	2.5	5	<1	1	1	3	6	7	10
35-49	343	2.6	25	<1	<1	1	3	5	7	15
50-64	48	6.9	114	<1	1	3	8	17	26	54
65 +	31	6.3	41	1	1	3	10	17	21	21
GRAND TOTAL	1901	2.8	13	<1	1	2	4	6	8	14

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	8.9	74	3	5	7	9	21	33	93
20-34	138	5.6	20	1	3	5	7	9	13	27
35-49	98	6.4	23	2	3	5	8	13	15	26
50-64	67	7.5	15	2	5	7	10	12	14	22
65 +	63	9.1	19	3	6	9	12	15	17	19
2. MULTIPLE DX										
0-19 YRS	188	14.1	209	3	6	10	19	33	53	99 +
20-34	475	7.1	60	2	3	5	8	14	20	46
35-49	497	10.1	105	2	4	7	13	21	30	70
50-64	603	13.3	147	3	6	10	16	27	36	64
65 +	1030	17.7	210	6	9	13	22	38	52	99 +
TOTAL SINGLE DX	430	7.1	30	2	4	6	9	13	16	33
TOTAL MULTIPLE DX	2793	13.4	168	3	5	10	16	29	42	91
TOTAL										
0-19 YRS	252	12.8	180	3	6	8	15	30	50	99 +
20-34	613	6.8	52	2	3	5	8	13	19	44
35-49	595	9.5	94	2	4	7	12	20	28	63
50-64	670	12.7	137	3	6	10	15	26	35	62
65 +	1093	17.2	204	5	9	13	21	36	51	99 +
GRAND TOTAL	3223	12.5	154	3	5	9	15	27	39	85

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	7.7	32	2	3	6	10	15	20	26
20-34	29	7.3	2	5	6	8	8	9	10	10
35-49	33	7.8	4	6	6	7	9	11	13	14
50-64	64	8.9	8	7	7	8	10	12	15	21
65 +	47	8.9	4	7	7	9	10	12	13	15
2. MULTIPLE DX										
0-19 YRS	118	9.2	47	3	5	7	12	19	23	60
20-34	57	8.3	11	5	6	8	10	14	18	93
35-49	113	11.7	74	7	8	9	12	20	23	56
50-64	267	14.1	124	7	8	10	15	26	36	62
65 +	514	16.4	158	7	9	12	19	30	43	91
TOTAL SINGLE DX	207	8.3	10	5	7	8	10	11	14	21
TOTAL MULTIPLE DX	1069	14.1	128	6	8	10	17	26	36	78
TOTAL										
0-19 YRS	152	8.9	44	3	5	7	11	18	23	42
20-34	86	8.0	9	5	6	8	9	12	15	70
35-49	146	10.8	61	6	7	9	12	19	22	45
50-64	331	13.1	106	7	8	10	14	23	32	61
65 +	561	15.8	149	7	9	12	18	30	41	87
GRAND TOTAL	**1276**	**13.2**	**114**	**6**	**8**	**10**	**15**	**24**	**33**	**75**

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	14.4	764	2	3	4	6	63	77	77
20-34	21	5.4	11	2	3	5	7	10	12	14
35-49	30	4.3	7	1	2	4	6	8	10	11
50-64	41	4.8	8	2	3	5	6	8	11	15
65 +	27	6.0	11	2	4	5	8	10	13	17
2. MULTIPLE DX										
0-19 YRS	9	9.8	59	3	4	7	13	22	27	27
20-34	42	11.8	71	4	5	9	16	21	31	38
35-49	73	9.0	43	3	4	7	11	18	23	35
50-64	121	11.9	151	3	5	8	13	28	36	63
65 +	194	14.0	147	3	6	11	18	28	39	74
TOTAL SINGLE DX	126	5.6	51	2	3	5	7	9	11	31
TOTAL MULTIPLE DX	439	12.3	125	3	5	9	16	27	36	57
TOTAL										
0-19 YRS	16	11.8	343	2	4	5	11	26	62	77
20-34	63	9.7	60	3	4	7	14	19	24	38
35-49	103	7.6	38	2	3	6	9	15	21	32
50-64	162	10.1	124	2	4	6	11	22	34	55
65 +	221	13.1	138	3	5	10	18	27	38	69
GRAND TOTAL	**565**	**10.8**	**116**	**2**	**4**	**7**	**14**	**23**	**32**	**56**

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	0									
50-64	1	14.0		14	14	14	14	14	14	14
65 +	0									
2. MULTIPLE DX										
0-19 YRS	56	22.6	59	15	17	22	26	33	36	47
20-34	34	21.6	260	12	14	17	22	28	68	87
35-49	31	19.4	137	12	14	17	21	26	30	77
50-64	16	26.3	218	15	15	20	32	46	61	67
65 +	0									
TOTAL SINGLE DX	2	13.5	1	13	13	13	14	14	14	14
TOTAL MULTIPLE DX	137	22.1	146	13	15	19	25	31	41	79
TOTAL										
0-19 YRS	56	22.6	60	15	17	22	26	33	36	47
20-34	35	21.3	255	12	14	17	22	27	65	87
35-49	31	19.4	138	12	14	17	21	26	30	77
50-64	17	25.5	214	14	15	20	31	46	60	67
65 +	0									
GRAND TOTAL	**139**	**21.9**	**145**	**13**	**15**	**19**	**25**	**31**	**41**	**78**

636: Miscellaneous operations on kidney, except percutaneous nephrostomy 55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	234	3.9	7	1	2	3	6	8	10	12
20-34	106	4.6	13	1	2	3	7	9	13	16
35-49	71	4.4	19	1	1	3	6	9	14	21
50-64	62	5.5	12	1	2	5	8	10	12	17
65 +	19	4.8	18	1	2	2	8	11	14	15
2. MULTIPLE DX										
0-19 YRS	264	7.9	52	2	3	6	10	17	23	41
20-34	195	8.8	63	2	3	7	12	18	24	46
35-49	196	9.0	119	1	2	7	12	19	23	92
50-64	255	11.0	126	2	3	8	15	25	34	72
65 +	347	13.9	137	2	5	11	19	30	41	58
TOTAL SINGLE DX	492	4.4	12	1	2	3	6	8	11	16
TOTAL MULTIPLE DX	1257	10.5	108	2	3	8	14	23	31	52
TOTAL										
0-19 YRS	498	6.0	36	1	2	4	8	13	17	33
20-34	301	7.3	50	1	2	6	10	15	20	35
35-49	267	7.7	97	1	2	5	9	18	22	78
50-64	317	9.9	109	2	3	7	12	22	31	61
65 +	366	13.4	136	2	5	10	19	29	40	57
GRAND TOTAL	**1749**	**8.8**	**89**	**1**	**2**	**6**	**11**	**20**	**27**	**48**

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	25	6.8	16	2	3	7	8	13	15	16
35-49	20	4.7	15	1	2	4	6	8	13	18
50-64	32	6.4	10	2	4	6	9	10	12	13
65 +	20	6.3	10	1	4	7	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	5	7.2	26	2	3	8	10	15	15	15
20-34	32	8.3	23	3	5	8	10	14	19	23
35-49	59	7.6	36	2	4	7	9	14	16	38
50-64	82	9.6	62	2	5	7	12	20	23	44
65 +	98	13.3	100	5	8	11	16	25	31	58
TOTAL SINGLE DX	100	6.1	13	1	3	6	8	10	12	17
TOTAL MULTIPLE DX	276	10.3	70	2	5	8	13	20	25	44
TOTAL										
0-19 YRS	8	6.0	19	2	3	5	8	13	15	15
20-34	57	7.6	20	2	4	7	10	13	17	23
35-49	79	6.8	32	1	3	6	9	12	16	34
50-64	114	8.7	50	2	5	7	10	17	22	42
65 +	118	12.1	92	4	7	9	14	24	30	57
GRAND TOTAL	**376**	**9.2**	**58**	**2**	**5**	**8**	**11**	**17**	**23**	**40**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	179	6.0	7	3	5	6	7	9	11	15
20-34	4	7.8	5	5	6	8	9	10	10	10
35-49	5	9.2	6	7	7	8	12	12	12	12
50-64	3	12.3	33	9	9	9	17	19	19	19
65 +	4	13.0	4	10	11	13	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	222	8.6	49	3	5	7	9	16	21	46
20-34	27	13.2	212	5	7	9	15	19	29	82
35-49	27	14.6	132	7	8	9	15	36	43	46
50-64	39	17.1	249	8	10	13	18	46	94	99 +
65 +	76	21.6	232	10	12	17	27	48	58	94
TOTAL SINGLE DX	195	6.4	9	3	5	6	8	10	13	17
TOTAL MULTIPLE DX	391	12.7	147	4	6	9	15	24	39	86
TOTAL										
0-19 YRS	401	7.5	32	3	5	6	8	13	18	28
20-34	31	12.5	188	5	7	9	15	19	20	82
35-49	32	13.7	116	7	8	9	14	36	41	46
50-64	42	16.8	235	9	10	13	18	39	92	99 +
65 +	80	21.2	225	10	12	15	26	47	57	93
GRAND TOTAL	**586**	**10.6**	**110**	**4**	**5**	**8**	**12**	**20**	**32**	**77**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	3.0	1	1	2	3	4	5	5	5
20-34	168	3.2	4	1	2	3	4	6	7	10
35-49	277	3.1	4	1	1	3	4	6	7	9
50-64	161	3.3	4	1	2	3	4	6	8	10
65 +	53	3.4	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	11	4.9	10	2	3	4	6	10	13	13
20-34	158	4.3	6	1	2	4	6	8	9	12
35-49	265	4.5	13	1	2	4	6	9	10	16
50-64	290	5.1	14	1	3	4	6	10	12	19
65 +	275	6.5	46	2	3	5	8	13	19	37
TOTAL SINGLE DX	677	3.2	5	1	2	3	4	6	7	10
TOTAL MULTIPLE DX	999	5.2	22	1	3	4	6	9	13	28
TOTAL										
0-19 YRS	29	3.7	5	1	2	3	4	6	8	13
20-34	326	3.7	5	1	2	3	5	7	8	11
35-49	542	3.8	9	1	2	3	5	7	9	15
50-64	451	4.5	12	1	2	4	6	9	11	16
65 +	328	6.0	41	1	3	4	7	11	17	34
GRAND TOTAL	**1676**	**4.4**	**16**	**1**	**2**	**3**	**5**	**8**	**10**	**19**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	7.2	20	1	4	6	11	14	16	18
20-34	15	4.4	22	1	1	3	6	9	16	19
35-49	17	3.5	9	1	1	2	4	9	10	10
50-64	12	3.9	6	1	2	3	5	8	9	9
65 +	10	2.8	7	1	1	2	3	7	9	9
2. MULTIPLE DX										
0-19 YRS	51	8.9	45	2	4	7	11	18	23	35
20-34	26	8.1	64	1	2	5	11	21	28	31
35-49	33	8.3	61	1	3	6	10	20	28	30
50-64	47	8.3	73	2	3	5	10	17	32	41
65 +	94	10.6	109	2	4	9	12	20	29	60
TOTAL SINGLE DX	83	4.9	17	1	2	3	6	11	14	19
TOTAL MULTIPLE DX	251	9.3	79	2	3	7	11	19	28	43
TOTAL										
0-19 YRS	80	8.3	37	2	4	7	11	17	19	32
20-34	41	6.7	51	1	2	4	9	17	24	31
35-49	50	6.6	49	1	2	4	9	16	26	30
50-64	59	7.4	63	2	3	5	9	15	26	40
65 +	104	9.9	105	2	3	8	12	20	28	59
GRAND TOTAL	**334**	**8.2**	**67**	**1**	**3**	**6**	**10**	**18**	**25**	**41**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	2.3	7	<1	<1	1	3	5	8	15
20-34	196	2.9	6	<1	1	2	4	6	7	12
35-49	288	3.3	7	<1	1	2	4	7	9	14
50-64	278	3.0	7	<1	<1	2	4	6	8	15
65+	252	2.8	6	<1	<1	2	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	154	4.3	24	<1	1	3	5	9	14	25
20-34	341	6.4	68	1	2	4	7	13	17	54
35-49	568	6.2	41	1	2	5	8	12	20	41
50-64	1087	7.0	64	1	2	5	9	15	21	47
65+	2872	11.3	141	2	4	8	14	25	39	99+
TOTAL SINGLE DX	1107	3.0	7	<1	1	2	4	6	8	14
TOTAL MULTIPLE DX	5022	9.3	111	1	3	6	11	20	31	80
TOTAL										
0-19 YRS	247	3.6	19	<1	<1	2	4	8	12	21
20-34	537	5.1	48	1	2	3	6	10	14	30
35-49	856	5.2	32	1	2	4	7	10	15	34
50-64	1365	6.2	56	1	2	4	8	13	18	43
65+	3124	10.6	136	1	4	7	13	24	37	99+
GRAND TOTAL	**6129**	**8.1**	**98**	**1**	**2**	**5**	**10**	**18**	**27**	**71**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.5	2	<1	2	2	3	5	5	5
20-34	23	3.0	9	<1	1	2	4	5	11	14
35-49	85	1.9	1	1	1	1	2	4	4	7
50-64	366	2.5	4	1	1	2	3	5	7	10
65+	629	2.9	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	11	4.8	20	1	2	3	6	12	16	16
20-34	48	5.7	42	1	2	4	7	12	17	36
35-49	164	5.0	36	1	1	3	6	11	14	36
50-64	914	4.9	50	1	2	3	6	10	14	33
65+	3440	6.7	72	1	2	4	8	15	23	54
TOTAL SINGLE DX	1109	2.7	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	4577	6.2	67	1	2	4	7	14	20	51
TOTAL										
0-19 YRS	17	4.0	14	1	2	3	4	9	14	16
20-34	71	4.8	33	1	2	3	6	11	14	34
35-49	249	4.0	27	1	1	2	5	9	11	33
50-64	1280	4.2	38	1	1	3	5	9	12	26
65+	4069	6.1	64	1	2	4	7	13	20	50
GRAND TOTAL	**5686**	**5.5**	**56**	**1**	**2**	**3**	**6**	**12**	**18**	**45**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	2.8	5	1	1	2	3	5	9	10
35-49	11	3.6	16	1	1	2	4	9	14	15
50-64	14	2.0	1	1	1	2	3	4	5	5
65+	10	3.1	5	<1	1	2	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	6	1.8		1	1	2	2	3	3	3
20-34	14	8.0	88	1	2	4	15	19	30	33
35-49	23	7.4	46	1	3	5	11	18	23	27
50-64	88	7.3	182	1	2	3	7	12	19	79
65+	234	8.1	112	1	2	4	9	18	28	58
TOTAL SINGLE DX	48	2.8	7	1	1	2	3	5	7	15
TOTAL MULTIPLE DX	365	7.7	122	1	2	4	9	17	26	67
TOTAL										
0-19 YRS	7	1.7	1	1	1	2	2	3	3	3
20-34	26	5.6	56	1	2	3	5	17	21	33
35-49	34	6.2	39	1	2	4	9	15	20	27
50-64	102	6.6	161	1	2	3	7	12	18	78
65+	244	7.8	109	1	2	4	9	18	28	58
GRAND TOTAL	**413**	**7.2**	**112**	**1**	**2**	**4**	**8**	**17**	**24**	**63**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	4.4	18	1	2	3	4	10	15	19
20-34	13	5.5	17	1	2	5	8	12	14	15
35-49	37	5.6	9	2	3	5	8	10	12	13
50-64	57	6.6	22	1	3	6	9	13	15	21
65+	67	6.9	35	2	3	5	10	12	22	30
2. MULTIPLE DX										
0-19 YRS	160	9.8	65	2	4	8	13	23	29	92
20-34	63	14.0	276	2	5	8	18	40	71	96
35-49	113	8.7	57	2	4	6	11	20	24	64
50-64	275	12.1	108	2	5	10	15	26	36	88
65+	874	14.0	174	3	5	11	18	29	44	88
TOTAL SINGLE DX	218	6.0	24	1	2	4	9	12	15	23
TOTAL MULTIPLE DX	1485	12.8	149	2	5	10	17	27	40	94
TOTAL										
0-19 YRS	204	8.6	60	1	3	7	12	21	26	65
20-34	76	12.5	242	2	4	7	14	29	61	93
35-49	150	7.9	47	2	3	6	10	17	23	44
50-64	332	11.1	98	2	4	9	15	24	33	65
65+	941	13.5	168	2	5	10	18	28	43	87
GRAND TOTAL	**1703**	**11.9**	**138**	**2**	**4**	**9**	**16**	**25**	**36**	**84**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
0-1 , YRS	15	1.3	1	< 1	< 1	< 1	< 1	1	5	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.2	4	1	1	1	3	6	6	6
50-64	8	20.8	836	1	2	5	35	70	80	80
65 +	15	14.1	470	< 1	1	8	14	72	92	99 +
TOTAL SINGLE DX	22	1.2		< 1	< 1	< 1	1	2	3	3
TOTAL MULTIPLE DX	44	9.3	352	< 1	< 1	1	7	48	75	99 +
TOTAL										
0-19 YRS	33	1.2	1	< 1	< 1	< 1	< 1	1	2	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.2	5	1	1	1	3	6	6	6
50-64	9	18.7	771	1	2	3	29	67	80	80
65 +	17	12.6	429	< 1	1	7	12	69	90	99 +
GRAND TOTAL	66	6.6	248	< 1	< 1	1	3	16	60	97

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	367	3.4	10	1	1	2	5	8	11	15
20-34	51	3.0	7	< 1	1	2	4	6	7	16
35-49	38	3.0	6	1	1	2	5	6	8	12
50-64	22	3.6	5	1	2	3	5	8	8	8
65 +	28	2.5	3	1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	174	5.3	32	1	1	3	7	13	16	26
20-34	43	4.1	19	1	2	2	4	10	14	23
35-49	38	5.9	42	1	2	4	6	14	24	29
50-64	47	5.6	19	1	3	5	7	12	13	25
65 +	106	6.7	64	1	2	4	8	15	23	43
TOTAL SINGLE DX	506	3.3	9	1	1	2	4	7	10	14
TOTAL MULTIPLE DX	408	5.6	39	1	2	3	7	13	18	30
TOTAL										
0-19 YRS	541	4.0	18	1	1	2	5	10	13	22
20-34	94	3.5	13	1	1	2	4	7	11	20
35-49	76	4.5	26	1	1	3	5	8	15	28
50-64	69	5.0	15	1	3	4	6	9	12	23
65 +	134	5.8	54	1	2	3	7	14	20	40
GRAND TOTAL	914	4.3	24	1	1	3	5	10	13	25

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.2		< 1	< 1	< 1	1	2	3	4
20-34	10	1.7	1	< 1	< 1	1	2	4	5	5
35-49	19	2.9	3	< 1	1	3	4	6	7	7
50-64	18	3.0	7	< 1	1	2	5	7	9	10
65 +	6	2.2	2	< 1	< 1	2	2	5	5	5
2. MULTIPLE DX										
0-19 YRS	44	2.9	14	< 1	< 1	< 1	3	8	10	19
20-34	38	7.0	119	1	3	4	7	14	18	67
35-49	57	8.1	134	1	2	7	10	14	20	80
50-64	100	8.0	132	1	3	5	9	15	27	67
65 +	430	11.1	110	2	5	8	15	22	29	61
TOTAL SINGLE DX	75	2.2	4	< 1	< 1	1	3	5	6	9
TOTAL MULTIPLE DX	669	9.6	115	1	3	7	12	20	28	62
TOTAL										
0-19 YRS	66	2.3	10	< 1	< 1	< 1	1	7	9	18
20-34	48	5.9	99	1	1	3	7	11	17	67
35-49	76	6.8	107	1	2	4	9	13	18	68
50-64	118	7.2	116	1	2	5	8	14	21	57
65 +	436	11.0	111	2	4	8	15	22	29	61
GRAND TOTAL	744	8.9	109	1	3	6	12	19	26	61

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	2.2	2	< 1	1	1	3	5	5	5
20-34	53	2.0	3	1	1	1	2	3	6	11
35-49	32	2.3	3	1	1	2	3	5	7	9
50-64	32	3.3	8	1	1	3	4	7	10	13
65 +	56	2.7	3	1	1	2	3	6	7	8
2. MULTIPLE DX										
0-19 YRS	43	4.7	48	< 1	1	3	7	8	10	45
20-34	42	4.0	14	1	2	3	5	9	12	20
35-49	61	4.7	62	1	1	2	5	11	14	53
50-64	137	4.8	48	1	2	3	5	9	14	30
65 +	370	7.2	86	1	3	5	8	14	27	49
TOTAL SINGLE DX	190	2.5	4	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	653	6.1	70	1	2	4	7	12	19	48
TOTAL										
0-19 YRS	60	4.0	36	< 1	1	2	5	8	9	41
20-34	95	2.9	10	1	1	2	3	6	9	18
35-49	93	3.9	43	1	1	2	4	9	12	39
50-64	169	4.5	41	1	2	3	5	9	12	24
65 +	426	6.6	78	1	2	4	7	13	22	48
GRAND TOTAL	843	5.3	58	1	2	3	6	10	15	43

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	10	4.5	1	3	3	4	5	6	7	7
35-49	74	5.6	2	4	5	6	7	8	8	10
50-64	59	5.9	2	3	5	6	7	8	9	9
65 +	19	6.3	8	3	4	6	7	11	13	14
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	5.9	5	2	4	6	7	9	10	11
35-49	121	6.2	6	4	5	6	7	9	10	16
50-64	121	7.5	12	5	5	7	8	11	16	22
65 +	71	7.8	7	5	6	8	9	11	12	20
TOTAL SINGLE DX	162	5.7	3	3	4	6	7	8	9	12
TOTAL MULTIPLE DX	331	7.0	9	4	5	6	8	10	12	19
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	27	5.4	5	3	4	5	7	8	10	11
35-49	195	6.0	5	4	5	6	7	9	9	14
50-64	180	7.0	10	4	5	7	8	9	13	20
65 +	90	7.5	8	4	6	7	9	11	12	19
GRAND TOTAL	**493**	**6.6**	**8**	**4**	**5**	**6**	**8**	**9**	**11**	**17**

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	9	4.6	5	3	3	3	6	9	9	9
35-49	76	4.4	1	3	4	4	5	6	7	9
50-64	50	4.4	3	2	3	4	6	7	8	8
65 +	28	5.0	5	3	3	5	7	8	9	10
2. MULTIPLE DX										
0-19 YRS	3	10.3	22	5	7	12	13	14	14	14
20-34	12	5.2	5	2	3	5	6	8	11	11
35-49	75	4.8	2	3	4	4	6	7	8	9
50-64	86	5.4	6	3	4	5	6	8	9	18
65 +	106	7.7	60	3	4	6	8	12	19	49
TOTAL SINGLE DX	163	4.5	3	3	3	4	5	7	8	9
TOTAL MULTIPLE DX	282	6.1	28	3	4	5	7	9	11	31
TOTAL										
0-19 YRS	3	10.3	22	5	7	12	13	14	14	14
20-34	21	4.9	5	3	3	5	6	8	10	11
35-49	151	4.6	2	3	4	4	6	7	7	9
50-64	136	5.0	6	2	4	5	6	8	9	12
65 +	134	7.1	50	3	4	5	8	10	18	41
GRAND TOTAL	**445**	**5.5**	**19**	**3**	**4**	**5**	**6**	**8**	**9**	**22**

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.7	9	1	2	3	4	10	11	11
20-34	72	3.0	4	1	1	2	4	6	7	10
35-49	103	3.4	8	1	1	2	4	7	9	16
50-64	68	3.1	8	1	1	2	4	6	9	17
65 +	35	2.7	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	9	5.8	7	2	4	5	8	10	10	10
20-34	122	5.4	14	1	3	5	7	10	13	19
35-49	191	5.8	31	2	2	4	8	11	16	31
50-64	228	6.8	45	1	3	5	9	15	20	33
65 +	312	9.3	94	2	3	6	12	22	27	60
TOTAL SINGLE DX	290	3.2	7	1	1	2	4	6	8	14
TOTAL MULTIPLE DX	862	7.3	58	2	3	5	9	15	22	36
TOTAL										
0-19 YRS	21	4.6	9	2	2	3	6	10	10	11
20-34	194	4.6	12	1	2	4	6	9	11	17
35-49	294	5.0	25	1	2	4	6	10	13	24
50-64	296	6.0	42	1	2	4	8	13	18	32
65 +	347	8.6	89	1	3	6	11	20	27	60
GRAND TOTAL	**1152**	**6.2**	**49**	**1**	**2**	**4**	**8**	**13**	**19**	**33**

652: Ultrasonic lithotripsy, except by percutaneous nephrostomy (59.95-59.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.9		1	1	2	3	3	3	3
20-34	34	1.9	2	1	1	1	2	4	6	7
35-49	43	2.7	4	1	1	2	3	6	8	10
50-64	31	2.1	5	<1	1	1	2	4	6	12
65 +	26	2.4	9	<1	1	2	2	4	8	16
2. MULTIPLE DX										
0-19 YRS	2	15.5	421	1	1	15	30	30	30	30
20-34	28	2.6	5	1	1	2	3	5	7	13
35-49	41	4.9	50	1	2	3	5	9	12	45
50-64	63	3.9	18	1	1	2	4	9	16	19
65 +	88	3.9	21	1	1	2	4	8	15	25
TOTAL SINGLE DX	141	2.3	5	<1	1	2	2	5	6	12
TOTAL MULTIPLE DX	222	4.0	27	1	1	2	4	9	14	29
TOTAL										
0-19 YRS	9	4.9	89	1	1	2	3	19	30	30
20-34	62	2.2	4	1	1	2	3	5	6	12
35-49	84	3.8	28	1	1	2	5	8	9	34
50-64	94	3.3	15	1	1	2	3	8	12	18
65 +	114	3.6	19	1	1	2	4	8	14	23
GRAND TOTAL	**363**	**3.3**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**19**

653: Miscellaneous operations on urinary tract (59.0-59.21, 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	3	5.7	1	5	5	5	7	7	7	7
50-64	3	10.0	97	2	3	7	17	21	21	21
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	4	5.8	6	3	4	5	7	9	9	9
20-34	10	8.6	42	< 1	3	8	12	18	22	22
35-49	13	8.4	50	3	4	6	9	22	24	25
50-64	20	18.3	406	3	5	11	19	52	67	79
65 +	40	12.1	88	2	5	10	16	27	30	42
TOTAL SINGLE DX	11	7.3	30	2	4	5	10	15	21	21
TOTAL MULTIPLE DX	87	12.3	156	2	4	9	16	26	32	70
TOTAL										
0-19 YRS	6	6.5	9	3	5	6	9	11	11	11
20-34	12	8.4	37	< 1	3	8	11	17	21	22
35-49	16	7.9	42	3	4	6	8	20	24	25
50-64	23	17.2	368	3	5	10	20	50	63	79
65 +	41	11.9	89	2	5	9	16	27	30	42
GRAND TOTAL	98	11.7	144	2	4	8	15	24	30	67

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	16	4.3	1	3	3	4	5	6	7	7
50-64	595	4.6	2	3	3	4	5	7	7	10
65 +	1266	4.9	4	3	4	5	6	7	9	12
2. MULTIPLE DX										
0-19 YRS	2	41.5	41	37	37	41	46	46	46	46
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	62	7.2	59	3	4	5	7	11	30	43
50-64	2341	6.4	29	3	4	5	7	10	14	32
65 +	10310	8.6	71	4	4	6	9	16	24	56
TOTAL SINGLE DX	1877	4.8	4	3	4	5	6	7	8	11
TOTAL MULTIPLE DX	12717	8.2	65	3	4	6	9	15	22	52
TOTAL										
0-19 YRS	2	41.5	41	37	37	41	46	46	46	46
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	78	6.6	49	3	4	5	6	10	23	41
50-64	2936	6.1	25	3	4	5	7	10	13	27
65 +	11576	8.2	66	3	4	6	9	15	22	53
GRAND TOTAL	14594	7.7	58	3	4	5	8	14	21	47

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	49	9.1	9	6	7	8	11	13	16	17
65 +	76	9.7	6	7	8	9	11	13	14	17
2. MULTIPLE DX										
0-19 YRS	2	35.0	1922	4	4	35	66	66	66	66
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	12.2	63	< 1	8	11	17	23	23	23
50-64	236	11.3	35	7	8	10	13	18	23	32
65 +	812	13.2	62	7	9	11	15	21	28	54
TOTAL SINGLE DX	126	9.4	8	7	7	9	11	13	15	17
TOTAL MULTIPLE DX	1056	12.8	60	7	8	11	15	20	27	53
TOTAL										
0-19 YRS	3	24.7	1281	4	4	4	51	66	66	66
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	12.2	63	< 1	8	11	17	23	23	23
50-64	285	10.9	32	7	8	9	12	17	21	30
65 +	888	12.9	58	7	9	11	15	20	27	51
GRAND TOTAL	1182	12.4	55	7	8	11	14	19	25	47

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	2.1	5	< 1	< 1	1	3	6	7	7
50-64	53	1.6	1	< 1	1	1	2	3	5	7
65 +	93	2.0	4	< 1	1	1	2	3	6	14
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	7.0	18	4	4	7	10	10	10	10
35-49	8	9.8	185	1	4	6	7	32	43	43
50-64	128	4.4	37	1	1	2	5	10	16	36
65 +	478	6.7	57	1	2	4	9	17	24	42
TOTAL SINGLE DX	154	1.9	4	< 1	1	1	2	3	5	13
TOTAL MULTIPLE DX	617	6.3	55	1	1	3	9	15	21	41
TOTAL										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	5.3	17	2	2	4	8	10	10	10
35-49	15	6.2	110	< 1	< 1	3	7	8	34	43
50-64	181	3.6	28	< 1	1	2	4	9	12	33
65 +	571	6.0	52	1	1	3	8	15	21	39
GRAND TOTAL	771	5.4	48	1	1	2	7	14	20	39

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	1.7	1	< 1	< 1	1	2	3	4	8
20-34	51	2.3	2	1	1	2	3	5	6	8
35-49	64	2.5	4	1	1	2	3	4	8	12
50-64	43	2.2	3	< 1	1	1	3	5	6	7
65 +	16	2.3	3	1	1	2	3	3	7	9
2. MULTIPLE DX										
0-19 YRS	35	2.6	9	< 1	1	1	2	6	11	14
20-34	33	3.4	10	1	1	2	5	9	13	99 +
35-49	45	6.4	74	1	1	3	8	13	19	52
50-64	80	6.0	44	1	2	4	8	15	18	35
65 +	105	5.7	74	1	1	3	6	12	21	53
TOTAL SINGLE DX	232	2.2	3	< 1	1	2	3	4	6	9
TOTAL MULTIPLE DX	298	5.3	53	1	1	3	6	13	18	50
TOTAL										
0-19 YRS	93	2.1	5	< 1	1	1	2	4	6	14
20-34	84	2.8	6	1	1	2	3	6	8	70
35-49	109	4.1	37	1	1	2	4	9	13	35
50-64	123	4.7	33	1	1	3	6	11	16	33
65 +	121	5.2	67	1	1	3	6	11	20	51
GRAND TOTAL	530	3.9	33	1	1	2	4	9	14	32

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	1.7	1	1	1	1	2	3	4	7
20-34	129	2.1	3	1	1	2	3	4	5	11
35-49	48	2.2	3	1	1	2	2	6	7	9
50-64	32	2.5	3	1	1	2	3	4	7	9
65 +	102	2.4	5	< 1	1	1	3	5	8	11
2. MULTIPLE DX										
0-19 YRS	69	2.7	7	1	1	2	3	5	9	16
20-34	78	4.7	21	1	1	3	7	13	15	78
35-49	66	4.7	44	1	1	2	4	11	21	34
50-64	112	5.7	44	1	1	3	8	12	18	36
65 +	780	7.9	115	1	2	4	10	19	27	69
TOTAL SINGLE DX	399	2.1	3	1	1	1	2	4	6	10
TOTAL MULTIPLE DX	1105	6.9	93	1	2	3	9	17	25	58
TOTAL										
0-19 YRS	157	2.1	4	1	1	1	2	4	5	11
20-34	207	3.1	12	1	1	2	4	8	12	19
35-49	114	3.7	29	1	1	2	4	7	12	32
50-64	144	5.0	37	1	1	3	7	11	15	36
65 +	882	7.2	106	1	2	3	9	18	26	68
GRAND TOTAL	1504	5.7	74	1	1	2	6	14	21	47

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	391	1.4		< 1	1	1	1	2	3	5
20-34	60	1.6		1	1	1	2	3	3	4
35-49	7	1.6		< 1	1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	317	1.6	3	< 1	1	1	2	3	4	8
20-34	32	4.1	17	1	2	3	5	8	14	21
35-49	5	2.0	3	< 1	< 1	1	3	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	458	1.4	1	< 1	1	1	2	2	3	4
TOTAL MULTIPLE DX	357	1.8	5	< 1	1	1	2	3	5	15
TOTAL										
0-19 YRS	708	1.5	2	< 1	1	1	2	2	3	6
20-34	92	2.5	8	1	1	2	3	4	7	18
35-49	12	1.8	1	< 1	< 1	1	2	4	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	815	1.6	3	<1	1	1	2	2	3	8

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	1.5	1	1	1	1	2	3	4	7
20-34	46	1.6		1	1	1	2	3	3	6
35-49	17	1.6	2	<1	1	1	2	2	5	7
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	41	1.6	1	<1	1	1	2	3	5	7
20-34	26	1.7	1	<1	1	1	2	3	4	5
35-49	13	2.8	14	<1	1	2	3	6	13	15
50-64	9	2.1	2	1	1	1	3	5	6	6
65+	8	21.4	904	2	3	7	31	74	87	87
TOTAL SINGLE DX	161	1.5	1	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	97	3.5	98	1	1	1	2	5	8	67
TOTAL										
0-19 YRS	135	1.5	1	1	1	1	2	3	4	7
20-34	72	1.6	1	<1	1	1	2	3	4	6
35-49	30	2.2	7	<1	1	1	2	3	7	15
50-64	11	1.9	3	1	1	1	3	4	6	6
65+	10	17.3	777	1	2	4	19	65	87	87
GRAND TOTAL	258	2.3	38	1	1	1	2	3	5	19

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	13	1.2		<1	<1	<1	<1	2	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	9	1.3		<1	1	1	2	3	3	3
35-49	8	1.5	1	<1	1	1	2	3	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
TOTAL SINGLE DX	18	1.2	1	<1	<1	<1	<1	1	3	4
TOTAL MULTIPLE DX	20	1.8	2	<1	1	1	2	3	5	7
TOTAL										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	1.3		<1	<1	1	1	2	3	3
35-49	21	1.3	1	<1	<1	<1	1	3	4	4
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	38	1.5	1	<1	<1	1	1	3	4	7

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	2.1	4	<1	1	1	2	6	7	9
20-34	63	1.4		<1	<1	1	1	2	3	7
35-49	82	1.2		<1	1	1	1	2	2	4
50-64	46	1.6		<1	1	1	2	3	3	3
65+	15	1.7		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	12	1.5		<1	1	1	2	3	4	4
20-34	24	1.3		1	1	1	2	2	3	3
35-49	56	2.1	34	<1	1	1	2	2	3	42
50-64	59	2.2	3	1	1	2	2	4	5	12
65+	39	3.3	10	1	1	2	4	10	12	12
TOTAL SINGLE DX	238	1.5	1	<1	1	1	2	3	3	7
TOTAL MULTIPLE DX	190	2.2	14	1	1	1	2	3	5	13
TOTAL										
0-19 YRS	44	2.0	3	<1	1	1	2	4	7	9
20-34	87	1.4	1	<1	<1	1	1	2	3	6
35-49	138	1.6	14	<1	1	1	1	2	2	9
50-64	105	1.9	2	1	1	2	2	3	4	9
65+	54	2.9	8	1	1	2	3	8	11	12
GRAND TOTAL	428	1.8	7	<1	1	1	2	3	4	11

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	151	1.3	4	<1	<1	<1	1	1	2	10
20-34	35	1.9	12	<1	<1	<1	1	3	7	21
35-49	27	1.1		<1	<1	<1	1	1	2	2
50-64	19	1.2		<1	<1	<1	1	2	2	2
65+	11	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	75	4.3	45	<1	<1	1	5	17	20	30
20-34	32	1.9	2	<1	<1	1	2	4	5	9
35-49	49	2.8	9	<1	<1	1	3	7	10	13
50-64	71	5.2	108	<1	1	2	4	12	23	67
65+	96	5.1	69	<1	1	2	6	11	14	50
TOTAL SINGLE DX	243	1.4	5	<1	<1	<1	1	1	2	11
TOTAL MULTIPLE DX	323	4.3	57	<1	1	2	4	11	16	39
TOTAL										
0-19 YRS	226	2.3	20	<1	<1	<1	1	4	10	25
20-34	67	1.9	8	<1	<1	1	2	3	5	19
35-49	76	2.2	7	<1	<1	1	2	6	8	13
50-64	90	4.4	88	<1	1	1	3	10	15	58
65+	107	4.7	64	<1	1	2	5	11	13	50
GRAND TOTAL	566	3.0	37	<1	<1	1	2	8	12	29

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	21	2.7	4	1	1	2	4	5	7	8
50-64	66	2.4	2	1	1	2	3	4	5	7
65 +	30	2.4	2	1	1	2	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	11	2.7	2	1	1	2	4	5	5	5
35-49	70	3.3	3	1	2	3	4	6	7	9
50-64	167	3.9	12	1	2	3	5	7	8	22
65 +	95	3.7	11	1	2	3	4	7	10	20
TOTAL SINGLE DX	121	2.5	3	1	1	2	4	5	6	8
TOTAL MULTIPLE DX	344	3.7	10	1	2	3	5	7	9	20
TOTAL										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	14	3.0	2	1	2	3	4	5	5	5
35-49	91	3.2	3	1	2	3	4	6	7	9
50-64	233	3.5	10	1	2	3	4	6	7	20
65 +	125	3.4	10	1	2	3	4	6	9	16
GRAND TOTAL	465	3.4	9	1	2	3	4	6	8	13

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	3.3	37	<1	<1	1	2	9	14	35
20-34	16	2.9	13	<1	1	2	3	6	13	16
35-49	10	2.4	1	<1	1	2	4	4	4	4
50-64	15	3.9	12	<1	1	4	5	10	11	12
65 +	11	6.6	22	1	4	6	9	14	16	16
2. MULTIPLE DX										
0-19 YRS	49	3.6	16	<1	1	2	5	8	13	21
20-34	18	3.8	8	<1	1	3	5	7	10	12
35-49	25	10.7	164	1	3	5	13	20	46	54
50-64	27	5.0	25	1	1	4	6	11	19	20
65 +	50	8.8	160	3	3	6	9	14	22	86
TOTAL SINGLE DX	93	3.6	24	<1	1	2	4	10	14	27
TOTAL MULTIPLE DX	169	6.4	87	1	2	4	8	13	20	52
TOTAL										
0-19 YRS	90	3.5	25	<1	1	1	3	8	14	29
20-34	34	3.4	11	<1	1	2	4	7	11	16
35-49	35	8.3	131	1	2	4	12	16	38	54
50-64	42	4.6	21	1	1	4	6	10	15	20
65 +	61	8.4	135	2	3	6	9	14	21	80
GRAND TOTAL	262	5.4	67	<1	1	3	6	12	16	43

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	145	4.3	2	3	3	4	5	6	7	10
20-34	386	4.1	1	3	3	4	5	6	6	7
35-49	76	4.5	2	2	3	5	5	6	7	9
50-64	8	6.2	9	3	3	6	8	11	11	11
65 +	7	5.7	6	4	4	5	6	10	11	11
2. MULTIPLE DX										
0-19 YRS	134	4.8	4	3	4	4	5	7	9	13
20-34	1056	4.6	5	3	3	4	5	7	8	11
35-49	305	5.1	10	2	4	5	6	7	9	16
50-64	29	9.4	68	4	5	7	10	16	30	42
65 +	47	14.2	156	5	7	11	17	34	65	99 +
TOTAL SINGLE DX	620	4.2	2	3	3	4	5	6	7	9
TOTAL MULTIPLE DX	1571	5.1	15	3	4	5	6	7	9	19
TOTAL										
0-19 YRS	279	4.5	4	3	3	4	5	6	7	12
20-34	1442	4.5	4	3	3	4	5	6	7	11
35-49	381	5.0	9	2	4	5	6	7	9	15
50-64	35	8.9	59	3	5	7	10	16	26	42
65 +	54	13.1	145	5	6	10	16	32	63	99 +
GRAND TOTAL	2191	4.9	11	3	3	4	5	7	9	17

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	5.1	6	3	4	4	5	7	9	19
20-34	249	4.5	2	3	4	4	5	6	7	11
35-49	165	4.6	2	3	4	4	5	6	7	11
50-64	22	5.0	1	3	4	5	6	7	8	8
65 +	11	6.0	3	4	4	6	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	83	5.2	6	3	4	5	6	7	9	18
20-34	685	5.2	9	3	4	5	6	8	10	19
35-49	631	5.7	12	3	4	5	6	9	11	20
50-64	80	8.9	35	4	5	6	11	17	19	34
65 +	96	11.7	110	4	6	8	14	20	34	65
TOTAL SINGLE DX	500	4.6	3	3	4	4	5	6	7	12
TOTAL MULTIPLE DX	1575	6.0	20	3	4	5	6	10	14	23
TOTAL										
0-19 YRS	136	5.1	6	3	4	5	6	7	9	18
20-34	934	5.0	8	3	4	5	6	7	9	18
35-49	796	5.5	10	3	4	5	6	8	11	17
50-64	102	8.0	31	4	5	6	10	16	18	31
65 +	107	11.1	102	4	6	8	13	19	32	65
GRAND TOTAL	**2075**	**5.7**	**17**	**3**	**4**	**5**	**6**	**9**	**12**	**21**

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	19	4.0	1	3	3	4	5	5	6	6
35-49	35	5.3	3	3	4	5	6	7	9	10
50-64	26	5.5	3	4	4	5	6	8	10	11
65 +	17	7.3	19	4	5	6	7	12	18	22
2. MULTIPLE DX										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	90	4.9	4	3	4	4	6	8	9	12
35-49	291	5.9	8	3	4	5	7	9	12	18
50-64	135	8.7	42	4	5	6	10	17	23	33
65 +	125	12.2	76	5	6	9	15	22	34	42
TOTAL SINGLE DX	99	5.4	6	3	4	5	6	7	10	17
TOTAL MULTIPLE DX	643	7.5	35	4	4	6	8	14	19	36
TOTAL										
0-19 YRS	4	5.8	2	4	5	6	7	7	7	7
20-34	109	4.7	4	3	4	4	5	7	9	12
35-49	326	5.8	8	3	4	5	7	9	11	17
50-64	161	8.2	37	4	5	6	9	16	22	32
65 +	142	11.6	72	5	6	8	14	22	32	42
GRAND TOTAL	**742**	**7.3**	**31**	**4**	**4**	**6**	**8**	**13**	**18**	**34**

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	31	2.6	3	1	1	2	4	5	5	10
20-34	105	2.8	5	< 1	1	3	4	5	6	14
35-49	20	2.7	3	< 1	< 1	2	4	5	6	7
50-64	3	5.0	9	2	3	5	7	8	8	8
65 +	0									
2. MULTIPLE DX										
0-19 YRS	53	3.6	4	1	2	3	5	6	8	10
20-34	378	3.9	5	1	2	4	5	6	7	12
35-49	126	4.1	8	1	2	4	5	7	9	15
50-64	4	5.0	10	< 1	2	5	7	9	9	9
65 +	6	28.0	932	1	5	18	44	78	82	82
TOTAL SINGLE DX	159	2.8	5	< 1	1	2	4	5	6	12
TOTAL MULTIPLE DX	567	4.2	20	1	2	4	5	6	8	16
TOTAL										
0-19 YRS	84	3.3	5	1	1	3	5	6	7	10
20-34	483	3.6	6	1	2	4	5	6	7	12
35-49	146	3.9	8	< 1	2	4	5	7	9	15
50-64	7	5.0	8	< 1	3	5	7	9	9	9
65 +	6	28.0	932	1	5	18	44	78	82	82
GRAND TOTAL	**726**	**3.9**	**17**	**1**	**2**	**4**	**5**	**6**	**7**	**15**

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	109	1.1		< 1	< 1	< 1	1	1	2	4
35-49	65	1.2		< 1	< 1	< 1	1	2	2	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	204	1.8	1	< 1	< 1	1	3	3	4	7
35-49	103	1.2		< 1	< 1	< 1	1	2	3	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
TOTAL SINGLE DX	177	1.1		< 1	< 1	< 1	1	1	2	4
TOTAL MULTIPLE DX	310	1.6	1	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	313	1.6	1	< 1	< 1	1	2	3	4	7
35-49	168	1.2		< 1	< 1	< 1	1	2	3	4
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	0									
GRAND TOTAL	**487**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**3**	**3**	**6**

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	389	1.5		<1	1	1	2	3	3	5
35-49	188	1.7	1	<1	1	1	2	3	4	5
50-64	2	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	1400	2.9	1	1	2	3	4	4	5	6
35-49	491	2.9	3	1	2	3	4	5	5	11
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	0									
TOTAL SINGLE DX	581	1.6	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	1897	2.9	2	1	2	3	4	4	5	7
TOTAL										
0-19 YRS	6	2.2	2	1	1	2	2	5	5	5
20-34	1789	2.6	2	1	1	3	3	4	5	6
35-49	679	2.6	3	1	1	2	3	4	5	10
50-64	4	3.5	14	1	1	2	6	9	9	9
65+	0									
GRAND TOTAL	2478	2.6	2	1	1	3	3	4	5	6

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	3.9	1	3	3	4	5	6	6	7
20-34	1004	4.0	2	2	3	4	5	6	6	8
35-49	209	4.0	2	2	3	4	5	6	6	9
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	69	4.8	8	3	4	4	5	8	9	22
20-34	1479	4.4	3	3	3	4	5	6	7	10
35-49	392	4.4	3	2	3	4	5	6	7	10
50-64	4	13.0	221	3	4	7	22	35	35	35
65+	8	12.4	23	7	8	12	15	19	21	21
TOTAL SINGLE DX	1271	4.0	2	2	3	4	5	6	6	8
TOTAL MULTIPLE DX	1952	4.4	4	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	124	4.4	6	3	3	4	5	6	8	14
20-34	2483	4.2	3	2	3	4	5	6	7	9
35-49	601	4.3	3	2	3	4	5	6	7	10
50-64	5	11.6	176	3	4	6	15	35	35	35
65+	10	10.8	29	4	6	10	15	18	21	21
GRAND TOTAL	3223	4.3	4	2	3	4	5	6	7	10

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.4		<1	<1	1	2	2	2	2
20-34	147	1.3		<1	<1	1	2	2	3	4
35-49	109	1.2		<1	<1	1	1	2	2	3
50-64	36	1.4		<1	1	1	2	2	4	4
65+	8	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	129	1.6	11	<1	1	1	1	2	3	13
35-49	116	2.0	19	<1	1	1	2	3	4	29
50-64	54	1.6	1	<1	1	1	2	3	4	8
65+	29	1.8	4	<1	1	1	1	5	6	10
TOTAL SINGLE DX	308	1.3		<1	<1	1	2	2	2	4
TOTAL MULTIPLE DX	331	1.8	12	<1	1	1	2	3	4	12
TOTAL										
0-19 YRS	11	1.3		<1	1	1	2	2	2	2
20-34	276	1.5	6	<1	<1	1	2	2	3	5
35-49	225	1.6	10	<1	1	1	1	2	3	9
50-64	90	1.5	1	<1	1	1	2	3	4	8
65+	37	1.7	3	<1	1	1	2	4	6	10
GRAND TOTAL	639	1.5	6	<1	1	1	2	2	3	6

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	59	1.3		<1	<1	<1	1	2	3	5
35-49	43	1.7	2	<1	<1	1	2	4	5	9
50-64	21	1.4	1	<1	<1	1	1	2	4	6
65+	15	4.1	36	<1	1	2	4	6	20	25
2. MULTIPLE DX										
0-19 YRS	9	3.1	7	<1	1	1	5	8	8	8
20-34	114	2.5	16	<1	<1	1	2	5	10	25
35-49	172	2.5	18	<1	<1	1	2	5	8	27
50-64	99	3.3	22	<1	1	1	3	8	11	27
65+	110	7.8	105	1	2	5	11	17	22	85
TOTAL SINGLE DX	144	1.7	5	<1	<1	1	1	3	5	10
TOTAL MULTIPLE DX	504	3.8	42	<1	1	1	4	10	15	30
TOTAL										
0-19 YRS	15	2.3	6	<1	<1	1	3	7	8	8
20-34	173	2.1	11	<1	<1	1	2	3	7	22
35-49	215	2.3	15	<1	<1	1	2	4	7	25
50-64	120	2.9	19	<1	1	1	3	7	10	27
65+	125	7.4	98	1	2	4	10	17	23	81
GRAND TOTAL	648	3.3	34	<1	<1	1	3	8	12	28

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.7		1	1	1	2	3	3	3
20-34	296	1.9	1	1	1	1	3	3	4	6
35-49	67	2.0	1	1	1	2	3	3	4	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
20-34	151	3.7	50	1	2	3	4	7	9	14
35-49	58	3.1	7	1	2	3	4	5	7	19
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	375	1.9	1	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	215	3.5	37	1	2	3	4	6	9	16
TOTAL										
0-19 YRS	12	1.8	1	< 1	1	2	2	3	3	3
20-34	447	2.5	19	1	1	2	3	4	6	11
35-49	125	2.5	4	1	1	2	3	4	5	10
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	590	2.5	15	1	1	2	3	4	6	11

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	119	4.2	3	1	3	4	5	6	7	9
35-49	89	3.9	6	1	2	4	6	7	8	13
50-64	6	1.3		1	1	1	2	2	2	2
65 +	4	3.8	7	1	1	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	5	5.8	17	3	3	4	8	13	13	13
20-34	375	5.1	16	2	4	5	6	8	9	20
35-49	419	5.2	19	1	3	5	6	8	9	16
50-64	33	7.9	253	< 1	1	2	9	13	44	82
65 +	41	9.4	114	1	2	6	13	22	29	54
TOTAL SINGLE DX	220	4.0	5	1	2	4	5	7	8	11
TOTAL MULTIPLE DX	873	5.4	32	1	3	5	6	8	11	30
TOTAL										
0-19 YRS	7	6.7	17	3	3	6	11	13	13	13
20-34	494	4.9	14	1	4	5	6	7	8	17
35-49	508	4.9	17	1	3	5	6	8	9	14
50-64	39	6.9	220	< 1	1	2	7	12	35	82
65 +	45	8.9	108	1	2	5	12	21	28	54
GRAND TOTAL	1093	5.2	27	1	3	5	6	8	10	24

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	221	4.9	2	4	4	5	5	7	8	11
35-49	686	5.2	2	4	4	5	6	7	8	11
50-64	246	5.6	2	4	5	5	6	7	8	10
65 +	121	6.6	3	5	5	6	8	9	10	14
2. MULTIPLE DX										
0-19 YRS	4	5.8	1	4	5	6	7	7	7	7
20-34	1423	5.5	4	4	4	5	6	7	9	15
35-49	7626	5.9	7	4	5	5	6	8	9	17
50-64	2193	6.7	17	4	5	6	7	9	12	24
65 +	1144	9.7	51	5	6	7	11	17	23	42
TOTAL SINGLE DX	1275	5.4	3	4	4	5	6	7	8	12
TOTAL MULTIPLE DX	12390	6.3	14	4	5	6	7	9	12	22
TOTAL										
0-19 YRS	5	7.2	12	4	5	6	8	13	13	13
20-34	1644	5.4	4	4	4	5	6	7	9	15
35-49	8312	5.9	7	4	5	5	6	8	9	16
50-64	2439	6.6	16	4	5	6	7	9	12	23
65 +	1265	9.4	47	5	6	7	10	16	22	40
GRAND TOTAL	13665	6.3	13	4	5	5	7	9	11	21

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	73	3.7	1	2	3	4	4	5	6	8
35-49	177	4.3	2	3	3	4	5	6	7	8
50-64	200	5.3	2	4	4	5	6	7	8	13
65 +	168	5.6	2	4	5	5	7	8	8	11
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	299	4.3	2	3	3	4	5	6	7	9
35-49	1100	4.8	3	3	4	5	6	7	8	11
50-64	722	5.9	5	4	5	5	7	8	10	15
65 +	897	6.8	18	4	5	6	7	9	12	25
TOTAL SINGLE DX	618	4.9	3	3	4	5	6	7	8	10
TOTAL MULTIPLE DX	3019	5.6	9	3	4	5	6	8	9	16
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	372	4.2	2	3	3	4	5	6	7	9
35-49	1277	4.7	3	3	4	4	5	7	8	11
50-64	922	5.8	5	4	4	5	7	8	10	14
65 +	1065	6.6	16	4	5	6	7	9	11	20
GRAND TOTAL	3637	5.5	8	3	4	5	6	8	9	15

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	8	9.3	4	7	8	9	11	12	12	12
35-49	11	8.2	5	6	6	8	9	12	14	14
50-64	7	8.1	5	6	6	8	10	12	12	12
65 +	5	8.6	2	7	8	8	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	18	9.1	14	4	7	9	11	15	16	16
35-49	60	12.3	38	7	8	11	15	18	25	37
50-64	42	12.9	87	7	8	9	13	25	38	46
65 +	40	14.3	120	7	8	12	15	21	29	72
TOTAL SINGLE DX	31	8.5	4	6	7	8	10	12	12	14
TOTAL MULTIPLE DX	160	12.6	70	7	8	10	15	18	28	46
TOTAL										
0-19 YRS	0									
20-34	26	9.1	11	5	7	9	11	14	15	16
35-49	71	11.6	36	6	8	10	15	18	25	37
50-64	49	12.2	78	6	8	9	12	20	35	46
65 +	45	13.6	110	7	8	11	15	20	26	72
GRAND TOTAL	**191**	**11.9**	**62**	**6**	**8**	**10**	**14**	**18**	**25**	**44**

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	98	1.3		< 1	< 1	1	1	2	3	5
35-49	28	1.0		< 1	< 1	1	1	1	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14	3.4	11	< 1	< 1	2	4	7	12	13
20-34	77	3.6	24	< 1	1	2	3	11	16	25
35-49	36	2.5	6	< 1	1	1	3	6	7	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	175	1.2		< 1	< 1	< 1	1	2	2	5
TOTAL MULTIPLE DX	127	3.3	18	< 1	1	1	4	7	13	22
TOTAL										
0-19 YRS	63	1.6	3	< 1	< 1	< 1	1	4	5	12
20-34	175	2.3	12	< 1	< 1	1	2	5	8	20
35-49	64	1.8	4	< 1	< 1	1	1	5	6	11
50-64	0									
65 +	0									
GRAND TOTAL	**302**	**2.1**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**16**

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	544	1.2		< 1	1	1	1	2	3	5
20-34	4799	1.2		< 1	< 1	1	1	2	2	4
35-49	1299	1.1		< 1	< 1	1	1	1	2	4
50-64	132	1.3		< 1	< 1	1	1	2	2	5
65 +	45	2.6	13	< 1	1	1	2	5	9	19
2. MULTIPLE DX										
0-19 YRS	204	2.5	5	< 1	1	2	3	5	6	12
20-34	1739	2.3	9	< 1	1	1	3	5	6	13
35-49	1463	2.0	6	< 1	< 1	1	2	4	6	13
50-64	500	3.2	37	< 1	1	1	3	7	10	46
65 +	403	6.4	106	1	1	3	7	14	24	82
TOTAL SINGLE DX	6819	1.2	1	< 1	< 1	1	1	2	2	5
TOTAL MULTIPLE DX	4309	2.7	22	< 1	1	1	3	6	8	20
TOTAL										
0-19 YRS	748	1.6	2	< 1	1	1	2	3	4	7
20-34	6538	1.5	3	< 1	< 1	1	1	3	4	8
35-49	2762	1.6	4	< 1	< 1	1	1	3	5	10
50-64	632	2.8	31	< 1	1	1	2	6	9	34
65 +	448	6.0	99	1	1	3	7	14	22	80
GRAND TOTAL	**11128**	**1.8**	**9**	**<1**	**<1**	**1**	**1**	**3**	**5**	**12**

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	102	1.1		< 1	< 1	< 1	< 1	< 1	1	4
20-34	291	1.1		< 1	< 1	< 1	< 1	1	1	3
35-49	76	1.0		< 1	< 1	< 1	< 1	1	1	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	268	1.1	1	< 1	< 1	< 1	< 1	< 1	< 1	6
20-34	791	1.3	3	< 1	< 1	< 1	< 1	1	2	9
35-49	93	1.6	3	< 1	< 1	< 1	2	3	4	13
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
TOTAL SINGLE DX	469	1.1	1	< 1	< 1	< 1	< 1	1	1	3
TOTAL MULTIPLE DX	1153	1.3	3	< 1	< 1	< 1	< 1	1	2	9
TOTAL										
0-19 YRS	370	1.1	1	< 1	< 1	< 1	< 1	< 1	1	4
20-34	1082	1.3	2	< 1	< 1	< 1	< 1	1	2	8
35-49	169	1.4	2	< 1	< 1	< 1	1	2	3	6
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
GRAND TOTAL	**1622**	**1.2**	**2**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**7**

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	135	1.1		<1	<1	1	1	1	2	4
20-34	1351	1.1		<1	<1	1	1	1	2	4
35-49	320	1.1		<1	<1	1	1	1	2	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	47	2.0	3	<1	1	1	2	5	7	9
20-34	291	2.0	3	<1	1	1	2	4	5	11
35-49	89	1.7	3	<1	<1	1	1	4	5	10
50-64	7	15.1	637	<1	<1	2	18	60	70	70
65 +	3	17.7	569	1	2	7	35	45	45	45
TOTAL SINGLE DX	1807	1.1		<1	<1	1	1	1	2	4
TOTAL MULTIPLE DX	437	2.2	19	<1	1	1	2	4	6	13
TOTAL										
0-19 YRS	182	1.4	1	<1	<1	1	1	2	3	7
20-34	1642	1.3	1	<1	<1	1	1	2	3	5
35-49	409	1.2	1	<1	<1	1	1	2	3	6
50-64	8	13.5	568	<1	1	2	15	55	70	70
65 +	3	17.7	569	1	2	7	35	45	45	45
GRAND TOTAL	**2244**	**1.3**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65 +	4	5.5	5	3	3	5	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	21	3.6	3	1	2	4	5	6	6	6
35-49	8	4.6	5	2	3	4	6	8	8	8
50-64	4	6.0		5	5	6	7	7	7	7
65 +	15	8.5	21	3	5	9	10	15	19	20
TOTAL SINGLE DX	9	4.6	7	1	3	4	7	8	8	8
TOTAL MULTIPLE DX	48	5.5	13	1	3	5	7	10	11	20
TOTAL										
0-19 YRS	0									
20-34	24	3.4	3	1	2	3	5	6	6	6
35-49	9	5.0	6	2	3	5	7	8	8	8
50-64	5	5.8	1	5	5	6	6	7	7	7
65 +	19	7.9	19	3	4	8	10	13	18	20
GRAND TOTAL	**57**	**5.4**	**12**	**1**	**3**	**5**	**7**	**9**	**11**	**20**

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	3.8	2	<1	3	4	5	6	6	6
20-34	47	2.3	2	<1	1	2	3	4	5	6
35-49	31	3.0	2	1	1	3	4	5	6	7
50-64	6	4.0	2	2	3	4	5	6	6	6
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	12	2.0	1	<1	1	2	2	4	5	5
20-34	144	3.6	23	1	1	2	5	6	9	18
35-49	53	2.9	3	1	1	2	4	6	6	8
50-64	19	4.5	5	2	3	4	6	8	10	11
65 +	27	4.9	9	3	3	4	5	8	10	17
TOTAL SINGLE DX	98	2.8	3	<1	1	3	4	5	6	7
TOTAL MULTIPLE DX	255	3.6	16	1	1	3	5	6	9	16
TOTAL										
0-19 YRS	25	2.9	3	<1	1	3	4	5	6	6
20-34	191	3.3	19	1	1	2	4	6	7	15
35-49	84	2.9	3	1	1	3	4	6	6	8
50-64	25	4.4	5	2	3	4	5	6	9	11
65 +	28	4.9	9	3	3	4	5	8	10	17
GRAND TOTAL	**353**	**3.4**	**12**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	15	3.7	9	1	1	3	4	10	10	10
35-49	65	4.5	2	3	3	4	6	7	7	8
50-64	184	4.5	3	2	3	4	5	7	8	11
65 +	180	4.8	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	53	4.3	3	2	3	4	5	7	7	10
35-49	227	5.0	5	3	4	5	6	8	9	14
50-64	404	5.5	6	3	4	5	6	8	10	17
65 +	482	6.1	11	3	4	5	7	9	12	18
TOTAL SINGLE DX	444	4.6	4	2	3	4	6	7	8	11
TOTAL MULTIPLE DX	1166	5.6	9	3	4	5	6	8	10	17
TOTAL										
0-19 YRS	0									
20-34	68	4.1	5	2	3	4	5	7	8	10
35-49	292	4.9	5	3	3	5	6	7	9	13
50-64	588	5.2	6	3	4	5	6	8	9	15
65 +	662	5.7	10	3	4	5	7	8	11	17
GRAND TOTAL	**1610**	**5.3**	**8**	**3**	**4**	**5**	**6**	**8**	**10**	**16**

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.5	5	<1	1	1	3	7	8	8
20-34	42	3.0	6	<1	1	2	4	7	9	10
35-49	27	3.1	6	<1	1	2	4	8	9	9
50-64	16	3.3	9	<1	1	2	4	7	11	13
65 +	9	4.7	6	2	3	5	5	8	10	10
2. MULTIPLE DX										
0-19 YRS	35	6.2	31	1	2	4	8	16	18	21
20-34	42	3.6	15	<1	1	2	5	9	13	17
35-49	24	5.8	29	<1	2	4	7	15	18	23
50-64	36	8.5	99	1	4	6	9	18	32	50
65 +	51	11.4	167	3	5	7	12	23	33	70
TOTAL SINGLE DX	113	3.1	7	<1	1	2	4	7	9	11
TOTAL MULTIPLE DX	188	7.4	85	1	2	5	9	15	21	57
TOTAL										
0-19 YRS	54	4.9	26	1	1	3	7	13	17	21
20-34	84	3.3	11	<1	1	2	4	8	11	16
35-49	51	4.3	19	<1	1	3	5	9	15	23
50-64	52	6.9	77	1	2	5	7	12	28	50
65 +	60	10.4	149	2	5	6	11	20	29	69
GRAND TOTAL	**301**	**5.8**	**60**	**1**	**1**	**4**	**7**	**12**	**17**	**42**

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	2.8	6	<1	<1	2	3	7	8	10
20-34	54	3.1	5	<1	1	2	5	6	8	10
35-49	21	3.4	13	<1	1	1	6	10	11	11
50-64	20	3.1	3	<1	1	3	5	5	6	6
65 +	33	3.9	4	1	3	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	40	4.3	19	1	1	2	5	12	15	18
20-34	163	5.5	60	1	2	4	6	11	18	34
35-49	49	4.8	41	<1	1	2	6	11	13	39
50-64	83	7.4	61	2	3	4	9	15	23	42
65 +	161	6.8	42	2	3	5	7	15	20	39
TOTAL SINGLE DX	150	3.3	6	<1	1	3	5	7	8	11
TOTAL MULTIPLE DX	496	6.1	50	1	2	4	7	12	19	38
TOTAL										
0-19 YRS	62	3.8	15	<1	1	2	5	9	13	18
20-34	217	4.9	48	1	1	3	6	10	13	32
35-49	70	4.4	33	<1	1	2	6	11	12	35
50-64	103	6.5	53	1	3	4	8	12	20	41
65 +	194	6.3	37	2	3	5	7	13	19	39
GRAND TOTAL	**646**	**5.4**	**41**	**1**	**2**	**4**	**6**	**11**	**17**	**37**

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	2.2	4	<1	1	1	2	4	8	11
20-34	189	1.5	1	<1	1	1	2	3	3	6
35-49	109	1.4	1	<1	1	1	1	2	2	9
50-64	26	1.9	3	<1	1	1	2	3	5	10
65 +	22	1.6		<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	36	2.8	4	1	1	2	4	5	7	10
20-34	119	3.1	17	1	1	2	3	6	8	26
35-49	72	4.2	45	1	1	2	5	9	11	44
50-64	48	7.4	91	1	2	4	9	18	26	49
65 +	62	7.8	79	2	2	5	12	17	34	99 +
TOTAL SINGLE DX	403	1.6	2	<1	1	1	2	3	4	10
TOTAL MULTIPLE DX	337	4.8	48	1	1	2	5	11	18	51
TOTAL										
0-19 YRS	93	2.4	5	1	1	2	3	5	8	11
20-34	308	2.1	8	<1	1	1	2	4	5	16
35-49	181	2.5	21	<1	1	1	2	5	9	20
50-64	74	5.5	67	1	1	2	7	11	24	46
65 +	84	6.2	66	1	2	3	10	16	22	99 +
GRAND TOTAL	**740**	**3.0**	**25**	**<1**	**1**	**1**	**3**	**7**	**11**	**26**

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	9.5	3	7	8	10	11	11	11	11
50-64	10	4.3	35	<1	1	2	3	15	19	19
65 +	12	5.6	17	2	2	4	9	12	14	14
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	5	8.6	2	7	8	8	10	10	10	10
35-49	13	8.2	103	1	1	3	15	21	32	35
50-64	18	10.1	87	2	2	7	16	26	31	32
65 +	59	15.0	189	4	6	11	19	35	49	97
TOTAL SINGLE DX	28	5.4	24	1	1	3	9	11	14	19
TOTAL MULTIPLE DX	96	12.8	153	2	4	10	16	31	39	88
TOTAL										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	7	6.4	15	<1	2	8	9	10	10	10
35-49	17	8.5	78	1	2	5	12	18	29	35
50-64	28	8.0	75	1	2	3	12	18	30	32
65 +	71	13.4	172	3	5	10	16	31	43	94
GRAND TOTAL	**124**	**11.1**	**133**	**2**	**3**	**8**	**14**	**29**	**36**	**80**

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.6	1	1	1	1	1	3	4	7
20-34	14	1.6		<1	1	1	2	2	3	3
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9	5.8	124	<1	1	1	4	24	35	35
20-34	17	2.6	2	<1	1	2	4	5	5	5
35-49	8	3.8	20	<1	1	2	5	12	14	14
50-64	3	1.3		1	1	1	2	2	2	2
65+	3	6.7		6	6	7	7	7	7	7
TOTAL SINGLE DX	52	1.7	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	40	3.8	33	<1	1	2	4	7	11	35
TOTAL										
0-19 YRS	39	2.6	31	1	1	1	2	4	7	35
20-34	31	2.2	2	<1	1	2	3	4	5	5
35-49	13	3.2	13	<1	1	2	4	8	13	14
50-64	5	1.8	2	1	1	1	2	4	4	4
65+	4	5.5	6	2	4	6	7	7	7	7
GRAND TOTAL	**92**	**2.6**	**16**	**<1**	**1**	**1**	**3**	**5**	**7**	**26**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	6	7.3	172	1	1	2	4	31	34	34
20-34	5	3.0	12	<1	1	1	4	9	9	9
35-49	7	1.9	2	1	1	1	2	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	13.0	232	1	3	8	23	35	35	35
TOTAL SINGLE DX	8	1.6	2	<1	<1	<1	1	4	5	5
TOTAL MULTIPLE DX	23	5.5	91	1	1	2	5	16	34	35
TOTAL										
0-19 YRS	9	5.3	117	<1	1	1	3	22	34	34
20-34	7	3.0	9	<1	<1	1	4	8	9	9
35-49	10	1.6	2	<1	1	1	2	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	13.0	232	1	3	8	23	35	35	35
GRAND TOTAL	**31**	**4.5**	**70**	**<1**	**1**	**1**	**4**	**10**	**33**	**35**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	198	2.8		2	2	3	3	4	4	5
20-34	1927	2.8		2	2	3	3	4	4	5
35-49	189	2.9		2	2	3	3	4	4	5
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	289	3.1	4	2	2	3	3	4	5	10
20-34	2310	3.2	2	2	3	3	4	4	5	8
35-49	277	3.3	2	2	3	3	4	4	5	8
50-64	0									
65+	0									
TOTAL SINGLE DX	2314	2.8	1	2	2	3	3	4	4	5
TOTAL MULTIPLE DX	2876	3.2	3	2	3	3	4	4	5	8
TOTAL										
0-19 YRS	487	3.0	3	2	2	3	3	4	5	9
20-34	4237	3.0	2	2	2	3	3	4	4	6
35-49	466	3.1	2	2	2	3	4	4	5	7
50-64	0									
65+	0									
GRAND TOTAL	**5190**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**4**	**7**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.6	1	1	2	3	3	4	4	4
20-34	56	2.4		1	2	2	3	3	4	5
35-49	8	2.4		<1	1	3	3	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	13	2.0		<1	1	2	3	3	3	3
20-34	185	2.8	2	1	2	3	3	4	5	9
35-49	21	3.8	6	2	2	3	4	7	10	11
50-64	0									
65+	0									
TOTAL SINGLE DX	71	2.4	1	1	2	2	3	3	4	5
TOTAL MULTIPLE DX	219	2.8	3	1	2	3	3	4	5	10
TOTAL										
0-19 YRS	20	2.2	1	1	1	2	3	3	4	4
20-34	241	2.7	2	1	2	3	3	4	5	9
35-49	29	3.4	5	1	2	3	4	6	9	11
50-64	0									
65+	0									
GRAND TOTAL	**290**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**9**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	137	2.6	1	1	2	3	3	3	4	7
20-34	1209	2.6		2	2	3	3	3	4	5
35-49	103	2.7		2	2	3	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	235	2.9	4	2	2	3	3	4	4	7
20-34	1957	3.0	2	2	2	3	3	4	5	7
35-49	215	3.2	1	2	3	3	4	5	6	9
50-64	0									
65 +	0									
TOTAL SINGLE DX	1449	2.6	1	2	2	3	3	4	4	5
TOTAL MULTIPLE DX	2407	3.0	3	2	2	3	3	4	5	7
TOTAL										
0-19 YRS	372	2.8	4	2	2	3	3	4	4	7
20-34	3166	2.9	2	2	2	3	3	4	4	6
35-49	318	3.0	1	2	2	3	4	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	3856	2.9	2	2	2	3	3	4	4	6

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4906	2.6		2	2	3	3	3	4	5
20-34	40787	2.6		2	2	3	3	3	4	5
35-49	3701	2.6		2	2	3	3	3	4	5
50-64	4	2.3		2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2136	3.0	3	2	2	3	3	4	5	10
20-34	18490	2.9	3	2	2	3	3	4	5	8
35-49	2290	3.2	4	2	2	3	3	4	5	10
50-64	3	9.3	140	2	2	3	18	23	23	23
65 +	0									
TOTAL SINGLE DX	49398	2.6	1	2	2	3	3	3	4	5
TOTAL MULTIPLE DX	22919	3.0	3	2	2	3	3	4	5	9
TOTAL										
0-19 YRS	7042	2.7	2	2	2	3	3	4	4	7
20-34	59277	2.7	2	2	2	3	3	4	4	6
35-49	5991	2.8	2	2	2	3	3	4	4	7
50-64	7	5.3	61	2	2	2	3	19	23	23
65 +	0									
GRAND TOTAL	72317	2.7	2	2	2	3	3	4	4	6

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	540	4.7		4	4	5	5	6	6	7
20-34	8197	4.7	1	4	4	5	5	6	6	7
35-49	808	4.9	1	4	4	5	5	6	6	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1769	5.7	13	4	4	5	6	8	10	15
20-34	22861	5.3	6	4	4	5	6	7	8	15
35-49	3694	5.6	8	4	5	5	6	7	8	17
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	9545	4.7	2	4	4	5	5	6	6	7
TOTAL MULTIPLE DX	28325	5.4	7	4	4	5	6	7	8	15
TOTAL										
0-19 YRS	2309	5.5	11	4	4	5	6	7	9	14
20-34	31058	5.1	5	4	4	5	6	6	7	13
35-49	4502	5.4	7	4	4	5	6	7	8	15
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	37870	5.2	6	4	4	5	6	6	8	13

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.4		4	4	4	5	5	5	5
20-34	84	4.7		4	4	5	5	6	6	8
35-49	12	5.4	2	4	4	5	6	7	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	31	6.1	5	4	5	6	7	8	10	15
20-34	348	7.1	38	4	5	5	7	11	17	38
35-49	91	9.0	113	4	5	6	8	15	23	69
50-64	0									
65 +	0									
TOTAL SINGLE DX	103	4.8	1	4	4	5	5	6	6	9
TOTAL MULTIPLE DX	470	7.4	51	4	5	6	7	11	17	44
TOTAL										
0-19 YRS	38	5.8	5	4	5	5	7	8	10	15
20-34	432	6.7	32	4	4	5	6	10	15	32
35-49	103	8.6	102	4	5	6	8	14	20	64
50-64	0									
65 +	0									
GRAND TOTAL	573	6.9	43	4	5	5	7	10	16	42

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.9	1	2	2	3	3	4	5	5
20-34	93	2.9	1	1	2	3	4	5	5	6
35-49	10	2.6	2	1	2	2	3	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	4.1	3	2	3	4	5	7	8	8
20-34	114	3.9	2	2	3	4	5	6	7	9
35-49	17	4.0	3	2	3	4	5	7	8	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	113	2.9	2	1	2	3	4	5	5	6
TOTAL MULTIPLE DX	139	4.0	3	2	3	4	5	6	7	9
TOTAL										
0-19 YRS	18	3.4	2	2	2	3	4	5	7	8
20-34	207	3.5	3	1	2	4	4	5	6	8
35-49	27	3.5	3	1	2	3	5	6	7	8
50-64	0									
65 +	0									
GRAND TOTAL	252	3.5	3	1	2	4	4	5	6	8

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	1.6		1	1	2	2	2	3	4
20-34	33	1.9		1	1	2	2	3	4	4
35-49	5	1.2		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	1.8		1	1	2	2	3	3	3
20-34	39	2.1	1	1	1	2	3	3	4	5
35-49	11	1.9		1	1	2	3	3	3	3
50-64	0									
65 +	0									
TOTAL SINGLE DX	130	1.7	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	66	2.0	1	1	1	2	3	3	4	5
TOTAL										
0-19 YRS	108	1.6		1	1	2	2	2	3	4
20-34	72	2.0	1	1	1	2	3	3	4	5
35-49	16	1.7	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	196	1.8	1	1	1	2	2	3	3	5

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	4.1	7	1	2	3	6	9	9	9
20-34	58	3.9	9	<1	1	3	6	9	10	13
35-49	5	6.6	62	1	1	4	10	20	20	20
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	16	4.5	9	1	2	4	6	10	11	11
20-34	88	5.8	32	1	2	4	7	14	20	26
35-49	10	6.6	67	1	2	3	11	19	27	27
50-64	0									
65 +	0									
TOTAL SINGLE DX	72	4.1	12	<1	1	3	6	9	11	18
TOTAL MULTIPLE DX	114	5.7	32	1	2	4	7	12	20	27
TOTAL										
0-19 YRS	25	4.4	9	1	2	3	6	9	10	11
20-34	146	5.0	24	1	2	4	6	11	15	22
35-49	15	6.6	61	1	1	3	10	20	25	27
50-64	0									
65 +	0									
GRAND TOTAL	186	5.1	25	1	2	3	6	11	15	25

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	465	1.9	2	<1	<1	1	3	3	4	7
20-34	3446	2.1	2	<1	1	2	3	3	4	7
35-49	374	2.2	2	<1	1	2	3	4	4	8
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	263	2.5	12	<1	<1	1	3	4	6	18
20-34	1684	2.9	10	<1	1	2	3	5	6	14
35-49	189	3.2	13	<1	2	3	3	5	6	28
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	4286	2.1	2	<1	1	2	3	3	4	7
TOTAL MULTIPLE DX	2137	2.8	11	<1	1	2	3	4	6	14
TOTAL										
0-19 YRS	728	2.1	6	<1	<1	1	3	3	4	10
20-34	5130	2.4	5	<1	1	2	3	4	5	10
35-49	563	2.6	6	<1	1	2	3	4	5	12
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	6423	2.4	5	<1	1	2	3	4	5	10

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	773	2.6		2	2	3	3	3	4	4
20-34	7296	2.5		2	2	3	3	3	4	4
35-49	799	2.5		2	2	3	3	3	4	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	781	2.9	2	2	2	3	3	4	5	9
20-34	7648	2.9	2	2	2	3	3	4	4	7
35-49	1043	2.9	1	2	2	3	3	4	5	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	8869	2.5	1	2	2	3	3	3	4	4
TOTAL MULTIPLE DX	9473	2.9	2	2	2	3	3	4	4	7
TOTAL										
0-19 YRS	1554	2.7	1	2	2	3	3	4	4	7
20-34	14944	2.7	1	2	2	3	3	4	4	6
35-49	1842	2.8	1	2	2	3	3	4	4	6
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	18342	2.7	1	2	2	3	3	4	4	6

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	3.5	8	<1	1	2	5	9	10	10
20-34	8	3.6	16	1	1	2	4	11	13	13
35-49	10	1.8	1	1	1	2	2	3	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65 +	12	5.0	29	1	1	2	8	14	17	17
2. MULTIPLE DX										
0-19 YRS	37	5.1	167	1	2	3	4	6	8	81
20-34	22	3.3	13	1	1	2	3	8	12	17
35-49	19	7.8	66	1	3	3	15	22	23	24
50-64	27	17.8	543	3	4	10	15	68	78	81
65 +	40	12.8	195	2	4	9	16	25	27	85
TOTAL SINGLE DX	51	3.5	13	1	1	2	4	9	13	17
TOTAL MULTIPLE DX	145	9.6	230	1	2	4	11	21	29	81
TOTAL										
0-19 YRS	57	4.5	111	1	1	3	4	6	9	76
20-34	30	3.4	14	1	1	2	3	8	13	17
35-49	29	5.7	52	1	1	3	4	20	22	24
50-64	28	17.3	531	3	4	10	15	64	77	81
65 +	52	11.0	166	1	3	9	14	23	27	84
GRAND TOTAL	196	8.1	181	1	2	3	9	18	25	81

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	146	2.9	3	1	2	3	4	5	6	14
20-34	286	2.3	1	1	1	2	3	4	4	6
35-49	109	2.2	1	1	1	2	3	4	4	6
50-64	26	1.9	1	1	1	1	2	4	5	6
65 +	5	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	170	3.7	5	1	2	3	4	7	8	14
20-34	236	3.0	4	1	2	3	4	5	6	10
35-49	91	2.9	2	1	2	3	4	5	6	8
50-64	35	3.5	20	1	1	2	3	10	21	99 +
65 +	20	10.4	204	1	2	3	14	34	45	49
TOTAL SINGLE DX	572	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	552	3.5	14	1	2	3	4	6	8	25
TOTAL										
0-19 YRS	316	3.3	5	1	2	3	4	6	8	12
20-34	522	2.6	3	1	2	2	3	4	5	8
35-49	200	2.5	2	1	1	2	3	4	5	7
50-64	61	2.8	13	1	1	2	3	6	11	91
65 +	25	8.7	174	1	2	2	9	27	43	49
GRAND TOTAL	1124	2.9	8	1	2	2	3	5	6	13

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	2.3	2	1	1	2	3	5	6	7
20-34	116	2.6	2	1	2	2	3	5	6	8
35-49	22	3.4	3	1	2	4	5	6	6	7
50-64	3	3.0	7	1	1	2	5	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	114	3.4	9	1	2	3	4	6	8	18
20-34	186	4.9	20	1	2	4	6	9	12	26
35-49	53	7.7	129	2	3	4	7	15	26	65
50-64	13	6.7	25	2	4	5	8	16	18	19
65 +	20	7.4	38	1	2	5	11	17	19	21
TOTAL SINGLE DX	220	2.6	2	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	386	5.0	35	1	2	4	6	9	15	28
TOTAL										
0-19 YRS	192	3.0	7	1	1	2	4	6	7	12
20-34	302	4.0	15	1	2	3	5	8	10	22
35-49	75	6.4	96	2	2	4	6	11	17	62
50-64	16	6.0	24	1	3	5	7	14	18	19
65 +	21	7.1	37	1	2	5	10	17	19	21
GRAND TOTAL	606	4.1	25	1	2	3	5	8	11	24

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	2.2	2	1	1	2	3	5	6	8
20-34	177	2.6	5	1	1	2	3	5	7	14
35-49	58	2.9	7	1	1	2	4	7	8	14
50-64	13	2.2	3	<1	1	1	3	5	7	7
65 +	5	4.6	11	1	2	4	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	151	6.0	35	1	2	4	8	11	16	33
20-34	375	7.0	86	1	3	4	9	13	18	65
35-49	136	6.6	29	1	2	5	10	14	17	23
50-64	62	7.7	64	1	2	6	9	20	29	33
65 +	45	13.9	229	2	5	9	17	29	49	74
TOTAL SINGLE DX	321	2.6	5	1	1	2	3	5	7	12
TOTAL MULTIPLE DX	769	7.2	76	1	2	5	9	14	20	50
TOTAL										
0-19 YRS	219	4.8	28	1	2	3	6	10	12	31
20-34	552	5.6	65	1	2	3	7	11	16	51
35-49	194	5.5	25	1	2	4	8	13	16	22
50-64	75	6.7	58	1	2	4	8	19	26	33
65 +	50	13.0	215	2	4	8	17	28	44	74
GRAND TOTAL	1090	5.8	59	1	2	4	7	12	17	38

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	2.8	3	1	1	3	3	5	7	8
20-34	6	1.5		1	1	1	2	3	3	3
35-49	9	6.1	134	1	2	3	3	24	37	37
50-64	12	1.2		<1	1	1	1	2	2	2
65 +	5	1.8	3	1	1	1	2	5	5	5
2. MULTIPLE DX										
0-19 YRS	21	4.1	13	1	2	4	4	8	13	17
20-34	25	5.4	66	1	2	3	4	11	29	34
35-49	14	6.1	44	1	2	3	8	18	22	23
50-64	9	5.0	18	1	2	3	7	12	13	13
65 +	19	9.0	273	1	1	3	9	16	48	74
TOTAL SINGLE DX	51	2.7	26	1	1	2	3	4	5	37
TOTAL MULTIPLE DX	88	6.0	90	1	2	3	6	14	18	59
TOTAL										
0-19 YRS	40	3.5	9	1	2	3	4	6	9	17
20-34	31	4.7	56	1	1	2	3	10	27	34
35-49	23	6.1	75	1	2	3	6	19	28	37
50-64	21	2.8	11	1	1	1	3	8	12	13
65 +	24	7.5	224	1	1	3	7	15	33	74
GRAND TOTAL	139	4.8	68	1	1	3	4	10	17	41

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	6.2	22	2	3	5	7	12	14	27
20-34	7	4.7	9	1	2	5	8	8	8	8
35-49	8	4.4	13	1	2	3	5	11	13	13
50-64	3	7.3		7	7	7	8	8	8	8
65 +	3	11.7	32	7	8	10	16	18	18	18
2. MULTIPLE DX										
0-19 YRS	217	6.8	49	3	4	5	7	10	16	41
20-34	24	9.3	58	2	4	8	11	17	28	34
35-49	15	10.4	52	4	6	7	15	21	26	28
50-64	8	13.0	78	5	9	10	14	28	33	33
65 +	10	19.8	123	9	11	18	24	36	46	46
TOTAL SINGLE DX	99	6.2	22	2	3	5	7	12	14	27
TOTAL MULTIPLE DX	274	7.9	60	3	4	6	8	15	22	43
TOTAL										
0-19 YRS	295	6.6	42	3	4	5	7	11	15	33
20-34	31	8.2	50	2	4	7	9	15	25	34
35-49	23	8.3	46	3	4	6	9	19	23	28
50-64	11	11.5	62	5	7	9	13	22	32	33
65 +	13	17.9	111	8	11	17	22	31	43	46
GRAND TOTAL	373	7.4	50	3	4	5	8	14	19	35

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	147	3.4	10	1	1	3	4	6	10	21
20-34	83	3.3	9	1	1	2	5	6	7	20
35-49	59	3.8	5	1	2	3	5	7	9	11
50-64	81	4.3	7	1	2	4	6	8	10	14
65 +	23	4.4	8	1	2	4	6	8	10	12
2. MULTIPLE DX										
0-19 YRS	198	6.5	82	2	2	4	7	13	20	48
20-34	88	4.8	42	1	1	3	5	11	16	39
35-49	123	5.6	63	1	2	4	6	11	18	41
50-64	151	6.3	80	1	3	4	7	10	21	54
65 +	77	8.8	84	2	4	6	10	18	33	44
TOTAL SINGLE DX	393	3.7	9	1	1	3	5	7	9	15
TOTAL MULTIPLE DX	637	6.3	74	1	2	4	7	12	20	45
TOTAL										
0-19 YRS	345	5.2	54	1	2	3	6	10	15	32
20-34	171	4.1	27	1	1	3	5	7	12	25
35-49	182	5.0	45	1	2	4	6	9	12	31
50-64	232	5.6	56	1	2	4	6	10	14	38
65 +	100	7.8	70	2	3	6	8	15	27	44
GRAND TOTAL	1030	5.3	51	1	2	4	6	10	15	36

713: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	2.2	1	<1	1	2	3	4	5	6
20-34	133	1.8	1	<1	1	1	2	3	4	5
35-49	153	2.0	1	<1	1	2	3	4	4	5
50-64	150	2.0	1	<1	1	1	3	4	5	6
65 +	42	2.2	1	<1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	112	2.3	1	1	1	2	3	4	5	6
20-34	299	2.1	1	<1	1	2	3	4	5	6
35-49	389	2.1	4	<1	1	2	3	4	5	7
50-64	552	2.5	5	1	1	2	3	4	5	8
65 +	394	3.3	19	1	1	2	4	5	10	25
TOTAL SINGLE DX	541	2.0	1	<1	1	2	3	4	5	5
TOTAL MULTIPLE DX	1746	2.5	8	1	1	2	3	4	5	12
TOTAL										
0-19 YRS	175	2.3	2	1	1	2	3	4	5	6
20-34	432	2.0	2	<1	1	2	3	4	5	6
35-49	542	2.1	3	<1	1	2	3	4	5	7
50-64	702	2.4	5	1	1	2	3	4	5	7
65 +	436	3.2	18	1	1	2	4	5	9	23
GRAND TOTAL	2287	2.4	6	1	1	2	3	4	5	10

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	115	3.7	16	1	1	2	5	7	14	21
20-34	44	3.2	6	1	2	3	4	5	9	14
35-49	23	3.4	9	<1	1	2	5	9	10	10
50-64	15	3.8	25	1	1	2	4	6	17	21
65 +	4	8.8	45	3	3	8	14	16	16	16
2. MULTIPLE DX										
0-19 YRS	62	11.7	117	1	3	10	18	28	34	94
20-34	61	16.2	358	2	4	9	24	49	76	99 +
35-49	35	16.6	499	1	2	5	24	64	78	99 +
50-64	42	19.0	496	1	4	11	30	47	69	93
65 +	47	18.5	379	3	7	12	23	58	96	99 +
TOTAL SINGLE DX	201	3.7	15	1	1	2	4	7	12	20
TOTAL MULTIPLE DX	247	16.1	347	2	3	10	23	48	65	99 +
TOTAL										
0-19 YRS	177	6.5	66	1	1	3	8	18	26	49
20-34	105	10.8	252	1	2	4	13	37	59	99 +
35-49	58	11.4	344	1	1	3	13	44	67	98
50-64	57	15.0	416	1	2	6	18	42	53	93
65 +	51	17.7	359	3	5	12	22	58	90	99 +
GRAND TOTAL	448	10.5	236	1	2	4	13	29	53	99 +

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	487	2.9	17	<1	1	2	3	5	9	21
20-34	471	3.2	12	1	1	2	4	6	8	24
35-49	353	3.1	16	1	1	2	4	6	9	19
50-64	188	4.0	32	1	1	2	4	8	13	24
65 +	96	4.0	17	1	1	3	5	9	12	23
2. MULTIPLE DX										
0-19 YRS	308	7.8	114	1	2	4	8	24	32	54
20-34	516	7.2	106	1	1	3	8	18	29	48
35-49	511	8.0	159	1	1	3	9	22	33	83
50-64	507	9.9	173	1	2	5	12	27	40	61
65 +	604	13.8	230	1	3	9	18	35	46	78
TOTAL SINGLE DX	1595	3.2	18	1	1	2	4	6	9	23
TOTAL MULTIPLE DX	2446	9.6	169	1	2	4	12	26	39	68
TOTAL										
0-19 YRS	795	4.8	61	1	1	2	4	12	20	42
20-34	987	5.3	66	1	1	3	5	11	20	43
35-49	864	6.0	107	1	1	3	6	14	25	59
50-64	695	8.3	142	1	2	4	9	22	37	58
65 +	700	12.5	212	1	3	7	16	32	44	74
GRAND TOTAL	4041	7.1	119	1	1	3	7	18	30	57

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	273	5.4	19	2	3	4	6	10	15	24
20-34	25	8.7	68	2	4	6	11	15	23	42
35-49	13	7.5	11	4	5	7	9	12	15	16
50-64	15	7.0	11	2	5	6	10	11	12	13
65 +	59	10.9	37	4	7	10	15	17	24	30
2. MULTIPLE DX										
0-19 YRS	134	8.9	134	2	3	5	10	20	30	62
20-34	35	16.6	452	3	7	9	16	40	81	83
35-49	42	11.9	152	4	5	9	14	22	60	99 +
50-64	68	13.5	158	4	6	9	15	27	49	58
65 +	376	18.6	192	7	9	15	25	39	58	99 +
TOTAL SINGLE DX	385	6.6	29	2	3	5	9	14	16	27
TOTAL MULTIPLE DX	655	15.6	203	4	7	11	20	35	52	99 +
TOTAL										
0-19 YRS	407	6.5	60	2	3	4	7	13	20	47
20-34	60	13.3	304	3	5	8	13	21	59	83
35-49	55	10.9	122	4	5	8	12	19	49	98
50-64	83	12.3	138	4	6	9	13	24	47	57
65 +	435	17.6	178	6	9	14	23	36	53	99 +
GRAND TOTAL	1040	12.2	157	3	4	9	15	27	42	85

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	108	3.4	14	1	1	2	4	8	10	21
20-34	122	3.8	37	1	1	3	4	6	8	38
35-49	62	4.6	47	1	2	3	5	8	12	47
50-64	36	4.2	7	1	2	3	6	9	10	11
65 +	18	5.2	14	1	2	5	7	12	13	14
2. MULTIPLE DX										
0-19 YRS	108	6.4	54	1	2	4	8	16	23	36
20-34	98	8.2	106	1	2	4	10	18	29	54
35-49	83	8.8	221	1	2	4	9	17	30	88
50-64	62	8.9	201	1	2	4	8	26	39	82
65 +	66	9.7	84	1	3	8	13	21	36	91
TOTAL SINGLE DX	346	3.9	28	1	1	3	5	7	10	26
TOTAL MULTIPLE DX	417	8.2	127	1	2	5	9	18	30	69
TOTAL										
0-19 YRS	216	4.9	37	1	1	3	6	10	18	29
20-34	220	5.8	73	1	2	3	6	12	19	50
35-49	145	7.0	150	1	2	4	7	12	21	85
50-64	98	7.1	135	1	2	4	7	11	33	68
65 +	84	8.7	73	1	3	7	12	17	33	82
GRAND TOTAL	763	6.2	86	1	2	3	7	13	21	51

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	334	1.9	2	< 1	1	1	2	3	4	8
20-34	427	2.2	7	< 1	1	1	2	4	5	14
35-49	208	2.3	5	< 1	1	1	3	5	6	14
50-64	161	2.7	10	< 1	1	2	3	5	7	22
65 +	97	4.4	24	1	1	3	5	9	15	27
2. MULTIPLE DX										
0-19 YRS	370	4.1	74	1	1	2	3	7	15	69
20-34	278	4.1	32	1	1	2	4	8	19	37
35-49	153	4.4	42	1	1	2	5	10	18	32
50-64	156	5.3	75	1	1	2	5	11	21	52
65 +	292	9.9	192	1	2	5	12	25	44	99 +
TOTAL SINGLE DX	1227	2.4	8	< 1	1	1	3	4	6	15
TOTAL MULTIPLE DX	1249	5.6	94	1	1	2	6	14	22	73
TOTAL										
0-19 YRS	704	3.1	41	< 1	1	2	3	5	8	49
20-34	705	2.9	18	< 1	1	2	3	5	8	24
35-49	361	3.2	22	< 1	1	2	3	6	10	24
50-64	317	4.0	44	1	1	2	4	8	13	44
65 +	389	8.5	156	1	2	4	10	20	35	98
GRAND TOTAL	2476	4.0	54	1	1	2	4	8	15	46

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	59	16.5	137	4	6	16	24	34	38	50
20-34	14	7.1	12	3	3	7	11	11	12	12
35-49	14	6.6	10	2	5	6	9	11	12	13
50-64	31	10.1	53	4	5	8	13	19	25	36
65 +	53	12.4	130	4	8	10	14	18	35	76
2. MULTIPLE DX										
0-19 YRS	77	17.7	218	5	8	13	23	38	54	71
20-34	67	13.5	146	5	7	9	16	22	36	71
35-49	29	22.1	357	6	9	15	44	64	98	99 +
50-64	55	18.6	332	7	8	11	18	50	67	81
65 +	448	18.7	159	8	11	15	23	38	56	99 +
TOTAL SINGLE DX	171	12.5	110	4	5	9	16	25	36	50
TOTAL MULTIPLE DX	676	18.2	189	7	9	14	22	39	58	99 +
TOTAL										
0-19 YRS	136	17.2	183	4	7	14	23	35	44	63
20-34	81	12.4	128	5	7	9	14	21	33	69
35-49	43	17.1	295	5	7	10	24	54	73	99 +
50-64	86	15.5	247	5	7	11	16	28	55	79
65 +	501	18.1	160	7	10	15	22	37	54	99 +
GRAND TOTAL	847	17.1	178	6	9	14	21	36	53	99 +

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	8.5	85	3	4	6	10	16	24	57
20-34	65	9.8	32	4	6	8	13	16	20	30
35-49	59	8.6	30	4	6	7	10	13	16	39
50-64	122	10.9	44	5	7	10	13	17	21	39
65 +	415	14.0	58	7	10	12	16	22	27	49
2. MULTIPLE DX										
0-19 YRS	167	14.5	131	5	8	12	17	26	39	58
20-34	236	16.5	154	7	9	13	20	31	47	98
35-49	186	16.9	145	6	9	14	21	34	43	92
50-64	497	17.6	169	7	10	14	21	37	50	99 +
65 +	4837	21.9	229	9	12	17	27	44	64	99 +
TOTAL SINGLE DX	754	12.0	60	5	7	11	15	19	26	42
TOTAL MULTIPLE DX	5923	20.9	220	8	12	17	26	42	61	99 +
TOTAL										
0-19 YRS	260	12.4	123	3	6	10	15	24	35	59
20-34	301	15.1	136	6	8	12	18	29	37	84
35-49	245	14.9	130	5	7	12	19	31	42	81
50-64	619	16.2	152	7	9	13	20	33	43	99 +
65 +	5252	21.2	221	9	12	17	26	42	62	99 +
GRAND TOTAL	6677	19.9	210	8	11	16	24	40	58	99 +

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	199	8.2	117	1	2	3	10	26	31	50
20-34	12	14.5	226	2	2	9	22	42	43	43
35-49	6	6.3	2	4	6	6	7	8	8	8
50-64	5	11.4	48	4	6	9	17	21	21	21
65 +	18	6.5	26	1	3	5	8	16	18	18
2. MULTIPLE DX										
0-19 YRS	122	15.7	218	2	3	12	24	38	45	64
20-34	18	14.2	114	2	6	13	21	26	36	41
35-49	25	20.0	215	3	8	19	29	48	64	99 +
50-64	25	22.5	406	2	6	16	39	53	58	63
65 +	115	21.9	405	3	7	16	32	54	83	99 +
TOTAL SINGLE DX	240	8.4	113	1	2	3	10	25	31	46
TOTAL MULTIPLE DX	305	18.9	304	2	5	14	27	43	57	99 +
TOTAL										
0-19 YRS	321	11.1	169	1	2	4	18	30	38	56
20-34	30	14.3	153	2	3	12	21	34	41	43
35-49	31	17.3	202	3	6	13	28	41	54	99 +
50-64	30	20.6	360	3	6	14	36	53	57	63
65 +	133	19.8	381	3	6	14	29	51	78	99 +
GRAND TOTAL	**545**	**14.3**	**247**	**1**	**3**	**8**	**22**	**37**	**51**	**88**

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	248	2.9	17	< 1	1	2	3	5	13	22
20-34	144	2.5	5	< 1	1	2	3	5	7	15
35-49	125	3.4	16	1	1	2	4	8	11	22
50-64	90	2.5	5	1	1	2	3	5	6	16
65 +	62	2.7	6	< 1	1	2	3	6	8	14
2. MULTIPLE DX										
0-19 YRS	88	6.6	76	1	2	3	8	17	22	49
20-34	94	7.3	63	1	3	4	10	17	20	43
35-49	99	8.5	122	1	2	4	10	23	31	55
50-64	110	5.2	39	1	2	3	6	11	17	35
65 +	134	9.3	164	1	2	5	11	22	38	80
TOTAL SINGLE DX	669	2.8	12	1	1	2	3	6	8	19
TOTAL MULTIPLE DX	525	7.5	99	1	2	4	9	18	27	58
TOTAL										
0-19 YRS	336	3.9	35	1	1	2	4	9	16	24
20-34	238	4.4	34	< 1	1	3	5	11	16	33
35-49	224	5.7	69	1	1	3	6	14	23	43
50-64	200	4.0	26	1	1	2	4	8	13	29
65 +	196	7.2	124	1	2	4	8	17	29	77
GRAND TOTAL	**1194**	**4.9**	**56**	**1**	**1**	**2**	**5**	**12**	**18**	**39**

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1006	2.8	6	1	1	2	4	5	7	11
20-34	1361	3.6	10	1	2	3	4	6	9	15
35-49	967	4.1	9	1	2	3	5	8	9	15
50-64	688	4.6	9	2	3	4	6	9	10	17
65 +	396	6.0	24	2	3	5	7	12	15	25
2. MULTIPLE DX										
0-19 YRS	499	6.1	54	1	2	4	8	13	18	37
20-34	1183	7.5	80	1	3	5	9	16	21	53
35-49	911	8.4	113	2	3	5	9	18	28	71
50-64	953	8.4	75	2	4	6	10	17	25	52
65 +	1180	11.6	123	3	5	8	14	25	34	67
TOTAL SINGLE DX	4418	3.9	11	1	2	3	5	7	10	16
TOTAL MULTIPLE DX	4726	8.7	97	2	3	6	10	19	27	62
TOTAL										
0-19 YRS	1505	3.9	25	1	1	3	4	8	11	26
20-34	2544	5.4	46	1	2	4	6	11	16	38
35-49	1878	6.2	64	1	3	4	7	12	18	52
50-64	1641	6.8	51	2	3	5	8	13	19	41
65 +	1576	10.2	105	3	4	7	12	21	31	62
GRAND TOTAL	**9144**	**6.4**	**51**	**1**	**2**	**4**	**7**	**13**	**19**	**45**

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1671	2.1	6	1	1	1	2	4	6	15
20-34	418	3.0	7	1	1	2	3	7	9	15
35-49	334	3.2	9	1	1	2	4	7	8	15
50-64	292	3.2	8	1	1	2	4	6	8	15
65 +	248	4.2	32	1	1	2	5	10	14	30
2. MULTIPLE DX										
0-19 YRS	497	4.5	43	1	1	2	5	10	17	35
20-34	421	6.0	65	1	2	4	7	13	21	53
35-49	316	6.9	89	1	2	4	7	17	24	63
50-64	390	8.1	97	1	3	5	10	19	26	65
65 +	934	11.2	183	2	3	7	14	28	48	99 +
TOTAL SINGLE DX	2963	2.6	10	1	1	2	3	5	8	16
TOTAL MULTIPLE DX	2558	8.1	119	1	2	4	10	19	30	77
TOTAL										
0-19 YRS	2168	2.6	16	1	1	1	3	5	9	20
20-34	839	4.5	39	1	1	3	5	9	14	41
35-49	650	5.0	52	1	1	3	5	10	17	43
50-64	682	6.0	66	1	2	3	7	14	22	47
65 +	1182	9.7	160	1	2	6	12	23	40	99 +
GRAND TOTAL	**5521**	**5.1**	**68**	**1**	**1**	**2**	**5**	**12**	**19**	**54**

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	6.7	47	1	1	4	10	17	21	29
20-34	13	4.5	18	1	1	3	6	12	14	15
35-49	5	5.6	38	1	1	5	8	16	16	16
50-64	9	3.1	3	1	2	3	4	6	6	6
65 +	44	4.7	12	1	2	4	7	10	12	13
2. MULTIPLE DX										
0-19 YRS	72	9.1	87	2	3	6	9	24	28	46
20-34	37	11.4	102	2	5	10	15	21	26	56
35-49	10	21.9	564	2	9	10	36	63	68	68
50-64	26	14.0	237	2	4	7	19	43	45	50
65 +	131	13.4	262	2	3	8	18	36	58	99 +
TOTAL SINGLE DX	145	5.6	32	1	1	4	7	13	17	27
TOTAL MULTIPLE DX	276	12.4	207	2	3	7	16	33	45	99
TOTAL										
0-19 YRS	146	7.9	68	1	3	5	10	21	26	34
20-34	50	9.6	89	1	2	7	14	20	25	56
35-49	15	16.5	437	1	3	9	15	58	65	68
50-64	35	11.2	198	2	3	5	12	41	43	50
65 +	175	11.2	214	1	3	7	14	28	45	99 +
GRAND TOTAL	421	10.0	157	1	3	6	13	24	38	96

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	105	2.0	4	< 1	1	1	2	4	6	13
20-34	140	2.3	3	< 1	1	1	3	5	6	8
35-49	80	2.7	5	< 1	1	2	3	6	7	13
50-64	50	2.6	14	< 1	1	1	3	5	6	27
65 +	38	5.4	217	1	1	3	4	6	9	93
2. MULTIPLE DX										
0-19 YRS	52	3.5	9	1	1	3	5	7	9	18
20-34	91	4.2	18	1	1	3	5	10	14	22
35-49	62	4.8	35	1	1	3	6	11	15	36
50-64	75	6.2	57	1	1	4	8	17	21	39
65 +	136	10.8	225	1	3	5	13	28	39	95
TOTAL SINGLE DX	413	2.6	25	< 1	1	1	3	5	6	13
TOTAL MULTIPLE DX	416	6.7	102	1	2	3	7	16	26	56
TOTAL										
0-19 YRS	157	2.5	7	< 1	1	1	3	5	8	15
20-34	231	3.0	10	< 1	1	2	4	6	9	16
35-49	142	3.6	20	< 1	1	2	4	7	12	19
50-64	125	4.8	43	1	1	2	5	11	19	31
65 +	174	9.6	227	1	2	4	10	25	38	94
GRAND TOTAL	829	4.7	68	1	1	2	5	10	16	40

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	237	4.2	40	1	1	2	4	9	14	31
20-34	183	2.6	13	< 1	1	2	3	5	7	16
35-49	114	3.3	25	< 1	1	2	3	7	11	31
50-64	55	3.6	10	1	2	3	4	8	10	18
65 +	35	8.7	153	1	2	4	10	21	43	53
2. MULTIPLE DX										
0-19 YRS	225	7.3	76	1	2	4	10	20	26	43
20-34	200	4.6	37	1	1	2	5	12	16	40
35-49	141	6.5	78	1	1	3	7	20	31	37
50-64	133	10.1	184	1	2	4	12	30	42	66
65 +	204	18.5	338	2	5	13	27	49	74	99 +
TOTAL SINGLE DX	624	3.8	35	1	1	2	4	8	12	34
TOTAL MULTIPLE DX	903	9.5	169	1	2	4	12	27	38	83
TOTAL										
0-19 YRS	462	5.7	60	1	1	3	6	15	22	43
20-34	383	3.7	27	1	1	2	4	8	14	28
35-49	255	5.1	57	1	1	2	5	12	27	36
50-64	188	8.2	142	1	2	3	9	20	35	61
65 +	239	17.0	322	2	4	11	26	48	61	99 +
GRAND TOTAL	1527	7.2	122	1	1	3	8	20	31	64

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.5	3	1	1	2	3	6	6	6
35-49	14	2.0	2	1	1	1	3	5	6	6
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	22	2.0	3	1	1	1	3	5	6	6
TOTAL MULTIPLE DX	7	3.6	5	2	2	2	5	7	8	8
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	2.8	3	1	1	2	4	6	6	6
35-49	17	2.5	5	1	1	1	3	6	7	8
50-64	2	2.0		2	2	2	2	2	2	2
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	29	2.4	4	1	1	2	3	6	6	8

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	6.1	57	3	3	4	5	12	17	49
20-34	1346	5.5	12	2	3	5	7	9	12	19
35-49	2011	5.6	12	3	3	5	7	10	12	20
50-64	661	6.6	19	3	4	5	8	12	16	23
65 +	142	7.5	22	3	4	7	9	14	18	23
2. MULTIPLE DX										
0-19 YRS	31	12.1	82	4	5	8	21	24	30	33
20-34	502	9.0	79	3	4	6	10	19	24	37
35-49	1203	7.9	36	3	4	6	9	14	19	32
50-64	925	9.6	72	3	5	7	11	18	26	44
65 +	664	14.0	122	5	7	10	18	27	35	63
TOTAL SINGLE DX	4231	5.8	15	3	4	5	7	10	13	22
TOTAL MULTIPLE DX	3325	9.8	76	3	5	7	11	19	26	44
TOTAL										
0-19 YRS	102	7.9	72	3	3	4	8	21	24	43
20-34	1848	6.4	33	3	4	5	7	11	16	28
35-49	3214	6.5	22	3	4	5	7	11	15	25
50-64	1586	8.3	53	3	4	6	9	16	22	36
65 +	806	12.9	111	4	6	9	17	26	33	57
GRAND TOTAL	7556	7.6	45	3	4	6	8	14	20	34

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	1.6		<1	<1	1	2	3	4	5
20-34	211	1.6	1	<1	<1	1	2	3	3	6
35-49	176	1.5	1	<1	<1	1	2	2	3	5
50-64	69	1.7	1	<1	1	1	2	3	4	6
65 +	22	1.3		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	126	2.2	2	<1	1	2	3	4	5	7
20-34	423	2.2	4	<1	1	1	3	4	5	10
35-49	291	2.0	3	<1	1	1	2	4	6	10
50-64	306	2.4	17	<1	1	1	2	4	6	23
65 +	163	2.8	12	<1	1	1	3	6	9	20
TOTAL SINGLE DX	570	1.5	1	<1	<1	1	2	3	3	6
TOTAL MULTIPLE DX	1309	2.3	8	<1	1	1	3	4	6	14
TOTAL										
0-19 YRS	218	1.9	2	<1	1	1	3	4	4	6
20-34	634	2.0	3	<1	1	1	2	4	5	9
35-49	467	1.8	3	<1	<1	1	2	4	5	9
50-64	375	2.2	14	<1	1	1	2	4	6	19
65 +	185	2.6	11	<1	1	1	3	6	9	19
GRAND TOTAL	1879	2.0	6	<1	1	1	2	4	5	11

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	122	1.9	2	<1	<1	1	2	4	5	9
20-34	201	1.8	3	<1	<1	1	2	3	5	10
35-49	88	1.7	1	<1	<1	1	2	3	4	8
50-64	51	2.2	6	<1	<1	1	2	4	7	15
65 +	17	2.8	21	<1	<1	1	2	6	15	20
2. MULTIPLE DX										
0-19 YRS	120	2.8	13	<1	1	1	3	6	13	17
20-34	262	2.6	9	<1	1	1	3	5	6	18
35-49	158	2.7	20	<1	<1	1	2	5	9	29
50-64	110	3.2	23	<1	<1	1	3	9	13	27
65 +	71	7.0	240	<1	1	2	4	35	63	99 +
TOTAL SINGLE DX	479	1.9	4	<1	<1	1	2	3	5	11
TOTAL MULTIPLE DX	721	3.2	39	<1	1	1	3	6	13	35
TOTAL										
0-19 YRS	242	2.3	8	<1	1	1	2	5	7	15
20-34	463	2.2	7	<1	<1	1	2	4	6	15
35-49	246	2.3	14	<1	<1	1	2	4	7	28
50-64	161	2.9	18	<1	<1	1	2	7	12	26
65 +	88	6.2	200	<1	1	2	4	24	47	99 +
GRAND TOTAL	1200	2.7	25	<1	<1	1	2	5	8	28

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	2.7	9	<1	<1	1	3	8	10	14
20-34	164	2.1	7	<1	<1	1	2	4	6	17
35-49	140	1.7	2	<1	<1	1	2	3	5	11
50-64	86	2.0	3	<1	1	1	2	4	6	10
65 +	35	4.4	30	<1	1	3	4	10	17	28
2. MULTIPLE DX										
0-19 YRS	106	5.7	79	<1	1	2	6	15	23	50
20-34	231	3.0	38	<1	1	1	3	6	8	26
35-49	201	3.2	24	<1	1	1	3	7	14	30
50-64	185	5.5	66	<1	1	2	6	14	22	52
65 +	182	12.8	317	1	2	5	15	43	57	86
TOTAL SINGLE DX	508	2.2	8	<1	<1	1	2	4	7	15
TOTAL MULTIPLE DX	905	5.9	115	<1	1	2	5	15	29	61
TOTAL										
0-19 YRS	189	4.4	51	<1	1	2	4	12	16	39
20-34	395	2.7	25	<1	1	1	3	5	8	19
35-49	341	2.6	16	<1	1	1	2	5	11	25
50-64	271	4.4	49	<1	1	2	4	11	19	43
65 +	217	11.5	281	1	2	4	13	39	52	84
GRAND TOTAL	1413	4.6	79	<1	1	2	4	11	19	57

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	161	8.6	8	6	7	8	10	12	13	19
20-34	76	8.0	15	4	5	7	10	13	16	21
35-49	95	6.8	17	3	4	6	8	11	12	27
50-64	30	7.3	14	4	4	6	9	13	16	17
65 +	5	5.6	7	3	4	5	7	10	10	10
2. MULTIPLE DX										
0-19 YRS	331	12.2	75	6	8	10	13	22	29	66
20-34	167	16.1	211	6	8	11	19	35	58	97
35-49	138	13.3	134	4	6	10	16	28	37	84
50-64	111	13.7	137	5	7	10	17	25	44	99 +
65 +	58	23.0	430	7	9	16	32	68	88	99 +
TOTAL SINGLE DX	367	7.8	14	4	5	7	10	12	14	21
TOTAL MULTIPLE DX	805	14.2	155	6	8	10	16	28	42	99 +
TOTAL										
0-19 YRS	492	11.0	56	6	7	9	12	18	25	48
20-34	243	13.6	164	5	7	10	15	27	42	87
35-49	233	10.7	97	4	5	8	12	21	32	69
50-64	141	12.3	118	4	6	9	15	24	34	99 +
65 +	63	21.6	419	6	9	15	28	67	87	99 +
GRAND TOTAL	1172	12.2	119	5	7	9	13	24	34	86

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	3.0	3	1	2	3	4	5	7	9
20-34	120	3.4	6	1	2	3	4	6	9	12
35-49	91	2.8	3	1	1	3	4	5	6	11
50-64	84	3.3	6	1	2	3	4	6	8	14
65 +	38	3.8	9	< 1	1	3	5	7	11	14
2. MULTIPLE DX										
0-19 YRS	95	5.5	42	1	3	4	6	9	11	82
20-34	115	4.0	10	1	2	3	5	8	12	15
35-49	133	4.3	15	1	2	3	5	8	9	24
50-64	148	3.9	10	1	2	3	5	8	11	16
65 +	104	7.3	82	2	2	5	8	16	27	99 +
TOTAL SINGLE DX	371	3.2	6	1	2	3	4	6	8	14
TOTAL MULTIPLE DX	595	4.8	31	1	2	4	6	9	13	44
TOTAL										
0-19 YRS	133	4.8	33	1	2	4	6	8	11	66
20-34	235	3.7	8	1	2	3	5	8	9	14
35-49	224	3.7	11	1	2	3	5	7	8	19
50-64	232	3.7	9	1	2	3	5	7	10	16
65 +	142	6.3	65	1	2	4	7	14	19	99 +
GRAND TOTAL	966	4.2	22	1	2	3	5	8	11	23

735: Total hip replacement (81.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	21	9.4	6	7	8	9	11	12	15	16
35-49	70	9.8	8	7	8	9	11	14	15	21
50-64	298	10.5	7	7	9	10	12	14	15	19
65 +	485	12.2	25	8	9	11	14	17	19	27
2. MULTIPLE DX										
0-19 YRS	6	12.3	5	9	11	12	14	15	15	15
20-34	54	11.0	44	6	7	10	11	18	26	41
35-49	208	11.8	53	7	8	10	13	19	25	46
50-64	746	13.4	75	8	9	11	14	19	27	59
65 +	2772	16.4	109	9	11	13	18	28	38	79
TOTAL SINGLE DX	876	11.3	18	8	9	11	13	16	17	25
TOTAL MULTIPLE DX	3786	15.5	101	8	10	13	17	25	36	73
TOTAL										
0-19 YRS	8	11.5	7	8	10	11	14	15	15	15
20-34	75	10.6	34	6	7	10	11	16	23	38
35-49	278	11.3	43	7	8	10	12	17	22	42
50-64	1044	12.5	58	8	9	11	14	17	22	53
65 +	3257	15.8	99	9	10	13	17	25	35	76
GRAND TOTAL	4662	14.7	88	8	10	12	16	23	32	66

736: Other arthroplasty of hip (81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	5.3	6	2	4	5	7	9	9	9
20-34	5	8.8	9	5	6	9	11	13	13	13
35-49	15	9.9	6	6	8	10	12	13	14	14
50-64	47	13.0	114	7	8	10	13	18	24	77
65 +	283	14.0	51	8	10	13	16	21	25	46
2. MULTIPLE DX										
0-19 YRS	14	15.1	122	4	5	12	25	30	33	34
20-34	8	14.1	126	5	8	10	16	33	40	40
35-49	32	17.1	237	8	9	12	17	32	39	87
50-64	199	15.5	91	8	10	13	18	29	36	82
65 +	2272	20.6	199	10	12	16	24	40	59	99 +
TOTAL SINGLE DX	359	13.4	59	7	9	12	16	20	25	49
TOTAL MULTIPLE DX	2525	20.1	193	9	12	16	24	39	58	99 +
TOTAL										
0-19 YRS	23	11.3	98	3	4	7	19	28	31	34
20-34	13	12.1	84	5	7	10	13	22	37	40
35-49	47	14.8	174	7	9	11	14	29	35	87
50-64	246	15.0	96	8	10	13	16	27	36	77
65 +	2555	19.9	188	9	12	16	23	38	56	99 +
GRAND TOTAL	2864	19.3	181	9	11	15	23	37	54	99 +

737: Total knee replacement (81.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	21	12.1	26	8	9	11	14	18	23	29
50-64	203	11.0	13	7	9	10	12	15	17	23
65 +	427	12.3	17	8	10	11	14	17	19	27
2. MULTIPLE DX										
0-19 YRS	3	8.7	74	1	2	7	15	18	18	18
20-34	11	10.2	40	3	6	9	13	20	25	25
35-49	56	12.0	19	8	9	11	14	17	19	29
50-64	579	12.8	47	8	9	11	15	18	23	44
65 +	2105	14.1	53	9	10	13	16	20	25	48
TOTAL SINGLE DX	655	11.9	17	8	9	11	14	16	18	27
TOTAL MULTIPLE DX	2754	13.8	52	8	10	12	15	20	25	47
TOTAL										
0-19 YRS	5	7.6	52	1	1	7	13	18	18	18
20-34	13	9.5	39	2	6	9	11	18	24	25
35-49	77	12.1	21	8	9	11	14	18	19	29
50-64	782	12.3	40	8	9	11	14	17	22	35
65 +	2532	13.8	48	9	10	12	15	20	24	46
GRAND TOTAL	3409	13.4	46	8	10	12	15	19	23	45

738: Arthroplasty of knee, except total replacement (81.42-81.47)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	346	3.0	2	1	2	3	4	5	6	8
20-34	452	3.6	3	1	2	3	5	6	7	9
35-49	132	3.3	2	1	2	3	4	6	6	7
50-64	24	6.0	16	1	3	5	9	11	14	16
65 +	25	7.8	35	1	4	6	10	16	20	24
2. MULTIPLE DX										
0-19 YRS	325	3.6	5	1	2	3	4	6	7	12
20-34	507	4.2	11	1	3	4	5	7	8	16
35-49	219	3.8	7	1	2	3	5	7	8	14
50-64	92	6.7	42	1	2	5	9	14	18	36
65 +	91	10.2	46	3	5	10	13	17	23	39
TOTAL SINGLE DX	979	3.6	5	1	2	3	4	6	7	12
TOTAL MULTIPLE DX	1234	4.6	17	1	2	4	5	8	11	22
TOTAL										
0-19 YRS	671	3.3	4	1	2	3	4	5	6	11
20-34	959	3.9	7	1	2	4	5	6	7	13
35-49	351	3.6	6	1	2	3	5	6	7	10
50-64	116	6.6	37	1	2	5	9	14	17	34
65 +	116	9.7	45	2	5	9	12	17	22	35
GRAND TOTAL	2213	4.1	12	1	2	3	5	7	10	18

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.71; 81.81; 81.84; 81.86)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	22	2.0	1	1	1	2	3	4	4	4
35-49	28	3.9	7	1	2	3	5	8	9	11
50-64	78	3.8	12	1	2	2	4	9	11	18
65 +	65	5.5	16	2	2	4	9	11	14	16
2. MULTIPLE DX										
0-19 YRS	5	2.8	2	< 1	1	3	4	5	5	5
20-34	25	3.4	4	1	2	3	4	6	8	10
35-49	47	4.3	13	1	2	3	5	11	13	16
50-64	129	4.3	20	1	2	3	4	10	13	24
65 +	198	8.6	86	2	3	6	11	18	25	53
TOTAL SINGLE DX	195	4.1	13	1	2	3	5	10	11	16
TOTAL MULTIPLE DX	404	6.4	56	1	2	4	8	14	20	39
TOTAL										
0-19 YRS	7	2.4	2	< 1	1	2	3	5	5	5
20-34	47	2.7	3	1	1	2	4	5	6	10
35-49	75	4.1	11	1	2	3	5	9	11	15
50-64	207	4.1	18	1	2	3	4	9	12	22
65 +	263	7.9	71	2	3	5	10	16	24	50
GRAND TOTAL	599	5.6	43	1	2	3	7	13	16	33

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	302	2.2	1	1	1	2	3	4	4	6
20-34	649	2.3	1	1	1	2	3	4	5	5
35-49	325	2.1	1	< 1	1	2	3	4	5	7
50-64	199	2.5	4	1	1	2	3	5	6	12
65 +	71	3.2	6	< 1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	90	2.4	2	1	1	2	3	5	5	7
20-34	267	2.8	6	1	1	2	3	5	7	9
35-49	285	2.4	2	1	1	2	3	4	5	9
50-64	352	3.2	15	1	1	2	4	6	8	17
65 +	182	4.8	26	1	2	3	6	10	18	25
TOTAL SINGLE DX	1546	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1176	3.1	11	1	1	2	4	5	8	19
TOTAL										
0-19 YRS	392	2.2	2	1	1	2	3	4	4	6
20-34	916	2.5	3	1	1	2	3	4	5	8
35-49	610	2.2	2	1	1	2	3	4	5	8
50-64	551	3.0	11	1	1	2	3	5	7	13
65 +	253	4.4	21	1	2	3	5	9	14	23
GRAND TOTAL	2722	2.6	6	1	1	2	3	5	6	11

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	189	4.3	27	<1	1	3	5	10	14	30
20-34	135	3.2	11	<1	1	2	4	7	9	18
35-49	88	3.4	13	<1	1	2	4	8	11	19
50-64	60	2.2	3	<1	<1	1	3	5	6	9
65 +	19	3.9	17	<1	1	2	5	9	14	18
2. MULTIPLE DX										
0-19 YRS	373	4.9	49	1	2	3	5	9	14	28
20-34	187	7.0	78	1	2	4	8	16	24	45
35-49	148	8.0	101	1	2	5	10	18	26	53
50-64	145	7.4	86	1	2	4	9	17	30	57
65 +	169	11.6	279	1	2	6	13	28	55	89
TOTAL SINGLE DX	491	3.6	18	<1	1	2	4	8	12	19
TOTAL MULTIPLE DX	1022	7.2	111	1	2	4	8	16	25	63
TOTAL										
0-19 YRS	562	4.7	42	1	2	3	5	9	14	28
20-34	322	5.4	54	1	1	3	6	13	18	39
35-49	236	6.3	74	1	1	3	8	15	19	52
50-64	205	5.9	68	<1	1	3	7	14	25	52
65 +	188	10.8	259	1	2	6	13	24	52	88
GRAND TOTAL	**1513**	**6.0**	**83**	**1**	**1**	**3**	**7**	**14**	**19**	**54**

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	167	2.4	37	<1	<1	1	2	4	5	23
20-34	114	1.8	1	<1	<1	1	2	4	5	8
35-49	127	2.1	8	<1	<1	1	2	4	6	17
50-64	90	2.6	8	<1	1	1	3	6	9	16
65 +	43	2.9	6	<1	1	1	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	78	4.3	43	<1	1	2	5	13	23	99 +
20-34	83	6.7	114	<1	1	3	8	14	29	60
35-49	121	7.3	138	<1	1	3	8	18	35	86
50-64	177	7.8	135	1	1	4	9	19	33	54
65 +	213	12.6	178	1	2	8	19	31	44	82
TOTAL SINGLE DX	541	2.3	16	<1	<1	1	2	4	7	15
TOTAL MULTIPLE DX	672	8.7	144	1	1	4	12	24	37	79
TOTAL										
0-19 YRS	245	3.0	40	<1	<1	1	2	5	12	74
20-34	197	3.9	55	<1	<1	1	3	8	13	39
35-49	248	4.6	78	<1	<1	1	4	12	18	53
50-64	267	6.0	99	<1	1	2	7	15	20	47
65 +	256	11.0	163	1	2	6	15	28	40	72
GRAND TOTAL	**1213**	**5.8**	**97**	**<1**	**1**	**2**	**6**	**16**	**25**	**57**

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.3	1	<1	<1	<1	1	3	4	4
20-34	13	3.8	24	<1	1	2	3	13	16	17
35-49	15	1.4	1	1	1	1	1	2	4	5
50-64	58	1.3		<1	1	1	1	2	3	5
65 +	58	1.5		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	13	2.5	2	1	1	2	3	5	7	7
20-34	13	9.9	268	1	1	5	12	23	55	62
35-49	28	6.3	86	1	2	2	10	24	44	99 +
50-64	45	2.2	11	1	1	1	2	3	5	23
65 +	77	3.5	37	1	1	2	3	7	23	82
TOTAL SINGLE DX	153	1.6	3	<1	1	1	2	3	4	12
TOTAL MULTIPLE DX	176	4.0	55	1	1	2	3	11	22	89
TOTAL										
0-19 YRS	22	2.0	2	<1	<1	1	3	4	5	7
20-34	26	6.9	150	1	1	2	11	13	26	62
35-49	43	4.6	61	1	1	2	4	13	33	99 +
50-64	103	1.7	5	<1	1	1	2	3	4	14
65 +	135	2.6	22	1	1	1	2	4	9	44
GRAND TOTAL	**329**	**2.9**	**32**	**<1**	**1**	**1**	**2**	**5**	**12**	**45**

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	137	1.6	4	<1	1	1	2	3	3	8
20-34	215	1.7	1	<1	1	1	2	3	4	9
35-49	99	1.7	1	<1	1	1	2	3	4	9
50-64	44	1.7		<1	1	1	2	3	3	3
65 +	11	1.5	1	<1	<1	1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	160	1.9	2	1	1	1	2	4	5	7
20-34	244	2.4	9	1	1	1	2	5	8	14
35-49	120	2.2	6	1	1	1	3	4	6	14
50-64	63	4.6	138	1	1	2	3	5	18	78
65 +	34	3.7	19	1	1	2	4	8	13	22
TOTAL SINGLE DX	506	1.7	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	621	2.5	21	1	1	1	2	5	7	17
TOTAL										
0-19 YRS	297	1.8	3	<1	1	1	2	3	4	7
20-34	459	2.1	6	<1	1	1	2	3	6	11
35-49	219	2.0	4	<1	1	1	2	4	5	13
50-64	107	3.4	84	1	1	2	3	4	6	60
65 +	45	3.2	16	<1	1	2	4	7	11	22
GRAND TOTAL	**1127**	**2.1**	**13**	**<1**	**1**	**1**	**2**	**4**	**5**	**13**

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	2.9	15	1	1	2	3	5	13	21
20-34	194	2.2	2	< 1	1	2	3	5	6	8
35-49	221	2.4	3	1	1	2	3	4	6	9
50-64	201	3.0	3	1	2	3	4	5	6	9
65 +	71	3.3	6	< 1	2	3	4	5	7	16
2. MULTIPLE DX										
0-19 YRS	70	3.2	21	1	1	2	3	7	8	31
20-34	155	4.1	51	1	1	2	4	8	12	37
35-49	211	3.9	14	1	2	3	5	8	12	18
50-64	317	5.0	75	1	2	3	5	7	14	53
65 +	215	6.5	79	1	2	4	7	11	22	48
TOTAL SINGLE DX	770	2.6	5	1	1	2	3	5	6	12
TOTAL MULTIPLE DX	968	4.8	56	1	2	3	5	9	13	37
TOTAL										
0-19 YRS	153	3.0	18	1	1	2	3	6	10	22
20-34	349	3.1	25	1	1	2	3	6	8	16
35-49	432	3.1	9	1	1	2	4	6	8	15
50-64	518	4.2	48	1	2	3	4	6	10	31
65 +	286	5.7	63	1	2	4	6	10	20	37
GRAND TOTAL	**1738**	**3.8**	**35**	**1**	**1**	**3**	**4**	**7**	**10**	**28**

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	319	2.7	6	1	1	2	3	6	7	11
20-34	183	3.0	4	1	1	3	4	5	7	12
35-49	193	2.6	2	1	1	2	3	4	5	9
50-64	100	3.6	6	1	2	3	4	7	11	56
65 +	39	3.7	3	1	2	3	5	6	7	8
2. MULTIPLE DX										
0-19 YRS	430	3.2	13	1	1	2	4	6	9	18
20-34	134	5.3	90	1	2	3	5	9	17	93
35-49	98	4.6	59	1	1	2	4	10	15	46
50-64	135	5.9	65	1	2	3	6	15	29	53
65 +	101	10.0	145	1	3	6	12	28	44	99 +
TOTAL SINGLE DX	834	2.9	5	1	1	2	4	5	7	12
TOTAL MULTIPLE DX	898	4.9	57	1	2	3	5	9	17	46
TOTAL										
0-19 YRS	749	3.0	11	1	1	2	4	6	8	15
20-34	317	4.0	42	1	2	3	4	7	9	38
35-49	291	3.3	22	1	1	2	4	5	8	19
50-64	235	4.9	42	1	2	3	5	9	22	52
65 +	140	8.3	114	1	3	5	9	22	40	99 +
GRAND TOTAL	**1732**	**3.9**	**33**	**1**	**1**	**3**	**4**	**7**	**11**	**37**

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	2.2	3	1	1	1	3	5	7	8
20-34	38	1.8	1	1	1	1	2	3	4	7
35-49	32	2.3	3	1	1	2	3	5	8	8
50-64	20	1.6		< 1	1	1	2	3	3	3
65 +	9	1.3		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	18	3.3	14	1	1	2	3	8	13	16
20-34	60	3.9	20	1	2	3	4	9	17	92
35-49	56	4.1	49	1	1	2	4	7	11	45
50-64	42	5.9	57	1	2	3	8	16	31	99 +
65 +	64	11.8	233	1	2	8	16	36	86	99 +
TOTAL SINGLE DX	125	1.9	2	1	1	1	2	3	5	8
TOTAL MULTIPLE DX	240	6.3	100	1	1	3	7	17	30	99 +
TOTAL										
0-19 YRS	44	2.6	8	1	1	1	3	7	8	16
20-34	98	3.1	14	1	1	2	3	6	10	64
35-49	88	3.5	33	1	1	2	3	7	8	39
50-64	62	4.5	43	1	1	2	4	13	21	92
65 +	73	10.5	216	1	2	5	15	34	79	99 +
GRAND TOTAL	**365**	**4.8**	**71**	**1**	**1**	**2**	**4**	**12**	**26**	**99 +**

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	7.5	66	2	4	5	5	22	24	24
35-49	4	18.0	348	1	2	17	34	37	37	37
50-64	6	10.2	95	1	2	8	17	24	25	25
65 +	16	18.0	261	3	6	13	27	43	49	52
TOTAL SINGLE DX	4	2.8	3	1	1	2	4	5	5	5
TOTAL MULTIPLE DX	33	14.2	206	2	3	9	19	39	43	52
TOTAL										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	7	6.6	62	1	2	5	5	20	24	24
35-49	4	18.0	348	1	2	17	34	37	37	37
50-64	6	10.2	95	1	2	8	17	24	25	25
65 +	17	17.1	258	3	4	13	22	43	49	52
GRAND TOTAL	**37**	**12.9**	**196**	**2**	**3**	**5**	**16**	**39**	**42**	**52**

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.5		<1	1	2	2	2	2	2
20-34	8	8.5	157	1	2	4	7	30	39	39
35-49	5	5.0	34	1	1	3	7	15	15	15
50-64	9	9.8	89	2	4	7	11	26	31	31
65+	17	5.4	17	1	2	5	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	20	5.6	82	<1	1	2	7	9	25	42
20-34	35	11.6	96	3	5	7	16	30	36	38
35-49	120	17.2	211	4	8	14	23	31	52	84
50-64	362	18.4	291	4	8	13	22	38	64	97
65+	649	18.0	220	4	8	14	24	39	54	99+
TOTAL SINGLE DX	50	5.8	54	1	1	3	7	14	19	39
TOTAL MULTIPLE DX	1186	17.6	239	4	8	14	23	38	55	99+
TOTAL										
0-19 YRS	31	4.2	56	<1	1	2	5	8	9	42
20-34	43	11.0	106	2	5	7	13	30	37	39
35-49	125	16.7	209	3	8	13	23	31	52	82
50-64	371	18.2	288	4	8	13	22	38	64	96
65+	666	17.7	219	4	8	14	24	39	54	99+
GRAND TOTAL	1236	17.2	236	3	7	13	22	37	54	99+

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	14.0	50	9	9	14	19	19	19	19
35-49	3	20.0	75	15	15	15	26	30	30	30
50-64	3	12.0	49	5	7	12	17	19	19	19
65+	4	12.8	73	6	7	10	18	25	25	25
2. MULTIPLE DX										
0-19 YRS	6	26.3	418	4	15	20	38	59	61	61
20-34	19	34.4	795	11	15	19	52	81	92	97
35-49	57	25.4	333	7	12	21	39	62	90	99+
50-64	205	28.6	426	9	14	23	40	68	90	99+
65+	575	29.4	400	9	14	25	41	67	87	99+
TOTAL SINGLE DX	13	13.8	60	5	7	12	19	26	29	30
TOTAL MULTIPLE DX	862	29.0	411	9	14	24	40	69	89	99+
TOTAL										
0-19 YRS	7	23.3	414	3	7	18	34	56	61	61
20-34	21	32.4	756	10	14	19	43	78	91	97
35-49	60	25.1	321	7	12	20	38	59	88	99+
50-64	208	28.4	425	9	14	23	39	67	90	99+
65+	579	29.3	400	9	14	25	41	67	87	99+
GRAND TOTAL	875	28.8	409	9	14	24	40	67	88	99+

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.8		4	4	5	5	6	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	11.0	32	7	7	11	15	15	15	15
50-64	0									
65+	7	11.1	136	3	4	5	18	31	33	33
2. MULTIPLE DX										
0-19 YRS	4	24.0	358	12	12	16	35	52	52	52
20-34	10	31.1	1108	6	9	25	91	99+	99+	99+
35-49	19	24.1	584	7	9	14	38	84	96	99+
50-64	91	27.6	402	10	15	24	37	84	99+	99+
65+	640	21.4	306	7	10	16	30	61	99+	99+
TOTAL SINGLE DX	15	8.7	71	4	4	5	7	22	30	33
TOTAL MULTIPLE DX	764	22.4	338	7	11	17	32	66	99+	99+
TOTAL										
0-19 YRS	9	13.3	237	4	5	6	14	39	52	52
20-34	11	28.8	1055	6	7	22	90	99+	99+	99+
35-49	21	22.9	543	7	8	14	36	80	96	99+
50-64	91	27.6	403	10	15	24	37	84	99+	99+
65+	647	21.3	306	7	10	16	30	60	99+	99+
GRAND TOTAL	779	22.1	336	7	10	17	32	56	99+	99+

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	9.6	58	1	3	9	15	21	22	22
20-34	2	11.0	128	3	3	11	19	19	19	19
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	3	21.3	161	14	14	14	31	36	36	36
65+	0									
2. MULTIPLE DX										
0-19 YRS	9	16.7	912	1	2	7	12	65	96	96
20-34	11	27.6	638	7	8	24	40	95	99	99+
35-49	52	27.7	372	7	15	24	38	55	78	99+
50-64	138	23.8	370	5	10	18	38	58	71	99+
65+	243	26.1	355	9	12	21	38	58	85	99+
TOTAL SINGLE DX	14	11.6	92	3	4	9	17	23	33	36
TOTAL MULTIPLE DX	453	25.4	378	7	11	20	38	58	79	99+
TOTAL										
0-19 YRS	16	13.6	523	1	3	7	14	22	74	96
20-34	13	25.1	581	6	8	21	37	94	99	99+
35-49	54	26.8	377	6	14	23	37	54	77	99
50-64	141	23.7	365	5	10	17	37	58	70	99+
65+	243	26.1	355	9	12	21	38	58	85	99+
GRAND TOTAL	467	25.0	375	6	11	19	37	58	79	99+

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	3.8	13	1	2	2	4	11	12	12
20-34	10	4.4	11	1	2	3	7	9	11	11
35-49	4	4.5	7	2	2	4	6	8	8	8
50-64	5	3.0	5	1	2	2	4	7	7	7
65 +	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	6.5	12	2	3	7	10	11	11	11
20-34	19	8.7	81	1	3	6	9	24	33	33
35-49	5	7.8	6	4	6	8	10	10	10	10
50-64	3	12.7	137	4	5	8	21	26	26	26
65 +	4	7.3	2	5	6	8	8	8	8	8
TOTAL SINGLE DX	34	3.9	10	1	2	3	5	8	11	12
TOTAL MULTIPLE DX	42	8.1	49	2	4	8	9	12	28	33
TOTAL										
0-19 YRS	24	5.0	14	1	2	4	8	11	11	12
20-34	29	7.2	61	1	2	6	8	12	32	33
35-49	9	6.3	9	2	4	7	9	10	10	10
50-64	8	6.6	67	1	2	3	7	21	26	26
65 +	6	5.8	7	2	4	6	8	8	8	8
GRAND TOTAL	76	6.2	35	1	2	5	8	11	13	33

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.7	10	1	1	1	4	8	9	9
20-34	17	2.8	7	< 1	1	1	4	6	9	11
35-49	12	4.8	14	1	2	4	7	11	12	12
50-64	7	4.6	33	< 1	1	2	5	15	17	17
65 +	4	5.0	4	4	4	4	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	6	3.2	4	< 1	1	3	5	6	6	6
20-34	23	7.0	59	1	1	4	9	15	26	33
35-49	29	11.0	119	2	3	9	14	21	39	51
50-64	50	15.0	283	2	5	10	22	37	47	99 +
65 +	89	13.4	132	4	6	10	18	31	38	82
TOTAL SINGLE DX	47	3.7	13	1	1	2	5	9	11	17
TOTAL MULTIPLE DX	197	12.4	163	2	4	8	15	31	39	99
TOTAL										
0-19 YRS	13	2.9	7	< 1	1	1	5	7	9	9
20-34	40	5.2	41	< 1	1	2	7	11	18	33
35-49	41	9.2	96	1	3	7	11	18	29	51
50-64	57	13.8	264	1	4	8	18	35	45	99 +
65 +	93	13.1	129	4	5	9	18	31	38	80
GRAND TOTAL	244	10.7	146	1	3	7	13	26	37	98

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	29.0		29	29	29	29	29	29	29
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	4	6.8	2	5	5	7	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	4	16.3	520	1	2	7	30	50	50	50
65 +	6	13.2	39	7	9	12	13	24	25	25
TOTAL SINGLE DX	7	12.3	136	2	5	8	24	29	29	29
TOTAL MULTIPLE DX	11	13.5	186	3	5	10	13	35	49	50
TOTAL										
0-19 YRS	2	29.0		29	29	29	29	29	29	29
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	0									
50-64	4	16.3	520	1	2	7	30	50	50	50
65 +	10	10.6	34	5	7	9	13	19	25	25
GRAND TOTAL	18	13.1	158	2	5	9	13	29	42	50

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	1.4		<1	<1	1	2	2	3	6
20-34	154	1.6	3	<1	<1	1	2	3	4	8
35-49	451	1.8	2	<1	<1	1	2	3	5	8
50-64	432	2.1	2	<1	1	1	3	4	6	8
65+	329	2.4	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	13	2.6	3	1	1	2	3	5	7	7
20-34	120	3.9	46	<1	1	2	3	8	16	37
35-49	493	3.3	36	<1	1	1	3	6	10	35
50-64	693	4.2	33	<1	1	2	5	9	15	29
65+	1136	6.3	78	1	2	3	7	15	23	59
TOTAL SINGLE DX	1410	2.0	3	<1	<1	1	2	4	5	8
TOTAL MULTIPLE DX	2461	5.0	57	<1	1	2	5	11	19	44
TOTAL										
0-19 YRS	57	1.7	2	<1	<1	1	2	3	4	7
20-34	274	2.6	24	<1	<1	1	2	5	8	30
35-49	944	2.5	21	<1	<1	1	2	4	7	23
50-64	1131	3.4	23	<1	1	2	4	7	11	25
65+	1465	5.4	64	1	1	3	6	12	21	53
GRAND TOTAL	3871	3.9	39	<1	1	2	4	8	14	36

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	3.1	1	2	2	3	3	5	6	6
20-34	15	2.4	5	1	1	1	3	4	9	10
35-49	38	3.4	4	1	2	3	4	5	7	12
50-64	37	4.0	4	2	2	4	6	7	8	10
65+	51	4.6	4	2	3	5	6	8	8	9
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	9	4.0	11	1	2	4	4	9	12	12
35-49	60	4.4	12	2	2	3	5	7	13	19
50-64	89	6.0	35	2	3	4	6	13	16	36
65+	253	8.1	104	3	4	5	8	15	23	81
TOTAL SINGLE DX	148	3.9	5	1	2	3	5	7	8	10
TOTAL MULTIPLE DX	414	6.9	76	2	3	5	7	14	19	49
TOTAL										
0-19 YRS	10	2.8	2	1	2	3	3	5	6	6
20-34	24	3.0	8	1	1	2	4	5	11	12
35-49	98	4.0	9	2	2	3	5	6	11	18
50-64	126	5.4	27	2	3	4	6	10	15	27
65+	304	7.5	90	2	4	5	8	14	21	68
GRAND TOTAL	562	6.1	59	2	3	4	6	12	17	42

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	40	4.6	1	3	4	5	6	6	7	7
35-49	339	4.8	3	3	3	5	6	7	8	12
50-64	554	4.7	3	3	4	5	6	7	8	11
65+	549	5.3	3	3	4	5	7	8	8	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	60	6.0	6	3	4	6	8	9	11	16
35-49	558	5.6	11	3	4	5	6	8	10	16
50-64	1146	6.0	10	3	4	5	7	9	11	19
65+	2112	7.1	28	4	5	6	8	11	15	28
TOTAL SINGLE DX	1483	5.0	4	3	4	5	6	7	8	11
TOTAL MULTIPLE DX	3876	6.6	21	3	4	6	8	10	13	24
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	100	5.4	5	3	4	5	6	8	9	14
35-49	897	5.3	9	3	4	5	6	8	9	15
50-64	1700	5.6	9	3	4	5	6	9	10	18
65+	2661	6.8	24	3	4	6	8	10	13	26
GRAND TOTAL	5359	6.1	17	3	4	5	7	9	12	21

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	221	2.1	1	1	1	2	3	3	4	6
20-34	426	2.1	1	1	1	2	3	3	4	8
35-49	275	2.1	1	<1	1	2	3	4	4	7
50-64	114	2.2	1	1	1	2	3	4	5	6
65+	30	3.2	8	1	1	2	4	8	10	12
2. MULTIPLE DX										
0-19 YRS	78	2.3	1	1	1	2	3	4	4	7
20-34	280	2.7	19	1	1	2	3	4	5	9
35-49	443	3.0	7	1	1	2	3	6	8	14
50-64	254	3.0	9	1	1	2	4	5	8	13
65+	90	5.[illegible]	51	1	2	3	5	10	13	45
TOTAL SINGLE DX	1066	2.1	2	1	1	2	3	4	4	8
TOTAL MULTIPLE DX	1145	3.0	14	1	1	2	3	5	8	15
TOTAL										
0-19 YRS	299	2.1	1	1	1	2	3	4	4	7
20-34	706	2.3	9	1	1	2	3	4	5	8
35-49	718	2.7	5	1	1	2	3	5	7	11
50-64	368	2.8	7	1	1	2	3	5	6	10
65+	120	4.6	41	1	2	3	5	10	13	41
GRAND TOTAL	2211	2.6	9	1	1	2	3	4	6	11

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	385	2.0	1	1	1	2	3	4	5	5
20-34	742	2.1	2	1	1	2	3	4	4	7
35-49	116	2.1	3	1	1	2	3	3	5	14
50-64	17	2.4	3	1	1	2	3	5	7	8
65+	6	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	59	2.8	4	1	1	2	4	6	7	9
20-34	157	3.1	15	1	1	2	4	6	9	13
35-49	56	4.3	24	1	1	3	5	8	15	28
50-64	21	8.2	141	1	2	4	7	33	39	40
65+	19	4.2	11	1	2	4	6	11	57	99+
TOTAL SINGLE DX	1266	2.0	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	312	3.7	24	1	1	2	4	7	9	39
TOTAL										
0-19 YRS	444	2.1	2	1	1	2	3	4	5	7
20-34	899	2.2	5	1	1	2	3	4	5	9
35-49	172	2.8	11	1	1	2	3	5	8	16
50-64	38	5.6	87	1	1	2	5	9	34	40
65+	25	3.6	10	1	2	3	6	7	32	99+
GRAND TOTAL	1578	2.4	7	1	1	2	3	4	6	12

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	298	2.3	19	<1	<1	1	2	4	6	19
20-34	239	2.0	4	<1	<1	1	2	4	5	9
35-49	226	2.1	6	<1	<1	1	2	4	8	13
50-64	182	1.8	2	<1	<1	1	2	4	5	9
65+	154	2.7	14	<1	<1	1	3	6	10	18
2. MULTIPLE DX										
0-19 YRS	178	6.7	88	1	1	3	8	17	23	49
20-34	229	7.5	103	1	1	3	10	24	32	70
35-49	308	7.9	133	1	1	4	10	19	31	95
50-64	404	8.8	118	1	2	6	10	21	34	84
65+	852	12.5	194	2	4	9	15	32	50	99+
TOTAL SINGLE DX	1099	2.2	10	<1	<1	1	2	4	6	13
TOTAL MULTIPLE DX	1971	9.9	154	1	2	6	12	25	39	99+
TOTAL										
0-19 YRS	476	4.0	49	<1	1	2	4	9	15	37
20-34	468	4.7	60	<1	1	2	4	13	24	45
35-49	534	5.5	88	<1	1	2	6	14	23	72
50-64	586	6.7	93	<1	1	3	8	15	25	59
65+	1006	11.0	180	1	2	7	14	29	45	99+
GRAND TOTAL	3070	7.2	116	<1	1	3	9	18	30	80

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	286	4.7	35	1	1	3	5	11	16	29
20-34	346	5.1	31	1	2	3	6	11	18	32
35-49	203	4.7	22	1	1	3	6	11	15	24
50-64	104	7.3	55	1	3	5	10	16	22	40
65+	83	11.0	137	1	4	9	14	22	28	73
2. MULTIPLE DX										
0-19 YRS	700	9.8	166	1	2	5	12	27	39	71
20-34	993	11.4	205	1	3	6	14	30	49	99+
35-49	853	15.5	274	2	4	10	21	42	60	99+
50-64	1291	16.9	262	3	7	12	22	41	62	99+
65+	2674	22.8	370	6	10	18	33	63	96	99+
TOTAL SINGLE DX	1022	5.6	45	1	2	3	7	13	18	31
TOTAL MULTIPLE DX	6511	17.5	314	2	6	12	24	48	72	99+
TOTAL										
0-19 YRS	986	8.3	134	1	2	4	10	22	32	64
20-34	1339	9.7	168	1	2	5	11	25	42	99
35-49	1056	13.4	244	1	3	8	18	38	54	99+
50-64	1395	16.1	254	3	6	11	21	39	59	99+
65+	2757	22.4	368	6	9	17	32	62	94	99+
GRAND TOTAL	7533	15.9	294	2	4	10	22	44	67	99+

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	564	3.8	28	1	1	2	4	8	11	25
20-34	502	3.8	10	1	1	3	5	8	10	16
35-49	328	4.0	13	1	1	3	5	8	10	19
50-64	187	4.2	21	1	1	3	5	10	13	22
65+	188	4.8	21	1	1	3	7	11	13	24
2. MULTIPLE DX										
0-19 YRS	1132	4.6	41	1	1	2	5	10	15	40
20-34	1779	5.3	49	1	2	3	6	11	19	35
35-49	1248	7.5	81	1	2	5	9	17	26	53
50-64	1125	9.1	111	1	3	6	11	19	30	55
65+	2099	11.3	161	2	3	7	14	26	40	88
TOTAL SINGLE DX	1769	4.0	19	1	1	3	5	8	11	21
TOTAL MULTIPLE DX	7383	7.9	102	1	2	5	9	18	28	58
TOTAL										
0-19 YRS	1696	4.3	37	1	1	2	5	9	13	34
20-34	2281	5.0	42	1	2	3	6	10	16	34
35-49	1576	6.8	69	1	2	4	8	15	24	48
50-64	1312	8.4	102	1	2	5	10	18	27	51
65+	2287	10.8	154	1	3	7	13	25	38	82
GRAND TOTAL	9152	7.1	88	1	2	4	8	16	25	54

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	5.3	50	1	1	3	6	14	18	39
20-34	71	5.4	39	1	1	3	7	13	18	29
35-49	51	6.2	39	1	1	4	10	18	20	24
50-64	37	6.6	35	1	2	4	9	15	21	24
65+	56	10.3	78	1	3	8	15	25	30	35
2. MULTIPLE DX										
0-19 YRS	139	13.2	206	2	4	9	18	29	45	96
20-34	158	15.3	254	2	4	10	21	37	49	84
35-49	154	17.7	301	3	7	14	22	45	63	99+
50-64	243	16.2	213	2	6	12	23	34	50	89
65+	474	20.5	291	4	9	17	27	49	70	99+
TOTAL SINGLE DX	303	6.5	53	1	1	4	9	16	23	31
TOTAL MULTIPLE DX	1168	17.7	267	2	6	14	24	40	57	99+
TOTAL										
0-19 YRS	227	10.1	161	1	2	6	14	23	35	86
20-34	229	12.2	208	1	2	7	16	33	44	83
35-49	205	14.8	260	1	4	11	20	34	52	99+
50-64	280	15.0	201	2	5	11	22	32	48	84
65+	530	19.4	278	3	8	15	26	46	61	99+
GRAND TOTAL	**1471**	**15.4**	**243**	**2**	**4**	**11**	**21**	**36**	**52**	**99+**

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	3.3	45	<1	1	1	3	6	8	43
20-34	34	4.3	46	1	1	2	5	7	18	37
35-49	37	2.8	12	<1	1	1	3	6	10	19
50-64	19	3.3	12	<1	1	2	5	7	12	15
65+	7	2.6	7	<1	<1	1	3	7	8	8
2. MULTIPLE DX										
0-19 YRS	43	8.2	150	1	2	5	8	17	47	54
20-34	53	13.2	217	1	3	7	27	45	88	99+
35-49	55	12.2	140	1	2	8	20	34	39	97
50-64	50	11.7	245	1	2	7	14	32	45	87
65+	77	17.6	486	2	3	9	28	79	99+	99+
TOTAL SINGLE DX	138	3.4	30	<1	1	1	4	7	10	38
TOTAL MULTIPLE DX	278	13.2	278	1	2	7	19	40	70	99+
TOTAL										
0-19 YRS	84	5.8	104	1	1	2	6	12	26	52
20-34	87	9.7	168	1	2	4	14	34	50	99+
35-49	92	8.4	110	1	1	3	12	26	36	76
50-64	69	9.4	195	1	2	4	11	22	35	80
65+	84	16.4	463	1	2	8	25	75	99+	99+
GRAND TOTAL	**416**	**9.9**	**217**	**1**	**2**	**4**	**12**	**32**	**50**	**99+**

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	137	1.9	3	<1	1	1	2	4	6	9
20-34	121	2.3	6	<1	1	1	2	4	9	40
35-49	135	2.0	4	<1	1	1	2	4	5	14
50-64	127	1.6	1	1	1	1	2	3	5	8
65+	51	2.5	9	1	1	1	2	7	10	16
2. MULTIPLE DX										
0-19 YRS	152	3.6	32	1	1	2	3	8	12	25
20-34	157	5.0	105	1	1	2	5	9	16	63
35-49	234	3.9	24	1	1	3	4	7	11	30
50-64	314	5.2	66	1	1	2	5	14	23	65
65+	332	14.4	257	1	4	10	20	40	84	99+
TOTAL SINGLE DX	571	2.0	5	<1	1	1	2	4	6	13
TOTAL MULTIPLE DX	1189	7.3	132	1	1	3	9	19	32	99+
TOTAL										
0-19 YRS	289	2.8	20	1	1	1	3	6	9	23
20-34	278	3.8	64	1	1	2	4	7	12	59
35-49	369	3.2	18	1	1	2	4	7	10	20
50-64	441	4.2	50	1	1	2	4	11	18	47
65+	383	12.8	241	1	3	9	18	36	77	99+
GRAND TOTAL	**1760**	**5.6**	**97**	**1**	**1**	**2**	**5**	**15**	**24**	**97**

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.0	8	< 1	1	2	4	8	9	9
20-34	5	4.4	18	1	1	2	8	10	10	10
35-49	3	4.3	4	2	3	5	6	6	6	6
50-64	3	1.0		1	1	1	1	1	1	1
65 +	3	11.3	162	3	3	5	21	26	26	26
2. MULTIPLE DX										
0-19 YRS	19	4.7	42	< 1	1	4	4	8	21	30
20-34	7	6.6	38	1	3	4	12	16	16	16
35-49	7	5.6	67	1	2	2	4	20	24	24
50-64	24	10.3	143	2	4	6	9	33	41	47
65 +	56	14.6	333	3	5	8	19	38	75	99
TOTAL SINGLE DX	26	4.2	28	1	1	2	5	9	13	26
TOTAL MULTIPLE DX	113	11.0	222	2	4	5	12	26	45	89
TOTAL										
0-19 YRS	31	4.1	29	< 1	1	3	4	8	10	30
20-34	12	5.7	29	1	2	3	9	15	16	16
35-49	10	5.2	46	1	2	3	5	15	24	24
50-64	27	9.2	136	1	3	5	9	30	39	47
65 +	59	14.4	322	3	5	8	19	37	74	98
GRAND TOTAL	139	9.7	192	1	3	5	10	24	38	85

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	3.2	17	1	1	1	4	7	13	23
20-34	892	2.6	12	1	1	1	2	7	10	17
35-49	1312	2.2	7	1	1	1	2	5	8	14
50-64	653	2.3	9	1	1	1	2	5	8	15
65 +	234	2.3	12	1	1	1	2	4	9	21
2. MULTIPLE DX										
0-19 YRS	57	4.5	59	1	1	2	4	13	16	49
20-34	466	4.4	40	1	1	2	5	10	14	28
35-49	900	4.4	31	1	1	2	6	11	15	28
50-64	850	5.1	58	1	1	2	6	14	19	32
65 +	716	7.7	100	1	1	4	11	18	25	69
TOTAL SINGLE DX	3148	2.4	10	1	1	1	2	6	9	16
TOTAL MULTIPLE DX	2989	5.4	59	1	1	2	7	14	19	34
TOTAL										
0-19 YRS	114	3.8	39	1	1	2	4	9	15	33
20-34	1358	3.2	22	1	1	1	3	8	11	22
35-49	2212	3.1	19	1	1	1	3	8	12	21
50-64	1503	3.9	39	1	1	1	4	10	15	28
65 +	950	6.4	84	1	1	2	9	16	22	61
GRAND TOTAL	6137	3.9	36	1	1	1	4	10	15	28

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	2.3	4	1	1	2	3	5	7	10
20-34	78	2.4	7	1	1	2	2	5	8	17
35-49	98	3.5	19	1	1	2	4	9	13	24
50-64	133	2.8	11	1	1	2	3	6	10	18
65 +	110	3.0	14	1	1	2	3	6	10	23
2. MULTIPLE DX										
0-19 YRS	71	5.0	97	1	1	2	4	9	12	63
20-34	75	6.5	54	1	2	4	8	16	25	85
35-49	187	6.3	51	1	2	4	8	14	18	40
50-64	441	6.6	60	1	2	4	9	14	23	34
65 +	819	6.9	63	1	2	5	9	15	20	40
TOTAL SINGLE DX	469	2.9	12	1	1	2	3	6	10	19
TOTAL MULTIPLE DX	1593	6.6	62	1	2	4	9	15	20	40
TOTAL										
0-19 YRS	121	3.9	60	1	1	2	4	8	10	50
20-34	153	4.4	34	1	1	2	5	11	17	43
35-49	285	5.3	42	1	2	3	7	12	17	34
50-64	574	5.7	51	1	2	3	8	13	18	32
65 +	929	6.4	59	1	2	4	8	15	20	39
GRAND TOTAL	2062	5.8	53	1	2	3	8	13	18	38

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	1.7		1	1	2	2	2	2	2
50-64	5	2.2	2	< 1	1	2	3	5	5	5
65 +	6	6.3	103	1	2	2	4	25	27	27
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	17	5.8	12	2	2	6	7	10	13	14
50-64	33	8.8	192	2	2	7	9	13	23	81
65 +	43	7.4	36	2	3	6	9	16	20	26
TOTAL SINGLE DX	16	3.9	40	1	1	2	3	6	21	27
TOTAL MULTIPLE DX	94	7.5	87	2	2	6	9	14	18	57
TOTAL										
0-19 YRS	0									
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	20	5.2	13	2	2	5	7	10	12	14
50-64	38	7.9	172	1	2	5	9	13	20	81
65 +	49	7.3	43	1	2	5	9	17	24	27
GRAND TOTAL	110	7.0	81	1	2	5	9	13	18	49

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	3.5	12	<1	1	2	4	8	12	17
20-34	266	4.5	18	1	1	3	7	10	12	18
35-49	292	4.8	16	1	1	3	7	11	13	17
50-64	397	4.2	15	1	1	2	6	10	11	19
65 +	302	4.1	16	1	1	2	7	9	12	17
2. MULTIPLE DX										
0-19 YRS	103	5.2	55	1	1	2	7	11	14	43
20-34	374	7.0	50	1	2	6	9	14	18	31
35-49	775	7.1	38	1	2	6	10	14	17	32
50-64	1629	6.9	46	1	2	5	9	14	19	34
65 +	3261	9.0	80	1	3	7	12	18	24	52
TOTAL SINGLE DX	1360	4.3	16	1	1	2	7	10	12	18
TOTAL MULTIPLE DX	6142	8.0	65	1	2	6	11	16	22	44
TOTAL										
0-19 YRS	206	4.3	35	1	1	2	5	11	13	21
20-34	640	6.0	38	1	2	4	8	12	16	26
35-49	1067	6.4	33	1	2	5	9	13	16	28
50-64	2026	6.3	42	1	2	5	9	13	18	32
65 +	3563	8.5	77	1	2	7	11	17	23	51
GRAND TOTAL	**7502**	**7.3**	**58**	**1**	**2**	**6**	**10**	**15**	**20**	**40**

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1495	3.8	44	1	1	2	4	8	13	46
20-34	1143	4.9	33	1	2	3	6	9	14	34
35-49	935	5.8	42	1	2	4	7	11	16	43
50-64	674	6.0	45	2	3	4	7	11	15	34
65 +	667	7.0	62	2	3	5	8	14	21	44
2. MULTIPLE DX										
0-19 YRS	2607	5.4	55	1	2	3	6	11	19	46
20-34	3079	7.6	99	1	2	5	8	17	26	61
35-49	3668	8.2	82	2	3	6	9	17	26	52
50-64	6347	9.3	99	2	4	7	11	19	29	70
65 +	21203	12.6	164	3	5	9	15	28	42	99 +
TOTAL SINGLE DX	4914	5.2	46	1	2	3	6	10	15	37
TOTAL MULTIPLE DX	36904	10.7	138	2	4	7	13	23	35	90
TOTAL										
0-19 YRS	4102	4.8	52	1	1	3	5	10	16	46
20-34	4222	6.8	83	1	2	4	7	15	23	54
35-49	4603	7.7	75	2	3	5	9	16	24	49
50-64	7021	9.0	95	2	4	6	11	18	27	68
65 +	21870	12.5	163	3	5	9	15	27	42	99 +
GRAND TOTAL	**41818**	**10.0**	**130**	**2**	**4**	**7**	**12**	**22**	**34**	**84**

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3134	3.7	22	1	2	3	4	7	9	26
20-34	5197	3.3	8	1	1	3	4	6	8	14
35-49	3012	3.5	9	1	2	3	5	7	9	15
50-64	1818	4.3	12	1	2	3	6	9	11	16
65 +	1272	5.4	22	2	3	4	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	5401	5.6	51	1	2	4	6	11	17	41
20-34	8186	5.1	30	1	2	4	6	10	14	29
35-49	8629	6.1	39	2	3	4	8	12	16	32
50-64	13636	7.2	39	2	4	[illegible]	9	13	17	32
65 +	34528	9.6	78	3	5	7	11	18	25	56
TOTAL SINGLE DX	14433	3.7	14	1	2	3	5	7	9	17
TOTAL MULTIPLE DX	70380	7.9	61	2	3	6	10	15	21	44
TOTAL										
0-19 YRS	8535	4.9	42	1	2	3	5	10	14	36
20-34	13383	4.4	22	1	2	3	5	9	12	25
35-49	11641	5.5	33	1	2	4	7	11	15	30
50-64	15454	6.8	37	2	3	5	9	13	17	31
65 +	35800	9.4	77	3	5	7	11	18	24	55
GRAND TOTAL	**84813**	**7.2**	**56**	**2**	**3**	**5**	**9**	**14**	**19**	**41**

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	8.6	159	1	3	4	8	21	46	60
20-34	5	3.4	1	2	3	4	4	4	4	4
35-49	5	7.6	89	1	2	4	11	24	24	24
50-64	9	3.7	4	1	2	4	5	7	7	7
65 +	4	9.5	93	2	2	6	16	23	23	23
2. MULTIPLE DX										
0-19 YRS	401	18.3	384	3	5	10	24	52	72	99 +
20-34	122	11.6	162	2	3	7	15	26	39	89
35-49	107	13.5	246	2	4	8	17	31	53	94
50-64	359	16.7	191	5	8	13	20	38	49	99 +
65 +	1033	17.5	200	6	9	13	22	34	50	99 +
TOTAL SINGLE DX	80	7.7	125	1	2	4	7	18	30	58
TOTAL MULTIPLE DX	2022	16.9	238	4	7	13	21	38	55	99 +
TOTAL										
0-19 YRS	458	17.1	366	3	5	9	22	49	69	99 +
20-34	127	11.2	159	2	3	7	15	25	36	88
35-49	112	13.3	240	2	4	7	17	30	52	94
50-64	368	16.4	191	5	8	13	20	38	49	99 +
65 +	1037	17.4	200	6	9	13	22	34	50	99 +
GRAND TOTAL	2102	16.6	237	4	7	12	21	37	54	99 +

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3980	4.0	26	1	2	3	4	7	11	30
20-34	1216	6.2	40	1	3	4	7	13	18	32
35-49	1233	6.6	37	2	3	5	8	13	18	31
50-64	834	6.2	28	2	3	5	8	12	15	27
65 +	725	7.4	55	2	3	6	9	13	18	40
2. MULTIPLE DX										
0-19 YRS	5701	5.6	52	2	2	3	6	12	18	40
20-34	2578	8.9	101	2	4	6	10	19	28	53
35-49	3129	9.1	98	2	4	6	11	18	28	58
50-64	5096	9.3	87	3	4	7	11	18	26	58
65 +	14130	11.9	139	3	5	8	14	24	37	91
TOTAL SINGLE DX	7988	5.3	35	1	2	4	6	11	15	31
TOTAL MULTIPLE DX	30634	9.8	113	2	4	7	11	20	30	71
TOTAL										
0-19 YRS	9681	5.0	42	1	2	3	5	10	18	36
20-34	3794	8.1	84	2	3	5	9	17	25	48
35-49	4362	8.4	83	2	4	6	10	17	25	53
50-64	5930	8.9	80	3	4	6	10	17	25	54
65 +	14855	11.7	136	3	5	8	14	24	38	89
GRAND TOTAL	38622	8.8	100	2	3	6	10	19	27	64

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	883	3.4	14	1	2	3	4	6	7	11
20-34	406	3.8	7	1	2	3	5	7	9	14
35-49	416	4.1	10	1	2	3	5	8	10	13
50-64	319	4.8	10	2	3	4	6	9	11	15
65 +	321	6.1	34	2	3	5	8	11	13	23
2. MULTIPLE DX										
0-19 YRS	1671	5.5	34	2	3	4	6	10	14	34
20-34	1195	6.2	42	1	2	4	8	13	18	31
35-49	1682	7.2	62	2	3	5	9	14	19	42
50-64	3849	7.4	45	2	4	6	9	13	18	38
65 +	12009	9.6	80	3	5	7	11	18	25	62
TOTAL SINGLE DX	2345	4.2	16	1	2	3	5	8	10	15
TOTAL MULTIPLE DX	20406	8.4	68	2	4	6	10	16	22	53
TOTAL										
0-19 YRS	2554	4.7	28	2	2	4	5	9	12	30
20-34	1601	5.6	35	1	2	4	7	11	16	29
35-49	2098	6.6	53	2	3	5	8	13	18	39
50-64	4168	7.2	44	2	3	6	9	13	18	36
65 +	12330	9.5	79	3	4	7	11	18	25	61
GRAND TOTAL	22751	8.0	65	2	4	6	10	15	21	50

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2578	3.8	55	1	1	2	4	6	10	55
20-34	1304	3.2	28	< 1	1	2	3	6	9	30
35-49	1276	3.6	19	1	1	2	4	7	10	25
50-64	1196	4.2	21	1	2	3	5	8	10	22
65 +	996	4.7	21	1	2	4	6	9	11	21
2. MULTIPLE DX										
0-19 YRS	5948	7.0	128	1	2	3	6	16	31	78
20-34	3182	5.5	70	1	2	3	6	12	21	51
35-49	5180	5.4	43	1	2	3	6	11	17	35
50-64	10649	6.4	49	2	3	4	8	12	17	42
65 +	27520	8.5	81	2	4	6	10	16	24	59
TOTAL SINGLE DX	7350	3.9	34	1	1	2	4	7	10	30
TOTAL MULTIPLE DX	52479	7.4	78	2	3	5	9	15	22	57
TOTAL										
0-19 YRS	8526	6.0	108	1	2	3	5	13	26	75
20-34	4486	4.8	60	1	1	3	5	10	18	44
35-49	6456	5.1	39	1	2	3	6	10	15	33
50-64	11845	6.1	47	2	3	4	7	12	16	41
65 +	28516	8.4	80	2	4	6	10	16	24	57
GRAND TOTAL	59829	7.0	74	1	3	5	8	14	21	55

Appendix

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

Diagnosis Groups (continued)

358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental ICD-9-CM Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index
Part III: Crosswalk

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1988, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1988 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs. *(Revised Group Numbers as of January 1, 1989)*

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary
354	renal

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell

Group No.	Title
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebralvascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration

DIAGNOSIS INDEX (continued)

Group No.	Title
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD

Group No.	Title
	Dependence (continued)
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial

Group No.	Title
	Disease (continued)
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
145	renal
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts

Group No.	Title
	Disease (continued)
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Drug **(continued)**
  - 112 dependence, except opioid
    - 111 opioid
  - 99 induced psychosis
  - 402 poisoning or overdose
  - 99 withdrawal syndrome or symptoms
- 113 Drunkenness
- 206 Duodenal disease, except ulcer and inflammation
  - ulcer-*see Ulcer, duodenal*
- 205 Duodenitis
- 2 Dysentery
- Dysfunction
  - 79 ovarian
  - 332 somatic (osteopathic)
- 267 Dysmenorrhea
- 267 Dyspareunia
- 353 Dyspnea
- 108 Dysthymia
- 124 Dystrophy, muscular
- 354 Dysuria

- 346 Eclampsia
  - 275 of pregnancy
    - 301 with delivery
- 268 Ectopic pregnancy
- Effect, adverse
  - 404 drugs, not otherwise specified
    - 402 overdose or wrong substance given or taken
  - 404 external conditions
  - 403 nonmedical substance
  - 404 radiation
  - 404 temperature
- 282 Elderly primigravida
  - 301 with delivery
- Elective
  - 269 abortion
  - 410 sterilization

Group No. **Title**

- 86 Electrolyte imbalance or disorder
- Embolism
  - 175 arterial, except cerebral, precerebral, and lower limb
  - cerebral
    - 165 without paralysis
    - 166 with paralysis
  - 171 lower limb
  - precerebral
    - 163 without paralysis
    - 164 with paralysis
  - 151 pulmonary, except postoperative
    - 408 postoperative
  - 180 vein
- 191 Emphysema
- 120 Encephalitis, except viral
  - 13 viral
    - 20 late effect
- 152 Endocarditis, acute and subacute bacterial
- 80 Endocrine disease, except ovary, thyroid, and diabetes mellitus
- 259 Endometriosis
- 261 Endometritis, except puerperal
  - 302 puerperal
- 73 Enlarged thyroid
- 218 Enteritis, except bacterial, regional, and viral
  - 2 bacterial
  - 218 noninfectious
  - 222 regional
  - 1 viral
- 252 Epididymitis
- 123 Epilepsy
- 349 Epistaxis
- 7 Erysipelas
- 71 Erythroplasia
- 180 Esophageal varices
- 199 Esophagitis
- 199 Esophagospasm
- 143 Essential benign hypertension

DIAGNOSIS INDEX (continued)

Group No.	Title
	Examination
417	follow-up
417	medical
	Failure
156	heart
408	postoperative
238	renal, except chronic
237	chronic
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper
	Fracture (continued)
	arm, except upper (continued)
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
	skull (continued)
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device
	Heart
147	attack
156	failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn

DIAGNOSIS INDEX (continued)

Group No. Title

- 344 Hemolytic disease of newborn
- 90 Hemophilia
- 353 Hemoptysis
- Hemorrhage
  - 279 antepartum, except early
    - 274 early
  - 180 blood vessel, spontaneous
  - 263 dysfunctional uterine
  - 233 gastrointestinal
  - 161 intracerebral, except subarachnoid
    - 162 with paralysis
    - 161 without paralysis
  - 272 postabortal
  - 406 postoperative wound
  - 288 postpartum, except delayed or secondary
    - 303 delayed or secondary
  - 274 pregnancy, early
  - 303 puerperal, after 24 hours
  - subarachnoid
    - 159 without paralysis
    - 160 with paralysis
- 179 Hemorrhoids
- 227 Hepatitis, except chronic and viral
  - 226 chronic
  - 10 infectious
  - 10 serum
  - 10 viral
- Hernia
  - 215 abdominal, except inguinal
    - 216 with complication
  - 214 diaphragmatic
    - 216 with complication
  - 215 femoral
    - 216 with complication
  - 214 hiatal
    - 216 with complication
  - 213 incisional

Group No. Title

- Hernia (continued)
  - incisional (continued)
    - 216 with complication
  - 210 inguinal
    - 211 with complication
  - 213 postoperative
    - 216 with complication
  - 212 umbilical
    - 216 with complication
  - 213 ventral
    - 216 with complication
- 111 Heroin dependence or addiction
- 9 Herpes simplex
  - 20 late effect
- 9 Herpes zoster
  - 20 late effect
- 84 Histiocytosis
- 13 HIV infection
- 48 Hodgkin's disease
- 13 Human immunodeficiency virus (disease) (illness)
- 251 Hydrocele
- 333 Hydrocephaly
- 84 Hyperbilirubinemia, except neonatal
  - 344 neonatal
- 84 Hypercalcemia
- 276 Hyperemesis gravidarum
- 80 Hyperinsulinism
- 84 Hyperlipoproteinemia
- 80 Hyperparathyroidism
- 249 Hyperplasia of prostate
- 86 Hyperpotassemia
- 143 Hypertension, except renal and of pregnancy
  - 275 of pregnancy
  - 301 with delivery
  - 145 renal
  - 146 renovascular
- 134 Hypertensive retinopathy

DIAGNOSIS INDEX (continued)

Group No.	Title
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis
	Infertility (continued)
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion
386	internal, except chest
385	chest
376	knee ligament or meniscus
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
	Laceration (continued)
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria

DIAGNOSIS INDEX (continued)

Group No.	Title
32	Malignant melanoma, skin
105	Manic-depressive psychosis
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis

Group No.	Title
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
38	fallopian tube
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, except colon and rectum
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland

Group No.	Title
	Neoplasm, malignant **(continued)**
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive

DIAGNOSIS INDEX (continued)

Group No.	Title
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia

Group No.	Title
	Organic brain syndrome **(continued)**
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
136	chronic and unspecified
137	acute
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Pregnancy (continued)
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism

Group No.	Title
	Pulmonary (continued)
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congenital
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic
237	chronic
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst

Group No.	Title
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee

DIAGNOSIS INDEX (continued)

Group No.	Title
	Sprain, except knee, back, and sacroiliac region **(continued)**
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)

Group No.	Title
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 275 Toxemia of the puerperium
  - 301 with delivery
- 182 Tracheobronchitis, acute
- 409 Transfusion reaction
- 167 Transient ischemic attack (TIA)
- 131 Traumatic cataract
- Treatment
  - 416 chemotherapy
  - 415 dialysis
  - 417 physical therapy
  - 417 radiotherapy
- 17 Trichinosis
- 19 Trichomoniasis
- Tricuspid valve disease-*see Valvular disease*
- 127 Trigeminal neuralgia
- 245 Trigonitis
- 268 Tubal pregnancy
- Tuberculosis
  - 4 bone
  - 20 late effect
  - 3 lung
  - 4 nonrespiratory
  - 3 respiratory
- 14 Typhus

- Ulcer
  - 202 duodenal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 200 gastric
    - 201 with hemorrhage or perforation
    - 204 with obstruction
  - 202 gastrojejunal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 202 peptic, except gastric
    - 203 with hemorrhage or perforation

Group No. **Title**

- Ulcer **(continued)**
  - peptic, except gastric (continued)
    - 204 with obstruction
  - 309 skin
  - 178 varicose, lower extremity
- 222 Ulcerative colitis
- 78 Uncontrolled diabetes mellitus
- 339 Undescended testis
- 357 Undiagnosed disease
- 322 Unstable low back
- 181 Upper respiratory infection, acute, except streptococcal
  - 5 streptococcal
- 238 Uremia, except chronic
  - 237 chronic
- Ureteral
  - 243 disease, except calculus
    - 242 calculus
- Urethral
  - 248 disease, except calculus and stricture
    - 244 calculus
  - 246 stenosis, except congenital
    - 340 congenital
  - 246 stricture, except congenital
    - 340 congenital
- 248 Urethritis
  - 280 in pregnancy
- 181 URI (upper resiratory infection)
- 247 Urinary tract infection
  - 280 in pregnancy
- Uterine
  - 60 fibroid
  - 262 prolapse
- 134 Uveitis

- 261 Vaginitis, except atrophic and senile
  - 265 atrophic or senile
- 330 Valgus deformity, limb

DIAGNOSIS INDEX (continued)

Group No.	Title
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse

Group No.	Title
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	Open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, and temporomandibular
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
737	total replacement, except hip and knee
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain
757	breast

Group No.	Title
	Biopsy (continued)
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura
657	prostate

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
606	rectum
549	salivary gland or duct
658	scrotum
593	stomach
762	skin
598	small intestine
507	spinal meninges
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
597	gastric

Group No.	Title
	Bypass, graft or shunt (continued)
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix

OPERATION INDEX (continued)

Group No.	Title
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
582	blood vessel
568	chest
629	laparotomy site
	Control of hemorrhage **(continued)**
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce

Group No.	Title
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERCP (endoscopic retrograde cholangiopancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy)
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine

Group No.	Title
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral

OPERATION INDEX (continued)

Group No.	Title
	Excision **(continued)**
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges

Group No.	Title
	Excision of lesion **(continued)**
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation

Group No.	Title
	Extracorporeal **(continued)**
582	membrane oxygenation (ECMO)
652	shock wave lithotripsy (ESWL)
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*

OPERATION INDEX (continued)

Group No.	Title
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy

Group No.	Title
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical

OPERATION INDEX (continued)

Group No.	Title
	Herniorrhaphy (continued)
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain

Group No.	Title
	Incision (and drainage) **(continued)**
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess

OPERATION INDEX (continued)

Group No. **Title**

Incision (and drainage) (continued)
- 658 scrotum
- sinus (nasal)-*see Sinusotomy*
- 764 skin, except pilonidal cyst or sinus
  - 761 pilonidal cyst or sinus
- 506 spinal meninges
- 741 tendon
- 568 thorax
- 637 ureter
- 690 vagina
- 691 vulva

698 Induction of labor (medical or surgical) for delivery

Infusion
- concentrated nutritional substances
- 783 enteral
- 781 parenteral (PPN) (TPN)

Injection
- 702 intra-amniotic, for termination of pregnancy
- 781 therapeutic agent (drugs)
  - 760 breast
  - 756 bursa
  - 756 joint
  - 756 tendon

694 Insemination, artificial

Insertion
- 717 bone growth stimulator, except femur
  - 716 femur
- 574 cardiac pacemaker (electrode) (pulse generator)
- 512 catheter, spinal canal
- 596 gastric balloon
- 764 infusion pump
- 694 intrauterine contraceptive device
- 687 laminaria, uterus
- 665 penile prosthesis
- 767 tissue expander, except breast
  - 760 breast

Group No. **Title**

Insertion (continued)
- 651 ureteral stent, except by incision
  - 637 by incision

674 Insufflation, fallopian tubes
582 Interruption, vena cava
702 Intra-amniotic injection for termination of pregnancy
775 Intravenous pyelogram (IVP)
783 Intubation, nonoperative
783 Irrigation, nonoperative
775 IVP (intravenous pyelogram)

522 Keratotomy, radial

Laceration repair (suture)-*see Repair, by site*
506 Laminectomy, except for excision of intervertebral disc
- 729 excision of intervertebral disc

630 Laparoscopy, except for tubal ligation
- 672 tubal ligation

629 Laparotomy, exploratory
559 Laryngectomy, except partial
- 558 partial

576 Laryngoscopy
560 Laryngotomy
717 Lengthening of bone, except femur
- 716 femur

526 Lens extraction, except intracapsular
- 525 intracapsular

781 Leukopheresis

Ligation
- 673 fallopian tubes (bilateral), except endoscopic approach
  - 672 endoscopic approach
- 612 hemorrhoids
- 577 varicose veins
- 662 vas deferens

577 Ligation and stripping, varicose veins

OPERATION INDEX (continued)

Group No.	Title
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
	Mastectomy (continued)
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension

OPERATION INDEX (continued)

Group No.	Title
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
681	Pelvic exenteration
582	Percutaneous transluminal angioplasty, except coronary
571	coronary artery (PTCA)
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis

Group No.	Title
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast

OPERATION INDEX (continued)

Group No.	Title
	Radiography (continued)
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction

Group No.	Title
	Reduction (continued)
	fracture (continued)
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur

Group No.	Title
	Repair (continued)
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	Laceration-*see also Repair, by site*
705	obstetric
561	larynx

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures

Group No.	Title
	Repair (continued)
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump

OPERATION INDEX (continued)

Group No.	Title
	Revision (continued)
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy

Group No.	Title
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
617	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin

OPERATION INDEX (continued)

Group No.	Title
	Suture (continued)
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation

Group No.	Title
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
746	muscle, except of hand
744	hand
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy

OPERATION INDEX (continued)

Group No.	Title
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

PART III: CROSSWALK

From Old to New Hospital Diagnosis and Procedure Groups

In January 1989, Hospital Diagnosis Groups (List A) and Hospital Procedure Groups (List B) were revised. This crosswalk is provided to facilitate tracking back and forth between the old and new group numbers.

A. Hospital Diagnosis Groups (List A)

LIST A	
Old	New
001	002*
002	003
003	004
004	005
005	006
006	007
007	008
008	009
009	010
010	011
011	012
012	013
013	014
014	015
015	016
016	017
017	019*
018	020
019	021
020	022
021	023
022	024
023	025
024	026
025	027
026	028
027	029
028	030
029	031
030	032
031	033
032	034
033	035
034	036
035	037
036	038
037	039
038	040
039	041
040	042
041	043
042	044
043	045
044	046
045	047
046	048
047	050*
048	052*
049	053
050	054
051	055
052	056
053	057
054	058
055	059
056	060
057	061
058	062
059	063
060	064
061	065
062	066
063	067
064	068
065	069
066	070
067	071
068	072
069	073
070	074
071	075
072	076
073	078*
074	079
075	080
076	081
077	082
078	083
079	084
080	085
081	086
082	087
083	088
084	089
085	090
086	091
087	092
088	093
089	094
090	097*
091	096
092	098
093	099
094	100
095	101
096	102
097	103
098	104
099	105
100	106
101	107
102	108
103	109
104	110
105	111
106	112
107	113
108	114
109	115
110	117*
111	118*
112	119
113	120
114	121
115	122
116	123
117	124
118	125
119	126
120	127
121	128
122	129
123	130
124	131
125	131
126	132
127	133
128	134
129	135
130	136
131	137
132	138
133	139
134	140
135	141
136	142
137	143
138	144
139	146*
140	147
141	148
142	149
143	150
144	151
145	152
146	153
147	154
148	155
149	156
150	158*
151	150
152	159
153	160
154	161
155	162
156	163
157	164
158	165
159	166
160	167
161	168
162	169
163	170
164	172*
165	173
166	174
167	175*
168	176
169	177
170	178
171	179
172	180
173	181
174	182
175	183
176	184
177	185
178	186
179	188*
180	189
181	190
182	191
183	192
184	193
185	194
186	196*
187	197
188	198
189	199
190	200
191	201
192	202
193	203
194	204
195	205
196	206
197	207
198	208
199	209
200	210
201	211
202	212
203	213
204	214

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

Hospital Diagnosis Groups (continued)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	New	Old	New	Old	New	Old	New	Old	New	Old	New
205	215	239	253	273	287	307	323	341	359*	375	394
206	216	240	254	274	288	308	324	342	360*	376	395
207	217	241	255	275	289	309	325	343	361	377	396
208	218	242	256	276	290	310	326	344	362	378	397
209	219	243	257	277	291	311	327	345	363	379	397
210	220	244	258	278	292	312	328	346	364	380	398
211	224*	245	259	279	293	313	329	347	365	381	399
212	225	246	260	280	294	314	330	348	366	382	400
213	226	247	261	281	295	315	331	349	367	383	401
214	227	248	262	282	296	316	331	350	368	384	402
215	228	249	263	283	297	317	332	351	369	385	403
216	229	250	264*	284	298	318	333	352	370	386	404
217	230	251	265	285	299	319	334	353	371	387	405
218	231	252	266	286	300	320	335	354	372	388	406
219	232	253	267	287	301	321	336	355	373	389	407
220	233	254	268	288	302	322	337	356	374	390	408
221	234	255	269	289	303	323	338	357	375	391	409
222	235	256	270	290	304	324	339	358	376	392	410
223	236	257	271	291	305	325	340	359	377	393	411
224	237	258	272	292	306	326	341	360	378	394	412
225	238	259	273	293	307	327	342	361	379	395	413
226	239	260	274	294	308	328	345*	362	380	396	414
227	240	261	275	295	310*	329	346	363	381	397	415
228	241	262	276	296	311	330	347	364	382	398	417*
229	242	263	277	297	312	331	348	365	384*		
230	243	264	278	298	314*	332	349	366	385		
231	244	265	279	299	315	333	350	367	386		
232	245	266	280	300	316	334	351	368	387		
233	246	267	281	301	317	335	352	369	388		
234	248*	268	282	302	318	336	353	370	389		
235	249	269	283	303	319	337	354	371	390		
236	250	270	284	304	320	338	355	372	391		
237	251	271	285	305	321	339	356	373	392		
238	252	272	286	306	322	340	357	374	393		

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

A. Hospital Diagnosis Groups (List A) - APPENDIX

List A Group			Now in
OLD	NEW	Except for Diagnosis Code(s)	LIST A:
001	002	008.6, 008.8	001
017	019	136.3	018
047	050	204.0	049
048	052	205.0	051
073	078	250.70-250.71	077
090	097	290.10-290.13	095
110	117	309.0-309.1	116
111	118	311	116
139	146	403.0-403.9	145
150	158	425.0-425.9	157
164	172	440.2	171
167	175	444.22	171
179	188	481-482.9	187
186	196	518.81-518.82	195
211	224	564.1;	221
		555.0-556;	222
		567.0-567.9	223
234	248	599.0	247
250	264	626.8	263
295	310	707.0-707.9	309
298	314	715.15-715.16, 715.25-715.26, 715.35-715.36, 715.95-715.96	313
328	345	765.00-765.19;	343
		773.0-774.9	344
341	359	800.0-800.9 with 5th digit 4, 5, 803.0-803.9 with 5th digit 4, 5	358
342	360	801.0-801.9 with 5th digit 4, 5	358
365	384	851.0-854.1 with 5th digit 4, 5	383
398	417	V58.1	416

B. Hospital Procedure Groups (List B)

LIST B	
Old	New
501	501
502	502
503	503
504	504
505	505*
506	506
507	507
508	508
509	509
510	510
511	511
512	512
513	513
514	514
515	515
516	516
517	517
518	518
519	519
520	520
521	521
522	522
523	523
524	524
525	525
526	526
527	527
528	528
529	529
530	530
531	530
532	531
533	532
534	533
535	534
536	535
537	536
538	537
539	538
540	539
541	540
542	541
543	542
544	543
545	544
546	545
547	546
548	547
549	548
550	549
551	550
552	551
553	552
554	553
555	554
556	555
557	556
558	557
559	558
560	559
561	560
562	561*
563	562
564	563
565	564
566	565
567	566
568	567
569	568
570	569
571	570
572	572
573	573
574	574
575	575*
576	576
577	577
578	578*
579	582
580	579
581	582*
582	583
583	584
584	588
585	585
586	586
587	588*
588	589
589	590
590	591
591	592
592	593
593	594
594	595
595	596
596	597*
597	598
598	599
599	600
600	601
601	602
602	603
603	604
604	604
605	605
606	606
607	607
608	608
609	609
610	610
611	611
612	612
613	613*
614	614
615	615
616	616
617	619*
618	620*
619	621
620	622
621	623
622	624
623	625
624	626
625	627
626	628
627	629
628	630
629	631
630	632
631	633
632	636*
633	637
634	638
635	640*
636	641
637	642
638	644*
639	645
640	646
641	647
642	648
643	649
644	650
645	651
646	653*
647	654
648	655
649	656
650	657
651	658
652	659
653	660
654	661
655	662
656	663
657	664
658	666*
659	667
660	668
661	669
662	670
663	671
664	672
665	673
666	674
667	675
668	676
669	677
670	678
671	679
672	680
673	681
674	682
675	683
676	684
677	685
678	686
679	687
680	688
681	689
682	690
683	691
684	692
685	693
686	694
687	695
688	696
689	697
690	698
691	699
692	700
693	701
694	702
695	703
696	704
697	705
698	706
699	707
700	708
701	709
702	710
703	712*
704	713

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (Continued)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	New	Old	New	Old	New	Old	New	Old	New	Old	New
705	715*	716	727	727	742	738	753	749	765	760	778*
706	717*	717	729*	728	743	739	754	750	766	761	779
707	718	718	730	729	744	740	755	751	767	762	780
708	719	719	732*	730	745	741	756	752	768	763	781
709	720	720	733	731	746	742	757	753	769	764	783*
710	721	721	734	732	747	743	758	754	770		
711	722	722	735	733	748	744	759	755	771		
712	723	723	736	734	749	745	760	756	772		
713	724	724	738*	735	750	746	761	757	773		
714	726*	725	740*	736	751	747	762	758	775*		
715	726*	726	741	737	752	748	764*	759	776		

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (List B) - APPENDIX

List B Group			
OLD	NEW	Except for Procedure Code(s)	Now in LIST B:
505	505	02.2	504
562	561	31.1	560
575	575	36.00-36.02,36.04-36.09	571
578	578	39.27	580
581	582	39.42-39.43, 39.93-39.94;	580
		38.12	581
587	588	38.93	587
596	597	44.21-44.29	596
613	613	49.49	612
617	619	51.96, 51.98;	617
		51.97	618
618	620	52.91	618
632	636	55.03-55.04;	634
		55.6	635
635	640	56.0	639
638	644	57.0	643
646	653	59.95-59.96	652
658	666	64.95, 64.97	665
703	712	77.05, 77.15, 77.25, 77.35	711
705	715	77.45, 77.65, 77.75, 77.85, 77.95, 79.65	714
706	717	78.05, 78.15, 78.25, 78.35, 78.45, 78.55, 78.75, 78.85, 78.95, 79.95	716
714	726	79.75	725
715	726	79.85	725
717	729	80.52	728
719	732	80.20-80.29	731
724	738	81.41	737
725	740	81.31, 81.48, 81.71, 81.81, 81.84, 81.86	739
748	764	86.22	763
758	775	87.03, 87.41, 87.71, 88.01, 88.33	774
760	778	93.90-93.92	777
764	783	89.61-89.69	782

B4465-1.4U

LOS

LENGTH OF STAY

HKS PUBLICATIONS

Length of Stay by Diagnosis and Operation, Southern Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
October, 1989

LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1988
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1988
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1988
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Length of Stay by Psychiatric Diagnosis* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data
Data Quality
Database Characteristics

Organization of Length of Stay Tables x

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of Statistics xi

Application of Length of Stay Tables xii

Twenty-Five Years of Length of Stay xiii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 287

Indexes

Part I: Diagnosis Index 295
Part II: Operation Index 317
Part III: Crosswalk from Old to New Hospital Diagnosis and Procedure Groups 337

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1988 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are included in the 1988 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available.

1988 LENGTH OF STAY SERIES

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS

Linda E. Vanek, Assistant Manager, Normative Publications
Stacey Koepke, Customer Service Representative

INFORMATION SERVICES

Marion S. Morris, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),

Ruth Blumenauer and Kay Brown, Client Development Specialists, HKS,
Cindy Derr and the entire Word Processing staff,
Mary Kay Murray, Marketing Specialist, HKS,
Nancy Ramirez, Medical Systems Specialist, HKS,
Sally Smith, Senior Programmer Analyst,
Robert Travis, Librarian.

INTRODUCTION

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings. Now in its twenty-fifth year, and still drawn from CPHA's extensive database, *Length of Stay* remains the industry standard for inpatient normative data.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Table 1. Table definitions are as follows:

Region and Census Division

The regional volumes of Length of Stay series are defined by four census regions as described in the map below.



See Table 2 for the states comprising each region and the number of hospitals and patients included in each volume.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976

TABLE 1
1988 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	382	46	12.0
25-49	1,158	208	18.0
50-99	1,244	254	20.4
100-199	1,203	237	19.7
200-299	726	158	21.8
300-399	423	96	22.7
400-499	216	49	22.7
500+	293	59	20.1
Total	**5,645**	**1,107**	**19.6**
Region and Census Division			
Northeast	803	259	32.3
New England	241	97	40.2
Middle Atlantic	562	162	28.8
North Central	1,645	354	21.5
East North Central	870	300	34.5
West North Central	775	54	7.0
South	2,096	197	9.4
South Atlantic	812	112	13.8
East South Central	485	45	9.3
West South Central	799	40	5.0
West	1,101	297	27.0
Mountain	365	136	37.3
Pacific	736	161	21.9
Location			
Urban	2,996	604	20.2
Rural	2,649	503	19.0
Teaching Intensity			
Low	4,641	834	18.0
Medium	619	143	23.1
High	319	64	20.1
Unknown	66	66	100

---

[1] Hospitals with average stay less than 30 days.

[2] 1987 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Table 2
STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number of hospitals and total patients included in the length of stay tables are shown below.

Region	Number of Hospitals	Number of Patients
Northeast	259	1,407,115
North Central	354	1,810,030
South	197	862,390
West	297	1,406,144
U.S.	1,107	5,485,679

The Pediatric book was compiled from the data of 1,077 hospitals. The Geriatric book was compiled from the data of 1,058 hospitals.

ORGANIZATION OF LENGTH OF STAY TABLES

Classification System

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group, patients are stratified by single or multiple diagnosis and age.

NOTE: The composition of List A Diagnosis and List B Procedure groups in the 1988 Length of Stay series has been revised to reflect advances in medical technology and current trends in clinical medicine. The title of each group includes a brief English description and *ICD-9-CM* codes that fall into that group. Where space is limited, a full description can be found in the Appendix. For tracking purposes, a crosswalk from the old Diagnosis and Procedure groups is provided in Part III of the Index at the back of the book.

Patient Data Assignment

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*, updated as of October 1988.

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication. [2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*. Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients, their average length of stay, the variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The *Length of Stay* series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The *LOS* series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the *LOS* series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate *Length of Stay* for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in *Length of Stay*. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

TWENTY-FIVE YEARS OF LENGTH OF STAY

Now in their 25th year, the *Length of Stay* publications are drawn from a unique database of hospital medical experience. The original series in 1963-64 utilized discharge records submitted to CPHA through the Professional Activity Study. The 1988 *LOS* series, published by HKS with data from PAS hospitals and hospital associations, is based on over five million patient records, representing almost 20 percent of the short-term, nonfederal hospitals in the United States.

With LOS data, healthcare professionals can track trends over time and examine current patterns of inpatient hospitalization. For a broad perspective, total days spent in the hospital for various conditions can be compared from the earliest data (1963-64) to the current data (1988). For example, average stay for a diagnosis of diabetes mellitus without complications which was 11.3 days in the 60's, dropped to 5.1 days in 1988.

The following table illustrates hospital stay over a ten year period:

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1988

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8	5.7
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8	4.7
All Patients Except Newborn										
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1	6.0
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0	5.9
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0	5.0

Source: *Length of Stay by Diagnosis*, U.S. and Regions, 1979-1988.

As expected, there is a steady decline over the time period with almost a 15% decrease, from an average stay of 6.7 days in 1979 to 5.7 days in 1988. A slight levelling off can be observed since 1986. Regional variations remain consistent, with hospital stays highest in the Northeast and North Central, and lowest in the South and West.

A specific example of this pattern is evidenced in the table below which displays length of stay for normal delivery (ICD-9-CM 650) from 1980 through 1988. This table illustrates the overall decline in length of stay as well as the regional variations described above:

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.2	2.1
Northeast	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6
North Central	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.4	2.2
South	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
West	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1980 for frequently performed surgeries in the United States:

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
Cervical Cesarean Section	6.3	6.2	6.1	5.8	5.6	5.3	5.0	4.8	4.7
Cholecystectomy	10.9	10.7	10.4	9.9	9.1	8.2	7.7	7.2	6.9
Transurethral Prostatectomy	10.4	10.3	9.9	9.3	8.2	7.1	6.5	6.1	5.8
Unilateral Repair of Inguinal Hernia	4.8	4.7	4.4	4.1	3.7	3.2	2.8	2.6	2.5
Vaginal Hysterectomy	7.4	7.3	7.1	6.7	6.3	5.8	5.2	4.8	4.4

Researchers have looked at a variety of factors to explain the decline in hospital stay. Clearly one incentive to decrease stay resulted from the federal government's implementation of a fixed price prospective payment system (PPS) to reimburse hospitals for inpatient costs by Medicare patients. The effect of PPS is demonstrated in studies showing that between 1980 and 1985 Medicare beneficiaries have the greatest relative decline in stay. LOS data show increasingly shorter stays throughout the 80's with the most significant drop occurring between 1983 and 1984. Length of stay dropped 0.4 days for all U.S. hospitals over that year, and continued downward an additional 0.2 days in 1985.

In the 1980's new medical technologies have shortened the number of days a patient needs to be in the hospital. For example, the use of arthroscopic surgeries on the knee has decreased significantly the length of stay in U.S. short-term hospitals. Length of stay data for both internal derangement of the knee joint and dislocation of the knee show a decline from more than 4 days in 1980 to 2.5 days in 1988. Similarly the advent of chemoneucleolysis for herniated discs has reduced hospital stay dramatically.

Issues of cost containment have led to greater scrutiny over hospital stay, translated into the practice of discharging patients as soon as it is medically acceptable. Evidence of this practice is particularly clear for patients receiving medical/surgical procedures. Routine pre-operative examinations are now performed on an outpatient basis prior to admission. Post-operative stay has been shortened, with an increasing reliance on transfer to an alternative care facility after discharge.

The proliferation of HMO's and PPO's may provide yet another explanation for reduced inpatient days. With medical services now being prepaid, the incentive is to closely monitor all service delivery and to reduce costly hospital stays whenever possible.

Length of stay data are only one indicator of inpatient costs. This annual publication of norms from the CPHA database serves a significant function in offering a consistently reliable measure for review and analysis.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86584	2.9	12	1	2	2	3	4	6	15
20-34	33308	3.1	14	1	2	2	3	5	8	20
35-49	13526	4.2	26	1	2	3	5	8	13	27
50-64	8178	4.5	27	1	2	3	5	9	13	28
65 +	6691	5.7	39	1	2	4	7	11	15	34
B. Operated										
0-19 YRS	28834	3.0	12	< 1	1	2	4	6	8	17
20-34	37024	3.0	5	1	2	2	4	5	6	11
35-49	18657	3.6	11	1	1	3	5	7	9	15
50-64	13652	4.1	15	1	1	3	6	9	11	17
65 +	10065	5.3	28	< 1	1	4	7	11	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94360	4.5	36	1	2	3	5	8	12	34
20-34	38271	5.7	54	1	2	3	6	12	22	38
35-49	40498	5.9	44	1	2	4	7	12	18	34
50-64	55227	6.0	35	2	3	4	7	12	16	30
65 +	125735	7.3	44	2	4	6	9	14	19	35
B. Operated										
0-19 YRS	32428	7.1	122	1	2	4	8	17	30	93
20-34	56837	4.8	32	2	2	4	5	8	12	31
35-49	41942	6.3	51	1	3	4	7	12	18	42
50-64	45664	7.8	73	1	3	6	10	16	23	47
65 +	74909	10.2	99	2	4	8	13	21	28	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148287	3.3	16	1	2	2	4	6	8	21
B. Operated	108232	3.5	12	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	354091	6.0	42	2	2	4	7	12	17	35
B. Operated	251780	7.5	78	1	3	5	9	16	23	53
1. SINGLE DX	256519	3.4	15	1	2	2	4	6	9	18
2. MULTIPLE DX	605871	6.6	58	2	3	4	8	14	20	42
A. Not Operated	502378	5.2	36	1	2	3	6	10	15	31
B. Operated	360012	6.3	62	1	2	4	7	13	20	45
TOTAL										
0-19 YRS	242206	4.1	38	1	2	3	4	7	12	36
20-34	165440	4.3	29	1	2	3	4	8	12	30
35-49	114623	5.5	40	1	2	4	6	11	16	34
50-64	122721	6.4	48	1	2	5	8	13	18	36
65 +	217400	8.2	64	2	4	6	10	16	22	45
GRAND TOTAL	**862390**	**5.7**	**47**	**1**	**2**	**4**	**7**	**12**	**17**	**37**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39719	3.4	25	1	1	2	4	6	9	27
20-34	33308	3.1	14	1	2	2	3	5	8	20
35-49	13526	4.2	26	1	2	3	5	8	13	27
50-64	8178	4.5	27	1	2	3	5	9	13	28
65 +	6691	5.7	39	1	2	4	7	11	15	34
B Operated										
0-19 YRS	28803	3.0	12	< 1	1	2	4	6	8	17
20-34	37024	3.0	5	1	2	2	4	5	6	11
35-49	18657	3.6	11	1	1	3	5	7	9	15
50-64	13652	4.1	15	1	1	3	6	9	11	17
65 +	10065	5.3	28	< 1	1	4	7	11	14	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62156	4.7	42	1	2	3	5	9	14	37
20-34	38271	5.7	54	1	2	3	6	12	22	38
35-49	40498	5.9	44	1	2	4	7	12	18	34
50-64	55227	6.0	35	2	3	4	7	12	16	30
65 +	125735	7.3	44	2	4	6	9	14	19	35
B. Operated										
0-19 YRS	30894	6.3	88	1	2	3	7	15	25	73
20-34	56837	4.8	32	2	2	4	5	8	12	31
35-49	41942	6.3	51	1	3	4	7	12	18	42
50-64	45664	7.8	73	1	3	6	10	16	23	47
65 +	74909	10.2	99	2	4	8	13	21	28	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101422	3.7	23	1	2	2	4	7	10	26
B. Operated	108201	3.5	12	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	321887	6.2	44	2	3	4	7	12	18	35
B. Operated	250246	7.4	74	1	3	5	9	16	23	50
1. SINGLE DX	209623	3.6	17	1	1	2	4	7	10	21
2. MULTIPLE DX	572133	6.7	57	2	3	4	8	14	20	42
A. Not Operated	423309	5.6	40	1	2	4	7	11	16	33
B. Operated	358447	6.2	59	1	2	4	7	13	19	43
TOTAL										
0-19 YRS	161572	4.4	43	1	2	3	5	9	14	38
20-34	165440	4.3	29	1	2	3	4	8	12	30
35-49	114623	5.5	40	1	2	4	6	11	16	34
50-64	122721	6.4	48	1	2	5	8	13	18	36
65 +	217400	8.2	64	2	4	6	10	16	22	45
GRAND TOTAL	**781756**	**5.9**	**49**	**1**	**2**	**4**	**7**	**12**	**18**	**37**

197 Hospitals, Southern Region, January-December 1988

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	629	2.6	2	1	2	2	3	4	5	7
20-34	131	2.2	2	1	1	2	3	4	5	7
35-49	66	2.2	1	1	1	2	3	4	4	6
50-64	26	2.6	2	1	2	2	3	5	5	5
65 +	12	2.2	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	8	3.9	5	2	2	3	4	8	9	9
20-34	3	2.7		2	2	3	3	3	3	3
35-49	3	6.0	9	3	4	6	8	9	9	9
50-64										
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1722	3.0	4	1	2	3	4	5	6	11
20-34	332	2.8	3	1	2	2	3	5	6	8
35-49	249	3.2	6	1	2	3	4	6	8	10
50-64	203	3.6	5	1	2	3	4	6	8	12
65 +	363	4.4	8	2	3	4	6	8	9	16
B. Operated										
0-19 YRS	35	9.5	95	2	3	6	11	25	33	44
20-34	24	4.9	16	2	3	4	5	9	13	21
35-49	11	5.3	2	3	4	5	6	7	7	7
50-64	18	7.8	32	3	4	6	9	17	21	22
65 +	21	6.6	30	3	4	6	7	9	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	864	2.5	2	1	2	2	3	4	5	7
B. Operated	16	3.9	5	2	2	3	4	8	9	9
2. MULTIPLE DX										
A. Not Operated	2869	3.2	5	1	2	3	4	5	7	12
B. Operated	109	7.2	48	2	4	5	9	14	22	39
1. SINGLE DX	880	2.5	2	1	2	2	3	4	5	7
2. MULTIPLE DX	2978	3.3	7	1	2	3	4	6	7	13
A. Not Operated	3733	3.0	4	1	2	3	4	5	6	11
B. Operated	125	6.8	43	2	3	5	8	12	21	37
TOTAL										
0-19 YRS	2394	3.0	5	1	2	3	4	5	6	12
20-34	490	2.7	3	1	2	2	3	5	6	9
35-49	329	3.1	5	1	2	3	4	6	7	10
50-64	247	3.8	8	1	2	3	5	7	9	14
65 +	398	4.4	9	2	3	4	6	8	9	17
GRAND TOTAL	**3858**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	263	3.7	4	2	2	3	5	6	7	12
20-34	89	3.2	3	1	2	3	4	6	6	7
35-49	43	3.9	6	1	2	3	5	8	9	10
50-64	31	3.6	5	1	2	3	5	7	8	9
65 +	7	3.3	3	< 1	2	4	5	5	5	5
B. Operated										
0-19 YRS	9	6.6	38	2	2	4	9	17	17	17
20-34	6	4.3	1	3	3	4	5	6	6	6
35-49	6	6.2	10	2	4	6	8	11	11	11
50-64	8	5.0	2	3	4	5	6	7	8	8
65 +	3	6.3	4	4	5	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	666	4.0	10	2	2	3	5	7	9	17
20-34	143	3.6	6	1	2	3	5	6	7	15
35-49	85	4.6	12	2	2	4	6	8	12	19
50-64	106	5.4	16	2	3	4	7	10	13	25
65 +	181	6.5	17	2	3	5	9	12	13	22
B. Operated										
0-19 YRS	33	12.5	228	3	4	6	15	52	54	99 +
20-34	40	5.7	20	2	3	5	7	10	12	27
35-49	35	6.9	68	2	4	5	7	11	17	50
50-64	33	8.3	58	2	4	6	10	18	30	33
65 +	54	10.0	49	4	6	8	12	18	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	3.6	4	1	2	3	5	6	7	10
B. Operated	32	5.7	13	2	3	5	7	9	16	17
2. MULTIPLE DX										
A. Not Operated	1181	4.5	12	2	2	4	5	8	11	19
B. Operated	195	8.7	82	3	4	6	9	17	27	54
1. SINGLE DX	465	3.7	5	1	2	3	5	6	8	12
2. MULTIPLE DX	1376	5.1	24	2	3	4	6	9	13	27
A. Not Operated	1614	4.3	10	2	2	3	5	8	10	16
B. Operated	227	8.3	73	3	4	6	9	16	26	53
TOTAL										
0-19 YRS	971	4.2	18	2	2	3	5	7	9	21
20-34	278	3.8	8	1	2	3	5	7	8	14
35-49	169	5.0	22	2	2	4	6	8	11	21
50-64	178	5.6	23	2	3	4	7	10	13	31
65 +	245	7.1	26	3	4	6	9	13	16	27
GRAND TOTAL	**1841**	**4.8**	**20**	**2**	**2**	**4**	**5**	**8**	**11**	**24**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	5.3	18	1	2	3	9	12	13	13
20-34	8	7.9	28	3	4	6	10	16	19	19
35-49	7	10.9	61	2	4	10	18	22	22	22
50-64	4	7.0	42	1	2	5	11	16	16	16
65 +	4	8.0	25	3	4	7	12	14	14	14
B. Operated										
0-19 YRS	6	3.8	2	2	3	4	5	6	6	6
20-34	0									
35-49	4	12.0	37	5	7	12	17	18	18	18
50-64	3	8.7	20	4	5	9	12	13	13	13
65 +	5	6.0	4	4	5	6	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	5.7	42	1	2	3	8	15	22	22
20-34	20	13.2	43	7	8	11	17	22	26	29
35-49	31	13.3	303	2	5	8	17	25	34	96
50-64	21	11.1	28	4	8	10	14	19	21	22
65 +	53	13.6	134	4	6	10	17	30	40	56
B. Operated										
0-19 YRS	6	14.3	81	3	8	13	22	26	26	26
20-34	7	22.4	382	7	10	16	31	56	61	61
35-49	22	14.9	96	4	6	14	20	30	33	36
50-64	21	18.5	305	4	7	13	25	59	81	99 +
65 +	39	14.7	137	5	7	12	19	28	30	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	7.7	33	2	3	6	11	17	20	22
B. Operated	18	7.1	21	3	4	5	9	15	17	18
2. MULTIPLE DX										
A. Not Operated	135	12.5	137	3	6	9	16	22	33	62
B. Operated	95	16.1	176	4	7	13	21	31	50	86
1. SINGLE DX	50	7.5	28	2	3	6	10	16	19	22
2. MULTIPLE DX	230	14.0	156	4	6	10	18	28	36	74
A. Not Operated	167	11.6	121	3	5	9	15	21	29	54
B. Operated	113	14.7	162	4	6	11	19	29	38	80
TOTAL										
0-19 YRS	31	6.9	45	1	2	4	9	19	22	26
20-34	35	13.8	121	5	7	10	17	23	34	61
35-49	64	13.5	185	3	5	9	18	27	32	88
50-64	49	13.8	161	4	7	11	17	28	55	99 +
65 +	101	13.5	127	4	6	10	17	28	37	62
GRAND TOTAL	**280**	**12.8**	**139**	**3**	**6**	**9**	**17**	**26**	**35**	**69**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.3	8	3	4	8	8	8	8	8
20-34	0									
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	5.5	13	3	4	8	77	99 +	99 +	99 +
35-49	5	4.6	12	1	2	3	7	10	10	10
50-64	5	10.2	46	5	6	8	12	22	22	22
65 +	5	14.4	16	10	11	15	17	20	20	20
B. Operated										
0-19 YRS	5	16.8	672	3	3	7	22	63	63	63
20-34	5	29.8	1202	1	12	19	40	90	90	90
35-49	10	18.5	190	5	9	16	22	39	52	52
50-64	3	14.7	134	4	6	13	23	27	27	27
65 +	11	27.1	321	7	14	26	46	69	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.4	4	3	5	7	8	8	8	8
B. Operated	5	3.4	5	2	2	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	18	8.9	36	3	4	8	14	21	65	99 +
B. Operated	34	22.4	415	3	8	17	32	56	83	99 +
1. SINGLE DX	10	4.9	7	2	2	5	7	8	8	8
2. MULTIPLE DX	52	17.7	322	3	7	13	22	54	85	99 +
A. Not Operated	23	8.3	30	3	4	8	11	20	45	99 +
B. Operated	39	19.9	402	2	6	15	27	55	76	99 +
TOTAL										
0-19 YRS	12	9.5	290	2	3	4	8	25	57	63
20-34	8	20.3	863	1	3	16	40	96	99 +	99 +
35-49	15	13.9	172	2	4	10	19	27	46	52
50-64	9	11.2	65	4	6	8	15	25	27	27
65 +	18	21.3	252	7	10	16	37	55	80	99 +
GRAND TOTAL	**62**	**15.6**	**293**	**3**	**5**	**10**	**20**	**52**	**71**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.3	1	1	1	2	3	4	5	6
20-34	34	2.5	1	1	2	2	3	4	5	5
35-49	14	3.4	2	2	3	3	4	5	7	7
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	9	1.0		1	1	1	1	1	1	1
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	311	2.9	3	1	2	3	4	5	6	10
20-34	98	2.9	1	2	2	3	3	4	5	8
35-49	32	3.1	2	1	2	3	4	5	6	6
50-64	31	3.6	3	2	3	3	4	5	7	10
65 +	14	4.4	8	2	2	3	6	9	10	10
B. Operated										
0-19 YRS	17	4.8	31	1	1	2	8	11	18	21
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	8.0	8	6	6	8	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	2.5	1	1	2	2	3	4	5	6
B. Operated	12	1.2		< 1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	486	3.0	3	1	2	3	4	5	6	10
B. Operated	23	5.0	26	1	1	3	8	11	15	21
1. SINGLE DX	145	2.4	1	1	1	2	3	4	5	6
2. MULTIPLE DX	509	3.1	4	1	2	3	4	5	7	11
A. Not Operated	619	2.9	3	1	2	3	4	5	6	10
B. Operated	35	3.7	20	1	1	1	5	10	11	21
TOTAL										
0-19 YRS	418	2.8	4	1	2	2	3	5	6	11
20-34	138	2.8	2	1	2	3	3	4	5	8
35-49	47	3.2	2	2	2	3	4	5	6	7
50-64	34	3.7	3	2	3	4	4	5	7	10
65 +	17	4.8	8	2	3	4	6	10	10	10
GRAND TOTAL	**654**	**2.9**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	397	4.5	14	2	3	3	5	9	10	15
20-34	6	6.2	11	3	3	5	9	11	11	11
35-49	9	6.6	13	3	4	6	8	12	15	15
50-64	10	4.4	4	1	3	5	6	7	7	7
65 +	18	9.7	71	3	5	6	10	24	30	33
B. Operated										
0-19 YRS	9	6.6	25	2	2	5	11	14	14	14
20-34	1	25.0		25	25	25	25	25	25	25
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	2	25.5	13	23	23	25	28	28	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	859	5.4	18	2	3	4	7	11	14	19
20-34	100	8.0	31	3	4	7	10	14	19	65
35-49	175	8.8	33	4	5	7	11	15	20	34
50-64	298	9.8	46	4	6	8	12	18	21	31
65 +	1604	10.5	52	4	6	9	13	18	23	38
B. Operated										
0-19 YRS	83	13.9	115	3	8	11	18	29	42	86
20-34	44	19.6	370	4	7	13	25	48	63	94
35-49	78	16.3	137	6	8	12	23	36	43	51
50-64	151	15.2	140	5	8	12	19	28	42	99 +
65 +	426	19.9	220	7	11	15	25	42	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	440	4.8	17	2	3	3	6	9	11	20
B. Operated	13	11.1	84	2	3	9	16	26	28	28
2. MULTIPLE DX										
A. Not Operated	3036	8.8	45	3	4	7	11	16	20	34
B. Operated	782	18.0	198	6	9	14	23	40	51	99 +
1. SINGLE DX	453	4.9	20	2	3	3	6	10	11	26
2. MULTIPLE DX	3818	10.7	90	3	5	8	13	20	29	58
A. Not Operated	3476	8.3	43	3	4	7	11	15	19	33
B. Operated	795	17.9	197	6	9	14	23	40	51	99 +
TOTAL										
0-19 YRS	1348	5.7	27	2	3	4	7	11	14	28
20-34	151	11.4	157	3	5	8	13	25	33	93
35-49	263	11.0	75	4	6	9	13	22	30	44
50-64	459	11.5	83	4	6	9	14	21	27	61
65 +	2050	12.5	101	5	7	10	15	23	32	65
GRAND TOTAL	**4271**	**10.1**	**85**	**3**	**4**	**8**	**12**	**19**	**27**	**56**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	158	5.8	14	2	3	5	8	10	13	20
20-34	12	4.8	11	2	2	3	6	9	12	13
35-49	7	5.9	14	3	4	5	6	12	14	14
50-64	5	2.8		2	2	3	3	3	3	3
65 +	3	3.7	2	2	2	4	5	5	5	5
B. Operated										
0-19 YRS	11	6.5	27	< 1	1	7	9	15	16	16
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	5	5.4	14	3	3	4	7	12	12	12
50-64	0									
65 +	1	44.0		44	44	44	44	44	44	44
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	166	7.4	46	2	3	6	10	13	16	32
20-34	25	6.0	17	3	3	5	6	12	14	20
35-49	26	4.9	4	3	4	4	6	8	8	9
50-64	48	8.4	45	2	4	6	10	19	25	27
65 +	61	10.1	173	3	5	7	10	17	29	87
B. Operated										
0-19 YRS	26	16.7	270	4	8	13	23	71	99 +	99 +
20-34	15	22.9	306	11	12	18	24	41	69	78
35-49	12	20.5	246	4	7	16	35	43	48	49
50-64	19	23.2	296	6	11	17	33	51	59	62
65 +	29	20.4	312	5	8	14	30	52	59	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	5.6	14	2	3	5	7	10	13	19
B. Operated	19	8.1	95	1	3	6	9	15	31	44
2. MULTIPLE DX										
A. Not Operated	326	7.7	65	2	4	6	9	14	18	41
B. Operated	101	20.3	284	5	9	15	29	50	63	99 +
1. SINGLE DX	204	5.8	21	2	3	5	7	10	13	21
2. MULTIPLE DX	427	10.7	145	3	4	7	12	22	37	78
A. Not Operated	511	7.0	48	2	3	5	9	13	16	30
B. Operated	120	18.4	273	4	7	13	24	44	60	99 +
TOTAL										
0-19 YRS	361	7.3	54	2	3	6	9	14	17	68
20-34	54	10.4	152	3	3	6	12	23	29	76
35-49	50	8.8	104	3	4	5	8	18	37	49
50-64	72	11.9	153	3	4	7	16	28	38	60
65 +	94	13.4	241	4	5	8	14	34	47	81
GRAND TOTAL	**631**	**9.1**	**110**	**2**	**4**	**6**	**10**	**18**	**29**	**67**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	487	3.5	3	2	2	3	4	5	6	11
20-34	84	4.0	7	2	3	4	5	6	7	17
35-49	28	4.6	8	2	3	4	6	7	10	14
50-64	6	4.0	4	1	3	4	5	7	7	7
65 +	0									
B. Operated										
0-19 YRS	5	4.4	10	2	3	3	5	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	310	4.3	6	2	3	4	5	7	10	15
20-34	91	4.7	10	2	3	4	6	8	9	20
35-49	36	5.8	10	3	4	5	7	9	14	16
50-64	22	6.6	32	2	4	5	8	13	20	28
65 +	14	11.6	81	5	7	9	13	19	34	39
B. Operated										
0-19 YRS	11	6.1	34	1	2	5	7	14	21	22
20-34	5	7.4	9	4	5	7	10	11	11	11
35-49	4	8.0	17	5	5	6	10	14	14	14
50-64	1	21.0		21	21	21	21	21	21	21
65 +	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	605	3.6	4	2	2	3	4	6	7	11
B. Operated	7	5.1	11	2	3	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	473	4.8	12	2	3	4	6	8	11	19
B. Operated	22	8.0	37	2	4	6	10	20	21	22
1. SINGLE DX	612	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX	495	5.0	14	2	3	4	6	9	12	21
A. Not Operated	1078	4.1	8	2	3	3	5	7	9	16
B. Operated	29	7.3	32	2	3	6	10	18	21	22
TOTAL										
0-19 YRS	813	3.8	5	2	3	3	4	6	8	13
20-34	181	4.5	9	2	3	4	5	7	9	20
35-49	69	5.5	10	2	3	5	7	9	14	16
50-64	29	6.6	34	2	4	5	7	13	21	28
65 +	15	12.1	80	5	7	9	15	20	34	39
GRAND TOTAL	**1107**	**4.2**	**9**	**2**	**3**	**3**	**5**	**7**	**9**	**16**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	3.8	10	1	2	3	5	7	11	16
20-34	21	4.0	5	1	3	4	5	7	9	10
35-49	6	3.8	3	2	3	3	6	6	6	6
50-64	15	4.9	10	2	2	4	7	8	11	12
65 +	23	5.6	15	1	4	5	7	9	13	19
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	345	4.4	9	2	2	4	5	8	11	15
20-34	55	5.7	17	2	3	4	7	11	14	23
35-49	44	5.8	10	2	3	5	7	9	12	17
50-64	76	5.6	9	2	3	5	7	10	11	14
65 +	240	7.4	25	3	4	6	9	13	16	29
B. Operated										
0-19 YRS	21	10.6	65	3	5	8	14	26	28	29
20-34	5	6.6	22	2	3	7	9	14	14	14
35-49	8	11.5	82	5	6	8	14	27	31	31
50-64	6	8.0	97	1	1	2	18	22	23	23
65 +	22	10.8	56	3	5	9	16	19	25	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	4.2	10	1	2	3	5	8	11	17
B. Operated	3	5.3	16	3	3	3	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	760	5.7	16	2	3	5	7	11	13	21
B. Operated	62	10.2	61	3	4	8	14	21	28	33
1. SINGLE DX	175	4.2	10	1	2	3	5	8	11	17
2. MULTIPLE DX	822	6.0	21	2	3	5	7	11	15	26
A. Not Operated	932	5.4	16	2	3	4	7	10	13	20
B. Operated	65	10.0	60	3	4	8	14	20	28	33
TOTAL										
0-19 YRS	474	4.6	13	1	2	4	5	9	12	19
20-34	81	5.3	14	2	3	4	7	10	13	21
35-49	59	6.3	22	2	3	5	7	10	15	30
50-64	97	5.6	14	2	3	5	7	10	12	21
65 +	286	7.5	28	3	4	6	9	14	18	30
GRAND TOTAL	**997**	**5.7**	**20**	**2**	**3**	**4**	**7**	**11**	**14**	**24**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	5.3	41	2	3	4	5	8	13	37
20-34	70	6.2	23	2	3	5	7	11	16	27
35-49	21	4.7	4	2	3	5	6	7	8	9
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	4	6.3	2	5	5	6	7	8	8	8
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	3	3.3	4	1	2	4	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.1	5	2	2	3	6	8	8	8
20-34	76	5.8	16	2	3	5	8	11	11	23
35-49	44	6.3	16	1	4	6	8	9	15	22
50-64	18	8.8	57	3	4	6	12	20	28	31
65 +	36	9.8	98	2	3	6	14	26	33	38
B. Operated										
0-19 YRS	8	9.5	58	2	3	8	16	21	21	21
20-34	8	12.1	100	2	5	9	17	28	32	32
35-49	10	7.1	53	1	3	5	9	18	26	26
50-64	10	8.0	18	2	5	8	12	13	14	14
65 +	7	9.3	47	1	3	10	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	5.7	23	2	3	5	6	10	13	31
B. Operated	8	4.1	13	1	1	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	189	6.8	37	2	3	5	8	13	20	33
B. Operated	43	9.0	51	2	3	8	12	19	23	32
1. SINGLE DX	135	5.6	22	2	3	5	6	10	13	30
2. MULTIPLE DX	232	7.2	40	2	3	5	9	14	21	32
A. Not Operated	316	6.4	31	2	3	5	7	11	16	32
B. Operated	51	8.3	48	1	3	8	11	18	21	32
TOTAL										
0-19 YRS	55	5.5	35	2	2	4	6	8	18	36
20-34	155	6.3	24	2	3	5	8	11	16	29
35-49	77	5.9	18	2	3	5	8	9	13	25
50-64	33	7.8	39	2	4	6	10	14	22	31
65 +	47	9.4	81	2	3	6	13	22	31	38
GRAND TOTAL	**367**	**6.6**	**34**	**2**	**3**	**5**	**8**	**13**	**18**	**32**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	107	3.5	4	2	2	3	4	6	6	12
20-34	19	3.7	4	2	2	3	4	7	8	9
35-49	7	5.1	11	2	3	4	6	11	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	258	3.5	4	2	2	3	4	6	8	11
20-34	57	3.5	3	2	2	3	4	6	7	9
35-49	5	5.6	8	2	3	7	8	8	8	8
50-64	5	3.8	5	1	2	4	6	6	6	6
65 +	3	5.0	1	4	4	5	6	6	6	6
B. Operated										
0-19 YRS	17	5.1	36	1	2	3	5	10	20	26
20-34	5	5.8	8	2	4	6	7	10	10	10
35-49	1	24.0		24	24	24	24	24	24	24
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	3.6	4	2	2	3	4	6	7	12
B. Operated	4	3.3	8	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	328	3.6	4	2	2	3	4	6	8	10
B. Operated	23	6.0	43	1	2	4	6	13	25	26
1. SINGLE DX	137	3.6	4	2	2	3	4	6	7	12
2. MULTIPLE DX	351	3.7	7	2	2	3	4	6	8	11
A. Not Operated	461	3.6	4	2	2	3	4	6	7	11
B. Operated	27	5.6	39	1	2	4	6	10	24	26
TOTAL										
0-19 YRS	386	3.6	5	2	2	3	4	6	7	11
20-34	81	3.7	4	2	2	3	5	7	8	10
35-49	13	6.8	35	2	3	5	8	14	22	24
50-64	5	3.8	5	1	2	4	6	6	6	6
65 +	3	5.0	1	4	4	5	6	6	6	6
GRAND TOTAL	**488**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**11**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	30	1.1		< 1	< 1	< 1	1	2	2	2
20-34	38	1.2		< 1	< 1	< 1	1	2	2	3
35-49	15	1.3		< 1	< 1	< 1	2	2	3	3
50-64	3	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	13	1.2		< 1	< 1	1	1	2	2	2
35-49	10	1.9	1	< 1	1	1	3	4	4	4
50-64	9	1.8	1	< 1	1	1	3	4	4	4
65 +	4	3.0	7	1	1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	87	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	41	1.7	2	< 1	< 1	1	2	3	4	7
1. SINGLE DX	88	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	44	1.7	1	< 1	< 1	1	2	3	4	7
A. Not Operated	4	1.5	1	1	1	1	2	3	3	3
B. Operated	128	1.3	1	< 1	< 1	< 1	1	2	3	5
TOTAL										
0-19 YRS	37	1.2		< 1	< 1	< 1	1	2	2	3
20-34	52	1.2		< 1	< 1	< 1	1	2	2	3
35-49	25	1.6	1	< 1	< 1	1	2	3	4	4
50-64	13	1.5	1	< 1	< 1	1	2	3	4	4
65 +	5	2.6	6	1	1	2	3	7	7	7
GRAND TOTAL	**132**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

197 Hospitals, Southern Region, January-December 1988

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1043	2.8	2	1	2	3	3	4	5	7
20-34	70	3.5	34	1	1	2	3	6	10	40
35-49	58	3.5	8	1	2	3	4	6	8	16
50-64	14	5.6	48	2	3	4	6	9	25	29
65 +	14	3.9	5	1	3	4	5	6	8	9
B. Operated										
0-19 YRS	16	7.2	339	< 1	1	2	5	5	55	76
20-34	6	3.7	7	1	1	3	5	8	8	8
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1520	3.3	10	1	2	3	4	5	7	15
20-34	331	3.9	19	1	2	3	5	7	10	20
35-49	224	4.8	14	1	2	4	6	9	13	19
50-64	162	4.5	11	2	2	3	6	8	10	21
65 +	265	4.9	12	2	3	4	6	9	11	20
B. Operated										
0-19 YRS	63	8.4	102	2	3	5	9	24	49	99 +
20-34	68	15.5	296	3	5	10	19	32	45	93
35-49	60	14.2	131	3	5	12	20	31	41	95
50-64	22	13.5	83	3	6	13	18	26	32	37
65 +	17	16.4	312	3	5	11	20	31	59	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1199	2.9	5	1	2	3	3	4	5	10
B. Operated	24	6.4	228	< 1	1	3	5	8	32	76
2. MULTIPLE DX										
A. Not Operated	2502	3.8	12	1	2	3	4	7	9	17
B. Operated	230	13.1	186	2	4	8	18	29	43	99 +
1. SINGLE DX	1223	3.0	9	1	2	3	3	4	5	10
2. MULTIPLE DX	2732	4.6	33	1	2	3	5	8	13	29
A. Not Operated	3701	3.5	10	1	2	3	4	6	8	15
B. Operated	254	12.4	193	2	4	8	17	29	43	99
TOTAL										
0-19 YRS	2642	3.3	11	1	2	3	4	5	7	15
20-34	475	5.5	77	1	2	3	5	12	18	45
35-49	343	6.2	47	1	2	4	7	15	20	40
50-64	199	5.5	29	2	2	4	6	11	16	29
65 +	296	5.5	36	2	3	4	7	10	15	29
GRAND TOTAL	**3955**	**4.1**	**26**	**1**	**2**	**3**	**4**	**7**	**11**	**27**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	3.6	8	1	2	3	4	7	9	17
20-34	17	3.6	3	2	3	3	4	5	8	9
35-49	14	4.3	1	3	4	4	5	6	6	6
50-64	4	4.5	1	3	4	5	5	5	5	5
65 +	3	5.3	2	4	4	5	6	7	7	7
B. Operated										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	4.2	6	2	3	4	5	6	9	14
20-34	24	4.2	6	2	2	4	5	8	9	10
35-49	12	4.8	7	2	3	5	6	8	11	11
50-64	10	4.2	1	3	3	4	5	6	6	6
65 +	10	6.4	6	3	4	7	8	9	10	10
B. Operated										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	8.0	7	6	6	7	10	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	2	8.0	2	7	7	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	3.8	6	2	2	3	5	6	7	15
B. Operated	4	7.0	10	4	4	6	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	89	4.5	6	2	3	4	6	8	9	13
B. Operated	9	6.9	7	3	5	7	9	10	11	11
1. SINGLE DX	101	3.9	6	2	2	3	5	6	8	14
2. MULTIPLE DX	98	4.7	6	2	3	4	6	9	10	13
A. Not Operated	186	4.1	6	2	3	4	5	7	9	13
B. Operated	13	6.9	7	3	5	7	9	11	11	11
TOTAL										
0-19 YRS	96	4.0	8	1	2	3	5	7	10	16
20-34	44	4.1	5	2	3	4	5	8	9	10
35-49	29	4.9	5	2	4	5	6	7	11	11
50-64	15	4.1	1	3	3	4	5	5	6	6
65 +	15	6.4	5	3	4	7	8	9	10	10
GRAND TOTAL	**199**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**	**13**

197 Hospitals, Southern Region, January-December 1988

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	93	6.2	12	3	4	6	7	10	11	21
20-34	56	4.3	2	3	3	4	5	6	7	8
35-49	6	3.3	2	1	2	4	4	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	10	4.1	20	1	1	2	6	11	15	15
20-34	11	3.5	7	< 1	1	4	6	7	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.3	5	< 1	< 1	1	4	5	5	5
65 +	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	88	6.5	13	2	4	6	8	12	14	18
20-34	92	5.4	12	2	3	5	6	9	13	20
35-49	13	6.2	12	3	4	5	8	12	14	14
50-64	2	10.5	1	10	10	10	11	11	11	11
65 +	9	10.0	64	1	2	10	15	21	25	25
B. Operated										
0-19 YRS	8	7.4	56	< 1	2	5	11	19	23	23
20-34	19	6.1	22	< 1	2	5	9	12	16	18
35-49	5	4.6	9	1	2	5	7	8	8	8
50-64	5	8.6	56	1	1	10	14	18	18	18
65 +	3	8.0	93	1	2	4	15	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	5.4	9	3	4	5	7	9	11	16
B. Operated	26	4.0	16	< 1	1	3	6	8	15	15
2. MULTIPLE DX										
A. Not Operated	204	6.2	15	2	4	5	8	11	14	20
B. Operated	40	6.6	33	1	1	5	9	16	19	23
1. SINGLE DX	182	5.2	10	2	3	5	7	9	11	16
2. MULTIPLE DX	244	6.3	18	2	4	5	8	12	14	20
A. Not Operated	360	5.8	13	2	4	5	7	11	13	20
B. Operated	66	5.6	27	1	1	4	8	14	18	22
TOTAL										
0-19 YRS	199	6.3	15	2	4	6	8	11	13	22
20-34	178	5.0	10	2	3	4	6	9	11	19
35-49	25	5.1	10	2	3	5	6	10	12	14
50-64	10	7.1	38	< 1	1	7	11	15	18	18
65 +	14	9.4	60	1	2	9	15	20	24	25
GRAND TOTAL	**426**	**5.8**	**15**	**2**	**3**	**5**	**7**	**11**	**14**	**20**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	3.3	3	1	2	3	4	5	6	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	3	10.3	89	3	4	7	17	21	21	21
65 +	3	9.3	6	7	7	9	11	12	12	12
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	3	4.7	12	1	2	5	7	8	8	8
35-49	7	5.9	22	1	1	6	9	12	13	13
50-64	3	8.7	41	4	4	6	13	16	16	16
65 +	3	5.3	14	1	2	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	4.2	13	2	2	3	5	7	10	22
20-34	23	5.7	37	< 1	1	5	7	11	19	29
35-49	25	10.0	73	4	5	6	13	21	26	41
50-64	27	8.7	62	3	4	6	10	17	24	40
65 +	66	11.6	80	4	6	8	16	24	32	45
B. Operated										
0-19 YRS	10	33.6	846	6	10	22	50	82	87	87
20-34	17	17.6	126	5	9	16	24	34	40	43
35-49	30	19.0	285	6	9	14	21	36	57	85
50-64	18	13.2	145	2	4	9	16	34	40	43
65 +	36	18.3	230	3	7	14	26	45	47	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	4.4	13	2	2	3	5	8	11	21
B. Operated	18	5.9	19	1	1	6	8	12	15	16
2. MULTIPLE DX										
A. Not Operated	263	7.2	52	2	3	5	8	16	21	39
B. Operated	111	18.9	284	4	8	14	23	42	50	86
1. SINGLE DX	56	4.9	15	1	2	4	6	9	13	21
2. MULTIPLE DX	374	10.7	149	2	3	6	14	24	36	56
A. Not Operated	301	6.8	48	2	3	5	7	14	21	37
B. Operated	129	17.1	267	3	7	13	21	39	48	85
TOTAL										
0-19 YRS	163	5.8	108	2	2	3	5	10	18	73
20-34	44	10.2	103	< 1	3	6	15	29	32	43
35-49	64	13.5	190	3	5	10	17	23	38	81
50-64	51	10.4	91	3	4	7	13	21	36	43
65 +	108	13.6	136	4	6	9	17	33	42	50
GRAND TOTAL	**430**	**9.9**	**136**	**2**	**3**	**6**	**13**	**21**	**35**	**54**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.0	6	1	3	5	7	8	8	8
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	0									
65 +	4	10.5	42	6	6	8	14	20	20	20
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	19.0		19	19	19	19	19	19	19
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.3	34	1	1	3	10	12	12	12
B. Operated	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Oporated	15	6.3	19	3	4	6	7	9	17	20
B. Operated	3	9.0	76	3	3	5	15	19	19	19
1. SINGLE DX	5	4.0	21	1	2	2	5	12	12	12
2. MULTIPLE DX	18	6.8	25	3	4	6	7	16	20	20
A. Not Operated	18	6.2	20	2	3	5	7	11	17	20
B. Operated	5	6.2	53	2	2	3	8	19	19	19
TOTAL										
0-19 YRS	11	4.1	6	1	2	3	6	8	8	8
20-34	3	3.7	5	1	2	5	5	5	5	5
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	2	15.5	25	12	12	15	19	19	19	19
65 +	4	10.5	42	6	6	8	14	20	20	20
GRAND TOTAL	**23**	**6.2**	**25**	**2**	**3**	**5**	**7**	**13**	**19**	**20**

18: Pneumocystosis(136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	12.0	127	5	5	6	20	25	25	25
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	11.6	75	2	5	10	18	25	28	28
20-34	9	6.7	33	3	4	4	7	17	20	20
35-49	15	8.5	26	3	4	8	11	15	19	21
50-64	3	7.0	36	<1	2	7	11	13	13	13
65 +	3	7.7	32	3	4	6	12	14	14	14
B. Operated										
0-19 YRS	15	19.6	121	8	11	18	27	30	43	47
20-34	46	19.6	149	8	12	17	23	34	42	71
35-49	28	19.6	240	6	9	13	28	47	54	55
50-64	8	32.9	480	8	12	33	49	63	67	67
65 +	3	18.3	161	11	11	11	28	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	12.0	127	5	5	6	20	25	25	25
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	40	8.7	40	3	4	7	12	19	21	28
B. Operated	100	20.6	201	8	11	16	26	41	54	69
1. SINGLE DX	4	11.0	89	5	5	7	16	25	25	25
2. MULTIPLE DX	140	17.2	184	4	8	13	22	35	48	67
A. Not Operated	43	8.9	44	3	4	7	12	20	23	28
B. Operated	101	20.5	201	8	11	16	26	41	54	69
TOTAL										
0-19 YRS	28	15.9	113	5	8	12	24	29	32	47
20-34	55	17.5	152	5	9	15	21	33	37	70
35-49	44	15.5	189	4	8	11	17	38	50	55
50-64	11	25.8	490	4	8	15	42	60	66	67
65 +	6	13.0	112	3	6	11	14	31	33	33
GRAND TOTAL	**144**	**17.0**	**181**	**4**	**8**	**13**	**22**	**34**	**48**	**67**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.3	32	1	2	2	4	13	19	19
20-34	6	3.5	6	1	2	3	6	7	7	7
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	28	3.0	8	1	1	2	4	7	8	13
35-49	14	2.1	4	1	1	1	2	5	7	7
50-64	6	4.2	5	2	2	3	7	7	7	7
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	5.2	40	2	2	3	5	11	21	28
20-34	25	8.3	147	3	3	5	8	13	31	63
35-49	34	7.9	33	3	5	6	9	15	22	28
50-64	11	5.8	6	3	4	5	8	10	10	10
65 +	13	5.8	10	2	3	6	8	11	11	11
B. Operated										
0-19 YRS	4	6.8	48	2	2	4	11	17	17	17
20-34	32	5.9	24	1	2	5	10	14	17	99 +
35-49	38	9.8	263	1	2	5	10	15	51	79
50-64	13	12.0	202	4	5	7	16	26	50	56
65 +	4	20.3	246	3	7	21	33	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.8	17	1	2	3	4	7	14	19
B. Operated	51	2.8	6	1	1	2	4	7	7	13
2. MULTIPLE DX										
A. Not Operated	101	7.0	56	2	3	5	8	11	20	45
B. Operated	91	9.1	164	1	3	5	11	17	35	91
1. SINGLE DX	69	3.1	9	1	1	2	4	7	7	18
2. MULTIPLE DX	192	8.0	108	2	3	5	9	15	23	75
A. Not Operated	119	6.5	51	2	3	5	8	11	20	39
B. Operated	142	6.8	116	1	2	4	8	14	20	80
TOTAL										
0-19 YRS	32	5.1	35	2	2	3	5	13	19	28
20-34	91	5.5	54	1	2	3	7	13	14	84
35-49	88	7.7	132	1	2	5	8	13	22	76
50-64	30	8.2	99	3	4	6	8	16	18	56
65 +	20	8.2	85	2	3	5	10	22	33	35
GRAND TOTAL	**261**	**6.7**	**86**	**1**	**2**	**4**	**8**	**13**	**19**	**69**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. Not Operated	0									
B. Operated	2	6.0	2	5	5	6	7	7	7	7
TOTAL										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
GRAND TOTAL	**2**	**6.0**	**2**	**5**	**5**	**6**	**7**	**7**	**7**	**7**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	3.6	7	< 1	1	3	5	8	8	8
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	2.2		2	2	2	3	3	3	3
35-49	18	5.3	107	1	2	2	4	8	31	46
50-64	34	4.8	35	< 1	1	2	6	14	21	23
65 +	32	5.6	110	< 1	1	2	4	14	37	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	4.6	20	< 1	1	3	8	12	12	12
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	8.3	30	1	4	8	13	17	17	17
50-64	17	5.6	22	2	3	4	6	10	17	21
65 +	22	4.5	8	1	2	4	6	9	10	11
B. Operated										
0-19 YRS	10	7.8	42	1	1	9	16	50	96	99 +
20-34	5	6.4	28	< 1	1	6	10	14	14	14
35-49	53	11.4	149	1	3	7	17	34	42	98
50-64	138	11.3	163	1	3	7	15	24	39	71
65 +	169	10.9	130	1	3	7	15	24	39	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.1	6	1	2	4	6	8	8	8
B. Operated	90	5.0	72	< 1	1	2	5	10	22	46
2. MULTIPLE DX										
A. Not Operated	69	5.6	19	1	3	4	8	11	15	20
B. Operated	375	11.0	141	1	3	7	15	24	39	71
1. SINGLE DX	98	4.9	67	< 1	1	2	5	9	21	46
2. MULTIPLE DX	444	10.2	126	1	3	6	14	23	35	70
A. Not Operated	77	5.4	18	1	3	4	7	11	14	20
B. Operated	465	9.8	133	1	2	6	13	23	36	68
TOTAL										
0-19 YRS	20	6.0	31	< 1	1	4	11	16	54	99 +
20-34	11	4.2	16	1	2	2	5	11	14	14
35-49	87	9.6	122	1	2	5	14	22	37	85
50-64	194	9.5	132	1	2	6	12	21	28	65
65 +	230	9.4	118	1	2	5	12	22	34	48
GRAND TOTAL	**542**	**9.2**	**119**	**1**	**2**	**5**	**12**	**21**	**34**	**61**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	5.0	7	3	3	4	7	8	8	8
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	16.0	71	8	9	14	22	27	27	27
50-64	15	6.9	25	2	3	5	10	16	16	16
65 +	7	5.7	34	< 1	2	4	7	16	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	6.6	16	3	4	5	7	14	15	15
50-64	11	10.8	110	2	5	7	11	29	35	36
65 +	15	6.3	33	1	2	5	8	17	20	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	19	17.5	91	6	12	15	24	33	36	37
50-64	60	15.9	263	3	7	11	21	26	49	95
65 +	98	13.8	238	3	5	10	17	26	53	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	7	3	3	4	7	8	8	8
B. Operated	26	8.0	43	2	3	6	11	18	20	27
2. MULTIPLE DX										
A. Not Operated	33	7.9	56	2	4	5	9	18	24	36
B. Operated	177	14.9	230	3	6	11	18	27	46	96
1. SINGLE DX	29	7.7	40	2	3	6	11	17	19	27
2. MULTIPLE DX	210	13.8	209	3	5	9	17	26	41	92
A. Not Operated	36	7.6	53	2	3	5	8	17	24	36
B. Operated	203	14.0	211	3	5	10	18	26	41	93
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	30	14.7	88	4	8	14	18	29	34	37
50-64	89	13.4	207	3	5	8	17	25	37	84
65 +	120	12.4	208	2	4	9	16	23	45	91
GRAND TOTAL	**239**	**13.1**	**192**	**3**	**5**	**9**	**17**	**25**	**38**	**89**

197 Hospitals, Southern Region, January-December 1988

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	10.7	19	6	7	9	15	17	17	17
50-64	7	7.6	15	3	5	7	10	13	14	14
65 +	7	6.3	17	1	3	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	9	4.3	9	1	2	4	5	9	11	11
50-64	13	5.0	5	3	3	5	6	8	9	9
65 +	50	7.8	43	2	4	6	10	13	17	38
B. Operated										
0-19 YRS	0									
20-34	3	10.0	21	6	7	9	13	15	15	15
35-49	16	11.2	45	3	7	11	18	24	73	99 +
50-64	102	15.6	126	4	9	13	22	30	37	81
65 +	203	16.5	123	6	9	13	22	31	43	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	21	7.7	20	2	5	7	10	14	16	17
2. MULTIPLE DX										
A. Not Operated	73	6.8	34	2	4	5	9	11	14	36
B. Operated	324	15.9	120	6	9	13	22	30	42	99 +
1. SINGLE DX	23	7.3	20	2	3	7	10	14	16	17
2. MULTIPLE DX	397	14.2	117	4	7	11	19	29	38	82
A. Not Operated	75	6.6	33	2	3	5	9	11	14	36
B. Operated	345	15.4	118	5	8	12	21	29	39	99 +
TOTAL										
0-19 YRS	0									
20-34	5	6.4	35	1	1	6	10	15	15	15
35-49	32	8.9	38	2	4	7	12	20	24	99 +
50-64	122	14.0	120	4	7	11	18	29	34	74
65 +	261	14.5	118	4	7	12	19	29	39	63
GRAND TOTAL	**420**	**13.8**	**114**	**4**	**7**	**11**	**18**	**28**	**37**	**74**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	26.0		26	26	26	26	26	26	26
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	2	18.0	162	9	9	18	27	27	27	27
35-49	10	9.9	22	3	7	10	13	16	18	18
50-64	9	18.4	159	8	9	15	22	40	43	43
65 +	42	19.2	120	10	13	17	23	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	12.0	98	5	5	9	19	26	26	26
2. MULTIPLE DX										
A. Not Operated	3	7.0	21	2	3	8	10	11	11	11
B. Operated	63	17.6	117	8	10	14	21	30	38	61
1. SINGLE DX	4	12.0	98	5	5	9	19	26	26	26
2. MULTIPLE DX	66	17.1	117	8	10	14	21	30	37	61
A. Not Operated	3	7.0	21	2	3	8	10	11	11	11
B. Operated	67	17.2	116	7	10	14	21	29	37	61
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	18.0	162	9	9	18	27	27	27	27
35-49	11	9.5	22	3	6	9	13	16	18	18
50-64	12	16.8	152	6	8	13	22	38	42	43
65 +	44	18.8	117	10	12	16	22	30	37	63
GRAND TOTAL	**70**	**16.8**	**116**	**7**	**10**	**14**	**21**	**29**	**36**	**60**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	8.2	18	2	6	8	11	13	13	13
35-49	26	8.5	14	6	7	8	10	12	15	22
50-64	90	9.0	22	7	7	8	10	11	15	34
65 +	120	9.4	24	5	7	9	10	13	18	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	11	5.7	11	1	3	5	9	10	11	11
50-64	40	6.6	30	1	2	5	8	16	19	22
65 +	97	8.1	49	2	4	6	10	17	20	39
B. Operated										
0-19 YRS	7	17.7	74	8	11	18	20	31	34	34
20-34	19	11.7	50	5	7	11	14	18	29	36
35-49	105	11.6	44	6	8	10	13	20	25	37
50-64	410	12.3	64	7	8	10	14	20	25	52
65 +	1206	14.3	79	7	9	12	17	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.4	7	1	1	3	5	7	7	7
B. Operated	242	9.1	22	6	7	8	10	13	15	31
2. MULTIPLE DX										
A. Not Operated	149	7.5	41	2	3	6	9	16	19	28
B. Operated	1747	13.6	74	7	9	11	16	23	29	51
1. SINGLE DX	247	9.0	22	6	7	8	10	13	15	31
2. MULTIPLE DX	1896	13.2	74	6	8	11	16	22	28	51
A. Not Operated	154	7.4	41	2	3	5	9	16	19	28
B. Operated	1989	13.1	70	7	8	11	15	22	28	50
TOTAL										
0-19 YRS	9	15.3	78	7	8	16	19	28	34	34
20-34	24	11.0	45	5	7	10	13	16	25	36
35-49	143	10.5	40	5	7	9	12	18	23	34
50-64	542	11.3	58	6	8	10	13	18	23	49
65 +	1425	13.4	76	7	9	11	16	23	29	50
GRAND TOTAL	**2143**	**12.7**	**70**	**6**	**8**	**10**	**15**	**21**	**28**	**49**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	3	1.7		< 1	< 1	2	2	2	2	2
65 +	6	4.5	29	1	1	2	8	13	14	14
B. Operated										
0-19 YRS	0									
20-34	2	9.0	98	2	2	9	16	16	16	16
35-49	18	9.7	12	6	8	10	11	15	16	17
50-64	38	9.6	29	3	8	10	11	14	21	28
65 +	56	7.9	18	1	4	9	10	13	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	6.3	12	3	4	6	9	10	10	10
35-49	10	5.7	48	1	3	4	5	15	25	25
50-64	32	8.7	78	2	3	5	13	19	27	41
65 +	44	5.7	19	1	3	4	8	11	13	22
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	12.6	88	4	6	10	18	28	30	30
35-49	42	10.8	25	6	7	10	14	17	19	25
50-64	191	12.2	64	5	8	11	14	21	25	50
65 +	501	14.3	106	6	9	12	18	24	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.6	18	< 1	1	2	4	11	14	14
B. Operated	114	8.7	22	2	7	9	11	14	16	26
2. MULTIPLE DX										
A. Not Operated	89	6.8	44	2	3	4	9	14	21	36
B. Operated	743	13.5	91	6	8	11	16	24	29	55
1. SINGLE DX	124	8.3	23	1	4	9	11	14	15	26
2. MULTIPLE DX	832	12.8	90	4	8	11	16	23	28	54
A. Not Operated	99	6.5	42	1	2	4	9	14	20	35
B. Operated	857	12.9	84	5	8	11	15	23	28	54
TOTAL										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	14	10.1	67	3	4	8	11	25	29	30
35-49	70	9.8	27	3	7	9	12	17	18	25
50-64	264	11.3	62	3	7	10	13	20	25	46
65 +	607	13.0	99	3	8	11	16	23	29	56
GRAND TOTAL	**956**	**12.2**	**84**	**3**	**8**	**11**	**15**	**22**	**27**	**52**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	9.7	232	1	1	1	16	36	40	40
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	11	9.2	42	2	6	9	10	17	25	26
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	4.5	16	1	1	3	8	10	11	11
50-64	16	7.8	70	1	1	4	11	20	27	30
65 +	9	7.9	16	3	6	7	11	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.0	17	1	1	2	7	11	13	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	6.1	17	< 1	2	7	9	12	13	13
50-64	19	8.5	39	3	4	7	12	16	21	26
65 +	37	8.0	77	3	4	5	8	15	25	49
B. Operated										
0-19 YRS	26	14.6	184	4	8	11	17	27	37	71
20-34	2	17.0	18	14	14	17	20	20	20	20
35-49	15	12.7	83	2	5	11	17	28	30	31
50-64	44	13.7	77	5	7	12	19	28	30	39
65 +	168	16.9	242	4	8	12	20	35	52	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	7.8	165	1	1	2	5	30	40	40
B. Operated	45	7.5	41	1	2	7	10	14	22	30
2. MULTIPLE DX										
A. Not Operated	89	6.8	49	1	3	5	8	14	16	41
B. Operated	255	15.8	197	4	8	12	19	31	40	93
1. SINGLE DX	55	7.5	61	1	2	6	10	14	25	39
2. MULTIPLE DX	344	13.5	175	2	5	10	17	28	39	75
A. Not Operated	99	6.9	59	1	2	5	8	14	21	45
B. Operated	300	14.6	183	2	7	11	18	29	39	84
TOTAL										
0-19 YRS	69	9.4	121	1	1	8	12	21	27	65
20-34	5	8.4	67	1	2	4	15	20	20	20
35-49	30	9.0	62	1	2	8	11	19	28	31
50-64	80	11.1	73	2	4	10	15	23	28	38
65 +	215	14.9	216	3	6	10	18	32	45	95
GRAND TOTAL	**399**	**12.7**	**163**	**2**	**5**	**10**	**16**	**28**	**37**	**73**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	7.7	82	< 1	1	4	14	18	18	18
B. Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	13	10.1	61	2	5	9	12	19	30	32
65 +	17	9.8	27	3	6	9	13	17	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	21.0		21	21	21	21	21	21	21
35-49	4	4.8	2	3	4	5	6	6	6	6
50-64	27	7.1	77	2	3	4	9	13	21	47
65 +	73	8.2	38	2	4	6	11	14	22	29
B. Operated										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	3	18.7	76	9	12	21	25	26	26	26
35-49	17	19.3	284	4	8	16	27	38	59	70
50-64	110	15.9	111	5	9	13	20	28	38	55
65 +	219	14.7	133	3	7	13	19	27	37	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.3	33	< 1	2	4	5	15	18	18
B. Operated	33	9.9	38	3	6	9	12	17	20	32
2. MULTIPLE DX										
A. Not Operated	106	7.9	47	2	3	6	10	14	22	37
B. Operated	350	15.4	134	4	8	13	19	28	38	69
1. SINGLE DX	40	9.1	39	2	4	9	12	17	19	32
2. MULTIPLE DX	456	13.6	123	3	6	12	18	26	35	66
A. Not Operated	113	7.7	47	2	3	5	10	14	22	36
B. Operated	383	14.9	128	4	8	13	19	27	37	68
TOTAL										
0-19 YRS	3	17.7	166	7	9	14	27	32	32	32
20-34	5	16.4	80	5	8	21	22	26	26	26
35-49	24	15.3	241	3	5	10	19	34	48	70
50-64	152	13.7	112	3	6	11	18	26	35	49
65 +	312	12.8	113	3	5	11	17	24	29	67
GRAND TOTAL	**496**	**13.3**	**118**	**3**	**6**	**11**	**18**	**26**	**33**	**66**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	1.5		1	1	1	2	2	2	2
50-64	13	3.5	11	1	2	3	3	10	12	12
65 +	14	4.0	5	1	2	4	5	8	8	8
B. Operated										
0-19 YRS	0									
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	31	9.2	73	1	4	7	10	20	24	42
50-64	111	8.2	37	1	4	8	10	14	19	34
65 +	72	8.2	59	< 1	2	7	11	15	26	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	47	7.7	127	1	2	5	9	15	23	72
50-64	260	7.9	65	2	3	5	10	18	23	46
65 +	362	8.3	46	2	4	6	10	18	22	33
B. Operated										
0-19 YRS	0									
20-34	11	8.4	27	1	3	9	12	15	18	18
35-49	167	11.0	70	3	5	9	14	21	26	37
50-64	785	10.9	85	3	6	9	14	19	27	54
65 +	1184	11.8	76	3	6	10	15	23	29	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.5	7	1	2	3	4	8	9	12
B. Operated	216	8.3	49	1	3	8	10	15	21	37
2. MULTIPLE DX										
A. Not Operated	672	8.1	59	2	3	6	10	18	22	40
B. Operated	2147	11.4	79	3	6	9	14	21	28	50
1. SINGLE DX	247	7.7	46	1	3	7	10	14	20	36
2. MULTIPLE DX	2819	10.6	76	3	5	9	14	20	27	48
A. Not Operated	703	7.9	57	2	3	6	10	17	22	39
B. Operated	2363	11.1	77	3	6	9	14	21	27	49
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	7.6	25	1	3	8	11	12	17	18
35-49	249	10.0	82	2	4	8	13	20	25	42
50-64	1169	9.9	77	2	5	8	12	19	26	48
65 +	1632	10.8	71	3	5	9	14	21	27	47
GRAND TOTAL	**3066**	**10.4**	**74**	**2**	**5**	**8**	**13**	**20**	**27**	**47**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	3	3.7	9	1	1	3	6	7	7	7
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	4	9.8	7	7	7	10	12	12	12	12
20-34	3	10.3	14	6	7	12	13	13	13	13
35-49	12	8.2	26	3	5	7	11	15	19	20
50-64	34	5.6	37	1	1	4	9	10	16	31
65 +	22	6.8	35	1	2	5	11	14	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.9	15	1	3	4	5	11	13	13
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	14	6.8	8	3	5	6	8	11	12	12
65 +	22	6.5	22	1	3	6	8	15	16	16
B. Operated										
0-19 YRS	10	8.6	16	2	7	8	13	14	14	14
20-34	2	4.5	25	< 1	< 1	4	8	8	8	8
35-49	20	15.6	178	2	7	11	19	37	47	52
50-64	84	15.0	171	2	7	13	18	33	41	70
65 +	109	10.1	90	1	2	9	14	23	29	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.3	3	1	3	3	3	6	7	7
B. Operated	75	6.7	33	1	2	6	10	13	17	29
2. MULTIPLE DX										
A. Not Operated	47	6.4	15	1	4	6	8	12	14	16
B. Operated	225	12.3	130	1	5	10	16	26	34	79
1. SINGLE DX	82	6.5	31	1	2	5	10	12	17	28
2. MULTIPLE DX	272	11.3	115	1	4	9	15	23	34	72
A. Not Operated	54	6.0	14	1	3	5	8	12	14	16
B. Operated	300	10.9	111	1	3	9	14	22	33	70
TOTAL										
0-19 YRS	23	7.2	17	2	3	7	11	13	14	14
20-34	7	7.3	18	1	4	7	11	13	13	13
35-49	34	12.6	125	3	6	9	16	24	41	52
50-64	135	11.5	136	1	3	9	15	24	34	64
65 +	155	9.1	74	1	2	8	13	19	26	97
GRAND TOTAL	**354**	**10.2**	**99**	**1**	**3**	**8**	**13**	**21**	**31**	**68**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	4.3	20	1	2	3	6	9	11	25
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	0									
50-64	2	4.5	13	2	2	4	7	7	7	7
65 +	3	3.3	6	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	70	7.1	56	1	2	5	10	16	24	38
20-34	16	4.5	9	1	2	4	5	10	10	10
35-49	18	4.3	8	1	2	4	6	9	10	10
50-64	18	4.7	7	2	3	4	7	9	9	9
65 +	23	3.4	7	< 1	1	2	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	6.5	39	2	3	4	8	15	17	35
20-34	5	4.0	3	2	3	4	5	6	6	6
35-49	5	6.6	35	3	3	4	9	17	17	17
50-64	9	3.9	19	1	1	3	4	11	15	15
65 +	7	11.1	60	3	4	11	18	22	23	23
B. Operated										
0-19 YRS	57	9.4	56	2	5	7	12	16	26	39
20-34	11	10.3	95	2	2	6	20	25	26	26
35-49	16	13.5	168	3	7	9	21	44	80	99 +
50-64	26	10.7	112	2	5	8	11	20	29	55
65 +	47	12.9	109	2	6	11	16	28	36	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	4.2	18	1	2	3	6	8	11	24
B. Operated	145	5.6	33	1	2	4	7	10	15	30
2. MULTIPLE DX										
A. Not Operated	115	6.5	38	2	3	4	8	15	18	30
B. Operated	157	11.1	95	2	5	8	14	23	36	55
1. SINGLE DX	209	5.2	29	1	2	4	7	10	13	28
2. MULTIPLE DX	272	9.2	76	2	3	6	12	20	26	48
A. Not Operated	179	5.6	32	1	2	4	7	13	17	24
B. Operated	302	8.5	73	1	3	6	11	18	26	46
TOTAL										
0-19 YRS	272	6.8	45	1	3	4	9	15	19	38
20-34	35	6.0	41	1	2	4	6	10	24	26
35-49	39	8.4	93	2	3	6	9	21	43	99 +
50-64	55	7.4	67	2	3	6	9	15	19	53
65 +	80	9.7	89	1	3	7	14	21	30	46
GRAND TOTAL	481	7.4	59	1	3	5	10	16	23	43

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	2.7	4	1	1	2	4	6	7	7
35-49	28	2.6	8	< 1	< 1	1	4	7	8	13
50-54	31	3.2	7	< 1	1	2	4	6	8	14
65 +	24	3.7	6	< 1	2	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	3	5.0	3	3	4	6	6	6	6	6
50-64	8	7.5	21	2	3	7	10	14	16	16
65 +	5	7.6	16	2	5	7	11	12	12	12
B. Operated										
0-19 YRS	6	9.2	83	2	2	5	15	24	25	25
20-34	3	1.7		1	1	2	2	2	2	2
35-49	21	2.8	5	< 1	1	2	4	5	8	11
50-64	29	4.2	14	1	2	3	5	10	13	17
65 +	50	6.0	49	1	2	5	7	12	14	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	13	1	1	3	6	6	6	6
B. Operated	102	3.1	7	< 1	1	2	4	7	8	13
2. MULTIPLE DX										
A. Not Operated	20	6.7	14	2	4	6	9	12	14	16
B. Operated	109	5.0	33	1	2	3	6	11	14	33
1. SINGLE DX	104	3.1	7	< 1	1	2	4	7	8	13
2. MULTIPLE DX	129	5.3	31	1	2	4	6	11	14	29
A. Not Operated	22	6.4	14	2	3	6	9	11	14	16
B. Operated	211	4.1	21	< 1	1	3	5	8	12	23
TOTAL										
0-19 YRS	9	7.8	59	2	2	5	10	21	25	25
20-34	23	2.7	3	1	1	2	4	5	6	7
35-49	52	2.8	7	< 1	1	2	4	6	8	13
50-64	70	4.1	13	1	2	3	5	9	13	17
65 +	79	5.4	35	1	2	4	7	11	13	38
GRAND TOTAL	233	4.3	21	1	2	3	5	9	12	22

197 Hospitals, Southern Region, January-December 1988

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	1.3		< 1	< 1	1	1	2	3	3
35-49	23	2.4	5	< 1	< 1	1	3	6	8	9
50-64	38	2.0	5	< 1	< 1	1	2	5	8	10
65 +	76	2.4	8	< 1	< 1	< 1	2	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	0									
35-49	3	13.0	91	2	6	18	19	19	19	19
50-64	1	1.0		1	1	1	1	1	1	1
65 +	9	5.0	9	2	3	4	7	10	10	10
B. Operated										
0-19 YRS	0									
20-34	3	21.3	672	3	5	10	41	51	51	51
35-49	18	4.9	38	< 1	1	2	7	12	21	25
50-64	43	3.0	9	< 1	< 1	1	4	8	9	14
65 +	166	4.6	35	< 1	1	2	6	10	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	149	2.2	6	< 1	< 1	1	2	7	8	12
2. MULTIPLE DX										
A. Not Operated	15	6.4	32	2	2	4	9	18	19	19
B. Operated	230	4.5	40	< 1	1	2	6	10	16	35
1. SINGLE DX	150	2.2	6	< 1	< 1	1	2	6	8	12
2. MULTIPLE DX	245	4.6	39	< 1	1	2	6	10	17	34
A. Not Operated	16	6.1	31	2	2	4	8	17	19	19
B. Operated	379	3.6	28	< 1	< 1	1	4	9	12	27
TOTAL										
0-19 YRS	4	4.0	7	2	2	3	6	8	8	8
20-34	14	5.6	177	< 1	1	1	3	14	43	51
35-49	44	4.2	29	< 1	1	2	5	9	18	25
50-64	82	2.5	7	< 1	< 1	1	3	7	9	13
65 +	251	3.9	27	< 1	< 1	2	5	9	13	28
GRAND TOTAL	**395**	**3.7**	**28**	**< 1**	**< 1**	**1**	**5**	**9**	**13**	**27**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	50	3.7	4	1	2	4	5	6	7	9
35-49	310	3.8	4	2	2	4	5	6	7	12
50-64	466	3.9	4	2	2	4	5	7	8	10
65 +	416	4.4	5	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.5	7	3	3	5	7	9	9	9
35-49	27	10.2	95	2	4	6	14	30	31	34
50-64	57	7.6	50	2	3	6	9	17	24	37
65 +	53	6.7	26	1	3	4	11	14	15	21
B. Operated										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	50	4.5	8	2	3	4	5	7	9	16
35-49	396	4.9	13	2	3	4	6	8	10	19
50-64	665	5.3	19	2	3	4	6	9	11	24
65 +	1238	5.9	17	2	3	5	7	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.5	2	1	1	2	4	5	5	5
B. Operated	1244	4.0	4	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	141	7.7	49	1	3	6	10	16	24	34
B. Operated	2351	5.5	17	2	3	5	7	9	12	22
1. SINGLE DX	1252	4.0	4	2	3	4	5	7	8	10
2. MULTIPLE DX	2492	5.6	19	2	3	5	7	9	13	24
A. Not Operated	149	7.4	48	1	3	5	9	15	24	34
B. Operated	3595	5.0	13	2	3	4	6	8	11	19
TOTAL										
0-19 YRS	4	4.0	15	< 1	< 1	3	7	9	9	9
20-34	104	4.2	6	2	3	4	5	7	8	15
35-49	736	4.6	13	2	3	4	5	8	9	20
50-64	1191	4.8	15	2	3	4	6	8	10	23
65 +	1709	5.5	15	2	3	5	7	9	12	19
GRAND TOTAL	**3744**	**5.1**	**15**	**2**	**3**	**4**	**6**	**8**	**11**	**20**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	4.7	33	2	3	3	3	12	21	21
50-64	8	2.6	1	1	2	3	3	3	3	3
65 +	9	2.6	1	1	2	3	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	19	4.6	9	< 1	2	4	7	9	10	11
35-49	42	3.9	8	1	2	3	6	8	9	14
50-64	25	3.6	3	2	3	3	4	7	7	8
65 +	18	3.2	4	1	2	3	3	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	5.5	30	2	3	4	6	12	21	22
35-49	21	7.2	226	1	2	2	6	11	41	71
50-64	36	4.8	12	2	3	4	7	10	13	14
65 +	30	6.2	36	2	3	4	7	16	18	26
B. Operated										
0-19 YRS	0									
20-34	43	5.2	12	1	3	5	7	8	10	21
35-49	81	7.4	33	2	4	6	9	14	17	35
50-64	52	9.4	76	3	5	7	11	18	21	58
65 +	81	7.6	55	2	3	5	9	15	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.4	12	2	2	3	3	4	6	21
B. Operated	104	3.8	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	99	5.8	65	2	2	3	6	12	17	49
B. Operated	257	7.5	46	2	4	6	9	15	20	40
1. SINGLE DX	132	3.8	8	1	2	3	4	7	9	15
2. MULTIPLE DX	356	7.0	52	2	3	5	8	14	18	40
A. Not Operated	127	5.3	54	2	2	3	5	10	16	36
B. Operated	361	6.4	37	2	3	5	8	13	17	34
TOTAL										
0-19 YRS	0									
20-34	75	5.1	14	1	3	5	7	8	10	22
35-49	154	6.2	53	1	3	5	8	12	16	39
50-64	121	6.4	43	2	3	4	8	12	17	33
65 +	138	6.4	43	2	3	4	7	15	18	36
GRAND TOTAL	488	6.1	42	2	3	4	7	12	17	33

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	5	4.8	27	1	2	3	6	14	14	14
65 +	6	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	2	4.0		4	4	4	4	4	4	4
35-49	10	4.9	3	2	4	5	6	7	7	7
50-64	47	5.1	3	3	4	5	6	7	8	10
65 +	46	4.5	4	< 1	3	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	13	4.2	19	1	1	2	4	13	15	15
50-64	13	3.8	11	1	2	3	5	7	13	14
65 +	37	6.8	47	1	3	5	8	14	24	31
B. Operated										
0-19 YRS	0									
20-34	11	7.2	51	3	5	5	7	16	27	28
35-49	51	5.7	6	3	4	5	7	9	10	14
50-64	149	6.2	19	3	4	5	7	10	15	22
65 +	253	7.8	38	3	5	6	9	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.5	11	1	2	3	3	6	13	14
B. Operated	105	4.8	4	1	4	5	6	7	7	10
2. MULTIPLE DX										
A. Not Operated	64	5.6	35	1	2	4	7	14	17	30
B. Operated	464	7.1	29	3	4	6	8	12	16	30
1. SINGLE DX	118	4.7	4	1	4	5	6	7	7	11
2. MULTIPLE DX	528	6.9	30	3	4	6	8	12	16	30
A. Not Operated	77	5.3	31	1	2	3	6	13	15	30
B. Operated	569	6.6	25	3	4	6	7	11	15	29
TOTAL										
0-19 YRS	0									
20-34	14	6.5	41	3	4	5	6	10	24	28
35-49	76	5.2	8	1	4	5	6	8	11	15
50-64	214	5.8	16	3	4	5	7	8	14	20
65 +	342	7.2	35	2	4	6	8	13	18	31
GRAND TOTAL	646	6.5	26	2	4	5	7	11	15	29

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	6	5.5	12	1	3	5	9	10	10	10
50-64	5	2.6	2	1	2	2	4	4	4	4
65 +	6	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	5.1	2	3	4	5	7	7	7	7
35-49	10	4.0	4	1	2	5	5	6	7	7
50-64	19	6.6	10	3	4	7	9	12	13	13
65 +	10	9.1	9	6	7	8	11	14	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	4	5.3	4	4	4	5	6	8	8	8
35-49	14	5.4	26	1	2	4	7	14	17	18
50-64	28	6.7	25	1	3	5	10	15	17	17
65 +	37	8.5	73	2	4	6	9	18	20	49
B. Operated										
0-19 YRS	3	7.7	8	6	6	6	10	11	11	11
20-34	17	6.5	15	4	4	6	7	9	16	20
35-49	50	9.7	65	4	5	7	12	17	22	53
50-64	107	12.4	114	5	7	9	14	22	27	69
65 +	141	13.5	68	6	7	11	18	26	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.5	8	< 1	1	2	4	9	10	10
B. Operated	47	6.5	11	3	4	6	8	11	12	16
2. MULTIPLE DX										
A. Not Operated	86	7.0	46	1	3	5	9	15	18	39
B. Operated	318	12.1	83	5	7	9	15	23	28	57
1. SINGLE DX	66	5.6	12	1	3	5	8	11	11	16
2. MULTIPLE DX	404	11.0	79	4	6	8	13	22	27	52
A. Not Operated	105	6.4	41	1	2	5	8	14	17	33
B. Operated	365	11.4	77	5	6	9	13	22	28	53
TOTAL										
0-19 YRS	7	6.1	14	2	3	6	10	11	11	11
20-34	30	6.0	10	4	4	5	7	8	9	20
35-49	80	7.9	52	2	4	6	9	15	20	45
50-64	159	10.4	91	3	5	8	12	19	25	66
65 +	194	12.0	72	4	7	9	15	25	30	45
GRAND TOTAL	**470**	**10.3**	**73**	**3**	**5**	**8**	**13**	**20**	**25**	**51**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	0									
35-49	3	5.3	10	3	3	4	8	9	9	9
50-64	6	3.0	7	< 1	1	2	3	8	8	8
65 +	7	3.1	7	< 1	< 1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	8.8	28	2	4	10	13	15	15	15
35-49	0									
50-64	6	2.0	2	1	1	2	3	4	4	4
65 +	6	12.0	60	4	6	11	14	25	26	26
B. Operated										
0-19 YRS	3	13.7	85	3	7	19	19	19	19	19
20-34	4	15.3	101	< 1	8	18	22	24	24	24
35-49	7	24.9	1136	5	6	10	25	85	99	99 +
50-64	13	11.3	47	5	7	10	14	19	28	30
65 +	37	9.7	87	2	4	8	12	20	25	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	18	3.8	7	< 1	1	3	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	18	7.3	44	1	2	5	11	15	22	26
B. Operated	64	12.2	197	3	5	8	15	22	28	92
1. SINGLE DX	19	3.7	7	< 1	1	3	6	8	9	9
2. MULTIPLE DX	82	11.2	166	2	4	8	14	21	27	84
A. Not Operated	19	7.1	42	1	2	4	11	15	21	26
B. Operated	82	10.4	167	2	4	7	13	20	27	84
TOTAL										
0-19 YRS	7	8.6	53	3	3	5	16	19	19	19
20-34	9	11.7	63	1	4	12	17	22	24	24
35-49	10	19.0	849	3	5	8	20	63	99	99
50-64	25	7.1	46	1	2	5	10	15	19	30
65 +	50	9.1	78	1	4	7	12	18	26	52
GRAND TOTAL	**101**	**9.8**	**145**	**1**	**3**	**7**	**12**	**20**	**26**	**75**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	13.3	76	6	7	11	20	23	23	23
65 +	5	4.4	5	1	3	4	6	7	7	7
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	115	6.1	13	1	3	6	8	11	13	16
65 +	248	5.4	12	1	3	5	8	10	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	14.0	92	3	6	15	22	23	23	23
50-64	32	9.7	67	3	4	7	12	21	26	38
65 +	171	6.8	35	2	3	6	8	12	16	35
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	9	12.8	106	3	7	9	17	30	35	35
50-64	310	6.8	20	2	4	6	9	12	15	22
65 +	1628	7.4	36	3	4	6	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	7.8	46	2	4	6	9	19	23	23
B. Operated	367	5.6	12	1	3	5	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	207	7.4	43	2	4	6	9	14	20	37
B. Operated	1948	7.3	34	3	4	6	9	13	17	27
1. SINGLE DX	375	5.6	13	1	3	5	8	10	12	16
2. MULTIPLE DX	2155	7.3	35	3	4	6	9	13	17	29
A. Not Operated	215	7.4	43	2	4	6	9	14	20	37
B. Operated	2315	7.0	31	2	4	6	9	13	16	26
TOTAL										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	12.7	83	3	7	9	19	23	32	35
50-64	460	6.9	23	2	4	6	9	12	15	24
65 +	2052	7.1	34	2	4	6	9	13	17	27
GRAND TOTAL	**2530**	**7.1**	**32**	**2**	**4**	**6**	**9**	**13**	**16**	**27**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	2	4.5	5	3	3	4	6	6	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.7	9	1	1	2	7	8	8	8
20-34	29	2.3	4	1	1	2	3	6	7	8
35-49	19	3.4	15	< 1	1	2	3	9	13	15
50-64	7	3.0	3	< 1	1	3	4	5	5	5
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.8	4	1	2	4	5	6	6	6
35-49	6	3.5	4	2	2	3	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	4	6.3	7	4	4	6	8	9	9	9
20-34	13	4.8	59	1	1	2	4	14	26	29
35-49	9	4.2	10	1	2	3	7	9	9	9
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	18	5.3	6	3	4	5	7	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.8	2	3	4	5	6	6	6	6
B. Operated	62	2.9	7	1	1	2	3	7	8	15
2. MULTIPLE DX										
A. Not Operated	13	3.9	3	2	2	4	6	6	6	6
B. Operated	48	4.8	20	1	2	4	7	9	10	29
1. SINGLE DX	66	3.0	7	1	1	2	4	7	8	14
2. MULTIPLE DX	61	4.6	17	1	2	4	6	8	10	27
A. Not Operated	17	4.1	3	2	3	4	6	6	6	6
B. Operated	110	3.7	14	1	1	3	5	8	9	21
TOTAL										
0-19 YRS	13	4.8	7	1	3	5	7	8	9	9
20-34	48	3.2	19	1	1	2	4	6	8	29
35-49	34	3.6	11	1	1	2	6	8	11	15
50-64	12	3.0	3	1	1	3	4	5	6	6
65 +	20	5.2	5	3	4	5	7	8	9	10
GRAND TOTAL	**127**	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**9**	**18**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	26	3.8	11	1	2	3	5	10	11	13
50-64	95	3.9	15	1	2	3	4	9	13	19
65 +	196	3.8	14	1	1	3	4	8	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	14.0	13	10	11	15	16	17	17	17
50-64	8	6.8	19	2	3	6	9	13	15	15
65 +	30	7.7	55	1	2	5	12	17	22	31
B. Operated										
0-19 YRS	4	15.0	249	2	2	12	28	34	34	34
20-34	6	5.2	19	1	1	5	7	12	12	12
35-49	38	6.2	22	1	2	5	9	13	14	21
50-64	160	7.0	81	1	2	4	9	14	24	46
65 +	786	6.7	44	2	3	5	8	15	20	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7	1	1	1	1	3	3	3	3
B. Operated	318	3.8	14	1	1	3	4	8	12	18
2. MULTIPLE DX										
A. Not Operated	41	8.0	47	1	3	5	12	17	20	31
B. Operated	994	6.8	50	2	3	4	8	15	21	34
1. SINGLE DX	321	3.8	14	1	1	3	4	8	12	18
2. MULTIPLE DX	1035	6.8	49	2	3	4	9	15	21	34
A. Not Operated	44	7.5	46	1	2	5	11	16	19	31
B. Operated	1312	6.1	43	1	2	4	7	13	18	32
TOTAL										
0-19 YRS	5	12.8	211	2	2	4	25	34	34	34
20-34	6	5.2	19	1	1	5	7	12	12	12
35-49	68	5.5	21	1	2	4	8	13	14	20
50-64	264	5.9	57	1	2	3	7	13	18	35
65 +	1013	6.2	40	1	2	4	8	14	18	31
GRAND TOTAL	**1356**	**6.1**	**43**	**1**	**2**	**4**	**8**	**13**	**18**	**32**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	4.0	7	1	2	4	5	8	8	8
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	8.7	226	1	1	2	7	36	39	39
65 +	0									
B. Operated										
0-19 YRS	28	9.4	17	6	7	8	11	13	15	27
20-34	5	4.6	7	1	2	5	7	7	7	7
35-49	15	6.9	7	4	5	7	8	9	13	14
50-64	42	7.3	15	1	5	7	9	12	14	19
65 +	29	7.5	18	2	3	7	10	13	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.9	13	1	3	4	6	11	13	13
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	4.2	8	2	2	4	5	9	9	9
50-64	18	6.5	34	2	3	5	6	17	22	22
65 +	38	9.7	54	2	4	8	13	18	25	36
B. Operated										
0-19 YRS	35	15.7	209	6	9	12	16	31	70	99 +
20-34	8	11.9	65	7	7	8	15	26	28	28
35-49	43	9.4	25	3	6	8	11	17	19	24
50-64	104	10.6	57	5	7	9	12	17	22	46
65 +	212	11.5	60	4	7	10	14	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	6.1	113	1	1	3	6	17	36	39
B. Operated	119	7.7	16	2	6	7	9	12	14	21
2. MULTIPLE DX										
A. Not Operated	76	7.6	42	2	3	6	10	15	22	34
B. Operated	402	11.4	70	5	7	9	13	20	26	55
1. SINGLE DX	131	7.5	24	2	5	7	9	12	14	29
2. MULTIPLE DX	478	10.8	67	3	7	9	13	19	25	47
A. Not Operated	88	7.4	51	2	3	5	10	15	22	38
B. Operated	521	10.6	60	4	7	9	12	18	24	46
TOTAL										
0-19 YRS	82	11.0	116	3	6	9	12	21	29	91
20-34	14	8.7	51	3	5	7	8	22	27	28
35-49	64	8.3	22	3	5	8	11	14	18	23
50-64	170	9.3	51	2	6	8	10	16	21	46
65 +	279	10.9	56	3	7	9	13	19	26	38
GRAND TOTAL	**609**	**10.1**	**60**	**3**	**6**	**9**	**12**	**18**	**24**	**46**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.2	8	1	2	2	4	6	11	12
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.8	3	2	2	2	3	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	4	6.5	42	2	2	4	10	16	16	16
B. Operated										
0-19 YRS	5	3.6	1	2	3	4	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	8	4.4	15	1	2	3	6	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	18	2.9	6	1	2	2	4	4	9	12
2. MULTIPLE DX										
A. Not Operated	9	4.4	21	2	2	2	5	12	16	16
B. Operated	16	3.8	8	1	2	3	4	9	11	12
1. SINGLE DX	19	3.0	6	1	2	2	4	5	9	12
2. MULTIPLE DX	25	4.0	12	2	2	3	4	9	13	16
A. Not Operated	10	4.5	19	2	2	3	5	11	16	16
B. Operated	34	3.3	7	1	2	3	4	5	11	12
TOTAL										
0-19 YRS	24	3.3	5	1	2	3	4	5	8	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	2.5	2	1	1	2	3	4	4	4
65 +	13	4.8	21	1	2	3	6	13	15	16
GRAND TOTAL	44	3.6	10	1	2	3	4	6	12	16

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.3	20	1	1	2	3	9	10	23
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	8	2.5	2	< 1	1	2	4	4	4	4
50-64	9	6.0	32	2	3	3	8	16	18	18
65 +	5	12.0	159	2	6	8	15	34	34	34
B. Operated										
0-19 YRS	75	7.4	49	1	2	7	10	13	20	40
20-34	17	8.5	24	2	6	8	11	15	18	20
35-49	22	8.2	15	3	6	8	10	13	16	16
50-64	24	9.0	21	3	6	8	13	15	16	19
65 +	9	17.2	253	6	6	10	20	44	55	55
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	69	5.6	84	1	1	3	6	10	16	61
20-34	21	5.6	25	1	2	4	6	15	18	19
35-49	24	4.7	15	1	2	4	6	9	13	17
50-64	52	10.4	178	2	4	7	11	20	39	79
65 +	44	11.1	131	3	4	7	13	22	41	57
B. Operated										
0-19 YRS	92	17.4	377	2	6	11	27	41	82	99 +
20-34	35	15.7	161	5	7	12	19	31	48	57
35-49	38	14.1	228	3	6	11	14	26	46	83
50-64	72	16.6	192	5	8	13	20	29	63	94
65 +	61	16.5	169	5	8	13	22	34	43	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	4.3	33	1	1	2	4	10	16	33
B. Operated	147	8.5	52	1	4	7	11	15	19	41
2. MULTIPLE DX										
A. Not Operated	210	7.8	109	1	2	5	9	16	22	62
B. Operated	298	16.4	243	4	7	12	20	35	55	99 +
1. SINGLE DX	206	7.3	50	1	2	6	10	14	18	38
2. MULTIPLE DX	508	12.9	205	2	4	9	16	29	42	96
A. Not Operated	269	7.1	94	1	2	4	8	15	22	55
B. Operated	445	13.8	194	2	6	10	16	30	41	97
TOTAL										
0-19 YRS	269	9.9	197	1	2	6	11	27	37	97
20-34	77	10.7	107	2	4	7	15	20	30	56
35-49	92	9.2	120	2	4	7	11	16	21	71
50-64	157	12.8	164	3	6	9	16	26	38	80
65 +	119	14.4	163	3	6	10	18	33	42	82
GRAND TOTAL	714	11.3	167	1	4	8	14	26	37	84

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.4	3	1	2	3	4	6	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	7.4	41	1	4	5	10	18	18	18
20-34	0									
35-49	0									
50-64	2	10.5	13	8	8	10	13	13	13	13
65 +	2	14.0	32	10	10	14	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	4.4	9	2	3	3	4	9	12	12
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	14.0	25	10	10	12	17	21	21	21
65 +	8	21.1	172	3	9	23	32	37	38	38
B. Operated										
0-19 YRS	17	11.4	63	2	5	10	16	21	27	30
20-34	1	9.0		9	9	9	9	9	9	9
35-49	7	11.3	31	5	7	10	15	20	21	21
50-64	6	12.8	147	3	8	9	10	34	37	37
65 +	6	10.8	28	3	6	12	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.4	3	1	2	3	4	6	7	7
B. Operated	9	9.6	34	2	5	8	14	18	18	18
2. MULTIPLE DX										
A. Not Operated	23	11.8	124	2	3	7	19	31	35	38
B. Operated	37	11.5	58	3	7	10	16	21	27	37
1. SINGLE DX	17	6.6	29	1	3	5	9	17	18	18
2. MULTIPLE DX	60	11.6	82	2	4	10	16	23	32	38
A. Not Operated	31	9.6	105	2	3	4	13	27	34	38
B. Operated	46	11.1	53	3	6	10	16	19	24	37
TOTAL										
0-19 YRS	40	7.6	45	1	3	5	11	17	20	30
20-34	1	9.0		9	9	9	9	9	9	9
35-49	8	10.1	38	3	6	9	14	19	21	21
50-64	12	12.8	76	6	9	10	13	26	35	37
65 +	16	16.4	117	3	8	14	23	34	37	38
GRAND TOTAL	**77**	**10.5**	**74**	**2**	**4**	**8**	**15**	**21**	**30**	**38**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	4.1	8	1	2	3	5	9	10	10
20-34	3	1.7		1	1	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	4	2.3		2	2	2	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	33	8.0	146	2	2	4	6	18	45	50
20-34	17	2.9	2	1	2	3	3	4	6	7
35-49	19	3.9	14	1	2	3	4	9	13	17
50-64	19	3.1	2	1	2	3	4	5	5	5
65 +	8	3.8	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	5.8	41	1	2	4	8	10	18	33
20-34	4	2.3		2	2	2	3	3	3	3
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	8	1.9	1	1	1	2	3	3	3	3
65 +	8	6.4	59	2	3	4	6	20	25	25
B. Operated										
0-19 YRS	46	14.6	244	4	6	9	13	37	53	71
20-34	31	4.7	29	2	2	3	5	9	15	29
35-49	40	4.3	11	2	2	3	5	8	10	19
50-64	40	3.9	5	1	2	4	5	6	9	11
65 +	27	7.4	24	2	4	5	11	15	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	3.1	6	1	2	2	3	7	9	10
B. Operated	96	4.9	58	2	2	3	4	7	12	48
2. MULTIPLE DX										
A. Not Operated	80	5.1	37	1	2	3	6	9	17	33
B. Operated	184	7.3	90	2	3	4	8	13	24	54
1. SINGLE DX	120	4.6	48	1	2	3	4	7	10	47
2. MULTIPLE DX	264	6.6	75	2	2	4	7	13	21	52
A. Not Operated	104	4.6	30	1	2	3	6	9	14	32
B. Operated	280	6.5	80	2	2	4	7	12	20	52
TOTAL										
0-19 YRS	148	8.9	138	1	3	5	9	21	37	54
20-34	55	3.8	18	2	2	3	4	7	9	28
35-49	65	3.9	11	2	2	3	4	8	10	19
50-64	71	3.4	4	1	2	3	4	6	6	11
65 +	45	6.3	27	2	3	4	8	13	18	25
GRAND TOTAL	**384**	**6.0**	**67**	**2**	**2**	**4**	**6**	**11**	**19**	**50**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.2	4	1	1	4	5	5	5	5
20-34	2	6.0		6	6	6	6	6	6	6
35-49	12	5.8	29	2	3	4	6	15	18	19
50-64	15	7.2	35	1	4	5	10	17	21	22
65 +	14	8.0	42	1	4	6	10	19	20	20
B. Operated										
0-19 YRS	14	6.7	6	4	5	7	8	9	11	12
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	14	8.4	89	1	3	5	11	24	32	34
50-64	38	7.2	59	1	2	5	9	16	21	41
65 +	35	6.3	45	1	2	4	8	14	16	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	4.8	16	1	2	4	6	12	15	16
20-34	63	7.4	80	2	3	5	10	14	18	61
35-49	258	7.3	41	2	3	5	9	14	19	33
50-64	587	7.6	48	2	3	6	10	15	21	36
65 +	1038	8.6	59	2	4	7	11	17	22	34
B. Operated										
0-19 YRS	68	10.7	133	3	5	7	14	24	33	95
20-34	77	10.2	79	2	4	7	14	20	31	43
35-49	359	10.6	101	2	4	8	14	21	33	53
50-64	832	10.9	95	2	5	8	14	22	29	53
65 +	1246	11.3	98	2	5	9	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	6.6	31	1	3	5	9	18	19	22
B. Operated	106	6.8	49	1	2	5	8	14	18	39
2. MULTIPLE DX										
A. Not Operated	1991	8.0	54	2	3	6	10	16	21	35
B. Operated	2582	11.0	98	2	5	8	14	22	29	52
1. SINGLE DX	154	6.7	43	1	3	5	9	15	19	37
2. MULTIPLE DX	4573	9.7	81	2	4	7	12	19	26	46
A. Not Operated	2039	8.0	53	2	3	6	10	16	21	34
B. Operated	2688	10.9	96	2	5	8	14	22	29	51
TOTAL										
0-19 YRS	132	8.0	82	2	3	6	9	16	25	80
20-34	147	8.7	79	2	3	6	10	18	22	46
35-49	643	9.2	78	2	4	7	11	18	29	46
50-64	1472	9.5	77	2	4	7	12	19	25	46
65 +	2333	10.0	81	2	4	8	13	20	26	43
GRAND TOTAL	**4727**	**9.6**	**80**	**2**	**4**	**7**	**12**	**19**	**26**	**45**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.0	13	2	2	5	8	9	9	9
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	7	3.6	23	1	1	1	4	12	14	14
65 +	0									
B. Operated										
0-19 YRS	31	5.7	12	1	3	5	7	9	14	15
20-34	30	5.7	20	1	2	5	7	14	16	16
35-49	20	5.4	14	1	2	5	7	11	13	14
50-64	4	4.5	32	< 1	1	2	8	13	13	13
65 +	5	2.8	2	1	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	6.1	14	1	3	6	10	11	11	11
20-34	13	5.2	46	1	2	3	5	11	24	27
35-49	6	3.8	6	2	2	3	7	7	7	7
50-64	3	12.3	50	6	7	11	18	20	20	20
65 +	3	15.0	52	9	10	13	20	23	23	23
B. Operated										
0-19 YRS	13	7.2	56	2	3	5	8	16	27	30
20-34	28	13.8	460	2	3	6	11	44	67	94
35-49	27	9.9	102	2	5	8	11	17	24	55
50-64	7	11.6	113	2	5	8	15	30	33	33
65 +	10	10.5	26	5	6	8	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.6	17	< 1	1	2	5	10	13	14
B. Operated	90	5.4	15	1	2	5	7	11	15	16
2. MULTIPLE DX										
A. Not Operated	38	6.6	36	1	3	5	9	12	22	27
B. Operated	85	11.0	203	2	4	7	11	18	37	83
1. SINGLE DX	103	5.2	16	1	2	5	7	11	14	16
2. MULTIPLE DX	123	9.6	155	2	3	6	10	18	30	72
A. Not Operated	51	5.8	33	1	2	3	8	12	20	27
B. Operated	175	8.1	114	1	3	6	9	15	18	62
TOTAL										
0-19 YRS	61	6.1	21	2	3	5	8	10	13	28
20-34	73	8.6	206	1	3	5	8	16	30	87
35-49	53	7.5	63	1	3	6	9	14	17	54
50-64	21	7.7	67	1	1	5	12	18	26	33
65 +	18	9.1	39	2	5	7	13	18	21	23
GRAND TOTAL	**226**	**7.6**	**96**	**1**	**3**	**5**	**9**	**15**	**18**	**57**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	3.8	34	< 1	1	3	4	7	9	29
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	118	6.8	49	1	3	6	8	13	15	43
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	27.0		27	27	27	27	27	27	27
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	5.6	40	1	2	4	7	11	16	39
20-34	6	2.2	3	1	1	2	3	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	7.3	60	1	2	5	13	16	16	16
65 +	5	8.0	18	3	4	9	10	14	14	14
B. Operated										
0-19 YRS	136	16.5	262	3	7	12	21	32	45	92
20-34	15	16.3	149	5	7	14	22	28	44	50
35-49	5	31.8	83	22	23	33	40	42	42	42
50-64	3	28.3	664	5	10	24	48	56	56	56
65 +	3	27.0	252	9	15	33	37	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	3.8	33	< 1	1	3	4	7	9	27
B. Operated	124	6.8	51	1	2	5	8	13	17	42
2. MULTIPLE DX										
A. Not Operated	255	5.6	38	1	2	4	7	11	16	39
B. Operated	162	17.4	257	4	7	13	22	34	45	90
1. SINGLE DX	257	5.3	44	< 1	2	4	7	10	14	36
2. MULTIPLE DX	417	10.2	156	1	3	6	12	23	34	69
A. Not Operated	388	5.0	37	< 1	2	3	6	10	14	38
B. Operated	286	12.8	195	2	4	8	16	27	39	75
TOTAL										
0-19 YRS	621	7.9	111	1	2	5	9	18	25	57
20-34	27	10.2	129	1	2	5	14	24	31	50
35-49	9	18.2	301	1	1	22	34	41	42	42
50-64	8	17.8	327	2	5	12	25	47	56	56
65 +	9	13.6	179	2	4	9	19	37	39	39
GRAND TOTAL	**674**	**8.3**	**119**	**1**	**2**	**5**	**9**	**20**	**28**	**56**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64	21	6.7	37	1	3	5	8	16	21	23
65 +	38	6.9	26	2	3	6	9	14	19	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	6	14.0	94	5	5	12	23	27	27	27
65 +	31	9.9	62	2	5	9	13	17	27	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7		2	2	3	3	3	3	3
B. Operated	3	5.7	17	1	2	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	65	6.5	28	1	3	5	9	14	20	23
B. Operated	38	10.7	65	2	5	9	14	21	28	39
1. SINGLE DX	6	4.2	10	1	2	3	7	9	9	9
2. MULTIPLE DX	103	8.0	46	2	3	6	10	17	22	33
A. Not Operated	68	6.3	28	1	2	5	8	14	20	23
B. Operated	41	10.3	63	2	5	9	14	20	27	39
TOTAL										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	0									
35-49	7	3.7	19	1	1	2	4	11	13	13
50-64	29	7.8	56	1	3	5	11	22	23	27
65 +	71	8.2	42	2	3	7	10	16	20	37
GRAND TOTAL	**109**	**7.8**	**44**	**2**	**3**	**6**	**10**	**16**	**21**	**32**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	5.1	67	< 1	< 1	3	6	10	15	47
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	3	4.7	2	3	3	5	6	6	6	6
B. Operated										
0-19 YRS	15	6.2	59	1	1	2	10	11	25	30
20-34	3	20.3	176	5	11	28	28	28	28	28
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	31.0		31	31	31	31	31	31	31
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.7	16	< 1	1	4	8	11	13	14
20-34	2	17.0	32	13	13	17	21	21	21	21
35-49	6	8.8	17	5	6	7	13	15	15	15
50-64	5	8.0	115	1	2	4	10	27	27	27
65 +	18	11.2	115	2	7	9	14	19	38	49
B. Operated										
0-19 YRS	38	28.3	450	8	12	27	37	47	80	95
20-34	17	32.8	234	11	25	33	36	56	62	65
35-49	24	30.3	442	6	10	29	42	55	76	82
50-64	31	33.2	297	5	28	33	45	52	63	74
65 +	31	18.3	243	4	8	10	30	45	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	5.1	60	< 1	1	3	6	9	14	47
B. Operated	21	9.0	113	1	1	5	11	29	30	31
2. MULTIPLE DX										
A. Not Operated	72	7.3	55	1	2	6	10	14	20	44
B. Operated	141	28.1	365	6	10	29	39	51	64	95
1. SINGLE DX	59	6.5	81	< 1	1	4	7	14	29	46
2. MULTIPLE DX	213	21.0	356	2	6	14	33	46	56	93
A. Not Operated	110	6.5	57	< 1	1	5	8	14	16	48
B. Operated	162	25.6	372	3	9	26	37	47	63	95
TOTAL										
0-19 YRS	128	12.0	273	< 1	1	6	13	35	44	93
20-34	22	29.7	233	9	21	30	33	55	60	65
35-49	32	24.7	430	5	7	21	40	47	71	82
50-64	37	29.7	336	3	13	31	42	50	60	74
65 +	53	14.8	199	2	7	9	21	45	48	98
GRAND TOTAL	**272**	**17.9**	**332**	**1**	**4**	**10**	**31**	**44**	**53**	**90**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.0	4	< 1	< 1	< 1	2	5	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	7	4.0	15	1	1	2	6	10	11	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	3	5.7	21	3	3	3	9	11	11	11
B. Operated										
0-19 YRS	16	13.7	288	1	2	5	24	41	49	52
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	0									
65 +	5	11.0	95	5	5	7	14	28	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	6.5	37	< 1	2	5	9	15	19	25
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	4	9.3	23	5	6	8	12	16	16	16
50-64	16	4.9	7	2	3	5	6	7	11	12
65 +	36	7.0	33	1	3	5	8	17	20	21
B. Operated										
0-19 YRS	25	16.0	229	3	5	10	24	42	50	55
20-34	8	23.5	407	4	5	20	42	48	50	50
35-49	16	28.3	537	4	7	25	40	58	79	87
50-64	12	20.5	327	4	5	12	34	48	55	56
65 +	24	11.8	47	4	7	9	16	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.3	10	< 1	1	2	5	8	11	11
B. Operated	28	10.5	197	1	2	5	9	35	43	52
2. MULTIPLE DX										
A. Not Operated	85	6.4	29	1	2	5	8	15	18	24
B. Operated	85	18.5	286	3	6	11	27	44	51	77
1. SINGLE DX	49	7.4	128	< 1	1	3	7	23	37	52
2. MULTIPLE DX	170	12.5	193	2	4	8	16	33	44	58
A. Not Operated	106	5.8	26	1	2	5	8	13	17	23
B. Operated	113	16.5	274	2	5	9	26	42	50	69
TOTAL										
0-19 YRS	75	10.7	171	< 1	2	6	12	32	42	54
20-34	16	13.2	305	1	2	5	20	44	48	50
35-49	30	17.6	422	1	4	8	30	44	59	87
50-64	30	10.9	192	2	3	6	10	34	45	56
65 +	68	9.0	45	2	4	7	13	20	22	28
GRAND TOTAL	**219**	**11.3**	**182**	**1**	**3**	**6**	**14**	**31**	**42**	**57**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	4.4	5	1	3	5	6	7	8	8
20-34	5	2.6	2	1	2	2	3	5	5	5
35-49	11	6.9	50	2	3	4	7	19	24	25
50-64	18	2.4	4	1	1	2	3	6	7	7
65 +	10	4.9	7	1	3	4	7	9	9	9
B. Operated										
0-19 YRS	32	5.5	17	1	2	5	8	12	12	17
20-34	7	7.3	14	3	5	6	11	13	13	13
35-49	25	6.9	56	1	2	5	9	12	20	37
50-64	34	5.6	25	1	1	4	8	12	15	22
65 +	29	5.7	31	< 1	1	4	8	15	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	5.8	22	2	2	4	8	11	16	21
20-34	7	7.6	35	1	2	8	13	14	14	14
35-49	30	6.7	22	2	3	5	11	14	15	17
50-64	109	7.5	50	1	3	6	9	17	21	39
65 +	165	9.5	114	2	4	6	11	19	28	62
B. Operated										
0-19 YRS	22	15.5	286	3	4	9	24	56	73	99 +
20-34	16	10.9	101	2	4	6	18	26	32	34
35-49	55	12.0	140	3	5	9	14	23	28	62
50-64	155	12.4	112	3	6	10	15	26	34	48
65 +	317	12.7	122	3	6	10	16	25	33	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	4.2	15	1	1	4	5	8	9	24
B. Operated	127	5.9	29	1	2	5	8	12	15	26
2. MULTIPLE DX										
A. Not Operated	333	8.3	78	2	3	6	10	17	23	50
B. Operated	565	12.6	126	3	6	9	16	25	34	61
1. SINGLE DX	187	5.4	25	1	2	4	7	12	14	24
2. MULTIPLE DX	898	11.0	112	2	4	8	14	23	31	58
A. Not Operated	393	7.7	70	1	3	5	9	15	22	46
B. Operated	692	11.4	115	2	5	9	15	23	33	57
TOTAL										
0-19 YRS	92	7.8	97	1	3	5	9	16	30	82
20-34	35	8.3	62	2	3	6	12	23	25	34
35-49	121	9.2	90	2	4	7	12	18	24	61
50-64	316	9.4	85	1	3	7	12	19	28	47
65 +	521	11.1	117	2	4	8	14	23	30	54
GRAND TOTAL	**1085**	**10.0**	**102**	**2**	**4**	**7**	**13**	**21**	**28**	**54**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.3	3	< 1	1	2	2	4	7	8
20-34	24	1.8	1	1	1	2	2	3	4	4
35-49	46	1.9	1	1	1	2	2	3	3	4
50-64	46	1.8	1	1	1	2	2	3	4	7
65 +	26	2.2	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	4.0	22	< 1	1	2	6	11	16	16
20-34	4	1.5		1	1	1	2	2	2	2
35-49	20	2.7	3	1	2	2	3	5	7	8
50-64	27	3.6	18	1	2	3	4	5	12	23
65 +	36	3.6	4	2	2	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Oparated	1	1.0		1	1	1	1	1	1	1
B. Operated	156	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	97	3.4	10	1	2	3	4	6	9	20
1. SINGLE DX	157	1.9	1	1	1	2	2	3	4	7
2. MULTIPLE DX	97	3.4	10	1	2	3	4	6	9	20
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	253	2.5	5	1	1	2	3	4	6	10
TOTAL										
0-19 YRS	25	2.9	11	< 1	1	2	3	7	10	16
20-34	28	1.8	1	1	1	2	2	3	3	4
35-49	66	2.1	2	1	1	2	2	4	4	8
50-64	73	2.5	8	1	1	2	3	4	5	20
65 +	62	3.0	4	1	2	3	4	5	7	10
[illegible]AND TOTAL	**254**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.2		< 1	< 1	1	1	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	22	3.7	13	< 1	1	2	6	9	12	14
20-34	7	6.4	11	1	4	7	9	10	10	10
35-49	28	2.7	7	< 1	< 1	1	4	7	8	9
50-64	66	2.7	8	< 1	< 1	< 1	5	7	8	11
65 +	66	2.6	9	< 1	< 1	< 1	3	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.3	6	1	2	4	6	7	7	7
20-34	3	2.7	2	< 1	1	3	4	4	4	4
35-49	4	5.0	14	1	2	4	7	10	10	10
50-64	13	3.5	12	1	2	2	3	10	12	12
65 +	18	3.3	4	< 1	1	3	4	6	7	8
B. Operated										
0-19 YRS	19	6.3	36	< 1	1	4	11	16	19	19
20-34	23	5.8	10	1	4	5	8	10	12	12
35-49	55	5.8	28	< 1	1	5	9	13	16	26
50-64	129	6.1	23	< 1	2	6	8	12	14	23
65 +	342	6.8	54	< 1	2	5	9	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.5	1	< 1	< 1	< 1	1	3	4	4
B. Operated	189	2.9	9	< 1	< 1	1	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	42	3.6	7	1	1	3	4	7	10	12
B. Operated	568	6.5	42	< 1	2	6	9	12	16	33
1. SINGLE DX	202	2.8	9	< 1	< 1	1	5	7	9	12
2. MULTIPLE DX	610	6.3	40	< 1	2	5	9	12	15	32
A. Not Operated	55	3.1	6	< 1	1	3	4	6	9	12
B. Operated	757	5.6	36	< 1	1	4	8	11	14	29
TOTAL										
0-19 YRS	50	4.5	22	< 1	1	2	7	11	14	19
20-34	34	5.6	10	< 1	3	5	8	10	11	12
35-49	89	4.7	22	< 1	< 1	3	7	10	14	23
50-64	210	4.8	20	< 1	< 1	4	8	10	12	18
65 +	429	6.0	47	< 1	1	4	8	12	15	34
GRAND TOTAL	**812**	**5.4**	**34**	**< 1**	**1**	**4**	**8**	**11**	**14**	**28**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	7	< 1	1	2	2	6	10	10
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	100	2.0	6	< 1	1	1	2	4	8	13
20-34	9	4.9	14	< 1	1	5	8	10	10	10
35-49	7	4.0	4	< 1	2	4	6	6	6	6
50-64	7	5.7	3	3	4	6	7	8	8	8
65 +	8	5.5	7	2	4	5	7	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	< 1	< 1	2	3	3	3	3
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	40	4.8	52	1	1	2	7	9	20	38
20-34	8	7.3	25	3	4	6	9	16	18	18
35-49	10	4.0	6	1	2	4	6	7	8	8
50-64	20	6.7	18	1	4	6	9	12	14	16
65 +	16	6.3	47	2	2	3	8	14	23	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.4	7	< 1	1	2	2	5	10	10
B. Operated	131	2.7	8	< 1	1	1	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	6	1.7	1	< 1	1	1	3	3	3	3
B. Operated	94	5.6	37	1	2	4	8	12	17	33
1. SINGLE DX	142	2.7	8	< 1	1	1	3	7	9	12
2. MULTIPLE DX	100	5.4	35	1	1	4	7	12	16	32
A. Not Operated	17	2.1	5	< 1	1	2	2	3	8	10
B. Operated	225	3.9	22	1	1	2	6	9	12	25
TOTAL										
0-19 YRS	154	2.8	19	< 1	1	1	2	7	10	24
20-34	17	6.0	20	1	2	5	8	10	15	18
35-49	18	3.8	5	1	2	4	6	6	7	8
50-64	28	6.3	14	2	4	6	8	12	13	16
65 +	25	5.8	33	2	2	4	7	13	17	27
GRAND TOTAL	**242**	**3.8**	**21**	**1**	**1**	**2**	**5**	**9**	**11**	**24**

197 Hospitals, Southern Region, January-December 1988

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.7	80	1	1	2	13	17	17	17
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
0-19 YRS	157	2.5	8	< 1	1	2	3	5	8	15
20-34	64	2.1	3	< 1	1	1	2	5	6	9
35-49	98	2.1	5	< 1	< 1	1	2	5	6	13
50-64	65	1.8	2	< 1	< 1	1	2	4	5	8
65 +	42	2.0	3	< 1	< 1	1	2	4	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	4	3.5	10	1	1	2	5	8	8	8
65 +	3	3.0	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	47	3.7	9	< 1	1	2	6	9	10	12
20-34	34	3.5	13	1	1	2	5	7	8	20
35-49	54	4.6	35	< 1	1	2	7	10	18	32
50-64	48	3.5	9	1	1	2	5	8	10	12
65 +	71	4.8	26	1	2	3	6	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	5.2	39	1	1	2	7	16	17	17
B. Operated	426	2.2	5	< 1	< 1	1	2	5	7	12
2. MULTIPLE DX										
A. Not Operated	12	3.2	5	1	1	3	4	7	8	8
B. Operated	254	4.1	20	< 1	1	2	5	9	12	24
1. SINGLE DX	432	2.2	6	< 1	< 1	1	2	5	7	14
2. MULTIPLE DX	266	4.1	19	< 1	1	2	5	9	11	24
A. Not Operated	18	3.8	15	1	1	3	5	8	13	17
B. Operated	680	2.9	12	< 1	1	2	4	7	9	20
TOTAL										
0-19 YRS	209	2.9	9	< 1	1	2	3	6	9	16
20-34	99	2.6	7	< 1	1	1	4	6	7	15
35-49	155	3.0	17	< 1	< 1	1	3	7	10	23
50-64	117	2.5	6	< 1	1	1	3	6	8	11
65 +	118	3.8	19	< 1	1	2	5	9	12	24
GRAND TOTAL	**698**	**2.9**	**12**	**< 1**	**1**	**2**	**4**	**7**	**9**	**20**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.7	5	1	1	2	3	6	8	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	264	2.1	6	< 1	< 1	1	2	4	7	14
20-34	27	2.5	6	< 1	1	1	3	6	8	11
35-49	15	2.6	7	< 1	1	2	3	5	9	11
50-64	13	2.2	4	< 1	1	1	2	6	7	7
65 +	8	4.5	51	< 1	< 1	2	4	17	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.7	6	1	1	2	4	7	8	9
20-34	3	7.3	42	1	2	7	12	14	14	14
35-49	5	5.2	9	1	3	5	7	9	9	9
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	5	8.2	21	5	5	7	10	16	16	16
B. Operated										
0-19 YRS	105	6.0	113	< 1	1	2	6	14	27	83
20-34	17	3.8	18	< 1	< 1	2	5	7	14	18
35-49	21	2.7	7	< 1	< 1	1	4	7	8	10
50-64	22	3.0	12	< 1	< 1	1	2	9	11	13
65 +	23	5.7	23	< 1	1	4	9	12	15	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.6	5	< 1	1	2	3	6	8	9
B. Operated	327	2.2	7	< 1	< 1	1	2	4	7	14
2. MULTIPLE DX										
A. Not Operated	31	4.5	15	1	1	4	7	9	14	16
B. Operated	188	5.0	71	< 1	< 1	2	6	11	18	67
1. SINGLE DX	350	2.2	7	< 1	< 1	1	2	5	7	14
2. MULTIPLE DX	219	5.0	63	< 1	1	2	6	10	17	65
A. Not Operated	54	3.7	12	1	1	3	5	8	9	16
B. Operated	515	3.2	32	< 1	< 1	1	3	8	11	27
TOTAL										
0-19 YRS	403	3.1	36	< 1	< 1	1	3	7	11	33
20-34	48	3.3	13	< 1	1	2	4	7	11	18
35-49	42	3.0	7	< 1	< 1	2	4	7	9	11
50-64	39	2.7	9	< 1	1	1	2	8	9	13
65 +	37	5.7	28	< 1	1	4	8	13	17	22
GRAND TOTAL	**569**	**3.3**	**30**	**< 1**	**< 1**	**1**	**3**	**8**	**11**	**26**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	1.5		< 1	< 1	1	2	2	3	3
20-34	38	1.1		< 1	< 1	< 1	< 1	< 1	1	3
35-49	49	1.2		< 1	< 1	< 1	1	2	3	4
50-64	26	1.2		< 1	< 1	< 1	1	1	2	4
65 +	16	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	6	3.0	7	< 1	< 1	2	4	8	8	8
35-49	20	1.9	1	< 1	< 1	1	2	4	4	5
50-64	30	2.0	2	< 1	< 1	1	2	4	5	8
65 +	14	2.9	6	1	1	2	4	6	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	142	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	72	2.2	3	< 1	1	2	2	4	5	10
1. SINGLE DX	142	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	72	2.2	3	< 1	1	2	2	4	5	10
A. Not Operated	0									
B. Operated	214	1.5	1	< 1	< 1	< 1	2	3	4	8
TOTAL										
0-19 YRS	15	1.5		< 1	< 1	1	2	2	3	3
20-34	44	1.3	1	< 1	< 1	< 1	< 1	2	3	8
35-49	69	1.4	1	< 1	< 1	< 1	1	3	3	5
50-64	56	1.6	2	< 1	< 1	1	2	3	4	8
65 +	30	2.0	4	< 1	< 1	1	2	4	5	10
GRAND TOTAL	**214**	**1.5**	**1**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**	**8**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.9	1	1	2	3	3	5	5	5
35-49	8	4.3	13	1	2	3	6	10	12	12
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	145	4.3	2	3	4	4	5	6	7	8
35-49	335	4.4	2	3	4	4	5	6	6	8
50-64	29	4.7	3	3	4	5	5	6	7	11
65 +	4	5.0	6	2	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	21	2.6	2	< 1	1	2	4	4	5	6
35-49	39	3.1	4	< 1	1	3	4	5	7	9
50-64	8	3.9	11	< 1	1	3	5	9	11	11
65 +	4	6.3	2	5	5	6	7	8	8	8
B. Operated										
0-19 YRS	5	4.6	4	3	3	4	5	8	8	8
20-34	656	5.0	11	3	4	5	6	7	8	12
35-49	3006	4.9	4	3	4	5	5	7	8	12
50-64	504	5.4	7	4	4	5	6	8	9	21
65 +	87	7.2	40	4	5	6	7	13	15	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.4	8	1	2	3	4	7	10	12
B. Operated	514	4.4	2	3	4	4	5	6	6	9
2. MULTIPLE DX										
A. Not Operated	72	3.2	4	< 1	1	3	4	6	7	11
B. Operated	4258	5.0	6	3	4	5	6	7	8	13
1. SINGLE DX	530	4.4	2	3	4	4	5	6	7	9
2. MULTIPLE DX	4330	5.0	6	3	4	5	6	7	8	13
A. Not Operated	88	3.2	5	< 1	1	3	4	6	7	12
B. Operated	4772	4.9	6	3	4	5	5	7	8	13
TOTAL										
0-19 YRS	6	4.5	3	3	4	4	4	8	8	8
20-34	829	4.8	9	3	4	4	5	7	8	11
35-49	3388	4.8	3	3	4	5	5	6	8	11
50-64	542	5.3	7	3	4	5	6	7	9	21
65 +	95	7.1	37	4	5	6	7	12	15	40
GRAND TOTAL	**4860**	**4.9**	**6**	**3**	**4**	**5**	**5**	**7**	**8**	**13**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	4	4.3	4	3	3	4	5	7	7	7
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	4.7	4	2	4	4	5	7	9	10
35-49	46	4.7	2	3	4	4	6	6	7	8
50-64	6	4.8	1	4	4	5	6	6	6	6
65 +	3	6.0	12	2	3	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	3.4	3	1	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	69	4.7	3	3	4	4	6	7	8	10
1. SINGLE DX	8	3.4	3	1	2	3	4	6	7	7
2. MULTIPLE DX	69	4.7	3	3	4	4	6	7	8	10
A. Not Operated	0									
B. Operated	77	4.6	3	2	4	4	6	7	8	10
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	4.4	4	2	3	4	5	6	9	10
35-49	50	4.6	2	3	4	4	6	7	7	8
50-64	7	4.3	3	1	4	4	6	6	6	6
65 +	3	6.0	12	2	3	8	8	8	8	8
GRAND TOTAL	77	4.6	3	2	4	4	6	7	8	10

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	43	3.8	2	2	3	4	5	6	6	7
20-34	103	3.8	1	3	3	4	4	5	6	7
35-49	47	4.1	1	3	3	4	5	6	6	6
50-64	24	4.9	2	4	4	5	6	7	7	8
65 +	17	5.5	2	4	5	5	6	7	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	31	4.4	2	3	4	4	5	6	6	10
20-34	148	4.2	2	3	3	4	5	6	7	10
35-49	151	5.0	5	3	4	4	5	7	8	17
50-64	94	5.8	7	4	4	5	6	8	12	18
65 +	90	7.9	26	4	5	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	234	4.1	2	3	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated	5	3.8	1	2	3	4	4	5	5	5
B. Operated	514	5.4	10	3	4	5	6	8	11	18
1. SINGLE DX	236	4.1	2	3	3	4	5	6	6	8
2. MULTIPLE DX	519	5.4	10	3	4	5	6	8	11	18
A. Not Operated	7	3.4	1	2	2	4	4	5	5	5
B. Operated	748	5.0	8	3	4	4	5	7	10	17
TOTAL										
0-19 YRS	78	4.0	2	2	3	4	5	6	6	9
20-34	252	4.1	2	3	3	4	5	6	6	10
35-49	199	4.8	5	3	4	4	5	7	7	16
50-64	118	5.6	6	4	4	5	6	8	11	18
65 +	108	7.5	23	4	5	6	8	12	16	30
GRAND TOTAL	755	5.0	8	3	4	4	5	7	10	17

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.3	4	< 1	1	3	5	5	5	5
35-49	4	5.3	11	< 1	2	5	7	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	2.9	2	< 1	2	3	4	5	5	5
50-64	11	4.5	5	2	3	3	7	8	8	8
65 +	3	4.3	6	2	2	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	11	4.0	8	< 1	1	5	6	8	9	9
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	23	3.8	4	1	2	3	5	7	8	8
1. SINGLE DX	13	3.7	7	< 1	1	3	5	7	9	9
2. MULTIPLE DX	23	3.8	4	1	2	3	5	7	8	8
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	34	3.9	5	< 1	2	3	5	7	8	9
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.2	3	< 1	1	3	5	5	5	5
35-49	13	3.6	6	< 1	2	3	5	7	9	9
50-64	13	3.9	6	1	2	3	6	7	8	8
65 +	4	5.0	6	2	3	5	7	7	7	7
GRAND TOTAL	**36**	**3.8**	**5**	**< 1**	**2**	**3**	**5**	**7**	**8**	**9**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	1.4	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	6	3.8	10	1	1	3	6	9	9	9
1. SINGLE DX	7	1.4	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX	6	3.8	10	1	1	3	6	9	9	9
A. Not Operated	0									
B. Operated	13	2.5	6	< 1	1	1	3	7	9	9
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**13**	**2.5**	**6**	**< 1**	**1**	**1**	**3**	**7**	**9**	**9**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	5	3.8	12	1	1	2	7	8	8	8
50-64	4	1.3		1	1	1	2	2	2	2
65 +	7	2.3	6	1	1	1	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	10.0		10	10	10	10	10	10	10
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	6.0	27	< 1	1	5	8	14	15	15
50-64	10	4.8	23	1	2	3	6	12	17	17
65 +	20	5.5	29	1	2	2	11	13	16	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	18	2.9	7	1	1	1	4	8	8	8
2. MULTIPLE DX										
A. Not Operated	2	9.0	2	8	8	9	10	10	10	10
B. Operated	38	5.7	27	1	2	3	8	14	17	18
1. SINGLE DX	19	2.8	7	1	1	1	4	8	8	8
2. MULTIPLE DX	40	5.9	27	1	2	4	9	14	16	18
A. Not Operated	3	6.3	22	1	3	8	9	10	10	10
B. Operated	56	4.8	22	1	1	2	7	13	16	18
TOTAL										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	4	5.3	12	1	2	6	8	8	8	8
35-49	11	5.0	20	< 1	1	5	8	11	15	15
50-64	15	4.2	20	1	1	2	6	10	15	17
65 +	28	4.8	24	1	1	2	7	13	14	18
GRAND TOTAL	**59**	**4.9**	**22**	**1**	**1**	**2**	**8**	**13**	**16**	**18**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.2		< 1	< 1	1	1	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	1.7		1	1	2	2	2	2	2
1. SINGLE DX	6	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX	3	1.7		1	1	2	2	2	2	2
A. Not Operated	0									
B. Operated	9	1.3		< 1	1	1	2	2	2	2
TOTAL										
0-19 YRS	9	1.3		< 1	1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**9**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**2**	**2**

197 Hospitals, Southern Region, January-December 1988

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	14	8.2	19	4	5	6	12	15	17	17
20-34	11	5.4	12	1	1	7	8	9	10	10
35-49	13	8.3	7	5	7	8	11	12	13	13
50-64	17	10.4	140	1	4	10	11	15	40	53
65 +	12	7.8	13	3	5	8	10	12	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	3.7	15	1	1	2	5	10	11	11
50-64	5	5.4	2	3	4	6	6	7	7	7
65 +	23	7.4	30	2	4	6	12	14	18	23
B. Operated										
0-19 YRS	17	13.9	188	1	5	9	21	30	45	53
20-34	12	12.3	105	3	5	11	14	24	39	41
35-49	44	10.5	89	5	7	8	10	14	25	58
50-64	47	19.1	343	5	9	13	22	57	72	99 +
65 +	59	18.3	344	5	8	13	21	56	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.2	5	1	1	3	4	7	7	7
B. Operated	67	8.2	45	2	5	8	10	13	15	47
2. MULTIPLE DX										
A. Not Operated	37	6.3	23	1	3	5	8	13	15	23
B. Operated	179	15.8	259	5	7	10	17	41	59	99 +
1. SINGLE DX	73	7.8	44	2	4	7	10	13	15	45
2. MULTIPLE DX	216	14.1	231	3	6	9	15	32	58	99 +
A. Not Operated	43	5.8	22	1	2	5	7	12	14	23
B. Operated	246	13.7	211	4	7	9	15	30	57	99 +
TOTAL										
0-19 YRS	32	11.2	114	3	5	7	14	25	30	53
20-34	26	8.3	65	1	3	7	11	15	22	41
35-49	64	9.3	68	4	6	8	10	13	17	56
50-64	73	15.2	282	3	6	10	16	48	59	95
65 +	94	14.3	250	3	6	10	16	30	65	99 +
GRAND TOTAL	**289**	**12.5**	**191**	**3**	**6**	**9**	**14**	**25**	**53**	**98**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	57	2.2	3	1	1	2	3	4	5	11
35-49	80	2.0	1	1	1	2	3	4	4	5
50-64	45	2.2	1	1	1	2	3	4	4	5
65 +	18	2.6	1	1	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.8	2	1	2	3	4	5	5	5
20-34	23	2.5	3	1	2	2	3	4	6	9
35-49	40	2.5	2	1	1	2	3	4	5	9
50-64	51	3.0	3	1	2	3	4	5	6	8
65 +	51	4.4	15	2	2	3	6	8	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	204	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	170	3.2	7	1	2	3	4	6	8	17
1. SINGLE DX	205	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX	170	3.2	7	1	2	3	4	6	8	17
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	374	2.6	4	1	1	2	3	4	6	11
TOTAL										
0-19 YRS	9	2.3	2	1	1	2	3	4	5	5
20-34	81	2.3	3	1	1	2	3	4	5	10
35-49	120	2.2	1	1	1	2	3	4	4	6
50-64	96	2.6	2	1	1	2	3	5	6	8
65 +	69	3.9	12	1	2	3	4	7	10	21
GRAND TOTAL	**375**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	2.5	4	1	1	2	4	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	7.2	33	1	3	6	11	16	16	16
20-34	6	8.2	23	3	6	7	9	16	17	17
35-49	14	6.7	6	3	5	7	8	9	10	10
50-64	12	5.1	16	2	2	4	7	11	14	15
65 +	12	4.7	9	2	3	4	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	0									
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	7	11.1	65	3	3	14	19	21	21	21
B. Operated										
0-19 YRS	6	9.0	30	2	6	8	11	17	18	18
20-34	21	8.2	28	4	5	5	9	15	20	25
35-49	39	5.7	11	3	3	5	8	10	11	18
50-64	52	9.4	56	2	4	6	14	22	23	29
65 +	68	10.6	212	2	3	5	11	29	44	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	4	1	1	2	4	5	5	5
B. Operated	49	6.0	14	2	3	6	8	10	15	17
2. MULTIPLE DX										
A. Not Operated	14	7.4	50	1	2	4	14	20	21	21
B. Operated	186	8.9	102	2	3	6	10	19	26	77
1. SINGLE DX	53	5.8	14	1	3	5	8	10	14	17
2. MULTIPLE DX	200	8.8	98	2	3	6	10	20	25	76
A. Not Operated	18	6.3	43	1	2	3	9	18	21	21
B. Operated	235	8.3	85	2	3	6	10	18	23	74
TOTAL										
0-19 YRS	14	7.1	28	1	2	6	10	16	18	18
20-34	31	7.5	26	2	5	6	9	15	17	25
35-49	55	5.9	10	3	3	5	8	9	10	18
50-64	66	8.4	50	2	3	6	12	20	23	29
65 +	87	9.9	175	2	3	5	11	23	37	92
GRAND TOTAL	253	8.2	62	2	3	6	10	18	23	72

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	127	3.0	3	< 1	1	3	4	5	5	7
35-49	55	3.1	3	< 1	1	3	4	5	6	6
50-64	18	3.3	5	1	1	3	5	7	7	7
65 +	9	3.2	4	< 1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	164	4.1	5	1	3	4	5	6	7	14
35-49	124	4.6	3	3	4	5	6	6	8	11
50-64	36	5.1	5	3	4	5	6	7	9	13
65 +	29	4.9	6	2	3	5	6	8	9	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	211	3.1	3	< 1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	5	2.2	3	1	1	1	3	5	5	5
B. Operated	353	4.5	4	2	3	4	5	6	8	12
1. SINGLE DX	211	3.1	3	< 1	1	3	4	5	6	7
2. MULTIPLE DX	358	4.4	4	2	3	4	5	6	8	12
A. Not Operated	5	2.2	3	1	1	1	3	5	5	5
B. Operated	564	3.9	4	1	3	4	5	6	7	11
TOTAL										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	292	3.6	4	< 1	2	4	5	6	6	10
35-49	182	4.1	3	1	3	4	5	6	7	10
50-64	55	4.5	5	1	3	4	6	7	7	13
65 +	38	4.5	6	1	3	4	6	8	9	12
GRAND TOTAL	569	3.9	4	1	3	4	5	6	7	11

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	4	2.0	2	< 1	< 1	1	3	4	4	4
35-49	36	3.0	3	1	2	3	4	5	6	7
50-64	45	3.6	6	< 1	1	3	5	8	8	9
65 +	41	4.0	12	1	2	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	10.0		10	10	10	10	10	10	10
65 +	4	5.0	45	1	1	2	9	15	15	15
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	5.0	19	1	2	4	6	11	16	16
35-49	42	4.4	6	1	3	4	6	8	9	10
50-64	67	5.1	9	2	3	4	8	9	10	12
65 +	137	7.1	35	2	3	6	10	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.0	2	4	4	5	6	6	6	6
B. Operated	126	3.5	7	< 1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	7	5.0	30	1	1	3	8	14	15	15
B. Operated	257	6.0	24	1	3	5	8	11	14	28
1. SINGLE DX	128	3.6	7	< 1	2	3	5	7	8	13
2. MULTIPLE DX	264	6.0	24	1	3	5	8	11	14	28
A. Not Operated	9	5.0	23	1	1	4	7	13	15	15
B. Operated	383	5.2	19	1	2	4	7	10	13	21
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	3.9	14	< 1	1	4	5	7	13	16
35-49	79	3.8	5	1	2	4	5	7	8	10
50-64	113	4.5	8	1	2	4	7	9	10	12
65 +	183	6.3	31	1	2	5	8	13	17	32
GRAND TOTAL	**392**	**5.2**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	3.4	14	1	1	2	4	8	11	18
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	9	3.2	3	1	2	3	4	6	6	6
65 +	9	4.4	23	1	1	2	7	12	15	15
B. Operated										
0-19 YRS	91	5.4	71	1	1	3	7	9	14	55
20-34	34	4.3	14	1	1	3	6	9	14	16
35-49	49	5.1	51	1	1	3	6	8	13	44
50-64	44	3.3	8	1	1	2	4	9	10	11
65 +	46	5.2	24	1	2	3	8	12	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.8	3	1	1	3	4	5	6	6
20-34	9	3.0	3	1	2	3	3	6	7	7
35-49	13	3.2	7	1	1	2	5	7	9	10
50-64	37	4.7	16	1	2	4	6	10	11	20
65 +	73	5.6	28	1	2	4	7	10	17	28
B. Operated										
0-19 YRS	62	9.7	124	1	3	6	11	29	35	51
20-34	56	7.9	50	2	4	6	9	15	24	38
35-49	79	6.5	31	1	3	5	8	11	18	29
50-64	87	7.7	101	1	2	5	10	15	20	66
65 +	192	8.2	51	2	4	7	10	17	20	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.4	12	1	1	2	4	7	10	18
B. Operated	264	4.8	41	1	1	3	7	9	12	30
2. MULTIPLE DX										
A. Not Operated	163	4.5	19	1	2	3	6	9	11	24
B. Operated	476	8.0	67	2	3	6	10	16	22	40
1. SINGLE DX	322	4.5	36	1	1	3	6	9	12	28
2. MULTIPLE DX	639	7.1	57	1	3	5	9	14	20	39
A. Not Operated	221	4.2	17	1	1	3	6	9	11	21
B. Operated	740	6.8	60	1	2	5	8	13	20	40
TOTAL										
0-19 YRS	216	6.0	74	1	1	3	7	11	20	47
20-34	103	6.0	37	1	2	4	7	13	16	34
35-49	145	5.6	36	1	2	5	7	10	16	31
50-64	177	5.7	59	1	2	4	8	11	15	34
65 +	320	7.0	43	1	3	5	9	14	19	32
GRAND TOTAL	**961**	**6.2**	**51**	**1**	**2**	**4**	**8**	**12**	**18**	**38**

197 Hospitals, Southern Region, January-December 1988

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	1.9		1	1	2	2	3	3	3
20-34	60	2.3	2	1	2	2	3	4	4	9
35-49	104	2.3	1	1	2	2	3	4	4	6
50-64	79	2.5	1	1	2	2	3	4	4	7
65 +	37	2.7	2	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	19	2.8	5	1	2	2	3	6	8	10
35-49	79	3.3	6	2	2	3	4	5	6	15
50-64	79	3.7	4	2	2	3	5	6	7	13
65 +	84	4.2	6	2	2	4	5	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	289	2.4	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	9	2.4	2	1	1	3	3	5	5	5
B. Operated	264	3.7	5	2	2	3	4	6	8	15
1. SINGLE DX	292	2.4	1	1	2	2	3	4	4	7
2. MULTIPLE DX	273	3.6	5	2	2	3	4	6	8	15
A. Not Operated	12	2.4	2	1	1	2	4	4	5	5
B. Operated	553	3.0	4	1	2	3	4	5	6	11
TOTAL										
0-19 YRS	13	2.0	1	1	2	2	2	3	4	4
20-34	79	2.5	2	1	2	2	3	4	5	10
35-49	187	2.7	3	1	2	2	3	4	5	12
50-64	161	3.0	3	1	2	3	4	5	6	8
65 +	125	3.7	5	1	2	3	5	6	8	12
GRAND TOTAL	**565**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.9	4	1	2	2	3	6	7	7
20-34	6	4.2	4	2	2	4	6	7	7	7
35-49	12	3.9	24	1	2	2	4	10	18	19
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	3	7.3	5	6	6	6	9	10	10	10
B. Operated										
0-19 YRS	14	4.8	12	2	2	4	6	11	13	13
20-34	35	3.3	3	1	2	3	5	5	6	8
35-49	47	2.6	2	1	2	2	3	4	6	6
50-64	30	2.7	4	1	2	2	3	4	4	12
65 +	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.0	10	1	2	3	5	7	12	13
20-34	28	3.9	11	1	2	3	5	8	13	14
35-49	42	6.5	22	2	3	5	8	14	16	22
50-64	49	6.2	16	3	3	5	8	12	15	19
65 +	79	7.8	29	2	4	6	10	16	19	28
B. Operated										
0-19 YRS	6	7.0	24	3	3	6	10	14	15	15
20-34	15	3.6	5	1	2	4	5	7	8	8
35-49	29	4.7	9	2	3	4	6	10	12	12
50-64	36	4.0	9	1	2	3	5	9	11	13
65 +	31	10.4	165	2	3	4	13	32	45	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.8	12	1	2	3	5	7	10	19
B. Operated	129	3.1	4	1	2	3	4	5	6	12
2. MULTIPLE DX										
A. Not Operated	212	6.4	23	2	3	5	8	13	17	22
B. Operated	117	6.0	57	2	2	4	7	12	17	47
1. SINGLE DX	161	3.2	6	1	2	3	4	6	7	13
2. MULTIPLE DX	329	6.2	35	2	3	5	8	13	17	31
A. Not Operated	244	6.1	22	2	3	5	8	13	16	22
B. Operated	246	4.4	31	1	2	3	5	8	12	36
TOTAL										
0-19 YRS	41	4.5	12	1	2	3	6	10	13	15
20-34	84	3.6	6	1	2	3	5	6	8	14
35-49	130	4.4	14	2	2	3	6	9	12	20
50-64	119	4.5	13	1	2	3	6	10	13	17
65 +	116	8.3	65	2	4	6	10	17	22	47
GRAND TOTAL	**490**	**5.2**	**27**	**2**	**2**	**4**	**6**	**11**	**15**	**26**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	5.3	4	3	4	5	7	8	8	11
20-34	17	3.5	3	1	2	3	4	7	7	7
35-49	22	4.7	6	2	3	4	6	8	10	11
50-64	19	4.8	5	2	3	4	6	9	9	9
65+	4	5.5	4	4	4	5	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	87	5.5	19	2	3	5	7	8	9	30
20-34	29	4.5	6	2	3	4	6	8	9	10
35-49	90	4.9	6	2	3	4	6	8	9	13
50-64	88	5.1	8	2	3	4	6	9	11	15
65+	57	5.5	11	2	3	5	7	11	15	99+
B. Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49	5	10.2	79	2	4	9	14	25	25	25
50-64	6	4.7	9	<1	2	5	7	8	8	8
65+	4	8.5	20	3	5	8	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	209	5.0	4	2	3	5	6	8	8	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	351	5.2	10	2	3	5	7	8	10	20
B. Operated	20	6.7	32	1	2	6	9	12	19	25
1. SINGLE DX	209	5.0	4	2	3	5	6	8	8	11
2. MULTIPLE DX	371	5.3	12	2	3	5	7	9	11	24
A. Not Operated	560	5.1	8	2	3	5	6	8	9	15
B. Operated	20	6.7	32	1	2	6	9	12	19	25
TOTAL										
0-19 YRS	236	5.4	10	2	4	5	7	8	8	15
20-34	49	4.1	5	2	2	3	5	8	9	10
35-49	117	5.1	9	2	3	4	6	8	10	18
50-64	113	5.1	8	2	3	4	6	9	9	14
65+	65	5.7	11	2	3	5	8	11	15	99+
GRAND TOTAL	**580**	**5.2**	**9**	**2**	**3**	**5**	**7**	**8**	**9**	**15**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	367	3.9	5	1	2	3	5	7	8	11
20-34	126	3.6	3	2	2	3	4	6	7	9
35-49	60	4.4	4	2	3	4	6	7	8	10
50-64	18	4.8	8	1	4	5	6	10	10	10
65+	16	5.1	8	2	3	4	5	11	11	11
B. Operated										
0-19 YRS	4	5.0	7	3	3	4	7	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	514	4.5	28	1	2	3	5	8	10	25
20-34	488	4.5	7	2	3	4	6	8	10	15
35-49	392	6.1	18	2	3	5	8	11	13	25
50-64	245	7.9	49	3	4	7	9	13	18	41
65+	312	8.6	34	3	5	7	11	15	17	37
B. Operated										
0-19 YRS	23	8.6	21	4	5	8	11	16	19	20
20-34	50	9.5	117	2	4	6	11	19	22	72
35-49	68	11.9	90	4	6	9	14	22	31	56
50-64	51	17.2	187	5	9	13	23	34	50	71
65+	52	20.9	219	8	11	15	29	52	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	587	3.9	5	2	2	3	5	7	8	11
B. Operated	5	4.8	6	3	3	4	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	1951	5.9	27	2	3	5	7	11	14	27
B. Operated	244	14.1	155	4	6	11	17	29	43	73
1. SINGLE DX	592	3.9	5	2	2	3	5	7	8	11
2. MULTIPLE DX	2195	6.8	48	2	3	5	8	13	17	41
A. Not Operated	2538	5.5	23	2	3	4	7	10	13	22
B. Operated	249	13.9	154	4	6	10	17	29	43	72
TOTAL										
0-19 YRS	908	4.4	19	1	2	3	5	8	9	18
20-34	665	4.7	16	2	3	4	6	8	11	19
35-49	520	6.7	30	3	3	5	8	12	17	31
50-64	314	9.2	81	3	4	7	10	16	25	51
65+	380	10.1	77	3	5	8	12	17	28	58
GRAND TOTAL	**2787**	**6.2**	**40**	**2**	**3**	**5**	**7**	**11**	**16**	**37**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	8.0	8	6	6	8	10	10	10	10
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	9	9.0	26	4	6	8	10	18	18	18
50-64	22	5.8	14	2	4	5	7	12	14	16
65 +	69	7.6	25	3	4	6	9	14	17	28
B. Operated										
0-19 YRS	0									
20-34	5	12.6	82	5	6	11	16	28	28	28
35-49	81	15.1	85	6	9	13	19	25	35	87
50-64	230	16.7	191	5	8	13	20	34	45	91
65 +	445	17.0	185	5	8	14	22	34	42	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	4	7.0	15	2	4	8	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	102	7.3	23	3	4	6	8	13	17	26
B. Operated	761	16.7	176	5	8	13	21	33	42	92
1. SINGLE DX	5	7.0	11	2	5	7	10	10	10	10
2. MULTIPLE DX	863	15.6	167	4	7	12	20	32	41	90
A. Not Operated	103	7.3	22	3	4	6	8	13	17	26
B. Operated	765	16.7	175	5	8	13	21	33	42	92
TOTAL										
0-19 YRS	0									
20-34	7	10.9	68	3	5	10	12	25	28	28
35-49	91	14.4	83	6	8	12	18	25	33	84
50-64	254	15.7	184	4	7	12	19	33	44	89
65 +	516	15.7	174	4	7	12	20	32	41	91
GRAND TOTAL	**868**	**15.5**	**166**	**4**	**7**	**12**	**19**	**32**	**41**	**90**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	201	4.6	7	2	3	4	6	7	8	14
20-34	107	3.6	4	1	2	4	5	6	7	11
35-49	119	4.4	5	2	3	4	5	8	9	11
50-64	152	4.9	11	2	3	4	6	8	9	20
65 +	119	5.2	9	2	3	4	7	9	11	16
B. Operated										
0-19 YRS	0									
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	6	3.8	9	1	2	3	7	8	8	8
50-64	11	3.7	16	< 1	1	2	6	9	14	14
65 +	6	2.8	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	260	5.1	41	2	3	4	6	8	10	27
20-34	431	4.9	11	2	3	4	6	8	12	17
35-49	802	5.8	26	2	3	5	7	10	12	24
50-64	1326	6.0	15	3	4	5	7	10	12	19
65 +	1849	7.2	31	3	4	6	8	12	17	31
B. Operated										
0-19 YRS	10	11.9	74	2	5	13	20	56	96	99 +
20-34	97	8.1	47	3	3	6	10	19	23	31
35-49	276	10.1	70	3	4	7	14	22	26	38
50-64	423	11.6	125	3	4	8	15	23	34	69
65 +	464	12.8	137	3	5	9	16	25	39	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	698	4.6	7	2	3	4	6	7	9	15
B. Operated	26	3.3	9	1	1	2	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	4668	6.3	25	2	4	5	7	11	14	25
B. Operated	1270	11.4	113	3	4	8	15	23	31	61
1. SINGLE DX	724	4.5	7	2	3	4	6	7	9	15
2. MULTIPLE DX	5938	7.4	48	3	4	6	8	14	19	39
A. Not Operated	5366	6.0	23	2	3	5	7	10	13	24
B. Operated	1296	11.3	112	3	4	8	15	23	31	60
TOTAL										
0-19 YRS	471	5.0	28	2	3	4	6	7	10	27
20-34	638	5.2	17	2	3	4	6	10	13	22
35-49	1203	6.6	38	2	3	5	8	12	16	31
50-64	1912	7.1	44	2	4	5	8	13	18	36
65 +	2438	8.1	55	3	4	6	9	15	21	44
GRAND TOTAL	**6662**	**7.1**	**44**	**2**	**4**	**5**	**8**	**13**	**18**	**37**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	15	3.6	2	< 1	3	3	5	5	6	6
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	41	1	1	5	10	10	10	10
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	5.2	2	3	4	5	6	7	7	7
20-34	37	3.8	3	1	3	4	5	6	7	7
35-49	21	4.4	1	3	4	4	5	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	27	3.2	3	1	2	3	5	5	6	6
2. MULTIPLE DX										
A. Not Operated	3	4.3	24	1	1	2	8	10	10	10
B. Operated	64	4.0	2	2	3	4	5	6	7	7
1. SINGLE DX	30	3.0	3	1	1	3	5	5	6	6
2. MULTIPLE DX	67	4.0	3	1	3	4	5	6	7	10
A. Not Operated	6	2.7	13	1	1	1	2	9	10	10
B. Operated	91	3.8	3	1	3	4	5	6	6	7
TOTAL										
0-19 YRS	14	3.0	4	1	1	2	5	6	7	7
20-34	55	3.7	3	1	3	4	5	6	7	10
35-49	26	4.1	2	3	3	4	5	6	6	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**97**	**3.7**	**3**	**1**	**3**	**4**	**5**	**6**	**7**	**9**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	166	1.4	1	< 1	1	1	1	2	3	7
20-34	23	3.3	5	1	2	2	5	7	8	9
35-49	15	4.2	11	1	2	3	5	10	12	13
50-64	6	5.0	70	< 1	1	2	3	20	22	22
65 +	13	4.6	10	1	3	4	5	10	12	12
B. Operated										
0-19 YRS	9	3.7	3	2	3	3	4	7	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.5	9	2	2	2	5	8	8	8
50-64	8	5.0	22	2	2	3	5	13	16	16
65 +	5	11.0	142	2	2	3	23	25	25	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	215	3.4	14	1	1	2	4	8	11	17
20-34	90	4.8	24	1	2	3	6	11	15	26
35-49	147	5.0	32	1	2	3	6	10	14	30
50-64	276	5.4	23	2	3	4	7	10	13	24
65 +	774	6.0	32	2	3	5	7	12	16	31
B. Operated										
0-19 YRS	19	10.9	173	1	2	7	14	24	42	57
20-34	17	10.3	112	3	4	8	11	18	37	47
35-49	47	11.2	214	1	3	7	10	34	57	58
50-64	58	9.9	76	2	3	8	12	22	30	40
65 +	106	12.3	123	3	5	10	15	24	31	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.1	6	1	1	1	2	4	6	12
B. Operated	27	5.4	38	2	2	3	4	14	23	25
2. MULTIPLE DX										
A. Not Operated	1502	5.3	28	1	2	4	6	11	14	28
B. Operated	247	11.3	131	2	4	8	14	23	33	57
1. SINGLE DX	250	2.4	10	1	1	1	3	5	7	22
2. MULTIPLE DX	1749	6.2	47	1	2	4	7	13	17	41
A. Nct Operated	1725	4.9	26	1	2	4	6	10	14	27
B. Operated	274	10.7	125	2	4	8	13	23	32	57
TOTAL										
0-19 YRS	409	2.9	19	1	1	1	3	7	9	22
20-34	131	5.3	35	1	2	3	6	11	16	33
35-49	213	6.3	76	1	2	4	7	11	15	57
50-64	348	6.1	35	2	3	4	7	12	16	30
65 +	898	6.8	47	2	3	5	8	14	19	37
GRAND TOTAL	**1999**	**5.7**	**44**	**1**	**2**	**4**	**7**	**12**	**16**	**33**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	3.3	6	< 1	1	3	5	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	19.0	410	2	5	10	29	53	62	70
20-34	6	10.2	53	3	6	7	16	21	22	22
35-49	17	8.5	40	3	4	5	13	15	22	26
50-64	37	10.4	58	3	5	9	13	21	30	31
65 +	120	11.3	144	3	5	8	13	25	35	63
B. Operated										
0-19 YRS	24	17.8	210	6	8	12	23	39	50	65
20-34	9	13.0	128	1	3	10	18	31	35	35
35-49	13	17.0	331	3	6	9	21	49	59	61
50-64	23	15.3	66	3	9	14	23	25	27	30
65 +	63	16.5	392	3	5	11	20	43	85	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.7	4	3	3	4	6	7	7	7
B. Operated	4	3.0	5	< 1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	240	12.9	198	3	5	8	14	30	46	66
B. Operated	132	16.4	273	3	6	11	21	35	54	94
1. SINGLE DX	7	3.7	5	< 1	2	3	5	7	7	7
2. MULTIPLE DX	372	14.1	227	3	5	9	16	32	47	85
A. Not Operated	243	12.7	197	3	5	8	14	30	46	66
B. Operated	136	16.0	270	3	6	11	21	35	52	94
TOTAL										
0-19 YRS	87	18.2	344	2	6	10	25	48	60	69
20-34	15	11.9	94	2	4	8	16	25	32	35
35-49	30	12.2	177	3	5	7	14	29	46	61
50-64	63	11.9	67	3	6	10	17	24	29	31
65 +	184	13.0	233	3	5	8	15	28	45	92
GRAND TOTAL	**379**	**13.9**	**225**	**3**	**5**	**9**	**16**	**32**	**47**	**85**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	162	9.7	22	3	7	10	12	15	16	23
20-34	66	9.5	24	2	6	10	13	15	17	22
35-49	4	5.3	13	2	2	4	8	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	10.8	36	4	8	10	12	21	23	23
20-34	6	9.0	73	1	1	6	19	20	20	20
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	285	11.0	49	3	6	10	14	19	23	40
20-34	92	12.0	58	2	5	12	15	22	27	34
35-49	9	6.6	14	2	4	6	10	12	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	32	16.3	125	6	8	14	24	42	91	99 +
20-34	13	15.5	38	8	10	17	19	23	24	24
35-49	2	23.0	32	19	19	23	27	27	27	27
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	232	9.6	23	2	7	10	13	15	16	22
B. Operated	20	10.2	43	1	5	9	13	20	22	23
2. MULTIPLE DX										
A. Not Operated	386	11.1	51	3	6	11	14	20	24	37
B. Operated	47	16.4	97	6	9	16	22	29	57	99 +
1. SINGLE DX	252	9.6	24	2	7	10	13	15	19	23
2. MULTIPLE DX	433	11.7	58	3	6	11	15	21	26	41
A. Not Operated	618	10.5	41	3	6	10	14	17	22	35
B. Operated	67	14.5	88	5	8	13	20	27	42	99 +
TOTAL										
0-19 YRS	492	10.9	47	3	6	10	14	19	23	41
20-34	177	11.2	46	2	6	10	15	20	23	32
35-49	16	8.4	45	2	4	6	10	18	25	27
50-64	0									
65 +	0									
GRAND TOTAL	**685**	**10.9**	**47**	**3**	**6**	**10**	**14**	**19**	**23**	**40**

197 Hospitals, Southern Region, January-December 1988

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.7	9	4	4	6	9	10	10	10
20-34	0									
35-49	2	12.0		12	12	12	12	12	12	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	5.9	2	4	5	6	6	8	9	9
20-34	46	6.0	4	4	5	6	6	8	9	16
35-49	37	5.2	2	4	5	5	6	6	7	9
50-64	5	6.4	2	5	5	6	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	13.4	115	3	4	10	24	29	32	33
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	9	5.9	55	1	2	4	5	18	25	25
50-64	5	11.2	173	3	4	4	17	34	34	34
65 +	4	7.3	43	3	3	4	11	17	17	17
B. Operated										
0-19 YRS	8	5.8	2	4	5	6	7	8	8	8
20-34	56	6.4	12	4	5	6	7	8	12	23
35-49	70	7.1	15	5	5	6	8	11	13	27
50-64	25	7.5	11	5	6	6	9	12	16	17
65 +	3	10.0	7	8	8	9	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	8.8	13	4	5	10	12	12	12	12
B. Operated	97	5.7	3	4	5	6	6	7	9	13
2. MULTIPLE DX										
A. Not Operated	34	9.3	96	2	3	4	11	26	32	34
B. Operated	162	6.9	13	4	5	6	7	11	13	23
1. SINGLE DX	102	5.9	4	4	5	6	6	8	9	14
2. MULTIPLE DX	196	7.3	28	4	5	6	8	12	19	31
A. Not Operated	39	9.3	85	2	3	5	12	26	31	34
B. Operated	259	6.5	10	4	5	6	7	9	12	21
TOTAL										
0-19 YRS	33	8.9	58	4	5	6	9	24	28	33
20-34	105	6.1	9	4	5	6	6	8	10	22
35-49	118	6.5	15	4	5	6	6	10	12	26
50-64	35	7.9	31	4	5	6	9	12	17	34
65 +	7	8.4	26	3	4	8	12	16	17	17
GRAND TOTAL	**298**	**6.8**	**20**	**4**	**5**	**6**	**7**	**10**	**16**	**29**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	97	3.1	7	< 1	1	2	5	7	8	12
20-34	7	6.1	6	3	4	6	9	9	9	9
35-49	11	5.8	30	1	2	4	8	14	19	19
50-64	5	3.0	4	1	1	3	5	5	5	5
65 +	5	4.6	5	3	3	3	6	8	8	8
B. Operated										
0-19 YRS	33	6.3	54	1	2	3	8	21	24	29
20-34	11	3.7	9	< 1	1	2	6	8	9	9
35-49	17	1.9	2	< 1	1	1	3	4	4	4
50-64	9	2.0	1	1	1	2	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	218	4.6	24	< 1	1	3	6	10	15	25
20-34	35	5.9	19	2	3	4	7	13	15	18
35-49	56	5.5	23	1	2	4	7	12	17	21
50-64	84	8.2	53	2	4	6	9	18	25	34
65 +	133	7.8	32	3	4	6	10	14	19	30
B. Operated										
0-19 YRS	55	13.6	313	1	3	7	17	48	64	99
20-34	15	4.8	22	1	2	4	6	12	16	18
35-49	43	6.8	66	1	3	4	7	19	35	99 +
50-64	56	10.4	120	2	4	8	12	21	24	67
65 +	45	13.6	149	3	6	10	18	27	41	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	3.5	9	< 1	1	3	5	8	9	15
B. Operated	72	4.2	30	< 1	1	2	4	9	20	28
2. MULTIPLE DX										
A. Not Operated	526	6.2	32	1	2	4	8	13	18	30
B. Operated	214	10.8	165	1	3	6	13	25	41	87
1. SINGLE DX	197	3.8	17	< 1	1	3	5	8	9	23
2. MULTIPLE DX	740	7.5	75	1	3	5	9	17	24	54
A. Not Operated	651	5.7	29	< 1	2	4	7	12	17	28
B. Operated	286	9.1	139	1	2	5	11	23	32	77
TOTAL										
0-19 YRS	403	5.6	72	< 1	1	3	6	12	21	52
20-34	68	5.3	17	1	2	4	7	12	14	18
35-49	127	5.5	37	1	2	4	7	12	19	54
50-64	154	8.5	77	2	3	6	10	18	24	41
65 +	185	9.1	66	3	4	7	11	19	24	48
GRAND TOTAL	**937**	**6.7**	**65**	**1**	**2**	**4**	**8**	**15**	**22**	**49**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	15	2.9	1	2	2	3	3	4	4	4
50-64	4	3.8	1	3	3	4	4	5	5	5
65 +	6	5.7	3	3	4	6	7	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	14	< 1	< 1	2	6	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	4.6	5	2	3	5	6	8	8	8
35-49	30	4.1	7	2	2	3	5	7	8	14
50-64	38	4.8	9	2	3	4	5	9	12	13
65 +	133	5.6	14	2	3	5	7	9	14	21
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	6.7	10	3	4	8	9	9	9	9
50-64	8	8.3	138	1	3	5	6	28	37	37
65 +	26	11.3	261	2	4	7	11	22	41	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	3.7	2	2	3	3	4	6	7	8
B. Operated	4	3.5	10	< 1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	206	5.2	12	2	3	4	7	9	12	20
B. Operated	38	10.0	208	2	3	6	9	21	34	83
1. SINGLE DX	30	3.6	3	2	3	3	4	7	8	8
2. MULTIPLE DX	244	6.0	45	2	3	4	7	11	14	30
A. Not Operated	232	5.1	11	2	3	4	6	9	12	20
B. Operated	42	9.4	192	2	3	6	9	21	33	83
TOTAL										
0-19 YRS	0									
20-34	7	3.9	5	1	2	3	5	7	8	8
35-49	51	3.9	6	2	2	3	5	8	8	14
50-64	51	5.2	28	2	3	4	5	9	12	37
65 +	165	6.5	56	2	3	5	7	11	17	29
GRAND TOTAL	**274**	**5.7**	**41**	**2**	**3**	**4**	**7**	**9**	**13**	**28**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	99	2.8	5	1	1	2	3	6	8	12
20-34	20	2.8	2	1	1	3	4	5	5	5
35-49	11	2.0	1	1	1	2	3	3	3	3
50-64	20	3.9	10	1	2	3	5	8	11	13
65 +	47	6.1	24	2	3	4	7	12	14	29
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2066	3.3	12	1	2	2	4	6	7	17
20-34	412	3.5	12	1	2	3	4	6	8	20
35-49	556	4.4	14	1	2	3	5	9	12	21
50-64	974	5.5	17	2	3	4	7	11	14	22
65 +	4364	7.3	43	2	4	6	9	14	18	35
B. Operated										
0-19 YRS	90	14.1	236	3	4	9	19	43	75	99 +
20-34	35	8.7	229	1	3	5	8	19	27	88
35-49	98	8.4	147	1	3	5	10	13	35	70
50-64	155	11.7	145	2	5	8	14	27	34	87
65 +	608	14.4	184	4	7	10	18	33	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	3.6	11	1	2	3	4	8	10	15
B. Operated	2	11.0	98	4	4	11	18	18	18	18
2. MULTIPLE DX										
A. Not Operated	8372	5.7	32	2	2	4	7	11	15	28
B. Operated	986	13.2	184	3	5	9	16	31	50	99 +
1. SINGLE DX	199	3.7	12	1	2	3	4	8	10	17
2. MULTIPLE DX	9358	6.5	53	2	3	4	8	13	18	43
A. Not Operated	8569	5.7	32	2	2	4	7	11	15	28
B. Operated	988	13.1	183	3	5	9	16	31	50	99 +
TOTAL										
0-19 YRS	2256	3.7	25	1	2	3	4	6	9	30
20-34	467	3.9	29	1	2	3	4	7	9	25
35-49	665	5.0	35	1	2	3	6	10	13	23
50-64	1149	6.3	38	2	3	5	8	12	16	30
65 +	5020	8.1	65	2	4	6	10	16	22	51
GRAND TOTAL	**9557**	**6.4**	**53**	**2**	**3**	**4**	**8**	**13**	**18**	**42**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.1	4	1	1	3	4	6	7	8
20-34	4	3.0	3	1	2	3	4	5	5	5
35-49	4	2.8	2	1	2	3	4	4	4	4
50-64	6	2.5	3	1	1	2	4	5	5	5
65 +	17	3.2	4	1	2	3	5	6	6	6
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	4	5.5	6	3	3	5	7	8	8	8
50-64	0									
65 +	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.1	4	1	2	3	4	6	7	9
20-34	29	3.0	3	1	2	3	4	5	6	8
35-49	94	4.6	16	1	2	4	6	9	12	23
50-64	111	4.8	13	1	2	4	6	9	10	20
65 +	450	5.5	28	2	3	5	7	9	13	21
B. Operated										
0-19 YRS	7	4.1	12	1	1	3	7	9	9	9
20-34	15	7.1	73	2	3	3	10	13	29	35
35-49	32	5.6	10	2	3	5	8	9	10	14
50-64	54	7.5	36	2	4	6	8	14	19	36
65 +	168	7.7	62	3	4	6	9	13	19	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	3.0	3	1	1	3	4	6	6	8
B. Operated	10	4.7	4	2	3	4	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	713	5.1	22	2	2	4	6	9	12	20
B. Operated	276	7.3	51	2	4	6	8	13	18	41
1. SINGLE DX	63	3.3	4	1	2	3	5	6	7	8
2. MULTIPLE DX	989	5.7	31	2	3	5	7	10	13	26
A. Not Operated	766	4.9	21	1	2	4	6	9	11	19
B. Operated	286	7.2	49	2	4	6	8	12	17	40
TOTAL										
0-19 YRS	59	3.2	5	1	1	3	4	7	8	9
20-34	50	4.3	26	1	2	3	5	7	12	35
35-49	134	4.8	14	1	2	4	6	9	11	20
50-64	171	5.6	21	2	3	5	7	10	15	23
65 +	638	6.0	37	2	3	5	7	10	14	26
GRAND TOTAL	**1052**	**5.5**	**30**	**2**	**3**	**4**	**7**	**10**	**13**	**26**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	618	3.4	5	1	2	3	5	7	8	10
20-34	428	5.9	16	2	3	5	8	11	13	20
35-49	85	5.9	10	2	4	5	7	10	12	19
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	0									
B. Operated										
0-19 YRS	8	3.4	5	1	1	3	5	7	7	7
20-34	10	6.8	19	2	3	7	8	13	17	17
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	811	4.7	11	1	3	4	6	9	11	16
20-34	709	8.2	44	3	4	6	10	16	20	36
35-49	206	7.5	25	3	4	7	9	14	18	24
50-64	36	5.7	8	2	3	5	8	10	11	12
65 +	5	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	33	8.4	58	2	4	5	12	19	25	33
20-34	58	12.4	86	4	8	10	15	20	31	57
35-49	19	15.9	171	5	9	11	19	26	47	63
50-64	3	8.0	43	2	3	7	13	15	15	15
65 +	1	20.0		20	20	20	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1133	4.5	11	1	2	4	6	9	11	17
B. Operated	19	5.5	15	1	2	6	8	9	13	17
2. MULTIPLE DX										
A. Not Operated	1767	6.4	28	2	3	5	8	12	16	28
B. Operated	114	11.8	95	3	5	10	15	21	28	60
1. SINGLE DX	1152	4.5	11	1	2	4	6	9	11	17
2. MULTIPLE DX	1881	6.7	34	2	3	5	8	13	17	32
A. Not Operated	2900	5.7	22	2	3	4	7	11	14	24
B. Operated	133	10.9	88	2	5	9	14	19	26	60
TOTAL										
0-19 YRS	1470	4.2	10	1	2	3	5	8	10	15
20-34	1205	7.6	38	2	4	6	9	14	18	34
35-49	311	7.6	34	3	4	6	9	14	18	27
50-64	41	5.9	10	2	3	5	8	10	12	15
65 +	6	5.0	55	1	1	2	3	18	20	20
GRAND TOTAL	**3033**	**5.9**	**26**	**2**	**3**	**5**	**7**	**11**	**15**	**25**

197 Hospitals, Southern Region, January-December 1988

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	178	2.7	8	1	1	1	3	6	8	14
20-34	25	3.0	8	1	1	2	4	6	10	11
35-49	13	2.4	2	1	1	2	3	4	5	5
50-64	25	3.3	13	1	1	3	4	6	10	19
65 +	31	3.9	15	1	1	2	6	10	12	15
B. Operated										
0-19 YRS	45	5.4	35	1	2	4	6	13	20	27
20-34	4	11.8	124	4	4	7	19	28	28	28
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	7	6.4	16	3	4	4	8	13	14	14
65 +	7	5.7	37	< 1	2	4	6	16	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	268	3.7	20	< 1	1	3	4	7	11	28
20-34	88	4.7	22	1	1	3	7	11	14	24
35-49	137	4.4	15	1	2	3	6	9	11	19
50-64	247	4.7	27	1	1	3	6	10	14	26
65 +	781	5.2	20	1	2	4	7	11	14	24
B. Operated										
0-19 YRS	75	10.7	156	1	3	6	14	25	36	94
20-34	34	7.9	99	1	3	5	8	16	32	49
35-49	72	7.6	60	2	3	6	9	15	20	49
50-64	95	8.7	42	2	4	7	11	18	22	31
65 +	267	9.7	79	3	5	7	12	20	24	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	2.9	9	1	1	2	4	6	9	15
B. Operated	65	5.8	37	1	2	4	6	14	20	28
2. MULTIPLE DX										
A. Not Operated	1521	4.8	21	1	2	4	6	10	13	25
B. Operated	543	9.3	82	2	4	7	11	20	24	49
1. SINGLE DX	337	3.5	16	1	1	2	4	7	11	22
2. MULTIPLE DX	2064	5.9	41	1	2	4	7	13	17	33
A. Not Operated	1793	4.5	20	1	1	3	6	10	13	24
B. Operated	608	8.9	78	2	4	6	11	19	24	45
TOTAL										
0-19 YRS	566	4.4	42	1	1	3	5	10	15	37
20-34	151	5.3	42	1	1	3	7	12	14	35
35-49	224	5.3	31	1	2	4	7	10	14	26
50-64	374	5.6	33	1	2	4	7	13	18	27
65 +	1086	6.3	39	1	2	5	8	13	17	30
GRAND TOTAL	**2401**	**5.6**	**38**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.8	4	1	1	2	3	6	7	7
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.6	17	1	2	3	6	12	14	18
20-34	16	4.2	5	2	2	4	6	8	8	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	1	22.0		22	22	22	22	22	22	22
65 +	4	11.3	82	1	5	10	17	23	23	23
B. Operated										
0-19 YRS	6	16.8	261	2	3	14	26	40	42	42
20-34	1	24.0		24	24	24	24	24	24	24
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	3.1	5	1	1	2	4	7	8	8
B. Operated	3	7.3	5	6	6	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	66	5.2	23	1	2	3	6	12	15	23
B. Operated	8	16.0	221	2	3	14	25	37	42	42
1. SINGLE DX	26	3.6	7	1	2	3	6	7	8	10
2. MULTIPLE DX	74	6.3	53	1	2	4	7	14	23	38
A. Not Operated	89	4.6	19	1	2	3	6	10	13	23
B. Operated	11	13.6	172	2	4	6	24	32	41	42
TOTAL										
0-19 YRS	70	5.2	44	1	2	3	6	12	18	39
20-34	20	5.1	25	1	2	4	6	8	16	24
35-49	5	6.0	8	3	4	6	8	10	10	10
50-64	1	22.0		22	22	22	22	22	22	22
65 +	4	11.3	82	1	5	10	17	23	23	23
GRAND TOTAL	**100**	**5.6**	**42**	**1**	**2**	**3**	**6**	**12**	**22**	**34**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	2.8	15	< 1	1	2	3	5	6	18
20-34	19	3.5	3	2	2	3	4	6	7	8
35-49	6	3.7	2	2	3	3	5	6	6	6
50-64	15	2.1	2	< 1	< 1	1	3	4	5	5
65 +	8	4.0	9	1	1	3	7	8	8	8
B. Operated										
0-19 YRS	89	4.0	9	1	2	4	5	7	8	16
20-34	11	6.9	19	4	4	5	6	15	16	16
35-49	12	6.8	14	2	4	6	8	13	14	14
50-64	11	7.0	14	3	5	6	8	13	14	14
65 +	5	6.4	8	4	4	5	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	626	4.3	11	1	2	3	5	8	10	18
20-34	75	4.3	7	1	2	4	6	8	9	13
35-49	120	5.1	11	1	2	4	7	11	12	13
50-64	189	7.1	34	3	4	6	8	14	16	36
65 +	339	6.9	29	2	4	6	9	13	17	27
B. Operated										
0-19 YRS	128	8.1	44	2	3	6	11	17	22	32
20-34	51	8.4	66	3	4	6	9	16	21	43
35-49	53	8.2	32	3	4	7	11	15	18	31
50-64	65	10.6	79	3	4	7	14	23	32	39
65 +	183	10.2	53	3	5	8	14	22	27	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	279	2.9	13	< 1	1	2	3	5	7	16
B. Operated	128	4.9	12	1	2	4	6	8	14	16
2. MULTIPLE DX										
A. Not Operated	1349	5.4	20	1	3	4	7	10	13	23
B. Operated	480	9.3	54	3	4	7	12	19	25	35
1. SINGLE DX	407	3.5	13	< 1	1	3	4	7	8	16
2. MULTIPLE DX	1829	6.4	32	2	3	5	8	13	17	29
A. Not Operated	1628	5.0	20	1	2	4	6	10	13	23
B. Operated	608	8.3	48	2	4	6	11	17	23	34
TOTAL										
0-19 YRS	1074	4.4	18	1	2	3	5	8	12	22
20-34	156	5.7	30	2	3	5	6	10	15	41
35-49	191	6.0	18	2	3	5	8	12	14	19
50-64	280	7.7	46	2	4	6	9	15	19	38
65 +	535	8.0	39	2	4	6	10	15	23	30
GRAND TOTAL	**2236**	**5.9**	**30**	**1**	**3**	**4**	**7**	**12**	**16**	**27**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	1.7	1	1	1	2	2	3	4	4
20-34	29	2.2	3	1	1	2	3	5	5	7
35-49	13	2.8	2	1	2	3	3	4	6	7
50-64	4	2.3	2	1	1	2	3	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	130	2.9	2	2	2	3	3	5	6	7
20-34	54	3.3	2	2	2	3	4	5	6	7
35-49	10	2.7		2	2	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	2.1	1	1	1	2	3	3	4	7
20-34	23	2.9	3	1	2	3	4	5	6	7
35-49	15	2.5	1	1	2	3	3	4	4	4
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	2	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	45	4.6	22	3	3	4	5	6	8	34
20-34	32	4.3	6	3	3	4	5	6	10	14
35-49	8	4.1	6	2	2	3	7	7	7	7
50-64	4	4.0	2	3	3	4	5	6	6	6
65 +	2	7.0	2	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	1.9	1	1	1	2	2	3	4	6
B. Operated	195	3.0	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	118	2.4	2	1	1	2	3	4	5	7
B. Operated	91	4.5	14	2	3	4	5	7	8	26
1. SINGLE DX	382	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	209	3.3	8	1	2	3	4	6	7	12
A. Not Operated	305	2.1	1	1	1	2	3	4	4	7
B. Operated	286	3.5	6	2	2	3	4	6	6	10
TOTAL										
0-19 YRS	389	2.5	4	1	1	2	3	4	5	7
20-34	138	3.2	3	1	2	3	4	5	7	10
35-49	46	2.9	2	2	2	3	3	4	7	7
50-64	13	2.7	2	1	2	2	3	5	6	6
65 +	5	5.0	7	1	4	5	6	8	8	8
GRAND TOTAL	**591**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**	**8**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.6	4	1	2	4	5	6	7	9
20-34	6	4.3	11	2	2	3	4	10	11	11
35-49	5	3.8	9	2	2	3	5	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	33	3.7	8	< 1	1	3	6	8	8	11
20-34	4	2.3	4	< 1	< 1	1	3	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	1.7		1	1	2	2	2	2	2
65 +	3	1.7	1	< 1	< 1	< 1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	4.6	4	2	3	4	6	7	8	11
20-34	7	5.0	12	2	3	3	6	11	12	12
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	7.0	32	3	3	7	11	11	11	11
65 +	0									
B. Operated										
0-19 YRS	25	5.1	11	< 1	1	6	8	9	10	12
20-34	7	8.9	38	1	3	10	14	16	16	16
35-49	9	3.9	14	< 1	1	2	5	10	12	12
50-64	9	4.8	25	1	2	2	8	13	14	14
65 +	5	5.2	10	2	3	4	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	3.7	5	1	2	3	5	7	8	11
B. Operated	44	3.3	7	< 1	1	2	5	8	8	11
2. MULTIPLE DX										
A. Not Operated	77	4.6	5	2	3	4	6	7	9	12
B. Operated	55	5.3	18	1	1	5	8	12	14	16
1. SINGLE DX	122	3.5	5	1	2	3	5	7	8	11
2. MULTIPLE DX	132	4.9	11	1	2	4	7	9	12	16
A. Not Operated	155	4.2	5	1	3	4	6	7	8	11
B. Operated	99	4.4	14	< 1	1	3	7	9	12	16
TOTAL										
0-19 YRS	191	4.2	6	1	2	4	6	8	8	11
20-34	24	5.5	22	1	2	4	9	12	16	16
35-49	17	3.6	9	1	2	2	4	9	11	12
50-64	14	4.4	21	1	2	2	7	12	14	14
65 +	8	3.9	9	< 1	1	3	6	9	9	9
GRAND TOTAL	**254**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	27.3	315	1	16	34	38	39	39	39
20-34	12	8.0	27	2	5	6	11	17	18	18
35-49	9	12.0	60	2	5	16	18	20	22	22
50-64	2	11.5	5	10	10	11	13	13	13	13
65 +	20	7.1	54	1	1	5	9	20	24	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	17.5	484	< 1	1	12	28	53	72	76
20-34	43	15.0	347	2	3	10	16	34	54	94
35-49	40	12.9	124	2	4	10	18	27	39	47
50-64	69	10.1	77	2	4	8	13	20	33	40
65 +	246	8.8	70	2	4	6	10	20	28	45
B. Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	2	24.0	648	6	6	24	42	42	42	42
35-49	1	20.0		20	20	20	20	20	20	20
50-64	9	15.7	335	1	3	8	22	45	58	58
65 +	43	15.2	218	3	4	11	20	37	45	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	10.2	91	1	3	7	16	23	33	39
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	417	10.4	128	2	3	7	13	23	32	54
B. Operated	56	15.9	233	2	4	11	21	39	46	70
1. SINGLE DX	48	10.1	90	1	3	7	16	23	32	39
2. MULTIPLE DX	473	11.1	143	2	3	7	14	25	35	65
A. Not Operated	464	10.4	124	2	3	7	13	23	32	47
B. Operated	57	15.8	231	2	4	11	21	39	46	70
TOTAL										
0-19 YRS	24	19.6	437	< 1	1	14	30	42	70	76
20-34	57	13.8	289	2	3	9	15	33	45	92
35-49	50	12.9	110	2	5	11	18	23	31	47
50-64	80	10.8	103	2	3	8	13	22	34	53
65 +	310	9.6	94	2	3	7	11	22	30	46
GRAND TOTAL	**521**	**11.0**	**138**	**2**	**3**	**7**	**14**	**25**	**34**	**61**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	10.7	97	4	4	6	18	22	22	22
65+	8	13.3	229	3	7	9	11	38	50	50
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	10	10.1	25	5	6	9	11	18	22	22
65+	146	12.1	152	3	6	9	14	24	39	82
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	6.4	51	1	3	4	8	19	19	19
65+	15	13.5	175	2	4	8	17	35	42	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	12.5	181	3	6	8	11	33	49	50
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	157	11.9	144	3	6	9	14	23	38	80
B. Operated	21	11.4	145	2	4	6	14	33	39	45
1. SINGLE DX	11	12.5	181	3	6	8	11	33	49	50
2. MULTIPLE DX	178	11.9	143	3	5	9	14	24	38	77
A. Not Operated	168	12.0	145	3	6	9	14	23	38	78
B. Operated	21	11.4	145	2	4	6	14	33	39	45
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	1	5	5	5	6	6	6	6
50-64	18	9.2	40	4	4	7	11	21	22	22
65+	169	12.3	156	3	6	9	14	26	43	78
GRAND TOTAL	**189**	**11.9**	**144**	**3**	**5**	**8**	**14**	**23**	**38**	**75**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	7.0	8	5	5	7	9	9	9	9
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	14	14.0	130	3	7	10	19	33	37	38
65+	122	13.6	167	4	6	10	17	29	46	99+
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	15	19.1	169	5	9	17	32	45	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	7.3	4	5	6	8	9	9	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	136	13.6	162	4	6	10	17	29	44	99+
B. Operated	17	17.8	164	4	8	16	29	44	78	99+
1. SINGLE DX	3	7.3	4	5	6	8	9	9	9	9
2. MULTIPLE DX	153	14.1	163	4	6	11	18	33	46	99+
A. Not Operated	139	13.5	160	4	6	10	17	29	43	99+
B. Operated	17	17.8	164	4	8	16	29	44	78	99+
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	17	12.9	114	3	6	8	16	32	36	38
65+	139	14.1	168	4	6	10	18	31	46	99+
GRAND TOTAL	**156**	**14.0**	**161**	**4**	**6**	**10**	**18**	**32**	**46**	**99+**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	1.8	1	1	1	1	2	4	4	5
20-34	16	7.8	132	1	1	3	10	18	37	45
35-49	8	8.3	181	1	2	3	7	31	41	41
50-64	10	6.9	34	2	3	6	8	15	22	22
65 +	64	11.1	75	3	6	8	14	21	34	40
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	7.1	103	1	1	3	7	24	35	97
20-34	76	8.4	89	1	3	5	10	22	28	50
35-49	58	9.0	107	1	2	5	13	23	41	95
50-64	62	12.5	240	2	4	8	14	26	50	76
65 +	668	11.7	118	3	5	9	15	26	36	99 +
B. Operated										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	3	6.0	21	1	2	7	9	10	10	10
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64	8	7.9	14	3	5	9	12	65	99 +	99 +
65 +	55	14.1	112	3	7	12	21	33	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	8.1	81	1	2	6	11	18	29	42
B. Operated	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	920	11.1	124	2	4	8	14	25	36	99 +
B. Operated	73	12.2	100	2	6	10	16	33	45	99 +
1. SINGLE DX	127	8.0	80	1	2	6	11	18	29	42
2. MULTIPLE DX	993	11.1	122	2	4	8	14	26	36	99 +
A. Not Operated	1045	10.7	119	2	4	7	14	24	35	84
B. Operated	75	11.9	101	1	5	10	16	32	44	99 +
TOTAL										
0-19 YRS	88	5.2	72	1	1	2	4	16	26	81
20-34	95	8.2	92	1	3	5	10	22	28	49
35-49	68	8.9	111	1	3	5	13	23	41	90
50-64	80	11.3	195	2	4	7	13	23	50	93
65 +	789	11.8	114	3	5	9	15	26	36	99 +
GRAND TOTAL	**1120**	**10.8**	**118**	**2**	**4**	**8**	**14**	**24**	**36**	**99 +**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	36	3.4	3	1	2	3	4	6	7	7
35-49	53	3.6	5	1	2	3	4	7	8	10
50-64	24	4.4	8	1	3	4	5	9	11	12
65 +	7	4.9	9	2	3	4	7	10	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	180	4.7	17	2	2	3	6	9	11	23
35-49	436	5.2	26	2	2	4	6	9	14	35
50-64	330	6.4	39	2	3	4	8	13	17	31
65 +	153	8.2	77	2	3	6	9	16	27	48
B. Operated										
0-19 YRS	0									
20-34	8	10.8	91	2	4	6	18	26	28	28
35-49	14	12.1	42	7	9	10	14	18	29	32
50-64	24	13.1	100	4	7	10	16	25	35	47
65 +	16	14.7	290	3	7	10	13	34	60	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	3.7	5	1	2	3	4	7	8	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1100	5.9	37	2	3	4	7	12	17	33
B. Operated	62	13.0	130	4	6	10	14	26	34	68
1. SINGLE DX	123	3.7	5	1	2	3	4	7	8	11
2. MULTIPLE DX	1162	6.3	44	2	3	4	7	12	18	36
A. Not Operated	1223	5.7	34	2	3	4	7	11	15	33
B. Operated	62	13.0	130	4	6	10	14	26	34	68
TOTAL										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	224	4.7	18	2	2	3	6	8	12	24
35-49	503	5.2	26	2	2	4	6	10	14	34
50-64	378	6.7	44	2	3	5	9	13	19	32
65 +	176	8.6	96	2	3	6	10	17	28	61
GRAND TOTAL	**1285**	**6.0**	**41**	**2**	**3**	**4**	**7**	**12**	**17**	**34**

197 Hospitals, Southern Region, January-December 1988

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	6.7	90	1	1	2	11	21	31	31
20-34	7	3.4	8	< 1	1	3	5	8	9	9
35-49	8	5.4	41	1	1	3	7	17	19	19
50-64	5	5.4	23	1	2	3	10	12	12	12
65 +	4	5.3	16	2	2	5	8	10	10	10
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	10.4	134	1	2	6	15	29	35	38
20-34	74	6.0	81	1	2	3	6	14	22	55
35-49	36	7.6	102	2	3	4	8	15	35	49
50-64	57	5.6	14	2	3	5	7	11	14	19
65 +	166	7.1	40	2	3	6	9	14	17	30
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	7.6	91	1	2	4	9	24	28	28
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	5.0	18	2	2	5	8	8	8	8
65 +	18	9.3	34	4	5	8	14	19	21	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	5.4	40	1	2	3	9	12	18	31
B. Operated	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	349	6.8	55	2	3	5	8	14	19	42
B. Operated	29	8.7	43	2	4	7	11	19	22	28
1. SINGLE DX	36	5.2	38	1	1	3	8	12	17	31
2. MULTIPLE DX	378	6.9	54	2	3	5	9	14	20	41
A. Not Operated	383	6.7	54	1	3	5	8	14	19	41
B. Operated	31	8.3	43	2	4	6	10	18	22	28
TOTAL										
0-19 YRS	27	8.9	112	1	1	4	11	28	32	38
20-34	89	5.9	75	1	2	3	6	13	22	52
35-49	45	7.4	89	2	3	4	10	15	25	49
50-64	65	5.5	15	2	3	4	7	11	14	19
65 +	188	7.2	39	2	3	6	9	15	17	29
GRAND TOTAL	**414**	**6.8**	**53**	**1**	**3**	**5**	**9**	**14**	**20**	**39**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	19.2	205	3	7	16	32	37	43	46
20-34	224	12.8	106	2	5	11	18	25	34	53
35-49	148	11.5	68	3	6	10	15	21	29	42
50-64	55	12.6	85	3	6	12	16	26	32	43
65 +	25	14.2	151	2	5	10	19	33	37	47
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	24.1	141	11	14	21	31	45	47	48
20-34	149	15.3	130	4	8	13	19	31	37	59
35-49	165	12.4	60	4	6	11	17	22	30	34
50-64	105	16.1	129	5	6	13	23	34	37	46
65 +	46	16.2	175	4	8	13	21	30	46	67
B. Operated										
0-19 YRS	0									
20-34	2	20.5	1	20	20	21	80	99 +	99 +	99 +
35-49	3	14.7	80	9	9	10	21	25	25	25
50-64	5	27.6	263	16	18	22	33	56	56	56
65 +	5	22.6	910	4	5	13	29	76	76	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	469	12.7	99	2	6	11	17	26	34	45
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	480	14.8	115	4	7	12	19	30	35	48
B. Operated	15	22.4	370	6	11	19	25	74	93	99 +
1. SINGLE DX	469	12.7	99	2	6	11	17	26	34	45
2. MULTIPLE DX	495	15.1	123	4	7	12	20	30	36	58
A. Not Operated	949	13.8	108	3	6	11	18	29	34	47
B. Operated	15	22.4	370	6	11	19	25	74	93	99 +
TOTAL										
0-19 YRS	32	21.5	176	4	11	20	31	40	46	48
20-34	375	13.8	116	2	7	12	19	28	35	64
35-49	316	12.0	64	4	6	10	16	22	30	35
50-64	165	15.3	123	4	6	12	22	33	37	46
65 +	76	16.0	206	3	7	13	20	33	46	74
GRAND TOTAL	**964**	**13.9**	**113**	**3**	**7**	**12**	**18**	**29**	**34**	**48**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	13.7	46	6	8	16	18	19	19	19
20-34	8	12.6	35	3	11	13	15	20	22	22
35-49	2	25.5	1105	2	2	25	49	49	49	49
50-64	1	8.0		8	8	8	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	24.0	133	13	15	23	33	36	36	36
35-49	3	9.0	43	3	4	8	14	16	16	16
50-64	4	11.8	31	8	8	9	15	20	20	20
65 +	2	9.0	8	7	7	9	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	21.0		21	21	21	21	21	21	21
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	14.4	135	2	8	13	16	25	44	49
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	13	12.8	83	3	8	10	17	26	34	36
B. Operated	1	21.0		21	21	21	21	21	21	21
1. SINGLE DX	14	14.4	135	2	8	13	16	25	44	49
2. MULTIPLE DX	14	13.4	82	3	8	10	20	24	33	36
A. Not Operated	27	13.6	107	3	8	13	16	23	38	49
B. Operated	1	21.0		21	21	21	21	21	21	21
TOTAL										
0-19 YRS	4	11.0	59	3	4	11	17	19	19	19
20-34	11	15.7	79	6	13	14	20	28	35	36
35-49	5	15.6	379	2	3	8	24	49	49	49
50-64	6	12.7	37	8	8	9	20	21	21	21
65 +	2	9.0	8	7	7	9	11	11	11	11
GRAND TOTAL	**28**	**13.9**	**105**	**3**	**8**	**13**	**18**	**23**	**37**	**49**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	21.1	450	3	6	13	32	52	83	99 +
20-34	427	12.5	95	3	5	10	16	25	29	45
35-49	301	13.3	124	3	6	10	17	27	34	57
50-64	101	12.4	96	3	6	10	16	25	31	52
65 +	31	15.4	95	5	9	14	21	23	39	46
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	28.0		28	28	28	28	28	28	28
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	15.1	242	4	6	10	18	43	50	99 +
20-34	409	14.4	173	3	6	11	18	29	40	68
35-49	376	12.9	94	3	6	11	17	26	32	48
50-64	225	15.1	163	3	7	12	19	29	40	69
65 +	108	19.1	193	6	9	15	25	36	52	70
B. Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	12	20.9	333	2	9	18	24	49	64	67
35-49	12	19.9	172	11	12	17	20	38	55	58
50-64	15	24.7	214	9	15	21	29	43	59	64
65 +	2	16.0	8	14	14	16	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	912	13.3	128	3	6	11	17	26	34	61
B. Operated	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. Not Operated	1170	14.5	153	3	7	11	18	29	38	68
B. Operated	42	21.8	215	9	14	18	26	42	60	67
1. SINGLE DX	913	13.3	128	3	6	11	17	27	34	61
2. MULTIPLE DX	1212	14.8	156	3	7	12	19	29	39	67
A. Not Operated	2082	14.0	142	3	6	11	18	28	36	66
B. Operated	43	21.9	210	9	14	19	27	41	60	67
TOTAL										
0-19 YRS	105	18.1	348	3	6	11	24	49	71	99 +
20-34	848	13.5	137	3	6	10	17	26	34	67
35-49	690	13.2	109	3	6	11	17	26	34	56
50-64	341	14.7	150	3	7	12	18	29	37	66
65 +	141	18.2	171	6	9	14	23	35	43	68
GRAND TOTAL	**2125**	**14.1**	**145**	**3**	**6**	**11**	**18**	**28**	**37**	**66**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	11.5	78	3	4	9	16	24	30	37
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	16.0	256	3	4	11	25	52	66	99 +
20-34	3	25.3	530	3	8	24	43	49	49	49
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	21.0		21	21	21	21	21	21	21
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	11.5	78	3	4	9	16	24	30	37
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	27	17.1	276	3	4	11	28	51	59	99 +
B. Operated	1	21.0		21	21	21	21	21	21	21
1. SINGLE DX	24	11.5	78	3	4	9	16	24	30	37
2. MULTIPLE DX	28	17.2	266	3	4	12	26	51	57	99 +
A. Not Operated	51	14.5	187	3	4	10	19	39	52	99
B. Operated	1	21.0		21	21	21	21	21	21	21
TOTAL										
0-19 YRS	48	13.8	169	3	4	10	17	35	52	99 +
20-34	4	24.3	358	3	12	22	36	49	49	49
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**52**	**14.6**	**184**	**3**	**4**	**10**	**21**	**39**	**52**	**99**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	177	20.9	318	3	6	16	30	48	57	83
20-34	316	11.0	96	2	4	8	15	25	30	44
35-49	363	12.3	91	2	5	10	16	25	30	40
50-64	223	15.8	138	3	7	14	21	31	42	58
65 +	199	20.2	196	6	10	17	27	39	48	68
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	24.0	512	8	8	24	40	40	40	40
65 +	4	34.0	156	21	24	33	44	49	49	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	333	24.6	389	3	10	21	36	60	91	99 +
20-34	876	14.7	168	2	6	11	20	31	42	65
35-49	1067	15.0	151	3	7	11	20	31	42	60
50-64	633	16.0	130	4	7	14	21	30	37	58
65 +	718	18.8	170	6	9	16	25	36	43	73
B. Operated										
0-19 YRS	9	27.0	419	3	7	29	53	77	99 +	99 +
20-34	44	24.3	264	5	15	21	30	44	61	74
35-49	50	23.9	323	7	12	18	31	47	61	95
50-64	56	20.5	141	8	12	19	26	40	48	97
65 +	69	22.8	235	7	11	19	32	46	57	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1278	15.0	163	3	6	12	21	31	41	62
B. Operated	6	30.7	223	9	21	33	40	48	49	49
2. MULTIPLE DX										
A. Not Operated	3627	16.7	185	3	7	13	22	35	45	78
B. Operated	228	22.9	242	7	12	20	30	46	58	99 +
1. SINGLE DX	1284	15.1	164	3	6	12	21	31	41	61
2. MULTIPLE DX	3855	17.1	191	4	7	14	23	36	46	79
A. Not Operated	4905	16.3	180	3	7	13	22	34	44	72
B. Operated	234	23.1	242	7	12	20	31	46	58	99 +
TOTAL										
0-19 YRS	519	23.4	367	3	9	19	35	55	74	99 +
20-34	1236	14.1	159	2	5	10	19	30	38	63
35-49	1480	14.6	146	3	7	11	19	30	39	60
50-64	914	16.2	134	4	8	14	22	31	38	61
65 +	990	19.4	181	6	10	17	26	38	46	73
GRAND TOTAL	**5139**	**16.6**	**185**	**3**	**7**	**13**	**22**	**35**	**45**	**73**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	20.9	211	7	10	17	29	42	50	65
20-34	213	12.1	98	3	5	9	16	22	31	51
35-49	214	13.6	99	3	6	12	18	25	31	48
50-64	115	14.9	121	2	7	14	20	26	37	55
65 +	48	18.9	203	6	9	15	24	39	58	62
B. Operated										
0-19 YRS	0									
20-34	1	28.0		28	28	28	28	28	28	28
35-49	2	23.5	13	21	21	23	26	26	26	26
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	21.9	217	4	12	19	30	44	48	69
20-34	298	15.7	155	4	7	12	20	32	38	63
35-49	382	14.8	137	4	7	13	18	28	37	67
50-64	228	16.6	157	4	8	14	21	31	40	60
65 +	199	19.0	163	5	10	16	26	36	47	68
B. Operated										
0-19 YRS	2	15.0	392	1	1	15	29	29	29	29
20-34	12	20.1	216	5	8	14	29	40	51	53
35-49	20	24.2	171	11	15	21	30	44	53	59
50-64	16	21.2	214	7	12	17	25	42	56	62
65 +	13	27.8	257	8	13	32	40	50	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	645	14.4	126	3	7	12	19	28	38	58
B. Operated	3	25.0	13	21	22	26	27	28	28	28
2. MULTIPLE DX										
A. Not Operated	1196	16.6	159	4	8	14	21	33	41	64
B. Operated	63	23.1	209	7	13	18	32	45	52	62
1. SINGLE DX	648	14.4	126	3	7	12	19	28	38	58
2. MULTIPLE DX	1259	16.9	164	4	8	14	22	34	43	64
A. Not Operated	1841	15.8	149	4	7	13	20	31	40	61
B. Operated	66	23.2	200	7	13	20	32	44	52	62
TOTAL										
0-19 YRS	146	21.4	214	5	11	17	30	44	48	68
20-34	524	14.4	136	4	7	11	19	29	36	59
35-49	618	14.7	127	4	7	13	19	27	37	58
50-64	359	16.2	149	4	8	14	21	30	40	61
65 +	260	19.5	177	6	10	16	26	37	49	64
GRAND TOTAL	**1907**	**16.1**	**152**	**4**	**7**	**13**	**21**	**32**	**41**	**61**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	12.9	214	2	3	9	16	41	62	99 +
20-34	114	7.9	44	2	4	7	10	16	21	36
35-49	78	11.2	122	3	5	8	14	22	35	61
50-64	49	8.8	63	2	3	7	12	15	28	43
65 +	56	10.9	84	2	4	9	13	25	34	38
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	0									
50-64	1	15.0		15	15	15	15	15	15	15
65 +	2	17.5	265	6	6	17	29	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	17.6	414	1	4	10	23	43	67	87
20-34	176	9.4	65	2	4	8	12	19	24	40
35-49	162	10.5	95	3	5	8	13	20	31	48
50-64	151	9.3	74	2	3	6	14	20	28	50
65 +	418	10.3	109	3	4	7	13	21	28	83
B. Operated										
0-19 YRS	2	47.0	1458	20	20	47	74	74	74	74
20-34	11	13.0	81	2	7	13	17	25	33	34
35-49	10	18.7	109	7	12	16	25	34	37	37
50-64	14	13.0	89	2	5	12	18	24	33	36
65 +	31	20.2	359	4	5	15	30	55	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	340	9.9	95	2	4	7	13	20	31	60
B. Operated	4	15.0	101	6	8	12	22	29	29	29
2. MULTIPLE DX										
A. Not Operated	974	10.5	118	2	4	7	14	22	31	68
B. Operated	68	18.1	264	3	6	14	24	41	63	95
1. SINGLE DX	344	10.0	95	2	4	7	13	20	30	60
2. MULTIPLE DX	1042	11.0	130	2	4	8	14	23	35	76
A. Not Operated	1314	10.4	112	2	4	7	13	21	31	65
B. Operated	72	18.0	253	3	6	14	24	40	60	94
TOTAL										
0-19 YRS	113	16.3	360	2	4	10	22	42	66	92
20-34	301	9.0	58	2	4	7	12	19	23	39
35-49	250	11.0	106	3	5	8	14	23	34	52
50-64	215	9.5	72	2	3	7	14	19	28	46
65 +	507	11.0	127	3	4	8	14	23	35	84
GRAND TOTAL	**1386**	**10.8**	**122**	**2**	**4**	**8**	**14**	**23**	**34**	**68**

197 Hospitals, Southern Region, January-December 1988

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.7	45	<1	1	2	3	19	22	22
20-34	45	5.3	29	1	1	3	7	14	16	22
35-49	41	5.1	33	1	1	3	8	11	13	32
50-64	27	6.9	77	1	1	4	9	16	21	43
65 +	9	4.3	56	1	1	1	3	16	24	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	6.7	95	1	1	3	7	22	28	42
20-34	123	7.9	61	2	2	5	11	18	23	36
35-49	172	6.9	48	1	2	4	9	15	21	35
50-64	142	6.0	41	1	2	4	7	14	22	32
65 +	145	7.5	63	2	3	4	9	18	22	40
B. Operated										
0-19 YRS	0									
20-34	4	6.0	25	2	2	4	9	13	13	13
35-49	4	8.3	20	2	5	9	11	12	12	12
50-64	2	13.0	162	4	4	13	22	22	22	22
65 +	5	8.4	46	1	4	7	12	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	5.4	42	1	1	3	7	13	19	33
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	608	7.0	55	1	2	4	9	17	22	35
B. Operated	15	8.3	39	2	3	7	12	19	21	22
1. SINGLE DX	140	5.4	42	1	1	3	7	13	19	33
2. MULTIPLE DX	623	7.1	54	1	2	4	9	17	22	35
A. Not Operated	748	6.7	53	1	2	4	9	16	22	35
B. Operated	15	8.3	39	2	3	7	12	19	21	22
TOTAL										
0-19 YRS	44	5.9	74	<1	1	2	5	21	23	42
20-34	172	7.1	53	1	2	5	10	16	22	29
35-49	217	6.6	45	1	2	4	9	15	19	34
50-64	171	6.3	47	1	2	4	8	15	22	34
65 +	159	7.3	62	1	2	4	9	18	23	38
GRAND TOTAL	**763**	**6.8**	**52**	**1**	**2**	**4**	**9**	**16**	**22**	**35**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	18.9	238	3	6	15	30	39	47	70
20-34	88	5.6	25	1	2	4	7	14	17	21
35-49	65	7.5	45	1	2	4	11	18	21	26
50-64	31	8.6	49	2	3	7	12	17	24	32
65 +	12	8.3	45	2	3	6	13	19	21	21
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	234	20.9	229	4	9	19	30	43	53	78
20-34	219	9.1	74	2	3	6	13	22	28	35
35-49	196	9.3	84	2	3	6	12	21	27	41
50-64	122	10.6	71	3	5	8	15	21	26	44
65 +	116	8.6	46	3	4	6	11	19	24	31
B. Operated										
0-19 YRS	5	10.4	65	2	3	10	16	22	22	22
20-34	9	13.2	50	4	7	13	18	23	26	26
35-49	8	20.5	224	6	9	14	31	43	48	48
50-64	10	14.1	107	3	6	12	21	29	36	36
65 +	9	13.7	184	2	5	9	19	37	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	10.4	125	1	3	6	14	24	35	49
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	887	12.4	139	2	4	8	17	28	36	60
B. Operated	41	14.6	126	3	6	12	20	31	39	48
1. SINGLE DX	278	10.4	125	1	3	6	14	24	35	49
2. MULTIPLE DX	928	12.5	138	2	4	8	18	28	36	60
A. Not Operated	1164	11.9	136	2	4	8	17	28	36	59
B. Operated	42	14.4	125	4	6	12	19	31	38	48
TOTAL										
0-19 YRS	320	20.2	230	4	8	18	30	42	49	75
20-34	316	8.2	62	1	3	5	11	20	23	32
35-49	269	9.2	82	2	3	6	12	21	27	41
50-64	163	10.4	70	3	4	8	14	21	26	38
65 +	138	8.9	55	2	4	7	11	20	24	38
GRAND TOTAL	**1206**	**12.0**	**136**	**2**	**4**	**8**	**17**	**28**	**36**	**59**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	11.6	259	1	2	6	15	30	40	95
20-34	125	8.2	122	1	2	4	10	20	27	62
35-49	68	8.4	64	1	2	5	13	21	24	34
50-64	19	7.3	26	2	3	7	9	15	18	20
65 +	5	3.6	10	1	1	2	6	8	8	8
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	2	5.5	5	7	7	8	10	10	10	10
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	3	1.0		< 1	< 1	1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	170	14.1	323	1	2	7	16	36	56	80
20-34	261	9.4	104	1	3	6	13	21	29	90
35-49	204	10.1	103	2	3	7	14	23	28	65
50-64	99	12.8	184	2	4	10	16	28	43	70
65 +	108	7.7	49	1	3	5	11	18	21	33
B. Operated										
0-19 YRS	4	22.3	276	3	10	21	34	43	43	43
20-34	11	11.2	142	2	3	6	13	32	38	39
35-49	14	9.1	38	1	4	9	14	17	20	21
50-64	9	6.7	32	2	2	3	10	15	18	18
65 +	19	18.3	172	7	9	13	24	43	47	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	9.3	150	1	2	5	13	22	32	80
B. Operated	10	4.3	12	< 1	1	3	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	842	10.7	154	1	3	6	14	24	34	74
B. Operated	57	13.1	135	2	4	11	17	27	42	49
1. SINGLE DX	335	9.1	147	1	2	5	12	22	32	78
2. MULTIPLE DX	899	10.9	153	1	3	7	14	25	35	72
A. Not Operated	1167	10.3	153	1	3	6	14	23	33	76
B. Operated	67	11.8	126	2	3	9	15	25	40	48
TOTAL										
0-19 YRS	284	13.2	297	1	2	7	16	33	51	92
20-34	399	9.1	110	1	2	6	13	21	30	66
35-49	288	9.6	90	1	3	7	13	22	27	47
50-64	130	11.3	153	1	3	7	15	24	32	59
65 +	133	9.0	79	1	3	6	13	19	25	46
GRAND TOTAL	**1234**	**10.4**	**152**	**1**	**3**	**6**	**14**	**24**	**34**	**74**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	8.3	93	1	1	4	13	25	27	27
20-34	177	8.1	91	1	2	4	9	27	29	33
35-49	236	6.5	63	1	2	4	6	19	28	33
50-64	121	7.1	70	1	2	4	6	26	30	32
65 +	17	11.1	113	3	4	5	16	29	30	30
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	195	23.8	168	3	13	28	31	42	43	48
20-34	1161	18.5	169	2	5	21	28	35	41	42
35-49	1214	15.5	147	2	4	12	28	30	35	42
50-64	713	14.0	134	2	4	8	27	30	31	42
65 +	321	13.4	121	2	4	8	24	29	30	42
B. Operated										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	47	23.6	126	7	15	29	30	36	41	42
35-49	48	19.6	120	5	10	21	29	30	35	42
50-64	32	23.3	161	8	14	23	29	40	50	54
65 +	21	24.3	336	5	10	25	31	41	65	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	564	7.3	76	1	2	4	7	25	29	33
B. Operated	3	6.3	4	4	5	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	3604	16.4	157	2	4	14	28	31	37	42
B. Operated	149	22.4	160	5	13	26	30	35	42	54
1. SINGLE DX	567	7.3	75	1	2	4	7	25	29	32
2. MULTIPLE DX	3753	16.7	158	2	4	14	28	31	37	42
A. Not Operated	4168	15.2	156	2	4	10	28	30	36	42
B. Operated	152	22.1	162	5	12	25	30	35	42	54
TOTAL										
0-19 YRS	209	22.8	176	2	11	27	30	42	42	47
20-34	1386	17.4	171	2	4	17	28	33	39	42
35-49	1499	14.2	145	2	4	9	28	30	34	42
50-64	866	13.3	135	2	4	7	26	30	31	43
65 +	360	13.9	139	2	4	9	25	29	30	43
GRAND TOTAL	**4320**	**15.4**	**158**	**2**	**4**	**11**	**28**	**30**	**36**	**42**

197 Hospitals, Southern Region, January-December 1988

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	6.2	21	3	3	4	7	14	17	17
35-49	7	7.4	113	1	2	2	10	26	30	30
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	20.2	184	6	11	16	30	41	42	42
20-34	153	16.4	150	3	6	14	28	31	37	43
35-49	101	17.0	141	3	7	14	29	31	35	42
50-64	20	14.5	116	5	7	11	20	31	38	42
65 +	5	20.8	191	6	12	16	30	42	42	42
B. Operated										
0-19 YRS	0									
20-34	16	22.3	139	8	9	28	31	33	40	43
35-49	10	24.4	163	6	16	26	35	40	42	42
50-64	2	20.5	61	15	15	20	26	26	26	26
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	6.8	57	2	2	4	8	16	26	30
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	285	16.6	144	3	6	13	28	31	37	43
B. Operated	28	22.9	136	8	11	26	31	38	42	43
1. SINGLE DX	16	6.8	57	2	2	4	8	16	26	30
2. MULTIPLE DX	313	17.2	146	3	7	15	28	32	39	43
A. Not Operated	301	16.1	144	3	6	12	28	31	37	43
B. Operated	28	22.9	136	8	11	26	31	38	42	43
TOTAL										
0-19 YRS	6	20.2	184	6	11	16	30	41	42	42
20-34	178	16.4	150	3	6	13	28	31	37	43
35-49	118	17.1	149	3	7	14	30	31	37	42
50-64	22	15.0	111	5	8	11	21	30	38	42
65 +	5	20.8	191	6	12	16	30	42	42	42
GRAND TOTAL	**329**	**16.7**	**147**	**3**	**6**	**14**	**28**	**31**	**37**	**43**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	39TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	18.0	336	< 1	1	12	37	38	38	38
20-34	54	9.4	99	2	3	4	15	23	31	42
35-49	14	11.7	141	2	2	6	28	30	30	30
50-64	1	28.0		28	28	28	28	28	28	28
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	138	24.2	185	4	14	28	32	42	44	53
20-34	780	20.5	164	3	8	23	30	37	42	42
35-49	224	20.4	148	4	8	22	30	35	40	43
50-64	44	23.2	230	5	12	27	30	37	40	89
65 +	26	17.9	115	4	7	17	28	30	35	37
B. Operated										
0-19 YRS	2	35.5	61	30	30	35	41	41	41	41
20-34	52	25.5	117	9	17	28	30	42	42	45
35-49	16	29.6	64	18	25	30	36	42	42	42
50-64	4	20.8	17	17	17	20	24	26	26	26
65 +	3	20.0	192	4	10	28	26	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	10.6	125	2	3	5	15	30	36	42
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1212	20.9	166	3	8	23	30	37	42	43
B. Operated	77	26.2	106	10	18	28	30	42	42	44
1. SINGLE DX	74	10.6	125	2	3	5	15	30	36	42
2. MULTIPLE DX	1289	21.2	164	4	9	24	30	38	42	43
A. Not Operated	1286	20.3	169	3	7	22	30	37	42	43
B. Operated	77	26.2	106	10	18	28	30	42	42	44
TOTAL										
0-19 YRS	145	24.2	189	4	13	28	32	41	43	52
20-34	886	20.1	166	3	7	22	30	37	42	42
35-49	254	20.5	151	4	7	22	30	36	40	42
50-64	49	23.1	208	6	13	26	30	34	38	89
65 +	29	18.1	116	4	7	18	28	30	34	37
GRAND TOTAL	**1363**	**20.7**	**167**	**3**	**8**	**23**	**30**	**37**	**42**	**43**

197 Hospitals, Southern Region, January-December 1988

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	1.2		< 1	< 1	1	1	2	2	4
20-34	40	4.7	48	< 1	1	2	5	8	22	34
35-49	40	3.5	7	1	1	3	5	7	9	12
50-64	23	~~3.6~~	5	1	2	3	4	7	9	9
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	7.1	132	1	1	2	6	28	29	56
20-34	117	6.2	95	< 1	1	2	5	23	31	44
35-49	111	7.0	79	1	2	4	8	18	28	42
50-64	64	5.6	36	1	2	4	7	11	15	32
65 +	38	6.1	54	1	2	4	7	11	15	44
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	13.0	21	9	10	12	16	18	18	18
35-49	10	14.0	150	2	5	7	28	29	30	30
50-64	1	29.0		29	29	29	29	29	29	29
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	3.2	18	< 1	1	2	4	7	9	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	382	6.5	81	1	1	3	7	16	28	42
B. Operated	15	14.0	126	2	5	9	27	29	30	30
1. SINGLE DX	146	3.2	18	< 1	1	2	4	7	9	28
2. MULTIPLE DX	397	6.7	85	1	1	3	7	19	29	41
A. Not Operated	528	5.6	66	1	1	3	6	12	27	36
B. Operated	15	14.0	126	2	5	9	27	29	30	30
TOTAL										
0-19 YRS	95	4.5	80	< 1	1	1	2	9	28	46
20-34	160	5.9	83	< 1	1	2	6	17	28	38
35-49	161	6.6	71	1	2	4	7	17	28	31
50-64	88	5.4	34	1	2	4	6	11	14	32
65 +	39	6.3	53	1	2	4	8	11	15	44
GRAND TOTAL	**543**	**5.8**	**69**	**1**	**1**	**3**	**6**	**12**	**28**	**35**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	9.3	177	< 1	1	2	10	33	40	41
20-34	65	7.5	87	1	1	3	9	25	28	38
35-49	18	5.4	54	< 1	2	3	4	18	25	28
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	18.9	210	1	6	17	30	41	42	56
20-34	330	13.9	150	2	4	8	23	33	39	42
35-49	103	14.2	170	3	4	9	26	35	40	49
50-64	28	12.8	123	3	4	7	19	28	36	42
65 +	16	9.6	83	2	3	8	10	26	32	34
B. Operated										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	15	16.4	141	5	8	13	21	36	43	45
35-49	4	13.5	80	5	6	12	20	25	25	25
50-64	0									
65 +	2	7.5	13	5	5	7	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	7.6	101	< 1	1	3	9	27	29	40
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	598	14.8	166	2	4	9	25	35	41	44
B. Operated	22	16.3	149	5	8	12	22	38	44	45
1. SINGLE DX	108	7.5	100	< 1	1	3	8	27	29	40
2. MULTIPLE DX	620	14.9	166	2	4	10	25	35	41	44
A. Not Operated	705	13.7	163	1	3	8	23	34	40	43
B. Operated	23	15.7	151	4	7	12	21	37	44	45
TOTAL										
0-19 YRS	146	17.4	219	1	4	15	29	41	42	50
20-34	410	13.0	145	1	3	8	22	32	38	42
35-49	126	12.9	158	2	3	7	22	33	39	46
50-64	28	12.8	123	3	4	7	19	28	36	42
65 +	18	9.3	74	2	4	8	10	23	32	34
GRAND TOTAL	**728**	**13.8**	**163**	**1**	**3**	**8**	**23**	**34**	**40**	**44**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.2	2	1	1	2	3	4	4	4
20-34	6	4.3	33	1	1	2	3	15	16	16
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	3	2.3		2	2	2	3	3	3	3
65 +	2	27.5	13	25	25	27	30	30	30	30
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	11.8	239	1	2	4	17	32	53	60
20-34	20	5.0	23	1	2	3	5	11	16	21
35-49	25	5.4	38	1	2	3	6	17	21	24
50-64	21	3.9	9	1	2	3	5	8	11	12
65 +	53	4.4	11	1	2	3	6	9	10	19
B. Operated										
0-19 YRS	3	6.3		6	6	6	7	7	7	7
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	4.8	4	2	4	5	6	8	8	8
50-64	4	3.8	6	1	2	3	5	7	7	7
65 +	6	11.7	191	2	3	8	10	36	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.8	56	1	1	2	3	16	26	30
B. Operated	4	5.8	6	3	4	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	157	6.3	80	1	2	3	6	14	21	54
B. Operated	20	7.0	63	2	3	6	7	10	25	39
1. SINGLE DX	29	4.9	49	1	2	3	4	13	25	30
2. MULTIPLE DX	177	6.4	78	1	2	4	6	13	21	53
A. Not Operated	182	6.1	77	1	2	3	6	15	22	53
B. Operated	24	6.8	53	2	3	6	7	10	19	39
TOTAL										
0-19 YRS	52	9.5	189	1	2	3	12	29	49	60
20-34	27	4.9	24	1	2	3	6	12	17	21
35-49	36	4.9	27	1	2	3	6	9	19	24
50-64	28	3.7	7	1	2	3	4	7	10	12
65 +	63	5.9	46	2	2	4	6	10	21	38
GRAND TOTAL	**206**	**6.2**	**74**	**1**	**2**	**3**	**6**	**13**	**22**	**52**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	183	13.0	234	2	3	8	16	32	43	95
20-34	332	6.8	40	1	3	5	9	15	19	32
35-49	181	7.1	50	1	2	5	10	15	19	39
50-64	51	10.5	106	< 1	2	7	16	22	26	50
65 +	32	14.1	93	3	8	13	17	26	32	48
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	305	16.1	331	1	3	10	25	39	62	99 +
20-34	590	8.3	74	1	3	6	11	17	24	50
35-49	440	9.3	80	2	3	7	13	19	26	47
50-64	187	10.5	78	2	5	7	14	24	29	41
65 +	201	10.2	75	3	4	7	14	23	27	42
B. Operated										
0-19 YRS	10	16.4	694	1	2	4	65	99 +	99 +	99 +
20-34	26	10.6	94	2	3	6	18	27	30	31
35-49	12	13.8	178	3	5	10	15	37	46	48
50-64	3	11.0	3	9	10	12	12	12	12	12
65 +	12	25.8	289	8	12	22	37	52	55	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	779	8.8	102	1	3	6	12	19	28	48
B. Operated	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	1723	10.4	129	2	3	7	13	24	31	61
B. Operated	63	15.0	253	2	4	10	23	48	63	99 +
1. SINGLE DX	781	8.8	101	1	3	6	12	19	28	48
2. MULTIPLE DX	1786	10.6	134	2	3	7	13	24	32	69
A. Not Operated	2502	9.9	121	2	3	6	13	22	30	59
B. Operated	65	14.8	247	2	4	10	21	46	62	99 +
TOTAL										
0-19 YRS	498	14.9	303	1	3	8	21	38	60	99 +
20-34	948	7.8	63	1	3	5	10	17	23	42
35-49	633	8.7	74	2	3	6	12	18	24	47
50-64	241	10.5	83	2	4	7	14	23	29	43
65 +	247	11.5	98	3	4	8	15	25	31	50
GRAND TOTAL	**2567**	**10.0**	**125**	**2**	**3**	**6**	**13**	**23**	**31**	**61**

197 Hospitals, Southern Region, January-December 1988

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	233	14.9	247	2	5	9	20	37	49	85
20-34	138	5.3	28	1	2	4	7	13	14	24
35-49	91	7.0	50	1	2	5	8	17	21	34
50-64	13	8.6	49	1	2	7	13	18	22	23
65 +	15	9.1	26	1	5	9	14	15	17	17
B. Operated										
0-19 YRS	0									
20-34	1	25.0		25	25	25	25	25	25	25
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	341	14.8	181	2	4	11	21	34	43	62
20-34	294	8.5	107	1	2	5	11	19	25	51
35-49	190	7.3	51	1	2	5	10	17	22	31
50-64	81	8.7	77	2	3	6	13	16	27	46
65 +	43	10.4	97	2	3	5	15	22	29	45
B. Operated										
0-19 YRS	5	18.2	295	2	4	20	44	94	99 +	99 +
20-34	7	10.9	78	1	4	9	18	24	25	25
35-49	10	17.2	127	3	8	16	28	32	34	34
50-64	5	10.8	43	4	6	9	15	21	21	21
65 +	3	13.3	116	1	5	18	20	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	490	10.4	156	1	2	6	13	27	37	66
B. Operated	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. Not Operated	949	10.6	129	1	3	7	14	25	35	56
B. Operated	30	14.4	121	2	5	13	21	32	43	99 +
1. SINGLE DX	491	10.4	156	1	2	6	13	27	37	66
2. MULTIPLE DX	979	10.7	129	1	3	7	14	25	35	56
A. Not Operated	1439	10.5	138	1	3	7	14	25	36	57
B. Operated	31	14.8	120	2	5	13	23	32	43	99 +
TOTAL										
0-19 YRS	579	14.8	208	2	4	11	21	36	45	78
20-34	440	7.6	84	1	2	5	10	17	23	43
35-49	291	7.5	56	1	2	5	10	17	24	33
50-64	99	8.8	71	2	3	7	13	17	23	44
65 +	61	10.2	79	2	4	8	15	21	23	44
GRAND TOTAL	**1470**	**10.6**	**138**	**1**	**3**	**7**	**14**	**25**	**36**	**59**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	376	19.4	313	2	6	13	29	43	56	94
20-34	34	12.9	325	1	2	4	16	49	58	59
35-49	20	7.1	103	1	2	4	6	21	36	38
50-64	7	2.3	1	1	1	2	3	4	4	4
65 +	3	8.0	93	1	2	4	15	19	19	19
B. Operated										
0-19 YRS	3	11.0	169	3	3	4	20	26	26	26
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	706	21.2	336	3	8	16	30	48	60	95
20-34	130	15.6	291	2	3	8	25	50	56	71
35-49	85	7.5	118	2	3	4	7	14	47	85
50-64	38	6.8	85	2	3	5	8	11	14	59
65 +	38	6.6	22	2	3	5	9	13	18	19
B. Operated										
0-19 YRS	20	19.6	277	3	8	15	33	52	78	99 +
20-34	3	21.7	937	3	3	5	44	57	57	57
35-49	5	22.2	575	3	4	7	45	54	54	54
50-64	1	15.0		15	15	57	99 +	99 +	99 +	99 +
65 +	6	6.5	30	2	2	5	9	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	440	18.0	310	2	4	12	28	43	54	90
B. Operated	4	8.5	138	1	2	3	15	26	26	26
2. MULTIPLE DX										
A. Not Operated	997	18.2	316	2	4	12	27	45	57	91
B. Operated	35	17.7	310	2	4	11	33	56	86	99 +
1. SINGLE DX	444	17.9	309	2	4	12	28	43	54	90
2. MULTIPLE DX	1032	18.2	316	2	4	12	28	46	57	99
A. Not Operated	1437	18.1	314	2	4	12	28	44	56	90
B. Operated	39	16.8	297	2	4	10	30	55	78	99 +
TOTAL										
0-19 YRS	1105	20.5	327	3	7	15	30	46	59	96
20-34	167	15.1	304	2	3	6	25	50	57	64
35-49	111	8.0	139	2	3	4	7	15	46	75
50-64	46	6.3	75	2	3	4	8	13	22	99 +
65 +	47	6.7	25	2	3	5	9	15	19	19
GRAND TOTAL	**1476**	**18.1**	**314**	**2**	**4**	**12**	**28**	**44**	**57**	**95**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	8.3	174	1	1	2	15	28	28	28
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	11.1	109	2	6	10	12	26	56	99 +
20-34	17	13.2	89	2	5	12	20	25	31	34
35-49	10	10.2	61	4	4	7	16	22	28	28
50-64	0									
65 +	3	9.7	24	4	6	12	13	13	13	13
B. Operated										
0-19 YRS	0									
20-34	3	5.3	8	2	3	7	7	7	7	7
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.3	174	1	1	2	15	28	28	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	58	11.5	89	2	5	10	15	25	33	96
B. Operated	6	4.3	5	2	2	4	7	7	7	7
1. SINGLE DX	4	8.3	174	1	1	2	15	28	28	28
2. MULTIPLE DX	64	10.8	85	2	4	9	13	24	32	93
A. Not Operated	62	11.3	92	2	4	10	15	26	32	94
B. Operated	6	4.3	5	2	2	4	7	7	7	7
TOTAL										
0-19 YRS	32	10.8	113	1	4	10	12	29	51	99 +
20-34	20	12.0	84	2	4	10	18	24	29	34
35-49	13	8.6	55	3	4	6	10	19	26	28
50-64	0									
65 +	3	9.7	24	4	6	12	13	13	13	13
GRAND TOTAL	**68**	**10.7**	**88**	**2**	**4**	**9**	**13**	**25**	**31**	**91**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	279	9.3	15	3	7	10	11	14	15	21
20-34	18	5.5	15	2	2	4	9	11	13	14
35-49	10	10.1	53	2	5	10	12	20	27	27
50-64	0									
65 +	4	6.8	4	4	5	7	8	9	9	9
B. Operated										
0-19 YRS	20	12.5	44	5	9	11	15	21	26	30
20-34	5	8.2	61	1	2	5	16	18	18	18
35-49	3	30.0	1317	2	6	17	57	71	71	71
50-64	2	7.0	2	6	6	7	8	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	390	10.6	30	4	9	10	13	16	18	25
20-34	24	9.5	56	3	4	7	11	20	25	33
35-49	26	8.7	29	2	4	7	14	15	17	19
50-64	26	11.6	58	5	7	11	15	16	22	44
65 +	26	16.7	199	5	6	14	20	47	57	99 +
B. Operated										
0-19 YRS	83	20.7	212	8	11	16	28	41	54	95
20-34	13	27.0	317	4	18	27	39	71	94	99 +
35-49	25	15.9	131	3	7	15	22	31	39	44
50-64	32	18.2	286	4	7	13	22	35	67	73
65 +	25	12.1	116	1	5	9	18	26	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	9.0	16	3	6	10	11	14	15	21
B. Operated	31	12.7	164	2	6	11	16	21	30	71
2. MULTIPLE DX										
A. Not Operated	492	10.8	43	4	7	10	13	16	21	45
B. Operated	178	18.8	217	4	9	15	26	39	54	99 +
1. SINGLE DX	342	9.4	31	3	6	10	11	14	17	22
2. MULTIPLE DX	670	13.0	102	4	8	11	15	23	34	70
A. Not Operated	803	10.1	34	3	7	10	12	15	18	37
B. Operated	209	17.9	213	4	8	15	25	37	53	99 +
TOTAL										
0-19 YRS	772	11.3	55	4	8	10	13	17	22	44
20-34	60	12.0	161	2	4	7	18	31	42	96
35-49	64	12.7	137	2	5	11	16	27	33	67
50-64	60	15.0	187	5	7	11	16	30	41	73
65 +	56	13.7	154	2	5	10	18	43	49	99 +
GRAND TOTAL	**1012**	**11.7**	**81**	**3**	**7**	**10**	**14**	**20**	**28**	**65**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	4	4.3	6	1	2	4	6	7	7	7
65 +	15	8.5	16	3	5	8	12	14	15	15
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	8	7.5	14	4	5	6	10	13	14	14
50-64	24	6.9	19	2	3	6	9	14	16	16
65 +	161	10.8	124	3	5	8	12	21	24	91
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	16.5	85	10	10	16	23	23	23	23
65 +	28	13.1	129	4	6	10	15	23	47	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	7.5	15	3	5	7	10	14	15	15
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	194	10.2	108	3	5	8	12	19	23	82
B. Operated	30	13.4	124	4	6	10	16	23	47	49
1. SINGLE DX	21	7.5	15	3	5	7	10	14	15	15
2. MULTIPLE DX	224	10.6	111	3	5	8	12	20	23	73
A. Not Operated	215	9.9	99	3	5	8	11	18	22	76
B. Operated	30	13.4	124	4	6	10	16	23	47	49
TOTAL										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	10	7.3	11	4	5	6	10	12	14	14
50-64	30	7.2	26	2	4	6	9	15	16	23
65 +	204	11.0	117	3	5	9	13	21	24	79
GRAND TOTAL	**245**	**10.4**	**103**	**3**	**5**	**8**	**12**	**20**	**23**	**67**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	6.0	7	4	4	5	8	9	9	9
20-34	32	5.5	16	2	3	5	8	12	15	16
35-49	31	5.3	15	3	3	4	6	8	12	23
50-64	8	4.1	6	3	3	3	4	8	10	10
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	4.2	11	1	1	5	6	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	39	6.6	19	2	3	6	9	12	14	22
35-49	64	8.1	48	3	3	6	10	16	27	32
50-64	25	7.8	14	3	5	7	11	14	14	15
65 +	7	10.9	86	2	5	8	15	27	29	29
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	9	10.8	162	2	4	7	11	31	43	43
35-49	20	8.3	41	2	4	7	14	49	99 +	99 +
50-64	9	19.1	249	9	12	14	18	44	60	60
65 +	2	15.5	1	15	15	15	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	5.3	14	2	3	4	6	9	12	21
B. Operated	6	4.2	9	1	1	4	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	135	7.8	35	3	4	7	10	14	21	30
B. Operated	41	11.6	121	3	5	10	15	30	74	99 +
1. SINGLE DX	81	5.2	13	2	3	4	6	9	12	21
2. MULTIPLE DX	176	8.6	57	3	4	7	11	16	27	89
A. Not Operated	210	6.9	29	2	3	5	9	13	16	29
B. Operated	47	10.6	112	2	5	9	14	25	62	99 +
TOTAL										
0-19 YRS	4	6.5	6	4	4	6	8	9	9	9
20-34	81	6.6	34	2	3	5	9	12	15	36
35-49	120	7.2	38	3	3	5	9	15	26	99 +
50-64	42	9.5	86	3	4	8	12	15	19	60
65 +	10	11.3	65	3	6	8	16	23	29	29
GRAND TOTAL	**257**	**7.8**	**46**	**2**	**3**	**6**	**9**	**15**	**22**	**58**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	527	3.0	8	1	1	2	4	6	8	13
20-34	119	2.9	4	1	1	2	4	6	7	12
35-49	76	3.1	4	1	2	3	4	6	7	11
50-64	31	3.7	15	1	1	3	5	6	7	22
65 +	24	3.2	2	1	2	3	4	5	6	6
B. Operated										
0-19 YRS	21	9.5	69	3	4	8	11	22	31	33
20-34	2	3.0		3	3	3	3	3	3	3
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	9.5	145	1	1	9	18	18	18	18
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	825	4.5	22	1	2	3	5	10	13	24
20-34	295	4.3	16	1	2	3	5	9	12	19
35-49	287	5.1	17	1	2	4	7	10	13	23
50-64	315	5.5	26	2	3	4	7	11	14	33
65 +	522	6.6	50	2	3	5	8	13	17	43
B. Operated										
0-19 YRS	67	14.4	260	3	5	9	17	35	60	98
20-34	25	8.4	67	2	3	6	12	16	24	39
35-49	26	14.5	377	2	4	7	13	54	65	67
50-64	29	8.4	59	3	4	6	11	16	42	99 +
65 +	44	13.7	312	3	4	8	17	24	44	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	777	3.0	7	1	1	2	4	6	7	13
B. Operated	26	9.2	65	2	3	7	12	18	31	33
2. MULTIPLE DX										
A. Not Operated	2244	5.2	28	1	2	4	6	10	14	29
B. Operated	191	12.6	235	2	4	8	14	28	55	99 +
1. SINGLE DX	803	3.2	10	1	1	2	4	6	8	15
2. MULTIPLE DX	2435	5.7	49	1	2	4	7	12	16	36
A. Not Operated	3021	4.6	24	1	2	3	6	9	13	25
B. Operated	217	12.2	215	2	4	8	14	27	45	99
TOTAL										
0-19 YRS	1440	4.5	34	1	2	3	5	9	13	30
20-34	441	4.1	17	1	2	3	5	9	12	19
35-49	390	5.4	44	1	2	4	6	10	13	31
50-64	377	5.6	29	2	3	4	7	11	15	40
65 +	590	7.0	71	2	3	5	8	14	20	45
GRAND TOTAL	3238	5.1	40	1	2	3	6	10	14	32

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	4.0	46	1	1	2	4	8	12	32
20-34	59	3.1	6	1	2	2	4	6	8	13
35-49	55	4.4	18	1	2	3	6	8	15	22
50-64	32	3.8	10	1	2	3	5	8	10	15
65 +	38	7.1	51	2	3	4	8	18	24	33
B. Operated										
0-19 YRS	237	4.6	26	1	2	3	5	9	14	26
20-34	51	4.3	14	1	2	3	5	10	11	18
35-49	44	5.7	20	1	2	4	8	12	16	17
50-64	24	5.1	17	1	2	4	8	11	14	15
65 +	19	6.9	28	1	2	7	9	16	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	291	5.2	58	1	2	3	5	11	20	37
20-34	122	4.9	18	1	2	4	6	10	15	47
35-49	136	5.8	33	1	2	4	7	12	17	28
50-64	178	10.4	155	2	3	7	13	24	42	99 +
65 +	544	9.4	87	2	4	7	11	19	28	57
B. Operated										
0-19 YRS	373	8.2	121	2	3	5	9	17	44	99 +
20-34	78	10.1	119	1	3	8	12	26	44	99 +
35-49	110	9.3	181	1	3	6	11	17	23	88
50-64	103	13.7	218	2	4	9	14	34	48	65
65 +	205	15.3	181	3	6	11	21	37	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	331	4.3	32	1	2	3	5	8	14	27
B. Operated	375	4.8	23	1	2	3	6	9	15	24
2. MULTIPLE DX										
A. Not Operated	1271	7.8	82	2	3	5	10	17	26	59
B. Operated	869	10.8	162	2	3	7	13	28	46	99 +
1. SINGLE DX	706	4.6	27	1	2	3	5	9	14	25
2. MULTIPLE DX	2140	9.0	117	2	3	6	11	21	33	89
A. Not Operated	1602	7.1	74	1	2	4	8	15	24	57
B. Operated	1244	9.0	128	1	3	5	10	22	37	99
TOTAL										
0-19 YRS	1048	6.0	74	1	2	3	7	12	22	84
20-34	310	5.8	46	1	2	4	7	12	18	78
35-49	345	6.7	79	1	2	4	8	15	18	43
50-64	337	10.4	159	2	3	6	12	27	43	86
65 +	806	10.7	115	2	4	7	13	24	36	62
GRAND TOTAL	2846	7.9	98	1	2	5	9	17	28	70

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	2.2	2	1	1	2	3	5	5	8
20-34	148	3.1	5	1	2	3	4	6	7	12
35-49	127	3.0	4	1	2	2	4	6	8	9
50-64	33	3.5	15	1	2	3	4	5	8	23
65 +	4	4.5	6	1	3	5	6	7	7	7
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	9	2.4	2	1	2	2	3	5	5	5
35-49	9	3.0	3	1	2	3	5	5	5	5
50-64	5	4.2	10	1	2	3	7	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	3.2	11	1	2	2	4	5	7	21
20-34	209	4.0	10	1	2	3	5	7	10	17
35-49	235	4.1	14	1	2	3	5	8	9	22
50-64	118	4.3	18	1	2	3	5	9	10	23
65 +	42	3.3	3	1	2	3	5	5	6	8
B. Operated										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	23	7.8	55	1	4	5	10	18	28	29
35-49	27	4.8	13	1	2	4	7	9	12	16
50-64	10	7.2	35	2	4	5	8	17	20	20
65 +	2	13.5	1	13	13	13	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	3.0	5	1	1	2	4	5	7	11
B. Operated	26	2.9	4	1	2	2	4	5	7	8
2. MULTIPLE DX										
A. Not Operated	666	4.0	12	1	2	3	5	8	10	18
B. Operated	67	6.3	33	1	2	4	8	14	17	29
1. SINGLE DX	401	3.0	5	1	1	2	4	5	7	10
2. MULTIPLE DX	733	4.2	15	1	2	3	5	8	10	21
A. Not Operated	1041	3.6	10	1	2	3	4	7	9	18
B. Operated	93	5.3	27	1	2	4	7	12	16	28
TOTAL										
0-19 YRS	133	2.7	6	1	1	2	3	5	6	16
20-34	389	3.8	11	1	2	3	5	7	10	18
35-49	398	3.8	11	1	2	3	5	8	9	17
50-64	166	4.3	19	1	2	3	5	8	11	23
65 +	48	3.8	7	1	2	3	5	6	8	14
GRAND TOTAL	**1134**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	2.0	3	< 1	1	1	3	5	5	5
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	37	1.2		< 1	< 1	< 1	< 1	2	2	4
35-49	69	1.3	1	< 1	< 1	< 1	1	2	4	5
50-64	56	1.1		< 1	< 1	< 1	< 1	1	2	4
65 +	39	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	6	4.3	11	< 1	2	3	6	10	10	10
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	23	2.2	3	< 1	< 1	1	3	5	6	6
35-49	49	2.2	3	< 1	1	2	3	5	6	7
50-64	41	2.1	5	< 1	1	1	2	5	7	10
65 +	41	1.7	2	< 1	< 1	1	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	2	< 1	< 1	1	2	4	5	5
B. Operated	203	1.2		< 1	< 1	< 1	< 1	1	2	4
2. MULTIPLE DX										
A. Not Operated	13	3.8	8	1	2	3	5	9	10	10
B. Operated	156	2.1	3	< 1	< 1	1	2	5	6	10
1. SINGLE DX	210	1.2		< 1	< 1	< 1	< 1	1	2	5
2. MULTIPLE DX	169	2.2	4	< 1	< 1	1	3	5	6	10
A. Not Operated	20	3.1	7	< 1	1	2	4	7	9	10
B. Operated	359	1.6	2	< 1	< 1	< 1	1	3	4	7
TOTAL										
0-19 YRS	7	3.1	8	< 1	1	2	4	8	9	9
20-34	65	1.6	2	< 1	< 1	< 1	1	4	5	6
35-49	120	1.7	2	< 1	< 1	< 1	2	4	5	7
50-64	101	1.6	2	< 1	< 1	< 1	1	3	5	9
65 +	86	1.6	2	< 1	< 1	< 1	1	3	4	10
GRAND TOTAL	**379**	**1.6**	**2**	**< 1**	**< 1**	**< 1**	**2**	**4**	**5**	**9**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	6.3	94	1	2	3	7	12	20	61
20-34	32	4.5	10	1	2	4	6	10	11	12
35-49	46	4.3	18	1	2	3	6	9	10	26
50-64	31	4.0	19	< 1	1	3	5	8	9	24
65 +	16	4.5	9	1	2	4	6	8	11	12
B. Operated										
0-19 YRS	35	3.3	7	< 1	1	3	5	6	8	13
20-34	110	2.8	4	1	1	2	4	5	7	10
35-49	140	3.0	12	< 1	1	2	3	6	9	19
50-64	91	2.3	6	< 1	1	1	2	5	6	14
65 +	55	4.6	105	< 1	1	2	3	9	19	69
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	9.1	166	1	2	4	9	24	48	53
20-34	46	5.1	14	1	2	5	7	10	11	21
35-49	62	6.7	102	1	2	4	6	15	23	66
50-64	110	7.5	93	1	3	4	9	15	22	61
65 +	152	5.9	19	2	3	5	7	12	14	20
B. Operated										
0-19 YRS	43	6.2	63	1	2	4	6	17	20	45
20-34	81	6.5	168	1	2	3	5	10	22	83
35-49	135	3.8	20	1	1	2	5	9	13	24
50-64	108	4.8	28	1	2	3	6	13	17	99 +
65 +	136	6.3	114	1	2	3	7	14	18	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	4.8	37	1	2	3	6	10	12	26
B. Operated	431	3.0	20	< 1	1	2	3	6	8	19
2. MULTIPLE DX										
A. Not Operated	400	6.6	63	1	3	4	7	14	18	50
B. Operated	503	5.4	75	1	2	3	6	11	18	82
1. SINGLE DX	604	3.6	26	< 1	1	2	4	7	10	21
2. MULTIPLE DX	903	5.9	70	1	2	4	7	13	18	61
A. Not Operated	573	6.1	56	1	2	4	7	12	17	44
B. Operated	934	4.3	51	1	1	2	5	8	14	36
TOTAL										
0-19 YRS	156	6.1	82	1	2	3	6	12	19	53
20-34	269	4.5	58	1	2	3	5	8	10	25
35-49	383	4.1	31	1	1	2	4	9	13	25
50-64	340	4.9	46	1	1	3	6	12	16	55
65 +	359	5.8	68	1	2	4	7	12	17	68
GRAND TOTAL	**1507**	**5.0**	**54**	**1**	**2**	**3**	**6**	**10**	**15**	**39**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	16	3.4	2	2	2	3	4	6	7	7
20-34	14	2.6		2	2	3	3	3	4	4
35-49	13	3.1	4	1	2	2	5	6	8	8
50-64	58	2.8	3	1	2	2	4	5	6	8
65 +	30	3.0	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	36	2.7	2	1	1	3	4	5	5	6
20-34	36	4.0	4	2	3	4	5	7	8	9
35-49	49	4.2	9	2	2	3	5	9	10	16
50-64	114	4.4	8	2	3	4	5	7	9	16
65 +	166	3.8	7	2	2	3	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	131	2.9	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated	401	3.9	7	2	2	3	5	6	9	16
1. SINGLE DX	132	2.9	2	1	2	3	4	5	6	8
2. MULTIPLE DX	404	3.9	7	2	2	3	5	6	8	16
A. Not Operated	4	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	532	3.7	6	2	2	3	4	6	8	15
TOTAL										
0-19 YRS	53	2.8	2	1	1	3	4	5	6	7
20-34	50	3.6	3	2	2	3	4	6	7	9
35-49	62	4.0	8	2	2	3	5	8	10	16
50-64	174	3.8	7	2	2	3	5	6	8	16
65 +	197	3.7	6	2	2	3	4	6	8	16
GRAND TOTAL	**536**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**15**

197 Hospitals, Southern Region, January-December 1988

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	5	2.2	3	< 1	1	2	3	5	5	5
B. Operated										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	12	2.4	4	< 1	1	2	3	6	7	7
65 +	27	1.9	2	< 1	1	2	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	6	1.5	1	1	1	1	2	3	3	3
B. Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	10	3.2	9	1	1	2	4	8	11	11
50-64	28	4.1	18	1	2	3	5	7	10	23
65 +	99	3.0	7	1	1	2	3	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	2	< 1	1	2	3	5	5	5
B. Operated	46	1.9	2	< 1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	8	1.6	1	1	1	1	2	3	3	3
B. Operated	143	3.2	9	1	1	2	4	6	8	19
1. SINGLE DX	53	1.9	2	< 1	1	2	2	4	5	7
2. MULTIPLE DX	151	3.1	9	1	1	2	4	6	8	19
A. Not Operated	15	1.9	1	1	1	1	3	3	5	5
B. Operated	189	2.9	7	1	1	2	3	5	7	16
TOTAL										
0-19 YRS	10	1.5	1	1	1	1	2	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	11	3.0	9	1	1	2	4	7	11	11
50-64	43	3.5	13	1	1	2	4	6	8	23
65 +	137	2.7	5	1	1	2	3	5	7	12
GRAND TOTAL	**204**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	3	4.0	4	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	6	1.8	3	< 1	< 1	< 1	2	5	5	5
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	10	3.0	3	< 1	1	3	4	5	6	6
65 +	8	2.4	8	1	1	1	2	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	8	3.4	9	1	2	2	4	8	10	10
B. Operated										
0-19 YRS	6	1.8	1	1	1	2	3	3	3	3
20-34	5	5.8	7	3	4	5	8	9	9	9
35-49	13	2.5	2	1	2	2	3	5	5	5
50-64	18	1.9	1	1	1	2	2	3	4	5
65 +	41	3.3	12	1	1	2	5	8	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	3	< 1	< 1	1	3	5	6	6
B. Operated	29	2.6	4	< 1	1	2	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	16	2.6	5	1	1	2	3	5	8	10
B. Operated	83	2.9	7	1	1	2	4	6	9	15
1. SINGLE DX	38	2.5	4	< 1	1	2	4	6	6	9
2. MULTIPLE DX	99	2.9	7	1	1	2	3	6	9	14
A. Not Operated	25	2.4	4	< 1	1	2	3	5	7	10
B. Operated	112	2.8	7	1	1	2	4	6	9	14
TOTAL										
0-19 YRS	16	1.6	1	< 1	< 1	1	2	3	4	5
20-34	10	4.1	8	1	2	3	6	8	9	9
35-49	21	2.3	2	1	2	2	2	5	5	5
50-64	30	2.3	2	1	1	2	3	5	5	6
65 +	60	3.2	10	1	1	2	4	8	10	16
GRAND TOTAL	**137**	**2.8**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	25	1.2		< 1	1	1	1	2	3	3
20-34	4	1.3		< 1	< 1	< 1	1	2	2	2
35-49	13	1.0		< 1	< 1	< 1	1	1	1	1
50-64	112	1.1		< 1	< 1	< 1	< 1	1	1	3
65 +	667	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		1	1	1	1	1	1	1
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	20	1.7	1	1	1	1	2	3	4	5
20-34	9	2.0	2	< 1	< 1	1	3	5	5	5
35-49	14	2.1	3	< 1	1	1	2	5	7	7
50-64	88	1.9	4	< 1	< 1	1	2	3	7	12
65 +	478	1.5	2	< 1	< 1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	821	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	8	1.5	1	1	1	1	2	3	4	4
B. Operated	609	1.6	2	< 1	< 1	1	2	3	4	8
1. SINGLE DX	822	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	617	1.6	2	< 1	< 1	1	2	3	4	8
A. Not Operated	9	1.4	1	< 1	1	1	2	3	4	4
B. Operated	1430	1.3	1	< 1	< 1	< 1	1	2	3	6
TOTAL										
0-19 YRS	47	1.4	1	< 1	1	1	2	2	3	5
20-34	13	1.8	2	< 1	< 1	1	2	4	5	5
35-49	28	1.7	2	< 1	< 1	1	2	4	5	7
50-64	202	1.4	2	< 1	< 1	< 1	1	2	3	8
65 +	1149	1.2	1	< 1	< 1	< 1	1	2	3	5
GRAND TOTAL	**1439**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.6	5	< 1	1	2	3	6	7	7
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	0									
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	153	1.0		< 1	< 1	< 1	1	1	1	2
20-34	5	1.0		< 1	< 1	< 1	1	1	1	1
35-49	7	1.1		< 1	< 1	< 1	1	2	2	2
50-64	6	1.7	1	< 1	1	1	2	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	3	1	1	2	4	5	5	5
20-34	6	2.5	2	2	2	2	2	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64	8	2.4	3	1	1	2	4	5	5	5
65 +	10	3.9	6	1	2	3	5	8	8	8
B. Operated										
0-19 YRS	71	1.2		< 1	< 1	1	1	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	6	1.3	1	< 1	< 1	1	1	3	3	3
50-64	12	4.3	13	1	2	4	6	9	13	14
65 +	11	5.5	30	2	2	3	6	13	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.8	5	< 1	1	2	4	7	7	7
B. Operated	172	1.1		< 1	< 1	< 1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	32	3.0	4	1	1	2	4	6	8	8
B. Operated	103	2.0	7	< 1	1	1	2	4	6	17
1. SINGLE DX	185	1.2	1	< 1	< 1	< 1	1	1	2	6
2. MULTIPLE DX	135	2.2	6	< 1	1	1	2	5	6	15
A. Not Operated	45	2.9	4	1	1	2	4	6	7	8
B. Operated	275	1.4	3	< 1	< 1	< 1	1	2	3	7
TOTAL										
0-19 YRS	240	1.2		< 1	< 1	< 1	1	2	2	5
20-34	16	2.1	3	< 1	1	1	2	5	6	7
35-49	14	1.6	2	< 1	< 1	1	1	3	5	6
50-64	28	3.0	8	1	1	2	4	6	8	14
65 +	22	4.6	18	1	2	3	6	8	13	21
GRAND TOTAL	**320**	**1.6**	**3**	**<1**	**<1**	**1**	**1**	**3**	**5**	**8**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	59	2.8	5	< 1	< 1	2	4	5	6	14
20-34	7	3.4	4	2	2	3	5	7	7	7
35-49	5	3.6	2	2	3	3	4	6	6	6
50-64	6	5.0	1	4	4	5	6	6	6	6
65 +	8	4.9	4	2	3	5	7	7	7	7
B. Operated										
0-19 YRS	46	1.6	2	< 1	< 1	< 1	1	3	7	7
20-34	17	1.7	1	< 1	1	1	2	4	5	5
35-49	22	1.5	1	< 1	< 1	1	2	3	4	4
50-64	27	1.6	1	< 1	1	1	2	3	4	5
65 +	59	1.7	2	< 1	< 1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	3.9	9	1	2	3	5	7	9	18
20-34	12	4.2	5	1	2	4	6	7	8	8
35-49	8	4.3	5	2	2	4	6	7	8	8
50-64	11	5.6	34	1	1	3	7	16	19	19
65 +	35	5.3	12	2	3	5	7	8	9	21
B. Operated										
0-19 YRS	34	2.5	5	< 1	1	2	3	6	8	10
20-34	20	3.7	6	1	2	3	5	8	8	8
35-49	28	3.6	9	1	2	3	4	9	11	11
50-64	51	2.6	5	< 1	1	2	3	4	5	14
65 +	189	2.9	5	< 1	1	2	4	5	6	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	3.3	5	< 1	1	3	4	6	7	13
B. Operated	171	1.6	2	< 1	< 1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	151	4.4	11	1	2	3	6	8	9	19
B. Operated	322	2.9	6	< 1	1	2	3	5	8	13
1. SINGLE DX	256	2.2	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX	473	3.4	8	1	2	3	4	7	8	15
A. Not Operated	236	4.0	9	1	2	3	5	7	8	19
B. Operated	493	2.5	5	< 1	1	2	3	4	7	12
TOTAL										
0-19 YRS	224	2.9	7	< 1	1	2	4	6	8	15
20-34	56	3.2	5	1	1	3	4	7	8	8
35-49	63	3.0	6	< 1	1	2	4	6	9	11
50-64	95	2.8	8	< 1	1	2	3	5	7	17
65 +	291	3.0	6	< 1	1	2	4	6	7	14
GRAND TOTAL	**729**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**14**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	268	3.3	3	2	2	3	4	5	6	9
20-34	19	3.4	3	1	2	3	4	6	7	7
35-49	7	2.3	1	< 1	1	3	3	3	3	3
50-64	3	2.3	5	1	1	1	4	5	5	5
65 +	9	4.7	3	2	4	5	6	7	7	7
B. Operated										
0-19 YRS	36	2.1	3	1	1	2	3	4	6	8
20-34	14	2.4	2	< 1	1	2	3	4	5	5
35-49	17	2.6	6	< 1	1	2	3	6	9	11
50-64	19	2.3	2	< 1	1	2	3	4	5	5
65 +	26	1.8	2	< 1	1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	324	4.1	5	2	3	4	5	7	8	11
20-34	31	4.8	17	2	2	3	6	12	17	17
35-49	26	4.7	21	1	2	3	5	8	16	22
50-64	25	5.7	19	1	2	5	9	10	14	16
65 +	54	4.8	15	1	3	4	6	7	10	26
B. Operated										
0-19 YRS	54	6.0	41	1	2	3	7	14	20	33
20-34	39	4.6	48	1	2	2	4	7	23	34
35-49	37	4.9	26	1	2	4	6	9	16	27
50-64	84	4.3	14	1	2	3	5	8	12	20
65 +	158	4.0	15	1	2	2	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	306	3.3	3	2	2	3	4	6	6	9
B. Operated	112	2.2	3	< 1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	460	4.4	8	2	3	4	5	7	10	16
B. Operated	372	4.5	23	1	2	3	5	9	14	26
1. SINGLE DX	418	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	832	4.4	15	1	2	3	5	8	11	21
A. Not Operated	766	4.0	6	2	2	3	5	7	8	13
B. Operated	484	4.0	19	1	2	2	5	8	12	24
TOTAL										
0-19 YRS	682	3.9	7	2	2	3	5	7	8	13
20-34	103	4.2	24	1	2	3	4	7	14	32
35-49	87	4.2	19	1	2	3	5	8	11	25
50-64	131	4.2	14	1	2	3	5	9	11	19
65 +	247	3.9	13	1	2	3	5	8	11	19
GRAND TOTAL	**1250**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.4	3	< 1	1	2	4	5	5	5
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	5	1.8	2	< 1	< 1	1	2	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	2.5	5	< 1	1	2	3	5	8	9
20-34	7	4.6	15	1	2	4	6	11	12	12
35-49	11	3.4	5	1	2	2	5	7	8	8
50-64	7	2.7	4	1	1	2	3	6	7	7
65 +	17	3.9	7	2	2	3	5	10	65	99 +
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	10	2.2	2	1	1	2	3	4	5	5
35-49	6	2.7	3	1	1	2	4	5	5	5
50-64	10	3.2	2	1	2	4	4	5	5	5
65 +	9	4.2	12	1	2	2	7	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.6	4	1	1	2	4	5	7	7
B. Operated	9	2.3	4	< 1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	55	3.4	7	1	2	3	4	7	11	95
B. Operated	39	2.9	5	1	1	2	4	5	8	10
1. SINGLE DX	23	2.5	4	< 1	1	2	4	6	7	7
2. MULTIPLE DX	94	3.2	6	1	2	2	4	7	9	60
A. Not Operated	69	3.2	6	1	2	2	4	7	9	82
B. Operated	48	2.8	5	1	1	2	4	5	7	10
TOTAL										
0-19 YRS	31	2.2	3	< 1	1	1	3	5	5	9
20-34	18	3.1	7	1	2	2	4	6	10	12
35-49	20	2.9	4	1	1	2	4	6	7	8
50-64	20	2.9	3	1	1	3	4	5	6	7
65 +	28	4.2	8	2	2	3	7	10	16	99 +
GRAND TOTAL	**117**	**3.1**	**5**	**1**	**1**	**2**	**4**	**7**	**8**	**40**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	270	2.7	2	1	2	2	3	4	5	8
20-34	8	2.9	1	2	2	3	4	5	5	5
35-49	2	14.0	8	12	12	14	16	16	16	16
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	1028	1.1		< 1	< 1	< 1	< 1	1	1	4
20-34	13	1.2		1	1	1	1	2	3	3
35-49	13	1.2		1	1	1	1	2	3	3
50-64	17	1.6		1	1	2	2	2	3	3
65 +	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	971	3.1	4	1	2	3	4	5	6	10
20-34	27	3.6	5	1	2	3	5	7	8	10
35-49	9	5.9	5	3	4	5	8	9	9	9
50-64	13	6.2	19	2	3	5	9	13	15	15
65 +	15	4.7	5	1	3	5	6	8	9	9
B. Operated										
0-19 YRS	627	1.9	9	< 1	< 1	1	1	4	6	14
20-34	35	1.3		1	1	1	2	2	2	4
35-49	38	1.9	5	1	1	1	2	3	8	11
50-64	38	2.3	8	1	1	1	2	4	10	14
65 +	16	2.8	7	1	1	2	3	6	9	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	282	2.8	3	1	2	3	3	4	5	11
B. Operated	1076	1.1		< 1	< 1	< 1	< 1	1	1	4
2. MULTIPLE DX										
A. Not Operated	1035	3.2	4	1	2	3	4	5	6	10
B. Operated	754	1.9	8	< 1	< 1	1	2	4	6	14
1. SINGLE DX	1358	1.4	1	< 1	< 1	< 1	1	3	4	5
2. MULTIPLE DX	1789	2.7	6	< 1	1	2	3	5	6	11
A. Not Operated	1317	3.1	4	1	2	3	4	5	6	10
B. Operated	1830	1.4	4	< 1	< 1	< 1	1	2	4	10
TOTAL										
0-19 YRS	2896	2.1	4	< 1	< 1	1	3	4	5	10
20-34	83	2.2	3	1	1	2	3	4	5	9
35-49	62	2.7	10	1	1	1	3	8	10	16
50-64	70	2.9	11	1	1	2	3	6	13	15
65 +	36	3.4	6	1	2	3	5	7	9	11
GRAND TOTAL	**3147**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

197 Hospitals, Southern Region, January-December 1988

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	3.6	4	2	2	3	4	6	8	10
20-34	13	3.8	3	2	2	4	5	6	7	7
35-49	9	5.1	11	2	3	4	7	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	56	2.9	8	< 1	1	2	4	9	10	11
20-34	7	1.9	3	1	1	1	2	5	6	6
35-49	12	2.8	6	< 1	1	2	4	6	9	9
50-64	7	1.7	1	1	1	1	2	4	4	4
65 +	3	4.7	10	1	2	6	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	167	3.9	9	1	2	3	5	8	10	16
20-34	30	4.0	4	2	3	3	5	7	7	11
35-49	13	5.3	24	2	3	3	6	11	18	20
50-64	11	5.6	8	2	4	5	8	9	10	10
65 +	28	5.6	10	2	3	5	7	10	11	16
B. Operated										
0-19 YRS	92	3.9	17	1	1	2	5	10	13	20
20-34	26	3.9	23	1	1	2	4	11	14	21
35-49	20	3.7	14	1	1	2	5	10	13	14
50-64	18	4.7	56	1	1	2	3	17	23	27
65 +	24	4.0	22	1	1	3	5	8	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	3.7	4	2	2	3	5	6	8	11
B. Operated	85	2.8	7	< 1	1	1	4	7	9	11
2. MULTIPLE DX										
A. Not Operated	249	4.3	9	2	2	3	5	8	10	17
B. Operated	180	4.0	22	1	1	2	5	10	14	22
1. SINGLE DX	179	3.3	6	1	1	3	4	7	9	11
2. MULTIPLE DX	429	4.1	15	1	2	3	5	9	11	20
A. Not Operated	343	4.1	8	2	2	3	5	8	10	16
B. Operated	265	3.6	17	1	1	2	4	9	12	21
TOTAL										
0-19 YRS	384	3.7	10	1	2	3	5	8	10	16
20-34	76	3.8	10	1	2	3	5	7	11	19
35-49	54	4.1	14	1	1	3	5	9	12	20
50-64	37	4.4	31	1	1	2	5	10	17	27
65 +	57	4.8	15	1	2	4	6	9	10	23
GRAND TOTAL	**608**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	2	3	3	3
20-34	21	2.6	2	1	2	2	3	5	5	6
35-49	39	2.8	4	1	1	2	4	5	7	11
50-64	56	1.9	1	1	1	2	2	3	4	6
65 +	51	3.0	3	1	2	3	4	6	7	8
B. Operated										
0-19 YRS	8	1.1		< 1	1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	2.2	5	1	1	1	2	6	8	8
50-64	9	2.1	3	1	1	1	3	5	6	6
65 +	6	2.8	2	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.2	4	1	2	3	4	7	7	7
20-34	28	3.1	4	1	2	3	5	5	6	9
35-49	129	3.0	3	1	2	3	4	5	6	8
50-64	224	3.4	5	1	2	3	4	6	8	12
65 +	468	4.2	9	2	2	3	5	7	9	14
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	13.5	313	1	1	13	26	26	26	26
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	10	5.6	44	1	1	2	9	17	20	20
65 +	27	8.7	119	3	3	5	9	16	40	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	2.5	3	1	1	2	3	5	6	8
B. Operated	34	2.0	3	1	1	1	2	4	6	8
2. MULTIPLE DX										
A. Not Operated	858	3.8	7	1	2	3	5	7	9	14
B. Operated	42	7.7	98	1	3	4	9	17	31	49
1. SINGLE DX	207	2.4	3	1	1	2	3	4	6	8
2. MULTIPLE DX	900	4.0	12	1	2	3	5	7	9	15
A. Not Operated	1031	3.6	7	1	2	3	4	7	8	13
B. Operated	76	5.2	63	1	1	3	5	11	19	46
TOTAL										
0-19 YRS	24	2.1	3	1	1	2	3	4	6	7
20-34	52	3.3	13	1	2	2	4	5	6	26
35-49	180	3.0	3	1	2	3	4	5	6	9
50-64	299	3.2	6	1	2	2	4	6	8	13
65 +	552	4.3	15	2	2	3	5	8	10	16
GRAND TOTAL	**1107**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**9**	**14**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	1.3	1	1	1	1	1	3	4	5
35-49	36	1.1		1	1	1	1	2	2	2
50-64	22	1.4		1	1	1	2	2	2	2
65 +	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	14	1.1		1	1	1	1	2	2	2
35-49	22	1.2		1	1	1	1	2	3	3
50-64	20	1.6		1	1	1	2	3	3	3
65 +	10	1.7		1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	91	1.3		1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	68	1.4		1	1	1	2	2	3	3
1. SINGLE DX	91	1.3		1	1	1	1	2	2	5
2. MULTIPLE DX	70	1.4		1	1	1	2	2	3	3
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	159	1.3		1	1	1	1	2	3	4
TOTAL										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	40	1.3	1	1	1	1	1	2	3	5
35-49	60	1.2		1	1	1	1	2	2	3
50-64	42	1.5		1	1	1	2	2	3	3
65 +	16	1.7	1	1	1	2	2	3	4	4
GRAND TOTAL	161	1.3		1	1	1	1	2	3	4

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.6	1	< 1	< 1	1	2	3	3	3
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	223	1.3	2	< 1	< 1	1	1	2	3	6
20-34	44	1.2		< 1	1	1	1	2	3	4
35-49	49	1.5	4	< 1	1	1	1	2	3	14
50-64	39	1.2		< 1	1	1	1	2	2	3
65 +	10	1.5	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.8	3	1	3	4	5	6	7	7
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	4	4.3	3	2	3	4	5	6	6	6
50-64	9	4.2	4	2	3	4	5	7	8	8
65 +	10	3.7	2	2	3	4	5	5	5	5
B. Operated										
0-19 YRS	200	1.4	1	< 1	1	1	1	2	3	8
20-34	54	1.4	1	< 1	1	1	1	2	2	9
35-49	69	1.4	1	1	1	1	1	2	3	7
50-64	57	1.9	3	1	1	1	2	4	6	8
65 +	38	2.2	5	< 1	1	2	2	4	6	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.1	2	< 1	1	2	3	4	5	5
B. Operated	365	1.3	2	< 1	1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	39	3.7	3	1	3	4	5	6	7	8
B. Operated	418	1.5	2	< 1	1	1	1	3	4	8
1. SINGLE DX	381	1.3	2	< 1	1	1	1	2	3	6
2. MULTIPLE DX	457	1.7	2	< 1	1	1	2	4	5	8
A. Not Operated	55	3.3	3	1	2	3	4	5	6	8
B. Operated	783	1.4	2	< 1	1	1	1	2	3	8
TOTAL										
0-19 YRS	445	1.4	2	< 1	1	1	1	2	4	7
20-34	104	1.4	1	< 1	1	1	1	2	3	6
35-49	123	1.5	3	< 1	1	1	1	3	4	10
50-64	106	1.8	3	1	1	1	2	4	5	8
65 +	60	2.3	4	1	1	2	3	5	5	13
GRAND TOTAL	838	1.5	2	< 1	1	1	1	3	4	8

197 Hospitals, Southern Region, January-December 1988

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	6.1	21	2	3	5	7	14	15	16
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	5.7	9	3	3	5	8	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	7.0	33	1	3	6	9	17	20	25
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	4	4.5	11	2	2	4	7	9	9	9
50-64	1	9.0		9	9	9	9	9	9	9
65 +	5	6.2	7	3	4	7	8	9	9	9
B. Operated										
0-19 YRS	4	22.8	121	16	16	18	29	39	39	39
20-34	0									
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	2	5.0	8	3	3	5	7	7	7	7
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	6.0	19	2	3	5	7	14	15	16
B. Operated	3	5.7	9	3	3	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	45	6.6	26	2	3	6	9	10	18	25
B. Operated	8	15.8	119	4	8	15	18	33	39	39
1. SINGLE DX	25	6.0	18	2	3	5	8	14	15	16
2. MULTIPLE DX	53	8.0	49	2	4	7	10	17	20	39
A. Not Operated	67	6.4	23	2	3	5	8	13	17	24
B. Operated	11	13.0	107	3	5	10	16	28	38	39
TOTAL										
0-19 YRS	59	7.7	48	2	3	6	10	17	20	38
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	7	7.4	22	2	3	9	10	14	15	15
50-64	3	6.3	9	3	4	7	8	9	9	9
65 +	5	6.2	7	3	4	7	8	9	9	9
GRAND TOTAL	**78**	**7.3**	**39**	**2**	**3**	**6**	**9**	**16**	**19**	**35**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	9	5.3	17	1	2	6	8	11	13	13
20-34	4	2.5	9	1	1	1	4	7	7	7
35-49	24	3.8	12	1	1	2	7	9	10	10
50-64	21	6.2	21	1	2	7	10	12	13	14
65 +	2	8.0	98	<1	<1	7	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.8	32	3	3	7	12	14	14	14
20-34	6	2.7	1	1	2	3	4	4	4	4
35-49	13	3.8	6	1	2	4	5	6	9	10
50-64	30	6.0	35	2	3	5	7	10	18	31
65 +	60	6.7	26	2	3	5	8	11	15	32
B. Operated										
0-19 YRS	8	9.3	181	1	1	3	13	33	39	39
20-34	15	12.8	112	2	7	11	15	19	39	46
35-49	63	8.2	54	1	2	8	12	14	19	43
50-64	84	11.2	120	1	2	9	15	25	39	46
65 +	81	9.7	119	1	2	7	14	23	26	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	13	2	2	4	8	9	9	9
B. Operated	60	4.9	18	1	1	3	8	11	13	15
2. MULTIPLE DX										
A. Not Operated	113	6.0	26	2	3	5	8	11	14	32
B. Operated	251	10.0	105	1	2	8	14	22	28	47
1. SINGLE DX	63	4.9	17	1	1	3	8	11	13	15
2. MULTIPLE DX	364	8.7	83	1	2	6	12	19	26	46
A. Not Operated	116	6.0	25	2	3	5	8	11	14	32
B. Operated	311	9.0	92	1	2	7	12	20	27	46
TOTAL										
0-19 YRS	22	7.4	75	1	2	5	9	15	27	39
20-34	26	8.5	91	1	2	5	12	18	24	46
35-49	100	6.5	42	1	2	5	9	13	16	36
50-64	136	9.3	91	1	2	7	12	22	30	45
65 +	143	8.4	81	1	3	6	12	18	25	77
GRAND TOTAL	**427**	**8.2**	**75**	**1**	**2**	**6**	**11**	**18**	**25**	**45**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	2.7	2	1	1	2	3	6	6	6
20-34	23	2.8	2	1	2	2	4	5	5	5
35-49	79	3.1	3	1	2	3	4	5	7	9
50-64	88	3.8	7	1	2	3	5	8	10	12
65 +	42	3.9	5	2	2	3	5	7	9	11
B. Operated										
0-19 YRS	5	4.4	7	1	2	4	6	8	8	8
20-34	5	1.4		< 1	1	1	2	2	2	2
35-49	10	2.2	1	1	1	2	3	4	4	4
50-64	9	2.2	1	< 1	1	2	3	4	5	5
65 +	5	4.4	18	1	1	2	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	3.5	9	1	2	3	4	7	10	16
20-34	126	3.9	12	1	2	3	5	7	8	17
35-49	465	4.1	9	2	2	3	5	7	9	15
50-64	573	4.5	11	2	3	3	6	8	9	18
65 +	650	4.9	14	2	3	4	6	9	12	22
B. Operated										
0-19 YRS	5	3.8	3	2	3	3	5	6	6	6
20-34	12	4.7	7	1	3	5	6	8	11	11
35-49	72	6.1	23	1	3	5	8	13	15	24
50-64	87	6.6	99	1	2	5	8	11	14	68
65 +	93	6.9	35	1	3	5	9	14	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	258	3.4	5	1	2	3	4	6	8	11
B. Operated	34	2.7	5	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	1856	4.4	12	2	2	4	5	8	10	21
B. Operated	269	6.4	51	1	3	5	8	13	16	31
1. SINGLE DX	292	3.3	5	1	2	3	4	6	8	11
2. MULTIPLE DX	2125	4.7	17	2	2	4	6	8	11	22
A. Not Operated	2114	4.3	11	2	2	3	5	8	10	19
B. Operated	303	6.0	47	1	2	5	8	12	15	29
TOTAL										
0-19 YRS	78	3.3	6	1	2	3	4	6	8	14
20-34	166	3.8	10	1	2	3	5	6	8	12
35-49	626	4.1	10	1	2	3	5	8	10	17
50-64	757	4.6	21	2	2	3	6	8	10	18
65 +	790	5.0	16	2	3	4	6	9	13	24
GRAND TOTAL	**2417**	**4.5**	**16**	**1**	**2**	**4**	**6**	**8**	**11**	**21**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	4.3	4	2	3	5	6	6	6	6
35-49	15	4.4	5	< 1	3	4	6	7	9	9
50-64	17	3.5	4	2	2	3	4	6	8	9
65 +	21	5.0	8	2	3	4	6	9	12	12
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	3	5.7	12	2	3	6	8	9	9	9
50-64	6	4.2	22	1	1	2	8	12	12	12
65 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	4.1	6	2	3	3	5	8	10	10
35-49	108	5.2	9	2	3	5	6	9	11	17
50-64	317	6.3	15	3	4	5	8	11	14	19
65 +	1031	7.7	43	3	4	6	9	14	20	38
B. Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	6	6.3	20	1	2	6	9	13	13	13
35-49	26	6.7	22	1	2	7	9	14	16	17
50-64	72	8.3	151	1	2	6	10	17	26	81
65 +	141	10.1	77	2	4	8	14	20	27	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.4	6	2	3	4	6	7	9	12
B. Operated	13	3.5	15	< 1	1	1	6	10	12	12
2. MULTIPLE DX										
A. Not Operated	1470	7.2	34	3	4	6	9	13	18	30
B. Operated	246	9.2	94	1	4	7	12	18	27	38
1. SINGLE DX	70	4.2	7	1	2	4	6	8	9	12
2. MULTIPLE DX	1716	7.5	43	3	4	6	9	14	19	34
A. Not Operated	1527	7.1	34	3	4	6	8	13	18	29
B. Operated	259	8.9	91	1	3	7	12	17	26	37
TOTAL										
0-19 YRS	3	13.3	184	5	5	6	23	29	29	29
20-34	23	4.6	10	1	2	3	7	9	11	13
35-49	152	5.4	11	2	3	5	7	10	11	17
50-64	412	6.5	39	2	3	5	8	11	15	27
65 +	1196	8.0	47	3	4	6	9	15	21	38
GRAND TOTAL	**1786**	**7.4**	**42**	**2**	**4**	**6**	**9**	**14**	**19**	**34**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.5	6	1	2	3	4	8	9	9
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	6.0	23	2	3	4	9	13	13	13
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	4	5.3	19	1	2	4	8	11	11	11
20-34	6	3.5	10	1	1	2	5	9	9	9
35-49	7	8.4	26	2	4	8	13	16	16	16
50-64	6	5.0	18	1	1	4	7	11	12	12
65 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	4.4	12	1	2	3	7	8	12	14
20-34	8	3.3	7	1	1	2	4	8	9	9
35-49	29	6.2	12	2	4	5	8	11	15	15
50-64	30	5.4	8	2	3	5	7	9	10	13
65 +	61	6.1	12	2	4	5	8	11	13	16
B. Operated										
0-19 YRS	33	7.8	36	2	3	7	12	19	22	99 +
20-34	46	10.8	74	2	5	8	14	24	30	35
35-49	82	8.2	46	2	3	6	12	18	22	28
50-64	87	10.5	123	3	4	8	12	21	36	61
65 +	98	11.3	114	2	4	8	14	26	31	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	4.1	9	2	2	3	5	8	12	13
B. Operated	25	5.4	19	1	2	4	8	12	14	16
2. MULTIPLE DX										
A. Not Operated	154	5.5	12	2	3	5	8	10	13	15
B. Operated	346	10.0	88	2	4	8	13	21	28	55
1. SINGLE DX	42	4.9	15	1	2	3	6	11	13	16
2. MULTIPLE DX	500	8.6	69	2	3	7	11	18	25	48
A. Not Operated	171	5.4	11	2	3	5	8	10	13	15
B. Operated	371	9.7	85	2	3	7	13	20	28	55
TOTAL										
0-19 YRS	71	5.9	25	1	2	4	8	14	19	83
20-34	62	8.9	68	2	2	7	13	20	29	35
35-49	120	7.7	37	2	3	6	10	16	19	28
50-64	127	8.9	92	2	4	7	10	17	28	56
65 +	162	9.2	80	2	4	7	11	20	27	54
GRAND TOTAL	**542**	**8.3**	**66**	**2**	**3**	**6**	**10**	**17**	**24**	**44**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	3	3.3		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	2.5	8	1	1	2	2	7	8	8
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.4	8	1	2	2	6	8	8	8
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	14	4.8	7	2	3	5	6	8	10	11
50-64	24	4.8	19	1	2	4	5	12	15	20
65 +	35	5.4	10	3	3	5	7	10	11	17
B. Operated										
0-19 YRS	12	5.3	27	1	2	4	6	12	19	20
20-34	4	11.8	271	< 1	1	5	22	36	36	36
35-49	15	6.7	28	1	2	5	10	15	16	17
50-64	28	6.7	53	2	2	4	8	16	23	34
65 +	47	11.5	101	2	4	9	15	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.1	2	2	2	3	4	6	6	6
B. Operated	11	2.3	4	1	1	2	3	5	8	8
2. MULTIPLE DX										
A. Not Operated	84	4.9	11	2	3	4	6	9	11	19
B. Operated	106	8.8	79	2	3	6	11	20	27	43
1. SINGLE DX	18	2.6	3	1	1	2	3	5	7	8
2. MULTIPLE DX	190	7.1	53	2	3	5	9	15	22	35
A. Not Operated	91	4.8	11	2	3	4	6	9	11	19
B. Operated	117	8.2	75	1	2	5	11	18	26	42
TOTAL										
0-19 YRS	25	4.1	16	1	2	2	6	8	12	20
20-34	7	8.4	153	< 1	2	4	7	30	36	36
35-49	31	5.7	17	1	3	5	8	12	15	17
50-64	58	5.5	35	1	2	4	6	12	19	33
65 +	87	8.5	69	2	3	6	11	17	25	46
GRAND TOTAL	**208**	**6.7**	**50**	**1**	**2**	**4**	**9**	**15**	**20**	**35**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	4.5	11	1	2	3	6	10	11	11
35-49	70	5.7	9	1	3	6	8	10	10	11
50-64	177	6.8	11	2	4	7	9	11	12	15
65 +	188	7.4	16	3	5	8	9	11	13	17
B. Operated										
0-19 YRS	0									
20-34	9	7.9	8	5	6	7	9	12	14	14
35-49	72	7.8	11	4	6	7	9	12	13	19
50-64	107	8.1	14	5	6	8	10	11	13	24
65 +	27	10.0	17	6	7	10	11	15	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	19	6.2	27	1	2	4	9	15	18	18
35-49	353	7.3	14	3	5	7	9	11	13	18
50-64	1335	8.3	18	4	6	8	10	13	15	22
65 +	3827	9.8	28	5	7	9	11	16	19	30
B. Operated										
0-19 YRS	0									
20-34	47	8.4	15	4	6	8	10	14	16	18
35-49	581	8.3	17	4	6	8	10	13	16	23
50-64	1219	10.2	50	4	7	9	12	17	21	38
65 +	1261	12.3	71	6	8	10	15	21	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	446	6.8	13	2	4	7	9	11	12	15
B. Operated	215	8.2	14	5	6	8	10	12	14	22
2. MULTIPLE DX										
A. Not Operated	5536	9.3	26	5	6	8	11	15	18	29
B. Operated	3108	10.7	55	5	7	9	13	18	23	42
1. SINGLE DX	661	7.3	14	2	5	7	9	11	13	17
2. MULTIPLE DX	8644	9.8	36	5	7	9	11	16	20	33
A. Not Operated	5982	9.1	25	4	6	8	11	14	17	28
B. Operated	3323	10.5	52	5	7	9	12	18	23	40
TOTAL										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	86	7.4	18	2	4	7	10	14	16	18
35-49	1076	7.7	16	3	5	7	10	12	15	21
50-64	2838	9.0	32	4	6	8	11	14	18	30
65 +	5303	10.3	40	5	7	9	12	17	21	36
GRAND TOTAL	**9305**	**9.6**	**35**	**4**	**6**	**9**	**11**	**15**	**19**	**33**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	2.5	1	1	2	2	3	4	4	4
35-49	57	2.3	2	1	1	2	3	5	5	7
50-64	131	2.8	2	1	2	2	3	5	6	8
65 +	109	3.2	9	1	2	3	4	6	7	17
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	30	2.5	4	1	1	2	3	5	7	9
50-64	68	2.0	2	1	1	1	2	4	5	8
65 +	28	2.1	4	1	1	1	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	44	3.1	2	1	2	3	4	5	6	8
35-49	504	3.2	3	1	2	3	4	5	7	10
50-64	1307	3.7	8	2	2	3	4	6	8	12
65 +	2837	4.4	11	2	3	4	5	8	10	17
B. Operated										
0-19 YRS	0									
20-34	12	3.6	10	1	1	2	5	9	10	10
35-49	277	3.5	13	1	1	2	4	8	10	19
50-64	681	3.6	14	1	1	2	5	8	10	16
65 +	551	5.4	42	1	1	3	7	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	2.8	5	1	2	2	3	5	6	8
B. Operated	127	2.1	3	1	1	1	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	4694	4.1	9	2	2	3	5	7	9	15
B. Operated	1521	4.2	25	1	1	2	6	10	13	23
1. SINGLE DX	434	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	6215	4.1	13	1	2	3	5	8	10	18
A. Not Operated	5001	4.0	9	2	2	3	5	7	9	15
B. Operated	1648	4.1	23	1	1	2	5	9	13	23
TOTAL										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	67	3.1	3	1	2	3	4	5	7	10
35-49	868	3.2	7	1	2	3	4	6	8	13
50-64	2187	3.6	9	1	2	3	4	7	9	14
65 +	3525	4.5	16	2	2	4	5	8	11	20
GRAND TOTAL	**6649**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	3.0	4	1	1	3	4	6	7	8
35-49	79	2.9	3	1	2	3	4	5	7	8
50-64	174	3.3	4	1	2	3	4	6	7	11
65 +	268	3.6	3	2	3	3	4	6	7	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	37	4.3	6	2	3	3	6	8	9	10
50-64	71	4.8	13	1	2	4	6	9	13	18
65 +	51	6.6	167	1	2	5	7	10	11	93
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	4.1	6	2	2	3	6	8	9	10
35-49	629	3.9	6	2	2	3	5	7	8	14
50-64	2197	4.3	8	2	3	4	5	7	9	15
65 +	5391	5.1	13	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	0									
20-34	12	5.9	28	2	2	4	9	15	17	17
35-49	510	6.4	34	2	3	5	8	12	15	29
50-64	1405	7.3	42	2	3	6	9	14	17	32
65 +	1650	8.5	52	2	4	7	11	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	536	3.4	3	1	2	3	4	6	7	9
B. Operated	159	5.3	61	1	2	4	7	9	10	19
2. MULTIPLE DX										
A. Not Operated	8250	4.8	11	2	3	4	6	8	10	17
B. Operated	3577	7.7	46	2	3	6	10	15	19	32
1. SINGLE DX	695	3.8	17	1	2	3	5	7	8	13
2. MULTIPLE DX	11827	5.7	24	2	3	4	7	11	14	23
A. Not Operated	8786	4.7	11	2	3	4	6	8	10	16
B. Operated	3736	7.6	47	2	3	6	10	15	19	32
TOTAL										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	59	4.2	10	1	2	3	5	8	11	17
35-49	1255	4.9	19	2	2	4	6	9	12	20
50-64	3847	5.4	23	2	3	4	7	10	13	22
65 +	7360	5.8	25	2	3	4	7	11	14	24
GRAND TOTAL	**12522**	**5.6**	**23**	**2**	**3**	**4**	**7**	**10**	**14**	**23**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	7	4.0	17	1	2	3	4	11	13	13
50-64	15	3.1	2	2	2	3	5	5	5	5
65 +	17	3.6	20	1	1	2	4	8	15	19
B. Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	6	3.3	4	1	2	3	4	7	7	7
35-49	160	3.3	10	1	1	2	5	8	10	12
50-64	402	3.5	13	1	1	2	5	9	11	15
65 +	199	3.7	15	1	1	1	7	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	3.9	15	1	2	3	5	10	14	14
35-49	107	4.1	9	1	2	3	6	7	8	17
50-64	332	4.2	10	1	2	3	5	8	10	20
65 +	572	5.6	20	2	3	4	7	10	14	26
B. Operated										
0-19 YRS	4	3.8	8	1	1	3	6	7	7	7
20-34	37	4.6	12	2	2	3	7	10	12	14
35-49	948	5.1	21	1	2	3	8	11	13	18
50-64	2948	5.9	38	1	2	4	9	13	16	28
65 +	2527	7.8	59	1	2	6	11	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.5	12	1	2	2	4	6	10	19
B. Operated	769	3.5	13	1	1	2	5	9	11	15
2. MULTIPLE DX										
A. Not Operated	1021	4.9	16	2	3	4	6	9	12	21
B. Operated	6464	6.5	45	1	2	4	9	14	18	32
1. SINGLE DX	809	3.5	13	1	1	2	5	9	11	15
2. MULTIPLE DX	7485	6.3	41	1	2	4	9	13	17	31
A. Not Operated	1061	4.9	16	2	2	4	6	9	12	21
B. Operated	7233	6.2	42	1	2	4	9	13	17	31
TOTAL										
0-19 YRS	6	3.3	6	1	1	3	5	7	7	7
20-34	54	4.3	11	1	2	3	5	9	12	14
35-49	1222	4.8	19	1	1	3	8	10	13	17
50-64	3697	5.5	34	1	1	3	8	12	15	27
65 +	3315	7.2	51	1	2	5	10	15	20	35
GRAND TOTAL	**8294**	**6.0**	**39**	**1**	**2**	**4**	**9**	**13**	**17**	**29**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	25	7.0	9	4	5	7	8	10	14	17
35-49	26	7.9	5	5	6	7	9	12	12	13
50-64	24	9.0	5	6	7	9	11	11	12	15
65 +	18	7.7	11	1	7	8	10	11	12	12
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	9.8	4	7	9	10	11	13	13	13
50-64	11	10.4	11	7	8	10	12	15	18	18
65 +	3	10.0	3	8	9	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	8.8	44	1	3	9	14	16	16	16
20-34	43	8.3	9	5	6	8	10	12	13	18
35-49	101	8.7	11	5	7	8	10	13	16	18
50-64	159	9.4	16	5	7	9	11	15	17	22
65 +	443	11.1	41	6	8	10	13	17	21	40
B. Operated										
0-19 YRS	4	14.0	2	12	13	14	15	15	15	15
20-34	23	10.2	34	5	6	8	14	17	22	27
35-49	43	10.6	21	6	7	10	14	16	18	27
50-64	59	13.3	77	8	10	11	13	24	29	61
65 +	127	15.3	117	7	10	13	17	27	32	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	7.9	8	5	7	8	10	11	12	16
B. Operated	22	10.0	7	7	8	10	11	13	15	18
2. MULTIPLE DX										
A. Not Operated	750	10.2	31	6	7	9	12	16	19	30
B. Operated	256	13.6	86	6	9	12	15	24	28	60
1. SINGLE DX	115	8.3	8	5	7	8	10	11	13	17
2. MULTIPLE DX	1006	11.1	47	6	8	10	13	17	22	40
A. Not Operated	843	10.0	29	6	7	9	11	16	19	29
B. Operated	278	13.3	80	7	9	11	15	22	28	58
TOTAL										
0-19 YRS	9	11.0	25	3	7	12	15	16	16	16
20-34	92	8.4	16	5	6	8	10	14	17	24
35-49	176	9.1	13	6	7	8	11	14	16	19
50-64	253	10.3	32	6	8	9	12	15	19	29
65 +	591	11.9	59	6	8	10	14	19	24	43
GRAND TOTAL	**1121**	**10.8**	**43**	**6**	**7**	**9**	**12**	**17**	**21**	**36**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.0	147	4	5	7	19	30	30	30
20-34	1	20.0		20	20	20	20	20	20	20
35-49	0									
50-64	0									
65 +	2	16.0	288	4	4	16	28	28	28	28
B. Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	26.0		26	26	26	26	26	26	26
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	18.9	410	2	5	12	27	45	68	77
20-34	30	15.8	94	6	10	14	20	30	34	44
35-49	16	22.9	152	6	15	22	30	39	46	49
50-64	20	14.9	184	2	7	10	17	43	44	44
65 +	28	18.9	109	6	9	20	27	33	35	40
B. Operated										
0-19 YRS	8	30.9	451	7	15	30	38	64	74	74
20-34	23	37.4	341	15	25	34	50	67	73	73
35-49	20	27.4	225	8	17	25	35	50	57	58
50-64	16	28.9	305	5	15	29	43	53	57	59
65 +	32	29.6	572	8	14	19	42	66	84	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	14.3	131	4	5	8	26	30	30	30
B. Operated	3	9.3	208	1	1	1	20	26	26	26
2. MULTIPLE DX										
A. Not Operated	110	17.9	168	5	8	14	25	34	44	60
B. Operated	99	31.0	394	9	15	29	43	58	73	92
1. SINGLE DX	10	12.8	140	1	4	7	26	29	30	30
2. MULTIPLE DX	209	24.1	316	6	11	20	33	47	58	81
A. Not Operated	117	17.7	166	4	8	14	26	34	43	58
B. Operated	102	30.3	400	7	15	29	42	57	73	91
TOTAL										
0-19 YRS	28	21.4	405	3	6	15	30	45	74	77
20-34	56	24.3	317	6	12	18	34	51	63	73
35-49	36	25.4	192	6	16	24	34	44	55	58
50-64	37	21.2	274	3	8	14	34	44	52	59
65 +	62	24.3	374	7	11	20	31	45	68	96
GRAND TOTAL	**219**	**23.6**	**313**	**5**	**10**	**19**	**32**	**46**	**58**	**6[illegible]**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.2	2	1	1	2	3	5	5	5
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	25	2.0	1	1	1	2	2	3	4	5
50-64	21	2.9	5	1	1	2	4	5	8	11
65 +	6	2.0	4	1	1	1	2	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	2.4	2	< 1	1	2	3	5	5	6
20-34	26	2.0	2	< 1	1	2	2	4	5	6
35-49	55	2.6	4	1	1	2	3	6	7	8
50-64	133	3.9	8	1	2	3	6	7	10	13
65 +	273	4.5	11	2	3	4	5	8	11	22
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	3	5.7	22	2	2	4	9	11	11	11
50-64	9	4.9	23	1	2	3	5	13	17	17
65 +	22	7.1	22	3	4	6	10	18	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.3	3	1	1	2	3	5	5	9
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	517	3.9	9	1	2	3	5	7	10	16
B. Operated	35	6.3	21	2	3	5	9	16	19	99 +
1. SINGLE DX	81	2.3	3	1	1	2	3	5	5	9
2. MULTIPLE DX	552	4.1	10	1	2	3	5	8	10	18
A. Not Operated	597	3.7	9	1	2	3	5	7	9	15
B. Operated	36	6.3	21	2	3	5	8	16	19	99 +
TOTAL										
0-19 YRS	55	2.4	2	1	1	2	3	5	5	6
20-34	30	2.0	2	< 1	1	2	2	4	5	6
35-49	84	2.5	4	1	1	2	3	5	7	10
50-64	163	3.8	8	1	2	3	5	7	10	15
65 +	301	4.6	12	2	3	4	6	8	12	26
GRAND TOTAL	**633**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.3	20	< 1	1	3	4	12	14	14
20-34	23	1.8	2	1	1	1	2	3	5	6
35-49	69	2.1	2	1	1	2	3	4	5	7
50-64	111	2.6	3	1	1	2	3	6	7	8
65 +	120	3.3	11	1	2	2	4	6	8	20
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	6.0	100	1	1	1	11	21	21	21
50-64	6	4.0	4	1	4	4	4	7	7	7
65 +	4	3.0	5	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	4.6	17	1	2	4	6	10	12	20
20-34	67	2.9	15	1	1	2	3	4	6	27
35-49	218	3.2	6	1	2	2	4	7	8	13
50-64	817	4.0	9	1	2	3	5	8	10	17
65 +	2502	5.2	18	2	3	4	6	9	12	20
B. Operated										
0-19 YRS	6	6.0	29	< 1	1	4	12	13	13	13
20-34	6	3.8	8	1	1	3	6	8	8	8
35-49	17	5.6	16	1	3	5	8	9	14	17
50-64	74	8.3	76	2	4	6	9	17	24	50
65 +	294	10.9	112	3	4	8	13	21	29	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	330	2.7	6	1	1	2	3	5	6	12
B. Operated	14	4.3	27	1	1	4	5	8	18	21
2. MULTIPLE DX										
A. Not Operated	3636	4.7	16	2	2	4	6	9	11	19
B. Operated	397	10.0	101	3	4	7	12	20	27	56
1. SINGLE DX	344	2.8	7	1	1	2	3	5	7	14
2. MULTIPLE DX	4033	5.3	26	2	2	4	6	10	14	24
A. Not Operated	3966	4.6	15	1	2	4	6	9	11	19
B. Operated	411	9.8	99	2	4	7	12	19	26	55
TOTAL										
0-19 YRS	45	4.8	18	1	1	4	6	12	13	20
20-34	96	2.7	12	1	1	2	3	4	6	23
35-49	308	3.1	7	1	1	2	4	7	8	15
50-64	1008	4.2	15	1	2	3	5	8	10	18
65 +	2920	5.7	30	2	3	4	7	11	15	29
GRAND TOTAL	**4377**	**5.1**	**25**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	3.1	12	1	1	2	3	5	10	22
20-34	42	2.2	2	1	1	2	3	4	5	5
35-49	72	2.4	3	1	1	2	3	5	6	10
50-64	112	2.8	3	1	1	2	4	5	7	9
65 +	82	3.6	4	1	2	3	5	6	7	11
B. Operated										
0-19 YRS	17	4.6	18	1	1	3	6	11	15	16
20-34	8	4.8	9	1	2	4	7	9	9	9
35-49	9	3.1	3	1	2	3	4	6	6	6
50-64	23	2.5	6	< 1	1	2	3	6	9	11
65 +	63	4.9	27	1	2	4	5	9	11	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	136	4.8	36	1	2	3	5	12	17	35
20-34	139	3.8	10	1	2	3	5	8	11	15
35-49	368	3.8	20	1	2	3	4	7	9	15
50-64	973	4.5	13	2	2	4	5	8	11	18
65 +	2800	5.8	23	2	3	5	7	10	13	24
B. Operated										
0-19 YRS	41	5.3	14	1	3	5	7	11	12	17
20-34	31	7.6	22	2	4	7	10	15	16	19
35-49	93	7.5	43	1	3	6	9	14	20	35
50-64	339	8.3	66	2	4	6	10	16	27	43
65 +	1517	8.3	53	3	4	7	10	15	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	363	2.9	5	1	1	2	4	5	7	11
B. Operated	120	4.3	19	1	2	3	5	9	11	23
2. MULTIPLE DX										
A. Not Operated	4416	5.2	21	2	3	4	6	10	13	22
B. Operated	2021	8.2	54	2	4	6	10	15	21	41
1. SINGLE DX	483	3.2	9	1	1	2	4	6	8	13
2. MULTIPLE DX	6437	6.1	33	2	3	5	7	12	15	30
A. Not Operated	4779	5.0	20	2	3	4	6	9	12	22
B. Operated	2141	8.0	53	2	4	6	10	14	20	40
TOTAL										
0-19 YRS	249	4.5	26	1	2	3	5	11	14	22
20-34	220	4.1	12	1	2	3	5	9	11	17
35-49	542	4.2	24	1	2	3	5	8	11	26
50-64	1447	5.2	28	2	2	4	6	10	14	31
65 +	4462	6.6	34	2	3	5	8	12	16	29
GRAND TOTAL	**6920**	**5.9**	**32**	**2**	**3**	**4**	**7**	**11**	**15**	**29**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	5.6	24	2	3	4	7	12	18	21
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	4.0	4	1	2	5	5	6	6	6
50-64	61	4.7	17	2	2	3	6	8	13	25
65 +	241	5.8	24	2	3	4	7	10	16	30
B. Operated										
0-19 YRS	0									
20-34	1	14.0		14	14	14	14	14	14	14
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	3	8.0	9	5	6	8	10	11	11	11
65 +	3	11.7	81	3	5	11	18	21	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	6.0	50	1	2	4	7	12	17	49
20-34	87	5.9	17	2	3	5	8	12	15	21
35-49	471	6.2	21	2	3	5	8	12	15	24
50-64	2357	6.7	25	3	4	5	8	12	15	26
65 +	10357	7.6	39	3	4	6	9	14	18	33
B. Operated										
0-19 YRS	38	14.5	136	4	6	11	22	41	73	99 +
20-34	34	9.0	65	1	3	7	12	20	28	33
35-49	120	9.8	83	2	4	7	12	22	30	67
50-64	379	11.9	142	3	5	9	14	22	31	73
65 +	1106	13.2	119	4	6	10	17	25	34	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	324	5.6	22	2	3	4	7	10	16	27
B. Operated	9	9.1	37	2	4	8	12	18	21	21
2. MULTIPLE DX										
A. Not Operated	13417	7.4	36	3	4	6	9	13	17	31
B. Operated	1677	12.6	122	3	6	10	16	25	33	72
1. SINGLE DX	333	5.7	23	2	3	4	7	11	16	27
2. MULTIPLE DX	15094	8.0	48	3	4	6	9	15	20	37
A. Not Operated	13741	7.4	36	3	4	6	9	13	17	31
B. Operated	1686	12.6	122	3	6	10	16	25	33	72
TOTAL										
0-19 YRS	199	7.6	75	2	3	5	9	17	29	75
20-34	123	6.8	32	2	3	5	9	14	17	30
35-49	598	6.9	35	2	3	5	8	13	19	34
50-64	2800	7.4	44	3	4	6	9	14	17	31
65 +	11707	8.1	49	3	4	6	10	15	20	37
GRAND TOTAL	**15427**	**7.9**	**48**	**3**	**4**	**6**	**9**	**15**	**20**	**36**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	5.9	30	2	3	4	6	15	20	20
20-34	6	4.2	6	2	3	3	4	9	9	9
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	6	4.0	3	3	3	3	5	7	7	7
65 +	0									
B. Operated										
0-19 YRS	9	1.7	2	1	1	1	2	4	5	5
20-34	2	20.0	338	7	7	20	33	33	33	33
35-49	21	2.0	3	< 1	1	1	2	4	6	8
50-64	13	3.0	8	< 1	1	2	4	8	10	10
65 +	6	1.5	1	< 1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	5.6	23	1	2	4	7	15	20	99 +
20-34	29	6.8	28	2	3	4	9	15	16	21
35-49	122	7.0	35	2	4	6	8	13	18	34
50-64	207	6.8	22	2	3	6	9	13	16	25
65 +	334	8.9	49	3	4	7	11	16	22	34
B. Operated										
0-19 YRS	26	17.7	618	1	3	8	17	61	87	88
20-34	20	14.9	427	1	2	8	18	65	81	99 +
35-49	90	9.4	169	1	2	6	12	33	57	99 +
50-64	145	9.3	226	1	1	4	10	32	72	99 +
65 +	110	10.2	191	1	2	6	12	25	39	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	5.1	16	2	3	3	6	10	14	20
B. Operated	51	2.9	23	< 1	1	1	3	6	8	33
2. MULTIPLE DX										
A. Not Operated	722	7.8	38	2	4	6	10	15	20	33
B. Operated	391	10.4	241	1	2	6	12	33	64	99 +
1. SINGLE DX	76	3.6	22	1	1	2	4	7	10	30
2. MULTIPLE DX	1113	8.7	111	2	3	6	10	18	29	99 +
A. Not Operated	747	7.7	37	2	4	6	9	15	20	33
B. Operated	442	9.6	222	1	2	5	10	30	51	99 +
TOTAL										
0-19 YRS	76	9.3	258	1	2	4	9	20	54	97
20-34	57	9.8	186	2	3	4	11	29	58	97
35-49	235	7.5	87	1	2	5	8	17	31	99 +
50-64	371	7.6	103	1	2	5	9	16	25	99 +
65 +	450	9.1	84	2	4	7	11	18	26	47
GRAND TOTAL	**1189**	**8.4**	**107**	**1**	**3**	**6**	**10**	**18**	**28**	**98**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.3	11	2	2	3	5	8	10	16
20-34	24	2.7	2	1	2	2	4	4	6	7
35-49	38	3.1	3	1	2	3	4	5	6	8
50-64	22	3.3	3	2	2	3	4	5	7	9
65 +	5	2.8	2	2	2	2	3	5	5	5
B. Operated										
0-19 YRS	47	3.7	10	1	1	2	6	9	9	14
20-34	16	3.4	10	1	1	2	6	9	9	9
35-49	30	3.3	8	1	1	2	5	8	9	10
50-64	44	4.1	16	1	1	2	8	11	12	13
65 +	31	4.7	32	< 1	1	2	8	11	18	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	3.9	6	1	2	4	5	7	9	11
20-34	100	4.4	24	1	2	3	5	8	9	31
35-49	168	4.5	13	1	2	4	6	8	11	20
50-64	251	5.6	18	2	3	4	7	11	14	21
65 +	369	6.8	31	2	3	5	8	13	18	32
B. Operated										
0-19 YRS	78	9.9	202	2	2	6	12	21	33	85
20-34	38	7.9	29	2	3	8	10	17	22	99 +
35-49	160	7.4	41	1	2	6	11	16	18	26
50-64	269	9.5	84	1	2	8	13	20	28	47
65 +	469	10.3	94	1	3	8	14	22	27	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	3.3	5	1	2	3	4	5	8	12
B. Operated	168	3.9	15	1	1	2	6	10	11	17
2. MULTIPLE DX										
A. Not Operated	950	5.6	23	2	3	4	7	11	14	26
B. Operated	1014	9.5	89	1	2	8	13	20	26	50
1. SINGLE DX	284	3.6	11	1	1	2	5	9	10	15
2. MULTIPLE DX	1964	7.6	61	1	3	5	10	16	22	41
A. Not Operated	1066	5.4	22	2	3	4	7	10	13	24
B. Operated	1182	8.7	83	1	2	7	12	19	25	50
TOTAL										
0-19 YRS	214	6.1	87	1	2	4	7	12	18	54
20-34	178	4.8	23	1	2	3	7	10	13	37
35-49	396	5.4	26	1	2	4	7	12	16	24
50-64	586	7.2	52	1	2	5	9	15	21	36
65 +	874	8.6	68	2	3	6	11	19	24	42
GRAND TOTAL	**2248**	**7.1**	**57**	**1**	**2**	**5**	**9**	**16**	**21**	**38**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	4	14.3	134	2	5	13	23	29	29	29
20-34	9	9.4	23	3	6	9	14	15	16	16
35-49	12	10.4	17	6	9	11	12	15	18	19
50-64	13	12.5	50	5	8	11	16	23	27	28
65 +	3	11.3	44	7	7	8	16	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	3	9.7	42	3	5	10	14	16	16	16
35-49	5	7.6	103	< 1	1	1	14	24	24	24
50-64	5	2.4		2	2	2	3	3	3	3
65 +	18	9.2	50	1	5	7	12	19	25	28
B. Operated										
0-19 YRS	8	15.0	115	2	3	17	23	28	30	30
20-34	11	20.3	142	6	14	18	29	39	43	43
35-49	40	22.6	180	9	14	20	32	41	60	99 +
50-64	36	24.9	293	8	12	24	42	83	99 +	99 +
65 +	30	36.7	628	8	16	34	61	78	98	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.7	41	< 1	1	3	10	13	13	13
B. Operated	41	11.3	39	4	8	11	14	20	25	29
2. MULTIPLE DX										
A. Not Operated	33	7.6	49	1	2	6	11	17	24	28
B. Operated	125	26.0	347	8	13	22	40	64	97	99 +
1. SINGLE DX	44	10.9	40	3	7	10	14	19	24	29
2. MULTIPLE DX	158	22.1	340	3	10	18	34	61	78	99 +
A. Not Operated	36	7.5	48	1	2	6	11	16	23	28
B. Operated	166	22.3	310	5	11	18	32	60	77	99 +
TOTAL										
0-19 YRS	14	13.1	111	2	3	12	22	29	30	30
20-34	24	14.6	103	4	7	14	17	32	38	43
35-49	58	18.4	174	2	10	17	25	37	50	97
50-64	54	19.8	264	3	9	16	28	62	99 +	99 +
65 +	52	25.1	566	2	7	16	48	69	79	99 +
GRAND TOTAL	**202**	**19.7**	**295**	**3**	**8**	**15**	**27**	**58**	**69**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	4	14.5	44	5	10	17	19	19	19	19
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	57.3	305	34	44	61	70	73	73	73
50-64	2	15.0	98	8	8	15	22	22	22	22
65 +	6	27.8	252	8	18	25	41	50	51	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	12.4	55	4	5	15	19	19	19	19
B. Operated	12	35.5	487	8	20	30	52	69	72	73
1. SINGLE DX	0									
2. MULTIPLE DX	17	28.7	466	5	13	22	43	65	71	73
A. Not Operated	5	12.4	55	4	5	15	19	19	19	19
B. Operated	12	35.5	487	8	20	30	52	69	72	73
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	4	57.3	305	34	44	61	70	73	73	73
50-64	3	11.3	89	4	5	8	18	22	22	22
65 +	10	22.5	202	6	15	19	26	46	51	51
GRAND TOTAL	**17**	**28.7**	**466**	**5**	**13**	**22**	**43**	**65**	**71**	**73**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	3.6	8	< 1	1	2	6	8	8	8
20-34	3	1.7		< 1	< 1	2	2	2	2	2
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64	4	26.8	1894	3	4	6	49	92	92	92
65 +	16	12.5	294	1	4	7	12	24	58	72
B. Operated										
0-19 YRS	12	10.2	84	2	4	7	11	27	30	31
20-34	7	13.9	147	6	8	10	12	35	41	41
35-49	6	10.2	107	1	5	6	12	28	30	30
50-64	16	8.1	20	3	6	7	9	13	19	21
65 +	21	9.3	89	2	4	7	10	22	35	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	5.6	20	2	4	4	6	13	15	15
20-34	6	5.5	20	1	2	5	8	12	12	12
35-49	24	11.2	51	6	8	9	12	18	26	39
50-64	70	15.4	260	3	6	10	18	38	53	81
65 +	234	11.8	75	4	6	9	16	22	28	46
B. Operated										
0-19 YRS	23	13.3	115	3	5	11	19	27	35	47
20-34	14	13.8	184	2	4	9	20	30	46	50
35-49	28	26.7	398	10	12	21	38	58	97	99 +
50-64	70	17.5	306	4	6	12	25	59	75	99 +
65 +	160	19.4	222	6	9	15	29	45	64	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	11.5	407	1	2	6	10	22	72	92
B. Operated	62	9.8	75	3	5	7	11	22	32	41
2. MULTIPLE DX										
A. Not Operated	341	12.2	112	3	6	9	15	23	30	54
B. Operated	295	18.9	256	5	7	14	28	47	69	99 +
1. SINGLE DX	92	10.3	181	2	4	7	11	22	33	84
2. MULTIPLE DX	636	15.3	189	4	7	11	20	35	52	99 +
A. Not Operated	371	12.2	135	3	6	9	15	23	30	68
B. Operated	357	17.3	236	5	7	12	25	41	59	99 +
TOTAL										
0-19 YRS	47	10.3	91	2	4	7	14	25	29	47
20-34	30	10.9	137	1	2	8	12	27	41	50
35-49	60	18.2	277	5	8	12	22	39	57	99 +
50-64	160	15.9	294	4	6	11	19	42	68	99 +
65 +	431	14.5	151	4	7	11	19	32	42	99 +
GRAND TOTAL	**728**	**14.7**	**191**	**4**	**6**	**11**	**19**	**33**	**50**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	1	22.0		22	22	22	22	22	22	22
35-49	7	13.6	26	8	10	11	18	21	21	21
50-64	19	13.2	214	4	5	8	16	25	49	67
65 +	93	18.7	276	5	8	14	24	44	69	99 +
B. Operated										
0-19 YRS	5	21.4	413	6	6	13	34	54	54	54
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	8	30.5	407	8	16	36	49	87	99 +	99 +
50-64	12	31.3	468	12	15	23	52	81	96	99 +
65 +	43	28.3	479	6	14	22	46	91	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	122	17.3	251	5	8	12	23	36	63	99 +
B. Operated	70	28.0	448	7	13	22	48	76	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	192	21.2	348	5	9	16	27	60	86	99 +
A. Not Operated	122	17.3	251	5	8	12	23	36	63	99 +
B. Operated	70	28.0	448	7	13	22	48	76	99 +	99 +
TOTAL										
0-19 YRS	7	16.4	348	3	5	6	24	49	54	54
20-34	3	13.3	60	7	8	11	19	22	22	22
35-49	15	22.6	291	8	10	19	37	65	90	99 +
50-64	31	20.2	380	5	7	13	25	61	75	99 +
65 +	136	21.7	357	6	9	16	29	61	92	99 +
GRAND TOTAL	**192**	**21.2**	**348**	**5**	**9**	**16**	**27**	**60**	**86**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	6	5.5	75	< 1	1	2	4	21	23	23
65 +	6	2.7	8	1	1	1	4	8	8	8
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	11	6.1	36	1	3	5	7	15	21	22
50-64	85	4.4	7	1	2	4	6	8	9	13
65 +	159	5.5	20	2	4	5	6	8	12	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	5	4.0	5	2	2	4	5	7	7	7
50-64	38	5.2	17	1	3	4	7	9	12	23
65 +	158	5.7	17	2	3	5	7	11	13	22
B. Operated										
0-19 YRS	0									
20-34	2	8.5	41	4	4	8	13	13	13	13
35-49	49	6.0	14	2	4	5	8	11	12	18
50-64	435	5.6	23	2	3	4	7	10	13	23
65 +	1072	6.8	28	2	4	5	8	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.8	34	1	1	2	4	9	20	23
B. Operated	255	5.2	16	1	3	5	6	8	11	20
2. MULTIPLE DX										
A. Not Operated	201	5.6	17	2	3	5	7	10	13	22
B. Operated	1558	6.5	26	2	4	5	8	12	16	26
1. SINGLE DX	269	5.1	17	1	3	5	6	8	11	22
2. MULTIPLE DX	1759	6.3	25	2	4	5	8	12	15	26
A. Not Operated	215	5.4	18	1	3	4	7	10	13	23
B. Operated	1813	6.3	25	2	4	5	7	12	15	25
TOTAL										
0-19 YRS	0									
20-34	2	8.5	41	4	4	8	13	13	13	13
35-49	67	5.7	16	2	3	5	7	11	13	21
50-64	564	5.4	21	2	3	4	6	10	12	23
65 +	1395	6.5	26	2	4	5	8	12	16	26
GRAND TOTAL	**2028**	**6.2**	**24**	**2**	**3**	**5**	**7**	**12**	**15**	**25**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	11.8	132	1	4	9	19	28	28	28
50-64	6	14.2	81	4	5	14	21	26	27	27
65 +	18	9.8	30	4	6	8	11	19	22	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	7	12.1	210	2	5	8	11	38	44	44
50-64	24	14.0	217	2	6	11	17	23	40	75
65 +	47	11.6	218	2	5	7	14	22	35	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	28	11.0	52	4	6	9	14	23	27	28
B. Operated	78	12.4	213	2	5	8	16	23	39	82
1. SINGLE DX	0									
2. MULTIPLE DX	106	12.0	170	3	5	8	16	23	29	79
A. Not Operated	28	11.0	52	4	6	9	14	23	27	28
B. Operated	78	12.4	213	2	5	8	16	23	39	82
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	11	12.0	166	1	5	8	12	34	43	44
50-64	30	14.0	186	3	5	12	18	24	27	75
65 +	65	11.1	165	3	5	7	12	21	26	81
GRAND TOTAL	**106**	**12.0**	**170**	**3**	**5**	**8**	**16**	**23**	**29**	**79**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	6.0	10	3	4	5	8	11	11	11
35-49	12	8.7	149	2	3	4	9	21	42	46
50-64	31	6.9	18	3	4	6	8	12	13	22
65 +	101	7.3	47	3	4	5	8	13	20	40
B. Operated										
0-19 YRS	0									
20-34	5	5.2	5	2	3	6	7	7	7	7
35-49	10	9.8	229	1	3	5	9	31	52	52
50-64	5	3.4	5	1	2	3	4	7	7	7
65 +	5	17.4	434	2	7	9	23	54	54	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	9.2	93	2	4	7	10	18	35	39
35-49	93	10.7	181	2	5	7	11	19	38	80
50-64	525	8.7	64	3	4	7	11	16	23	40
65 +	2364	9.9	82	3	5	7	12	19	26	52
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	15.3	386	3	5	9	16	45	68	70
35-49	39	12.8	199	2	3	8	14	32	49	59
50-64	113	12.1	125	3	5	9	16	26	40	72
65 +	330	17.7	244	4	8	14	23	42	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	7.3	47	3	4	6	8	13	20	46
B. Operated	25	9.1	184	1	3	6	9	13	52	54
2. MULTIPLE DX										
A. Not Operated	2995	9.7	82	3	5	7	12	18	25	52
B. Operated	494	16.0	221	4	7	11	21	38	56	99 +
1. SINGLE DX	174	7.6	66	2	4	6	8	13	21	51
2. MULTIPLE DX	3489	10.6	106	3	5	8	12	21	30	66
A. Not Operated	3144	9.6	81	3	5	7	11	18	25	52
B. Operated	519	15.6	221	3	6	11	20	38	56	99 +
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	34	10.1	168	2	4	7	10	19	37	70
35-49	154	11.0	184	2	4	7	11	23	44	59
50-64	674	9.2	74	3	4	7	11	17	25	54
65 +	2800	10.7	107	3	5	8	13	21	31	67
GRAND TOTAL	3663	10.5	105	3	5	8	12	20	30	64

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	5	13.4	28	7	10	12	17	21	21	21
35-49	50	13.6	289	6	7	9	12	18	43	95
50-64	257	14.3	168	4	6	10	18	30	45	88
65 +	1047	13.6	144	4	7	11	16	27	37	92
B. Operated										
0-19 YRS	0									
20-34	8	22.3	433	2	5	16	38	54	57	57
35-49	18	21.1	411	5	7	13	40	87	99 +	99 +
50-64	37	23.6	446	5	8	16	35	65	79	99 +
65 +	138	25.0	469	7	11	20	45	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1361	13.7	153	4	7	10	17	28	38	92
B. Operated	201	24.3	453	6	10	20	43	92	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	1562	15.1	204	4	7	11	18	33	55	99 +
A. Not Operated	1361	13.7	153	4	7	10	17	28	38	92
B. Operated	201	24.3	453	6	10	20	43	92	99 +	99 +
TOTAL										
0-19 YRS	2	11.5	41	7	7	11	16	16	16	16
20-34	13	18.8	282	2	8	12	23	49	55	57
35-49	58	15.6	327	6	7	10	15	44	84	99 +
50-64	294	15.5	211	4	6	10	20	34	49	95
65 +	1185	14.9	195	4	7	11	18	32	55	99 +
GRAND TOTAL	1562	15.1	204	4	7	11	18	33	55	99 +

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	28	2.4	1	1	2	2	3	4	5	6
50-64	73	3.4	4	1	2	3	4	6	7	9
65 +	186	3.5	6	1	2	3	5	6	9	13
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	4.4	12	2	2	3	6	9	12	13
50-64	26	3.7	5	2	2	3	4	8	9	10
65 +	18	5.3	15	1	2	4	7	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.5	14	2	2	3	7	10	10	10
20-34	25	5.0	19	2	2	4	6	10	14	22
35-49	138	3.8	5	1	2	3	5	6	8	11
50-64	592	4.3	12	1	2	3	5	8	10	15
65 +	2803	5.2	20	2	3	4	6	9	12	22
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.3	85	2	2	3	12	21	21	21
35-49	38	5.3	15	1	3	5	7	10	14	17
50-64	166	5.9	22	2	3	5	8	11	14	25
65 +	363	7.8	59	2	3	6	9	15	20	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	292	3.3	5	1	2	3	4	6	8	10
B. Operated	57	4.4	10	2	2	4	6	8	12	14
2. MULTIPLE DX										
A. Not Operated	3562	5.0	18	2	3	4	6	9	12	21
B. Operated	572	7.1	46	2	3	5	9	13	19	34
1. SINGLE DX	349	3.5	6	1	2	3	4	7	8	14
2. MULTIPLE DX	4134	5.3	23	2	3	4	6	10	13	23
A. Not Operated	3854	4.8	17	2	3	4	6	9	11	21
B. Operated	629	6.8	43	2	3	5	8	13	18	32
TOTAL										
0-19 YRS	6	3.5	11	1	2	2	4	9	10	10
20-34	34	5.0	23	2	2	4	6	10	19	22
35-49	216	3.9	7	1	2	3	5	7	9	15
50-64	857	4.5	13	1	2	4	6	9	10	20
65 +	3370	5.4	24	2	3	4	6	10	13	23
GRAND TOTAL	**4483**	**5.1**	**21**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	3.6	4	< 1	2	4	5	6	7	7
50-64	49	5.2	9	2	3	4	7	10	11	14
65 +	135	7.5	57	2	3	5	9	14	20	44
B. Operated										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	4	7.0	9	3	5	7	9	10	10	10
50-64	4	7.5	14	3	4	8	10	11	11	11
65 +	5	12.8	175	1	4	10	18	35	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	5.0	8	1	2	6	7	8	8	8
35-49	77	5.9	21	2	3	5	7	13	19	78
50-64	387	8.3	67	2	3	6	9	18	26	49
65 +	1734	9.6	78	3	5	7	11	18	24	53
B. Operated										
0-19 YRS	0									
20-34	2	12.5	181	3	3	12	22	22	22	22
35-49	13	14.4	279	4	6	8	15	37	59	64
50-64	54	13.6	154	2	6	9	19	35	40	62
65 +	177	19.9	339	4	7	13	27	47	66	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	6.7	44	2	3	5	8	11	16	41
B. Operated	15	8.5	67	1	4	7	10	13	29	35
2. MULTIPLE DX										
A. Not Operated	2204	9.3	74	3	4	7	11	18	24	52
B. Operated	246	18.2	299	4	7	12	23	43	62	94
1. SINGLE DX	210	6.8	45	2	3	5	8	11	16	40
2. MULTIPLE DX	2450	10.2	104	3	5	7	12	20	29	64
A. Not Operated	2399	9.0	72	3	4	7	11	17	23	51
B. Operated	261	17.6	290	4	6	12	23	42	59	93
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	5.6	32	1	2	4	7	12	21	22
35-49	102	6.9	58	2	3	5	8	15	20	81
50-64	494	8.6	74	2	3	6	10	18	26	48
65 +	2051	10.4	108	3	5	8	12	20	29	66
GRAND TOTAL	**2660**	**9.9**	**100**	**3**	**4**	**7**	**11**	**19**	**28**	**62**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	16	10.0	276	3	4	5	8	15	54	71
50-64	107	8.8	53	3	4	7	10	18	25	38
65 +	563	11.6	95	4	6	9	14	23	32	83
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	13.5	85	7	7	13	20	20	20	20
35-49	3	11.0	36	5	6	11	15	17	17	17
50-64	15	16.6	271	3	7	13	20	61	89	99 +
65 +	59	21.1	354	6	10	16	29	75	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	688	11.1	93	3	6	8	14	22	32	80
B. Operated	80	19.5	319	5	9	15	23	71	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	768	12.0	123	4	6	9	15	24	36	99 +
A. Not Operated	688	11.1	93	3	6	8	14	22	32	80
B. Operated	80	19.5	319	5	9	15	23	71	99 +	99 +
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	11.3	41	6	6	9	16	20	20	20
35-49	19	10.2	234	3	4	5	9	17	47	71
50-64	122	9.8	85	3	4	7	12	20	29	73
65 +	622	12.5	127	4	6	9	15	27	37	99 +
GRAND TOTAL	**768**	**12.0**	**123**	**4**	**6**	**9**	**15**	**24**	**36**	**99 +**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	5	4.4	4	2	3	4	6	7	7	7
35-49	18	3.4	4	1	2	3	6	7	7	7
50-64	23	3.7	4	1	2	3	5	7	8	8
65 +	29	4.3	9	2	2	4	6	9	10	13
B. Operated										
0-19 YRS	4	6.3	15	< 1	3	7	9	10	10	10
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	7.4	38	2	4	6	9	18	21	21
50-64	8	8.1	42	1	2	8	14	17	17	17
65 +	10	5.1	62	1	1	2	5	16	27	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	6.0	22	2	2	4	9	11	16	18
20-34	23	4.0	5	2	2	3	6	7	8	9
35-49	94	4.4	10	1	2	3	5	9	11	17
50-64	167	5.3	15	2	3	4	7	10	12	19
65 +	529	7.4	74	2	3	5	8	14	19	47
B. Operated										
0-19 YRS	7	12.3	304	3	3	5	11	43	51	51
20-34	12	6.8	28	1	2	6	9	16	17	17
35-49	36	15.4	340	3	5	10	13	40	61	84
50-64	60	9.7	52	2	4	7	15	20	24	30
65 +	93	11.9	157	2	4	8	15	29	44	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	4.0	7	1	2	3	6	7	9	13
B. Operated	31	6.5	42	1	1	5	9	16	21	27
2. MULTIPLE DX										
A. Not Operated	827	6.5	53	2	3	5	8	12	16	33
B. Operated	208	11.6	157	2	4	8	14	25	38	64
1. SINGLE DX	107	4.7	18	1	2	4	6	10	12	24
2. MULTIPLE DX	1035	7.5	78	2	3	5	9	14	20	51
A. Not Operated	903	6.3	50	2	3	5	7	12	15	33
B. Operated	239	10.9	145	2	4	7	13	23	37	64
TOTAL										
0-19 YRS	26	8.0	95	2	3	6	10	13	25	51
20-34	41	4.8	13	1	2	4	6	9	12	17
35-49	156	7.0	107	2	2	4	7	12	20	63
50-64	258	6.3	27	2	3	5	8	13	17	26
65 +	661	7.9	85	2	3	5	9	15	22	51
GRAND TOTAL	**1142**	**7.3**	**73**	**2**	**3**	**5**	**8**	**14**	**19**	**48**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	6	3.3	10	1	1	2	5	9	9	9
50-64	7	5.7	16	1	2	7	9	10	10	10
65 +	4	1.8	2	1	1	1	3	4	4	4
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	9.0	21	5	6	8	12	14	14	14
35-49	17	6.2	9	2	4	6	8	10	12	13
50-64	69	5.4	13	1	2	5	8	11	12	13
65 +	84	5.9	21	1	2	6	9	11	14	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	8	5.0	4	3	3	4	7	8	8	8
50-64	24	6.8	18	2	3	6	9	12	14	19
65 +	92	7.1	64	2	3	6	9	12	15	51
B. Operated										
0-19 YRS	0									
20-34	14	9.6	37	2	4	10	13	19	19	19
35-49	108	9.3	53	2	4	8	12	19	22	38
50-64	465	9.5	87	1	4	8	11	20	28	67
65 +	1492	12.2	122	2	6	9	15	24	35	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.1	12	1	1	3	8	9	10	10
B. Operated	174	5.9	17	1	2	5	9	11	13	18
2. MULTIPLE DX										
A. Not Operated	126	6.9	50	2	3	6	8	12	14	33
B. Operated	2079	11.4	111	2	5	9	14	23	33	69
1. SINGLE DX	193	5.7	17	1	2	5	9	11	13	18
2. MULTIPLE DX	2205	11.2	109	2	5	9	14	22	32	68
A. Not Operated	145	6.6	46	1	3	6	8	11	13	23
B. Operated	2253	11.0	106	2	5	9	14	22	32	66
TOTAL										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	21	8.9	28	2	5	8	13	16	19	19
35-49	139	8.4	46	2	4	7	11	17	22	34
50-64	565	8.8	76	1	4	7	10	18	26	53
65 +	1672	11.6	116	2	5	9	14	23	33	71
GRAND TOTAL	**2398**	**10.7**	**104**	**2**	**5**	**8**	**13**	**21**	**31**	**66**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.0		1	1	1	1	1	1	1
50-64	8	5.0	41	1	1	2	7	16	19	19
65 +	3	4.7	12	1	2	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	8	5.5	16	1	2	5	8	11	12	12
65 +	12	7.4	42	3	4	5	8	16	25	26
B. Operated										
0-19 YRS	0									
20-34	7	9.7	189	1	1	3	12	34	39	39
35-49	37	9.0	257	1	2	5	9	11	52	75
50-64	89	8.2	66	1	2	8	10	15	24	45
65 +	101	9.1	75	1	3	7	12	17	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	14	4.1	27	1	1	1	6	10	17	19
2. MULTIPLE DX										
A. Not Operated	21	6.6	30	2	3	5	8	12	18	26
B. Operated	234	8.8	102	1	2	7	11	16	26	53
1. SINGLE DX	14	4.1	27	1	1	1	6	10	17	19
2. MULTIPLE DX	255	8.6	96	1	3	7	10	16	25	50
A. Not Operated	21	6.6	30	2	3	5	8	12	18	26
B. Operated	248	8.5	99	1	2	7	10	16	24	50
TOTAL										
0-19 YRS	0									
20-34	7	9.7	189	1	1	3	12	34	39	39
35-49	41	8.3	236	1	1	5	8	11	40	75
50-64	105	7.8	61	1	2	7	10	14	21	43
65 +	116	8.8	70	1	3	7	11	17	25	43
GRAND TOTAL	**269**	**8.4**	**93**	**1**	**2**	**6**	**10**	**16**	**24**	**49**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	4	4.5	14	2	2	3	7	10	10	10
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	5.5	41	< 1	< 1	5	10	10	10	10
50-64	20	7.8	8	3	7	8	10	11	11	11
65 +	40	9.1	26	2	7	9	12	15	18	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	8.7	10	5	6	10	11	11	11	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64	18	6.8	35	1	4	6	7	12	21	27
65 +	60	5.4	19	1	3	4	7	10	13	23
B. Operated										
0-19 YRS	0									
20-34	1	17.0		17	17	17	17	17	17	17
35-49	22	12.0	98	2	7	9	15	29	34	36
50-64	205	11.0	54	3	8	9	13	20	28	45
65 +	623	14.6	131	6	9	12	17	27	38	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.8	13	< 1	1	2	5	10	10	10
B. Operated	62	8.6	21	2	7	9	11	14	16	22
2. MULTIPLE DX										
A. Not Operated	82	5.8	22	1	3	5	7	11	14	26
B. Operated	851	13.7	114	5	8	11	16	27	35	74
1. SINGLE DX	67	8.2	22	2	4	9	11	13	16	21
2. MULTIPLE DX	933	13.0	111	3	8	10	15	25	34	67
A. Not Operated	87	5.7	21	1	3	5	7	11	13	26
B. Operated	913	13.3	109	4	8	11	15	25	34	69
TOTAL										
0-19 YRS	0									
20-34	4	10.8	24	5	7	10	14	17	17	17
35-49	25	11.2	92	1	5	8	14	28	34	36
50-64	244	10.4	51	2	7	9	12	19	28	41
65 +	727	13.5	123	3	8	11	16	26	35	74
GRAND TOTAL	**1000**	**12.6**	**106**	**3**	**8**	**10**	**15**	**24**	**33**	**66**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	7.8	25	1	4	8	11	13	13	13
35-49	9	5.0	13	2	3	4	6	11	12	12
50-64	13	7.5	19	2	5	7	10	12	17	18
65 +	9	6.2	18	1	4	6	8	12	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	1.3		1	1	1	2	2	2	2
65 +	5	15.0	279	4	4	6	24	43	43	43
B. Operated										
0-19 YRS	4	9.0	30	3	4	9	13	15	15	15
20-34	9	14.3	234	2	4	7	20	41	47	47
35-49	19	7.3	26	2	3	6	9	14	18	21
50-64	52	9.3	47	2	4	8	13	20	21	32
65 +	78	11.1	77	3	5	9	14	22	25	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	10.0		10	10	10	10	10	10	10
B. Operated	35	6.5	17	1	3	6	9	12	14	18
2. MULTIPLE DX										
A. Not Operated	9	8.9	192	< 1	1	4	9	33	43	43
B. Operated	162	10.2	69	2	5	8	13	21	25	47
1. SINGLE DX	36	6.6	17	1	3	6	9	12	14	18
2. MULTIPLE DX	171	10.1	75	2	4	8	13	21	25	47
A. Not Operated	10	9.0	171	< 1	1	4	10	30	43	43
B. Operated	197	9.6	62	2	4	8	12	20	24	46
TOTAL										
0-19 YRS	4	9.0	30	3	4	9	13	15	15	15
20-34	14	12.1	159	2	4	8	13	33	44	47
35-49	29	6.3	23	2	3	5	9	13	15	21
50-64	68	8.6	42	2	4	7	12	17	21	31
65 +	92	10.8	82	2	5	8	14	21	25	47
GRAND TOTAL	**207**	**9.5**	**67**	**2**	**4**	**8**	**12**	**20**	**24**	**46**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.5	25	7	7	10	14	14	14	14
35-49	3	11.0	61	6	6	7	17	20	20	20
50-64	3	5.0	28	1	1	3	9	11	11	11
65 +	0									
B. Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	6	10.0	39	3	5	8	17	18	18	18
35-49	12	5.4	14	1	2	6	8	10	11	11
50-64	29	5.5	16	< 1	1	5	9	11	13	13
65 +	18	6.9	16	2	3	6	11	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	6.7	16	3	4	6	10	11	11	11
35-49	4	4.8	15	1	1	4	8	9	9	9
50-64	6	6.7	43	1	1	5	11	16	17	17
65 +	11	7.2	21	2	3	7	10	14	15	15
B. Operated										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	11	8.9	97	2	3	6	11	24	34	35
35-49	53	7.7	21	2	5	7	10	14	16	23
50-64	149	10.4	139	2	5	8	11	16	29	72
65 +	200	10.9	121	3	5	8	13	20	30	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	8.6	38	2	4	7	12	18	20	20
B. Operated	67	6.2	18	1	3	6	9	12	13	18
2. MULTIPLE DX										
A. Not Operated	25	6.6	21	1	2	7	10	13	15	17
B. Operated	415	10.3	114	2	5	8	12	18	27	70
1. SINGLE DX	75	6.5	20	1	3	6	9	12	14	19
2. MULTIPLE DX	440	10.1	109	2	5	8	11	18	25	69
A. Not Operated	33	7.1	25	1	3	7	10	14	17	20
B. Operated	482	9.7	102	2	4	8	11	17	23	67
TOTAL										
0-19 YRS	5	6.8	13	2	3	8	10	10	10	10
20-34	22	9.0	59	2	3	7	12	17	25	35
35-49	72	7.3	22	1	4	7	10	13	16	22
50-64	187	9.4	118	1	3	8	11	15	23	71
65 +	229	10.4	109	2	5	8	12	19	28	53
GRAND TOTAL	**515**	**9.5**	**98**	**2**	**4**	**8**	**11**	**17**	**23**	**66**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	4.5	5	2	3	4	5	7	10	12
20-34	5	2.0	1	< 1	1	2	2	3	3	3
35-49	5	4.6	9	1	2	6	7	8	8	8
50-64	8	5.4	16	1	2	4	9	11	11	11
65 +	3	3.3		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	9	5.4	22	1	2	5	7	13	16	16
20-34	11	4.5	25	< 1	1	3	6	12	17	18
35-49	34	3.7	15	1	1	2	5	8	10	20
50-64	62	3.4	11	1	1	2	5	8	11	14
65 +	52	7.9	141	1	1	5	10	14	25	79
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	79	5.3	13	2	3	5	6	9	12	22
20-34	21	6.5	32	2	3	4	7	14	21	25
35-49	32	5.0	9	1	3	5	7	9	10	14
50-64	54	5.0	20	1	2	4	7	10	13	24
65 +	140	5.9	21	2	3	4	8	12	15	20
B. Operated										
0-19 YRS	14	9.9	69	2	4	5	13	24	25	25
20-34	28	12.6	111	2	4	11	18	27	33	44
35-49	67	7.9	127	1	2	5	8	14	32	66
50-64	258	9.1	107	1	2	6	11	21	27	53
65 +	576	11.1	128	2	4	8	14	23	36	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	4.4	6	2	3	4	5	8	10	12
B. Operated	168	5.0	56	1	1	3	6	11	14	28
2. MULTIPLE DX										
A. Not Operated	326	5.6	18	2	3	4	7	11	14	24
B. Operated	943	10.4	121	1	3	7	13	22	32	62
1. SINGLE DX	278	4.8	36	1	2	4	6	10	13	24
2. MULTIPLE DX	1269	9.1	99	1	3	6	11	19	26	56
A. Not Operated	436	5.3	15	2	3	4	7	10	13	20
B. Operated	1111	9.6	115	1	3	7	12	21	30	61
TOTAL										
0-19 YRS	191	5.3	15	2	3	4	6	10	13	25
20-34	65	8.4	76	1	2	5	12	21	26	42
35-49	138	6.1	71	1	2	4	7	11	15	48
50-64	382	7.5	83	1	2	5	10	16	25	50
65 +	771	9.9	113	2	4	7	12	20	30	62
GRAND TOTAL	**1547**	**8.4**	**91**	**1**	**3**	**6**	**10**	**18**	**25**	**53**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	72	5.5	8	2	4	5	7	9	11	14
35-49	96	5.9	8	2	4	6	8	9	10	13
50-64	101	6.4	9	3	5	7	8	10	11	16
65 +	78	6.4	8	3	4	6	8	10	11	13
B. Operated										
0-19 YRS	4	6.3	12	2	3	7	9	9	9	9
20-34	23	6.0	12	2	3	6	8	10	13	15
35-49	34	7.1	14	2	4	7	10	11	14	16
50-64	51	6.6	18	2	3	6	9	13	14	19
65 +	32	7.3	12	3	5	7	10	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.2	13	2	3	5	10	10	10	10
20-34	71	7.3	14	3	4	7	9	12	14	19
35-49	182	7.4	19	3	4	7	9	12	15	27
50-64	283	7.7	19	3	5	7	10	12	15	26
65 +	506	8.6	25	4	6	8	10	14	16	24
B. Operated										
0-19 YRS	4	4.3	4	3	3	4	5	7	7	7
20-34	39	9.5	96	2	3	7	12	15	33	47
35-49	68	9.3	91	2	3	7	11	18	24	57
50-64	121	7.7	40	2	4	6	10	14	17	40
65 +	242	9.6	50	3	5	8	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	350	6.1	8	2	4	6	8	10	11	14
B. Operated	144	6.8	14	2	4	6	9	12	14	16
2. MULTIPLE DX										
A. Not Operated	1047	8.1	22	4	5	7	10	13	15	24
B. Operated	472	9.0	57	3	5	8	11	16	20	47
1. SINGLE DX	494	6.3	10	2	4	6	8	10	12	15
2. MULTIPLE DX	1519	8.4	33	3	5	7	10	14	17	31
A. Not Operated	1397	7.6	19	3	5	7	9	12	15	23
B. Operated	616	8.5	48	2	4	7	10	15	18	42
TOTAL										
0-19 YRS	16	5.6	10	2	3	5	9	10	10	10
20-34	205	7.0	29	2	4	6	9	12	14	32
35-49	378	7.3	29	3	4	7	9	12	15	32
50-64	556	7.4	22	3	4	7	9	13	15	25
65 +	858	8.6	31	4	5	8	10	14	17	27
GRAND TOTAL	2013	7.9	28	3	5	7	10	13	16	27

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	6.2	13	2	3	7	9	10	10	10
50-64	4	12.3	241	1	2	6	22	35	35	35
65 +	5	11.0	321	2	3	3	14	43	43	43
B. Operated										
0-19 YRS	2	14.5	365	< 1	< 1	14	28	28	28	28
20-34	75	2.7	27	1	1	2	3	4	6	36
35-49	141	2.3	5	1	1	2	3	4	7	12
50-64	111	2.8	9	1	1	2	3	5	9	16
65 +	40	7.7	171	1	2	3	8	15	43	62
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	5.3	7	2	3	5	7	9	9	9
35-49	17	6.5	15	2	3	7	9	12	13	14
50-64	45	9.2	59	4	5	7	11	14	27	43
65 +	132	10.7	77	4	5	8	12	24	28	42
B. Operated										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	33	5.3	45	1	2	2	6	18	19	29
35-49	75	4.9	48	1	2	2	4	13	19	36
50-64	100	7.0	72	1	2	4	9	20	22	45
65 +	141	13.5	183	2	5	10	18	31	37	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	9.2	157	2	3	4	9	35	41	43
B. Operated	369	3.2	32	1	1	2	3	5	9	33
2. MULTIPLE DX										
A. Not Operated	201	9.8	67	3	5	7	11	22	27	40
B. Operated	352	8.9	122	1	2	5	12	21	31	60
1. SINGLE DX	384	3.4	38	1	1	2	3	6	10	40
2. MULTIPLE DX	553	9.3	102	2	3	6	12	21	29	54
A. Not Operated	216	9.8	73	3	5	7	11	23	28	43
B. Operated	721	6.0	84	1	1	3	6	16	23	48
TOTAL										
0-19 YRS	5	7.4	137	< 1	1	1	11	28	28	28
20-34	116	3.6	32	1	1	2	3	8	13	34
35-49	238	3.5	21	1	1	2	3	8	12	30
50-64	260	5.7	51	1	2	3	7	13	21	36
65 +	318	11.5	142	2	4	8	14	26	35	65
GRAND TOTAL	937	6.9	84	1	2	3	8	17	26	44

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	13	2.5	4	1	1	2	3	5	7	8
35-49	12	2.5	5	< 1	< 1	2	3	5	8	9
50-64	13	1.5	1	< 1	< 1	1	2	3	4	4
65 +	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	8	2.5	3	< 1	1	2	4	5	5	5
20-34	109	2.4	2	1	1	2	3	4	5	6
35-49	175	2.3	2	1	1	2	3	5	5	6
50-64	80	2.2	1	1	1	2	3	4	5	7
65 +	28	3.0	3	< 1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	30	3.6	6	1	2	3	4	7	9	11
35-49	44	3.1	5	< 1	1	3	5	6	7	9
50-64	45	3.1	6	< 1	1	2	4	6	9	10
65 +	76	3.8	7	1	2	3	5	7	11	14
B. Operated										
0-19 YRS	9	2.4	5	< 1	1	2	3	6	8	8
20-34	337	3.1	3	1	2	3	4	5	7	10
35-49	599	3.0	3	1	2	3	4	5	6	10
50-64	529	3.3	6	1	2	3	4	6	7	13
65 +	276	4.3	8	1	2	4	5	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.1	3	< 1	< 1	2	3	4	6	9
B. Operated	400	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	197	3.5	6	1	2	3	4	6	9	12
B. Operated	1750	3.3	5	1	2	3	4	6	7	12
1. SINGLE DX	442	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1947	3.3	5	1	2	3	4	6	7	12
A. Not Operated	239	3.2	6	< 1	1	3	4	6	9	11
B. Operated	2150	3.1	5	1	2	3	4	5	7	11
TOTAL										
0-19 YRS	19	2.8	6	< 1	1	2	4	7	9	9
20-34	489	2.9	3	1	2	3	4	5	6	9
35-49	830	2.9	3	1	2	2	4	5	6	9
50-64	667	3.1	6	1	2	3	4	5	7	12
65 +	384	4.0	8	1	2	3	5	7	10	15
GRAND TOTAL	**2389**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.8	12	1	1	2	5	9	11	13
20-34	46	6.2	9	2	4	6	8	10	11	12
35-49	80	6.2	8	2	4	7	8	10	11	12
50-64	51	5.9	12	2	4	5	8	10	10	20
65 +	68	7.3	38	1	3	7	9	14	16	38
B. Operated										
0-19 YRS	32	2.3	7	< 1	1	1	2	5	7	13
20-34	40	4.2	11	< 1	1	3	7	10	10	11
35-49	37	4.9	14	< 1	2	4	8	10	11	17
50-64	49	7.0	19	1	4	7	9	12	15	22
65 +	34	6.7	16	1	4	6	10	11	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	49	4.3	14	1	2	3	5	9	11	19
20-34	105	6.6	27	2	3	6	9	13	14	28
35-49	215	6.0	13	2	3	6	8	11	12	17
50-64	448	6.2	16	2	3	6	9	11	13	17
65 +	1131	6.7	25	2	4	6	8	11	14	27
B. Operated										
0-19 YRS	59	6.6	53	1	1	4	10	20	31	99 +
20-34	90	8.2	45	1	4	7	11	16	21	35
35-49	166	8.8	70	1	3	8	11	17	24	43
50-64	224	9.9	71	2	5	8	12	20	26	48
65 +	471	10.2	45	4	6	9	12	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	265	6.2	17	1	3	6	8	10	11	20
B. Operated	192	5.2	17	1	1	5	8	10	12	17
2. MULTIPLE DX										
A. Not Operated	1948	6.5	22	2	3	6	8	11	14	25
B. Operated	1010	9.5	56	2	5	8	12	18	24	44
1. SINGLE DX	457	5.8	17	1	2	6	8	10	12	17
2. MULTIPLE DX	2958	7.5	36	2	4	7	10	14	18	33
A. Not Operated	2213	6.4	21	2	3	6	8	11	14	24
B. Operated	1202	8.8	52	1	4	8	11	17	22	42
TOTAL										
0-19 YRS	160	4.7	29	1	1	3	7	12	18	92
20-34	281	6.7	29	1	3	6	9	12	15	29
35-49	498	6.9	33	1	3	6	9	11	16	25
50-64	772	7.3	35	2	4	7	10	13	17	32
65 +	1704	7.7	33	2	4	7	10	14	18	33
GRAND TOTAL	**3415**	**7.3**	**33**	**2**	**4**	**6**	**9**	**13**	**17**	**32**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	945	2.4	2	1	1	2	3	4	5	7
20-34	111	2.8	2	1	2	3	4	5	6	7
35-49	47	3.1	2	2	2	3	4	5	6	9
50-64	27	3.9	5	2	2	3	5	6	9	11
65 +	8	4.5	3	3	3	4	6	7	7	7
B. Operated										
0-19 YRS	122	1.2	1	1	1	1	1	2	3	7
20-34	22	2.0	2	1	1	2	2	4	6	7
35-49	9	4.0	10	1	1	4	6	9	10	10
50-64	5	6.0	32	2	2	3	10	15	15	15
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1949	3.1	4	1	2	3	4	5	6	10
20-34	352	3.4	4	1	2	3	4	6	8	10
35-49	229	3.7	4	2	2	3	4	6	8	12
50-64	175	4.6	10	2	3	4	5	8	9	16
65 +	247	5.8	18	2	3	5	7	10	13	25
B. Operated										
0-19 YRS	232	3.5	36	1	1	1	4	8	11	33
20-34	39	5.6	139	1	1	3	6	9	11	75
35-49	21	5.7	60	1	2	3	7	11	23	36
50-64	23	5.6	12	2	3	5	8	10	12	14
65 +	21	8.3	15	4	6	7	10	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1138	2.5	2	1	1	2	3	4	5	7
B. Operated	159	1.7	3	1	1	1	1	3	5	10
2. MULTIPLE DX										
A. Not Operated	2952	3.5	6	1	2	3	4	6	8	12
B. Operated	336	4.3	48	1	1	2	6	9	12	37
1. SINGLE DX	1297	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	3288	3.6	11	1	2	3	4	6	8	14
A. Not Operated	4090	3.2	5	1	2	3	4	6	7	12
B. Operated	495	3.5	35	1	1	1	4	8	10	31
TOTAL										
0-19 YRS	3248	2.8	6	1	1	2	3	5	6	10
20-34	524	3.4	14	1	2	3	4	6	8	11
35-49	306	3.8	8	1	2	3	4	7	8	13
50-64	230	4.6	10	2	3	4	5	8	10	15
65 +	277	5.9	18	2	3	5	7	11	13	25
GRAND TOTAL	4585	3.2	9	1	2	3	4	6	7	13

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1129	3.1	3	1	2	3	4	5	6	9
20-34	75	3.4	2	1	2	3	4	5	7	8
35-49	73	4.8	67	2	3	3	5	6	8	58
50-64	84	3.9	5	2	2	3	5	6	8	12
65 +	96	5.5	21	3	3	4	6	9	11	30
B. Operated										
0-19 YRS	4	5.0	14	1	2	4	7	10	10	10
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	6.0	31	< 1	1	5	10	13	13	13
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2273	3.9	6	2	2	3	5	7	8	13
20-34	304	4.1	6	2	3	4	5	7	9	14
35-49	636	5.0	9	2	3	4	6	8	11	17
50-64	1821	6.4	20	3	4	5	8	11	14	22
65 +	4216	6.9	22	3	4	6	8	12	15	23
B. Operated										
0-19 YRS	52	12.9	220	3	4	9	18	27	63	99
20-34	20	9.4	44	2	3	8	12	20	22	24
35-49	37	9.5	37	3	5	7	14	19	22	23
50-64	134	10.1	69	4	6	8	12	18	22	38
65 +	300	11.8	105	4	6	9	13	23	31	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1457	3.4	8	1	2	3	4	6	7	10
B. Operated	12	4.8	16	< 1	1	4	7	11	13	13
2. MULTIPLE DX										
A. Not Operated	9250	5.8	18	2	3	5	7	10	13	21
B. Operated	543	11.2	100	4	5	9	13	21	27	66
1. SINGLE DX	1469	3.4	8	1	2	3	4	6	7	10
2. MULTIPLE DX	9793	6.1	24	2	3	5	7	11	14	24
A. Not Operated	10707	5.5	17	2	3	5	7	10	13	20
B. Operated	555	11.1	99	3	5	8	13	21	27	65
TOTAL										
0-19 YRS	3458	3.8	10	2	2	3	5	6	8	14
20-34	401	4.3	9	2	3	4	5	7	10	18
35-49	747	5.2	17	2	3	4	6	9	12	18
50-64	2043	6.6	23	3	4	5	8	11	15	23
65 +	4613	7.2	29	3	4	6	9	12	16	28
GRAND TOTAL	11262	5.8	23	2	3	5	7	10	13	23

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.1		< 1	1	1	1	1	2	2
20-34	61	1.2		< 1	1	1	1	2	2	4
35-49	24	1.3		1	1	1	1	2	3	3
50-64	17	1.4	1	1	1	1	2	2	3	4
65 +	6	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	79	1.3		< 1	1	1	1	2	3	4
20-34	189	1.4	1	< 1	1	1	1	3	4	5
35-49	175	1.5	1	1	1	1	2	3	4	5
50-64	93	1.8	1	1	1	1	2	4	5	6
65 +	22	1.7	1	1	1	1	2	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	125	1.2		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	558	1.5	1	1	1	1	2	3	4	5
1. SINGLE DX	125	1.2		1	1	1	1	2	2	4
2. MULTIPLE DX	563	1.5	1	1	1	1	2	3	4	5
A. Not Operated	5	1.2		< 1	< 1	1	1	2	2	2
B. Operated	683	1.4	1	1	1	1	2	3	4	5
TOTAL										
0-19 YRS	97	1.2		< 1	1	1	1	2	3	4
20-34	252	1.3	1	< 1	1	1	1	2	3	4
35-49	200	1.5	1	1	1	1	2	3	3	5
50-64	111	1.7	1	1	1	1	2	4	4	6
65 +	28	1.6	1	1	1	1	2	3	4	5
GRAND TOTAL	**688**	**1.4**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**5**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	1.7	2	1	1	1	2	3	5	7
20-34	23	1.8	2	< 1	1	1	3	3	5	6
35-49	19	1.5	1	1	1	1	2	2	4	5
50-64	23	2.1	2	1	1	2	3	3	5	8
65 +	13	2.3	3	< 1	1	2	4	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	14	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	98	1.9	2	1	1	1	2	4	5	8
1. SINGLE DX	15	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	99	1.9	2	1	1	1	2	4	5	8
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	112	1.8	2	1	1	1	2	4	4	7
TOTAL										
0-19 YRS	24	1.6	2	1	1	1	2	3	5	7
20-34	27	1.7	2	< 1	1	1	2	3	4	6
35-49	22	1.6	1	1	1	1	2	3	4	5
50-64	26	2.1	2	1	1	2	3	3	5	8
65 +	15	2.2	2	< 1	1	2	3	4	6	6
GRAND TOTAL	**114**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**4**	**7**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.6	1	1	1	1	2	3	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2193	1.1		1	1	1	1	1	2	2
20-34	319	1.1		1	1	1	1	2	2	3
35-49	56	1.2	1	1	1	1	1	2	2	5
50-64	11	1.3		1	1	1	1	2	3	3
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	2.4	12	< 1	< 1	1	2	5	6	22
20-34	3	3.3		3	3	3	4	4	4	4
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2112	1.3	2	1	1	1	1	2	3	6
20-34	124	1.5	1	1	1	1	2	3	4	6
35-49	38	2.4	11	1	1	1	2	5	13	14
50-64	9	1.7	1	1	1	1	2	3	4	4
65 +	6	3.7	13	1	2	2	3	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	1.6	1	1	1	1	2	3	4	4
B. Operated	2581	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated	47	2.5	11	< 1	< 1	1	3	5	6	22
B. Operated	2289	1.3	2	1	1	1	1	2	3	7
1. SINGLE DX	2603	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX	2336	1.4	2	1	1	1	1	2	3	7
A. Not Operated	69	2.2	8	< 1	1	1	2	4	6	19
B. Operated	4870	1.2	1	1	1	1	1	2	2	5
TOTAL										
0-19 YRS	4368	1.2	1	1	1	1	1	1	2	5
20-34	447	1.3	1	1	1	1	1	2	3	4
35-49	95	1.7	5	1	1	1	1	3	5	14
50-64	21	1.5	1	1	1	1	2	3	3	4
65 +	8	3.4	11	1	1	2	4	9	11	11
GRAND TOTAL	**4939**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**2**	**5**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	193	2.6	3	1	1	2	3	5	5	9
20-34	79	2.6	1	1	2	2	3	4	4	6
35-49	31	3.5	4	1	2	3	5	7	7	9
50-64	16	3.0	3	1	2	3	4	4	7	8
65 +	5	3.8	17	1	1	3	5	11	11	11
B. Operated										
0-19 YRS	254	2.6	11	< 1	1	2	3	6	7	13
20-34	122	2.0	1	1	1	2	2	4	4	6
35-49	93	1.9	3	< 1	1	1	2	4	6	11
50-64	79	1.7	1	< 1	1	1	2	4	4	5
65 +	36	2.1	4	< 1	< 1	1	2	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	341	3.7	11	1	2	3	5	7	9	13
20-34	96	3.6	5	1	2	3	5	7	8	12
35-49	89	3.6	4	1	2	3	4	6	8	11
50-64	60	4.6	12	1	2	4	5	9	12	18
65 +	85	4.9	14	2	2	4	6	9	13	20
B. Operated										
0-19 YRS	321	4.8	79	1	1	2	5	10	16	56
20-34	161	2.8	13	1	1	1	3	6	10	19
35-49	241	2.9	11	1	1	2	3	7	9	17
50-64	182	3.0	30	1	1	2	3	5	8	32
65 +	125	4.4	30	1	1	3	6	10	15	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	324	2.7	3	1	1	2	3	5	6	9
B. Operated	584	2.2	6	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	671	3.9	10	1	2	3	5	7	9	14
B. Operated	1030	3.7	39	1	1	2	4	8	12	29
1. SINGLE DX	908	2.4	5	1	1	2	3	4	6	9
2. MULTIPLE DX	1701	3.8	27	1	1	2	4	8	10	23
A. Not Operated	995	3.5	8	1	2	3	4	7	8	13
B. Operated	1614	3.1	27	1	1	2	3	7	10	25
TOTAL										
0-19 YRS	1109	3.6	30	1	1	2	4	7	9	23
20-34	458	2.7	7	1	1	2	3	5	7	12
35-49	454	2.9	8	1	1	2	3	6	8	14
50-64	337	3.0	19	1	1	2	3	5	8	20
65 +	251	4.2	21	1	1	3	6	9	13	28
GRAND TOTAL	**2609**	**3.3**	**20**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	154	4.1	6	2	2	3	5	7	9	15
20-34	60	4.4	6	2	3	4	5	8	9	15
35-49	43	5.1	6	2	3	4	7	8	10	11
50-64	70	6.0	13	3	4	5	7	9	10	26
65 +	85	6.8	13	4	5	6	8	12	13	22
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	5	8.4	5	6	6	9	10	11	11	11
50-64	4	8.8	15	5	6	8	11	14	14	14
65 +	3	21.3	316	2	8	25	34	37	37	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	461	6.6	36	2	3	5	8	13	15	36
20-34	220	7.4	28	3	4	6	9	13	18	29
35-49	292	7.3	17	3	5	6	9	12	16	23
50-64	705	8.1	24	4	5	7	10	14	17	28
65 +	2683	9.8	48	4	6	8	12	17	22	36
B. Operated										
0-19 YRS	44	19.4	172	7	9	15	25	38	54	99 +
20-34	33	14.9	91	7	10	12	16	26	41	46
35-49	73	18.1	296	6	9	12	21	46	66	97
50-64	128	16.3	166	6	8	13	20	29	36	96
65 +	443	18.1	185	7	9	14	22	35	51	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	412	5.1	10	2	3	4	6	9	10	15
B. Operated	15	10.9	84	2	6	9	12	25	34	37
2. MULTIPLE DX										
A. Not Operated	4361	8.9	41	4	5	7	11	16	20	33
B. Operated	721	17.7	188	7	9	14	22	35	51	93
1. SINGLE DX	427	5.3	13	2	3	5	7	9	11	18
2. MULTIPLE DX	5082	10.2	71	4	5	8	12	18	25	50
A. Not Operated	4773	8.6	39	3	5	7	10	15	19	32
B. Operated	736	17.5	186	6	9	14	22	34	51	93
TOTAL										
0-19 YRS	660	6.9	50	2	3	5	8	14	18	43
20-34	315	7.6	37	3	4	6	9	14	19	36
35-49	413	9.0	82	3	5	7	10	15	21	63
50-64	907	9.1	52	4	5	7	11	16	21	35
65 +	3214	10.9	74	4	6	9	13	19	26	51
GRAND TOTAL	**5509**	**9.8**	**68**	**3**	**5**	**8**	**12**	**18**	**24**	**49**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2466	3.5	3	2	2	3	4	6	7	10
20-34	310	4.3	6	2	3	4	5	7	9	14
35-49	280	4.9	6	2	3	4	6	8	9	12
50-64	230	5.0	6	3	3	5	6	8	10	13
65 +	366	6.6	18	3	4	6	8	10	13	22
B. Operated										
0-19 YRS	24	3.9	10	1	1	3	5	9	10	11
20-34	9	6.6	10	3	4	7	8	11	13	13
35-49	13	7.1	18	1	3	8	10	12	14	15
50-64	11	8.3	15	3	6	8	11	13	14	14
65 +	17	10.4	18	6	7	10	11	18	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4959	4.3	9	2	3	4	5	7	9	17
20-34	675	5.8	17	2	3	5	7	10	13	22
35-49	1003	6.3	17	3	4	5	8	11	13	22
50-64	1809	7.1	24	3	4	6	8	12	15	25
65 +	6624	8.6	33	4	5	7	10	15	19	30
B. Operated										
0-19 YRS	167	14.3	156	4	7	11	19	34	59	99 +
20-34	84	11.5	63	3	6	10	15	21	26	43
35-49	163	12.6	125	4	7	10	16	23	33	96
50-64	297	13.0	98	5	7	11	17	23	28	50
65 +	726	15.6	136	6	8	13	19	29	41	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3652	4.1	6	2	3	4	5	7	8	13
B. Operated	74	6.9	19	1	3	7	10	12	15	19
2. MULTIPLE DX										
A. Not Operated	15070	6.7	26	2	4	6	8	12	16	26
B. Operated	1437	14.3	126	5	8	12	18	27	37	99 +
1. SINGLE DX	3726	4.1	7	2	3	4	5	7	9	13
2. MULTIPLE DX	16507	7.4	39	3	4	6	9	14	18	32
A. Not Operated	18722	6.2	23	2	3	5	8	11	14	24
B. Operated	1511	14.0	123	5	7	11	17	26	35	99 +
TOTAL										
0-19 YRS	7616	4.2	13	2	2	3	5	7	9	19
20-34	1078	5.8	20	2	3	5	7	11	14	24
35-49	1459	6.8	32	3	4	6	8	12	16	29
50-64	2347	7.7	36	3	4	6	9	13	18	30
65 +	7733	9.2	46	4	5	7	11	16	21	37
GRAND TOTAL	**20233**	**6.8**	**35**	**2**	**3**	**5**	**8**	**13**	**17**	**30**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	2.8	3	1	2	2	3	5	6	9
20-34	50	3.2	4	2	2	3	4	6	7	13
35-49	45	3.3	2	2	2	3	4	5	6	7
50-64	49	4.0	4	2	3	4	5	7	8	8
65 +	47	4.5	7	2	2	4	6	7	10	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	12.0		12	12	12	12	12	12	12
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	201	3.3	5	1	2	3	4	6	7	12
20-34	155	3.1	3	1	2	3	4	5	6	9
35-49	202	3.8	3	2	2	4	5	6	7	8
50-64	271	4.9	11	2	3	4	6	8	10	20
65 +	729	6.2	16	3	4	5	7	11	14	21
B. Operated										
0-19 YRS	4	7.3	11	3	5	7	9	11	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	8.0	25	1	5	8	11	15	15	15
50-64	13	12.1	125	3	4	9	17	25	39	42
65 +	26	13.2	103	3	6	12	15	34	37	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	3.5	4	2	2	3	4	6	7	11
B. Operated	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated	1558	5.0	12	2	3	4	6	9	11	19
B. Operated	50	11.6	92	3	5	9	14	21	36	42
1. SINGLE DX	261	3.5	4	2	2	3	4	6	7	12
2. MULTIPLE DX	1608	5.2	16	2	3	4	6	9	12	21
A. Not Operated	1818	4.8	11	2	3	4	6	8	11	18
B. Operated	51	11.6	90	3	5	9	14	21	36	42
TOTAL										
0-19 YRS	274	3.2	4	1	2	3	4	6	7	11
20-34	206	3.2	3	1	2	3	4	5	6	9
35-49	253	3.8	4	2	2	3	5	6	7	11
50-64	334	5.0	16	2	3	4	6	9	11	22
65 +	802	6.3	20	3	4	5	7	11	14	22
GRAND TOTAL	**1869**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**11**	**20**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	134	2.5	2	1	2	2	3	4	5	7
20-34	8	2.3	1	1	1	2	3	4	4	4
35-49	13	3.7	3	1	3	4	5	6	6	6
50-64	25	4.9	5	3	4	4	5	9	9	10
65 +	22	7.0	26	2	4	7	8	12	18	26
B. Operated										
0-19 YRS	5	5.0	20	1	1	4	9	11	11	11
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	5	2.0	2	< 1	< 1	1	3	4	4	4
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	309	3.7	7	2	2	3	4	6	7	14
20-34	56	6.4	146	2	3	4	6	8	14	88
35-49	97	4.2	5	2	3	4	5	8	8	11
50-64	276	5.9	16	2	4	5	7	10	12	24
65 +	444	6.4	20	3	4	5	8	12	15	22
B. Operated										
0-19 YRS	10	2.7	5	< 1	1	2	4	6	8	8
20-34	7	4.0	4	1	3	3	6	7	7	7
35-49	5	8.0	134	< 1	1	2	13	28	28	28
50-64	28	7.2	39	1	4	6	9	13	22	30
65 +	52	9.3	39	3	5	8	11	17	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	3.4	7	1	2	3	4	6	8	12
B. Operated	14	3.1	9	< 1	< 1	2	4	8	10	11
2. MULTIPLE DX										
A. Not Operated	1182	5.4	22	2	3	4	6	10	13	22
B. Operated	102	7.7	41	1	3	6	9	15	22	31
1. SINGLE DX	216	3.4	7	1	2	3	4	6	8	12
2. MULTIPLE DX	1284	5.6	24	2	3	4	7	10	13	22
A. Not Operated	1384	5.1	20	2	3	4	6	9	12	21
B. Operated	116	7.1	39	1	3	6	9	14	21	31
TOTAL										
0-19 YRS	458	3.4	6	1	2	3	4	6	7	13
20-34	72	5.6	116	2	3	4	5	7	12	76
35-49	120	4.2	9	1	3	4	5	7	8	16
50-64	331	5.9	17	2	4	5	7	10	12	25
65 +	519	6.7	23	3	4	6	8	13	16	23
GRAND TOTAL	**1500**	**5.3**	**22**	**2**	**3**	**4**	**6**	**10**	**13**	**22**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	12	4.7	5	2	3	4	6	8	9	9
65 +	9	5.6	10	1	3	6	8	9	9	9
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	14	6.4	24	2	3	4	10	12	18	20
50-64	87	6.4	18	2	3	6	9	11	12	26
65 +	155	7.8	32	3	4	7	9	15	19	32
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	7	12.9	83	6	7	11	15	29	32	32
35-49	12	11.9	45	6	7	9	16	24	24	24
50-64	18	11.2	58	2	5	10	17	23	25	25
65 +	19	23.6	423	7	10	19	29	56	77	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	5.2	8	2	3	5	8	9	10	11
B. Operated	4	4.5	15	1	2	3	7	10	10	10
2. MULTIPLE DX										
A. Not Operated	259	7.3	27	2	4	6	9	13	18	28
B. Operated	58	15.4	204	4	7	11	20	29	33	81
1. SINGLE DX	27	5.1	9	1	3	4	8	9	10	11
2. MULTIPLE DX	317	8.8	69	3	4	7	10	17	22	35
A. Not Operated	282	7.1	26	2	4	6	9	13	17	28
B. Operated	62	14.7	198	4	7	11	19	27	33	81
TOTAL										
0-19 YRS	5	6.4	9	4	4	5	9	11	11	11
20-34	10	11.2	71	3	7	9	13	24	32	32
35-49	29	8.6	38	3	4	7	10	19	24	24
50-64	117	7.0	26	2	3	6	9	13	18	26
65 +	183	9.4	94	3	5	7	10	18	23	59
GRAND TOTAL	**344**	**8.5**	**65**	**3**	**4**	**7**	**10**	**17**	**22**	**34**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4083	2.6	2	1	2	2	3	4	5	7
20-34	424	3.4	3	1	2	3	4	6	7	10
35-49	483	3.9	6	2	2	3	5	6	8	13
50-64	325	4.6	8	2	3	4	6	8	9	14
65 +	155	4.6	5	2	3	4	6	8	9	11
B. Operated										
0-19 YRS	6	3.5	12	1	1	2	4	9	10	10
20-34	4	3.3	10	1	1	2	5	8	8	8
35-49	4	2.0	4	1	1	1	3	5	5	5
50-64	5	4.0	11	< 1	< 1	4	6	9	9	9
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3255	3.2	4	1	2	3	4	5	7	10
20-34	619	4.2	9	2	3	4	5	7	9	14
35-49	1043	5.0	10	2	3	4	6	9	10	18
50-64	1514	5.8	14	2	3	5	7	10	12	20
65 +	2136	7.2	30	3	4	6	9	12	16	29
B. Operated										
0-19 YRS	42	8.6	38	3	5	7	10	18	23	27
20-34	21	8.6	21	3	5	9	11	16	17	17
35-49	56	8.6	29	3	4	7	12	16	20	24
50-64	75	10.2	104	4	5	6	11	18	36	53
65 +	115	12.0	102	4	7	10	13	22	35	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5470	3.0	3	1	2	3	4	5	6	9
B. Operated	20	3.4	8	< 1	1	2	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	8567	4.9	16	2	3	4	6	9	11	20
B. Operated	309	10.3	76	4	5	8	12	19	26	53
1. SINGLE DX	5490	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	8876	5.1	19	2	3	4	6	9	12	22
A. Not Operated	14037	4.2	12	1	2	3	5	8	10	17
B. Operated	329	9.8	75	3	5	8	11	18	25	52
TOTAL										
0-19 YRS	7386	2.9	3	1	2	3	4	5	6	9
20-34	1068	3.9	7	2	2	3	5	7	8	13
35-49	1586	4.8	10	2	3	4	6	8	10	18
50-64	1919	5.8	17	2	3	5	7	10	12	22
65 +	2407	7.2	34	3	4	6	9	13	17	31
GRAND TOTAL	**14366**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	11	5.6	5	3	4	6	7	9	10	10
50-64	79	5.4	8	2	3	5	7	9	11	14
65 +	90	6.6	27	2	3	5	9	13	17	29
B. Operated										
0-19 YRS	3	8.0	67	1	2	6	14	17	17	17
20-34	0									
35-49	3	4.0		4	4	4	4	4	4	4
50-64	4	7.5	34	1	3	7	11	15	15	15
65 +	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	11.3	31	5	8	10	13	17	21	34
20-34	15	8.5	32	3	4	6	13	18	19	19
35-49	63	5.3	17	2	3	4	6	12	14	22
50-64	444	5.9	18	2	3	5	7	10	13	19
65 +	698	6.7	31	2	4	5	8	13	17	29
B. Operated										
0-19 YRS	22	15.3	129	4	10	13	18	26	43	53
20-34	4	14.8	122	1	7	15	22	28	28	28
35-49	13	7.8	18	3	5	7	10	15	16	16
50-64	42	10.7	168	3	5	8	11	16	26	83
65 +	73	9.0	42	3	5	7	11	17	21	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	6.0	18	2	3	5	7	11	13	20
B. Operated	12	6.9	25	1	4	6	9	16	17	17
2. MULTIPLE DX										
A. Not Operated	1297	6.6	27	2	4	5	8	13	16	27
B. Operated	154	10.4	92	3	5	8	13	18	27	52
1. SINGLE DX	197	6.0	18	2	3	5	7	11	14	20
2. MULTIPLE DX	1451	7.0	35	2	4	6	9	14	17	31
A. Not Operated	1482	6.6	26	2	4	5	8	12	16	27
B. Operated	166	10.1	88	3	5	8	13	17	23	51
TOTAL										
0-19 YRS	104	11.9	55	5	8	11	14	18	23	44
20-34	22	9.0	49	2	4	6	14	18	23	28
35-49	90	5.7	16	2	3	5	7	11	14	20
50-64	569	6.2	29	2	3	5	7	10	14	23
65 +	863	6.9	32	2	4	5	8	13	17	30
GRAND TOTAL	**1648**	**6.9**	**33**	**2**	**4**	**5**	**8**	**13**	**17**	**30**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.3	3	1	1	2	2	6	7	7
20-34	37	2.5	4	1	1	2	3	5	7	11
35-49	11	3.2	10	1	1	2	4	9	11	11
50-64	4	3.8	4	1	2	4	5	6	6	6
65 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	55	5.1	8	3	3	4	6	10	12	13
20-34	197	5.3	9	2	3	5	7	9	11	16
35-49	71	4.9	11	2	3	4	6	9	10	22
50-64	31	8.0	36	3	4	6	10	15	18	32
65 +	21	8.6	55	3	4	6	10	16	25	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.2	13	1	2	3	6	11	12	12
20-34	18	3.7	24	1	1	2	3	7	16	22
35-49	7	6.0	15	1	3	7	8	11	12	12
50-64	21	5.1	8	2	3	5	7	8	10	13
65 +	30	6.4	13	2	4	6	9	11	13	14
B. Operated										
0-19 YRS	17	10.3	53	4	5	7	17	20	25	28
20-34	82	8.1	69	3	4	6	9	14	19	56
35-49	59	8.5	29	3	5	8	10	14	21	29
50-64	107	11.2	89	3	5	8	14	23	32	46
65 +	176	12.1	81	4	6	9	17	23	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.8	6	1	1	2	3	6	8	11
B. Operated	375	5.6	15	3	3	5	7	10	12	19
2. MULTIPLE DX										
A. Not Operated	88	5.2	15	1	2	4	7	10	12	19
B. Operated	441	10.6	75	3	5	8	13	21	28	42
1. SINGLE DX	443	5.2	14	2	3	4	6	10	12	18
2. MULTIPLE DX	529	9.7	69	3	4	7	12	20	24	41
A. Not Operated	156	4.1	12	1	1	3	6	9	11	14
B. Operated	816	8.3	53	3	4	6	10	17	22	38
TOTAL										
0-19 YRS	99	5.4	21	1	3	4	7	11	16	24
20-34	334	5.6	26	2	3	4	7	10	13	22
35-49	148	6.3	22	2	3	5	8	11	14	24
50-64	163	9.6	72	3	4	7	11	21	27	41
65 +	228	11.0	73	4	5	8	15	22	30	42
GRAND TOTAL	**972**	**7.6**	**49**	**2**	**3**	**6**	**9**	**16**	**21**	**37**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	6.0	47	1	2	3	8	18	18	18
20-34	0									
35-49	4	5.5	12	2	2	5	8	9	9	9
50-64	6	10.3	67	3	4	8	14	24	25	25
65 +	8	5.3	20	1	2	4	7	13	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	11.3	74	2	5	13	17	19	19	19
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	102	8.4	83	1	3	5	11	17	22	49
20-34	38	6.1	35	2	3	4	8	13	20	29
35-49	118	7.1	33	2	4	5	8	12	19	33
50-64	635	9.0	40	3	5	7	11	17	21	32
65 +	1206	9.5	55	3	5	8	12	17	22	44
B. Operated										
0-19 YRS	37	28.1	640	6	12	22	47	89	99 +	99 +
20-34	6	28.0	544	6	21	24	61	94	99 +	99 +
35-49	23	27.8	476	6	9	26	51	97	99 +	99 +
50-64	94	20.2	265	5	8	14	30	42	51	98
65 +	175	23.7	413	7	10	18	33	75	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	6.8	37	2	3	4	9	15	20	25
B. Operated	4	10.3	54	2	4	10	16	19	19	19
2. MULTIPLE DX										
A. Not Operated	2099	9.1	51	3	5	7	11	17	21	40
B. Operated	335	23.6	405	6	10	18	36	65	99	99 +
1. SINGLE DX	27	7.3	39	2	3	5	10	17	20	25
2. MULTIPLE DX	2434	11.1	124	3	5	8	13	21	34	87
A. Not Operated	2122	9.1	51	3	5	7	11	17	21	39
B. Operated	339	23.4	403	6	10	17	36	64	99	99 +
TOTAL										
0-19 YRS	144	13.4	297	2	3	7	16	33	57	99 +
20-34	44	9.1	151	2	3	4	9	24	40	99 +
35-49	145	10.3	158	3	4	6	10	28	50	99 +
50-64	738	10.4	83	3	5	8	12	20	29	49
65 +	1390	11.3	123	3	5	8	13	21	33	87
GRAND TOTAL	**2461**	**11.0**	**124**	**3**	**5**	**8**	**13**	**21**	**34**	**85**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	499	2.7	3	1	2	2	3	4	5	9
20-34	60	2.9	6	1	1	2	4	6	6	13
35-49	48	4.2	7	1	2	4	5	7	9	13
50-64	41	4.5	14	1	2	3	6	10	17	99 +
65 +	41	5.3	20	1	2	4	6	13	17	17
B. Operated										
0-19 YRS	78	3.6	23	< 1	1	2	5	10	13	27
20-34	13	4.8	7	1	3	5	6	8	10	11
35-49	38	6.4	43	1	3	5	8	12	16	38
50-64	63	6.3	45	< 1	1	5	9	17	22	30
65 +	49	6.8	42	< 1	2	5	10	16	19	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	851	4.5	22	1	2	3	5	8	13	25
20-34	152	5.2	18	1	2	4	7	10	13	24
35-49	334	5.7	24	2	3	4	7	11	14	26
50-64	713	6.7	29	2	3	5	9	13	16	26
65 +	1901	8.0	40	3	4	6	10	15	20	34
B. Operated										
0-19 YRS	235	12.1	228	1	2	6	17	40	57	99 +
20-34	98	11.3	111	2	4	8	17	22	31	52
35-49	178	9.5	95	2	4	7	13	20	28	94
50-64	360	10.5	94	2	4	8	14	22	34	64
65 +	680	13.9	176	3	6	11	17	28	42	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	689	3.1	6	1	2	2	4	5	7	16
B. Operated	241	5.5	36	< 1	1	4	7	12	17	31
2. MULTIPLE DX										
A. Not Operated	3951	6.7	34	2	3	5	8	13	17	31
B. Operated	1551	12.2	154	2	4	9	16	28	40	97
1. SINGLE DX	930	3.7	15	1	2	3	4	7	11	21
2. MULTIPLE DX	5502	8.2	74	2	3	6	10	17	24	51
A. Not Operated	4640	6.1	31	2	3	5	8	13	16	30
B. Operated	1792	11.3	143	1	4	8	15	26	37	83
TOTAL										
0-19 YRS	1663	5.0	54	1	2	3	5	10	18	54
20-34	323	6.6	53	1	2	4	8	15	21	42
35-49	598	6.8	48	2	3	5	9	14	19	42
50-64	1177	7.7	53	2	3	6	10	16	21	41
65 +	2671	9.4	81	2	4	7	12	18	24	48
GRAND TOTAL	**6432**	**7.6**	**68**	**2**	**3**	**5**	**9**	**16**	**22**	**46**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.5	38	< 1	1	2	3	5	8	35
20-34	14	4.0	4	2	2	4	5	7	8	8
35-49	5	2.0	1	< 1	< 1	2	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	275	1.7	1	< 1	< 1	1	2	3	4	5
20-34	216	2.3	1	1	2	2	3	4	4	6
35-49	151	2.5	2	1	2	2	3	4	4	8
50-64	29	2.2	2	1	1	2	3	4	4	5
65 +	13	2.4	2	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.4	5	1	2	3	4	6	9	11
20-34	19	3.2	2	1	2	3	4	5	6	7
35-49	20	3.5	5	1	2	3	5	7	8	8
50-64	10	4.1	9	1	2	3	4	9	11	11
65 +	14	7.7	79	2	3	5	7	25	30	32
B. Operated										
0-19 YRS	421	2.4	6	< 1	1	2	3	4	5	12
20-34	272	2.6	5	1	2	2	3	4	5	7
35-49	167	2.8	6	1	2	2	3	4	8	14
50-64	98	3.2	18	1	1	2	3	7	11	27
65 +	81	3.5	16	1	2	2	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	3.4	23	1	1	3	4	6	8	34
B. Operated	684	2.1	1	< 1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	111	4.0	16	1	2	3	5	7	9	27
B. Operated	1039	2.7	8	1	1	2	3	4	6	14
1. SINGLE DX	736	2.2	3	< 1	1	2	3	4	4	7
2. MULTIPLE DX	1150	2.8	9	1	1	2	3	5	7	16
A. Not Operated	163	3.8	18	1	2	3	4	7	8	31
B. Operated	1723	2.5	5	< 1	1	2	3	4	5	12
TOTAL										
0-19 YRS	774	2.3	6	< 1	1	2	3	4	5	9
20-34	521	2.6	3	1	2	2	3	4	5	7
35-49	343	2.7	4	1	2	2	3	4	6	13
50-64	140	3.1	14	1	1	2	3	5	10	26
65 +	108	3.9	24	1	2	3	4	7	11	31
GRAND TOTAL	**1886**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**4**	**6**	**12**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	3.3	2	2	2	3	4	6	6	8
20-34	9	3.1	2	1	2	3	4	5	5	5
35-49	9	2.9	4	1	2	2	4	6	6	6
50-64	7	5.0	10	3	3	4	5	11	12	12
65 +	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	81	2.9	6	1	1	2	3	5	9	12
20-34	35	2.3	3	1	1	2	3	5	6	9
35-49	35	1.9	4	1	1	1	2	3	8	10
50-64	33	1.9	1	1	1	2	2	3	5	6
65 +	19	2.7	4	< 1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	109	3.9	10	1	2	3	5	7	9	18
20-34	18	4.1	4	2	3	4	5	7	8	8
35-49	18	4.9	14	2	3	4	5	11	14	15
50-64	28	6.0	20	2	3	5	7	11	16	22
65 +	64	5.9	12	2	4	5	7	11	13	88
B. Operated										
0-19 YRS	61	3.2	8	1	2	2	4	5	8	18
20-34	26	2.9	4	1	1	3	4	6	7	7
35-49	47	3.9	21	1	1	2	4	9	14	22
50-64	42	4.3	77	1	1	2	3	8	18	51
65 +	61	5.1	29	1	2	3	7	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	3.3	3	2	2	3	4	6	6	11
B. Operated	203	2.5	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	237	4.8	12	2	3	4	6	9	11	22
B. Operated	237	4.0	28	1	1	2	4	9	13	28
1. SINGLE DX	289	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	474	4.4	20	1	2	3	5	9	12	24
A. Not Operated	323	4.4	10	2	2	4	5	8	10	21
B. Operated	440	3.3	17	1	1	2	4	7	9	20
TOTAL										
0-19 YRS	309	3.4	7	1	2	3	4	6	8	14
20-34	88	2.9	4	1	1	3	4	6	7	9
35-49	109	3.4	14	1	1	2	4	8	12	20
50-64	110	4.1	37	1	1	2	5	8	11	38
65 +	147	5.1	19	1	2	4	7	11	13	29
GRAND TOTAL	**763**	**3.8**	**15**	**1**	**2**	**3**	**4**	**8**	**10**	**21**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	385	2.7	8	1	1	2	4	5	6	13
20-34	50	2.6	4	1	1	2	3	4	5	12
35-49	72	2.3	2	1	1	2	3	4	5	8
50-64	52	2.4	3	1	1	2	3	4	7	8
65 +	30	3.3	9	< 1	1	2	4	7	11	14
B. Operated										
0-19 YRS	174	4.3	31	1	1	2	6	9	14	29
20-34	23	5.3	17	1	2	4	8	12	13	15
35-49	34	4.1	6	1	2	4	6	7	8	10
50-64	29	3.0	6	< 1	1	3	3	7	8	11
65 +	38	3.6	21	< 1	< 1	2	4	7	15	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	699	4.0	12	1	2	3	5	8	11	16
20-34	209	3.3	5	1	2	3	4	6	8	12
35-49	427	3.8	21	1	2	3	4	6	9	16
50-64	540	3.9	6	2	2	3	5	7	8	14
65 +	747	4.7	13	2	2	4	6	9	11	20
B. Operated										
0-19 YRS	476	10.8	157	1	4	7	12	26	36	74
20-34	87	6.7	54	1	3	5	8	12	18	41
35-49	231	5.3	32	< 1	2	4	7	9	14	51
50-64	311	6.7	75	1	2	5	8	12	20	61
65 +	551	8.1	78	2	3	6	10	15	21	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	589	2.6	6	1	1	2	3	5	6	12
B. Operated	298	4.1	24	< 1	1	2	6	8	12	24
2. MULTIPLE DX										
A. Not Operated	2622	4.1	12	1	2	3	5	7	10	17
B. Operated	1656	8.1	96	1	3	5	9	16	27	66
1. SINGLE DX	887	3.1	13	1	1	2	4	6	8	17
2. MULTIPLE DX	4278	5.6	48	1	2	4	6	11	15	39
A. Not Operated	3211	3.8	11	1	2	3	5	7	9	16
B. Operated	1954	7.5	87	1	2	5	9	15	24	59
TOTAL										
0-19 YRS	1734	5.6	63	1	2	3	6	12	18	49
20-34	369	4.1	19	1	2	3	5	8	12	20
35-49	764	4.1	22	1	2	3	5	8	9	31
50-64	932	4.7	31	1	2	4	6	9	12	24
65 +	1366	6.0	42	2	3	4	7	12	16	39
GRAND TOTAL	**5165**	**5.2**	**43**	**1**	**2**	**4**	**6**	**10**	**14**	**36**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	10	1	1	2	5	8	8	8
20-34	18	3.3	3	2	2	3	4	6	7	7
35-49	31	4.4	6	2	3	4	6	7	8	12
50-64	13	3.7	4	1	2	3	5	7	7	7
65 +	11	8.6	184	2	3	4	8	25	47	49
B. Operated										
0-19 YRS	0									
20-34	10	4.5	5	1	3	4	6	8	8	8
35-49	16	6.9	9	3	5	6	8	12	13	14
50-64	24	5.6	10	2	3	5	8	9	11	14
65 +	4	7.8	2	6	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.8	5	1	2	3	6	7	8	8
20-34	33	4.0	6	2	3	4	5	6	6	15
35-49	94	4.1	6	2	2	3	5	8	9	11
50-64	96	4.7	9	2	3	4	6	8	11	16
65 +	143	5.4	16	2	3	4	7	9	11	19
B. Operated										
0-19 YRS	14	4.9	16	2	2	4	5	13	14	14
20-34	23	5.8	18	2	4	5	7	10	16	21
35-49	77	6.5	41	2	3	4	8	13	16	40
50-64	102	7.0	41	2	3	5	8	14	18	37
65 +	148	7.5	52	3	4	6	9	13	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	4.6	31	2	2	4	6	7	8	39
B. Operated	54	5.9	9	3	4	6	8	9	12	14
2. MULTIPLE DX										
A. Not Operated	377	4.7	11	2	3	4	6	8	10	15
B. Operated	364	6.9	43	2	4	5	8	14	17	29
1. SINGLE DX	131	5.1	22	2	3	4	7	8	10	21
2. MULTIPLE DX	741	5.8	28	2	3	5	7	10	14	24
A. Not Operated	454	4.7	14	2	3	4	6	8	10	15
B. Operated	418	6.8	39	2	4	5	8	12	16	29
TOTAL										
0-19 YRS	29	4.3	10	1	2	3	5	8	13	14
20-34	84	4.4	9	2	3	4	5	7	8	19
35-49	218	5.2	19	2	3	4	6	9	12	22
50-64	235	5.7	24	2	3	4	7	9	15	27
65 +	306	6.6	40	3	4	5	8	11	14	33
GRAND TOTAL	**872**	**5.7**	**27**	**2**	**3**	**4**	**7**	**10**	**14**	**23**

197 Hospitals, Southern Region, January-December 1988

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	16	3.4	4	2	2	3	4	6	8	9
35-49	19	4.1	2	2	3	4	5	6	7	7
50-64	27	4.0	3	2	3	4	5	6	7	8
65 +	25	4.0	6	2	3	3	5	6	9	14
B. Operated										
0-19 YRS	4	5.3	8	1	3	6	7	7	7	7
20-34	12	5.2	3	3	4	5	6	7	8	8
35-49	21	5.6	9	2	4	5	7	10	12	14
50-64	30	7.5	11	3	5	7	9	12	12	17
65 +	12	9.2	55	3	5	6	12	21	26	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.8	1	3	3	4	4	5	5	5
20-34	33	4.7	4	2	3	4	6	8	9	10
35-49	102	4.9	7	2	3	4	6	7	10	15
50-64	177	4.9	6	2	3	4	6	8	10	14
65 +	504	6.2	15	3	4	5	8	11	14	22
B. Operated										
0-19 YRS	7	13.6	113	4	7	10	17	32	35	35
20-34	22	5.2	9	2	3	5	7	8	11	15
35-49	83	8.9	31	3	5	7	11	16	22	28
50-64	191	7.8	41	3	4	6	9	13	19	44
65 +	551	9.7	79	4	5	7	11	19	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.9	4	2	3	4	5	6	7	12
B. Operated	79	6.8	17	3	4	6	8	12	16	24
2. MULTIPLE DX										
A. Not Operated	821	5.7	12	2	4	5	7	10	13	19
B. Operated	854	9.1	65	3	5	7	10	17	24	44
1. SINGLE DX	170	5.3	12	2	3	5	6	9	12	18
2. MULTIPLE DX	1675	7.4	42	3	4	6	9	14	19	35
A. Not Operated	912	5.5	12	2	3	5	7	9	13	19
B. Operated	933	8.9	62	3	5	6	10	16	23	43
TOTAL										
0-19 YRS	20	7.6	58	2	3	6	8	15	27	35
20-34	83	4.6	5	2	3	4	6	7	9	13
35-49	225	6.4	19	2	4	5	7	12	15	24
50-64	425	6.3	24	3	4	5	8	11	14	35
65 +	1092	7.9	51	3	4	6	9	15	21	37
GRAND TOTAL	**1845**	**7.2**	**40**	**3**	**4**	**5**	**8**	**13**	**18**	**34**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	3.5	3	2	2	3	4	6	7	7
20-34	90	3.0	2	1	2	3	4	5	6	7
35-49	84	3.0	2	1	2	3	4	4	5	10
50-64	44	3.3	4	1	2	3	4	5	7	11
65 +	20	3.6	4	1	2	4	5	6	7	7
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	5.3	10	< 1	3	5	7	10	10	10
35-49	22	5.8	7	3	5	6	7	8	11	15
50-64	5	6.8	17	1	4	7	10	12	12	12
65 +	3	4.7	4	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.6	6	2	2	3	4	6	8	14
20-34	158	3.7	5	2	2	3	4	7	8	13
35-49	243	3.8	4	2	3	3	5	7	7	11
50-64	258	4.4	7	2	3	4	5	8	10	14
65 +	313	5.0	8	2	3	4	6	8	10	15
B. Operated										
0-19 YRS	5	20.0	1129	2	4	6	25	80	80	80
20-34	28	6.4	20	2	3	6	8	13	15	20
35-49	68	6.8	18	2	4	6	9	13	17	19
50-64	62	7.4	40	3	4	6	9	13	17	42
65 +	73	7.4	24	3	4	6	10	14	18	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	3.1	3	1	2	3	4	5	6	9
B. Operated	37	5.8	8	2	4	6	7	9	11	15
2. MULTIPLE DX										
A. Not Operated	1001	4.3	7	2	3	4	5	7	9	14
B. Operated	236	7.4	48	2	4	6	9	13	17	49
1. SINGLE DX	293	3.4	4	1	2	3	4	6	7	11
2. MULTIPLE DX	1237	4.9	16	2	3	4	6	9	12	17
A. Not Operated	1257	4.1	6	2	2	3	5	7	9	13
B. Operated	273	7.2	43	2	4	6	9	13	16	40
TOTAL										
0-19 YRS	53	5.1	115	2	2	3	5	6	8	78
20-34	282	3.7	7	1	2	3	4	7	8	15
35-49	417	4.3	8	2	3	3	5	8	10	16
50-64	369	4.8	14	2	3	4	6	9	12	17
65 +	409	5.3	12	2	3	4	7	10	12	19
GRAND TOTAL	**1530**	**4.6**	**14**	**2**	**3**	**4**	**6**	**8**	**11**	**16**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.9	3	2	2	4	5	6	7	7
20-34	47	3.5	2	2	3	3	4	6	6	10
35-49	50	3.8	2	2	3	4	4	5	6	8
50-64	49	4.0	4	2	3	4	5	7	7	10
65 +	30	3.9	5	1	2	3	5	7	8	10
B. Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	37	6.6	3	4	6	7	8	9	9	11
35-49	37	6.4	6	4	5	6	8	10	10	10
50-64	36	7.8	14	4	5	7	9	13	16	19
65 +	22	7.7	15	3	5	7	11	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	4.6	6	3	3	4	5	9	10	10
20-34	96	4.1	4	2	3	4	5	6	8	10
35-49	228	4.4	6	2	3	4	5	7	8	14
50-64	280	4.9	12	2	3	4	6	8	10	16
65 +	642	6.8	32	3	4	6	8	11	16	26
B. Operated										
0-19 YRS	11	6.6	25	2	4	5	8	13	19	20
20-34	51	9.7	144	4	5	7	10	15	25	82
35-49	114	8.9	90	4	5	7	10	14	16	52
50-64	159	9.1	44	3	5	7	11	17	25	39
65 +	378	13.0	121	4	6	10	15	26	36	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	184	3.8	3	2	3	3	5	6	7	10
B. Operated	134	7.0	9	4	5	7	8	10	13	16
2. MULTIPLE DX										
A. Not Operated	1261	5.7	22	2	3	5	7	10	12	21
B. Operated	713	11.1	103	4	5	8	13	21	28	58
1. SINGLE DX	318	5.1	8	2	3	4	7	9	10	14
2. MULTIPLE DX	1974	7.7	58	3	4	6	9	14	20	41
A. Not Operated	1445	5.5	20	2	3	4	6	9	11	21
B. Operated	847	10.5	90	4	5	8	12	20	27	54
TOTAL										
0-19 YRS	36	5.2	12	2	3	5	6	9	10	20
20-34	231	5.6	39	2	3	4	6	9	10	28
35-49	429	5.7	32	2	3	5	7	10	12	22
50-64	524	6.3	25	2	3	5	7	11	15	27
65 +	1072	8.9	72	3	4	7	10	17	24	53
GRAND TOTAL	**2292**	**7.3**	**52**	**3**	**4**	**5**	**8**	**13**	**19**	**40**

204: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	7	3.7	3	<1	2	4	5	6	6	6
50-64	11	5.2	10	2	3	4	6	9	14	14
65 +	5	5.8	12	3	3	4	9	10	10	10
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	9.7	4	8	8	9	11	12	12	12
35-49	7	10.6	3	8	11	11	11	12	12	12
50-64	10	8.7	21	3	7	8	10	15	19	19
65 +	4	11.8	32	6	7	11	16	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	7	4.4	9	1	2	4	6	9	10	10
35-49	7	4.4	3	2	3	4	6	7	7	7
50-64	20	5.9	12	3	4	5	7	10	14	17
65 +	53	8.0	30	3	5	7	10	13	16	35
B. Operated										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	13	10.7	22	5	8	11	14	18	19	19
35-49	31	13.2	46	7	8	11	16	24	28	32
50-64	67	12.4	61	3	7	11	16	21	25	47
65 +	98	16.5	224	5	8	13	21	29	41	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.7	8	2	3	4	6	9	11	14
B. Operated	25	9.6	16	6	7	10	11	15	18	19
2. MULTIPLE DX										
A. Not Operated	89	6.9	23	3	4	5	9	12	15	29
B. Operated	210	14.3	136	5	8	11	17	25	31	72
1. SINGLE DX	50	7.1	18	2	4	6	10	12	15	19
2. MULTIPLE DX	299	12.1	113	4	6	9	15	22	27	56
A. Not Operated	114	6.4	20	3	4	5	8	11	14	24
B. Operated	235	13.8	125	5	8	11	17	25	29	64
TOTAL										
0-19 YRS	4	6.8	32	3	3	5	10	15	15	15
20-34	25	8.2	24	2	4	8	11	14	18	19
35-49	52	10.4	44	4	6	9	13	19	25	32
50-64	108	10.1	51	3	5	8	14	19	22	37
65 +	160	13.2	165	4	6	9	16	25	33	86
GRAND TOTAL	**349**	**11.4**	**103**	**3**	**5**	**9**	**14**	**21**	**25**	**52**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	103	2.1	2	1	1	2	2	4	5	8
20-34	146	2.7	3	1	2	2	3	5	6	10
35-49	140	2.5	2	< 1	2	2	3	4	5	7
50-64	66	2.8	3	1	2	3	4	5	5	9
65 +	42	2.7	3	< 1	1	2	4	6	6	7
B. Operated										
0-19 YRS	30	3.1	5	1	2	2	5	6	8	9
20-34	20	4.0	9	1	2	3	6	7	10	13
35-49	27	4.0	17	< 1	1	3	5	9	11	21
50-64	12	3.1	6	< 1	< 1	2	4	7	8	8
65 +	8	2.5	7	< 1	< 1	< 1	3	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	395	2.6	2	1	2	2	3	4	6	9
20-34	535	3.5	8	1	2	3	4	6	8	13
35-49	798	3.9	13	2	2	3	5	6	8	18
50-64	706	4.3	7	2	3	4	5	7	9	15
65 +	981	5.4	23	2	3	4	6	9	11	21
B. Operated										
0-19 YRS	53	4.2	18	1	2	3	5	7	13	22
20-34	91	5.1	11	2	3	4	7	9	12	17
35-49	176	5.5	17	2	3	4	7	12	15	20
50-64	211	6.6	24	2	4	5	8	12	17	26
65 +	353	8.4	75	2	4	6	9	17	23	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	497	2.5	2	1	1	2	3	4	5	8
B. Operated	97	3.5	9	< 1	1	2	5	7	9	17
2. MULTIPLE DX										
A. Not Operated	3415	4.2	13	1	2	3	5	7	9	17
B. Operated	884	6.8	43	2	3	5	8	13	19	29
1. SINGLE DX	594	2.7	4	1	1	2	3	5	6	9
2. MULTIPLE DX	4299	4.7	21	2	2	4	6	8	11	21
A. Not Operated	3912	4.0	12	1	2	3	5	7	9	16
B. Operated	981	6.5	41	2	3	5	8	13	18	29
TOTAL										
0-19 YRS	581	2.7	4	1	2	2	3	5	6	9
20-34	792	3.5	8	1	2	3	4	6	9	14
35-49	1141	4.0	13	1	2	3	5	7	9	18
50-64	995	4.6	12	2	3	4	6	8	11	19
65 +	1384	6.0	38	2	3	5	7	10	15	29
GRAND TOTAL	4893	4.5	19	1	2	3	5	8	11	21

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.9	15	1	1	3	6	8	10	20
20-34	17	2.5	2	1	2	2	3	4	6	7
35-49	27	3.1	6	1	1	2	4	6	7	12
50-64	15	3.4	2	2	2	3	5	6	6	6
65 +	5	3.2	5	1	1	4	5	6	6	6
B. Operated										
0-19 YRS	58	3.7	6	2	3	3	4	5	6	18
20-34	2	5.0	32	< 1	< 1	4	9	9	9	9
35-49	10	11.3	123	3	6	8	9	29	41	41
50-64	7	11.3	63	4	6	7	14	24	27	27
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	98	3.3	6	1	1	2	5	7	8	13
20-34	106	3.4	7	1	2	3	4	6	7	15
35-49	146	4.3	14	1	2	3	5	7	12	19
50-64	115	4.3	9	1	2	4	6	8	10	16
65 +	231	6.0	20	2	3	5	7	12	15	22
B. Operated										
0-19 YRS	47	11.0	322	1	2	5	10	34	75	99 +
20-34	25	8.6	46	1	4	6	12	18	22	28
35-49	76	10.4	89	3	5	8	12	21	24	57
50-64	80	9.5	36	3	5	8	13	19	20	25
65 +	156	11.1	84	3	5	9	14	23	31	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	3.3	8	1	2	3	4	6	7	16
B. Operated	78	5.4	34	2	3	4	5	9	16	37
2. MULTIPLE DX										
A. Not Operated	696	4.6	14	1	2	4	6	9	12	19
B. Operated	384	10.4	101	2	4	8	14	20	29	69
1. SINGLE DX	172	4.2	20	1	2	3	5	7	10	25
2. MULTIPLE DX	1080	6.7	53	1	3	5	8	14	19	38
A. Not Operated	790	4.4	13	1	2	4	6	8	12	19
B. Operated	462	9.6	93	2	4	7	12	19	27	60
TOTAL										
0-19 YRS	233	5.0	79	1	2	3	5	8	14	76
20-34	150	4.2	17	1	2	3	5	8	14	20
35-49	259	6.2	48	1	2	4	7	13	18	40
50-64	217	6.4	27	2	3	5	8	14	18	25
65 +	393	8.0	51	2	4	6	10	16	21	43
GRAND TOTAL	1252	6.3	49	1	3	4	7	14	18	37

197 Hospitals, Southern Region, January-December 1988

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.3	1	< 1	1	2	3	4	5	5
20-34	10	2.1	1	< 1	1	2	2	4	4	4
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	1563	2.9	2	2	2	3	3	4	5	8
20-34	944	3.1	2	2	2	3	4	5	5	8
35-49	357	3.4	3	2	2	3	4	5	6	10
50-64	117	3.4	2	2	3	3	4	5	6	8
65 +	31	5.3	14	3	3	4	5	13	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3	3	< 1	1	1	4	5	5	5
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	307	4.1	10	2	3	3	5	7	9	19
20-34	258	4.3	8	2	3	4	5	7	10	16
35-49	140	5.1	13	2	3	4	6	9	12	22
50-64	64	6.4	21	3	3	5	8	11	15	26
65 +	58	6.0	9	3	4	5	8	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.3	1	< 1	1	2	3	4	4	5
B. Operated	3012	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	13	2.1	2	< 1	1	1	3	4	5	5
B. Operated	827	4.6	11	2	3	4	5	8	11	21
1. SINGLE DX	3043	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX	840	4.6	11	2	3	4	5	8	11	21
A. Not Operated	44	2.2	1	< 1	1	2	3	4	5	5
B. Operated	3839	3.4	5	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	1893	3.1	3	2	2	3	3	5	6	10
20-34	1216	3.3	4	2	2	3	4	5	6	10
35-49	502	3.8	6	2	2	3	4	6	9	14
50-64	181	4.5	11	2	3	4	5	8	11	19
65 +	91	5.7	11	3	4	5	6	11	13	17
GRAND TOTAL	**3883**	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**7**	**11**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	6.9	12	2	5	7	9	11	12	12
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	411	7.0	11	3	5	7	9	11	12	20
20-34	168	5.5	7	2	3	5	7	8	10	13
35-49	105	6.3	7	3	5	6	8	10	11	14
50-64	66	7.5	10	4	5	7	9	11	12	19
65 +	29	7.7	12	4	5	7	9	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	10.3	20	4	8	9	14	16	16	16
20-34	3	6.7	6	4	5	7	8	9	9	9
35-49	0									
50-64	3	5.3	9	2	3	6	7	8	8	8
65 +	2	10.0		10	10	10	10	10	10	10
B. Operated										
0-19 YRS	314	9.6	27	5	6	8	12	17	21	28
20-34	139	8.8	43	4	5	7	10	13	21	38
35-49	135	9.0	26	5	6	7	10	15	21	28
50-64	133	11.3	88	5	7	9	13	18	26	45
65 +	168	12.2	69	6	8	11	14	20	25	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	6.5	11	2	4	6	8	11	12	12
B. Operated	779	6.6	10	3	4	6	8	10	12	18
2. MULTIPLE DX										
A. Not Operated	17	8.8	16	3	7	9	11	15	16	16
B. Operated	889	10.1	48	5	6	8	12	18	22	29
1. SINGLE DX	787	6.6	10	3	4	6	8	10	12	18
2. MULTIPLE DX	906	10.1	47	5	6	8	12	17	22	29
A. Not Operated	25	8.0	15	2	6	8	10	14	15	16
B. Operated	1668	8.5	33	4	5	7	10	14	19	28
TOTAL										
0-19 YRS	741	8.1	20	4	5	7	10	13	17	27
20-34	310	7.0	26	3	4	6	8	11	13	26
35-49	240	7.8	20	4	5	7	9	14	16	24
50-64	203	9.9	64	4	6	8	11	17	22	33
65 +	199	11.6	62	6	7	10	13	20	24	29
GRAND TOTAL	**1693**	**8.5**	**33**	**4**	**5**	**7**	**10**	**14**	**18**	**28**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	1.3		< 1	1	1	1	2	3	3
20-34	17	1.9	1	1	1	2	2	4	5	5
35-49	4	2.0	1	< 1	< 1	2	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
B. Operated										
0-19 YRS	168	3.0	3	1	2	3	3	5	6	12
20-34	84	3.5	5	2	2	3	4	6	7	15
35-49	25	4.0	4	2	3	3	5	7	8	8
50-64	8	4.6	8	2	3	3	6	9	10	10
65 +	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	2.3	4	1	1	2	3	5	6	10
20-34	8	2.3	2	1	1	2	3	4	5	5
35-49	12	3.8	4	1	2	4	5	7	8	8
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	5	6.6	11	3	4	6	8	12	12	12
B. Operated										
0-19 YRS	61	4.8	18	2	3	4	5	8	10	26
20-34	59	5.0	11	2	3	4	6	8	11	21
35-49	29	6.5	16	3	3	6	8	12	17	17
50-64	8	5.1	3	3	4	5	6	7	8	8
65 +	16	7.6	32	2	5	6	9	14	22	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.7	1	1	1	1	2	3	4	6
B. Operated	287	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	52	3.0	6	1	1	2	4	6	8	12
B. Operated	173	5.4	16	2	3	5	6	9	12	25
1. SINGLE DX	329	3.1	4	1	2	3	4	6	7	11
2. MULTIPLE DX	225	4.9	15	2	3	4	6	9	11	23
A. Not Operated	94	2.4	4	1	1	2	3	5	6	11
B. Operated	460	4.1	10	2	2	3	5	7	9	18
TOTAL										
0-19 YRS	274	3.2	7	1	2	3	4	5	7	13
20-34	168	3.8	7	2	2	3	5	6	8	17
35-49	70	4.9	10	2	3	4	6	9	11	17
50-64	19	4.6	5	2	3	4	6	8	9	10
65 +	23	7.3	24	3	5	6	8	13	18	25
GRAND TOTAL	**554**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.3		< 1	1	1	1	2	3	3
20-34	4	1.3		1	1	1	2	2	2	2
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	4	3.0	11	1	1	2	5	8	8	8
B. Operated										
0-19 YRS	851	1.2		< 1	< 1	1	1	2	2	3
20-34	483	1.6	1	1	1	1	2	3	4	6
35-49	564	1.6	1	1	1	1	2	3	3	5
50-64	761	1.8	12	1	1	1	2	3	4	5
65 +	483	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	1.3	1	< 1	< 1	< 1	1	2	3	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	2.8	5	< 1	1	2	5	6	6	6
50-64	9	2.1	2	< 1	< 1	2	3	5	5	5
65 +	26	3.5	7	1	1	3	5	8	9	11
B. Operated										
0-19 YRS	740	1.5	2	< 1	1	1	1	2	3	7
20-34	192	2.1	2	1	1	2	3	4	5	7
35-49	384	2.3	2	1	1	2	3	4	5	8
50-64	652	2.7	4	1	1	2	4	5	6	10
65 +	1152	3.4	7	1	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	1.5	2	< 1	1	1	1	2	3	8
B. Operated	3142	1.6	4	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	62	2.5	5	< 1	< 1	2	3	5	7	11
B. Operated	3120	2.6	5	1	1	2	3	5	6	10
1. SINGLE DX	3172	1.6	4	< 1	1	1	2	3	4	5
2. MULTIPLE DX	3182	2.6	5	1	1	2	3	5	6	10
A. Not Operated	92	2.2	4	< 1	1	1	2	5	6	10
B. Operated	6262	2.1	4	1	1	1	3	4	5	9
TOTAL										
0-19 YRS	1626	1.3	1	< 1	< 1	1	1	2	3	5
20-34	680	1.8	2	1	1	1	2	3	4	6
35-49	959	1.9	2	1	1	2	2	3	4	6
50-64	1424	2.2	8	1	1	2	3	4	5	8
65 +	1665	3.0	6	1	1	2	4	6	8	12
GRAND TOTAL	**6354**	**2.1**	**4**	**1**	**1**	**1**	**3**	**4**	**5**	**9**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.3	1	< 1	< 1	1	1	3	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	3	2.3	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	151	1.7	1	< 1	1	1	2	3	4	5
20-34	52	2.2	2	1	1	2	3	4	5	5
35-49	45	2.2	1	1	1	2	3	4	4	5
50-64	44	2.0	2	1	1	2	2	3	5	6
65 +	68	3.1	4	1	2	3	4	6	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	8.0		8	8	8	8	8	8	8
65 +	14	3.6	6	1	1	3	5	7	8	8
B. Operated										
0-19 YRS	173	2.3	4	1	1	2	3	4	6	12
20-34	18	2.7	4	1	1	2	4	6	7	7
35-49	28	3.9	8	1	2	3	5	8	9	12
50-64	55	4.1	7	2	2	3	5	7	11	12
65 +	231	6.8	57	2	3	5	8	14	18	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.4	1	< 1	1	1	1	3	4	4
B. Operated	360	2.2	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	22	3.5	9	< 1	1	2	5	8	9	11
B. Operated	505	4.7	33	1	2	3	6	10	13	21
1. SINGLE DX	377	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	527	4.6	32	1	2	3	6	10	13	21
A. Not Operated	39	2.6	6	< 1	1	1	4	7	8	11
B. Operated	865	3.6	22	1	1	2	4	7	11	19
TOTAL										
0-19 YRS	340	2.0	2	1	1	2	2	4	5	8
20-34	71	2.3	2	1	1	2	3	5	5	7
35-49	75	3.0	5	1	1	2	4	6	8	12
50-64	102	3.1	6	1	2	2	4	6	8	12
65 +	316	5.8	46	2	2	4	7	11	15	31
GRAND TOTAL	**904**	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	109	1.3	1	< 1	< 1	1	1	2	2	7
20-34	16	2.0	2	1	1	2	2	5	6	6
35-49	35	1.6	1	< 1	1	1	2	3	3	5
50-64	40	1.9	1	1	1	2	2	3	4	5
65 +	14	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	6	1.5	2	< 1	< 1	1	1	4	4	4
50-64	3	3.0	3	2	2	2	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	41	3.1	32	< 1	1	1	2	8	26	99 +
20-34	23	3.9	6	1	2	3	6	7	8	9
35-49	45	3.4	17	1	1	2	4	6	9	25
50-64	60	3.1	5	1	1	2	5	6	7	11
65 +	48	5.2	20	1	2	4	6	10	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.3	6	< 1	1	1	3	7	7	7
B. Operated	214	1.5	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	12	1.8	2	< 1	< 1	1	2	4	5	5
B. Operated	217	3.7	16	1	1	2	5	7	10	26
1. SINGLE DX	220	1.5	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	229	3.6	16	1	1	2	5	7	10	26
A. Not Operated	18	1.9	3	< 1	< 1	1	2	5	6	7
B. Operated	431	2.6	10	< 1	1	2	3	6	7	25
TOTAL										
0-19 YRS	154	1.8	10	< 1	< 1	1	1	2	6	27
20-34	41	3.0	5	1	1	2	4	7	7	9
35-49	88	2.5	10	< 1	1	2	3	5	6	21
50-64	104	2.6	4	1	1	2	3	5	7	9
65 +	62	4.4	18	1	2	3	5	9	11	24
GRAND TOTAL	**449**	**2.6**	**10**	**< 1**	**1**	**1**	**3**	**6**	**7**	**25**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	31	2.3	10	< 1	< 1	1	3	4	4	18
20-34	84	2.3	2	1	1	2	3	5	5	8
35-49	169	3.0	4	1	2	3	4	6	7	9
50-64	165	3.4	6	1	2	3	5	6	8	11
65 +	97	3.8	4	1	2	4	5	7	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	4.0	13	1	1	3	6	9	9	9
35-49	11	1.7	1	< 1	< 1	2	2	3	3	3
50-64	16	3.3	20	< 1	1	2	3	6	15	19
65 +	12	3.2	3	1	2	3	4	5	5	5
B. Operated										
0-19 YRS	14	2.6	5	< 1	1	2	3	5	8	9
20-34	60	4.0	7	1	2	3	4	8	11	13
35-49	216	4.2	9	2	2	4	5	7	8	18
50-64	282	5.4	19	2	3	5	7	9	12	22
65 +	346	5.9	16	2	4	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	6	< 1	< 1	1	4	6	6	6
B. Operated	546	3.1	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	44	3.0	10	< 1	1	2	4	5	8	19
B. Operated	918	5.2	15	2	3	4	6	9	11	21
1. SINGLE DX	550	3.1	5	1	1	3	4	6	7	10
2. MULTIPLE DX	962	5.1	15	2	3	4	6	9	11	21
A. Not Operated	48	3.0	9	< 1	1	2	4	6	8	19
B. Operated	1464	4.4	12	1	2	4	6	8	10	18
TOTAL										
0-19 YRS	46	2.5	9	< 1	1	1	3	4	8	18
20-34	148	3.1	5	1	1	3	4	5	8	12
35-49	398	3.6	7	1	2	3	5	7	7	12
50-64	464	4.6	15	1	2	4	6	8	10	19
65 +	456	5.4	14	2	3	5	7	9	11	21
GRAND TOTAL	**1512**	**4.4**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	16	2.7	6	1	2	2	3	5	9	11
50-64	16	2.6	2	1	2	2	3	5	6	6
65 +	11	3.4	2	2	2	3	4	5	6	6
B. Operated										
0-19 YRS	5	5.8	2	4	5	6	7	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	5.8	4	4	4	6	7	8	8	8
50-64	8	6.0	8	2	5	6	7	10	11	11
65 +	2	12.0	200	2	2	12	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	4.0	12	2	2	3	5	10	10	10
20-34	47	3.2	2	2	2	3	4	5	6	9
35-49	152	3.2	2	2	2	3	4	5	6	7
50-64	242	3.6	4	2	2	3	4	6	7	12
65 +	314	4.4	7	2	3	4	5	7	9	15
B. Operated										
0-19 YRS	18	10.4	46	6	7	8	10	23	27	28
20-34	36	5.3	4	3	4	5	7	8	10	11
35-49	75	6.9	20	2	4	6	8	13	15	26
50-64	110	7.3	22	3	5	7	8	12	16	25
65 +	97	8.1	26	3	5	7	9	14	19	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.8	3	1	2	2	3	5	6	11
B. Operated	20	6.4	18	3	4	6	7	9	16	22
2. MULTIPLE DX										
A. Not Operated	760	3.8	5	2	2	3	5	6	8	12
B. Operated	336	7.4	23	3	4	7	9	13	16	26
1. SINGLE DX	65	3.9	10	1	2	3	5	7	9	20
2. MULTIPLE DX	1096	4.9	13	2	3	4	6	9	11	21
A. Not Operated	805	3.8	5	2	2	3	5	6	8	12
B. Operated	356	7.3	23	3	4	7	9	13	16	26
TOTAL										
0-19 YRS	29	8.2	38	2	5	7	9	15	26	28
20-34	85	4.1	4	2	3	4	5	7	8	11
35-49	247	4.3	11	2	2	3	5	7	11	16
50-64	376	4.7	12	2	3	4	6	8	11	22
65 +	424	5.3	14	2	3	4	7	9	12	22
GRAND TOTAL	**1161**	**4.9**	**13**	**2**	**3**	**4**	**6**	**9**	**11**	**22**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	22	2.0	2	1	1	1	3	4	5	6
50-64	17	2.3	7	1	1	1	3	4	9	12
65 +	17	2.2	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.0	4	2	2	4	5	6	6	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	6.3	2	5	5	6	7	8	8	8
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.5		2	2	2	3	3	3	3
35-49	13	3.5	8	< 1	1	2	7	7	8	8
50-64	22	3.3	5	1	1	3	4	6	9	10
65 +	34	5.6	25	2	2	4	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	62	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. Not Operated	9	4.3	5	2	2	4	6	7	8	8
B. Operated	74	4.3	16	1	2	3	5	9	11	23
1. SINGLE DX	63	2.3	4	1	1	2	3	4	6	11
2. MULTIPLE DX	83	4.3	14	1	2	3	5	8	11	22
A. Not Operated	10	4.3	4	2	2	4	6	7	8	8
B. Operated	136	3.4	11	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	3	4.3	9	1	2	5	6	7	7	7
20-34	10	2.4	1	1	2	2	3	4	4	4
35-49	38	2.7	4	1	1	2	4	7	7	8
50-64	41	2.9	6	1	1	2	4	5	9	12
65 +	54	4.6	19	1	2	3	6	9	13	25
GRAND TOTAL	**146**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.3	2	< 1	< 1	2	3	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	3.5	7	1	1	3	5	7	7	7
50-64	6	2.7	8	1	1	1	4	8	8	8
65 +	6	3.7	6	2	2	3	5	8	8	8
B. Operated										
0-19 YRS	21	2.4	4	< 1	1	2	3	6	7	7
20-34	32	2.9	9	1	1	2	3	6	7	16
35-49	77	3.3	7	1	1	3	4	7	8	13
50-64	67	3.2	6	1	1	3	4	8	9	10
65 +	62	5.1	12	2	3	4	7	10	11	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	8	4.6	12	1	2	4	6	10	12	12
50-64	15	3.6	5	1	2	3	5	6	9	10
65 +	35	4.9	17	2	2	3	6	10	15	18
B. Operated										
0-19 YRS	13	3.4	17	1	1	2	4	8	14	16
20-34	22	6.6	33	1	2	4	11	16	18	19
35-49	88	5.9	20	2	3	5	8	13	16	20
50-64	173	7.5	42	2	3	6	9	14	20	36
65 +	304	8.9	54	2	4	7	11	19	26	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.9	5	< 1	1	2	4	7	8	8
B. Operated	259	3.6	9	1	1	3	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	62	4.4	13	1	2	3	6	10	12	18
B. Operated	600	7.8	46	2	3	6	10	16	21	35
1. SINGLE DX	281	3.5	8	1	1	3	5	7	9	14
2. MULTIPLE DX	662	7.5	43	2	3	6	10	15	21	34
A. Not Operated	84	4.0	11	1	2	3	5	8	11	17
B. Operated	859	6.6	38	1	2	5	9	14	19	32
TOTAL										
0-19 YRS	39	2.7	8	< 1	1	2	3	6	7	16
20-34	59	4.2	21	1	1	2	5	12	16	19
35-49	177	4.7	15	1	2	4	6	9	13	18
50-64	261	6.0	34	1	2	4	8	12	15	35
65 +	407	7.9	47	2	3	6	10	16	24	33
GRAND TOTAL	**943**	**6.3**	**36**	**1**	**2**	**4**	**8**	**13**	**18**	**32**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	2.9	24	1	1	2	3	5	7	24
20-34	71	4.3	13	1	2	4	5	7	9	23
35-49	138	3.7	8	1	2	3	5	6	8	14
50-64	130	4.5	13	2	2	4	6	8	9	17
65 +	132	3.9	5	1	2	3	5	7	8	11
B. Operated										
0-19 YRS	116	6.3	22	2	4	5	7	9	19	51
20-34	52	7.3	8	4	5	7	9	12	13	15
35-49	64	8.1	16	4	5	7	10	15	16	19
50-64	75	10.0	70	5	6	8	12	17	18	60
65 +	54	9.9	12	6	7	9	12	14	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	3.7	8	1	2	3	5	6	8	18
20-34	107	4.3	7	2	2	4	5	8	10	13
35-49	235	4.9	10	2	3	4	6	9	11	15
50-64	449	5.6	18	2	3	5	7	11	14	24
65 +	1218	6.8	27	2	4	5	8	13	16	27
B. Operated										
0-19 YRS	175	10.4	119	3	5	7	11	21	28	76
20-34	96	11.6	74	4	7	9	15	21	29	83
35-49	205	12.3	54	6	8	10	15	22	27	42
50-64	290	14.7	114	6	8	11	18	28	36	63
65 +	730	15.9	116	7	9	13	20	28	36	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	613	3.8	13	1	2	3	5	7	8	13
B. Operated	361	8.1	29	4	5	7	10	14	17	26
2. MULTIPLE DX										
A. Not Operated	2124	6.0	22	2	3	5	7	11	15	25
B. Operated	1496	14.2	109	6	8	11	17	27	34	67
1. SINGLE DX	974	5.4	23	1	2	4	7	10	13	23
2. MULTIPLE DX	3620	9.4	74	3	4	7	12	19	26	48
A. Not Operated	2737	5.5	21	2	3	4	7	10	14	24
B. Operated	1857	13.0	99	5	7	10	16	25	32	65
TOTAL										
0-19 YRS	548	6.1	60	1	2	4	7	11	19	53
20-34	326	6.9	38	2	3	5	8	13	18	34
35-49	642	7.3	37	2	3	6	9	15	19	30
50-64	944	8.6	69	2	4	6	10	17	25	46
65 +	2134	9.8	76	3	4	7	12	20	26	50
GRAND TOTAL	**4594**	**8.6**	**66**	**2**	**4**	**6**	**10**	**17**	**24**	**45**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1221	2.5	3	1	1	2	3	4	5	8
20-34	389	2.3	2	1	1	2	3	4	5	8
35-49	230	2.5	3	1	1	2	3	4	6	8
50-64	112	2.6	3	1	2	2	3	4	5	11
65 +	96	3.8	15	1	2	3	4	6	12	23
B. Operated										
0-19 YRS	42	4.3	35	1	2	3	4	7	10	39
20-34	35	3.7	3	2	2	4	5	6	7	8
35-49	25	3.4	3	1	2	3	4	6	7	7
50-64	12	4.3	13	< 1	< 1	4	6	9	12	13
65 +	8	3.5	11	< 1	1	3	4	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3528	2.9	4	1	2	3	3	5	6	10
20-34	857	2.7	3	1	1	2	3	5	6	10
35-49	695	3.5	6	1	2	3	4	6	8	12
50-64	685	3.9	7	2	2	3	5	7	9	15
65 +	1346	4.9	20	2	3	4	6	8	11	23
B. Operated										
0-19 YRS	120	12.4	287	2	3	5	12	37	53	77
20-34	70	5.4	12	2	3	5	7	10	11	22
35-49	112	5.8	18	2	3	5	7	10	13	24
50-64	118	8.7	78	3	4	7	10	15	21	52
65 +	184	9.2	41	3	5	7	12	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2048	2.5	3	1	1	2	3	4	5	9
B. Operated	122	3.9	15	1	2	3	5	7	8	20
2. MULTIPLE DX										
A. Not Operated	7111	3.4	8	1	2	3	4	6	8	14
B. Operated	604	8.6	95	2	4	6	10	17	25	59
1. SINGLE DX	2170	2.6	4	1	1	2	3	4	5	9
2. MULTIPLE DX	7715	3.8	17	1	2	3	4	7	9	19
A. Not Operated	9159	3.2	7	1	2	3	4	6	7	13
B. Operated	726	7.8	84	2	3	5	9	15	23	55
TOTAL										
0-19 YRS	4911	3.0	13	1	2	2	3	5	6	13
20-34	1351	2.8	4	1	1	2	3	5	6	10
35-49	1062	3.5	7	1	2	3	4	7	8	13
50-64	927	4.4	19	1	2	3	5	8	11	19
65 +	1634	5.3	24	2	3	4	6	10	13	26
GRAND TOTAL	**9885**	**3.6**	**14**	**1**	**2**	**3**	**4**	**6**	**8**	**17**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	22	4.8	6	2	3	4	6	7	10	13
35-49	156	4.5	5	2	3	4	6	8	9	12
50-64	178	4.7	8	1	3	4	6	8	10	14
65 +	204	4.3	8	< 1	2	4	6	8	9	13
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	18	6.7	6	3	5	7	8	10	12	12
35-49	45	8.7	19	4	6	7	9	15	17	25
50-64	48	7.9	10	4	7	8	10	11	13	18
65 +	27	11.0	37	4	7	10	15	18	20	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	25	4.9	5	3	3	4	6	8	9	10
35-49	175	5.2	8	2	3	5	7	9	11	14
50-64	543	5.3	10	2	3	5	7	9	11	19
65 +	1796	6.1	17	2	4	5	7	11	13	20
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	21	10.1	29	4	6	9	13	18	21	22
35-49	139	10.3	35	5	7	9	12	18	22	33
50-64	340	10.9	66	4	6	9	14	19	26	50
65 +	720	13.2	114	5	7	10	16	24	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	560	4.5	7	1	3	4	6	8	10	13
B. Operated	139	8.6	19	4	6	8	10	15	17	26
2. MULTIPLE DX										
A. Not Operated	2543	5.9	15	2	3	5	7	10	13	20
B. Operated	1221	12.2	92	4	7	10	14	22	30	57
1. SINGLE DX	699	5.3	12	1	3	5	7	9	11	17
2. MULTIPLE DX	3764	7.9	48	3	4	6	9	14	19	38
A. Not Operated	3103	5.6	14	2	3	5	7	10	12	19
B. Operated	1360	11.8	85	4	7	9	14	21	29	56
TOTAL										
0-19 YRS	6	6.8	23	3	3	6	7	15	16	16
20-34	86	6.5	16	3	4	6	8	12	14	21
35-49	515	6.7	21	2	4	6	8	12	15	25
50-64	1109	7.0	34	2	4	6	9	13	17	32
65 +	2747	7.9	52	3	4	6	9	14	19	39
GRAND TOTAL	**4463**	**7.5**	**44**	**2**	**4**	**6**	**9**	**14**	**18**	**36**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.9	9	< 1	1	3	5	8	11	11
20-34	8	3.6	3	2	2	3	4	6	7	7
35-49	11	2.7	3	1	1	2	4	5	5	5
50-64	4	4.5	19	1	1	4	8	10	10	10
65 +	0									
B. Operated										
0-19 YRS	62	2.5	3	< 1	1	2	4	5	7	8
20-34	221	2.4	3	1	1	2	3	4	6	9
35-49	244	2.4	3	1	1	2	3	5	6	11
50-64	98	2.3	4	1	1	2	3	5	7	10
65 +	34	2.9	7	1	1	2	3	6	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	4.6	18	1	2	3	7	9	13	19
20-34	13	3.1	2	1	2	3	4	5	5	5
35-49	20	4.0	7	1	2	3	6	8	9	10
50-64	20	5.0	12	1	2	4	7	9	12	14
65 +	24	7.7	43	2	3	7	10	16	21	30
B. Operated										
0-19 YRS	41	6.3	194	1	1	3	4	15	48	99 +
20-34	181	3.4	17	1	1	2	4	6	8	17
35-49	287	3.3	9	1	1	2	4	7	10	15
50-64	212	4.3	54	1	1	3	4	8	13	34
65 +	121	5.6	37	1	2	3	7	14	20	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.5	6	1	1	3	5	7	9	11
B. Operated	659	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	106	5.0	20	1	2	3	7	10	13	24
B. Operated	842	4.0	36	1	1	3	4	8	13	27
1. SINGLE DX	694	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	948	4.1	34	1	1	3	5	8	13	27
A. Not Operated	141	4.7	17	1	2	3	6	10	11	20
B. Operated	1501	3.3	22	1	1	2	4	6	9	21
TOTAL										
0-19 YRS	144	4.1	63	1	1	2	4	8	13	89
20-34	423	2.9	9	1	1	2	4	5	7	14
35-49	562	2.9	7	1	1	2	4	6	8	13
50-64	334	3.8	37	1	1	2	4	7	10	28
65 +	179	5.4	34	1	2	3	7	12	18	29
GRAND TOTAL	**1642**	**3.4**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

197 Hospitals, Southern Region, January-December 1988

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	3.1	12	1	1	2	4	5	10	17
20-34	60	3.4	3	1	2	3	5	6	7	9
35-49	31	5.8	54	1	2	3	7	12	16	40
50-64	21	4.8	11	< 1	2	4	8	10	10	11
65 +	18	3.7	7	1	2	3	4	9	10	10
B. Operated										
0-19 YRS	15	4.6	7	1	3	4	6	8	9	10
20-34	10	4.4	4	2	3	4	5	7	8	8
35-49	7	2.6	2	< 1	1	3	4	4	4	4
50-64	7	5.1	14	1	3	4	7	11	12	12
65 +	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.7	4	1	2	4	5	6	7	10
20-34	92	3.7	5	1	2	3	5	6	7	12
35-49	114	4.3	7	2	2	4	6	8	10	12
50-64	76	5.8	21	2	3	5	7	10	15	24
65 +	156	6.4	19	3	4	5	8	11	15	24
B. Operated										
0-19 YRS	13	4.6	2	3	4	4	5	7	8	8
20-34	30	5.0	10	1	2	5	6	9	12	13
35-49	41	6.6	15	3	4	6	8	11	14	22
50-64	38	7.6	18	3	4	7	10	14	16	18
65 +	84	11.0	98	4	5	8	12	24	33	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	4.1	17	1	2	3	5	8	10	17
B. Operated	41	4.3	6	1	3	4	5	8	9	12
2. MULTIPLE DX										
A. Not Operated	485	5.1	13	2	3	4	6	9	11	21
B. Operated	206	8.2	53	3	4	6	10	14	21	38
1. SINGLE DX	192	4.1	15	1	2	3	5	8	10	17
2. MULTIPLE DX	691	6.0	27	2	3	5	7	11	14	28
A. Not Operated	636	4.8	14	2	3	4	6	9	11	21
B. Operated	247	7.6	48	2	4	6	9	14	20	37
TOTAL										
0-19 YRS	96	3.9	6	1	2	4	5	6	8	14
20-34	192	3.9	5	1	2	3	5	7	8	13
35-49	193	5.0	17	2	3	4	6	9	11	19
50-64	142	6.1	19	2	3	5	8	12	14	20
65 +	260	7.7	49	3	4	6	9	14	21	37
GRAND TOTAL	**883**	**5.6**	**25**	**2**	**3**	**4**	**7**	**10**	**13**	**27**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	5.0	8	2	3	5	7	9	10	13
20-34	58	6.0	27	2	3	5	7	11	14	34
35-49	37	5.8	20	2	3	5	8	9	15	24
50-64	11	5.5	41	1	2	4	6	14	23	24
65 +	6	5.0	11	2	2	4	8	10	10	10
B. Operated										
0-19 YRS	62	9.2	78	2	3	7	10	22	26	47
20-34	68	7.7	29	3	4	7	9	14	17	34
35-49	37	8.3	40	3	4	7	11	16	24	28
50-64	17	8.6	34	1	4	9	11	17	20	21
65 +	12	12.6	409	1	2	5	16	36	68	73
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	6.8	37	2	3	5	8	14	19	31
20-34	144	6.0	20	2	3	5	8	12	15	26
35-49	101	5.9	17	2	3	5	8	12	15	20
50-64	45	6.1	18	1	3	6	8	10	14	21
65 +	44	7.0	22	3	4	6	8	11	14	30
B. Operated										
0-19 YRS	92	16.3	189	4	8	11	19	36	46	65
20-34	157	12.2	90	4	6	9	15	27	33	47
35-49	125	11.0	52	4	7	9	13	20	26	38
50-64	80	10.9	101	2	5	8	12	24	34	50
65 +	99	12.0	74	4	6	10	16	25	29	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	5.6	20	2	3	5	7	9	13	24
B. Operated	196	8.7	69	2	4	7	10	17	22	43
2. MULTIPLE DX										
A. Not Operated	390	6.2	22	2	3	5	8	12	15	26
B. Operated	553	12.4	99	4	6	9	15	26	34	47
1. SINGLE DX	354	7.3	49	2	3	6	9	14	20	36
2. MULTIPLE DX	943	9.8	76	3	4	7	12	20	29	44
A. Not Operated	548	6.1	21	2	3	5	8	11	15	26
B. Operated	749	11.4	94	3	6	9	14	23	32	47
TOTAL										
0-19 YRS	256	10.5	117	2	4	7	12	25	33	57
20-34	427	8.6	56	2	4	7	10	16	24	38
35-49	300	8.3	40	2	4	7	10	16	21	32
50-64	153	8.8	69	2	4	7	10	20	25	46
65 +	161	10.4	86	3	5	8	11	21	29	44
GRAND TOTAL	**1297**	**9.2**	**70**	**2**	**4**	**7**	**11**	**18**	**26**	**43**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.8	9	< 1	2	5	7	8	8	8
20-34	2	6.0		6	6	6	6	6	6	6
35-49	5	4.0	1	3	3	4	5	5	5	5
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3	10.7	97	4	4	6	18	22	22	22
20-34	6	4.8	18	1	2	4	5	12	13	13
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	3	5.0	1	4	4	5	6	6	6	6
65 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	58	5.9	22	2	3	4	8	11	13	28
20-34	23	5.8	30	2	3	4	6	10	16	28
35-49	28	5.9	16	2	3	5	7	12	13	15
50-64	47	8.3	32	2	4	7	11	18	22	23
65 +	35	8.1	37	3	4	6	9	18	18	29
B. Operated										
0-19 YRS	39	14.7	194	5	7	10	18	41	58	99 +
20-34	22	11.3	48	4	7	10	14	20	26	31
35-49	40	14.2	110	5	7	11	16	28	35	53
50-64	30	15.1	126	6	8	15	19	30	59	99 +
65 +	33	24.7	400	9	12	19	29	64	85	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.2	4	1	3	4	6	6	8	8
B. Operated	16	5.9	28	2	3	4	6	13	19	22
2. MULTIPLE DX										
A. Not Operated	191	6.9	28	2	3	5	9	13	18	28
B. Operated	164	16.2	198	5	8	12	19	35	54	99 +
1. SINGLE DX	31	5.1	16	1	3	4	6	9	13	22
2. MULTIPLE DX	355	11.2	128	3	4	8	14	23	33	86
A. Not Operated	206	6.7	27	2	3	5	9	13	18	28
B. Operated	180	15.3	192	4	7	11	19	32	53	99 +
TOTAL										
0-19 YRS	104	9.3	104	2	4	7	11	21	32	85
20-34	53	8.0	42	3	4	6	10	17	22	31
35-49	76	10.0	83	2	4	7	13	21	28	50
50-64	82	10.5	77	3	5	8	16	20	27	87
65 +	71	15.7	273	4	6	10	19	37	62	97
GRAND TOTAL	**386**	**10.7**	**122**	**3**	**4**	**7**	**13**	**22**	**30**	**83**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	2.4	2	1	1	2	3	5	6	8
20-34	37	2.8	6	1	1	2	4	5	8	12
35-49	44	4.2	43	< 1	1	3	4	7	15	36
50-64	32	2.9	3	< 1	1	3	4	5	6	8
65 +	50	3.1	6	1	2	2	4	6	8	14
B. Operated										
0-19 YRS	74	3.9	21	1	1	3	5	7	10	30
20-34	42	4.2	8	1	2	4	5	7	11	14
35-49	54	5.9	22	1	3	5	9	12	16	19
50-64	41	6.3	49	1	2	4	9	12	17	40
65 +	44	6.2	52	1	1	4	8	13	23	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	230	3.2	11	1	1	2	4	5	10	18
20-34	84	3.9	13	1	2	3	5	9	11	18
35-49	168	4.5	13	1	2	3	6	8	11	19
50-64	226	4.9	48	1	2	3	5	9	11	31
65 +	845	6.1	39	2	3	4	8	12	16	32
B. Operated										
0-19 YRS	153	7.5	109	1	2	4	8	20	32	99 +
20-34	170	7.9	54	2	4	6	9	15	25	37
35-49	213	9.6	122	2	4	6	11	21	29	61
50-64	273	10.9	139	2	4	8	13	23	34	73
65 +	658	12.2	156	3	5	9	15	25	38	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	282	2.9	10	1	1	2	4	5	7	13
B. Operated	255	5.2	30	1	2	4	7	10	14	35
2. MULTIPLE DX										
A. Not Operated	1553	5.2	33	1	2	4	6	11	14	25
B. Operated	1467	10.6	134	2	4	7	13	23	33	78
1. SINGLE DX	537	4.0	21	1	1	3	5	8	11	25
2. MULTIPLE DX	3020	7.8	89	2	3	5	9	16	24	57
A. Not Operated	1835	4.9	30	1	2	3	6	10	13	25
B. Operated	1722	9.8	122	2	3	7	12	21	30	66
TOTAL										
0-19 YRS	576	4.3	40	1	1	3	5	9	13	38
20-34	333	5.9	37	1	2	4	7	12	16	36
35-49	479	6.9	71	1	3	5	8	15	21	36
50-64	572	7.8	99	1	3	5	9	15	24	63
65 +	1597	8.5	96	2	3	6	10	17	25	58
GRAND TOTAL	**3557**	**7.3**	**81**	**1**	**2**	**5**	**9**	**15**	**23**	**52**

197 Hospitals, Southern Region, January-December 1988

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	5.0	17	< 1	3	4	5	12	13	13
50-64	4	6.3	20	2	2	6	10	11	11	11
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	6.0	1	5	5	6	7	7	7	7
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	67	7.6	40	2	3	5	11	15	21	35
35-49	217	9.3	70	3	4	7	11	20	26	40
50-64	183	10.6	84	3	5	8	13	23	29	44
65 +	84	9.9	67	4	5	8	11	15	27	50
B. Operated										
0-19 YRS	0									
20-34	15	8.7	35	4	6	6	11	16	23	25
35-49	63	12.5	203	2	4	7	17	29	35	75
50-64	69	11.6	104	3	5	8	13	26	36	47
65 +	38	17.2	175	5	8	12	29	36	39	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.2	16	1	2	4	8	12	13	13
B. Operated	4	6.8	3	5	5	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	552	9.6	71	3	4	7	12	19	26	41
B. Operated	185	12.8	151	3	5	8	16	31	37	65
1. SINGLE DX	15	5.6	13	2	3	5	8	11	12	13
2. MULTIPLE DX	737	10.4	93	3	5	7	12	22	31	45
A. Not Operated	563	9.5	70	3	4	7	12	19	26	41
B. Operated	189	12.7	148	3	5	8	16	30	37	64
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	83	7.7	38	2	4	6	11	15	21	33
35-49	286	9.9	100	3	4	7	12	21	29	60
50-64	259	10.8	88	3	5	8	13	23	30	44
65 +	123	12.1	110	4	6	9	13	29	36	54
GRAND TOTAL	**752**	**10.3**	**91**	**3**	**5**	**7**	**12**	**22**	**30**	**44**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	5.0	29	1	2	4	4	14	17	17
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	5.0	19	< 1	3	3	7	12	13	13
50-64	5	3.0	8	< 1	1	1	5	7	7	7
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	19	2.8	22	1	1	2	2	4	14	22
20-34	17	2.2	7	< 1	1	1	2	6	10	11
35-49	23	2.3	5	< 1	1	1	3	7	8	8
50-64	12	2.3	6	1	1	1	3	6	9	9
65 +	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	4.8	13	1	2	4	7	9	11	16
20-34	12	4.6	12	< 1	1	4	8	9	10	10
35-49	42	7.0	62	2	3	4	7	14	22	45
50-64	81	7.0	35	2	3	6	9	12	19	34
65 +	112	10.2	122	2	5	8	12	18	30	85
B. Operated										
0-19 YRS	33	14.8	498	1	1	4	23	37	70	94
20-34	20	6.0	84	1	1	2	5	16	29	39
35-49	58	8.7	211	1	1	4	11	24	51	98
50-64	90	10.7	181	1	2	7	13	25	5[illegible]	91
65 +	95	10.1	107	1	3	7	12	19	36	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	4.2	16	< 1	2	3	5	10	15	17
B. Operated	75	2.4	10	1	1	1	2	5	8	19
2. MULTIPLE DX										
A. Not Operated	272	8.0	75	2	3	6	9	15	22	63
B. Operated	296	10.3	193	1	2	6	12	26	38	88
1. SINGLE DX	96	2.8	11	1	1	2	3	7	9	20
2. MULTIPLE DX	568	9.2	138	1	3	6	11	19	34	77
A. Not Operated	293	7.7	72	1	3	6	9	14	21	59
B. Operated	371	8.7	166	1	1	4	11	21	36	80
TOTAL										
0-19 YRS	84	8.3	231	1	1	3	6	23	32	87
20-34	50	4.3	40	1	1	2	5	10	14	39
35-49	129	6.9	121	1	1	4	7	16	26	85
50-64	188	8.3	108	1	3	6	10	17	29	71
65 +	213	9.9	113	1	4	7	12	19	34	71
GRAND TOTAL	**664**	**8.2**	**124**	**1**	**2**	**5**	**10**	**18**	**31**	**76**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	3.7	11	1	2	3	4	9	12	14
20-34	40	4.3	4	2	3	4	5	7	8	10
35-49	16	4.1	5	1	2	4	6	7	8	8
50-64	12	4.4	6	2	3	4	6	8	10	10
65 +	7	5.3	16	1	3	4	7	12	13	13
B. Operated										
0-19 YRS	11	4.5	19	1	1	3	7	11	15	15
20-34	6	4.3	17	1	1	3	5	11	12	12
35-49	8	4.8	35	1	1	2	8	15	16	16
50-64	17	6.1	86	1	1	1	6	22	30	33
65 +	4	6.5	73	1	1	3	12	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	6.5	42	2	3	4	8	12	19	35
20-34	70	4.9	10	2	3	4	6	8	11	17
35-49	137	8.3	149	2	3	5	8	13	26	79
50-64	161	7.3	27	3	4	6	9	14	18	26
65 +	217	9.0	49	3	5	7	11	19	23	36
B. Operated										
0-19 YRS	51	13.9	380	1	2	7	18	42	68	99 +
20-34	18	14.0	142	3	6	11	16	26	41	51
35-49	50	9.7	75	2	3	7	12	25	28	34
50-64	64	11.4	96	1	4	9	16	24	28	49
65 +	82	13.8	115	2	6	11	19	28	33	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	4.2	7	1	2	4	5	8	9	13
B. Operated	46	5.3	48	1	1	2	6	15	20	33
2. MULTIPLE DX										
A. Not Operated	628	7.8	61	2	4	6	9	15	21	39
B. Operated	265	12.5	156	2	4	9	18	26	34	68
1. SINGLE DX	147	4.5	20	1	2	3	5	9	13	24
2. MULTIPLE DX	893	9.2	94	2	4	6	11	20	26	51
A. Not Operated	729	7.3	55	2	3	5	8	14	20	36
B. Operated	311	11.4	146	1	3	8	16	25	33	67
TOTAL										
0-19 YRS	131	8.6	182	1	2	4	9	22	36	95
20-34	134	5.9	35	2	3	4	6	11	16	31
35-49	211	8.2	117	2	3	5	9	16	26	59
50-64	254	8.1	51	2	3	6	10	18	23	33
65 +	310	10.2	70	3	5	7	13	22	27	45
GRAND TOTAL	**1040**	**8.5**	**86**	**2**	**3**	**6**	**10**	**19**	**25**	**49**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.7	1	1	2	3	3	4	5	5
20-34	75	2.5	2	1	1	2	3	4	6	8
35-49	104	2.5	4	< 1	1	2	3	5	6	10
50-64	60	2.3	2	< 1	1	2	3	4	4	5
65 +	44	4.4	5	2	3	4	6	7	8	9
B. Operated										
0-19 YRS	140	4.4	3	3	3	4	5	6	8	11
20-34	1301	4.1	3	2	3	4	5	6	8	10
35-49	1172	4.4	4	3	3	4	5	6	8	11
50-64	828	5.0	5	3	4	5	6	8	9	12
65 +	387	5.9	7	3	4	5	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	3.6	3	1	2	3	4	7	7	8
20-34	99	3.3	4	1	2	3	4	6	7	10
35-49	172	3.7	10	1	2	3	5	7	9	15
50-64	239	4.3	12	1	2	3	5	8	11	21
65 +	634	5.5	14	2	3	5	7	10	12	17
B. Operated										
0-19 YRS	130	6.0	9	3	4	5	7	9	12	15
20-34	1125	5.7	12	3	4	5	7	10	11	18
35-49	1572	5.9	14	3	4	5	7	10	12	21
50-64	1940	6.9	26	3	4	6	8	12	14	23
65 +	2524	9.3	45	4	5	8	11	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	2.7	3	1	1	2	4	5	7	8
B. Operated	3828	4.6	4	3	3	4	5	7	9	12
2. MULTIPLE DX										
A. Not Operated	1169	4.8	13	2	2	4	6	9	11	17
B. Operated	7291	7.3	30	3	4	6	9	12	16	29
1. SINGLE DX	4121	4.5	4	2	3	4	5	7	8	11
2. MULTIPLE DX	8460	7.0	28	3	4	6	8	12	15	28
A. Not Operated	1462	4.4	11	1	2	3	6	8	11	16
B. Operated	11119	6.4	23	3	4	5	8	11	14	25
TOTAL										
0-19 YRS	305	4.9	7	2	3	4	6	8	10	14
20-34	2600	4.8	8	2	3	4	6	8	10	14
35-49	3020	5.1	10	2	3	4	6	8	11	17
50-64	3067	6.1	20	3	4	5	7	10	13	21
65 +	3589	8.2	38	3	5	7	10	14	18	35
GRAND TOTAL	**12581**	**6.2**	**22**	**3**	**4**	**5**	**7**	**11**	**13**	**24**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.5	2	1	1	2	4	4	4	4
20-34	40	2.8	3	1	1	2	4	5	6	9
35-49	60	2.8	3	< 1	2	2	4	5	6	9
50-64	17	3.7	15	< 1	1	2	5	7	13	16
65 +	12	4.3	5	2	3	4	5	8	9	9
B. Operated										
0-19 YRS	11	3.2	7	1	1	3	4	7	10	10
20-34	98	4.4	5	2	3	4	5	7	9	13
35-49	103	4.8	5	2	3	4	6	8	9	12
50-64	76	5.6	7	3	4	5	7	10	11	13
65 +	19	7.5	39	3	5	6	7	13	24	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.2	4	< 1	1	3	5	6	6	6
20-34	44	3.6	4	1	2	3	5	6	7	10
35-49	82	4.4	11	2	3	4	6	7	10	19
50-64	87	4.4	6	2	3	4	6	8	8	13
65 +	196	6.3	17	2	4	5	8	11	15	22
B. Operated										
0-19 YRS	10	4.8	18	< 1	1	3	8	11	13	13
20-34	149	6.1	11	3	4	5	7	12	13	17
35-49	233	6.5	20	3	4	5	8	11	14	24
50-64	186	8.3	34	3	5	7	10	15	18	28
65 +	229	10.4	51	4	6	9	13	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	3.0	5	1	2	2	4	6	7	10
B. Operated	307	5.0	8	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. Not Operated	422	5.2	13	2	3	4	6	9	11	19
B. Operated	807	7.9	33	3	4	6	10	14	17	30
1. SINGLE DX	444	4.4	8	1	3	4	6	8	9	13
2. MULTIPLE DX	1229	7.0	28	3	4	6	8	13	17	27
A. Not Operated	559	4.6	12	1	2	4	6	8	11	19
B. Operated	1114	7.1	28	3	4	6	9	13	16	29
TOTAL										
0-19 YRS	42	3.5	8	1	1	3	4	7	9	13
20-34	331	4.9	9	2	3	4	6	8	12	15
35-49	478	5.3	15	2	3	4	6	9	11	21
50-64	366	6.6	24	2	4	5	8	12	15	24
65 +	456	8.3	39	3	5	7	10	15	18	35
GRAND TOTAL	**1673**	**6.3**	**24**	**2**	**3**	**5**	**8**	**11**	**15**	**25**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7		2	2	3	3	3	3	3
50-64	6	3.3	5	1	2	3	5	7	7	7
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	41	6.2	8	3	4	6	8	9	11	15
35-49	37	6.2	8	1	4	7	8	10	10	12
50-64	28	6.6	8	3	4	7	9	10	11	13
65 +	27	7.3	13	3	5	7	10	13	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	12	3.3	3	1	2	3	4	6	6	6
35-49	12	4.1	9	1	2	3	6	9	9	9
50-64	17	3.2	3	1	2	3	4	5	6	7
65 +	64	6.7	27	2	4	6	8	11	14	35
B. Operated										
0-19 YRS	10	8.0	27	4	6	6	9	16	22	22
20-34	53	7.0	10	4	4	7	9	11	13	14
35-49	64	8.4	38	3	5	7	10	15	17	41
50-64	92	9.3	80	3	5	8	11	16	20	57
65 +	313	12.5	64	5	8	11	15	21	25	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	3.0	4	1	2	2	4	6	7	7
B. Operated	136	6.5	9	3	4	6	8	10	12	14
2. MULTIPLE DX										
A. Not Operated	105	5.5	21	2	3	4	7	10	12	26
B. Operated	532	10.8	61	4	6	9	13	19	23	38
1. SINGLE DX	149	6.2	9	2	4	6	8	10	12	14
2. MULTIPLE DX	637	9.9	58	3	5	9	12	18	22	38
A. Not Operated	118	5.2	19	2	3	4	7	9	11	23
B. Operated	668	9.9	54	4	6	9	12	17	22	37
TOTAL										
0-19 YRS	14	6.9	23	3	4	6	8	11	19	22
20-34	107	6.3	10	3	4	6	9	11	12	15
35-49	116	7.1	27	2	4	7	9	12	15	29
50-64	143	7.8	58	2	4	6	9	13	18	30
65 +	406	11.2	60	4	6	10	14	19	23	38
GRAND TOTAL	**786**	**9.2**	**51**	**3**	**5**	**8**	**11**	**16**	**21**	**37**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.9	19	1	2	4	6	12	15	15
20-34	6	3.8	2	2	2	4	5	5	5	5
35-49	13	4.7	8	1	2	4	7	8	9	9
50-64	5	8.4	54	4	4	4	12	21	21	21
65 +	7	4.0	2	2	3	4	5	6	6	6
B. Operated										
0-19 YRS	7	7.6	23	1	3	9	11	13	13	13
20-34	3	5.3	33	2	2	2	10	12	12	12
35-49	10	9.4	36	3	6	7	13	18	22	22
50-64	12	5.3	18	1	2	4	8	11	14	15
65 +	6	6.2	41	1	1	4	8	17	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	8.9	37	3	5	7	11	16	23	28
20-34	15	4.3	10	1	2	3	7	9	10	10
35-49	18	7.1	13	3	5	6	11	12	14	15
50-64	27	5.7	15	2	3	5	7	9	12	21
65 +	87	7.7	49	3	4	6	8	13	20	45
B. Operated										
0-19 YRS	23	16.0	173	3	6	14	20	29	44	60
20-34	18	11.1	44	3	5	11	16	21	22	22
35-49	36	7.5	32	1	4	6	9	17	22	23
50-64	55	9.8	30	3	5	9	13	18	21	22
65 +	123	12.0	88	2	7	10	15	25	32	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	5.0	14	2	2	4	6	8	12	21
B. Operated	38	6.9	28	1	2	6	10	14	17	22
2. MULTIPLE DX										
A. Not Operated	185	7.3	36	2	4	6	8	14	17	28
B. Operated	255	11.2	76	2	5	9	14	21	27	45
1. SINGLE DX	78	5.9	22	1	2	5	8	13	15	22
2. MULTIPLE DX	440	9.6	63	2	4	7	12	20	24	37
A. Not Operated	225	6.9	33	2	4	6	8	12	16	27
B. Operated	293	10.6	71	2	5	9	14	21	27	41
TOTAL										
0-19 YRS	77	10.4	87	2	4	8	14	20	27	53
20-34	42	7.2	35	2	2	5	11	17	21	22
35-49	77	7.2	25	2	4	6	9	13	19	23
50-64	99	8.1	29	2	4	7	11	15	21	22
65 +	223	9.9	74	2	4	8	12	20	28	47
GRAND TOTAL	**518**	**9.0**	**58**	**2**	**4**	**7**	**11**	**18**	**22**	**36**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.3	9	1	2	4	6	7	12	13
20-34	116	5.2	38	2	3	4	7	9	10	30
35-49	137	5.2	11	2	3	4	6	9	12	19
50-64	68	4.9	6	2	3	5	6	7	8	17
65 +	43	5.5	18	2	3	4	7	9	11	27
B. Operated										
0-19 YRS	5	7.4	23	< 1	4	8	10	14	14	14
20-34	23	9.7	37	5	6	8	13	22	47	99 +
35-49	16	9.6	73	1	4	7	12	25	29	31
50-64	18	7.0	31	1	2	7	10	16	18	18
65 +	14	7.4	96	1	1	5	7	18	33	37
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	5.3	11	2	3	5	6	11	12	15
20-34	448	6.0	22	2	3	5	7	10	13	25
35-49	810	6.6	21	3	4	5	8	12	15	26
50-64	485	7.4	37	3	4	6	9	13	17	29
65 +	567	7.0	23	3	4	6	8	12	16	30
B. Operated										
0-19 YRS	10	17.3	539	3	5	8	15	56	78	78
20-34	98	12.5	84	3	6	11	17	25	44	99 +
35-49	236	15.7	186	4	7	11	19	35	49	81
50-64	193	15.9	180	4	7	11	20	36	45	60
65 +	246	13.9	126	4	7	11	17	30	39	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	378	5.1	19	2	3	4	6	9	11	18
B. Operated	76	8.5	52	1	4	7	10	19	25	83
2. MULTIPLE DX										
A. Not Operated	2338	6.7	25	3	4	5	8	12	15	27
B. Operated	783	14.8	158	4	7	11	18	33	44	79
1. SINGLE DX	454	5.7	26	2	3	4	7	10	14	27
2. MULTIPLE DX	3121	8.7	71	3	4	6	10	17	25	49
A. Not Operated	2716	6.5	25	3	4	5	8	12	15	26
B. Operated	859	14.2	152	4	7	10	18	31	43	79
TOTAL										
0-19 YRS	57	7.3	118	2	3	5	7	13	15	75
20-34	685	6.9	39	2	3	5	8	13	19	46
35-49	1199	8.2	67	3	4	6	9	16	23	49
50-64	764	9.3	85	3	4	6	11	18	26	50
65 +	870	8.8	63	3	4	7	10	17	25	45
GRAND TOTAL	**3575**	**8.3**	**66**	**3**	**4**	**6**	**10**	**16**	**23**	**48**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.2	2	1	1	2	3	4	5	6
20-34	26	2.7	2	< 1	1	3	4	5	5	6
35-49	32	2.7	3	1	2	2	4	5	6	7
50-64	37	3.1	3	1	2	3	4	5	6	8
65 +	57	4.3	8	1	2	4	6	9	10	11
B. Operated										
0-19 YRS	5	2.6	3	< 1	< 1	3	4	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	7.0	36	4	4	4	10	16	16	16
50-64	6	5.2	22	1	2	3	10	12	12	12
65 +	7	5.6	8	2	3	6	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	4.3	19	1	2	3	5	7	13	27
20-34	138	3.8	9	1	2	3	5	7	8	14
35-49	268	4.7	11	2	3	4	6	8	11	19
50-64	464	5.3	27	2	3	4	6	9	11	26
65 +	1465	6.1	24	2	3	5	7	11	15	25
B. Operated										
0-19 YRS	42	8.3	110	1	2	5	10	21	25	61
20-34	44	6.8	28	2	3	5	8	16	18	22
35-49	108	7.9	70	2	4	6	9	16	21	77
50-64	217	7.8	43	3	4	6	9	15	21	35
65 +	503	8.9	54	3	4	7	10	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	200	3.1	4	1	2	3	4	6	7	11
B. Operated	23	5.0	15	1	2	4	6	11	13	16
2. MULTIPLE DX										
A. Not Operated	2459	5.6	23	2	3	5	7	10	13	24
B. Operated	914	8.4	55	3	4	6	10	17	22	41
1. SINGLE DX	223	3.3	6	1	2	3	4	6	8	12
2. MULTIPLE DX	3373	6.3	33	2	3	5	7	12	16	32
A. Not Operated	2659	5.4	22	2	3	4	7	10	13	23
B. Operated	937	8.3	54	3	4	6	10	17	22	41
TOTAL										
0-19 YRS	219	4.5	36	1	2	3	5	9	14	27
20-34	209	4.3	14	1	2	3	5	7	12	21
35-49	412	5.4	28	2	3	4	6	10	14	33
50-64	724	5.9	32	2	3	5	7	10	14	30
65 +	2032	6.8	33	2	4	5	8	13	17	33
GRAND TOTAL	**3596**	**6.2**	**32**	**2**	**3**	**5**	**7**	**11**	**16**	**32**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.5	19	1	2	4	5	6	11	27
20-34	0									
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	8	5.0	37	1	1	3	6	15	19	19
20-34	3	3.0	12	< 1	< 1	< 1	5	7	7	7
35-49	3	10.0	25	5	6	10	14	15	15	15
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	7.4	79	2	3	5	7	15	20	58
20-34	7	9.1	58	1	5	8	10	22	25	25
35-49	11	13.1	113	3	5	10	18	28	38	39
50-64	13	5.9	14	2	3	4	9	11	11	11
65 +	12	8.5	77	2	4	6	11	19	32	34
B. Operated										
0-19 YRS	32	24.1	751	3	6	14	64	99 +	99 +	99 +
20-34	6	17.5	150	7	8	12	29	35	36	36
35-49	9	23.4	740	4	7	10	34	67	89	89
50-64	9	11.6	20	5	8	14	15	16	16	16
65 +	13	17.9	339	4	7	12	21	46	63	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	4.5	17	1	2	4	5	6	10	27
B. Operated	16	5.4	29	< 1	1	4	7	14	18	19
2. MULTIPLE DX										
A. Not Operated	117	8.0	74	2	3	5	10	16	21	48
B. Operated	69	20.7	523	4	7	12	34	88	99 +	99 +
1. SINGLE DX	58	4.7	20	1	2	4	5	8	14	26
2. MULTIPLE DX	186	12.7	276	2	4	7	15	37	67	99 +
A. Not Operated	159	7.1	61	2	3	5	8	15	20	39
B. Operated	85	17.8	464	3	5	10	29	71	99 +	99 +
TOTAL										
0-19 YRS	151	10.1	255	2	3	5	11	29	73	99 +
20-34	16	11.1	106	< 1	5	8	13	29	34	36
35-49	25	15.9	333	5	6	10	19	34	51	89
50-64	27	7.3	24	1	3	7	11	15	15	16
65 +	25	13.4	228	3	5	9	12	34	47	67
GRAND TOTAL	**244**	**10.8**	**227**	**2**	**3**	**6**	**12**	**29**	**64**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	4.0	6	1	2	4	5	7	9	14
20-34	6	5.3	18	1	2	5	6	12	13	13
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	0									
65 +	1	15.0		15	15	15	15	15	15	15
B. Operated										
0-19 YRS	92	2.6	5	1	1	2	2	5	6	14
20-34	20	1.9	3	1	1	1	2	5	6	7
35-49	9	1.6		< 1	1	2	2	2	2	2
50-64	6	1.7	3	1	1	1	1	5	5	5
65 +	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	5.1	21	2	2	4	6	10	13	27
20-34	16	5.3	14	1	3	5	7	15	71	99 +
35-49	14	5.0	14	2	2	4	7	10	14	15
50-64	21	7.0	21	2	3	7	9	14	17	19
65 +	39	7.3	27	3	4	6	9	13	20	25
B. Operated										
0-19 YRS	49	7.5	82	1	2	4	9	19	28	40
20-34	36	7.5	108	1	1	3	9	20	33	48
35-49	32	4.3	16	1	1	2	7	11	12	14
50-64	39	9.4	162	1	2	4	12	23	35	65
65 +	47	11.3	106	2	3	8	16	28	32	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	4.2	8	1	2	4	5	8	10	15
B. Operated	131	2.3	5	1	1	2	2	5	6	13
2. MULTIPLE DX										
A. Not Operated	189	5.8	21	2	3	5	7	12	15	30
B. Operated	203	8.2	100	1	2	4	11	21	29	46
1. SINGLE DX	249	3.2	7	1	1	2	4	6	8	15
2. MULTIPLE DX	392	7.0	64	1	2	4	8	15	23	43
A. Not Operated	307	5.2	17	2	2	4	6	10	13	23
B. Operated	334	5.9	71	1	1	2	7	15	23	41
TOTAL										
0-19 YRS	348	4.4	23	1	2	3	5	9	12	27
20-34	78	5.4	59	1	1	3	7	14	22	85
35-49	58	4.0	14	1	1	2	7	10	12	15
50-64	66	7.9	106	1	2	5	9	18	25	61
65 +	91	9.2	72	2	3	7	13	22	29	41
GRAND TOTAL	**641**	**5.6**	**45**	**1**	**2**	**3**	**7**	**12**	**17**	**39**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.9	3	1	2	4	5	6	7	8
20-34	0									
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.0	6	1	2	4	5	8	9	9
20-34	4	3.8	4	1	2	4	5	6	6	6
35-49	5	4.6		4	4	5	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65 +	22	8.3	51	2	3	8	10	13	23	36
B. Operated										
0-19 YRS	5	7.0	9	2	6	8	9	10	10	10
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	5	13.4	135	1	4	14	20	31	31	31
50-64	9	12.0	64	4	6	9	17	25	27	27
65 +	12	16.6	132	4	9	14	21	35	42	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	4.0	3	2	3	4	5	6	7	8
B. Operated	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	67	5.4	23	2	3	4	7	9	11	32
B. Operated	33	12.7	94	3	6	10	16	28	31	43
1. SINGLE DX	26	4.0	3	2	2	4	5	6	7	8
2. MULTIPLE DX	100	7.9	58	2	3	6	9	16	25	39
A. Not Operated	91	5.1	18	2	3	4	6	9	10	27
B. Operated	35	12.2	93	2	6	9	16	27	31	43
TOTAL										
0-19 YRS	62	4.2	6	1	2	4	6	8	9	10
20-34	6	4.3	6	1	3	4	6	8	8	8
35-49	12	8.4	69	3	4	5	10	20	29	31
50-64	12	9.9	61	3	4	7	14	23	26	27
65 +	34	11.2	93	2	5	9	13	24	35	43
GRAND TOTAL	**126**	**7.0**	**49**	**2**	**3**	**5**	**8**	**14**	**21**	**38**

197 Hospitals, Southern Region, January-December 1988

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	4.5	51	1	1	1	4	16	24	26
20-34	0									
35-49	0									
50-64	2	7.0	18	4	4	7	10	10	10	10
65 +	4	4.8	4	2	3	5	6	6	6	6
B. Operated										
0-19 YRS	30	6.4	24	1	2	5	11	14	15	16
20-34	8	3.9	17	< 1	1	2	6	11	11	11
35-49	8	3.4	23	< 1	< 1	1	3	12	15	15
50-64	14	4.9	20	1	1	2	9	11	13	13
65 +	8	9.3	130	< 1	1	5	12	28	35	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	4.7	30	1	1	3	6	10	13	30
20-34	6	2.2	2	< 1	1	2	4	4	4	4
35-49	17	5.2	21	1	2	3	7	11	16	18
50-64	26	8.3	45	3	3	6	12	18	22	30
65 +	104	10.3	91	3	5	7	13	19	28	56
B. Operated										
0-19 YRS	91	13.5	138	2	4	11	19	34	42	99 +
20-34	78	9.3	55	2	4	8	12	20	23	37
35-49	107	7.6	54	1	2	6	11	16	21	36
50-64	132	8.5	58	2	3	6	11	18	23	40
65 +	147	11.6	109	2	4	9	15	26	33	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	4.7	40	1	1	2	5	11	23	26
B. Operated	68	5.8	35	< 1	1	3	9	13	15	32
2. MULTIPLE DX										
A. Not Operated	214	7.8	66	1	3	6	9	17	24	38
B. Operated	555	10.1	87	2	3	8	14	22	30	43
1. SINGLE DX	94	5.5	36	1	1	3	8	13	15	31
2. MULTIPLE DX	769	9.5	82	2	3	7	13	20	28	43
A. Not Operated	240	7.5	64	1	2	5	9	17	23	34
B. Operated	623	9.6	83	1	3	7	13	21	29	43
TOTAL										
0-19 YRS	202	8.9	97	1	2	5	13	23	32	76
20-34	92	8.4	53	2	3	7	11	19	23	35
35-49	132	7.0	49	< 1	2	5	10	16	21	33
50-64	174	8.2	53	1	3	6	11	18	22	38
65 +	263	10.9	101	2	4	8	14	24	32	46
GRAND TOTAL	**863**	**9.0**	**79**	**1**	**3**	**6**	**12**	**20**	**27**	**43**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	6.0	30	2	2	4	9	14	14	14
20-34	0									
35-49	0									
50-64	3	3.7	6	1	2	4	5	6	6	6
65 +	5	11.6	59	3	4	14	18	20	20	20
B. Operated										
0-19 YRS	4	10.0	51	4	4	9	16	18	18	18
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.8	35	< 1	1	3	6	12	21	22
20-34	14	6.6	38	1	2	5	8	16	21	22
35-49	38	7.2	17	3	4	7	10	12	14	22
50-64	79	7.1	33	3	4	5	8	14	21	80
65 +	363	10.0	75	3	5	8	12	19	25	47
B. Operated										
0-19 YRS	20	20.3	434	5	7	9	28	48	72	84
20-34	22	14.7	156	6	7	12	17	24	41	63
35-49	33	11.3	64	3	6	9	13	22	29	37
50-64	79	18.3	260	3	7	13	26	41	49	75
65 +	166	18.4	205	6	8	15	23	38	52	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	7.8	43	2	3	5	14	18	20	20
B. Operated	10	5.2	34	1	2	3	4	16	18	18
2. MULTIPLE DX										
A. Not Operated	506	9.1	64	3	5	7	11	18	24	44
B. Operated	320	17.5	217	5	8	13	22	37	49	78
1. SINGLE DX	22	6.6	39	1	2	4	14	17	19	20
2. MULTIPLE DX	826	12.4	140	3	5	9	15	26	35	67
A. Not Operated	518	9.1	63	3	5	7	11	18	24	44
B. Operated	330	17.1	216	4	8	13	22	36	49	78
TOTAL										
0-19 YRS	40	13.2	281	1	4	7	17	31	48	84
20-34	38	11.1	122	2	5	8	13	22	25	63
35-49	72	9.0	42	3	4	8	11	18	22	35
50-64	163	12.4	175	3	4	8	16	30	42	76
65 +	535	12.6	130	4	6	9	16	25	34	57
GRAND TOTAL	**848**	**12.2**	**138**	**3**	**5**	**8**	**15**	**25**	**34**	**67**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	127	3.7	2	2	3	3	5	6	7	8
20-34	172	3.7	2	2	3	3	4	6	7	9
35-49	57	4.1	4	2	3	4	5	6	8	12
50-64	23	4.1	2	2	3	4	5	6	7	7
65 +	11	5.6	2	4	5	6	7	8	8	8
B. Operated										
0-19 YRS	5	6.2	4	4	5	6	7	9	9	9
20-34	7	5.6	26	3	3	4	5	15	17	17
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	9.0	4	7	7	9	10	11	11	11
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	367	4.9	14	2	3	4	6	8	9	14
20-34	425	4.5	5	2	3	4	5	7	9	13
35-49	272	5.1	8	2	3	4	6	9	10	17
50-64	224	5.8	11	3	4	5	7	9	11	16
65 +	598	7.3	35	3	4	6	8	12	15	36
B. Operated										
0-19 YRS	69	8.7	52	3	5	7	10	14	18	50
20-34	40	7.8	30	4	5	6	9	11	15	36
35-49	39	8.6	39	4	6	7	10	12	21	37
50-64	47	9.5	38	5	6	8	10	18	23	31
65 +	90	12.1	101	5	6	9	14	22	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	3.8	3	2	3	4	5	6	7	9
B. Operated	17	6.0	15	3	4	5	8	11	15	17
2. MULTIPLE DX										
A. Not Operated	1886	5.7	19	3	4	5	7	9	11	21
B. Operated	285	9.8	62	4	6	8	11	16	25	50
1. SINGLE DX	407	3.9	3	2	3	4	5	6	7	10
2. MULTIPLE DX	2171	6.2	26	3	4	5	7	10	13	28
A. Not Operated	2276	5.4	17	2	3	4	6	9	11	19
B. Operated	302	9.5	60	4	5	8	11	16	24	47
TOTAL										
0-19 YRS	568	5.1	18	2	3	4	6	8	10	19
20-34	644	4.5	7	2	3	4	5	7	9	13
35-49	369	5.3	12	2	3	5	6	9	11	18
50-64	297	6.3	17	3	4	5	8	10	12	27
65 +	700	7.8	45	4	5	6	9	14	17	39
GRAND TOTAL	**2578**	**5.9**	**23**	**3**	**3**	**5**	**7**	**10**	**13**	**26**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	124	4.2	19	2	2	3	5	6	8	27
20-34	150	3.6	3	2	3	3	4	6	6	9
35-49	51	4.1	5	2	3	4	5	7	9	11
50-64	23	5.0	8	3	3	4	6	8	12	15
65 +	10	5.6	7	3	4	5	6	10	12	12
B. Operated										
0-19 YRS	16	5.8	6	3	4	5	8	9	9	9
20-34	8	4.3	2	3	3	4	5	6	7	7
35-49	9	4.8	7	1	3	5	6	8	9	9
50-64	4	4.8	9	< 1	2	5	7	8	8	8
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	255	4.3	4	2	3	4	5	7	8	11
20-34	304	4.3	4	2	3	4	5	7	8	12
35-49	157	5.0	9	2	3	4	6	9	11	16
50-64	162	6.3	17	3	4	5	8	10	15	20
65 +	302	6.8	19	3	4	6	8	12	14	27
B. Operated										
0-19 YRS	23	7.6	27	4	5	6	8	12	21	26
20-34	55	9.3	73	4	4	7	10	20	32	44
35-49	45	11.0	128	4	5	8	11	22	39	58
50-64	45	10.9	89	4	6	8	11	23	33	46
65 +	86	13.1	93	5	7	10	16	27	32	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	4.0	9	2	3	4	5	6	8	12
B. Operated	38	5.2	6	2	4	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	1180	5.3	12	2	3	5	6	9	11	19
B. Operated	254	11.0	90	4	5	8	13	22	32	50
1. SINGLE DX	396	4.1	9	2	3	4	5	7	9	12
2. MULTIPLE DX	1434	6.3	30	2	3	5	7	11	15	32
A. Not Operated	1538	5.0	11	2	3	4	6	9	11	18
B. Operated	292	10.3	83	4	5	8	11	21	31	48
TOTAL										
0-19 YRS	418	4.5	10	2	3	4	5	7	9	16
20-34	517	4.6	14	2	3	4	5	7	9	24
35-49	262	5.9	34	2	3	5	7	11	13	34
50-64	234	7.1	33	3	4	6	8	12	17	35
65 +	399	8.2	42	3	4	6	10	15	21	33
GRAND TOTAL	**1830**	**5.9**	**27**	**2**	**3**	**5**	**7**	**10**	**14**	**31**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.7	1	<1	1	1	2	4	5	5
20-34	176	1.5	1	<1	<1	1	2	2	3	5
35-49	300	1.5	1	<1	<1	1	2	3	3	5
50-64	180	1.5	2	<1	<1	1	2	2	3	5
65 +	80	1.6	1	<1	1	1	2	3	4	7
B. Operated										
0-19 YRS	16	2.9	24	1	1	2	2	4	16	21
20-34	126	2.0	4	<1	1	1	2	4	6	12
35-49	259	2.0	3	<1	1	1	2	4	6	9
50-64	222	2.0	4	<1	1	1	2	4	6	12
65 +	74	2.7	20	<1	1	1	2	5	7	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	2.6	2	1	2	2	4	5	5	7
20-34	139	2.2	3	1	1	2	3	4	5	10
35-49	177	2.5	4	1	1	2	3	5	6	11
50-64	189	2.3	3	1	1	2	3	4	6	8
65 +	162	2.8	7	1	1	2	3	6	8	15
B. Operated										
0-19 YRS	10	4.8	7	2	3	4	7	9	10	10
20-34	112	4.2	18	<1	2	3	5	8	12	22
35-49	190	4.0	13	1	1	3	5	9	10	18
50-64	232	3.8	15	1	1	2	5	8	10	22
65 +	222	5.7	47	1	2	3	7	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	775	1.5	1	<1	1	1	2	2	3	5
B. Operated	697	2.1	6	<1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	697	2.4	4	1	1	2	3	5	6	11
B. Operated	766	4.4	25	1	1	3	6	10	13	25
1. SINGLE DX	1472	1.8	4	<1	1	1	2	3	5	10
2. MULTIPLE DX	1463	3.5	16	1	1	2	4	8	10	19
A. Not Operated	1472	1.9	3	<1	1	1	2	4	5	9
B. Operated	1463	3.3	17	<1	1	2	4	8	10	21
TOTAL										
0-19 YRS	95	2.5	7	1	1	2	3	5	6	16
20-34	553	2.3	6	<1	1	2	2	5	7	13
35-49	926	2.3	6	<1	1	1	3	5	7	12
50-64	823	2.5	7	<1	1	2	3	5	7	14
65 +	538	3.8	27	1	1	2	4	9	12	26
GRAND TOTAL	**2935**	**2.6**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	1.6	1	1	1	1	2	2	3	6
20-34	668	1.6	2	<1	1	1	2	3	3	5
35-49	857	1.6	1	1	1	1	2	3	3	5
50-64	455	1.7	1	1	1	1	2	3	4	6
65 +	102	2.1	2	1	1	2	3	4	5	8
B. Operated										
0-19 YRS	65	2.9	3	1	1	3	4	5	6	6
20-34	636	2.8	4	1	1	2	4	6	6	10
35-49	908	2.7	4	1	1	2	3	5	6	10
50-64	541	2.8	4	1	1	2	3	6	7	10
65 +	116	3.5	10	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	2.1	2	1	1	2	2	4	5	7
20-34	253	1.9	2	1	1	2	2	3	4	7
35-49	468	2.0	2	1	1	2	2	4	5	8
50-64	376	2.2	2	1	1	2	3	4	6	8
65 +	221	2.6	3	1	1	2	3	5	6	11
B. Operated										
0-19 YRS	25	3.8	6	1	2	3	6	8	8	8
20-34	289	3.8	7	1	2	3	5	7	9	14
35-49	557	4.1	12	1	2	3	5	8	10	16
50-64	540	4.0	12	1	2	3	5	8	9	12
65 +	470	5.6	25	2	2	4	7	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2177	1.7	1	1	1	1	2	3	3	6
B. Operated	2266	2.8	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. Not Operated	1364	2.1	2	1	1	2	3	4	5	8
B. Operated	1881	4.4	15	1	2	3	5	8	11	19
1. SINGLE DX	4443	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX	3245	3.5	11	1	1	2	4	7	9	16
A. Not Operated	3541	1.8	2	1	1	1	2	3	4	7
B. Operated	4147	3.5	10	1	2	3	4	7	9	14
TOTAL										
0-19 YRS	231	2.3	3	1	1	2	3	5	6	8
20-34	1846	2.4	4	1	1	2	3	5	6	10
35-49	2790	2.6	5	1	1	2	3	5	6	11
50-64	1912	2.7	6	1	1	2	3	6	7	10
65 +	909	4.2	17	1	2	3	5	9	12	21
GRAND TOTAL	**7688**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**7**	**12**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.5	3	1	1	2	4	5	5	6
20-34	16	2.8	6	< 1	1	2	4	7	8	9
35-49	5	3.2	5	1	2	3	4	7	7	7
50-64	8	2.8	5	1	1	2	4	6	7	7
65 +	7	2.4	3	1	1	2	3	5	6	6
B. Operated										
0-19 YRS	264	4.9	6	2	3	5	6	8	9	12
20-34	40	5.8	15	1	2	5	9	11	13	16
35-49	38	4.7	8	1	2	4	7	9	10	11
50-64	44	4.3	11	1	2	3	6	8	10	17
65 +	19	5.3	26	1	1	3	8	12	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	70	4.0	14	1	1	2	5	10	12	15
20-34	20	3.6	8	1	2	3	5	7	10	12
35-49	28	3.5	7	1	2	3	4	9	15	99 +
50-64	46	4.1	8	1	2	4	5	8	9	14
65 +	95	7.6	43	2	3	6	9	13	20	38
B. Operated										
0-19 YRS	275	6.5	17	2	4	6	8	12	15	20
20-34	80	6.3	21	2	3	6	8	12	17	23
35-49	129	7.5	37	2	3	6	9	16	21	27
50-64	145	7.6	44	2	3	6	9	17	21	33
65 +	212	9.6	60	2	4	8	13	20	25	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	2.7	4	1	1	2	4	6	7	9
B. Operated	405	4.9	9	1	3	4	6	9	10	14
2. MULTIPLE DX										
A. Not Operated	259	5.2	26	1	2	4	7	11	14	36
B. Operated	841	7.6	37	2	4	6	9	16	20	30
1. SINGLE DX	466	4.6	8	1	2	4	6	8	10	14
2. MULTIPLE DX	1100	7.0	36	2	3	6	9	14	19	30
A. Not Operated	320	4.7	22	1	2	3	6	10	13	28
B. Operated	1246	6.7	30	2	3	5	8	13	17	28
TOTAL										
0-19 YRS	634	5.4	12	1	3	5	7	10	12	17
20-34	156	5.5	18	1	2	5	7	11	14	20
35-49	200	6.3	29	1	3	5	8	13	18	27
50-64	243	6.2	33	1	2	5	8	12	19	30
65 +	333	8.6	54	2	4	7	11	18	24	42
GRAND TOTAL	**1566**	**6.3**	**29**	**1**	**3**	**5**	**8**	**12**	**17**	**28**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	1	1	2	3	4	4	4
20-34	24	1.6	1	< 1	1	1	2	3	4	4
35-49	36	1.6	1	< 1	1	1	2	2	3	7
50-64	16	1.8	1	< 1	< 1	1	3	3	4	4
65 +	6	4.3	67	< 1	1	1	1	19	21	21
B. Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	14	2.7	3	1	1	2	4	5	6	6
35-49	9	3.6	7	1	2	2	5	8	9	9
50-64	15	2.7	4	1	1	2	3	5	7	8
65 +	8	3.6	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	3	3	3	3
20-34	12	2.2	1	1	1	2	3	4	4	4
35-49	13	2.6	3	< 1	1	2	4	6	6	6
50-64	11	2.5	1	1	1	2	4	4	4	4
65 +	10	3.9	6	1	2	3	6	7	8	8
B. Operated										
0-19 YRS	7	1.9	1	< 1	1	1	3	3	3	3
20-34	7	8.1	23	3	5	8	13	15	15	15
35-49	19	4.6	13	2	2	3	6	9	13	16
50-64	36	4.3	11	1	2	4	6	8	12	15
65 +	98	5.4	18	1	3	4	7	10	15	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	88	1.9	5	< 1	1	1	2	3	4	16
B. Operated	50	2.9	4	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated	52	2.6	3	1	1	2	4	6	6	8
B. Operated	167	5.0	16	1	2	4	7	9	14	21
1. SINGLE DX	138	2.2	5	< 1	1	2	3	4	6	10
2. MULTIPLE DX	219	4.5	14	1	2	3	6	8	13	19
A. Not Operated	140	2.2	5	< 1	1	2	3	4	6	9
B. Operated	217	4.6	14	1	2	3	6	8	13	19
TOTAL										
0-19 YRS	23	1.9	1	< 1	1	1	3	3	4	4
20-34	57	2.8	8	< 1	1	2	3	5	8	15
35-49	77	2.8	7	1	1	2	3	6	8	14
50-64	78	3.2	7	1	1	3	4	6	8	14
65 +	122	5.1	18	1	2	4	7	9	14	22
GRAND TOTAL	**357**	**3.6**	**12**	**1**	**1**	**3**	**5**	**8**	**9**	**18**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	2	1	2	2	3	4	6	7
20-34	10	2.3	3	1	1	2	3	5	6	6
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	3	1.3		< 1	< 1	< 1	2	2	2	2
65 +	4	2.8	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	18	4.1	13	1	1	3	5	11	13	13
35-49	24	2.2	5	1	1	1	2	5	8	9
50-64	21	3.2	12	1	1	2	4	9	12	13
65 +	18	2.7	16	1	1	2	3	4	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.7	9	2	2	3	4	6	11	16
20-34	25	2.9	2	1	2	2	4	5	6	7
35-49	28	4.3	9	2	2	4	5	7	11	15
50-64	21	4.1	5	1	3	4	5	7	9	10
65 +	108	6.1	19	2	3	5	7	11	16	23
B. Operated										
0-19 YRS	12	4.8	8	1	2	5	7	9	9	9
20-34	48	3.4	6	1	2	3	5	6	8	12
35-49	67	4.9	34	1	2	4	6	8	11	40
50-64	71	5.7	37	1	2	4	8	11	14	39
65 +	201	5.6	26	1	2	4	7	11	15	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.3	2	1	1	2	3	4	5	7
B. Operated	84	3.0	11	1	1	2	3	7	11	16
2. MULTIPLE DX										
A. Not Operated	215	4.9	14	2	2	4	6	9	12	21
B. Operated	399	5.2	27	1	2	4	7	10	13	34
1. SINGLE DX	121	2.8	8	1	1	2	3	6	8	15
2. MULTIPLE DX	614	5.1	22	1	2	4	6	10	12	26
A. Not Operated	252	4.5	13	1	2	4	6	9	11	20
B. Operated	483	4.8	24	1	2	4	6	10	12	28
TOTAL										
0-19 YRS	63	3.6	7	1	2	3	4	7	9	15
20-34	101	3.3	6	1	2	3	4	6	8	13
35-49	124	4.1	22	1	1	3	5	7	10	24
50-64	116	4.9	27	1	2	4	7	10	12	26
65 +	331	5.6	23	1	2	4	7	11	15	27
GRAND TOTAL	**735**	**4.7**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	46	1.8	5	< 1	< 1	1	1	3	8	11
20-34	26	2.5	9	1	1	2	3	4	7	16
35-49	13	2.0	3	1	1	1	2	5	7	7
50-64	30	1.7	1	1	1	1	2	3	4	6
65 +	22	2.3	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	5.0	12	3	3	3	8	9	9	9
50-64	4	2.3	4	< 1	< 1	1	3	5	5	5
65 +	6	4.8	9	2	3	4	8	9	9	9
B. Operated										
0-19 YRS	49	3.9	21	< 1	1	2	4	10	15	20
20-34	28	2.8	4	1	1	2	4	5	6	9
35-49	55	3.4	11	1	1	2	5	7	10	19
50-64	54	4.0	10	1	2	3	5	7	9	21
65 +	180	4.6	27	1	2	3	6	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	137	2.0	4	< 1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	15	3.9	7	1	2	3	5	9	9	9
B. Operated	366	4.1	20	1	1	3	5	8	11	20
1. SINGLE DX	139	2.0	4	< 1	1	1	2	4	6	12
2. MULTIPLE DX	381	4.1	19	1	1	3	5	8	11	20
A. Not Operated	17	3.8	7	1	2	3	4	9	9	9
B. Operated	503	3.5	17	1	1	2	4	7	10	19
TOTAL										
0-19 YRS	96	2.9	14	< 1	1	1	3	8	11	20
20-34	55	2.7	6	1	1	2	3	5	6	16
35-49	72	3.2	9	1	1	2	4	7	9	17
50-64	88	3.1	8	1	1	2	4	6	8	17
65 +	209	4.3	25	1	2	3	5	9	12	19
GRAND TOTAL	**520**	**3.5**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	215	3.3	5	1	2	3	4	5	7	12
20-34	55	3.2	3	1	2	3	4	5	6	11
35-49	30	3.9	10	1	2	3	5	6	6	18
50-64	24	3.2	4	1	2	3	5	6	7	7
65 +	58	4.8	5	2	3	5	6	8	10	11
B. Operated										
0-19 YRS	23	3.0	5	< 1	< 1	2	5	7	7	7
20-34	4	4.0	9	< 1	1	3	6	8	8	8
35-49	4	3.3	5	< 1	1	3	5	6	6	6
50-64	4	9.3	5	6	8	10	11	11	11	11
65 +	5	2.8	5	< 1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	849	4.4	8	2	3	4	5	8	10	14
20-34	332	4.2	9	2	2	3	5	8	10	15
35-49	327	5.7	36	2	3	4	6	10	14	23
50-64	529	6.5	45	2	3	5	7	12	15	41
65 +	3189	8.0	47	3	4	6	9	14	19	43
B. Operated										
0-19 YRS	125	5.8	17	3	3	4	7	11	15	23
20-34	56	8.3	57	2	4	7	10	16	29	96
35-49	70	8.7	80	3	5	7	11	16	19	93
50-64	117	10.7	102	3	6	8	11	20	26	63
65 +	540	14.0	156	5	7	10	16	29	40	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	382	3.5	5	1	2	3	4	6	7	11
B. Operated	40	3.7	8	< 1	< 1	3	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	5226	6.9	40	2	4	5	8	12	16	37
B. Operated	908	11.7	127	3	5	9	13	25	35	86
1. SINGLE DX	422	3.6	5	1	2	3	4	6	8	11
2. MULTIPLE DX	6134	7.6	56	3	4	6	9	14	20	45
A. Not Operated	5608	6.6	38	2	3	5	8	12	16	35
B. Operated	948	11.3	125	3	5	8	13	25	34	84
TOTAL										
0-19 YRS	1212	4.3	8	2	3	4	5	8	10	15
20-34	447	4.6	16	2	2	4	5	9	11	18
35-49	431	6.0	42	2	3	5	7	11	14	39
50-64	674	7.2	56	2	4	5	8	13	18	50
65 +	3792	8.8	67	3	4	7	10	16	23	50
GRAND TOTAL	**6556**	**7.3**	**53**	**2**	**4**	**5**	**9**	**13**	**19**	**45**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	2.2	4	1	1	2	2	5	6	9
20-34	18	1.8	1	< 1	1	2	2	4	4	4
35-49	11	2.5	1	1	2	3	3	4	4	4
50-64	14	3.3	6	1	2	3	4	6	9	10
65 +	10	3.1	6	1	1	3	3	7	8	8
B. Operated										
0-19 YRS	84	2.4	5	< 1	1	2	3	5	6	12
20-34	45	2.9	5	1	1	2	4	6	7	11
35-49	43	2.9	5	1	1	2	4	5	6	13
50-64	45	4.0	26	1	1	3	4	8	11	32
65 +	51	3.2	13	1	1	2	4	7	9	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	2.6	3	1	1	2	3	5	6	10
20-34	40	3.5	11	1	2	2	4	11	12	99 +
35-49	46	3.3	5	1	2	3	4	6	7	12
50-64	47	4.5	12	1	2	4	6	8	10	22
65 +	181	6.2	69	2	3	4	6	12	18	30
B. Operated										
0-19 YRS	69	4.1	18	1	2	2	5	9	13	22
20-34	66	5.0	32	1	1	4	7	10	13	36
35-49	109	6.7	84	1	2	5	8	13	19	64
50-64	216	5.2	51	1	2	4	6	9	13	42
65 +	574	6.5	54	2	3	4	7	13	18	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	2.5	4	1	1	2	3	5	7	10
B. Operated	268	3.0	10	1	1	2	4	6	7	15
2. MULTIPLE DX										
A. Not Operated	382	4.7	39	1	2	3	5	9	12	27
B. Operated	1034	6.0	53	1	2	4	7	12	17	39
1. SINGLE DX	350	2.9	8	1	1	2	3	5	7	15
2. MULTIPLE DX	1416	5.7	50	1	2	4	7	11	16	36
A. Not Operated	464	4.3	33	1	2	3	5	8	12	24
B. Operated	1302	5.4	46	1	2	4	6	11	15	34
TOTAL										
0-19 YRS	250	2.9	8	1	1	2	3	6	8	15
20-34	169	3.7	18	1	1	2	5	9	11	35
35-49	209	4.9	49	1	2	3	6	9	13	39
50-64	322	4.8	40	1	2	3	6	9	11	33
65 +	816	6.2	55	2	3	4	7	12	18	35
GRAND TOTAL	**1766**	**5.1**	**43**	**1**	**2**	**3**	**6**	**10**	**14**	**33**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	7	3.3	2	1	3	3	4	6	6	6
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	16	3.3	1	1	3	3	4	5	5	5
50-64	292	3.8	2	2	3	4	4	5	6	8
65+	586	4.3	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	6	1	2	4	5	6	6	6
50-64	25	2.8	9	<1	1	2	4	6	8	15
65+	100	5.1	21	1	2	4	6	10	14	24
B. Operated										
0-19 YRS	0									
20-34	3	6.3	17	3	3	5	9	11	11	11
35-49	53	4.4	7	2	3	4	5	8	10	14
50-64	1095	4.6	9	2	3	4	5	7	10	15
65+	3598	5.9	17	3	4	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.8	2	<1	1	3	3	5	6	6
B. Operated	894	4.1	3	2	3	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	128	4.6	19	1	1	4	6	10	13	23
B. Operated	4749	5.6	15	3	4	5	6	9	12	20
1. SINGLE DX	905	4.1	3	2	3	4	5	6	8	10
2. MULTIPLE DX	4877	5.5	15	3	4	5	6	9	12	20
A. Not Operated	139	4.5	18	1	1	3	6	9	13	23
B. Operated	5643	5.3	13	3	3	4	6	9	11	18
TOTAL										
0-19 YRS	0									
20-34	4	5.0	19	1	2	4	8	11	11	11
35-49	73	4.1	6	2	3	4	5	6	9	13
50-64	1414	4.4	7	2	3	4	5	7	9	14
65+	4291	5.6	15	3	4	5	6	9	12	20
GRAND TOTAL	5782	5.3	14	3	3	4	6	9	11	19

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	3.6	4	1	2	4	5	6	7	7
35-49	17	3.7	2	2	2	4	5	6	6	6
50-64	17	3.6	3	1	3	3	5	6	7	7
65+	5	2.6	1	1	2	3	3	4	4	4
B. Operated										
0-19 YRS	0									
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	5	5.0	3	3	4	5	6	7	7	7
50-64	3	6.0	12	4	4	4	9	10	10	10
65+	5	6.2	19	1	4	5	8	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.5	3	<1	1	2	4	5	5	5
20-34	27	3.6	3	2	2	3	5	6	7	8
35-49	73	4.3	6	2	3	4	5	8	9	13
50-64	87	4.5	4	2	3	4	6	7	8	10
65+	77	5.0	7	2	3	5	6	8	11	14
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	23	5.3	7	2	3	5	7	9	10	11
35-49	33	4.5	6	2	3	4	6	8	9	10
50-64	42	5.3	9	2	4	5	6	9	11	16
65+	79	6.7	25	2	3	6	8	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	3.5	3	1	2	3	5	6	7	7
B. Operated	16	5.1	10	1	3	5	6	10	12	13
2. MULTIPLE DX										
A. Not Operated	268	4.5	5	2	3	4	6	7	9	13
B. Operated	179	5.8	16	2	3	5	7	10	14	22
1. SINGLE DX	79	3.8	4	1	2	4	5	7	7	12
2. MULTIPLE DX	447	5.0	10	2	3	4	6	8	10	16
A. Not Operated	331	4.3	5	2	3	4	5	7	8	12
B. Operated	195	5.7	15	2	3	5	7	10	14	21
TOTAL										
0-19 YRS	7	2.9	2	<1	2	2	4	5	5	5
20-34	76	4.1	5	1	2	4	5	7	8	11
35-49	128	4.3	5	2	3	4	5	7	9	11
50-64	149	4.7	6	2	3	4	6	8	9	13
65+	166	5.8	17	2	3	5	7	11	14	22
GRAND TOTAL	526	4.8	9	2	3	4	6	8	10	16

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	62	1.2		<1	<1	1	1	2	2	3
20-34	16	1.3		1	1	1	2	2	3	3
35-49	26	1.6		1	1	1	2	3	3	3
50-64	25	1.5	1	1	1	1	2	3	3	3
65+	15	1.9	3	1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	5.8	39	1	1	4	9	16	16	16
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	51	1.7	2	<1	1	1	2	3	4	9
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	12	2.0	2	1	1	2	3	4	5	5
50-64	37	2.1	5	1	1	1	3	4	5	14
65+	34	3.6	15	1	1	2	4	7	13	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	144	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	7	5.6	26	1	2	4	7	14	16	16
B. Operated	140	2.3	6	<1	1	1	3	4	5	14
1. SINGLE DX	147	1.4	1	<1	1	1	2	2	3	5
2. MULTIPLE DX	147	2.4	8	<1	1	1	3	5	7	16
A. Not Operated	10	4.2	22	1	1	3	6	11	16	16
B. Operated	284	1.8	4	<1	1	1	2	3	5	13
TOTAL										
0-19 YRS	121	1.6	3	<1	<1	1	2	3	4	11
20-34	22	1.4		<1	1	1	2	2	3	3
35-49	38	1.7	1	1	1	1	2	3	4	5
50-64	63	1.9	4	1	1	1	2	3	4	13
65+	50	3.1	12	1	1	2	4	6	12	19
GRAND TOTAL	294	1.9	4	<1	1	1	2	3	5	14

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	33	3.5	3	2	2	3	5	6	6	7
20-34	49	3.8	3	1	3	4	5	7	7	8
35-49	39	4.2	4	2	3	4	5	7	9	10
50-64	12	4.3	6	1	2	4	6	8	9	9
65+	12	5.2	6	2	3	5	7	9	9	9
B. Operated										
0-19 YRS	17	2.4	4	1	1	1	3	6	6	6
20-34	15	2.9	3	1	1	3	4	5	6	6
35-49	19	2.8	4	1	1	2	5	6	7	7
50-64	6	3.0	7	1	1	2	4	8	8	8
65+	8	1.8	1	<1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	5.1	6	2	3	5	6	8	10	11
20-34	26	4.0	2	2	3	4	5	6	6	7
35-49	39	4.7	4	2	3	5	6	7	9	10
50-64	45	5.8	8	3	4	5	7	9	11	15
65+	55	5.6	5	3	4	6	7	8	10	11
B. Operated										
0-19 YRS	13	3.5	9	1	2	3	4	7	11	12
20-34	13	4.8	4	2	3	5	7	7	7	7
35-49	23	5.6	36	1	1	4	6	13	21	24
50-64	18	7.1	49	2	4	6	7	11	25	33
65+	35	8.1	134	2	3	6	8	16	24	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	4.0	4	2	2	4	5	7	8	9
B. Operated	65	2.6	3	1	1	2	3	6	6	8
2. MULTIPLE DX										
A. Not Operated	179	5.2	5	2	3	5	7	8	10	12
B. Operated	102	6.4	65	1	3	5	7	11	18	50
1. SINGLE DX	210	3.6	4	1	2	3	5	6	7	9
2. MULTIPLE DX	281	5.6	27	2	3	5	7	9	11	25
A. Not Operated	324	4.7	5	2	3	4	6	7	9	11
B. Operated	167	4.9	45	1	2	3	6	9	13	32
TOTAL										
0-19 YRS	77	3.5	5	1	2	3	5	6	7	12
20-34	103	3.9	3	2	3	4	5	7	7	8
35-49	120	4.4	11	1	2	4	6	7	9	21
50-64	81	5.7	17	2	3	5	7	9	11	27
65+	110	6.1	48	2	3	5	7	9	11	43
GRAND TOTAL	491	4.7	18	1	2	4	6	8	9	18

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	55	1.1		< 1	< 1	< 1	< 1	1	2	2
20-34	8	1.3	1	< 1	< 1	< 1	1	2	3	3
35-49	7	1.3	1	< 1	< 1	< 1	1	3	3	3
50-64	5	1.4	1	< 1	< 1	1	2	3	3	3
65 +	4	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	25	1.1		< 1	1	1	1	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	12	2.3	4	1	1	2	3	5	8	8
50-64	13	1.9	3	< 1	< 1	1	2	4	6	7
65 +	14	2.6	5	< 1	1	2	4	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.0		< 1	< 1	1	1	1	1	1
B. Operated	79	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	3	2.3	5	1	1	1	4	5	5	5
B. Operated	66	1.9	3	< 1	1	1	2	4	6	8
1. SINGLE DX	84	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	69	1.9	3	< 1	1	1	2	4	6	8
A. Not Operated	8	1.5	2	< 1	< 1	1	1	4	5	5
B. Operated	145	1.5	1	< 1	< 1	1	1	3	3	8
TOTAL										
0-19 YRS	86	1.1		< 1	< 1	< 1	1	1	2	2
20-34	11	1.5	1	< 1	< 1	1	2	3	3	3
35-49	19	1.9	3	< 1	1	1	2	4	6	8
50-64	18	1.8	2	< 1	< 1	1	2	3	6	7
65 +	19	2.4	4	< 1	< 1	1	4	6	7	8
GRAND TOTAL	**153**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**	**8**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.3	3	1	1	2	3	4	7	8
20-34	8	3.4	4	1	2	3	5	6	6	6
35-49	5	1.6	1	< 1	1	1	2	3	3	3
50-64	3	3.3	4	< 1	1	4	5	5	5	5
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	251	1.4	1	< 1	1	1	1	2	3	5
20-34	65	1.8	3	< 1	1	1	2	3	6	10
35-49	68	2.5	4	< 1	1	2	3	6	6	10
50-64	84	2.4	3	1	1	2	3	4	5	9
65 +	40	2.8	6	1	1	2	4	5	6	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	3.9	10	1	2	3	5	7	11	14
20-34	14	6.1	25	1	1	5	11	13	14	15
35-49	7	10.0	316	< 1	1	3	6	41	50	50
50-64	13	3.2	4	1	2	3	4	6	7	7
65 +	16	5.8	24	2	3	4	6	11	18	21
B. Operated										
0-19 YRS	94	2.0	3	1	1	1	2	5	6	9
20-34	46	2.6	6	1	1	2	3	6	8	12
35-49	113	4.7	39	1	2	3	5	9	13	35
50-64	188	4.4	69	1	2	3	4	7	12	51
65 +	118	4.7	48	1	2	3	5	10	14	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.5	3	1	1	2	3	5	6	8
B. Operated	508	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	71	5.2	44	1	2	4	6	11	14	44
B. Operated	559	4.0	43	1	1	3	4	7	12	26
1. SINGLE DX	549	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX	630	4.1	43	1	1	3	4	8	12	27
A. Not Operated	112	4.2	31	1	1	3	5	8	12	32
B. Operated	1067	3.0	25	1	1	2	3	5	8	18
TOTAL										
0-19 YRS	390	1.7	3	< 1	1	1	2	3	5	9
20-34	133	2.6	8	1	1	1	3	6	10	13
35-49	193	4.0	37	1	1	3	4	7	11	38
50-64	288	3.8	47	1	2	3	4	6	8	26
65 +	175	4.4	36	1	2	3	4	9	13	25
GRAND TOTAL	**1179**	**3.1**	**26**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	46	1.4	1	< 1	< 1	< 1	1	2	4	6
35-49	169	1.3	1	< 1	< 1	< 1	< 1	2	3	7
50-64	111	1.3	1	< 1	< 1	< 1	1	2	3	5
65 +	63	1.1		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.3		4	4	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	4	3.3	4	1	2	3	5	6	6	6
20-34	38	2.4	2	< 1	< 1	2	4	4	5	6
35-49	132	2.4	3	< 1	1	2	3	5	6	24
50-64	99	2.2	3	< 1	< 1	1	3	5	6	8
65 +	73	2.5	6	< 1	1	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	392	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	6	3.5	2	1	3	4	4	5	5	5
B. Operated	346	2.4	3	< 1	1	2	3	5	6	9
1. SINGLE DX	393	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX	352	2.4	3	< 1	1	2	3	5	6	9
A. Not Operated	7	3.6	2	1	3	4	4	5	5	5
B. Operated	738	1.8	2	< 1	< 1	1	2	4	5	7
TOTAL										
0-19 YRS	7	2.3	4	< 1	< 1	1	3	5	6	6
20-34	86	1.9	2	< 1	< 1	1	3	4	5	6
35-49	304	1.8	2	< 1	< 1	< 1	3	4	5	8
50-64	211	1.7	2	< 1	< 1	1	2	4	5	7
65 +	137	1.9	4	< 1	< 1	1	2	3	5	13
GRAND TOTAL	**745**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.8	4	1	1	2	4	6	6	6
20-34	11	3.5	1	2	3	3	4	5	6	6
35-49	7	4.3	5	2	2	4	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	107	1.7	1	1	1	2	2	3	3	4
20-34	147	2.3	3	1	1	2	3	4	5	10
35-49	104	2.0	1	1	1	2	3	4	4	5
50-64	60	2.3	2	1	1	2	3	4	5	6
65 +	32	2.2	3	< 1	< 1	1	4	5	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	5.0	4	2	3	5	7	8	8	8
20-34	13	2.8	2	1	2	2	4	5	6	6
35-49	10	4.9	5	2	3	5	7	8	9	9
50-64	10	4.2	7	2	2	3	5	9	9	9
65 +	5	5.6	25	1	2	3	10	12	12	12
B. Operated										
0-19 YRS	22	2.4	4	< 1	1	2	3	5	7	9
20-34	96	2.8	4	1	2	2	4	5	7	12
35-49	135	3.5	9	1	2	3	4	7	8	14
50-64	91	3.5	6	1	2	3	4	7	8	13
65 +	52	3.8	25	1	1	2	4	7	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	3.5	3	1	2	3	4	6	7	7
B. Operated	450	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated	49	4.3	7	2	2	4	6	8	9	12
B. Operated	396	3.3	9	1	2	3	4	6	8	16
1. SINGLE DX	478	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	445	3.4	9	1	2	3	4	6	8	14
A. Not Operated	77	4.0	6	2	2	3	5	7	9	11
B. Operated	846	2.7	6	1	1	2	3	5	6	11
TOTAL										
0-19 YRS	150	2.1	2	1	1	2	3	4	6	8
20-34	267	2.6	3	1	1	2	3	4	6	10
35-49	256	3.0	6	1	1	2	4	5	7	10
50-64	161	3.1	5	1	2	2	4	6	8	13
65 +	89	3.4	17	< 1	1	2	4	6	12	24
GRAND TOTAL	**923**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	1.9	1	1	1	2	2	3	4	7
20-34	150	2.3	2	1	1	2	3	4	5	8
35-49	42	1.9	2	1	1	1	2	3	5	8
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	130	3.3	3	1	2	3	4	5	6	9
20-34	271	3.6	3	1	3	3	4	6	7	9
35-49	117	3.9	2	2	3	4	5	6	7	8
50-64	11	4.0	1	2	3	4	5	6	6	6
65 +	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	2.3	2	1	1	2	3	4	5	8
20-34	154	2.8	4	1	2	2	3	6	7	10
35-49	43	3.1	5	1	2	3	4	6	9	10
50-64	5	2.8	2	1	2	3	4	5	5	5
65 +	2	6.0	32	2	2	6	10	10	10	10
B. Operated										
0-19 YRS	145	3.6	4	2	3	3	4	5	6	11
20-34	843	4.2	3	2	3	4	5	6	7	11
35-49	553	5.0	6	3	4	4	6	7	9	14
50-64	68	5.5	18	3	4	5	6	8	9	31
65 +	28	6.4	8	4	5	6	7	10	13	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	289	2.1	2	1	1	2	3	4	5	8
B. Operated	531	3.6	3	1	3	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	294	2.7	4	1	2	2	3	5	7	10
B. Operated	1637	4.5	5	2	3	4	5	7	8	13
1. SINGLE DX	820	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX	1931	4.2	5	2	3	4	5	7	8	12
A. Not Operated	583	2.4	3	1	1	2	3	4	6	9
B. Operated	2168	4.3	5	2	3	4	5	6	8	12
TOTAL										
0-19 YRS	461	2.9	3	1	2	3	4	5	6	9
20-34	1418	3.7	4	1	2	4	5	6	7	10
35-49	755	4.5	6	2	3	4	5	7	8	13
50-64	84	5.1	15	3	4	4	6	8	9	29
65 +	33	6.1	9	3	5	6	7	10	13	17
GRAND TOTAL	**2751**	**3.9**	**5**	**1**	**3**	**4**	**5**	**6**	**8**	**11**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	334	4.3	7	2	3	4	5	7	9	16
20-34	680	3.6	3	2	3	3	4	5	6	10
35-49	100	4.6	6	2	3	4	6	8	9	14
50-64	4	2.5		2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	42	4.6	7	2	3	4	6	8	10	13
20-34	191	3.9	6	1	2	4	5	6	7	11
35-49	86	4.4	8	< 1	3	4	5	8	10	14
50-64	8	5.0	13	1	3	4	6	11	13	13
65 +	2	3.5	13	< 1	< 1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	366	5.0	9	2	3	4	6	9	10	14
20-34	662	4.4	5	2	3	4	5	7	8	12
35-49	160	4.7	7	2	3	4	6	8	10	16
50-64	12	5.3	2	4	4	5	6	7	7	7
65 +	4	12.0	89	5	5	9	19	25	25	25
B. Operated										
0-19 YRS	101	5.9	18	3	4	5	7	9	12	26
20-34	1004	4.7	6	2	3	4	5	7	9	13
35-49	533	5.5	14	3	4	5	6	9	12	20
50-64	58	9.2	42	3	5	7	12	17	24	32
65 +	20	11.9	75	4	6	9	18	25	28	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1118	3.9	5	2	3	4	5	6	7	13
B. Operated	329	4.2	7	1	3	4	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	1204	4.6	7	2	3	4	6	8	10	13
B. Operated	1716	5.2	12	2	4	5	6	9	11	21
1. SINGLE DX	1447	4.0	5	2	3	4	5	6	8	13
2. MULTIPLE DX	2920	5.0	10	2	3	4	6	8	10	17
A. Not Operated	2322	4.3	6	2	3	4	5	7	9	13
B. Operated	2045	5.1	12	2	3	4	6	8	11	18
TOTAL										
0-19 YRS	843	4.8	10	2	3	4	6	8	10	17
20-34	2537	4.3	5	2	3	4	5	7	8	12
35-49	879	5.2	11	2	3	4	6	9	11	17
50-64	82	7.9	36	3	4	6	10	15	21	31
65 +	26	11.3	73	3	5	8	14	25	27	31
GRAND TOTAL	**4367**	**4.7**	**9**	**2**	**3**	**4**	**5**	**7**	**10**	**15**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	2.3	2	1	1	2	3	4	4	4
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.5	5	< 1	< 1	1	4	6	7	7
20-34	167	3.2	3	< 1	1	3	4	5	5	7
35-49	110	3.9	2	< 1	3	4	5	6	6	7
50-64	4	4.5	1	4	4	4	5	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	33	3.2	3	1	2	3	4	5	7	9
35-49	15	3.0	2	1	2	3	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	23	4.3	4	1	3	4	5	7	8	8
20-34	1112	4.3	4	2	4	4	5	6	7	10
35-49	1444	4.7	3	3	4	4	5	6	7	11
50-64	126	5.2	4	3	4	5	6	7	8	13
65 +	15	5.9	7	4	4	6	7	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.6	2	1	1	2	4	5	5	5
B. Operated	289	3.4	3	< 1	2	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	52	3.1	3	1	2	3	4	5	5	9
B. Operated	2720	4.6	3	3	4	4	5	6	7	11
1. SINGLE DX	301	3.4	3	< 1	2	4	4	5	6	7
2. MULTIPLE DX	2772	4.5	3	3	4	4	5	6	7	11
A. Not Operated	64	3.0	2	1	2	3	4	5	5	9
B. Operated	3009	4.5	3	3	4	4	5	6	7	11
TOTAL										
0-19 YRS	35	3.7	4	< 1	2	4	5	7	8	8
20-34	1320	4.1	4	2	3	4	5	6	7	10
35-49	1572	4.6	3	3	4	4	5	6	7	11
50-64	131	5.2	4	3	4	5	6	7	8	13
65 +	15	5.9	7	4	4	6	7	10	11	12
GRAND TOTAL	3073	4.4	3	3	4	4	5	6	7	11

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65 +	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	5	5.6	11	< 1	3	6	8	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	2	14.0	242	3	3	14	25	25	25	25
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	63	4.6	3	2	4	5	5	7	8	10
35-49	77	4.7	4	3	4	4	5	7	9	12
50-64	17	4.4	5	2	3	4	6	7	8	9
65 +	3	3.7	4	2	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	8	3.4	3	1	2	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	13	5.5	41	1	2	4	6	13	23	25
B. Operated	162	4.6	4	2	4	4	5	7	8	11
1. SINGLE DX	10	3.4	2	1	2	3	5	6	6	6
2. MULTIPLE DX	175	4.6	6	2	3	4	5	7	9	12
A. Not Operated	15	5.3	36	1	2	4	6	10	21	25
B. Operated	170	4.5	4	2	3	4	5	7	7	11
TOTAL										
0-19 YRS	8	2.0	3	< 1	1	1	3	5	5	5
20-34	72	4.6	4	2	4	5	5	7	9	10
35-49	80	4.6	4	2	3	4	5	7	9	12
50-64	18	4.4	4	2	3	4	6	7	8	9
65 +	7	6.9	66	2	3	3	6	21	25	25
GRAND TOTAL	185	4.6	6	2	3	4	5	7	9	12

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	3.7	3	2	2	3	5	6	7	7
20-34	33	3.0	2	1	2	3	4	5	6	7
35-49	6	3.5	4	2	2	3	6	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	1.7	1	< 1	< 1	1	2	2	4	5
20-34	41	1.7	1	< 1	1	1	2	3	4	6
35-49	24	1.2		< 1	< 1	1	1	2	3	3
50-64	10	1.8	1	< 1	< 1	1	3	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	41	4.7	9	2	3	4	6	9	11	16
20-34	75	4.3	3	2	3	4	5	7	8	9
35-49	20	5.0	13	2	3	4	6	8	13	18
50-64	2	4.5	13	2	2	4	7	7	7	7
65 +	9	14.8	864	2	4	6	7	59	93	93
B. Operated										
0-19 YRS	13	4.9	20	1	2	3	9	12	13	13
20-34	56	3.9	9	1	2	3	6	8	9	15
35-49	37	4.5	9	1	2	4	6	8	9	15
50-64	17	9.6	108	1	3	7	9	24	36	42
65 +	18	9.7	82	1	3	7	19	20	28	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	3.3	2	2	2	3	4	6	6	7
B. Operated	93	1.6	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	147	5.1	60	2	3	4	6	7	9	20
B. Operated	141	5.6	35	1	2	4	7	11	18	35
1. SINGLE DX	148	2.2	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	288	5.3	48	1	3	4	6	9	12	31
A. Not Operated	202	4.6	45	2	3	4	5	7	9	17
B. Operated	234	4.0	25	< 1	1	2	5	8	12	27
TOTAL										
0-19 YRS	86	4.0	9	1	2	3	5	8	11	15
20-34	205	3.5	5	1	2	3	5	6	8	11
35-49	87	3.6	9	< 1	1	3	5	7	8	17
50-64	29	6.6	77	< 1	1	3	7	15	27	42
65 +	29	10.7	309	1	3	6	9	20	37	93
GRAND TOTAL	436	4.3	34	1	2	3	5	8	10	21

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	75	4.2	3	3	3	4	5	6	7	12
35-49	187	4.4	3	2	3	4	5	6	7	9
50-64	264	4.6	3	3	4	5	6	7	7	9
65 +	236	5.0	3	3	4	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	4.0	45	< 1	< 1	1	5	16	16	16
35-49	5	3.2	6	1	1	3	5	7	7	7
50-64	11	4.2	16	< 1	1	2	7	10	13	13
65 +	21	4.0	44	< 1	1	2	3	9	21	30
B. Operated										
0-19 YRS	3	10.7	120	2	3	7	19	23	23	23
20-34	502	4.4	2	3	3	4	5	6	7	9
35-49	923	4.8	3	3	4	5	6	7	7	11
50-64	749	5.4	4	3	4	5	6	8	9	12
65 +	901	6.1	8	4	4	6	7	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	763	4.7	3	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. Not Operated	42	4.0	30	< 1	1	2	4	9	15	30
B. Operated	3078	5.3	5	3	4	5	6	8	9	13
1. SINGLE DX	765	4.6	3	3	3	5	6	7	8	9
2. MULTIPLE DX	3120	5.2	5	3	4	5	6	8	9	13
A. Not Operated	44	3.8	29	< 1	1	2	4	8	15	30
B. Operated	3841	5.1	5	3	4	5	6	7	9	12
TOTAL										
0-19 YRS	5	6.8	88	1	1	2	11	23	23	23
20-34	582	4.4	3	3	3	4	5	6	7	9
35-49	1115	4.7	3	3	4	4	6	7	7	10
50-64	1025	5.2	4	3	4	5	6	7	9	12
65 +	1158	5.9	8	3	4	5	7	9	10	15
GRAND TOTAL	3885	5.1	5	3	4	5	6	7	9	13

263: Metrorrhagia and dysfunctional uterine hemorrhage (623.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	10	1.9	2	1	1	1	2	4	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.5		< 1	< 1	1	2	2	3	3
20-34	64	2.3	3	< 1	< 1	2	4	5	6	7
35-49	62	1.9	2	< 1	< 1	< 1	3	4	5	5
50-64	8	1.8	2	< 1	< 1	1	2	4	4	4
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	2.1	2	< 1	1	2	3	3	5	6
20-34	27	1.9	1	1	1	1	3	3	4	6
35-49	16	2.8	4	< 1	1	2	4	6	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	15	4.2	38	1	1	3	4	5	21	26
20-34	269	3.5	4	< 1	2	4	5	6	6	11
35-49	422	3.7	4	< 1	2	4	5	6	7	10
50-64	49	3.4	5	< 1	1	3	5	6	7	10
65 +	4	2.8	8	< 1	< 1	1	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.7	1	1	1	1	2	3	5	5
B. Operated	149	2.1	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	62	2.2	2	1	1	2	3	4	6	7
B. Operated	759	3.6	5	< 1	2	4	5	6	7	10
1. SINGLE DX	168	2.0	2	< 1	< 1	1	3	4	5	7
2. MULTIPLE DX	821	3.5	5	< 1	1	4	5	6	7	10
A. Not Operated	81	2.1	2	1	1	2	3	4	6	7
B. Operated	908	3.3	5	< 1	1	4	5	6	7	10
TOTAL										
0-19 YRS	54	2.4	12	< 1	1	2	3	4	5	25
20-34	370	3.1	4	< 1	1	3	4	5	6	10
35-49	502	3.4	4	< 1	1	4	5	6	7	9
50-64	58	3.2	5	< 1	< 1	3	5	6	7	10
65 +	5	2.8	6	< 1	< 1	2	4	7	7	7
GRAND TOTAL	**989**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**6**	**6**	**10**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.8	1	1	1	2	2	3	3	3
20-34	12	2.0	1	< 1	1	2	3	4	4	4
35-49	7	1.7	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	2.1	2	< 1	1	2	3	4	5	5
20-34	106	2.4	3	< 1	< 1	2	4	5	5	8
35-49	164	2.4	3	< 1	< 1	1	4	5	6	7
50-64	18	2.2	3	< 1	< 1	1	3	6	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.8	1	1	1	2	2	3	3	3
20-34	29	3.4	41	< 1	1	2	3	4	7	36
35-49	38	2.8	3	< 1	1	2	4	5	6	9
50-64	3	4.0		4	4	4	4	4	4	4
65 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	16	2.8	3	1	1	2	4	5	6	6
20-34	601	4.0	3	1	3	4	5	6	6	10
35-49	1159	4.2	4	1	3	4	5	6	7	10
50-64	83	4.0	4	< 1	3	4	5	6	7	8
65 +	8	4.1	3	1	3	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	1.9	1	1	1	2	2	3	3	4
B. Operated	297	2.4	3	< 1	< 1	1	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	89	2.8	15	< 1	1	2	3	5	5	25
B. Operated	1867	4.1	4	1	3	4	5	6	7	10
1. SINGLE DX	324	2.3	3	< 1	< 1	1	4	5	6	7
2. MULTIPLE DX	1956	4.1	4	1	3	4	5	6	7	10
A. Not Operated	116	2.6	12	1	1	2	3	4	5	18
B. Operated	2164	3.9	4	< 1	3	4	5	6	7	10
TOTAL										
0-19 YRS	49	2.1	2	1	1	2	3	4	5	6
20-34	748	3.7	5	< 1	2	4	5	6	6	10
35-49	1368	4.0	4	< 1	3	4	5	6	7	10
50-64	104	3.7	4	< 1	1	4	5	6	7	8
65 +	11	3.7	3	1	3	4	5	6	6	6
GRAND TOTAL	**2280**	**3.8**	**4**	**<1**	**2**	**4**	**5**	**6**	**7**	**10**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	2.0	3	<1	<1	<1	3	4	4	4
35-49	20	1.3	1	<1	<1	<1	1	2	3	4
50-64	46	1.6	3	<1	<1	<1	1	3	5	12
65 +	23	1.7	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	2.6	5	1	1	1	4	6	7	7
65 +	4	1.8	1	<1	<1	1	2	3	3	3
B. Operated										
0-19 YRS	0									
20-34	11	3.2	4	<1	<1	4	5	6	7	7
35-49	49	3.2	4	<1	<1	4	5	6	6	10
50-64	161	3.7	9	<1	1	3	5	7	9	15
65 +	109	4.0	9	<1	1	4	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	4	1	1	2	4	5	5	5
B. Operated	92	1.6	2	<1	<1	<1	1	3	5	9
2. MULTIPLE DX										
A. Not Operated	13	2.4	4	<1	1	1	3	5	7	7
B. Operated	330	3.7	8	<1	1	4	5	7	8	13
1. SINGLE DX	95	1.6	2	<1	<1	<1	1	4	5	9
2. MULTIPLE DX	343	3.6	8	<1	1	3	5	7	8	13
A. Not Operated	16	2.4	4	<1	1	2	4	5	6	7
B. Operated	422	3.2	8	<1	<1	2	5	6	8	13
TOTAL										
0-19 YRS	0									
20-34	16	2.8	4	<1	<1	2	4	5	6	7
35-49	71	2.7	4	<1	<1	2	4	5	6	9
50-64	215	3.2	9	<1	1	2	5	6	8	14
65 +	136	3.5	8	<1	1	2	5	7	9	13
GRAND TOTAL	**438**	**3.2**	**8**	**<1**	**<1**	**2**	**5**	**6**	**8**	**12**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.8	1	<1	1	1	2	3	4	4
20-34	18	2.4	9	1	1	2	2	4	10	14
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	40	2.7	3	<1	1	3	4	5	6	9
20-34	281	2.7	3	<1	1	3	4	5	6	8
35-49	149	3.1	4	<1	1	3	4	6	7	8
50-64	68	2.8	6	<1	<1	2	4	5	6	15
65 +	29	4.7	44	<1	<1	3	5	6	22	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.3	1	1	2	2	3	3	3	3
20-34	25	3.0	10	<1	1	2	3	5	10	15
35-49	21	3.7	5	<1	2	3	5	7	8	8
50-64	7	5.3	12	2	4	4	6	11	12	12
65 +	15	5.7	25	2	2	4	8	12	17	19
B. Operated										
0-19 YRS	51	4.3	32	1	2	3	5	7	9	41
20-34	574	4.0	7	1	3	4	5	6	7	10
35-49	721	4.6	8	2	3	4	5	7	8	15
50-64	357	5.1	18	1	4	4	6	8	10	30
65 +	189	7.2	61	1	2	5	9	16	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.4	6	<1	1	2	3	4	7	14
B. Operated	567	2.9	6	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	74	3.9	12	1	2	3	5	8	12	18
B. Operated	1892	4.8	16	1	3	4	5	7	10	22
1. SINGLE DX	600	2.9	6	<1	1	3	4	5	6	10
2. MULTIPLE DX	1966	4.7	16	1	3	4	5	7	10	21
A. Not Operated	107	3.4	11	1	1	2	4	7	11	17
B. Operated	2459	4.3	14	1	3	4	5	7	9	19
TOTAL										
0-19 YRS	109	3.3	17	<1	1	3	4	5	9	22
20-34	898	3.5	6	<1	2	3	5	6	7	10
35-49	893	4.3	7	1	3	4	5	7	8	15
50-64	432	4.7	17	<1	3	4	6	7	10	24
65 +	234	6.8	57	1	2	5	7	15	21	46
GRAND TOTAL	**2566**	**4.3**	**14**	**1**	**2**	**4**	**5**	**7**	**9**	**19**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	1.8	1	1	1	2	2	3	4	5
20-34	63	2.4	3	1	1	2	3	5	6	7
35-49	7	2.0	1	< 1	1	2	3	4	4	4
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	31	2.5	7	< 1	< 1	1	3	5	9	12
20-34	177	2.9	4	< 1	< 1	3	4	5	6	8
35-49	172	4.3	4	1	3	4	5	6	7	10
50-64	129	4.8	5	2	3	5	6	7	9	12
65 +	42	5.8	10	2	4	6	7	10	11	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.3	3	1	1	2	3	5	6	8
20-34	93	2.5	3	1	1	2	3	5	6	9
35-49	27	2.6	2	1	1	2	3	5	6	6
50-64	5	3.6	10	< 1	1	2	5	9	9	9
65 +	8	6.6	7	3	4	6	9	10	10	10
B. Operated										
0-19 YRS	28	3.0	4	1	1	3	4	6	7	8
20-34	887	4.2	3	2	3	4	5	6	7	10
35-49	783	4.7	3	3	4	4	6	7	8	11
50-64	244	5.5	5	3	4	5	7	8	9	12
65 +	165	6.4	6	4	5	6	8	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	2.1	2	1	1	2	3	4	5	7
B. Operated	551	4.0	6	< 1	2	4	5	7	8	11
2. MULTIPLE DX										
A. Not Operated	171	2.7	4	1	1	2	3	5	6	9
B. Operated	2107	4.7	4	3	4	4	6	7	8	11
1. SINGLE DX	656	3.7	5	< 1	2	4	5	6	8	11
2. MULTIPLE DX	2278	4.5	4	2	3	4	5	7	8	11
A. Not Operated	276	2.5	3	1	1	2	3	5	6	9
B. Operated	2658	4.5	4	2	3	4	5	7	8	11
TOTAL										
0-19 YRS	131	2.4	4	< 1	1	2	3	5	6	10
20-34	1220	3.8	4	1	3	4	5	6	7	9
35-49	989	4.5	3	3	4	4	5	7	8	11
50-64	378	5.3	5	3	4	5	6	8	9	12
65 +	216	6.2	7	3	5	6	8	10	12	15
GRAND TOTAL	**2934**	**4.3**	**5**	**1**	**3**	**4**	**5**	**7**	**8**	**11**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	2	< 1	< 1	1	3	4	4	4
20-34	12	1.7	1	< 1	1	1	2	3	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	48	3.8	2	2	3	4	5	5	6	9
20-34	655	3.6	3	2	3	4	4	5	5	7
35-49	81	3.5	1	2	3	3	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	12	2.8	2	1	2	3	4	5	6	6
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	70	4.2	3	2	3	4	5	6	8	11
20-34	746	4.0	3	3	3	4	5	6	7	10
35-49	131	4.2	3	3	3	4	5	6	7	10
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.8	1	< 1	1	1	2	4	4	4
B. Operated	784	3.6	2	2	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	15	2.7	2	1	1	3	3	4	6	6
B. Operated	948	4.1	3	3	3	4	5	6	7	10
1. SINGLE DX	801	3.6	3	2	3	4	4	5	5	7
2. MULTIPLE DX	963	4.0	3	2	3	4	5	6	7	10
A. Not Operated	32	2.2	2	< 1	1	2	3	4	4	6
B. Operated	1732	3.9	3	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	125	3.9	3	2	3	4	5	6	7	10
20-34	1425	3.8	3	2	3	4	4	5	6	9
35-49	213	3.9	2	2	3	4	5	5	7	9
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**1764**	**3.8**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	2.1	5	1	1	2	2	5	8	8
35-49	8	1.5	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	36	1.3		< 1	1	1	1	2	3	3
20-34	95	1.7	2	< 1	1	1	2	3	4	9
35-49	12	1.3		< 1	< 1	< 1	1	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	2.8	3	1	1	2	4	5	5	5
20-34	18	2.2	3	1	1	2	2	5	7	7
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	2.6	5	< 1	1	2	3	5	7	10
20-34	91	2.7	6	< 1	1	2	3	5	8	15
35-49	20	3.5	9	< 1	1	2	5	8	10	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.8	2	1	1	1	2	3	5	8
B. Operated	143	1.6	2	< 1	< 1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	29	2.3	3	1	1	2	3	5	6	7
B. Operated	132	2.8	7	< 1	1	2	3	5	8	14
1. SINGLE DX	163	1.6	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	161	2.7	6	< 1	1	2	3	5	8	14
A. Not Operated	49	2.1	3	1	1	2	2	4	6	8
B. Operated	275	2.1	4	< 1	1	1	2	4	6	12
TOTAL										
0-19 YRS	67	1.9	2	< 1	1	1	2	4	5	9
20-34	214	2.2	4	< 1	1	2	2	4	7	11
35-49	43	2.3	5	< 1	1	2	2	5	8	12
50-64	0									
65 +	0									
GRAND TOTAL	324	2.1	4	< 1	1	1	2	4	6	11

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	0									

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	1.4	1	<1	1	1	1	3	4	6
20-34	149	1.5	1	<1	1	1	2	2	3	6
35-49	18	1.4	1	<1	1	1	1	2	4	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	372	1.3	1	<1	1	1	1	2	3	6
20-34	1297	1.3	1	<1	1	1	1	2	3	5
35-49	173	1.2		<1	<1	1	1	2	2	4
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.0	2	1	1	1	3	4	5	6
20-34	66	1.9	3	1	1	2	2	3	3	12
35-49	8	1.9	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	76	1.9	2	1	1	1	2	4	4	10
20-34	383	2.4	6	<1	1	2	3	5	7	14
35-49	55	2.2	3	1	1	1	3	5	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	1.5	1	<1	1	1	2	2	3	6
B. Operated	1843	1.3	1	<1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	96	1.9	2	1	1	2	2	3	4	10
B. Operated	514	2.3	5	1	1	1	3	5	6	12
1. SINGLE DX	2067	1.3	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	610	2.3	5	1	1	1	3	4	6	12
A. Not Operated	320	1.6	2	<1	1	1	2	3	3	6
B. Operated	2357	1.5	2	<1	1	1	2	3	4	7
TOTAL										
0-19 YRS	526	1.4	1	<1	1	1	1	2	3	6
20-34	1895	1.6	2	<1	1	1	2	3	4	8
35-49	254	1.4	1	<1	1	1	1	3	4	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65 +	0									
GRAND TOTAL	**2677**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	2.1	2	1	1	2	3	4	5	7
20-34	67	1.9	1	1	1	2	2	4	5	5
35-49	7	2.0	2	1	1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	63	1.7	1	<1	1	1	2	3	4	6
20-34	285	1.4	1	<1	<1	1	2	2	3	5
35-49	36	1.6	1	<1	1	1	2	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.9	1	1	1	2	2	3	4	4
20-34	38	2.5	2	1	1	2	3	4	5	8
35-49	5	3.0	4	1	2	3	4	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	2.7	5	1	2	2	3	5	7	11
20-34	126	2.5	7	1	1	2	3	4	8	17
35-49	24	2.2	3	1	1	2	3	5	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	2.0	2	1	1	2	2	4	5	6
B. Operated	384	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	57	2.4	2	1	1	2	3	4	5	8
B. Operated	175	2.5	6	1	1	2	3	5	7	15
1. SINGLE DX	479	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	232	2.5	5	1	1	2	3	4	6	12
A. Not Operated	152	2.1	2	1	1	2	3	4	5	7
B. Operated	559	1.8	3	<1	1	1	2	3	4	9
TOTAL										
0-19 YRS	123	2.0	2	<1	1	2	2	3	5	8
20-34	516	1.8	3	<1	1	1	2	4	4	9
35-49	72	1.9	2	<1	1	1	2	4	5	6
50-64	0									
65 +	0									
GRAND TOTAL	**711**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**4**	**9**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	1.8	1	1	1	2	2	3	3	6
20-34	203	1.8	1	1	1	1	2	3	4	6
35-49	15	1.5	1	<1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	12	2.1	2	<1	1	2	3	5	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.1	1	<1	1	2	3	4	4	4
20-34	78	2.5	3	1	2	2	3	4	5	11
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	10	2.1	3	<1	1	2	2	5	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	268	1.8	1	1	1	2	2	3	4	6
B. Operated	19	1.7	2	1	1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	97	2.5	3	1	2	2	3	4	5	11
B. Operated	13	2.5	4	<1	1	2	4	6	7	7
1. SINGLE DX	287	1.8	1	1	1	1	2	3	4	6
2. MULTIPLE DX	110	2.5	3	1	1	2	3	4	5	10
A. Not Operated	365	2.0	2	1	1	2	2	3	4	7
B. Operated	32	2.1	3	1	1	1	2	5	6	7
TOTAL										
0-19 YRS	73	1.9	1	1	1	2	2	3	4	7
20-34	303	2.0	2	1	1	2	3	4	5	7
35-49	21	1.9	2	<1	1	1	2	4	5	6
50-64	0									
65 +	0									
GRAND TOTAL	**397**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	**7**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	2.2	3	1	1	2	2	4	6	7
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	11	3.3	14	<1	1	2	4	10	12	12
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.4	3	1	1	2	3	5	7	7
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	13	3.2	12	<1	1	2	4	10	12	12
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	15	2.6	3	1	1	2	3	5	7	7
2. MULTIPLE DX	14	3.0	12	1	1	2	4	9	11	12
A. Not Operated	27	2.8	7	1	1	2	3	7	9	12
B. Operated	2	3.0	8	1	1	3	5	5	5	5
TOTAL										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	26	2.7	7	1	1	2	3	7	10	12
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**29**	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**9**	**12**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	3.0	3	1	2	3	4	5	6	8
20-34	505	3.1	4	1	2	3	4	5	7	11
35-49	52	3.5	7	1	2	3	4	6	10	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	10	3.1	8	1	1	2	4	8	9	9
20-34	26	3.4	6	1	2	3	5	7	8	10
35-49	5	4.0	11	1	1	4	6	9	9	9
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	3.8	31	1	2	2	4	6	8	39
20-34	184	3.2	5	1	2	3	4	6	8	12
35-49	34	3.9	8	1	2	3	5	8	9	14
50-64	0									
65+	0									
B. Operated										
0-19 YRS	8	5.0	17	1	2	3	8	11	12	12
20-34	26	4.3	18	1	2	4	5	7	10	23
35-49	4	2.8	5	1	1	2	4	6	6	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	672	3.1	4	1	2	3	4	5	7	11
B. Operated	41	3.4	7	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated	265	3.4	10	1	2	3	4	6	8	14
B. Operated	38	4.3	16	1	2	3	6	7	11	23
1. SINGLE DX	713	3.1	4	1	2	3	4	6	7	11
2. MULTIPLE DX	303	3.5	11	1	2	3	4	6	8	14
A. Not Operated	937	3.2	6	1	2	3	4	6	8	11
B. Operated	79	3.8	11	1	2	3	5	7	10	20
TOTAL										
0-19 YRS	180	3.3	11	1	2	3	4	6	7	11
20-34	741	3.1	5	1	2	3	4	6	8	11
35-49	95	3.7	7	1	2	3	4	7	10	14
50-64	0									
65+	0									
GRAND TOTAL	**1016**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	172	2.8	2	1	2	3	4	5	5	8
20-34	757	3.1	3	1	2	3	4	5	6	11
35-49	26	4.3	6	2	3	4	4	7	10	13
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.5	14	1	1	2	6	9	9	9
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	101	3.2	7	1	2	3	4	6	8	16
20-34	420	3.4	5	1	2	3	4	6	7	11
35-49	17	2.8	3	1	2	2	4	6	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	20	6.2	24	1	2	5	10	13	15	17
35-49	4	9.8	25	6	6	8	13	17	17	17
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	955	3.1	3	1	2	3	4	5	6	11
B. Operated	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	538	3.3	5	1	2	3	4	6	7	10
B. Operated	27	6.2	25	1	2	5	9	14	17	17
1. SINGLE DX	959	3.1	3	1	2	3	4	5	6	11
2. MULTIPLE DX	565	3.5	6	1	2	3	4	6	8	14
A. Not Operated	1493	3.2	4	1	2	3	4	5	6	11
B. Operated	31	5.8	24	1	2	4	9	13	17	17
TOTAL										
0-19 YRS	276	3.0	4	1	2	3	4	5	6	8
20-34	1201	3.3	4	1	2	3	4	6	7	12
35-49	47	4.2	9	2	2	4	5	7	10	17
50-64	0									
65+	0									
GRAND TOTAL	**1524**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	222	1.2	1	<1	<1	1	1	2	2	4
20-34	688	1.3	1	<1	<1	1	1	2	2	4
35-49	32	1.2	1	<1	<1	1	1	2	2	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	19	1.4	1	<1	1	1	1	2	4	5
20-34	57	1.1		<1	<1	<1	1	1	1	6
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.0	3	<1	1	1	2	4	6	9
20-34	121	2.1	3	<1	1	1	2	5	6	9
35-49	9	2.1	2	<1	1	1	3	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	20	3.1	22	<1	1	2	3	5	14	22
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	942	1.2	1	<1	<1	1	1	2	2	4
B. Operated	80	1.2	1	<1	<1	1	1	1	2	6
2. MULTIPLE DX										
A. Not Operated	164	2.1	3	<1	1	1	3	4	6	9
B. Operated	26	2.8	18	<1	1	2	3	6	9	22
1. SINGLE DX	1022	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	190	2.2	5	<1	1	1	3	5	6	10
A. Not Operated	1106	1.4	2	<1	<1	1	1	2	3	7
B. Operated	106	1.6	5	<1	<1	1	1	2	5	13
TOTAL										
0-19 YRS	279	1.3	1	<1	<1	1	1	2	3	6
20-34	886	1.4	2	<1	<1	1	1	2	3	7
35-49	47	1.4	1	<1	<1	1	1	3	5	6
50-64	0									
65+	0									
GRAND TOTAL	**1212**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.5	1	<1	1	1	2	3	3	3
20-34	124	2.8	7	1	1	2	3	5	7	17
35-49	16	3.0	3	1	1	3	4	5	6	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	8	2.1	2	1	1	2	3	4	5	5
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.0	16	2	2	2	6	10	10	10
20-34	42	5.3	47	1	2	3	5	11	23	35
35-49	12	5.5	19	2	3	4	7	13	15	15
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.8	5	2	2	3	5	7	7	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	2.8	6	1	1	2	3	5	7	16
B. Operated	13	2.5	3	<1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated	58	5.2	38	1	2	3	5	11	18	34
B. Operated	6	3.7	4	2	2	3	5	7	7	7
1. SINGLE DX	161	2.7	6	1	1	2	3	5	7	15
2. MULTIPLE DX	64	5.1	35	1	2	3	5	10	16	34
A. Not Operated	206	3.5	16	1	1	2	4	6	10	23
B. Operated	19	2.8	3	1	1	2	4	6	7	7
TOTAL										
0-19 YRS	14	2.6	6	1	1	2	2	6	9	10
20-34	178	3.4	17	1	1	2	3	6	9	25
35-49	33	3.9	10	1	2	3	5	7	12	15
50-64	0									
65+	0									
GRAND TOTAL	**225**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**10**	**22**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	2.1	2	<1	1	2	3	4	5	6
20-34	137	2.2	11	<1	1	1	2	4	6	16
35-49	14	1.6	1	1	1	2	2	3	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	15	2.1	1	1	1	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.0	6	<1	1	2	5	7	8	8
20-34	94	2.6	5	<1	1	2	3	5	6	13
35-49	7	2.6	5	1	1	2	3	6	7	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	10	3.0	5	<1	1	2	3	7	8	8
35-49	0									
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	2.2	9	<1	1	1	2	4	5	14
B. Operated	19	2.0	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	112	2.6	5	<1	1	2	3	5	7	13
B. Operated	13	2.8	4	1	1	2	3	6	8	8
1. SINGLE DX	195	2.2	8	<1	1	1	2	4	5	14
2. MULTIPLE DX	125	2.7	5	<1	1	2	3	6	7	12
A. Not Operated	288	2.4	7	<1	1	2	3	5	6	13
B. Operated	32	2.3	2	1	1	2	3	4	6	8
TOTAL										
0-19 YRS	42	2.3	3	<1	1	2	3	5	6	8
20-34	256	2.4	8	<1	1	2	3	5	6	14
35-49	22	2.0	2	1	1	2	2	3	5	7
50-64	0									
65+	0									
GRAND TOTAL	**320**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	118	2.9	3	1	2	3	4	5	6	8
20-34	206	2.9	2	1	2	3	4	5	5	6
35-49	7	2.7	4	1	1	2	4	6	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	10	2.1	1	1	1	2	3	4	4	4
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	290	3.5	3	1	2	3	4	6	7	10
20-34	623	3.3	3	1	2	3	4	5	6	9
35-49	13	3.3	3	2	2	3	4	6	8	8
50-64	0									
65+	0									
B. Operated										
0-19 YRS	21	4.5	21	1	2	3	5	8	15	22
20-34	40	4.2	10	1	2	3	6	9	10	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	331	2.9	2	1	2	3	4	5	5	6
B. Operated	13	2.4	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	926	3.3	3	1	2	3	4	5	6	9
B. Operated	62	4.4	13	1	2	3	6	9	10	21
1. SINGLE DX	344	2.8	2	1	2	3	4	5	5	6
2. MULTIPLE DX	988	3.4	4	1	2	3	4	6	7	10
A. Not Operated	1257	3.2	3	1	2	3	4	5	6	9
B. Operated	75	4.0	12	1	2	3	5	8	10	20
TOTAL										
0-19 YRS	439	3.3	4	1	2	3	4	6	6	10
20-34	872	3.2	3	1	2	3	4	5	6	10
35-49	21	3.3	4	1	2	3	4	7	8	8
50-64	0									
65+	0									
GRAND TOTAL	**1332**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.3	6	1	2	3	4	6	9	12
20-34	281	3.2	7	1	2	2	4	6	8	11
35-49	47	4.6	12	2	2	3	6	9	11	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.3	2	1	1	2	4	4	4	4
35-49	2	8.0		8	8	8	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	193	3.5	18	1	2	2	4	6	8	27
20-34	833	3.9	15	1	2	3	5	8	11	18
35-49	102	4.8	25	1	2	3	6	9	14	30
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	22	3.1	6	1	2	3	4	5	8	12
20-34	97	4.5	19	1	2	3	5	8	9	26
35-49	7	6.6	14	3	3	5	10	12	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	358	3.4	8	1	2	3	4	6	9	13
B. Operated	9	3.4	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	1128	3.9	16	1	2	3	5	8	10	19
B. Operated	126	4.3	17	1	2	3	5	8	11	24
1. SINGLE DX	367	3.4	8	1	2	3	4	6	9	13
2. MULTIPLE DX	1254	4.0	16	1	2	3	5	8	10	21
A. Not Operated	1486	3.8	14	1	2	3	5	7	10	18
B. Operated	135	4.3	16	1	2	3	5	8	10	24
TOTAL										
0-19 YRS	246	3.4	16	1	2	2	4	6	8	17
20-34	1217	3.8	13	1	2	3	5	7	10	18
35-49	158	4.9	20	2	2	3	6	9	14	25
50-64	0									
65 +	0									
GRAND TOTAL	**1621**	**3.8**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	455	2.4	10	1	1	2	3	4	6	12
20-34	1468	2.5	7	1	1	2	3	4	6	13
35-49	88	2.8	7	< 1	1	2	4	5	7	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	99	2.6	7	< 1	1	2	3	5	6	17
20-34	444	2.4	10	< 1	1	1	3	5	6	14
35-49	35	2.2	3	1	1	2	3	4	6	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	369	3.6	24	1	1	2	4	6	8	28
20-34	1138	3.7	21	1	1	2	4	7	12	24
35-49	81	4.6	30	1	2	3	5	8	15	30
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	57	3.1	8	1	1	2	4	6	9	16
20-34	255	3.4	8	1	1	2	5	7	9	14
35-49	34	3.6	14	1	1	3	5	6	11	20
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2011	2.5	7	1	1	2	3	5	6	13
B. Operated	578	2.4	9	< 1	1	2	3	5	6	13
2. MULTIPLE DX										
A. Not Operated	1588	3.7	22	1	1	2	4	7	11	26
B. Operated	346	3.4	8	1	1	2	4	7	9	14
1. SINGLE DX	2589	2.5	8	< 1	1	2	3	5	6	13
2. MULTIPLE DX	1934	3.7	20	1	1	2	4	7	11	24
A. Not Operated	3599	3.0	14	1	1	2	3	5	8	21
B. Operated	924	2.8	9	1	1	2	3	5	8	14
TOTAL										
0-19 YRS	980	2.9	15	1	1	2	3	5	7	20
20-34	3305	3.0	12	1	1	2	3	5	8	19
35-49	238	3.4	16	1	1	2	4	7	10	23
50-64	0									
65 +	0									
GRAND TOTAL	**4523**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.4		2	2	2	3	3	3	4
20-34	206	2.3	1	1	2	2	3	3	4	6
35-49	21	2.2		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	3.3	1	2	2	3	4	5	6	6
20-34	162	3.0	2	2	2	3	4	5	5	7
35-49	18	2.7	1	2	2	3	3	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	122	2.4	1	2	2	2	3	3	4	6
20-34	455	2.5	2	2	2	2	3	3	4	8
35-49	35	2.9	7	1	2	2	3	5	8	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	227	2.8	2	2	2	2	3	5	5	9
20-34	1129	3.4	10	2	2	3	4	5	6	13
35-49	127	3.6	5	2	2	3	4	5	7	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	2.4	1	1	2	2	3	3	4	5
B. Operated	211	3.0	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	612	2.5	2	2	2	2	3	3	4	8
B. Operated	1483	3.4	8	2	2	3	4	5	6	13
1. SINGLE DX	496	2.6	1	2	2	2	3	4	5	6
2. MULTIPLE DX	2095	3.1	6	2	2	3	4	5	6	12
A. Not Operated	897	2.4	1	2	2	2	3	3	4	7
B. Operated	1694	3.3	7	2	2	3	4	5	6	12
TOTAL										
0-19 YRS	438	2.7	2	2	2	2	3	4	5	8
20-34	1952	3.1	6	2	2	3	4	5	6	11
35-49	201	3.3	5	2	2	3	4	5	6	15
50-64	0									
65 +	0									
GRAND TOTAL	**2591**	**3.0**	**5**	**2**	**2**	**3**	**3**	**5**	**6**	**10**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2699	2.1	1	1	2	2	2	3	3	4
20-34	9824	2.1	1	1	2	2	3	3	3	4
35-49	530	2.2	1	1	2	2	3	3	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	836	2.1	1	1	2	2	3	3	3	4
20-34	3012	2.1	1	1	2	2	3	3	3	4
35-49	136	2.2	1	1	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	120	2.3	1	1	2	2	3	3	4	5
20-34	442	2.3	1	1	2	2	3	3	4	6
35-49	29	2.3	1	1	2	2	3	4	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	120	2.2		1	2	2	3	3	3	4
20-34	2561	2.5	1	2	2	2	3	3	4	5
35-49	254	2.7	1	2	2	3	3	4	4	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13055	2.1	1	1	2	2	3	3	3	4
B. Operated	3984	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	591	2.3	1	1	2	2	3	3	4	6
B. Operated	2935	2.5	1	2	2	2	3	3	4	5
1. SINGLE DX	17039	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX	3526	2.5	1	2	2	2	3	3	4	5
A. Not Operated	13646	2.1	1	1	2	2	3	3	3	4
B. Operated	6919	2.3	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	3775	2.1	1	1	2	2	3	3	3	4
20-34	15839	2.2	1	1	2	2	3	3	3	4
35-49	949	2.3	1	1	2	2	3	3	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	**20565**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	3	1.7		1	1	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	47	5.9	48	4	4	4	4	5	23	38
35-49	5	9.6	143	4	4	4	11	31	31	31
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	10	3.7	3	2	2	3	4	6	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	6.3	14	3	5	5	7	13	14	14
20-34	130	9.6	137	3	4	5	8	24	34	56
35-49	25	10.6	144	4	4	6	10	27	43	48
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.5	3	1	2	2	2	6	6	6
B. Operated	54	6.1	54	4	4	4	4	6	29	38
2. MULTIPLE DX										
A. Not Operated	15	3.5	6	1	2	3	4	8	9	9
B. Operated	162	9.6	132	3	4	5	9	24	37	55
1. SINGLE DX	60	5.8	50	2	4	4	4	6	26	37
2. MULTIPLE DX	177	9.1	124	3	4	5	8	23	34	55
A. Not Operated	21	3.2	5	1	2	2	4	7	8	9
B. Operated	216	8.8	114	3	4	5	7	23	33	55
TOTAL										
0-19 YRS	16	4.8	11	2	2	4	6	9	12	14
20-34	190	8.2	110	3	4	4	6	21	32	55
35-49	31	10.2	137	3	4	5	9	29	41	48
50-64	0									
65 +	0									
GRAND TOTAL	**237**	**8.3**	**107**	**3**	**4**	**4**	**6**	**22**	**32**	**54**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.7	1	2	2	2	3	5	5	5
20-34	28	2.6	7	1	2	2	3	3	5	16
35-49	2	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	3.6	2	1	3	4	4	5	6	7
20-34	70	4.9	116	2	3	4	4	5	6	76
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	3.9	19	1	2	2	4	11	15	15
20-34	46	3.4	8	1	2	2	4	7	11	12
35-49	6	4.3	5	2	2	4	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	57	3.9	5	2	3	4	5	6	8	15
20-34	229	4.1	6	2	3	4	5	6	7	14
35-49	24	6.3	123	2	3	4	5	6	22	58
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	2.6	6	1	2	2	3	3	5	16
B. Operated	88	4.7	93	2	3	4	4	5	6	61
2. MULTIPLE DX										
A. Not Operated	61	3.5	9	1	2	2	4	7	11	15
B. Operated	310	4.2	15	2	3	4	5	6	7	16
1. SINGLE DX	124	4.1	68	2	2	3	4	5	6	36
2. MULTIPLE DX	371	4.1	14	2	2	4	5	6	8	15
A. Not Operated	97	3.2	8	1	2	2	3	6	11	16
B. Operated	398	4.3	32	2	3	4	5	6	7	16
TOTAL										
0-19 YRS	88	3.8	6	2	2	4	5	6	7	15
20-34	373	4.0	27	2	2	3	5	6	7	15
35-49	34	5.6	88	2	3	4	5	6	7	58
50-64	0									
65 +	0									
GRAND TOTAL	**495**	**4.1**	**27**	**2**	**2**	**4**	**5**	**6**	**7**	**16**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	7	2.0		1	2	2	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	20	2.2	1	1	1	2	3	3	4	4
20-34	89	2.2	1	1	2	2	3	3	4	5
35-49	6	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.8	13	< 1	1	2	6	9	9	9
20-34	5	2.4	1	1	2	2	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	2.2	3	1	1	2	2	4	7	7
20-34	89	2.4	2	1	2	2	3	3	4	11
35-49	11	2.6		2	2	3	3	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.8		1	1	2	2	3	3	3
B. Operated	115	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	10	3.0	5	< 1	2	2	3	6	9	9
B. Operated	112	2.4	2	1	2	2	3	3	4	10
1. SINGLE DX	128	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX	122	2.4	2	1	2	2	3	3	5	10
A. Not Operated	23	2.3	3	1	2	2	3	3	6	9
B. Operated	227	2.3	1	1	2	2	3	3	4	8
TOTAL										
0-19 YRS	42	2.3	2	1	1	2	3	3	5	9
20-34	190	2.3	2	1	2	2	3	3	4	8
35-49	18	2.7		2	2	3	3	3	4	4
50-64	0									
65 +	0									
GRAND TOTAL	**250**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**9**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.1		1	2	2	3	3	3	3
20-34	40	2.2	1	1	2	2	3	3	4	5
35-49	4	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	2.2	1	1	2	2	3	3	3	3
20-34	15	2.8	1	2	2	3	3	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	4.4	27	2	2	3	4	13	18	18
20-34	29	2.3	1	1	2	2	3	3	4	5
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	15	3.0	6	1	1	2	3	7	8	8
20-34	64	2.9	1	2	2	3	3	4	5	8
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.2	1	1	2	2	3	3	3	5
B. Operated	21	2.7	1	1	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	40	2.9	7	1	2	2	3	4	5	18
B. Operated	82	2.9	2	1	2	3	3	4	6	8
1. SINGLE DX	77	2.3	1	1	2	2	3	3	4	5
2. MULTIPLE DX	122	2.9	4	1	2	3	3	4	5	11
A. Not Operated	96	2.5	3	1	2	2	3	3	4	12
B. Operated	103	2.8	2	1	2	3	3	4	5	8
TOTAL										
0-19 YRS	41	3.0	8	1	2	2	3	6	8	18
20-34	148	2.6	1	1	2	3	3	4	4	5
35-49	10	2.3	1	< 1	2	2	3	4	5	5
50-64	0									
65 +	0									
GRAND TOTAL	**199**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**8**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	18	2.3	1	1	2	2	3	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	5.7	30	2	2	3	10	12	12	12
20-34	29	3.5	2	2	3	3	4	5	6	8
35-49	4	4.3	1	3	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	32	4.7	58	2	2	3	4	8	16	43
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	5.7	22	2	3	4	6	12	18	22
20-34	258	5.6	21	2	3	4	5	10	16	27
35-49	21	4.8	8	2	4	4	5	7	11	16
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.5	1	1	2	2	3	4	5	5
B. Operated	36	3.8	4	2	3	3	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	35	4.5	54	2	2	3	3	6	15	43
B. Operated	303	5.5	20	2	3	4	5	10	16	26
1. SINGLE DX	56	3.3	3	2	2	3	4	5	6	12
2. MULTIPLE DX	338	5.4	23	2	3	4	5	10	16	27
A. Not Operated	55	3.7	35	2	2	2	3	4	11	42
B. Operated	339	5.3	18	2	3	4	5	9	15	26
TOTAL										
0-19 YRS	32	5.2	20	2	3	4	5	12	16	22
20-34	337	5.1	22	2	3	4	5	9	14	27
35-49	25	4.7	7	3	4	4	5	6	9	16
50-64	0									
65 +	0									
GRAND TOTAL	**394**	**5.1**	**21**	**2**	**3**	**4**	**5**	**8**	**14**	**26**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	23	2.2	1	1	2	2	3	3	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	96	3.8	1	3	3	4	4	5	5	8
20-34	618	3.8	1	3	3	4	4	5	5	6
35-49	37	3.9	2	3	3	4	4	5	6	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.1	1	1	2	2	2	3	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	141	4.9	5	3	4	4	5	7	9	14
20-34	855	4.3	5	3	3	4	5	5	7	11
35-49	101	4.8	21	3	4	4	5	6	7	30
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.3	1	1	2	2	3	3	4	4
B. Operated	751	3.8	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	13	2.5	2	1	2	2	3	5	7	7
B. Operated	1097	4.4	7	3	4	4	5	6	7	12
1. SINGLE DX	779	3.7	1	3	3	4	4	5	5	7
2. MULTIPLE DX	1110	4.4	7	3	4	4	5	6	7	12
A. Not Operated	41	2.4	1	1	2	2	3	4	4	7
B. Operated	1848	4.1	4	3	3	4	4	5	6	10
TOTAL										
0-19 YRS	242	4.4	4	3	4	4	5	6	8	13
20-34	1507	4.0	3	3	3	4	4	5	6	9
35-49	140	4.6	16	3	4	4	5	6	7	16
50-64	0									
65 +	0									
GRAND TOTAL	**1889**	**4.1**	**4**	**3**	**3**	**4**	**4**	**5**	**6**	**10**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	2.0		1	2	2	2	3	3	3
20-34	178	2.1		1	2	2	3	3	3	4
35-49	6	2.0		1	2	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	57	3.3	2	2	2	3	4	5	6	9
20-34	280	2.9	1	2	2	3	4	5	5	6
35-49	15	2.8	1	2	2	3	3	3	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	2.2	1	1	2	2	3	3	4	4
20-34	81	2.3	1	1	2	2	3	3	4	6
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	201	3.7	3	2	2	4	5	6	7	9
20-34	1186	3.7	2	2	3	4	4	5	6	9
35-49	122	4.0	2	2	3	4	5	6	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	2.1		1	2	2	3	3	3	4
B. Operated	352	3.0	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	106	2.3	1	1	2	2	3	3	4	6
B. Operated	1509	3.7	2	2	3	4	4	5	6	9
1. SINGLE DX	571	2.6	1	2	2	2	3	4	5	6
2. MULTIPLE DX	1615	3.6	2	2	3	4	4	5	6	9
A. Not Operated	325	2.2	1	1	2	2	3	3	3	4
B. Operated	1861	3.6	2	2	3	3	4	5	6	8
TOTAL										
0-19 YRS	315	3.3	3	2	2	3	4	5	6	9
20-34	1725	3.3	2	2	2	3	4	5	6	8
35-49	146	3.7	2	2	3	4	5	6	6	7
50-64	0									
65 +	0									
GRAND TOTAL	**2186**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	2.1	1	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	207	4.3	1	3	4	4	5	5	6	8
20-34	690	4.2	1	3	4	4	5	5	5	7
35-49	38	4.3	1	3	4	4	5	5	6	6
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.6	1	2	3	4	4	5	5	5
20-34	12	3.3	1	2	3	3	4	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	578	4.7	3	3	4	4	5	6	8	13
20-34	2242	4.5	2	3	4	4	5	6	7	10
35-49	148	4.4	1	3	4	4	5	5	6	8
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.1	1	1	1	2	3	4	4	4
B. Operated	936	4.2	1	3	4	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	18	3.2	1	1	3	3	4	5	5	5
B. Operated	2969	4.5	2	3	4	4	5	6	7	10
1. SINGLE DX	950	4.2	1	3	4	4	5	5	6	7
2. MULTIPLE DX	2987	4.5	2	3	4	4	5	6	7	10
A. Not Operated	32	2.8	2	1	2	3	4	4	5	5
B. Operated	3905	4.5	2	3	4	4	5	6	6	10
TOTAL										
0-19 YRS	791	4.6	3	3	4	4	5	6	7	12
20-34	2956	4.4	2	3	4	4	5	6	6	10
35-49	188	4.4	1	3	4	4	5	5	6	8
50-64	2	6.0	18	3	3	6	9	9	9	9
65 +	0									
GRAND TOTAL	**3937**	**4.5**	**2**	**3**	**4**	**4**	**5**	**6**	**6**	**10**

197 Hospitals, Southern Region, January-December 1988

293: Uterine inertia, delivered (661.0-661.2 with 5th digit 0, 1; 662.0-662.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.3	1	1	2	2	3	3	3	4
20-34	221	2.4		2	2	2	3	3	3	4
35-49	12	2.1		1	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	124	3.6	2	2	3	4	4	5	6	7
20-34	553	3.6	2	2	3	4	4	5	6	7
35-49	37	3.4	2	2	2	3	4	5	6	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.1	7	2	2	3	3	4	5	20
20-34	168	2.6	1	2	2	2	3	4	4	6
35-49	14	2.7	6	1	2	2	2	4	9	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	350	4.2	4	2	3	4	5	6	7	12
20-34	1542	4.0	8	2	3	4	5	6	6	10
35-49	119	4.0	2	2	3	4	5	6	6	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	297	2.3		2	2	2	3	3	3	4
B. Operated	714	3.6	2	2	3	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	228	2.7	2	2	2	2	3	4	4	8
B. Operated	2011	4.1	7	2	3	4	5	6	6	10
1. SINGLE DX	1011	3.2	2	2	2	3	4	5	5	7
2. MULTIPLE DX	2239	3.9	6	2	3	4	5	6	6	10
A. Not Operated	525	2.5	1	2	2	2	3	3	4	5
B. Operated	2725	3.9	6	2	3	4	5	6	6	10
TOTAL										
0-19 YRS	584	3.8	4	2	2	3	5	6	7	11
20-34	2484	3.7	6	2	2	4	5	5	6	9
35-49	182	3.7	2	2	2	4	5	6	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**3250**	**3.7**	**5**	**2**	**2**	**4**	**5**	**5**	**6**	**9**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.1		1	2	2	3	3	3	3
20-34	38	2.4	1	2	2	2	3	3	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	3.6	2	2	2	4	5	6	6	6
20-34	108	3.3	2	2	2	3	4	5	5	8
35-49	7	3.7	1	2	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	2.7	3	1	2	2	3	5	7	7
20-34	57	2.8	2	2	2	2	3	4	6	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	56	4.5	20	2	3	4	5	6	6	34
20-34	364	4.0	5	2	3	4	4	6	7	12
35-49	59	5.3	52	2	3	4	5	6	9	53
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.3	1	1	2	2	3	3	4	4
B. Operated	142	3.4	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	71	2.7	2	2	2	2	3	4	6	8
B. Operated	479	4.2	13	2	3	4	5	6	7	17
1. SINGLE DX	197	3.1	2	2	2	3	4	5	5	6
2. MULTIPLE DX	550	4.0	12	2	3	4	4	6	7	13
A. Not Operated	126	2.5	1	2	2	2	3	4	4	8
B. Operated	621	4.0	10	2	3	4	5	6	6	12
TOTAL										
0-19 YRS	107	3.8	12	2	2	3	5	6	6	20
20-34	567	3.6	4	2	2	3	4	5	6	11
35-49	72	4.9	44	2	3	4	5	6	7	48
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**747**	**3.7**	**9**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.1	1	1	2	2	2	3	4	4
20-34	84	2.3	1	1	2	2	3	3	4	5
35-49	8	2.4		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	235	3.9	1	3	3	4	4	5	5	7
20-34	2049	3.8	1	3	3	4	4	5	5	6
35-49	148	4.0	2	3	3	4	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.2		1	2	2	3	3	3	3
20-34	54	2.8	2	1	2	3	3	4	6	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	4.2	3	3	3	4	5	5	6	11
20-34	3658	4.2	5	3	3	4	5	5	6	10
35-49	403	4.3	2	3	4	4	5	6	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	2.3	1	1	2	2	3	3	4	5
B. Operated	2432	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	67	2.7	2	1	2	2	3	4	5	8
B. Operated	4255	4.2	4	3	3	4	5	5	6	10
1. SINGLE DX	2539	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX	4322	4.2	4	3	3	4	5	5	6	10
A. Not Operated	174	2.4	1	1	2	2	3	4	4	6
B. Operated	6687	4.1	3	3	3	4	5	5	6	9
TOTAL										
0-19 YRS	456	3.9	2	3	3	4	4	5	6	9
20-34	5845	4.0	3	3	3	4	4	5	6	8
35-49	560	4.2	2	3	4	4	5	5	6	10
50-64	0									
65 +	0									
GRAND TOTAL	6861	4.0	3	3	3	4	4	5	6	9

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	2.5	1	2	2	2	3	3	4	6
20-34	341	2.4	1	2	2	2	3	3	4	5
35-49	19	2.5		2	2	3	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	56	2.3	1	1	2	2	3	3	3	4
20-34	274	2.6	2	2	2	2	3	4	4	6
35-49	22	2.8	1	1	2	3	3	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	4.0	33	2	2	3	4	6	7	42
20-34	382	3.3	6	2	2	3	4	5	8	14
35-49	31	2.8	2	1	2	2	3	5	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	263	4.0	8	2	2	3	5	6	8	17
20-34	1280	3.9	9	2	2	3	4	6	8	16
35-49	140	4.1	20	2	3	3	4	6	7	26
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	439	2.4	1	2	2	2	3	3	4	5
B. Operated	352	2.6	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	519	3.4	11	2	2	3	4	5	7	16
B. Operated	1683	3.9	10	2	2	3	4	6	8	17
1. SINGLE DX	791	2.5	1	2	2	2	3	3	4	5
2. MULTIPLE DX	2202	3.8	10	2	2	3	4	6	8	16
A. Not Operated	958	2.9	7	2	2	2	3	4	6	11
B. Operated	2035	3.7	9	2	2	3	4	6	7	16
TOTAL										
0-19 YRS	504	3.6	12	2	2	3	4	6	7	17
20-34	2277	3.4	7	2	2	3	4	5	7	14
35-49	212	3.7	14	2	2	3	4	5	6	17
50-64	0									
65 +	0									
GRAND TOTAL	2993	3.5	8	2	2	3	4	5	7	15

197 Hospitals, Southern Region, January-December 1988

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	190	2.1	1	1	2	2	2	3	3	5
20-34	978	2.2		1	2	2	3	3	3	4
35-49	69	2.1		1	2	2	2	3	3	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	168	2.2		2	2	2	3	3	3	4
20-34	767	2.2	1	1	2	2	3	3	3	5
35-49	37	2.5	1	2	2	2	3	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	2.3	1	2	2	2	3	3	4	4
20-34	280	2.3	1	1	2	2	3	3	4	6
35-49	14	2.8	1	2	2	2	3	4	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	158	2.5	1	1	2	2	3	4	5	7
20-34	1091	2.6	2	2	2	2	3	4	4	7
35-49	113	2.8	1	2	2	3	3	4	5	7
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1237	2.2		1	2	2	3	3	3	4
B. Operated	972	2.2	1	1	2	2	3	3	3	5
2. MULTIPLE DX										
A. Not Operated	361	2.3	1	1	2	2	3	3	4	6
B. Operated	1362	2.6	2	2	2	2	3	4	5	7
1. SINGLE DX	2209	2.2		1	2	2	3	3	3	4
2. MULTIPLE DX	1723	2.6	2	2	2	2	3	4	4	6
A. Not Operated	1598	2.2	1	1	2	2	3	3	3	4
B. Operated	2334	2.5	1	2	2	2	3	3	4	6
TOTAL										
0-19 YRS	583	2.3	1	1	2	2	3	3	4	5
20-34	3116	2.4	1	2	2	2	3	3	4	6
35-49	233	2.5	1	2	2	2	3	4	4	6
50-64	0									
65+	0									
GRAND TOTAL	**3932**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**6**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	106	2.3	1	2	2	2	3	3	4	5
20-34	334	2.1		1	2	2	3	3	3	4
35-49	25	2.0		1	2	2	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	513	2.2	2	1	2	2	3	3	3	4
20-34	2112	2.1	1	1	2	2	2	3	3	4
35-49	176	2.4	5	1	2	2	3	3	4	4
50-64	3	2.0		2	2	2	2	2	2	2
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	85	2.8	3	2	2	2	3	4	5	11
20-34	221	2.5	2	2	2	2	3	3	4	8
35-49	22	2.4	1	1	2	2	3	4	4	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	289	2.6	4	2	2	2	3	4	4	11
20-34	2026	2.4	1	2	2	2	3	3	4	5
35-49	183	2.5	1	2	2	2	3	4	4	5
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	465	2.2		1	2	2	3	3	3	4
B. Operated	2804	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	328	2.6	2	2	2	2	3	3	5	9
B. Operated	2498	2.4	2	2	2	2	3	3	4	6
1. SINGLE DX	3269	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX	2826	2.5	2	2	2	2	3	3	4	6
A. Not Operated	793	2.3	1	1	2	2	3	3	4	7
B. Operated	5302	2.3	1	1	2	2	3	3	4	5
TOTAL										
0-19 YRS	993	2.4	3	1	2	2	3	3	4	6
20-34	4693	2.3	1	1	2	2	3	3	3	5
35-49	406	2.4	3	1	2	2	3	3	4	5
50-64	3	2.0		2	2	2	2	2	2	2
65+	0									
GRAND TOTAL	**6095**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.9		1	2	2	2	3	3	3
20-34	81	2.0	1	1	1	2	2	3	4	8
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	415	2.3	1	1	2	2	3	3	3	4
20-34	1079	2.3	1	2	2	2	3	3	4	4
35-49	52	2.2	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.6	1	2	2	2	3	4	5	7
20-34	53	2.4	1	2	2	2	3	3	4	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	355	2.7	2	2	2	3	3	4	4	7
20-34	1201	2.6	1	2	2	2	3	4	4	6
35-49	72	2.6	1	2	2	2	3	4	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	2.0	1	1	1	2	2	3	3	6
B. Operated	1546	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX										
A. Not Operated	77	2.5	1	2	2	2	3	3	4	7
B. Operated	1628	2.6	1	2	2	2	3	4	4	6
1. SINGLE DX	1670	2.3	1	1	2	2	3	3	4	4
2. MULTIPLE DX	1705	2.6	1	2	2	2	3	4	4	7
A. Not Operated	201	2.2	1	1	2	2	3	3	4	6
B. Operated	3174	2.5	1	2	2	2	3	3	4	6
TOTAL										
0-19 YRS	832	2.5	1	2	2	2	3	3	4	6
20-34	2414	2.5	1	2	2	2	3	3	4	6
35-49	129	2.4	1	2	2	2	3	4	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**3375**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**4**	**6**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	42	2.0	1	1	1	2	2	3	3	4
20-34	114	2.0	1	1	1	2	2	3	3	4
35-49	3	2.3		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	175	2.2		2	2	2	3	3	3	4
20-34	563	2.1	1	1	2	2	3	3	3	4
35-49	29	2.3		1	2	2	3	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.3		2	2	2	2	3	4	4
20-34	77	2.6	1	2	2	3	3	4	4	7
35-49	6	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	138	2.5	1	2	2	2	3	4	5	7
20-34	636	2.7	6	2	2	2	3	4	4	6
35-49	37	2.9	3	2	2	2	3	4	7	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	2.0	1	1	1	2	2	3	3	4
B. Operated	767	2.1		1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	109	2.6	1	2	2	2	3	4	4	7
B. Operated	811	2.7	5	2	2	2	3	4	5	7
1. SINGLE DX	926	2.1		1	2	2	3	3	3	4
2. MULTIPLE DX	920	2.6	4	2	2	2	3	4	4	7
A. Not Operated	268	2.2	1	1	2	2	3	3	4	4
B. Operated	1578	2.4	3	2	2	2	3	3	4	6
TOTAL										
0-19 YRS	381	2.3	1	1	2	2	3	3	4	6
20-34	1390	2.4	3	1	2	2	3	3	4	6
35-49	75	2.6	2	2	2	2	3	4	4	9
50-64	0									
65 +	0									
GRAND TOTAL	**1846**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	522	2.5	2	1	2	2	3	4	4	7
20-34	1599	2.3	1	1	2	2	3	3	4	6
35-49	98	2.4	1	1	2	2	3	3	4	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1273	2.8	2	2	2	2	3	4	5	8
20-34	4987	2.7	2	2	2	2	3	4	5	7
35-49	256	2.9	3	2	2	3	3	4	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	437	2.9	5	1	2	2	3	5	6	11
20-34	1393	3.0	7	1	2	2	3	5	6	14
35-49	126	2.8	5	1	2	2	3	5	6	15
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2039	3.9	12	2	2	3	4	6	8	18
20-34	9121	3.8	9	2	2	3	4	6	8	15
35-49	866	4.3	17	2	2	3	5	7	9	26
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2219	2.3	1	1	2	2	3	3	4	6
B. Operated	6516	2.7	2	2	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	1956	2.9	6	1	2	2	3	5	6	14
B. Operated	12027	3.8	10	2	2	3	4	6	8	16
1. SINGLE DX	8735	2.6	2	2	2	2	3	4	5	7
2. MULTIPLE DX	13983	3.7	10	2	2	3	4	6	8	16
A. Not Operated	4175	2.6	4	1	2	2	3	4	5	10
B. Operated	18543	3.4	8	2	2	3	4	5	7	14
TOTAL										
0-19 YRS	4271	3.3	7	2	2	3	4	5	7	13
20-34	17100	3.3	6	2	2	3	4	5	6	13
35-49	1346	3.7	13	2	2	3	4	6	7	16
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
GRAND TOTAL	**22718**	**3.3**	**7**	**2**	**2**	**3**	**4**	**5**	**7**	**13**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.9	2	1	2	3	3	4	5	7
20-34	50	3.4	2	2	2	3	4	5	6	10
35-49	4	3.3	4	2	2	3	4	6	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	5	4.0	9	2	2	3	5	9	9	9
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.7	3	2	2	3	5	6	7	8
20-34	63	4.0	10	2	2	4	4	6	8	22
35-49	5	5.6	23	2	2	3	9	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	4.7	9	2	2	4	7	8	8	8
20-34	13	5.4	7	1	3	6	7	8	10	10
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.2	2	2	2	3	4	5	6	9
B. Operated	5	4.0	9	2	2	3	5	9	9	9
2. MULTIPLE DX										
A. Not Operated	95	4.0	8	2	2	3	4	7	8	19
B. Operated	16	5.3	7	1	3	6	7	8	9	10
1. SINGLE DX	81	3.3	3	2	2	3	4	5	6	10
2. MULTIPLE DX	111	4.2	8	2	2	4	5	7	8	17
A. Not Operated	171	3.6	6	2	2	3	4	6	7	12
B. Operated	21	5.0	7	1	2	5	7	9	9	10
TOTAL										
0-19 YRS	52	3.4	3	2	2	3	4	6	7	8
20-34	131	3.9	7	2	2	3	4	7	8	13
35-49	9	4.6	15	2	2	3	6	11	13	13
50-64	0									
65 +	0									
GRAND TOTAL	**192**	**3.8**	**6**	**2**	**2**	**3**	**4**	**7**	**8**	**12**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	7	1.7	1	< 1	1	1	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	2.0	2	1	1	1	3	4	4	4
20-34	32	1.6	1	< 1	1	1	2	3	3	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	2.1	1	1	1	2	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	2.5	4	1	1	2	3	6	7	7
20-34	25	2.2	1	1	1	2	3	4	4	5
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.6	1	< 1	1	1	2	3	3	3
B. Operated	40	1.6	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	15	2.2	1	1	1	2	3	3	4	4
B. Operated	33	2.2	2	1	1	2	3	4	5	7
1. SINGLE DX	49	1.6	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	48	2.2	2	1	1	2	3	4	4	7
A. Not Operated	24	2.0	1	1	1	2	3	3	4	4
B. Operated	73	1.9	1	1	1	2	2	4	4	7
TOTAL										
0-19 YRS	19	2.2	3	1	1	2	3	4	6	7
20-34	76	1.9	1	1	1	2	2	3	4	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
GRAND TOTAL	**97**	**1.9**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.2	1	1	2	2	3	4	4	4
20-34	39	3.5	4	1	2	3	4	7	8	11
35-49	6	4.2	10	1	2	3	7	9	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	3.1	9	1	2	2	3	7	11	12
20-34	42	3.6	8	1	2	2	5	8	9	13
35-49	7	3.0	7	1	1	2	4	7	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.2	1	1	1	2	3	4	4	4
20-34	45	4.6	10	1	2	4	7	8	11	13
35-49	7	9.0	97	1	3	5	14	26	28	28
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.2	3	1	2	3	4	6	7	7
20-34	52	3.5	9	1	2	2	4	7	12	13
35-49	6	9.8	37	2	6	9	14	18	19	19
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.4	4	1	2	3	4	7	8	11
B. Operated	61	3.5	8	1	2	2	4	8	9	13
2. MULTIPLE DX										
A. Not Operated	61	4.8	20	1	2	4	6	9	13	27
B. Operated	72	4.1	14	1	2	3	5	8	13	18
1. SINGLE DX	115	3.4	6	1	2	3	4	7	9	12
2. MULTIPLE DX	133	4.4	17	1	2	3	6	9	13	21
A. Not Operated	115	4.1	13	1	2	3	5	8	11	21
B. Operated	133	3.8	11	1	2	2	5	8	13	15
TOTAL										
0-19 YRS	43	2.7	4	1	2	2	3	5	6	12
20-34	178	3.8	8	1	2	3	5	7	10	13
35-49	26	6.5	44	1	2	4	8	17	21	28
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
GRAND TOTAL	**248**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**11**	**17**

197 Hospitals, Southern Region, January-December 1988

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	370	3.5	4	1	2	3	4	6	7	12
20-34	159	3.6	3	2	2	3	4	6	8	9
35-49	158	4.0	4	2	3	3	5	7	9	10
50-64	75	4.6	5	2	3	4	6	7	9	13
65 +	82	5.6	11	2	4	5	7	10	12	18
B. Operated										
0-19 YRS	166	4.1	9	1	2	3	6	8	9	13
20-34	99	4.4	11	1	2	3	6	8	11	17
35-49	68	5.5	17	2	3	5	7	9	12	22
50-64	34	6.2	15	2	4	5	7	13	14	18
65 +	29	6.9	31	1	3	5	10	17	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	483	4.2	8	2	2	3	5	7	9	14
20-34	367	5.3	18	2	3	4	6	9	11	25
35-49	480	6.0	17	2	4	5	7	11	13	21
50-64	590	6.5	17	3	4	6	8	11	15	21
65 +	1038	7.3	27	3	4	6	9	12	16	28
B. Operated										
0-19 YRS	182	6.2	23	2	3	5	8	11	15	26
20-34	239	7.1	46	2	3	6	8	14	20	32
35-49	306	9.4	80	3	4	7	11	19	26	44
50-64	350	11.0	95	3	5	8	13	23	32	60
65 +	435	12.4	105	4	6	10	15	24	31	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	844	3.9	5	2	2	3	5	7	8	12
B. Operatod	396	4.8	13	1	2	4	6	9	13	18
2. MULTIPLE DX										
A. Not Operated	2958	6.2	20	2	3	5	7	11	14	24
B. Operated	1512	9.9	83	3	4	7	12	21	28	54
1. SINGLE DX	1240	4.2	8	2	2	3	5	8	9	15
2. MULTIPLE DX	4470	7.4	45	3	4	6	9	14	19	36
A. Not Operated	3802	5.7	18	2	3	5	7	10	13	23
B. Operated	1908	8.8	73	2	4	6	11	18	24	47
TOTAL										
0-19 YRS	1201	4.3	10	2	2	3	5	8	10	17
20-34	864	5.4	24	2	3	4	6	9	13	25
35-49	1012	6.7	38	2	3	5	8	12	17	32
50-64	1049	7.9	47	3	4	6	9	15	21	39
65 +	1584	8.6	54	3	4	7	10	16	21	37
GRAND TOTAL	**5710**	**6.7**	**39**	**2**	**3**	**5**	**8**	**13**	**17**	**33**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	4.1	6	2	2	3	5	7	9	14
20-34	30	4.0	8	2	2	3	5	6	7	16
35-49	19	3.7	3	2	3	3	4	7	8	9
50-64	10	4.0	17	1	1	2	4	11	12	12
65 +	4	5.0	5	3	3	4	6	8	8	8
B. Operated										
0-19 YRS	74	3.8	12	<1	1	3	5	8	9	20
20-34	27	3.5	7	1	1	3	4	8	10	10
35-49	19	3.5	4	<1	2	3	4	7	8	8
50-64	8	3.5	7	<1	1	3	6	7	7	7
65 +	4	3.0	2	<1	1	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	4.2	6	2	2	4	5	7	9	15
20-34	55	5.5	24	2	3	4	6	11	19	25
35-49	58	5.6	19	2	3	5	6	11	13	26
50-64	61	6.7	11	3	4	6	9	11	13	19
65 +	100	6.2	9	3	4	6	8	10	12	16
B. Operated										
0-19 YRS	75	6.2	27	2	3	5	8	14	15	28
20-34	38	5.9	23	1	3	5	7	11	16	25
35-49	54	6.4	32	2	3	4	8	13	17	32
50-64	57	9.8	65	3	5	7	12	20	27	39
65 +	71	10.1	69	3	4	8	13	21	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	4.1	6	2	2	3	5	7	9	15
B. Operated	132	3.7	9	<1	1	3	5	7	8	15
2. MULTIPLE DX										
A. Not Operated	466	5.3	12	2	3	4	6	9	12	19
B. Operated	295	7.8	48	2	3	6	10	17	21	35
1. SINGLE DX	291	3.9	8	1	2	3	5	7	9	14
2. MULTIPLE DX	761	6.3	27	2	3	5	7	12	17	27
A. Not Operated	625	5.0	11	2	3	4	6	9	11	18
B. Operated	427	6.5	39	1	3	5	8	14	20	31
TOTAL										
0-19 YRS	437	4.4	11	2	2	4	6	8	10	17
20-34	150	5.0	18	1	3	4	6	9	12	25
35-49	150	5.4	21	2	3	4	6	11	13	27
50-64	136	7.6	38	3	4	6	9	15	19	37
65 +	179	7.7	37	3	4	6	9	14	19	29
GRAND TOTAL	**1052**	**5.8**	**23**	**2**	**3**	**4**	**7**	**10**	**15**	**25**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	151	2.2	3	1	1	2	3	5	6	9
20-34	216	1.9	2	1	1	2	2	4	5	7
35-49	41	2.0	2	1	1	2	3	4	4	7
50-64	8	1.8	1	1	1	2	2	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	28	3.1	4	1	2	3	4	6	7	9
20-34	48	3.0	4	1	2	2	4	5	6	12
35-49	16	2.9	7	1	2	2	3	4	10	12
50-64	7	3.9	14	2	2	2	4	11	12	12
65 +	4	4.3	4	2	3	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.2	3	1	1	2	3	5	5	5
B. Operated	416	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	3	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated	103	3.1	5	1	2	2	4	6	7	12
1. SINGLE DX	422	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	106	3.1	5	1	2	2	4	6	7	12
A. Not Operated	9	2.1	2	< 1	1	2	3	4	5	5
B. Operated	519	2.3	3	1	1	2	3	4	6	9
TOTAL										
0-19 YRS	180	2.4	4	1	1	2	3	5	6	9
20-34	270	2.1	2	1	1	2	3	4	5	7
35-49	59	2.3	3	1	1	2	3	4	5	12
50-64	15	2.7	8	1	1	2	3	5	10	12
65 +	4	4.3	4	2	3	4	6	7	7	7
GRAND TOTAL	**528**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	1.1		< 1	< 1	< 1	1	1	2	4
20-34	15	1.1		< 1	< 1	< 1	< 1	1	2	2
35-49	15	1.1		< 1	< 1	< 1	1	1	2	2
50-64	8	2.1	8	< 1	< 1	1	2	7	9	9
65 +	7	2.3	2	< 1	< 1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	2.0		2	2	2	2	2	2	2
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	6	1.0		< 1	1	1	1	1	1	1
35-49	5	3.6	9	< 1	1	3	6	8	8	8
50-64	8	1.8	2	< 1	< 1	1	2	4	5	5
65 +	7	4.3	15	1	1	3	7	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	80	1.3	1	< 1	< 1	< 1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated	3	3.0	3	2	2	2	4	5	5	5
B. Operated	30	2.5	7	< 1	1	1	3	6	8	11
1. SINGLE DX	81	1.3	1	< 1	< 1	< 1	1	2	3	8
2. MULTIPLE DX	33	2.5	6	< 1	1	1	3	6	8	11
A. Not Operated	4	3.3	2	2	2	3	4	5	5	5
B. Operated	110	1.6	3	< 1	< 1	< 1	1	3	5	10
TOTAL										
0-19 YRS	39	1.2		< 1	< 1	< 1	1	2	3	4
20-34	21	1.0		< 1	< 1	< 1	1	1	2	2
35-49	21	1.8	3	< 1	< 1	< 1	2	4	6	8
50-64	18	1.9	4	< 1	< 1	1	2	4	7	9
65 +	15	3.4	8	< 1	1	3	5	8	10	11
GRAND TOTAL	**114**	**1.7**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**10**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	4	10.0	197	2	2	3	17	31	31	31
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	12	13.3	109	5	6	10	15	31	39	40
B. Operated										
0-19 YRS	11	10.6	72	1	2	9	19	21	22	22
20-34	12	10.3	42	3	6	8	14	21	22	22
35-49	17	10.7	84	1	2	8	19	25	27	28
50-64	18	10.1	161	2	4	6	9	28	45	51
65+	38	10.4	100	<1	2	8	14	29	37	99+
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	8.4	33	3	4	7	13	17	20	20
20-34	23	10.4	50	3	5	9	15	23	50	99+
35-49	33	9.7	90	3	4	8	11	17	28	51
50-64	78	8.6	29	3	5	8	10	15	20	81
65+	325	12.4	97	4	6	10	16	27	37	99+
B. Operated										
0-19 YRS	36	20.8	419	3	6	15	25	54	66	89
20-34	85	16.5	225	4	8	13	22	48	99+	99+
35-49	100	21.7	379	3	8	17	31	63	79	99+
50-64	181	15.6	176	4	7	12	21	34	46	92
65+	614	18.1	296	4	7	13	25	47	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	10.2	99	3	4	6	12	28	34	40
B. Operated	96	10.4	95	1	3	8	15	24	33	77
2. MULTIPLE DX										
A. Not Operated	470	11.4	83	4	6	9	14	23	35	99+
B. Operated	1016	18.0	283	4	7	13	24	46	69	99+
1. SINGLE DX	119	10.4	94	1	3	8	14	25	33	66
2. MULTIPLE DX	1486	15.9	229	4	7	11	20	40	62	99+
A. Not Operated	493	11.3	84	4	6	9	14	24	35	99+
B. Operated	1112	17.3	271	4	7	12	23	44	67	99+
TOTAL										
0-19 YRS	60	16.2	300	2	5	12	20	35	60	87
20-34	123	14.5	178	4	7	11	20	37	99+	99+
35-49	154	17.6	307	2	6	11	25	46	72	99+
50-64	279	13.2	143	3	6	10	17	29	40	92
65+	989	15.9	229	4	7	11	20	40	62	99+
GRAND TOTAL	**1605**	**15.5**	**221**	**4**	**6**	**11**	**20**	**39**	**60**	**99+**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	149	3.2	6	1	2	3	4	6	7	14
20-34	32	3.5	6	1	2	3	5	6	7	12
35-49	19	3.6	12	1	2	3	5	7	12	16
50-64	25	3.8	8	1	2	3	4	7	9	14
65+	8	5.1	20	2	2	3	6	13	15	15
B. Operated										
0-19 YRS	141	2.4	13	<1	<1	1	2	5	9	22
20-34	72	3.4	20	<1	1	2	4	7	10	28
35-49	68	2.0	2	<1	<1	1	3	4	4	5
50-64	43	2.1	5	<1	1	1	3	5	7	12
65+	29	2.3	8	<1	<1	1	2	6	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	186	3.6	10	1	2	3	4	6	8	18
20-34	88	4.0	12	1	2	3	5	8	10	20
35-49	85	5.2	24	2	3	4	6	9	12	31
50-64	102	5.3	19	1	2	4	7	11	14	23
65+	180	7.1	48	2	3	5	9	14	16	25
B. Operated										
0-19 YRS	122	4.4	96	<1	1	2	4	8	19	47
20-34	71	5.9	122	<1	1	2	6	11	20	69
35-49	115	4.5	31	1	1	2	6	9	12	32
50-64	106	5.2	54	1	1	3	6	12	17	45
65+	94	6.6	56	<1	2	4	8	13	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	233	3.4	7	1	2	3	4	6	8	15
B. Operated	353	2.5	11	<1	<1	1	3	5	7	18
2. MULTIPLE DX										
A. Not Operated	641	5.1	26	2	2	4	6	10	14	23
B. Operated	508	5.2	69	1	1	2	6	11	18	40
1. SINGLE DX	586	2.8	10	<1	1	2	3	6	8	15
2. MULTIPLE DX	1149	5.1	45	1	2	3	6	11	15	32
A. Not Operated	874	4.6	22	1	2	3	5	9	13	21
B. Operated	861	4.1	47	<1	1	2	4	9	13	37
TOTAL										
0-19 YRS	598	3.4	28	<1	1	2	4	6	10	23
20-34	263	4.3	44	<1	1	3	5	8	12	37
35-49	287	4.0	22	1	1	3	5	8	11	26
50-64	276	4.6	30	1	1	3	6	11	14	23
65+	311	6.4	47	1	2	5	8	13	16	35
GRAND TOTAL	**1735**	**4.4**	**34**	**<1**	**1**	**3**	**5**	**9**	**13**	**27**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	2.4	3	1	1	2	3	5	6	9
20-34	12	6.7	95	1	2	3	6	19	34	36
35-49	6	7.0	29	1	4	5	12	15	15	15
50-64	6	3.7	4	1	3	3	4	7	7	7
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	21	4.0	12	1	2	3	5	10	12	13
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	4	5.0	9	2	2	5	7	8	8	8
50-64	3	5.0	1	4	4	5	6	6	6	6
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	4.8	19	1	2	3	6	11	15	21
20-34	64	5.6	28	2	3	4	7	9	13	32
35-49	67	7.7	40	2	3	6	9	14	22	31
50-64	37	7.7	26	2	4	7	10	15	15	25
65 +	38	7.6	22	3	4	6	9	13	18	23
B. Operated										
0-19 YRS	37	14.0	150	3	4	10	19	34	41	49
20-34	42	13.1	222	2	5	8	14	29	38	86
35-49	36	10.6	148	3	5	7	12	27	56	99 +
50-64	31	11.0	67	2	4	9	17	27	89	99 +
65 +	33	14.8	95	5	7	14	19	31	36	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	3.4	20	1	1	2	4	6	10	28
B. Operated	32	4.3	9	1	2	3	6	9	11	13
2. MULTIPLE DX										
A. Not Operated	277	6.4	29	2	3	5	8	13	15	29
B. Operated	179	12.7	141	3	5	9	17	30	40	99 +
1. SINGLE DX	118	3.6	17	1	1	2	4	8	10	22
2. MULTIPLE DX	456	8.9	82	2	3	6	11	20	29	60
A. Not Operated	363	5.7	28	1	2	4	8	12	15	29
B. Operated	211	11.4	131	2	4	8	15	27	38	99 +
TOTAL										
0-19 YRS	190	5.7	55	1	2	3	6	14	21	41
20-34	121	8.2	112	2	3	5	9	15	29	55
35-49	113	8.5	74	2	4	6	10	17	28	75
50-64	77	8.6	44	2	4	7	13	21	26	99 +
65 +	73	10.8	67	4	5	7	14	21	30	39
GRAND TOTAL	**574**	**7.8**	**73**	**2**	**3**	**5**	**10**	**17**	**26**	**48**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	40	4.8	10	1	2	4	6	9	11	16
20-34	11	3.9	4	2	3	3	5	7	9	9
35-49	12	4.1	3	2	3	4	5	6	8	8
50-64	23	5.0	5	3	4	5	7	8	9	9
65 +	15	4.8	4	3	3	5	5	8	9	10
B. Operated										
0-19 YRS	9	6.8	6	3	5	7	8	10	10	10
20-34	14	5.7	19	1	2	5	8	12	14	15
35-49	47	5.4	19	1	2	3	9	12	14	16
50-64	67	6.8	26	2	3	6	9	12	14	29
65 +	47	5.6	26	1	2	3	9	13	16	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	6.5	32	2	3	5	9	12	16	30
20-34	15	4.3	5	2	3	4	6	7	8	8
35-49	35	6.5	25	2	3	6	10	12	12	26
50-64	80	6.4	44	2	3	5	7	10	14	46
65 +	131	6.5	25	2	4	5	8	11	16	53
B. Operated										
0-19 YRS	22	9.5	71	2	4	6	12	23	28	31
20-34	14	4.8	12	1	2	4	7	9	12	13
35-49	63	7.1	79	1	2	4	9	15	25	54
50-64	165	8.3	31	2	4	8	11	15	18	27
65 +	150	10.2	96	2	4	8	13	21	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	101	4.6	6	2	3	4	5	8	9	13
B. Operated	184	6.1	23	1	2	5	9	12	14	22
2. MULTIPLE DX										
A. Not Operated	300	6.4	30	2	3	5	8	11	15	36
B. Operated	414	8.7	65	2	3	8	11	17	24	34
1. SINGLE DX	285	5.6	17	1	3	5	8	11	13	19
2. MULTIPLE DX	714	7.7	51	2	3	6	10	15	21	34
A. Not Operated	401	5.9	24	2	3	5	7	10	13	28
B. Operated	598	7.9	53	1	3	7	10	16	21	32
TOTAL										
0-19 YRS	110	6.5	32	1	3	5	9	12	18	30
20-34	54	4.7	10	1	3	4	7	9	12	15
35-49	157	6.2	43	1	2	4	9	12	16	27
50-64	335	7.3	32	2	3	6	10	14	17	27
65 +	343	7.9	59	2	3	6	10	16	22	44
GRAND TOTAL	**999**	**7.1**	**43**	**2**	**3**	**5**	**9**	**14**	**18**	**31**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.0	4	4	4	6	7	8	8	8
65 +	13	7.2	29	2	3	6	10	14	19	20
B. Operated										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	15	7.5	21	3	4	7	10	10	18	20
35-49	45	6.4	18	< 1	3	5	10	12	13	14
50-64	310	9.2	15	4	7	9	11	14	16	20
65 +	572	10.4	14	6	8	10	13	15	17	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	24	3.5	9	1	1	2	4	8	10	11
65 +	125	6.1	37	1	2	5	8	12	15	36
B. Operated										
0-19 YRS	4	8.0	9	5	5	8	10	11	11	11
20-34	19	6.3	15	1	3	5	9	13	14	14
35-49	86	7.6	33	1	4	8	10	12	16	34
50-64	551	10.3	37	4	8	10	12	15	17	40
65 +	1708	12.0	27	7	9	11	14	18	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	6.7	23	2	3	6	10	12	17	20
B. Operated	944	9.7	16	5	8	9	12	14	16	21
2. MULTIPLE DX										
A. Not Operated	153	5.6	33	1	2	4	7	11	15	32
B. Operated	2368	11.4	31	6	9	11	13	17	20	32
1. SINGLE DX	962	9.7	16	5	7	9	12	14	16	21
2. MULTIPLE DX	2521	11.0	33	5	8	11	13	16	20	32
A. Not Operated	171	5.7	32	1	2	4	8	11	15	30
B. Operated	3312	10.9	27	5	8	10	13	16	19	29
TOTAL										
0-19 YRS	8	7.8	7	5	6	7	10	11	11	11
20-34	34	6.8	17	2	4	6	9	12	14	20
35-49	135	7.0	28	1	3	7	10	12	14	23
50-64	888	9.7	30	3	7	9	12	14	17	30
65 +	2418	11.2	27	5	9	11	14	17	20	29
GRAND TOTAL	**3483**	**10.6**	**29**	**5**	**8**	**10**	**13**	**16**	**19**	**29**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17- 715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	3	4.0	3	3	3	3	5	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	20	2.8	5	< 1	1	2	4	5	8	11
35-49	34	2.6	3	1	1	2	3	5	6	9
50-64	49	3.1	9	1	1	2	4	8	10	13
65 +	29	4.6	20	1	1	3	8	11	12	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	4.1	4	2	2	4	6	7	7	7
50-64	37	4.6	8	2	3	4	5	8	12	14
65 +	78	5.9	16	2	3	5	7	11	14	20
B. Operated										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	19	3.2	4	1	2	2	5	6	8	8
35-49	43	4.3	29	1	1	3	6	8	12	33
50-64	60	4.3	16	1	2	3	5	11	12	20
65 +	94	8.3	45	3	4	7	11	15	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	3	1	2	3	4	6	6	6
B. Operated	134	3.2	9	1	1	2	4	9	10	14
2. MULTIPLE DX										
A. Not Operated	125	5.3	13	2	3	4	7	10	14	18
B. Operated	218	5.9	34	1	2	4	8	12	15	28
1. SINGLE DX	142	3.2	9	1	1	2	4	8	10	13
2. MULTIPLE DX	343	5.7	26	1	3	4	7	11	14	25
A. Not Operated	133	5.2	13	2	3	4	6	10	14	18
B. Operated	352	4.9	26	1	2	3	7	11	13	25
TOTAL										
0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	42	2.9	5	1	1	2	4	5	7	11
35-49	88	3.6	16	1	1	3	4	7	9	26
50-64	149	4.0	12	1	2	3	5	10	12	14
65 +	202	6.8	32	2	3	5	10	13	16	25
GRAND TOTAL	**485**	**5.0**	**23**	**1**	**2**	**3**	**6**	**11**	**13**	**23**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	5.6	26	1	3	4	7	13	19	22
20-34	17	4.9	8	2	2	4	7	10	10	10
35-49	12	5.3	31	1	2	3	6	13	20	21
50-64	7	3.4	1	2	3	3	4	5	5	5
65 +	9	3.4	2	1	3	4	4	5	5	5
B. Operated										
0-19 YRS	65	10.6	42	4	7	8	13	22	23	29
20-34	41	3.7	6	1	2	3	5	7	8	11
35-49	57	4.0	19	1	1	3	5	9	15	21
50-64	50	6.3	18	1	3	5	10	11	15	16
65 +	29	9.3	41	1	4	10	13	18	20	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	59	7.7	24	3	4	6	11	15	17	20
20-34	20	5.2	3	3	4	5	6	7	8	8
35-49	28	5.2	22	1	3	4	7	8	11	26
50-64	42	6.3	13	2	3	6	9	11	12	17
65 +	77	8.5	121	3	4	5	9	15	23	74
B. Operated										
0-19 YRS	74	14.1	88	4	7	13	21	27	29	46
20-34	59	9.7	160	1	4	5	11	18	42	66
35-49	81	11.1	160	2	3	7	13	24	44	61
50-64	83	10.3	153	2	4	8	12	20	40	71
65 +	113	13.3	118	3	7	10	16	25	34	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	97	5.1	20	1	3	4	6	10	15	22
B. Operated	242	6.9	33	1	2	5	10	15	19	26
2. MULTIPLE DX										
A. Not Operated	226	7.2	54	2	3	5	8	14	16	27
B. Operated	410	11.9	135	2	4	8	15	25	34	58
1. SINGLE DX	339	6.4	30	1	2	5	9	14	19	25
2. MULTIPLE DX	636	10.2	111	2	4	7	13	21	28	55
A. Not Operated	323	6.6	45	2	3	5	8	13	16	26
B. Operated	652	10.0	103	2	3	8	13	22	28	53
TOTAL										
0-19 YRS	250	9.9	58	3	4	8	14	21	25	31
20-34	137	6.7	79	1	3	5	7	11	16	57
35-49	178	7.5	95	1	2	4	9	18	24	54
50-64	182	8.0	82	2	3	7	10	13	18	51
65 +	228	10.8	111	3	5	8	14	22	28	56
GRAND TOTAL	975	8.9	86	2	3	6	11	18	25	51

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	<1	1	3	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	0									
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	69	1.7	1	<1	<1	1	2	4	4	5
20-34	108	2.0	2	<1	<1	2	2	4	5	8
35-49	42	2.0	2	<1	<1	1	3	4	6	8
50-64	19	2.1	5	<1	<1	1	3	4	7	10
65 +	10	1.7	2	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.5	145	2	2	10	19	19	19	19
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	76	2.0	1	<1	1	2	3	4	4	5
20-34	170	2.6	2	<1	1	2	3	5	6	7
35-49	106	2.3	3	<1	<1	2	3	4	6	10
50-64	73	2.9	17	<1	<1	1	3	5	12	23
65 +	48	2.6	4	<1	1	2	4	6	7	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.3	1	<1	1	2	3	3	3	3
B. Operated	248	1.9	2	<1	<1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	5	6.0	55	<1	1	3	8	19	19	19
B. Operated	473	2.5	5	<1	1	2	3	5	6	13
1. SINGLE DX	260	1.9	2	<1	<1	1	2	4	4	8
2. MULTIPLE DX	478	2.5	5	<1	1	2	3	5	6	14
A. Not Operated	17	3.4	17	<1	1	3	3	5	14	19
B. Operated	721	2.3	4	<1	<1	2	3	4	6	9
TOTAL										
0-19 YRS	150	1.9	1	<1	<1	1	2	4	4	5
20-34	283	2.4	3	<1	1	2	3	5	5	7
35-49	152	2.3	3	<1	<1	2	3	4	6	8
50-64	92	2.7	14	<1	<1	1	3	5	10	23
65 +	61	2.5	4	<1	<1	2	4	5	7	89
GRAND TOTAL	738	2.3	4	<1	<1	2	3	4	6	10

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	2.8	4	1	2	2	3	5	8	10
20-34	12	4.2	21	1	1	3	5	9	17	18
35-49	12	2.5	4	< 1	1	2	4	6	6	6
50-64	6	2.3	1	1	2	2	3	4	4	4
65 +	9	1.6	1	< 1	1	1	2	3	4	4
B. Operated										
0-19 YRS	188	2.2	4	1	1	2	3	4	5	9
20-34	260	2.4	4	1	1	2	3	4	5	8
35-49	80	3.1	19	1	1	2	4	4	7	30
50-64	46	2.9	6	< 1	1	2	4	6	8	13
65 +	13	3.4	8	1	1	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	5.9	79	1	2	3	6	12	16	56
20-34	37	5.4	29	1	2	4	7	12	17	26
35-49	35	5.3	39	1	2	4	5	11	20	29
50-64	43	4.2	6	2	2	4	6	8	9	10
65 +	76	6.4	20	2	4	5	8	12	15	25
B. Operated										
0-19 YRS	195	3.8	17	1	2	3	4	7	10	27
20-34	152	3.4	12	1	1	2	4	7	11	19
35-49	108	4.3	36	1	2	3	5	8	11	34
50-64	73	5.5	51	1	2	3	7	12	19	43
65 +	74	6.4	30	1	2	5	10	13	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.8	6	1	1	2	3	5	7	16
B. Operated	587	2.5	6	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	243	5.6	34	1	2	4	7	11	15	29
B. Operated	602	4.3	25	1	2	3	5	9	12	24
1. SINGLE DX	660	2.5	6	1	1	2	3	4	5	11
2. MULTIPLE DX	845	4.7	28	1	2	3	6	10	13	28
A. Not Operated	316	5.0	29	1	2	4	6	10	14	28
B. Operated	1189	3.4	17	1	1	2	4	7	10	21
TOTAL										
0-19 YRS	469	3.3	19	1	1	2	4	6	8	23
20-34	461	3.0	10	1	1	2	3	6	8	18
35-49	235	4.0	29	1	2	3	4	6	11	30
50-64	168	4.3	26	1	2	3	5	9	12	23
65 +	172	5.9	24	1	2	5	8	12	15	27
GRAND TOTAL	**1505**	**3.8**	**20**	**1**	**1**	**2**	**4**	**8**	**11**	**22**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	5.8	13	2	2	7	9	9	9	9
50-64	9	6.2	5	3	4	7	8	9	9	9
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	9.7	32	5	6	8	14	16	16	16
50-64	3	9.3	58	< 1	3	11	15	16	16	16
65 +	5	19.8	267	5	8	12	33	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	5.5	25	2	2	5	9	9	9	9
B. Operated	2	11.0	8	9	9	11	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	16	6.1	7	2	4	7	8	9	9	9
B. Operated	11	14.2	154	3	6	11	16	35	43	44
1. SINGLE DX	4	8.3	21	2	5	9	11	13	13	13
2. MULTIPLE DX	27	9.4	80	2	4	8	9	16	31	44
A. Not Operated	18	6.0	7	2	4	7	9	9	9	9
B. Operated	13	13.7	130	4	7	11	16	32	42	44
TOTAL										
0-19 YRS	0									
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	9	7.9	22	2	4	8	10	15	16	16
50-64	14	7.3	14	3	4	8	9	11	15	16
65 +	6	17.2	255	4	5	10	29	42	44	44
GRAND TOTAL	**31**	**9.2**	**71**	**2**	**4**	**8**	**9**	**16**	**28**	**44**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	1.7	1	<1	1	1	2	3	3	3
35-49	25	3.7	13	1	1	3	5	7	13	15
50-64	27	4.3	13	<1	1	3	7	10	11	14
65 +	29	3.2	7	<1	<1	3	4	7	8	13
B. Operated										
0-19 YRS	0									
20-34	30	3.7	13	1	1	3	5	7	9	18
35-49	135	4.2	11	1	1	4	6	7	9	16
50-64	164	4.6	10	1	2	4	6	9	11	15
65 +	54	5.0	15	1	2	4	8	10	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	4.8	14	1	2	3	7	11	11	11
35-49	57	5.8	36	1	3	5	6	10	13	42
50-64	121	5.5	18	2	3	5	7	10	13	23
65 +	296	6.4	19	2	4	5	8	11	15	24
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	18	3.4	3	1	2	3	5	6	6	6
35-49	165	5.8	23	1	3	5	8	10	13	26
50-64	304	6.5	39	1	3	5	8	12	16	37
65 +	280	9.2	79	2	4	7	11	20	26	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	3.6	10	<1	1	3	5	8	11	15
B. Operated	383	4.5	11	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. Not Operated	483	6.1	21	2	3	5	8	11	14	24
B. Operated	768	7.3	52	1	3	6	9	14	19	38
1. SINGLE DX	470	4.3	11	1	1	4	6	9	11	15
2. MULTIPLE DX	1251	6.8	40	1	3	5	8	13	18	33
A. Not Operated	570	5.7	20	1	3	5	7	11	14	23
B. Operated	1151	6.3	40	1	2	5	8	12	17	33
TOTAL										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	62	3.5	9	1	1	3	5	7	9	17
35-49	382	5.1	21	1	2	4	7	9	12	23
50-64	616	5.7	27	1	2	5	8	11	14	25
65 +	659	7.3	47	2	3	6	9	14	20	33
GRAND TOTAL	1721	6.1	33	1	3	5	8	11	15	29

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	4.9	14	1	2	4	6	11	13	13
20-34	227	4.3	10	<1	2	4	6	9	10	14
35-49	396	4.3	14	<1	1	3	6	9	11	20
50-64	175	4.3	13	<1	1	4	6	9	11	14
65 +	50	5.5	18	<1	1	5	8	11	13	19
B. Operated										
0-19 YRS	38	4.7	8	1	3	4	5	9	10	15
20-34	1261	4.5	10	1	2	4	6	8	10	16
35-49	2096	4.7	12	1	2	4	6	9	11	16
50-64	724	5.0	13	1	2	5	7	9	11	17
65 +	164	6.0	23	1	2	5	8	11	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.3	8	<1	1	4	6	7	7	7
20-34	134	5.8	27	2	3	5	7	10	12	20
35-49	330	5.8	18	2	3	5	7	11	13	19
50-64	295	5.8	15	2	3	5	7	10	13	19
65 +	286	7.3	22	3	4	6	9	13	17	25
B. Operated										
0-19 YRS	9	8.8	70	2	4	6	10	24	26	26
20-34	432	6.9	35	2	3	6	9	13	16	35
35-49	1077	6.8	23	2	4	6	9	13	16	23
50-64	764	7.2	28	2	4	6	9	13	17	24
65 +	516	9.5	59	2	5	8	12	18	23	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	856	4.4	13	<1	1	4	6	9	11	15
B. Operated	4283	4.8	12	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. Not Operated	1049	6.2	20	2	3	5	8	11	13	21
B. Operated	2798	7.4	34	2	4	6	9	14	18	29
1. SINGLE DX	5139	4.7	12	1	2	4	6	9	11	16
2. MULTIPLE DX	3847	7.1	30	2	4	6	9	13	17	26
A. Not Operated	1905	5.4	17	1	2	5	7	10	13	20
B. Operated	7081	5.8	22	1	3	5	7	11	14	23
TOTAL										
0-19 YRS	59	5.3	19	1	3	5	6	9	14	25
20-34	2054	5.1	17	1	2	4	7	9	12	20
35-49	3899	5.3	16	1	3	4	7	10	12	20
50-64	1958	5.9	20	1	3	5	8	11	14	22
65 +	1016	8.1	43	2	4	7	10	16	19	33
GRAND TOTAL	8986	5.7	21	1	3	5	7	11	14	22

321: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	32	5.2	12	1	2	5	7	11	13	14
35-49	52	4.6	12	1	2	5	6	9	11	18
50-64	36	4.6	11	1	1	4	6	9	11	16
65 +	7	5.0	5	1	3	6	7	7	7	7
B. Operated										
0-19 YRS	0									
20-34	142	4.6	9	1	3	4	6	8	10	15
35-49	472	4.4	10	1	2	4	6	8	11	15
50-64	141	4.3	10	1	2	4	6	8	10	16
65 +	14	4.4	7	1	2	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	26	3.6	6	1	1	3	5	7	9	11
35-49	94	5.0	26	1	2	4	6	11	16	28
50-64	59	4.6	11	1	3	4	6	9	12	18
65 +	51	5.8	17	2	3	5	7	9	15	24
B. Operated										
0-19 YRS	0									
20-34	65	6.2	20	2	3	5	8	10	16	25
35-49	350	5.6	20	1	3	5	7	10	14	22
50-64	212	6.2	34	2	3	5	7	12	17	32
65 +	76	8.4	123	2	3	6	9	14	27	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	4.8	11	1	2	5	6	9	11	16
B. Operated	769	4.4	9	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated	231	5.0	18	1	2	4	6	9	14	22
B. Operated	703	6.1	36	2	3	5	7	11	16	28
1. SINGLE DX	898	4.5	10	1	2	4	6	8	10	15
2. MULTIPLE DX	934	5.8	32	1	3	5	7	11	16	27
A. Not Operated	360	4.9	16	1	2	4	6	9	13	19
B. Operated	1472	5.2	23	1	3	4	6	10	12	22
TOTAL										
0-19 YRS	3	7.3	26	3	4	6	11	13	13	13
20-34	265	5.0	12	1	3	4	7	9	12	16
35-49	968	4.9	15	1	2	4	6	9	12	21
50-64	448	5.2	22	1	2	4	6	10	13	22
65 +	148	7.0	71	2	3	5	8	12	19	31
GRAND TOTAL	**1832**	**5.2**	**21**	**1**	**3**	**4**	**6**	**10**	**12**	**22**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	6.0	9	3	4	5	8	11	11	11
20-34	9	5.6	17	1	2	3	9	12	12	12
35-49	11	6.8	22	3	4	5	9	14	19	19
50-64	5	5.8	6	2	4	6	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	2.3	2	1	1	2	3	5	5	5
35-49	13	5.3	14	1	1	5	8	10	12	12
50-64	2	5.5	41	1	1	5	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	8.7	30	3	4	9	13	14	14	14
20-34	12	7.9	58	2	3	4	13	19	25	26
35-49	13	6.5	20	2	3	6	8	14	16	17
50-64	21	6.5	12	4	4	5	8	11	15	17
65 +	9	4.1	3	2	3	3	5	7	7	7
B. Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	17	5.8	30	1	2	4	9	10	18	23
35-49	26	8.0	87	1	3	7	10	12	20	50
50-64	10	8.6	39	2	5	7	11	18	23	23
65 +	10	7.8	16	2	4	8	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	6.1	14	2	3	5	8	11	12	19
B. Operated	21	4.5	13	1	1	3	7	10	11	12
2. MULTIPLE DX										
A. Not Operated	58	6.5	23	2	3	5	8	14	16	25
B. Operated	64	7.7	54	1	3	7	10	13	22	46
1. SINGLE DX	52	5.5	14	1	3	5	8	10	12	19
2. MULTIPLE DX	122	7.1	39	2	3	6	9	13	17	33
A. Not Operated	89	6.4	20	2	3	5	8	13	16	23
B. Operated	85	6.9	46	1	2	6	9	12	16	41
TOTAL										
0-19 YRS	10	8.4	36	3	4	7	11	18	22	22
20-34	44	5.8	32	1	2	4	8	12	18	26
35-49	63	6.9	46	1	3	6	9	12	15	46
50-64	38	6.9	19	3	4	6	8	12	16	23
65 +	19	6.1	13	2	3	5	8	12	13	14
GRAND TOTAL	**174**	**6.6**	**32**	**2**	**3**	**5**	**9**	**12**	**16**	**25**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.9	12	1	1	3	5	10	11	11
35-49	22	6.2	15	2	3	6	10	11	13	16
50-64	6	5.7	11	1	4	5	7	11	11	11
65 +	6	2.7	6	< 1	1	2	4	7	7	7
B. Operated										
0-19 YRS	0									
20-34	13	2.4	6	1	1	1	4	6	8	8
35-49	13	5.5	62	1	1	3	6	13	27	30
50-64	11	1.8	1	1	1	2	2	3	3	3
65 +	4	3.3	4	1	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	5.8	12	2	3	6	9	11	11	11
35-49	24	6.0	21	3	3	4	6	16	18	19
50-64	23	6.0	14	2	3	5	7	13	14	15
65 +	37	5.9	13	2	4	5	7	10	14	18
B. Operated										
0-19 YRS	0									
20-34	9	6.0	15	3	3	5	7	12	15	15
35-49	18	4.7	11	1	1	4	8	9	10	11
50-64	17	6.3	13	3	4	5	8	12	14	15
65 +	16	6.6	25	1	3	6	9	15	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	5.1	14	1	2	4	7	11	11	16
B. Operated	41	3.3	23	1	1	2	4	7	9	30
2. MULTIPLE DX										
A. Not Operated	95	5.9	15	2	3	5	7	11	16	19
B. Operated	60	5.9	16	1	3	5	8	11	15	18
1. SINGLE DX	83	4.2	19	1	1	3	6	10	11	25
2. MULTIPLE DX	155	5.9	15	2	3	5	7	11	15	18
A. Not Operated	137	5.7	14	2	3	5	7	11	15	18
B. Operated	101	4.8	20	1	1	4	7	9	14	24
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	40	4.4	12	1	1	4	6	10	11	15
35-49	77	5.7	23	1	3	5	7	11	16	27
50-64	57	5.2	13	1	3	5	7	11	14	15
65 +	63	5.6	16	1	3	5	7	10	15	18
GRAND TOTAL	**238**	**5.3**	**17**	**1**	**2**	**4**	**7**	**10**	**14**	**18**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	36	3.3	5	1	2	3	5	6	7	10
20-34	169	4.1	16	1	2	3	5	7	11	24
35-49	278	4.2	11	1	2	3	6	8	10	16
50-64	140	3.8	10	< 1	1	3	5	9	10	14
65 +	64	3.3	7	< 1	1	2	4	7	9	14
B. Operated										
0-19 YRS	15	3.4	38	1	1	1	2	7	20	25
20-34	221	2.7	6	1	1	2	4	6	8	11
35-49	432	3.0	9	1	1	2	4	7	10	12
50-64	220	3.7	9	1	1	2	6	8	9	12
65 +	119	5.3	19	1	1	5	8	11	13	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	2.8	3	1	1	2	4	5	7	8
20-34	252	5.5	19	1	3	5	6	10	13	26
35-49	461	6.2	28	1	3	5	7	11	19	26
50-64	383	5.7	19	2	3	5	7	11	13	26
65 +	370	6.3	18	2	3	5	8	12	14	22
B. Operated										
0-19 YRS	18	9.1	131	1	3	5	9	28	39	44
20-34	229	4.8	21	1	2	3	6	10	12	24
35-49	479	4.7	24	1	1	3	6	10	13	25
50-64	431	6.7	45	1	2	5	9	13	17	31
65 +	427	8.9	52	2	4	8	11	17	21	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	687	4.0	11	1	2	3	5	8	10	16
B. Operated	1007	3.4	10	1	1	2	5	8	10	13
2. MULTIPLE DX										
A. Not Operated	1500	5.9	22	2	3	5	7	11	15	25
B. Operated	1584	6.4	41	1	2	5	9	13	17	33
1. SINGLE DX	1694	3.6	11	1	1	2	5	8	10	15
2. MULTIPLE DX	3084	6.2	32	1	2	5	8	12	17	29
A. Not Operated	2187	5.3	19	1	2	4	7	10	13	25
B. Operated	2591	5.2	31	1	1	3	7	11	15	29
TOTAL										
0-19 YRS	103	4.2	35	1	1	3	4	7	10	38
20-34	871	4.3	17	1	2	3	6	9	11	23
35-49	1650	4.6	20	1	2	3	6	9	12	25
50-64	1174	5.5	27	1	2	4	7	11	14	27
65 +	980	7.1	35	1	3	6	9	14	17	29
GRAND TOTAL	**4778**	**5.3**	**26**	**1**	**2**	**4**	**7**	**11**	**14**	**26**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.8	3	1	2	3	3	6	7	8
20-34	20	4.0	8	1	2	3	5	9	10	11
35-49	19	2.9	2	1	2	3	4	5	6	6
50-64	18	3.7	8	1	2	3	5	8	10	11
65 +	14	3.3	5	1	2	3	4	6	8	9
B. Operated										
0-19 YRS	28	2.9	13	< 1	< 1	1	3	8	12	15
20-34	95	2.3	6	< 1	1	1	3	4	7	16
35-49	171	2.0	3	< 1	1	1	2	4	4	9
50-64	134	2.0	2	< 1	1	2	3	3	4	7
65 +	35	1.9	2	< 1	< 1	1	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	3.2	5	1	2	3	4	5	7	13
20-34	33	4.6	8	2	3	4	6	9	11	12
35-49	64	3.5	7	1	2	3	4	6	10	13
50-64	45	4.7	11	2	2	4	6	9	11	17
65 +	78	5.3	10	2	3	4	7	10	11	18
B. Operated										
0-19 YRS	27	4.3	12	< 1	2	3	6	9	12	15
20-34	92	3.8	46	1	2	3	4	7	8	42
35-49	233	2.7	5	< 1	1	2	3	5	8	11
50-64	210	3.8	18	1	2	2	4	9	12	23
65 +	106	4.4	20	1	2	3	5	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	3.2	5	1	2	3	4	6	7	11
B. Operated	463	2.1	4	< 1	1	1	3	4	5	12
2. MULTIPLE DX										
A. Not Operated	257	4.3	9	1	2	4	5	9	11	13
B. Operated	668	3.6	18	1	1	2	4	7	10	20
1. SINGLE DX	600	2.3	4	< 1	1	2	3	4	6	11
2. MULTIPLE DX	925	3.8	15	1	2	3	4	7	10	19
A. Not Operated	394	3.9	8	1	2	3	5	8	10	13
B. Operated	1131	3.0	13	< 1	1	2	3	6	8	17
TOTAL										
0-19 YRS	158	3.2	7	1	1	3	4	6	8	15
20-34	240	3.4	22	< 1	1	2	4	7	8	14
35-49	487	2.6	5	< 1	1	2	3	5	7	11
50-64	407	3.3	12	< 1	1	2	4	6	11	20
65 +	233	4.3	14	1	2	3	5	8	11	20
GRAND TOTAL	**1525**	**3.2**	**11**	**< 1**	**1**	**2**	**4**	**6**	**9**	**17**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	1.4		< 1	< 1	1	2	2	3	3
20-34	32	1.7	1	< 1	1	2	2	3	4	4
35-49	60	1.7	1	< 1	1	1	2	3	3	4
50-64	71	1.9	2	< 1	1	1	3	4	4	8
65 +	35	1.8	2	< 1	1	1	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	4	1.5	1	< 1	< 1	1	2	3	3	3
65 +	7	2.3	4	< 1	< 1	1	3	5	6	6
B. Operated										
0-19 YRS	55	2.4	2	< 1	1	2	3	4	6	8
20-34	74	1.8	1	< 1	< 1	2	2	3	3	6
35-49	158	2.4	6	< 1	1	2	3	4	6	9
50-64	241	2.5	3	< 1	1	2	3	5	5	7
65 +	238	2.9	5	< 1	1	3	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	222	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	16	1.8	2	< 1	< 1	1	2	3	5	6
B. Operated	766	2.5	4	< 1	1	2	3	5	6	9
1. SINGLE DX	222	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	782	2.5	4	< 1	1	2	3	5	6	9
A. Not Operated	16	1.8	2	< 1	< 1	1	2	3	5	6
B. Operated	988	2.4	4	< 1	1	2	3	4	6	9
TOTAL										
0-19 YRS	79	2.1	2	< 1	1	2	3	3	5	7
20-34	108	1.8	1	< 1	1	2	2	3	3	5
35-49	221	2.2	5	< 1	1	2	3	4	5	7
50-64	316	2.4	2	< 1	1	2	3	4	5	8
65 +	280	2.8	5	< 1	1	2	3	5	7	11
GRAND TOTAL	**1004**	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**	**9**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	25	1.3		< 1	< 1	< 1	1	2	3	3
20-34	41	1.1		< 1	< 1	< 1	< 1	1	2	3
35-49	57	1.3	1	< 1	< 1	< 1	1	2	3	7
50-64	32	1.8	3	< 1	< 1	1	2	4	6	9
65 +	10	1.6	2	< 1	< 1	< 1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	3	3.7	4	2	2	3	5	6	6	6
65 +	6	3.5		3	3	3	4	4	4	4
B. Operated										
0-19 YRS	9	1.9	4	< 1	1	1	2	5	7	7
20-34	11	2.4	4	< 1	< 1	1	4	6	7	7
35-49	26	3.5	27	< 1	1	2	3	9	18	23
50-64	25	2.4	3	< 1	1	2	3	4	6	9
65 +	20	7.5	69	1	2	4	9	20	29	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	10	< 1	< 1	2	6	7	7	7
B. Operated	165	1.4	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated	10	3.3	2	1	3	3	4	5	6	6
B. Operated	91	3.8	28	< 1	1	2	4	9	15	30
1. SINGLE DX	168	1.4	1	< 1	< 1	< 1	1	2	3	7
2. MULTIPLE DX	101	3.7	26	< 1	1	2	4	8	13	29
A. Not Operated	13	3.3	3	< 1	2	3	4	6	7	7
B. Operated	256	2.2	12	< 1	< 1	1	2	4	7	23
TOTAL										
0-19 YRS	35	1.5	1	< 1	< 1	< 1	2	2	3	7
20-34	53	1.4	1	< 1	< 1	< 1	1	2	4	7
35-49	84	2.0	10	< 1	< 1	< 1	2	3	5	21
50-64	60	2.1	3	< 1	< 1	1	3	5	6	9
65 +	37	5.2	44	< 1	2	3	5	11	21	33
GRAND TOTAL	**269**	**2.3**	**12**	**<1**	**<1**	**1**	**2**	**4**	**7**	**22**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	9.2	35	3	6	8	12	18	22	28
20-34	5	8.0	30	2	3	7	13	15	15	15
35-49	6	11.7	161	3	4	8	10	34	37	37
50-64	7	6.1	16	2	3	5	9	12	13	13
65 +	4	7.3	18	2	4	7	10	12	12	12
B. Operated										
0-19 YRS	58	10.3	50	2	5	9	15	22	23	28
20-34	27	7.4	72	1	3	4	9	15	20	44
35-49	23	11.6	156	2	5	7	13	38	43	43
50-64	13	6.4	57	< 1	2	5	7	15	26	29
65 +	15	8.5	123	< 1	2	7	10	12	37	46
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	10.8	43	4	6	9	14	21	23	31
20-34	22	10.0	60	2	5	7	14	21	25	29
35-49	32	10.8	94	3	5	8	12	26	38	40
50-64	45	12.2	106	4	6	9	13	21	36	50
65 +	60	12.9	83	3	6	11	17	23	33	41
B. Operated										
0-19 YRS	102	17.3	204	3	7	11	24	42	45	51
20-34	90	14.8	178	4	6	11	18	27	43	72
35-49	116	16.9	307	3	5	11	20	46	62	84
50-64	153	14.6	177	4	7	11	17	30	41	85
65 +	190	15.5	172	4	8	12	19	34	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	78	8.9	40	2	4	8	11	15	22	34
B. Operated	136	9.4	81	1	3	7	12	21	27	44
2. MULTIPLE DX										
A. Not Operated	216	11.6	76	3	6	9	14	22	30	44
B. Operated	641	15.8	203	3	7	11	19	39	49	85
1. SINGLE DX	214	9.2	66	2	4	7	12	18	23	44
2. MULTIPLE DX	857	14.7	174	3	6	11	18	33	44	76
A. Not Operated	294	10.9	68	3	6	9	14	21	28	41
B. Operated	777	14.6	187	3	6	11	18	36	46	76
TOTAL										
0-19 YRS	273	12.8	115	3	6	10	15	27	41	48
20-34	134	12.2	140	2	4	9	16	24	32	64
35-49	177	14.9	249	2	5	9	18	42	54	74
50-64	218	13.3	155	3	6	10	16	29	39	73
65 +	269	14.4	150	4	7	11	18	29	44	96
GRAND TOTAL	**1071**	**13.6**	**157**	**3**	**6**	**10**	**17**	**29**	**43**	**69**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	5.9	66	1	2	4	7	11	16	55
20-34	28	3.0	5	< 1	2	2	4	6	7	12
35-49	38	3.0	8	1	1	2	4	5	10	13
50-64	26	3.5	8	1	2	3	4	7	9	14
65 +	46	8.6	191	1	3	6	10	13	18	92
B. Operated										
0-19 YRS	356	3.7	10	1	2	3	5	7	10	14
20-34	141	3.7	8	1	2	3	5	8	9	14
35-49	135	4.4	11	1	2	3	6	10	11	15
50-64	110	5.1	15	1	2	4	7	11	14	15
65 +	40	7.0	25	2	3	6	11	13	15	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	7.2	104	1	2	4	7	16	28	51
20-34	61	3.6	17	1	2	2	4	6	10	24
35-49	139	3.7	12	1	2	3	4	7	9	15
50-64	193	5.2	35	1	2	4	6	10	13	19
65 +	883	8.1	36	3	4	7	10	15	19	33
B. Operated										
0-19 YRS	198	5.1	42	1	2	3	7	10	14	39
20-34	222	4.6	17	1	2	3	6	10	13	19
35-49	223	6.7	29	1	2	5	10	14	17	23
50-64	293	8.9	57	2	4	8	11	17	22	45
65 +	454	12.8	109	4	7	10	15	25	34	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	5.3	71	1	2	3	6	11	13	47
B. Operated	782	4.2	12	1	2	3	6	9	11	15
2. MULTIPLE DX										
A. Not Operated	1332	7.0	39	2	3	5	9	13	17	33
B. Operated	1390	8.6	72	2	3	7	11	16	23	49
1. SINGLE DX	990	4.4	24	1	2	3	6	9	11	16
2. MULTIPLE DX	2722	7.8	56	2	3	6	10	15	20	42
A. Not Operated	1540	6.8	43	2	3	5	8	13	17	33
B. Operated	2172	7.0	55	1	2	5	9	14	19	41
TOTAL										
0-19 YRS	680	4.7	34	1	2	3	6	9	11	30
20-34	452	4.1	14	1	2	3	5	9	12	18
35-49	535	5.1	21	1	2	4	7	11	14	21
50-64	622	6.8	45	1	3	5	9	13	17	33
65 +	1423	9.6	69	3	5	8	12	17	25	48
GRAND TOTAL	**3712**	**6.9**	**50**	**1**	**3**	**5**	**9**	**14**	**18**	**36**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	16	< 1	1	4	8	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	90	3.4	14	1	2	3	4	6	7	25
20-34	16	3.1	5	< 1	1	2	4	7	8	8
35-49	14	2.9	4	< 1	< 1	2	4	6	7	7
50-64	8	2.5	3	< 1	1	2	3	5	6	6
65 +	9	2.9	2	< 1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.5	35	1	1	2	2	13	18	18
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	29.0		29	29	29	29	29	29	29
50-64	5	8.0	126	2	3	3	10	28	28	28
65 +	3	16.7	482	3	3	5	33	42	42	42
B. Operated										
0-19 YRS	167	3.1	10	1	1	2	4	6	7	19
20-34	34	4.1	8	1	3	3	5	9	11	14
35-49	28	3.5	8	1	1	3	5	7	9	14
50-64	29	4.1	9	1	2	3	5	8	12	12
65 +	25	9.3	80	2	4	7	11	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.7	16	< 1	1	4	8	9	9	9
B. Operated	137	3.2	10	1	1	2	4	6	7	20
2. MULTIPLE DX										
A. Not Operated	18	8.3	151	1	2	3	5	29	37	42
B. Operated	283	3.9	18	1	1	3	5	7	11	21
1. SINGLE DX	140	3.2	10	1	1	3	4	6	7	19
2. MULTIPLE DX	301	4.2	27	1	1	3	5	8	13	28
A. Not Operated	21	7.8	132	1	2	3	6	28	35	42
B. Operated	420	3.7	16	1	1	3	4	7	9	20
TOTAL										
0-19 YRS	268	3.2	12	1	1	2	4	6	8	20
20-34	51	3.7	7	1	2	3	5	7	9	14
35-49	43	3.9	22	< 1	1	3	5	7	10	29
50-64	42	4.2	21	1	2	3	4	8	12	28
65 +	37	8.3	94	< 1	3	5	9	19	35	43
GRAND TOTAL	**441**	**3.9**	**22**	**1**	**1**	**3**	**4**	**7**	**11**	**28**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	5.1	252	< 1	1	2	3	7	13	95
20-34	57	3.2	5	1	2	3	4	5	8	11
35-49	54	3.7	8	1	2	3	4	7	10	15
50-64	27	4.0	10	< 1	2	3	6	9	10	12
65 +	12	3.8	13	< 1	1	2	6	9	12	13
B. Operated										
0-19 YRS	351	5.7	11	1	3	6	8	9	10	15
20-34	117	4.0	10	< 1	1	3	7	8	10	12
35-49	115	3.3	14	1	1	2	4	8	9	19
50-64	93	3.0	10	1	1	2	4	7	9	18
65 +	45	2.4	4	< 1	1	2	3	4	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	3.8	24	1	1	2	4	8	13	25
20-34	125	4.9	30	1	2	4	5	9	15	33
35-49	189	4.8	17	2	2	4	7	8	11	26
50-64	168	5.0	16	1	2	4	6	11	15	20
65 +	196	5.9	21	2	3	5	8	11	14	26
B. Operated										
0-19 YRS	349	6.1	41	1	1	4	9	14	19	31
20-34	173	6.4	75	1	1	3	8	15	22	46
35-49	186	4.9	43	1	1	3	6	10	13	37
50-64	212	5.8	39	1	2	3	8	13	17	39
65 +	156	7.6	58	1	2	6	10	17	21	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	3.9	53	1	1	3	4	7	9	15
B. Operated	721	4.5	12	1	1	4	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	756	5.1	21	1	2	4	7	10	14	25
B. Operated	1076	6.1	49	1	2	4	8	14	18	34
1. SINGLE DX	906	4.4	20	1	1	3	7	8	10	15
2. MULTIPLE DX	1832	5.7	38	1	2	4	7	12	17	30
A. Not Operated	941	4.8	27	1	2	3	6	9	13	25
B. Operated	1797	5.4	35	1	1	4	7	11	15	29
TOTAL										
0-19 YRS	813	5.7	35	1	2	5	8	10	14	25
20-34	472	5.0	40	1	2	3	6	10	15	32
35-49	544	4.4	25	1	2	3	6	9	11	22
50-64	500	4.9	25	1	2	3	6	11	15	23
65 +	409	6.1	36	1	2	4	8	13	17	28
GRAND TOTAL	2738	5.2	33	1	2	4	7	10	15	28

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	0									
65 +	2	26.5	545	10	10	26	43	43	43	43
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	12.8	293	3	3	5	18	43	43	43
B. Operated	4	3.8	14	1	1	3	6	9	9	9
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	9	8.8	175	1	2	4	9	30	43	43
A. Not Operated	6	11.3	247	3	3	4	10	40	43	43
B. Operated	4	3.8	14	1	1	3	6	9	9	9
TOTAL										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	4	16.5	319	4	6	9	26	43	43	43
GRAND TOTAL	10	8.3	158	1	3	4	9	26	43	43

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	4.3	29	1	2	3	5	7	17	25
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	115	5.3	13	2	3	5	6	9	11	20
20-34	4	3.3	4	1	1	3	5	5	5	5
35-49	3	12.0	156	2	3	8	21	26	26	26
50-64	1	12.0		12	12	12	12	12	12	12
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	3.4	14	1	1	2	4	9	14	17
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	0									
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	0									
B. Operated										
0-19 YRS	269	7.7	62	2	4	6	9	15	26	51
20-34	5	8.0	10	4	7	9	12	91	99+	99+
35-49	9	11.3	35	4	7	10	15	20	23	23
50-64	8	8.1	6	5	6	8	10	11	12	12
65+	2	11.5	41	7	7	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	4.3	29	1	2	3	5	7	17	25
B. Operated	123	5.4	16	2	3	5	7	9	12	23
2. MULTIPLE DX										
A. Not Operated	80	3.3	13	1	1	2	4	8	13	17
B. Operated	293	7.8	59	2	4	6	9	15	25	62
1. SINGLE DX	142	5.3	18	1	3	4	6	9	12	25
2. MULTIPLE DX	373	6.9	53	1	2	5	8	14	21	50
A. Not Operated	99	3.5	16	1	1	2	4	7	14	22
B. Operated	416	7.1	48	2	3	6	8	13	21	44
TOTAL										
0-19 YRS	477	6.3	44	1	2	5	7	12	17	36
20-34	13	4.8	12	1	2	5	7	21	82	99+
35-49	12	11.5	54	3	6	9	15	24	26	26
50-64	11	7.5	12	3	5	8	10	12	12	12
65+	2	11.5	41	7	7	11	16	16	16	16
GRAND TOTAL	515	6.4	44	1	3	5	8	13	18	37

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.5	1	<1	<1	1	2	3	4	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65+	0									
B. Operated										
0-19 YRS	198	1.7	2	<1	1	1	2	3	5	7
20-34	13	1.2		<1	1	1	1	2	2	2
35-49	12	1.3		<1	1	1	2	2	3	3
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.4	13	<1	<1	1	2	5	10	18
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	111	2.6	14	<1	1	2	3	5	6	21
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	3.2	16	1	1	1	4	10	11	11
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	4	4.3	34	1	1	2	7	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.5	1	<1	<1	1	2	3	4	6
B. Operated	229	1.6	2	<1	1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	25	2.4	13	<1	<1	1	2	5	9	18
B. Operated	126	2.6	14	1	1	2	3	5	7	19
1. SINGLE DX	271	1.6	2	<1	1	1	2	3	5	7
2. MULTIPLE DX	151	2.6	14	<1	1	1	3	5	7	18
A. Not Operated	67	1.9	6	<1	<1	1	2	4	5	16
B. Operated	355	2.0	6	<1	1	1	2	4	5	10
TOTAL										
0-19 YRS	372	2.0	6	<1	1	1	2	4	5	9
20-34	16	1.3		<1	1	1	2	2	2	2
35-49	21	2.0	5	1	1	1	2	4	7	11
50-64	9	1.3		<1	<1	1	2	2	2	2
65+	4	4.3	34	1	1	2	7	13	13	13
GRAND TOTAL	422	2.0	6	<1	1	1	2	4	5	10

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	113	5.6	66	1	2	3	6	14	23	69
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	764	4.5	21	1	1	4	6	8	12	19
20-34	31	4.9	11	1	2	5	8	9	10	13
35-49	15	3.8	12	1	1	2	5	8	12	13
50-64	6	4.7	25	1	2	2	7	13	14	14
65 +	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	273	4.1	31	< 1	1	2	4	9	15	30
20-34	16	4.3	21	< 1	1	2	6	12	15	16
35-49	6	6.5	6	3	5	6	9	9	9	9
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	15	8.5	77	2	3	6	10	25	30	32
B. Operated										
0-19 YRS	1824	7.9	107	1	2	6	10	18	27	99 +
20-34	65	7.1	69	1	2	5	10	14	25	42
35-49	35	4.7	15	1	1	4	8	9	12	15
50-64	19	5.4	14	1	1	6	9	10	11	11
65 +	25	6.3	23	1	2	5	10	12	16	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	5.4	62	1	2	3	6	12	22	65
B. Operated	818	4.5	20	1	1	4	6	9	12	19
2. MULTIPLE DX										
A. Not Operated	313	4.3	33	1	1	3	5	9	15	31
B. Operated	1968	7.8	103	1	2	6	10	17	26	99 +
1. SINGLE DX	938	4.7	26	1	1	4	6	9	12	24
2. MULTIPLE DX	2281	7.3	95	1	2	5	9	16	25	96
A. Not Operated	433	4.6	41	1	1	3	5	10	16	45
B. Operated	2786	6.8	81	1	2	5	8	15	23	84
TOTAL										
0-19 YRS	2974	6.6	79	1	2	4	8	15	22	84
20-34	115	6.0	46	1	1	5	8	12	16	42
35-49	59	4.6	13	1	1	4	7	9	12	15
50-64	29	4.8	14	1	2	3	8	10	11	14
65 +	42	7.0	42	1	2	5	10	13	20	32
GRAND TOTAL	**3219**	**6.5**	**76**	**1**	**2**	**4**	**8**	**14**	**21**	**72**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.2	2	1	1	2	3	4	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	397	2.4	2	1	1	2	3	4	5	6
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	22	1.6	2	< 1	< 1	1	2	4	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	433	2.9	4	1	2	3	3	5	6	10
20-34	3	2.3		2	2	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.2	2	1	1	2	3	4	5	5
B. Operated	401	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	22	1.6	2	< 1	< 1	1	2	4	5	5
B. Operated	436	2.9	4	1	2	3	3	5	6	10
1. SINGLE DX	424	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX	458	2.8	4	1	2	2	3	5	6	9
A. Not Operated	45	1.9	2	< 1	1	1	2	4	5	5
B. Operated	837	2.7	3	1	2	2	3	4	5	8
TOTAL										
0-19 YRS	875	2.6	3	1	2	2	3	4	5	8
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**882**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**8**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.5	5	< 1	1	2	3	4	8	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	449	2.9	2	2	2	3	3	4	5	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	136	4.9	25	2	3	4	6	8	11	56
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	5	< 1	1	2	3	4	8	10
B. Operated	449	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	5	3.0	6	1	1	2	5	6	6	6
B. Operated	136	4.9	25	2	3	4	6	8	11	56
1. SINGLE DX	464	2.9	2	2	2	3	3	4	5	8
2. MULTIPLE DX	141	4.9	25	2	3	4	6	8	11	53
A. Not Operated	20	2.6	5	< 1	1	2	3	5	8	10
B. Operated	585	3.4	8	2	2	3	4	5	7	12
TOTAL										
0-19 YRS	605	3.4	8	2	2	3	4	5	7	12
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**605**	**3.4**	**8**	**2**	**2**	**3**	**4**	**5**	**7**	**12**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	3.2	19	< 1	1	2	3	7	13	23
20-34	0									
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	336	5.1	25	1	1	4	7	10	13	31
20-34	9	4.6	36	1	1	1	7	14	19	19
35-49	8	5.1	9	1	2	5	8	9	9	9
50-64	6	4.5	27	< 1	1	2	9	13	13	13
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	129	5.9	36	1	2	4	8	15	20	46
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	6.3	16	2	3	7	9	10	10	10
50-64	2	8.5	41	4	4	8	13	13	13	13
65 +	4	3.3	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	438	9.2	140	1	3	6	10	23	41	99 +
20-34	10	6.6	11	3	5	6	8	11	14	14
35-49	19	7.2	17	3	4	6	9	13	16	17
50-64	14	9.4	82	2	4	7	10	27	31	32
65 +	12	11.5	41	4	7	10	17	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.3	18	< 1	1	2	3	8	12	23
B. Operated	359	5.1	25	1	1	4	7	10	13	30
2. MULTIPLE DX										
A. Not Operated	139	5.8	34	1	2	4	8	14	19	39
B. Operated	493	9.1	128	1	3	6	10	21	39	99 +
1. SINGLE DX	423	4.8	24	1	1	3	7	10	13	26
2. MULTIPLE DX	632	8.4	109	1	3	6	10	19	34	99 +
A. Not Operated	203	5.0	30	1	1	3	7	13	18	30
B. Operated	852	7.4	88	1	2	5	9	16	29	99 +
TOTAL										
0-19 YRS	965	6.9	82	1	2	5	8	15	26	99 +
20-34	20	5.4	22	1	1	5	7	11	16	19
35-49	32	6.5	14	2	4	6	9	11	15	17
50-64	22	8.0	64	1	2	6	10	17	29	32
65 +	16	9.4	44	2	4	8	14	19	22	23
GRAND TOTAL	**1055**	**7.0**	**78**	**1**	**2**	**5**	**8**	**15**	**24**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	161	1.3	1	< 1	1	1	1	2	3	5
20-34	12	1.8	1	< 1	1	2	2	4	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.6	7	< 1	1	1	4	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	148	1.5	2	< 1	1	1	2	3	3	7
20-34	9	2.3	2	1	1	2	3	5	5	5
35-49	6	1.3		< 1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	176	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	6	2.3	6	< 1	1	1	3	7	7	7
B. Operated	164	1.6	2	< 1	1	1	2	3	4	7
1. SINGLE DX	177	1.4	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	170	1.6	2	< 1	1	1	2	3	4	7
A. Not Operated	7	2.4	5	< 1	1	1	3	6	7	7
B. Operated	340	1.5	1	< 1	1	1	2	2	3	6
TOTAL										
0-19 YRS	315	1.4	1	< 1	1	1	1	2	3	6
20-34	22	2.0	2	1	1	2	2	4	5	5
35-49	9	1.4		< 1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**347**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	1.5	1	1	1	1	2	3	4	6
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	610	3.3	8	1	1	2	5	7	10	14
20-34	16	4.5	4	1	3	4	6	7	8	8
35-49	8	2.9	5	1	1	2	3	7	8	8
50-64	4	4.5	8	< 1	2	4	6	8	8	8
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	2.2	2	< 1	< 1	2	3	5	6	6
20-34	7	4.1	2	2	4	4	5	6	6	6
35-49	8	4.3	6	2	2	4	5	8	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	3	4.0	4	2	2	4	5	6	6	6
B. Operated										
0-19 YRS	381	5.7	36	1	2	4	8	12	15	33
20-34	43	5.0	14	2	3	4	5	10	15	16
35-49	54	5.1	8	2	4	5	6	8	10	17
50-64	13	10.2	36	3	6	10	13	20	21	21
65 +	14	8.5	43	1	3	8	12	18	22	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.5	1	< 1	1	1	2	2	4	6
B. Operated	639	3.3	8	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. Not Operated	55	2.8	3	< 1	1	2	4	6	6	9
B. Operated	505	5.8	32	1	2	5	8	12	16	31
1. SINGLE DX	682	3.2	8	1	1	2	5	7	9	14
2. MULTIPLE DX	560	5.5	30	1	2	4	7	11	15	29
A. Not Operated	98	2.2	3	< 1	1	2	3	5	6	8
B. Operated	1144	4.4	20	1	1	3	5	10	12	22
TOTAL										
0-19 YRS	1067	4.0	19	1	1	3	5	9	12	22
20-34	68	4.7	10	1	3	4	5	8	11	16
35-49	70	4.7	8	1	3	5	6	8	9	16
50-64	19	8.1	36	1	3	7	11	18	21	21
65 +	18	7.7	36	1	3	7	10	17	21	23
GRAND TOTAL	**1242**	**4.2**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.3	10	< 1	< 1	2	6	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	310	2.3	2	1	1	2	3	4	5	7
20-34	3	3.3	4	1	2	4	5	5	5	5
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	1.5	1	< 1	< 1	1	2	3	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	145	3.2	4	1	2	3	4	5	7	12
20-34	9	3.0	2	1	2	3	4	5	5	5
35-49	9	4.6	7	2	3	4	6	9	9	9
50-64	7	3.6	8	< 1	1	3	5	8	9	9
65 +	6	2.2	3	< 1	< 1	1	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3	10	< 1	< 1	2	6	7	7	7
B. Operated	319	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	13	1.5	1	< 1	< 1	1	2	3	5	5
B. Operated	176	3.2	5	1	2	3	4	6	8	11
1. SINGLE DX	322	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	189	3.1	5	1	2	3	4	5	7	11
A. Not Operated	16	1.9	3	< 1	< 1	1	2	5	6	7
B. Operated	495	2.7	3	1	1	2	4	5	6	9
TOTAL										
0-19 YRS	471	2.6	3	1	1	2	3	5	6	9
20-34	12	3.1	2	1	2	3	4	5	5	5
35-49	13	4.0	6	2	2	3	5	8	9	9
50-64	9	3.4	6	< 1	2	3	4	7	9	9
65 +	6	2.2	3	< 1	< 1	1	4	5	5	5
GRAND TOTAL	**511**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	96	2.1	4	1	1	1	2	4	6	11
20-34	6	2.0	3	1	1	1	3	5	5	5
35-49	4	3.5	10	1	1	2	5	8	8	8
50-64	4	3.5	14	1	1	2	6	9	9	9
65 +	0									
B. Operated										
0-19 YRS	816	3.9	11	1	1	3	5	8	10	17
20-34	55	2.9	9	< 1	1	2	4	8	9	15
35-49	47	3.1	10	< 1	1	1	3	9	9	15
50-64	19	5.2	31	< 1	1	3	8	13	18	22
65 +	4	3.8	8	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	4.6	44	1	1	3	5	10	15	40
20-34	17	5.4	11	1	2	6	8	10	11	11
35-49	13	4.1	6	1	3	4	5	8	9	9
50-64	17	4.4	9	1	2	4	6	8	11	12
65 +	14	5.2	8	2	3	5	7	8	11	12
B. Operated										
0-19 YRS	510	6.4	77	1	2	4	7	13	22	99 +
20-34	58	6.3	27	1	2	5	9	15	18	19
35-49	49	5.7	16	1	2	5	9	11	11	18
50-64	38	6.4	23	1	3	6	9	12	15	24
65 +	25	9.5	48	2	4	9	13	23	24	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	2.2	4	1	1	1	3	5	7	11
B. Operated	941	3.8	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. Not Operated	214	4.6	34	1	1	3	6	10	12	32
B. Operated	680	6.4	64	1	2	4	8	13	19	87
1. SINGLE DX	1051	3.7	11	1	1	3	5	7	9	17
2. MULTIPLE DX	894	6.0	58	1	2	4	7	12	18	56
A. Not Operated	324	3.8	25	1	1	2	5	8	11	26
B. Operated	1621	4.9	35	1	1	4	6	10	14	37
TOTAL										
0-19 YRS	1575	4.7	37	1	1	3	6	9	13	39
20-34	136	4.6	19	1	1	3	7	11	14	19
35-49	113	4.3	13	1	1	3	8	9	11	16
50-64	78	5.5	21	1	2	4	8	11	13	23
65 +	43	7.6	36	2	3	6	10	15	23	26
GRAND TOTAL	**1945**	**4.7**	**34**	**1**	**1**	**3**	**6**	**10**	**13**	**36**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	12.7	68	3	8	11	16	23	29	43
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	146	18.4	226	5	9	15	24	43	75	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	27	30.7	546	14	44	99 +	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	12.7	68	3	8	11	16	23	29	43
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	146	18.4	226	5	9	15	24	43	75	99 +
B. Operated	27	30.7	546	14	44	99 +	99 +	99 +	99 +	99 +
1. SINGLE DX	62	12.7	68	3	8	11	16	23	29	43
2. MULTIPLE DX	173	20.4	293	6	12	20	76	99 +	99 +	99 +
A. Not Operated	208	16.7	185	5	8	13	21	38	52	99 +
B. Operated	27	30.7	546	14	44	99 +	99 +	99 +	99 +	99 +
TOTAL										
0-19 YRS	235	18.3	244	5	10	17	43	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**235**	**18.3**	**244**	**5**	**10**	**17**	**43**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	430	2.4	1	1	2	2	3	4	4	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.2	2	2	2	3	4	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	165	3.3	8	2	2	3	4	5	7	14
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	4.8	11	1	2	4	7	9	9	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	430	2.4	1	1	2	2	3	4	4	6
B. Operated	5	3.2	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	165	3.3	8	2	2	3	4	5	7	14
B. Operated	4	4.8	11	1	2	4	7	9	9	9
1. SINGLE DX	435	2.4	1	1	2	2	3	4	4	6
2. MULTIPLE DX	169	3.3	8	2	2	3	4	5	7	14
A. Not Operated	595	2.6	3	1	2	2	3	4	5	9
B. Operated	9	3.9	6	1	2	4	5	7	9	9
TOTAL										
0-19 YRS	604	2.6	3	1	2	2	3	4	5	9
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**604**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**9**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	142	4.6	66	1	2	3	5	9	12	27
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	3.6	5	1	1	4	5	7	8	8
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	249	7.4	112	2	3	4	9	16	27	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	69	18.5	455	3	7	18	99 +	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	142	4.6	66	1	2	3	5	9	12	27
B. Operated	26	3.4	5	1	1	3	5	6	8	8
2. MULTIPLE DX										
A. Not Operated	249	7.4	112	2	3	4	9	16	27	99 +
B. Operated	69	18.5	455	3	7	18	99 +	99 +	99 +	99 +
1. SINGLE DX	168	4.4	56	1	2	3	5	8	11	20
2. MULTIPLE DX	318	9.8	206	2	3	5	14	84	99 +	99 +
A. Not Operated	391	6.4	97	2	2	4	7	13	20	93
B. Operated	95	14.4	376	1	4	12	83	99 +	99 +	99 +
TOTAL										
0-19 YRS	483	8.0	161	2	3	4	10	39	99 +	99 +
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**486**	**8.0**	**161**	**1**	**3**	**4**	**10**	**38**	**99 +**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	781	2.4	4	1	1	2	3	4	5	10
20-34	128	2.5	4	1	1	2	3	4	6	10
35-49	101	2.5	3	1	1	2	3	5	6	9
50-64	52	2.9	3	1	2	3	4	5	6	8
65 +	34	3.2	3	1	2	3	4	5	6	8
B. Operated										
0-19 YRS	6	9.5	98	1	1	6	18	24	25	25
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	20.0	722	1	1	20	39	39	39	39
50-64	2	6.5	1	6	6	6	7	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1408	2.9	5	1	2	2	4	5	7	12
20-34	236	3.6	9	1	2	3	4	6	8	14
35-49	328	4.2	12	1	2	3	5	8	11	20
50-64	339	4.8	13	1	3	4	6	10	11	18
65 +	601	5.8	19	2	3	5	7	11	14	22
B. Operated										
0-19 YRS	43	10.7	187	2	3	6	12	24	40	70
20-34	24	6.2	20	2	3	5	7	13	15	19
35-49	21	10.7	147	3	5	6	10	22	41	56
50-64	30	8.3	42	3	4	6	11	15	20	34
65 +	42	15.8	127	4	8	13	21	33	40	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1096	2.5	4	1	1	2	3	4	6	9
B. Operated	12	9.5	142	1	1	5	13	29	38	39
2. MULTIPLE DX										
A. Not Operated	2912	3.9	11	1	2	3	5	8	10	17
B. Operated	160	10.9	122	3	4	7	13	23	33	56
1. SINGLE DX	1108	2.5	5	1	1	2	3	5	6	10
2. MULTIPLE DX	3072	4.3	20	1	2	3	5	8	11	22
A. Not Operated	4008	3.5	10	1	2	3	4	7	9	16
B. Operated	172	10.8	123	2	4	7	13	23	34	55
TOTAL										
0-19 YRS	2238	2.9	10	1	1	2	3	5	6	14
20-34	389	3.4	9	1	2	3	4	6	8	14
35-49	452	4.2	21	1	2	3	5	8	11	29
50-64	423	4.8	15	1	2	4	6	10	12	20
65 +	678	6.3	31	2	3	5	7	12	16	35
GRAND TOTAL	**4180**	**3.8**	**16**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	370	2.7	3	1	2	2	3	4	5	11
20-34	25	3.6	3	1	2	4	5	6	7	7
35-49	9	3.1	1	2	2	3	4	5	5	5
50-64	9	4.8	6	1	3	4	6	9	9	9
65 +	11	5.5	36	1	2	4	5	13	22	23
B. Operated										
0-19 YRS	13	4.6	14	1	2	3	7	9	13	14
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	2	8.5	5	7	7	8	10	10	10	10
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	924	3.7	13	2	2	3	4	6	8	14
20-34	113	4.5	7	2	3	4	6	8	11	11
35-49	125	5.3	12	2	3	5	7	10	13	16
50-64	157	6.3	29	2	3	4	7	13	16	27
65 +	409	6.4	18	3	4	6	8	11	14	22
B. Operated										
0-19 YRS	52	8.7	97	3	4	5	9	19	29	58
20-34	22	8.0	45	2	4	6	8	20	25	25
35-49	33	9.3	51	3	4	8	11	20	27	29
50-64	36	9.1	63	3	4	7	11	17	27	40
65 +	91	13.6	137	4	6	10	15	28	45	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	424	2.9	4	1	2	2	3	5	6	11
B. Operated	19	6.3	18	1	3	7	9	12	15	15
2. MULTIPLE DX										
A. Not Operated	1728	4.7	16	2	3	4	6	8	11	19
B. Operated	234	10.7	100	3	4	8	13	24	29	56
1. SINGLE DX	443	3.0	5	1	2	2	4	5	7	13
2. MULTIPLE DX	1962	5.4	30	2	3	4	6	10	14	28
A. Not Operated	2152	4.4	14	2	2	3	5	8	10	18
B. Operated	253	10.4	95	3	4	8	13	22	29	55
TOTAL										
0-19 YRS	1359	3.6	14	1	2	3	4	6	8	15
20-34	162	4.9	13	2	3	4	6	9	11	24
35-49	169	6.0	21	2	3	5	7	11	15	27
50-64	204	6.7	35	2	3	5	8	13	17	34
65 +	511	7.6	47	3	4	6	9	14	20	43
GRAND TOTAL	**2405**	**5.0**	**26**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	2.2	1	1	1	2	3	4	4	5
20-34	115	3.2	5	1	2	3	4	5	8	12
35-49	88	3.3	4	1	2	3	4	6	7	10
50-64	20	2.1	1	1	1	2	3	4	4	5
65 +	4	2.8	2	1	1	3	4	4	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	3.3	7	1	2	3	4	7	10	10
35-49	8	2.5	7	1	1	2	2	7	9	9
50-64	6	4.3	26	1	1	2	6	13	14	14
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	119	2.8	4	1	2	2	3	6	7	10
20-34	205	4.1	10	1	2	3	5	8	10	13
35-49	217	4.7	13	1	2	4	6	9	11	19
50-64	103	3.9	11	1	2	3	5	7	8	21
65 +	83	4.6	10	2	3	4	6	8	10	17
B. Operated										
0-19 YRS	9	5.2	14	1	2	5	7	11	13	13
20-34	14	4.3	9	1	2	3	7	9	9	9
35-49	18	3.6	9	1	2	3	5	6	11	14
50-64	18	3.7	7	1	2	3	5	7	10	11
65 +	10	7.4	58	2	3	5	8	18	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	275	3.0	4	1	1	2	4	5	6	10
B. Operated	28	3.1	10	1	1	2	3	8	10	14
2. MULTIPLE DX										
A. Not Operated	727	4.1	10	1	2	3	5	8	10	16
B. Operated	69	4.5	17	1	2	3	6	9	11	25
1. SINGLE DX	303	3.0	4	1	1	2	4	5	7	11
2. MULTIPLE DX	796	4.1	11	1	2	3	5	8	10	17
A. Not Operated	1002	3.8	9	1	2	3	5	7	9	15
B. Operated	97	4.1	15	1	2	3	5	9	11	22
TOTAL										
0-19 YRS	177	2.7	4	1	1	2	3	5	7	10
20-34	346	3.8	8	1	2	3	5	7	9	13
35-49	331	4.2	11	1	2	3	5	8	10	17
50-64	147	3.7	10	1	2	3	5	6	8	20
65 +	98	4.8	15	2	3	4	6	9	11	23
GRAND TOTAL	**1099**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.5		< 1	1	1	2	2	2	2
20-34	10	2.8	2	< 1	2	3	3	5	6	6
35-49	14	2.2	1	1	1	2	3	4	4	4
50-64	18	2.4	2	1	1	2	3	5	6	6
65 +	15	4.1	32	1	2	3	4	5	19	24
B. Operated										
0-19 YRS	13	1.1		< 1	< 1	< 1	1	1	2	2
20-34	8	3.0	1	2	2	3	4	5	5	5
35-49	16	3.8	5	1	2	4	5	7	8	8
50-64	27	3.6	3	1	2	3	5	6	7	7
65 +	23	3.9	3	2	3	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.8	3	< 1	< 1	1	2	4	6	7
20-34	10	4.8	48	< 1	1	2	3	16	23	23
35-49	25	3.5	3	2	3	3	4	6	7	8
50-64	57	3.2	4	1	2	3	4	6	8	9
65 +	92	4.2	7	1	2	4	5	8	9	15
B. Operated										
0-19 YRS	6	5.0	87	1	1	1	2	22	24	24
20-34	9	4.6	8	2	3	3	7	9	9	9
35-49	29	3.8	3	1	3	4	5	6	6	8
50-64	73	4.1	5	1	3	4	5	7	9	11
65 +	102	4.8	23	1	2	4	6	8	11	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	65	2.7	9	1	1	2	3	4	5	21
B. Operated	87	3.3	4	< 1	2	3	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	205	3.6	8	1	2	3	5	7	8	14
B. Operated	219	4.4	15	1	2	4	5	8	10	20
1. SINGLE DX	152	3.0	6	1	1	3	4	5	7	8
2. MULTIPLE DX	424	4.0	12	1	2	3	5	7	9	16
A. Not Operated	270	3.4	8	1	2	3	4	6	8	15
B. Operated	306	4.1	12	1	2	4	5	7	9	16
TOTAL										
0-19 YRS	48	1.9	12	< 1	< 1	1	2	2	6	24
20-34	37	3.8	15	1	2	3	4	8	10	23
35-49	84	3.4	3	1	2	3	4	6	7	8
50-64	175	3.6	4	1	2	3	5	6	7	10
65 +	232	4.4	15	1	2	4	5	8	9	19
GRAND TOTAL	**576**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	2.4	2	1	1	2	3	4	5	5
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64	8	3.0	1	2	2	3	4	4	4	4
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	36	1.8	3	< 1	< 1	1	2	4	6	8
20-34	12	2.7	16	< 1	1	2	2	7	14	15
35-49	13	1.8	1	< 1	< 1	1	3	4	4	4
50-64	13	1.8	2	< 1	< 1	1	2	4	6	6
65 +	4	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	29	3.9	20	1	1	3	4	7	16	21
20-34	21	2.9	6	1	1	2	3	6	9	11
35-49	46	3.0	4	1	2	3	3	6	8	10
50-64	65	4.7	25	1	2	3	5	9	14	30
65 +	103	6.6	35	2	3	4	9	14	19	30
B. Operated										
0-19 YRS	46	9.1	102	1	1	5	14	29	32	36
20-34	12	9.5	86	2	3	5	13	24	32	33
35-49	28	5.0	42	< 1	1	2	6	13	17	30
50-64	21	6.3	66	1	2	3	7	18	28	32
65 +	38	8.9	130	1	2	7	12	19	22	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.5	2	1	1	2	3	4	5	6
B. Operated	78	1.9	4	< 1	< 1	1	2	4	5	13
2. MULTIPLE DX										
A. Not Operated	264	4.9	25	1	2	3	6	11	16	26
B. Operated	145	7.9	92	1	1	4	11	20	30	37
1. SINGLE DX	110	2.1	4	< 1	< 1	1	3	4	5	11
2. MULTIPLE DX	409	6.0	50	1	2	3	7	14	20	33
A. Not Operated	296	4.7	23	1	2	3	5	10	15	25
B. Operated	223	5.8	69	< 1	1	2	8	16	22	35
TOTAL										
0-19 YRS	125	5.0	53	< 1	1	2	5	16	20	34
20-34	49	4.4	35	1	1	2	4	11	15	33
35-49	91	3.4	16	< 1	1	2	4	7	11	24
50-64	107	4.6	29	1	2	3	5	9	14	32
65 +	147	7.0	60	1	2	4	9	16	20	35
GRAND TOTAL	**519**	**5.2**	**43**	**1**	**1**	**3**	**6**	**12**	**18**	**32**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	8.5	1	8	8	8	9	9	9	9
B. Operated										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	6	5.2	37	< 1	2	3	6	16	17	17
35-49	4	5.5	26	2	2	3	8	13	13	13
50-64	8	5.6	29	1	1	4	9	14	16	16
65 +	29	9.9	65	4	5	7	12	22	28	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.0	3	4	4	4	6	7	7	7
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	9	6.7	5	4	5	7	8	10	10	10
65 +	38	8.8	65	1	4	8	11	17	24	44
B. Operated										
0-19 YRS	5	14.6	70	5	9	13	20	27	27	27
20-34	15	7.9	37	1	3	5	12	17	19	20
35-49	35	14.4	165	3	5	10	18	30	46	49
50-64	81	14.9	152	3	7	12	18	33	44	55
65 +	317	14.2	149	5	7	11	18	29	37	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	8.5	1	8	8	8	9	9	9	9
B. Operated	50	8.0	52	2	4	6	10	17	22	38
2. MULTIPLE DX										
A. Not Operated	54	7.9	49	2	4	7	9	13	19	43
B. Operated	453	14.1	147	4	6	11	18	30	39	80
1. SINGLE DX	52	8.0	50	2	4	6	10	17	22	38
2. MULTIPLE DX	507	13.5	140	4	6	10	17	29	37	79
A. Not Operated	56	8.0	47	2	4	7	9	13	19	43
B. Operated	503	13.5	141	4	6	10	17	29	37	79
TOTAL										
0-19 YRS	11	9.2	56	3	4	5	12	22	27	27
20-34	23	6.9	35	1	2	5	11	17	18	20
35-49	41	13.1	153	3	5	8	16	30	44	49
50-64	98	13.4	139	2	6	10	16	30	41	55
65 +	386	13.3	137	4	6	9	17	28	36	90
GRAND TOTAL	**559**	**12.9**	**134**	**4**	**6**	**9**	**16**	**26**	**37**	**77**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.8	1	1	1	2	2	3	4	4
20-34	249	2.2	16	1	1	2	2	3	4	6
35-49	792	2.2	2	1	1	2	3	4	5	7
50-64	490	2.4	2	1	1	2	3	4	5	7
65 +	196	2.9	4	1	2	2	3	5	7	10
B. Operated										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	30	1.9	2	< 1	1	1	3	4	5	5
35-49	236	2.0	3	< 1	1	1	2	4	5	10
50-64	296	1.9	2	< 1	1	1	2	4	5	8
65 +	76	1.9	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	2.6	8	1	1	2	3	5	6	19
20-34	553	2.6	3	1	1	2	3	5	6	9
35-49	2460	2.9	3	1	2	3	4	5	6	9
50-64	2862	3.1	4	1	2	3	4	5	7	10
65 +	2393	3.8	7	1	2	3	5	7	8	13
B. Operated										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	86	3.2	9	1	1	2	4	8	9	15
35-49	797	3.0	7	1	1	2	4	6	7	12
50-64	1213	3.1	12	1	1	2	4	6	8	15
65 +	587	4.1	21	1	1	3	5	8	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1752	2.3	4	1	1	2	3	4	5	7
B. Operated	643	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	8319	3.2	5	1	2	3	4	6	7	11
B. Operated	2687	3.3	13	1	1	2	4	7	8	17
1. SINGLE DX	2395	2.2	4	1	1	2	3	4	5	8
2. MULTIPLE DX	11006	3.2	7	1	2	3	4	6	7	12
A. Not Operated	10071	3.1	5	1	2	3	4	5	7	11
B. Operated	3330	3.1	11	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	85	2.5	6	1	1	2	3	4	5	15
20-34	918	2.5	7	1	1	2	3	4	6	9
35-49	4285	2.8	4	1	1	2	3	5	6	10
50-64	4861	3.0	6	1	1	2	4	6	7	11
65 +	3252	3.7	10	1	2	3	5	7	9	15
GRAND TOTAL	**13401**	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**7**	**12**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	277	3.0	7	1	1	2	4	7	8	13
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	11	2.0	1	< 1	< 1	2	3	3	3	3
50-64	9	3,0	3	< 1	2	3	4	6	6	6
65 +	8	2.1	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	23	3.5	9	1	1	3	4	9	11	12
20-34	3	4.7	6	2	3	5	6	7	7	7
35-49	12	2.0	2	< 1	1	2	2	4	5	5
50-64	24	4.8	27	1	2	3	6	9	16	25
65 +	14	3.8	17	< 1	< 1	1	9	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	473	5.2	59	1	2	3	5	9	14	41
20-34	38	2.7	3	1	1	2	3	5	7	9
35-49	67	3.6	8	1	1	3	5	7	9	13
50-64	130	5.0	14	1	2	4	6	9	13	21
65 +	202	5.3	26	2	3	4	6	10	13	23
B. Operated										
0-19 YRS	65	11.8	251	1	1	6	19	36	63	99 +
20-34	17	4.2	5	1	2	4	6	7	8	8
35-49	48	4.3	21	1	1	3	5	10	14	99 +
50-64	104	4.8	16	1	2	3	7	11	14	16
65 +	95	5.1	15	1	3	4	7	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	313	2.9	6	1	1	2	3	6	8	13
B. Operated	76	3.8	15	< 1	1	2	5	9	11	22
2. MULTIPLE DX										
A. Not Operated	910	5.0	40	1	2	4	6	9	13	28
B. Operated	329	6.2	69	1	2	4	7	13	21	88
1. SINGLE DX	389	3.1	8	1	1	2	4	7	9	13
2. MULTIPLE DX	1239	5.3	48	1	2	4	6	10	14	40
A. Not Operated	1223	4.4	32	1	2	3	5	9	12	22
B. Operated	405	5.7	60	1	2	3	7	12	19	70
TOTAL										
0-19 YRS	838	4.9	60	1	2	3	5	9	14	43
20-34	66	3.1	4	1	2	2	4	7	7	9
35-49	138	3.6	12	1	1	3	5	8	10	36
50-64	267	4.8	16	1	2	4	6	10	13	20
65 +	319	5.1	22	1	2	4	6	10	13	22
GRAND TOTAL	**1628**	**4.8**	**39**	**1**	**2**	**3**	**5**	**9**	**13**	**35**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	1.8	1	< 1	1	2	2	3	4	5
20-34	57	1.9	2	1	1	1	2	4	5	6
35-49	92	1.7	3	< 1	1	1	2	3	4	11
50-64	37	1.6	1	1	1	1	2	3	3	7
65 +	16	1.9	3	1	1	1	2	5	6	6
B. Operated										
0-19 YRS	19	2.6	7	< 1	1	1	3	7	9	10
20-34	19	4.1	5	1	2	4	6	7	7	7
35-49	18	3.2	1	2	2	3	4	5	6	6
50-64	6	4.3	5	2	3	4	6	8	8	8
65 +	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.7	6	1	1	2	3	6	10	11
20-34	79	2.2	2	1	1	2	3	4	5	8
35-49	108	2.4	5	1	1	2	3	4	6	14
50-64	85	3.9	16	1	2	3	5	7	10	24
65 +	147	4.8	16	2	2	4	6	8	10	27
B. Operated										
0-19 YRS	39	7.0	55	1	1	3	9	18	19	33
20-34	23	3.5	6	1	2	3	4	7	9	10
35-49	31	4.4	8	2	2	3	6	9	11	12
50-64	54	5.2	14	2	3	4	6	12	14	14
65 +	124	6.7	33	2	3	6	8	13	17	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	1.8	2	1	1	1	2	3	4	6
B. Operated	64	3.4	5	1	2	3	5	7	7	10
2. MULTIPLE DX										
A. Not Operated	451	3.5	11	1	1	3	4	7	9	19
B. Operated	271	5.9	28	2	3	4	7	12	17	32
1. SINGLE DX	290	2.1	3	1	1	2	3	4	6	8
2. MULTIPLE DX	722	4.4	19	1	2	3	5	9	12	24
A. Not Operated	677	2.9	9	1	1	2	3	6	8	16
B. Operated	335	5.4	25	1	2	4	7	11	15	28
TOTAL										
0-19 YRS	114	4.0	26	1	1	2	4	10	17	24
20-34	178	2.5	3	1	1	2	3	5	6	9
35-49	249	2.5	5	1	1	2	3	5	6	12
50-64	182	3.8	13	1	2	3	5	8	11	20
65 +	289	5.4	24	2	3	4	7	10	13	29
GRAND TOTAL	**1012**	**3.7**	**15**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	625	1.9	2	1	1	1	2	3	4	7
20-34	474	2.6	4	1	1	2	3	5	6	11
35-49	318	2.7	4	1	1	2	4	5	6	10
50-64	148	2.9	3	1	1	3	4	5	6	9
65 +	60	3.4	9	1	1	3	5	7	10	16
B. Operated										
0-19 YRS	104	3.0	3	2	2	3	4	5	6	10
20-34	113	3.5	4	1	2	3	4	6	8	9
35-49	50	3.4	6	1	1	3	5	7	8	11
50-64	17	4.4	12	1	2	4	6	9	12	14
65 +	10	3.9	14	1	1	2	6	10	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	567	2.6	8	1	1	2	3	4	6	10
20-34	654	2.9	5	1	1	2	4	6	7	11
35-49	572	3.6	6	1	2	3	5	7	8	12
50-64	500	4.0	9	1	2	3	5	7	9	13
65 +	584	4.6	12	1	2	4	6	9	12	18
B. Operated										
0-19 YRS	93	4.4	14	1	2	3	6	8	10	22
20-34	163	5.3	19	2	3	4	6	9	12	28
35-49	149	5.8	17	2	3	5	7	10	14	26
50-64	118	7.3	36	2	4	6	9	14	23	30
65 +	124	6.6	22	2	3	6	8	14	15	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1625	2.4	3	1	1	2	3	5	6	10
B. Operated	294	3.4	5	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	2877	3.5	8	1	2	3	4	7	8	14
B. Operated	647	5.9	22	2	3	5	7	11	15	28
1. SINGLE DX	1919	2.5	4	1	1	2	3	5	6	10
2. MULTIPLE DX	3524	4.0	12	1	2	3	5	8	10	17
A. Not Operated	4502	3.1	7	1	1	2	4	6	8	12
B. Operated	941	5.1	18	1	2	4	6	9	13	26
TOTAL										
0-19 YRS	1389	2.4	6	1	1	2	3	4	6	10
20-34	1404	3.1	7	1	1	2	4	6	8	12
35-49	1089	3.6	8	1	2	3	5	7	9	14
50-64	783	4.3	14	1	2	3	5	8	10	21
65 +	778	4.8	14	1	2	4	6	9	13	18
GRAND TOTAL	**5443**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	91	2.8	7	1	1	2	3	6	7	15
20-34	17	3.3	4	1	2	3	4	6	7	8
35-49	9	2.9	5	1	1	3	4	6	7	7
50-64	11	2.5	5	< 1	1	1	4	6	7	7
65 +	13	5.2	18	1	2	5	7	11	14	15
B. Operated										
0-19 YRS	19	3.3	5	1	2	3	5	6	8	10
20-34	14	5.7	7	3	3	5	8	9	11	11
35-49	14	5.1	28	1	1	3	7	13	17	18
50-64	8	3.0	14	< 1	1	1	5	9	10	10
65 +	5	5.6	44	1	1	4	8	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	366	3.1	8	1	1	2	4	6	8	15
20-34	145	3.3	5	1	2	3	4	5	7	15
35-49	204	4.9	23	1	2	3	6	10	15	22
50-64	228	5.2	32	1	2	4	6	10	14	26
65 +	502	6.0	35	2	3	5	7	12	15	29
B. Operated										
0-19 YRS	55	7.0	91	1	2	4	7	15	21	58
20-34	48	6.5	90	1	3	5	7	10	15	66
35-49	72	5.8	28	1	2	5	7	10	21	25
50-64	74	8.2	49	1	4	6	11	19	24	31
65 +	132	9.6	120	2	3	7	12	19	29	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	3.1	7	1	1	2	4	7	8	15
B. Operated	60	4.5	15	1	1	3	6	10	12	18
2. MULTIPLE DX										
A. Not Operated	1445	4.7	24	1	2	3	6	9	13	21
B. Operated	381	7.8	82	1	2	5	9	17	24	37
1. SINGLE DX	201	3.5	10	1	1	2	5	7	9	17
2. MULTIPLE DX	1826	5.4	38	1	2	4	6	11	15	29
A. Not Operated	1586	4.6	23	1	2	3	6	9	13	20
B. Operated	441	7.4	74	1	2	5	9	16	22	36
TOTAL										
0-19 YRS	531	3.5	18	1	1	2	4	6	9	20
20-34	224	4.1	25	1	2	3	5	8	8	16
35-49	299	5.1	24	1	2	4	6	10	16	24
50-64	321	5.7	36	1	2	4	7	11	17	28
65 +	652	6.7	54	2	3	5	8	14	17	35
GRAND TOTAL	**2027**	**5.2**	**36**	**1**	**2**	**4**	**6**	**10**	**15**	**28**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	698	3.5	26	1	1	2	4	7	10	28
20-34	118	2.4	4	1	1	2	3	4	5	13
35-49	139	2.3	4	1	1	2	3	4	5	11
50-64	128	2.6	3	1	1	2	3	5	6	9
65 +	151	3.7	13	1	1	3	4	7	10	19
B. Operated										
0-19 YRS	65	3.6	31	< 1	1	1	3	8	15	29
20-34	41	1.5		1	1	1	2	3	3	3
35-49	47	1.6	2	< 1	1	1	2	3	4	9
50-64	43	2.1	3	< 1	1	1	3	4	5	10
65 +	13	1.8	2	< 1	1	1	3	4	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1129	4.7	35	1	2	3	5	9	13	31
20-34	363	3.3	8	1	2	3	4	6	8	12
35-49	652	3.7	22	1	2	3	4	7	8	16
50-64	1011	4.1	12	1	2	3	5	8	10	17
65 +	2737	5.1	19	2	3	4	6	9	13	21
B. Operated										
0-19 YRS	166	10.0	150	1	2	5	13	26	38	99
20-34	74	4.0	25	1	1	3	5	8	9	34
35-49	158	4.3	24	1	2	3	5	9	13	94
50-64	216	5.0	60	1	1	3	7	9	15	33
65 +	351	8.1	85	2	3	6	10	16	24	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1234	3.2	18	1	1	2	4	6	9	23
B. Operated	209	2.3	12	< 1	1	1	2	4	8	21
2. MULTIPLE DX										
A. Not Operated	5892	4.6	21	1	2	3	6	9	11	22
B. Operated	965	6.8	80	1	2	4	8	15	23	71
1. SINGLE DX	1443	3.1	17	1	1	2	3	6	8	23
2. MULTIPLE DX	6857	4.9	30	1	2	3	6	9	13	28
A. Not Operated	7126	4.4	20	1	2	3	5	8	11	23
B. Operated	1174	6.0	71	1	2	3	7	14	21	54
TOTAL										
0-19 YRS	2058	4.7	44	1	1	3	5	10	15	38
20-34	596	3.1	9	1	1	2	4	6	8	12
35-49	996	3.5	20	1	2	2	4	6	9	21
50-64	1398	4.0	18	1	2	3	5	8	10	18
65 +	3252	5.3	26	2	3	4	6	10	14	25
GRAND TOTAL	**8300**	**4.6**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**27**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	12.5	76	5	5	12	20	21	21	21
20-34	3	20.0	93	9	13	24	26	27	27	27
35-49	0									
50-64	1	13.0		13	13	13	13	13	13	13
65 +	0									
B. Operated										
0-19 YRS	6	36.5	358	16	24	49	79	99 +	99 +	99 +
20-34	12	41.8	221	19	38	46	55	99 +	99 +	99 +
35-49	5	27.4	475	4	14	41	89	99 +	99 +	99 +
50-64	2	36.0	18	33	33	36	39	39	39	39
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	15.4	74	5	7	16	22	26	27	27
B. Operated	25	37.2	286	14	28	43	62	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	33	31.9	321	9	20	39	57	99 +	99 +	99 +
A. Not Operated	8	15.4	74	5	7	16	22	26	27	27
B. Operated	25	37.2	286	14	28	43	62	99 +	99 +	99 +
TOTAL										
0-19 YRS	10	26.9	378	5	16	24	58	99 +	99 +	99 +
20-34	15	37.4	268	16	26	41	54	93	99 +	99 +
35-49	5	27.4	475	4	14	41	89	99 +	99 +	99 +
50-64	3	28.3	185	13	18	33	37	39	39	39
65 +	0									
GRAND TOTAL	**33**	**31.9**	**321**	**9**	**20**	**39**	**57**	**99 +**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	250	1.7	1	<1	1	1	2	3	4	7
20-34	8	3.5	11	1	1	2	5	9	10	10
35-49	5	4.4	14	2	2	3	5	11	11	11
50-64	0									
65+	3	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	60	3.9	5	2	2	3	5	7	8	10
20-34	7	4.7	6	2	2	5	7	8	8	8
35-49	6	12.3	233	4	4	6	11	40	43	43
50-64	2	9.5	1	9	9	9	10	10	10	10
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	201	3.8	15	1	1	3	5	7	10	23
20-34	21	5.3	25	<1	1	4	8	13	17	18
35-49	13	5.3	15	1	2	5	9	10	12	12
50-64	6	5.2	7	2	3	5	7	9	9	9
65+	6	6.5	34	1	2	4	11	15	16	16
B. Operated										
0-19 YRS	80	12.0	192	2	4	6	13	35	46	57
20-34	57	15.3	283	3	6	9	19	54	91	99+
35-49	27	12.6	308	1	5	7	13	22	62	80
50-64	14	8.8	110	1	2	7	11	17	36	42
65+	5	18.4	98	9	10	16	27	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	1.8	2	<1	1	1	2	3	4	9
B. Operated	75	4.8	26	2	2	4	6	8	10	35
2. MULTIPLE DX										
A. Not Operated	247	4.1	16	1	1	3	5	9	11	23
B. Operated	183	13.0	229	2	4	8	16	37	56	99+
1. SINGLE DX	341	2.5	9	1	1	2	3	5	7	10
2. MULTIPLE DX	430	7.9	126	1	2	4	9	18	32	81
A. Not Operated	513	2.9	10	1	1	2	3	6	9	17
B. Operated	258	10.7	183	2	3	6	11	28	46	98
TOTAL										
0-19 YRS	591	4.0	43	1	1	2	4	8	12	40
20-34	93	11.2	206	1	3	7	15	30	68	99+
35-49	51	9.9	201	1	3	6	10	18	42	80
50-64	22	7.9	73	2	2	7	9	13	25	42
65+	14	9.8	91	2	2	7	16	26	31	32
GRAND TOTAL	**771**	**5.5**	**81**	**1**	**1**	**3**	**6**	**11**	**21**	**59**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3; 6; 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	2.1	2	1	1	1	3	4	5	7
20-34	12	2.4	2	<1	1	2	3	5	6	6
35-49	7	3.1	4	1	2	2	4	6	7	7
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	0									
B. Operated										
0-19 YRS	13	3.4	3	1	2	3	5	6	6	6
20-34	7	2.6	4	1	1	2	4	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139	4.3	20	1	1	3	6	9	13	21
20-34	51	5.5	19	1	2	4	7	13	14	18
35-49	34	6.2	41	1	2	4	9	15	20	29
50-64	20	9.5	130	1	3	5	11	30	38	41
65+	13	7.1	16	3	4	6	10	14	14	14
B. Operated										
0-19 YRS	53	13.4	281	3	4	7	17	27	57	88
20-34	60	10.0	78	3	4	7	12	24	30	39
35-49	26	16.5	391	1	3	9	28	56	82	99+
50-64	12	18.6	603	4	5	9	22	50	84	90
65+	9	17.2	63	7	13	18	26	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	122	2.2	3	1	1	2	3	5	5	8
B. Operated	23	3.0	3	1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	257	5.3	32	1	2	3	7	12	15	33
B. Operated	160	13.2	236	3	4	8	17	30	51	99
1. SINGLE DX	145	2.3	3	1	1	2	3	5	6	8
2. MULTIPLE DX	417	8.3	125	1	2	5	9	20	29	82
A. Not Operated	379	4.3	25	1	1	3	5	9	14	28
B. Operated	183	11.9	218	2	4	7	14	29	41	96
TOTAL										
0-19 YRS	305	5.1	73	1	1	3	5	9	17	52
20-34	130	7.1	51	1	3	5	9	16	22	36
35-49	68	9.8	195	1	2	5	11	29	41	96
50-64	37	11.6	282	1	3	5	12	32	39	90
65+	22	11.2	59	3	4	11	16	26	52	99+
GRAND TOTAL	**562**	**6.8**	**100**	**1**	**2**	**4**	**7**	**15**	**26**	**62**

197 Hospitals, Southern Region, January-December 1988

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.2	2	< 1	1	2	3	5	5	5
20-34	13	1.5	1	< 1	1	1	2	3	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	120	1.9	3	< 1	1	1	2	4	5	10
20-34	178	2.7	6	1	1	2	3	6	8	13
35-49	50	3.5	10	1	1	2	4	8	11	14
50-64	22	3.0	6	1	1	2	4	5	8	12
65 +	7	3.0	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	1.8	1	< 1	1	2	2	3	4	4
20-34	63	2.2	2	1	1	2	3	4	5	6
35-49	28	3.0	7	1	1	2	4	6	8	13
50-64	19	3.0	5	1	1	3	3	6	9	9
65 +	30	5.4	23	2	3	4	6	11	16	23
B. Operated										
0-19 YRS	229	4.5	27	1	2	3	6	10	13	31
20-34	374	4.4	17	1	2	3	5	10	15	21
35-49	177	4.5	16	1	2	3	6	9	13	22
50-64	69	4.7	13	1	2	4	6	10	12	16
65 +	52	7.7	66	2	3	5	10	14	26	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.8	2	< 1	1	1	2	4	5	5
B. Operated	377	2.6	6	1	1	2	3	5	8	13
2. MULTIPLE DX										
A. Not Operated	172	2.9	8	1	1	2	3	5	8	16
B. Operated	901	4.7	22	1	2	3	6	10	14	24
1. SINGLE DX	406	2.5	5	1	1	2	3	5	7	12
2. MULTIPLE DX	1073	4.4	20	1	2	3	5	9	13	23
A. Not Operated	201	2.7	7	1	1	2	3	5	7	15
B. Operated	1278	4.1	18	1	1	3	5	9	12	21
TOTAL										
0-19 YRS	394	3.4	18	1	1	2	4	8	10	20
20-34	628	3.6	13	1	1	2	4	8	11	19
35-49	256	4.2	14	1	2	3	5	9	12	21
50-64	110	4.1	11	1	2	3	5	9	12	15
65 +	91	6.4	48	1	3	4	8	13	19	40
GRAND TOTAL	**1479**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**12**	**21**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	86	3.3	6	1	2	3	4	6	7	13
20-34	136	4.2	8	1	2	4	5	8	9	16
35-49	81	4.9	17	2	2	4	6	9	11	26
50-64	57	5.5	15	2	3	5	6	10	15	18
65 +	78	6.1	15	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	23	7.2	33	2	4	6	9	13	20	28
20-34	22	11.4	157	2	5	8	15	20	38	60
35-49	12	7.0	8	4	5	6	9	11	12	12
50-64	3	13.7	22	10	10	12	17	19	19	19
65 +	10	8.5	56	1	3	7	11	21	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	5.3	33	1	3	4	6	9	12	37
20-34	178	5.2	13	2	3	4	7	10	12	19
35-49	127	5.0	13	1	2	4	7	10	11	17
50-64	166	7.5	32	2	4	6	10	15	18	27
65 +	686	8.6	46	3	4	7	11	16	20	33
B. Operated										
0-19 YRS	53	11.6	87	2	6	10	14	23	37	98
20-34	104	13.5	153	3	6	10	17	26	41	66
35-49	67	13.2	235	3	6	9	15	24	54	99
50-64	32	13.3	228	4	5	8	13	33	37	79
65 +	80	15.2	178	4	7	12	17	34	42	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	438	4.6	12	1	2	4	6	8	11	18
B. Operated	70	8.9	72	2	4	7	11	17	24	54
2. MULTIPLE DX										
A. Not Operated	1231	7.4	38	2	4	6	9	14	18	31
B. Operated	336	13.5	171	3	6	10	16	28	41	96
1. SINGLE DX	508	5.2	23	1	2	4	6	10	13	22
2. MULTIPLE DX	1567	8.7	72	2	4	7	11	17	23	46
A. Not Operated	1669	6.7	32	2	3	5	8	13	17	29
B. Operated	406	12.7	157	3	6	9	15	26	39	88
TOTAL										
0-19 YRS	236	6.2	45	1	2	4	7	13	20	40
20-34	440	7.2	66	2	3	5	8	15	20	46
35-49	287	7.0	77	2	3	5	8	13	17	63
50-64	258	7.8	56	2	4	6	9	15	19	37
65 +	854	9.0	60	3	4	7	11	17	22	41
GRAND TOTAL	**2075**	**7.9**	**62**	**2**	**3**	**6**	**10**	**15**	**21**	**42**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	5	4.2	5	2	2	5	6	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	18.0		18	18	18	18	18	18	18
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	8	13.4	58	6	7	10	20	24	25	25
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	3	6.3	12	3	4	6	9	10	10	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	4	24.3	1145	7	7	8	41	75	75	75
35-49	1	24.0		24	24	24	24	24	24	24
50-64	5	8.4	85	< 1	1	4	15	23	23	23
65 +	10	14.4	217	2	6	12	17	36	53	53
B. Operated										
0-19 YRS	13	18.5	174	9	10	16	32	99 +	99 +	99 +
20-34	38	28.7	575	7	15	25	47	99 +	99 +	99 +
35-49	19	28.5	331	8	15	26	50	77	99 +	99 +
50-64	9	35.2	694	19	20	25	87	99 +	99 +	99 +
65 +	10	20.8	111	9	17	20	27	66	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.5	23	1	2	3	5	11	17	18
B. Operated	13	10.5	51	4	6	8	13	23	25	25
2. MULTIPLE DX										
A. Not Operated	23	13.7	309	2	3	8	16	30	61	75
B. Operated	89	27.0	431	8	15	24	47	99 +	99 +	99 +
1. SINGLE DX	24	7.8	46	2	3	6	10	19	24	25
2. MULTIPLE DX	112	24.2	432	5	11	20	43	98	99 +	99 +
A. Not Operated	34	10.7	232	2	2	6	12	23	47	75
B. Operated	102	24.9	413	7	12	21	44	99 +	99 +	99 +
TOTAL										
0-19 YRS	27	13.5	136	2	5	11	23	44	99 +	99 +
20-34	49	24.9	588	5	7	17	45	95	99 +	99 +
35-49	24	24.4	340	6	9	24	47	62	99 +	99 +
50-64	15	25.1	590	2	16	21	40	99	99 +	99 +
65 +	21	16.9	169	3	8	17	20	47	72	99 +
GRAND TOTAL	**136**	**21.3**	**403**	**3**	**8**	**18**	**34**	**88**	**99 +**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILE3						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.7	1	< 1	1	1	2	3	4	4
20-34	26	2.2	1	1	1	2	3	3	4	5
35-49	21	2.1	1	1	1	2	3	4	5	5
50-64	31	2.9	2	1	2	3	3	5	6	6
65 +	29	3.9	8	1	2	3	5	9	10	11
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	32	2.9	6	< 1	1	2	3	6	10	11
20-34	103	3.7	11	1	2	3	5	7	9	19
35-49	156	4.1	10	1	2	3	6	8	10	18
50-64	179	4.8	13	1	2	4	7	9	11	18
65 +	389	6.4	23	2	3	5	8	13	15	26
B. Operated										
0-19 YRS	18	11.1	167	3	5	6	17	19	42	57
20-34	60	5.5	21	1	3	4	7	10	14	26
35-49	46	6.6	28	2	3	5	8	14	21	24
50-64	47	8.6	44	3	5	7	10	16	31	99 +
65 +	60	11.4	77	3	5	9	15	26	31	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	117	2.7	4	1	2	2	3	5	6	10
B. Operated	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	859	5.2	18	1	2	4	7	10	13	22
B. Operated	231	8.3	58	2	4	6	10	18	26	42
1. SINGLE DX	119	2.7	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1090	5.8	28	1	2	4	8	11	15	30
A. Not Operated	976	4.9	17	1	2	4	6	10	13	21
B. Operated	233	8.3	57	2	4	6	10	18	25	42
TOTAL										
0-19 YRS	60	5.2	67	< 1	1	3	5	11	19	53
20-34	190	4.0	14	1	2	3	5	8	10	21
35-49	224	4.4	14	1	2	3	6	9	11	21
50-64	257	5.3	20	1	2	4	7	10	13	31
65 +	478	6.9	32	2	3	5	9	14	18	31
GRAND TOTAL	**1209**	**5.5**	**26**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	4.4	25	1	2	3	4	7	20	21
20-34	35	5.2	32	1	2	4	6	11	12	33
35-49	23	7.0	18	2	4	6	9	13	15	18
50-64	19	6.4	66	2	3	5	7	8	25	39
65+	82	7.2	26	3	4	6	9	12	19	28
B. Operated										
0-19 YRS	4	7.8	35	3	3	6	12	16	16	16
20-34	5	13.0	138	5	6	7	19	33	33	33
35-49	2	15.5	61	10	10	15	21	21	21	21
50-64	2	29.0	578	12	12	29	46	46	46	46
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	6.4	49	1	3	4	8	13	18	41
20-34	82	9.9	110	2	4	7	11	22	31	55
35-49	68	9.0	65	3	4	7	10	19	32	36
50-64	50	11.6	105	2	5	8	16	25	33	45
65+	483	9.9	46	3	5	8	13	19	22	36
B. Operated										
0-19 YRS	49	14.6	136	4	7	11	21	32	48	99+
20-34	55	21.6	233	7	11	17	28	45	50	73
35-49	37	22.2	197	5	11	21	30	45	58	99+
50-64	24	23.5	385	3	7	17	40	47	62	70
65+	49	17.6	142	6	9	15	21	30	43	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	6.2	31	2	3	5	8	12	18	32
B. Operated	14	13.6	152	4	6	9	16	34	43	46
2. MULTIPLE DX										
A. Not Operated	773	9.5	59	3	4	7	12	19	25	45
B. Operated	214	19.4	207	5	9	16	25	44	50	82
1. SINGLE DX	210	6.7	41	2	3	5	8	13	19	36
2. MULTIPLE DX	987	11.7	108	3	5	9	15	24	34	57
A. Not Operated	969	8.9	55	2	4	7	11	18	23	40
B. Operated	228	19.0	205	5	9	15	25	43	49	78
TOTAL										
0-19 YRS	180	8.2	82	2	3	5	10	21	26	50
20-34	177	12.7	172	2	4	8	16	32	44	63
35-49	130	12.5	131	3	5	8	18	31	37	68
50-64	95	13.9	210	2	5	8	18	39	45	65
65+	615	10.2	56	3	5	8	13	20	25	41
GRAND TOTAL	**1197**	**10.8**	**100**	**3**	**4**	**8**	**13**	**22**	**32**	**52**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	71	2.3	11	<1	1	1	2	3	12	18
20-34	15	2.3	2	1	1	2	3	4	5	5
35-49	5	1.4	1	1	1	1	2	3	3	3
50-64	8	1.8	1	1	1	2	2	3	3	3
65+	30	3.5	6	1	2	3	4	7	10	11
B. Operated										
0-19 YRS	558	2.4	9	1	1	2	2	4	7	18
20-34	45	3.1	4	1	2	3	4	6	7	9
35-49	35	3.2	4	1	2	3	4	6	8	9
50-64	62	3.2	4	1	2	3	5	5	7	9
65+	45	4.5	24	1	2	3	5	8	11	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.4	15	1	1	2	4	9	18	99+
20-34	18	3.3	15	<1	1	2	4	5	13	18
35-49	19	3.4	6	1	1	3	5	7	9	10
50-64	20	6.9	127	1	2	4	6	14	33	52
65+	185	8.4	88	2	3	6	10	17	23	54
B. Operated										
0-19 YRS	151	4.1	15	1	2	3	5	9	13	18
20-34	62	8.9	83	2	4	6	9	19	30	52
35-49	51	7.1	52	1	2	5	8	17	24	36
50-64	83	7.0	71	2	3	4	8	13	20	53
65+	204	8.4	51	2	4	7	10	17	25	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	2.5	8	1	1	1	3	4	9	17
B. Operated	745	2.7	9	1	1	2	3	5	7	18
2. MULTIPLE DX										
A. Not Operated	280	7.0	75	1	2	4	8	15	21	58
B. Operated	551	6.9	51	1	3	5	9	15	20	33
1. SINGLE DX	874	2.7	9	1	1	2	3	5	8	18
2. MULTIPLE DX	831	6.9	59	1	3	4	9	15	20	39
A. Not Operated	409	5.5	58	1	1	3	6	13	18	47
B. Operated	1296	4.5	31	1	1	3	5	10	16	28
TOTAL										
0-19 YRS	818	2.8	11	1	1	2	3	5	10	18
20-34	140	5.6	48	1	2	4	6	11	18	36
35-49	110	5.0	31	1	2	3	6	10	16	31
50-64	173	5.3	53	1	2	4	6	10	15	45
65+	464	7.7	63	2	3	5	9	16	23	38
GRAND TOTAL	**1705**	**4.7**	**38**	**1**	**1**	**3**	**5**	**11**	**16**	**31**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.5	1	<1	1	1	1	2	5	6
20-34	10	2.7	2	1	2	2	3	5	6	6
35-49	13	2.5	3	1	1	2	3	5	6	6
50-64	8	1.8	1	<1	1	1	2	3	4	4
65+	11	2.1	1	1	2	2	2	3	5	5
B. Operated										
0-19 YRS	566	1.8	3	1	1	1	2	3	4	12
20-34	172	2.6	3	1	1	2	3	5	6	8
35-49	113	2.5	3	1	1	2	3	5	6	8
50-64	113	2.5	5	1	1	2	3	5	7	12
65+	84	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	2.0	2	1	1	2	2	3	5	8
20-34	25	2.4	2	1	1	2	3	5	5	6
35-49	13	5.0	18	1	2	3	6	13	15	15
50-64	13	3.1	3	1	2	3	4	6	6	6
65+	31	5.3	19	1	2	4	6	11	18	19
B. Operated										
0-19 YRS	161	4.7	74	1	1	2	4	11	15	41
20-34	177	5.2	27	1	2	4	7	10	13	28
35-49	129	4.8	23	1	2	3	6	10	13	48
50-64	130	5.9	35	1	2	4	7	14	17	31
65+	205	5.5	31	1	2	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	1.9	2	1	1	1	2	4	5	6
B. Operated	1048	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	105	3.6	11	1	1	2	4	6	11	18
B. Operated	802	5.2	30	1	2	3	6	11	14	30
1. SINGLE DX	1129	2.1	3	1	1	2	3	4	5	9
2. MULTIPLE DX	907	5.0	35	1	2	3	6	11	14	28
A. Not Operated	186	2.8	8	1	1	2	4	6	7	17
B. Operated	1850	3.5	21	1	1	2	4	7	11	22
TOTAL										
0-19 YRS	789	2.4	19	1	1	1	2	4	6	18
20-34	384	3.8	16	1	2	3	4	8	10	19
35-49	268	3.7	14	1	2	3	4	7	11	25
50-64	264	4.2	22	1	2	3	5	8	14	27
65+	331	4.6	24	1	2	3	6	10	12	23
GRAND TOTAL	**2036**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**11**	**21**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.2	2	1	1	2	3	4	5	5
20-34	7	3.0	2	1	2	3	4	5	5	5
35-49	7	2.7	2	<1	1	3	4	5	5	5
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	0									
B. Operated										
0-19 YRS	78	1.5	1	<1	<1	1	2	3	3	5
20-34	121	1.8	2	<1	1	1	2	3	5	8
35-49	52	1.9	2	<1	<1	1	2	4	6	6
50-64	27	1.8	1	1	1	2	2	3	4	5
65+	8	3.5	18	1	1	2	4	11	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.7	3	<1	<1	4	4	4	4	4
20-34	17	2.7	3	1	1	2	4	6	7	7
35-49	13	3.3	5	1	2	2	5	7	8	8
50-64	4	5.0	5	3	3	4	6	8	8	8
65+	7	6.0	28	1	2	4	11	14	14	14
B. Operated										
0-19 YRS	69	2.3	3	<1	1	2	3	5	6	8
20-34	149	2.8	5	1	1	2	3	5	6	12
35-49	71	4.0	56	1	1	2	4	6	9	51
50-64	47	4.1	10	1	1	3	6	9	11	12
65+	38	5.7	114	1	2	3	5	10	15	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.5	2	1	1	2	3	5	5	5
B. Operated	286	1.8	2	<1	1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	50	3.5	8	1	1	3	4	7	8	14
B. Operated	374	3.4	26	1	1	2	4	6	8	18
1. SINGLE DX	314	1.9	2	<1	1	1	2	3	5	7
2. MULTIPLE DX	424	3.4	24	1	1	2	4	6	8	17
A. Not Operated	78	3.1	6	1	1	3	4	6	7	14
B. Operated	660	2.7	16	<1	1	2	3	5	7	13
TOTAL										
0-19 YRS	166	1.9	2	<1	1	1	2	4	5	8
20-34	294	2.4	4	<1	1	2	3	5	6	10
35-49	143	3.1	30	<1	1	2	4	6	6	36
50-64	82	3.3	8	1	1	2	4	7	10	12
65+	53	5.4	87	1	1	3	5	13	14	64
GRAND TOTAL	**738**	**2.7**	**15**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	9.7	91	1	2	5	16	26	27	28
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	16.3	478	4	4	6	28	49	49	49
50-64	6	5.8	33	2	2	3	7	16	17	17
65 +	25	7.8	39	3	3	5	10	15	19	30
B. Operated										
0-19 YRS	45	7.8	43	2	4	5	8	19	24	28
20-34	26	6.1	11	2	4	5	9	11	12	14
35-49	47	8.3	39	3	5	6	11	14	18	38
50-64	120	8.1	26	4	6	7	10	12	14	27
65 +	556	11.6	28	7	9	11	14	17	21	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	13.0	104	1	2	16	21	25	28	29
20-34	4	7.3	38	2	2	7	12	14	14	14
35-49	12	6.2	19	2	3	5	9	12	15	16
50-64	24	10.2	57	4	5	7	14	20	28	31
65 +	243	11.9	95	3	5	9	16	26	37	99 +
B. Operated										
0-19 YRS	45	13.0	111	4	5	10	18	31	34	45
20-34	66	12.0	101	3	7	10	13	21	30	60
35-49	70	14.6	160	6	8	11	18	32	49	99 +
50-64	352	13.8	95	6	9	12	16	21	32	73
65 +	3921	14.6	77	8	10	13	17	24	30	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	8.6	84	2	3	5	11	21	28	47
B. Operated	794	10.5	32	5	7	10	13	16	20	29
2. MULTIPLE DX										
A. Not Operated	297	11.5	90	3	5	9	15	25	35	99 +
B. Operated	4454	14.5	81	7	10	12	16	24	31	62
1. SINGLE DX	852	10.4	35	4	7	10	13	16	20	30
2. MULTIPLE DX	4751	14.3	82	7	9	12	16	24	31	63
A. Not Operated	355	11.0	89	2	4	9	15	25	34	95
B. Operated	5248	13.9	75	7	9	12	16	22	29	58
TOTAL										
0-19 YRS	125	10.6	86	2	4	7	15	25	28	40
20-34	98	10.0	80	3	5	9	12	19	26	55
35-49	133	11.6	121	4	6	9	13	23	38	99 +
50-64	502	12.2	82	5	7	10	14	19	28	58
65 +	4745	14.1	74	7	9	12	16	23	30	58
GRAND TOTAL	**5603**	**13.7**	**77**	**6**	**9**	**12**	**16**	**23**	**30**	**58**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	225	11.0	108	1	2	7	19	25	28	41
20-34	6	4.8	9	1	3	5	5	10	10	10
35-49	2	19.5	481	4	4	19	35	35	35	35
50-64	3	30.3	142	17	21	34	38	40	40	40
65 +	14	9.5	142	1	2	5	15	22	40	45
B. Operated										
0-19 YRS	273	9.5	87	1	3	6	13	25	30	38
20-34	74	9.4	41	3	5	8	12	17	20	39
35-49	16	10.5	33	3	6	10	15	17	21	23
50-64	22	12.1	136	4	5	7	12	35	40	47
65 +	27	10.5	28	4	7	10	13	19	22	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	118	13.6	137	1	3	10	23	30	35	41
20-34	20	17.9	373	1	3	6	39	46	49	52
35-49	14	17.4	243	3	6	10	35	43	44	44
50-64	12	17.3	242	3	4	11	33	40	43	43
65 +	94	16.0	250	3	5	10	22	36	57	88
B. Operated										
0-19 YRS	263	14.3	145	2	5	11	20	30	39	57
20-34	148	17.3	297	6	8	13	18	30	66	97
35-49	81	19.3	227	6	10	15	24	39	49	75
50-64	64	20.7	250	8	12	16	24	43	66	97
65 +	226	18.1	188	7	10	14	22	35	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	250	11.1	114	1	2	6	19	25	29	45
B. Operated	412	9.7	75	2	3	7	13	22	28	38
2. MULTIPLE DX										
A. Not Operated	258	15.2	206	2	4	10	24	36	44	70
B. Operated	782	17.0	207	5	8	13	20	33	49	86
1. SINGLE DX	662	10.3	90	1	3	7	16	24	29	39
2. MULTIPLE DX	1040	16.5	207	4	7	13	21	34	47	83
A. Not Operated	508	13.2	164	1	3	8	21	31	39	55
B. Operated	1194	14.5	173	3	6	11	19	29	40	82
TOTAL										
0-19 YRS	879	11.9	120	1	3	8	19	27	33	49
20-34	248	14.7	233	4	6	11	17	27	45	93
35-49	113	17.9	208	5	9	13	22	38	44	73
50-64	101	18.7	232	6	8	15	24	40	52	90
65 +	361	16.6	196	5	8	13	21	35	52	97
GRAND TOTAL	**1702**	**14.1**	**171**	**2**	**5**	**11**	**19**	**30**	**39**	**75**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	114	2.0	2	1	1	1	2	4	5	8
20-34	39	3.6	19	1	1	3	4	8	10	26
35-49	16	4.1	6	1	2	3	6	8	9	9
50-64	23	4.0	17	1	2	3	5	8	45	99 +
65 +	23	6.9	25	2	3	5	10	14	18	20
B. Operated										
0-19 YRS	262	3.1	11	1	1	2	4	6	7	11
20-34	187	5.1	18	1	2	4	7	10	12	18
35-49	125	5.1	13	2	3	4	7	10	11	20
50-64	64	5.3	18	2	2	4	7	11	12	26
65 +	31	6.6	31	2	3	5	8	14	19	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	3.4	9	1	1	2	4	8	9	15
20-34	37	3.8	12	1	2	3	4	7	11	19
35-49	33	5.6	31	2	3	4	6	14	17	28
50-64	35	7.8	163	1	3	5	8	12	16	78
65 +	91	9.4	73	2	4	7	12	20	23	49
B. Operated										
0-19 YRS	171	8.5	123	2	3	6	9	16	30	62
20-34	191	11.6	177	3	4	8	13	26	42	98
35-49	162	11.0	160	2	4	8	13	24	31	92
50-64	119	11.7	74	3	5	10	16	24	28	42
65 +	133	11.1	97	3	5	8	12	23	33	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215	3.2	12	1	1	2	4	7	10	23
B. Operated	669	4.4	16	1	2	3	6	8	11	19
2. MULTIPLE DX										
A. Not Operated	247	6.6	63	1	2	4	8	14	19	48
B. Operated	776	10.7	133	2	4	8	13	23	32	81
1. SINGLE DX	884	4.1	15	1	2	3	5	8	11	20
2. MULTIPLE DX	1023	9.7	119	2	4	7	12	20	29	67
A. Not Operated	462	5.0	42	1	1	3	6	11	17	28
B. Operated	1445	7.8	89	1	3	5	9	16	25	50
TOTAL										
0-19 YRS	598	4.4	48	1	1	3	5	9	12	40
20-34	454	7.6	96	1	3	5	9	14	25	54
35-49	336	8.0	94	2	3	5	9	15	24	71
50-64	241	8.7	75	2	3	6	11	19	27	48
65 +	278	9.7	78	3	4	7	12	19	28	50
GRAND TOTAL	**1907**	**7.1**	**79**	**1**	**2**	**5**	**8**	**14**	**22**	**48**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	62	2.2	3	1	1	2	3	4	7	9
20-34	52	2.5	2	1	1	2	3	5	6	8
35-49	40	2.9	4	1	2	2	4	5	8	8
50-64	27	4.3	63	1	1	2	4	6	13	43
65 +	21	4.1	10	1	2	3	6	9	11	12
B. Operated										
0-19 YRS	329	2.8	5	1	1	2	3	5	6	15
20-34	480	3.4	5	1	2	3	4	6	7	11
35-49	435	4.0	6	2	2	3	5	7	9	12
50-64	293	4.2	6	2	3	4	5	7	8	14
65 +	144	5.2	12	2	3	5	7	9	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.7	23	1	1	2	4	7	14	25
20-34	36	4.2	30	1	2	3	5	8	10	33
35-49	46	3.9	8	1	2	3	5	8	10	12
50-64	40	5.1	17	1	2	4	6	10	14	19
65 +	72	6.0	40	2	3	4	7	10	14	38
B. Operated										
0-19 YRS	185	5.7	44	1	2	4	7	11	15	40
20-34	378	6.1	47	2	3	4	7	11	17	44
35-49	349	6.2	37	2	3	5	7	12	17	31
50-64	315	6.4	28	2	4	5	8	12	14	38
65 +	329	7.7	29	3	5	6	9	14	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	202	2.9	12	1	1	2	3	6	7	11
B. Operated	1681	3.7	6	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. Not Operated	227	4.8	26	1	2	4	5	9	12	33
B. Operated	1556	6.5	37	2	3	5	8	12	16	38
1. SINGLE DX	1883	3.6	7	1	2	3	5	6	8	13
2. MULTIPLE DX	1783	6.3	36	2	3	5	8	12	16	36
A. Not Operated	429	3.9	20	1	2	3	5	8	10	27
B. Operated	3237	5.1	23	1	3	4	6	9	13	26
TOTAL										
0-19 YRS	609	3.7	19	1	1	3	4	7	9	23
20-34	946	4.5	24	1	2	3	5	8	11	33
35-49	870	4.8	19	2	3	4	6	9	12	22
50-64	675	5.3	20	2	3	4	6	9	12	25
65 +	566	6.7	27	2	4	5	8	12	15	28
GRAND TOTAL	**3666**	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	**12**	**26**

197 Hospitals, Southern Region, January-December 1988

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.3	1	< 1	< 1	1	1	3	3	3
20-34	8	2.3	1	< 1	1	2	3	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	12	2.6	4	1	1	2	3	6	7	7
35-49	9	2.2	1	1	2	2	3	4	4	4
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	2.2	3	1	1	2	2	5	6	7
20-34	41	3.8	48	1	1	2	4	5	10	45
35-49	29	4.1	10	1	2	3	5	9	10	14
50-64	17	4.8	13	1	2	4	7	11	13	13
65 +	28	8.9	207	2	3	5	10	14	22	79
B. Operated										
0-19 YRS	11	4.5	10	1	2	4	6	9	12	12
20-34	24	5.0	34	2	2	3	5	13	19	27
35-49	18	7.8	70	2	3	6	8	18	30	36
50-64	14	4.9	11	1	2	4	9	10	11	11
65 +	6	15.2	189	2	3	13	24	34	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.7	1	< 1	1	1	3	3	4	4
B. Operated	31	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	145	4.6	61	1	2	3	5	9	13	47
B. Operated	73	6.4	52	2	2	4	7	13	24	36
1. SINGLE DX	57	2.0	2	< 1	1	2	3	4	4	7
2. MULTIPLE DX	218	5.2	59	1	2	3	6	11	14	39
A. Not Operated	171	4.2	53	1	1	2	4	9	13	39
B. Operated	104	5.2	41	1	2	3	6	11	21	35
TOTAL										
0-19 YRS	61	2.4	4	1	1	2	3	5	7	11
20-34	85	3.8	34	1	1	2	4	6	11	39
35-49	58	4.9	30	1	2	3	6	9	13	35
50-64	35	4.5	12	1	2	3	7	10	12	13
65 +	36	9.6	196	2	3	5	11	21	32	79
GRAND TOTAL	275	4.6	49	1	2	3	5	9	13	36

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.3	6	1	1	3	4	7	8	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	7.7	9	5	5	7	10	11	11	11
20-34	1	20.0		20	20	20	20	20	20	20
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	5.5	29	1	1	4	8	14	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.5	1	4	4	4	5	5	5	5
65 +	3	13.0	31	8	9	12	17	19	19	19
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	19.3	111	9	11	15	32	33	33	33
35-49	5	22.8	39	16	17	22	28	31	31	31
50-64	3	11.3	184	3	3	4	21	27	27	27
65 +	3	23.0	283	4	10	29	34	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.3	6	1	1	3	5	7	8	9
B. Operated	5	9.0	49	2	4	7	13	20	20	20
2. MULTIPLE DX										
A. Not Operated	15	6.3	33	1	2	5	10	16	18	19
B. Operated	18	18.7	129	3	9	17	29	33	35	36
1. SINGLE DX	22	4.6	20	1	1	4	6	10	15	20
2. MULTIPLE DX	33	13.1	122	2	4	11	20	31	33	36
A. Not Operated	32	4.7	20	1	1	4	6	11	16	19
B. Operated	23	16.6	125	3	5	16	27	32	34	36
TOTAL										
0-19 YRS	27	4.4	14	1	1	4	6	10	12	16
20-34	9	15.3	136	1	7	14	23	33	33	33
35-49	8	15.4	128	2	4	17	24	30	31	31
50-64	5	8.6	106	3	4	4	10	27	27	27
65 +	6	18.0	156	4	8	15	29	35	36	36
GRAND TOTAL	55	9.7	97	1	2	5	15	27	32	36

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	24	1.8	1	1	1	2	2	4	4	4
20-34	72	1.9	1	1	1	2	2	3	4	7
35-49	30	2.3	3	< 1	1	2	3	5	7	7
50-64	16	1.9	1	1	1	2	3	3	4	4
65 +	11	2.2	4	< 1	1	1	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.5	4	1	1	2	4	6	6	6
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	8	7.9	84	2	2	4	9	24	29	29
B. Operated										
0-19 YRS	4	5.8	57	1	1	2	10	17	17	17
20-34	21	2.3	2	1	1	2	3	5	6	6
35-49	16	3.8	15	1	2	3	4	12	14	14
50-64	7	3.6	11	1	2	2	5	9	10	10
65 +	23	4.4	21	1	2	3	4	12	16	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.2		< 1	1	1	1	2	2	2
B. Operated	153	2.0	2	1	1	2	2	4	4	7
2. MULTIPLE DX										
A. Not Operated	19	4.5	43	1	1	2	5	10	21	29
B. Operated	71	3.6	15	1	2	2	4	8	14	19
1. SINGLE DX	159	1.9	2	1	1	2	2	4	4	7
2. MULTIPLE DX	90	3.8	21	1	1	2	4	9	14	25
A. Not Operated	25	3.7	35	1	1	2	4	7	16	29
B. Operated	224	2.5	6	1	1	2	3	4	7	15
TOTAL										
0-19 YRS	31	2.2	8	1	1	2	2	4	4	17
20-34	102	2.0	2	1	1	2	2	4	5	7
35-49	50	2.7	7	1	1	2	3	5	7	14
50-64	24	2.3	4	1	1	2	3	4	7	10
65 +	42	4.5	30	1	2	3	4	11	16	29
GRAND TOTAL	**249**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	2	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	62	1.6	1	< 1	< 1	1	2	3	4	5
20-34	85	1.9	2	< 1	< 1	1	2	4	5	8
35-49	50	1.9	2	< 1	< 1	1	2	4	4	9
50-64	15	1.3		< 1	< 1	1	1	2	3	3
65 +	6	3.0	3	< 1	2	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	5	2.2	3	1	1	1	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	6	4.3	12	1	2	3	7	10	10	10
B. Operated										
0-19 YRS	76	2.9	7	< 1	1	2	4	6	9	14
20-34	102	2.9	5	< 1	1	2	4	6	8	9
35-49	75	3.0	5	< 1	2	2	4	5	7	13
50-64	57	2.3	4	< 1	1	1	3	6	7	11
65 +	49	3.0	9	< 1	1	2	4	6	7	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.7	1	1	2	3	3	4	4	4
B. Operated	218	1.8	2	< 1	< 1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	16	3.3	8	1	1	2	4	8	9	10
B. Operated	359	2.9	6	< 1	1	2	4	6	7	11
1. SINGLE DX	224	1.8	2	< 1	< 1	1	2	4	4	7
2. MULTIPLE DX	375	2.9	6	< 1	1	2	4	6	8	11
A. Not Operated	22	3.1	6	1	1	2	4	7	9	10
B. Operated	577	2.5	4	< 1	< 1	2	3	5	6	10
TOTAL										
0-19 YRS	146	2.4	5	< 1	< 1	2	3	5	6	11
20-34	193	2.4	4	< 1	< 1	2	3	5	7	9
35-49	126	2.6	4	< 1	1	2	3	5	6	10
50-64	73	2.1	4	< 1	1	1	3	4	6	10
65 +	61	3.1	8	< 1	1	2	4	6	8	17
GRAND TOTAL	**599**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**	**10**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.8	30	1	1	2	4	12	19	19
20-34	15	4.4	16	1	1	3	6	12	13	13
35-49	14	4.3	21	1	1	3	6	11	16	17
50-64	5	3.4	7	1	2	3	4	8	8	8
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	86	3.0	12	< 1	1	1	4	7	11	18
20-34	61	3.6	18	< 1	1	2	4	7	10	27
35-49	56	4.3	11	1	2	4	6	8	9	19
50-64	22	5.2	30	1	1	3	7	14	18	21
65 +	9	4.0	10	1	2	3	5	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.6	14	< 1	1	2	6	8	13	14
20-34	16	4.3	6	2	3	4	5	8	9	10
35-49	21	7.0	20	2	3	6	10	14	15	16
50-64	10	2.9	6	< 1	1	2	4	7	8	8
65 +	13	4.2	11	1	2	3	5	10	12	12
B. Operated										
0-19 YRS	64	9.9	127	1	2	5	12	29	37	42
20-34	79	6.0	25	1	2	4	9	15	17	76
35-49	63	9.4	163	2	3	6	11	20	32	99
50-64	34	8.9	167	1	2	5	12	18	62	99 +
65 +	23	9.9	123	1	3	5	13	28	36	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.2	18	1	1	3	6	10	14	19
B. Operated	234	3.7	15	1	1	2	5	8	11	21
2. MULTIPLE DX										
A. Not Operated	74	4.7	14	1	2	3	7	10	13	16
B. Operated	263	8.5	111	1	3	5	11	20	33	98
1. SINGLE DX	280	3.8	16	1	1	3	5	8	12	20
2. MULTIPLE DX	337	7.7	92	1	2	5	10	17	27	91
A. Not Operated	120	4.5	15	1	2	3	6	10	13	18
B. Operated	497	6.2	71	1	1	4	7	14	21	58
TOTAL										
0-19 YRS	174	5.7	66	1	1	3	6	13	25	41
20-34	171	4.8	21	1	2	3	6	12	15	27
35-49	154	6.7	80	1	2	5	8	15	19	87
50-64	71	6.5	95	1	2	4	8	15	21	94
65 +	47	7.0	72	1	2	4	7	15	28	41
GRAND TOTAL	617	5.9	61	1	2	4	7	13	19	41

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.0	3	2	3	5	5	5	5	5
20-34	4	3.8	6	1	2	3	5	7	7	7
35-49	8	2.0	1	1	1	2	3	4	4	4
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	73	2.6	3	< 1	1	2	4	5	6	8
20-34	89	3.1	3	1	2	3	4	5	6	9
35-49	38	3.0	3	1	2	3	3	7	7	7
50-64	7	2.7	2	1	1	3	4	4	4	4
65 +	4	2.3	2	< 1	< 1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	8	3.8	7	1	2	3	5	8	9	9
35-49	4	4.0	6	< 1	1	4	6	6	6	6
50-64	7	5.6	26	1	1	4	10	13	14	14
65 +	18	4.1	6	1	2	4	6	6	9	10
B. Operated										
0-19 YRS	96	3.1	7	1	1	3	4	6	7	17
20-34	156	3.4	6	1	2	3	4	6	7	13
35-49	57	3.4	5	1	1	3	4	7	8	10
50-64	11	4.7	4	2	3	5	7	7	7	7
65 +	15	4.9	6	2	3	6	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.9	3	1	1	3	4	5	6	7
B. Operated	211	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	42	4.0	9	1	1	3	6	7	10	14
B. Operated	335	3.4	6	1	2	3	4	6	7	13
1. SINGLE DX	228	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX	377	3.5	6	1	2	3	4	6	8	14
A. Not Operated	59	3.7	8	1	1	3	5	6	10	14
B. Operated	546	3.2	5	1	2	3	4	6	7	10
TOTAL										
0-19 YRS	177	2.9	5	< 1	1	2	4	5	6	13
20-34	257	3.3	5	1	2	3	4	6	7	12
35-49	107	3.1	4	1	1	3	4	6	7	9
50-64	26	4.4	10	1	2	4	6	7	12	14
65 +	38	4.2	6	1	2	4	6	7	9	10
GRAND TOTAL	605	3.2	5	1	2	3	4	6	7	11

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	4.0	5	2	3	3	5	8	9	9
20-34	162	4.4	8	2	2	4	6	8	9	12
35-49	186	4.3	9	2	2	4	5	8	10	14
50-64	62	5.2	15	2	3	4	6	10	14	20
65 +	15	4.9	10	2	3	4	7	10	11	12
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	32	3.8	9	1	1	3	6	8	11	11
35-49	31	2.2	5	1	1	1	3	6	8	8
50-64	3	3.0	1	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.8	2	1	2	2	3	5	6	6
20-34	148	5.1	9	2	3	4	7	9	11	14
35-49	221	5.5	12	2	3	5	7	9	12	18
50-64	162	5.7	11	2	3	5	7	9	12	17
65 +	163	6.2	27	2	4	5	7	10	13	27
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	38	4.1	11	1	1	3	5	9	11	13
35-49	51	5.5	14	1	2	5	8	11	13	15
50-64	29	6.9	25	2	4	5	8	13	20	22
65 +	11	9.5	73	1	3	7	15	23	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	444	4.5	9	2	2	4	6	8	10	15
B. Operated	67	3.0	7	1	1	1	4	8	8	11
2. MULTIPLE DX										
A. Not Operated	709	5.6	14	2	3	5	7	9	12	17
B. Operated	130	5.8	22	1	2	5	8	11	15	23
1. SINGLE DX	511	4.3	9	1	2	4	5	8	10	15
2. MULTIPLE DX	839	5.6	15	2	3	5	7	9	12	20
A. Not Operated	1153	5.1	13	2	3	4	7	9	11	17
B. Operated	197	4.8	19	1	1	4	7	10	13	22
TOTAL										
0-19 YRS	36	3.6	4	2	2	3	5	7	8	9
20-34	380	4.6	9	1	2	4	6	9	10	14
35-49	489	4.8	11	1	3	4	6	9	11	16
50-64	256	5.7	14	2	3	5	7	10	13	20
65 +	189	6.3	28	2	4	5	8	11	14	28
GRAND TOTAL	**1350**	**5.1**	**14**	**2**	**3**	**4**	**7**	**9**	**11**	**17**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	1.7	1	< 1	1	1	2	3	4	5
20-34	163	3.7	5	1	2	3	5	7	8	11
35-49	149	3.9	6	1	2	3	5	7	9	13
50-64	60	4.5	10	1	2	4	6	9	12	15
65 +	8	2.9	3	1	1	3	4	5	6	6
B. Operated										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	37	3.5	7	1	1	2	5	7	9	9
35-49	37	3.1	7	1	1	2	4	8	9	11
50-64	6	3.5	10	1	1	3	5	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	2.7	4	1	1	2	4	6	7	11
20-34	247	4.2	7	1	2	4	6	8	9	11
35-49	293	5.3	14	2	3	4	7	10	14	20
50-64	177	5.1	11	2	3	5	7	9	11	15
65 +	118	5.8	22	2	3	5	7	11	12	30
B. Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	39	4.7	14	1	2	4	7	10	14	15
35-49	34	4.9	17	1	1	4	7	9	11	21
50-64	14	5.2	20	1	2	3	10	11	14	15
65 +	6	9.0	18	5	6	7	12	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	432	3.6	6	1	2	3	5	7	8	12
B. Operated	82	3.4	7	1	1	2	5	8	9	11
2. MULTIPLE DX										
A. Not Operated	891	4.9	12	1	2	4	6	9	11	18
B. Operated	97	5.0	17	1	2	4	7	10	14	19
1. SINGLE DX	514	3.6	6	1	1	3	5	7	9	12
2. MULTIPLE DX	988	4.9	13	1	2	4	6	9	11	18
A. Not Operated	1323	4.5	11	1	2	4	6	8	10	15
B. Operated	179	4.3	13	1	1	3	6	9	11	16
TOTAL										
0-19 YRS	114	2.3	3	1	1	2	3	5	6	10
20-34	486	4.0	7	1	2	3	5	8	9	12
35-49	513	4.7	12	1	2	4	6	9	12	19
50-64	257	4.9	11	1	3	4	6	9	11	15
65 +	132	5.8	22	2	3	5	7	11	12	30
GRAND TOTAL	**1502**	**4.4**	**11**	**1**	**2**	**4**	**6**	**9**	**10**	**16**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.7	1	< 1	1	1	2	4	4	4
20-34	18	2.7	5	< 1	1	2	3	6	8	9
35-49	10	2.5	2	1	2	2	3	5	6	6
50-64	9	3.7	9	1	2	4	4	8	11	11
65 +	6	3.7	4	1	2	3	6	6	6	6
B. Operated										
0-19 YRS	17	1.9	1	1	1	2	2	3	3	3
20-34	78	2.2	1	1	1	2	3	4	4	6
35-49	141	2.1	1	1	1	2	3	4	4	5
50-64	169	2.8	2	1	2	3	3	4	5	9
65 +	66	3.3	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.4	3	1	1	2	3	6	6	6
20-34	31	3.9	10	1	2	3	5	7	12	14
35-49	37	3.5	5	1	2	3	5	8	9	99 +
50-64	29	3.1	4	1	2	3	4	6	7	8
65 +	44	5.2	19	1	2	4	6	11	15	21
B. Operated										
0-19 YRS	12	2.5	2	1	1	2	3	5	6	6
20-34	35	2.8	5	1	2	2	3	7	9	10
35-49	82	3.0	4	1	2	2	3	5	8	12
50-64	142	3.3	6	2	2	3	4	5	6	10
65 +	131	4.2	14	2	2	3	5	8	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.8	5	1	1	2	4	6	7	11
B. Operated	471	2.5	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	157	3.9	10	1	2	3	5	8	11	21
B. Operated	402	3.5	8	2	2	3	4	6	8	14
1. SINGLE DX	523	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX	559	3.6	9	1	2	3	4	6	9	17
A. Not Operated	209	3.6	9	1	2	3	5	7	9	19
B. Operated	873	3.0	5	1	2	2	3	5	6	12
TOTAL										
0-19 YRS	54	2.1	2	1	1	2	3	4	6	6
20-34	162	2.7	4	1	1	2	3	5	7	12
35-49	270	2.6	3	1	2	2	3	4	6	11
50-64	349	3.0	4	1	2	3	4	5	6	9
65 +	247	4.1	12	2	2	3	5	7	11	20
GRAND TOTAL	**1082**	**3.1**	**6**	**1**	**2**	**2**	**4**	**5**	**7**	**13**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	787	1.3	1	< 1	1	1	1	2	2	5
20-34	110	1.7	1	1	1	1	2	3	3	6
35-49	38	1.6	1	< 1	1	1	2	3	3	6
50-64	20	1.5		1	1	1	2	3	3	3
65 +	5	2.2	2	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	779	2.0	4	1	1	1	2	3	5	12
20-34	309	2.4	6	1	1	2	3	5	6	13
35-49	155	2.9	7	1	1	2	3	6	9	14
50-64	92	3.2	7	1	1	2	4	6	8	14
65 +	154	4.2	18	1	2	3	5	9	11	19
B. Operated										
0-19 YRS	187	4.3	82	1	1	2	3	7	22	55
20-34	120	3.8	29	1	1	2	3	8	16	29
35-49	43	4.7	78	1	1	2	5	8	16	55
50-64	37	4.1	20	1	1	2	5	9	14	22
65 +	45	6.3	51	2	2	4	7	13	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	960	1.3	1	< 1	1	1	1	2	3	5
B. Operated	7	5.1	16	1	2	3	9	11	11	11
2. MULTIPLE DX										
A. Not Operated	1489	2.5	7	1	1	2	3	5	7	14
B. Operated	432	4.4	58	1	1	2	4	9	20	37
1. SINGLE DX	967	1.4	1	< 1	1	1	1	2	3	6
2. MULTIPLE DX	1921	2.9	19	1	1	2	3	6	9	22
A. Not Operated	2449	2.0	5	1	1	1	2	4	5	12
B. Operated	439	4.4	58	1	1	2	4	9	20	36
TOTAL										
0-19 YRS	1754	1.9	12	< 1	1	1	2	3	5	15
20-34	543	2.6	10	1	1	2	3	5	7	20
35-49	237	3.1	20	1	1	2	3	6	9	17
50-64	150	3.2	10	1	1	2	4	7	9	14
65 +	204	4.6	26	1	2	3	5	10	13	28
GRAND TOTAL	**2888**	**2.4**	**14**	**1**	**1**	**1**	**2**	**5**	**7**	**19**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	15.4	180	2	4	13	28	45	81	99+
20-34	3	25.3	146	16	17	21	34	39	39	39
35-49	0									
50-64	0									
65+	4	4.8	17	<1	1	4	8	10	10	10
B. Operated										
0-19 YRS	32	38.7	493	13	21	35	54	73	77	83
20-34	14	34.1	414	17	20	44	99+	99+	99+	99+
35-49	8	50.4	624	25	42	66	99+	99+	99+	99+
50-64	4	27.3	245	9	15	27	39	46	46	46
65+	6	33.3	785	10	15	23	44	81	85	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	51	99+	99+	99+	99+
2. MULTIPLE DX										
A. Not Operated	23	14.8	172	2	4	11	25	40	63	99+
B. Operated	64	37.9	504	14	21	40	69	99+	99+	99+
1. SINGLE DX	1	2.0		2	2	51	99+	99+	99+	99+
2. MULTIPLE DX	87	31.8	518	7	16	31	55	99+	99+	99+
A. Not Operated	23	14.8	172	2	4	11	25	40	63	99+
B. Operated	65	37.4	516	12	21	40	70	99+	99+	99+
TOTAL										
0-19 YRS	49	30.3	513	4	13	27	48	70	77	99+
20-34	17	32.5	366	17	20	37	99+	99+	99+	99+
35-49	8	50.4	624	25	42	66	99+	99+	99+	99+
50-64	4	27.3	245	9	15	27	39	46	46	46
65+	10	21.9	660	1	6	13	28	64	85	85
GRAND TOTAL	88	31.5	522	6	16	31	56	99+	99+	99+

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	321	1.9	9	<1	1	1	2	3	5	13
20-34	53	3.0	7	<1	1	2	4	7	10	12
35-49	16	1.6	1	1	1	1	2	2	4	4
50-64	8	1.4	1	<1	<1	1	1	3	4	4
65+	11	2.6	6	<1	1	2	2	7	9	9
B. Operated										
0-19 YRS	33	8.8	62	2	4	5	12	21	25	33
20-34	11	6.5	30	2	3	5	10	44	92	99+
35-49	10	11.5	166	1	4	9	11	31	45	45
50-64	4	3.3	3	<1	1	3	4	5	5	5
65+	9	5.8	5	3	4	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	540	3.2	33	1	1	1	3	7	10	31
20-34	194	3.6	21	1	1	2	4	9	14	24
35-49	128	4.6	41	1	1	2	5	10	15	36
50-64	77	5.8	62	1	2	3	6	14	24	45
65+	160	6.8	46	1	2	5	9	15	20	35
B. Operated										
0-19 YRS	189	13.9	360	1	2	6	18	41	74	95
20-34	140	13.3	326	1	2	5	18	39	65	99+
35-49	81	13.3	286	1	2	7	21	46	62	99+
50-64	44	19.2	594	1	3	8	22	56	80	83
65+	107	17.4	275	3	5	12	25	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	409	2.0	8	<1	1	1	2	4	6	13
B. Operated	67	8.1	63	2	4	5	10	20	26	90
2. MULTIPLE DX										
A. Not Operated	1099	4.1	37	1	1	2	5	9	14	32
B. Operated	561	14.7	344	1	2	7	20	45	65	99+
1. SINGLE DX	476	2.9	20	<1	1	1	3	6	11	25
2. MULTIPLE DX	1660	7.7	166	1	1	3	8	21	36	80
A. Not Operated	1508	3.5	30	1	1	2	4	8	13	27
B. Operated	628	14.0	318	1	2	7	19	43	60	99+
TOTAL										
0-19 YRS	1083	4.8	102	1	1	1	4	11	22	64
20-34	398	7.0	148	1	1	2	7	19	29	93
35-49	235	7.7	146	1	1	3	8	23	40	79
50-64	133	9.9	274	1	2	4	9	26	49	81
65+	287	10.5	157	1	3	6	14	27	42	75
GRAND TOTAL	2136	6.6	138	1	1	2	6	17	31	76

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.0	5	1	2	2	3	7	8	10
20-34	17	2.8	2	1	2	3	4	4	5	6
35-49	10	4.3	15	< 1	1	3	7	10	11	11
50-64	7	2.4	2	1	2	2	3	5	5	5
65 +	3	5.3	24	2	2	3	9	11	11	11
B. Operated										
0-19 YRS	27	4.7	7	2	3	4	6	8	9	14
20-34	51	4.3	9	2	3	4	5	7	8	18
35-49	22	5.5	9	3	3	4	8	9	11	13
50-64	4	4.5	2	3	3	4	5	6	6	6
65 +	2	22.0	800	2	2	22	42	42	42	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	3.4	6	1	2	3	5	7	9	10
20-34	52	3.8	8	2	2	3	5	7	8	17
35-49	35	4.4	14	1	2	3	5	10	14	16
50-64	32	4.7	9	2	2	4	6	8	12	13
65 +	70	6.5	25	2	3	5	8	15	18	23
B. Operated										
0-19 YRS	98	8.0	28	3	4	7	10	15	21	25
20-34	198	8.3	72	3	4	6	9	17	25	61
35-49	102	8.4	49	3	4	7	10	15	22	73
50-64	66	9.7	63	3	5	8	12	18	27	41
65 +	78	13.9	204	4	7	10	16	25	29	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.2	6	1	2	2	4	7	10	11
B. Operated	106	5.0	21	2	3	4	6	8	11	29
2. MULTIPLE DX										
A. Not Operated	231	4.8	15	2	2	4	6	10	14	18
B. Operated	542	9.2	81	3	4	7	11	18	24	51
1. SINGLE DX	168	4.3	16	2	2	3	5	8	10	17
2. MULTIPLE DX	773	7.9	65	2	3	6	10	16	22	43
A. Not Operated	293	4.4	14	1	2	3	5	9	13	18
B. Operated	648	8.5	74	3	4	6	10	17	23	49
TOTAL										
0-19 YRS	192	5.9	22	2	3	5	7	12	15	23
20-34	318	6.6	53	2	3	5	7	14	18	44
35-49	169	7.0	37	2	3	5	9	13	17	46
50-64	109	7.5	48	2	3	6	9	14	19	40
65 +	153	10.4	136	2	4	7	13	20	26	75
GRAND TOTAL	**941**	**7.3**	**59**	**2**	**3**	**5**	**9**	**15**	**20**	**42**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	100	3.8	8	1	2	3	5	8	9	13
20-34	34	2.3	2	1	1	2	3	4	5	5
35-49	8	1.9	1	< 1	1	2	3	4	4	4
50-64	6	2.2	6	1	1	1	2	6	7	7
65 +	0									
B. Operated										
0-19 YRS	42	6.6	18	2	4	6	8	11	17	18
20-34	43	5.9	7	3	4	6	8	9	11	11
35-49	16	5.8	3	4	5	5	7	7	10	11
50-64	8	7.8	7	5	6	7	8	12	14	14
65 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	139	4.4	12	1	2	3	7	9	10	15
20-34	84	3.7	10	1	2	3	5	8	10	17
35-49	29	5.2	17	2	2	4	7	10	12	20
50-64	16	4.8	11	1	2	4	7	9	11	12
65 +	33	6.1	19	2	3	4	8	13	15	18
B. Operated										
0-19 YRS	187	11.1	96	4	6	8	12	22	33	54
20-34	341	11.2	137	4	6	8	12	23	31	95
35-49	144	11.8	107	4	6	9	14	23	34	71
50-64	53	15.8	289	5	7	9	19	42	83	99 +
65 +	43	16.7	263	6	8	11	20	28	49	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	3.3	6	1	1	2	4	7	8	13
B. Operated	110	6.3	11	3	4	6	8	10	12	18
2. MULTIPLE DX										
A. Not Operated	301	4.5	13	1	2	3	6	9	11	18
B. Operated	768	11.9	141	4	6	8	13	24	37	94
1. SINGLE DX	258	4.6	10	1	2	4	7	8	10	17
2. MULTIPLE DX	1069	9.8	116	2	4	7	11	20	30	80
A. Not Operated	449	4.1	11	1	2	3	6	9	10	15
B. Operated	878	11.2	128	4	6	8	12	23	34	88
TOTAL										
0-19 YRS	468	7.2	56	1	3	6	9	13	19	40
20-34	502	8.9	107	2	4	7	10	17	25	84
35-49	197	9.9	91	2	4	7	12	21	29	65
50-64	83	11.9	214	2	5	8	11	40	54	99 +
65 +	77	12.1	181	3	4	9	15	22	28	85
GRAND TOTAL	**1327**	**8.8**	**100**	**2**	**4**	**7**	**10**	**18**	**26**	**67**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	3	1	1	1	3	5	5	5
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	84	2.3	2	< 1	1	2	3	5	5	7
20-34	47	4.9	159	1	2	3	4	5	6	89
35-49	18	2.8	3	1	1	2	4	5	7	8
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	3	2.3	5	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	3.5	3	1	2	3	5	6	7	7
20-34	11	3.2	6	1	2	2	4	7	8	8
35-49	6	2.5	1	1	2	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	134	3.6	10	1	1	3	5	7	10	16
20-34	77	4.3	18	1	2	3	5	8	11	25
35-49	50	3.2	5	1	2	3	4	6	7	12
50-64	19	4.6	16	1	2	3	6	11	14	15
65 +	23	4.6	9	1	2	4	6	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	2	1	1	2	2	5	5	5
B. Operated	155	3.1	51	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	28	3.1	4	1	2	3	4	6	7	8
B. Operated	303	3.8	12	1	2	3	5	7	10	18
1. SINGLE DX	161	3.1	49	1	1	2	4	5	6	8
2. MULTIPLE DX	331	3.8	11	1	2	3	5	7	10	17
A. Not Operated	34	2.9	4	1	2	2	4	6	7	8
B. Operated	458	3.6	25	1	1	3	4	6	8	16
TOTAL										
0-19 YRS	234	3.1	7	1	1	2	4	6	7	14
20-34	135	4.4	66	1	2	3	5	7	9	36
35-49	74	3.1	4	1	2	3	4	5	7	12
50-64	23	4.1	14	1	2	3	6	9	14	15
65 +	26	4.3	9	1	2	4	6	8	10	13
GRAND TOTAL	**492**	**3.5**	**23**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.9	2	1	1	1	2	4	5	8
20-34	17	2.5	2	< 1	1	2	3	5	5	5
35-49	8	1.3		< 1	1	1	2	2	2	2
50-64	3	1.7	1	< 1	< 1	1	2	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	137	2.2	35	< 1	1	1	2	3	5	23
20-34	60	2.0	2	< 1	1	2	3	4	5	6
35-49	33	2.6	11	< 1	1	1	3	4	12	17
50-64	7	1.6	1	< 1	< 1	1	2	3	3	3
65 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	94	1.8	1	1	1	1	2	3	4	5
20-34	63	2.0	2	1	1	2	2	3	4	9
35-49	55	2.8	5	1	1	2	4	5	7	13
50-64	17	4.1	8	2	2	3	5	8	10	11
65 +	24	3.7	16	1	2	3	4	6	11	21
B. Operated										
0-19 YRS	279	3.5	22	1	1	2	4	6	11	28
20-34	245	3.3	13	1	1	2	4	6	8	19
35-49	129	3.5	33	1	1	2	4	7	8	25
50-64	65	3.6	15	1	1	2	4	9	12	19
65 +	80	5.1	28	1	2	3	6	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	2.0	2	< 1	1	1	2	4	5	7
B. Operated	240	2.2	22	< 1	1	1	2	4	5	17
2. MULTIPLE DX										
A. Not Operated	253	2.4	4	1	1	2	3	4	6	11
B. Operated	798	3.6	21	1	1	2	4	7	12	24
1. SINGLE DX	331	2.1	16	< 1	1	1	2	4	5	14
2. MULTIPLE DX	1051	3.3	17	1	1	2	4	6	10	21
A. Not Operated	344	2.3	4	1	1	2	3	4	5	10
B. Operated	1038	3.3	22	1	1	2	4	6	10	22
TOTAL										
0-19 YRS	571	2.7	20	1	1	2	3	5	8	22
20-34	385	2.8	9	1	1	2	3	5	7	17
35-49	225	3.1	22	1	1	2	4	6	8	16
50-64	92	3.5	12	1	1	2	4	9	11	18
65 +	109	4.7	25	1	1	3	6	13	17	23
GRAND TOTAL	**1382**	**3.0**	**17**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

197 Hospitals, Southern Region, January-December 1988

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	55	2.3	16	< 1	1	1	2	3	6	27
20-34	62	1.8	1	< 1	1	1	2	3	4	6
35-49	26	2.3	4	< 1	1	2	3	3	8	10
50-64	8	3.5	12	< 1	< 1	2	5	9	11	11
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	74	2.2	3	1	1	2	3	5	6	9
20-34	67	3.4	7	1	2	3	4	6	8	14
35-49	26	2.6	3	1	1	2	3	5	6	8
50-64	7	2.1	2	< 1	< 1	1	3	5	5	5
65 +	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	1.7	1	1	1	2	2	3	3	4
20-34	90	2.2	5	< 1	1	1	2	5	6	12
35-49	41	2.9	8	1	1	2	3	5	10	13
50-64	8	2.5	12	1	1	1	2	8	11	11
65 +	7	4.9	9	1	2	5	7	9	9	9
B. Operated										
0-19 YRS	81	4.7	21	1	1	3	6	12	14	22
20-34	157	5.8	37	1	2	5	7	11	16	26
35-49	64	6.6	88	1	2	4	7	12	18	58
50-64	15	10.8	132	3	5	9	12	15	41	50
65 +	9	11.2	94	3	5	7	17	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	2.1	8	< 1	1	1	2	4	5	13
B. Operated	177	2.7	5	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. Not Operated	172	2.4	6	< 1	1	2	3	5	8	13
B. Operated	326	6.0	50	1	2	4	7	12	16	47
1. SINGLE DX	329	2.5	6	< 1	1	2	3	5	6	13
2. MULTIPLE DX	498	4.8	38	1	1	3	6	10	14	28
A. Not Operated	324	2.3	7	< 1	1	1	2	5	6	13
B. Operated	503	4.9	37	1	2	3	6	10	14	28
TOTAL										
0-19 YRS	236	3.0	13	1	1	2	3	7	10	21
20-34	376	3.8	21	1	1	3	5	8	11	24
35-49	157	4.2	43	1	1	3	5	8	12	44
50-64	38	5.9	71	< 1	1	3	9	12	14	50
65 +	20	7.1	58	1	2	5	8	20	27	29
GRAND TOTAL	**827**	**3.9**	**26**	**1**	**1**	**2**	**5**	**8**	**12**	**25**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	2.7	4	1	1	2	4	5	6	9
20-34	74	2.9	4	1	1	2	4	5	7	10
35-49	35	2.4	2	1	1	2	3	4	5	5
50-64	7	3.0	2	1	2	3	4	5	5	5
65 +	6	4.7	3	2	3	5	6	6	6	6
B. Operated										
0-19 YRS	212	1.8	2	< 1	1	1	2	4	5	7
20-34	246	2.3	6	< 1	1	2	3	5	6	12
35-49	118	2.8	9	< 1	1	2	3	6	9	16
50-64	65	1.8	2	< 1	1	1	2	4	5	8
65 +	19	2.1	2	< 1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	47	4.6	18	2	2	4	4	11	15	21
20-34	82	3.4	8	1	2	3	4	6	9	17
35-49	32	4.1	27	1	2	3	5	6	18	26
50-64	21	4.3	5	2	3	4	7	7	8	8
65 +	17	6.5	22	2	3	5	8	13	18	20
B. Operated										
0-19 YRS	202	2.9	11	< 1	1	2	3	7	10	16
20-34	369	3.8	34	1	1	2	4	8	11	25
35-49	194	3.9	33	1	1	2	5	8	11	25
50-64	89	5.2	48	1	2	3	6	10	21	37
65 +	59	5.6	35	1	2	3	7	14	18	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	176	2.8	3	1	1	2	4	5	6	9
B. Operated	660	2.2	5	< 1	1	1	2	5	6	12
2. MULTIPLE DX										
A. Not Operated	199	4.1	15	1	2	3	5	7	11	21
B. Operated	913	3.9	31	1	1	2	4	8	12	26
1. SINGLE DX	836	2.3	4	< 1	1	2	3	5	6	10
2. MULTIPLE DX	1112	3.9	28	1	1	2	4	8	11	25
A. Not Operated	375	3.5	10	1	2	3	4	7	9	20
B. Operated	1573	3.2	20	< 1	1	2	3	7	10	22
TOTAL										
0-19 YRS	515	2.6	8	< 1	1	1	3	5	8	15
20-34	771	3.2	20	1	1	2	4	6	9	18
35-49	379	3.5	22	1	1	2	4	7	10	21
50-64	182	3.8	27	1	1	2	4	7	10	33
65 +	101	5.0	26	1	2	3	6	11	15	26
GRAND TOTAL	**1948**	**3.2**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	81	2.7	3	< 1	1	2	3	5	7	9
20-34	65	2.6	3	1	1	2	3	5	6	10
35-49	26	2.8	4	1	1	2	4	6	8	8
50-64	6	3.5	11	1	2	2	3	9	10	10
65 +	5	5.8	40	1	2	2	10	16	16	16
B. Operated										
0-19 YRS	235	3.1	13	1	1	2	4	6	8	17
20-34	135	3.2	6	1	1	2	4	7	8	10
35-49	51	3.8	9	1	2	3	5	7	10	15
50-64	27	4.4	20	1	2	2	5	13	15	16
65 +	21	5.8	32	1	2	4	8	12	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	3.9	14	1	1	3	5	7	15	19
20-34	57	4.4	17	1	2	4	5	8	11	27
35-49	40	4.2	14	1	2	3	5	10	13	17
50-64	26	5.3	15	2	3	5	6	7	11	22
65 +	35	6.3	13	2	4	5	8	12	14	15
B. Operated										
0-19 YRS	139	5.4	28	1	2	4	7	13	20	25
20-34	130	7.3	128	1	2	4	7	15	26	59
35-49	83	6.7	54	1	3	4	8	14	21	39
50-64	39	9.0	84	1	2	6	11	24	30	40
65 +	76	11.2	88	3	5	8	13	24	34	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	2.8	5	1	1	2	4	5	7	11
B. Operated	469	3.4	12	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated	206	4.7	15	1	2	4	6	9	13	20
B. Operated	467	7.4	78	1	2	5	8	16	24	44
1. SINGLE DX	652	3.2	10	1	1	2	4	6	8	17
2. MULTIPLE DX	673	6.6	60	1	2	4	7	15	21	41
A. Not Operated	389	3.8	11	1	2	3	5	7	10	17
B. Operated	936	5.4	49	1	2	3	6	11	17	39
TOTAL										
0-19 YRS	503	3.7	16	1	1	3	4	7	12	21
20-34	387	4.7	52	1	1	3	5	8	11	49
35-49	200	5.0	30	1	2	3	6	10	15	33
50-64	98	6.4	47	1	2	4	7	15	20	36
65 +	137	8.9	64	2	4	7	11	16	25	42
GRAND TOTAL	**1325**	**4.9**	**38**	**1**	**2**	**3**	**6**	**10**	**15**	**32**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	13	6.1	106	1	2	4	5	13	35	40
20-34	13	3.1	3	1	2	2	4	6	7	7
35-49	8	3.6	13	1	1	2	5	10	11	11
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	5	10.0	193	1	2	3	16	34	34	34
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	16	14.3	193	2	3	10	22	40	43	44
20-34	74	7.7	68	1	2	5	10	19	28	85
35-49	24	8.3	76	1	2	5	8	23	27	30
50-64	7	4.4	23	1	1	1	7	12	13	13
65 +	8	12.6	83	2	6	11	17	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.0	2	1	1	2	3	4	4	4
B. Operated	35	4.3	44	1	1	3	4	7	10	40
2. MULTIPLE DX										
A. Not Operated	10	5.9	106	1	1	2	5	22	34	34
B. Operated	129	8.7	87	1	2	5	12	24	30	55
1. SINGLE DX	39	4.0	40	1	1	2	4	7	9	40
2. MULTIPLE DX	139	8.5	88	1	2	5	11	24	30	50
A. Not Operated	14	4.8	77	1	1	2	4	12	29	34
B. Operated	164	7.8	81	1	2	5	9	22	29	44
TOTAL										
0-19 YRS	34	9.2	152	1	2	4	11	26	42	44
20-34	89	6.9	60	1	2	5	8	19	27	76
35-49	38	7.4	75	1	1	4	8	23	28	34
50-64	7	4.4	23	1	1	1	7	12	13	13
65 +	10	10.3	89	1	2	10	15	25	30	30
GRAND TOTAL	**178**	**7.6**	**81**	**1**	**2**	**4**	**9**	**22**	**29**	**43**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.6	1	1	1	1	2	3	3	3
20-34	13	2.2	5	< 1	< 1	1	3	6	8	8
35-49	6	1.8	3	< 1	1	1	2	5	5	5
50-64	4	4.8	15	1	2	4	7	10	10	10
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.2	55	1	2	4	5	19	21	21
20-34	4	3.8	6	1	2	3	5	7	7	7
35-49	12	6.3	21	1	2	5	9	12	16	17
50-64	5	5.6	13	1	2	6	9	9	9	9
65 +	7	13.3	120	3	4	8	23	29	30	30
B. Operated										
0-19 YRS	10	3.1	5	1	1	2	5	6	7	7
20-34	15	4.3	17	1	1	3	7	11	13	14
35-49	13	4.5	11	1	2	3	6	10	12	12
50-64	11	6.9	12	2	5	7	9	12	13	13
65 +	7	7.0	21	1	3	9	9	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	5	< 1	< 1	1	4	5	5	5
B. Operated	32	2.4	5	< 1	1	1	3	5	8	10
2. MULTIPLE DX										
A. Not Operated	34	7.3	50	1	3	5	9	19	23	30
B. Operated	56	5.0	14	1	2	4	8	11	13	14
1. SINGLE DX	35	2.4	5	< 1	1	1	3	5	7	10
2. MULTIPLE DX	90	5.9	28	1	2	4	8	12	17	28
A. Not Operated	37	6.9	48	1	3	5	9	19	23	30
B. Operated	88	4.0	12	1	1	3	6	9	11	14
TOTAL										
0-19 YRS	26	3.3	16	1	1	2	4	6	10	21
20-34	33	3.3	11	< 1	1	2	4	8	11	14
35-49	31	4.7	15	1	2	3	7	10	12-	17
50-64	20	6.2	12	1	3	6	9	10	12	13
65 +	15	9.7	73	2	3	8	13	24	28	30
GRAND TOTAL	**125**	**4.9**	**24**	**1**	**1**	**3**	**7**	**10**	**14**	**25**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	63	4.1	4	2	3	4	5	6	8	13
20-34	18	3.4	2	1	2	3	5	6	6	6
35-49	9	2.8	2	1	2	3	4	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-19 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	4.2	4	2	3	4	5	7	8	9
20-34	15	3.1	2	1	2	3	4	5	6	6
35-49	10	2.5	1	< 1	2	2	4	4	4	4
50-64	6	3.7	1	2	3	4	4	5	5	5
65 +	8	4.4	9	2	2	4	5	9	11	11
B. Operated										
0-19 YRS	13	4.8	11	2	2	4	7	9	12	13
20-34	8	6.6	45	1	2	4	8	18	22	22
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	3.8	4	2	3	4	5	6	7	12
B. Operated	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	81	3.8	4	1	2	4	5	6	8	10
B. Operated	25	5.0	21	1	2	4	7	9	15	22
1. SINGLE DX	96	3.7	4	2	2	3	5	6	7	12
2. MULTIPLE DX	106	4.1	8	1	2	4	5	7	9	17
A. Not Operated	174	3.8	4	2	2	4	5	6	7	11
B. Operated	28	4.6	20	1	2	3	6	9	14	22
TOTAL										
0-19 YRS	120	4.2	5	2	3	4	5	7	8	13
20-34	42	3.9	12	1	2	3	5	6	8	22
35-49	21	2.6	1	1	2	2	4	4	5	5
50-64	8	3.3	2	1	2	3	4	5	5	5
65 +	11	4.3	7	2	2	4	5	8	11	11
GRAND TOTAL	**202**	**3.9**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	257	1.4	1	<1	1	1	2	3	3	4
20-34	156	2.1	3	1	1	1	2	4	6	10
35-49	72	2.2	3	1	1	2	3	5	7	8
50-64	38	3.2	24	1	1	2	3	6	9	30
65 +	26	3.3	9	1	1	2	5	6	11	13
B. Operated										
0-19 YRS	38	2.8	11	<1	1	2	3	5	11	16
20-34	23	3.0	8	<1	1	2	3	7	9	11
35-49	17	3.8	52	<1	1	2	3	6	23	31
50-64	9	2.8	3	<1	1	3	4	5	5	5
65 +	6	4.8	19	<1	1	3	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	454	1.8	2	1	1	1	2	3	4	7
20-34	378	2.5	5	1	1	2	3	5	7	12
35-49	272	3.0	5	1	1	2	4	6	8	12
50-64	187	3.7	9	1	1	3	5	7	10	14
65 +	392	5.7	34	2	2	4	7	11	15	29
B. Operated										
0-19 YRS	57	3.6	15	1	1	2	4	8	8	26
20-34	76	3.8	15	1	1	2	5	8	10	22
35-49	47	4.9	25	1	2	3	6	11	14	28
50-64	28	5.6	25	1	3	4	7	13	19	20
65 +	50	7.5	43	2	4	6	9	15	27	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	549	1.9	4	1	1	1	2	4	5	9
B. Operated	93	3.1	17	<1	1	2	3	7	10	25
2. MULTIPLE DX										
A. Not Operated	1683	3.3	13	1	1	2	4	7	9	17
B. Operated	258	4.8	25	1	2	3	6	10	15	27
1. SINGLE DX	642	2.1	6	<1	1	1	2	4	6	11
2. MULTIPLE DX	1941	3.5	15	1	1	2	4	7	10	19
A. Not Operated	2232	2.9	11	1	1	2	3	6	8	15
B. Operated	351	4.4	23	1	1	3	6	9	14	27
TOTAL										
0-19 YRS	806	1.8	3	<1	1	1	2	3	4	8
20-34	633	2.6	6	1	1	2	3	5	7	13
35-49	408	3.1	9	1	1	2	4	6	8	14
50-64	262	3.8	13	1	1	3	5	8	10	19
65 +	474	5.7	34	1	2	4	7	11	15	29
GRAND TOTAL	**2583**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.6	1	1	1	1	2	3	3	3
20-34	22	1.9	1	1	1	2	2	4	4	4
35-49	7	1.9	2	1	1	1	3	5	5	5
50-64	2	1.0		1	1	1	1	1	1	1
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	14	4.6	60	<1	<1	1	2	18	25	27
20-34	11	3.3	18	<1	1	2	3	10	15	15
35-49	7	3.6	19	<1	1	2	4	11	13	13
50-64	8	5.1	25	1	1	3	9	13	14	14
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6	1	<1	1	1	2	3	3	3
20-34	11	3.1	5	1	2	2	4	7	8	8
35-49	14	3.5	9	1	1	3	4	8	10	11
50-64	3	3.3		3	3	3	4	4	4	4
65 +	4	3.0	2	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	13	11.0	229	<1	1	3	14	38	46	48
20-34	27	3.9	23	1	1	2	6	9	11	24
35-49	12	7.3	113	1	2	4	7	18	37	40
50-64	19	5.4	32	1	2	3	7	15	19	21
65 +	4	4.8	4	2	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.7	1	1	1	1	2	3	4	5
B. Operated	41	4.3	32	<1	1	2	5	13	16	27
2. MULTIPLE DX										
A. Not Operated	37	3.1	5	1	1	3	4	6	8	11
B. Operated	75	6.1	76	1	1	3	7	11	23	46
1. SINGLE DX	83	3.0	18	<1	1	1	3	7	13	24
2. MULTIPLE DX	112	5.1	55	1	1	3	5	10	20	43
A. Not Operated	79	2.4	3	1	1	2	3	4	6	10
B. Operated	116	5.4	61	<1	1	3	7	13	21	43
TOTAL										
0-19 YRS	41	5.6	104	<1	1	2	3	19	31	48
20-34	71	3.1	13	1	1	2	3	7	9	22
35-49	40	4.4	42	1	1	3	5	9	12	40
50-64	32	4.8	25	1	1	3	6	12	17	21
65 +	11	3.8	5	1	2	4	5	7	8	8
GRAND TOTAL	**195**	**4.2**	**40**	**1**	**1**	**2**	**4**	**9**	**15**	**38**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	384	1.2		< 1	< 1	1	1	2	2	4
20-34	23	1.2		< 1	< 1	1	1	2	3	3
35-49	26	1.5	1	< 1	1	1	2	2	4	4
50-64	18	1.6	1	< 1	< 1	1	2	4	5	5
65 +	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-19 YRS	150	1.6	2	< 1	1	1	2	3	4	8
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	6	2.5	6	1	1	2	3	7	7	7
50-64	4	1.3		< 1	< 1	1	2	2	2	2
65 +	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	115	2.5	5	1	1	2	3	5	7	11
20-34	12	3.8	9	< 1	1	3	6	8	9	9
35-49	29	2.7	7	1	1	2	4	5	6	14
50-64	34	2.1	4	< 1	< 1	1	3	4	7	9
65 +	92	3.7	12	1	1	2	5	10	14	64
B. Operated										
0-19 YRS	61	5.3	52	1	1	3	6	12	32	92
20-34	14	11.7	389	1	2	5	9	28	65	76
35-49	16	6.6	16	1	4	6	11	12	12	12
50-64	29	4.1	23	1	1	2	5	10	18	19
65 +	46	7.4	40	1	2	5	13	16	17	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	454	1.2		< 1	< 1	1	1	2	3	4
B. Operated	164	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	282	2.9	8	< 1	1	2	4	7	10	15
B. Operated	166	6.4	70	1	1	3	9	15	19	69
1. SINGLE DX	618	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	448	4.2	33	1	1	2	5	10	14	34
A. Not Operated	736	1.9	4	< 1	1	1	2	4	6	11
B. Operated	330	4.0	42	1	1	2	4	11	15	34
TOTAL										
0-19 YRS	710	1.8	7	< 1	1	1	2	3	5	13
20-34	51	4.9	123	< 1	1	1	4	8	19	75
35-49	77	3.1	10	1	1	2	4	7	11	14
50-64	85	2.7	11	< 1	1	1	3	6	9	19
65 +	143	4.8	24	1	1	3	7	13	16	29
GRAND TOTAL	**1066**	**2.5**	**17**	**< 1**	**1**	**1**	**2**	**5**	**10**	**18**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.5	5	1	2	3	4	8	8	8
20-34	7	4.0	28	1	2	2	3	13	16	16
35-49	5	2.6	4	1	1	2	4	6	6	6
50-64	3	7.0	3	5	6	8	8	8	8	8
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	39	5.3	28	1	1	5	8	9	10	32
20-34	24	8.3	48	2	3	6	12	20	23	26
35-49	6	4.0	7	< 1	2	4	6	7	7	7
50-64	8	8.6	117	1	2	3	13	27	31	31
65 +	4	18.0	218	2	5	19	30	32	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	86	5.6	33	1	1	3	8	13	18	28
20-34	22	6.8	52	1	3	5	8	13	24	34
35-49	17	6.4	43	1	2	5	8	13	22	27
50-64	15	11.3	105	3	5	6	17	21	35	40
65 +	19	12.8	88	5	7	9	14	28	34	39
B. Operated										
0-19 YRS	138	21.6	281	4	11	18	29	44	65	99 +
20-34	51	16.3	310	2	4	10	27	51	97	99 +
35-49	44	15.8	140	4	5	13	25	35	40	99 +
50-64	23	24.6	378	5	10	22	35	57	87	99 +
65 +	42	24.9	256	8	12	27	37	48	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	3.7	9	1	2	3	4	8	8	16
B. Operated	81	7.0	55	1	2	5	8	17	27	32
2. MULTIPLE DX										
A. Not Operated	159	7.2	55	1	2	5	9	17	22	39
B. Operated	298	20.5	277	3	8	17	30	47	67	99 +
1. SINGLE DX	119	5.9	43	1	2	4	8	12	21	32
2. MULTIPLE DX	457	15.9	239	2	5	11	24	38	51	99 +
A. Not Operated	197	6.5	48	1	2	4	8	14	20	37
B. Operated	379	17.6	260	2	6	13	27	40	57	99 +
TOTAL										
0-19 YRS	285	13.1	217	1	3	8	19	31	43	88
20-34	104	11.6	196	1	3	7	15	37	52	99 +
35-49	72	11.7	123	2	4	7	20	32	35	87
50-64	49	16.8	276	2	5	11	24	43	54	99 +
65 +	66	20.7	231	4	9	15	32	40	50	95
GRAND TOTAL	**576**	**13.8**	**215**	**1**	**3**	**9**	**20**	**35**	**47**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	129	4.7	19	1	1	3	7	11	13	18
20-34	54	3.4	12	1	1	2	4	7	11	20
35-49	22	2.7	4	1	1	2	4	6	7	8
50-64	6	7.5	34	1	4	7	8	17	18	18
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	39	7.5	33	1	2	7	10	15	19	24
20-34	12	6.0	39	1	2	4	6	19	19	19
35-49	5	8.8	99	1	3	5	12	26	26	26
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	558	6.3	30	1	2	5	9	14	16	22
20-34	154	5.9	32	1	2	4	8	15	17	27
35-49	85	6.6	56	1	3	5	8	11	20	46
50-64	46	7.7	45	1	3	6	11	16	19	34
65 +	41	7.5	30	3	4	6	8	16	19	28
B. Operated										
0-19 YRS	137	15.6	172	3	6	14	20	28	38	72
20-34	51	12.9	326	2	3	7	14	32	47	88
35-49	36	10.8	85	3	5	9	13	19	24	54
50-64	21	14.3	204	2	5	12	18	29	46	64
65 +	28	14.3	106	4	7	13	20	33	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	212	4.3	16	1	1	3	6	10	13	19
B. Operated	58	7.2	38	1	2	5	9	17	19	26
2. MULTIPLE DX										
A. Not Operated	884	6.4	33	1	2	5	9	14	17	28
B. Operated	273	14.2	185	3	5	10	18	29	38	85
1. SINGLE DX	270	4.9	22	1	1	3	7	12	14	23
2. MULTIPLE DX	1157	8.2	80	1	3	6	11	17	24	45
A. Not Operated	1096	6.0	31	1	2	4	8	13	16	27
B. Operated	331	13.0	166	2	5	9	18	27	37	83
TOTAL										
0-19 YRS	863	7.6	63	1	2	5	10	16	21	38
20-34	271	6.7	92	1	2	4	8	15	20	46
35-49	148	7.1	62	1	3	5	9	13	20	49
50-64	75	9.4	95	2	3	6	13	18	27	56
65 +	70	10.2	70	3	5	7	14	22	30	88
GRAND TOTAL	**1427**	**7.6**	**71**	**1**	**2**	**5**	**10**	**16**	**21**	**40**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	2.0	2	1	1	2	3	3	5	6
20-34	12	4.2	8	1	2	3	6	8	9	9
35-49	9	3.9	18	< 1	1	2	5	11	12	12
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	17	2.6	5	1	1	1	4	6	7	8
20-34	33	2.8	5	< 1	1	2	5	7	7	7
35-49	10	2.8	6	< 1	1	2	5	7	8	8
50-64	8	2.1	1	< 1	1	2	3	4	4	4
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	10.5	260	1	2	3	8	38	53	59
20-34	21	4.9	29	1	2	4	6	15	56	99 +
35-49	22	5.8	27	2	3	4	8	12	17	24
50-64	10	7.9	29	2	4	8	10	15	20	20
65 +	17	7.2	44	2	3	5	7	16	24	28
B. Operated										
0-19 YRS	38	4.5	57	1	1	3	4	14	32	99 +
20-34	54	6.0	78	1	1	3	6	16	29	42
35-49	32	7.0	111	1	2	3	11	39	89	99 +
50-64	12	9.7	82	2	3	7	12	24	31	32
65 +	11	17.9	298	2	4	8	29	46	47	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.2	8	1	1	2	4	8	10	12
B. Operated	70	2.7	4	< 1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	87	7.0	77	1	3	4	8	15	26	84
B. Operated	147	7.0	104	1	1	3	8	23	42	99 +
1. SINGLE DX	109	2.9	6	< 1	1	2	4	7	8	11
2. MULTIPLE DX	234	7.0	94	1	2	4	8	20	37	99 +
A. Not Operated	126	5.8	58	1	2	4	7	11	21	68
B. Operated	217	5.6	76	1	1	3	6	14	31	99 +
TOTAL										
0-19 YRS	88	4.8	82	1	1	2	4	9	22	84
20-34	120	4.7	43	< 1	1	3	6	9	23	59
35-49	73	5.7	61	1	1	3	8	13	34	99 +
50-64	32	6.9	48	1	2	4	10	15	21	32
65 +	30	10.8	159	2	3	6	14	29	46	47
GRAND TOTAL	**343**	**5.7**	**69**	**1**	**1**	**3**	**6**	**13**	**28**	**99 +**

197 Hospitals, Southern Region, January-December 1988

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	1.8	2	1	1	1	2	4	6	8
20-34	68	2.6	14	1	1	1	2	5	11	21
35-49	42	2.6	4	1	1	2	3	5	7	11
50-64	17	3.3	15	1	1	2	3	7	13	17
65 +	3	2.3	1	< 1	1	3	3	3	3	3
B. Operated										
0-19 YRS	36	3.5	10	< 1	1	2	5	7	11	14
20-34	25	3.4	7	< 1	1	3	4	8	9	11
35-49	20	6.3	23	1	2	4	10	13	15	16
50-64	8	4.6	9	1	2	4	7	9	9	9
65 +	6	5.3	27	< 1	1	3	9	13	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	135	2.6	8	1	1	2	3	5	7	17
20-34	137	3.2	21	1	1	2	4	7	8	22
35-49	94	2.9	5	1	1	2	3	5	7	12
50-64	56	4.5	14	1	2	4	5	10	12	20
65 +	93	5.5	15	2	3	4	7	11	14	18
B. Operated										
0-19 YRS	55	6.7	52	1	2	4	10	16	28	96
20-34	76	7.6	78	1	2	5	9	17	21	51
35-49	61	7.8	56	1	3	5	11	21	28	92
50-64	22	7.9	28	2	3	7	12	15	18	20
65 +	40	10.6	83	2	5	8	15	26	36	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	245	2.3	7	1	1	1	3	4	7	17
B. Operated	95	4.2	14	< 1	1	3	6	10	12	15
2. MULTIPLE DX										
A. Not Operated	515	3.5	14	1	1	2	4	8	10	17
B. Operated	254	7.9	64	1	2	6	11	19	27	97
1. SINGLE DX	340	2.9	10	1	1	2	3	7	9	16
2. MULTIPLE DX	769	5.0	35	1	2	3	6	11	17	34
A. Not Operated	760	3.1	12	1	1	2	4	7	9	17
B. Operated	349	6.9	53	1	2	5	9	16	23	57
TOTAL										
0-19 YRS	341	3.1	16	1	1	2	3	7	11	25
20-34	306	4.2	36	1	1	2	5	9	13	33
35-49	217	4.5	26	1	2	3	5	11	15	32
50-64	103	5.0	19	1	2	4	7	11	14	20
65 +	142	6.9	39	2	3	5	9	15	19	49
GRAND TOTAL	**1109**	**4.3**	**28**	**1**	**1**	**3**	**5**	**10**	**14**	**30**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	764	1.6	6	1	1	1	2	3	3	5
20-34	202	1.6	1	< 1	1	1	2	3	3	5
35-49	83	2.0	5	< 1	1	1	2	3	5	15
50-64	28	2.6	3	1	1	2	4	5	6	8
65 +	17	3.0	7	1	1	2	5	7	8	8
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	9.0		9	9	9	9	9	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1046	3.3	31	1	1	2	3	6	11	37
20-34	976	3.1	16	1	1	2	3	6	9	21
35-49	677	3.8	26	1	1	2	4	8	12	28
50-64	279	4.5	22	1	2	3	5	9	12	19
65 +	417	5.3	22	2	3	4	6	10	14	24
B. Operated										
0-19 YRS	17	7.8	85	1	3	6	8	16	32	40
20-34	28	9.6	192	2	2	4	9	36	48	49
35-49	25	8.0	38	1	3	6	12	15	20	23
50-64	24	12.9	124	3	6	10	16	25	40	48
65 +	29	15.9	247	4	6	10	19	33	58	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1094	1.7	5	< 1	1	1	2	3	4	6
B. Operated	3	4.3	17	< 1	1	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	3395	3.7	25	1	1	2	4	7	11	28
B. Operated	123	11.1	151	2	3	7	14	24	39	61
1. SINGLE DX	1097	1.7	5	< 1	1	1	2	3	4	7
2. MULTIPLE DX	3518	4.0	31	1	1	2	4	8	12	30
A. Not Operated	4489	3.2	20	1	1	2	3	6	9	23
B. Operated	126	11.0	149	2	3	7	14	24	38	60
TOTAL										
0-19 YRS	1828	2.6	22	1	1	1	2	4	7	28
20-34	1207	3.0	19	1	1	2	3	5	8	22
35-49	786	3.8	25	1	1	2	4	8	12	24
50-64	331	5.0	33	1	2	3	6	10	14	26
65 +	463	5.9	42	2	3	4	7	11	17	34
GRAND TOTAL	**4615**	**3.4**	**26**	**1**	**1**	**2**	**4**	**7**	**10**	**28**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	419	1.8	2	1	1	1	2	4	5	7
20-34	109	1.8	2	1	1	1	2	3	5	7
35-49	58	1.7	1	1	1	1	2	3	4	6
50-64	33	2.2	2	1	1	2	3	4	4	6
65 +	11	2.5	4	1	1	1	4	5	6	6
B. Operated										
0-19 YRS	12	3.2	7	< 1	1	3	4	8	9	9
20-34	6	2.2	6	1	1	1	2	6	7	7
35-49	4	2.5	4	< 1	< 1	2	4	5	5	5
50-64	2	17.5	265	6	6	17	29	29	29	29
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	232	2.7	9	1	1	2	3	6	8	18
20-34	129	2.6	6	< 1	1	2	3	6	9	12
35-49	113	2.5	4	1	1	2	3	5	6	11
50-64	79	4.2	17	1	1	3	5	10	14	19
65 +	61	3.9	35	1	1	2	4	7	11	40
B. Operated										
0-19 YRS	15	7.9	147	1	2	4	6	19	41	48
20-34	12	5.6	22	2	3	4	6	13	17	18
35-49	11	10.8	74	2	4	9	14	25	29	29
50-64	10	17.0	400	3	5	8	18	51	66	66
65 +	9	13.9	230	3	4	6	18	39	49	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	630	1.8	2	1	1	1	2	4	5	7
B. Operated	25	3.9	33	1	1	2	4	7	14	29
2. MULTIPLE DX										
A. Not Operated	614	3.0	11	1	1	2	3	6	9	18
B. Operated	57	10.5	168	2	3	5	13	25	44	65
1. SINGLE DX	655	1.9	3	1	1	1	2	4	5	7
2. MULTIPLE DX	671	3.6	29	1	1	2	4	7	11	25
A. Not Operated	1244	2.4	7	1	1	1	3	5	6	13
B. Operated	82	8.5	135	1	2	4	9	20	32	61
TOTAL										
0-19 YRS	678	2.3	8	1	1	1	3	5	6	12
20-34	256	2.4	6	1	1	2	3	5	7	11
35-49	186	2.8	11	1	1	2	3	5	7	20
50-64	124	4.9	59	1	1	3	5	11	17	44
65 +	82	4.8	60	1	1	2	5	9	16	47
GRAND TOTAL	**1326**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**7**	**19**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	183	1.6	1	1	1	1	2	3	3	8
20-34	87	1.9	3	1	1	1	2	3	4	11
35-49	56	1.7	2	< 1	1	1	2	3	4	9
50-64	43	2.2	3	1	1	2	2	5	6	8
65 +	26	2.5	3	1	1	2	3	5	7	7
B. Operated										
0-19 YRS	7	4.7	48	1	1	2	4	17	20	20
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	215	2.9	12	1	1	2	4	6	8	18
20-34	163	2.4	5	1	1	2	3	4	7	13
35-49	175	4.1	34	1	1	3	4	7	12	36
50-64	210	4.5	40	1	2	3	5	8	12	25
65 +	496	6.4	50	2	3	5	7	12	17	39
B. Operated										
0-19 YRS	24	8.5	151	1	1	4	14	42	99 +	99 +
20-34	15	7.5	100	1	2	3	9	22	33	37
35-49	14	7.4	54	1	2	6	10	16	25	28
50-64	19	10.8	139	1	1	6	20	31	33	34
65 +	42	11.5	95	2	3	8	18	31	34	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	395	1.8	2	1	1	1	2	3	4	8
B. Operated	8	4.4	42	1	1	2	4	15	20	20
2. MULTIPLE DX										
A. Not Operated	1259	4.7	36	1	2	3	6	9	13	32
B. Operated	114	9.7	109	1	2	6	15	32	37	99 +
1. SINGLE DX	403	1.8	3	1	1	1	2	3	4	9
2. MULTIPLE DX	1373	5.1	44	1	2	3	6	10	16	37
A. Not Operated	1654	4.0	30	1	1	2	5	8	11	25
B. Operated	122	9.4	106	1	2	5	15	31	37	99 +
TOTAL										
0-19 YRS	429	2.7	18	1	1	1	3	5	8	37
20-34	265	2.5	11	1	1	2	3	5	7	15
35-49	246	3.7	29	1	1	2	4	7	12	29
50-64	272	4.6	44	1	2	3	5	8	14	32
65 +	564	6.6	54	2	3	4	7	13	21	40
GRAND TOTAL	**1776**	**4.4**	**37**	**1**	**1**	**2**	**5**	**9**	**14**	**36**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	4.8	39	1	1	3	5	11	17	37
20-34	12	3.8	7	1	2	3	5	7	10	11
35-49	17	3.6	8	1	2	2	5	8	10	11
50-64	11	5.8	66	1	1	3	6	17	28	29
65 +	20	5.2	16	1	2	4	7	10	14	17
B. Operated										
0-19 YRS	432	4.7	50	1	2	3	5	8	12	38
20-34	99	3.3	8	< 1	1	3	4	6	10	14
35-49	180	4.7	16	1	1	3	7	11	13	17
50-64	160	6.2	34	1	2	4	9	13	18	28
65 +	212	6.2	33	1	1	5	9	14	17	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	237	5.8	24	1	2	4	8	11	15	26
20-34	53	5.8	30	1	2	4	7	12	16	31
35-49	104	6.0	35	1	2	4	8	12	14	33
50-64	139	5.8	28	2	2	4	8	12	17	23
65 +	229	6.8	78	1	3	5	8	12	15	56
B. Operated										
0-19 YRS	871	9.5	139	2	3	5	11	24	34	61
20-34	370	7.6	78	1	2	4	9	19	27	50
35-49	639	7.7	77	1	2	5	10	17	25	48
50-64	1053	7.9	76	1	2	5	10	16	26	51
65 +	1537	10.1	99	2	3	8	13	21	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	4.7	30	1	1	3	5	10	16	32
B. Operated	1083	5.1	35	1	2	3	7	11	14	26
2. MULTIPLE DX										
A. Not Operated	762	6.2	43	1	2	4	8	12	15	37
B. Operated	4470	8.9	98	1	3	6	11	20	29	53
1. SINGLE DX	1210	5.0	35	1	2	3	7	11	14	26
2. MULTIPLE DX	5232	8.5	91	1	3	5	11	19	27	52
A. Not Operated	889	5.9	41	1	2	4	8	12	15	36
B. Operated	5553	8.2	88	1	2	5	10	18	26	51
TOTAL										
0-19 YRS	1607	7.5	99	1	2	4	8	16	27	55
20-34	534	6.5	61	1	2	4	8	15	22	48
35-49	940	6.9	61	1	2	4	9	14	20	43
50-64	1363	7.5	67	1	2	5	9	16	23	47
65 +	1998	9.3	91	1	3	7	12	19	27	48
GRAND TOTAL	**6442**	**7.9**	**82**	**1**	**2**	**5**	**10**	**17**	**25**	**48**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	1.5	2	1	1	1	2	3	3	9
20-34	42	2.0	2	< 1	1	1	3	4	6	7
35-49	34	2.2	3	1	1	2	3	4	5	10
50-64	38	2.9	4	1	2	2	3	5	9	10
65 +	35	2.7	2	1	2	3	3	5	7	8
B. Operated										
0-19 YRS	67	1.7	2	< 1	1	1	2	3	4	7
20-34	65	2.3	5	1	1	1	2	6	8	11
35-49	28	2.6	7	1	1	1	3	7	9	10
50-64	22	3.5	10	1	1	3	4	8	10	13
65 +	17	3.7	8	1	2	3	5	7	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	1.9	1	1	1	2	2	3	4	6
20-34	22	2.9	5	1	1	2	3	7	8	9
35-49	45	4.0	14	1	1	3	5	10	12	16
50-64	64	3.3	4	1	2	3	4	6	8	10
65 +	168	3.7	7	1	2	3	5	7	9	13
B. Operated										
0-19 YRS	32	2.1	5	1	1	1	2	4	9	10
20-34	74	2.7	6	1	1	2	4	6	8	12
35-49	61	4.0	16	1	1	3	5	9	12	21
50-64	63	3.7	7	1	2	3	5	8	9	12
65 +	195	4.6	25	1	2	3	6	9	14	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	228	2.1	3	1	1	2	3	4	5	10
B. Operated	199	2.4	5	< 1	1	1	3	6	8	12
2. MULTIPLE DX										
A. Not Operated	325	3.5	7	1	2	3	4	6	9	13
B. Operated	425	3.8	17	1	1	3	5	8	12	20
1. SINGLE DX	427	2.2	4	1	1	2	3	4	7	10
2. MULTIPLE DX	750	3.7	13	1	1	3	5	8	10	17
A. Not Operated	553	2.9	6	1	1	2	4	6	8	12
B. Operated	624	3.4	14	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	204	1.7	2	< 1	1	1	2	3	4	9
20-34	203	2.4	5	1	1	2	3	6	7	10
35-49	168	3.4	12	1	1	2	4	8	11	16
50-64	187	3.4	6	1	2	3	4	7	8	12
65 +	415	4.0	16	1	2	3	5	8	11	19
GRAND TOTAL	**1177**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	4.0	4	1	2	3	6	7	7	8
20-34	57	4.6	17	2	3	4	5	7	10	29
35-49	43	4.8	10	2	3	4	6	8	13	15
50-64	33	4.9	8	2	3	5	6	10	11	11
65 +	11	5.3	3	3	4	5	6	7	9	9
B. Operated										
0-19 YRS	40	4.7	10	1	2	4	7	9	10	12
20-34	36	5.4	12	2	2	5	7	11	12	14
35-49	37	5.2	13	1	3	5	7	11	13	14
50-64	21	8.8	35	3	4	8	11	18	22	22
65 +	14	11.2	143	2	3	7	15	24	40	45
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	5.7	13	2	3	5	8	10	11	17
20-34	69	5.1	16	2	3	4	6	8	9	27
35-49	95	6.8	20	3	4	6	8	11	15	27
50-64	88	7.1	16	3	4	6	9	14	16	18
65 +	126	8.1	26	3	5	6	10	14	18	27
B. Operated										
0-19 YRS	52	11.7	114	3	5	8	15	22	32	52
20-34	84	9.7	61	3	5	8	12	21	28	82
35-49	100	11.4	101	4	6	9	13	23	26	62
50-64	133	12.2	118	2	5	9	15	30	35	46
65 +	195	14.8	210	4	7	10	17	30	45	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	4.7	11	2	3	4	6	7	10	15
B. Operated	148	6.2	30	2	3	5	8	12	14	23
2. MULTIPLE DX										
A. Not Operated	435	6.8	20	3	4	6	8	12	16	23
B. Operated	564	12.5	140	3	5	9	15	26	36	64
1. SINGLE DX	321	5.4	20	2	3	4	6	10	13	22
2. MULTIPLE DX	999	10.0	96	3	5	7	12	20	29	50
A. Not Operated	608	6.2	18	2	3	5	8	11	15	21
B. Operated	712	11.2	124	2	5	8	14	23	33	57
TOTAL										
0-19 YRS	178	6.9	50	1	3	5	8	14	19	45
20-34	246	6.6	36	2	3	5	8	13	18	31
35-49	275	7.9	54	2	4	6	9	15	21	35
50-64	275	9.4	73	2	4	7	11	19	30	42
65 +	346	11.9	144	3	5	9	14	23	35	65
GRAND TOTAL	**1320**	**8.9**	**82**	**2**	**4**	**6**	**10**	**17**	**26**	**47**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	44	3.2	4	1	2	2	5	6	7	9
20-34	37	2.9	6	1	1	2	3	5	9	11
35-49	34	3.7	5	1	2	3	6	7	8	9
50-64	28	3.5	9	1	1	2	5	7	9	14
65 +	22	5.0	18	1	1	4	8	12	13	14
B. Operated										
0-19 YRS	52	3.8	15	1	1	2	6	8	13	18
20-34	62	3.6	9	< 1	1	2	6	8	9	13
35-49	60	6.3	70	1	2	4	8	12	21	53
50-64	52	3.7	10	< 1	1	3	5	7	9	15
65 +	37	5.8	23	1	2	4	8	14	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	110	3.7	16	1	1	2	4	10	12	18
20-34	117	3.3	5	1	2	3	4	6	8	11
35-49	139	4.5	25	1	2	3	6	9	12	20
50-64	166	4.6	19	1	2	3	5	11	15	20
65 +	253	5.8	20	1	3	5	8	11	14	22
B. Operated										
0-19 YRS	218	4.3	51	1	1	1	5	10	15	37
20-34	259	3.7	38	1	1	1	4	8	14	33
35-49	383	6.0	86	1	1	3	7	14	21	49
50-64	371	7.5	101	1	1	4	9	18	30	57
65 +	654	7.9	83	1	2	5	10	18	26	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	3.5	8	1	2	2	5	7	9	14
B. Operated	263	4.6	27	1	1	3	6	9	14	23
2. MULTIPLE DX										
A. Not Operated	785	4.7	19	1	2	3	6	10	13	19
B. Operated	1885	6.4	80	1	1	3	8	15	22	50
1. SINGLE DX	428	4.2	20	1	1	3	6	8	12	18
2. MULTIPLE DX	2670	5.9	62	1	1	3	7	14	20	38
A. Not Operated	950	4.5	17	1	2	3	6	10	13	18
B. Operated	2148	6.2	74	1	1	3	8	15	21	48
TOTAL										
0-19 YRS	424	3.9	33	1	1	2	5	9	14	20
20-34	475	3.5	24	1	1	2	4	7	10	29
35-49	616	5.6	66	1	1	3	7	12	18	44
50-64	617	6.2	70	1	1	3	7	15	21	44
65 +	966	7.2	63	1	2	5	9	15	22	37
GRAND TOTAL	**3098**	**5.7**	**57**	**1**	**1**	**3**	**7**	**13**	**18**	**37**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.0	1	1	1	2	3	3	4	4
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	0									
50-64	1	7.0		7	7	7	7	7	7	7
65 +	2	7.5	61	2	2	7	13	13	13	13
B. Operated										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	0									
35-49	0									
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.2	46	1	1	2	5	10	12	39
20-34	8	3.8	5	1	2	4	5	7	8	8
35-49	13	4.2	6	1	2	4	6	7	8	8
50-64	9	6.2	27	1	2	4	11	14	14	14
65 +	32	5.3	16	1	2	5	7	12	15	15
B. Operated										
0-19 YRS	4	6.0	23	1	2	6	10	11	11	11
20-34	5	4.4	13	< 1	1	3	7	10	10	10
35-49	12	10.4	39	4	6	8	14	21	21	21
50-64	10	11.3	302	2	3	4	10	38	59	59
65 +	14	13.5	109	2	4	12	22	27	32	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.7	6	1	1	2	3	4	8	13
B. Operated	2	20.0	450	5	5	20	35	35	35	35
2. MULTIPLE DX										
A. Not Operated	97	4.7	25	1	1	4	6	10	14	28
B. Operated	45	10.5	116	2	3	8	13	22	28	59
1. SINGLE DX	28	4.0	43	1	1	2	3	6	15	35
2. MULTIPLE DX	142	6.5	61	1	2	4	8	14	21	41
A. Not Operated	123	4.3	22	1	1	3	5	9	13	22
B. Operated	47	10.9	124	2	3	8	14	25	34	59
TOTAL										
0-19 YRS	58	4.2	47	1	1	2	4	10	12	39
20-34	18	3.6	6	1	2	3	5	7	9	10
35-49	25	7.2	31	1	4	6	8	19	21	21
50-64	21	8.6	154	2	3	4	10	15	36	59
65 +	48	7.8	56	1	2	5	11	17	26	34
GRAND TOTAL	**170**	**6.1**	**58**	**1**	**2**	**4**	**7**	**14**	**21**	**38**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	311	1.1		< 1	< 1	< 1	< 1	1	1	3
35-49	134	1.1		< 1	< 1	< 1	< 1	1	2	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	140	1.6	1	< 1	< 1	1	2	3	4	5
35-49	72	1.6	1	< 1	< 1	1	2	3	4	6
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	446	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	216	1.6	1	< 1	< 1	1	2	3	4	5
1. SINGLE DX	447	1.1		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX	219	1.6	1	< 1	< 1	1	2	3	4	5
A. Not Operated	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated	662	1.2		< 1	< 1	< 1	1	2	3	4
TOTAL										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	454	1.2		< 1	< 1	< 1	1	2	3	4
35-49	207	1.3	1	< 1	< 1	< 1	1	2	3	5
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
GRAND TOTAL	**666**	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**3**	**4**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	44.0		44	44	44	44	44	44	44
1500-1749	1	1.0		1	1	1	1	1	1	1
1750-2499	954	2.7	6	1	2	2	3	4	5	10
2500 +	45328	2.4	1	1	2	2	3	4	4	6
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	2	3.0		3	3	3	3	3	3	3
2500 +	29	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
1-999 G	20	64.1	360	40	50	73	97	99 +	99 +	99 +
1000-1499	163	38.7	202	23	29	37	48	59	66	83
1500-1749	209	22.5	91	11	16	21	28	35	40	63
1750-2499	2794	6.4	36	2	3	4	8	14	18	29
2500 +	27961	3.3	4	2	2	3	4	5	6	10
B. Operated										
1-999 G	82	70.3	258	52	62	80	99 +	99 +	99 +	99 +
1000-1499	195	50.2	347	31	37	47	64	84	98	99 +
1500-1749	75	30.9	137	18	23	30	39	48	73	99 +
1750-2499	278	17.5	224	5	8	13	22	37	46	93
2500 +	746	8.5	96	2	3	6	9	16	29	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46284	2.4	1	1	2	2	3	4	4	6
B. Operated	31	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	31147	3.9	20	2	2	3	4	6	8	24
B. Operated	1376	21.1	528	3	5	11	36	69	91	99 +
1. SINGLE DX	46315	2.4	1	1	2	2	3	4	4	6
2. MULTIPLE DX	32523	4.6	54	2	2	3	4	7	11	48
A. Not Operated	77431	3.0	10	1	2	2	4	5	6	14
B. Operated	1407	20.7	523	3	5	10	35	68	90	99 +
TOTAL										
1-999 G	102	69.1	280	49	61	80	99 +	99 +	99 +	99 +
1000-1499	359	44.9	312	26	33	42	57	74	86	99 +
1500-1749	285	24.6	118	13	17	23	31	39	44	99 +
1750-2499	4028	6.3	54	2	2	4	7	14	19	38
2500 +	74064	2.8	4	1	2	2	3	4	5	9
GRAND TOTAL	**78838**	**3.3**	**24**	**1**	**2**	**2**	**4**	**5**	**6**	**25**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	1	27.0		27	27	27	27	27	27	27
1500-1749	0									
1750-2499	107	3.7	4	2	2	4	4	5	6	15
2500 +	342	3.5	2	2	3	4	4	5	5	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	5	60.4	379	44	46	61	89	99	99 +	99 +
1000-1499	36	32.6	228	17	22	31	37	50	53	95
1500-1749	54	24.9	89	13	19	23	31	37	44	49
1750-2499	437	7.4	27	3	4	5	10	15	18	23
2500 +	392	4.6	6	2	3	4	5	7	9	14
B. Operated										
1-999 G	13	75.0	273	56	75	96	99 +	99 +	99 +	99 +
1000-1499	42	55.0	353	33	41	54	73	85	91	99 +
1500-1749	19	34.6	171	19	25	32	38	58	61	61
1750-2499	53	16.9	112	6	9	15	23	30	42	98
2500 +	20	9.4	23	4	6	8	13	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	450	3.6	4	2	3	4	4	5	6	10
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	924	8.5	90	3	4	5	10	19	28	49
B. Operated	147	34.2	652	7	14	32	60	92	99 +	99 +
1. SINGLE DX	450	3.6	4	2	3	4	4	5	6	10
2. MULTIPLE DX	1071	12.0	245	3	4	5	14	33	52	99 +
A. Not Operated	1374	6.9	67	2	3	4	6	15	22	44
B. Operated	147	34.2	652	7	14	32	60	92	99 +	99 +
TOTAL										
1-999 G	18	70.9	327	50	70	90	99 +	99 +	99 +	99 +
1000-1499	79	44.5	417	22	31	37	54	78	89	98
1500-1749	73	27.5	126	16	21	25	33	44	49	61
1750-2499	597	7.6	40	2	4	5	10	16	20	30
2500 +	754	4.2	5	2	3	4	5	6	8	14
GRAND TOTAL	**1521**	**9.5**	**188**	**2**	**3**	**5**	**9**	**25**	**43**	**96**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	1	1.0		1	1	1	1	1	1	1
1750-2499	12	2.4	3	1	1	2	3	4	7	7
2500 +	118	1.9	1	1	1	2	2	3	4	5
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	1	53.0		53	53	53	53	53	53	53
1000-1499	4	34.3	156	22	23	34	45	46	46	46
1500-1749	2	17.5	1	17	17	17	18	18	18	18
1750-2499	31	6.1	28	1	2	5	8	14	17	23
2500 +	95	3.7	11	1	2	3	4	6	8	19
B. Operated										
1-999 G	1	97.0		97	97	98	99 +	99 +	99 +	99 +
1000-1499	1	38.0		38	38	69	99 +	99 +	99 +	99 +
1500-1749	0									
1750-2499	3	11.0	1	10	10	11	12	12	12	12
2500 +	6	6.0	18	2	3	5	6	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	2.0	1	1	1	2	2	3	4	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	133	5.8	65	1	2	3	5	16	20	47
B. Operated	11	18.5	774	3	6	11	53	99 +	99 +	99 +
1. SINGLE DX	131	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX	144	6.7	126	2	2	3	6	17	28	99 +
A. Not Operated	264	3.9	37	1	2	2	4	6	16	41
B. Operated	11	18.5	774	3	6	11	53	99 +	99 +	99 +
TOTAL										
1-999 G	2	75.0	968	53	64	97	99	99 +	99 +	99 +
1000-1499	5	35.0	120	22	25	41	46	95	99 +	99 +
1500-1749	3	12.0	91	1	5	17	18	18	18	18
1750-2499	46	5 5	24	1	2	4	7	12	17	23
2500 +	219	2.8	7	1	2	2	3	5	6	18
GRAND TOTAL	**275**	**4.5**	**72**	**1**	**2**	**2**	**4**	**8**	**18**	**85**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	1.3		< 1	< 1	< 1	2	2	2	2
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	170	1.5	1	< 1	1	1	2	3	3	4
20-34	87	2.2	3	< 1	1	1	3	4	5	11
35-49	50	2.1	2	< 1	1	1	3	4	5	7
50-64	41	1.7	1	< 1	1	1	2	3	4	6
65 +	17	3.1	6	< 1	1	2	4	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	3.5	8	< 1	< 1	3	6	6	6	6
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	0									
50-64	0									
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	78	2.2	3	1	1	2	3	4	5	11
20-34	43	2.7	6	1	1	2	4	5	5	16
35-49	27	3.8	12	1	2	2	5	8	14	14
50-64	29	3.0	5	1	1	2	4	6	7	9
65 +	29	4.2	10	1	2	4	5	7	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.3	4	< 1	< 1	1	3	5	5	5
B. Operated	365	1.8	2	< 1	1	1	2	4	4	8
2. MULTIPLE DX										
A. Not Operated	10	3.2	6	< 1	1	2	6	7	7	7
B. Operated	206	2.9	7	1	1	2	4	5	7	14
1. SINGLE DX	369	1.8	2	< 1	1	1	2	4	4	8
2. MULTIPLE DX	216	2.9	6	1	1	2	4	6	7	14
A. Not Operated	14	2.9	5	< 1	1	2	5	6	7	7
B. Operated	571	2.2	4	< 1	1	2	3	4	6	12
TOTAL										
0-19 YRS	252	1.7	2	< 1	1	1	2	3	4	7
20-34	134	2.3	4	< 1	1	2	3	4	5	13
35-49	80	2.6	6	< 1	1	2	3	5	7	14
50-64	70	2.2	3	< 1	1	2	3	5	6	9
65 +	49	3.9	8	< 1	2	3	5	7	9	14
GRAND TOTAL	**585**	**2.2**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**	**12**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	7.0		7	7	7	7	7	7	7
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	7	3.9	6	1	2	4	5	7	8	8
20-34	21	4.2	23	1	2	3	4	8	16	23
35-49	49	5.0	16	1	2	4	7	9	13	18
50-64	53	5.1	19	1	2	4	6	13	16	18
65 +	72	6.4	31	1	3	4	10	14	15	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	3.8	5	1	2	4	6	7	7	7
B. Operated	202	5.4	23	1	2	4	7	12	15	29
1. SINGLE DX	0									
2. MULTIPLE DX	210	5.4	22	1	2	4	7	12	15	28
A. Not Operated	8	3.8	5	1	2	4	6	7	7	7
B. Operated	202	5.4	23	1	2	4	7	12	15	29
TOTAL										
0-19 YRS	8	3.5	6	1	1	3	5	7	8	8
20-34	23	4.3	22	1	2	3	5	7	15	23
35-49	50	5.0	15	1	2	4	7	9	13	18
50-64	54	5.1	19	1	2	4	7	12	16	18
65 +	75	6.3	31	1	3	4	9	14	15	83
GRAND TOTAL	**210**	**5.4**	**22**	**1**	**2**	**4**	**7**	**12**	**15**	**28**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	60	3.5	13	1	2	3	4	6	7	22
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	17	2.1	3	1	1	1	4	5	6	6
50-64	47	3.4	6	1	1	2	5	7	8	12
65 +	31	2.6	7	1	1	1	4	5	5	14
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	4.0	10	1	1	4	6	8	8	8
65 +	5	5.8		5	5	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2249	3.1	5	1	2	3	4	5	6	10
20-34	311	3.5	6	1	2	4	5	6	6	10
35-49	1019	3.1	5	1	1	3	4	5	6	11
50-64	2033	3.0	6	1	1	2	4	5	6	11
65 +	1974	3.0	7	1	1	2	4	5	6	11
B. Operated										
0-19 YRS	119	6.8	55	1	3	5	7	16	27	37
20-34	36	8.1	129	2	2	5	7	21	32	59
35-49	124	6.7	74	1	2	4	7	14	28	59
50-64	261	5.8	32	2	3	4	6	11	17	29
65 +	199	6.2	38	2	3	5	6	12	19	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	158	3.1	9	1	1	2	4	6	7	17
B. Operated	13	4.3	5	1	2	5	6	7	8	8
2. MULTIPLE DX										
A. Not Operated	7586	3.1	6	1	1	3	4	5	6	11
B. Operated	739	6.3	49	2	3	4	6	14	21	41
1. SINGLE DX	171	3.2	8	1	1	2	5	6	7	16
2. MULTIPLE DX	8325	3.4	10	1	2	3	4	6	7	17
A. Not Operated	7744	3.1	6	1	1	3	4	5	6	11
B. Operated	752	6.3	49	2	3	4	6	13	21	41
TOTAL										
0-19 YRS	2429	3.3	8	1	2	3	4	5	6	17
20-34	351	4.0	20	1	2	4	5	6	7	27
35-49	1161	3.4	13	1	1	3	4	6	7	18
50-64	2346	3.3	10	1	1	3	4	6	7	17
65 +	2209	3.3	10	1	1	3	4	6	7	17
GRAND TOTAL	**8496**	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**	**17**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	482	2.3	10	< 1	1	1	3	4	7	20
20-34	436	1.9	2	< 1	1	2	2	3	5	7
35-49	145	2.0	4	< 1	1	1	2	4	6	12
50-64	94	2.1	4	< 1	1	1	3	4	6	11
65 +	61	2.1	4	< 1	1	1	2	5	7	10
B. Operated										
0-19 YRS	245	2.7	7	< 1	< 1	1	4	7	8	11
20-34	204	3.4	7	< 1	1	3	5	8	8	11
35-49	165	3.9	10	1	1	3	6	8	10	14
50-64	122	4.7	21	< 1	1	4	7	9	11	27
65 +	55	5.6	25	1	1	5	9	11	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	564	3.2	60	< 1	1	1	3	6	9	98
20-34	324	5.8	87	1	1	2	5	24	30	99 +
35-49	345	8.7	145	1	2	3	11	26	36	99 +
50-64	539	8.0	108	1	2	4	10	24	28	62
65 +	1182	13.0	175	2	3	9	19	32	43	99 +
B. Operated										
0-19 YRS	396	4.1	32	1	1	2	6	9	13	31
20-34	275	4.0	32	1	1	2	5	8	13	99 +
35-49	459	4.3	41	1	1	2	5	9	13	94
50-64	574	4.6	35	1	1	2	6	10	15	42
65 +	577	7.4	79	1	2	5	10	16	27	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1218	2.1	5	< 1	1	1	2	4	6	12
B. Operated	791	3.7	11	< 1	1	2	6	8	9	14
2. MULTIPLE DX										
A. Not Operated	2954	8.9	142	1	2	4	13	26	37	99 +
B. Operated	2281	5.1	48	1	1	3	7	11	17	69
1. SINGLE DX	2009	2.7	8	< 1	1	2	3	6	8	13
2. MULTIPLE DX	5235	7.3	105	1	1	3	9	21	31	99 +
A. Not Operated	4172	6.9	112	1	1	3	8	22	30	99 +
B. Operated	3072	4.7	39	1	1	3	6	10	15	51
TOTAL										
0-19 YRS	1687	3.1	32	< 1	1	1	3	7	9	39
20-34	1239	3.7	34	1	1	2	4	7	12	58
35-49	1114	5.3	69	1	1	2	6	12	25	66
50-64	1329	5.8	65	1	1	3	7	15	25	52
65 +	1875	10.7	146	1	3	7	15	28	38	99 +
GRAND TOTAL	**7244**	**6.0**	**82**	**1**	**1**	**3**	**7**	**16**	**26**	**80**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39499	3.1	16	1	1	2	3	6	9	20
20-34	54299	2.8	6	1	2	2	3	5	6	11
35-49	22687	3.6	12	1	1	3	5	7	9	16
50-64	16014	4.2	16	1	1	3	6	9	11	18
65 +	11954	5.3	27	< 1	2	4	7	11	14	24
2. MULTIPLE DX										
0-19 YRS	47382	6.7	104	1	2	3	7	15	27	77
20-34	68870	4.7	32	2	2	3	5	8	12	31
35-49	54191	6.1	46	1	3	4	7	12	17	38
50-64	63560	7.4	62	2	3	5	9	15	21	43
65 +	119571	9.3	81	2	4	7	12	18	25	52
TOTAL SINGLE DX	144453	3.4	13	1	1	2	4	7	9	17
TOTAL MULTIPLE DX	353574	7.2	69	2	3	5	9	15	22	48
TOTAL										
0-19 YRS	86881	5.1	67	1	1	3	5	10	18	54
20-34	123169	3.9	21	1	2	3	4	7	10	24
35-49	76878	5.4	38	1	2	4	6	10	15	33
50-64	79574	6.8	54	1	2	5	8	14	19	40
65 +	131525	8.9	77	2	4	7	11	18	25	50
GRAND TOTAL	498027	6.1	55	1	2	4	7	13	18	41

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	146	7.2	44	1	3	6	9	14	20	36
20-34	42	10.0	43	5	7	8	12	18	20	41
35-49	42	7.8	13	3	5	8	10	12	14	16
50-64	50	9.9	56	4	6	9	12	15	19	53
65 +	50	9.5	85	3	5	7	10	18	27	55
2. MULTIPLE DX										
0-19 YRS	249	17.1	290	3	6	11	26	44	54	99 +
20-34	96	17.2	213	4	7	14	26	52	99 +	99 +
35-49	143	17.4	269	5	8	11	22	43	62	99 +
50-64	212	18.1	239	5	9	13	22	41	65	99 +
65 +	327	18.1	198	6	8	14	24	42	59	99 +
TOTAL SINGLE DX	330	8.4	49	2	4	7	10	15	20	41
TOTAL MULTIPLE DX	1027	17.7	240	5	8	13	23	44	60	99 +
TOTAL										
0-19 YRS	395	13.5	222	2	4	8	16	35	47	98
20-34	138	15.0	172	5	7	11	19	42	66	99 +
35-49	185	15.2	228	4	7	10	18	38	57	99 +
50-64	262	16.5	214	5	8	12	19	37	58	99 +
65 +	377	16.9	192	5	8	13	22	38	57	99 +
GRAND TOTAL	1357	15.4	209	4	7	11	20	37	54	99 +

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	8.4	95	2	4	6	9	13	23	63
20-34	14	7.6	20	3	5	7	10	20	80	99 +
35-49	13	11.2	125	3	5	8	13	23	41	45
50-64	9	6.2	8	2	4	8	8	9	9	9
65 +	5	7.2	14	3	4	7	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	93	15.0	206	4	6	9	21	32	56	99 +
20-34	37	24.7	366	6	10	18	38	57	73	99 +
35-49	26	23.0	392	6	9	17	31	64	83	99 +
50-64	29	18.8	390	5	8	12	23	57	90	99 +
65 +	40	21.7	285	4	8	16	35	51	60	99 +
TOTAL SINGLE DX	128	8.4	81	2	4	6	10	14	22	77
TOTAL MULTIPLE DX	225	19.2	301	5	7	15	27	50	72	99 +
TOTAL										
0-19 YRS	180	11.8	163	3	5	7	15	29	36	95
20-34	51	20.0	329	5	7	16	30	54	74	99 +
35-49	39	19.1	330	5	7	13	24	52	73	99 +
50-64	38	15.8	326	5	7	9	20	38	82	99 +
65 +	45	20.1	275	3	7	15	32	50	59	99 +
GRAND TOTAL	353	15.3	248	4	6	9	19	40	59	99 +

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	195	4.5	4	2	3	4	5	7	8	11
20-34	16	4.5	3	2	3	4	6	7	8	8
35-49	8	10.0	185	2	4	5	9	33	43	43
50-64	4	4.8	15	1	2	4	7	10	10	10
65 +	0									
2. MULTIPLE DX										
0-19 YRS	103	8.4	107	3	4	6	7	15	35	84
20-34	37	10.8	93	3	4	8	11	24	34	45
35-49	31	9.7	124	3	4	7	10	20	29	60
50-64	11	15.0	198	3	5	8	28	37	42	42
65 +	4	18.3	216	3	6	17	30	36	36	36
TOTAL SINGLE DX	223	4.7	11	2	3	4	5	7	8	13
TOTAL MULTIPLE DX	186	9.7	116	3	4	6	10	22	36	66
TOTAL										
0-19 YRS	298	5.8	43	2	3	5	6	8	12	50
20-34	53	8.9	74	3	4	6	9	20	25	45
35-49	39	9.8	133	2	4	7	10	21	37	60
50-64	15	12.3	167	3	4	7	13	33	40	42
65 +	4	18.3	216	3	6	17	30	36	36	36
GRAND TOTAL	409	7.0	65	2	4	5	7	11	21	50

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	181	4.5	13	2	3	3	5	8	10	24
20-34	7	3.7	4	1	2	5	5	6	6	6
35-49	6	5.7	18	1	2	5	9	12	12	12
50-64	8	11.4	162	3	4	6	13	33	41	41
65 +	8	9.0	17	5	6	8	12	16	16	16
2. MULTIPLE DX										
0-19 YRS	290	15.4	429	3	4	7	17	58	82	99 +
20-34	34	20.4	452	6	7	12	27	65	81	99 +
35-49	27	15.3	243	3	4	9	23	40	75	99 +
50-64	37	19.6	312	4	8	13	26	41	66	76
65 +	65	20.2	240	6	9	18	27	49	63	99 +
TOTAL SINGLE DX	210	4.9	21	2	3	4	5	9	14	26
TOTAL MULTIPLE DX	453	16.8	385	3	4	9	23	54	75	99 +
TOTAL										
0-19 YRS	471	11.2	298	2	3	5	10	36	67	99 +
20-34	41	17.6	415	3	6	9	23	57	78	99 +
35-49	33	13.5	215	3	4	8	18	37	66	99 +
50-64	45	18.1	292	4	7	12	26	41	57	76
65 +	73	19.0	228	5	8	14	25	48	61	99 +
GRAND TOTAL	663	13.0	300	2	3	6	15	40	67	99 +

197 Hospitals, Southern Region, January-December 1988, by Operation

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	339	4.8	61	2	2	3	5	8	13	46
20-34	17	5.1	20	1	3	4	6	11	16	19
35-49	12	9.0	53	2	3	6	13	20	25	26
50-64	5	6.0	28	2	2	5	8	15	15	15
65 +	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	508	8.7	97	2	3	4	10	23	31	50
20-34	70	11.6	128	2	4	7	16	32	41	88
35-49	42	14.5	286	3	5	8	18	32	47	93
50-64	24	12.5	252	3	5	10	13	17	42	83
65 +	37	14.1	130	4	5	11	19	38	44	99 +
TOTAL SINGLE DX	375	5.0	59	2	2	3	5	8	14	41
TOTAL MULTIPLE DX	681	9.8	122	2	3	5	12	25	34	68
TOTAL										
0-19 YRS	847	7.1	86	2	3	4	7	17	28	49
20-34	87	10.3	113	2	3	6	14	29	40	79
35-49	54	13.2	238	3	5	8	16	27	44	91
50-64	29	11.4	217	2	4	9	13	16	27	83
65 +	39	13.6	129	3	5	10	18	36	44	99 +
GRAND TOTAL	1056	8.1	105	2	3	4	9	20	30	52

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	7.7	25	2	4	7	10	16	19	19
20-34	64	5.3	9	2	3	5	7	8	11	17
35-49	184	5.7	12	2	3	5	7	10	12	16
50-64	165	5.9	9	3	4	6	7	10	11	15
65 +	77	6.8	13	3	4	6	9	11	14	19
2. MULTIPLE DX										
0-19 YRS	36	14.0	145	5	7	8	21	42	48	99 +
20-34	97	12.0	154	3	5	8	14	25	37	70
35-49	249	9.2	79	3	5	7	11	17	27	76
50-64	289	10.1	96	4	6	8	11	17	21	58
65 +	362	12.7	119	5	7	9	15	24	30	77
TOTAL SINGLE DX	508	5.9	12	2	4	5	7	10	12	18
TOTAL MULTIPLE DX	1033	11.1	110	4	6	8	13	21	30	74
TOTAL										
0-19 YRS	54	11.9	114	4	6	8	13	26	44	97
20-34	161	9.3	107	3	4	6	10	18	26	48
35-49	433	7.7	54	2	4	6	9	14	20	51
50-64	454	8.6	69	3	5	7	9	15	18	53
65 +	439	11.7	106	4	6	9	14	21	29	74
GRAND TOTAL	1541	9.4	83	3	5	7	11	17	25	55

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	75	8.3	49	2	5	6	9	18	24	38
20-34	37	3.9	7	1	2	4	5	9	10	11
35-49	44	5.2	32	1	1	4	7	10	18	27
50-64	19	6.9	28	< 1	1	7	10	15	18	19
65 +	11	8.4	43	2	4	5	13	19	21	21
2. MULTIPLE DX										
0-19 YRS	177	10.1	90	4	5	7	11	19	29	67
20-34	58	11.7	162	2	4	9	16	35	58	99 +
35-49	79	10.9	174	2	3	8	13	22	54	91
50-64	63	11.6	78	2	6	10	15	23	26	51
65 +	57	13.7	128	3	6	11	17	30	40	97
TOTAL SINGLE DX	186	6.6	38	1	2	5	8	15	19	27
TOTAL MULTIPLE DX	434	11.1	119	3	5	8	14	24	33	99 +
TOTAL										
0-19 YRS	252	9.5	78	3	5	7	10	18	26	66
20-34	95	8.7	116	1	3	5	11	18	44	99 +
35-49	123	8.9	131	1	2	6	11	18	30	78
50-64	82	10.5	71	2	5	9	15	23	25	46
65 +	68	12.9	117	3	5	10	17	29	34	92
GRAND TOTAL	620	9.8	99	2	4	7	12	21	29	68

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.3	7	1	1	2	5	7	9	10
20-34	42	2.8	5	< 1	< 1	2	4	6	8	10
35-49	60	3.2	13	< 1	< 1	1	4	9	12	15
50-64	25	2.4	9	< 1	< 1	1	2	4	8	16
65 +	26	3.0	15	< 1	1	2	3	8	11	19
2. MULTIPLE DX										
0-19 YRS	26	4.0	31	1	2	3	5	7	40	99 +
20-34	30	5.3	53	1	2	4	5	10	11	41
35-49	50	5.7	64	< 1	1	3	6	12	17	42
50-64	33	6.7	154	< 1	1	3	7	12	20	71
65 +	31	9.5	446	1	2	3	7	16	74	96
TOTAL SINGLE DX	167	3.0	10	< 1	< 1	2	4	7	10	16
TOTAL MULTIPLE DX	170	6.2	144	1	1	3	6	11	21	92
TOTAL										
0-19 YRS	40	3.7	22	1	2	2	5	7	19	99 +
20-34	72	3.8	27	< 1	1	3	5	8	10	34
35-49	110	4.3	37	< 1	1	2	5	11	14	38
50-64	58	4.8	96	< 1	1	2	6	9	17	67
65 +	57	6.5	257	< 1	1	2	5	9	20	95
GRAND TOTAL	337	4.6	80	<1	1	2	5	9	14	72

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	3.5	7	< 1	1	3	5	8	8	11
20-34	100	1.9	2	< 1	< 1	1	2	4	6	7
35-49	121	1.7	2	< 1	< 1	1	2	4	6	9
50-64	117	1.5	1	< 1	< 1	1	2	3	3	7
65 +	69	1.5	2	< 1	< 1	< 1	1	2	4	9
2. MULTIPLE DX										
0-19 YRS	66	3.3	7	1	1	3	4	6	10	12
20-34	123	2.8	8	< 1	1	2	3	6	7	16
35-49	142	2.7	8	< 1	1	2	3	6	8	14
50-64	103	3.5	14	< 1	1	2	4	8	11	20
65 +	98	2.5	4	< 1	1	2	3	6	7	11
TOTAL SINGLE DX	457	1.9	3	< 1	< 1	1	2	4	6	8
TOTAL MULTIPLE DX	532	2.9	9	< 1	1	2	4	6	8	13
TOTAL										
0-19 YRS	116	3.4	7	1	1	3	5	7	9	12
20-34	223	2.4	6	< 1	< 1	2	3	5	7	9
35-49	263	2.2	6	< 1	< 1	1	2	5	7	13
50-64	220	2.4	8	< 1	< 1	1	3	5	8	15
65 +	167	2.1	4	< 1	< 1	1	2	4	7	10
GRAND TOTAL	989	2.4	6	< 1	< 1	1	3	5	7	12

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	3.6	5	1	2	3	4	7	9	9
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	3	10.0	31	4	6	11	14	15	15	15
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	0									
20-34	13	4.8	11	2	3	4	7	9	12	13
35-49	9	6.0	5	3	4	5	8	10	10	10
50-64	15	8.9	44	4	5	6	11	23	24	24
65 +	30	10.1	28	3	6	9	14	18	19	20
TOTAL SINGLE DX	18	4.8	14	1	2	4	6	10	13	15
TOTAL MULTIPLE DX	67	8.2	29	3	4	7	11	16	19	24
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	23	4.3	9	1	2	3	6	8	10	13
35-49	12	5.7	6	3	4	5	8	9	10	10
50-64	18	9.1	40	4	5	6	11	21	24	24
65 +	31	9.9	28	3	6	9	14	18	19	20
GRAND TOTAL	85	7.5	28	2	4	6	10	15	19	24

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.0	5	< 1	< 1	< 1	2	6	7	7
20-34	8	4.8	8	2	3	4	6	9	10	10
35-49	6	10.3	72	1	3	10	18	19	19	19
50-64	7	5.6	15	< 1	2	4	10	10	10	10
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	7.0	2	5	6	7	8	8	8	8
35-49	18	7.4	20	2	4	6	10	13	17	19
50-64	9	14.3	167	3	5	11	20	35	44	44
65 +	15	9.1	71	3	3	5	9	27	28	28
TOTAL SINGLE DX	28	5.5	29	< 1	1	4	8	15	18	19
TOTAL MULTIPLE DX	47	9.1	67	3	4	7	11	19	27	44
TOTAL										
0-19 YRS	8	1.9	4	< 1	< 1	1	2	5	7	7
20-34	12	5.5	7	2	4	5	8	9	10	10
35-49	24	8.1	32	2	4	6	12	18	19	19
50-64	16	10.5	115	2	3	8	12	22	37	44
65 +	15	9.1	71	3	3	5	9	27	28	28
GRAND TOTAL	75	7.7	55	1	3	5	10	18	21	40

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	2.9	4	1	2	2	4	5	7	11
20-34	166	2.6	2	1	2	2	3	4	5	9
35-49	242	2.3	1	1	2	2	3	4	4	6
50-64	170	2.4	1	1	2	2	3	4	4	5
65 +	63	3.0	7	1	2	3	3	4	5	21
2. MULTIPLE DX										
0-19 YRS	17	3.8	7	1	2	3	4	9	10	10
20-34	80	3.1	4	1	2	2	4	6	8	10
35-49	175	3.2	5	1	2	3	4	5	7	13
50-64	193	3.5	4	2	2	3	4	6	7	11
65 +	175	5.3	30	2	2	4	6	10	13	35
TOTAL SINGLE DX	674	2.5	2	1	2	2	3	4	5	7
TOTAL MULTIPLE DX	640	3.9	13	1	2	3	4	7	9	16
TOTAL										
0-19 YRS	50	3.2	5	1	2	3	4	6	10	11
20-34	246	2.7	3	1	2	2	3	5	6	9
35-49	417	2.7	3	1	2	2	3	4	6	11
50-64	363	3.0	3	1	2	3	4	5	6	9
65 +	238	4.7	26	2	2	3	5	8	12	29
GRAND TOTAL	1314	3.2	8	1	2	3	4	5	7	13

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	95	1.7	2	1	1	1	2	4	5	9
20-34	25	2.0	1	1	1	2	2	3	4	6
35-49	22	2.2	11	<1	1	1	2	3	9	17
50-64	22	2.8	1	1	2	3	3	4	6	7
65 +	16	4.6	32	2	2	3	4	8	20	25
2. MULTIPLE DX										
0-19 YRS	24	4.5	22	1	1	3	5	13	16	17
20-34	27	5.1	18	1	2	3	8	11	15	16
35-49	55	6.5	65	1	3	5	8	11	14	55
50-64	78	6.6	56	2	3	4	7	14	23	40
65 +	96	8.9	179	2	3	4	10	19	31	81
TOTAL SINGLE DX	180	2.2	6	1	1	1	3	4	6	15
TOTAL MULTIPLE DX	280	7.1	95	2	3	4	8	15	22	54
TOTAL										
0-19 YRS	119	2.3	8	1	1	1	2	5	8	16
20-34	52	3.6	13	1	1	2	4	9	12	16
35-49	77	5.3	54	1	2	3	8	10	14	48
50-64	100	5.7	47	2	2	3	6	11	22	38
65 +	112	8.3	160	2	3	4	8	19	29	75
GRAND TOTAL	460	5.2	66	1	1	3	5	12	17	41

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	7.6	19	3	5	6	9	15	18	19
20-34	12	6.8	17	2	4	6	9	12	16	17
35-49	19	7.4	2	5	6	8	9	9	10	10
50-64	8	9.9	13	6	7	9	12	16	16	16
65 +	4	7.5	17	2	4	8	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	27	12.1	148	5	7	8	12	23	47	57
20-34	26	9.0	22	5	6	7	11	15	18	25
35-49	36	13.0	185	4	6	9	11	30	52	58
50-64	41	14.4	90	6	7	12	19	24	34	46
65 +	51	14.1	181	4	7	10	17	26	42	73
TOTAL SINGLE DX	60	7.7	12	3	6	7	9	11	16	19
TOTAL MULTIPLE DX	181	12.9	134	5	6	9	15	25	41	59
TOTAL										
0-19 YRS	44	10.4	102	4	6	7	11	18	30	57
20-34	38	8.3	22	4	5	7	10	15	17	25
35-49	55	11.1	128	4	6	8	10	20	39	58
50-64	49	13.6	80	6	8	11	18	23	30	46
65 +	55	13.6	172	4	7	10	16	26	40	72
GRAND TOTAL	241	11.6	109	5	6	8	13	22	29	58

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	1.1		<1	<1	<1	<1	1	2	2
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+	9	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	13	4.6	28	<1	<1	2	7	13	16	17
20-34	3	4.3	9	<1	1	5	6	7	7	7
35-49	6	7.8	83	1	2	4	11	24	25	25
50-64	8	3.9	16	1	1	1	8	10	10	10
65+	31	8.8	293	<1	1	4	9	16	34	93
TOTAL SINGLE DX	52	1.1		<1	<1	<1	<1	1	2	4
TOTAL MULTIPLE DX	61	7.0	166	<1	1	3	8	14	21	87
TOTAL										
0-19 YRS	45	2.1	10	<1	<1	<1	1	4	11	17
20-34	6	2.7	7	<1	<1	<1	5	7	7	7
35-49	10	5.1	59	<1	<1	1	4	18	25	25
50-64	12	3.2	12	<1	1	1	5	9	10	10
65+	40	7.1	237	<1	1	2	6	14	26	93
GRAND TOTAL	113	4.3	98	<1	<1	1	4	11	15	56

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	1.3		<1	<1	1	1	2	3	6
20-34	17	4.9	202	<1	1	1	2	4	41	60
35-49	12	1.7	1	<1	<1	1	2	3	4	4
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	25	1.2	1	<1	<1	<1	<1	1	3	7
2. MULTIPLE DX										
0-19 YRS	105	4.0	55	1	1	2	4	8	12	50
20-34	82	5.1	46	1	1	3	6	10	17	41
35-49	51	2.7	3	1	1	2	4	5	8	98
50-64	42	4.1	14	1	1	3	6	10	14	14
65+	75	6.8	99	<1	<1	3	7	20	31	48
TOTAL SINGLE DX	123	1.8	29	<1	<1	1	1	2	4	21
TOTAL MULTIPLE DX	355	4.7	52	<1	1	2	5	9	14	48
TOTAL										
0-19 YRS	167	3.0	37	<1	1	1	3	6	9	34
20-34	99	5.1	72	1	1	2	5	9	18	54
35-49	63	2.5	3	1	1	2	3	5	7	87
50-64	49	3.7	13	<1	1	2	5	9	14	14
65+	100	5.4	80	<1	<1	1	6	13	29	46
GRAND TOTAL	478	3.9	47	<1	1	2	4	8	14	47

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.2		<1	1	1	1	2	2	2
20-34	4	1.0		1	1	1	1	1	1	1
35-49	6	1.2		<1	1	1	1	2	2	2
50-64	7	1.4		<1	1	1	2	3	3	3
65+	13	1.3		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	13	1.6	1	<1	1	1	2	4	4	4
20-34	6	1.7	1	1	1	1	2	4	4	4
35-49	4	2.5	1	1	1	2	3	4	4	4
50-64	10	1.9	1	1	1	2	2	3	4	4
65+	22	1.8	1	<1	1	1	3	3	4	5
TOTAL SINGLE DX	47	1.3		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	55	1.8	1	1	1	1	3	4	4	5
TOTAL										
0-19 YRS	30	1.4	1	<1	1	1	1	3	4	4
20-34	10	1.4	1	1	1	1	1	3	4	4
35-49	10	1.7	1	<1	1	1	2	3	4	4
50-64	17	1.7	1	1	1	1	2	3	4	4
65+	35	1.6	1	<1	1	1	2	3	3	5
GRAND TOTAL	102	1.6	1	1	1	1	2	3	4	5

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	0									
35-49	0									
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	0									
2. MULTIPLE DX										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	0									
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	0									
65+	5	6.8	44	1	2	4	12	17	17	17
TOTAL SINGLE DX	5	1.6	1	<1	<1	1	2	3	3	3
TOTAL MULTIPLE DX	14	4.4	20	1	2	2	6	11	16	17
TOTAL										
0-19 YRS	9	1.4		<1	1	1	2	2	2	2
20-34	0									
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	5	6.8	45	1	2	4	12	17	17	17
GRAND TOTAL	19	3.6	16	<1	1	2	4	9	14	17

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	2.5	4	1	1	2	3	7	7	7
20-34	6	2.3	3	1	1	2	4	5	5	5
35-49	12	2.2		1	1	2	3	3	3	3
50-64	8	1.4		1	1	1	2	2	2	2
65 +	20	2.5	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
0-19 YRS	19	2.8	3	1	2	2	4	6	7	8
20-34	17	2.8	1	1	2	3	3	5	5	5
35-49	16	4.1	9	1	2	3	5	10	11	11
50-64	29	2.8	5	1	2	2	3	4	5	14
65 +	146	3.2	9	1	2	3	4	5	6	24
TOTAL SINGLE DX	59	2.3	2	1	1	2	3	4	6	7
TOTAL MULTIPLE DX	227	3.1	8	1	2	3	4	5	6	16
TOTAL										
0-19 YRS	32	2.7	4	1	1	2	3	6	7	8
20-34	23	2.7	2	1	2	3	4	5	5	5
35-49	28	3.3	6	1	2	3	3	7	10	11
50-64	37	2.5	5	1	1	2	3	4	4	14
65 +	166	3.1	8	1	2	3	4	5	6	22
GRAND TOTAL	286	3.0	7	1	2	2	3	5	6	14

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	2.5	2	1	1	2	3	5	5	6
20-34	25	3.0	1	1	2	3	4	5	5	6
35-49	12	3.0	4	1	2	2	4	6	8	8
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	46	4.6	24	1	2	3	5	7	11	29
20-34	20	4.6	15	1	2	4	6	10	14	16
35-49	22	4.3	8	2	2	3	6	8	11	13
50-64	9	5.7	19	1	2	6	7	12	15	15
65 +	16	6.8	43	2	2	4	9	15	23	26
TOTAL SINGLE DX	87	2.6	2	< 1	1	2	4	5	5	7
TOTAL MULTIPLE DX	113	4.9	22	1	2	3	6	9	15	27
TOTAL										
0-19 YRS	87	3.6	15	1	1	3	4	6	7	26
20-34	45	3.7	8	1	2	3	4	6	9	16
35-49	34	3.8	7	1	2	3	5	7	9	13
50-64	15	3.9	16	< 1	1	2	7	8	13	15
65 +	19	5.9	40	1	2	3	8	14	21	26
GRAND TOTAL	200	3.9	15	1	2	3	5	7	9	23

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.5		< 1	1	1	2	2	3	6
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	15	2.9	3	< 1	1	2	4	5	7	7
65 +	26	2.0	3	< 1	1	1	2	5	7	9
2. MULTIPLE DX										
0-19 YRS	21	2.6	8	1	1	1	3	6	10	13
20-34	9	4.1	8	1	2	3	6	9	9	9
35-49	16	3.3	7	1	2	2	4	7	10	11
50-64	39	3.7	30	1	1	2	3	6	16	29
65 +	133	3.4	10	1	1	2	5	7	8	18
TOTAL SINGLE DX	83	2.0	3	< 1	1	1	2	5	6	8
TOTAL MULTIPLE DX	218	3.4	13	1	1	2	4	7	9	24
TOTAL										
0-19 YRS	57	1.9	4	1	1	1	2	3	6	13
20-34	12	3.9	7	1	2	3	6	8	9	9
35-49	19	3.1	7	1	2	2	4	6	9	11
50-64	54	3.5	23	1	1	2	4	5	8	29
65 +	159	3.2	9	1	1	2	4	7	8	16
GRAND TOTAL	301	3.0	11	1	1	2	3	6	8	19

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	2.7	3	1	1	2	3	5	7	7
20-34	12	3.4	3	1	2	3	5	6	6	6
35-49	5	2.8	1	1	2	3	3	4	4	4
50-64	9	2.0	2	< 1	1	1	2	5	6	6
65 +	14	2.3	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	23	3.3	4	1	2	3	5	7	8	8
20-34	15	5.4	26	2	2	4	6	10	19	22
35-49	17	3.3	4	1	2	3	4	7	8	8
50-64	19	4.0	10	1	2	3	6	8	11	13
65 +	65	5.7	35	1	2	4	7	15	19	30
TOTAL SINGLE DX	53	2.6	3	1	1	2	3	5	6	7
TOTAL MULTIPLE DX	139	4.7	23	1	2	3	6	10	16	24
TOTAL										
0-19 YRS	36	3.1	4	1	2	3	4	7	7	8
20-34	27	4.5	17	1	2	4	6	7	12	22
35-49	22	3.2	3	1	2	3	4	6	8	8
50-64	28	3.4	8	1	1	2	5	7	9	13
65 +	79	5.1	31	1	2	3	7	11	18	29
GRAND TOTAL	192	4.2	18	1	2	3	5	8	11	23

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.2		<1	1	1	1	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	17	3.6	74	1	1	2	2	2	25	37
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	15	2.6	2	1	2	2	4	4	6	6
TOTAL SINGLE DX	14	1.1		<1	1	1	1	2	2	2
TOTAL MULTIPLE DX	36	2.9	35	1	1	2	2	4	5	37
TOTAL										
0-19 YRS	29	2.6	44	<1	1	1	2	2	4	37
20-34	3	1.7		1	1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	17	2.4	2	1	1	2	3	4	5	6
GRAND TOTAL	50	2.4	26	1	1	2	2	3	4	37

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.4		<1	1	1	2	3	4	4
20-34	4	1.3		<1	<1	<1	1	2	2	2
35-49	13	1.5	2	<1	<1	<1	1	2	6	7
50-64	117	1.1		<1	<1	<1	<1	1	1	4
65+	663	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
0-19 YRS	21	2.8	17	1	1	1	2	6	13	19
20-34	9	2.3	4	<1	<1	1	3	6	7	7
35-49	15	2.1	3	<1	1	2	2	5	6	7
50-64	95	2.6	28	<1	<1	1	2	4	7	34
65+	554	2.0	8	<1	<1	1	2	3	6	17
TOTAL SINGLE DX	833	1.1		<1	<1	<1	<1	1	1	3
TOTAL MULTIPLE DX	694	2.1	11	<1	<1	1	2	4	7	17
TOTAL										
0-19 YRS	57	1.9	7	1	1	1	2	3	4	18
20-34	13	2.0	3	<1	<1	1	2	5	7	7
35-49	28	1.8	3	<1	<1	1	2	4	7	7
50-64	212	1.8	13	<1	<1	<1	1	3	4	11
65+	1217	1.5	4	<1	<1	<1	1	2	3	11
GRAND TOTAL	1527	1.5	5	<1	<1	<1	1	2	4	11

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	22	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	1.7	2	<1	<1	1	2	4	5	5
65+	19	4.1	26	<1	1	2	5	15	16	16
TOTAL SINGLE DX	28	1.2		<1	<1	<1	1	2	2	4
TOTAL MULTIPLE DX	28	3.5	20	<1	1	2	4	12	15	16
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	10	1.5	2	<1	<1	1	1	3	5	5
65+	41	2.5	14	<1	<1	1	2	5	15	16
GRAND TOTAL	56	2.3	11	<1	<1	1	2	5	12	16

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.6	3	2	2	3	4	7	7	7
20-34	16	2.6		2	2	3	3	4	4	4
35-49	14	3.0	4	1	2	2	5	6	7	8
50-64	60	2.9	2	1	2	2	4	5	6	8
65+	31	3.0	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
0-19 YRS	44	3.0	3	1	2	3	4	5	6	10
20-34	40	4.1	3	2	2	4	5	7	8	9
35-49	53	4.0	5	2	3	3	5	7	10	12
50-64	123	4.1	5	2	3	4	5	6	8	14
65+	171	3.9	6	2	2	3	5	7	8	17
TOTAL SINGLE DX	135	3.0	2	1	2	3	4	5	6	8
TOTAL MULTIPLE DX	431	3.9	5	2	2	3	5	7	8	13
TOTAL										
0-19 YRS	58	3.1	3	1	2	3	4	6	7	10
20-34	56	3.7	3	2	2	3	5	7	8	9
35-49	67	3.8	5	2	2	3	5	7	9	12
50-64	183	3.7	5	2	2	3	5	6	7	13
65+	202	3.8	6	2	2	3	4	6	8	15
GRAND TOTAL	566	3.7	5	2	2	3	4	6	8	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.8	1	1	1	1	2	4	4	5
20-34	6	2.0	1	1	1	2	3	4	4	4
35-49	5	3.8	1	3	3	3	4	6	6	6
50-64	7	2.4	1	1	2	2	3	4	4	4
65 +	14	2.2	2	1	1	2	2	4	6	7
2. MULTIPLE DX										
0-19 YRS	30	4.0	19	1	1	3	5	13	20	99 +
20-34	44	4.0	7	2	3	3	4	7	9	16
35-49	41	3.9	20	1	2	3	4	5	13	27
50-64	66	3.6	8	1	2	3	4	5	9	16
65 +	109	3.4	10	1	2	3	4	6	12	19
TOTAL SINGLE DX	59	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	290	3.7	12	1	2	3	4	6	12	22
TOTAL										
0-19 YRS	57	3.0	12	1	1	2	3	6	14	94
20-34	50	3.8	7	1	3	3	4	7	8	16
35-49	46	3.9	18	2	2	3	4	6	11	27
50-64	73	3.5	8	1	2	3	4	5	8	16
65 +	123	3.2	10	1	2	2	3	5	9	17
GRAND TOTAL	349	3.4	10	1	2	3	4	6	10	20

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	158	1.0		<1	<1	<1	1	1	1	2
20-34	5	1.0		<1	<1	<1	1	1	1	1
35-49	6	1.2		<1	<1	<1	1	2	2	2
50-64	3	1.0		<1	<1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	77	1.2		<1	<1	1	1	2	2	5
20-34	5	2.4	10	<1	<1	1	3	8	8	8
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	4	1.0		1	1	1	1	1	1	1
65 +	2	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	173	1.0		<1	<1	<1	1	1	1	2
TOTAL MULTIPLE DX	93	1.3	1	<1	1	1	1	2	2	7
TOTAL										
0-19 YRS	235	1.1		<1	<1	<1	1	1	2	3
20-34	10	1.7	5	<1	<1	1	1	5	8	8
35-49	11	1.1		<1	<1	<1	1	2	2	2
50-64	7	1.0		<1	1	1	1	1	1	1
65 +	3	1.7		1	1	2	2	[illegible]	2	2
GRAND TOTAL	266	1.1		<1	<1	<1	1	[illegible]	2	3

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	3.1	6	1	1	2	4	6	9	12
20-34	12	10.1	619	1	2	3	4	30	81	89
35-49	15	1.6		1	1	1	2	3	4	4
50-64	10	2.0	1	1	1	2	3	4	5	5
65 +	8	1.9	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	49	5.5	22	1	2	4	7	11	14	24
20-34	33	3.7	10	1	2	3	4	6	14	15
35-49	28	3.4	6	1	1	3	4	7	9	10
50-64	24	4.0	8	2	2	3	5	7	10	14
65 +	50	5.6	46	1	2	3	7	12	19	42
TOTAL SINGLE DX	89	3.6	86	<1	1	2	4	5	7	59
TOTAL MULTIPLE DX	184	4.7	24	1	2	3	6	10	14	23
TOTAL										
0-19 YRS	93	4.4	16	1	1	3	6	10	12	21
20-34	45	5.4	171	1	2	3	4	6	15	89
35-49	43	2.7	5	1	1	2	4	6	8	10
50-64	34	3.4	7	1	2	3	5	6	8	14
65 +	58	5.1	43	1	2	3	7	11	17	40
GRAND TOTAL	273	4.3	45	1	1	3	5	9	12	23

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	101	1.8	2	<1	<1	1	2	4	5	8
20-34	16	1.3		<1	<1	1	2	2	3	3
35-49	13	1.5	1	<1	<1	1	2	3	4	4
50-64	5	1.8	1	<1	1	1	2	4	4	4
65+	14	1.4		<1	<1	<1	<1	3	4	4
2. MULTIPLE DX										
0-19 YRS	111	2.8	8	<1	1	2	4	5	8	19
20-34	44	4.3	23	1	2	3	5	8	15	25
35-49	27	6.2	81	1	1	2	7	12	29	42
50-64	29	6.6	144	<1	1	2	7	16	38	55
65+	48	5.8	31	1	1	4	8	14	19	23
TOTAL SINGLE DX	149	1.7	2	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	259	4.4	40	1	1	2	5	9	16	36
TOTAL										
0-19 YRS	212	2.3	6	<1	1	1	3	5	6	14
20-34	60	3.5	19	<1	1	2	4	7	11	25
35-49	40	4.7	60	<1	1	2	6	10	20	42
50-64	34	5.9	126	<1	1	2	4	16	33	55
65+	62	4.8	28	<1	<1	2	6	10	17	23
GRAND TOTAL	408	3.4	28	<1	1	2	4	7	10	26

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.1		<1	1	1	1	2	2	2
20-34	31	1.4		1	1	1	1	2	3	5
35-49	40	1.2		1	1	1	1	2	2	2
50-64	28	1.4		1	1	1	2	2	2	2
65+	8	1.5	1	<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	11	1.0		<1	1	1	1	1	1	1
20-34	16	1.1		1	1	1	1	1	2	2
35-49	33	1.2		1	1	1	1	2	2	3
50-64	26	1.8	1	1	1	2	2	3	4	7
65+	15	1.7		1	1	2	2	2	3	3
TOTAL SINGLE DX	117	1.3		1	1	1	1	2	2	4
TOTAL MULTIPLE DX	101	1.4	1	1	1	1	2	2	3	5
TOTAL										
0-19 YRS	21	1.0		<1	1	1	1	1	2	2
20-34	47	1.3	1	1	1	1	1	2	3	5
35-49	73	1.2		1	1	1	1	2	2	3
50-64	54	1.6	1	1	1	1	2	2	3	7
65+	23	1.6	1	1	1	1	2	3	3	4
GRAND TOTAL	218	1.3	1	1	1	1	1	2	2	4

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	1.1		<1	1	1	1	1	2	4
20-34	22	1.0		<1	1	1	1	1	2	2
35-49	27	1.0		<1	1	1	1	1	2	2
50-64	27	1.2		<1	<1	1	1	2	2	3
65+	6	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	104	1.2		<1	1	1	1	2	2	4
20-34	36	1.3	1	<1	1	1	1	1	2	9
35-49	39	1.2		1	1	1	1	2	3	3
50-64	28	1.3		1	1	1	1	2	3	4
65+	19	1.7	1	1	1	1	2	3	5	6
TOTAL SINGLE DX	186	1.1		<1	1	1	1	1	2	3
TOTAL MULTIPLE DX	226	1.2	1	<1	1	1	1	2	2	5
TOTAL										
0-19 YRS	208	1.1		<1	1	1	1	1	2	4
20-34	58	1.2	1	<1	1	1	1	1	2	8
35-49	66	1.1		<1	1	1	1	1	2	3
50-64	55	1.3		<1	1	1	1	2	3	4
65+	25	1.6	1	1	1	1	2	2	4	6
GRAND TOTAL	412	1.2		<1	1	1	1	2	2	4

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1010	1.1		<1	<1	<1	<1	<1	1	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	3.8	9	<1	1	4	6	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	617	2.8	21	<1	<1	1	3	7	10	26
20-34	12	3.4	21	<1	<1	1	3	13	14	14
35-49	6	4.8	18	1	2	3	8	12	12	12
50-64	7	5.7	24	1	2	5	10	13	13	13
65+	13	6.9	34	1	3	6	9	17	19	20
TOTAL SINGLE DX	1023	1.1	1	<1	<1	<1	<1	1	1	5
TOTAL MULTIPLE DX	655	2.9	22	<1	<1	1	3	7	11	24
TOTAL										
0-19 YRS	1627	1.7	9	<1	<1	<1	1	3	5	14
20-34	13	3.3	19	<1	1	1	3	12	14	14
35-49	15	4.2	12	1	1	3	7	9	11	12
50-64	8	5.1	24	1	1	4	9	13	13	13
65+	15	6.5	32	1	2	6	8	16	19	20
GRAND TOTAL	1678	1.8	10	<1	<1	<1	1	3	6	16

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	92	1.4	1	1	1	1	1	2	4	7
20-34	28	1.3		1	1	1	1	2	3	6
35-49	25	1.7	6	1	1	1	1	2	6	14
50-64	20	1.5		1	1	1	2	2	3	4
65 +	8	2.4	3	1	1	2	2	6	7	7
2. MULTIPLE DX										
0-19 YRS	141	2.1	6	1	1	1	2	4	7	14
20-34	51	2.1	9	1	1	1	2	2	7	21
35-49	61	2.0	10	1	1	1	2	4	7	91
50-64	61	2.3	9	1	1	1	2	4	8	18
65 +	40	2.9	6	1	1	2	3	7	9	11
TOTAL SINGLE DX	173	1.5	2	1	1	1	1	2	4	9
TOTAL MULTIPLE DX	354	2.2	8	1	1	1	2	4	8	18
TOTAL										
0-19 YRS	233	1.8	5	1	1	1	2	4	5	14
20-34	79	1.8	7	1	1	1	2	2	4	18
35-49	86	1.9	9	1	1	1	2	3	6	72
50-64	81	2.1	7	1	1	1	2	4	6	17
65 +	48	2.8	6	1	1	2	3	7	8	11
GRAND TOTAL	527	2.0	5	1	1	1	2	4	5	15

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	1.5	1	<1	<1	<1	1	3	4	6
20-34	8	1.8	1	<1	1	1	2	3	4	4
35-49	16	1.6		1	1	1	2	3	4	4
50-64	16	1.7	2	<1	1	1	2	3	6	7
65 +	4	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	96	2.2	7	<1	<1	1	2	5	9	15
20-34	13	1.9	6	<1	1	1	2	4	9	10
35-49	15	2.7	10	1	1	1	2	10	11	11
50-64	17	2.1	6	<1	1	1	2	4	9	11
65 +	11	2.8	4	1	1	3	4	6	8	8
TOTAL SINGLE DX	128	1.6	1	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	152	2.2	7	<1	1	1	2	5	10	14
TOTAL										
0-19 YRS	180	1.9	5	<1	<1	1	1	4	6	13
20-34	21	1.9	4	<1	1	1	2	3	7	10
35-49	31	2.1	6	1	1	1	2	4	10	11
50-64	33	1.9	4	<1	1	1	2	4	7	11
65 +	15	2.8	4	1	1	3	4	4	7	8
GRAND TOTAL	280	1.9	5	<1	<1	1	2	4	6	11

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	14	1.6	1	<1	1	1	2	3	5	5
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	4	2.3	6	<1	<1	1	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	18	1.3		<1	1	1	1	2	3	4
20-34	53	1.7	1	<1	1	1	2	4	4	5
35-49	45	2.0	7	<1	1	1	2	4	7	16
50-64	34	2.2	1	1	1	2	3	4	5	99 +
65 +	9	4.1	15	1	2	2	6	11	13	13
TOTAL SINGLE DX	32	1.5	1	<1	1	1	1	3	5	6
TOTAL MULTIPLE DX	159	2.0	4	<1	1	1	2	4	5	16
TOTAL										
0-19 YRS	25	1.3		<1	<1	1	1	2	3	4
20-34	67	1.7	1	<1	1	1	2	4	4	5
35-49	49	2.0	7	<1	1	1	2	4	6	16
50-64	37	2.2	1	1	1	2	3	4	5	99 +
65 +	13	3.5	13	1	1	2	6	8	12	13
GRAND TOTAL	191	1.9	4	<1	1	1	2	4	5	15

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	1.6	1	1	1	1	2	3	4	6
20-34	69	1.3		<1	1	1	1	2	3	5
35-49	39	1.3		1	1	1	2	2	3	3
50-64	22	1.2		<1	1	1	1	2	3	3
65+	9	1.8	1	<1	1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	168	1.9	4	1	1	1	2	3	4	10
20-34	225	1.8	8	1	1	1	2	3	4	20
35-49	195	1.8	4	1	1	1	2	3	5	10
50-64	102	2.4	15	1	1	1	2	5	8	24
65+	51	4.4	135	1	1	2	4	7	9	83
TOTAL SINGLE DX	205	1.4	1	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	741	2.1	17	1	1	1	2	4	5	14
TOTAL										
0-19 YRS	234	1.8	3	1	1	1	2	3	4	8
20-34	294	1.7	7	1	1	1	1	3	4	15
35-49	234	1.7	4	1	1	1	2	3	4	9
50-64	124	2.2	13	1	1	1	2	4	7	19
65+	60	4.0	116	1	1	2	4	6	8	77
GRAND TOTAL	946	1.9	13	1	1	1	2	3	5	12

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	1.4		<1	<1	1	2	3	4	4
20-34	8	1.3		<1	1	1	2	2	2	2
35-49	16	1.6		<1	<1	1	2	3	4	4
50-64	12	1.6		<1	<1	1	2	3	3	3
65+	18	1.6	2	<1	<1	1	1	3	6	8
2. MULTIPLE DX										
0-19 YRS	40	2.2	5	<1	1	1	2	6	8	11
20-34	32	2.1	5	<1	1	1	2	5	9	11
35-49	37	2.9	8	1	1	2	3	7	11	12
50-64	36	4.7	53	1	1	2	4	11	22	37
65+	71	6.3	89	<1	1	3	8	14	36	88
TOTAL SINGLE DX	81	1.5	1	<1	<1	1	2	3	4	7
TOTAL MULTIPLE DX	216	4.1	44	<1	1	2	4	10	13	46
TOTAL										
0-19 YRS	67	1.9	4	<1	1	1	2	4	7	11
20-34	40	2.0	5	<1	1	1	2	4	7	11
35-49	53	2.5	6	<1	1	1	3	5	10	12
50-64	48	3.9	42	<1	1	2	3	9	15	37
65+	89	5.3	75	<1	1	2	7	11	34	78
GRAND TOTAL	297	3.4	34	<1	1	1	3	8	11	42

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	1.2		<1	<1	<1	1	1	2	6
20-34	33	2.3	2	1	1	2	3	5	6	7
35-49	18	3.1	5	1	1	2	4	7	8	8
50-64	25	3.6	3	1	2	3	5	6	7	7
65+	23	4.0	3	2	3	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	63	3.6	24	1	1	1	4	9	17	24
20-34	73	3.0	8	1	1	2	4	7	9	14
35-49	69	3.5	6	1	1	3	5	7	9	12
50-64	84	4.0	6	1	2	4	5	7	7	15
65+	128	5.5	57	1	3	4	6	9	15	45
TOTAL SINGLE DX	159	2.4	4	<1	1	1	3	6	7	8
TOTAL MULTIPLE DX	417	4.2	26	1	1	3	5	8	10	25
TOTAL										
0-19 YRS	123	2.4	14	<1	<1	1	2	5	9	23
20-34	106	2.8	7	1	1	2	4	6	9	13
35-49	87	3.4	6	1	1	3	5	7	8	12
50-64	109	3.9	6	1	2	4	5	7	7	13
65+	151	5.3	49	2	3	4	6	8	12	39
GRAND TOTAL	576	3.7	20	1	1	3	5	7	9	22

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.3	6	1	1	1	2	7	9	9
20-34	25	1.8		1	1	2	2	4	4	4
35-49	27	2.1	5	1	1	1	2	5	7	12
50-64	21	1.6		1	1	1	2	3	4	4
65+	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	5.2	52	1	1	2	3	18	22	22
20-34	37	2.8	8	1	1	2	3	6	8	15
35-49	56	3.1	24	1	1	2	3	6	9	34
50-64	41	2.7	6	1	1	2	3	6	7	14
65+	30	4.4	25	1	1	2	5	11	17	20
TOTAL SINGLE DX	88	1.9	3	1	1	1	2	4	4	11
TOTAL MULTIPLE DX	174	3.3	19	1	1	2	3	7	11	22
TOTAL										
0-19 YRS	19	3.8	31	1	1	2	3	13	19	22
20-34	62	2.4	6	1	1	2	2	6	7	14
35-49	83	2.8	19	1	1	1	3	6	8	28
50-64	62	2.3	4	1	1	2	3	5	6	13
65+	36	3.9	22	1	1	2	3	11	15	20
GRAND TOTAL	262	2.8	14	1	1	2	3	6	9	20

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	39	2.6	6	<1	1	1	4	7	9	10
20-34	30	2.3	4	1	1	2	2	6	7	9
35-49	24	2.5	3	1	1	2	3	5	6	9
50-64	28	3.1	8	1	1	2	4	5	7	16
65+	13	2.7	4	<1	1	2	4	6	8	8
2. MULTIPLE DX										
0-19 YRS	105	5.7	55	1	1	3	9	12	18	42
20-34	86	6.0	99	1	1	2	7	15	22	59
35-49	107	3.3	14	1	1	2	3	8	14	19
50-64	100	3.9	16	1	1	3	5	9	14	19
65+	78	6.5	52	1	2	4	9	16	18	39
TOTAL SINGLE DX	134	2.6	6	<1	1	2	3	5	8	11
TOTAL MULTIPLE DX	476	5.0	47	1	1	3	6	12	16	32
TOTAL										
0-19 YRS	144	4.9	44	1	1	2	7	11	14	34
20-34	116	5.1	77	1	1	2	5	14	17	45
35-49	131	3.2	13	1	1	2	3	7	10	19
50-64	128	3.8	15	1	1	3	4	9	14	19
65+	91	6.0	47	1	2	3	8	14	18	39
GRAND TOTAL	610	4.5	39	1	1	2	5	10	15	30

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	2.2	18	<1	<1	1	1	4	8	26
20-34	4	2.5	3	<1	<1	2	4	4	4	4
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	2	6.0	50	<1	<1	5	11	11	11	11
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	129	3.9	66	<1	1	2	3	7	18	72
20-34	91	7.6	97	1	2	3	11	22	34	76
35-49	80	7.2	89	1	1	3	10	19	26	87
50-64	70	7.0	101	1	2	3	9	20	46	99+
65+	87	10.0	276	1	2	4	11	22	66	94
TOTAL SINGLE DX	54	2.4	16	<1	<1	1	2	4	10	25
TOTAL MULTIPLE DX	457	6.8	125	1	1	2	8	19	33	99+
TOTAL										
0-19 YRS	169	3.5	55	<1	<1	1	3	6	17	61
20-34	95	7.3	95	1	1	3	10	21	33	73
35-49	86	6.8	85	1	1	3	9	18	24	84
50-64	72	6.9	100	1	2	3	9	20	44	99+
65+	89	9.8	272	1	2	4	11	22	66	93
GRAND TOTAL	511	6.4	116	<1	1	2	7	18	29	99+

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	1.0		<1	<1	<1	<1	<1	1	2
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	0									
50-64	0									
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	102	1.3		<1	<1	1	1	2	3	5
20-34	10	6.0	95	1	1	2	2	24	29	29
35-49	5	4.2	31	<1	1	1	6	14	14	14
50-64	0									
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL SINGLE DX	81	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	118	1.8	11	<1	<1	1	1	2	4	22
TOTAL										
0-19 YRS	179	1.2		<1	<1	<1	1	2	2	4
20-34	13	4.9	76	<1	1	2	2	21	27	29
35-49	5	4.2	32	<1	1	1	6	14	14	14
50-64	0									
65+	2	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	199	1.5	7	<1	<1	<1	1	2	3	17

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	1.5		<1	1	1	2	3	4	4
20-34	3	5.3	10	3	3	4	8	9	9	9
35-49	10	1.4		1	1	1	2	3	3	3
50-64	7	4.3	20	1	2	3	4	12	14	14
65+	6	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	64	3.3	29	1	1	2	3	4	8	38
20-34	25	3.8	21	1	1	2	4	9	17	18
35-49	34	5.4	51	1	2	3	5	14	20	36
50-64	30	6.1	56	1	2	3	7	18	26	29
65+	25	7.2	83	1	2	3	8	23	31	33
TOTAL SINGLE DX	52	2.1	5	<1	1	1	3	4	4	14
TOTAL MULTIPLE DX	178	4.8	46	1	1	2	4	13	19	35
TOTAL										
0-19 YRS	90	2.8	22	<1	1	2	3	4	5	32
20-34	28	4.0	20	1	1	2	4	9	17	18
35-49	44	4.5	43	1	1	2	4	13	17	36
50-64	37	5.8	49	1	2	3	6	16	24	29
65+	31	6.1	72	<1	1	3	5	19	30	33
GRAND TOTAL	230	4.2	38	1	1	2	4	11	17	34

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	2.6	8	1	1	2	3	5	10	15
20-34	54	1.7		1	1	2	2	3	3	4
35-49	84	1.8		1	1	2	2	3	4	5
50-64	87	1.9	1	1	1	2	2	3	4	6
65 +	47	2.4	1	1	2	2	3	4	6	7
2. MULTIPLE DX										
0-19 YRS	18	2.1	1	1	1	2	2	4	4	4
20-34	23	2.3	2	1	1	2	3	5	6	6
35-49	68	3.5	17	1	2	2	4	7	8	28
50-64	68	3.5	18	1	2	2	4	7	10	29
65 +	115	4.1	12	1	2	3	5	9	12	18
TOTAL SINGLE DX	314	2.0	2	1	1	2	2	3	4	8
TOTAL MULTIPLE DX	292	3.6	14	1	2	2	4	8	10	18
TOTAL										
0-19 YRS	60	2.4	6	1	1	2	3	4	7	15
20-34	77	1.9	1	1	1	2	2	3	4	6
35-49	152	2.6	9	1	1	2	3	4	6	17
50-64	155	2.6	9	1	1	2	3	4	7	10
65 +	162	3.6	10	1	2	3	4	8	10	17
GRAND TOTAL	606	2.8	8	1	1	2	3	5	8	15

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	265	2.5	1	1	2	2	3	4	5	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	313	3.1	4	1	2	3	4	5	6	11
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	4	2.0		2	2	2	2	2	2	2
50-64	6	3.8	15	1	1	2	6	10	11	11
65 +	2	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	268	2.5	1	1	2	2	3	4	5	6
TOTAL MULTIPLE DX	328	3.1	4	1	2	3	4	5	6	12
TOTAL										
0-19 YRS	578	2.8	3	1	2	3	3	4	5	8
20-34	4	3.5	10	1	1	2	5	8	8	8
35-49	4	2.0		2	2	2	2	2	2	2
50-64	8	3.5	12	1	1	2	4	9	11	11
65 +	2	3.0		3	3	3	3	3	3	3
GRAND TOTAL	596	2.8	3	1	2	3	3	4	5	9

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	277	2.3	2	< 1	1	2	3	5	5	9
20-34	32	3.6	3	1	2	3	5	6	8	8
35-49	21	4.3	29	1	1	2	5	11	16	22
50-64	22	1.6	1	< 1	1	1	2	3	5	7
65 +	29	1.8	2	< 1	< 1	1	2	4	5	9
2. MULTIPLE DX										
0-19 YRS	315	3.3	12	1	2	2	4	6	9	16
20-34	91	4.3	12	1	2	3	5	9	10	20
35-49	94	7.8	86	1	2	4	9	18	28	49
50-64	108	7.8	84	1	2	5	10	19	26	47
65 +	136	8.8	94	1	3	5	11	21	29	46
TOTAL SINGLE DX	381	2.5	5	< 1	1	2	3	5	6	10
TOTAL MULTIPLE DX	744	5.7	52	1	2	3	6	13	19	42
TOTAL										
0-19 YRS	592	2.9	8	1	1	2	3	5	8	14
20-34	123	4.1	10	1	2	3	5	8	9	15
35-49	115	7.2	78	1	2	4	9	18	23	44
50-64	130	6.8	76	1	1	3	8	17	23	46
65 +	165	7.6	86	1	2	4	9	18	27	45
GRAND TOTAL	1125	4.6	39	1	1	3	5	10	16	35

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	700	1.1		1	1	1	1	1	2	3
20-34	292	1.2		1	1	1	1	2	2	4
35-49	59	1.3		1	1	1	1	2	3	5
50-64	10	1.2		1	1	1	1	2	3	3
65 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	394	1.4	1	1	1	1	1	2	3	7
20-34	122	1.7	6	1	1	1	1	3	4	13
35-49	37	1.9	4	1	1	1	2	4	5	13
50-64	13	3.1	11	1	1	2	3	8	12	13
65 +	13	7.2	46	1	2	6	9	19	22	23
TOTAL SINGLE DX	1063	1.1		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	579	1.6	4	1	1	1	1	3	4	13
TOTAL										
0-19 YRS	1094	1.2		1	1	1	1	2	2	5
20-34	414	1.4	2	1	1	1	1	2	3	5
35-49	96	1.5	2	1	1	1	1	3	4	9
50-64	23	2.3	7	1	1	1	2	5	9	13
65 +	15	6.5	43	1	2	4	8	18	22	23
GRAND TOTAL	1642	1.3	2	1	1	1	1	2	3	6

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1612	1.1		1	1	1	1	1	2	2
20-34	56	1.2		1	1	1	1	2	2	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1988	1.4	5	1	1	1	1	2	3	9
20-34	33	1.9	1	1	1	1	2	4	4	4
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	1	11.0		11	11	11	11	11	11	11
TOTAL SINGLE DX	1673	1.1		1	1	1	1	1	2	2
TOTAL MULTIPLE DX	2028	1.4	6	1	1	1	1	2	3	9
TOTAL										
0-19 YRS	3600	1.3	3	1	1	1	1	2	2	6
20-34	89	1.4	1	1	1	1	2	3	4	4
35-49	5	1.4		1	1	1	2	2	2	2
50-64	5	1.8	2	1	1	1	2	4	4	4
65 +	2	6.5	41	2	2	6	11	11	11	11
GRAND TOTAL	3701	1.3	3	1	1	1	1	2	2	6

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.0		<1	<1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	184	2.2	13	<1	<1	1	1	5	9	22
20-34	0									
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	38	1.0		<1	<1	1	1	1	1	1
TOTAL MULTIPLE DX	184	2.2	14	<1	<1	1	1	5	9	22
TOTAL										
0-19 YRS	222	2.0	11	<1	<1	1	1	3	8	20
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	222	2.0	11	<1	<1	1	1	3	8	20

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	183	2.0	2	<1	1	1	3	4	5	8
20-34	76	1.9	1	1	1	2	2	3	3	6
35-49	41	1.9	2	1	1	1	2	4	6	7
50-64	21	3.7	22	1	2	2	4	6	14	23
65 +	7	2.7	2	<1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	90	3.8	33	1	1	3	4	8	13	79
20-34	58	3.5	6	1	2	3	5	6	10	12
35-49	64	3.0	8	1	1	2	3	8	11	87
50-64	58	5.4	55	1	2	3	5	13	25	40
65 +	50	11.8	265	1	2	5	14	34	50	72
TOTAL SINGLE DX	328	2.1	3	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	320	5.1	72	1	2	3	5	11	18	69
TOTAL										
0-19 YRS	273	2.6	13	<1	1	2	3	5	7	17
20-34	134	2.6	4	1	1	2	3	5	6	11
35-49	105	2.6	6	1	1	2	3	5	9	52
50-64	79	5.0	47	1	2	3	5	12	24	37
65 +	57	10.7	242	1	2	4	12	26	48	72
GRAND TOTAL	648	3.6	39	1	1	2	3	7	11	43

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.8	6	<1	<1	1	1	4	9	10
20-34	3	1.3		1	1	1	2	2	2	2
35-49	10	2.6	1	1	2	3	4	4	4	4
50-64	6	8.3	131	1	1	4	8	29	31	31
65 +	7	3.0	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	37	2.9	4	1	2	2	4	6	7	10
20-34	6	2.3	2	1	2	2	2	5	5	5
35-49	19	3.7	4	1	2	3	5	7	8	8
50-64	35	4.4	14	1	2	3	5	10	15	16
65 +	60	5.6	30	1	2	4	6	13	18	28
TOTAL SINGLE DX	38	3.2	26	<1	1	2	3	6	9	31
TOTAL MULTIPLE DX	157	4.3	18	1	2	3	5	8	14	22
TOTAL										
0-19 YRS	49	2.6	5	<1	1	2	3	6	8	10
20-34	9	2.0	2	1	1	2	2	4	5	5
35-49	29	3.3	4	1	2	3	4	6	8	8
50-64	41	5.0	30	1	2	3	5	11	16	31
65 +	67	5.3	28	1	2	4	6	13	17	28
GRAND TOTAL	195	4.1	19	1	2	3	5	8	13	26

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	79	1.2		<1	1	1	1	2	2	3
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	18	1.2		<1	<1	1	1	2	3	3
50-64	16	1.5	3	<1	<1	1	1	2	6	8
65 +	9	1.9	3	<1	<1	<1	2	5	7	7
2. MULTIPLE DX										
0-19 YRS	57	4.4	60	1	1	1	4	8	20	41
20-34	7	2.7	20	<1	1	1	1	11	13	13
35-49	11	3.3	6	1	1	2	5	7	8	8
50-64	32	4.3	32	<1	1	2	6	9	16	28
65 +	41	4.0	16	1	1	2	6	10	13	15
TOTAL SINGLE DX	125	1.3	1	<1	1	1	1	2	3	7
TOTAL MULTIPLE DX	148	4.1	36	1	1	2	5	9	14	38
TOTAL										
0-19 YRS	136	2.6	28	<1	1	1	2	4	7	38
20-34	10	2.2	14	<1	<1	1	1	7	13	13
35-49	29	2.0	3	<1	1	1	2	5	6	8
50-64	48	3.4	24	<1	1	1	3	9	10	28
65 +	50	3.6	15	<1	1	2	5	9	13	15
GRAND TOTAL	273	2.8	22	<1	1	1	2	7	9	27

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	5.3	79	1	1	1	4	18	29	32
20-34	1	12.0		12	12	12	12	12	12	12
35-49	7	5.4	19	2	2	4	9	12	13	13
50-64	9	5.3	11	1	3	5	8	10	10	10
65 +	4	12.3	51	5	7	11	17	22	22	22
2. MULTIPLE DX										
0-19 YRS	23	8.8	209	<1	2	4	8	26	52	53
20-34	2	9.5	145	1	1	9	18	18	18	18
35-49	8	16.0	485	1	1	6	27	53	58	58
50-64	16	14.8	103	3	9	12	17	33	34	34
65 +	24	9.9	66	2	3	8	15	22	25	33
TOTAL SINGLE DX	35	6.3	47	1	1	4	10	13	21	32
TOTAL MULTIPLE DX	73	11.3	164	1	3	8	14	33	42	57
TOTAL										
0-19 YRS	37	7.5	160	1	1	3	6	19	45	53
20-34	3	10.3	74	1	4	12	16	18	18	18
35-49	15	11.1	281	1	2	4	11	43	54	58
50-64	25	11.4	90	1	5	10	13	33	33	34
65 +	28	10.3	63	2	3	9	15	22	23	33
GRAND TOTAL	108	9.7	131	1	2	5	12	22	33	55

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	3	22.3	420	10	10	11	37	46	46	46
50-64	5	10.6	13	8	9	9	12	17	17	17
65 +	4	12.0	12	9	10	11	14	17	17	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	7	24.7	182	12	17	21	29	48	52	52
50-64	32	25.9	364	10	13	17	36	60	69	73
65 +	41	15.6	51	10	11	13	20	30	60	99 +
TOTAL SINGLE DX	12	14.0	110	8	9	10	14	26	43	46
TOTAL MULTIPLE DX	80	20.5	209	10	11	15	24	47	66	99 +
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	10	24.0	216	10	11	19	31	49	52	52
50-64	37	23.8	343	9	11	16	28	57	68	73
65 +	45	15.3	48	10	11	13	19	29	48	99 +
GRAND TOTAL	92	19.7	199	9	11	14	22	46	62	99 +

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	7.0	7	4	5	8	9	9	9	9
20-34	3	3.7	14	1	1	5	54	99 +	99 +	99 +
35-49	5	7.2	8	4	4	9	9	10	10	10
50-64	5	8.8	36	1	3	11	13	15	15	15
65 +	4	32.8	1001	2	7	28	58	72	72	72
2. MULTIPLE DX										
0-19 YRS	84	26.5	416	6	14	28	63	99 +	99 +	99 +
20-34	34	32.2	794	6	10	29	74	99 +	99 +	99 +
35-49	41	30.0	707	5	9	33	72	99 +	99 +	99 +
50-64	61	31.1	545	7	14	31	50	98	99 +	99 +
65 +	102	36.7	664	8	18	39	74	99 +	99 +	99 +
TOTAL SINGLE DX	20	12.2	284	2	4	9	13	55	85	99 +
TOTAL MULTIPLE DX	322	31.7	604	7	14	32	68	99 +	99 +	99 +
TOTAL										
0-19 YRS	87	25.9	415	6	13	27	62	99 +	99 +	99 +
20-34	37	29.9	792	4	8	27	74	99 +	99 +	99 +
35-49	46	27.6	681	4	8	22	71	99 +	99 +	99 +
50-64	66	29.4	541	6	13	26	49	98	99 +	99 +
65 +	106	36.6	668	8	18	39	73	99 +	99 +	99 +
GRAND TOTAL	342	30.5	605	6	13	29	66	99 +	99 +	99 +

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	3.7	15	1	1	2	6	8	11	20
20-34	0									
35-49	4	1.0		1	1	1	1	1	1	1
50-64	7	1.7	1	< 1	1	1	2	4	4	4
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	63	11.7	312	1	1	6	18	52	89	99 +
20-34	3	8.7	69	2	4	12	59	99 +	99 +	99 +
35-49	13	5.2	32	< 1	1	2	8	15	16	16
50-64	14	7.9	196	1	1	3	6	22	47	54
65 +	18	6.0	39	1	1	3	8	17	18	19
TOTAL SINGLE DX	54	3.1	13	1	1	1	4	7	9	20
TOTAL MULTIPLE DX	111	9.5	218	1	1	5	12	29	70	99 +
TOTAL										
0-19 YRS	104	8.6	210	1	1	3	8	27	67	99 +
20-34	3	8.7	69	2	4	12	59	99 +	99 +	99 +
35-49	17	4.2	28	< 1	1	1	5	15	16	16
50-64	21	5.8	137	< 1	1	2	5	12	34	54
65 +	20	5.6	37	< 1	1	3	8	16	18	19
GRAND TOTAL	165	7.4	159	1	1	3	8	20	54	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	3.2	4	< 1	< 1	3	5	7	7	7
20-34	14	4.8	4	1	4	5	7	7	7	7
35-49	28	6.6	63	1	1	5	8	12	16	42
50-64	53	5.4	31	< 1	1	3	9	12	13	30
65 +	47	7.2	56	< 1	1	5	10	14	23	36
2. MULTIPLE DX										
0-19 YRS	34	10.6	213	1	2	7	15	20	39	77
20-34	81	10.6	81	2	4	8	14	21	25	48
35-49	163	9.7	64	2	4	8	12	18	24	43
50-64	452	10.2	88	2	5	8	12	18	24	55
65 +	814	11.8	80	4	6	10	15	23	30	50
TOTAL SINGLE DX	160	5.8	40	< 1	1	4	8	12	14	35
TOTAL MULTIPLE DX	1544	11.0	84	3	5	9	14	21	28	53
TOTAL										
0-19 YRS	52	8.1	152	< 1	2	4	9	17	23	76
20-34	95	9.8	74	2	4	7	13	20	24	46
35-49	191	9.2	65	2	4	7	12	18	23	43
50-64	505	9.7	85	2	4	8	12	18	24	55
65 +	861	11.5	80	3	6	9	15	23	29	49
GRAND TOTAL	1704	10.5	83	2	5	8	13	21	27	52

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	0									
50-64	1	15.0		15	15	15	15	15	15	15
65 +	1	11.0		11	11	11	11	11	11	11
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	3	13.3	4	11	12	14	15	15	15	15
TOTAL										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	0									
35-49	0									
50-64	1	15.0		15	15	15	15	15	15	15
65 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	3	13.3	4	11	12	14	15	15	15	15

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	7.7	16	2	5	8	10	13	15	15
20-34	31	7.0	16	1	3	8	10	12	15	16
35-49	45	6.8	24	1	3	6	9	15	17	23
50-64	73	7.4	28	1	4	7	9	13	17	30
65 +	54	6.9	38	1	2	6	10	14	18	34
2. MULTIPLE DX										
0-19 YRS	68	14.7	236	4	6	8	20	44	68	99 +
20-34	117	14.5	128	4	7	11	18	32	35	58
35-49	224	12.2	153	3	5	9	15	25	42	70
50-64	528	10.7	84	2	5	8	13	21	31	51
65 +	846	11.5	84	3	6	9	15	23	29	51
TOTAL SINGLE DX	216	7.1	27	1	4	6	9	13	16	27
TOTAL MULTIPLE DX	1783	11.6	103	3	5	9	15	24	33	58
TOTAL										
0-19 YRS	81	13.6	207	4	6	8	15	36	61	99 +
20-34	148	12.9	114	3	6	10	16	26	34	51
35-49	269	11.3	136	2	4	8	14	23	39	65
50-64	601	10.3	79	2	5	8	13	20	30	51
65 +	900	11.2	83	3	5	9	14	22	29	50
GRAND TOTAL	1999	11.2	97	3	5	9	14	22	31	56

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	11.3	72	5	6	8	18	21	21	21
20-34	0									
35-49	17	10.3	30	6	7	8	12	20	23	24
50-64	38	10.2	26	5	7	9	11	18	23	27
65 +	21	13.8	195	7	9	10	13	17	44	73
2. MULTIPLE DX										
0-19 YRS	10	9.5	25	4	6	9	10	17	21	21
20-34	15	13.1	42	8	9	11	15	20	29	32
35-49	54	12.8	54	6	8	10	16	23	30	36
50-64	204	13.0	95	7	8	10	15	19	24	61
65 +	255	15.2	80	8	9	13	17	26	31	64
TOTAL SINGLE DX	79	11.2	73	6	7	9	12	20	23	60
TOTAL MULTIPLE DX	538	14.0	83	7	9	11	16	23	30	60
TOTAL										
0-19 YRS	13	9.9	31	5	6	8	11	21	21	21
20-34	15	13.1	42	8	9	11	15	20	29	32
35-49	71	12.2	49	6	7	10	15	22	29	35
50-64	242	12.6	85	7	8	10	14	19	24	59
65 +	276	15.1	89	8	9	13	17	26	31	71
GRAND TOTAL	617	13.6	82	7	8	11	16	22	28	61

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	175	2.6	16	<1	1	1	2	5	9	19
20-34	17	3.6	6	1	1	3	5	8	9	9
35-49	21	4.5	13	<1	1	4	6	9	12	16
50-64	45	5.2	21	<1	1	4	8	13	14	19
65 +	24	6.0	50	<1	1	4	7	12	23	33
2. MULTIPLE DX										
0-19 YRS	296	9.1	165	1	2	5	11	21	33	82
20-34	92	11.2	123	2	5	9	16	22	29	95
35-49	156	11.0	117	2	5	8	14	21	28	62
50-64	301	10.8	99	2	4	8	13	23	30	53
65 +	559	12.6	129	3	6	10	16	26	34	63
TOTAL SINGLE DX	282	3.5	21	<1	1	2	4	9	13	20
TOTAL MULTIPLE DX	1404	11.2	130	2	4	8	14	23	31	66
TOTAL										
0-19 YRS	471	6.7	120	1	1	2	8	17	25	77
20-34	109	10.1	112	1	4	7	14	20	27	93
35-49	177	10.2	109	2	4	8	13	21	27	60
50-64	346	10.1	93	2	4	8	13	22	29	50
65 +	583	12.3	128	3	6	10	15	25	33	62
GRAND TOTAL	1686	9.9	120	1	3	7	13	22	29	61

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	5.6	11	2	3	5	7	11	12	12
20-34	13	5.2	6	2	3	5	7	8	10	10
35-49	10	5.2	9	3	3	4	5	11	11	11
50-64	3	2.7	2	1	1	3	4	4	4	4
65 +	3	4.3	24	1	1	2	8	10	10	10
2. MULTIPLE DX										
0-19 YRS	19	11.6	244	3	5	7	12	22	49	72
20-34	16	10.9	127	4	5	7	12	18	40	50
35-49	18	8.7	30	3	5	7	13	17	20	21
50-64	21	11.2	84	2	4	10	15	28	30	32
65 +	33	11.1	154	2	4	8	12	21	32	67
TOTAL SINGLE DX	40	5.1	9	2	3	4	7	10	11	12
TOTAL MULTIPLE DX	107	10.7	128	3	5	7	12	21	31	69
TOTAL										
0-19 YRS	30	9.4	164	2	4	6	11	17	22	72
20-34	29	8.3	79	3	4	6	8	15	20	50
35-49	28	7.4	25	3	4	6	11	15	18	21
50-64	24	10.1	82	1	3	7	13	28	29	32
65 +	36	10.5	146	2	4	8	12	19	32	67
GRAND TOTAL	147	9.2	102	3	4	6	11	18	28	67

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	85	4.9	10	2	3	4	6	8	14	16
20-34	216	4.8	8	2	3	4	6	8	11	16
35-49	86	5.0	7	2	3	4	7	9	10	14
50-64	49	7.4	31	3	4	6	9	13	18	32
65 +	32	9.3	59	3	4	6	12	18	26	37
2. MULTIPLE DX										
0-19 YRS	203	11.9	140	3	5	8	15	27	40	91
20-34	260	8.2	59	3	4	6	9	16	22	42
35-49	233	9.6	77	3	4	7	11	19	25	46
50-64	310	10.7	65	4	6	8	13	22	27	41
65 +	488	12.2	89	4	6	9	15	23	29	51
TOTAL SINGLE DX	468	5.5	16	2	3	4	7	10	13	20
TOTAL MULTIPLE DX	1494	10.7	87	3	5	8	13	22	29	51
TOTAL										
0-19 YRS	288	9.8	112	3	4	6	12	22	30	75
20-34	476	6.6	39	3	3	5	7	13	17	33
35-49	319	8.4	63	3	4	6	9	16	23	43
50-64	359	10.3	62	3	5	8	12	21	26	41
65 +	520	12.0	88	4	6	9	15	23	29	51
GRAND TOTAL	1962	9.5	75	3	4	7	12	19	26	47

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	159	5.4	4	3	4	5	6	8	9	12
20-34	32	5.2	16	1	1	5	7	12	14	15
35-49	36	5.5	52	1	1	3	7	12	19	38
50-64	35	5.9	28	1	1	4	9	11	19	22
65 +	30	5.1	22	1	2	3	8	13	15	18
2. MULTIPLE DX										
0-19 YRS	65	9.2	119	2	4	6	9	18	27	70
20-34	55	10.9	148	1	4	8	13	23	35	66
35-49	101	10.2	143	1	3	7	13	25	33	89
50-64	181	10.0	91	1	4	8	13	18	25	48
65 +	223	11.5	82	2	5	9	15	22	30	48
TOTAL SINGLE DX	292	5.4	16	1	3	5	7	9	12	21
TOTAL MULTIPLE DX	625	10.6	105	2	4	8	14	21	28	55
TOTAL										
0-19 YRS	224	6.5	41	3	4	5	7	9	14	30
20-34	87	8.8	107	1	2	6	11	18	24	62
35-49	137	9.0	123	1	2	6	11	21	30	81
50-64	216	9.3	84	1	3	8	12	18	24	47
65 +	253	10.8	80	2	5	9	15	20	28	48
GRAND TOTAL	917	8.9	82	1	4	6	11	18	26	49

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	245	7.4	34	4	5	6	8	11	14	27
20-34	18	8.7	41	5	5	7	9	12	25	33
35-49	18	8.1	6	5	7	8	9	10	13	15
50-64	22	9.9	4	7	8	10	11	13	13	14
65 +	11	10.8	29	4	9	10	12	19	24	24
2. MULTIPLE DX										
0-19 YRS	645	12.8	133	5	7	9	15	25	37	98
20-34	62	21.5	356	8	9	12	30	65	73	99 +
35-49	125	16.3	168	8	9	12	19	37	59	99 +
50-64	194	18.5	225	8	9	14	22	43	62	99 +
65 +	291	17.4	160	9	10	13	20	31	52	99 +
TOTAL SINGLE DX	314	7.8	31	4	5	7	9	12	14	29
TOTAL MULTIPLE DX	1317	15.4	173	6	8	11	18	32	51	99 +
TOTAL										
0-19 YRS	890	11.3	112	5	6	8	12	22	31	86
20-34	80	18.6	314	6	8	10	27	52	69	99 +
35-49	143	15.3	156	7	8	11	17	34	58	99 +
50-64	216	17.6	209	8	9	13	21	41	52	99 +
65 +	302	17.2	157	8	10	13	20	30	51	99 +
GRAND TOTAL	1631	13.9	155	5	7	10	16	28	47	99 +

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	4	6.0	28	3	3	4	9	14	14	14
35-49	78	5.0	9	2	3	4	7	9	11	14
50-64	129	4.5	14	2	2	3	6	8	10	19
65 +	51	4.8	9	2	3	4	6	10	11	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	32	5.7	15	2	3	5	8	10	11	20
35-49	586	5.7	15	2	3	5	7	11	12	19
50-64	1245	6.0	29	2	3	5	8	11	13	23
65 +	1022	6.9	23	2	3	6	9	13	16	26
TOTAL SINGLE DX	262	4.7	12	2	2	4	6	9	11	14
TOTAL MULTIPLE DX	2885	6.2	25	2	3	5	8	11	14	24
TOTAL										
0-19 YRS	0									
20-34	36	5.8	16	2	3	4	8	10	13	20
35-49	664	5.6	15	2	3	5	7	10	12	19
50-64	1374	5.8	28	2	3	4	8	11	13	23
65 +	1073	6.8	23	2	3	6	9	12	16	26
GRAND TOTAL	3147	6.1	24	2	3	5	8	11	14	23

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	7.0		7	7	7	7	7	7	7
35-49	26	8.8	6	7	7	8	9	11	13	20
50-64	87	9.9	6	7	8	9	11	14	15	18
65 +	44	10.4	10	8	8	10	11	15	16	25
2. MULTIPLE DX										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	15	11.7	9	8	10	12	14	17	18	18
35-49	425	10.9	23	7	8	9	13	16	20	32
50-64	1479	12.4	49	8	8	11	14	19	23	46
65 +	1415	14.6	64	8	10	12	17	23	29	49
TOTAL SINGLE DX	159	9.9	8	7	8	9	11	14	15	20
TOTAL MULTIPLE DX	3335	13.1	55	8	9	11	15	20	25	45
TOTAL										
0-19 YRS	2	24.0	98	17	17	24	31	31	31	31
20-34	16	11.4	11	7	9	11	13	17	18	18
35-49	451	10.8	23	7	8	9	12	16	20	32
50-64	1566	12.2	48	8	8	10	14	18	23	45
65 +	1459	14.4	64	8	9	12	17	23	28	48
GRAND TOTAL	3494	13.0	53	8	9	11	15	20	25	45

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	342	1.5	1	1	1	1	2	2	3	8
20-34	74	2.6	6	1	1	2	4	6	8	13
35-49	527	2.5	5	1	1	1	3	6	8	11
50-64	840	2.5	7	1	1	1	3	7	9	12
65 +	329	2.7	33	1	1	1	3	7	9	15
2. MULTIPLE DX										
0-19 YRS	897	2.9	28	1	1	2	2	6	9	27
20-34	240	4.1	22	1	1	2	5	10	13	17
35-49	2532	3.9	14	1	1	3	5	8	11	17
50-64	5441	4.1	17	1	1	2	6	9	12	19
65 +	4334	5.4	31	1	2	4	7	12	15	27
TOTAL SINGLE DX	2112	2.4	10	1	1	1	2	6	8	12
TOTAL MULTIPLE DX	13444	4.4	23	1	1	3	6	10	13	22
TOTAL										
0-19 YRS	1239	2.5	21	1	1	2	2	4	8	24
20-34	314	3.8	19	1	1	2	5	9	12	17
35-49	3059	3.6	13	1	1	2	5	8	10	16
50-64	6281	3.9	16	1	1	2	6	9	11	18
65 +	4663	5.2	32	1	2	3	7	11	15	26
GRAND TOTAL	15556	4.1	21	1	1	2	6	9	12	21

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	4.0	5	1	2	3	6	8	8	9
20-34	6	4.8	10	1	2	4	8	9	9	9
35-49	7	3.7	8	1	2	3	5	8	9	9
50-64	24	3.2	5	1	2	3	4	6	9	11
65 +	115	3.4	8	1	1	3	5	7	10	13
2. MULTIPLE DX										
0-19 YRS	77	8.7	194	2	3	4	8	16	33	85
20-34	18	9.0	115	2	3	7	9	15	36	49
35-49	56	9.1	55	2	4	7	11	20	25	36
50-64	304	9.7	81	2	4	7	13	20	28	44
65 +	2008	8.8	54	3	4	7	11	17	23	39
TOTAL SINGLE DX	181	3.5	7	1	1	3	5	8	9	13
TOTAL MULTIPLE DX	2463	8.9	63	2	4	7	11	17	24	43
TOTAL										
0-19 YRS	106	7.4	147	2	3	4	7	13	20	74
20-34	24	8.0	91	2	3	6	9	13	26	49
35-49	63	8.5	53	2	3	6	11	20	23	36
50-64	328	9.2	79	2	4	6	12	19	27	43
65 +	2123	8.5	53	2	4	7	11	16	22	38
GRAND TOTAL	2644	8.5	61	2	4	6	11	17	23	41

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	6.6	9	3	5	6	8	10	13	16
20-34	6	6.3	7	3	4	6	9	9	9	9
35-49	3	5.0	16	1	2	5	8	9	9	9
50-64	7	5.0	9	1	2	6	8	8	8	8
65 +	3	8.7	2	7	7	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	68	10.9	94	4	6	8	12	20	24	66
20-34	39	7.5	26	2	2	7	13	15	15	16
35-49	95	6.4	50	1	2	3	10	14	19	76
50-64	128	8.2	72	2	2	5	12	19	25	56
65 +	59	13.5	71	4	8	11	21	26	28	35
TOTAL SINGLE DX	43	6.3	9	2	4	6	8	9	11	16
TOTAL MULTIPLE DX	389	8.9	71	2	2	7	13	20	25	47
TOTAL										
0-19 YRS	92	9.8	76	4	5	8	11	18	21	55
20-34	45	7.4	24	2	3	7	11	15	15	16
35-49	98	6.3	49	1	2	3	9	14	19	75
50-64	135	8.0	70	1	2	5	11	18	24	53
65 +	62	13.3	69	4	8	10	20	26	28	35
GRAND TOTAL	432	8.7	66	2	3	7	12	19	25	46

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	231	2.2	6	<1	1	1	2	6	8	14
20-34	37	3.5	11	1	1	2	5	7	13	14
35-49	27	2.5	4	<1	1	1	4	6	7	8
50-64	54	3.1	19	<1	1	2	3	8	10	26
65 +	22	3.8	63	<1	1	2	3	5	19	39
2. MULTIPLE DX										
0-19 YRS	316	8.6	133	1	2	5	11	23	32	99 +
20-34	104	9.4	60	2	4	7	14	21	23	38
35-49	218	9.2	84	1	2	7	12	18	28	50
50-64	460	8.3	57	2	3	6	11	17	23	39
65 +	1141	11.2	83	2	5	9	15	23	29	51
TOTAL SINGLE DX	371	2.6	12	<1	1	1	3	6	8	16
TOTAL MULTIPLE DX	2239	9.9	86	2	4	8	13	21	28	51
TOTAL										
0-19 YRS	547	5.9	90	<1	1	2	7	15	25	94
20-34	141	7.9	54	1	2	6	11	18	22	34
35-49	245	8.4	80	1	2	6	11	18	27	48
50-64	514	7.7	56	1	2	6	11	16	22	38
65 +	1163	11.1	84	2	5	9	15	22	29	50
GRAND TOTAL	2610	8.9	82	1	2	7	12	20	27	48

197 Hospitals, Southern Region, January-December 1988, by Operation

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	71	1.9	1	1	1	2	3	3	4	6
35-49	136	2.2	4	1	1	2	3	3	5	11
50-64	103	2.4	5	1	1	2	3	4	5	16
65+	24	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	3	9.0	192	1	1	1	19	25	25	25
20-34	26	2.3	1	1	1	2	3	4	5	6
35-49	63	3.2	19	1	2	2	3	5	8	29
50-64	73	3.9	19	1	2	3	4	9	12	27
65+	44	5.8	30	1	2	3	10	15	18	20
TOTAL SINGLE DX	335	2.2	4	1	1	2	3	4	5	11
TOTAL MULTIPLE DX	209	4.0	23	1	2	2	4	10	13	27
TOTAL										
0-19 YRS	4	7.0	144	<1	<1	1	13	25	25	25
20-34	97	2.0	1	1	1	2	3	3	4	6
35-49	199	2.5	9	1	1	2	3	4	7	19
50-64	176	3.1	12	1	1	2	3	5	10	18
65+	68	4.7	23	1	2	3	5	12	16	20
GRAND TOTAL	544	2.9	12	1	1	2	3	5	9	19

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	7.5	8	5	5	7	9	12	13	14
20-34	1	6.0		6	6	6	6	6	6	6
35-49	23	7.4	18	4	5	6	10	14	17	20
50-64	61	7.7	7	4	5	8	9	11	13	16
65+	65	9.2	15	4	7	9	11	13	15	26
2. MULTIPLE DX										
0-19 YRS	136	13.0	182	5	7	9	15	38	88	99+
20-34	20	14.5	110	4	7	13	18	29	40	44
35-49	125	11.8	100	5	7	9	13	20	29	73
50-64	529	12.3	117	5	7	9	13	23	38	79
65+	1058	14.3	125	6	8	11	17	28	40	66
TOTAL SINGLE DX	174	8.2	12	4	6	8	10	13	14	20
TOTAL MULTIPLE DX	1868	13.5	126	5	7	10	15	26	40	82
TOTAL										
0-19 YRS	160	12.1	160	5	6	8	14	28	66	99+
20-34	21	14.0	109	5	7	12	18	28	40	44
35-49	148	11.1	90	5	6	9	12	19	25	72
50-64	590	11.8	108	5	7	9	12	21	33	76
65+	1123	14.0	121	6	8	11	16	27	39	66
GRAND TOTAL	2042	13.0	119	5	7	10	15	24	37	80

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.8	31	<1	1	3	5	14	18	18
20-34	3	3.0		3	3	3	3	3	3	3
35-49	3	6.7	96	<1	<1	<1	14	18	18	18
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	6.5	61	<1	<1	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	71	7.5	92	1	2	4	9	17	34	43
20-34	185	5.8	30	1	2	4	7	13	16	30
35-49	375	6.0	34	1	2	5	8	11	17	31
50-64	524	6.6	45	2	3	5	8	13	18	34
65+	622	7.5	57	2	3	5	9	15	23	40
TOTAL SINGLE DX	17	5.2	32	<1	1	3	6	17	18	18
TOTAL MULTIPLE DX	1777	6.8	48	2	3	5	8	13	19	37
TOTAL										
0-19 YRS	79	7.2	86	1	2	4	8	17	33	43
20-34	188	5.7	30	1	2	4	7	13	16	30
35-49	378	6.0	34	1	2	5	8	11	17	31
50-64	525	6.6	46	2	3	5	8	13	18	33
65+	624	7.5	58	2	3	5	9	15	23	40
GRAND TOTAL	1794	6.7	48	2	3	5	8	13	19	37

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	4.0	10	1	2	2	6	9	11	11
20-34	7	2.0		1	1	2	3	3	3	3
35-49	6	2.8	3	<1	1	2	4	6	6	6
50-64	9	3.8	14	<1	1	2	5	10	12	12
65+	10	8.6	128	<1	1	3	13	28	35	35
2. MULTIPLE DX										
0-19 YRS	43	13.9	227	2	4	9	19	31	46	76
20-34	152	9.2	122	2	2	6	11	22	31	63
35-49	276	8.5	90	1	3	6	11	17	26	57
50-64	462	9.6	139	1	3	6	12	21	28	66
65+	441	12.8	153	2	4	9	16	29	37	70
TOTAL SINGLE DX	45	4.5	38	1	1	2	5	11	15	35
TOTAL MULTIPLE DX	1374	10.5	138	2	3	7	13	24	33	64
TOTAL										
0-19 YRS	56	11.6	194	2	3	8	14	29	40	75
20-34	159	8.9	119	1	2	5	10	21	29	62
35-49	282	8.4	89	1	3	6	11	17	25	57
50-64	471	9.5	138	1	3	6	12	20	27	65
65+	451	12.6	153	2	4	9	16	29	37	69
GRAND TOTAL	1419	10.3	136	2	3	7	13	23	32	63

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	9	7.2	36	3	4	5	8	18	22	22
50-64	53	5.3	6	3	4	5	7	9	10	15
65 +	135	5.9	17	3	4	5	7	8	10	21
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	49	6.8	19	3	4	5	9	14	18	18
50-64	382	6.7	25	3	4	5	8	13	18	26
65 +	994	8.0	45	3	4	6	10	15	20	33
TOTAL SINGLE DX	197	5.8	15	3	4	5	7	9	11	20
TOTAL MULTIPLE DX	1425	7.6	40	3	4	6	9	15	19	30
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	58	6.9	21	3	4	5	9	14	18	22
50-64	435	6.5	23	3	4	5	7	12	16	26
65 +	1129	7.8	43	3	4	6	9	14	20	32
GRAND TOTAL	1622	7.4	37	3	4	5	8	14	19	30

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	262	5.8	24	2	3	5	7	10	14	36
20-34	55	4.5	17	1	1	3	6	10	14	19
35-49	85	5.4	18	1	2	4	8	11	13	19
50-64	144	5.9	25	1	2	5	9	12	15	22
65 +	113	8.0	36	1	3	8	11	16	20	27
2. MULTIPLE DX										
0-19 YRS	1291	19.0	409	3	6	11	30	63	94	99 +
20-34	298	8.6	95	1	3	5	10	20	32	53
35-49	448	11.0	163	1	3	7	14	28	35	89
50-64	1086	10.2	105	2	4	8	12	23	35	62
65 +	2028	12.5	142	3	6	10	15	25	35	79
TOTAL SINGLE DX	659	6.0	26	1	2	5	8	12	15	27
TOTAL MULTIPLE DX	5151	13.3	212	2	5	9	16	33	53	99 +
TOTAL										
0-19 YRS	1553	16.8	369	3	5	9	24	56	86	99 +
20-34	353	8.0	86	1	2	5	10	18	31	48
35-49	533	10.1	145	1	3	7	13	26	34	75
50-64	1230	9.7	98	1	3	7	12	21	32	56
65 +	2141	12.3	138	3	6	9	15	25	34	78
GRAND TOTAL	5810	12.5	197	2	4	8	15	31	48	99 +

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	146	3.1	6	< 1	1	2	4	7	8	11
20-34	56	3.2	9	1	1	2	4	6	9	16
35-49	26	3.3	8	< 1	1	3	4	8	11	12
50-64	50	3.7	30	< 1	1	2	4	7	8	36
65 +	30	3.9	10	< 1	< 1	3	5	9	10	11
2. MULTIPLE DX										
0-19 YRS	113	7.3	80	1	2	5	9	15	21	54
20-34	63	7.3	42	1	2	5	10	16	21	31
35-49	85	6.1	28	< 1	2	5	8	13	18	23
50-64	155	8.7	115	1	3	6	10	19	25	74
65 +	268	8.9	73	1	3	7	11	17	25	33
TOTAL SINGLE DX	308	3.3	12	< 1	1	2	4	7	9	15
TOTAL MULTIPLE DX	684	8.1	76	1	3	6	10	17	23	36
TOTAL										
0-19 YRS	259	4.9	43	< 1	1	3	6	10	14	41
20-34	119	5.4	31	1	1	4	7	14	17	25
35-49	111	5.5	25	< 1	2	4	8	13	17	22
50-64	205	7.5	99	1	2	4	9	16	23	55
65 +	298	8.4	69	1	3	7	11	17	25	33
GRAND TOTAL	992	6.6	61	1	2	5	8	14	19	34

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.7	2	1	1	2	4	5	5	5
20-34	11	3.8	19	< 1	1	2	4	11	16	16
35-49	21	3.1	5	1	1	2	4	7	8	8
50-64	35	4.8	16	2	2	4	6	9	11	22
65 +	27	8.6	118	1	3	4	10	19	40	46
2. MULTIPLE DX										
0-19 YRS	6	9.3	87	1	2	6	16	24	25	25
20-34	17	6.3	13	3	3	6	9	10	13	15
35-49	49	6.8	49	1	2	5	8	16	17	43
50-64	78	8.9	64	2	4	6	11	18	28	41
65 +	133	8.0	39	3	4	6	9	15	21	36
TOTAL SINGLE DX	100	5.2	45	1	2	3	6	10	16	42
TOTAL MULTIPLE DX	283	8.0	48	2	4	6	10	16	22	38
TOTAL										
0-19 YRS	12	6.0	53	1	2	3	6	19	24	25
20-34	28	5.3	17	1	2	4	7	10	15	16
35-49	70	5.7	39	1	2	4	7	12	17	38
50-64	113	7.6	53	2	3	5	10	16	24	38
65 +	160	8.1	53	2	4	6	9	15	23	39
GRAND TOTAL	383	7.3	48	2	3	5	9	15	20	39

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	37.0	106	27	30	34	42	54	55	55
20-34	0									
35-49	1	37.0		37	37	37	37	37	37	37
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	10	41.1	456	15	28	46	64	83	99	99+
20-34	6	55.0	484	32	41	50	64	91	94	94
35-49	6	44.0	505	25	31	38	46	83	87	87
50-64	2	35.5	5	34	34	35	37	37	37	37
65+	0									
TOTAL SINGLE DX	7	37.0	89	28	30	37	41	52	55	55
TOTAL MULTIPLE DX	24	44.8	435	24	31	42	56	87	95	99+
TOTAL										
0-19 YRS	16	39.6	314	25	29	37	54	70	90	99+
20-34	6	55.0	485	32	41	50	64	91	94	94
35-49	7	43.0	428	25	32	37	45	79	87	87
50-64	2	35.5	5	34	34	35	37	37	37	37
65+	0									
GRAND TOTAL	31	43.1	362	28	31	39	63	76	93	99+

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	251	5.0	24	1	2	4	6	9	13	23
20-34	49	5.0	12	1	3	5	6	8	15	18
35-49	40	5.6	15	1	2	5	7	11	13	18
50-64	35	7.5	34	2	4	6	9	14	19	31
65+	26	5.7	15	1	4	5	8	10	12	19
2. MULTIPLE DX										
0-19 YRS	403	9.9	105	2	4	7	12	21	30	62
20-34	229	12.3	179	3	5	8	13	27	46	89
35-49	308	10.8	90	3	5	8	13	24	31	54
50-64	397	12.3	131	3	5	9	15	27	41	62
65+	1032	11.1	81	4	5	8	14	22	30	49
TOTAL SINGLE DX	401	5.3	23	1	2	4	7	10	14	22
TOTAL MULTIPLE DX	2369	11.2	105	3	5	8	14	23	33	56
TOTAL										
0-19 YRS	654	8.0	80	2	3	5	10	16	23	45
20-34	278	11.1	158	3	5	7	12	24	40	84
35-49	348	10.2	85	2	4	8	12	22	30	52
50-64	432	11.9	125	3	5	8	14	26	40	61
65+	1058	10.9	81	4	5	8	14	21	30	49
GRAND TOTAL	2770	10.3	97	3	5	7	12	22	31	55

587: Venous catheterization, except umbilical (38.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	133	7.8	93	1	2	5	10	17	25	51
20-34	31	8.8	67	2	3	7	10	20	28	37
35-49	22	11.0	199	1	1	5	17	35	47	52
50-64	18	6.3	48	<1	2	4	8	18	24	26
65+	13	7.0	74	2	4	5	6	13	31	35
2. MULTIPLE DX										
0-19 YRS	424	17.8	314	3	6	13	25	50	79	99+
20-34	208	12.8	132	2	5	9	18	28	34	44
35-49	358	13.1	154	2	5	9	17	27	39	62
50-64	531	13.1	150	2	5	10	17	29	37	60
65+	718	16.3	193	4	7	13	22	34	45	92
TOTAL SINGLE DX	217	8.1	95	1	2	5	9	18	27	48
TOTAL MULTIPLE DX	2239	15.0	198	3	6	11	20	34	45	93
TOTAL										
0-19 YRS	557	15.4	280	2	5	10	21	42	64	99+
20-34	239	12.3	126	2	4	9	17	28	34	44
35-49	380	13.0	157	2	5	9	17	28	39	61
50-64	549	12.9	149	2	4	9	17	28	36	60
65+	731	16.2	193	4	7	12	21	34	45	92
GRAND TOTAL	2456	14.4	193	2	5	10	19	33	44	92

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	3.1	5	1	2	2	4	7	8	8
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	113	7.8	68	3	4	5	8	16	21	52
20-34	5	12.6	74	3	5	14	17	25	25	25
35-49	10	9.4	34	2	5	8	12	18	21	21
50-64	19	7.8	45	2	4	5	9	21	25	25
65+	17	11.8	69	3	5	10	19	28	72	99+
TOTAL SINGLE DX	16	2.9	5	1	1	2	4	6	7	8
TOTAL MULTIPLE DX	164	8.5	65	3	4	6	10	19	25	58
TOTAL										
0-19 YRS	123	7.4	65	3	3	5	8	15	21	51
20-34	7	9.3	82	1	2	6	15	23	25	25
35-49	12	8.3	35	1	4	7	12	17	20	21
50-64	20	7.6	45	2	3	5	8	20	24	25
65+	18	11.4	67	3	5	10	19	27	68	99+
GRAND TOTAL	180	8.0	62	2	3	5	9	17	24	56

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	3.8	50	<1	1	1	3	7	14	45
20-34	13	4.7	15	1	2	3	7	11	12	12
35-49	16	6.1	24	1	3	5	7	16	18	18
50-64	24	3.9	11	<1	1	3	5	8	12	14
65+	25	5.2	79	<1	<1	2	5	17	24	42
2. MULTIPLE DX										
0-19 YRS	142	8.8	164	1	2	4	11	24	48	99+
20-34	76	7.9	110	2	3	5	8	17	27	65
35-49	208	7.5	64	1	3	5	8	17	31	41
50-64	287	9.3	100	2	4	7	11	20	26	86
65+	487	10.5	118	2	4	7	13	24	37	62
TOTAL SINGLE DX	140	4.4	42	<1	1	2	5	10	16	43
TOTAL MULTIPLE DX	1200	9.3	111	1	3	6	11	21	32	74
TOTAL										
0-19 YRS	204	7.3	135	1	1	3	8	21	35	99+
20-34	89	7.4	97	1	3	5	8	14	26	60
35-49	224	7.4	62	1	3	5	8	17	27	41
50-64	311	8.8	95	2	3	6	11	19	25	85
65+	512	10.3	118	2	4	7	13	23	37	62
GRAND TOTAL	1340	8.8	106	1	3	6	11	20	31	71

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	492	3.0	1	2	2	3	4	4	5	7
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	0									
2. MULTIPLE DX										
0-19 YRS	149	5.1	33	2	3	4	5	8	11	49
20-34	4	6.5	6	3	5	7	8	9	9	9
35-49	6	10.8	26	6	7	10	12	19	20	20
50-64	13	10.6	16	7	7	10	12	16	20	21
65+	13	18.9	203	7	10	12	31	37	52	55
TOTAL SINGLE DX	495	3.0	2	2	2	3	4	5	5	7
TOTAL MULTIPLE DX	185	6.6	56	2	3	4	7	12	23	53
TOTAL										
0-19 YRS	641	3.5	10	2	2	3	4	5	7	13
20-34	5	6.6	5	3	6	7	8	9	9	9
35-49	7	10.3	24	6	7	8	12	18	20	20
50-64	14	10.3	17	6	7	10	12	15	20	21
65+	13	18.9	204	7	10	12	31	37	52	55
GRAND TOTAL	680	4.0	19	2	2	3	4	6	9	29

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	6.8	55	1	2	3	11	20	22	23
20-34	5	11.6	106	1	3	8	22	24	24	24
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	7.8	31	4	4	5	11	16	16	16
65+	14	11.1	64	1	3	10	18	23	23	23
2. MULTIPLE DX										
0-19 YRS	103	14.9	262	3	5	10	23	60	99+	99+
20-34	22	17.6	503	2	5	10	29	89	99+	99+
35-49	37	18.5	267	4	8	13	32	64	99+	99+
50-64	119	20.8	341	4	8	16	26	44	71	99
65+	736	20.2	333	4	9	15	27	54	82	99+
TOTAL SINGLE DX	37	9.1	62	1	2	6	16	22	23	24
TOTAL MULTIPLE DX	1017	19.6	330	4	8	14	27	54	84	99+
TOTAL										
0-19 YRS	116	14.0	245	2	4	10	22	52	99+	99+
20-34	27	16.5	429	2	4	10	25	81	99+	99+
35-49	38	18.1	267	3	7	13	31	63	99+	99+
50-64	123	20.4	336	4	8	15	26	42	71	99
65+	750	20.0	330	4	9	15	26	52	82	99+
GRAND TOTAL	1054	19.2	324	4	8	14	25	52	83	99+

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	5.3	29	1	1	5	7	14	16	16
20-34	20	4.4	7	1	3	4	6	7	10	13
35-49	33	4.8	19	1	2	4	6	9	16	21
50-64	36	6.7	45	2	3	5	8	11	17	40
65 +	16	4.5	4	1	3	4	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	48	5.3	13	2	2	4	7	12	13	16
20-34	114	6.4	40	2	3	5	7	11	18	36
35-49	236	6.5	34	2	3	5	7	12	17	37
50-64	443	7.8	58	3	4	5	9	15	22	47
65 +	955	9.2	65	3	5	7	11	17	24	45
TOTAL SINGLE DX	112	5.3	24	1	3	4	7	9	13	28
TOTAL MULTIPLE DX	1796	8.2	58	3	4	6	10	15	22	43
TOTAL										
0-19 YRS	55	5.3	15	1	2	5	7	12	14	16
20-34	134	6.1	36	2	3	5	6	10	15	33
35-49	269	6.3	33	2	3	5	7	12	17	35
50-64	479	7.7	58	3	4	5	9	15	22	45
65 +	971	9.1	65	3	5	7	11	16	23	45
GRAND TOTAL	1908	8.0	56	3	4	6	9	15	22	42

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	5	9.4	7	6	7	9	12	12	12	12
35-49	19	9.4	6	7	7	9	11	13	15	15
50-64	27	9.9	6	7	8	10	12	13	15	17
65 +	12	10.7	21	6	7	9	14	18	18	18
2. MULTIPLE DX										
0-19 YRS	3	14.0	25	9	10	14	18	19	19	19
20-34	14	10.4	58	5	6	8	14	17	30	34
35-49	70	12.5	27	7	9	11	15	21	23	86
50-64	129	14.3	70	7	9	12	17	25	33	46
65 +	226	19.3	162	8	11	15	24	35	50	91
TOTAL SINGLE DX	63	9.8	9	7	7	9	12	14	17	18
TOTAL MULTIPLE DX	442	16.4	119	8	9	13	20	29	41	77
TOTAL										
0-19 YRS	3	14.0	25	9	10	14	18	19	19	19
20-34	19	10.2	44	5	6	8	12	15	25	34
35-49	89	11.8	25	7	8	11	14	20	23	73
50-64	156	13.5	62	7	9	11	15	23	29	44
65 +	238	18.9	159	8	11	15	23	34	49	89
GRAND TOTAL	505	15.6	110	7	9	12	18	28	37	69

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	16.0		16	16	16	16	16	16	16
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	6	16.8	51	12	13	15	27	86	99 +	99 +
50-64	24	25.7	355	11	14	21	28	41	69	99
65 +	28	23.3	241	11	15	21	25	43	89	99 +
TOTAL SINGLE DX	2	13.0	18	10	10	13	16	16	16	16
TOTAL MULTIPLE DX	59	23.4	266	11	14	20	26	42	93	99 +
TOTAL										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	7	15.9	50	11	12	14	24	79	99 +	99 +
50-64	25	25.3	344	11	14	21	27	39	67	99
65 +	28	23.3	241	11	15	21	25	43	89	99 +
GRAND TOTAL	61	23.1	261	11	14	20	26	40	92	99 +

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	3.3	4	1	2	3	5	7	7	7
20-34	14	7.1	1	5	6	7	8	8	9	9
35-49	24	7.4	4	5	6	7	9	10	11	12
50-64	20	10.6	32	5	7	9	13	17	23	27
65 +	4	14.0	90	6	7	11	21	27	27	27
2. MULTIPLE DX										
0-19 YRS	14	10.2	59	4	5	10	11	17	30	34
20-34	33	12.9	180	5	6	11	14	20	21	82
35-49	60	9.9	22	5	7	8	12	16	19	27
50-64	70	13.2	61	7	8	11	17	25	28	41
65 +	101	16.7	192	7	8	12	21	32	49	94
TOTAL SINGLE DX	71	8.1	22	4	6	7	9	13	16	27
TOTAL MULTIPLE DX	278	13.6	120	6	8	10	16	24	33	79
TOTAL										
0-19 YRS	23	7.5	48	2	3	6	10	13	22	34
20-34	47	11.2	134	5	6	8	13	19	20	82
35-49	84	9.2	18	5	6	8	11	15	18	26
50-64	90	12.6	55	6	8	10	16	25	27	40
65 +	105	16.6	188	7	8	12	21	30	49	94
GRAND TOTAL	349	12.5	105	5	7	10	15	23	28	71

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	76	6.8	33	1	4	6	8	10	20	31
20-34	79	6.6	5	4	5	6	7	9	11	16
35-49	60	6.4	8	4	5	6	7	9	11	22
50-64	35	7.3	6	5	6	7	8	9	11	19
65 +	11	9.8	9	6	7	10	13	14	14	14
2. MULTIPLE DX										
0-19 YRS	387	16.7	288	5	7	10	22	57	83	99 +
20-34	138	7.5	31	4	5	6	7	12	20	35
35-49	223	10.2	96	5	6	7	10	18	27	71
50-64	215	11.9	80	5	6	9	15	24	31	54
65 +	290	16.2	140	7	9	13	20	30	39	67
TOTAL SINGLE DX	281	6.8	14	4	5	6	7	10	13	26
TOTAL MULTIPLE DX	1253	13.6	167	5	6	9	16	30	48	99 +
TOTAL										
0-19 YRS	463	15.1	260	4	6	9	20	45	73	99 +
20-34	217	7.2	22	4	5	6	7	11	16	30
35-49	303	9.2	76	5	5	7	9	15	24	57
50-64	250	11.3	72	5	6	8	14	21	30	52
65 +	301	16.0	137	7	9	13	19	29	39	65
GRAND TOTAL	1534	12.4	146	5	6	8	14	27	41	99 +

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	134	3.7	8	1	2	3	5	7	9	15
20-34	83	4.2	5	1	2	4	6	8	8	10
35-49	109	4.2	13	< 1	1	4	6	8	10	20
50-64	128	3.4	14	< 1	< 1	2	5	7	11	19
65 +	93	3.1	11	< 1	< 1	1	4	7	10	17
2. MULTIPLE DX										
0-19 YRS	282	7.0	81	2	3	5	8	13	21	65
20-34	286	6.9	49	2	3	5	8	13	17	39
35-49	492	7.1	45	2	3	6	8	13	18	38
50-64	753	7.5	48	2	3	6	9	14	19	33
65 +	1891	8.7	66	2	4	6	10	17	24	44
TOTAL SINGLE DX	547	3.7	11	< 1	1	3	5	8	10	16
TOTAL MULTIPLE DX	3704	8.0	60	2	4	6	10	15	22	43
TOTAL										
0-19 YRS	416	6.0	60	1	2	4	7	12	16	50
20-34	369	6.3	41	2	3	5	7	10	16	38
35-49	601	6.5	41	1	3	5	8	12	16	37
50-64	881	6.9	46	< 1	3	5	9	13	19	32
65 +	1984	8.4	65	2	4	6	10	17	24	43
GRAND TOTAL	4251	7.4	56	1	3	6	9	14	21	42

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	9.1	84	4	6	7	9	11	26	49
20-34	17	9.2	12	6	7	8	11	14	16	17
35-49	20	9.6	16	5	6	8	12	16	17	17
50-64	15	15.5	293	6	7	10	16	26	61	73
65 +	13	9.8	15	7	8	8	10	15	20	21
2. MULTIPLE DX										
0-19 YRS	82	23.0	476	6	8	18	53	99 +	99 +	99 +
20-34	72	14.3	108	8	8	10	16	28	37	92
35-49	82	15.0	187	6	8	10	17	29	39	82
50-64	119	19.5	229	7	10	14	23	43	52	73
65 +	234	18.9	183	8	11	15	23	34	52	98
TOTAL SINGLE DX	87	10.4	82	5	7	8	11	16	21	64
TOTAL MULTIPLE DX	589	18.5	230	7	9	14	23	46	72	99 +
TOTAL										
0-19 YRS	104	20.1	425	6	8	12	48	99 +	99 +	99 +
20-34	89	13.4	93	7	8	10	15	25	36	86
35-49	102	14.0	158	6	7	10	16	23	33	81
50-64	134	19.0	236	7	9	14	22	43	52	73
65 +	247	18.4	179	8	10	14	22	33	45	98
GRAND TOTAL	676	17.5	218	7	9	13	21	43	68	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	8.0	13	5	6	7	9	12	16	23
20-34	38	8.6	12	5	7	8	11	13	14	21
35-49	67	9.6	14	6	7	8	11	16	17	24
50-64	151	9.1	14	7	7	8	10	12	15	26
65 +	140	10.2	19	7	8	9	11	14	18	31
2. MULTIPLE DX										
0-19 YRS	72	20.1	317	7	9	13	33	89	99 +	99 +
20-34	113	15.2	139	7	8	11	17	30	38	64
35-49	279	12.1	48	7	8	10	13	22	29	44
50-64	704	12.9	71	7	8	10	15	21	28	48
65 +	1867	15.4	108	8	9	12	18	26	35	67
TOTAL SINGLE DX	429	9.4	16	6	7	8	10	13	16	26
TOTAL MULTIPLE DX	3035	14.6	103	7	9	11	17	26	34	75
TOTAL										
0-19 YRS	105	16.3	252	6	8	11	24	52	99 +	99 +
20-34	151	13.5	115	6	8	10	15	27	32	53
35-49	346	11.6	43	7	8	10	13	21	25	37
50-64	855	12.2	64	7	8	10	14	20	27	47
65 +	2007	15.0	104	8	9	12	17	26	34	64
GRAND TOTAL	3464	14.0	95	7	9	11	16	24	33	66

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	8.0	34	4	5	7	9	13	19	32
20-34	6	5.8	2	3	5	6	7	7	7	7
35-49	5	10.4	45	5	6	8	13	22	22	22
50-64	3	6.7	6	4	5	7	8	9	9	9
65 +	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	31	18.3	523	4	6	9	32	99 +	99 +	99 +
20-34	12	16.2	87	6	9	14	22	29	35	36
35-49	26	13.0	72	5	8	11	15	24	31	43
50-64	30	15.4	158	7	9	11	18	28	31	70
65 +	94	18.4	160	8	10	15	25	39	53	99 +
TOTAL SINGLE DX	43	7.9	28	4	5	7	9	12	19	32
TOTAL MULTIPLE DX	193	17.1	202	6	9	13	22	38	71	99 +
TOTAL										
0-19 YRS	58	13.5	318	4	5	8	14	78	99 +	99 +
20-34	18	12.7	82	5	6	9	21	25	32	36
35-49	31	12.6	68	5	7	11	15	23	28	43
50-64	33	14.6	151	6	9	10	17	27	31	70
65 +	96	18.2	159	8	10	14	25	38	53	99 +
GRAND TOTAL	236	15.4	183	5	8	11	19	33	55	99 +

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	145	6.0	13	3	4	5	7	9	11	24
20-34	58	7.0	6	4	6	7	8	9	11	17
35-49	53	8.2	27	5	6	7	9	11	14	40
50-64	57	8.3	21	4	6	8	9	11	18	28
65 +	40	9.6	39	5	6	8	11	15	22	37
2. MULTIPLE DX										
0-19 YRS	245	10.9	188	3	5	7	10	17	33	78
20-34	110	9.7	63	5	6	8	10	16	28	99 +
35-49	115	12.3	98	6	7	9	13	26	33	55
50-64	162	13.4	134	6	8	10	13	27	41	68
65 +	328	12.5	85	6	8	10	14	22	31	60
TOTAL SINGLE DX	353	7.2	20	3	5	7	8	11	14	26
TOTAL MULTIPLE DX	960	11.9	120	5	7	9	13	21	33	71
TOTAL										
0-19 YRS	390	9.0	129	3	5	7	9	14	25	73
20-34	168	8.8	46	4	6	8	9	13	19	91
35-49	168	11.0	80	5	6	8	11	20	29	52
50-64	219	12.1	110	5	7	9	12	22	35	63
65 +	368	12.2	81	6	7	10	14	21	29	59
GRAND TOTAL	1313	10.6	97	4	6	8	11	18	28	62

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	6.1	3	4	5	6	7	9	10	10
20-34	2	7.5	13	5	5	7	10	10	10	10
35-49	1	8.0		8	8	8	8	8	8	8
50-64	10	10.4	12	6	7	10	12	15	18	18
65 +	11	10.5	20	6	8	10	11	17	22	22
2. MULTIPLE DX										
0-19 YRS	41	17.0	281	5	7	14	29	99	99 +	99 +
20-34	16	14.3	56	8	9	11	19	25	29	31
35-49	26	16.8	119	6	10	15	19	34	44	46
50-64	57	18.8	205	8	9	15	25	35	65	98
65 +	160	20.2	179	8	11	16	26	44	50	97
TOTAL SINGLE DX	38	8.6	14	4	6	8	10	13	16	22
TOTAL MULTIPLE DX	300	18.9	187	7	10	15	25	39	52	99 +
TOTAL										
0-19 YRS	55	14.2	232	5	6	9	19	39	99 +	99 +
20-34	18	13.6	55	6	8	11	17	25	29	31
35-49	27	16.4	117	6	9	14	19	33	44	46
50-64	67	17.6	185	7	9	13	24	33	57	96
65 +	171	19.6	175	8	10	15	25	42	50	94
GRAND TOTAL	338	17.8	178	6	9	14	24	37	50	99 +

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2354	3.6	5	2	2	3	4	7	8	12
20-34	1330	3.4	3	2	2	3	4	6	7	10
35-49	522	4.0	5	2	3	3	5	7	9	13
50-64	200	4.8	8	2	3	4	7	9	10	14
65 +	67	6.3	15	3	4	5	7	14	15	17
2. MULTIPLE DX										
0-19 YRS	793	6.2	23	2	3	5	8	12	17	25
20-34	573	5.5	20	2	3	4	6	10	12	23
35-49	339	6.8	24	3	4	6	8	13	16	25
50-64	212	9.0	68	3	4	7	11	16	21	36
65 +	226	10.1	40	4	6	9	12	19	23	28
TOTAL SINGLE DX	4473	3.7	5	2	2	3	4	7	8	12
TOTAL MULTIPLE DX	2143	6.8	31	3	3	5	8	13	17	27
TOTAL										
0-19 YRS	3147	4.3	11	2	2	3	5	8	10	20
20-34	1903	4.1	9	2	2	3	5	7	9	15
35-49	861	5.1	15	2	3	4	6	9	12	22
50-64	412	7.0	43	3	3	5	9	12	17	28
65 +	293	9.2	37	4	5	8	12	17	21	28
GRAND TOTAL	6616	4.7	16	2	2	3	6	9	12	21

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	7.5	7	4	5	7	9	11	13	13
20-34	0									
35-49	3	6.7	2	5	5	7	8	8	8	8
50-64	0									
65 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	9	11.4	20	6	8	11	15	18	19	19
20-34	4	9.3	17	5	6	8	12	15	15	15
35-49	6	9.8	13	6	8	8	14	15	15	15
50-64	4	12.0	34	6	7	12	17	18	18	18
65 +	3	8.7	4	7	7	8	10	11	11	11
TOTAL SINGLE DX	17	7.3	6	4	5	7	9	11	12	13
TOTAL MULTIPLE DX	26	10.5	17	6	8	9	15	16	18	19
TOTAL										
0-19 YRS	22	9.1	16	5	6	9	11	15	17	19
20-34	4	9.3	18	5	6	8	12	15	15	15
35-49	9	8.8	12	5	7	8	10	15	15	15
50-64	4	12.0	35	6	7	12	17	18	18	18
65 +	4	8.3	4	7	7	8	9	11	11	11
GRAND TOTAL	**43**	**9.2**	**15**	**5**	**7**	**8**	**11**	**15**	**17**	**19**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	4.4	47	1	1	3	5	7	17	39
20-34	9	4.1	32	<1	1	2	4	13	19	19
35-49	12	2.9	7	1	1	3	3	6	10	11
50-64	17	2.4	4	<1	<1	1	3	6	7	8
65 +	46	2.6	4	<1	1	2	4	5	7	11
2. MULTIPLE DX										
0-19 YRS	84	7.0	78	1	3	5	8	11	22	56
20-34	19	5.7	30	2	4	4	6	8	19	27
35-49	27	8.9	141	1	2	5	8	33	39	42
50-64	58	6.1	30	1	2	4	9	14	17	27
65 +	202	8.2	55	2	3	6	10	17	22	39
TOTAL SINGLE DX	122	3.3	20	<1	1	2	4	6	8	27
TOTAL MULTIPLE DX	390	7.6	62	2	3	5	9	16	22	39
TOTAL										
0-19 YRS	122	6.2	70	1	2	4	7	10	21	46
20-34	28	5.2	30	1	2	4	5	8	20	27
35-49	39	7.1	107	1	1	3	6	20	37	42
50-64	75	5.2	27	1	1	3	8	12	16	26
65 +	248	7.2	51	1	3	5	9	16	20	39
GRAND TOTAL	**512**	**6.5**	**55**	**1**	**2**	**4**	**8**	**15**	**20**	**39**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	3.1	3	1	2	2	5	6	7	7
20-34	105	2.5	3	1	1	2	3	5	6	11
35-49	82	2.7	4	1	1	2	3	5	6	11
50-64	35	2.6	5	1	1	2	3	6	8	9
65 +	8	4.0	12	1	2	3	5	10	12	12
2. MULTIPLE DX										
0-19 YRS	23	9.3	377	1	2	3	7	16	45	95
20-34	54	5.0	19	1	2	3	7	12	15	18
35-49	76	5.8	43	1	2	4	6	13	20	34
50-64	62	5.8	39	1	2	4	7	11	18	35
65 +	41	11.5	148	2	4	8	15	26	35	64
TOTAL SINGLE DX	263	2.7	4	1	1	2	3	5	7	11
TOTAL MULTIPLE DX	256	6.8	88	1	2	4	8	15	21	36
TOTAL										
0-19 YRS	56	5.6	163	1	2	3	5	8	16	90
20-34	159	3.4	11	1	1	2	4	7	11	15
35-49	158	4.2	25	1	2	3	5	8	12	31
50-64	97	4.6	29	1	2	3	6	9	12	32
65 +	49	10.3	133	2	3	5	13	24	34	64
GRAND TOTAL	**519**	**4.7**	**50**	**1**	**2**	**3**	**5**	**10**	**15**	**34**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	40	8.1	9	5	6	8	10	12	13	17
20-34	4	9.5	22	6	6	8	13	16	16	16
35-49	13	10.0	7	7	8	10	11	14	15	15
50-64	24	10.1	5	7	9	10	11	15	15	15
65 +	40	10.2	9	7	8	10	12	14	16	18
2. MULTIPLE DX										
0-19 YRS	53	10.3	23	7	8	9	12	15	20	28
20-34	18	12.6	87	7	8	10	12	21	36	46
35-49	41	12.9	194	7	8	9	13	17	29	93
50-64	130	14.3	75	8	9	12	15	24	31	50
65 +	349	15.7	93	8	10	13	19	26	34	65
TOTAL SINGLE DX	121	9.5	9	6	7	9	11	14	15	17
TOTAL MULTIPLE DX	591	14.6	92	8	9	12	17	25	33	63
TOTAL										
0-19 YRS	93	9.4	18	5	7	9	11	13	17	28
20-34	22	12.0	76	6	7	9	12	21	32	46
35-49	54	12.2	150	7	8	10	13	17	23	91
50-64	154	13.7	67	8	9	11	14	23	29	47
65 +	389	15.1	87	8	10	12	18	25	33	65
GRAND TOTAL	**712**	**13.8**	**82**	**7**	**9**	**11**	**15**	**23**	**29**	**56**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	246	2.7	5	1	1	2	4	6	7	11
20-34	276	4.1	9	1	2	3	5	8	10	19
35-49	341	3.9	9	1	2	3	5	7	10	16
50-64	273	3.9	6	< 1	2	3	5	7	9	14
65 +	225	4.4	25	< 1	1	3	6	8	11	25
2. MULTIPLE DX										
0-19 YRS	532	5.5	48	1	2	4	6	12	17	40
20-34	1134	5.6	37	2	3	4	7	10	15	34
35-49	2097	6.1	33	2	3	5	7	12	17	30
50-64	2750	6.7	36	2	3	5	8	13	18	33
65 +	5691	8.3	58	3	4	6	10	16	22	44
TOTAL SINGLE DX	1361	3.8	11	< 1	2	3	5	7	9	16
TOTAL MULTIPLE DX	12204	7.2	48	2	3	5	8	14	19	39
TOTAL										
0-19 YRS	778	4.6	37	1	1	3	5	10	15	31
20-34	1410	5.3	32	1	3	4	6	10	14	29
35-49	2438	5.8	31	2	3	4	7	11	16	28
50-64	3023	6.5	35	2	3	5	8	12	17	32
65 +	5916	8.2	58	3	4	6	10	16	22	43
GRAND TOTAL	13565	6.9	46	2	3	5	8	13	19	38

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.1		< 1	< 1	1	1	1	2	2
20-34	50	2.3	1	1	1	2	3	4	5	6
35-49	63	1.9	1	1	1	2	3	3	4	5
50-64	26	2.0	2	1	1	1	3	5	5	6
65 +	10	2.8	7	1	1	2	3	7	10	10
2. MULTIPLE DX										
0-19 YRS	6	3.0	2	< 1	2	3	3	6	6	6
20-34	39	3.1	14	1	1	2	4	6	8	23
35-49	70	3.0	8	1	1	2	4	5	7	19
50-64	47	2.9	8	1	1	2	4	5	9	15
65 +	33	4.1	21	1	1	3	4	13	17	18
TOTAL SINGLE DX	163	2.0	2	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	195	3.2	12	1	1	2	4	6	9	20
TOTAL										
0-19 YRS	20	1.7	2	< 1	< 1	1	2	3	5	6
20-34	89	2.6	7	1	1	2	3	5	6	18
35-49	133	2.5	5	1	1	2	3	4	5	14
50-64	73	2.6	7	1	1	2	4	5	6	15
65 +	43	3.8	18	1	1	2	4	10	16	18
GRAND TOTAL	358	2.7	8	1	1	2	3	5	6	17

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.9	2	< 1	< 1	1	2	4	6	6
20-34	27	2.3	3	< 1	< 1	2	3	5	6	8
35-49	42	2.0	1	< 1	< 1	2	3	4	5	6
50-64	13	1.9	4	< 1	< 1	1	2	4	8	9
65 +	15	2.3	2	< 1	1	2	3	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	2.6	13	< 1	< 1	1	3	9	9	9
20-34	45	2.7	3	1	1	2	4	6	7	8
35-49	76	2.8	8	1	1	2	3	5	10	14
50-64	51	2.4	4	< 1	1	2	3	4	7	12
65 +	42	3.8	10	1	2	3	6	9	11	13
TOTAL SINGLE DX	112	2.1	2	< 1	< 1	1	3	4	5	8
TOTAL MULTIPLE DX	219	2.9	7	1	1	2	3	6	9	13
TOTAL										
0-19 YRS	20	2.1	5	< 1	< 1	1	2	5	7	9
20-34	72	2.6	4	< 1	1	2	4	5	7	8
35-49	118	2.5	6	< 1	1	2	3	5	8	14
50-64	64	2.3	4	< 1	1	2	3	4	8	12
65 +	57	3.4	8	1	1	3	4	8	10	13
GRAND TOTAL	331	2.6	6	<1	1	2	3	5	8	12

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	3.0	2	1	2	3	4	5	5	5
20-34	104	2.4	1	1	1	2	3	4	5	6
35-49	164	2.4	2	1	1	2	3	5	5	6
50-64	77	2.2	1	1	1	2	3	4	5	7
65 +	25	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	6	3.2	7	1	1	2	4	8	8	8
20-34	334	3.0	3	1	2	3	4	5	7	10
35-49	598	3.0	4	1	2	2	4	5	6	14
50-64	538	3.3	5	1	2	3	4	6	7	13
65 +	274	4.7	28	1	2	4	5	9	12	22
TOTAL SINGLE DX	376	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1750	3.4	9	1	2	3	4	6	7	15
TOTAL										
0-19 YRS	12	3.1	4	1	1	3	4	6	8	8
20-34	438	2.9	3	1	2	2	4	5	6	10
35-49	762	2.8	4	1	2	2	4	5	6	10
50-64	615	3.1	6	1	2	3	4	5	7	12
65 +	299	4.6	26	1	2	3	5	9	12	22
GRAND TOTAL	2126	3.2	8	1	2	3	4	6	7	14

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	3.4	6	1	1	3	5	8	9	10
20-34	49	2.2	2	1	1	2	3	5	6	6
35-49	71	2.6	4	1	1	2	3	6	7	9
50-64	27	2.0	1	1	1	2	3	4	4	4
65+	13	2.8	5	1	1	1	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	70	5.7	20	1	2	4	8	13	15	21
20-34	72	3.6	10	1	2	3	5	6	10	19
35-49	86	4.8	31	1	1	3	5	11	16	32
50-64	60	5.4	37	1	1	4	6	12	18	32
65+	72	7.5	76	1	2	4	9	20	26	43
TOTAL SINGLE DX	215	2.6	4	1	1	2	3	6	7	9
TOTAL MULTIPLE DX	360	5.4	37	1	2	4	6	12	18	33
TOTAL										
0-19 YRS	125	4.7	16	1	2	3	7	10	13	19
20-34	121	3.0	8	1	1	2	4	6	7	15
35-49	157	3.8	20	1	1	2	5	7	11	26
50-64	87	4.3	28	1	1	3	5	9	14	31
65+	85	6.8	68	1	2	4	8	16	24	42
GRAND TOTAL	575	4.4	26	1	1	3	5	9	13	27

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	6	7.0	23	1	1	8	11	12	12	12
35-49	3	9.3	14	5	6	11	12	12	12	12
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	2	12.5	85	6	6	12	19	19	19	19
2. MULTIPLE DX										
0-19 YRS	6	25.3	270	11	13	18	46	46	46	46
20-34	6	8.2	8	5	6	7	10	13	13	13
35-49	8	14.1	43	7	10	12	19	24	25	25
50-64	14	13.2	157	3	5	10	18	24	45	51
65+	21	20.0	120	9	15	18	23	31	46	57
TOTAL SINGLE DX	14	8.7	25	1	5	9	12	14	18	19
TOTAL MULTIPLE DX	55	16.7	130	6	9	14	21	27	46	57
TOTAL										
0-19 YRS	7	23.0	263	9	11	14	40	46	46	46
20-34	12	7.6	15	1	5	8	10	12	13	13
35-49	11	12.8	38	6	9	11	16	23	25	25
50-64	16	12.7	142	3	4	10	16	21	42	51
65+	23	19.4	118	8	14	18	23	29	44	57
GRAND TOTAL	69	15.1	126	5	8	13	19	26	46	56

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	5.1	41	1	1	2	7	13	20	34
20-34	36	2.4	6	1	1	1	3	5	8	13
35-49	53	2.4	7	1	1	1	2	8	8	13
50-64	52	2.4	7	1	1	1	3	6	9	14
65+	22	3.6	17	<1	1	2	5	11	13	14
2. MULTIPLE DX										
0-19 YRS	184	14.0	303	1	2	8	21	45	67	99+
20-34	102	10.6	153	1	4	7	12	24	36	93
35-49	199	10.2	141	1	2	7	14	26	38	91
50-64	240	9.1	84	1	2	8	12	19	29	68
65+	302	10.6	89	1	4	9	14	22	27	47
TOTAL SINGLE DX	244	3.4	21	1	1	1	4	8	13	22
TOTAL MULTIPLE DX	1027	10.8	145	1	3	8	14	25	36	95
TOTAL										
0-19 YRS	265	11.3	240	1	2	6	16	33	54	99+
20-34	138	8.5	126	1	2	6	10	21	30	88
35-49	252	8.6	123	1	1	5	11	21	33	81
50-64	292	7.9	77	1	1	5	11	19	26	60
65+	324	10.2	88	1	3	8	14	21	26	47
GRAND TOTAL	1271	9.4	130	1	2	6	13	22	33	85

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	151	4.4	3	2	3	4	5	7	9	11
20-34	1428	4.2	3	2	3	4	5	7	8	10
35-49	1292	4.5	3	3	3	4	5	7	8	11
50-64	916	5.1	5	3	4	5	6	8	9	13
65+	420	6.1	8	3	4	5	7	9	11	16
2. MULTIPLE DX										
0-19 YRS	157	6.6	14	3	4	6	8	11	14	22
20-34	1347	6.0	14	3	4	5	7	10	12	21
35-49	1886	6.3	19	3	4	5	7	10	13	24
50-64	2237	7.3	29	3	4	6	9	13	15	27
65+	3013	10.2	59	4	6	8	12	18	23	44
TOTAL SINGLE DX	4207	4.7	5	3	3	4	5	7	9	12
TOTAL MULTIPLE DX	8640	7.9	38	3	4	6	9	14	18	34
TOTAL										
0-19 YRS	308	5.5	10	3	4	5	7	9	11	19
20-34	2775	5.1	10	3	3	4	6	9	10	15
35-49	3178	5.5	14	3	4	5	6	9	11	21
50-64	3153	6.7	24	3	4	5	8	11	14	24
65+	3433	9.7	55	4	5	8	11	17	22	41
GRAND TOTAL	12847	6.8	29	3	4	5	8	12	16	29

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	36.0		36	36	36	36	36	36	36
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65 +	5	6.8	44	1	2	5	10	18	18	18
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	0									
35-49	11	6.7	25	2	3	6	8	16	18	18
50-64	13	5.8	23	1	2	5	10	13	14	14
65 +	21	17.4	383	4	7	13	17	39	69	87
TOTAL SINGLE DX	10	7.5	128	1	1	2	7	27	36	36
TOTAL MULTIPLE DX	46	11.4	213	2	4	8	14	18	34	87
TOTAL										
0-19 YRS	2	23.0	338	10	10	23	36	36	36	36
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	6.3	26	1	3	5	7	15	18	18
50-64	15	5.2	23	1	1	3	9	13	14	14
65 +	26	15.4	332	3	5	11	17	28	61	87
GRAND TOTAL	**56**	**10.7**	**198**	**1**	**3**	**7**	**14**	**18**	**34**	**85**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (51.97; 52.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.6	5	< 1	1	1	5	5	5	5
20-34	28	5.9	16	2	3	5	8	11	15	17
35-49	38	5.9	38	1	2	4	7	13	23	27
50-64	32	6.1	55	1	2	4	7	13	28	33
65 +	26	5.2	50	1	1	3	7	9	16	37
2. MULTIPLE DX										
0-19 YRS	6	11.5	64	3	8	9	18	23	24	24
20-34	57	5.8	27	1	2	5	7	12	19	25
35-49	141	7.4	37	1	3	6	10	15	19	31
50-64	158	8.7	126	2	3	6	9	14	22	80
65 +	320	8.9	88	2	4	7	11	17	23	57
TOTAL SINGLE DX	129	5.7	39	1	2	4	7	11	17	34
TOTAL MULTIPLE DX	682	8.3	82	2	3	6	10	16	22	48
TOTAL										
0-19 YRS	11	7.5	55	< 1	1	5	9	20	24	24
20-34	85	5.8	23	1	2	5	7	12	16	24
35-49	179	7.1	38	1	3	6	9	14	19	30
50-64	190	8.2	115	1	3	6	9	14	22	71
65 +	346	8.6	86	2	4	7	11	17	22	45
GRAND TOTAL	**811**	**7.9**	**76**	**1**	**3**	**6**	**9**	**15**	**22**	**41**

619: Miscellaneous operations on biliary tract (51.01-51.13; 51.31-51.95; 51.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	11.6	40	6	8	10	12	20	28	31
20-34	7	7.4	23	3	3	6	12	15	15	15
35-49	8	10.3	35	3	7	9	13	20	22	22
50-64	6	11.2	16	6	9	10	13	17	18	18
65 +	9	9.6	10	6	8	9	10	15	17	17
2. MULTIPLE DX										
0-19 YRS	25	15.1	225	1	7	11	15	36	56	60
20-34	20	8.9	31	2	4	8	12	16	19	21
35-49	40	16.1	218	5	8	13	19	26	41	89
50-64	78	13.4	62	5	8	11	19	23	29	39
65 +	229	16.3	135	7	9	13	19	29	40	68
TOTAL SINGLE DX	50	10.4	29	5	7	9	12	16	22	31
TOTAL MULTIPLE DX	392	15.2	132	6	8	13	19	25	39	64
TOTAL										
0-19 YRS	45	13.5	144	5	8	11	14	26	41	60
20-34	27	8.5	29	2	3	8	13	15	18	21
35-49	48	15.1	192	5	8	12	19	23	39	89
50-64	84	13.3	59	5	8	11	19	23	29	39
65 +	238	16.0	133	7	9	13	19	28	40	67
GRAND TOTAL	**442**	**14.7**	**123**	**6**	**8**	**12**	**18**	**24**	**37**	**61**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.2-52.83; 52.92-52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	11.5	20	6	8	11	14	18	18	18
20-34	4	11.5	43	6	7	9	15	21	21	21
35-49	6	8.5	16	3	6	8	12	14	14	14
50-64	12	9.1	83	1	2	6	13	21	30	32
65 +	11	11.5	32	4	7	13	16	18	20	20
2. MULTIPLE DX										
0-19 YRS	6	25.3	197	7	10	29	35	40	41	41
20-34	25	21.8	141	9	14	20	31	45	58	99 +
35-49	39	17.9	159	4	8	16	27	38	49	99 +
50-64	78	20.7	252	6	9	16	25	44	52	79
65 +	89	18.0	218	3	6	16	24	39	52	88
TOTAL SINGLE DX	39	10.3	43	2	6	9	14	18	21	32
TOTAL MULTIPLE DX	237	19.5	211	4	9	17	26	42	50	99 +
TOTAL										
0-19 YRS	12	18.4	151	7	8	14	29	37	40	41
20-34	29	20.4	139	8	11	19	26	44	47	99 +
35-49	45	16.6	150	3	8	13	24	35	49	99 +
50-64	90	19.1	245	3	9	15	23	42	49	76
65 +	100	17.3	202	3	6	15	23	38	50	85
GRAND TOTAL	**276**	**18.2**	**197**	**4**	**8**	**15**	**24**	**40**	**49**	**96**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	2.7	4	<1	1	2	4	5	7	12
20-34	96	3.8	7	1	2	3	5	7	9	14
35-49	116	3.9	14	<1	2	3	5	8	10	21
50-64	80	3.1	7	<1	1	3	4	5	8	17
65+	96	4.8	21	<1	1	3	7	11	14	67
2. MULTIPLE DX										
0-19 YRS	215	6.1	78	1	2	3	6	12	22	48
20-34	253	5.9	43	1	2	4	6	12	19	44
35-49	418	5.4	19	2	3	4	7	10	14	24
50-64	698	6.9	45	2	3	5	8	13	18	35
65+	1813	8.2	60	3	4	6	10	15	22	48
TOTAL SINGLE DX	471	3.7	12	<1	1	3	5	7	10	19
TOTAL MULTIPLE DX	3397	7.3	53	2	3	5	8	14	20	42
TOTAL										
0-19 YRS	298	5.1	60	1	1	3	5	11	16	45
20-34	349	5.3	34	1	2	4	6	10	16	31
35-49	534	5.1	19	1	2	4	6	9	13	23
50-64	778	6.5	43	2	3	5	8	12	17	34
65+	1909	8.0	59	2	4	6	9	15	21	48
GRAND TOTAL	3868	6.8	50	2	3	5	8	13	19	40

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	499	1.3		<1	<1	1	1	2	3	4
20-34	485	1.7	1	1	1	1	2	3	4	5
35-49	506	1.6		1	1	1	2	3	3	5
50-64	702	1.8	12	1	1	1	2	3	4	5
65+	483	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	427	2.3	31	<1	<1	1	2	4	5	25
20-34	206	2.3	4	1	1	2	3	5	6	10
35-49	378	2.5	4	1	1	2	3	5	6	11
50-64	644	2.9	7	1	1	2	4	6	7	14
65+	1283	3.8	16	1	2	3	5	8	10	19
TOTAL SINGLE DX	2675	1.7	4	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	2938	3.1	15	1	1	2	4	6	8	16
TOTAL										
0-19 YRS	926	1.8	15	<1	<1	1	2	3	4	9
20-34	691	1.9	2	1	1	1	2	3	5	8
35-49	884	2.0	3	1	1	2	2	4	5	9
50-64	1346	2.3	10	1	1	2	3	4	6	11
65+	1766	3.4	13	1	1	2	4	6	9	16
GRAND TOTAL	5613	2.4	10	1	1	2	3	5	6	13

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	507	1.2		<1	1	1	1	2	2	3
20-34	51	1.8	2	1	1	1	2	3	4	10
35-49	103	2.0	1	1	1	2	3	4	4	5
50-64	100	2.2	1	1	1	2	3	4	5	6
65+	68	2.5	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	560	3.6	129	<1	1	1	2	4	16	99+
20-34	30	2.1		1	1	2	3	3	4	4
35-49	86	2.4	2	1	1	2	3	4	6	8
50-64	123	3.2	3	1	2	3	4	6	7	10
65+	178	4.7	19	2	2	4	5	8	11	19
TOTAL SINGLE DX	829	1.5	1	<1	1	1	2	3	4	5
TOTAL MULTIPLE DX	977	3.6	79	1	1	2	3	6	9	97
TOTAL										
0-19 YRS	1067	2.4	69	<1	1	1	1	3	5	93
20-34	81	1.9	2	1	1	2	2	3	4	8
35-49	189	2.2	2	1	1	2	3	4	5	7
50-64	223	2.7	3	1	1	2	3	5	6	9
65+	246	4.1	15	1	2	3	5	7	9	18
GRAND TOTAL	1806	2.7	44	1	1	1	2	4	6	62

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	1.6		1	1	2	2	3	3	3
35-49	31	2.0	1	1	1	2	3	4	4	5
50-64	27	2.5	6	1	1	1	3	6	9	12
65+	35	3.1	5	1	1	2	4	6	9	11
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	4.8	24	1	2	3	8	12	12	12
35-49	12	2.3	2	<1	1	2	3	4	5	5
50-64	29	3.7	8	1	1	3	5	7	10	13
65+	107	7.4	45	2	3	4	9	18	21	32
TOTAL SINGLE DX	104	2.5	5	1	1	2	3	5	8	11
TOTAL MULTIPLE DX	152	6.2	38	1	2	4	8	14	20	31
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	14	2.5	8	1	1	2	3	4	10	12
35-49	43	2.0	2	1	1	2	3	4	5	5
50-64	56	3.1	8	1	1	2	4	6	9	13
65+	142	6.3	39	1	2	4	8	15	20	31
GRAND TOTAL	256	4.7	27	1	1	3	6	11	16	26

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	125	1.3		<1	<1	1	1	2	3	5
20-34	25	2.1	2	<1	1	2	2	4	5	7
35-49	64	1.9	1	1	1	2	3	3	4	6
50-64	56	1.8	1	1	1	2	2	3	4	5
65 +	24	2.6	4	1	1	2	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	59	3.8	99	1	1	1	3	10	44	99 +
20-34	34	3.7	7	1	2	3	5	7	9	13
35-49	84	3.9	29	1	1	3	4	6	8	36
50-64	110	4.0	10	1	2	3	6	9	10	14
65 +	103	6.5	49	1	3	5	7	12	23	37
TOTAL SINGLE DX	294	1.7	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	390	4.6	39	1	1	3	6	9	13	40
TOTAL										
0-19 YRS	184	2.1	33	<1	<1	1	2	3	6	91
20-34	59	3.0	6	1	1	2	4	7	7	13
35-49	148	3.0	18	1	1	2	4	5	6	25
50-64	166	3.3	8	1	1	2	4	7	10	14
65 +	127	5.8	43	1	2	4	6	11	19	36
GRAND TOTAL	684	3.4	25	<1	1	2	4	7	10	32

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	1.8	1	<1	<1	1	3	4	4	4
20-34	96	2.4	2	1	1	2	3	5	5	8
35-49	201	3.2	4	1	2	3	4	6	7	12
50-64	199	3.4	5	1	2	3	5	6	8	11
65 +	123	4.3	6	1	2	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	22	5.8	124	<1	1	2	3	14	36	49
20-34	67	4.1	9	1	2	3	5	9	11	14
35-49	255	4.4	10	2	2	4	5	8	10	18
50-64	372	6.1	31	2	3	5	8	10	14	35
65 +	465	6.6	28	2	4	5	8	12	16	30
TOTAL SINGLE DX	648	3.3	5	1	1	3	4	6	8	10
TOTAL MULTIPLE DX	1181	5.8	27	2	3	5	7	10	14	30
TOTAL										
0-19 YRS	51	3.5	57	<1	1	1	3	5	9	49
20-34	163	3.1	6	1	1	2	4	6	9	13
35-49	456	3.9	8	1	2	3	5	7	9	16
50-64	571	5.2	24	1	2	4	6	9	12	34
65 +	588	6.1	25	2	3	5	7	11	15	29
GRAND TOTAL	1829	4.9	21	1	2	4	6	9	12	27

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.3	6	1	4	6	7	8	10	10
20-34	0									
35-49	4	5.8	7	3	3	5	8	9	9	9
50-64	7	6.4	2	4	5	7	8	8	8	8
65 +	3	14.3	50	8	9	13	20	22	22	22
2. MULTIPLE DX										
0-19 YRS	34	14.5	195	5	6	9	21	50	88	99 +
20-34	12	7.8	24	3	4	6	11	16	17	17
35-49	28	7.4	8	4	5	7	9	11	12	16
50-64	47	9.1	27	3	6	8	10	15	22	25
65 +	54	11.6	46	6	7	10	13	22	28	31
TOTAL SINGLE DX	27	6.7	16	3	4	6	8	10	14	22
TOTAL MULTIPLE DX	175	10.5	67	4	6	8	12	22	28	89
TOTAL										
0-19 YRS	47	11.9	159	4	6	7	16	39	62	99 +
20-34	12	7.8	25	3	4	6	11	16	17	17
35-49	32	7.2	8	4	5	7	9	11	12	16
50-64	54	8.7	25	4	6	8	10	14	22	25
65 +	57	11.7	46	6	7	10	13	22	27	31
GRAND TOTAL	202	10.0	62	4	6	8	11	21	27	78

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	4.3	19	<1	1	3	6	9	11	26
20-34	57	3.4	10	<1	1	3	4	8	10	16
35-49	51	4.7	21	1	1	3	7	12	14	23
50-64	47	4.5	12	1	1	4	6	9	12	16
65 +	26	6.1	19	1	2	6	7	14	15	17
2. MULTIPLE DX										
0-19 YRS	100	8.7	83	1	3	6	11	19	24	50
20-34	130	8.6	59	2	4	6	10	18	27	37
35-49	298	9.4	67	2	4	7	12	20	26	39
50-64	370	10.6	87	2	5	8	13	22	28	46
65 +	504	11.0	88	2	5	9	14	21	29	53
TOTAL SINGLE DX	262	4.4	17	1	1	3	6	10	13	18
TOTAL MULTIPLE DX	1402	10.2	81	2	4	8	13	21	28	45
TOTAL										
0-19 YRS	181	6.7	60	1	2	5	9	14	21	30
20-34	187	7.0	50	1	3	5	8	15	21	34
35-49	349	8.8	63	2	4	6	12	19	26	37
50-64	417	9.9	83	2	4	7	12	21	26	43
65 +	530	10.7	86	2	5	9	14	21	29	53
GRAND TOTAL	1664	9.3	76	2	4	7	12	19	26	44

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	96	5.2	11	2	3	4	7	10	13	62
20-34	122	5.0	7	2	3	4	6	9	11	13
35-49	57	5.5	9	2	4	5	7	10	13	15
50-64	39	8.7	53	4	5	7	10	16	18	45
65 +	20	8.5	25	4	5	7	11	14	19	24
2. MULTIPLE DX										
0-19 YRS	150	9.1	67	3	4	6	11	22	34	99 +
20-34	324	7.5	67	3	4	5	8	14	23	35
35-49	214	10.7	89	4	5	8	13	20	30	65
50-64	193	11.5	84	4	6	9	15	22	32	84
65 +	355	16.4	212	6	8	12	19	31	47	97
TOTAL SINGLE DX	334	5.8	17	2	3	5	7	11	14	21
TOTAL MULTIPLE DX	1236	11.5	127	3	5	8	14	24	34	87
TOTAL										
0-19 YRS	246	7.6	49	2	4	5	9	16	30	99 +
20-34	446	6.8	52	3	4	5	7	12	17	34
35-49	271	9.7	77	3	5	7	12	19	27	61
50-64	232	11.1	80	4	6	8	14	21	29	70
65 +	375	16.0	205	6	8	12	18	31	46	97
GRAND TOTAL	1570	10.3	109	3	5	7	12	21	31	74

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	89	2.8	6	< 1	1	2	4	6	9	13
20-34	309	2.6	6	< 1	< 1	2	4	5	6	10
35-49	69	2.1	3	< 1	< 1	1	3	4	6	9
50-64	6	3.0	13	< 1	< 1	1	4	9	10	10
65 +	4	3.8	10	< 1	< 1	3	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	109	4.3	14	1	2	4	6	8	10	21
20-34	517	3.0	5	< 1	1	2	4	6	7	11
35-49	139	3.1	17	< 1	< 1	1	4	6	7	25
50-64	21	4.8	28	< 1	1	3	8	11	16	22
65 +	15	6.9	59	1	2	3	11	23	23	23
TOTAL SINGLE DX	477	2.6	6	< 1	< 1	2	3	5	7	10
TOTAL MULTIPLE DX	801	3.3	11	< 1	1	2	5	6	8	15
TOTAL										
0-19 YRS	198	3.6	12	< 1	1	3	5	7	10	14
20-34	826	2.9	6	< 1	1	2	4	6	7	10
35-49	208	2.7	13	< 1	< 1	1	4	6	7	19
50-64	27	4.4	25	< 1	1	2	7	10	13	22
65 +	19	6.2	50	< 1	1	3	7	19	23	23
GRAND TOTAL	1278	3.1	9	<1	1	2	4	6	8	14

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	7.0	41	2	4	6	8	14	23	87
20-34	96	5.4	9	2	4	5	7	10	11	16
35-49	92	6.7	15	3	4	6	8	12	16	19
50-64	87	7.6	17	2	5	7	9	15	17	19
65 +	49	10.4	30	5	8	10	12	15	17	40
2. MULTIPLE DX										
0-19 YRS	180	14.1	193	4	5	10	18	40	70	99 +
20-34	397	6.6	35	2	3	5	8	13	17	35
35-49	407	8.3	49	2	4	6	10	17	22	40
50-64	338	11.8	104	3	5	9	15	25	33	65
65 +	536	15.2	165	5	8	12	18	30	43	84
TOTAL SINGLE DX	396	7.1	23	2	4	6	9	13	16	24
TOTAL MULTIPLE DX	1858	11.2	115	3	5	8	14	23	34	75
TOTAL										
0-19 YRS	252	12.1	160	3	5	8	15	34	58	99 +
20-34	493	6.4	30	2	3	5	8	12	16	33
35-49	499	8.0	44	2	4	6	10	16	20	37
50-64	425	11.0	89	3	5	8	14	22	29	60
65 +	585	14.8	156	5	8	11	17	29	40	82
GRAND TOTAL	2254	10.4	102	3	4	8	13	21	31	69

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	5.9	17	1	3	5	8	11	14	18
20-34	15	6.2		5	6	6	7	8	8	8
35-49	37	6.5	3	5	5	6	8	9	9	14
50-64	38	8.5	9	5	7	7	9	13	15	19
65 +	23	9.3	8	6	7	9	11	13	15	16
2. MULTIPLE DX										
0-19 YRS	88	9.5	125	2	4	6	11	16	41	89
20-34	48	11.4	100	4	6	7	11	27	38	42
35-49	87	11.6	92	5	6	8	13	20	25	61
50-64	132	12.3	72	6	7	9	14	23	31	46
65 +	212	12.7	58	7	8	11	15	20	26	46
TOTAL SINGLE DX	166	7.1	11	3	5	7	9	11	14	18
TOTAL MULTIPLE DX	567	11.8	81	5	7	9	14	20	28	55
TOTAL										
0-19 YRS	141	8.1	87	2	3	6	11	14	19	74
20-34	63	10.1	81	5	6	7	9	22	35	42
35-49	124	10.1	71	5	6	8	11	18	23	61
50-64	170	11.4	61	6	7	9	13	21	28	46
65 +	235	12.4	53	7	8	10	15	19	25	45
GRAND TOTAL	733	10.8	69	5	6	8	13	19	25	47

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	8	5.0	10	1	2	4	7	10	11	11
35-49	19	5.6	21	1	2	4	9	12	16	18
50-64	13	4.3	10	1	2	2	7	9	10	10
65 +	5	5.4	4	3	4	5	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	8	10.8	248	1	2	6	9	37	49	49
20-34	21	6.3	7	2	5	6	8	10	11	11
35-49	21	8.7	139	2	4	6	9	12	33	58
50-64	37	7.8	30	2	4	7	11	15	18	26
65 +	64	11.1	49	2	6	10	14	20	27	31
TOTAL SINGLE DX	48	5.0	14	1	2	4	7	10	11	18
TOTAL MULTIPLE DX	151	9.3	63	2	5	7	12	17	23	49
TOTAL										
0-19 YRS	11	8.6	189	1	1	6	8	26	47	49
20-34	29	5.9	9	2	4	6	8	10	11	11
35-49	40	7.2	84	1	3	5	9	12	15	58
50-64	50	6.9	28	1	2	6	9	14	17	26
65 +	69	10.7	49	3	5	10	14	20	26	31
GRAND TOTAL	199	8.2	54	2	3	7	11	15	20	40

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	12.6	7	9	11	12	15	16	16	16
20-34	2	9.5	1	9	9	9	10	10	10	10
35-49	5	12.4	13	8	9	14	15	16	16	16
50-64	3	11.0	4	9	9	11	12	13	13	13
65 +	0									
2. MULTIPLE DX										
0-19 YRS	45	17.8	72	9	12	17	22	40	99 +	99 +
20-34	33	16.1	59	7	10	14	20	29	31	35
35-49	28	15.4	45	9	11	15	18	21	23	43
50-64	16	16.4	83	8	9	14	21	27	37	41
65 +	1	13.0		13	13	13	13	13	13	13
TOTAL SINGLE DX	18	11.9	8	8	9	12	15	16	16	16
TOTAL MULTIPLE DX	123	16.6	63	8	11	15	20	29	40	99 +
TOTAL										
0-19 YRS	53	17.0	65	8	11	16	21	38	83	99 +
20-34	35	15.7	58	7	10	14	20	29	31	35
35-49	33	14.9	41	9	11	15	17	20	21	43
50-64	19	15.5	74	8	9	12	19	26	35	41
65 +	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	141	16.0	58	8	11	15	19	27	39	99 +

636: Miscellaneous operations on kidney, except percutaneous nephrostomy 55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	280	3.7	7	1	2	3	5	7	9	15
20-34	48	3.8	10	1	1	2	6	8	10	16
35-49	35	4.5	9	1	2	4	7	9	11	12
50-64	25	4.9	15	1	1	5	7	9	12	17
65 +	17	4.6	12	1	2	3	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	215	7.6	46	2	3	6	10	16	22	39
20-34	136	7.0	36	1	2	6	9	14	17	26
35-49	136	7.2	59	1	2	6	9	14	20	40
50-64	124	8.8	102	1	2	6	11	19	28	53
65 +	155	11.3	87	2	5	9	15	22	28	46
TOTAL SINGLE DX	405	3.9	9	1	2	3	5	8	10	15
TOTAL MULTIPLE DX	766	8.4	66	1	3	7	11	17	23	44
TOTAL										
0-19 YRS	495	5.4	29	1	2	4	7	12	16	27
20-34	184	6.2	31	1	2	5	8	13	16	23
35-49	171	6.6	50	1	2	5	9	13	17	35
50-64	149	8.1	89	1	2	6	10	18	26	47
65 +	172	10.6	83	2	4	8	15	22	27	45
GRAND TOTAL	1171	6.8	51	1	2	5	9	15	20	36

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	6.2	9	3	4	6	8	11	12	13
35-49	29	5.2	11	2	3	4	7	10	13	15
50-64	27	6.8	14	1	4	7	9	12	14	15
65 +	5	9.0	15	3	7	9	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	7	9.7	135	2	2	6	13	30	34	34
20-34	25	8.1	26	3	4	8	10	17	18	20
35-49	35	8.9	31	4	6	7	10	16	22	28
50-64	34	7.7	86	2	3	7	9	11	12	57
65 +	49	12.1	163	4	6	9	12	24	45	69
TOTAL SINGLE DX	84	6.1	13	2	3	6	9	11	13	15
TOTAL MULTIPLE DX	150	9.6	92	3	5	8	10	16	27	57
TOTAL										
0-19 YRS	9	8.0	113	2	2	3	8	26	34	34
20-34	46	7.2	19	3	4	6	9	13	17	20
35-49	64	7.3	26	2	4	6	9	13	16	27
50-64	61	7.3	54	2	4	7	9	12	13	52
65 +	54	11.8	150	4	6	9	12	20	42	68
GRAND TOTAL	234	8.4	66	2	4	7	10	14	18	55

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	166	5.8	6	3	4	5	7	9	11	14
20-34	6	7.7	9	4	6	7	9	13	13	13
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	4	9.3	3	7	8	9	10	11	11	11
65 +	3	14.0	244	4	4	6	25	32	32	32
2. MULTIPLE DX										
0-19 YRS	198	8.2	24	4	5	7	10	16	19	26
20-34	9	12.6	44	5	8	10	16	23	25	25
35-49	17	13.4	74	5	8	10	17	26	32	35
50-64	22	14.4	63	7	10	12	16	28	32	33
65 +	32	14.5	24	9	11	15	18	21	22	23
TOTAL SINGLE DX	181	6.1	10	3	4	5	7	10	12	15
TOTAL MULTIPLE DX	278	9.9	38	4	5	8	13	19	22	32
TOTAL										
0-19 YRS	364	7.1	18	3	4	6	8	12	16	22
20-34	15	10.6	35	5	6	9	14	20	24	25
35-49	19	12.7	70	5	7	9	17	25	31	35
50-64	26	13.6	57	7	10	11	15	27	31	33
65 +	35	14.5	36	8	10	15	18	21	23	32
GRAND TOTAL	459	8.4	30	4	5	7	10	16	20	31

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	3.2	2	1	2	3	4	5	6	6
20-34	335	2.9	2	1	2	3	4	5	6	8
35-49	423	2.8	2	1	2	3	4	5	6	8
50-64	258	2.7	3	1	1	2	3	5	6	9
65 +	42	3.5	12	1	2	3	4	6	7	23
2. MULTIPLE DX										
0-19 YRS	12	3.5	8	1	1	2	6	8	8	8
20-34	155	3.6	5	1	2	3	5	7	8	12
35-49	247	4.0	9	1	2	3	5	7	9	11
50-64	249	3.8	6	1	2	3	5	7	8	12
65 +	223	5.0	20	2	2	4	6	10	12	25
TOTAL SINGLE DX	1091	2.9	3	1	2	2	4	5	6	8
TOTAL MULTIPLE DX	886	4.1	11	1	2	3	5	8	9	17
TOTAL										
0-19 YRS	45	3.3	4	1	2	3	4	6	8	8
20-34	490	3.1	4	1	2	3	4	6	7	9
35-49	670	3.2	5	1	2	3	4	6	7	11
50-64	507	3.2	5	1	2	3	4	6	7	10
65 +	265	4.8	20	1	2	4	6	9	12	23
GRAND TOTAL	1977	3.4	7	1	2	3	4	6	8	12

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	5.6	9	3	3	4	8	10	10	10
20-34	9	5.3	9	1	3	5	8	10	10	10
35-49	15	3.4	7	1	2	2	5	8	9	10
50-64	10	4.0	7	1	2	3	6	8	8	8
65 +	9	5.3	21	2	2	3	8	13	14	14
2. MULTIPLE DX										
0-19 YRS	30	7.7	33	2	4	6	10	16	22	24
20-34	13	7.3	35	3	4	6	8	14	23	25
35-49	21	5.9	26	1	2	5	7	14	19	21
50-64	35	5.5	19	2	2	4	8	10	17	17
65 +	49	9.4	46	1	3	9	13	21	22	27
TOTAL SINGLE DX	51	4.5	10	1	2	3	7	10	10	14
TOTAL MULTIPLE DX	148	7.5	36	2	3	6	10	16	22	25
TOTAL										
0-19 YRS	38	7.3	28	3	4	5	10	15	20	24
20-34	22	6.5	25	2	3	6	8	10	17	25
35-49	36	4.9	20	1	2	3	6	10	15	21
50-64	45	5.2	17	1	2	4	7	10	16	17
65 +	58	8.8	45	1	3	8	13	20	22	27
GRAND TOTAL	199	6.7	31	2	3	5	9	14	19	25

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	108	2.8	7	< 1	1	2	3	6	8	15
20-34	268	3.4	8	1	2	3	4	7	9	13
35-49	341	3.1	4	1	2	3	4	6	7	10
50-64	231	3.2	5	1	2	3	4	6	8	11
65 +	105	3.7	19	1	1	2	5	7	9	26
2. MULTIPLE DX										
0-19 YRS	162	4.7	24	1	1	3	6	9	12	19
20-34	344	5.3	27	1	2	4	7	10	13	30
35-49	560	5.5	22	1	3	4	7	11	15	25
50-64	754	6.7	40	2	3	5	8	13	17	28
65 +	1583	9.3	82	2	4	7	11	18	25	47
TOTAL SINGLE DX	1053	3.2	7	1	1	2	4	6	8	12
TOTAL MULTIPLE DX	3403	7.5	58	2	3	5	9	15	20	39
TOTAL										
0-19 YRS	270	3.9	19	< 1	1	3	5	8	10	19
20-34	612	4.5	20	1	2	3	6	9	11	26
35-49	901	4.6	17	1	2	3	6	9	12	22
50-64	985	5.8	34	1	2	4	8	11	15	27
65 +	1688	8.9	80	2	4	7	11	18	24	46
GRAND TOTAL	4456	6.5	49	1	2	5	8	13	18	36

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	8	2.1	1	< 1	1	2	3	4	4	4
35-49	44	2.3	2	1	1	2	3	5	6	8
50-64	112	2.7	3	1	1	2	3	6	7	10
65 +	216	3.1	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	5	2.4	1	1	2	2	3	4	4	4
20-34	39	4.7	21	1	1	3	7	12	15	18
35-49	87	4.6	36	1	1	3	6	9	15	38
50-64	266	4.8	31	1	2	3	5	11	14	30
65 +	1095	5.7	40	1	2	4	7	12	16	32
TOTAL SINGLE DX	382	2.9	6	1	1	2	4	6	7	13
TOTAL MULTIPLE DX	1492	5.4	38	1	2	4	7	11	15	31
TOTAL										
0-19 YRS	7	2.4	2	1	1	2	4	4	4	4
20-34	47	4.3	19	1	1	2	7	11	13	18
35-49	131	3.8	26	1	1	2	5	8	11	20
50-64	378	4.2	24	1	2	3	5	9	12	26
65 +	1311	5.3	36	1	2	4	6	11	15	27
GRAND TOTAL	1874	4.9	33	1	2	3	6	10	14	26

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	10	3.7	11	< 1	1	3	4	9	12	12
35-49	12	2.9	8	< 1	1	2	3	7	10	11
50-64	5	4.2	8	2	2	3	6	9	9	9
65 +	7	3.3	8	1	1	2	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	4	5.3	15	1	2	5	8	9	9	9
20-34	6	3.7	3	< 1	2	4	5	5	5	5
35-49	9	3.0	2	1	2	3	4	5	5	5
50-64	31	4.6	12	1	2	4	6	9	14	15
65 +	113	4.9	14	1	2	4	6	10	17	99 +
TOTAL SINGLE DX	37	3.2	8	1	1	2	4	8	10	12
TOTAL MULTIPLE DX	163	4.7	13	1	2	4	6	9	14	88
TOTAL										
0-19 YRS	7	3.6	12	< 1	1	2	7	9	9	9
20-34	16	3.7	8	< 1	1	3	5	7	10	12
35-49	21	3.0	5	1	1	3	4	5	8	11
50-64	36	4.6	12	1	2	4	6	9	13	15
65 +	120	4.8	15	1	2	4	6	10	15	99 +
GRAND TOTAL	200	4.5	13	1	2	3	6	9	13	58

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	4.6	17	1	1	3	7	11	13	18
20-34	12	5.4	11	2	3	4	8	10	13	13
35-49	25	5.6	10	2	3	6	8	10	11	13
50-64	32	7.5	42	2	3	5	11	14	18	32
65 +	42	6.5	34	1	2	5	9	14	19	27
2. MULTIPLE DX										
0-19 YRS	157	10.6	124	2	3	8	14	26	33	61
20-34	42	8.5	30	3	4	7	12	17	18	26
35-49	86	9.9	106	3	5	7	12	16	20	64
50-64	124	11.1	171	2	4	7	12	26	36	79
65 +	330	11.2	111	2	4	8	14	23	34	57
TOTAL SINGLE DX	152	6.0	26	1	2	5	8	13	16	27
TOTAL MULTIPLE DX	748	10.8	119	2	4	8	13	22	33	61
TOTAL										
0-19 YRS	198	9.5	108	1	2	7	12	22	32	60
20-34	54	7.8	28	2	4	6	11	16	18	26
35-49	111	9.0	88	3	4	7	11	16	19	64
50-64	156	10.4	147	2	4	7	12	22	33	74
65 +	381	10.7	105	2	4	8	13	22	33	56
GRAND TOTAL	900	10.0	107	2	4	7	13	21	30	58

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	1.1		< 1	< 1	< 1	1	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	1.6	1	< 1	< 1	1	2	3	4	4
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	4	4.0	18	1	1	3	7	10	10	10
50-64	2	8.5	41	4	4	8	13	13	13	13
65 +	5	10.0	54	4	5	7	14	22	22	22
TOTAL SINGLE DX	16	1.1		< 1	< 1	< 1	1	2	2	2
TOTAL MULTIPLE DX	21	5.1	29	< 1	1	4	7	12	17	22
TOTAL										
0-19 YRS	20	1.3	1	< 1	< 1	1	1	2	3	4
20-34	3	4.3	17	< 1	1	3	7	9	9	9
35-49	5	3.4	15	1	1	1	5	10	10	10
50-64	4	5.0	30	1	1	3	8	13	13	13
65 +	5	10.0	55	4	5	7	14	22	22	22
GRAND TOTAL	37	3.4	20	<1	<1	1	4	10	13	22

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	448	3.0	7	< 1	1	2	5	6	9	13
20-34	20	2.3	2	1	1	2	2	5	6	7
35-49	23	2.7	2	1	1	2	4	5	6	7
50-64	27	3.1	8	< 1	1	3	3	6	6	15
65 +	8	2.5	5	< 1	< 1	1	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	210	5.0	16	1	2	4	7	10	14	18
20-34	21	4.1	20	1	2	2	4	10	16	19
35-49	19	4.1	8	1	2	3	6	9	10	10
50-64	22	5.3	41	< 1	1	3	5	15	23	25
65 +	52	4.9	11	2	2	4	7	10	12	17
TOTAL SINGLE DX	526	3.0	7	< 1	1	2	4	6	9	13
TOTAL MULTIPLE DX	324	4.9	17	1	2	4	7	10	13	20
TOTAL										
0-19 YRS	658	3.7	11	1	1	3	5	8	10	15
20-34	41	3.2	12	1	2	2	3	7	11	19
35-49	42	3.3	6	1	2	3	4	7	9	10
50-64	49	4.1	24	< 1	1	3	4	7	15	25
65 +	60	4.6	11	1	2	4	6	9	11	17
GRAND TOTAL	850	3.7	11	1	1	3	5	8	10	15

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.1	7	< 1	< 1	1	2	6	9	10
20-34	9	4.9	22	1	2	3	7	12	16	16
35-49	16	3.4	6	1	1	3	5	7	9	10
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	7	3.9	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	24	2.5	3	< 1	1	2	3	6	7	7
20-34	37	5.1	8	2	3	4	7	10	10	11
35-49	58	5.5	14	2	3	5	7	10	14	20
50-64	69	6.7	39	1	2	5	8	13	17	33
65 +	210	9.4	69	2	4	7	12	18	22	48
TOTAL SINGLE DX	48	3.3	10	< 1	1	2	5	7	10	16
TOTAL MULTIPLE DX	398	7.6	51	1	3	6	10	15	19	37
TOTAL										
0-19 YRS	36	2.4	5	< 1	1	1	3	6	7	10
20-34	46	5.1	10	1	3	4	7	10	10	16
35-49	74	5.1	14	1	2	5	6	9	13	19
50-64	73	6.4	38	1	2	5	8	13	17	33
65 +	217	9.3	68	2	4	7	12	18	22	48
GRAND TOTAL	446	7.1	48	1	3	5	9	15	18	36

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.5	1	< 1	1	1	1	3	4	5
20-34	20	2.2	1	1	1	2	3	3	4	4
35-49	12	1.8	3	1	1	1	2	5	6	6
50-64	15	1.4		1	1	1	2	2	3	3
65 +	19	1.9	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	22	3.9	9	1	2	3	5	7	10	14
20-34	24	3.5	7	1	1	3	5	9	9	10
35-49	36	5.2	34	1	1	3	7	10	21	24
50-64	52	5.3	27	1	2	4	7	10	12	31
65 +	191	5.7	36	1	3	4	7	11	14	45
TOTAL SINGLE DX	85	1.8	1	1	1	1	2	3	5	6
TOTAL MULTIPLE DX	325	5.3	31	1	2	4	6	10	14	36
TOTAL										
0-19 YRS	41	2.8	7	< 1	1	2	4	6	7	14
20-34	44	2.9	5	1	1	3	3	5	9	10
35-49	48	4.3	28	1	1	2	6	10	19	24
50-64	67	4.4	24	1	1	3	5	10	11	29
65 +	210	5.4	34	1	2	4	6	11	14	42
GRAND TOTAL	410	4.6	27	1	1	3	6	10	12	33

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	7	4.9	2	3	4	4	6	7	7	7
35-49	68	5.2	2	4	4	5	6	7	8	11
50-64	64	5.3	3	3	4	5	6	7	9	11
65 +	19	6.8	8	4	5	7	8	10	13	16
2. MULTIPLE DX										
0-19 YRS	3	6.3	4	4	5	7	8	8	8	8
20-34	22	5.0	4	3	4	5	6	7	10	12
35-49	89	5.4	3	4	4	5	6	7	8	14
50-64	92	6.2	6	3	5	6	8	9	10	16
65 +	89	7.2	11	4	5	7	8	11	13	23
TOTAL SINGLE DX	159	5.4	3	3	4	5	6	7	9	11
TOTAL MULTIPLE DX	295	6.2	8	4	5	6	7	9	11	16
TOTAL										
0-19 YRS	4	6.0	3	4	4	6	7	8	8	8
20-34	29	5.0	4	3	4	5	6	7	8	12
35-49	157	5.3	3	4	4	5	6	7	8	12
50-64	156	5.8	5	3	5	6	7	9	9	15
65 +	108	7.2	11	4	5	7	8	11	13	21
GRAND TOTAL	454	5.9	6	4	4	5	7	9	10	16

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.8	4	2	2	4	5	6	6	6
35-49	50	4.3	3	2	3	4	5	7	8	10
50-64	44	4.5	2	2	3	5	5	6	8	9
65 +	24	4.9	8	2	3	4	7	8	11	13
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	17	5.3	3	3	4	5	6	8	9	9
35-49	90	5.3	5	2	4	5	6	8	10	12
50-64	102	5.6	3	3	4	6	7	8	9	12
65 +	95	6.2	7	3	4	6	8	10	12	15
TOTAL SINGLE DX	123	4.5	4	2	3	4	5	7	8	11
TOTAL MULTIPLE DX	305	5.7	6	3	4	6	7	8	10	13
TOTAL										
0-19 YRS	2	10.5	85	4	4	10	17	17	17	17
20-34	21	5.0	4	2	4	5	6	8	9	9
35-49	140	4.9	5	2	3	5	6	8	9	12
50-64	146	5.3	4	3	4	5	6	8	8	12
65 +	119	5.9	8	2	4	6	7	10	12	14
GRAND TOTAL	428	5.4	6	3	4	5	6	8	10	13

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.3	8	<1	<1	1	2	7	9	9
20-34	37	2.9	3	1	1	2	4	6	6	8
35-49	55	2.8	3	1	1	2	4	6	6	9
50-64	47	2.3	2	<1	1	2	3	5	6	7
65 +	13	4.3	66	1	1	2	3	12	27	31
2. MULTIPLE DX										
0-19 YRS	11	2.6	4	<1	1	2	4	6	6	6
20-34	50	4.5	10	1	2	4	5	9	12	15
35-49	76	5.6	21	2	3	4	7	11	14	26
50-64	70	6.2	37	2	2	5	8	13	18	35
65 +	111	9.5	86	2	3	7	12	21	30	45
TOTAL SINGLE DX	161	2.8	8	1	1	2	4	6	7	9
TOTAL MULTIPLE DX	318	6.8	50	2	2	5	8	15	20	36
TOTAL										
0-19 YRS	20	2.5	6	<1	<1	1	4	6	8	9
20-34	87	3.8	8	1	2	3	5	8	10	14
35-49	131	4.4	16	1	2	3	5	9	12	23
50-64	117	4.6	27	1	2	3	6	9	15	30
65 +	124	9.0	86	2	3	6	11	21	30	42
GRAND TOTAL	479	5.5	39	1	2	3	7	12	18	32

652: Ultrasonic lithotripsy, except by percutaneous nephrostomy (59.95-59.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	1.3		<1	1	1	2	2	3	3
20-34	256	1.4		<1	<1	1	2	2	2	5
35-49	542	1.4	1	<1	<1	1	2	2	3	6
50-64	392	1.5	1	<1	<1	1	2	2	3	6
65 +	145	1.7	5	<1	1	1	2	3	4	13
2. MULTIPLE DX										
0-19 YRS	11	2.8	7	1	1	2	3	7	10	10
20-34	104	2.6	9	<1	1	2	3	5	7	19
35-49	203	2.1	3	<1	1	2	2	4	6	10
50-64	287	2.4	10	<1	1	2	2	5	6	12
65 +	260	3.4	20	1	1	2	3	8	14	28
TOTAL SINGLE DX	1361	1.5	2	<1	<1	1	2	2	3	6
TOTAL MULTIPLE DX	865	2.6	12	<1	1	2	3	5	8	17
TOTAL										
0-19 YRS	37	1.8	3	<1	1	1	2	3	4	10
20-34	360	1.7	3	<1	<1	1	2	3	4	9
35-49	745	1.6	2	<1	<1	1	2	3	4	7
50-64	679	1.8	6	<1	1	1	2	3	5	10
65 +	405	2.8	16	1	1	2	3	6	10	25
GRAND TOTAL	2226	1.9	6	<1	1	1	2	3	5	13

653: Miscellaneous operations on urinary tract (59.0-59.21, 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	13.0		13	13	13	13	13	13	13
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	2	9.0		9	9	9	9	9	9	9
35-49	10	8.8	63	3	3	6	10	21	29	29
50-64	9	12.1	181	3	6	8	12	35	45	45
65 +	14	23.8	372	4	10	14	42	56	59	60
TOTAL SINGLE DX	7	4.9	18	1	1	5	6	12	13	13
TOTAL MULTIPLE DX	37	15.4	236	3	6	9	16	42	52	60
TOTAL										
0-19 YRS	3	9.0	7	6	7	10	11	11	11	11
20-34	5	4.4	18	1	1	2	9	9	9	9
35-49	11	8.5	57	3	4	6	10	20	28	29
50-64	10	12.2	162	3	6	8	13	33	45	45
65 +	15	22.5	369	4	8	14	39	56	59	60
GRAND TOTAL	44	13.7	215	3	5	9	14	42	48	60

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	15	3.5	1	3	3	3	4	5	5	5
50-64	298	3.9	2	2	3	4	4	5	6	9
65 +	659	4.4	3	3	3	4	5	7	8	11
2. MULTIPLE DX										
0-19 YRS	3	10.0	63	4	5	7	16	19	19	19
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	65	5.4	21	2	3	4	6	10	15	25
50-64	1231	5.0	16	2	3	4	5	8	11	17
65 +	4850	6.7	30	3	4	5	8	12	16	29
TOTAL SINGLE DX	974	4.2	3	3	3	4	5	6	8	11
TOTAL MULTIPLE DX	6151	6.3	28	3	4	5	7	11	15	27
TOTAL										
0-19 YRS	3	10.0	63	4	5	7	16	19	19	19
20-34	4	3.3	2	2	2	3	4	5	5	5
35-49	80	5.0	18	2	3	4	5	9	12	25
50-64	1529	4.8	14	2	3	4	5	8	10	15
65 +	5509	6.4	28	3	4	5	7	11	16	27
GRAND TOTAL	7125	6.0	25	3	4	5	7	10	14	25

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	57	8.5	7	6	7	8	9	12	14	18
65 +	72	9.1	5	7	8	9	10	12	15	17
2. MULTIPLE DX										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	101	10.2	11	6	8	9	12	15	17	20
65 +	335	11.6	43	7	8	10	13	18	23	35
TOTAL SINGLE DX	132	8.8	7	6	7	8	10	12	15	17
TOTAL MULTIPLE DX	441	11.2	37	7	8	10	13	17	20	30
TOTAL										
0-19 YRS	3	6.3	34	2	2	4	11	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	9.0	5	7	7	8	10	12	12	12
50-64	158	9.6	11	6	8	9	11	14	16	19
65 +	407	11.1	38	7	8	10	13	16	20	32
GRAND TOTAL	573	10.6	31	7	8	9	12	16	19	29

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	23	2.4	3	1	1	2	4	4	6	9
65 +	30	2.5	6	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	4.5	5	1	3	5	6	7	8	8
50-64	54	5.7	34	1	2	5	8	11	12	38
65 +	180	6.4	27	1	3	5	9	13	17	26
TOTAL SINGLE DX	55	2.6	6	1	1	2	3	5	8	13
TOTAL MULTIPLE DX	244	6.2	28	1	2	5	9	13	16	28
TOTAL										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	11.0		11	11	11	11	11	11	11
35-49	10	4.9	9	1	2	5	6	9	11	11
50-64	77	4.7	27	1	1	4	6	10	11	33
65 +	210	5.9	26	1	2	4	9	13	17	24
GRAND TOTAL	299	5.6	26	1	2	4	8	12	15	24

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	1.6	1	<1	<1	1	2	3	5	6
20-34	24	2.9	5	1	1	2	3	6	8	11
35-49	18	2.8	8	1	1	2	3	7	10	12
50-64	17	2.2	7	1	1	1	3	3	9	12
65 +	8	2.1	4	<1	1	1	2	6	7	7
2. MULTIPLE DX										
0-19 YRS	41	2.3	15	1	1	1	2	3	7	25
20-34	23	8.6	238	1	2	4	8	15	43	75
35-49	20	5.2	31	1	1	3	8	12	17	22
50-64	46	6.9	178	1	2	3	5	14	22	87
65 +	43	5.9	31	1	2	5	7	14	18	26
TOTAL SINGLE DX	119	2.2	4	<1	1	1	3	5	7	12
TOTAL MULTIPLE DX	173	5.6	96	1	1	3	5	12	19	64
TOTAL										
0-19 YRS	93	1.9	8	<1	1	1	2	3	5	18
20-34	47	5.7	125	1	2	3	6	10	14	75
35-49	38	4.1	21	1	1	2	4	11	13	22
50-64	63	5.6	136	1	1	3	5	12	19	79
65 +	51	5.3	29	1	1	4	7	13	18	26
GRAND TOTAL	292	4.2	62	1	1	2	4	10	13	28

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	67	1.9	3	<1	1	1	2	4	5	12
20-34	50	2.1	2	1	1	1	2	4	6	8
35-49	31	2.5	4	1	1	2	3	6	6	11
50-64	24	2.0	1	1	1	2	3	3	4	5
65 +	56	1.6		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	59	2.0	2	1	1	1	3	5	6	91
20-34	31	4.1	30	1	1	2	5	7	16	29
35-49	32	4.1	20	1	1	2	5	11	15	20
50-64	53	6.0	85	1	1	3	8	12	18	63
65 +	267	7.0	70	1	2	4	9	15	23	61
TOTAL SINGLE DX	228	1.9	3	1	1	1	2	3	5	9
TOTAL MULTIPLE DX	442	5.8	60	1	2	3	7	13	19	64
TOTAL										
0-19 YRS	126	1.9	3	<1	1	1	2	4	6	33
20-34	81	2.8	14	1	1	2	3	6	7	25
35-49	63	3.3	13	1	1	2	3	7	11	19
50-64	77	4.8	63	1	1	3	5	10	13	52
65 +	323	6.0	63	1	2	3	8	13	21	44
GRAND TOTAL	670	4.5	44	1	1	2	5	10	15	35

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	266	1.2		<1	1	1	1	2	2	4
20-34	29	1.3		1	1	1	2	2	2	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	152	1.5	1	<1	1	1	2	3	5	96
20-34	10	2.0	1	<1	1	2	3	4	4	4
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	298	1.2		<1	1	1	1	2	2	4
TOTAL MULTIPLE DX	163	1.6	1	<1	1	1	2	3	4	86
TOTAL										
0-19 YRS	418	1.3	1	<1	1	1	1	2	3	6
20-34	39	1.5	1	1	1	1	2	3	3	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	461	1.4	1	<1	1	1	1	2	3	6

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	1.3		< 1	1	1	1	2	4	5
20-34	11	2.5	3	< 1	1	2	4	5	6	6
35-49	8	1.8	3	< 1	< 1	1	2	5	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	23	2.3	6	< 1	1	1	3	5	8	12
20-34	8	1.5		1	1	1	2	3	3	3
35-49	13	5.1	56	1	1	2	4	20	23	24
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	5	2.6	3	1	1	3	4	5	5	5
TOTAL SINGLE DX	77	1.6	2	< 1	1	1	1	4	5	6
TOTAL MULTIPLE DX	51	2.9	18	1	1	1	3	5	12	24
TOTAL										
0-19 YRS	78	1.6	3	< 1	1	1	1	4	5	10
20-34	19	2.1	2	< 1	1	1	3	5	6	6
35-49	21	3.8	38	< 1	1	1	3	12	21	24
50-64	4	2.0	2	1	1	2	3	4	4	4
65 +	6	3.2	4	1	1	3	5	6	6	6
GRAND TOTAL	**128**	**2.1**	**9**	**<1**	**1**	**1**	**2**	**5**	**6**	**20**

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	1.1		< 1	< 1	< 1	1	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	4	1.0		1	1	1	1	1	1	1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
TOTAL SINGLE DX	10	1.1		< 1	< 1	1	1	2	2	2
TOTAL MULTIPLE DX	7	1.0		< 1	< 1	1	1	1	1	1
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	1.1		< 1	< 1	< 1	1	2	2	2
35-49	5	1.0		1	1	1	1	1	1	1
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
GRAND TOTAL	**17**	**1.1**		**<1**	**<1**	**1**	**1**	**1**	**2**	**2**

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.5	1	< 1	1	1	2	2	4	6
20-34	21	1.2		< 1	1	1	1	2	3	3
35-49	30	1.3		< 1	1	1	1	2	3	3
50-64	22	1.4		1	1	1	1	3	4	4
65 +	5	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	13	2.8	8	1	1	2	3	9	9	9
20-34	11	2.6	3	1	1	2	3	6	7	7
35-49	15	2.1	3	< 1	< 1	1	2	6	6	6
50-64	17	3.4	6	1	2	2	5	8	9	9
65 +	14	2.4	3	1	1	2	3	6	6	6
TOTAL SINGLE DX	108	1.3	1	< 1	1	1	1	2	3	5
TOTAL MULTIPLE DX	70	2.7	5	1	1	2	4	6	8	9
TOTAL										
0-19 YRS	43	1.9	4	< 1	1	1	2	4	7	9
20-34	32	1.7	2	< 1	1	1	2	3	5	7
35-49	45	1.6	2	< 1	1	1	2	3	5	6
50-64	39	2.3	4	1	1	1	3	5	7	9
65 +	19	2.1	3	1	1	1	3	5	6	6
GRAND TOTAL	**178**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**6**	**9**

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	1.1		< 1	< 1	< 1	< 1	1	2	4
20-34	9	1.2		< 1	< 1	< 1	1	2	3	3
35-49	11	2.4	15	< 1	< 1	1	1	7	13	14
50-64	11	1.4		< 1	< 1	< 1	1	3	3	3
65 +	5	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	44	4.3	45	< 1	1	1	4	15	24	99 +
20-34	7	6.0	34	< 1	1	3	9	16	17	17
35-49	30	3.6	8	1	1	3	6	8	9	11
50-64	23	2.4	4	< 1	1	2	3	6	7	8
65 +	35	5.4	20	1	2	4	8	13	15	18
TOTAL SINGLE DX	129	1.2	2	< 1	< 1	< 1	< 1	1	3	6
TOTAL MULTIPLE DX	139	4.2	24	< 1	1	2	6	10	15	41
TOTAL										
0-19 YRS	137	2.1	17	< 1	< 1	< 1	1	4	11	43
20-34	16	3.3	20	< 1	< 1	1	3	10	15	17
35-49	41	3.3	10	< 1	1	2	5	8	10	14
50-64	34	2.1	3	< 1	< 1	1	3	5	7	8
65 +	40	4.9	20	< 1	1	4	8	12	14	18
GRAND TOTAL	**268**	**2.8**	**16**	**<1**	**<1**	**1**	**3**	**8**	**11**	**20**

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	29	3.1	2	1	2	3	4	6	6	7
50-64	55	3.1	3	1	2	3	4	5	8	9
65+	34	2.9	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	15	4.2	6	2	2	3	6	8	9	10
35-49	61	3.3	4	1	2	3	4	5	6	14
50-64	155	3.1	4	1	2	3	4	5	6	11
65+	90	3.3	4	1	2	3	4	6	7	12
TOTAL SINGLE DX	119	3.0	3	1	2	3	4	5	7	9
TOTAL MULTIPLE DX	323	3.3	5	1	2	3	4	5	7	12
TOTAL										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	16	4.3	6	2	2	3	6	8	9	10
35-49	90	3.3	4	1	2	3	4	5	6	13
50-64	210	3.1	4	1	2	3	4	5	6	10
65+	124	3.2	4	1	2	3	4	5	7	10
GRAND TOTAL	442	3.2	4	1	2	3	4	5	7	11

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	2.3	6	<1	1	1	3	5	7	12
20-34	11	2.0	2	<1	<1	1	3	5	5	5
35-49	14	2.5	3	<1	1	2	3	5	7	7
50-64	14	2.9	6	1	1	2	3	8	9	9
65+	7	5.7	27	1	2	3	9	14	15	15
2. MULTIPLE DX										
0-19 YRS	51	3.1	6	1	1	2	4	7	8	14
20-34	15	5.6	31	1	1	3	9	11	19	21
35-49	25	5.2	17	1	2	5	8	12	34	99+
50-64	32	4.8	30	1	2	3	5	11	19	25
65+	26	5.7	15	1	3	5	8	12	15	15
TOTAL SINGLE DX	92	2.6	7	<1	1	2	3	6	9	14
TOTAL MULTIPLE DX	149	4.5	18	1	2	3	6	10	14	25
TOTAL										
0-19 YRS	97	2.7	6	1	1	2	3	6	8	13
20-34	26	4.1	22	<1	1	2	5	11	13	21
35-49	39	4.3	14	1	2	3	6	10	14	99+
50-64	46	4.2	23	1	2	2	5	9	14	25
65+	33	5.7	17	1	3	4	8	13	15	15
GRAND TOTAL	241	3.8	15	1	1	2	5	9	12	21

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	88	3.6	2	2	3	4	4	5	6	11
20-34	189	3.8	2	2	3	4	5	6	7	9
35-49	34	3.5	2	2	2	3	4	5	7	8
50-64	3	5.3	2	4	4	5	6	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	104	4.2	3	2	3	4	5	6	8	11
20-34	394	4.1	3	2	3	4	5	6	7	11
35-49	86	5.0	7	3	3	4	6	9	10	14
50-64	15	8.8	19	4	6	8	10	18	18	18
65+	20	11.3	49	5	6	10	15	20	27	32
TOTAL SINGLE DX	315	3.8	2	2	3	4	4	5	6	9
TOTAL MULTIPLE DX	619	4.6	8	2	3	4	5	7	10	15
TOTAL										
0-19 YRS	192	3.9	3	2	3	4	5	6	7	11
20-34	583	4.0	3	2	3	4	5	6	7	10
35-49	120	4.6	6	2	3	4	5	8	10	14
50-64	18	8.2	18	4	6	7	9	16	18	18
65+	21	10.9	50	4	5	10	15	20	26	32
GRAND TOTAL	934	4.3	6	2	3	4	5	6	8	15

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	4.0	3	2	3	4	5	6	7	11
20-34	173	4.1	2	3	3	4	5	6	7	9
35-49	98	4.0	1	3	3	4	5	5	7	8
50-64	7	4.7	4	3	3	4	6	8	8	8
65 +	7	4.7	2	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	53	4.4	1	3	4	4	5	6	6	9
20-34	587	4.6	4	3	3	4	5	7	8	12
35-49	359	5.0	5	3	4	4	6	7	10	14
50-64	35	6.4	13	3	4	5	8	12	15	18
65 +	41	12.2	80	5	6	10	15	23	33	46
TOTAL SINGLE DX	350	4.1	2	3	3	4	5	6	7	9
TOTAL MULTIPLE DX	1075	5.1	10	3	4	4	5	8	10	16
TOTAL										
0-19 YRS	118	4.2	3	3	3	4	5	6	7	10
20-34	760	4.5	4	3	3	4	5	7	8	11
35-49	457	4.8	5	3	3	4	5	7	9	14
50-64	42	6.1	12	3	4	5	7	11	14	18
65 +	48	11.1	76	4	6	8	14	21	31	46
GRAND TOTAL	1425	4.8	8	3	3	4	5	7	9	16

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	20	4.1	2	2	3	4	5	6	7	8
35-49	66	4.2	2	3	3	4	5	6	7	11
50-64	24	5.2	9	3	4	4	5	9	12	16
65 +	12	6.3	3	4	5	6	8	9	9	9
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	196	4.7	3	3	4	4	5	7	8	11
35-49	454	5.2	10	3	4	4	5	7	10	19
50-64	109	7.7	32	3	4	6	8	16	21	30
65 +	85	10.1	45	5	6	7	12	21	24	33
TOTAL SINGLE DX	124	4.5	4	3	3	4	5	7	8	13
TOTAL MULTIPLE DX	845	5.9	18	3	4	5	6	9	14	25
TOTAL										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	216	4.6	3	3	4	4	5	6	8	11
35-49	520	5.1	10	3	4	4	5	7	9	18
50-64	133	7.2	29	3	4	5	8	15	18	29
65 +	97	9.7	42	5	6	7	10	19	24	33
GRAND TOTAL	969	5.7	16	3	4	5	6	9	13	24

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	4.0	15	1	2	3	4	8	15	17
20-34	33	3.2	2	1	2	3	4	5	5	6
35-49	12	2.9	8	< 1	< 1	1	4	8	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
0-19 YRS	38	4.0	13	1	2	3	4	6	9	23
20-34	158	3.5	4	< 1	2	3	4	5	7	12
35-49	49	4.1	10	< 1	2	4	5	9	12	14
50-64	3	4.3	4	2	3	5	6	6	6	6
65 +	1	8.0		8	8	8	8	8	8	8
TOTAL SINGLE DX	68	3.4	7	< 1	2	3	4	6	8	16
TOTAL MULTIPLE DX	249	3.7	7	< 1	2	3	4	6	8	14
TOTAL										
0-19 YRS	60	4.0	14	1	2	3	4	6	11	22
20-34	191	3.4	4	< 1	2	3	4	5	6	11
35-49	61	3.9	10	< 1	1	4	5	8	11	14
50-64	4	4.5	3	2	3	5	6	6	6	6
65 +	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	317	3.6	7	<1	2	3	4	6	8	14

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	241	1.1		< 1	< 1	< 1	< 1	< 1	1	3
35-49	109	1.0		< 1	< 1	< 1	< 1	< 1	1	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	108	1.7	1	< 1	< 1	1	2	3	4	8
35-49	56	1.5		< 1	< 1	< 1	2	3	4	5
50-64	0									
65 +	0									
TOTAL SINGLE DX	350	1.0		< 1	< 1	< 1	< 1	< 1	1	3
TOTAL MULTIPLE DX	165	1.6	1	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	349	1.2	1	< 1	< 1	< 1	< 1	2	3	5
35-49	165	1.2		< 1	< 1	< 1	< 1	2	3	4
50-64	0									
65 +	0									
GRAND TOTAL	515	1.2	1	<1	<1	<1	<1	2	3	5

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	101	1.7	1	< 1	1	1	2	4	4	5
35-49	30	1.8	1	< 1	< 1	1	2	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	11	2.8	3	1	2	2	3	5	8	8
20-34	881	2.6	2	1	2	2	3	4	4	7
35-49	156	2.7	1	1	2	3	3	4	5	7
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	0									
TOTAL SINGLE DX	132	1.7	1	< 1	< 1	1	2	4	4	5
TOTAL MULTIPLE DX	1051	2.7	2	1	2	2	3	4	4	7
TOTAL										
0-19 YRS	12	2.7	3	1	2	2	3	5	8	8
20-34	982	2.5	2	1	2	2	3	4	4	7
35-49	186	2.6	2	1	2	2	3	4	5	7
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	0									
GRAND TOTAL	**1183**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	3.9	2	2	3	4	5	6	6	9
20-34	592	3.6	1	2	3	4	4	5	5	7
35-49	81	3.8	1	2	3	4	4	5	6	9
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	79	4.2	2	2	3	4	5	6	8	10
20-34	725	3.9	2	2	3	4	4	5	6	10
35-49	128	4.1	2	2	3	4	5	6	7	10
50-64	5	8.0	16	3	6	7	10	14	14	14
65 +	1	31.0		31	31	31	31	31	31	31
TOTAL SINGLE DX	707	3.6	1	2	3	4	4	5	6	7
TOTAL MULTIPLE DX	938	4.0	3	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	111	4.1	3	2	3	4	5	6	8	10
20-34	1317	3.8	2	2	3	4	4	5	6	8
35-49	209	3.9	2	2	3	4	5	6	7	9
50-64	6	7.2	17	3	3	7	9	13	14	14
65 +	2	18.5	313	6	6	18	31	31	31	31
GRAND TOTAL	**1645**	**3.8**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	78	1.2		< 1	< 1	1	1	2	2	4
35-49	36	1.2		< 1	< 1	1	1	2	2	4
50-64	14	1.3		< 1	1	1	1	2	3	3
65 +	5	1.6	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	64	1.8	1	< 1	< 1	1	2	5	5	5
35-49	26	2.8	5	< 1	1	2	4	6	9	9
50-64	20	2.9	11	< 1	1	2	3	6	11	15
65 +	17	3.4	20	1	1	2	3	6	15	20
TOTAL SINGLE DX	134	1.2		< 1	< 1	1	1	2	2	4
TOTAL MULTIPLE DX	130	2.3	7	< 1	1	1	3	5	6	16
TOTAL										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	142	1.5	1	< 1	< 1	1	1	3	4	5
35-49	62	1.9	3	< 1	< 1	1	2	4	6	9
50-64	34	2.2	7	< 1	1	1	2	5	7	15
65 +	22	3.0	17	< 1	1	2	3	6	12	20
GRAND TOTAL	**264**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.3		< 1	< 1	1	2	2	2	2
20-34	54	1.4	2	< 1	< 1	< 1	< 1	1	4	11
35-49	21	1.5	1	< 1	< 1	< 1	1	3	5	6
50-64	6	4.7	20	< 1	< 1	3	7	11	12	12
65 +	12	2.6	4	< 1	1	2	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	7	2.0	7	< 1	< 1	< 1	1	7	8	8
20-34	48	6.1	212	< 1	< 1	1	3	15	42	74
35-49	51	3.1	20	< 1	< 1	1	3	8	9	28
50-64	27	5.6	123	< 1	< 1	2	6	11	19	59
65 +	58	8.5	124	2	3	6	9	15	27	73
TOTAL SINGLE DX	100	1.8	4	< 1	< 1	< 1	1	4	6	11
TOTAL MULTIPLE DX	191	5.8	117	< 1	< 1	2	6	11	20	68
TOTAL										
0-19 YRS	14	1.6	3	< 1	< 1	1	1	3	7	8
20-34	102	3.6	106	< 1	< 1	< 1	1	4	14	65
35-49	72	2.7	15	< 1	< 1	1	3	7	9	24
50-64	33	5.5	104	< 1	< 1	2	6	11	12	59
65 +	70	7.5	109	1	2	5	8	15	20	68
GRAND TOTAL	**291**	**4.4**	**82**	**<1**	**<1**	**1**	**5**	**9**	**15**	**58**

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	2.6	2	1	1	2	4	5	6	6
20-34	172	2.1	6	1	1	1	2	4	5	9
35-49	19	1.9	2	1	1	1	2	4	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	8	2.6	4	1	1	2	4	6	6	6
20-34	70	3.2	6	1	1	2	4	7	8	11
35-49	12	1.5		1	1	1	2	3	3	3
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	212	2.1	6	1	1	1	2	4	5	8
TOTAL MULTIPLE DX	93	2.9	6	1	1	2	4	7	8	11
TOTAL										
0-19 YRS	29	2.6	3	1	1	2	4	5	6	6
20-34	242	2.4	7	1	1	2	3	5	7	10
35-49	31	1.8	2	1	1	1	2	3	4	7
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	305	2.4	6	1	1	2	3	5	7	10

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.0	3	< 1	< 1	< 1	3	4	4	4
20-34	88	3.9	1	2	3	4	5	6	6	7
35-49	29	3.7	2	< 1	3	4	5	5	6	7
50-64	3	2.0	3	< 1	< 1	< 1	3	4	4	4
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	11	3.7	3	1	3	4	4	6	8	8
20-34	214	4.9	6	2	4	5	6	7	10	18
35-49	118	4.8	12	1	3	4	5	7	10	23
50-64	14	9.9	82	1	2	5	18	22	26	27
65 +	24	5.4	41	1	1	2	6	18	21	22
TOTAL SINGLE DX	124	3.7	2	< 1	3	4	5	5	6	7
TOTAL MULTIPLE DX	381	5.1	14	1	3	4	6	8	12	22
TOTAL										
0-19 YRS	14	3.4	4	< 1	1	4	4	5	7	8
20-34	302	4.6	6	2	3	4	5	7	9	15
35-49	147	4.6	11	1	3	4	5	7	9	19
50-64	17	8.5	77	< 1	1	4	17	22	25	27
65 +	25	5.4	40	1	1	2	6	18	20	22
GRAND TOTAL	505	4.7	11	1	3	4	5	7	10	22

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	321	4.7	6	3	4	4	5	6	7	11
35-49	549	4.7	1	3	4	4	5	6	7	9
50-64	149	5.1	2	4	4	5	6	7	8	10
65 +	70	5.3	2	4	4	5	6	7	8	10
2. MULTIPLE DX										
0-19 YRS	14	6.1	25	3	4	5	6	9	20	23
20-34	2977	5.0	4	4	4	5	5	7	8	11
35-49	6368	5.1	4	4	4	5	6	7	8	12
50-64	1353	5.9	12	4	4	5	6	8	11	21
65 +	632	7.9	28	4	5	6	9	13	16	29
TOTAL SINGLE DX	1091	4.8	3	3	4	5	5	6	7	10
TOTAL MULTIPLE DX	11344	5.3	7	4	4	5	6	7	9	15
TOTAL										
0-19 YRS	16	6.3	23	3	4	5	7	9	19	23
20-34	3298	4.9	5	3	4	5	5	7	8	11
35-49	6917	5.0	4	4	4	5	6	7	8	12
50-64	1502	5.8	12	4	4	5	6	8	10	20
65 +	702	7.7	27	4	5	6	8	13	15	28
GRAND TOTAL	12435	5.3	7	4	4	5	6	7	9	14

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	203	3.7	1	3	3	4	4	5	5	9
35-49	205	4.0	1	3	3	4	5	6	6	8
50-64	83	4.8	1	3	4	5	6	7	7	8
65 +	80	5.7	3	4	4	5	7	8	8	14
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1037	4.0	2	3	3	4	5	6	6	9
35-49	1614	4.2	2	3	3	4	5	6	7	10
50-64	436	5.1	3	3	4	5	6	7	8	11
65 +	425	6.1	6	4	5	6	7	9	10	16
TOTAL SINGLE DX	572	4.3	2	3	3	4	5	6	7	9
TOTAL MULTIPLE DX	3514	4.5	4	3	3	4	5	6	7	11
TOTAL										
0-19 YRS	3	3.3	4	1	2	4	5	5	5	5
20-34	1240	3.9	2	3	3	4	4	5	6	9
35-49	1819	4.2	3	3	3	4	5	6	7	10
50-64	519	5.0	3	3	4	5	6	7	8	11
65 +	505	6.1	6	4	5	6	7	8	10	16
GRAND TOTAL	4086	4.4	3	3	3	4	5	6	7	11

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	7	7.4	4	5	6	7	9	11	11	11
35-49	5	8.0	1	6	7	8	9	9	9	9
50-64	3	8.7	14	6	6	7	11	13	13	13
65 +	4	9.5	36	4	5	8	13	18	18	18
2. MULTIPLE DX										
0-19 YRS	0									
20-34	14	11.6	85	6	7	7	9	27	34	36
35-49	20	8.4	3	6	7	8	9	11	12	13
50-64	16	14.4	206	7	8	10	15	19	52	66
65 +	8	26.5	878	10	12	17	30	79	99	99 +
TOTAL SINGLE DX	19	8.2	10	5	6	7	9	12	16	18
TOTAL MULTIPLE DX	58	13.6	225	7	7	9	13	25	35	96
TOTAL										
0-19 YRS	0									
20-34	21	10.2	61	6	7	7	9	23	30	36
35-49	25	8.3	3	6	7	8	9	10	11	13
50-64	19	13.5	178	6	8	10	14	19	45	66
65 +	12	22.2	656	6	9	13	24	53	92	99
GRAND TOTAL	77	12.2	176	6	7	9	11	20	31	90

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.6		< 1	1	1	2	3	3	3
20-34	23	2.3	5	< 1	1	1	3	5	8	9
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	11.0	201	< 1	1	4	24	32	33	33
20-34	35	4.9	45	1	1	2	5	13	15	36
35-49	8	6.1	34	1	2	4	9	16	18	18
50-64	0									
65 +	0									
TOTAL SINGLE DX	32	2.1	4	< 1	1	1	3	4	8	9
TOTAL MULTIPLE DX	50	6.0	66	1	1	3	5	14	30	36
TOTAL										
0-19 YRS	14	6.3	117	< 1	1	2	4	30	32	33
20-34	58	3.9	31	< 1	1	2	4	10	14	34
35-49	10	5.2	31	1	2	3	5	15	18	18
50-64	0									
65 +	0									
GRAND TOTAL	82	4.5	45	<1	1	2	4	12	16	35

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	370	1.4		< 1	1	1	2	3	3	5
20-34	1431	1.5	6	< 1	1	1	2	2	3	6
35-49	340	1.3		< 1	< 1	1	1	2	3	5
50-64	97	1.5	2	< 1	< 1	< 1	1	3	4	10
65 +	42	1.5		< 1	< 1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	157	3.1	12	1	1	2	3	6	9	25
20-34	933	2.6	5	< 1	1	2	3	5	7	12
35-49	574	2.7	19	< 1	< 1	1	3	6	8	17
50-64	246	3.4	22	< 1	< 1	2	4	9	13	23
65 +	191	5.0	54	< 1	1	2	6	10	17	35
TOTAL SINGLE DX	2280	1.5	5	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	2101	3.0	17	< 1	1	2	3	6	9	19
TOTAL										
0-19 YRS	527	1.9	5	< 1	1	1	2	4	5	10
20-34	2364	1.9	7	< 1	1	1	2	4	5	9
35-49	914	2.2	13	< 1	< 1	1	2	4	6	14
50-64	343	2.9	17	< 1	< 1	1	3	7	11	19
65 +	233	4.3	47	< 1	1	2	5	9	16	29
GRAND TOTAL	4381	2.2	11	<1	<1	1	2	4	6	14

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.4	1	< 1	< 1	< 1	1	3	5	5
20-34	40	1.2		< 1	< 1	< 1	1	2	3	4
35-49	8	1.1		< 1	< 1	< 1	< 1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	11	14.6	497	< 1	2	5	16	54	69	70
20-34	38	4.5	20	< 1	1	2	7	11	14	19
35-49	8	5.5	41	< 1	< 1	3	7	16	20	20
50-64	0									
65 +	0									
TOTAL SINGLE DX	57	1.2	1	< 1	< 1	< 1	1	2	3	5
TOTAL MULTIPLE DX	57	6.6	123	< 1	1	3	7	15	20	68
TOTAL										
0-19 YRS	20	8.7	308	< 1	< 1	1	5	31	57	70
20-34	78	2.8	13	< 1	< 1	1	3	8	11	18
35-49	16	3.3	25	< 1	< 1	< 1	4	8	16	20
50-64	0									
65 +	0									
GRAND TOTAL	114	3.9	69	<1	<1	1	3	9	15	53

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	96	1.4	1	<1	<1	1	1	2	3	8
20-34	376	1.2		<1	<1	1	1	2	2	3
35-49	58	1.2		<1	<1	1	1	2	3	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
0-19 YRS	25	2.1	1	1	1	2	3	4	4	5
20-34	109	2.8	8	<1	1	2	3	6	9	17
35-49	18	2.8	4	1	1	2	5	6	7	7
50-64	3	9.0	27	6	6	6	13	15	15	15
65 +	5	5.6	22	1	2	4	8	13	13	13
TOTAL SINGLE DX	531	1.2		<1	<1	1	1	2	3	4
TOTAL MULTIPLE DX	160	2.9	9	<1	1	2	4	6	8	17
TOTAL										
0-19 YRS	121	1.5	1	<1	1	1	2	3	4	7
20-34	485	1.6	3	<1	<1	1	1	3	4	9
35-49	76	1.6	2	<1	<1	1	2	3	5	7
50-64	4	7.8	24	4	5	6	11	15	15	15
65 +	5	5.6	22	1	2	4	8	13	13	13
GRAND TOTAL	691	1.6	3	<1	<1	1	1	3	4	10

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	3.1	1	<1	3	3	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	3.3	11	1	1	2	5	8	8	8
20-34	26	2.8	2	1	1	3	4	5	5	6
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	3.5	1	3	3	3	4	4	4	4
TOTAL SINGLE DX	12	2.9	2	<1	2	3	4	5	5	5
TOTAL MULTIPLE DX	35	3.1	4	1	1	3	4	5	7	8
TOTAL										
0-19 YRS	5	2.8	9	1	1	1	4	8	8	8
20-34	36	2.9	2	1	1	3	4	5	5	6
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	47	3.0	3	1	1	3	4	5	6	8

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	31	2.9	3	<1	1	2	5	5	5	8
35-49	13	1.9	1	<1	<1	2	3	3	4	4
50-64	4	3.0		3	3	3	3	3	3	3
65 +	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	8	3.1	2	1	2	3	4	5	5	5
20-34	63	4.4	49	<1	<1	3	5	7	15	45
35-49	18	2.4	3	<1	<1	2	3	5	7	8
50-64	5	6.6	61	1	2	3	10	20	20	20
65 +	16	2.4	1	1	2	2	3	3	5	5
TOTAL SINGLE DX	54	2.7	2	<1	1	2	4	5	5	8
TOTAL MULTIPLE DX	110	3.8	33	<1	1	3	4	6	10	35
TOTAL										
0-19 YRS	10	3.3	2	1	2	3	4	5	5	5
20-34	94	3.9	35	<1	<1	3	5	6	10	38
35-49	31	2.2	3	<1	<1	2	3	4	6	8
50-64	9	5.0	34	1	2	3	4	15	20	20
65 +	20	2.5	1	1	2	3	3	3	4	5
GRAND TOTAL	164	3.4	23	<1	1	3	4	5	8	25

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	19	3.9	2	2	3	4	5	6	7	7
35-49	86	4.1	3	2	3	4	5	6	7	11
50-64	158	4.6	3	2	3	4	6	7	7	11
65 +	125	4.8	2	3	4	5	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	37	3.7	3	1	2	4	5	6	7	8
35-49	176	5.0	5	3	4	5	6	7	8	15
50-64	305	5.2	4	3	4	5	6	8	9	12
65 +	317	5.6	9	3	4	5	7	8	11	14
TOTAL SINGLE DX	393	4.5	3	2	3	4	5	7	8	9
TOTAL MULTIPLE DX	837	5.2	6	3	4	5	6	8	9	13
TOTAL										
0-19 YRS	7	1.4	1	<1	1	1	2	3	3	3
20-34	56	3.8	3	2	3	4	5	6	7	8
35-49	262	4.7	5	2	3	4	6	7	8	14
50-64	463	4.9	4	3	4	5	6	7	9	12
65 +	442	5.4	7	3	4	5	6	8	9	13
GRAND TOTAL	1230	5.0	6	3	4	5	6	7	9	13

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	21	3.5	10	< 1	1	3	4	9	11	13
20-34	44	2.9	2	1	2	2	4	5	6	8
35-49	13	2.2	5	1	1	1	3	5	8	9
50-64	16	3.3	9	1	1	2	4	5	11	14
65 +	7	3.7	3	2	2	3	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	33	5.1	62	1	1	3	5	10	21	41
20-34	35	3.0	3	1	2	3	4	6	6	7
35-49	22	5.3	16	2	3	4	7	11	15	16
50-64	18	6.6	11	2	4	7	8	11	13	14
65 +	38	8.7	46	4	5	7	10	16	21	41
TOTAL SINGLE DX	101	3.1	6	1	2	2	4	6	8	13
TOTAL MULTIPLE DX	146	5.8	35	1	2	4	7	10	16	41
TOTAL										
0-19 YRS	54	4.5	42	1	1	3	5	8	16	40
20-34	79	3.0	3	1	2	2	4	6	6	8
35-49	35	4.1	14	1	1	3	4	9	14	16
50-64	34	5.0	13	1	2	4	8	10	13	14
65 +	45	8.0	43	3	5	6	9	12	20	41
GRAND TOTAL	247	4.7	24	1	2	3	6	9	12	23

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.9	1	< 1	1	1	2	4	5	5
20-34	49	2.6	4	< 1	< 1	2	4	6	6	10
35-49	18	3.6	8	1	1	3	5	8	10	10
50-64	15	2.6	3	< 1	1	2	4	5	6	6
65 +	16	3.8	4	1	2	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	36	6.3	80	1	2	3	5	16	33	38
20-34	104	3.4	6	< 1	1	3	4	7	8	14
35-49	42	4.9	17	< 1	1	4	7	10	14	18
50-64	47	5.1	11	2	3	5	6	9	13	19
65 +	70	5.9	31	1	3	4	7	12	16	31
TOTAL SINGLE DX	117	2.8	5	< 1	1	2	4	6	7	10
TOTAL MULTIPLE DX	299	4.8	25	< 1	2	4	6	9	13	29
TOTAL										
0-19 YRS	55	4.8	57	< 1	1	2	4	8	24	38
20-34	153	3.1	6	< 1	1	2	4	6	7	10
35-49	60	4.5	15	< 1	1	3	7	9	11	18
50-64	62	4.5	11	1	2	4	6	8	11	18
65 +	86	5.5	27	1	3	4	6	10	15	30
GRAND TOTAL	416	4.2	20	< 1	1	3	5	8	10	26

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	2.2	10	< 1	1	1	2	4	4	22
20-34	67	2.2	16	< 1	< 1	1	2	4	5	28
35-49	37	1.1		< 1	< 1	< 1	1	2	2	2
50-64	20	1.3		< 1	< 1	< 1	1	2	3	3
65 +	9	2.1	5	< 1	< 1	1	2	6	8	8
2. MULTIPLE DX										
0-19 YRS	29	3.1	5	1	2	3	4	6	7	12
20-34	49	4.0	58	< 1	1	2	4	7	9	53
35-49	40	5.6	47	1	2	4	6	10	22	34
50-64	28	10.8	331	< 1	1	5	8	37	46	84
65 +	40	6.5	38	2	2	5	8	13	18	34
TOTAL SINGLE DX	175	1.9	9	< 1	< 1	1	2	3	4	18
TOTAL MULTIPLE DX	186	5.7	89	1	1	3	7	11	18	49
TOTAL										
0-19 YRS	71	2.6	9	< 1	1	2	3	4	6	20
20-34	116	2.9	35	< 1	1	1	3	5	7	40
35-49	77	3.4	30	< 1	< 1	1	4	8	11	33
50-64	48	6.8	213	< 1	< 1	1	6	15	41	84
65 +	49	5.7	35	1	2	4	7	12	17	34
GRAND TOTAL	361	3.9	54	< 1	1	2	4	7	12	40

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	4.3	17	1	1	3	7	9	9	9
50-64	1	8.0		8	8	8	8	8	8	8
65 +	5	5.0	8	1	2	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	12.3	64	4	6	13	18	20	20	20
35-49	5	25.4	1753	< 1	1	6	40	99	99	99 +
50-64	9	6.2	19	1	3	6	7	13	16	16
65 +	19	8.6	34	3	5	7	11	15	22	27
TOTAL SINGLE DX	12	4.2	10	< 1	1	3	7	8	9	9
TOTAL MULTIPLE DX	37	10.5	259	2	4	6	12	19	25	99
TOTAL										
0-19 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
20-34	4	9.8	70	2	3	8	16	20	20	20
35-49	8	17.5	1126	< 1	1	4	14	75	99	99 +
50-64	10	6.4	18	1	4	6	8	12	16	16
65 +	24	7.9	31	3	4	7	9	15	19	27
GRAND TOTAL	49	8.9	204	1	3	6	9	16	21	99

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	1.4		1	1	1	2	2	3	3
20-34	15	2.3	1	< 1	1	2	3	4	5	5
35-49	4	2.5	5	1	1	2	4	6	6	6
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	5	3.6	22	1	1	2	5	12	12	12
20-34	10	2.4	3	< 1	1	1	4	5	6	6
35-49	3	1.0		1	1	1	1	1	1	1
50-64	3	7.7	24	2	4	10	11	11	11	11
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	37	2.1	2	1	1	2	2	5	6	6
TOTAL MULTIPLE DX	22	3.1	12	1	1	1	4	10	11	12
TOTAL										
0-19 YRS	19	1.9	6	1	1	1	2	3	8	12
20-34	25	2.3	2	< 1	1	2	3	5	5	6
35-49	7	1.9	3	1	1	1	2	5	6	6
50-64	5	5.2	24	< 1	1	2	10	11	11	11
65 +	3	4.0	7	1	2	5	6	6	6	6
GRAND TOTAL	**59**	**2.5**	**6**	**1**	**1**	**2**	**3**	**6**	**8**	**12**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.8	2	< 1	< 1	< 1	2	4	6	6
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	7	12.9	195	2	3	9	16	37	42	42
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65 +	4	7.5	1	6	6	7	8	9	9	9
TOTAL SINGLE DX	10	1.7	2	< 1	< 1	1	2	4	6	6
TOTAL MULTIPLE DX	14	8.9	113	1	2	6	9	19	37	42
TOTAL										
0-19 YRS	16	6.6	112	< 1	< 1	2	7	17	34	42
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	4	7.5	2	6	6	7	8	9	9	9
GRAND TOTAL	**24**	**5.9**	**78**	**< 1**	**1**	**2**	**7**	**13**	**24**	**42**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	777	2.5		2	2	2	3	3	4	5
20-34	3172	2.5		2	2	2	3	3	4	5
35-49	153	2.5		2	2	2	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	763	2.9	3	2	2	3	3	4	5	9
20-34	3480	2.8	2	2	2	3	3	4	5	9
35-49	271	3.0	3	2	2	3	3	4	5	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	4102	2.5	1	2	2	2	3	3	4	5
TOTAL MULTIPLE DX	4514	2.9	3	2	2	3	3	4	5	9
TOTAL										
0-19 YRS	1540	2.7	2	2	2	3	3	4	4	7
20-34	6652	2.7	2	2	2	2	3	4	4	7
35-49	424	2.8	2	2	2	3	3	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**8616**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**4**	**7**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	29	2.0		1	2	2	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	24	3.3	18	1	1	2	4	6	11	22
20-34	97	3.1	13	1	2	2	3	5	6	23
35-49	11	3.0	2	1	2	3	4	5	6	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	33	1.9		1	2	2	2	3	3	3
TOTAL MULTIPLE DX	132	3.1	13	1	2	2	4	5	6	24
TOTAL										
0-19 YRS	28	3.0	16	1	1	2	3	6	8	22
20-34	126	2.8	10	1	2	2	3	4	5	15
35-49	11	3.0	3	1	2	3	4	5	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**165**	**2.9**	**11**	**1**	**2**	**2**	**3**	**5**	**6**	**20**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	281	2.3		2	2	2	3	3	3	4
20-34	1344	2.4		2	2	2	3	3	4	5
35-49	71	2.5		1	2	2	3	3	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	347	2.9	4	2	2	2	3	4	5	12
20-34	1852	2.8	3	2	2	3	3	4	5	8
35-49	148	2.7	1	2	2	3	3	4	5	6
50-64	0									
65 +	0									
TOTAL SINGLE DX	1696	2.4	1	2	2	2	3	3	4	5
TOTAL MULTIPLE DX	2347	2.9	3	2	2	3	3	4	5	8
TOTAL										
0-19 YRS	628	2.7	3	2	2	2	3	4	4	9
20-34	3196	2.7	2	2	2	2	3	4	4	7
35-49	219	2.6	1	2	2	2	3	4	4	6
50-64	0									
65 +	0									
GRAND TOTAL	4043	2.7	2	2	2	2	3	4	4	7

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5424	2.2		1	2	2	3	3	3	5
20-34	19931	2.2		1	2	2	3	3	3	4
35-49	1138	2.2		1	2	2	3	3	3	4
50-64	3	2.3		2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2307	2.8	6	1	2	2	3	4	5	11
20-34	11336	2.7	4	2	2	2	3	4	5	9
35-49	1008	2.9	5	2	2	3	3	4	5	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	26496	2.2	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	14652	2.7	5	2	2	2	3	4	5	10
TOTAL										
0-19 YRS	7731	2.4	3	1	2	2	3	3	4	7
20-34	31267	2.4	2	1	2	2	3	3	4	6
35-49	2146	2.5	3	1	2	2	3	4	4	7
50-64	4	2.5		2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	41148	2.4	2	1	2	2	3	3	4	7

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	766	4.2	1	3	4	4	5	5	6	9
20-34	4348	4.1	1	3	3	4	4	5	6	8
35-49	288	4.3	3	3	4	4	5	5	6	8
50-64	1	9.0		9	9	9	9	9	9	9
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2057	5.0	6	3	4	4	5	7	9	15
20-34	12223	4.8	8	3	4	4	5	6	8	15
35-49	1289	5.2	19	3	4	4	5	6	8	27
50-64	2	4.0	2	3	3	4	5	5	5	5
65 +	0									
TOTAL SINGLE DX	5403	4.1	2	3	4	4	5	5	6	8
TOTAL MULTIPLE DX	15571	4.9	9	3	4	4	5	6	8	16
TOTAL										
0-19 YRS	2823	4.8	5	3	4	4	5	7	8	13
20-34	16571	4.6	7	3	4	4	5	6	7	14
35-49	1577	5.0	17	3	4	4	5	6	8	26
50-64	3	5.7	9	3	3	5	8	9	9	9
65 +	0									
GRAND TOTAL	20974	4.7	7	3	4	4	5	6	7	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	4.4	1	3	4	4	5	6	6	8
20-34	166	3.9		3	3	4	4	5	5	6
35-49	12	4.4	1	3	4	4	5	6	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	87	4.9	4	3	4	5	5	7	8	17
20-34	464	5.2	18	3	4	4	5	7	10	22
35-49	57	5.0	6	3	3	4	5	9	11	16
50-64	0									
65 +	0									
TOTAL SINGLE DX	228	4.0	1	3	3	4	5	5	6	7
TOTAL MULTIPLE DX	608	5.1	15	3	4	4	5	7	10	19
TOTAL										
0-19 YRS	137	4.7	4	3	4	5	5	6	8	15
20-34	630	4.8	14	3	4	4	5	6	8	19
35-49	69	4.9	6	3	4	4	5	8	10	15
50-64	0									
65 +	0									
GRAND TOTAL	836	4.8	12	3	4	4	5	6	8	17

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	2.9	2	1	1	3	4	5	5	5
20-34	35	2.9	2	1	2	3	4	5	5	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	5.5	4	3	4	5	7	8	8	8
20-34	34	3.7	4	1	3	4	5	5	7	13
35-49	5	3.6	9	1	1	3	6	8	8	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	45	2.8	2	1	1	3	4	5	5	6
TOTAL MULTIPLE DX	43	3.9	5	1	3	4	5	6	8	13
TOTAL										
0-19 YRS	11	3.8	5	1	2	4	5	7	8	8
20-34	69	3.3	4	1	2	3	4	5	6	12
35-49	8	2.8	7	1	1	2	4	7	8	8
50-64	0									
65 +	0									
GRAND TOTAL	88	3.3	4	1	2	3	4	5	6	11

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.3		1	1	1	2	2	3	3
20-34	44	1.6		1	1	1	2	3	4	5
35-49	4	1.5		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	14	2.1		1	2	2	3	3	3	3
35-49	2	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
TOTAL SINGLE DX	68	1.5	1	1	1	1	2	2	3	5
TOTAL MULTIPLE DX	20	2.0	1	1	1	2	3	3	3	3
TOTAL										
0-19 YRS	24	1.4		1	1	1	2	2	3	3
20-34	58	1.7	1	1	1	2	2	3	3	5
35-49	6	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
GRAND TOTAL	88	1.6	1	1	1	1	2	3	3	5

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	5.0	36	<1	1	4	6	13	21	22
20-34	54	3.2	7	1	1	2	4	8	10	10
35-49	5	4.0	11	1	1	3	7	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	27	4.7	18	1	2	3	6	12	14	16
20-34	92	4.7	16	1	2	3	6	9	11	23
35-49	10	5.6	1	4	4	6	6	7	8	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	70	3.5	12	1	1	3	4	8	10	20
TOTAL MULTIPLE DX	129	4.8	16	1	2	4	6	10	12	23
TOTAL										
0-19 YRS	38	4.8	22	1	2	3	6	12	15	22
20-34	146	4.1	14	1	2	3	5	9	10	23
35-49	15	5.1	5	1	4	6	7	8	8	8
50-64	0									
65 +	0									
GRAND TOTAL	199	4.3	15	1	2	3	6	9	11	22

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	2.0	2	<1	1	1	3	3	5	9
20-34	345	2.1	5	<1	1	1	2	4	6	13
35-49	31	2.6	5	<1	1	2	4	5	9	10
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	60	2.1	1	1	1	2	3	4	5	6
20-34	204	2.8	6	<1	1	2	3	5	7	14
35-49	12	2.8	8	<1	1	2	3	6	10	11
50-64	0									
65 +	0									
TOTAL SINGLE DX	480	2.1	5	<1	1	1	2	4	5	11
TOTAL MULTIPLE DX	276	2.6	5	<1	1	2	3	5	7	14
TOTAL										
0-19 YRS	164	2.0	2	<1	1	2	3	4	5	9
20-34	549	2.4	6	<1	1	2	3	5	7	13
35-49	43	2.7	6	<1	1	2	4	5	9	11
50-64	0									
65 +	0									
GRAND TOTAL	756	2.3	5	<1	1	2	3	4	6	13

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	551	2.2		1	2	2	3	3	3	4
20-34	1848	2.1		1	2	2	2	3	3	4
35-49	131	2.3	6	1	2	2	2	3	3	9
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
0-19 YRS	642	2.7	8	2	2	2	3	4	5	10
20-34	2925	2.6	2	2	2	2	3	4	4	8
35-49	206	2.6	1	2	2	2	3	4	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	2532	2.1	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	3773	2.6	3	2	2	2	3	4	4	8
TOTAL										
0-19 YRS	1193	2.5	5	1	2	2	3	3	4	7
20-34	4773	2.4	2	1	2	2	3	3	4	7
35-49	337	2.5	4	1	2	2	3	3	4	7
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	6305	2.4	2	1	2	2	3	3	4	7

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.0	7	1	1	2	4	7	10	10
20-34	8	3.4	2	1	2	3	5	6	6	6
35-49	14	3.0	12	< 1	1	2	3	7	12	14
50-64	7	4.6	12	1	1	6	8	9	9	9
65 +	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	14	3.3	8	1	1	2	3	8	10	10
20-34	13	5.4	22	1	2	4	7	14	16	16
35-49	15	7.9	88	1	2	3	11	24	31	33
50-64	18	9.5	61	1	2	7	17	19	24	27
65 +	17	12.1	54	3	6	13	17	23	25	26
TOTAL SINGLE DX	45	3.3	8	1	1	2	5	6	9	14
TOTAL MULTIPLE DX	77	7.9	56	1	2	5	13	18	24	31
TOTAL										
0-19 YRS	26	3.2	8	1	1	2	3	8	10	10
20-34	21	4.6	16	1	2	4	5	11	14	16
35-49	29	5.5	56	< 1	1	2	5	14	24	33
50-64	25	8.1	52	1	2	7	11	18	22	27
65 +	21	10.3	57	2	4	7	16	22	25	26
GRAND TOTAL	122	6.2	43	1	2	4	8	16	20	29

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	142	2.6	2	1	2	2	3	4	5	9
20-34	213	2.3	1	1	2	2	3	3	4	6
35-49	133	2.5	1	1	2	2	3	4	4	5
50-64	23	2.0	1	1	1	2	3	3	4	4
65 +	8	2.9	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	153	3.0	3	2	2	2	3	5	7	10
20-34	198	2.6	1	2	2	2	3	4	5	7
35-49	101	2.5		1	2	2	3	4	4	6
50-64	33	3.4	16	1	2	2	3	5	9	24
65 +	12	6.0	51	1	2	3	6	19	23	24
TOTAL SINGLE DX	519	2.4	1	1	2	2	3	4	4	6
TOTAL MULTIPLE DX	497	2.9	4	1	2	2	3	4	5	10
TOTAL										
0-19 YRS	295	2.8	3	1	2	2	3	5	6	10
20-34	411	2.5	1	1	2	2	3	4	4	6
35-49	234	2.5	1	1	2	2	3	4	4	5
50-64	56	2.8	10	1	1	2	3	4	6	23
65 +	20	4.8	33	1	2	3	5	12	20	24
GRAND TOTAL	1016	2.6	3	1	2	2	3	4	5	8

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	2.4	4	1	1	2	3	5	6	11
20-34	44	2.6	5	1	1	2	3	5	6	14
35-49	13	4.1	16	1	1	3	5	11	13	13
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	67	5.0	59	1	2	3	5	8	15	53
20-34	94	4.8	20	1	2	4	6	11	18	67
35-49	25	3.6	3	1	2	3	5	7	7	7
50-64	11	10.9	229	1	2	3	13	36	49	50
65 +	10	10.5	67	3	4	8	16	23	29	29
TOTAL SINGLE DX	94	2.7	6	1	1	2	3	5	8	14
TOTAL MULTIPLE DX	207	5.3	46	1	2	3	6	11	17	55
TOTAL										
0-19 YRS	101	4.1	42	1	2	3	4	7	10	39
20-34	138	4.1	17	1	2	3	5	8	14	34
35-49	38	3.8	8	1	2	3	5	7	10	13
50-64	13	9.8	199	1	2	3	12	32	47	50
65 +	11	9.6	69	2	4	8	15	22	28	29
GRAND TOTAL	301	4.5	35	1	2	3	5	9	14	39

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	2.2	1	1	1	2	3	4	5	7
20-34	96	3.0	7	1	1	2	4	7	8	15
35-49	32	3.2	7	1	1	2	4	7	9	14
50-64	20	3.3	7	1	1	3	5	6	9	12
65 +	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	133	6.4	58	1	2	4	8	13	18	45
20-34	200	5.4	27	1	2	4	6	12	16	26
35-49	110	7.1	59	2	3	5	8	16	23	40
50-64	41	6.6	44	1	3	5	9	12	15	40
65 +	18	7.4	21	2	4	6	11	13	15	17
TOTAL SINGLE DX	187	2.9	6	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	502	6.2	44	1	2	4	8	13	18	31
TOTAL										
0-19 YRS	169	5.5	49	1	2	3	7	11	17	40
20-34	296	4.6	22	1	2	3	5	10	15	25
35-49	142	6.2	50	1	2	4	7	13	21	32
50-64	61	5.5	34	1	2	4	7	11	13	37
65 +	21	6.9	20	2	4	5	11	13	15	17
GRAND TOTAL	689	5.3	36	1	2	3	6	11	15	30

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.1	1	1	1	2	3	4	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	12	3.6	15	1	1	2	5	8	14	15
50-64	10	2.1	2	< 1	1	2	3	4	5	5
65 +	4	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	23	3.2	2	1	2	3	4	6	7	8
20-34	16	2.6	4	1	1	2	3	4	8	10
35-49	11	6.0	19	1	2	5	10	12	13	13
50-64	23	3.8	55	1	1	2	3	6	19	37
65 +	12	4.0	28	< 1	1	2	4	11	19	20
TOTAL SINGLE DX	41	2.6	6	1	1	2	3	5	5	15
TOTAL MULTIPLE DX	85	3.7	23	1	2	2	3	8	11	31
TOTAL										
0-19 YRS	35	2.8	3	1	2	3	3	5	6	8
20-34	19	2.6	4	1	1	2	3	5	8	10
35-49	23	4.7	18	1	2	2	7	12	14	15
50-64	33	3.3	39	1	1	2	3	5	8	37
65 +	16	3.6	22	< 1	1	2	3	7	16	20
GRAND TOTAL	126	3.4	18	1	1	2	3	6	10	24

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	4.8	14	2	3	4	6	7	10	26
20-34	4	5.3	8	3	3	5	7	9	9	9
35-49	4	4.3	6	1	2	4	6	7	7	7
50-64	3	5.7	10	2	3	7	8	8	8	8
65 +	3	11.7	20	7	8	12	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	109	5.2	16	2	3	4	6	9	10	27
20-34	16	8.3	30	3	4	7	10	18	20	20
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	5	15.6	372	5	6	8	19	50	50	50
65 +	4	31.8	1278	11	11	16	52	85	85	85
TOTAL SINGLE DX	75	5.1	15	2	3	4	6	8	12	25
TOTAL MULTIPLE DX	136	6.8	80	2	3	5	7	11	18	55
TOTAL										
0-19 YRS	170	5.1	16	2	3	4	6	8	10	27
20-34	20	7.7	27	3	4	7	9	16	19	20
35-49	6	5.5	14	1	4	5	7	11	12	12
50-64	8	11.9	242	3	5	7	9	38	50	50
65 +	7	23.1	761	8	11	12	19	72	85	85
GRAND TOTAL	211	6.2	57	2	3	5	7	10	14	40

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	114	3.5	10	1	1	3	4	7	8	20
20-34	29	2.9	8	1	1	2	3	6	8	15
35-49	28	3.1	3	1	1	3	4	6	7	9
50-64	37	4.3	7	1	2	4	6	7	11	12
65 +	9	2.9	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	95	5.7	70	1	2	3	6	13	16	54
20-34	52	5.2	68	1	2	3	5	12	17	54
35-49	57	5.6	93	1	3	4	6	9	11	70
50-64	69	4.9	16	1	2	4	7	9	14	19
65 +	40	8.2	79	2	3	5	9	17	22	51
TOTAL SINGLE DX	217	3.5	9	1	1	3	4	7	8	16
TOTAL MULTIPLE DX	313	5.8	64	1	2	4	6	12	17	52
TOTAL										
0-19 YRS	209	4.5	39	1	2	3	5	8	13	30
20-34	81	4.4	48	1	1	3	4	9	16	44
35-49	85	4.8	65	1	2	4	5	8	9	54
50-64	106	4.7	13	1	2	4	6	9	12	18
65 +	49	7.2	69	2	3	5	8	16	19	51
GRAND TOTAL	530	4.8	42	1	2	3	5	9	14	28

713: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	19	1.6		<1	<1	1	2	3	3	3
20-34	26	1.8		<1	1	2	2	3	4	4
35-49	54	1.8	1	<1	1	1	2	3	4	7
50-64	56	2.1	2	<1	1	2	3	4	4	9
65+	18	2.0	3	<1	1	1	3	4	6	8
2. MULTIPLE DX										
0-19 YRS	54	2.5	2	<1	1	2	3	5	6	8
20-34	64	1.8		<1	1	2	2	3	4	5
35-49	151	2.6	11	<1	1	2	3	5	6	10
50-64	209	2.5	2	1	1	2	3	5	5	7
65+	209	3.3	7	1	1	3	4	7	9	14
TOTAL SINGLE DX	173	1.9	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	687	2.7	6	<1	1	2	3	5	6	11
TOTAL										
0-19 YRS	73	2.3	2	<1	1	2	3	4	5	8
20-34	90	1.8	1	<1	1	2	2	3	4	5
35-49	205	2.4	9	<1	1	2	3	4	5	9
50-64	265	2.4	2	<1	1	2	3	4	5	7
65+	227	3.2	7	1	1	3	4	6	9	13
GRAND TOTAL	860	2.5	5	<1	1	2	3	5	6	10

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	3.8	26	1	1	2	4	11	15	25
20-34	23	6.0	42	1	1	4	8	17	20	26
35-49	13	4.3	14	1	2	3	4	12	13	13
50-64	10	3.9	11	1	2	3	4	9	13	13
65+	11	6.2	21	2	3	6	7	13	18	18
2. MULTIPLE DX										
0-19 YRS	34	12.9	143	2	4	7	22	33	45	99+
20-34	25	14.8	216	3	5	11	20	24	54	62
35-49	19	14.8	238	1	2	8	26	38	47	50
50-64	16	15.9	116	2	7	14	23	30	36	39
65+	32	20.6	543	2	6	12	24	68	74	78
TOTAL SINGLE DX	123	4.5	27	1	1	3	5	11	17	26
TOTAL MULTIPLE DX	126	15.9	271	2	4	11	22	38	53	83
TOTAL										
0-19 YRS	100	6.9	84	1	1	3	8	22	30	73
20-34	48	10.6	150	1	2	6	17	22	29	62
35-49	32	10.5	172	1	2	4	15	29	43	50
50-64	26	11.3	109	2	3	7	19	27	32	39
65+	43	16.9	447	2	5	8	17	53	74	78
GRAND TOTAL	249	10.3	182	1	2	5	14	26	39	74

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	283	3.7	12	1	1	3	5	8	10	20
20-34	218	3.3	13	1	1	2	4	7	9	17
35-49	190	3.9	43	<1	1	2	4	7	11	41
50-64	135	2.9	5	1	1	2	4	6	7	12
65+	68	4.3	36	<1	1	2	4	8	16	31
2. MULTIPLE DX										
0-19 YRS	210	8.0	78	1	2	5	11	21	30	48
20-34	265	7.9	127	1	2	4	8	18	27	74
35-49	319	7.7	133	1	2	4	9	19	34	66
50-64	286	7.2	57	1	2	5	9	17	22	35
65+	322	9.7	90	2	3	7	13	22	29	59
TOTAL SINGLE DX	894	3.6	20	1	1	2	4	7	10	26
TOTAL MULTIPLE DX	1402	8.1	99	1	2	5	10	20	27	55
TOTAL										
0-19 YRS	493	5.5	45	1	2	3	7	13	21	40
20-34	483	5.8	81	1	2	3	6	13	21	57
35-49	509	6.3	103	1	1	3	7	14	26	56
50-64	421	5.8	45	1	2	3	7	13	20	32
65+	390	8.7	85	1	3	6	11	21	28	47
GRAND TOTAL	2296	6.3	73	1	2	3	8	15	22	47

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	165	5.2	31	1	2	3	6	9	19	29
20-34	12	6.8	11	4	5	5	8	12	15	15
35-49	13	6.5	12	3	4	6	8	12	14	14
50-64	15	9.4	110	3	5	7	9	12	37	46
65+	38	9.6	18	5	7	9	11	15	17	24
2. MULTIPLE DX										
0-19 YRS	88	7.2	37	2	2	5	10	15	19	29
20-34	28	13.1	182	4	6	10	17	27	74	99+
35-49	28	9.4	50	3	5	7	10	19	29	31
50-64	39	11.4	54	4	6	9	15	21	26	37
65+	186	13.2	86	5	8	10	16	21	31	52
TOTAL SINGLE DX	243	6.3	35	2	3	4	7	12	18	29
TOTAL MULTIPLE DX	369	11.3	81	3	6	9	14	21	29	52
TOTAL										
0-19 YRS	253	5.9	34	1	2	4	7	13	19	29
20-34	40	11.2	138	4	5	8	14	21	50	99+
35-49	41	8.5	40	3	4	6	10	14	25	31
50-64	54	10.9	69	4	6	8	14	19	26	46
65+	224	12.6	76	5	7	10	15	21	28	51
GRAND TOTAL	612	9.3	69	2	4	7	12	18	25	49

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	79	3.9	23	1	1	2	4	8	15	27
20-34	47	3.3	4	1	2	3	4	6	7	12
35-49	37	3.5	3	2	2	3	5	7	8	8
50-64	22	6.5	46	2	3	5	8	10	20	34
65 +	11	4.5	13	1	2	3	6	11	12	12
2. MULTIPLE DX										
0-19 YRS	66	4.0	19	1	2	3	4	10	14	25
20-34	81	5.7	84	1	2	3	6	11	17	60
35-49	44	8.1	184	2	2	4	8	16	31	77
50-64	38	5.3	10	1	3	5	8	9	9	17
65 +	26	10.5	62	3	5	8	14	26	29	31
TOTAL SINGLE DX	196	4.0	18	1	2	3	5	8	11	25
TOTAL MULTIPLE DX	255	6.1	75	1	2	4	7	12	17	52
TOTAL										
0-19 YRS	145	3.9	22	1	1	2	4	9	15	26
20-34	128	4.8	56	1	2	3	5	10	13	42
35-49	81	6.0	106	2	2	3	6	11	16	70
50-64	60	5.7	24	1	3	5	8	9	11	32
65 +	37	8.7	55	2	4	7	11	17	28	31
GRAND TOTAL	451	5.2	51	1	2	3	6	10	16	34

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	211	2.1	9	< 1	1	1	2	3	4	16
20-34	130	2.4	4	< 1	1	2	3	5	6	12
35-49	88	2.6	4	< 1	1	2	3	6	7	10
50-64	65	2.5	5	< 1	1	2	3	5	8	14
65 +	46	3.3	6	< 1	1	2	5	8	8	9
2. MULTIPLE DX										
0-19 YRS	159	4.3	57	1	1	2	4	8	15	47
20-34	95	7.0	105	1	2	4	7	17	29	54
35-49	75	4.4	23	1	2	3	5	9	12	31
50-64	81	7.0	125	1	2	4	7	13	29	65
65 +	139	9.1	80	2	3	6	12	20	29	42
TOTAL SINGLE DX	540	2.4	7	< 1	1	1	3	5	7	11
TOTAL MULTIPLE DX	549	6.4	80	1	2	3	7	14	24	47
TOTAL										
0-19 YRS	370	3.0	31	< 1	1	2	3	5	9	33
20-34	225	4.3	52	1	1	2	5	7	14	43
35-49	163	3.4	14	1	1	2	4	7	9	17
50-64	146	5.0	77	1	1	2	5	9	14	48
65 +	185	7.6	68	1	2	5	9	16	25	39
GRAND TOTAL	1089	4.4	48	1	1	2	5	9	14	41

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	56	11.7	96	2	4	8	18	26	30	39
20-34	37	7.6	21	3	5	6	9	15	19	21
35-49	12	5.8	14	3	4	5	6	10	16	17
50-64	13	7.3	14	4	4	7	9	13	15	16
65 +	39	11.9	18	7	9	12	15	17	20	25
2. MULTIPLE DX										
0-19 YRS	54	12.5	123	4	5	9	16	26	34	65
20-34	40	13.1	52	4	8	13	17	21	29	35
35-49	26	13.4	84	6	8	9	19	25	35	43
50-64	47	15.7	123	7	9	12	20	30	34	62
65 +	304	15.7	130	6	9	12	18	30	45	94
TOTAL SINGLE DX	157	10.0	51	3	5	8	13	20	25	38
TOTAL MULTIPLE DX	471	15.0	120	6	8	12	17	29	40	65
TOTAL										
0-19 YRS	110	12.1	109	3	5	9	17	26	32	50
20-34	77	10.5	45	4	5	8	14	19	21	34
35-49	38	11.0	74	4	6	8	13	21	30	43
50-64	60	13.9	111	5	8	11	15	29	32	60
65 +	343	15.2	119	6	9	12	17	29	41	89
GRAND TOTAL	628	13.7	108	5	7	11	16	27	35	62

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	6.6	13	2	4	6	8	11	15	18
20-34	55	8.2	30	3	4	8	10	14	18	32
35-49	41	8.9	20	4	5	8	12	15	16	22
50-64	86	8.7	38	4	6	8	10	13	15	44
65 +	270	11.6	34	6	8	10	13	18	22	33
2. MULTIPLE DX										
0-19 YRS	89	13.1	93	4	7	10	17	25	34	49
20-34	138	16.0	214	6	8	12	18	27	36	93
35-49	99	16.6	148	6	9	12	21	35	46	85
50-64	254	14.3	103	7	9	12	16	23	33	74
65 +	2242	14.8	75	8	10	13	17	24	31	58
TOTAL SINGLE DX	517	9.9	34	4	6	9	12	16	19	30
TOTAL MULTIPLE DX	2822	14.8	88	7	10	12	17	25	32	61
TOTAL										
0-19 YRS	154	10.4	70	4	5	8	12	20	26	47
20-34	193	13.8	174	4	7	10	16	23	33	89
35-49	140	14.4	123	5	8	11	17	29	42	73
50-64	340	12.9	93	5	8	11	15	20	29	63
65 +	2512	14.4	72	8	10	12	16	23	30	57
GRAND TOTAL	3339	14.0	83	7	9	12	16	23	30	58

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	184	8.2	81	1	2	4	11	22	28	36
20-34	3	17.3	537	2	3	6	34	44	44	44
35-49	3	20.7	346	1	6	23	34	38	38	38
50-64	6	18.0	346	4	5	8	36	46	47	47
65 +	9	6.7	16	1	3	8	9	12	13	13
2. MULTIPLE DX										
0-19 YRS	100	12.6	177	1	3	8	17	31	36	64
20-34	15	20.0	566	4	6	10	25	50	78	87
35-49	9	29.9	726	5	10	19	49	74	77	77
50-64	9	14.7	334	1	4	7	17	45	60	60
65 +	34	15.0	287	4	6	9	17	31	53	83
TOTAL SINGLE DX	205	8.8	97	1	2	5	11	23	31	41
TOTAL MULTIPLE DX	167	14.8	279	2	4	9	18	32	52	82
TOTAL										
0-19 YRS	284	9.8	119	1	2	5	15	26	32	50
20-34	18	19.6	531	3	6	9	30	49	72	87
35-49	12	27.6	609	3	8	21	40	71	76	77
50-64	15	16.0	317	3	4	7	20	47	57	60
65 +	43	13.3	241	3	5	8	15	28	52	83
GRAND TOTAL	372	11.5	187	1	3	6	16	28	38	75

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	225	2.8	13	1	1	2	3	5	9	20
20-34	70	3.3	11	< 1	1	2	4	8	11	18
35-49	51	3.3	6	1	2	3	3	8	9	11
50-64	41	3.2	4	1	1	3	5	7	8	8
65 +	18	4.7	34	1	1	2	7	16	19	19
2. MULTIPLE DX										
0-19 YRS	65	4.8	25	1	1	3	6	12	18	22
20-34	41	7.4	84	1	2	4	9	16	22	52
35-49	33	6.3	34	2	3	4	8	13	16	31
50-64	32	7.3	35	2	3	5	9	16	23	25
65 +	50	6.8	66	1	2	5	8	14	16	51
TOTAL SINGLE DX	405	3.1	13	1	1	2	3	7	9	20
TOTAL MULTIPLE DX	221	6.3	49	1	2	4	8	14	18	37
TOTAL										
0-19 YRS	290	3.2	17	1	1	2	3	8	14	21
20-34	111	4.8	42	1	1	3	6	11	15	37
35-49	84	4.5	20	1	2	3	6	9	12	26
50-64	73	5.0	22	1	2	4	6	9	15	25
65 +	68	6.3	59	1	2	4	8	14	19	47
GRAND TOTAL	626	4.2	28	1	1	2	5	9	15	24

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	613	2.4	3	1	1	2	3	4	5	8
20-34	678	3.4	5	1	2	3	4	6	8	11
35-49	531	3.6	5	1	2	3	5	6	8	12
50-64	370	4.2	8	1	2	4	5	7	9	14
65 +	184	5.1	11	2	3	4	6	9	11	15
2. MULTIPLE DX										
0-19 YRS	315	5.6	51	1	2	3	7	11	16	45
20-34	612	6.4	47	1	3	4	7	13	20	43
35-49	503	7.2	61	2	3	5	8	15	25	56
50-64	472	7.3	46	2	4	5	9	14	20	41
65 +	525	8.3	47	3	4	7	10	15	21	39
TOTAL SINGLE DX	2376	3.4	6	1	2	3	4	6	8	13
TOTAL MULTIPLE DX	2427	7.0	51	2	3	5	8	14	21	44
TOTAL										
0-19 YRS	928	3.5	22	1	1	2	4	7	10	25
20-34	1290	4.8	28	1	2	3	6	9	13	33
35-49	1034	5.4	36	1	3	4	6	10	16	36
50-64	842	6.0	32	2	3	4	7	12	16	33
65 +	709	7.5	40	2	4	6	9	14	17	32
GRAND TOTAL	4803	5.3	32	1	2	4	6	10	14	33

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	867	1.9	3	1	1	1	2	4	5	11
20-34	175	2.8	4	1	1	2	4	6	8	11
35-49	127	3.6	6	1	2	3	4	7	10	12
50-64	111	2.8	5	1	1	2	4	6	8	12
65 +	81	2.8	3	1	1	2	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	300	4.2	31	1	1	3	5	8	13	35
20-34	199	5.9	36	1	2	4	7	14	18	29
35-49	162	6.9	106	1	2	4	8	14	24	84
50-64	149	5.9	50	1	2	4	7	14	19	58
65 +	319	7.7	90	2	3	5	9	15	24	51
TOTAL SINGLE DX	1361	2.3	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	1129	6.1	64	1	2	4	7	13	19	47
TOTAL										
0-19 YRS	1167	2.5	12	1	1	1	3	5	7	16
20-34	374	4.4	24	1	2	3	5	10	14	26
35-49	289	5.5	65	1	2	3	6	11	15	62
50-64	260	4.6	33	1	2	3	5	10	15	33
65 +	400	6.7	76	1	2	4	8	14	20	43
GRAND TOTAL	2490	4.0	35	1	1	2	4	8	13	29

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	102	6.7	31	1	2	4	10	15	19	24
20-34	7	6.4	28	1	3	4	12	14	14	14
35-49	5	9.6	58	1	2	12	16	17	17	17
50-64	5	9.4	47	1	2	13	14	16	16	16
65 +	25	6.5	47	1	2	4	8	20	23	25
2. MULTIPLE DX										
0-19 YRS	44	9.5	65	3	4	7	13	21	25	40
20-34	14	16.3	585	3	4	8	11	64	78	82
35-49	13	11.1	208	3	5	8	10	21	51	58
50-64	19	10.2	57	2	5	7	12	24	26	26
65 +	45	9.1	65	2	3	6	12	19	28	38
TOTAL SINGLE DX	144	6.8	35	1	2	4	10	16	20	25
TOTAL MULTIPLE DX	135	10.3	130	2	4	7	12	21	26	65
TOTAL										
0-19 YRS	146	7.5	43	2	3	5	10	16	21	28
20-34	21	13.0	411	2	4	7	12	33	71	82
35-49	18	10.7	161	1	4	8	12	17	42	58
50-64	24	10.0	53	2	4	9	13	21	26	26
65 +	70	8.1	60	1	3	6	11	19	25	37
GRAND TOTAL	**279**	**8.5**	**84**	**2**	**3**	**6**	**11**	**17**	**23**	**53**

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	69	2.0	11	< 1	1	1	2	3	4	25
20-34	88	2.4	3	< 1	1	2	3	5	6	10
35-49	41	2.8	6	< 1	1	2	4	6	8	13
50-64	30	2.2	2	< 1	1	2	3	4	4	8
65 +	16	2.9	5	1	1	2	4	7	8	8
2. MULTIPLE DX										
0-19 YRS	26	6.3	165	1	1	3	5	11	24	67
20-34	53	5.7	40	1	2	3	8	16	24	97
35-49	28	3.8	18	1	1	2	4	11	13	19
50-64	28	5.1	26	1	2	4	6	9	21	22
65 +	52	6.5	39	1	2	4	10	16	19	27
TOTAL SINGLE DX	244	2.4	6	< 1	1	2	3	4	7	11
TOTAL MULTIPLE DX	187	5.6	52	1	2	3	7	13	19	53
TOTAL										
0-19 YRS	95	3.2	56	< 1	1	1	2	5	10	49
20-34	141	3.7	20	1	1	2	4	8	12	36
35-49	69	3.2	11	1	1	2	4	7	11	18
50-64	58	3.6	16	1	1	3	4	6	9	22
65 +	68	5.7	34	1	2	3	8	15	17	27
GRAND TOTAL	**431**	**3.8**	**29**	**1**	**1**	**2**	**4**	**9**	**12**	**27**

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	155	4.8	29	1	1	2	7	12	18	22
20-34	81	3.4	27	< 1	1	2	4	7	9	35
35-49	40	3.3	10	< 1	1	3	4	6	9	18
50-64	24	2.8	3	1	1	2	4	6	7	7
65 +	14	8.1	119	2	4	5	7	13	38	45
2. MULTIPLE DX										
0-19 YRS	145	10.3	98	1	3	7	15	26	29	55
20-34	105	5.4	45	1	1	3	7	12	21	36
35-49	90	7.8	157	< 1	2	4	8	18	33	63
50-64	57	10.9	153	1	2	8	12	22	46	51
65 +	105	15.4	270	2	4	11	21	42	66	99 +
TOTAL SINGLE DX	314	4.2	29	1	1	2	5	9	14	25
TOTAL MULTIPLE DX	502	9.9	150	1	2	6	12	24	38	70
TOTAL										
0-19 YRS	300	7.4	70	1	2	4	11	19	26	45
20-34	186	4.5	38	< 1	1	2	5	10	14	37
35-49	130	6.4	116	< 1	1	3	6	12	23	63
50-64	81	8.5	122	1	2	5	10	19	41	50
65 +	119	14.5	257	2	4	10	20	41	58	99 +
GRAND TOTAL	**816**	**7.7**	**111**	**1**	**2**	**4**	**9**	**20**	**28**	**63**

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	9	1.9	1	1	1	1	2	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	10	2.0	2	1	1	2	3	4	5	5
TOTAL MULTIPLE DX	0									
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	9	1.9	2	1	1	1	2	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
GRAND TOTAL	**10**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**5**

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	6.5	10	3	4	5	9	11	14	15
20-34	1065	5.1	9	2	3	4	6	9	10	17
35-49	1942	5.1	10	2	3	4	6	9	11	16
50-64	657	5.7	10	2	3	5	7	10	12	16
65 +	130	7.5	22	3	5	7	8	12	16	28
2. MULTIPLE DX										
0-19 YRS	14	11.7	74	5	6	7	19	25	29	30
20-34	338	7.1	21	3	4	6	9	13	16	26
35-49	1056	7.0	25	3	4	6	8	12	16	24
50-64	810	7.7	27	3	5	6	9	14	18	29
65 +	536	10.2	46	4	6	9	13	18	24	36
TOTAL SINGLE DX	3832	5.3	10	2	3	5	7	9	11	17
TOTAL MULTIPLE DX	2754	7.9	31	3	4	7	9	15	18	30
TOTAL										
0-19 YRS	52	7.9	32	3	5	6	9	15	20	30
20-34	1403	5.6	13	2	3	5	7	9	12	20
35-49	2998	5.8	16	2	3	5	7	10	13	21
50-64	1467	6.8	20	3	4	6	8	12	16	23
65 +	666	9.6	43	4	6	8	12	17	23	36
GRAND TOTAL	6586	6.4	21	2	4	5	8	11	15	24

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	1.3		< 1	< 1	< 1	1	3	3	4
20-34	82	1.5	1	< 1	< 1	< 1	2	3	4	6
35-49	52	1.7	1	< 1	< 1	1	2	3	4	6
50-64	29	1.6	1	< 1	< 1	1	2	3	3	8
65 +	9	1.3		< 1	< 1	< 1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	71	1.9	1	< 1	< 1	1	3	4	4	6
20-34	134	2.3	2	< 1	1	2	3	4	5	7
35-49	107	2.6	6	< 1	< 1	2	3	5	6	17
50-64	105	2.8	43	< 1	< 1	1	3	5	6	40
65 +	96	3.1	17	< 1	1	2	3	6	10	27
TOTAL SINGLE DX	210	1.5	1	< 1	< 1	< 1	2	3	3	6
TOTAL MULTIPLE DX	513	2.5	14	< 1	1	2	3	4	6	19
TOTAL										
0-19 YRS	109	1.7	1	< 1	< 1	1	2	4	4	5
20-34	216	2.0	2	< 1	< 1	1	3	4	5	7
35-49	159	2.3	5	< 1	< 1	2	3	4	5	14
50-64	134	2.5	35	< 1	< 1	1	2	4	6	28
65 +	105	2.9	17	< 1	1	2	3	5	9	25
GRAND TOTAL	723	2.2	11	<1	<1	1	3	4	5	13

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	74	2.0	12	< 1	< 1	1	2	3	6	22
20-34	55	2.2	4	< 1	1	1	3	5	7	11
35-49	33	1.5	1	< 1	1	1	2	3	4	6
50-64	19	3.8	32	< 1	1	1	4	12	19	22
65 +	7	6.1	81	1	1	2	6	22	26	26
2. MULTIPLE DX										
0-19 YRS	47	3.7	64	< 1	1	2	4	5	11	55
20-34	57	4.1	82	1	1	2	3	6	12	63
35-49	63	4.3	52	1	1	2	4	9	13	48
50-64	41	5.0	32	1	1	3	6	12	21	23
65 +	31	4.7	20	1	2	3	7	12	20	99 +
TOTAL SINGLE DX	188	2.3	13	< 1	< 1	1	2	4	7	22
TOTAL MULTIPLE DX	239	4.3	54	1	1	2	5	9	14	56
TOTAL										
0-19 YRS	121	2.7	33	< 1	< 1	1	2	5	7	32
20-34	112	3.2	44	< 1	1	2	3	6	10	36
35-49	96	3.3	36	< 1	1	2	3	6	11	38
50-64	60	4.7	32	1	1	3	5	12	21	23
65 +	38	4.9	30	1	2	3	7	14	24	99 +
GRAND TOTAL	427	3.4	37	<1	1	2	3	7	11	32

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	73	3.1	24	< 1	< 1	1	3	7	12	29
20-34	70	2.1	12	< 1	< 1	1	2	3	4	26
35-49	74	2.0	4	< 1	1	1	2	4	5	15
50-64	48	2.8	30	< 1	< 1	1	3	4	9	38
65 +	26	2.1	3	< 1	< 1	1	2	4	6	10
2. MULTIPLE DX										
0-19 YRS	66	7.3	98	< 1	1	3	9	21	29	43
20-34	91	3.9	34	< 1	1	2	5	8	12	36
35-49	121	4.9	61	< 1	1	2	5	11	16	46
50-64	121	4.9	37	< 1	1	3	5	14	19	30
65 +	89	6.9	68	1	2	3	9	16	24	44
TOTAL SINGLE DX	291	2.4	16	< 1	< 1	1	2	4	7	28
TOTAL MULTIPLE DX	488	5.4	58	< 1	1	2	6	14	20	43
TOTAL										
0-19 YRS	139	5.1	64	< 1	< 1	2	5	12	23	42
20-34	161	3.1	26	< 1	< 1	1	3	7	10	29
35-49	195	3.8	42	< 1	1	2	4	8	13	43
50-64	169	4.3	36	< 1	1	2	4	10	19	35
65 +	115	5.8	58	< 1	1	3	7	15	22	37
GRAND TOTAL	779	4.3	44	<1	1	2	4	11	16	40

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	273	7.4	4	5	6	7	8	10	11	15
20-34	94	7.1	10	3	5	7	8	10	14	17
35-49	188	6.8	10	3	4	6	9	11	12	18
50-64	55	7.1	10	4	5	6	9	11	14	15
65 +	13	7.5	19	3	4	7	11	13	17	18
2. MULTIPLE DX										
0-19 YRS	225	11.1	47	6	7	9	12	19	25	38
20-34	124	12.3	124	5	7	9	15	21	32	99 +
35-49	214	10.2	101	3	6	8	12	17	24	97
50-64	150	11.1	95	4	6	9	13	19	37	99
65 +	82	12.2	55	5	8	10	16	24	27	36
TOTAL SINGLE DX	623	7.1	8	4	5	7	8	10	12	16
TOTAL MULTIPLE DX	795	11.2	84	4	6	9	13	19	29	81
TOTAL										
0-19 YRS	498	9.1	27	5	6	8	10	14	18	36
20-34	218	10.0	82	4	6	8	11	17	24	92
35-49	402	8.6	62	3	5	7	10	14	18	62
50-64	205	10.0	76	4	5	8	11	17	31	85
65 +	95	11.5	53	4	7	10	15	23	26	36
GRAND TOTAL	1418	9.4	55	4	6	8	10	16	21	48

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	44	3.2	3	1	2	3	4	6	7	8
20-34	56	3.6	5	1	2	3	5	5	7	15
35-49	62	3.6	3	1	2	3	5	6	8	10
50-64	52	3.3	5	1	1	3	5	7	8	10
65 +	27	3.3	9	< 1	1	3	4	5	8	17
2. MULTIPLE DX										
0-19 YRS	60	3.8	5	1	2	3	5	8	9	10
20-34	66	4.2	44	1	2	3	4	7	8	48
35-49	77	4.6	40	1	2	3	5	8	10	41
50-64	84	4.7	19	1	2	4	5	9	12	24
65 +	65	7.5	95	1	3	5	8	15	34	52
TOTAL SINGLE DX	241	3.4	5	1	2	3	4	6	8	11
TOTAL MULTIPLE DX	352	4.9	41	1	2	3	5	8	11	42
TOTAL										
0-19 YRS	104	3.5	5	1	2	3	5	7	8	10
20-34	122	3.9	27	1	2	3	4	6	8	26
35-49	139	4.2	24	1	2	3	5	7	9	39
50-64	136	4.2	15	1	2	3	5	8	10	23
65 +	92	6.3	73	1	2	4	6	11	20	49
GRAND TOTAL	593	4.3	27	1	2	3	5	8	9	35

735: Total hip replacement (81.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	23	8.5	12	5	6	8	10	12	15	20
35-49	63	10.0	26	6	8	9	11	13	15	40
50-64	198	9.9	11	6	8	9	11	14	16	22
65 +	324	11.3	15	8	9	11	13	16	18	23
2. MULTIPLE DX										
0-19 YRS	7	11.7	9	9	10	11	13	17	18	18
20-34	43	10.0	11	6	8	9	12	14	16	20
35-49	123	11.1	34	6	8	9	13	19	22	35
50-64	427	12.2	53	7	9	10	13	17	23	51
65 +	1154	13.5	38	8	10	12	15	20	25	37
TOTAL SINGLE DX	610	10.6	16	7	8	10	12	15	17	23
TOTAL MULTIPLE DX	1754	12.9	41	8	9	11	15	19	25	42
TOTAL										
0-19 YRS	9	10.7	11	7	9	10	12	16	18	18
20-34	66	9.5	12	5	7	9	11	14	15	20
35-49	186	10.7	31	6	8	9	12	16	20	39
50-64	625	11.5	41	7	8	10	13	16	20	43
65 +	1478	13.0	34	8	9	12	15	19	24	36
GRAND TOTAL	2364	12.3	36	7	9	11	14	18	23	38

736: Other arthroplasty of hip (81.6) -

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	4.0	3	2	3	4	5	7	8	8
20-34	7	7.9	16	3	4	7	11	14	14	14
35-49	13	11.1	77	5	6	8	12	21	35	38
50-64	38	8.5	6	5	7	8	10	12	13	15
65 +	208	12.1	25	8	9	11	14	16	20	34
2. MULTIPLE DX										
0-19 YRS	10	6.3	7	3	4	6	7	11	11	11
20-34	7	10.0	42	2	7	9	13	20	22	22
35-49	26	16.7	311	7	9	11	17	20	66	86
50-64	118	14.8	101	8	9	12	17	26	36	88
65 +	1355	14.8	74	8	10	13	17	24	31	67
TOTAL SINGLE DX	274	11.2	27	6	8	10	13	16	19	36
TOTAL MULTIPLE DX	1516	14.7	81	8	10	13	17	24	31	70
TOTAL										
0-19 YRS	18	5.3	7	2	4	5	6	10	11	11
20-34	14	8.9	29	3	6	8	12	15	20	22
35-49	39	14.8	236	6	7	11	15	20	51	86
50-64	156	13.2	85	6	9	11	16	23	33	80
65 +	1563	14.4	69	8	10	12	16	23	30	63
GRAND TOTAL	1790	14.2	74	7	9	12	16	23	30	64

737: Total knee replacement (81.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	9	7.7	7	4	6	8	10	11	12	12
35-49	26	9.9	5	7	9	10	11	13	14	15
50-64	178	10.5	14	6	8	10	12	15	17	25
65 +	352	10.4	12	6	8	10	12	15	17	20
2. MULTIPLE DX										
0-19 YRS	2	20.5	221	10	10	20	31	31	31	31
20-34	5	10.2	4	8	9	9	12	13	13	13
35-49	34	11.4	16	8	9	10	13	17	20	23
50-64	335	11.5	28	7	9	10	13	16	18	40
65 +	1144	12.5	30	8	9	11	14	18	22	34
TOTAL SINGLE DX	567	10.4	13	6	8	10	12	15	17	22
TOTAL MULTIPLE DX	1520	12.3	30	8	9	11	14	17	21	36
TOTAL										
0-19 YRS	4	14.0	138	4	7	10	21	31	31	31
20-34	14	8.6	8	4	7	9	10	12	13	13
35-49	60	10.8	12	7	9	10	12	15	17	23
50-64	513	11.2	24	7	9	10	13	15	18	38
65 +	1496	12.0	27	7	9	11	14	17	21	31
GRAND TOTAL	2087	11.7	26	7	9	11	13	17	20	32

738: Arthroplasty of knee, except total replacement (81.42-81.47)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	116	2.8	1	1	2	3	4	5	5	6
20-34	132	3.0	2	1	2	3	4	5	6	9
35-49	53	3.5	6	1	2	3	4	7	8	14
50-64	14	3.6	2	1	2	4	5	6	6	6
65 +	13	8.5	6	5	6	9	10	12	14	14
2. MULTIPLE DX										
0-19 YRS	149	3.5	6	1	2	3	4	6	8	15
20-34	231	3.5	7	1	2	3	4	6	7	18
35-49	82	3.8	4	1	2	3	5	7	8	9
50-64	50	6.1	20	1	3	5	9	12	13	21
65 +	42	7.7	26	2	5	7	9	14	19	26
TOTAL SINGLE DX	328	3.3	4	1	2	3	4	6	7	11
TOTAL MULTIPLE DX	554	4.1	11	1	2	3	5	8	10	18
TOTAL										
0-19 YRS	265	3.2	5	1	2	3	4	5	6	14
20-34	363	3.4	5	1	2	3	4	6	7	13
35-49	135	3.7	5	1	2	3	5	7	8	11
50-64	64	5.5	17	1	2	4	8	11	13	20
65 +	55	7.9	22	3	5	7	9	14	16	26
GRAND TOTAL	882	3.8	8	1	2	3	5	7	9	16

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.71; 81.81; 81.84; 81.86)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	10	3.4	8	<1	2	3	4	8	11	11
35-49	31	3.1	4	1	2	2	4	6	8	8
50-64	37	2.9	2	1	2	3	3	5	7	8
65 +	35	4.6	11	1	2	4	6	8	11	16
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	18	3.8	9	1	2	3	5	9	11	12
35-49	28	4.5	19	1	2	3	5	8	16	21
50-64	67	4.8	15	2	2	4	5	9	13	20
65 +	98	6.3	23	2	3	5	9	12	14	26
TOTAL SINGLE DX	116	3.5	7	1	2	3	5	7	8	13
TOTAL MULTIPLE DX	213	5.4	20	1	2	4	7	11	13	24
TOTAL										
0-19 YRS	5	2.0	2	<1	1	2	3	4	4	4
20-34	28	3.7	9	1	2	3	5	9	11	12
35-49	59	3.8	12	1	2	3	5	8	8	20
50-64	104	4.1	12	1	2	3	5	8	11	19
65 +	133	5.9	21	2	3	4	8	11	13	25
GRAND TOTAL	329	4.7	16	1	2	4	6	10	12	22

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	2.2	1	1	1	2	3	4	4	7
20-34	210	2.2	1	1	1	2	3	4	4	5
35-49	113	2.1	1	1	1	2	2	4	4	7
50-64	87	2.3	1	1	2	2	3	4	5	8
65 +	48	2.8	5	1	2	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	34	2.5	3	1	1	2	3	4	6	11
20-34	100	3.4	27	1	2	2	3	6	8	35
35-49	141	2.9	5	1	1	2	3	5	8	13
50-64	150	3.0	5	1	2	2	4	5	6	13
65 +	78	4.6	16	1	2	4	5	9	13	23
TOTAL SINGLE DX	568	2.2	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	503	3.2	12	1	2	2	4	6	9	17
TOTAL										
0-19 YRS	144	2.2	2	1	1	2	3	4	4	9
20-34	310	2.6	10	1	1	2	3	4	5	15
35-49	254	2.5	4	1	1	2	3	4	6	12
50-64	237	2.8	4	1	2	2	3	5	6	11
65 +	126	3.9	13	1	2	3	4	7	12	18
GRAND TOTAL	1071	2.7	7	1	1	2	3	4	6	13

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	132	3.6	16	< 1	1	2	4	9	14	18
20-34	51	2.6	6	< 1	< 1	1	4	6	7	14
35-49	48	2.3	3	< 1	< 1	2	3	4	6	9
50-64	32	2.7	9	< 1	< 1	1	4	5	7	17
65 +	12	2.2	4	< 1	< 1	< 1	3	5	8	8
2. MULTIPLE DX										
0-19 YRS	214	5.2	53	1	2	3	5	10	20	45
20-34	87	6.4	81	1	2	4	8	14	26	87
35-49	96	5.8	48	1	2	3	7	13	20	74
50-64	52	7.8	47	1	3	5	12	17	23	27
65 +	48	8.0	39	2	3	6	11	18	21	26
TOTAL SINGLE DX	275	3.0	11	< 1	1	2	4	7	9	17
TOTAL MULTIPLE DX	497	6.1	56	1	2	4	7	15	21	46
TOTAL										
0-19 YRS	346	4.6	40	1	1	3	5	9	16	32
20-34	138	5.0	57	< 1	1	3	6	11	15	69
35-49	144	4.6	36	< 1	1	3	5	11	18	48
50-64	84	5.8	39	< 1	1	3	8	16	18	26
65 +	60	6.8	38	< 1	2	5	9	17	21	26
GRAND TOTAL	772	5.0	42	<1	1	3	5	11	17	39

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	2.3	9	< 1	1	1	2	4	8	17
20-34	65	1.7	4	< 1	< 1	< 1	1	3	6	14
35-49	86	1.8	4	< 1	< 1	< 1	2	3	6	12
50-64	52	1.6	2	< 1	< 1	1	2	3	4	10
65 +	27	2.0	3	< 1	< 1	1	2	5	6	8
2. MULTIPLE DX										
0-19 YRS	66	7.6	126	1	1	4	10	16	53	99 +
20-34	32	8.7	96	< 1	2	5	12	27	29	30
35-49	64	6.9	77	< 1	1	3	9	17	22	50
50-64	77	5.9	42	1	1	3	8	15	19	31
65 +	105	10.0	147	1	3	6	13	22	29	70
TOTAL SINGLE DX	350	2.0	6	< 1	< 1	1	2	4	6	12
TOTAL MULTIPLE DX	344	7.9	104	1	2	4	11	19	28	59
TOTAL										
0-19 YRS	186	4.2	57	< 1	1	2	4	11	16	84
20-34	97	4.0	45	< 1	< 1	< 1	3	9	24	30
35-49	150	4.0	42	< 1	< 1	1	4	10	16	33
50-64	129	4.1	30	< 1	1	2	4	12	15	29
65 +	132	8.4	128	< 1	2	5	11	18	28	57
GRAND TOTAL	694	4.9	63	<1	<1	2	5	14	19	48

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	2.0	2	< 1	< 1	1	3	4	4	4
20-34	5	4.2	10	< 1	1	4	7	8	8	8
35-49	11	1.0		< 1	< 1	1	1	1	1	1
50-64	19	1.4		< 1	1	1	2	3	4	4
65 +	21	1.6		< 1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	6	7.3	64	< 1	2	4	13	20	21	21
20-34	15	3.2	7	1	1	2	6	9	73	99 +
35-49	13	3.3	16	1	1	2	3	9	14	15
50-64	22	1.9	1	1	1	1	2	4	5	6
65 +	33	3.3	37	1	1	1	3	6	7	38
TOTAL SINGLE DX	61	1.7	2	< 1	1	1	2	3	4	8
TOTAL MULTIPLE DX	89	3.2	23	1	1	2	3	7	13	74
TOTAL										
0-19 YRS	11	4.9	41	< 1	< 1	2	5	16	21	21
20-34	20	3.5	8	1	1	3	7	8	50	99 +
35-49	24	2.3	10	< 1	1	1	2	4	10	15
50-64	41	1.7	1	< 1	1	1	2	3	4	6
65 +	54	2.6	24	< 1	1	1	2	4	7	35
GRAND TOTAL	150	2.6	15	<1	1	1	3	6	8	36

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.3		< 1	1	1	1	2	3	4
20-34	92	1.7	1	< 1	1	1	2	3	5	7
35-49	45	1.5		< 1	< 1	1	2	2	3	5
50-64	17	1.4		< 1	< 1	1	2	3	3	3
65 +	9	1.6		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	79	2.0	4	< 1	1	1	2	4	6	12
20-34	95	2.2	2	< 1	1	2	3	4	5	10
35-49	61	2.2	2	< 1	1	2	3	4	6	10
50-64	29	3.7	16	1	1	2	4	6	12	21
65 +	12	2.3	1	< 1	1	2	3	4	4	4
TOTAL SINGLE DX	234	1.5	1	< 1	1	1	2	3	3	6
TOTAL MULTIPLE DX	276	2.3	5	< 1	1	2	3	5	6	12
TOTAL										
0-19 YRS	150	1.7	3	< 1	1	1	2	3	4	11
20-34	187	1.9	2	< 1	1	1	2	4	5	8
35-49	106	1.9	2	< 1	1	1	2	3	5	8
50-64	46	2.8	12	< 1	1	2	4	5	7	21
65 +	21	2.0	1	< 1	1	2	3	4	4	4
GRAND TOTAL	510	1.9	3	<1	1	1	2	4	5	10

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	2.4	5	1	1	2	3	4	6	14
20-34	88	2.5	2	1	1	2	3	5	5	9
35-49	113	2.4	2	1	1	2	3	4	4	8
50-64	142	2.7	1	1	2	3	3	4	5	7
65 +	49	3.4	3	1	2	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	48	3.1	9	1	1	2	3	6	10	18
20-34	85	3.9	11	1	2	3	4	9	11	17
35-49	105	3.8	16	1	2	3	4	7	10	24
50-64	145	4.0	13	2	2	3	4	7	9	24
65 +	135	4.5	12	2	2	3	5	8	12	20
TOTAL SINGLE DX	456	2.6	3	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	518	4.0	13	1	2	3	5	8	11	19
TOTAL										
0-19 YRS	112	2.7	7	1	1	2	3	5	8	16
20-34	173	3.2	7	1	2	2	4	7	10	14
35-49	218	3.1	9	1	2	2	4	5	7	13
50-64	287	3.4	8	1	2	3	4	6	7	19
65 +	184	4.2	11	2	2	3	5	8	10	19
GRAND TOTAL	974	3.4	9	1	2	3	4	6	9	17

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	346	2.3	2	1	1	2	3	4	5	8
20-34	72	2.4	2	1	1	2	3	4	6	9
35-49	74	2.5	4	1	1	2	3	4	6	13
50-64	39	2.9	4	1	1	2	3	6	9	10
65 +	12	3.6	9	1	1	2	5	8	11	11
2. MULTIPLE DX										
0-19 YRS	329	2.6	5	1	1	2	3	5	6	11
20-34	63	4.0	11	1	2	3	5	9	12	89
35-49	55	6.6	116	2	2	3	6	12	26	69
50-64	33	7.9	84	2	2	4	11	27	39	99 +
65 +	34	9.5	133	2	4	6	9	18	37	58
TOTAL SINGLE DX	543	2.4	3	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	514	4.0	36	1	2	3	4	7	12	39
TOTAL										
0-19 YRS	675	2.5	4	1	1	2	3	4	6	9
20-34	135	3.1	8	1	1	2	4	7	9	32
35-49	129	4.3	56	1	2	2	4	8	12	41
50-64	72	5.2	47	1	2	3	6	11	25	86
65 +	46	8.0	107	2	3	5	9	15	32	58
GRAND TOTAL	1057	3.2	20	1	1	2	4	6	8	26

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	1.5		< 1	1	1	2	3	4	5
20-34	22	1.6		1	1	2	2	2	3	4
35-49	19	2.3	3	< 1	1	2	3	4	7	9
50-64	17	2.2	4	< 1	1	1	2	5	8	9
65 +	6	2.7	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	8	2.6	4	< 1	1	2	4	6	6	6
20-34	25	4.9	15	1	2	4	6	12	13	14
35-49	36	4.7	16	1	1	3	7	11	16	99 +
50-64	29	6.2	68	1	2	3	7	15	28	36
65 +	28	7.8	73	< 1	2	5	8	24	27	34
TOTAL SINGLE DX	90	1.9	2	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	126	5.7	41	1	2	4	7	13	23	51
TOTAL										
0-19 YRS	34	1.8	2	< 1	1	1	2	4	5	6
20-34	47	3.4	11	1	1	2	4	9	12	14
35-49	55	3.9	13	1	1	3	6	10	12	95
50-64	46	4.7	48	1	1	2	5	12	18	36
65 +	34	6.9	65	1	1	4	7	23	26	34
GRAND TOTAL	216	4.1	28	1	1	2	5	9	14	35

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	6.6	12	2	3	8	9	10	10	10
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	17.0	200	7	7	17	27	27	27	27
20-34	4	6.3	25	1	2	6	10	11	11	11
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	6	6.2	11	2	3	6	9	11	11	11
65 +	8	11.5	130	3	3	7	16	31	36	36
TOTAL SINGLE DX	9	6.7	21	1	2	8	10	12	14	14
TOTAL MULTIPLE DX	22	8.9	74	2	3	6	11	21	31	36
TOTAL										
0-19 YRS	3	14.7	116	7	8	10	23	27	27	27
20-34	9	6.4	15	1	3	8	10	11	11	11
35-49	4	6.0	32	2	2	4	10	14	14	14
50-64	7	5.4	14	1	2	6	8	11	11	11
65 +	8	11.5	130	3	3	7	16	31	36	36
GRAND TOTAL	31	8.3	59	2	3	7	10	16	27	36

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.1		< 1	1	1	1	2	2	2
20-34	10	4.9	26	1	1	3	7	13	17	17
35-49	8	3.4	4	1	2	3	4	7	8	8
50-64	8	3.0	7	< 1	1	2	4	8	9	9
65 +	16	4.6	14	< 1	1	3	7	11	12	12
2. MULTIPLE DX										
0-19 YRS	13	10.7	85	1	2	10	19	25	26	26
20-34	28	8.4	59	1	3	6	11	17	29	31
35-49	96	13.9	114	3	6	12	19	28	35	83
50-64	212	12.7	110	3	5	10	17	25	31	62
65 +	318	13.8	118	4	6	11	18	26	37	50
TOTAL SINGLE DX	51	3.6	12	< 1	1	2	5	8	12	17
TOTAL MULTIPLE DX	667	13.2	113	3	6	11	18	26	33	58
TOTAL										
0-19 YRS	22	6.8	72	1	1	2	10	22	25	26
20-34	38	7.5	52	1	2	6	11	17	25	31
35-49	104	13.1	114	2	5	11	19	27	34	80
50-64	220	12.3	110	3	5	10	16	25	31	61
65 +	334	13.3	117	3	6	10	18	26	36	48
GRAND TOTAL	718	12.5	112	2	5	10	17	26	32	57

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	4.7	6	2	3	5	6	7	7	7
20-34	4	7.3	22	3	4	6	10	14	14	14
35-49	2	6.0		6	6	6	6	6	6	6
50-64	2	19.0	18	16	16	19	22	22	22	22
65 +	9	15.4	592	5	6	7	11	53	80	80
2. MULTIPLE DX										
0-19 YRS	3	38.0	2236	4	14	92	99 +	99 +	99 +	99 +
20-34	24	19.7	206	6	8	15	30	42	48	54
35-49	48	16.9	183	6	9	13	22	38	61	99 +
50-64	154	19.8	197	7	10	15	26	45	49	99
65 +	445	18.3	211	7	9	14	23	36	53	99 +
TOTAL SINGLE DX	20	11.6	282	4	5	6	11	19	51	80
TOTAL MULTIPLE DX	674	18.7	213	7	9	14	24	39	53	99 +
TOTAL										
0-19 YRS	6	21.3	1230	3	4	12	96	99 +	99 +	99 +
20-34	28	17.9	198	5	6	13	29	40	47	54
35-49	50	16.4	180	6	8	12	22	37	60	99 +
50-64	156	19.7	195	7	10	15	26	44	49	99
65 +	454	18.3	218	7	9	14	23	36	54	99 +
GRAND TOTAL	694	18.5	216	6	9	14	24	38	53	99 +

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	20	11.3	100	4	5	7	12	29	34	38
2. MULTIPLE DX										
0-19 YRS	7	21.0	271	7	11	15	30	49	52	52
20-34	10	21.5	277	5	10	16	23	51	54	54
35-49	23	13.0	69	3	6	13	19	29	52	99 +
50-64	87	19.1	280	7	10	14	21	46	86	99 +
65 +	647	16.2	199	6	8	12	20	36	51	99 +
TOTAL SINGLE DX	23	11.0	89	4	5	7	12	29	32	38
TOTAL MULTIPLE DX	774	16.5	207	6	8	12	20	37	54	99 +
TOTAL										
0-19 YRS	8	19.0	265	5	8	14	25	47	52	52
20-34	11	20.4	264	6	9	16	22	50	54	54
35-49	24	13.0	66	3	6	13	18	29	49	99 +
50-64	87	19.1	280	7	10	14	21	46	86	99 +
65 +	667	16.0	197	5	7	12	20	35	51	99 +
GRAND TOTAL	797	16.4	204	5	8	12	20	37	53	99 +

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	8.7	61	4	4	5	10	23	24	24
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	5.0	18	1	1	4	8	10	10	10
65 +	3	10.0	43	4	5	9	15	17	17	17
2. MULTIPLE DX										
0-19 YRS	7	15.0	204	2	3	15	33	52	99 +	99 +
20-34	5	12.0	74	2	4	12	20	22	22	22
35-49	22	16.4	139	5	7	13	27	36	67	99 +
50-64	57	22.2	332	6	9	16	29	56	69	98
65 +	77	17.7	130	6	10	15	22	42	47	99 +
TOTAL SINGLE DX	16	6.9	37	2	3	5	9	16	22	24
TOTAL MULTIPLE DX	168	18.8	204	5	9	15	25	45	61	99 +
TOTAL										
0-19 YRS	13	12.1	139	3	4	7	24	45	88	99 +
20-34	7	9.3	71	2	2	5	17	21	22	22
35-49	23	15.9	140	4	6	12	26	35	64	99 +
50-64	61	21.1	329	6	9	15	29	54	69	97
65 +	80	17.4	128	6	9	15	22	41	47	99 +
GRAND TOTAL	184	17.8	201	4	8	14	23	44	57	99 +

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.4	7	1	2	6	6	7	7	7
20-34	8	4.5	9	1	3	4	5	9	11	11
35-49	2	2.0		2	2	2	2	2	2	2
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	5	9.4	126	1	2	3	16	28	28	28
35-49	6	9.3	18	5	5	9	13	15	15	15
50-64	2	9.5	5	8	8	9	11	11	11	11
65 +	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	17	4.2	8	1	2	3	6	8	10	11
TOTAL MULTIPLE DX	16	8.3	48	1	3	7	12	15	24	28
TOTAL										
0-19 YRS	7	4.4	9	1	1	6	7	8	8	8
20-34	13	6.4	54	1	3	3	7	15	26	28
35-49	8	7.5	25	2	3	6	12	14	15	15
50-64	4	7.0	18	1	4	8	10	11	11	11
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	33	6.2	31	1	2	5	8	12	15	28

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.8	3	1	1	1	2	5	5	5
20-34	16	2.3	4	< 1	< 1	1	3	6	7	8
35-49	3	6.3	14	2	3	8	9	9	9	9
50-64	8	3.6	4	1	2	4	5	6	7	7
65 +	7	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	9	5.2	33	1	1	2	10	14	16	16
20-34	19	9.7	177	1	2	5	8	33	42	49
35-49	20	9.8	115	1	3	6	15	21	35	45
50-64	43	10.1	136	1	3	7	12	26	42	53
65 +	63	13.0	138	3	5	8	17	31	43	48
TOTAL SINGLE DX	39	2.7	5	< 1	1	2	4	7	8	9
TOTAL MULTIPLE DX	154	10.9	135	1	3	7	13	28	42	49
TOTAL										
0-19 YRS	14	4.0	25	1	1	2	5	12	15	16
20-34	35	6.3	110	< 1	1	2	6	14	33	49
35-49	23	9.3	102	2	2	7	14	19	33	45
50-64	51	9.1	121	1	3	5	11	22	40	53
65 +	70	11.9	136	2	4	8	15	29	43	48
GRAND TOTAL	193	9.3	119	1	2	5	11	25	36	49

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	11.0	2	10	10	11	12	12	12	12
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	9.0	25	4	5	9	13	14	14	14
TOTAL SINGLE DX	2	3.5	13	< 1	< 1	3	6	6	6	6
TOTAL MULTIPLE DX	8	7.4	20	2	3	7	11	13	14	14
TOTAL										
0-19 YRS	0									
20-34	2	3.0	8	< 1	< 1	2	5	5	5	5
35-49	2	11.0	2	10	10	11	12	12	12	12
50-64	3	3.7	4	2	2	3	5	6	6	6
65 +	3	9.0	25	4	5	9	13	14	14	14
GRAND TOTAL	10	6.6	20	1	3	5	10	13	14	14

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	1.3		<1	<1	1	1	2	3	3
20-34	102	1.3	1	<1	<1	<1	<1	2	3	8
35-49	293	1.4	1	<1	<1	<1	1	2	4	6
50-64	228	1.7	1	<1	<1	1	2	3	5	7
65 +	160	1.8	2	<1	<1	<1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	11	7.1	320	<1	1	2	2	26	58	61
20-34	59	3.8	39	<1	<1	2	4	7	15	39
35-49	221	3.2	12	<1	1	2	4	7	11	16
50-64	254	3.8	24	<1	1	2	4	9	14	25
65 +	342	6.8	86	1	1	4	8	16	25	55
TOTAL SINGLE DX	805	1.5	2	<1	<1	<1	1	3	5	7
TOTAL MULTIPLE DX	887	4.8	53	<1	1	2	5	11	17	38
TOTAL										
0-19 YRS	33	3.2	108	<1	<1	1	2	3	3	61
20-34	161	2.2	17	<1	<1	<1	1	5	7	21
35-49	514	2.1	7	<1	<1	1	2	5	7	14
50-64	482	2.8	15	<1	<1	1	3	6	9	22
65 +	502	5.2	65	<1	1	2	6	13	20	47
GRAND TOTAL	1692	3.3	31	<1	<1	1	3	7	12	29

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	7	2.7	2	<1	1	3	4	5	5	5
35-49	31	3.9	3	2	2	4	5	7	8	8
50-64	44	3.4	3	2	2	3	4	5	8	9
65 +	37	4.5	6	2	3	4	5	7	8	16
2. MULTIPLE DX										
0-19 YRS	0									
20-34	10	5.4	14	2	3	4	8	11	14	14
35-49	41	4.6	18	2	3	3	5	7	11	28
50-64	63	4.9	16	2	2	4	6	9	15	23
65 +	113	5.7	18	2	3	4	7	11	16	21
TOTAL SINGLE DX	125	3.7	5	2	2	3	5	6	8	11
TOTAL MULTIPLE DX	227	5.3	18	2	3	4	6	10	15	23
TOTAL										
0-19 YRS	6	1.5		1	1	1	2	2	2	2
20-34	17	4.3	11	1	2	3	5	9	12	14
35-49	72	4.3	12	2	3	4	5	7	8	25
50-64	107	4.3	12	2	2	3	5	8	9	20
65 +	150	5.4	16	2	3	4	6	10	16	20
GRAND TOTAL	352	4.7	14	2	3	4	5	9	12	20

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	33	4.2	2	2	3	4	5	6	7	8
35-49	243	4.1	3	2	3	4	5	6	7	12
50-64	353	4.3	4	2	3	4	5	7	8	10
65 +	333	4.7	4	3	3	4	6	7	8	11
2. MULTIPLE DX										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	43	4.4	6	2	3	4	5	6	8	16
35-49	322	4.9	8	2	3	4	6	8	9	20
50-64	553	5.3	15	2	3	4	6	9	11	21
65 +	1053	6.0	19	3	4	5	7	10	13	22
TOTAL SINGLE DX	962	4.4	4	2	3	4	5	7	8	10
TOTAL MULTIPLE DX	1973	5.6	16	3	3	5	7	9	12	21
TOTAL										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	76	4.3	5	2	3	4	5	6	7	14
35-49	565	4.6	6	2	3	4	5	7	9	13
50-64	906	4.9	12	2	3	4	6	8	10	16
65 +	1386	5.7	16	3	3	5	7	9	12	19
GRAND TOTAL	2935	5.2	13	2	3	4	6	8	10	18

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	99	1.8		1	1	2	2	3	3	4
20-34	156	2.3	2	1	1	2	3	4	5	10
35-49	146	2.4	2	1	1	2	3	4	5	8
50-64	60	2.6	1	1	1	2	4	5	5	6
65 +	16	3.0	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	27	2.3	3	1	1	2	3	4	6	9
20-34	133	3.0	5	1	2	2	4	5	7	15
35-49	257	3.4	18	1	2	3	4	6	8	12
50-64	137	3.0	4	1	1	3	4	6	7	10
65 +	31	5.2	27	1	2	4	6	11	18	26
TOTAL SINGLE DX	477	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	585	3.3	12	1	2	3	4	6	7	15
TOTAL										
0-19 YRS	126	1.9	1	1	1	2	2	3	4	7
20-34	289	2.7	4	1	1	2	3	5	6	13
35-49	403	3.0	13	1	1	2	4	5	7	10
50-64	197	2.9	3	1	1	2	4	5	6	9
65 +	47	4.4	20	1	2	4	5	7	13	26
GRAND TOTAL	1062	2.8	8	1	1	2	4	5	6	11

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	143	2.2	3	1	1	2	3	4	6	9
20-34	214	1.9	1	1	1	2	2	4	4	7
35-49	40	2.0	1	1	1	2	3	4	4	7
50-64	8	1.8		1	1	2	2	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	26	3.7	8	1	2	3	4	9	11	12
20-34	54	3.2	12	1	2	2	4	5	6	24
35-49	20	3.3	8	1	2	3	3	7	11	12
50-64	7	3.0	3	2	2	2	4	6	6	6
65 +	3	4.3	6	2	2	4	6	7	7	7
TOTAL SINGLE DX	405	2.0	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	110	3.4	10	1	2	2	4	6	10	17
TOTAL										
0-19 YRS	169	2.4	4	1	1	2	3	5	6	12
20-34	268	2.2	4	1	1	2	3	4	5	8
35-49	60	2.4	4	1	1	2	3	4	6	12
50-64	15	2.3	2	1	1	2	3	5	6	6
65 +	3	4.3	6	2	2	4	6	7	7	7
GRAND TOTAL	515	2.3	4	1	1	2	3	4	5	11

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	318	2.0	6	<1	<1	1	2	4	6	16
20-34	106	2.4	4	<1	<1	1	3	5	7	11
35-49	104	1.9	2	<1	<1	1	2	4	5	9
50-64	87	2.4	10	<1	<1	1	2	6	9	20
65 +	74	2.6	8	<1	<1	1	3	8	10	14
2. MULTIPLE DX										
0-19 YRS	199	5.6	64	<1	1	3	5	14	23	48
20-34	129	9.2	166	<1	2	5	11	23	27	79
35-49	211	7.5	74	<1	2	5	9	19	25	41
50-64	229	7.3	73	1	2	5	9	17	25	57
65 +	412	9.0	94	1	3	7	11	20	29	84
TOTAL SINGLE DX	689	2.2	7	<1	<1	1	2	5	7	13
TOTAL MULTIPLE DX	1180	7.8	91	1	2	5	9	19	27	57
TOTAL										
0-19 YRS	517	3.4	32	<1	<1	1	3	7	13	26
20-34	235	6.1	105	<1	1	3	6	15	24	59
35-49	315	5.6	57	<1	1	3	7	13	22	40
50-64	316	5.9	60	<1	1	3	8	15	19	49
65 +	486	8.1	87	<1	2	6	10	18	28	71
GRAND TOTAL	1869	5.7	67	<1	1	3	7	14	21	50

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	244	4.3	34	1	1	3	5	8	13	27
20-34	201	4.0	17	1	1	3	5	8	15	21
35-49	113	5.9	41	1	2	4	7	14	19	32
50-64	75	6.4	65	1	1	3	9	14	22	46
65 +	52	10.5	108	2	4	7	13	22	31	53
2. MULTIPLE DX										
0-19 YRS	434	9.6	157	1	2	5	12	22	37	77
20-34	515	10.0	169	1	3	6	12	23	39	99 +
35-49	497	11.8	154	2	4	8	15	27	41	90
50-64	542	14.4	198	3	6	10	17	32	47	80
65 +	1234	16.9	233	4	7	13	22	39	60	99 +
TOTAL SINGLE DX	685	5.2	42	1	1	3	6	12	17	29
TOTAL MULTIPLE DX	3222	13.6	204	2	5	9	17	32	48	99 +
TOTAL										
0-19 YRS	678	7.7	120	1	2	4	8	18	27	66
20-34	716	8.3	134	1	2	5	10	19	31	95
35-49	610	10.7	139	2	4	7	14	25	39	76
50-64	617	13.4	189	2	5	9	16	30	43	80
65 +	1286	16.7	230	4	7	12	21	39	60	99 +
GRAND TOTAL	3907	12.1	186	2	4	8	15	29	44	99 +

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	431	3.2	11	<1	1	2	4	7	9	17
20-34	273	3.4	9	1	1	2	4	7	9	15
35-49	181	4.0	17	<1	1	3	5	8	12	24
50-64	106	4.4	13	<1	1	3	6	9	13	16
65 +	93	5.7	55	<1	2	4	7	12	16	45
2. MULTIPLE DX										
0-19 YRS	798	5.1	54	1	1	3	6	11	21	39
20-34	888	4.8	34	1	1	3	6	10	16	31
35-49	677	7.2	82	1	2	4	8	16	24	45
50-64	560	8.3	86	1	3	5	10	18	27	40
65 +	886	9.5	105	2	3	6	12	21	30	64
TOTAL SINGLE DX	1084	3.7	16	<1	1	2	5	8	11	19
TOTAL MULTIPLE DX	3809	6.9	75	1	2	4	8	16	24	45
TOTAL										
0-19 YRS	1229	4.4	40	1	1	2	5	9	15	31
20-34	1161	4.5	29	1	1	3	5	9	14	30
35-49	858	6.5	71	1	2	4	8	14	22	44
50-64	666	7.7	77	1	3	5	9	16	23	39
65 +	979	9.1	102	2	3	6	12	20	28	62
GRAND TOTAL	4893	6.2	64	1	2	4	7	14	21	41

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	6.1	49	1	1	3	8	16	20	34
20-34	51	6.9	58	1	1	5	9	14	20	44
35-49	42	5.5	30	1	2	4	7	11	17	28
50-64	40	6.5	37	1	1	5	9	13	17	31
65 +	34	9.3	98	1	1	6	13	27	33	34
2. MULTIPLE DX										
0-19 YRS	195	18.7	224	2	8	17	26	36	45	88
20-34	82	13.5	198	1	4	10	21	37	59	99 +
35-49	93	15.4	144	3	5	13	22	31	39	83
50-64	122	12.3	145	2	3	8	20	25	35	59
65 +	202	16.5	200	4	7	12	23	39	46	85
TOTAL SINGLE DX	271	6.6	53	1	1	5	8	15	22	34
TOTAL MULTIPLE DX	694	15.9	194	2	6	12	23	35	43	97
TOTAL										
0-19 YRS	299	14.3	199	1	3	11	21	32	38	77
20-34	133	11.0	154	1	3	7	15	29	42	99 +
35-49	135	12.3	129	2	3	9	19	28	33	66
50-64	162	10.9	125	1	3	8	15	24	32	54
65 +	236	15.5	192	2	6	11	21	37	45	76
GRAND TOTAL	965	13.3	172	1	4	9	19	31	39	80

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	3.4	21	< 1	1	2	3	8	15	21
20-34	23	2.7	20	< 1	< 1	1	2	6	12	22
35-49	18	4.3	30	< 1	1	2	7	12	18	21
50-64	10	2.8	7	< 1	1	2	4	7	8	8
65 +	6	4.2	24	< 1	1	2	7	12	13	13
2. MULTIPLE DX										
0-19 YRS	33	9.0	98	1	2	3	15	25	31	34
20-34	26	13.7	340	< 1	2	6	17	41	58	74
35-49	37	13.5	369	1	2	8	12	40	67	81
50-64	18	10.1	303	1	4	5	7	22	56	76
65 +	44	14.4	327	< 1	1	8	18	47	66	99 +
TOTAL SINGLE DX	87	3.4	21	< 1	1	1	4	8	14	22
TOTAL MULTIPLE DX	158	12.5	287	1	2	6	15	35	56	81
TOTAL										
0-19 YRS	63	6.3	69	1	1	2	8	19	26	34
20-34	49	8.6	218	< 1	1	2	8	23	42	74
35-49	55	10.5	275	1	1	5	11	24	45	81
50-64	28	7.5	206	< 1	2	4	7	10	32	76
65 +	50	13.2	301	< 1	1	7	17	43	64	99 +
GRAND TOTAL	245	9.2	211	<1	1	4	10	24	41	78

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	149	1.9	5	< 1	1	1	2	3	5	16
20-34	36	2.3	4	< 1	1	2	3	5	6	12
35-49	41	2.2	1	1	1	2	3	4	4	6
50-64	34	3.6	42	< 1	1	1	3	10	16	35
65 +	17	2.4	13	< 1	1	1	2	5	12	16
2. MULTIPLE DX										
0-19 YRS	135	4.2	34	1	1	2	5	9	15	51
20-34	93	5.9	83	1	1	3	6	13	25	51
35-49	110	5.8	133	1	1	3	6	10	15	82
50-64	116	5.8	46	1	1	4	8	11	17	39
65 +	152	11.3	96	2	5	9	15	27	43	99 +
TOTAL SINGLE DX	277	2.2	10	< 1	1	1	2	4	6	17
TOTAL MULTIPLE DX	606	6.8	84	1	2	4	8	16	27	94
TOTAL										
0-19 YRS	284	3.0	21	< 1	1	2	3	6	9	33
20-34	129	4.9	64	< 1	1	2	5	10	20	38
35-49	151	4.8	100	1	1	2	5	8	12	75
50-64	150	5.3	46	1	1	3	7	11	17	35
65 +	169	10.4	95	1	3	8	15	27	42	99 +
GRAND TOTAL	883	5.4	66	1	1	3	6	13	20	61

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.3	25	1	2	3	7	14	16	16
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	4	1.5		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	19	5.0	44	1	1	3	4	12	22	29
20-34	5	1.8		1	1	2	3	90	99+	99+
35-49	13	3.2	2	1	2	3	4	6	6	6
50-64	19	4.7	5	2	3	5	6	8	9	9
65+	78	7.2	31	3	3	6	9	12	19	32
TOTAL SINGLE DX	18	3.6	18	1	1	2	3	10	14	16
TOTAL MULTIPLE DX	134	5.9	28	2	3	4	8	12	17	44
TOTAL										
0-19 YRS	[illegible]	5.1	37	1	2	3	6	13	17	29
20-34	7	1.7	1	1	1	2	3	71	99+	99+
35-49	17	2.8	2	1	2	3	3	5	6	6
50-64	20	4.5	6	2	2	4	6	8	9	9
65+	79	7.1	32	3	3	5	9	12	19	32
GRAND TOTAL	152	5.6	27	1	3	4	7	12	16	34

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	73	2.2	10	1	1	1	2	5	7	22
20-34	593	2.5	6	1	1	1	3	6	8	12
35-49	987	2.5	13	1	1	1	2	6	8	15
50-64	445	2.4	9	1	1	1	2	5	7	17
65+	144	3.2	21	1	1	1	3	8	12	27
2. MULTIPLE DX										
0-19 YRS	81	3.8	41	1	1	1	2	9	19	32
20-34	419	4.1	18	1	1	3	5	9	12	24
35-49	852	4.0	20	1	1	2	5	9	12	22
50-64	669	4.5	31	1	1	2	5	11	14	28
65+	475	6.1	58	1	1	3	8	14	20	44
TOTAL SINGLE DX	2242	2.5	11	1	1	1	2	6	8	15
TOTAL MULTIPLE DX	2496	4.5	32	1	1	2	6	10	14	29
TOTAL										
0-19 YRS	154	3.1	27	1	1	1	2	7	13	31
20-34	1012	3.2	12	1	1	2	4	8	10	16
35-49	1839	3.2	17	1	1	2	4	7	10	19
50-64	1114	3.6	24	1	1	2	4	9	13	24
65+	619	5.4	51	1	1	3	7	13	18	39
GRAND TOTAL	4738	3.6	23	1	1	2	4	8	12	24

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	2.5	7	1	1	2	3	5	8	15
20-34	63	3.0	8	1	1	2	4	7	9	14
35-49	75	3.6	11	1	1	2	5	10	11	14
50-64	97	3.6	10	1	1	3	5	8	11	16
65+	61	3.9	20	1	1	2	5	10	13	21
2. MULTIPLE DX										
0-19 YRS	37	5.2	39	1	2	3	6	15	19	29
20-34	89	8.6	160	1	2	4	10	21	30	76
35-49	175	6.9	85	1	2	4	8	12	21	57
50-64	441	5.9	46	1	2	4	8	12	17	34
65+	632	6.3	43	1	2	5	8	13	17	35
TOTAL SINGLE DX	331	3.4	12	1	1	2	4	8	11	16
TOTAL MULTIPLE DX	1374	6.4	57	1	2	4	8	13	18	42
TOTAL										
0-19 YRS	72	3.9	25	1	1	2	4	9	16	27
20-34	152	6.3	104	1	1	3	7	14	22	47
35-49	250	5.9	66	1	2	4	7	11	16	57
50-64	538	5.5	40	1	2	4	7	11	15	32
65+	693	6.1	41	1	2	4	8	13	17	33
GRAND TOTAL	1705	5.8	50	1	2	4	7	12	17	36

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.1		1	2	2	2	3	4	4
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	5	5.4	15	1	2	6	8	10	10	10
65+	0									
2. MULTIPLE DX										
0-19 YRS	28	5.0	47	2	2	2	5	13	16	34
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	3	4.7	22	<1	1	3	8	10	10	10
50-64	16	5.5	20	1	2	4	7	13	14	15
65+	11	6.3	15	1	2	7	9	11	13	13
TOTAL SINGLE DX	17	3.2	6	1	2	2	4	8	9	10
TOTAL MULTIPLE DX	61	5.3	30	1	2	3	8	12	14	32
TOTAL										
0-19 YRS	39	4.2	35	2	2	2	2	11	14	34
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	4	4.5	15	<1	1	3	7	10	10	10
50-64	21	5.5	18	1	2	5	8	12	14	15
65+	11	6.3	16	1	2	7	9	11	13	13
GRAND TOTAL	78	4.8	26	1	2	2	7	11	13	29

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	3.3	10	1	1	2	4	8	10	16
20-34	127	4.2	14	1	1	3	6	9	11	17
35-49	138	4.4	14	1	1	3	7	10	11	16
50-64	202	4.3	14	1	1	3	7	10	11	15
65 +	153	4.3	14	1	1	2	7	10	12	15
2. MULTIPLE DX										
0-19 YRS	83	6.9	71	1	2	4	8	14	27	45
20-34	226	7.0	52	1	2	5	9	14	19	41
35-49	443	6.4	31	1	2	5	9	13	18	30
50-64	764	6.0	33	1	2	4	8	12	15	32
65 +	1488	7.4	46	1	3	6	10	15	19	32
TOTAL SINGLE DX	682	4.2	14	1	1	2	7	10	11	16
TOTAL MULTIPLE DX	3004	6.9	42	1	2	5	9	14	18	33
TOTAL										
0-19 YRS	145	5.3	48	1	2	3	7	11	16	44
20-34	353	6.0	40	1	2	4	8	13	17	38
35-49	581	5.9	28	1	2	4	9	12	15	27
50-64	966	5.7	30	1	2	4	8	11	15	28
65 +	1641	7.1	44	1	2	6	10	14	18	31
GRAND TOTAL	3686	6.4	38	1	2	5	9	13	17	30

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.36)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	946	4.2	51	1	1	2	4	8	14	40
20-34	409	4.2	33	1	2	3	5	7	11	23
35-49	371	4.9	20	1	2	3	6	10	14	24
50-64	253	5.3	53	1	2	4	6	9	12	29
65 +	250	6.5	47	2	3	5	7	12	20	43
2. MULTIPLE DX										
0-19 YRS	1830	5.8	74	1	2	3	6	13	21	49
20-34	1083	5.8	49	1	2	4	7	12	17	35
35-49	1557	6.2	36	2	3	5	7	12	17	35
50-64	2429	7.4	49	2	3	5	9	15	20	39
65 +	7140	8.9	72	3	4	7	11	17	24	48
TOTAL SINGLE DX	2229	4.7	43	1	2	3	5	9	13	36
TOTAL MULTIPLE DX	14039	7.7	65	2	3	5	9	15	21	43
TOTAL										
0-19 YRS	2776	5.3	67	1	1	3	5	11	18	45
20-34	1492	5.4	46	1	2	4	6	11	15	34
35-49	1928	5.9	33	2	3	4	7	12	16	33
50-64	2682	7.2	50	2	3	5	9	14	20	39
65 +	7390	8.8	72	3	4	6	11	17	23	48
GRAND TOTAL	16268	7.3	63	2	3	5	9	15	21	43

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2543	4.0	29	1	2	3	4	7	10	30
20-34	2193	3.6	14	1	2	3	4	7	9	20
35-49	1564	3.7	15	1	2	3	4	7	10	22
50-64	1039	4.1	15	1	2	3	5	8	11	22
65 +	689	5.3	24	1	2	4	7	10	13	27
2. MULTIPLE DX										
0-19 YRS	5086	5.7	60	1	2	4	6	10	16	48
20-34	4191	5.0	29	1	2	4	6	9	14	31
35-49	5181	5.5	29	2	3	4	7	10	14	28
50-64	7163	6.1	26	2	3	5	8	11	15	27
65 +	16322	7.5	40	3	4	6	9	14	18	34
TOTAL SINGLE DX	8028	4.0	21	1	2	3	5	8	10	23
TOTAL MULTIPLE DX	37943	6.5	39	2	3	5	8	12	16	34
TOTAL										
0-19 YRS	7629	5.2	51	1	2	3	6	9	14	44
20-34	6384	4.5	25	1	2	3	5	8	12	28
35-49	6745	5.1	26	1	2	4	6	10	13	27
50-64	8202	5.9	26	2	3	5	7	11	15	27
65 +	17011	7.4	40	2	4	6	9	14	18	34
GRAND TOTAL	45971	6.0	36	2	3	4	7	11	16	32

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	10.4	242	2	3	5	9	24	43	92
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	5	3.6	1	2	3	4	4	5	5	5
65 +	8	9.0	70	2	3	5	13	23	25	25
2. MULTIPLE DX										
0-19 YRS	340	16.7	334	3	5	10	20	50	74	99 +
20-34	40	9.0	132	2	3	6	10	22	51	99 +
35-49	87	12.7	159	2	4	9	17	30	39	61
50-64	165	13.3	125	4	7	11	16	28	35	88
65 +	404	14.4	132	5	7	12	18	25	36	65
TOTAL SINGLE DX	60	9.5	197	2	3	5	9	23	35	87
TOTAL MULTIPLE DX	1036	14.6	203	3	6	10	18	32	50	99 +
TOTAL										
0-19 YRS	386	16.0	327	3	5	10	19	48	71	99 +
20-34	41	8.8	130	2	3	6	10	22	50	99 +
35-49	87	12.7	159	2	4	9	17	30	39	61
50-64	170	13.0	124	4	6	10	15	28	35	86
65 +	412	14.3	132	4	7	12	18	25	36	64
GRAND TOTAL	1096	14.3	203	3	6	10	18	31	49	99 +

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1560	4.8	35	1	2	3	5	11	19	28
20-34	384	7.3	79	1	2	4	9	15	25	44
35-49	320	7.0	72	1	3	4	8	14	25	42
50-64	217	6.4	42	1	2	5	8	14	19	36
65 +	162	7.0	35	2	4	6	8	13	19	30
2. MULTIPLE DX										
0-19 YRS	2391	5.9	57	2	2	4	6	12	19	42
20-34	594	10.0	150	2	3	5	11	28	37	58
35-49	709	8.1	72	2	3	5	9	21	30	43
50-64	930	8.3	65	2	4	6	9	16	25	45
65 +	2591	9.3	65	3	5	7	11	17	25	45
TOTAL SINGLE DX	2623	5.7	48	1	2	3	6	13	20	34
TOTAL MULTIPLE DX	7215	8.0	73	2	3	5	9	17	25	46
TOTAL										
0-19 YRS	3951	5.5	49	1	2	3	6	11	19	36
20-34	958	9.0	125	1	3	5	10	25	34	52
35-49	1029	7.8	73	2	3	5	9	18	29	43
50-64	1147	7.9	62	2	4	6	9	16	25	43
65 +	2753	9.2	64	3	5	7	11	17	25	44
GRAND TOTAL	9838	7.4	67	2	3	5	9	16	25	43

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	260	4.1	17	1	2	3	5	8	10	21
20-34	85	4.7	26	1	2	3	5	9	15	31
35-49	95	3.6	7	1	2	3	4	8	9	14
50-64	105	4.6	17	1	3	3	6	8	11	24
65 +	81	4.8	18	1	2	4	6	8	13	25
2. MULTIPLE DX										
0-19 YRS	560	10.3	191	2	3	5	11	30	42	83
20-34	335	5.9	46	1	2	3	7	13	20	36
35-49	594	5.5	45	2	3	4	6	10	14	35
50-64	1350	6.7	37	2	3	5	8	12	17	30
65 +	3557	8.0	51	3	4	6	10	15	19	38
TOTAL SINGLE DX	626	4.3	17	1	2	3	5	8	11	21
TOTAL MULTIPLE DX	6396	7.6	61	2	3	5	9	15	20	43
TOTAL										
0-19 YRS	820	8.3	144	2	3	4	8	20	36	77
20-34	420	5.6	42	1	2	3	6	13	19	35
35-49	689	5.2	41	2	2	4	6	10	13	29
50-64	1455	6.5	37	2	3	5	8	12	17	30
65 +	3638	8.0	51	3	4	6	10	15	19	37
GRAND TOTAL	7022	7.3	58	2	3	5	9	14	19	42

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1889	4.0	48	1	1	2	4	7	11	37
20-34	603	4.0	30	1	1	2	4	8	13	31
35-49	534	3.7	24	1	1	2	4	8	11	21
50-64	435	4.1	18	1	2	3	5	8	12	26
65 +	417	5.1	18	1	2	4	7	10	12	19
2. MULTIPLE DX										
0-19 YRS	4471	7.5	130	1	2	4	7	17	31	69
20-34	1470	5.9	71	1	2	3	6	13	21	41
35-49	2221	5.5	49	1	2	3	6	11	17	37
50-64	3707	5.9	34	2	3	4	7	12	16	31
65 +	9543	7.3	53	2	3	5	9	14	19	42
TOTAL SINGLE DX	3878	4.1	36	1	1	3	4	8	11	32
TOTAL MULTIPLE DX	21412	6.8	67	2	3	4	8	14	20	46
TOTAL										
0-19 YRS	6360	6.5	109	1	2	3	6	14	26	61
20-34	2073	5.4	61	1	2	3	5	12	19	39
35-49	2755	5.1	45	1	2	3	6	10	15	34
50-64	4142	5.7	33	2	2	4	7	11	16	30
65 +	9960	7.2	52	2	3	5	9	14	19	41
GRAND TOTAL	25290	6.4	64	1	2	4	7	13	19	44

Appendix

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

Diagnosis Groups (continued)

358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental ICD-9-CM Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index
Part III: Crosswalk

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1988, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1988 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs. *(Revised Group Numbers as of January 1, 1989)*

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
305	skin and subcutaneous tissue, except digit

Group No.	Title
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary
354	renal

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebralvascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration

DIAGNOSIS INDEX (continued)

Group No.	Title
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD

Group No.	Title
	Dependence (continued)
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial

Group No.	Title
	Disease (continued)
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
145	renal
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol

DIAGNOSIS INDEX (continued)

Group No.	Title
	Drug (continued)
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization

Group No.	Title
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension

DIAGNOSIS INDEX (continued)

Group No. Title

- Examination
  - 417 follow-up
  - 417 medical
- Failure
  - 156 heart
    - 408 postoperative
  - 238 renal, except chronic
    - 237 chronic
  - 195 respiratory (acute)
- 357 Fainting
- 277 False labor
- Fever
  - 141 active rheumatic
  - 347 of undetermined origin (FUO)
  - 2 paratyphoid
  - 302 puerperal
  - 5 scarlet
  - 2 typhoid
  - 13 yellow
- Fibrillation or flutter
  - 154 atrial
  - 155 ventricular
- Fibrocystic disease
  - 255 breast
  - 82 pancreas
- 60 Fibroma, uterus
- 17 Filariasis
- 220 Fissure, anal
- 220 Fistula, anal
- 134 Flat anterior chamber
- 2 Food poisoning
- 397 Foreign body in body orifice
- Fracture
  - 372 ankle
  - 367 arm, except upper

Group No. Title

- Fracture (continued)
  - arm, except upper (continued)
    - 366 upper
  - 372 bimalleolar
  - 368 carpal
  - 373 clavicle
  - 367 Colles'
  - 361 face bone
  - 370 femur, except upper end
    - 369 upper end
  - 371 fibula, except lateral malleolus
  - 368 finger
  - 372 foot
  - 368 hand
  - 417 healed, aftercare, except removal of fixation device
    - 414 removal of fixation device
  - 369 hip
  - 366 humerus
  - 372 knee
  - 372 lateral malleolus
  - 371 leg, lower, except ankle
    - 370 upper, except hip
  - 361 mandible
  - 372 medial malleolus
  - 368 metacarpal
  - 372 metatarsal
  - 374 multiple bones
  - 361 nose
  - 372 patella
  - 365 pelvis
  - 367 radius
  - 364 rib
  - 373 scapula
  - skull
    - 360 base, except with prolonged loss of consciousness
      - 358 prolonged loss of consciousness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
	skull (continued)
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage

Group No.	Title
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device
	Heart
147	attack
156	failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn

DIAGNOSIS INDEX (continued)

Group No.	Title
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional

Group No.	Title
	Hernia (continued)
	incisional (continued)
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly
84	Hyperbilirubinemia, except neonatal
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy

DIAGNOSIS INDEX (continued)

Group No.	Title
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis

Group No.	Title
	Infertility (continued)
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion
386	internal, except chest
385	chest
376	knee ligament or meniscus
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
	Laceration (continued)
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria

DIAGNOSIS INDEX (continued)

Group No.	Title
32	Malignant melanoma, skin
105	Manic-depressive psychosis
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis

Group No.	Title
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
38	fallopian tube
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, except colon and rectum
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland

Group No.	Title
	Neoplasm, malignant **(continued)**
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive

DIAGNOSIS INDEX (continued)

Group No.	Title
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia

Group No.	Title
	Organic brain syndrome **(continued)**
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
136	chronic and unspecified
137	acute
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Pregnancy (continued)
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism

Group No.	Title
	Pulmonary (continued)
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic
237	chronic
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst

Group No.	Title
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee

DIAGNOSIS INDEX (continued)

Group No.	Title
	Sprain, except knee, back, and sacroiliac region **(continued)**
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)

Group No.	Title
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery

DIAGNOSIS INDEX (continued)

Group No. Title

- 275 Toxemia of the puerperium
  - 301 with delivery
- 182 Tracheobronchitis, acute
- 409 Transfusion reaction
- 167 Transient ischemic attack (TIA)
- 131 Traumatic cataract
- Treatment
  - 416 chemotherapy
  - 415 dialysis
  - 417 physical therapy
  - 417 radiotherapy
- 17 Trichinosis
- 19 Trichomoniasis
- Tricuspid valve disease-*see Valvular disease*
- 127 Trigeminal neuralgia
- 245 Trigonitis
- 268 Tubal pregnancy
- Tuberculosis
  - 4 bone
  - 20 late effect
  - 3 lung
  - 4 nonrespiratory
  - 3 respiratory
- 14 Typhus

- Ulcer
  - 202 duodenal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 200 gastric
    - 201 with hemorrhage or perforation
    - 204 with obstruction
  - 202 gastrojejunal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 202 peptic, except gastric
    - 203 with hemorrhage or perforation

Group No. Title

- Ulcer **(continued)**
  - peptic, except gastric (continued)
    - 204 with obstruction
  - 309 skin
  - 178 varicose, lower extremity
- 222 Ulcerative colitis
- 78 Uncontrolled diabetes mellitus
- 339 Undescended testis
- 357 Undiagnosed disease
- 322 Unstable low back
- 181 Upper respiratory infection, acute, except streptococcal
  - 5 streptococcal
- 238 Uremia, except chronic
  - 237 chronic
- Ureteral
  - 243 disease, except calculus
    - 242 calculus
- Urethral
  - 248 disease, except calculus and stricture
    - 244 calculus
  - 246 stenosis, except congenital
    - 340 congenital
  - 246 stricture, except congenital
    - 340 congenital
- 248 Urethritis
  - 280 in pregnancy
- 181 URI (upper resiratory infection)
- 247 Urinary tract infection
  - 280 in pregnancy
- Uterine
  - 60 fibroid
  - 262 prolapse
- 134 Uveitis

- 261 Vaginitis, except atrophic and senile
  - 265 atrophic or senile
- 330 Valgus deformity, limb

DIAGNOSIS INDEX (continued)

Group No. Title

- Valvular disease
  - 158 nonrheumatic
  - 142 rheumatic
- 180 Varices, esophagus
- 178 Varicose veins of lower extremities
- 330 Varus deformity, limb
- Venereal
  - 15 disease
  - 12 wart
- 324 Vertebrogenic pain syndrome
- 357 Vertigo
- Viral
  - 13 encephalitis
    - 20 late effect
  - 1 gastroenteritis
  - 10 hepatitis
  - 8 meningitis
    - 20 late effect
  - 12 wart
- Vitreous
  - 134 abscess
  - 134 prolapse

Group No. Title

- 269 Voluntary abortion
- 217 Volvulus
- 356 Vomiting
  - 276 of pregnancy
- 261 Vulvar infection
- 261 Vulvitis

- 12 Warts, viral
- 7 Whooping cough
- Withdrawal
  - 98 alcohol
  - 99 drug
- Wound
  - 408 dehiscence
  - infection
    - 407 postoperative
    - 401 posttraumatic
  - Open-*see Laceration*

- 13 Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, and temporomandibular
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
737	total replacement, except hip and knee
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. Title

- Aspiration
  - 768 breast, except for biopsy
    - 757 biopsy
  - 756 bursa
  - 690 cul-de-sac
  - 685 curettage, uterus, except for termination of pregnancy
    - 682 termination of pregnancy
  - 658 hydrocele, except of spermatic cord
    - 663 spermatic cord
  - 636 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 536 middle ear
  - 545 nasal sinus
  - 671 ovary
  - 768 skin
  - 663 spermatocele
  - 529 vitreous
- Augmentation
  - 760 breast
  - 707 chin

- Balloon
  - 582 angioplasty, except coronary
    - 571 coronary
  - 570 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 586 bone marrow
  - 501 brain
  - 757 breast

Group No. Title

- Biopsy (continued)
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix
  - 598 colon
  - 598 duodenum
  - 676 endocervical
  - 589 esophagus
  - 531 eyeball
  - 517 eyelid
  - 674 fallopian tubes
  - 598 intestine (large) (small)
  - 732 joint structure
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 615 liver
  - 564 lung
  - 583 lymph nodes
  - 569 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - 545 nasal sinus
  - 542 nose
  - 531 orbit
  - 668 ovary, except by aspiration
    - 671 aspiration
  - 620 pancreas
  - 666 penis
  - 508 peripheral nerve
  - 628 peritoneum
  - 555 pharynx
  - 569 pleura
  - 657 prostate

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
606	rectum
549	salivary gland or duct
658	scrotum
593	stomach
762	skin
598	small intestine
507	spinal meninges
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
597	gastric

Group No.	Title
	Bypass, graft or shunt (continued)
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix

OPERATION INDEX (continued)

Group No.	Title
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
582	blood vessel
568	chest
629	laparotomy site

Group No.	Title
	Control of hemorrhage **(continued)**
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce

Group No.	Title
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERCP (endoscopic retrograde cholangiopancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy)
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine

Group No.	Title
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral

OPERATION INDEX (continued)

Group No. Title

- Excision (continued)
  - 549 parotid gland
  - 761 pilonidal cyst or sinus
  - 515 pituitary gland
  - 656 prostate, except transurethral approach
    - 655 transurethral approach
  - 522 pterygium
  - 762 sebaceous cyst, except of eyelid
    - 517 eyelid, eyebrow
  - 730 semilunar cartilage, knee
  - 586 spleen
  - 514 thyroglossal duct or tract
  - 513 thyroid
  - 767 toenail
  - 551 tongue
  - 552 tonsil, except with adenoids
    - 553 with adenoids
  - 555 tonsil tag
  - tubes and ovaries
    - 670 bilateral
    - 669 unilateral
  - 678 uterine fibroid
  - 577 varicocele, except of spermatic cord
    - 663 spermatic cord
- Excision of lesion (and destruction of tissue)
  - 628 abdominal wall
  - 611 anus
  - 619 bile duct
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 501 brain
  - 757 breast
  - 562 bronchus
  - 501 cerebral meninges

Group No. Title

- Excision of lesion (continued)
  - 676 cervix, except by conization
    - 675 conization
  - 598 colon
  - 520 conjunctiva
  - 522 cornea
  - 598 duodenum
  - 533 ear, external
  - 589 esophagus
  - 531 eye
  - 517 eyelid
  - 674 fallopian tube
  - 548 gingiva, gums
  - 598 intestine
  - 524 iris
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 564 lung
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - nerve
    - 508 peripheral
    - 511 sympathetic
  - 542 nose, except submucous resection
    - 540 submucous resection
  - 668 ovary
  - 549 parotid gland
  - 666 penis
  - perineum
    - 691 female
    - 762 male
  - 508 peripheral nerve
  - 607 perirectal tissue

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation

Group No.	Title
	Extracorporeal **(continued)**
582	membrane oxygenation (ECMO)
652	shock wave lithotripsy (ESWL)
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*

OPERATION INDEX (continued)

Group No. Title
697 Forceps delivery, except low forceps
695   low forceps
Formation
580   arteriovenous shunt for dialysis
602   endoileal rectal pouch
638   ileal conduit or bladder
Fracture-reduction
709   facial bone, except closed reduction
708   closed reduction
  femur
721   closed, except with internal fixation
719   with internal fixation
721   open, except with internal fixation
720   with internal fixation
709   mandible, except closed reduction
708   closed reduction
709   maxillofacial, except closed reduction
708   closed reduction
543   nose
  other sites
724   closed, except with internal fixation
722   with internal fixation
724   open, except with internal fixation
723   with internal fixation
551 Frenectomy (labial) (tongue)
556 Frenotomy (labial) (tongue)
734 Fusion, joint, except spinal
733   spinal

508 Ganglionectomy, except of tendon
742   tendon (of hand)
508 Gasserian ganglionectomy
594 Gastrectomy, except total
595   total
590 Gastroscopy, except surgical approach
597   surgical approach (transabdominal)
592 Gastrostomy

Group No. Title
591 Gastrotomy
707 Genioplasty
775 G.I. series x-ray
548 Gingivectomy, gingivoplasty
523 Glaucoma operation
551 Glossectomy
Graft
717   bone, except facial, femur and skull
710   facial
716   femur
503   skull
765   free, of skin
551   lip
746   muscle, except of hand
744   hand
766   pedicle, of skin
  skin
765   free
766   pedicle
746   tendon, except of hand
744   hand

573 Heart catheterization
582 Heart-lung bypass
600 Hemicolectomy
579 Hemodialysis
612 Hemorrhoidectomy
615 Hepatectomy
Herniorrhaphy
627   diaphragmatic
626   epigastric
624   femoral
626   incisional
  inguinal
623   bilateral
622   unilateral
625   umbilical

OPERATION INDEX (continued)

Group No.	Title
	Herniorrhaphy **(continued)**
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain

Group No.	Title
	Incision (and drainage) **(continued)**
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast

Group No.	Title
	Insertion **(continued)**
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins

OPERATION INDEX (continued)

Group No.	Title
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended

Group No.	Title
	Mastectomy **(continued)**
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension

OPERATION INDEX (continued)

Group No. Title

- 715 Ostectomy, except facial bone and femur
  - 707 facial bone, except partial
    - 706 partial
  - 714 femur
- 717 Osteoplasty, except facial bone and femur
  - 707 facial bone
  - 714 femur
- 712 Osteotomy, except facial bone and femur
  - 707 facial bone
  - 711 femur
- 539 Otoscopy

- 550 Palatoplasty
- 620 Pancreatectomy
- 620 Pancreatotomy
- Paracentesis
  - 628 abdominal
  - 524 anterior chamber (eye)
  - 576 thoracic
- 514 Parathyroidectomy
- 549 Parotidectomy
- 681 Pelvic exenteration
- 582 Percutaneous transluminal angioplasty, except coronary
  - 571 coronary artery (PTCA)
- 575 Pericardiocentesis
- 631 Peritoneal dialysis
- 630 Peritoneoscopy
- 556 Pharyngoscopy
- 555 Pharyngotomy
- 773 Phlebography
- 781 Photopheresis
- 539 Piercing, ear
- 781 Plasmapheresis
- 781 Plateletpheresis
- 576 Pleurocentesis
- 576 Pleurodesis, chemical
- 569 Pleurosclerosis

Group No. Title

- Plication
  - 650 urethral, urethrovesical
  - 582 vena cava
- 769 Pneumoencephalography
- 565 Pneumonectomy
- 783 Polysomnogram
- 781 PPN (peripheral parenteral nutrition)
- 667 Preputiotomy
- 608 Proctectomy
- 609 Proctopexy
- 621 Proctosigmoidoscopy, except surgical approach
  - 609 surgical approach (transabdominal)
- 607 Proctotomy
- 656 Prostatectomy, except transurethral approach
  - 655 transurethral approach
- 779 Psychiatric testing and evaluation
- 779 Psychotherapy
- 571 PTCA (percutaneous transluminal coronary angioplasty)
- Puncture
  - 501 cranial
  - 512 lumbar
  - 501 skull, for drainage
  - 512 spinal
- 775 Pyelogram (intravenous) (retrograde)
- 641 Pyeloscopy
- 636 Pyelotomy, except percutaneous
  - 634 percutaneous
- 591 Pyloromyotomy
- 596 Pyloroplasty

- 776 Radiation therapy
- Radiography
  - 773 arteries, except cerebral and coronary
    - 771 cerebral
    - 772 coronary
  - 775 breast

OPERATION INDEX (continued)

Group No.	Title
	Radiography (continued)
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction

Group No.	Title
	Reduction (continued)
	fracture (continued)
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur

Group No.	Title
	Repair (continued)
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	Laceration-*see also Repair, by site*
705	obstetric
561	larynx

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures

Group No.	Title
	Repair (continued)
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump

OPERATION INDEX (continued)

Group No. — Title

- Revision (continued)
  - 580 arteriovenous shunt for dialysis
  - 597 gastric anastomosis
  - 602 intestinal anastomosis
  - 538 mastoidectomy
  - 561 tracheostomy
  - 538 tympanoplasty
  - 505 ventricular shunt
- 541 Rhinoplasty
- 767 Rhytidectomy, facial
- 548 Root canal therapy
- 548 Root resection (tooth)
- 698 Rupture of membranes for delivery

- Salpingectomy
  - 673 bilateral
  - 674 unilateral
- Salpingo-oophorectomy
  - 670 bilateral
  - 669 unilateral
- 745 Scalenectomy
- 741 Scalenotomy
- Scan
  - 774 C.A.T. (computerized axial tomography)
  - 775 radioisotope
- 528 Sclera buckling, for retinal detachment
- 717 Shortening, bone, except femur
  - 716 femur
- Shunt-*see also Bypass*
  - 504 cerebral ventricles, except revision
    - 505 revision
  - 578 peripheral vessels, except for renal dialysis
    - 580 for renal dialysis
  - 632 peritoneovenous
  - 578 systemic vessels
- 549 Sialoadenectomy
  - 621 Sigmoidoscopy
- 600 Sigmoidectomy
- 545 Sinusectomy, nasal
- 545 Sinusotomy, except radical maxillary
  - 544 radical maxillary
- 767 Size-reduction, skin tissue except breast
  - 760 breast
- 783 Sleep disorder function tests
- Sphincterotomy
  - 619 ampullary (of Vater) (pancreas), except by ERCP
    - 617 by ERCP
  - 613 anus
  - 644 bladder neck
- Spinal
  - 733 fusion
  - 512 tap or puncture
- 586 Splenectomy
- 734 Stabilization of joint, except foot and knee
  - 740 foot
  - 738 knee
- 534 Stapedectomy
- 534 Stapes mobilization
- 650 Stress incontinence repair, except by urethral suspension
  - 649 urethral suspension
- Stress test
  - 783 cardiac
  - 704 fetal
  - 783 uterine
- 540 Submucous nasal resection
- 698 Surgical induction of labor for delivery
- Suspension
  - 649 urethra, except with bladder neck
    - 650 with bladder neck
  - 650 urethrovesical
- Suture-*see also Repair, by site*
  - 745 muscle, except of hand
    - 744 hand
  - 764 skin

OPERATION INDEX (continued)

Group No.	Title
	Suture (continued)
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation

Group No.	Title
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
746	muscle, except of hand
744	hand
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy

OPERATION INDEX (continued)

Group No.	Title
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

PART III: CROSSWALK

From Old to New Hospital Diagnosis and Procedure Groups

In January 1989, Hospital Diagnosis Groups (List A) and Hospital Procedure Groups (List B) were revised. This crosswalk is provided to facilitate tracking back and forth between the old and new group numbers.

A. Hospital Diagnosis Groups (List A)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	New	Old	New	Old	New	Old	New	Old	New	Old	New
001	002*	035	037	069	073	103	109	137	143	171	179
002	003	036	038	070	074	104	110	138	144	172	180
003	004	037	039	071	075	105	111	139	146*	173	181
004	005	038	040	072	076	106	112	140	147	174	182
005	006	039	041	073	078*	107	113	141	148	175	183
006	007	040	042	074	079	108	114	142	149	176	184
007	008	041	043	075	080	109	115	143	150	177	185
008	009	042	044	076	081	110	117*	144	151	178	186
009	010	043	045	077	082	111	118*	145	152	179	188*
010	011	044	046	078	083	112	119	146	153	180	189
011	012	045	047	079	084	113	120	147	154	181	190
012	013	046	048	080	085	114	121	148	155	182	191
013	014	047	050*	081	086	115	122	149	156	183	192
014	015	048	052*	082	087	116	123	150	158*	184	193
015	016	049	053	083	088	117	124	151	150	185	194
016	017	050	054	084	089	118	125	152	159	186	196*
017	019*	051	055	085	090	119	126	153	160	187	197
018	020	052	056	086	091	120	127	154	161	188	198
019	021	053	057	087	092	121	128	155	162	189	199
020	022	054	058	088	093	122	129	156	163	190	200
021	023	055	059	089	094	123	130	157	164	191	201
022	024	056	060	090	097*	124	131	158	165	192	202
023	025	057	061	091	096	125	131	159	166	193	203
024	026	058	062	092	098	126	132	160	167	194	204
025	027	059	063	093	099	127	133	161	168	195	205
026	028	060	064	094	100	128	134	162	169	196	206
027	029	061	065	095	101	129	135	163	170	197	207
028	030	062	066	096	102	130	136	164	172*	198	208
029	031	063	067	097	103	131	137	165	173	199	209
030	032	064	068	098	104	132	138	166	174	200	210
031	033	065	069	099	105	133	139	167	175*	201	211
032	034	066	070	100	106	134	140	168	176	202	212
033	035	067	071	101	107	135	141	169	177	203	213
034	036	068	072	102	108	136	142	170	178	204	214

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

Hospital Diagnosis Groups (continued)

LIST A	
Old	New
205	215
206	216
207	217
208	218
209	219
210	220
211	224*
212	225
213	226
214	227
215	228
216	229
217	230
218	231
219	232
220	233
221	234
222	235
223	236
224	237
225	238
226	239
227	240
228	241
229	242
230	243
231	244
232	245
233	246
234	248*
235	249
236	250
237	251
238	252
239	253
240	254
241	255
242	256
243	257
244	258
245	259
246	260
247	261
248	262
249	263
250	264*
251	265
252	266
253	267
254	268
255	269
256	270
257	271
258	272
259	273
260	274
261	275
262	276
263	277
264	278
265	279
266	280
267	281
268	282
269	283
270	284
271	285
272	286
273	287
274	288
275	289
276	290
277	291
278	292
279	293
280	294
281	295
282	296
283	297
284	298
285	299
286	300
287	301
288	302
289	303
290	304
291	305
292	306
293	307
294	308
295	310*
296	311
297	312
298	314*
299	315
300	316
301	317
302	318
303	319
304	320
305	321
306	322
307	323
308	324
309	325
310	326
311	327
312	328
313	329
314	330
315	331
316	331
317	332
318	333
319	334
320	335
321	336
322	337
323	338
324	339
325	340
326	341
327	342
328	345*
329	346
330	347
331	348
332	349
333	350
334	351
335	352
336	353
337	354
338	355
339	356
340	357
341	359*
342	360*
343	361
344	362
345	363
346	364
347	365
348	366
349	367
350	368
351	369
352	370
353	371
354	372
355	373
356	374
357	375
358	376
359	377
360	378
361	379
362	380
363	381
364	382
365	384*
366	385
367	386
368	387
369	388
370	389
371	390
372	391
373	392
374	393
375	394
376	395
377	396
378	397
379	397
380	398
381	399
382	400
383	401
384	402
385	403
386	404
387	405
388	406
389	407
390	408
391	409
392	410
393	411
394	412
395	413
396	414
397	415
398	417*

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

A. Hospital Diagnosis Groups (List A) - APPENDIX

List A Group		Except for Diagnosis Code(s)	Now in LIST A:
OLD	NEW		
001	002	008.6, 008.8	001
017	019	136.3	018
047	050	204.0	049
048	052	205.0	051
073	078	250.70-250.71	077
090	097	290.10-290.13	095
110	117	309.0-309.1	116
111	118	311	116
139	146	403.0-403.9	145
150	158	425.0-425.9	157
164	172	440.2	171
167	175	444.22	171
179	188	481-482.9	187
186	196	518.81-518.82	195
211	224	564.1;	221
		555.0-556;	222
		567.0-567.9	223
234	248	599.0	247
250	264	626.8	263
295	310	707.0-707.9	309
298	314	715.15-715.16, 715.25-715.26, 715.35-715.36, 715.95-715.96	313
328	345	765.00-765.19;	343
		773.0-774.9	344
341	359	800.0-800.9 with 5th digit 4, 5, 803.0-803.9 with 5th digit 4, 5	358
342	360	801.0-801.9 with 5th digit 4, 5	358
365	384	851.0-854.1 with 5th digit 4, 5	383
398	417	V58.1	416

B. Hospital Procedure Groups (List B)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
501	501	535	534	569	568	603	604	637	642	671	679
502	502	536	535	570	569	604	604	638	644*	672	680
503	503	537	536	571	570	605	605	639	645	673	681
504	504	538	537	572	572	606	606	640	646	674	682
505	505*	539	538	573	573	607	607	641	647	675	683
506	506	540	539	574	574	608	608	642	648	676	684
507	507	541	540	575	575*	609	609	643	649	677	685
508	508	542	541	576	576	610	610	644	650	678	686
509	509	543	542	577	577	611	611	645	651	679	687
510	510	544	543	578	578*	612	612	646	653*	680	688
511	511	545	544	579	582	613	613*	647	654	681	689
512	512	546	545	580	579	614	614	648	655	682	690
513	513	547	546	581	582*	615	615	649	656	683	691
514	514	548	547	582	583	616	616	650	657	684	692
515	515	549	548	583	584	617	619*	651	658	685	693
516	516	550	549	584	588	618	620*	652	659	686	694
517	517	551	550	585	585	619	621	653	660	687	695
518	518	552	551	586	586	620	622	654	661	688	696
519	519	553	552	587	588*	621	623	655	662	689	697
520	520	554	553	588	589	622	624	656	663	690	698
521	521	555	554	589	590	623	625	657	664	691	699
522	522	556	555	590	591	624	626	658	666*	692	700
523	523	557	556	591	592	625	627	659	667	693	701
524	524	558	557	592	593	626	628	660	668	694	702
525	525	559	558	593	594	627	629	661	669	695	703
526	526	560	559	594	595	628	630	662	670	696	704
527	527	561	560	595	596	629	631	663	671	697	705
528	528	562	561*	596	597*	630	632	664	672	698	706
529	529	563	562	597	598	631	633	665	673	699	707
530	530	564	563	598	599	632	636*	666	674	700	708
531	530	565	564	599	600	633	637	667	675	701	709
532	531	566	565	600	601	634	638	668	676	702	710
533	532	567	566	601	602	635	640*	669	677	703	712*
534	533	568	567	602	603	636	641	670	678	704	713

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (Continued)

LIST B

Old	New
705	715*
706	717*
707	718
708	719
709	720
710	721
711	722
712	723
713	724
714	726*
715	726*
716	727
717	729*
718	730
719	732*
720	733
721	734
722	735
723	736
724	738*
725	740*
726	741
727	742
728	743
729	744
730	745
731	746
732	747
733	748
734	749
735	750
736	751
737	752
738	753
739	754
740	755
741	756
742	757
743	758
744	759
745	760
746	761
747	762
748	764*
749	765
750	766
751	767
752	768
753	769
754	770
755	771
756	772
757	773
758	775*
759	776
760	778*
761	779
762	780
763	781
764	783*

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (List B) - APPENDIX

List B Group			Now in
OLD	NEW	Except for Procedure Code(s)	LIST B:
505	505	02.2	504
562	561	31.1	560
575	575	36.00-36.02,36.04-36.09	571
578	578	39.27	580
581	582	39.42-39.43, 39.93-39.94;	580
		38.12	581
587	588	38.93	587
596	597	44.21-44.29	596
613	613	49.49	612
617	619	51.96, 51.98;	617
		51.97	618
618	620	52.91	618
632	636	55.03-55.04;	634
		55.6	635
635	640	56.0	639
638	644	57.0	643
646	653	59.95-59.96	652
658	666	64.95, 64.97	665
703	712	77.05, 77.15, 77.25, 77.35	711
705	715	77.45, 77.65, 77.75, 77.85, 77.95, 79.65	714
706	717	78.05, 78.15, 78.25, 78.35, 78.45, 78.55, 78.75, 78.85, 78.95, 79.95	716
714	726	79.75	725
715	726	79.85	725
717	729	80.52	728
719	732	80.20-80.29	731
724	738	81.41	737
725	740	81.31, 81.48, 81.71, 81.81, 81.84, 81.86	739
748	764	86.22	763
758	775	87.03, 87.41, 87.71, 88.01, 88.38	774
760	778	93.90-93.92	777
764	783	89.61-89.69	782

B4465-1.5U

LENGTH OF STAY

HKS PUBLICATIONS

Length of Stay by Diagnosis and Operation, Western Region, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
October, 1989

LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1988
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1988
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1988
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Length of Stay by Psychiatric Diagnosis* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data
Data Quality
Database Characteristics

Organization of Length of Stay Tables x

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of Statistics xi

Application of Length of Stay Tables xii

Twenty-Five Years of Length of Stay xiii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 287

Indexes

Part I: Diagnosis Index 295
Part II: Operation Index 317
Part III: Crosswalk from Old to New Hospital Diagnosis and Procedure Groups 337

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1988 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are included in the 1988 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available.

1988 LENGTH OF STAY SERIES

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS

Linda E. Vanek, Assistant Manager, Normative Publications
Stacey Koepke, Customer Service Representative

INFORMATION SERVICES

Marion S. Morris, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),

Ruth Blumenauer and Kay Brown, Client Development Specialists, HKS,
Cindy Derr and the entire Word Processing staff,
Mary Kay Murray, Marketing Specialist, HKS,
Nancy Ramirez, Medical Systems Specialist, HKS,
Sally Smith, Senior Programmer Analyst,
Robert Travis, Librarian.

INTRODUCTION

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings. Now in its twenty-fifth year, and still drawn from CPHA's extensive database, *Length of Stay* remains the industry standard for inpatient normative data.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Table 1. Table definitions are as follows:

Region and Census Division

The regional volumes of Length of Stay series are defined by four census regions as described in the map below.



See Table 2 for the states comprising each region and the number of hospitals and patients included in each volume.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976

TABLE 1
1988 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

Hospital Category	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Bedsize			
6-24	382	46	12.0
25-49	1,158	208	18.0
50-99	1,244	254	20.4
100-199	1,203	237	19.7
200-299	726	158	21.8
300-399	423	96	22.7
400-499	216	49	22.7
500+	293	59	20.1
Total	**5,645**	**1,107**	**19.6**
Region and Census Division			
Northeast	803	259	32.3
New England	241	97	40.2
Middle Atlantic	562	162	28.8
North Central	1,645	354	21.5
East North Central	870	300	34.5
West North Central	775	54	7.0
South	2,096	197	9.4
South Atlantic	812	112	13.8
East South Central	485	45	9.3
West South Central	799	40	5.0
West	1,101	297	27.0
Mountain	365	136	37.3
Pacific	736	161	21.9
Location			
Urban	2,996	604	20.2
Rural	2,649	503	19.0
Teaching Intensity			
Low	4,641	834	18.0
Medium	619	143	23.1
High	319	64	20.1
Unknown	66	66	100

---

[1] Hospitals with average stay less than 30 days.

[2] 1987 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Table 2
STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number of hospitals and total patients included in the length of stay tables are shown below.

Region	Number of Hospitals	Number of Patients
Northeast	259	1,407,115
North Central	354	1,810,030
South	197	862,390
West	297	1,406,144
U.S.	1,107	5,485,679

The Pediatric book was compiled from the data of 1,077 hospitals. The Geriatric book was compiled from the data of 1,058 hospitals.

ORGANIZATION OF LENGTH OF STAY TABLES

Classification System

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

NOTE: The composition of List A Diagnosis and List B Procedure groups in the 1988 Length of Stay series has been revised to reflect advances in medical technology and current trends in clinical medicine. The title of each group includes a brief English description and *ICD-9-CM* codes that fall into that group. Where space is limited, a full description can be found in the Appendix. For tracking purposes, a crosswalk from the old Diagnosis and Procedure groups is provided in Part III of the Index at the back of the book.

Patient Data Assignment

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*, updated as of October 1988.

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication. [2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*. Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients, their average length of stay, the variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The *Length of Stay* series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The *LOS* series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the *LOS* series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate *Length of Stay* for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in *Length of Stay*. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

TWENTY-FIVE YEARS OF LENGTH OF STAY

Now in their 25th year, the *Length of Stay* publications are drawn from a unique database of hospital medical experience. The original series in 1963-64 utilized discharge records submitted to CPHA through the Professional Activity Study. The 1988 *LOS* series, published by HKS with data from PAS hospitals and hospital associations, is based on over five million patient records, representing almost 20 percent of the short-term, nonfederal hospitals in the United States.

With LOS data, healthcare professionals can track trends over time and examine current patterns of inpatient hospitalization. For a broad perspective, total days spent in the hospital for various conditions can be compared from the earliest data (1963-64) to the current data (1988). For example, average stay for a diagnosis of diabetes mellitus without complications which was 11.3 days in the 60's, dropped to 5.1 days in 1988.

The following table illustrates hospital stay over a ten year period:

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1988

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8	5.7
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8	4.7

All Patients Except Newborn

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1	6.0
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0	5.9
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0	5.0

Source: *Length of Stay by Diagnosis*, U.S. and Regions, 1979-1988.

As expected, there is a steady decline over the time period with almost a 15% decrease, from an average stay of 6.7 days in 1979 to 5.7 days in 1988. A slight levelling off can be observed since 1986. Regional variations remain consistent, with hospital stays highest in the Northeast and North Central, and lowest in the South and West.

A specific example of this pattern is evidenced in the table below which displays length of stay for normal delivery (ICD-9-CM 650) from 1980 through 1988. This table illustrates the overall decline in length of stay as well as the regional variations described above:

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.2	2.1
Northeast	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6
North Central	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.4	2.2
South	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
West	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1980 for frequently performed surgeries in the United States:

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
Cervical Cesarean Section	6.3	6.2	6.1	5.8	5.6	5.3	5.0	4.8	4.7
Cholecystectomy	10.9	10.7	10.4	9.9	9.1	8.2	7.7	7.2	6.9
Transurethral Prostatectomy	10.4	10.3	9.9	9.3	8.2	7.1	6.5	6.1	5.8
Unilateral Repair of Inguinal Hernia	4.8	4.7	4.4	4.1	3.7	3.2	2.8	2.6	2.5
Vaginal Hysterectomy	7.4	7.3	7.1	6.7	6.3	5.8	5.2	4.8	4.4

Researchers have looked at a variety of factors to explain the decline in hospital stay. Clearly one incentive to decrease stay resulted from the federal government's implementation of a fixed price prospective payment system (PPS) to reimburse hospitals for inpatient costs by Medicare patients. The effect of PPS is demonstrated in studies showing that between 1980 and 1985 Medicare beneficiaries have the greatest relative decline in stay. LOS data show increasingly shorter stays throughout the 80's with the most significant drop occurring between 1983 and 1984. Length of stay dropped 0.4 days for all U.S. hospitals over that year, and continued downward an additional 0.2 days in 1985.

In the 1980's new medical technologies have shortened the number of days a patient needs to be in the hospital. For example, the use of arthroscopic surgeries on the knee has decreased significantly the length of stay in U.S. short-term hospitals. Length of stay data for both internal derangement of the knee joint and dislocation of the knee show a decline from more than 4 days in 1980 to 2.5 days in 1988. Similarly the advent of chemoneucleolysis for herniated discs has reduced hospital stay dramatically.

Issues of cost containment have led to greater scrutiny over hospital stay, translated into the practice of discharging patients as soon as it is medically acceptable. Evidence of this practice is particularly clear for patients receiving medical/surgical procedures. Routine pre-operative examinations are now performed on an outpatient basis prior to admission. Post-operative stay has been shortened, with an increasing reliance on transfer to an alternative care facility after discharge.

The proliferation of HMO's and PPO's may provide yet another explanation for reduced inpatient days. With medical services now being prepaid, the incentive is to closely monitor all service delivery and to reduce costly hospital stays whenever possible.

Length of stay data are only one indicator of inpatient costs. This annual publication of norms from the CPHA database serves a significant function in offering a consistently reliable measure for review and analysis.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125459	2.1	6	1	1	2	2	4	4	10
20-34	56435	2.4	13	1	1	2	2	4	6	19
35-49	20790	3.6	26	1	1	2	4	7	11	28
50-64	11898	3.7	22	1	1	2	4	7	10	26
65 +	12049	4.3	25	1	2	3	5	8	11	26
B. Operated										
0-19 YRS	35264	2.4	6	< 1	1	2	3	5	6	12
20-34	83764	2.4	4	1	1	2	3	4	5	9
35-49	34612	3.2	7	1	1	3	4	6	8	13
50-64	22936	3.8	12	1	2	3	5	8	10	15
65 +	22084	4.8	18	1	2	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	123611	4.0	41	1	2	2	4	7	12	38
20-34	64103	5.1	52	1	1	3	5	12	22	33
35-49	57757	5.2	42	1	2	3	6	11	19	31
50-64	76665	5.0	28	1	2	4	6	10	14	28
65 +	201675	5.8	26	2	3	4	7	11	14	26
B. Operated										
0-19 YRS	40069	5.8	94	1	1	3	6	13	23	73
20-34	123108	3.8	22	1	2	3	4	6	9	24
35-49	77292	5.3	39	1	2	4	6	10	15	34
50-64	76645	6.8	54	1	3	5	8	14	19	39
65 +	139928	8.3	62	2	3	7	10	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226631	2.5	12	1	1	2	3	4	6	18
B. Operated	198660	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	523811	5.1	35	1	2	3	6	10	15	30
B. Operated	457042	6.1	52	1	2	4	7	13	18	38
1. SINGLE DX	425291	2.7	10	1	1	2	3	5	7	15
2. MULTIPLE DX	980853	5.6	43	1	2	4	7	11	17	34
A. Not Operated	750442	4.3	30	1	2	3	5	9	13	29
B. Operated	655702	5.2	41	1	2	3	6	11	15	33
TOTAL										
0-19 YRS	324403	3.3	32	1	1	2	3	6	9	32
20-34	327410	3.5	23	1	1	2	4	6	9	28
35-49	190451	4.7	34	1	2	3	5	9	14	30
50-64	188144	5.5	37	1	2	4	7	11	15	31
65 +	375736	6.6	41	2	3	5	8	13	17	32
GRAND TOTAL	**1406144**	**4.7**	**35**	**1**	**2**	**3**	**5**	**10**	**14**	**30**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37341	2.8	18	1	1	2	3	5	7	24
20-34	56435	2.4	13	1	1	2	2	4	6	19
35-49	20790	3.6	26	1	1	2	4	7	11	28
50-64	11898	3.7	22	1	1	2	4	7	10	26
65 +	12049	4.3	25	1	2	3	5	8	11	26
B. Operated										
0-19 YRS	35232	2.4	6	< 1	1	2	3	5	6	12
20-34	83764	2.4	4	1	1	2	3	4	5	9
35-49	34612	3.2	7	1	1	3	4	6	8	13
50-64	22936	3.8	12	1	2	3	5	8	10	15
65 +	22084	4.8	18	1	2	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63745	4.9	66	1	1	3	4	10	20	45
20-34	64103	5.1	52	1	1	3	5	12	22	33
35-49	57757	5.2	42	1	2	3	6	11	19	31
50-64	76665	5.0	28	1	2	4	6	10	14	28
65 +	201675	5.8	26	2	3	4	7	11	14	26
B. Operated										
0-19 YRS	37715	5.1	64	1	1	3	5	11	18	52
20-34	123108	3.8	22	1	2	3	4	6	9	24
35-49	77292	5.3	39	1	2	4	6	10	15	34
50-64	76645	6.8	54	1	3	5	8	14	19	39
65 +	139928	8.3	62	2	3	7	10	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138513	3.0	18	1	1	2	3	6	8	24
B. Operated	198628	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	463945	5.4	38	1	2	4	6	11	16	31
B. Operated	454688	6.1	49	1	2	4	7	13	18	37
1. SINGLE DX	337141	3.0	12	1	1	2	3	6	8	17
2. MULTIPLE DX	918633	5.7	43	1	2	4	7	12	17	34
A. Not Operated	602458	4.8	34	1	2	3	6	10	15	30
B. Operated	653316	5.1	39	1	2	3	6	11	15	32
TOTAL										
0-19 YRS	174033	4.0	45	1	1	2	4	8	13	40
20-34	327410	3.5	23	1	1	2	4	6	9	28
35-49	190451	4.7	34	1	2	3	5	9	14	30
50-64	188144	5.5	37	1	2	4	7	11	15	31
65 +	375736	6.6	41	2	3	5	8	13	17	32
GRAND TOTAL	**1255774**	**5.0**	**37**	**1**	**2**	**3**	**6**	**10**	**15**	**31**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	445	2.0	1	1	1	2	2	3	4	6
20-34	128	2.0	2	< 1	1	2	2	3	5	8
35-49	82	2.1	2	1	1	2	3	4	5	8
50-64	33	2.2	2	1	1	2	3	4	5	8
65 +	24	2.7	1	1	2	3	3	4	5	5
B. Operated										
0-19 YRS	9	2.7	1	2	2	3	3	4	4	4
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	5.5	5	4	4	5	7	7	7	7
65 +										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1256	2.4	3	1	1	2	3	4	5	8
20-34	367	2.3	2	1	1	2	3	4	5	9
35-49	248	2.8	5	1	2	2	3	5	6	16
50-64	245	3.0	3	1	2	3	4	5	6	10
65 +	569	3.6	6	1	2	3	5	6	7	11
B. Operated										
0-19 YRS	34	7.9	102	1	3	4	11	16	33	48
20-34	35	3.8	8	1	1	3	6	7	10	11
35-49	12	5.1	7	2	3	5	7	9	10	10
50-64	19	5.7	20	2	3	5	6	9	16	22
65 +	25	5.4	13	2	3	4	7	11	13	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	712	2.0	2	1	1	2	2	4	4	7
B. Operated	14	3.2	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	2685	2.7	4	1	2	2	3	5	6	10
B. Operated	125	5.6	38	1	2	4	6	11	15	40
1. SINGLE DX	726	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	2810	2.9	6	1	2	2	3	5	6	11
A. Not Operated	3397	2.6	4	1	1	2	3	5	6	9
B. Operated	139	5.4	35	1	2	4	6	11	15	38
TOTAL										
0-19 YRS	1744	2.4	5	1	1	2	3	4	5	10
20-34	532	2.3	3	1	1	2	3	4	6	9
35-49	343	2.7	5	1	1	2	3	5	6	11
50-64	299	3.1	5	1	2	3	4	5	7	11
65 +	618	3.6	6	1	2	3	5	6	8	12
GRAND TOTAL	**3536**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	214	3.2	9	1	2	3	4	5	6	16
20-34	124	2.9	5	1	2	2	4	5	6	13
35-49	76	3.0	4	1	2	3	4	6	7	10
50-64	34	3.2	3	1	2	3	4	5	6	10
65 +	27	3.4	5	1	2	3	4	6	8	11
B. Operated										
0-19 YRS	8	3.8	3	2	2	3	5	6	7	7
20-34	16	4.1	8	1	2	4	5	7	11	12
35-49	15	4.1	3	3	3	4	4	7	8	9
50-64	6	5.0	5	3	3	4	6	9	9	9
65 +	6	7.5	8	4	6	7	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	468	3.8	13	1	2	3	4	7	9	21
20-34	216	3.4	5	1	2	3	4	6	8	13
35-49	195	3.9	8	1	2	3	5	7	11	15
50-64	170	4.3	9	2	3	3	5	9	12	14
65 +	336	6.2	39	2	3	5	7	11	16	32
B. Operated										
0-19 YRS	21	12.3	395	2	4	7	12	20	58	95
20-34	49	8.6	154	2	3	5	8	21	25	79
35-49	60	6.9	33	2	3	5	8	16	19	28
50-64	52	10.2	198	2	4	6	11	18	25	87
65 +	96	11.3	75	4	6	9	13	26	31	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	475	3.1	7	1	2	3	4	5	6	11
B. Operated	51	4.5	6	2	3	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	1385	4.4	18	1	2	3	5	8	11	20
B. Operated	278	9.7	128	2	4	6	11	20	27	73
1. SINGLE DX	526	3.3	7	1	2	3	4	5	7	12
2. MULTIPLE DX	1663	5.3	40	2	2	4	6	10	14	29
A. Not Operated	1860	4.1	15	1	2	3	5	7	10	19
B. Operated	329	8.9	112	2	4	6	10	18	26	62
TOTAL										
0-19 YRS	711	3.9	24	1	2	3	4	6	9	24
20-34	405	3.9	26	1	2	3	4	6	9	23
35-49	346	4.2	13	1	2	3	5	8	11	19
50-64	262	5.4	51	2	3	4	5	11	14	25
65 +	465	7.1	49	2	3	5	9	14	20	36
GRAND TOTAL	**2189**	**4.8**	**33**	**1**	**2**	**3**	**5**	**9**	**13**	**27**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	10	4.1	5	2	3	3	5	8	10	10
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	3	4.0	9	< 1	1	4	6	7	7	7
65 +	0									
B. Operated										
0-19 YRS	3	6.7	25	2	3	6	10	12	12	12
20-34	6	7.3	21	2	5	6	10	14	15	15
35-49	4	7.5	11	3	5	8	10	10	10	10
50-64	5	9.8	74	5	5	6	12	25	25	25
65 +	3	9.7	25	5	6	9	13	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.5	38	2	2	6	12	15	15	15
20-34	27	6.9	13	3	4	5	9	13	14	14
35-49	22	11.5	75	5	6	10	12	21	35	39
50-64	30	10.1	52	4	6	8	12	20	26	35
65 +	40	8.7	46	1	3	7	12	19	23	28
B. Operated										
0-19 YRS	9	11.4	106	3	5	7	16	29	29	29
20-34	13	14.9	164	3	7	14	16	28	48	53
35-49	18	9.9	38	4	6	8	12	17	25	29
50-64	24	11.6	40	5	7	10	15	19	23	31
65 +	44	16.5	276	4	7	11	20	32	49	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	3.9	5	1	3	4	5	7	9	10
B. Operated	21	8.2	28	3	5	7	10	15	20	25
2. MULTIPLE DX										
A. Not Operated	123	9.1	46	2	5	8	12	16	24	36
B. Operated	108	13.7	159	4	7	10	16	29	33	69
1. SINGLE DX	39	6.2	22	2	3	5	8	11	15	25
2. MULTIPLE DX	231	11.3	104	3	6	9	13	21	29	53
A. Not Operated	141	8.4	44	2	4	7	11	15	22	35
B. Operated	129	12.8	142	4	6	9	15	27	31	61
TOTAL										
0-19 YRS	19	8.5	68	1	2	6	11	23	29	29
20-34	56	8.3	60	3	4	6	11	15	17	51
35-49	46	10.2	53	4	5	9	12	16	30	39
50-64	62	10.4	48	4	6	8	13	19	25	35
65 +	87	12.7	175	2	5	10	16	27	33	77
GRAND TOTAL	**270**	**10.5**	**95**	**3**	**5**	**8**	**12**	**20**	**29**	**52**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	4.6	49	< 1	1	2	5	17	21	21
20-34	1	13.0		13	13	13	13	13	13	13
35-49	2	23.5	421	9	9	23	38	38	38	38
50-64	2	4.5	25	1	1	4	8	8	8	8
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	4	6.3	28	3	3	4	9	14	14	14
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	4	22.0	750	6	7	9	36	63	63	63
65 +	5	9.4	10	6	7	10	11	14	14	14
B. Operated										
0-19 YRS	7	7.6	69	1	2	5	11	22	24	24
20-34	10	12.2	129	1	3	10	24	61	97	99 +
35-49	14	20.5	346	4	5	17	34	59	90	99 +
50-64	10	23.4	210	8	13	19	34	46	51	51
65 +	11	29.7	289	11	16	29	33	59	63	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.0	3	1	1	3	4	5	5	5
B. Operated	14	7.8	110	1	1	3	9	23	35	38
2. MULTIPLE DX										
A. Not Operated	17	11.0	191	3	5	9	10	14	46	63
B. Operated	52	19.7	269	3	6	16	30	54	62	99 +
1. SINGLE DX	18	6.7	89	1	1	3	8	19	31	38
2. MULTIPLE DX	69	17.5	261	3	5	13	27	52	63	99 +
A. Not Operated	21	9.5	164	2	4	6	10	14	36	63
B. Operated	66	17.2	257	1	4	13	28	48	59	99 +
TOTAL										
0-19 YRS	18	6.0	48	1	1	4	8	19	23	24
20-34	16	10.1	96	1	3	10	15	33	77	99 +
35-49	20	17.7	304	3	5	9	31	56	77	99 +
50-64	16	20.7	318	6	8	14	28	50	59	63
65 +	17	22.2	296	6	10	16	31	51	61	63
GRAND TOTAL	**87**	**15.3**	**243**	**1**	**4**	**10**	**23**	**40**	**59**	**99 +**

297 Hospitals, Western Region, January-December 1988

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	54	2.4	4	1	1	2	3	4	5	14
20-34	30	2.0	1	1	1	2	2	4	4	5
35-49	6	2.2	1	< 1	1	2	3	4	4	4
50-64	2	6.0	2	5	5	6	7	7	7	7
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	16	1.5	2	< 1	1	1	1	2	6	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	191	2.4	2	1	1	2	3	4	5	9
20-34	85	2.8	3	1	2	3	3	4	5	11
35-49	39	2.8	3	1	2	2	4	5	7	8
50-64	17	3.6	3	2	2	4	4	6	7	7
65 +	10	3.2	2	2	2	3	4	5	5	5
B. Operated										
0-19 YRS	12	1.6	2	1	1	1	2	4	5	5
20-34	7	5.9	23	1	2	4	8	14	15	15
35-49	3	3.7	6	1	2	4	5	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.4	3	1	1	2	3	4	5	11
B. Operated	20	2.0	4	< 1	1	1	2	6	7	8
2. MULTIPLE DX										
A. Not Operated	342	2.6	3	1	2	2	3	5	5	8
B. Operated	22	3.2	12	1	1	2	4	7	11	15
1. SINGLE DX	113	2.3	3	1	1	2	3	4	6	10
2. MULTIPLE DX	364	2.7	3	1	1	2	3	5	6	9
A. Not Operated	435	2.6	3	1	1	2	3	5	5	8
B. Operated	42	2.6	9	1	1	1	4	6	8	15
TOTAL										
0-19 YRS	273	2.3	3	1	1	2	3	4	5	9
20-34	123	2.8	4	1	2	2	3	4	5	14
35-49	50	2.9	3	1	2	2	4	6	8	8
50-64	20	3.9	3	2	3	4	5	6	7	7
65 +	11	3.5	2	2	2	3	5	6	6	6
GRAND TOTAL	**477**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	275	3.6	5	2	2	3	4	7	9	11
20-34	11	3.6	3	2	3	3	5	6	7	7
35-49	17	5.7	3	3	5	6	7	8	9	9
50-64	13	6.5	14	3	4	5	8	12	14	15
65 +	46	7.7	30	3	4	7	9	16	18	30
B. Operated										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	9.3	77	3	3	6	15	22	22	22
65 +	6	19.7	47	11	16	17	28	28	28	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	714	5.0	18	2	2	3	6	11	13	19
20-34	175	7.0	28	2	4	5	9	15	19	30
35-49	271	7.9	33	3	4	6	10	15	20	31
50-64	543	8.3	42	3	5	7	10	14	18	34
65 +	2467	8.5	24	4	5	7	10	14	18	25
B. Operated										
0-19 YRS	66	11.6	73	3	7	9	15	23	31	44
20-34	89	13.5	100	4	6	11	18	27	36	81
35-49	123	14.1	144	5	7	11	17	25	35	72
50-64	205	15.3	136	5	7	13	19	30	40	69
65 +	697	16.3	156	6	8	13	19	31	44	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	362	4.3	11	2	2	3	6	8	10	16
B. Operated	15	11.9	80	3	4	8	18	28	28	28
2. MULTIPLE DX										
A. Not Operated	4170	7.8	28	3	4	7	10	14	17	25
B. Operated	1180	15.4	144	5	8	12	19	30	40	69
1. SINGLE DX	377	4.6	15	2	2	3	6	9	11	21
2. MULTIPLE DX	5350	9.4	63	3	5	7	11	17	23	45
A. Not Operated	4532	7.5	27	3	4	7	10	14	17	25
B. Operated	1195	15.4	143	5	8	12	19	30	40	69
TOTAL										
0-19 YRS	1058	5.1	21	2	2	3	6	11	14	21
20-34	276	9.0	60	3	4	6	12	19	25	50
35-49	412	9.7	74	3	5	7	12	19	24	42
50-64	765	10.2	76	4	5	8	12	19	24	49
65 +	3216	10.2	64	4	6	8	12	18	24	46
GRAND TOTAL	**5727**	**9.1**	**62**	**3**	**4**	**7**	**11**	**17**	**23**	**44**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	166	5.7	18	2	3	5	8	10	11	24
20-34	33	4.9	10	2	3	4	6	8	11	16
35-49	26	4.2	14	1	2	3	6	10	13	16
50-64	11	3.3	2	2	2	3	4	5	6	6
65 +	7	4.3	8	2	2	4	5	9	10	10
B. Operated										
0-19 YRS	9	5.9	36	< 1	1	6	7	15	20	20
20-34	11	5.5	9	2	3	6	8	9	9	9
35-49	4	8.8	28	4	5	7	12	16	16	16
50-64	4	13.5	3	11	12	14	15	15	15	15
65 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	192	6.5	25	2	3	5	9	13	15	23
20-34	72	6.1	18	2	3	5	7	12	15	21
35-49	66	6.2	27	2	3	4	9	12	21	24
50-64	50	7.5	43	3	4	5	8	18	24	29
65 +	125	7.5	33	2	4	6	9	15	20	31
B. Operated										
0-19 YRS	28	13.8	150	2	5	9	18	34	42	42
20-34	29	14.6	326	3	4	10	18	26	58	88
35-49	26	14.4	88	3	7	12	19	28	36	37
50-64	18	14.2	243	4	6	8	15	39	54	61
65 +	36	20.4	338	4	8	14	28	49	61	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	243	5.2	16	2	2	4	7	10	11	17
B. Operated	30	6.9	26	1	3	6	9	15	16	20
2. MULTIPLE DX										
A. Not Operated	505	6.8	28	2	3	5	9	13	18	27
B. Operated	137	15.8	238	3	6	10	19	34	49	78
1. SINGLE DX	273	5.4	17	2	2	4	7	10	12	19
2. MULTIPLE DX	642	8.7	86	2	3	6	10	17	25	50
A. Not Operated	748	6.3	24	2	3	5	8	12	16	25
B. Operated	167	14.2	211	3	5	9	17	33	44	75
TOTAL										
0-19 YRS	395	6.7	35	2	3	5	9	12	17	33
20-34	145	7.5	88	2	3	5	8	15	21	58
35-49	122	7.6	50	2	3	5	10	17	22	36
50-64	83	8.7	89	3	4	5	10	18	27	55
65 +	170	10.0	124	2	4	7	11	22	32	62
GRAND TOTAL	**915**	**7.7**	**68**	**2**	**3**	**5**	**10**	**15**	**22**	**43**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	341	3.0	3	1	2	3	4	5	6	10
20-34	228	3.1	3	1	2	3	4	5	7	8
35-49	59	3.3	3	2	2	3	4	6	7	9
50-64	12	4.5	21	1	2	3	5	14	14	14
65 +	4	2.5		2	2	2	3	3	3	3
B. Operated										
0-19 YRS	3	3.3	5	2	2	4	53	99 +	99 +	99 +
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	260	4.1	16	2	2	3	4	7	9	25
20-34	175	4.2	11	2	2	3	5	7	11	19
35-49	64	4.1	7	2	3	3	5	7	9	15
50-64	25	5.4	26	2	3	4	5	14	17	22
65 +	19	7.8	27	3	4	7	10	16	20	21
B. Operated										
0-19 YRS	10	6.7	14	3	3	6	10	11	12	12
20-34	5	5.0	7	2	3	5	6	9	9	9
35-49	5	12.0	50	5	6	11	16	23	23	23
50-64	3	7.3	24	4	4	5	11	13	13	13
65 +	3	29.7	532	13	15	20	47	56	56	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	644	3.1	3	1	2	3	4	5	6	10
B. Operated	4	3.8	4	2	2	5	29	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	543	4.3	14	2	2	3	5	8	11	21
B. Operated	26	10.1	116	3	4	7	12	19	30	56
1. SINGLE DX	648	3.1	3	1	2	3	4	5	6	10
2. MULTIPLE DX	569	4.6	20	2	2	3	5	8	12	23
A. Not Operated	1187	3.7	9	1	2	3	4	6	8	17
B. Operated	30	9.3	105	3	4	6	12	21	54	99 +
TOTAL										
0-19 YRS	614	3.5	9	1	2	3	4	6	8	16
20-34	408	3.6	7	1	2	3	4	6	8	16
35-49	129	4.0	9	2	2	3	5	7	9	17
50-64	40	5.3	23	2	2	4	5	14	15	22
65 +	26	9.5	121	2	3	6	10	20	28	56
GRAND TOTAL	**1217**	**3.8**	**12**	**2**	**2**	**3**	**4**	**7**	**9**	**19**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	95	3.4	10	1	2	2	4	7	9	18
20-34	34	4.0	5	1	3	3	6	7	8	9
35-49	13	4.7	10	2	3	4	6	9	12	13
50-64	18	4.3	6	1	3	4	6	8	9	10
65 +	48	5.4	24	1	3	4	6	8	15	29
B. Operated										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	5	6.4	50	1	1	4	10	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	333	4.4	14	1	2	3	6	8	10	22
20-34	122	4.1	8	1	2	3	5	8	9	15
35-49	71	6.4	28	3	4	5	8	10	11	37
50-64	104	5.7	17	2	3	5	8	10	13	22
65 +	380	6.8	26	3	4	6	8	12	16	29
B. Operated										
0-19 YRS	24	16.2	155	3	7	13	21	42	42	43
20-34	14	11.3	61	2	4	10	18	23	25	25
35-49	15	7.3	26	1	3	7	10	13	18	20
50-64	12	13.5	203	2	4	6	24	36	42	43
65 +	58	13.2	131	3	6	10	17	25	34	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	4.1	12	1	2	3	5	7	9	19
B. Operated	11	5.3	28	< 1	1	4	8	13	18	18
2. MULTIPLE DX										
A. Not Operated	1010	5.6	20	2	3	4	7	10	14	23
B. Operated	123	12.9	125	2	5	10	17	28	39	53
1. SINGLE DX	219	4.2	13	1	2	3	6	8	10	19
2. MULTIPLE DX	1133	6.4	37	2	3	5	8	12	17	36
A. Not Operated	1218	5.3	19	2	3	4	7	10	13	22
B. Operated	134	12.2	121	2	4	9	16	25	36	51
TOTAL										
0-19 YRS	454	4.8	28	1	2	3	6	9	13	30
20-34	171	4.7	16	1	2	4	6	9	14	22
35-49	100	6.3	25	2	3	5	8	11	12	32
50-64	136	6.2	36	2	3	5	7	10	18	34
65 +	491	7.4	42	3	4	6	9	15	19	36
GRAND TOTAL	**1352**	**6.0**	**34**	**2**	**3**	**4**	**7**	**11**	**16**	**30**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.3	5	1	2	3	4	7	8	10
20-34	60	3.7	4	1	2	3	5	6	7	11
35-49	27	5.1	16	2	2	4	6	12	14	16
50-64	12	4.0	3	2	3	4	5	6	7	7
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	0									
20-34	4	4.8	17	1	1	4	8	10	10	10
35-49	5	8.4	208	1	1	1	12	34	34	34
50-64	3	2.0	3	1	1	1	3	4	4	4
65 +	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	3.2	6	1	2	3	4	6	6	15
20-34	137	4.3	8	1	2	4	6	8	9	17
35-49	71	4.3	9	1	2	4	5	7	9	18
50-64	55	5.2	10	2	3	4	7	8	13	15
65 +	54	6.6	27	2	3	5	8	12	16	31
B. Operated										
0-19 YRS	9	11.4	324	1	1	2	15	43	45	45
20-34	13	9.7	122	3	5	7	9	20	40	45
35-49	15	7.1	55	1	2	5	8	13	26	30
50-64	9	4.1	17	1	1	1	8	11	11	11
65 +	19	12.4	94	3	5	12	15	26	36	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	3.9	7	1	2	3	5	7	8	14
B. Operated	16	4.9	67	1	1	2	5	10	27	34
2. MULTIPLE DX										
A. Not Operated	360	4.7	12	2	2	4	6	8	11	17
B. Operated	65	9.4	112	1	3	6	12	22	41	45
1. SINGLE DX	142	4.0	13	1	2	3	5	7	10	17
2. MULTIPLE DX	425	5.4	30	1	2	4	6	10	14	34
A. Not Operated	486	4.5	11	1	2	4	6	8	11	17
B. Operated	81	8.5	105	1	2	5	10	18	37	45
TOTAL										
0-19 YRS	77	4.2	46	1	2	3	4	6	9	44
20-34	214	4.5	15	1	2	4	6	8	10	17
35-49	118	5.0	24	1	2	4	6	9	14	31
50-64	79	4.8	10	1	3	4	6	8	12	15
65 +	79	7.7	48	2	3	5	10	15	20	38
GRAND TOTAL	**567**	**5.0**	**26**	**1**	**2**	**4**	**6**	**9**	**13**	**32**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	2.7	2	1	2	2	3	5	5	7
20-34	19	2.3	1	1	2	2	3	4	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	263	2.9	3	1	2	2	4	5	6	10
20-34	57	3.2	4	1	2	3	4	6	7	9
35-49	18	4.4	10	1	3	4	6	8	12	14
50-64	7	6.4	11	2	4	7	8	11	12	12
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	9	6.8	62	1	2	3	9	20	25	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	10.7	80	5	5	6	17	21	21	21
65 +	1	19.0		19	19	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.6	2	1	2	2	3	5	5	7
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	347	3.1	4	1	2	3	4	6	7	11
B. Operated	15	8.1	61	1	2	6	12	21	24	25
1. SINGLE DX	94	2.6	2	1	2	2	3	5	5	7
2. MULTIPLE DX	362	3.3	7	1	2	3	4	6	7	14
A. Not Operated	440	3.0	3	1	2	2	4	5	6	10
B. Operated	16	7.9	57	1	2	6	10	21	24	25
TOTAL										
0-19 YRS	343	3.0	4	1	2	2	4	5	6	11
20-34	77	2.9	3	1	2	2	4	6	7	9
35-49	21	4.3	9	1	2	3	6	8	11	14
50-64	12	6.8	29	2	3	5	8	15	20	21
65 +	3	8.7	80	3	3	4	15	19	19	19
GRAND TOTAL	**456**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	9	1.1		< 1	< 1	< 1	1	2	2	2
20-34	17	1.9	5	< 1	1	1	2	4	8	10
35-49	9	1.4	1	1	1	1	2	3	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	20	2.4	3	1	1	2	3	5	6	7
35-49	5	1.6		1	1	2	2	2	2	2
50-64	5	1.4		1	1	1	2	2	2	2
65 +	3	2.0	3	< 1	< 1	1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	40	1.5	2	< 1	1	1	1	2	4	10
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	35	2.3	3	1	1	2	3	4	7	8
1. SINGLE DX	40	1.5	2	< 1	1	1	1	2	4	10
2. MULTIPLE DX	35	2.3	3	1	1	2	3	4	7	8
A. Not Operated	0									
B. Operated	75	1.9	3	< 1	1	1	2	4	6	9
TOTAL										
0-19 YRS	11	2.0	5	< 1	< 1	1	2	6	8	8
20-34	37	2.2	4	1	1	1	2	4	7	10
35-49	14	1.5	1	1	1	1	2	3	4	4
50-64	8	1.4		1	1	1	2	2	2	2
65 +	5	1.6	2	< 1	< 1	1	2	4	4	4
GRAND TOTAL	**75**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**4**	**6**	**9**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	813	2.4	2	1	2	2	3	4	4	6
20-34	130	2.8	4	1	1	2	4	5	6	11
35-49	64	3.2	12	1	1	2	4	6	11	18
50-64	35	3.7	11	1	2	3	4	6	12	17
65 +	34	3.9	21	2	2	3	4	7	9	28
B. Operated										
0-19 YRS	23	3.0	3	1	2	3	3	6	7	8
20-34	12	3.8	9	1	2	3	6	8	9	9
35-49	13	17.4	792	1	4	5	13	80	80	80
50-64	5	4.8	10	2	2	4	7	9	9	9
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1207	2.9	7	1	2	2	3	5	7	16
20-34	402	4.2	19	1	2	3	5	9	13	19
35-49	381	4.6	27	1	2	3	6	9	14	28
50-64	251	4.0	10	1	2	3	5	7	10	17
65 +	453	4.1	8	2	2	3	5	7	10	15
B. Operated										
0-19 YRS	46	6.6	66	2	3	4	7	16	21	48
20-34	121	7.9	50	2	3	6	10	15	21	38
35-49	115	12.4	111	3	5	10	17	26	35	72
50-64	32	7.4	24	3	5	6	10	15	23	99 +
65 +	34	12.4	247	3	4	7	15	25	57	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1076	2.6	4	1	2	2	3	4	5	11
B. Operated	53	6.9	224	1	2	3	6	9	17	80
2. MULTIPLE DX										
A. Not Operated	2694	3.6	12	1	2	3	4	7	9	18
B. Operated	348	9.6	94	2	4	7	12	20	27	64
1. SINGLE DX	1129	2.8	15	1	2	2	3	4	5	13
2. MULTIPLE DX	3042	4.3	25	1	2	3	5	8	13	27
A. Not Operated	3770	3.3	10	1	2	3	4	6	8	17
B. Operated	401	9.2	112	2	3	6	12	20	27	77
TOTAL										
0-19 YRS	2089	2.8	6	1	2	2	3	4	6	15
20-34	665	4.6	24	1	2	3	6	10	14	24
35-49	573	6.3	71	1	2	4	7	14	20	47
50-64	323	4.3	12	1	2	3	5	8	11	20
65 +	521	4.6	29	2	2	3	5	8	12	26
GRAND TOTAL	**4171**	**3.9**	**23**	**1**	**2**	**3**	**4**	**8**	**11**	**24**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.5	1	1	2	2	3	4	4	4
20-34	19	2.2	1	1	1	2	3	4	5	5
35-49	8	3.4	8	1	2	3	4	8	10	10
50-64	8	2.4	2	1	1	2	3	4	5	5
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	11.0		11	11	11	11	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.6	5	1	2	3	4	6	9	10
20-34	13	4.8	24	1	2	3	5	11	17	19
35-49	13	4.8	3	3	4	5	6	7	8	8
50-64	7	3.1	4	1	1	3	5	6	6	6
65 +	5	4.0	10	1	1	4	6	8	8	8
B. Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	2	18.0	72	12	12	18	24	24	24	24
35-49	2	14.0	72	8	8	14	20	20	20	20
50-64	1	20.0		20	20	20	20	20	20	20
65 +	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.6	3	1	1	2	3	4	6	10
B. Operated	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	51	4.2	9	1	2	4	5	8	9	19
B. Operated	8	13.8	48	5	8	12	20	23	24	24
1. SINGLE DX	49	2.8	4	1	1	2	3	5	8	11
2. MULTIPLE DX	59	5.5	25	1	3	4	6	11	19	24
A. Not Operated	98	3.4	7	1	2	3	4	6	8	15
B. Operated	10	12.2	54	2	8	11	20	22	24	24
TOTAL										
0-19 YRS	27	3.3	5	1	2	3	4	5	9	10
20-34	34	4.1	26	1	2	3	4	9	18	24
35-49	23	5.1	16	2	3	4	6	9	13	20
50-64	17	4.2	23	1	2	3	5	10	17	20
65 +	7	5.9	18	1	2	6	8	12	13	13
GRAND TOTAL	**108**	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**12**	**22**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	5.2	10	2	3	4	7	10	11	13
20-34	67	3.9	3	2	3	4	5	6	7	10
35-49	16	5.4	15	2	3	4	8	10	14	16
50-64	1	14.0		14	14	14	14	14	14	14
65 +	1	11.0		11	11	11	11	11	11	11
B. Operated										
0-19 YRS	4	2.5	4	< 1	< 1	2	4	5	5	5
20-34	11	1.8	1	< 1	1	1	3	4	4	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	7.3	81	2	3	5	7	14	19	50
20-34	70	4.4	6	2	3	4	5	8	10	12
35-49	34	7.1	33	3	4	5	10	14	16	31
50-64	13	7.8	11	3	5	9	10	12	14	14
65 +	12	5.9	11	2	4	5	10	10	10	10
B. Operated										
0-19 YRS	2	21.5	421	7	7	21	36	36	36	36
20-34	18	5.1	16	1	2	4	6	10	14	16
35-49	14	11.4	108	2	4	10	14	25	37	40
50-64	5	7.0	11	2	6	7	9	11	11	11
65 +	4	7.8	27	3	3	7	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	4.6	8	2	3	4	5	9	11	15
B. Operated	18	2.1	2	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	159	5.9	28	2	3	5	7	11	13	30
B. Operated	43	8.4	69	2	3	6	11	16	28	40
1. SINGLE DX	134	4.3	8	1	3	4	5	8	11	14
2. MULTIPLE DX	202	6.4	37	2	3	5	8	12	15	38
A. Not Operated	275	5.4	20	2	3	4	6	10	12	18
B. Operated	61	6.5	57	1	2	4	8	14	19	40
TOTAL										
0-19 YRS	67	6.4	56	2	3	4	7	11	16	48
20-34	166	4.1	6	2	2	4	5	7	9	12
35-49	67	7.4	47	2	3	5	10	15	17	38
50-64	19	7.9	12	3	5	8	10	13	14	14
65 +	17	6.6	14	2	4	5	10	11	13	14
GRAND TOTAL	**336**	**5.6**	**27**	**2**	**3**	**4**	**7**	**11**	**14**	**32**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.2	2	< 1	1	2	3	4	5	5
20-34	11	4.3	12	< 1	1	4	5	10	12	12
35-49	10	1.2		1	1	1	1	2	3	3
50-64	2	3.5	5	2	2	3	5	5	5	5
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	4.3	8	1	2	4	6	7	7	7
35-49	9	5.7	9	1	3	6	8	9	10	10
50-64	17	6.1	16	2	4	5	7	10	16	19
65 +	8	5.8	7	2	4	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	99	4.0	10	1	2	3	5	7	13	15
20-34	61	6.6	57	< 1	1	4	9	15	20	43
35-49	43	6.5	51	1	1	5	8	14	19	37
50-64	39	9.5	100	3	5	7	10	17	37	48
65 +	73	8.1	48	3	4	7	10	14	16	45
B. Operated										
0-19 YRS	11	22.9	457	4	6	16	30	55	73	75
20-34	37	16.2	167	4	7	12	27	43	80	99 +
35-49	51	14.3	147	4	6	10	19	32	36	57
50-64	45	13.8	125	4	5	9	20	31	38	42
65 +	52	13.7	141	4	6	9	17	25	41	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.9	8	1	1	2	4	5	10	14
B. Operated	40	5.5	12	1	3	6	7	8	10	19
2. MULTIPLE DX										
A. Not Operated	315	6.5	47	1	2	4	8	14	16	45
B. Operated	196	14.9	162	4	6	10	20	33	43	88
1. SINGLE DX	81	4.2	12	1	1	3	6	8	10	17
2. MULTIPLE DX	511	9.7	108	2	3	6	12	23	32	56
A. Not Operated	356	6.1	44	1	2	4	8	13	16	45
B. Operated	236	13.3	149	3	5	9	18	31	41	78
TOTAL										
0-19 YRS	129	5.3	73	1	2	3	5	11	16	49
20-34	113	9.4	109	< 1	3	6	13	26	33	99 +
35-49	113	9.5	107	1	2	6	14	22	32	54
50-64	103	10.7	103	3	5	7	12	26	36	47
65 +	134	10.2	89	3	5	8	13	19	25	55
GRAND TOTAL	**592**	**8.9**	**98**	**1**	**3**	**6**	**11**	**20**	**31**	**55**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49	3	7.0	37	3	3	4	11	14	14	14
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	6.0	7	3	4	7	8	8	8	8
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.0	2	1	2	3	4	5	5	5
20-34	15	4.8	13	1	2	5	6	9	13	14
35-49	6	4.3	4	1	4	4	5	7	7	7
50-64	7	5.6	18	2	3	3	7	13	14	14
65 +	1	14.0		14	14	14	14	14	14	14
B. Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	7	6.7	25	< 1	2	6	11	13	13	13
35-49	1	11.0		11	11	11	11	11	11	11
50-64	2	11.5	5	10	10	11	13	13	13	13
65 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.0	14	1	3	4	7	11	14	14
B. Operated	7	4.7	6	2	3	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	39	4.6	12	1	2	4	5	9	14	14
B. Operated	14	6.5	22	1	2	5	11	13	13	13
1. SINGLE DX	17	4.9	10	2	3	4	7	8	12	14
2. MULTIPLE DX	53	5.1	15	1	2	4	7	12	14	14
A. Not Operated	49	4.7	12	1	2	4	6	9	14	14
B. Operated	21	5.9	17	1	3	4	10	12	13	13
TOTAL										
0-19 YRS	20	2.9	2	1	2	3	4	5	5	5
20-34	25	5.6	15	1	2	5	8	12	13	14
35-49	13	5.8	13	2	4	5	7	12	14	14
50-64	10	6.5	20	2	3	5	10	13	14	14
65 +	2	8.0	72	2	2	8	14	14	14	14
GRAND TOTAL	**70**	**5.1**	**14**	**1**	**2**	**4**	**7**	**11**	**14**	**14**

18: Pneumocystosis(136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.5	5	1	1	2	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	6	6.0	19	2	3	4	11	12	12	12
35-49	2	9.0	8	7	7	9	11	11	11	11
50-64	3	9.7	64	2	4	9	16	18	18	18
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	8.7	82	2	2	5	9	25	28	28
20-34	87	9.2	35	3	4	7	12	19	22	27
35-49	80	9.1	34	2	5	8	12	16	19	29
50-64	29	9.1	35	3	5	7	12	20	21	23
65 +	17	13.9	96	4	5	13	20	24	34	39
B. Operated										
0-19 YRS	4	14.3	33	6	10	16	18	19	19	19
20-34	154	13.8	86	4	8	11	16	25	30	52
35-49	157	13.8	90	5	7	12	17	24	28	48
50-64	41	15.2	55	7	9	14	20	25	30	35
65 +	19	17.5	205	5	9	15	22	32	51	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	3	1	2	3	4	5	6	6
B. Operated	11	7.5	26	2	3	7	11	14	18	18
2. MULTIPLE DX										
A. Not Operated	223	9.5	42	3	5	7	13	20	23	29
B. Operated	375	14.1	89	5	8	12	17	25	30	51
1. SINGLE DX	19	5.7	21	1	2	4	8	12	15	18
2. MULTIPLE DX	598	12.4	77	4	6	11	15	23	27	45
A. Not Operated	231	9.3	42	3	4	7	13	19	23	29
B. Operated	386	13.9	89	5	8	12	17	25	29	51
TOTAL										
0-19 YRS	15	9.9	69	2	3	7	16	22	26	28
20-34	251	11.8	72	4	6	10	15	23	28	43
35-49	240	12.1	75	4	6	11	15	22	26	46
50-64	75	12.3	56	4	6	10	18	23	25	34
65 +	36	15.8	153	4	7	14	21	28	38	65
GRAND TOTAL	**617**	**12.2**	**76**	**4**	**6**	**10**	**15**	**23**	**27**	**44**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.4	3	1	2	4	4	6	6	6
20-34	8	4.0	7	< 1	1	3	7	7	7	7
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	6.5	41	2	2	6	11	11	11	11
65 +	4	5.8	9	3	4	5	8	10	10	10
B. Operated										
0-19 YRS	0									
20-34	9	3.8	13	< 1	1	2	6	10	11	11
35-49	23	2.3	2	< 1	1	2	4	4	5	5
50-64	9	2.4	10	< 1	1	1	2	8	10	10
65 +	5	8.2	53	1	2	7	14	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0		2	2	2	2	2	2	2
20-34	41	6.1	34	2	3	5	7	11	12	38
35-49	28	8.3	102	2	3	4	8	22	33	46
50-64	24	6.6	29	2	3	5	10	12	18	24
65 +	20	7.3	15	3	5	6	9	14	15	15
B. Operated										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	23	6.1	33	1	2	4	7	17	19	20
35-49	23	6.1	72	1	1	3	7	17	26	37
50-64	23	7.8	31	2	4	7	9	18	19	20
65 +	14	7.3	29	1	3	6	10	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.3	7	1	2	4	6	7	10	11
B. Operated	46	3.3	13	< 1	1	2	4	8	11	18
2. MULTIPLE DX										
A. Not Operated	118	6.7	45	2	3	5	8	12	16	41
B. Operated	86	6.6	41	1	2	5	8	17	19	31
1. SINGLE DX	71	3.6	11	1	1	2	5	8	11	17
2. MULTIPLE DX	204	6.7	43	1	3	5	8	14	19	37
A. Not Operated	143	6.3	39	2	3	5	7	11	15	39
B. Operated	132	5.5	34	1	1	4	7	15	18	23
TOTAL										
0-19 YRS	17	2.9	2	2	2	2	4	5	6	6
20-34	81	5.6	29	1	2	4	7	11	14	32
35-49	76	5.7	65	1	1	4	6	12	23	44
50-64	58	6.4	29	1	2	5	9	14	19	24
65 +	43	7.3	22	2	4	6	10	14	17	18
GRAND TOTAL	**275**	**5.9**	**37**	**1**	**2**	**4**	**7**	**12**	**17**	**36**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	19.0		19	19	19	19	19	19	19
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	15.0	200	5	5	15	25	25	25	25
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	0									
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated	2	15.0	200	5	5	15	25	25	25	25
B. Operated	3	7.7	10	4	5	9	10	10	10	10
1. SINGLE DX	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX	5	10.6	71	4	5	9	14	25	25	25
A. Not Operated	2	15.0	200	5	5	15	25	25	25	25
B. Operated	4	10.5	39	4	6	9	14	19	19	19
TOTAL										
0-19 YRS	0									
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	3	16.3	105	5	8	19	23	25	25	25
50-64	0									
65 +	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**6**	**12.0**	**69**	**4**	**5**	**9**	**19**	**24**	**25**	**25**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	3	3.0	12	1	1	1	6	7	7	7
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	14	4.6	14	1	1	3	7	10	12	13
35-49	41	2.8	7	1	1	2	3	6	10	11
50-64	68	4.3	22	1	1	2	6	10	12	27
65 +	90	3.8	17	1	1	2	4	9	12	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	5.4	8	3	3	4	8	9	9	9
50-64	27	7.3	49	2	3	5	9	17	24	29
65 +	37	7.6	32	1	4	7	11	13	18	29
B. Operated										
0-19 YRS	5	7.8	56	2	3	4	12	20	20	20
20-34	10	8.0	35	1	3	6	14	16	18	18
35-49	58	10.7	105	1	2	7	16	26	32	45
50-64	168	10.3	77	2	4	8	14	19	27	45
65 +	304	9.1	90	1	2	6	12	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.8	7	1	1	3	6	7	7	7
B. Operated	216	3.8	16	1	1	2	4	9	12	21
2. MULTIPLE DX										
A. Not Operated	71	7.2	36	2	3	5	10	13	20	29
B. Operated	545	9.6	86	1	3	7	13	20	28	49
1. SINGLE DX	224	3.8	16	1	1	2	4	9	11	21
2. MULTIPLE DX	616	9.3	81	1	3	7	13	20	28	47
A. Not Operated	79	6.9	34	1	3	5	9	13	19	29
B. Operated	761	7.9	73	1	2	5	11	18	26	46
TOTAL										
0-19 YRS	10	4.9	37	1	1	2	6	15	20	20
20-34	25	5.9	24	1	2	4	9	14	16	18
35-49	106	7.2	74	1	2	4	9	18	27	39
50-64	265	8.4	66	1	2	6	12	18	25	40
65 +	434	7.8	74	1	2	5	11	17	26	51
GRAND TOTAL	**840**	**7.8**	**70**	**1**	**2**	**5**	**11**	**17**	**25**	**45**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	4	12.0	351	1	1	3	22	40	40	40
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	7.3	120	< 1	< 1	< 1	15	20	20	20
50-64	14	8.3	64	1	3	6	11	16	28	32
65 +	12	7.3	44	< 1	2	6	13	17	20	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	9	4.8	13	< 1	2	4	6	11	12	12
50-64	23	6.6	16	1	3	6	10	12	14	15
65 +	42	6.6	27	2	3	5	9	13	19	23
B. Operated										
0-19 YRS	0									
20-34	2	14.5	1	14	14	14	15	15	15	15
35-49	19	15.1	171	4	8	12	15	31	50	59
50-64	80	13.8	116	4	6	11	16	27	37	52
65 +	135	13.2	127	3	6	11	16	27	34	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	10.6	273	1	2	5	14	40	40	40
B. Operated	29	7.8	56	< 1	2	6	13	18	22	32
2. MULTIPLE DX										
A. Not Operated	74	6.4	22	1	3	5	9	12	15	23
B. Operated	236	13.6	125	3	6	11	16	27	37	63
1. SINGLE DX	34	8.2	81	< 1	2	5	13	20	30	40
2. MULTIPLE DX	310	11.8	109	3	5	10	15	23	35	60
A. Not Operated	79	6.7	35	1	3	5	9	13	16	35
B. Operated	265	12.9	120	3	6	11	15	26	37	62
TOTAL										
0-19 YRS	0									
20-34	2	14.5	1	14	14	14	15	15	15	15
35-49	32	11.2	134	1	4	9	14	20	36	59
50-64	117	11.7	99	3	5	10	14	23	36	50
65 +	193	11.4	110	2	5	9	15	23	29	64
GRAND TOTAL	**344**	**11.5**	**107**	**2**	**5**	**9**	**14**	**23**	**33**	**59**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.7	2	2	2	4	5	5	5	5
50-64	0									
65+	3	8.7	97	2	2	4	16	20	20	20
B. Operated										
0-19 YRS	0									
20-34	3	9.0	12	7	7	7	12	13	13	13
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64	26	11.7	48	5	8	10	15	24	27	28
65+	41	8.0	24	1	6	7	10	14	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	7	4.7	9	2	2	4	6	9	10	10
50-64	30	5.8	29	<1	2	4	8	15	19	20
65+	71	6.5	44	2	3	5	8	13	17	44
B. Operated										
0-19 YRS	0									
20-34	11	14.5	73	7	8	12	18	29	33	33
35-49	56	11.5	55	2	7	10	14	20	27	37
50-64	191	13.3	86	6	8	11	16	22	33	51
65+	490	14.0	118	5	8	11	17	24	32	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	6.2	47	2	2	4	5	18	20	20
B. Operated	73	9.1	35	1	6	8	11	16	22	28
2. MULTIPLE DX										
A. Not Operated	110	6.3	38	2	3	5	8	13	17	32
B. Operated	748	13.6	104	5	8	11	16	23	31	59
1. SINGLE DX	79	8.9	36	1	6	8	11	17	22	28
2. MULTIPLE DX	858	12.7	102	3	7	11	16	22	31	57
A. Not Operated	116	6.3	38	2	3	5	8	13	18	31
B. Operated	821	13.2	100	5	8	11	16	23	31	58
TOTAL										
0-19 YRS	0									
20-34	16	12.9	63	7	8	11	16	26	31	33
35-49	69	10.1	54	2	5	9	13	19	26	36
50-64	247	12.2	81	3	7	10	15	21	29	41
65+	605	12.6	110	3	7	10	16	22	30	62
GRAND TOTAL	**937**	**12.4**	**97**	**3**	**7**	**10**	**15**	**22**	**30**	**56**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65+	0									
B. Operated										
0-19 YRS	0									
20-34	3	5.3	20	<1	1	5	9	10	10	10
35-49	0									
50-64	2	6.0		6	6	6	6	6	6	6
65+	3	12.0	28	8	8	10	16	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	8	8.4	18	3	5	8	11	14	15	15
B. Operated										
0-19 YRS	0									
20-34	1	6.0		6	6	6	6	6	6	6
35-49	17	14.6	42	8	10	12	20	23	26	27
50-64	44	13.8	145	6	8	10	14	28	48	59
65+	72	14.1	57	7	9	12	16	25	31	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	8	8.0	25	1	5	7	10	16	18	18
2. MULTIPLE DX										
A. Not Operated	10	7.8	16	3	4	7	11	13	15	15
B. Operated	134	14.0	83	7	9	11	16	25	32	53
1. SINGLE DX	9	7.6	24	2	5	6	10	15	18	18
2. MULTIPLE DX	144	13.6	81	6	8	11	16	24	31	52
A. Not Operated	11	7.5	16	3	4	6	11	13	15	15
B. Operated	142	13.7	81	6	8	11	16	24	31	53
TOTAL										
0-19 YRS	0									
20-34	4	5.5	14	<1	2	5	8	10	10	10
35-49	17	14.6	42	8	10	12	20	23	26	27
50-64	49	12.9	136	5	7	9	13	26	46	59
65+	83	13.5	55	7	9	12	16	24	30	43
GRAND TOTAL	**153**	**13.2**	**79**	**6**	**8**	**11**	**15**	**23**	**31**	**52**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	4.3	6	2	2	4	6	7	7	7
65 +	5	3.2	6	< 1	1	3	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	7	7.7	7	4	6	7	9	11	12	12
35-49	37	7.2	15	5	6	7	8	9	10	27
50-64	147	7.8	7	5	7	7	9	11	12	16
65 +	248	8.2	7	6	7	8	9	11	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	1	< 1	1	3	3	3	3	3
35-49	11	4.9	9	1	2	5	7	9	10	10
50-64	38	4.9	14	1	2	4	8	10	13	15
65 +	143	5.7	26	2	3	4	7	11	16	28
B. Operated										
0-19 YRS	3	7.7	80	2	2	3	14	18	18	18
20-34	27	10.4	42	5	7	9	11	18	27	34
35-49	161	9.9	19	6	7	9	11	16	21	28
50-64	775	10.4	42	6	7	9	11	16	21	40
65 +	2455	12.1	59	7	8	10	14	20	25	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.6	6	< 1	1	3	5	7	7	7
B. Operated	439	8.0	8	6	7	8	9	11	12	17
2. MULTIPLE DX										
A. Not Operated	195	5.4	22	1	3	4	7	10	14	27
B. Operated	3421	11.6	54	6	8	10	13	19	24	42
1. SINGLE DX	447	7.9	8	5	7	8	9	11	12	16
2. MULTIPLE DX	3616	11.3	54	6	7	9	13	19	24	41
A. Not Operated	203	5.4	22	1	2	4	7	10	13	26
B. Operated	3860	11.2	50	6	7	9	12	18	23	40
TOTAL										
0-19 YRS	3	7.7	80	2	2	3	14	18	18	18
20-34	37	9.3	37	3	7	9	10	13	24	34
35-49	209	9.1	20	5	7	8	10	15	19	28
50-64	963	9.8	37	5	7	8	11	15	20	38
65 +	2851	11.4	56	6	8	9	13	19	24	42
GRAND TOTAL	**4063**	**10.9**	**50**	**6**	**7**	**9**	**12**	**18**	**23**	**39**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	0									
50-64	3	2.7	2	< 1	1	3	4	4	4	4
65 +	3	3.7	5	1	2	5	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	25	6.2	11	1	2	7	9	10	10	11
50-64	83	7.7	14	2	6	8	10	12	14	18
65 +	128	7.5	17	1	4	8	10	12	13	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	5	5.8	2	4	5	6	7	8	8	8
50-64	27	6.6	64	2	3	5	6	13	20	43
65 +	66	5.7	23	1	3	5	7	11	14	29
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	19	11.3	23	7	8	11	13	17	22	26
35-49	88	11.0	94	4	7	9	12	15	38	52
50-64	376	10.9	46	5	8	9	12	18	22	37
65 +	975	11.9	67	4	8	10	14	20	27	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.7	5	< 1	1	4	5	7	7	7
B. Operated	238	7.4	16	1	4	8	10	12	13	18
2. MULTIPLE DX										
A. Not Operated	99	5.9	33	1	3	5	7	11	15	37
B. Operated	1459	11.6	63	5	8	10	13	19	26	46
1. SINGLE DX	245	7.3	16	1	4	8	10	12	13	18
2. MULTIPLE DX	1558	11.2	63	4	7	10	13	19	26	45
A. Not Operated	106	5.8	31	1	3	5	7	10	15	36
B. Operated	1697	11.0	58	4	7	10	13	18	25	44
TOTAL										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	22	10.3	28	4	7	10	13	16	21	26
35-49	118	9.8	76	3	6	8	11	14	28	52
50-64	489	10.0	43	4	7	9	12	17	20	37
65 +	1172	11.0	63	3	7	10	13	18	25	43
GRAND TOTAL	**1803**	**10.7**	**58**	**3**	**7**	**9**	**13**	**17**	**24**	**43**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	3.1	5	< 1	1	2	5	6	6	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	18	6.4	20	< 1	2	6	9	13	15	16
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	9	6.8	20	1	4	5	10	14	15	15
50-64	20	6.6	24	1	3	6	10	14	15	17
65 +	20	8.0	55	1	3	6	10	18	26	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	6.6	38	< 1	2	5	9	15	21	23
20-34	7	7.0	60	2	3	4	7	21	24	24
35-49	13	4.5	6	2	3	4	7	8	8	8
50-64	27	6.3	10	3	3	6	8	11	13	14
65 +	68	6.4	18	2	3	5	8	13	15	18
B. Operated										
0-19 YRS	28	13.9	174	3	5	8	17	33	48	53
20-34	10	13.3	86	5	7	10	18	29	33	33
35-49	44	11.7	72	4	6	9	15	21	29	44
50-64	124	10.3	63	3	5	8	13	19	28	41
65 +	259	12.6	78	4	7	10	16	24	31	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.2	6	< 1	1	2	5	6	8	8
B. Operated	69	7.0	30	1	3	6	9	14	16	29
2. MULTIPLE DX										
A. Not Operated	128	6.2	19	2	3	5	8	13	15	23
B. Operated	465	12.0	80	4	6	9	15	24	32	44
1. SINGLE DX	83	6.3	28	1	2	6	8	13	15	28
2. MULTIPLE DX	593	10.7	72	3	5	8	14	22	28	44
A. Not Operated	142	5.9	18	2	3	5	8	12	14	23
B. Operated	534	11.3	76	3	6	9	14	23	29	44
TOTAL										
0-19 YRS	68	9.1	100	1	3	6	11	20	32	52
20-34	20	10.2	70	3	5	8	11	24	29	33
35-49	67	9.5	61	3	4	7	13	18	26	43
50-64	173	9.2	53	3	5	7	11	17	25	40
65 +	348	11.1	71	3	5	9	14	23	27	44
GRAND TOTAL	**676**	**10.2**	**69**	**3**	**5**	**8**	**13**	**20**	**27**	**43**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	3.9	5	< 1	2	4	5	7	7	7
65 +	6	9.3	173	< 1	4	5	5	33	36	36
B. Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49	4	7.0	29	1	2	7	11	12	12	12
50-64	22	8.6	26	2	6	8	10	14	19	25
65 +	27	9.1	27	2	6	7	11	17	19	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	6.3	16	2	3	7	9	10	10	10
35-49	15	5.9	17	3	3	4	7	10	16	18
50-64	60	6.8	67	2	3	4	8	11	20	53
65 +	137	5.9	20	1	3	4	8	11	14	22
B. Operated										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	9	11.7	33	5	7	10	17	19	21	21
35-49	53	16.7	185	4	8	13	23	35	38	75
50-64	170	14.7	128	4	8	12	18	28	39	59
65 +	479	13.6	97	4	7	11	17	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	6.0	68	< 1	2	4	6	7	27	36
B. Operated	55	8.7	25	2	6	8	11	14	19	25
2. MULTIPLE DX										
A. Not Operated	215	6.1	33	2	3	4	8	11	16	26
B. Operated	712	14.1	111	4	7	11	18	27	36	54
1. SINGLE DX	71	8.1	35	1	4	7	11	14	19	34
2. MULTIPLE DX	927	12.2	104	3	6	10	16	25	33	52
A. Not Operated	231	6.1	35	2	3	4	7	11	16	30
B. Operated	767	13.7	106	4	7	11	17	26	35	53
TOTAL										
0-19 YRS	2	14.0	72	8	8	14	20	20	20	20
20-34	14	10.0	29	5	7	8	14	18	20	21
35-49	73	13.8	162	2	5	10	18	32	37	68
50-64	260	12.0	115	2	5	9	15	25	36	55
65 +	649	11.7	89	3	6	9	15	23	30	51
GRAND TOTAL	**998**	**11.9**	**100**	**3**	**5**	**9**	**16**	**24**	**32**	**52**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	5.4	15	2	3	4	7	12	12	12
50-64	20	4.5	12	1	2	3	7	10	10	10
65 +	15	5.7	16	1	2	6	9	10	12	13
B. Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	4	7.0	2	5	6	7	8	8	8	8
35-49	56	6.0	17	1	3	6	8	11	14	19
50-64	184	6.1	61	1	2	6	8	10	11	31
65 +	169	6.8	17	1	3	7	10	12	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	58	5.4	13	1	3	5	7	11	13	17
50-64	402	5.7	21	2	3	4	8	11	14	23
65 +	637	6.0	19	2	3	5	8	12	14	24
B. Operated										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	21	11.1	26	5	7	10	15	19	20	20
35-49	188	9.3	77	2	5	7	10	18	29	49
50-64	1026	9.0	45	2	5	8	11	16	22	35
65 +	1799	9.9	56	3	6	8	12	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	4.9	13	1	2	4	8	10	11	13
B. Operated	415	6.4	37	1	3	6	8	11	13	20
2. MULTIPLE DX										
A. Not Operated	1100	5.8	19	2	3	5	8	11	14	23
B. Operated	3036	9.6	53	3	5	8	12	18	23	36
1. SINGLE DX	457	6.3	34	1	3	6	8	11	13	19
2. MULTIPLE DX	4136	8.6	47	2	4	7	11	16	21	34
A. Not Operated	1142	5.8	19	2	3	5	8	11	14	23
B. Operated	3451	9.2	52	2	5	8	11	17	22	35
TOTAL										
0-19 YRS	5	7.2	10	4	5	6	10	11	11	11
20-34	29	9.4	28	3	6	9	12	18	19	20
35-49	307	7.9	56	2	4	6	9	14	20	45
50-64	1632	7.8	43	2	4	7	10	14	19	33
65 +	2620	8.7	47	2	4	7	11	16	21	33
GRAND TOTAL	**4593**	**8.4**	**46**	**2**	**4**	**7**	**10**	**16**	**20**	**33**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	3.7	9	< 1	1	3	6	7	7	7
50-64	5	4.4	11	2	2	3	6	10	10	10
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	6	4.8	2	3	4	5	6	7	7	7
20-34	7	4.9	7	1	3	5	7	8	8	8
35-49	24	5.6	25	1	1	4	9	11	15	21
50-64	49	6.5	28	1	2	6	9	15	17	21
65 +	46	6.1	28	< 1	1	5	9	12	15	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	14.7	560	1	1	1	32	42	42	42
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	5.7	18	2	2	4	9	12	13	13
50-64	17	3.0	7	1	1	3	4	7	9	10
65 +	28	7.5	30	1	3	7	11	16	18	18
B. Operated										
0-19 YRS	9	11.0	189	3	5	6	9	33	47	47
20-34	14	15.1	435	2	2	6	18	46	69	76
35-49	42	9.0	51	1	2	9	12	22	24	26
50-64	144	11.0	75	2	4	10	15	21	27	48
65 +	224	10.9	106	2	5	8	13	20	30	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.2	8	< 1	2	3	6	8	10	10
B. Operated	132	6.0	25	1	2	5	9	12	16	22
2. MULTIPLE DX										
A. Not Operated	57	6.2	46	1	2	4	8	14	17	40
B. Operated	433	10.9	102	2	4	9	14	21	29	57
1. SINGLE DX	143	5.9	24	1	2	5	9	12	16	22
2. MULTIPLE DX	490	10.3	98	1	4	8	13	20	27	54
A. Not Operated	68	5.9	40	1	2	4	7	14	16	38
B. Operated	565	9.8	88	1	3	8	13	20	26	50
TOTAL										
0-19 YRS	19	9.1	163	1	3	5	8	30	45	47
20-34	24	10.8	275	2	3	5	10	22	53	76
35-49	76	7.4	40	1	2	6	10	13	22	26
50-64	215	9.2	65	1	3	8	13	19	25	40
65 +	299	9.8	90	1	4	8	12	19	25	57
GRAND TOTAL	**633**	**9.3**	**85**	**1**	**3**	**8**	**12**	**19**	**25**	**49**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	2.3	1	< 1	2	2	3	4	4	4
20-34	2	9.5	85	3	3	9	16	16	16	16
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	74	4.8	10	1	2	4	6	9	10	15
20-34	25	4.2	9	1	2	3	6	9	10	12
35-49	25	3.4	7	1	2	2	4	9	9	10
50-64	29	4.1	8	1	2	3	6	9	9	12
65 +	27	4.6	16	1	2	3	6	10	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	95	5.5	36	1	3	4	5	12	18	31
20-34	8	5.4	34	1	2	3	8	15	17	17
35-49	8	11.8	104	< 1	2	11	19	26	28	28
50-64	5	2.4	3	1	1	2	3	5	5	5
65 +	19	8.5	183	1	3	4	8	14	41	62
B. Operated										
0-19 YRS	66	8.3	41	2	3	7	11	15	22	31
20-34	34	8.5	43	2	4	7	10	17	19	32
35-49	40	6.4	21	2	3	5	8	12	16	22
50-64	65	6.6	47	1	3	5	8	14	17	44
65 +	124	9.8	97	2	4	7	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	3.5	13	1	2	2	4	8	13	16
B. Operated	180	4.4	10	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	135	6.2	60	1	2	4	6	15	20	36
B. Operated	329	8.3	62	2	3	7	11	16	22	42
1. SINGLE DX	199	4.3	10	1	2	3	6	9	10	16
2. MULTIPLE DX	464	7.7	63	1	3	5	9	16	21	39
A. Not Operated	154	5.9	55	1	2	4	6	14	19	31
B. Operated	509	6.9	47	1	3	5	9	14	17	33
TOTAL										
0-19 YRS	250	5.9	30	1	2	4	7	12	16	31
20-34	69	6.6	33	1	3	5	9	15	17	30
35-49	75	5.9	30	1	2	4	8	13	18	26
50-64	99	5.7	35	1	2	4	8	11	16	34
65 +	170	8.8	96	2	3	6	11	17	25	59
GRAND TOTAL	**663**	**6.7**	**49**	**1**	**2**	**5**	**8**	**14**	**18**	**32**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	3.0	2	1	2	3	4	4	4	4
20-34	22	2.6	3	1	1	2	3	6	7	7
35-49	49	2.1	3	1	1	1	3	4	7	7
50-64	51	2.4	3	< 1	1	2	3	5	7	8
65 +	39	3.4	8	1	1	2	5	8	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.6	6	1	1	2	3	7	7	7
35-49	15	5.5	42	< 1	1	3	7	18	18	18
50-64	7	3.4	6	< 1	1	2	6	7	7	7
65 +	8	6.4	19	1	3	5	11	12	12	12
B. Operated										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	13	7.1	151	1	2	4	6	17	41	47
35-49	51	5.3	44	1	1	3	7	11	20	34
50-64	37	4.6	31	1	1	2	6	10	17	28
65 +	72	5.2	30	1	2	4	6	11	16	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	165	2.6	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. Not Operated	35	4.9	25	< 1	1	3	7	12	17	18
B. Operated	174	5.3	43	1	1	3	6	11	18	33
1. SINGLE DX	165	2.6	4	1	1	2	3	6	7	9
2. MULTIPLE DX	209	5.2	40	1	1	3	6	11	18	32
A. Not Operated	35	4.9	25	< 1	1	3	7	12	17	18
B. Operated	339	4.0	26	1	1	2	5	8	11	29
TOTAL										
0-19 YRS	5	5.6	35	1	2	4	7	16	16	16
20-34	40	4.1	53	1	1	2	4	7	9	47
35-49	115	4.0	28	1	1	2	4	9	16	31
50-64	95	3.3	15	1	1	2	4	7	10	24
65 +	119	4.7	22	1	1	3	6	10	13	25
GRAND TOTAL	**374**	**4.1**	**26**	**1**	**1**	**2**	**5**	**9**	**12**	**29**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	7	1.6		1	1	2	2	2	2	2
35-49	25	2.0	4	< 1	1	1	2	4	6	10
50-64	39	2.4	27	< 1	< 1	1	2	4	5	33
65 +	89	2.3	6	< 1	1	1	2	5	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	8.2	24	2	4	8	12	14	14	14
35-49	6	4.7	18	< 1	3	3	4	12	13	13
50-64	4	2.0	2	< 1	< 1	1	3	4	4	4
65 +	6	5.0	8	< 1	3	5	7	9	9	9
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	3.6	7	< 1	1	3	6	7	7	7
35-49	26	5.8	69	1	1	2	6	18	24	38
50-64	52	3.2	12	1	1	2	3	7	10	20
65 +	188	4.6	54	1	1	2	6	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	163	2.2	10	< 1	1	1	2	4	6	15
2. MULTIPLE DX										
A. Not Operated	21	5.1	16	< 1	2	4	7	12	13	14
B. Operated	275	4.4	46	1	1	2	5	9	14	28
1. SINGLE DX	165	2.2	10	< 1	1	1	2	4	6	15
2. MULTIPLE DX	296	4.5	44	1	1	2	5	9	14	28
A. Not Operated	23	4.9	15	< 1	2	4	7	12	13	14
B. Operated	438	3.6	34	< 1	1	2	4	8	11	27
TOTAL										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	20	4.1	15	1	1	2	6	10	13	14
35-49	57	4.0	37	< 1	1	2	4	9	17	37
50-64	95	2.8	18	< 1	1	1	3	6	8	27
65 +	285	3.9	39	< 1	1	2	4	9	11	26
GRAND TOTAL	**461**	**3.7**	**33**	**< 1**	**1**	**2**	**4**	**8**	**11**	**27**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.5		2	2	2	3	3	3	3
50-64	11	2.8	2	< 1	1	3	4	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	87	2.8	2	1	2	3	3	4	5	8
35-49	677	2.7	2	1	2	3	3	4	5	7
50-64	983	2.9	2	1	2	3	4	5	5	7
65 +	1146	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	7.7	35	2	3	6	12	16	17	17
35-49	22	4.3	19	1	2	4	4	7	14	22
50-64	57	5.2	32	< 1	2	4	6	10	20	30
65 +	66	6.4	39	< 1	2	5	9	13	17	34
B. Operated										
0-19 YRS	0									
20-34	92	3.4	3	2	2	3	4	5	6	10
35-49	837	3.4	7	2	2	3	4	5	7	14
50-64	1362	3.7	9	2	2	3	4	6	7	17
65 +	2346	4.0	6	2	3	4	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	2.7	2	1	2	3	3	5	5	5
B. Operated	2894	2.9	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	151	5.7	33	< 1	2	4	7	12	17	30
B. Operated	4637	3.8	7	2	2	3	4	6	8	14
1. SINGLE DX	2912	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX	4788	3.9	8	2	2	3	4	6	8	15
A. Not Operated	169	5.4	31	< 1	2	4	6	11	17	29
B. Operated	7531	3.5	5	2	2	3	4	6	7	12
TOTAL										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	185	3.3	4	2	2	3	4	5	6	12
35-49	1542	3.1	5	1	2	3	4	5	6	12
50-64	2413	3.4	7	2	2	3	4	5	7	13
65 +	3559	3.8	6	2	2	3	4	6	8	13
GRAND TOTAL	**7700**	**3.5**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	4.0	24	2	2	2	3	12	16	16
35-49	11	2.3		1	2	2	3	3	3	3
50-64	7	2.4		2	2	2	3	3	3	3
65 +	4	3.5	6	1	2	3	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	45	4.2	5	2	3	3	6	7	8	10
35-49	54	4.3	7	1	2	4	6	8	9	11
50-64	27	4.3	10	1	2	3	5	10	11	11
65 +	18	3.0	2	2	2	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	23	3.7	7	1	2	3	5	8	9	10
50-64	14	2.7	1	2	2	3	3	5	5	5
65 +	11	4.7	18	1	2	3	6	12	15	15
B. Operated										
0-19 YRS	2	12.0		12	12	12	12	12	12	12
20-34	60	6.3	19	2	3	6	8	9	17	22
35-49	126	7.1	44	3	4	6	8	11	17	38
50-64	85	9.4	141	2	4	6	10	20	27	74
65 +	62	8.2	92	2	3	5	10	17	23	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	2.9	7	2	2	2	3	3	7	16
B. Operated	144	4.1	6	2	2	3	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	50	3.7	8	1	2	3	5	7	10	15
B. Operated	335	7.8	73	2	3	6	8	15	20	44
1. SINGLE DX	174	3.9	6	2	2	3	5	8	9	11
2. MULTIPLE DX	385	7.3	67	2	3	6	8	14	20	37
A. Not Operated	80	3.4	8	1	2	3	4	7	9	16
B. Operated	479	6.7	56	2	3	5	8	12	18	31
TOTAL										
0-19 YRS	2	12.0		12	12	12	12	12	12	12
20-34	115	5.3	14	2	3	5	7	8	11	21
35-49	214	5.8	31	2	3	5	7	9	12	24
50-64	133	7.3	100	2	3	4	8	15	24	49
65 +	95	6.6	67	2	2	4	8	15	18	50
GRAND TOTAL	**559**	**6.2**	**50**	**2**	**3**	**5**	**7**	**11**	**17**	**30**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	6	2.0		1	2	2	2	3	3	3
65 +	7	2.0	1	1	1	2	2	4	4	4
B. Operated										
0-19 YRS	0									
20-34	4	3.8		3	3	4	4	4	4	4
35-49	24	4.8	5	3	4	4	5	10	10	10
50-64	104	4.2	2	3	4	4	5	6	6	8
65 +	133	4.6	3	3	4	4	5	6	7	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	4.0	29	1	2	2	2	14	15	15
50-64	16	4.2	26	1	1	3	5	6	17	22
65 +	19	5.2	47	2	2	3	5	9	22	32
B. Operated										
0-19 YRS	0									
20-34	22	4.6	2	3	4	4	5	7	8	8
35-49	118	4.8	4	3	4	4	5	8	9	11
50-64	407	5.4	7	3	4	5	6	8	10	16
65 +	694	6.4	16	4	4	5	7	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.4	2	1	2	2	2	4	6	7
B. Operated	265	4.4	3	3	4	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	43	4.4	34	1	2	3	5	8	17	32
B. Operated	1241	5.9	12	3	4	5	6	9	12	20
1. SINGLE DX	279	4.3	3	3	4	4	5	6	7	10
2. MULTIPLE DX	1284	5.8	13	3	4	5	6	9	12	21
A. Not Operated	57	3.9	27	1	2	2	4	7	13	31
B. Operated	1506	5.6	11	3	4	5	6	9	11	19
TOTAL										
0-19 YRS	0									
20-34	28	4.2	2	2	4	4	5	6	8	8
35-49	149	4.8	5	3	4	4	5	8	10	12
50-64	533	5.1	7	3	4	5	6	8	9	16
65 +	853	6.1	15	3	4	5	6	9	12	23
GRAND TOTAL	**1563**	**5.6**	**11**	**3**	**4**	**5**	**6**	**9**	**11**	**20**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	12	3.2	5	1	2	3	4	7	8	8
65 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
0-19 YRS	6	5.2	1	4	5	5	5	7	7	7
20-34	14	4.2	1	3	4	4	5	5	6	6
35-49	21	5.7	13	3	4	5	6	8	13	20
50-64	27	5.6	6	1	4	6	7	8	9	11
65 +	20	9.6	75	3	4	6	11	24	31	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	23	4.8	39	1	1	3	6	11	19	29
50-64	48	4.9	30	1	2	3	6	9	15	27
65 +	65	6.6	45	1	2	5	8	13	21	32
B. Operated										
0-19 YRS	6	6.0	2	4	5	6	7	7	7	7
20-34	33	6.2	14	4	4	6	7	10	11	22
35-49	149	7.8	52	3	4	6	9	13	19	34
50-64	243	9.9	85	4	5	8	11	17	24	88
65 +	333	10.7	62	4	6	9	12	18	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.1	5	1	1	2	4	7	8	8
B. Operated	88	6.3	25	3	4	5	7	9	18	31
2. MULTIPLE DX										
A. Not Operated	138	5.7	38	1	2	4	7	12	18	31
B. Operated	764	9.6	66	4	5	8	11	17	22	51
1. SINGLE DX	103	5.8	23	2	4	5	7	8	14	31
2. MULTIPLE DX	902	9.0	64	3	5	7	11	17	22	43
A. Not Operated	153	5.4	35	1	2	3	6	11	16	31
B. Operated	852	9.3	63	4	5	7	11	17	22	44
TOTAL										
0-19 YRS	12	5.6	1	4	5	5	7	7	7	7
20-34	49	5.5	11	3	4	5	6	9	11	22
35-49	194	7.1	47	3	4	5	8	13	18	33
50-64	330	8.6	73	3	4	7	10	15	22	76
65 +	420	10.0	62	3	5	8	11	18	25	41
GRAND TOTAL	**1005**	**8.7**	**61**	**3**	**5**	**7**	**10**	**16**	**22**	**41**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65 +	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	3	3.0	12	< 1	< 1	1	5	7	7	7
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	7	3.1	16	< 1	1	2	3	10	12	12
65 +	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	7	3.3	1	2	2	4	4	4	4	4
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	12.4	135	3	4	9	18	32	32	32
35-49	11	9.0	44	1	3	9	12	17	23	24
50-64	39	9.9	75	2	4	8	11	20	25	47
65 +	61	8.7	56	1	4	6	12	19	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	2	1	1	2	3	4	4	4
B. Operated	17	3.2	9	< 1	1	2	4	7	10	12
2. MULTIPLE DX										
A. Not Operated	14	2.9	2	1	2	3	4	4	5	5
B. Operated	117	9.3	63	2	4	7	12	19	23	44
1. SINGLE DX	23	2.9	7	1	1	2	4	6	9	12
2. MULTIPLE DX	131	8.6	60	2	3	6	11	19	22	43
A. Not Operated	20	2.7	2	1	1	3	4	4	5	5
B. Operated	134	8.5	60	1	3	7	11	19	22	43
TOTAL										
0-19 YRS	7	3.6	8	< 1	1	3	6	7	7	7
20-34	9	8.1	94	1	3	5	10	24	32	32
35-49	15	7.3	41	1	2	5	11	13	21	24
50-64	49	8.5	70	1	3	7	10	19	21	47
65 +	74	7.7	51	1	3	6	9	17	20	39
GRAND TOTAL	**154**	**7.8**	**56**	**1**	**3**	**6**	**9**	**17**	**21**	**42**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	7	4.0	4	2	2	4	6	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	9	4.6	7	1	3	5	5	8	10	10
50-64	232	5.4	8	2	4	5	7	9	10	13
65 +	622	4.3	7	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	41	5.6	27	1	2	4	8	12	13	28
65 +	223	6.3	35	2	3	5	8	12	19	39
B. Operated										
0-19 YRS	4	8.8	59	3	4	6	13	20	20	20
20-34	0									
35-49	11	10.9	179	3	4	6	9	32	47	48
50-64	606	6.1	18	2	3	5	8	10	12	26
65 +	3223	5.3	18	2	3	4	7	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	4.0	4	2	2	4	6	7	7	7
B. Operated	863	4.6	8	1	3	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	266	6.2	33	1	2	5	8	12	18	36
B. Operated	3844	5.4	19	2	3	4	7	10	13	23
1. SINGLE DX	870	4.6	8	1	3	4	6	8	9	13
2. MULTIPLE DX	4110	5.5	20	2	3	4	7	10	13	23
A. Not Operated	273	6.1	33	1	2	5	8	12	18	35
B. Operated	4707	5.3	17	2	3	4	7	9	12	21
TOTAL										
0-19 YRS	4	8.8	59	3	4	6	13	20	20	20
20-34	0									
35-49	22	7.5	100	1	4	5	6	14	32	48
50-64	879	5.9	16	2	3	5	8	10	12	24
65 +	4075	5.2	18	2	3	4	7	9	12	22
GRAND TOTAL	**4980**	**5.3**	**18**	**2**	**3**	**4**	**7**	**10**	**12**	**22**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	4.0	7	1	2	5	6	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	10	2.4	5	1	1	2	2	6	7	7
20-34	80	2.5	5	1	1	1	3	6	7	9
35-49	39	1.7	3	1	1	1	2	2	7	9
50-64	11	2.4	7	1	1	1	2	7	8	8
65 +	10	2.5	5	1	1	2	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.0	12	4	5	6	8	13	15	15
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	3	4.3		4	4	4	5	5	5	5
50-64	3	9.7	30	4	5	10	14	15	15	15
65 +	0									
B. Operated										
0-19 YRS	8	4.8	18	1	1	3	8	11	12	12
20-34	28	5.8	26	1	2	5	8	10	18	23
35-49	27	4.2	17	1	1	2	7	10	14	15
50-64	8	8.5	43	2	5	6	13	19	19	19
65 +	16	3.3	17	1	1	2	3	4	14	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.4	5	1	1	4	5	6	6	6
B. Operated	150	2.3	5	1	1	1	2	6	7	9
2. MULTIPLE DX										
A. Not Operated	17	6.2	16	2	4	5	7	14	15	15
B. Operated	87	5.0	23	1	1	3	7	10	17	22
1. SINGLE DX	155	2.3	5	1	1	1	2	6	7	9
2. MULTIPLE DX	104	5.2	22	1	2	4	7	11	16	21
A. Not Operated	22	5.5	14	1	4	5	7	11	15	15
B. Operated	237	3.3	13	1	1	1	5	8	9	18
TOTAL										
0-19 YRS	26	4.5	14	1	1	4	7	10	13	15
20-34	114	3.3	12	1	1	2	5	8	9	19
35-49	70	2.8	10	1	1	1	4	7	9	15
50-64	23	5.4	31	1	1	4	8	16	18	19
65 +	26	3.0	12	1	1	2	3	5	10	18
GRAND TOTAL	**259**	**3.5**	**14**	**1**	**1**	**2**	**5**	**8**	**10**	**18**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	5	4.2	8	2	3	3	5	9	9	9
B. Operated										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	10	1.3		1	1	1	1	2	3	3
35-49	44	3.5	78	1	1	1	2	6	9	59
50-64	211	2.7	9	1	1	1	3	7	9	13
65 +	453	2.4	7	1	1	1	3	5	9	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.3	1	< 1	1	3	3	3	3	3
35-49	5	4.6	2	3	4	4	6	6	6	6
50-64	17	5.2	33	< 1	2	3	6	13	19	23
65 +	75	5.2	19	1	2	4	7	10	14	22
B. Operated										
0-19 YRS	5	8.4	84	2	2	5	13	24	24	24
20-34	5	4.2	11	1	2	3	7	9	9	9
35-49	49	5.6	89	1	1	2	5	15	20	57
50-64	444	4.5	27	1	1	2	6	11	15	23
65 +	1816	4.7	31	1	2	3	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.3	8	< 1	1	3	4	8	9	9
B. Operated	721	2.6	12	1	1	1	3	6	9	13
2. MULTIPLE DX										
A. Not Operated	100	5.1	20	1	2	4	7	11	13	23
B. Operated	2319	4.7	32	1	1	3	6	11	15	27
1. SINGLE DX	728	2.6	12	1	1	1	3	6	9	13
2. MULTIPLE DX	2419	4.7	31	1	2	3	6	11	15	27
A. Not Operated	107	5.0	19	1	2	3	7	10	13	23
B. Operated	3040	4.2	28	1	1	2	5	10	14	25
TOTAL										
0-19 YRS	8	6.9	60	1	2	4	9	20	24	24
20-34	18	2.3	5	1	1	1	3	5	8	9
35-49	98	4.6	80	1	1	2	4	10	17	58
50-64	674	3.9	22	1	1	2	4	11	13	22
65 +	2349	4.3	27	1	1	3	5	10	14	26
GRAND TOTAL	**3147**	**4.2**	**28**	**1**	**1**	**2**	**5**	**10**	**14**	**25**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	0									
35-49	0									
50-64	4	5.8	38	< 1	< 1	4	10	14	14	14
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	15	7.5	11	1	7	8	9	12	13	13
20-34	4	7.0	6	5	5	7	9	10	10	10
35-49	32	6.3	3	4	5	6	7	8	10	10
50-64	54	6.5	7	4	5	6	7	9	11	19
65 +	71	6.5	13	1	5	7	8	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	4.2	17	< 1	1	3	5	9	14	18
20-34	1	6.0		6	6	6	6	6	6	6
35-49	17	2.5	5	< 1	1	2	3	6	8	9
50-64	37	7.4	101	1	3	4	7	16	23	57
65 +	71	6.8	29	2	3	5	9	14	19	25
B. Operated										
0-19 YRS	31	10.1	45	3	6	8	14	20	24	29
20-34	14	11.2	82	5	6	8	12	24	34	37
35-49	78	7.5	17	4	5	7	9	12	13	27
50-64	219	9.0	45	5	6	7	10	15	20	36
65 +	451	9.4	37	4	6	8	11	17	22	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.4	17	< 1	2	3	5	11	14	14
B. Operated	176	6.6	9	3	5	6	8	10	11	18
2. MULTIPLE DX										
A. Not Operated	146	6.1	44	1	2	4	7	14	18	26
B. Operated	793	9.2	39	4	6	8	11	16	21	34
1. SINGLE DX	185	6.4	9	3	5	6	8	10	11	18
2. MULTIPLE DX	939	8.7	41	3	5	7	10	16	20	34
A. Not Operated	155	6.0	43	1	2	4	7	14	18	25
B. Operated	969	8.7	34	4	6	7	10	15	19	33
TOTAL										
0-19 YRS	70	7.5	34	1	3	7	10	16	20	28
20-34	19	10.1	64	5	5	8	11	20	31	37
35-49	127	6.5	14	2	5	6	8	11	12	22
50-64	314	8.3	45	3	5	7	9	14	19	36
65 +	594	8.8	35	3	5	8	10	16	20	30
GRAND TOTAL	**1124**	**8.3**	**36**	**3**	**5**	**7**	**10**	**15**	**19**	**32**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.9	5	< 1	< 1	< 1	1	6	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	1.5	1	< 1	< 1	1	2	3	4	4
20-34	4	1.5		1	1	1	2	2	2	2
35-49	6	2.8	5	1	2	2	3	7	7	7
50-64	11	2.5	4	1	1	2	3	6	7	7
65 +	7	2.0	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	5.5	13	3	3	5	8	8	8	8
65 +	0									
B. Operated										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	0									
35-49	7	2.6	1	2	2	2	3	4	4	4
50-64	12	2.2	1	1	1	2	3	4	4	4
65 +	19	3.4	17	1	1	2	3	8	14	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.9	5	< 1	< 1	< 1	1	6	7	7
B. Operated	42	2.0	2	<1	1	2	2	4	6	7
2. MULTIPLE DX										
A. Not Operated	6	2.8	7	< 1	1	2	3	7	8	8
B. Operated	40	2.9	9	1	1	2	3	6	8	18
1. SINGLE DX	49	2.0	3	< 1	1	1	2	4	7	7
2. MULTIPLE DX	46	2.9	9	1	1	2	3	7	8	18
A. Not Operated	13	2.3	6	< 1	< 1	1	2	7	8	8
B. Operated	82	2.5	6	1	1	2	3	4	7	15
TOTAL										
0-19 YRS	26	1.8	3	< 1	< 1	1	2	4	7	7
20-34	4	1.5		1	1	1	2	2	2	2
35-49	14	2.6	2	1	2	2	3	4	6	7
50-64	25	2.6	3	1	1	2	3	5	7	8
65 +	26	3.0	13	1	1	2	3	7	10	18
GRAND TOTAL	**95**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**4**	**7**	**14**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.3	10	1	2	3	8	9	10	10
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	17	5.3	12	2	3	5	7	14	66	99 +
50-64	13	4.3	4	2	3	4	6	7	8	8
65 +	7	5.3	10	3	3	4	6	11	12	12
B. Operated										
0-19 YRS	71	6.3	24	1	3	5	9	13	17	21
20-34	33	6.8	12	2	3	7	9	12	13	13
35-49	74	6.9	21	3	4	5	9	15	18	20
50-64	72	6.8	21	2	3	6	8	14	17	22
65 +	42	8.7	22	3	5	8	12	15	16	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	78	4.1	22	1	2	2	5	10	13	27
20-34	21	5.7	19	2	3	4	7	14	16	17
35-49	46	6.1	38	1	2	4	7	12	20	29
50-64	89	8.3	85	1	3	6	10	21	30	46
65 +	94	7.8	73	2	3	6	9	15	17	53
B. Operated										
0-19 YRS	132	16.5	359	2	6	11	18	55	77	99 +
20-34	63	12.3	182	3	4	9	14	24	37	81
35-49	112	9.8	58	3	5	8	12	20	23	37
50-64	132	12.4	69	5	7	10	15	24	31	55
65 +	120	12.7	57	5	8	12	16	22	23	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	4.7	8	2	3	4	6	9	13	95
B. Operated	292	7.0	21	2	3	6	9	14	17	21
2. MULTIPLE DX										
A. Not Operated	328	6.7	58	1	2	4	8	13	19	36
B. Operated	559	12.9	149	3	6	10	16	23	35	86
1. SINGLE DX	347	6.6	20	2	3	6	9	13	16	22
2. MULTIPLE DX	887	10.6	125	2	4	8	13	22	30	76
A. Not Operated	383	6.4	51	1	2	4	8	13	18	37
B. Operated	851	10.9	113	3	5	8	14	20	26	78
TOTAL										
0-19 YRS	295	10.2	205	1	2	6	12	22	41	98
20-34	121	9.4	110	2	3	7	11	17	25	61
35-49	249	8.0	43	2	4	6	10	16	22	35
50-64	306	9.5	66	2	5	7	12	19	28	45
65 +	263	10.1	62	3	5	9	14	18	22	33
GRAND TOTAL	**1234**	**9.5**	**98**	**2**	**4**	**7**	**12**	**18**	**24**	**72**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	10	5.0	11	< 1	< 1	5	8	9	10	10
20-34	4	9.0	5	6	7	9	10	11	11	11
35-49	5	6.6	11	2	4	7	9	11	11	11
50-64	3	12.3	81	3	5	13	19	21	21	21
65 +	3	12.7	16	9	10	12	16	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	0									
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	11	8.5	57	1	3	5	14	21	23	23
65 +	10	6.3	33	2	3	5	6	15	22	22
B. Operated										
0-19 YRS	18	15.6	200	6	8	9	15	44	47	47
20-34	4	16.3	53	9	11	15	21	26	26	26
35-49	7	9.7	44	2	6	8	12	20	22	22
50-64	11	16.9	133	3	9	14	26	34	38	38
65 +	13	16.9	98	5	10	17	22	29	37	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	25	7.8	24	< 1	4	8	10	13	18	21
2. MULTIPLE DX										
A. Not Operated	26	7.1	39	1	3	5	9	19	22	23
B. Operated	53	15.5	127	4	8	12	20	33	41	47
1. SINGLE DX	26	7.5	24	< 1	3	7	10	13	18	21
2. MULTIPLE DX	79	12.7	113	3	5	9	17	27	39	47
A. Not Operated	27	6.9	39	1	3	5	9	18	22	23
B. Operated	78	13.0	106	3	7	10	17	27	39	47
TOTAL										
0-19 YRS	31	11.3	144	1	5	8	12	30	46	47
20-34	8	12.6	40	7	9	10	15	23	26	26
35-49	14	7.8	30	1	5	7	11	13	20	22
50-64	26	12.3	102	2	3	10	19	27	33	38
65 +	26	12.3	86	3	5	10	17	23	29	39
GRAND TOTAL	**105**	**11.4**	**96**	**2**	**5**	**8**	**15**	**23**	**33**	**46**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	11	2.0	1	1	1	2	3	4	4	4
35-49	22	2.0		1	2	2	2	3	3	3
50-64	4	1.5	1	1	1	1	2	3	3	3
65 +	5	2.0	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	23	3.8	20	1	2	2	4	7	14	22
20-34	74	2.3	1	1	2	2	3	3	4	5
35-49	71	2.6	3	1	2	2	3	4	4	12
50-64	39	2.7	2	1	2	2	3	5	6	6
65 +	22	4.4	23	1	2	3	4	14	17	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.5	33	1	1	3	6	8	10	34
20-34	12	3.5	14	2	2	2	3	9	14	15
35-49	20	2.4	4	1	1	2	3	4	7	10
50-64	9	3.4	6	1	2	3	4	8	9	9
65 +	15	3.3	4	1	2	3	4	7	8	8
B. Operated										
0-19 YRS	63	9.2	143	1	2	5	11	20	41	59
20-34	95	3.2	4	2	2	3	4	6	7	11
35-49	104	3.6	5	2	2	3	5	7	9	11
50-64	78	5.4	78	1	2	3	5	11	17	58
65 +	89	5.8	32	2	2	4	7	14	21	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	1.9	1	1	1	2	2	3	3	4
B. Operated	229	2.8	6	1	2	2	3	4	5	16
2. MULTIPLE DX										
A. Not Operated	91	3.6	17	1	2	2	4	7	9	26
B Operated	429	5.1	47	2	2	3	5	10	14	40
1. SINGLE DX	275	2.6	5	1	2	2	3	4	5	15
2. MULTIPLE DX	520	4.9	42	1	2	3	5	9	14	35
A. Not Operated	137	3.0	12	1	2	2	3	6	8	17
B. Operated	658	4.3	34	1	2	3	4	8	13	27
TOTAL										
0-19 YRS	125	6.6	91	1	2	4	7	13	23	54
20-34	192	2.8	3	1	2	2	3	5	6	11
35-49	217	3.0	4	1	2	2	3	5	8	11
50-64	130	4.3	49	1	2	3	4	7	14	34
65 +	131	5.1	27	2	2	3	6	13	18	25
GRAND TOTAL	**795**	**4.1**	**30**	**1**	**2**	**3**	**4**	**8**	**12**	**26**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	6.7	4	5	5	6	8	9	9	9
35-49	12	4.6	10	1	2	4	6	10	11	11
50-64	11	8.8	91	1	1	7	12	24	30	31
65 +	25	7.4	54	1	3	5	8	20	26	27
B. Operated										
0-19 YRS	9	2.9	7	< 1	1	2	4	8	8	8
20-34	10	2.6	5	1	1	2	4	6	8	8
35-49	27	4.1	10	1	1	3	5	9	11	12
50-64	55	4.2	20	< 1	2	3	5	8	11	25
65 +	78	6.1	32	1	2	5	9	14	17	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	4.6	11	1	2	4	6	9	9	17
20-34	61	6.0	31	2	3	5	8	11	16	33
35-49	377	6.6	43	2	3	5	8	13	18	34
50-64	1000	6.6	37	2	3	5	8	13	19	30
65 +	2128	6.9	28	2	3	6	9	13	17	28
B. Operated										
0-19 YRS	62	7.7	45	1	3	5	10	17	22	33
20-34	161	8.1	43	2	4	6	10	17	21	35
35-49	594	8.6	86	2	3	6	10	18	25	43
50-64	1566	9.9	85	2	4	7	12	21	27	48
65 +	2597	9.9	74	2	4	8	13	19	26	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	6.9	47	1	2	5	8	17	25	31
B. Operated	179	4.9	24	1	2	4	6	11	15	24
2. MULTIPLE DX										
A. Not Operated	3600	6.7	32	2	3	5	8	13	17	30
B. Operated	4980	9.7	78	2	4	8	12	19	26	47
1. SINGLE DX	232	5.3	30	1	2	4	6	12	16	28
2. MULTIPLE DX	8580	8.4	61	2	4	6	11	17	23	39
A. Not Operated	3653	6.7	32	2	3	5	8	13	17	30
B. Operated	5159	9.5	77	2	4	7	12	19	26	46
TOTAL										
0-19 YRS	107	6.2	33	1	2	5	8	14	19	31
20-34	235	7.3	40	2	3	6	9	14	20	34
35-49	1010	7.7	68	2	3	5	9	16	22	40
50-64	2632	8.5	69	2	3	6	11	17	25	41
65 +	4828	8.5	55	2	4	7	11	17	22	38
GRAND TOTAL	**8812**	**8.4**	**60**	**2**	**3**	**6**	**11**	**17**	**23**	**39**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49	3	10.7	177	2	2	4	20	26	26	26
50-64	2	4.5	13	2	2	4	7	7	7	7
65 +	2	7.0	72	1	1	7	13	13	13	13
B. Operated										
0-19 YRS	35	3.8	6	< 1	1	4	5	7	8	10
20-34	60	4.5	8	1	2	5	6	8	10	14
35-49	23	4.0	6	1	2	4	6	7	36	99 +
50-64	13	4.2	9	1	2	4	6	8	10	11
65 +	2	8.0	2	7	7	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.2	3	1	2	3	5	5	5	5
20-34	20	6.5	26	1	2	4	11	13	16	19
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	5	5.0	7	3	3	4	7	9	9	9
65 +	8	5.9	24	2	3	4	7	14	17	17
B. Operated										
0-19 YRS	23	6.1	10	2	3	6	7	12	12	12
20-34	56	7.7	91	2	4	6	8	11	20	67
35-49	34	6.4	32	1	2	5	9	15	18	24
50-64	32	7.1	44	1	3	5	8	18	23	28
65 +	22	12.4	103	2	5	8	24	30	31	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	5.2	51	1	1	2	5	16	24	26
B. Operated	133	4.2	7	1	2	4	6	7	10	28
2. MULTIPLE DX										
A. Not Operated	40	5.7	19	2	3	4	7	12	15	19
B. Operated	167	7.7	63	2	3	6	9	17	24	32
1. SINGLE DX	146	4.3	11	1	2	4	6	8	10	28
2. MULTIPLE DX	207	7.3	55	2	3	6	9	15	22	31
A. Not Operated	53	5.6	26	1	2	4	7	12	17	26
B. Operated	300	6.2	41	1	3	5	7	11	19	31
TOTAL										
0-19 YRS	65	4.5	8	1	2	5	6	7	11	12
20-34	140	6.0	46	1	2	5	7	11	13	27
35-49	62	5.7	28	1	2	5	7	13	20	90
50-64	52	6.0	32	1	3	5	7	12	21	28
65 +	34	10.3	81	2	4	7	13	25	30	32
GRAND TOTAL	**353**	**6.1**	**39**	**1**	**2**	**5**	**7**	**11**	**18**	**30**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	3.6	17	< 1	1	3	5	7	10	22
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	83	5.2	16	< 1	3	4	6	10	13	20
20-34	4	11.5	182	1	1	7	21	30	30	30
35-49	2	19.5	365	6	6	19	33	33	33	33
50-64	3	19.0	79	12	13	16	26	29	29	29
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	131	5.7	28	1	2	4	9	13	17	26
20-34	8	6.3	87	< 1	1	3	5	22	29	29
35-49	3	3.0	12	1	1	1	6	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65 +	12	3.8	10	1	2	3	4	10	11	11
B. Operated										
0-19 YRS	127	17.0	178	4	7	13	25	36	46	77
20-34	23	27.0	455	4	9	25	33	64	74	81
35-49	10	24.3	527	6	7	19	54	80	98	99 +
50-64	10	20.6	90	7	15	21	27	32	32	32
65 +	17	11.4	81	3	5	8	15	26	31	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	3.6	16	< 1	1	3	5	6	10	22
B. Operated	93	6.2	38	< 1	3	5	7	12	19	32
2. MULTIPLE DX										
A. Not Operated	155	5.5	29	1	2	4	8	12	16	29
B. Operated	187	18.3	228	4	7	14	26	38	50	92
1. SINGLE DX	125	5.5	33	< 1	2	4	6	12	18	31
2. MULTIPLE DX	342	12.5	178	1	3	8	18	30	39	72
A. Not Operated	187	5.2	27	1	2	3	6	12	15	27
B. Operated	280	14.3	197	2	4	9	22	32	44	78
TOTAL										
0-19 YRS	372	9.3	107	1	3	6	12	24	31	49
20-34	36	20.0	412	1	3	16	30	44	68	81
35-49	15	19.4	441	2	6	8	35	66	90	99 +
50-64	14	19.1	92	5	13	18	27	32	32	32
65 +	30	8.1	63	1	3	5	11	20	26	33
GRAND TOTAL	**467**	**10.7**	**149**	**1**	**3**	**6**	**13**	**27**	**33**	**70**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	4	2.8	4	1	1	3	4	5	5	5
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	0									
50-64	0									
65 +	5	4.2	7	1	2	3	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	3	5.3	9	2	3	6	7	8	8	8
50-64	14	8.6	40	2	3	7	16	17	17	17
65 +	45	6.0	15	2	3	5	9	11	13	16
B. Operated										
0-19 YRS	0									
20-34	2	7.5	25	4	4	7	11	11	11	11
35-49	4	5.0	8	3	3	4	7	9	9	9
50-64	20	8.4	34	3	4	6	12	18	19	20
65 +	42	8.4	23	3	5	7	12	15	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.3	6	1	1	3	5	7	7	7
B. Operated	9	4.2	7	1	2	3	7	8	9	9
2. MULTIPLE DX										
A. Not Operated	66	6.4	20	2	3	5	10	13	16	17
B. Operated	68	8.2	25	3	5	7	11	15	18	23
1. SINGLE DX	15	3.9	7	1	2	3	6	7	9	9
2. MULTIPLE DX	134	7.3	23	2	4	6	10	14	17	21
A. Not Operated	72	6.1	20	1	3	5	9	13	16	17
B. Operated	77	7.7	24	3	4	6	10	15	17	23
TOTAL										
0-19 YRS	6	3.0	4	< 1	2	2	3	7	7	7
20-34	6	6.3	9	3	4	5	9	11	11	11
35-49	7	5.1	7	2	3	5	7	9	9	9
50-64	34	8.5	36	2	4	6	14	17	19	20
65 +	96	6.8	20	2	3	6	10	13	15	20
GRAND TOTAL	**149**	**6.9**	**23**	**2**	**3**	**5**	**10**	**14**	**16**	**20**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65+	8	2.6	6	<1	<1	1	4	6	7	7
B. Operated										
0-19 YRS	18	10.9	117	<1	2	9	13	24	37	45
20-34	3	15.0	343	1	3	8	29	36	36	36
35-49	5	19.6	465	1	3	10	36	52	52	52
50-64	7	6.9	26	<1	2	6	10	14	15	15
65+	5	14.8	211	2	3	15	21	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	6.4	31	<1	2	5	9	14	17	25
20-34	14	7.9	56	1	1	4	13	21	21	21
35-49	16	16.6	342	3	6	9	20	35	63	75
50-64	21	6.9	37	1	3	6	9	14	22	26
65+	59	9.0	82	2	3	6	11	21	28	50
B. Operated										
0-19 YRS	32	27.2	453	3	8	25	44	57	70	72
20-34	33	29.0	403	7	14	27	36	61	78	81
35-49	31	27.4	379	5	9	28	37	60	66	67
50-64	54	30.5	171	12	25	31	41	47	50	98
65+	86	22.6	275	5	7	18	36	45	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.8	7	<1	1	3	5	7	9	10
B. Operated	38	12.2	164	<1	2	8	15	34	42	52
2. MULTIPLE DX										
A. Not Operated	154	8.6	92	1	3	6	11	18	26	51
B. Operated	236	26.5	311	5	10	28	37	50	64	99+
1. SINGLE DX	54	9.7	132	<1	2	6	11	26	38	52
2. MULTIPLE DX	390	19.5	301	2	5	13	31	45	56	81
A. Not Operated	170	8.2	86	1	3	5	10	18	25	49
B. Operated	274	24.6	315	4	9	25	37	48	62	95
TOTAL										
0-19 YRS	97	14.1	270	1	3	8	17	43	50	72
20-34	52	21.5	383	1	5	19	29	43	66	81
35-49	54	22.7	382	4	6	16	32	55	65	75
50-64	83	22.2	251	2	7	25	35	46	48	88
65+	158	16.3	236	2	5	10	30	40	48	97
GRAND TOTAL	**444**	**18.3**	**290**	**2**	**5**	**12**	**30**	**43**	**53**	**80**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	2.4	4	1	1	1	4	5	5	5
50-64	3	7.3	86	1	1	3	14	18	18	18
65+	4	1.0		<1	<1	<1	1	1	1	1
B. Operated										
0-19 YRS	4	2.8	2	1	2	3	4	4	4	4
20-34	1	38.0		38	38	38	38	38	38	38
35-49	9	14.2	165	1	3	7	26	32	34	34
50-64	7	11.4	225	1	1	3	25	34	35	35
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	7.5	160	1	1	3	9	17	42	48
20-34	9	8.0	74	<1	1	5	14	22	23	23
35-49	15	5.9	32	1	2	4	8	13	20	22
50-64	34	8.3	77	2	3	5	10	23	32	32
65+	64	6.0	32	1	2	4	8	12	21	25
B. Operated										
0-19 YRS	22	14.5	195	2	5	9	21	37	45	54
20-34	16	18.0	131	4	6	20	27	33	34	35
35-49	22	16.3	195	2	3	11	28	35	40	41
50-64	32	17.8	263	4	5	11	29	43	51	61
65+	42	12.2	160	2	4	7	13	35	38	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.7	17	<1	1	1	3	5	13	18
B. Operated	22	12.4	179	1	2	5	25	34	36	38
2. MULTIPLE DX										
A. Not Operated	135	6.8	57	1	2	4	9	14	23	35
B. Operated	134	15.3	193	2	5	9	26	36	42	55
1. SINGLE DX	39	8.2	130	1	1	3	8	30	35	38
2. MULTIPLE DX	269	11.0	142	1	3	6	13	30	36	51
A. Not Operated	152	6.4	54	1	2	4	8	14	22	32
B. Operated	156	14.9	191	2	4	8	26	35	41	54
TOTAL										
0-19 YRS	42	10.2	170	1	2	6	10	31	43	54
20-34	28	14.4	148	1	3	10	25	32	35	38
35-49	51	11.5	147	1	2	5	22	30	34	41
50-64	76	12.6	184	1	3	8	16	32	42	59
65+	111	8.2	89	1	2	5	10	22	34	43
GRAND TOTAL	**308**	**10.7**	**141**	**1**	**3**	**6**	**13**	**30**	**36**	**50**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	14	4.3	44	< 1	1	3	3	11	23	26
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	9	3.6	5	1	2	3	5	7	8	8
50-64	27	4.9	14	1	3	4	7	10	14	15
65 +	29	4.3	11	1	2	4	6	10	11	11
B. Operated										
0-19 YRS	44	4.3	8	1	2	4	6	8	9	13
20-34	20	4.0	5	1	3	4	5	7	9	10
35-49	55	5.1	17	1	2	4	7	11	12	23
50-64	94	5.3	26	1	2	4	7	10	15	29
65 +	117	4.7	30	1	1	3	5	10	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.4	10	1	2	3	8	9	10	11
20-34	24	4.4	37	1	1	2	4	10	21	27
35-49	63	6.1	30	1	2	4	8	16	19	22
50-64	161	6.8	29	1	3	6	9	14	17	27
65 +	302	8.4	39	3	4	7	11	18	21	28
B. Operated										
0-19 YRS	44	13.9	159	3	6	10	15	29	45	53
20-34	44	12.6	154	2	3	9	16	34	41	49
35-49	131	12.0	147	2	5	8	15	25	33	62
50-64	258	12.1	134	2	5	9	15	25	34	64
65 +	617	11.3	86	3	5	9	14	23	31	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.4	16	1	1	3	5	9	11	22
B. Operated	330	4.8	22	1	2	4	6	10	12	23
2. MULTIPLE DX										
A. Not Operated	580	7.4	35	2	3	6	9	16	19	27
B. Operated	1094	11.7	110	3	5	9	15	24	33	53
1. SINGLE DX	412	4.7	21	1	2	4	6	9	12	23
2. MULTIPLE DX	1674	10.2	88	2	4	8	13	21	28	49
A. Not Operated	662	7.0	34	1	3	5	9	16	19	27
B. Operated	1424	10.1	98	2	4	7	12	22	30	50
TOTAL										
0-19 YRS	132	7.5	82	1	2	5	9	14	26	53
20-34	91	8.2	103	1	2	4	10	21	33	46
35-49	258	8.8	96	2	3	6	11	20	25	57
50-64	540	9.0	87	1	3	7	11	18	26	44
65 +	1065	9.6	70	2	4	7	12	20	26	42
GRAND TOTAL	**2086**	**9.1**	**80**	**2**	**3**	**7**	**11**	**19**	**26**	**44**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	2.2	3	1	1	2	3	5	5	5
20-34	81	1.7	1	1	1	2	2	3	4	5
35-49	129	1.7	1	1	1	2	2	3	3	5
50-64	95	1.7	1	1	1	2	2	3	3	4
65 +	84	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated										
0-19 YRS	8	2.5	3	1	1	2	4	5	6	6
20-34	20	1.7	1	1	1	1	2	3	4	5
35-49	48	2.0	2	1	1	2	2	3	4	8
50-64	68	2.1	4	1	1	2	3	4	5	13
65 +	111	2.4	4	1	1	2	3	4	5	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	399	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	4	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated	255	2.2	3	1	1	2	3	4	5	10
1. SINGLE DX	400	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	259	2.2	3	1	1	2	3	4	5	10
A. Not Operated	5	1.8	1	< 1	1	1	3	3	3	3
B. Operated	654	1.9	2	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	18	2.3	3	1	1	2	3	5	6	6
20-34	101	1.7	1	1	1	1	2	3	4	5
35-49	180	1.8	1	1	1	2	2	3	4	6
50-64	163	1.9	2	1	1	2	2	3	4	6
65 +	197	2.2	3	1	1	2	3	3	4	10
GRAND TOTAL	**659**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	0									
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	5	1.4		< 1	< 1	< 1	2	2	2	2
B. Operated										
0-19 YRS	9	3.9	9	1	1	3	6	8	9	9
20-34	30	5.1	9	< 1	3	5	8	9	9	10
35-49	44	3.6	10	< 1	< 1	1	6	8	9	10
50-64	77	2.9	7	< 1	< 1	1	5	7	8	10
65 +	80	4.1	13	< 1	< 1	2	7	9	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	2.8	12	< 1	< 1	1	5	8	8	8
20-34	0									
35-49	3	6.0	31	< 1	1	5	10	12	12	12
50-64	14	3.3	4	1	1	3	5	6	6	6
65 +	26	4.8	28	1	2	3	6	11	20	21
B. Operated										
0-19 YRS	10	8.7	43	2	5	7	9	19	24	24
20-34	24	6.5	13	2	4	6	9	11	12	15
35-49	58	6.4	25	1	3	6	8	13	17	26
50-64	181	6.3	26	< 1	2	6	9	12	15	26
65 +	440	7.2	43	< 1	2	7	9	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.8	2	< 1	< 1	1	2	4	4	4
B. Operated	240	3.7	10	< 1	< 1	2	6	9	9	10
2. MULTIPLE DX										
A. Not Operated	47	4.3	19	< 1	1	3	6	8	13	21
B. Operated	713	6.9	36	< 1	2	6	9	13	16	34
1. SINGLE DX	250	3.7	10	< 1	< 1	2	6	8	9	10
2. MULTIPLE DX	760	6.7	36	< 1	2	6	9	12	16	33
A. Not Operated	57	3.8	17	< 1	1	2	5	7	12	21
B. Operated	953	6.1	32	< 1	1	6	8	11	15	27
TOTAL										
0-19 YRS	24	5.7	28	1	1	5	8	10	18	24
20-34	56	5.5	11	< 1	3	5	8	10	11	15
35-49	105	5.2	20	< 1	1	5	7	10	14	23
50-64	274	5.2	22	< 1	1	5	7	10	13	[illegible]
65 +	551	6.6	39	< 1	2	6	9	12	16	[illegible]
GRAND TOTAL	**1010**	**6.0**	**31**	**< 1**	**1**	**5**	**8**	**11**	**15**	[illegible]

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	2.1	5	< 1	< 1	< 1	1	6	7	10
20-34	15	2.9	7	1	1	2	4	6	9	10
35-49	30	3.3	5	< 1	1	3	5	6	7	9
50-64	30	3.5	6	< 1	1	3	5	7	8	9
65 +	14	4.0	8	1	1	4	7	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	7	5.6	70	< 1	< 1	2	5	20	24	24
20-34	12	5.0	6	1	4	5	6	8	9	9
35-49	29	6.3	51	1	3	5	7	11	15	39
50-64	33	6.4	86	1	3	5	7	9	11	56
65 +	46	8.5	45	2	4	7	11	19	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	133	3.0	6	< 1	< 1	2	5	7	8	10
2. MULTIPLE DX										
A. Not Operated	3	3.0	3	< 1	1	4	4	4	4	4
B. Operated	127	7.0	55	1	3	5	8	13	20	43
1. SINGLE DX	135	2.9	6	< 1	< 1	1	5	7	8	10
2. MULTIPLE DX	130	6.9	54	1	3	5	8	12	20	42
A. Not Operated	5	2.2	3	< 1	< 1	1	4	4	4	4
B. Operated	260	4.9	34	< 1	1	4	6	9	12	34
TOTAL										
0-19 YRS	54	2.5	13	< 1	< 1	< 1	2	6	7	23
20-34	28	3.9	7	1	1	4	5	8	9	10
35-49	59	4.8	29	1	1	4	6	8	11	37
50-64	63	5.0	50	1	1	4	6	8	9	50
65 +	61	7.4	40	1	2	6	9	14	20	34
GRAND TOTAL	**265**	**4.9**	**33**	**< 1**	**1**	**4**	**6**	**9**	**12**	**33**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	10.0	50	5	5	10	15	15	15	15
B. Operated										
0-19 YRS	186	1.8	2	< 1	1	1	2	4	5	8
20-34	134	2.0	2	< 1	1	2	2	4	5	7
35-49	137	2.0	3	< 1	1	1	2	4	6	10
50-64	91	2.5	6	< 1	1	2	3	6	9	13
65 +	69	2.4	4	< 1	1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	64	3.6	11	1	1	2	5	9	11	12
20-34	65	3.1	9	1	1	2	3	7	11	15
35-49	89	3.2	13	< 1	1	2	4	7	9	21
50-64	85	3.9	21	< 1	1	3	5	8	12	26
65 +	97	4.3	13	1	1	3	6	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.3	21	< 1	1	1	3	11	15	15
B. Operated	617	2.0	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	4	2.5	4	< 1	< 1	2	4	5	5	5
B. Operated	400	3.7	14	1	1	2	4	8	11	17
1. SINGLE DX	626	2.0	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX	404	3.6	14	1	1	2	4	8	11	17
A. Not Operated	13	3.1	15	< 1	1	1	4	7	14	15
B. Operated	1017	2.7	8	< 1	1	2	3	6	8	15
TOTAL										
0-19 YRS	255	2.2	5	< 1	1	1	2	5	7	11
20-34	200	2.3	4	< 1	1	2	3	4	6	12
35-49	229	2.5	7	< 1	1	2	3	5	7	14
50-64	177	3.1	13	< 1	1	2	4	7	9	20
65 +	169	3.6	11	1	1	2	5	8	10	15
GRAND TOTAL	**1030**	**2.7**	**8**	**< 1**	**1**	**2**	**3**	**6**	**8**	**15**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	2.1	1	< 1	1	2	3	4	4	4
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	224	1.9	5	< 1	< 1	1	1	4	7	13
20-34	43	2.2	3	< 1	1	2	3	5	5	9
35-49	33	2.7	6	< 1	1	2	4	6	8	11
50-64	24	2.7	7	1	1	2	3	6	9	11
65 +	19	2.3	3	< 1	< 1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.4	10	1	2	3	4	7	12	13
20-34	4	4.0	12	1	2	3	6	9	9	9
35-49	5	3.4	4	1	2	4	5	6	6	6
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	12	5.2	14	2	3	5	5	9	15	16
B. Operated										
0-19 YRS	81	4.1	49	< 1	1	1	4	10	14	43
20-34	24	6.2	137	< 1	1	3	6	10	26	59
35-49	33	4.0	8	1	2	3	6	8	10	12
50-64	34	4.9	8	1	3	5	7	8	9	12
65 +	37	8.1	98	1	2	5	10	18	31	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.0	1	< 1	1	2	2	3	4	4
B. Operated	343	2.1	5	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX										
A. Not Operated	36	4.0	10	1	2	3	5	6	12	16
B. Operated	209	5.2	56	< 1	1	3	7	10	13	50
1. SINGLE DX	353	2.1	5	< 1	< 1	1	2	5	7	11
2. MULTIPLE DX	245	5.0	49	1	1	3	6	10	12	49
A. Not Operated	46	3.6	9	1	2	3	5	6	10	16
B. Operated	552	3.2	26	< 1	1	1	4	8	10	23
TOTAL										
0-19 YRS	327	2.5	17	< 1	< 1	1	2	6	9	18
20-34	71	3.7	51	< 1	1	2	4	7	10	49
35-49	71	3.4	7	1	1	2	5	7	9	12
50-64	61	3.9	9	1	1	3	6	8	9	12
65 +	68	5.9	62	< 1	1	4	7	11	19	46
GRAND TOTAL	**598**	**3.3**	**25**	**< 1**	**1**	**1**	**4**	**8**	**10**	**22**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	1.4	1	< 1	< 1	1	2	3	3	3
20-34	18	1.1		< 1	< 1	< 1	< 1	1	2	2
35-49	31	1.2		< 1	< 1	< 1	1	2	3	3
50-64	13	1.3	1	< 1	< 1	< 1	1	2	4	4
65 +	7	1.6	1	< 1	< 1	< 1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	7	2.9	2	< 1	1	3	4	5	5	5
35-49	21	2.1	1	< 1	1	2	3	4	4	5
50-64	17	2.3	3	< 1	1	1	4	5	6	6
65 +	16	1.8	1	< 1	1	2	2	3	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	77	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	62	2.2	2	< 1	1	2	3	4	5	6
1. SINGLE DX	77	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX	62	2.2	2	< 1	1	2	3	4	5	6
A. Not Operated	0									
B. Operated	139	1.7	1	< 1	< 1	1	2	3	4	5
TOTAL										
0-19 YRS	9	1.3	1	< 1	< 1	1	1	3	3	3
20-34	25	1.6	1	< 1	< 1	< 1	1	3	4	5
35-49	52	1.6	1	< 1	< 1	1	2	3	3	5
50-64	30	1.9	2	< 1	< 1	1	2	4	5	6
65 +	23	1.7	1	< 1	< 1	1	2	3	4	4
GRAND TOTAL	139	1.7	1	< 1	< 1	1	2	3	4	5

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.8	2	1	1	1	3	4	4	4
35-49	9	1.8	2	< 1	1	1	2	4	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	193	3.7	1	3	3	4	4	5	6	7
35-49	654	3.8	1	3	3	4	4	5	5	6
50-64	97	3.8	1	3	3	4	4	5	6	7
65 +	6	4.2	1	2	4	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	16	2.8	4	< 1	1	2	5	6	6	6
35-49	54	2.0	2	< 1	< 1	1	3	5	5	5
50-64	7	4.6	21	< 1	1	3	8	12	12	12
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
0-19 YRS	5	3.0	2	1	3	3	4	90	99 +	99 +
20-34	850	4.0	4	3	3	4	4	5	6	9
35-49	5722	4.1	2	3	3	4	5	5	6	9
50-64	1017	4.3	2	3	4	4	5	6	7	9
65 +	125	5.4	12	3	4	5	6	8	10	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.8	2	1	1	1	2	4	5	5
B. Operated	951	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	79	2.4	4	< 1	< 1	1	4	5	6	11
B. Operated	7719	4.2	2	3	3	4	5	5	6	9
1. SINGLE DX	966	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX	7798	4.2	3	3	3	4	5	5	6	9
A. Not Operated	94	2.3	4	< 1	< 1	1	3	5	5	11
B. Operated	8670	4.1	2	3	3	4	5	5	6	9
TOTAL										
0-19 YRS	7	2.9	2	1	2	3	4	71	99 +	99 +
20-34	1063	3.9	4	3	3	4	4	5	6	9
35-49	6439	4.1	2	3	3	4	5	5	6	9
50-64	1122	4.3	2	3	4	4	5	6	7	9
65 +	133	5.3	11	3	4	5	6	8	10	26
GRAND TOTAL	8764	4.1	2	3	3	4	5	5	6	9

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	7	2.9	1	1	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	13	3.5	2	2	3	3	4	5	6	6
35-49	96	4.1	2	3	3	4	5	6	7	10
50-64	17	3.9	1	2	3	4	4	5	5	5
65 +	3	5.0	1	4	4	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	3.3	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	3	2.7	4	< 1	< 1	2	4	5	5	5
B. Operated	129	4.0	2	3	3	4	5	6	6	9
1. SINGLE DX	11	3.3	2	1	2	3	4	5	6	6
2. MULTIPLE DX	132	4.0	2	2	3	4	5	6	6	9
A. Not Operated	3	2.7	4	< 1	< 1	2	4	5	5	5
B. Operated	140	4.0	2	2	3	4	4	6	6	9
TOTAL										
0-19 YRS	0									
20-34	17	3.5	2	2	3	3	4	6	6	6
35-49	105	4.0	2	2	3	4	4	6	7	9
50-64	18	3.9	1	2	4	4	4	5	5	5
65 +	3	5.0	1	4	4	5	6	6	6	6
GRAND TOTAL	143	3.9	2	2	3	4	4	5	6	9

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	75	3.6	2	2	3	3	4	5	7	9
20-34	266	3.3	1	2	3	3	4	4	5	6
35-49	107	3.5	1	3	3	3	4	5	5	6
50-64	66	4.2	2	3	3	4	5	6	6	11
65 +	34	4.8	2	3	4	4	6	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.0		< 1	< 1	< 1	1	1	1	1
35-49	2	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	62	3.7	2	2	3	3	4	5	6	11
20-34	394	3.8	1	3	3	4	4	5	6	8
35-49	401	4.3	3	3	3	4	5	6	7	11
50-64	251	5.4	7	3	4	5	6	8	10	15
65 +	241	6.3	11	4	4	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0		3	3	3	3	3	3	3
B. Operated	548	3.6	1	2	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	8	2.6	3	< 1	< 1	2	4	5	5	5
B. Operated	1349	4.7	5	3	3	4	5	7	9	14
1. SINGLE DX	550	3.6	1	2	3	3	4	5	5	7
2. MULTIPLE DX	1357	4.7	5	3	3	4	5	7	9	14
A. Not Operated	10	2.7	2	< 1	1	3	4	5	5	5
B. Operated	1897	4.4	4	3	3	4	5	6	8	12
TOTAL										
0-19 YRS	137	3.6	2	2	3	3	4	5	6	9
20-34	666	3.6	1	3	3	3	4	5	5	8
35-49	510	4.1	2	3	3	4	5	6	7	10
50-64	317	5.1	6	3	4	5	6	8	9	13
65 +	277	6.1	10	4	4	5	7	9	12	21
GRAND TOTAL	1907	4.4	4	3	3	4	5	6	8	12

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	9	2.4	1	1	2	3	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	4.0	2	2	3	4	5	6	6	6
35-49	24	3.8	1	3	3	4	4	5	5	5
50-64	10	4.5	1	3	4	4	5	6	6	6
65 +	5	3.8	1	2	3	4	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	16	2.7	1	1	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	46	4.0	1	3	4	4	4	5	6	6
1. SINGLE DX	17	2.6	1	1	2	3	3	4	4	4
2. MULTIPLE DX	48	3.9	1	2	3	4	4	5	6	6
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	62	3.7	1	2	3	4	4	5	6	6
TOTAL										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	18	2.9	2	1	2	3	4	5	6	6
35-49	25	3.8	1	3	3	4	4	5	5	5
50-64	12	4.1	2	2	3	4	5	6	6	6
65 +	6	3.7	1	2	3	4	4	5	5	5
GRAND TOTAL	65	3.6	1	2	3	4	4	5	6	6

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		< 1	< 1	1	2	2	2	2
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	3	7.0	43	1	2	6	12	14	14	14
65 +	2	1.5	1	< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	4.3	33	1	1	1	9	11	11	11
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	5	2.0	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	12	2.7	15	< 1	< 1	1	2	8	13	14
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	11	2.5	9	1	1	2	2	7	11	11
1. SINGLE DX	12	2.7	15	< 1	< 1	1	2	8	13	14
2. MULTIPLE DX	11	2.5	9	1	1	2	2	7	11	11
A. Not Operated	0									
B. Operated	23	2.6	11	< 1	1	1	2	7	12	14
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.8	16	< 1	1	1	2	10	11	11
35-49	5	1.4		< 1	1	1	2	2	2	2
50-64	4	5.5	38	1	1	4	10	14	14	14
65 +	7	1.9	1	< 1	1	2	2	4	4	4
GRAND TOTAL	23	2.6	11	< 1	1	1	2	7	12	14

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	3.8	11	< 1	1	2	7	8	8	8
50-64	14	2.8	6	1	1	2	2	6	9	10
65 +	8	2.0	4	< 1	< 1	1	2	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	3	5.0	12	1	2	7	7	7	7	7
20-34	4	5.3	4	4	4	5	6	8	8	8
35-49	5	3.6	9	< 1	1	3	6	8	8	8
50-64	21	9.3	348	1	2	5	7	16	52	88
65 +	50	5.4	34	1	1	4	8	11	15	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	33	2.8	7	< 1	1	2	3	7	8	10
2. MULTIPLE DX										
A. Not Operated	3	3.0	3	< 1	1	4	4	4	4	4
B. Operated	83	6.3	110	1	1	4	7	11	15	70
1. SINGLE DX	33	2.8	7	< 1	1	2	3	7	8	10
2. MULTIPLE DX	86	6.1	106	1	1	4	7	11	15	69
A. Not Operated	3	3.0	3	< 1	1	4	4	4	4	4
B. Operated	116	5.3	82	1	1	3	7	9	13	53
TOTAL										
0-19 YRS	5	3.4	11	1	1	1	7	7	7	7
20-34	6	4.8	3	4	4	4	5	8	8	8
35-49	13	3.7	9	< 1	1	3	7	8	8	8
50-64	36	6.6	212	1	2	3	6	10	19	88
65 +	59	4.9	31	< 1	1	3	7	11	14	33
GRAND TOTAL	**119**	**5.2**	**81**	**1**	**1**	**3**	**7**	**9**	**13**	**51**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	12	1.5	1	< 1	< 1	< 1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	2	3.5	13	< 1	< 1	3	6	6	6	6
1. SINGLE DX	13	1.6	1	< 1	< 1	< 1	2	3	4	4
2. MULTIPLE DX	3	3.0	7	< 1	< 1	2	5	6	6	6
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	14	1.8	2	< 1	< 1	< 1	2	4	6	6
TOTAL										
0-19 YRS	9	1.2		< 1	< 1	< 1	< 1	2	3	3
20-34	0									
35-49	4	3.3	4	2	2	3	4	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.5	5	< 1	< 1	2	4	4	4	4
GRAND TOTAL	**16**	**1.9**	**2**	**< 1**	**< 1**	**< 1**	**2**	**4**	**5**	**6**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	3	1.3		1	1	1	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	7	6.0	25	1	1	7	9	13	14	14
20-34	29	7.0	11	3	5	6	9	12	14	14
35-49	51	6.7	10	3	5	6	8	11	13	16
50-64	55	7.2	13	3	5	7	9	12	14	19
65 +	40	8.5	18	3	6	8	11	13	14	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	4.8	31	1	1	2	8	14	14	14
35-49	9	3.9	8	1	2	3	5	9	10	10
50-64	9	3.1	3	1	2	3	4	6	7	7
65 +	48	5.2	7	2	3	5	7	10	11	11
B. Operated										
0-19 YRS	17	13.2	296	4	5	8	14	22	57	76
20-34	20	8.3	21	4	6	7	9	13	19	24
35-49	70	9.9	31	4	7	9	11	17	20	30
50-64	97	11.5	67	4	6	9	14	25	28	39
65 +	132	13.9	140	4	7	11	17	24	33	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	3	1	1	2	3	5	6	6
B. Operated	182	7.3	13	3	5	7	9	12	14	18
2. MULTIPLE DX										
A. Not Operated	71	4.8	8	1	3	4	6	9	11	13
B. Operated	336	12.0	99	4	6	9	14	22	29	52
1. SINGLE DX	189	7.1	14	2	5	7	9	12	14	18
2. MULTIPLE DX	407	10.7	91	3	5	8	13	21	27	45
A. Not Operated	78	4.6	8	1	2	4	6	9	11	13
B. Operated	518	10.3	74	4	6	8	12	20	25	40
TOTAL										
0-19 YRS	25	10.8	217	1	4	7	12	21	35	76
20-34	54	7.2	17	3	5	7	9	12	14	24
35-49	133	8.1	25	3	5	7	10	14	18	28
50-64	162	9.5	51	3	5	8	11	19	26	38
65 +	222	10.9	102	3	5	9	13	22	27	54
GRAND TOTAL	596	9.6	69	3	5	8	11	18	24	39

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	34	1.8		1	1	2	2	2	3	3
20-34	130	1.9	1	1	1	2	2	3	3	4
35-49	200	1.8	1	1	1	2	2	3	3	4
50-64	97	1.9	1	1	1	2	2	3	3	4
65 +	61	2.0	1	1	2	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	7.0	18	4	4	7	10	10	10	10
B. Operated										
0-19 YRS	6	3.5	10	2	2	2	3	9	10	10
20-34	45	2.3	1	1	2	2	3	3	4	6
35-49	124	2.0	1	1	1	2	3	3	3	5
50-64	93	2.5	5	1	2	2	3	3	4	15
65 +	87	3.0	3	2	2	2	3	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7		1	1	2	2	2	2	2
B. Operated	522	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	5	3.8	13	1	2	2	5	10	10	10
B. Operated	355	2.4	3	1	2	2	3	3	5	8
1. SINGLE DX	529	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	360	2.5	3	1	2	2	3	4	5	10
A. Not Operated	12	2.6	6	1	1	2	2	6	9	10
B. Operated	877	2.1	2	1	1	2	2	3	4	6
TOTAL										
0-19 YRS	41	2.0	2	1	1	2	2	3	3	10
20-34	178	2.0	1	1	1	2	2	3	4	4
35-49	327	1.9	1	1	1	2	2	3	3	4
50-64	193	2.2	3	1	1	2	3	3	4	5
65 +	150	2.6	3	1	2	2	3	4	6	10
GRAND TOTAL	889	2.1	2	1	1	2	2	3	4	6

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	4	3.8	5	2	2	3	5	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	4	4.0	3	2	2	4	5	6	6	6
20-34	19	5.5	8	2	4	5	7	9	11	12
35-49	40	5.7	16	2	3	5	7	9	16	19
50-64	26	5.2	16	2	2	5	6	12	15	17
65 +	28	3.6	7	1	2	3	5	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	13	5.4	18	< 1	1	6	8	11	14	15
50-64	5	3.8	11	1	2	2	6	9	9	9
65 +	6	6.5	7	4	5	6	8	11	11	11
B. Operated										
0-19 YRS	10	6.6	12	2	5	6	8	11	14	14
20-34	40	5.5	13	2	3	5	6	11	14	17
35-49	99	4.5	7	2	3	4	6	8	10	13
50-64	126	4.5	11	2	2	3	6	9	11	17
65 +	139	6.3	79	2	2	3	6	12	19	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.7	3	2	3	3	5	7	7	7
B. Operated	117	5.0	12	1	2	5	6	9	12	18
2. MULTIPLE DX										
A. Not Operated	25	5.3	13	1	2	5	8	10	12	15
B. Operated	414	5.2	34	2	2	4	6	10	13	26
1. SINGLE DX	124	4.9	12	1	2	5	6	9	12	18
2. MULTIPLE DX	439	5.3	32	2	2	4	6	10	13	23
A. Not Operated	32	4.9	11	1	2	4	7	9	11	15
B. Operated	531	5.2	29	2	2	4	6	10	12	21
TOTAL										
0-19 YRS	15	5.7	10	2	4	5	7	9	13	14
20-34	61	5.4	11	2	3	5	6	10	13	17
35-49	156	4.8	10	2	3	4	6	8	11	18
50-64	158	4.6	12	2	2	3	6	9	11	17
65 +	173	5.9	66	2	2	3	6	11	18	53
GRAND TOTAL	563	5.2	28	2	2	4	6	10	12	21

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	130	2.9	1	1	2	3	4	4	4	5
35-49	85	3.3	1	1	3	3	4	5	5	6
50-64	24	3.5	2	1	3	4	5	5	5	5
65 +	4	4.3	3	2	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	231	3.6	4	2	3	3	4	5	6	9
35-49	281	3.8	2	3	3	4	4	5	6	8
50-64	69	4.1	2	3	3	4	5	6	7	9
65 +	54	5.1	20	1	3	4	5	7	15	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	243	3.1	1	1	3	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	4	1.5	1	< 1	< 1	< 1	2	3	3	3
B. Operated	636	3.8	4	2	3	4	4	5	6	10
1. SINGLE DX	245	3.1	1	1	2	3	4	5	5	6
2. MULTIPLE DX	640	3.8	4	2	3	4	4	5	6	10
A. Not Operated	6	1.3	1	< 1	< 1	< 1	1	3	3	3
B. Operated	879	3.6	4	2	3	3	4	5	6	9
TOTAL										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	364	3.3	3	1	3	3	4	5	5	7
35-49	367	3.6	2	2	3	4	4	5	6	8
50-64	94	3.9	2	2	3	4	5	5	6	8
65 +	59	5.0	19	2	3	4	5	7	14	29
GRAND TOTAL	885	3.6	4	2	3	3	4	5	6	9

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	11	2.4	3	1	1	1	4	5	5	5
35-49	75	2.9	2	1	2	3	4	5	5	8
50-64	85	3.1	3	1	2	3	4	5	6	8
65 +	101	2.9	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	0									
35-49	0									
50-64	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	11	4.0	8	1	2	3	5	9	9	9
35-49	81	3.6	5	1	2	3	4	6	8	13
50-64	160	4.3	9	1	2	3	5	9	10	15
65 +	280	6.0	39	1	3	4	7	12	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	272	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	6	3.0	8	< 1	< 1	1	5	8	8	8
B. Operated	533	5.1	25	1	2	4	6	10	13	22
1. SINGLE DX	273	2.9	3	1	2	3	4	5	6	8
2. MULTIPLE DX	539	5.1	25	1	2	4	6	10	13	22
A. Not Operated	7	2.9	7	< 1	< 1	2	4	7	8	8
B. Operated	805	4.4	19	1	2	3	5	9	12	21
TOTAL										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	22	3.2	6	1	1	3	4	6	9	9
35-49	156	3.3	4	1	2	3	4	5	6	12
50-64	249	3.9	7	1	2	3	5	8	9	15
65 +	382	5.1	32	1	2	4	6	11	14	25
GRAND TOTAL	812	4.3	19	1	2	3	5	8	12	21

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.1	5	< 1	1	1	2	4	8	11
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	8	3.6	16	1	2	2	4	11	13	13
50-64	16	2.3	7	< 1	< 1	1	2	8	9	10
65 +	8	4.9	29	< 1	1	3	6	14	17	17
B. Operated										
0-19 YRS	61	2.9	8	< 1	1	1	5	7	9	14
20-34	78	3.3	7	1	1	3	4	7	8	15
35-49	86	3.3	11	1	1	2	4	7	8	20
50-64	78	3.6	9	1	1	2	6	8	9	11
65 +	78	4.1	14	1	1	3	6	9	12	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	40	2.3	11	< 1	< 1	1	2	5	12	15
20-34	14	3.9	13	< 1	2	2	5	9	13	14
35-49	44	3.5	5	< 1	1	3	5	7	8	9
50-64	50	3.0	5	< 1	1	2	5	6	8	10
65 +	134	4.9	14	1	2	4	7	11	12	15
B. Operated										
0-19 YRS	62	7.5	86	1	2	5	9	16	20	52
20-34	85	4.8	22	1	3	4	6	8	11	31
35-49	140	5.3	32	1	3	4	6	10	13	26
50-64	165	5.9	21	1	3	5	8	10	15	27
65 +	354	7.5	59	1	3	6	9	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	2.8	11	< 1	1	1	3	7	11	17
B. Operated	381	3.5	10	1	1	2	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	282	3.9	11	< 1	1	3	5	9	11	15
B. Operated	806	6.5	46	1	3	5	8	12	17	38
1. SINGLE DX	440	3.4	10	1	1	2	5	8	9	15
2. MULTIPLE DX	1088	5.8	38	1	2	4	8	11	15	31
A. Not Operated	341	3.7	11	< 1	1	2	5	9	11	15
B. Operated	1187	5.5	36	1	2	4	7	11	15	27
TOTAL										
0-19 YRS	185	4.2	40	< 1	1	2	5	10	15	38
20-34	182	4.0	15	1	2	3	5	8	9	16
35-49	278	4.3	21	1	2	4	5	8	11	21
50-64	309	4.7	16	1	1	4	7	9	12	24
65 +	574	6.4	44	1	2	5	9	12	17	31
GRAND TOTAL	1528	5.1	31	1	2	4	7	10	14	25

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	3	2.7		2	2	3	3	3	3	3
B. Operated										
0-19 YRS	11	1.5		1	1	2	2	2	2	2
20-34	98	1.9	1	1	1	2	2	3	3	4
35-49	177	2.1	1	1	1	2	3	3	4	4
50-64	123	2.1	1	1	2	2	3	3	4	5
65 +	64	2.7	4	1	2	2	3	4	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	< 1	< 1	2	3	4	4	4
50-64	3	1.3		< 1	< 1	1	2	2	2	2
65 +	4	4.5	27	< 1	< 1	2	8	12	12	12
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	33	2.3	1	1	2	2	3	4	4	5
35-49	87	2.4	2	1	1	2	3	4	6	8
50-64	112	2.9	4	1	2	3	4	4	6	11
65 +	103	3.5	12	1	2	2	4	6	10	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.3		2	2	2	3	3	3	3
B. Operated	473	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	13	2.6	9	< 1	< 1	2	3	6	11	12
B. Operated	336	2.9	6	1	2	2	3	5	7	13
1. SINGLE DX	480	2.1	1	1	2	2	3	3	4	6
2. MULTIPLE DX	349	2.9	6	1	2	2	3	5	7	13
A. Not Operated	20	2.5	6	< 1	1	2	3	4	8	12
B. Operated	809	2.4	3	1	2	2	3	4	5	10
TOTAL										
0-19 YRS	13	1.6		< 1	1	2	2	3	3	3
20-34	134	2.0	1	1	2	2	2	3	3	4
35-49	269	2.2	1	1	1	2	3	3	4	7
50-64	239	2.5	2	1	2	2	3	4	5	9
65 +	174	3.2	9	1	2	2	3	6	9	18
GRAND TOTAL	**829**	**2.4**	**3**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	2.4	2	< 1	1	2	3	4	6	6
35-49	13	2.8	7	1	1	2	3	8	9	9
50-64	8	2.9	5	1	2	2	3	7	8	8
65 +	5	3.8	5	2	2	3	5	7	7	7
B. Operated										
0-19 YRS	10	2.3	1	1	2	2	3	4	5	5
20-34	78	2.4	1	1	2	2	3	4	5	6
35-49	96	2.1	1	1	1	2	3	3	4	6
50-64	46	2.6	2	1	2	2	3	4	5	8
65 +	21	2.7	2	1	1	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	3.7	11	1	1	3	5	8	12	13
20-34	34	3.2	8	1	1	2	4	7	9	13
35-49	47	4.9	27	1	2	3	6	8	21	25
50-64	61	5.0	12	2	2	4	6	11	12	17
65 +	121	6.7	16	3	4	6	9	13	14	18
B. Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	35	3.9	8	2	2	3	5	9	10	10
35-49	55	3.1	6	1	2	3	4	5	6	16
50-64	54	3.6	10	1	2	2	4	7	9	20
65 +	62	6.2	46	2	2	3	6	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.8	4	1	2	2	3	7	8	9
B. Operated	251	2.3	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	275	5.5	17	1	3	4	7	11	14	21
B. Operated	210	4.3	20	1	2	3	4	9	15	25
1. SINGLE DX	289	2.4	2	1	2	2	3	4	5	8
2. MULTIPLE DX	485	4.9	19	1	2	4	6	10	14	22
A. Not Operated	313	5.1	16	1	2	4	7	11	13	20
B. Operated	461	3.2	11	1	2	2	3	6	8	20
TOTAL										
0-19 YRS	27	3.0	6	1	2	2	4	5	7	13
20-34	158	2.9	4	1	2	2	3	6	8	10
35-49	211	3.0	9	1	2	2	3	5	7	22
50-64	169	3.8	9	1	2	3	4	8	10	16
65 +	209	6.1	25	2	3	5	8	13	16	25
GRAND TOTAL	**774**	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**12**	**20**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	88	3.7	4	2	3	3	5	6	7	10
20-34	17	3.6	3	2	2	3	5	6	7	7
35-49	15	3.3	17	< 1	1	3	3	3	14	18
50-64	11	4.6	35	2	2	2	4	12	21	22
65 +	9	3.1	5	< 1	1	3	5	7	7	7
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	10	< 1	< 1	2	6	7	7	7
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	6	4.8	6	1	4	5	7	8	8	8
65 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	66	3.7	4	1	3	4	5	6	6	12
20-34	37	2.9	2	1	2	3	4	5	5	7
35-49	55	3.2	4	1	2	3	4	6	7	10
50-64	76	3.6	5	1	2	3	4	7	8	11
65 +	61	5.3	12	2	3	4	7	9	13	19
B. Operated										
0-19 YRS	0									
20-34	5	4.2	17	1	1	2	8	10	10	10
35-49	9	5.7	13	1	3	5	10	10	10	10
50-64	10	8.4	44	1	2	7	14	18	20	20
65 +	11	7.8	11	4	5	8	10	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	140	3.7	7	1	2	3	4	6	7	18
B. Operated	14	4.6	12	1	1	4	7	8	12	13
2. MULTIPLE DX										
A. Not Operated	295	3.8	6	1	2	3	5	7	8	13
B. Operated	35	6.9	22	1	3	6	10	14	16	20
1. SINGLE DX	154	3.8	8	1	2	3	4	7	7	18
2. MULTIPLE DX	330	4.1	9	1	2	3	5	8	10	15
A. Not Operated	435	3.8	7	1	2	3	5	7	8	14
B. Operated	49	6.2	20	1	2	5	10	12	14	20
TOTAL										
0-19 YRS	155	3.7	4	1	3	4	5	6	7	11
20-34	62	3.2	4	1	2	3	4	6	7	10
35-49	82	3.5	8	1	2	3	4	7	10	16
50-64	103	4.3	13	1	2	3	5	8	11	21
65 +	82	5.5	13	2	3	5	7	10	13	18
GRAND TOTAL	**484**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**10**	**16**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	439	2.8	4	1	1	2	4	5	6	10
20-34	208	2.8	2	1	2	3	4	5	6	8
35-49	96	2.9	2	1	2	3	4	5	6	7
50-64	48	3.4	3	1	2	3	4	6	6	8
65 +	26	4.1	4	2	2	4	5	7	8	9
B. Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	1	8.0		8	8	8	8	8	8	8
35-49	4	3.8	2	2	3	4	5	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	631	3.4	14	1	2	3	4	6	7	10
20-34	822	3.7	8	1	2	3	5	7	8	14
35-49	577	4.3	7	2	2	4	5	7	9	14
50-64	376	5.6	12	2	3	5	7	10	12	20
65 +	491	7.0	25	3	4	6	9	12	15	22
B. Operated										
0-19 YRS	22	6.3	15	2	3	6	8	12	14	16
20-34	87	8.0	77	2	4	5	9	15	23	54
35-49	79	9.8	104	3	4	8	11	17	29	64
50-64	51	13.6	170	4	7	10	14	28	37	71
65 +	85	14.0	69	6	8	12	18	26	31	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	817	2.9	3	1	2	2	4	5	6	8
B. Operated	7	4.3	4	2	3	4	5	7	8	8
2. MULTIPLE DX										
A. Not Operated	2897	4.5	14	2	2	4	6	8	11	18
B. Operated	324	10.8	99	3	5	8	13	22	28	62
1. SINGLE DX	824	2.9	3	1	2	2	4	5	6	8
2. MULTIPLE DX	3221	5.2	26	2	2	4	6	10	13	25
A. Not Operated	3714	4.2	12	1	2	3	5	8	10	16
B. Operated	331	10.6	97	3	5	8	13	21	28	61
TOTAL										
0-19 YRS	1094	3.2	10	1	2	3	4	6	7	11
20-34	1118	3.9	14	1	2	3	5	7	9	18
35-49	756	4.7	20	2	2	4	6	8	11	20
50-64	475	6.2	35	2	3	5	7	11	14	29
65 +	602	7.8	37	3	4	6	10	14	19	29
GRAND TOTAL	**4045**	**4.7**	**22**	**1**	**2**	**3**	**6**	**9**	**12**	**23**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	2	9.5	13	7	7	9	12	12	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	5	10.8	131	1	2	5	21	26	26	26
65 +	6	18.2	119	2	15	17	30	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	4.7	14	1	2	2	8	10	10	10
35-49	13	6.8	15	2	4	6	9	13	14	14
50-64	32	5.9	15	2	3	5	8	11	12	19
65 +	87	7.7	29	3	4	7	9	13	16	34
B. Operated										
0-19 YRS	0									
20-34	28	9.0	41	2	4	9	11	15	24	30
35-49	111	15.3	175	3	6	12	21	29	43	67
50-64	315	14.1	130	3	7	11	17	29	39	59
65 +	638	13.5	115	3	7	11	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	8.3	10	6	6	7	11	12	12	12
B. Operated	11	14.8	127	1	3	15	24	30	30	30
2. MULTIPLE DX										
A. Not Operated	139	7.1	24	2	4	6	9	12	14	23
B. Operated	1092	13.7	124	3	7	11	17	28	37	59
1. SINGLE DX	14	13.4	107	1	5	13	20	30	30	30
2. MULTIPLE DX	1231	13.0	117	3	6	10	16	27	35	58
A. Not Operated	142	7.1	24	3	4	6	9	12	14	23
B. Operated	1103	13.8	124	3	7	11	17	28	37	59
TOTAL										
0-19 YRS	0									
20-34	35	8.2	38	2	3	8	11	14	21	30
35-49	125	14.3	164	3	6	11	19	29	41	63
50-64	352	13.3	125	3	6	10	16	28	38	59
65 +	733	12.8	108	3	6	10	16	25	34	54
GRAND TOTAL	**1245**	**13.0**	**117**	**3**	**6**	**10**	**16**	**27**	**35**	**58**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	147	3.4	2	2	2	3	4	5	6	7
20-34	85	3.1	3	1	2	3	4	5	6	11
35-49	90	3.4	3	1	2	3	4	6	8	9
50-64	93	4.0	5	2	2	4	5	7	8	11
65 +	110	4.5	9	2	2	4	5	8	10	17
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	8	2.8	4	< 1	1	3	3	6	7	7
50-64	10	5.2	50	< 1	1	3	5	16	24	24
65 +	21	5.4	28	1	2	2	9	15	16	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	234	3.5	4	1	2	3	5	6	7	10
20-34	503	4.1	11	1	2	3	5	7	9	15
35-49	814	4.5	12	2	2	4	6	8	10	17
50-64	1102	5.2	16	2	3	4	6	9	12	19
65 +	2089	5.7	19	2	3	5	7	10	12	22
B. Operated										
0-19 YRS	13	6.0	30	2	3	4	7	12	21	23
20-34	238	7.1	82	2	3	4	8	15	21	68
35-49	456	8.5	76	2	3	6	10	18	26	49
50-64	656	9.0	84	2	3	7	11	19	26	49
65 +	701	10.5	90	2	4	8	13	21	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	525	3.7	5	1	2	3	5	6	7	12
B. Operated	48	4.2	25	< 1	1	2	5	10	16	24
2. MULTIPLE DX										
A. Not Operated	4742	5.1	16	2	3	4	6	9	11	19
B. Operated	2064	9.2	85	2	3	7	12	20	26	52
1. SINGLE DX	573	3.7	6	1	2	3	5	6	8	14
2. MULTIPLE DX	6806	6.3	40	2	3	5	7	12	17	34
A. Not Operated	5267	5.0	15	2	3	4	6	9	11	18
B. Operated	2112	9.0	84	2	3	7	12	19	26	51
TOTAL										
0-19 YRS	398	3.5	4	1	2	3	4	6	7	10
20-34	831	4.9	32	1	2	4	6	9	12	30
35-49	1368	5.8	37	2	3	4	7	11	16	34
50-64	1861	6.5	43	2	3	5	7	12	18	31
65 +	2921	6.8	40	2	3	5	8	13	17	34
GRAND TOTAL	**7379**	**6.1**	**38**	**2**	**3**	**4**	**7**	**12**	**16**	**32**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	2.0	2	< 1	1	2	3	4	4	4
20-34	16	2.8	3	1	1	3	4	5	5	5
35-49	4	3.0	2	1	2	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	3.9	11	1	2	3	4	8	13	13
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	3.2		3	3	3	4	4	4	4
20-34	69	3.7	2	2	3	4	4	6	6	9
35-49	24	3.6	1	2	3	4	5	5	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.5		1	1	1	2	2	2	2
B. Operated	26	2.7	2	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	11	3.9	11	1	2	3	4	8	13	13
B. Operated	100	3.7	2	2	3	4	4	5	6	8
1. SINGLE DX	30	2.5	2	1	1	2	4	4	5	5
2. MULTIPLE DX	111	3.7	3	2	3	4	4	5	6	11
A. Not Operated	15	3.3	9	1	2	2	4	5	11	13
B. Operated	126	3.4	2	1	3	3	4	5	6	8
TOTAL										
0-19 YRS	11	2.5	1	< 1	1	3	3	4	4	4
20-34	99	3.5	3	1	3	4	4	5	6	11
35-49	29	3.5	1	2	3	3	4	5	5	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	0									
GRAND TOTAL	**141**	**3.4**	**3**	**1**	**3**	**3**	**4**	**5**	**6**	**9**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	58	2.1	5	1	1	1	2	5	6	12
20-34	17	1.8	2	< 1	1	1	2	4	5	6
35-49	16	2.3	1	1	1	2	3	4	5	5
50-64	12	3.4	21	< 1	1	2	4	9	16	17
65 +	34	2.3	4	1	1	2	2	5	8	9
B. Operated										
0-19 YRS	17	4.0	10	1	2	3	5	10	11	11
20-34	12	4.5	6	2	2	4	7	8	8	8
35-49	17	3.3	3	1	2	3	5	6	7	7
50-64	20	2.3	1	1	1	2	3	4	5	5
65 +	5	3.8	4	2	3	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	207	2.7	12	1	1	1	3	6	8	19
20-34	100	3.0	5	1	1	2	4	6	8	12
35-49	133	4.2	23	1	2	3	4	9	11	29
50-64	309	3.7	11	1	2	3	5	7	9	15
65 +	996	4.6	16	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	13	10.8	55	4	6	8	14	25	26	26
20-34	29	7.0	44	1	2	6	9	15	25	26
35-49	50	5.9	62	1	2	3	7	14	18	99 +
50-64	89	7.5	59	2	3	5	9	16	27	38
65 +	132	9.3	88	2	3	7	11	20	27	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	2.2	5	1	1	1	2	5	6	13
B. Operated	71	3.4	5	1	2	3	4	7	8	11
2. MULTIPLE DX										
A. Not Operated	1745	4.1	15	1	2	3	5	8	11	19
B. Operated	313	8.1	71	2	3	5	10	17	26	53
1. SINGLE DX	208	2.6	6	1	1	2	3	6	7	11
2. MULTIPLE DX	2058	4.7	26	1	2	3	6	10	13	26
A. Not Operated	1882	4.0	15	1	2	3	5	8	11	19
B. Operated	384	7.2	62	2	3	5	9	15	25	48
TOTAL										
0-19 YRS	295	3.0	15	1	1	1	3	7	11	22
20-34	158	3.7	14	1	1	2	4	8	10	24
35-49	216	4.4	29	1	2	3	5	9	13	42
50-64	430	4.4	23	1	2	3	5	9	12	29
65 +	1167	5.1	26	1	2	4	6	10	14	24
GRAND TOTAL	**2266**	**4.5**	**24**	**1**	**2**	**3**	**5**	**9**	**13**	**26**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.5	6	3	3	5	7	8	8	8
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	13.5	113	6	6	13	21	21	21	21
65 +	3	8.7	24	3	5	11	12	12	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	8.3	82	2	3	6	10	18	23	50
20-34	22	9.5	141	1	2	6	11	24	42	46
35-49	16	9.8	147	2	3	6	11	20	42	51
50-64	28	8.0	68	2	3	5	9	17	24	42
65 +	175	7.9	44	3	4	6	9	14	18	42
B. Operated										
0-19 YRS	13	16.1	135	6	8	12	28	47	88	99 +
20-34	4	22.8	388	7	9	16	36	51	51	51
35-49	15	20.5	393	4	6	14	31	56	66	69
50-64	26	13.4	131	3	5	10	20	26	32	53
65 +	94	9.8	48	3	5	8	14	19	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	7.4	31	3	3	6	10	16	21	21
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	277	8.2	64	2	4	6	9	15	21	49
B. Operated	152	12.3	121	3	6	9	15	26	33	69
1. SINGLE DX	11	7.4	31	3	3	6	10	16	21	21
2. MULTIPLE DX	429	9.7	88	3	4	7	11	20	28	54
A. Not Operated	288	8.2	62	2	4	6	9	15	21	49
B. Operated	152	12.3	121	3	6	9	15	26	33	69
TOTAL										
0-19 YRS	53	10.0	100	2	4	7	14	24	39	98
20-34	27	11.3	184	1	2	7	15	35	47	51
35-49	32	14.6	282	3	4	9	15	38	55	69
50-64	56	10.7	103	2	4	8	14	24	27	52
65 +	272	8.6	46	3	5	7	11	15	20	40
GRAND TOTAL	**440**	**9.6**	**86**	**3**	**4**	**7**	**11**	**20**	**27**	**53**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	8.2	22	2	5	8	11	14	17	21
20-34	27	10.3	12	6	7	10	14	15	16	16
35-49	1	13.0		13	13	13	13	13	13	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	9.1	26	3	5	9	14	16	17	17
20-34	7	12.1	4	9	10	13	14	14	14	14
35-49	2	12.0	2	11	11	12	13	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	338	9.0	29	2	3	10	13	15	17	25
20-34	116	12.0	32	5	9	12	15	18	21	32
35-49	13	9.5	19	3	5	11	13	14	14	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	55	14.9	106	7	9	13	15	23	33	58
20-34	31	14.1	27	8	11	14	16	20	21	31
35-49	4	19.8	248	8	11	14	29	43	43	43
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	8.9	20	3	6	9	12	14	16	20
B. Operated	23	10.3	19	3	9	11	14	15	16	17
2. MULTIPLE DX										
A. Not Operated	467	9.8	31	3	5	10	14	16	19	27
B. Operated	90	14.8	83	7	10	14	16	22	31	57
1. SINGLE DX	117	9.1	20	3	6	10	13	14	16	19
2. MULTIPLE DX	557	10.6	43	3	6	10	14	17	20	33
A. Not Operated	561	9.6	29	3	5	10	13	16	18	24
B. Operated	113	13.9	73	6	10	13	15	21	30	56
TOTAL										
0-19 YRS	473	9.6	41	3	5	10	13	15	19	31
20-34	181	12.1	28	6	9	12	15	17	21	30
35-49	20	12.0	68	4	8	12	14	14	29	43
50-64	0									
65 +	0									
GRAND TOTAL	**674**	**10.4**	**39**	**3**	**6**	**10**	**14**	**16**	**20**	**31**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	21	4.5	2	2	4	5	5	7	7	7
35-49	15	5.1	3	3	4	5	6	7	8	8
50-64	2	5.0	2	4	4	5	6	6	6	6
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	9.2	85	1	5	6	12	25	25	25
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	11.8	213	1	3	4	24	35	36	36
50-64	3	7.0	37	3	3	4	11	14	14	14
65 +	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-19 YRS	5	6.6	2	4	6	7	7	8	8	8
20-34	53	6.5	5	5	5	6	7	11	11	13
35-49	85	6.0	3	4	5	6	7	9	10	11
50-64	26	8.2	88	5	5	6	7	11	20	53
65 +	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0		2	2	2	2	2	2	2
B. Operated	40	4.7	3	2	4	5	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	18	8.4	98	1	3	4	8	25	32	36
B. Operated	170	6.5	17	4	5	6	7	9	11	13
1. SINGLE DX	43	4.5	3	2	3	5	6	7	7	8
2. MULTIPLE DX	188	6.7	24	4	5	6	7	10	11	32
A. Not Operated	21	7.5	89	1	2	3	7	24	30	36
B. Operated	210	6.2	15	4	5	6	7	9	10	12
TOTAL										
0-19 YRS	12	7.3	36	2	5	7	8	13	23	25
20-34	76	5.8	5	3	5	6	7	8	11	13
35-49	107	6.2	15	4	5	6	7	9	10	29
50-64	32	7.7	75	4	5	5	7	11	14	53
65 +	4	4.3	10	1	1	4	7	7	7	7
GRAND TOTAL	**231**	**6.3**	**21**	**3**	**5**	**6**	**7**	**9**	**11**	**27**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	3.5	17	< 1	1	3	4	6	8	23
20-34	33	1.7	2	< 1	< 1	1	2	4	4	6
35-49	12	2.1	5	< 1	1	1	2	4	8	9
50-64	16	3.0	11	< 1	< 1	1	4	6	11	13
65 +	14	2.9	4	1	2	3	3	5	8	9
B. Operated										
0-19 YRS	23	3.3	10	1	1	2	5	6	10	15
20-34	23	2.7	3	1	1	2	4	5	6	6
35-49	28	2.5	2	1	1	2	3	4	5	6
50-64	24	2.6	6	1	1	2	3	5	10	10
65 +	5	4.0	10	1	1	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	130	4.1	31	< 1	1	2	4	10	16	30
20-34	40	4.8	16	1	2	4	7	10	17	99 +
35-49	72	4.6	19	1	2	4	5	8	11	29
50-64	189	4.7	19	< 1	2	3	6	10	14	21
65 +	226	5.9	16	2	3	5	7	10	13	20
B. Operated										
0-19 YRS	54	11.2	232	1	2	4	17	37	48	99
20-34	31	6.9	60	1	2	3	11	22	25	25
35-49	80	5.4	37	1	2	3	6	14	18	33
50-64	75	8.1	68	1	2	6	11	20	28	39
65 +	84	8.4	64	2	4	6	10	19	27	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	2.6	8	< 1	1	2	3	6	7	17
B. Operated	103	2.8	5	1	1	2	4	5	7	12
2. MULTIPLE DX										
A. Not Operated	657	5.0	21	1	2	4	6	10	14	24
B. Operated	324	7.9	88	1	2	4	9	20	28	56
1. SINGLE DX	208	2.7	7	< 1	1	2	3	6	7	14
2. MULTIPLE DX	981	5.9	45	1	2	4	7	13	19	38
A. Not Operated	762	4.7	20	< 1	2	3	6	9	14	23
B. Operated	427	6.7	73	1	2	4	7	17	25	45
TOTAL										
0-19 YRS	237	5.6	81	< 1	1	3	5	15	25	53
20-34	127	4.1	24	< 1	1	3	5	9	17	42
35-49	192	4.4	24	1	2	3	5	8	15	29
50-64	304	5.3	33	< 1	1	3	7	12	16	28
65 +	329	6.4	29	2	3	5	8	12	17	35
GRAND TOTAL	**1189**	**5.4**	**40**	**1**	**2**	**3**	**6**	**12**	**17**	**35**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.2		1	1	1	2	2	2	2
35-49	9	2.1	2	1	1	2	3	4	5	5
50-64	10	2.9	2	1	1	3	4	5	5	5
65 +	10	3.5	10	1	2	3	4	8	12	12
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	1.0		< 1	< 1	< 1	1	1	1	1
65 +	7	1.7	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	13	3.5	8	1	1	2	6	8	8	8
50-64	41	4.0	6	2	2	3	5	7	10	13
65 +	130	4.4	10	2	2	4	5	8	10	19
B. Operated										
0-19 YRS	0									
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	9	5.3	18	1	2	4	8	12	14	14
50-64	11	8.6	229	1	2	3	7	29	51	53
65 +	33	8.1	121	1	2	5	9	17	27	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.6	4	1	1	2	3	4	5	12
B. Operated	12	1.4	1	< 1	< 1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated	185	4.2	9	2	2	3	5	8	10	18
B. Operated	55	7.6	119	1	2	4	8	15	26	59
1. SINGLE DX	46	2.3	4	1	1	2	3	4	5	12
2. MULTIPLE DX	240	5.0	36	1	2	4	6	9	13	31
A. Not Operated	219	4.0	9	1	2	3	5	7	10	17
B. Operated	67	6.5	103	1	1	3	6	14	20	58
TOTAL										
0-19 YRS	0									
20-34	8	2.6	9	1	1	1	3	8	9	9
35-49	33	3.5	10	1	1	2	5	8	8	14
50-64	65	4.4	44	1	2	3	5	7	11	47
65 +	180	4.9	32	1	2	4	6	10	13	27
GRAND TOTAL	**286**	**4.6**	**32**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	69	1.9	1	1	1	2	2	3	4	7
20-34	20	2.3	2	1	1	2	3	5	6	6
35-49	27	2.8	3	1	1	2	4	6	6	7
50-64	18	4.7	33	< 1	1	2	6	14	19	22
65 +	71	3.6	8	1	2	3	4	7	9	15
B. Operated										
0-19 YRS	3	2.7	8	1	1	1	5	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10
65 +	4	10.8	66	3	4	10	17	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1771	2.6	6	1	1	2	3	5	7	11
20-34	582	2.8	7	1	1	2	3	5	7	11
35-49	724	3.5	10	1	2	3	4	7	9	14
50-64	1243	4.4	18	1	2	3	5	8	11	23
65 +	5964	5.3	19	2	3	4	7	10	12	22
B. Operated										
0-19 YRS	60	8.9	133	1	2	5	11	25	31	63
20-34	77	4.5	28	1	1	3	6	9	12	33
35-49	121	6.9	36	2	3	6	9	15	21	53
50-64	226	7.6	78	1	3	5	10	15	18	47
65 +	663	10.4	89	3	5	8	13	21	27	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	2.9	7	1	1	2	3	6	7	15
B. Operated	11	6.6	37	1	2	5	9	17	20	20
2. MULTIPLE DX										
A. Not Operated	10284	4.5	16	1	2	3	6	8	11	20
B. Operated	1147	9.0	82	2	3	7	12	19	25	61
1. SINGLE DX	216	3.1	9	1	1	2	4	6	8	17
2. MULTIPLE DX	11431	4.9	25	1	2	4	6	10	13	25
A. Not Operated	10489	4.4	16	1	2	3	6	8	11	20
B. Operated	1158	9.0	82	2	3	7	12	19	25	60
TOTAL										
0-19 YRS	1903	2.8	11	1	1	2	3	5	7	15
20-34	680	3.0	10	1	1	2	3	6	8	14
35-49	874	4.0	15	1	2	3	5	8	11	21
50-64	1488	4.9	28	1	2	3	6	10	14	24
65 +	6702	5.8	28	2	3	4	7	11	14	26
GRAND TOTAL	**11647**	**4.9**	**25**	**1**	**2**	**4**	**6**	**9**	**13**	**25**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	3.0	3	1	2	2	3	6	7	7
20-34	5	1.4		< 1	< 1	1	2	2	2	2
35-49	14	2.4	3	< 1	< 1	2	3	5	5	5
50-64	8	1.6	1	< 1	1	1	2	3	3	3
65 +	24	2.0	2	< 1	1	2	2	4	5	5
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	3.3		3	3	3	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	4	9.3	30	5	5	7	13	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.1	12	1	2	2	3	5	8	20
20-34	30	3.2	9	1	2	2	3	6	11	15
35-49	93	3.5	10	1	2	3	4	6	9	20
50-64	108	4.1	6	1	2	4	6	7	8	12
65 +	542	4.3	9	1	2	4	6	8	10	17
B. Operated										
0-19 YRS	3	8.3	5	7	7	7	10	11	11	11
20-34	11	4.9	16	1	2	4	6	12	15	15
35-49	29	7.0	149	1	3	4	6	10	20	68
50-64	39	7.5	84	1	3	5	9	15	22	54
65 +	144	6.7	26	2	3	6	8	12	17	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.1	2	< 1	1	2	3	5	5	7
B. Operated	12	5.2	18	2	3	4	5	11	16	17
2. MULTIPLE DX										
A. Not Operated	806	4.1	9	1	2	3	5	8	9	16
B. Operated	226	6.8	51	2	3	5	8	12	17	41
1. SINGLE DX	74	2.6	6	< 1	1	2	3	5	6	15
2. MULTIPLE DX	1032	4.7	20	1	2	4	6	8	11	21
A. Not Operated	868	4.0	9	1	2	3	5	8	9	15
B. Operated	238	6.7	49	2	3	5	8	12	17	39
TOTAL										
0-19 YRS	48	3.4	11	1	2	2	4	7	8	20
20-34	48	3.4	10	1	2	2	4	6	11	15
35-49	139	4.1	40	1	2	3	4	7	10	28
50-64	157	4.8	27	1	2	4	6	8	11	23
65 +	714	4.7	14	1	2	4	6	9	11	21
GRAND TOTAL	**1106**	**4.6**	**19**	**1**	**2**	**4**	**6**	**8**	**11**	**21**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	117	3.2	8	1	1	2	4	7	9	14
20-34	162	5.0	9	2	3	4	7	9	11	14
35-49	38	5.0	11	2	3	4	7	10	12	14
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	0									
B. Operated										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	11.0	32	7	7	11	15	15	15	15
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	4.7	16	1	2	3	6	8	12	21
20-34	198	5.9	14	2	3	5	8	10	13	19
35-49	71	5.9	20	1	3	4	8	11	14	21
50-64	27	6.3	15	2	3	5	9	12	14	15
65 +	0									
B. Operated										
0-19 YRS	14	7.4	23	3	4	5	12	15	16	16
20-34	15	8.2	17	5	5	8	10	14	17	18
35-49	12	8.3	39	2	3	6	13	19	19	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	4.4	9	1	2	4	6	9	10	14
B. Operated	7	5.6	21	1	3	4	6	13	15	15
2. MULTIPLE DX										
A. Not Operated	420	5.6	16	2	3	5	7	10	13	20
B. Operated	41	8.0	24	3	5	6	11	16	18	19
1. SINGLE DX	327	4.4	10	1	2	4	6	9	10	14
2. MULTIPLE DX	461	5.8	17	2	3	5	8	11	14	20
A. Not Operated	740	5.0	13	1	2	4	7	10	12	17
B. Operated	48	7.6	24	2	4	6	11	15	18	19
TOTAL										
0-19 YRS	257	4.2	14	1	2	3	5	8	11	17
20-34	377	5.6	12	2	3	5	7	10	13	18
35-49	123	5.9	20	2	3	4	8	12	15	20
50-64	30	6.0	14	2	3	5	9	12	14	15
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**788**	**5.2**	**14**	**1**	**2**	**4**	**7**	**10**	**13**	**18**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	153	2.0	4	1	1	1	2	4	5	12
20-34	16	2.3	4	< 1	1	1	3	4	8	9
35-49	27	2.0	2	< 1	1	2	3	3	5	8
50-64	38	2.1	4	1	1	1	2	5	6	9
65 +	85	3.0	93	< 1	< 1	1	2	5	7	63
B. Operated										
0-19 YRS	45	4.6	90	1	1	2	4	5	16	50
20-34	10	6.7	29	1	2	5	11	15	16	16
35-49	12	3.9	13	< 1	1	3	5	8	13	14
50-64	7	4.7	11	1	2	4	8	9	9	9
65 +	24	5.3	14	1	2	4	8	12	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	231	3.0	11	1	1	2	4	7	10	17
20-34	107	3.4	11	1	1	2	5	7	9	18
35-49	159	3.7	13	1	1	2	5	9	10	20
50-64	320	3.7	13	1	1	3	5	8	11	17
65 +	1028	4.5	23	1	2	3	6	9	12	28
B. Operated										
0-19 YRS	72	9.7	155	1	3	5	12	23	34	71
20-34	32	5.8	21	2	3	4	7	14	16	17
35-49	73	6.7	36	2	3	5	9	13	15	35
50-64	101	7.5	57	2	3	5	8	16	19	46
65 +	344	7.7	41	2	3	6	10	15	21	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	319	2.3	27	< 1	1	1	2	4	6	13
B. Operated	98	4.9	49	1	2	3	5	9	13	48
2. MULTIPLE DX										
A. Not Operated	1845	4.1	19	1	1	3	5	9	11	22
B. Operated	622	7.7	56	2	3	5	9	16	21	38
1. SINGLE DX	417	2.9	34	< 1	1	1	3	6	8	17
2. MULTIPLE DX	2467	5.0	30	1	2	3	6	10	14	29
A. Not Operated	2164	3.8	20	1	1	2	5	8	11	22
B. Operated	720	7.3	56	2	3	5	9	15	21	40
TOTAL										
0-19 YRS	501	3.8	43	1	1	2	4	8	14	36
20-34	165	4.0	15	1	1	3	5	9	12	17
35-49	271	4.4	20	1	1	3	6	9	12	25
50-64	466	4.4	24	1	1	3	6	9	13	21
65 +	1481	5.2	33	1	2	4	7	10	14	30
GRAND TOTAL	**2884**	**4.7**	**31**	**1**	**1**	**3**	**6**	**10**	**14**	**29**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.3	7	1	1	2	6	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	3.7	20	1	1	2	3	11	14	15
20-34	8	3.9	2	2	3	4	5	5	5	5
35-49	8	3.4	4	1	2	3	4	6	7	7
50-64	0									
65 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	2	23.0	18	20	20	23	26	26	26	26
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	1	8.0		8	6	8	8	8	8	8
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.4	6	1	1	3	5	7	7	7
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	31	3.7	10	1	1	3	5	8	10	15
B. Operated	4	14.0	120	2	5	14	23	26	26	26
1. SINGLE DX	9	3.4	5	1	2	3	5	7	7	7
2. MULTIPLE DX	35	4.9	31	1	1	3	5	10	19	26
A. Not Operated	39	3.6	9	1	1	3	5	7	10	15
B. Operated	5	12.0	110	2	3	8	21	26	26	26
TOTAL										
0-19 YRS	23	5.3	46	1	1	2	7	16	22	26
20-34	11	3.7	2	2	3	4	5	5	5	5
35-49	8	3.4	4	1	2	3	4	6	7	7
50-64	1	8.0		8	8	8	8	8	8	8
65 +	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**44**	**4.6**	**26**	**1**	**2**	**3**	**5**	**10**	**16**	**26**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	172	2.1	3	1	1	2	2	4	6	8
20-34	19	3.4	6	<1	2	3	4	6	9	11
35-49	20	3.0	3	1	2	2	3	6	7	7
50-64	28	2.7	7	1	1	2	3	5	8	13
65+	22	4.1	15	<1	1	2	6	10	13	15
B. Operated										
0-19 YRS	91	3.4	13	1	2	3	4	6	7	24
20-34	38	5.3	12	2	3	4	6	9	13	18
35-49	27	5.4	20	3	3	4	6	7	16	24
50-64	33	6.3	26	3	4	5	6	13	18	27
65+	24	6.9	29	3	4	5	8	14	18	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	437	4.1	13	1	2	3	5	8	10	18
20-34	112	5.7	23	1	2	5	8	10	15	25
35-49	157	5.4	21	1	2	4	7	12	15	21
50-64	270	5.1	12	1	3	4	7	9	12	15
65+	565	5.8	21	1	3	5	7	11	14	22
B. Operated										
0-19 YRS	98	7.3	77	1	2	5	8	16	26	48
20-34	69	6.9	21	3	5	6	8	11	15	26
35-49	108	8.8	67	2	4	6	11	17	23	46
50-64	160	8.7	58	2	4	7	11	16	24	38
65+	292	9.6	72	3	4	7	12	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	261	2.5	5	1	1	2	3	5	7	11
B. Operated	213	4.8	19	1	3	4	5	8	14	26
2. MULTIPLE DX										
A. Not Operated	1541	5.2	18	1	2	4	7	10	13	20
B. Operated	727	8.7	65	2	4	6	11	18	24	41
1. SINGLE DX	474	3.5	12	1	1	3	4	7	9	18
2. MULTIPLE DX	2268	6.3	36	1	3	5	8	13	17	31
A. Not Operated	1802	4.8	17	1	2	4	6	10	12	19
B. Operated	940	7.8	57	2	4	6	9	16	23	36
TOTAL										
0-19 YRS	798	4.0	21	1	1	3	5	8	11	22
20-34	238	5.8	20	2	3	5	7	11	14	25
35-49	312	6.4	39	2	3	5	8	14	17	30
50-64	491	6.2	31	1	3	5	8	12	15	27
65+	903	7.1	41	2	3	5	9	14	19	31
GRAND TOTAL	**2742**	**5.8**	**33**	**1**	**2**	**4**	**7**	**12**	**16**	**29**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	126	1.3		<1	1	1	2	2	2	3
20-34	37	1.4		1	1	1	2	2	2	3
35-49	7	1.7	1	1	1	2	2	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	0									
B. Operated										
0-19 YRS	247	2.7	1	1	2	3	3	4	5	7
20-34	87	3.2	2	2	2	3	4	5	6	7
35-49	16	3.1	2	1	2	3	4	5	6	7
50-64	3	3.7	4	2	2	3	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	1.8	2	<1	1	2	2	3	5	7
20-34	27	2.1	1	1	1	2	3	4	5	5
35-49	5	1.8	1	1	1	2	2	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	6	2.2	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	130	3.6	5	2	3	3	4	5	7	16
20-34	68	3.7	3	2	3	3	4	6	7	9
35-49	17	4.6	5	2	3	4	6	8	9	10
50-64	3	7.7	36	2	3	7	12	14	14	14
65+	3	8.7	12	5	6	9	11	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	1.4		1	1	1	2	2	2	3
B. Operated	354	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	132	1.9	1	1	1	2	2	3	5	7
B. Operated	221	3.8	5	2	3	3	4	6	8	14
1. SINGLE DX	526	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	353	3.1	5	1	2	3	4	5	7	12
A. Not Operated	304	1.6	1	1	1	1	2	3	3	6
B. Operated	575	3.2	3	2	2	3	4	5	6	10
TOTAL										
0-19 YRS	593	2.5	3	1	1	2	3	4	5	8
20-34	219	2.9	2	1	2	3	4	5	6	8
35-49	45	3.3	4	1	2	3	4	7	7	10
50-64	12	3.8	14	1	2	3	5	9	13	14
65+	10	4.4	13	1	2	3	5	10	12	12
GRAND TOTAL	**879**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**6**	**9**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	52	3.8	3	2	2	3	5	6	8	9
20-34	5	3.4	1	2	3	3	4	5	5	5
35-49	0									
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	30	4.3	17	< 1	1	2	6	11	12	15
20-34	11	3.5	29	1	1	2	2	12	18	19
35-49	9	2.1	2	1	1	1	3	5	5	5
50-64	7	1.7	1	< 1	< 1	1	2	4	4	4
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.7	5	1	2	3	5	7	8	11
20-34	4	4.0	7	1	2	4	6	7	7	7
35-49	7	3.7	3	2	2	3	5	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65 +	5	3.8	6	1	2	4	5	7	7	7
B. Operated										
0-19 YRS	16	3.5	11	1	1	2	5	7	11	13
20-34	10	5.0	48	< 1	1	3	6	15	24	24
35-49	7	12.0	431	< 1	1	2	11	49	58	58
50-64	6	3.8	5	1	2	4	6	6	6	6
65 +	2	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.7	3	2	2	3	5	6	8	9
B. Operated	59	3.4	15	< 1	1	2	5	9	12	19
2. MULTIPLE DX										
A. Not Operated	74	3.8	5	1	2	3	5	7	8	10
B. Operated	41	5.2	91	1	1	2	6	10	18	58
1. SINGLE DX	118	3.5	9	1	1	3	5	7	9	16
2. MULTIPLE DX	115	4.3	35	1	2	3	5	7	9	36
A. Not Operated	133	3.7	4	2	2	3	5	7	8	9
B. Operated	100	4.2	46	1	1	2	5	9	13	41
TOTAL										
0-19 YRS	155	3.8	7	1	2	3	5	8	9	13
20-34	30	4.1	26	1	1	2	5	7	19	24
35-49	23	5.6	139	1	1	2	5	10	28	58
50-64	16	2.9	4	< 1	1	2	4	6	6	6
65 +	9	2.6	5	< 1	1	1	4	6	7	7
GRAND TOTAL	**233**	**3.9**	**22**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	12.8	180	1	1	11	24	28	28	28
20-34	10	10.5	99	1	2	6	17	26	30	30
35-49	11	4.1	9	< 1	1	2	4	8	11	11
50-64	6	3.3	11	1	1	2	6	9	9	9
65 +	22	8.1	107	1	2	5	9	20	35	42
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	15.3	480	1	3	6	18	51	72	81
20-34	53	10.2	234	1	2	5	11	23	40	78
35-49	53	7.6	64	1	2	5	10	21	25	36
50-64	99	6.3	38	1	2	4	8	14	17	33
65 +	389	6.3	41	2	3	4	7	13	19	36
B. Operated										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	3	1.7		1	1	2	2	2	2	2
35-49	0									
50-64	11	4.9	7	2	3	4	6	9	11	11
65 +	29	12.7	359	1	4	8	12	20	60	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	7.4	83	1	2	3	9	20	30	42
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	612	7.0	74	2	3	4	8	15	21	41
B. Operated	44	10.2	255	1	3	6	11	18	32	94
1. SINGLE DX	54	7.4	82	1	2	3	9	20	30	42
2. MULTIPLE DX	656	7.2	87	2	3	4	8	15	21	55
A. Not Operated	665	7.1	75	2	2	4	8	15	22	41
B. Operated	45	10.1	249	1	3	7	10	18	30	94
TOTAL										
0-19 YRS	23	15.1	398	1	2	7	20	40	66	81
20-34	66	9.8	204	1	2	5	13	22	38	77
35-49	64	6.8	57	1	2	4	8	17	23	35
50-64	116	6.0	34	1	2	4	8	13	15	32
65 +	441	6.8	67	2	3	4	8	14	20	41
GRAND TOTAL	**710**	**7.2**	**86**	**1**	**2**	**4**	**8**	**15**	**22**	**48**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	10.0	2	9	9	10	11	11	11	11
50-64	4	6.5	6	3	6	7	32	99 +	99 +	99 +
65 +	29	8.5	187	< 1	1	4	10	16	45	64
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	5	18.2	142	3	10	17	27	34	34	34
50-64	24	12.3	136	4	6	8	15	22	34	58
65 +	242	7.8	81	2	3	6	9	15	22	99 +
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	10.0	32	6	6	10	14	14	14	14
65 +	18	7.9	28	2	4	7	12	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	8.3	155	< 1	2	4	10	16	58	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	273	8.3	90	2	3	6	10	17	25	98
B. Operated	20	8.1	27	2	4	7	12	15	17	19
1. SINGLE DX	35	8.3	155	< 1	2	4	10	16	58	99 +
2. MULTIPLE DX	293	8.3	85	2	3	6	11	16	23	97
A. Not Operated	308	8.3	96	2	3	6	10	16	26	99 +
B. Operated	20	8.1	27	2	4	7	12	15	17	19
TOTAL										
0-19 YRS	0									
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	7	15.9	111	4	9	12	23	32	34	34
50-64	30	11.3	114	4	6	8	14	23	56	99 +
65 +	289	7.9	88	2	3	5	10	15	22	97
GRAND TOTAL	**328**	**8.3**	**92**	**2**	**3**	**6**	**11**	**16**	**25**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	8	13.3	115	1	4	10	24	28	28	28
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	12	12.5	227	2	4	7	16	29	53	57
65 +	217	7.8	42	2	4	6	10	14	20	33
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	11	11.1	33	4	6	12	15	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	12.1	112	1	3	10	22	28	28	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	229	8.0	52	2	4	6	10	15	21	37
B. Operated	12	10.5	34	4	5	10	15	18	21	22
1. SINGLE DX	9	12.1	112	1	3	10	22	28	28	28
2. MULTIPLE DX	241	8.1	51	2	4	6	10	15	21	35
A. Not Operated	238	8.2	55	2	4	6	10	16	23	36
B. Operated	12	10.5	34	4	5	10	15	18	21	22
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	14	11.2	203	2	3	7	16	21	49	57
65 +	236	8.1	45	2	4	6	10	15	22	33
GRAND TOTAL	**250**	**8.3**	**54**	**2**	**4**	**6**	**10**	**16**	**22**	**34**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	1.8	4	1	1	1	2	3	6	10
20-34	19	5.1	32	1	1	3	6	13	18	22
35-49	11	2.5	5	< 1	1	1	4	6	8	8
50-64	14	15.6	469	2	2	5	20	43	69	76
65 +	77	11.5	230	1	3	6	14	28	52	67
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	8.6	191	1	1	2	7	32	42	60
20-34	113	9.4	113	1	3	5	14	25	28	80
35-49	83	8.2	69	1	2	6	12	17	31	36
50-64	106	8.4	111	1	3	5	10	19	29	86
65 +	937	8.0	50	2	3	6	10	17	22	41
B. Operated										
0-19 YRS	14	7.4	165	1	1	1	11	42	85	99 +
20-34	16	11.9	200	1	3	7	20	49	84	99 +
35-49	7	17.1	615	1	1	3	33	59	63	63
50-64	4	6.0	29	1	1	5	10	12	12	12
65 +	40	12.2	143	2	4	10	15	22	27	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	166	7.9	172	1	1	3	8	19	41	68
B. Operated	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1320	8.2	70	2	3	6	10	18	24	45
B. Operated	81	11.4	189	1	2	7	15	28	58	99 +
1. SINGLE DX	168	7.8	170	1	1	3	8	19	40	68
2. MULTIPLE DX	1401	8.4	77	1	3	6	11	19	26	54
A. Not Operated	1486	8.2	81	1	3	5	10	18	25	52
B. Operated	83	11.2	186	1	2	7	15	28	57	99 +
TOTAL										
0-19 YRS	140	6.3	136	1	1	1	4	21	40	64
20-34	148	9.1	114	1	2	5	13	25	28	99 +
35-49	103	8.1	102	1	2	4	10	17	32	51
50-64	124	9.1	151	1	2	5	10	21	38	82
65 +	1054	8.4	67	2	3	6	11	18	22	49
GRAND TOTAL	1569	8.3	87	1	3	5	11	19	26	56

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	2.6	2	< 1	1	2	4	4	5	5
35-49	44	3.4	5	1	2	3	5	6	7	13
50-64	27	4.7	36	1	2	3	4	11	21	27
65 +	8	11.8	61	3	4	12	16	24	26	26
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	8.4	118	1	2	3	14	30	31	31
20-34	418	7.4	75	1	2	4	7	24	28	32
35-49	912	6.4	49	1	2	4	6	15	26	30
50-64	598	7.1	65	2	3	5	7	17	26	35
65 +	320	8.2	71	2	3	5	9	19	26	51
B. Operated										
0-19 YRS	0									
20-34	7	7.0	16	2	5	6	10	12	13	13
35-49	28	8.6	112	2	3	5	11	12	30	55
50-64	21	11.1	88	3	5	9	12	25	34	41
65 +	14	11.9	64	4	5	9	19	20	29	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	4.3	23	1	2	3	5	8	13	27
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	2262	7.0	62	2	2	4	7	18	27	32
B. Operated	70	9.8	85	2	4	8	11	19	28	52
1. SINGLE DX	96	4.3	22	1	2	3	5	8	13	27
2. MULTIPLE DX	2332	7.1	63	2	3	5	7	18	27	33
A. Not Operated	2357	6.9	61	2	2	4	7	17	27	32
B. Operated	71	9.8	85	2	4	8	11	19	28	52
TOTAL										
0-19 YRS	15	8.0	112	1	2	2	12	30	31	31
20-34	440	7.3	72	1	2	4	7	24	28	32
35-49	985	6.3	49	1	2	4	6	15	25	30
50-64	646	7.1	65	2	3	5	7	17	26	35
65 +	342	8.4	71	2	3	6	10	19	26	49
GRAND TOTAL	2428	7.0	61	2	2	4	7	17	27	32

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	3.5	18	<1	1	2	4	10	15	15
20-34	42	3.3	6	1	2	3	4	6	8	14
35-49	15	4.1	24	1	1	2	4	12	16	17
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	10	7.5	185	2	2	3	5	26	46	46
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	74	9.0	92	1	3	5	11	28	28	43
20-34	484	6.9	56	1	2	5	7	18	28	29
35-49	248	7.2	52	2	3	5	8	18	27	31
50-64	98	6.4	40	2	3	4	7	12	21	35
65+	276	6.1	31	2	3	4	7	12	17	32
B. Operated										
0-19 YRS	0									
20-34	7	7.1	73	1	1	3	11	22	24	24
35-49	6	14.0	125	3	9	11	15	33	35	35
50-64	4	8.3	31	2	4	8	12	15	15	15
65+	13	10.8	86	4	6	8	11	26	34	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	81	4.0	32	1	2	2	4	7	13	37
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1180	6.9	50	1	3	5	7	16	28	30
B. Operated	30	10.3	81	2	4	8	12	24	35	36
1. SINGLE DX	82	3.9	32	1	2	2	4	7	13	37
2. MULTIPLE DX	1210	7.0	51	1	3	5	7	16	28	31
A. Not Operated	1261	6.7	50	1	3	5	7	15	27	30
B. Operated	31	10.0	80	2	3	8	12	24	34	36
TOTAL										
0-19 YRS	84	8.3	86	1	2	5	10	26	28	41
20-34	533	6.7	53	1	2	5	7	16	28	29
35-49	269	7.2	53	1	3	5	8	18	27	33
50-64	107	6.3	38	2	3	4	7	12	20	35
65+	299	6.4	39	2	3	4	8	12	18	35
GRAND TOTAL	**1292**	**6.8**	**51**	**1**	**3**	**5**	**7**	**15**	**27**	**31**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	12.7	141	2	4	8	20	34	51	99+
20-34	598	10.5	108	2	4	7	13	23	30	75
35-49	449	10.8	107	2	4	7	14	23	31	47
50-64	131	8.9	50	2	4	7	13	18	22	32
65+	36	10.5	90	2	4	8	13	25	31	45
B. Operated										
0-19 YRS	0									
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	17.7	413	3	4	10	20	46	62	94
20-34	653	11.4	123	3	4	8	14	24	33	56
35-49	479	11.8	144	3	5	8	15	24	31	70
50-64	194	12.7	159	3	5	10	16	24	33	75
65+	84	17.7	212	3	6	14	25	40	48	65
B. Operated										
0-19 YRS	2	13.0	2	12	12	13	14	14	14	14
20-34	22	13.8	136	4	5	10	17	33	38	42
35-49	13	16.9	125	5	8	18	22	36	37	37
50-64	5	14.2	69	6	9	13	17	28	28	28
65+	8	17.3	87	6	10	16	24	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1242	10.5	102	2	4	7	14	22	30	54
B. Operated	2	9.0	128	1	1	9	17	17	17	17
2. MULTIPLE DX										
A. Not Operated	1455	12.3	151	3	5	8	16	26	34	67
B. Operated	50	15.2	110	5	6	13	21	32	36	42
1. SINGLE DX	1244	10.5	102	2	4	7	14	22	30	54
2. MULTIPLE DX	1505	12.4	150	3	5	9	16	26	35	66
A. Not Operated	2697	11.4	129	2	4	8	15	25	32	61
B. Operated	52	14.9	109	5	6	13	20	32	36	42
TOTAL										
0-19 YRS	75	15.7	303	2	4	10	20	44	54	98
20-34	1275	11.0	116	2	4	7	14	24	31	58
35-49	941	11.4	126	2	4	8	15	24	31	58
50-64	330	11.2	118	2	5	8	14	22	29	66
65+	128	15.6	178	3	6	12	22	33	44	60
GRAND TOTAL	**2749**	**11.5**	**129**	**2**	**4**	**8**	**15**	**25**	**33**	**60**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	23.3	425	4	6	20	30	56	63	63
20-34	33	9.9	56	2	4	7	14	23	23	30
35-49	12	6.9	65	2	2	3	8	18	28	30
50-64	3	8.3	17	5	5	7	11	13	13	13
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	25.5	336	3	11	24	38	48	63	66
20-34	41	12.3	200	2	3	7	17	26	43	70
35-49	15	8.3	44	3	4	6	10	16	25	28
50-64	5	8.2	27	4	5	5	12	16	16	16
65 +	5	8.4	27	4	4	6	14	14	14	14
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	10.6	117	2	3	7	13	23	30	61
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	78	13.1	194	2	4	8	17	28	41	69
B. Operated	0									
1. SINGLE DX	57	10.6	117	2	3	7	13	23	30	61
2. MULTIPLE DX	78	13.1	194	2	4	8	17	28	41	69
A. Not Operated	135	12.0	162	2	4	7	16	28	37	67
B. Operated	0									
TOTAL										
0-19 YRS	19	24.7	348	4	11	22	35	54	65	66
20-34	74	11.2	135	2	3	7	16	23	30	65
35-49	27	7.7	52	2	3	5	10	15	28	30
50-64	8	8.3	20	4	5	6	12	15	16	16
65 +	7	6.6	28	2	3	4	12	14	14	14
GRAND TOTAL	**135**	**12.0**	**162**	**2**	**4**	**7**	**16**	**28**	**37**	**67**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	80	16.4	233	3	6	12	22	38	42	84
20-34	677	12.0	147	2	4	8	16	26	34	60
35-49	472	12.5	152	2	5	9	17	27	34	81
50-64	136	13.2	161	2	4	8	19	31	43	67
65 +	38	11.6	86	3	5	9	14	23	36	39
B. Operated										
0-19 YRS	0									
20-34	1	34.0		34	34	34	34	34	34	34
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	19.3	290	3	7	15	27	49	59	84
20-34	958	11.9	132	2	4	8	16	27	35	64
35-49	650	11.6	112	3	4	8	15	25	32	57
50-64	284	13.2	132	3	5	10	17	28	35	56
65 +	107	14.2	137	4	7	10	17	37	41	73
B. Operated										
0-19 YRS	5	25.0	497	3	8	21	38	60	60	60
20-34	21	14.0	90	1	7	13	21	25	30	35
35-49	20	19.5	191	5	8	14	31	38	44	49
50-64	11	11.9	74	3	5	8	18	25	30	30
65 +	5	22.0	522	4	9	11	32	61	61	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1403	12.5	154	2	4	8	17	27	37	71
B. Operated	3	17.7	212	6	8	13	29	34	34	34
2. MULTIPLE DX										
A. Not Operated	2099	12.5	136	3	5	9	16	28	36	61
B. Operated	62	16.9	185	4	7	12	23	35	43	61
1. SINGLE DX	1406	12.5	154	2	4	8	17	27	37	71
2. MULTIPLE DX	2161	12.6	138	3	5	9	17	28	36	61
A. Not Operated	3502	12.5	143	2	5	9	17	28	36	62
B. Operated	65	17.0	183	4	7	13	24	35	41	61
TOTAL										
0-19 YRS	185	18.2	270	3	6	13	23	43	57	83
20-34	1657	12.0	138	2	4	8	16	26	34	61
35-49	1144	12.1	131	2	5	9	16	26	33	62
50-64	431	13.2	139	3	5	9	17	29	38	58
65 +	150	13.8	136	4	6	10	17	34	41	61
GRAND TOTAL	**3567**	**12.6**	**144**	**2**	**5**	**9**	**17**	**28**	**37**	**62**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	29.7	226	13	15	30	42	48	50	50
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	34	28.1	379	5	12	27	44	66	91	99 +
20-34	3	43.0	1651	9	15	32	74	88	88	88
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	29.7	226	13	15	30	42	48	50	50
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	38	28.7	457	6	11	27	44	68	94	99 +
B. Operated	0									
1. SINGLE DX	7	29.7	226	13	15	30	42	48	50	50
2. MULTIPLE DX	38	28.7	457	6	11	27	44	68	94	99 +
A. Not Operated	45	28.9	415	7	12	27	43	66	90	99 +
B. Operated	0									
TOTAL										
0-19 YRS	41	28.4	347	7	13	27	43	63	80	99 +
20-34	3	43.0	1651	9	15	32	74	88	88	88
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
GRAND TOTAL	**45**	**28.9**	**415**	**7**	**12**	**27**	**43**	**66**	**90**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	268	15.8	161	2	6	13	22	34	40	57
20-34	452	9.1	84	1	2	6	12	22	29	42
35-49	425	11.0	103	1	3	8	15	24	29	43
50-64	206	11.4	113	2	4	9	14	24	31	53
65 +	227	15.3	161	2	6	12	22	29	40	52
B. Operated										
0-19 YRS	0									
20-34	1	16.0		16	16	16	16	16	16	16
35-49	2	2.5	5	< 1	< 1	2	4	4	4	4
50-64	2	10.5	61	5	5	10	16	16	16	16
65 +	3	19.7	166	9	11	16	29	34	34	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	699	20.0	293	3	7	16	29	45	59	99 +
20-34	1595	11.0	123	2	4	8	14	24	32	58
35-49	1559	12.1	134	2	4	9	15	26	35	59
50-64	805	13.5	135	3	6	10	18	29	35	59
65 +	1054	16.2	179	3	7	13	22	33	41	66
B. Operated										
0-19 YRS	14	14.9	203	1	3	8	24	38	42	43
20-34	50	15.6	150	3	7	14	21	32	38	63
35-49	56	21.8	365	6	9	17	26	53	64	91
50-64	35	18.7	167	5	10	17	24	36	37	69
65 +	71	24.1	288	6	12	20	32	53	58	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1578	11.9	123	2	4	9	16	26	34	50
B. Operated	8	12.6	110	1	4	12	16	29	34	34
2. MULTIPLE DX										
A. Not Operated	5712	13.7	167	2	5	10	18	30	40	68
B. Operated	226	20.3	261	4	8	17	27	41	56	83
1. SINGLE DX	1586	11.9	123	2	4	9	16	26	34	49
2. MULTIPLE DX	5938	14.0	173	2	5	10	18	30	41	69
A. Not Operated	7290	13.3	158	2	5	10	18	29	39	66
B. Operated	234	20.0	257	4	8	17	27	40	56	82
TOTAL										
0-19 YRS	981	18.8	259	3	7	14	26	42	52	98
20-34	2098	10.7	116	2	3	8	14	23	31	56
35-49	2042	12.1	136	2	4	9	16	26	34	59
50-64	1048	13.2	133	3	5	10	18	28	35	59
65 +	1355	16.4	185	3	7	13	22	34	44	66
GRAND TOTAL	**7524**	**13.5**	**163**	**2**	**5**	**10**	**18**	**30**	**39**	**66**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	14.2	172	3	4	10	20	34	42	55
20-34	428	10.1	82	2	4	7	13	22	31	46
35-49	410	10.2	86	2	4	7	13	21	28	50
50-64	178	11.9	147	2	5	9	15	24	33	67
65+	87	14.3	132	3	5	11	22	30	38	53
B. Operated										
0-19 YRS	0									
20-34	2	27.5	1105	4	4	27	51	51	51	51
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	155	17.9	268	3	7	14	25	48	71	99+
20-34	652	12.0	136	2	4	8	15	28	38	59
35-49	737	11.5	104	2	4	9	16	24	29	53
50-64	448	12.5	109	3	5	9	16	26	33	50
65+	369	14.3	133	3	6	12	19	27	34	62
B. Operated										
0-19 YRS	2	25.5	1013	3	3	25	48	48	48	48
20-34	20	15.7	127	3	8	15	20	25	39	52
35-49	24	23.3	408	3	6	20	31	46	66	84
50-64	21	29.4	554	8	13	18	42	73	81	84
65+	21	24.2	275	9	13	19	34	49	63	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1178	11.0	104	2	4	8	14	24	32	52
B. Operated	5	18.6	385	2	3	17	27	51	51	51
2. MULTIPLE DX										
A. Not Operated	2361	12.7	132	2	5	9	17	27	36	64
B. Operated	88	23.3	360	4	11	18	30	48	69	84
1. SINGLE DX	1183	11.0	105	2	4	8	14	24	32	52
2. MULTIPLE DX	2449	13.1	144	3	5	10	17	28	37	68
A. Not Operated	3539	12.1	123	2	5	9	16	26	34	59
B. Operated	93	23.1	359	4	11	18	30	49	67	84
TOTAL										
0-19 YRS	232	16.8	242	3	6	13	22	43	57	99+
20-34	1102	11.4	117	2	4	8	15	26	33	54
35-49	1172	11.3	107	2	4	8	15	23	29	56
50-64	648	12.9	142	3	5	9	17	28	35	66
65+	478	14.7	142	3	6	12	19	28	37	62
GRAND TOTAL	**3632**	**12.4**	**132**	**2**	**5**	**9**	**16**	**26**	**35**	**61**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	9.0	129	1	2	5	9	28	37	47
20-34	143	6.2	73	1	2	4	7	11	15	53
35-49	119	7.1	45	1	2	5	10	17	23	29
50-64	47	12.2	208	2	3	8	16	26	30	91
65+	65	7.6	66	1	3	5	9	19	26	41
B. Operated										
0-19 YRS	0									
20-34	1	32.0		32	32	32	32	32	32	32
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	116	15.2	266	1	4	7	25	45	59	99+
20-34	367	9.0	115	1	3	5	11	21	30	59
35-49	261	8.4	100	1	3	5	10	19	27	57
50-64	184	8.4	57	2	3	6	13	18	25	42
65+	573	7.7	75	2	3	5	9	15	22	48
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	16.4	321	3	6	12	17	47	60	60
35-49	7	6.7	32	1	3	5	9	16	18	18
50-64	11	10.3	68	3	6	8	14	22	30	31
65+	41	12.5	172	3	4	8	15	36	41	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	403	7.6	86	1	2	5	9	17	23	44
B. Operated	2	17.5	421	3	3	17	32	32	32	32
2. MULTIPLE DX										
A. Not Operated	1501	8.8	105	2	3	6	11	20	29	59
B. Operated	69	11.9	159	3	4	8	14	30	39	61
1. SINGLE DX	405	7.6	87	1	3	5	9	17	24	44
2. MULTIPLE DX	1570	8.9	108	2	3	6	11	20	29	60
A. Not Operated	1904	8.5	101	1	3	5	10	20	28	57
B. Operated	71	12.1	162	3	4	8	15	31	39	61
TOTAL										
0-19 YRS	146	13.9	243	1	3	7	22	41	54	99+
20-34	520	8.4	110	1	3	5	10	20	28	59
35-49	388	8.0	82	1	2	5	10	18	25	44
50-64	242	9.2	88	2	3	6	14	20	28	46
65+	679	8.0	81	2	3	5	9	16	23	48
GRAND TOTAL	**1975**	**8.7**	**104**	**1**	**3**	**5**	**10**	**20**	**28**	**58**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	5.2	66	< 1	1	1	8	18	26	26
20-34	45	5.4	74	1	1	2	4	14	23	45
35-49	33	3.0	12	1	1	2	3	8	12	15
50-64	19	4.5	57	1	1	2	3	13	25	32
65 +	11	5.6	59	< 1	1	2	6	20	24	24
B. Operated										
0-19 YRS	0									
20-34	2	33.0	1352	7	7	33	59	59	59	59
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	9.8	209	1	1	3	7	33	43	46
20-34	142	6.3	57	1	2	3	8	15	22	31
35-49	174	6.2	49	1	2	3	9	17	22	30
50-64	118	5.8	47	1	2	3	7	17	21	32
65 +	139	4.4	29	1	2	3	5	9	15	26
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	13.5	500	1	2	3	25	47	47	47
35-49	6	9.5	182	< 1	2	4	11	33	36	36
50-64	5	3.2	5	1	2	2	5	6	6	6
65 +	9	9.3	49	2	5	7	12	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	4.6	51	1	1	2	4	13	19	37
B. Operated	2	33.0	1352	7	7	33	59	59	59	59
2. MULTIPLE DX										
A. Not Operated	587	5.8	50	1	2	3	7	15	21	31
B. Operated	25	8.5	130	1	2	5	10	22	39	47
1. SINGLE DX	120	5.1	75	1	1	2	4	13	22	49
2. MULTIPLE DX	612	5.9	53	1	2	3	7	15	22	35
A. Not Operated	705	5.6	50	1	2	3	6	15	21	33
B. Operated	27	10.3	215	1	2	5	10	33	49	59
TOTAL										
0-19 YRS	25	7.6	145	< 1	1	2	7	28	35	46
20-34	193	6.5	82	1	2	3	8	15	25	53
35-49	213	5.8	48	1	2	3	8	16	22	31
50-64	142	5.6	47	1	2	3	6	16	21	32
65 +	159	4.8	33	1	2	3	5	11	19	24
GRAND TOTAL	**732**	**5.8**	**57**	**1**	**2**	**3**	**7**	**15**	**22**	**36**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	170	17.3	227	2	5	12	25	41	49	69
20-34	106	5.6	43	1	2	4	6	11	17	37
35-49	85	7.1	61	1	2	4	9	16	28	37
50-64	25	6.3	39	1	2	3	10	12	22	25
65 +	16	9.7	123	2	3	5	12	27	38	42
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	700	23.4	349	3	8	21	36	48	59	95
20-34	550	7.2	55	1	2	5	9	17	21	36
35-49	382	7.7	59	1	3	5	11	18	23	34
50-64	193	7.9	64	2	3	5	11	19	25	37
65 +	128	9.0	81	2	3	6	11	20	24	47
B. Operated										
0-19 YRS	10	30.2	413	4	18	36	59	99 +	99 +	99 +
20-34	21	11.2	159	1	4	7	13	21	40	59
35-49	12	19.8	451	5	7	12	20	55	74	77
50-64	8	11.4	55	1	5	13	17	19	20	20
65 +	2	7.5	1	7	7	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	11.1	156	1	3	6	14	28	39	55
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1953	13.3	221	2	3	7	18	35	45	69
B. Operated	53	16.6	293	2	6	11	21	56	73	99 +
1. SINGLE DX	402	11.1	156	1	3	6	14	28	39	55
2. MULTIPLE DX	2006	13.4	223	2	3	7	18	36	45	75
A. Not Operated	2355	12.9	211	2	3	7	17	35	44	68
B. Operated	53	16.6	293	2	6	11	21	56	73	99 +
TOTAL										
0-19 YRS	880	22.3	332	3	7	19	34	47	58	96
20-34	677	7.1	57	1	2	5	9	16	21	40
35-49	479	7.9	72	1	2	5	11	18	23	40
50-64	226	7.9	61	1	3	5	11	19	24	36
65 +	146	9.0	84	2	3	6	11	20	25	45
GRAND TOTAL	**2408**	**13.0**	**213**	**2**	**3**	**7**	**18**	**35**	**44**	**69**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	6.8	175	1	1	2	5	22	44	99 +
20-34	137	6.9	126	1	1	3	7	14	31	61
35-49	60	4.6	33	< 1	1	3	6	10	14	36
50-64	16	4.1	39	< 1	< 1	1	3	14	21	23
65 +	12	5.1	39	1	2	3	5	17	20	20
B. Operated										
0-19 YRS	0									
20-34	42	6.8	10	2	3	9	9	9	9	9
35-49	30	6.8	12	2	2	9	9	9	9	12
50-64	9	4.7	11	1	2	3	9	9	9	9
65 +	4	3.8	8	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	222	11.2	283	1	2	4	14	36	62	99 +
20-34	694	6.8	102	1	2	3	7	16	24	54
35-49	378	6.2	57	1	2	3	7	15	22	39
50-64	113	5.8	43	1	2	4	7	11	23	33
65 +	130	5.9	22	1	2	4	8	13	15	22
B. Operated										
0-19 YRS	10	4.0	8	< 1	1	4	6	8	9	9
20-34	36	7.8	96	1	2	6	9	13	23	56
35-49	29	8.0	60	1	2	9	9	20	38	99 +
50-64	14	5.8	46	2	2	3	5	20	22	22
65 +	12	9.3	52	1	4	8	13	18	26	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	333	6.3	118	1	1	3	6	14	32	78
B. Operated	85	6.5	11	2	2	9	9	9	9	11
2. MULTIPLE DX										
A. Not Operated	1537	7.1	109	1	2	4	8	17	27	61
B. Operated	101	7.4	65	1	2	6	9	14	24	77
1. SINGLE DX	418	6.3	96	1	1	3	9	13	22	69
2. MULTIPLE DX	1638	7.2	106	1	2	4	8	16	27	61
A. Not Operated	1870	7.0	110	1	2	3	7	16	28	63
B. Operated	186	7.0	40	1	2	8	9	10	15	49
TOTAL										
0-19 YRS	340	9.6	245	1	1	3	12	33	59	99 +
20-34	909	6.9	101	1	2	3	8	15	24	54
35-49	497	6.2	52	1	2	4	9	14	21	39
50-64	152	5.6	41	1	2	3	7	11	22	29
65 +	158	6.0	25	1	2	4	8	14	16	24
GRAND TOTAL	**2056**	**7.0**	**104**	**1**	**2**	**4**	**9**	**16**	**27**	**62**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	8.2	126	< 1	1	2	11	29	30	34
20-34	221	11.1	167	< 1	2	3	27	29	34	42
35-49	296	11.7	162	1	2	4	27	32	34	37
50-64	108	9.7	133	1	2	4	16	29	31	36
65 +	46	6.2	75	1	1	3	6	22	30	34
B. Operated										
0-19 YRS	0									
20-34	3	2.0	1	< 1	< 1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	574	26.1	233	3	15	27	38	44	50	62
20-34	2386	16.9	122	2	4	21	28	29	30	35
35-49	2393	14.8	125	2	3	14	26	29	30	36
50-64	1334	13.4	119	2	3	9	24	28	30	35
65 +	822	12.5	102	2	4	9	21	28	30	35
B. Operated										
0-19 YRS	8	16.6	277	< 1	2	11	30	41	44	44
20-34	47	14.6	147	1	3	13	26	30	34	41
35-49	53	17.5	126	4	6	20	28	29	35	41
50-64	33	17.6	89	6	9	19	27	30	33	99 +
65 +	32	13.5	79	3	7	12	19	28	31	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	697	10.7	154	1	2	3	25	29	34	37
B. Operated	3	2.0	1	< 1	< 1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	7509	15.8	140	2	4	16	27	29	32	44
B. Operated	173	16.0	123	2	5	15	27	30	34	43
1. SINGLE DX	700	10.7	153	1	2	3	25	29	34	37
2. MULTIPLE DX	7682	15.8	139	2	4	16	27	29	32	44
A. Not Operated	8206	15.4	143	2	3	14	27	29	32	44
B. Operated	176	15.7	124	2	5	14	26	30	34	43
TOTAL										
0-19 YRS	608	25.2	242	2	14	27	36	44	49	62
20-34	2657	16.3	128	2	4	20	28	29	31	36
35-49	2742	14.5	130	2	3	13	26	29	30	36
50-64	1475	13.2	121	2	3	8	24	28	30	36
65 +	900	12.2	102	2	4	8	21	28	30	35
GRAND TOTAL	**8382**	**15.4**	**143**	**2**	**3**	**14**	**27**	**29**	**32**	**44**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	21.8	87	6	18	24	28	30	30	30
20-34	46	9.3	111	1	2	4	15	29	30	35
35-49	26	9.5	114	2	3	5	10	27	34	45
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	25.5	149	3	19	29	34	37	40	47
20-34	358	15.5	118	3	5	15	27	29	31	37
35-49	245	12.5	113	2	4	7	21	28	29	43
50-64	35	13.6	125	2	4	6	25	28	29	37
65 +	18	12.8	82	3	6	9	22	26	28	30
B. Operated										
0-19 YRS	2	28.5	1013	6	6	28	51	51	51	51
20-34	4	18.0	185	3	6	19	29	30	30	30
35-49	5	18.2	146	2	9	17	29	31	31	31
50-64	2	13.5	41	9	9	13	18	18	18	18
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	10.0	115	1	3	5	15	29	31	42
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	716	15.2	129	3	4	12	27	29	32	42
B. Operated	13	19.0	203	3	8	17	29	35	48	51
1. SINGLE DX	79	10.0	115	1	3	5	15	29	31	42
2. MULTIPLE DX	729	15.2	130	3	5	12	27	29	32	43
A. Not Operated	795	14.7	130	2	4	11	27	29	32	42
B. Operated	13	19.0	203	3	8	17	29	35	48	51
TOTAL										
0-19 YRS	67	25.3	155	3	19	29	34	37	42	50
20-34	408	14.9	121	2	4	13	27	29	30	36
35-49	276	12.3	114	2	4	7	21	28	30	44
50-64	39	13.1	119	2	4	6	23	28	29	37
65 +	18	12.8	82	3	6	9	22	26	28	30
GRAND TOTAL	**808**	**14.7**	**131**	**2**	**4**	**11**	**27**	**29**	**32**	**43**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	15.8	164	1	3	10	29	29	33	39
20-34	153	10.8	124	1	2	4	21	29	30	34
35-49	30	14.4	150	1	3	11	28	29	29	34
50-64	3	32.3	908	4	10	29	55	64	64	64
65 +	5	3.0	8	1	1	1	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	604	26.8	208	5	17	28	35	44	49	62
20-34	1582	18.2	115	3	6	21	28	29	30	35
35-49	403	16.7	118	3	5	18	27	29	30	37
50-64	53	18.4	136	3	6	22	28	30	34	49
65 +	43	13.8	97	3	5	12	23	28	31	33
B. Operated										
0-19 YRS	8	34.9	160	19	27	33	42	54	58	58
20-34	21	21.6	94	6	15	24	29	32	34	36
35-49	3	30.0	31	25	26	29	34	36	36	36
50-64	3	28.0	241	12	16	29	39	43	43	43
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	237	12.3	149	1	3	5	28	29	30	36
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2685	19.9	151	3	7	22	28	32	38	50
B. Operated	35	25.9	137	8	17	28	32	40	44	58
1. SINGLE DX	237	12.3	149	1	3	5	28	29	30	36
2. MULTIPLE DX	2720	19.9	151	3	7	22	28	32	38	51
A. Not Operated	2922	19.3	155	3	6	21	28	32	37	49
B. Operated	35	25.9	137	8	17	28	32	40	44	58
TOTAL										
0-19 YRS	658	26.2	212	4	15	28	35	44	48	62
20-34	1756	17.6	120	2	5	21	28	29	30	35
35-49	436	16.6	120	3	5	18	28	29	30	37
50-64	59	19.6	174	3	6	22	29	32	40	63
65 +	48	12.6	99	2	5	8	21	28	30	33
GRAND TOTAL	**2957**	**19.3**	**155**	**3**	**6**	**21**	**28**	**32**	**37**	**49**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	1.2	2	< 1	< 1	1	1	1	2	11
20-34	27	1.7	4	< 1	< 1	1	1	3	6	10
35-49	27	1.9	2	< 1	1	1	2	5	5	5
50-64	13	1.9	2	< 1	< 1	1	2	4	5	5
65 +	5	2.4	4	< 1	< 1	1	4	5	5	5
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	154	6.8	144	< 1	1	1	3	29	35	46
20-34	217	6.0	86	< 1	1	1	4	27	28	31
35-49	162	6.8	92	< 1	1	2	7	28	28	31
50-64	68	4.0	34	1	1	2	4	13	18	28
65 +	47	4.8	39	1	2	3	4	11	21	32
B. Operated										
0-19 YRS	5	7.6	187	< 1	< 1	< 1	10	32	32	32
20-34	9	2.6	16	< 1	1	1	2	9	13	13
35-49	6	6.0	55	< 1	1	2	11	18	19	19
50-64	5	1.8	2	< 1	1	1	2	4	4	4
65 +	5	5.2	27	1	2	2	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	156	1.5	3	< 1	< 1	1	1	3	5	10
B. Operated	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	648	6.1	93	< 1	1	2	4	26	28	35
B. Operated	30	4.4	48	< 1	1	2	3	13	19	32
1. SINGLE DX	159	1.5	3	< 1	< 1	1	1	3	4	10
2. MULTIPLE DX	678	6.0	91	< 1	1	2	4	26	28	35
A. Not Operated	804	5.2	79	< 1	1	1	3	22	28	35
B. Operated	33	4.1	44	< 1	1	1	3	13	18	32
TOTAL										
0-19 YRS	244	4.9	101	< 1	< 1	1	2	16	33	44
20-34	255	5.4	76	< 1	1	1	3	26	28	30
35-49	195	6.1	81	< 1	1	2	5	26	28	31
50-64	86	3.6	28	< 1	1	2	3	10	16	27
65 +	57	4.6	34	1	1	3	4	11	18	31
GRAND TOTAL	**837**	**5.2**	**77**	**< 1**	**1**	**1**	**3**	**21**	**28**	**35**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	5.0	39	< 1	1	2	6	16	20	22
20-34	50	3.6	30	< 1	1	2	3	8	19	28
35-49	21	4.6	31	< 1	1	3	5	11	18	24
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	161	20.2	302	1	4	21	30	44	50	75
20-34	328	10.8	128	1	2	5	21	28	30	40
35-49	109	8.4	99	1	1	4	10	28	28	39
50-64	16	8.7	88	< 1	2	5	10	26	29	31
65 +	19	8.6	71	1	3	4	13	23	27	28
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	15.2	261	2	4	7	28	41	42	42
35-49	5	15.4	82	5	7	15	24	25	25	25
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	4.2	33	< 1	1	2	4	13	19	26
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	633	12.6	184	1	2	6	22	30	39	53
B. Operated	14	12.8	152	2	4	8	24	29	39	42
1. SINGLE DX	100	4.2	33	< 1	1	2	4	13	19	26
2. MULTIPLE DX	647	12.6	183	1	2	6	23	30	39	52
A. Not Operated	733	11.5	172	1	2	5	21	29	36	52
B. Operated	14	12.8	152	2	4	8	24	29	39	42
TOTAL										
0-19 YRS	192	17.7	290	1	2	14	28	43	48	71
20-34	384	9.9	123	1	1	4	20	28	30	41
35-49	135	8.1	91	< 1	1	4	10	26	28	36
50-64	17	8.3	85	< 1	2	5	9	25	29	31
65 +	19	8.6	71	1	3	4	13	23	27	28
GRAND TOTAL	**747**	**11.5**	**171**	**1**	**2**	**5**	**21**	**29**	**36**	**52**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.4		< 1	1	1	2	2	2	2
20-34	7	3.1	5	1	1	3	5	7	7	7
35-49	6	1.5		1	1	1	2	2	2	2
50-64	4	1.5	1	1	1	1	2	3	3	3
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	1	7.0		7	7	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	5.4	107	1	2	2	4	7	38	46
20-34	45	3.1	7	1	2	2	4	6	9	14
35-49	40	4.3	17	1	1	3	6	11	13	19
50-64	38	3.5	52	1	1	2	3	6	9	45
65 +	57	3.9	22	1	1	3	5	7	8	29
B. Operated										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	6	3.5	6	1	1	3	5	7	7	7
35-49	4	7.5	22	2	4	7	11	13	13	13
50-64	8	6.6	28	3	3	5	7	15	19	19
65 +	6	5.7	16	1	3	4	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.9	2	1	1	1	2	4	5	7
B. Operated	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	213	4.0	36	1	1	2	4	7	11	44
B. Operated	26	5.7	17	1	3	5	7	11	14	19
1. SINGLE DX	28	2.1	3	1	1	1	3	5	7	7
2. MULTIPLE DX	239	4.2	34	1	1	3	5	7	11	44
A. Not Operated	239	3.7	33	1	1	2	4	7	11	44
B. Operated	28	5.6	16	2	3	5	7	11	14	19
TOTAL										
0-19 YRS	44	4.6	82	1	2	2	4	6	18	46
20-34	58	3.2	6	1	1	3	4	6	8	14
35-49	51	4.3	17	1	1	3	6	11	13	19
50-64	50	3.9	45	1	1	2	4	7	11	45
65 +	64	4.0	21	1	1	3	5	7	10	29
GRAND TOTAL	**267**	**3.9**	**31**	**1**	**1**	**2**	**4**	**7**	**11**	**42**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	234	10.3	126	1	2	6	14	27	31	62
20-34	197	5.3	61	< 1	1	3	6	13	18	37
35-49	152	6.6	81	< 1	1	2	9	19	29	39
50-64	28	5.5	35	< 1	1	3	8	15	21	22
65 +	10	5.6	22	1	2	4	8	13	17	17
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	607	10.6	168	1	2	6	15	25	35	83
20-34	889	5.5	45	1	2	3	7	12	18	30
35-49	613	6.7	77	1	2	4	8	15	22	44
50-64	196	7.5	79	1	3	4	8	16	25	52
65 +	183	7.1	46	2	3	5	8	14	23	33
B. Operated										
0-19 YRS	9	10.3	209	1	3	4	13	33	47	47
20-34	31	6.1	49	< 1	1	3	7	17	20	30
35-49	18	7.4	98	< 1	2	4	8	24	34	37
50-64	8	9.8	47	4	6	7	12	22	24	24
65 +	16	13.4	190	3	5	9	17	27	48	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	621	7.5	93	1	1	4	10	20	28	48
B. Operated	6	1.8	2	< 1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	2488	7.3	89	1	2	4	9	17	24	49
B. Operated	82	8.7	106	1	2	6	11	21	29	54
1. SINGLE DX	627	7.5	93	1	1	4	9	19	28	48
2. MULTIPLE DX	2570	7.3	90	1	2	4	9	17	24	49
A. Not Operated	3109	7.3	90	1	2	4	9	18	25	49
B. Operated	88	8.2	102	1	2	5	10	21	29	53
TOTAL										
0-19 YRS	852	10.5	157	1	2	6	14	26	34	67
20-34	1119	5.4	48	1	1	3	7	12	18	30
35-49	785	6.7	78	1	2	4	8	16	23	42
50-64	232	7.4	73	1	2	4	8	17	24	50
65 +	209	7.5	58	2	3	5	9	16	23	42
GRAND TOTAL	**3197**	**7.4**	**90**	**1**	**2**	**4**	**9**	**18**	**25**	**49**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	217	9.6	159	1	2	5	13	22	36	83
20-34	125	4.8	114	1	1	2	5	10	13	63
35-49	81	4.2	36	1	1	2	4	10	12	37
50-64	7	3.6	7	< 1	1	4	6	7	7	7
65 +	15	6.0	47	2	2	3	6	15	24	27
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	582	12.7	257	1	3	6	17	35	49	99
20-34	621	5.5	51	1	1	3	7	13	19	41
35-49	421	5.3	33	1	2	3	6	12	17	29
50-64	130	6.5	58	1	2	4	8	16	20	42
65 +	105	5.0	21	1	2	4	6	11	16	23
B. Operated										
0-19 YRS	15	7.5	163	1	2	5	10	90	99 +	99 +
20-34	23	7.4	112	1	1	3	7	22	34	43
35-49	5	10.6	148	3	4	5	15	32	32	32
50-64	3	13.3	129	4	5	10	22	26	26	26
65 +	3	11.0	76	5	5	7	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	7.0	123	1	1	3	8	16	27	63
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1859	7.7	121	1	2	4	9	19	29	67
B. Operated	49	8.3	123	1	2	5	9	30	51	99 +
1. SINGLE DX	446	7.0	123	1	1	3	8	16	27	62
2. MULTIPLE DX	1908	7.8	121	1	2	4	9	20	29	68
A. Not Operated	2304	7.6	122	1	2	4	9	18	29	66
B. Operated	50	8.2	122	1	2	4	9	30	50	99 +
TOTAL										
0-19 YRS	814	11.8	231	1	2	6	15	31	45	99 +
20-34	769	5.5	63	1	1	3	6	13	18	44
35-49	508	5.1	35	1	2	3	6	12	17	30
50-64	140	6.5	57	1	2	4	8	16	21	41
65 +	123	5.3	25	1	2	4	7	11	16	27
GRAND TOTAL	**2354**	**7.6**	**122**	**1**	**2**	**4**	**9**	**19**	**29**	**68**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	242	15.8	208	2	3	12	27	40	45	99 +
20-34	54	17.4	278	1	2	13	30	40	42	70
35-49	17	16.9	184	2	3	23	28	33	38	40
50-64	7	7.0	75	1	2	2	10	22	25	25
65 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	0									
35-49	2	1.5	1	< 1	< 1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	946	23.1	344	3	8	19	39	50	64	99 +
20-34	426	21.2	296	2	5	17	36	42	48	71
35-49	157	19.7	289	1	4	13	38	42	46	55
50-64	53	13.9	273	1	2	5	23	40	42	68
65 +	34	6.1	51	1	2	4	6	16	27	30
B. Operated										
0-19 YRS	22	30.8	455	1	5	34	50	56	61	64
20-34	18	18.4	753	2	3	5	28	72	87	88
35-49	8	12.5	162	2	4	7	20	33	35	35
50-64	6	27.3	113	15	18	28	30	44	45	45
65 +	5	9.2	91	3	4	6	12	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	321	15.9	216	1	3	11	27	40	44	99 +
B. Operated	5	3.0	6	< 1	1	2	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	1616	21.6	326	2	6	17	37	46	56	99 +
B. Operated	59	22.4	483	2	4	15	35	53	62	88
1. SINGLE DX	326	15.7	215	1	3	11	27	40	44	99 +
2. MULTIPLE DX	1675	21.6	331	2	5	17	37	46	56	99 +
A. Not Operated	1937	20.6	312	2	5	16	34	45	55	99 +
B. Operated	64	20.8	473	2	3	8	34	51	60	88
TOTAL										
0-19 YRS	1211	21.7	329	3	7	18	35	49	61	99 +
20-34	498	20.7	310	2	4	15	35	42	48	77
35-49	184	18.9	275	1	3	12	35	42	45	55
50-64	67	14.2	254	1	2	5	25	40	43	66
65 +	41	6.5	52	1	3	4	6	18	27	30
GRAND TOTAL	**2001**	**20.6**	**317**	**2**	**5**	**16**	**34**	**45**	**55**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	0									
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	6.0	64	1	2	4	20	92	99 +	99 +
20-34	21	9.1	72	3	4	6	10	23	31	32
35-49	7	9.6	199	2	3	4	9	35	41	41
50-64	0									
65 +	5	7.8	50	2	2	6	12	19	19	19
B. Operated										
0-19 YRS	2	15.5	145	7	7	15	24	24	24	24
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.5	3	6	6	7	9	9	9	9
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	38	8.6	85	2	3	5	10	27	37	99 +
B. Operated	2	15.5	145	7	7	15	24	24	24	24
1. SINGLE DX	5	6.4	8	2	5	6	9	9	9	9
2. MULTIPLE DX	40	9.0	86	2	3	6	11	27	36	99 +
A. Not Operated	42	8.5	77	2	3	6	10	22	35	99 +
B. Operated	3	11.0	133	2	3	7	20	24	24	24
TOTAL										
0-19 YRS	9	7.7	71	1	2	5	20	62	99 +	99 +
20-34	23	9.0	66	3	4	6	10	20	31	32
35-49	7	9.6	199	2	3	4	9	35	41	41
50-64	0									
65 +	6	8.0	40	2	2	7	10	18	19	19
GRAND TOTAL	**45**	**8.7**	**78**	**2**	**3**	**6**	**10**	**24**	**34**	**99 +**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	224	9.3	13	4	7	10	11	14	15	20
20-34	33	4.3	9	1	2	4	6	10	10	11
35-49	16	6.0	22	1	2	4	10	11	15	16
50-64	5	4.8	18	1	2	3	7	12	12	12
65 +	3	7.7	52	3	3	4	13	16	16	16
B. Operated										
0-19 YRS	15	12.7	40	6	10	12	13	18	28	32
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	10	4.1	19	< 1	1	2	7	11	14	14
50-64	6	5.2	24	< 1	1	4	6	13	14	14
65 +	2	23.5	61	18	18	23	29	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	367	10.3	22	4	8	10	12	15	18	26
20-34	49	8.0	58	2	4	6	11	16	33	99 +
35-49	52	11.5	143	2	4	9	14	25	32	68
50-64	40	11.6	39	4	7	12	15	18	22	32
65 +	53	12.3	82	3	6	10	16	27	32	40
B. Operated										
0-19 YRS	93	19.5	184	9	11	14	23	35	53	68
20-34	38	20.1	265	4	8	17	26	44	49	76
35-49	45	18.6	239	2	6	14	28	43	48	60
50-64	44	18.4	527	1	6	12	19	75	92	99 +
65 +	47	21.2	270	3	12	19	26	40	53	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	281	8.4	16	2	5	10	11	13	14	18
B. Operated	35	9.1	56	1	3	8	13	18	26	32
2. MULTIPLE DX										
A. Not Operated	561	10.5	44	3	6	10	13	17	23	33
B. Operated	267	19.6	273	4	9	15	24	43	57	91
1. SINGLE DX	316	8.5	21	2	5	10	11	14	15	22
2. MULTIPLE DX	828	13.4	136	3	7	11	15	26	36	73
A. Not Operated	842	9.8	36	3	6	10	12	15	19	32
B. Operated	302	18.3	259	3	8	14	22	40	54	90
TOTAL										
0-19 YRS	699	11.2	52	4	8	10	13	17	23	43
20-34	122	10.7	149	2	3	6	13	27	42	82
35-49	123	12.7	175	1	3	9	16	32	43	62
50-64	95	14.0	281	1	6	11	16	23	74	99 +
65 +	105	16.4	184	3	7	14	22	32	40	71
GRAND TOTAL	**1144**	**12.0**	**109**	**3**	**6**	**10**	**14**	**21**	**31**	**66**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	7	3.6	7	1	1	4	5	7	8	8
50-64	22	3.0	6	1	1	2	4	5	8	11
65 +	46	4.7	11	1	2	4	6	10	12	13
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	12	5.5	25	< 1	2	4	7	15	16	16
50-64	35	5.4	16	2	2	4	7	13	13	17
65 +	302	6.9	21	3	4	6	9	13	16	24
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	4	11.0	19	7	8	10	14	17	17	17
65 +	29	11.7	65	2	7	11	14	21	30	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	4.1	10	1	1	4	5	9	11	13
B. Operated	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	350	6.7	21	2	4	6	9	13	16	24
B. Operated	33	11.6	58	3	7	11	14	20	29	37
1. SINGLE DX	78	4.1	10	1	1	4	5	9	11	13
2. MULTIPLE DX	383	7.1	26	2	4	6	9	13	16	28
A. Not Operated	425	6.3	20	2	3	5	8	12	15	21
B. Operated	36	10.9	60	2	6	10	14	19	28	37
TOTAL										
0-19 YRS	0									
20-34	1	7.0		7	7	7	7	7	7	7
35-49	19	4.8	19	< 1	1	4	6	12	15	16
50-64	62	4.9	16	1	2	4	7	11	13	17
65 +	379	7.0	26	2	4	6	9	13	16	29
GRAND TOTAL	**461**	**6.6**	**24**	**2**	**3**	**5**	**9**	**13**	**16**	**25**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	76	4.6	8	2	3	4	5	8	12	14
35-49	91	5.3	14	2	4	4	6	10	13	19
50-64	20	5.7	16	1	4	4	8	10	14	18
65 +	4	4.0	1	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	0									
20-34	3	8.0	43	1	3	9	13	14	14	14
35-49	5	5.4	20	1	3	4	7	13	13	13
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	6.5	18	2	3	5	11	12	12	12
20-34	78	7.5	37	2	4	5	9	17	22	27
35-49	151	6.9	31	2	4	5	9	13	17	35
50-64	79	8.2	58	3	4	5	10	18	29	35
65 +	35	7.7	28	2	5	7	9	17	20	24
B. Operated										
0-19 YRS	0									
20-34	11	15.7	498	2	4	8	17	49	76	78
35-49	25	8.4	25	3	4	8	13	18	35	99 +
50-64	12	9.5	47	1	3	10	15	18	21	21
65 +	7	11.3	37	4	7	10	15	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	5.0	11	2	3	4	5	10	12	19
B. Operated	10	5.3	25	< 1	1	4	9	13	14	14
2. MULTIPLE DX										
A. Not Operated	349	7.4	38	2	4	6	9	14	22	32
B. Operated	55	10.5	125	3	4	8	14	20	27	99
1. SINGLE DX	203	5.0	12	2	3	4	5	10	12	19
2. MULTIPLE DX	404	7.8	51	2	4	6	10	16	22	35
A. Not Operated	542	6.6	30	2	4	5	8	12	18	30
B. Operated	65	9.7	113	1	4	8	14	19	23	96
TOTAL										
0-19 YRS	8	5.6	15	2	3	4	9	12	12	12
20-34	168	6.7	59	2	4	4	8	12	21	30
35-49	272	6.5	25	2	4	5	8	13	17	34
50-64	112	7.9	50	2	4	5	10	17	27	34
65 +	47	7.8	30	2	4	7	9	17	21	24
GRAND TOTAL	**607**	**6.9**	**39**	**2**	**4**	**5**	**8**	**14**	**19**	**31**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	406	2.4	6	1	1	2	3	4	7	14
20-34	180	2.4	4	1	1	2	3	4	7	11
35-49	95	2.3	3	1	1	2	3	4	8	59
50-64	66	2.4	19	1	1	1	2	3	6	27
65 +	50	3.0	6	1	1	2	3	7	9	12
B. Operated										
0-19 YRS	7	3.3	15	1	1	2	3	10	12	12
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	0									
50-64	1	6.0		6	6	6	6	6	6	6
65 +	2	9.0	50	4	4	9	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	885	3.5	17	1	1	2	4	7	10	21
20-34	399	3.4	10	1	1	2	4	7	10	16
35-49	392	3.5	10	1	1	3	5	7	10	14
50-64	361	4.3	18	1	2	3	6	9	12	24
65 +	873	5.0	18	2	2	4	6	10	13	21
B. Operated										
0-19 YRS	45	8.5	73	1	2	5	13	23	28	33
20-34	32	9.3	77	2	3	6	13	20	29	38
35-49	34	7.7	44	1	2	5	12	18	20	23
50-64	43	7.9	34	1	4	7	11	15	23	99 +
65 +	72	11.3	65	3	5	9	18	23	25	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	797	2.4	6	1	1	2	3	4	7	14
B. Operated	13	4.3	19	1	1	2	6	12	14	14
2. MULTIPLE DX										
A. Not Operated	2910	4.0	16	1	2	3	5	8	11	20
B. Operated	226	9.3	60	1	3	7	13	20	26	36
1. SINGLE DX	810	2.5	7	1	1	2	3	4	7	14
2. MULTIPLE DX	3136	4.4	21	1	2	3	5	9	13	24
A. Not Operated	3707	3.7	14	1	1	2	4	8	11	19
B. Operated	239	9.0	59	1	3	7	13	20	25	35
TOTAL										
0-19 YRS	1343	3.3	16	1	1	2	4	7	10	22
20-34	614	3.4	14	1	1	2	4	7	11	17
35-49	521	3.6	12	1	1	2	4	8	12	19
50-64	471	4.4	21	1	2	3	6	10	13	28
65 +	997	5.3	24	2	2	4	7	11	15	24
GRAND TOTAL	**3946**	**4.0**	**18**	**1**	**2**	**3**	**5**	**9**	**12**	**23**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	67	3.1	13	1	1	2	3	5	10	22
20-34	49	2.7	3	1	1	2	4	6	6	8
35-49	53	3.3	8	1	2	2	4	6	10	16
50-64	39	5.3	36	1	2	3	6	12	16	32
65 +	51	6.7	81	2	3	4	8	13	14	63
B. Operated										
0-19 YRS	190	5.6	61	< 1	< 1	3	5	25	26	29
20-34	62	3.4	9	1	1	2	5	8	9	14
35-49	75	4.4	13	1	2	4	6	8	10	20
50-64	63	5.3	79	1	1	3	7	9	11	56
65 +	59	5.2	19	1	2	4	7	9	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	246	5.8	93	1	2	3	5	14	20	62
20-34	182	5.8	59	1	2	4	7	11	21	54
35-49	226	6.4	91	1	2	3	7	12	20	61
50-64	271	7.0	79	1	2	4	8	14	23	55
65 +	984	7.5	52	2	3	5	9	15	21	42
B. Operated										
0-19 YRS	377	9.0	138	1	3	5	10	21	30	96
20-34	157	8.1	104	2	3	6	9	15	20	64
35-49	177	10.2	164	1	3	6	13	24	38	87
50-64	215	9.6	133	1	3	6	11	22	37	85
65 +	401	10.6	75	3	5	8	14	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	4.1	29	1	2	3	5	9	12	23
B. Operated	449	5.0	43	< 1	1	3	6	9	23	28
2. MULTIPLE DX										
A. Not Operated	1909	6.9	67	1	2	5	8	14	21	51
B. Operated	1327	9.6	118	2	3	7	12	21	30	74
1. SINGLE DX	708	4.7	38	1	1	3	5	9	16	28
2. MULTIPLE DX	3236	8.0	90	1	3	5	9	17	25	62
A. Not Operated	2168	6.6	63	1	2	4	8	14	20	48
B. Operated	1776	8.5	103	1	3	6	10	20	27	64
TOTAL										
0-19 YRS	880	6.9	103	< 1	2	3	7	18	26	73
20-34	450	5.9	65	1	2	4	7	11	19	60
35-49	531	7.1	102	1	2	4	8	15	24	63
50-64	588	7.7	98	1	2	5	9	15	28	59
65 +	1495	8.2	60	2	3	6	10	17	23	42
GRAND TOTAL	**3944**	**7.4**	**82**	**1**	**2**	**5**	**9**	**16**	**25**	**59**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	1.7	1	1	1	1	2	3	4	5
20-34	152	2.2	2	1	1	2	3	4	5	9
35-49	128	2.6	6	1	1	2	3	5	6	14
50-64	38	2.8	7	1	1	2	3	6	7	15
65 +	14	1.9	1	1	1	2	2	3	4	4
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	15	1.5	1	1	1	1	2	3	3	3
35-49	8	1.5	1	1	1	1	2	3	4	4
50-64	4	5.0	18	1	2	4	8	11	11	11
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	1.8	1	1	1	1	3	3	4	5
20-34	253	3.0	6	1	2	2	4	6	7	13
35-49	280	3.3	10	1	2	3	4	6	9	15
50-64	117	3.0	6	1	2	2	4	6	7	13
65 +	61	2.5	2	1	1	2	3	5	6	8
B. Operated										
0-19 YRS	3	2.3	5	< 1	< 1	< 1	4	5	5	5
20-34	21	4.0	7	1	2	3	5	8	9	10
35-49	28	5.6	36	1	3	4	6	8	24	27
50-64	9	3.7	6	1	1	3	6	7	7	7
65 +	3	2.3		2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	406	2.3	4	1	1	2	3	4	5	11
B. Operated	29	1.9	4	1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	773	3.0	7	1	1	2	4	6	7	13
B. Operated	64	4.5	20	1	2	4	6	7	9	27
1. SINGLE DX	435	2.3	4	1	1	2	3	4	5	11
2. MULTIPLE DX	837	3.1	8	1	1	2	4	6	7	14
A. Not Operated	1179	2.8	6	1	1	2	3	5	7	12
B. Operated	93	3.7	16	1	1	3	5	7	9	26
TOTAL										
0-19 YRS	141	1.8	1	1	1	1	2	3	4	5
20-34	441	2.7	5	1	1	2	3	5	7	10
35-49	444	3.2	11	1	1	2	4	6	8	18
50-64	168	3.1	6	1	2	2	4	6	7	14
65 +	78	2.4	2	1	1	2	3	4	5	8
GRAND TOTAL	**1272**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	28	1.1		< 1	< 1	1	1	2	2	2
35-49	47	1.2		< 1	< 1	< 1	1	2	2	3
50-64	31	1.5	2	< 1	< 1	< 1	1	3	6	7
65 +	38	1.2		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	3	1.7		1	1	2	2	2	2	2
65 +	4	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	48	1.6	1	< 1	1	1	2	3	4	7
35-49	52	2.0	3	1	1	2	2	4	5	9
50-64	59	1.6	1	< 1	1	1	2	3	4	8
65 +	43	1.6	2	< 1	1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	2	1	1	1	3	4	4	4
B. Operated	147	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	13	1.8	1	1	1	1	2	3	5	5
B. Operated	205	1.7	2	< 1	1	1	2	3	4	8
1. SINGLE DX	151	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX	218	1.7	2	< 1	1	1	2	3	4	8
A. Not Operated	17	1.8	1	1	1	1	2	4	5	5
B. Operated	352	1.5	1	< 1	< 1	1	2	3	4	7
TOTAL										
0-19 YRS	6	1.3	1	1	1	1	1	3	3	3
20-34	81	1.5	1	< 1	1	1	2	2	4	6
35-49	103	1.7	2	< 1	< 1	1	2	3	4	8
50-64	93	1.6	2	< 1	< 1	1	2	3	4	8
65 +	86	1.4	1	< 1	< 1	1	1	2	3	7
GRAND TOTAL	**369**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**7**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	5.0	30	1	2	4	6	11	19	25
20-34	42	5.1	17	1	2	4	8	11	14	16
35-49	32	3.7	15	1	2	3	4	7	11	21
50-64	45	5.4	59	1	2	3	6	14	36	99 +
65 +	25	3.6	12	1	1	3	4	9	11	15
B. Operated										
0-19 YRS	30	2.5	7	< 1	< 1	1	3	5	6	14
20-34	216	2.7	5	1	1	2	3	5	6	11
35-49	254	2.7	5	1	1	2	4	6	7	10
50-64	139	2.6	9	1	1	1	3	6	8	18
65 +	82	3.2	8	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	67	10.4	219	2	3	6	9	23	54	69
20-34	56	6.4	71	1	2	3	7	14	26	44
35-49	105	6.0	35	1	2	4	8	17	21	99 +
50-64	120	4.7	20	1	2	3	6	10	12	24
65 +	269	6.0	54	1	2	4	7	11	15	48
B. Operated										
0-19 YRS	46	7.4	248	1	1	3	5	13	32	84
20-34	206	4.7	47	1	2	3	5	8	14	56
35-49	267	5.7	67	1	2	3	7	11	19	58
50-64	211	5.3	75	1	1	3	6	13	20	99 +
65 +	184	8.2	146	1	2	4	10	19	32	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	4.7	29	1	2	3	5	10	15	37
B. Operated	721	2.7	6	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated	617	6.3	65	1	2	4	8	12	19	59
B. Operated	914	6.0	91	1	1	3	7	13	21	84
1. SINGLE DX	908	3.1	11	1	1	2	4	7	9	17
2. MULTIPLE DX	1531	6.1	80	1	2	4	7	12	20	71
A. Not Operated	804	5.9	57	1	2	4	7	11	18	56
B. Operated	1635	4.5	56	1	1	3	5	9	14	58
TOTAL										
0-19 YRS	186	7.1	155	1	2	4	6	12	24	71
20-34	520	4.1	31	1	1	3	4	8	12	39
35-49	658	4.5	38	1	1	3	5	9	15	44
50-64	515	4.5	44	1	1	2	5	10	16	89
65 +	560	6.2	78	1	2	4	7	13	18	60
GRAND TOTAL	**2439**	**5.0**	**57**	**1**	**1**	**3**	**6**	**10**	**16**	**57**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.7	2	2	2	4	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	29	2.7	3	1	2	2	3	4	7	8
20-34	104	2.6	8	1	1	2	3	4	7	18
35-49	166	2.4	3	1	1	2	3	4	5	8
50-64	306	2.6	4	1	1	2	3	4	6	13
65 +	308	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	1.0		< 1	< 1	1	1	1	1	1
35-49	3	1.0		1	1	1	1	1	1	1
50-64	8	2.6	4	< 1	< 1	2	4	6	6	6
65 +	6	2.5	6	< 1	1	2	3	7	7	7
B. Operated										
0-19 YRS	55	3.1	15	1	1	2	3	7	13	21
20-34	129	3.2	13	1	2	2	3	6	7	21
35-49	183	3.2	9	1	2	3	3	5	9	18
50-64	452	2.9	7	1	2	2	3	5	7	11
65 +	665	3.0	4	1	2	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.8	2	1	2	3	4	5	5	5
B. Operated	913	2.5	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated	22	2.0	3	< 1	< 1	1	2	5	6	7
B. Operated	1484	3.0	6	1	2	3	3	5	7	13
1. SINGLE DX	919	2.5	4	1	1	2	3	4	5	11
2. MULTIPLE DX	1506	3.0	6	1	2	3	3	5	7	13
A. Not Operated	28	2.2	3	< 1	1	1	3	5	6	7
B. Operated	2397	2.8	5	1	2	2	3	5	6	12
TOTAL										
0-19 YRS	86	2.9	11	1	1	2	3	6	9	19
20-34	238	2.9	10	1	1	2	3	5	7	18
35-49	353	2.8	6	1	2	2	3	5	6	16
50-64	769	2.8	6	1	2	2	3	4	6	12
65 +	979	2.8	3	1	2	3	3	5	6	9
GRAND TOTAL	**2425**	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	6	1.8	1	1	1	2	2	3	3	3
B. Operated										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	1.8	1	< 1	1	2	3	3	3	3
50-64	14	1.8	1	1	1	2	2	3	5	5
65 +	30	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	1	2.0		2	2	2	2	2	2	2
65 +	10	2.2	1	1	2	2	3	3	3	3
B. Operated										
0-19 YRS	4	2.3	6	< 1	< 1	1	3	6	6	6
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	9	3.7	6	1	2	3	5	8	8	8
50-64	13	1.8	2	1	1	1	2	4	6	6
65 +	75	3.3	10	1	2	2	4	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.6	1	< 1	1	1	2	3	3	3
B. Operated	53	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	13	2.0	1	1	1	2	3	3	3	3
B. Operated	103	3.1	8	1	1	2	4	6	7	17
1. SINGLE DX	62	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX	116	3.0	8	1	1	2	3	6	7	16
A. Not Operated	22	1.8	1	1	1	2	2	3	3	3
B. Operated	156	2.6	6	1	1	2	3	5	7	12
TOTAL										
0-19 YRS	6	2.5	6	< 1	< 1	1	5	6	6	6
20-34	5	2.0	5	1	1	1	3	6	6	6
35-49	16	2.8	5	1	1	2	4	7	8	8
50-64	30	1.8	1	1	1	1	2	3	5	6
65 +	121	2.7	7	1	1	2	3	5	6	15
GRAND TOTAL	**178**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	7	3.6	17	1	1	1	7	10	10	10
50-64	17	2.5	7	1	1	1	3	7	9	10
65 +	26	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	4	2.5	3	1	1	2	4	5	5	5
65 +	17	3.1	13	1	1	2	3	5	12	16
B. Operated										
0-19 YRS	6	2.0	2	< 1	1	2	3	4	4	4
20-34	10	2.5	2	1	1	2	3	5	5	5
35-49	23	2.7	7	1	1	2	4	5	9	12
50-64	29	3.8	13	1	1	3	5	9	13	14
65 +	68	3.7	33	1	1	2	4	7	9	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.7		1	1	2	2	2	2	2
B. Operated	55	2.3	5	1	1	1	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	22	2.9	10	1	1	2	3	5	10	16
B. Operated	136	3.4	20	1	1	2	4	7	9	18
1. SINGLE DX	58	2.3	5	1	1	1	3	5	8	10
2. MULTIPLE DX	158	3.3	19	1	1	2	4	7	9	16
A. Not Operated	25	2.8	9	1	1	2	3	5	8	16
B. Operated	191	3.1	16	1	1	2	4	7	9	14
TOTAL										
0-19 YRS	9	1.8	1	< 1	< 1	1	2	4	4	4
20-34	13	2.5	2	1	1	2	3	5	5	5
35-49	31	2.9	8	1	1	2	4	8	10	12
50-64	52	3.2	10	1	1	2	4	8	10	14
65 +	111	3.2	23	1	1	2	4	6	8	27
GRAND TOTAL	**216**	**3.1**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**15**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	7	1.0		< 1	< 1	< 1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	8	1.0		< 1	< 1	1	1	1	1	1
50-64	51	1.0		< 1	< 1	< 1	< 1	1	1	2
65 +	285	1.0		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.2		< 1	< 1	< 1	1	2	2	2
65 +	18	1.9	12	< 1	< 1	< 1	1	2	10	16
B. Operated										
0-19 YRS	10	1.8	2	< 1	1	1	2	4	4	4
20-34	10	1.9	1	1	1	2	3	4	4	4
35-49	24	1.8	2	< 1	1	1	2	3	5	8
50-64	75	1.4	1	< 1	< 1	1	2	2	3	6
65 +	337	1.7	2	< 1	< 1	1	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	353	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	24	1.7	9	< 1	< 1	< 1	1	2	6	16
B. Operated	456	1.6	2	< 1	< 1	1	2	3	4	8
1. SINGLE DX	354	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX	480	1.6	2	< 1	< 1	1	2	3	4	8
A. Not Operated	25	1.7	9	< 1	< 1	< 1	1	2	6	16
B. Operated	809	1.4	1	< 1	< 1	< 1	1	2	3	7
TOTAL										
0-19 YRS	17	1.5	1	< 1	< 1	1	2	3	4	4
20-34	12	1.8	1	1	1	1	2	3	4	4
35-49	33	1.6	2	< 1	1	1	2	3	4	8
50-64	131	1.3	1	< 1	< 1	< 1	1	2	2	5
65 +	641	1.4	2	< 1	< 1	< 1	1	2	3	7
GRAND TOTAL	**834**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	208	1.0		< 1	< 1	< 1	< 1	< 1	1	1
20-34	6	2.0	4	< 1	1	1	2	6	6	6
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	1.7	1	< 1	< 1	< 1	2	3	3	3
65 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4	1	< 1	< 1	1	2	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.5	3	1	2	4	5	5	5	5
50-64	8	2.8	1	2	2	3	3	4	4	4
65 +	11	3.0	3	1	2	3	3	6	7	7
B. Operated										
0-19 YRS	79	1.1		< 1	< 1	< 1	< 1	1	2	4
20-34	7	3.0	24	< 1	1	1	2	12	14	14
35-49	5	2.0	5	< 1	< 1	1	2	6	6	6
50-64	7	2.7	4	< 1	1	2	3	6	7	7
65 +	14	3.4	15	1	1	2	4	8	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.1	5	1	1	2	5	6	7	7
B. Operated	223	1.0		< 1	< 1	< 1	< 1	1	1	3
2. MULTIPLE DX										
A. Not Operated	30	2.7	2	1	2	3	3	5	5	7
B. Operated	112	1.6	4	< 1	< 1	< 1	1	3	5	14
1. SINGLE DX	231	1.1		< 1	< 1	< 1	< 1	1	1	5
2. MULTIPLE DX	142	1.9	4	< 1	< 1	1	2	4	5	14
A. Not Operated	38	2.8	3	1	2	2	3	5	6	7
B. Operated	335	1.2	2	< 1	< 1	< 1	< 1	1	2	7
TOTAL										
0-19 YRS	293	1.0		< 1	< 1	< 1	< 1	1	1	3
20-34	17	2.6	12	< 1	1	1	2	7	12	14
35-49	15	2.5	3	1	1	1	4	5	6	6
50-64	19	2.5	2	< 1	2	2	3	4	6	7
65 +	29	3.0	8	1	1	2	3	6	8	15
GRAND TOTAL	**373**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	43	2.0	2	< 1	< 1	2	3	4	5	6
20-34	11	4.5	26	1	2	3	4	12	18	19
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	2	4.5	5	3	3	4	6	6	6	6
65 +	9	4.1	4	1	3	4	6	7	7	7
B. Operated										
0-19 YRS	32	1.4	1	< 1	< 1	1	1	3	4	4
20-34	28	1.9	1	< 1	1	2	2	3	4	4
35-49	62	1.5		1	1	1	2	2	2	3
50-64	32	1.7	1	< 1	1	1	2	3	4	4
65 +	90	1.6	1	1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	60	2.9	4	1	2	2	4	5	7	10
20-34	13	3.7	7	1	2	3	4	8	10	10
35-49	15	5.5	18	1	2	4	8	14	14	14
50-64	6	4.0	2	2	3	4	5	6	6	6
65 +	47	5.9	19	2	3	5	8	13	15	18
B. Operated										
0-19 YRS	41	2.2	5	< 1	< 1	1	2	6	7	9
20-34	25	2.3	3	1	1	2	3	5	6	7
35-49	51	2.5	5	1	1	2	3	6	7	12
50-64	72	2.9	30	1	1	2	3	3	8	33
65 +	287	2.7	6	1	1	2	3	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.8	7	< 1	1	2	4	6	6	17
B. Operated	244	1.6	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	141	4.3	12	1	2	3	6	9	12	17
B. Operated	476	2.6	9	1	1	2	3	5	7	14
1. SINGLE DX	312	1.9	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	617	3.0	10	1	1	2	3	6	9	15
A. Not Operated	209	3.8	11	< 1	2	3	5	8	10	17
B. Operated	720	2.3	7	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	176	2.3	3	< 1	< 1	2	3	5	6	9
20-34	77	2.7	7	1	1	2	3	5	7	17
35-49	131	2.3	6	1	1	2	2	5	7	14
50-64	112	2.6	20	1	1	2	3	4	6	33
65 +	433	2.8	8	1	1	2	3	6	8	14
GRAND TOTAL	**929**	**2.6**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	249	2.7	3	1	2	2	3	4	5	8
20-34	28	2.9	3	1	2	3	3	6	7	7
35-49	10	2.9	5	< 1	1	2	5	7	8	8
50-64	6	3.0	5	1	1	2	4	7	7	7
65 +	14	3.7	6	1	2	3	5	6	9	10
B. Operated										
0-19 YRS	27	1.7	2	< 1	< 1	1	2	3	5	7
20-34	14	2.3	4	1	1	1	4	5	7	7
35-49	14	3.1	9	1	1	2	4	7	11	12
50-64	33	2.9	17	1	1	2	3	5	7	24
65 +	83	2.3	5	< 1	1	1	3	5	8	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	380	3.2	4	1	2	3	4	5	7	11
20-34	39	3.6	8	1	2	3	5	7	10	13
35-49	37	4.3	8	2	2	4	6	8	9	16
50-64	59	4.4	9	1	2	4	6	8	11	14
65 +	93	4.8	24	1	2	3	6	9	17	27
B. Operated										
0-19 YRS	62	5.2	29	1	1	4	7	11	16	30
20-34	60	4.1	11	1	2	3	5	8	12	17
35-49	109	4.8	54	1	2	3	5	9	13	49
50-64	111	3.0	8	1	1	2	4	5	8	17
65 +	304	3.5	13	1	1	2	4	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	2.8	3	1	2	2	3	5	6	8
B. Operated	171	2.4	7	< 1	1	1	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	608	3.6	8	1	2	3	4	6	8	16
B. Operated	646	3.8	21	1	1	3	4	8	11	21
1. SINGLE DX	478	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	1254	3.7	15	1	2	3	4	7	10	17
A. Not Operated	915	3.4	7	1	2	3	4	6	8	15
B. Operated	817	3.5	18	1	1	2	4	7	11	20
TOTAL										
0-19 YRS	718	3.1	6	1	2	3	4	5	7	13
20-34	141	3.6	8	1	2	3	4	7	9	16
35-49	170	4.4	38	1	2	3	5	8	11	36
50-64	209	3.4	10	1	1	2	4	7	9	17
65 +	494	3.5	14	1	1	2	4	8	10	21
GRAND TOTAL	**1732**	**3.4**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**17**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	1.2		1	1	1	1	2	2	2
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.8	1	1	1	2	2	4	4	4
20-34	11	1.8	1	1	1	2	2	3	4	4
35-49	14	3.4	15	1	1	2	4	10	13	14
50-64	19	2.8	5	1	1	2	4	5	8	10
65 +	34	2.9	2	1	2	3	3	5	6	7
B. Operated										
0-19 YRS	8	3.5	12	< 1	1	2	6	9	9	9
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	9	2.2	1	1	1	2	3	4	4	4
50-64	12	2.2	2	1	1	2	3	4	5	5
65 +	7	3.1	5	< 1	1	3	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.3		1	1	1	2	2	3	3
B. Operated	6	2.2	3	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	84	2.8	5	1	1	2	3	5	6	13
B. Operated	39	2.7	4	1	1	2	4	5	8	9
1. SINGLE DX	21	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	123	2.7	5	1	1	2	4	5	7	11
A. Not Operated	99	2.6	4	1	1	2	3	5	6	12
B. Operated	45	2.6	4	1	1	2	4	5	7	9
TOTAL										
0-19 YRS	18	2.4	6	< 1	1	1	2	7	9	9
20-34	21	1.7	1	1	1	1	2	3	4	5
35-49	28	2.7	9	1	1	2	3	4	10	14
50-64	35	2.6	3	1	1	2	4	5	5	10
65 +	42	3.0	3	1	2	3	4	5	6	7
GRAND TOTAL	**144**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	170	2.3	2	1	1	2	3	4	4	9
20-34	5	3.2	8	< 1	1	3	4	8	8	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	870	1.0		< 1	< 1	< 1	< 1	1	1	2
20-34	47	1.1		< 1	1	1	1	1	2	2
35-49	41	1.4	3	1	1	1	1	2	3	11
50-64	37	1.1		1	1	1	1	1	2	3
65 +	17	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	602	2.6	3	1	1	2	3	4	6	11
20-34	16	3.4	6	1	2	2	5	7	9	10
35-49	13	2.8	2	1	2	2	4	5	5	5
50-64	13	3.4	4	1	2	3	5	6	7	7
65 +	15	4.7	17	1	2	3	7	8	15	17
B. Operated										
0-19 YRS	572	1.4	2	< 1	< 1	1	1	2	3	9
20-34	75	1.2	1	1	1	1	1	2	2	7
35-49	80	1.4	2	1	1	1	1	2	3	11
50-64	78	1.3	1	1	1	1	1	2	3	7
65 +	45	1.5	2	1	1	1	1	2	3	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	178	2.4	2	1	1	2	3	4	5	9
B. Operated	1012	1.0		< 1	< 1	< 1	< 1	1	1	2
2. MULTIPLE DX										
A. Not Operated	659	2.7	4	1	1	2	3	4	6	11
B. Operated	850	1.4	2	< 1	< 1	1	1	2	3	9
1. SINGLE DX	1190	1.2	1	< 1	< 1	< 1	1	2	3	5
2. MULTIPLE DX	1509	1.9	3	< 1	1	1	2	4	5	10
A. Not Operated	837	2.6	4	1	1	2	3	4	6	11
B. Operated	1862	1.2	1	< 1	< 1	< 1	1	1	2	6
TOTAL										
0-19 YRS	2214	1.6	2	< 1	< 1	1	2	3	4	8
20-34	143	1.5	2	1	1	1	1	2	4	9
35-49	136	1.6	3	1	1	1	2	3	4	11
50-64	129	1.5	2	1	1	1	1	3	5	7
65 +	77	2.0	6	1	1	1	2	4	7	15
GRAND TOTAL	**2699**	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**	**9**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.6	3	1	1	2	3	5	5	10
20-34	22	3.8	2	2	3	4	5	6	6	6
35-49	13	3.0	3	1	2	3	3	5	7	7
50-64	4	4.0	2	3	3	4	5	6	6	6
65 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	80	1.6	3	< 1	< 1	< 1	1	3	5	9
20-34	9	1.7	3	1	1	1	2	4	6	6
35-49	18	1.9	2	1	1	1	3	4	5	6
50-64	12	1.3		1	1	1	1	2	3	3
65 +	14	2.4	12	1	1	1	2	5	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	179	2.9	3	1	2	2	4	5	6	9
20-34	34	3.8	4	2	3	3	5	6	8	9
35-49	41	4.4	16	2	2	3	5	8	9	26
50-64	32	4.8	9	2	3	4	6	9	12	13
65 +	42	8.9	84	2	3	6	10	19	31	42
B. Operated										
0-19 YRS	130	3.3	11	< 1	1	2	4	9	10	15
20-34	28	3.6	57	1	1	1	2	9	12	40
35-49	32	2.0	5	1	1	1	2	4	5	13
50-64	31	3.8	17	1	1	2	6	9	14	17
65 +	31	6.2	51	1	1	3	9	20	22	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	2.9	3	1	2	3	4	5	6	9
B. Operated	133	1.7	3	< 1	< 1	1	1	4	5	11
2. MULTIPLE DX										
A. Not Operated	328	4.1	19	1	2	3	5	8	10	24
B. Operated	252	3.6	22	1	1	2	4	9	13	22
1. SINGLE DX	247	2.3	3	< 1	1	2	3	5	6	10
2. MULTIPLE DX	580	3.9	20	1	1	3	5	8	12	24
A. Not Operated	442	3.8	15	1	2	3	5	6	9	23
B. Operated	385	2.9	16	< 1	1	1	3	8	10	20
TOTAL										
0-19 YRS	462	2.7	6	< 1	1	2	4	5	8	12
20-34	93	3.5	19	1	1	3	5	6	9	27
35-49	104	3.1	10	1	1	2	4	6	8	19
50-64	79	3.8	12	1	1	3	5	9	11	16
65 +	89	6.8	64	1	2	4	9	17	23	42
GRAND TOTAL	**827**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	34	2.1	1	1	1	2	3	3	4	6
35-49	75	2.1	2	1	1	2	3	4	5	8
50-64	70	2.2	2	1	1	2	3	4	5	7
65 +	125	2.0	1	1	1	2	3	3	4	6
B. Operated										
0-19 YRS	12	1.0		< 1	< 1	1	1	1	1	1
20-34	22	2.3	3	1	1	1	3	6	6	6
35-49	57	1.8	3	1	1	1	2	5	6	8
50-64	30	1.7	1	1	1	1	2	3	4	4
65 +	18	2.8	15	1	1	2	3	7	13	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.3		2	2	2	3	3	3	3
20-34	49	2.8	5	1	1	2	4	6	7	12
35-49	122	2.7	4	1	1	2	4	5	7	10
50-64	260	2.6	3	1	1	2	3	5	6	9
65 +	831	3.1	8	1	2	2	4	5	7	12
B. Operated										
0-19 YRS	10	1.3		< 1	1	1	2	2	2	2
20-34	16	2.9	8	1	1	2	3	6	10	12
35-49	24	3.0	6	1	1	2	5	7	8	8
50-64	39	3.4	8	1	1	3	4	6	8	17
65 +	48	5.4	19	1	2	4	7	12	15	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	307	2.1	2	1	1	2	3	4	4	6
B. Operated	139	1.9	4	1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	1269	3.0	6	1	2	2	4	5	7	11
B. Operated	137	3.8	12	1	1	3	5	8	12	17
1. SINGLE DX	446	2.0	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1406	3.0	7	1	2	2	4	6	7	12
A. Not Operated	1576	2.8	5	1	1	2	3	5	7	11
B. Operated	276	2.9	9	1	1	2	4	6	8	17
TOTAL										
0-19 YRS	32	1.5		< 1	1	1	2	3	3	3
20-34	121	2.5	4	1	1	2	3	5	6	12
35-49	278	2.4	3	1	1	2	3	5	6	9
50-64	399	2.6	3	1	1	2	3	4	6	9
65 +	1022	3.1	8	1	2	2	4	6	7	13
GRAND TOTAL	**1852**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	49	1.1		1	1	1	1	2	2	2
35-49	72	1.1		1	1	1	1	2	2	3
50-64	42	1.1		1	1	1	1	2	2	3
65 +	26	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	1.2		1	1	1	1	2	2	3
35-49	42	1.4	2	1	1	1	1	2	3	9
50-64	29	1.7	2	1	1	1	2	3	5	8
65 +	21	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated	193	1.1		1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	122	1.4	1	1	1	1	1	2	3	8
1. SINGLE DX	196	1.1		1	1	1	1	2	2	3
2. MULTIPLE DX	123	1.4	1	1	1	1	1	2	3	8
A. Not Operated	4	1.8	2	< 1	< 1	1	2	4	4	4
B. Operated	315	1.2	1	1	1	1	1	2	2	4
TOTAL										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	80	1.2		1	1	1	1	2	2	4
35-49	116	1.2	1	1	1	1	1	2	2	5
50-64	71	1.4	1	1	1	1	1	2	3	7
65 +	47	1.2		1	1	1	1	2	2	2
GRAND TOTAL	**319**	**1.2**	**1**	**1**	**1**	**1**	**1**	**2**	**2**	**4**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	26	1.2	1	< 1	< 1	< 1	< 1	< 1	2	5
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	153	1.1		< 1	1	1	1	1	1	2
20-34	93	1.1		< 1	1	1	1	1	2	5
35-49	97	1.1		1	1	1	1	1	2	3
50-64	63	1.6	11	< 1	1	1	1	2	2	24
65 +	29	1.3	1	< 1	1	1	1	2	2	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.8	18	< 1	2	3	6	13	14	14
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	10	3.2	10	< 1	1	2	4	8	11	11
50-64	15	3.1	5	1	2	3	4	6	8	9
65 +	13	3.5	1	2	3	3	4	5	5	5
B. Operated										
0-19 YRS	189	1.1	1	< 1	1	1	1	1	2	4
20-34	93	1.6	4	< 1	1	1	1	2	5	12
35-49	126	1.3	3	1	1	1	1	2	2	8
50-64	114	1.3	1	1	1	1	1	2	3	6
65 +	74	1.6	3	1	1	1	1	2	4	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	1.7	1	< 1	< 1	< 1	2	3	5	5
B. Operated	435	1.2	2	< 1	1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	58	3.8	9	1	2	3	4	8	11	14
B. Operated	596	1.3	2	< 1	1	1	1	2	3	9
1. SINGLE DX	474	1.2	2	< 1	1	1	1	1	2	5
2. MULTIPLE DX	654	1.5	3	< 1	1	1	1	3	4	11
A. Not Operated	97	2.9	7	< 1	< 1	2	4	5	9	14
B. Operated	1031	1.3	2	< 1	1	1	1	2	2	6
TOTAL										
0-19 YRS	385	1.3	2	< 1	1	1	1	1	2	10
20-34	193	1.4	2	< 1	1	1	1	2	4	11
35-49	237	1.3	2	1	1	1	1	2	3	6
50-64	196	1.6	4	1	1	1	1	3	4	8
65 +	117	1.7	3	1	1	1	2	4	5	9
GRAND TOTAL	**1128**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**3**	**10**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	4.6	5	2	3	4	6	8	9	9
20-34	4	4.5	3	3	3	4	6	6	6	6
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	9.4	76	2	3	7	11	26	30	30
20-34	5	6.2	13	2	4	6	8	12	12	12
35-49	6	5.2	9	2	2	5	7	9	9	9
50-64	6	6.2	36	1	2	3	11	15	16	16
65 +	9	6.3	35	1	3	5	7	16	20	20
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	7.5	11	4	5	7	10	12	13	13
50-64	7	15.3	194	2	5	13	20	39	43	43
65 +	3	11.3	34	7	7	9	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	4.4	4	2	3	4	6	7	8	9
B. Operated	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	45	7.4	47	2	3	6	10	16	24	30
B. Operated	20	10.6	85	3	5	8	13	20	32	43
1. SINGLE DX	31	4.3	4	2	3	4	6	7	8	9
2. MULTIPLE DX	65	8.4	59	2	3	6	11	18	24	41
A. Not Operated	74	6.3	32	2	3	5	7	11	19	30
B. Operated	22	9.9	82	3	5	8	13	19	30	43
TOTAL										
0-19 YRS	42	6.8	42	2	3	5	8	12	25	30
20-34	10	5.2	8	2	3	5	6	9	12	12
35-49	16	6.3	10	2	4	6	8	11	12	13
50-64	15	9.9	125	1	2	4	14	22	38	43
65 +	13	7.2	36	2	3	5	9	18	20	20
GRAND TOTAL	**96**	**7.1**	**45**	**2**	**3**	**5**	**8**	**14**	**21**	**37**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	1.0		< 1	< 1	< 1	1	1	1	1
65 +	3	4.7	8	3	3	3	7	8	8	8
B. Operated										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	9	2.7	7	1	1	1	4	7	8	8
35-49	22	3.9	13	1	1	2	8	9	10	10
50-64	24	5.9	22	1	1	5	10	12	13	13
65 +	22	8.2	132	1	1	4	11	16	31	53
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	4.8	3	3	3	4	6	7	7	7
20-34	12	4.6	18	1	1	3	6	12	13	13
35-49	23	3.8	8	< 1	2	3	5	9	9	9
50-64	59	4.4	10	1	2	4	6	8	11	17
65 +	163	6.4	32	2	3	5	8	13	15	28
B. Operated										
0-19 YRS	4	16.3	459	1	4	8	28	48	48	48
20-34	27	10.8	139	1	7	9	13	18	27	63
35-49	130	9.2	85	1	5	8	10	16	26	49
50-64	280	10.8	110	1	2	9	14	20	30	65
65 +	312	11.3	104	1	3	10	15	22	29	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.1	7	< 1	1	3	5	7	8	8
B. Operated	80	5.7	50	1	1	3	9	12	14	42
2. MULTIPLE DX										
A. Not Operated	261	5.6	25	2	3	4	7	11	14	22
B. Operated	753	10.7	105	1	3	9	14	21	29	49
1. SINGLE DX	87	5.5	47	1	1	3	9	12	13	40
2. MULTIPLE DX	1014	9.4	90	1	3	8	12	19	25	48
A. Not Operated	268	5.6	24	2	3	4	7	10	14	22
B. Operated	833	10.3	102	1	2	9	13	20	28	50
TOTAL										
0-19 YRS	11	10.0	167	2	4	7	8	26	46	48
20-34	48	7.7	95	1	1	6	10	15	18	63
35-49	177	7.8	71	1	2	7	10	14	19	38
50-64	365	9.4	94	1	2	8	13	19	23	48
65 +	500	9.5	86	1	3	8	13	20	26	47
GRAND TOTAL	**1101**	**9.1**	**87**	**1**	**3**	**8**	**12**	**18**	**24**	**48**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.3	3	1	1	2	2	6	6	6
20-34	12	2.5	1	1	2	2	3	4	5	5
35-49	53	2.2	2	1	1	2	3	4	5	8
50-64	53	2.3	1	1	1	2	3	4	5	5
65 +	48	2.9	6	1	2	2	3	6	7	16
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	15	2.3	2	1	1	2	3	5	6	6
50-64	15	2.9	7	1	1	2	4	6	9	10
65 +	12	1.8	3	< 1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	2.6	2	1	1	3	3	4	5	5
20-34	79	3.2	10	1	2	3	4	5	8	22
35-49	282	3.1	4	1	2	3	4	6	7	10
50-64	435	3.2	6	1	2	2	4	6	8	13
65 +	693	3.7	7	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	7	5.6	28	2	2	4	6	15	17	17
20-34	20	4.4	23	< 1	1	3	5	8	15	22
35-49	33	6.1	22	1	3	5	8	13	18	20
50-64	72	5.9	125	1	2	4	6	8	13	76
65 +	118	5.7	45	1	2	4	7	13	20	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	2.4	3	1	1	2	3	4	5	8
B. Operated	48	2.3	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	1503	3.4	6	1	2	3	4	6	8	13
B. Operated	250	5.7	62	1	2	4	6	11	18	39
1. SINGLE DX	220	2.4	3	1	1	2	3	4	6	9
2. MULTIPLE DX	1753	3.7	15	1	2	3	5	7	9	16
A. Not Operated	1675	3.3	6	1	2	3	4	6	8	13
B. Operated	298	5.1	54	1	1	3	6	10	16	38
TOTAL										
0-19 YRS	28	3.2	10	1	1	3	4	6	7	17
20-34	116	3.3	11	1	2	3	4	6	8	23
35-49	383	3.2	6	1	2	2	4	6	7	13
50-64	575	3.4	21	1	2	2	4	6	8	14
65 +	871	3.9	13	1	2	3	5	7	10	17
GRAND TOTAL	**1973**	**3.6**	**14**	**1**	**2**	**3**	**4**	**7**	**9**	**16**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	5	3.8	11	1	2	2	6	9	9	9
50-64	10	4.7	6	2	3	4	7	8	9	9
65 +	35	4.1	8	2	2	3	5	9	11	13
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	7.7	34	1	3	10	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	8	3.0	3	1	2	3	4	6	7	7
35-49	75	4.6	17	2	2	4	5	8	11	26
50-64	224	4.7	11	2	3	4	6	8	12	18
65 +	1029	6.1	21	2	3	5	7	11	14	21
B. Operated										
0-19 YRS	0									
20-34	4	3.8	12	< 1	< 1	3	6	8	8	8
35-49	12	3.6	10	< 1	1	2	6	8	11	11
50-64	65	7.7	57	1	3	5	9	20	23	33
65 +	142	10.4	53	3	5	8	14	20	26	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	4.2	7	2	2	3	5	9	9	13
B. Operated	6	4.7	25	1	1	2	10	12	12	12
2. MULTIPLE DX										
A. Not Operated	1337	5.8	19	2	3	5	7	11	14	20
B. Operated	223	9.1	55	2	4	7	13	20	25	33
1. SINGLE DX	58	4.2	9	2	2	3	5	9	11	13
2. MULTIPLE DX	1560	6.3	26	2	3	5	8	12	16	26
A. Not Operated	1389	5.7	19	2	3	5	7	10	14	20
B. Operated	229	9.0	54	1	4	7	12	20	25	33
TOTAL										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	15	3.1	5	1	1	2	4	7	8	8
35-49	93	4.4	15	1	2	4	5	8	11	25
50-64	300	5.3	22	2	3	4	6	10	15	23
65 +	1209	6.6	26	2	3	5	8	12	16	26
GRAND TOTAL	**1618**	**6.2**	**25**	**2**	**3**	**5**	**7**	**12**	**15**	**25**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	7.3	130	1	1	2	8	28	30	30
35-49	4	4.8	23	1	1	4	8	11	11	11
50-64	5	2.4	3	< 1	1	2	3	5	5	5
65 +	9	4.2	4	1	3	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	5.1	31	1	2	2	8	14	15	15
20-34	17	3.1	3	1	2	3	4	5	6	7
35-49	26	3.2	3	1	2	3	4	5	6	8
50-64	23	4.4	9	1	2	4	7	9	10	11
65 +	46	5.4	8	2	3	5	7	9	11	15
B. Operated										
0-19 YRS	11	10.0	78	2	5	8	11	23	32	33
20-34	51	5.7	17	2	2	6	8	10	12	24
35-49	57	8.8	107	2	3	7	10	16	25	60
50-64	83	7.4	45	1	2	6	11	14	17	38
65 +	88	7.8	47	1	2	6	11	18	20	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	26	4.7	34	1	1	4	6	8	15	30
2. MULTIPLE DX										
A. Not Operated	120	4.4	9	1	2	4	6	8	10	15
B. Operated	290	7.6	54	2	2	6	10	14	20	38
1. SINGLE DX	27	4.6	32	1	1	4	6	8	14	30
2. MULTIPLE DX	410	6.6	43	2	2	5	9	13	18	33
A. Not Operated	121	4.4	9	1	2	4	6	8	10	15
B. Operated	316	7.3	53	1	2	6	10	14	20	36
TOTAL										
0-19 YRS	22	7.4	55	1	2	5	10	16	23	33
20-34	74	5.2	23	1	2	4	7	10	12	29
35-49	87	6.9	78	2	2	4	8	12	20	57
50-64	111	6.5	38	1	2	5	9	13	15	35
65 +	143	6.8	33	1	3	5	9	14	18	31
GRAND TOTAL	**437**	**6.5**	**43**	**1**	**2**	**5**	**9**	**13**	**17**	**33**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	2	4.5	5	3	3	4	6	6	6	6
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	6.0		6	6	6	6	6	6	6
65 +	4	3.8	6	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	9.4	208	1	2	3	13	35	35	35
20-34	4	2.5		2	2	2	3	3	3	3
35-49	10	4.9	13	1	2	3	9	10	11	11
50-64	12	3.5	4	1	2	3	4	6	8	8
65 +	45	7.0	35	2	3	6	10	12	16	35
B. Operated										
0-19 YRS	8	5.8	21	1	2	5	7	13	15	15
20-34	5	5.6	55	1	1	1	10	18	18	18
35-49	18	3.7	7	1	2	3	4	8	10	11
50-64	33	8.5	123	1	2	4	11	19	33	52
65 +	71	8.5	50	2	3	8	11	19	25	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	4.5	8	1	3	4	6	9	9	9
B. Operated	11	3.4	5	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	76	6.1	37	2	2	4	8	11	16	35
B. Operated	135	7.6	62	1	2	5	10	17	24	37
1. SINGLE DX	17	3.8	6	1	2	4	6	7	8	9
2. MULTIPLE DX	211	7.0	53	1	2	4	9	15	21	35
A. Not Operated	82	6.0	35	2	2	4	8	11	15	35
B. Operated	146	7.2	59	1	2	4	9	17	23	35
TOTAL										
0-19 YRS	14	7.0	79	1	2	5	7	17	31	35
20-34	11	3.7	25	1	1	2	3	11	17	18
35-49	31	4.1	10	1	2	3	6	9	11	11
50-64	50	6.8	87	1	2	4	6	16	28	52
65 +	122	7.7	43	2	3	6	11	15	22	33
GRAND TOTAL	**228**	**6.8**	**50**	**1**	**2**	**4**	**9**	**15**	**19**	**35**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	11	4.3	7	< 1	1	5	7	8	8	8
35-49	161	4.9	7	1	3	5	7	8	9	15
50-64	334	5.5	6	1	4	6	7	9	9	11
65 +	318	6.2	8	2	4	7	8	9	10	15
B. Operated										
0-19 YRS	0									
20-34	13	6.0	6	3	4	6	7	10	11	11
35-49	97	5.8	7	2	4	6	7	9	11	13
50-64	165	6.5	8	3	5	6	8	10	11	15
65 +	134	7.2	19	3	5	7	9	12	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	31	5.7	11	2	3	5	8	11	12	14
35-49	569	5.9	10	2	4	6	7	9	11	16
50-64	2138	6.8	11	3	5	7	8	10	12	18
65 +	5996	8.0	17	4	6	7	10	12	15	23
B. Operated										
0-19 YRS	0									
20-34	62	7.3	11	4	5	7	8	11	15	20
35-49	992	7.4	18	3	5	7	9	12	14	21
50-64	2428	8.7	31	4	6	8	10	14	18	31
65 +	2664	10.8	54	5	7	9	13	18	24	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	824	5.6	8	1	4	6	7	9	10	13
B. Operated	409	6.5	12	3	5	6	8	10	12	16
2. MULTIPLE DX										
A. Not Operated	8736	7.5	15	3	5	7	9	12	14	22
B. Operated	6146	9.4	40	4	6	8	11	16	20	34
1. SINGLE DX	1233	5.9	9	2	4	6	8	9	10	15
2. MULTIPLE DX	14882	8.3	26	4	6	7	10	13	17	28
A. Not Operated	9560	7.4	15	3	5	7	9	11	14	21
B. Operated	6555	9.2	39	4	6	8	11	16	20	34
TOTAL										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	117	6.4	11	3	4	6	8	10	13	19
35-49	1819	6.6	15	3	5	6	8	10	13	19
50-64	5065	7.6	21	3	5	7	9	12	15	25
65 +	9112	8.7	29	4	6	8	10	14	18	29
GRAND TOTAL	**16115**	**8.1**	**25**	**4**	**5**	**7**	**10**	**13**	**16**	**27**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	15	1.9	1	< 1	1	2	2	3	4	4
35-49	159	1.8	1	1	1	2	2	3	4	5
50-64	262	2.1	4	1	1	2	3	4	5	7
65 +	269	2.3	1	1	2	2	3	4	5	6
B. Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	51	2.1	2	< 1	1	2	3	4	5	7
50-64	94	1.8	2	< 1	1	1	2	3	4	7
65 +	60	2.7	9	< 1	1	2	3	6	10	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	43	1.9	1	1	1	2	2	3	4	5
35-49	743	2.3	2	1	1	2	3	4	5	7
50-64	1990	2.6	3	1	2	2	3	5	5	9
65 +	4575	3.0	5	1	2	2	4	5	7	11
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	2.9	7	1	1	2	5	6	9	11
35-49	469	3.6	13	1	1	2	5	8	10	13
50-64	1496	3.9	15	1	1	2	6	9	11	18
65 +	1718	4.9	28	1	1	3	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	705	2.1	2	1	1	2	3	3	4	7
B. Operated	207	2.1	4	< 1	1	1	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	7353	2.9	4	1	2	2	4	5	6	10
B. Operated	3706	4.3	21	1	1	2	6	10	12	20
1. SINGLE DX	912	2.1	3	1	1	2	3	4	5	7
2. MULTIPLE DX	11059	3.3	10	1	2	2	4	7	9	15
A. Not Operated	8058	2.8	4	1	2	2	3	5	6	9
B. Operated	3913	4.2	20	1	1	2	6	10	12	20
TOTAL										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	82	2.2	3	1	1	2	3	4	5	10
35-49	1422	2.7	6	1	1	2	3	5	7	10
50-64	3842	3.1	8	1	1	2	4	6	9	13
65 +	6622	3.5	11	1	2	2	4	7	10	16
GRAND TOTAL	**11971**	**3.3**	**10**	**1**	**2**	**2**	**4**	**7**	**9**	**15**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	146	2.2	2	1	1	2	3	4	4	6
50-64	281	2.5	3	1	1	2	3	4	5	8
65 +	423	2.6	2	1	2	2	3	4	6	8
B. Operated										
0-19 YRS	0									
20-34	4	4.5	8	2	2	4	7	7	7	7
35-49	65	3.5	6	1	2	3	5	7	8	10
50-64	180	3.5	9	1	2	2	5	7	9	12
65 +	200	4.8	27	1	2	3	7	10	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	31	2.6	5	1	1	2	3	5	7	12
35-49	652	2.7	3	1	2	2	3	5	6	9
50-64	2513	3.1	4	1	2	3	4	5	7	10
65 +	6805	3.7	7	1	2	3	4	6	8	13
B. Operated										
0-19 YRS	0									
20-34	27	5.5	34	1	2	3	7	14	19	24
35-49	801	5.2	16	1	2	4	8	10	12	17
50-64	2990	6.1	24	1	2	5	9	12	15	23
65 +	3974	7.6	51	2	3	6	10	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	855	2.5	2	1	2	2	3	4	5	8
B. Operated	449	4.1	17	1	2	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	10001	3.5	6	1	2	3	4	6	8	12
B. Operated	7792	6.8	38	1	3	5	9	13	17	28
1. SINGLE DX	1304	3.0	8	1	2	2	3	6	8	14
2. MULTIPLE DX	17793	4.9	23	1	2	3	6	10	13	22
A. Not Operated	10856	3.4	6	1	2	3	4	6	8	12
B. Operated	8241	6.6	37	1	3	5	9	13	16	27
TOTAL										
0-19 YRS	0									
20-34	67	3.8	18	1	1	2	4	9	13	23
35-49	1664	3.9	11	1	2	3	5	8	10	15
50-64	5964	4.6	16	1	2	3	6	10	12	19
65 +	11402	5.0	26	1	2	3	6	10	14	23
GRAND TOTAL	**19097**	**4.8**	**22**	**1**	**2**	**3**	**6**	**10**	**13**	**22**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	16	3.0	7	1	1	2	3	7	10	11
50-64	26	3.0	12	1	2	2	3	5	8	19
65 +	35	3.6	11	1	2	3	5	6	7	20
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	4.6	23	< 1	1	2	8	12	12	12
35-49	154	3.1	8	1	1	2	4	8	9	12
50-64	474	2.9	8	1	1	2	3	8	9	12
65 +	303	3.6	12	1	1	2	5	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	2.1	1	1	1	2	3	4	4	4
35-49	89	3.4	8	1	2	3	4	7	8	17
50-64	340	3.1	7	1	2	3	4	5	7	17
65 +	635	4.2	11	1	2	3	5	8	10	18
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	34	3.2	8	1	1	2	4	8	10	11
35-49	950	4.5	16	1	1	3	7	9	11	17
50-64	3473	5.6	33	1	2	4	8	11	14	25
65 +	3555	7.1	49	1	2	6	10	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	3.2	10	1	1	2	4	6	7	20
B. Operated	937	3.2	9	1	1	2	4	8	10	13
2. MULTIPLE DX										
A. Not Operated	1071	3.7	10	1	2	3	5	7	9	18
B. Operated	8014	6.1	39	1	2	4	9	12	16	30
1. SINGLE DX	1016	3.2	10	1	1	2	4	8	10	13
2. MULTIPLE DX	9085	5.8	36	1	2	4	9	12	15	28
A. Not Operated	1150	3.7	10	1	2	3	5	7	9	18
B. Operated	8951	5.8	37	1	1	4	9	12	15	28
TOTAL										
0-19 YRS	3	3.3	16	< 1	< 1	1	6	8	8	8
20-34	48	3.1	8	1	1	2	4	8	10	12
35-49	1209	4.3	15	1	1	3	7	9	11	16
50-64	4313	5.1	29	1	1	3	8	11	13	23
65 +	4528	6.4	42	1	2	4	9	13	17	31
GRAND TOTAL	**10101**	**5.6**	**34**	**1**	**2**	**3**	**8**	**12**	**15**	**26**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.0	2	3	4	5	6	6	6	6
20-34	46	6.0	7	1	5	6	8	9	10	11
35-49	51	6.6	6	4	5	7	8	9	10	17
50-64	54	6.9	6	3	6	7	8	10	11	12
65 +	55	7.7	5	5	6	8	9	10	11	16
B. Operated										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	11	7.0	6	4	6	7	9	10	11	11
35-49	14	6.4	11	1	4	7	10	10	10	10
50-64	19	10.1	31	6	7	8	11	21	23	23
65 +	7	16.7	174	6	6	15	20	39	43	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.5	12	2	5	8	10	11	12	12
20-34	92	7.5	9	4	6	7	9	12	14	15
35-49	172	8.3	12	5	6	8	10	13	16	19
50-64	381	8.3	13	5	6	8	10	12	14	23
65 +	934	8.9	15	5	7	8	10	13	16	22
B. Operated										
0-19 YRS	6	20.3	290	1	9	16	32	46	48	48
20-34	40	9.9	46	5	6	8	11	16	22	42
35-49	73	10.2	42	5	7	9	12	16	28	85
50-64	124	10.5	32	6	7	9	12	19	23	29
65 +	228	11.8	59	6	7	10	14	20	27	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	6.8	6	4	6	7	8	10	10	15
B. Operated	53	9.2	47	4	6	8	10	19	22	42
2. MULTIPLE DX										
A. Not Operated	1587	8.6	14	5	6	8	10	13	16	22
B. Operated	471	11.2	52	5	7	9	13	19	25	41
1. SINGLE DX	263	7.3	15	4	6	7	9	10	12	22
2. MULTIPLE DX	2058	9.2	24	5	7	8	10	14	18	30
A. Not Operated	1797	8.4	13	5	6	8	10	13	15	21
B. Operated	524	11.0	51	5	7	9	13	19	25	42
TOTAL										
0-19 YRS	20	10.8	126	1	4	8	12	25	40	48
20-34	189	7.6	18	4	6	7	9	11	14	23
35-49	310	8.4	20	4	6	8	10	13	16	32
50-64	578	8.7	18	5	6	8	10	13	17	25
65 +	1224	9.4	25	5	7	8	11	14	18	30
GRAND TOTAL	**2321**	**9.0**	**23**	**5**	**6**	**8**	**10**	**14**	**17**	**29**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	6	4.8	12	2	2	4	6	10	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	46.0		46	46	46	46	46	46	46
65 +	3	5.3	4	3	4	6	7	7	7	7
B. Operated										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	0									
50-64	0									
65 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	14.3	90	5	7	11	22	29	29	29
20-34	39	13.5	153	2	4	7	21	33	42	43
35-49	45	12.7	113	3	5	10	15	33	38	42
50-64	40	15.2	98	4	10	13	19	29	37	43
65 +	102	16.9	121	4	8	14	27	32	40	74
B. Operated										
0-19 YRS	8	30.3	271	6	21	32	37	52	57	57
20-34	41	24.1	167	10	14	19	36	43	45	47
35-49	59	25.4	234	8	12	26	36	47	51	65
50-64	37	23.8	306	5	11	18	33	48	61	66
65 +	79	20.6	228	6	10	16	32	44	50	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	8.6	134	2	3	6	8	18	41	46
B. Operated	3	7.7	1	7	7	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	234	15.1	121	4	6	13	21	31	40	45
B. Operated	224	23.4	234	6	11	18	33	45	50	66
1. SINGLE DX	16	8.4	108	2	4	6	8	11	35	46
2. MULTIPLE DX	458	19.2	193	4	9	15	29	42	46	62
A. Not Operated	247	14.8	123	3	6	12	20	31	41	46
B. Operated	227	23.2	234	6	11	18	33	45	50	66
TOTAL										
0-19 YRS	20	19.4	223	5	7	13	30	37	49	57
20-34	86	17.9	188	4	6	15	28	42	43	46
35-49	105	19.7	220	4	8	14	30	42	48	60
50-64	78	19.7	220	4	10	16	27	45	48	65
65 +	185	18.2	170	6	9	15	28	37	45	69
GRAND TOTAL	**474**	**18.8**	**194**	**4**	**8**	**15**	**29**	**41**	**46**	**61**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	3.2	7	1	1	3	4	8	9	9
20-34	10	1.0		< 1	< 1	1	1	1	1	1
35-49	22	1.5	1	< 1	< 1	1	2	3	3	4
50-64	49	1.5	1	< 1	1	1	2	2	3	4
65 +	26	2.2	3	1	1	2	3	3	5	10
B. Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	0									
35-49	2	1.0		1	1	1	1	1	1	1
50-64	3	5.3	8	2	3	7	7	7	7	7
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.9	18	1	1	2	3	4	8	26
20-34	29	2.0	1	1	1	2	3	3	4	5
35-49	84	2.0	2	1	1	1	3	4	5	9
50-64	216	2.5	4	1	1	2	3	4	6	12
65 +	596	3.6	9	1	2	3	4	7	9	14
B. Operated										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	6	3.5	9	1	1	3	4	8	9	9
35-49	8	5.6	36	1	1	3	10	15	16	16
50-64	20	4.4	8	1	2	4	6	9	10	10
65 +	34	6.9	49	1	3	4	8	14	23	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	1.8	2	< 1	1	1	2	3	4	9
B. Operated	8	3.3	7	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	963	3.1	7	1	1	2	4	6	8	13
B. Operated	71	5.6	32	1	2	4	6	12	16	31
1. SINGLE DX	132	1.9	3	< 1	1	1	2	3	5	9
2. MULTIPLE DX	1034	3.3	9	1	2	2	4	6	9	14
A. Not Operated	1087	3.0	7	1	1	2	4	6	8	13
B. Operated	79	5.3	30	1	2	4	6	11	15	30
TOTAL										
0-19 YRS	60	3.0	13	1	1	2	3	6	8	24
20-34	45	2.0	2	1	1	1	3	3	4	9
35-49	116	2.1	5	< 1	1	1	3	4	6	15
50-64	288	2.5	4	1	1	2	3	5	6	11
65 +	657	3.7	11	1	2	3	5	7	9	[illegible]
GRAND TOTAL	**1166**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	[illegible]	[illegible]

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	64	1.8	3	< 1	1	1	2	3	4	12
35-49	123	1.5	1	< 1	1	1	2	2	4	6
50-64	228	1.7	1	< 1	1	1	2	3	4	8
65 +	322	2.2	12	< 1	1	2	2	4	5	11
B. Operated										
0-19 YRS	0									
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	4	1.5	1	< 1	< 1	1	2	3	3	3
50-64	8	3.4	11	< 1	1	2	5	9	10	10
65 +	6	10.0	115	1	1	7	15	28	29	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.5	6	< 1	1	3	6	7	8	9
20-34	99	1.9	2	1	1	1	2	4	5	8
35-49	361	2.4	4	1	1	2	3	5	6	11
50-64	1360	3.0	6	1	1	2	4	6	8	13
65 +	4911	3.9	10	1	2	3	5	8	10	16
B. Operated										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	3	4.0	7	1	2	5	6	6	6	6
35-49	21	4.8	14	1	2	4	6	10	13	16
50-64	124	6.0	52	1	2	4	7	12	17	45
65 +	433	7.9	66	2	3	6	9	15	23	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	743	1.9	6	< 1	1	1	2	3	4	8
B. Operated	19	4.9	50	< 1	1	2	6	13	23	29
2. MULTIPLE DX										
A. Not Operated	6758	3.6	9	1	2	3	5	7	9	15
B. Operated	583	7.4	61	2	3	5	9	15	21	42
1. SINGLE DX	762	2.0	7	< 1	1	1	2	3	5	10
2. MULTIPLE DX	7341	3.9	14	1	2	3	5	8	10	16
A. Not Operated	7501	3.4	9	1	1	3	4	7	9	15
B. Operated	602	7.3	61	2	3	5	9	15	21	41
TOTAL										
0-19 YRS	35	3.3	6	1	1	2	6	7	8	9
20-34	167	1.9	3	< 1	1	1	2	4	5	8
35-49	509	2.3	4	1	1	2	3	5	6	11
50-64	1720	3.1	10	1	1	2	4	6	8	14
65 +	5672	4.1	16	1	2	3	5	8	11	19
GRAND TOTAL	**8103**	**3.7**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	1.8	1	1	1	1	2	3	4	6
20-34	50	2.0	5	1	1	1	2	3	6	15
35-49	116	1.9	1	1	1	2	2	3	4	6
50-64	144	2.2	2	1	1	2	3	4	5	8
65 +	173	2.7	4	1	2	2	3	5	8	9
B. Operated										
0-19 YRS	17	3.2	7	1	1	3	4	8	9	9
20-34	21	4.3	9	1	2	3	7	9	9	9
35-49	33	2.8	5	< 1	1	2	4	6	7	10
50-64	52	3.6	15	1	1	2	4	8	12	19
65 +	204	3.4	9	1	2	2	4	7	9	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	3.2	23	1	1	2	4	6	7	34
20-34	163	2.5	8	1	1	2	3	5	6	9
35-49	464	2.7	5	1	1	2	3	5	7	11
50-64	1228	3.5	10	1	2	3	4	7	9	16
65 +	4207	4.1	12	1	2	3	5	8	10	16
B. Operated										
0-19 YRS	42	6.9	52	2	3	4	8	15	25	34
20-34	67	7.3	87	2	2	4	8	13	25	58
35-49	146	7.2	91	1	2	5	9	13	17	70
50-64	548	6.9	50	1	3	5	8	15	20	36
65 +	2629	6.4	34	2	3	5	8	12	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	540	2.2	3	1	1	2	3	4	6	9
B. Operated	327	3.4	9	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	6168	3.8	11	1	2	3	5	7	10	16
B. Operated	3432	6.5	41	2	3	5	8	13	18	32
1. SINGLE DX	867	2.7	6	1	1	2	3	5	8	12
2. MULTIPLE DX	9600	4.8	23	1	2	3	6	9	13	24
A. Not Operated	6708	3.7	11	1	2	3	5	7	9	16
B. Operated	3759	6.3	39	1	3	5	8	12	17	32
TOTAL										
0-19 YRS	222	3.5	24	1	1	2	4	6	10	34
20-34	301	3.6	29	1	1	2	4	7	10	28
35-49	759	3.4	24	1	1	2	4	7	10	17
50-64	1972	4.3	23	1	2	3	5	9	13	27
65 +	7213	4.9	21	1	2	4	6	9	13	22
GRAND TOTAL	**10467**	**4.6**	**22**	**1**	**2**	**3**	**6**	**9**	**12**	**23**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	4.7	16	< 1	1	4	8	9	9	9
20-34	0									
35-49	9	4.0	9	1	2	3	5	9	9	9
50-64	56	4.2	14	1	2	3	5	10	13	20
65 +	351	4.1	9	1	2	3	5	8	10	16
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	6	4.8	19	1	1	4	9	10	10	10
65 +	15	9.3	73	1	3	7	13	21	29	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	106	5.4	55	1	2	4	6	9	13	46
20-34	98	5.1	14	2	3	5	6	8	11	22
35-49	558	5.0	13	2	3	4	6	9	12	20
50-64	2913	5.4	16	2	3	4	7	10	13	20
65 +	15911	6.0	19	2	3	5	7	11	14	22
B. Operated										
0-19 YRS	28	11.1	147	1	4	7	13	29	43	48
20-34	39	5.3	18	1	2	4	6	12	15	18
35-49	141	9.2	96	1	3	7	12	19	24	60
50-64	533	9.2	69	2	4	7	12	18	26	40
65 +	1681	10.3	62	3	5	8	13	19	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	419	4.1	10	1	2	3	5	8	10	17
B. Operated	21	8.0	60	1	2	7	10	18	26	32
2. MULTIPLE DX										
A. Not Operated	19586	5.9	19	2	3	5	7	11	14	22
B. Operated	2422	9.9	66	2	5	8	13	19	25	42
1. SINGLE DX	440	4.3	13	1	2	3	5	8	11	19
2. MULTIPLE DX	22008	6.3	25	2	3	5	8	12	15	25
A. Not Operated	20005	5.8	18	2	3	5	7	11	13	22
B. Operated	2443	9.9	66	2	5	8	12	19	25	42
TOTAL										
0-19 YRS	137	6.5	77	1	2	4	7	13	20	51
20-34	137	5.1	15	2	2	4	6	9	12	20
35-49	708	5.8	32	2	3	4	7	11	15	24
50-64	3508	5.9	26	2	3	5	7	11	15	27
65 +	17958	6.3	24	2	3	5	8	12	15	25
GRAND TOTAL	**22448**	**6.3**	**25**	**2**	**3**	**5**	**8**	**12**	**15**	**25**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.3	5	< 1	< 1	1	4	5	5	5
35-49	7	2.9	11	< 1	1	1	3	9	10	10
50-64	8	4.0	6	1	2	4	6	7	8	8
65 +	11	4.7	6	1	3	5	7	8	8	8
B. Operated										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	10	4.7	27	1	2	2	6	12	18	18
50-64	11	2.5	9	1	1	1	3	7	11	11
65 +	9	4.0	35	< 1	1	2	3	14	19	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.6	13	1	2	4	6	7	13	16
20-34	31	4.6	7	2	3	4	6	8	9	12
35-49	108	5.0	15	2	2	4	7	10	12	20
50-64	244	6.3	27	2	3	5	8	12	15	30
65 +	518	6.5	31	2	3	5	8	12	15	29
B. Operated										
0-19 YRS	10	7.8	99	< 1	1	5	8	23	34	34
20-34	23	13.9	233	1	4	10	16	34	45	65
35-49	78	6.9	76	1	2	4	9	18	20	52
50-64	165	7.6	56	1	2	6	10	17	22	39
65 +	167	6.6	55	1	2	5	8	14	18	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	30	3.8	7	< 1	1	3	6	8	8	10
B. Operated	36	3.7	20	1	1	2	5	9	16	19
2. MULTIPLE DX										
A. Not Operated	917	6.2	27	2	3	5	8	12	15	28
B. Operated	443	7.4	71	1	2	5	10	16	22	48
1. SINGLE DX	66	3.7	14	1	1	2	6	8	10	19
2. MULTIPLE DX	1360	6.6	42	2	3	5	8	13	17	36
A. Not Operated	947	6.1	27	2	3	5	8	12	15	28
B. Operated	479	7.2	68	1	2	5	9	16	21	47
TOTAL										
0-19 YRS	31	5.1	41	1	1	3	6	10	16	34
20-34	59	8.2	113	1	3	5	9	16	34	62
35-49	203	5.7	39	1	2	4	7	11	17	24
50-64	428	6.7	39	1	3	5	8	14	18	34
65 +	705	6.5	36	2	3	5	8	12	16	37
GRAND TOTAL	**1426**	**6.5**	**41**	**1**	**3**	**5**	**8**	**13**	**17**	**35**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	7.8	132	1	1	3	7	28	35	35
20-34	59	2.3	4	1	1	2	3	4	6	12
35-49	102	2.1	1	1	1	2	3	4	5	6
50-64	69	2.3	6	1	1	2	3	4	6	16
65 +	37	2.8	3	1	2	2	4	5	6	7
B. Operated										
0-19 YRS	26	2.5	7	< 1	< 1	1	4	6	8	12
20-34	13	5.1	12	1	1	7	8	9	10	10
35-49	43	3.5	13	1	1	2	5	8	9	19
50-64	57	4.0	14	1	1	2	8	10	11	11
65 +	74	4.9	31	1	1	2	8	10	15	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	4.1	19	1	2	3	5	9	12	96
20-34	129	3.8	13	1	2	3	4	8	10	18
35-49	277	3.7	11	1	2	3	5	7	10	18
50-64	442	4.3	14	1	2	3	5	8	10	16
65 +	832	5.2	19	2	3	4	7	10	13	24
B. Operated										
0-19 YRS	64	9.6	121	1	2	5	11	27	33	48
20-34	79	7.8	66	1	2	6	10	17	24	41
35-49	204	5.8	24	1	2	5	8	12	14	25
50-64	535	7.6	36	1	2	8	10	15	19	27
65 +	1006	10.3	90	1	3	9	13	20	26	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	2.5	8	1	1	2	3	4	6	17
B. Operated	213	4.1	19	1	1	2	7	9	11	22
2. MULTIPLE DX										
A. Not Operated	1735	4.6	16	1	2	3	6	9	12	20
B. Operated	1888	8.9	70	1	2	8	12	18	24	45
1. SINGLE DX	490	3.2	14	1	1	2	4	8	9	19
2. MULTIPLE DX	3623	6.8	49	1	2	5	9	14	19	35
A. Not Operated	2012	4.3	16	1	2	3	5	8	11	20
B. Operated	2101	8.4	67	1	2	7	11	17	23	43
TOTAL										
0-19 YRS	155	6.3	74	< 1	1	3	7	18	29	49
20-34	280	4.7	30	1	2	3	6	10	14	29
35-49	626	4.1	16	1	1	3	6	9	12	18
50-64	1103	5.8	28	1	2	4	8	12	16	25
65 +	1949	7.8	62	1	3	6	10	16	21	42
GRAND TOTAL	**4113**	**6.4**	**46**	**1**	**2**	**4**	**9**	**14**	**18**	**33**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	3	3.0	4	< 1	1	3	4	5	5	5
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	4	10.3	56	4	5	8	15	21	21	21
20-34	7	9.0	51	1	3	7	16	19	19	19
35-49	31	10.3	26	3	7	11	13	18	20	20
50-64	23	12.6	57	4	7	12	15	22	29	34
65 +	4	12.8	50	7	8	10	17	23	23	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	5	7.0	34	2	2	6	11	16	16	16
35-49	7	2.4	6	1	1	2	2	7	8	8
50-64	14	6.6	29	1	2	5	11	16	17	17
65 +	35	12.1	121	2	7	9	15	23	37	54
B. Operated										
0-19 YRS	8	21.1	865	5	8	11	16	71	93	93
20-34	28	15.6	57	7	10	16	21	27	28	31
35-49	61	19.1	150	6	12	17	25	35	60	99 +
50-64	77	22.1	332	6	11	18	27	45	67	99
65 +	70	22.8	228	7	11	20	30	41	59	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.4	3	< 1	< 1	1	4	5	6	6
B. Operated	69	11.1	41	3	7	11	14	20	21	33
2. MULTIPLE DX										
A. Not Operated	63	9.1	89	1	2	8	11	19	24	52
B. Operated	244	20.8	242	7	11	18	26	40	59	99 +
1. SINGLE DX	80	9.9	45	1	5	9	13	19	21	32
2. MULTIPLE DX	307	18.4	233	3	9	15	24	38	54	98
A. Not Operated	74	8.1	81	1	2	6	10	17	22	51
B. Operated	313	18.6	214	6	10	15	23	36	49	98
TOTAL										
0-19 YRS	15	14.3	510	1	4	9	12	21	75	93
20-34	43	12.7	66	2	6	10	18	24	27	31
35-49	101	15.0	128	2	8	13	20	30	39	99 +
50-64	116	18.0	271	3	9	14	22	38	55	98
65 +	112	18.5	214	4	9	14	23	40	49	68
GRAND TOTAL	**387**	**16.6**	**206**	**3**	**8**	**13**	**21**	**33**	**47**	**95**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	27.0	512	11	11	27	43	43	43	43
65 +	9	10.8	39	3	6	10	15	20	22	22
B. Operated										
0-19 YRS	3	14.7	192	3	5	11	25	30	30	30
20-34	3	14.3	34	10	10	12	19	21	21	21
35-49	15	27.5	295	8	15	22	44	50	54	56
50-64	12	26.1	222	11	16	21	37	47	56	58
65 +	6	30.2	266	14	14	27	43	54	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	11	13.7	125	3	7	11	16	30	42	43
B. Operated	39	25.5	244	9	14	21	40	48	56	58
1. SINGLE DX	0									
2. MULTIPLE DX	50	22.9	239	5	11	19	33	45	55	58
A. Not Operated	11	13.7	125	3	7	11	16	30	42	43
B. Operated	39	25.5	244	9	14	21	40	48	56	58
TOTAL										
0-19 YRS	3	14.7	192	3	5	11	25	30	30	30
20-34	3	14.3	34	10	10	12	19	21	21	21
35-49	15	27.5	295	8	15	22	44	50	54	56
50-64	14	26.2	227	10	16	21	41	44	55	58
65 +	15	18.5	214	3	9	14	24	43	52	55
GRAND TOTAL	**50**	**22.9**	**239**	**5**	**11**	**19**	**33**	**45**	**55**	**58**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	5.7	33	1	1	3	10	15	16	16
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	5	8.4	28	2	3	10	12	15	15	15
50-64	15	3.9	8	< 1	1	3	7	8	9	9
65 +	44	7.4	72	2	3	5	9	13	20	48
B. Operated										
0-19 YRS	9	6.7	19	2	4	6	7	14	16	16
20-34	9	7.2	5	4	6	7	8	10	11	11
35-49	12	6.5	54	1	2	3	8	19	24	25
50-64	21	8.3	80	2	4	5	8	22	33	35
65 +	31	9.6	38	3	5	8	13	16	25	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	7.9	45	2	3	5	12	18	21	21
20-34	5	4.2	2	2	3	4	5	6	6	6
35-49	31	8.5	45	2	3	7	12	18	24	26
50-64	103	8.4	41	3	4	7	11	16	21	33
65 +	533	8.3	34	3	4	7	11	16	20	28
B. Operated										
0-19 YRS	19	11.8	216	2	4	9	13	20	46	68
20-34	17	8.9	28	4	5	8	13	20	69	99 +
35-49	48	14.6	193	5	7	11	19	37	83	99 +
50-64	94	18.9	360	4	8	12	22	46	69	98
65 +	257	16.6	184	6	8	12	21	33	43	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	6.4	51	1	2	4	8	13	15	45
B. Operated	82	8.2	45	2	4	7	11	16	25	34
2. MULTIPLE DX										
A. Not Operated	680	8.3	35	3	4	7	11	16	20	27
B. Operated	435	16.4	221	5	8	12	20	34	54	99 +
1. SINGLE DX	157	7.3	48	2	3	6	9	13	17	35
2. MULTIPLE DX	1115	11.4	123	3	5	8	14	23	32	84
A. Not Operated	755	8.1	37	3	4	7	11	16	20	31
B. Operated	517	15.1	202	4	7	11	19	32	45	99 +
TOTAL										
0-19 YRS	43	9.0	115	2	3	6	11	17	20	68
20-34	35	7.1	20	2	4	6	9	14	20	99 +
35-49	96	11.3	129	2	5	9	14	25	38	99 +
50-64	233	12.3	200	3	4	8	14	24	42	89
65 +	865	10.8	95	3	5	8	13	21	29	55
GRAND TOTAL	**1272**	**10.9**	**116**	**3**	**5**	**8**	**13**	**22**	**31**	**79**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	11	12.5	135	2	4	8	16	32	38	39
50-64	56	10.2	106	4	5	8	10	19	24	70
65 +	240	10.5	66	4	6	9	13	18	23	33
B. Operated										
0-19 YRS	3	14.3	8	11	12	16	16	16	16	16
20-34	3	12.0	57	5	6	11	18	20	20	20
35-49	19	28.1	294	10	13	23	44	52	61	66
50-64	34	22.3	213	8	10	19	34	50	55	99 +
65 +	99	16.9	92	7	10	15	21	32	37	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	308	10.5	75	4	6	9	12	18	24	51
B. Operated	158	19.3	153	8	11	16	24	40	49	96
1. SINGLE DX	0									
2. MULTIPLE DX	466	13.5	118	4	7	11	17	26	35	68
A. Not Operated	308	10.5	75	4	6	9	12	18	24	51
B. Operated	158	19.3	153	8	11	16	24	40	49	96
TOTAL										
0-19 YRS	4	11.5	38	3	7	13	16	16	16	16
20-34	3	12.0	57	5	6	11	18	20	20	20
35-49	30	22.3	288	5	9	18	31	47	56	66
50-64	90	14.8	179	5	6	9	19	35	50	88
65 +	339	12.4	81	4	7	11	16	23	28	51
GRAND TOTAL	**466**	**13.5**	**118**	**4**	**7**	**11**	**17**	**26**	**35**	**68**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	8	11.5	435	< 1	1	2	11	47	62	62
65 +	14	5.1	38	1	1	3	5	12	21	24
B. Operated										
0-19 YRS	0									
20-34	1	9.0		9	9	9	9	9	9	9
35-49	15	5.0	7	3	3	5	6	8	12	13
50-64	143	3.2	4	1	2	3	4	5	8	11
65 +	445	3.5	5	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	7.2	4	4	6	8	8	9	9	9
50-64	44	4.0	13	1	2	3	5	7	12	20
65 +	217	4.8	20	1	2	4	6	8	11	22
B. Operated										
0-19 YRS	0									
20-34	3	11.0	3	9	10	12	12	12	12	12
35-49	48	5.6	79	2	3	4	5	6	16	57
50-64	633	4.1	8	2	2	3	5	8	10	14
65 +	2085	5.0	20	2	3	4	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	7.5	179	1	1	3	9	16	39	62
B. Operated	604	3.5	5	1	2	3	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	267	4.7	19	1	2	4	6	8	11	21
B. Operated	2769	4.8	18	2	3	4	5	8	12	20
1. SINGLE DX	626	3.6	11	1	2	3	4	6	8	12
2. MULTIPLE DX	3036	4.8	18	2	3	4	5	8	12	20
A. Not Operated	289	4.9	31	1	2	4	6	9	12	24
B. Operated	3373	4.6	16	2	3	4	5	8	11	19
TOTAL										
0-19 YRS	0									
20-34	5	8.6	20	1	7	9	12	12	12	12
35-49	68	5.6	58	2	3	4	5	8	13	53
50-64	828	4.0	12	1	2	3	5	8	10	14
65 +	2761	4.7	18	2	3	4	5	8	11	21
GRAND TOTAL	**3662**	**4.6**	**17**	**2**	**3**	**4**	**5**	**8**	**11**	**20**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	11.0	8	9	9	11	13	13	13	13
50-64	9	5.7	7	3	3	6	7	10	10	10
65 +	34	6.9	32	3	4	6	7	12	15	34
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	5	13.6	68	6	7	10	22	23	23	23
50-64	49	8.0	113	2	3	5	8	16	22	71
65 +	107	9.4	86	3	4	6	10	23	28	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	45	6.8	26	3	4	6	7	12	14	34
B. Operated	161	9.1	93	3	4	6	10	21	27	53
1. SINGLE DX	0									
2. MULTIPLE DX	206	8.6	80	3	4	6	9	19	27	51
A. Not Operated	45	6.8	26	3	4	6	7	12	14	34
B. Operated	161	9.1	93	3	4	6	10	21	27	53
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	7	12.9	48	6	7	10	20	23	23	23
50-64	58	7.6	97	3	3	5	8	16	20	67
65 +	141	8.8	73	3	4	6	10	20	27	49
GRAND TOTAL	**206**	**8.6**	**80**	**3**	**4**	**6**	**9**	**19**	**27**	**51**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.0		2	2	2	2	2	2	2
35-49	20	3.5	6	1	2	2	6	7	8	8
50-64	62	5.5	24	2	3	4	6	12	14	30
65 +	227	6.0	30	2	3	4	7	12	15	32
B. Operated										
0-19 YRS	0									
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	8	4.4	15	1	2	3	5	11	13	13
50-64	10	5.2	9	1	3	5	7	9	11	11
65 +	24	10.9	168	2	3	6	10	32	43	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	17	7.9	51	2	3	7	9	14	26	32
35-49	142	5.9	17	2	3	5	8	11	15	19
50-64	715	6.5	40	2	3	5	7	12	16	36
65 +	4203	6.8	25	2	4	6	8	12	16	26
B. Operated										
0-19 YRS	0									
20-34	17	5.1	28	1	1	4	8	15	18	18
35-49	52	10.1	83	4	5	8	12	16	25	55
50-64	142	10.7	103	3	5	8	12	24	34	81
65 +	486	12.1	113	3	6	9	15	25	33	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	314	5.7	28	2	2	4	7	12	15	32
B. Operated	45	8.0	102	2	3	5	8	15	33	49
2. MULTIPLE DX										
A. Not Operated	5078	6.7	27	2	4	5	8	12	16	28
B. Operated	697	11.5	108	3	5	8	14	25	32	66
1. SINGLE DX	359	6.0	37	2	2	4	7	12	15	33
2. MULTIPLE DX	5775	7.3	39	2	4	6	9	13	18	33
A. Not Operated	5392	6.7	27	2	3	5	8	12	16	28
B. Operated	742	11.3	108	3	5	8	13	24	32	65
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	42	5.8	35	1	2	4	8	13	17	32
35-49	222	6.6	35	2	3	5	8	13	16	30
50-64	929	7.0	51	2	3	5	8	13	18	40
65 +	4940	7.3	37	2	4	6	9	13	18	33
GRAND TOTAL	**6134**	**7.2**	**39**	**2**	**4**	**6**	**9**	**13**	**18**	**33**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	7.1	47	< 1	1	5	12	17	19	19
35-49	74	7.2	37	2	3	6	9	15	24	29
50-64	448	7.7	37	3	4	6	10	14	18	35
65 +	2234	8.4	37	3	5	7	10	15	19	33
B. Operated										
0-19 YRS	2	39.5	2381	5	5	39	74	74	74	74
20-34	9	15.4	161	6	8	10	19	38	43	43
35-49	18	17.6	251	5	7	12	23	43	58	63
50-64	67	14.6	157	3	5	10	19	31	44	54
65 +	232	13.6	88	5	7	11	19	25	36	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2764	8.3	37	3	5	7	10	15	19	33
B. Operated	328	14.2	123	5	7	11	19	28	43	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	3092	8.9	49	3	5	7	11	16	22	39
A. Not Operated	2764	8.3	37	3	5	7	10	15	19	33
B. Operated	328	14.2	123	5	7	11	19	28	43	99 +
TOTAL										
0-19 YRS	2	39.5	2381	5	5	39	74	74	74	74
20-34	17	11.5	120	1	4	8	14	28	38	43
35-49	92	9.2	94	2	4	6	10	22	27	58
50-64	515	8.6	58	3	4	7	11	17	23	44
65 +	2466	8.9	44	3	5	7	11	16	22	36
GRAND TOTAL	**3092**	**8.9**	**49**	**3**	**5**	**7**	**11**	**16**	**22**	**39**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	2.4	2	1	1	2	4	4	4	4
35-49	32	2.7	10	1	1	2	3	5	7	18
50-64	128	2.1	3	1	1	2	2	3	4	11
65 +	308	2.8	4	1	1	2	3	5	7	11
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	10	3.7	4	1	2	3	5	7	8	8
50-64	32	3.2	5	1	2	3	4	6	7	11
65 +	43	3.3	4	1	2	3	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.0	3	1	2	3	4	6	7	7
20-34	27	2.9	2	1	2	3	4	5	6	6
35-49	134	3.1	5	1	2	2	4	6	6	11
50-64	707	3.1	4	1	2	3	4	6	7	10
65 +	3746	3.7	8	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.7	14	1	1	2	6	8	8	8
35-49	29	3.6	10	1	1	2	5	7	8	16
50-64	154	4.6	11	1	2	4	6	9	12	13
65 +	487	6.0	24	2	3	5	7	12	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	477	2.6	4	1	1	2	3	5	6	12
B. Operated	88	3.3	4	1	2	3	4	6	8	10
2. MULTIPLE DX										
A. Not Operated	4622	3.6	7	1	2	3	5	7	8	13
B. Operated	674	5.5	21	2	3	5	7	11	13	23
1. SINGLE DX	565	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	5296	3.9	9	1	2	3	5	7	9	15
A. Not Operated	5099	3.5	7	1	2	3	4	6	8	13
B. Operated	762	5.3	19	1	3	4	6	10	13	22
TOTAL										
0-19 YRS	12	3.1	4	1	1	3	4	6	7	7
20-34	39	2.9	3	1	2	3	4	5	6	8
35-49	205	3.1	6	1	2	2	4	6	7	15
50-64	1021	3.2	5	1	2	3	4	6	8	12
65 +	4584	3.9	10	1	2	3	5	7	9	16
GRAND TOTAL	**5861**	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	3.8	2	2	3	4	5	5	5	5
35-49	11	3.9	7	1	2	3	5	8	10	10
50-64	39	3.8	8	1	2	3	4	8	10	13
65 +	153	5.5	49	2	3	4	6	10	11	19
B. Operated										
0-19 YRS	0									
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	6	7.2	41	1	2	5	12	16	17	17
50-64	8	4.3	2	2	3	4	5	6	6	6
65 +	12	4.1	11	1	1	3	7	8	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	43	6.3	47	2	3	5	8	11	14	44
50-64	270	5.1	15	2	3	4	6	10	13	21
65 +	2016	6.5	30	2	3	5	8	12	14	27
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	7.3	53	3	4	5	6	20	22	22
35-49	16	5.6	10	1	4	5	8	9	11	12
50-64	49	9.3	70	4	5	7	11	16	22	55
65 +	171	10.7	69	3	6	9	13	21	29	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	207	5.1	38	2	2	4	6	9	11	18
B. Operated	28	4.8	14	1	2	4	6	10	12	17
2. MULTIPLE DX										
A. Not Operated	2333	6.3	29	2	3	5	8	12	14	26
B. Operated	243	10.0	66	3	5	8	13	20	25	61
1. SINGLE DX	235	5.0	35	1	2	4	6	9	11	18
2. MULTIPLE DX	2576	6.7	33	2	3	5	8	12	15	32
A. Not Operated	2540	6.2	30	2	3	5	8	11	14	26
B. Operated	271	9.4	63	3	4	7	12	19	25	58
TOTAL										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	15	5.2	23	2	3	4	5	6	18	22
35-49	76	5.9	33	2	3	4	8	10	14	37
50-64	366	5.5	24	2	3	4	7	11	14	22
65 +	2352	6.7	35	2	3	5	8	12	15	33
GRAND TOTAL	**2811**	**6.5**	**34**	**2**	**3**	**5**	**8**	**12**	**15**	**30**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	6.5	3	5	5	6	8	8	8	8
35-49	24	6.5	19	2	3	6	8	12	16	17
50-64	140	6.9	24	2	3	6	9	14	15	25
65 +	885	7.4	26	3	4	6	9	13	16	29
B. Operated										
0-19 YRS	0									
20-34	2	10.5	13	8	8	10	13	13	13	13
35-49	9	11.3	53	3	5	10	19	22	22	22
50-64	14	9.1	34	2	5	8	11	17	22	24
65 +	67	11.5	80	2	6	10	14	23	26	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1053	7.3	25	3	4	6	9	13	16	28
B. Operated	92	11.1	69	3	6	9	14	22	25	47
1. SINGLE DX	0									
2. MULTIPLE DX	1145	7.6	30	3	4	6	10	14	17	29
A. Not Operated	1053	7.3	25	3	4	6	9	13	16	28
B. Operated	92	11.1	69	3	6	9	14	22	25	47
TOTAL										
0-19 YRS	0									
20-34	6	7.8	9	5	5	8	8	13	13	13
35-49	33	7.8	32	2	3	7	10	17	21	22
50-64	154	7.1	25	2	3	6	9	14	16	25
65 +	952	7.7	31	3	4	6	10	14	17	30
GRAND TOTAL	**1145**	**7.6**	**30**	**3**	**4**	**6**	**10**	**14**	**17**	**29**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.8	5	1	1	2	3	7	7	7
35-49	11	2.9	6	< 1	1	2	4	7	8	8
50-64	20	2.3	2	1	1	2	3	5	5	5
65 +	25	3.0	6	1	1	2	4	6	8	11
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	8	4.4	14	1	1	4	8	9	9	9
35-49	18	4.7	28	1	1	1	6	14	16	16
50-64	11	5.7	10	2	3	6	7	10	12	12
65 +	8	2.5	12	< 1	< 1	1	2	8	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	6.0	42	1	2	4	8	17	20	20
20-34	23	4.6	40	1	2	3	5	8	18	32
35-49	98	3.9	15	1	2	3	4	8	10	23
50-64	185	4.0	19	1	2	3	4	8	10	15
65 +	584	5.1	19	2	3	4	6	9	12	24
B. Operated										
0-19 YRS	8	14.1	352	2	3	5	22	46	50	50
20-34	24	7.8	53	1	2	5	12	19	22	27
35-49	33	13.8	221	2	4	9	18	28	55	64
50-64	75	9.9	90	2	4	7	13	20	27	54
65 +	107	7.9	33	2	3	7	10	17	20	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.7	4	1	1	2	4	5	7	11
B. Operated	46	4.5	18	1	1	3	7	11	13	16
2. MULTIPLE DX										
A. Not Operated	898	4.7	19	1	2	4	6	9	11	24
B. Operated	247	9.5	90	2	4	7	12	19	25	57
1. SINGLE DX	109	3.5	11	1	1	2	5	8	11	15
2. MULTIPLE DX	1145	5.7	38	1	2	4	7	11	17	28
A. Not Operated	961	4.6	18	1	2	3	6	9	11	24
B. Operated	293	8.7	82	1	3	6	11	19	23	54
TOTAL										
0-19 YRS	16	9.3	184	1	2	4	6	33	45	50
20-34	61	5.7	41	1	2	3	7	12	19	31
35-49	160	6.0	73	1	2	3	6	15	20	56
50-64	291	5.5	43	1	2	4	6	11	17	38
65 +	724	5.4	21	1	3	4	7	10	13	24
GRAND TOTAL	**1254**	**5.5**	**36**	**1**	**2**	**4**	**7**	**11**	**16**	**28**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	8.0		8	8	8	8	8	8	8
35-49	6	3.3	7	1	1	3	6	7	7	7
50-64	9	3.3	9	< 1	1	1	6	8	8	8
65 +	9	4.7	19	< 1	1	4	7	12	14	14
B. Operated										
0-19 YRS	0									
20-34	11	4.5	13	1	2	3	7	10	11	11
35-49	37	3.5	7	1	1	2	5	8	8	9
50-64	109	4.7	15	1	2	4	7	9	11	21
65 +	180	5.0	16	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	6.3	13	1	3	7	9	10	11	11
35-49	9	4.3	13	< 1	1	4	6	10	11	11
50-64	60	6.4	28	1	3	6	8	12	13	33
65 +	167	6.8	31	1	3	6	9	12	15	26
B. Operated										
0-19 YRS	4	4.0	9	< 1	1	4	6	7	7	7
20-34	12	9.4	14	5	6	9	13	14	14	14
35-49	141	9.0	108	1	4	6	10	15	34	57
50-64	712	7.9	59	1	3	6	9	16	21	42
65 +	2263	9.0	56	2	5	7	11	17	22	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	4.0	12	1	1	4	7	8	10	14
B. Operated	337	4.7	15	1	1	4	7	9	11	18
2. MULTIPLE DX										
A. Not Operated	245	6.6	29	1	3	6	8	12	14	27
B. Operated	3132	8.7	59	2	4	7	11	17	22	43
1. SINGLE DX	362	4.7	15	1	1	4	7	9	11	18
2. MULTIPLE DX	3377	8.6	57	2	4	7	10	17	22	42
A. Not Operated	270	6.3	28	1	3	6	8	11	14	26
B. Operated	3469	8.3	56	1	4	7	10	16	21	41
TOTAL										
0-19 YRS	5	3.4	8	< 1	1	2	6	7	7	7
20-34	32	6.9	16	2	3	7	10	13	14	14
35-49	193	7.5	86	1	2	6	8	13	21	54
50-64	890	7.3	52	1	3	6	9	15	20	37
65 +	2619	8.5	53	2	4	7	11	16	21	39
GRAND TOTAL	**3739**	**8.2**	**54**	**1**	**4**	**7**	**10**	**16**	**21**	**39**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	4	4.8	19	< 1	< 1	4	8	9	9	9
50-64	11	2.5	6	< 1	1	1	5	7	7	7
65 +	15	8.2	326	1	1	1	8	13	57	72
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	0									
35-49	3	4.7	6	2	3	5	6	7	7	7
50-64	6	2.8	8	< 1	1	2	4	8	8	8
65 +	28	6.1	20	2	3	4	7	13	17	20
B. Operated										
0-19 YRS	0									
20-34	1	20.0		20	20	20	20	20	20	20
35-49	33	5.0	11	1	2	5	8	9	11	12
50-64	135	8.1	67	1	3	7	9	14	20	50
65 +	173	8.1	42	1	2	8	11	17	21	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	30	5.7	169	< 1	1	1	7	9	13	72
2. MULTIPLE DX										
A. Not Operated	38	5.4	18	2	3	4	7	11	15	20
B. Operated	342	7.8	50	1	2	7	10	15	20	31
1. SINGLE DX	33	5.3	154	< 1	1	1	6	8	12	72
2. MULTIPLE DX	380	7.6	47	1	2	7	10	15	20	30
A. Not Operated	41	5.2	17	1	3	4	7	10	15	20
B. Operated	372	7.6	59	1	2	7	10	15	20	36
TOTAL										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	20.0		20	20	20	20	20	20	20
35-49	40	5.0	11	1	2	5	8	9	11	12
50-64	153	7.4	63	1	2	7	9	13	20	46
65 +	218	7.8	57	1	2	7	10	16	20	32
GRAND TOTAL	**413**	**7.4**	**56**	**1**	**2**	**7**	**10**	**14**	**20**	**33**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	6	2.7	7	< 1	1	2	2	7	8	8
65 +	11	1.3		< 1	< 1	1	1	2	3	3
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	0									
35-49	4	7.5	2	6	6	7	8	9	9	9
50-64	39	7.9	8	5	6	7	10	12	13	16
65 +	105	9.4	24	6	7	9	11	13	17	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		< 1	< 1	< 1	1	1	1	1
35-49	6	3.0	7	1	1	2	3	8	8	8
50-64	12	2.9	4	1	1	2	4	6	8	8
65 +	140	4.6	19	< 1	2	3	6	10	13	19
B. Operated										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	14	9.4	22	4	7	9	11	17	18	18
35-49	24	12.5	128	4	7	9	15	25	34	56
50-64	346	11.0	67	6	7	9	11	18	27	50
65 +	1322	12.3	92	6	8	10	14	21	29	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.8	3	< 1	< 1	1	2	3	6	8
B. Operated	149	9.0	19	6	7	8	10	13	16	26
2. MULTIPLE DX										
A. Not Operated	160	4.4	18	1	1	3	5	10	12	18
B. Operated	1707	12.0	87	6	8	10	13	20	28	59
1. SINGLE DX	166	8.2	22	1	6	8	10	13	16	25
2. MULTIPLE DX	1867	11.4	86	4	7	9	12	19	28	56
A. Not Operated	177	4.1	17	< 1	1	3	5	9	12	18
B. Operated	1856	11.8	82	6	8	9	13	20	28	56
TOTAL										
0-19 YRS	2	9.0		9	9	9	9	9	9	9
20-34	16	8.4	27	< 1	5	8	11	17	18	18
35-49	34	10.2	104	2	5	8	10	21	25	56
50-64	403	10.4	61	5	7	9	11	17	24	49
65 +	1578	11.3	86	3	7	9	13	19	27	57
GRAND TOTAL	**2033**	**11.1**	**81**	**4**	**7**	**9**	**12**	**19**	**27**	**54**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49	4	5.3	9	< 1	3	6	7	8	8	8
50-64	12	5.4	9	3	4	5	6	9	13	14
65 +	30	6.6	18	2	4	6	8	12	16	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.3	4	1	2	4	5	5	5	5
50-64	3	2.3	5	< 1	< 1	1	4	5	5	5
65 +	9	4.1	12	1	2	3	5	10	12	12
B. Operated										
0-19 YRS	0									
20-34	4	9.5	139	< 1	< 1	5	18	26	26	26
35-49	30	6.2	31	1	3	5	8	14	27	99 +
50-64	92	7.5	44	2	4	6	8	16	19	39
65 +	229	8.8	47	3	4	7	11	18	24	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	50	5.9	15	1	3	5	8	10	14	20
2. MULTIPLE DX										
A. Not Operated	15	3.6	9	1	1	3	5	7	11	12
B. Operated	355	8.3	46	2	4	7	10	17	23	39
1. SINGLE DX	53	5.8	15	2	3	5	7	10	14	20
2. MULTIPLE DX	370	8.1	46	2	4	6	10	17	22	39
A. Not Operated	18	3.5	8	1	1	3	5	6	10	12
B. Operated	405	8.0	43	2	4	6	9	16	21	39
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	6.9	84	< 1	1	2	9	23	26	26
35-49	38	5.8	26	1	3	5	7	12	23	99 +
50-64	107	7.1	40	2	4	6	8	15	18	34
65 +	270	8.4	44	3	4	7	10	17	23	37
GRAND TOTAL	**423**	**7.8**	**42**	**2**	**4**	**6**	**9**	**16**	**21**	**39**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	6.7	26	1	3	8	10	11	11	11
35-49	23	5.7	12	1	2	6	8	10	11	12
50-64	57	4.6	9	< 1	1	5	7	8	9	12
65 +	36	4.8	27	1	2	4	6	8	9	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	8.3	109	1	1	6	7	27	29	29
50-64	14	6.2	17	1	4	5	9	12	14	15
65 +	42	6.8	29	2	4	5	7	13	19	28
B. Operated										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	19	5.2	10	1	3	5	8	10	11	11
35-49	79	7.3	25	2	4	7	9	12	15	28
50-64	340	7.9	27	2	5	7	10	14	17	27
65 +	370	9.1	51	2	5	8	11	16	22	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3	15	< 1	< 1	1	5	9	9	9
B. Operated	120	5.0	15	1	2	5	7	9	10	18
2. MULTIPLE DX										
A. Not Operated	64	6.6	32	1	4	5	7	13	18	29
B. Operated	810	8.3	38	2	5	7	10	15	19	32
1. SINGLE DX	124	4.9	15	1	1	5	7	9	10	17
2. MULTIPLE DX	874	8.2	38	2	5	7	10	14	19	32
A. Not Operated	68	6.4	32	1	3	5	7	13	17	29
B. Operated	930	7.9	36	2	4	7	9	14	18	31
TOTAL										
0-19 YRS	4	4.0	2	2	3	4	5	5	5	5
20-34	25	5.2	11	1	2	5	8	10	11	11
35-49	109	7.0	26	1	4	7	9	11	14	29
50-64	412	7.3	25	1	4	7	9	13	17	26
65 +	448	8.6	49	2	5	7	10	16	22	39
GRAND TOTAL	**998**	**7.8**	**36**	**1**	**4**	**7**	**9**	**14**	**18**	**31**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	77	3.9	4	1	3	3	5	7	9	10
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	8	2.1	2	1	1	2	3	4	5	5
50-64	11	3.4	8	< 1	1	2	5	8	9	9
65 +	9	4.1	51	< 1	1	1	3	15	23	23
B. Operated										
0-19 YRS	10	4.3	12	< 1	1	3	7	9	11	11
20-34	14	3.0	5	1	1	3	4	7	7	7
35-49	23	3.0	8	< 1	1	1	5	7	9	10
50-64	74	2.9	11	< 1	1	1	4	7	11	15
65 +	84	2.6	7	1	1	1	4	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	5.8	90	1	3	4	6	10	15	65
20-34	31	4.8	17	1	2	3	6	12	14	17
35-49	47	4.3	9	1	2	3	7	9	10	12
50-64	61	5.2	52	1	2	3	5	9	20	38
65 +	154	6.4	37	1	2	5	8	14	20	33
B. Operated										
0-19 YRS	11	8.3	54	2	4	7	8	20	26	27
20-34	50	6.6	27	1	3	5	9	15	17	23
35-49	94	7.5	77	1	1	5	10	20	28	45
50-64	260	6.7	62	1	2	4	8	15	21	44
65 +	631	7.8	54	1	3	6	10	17	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	3.6	8	1	2	3	5	7	9	15
B. Operated	205	2.9	9	< 1	1	1	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	373	5.7	46	1	2	4	7	11	15	34
B. Operated	1046	7.4	57	1	2	5	10	17	22	38
1. SINGLE DX	315	3.1	9	1	1	2	4	7	9	14
2. MULTIPLE DX	1419	7.0	54	1	2	5	9	15	21	36
A. Not Operated	483	5.2	38	1	2	4	6	10	14	32
B. Operated	1251	6.7	52	1	2	5	9	15	21	36
TOTAL										
0-19 YRS	178	5.1	47	1	3	4	6	8	12	27
20-34	100	5.3	21	1	2	4	7	12	16	20
35-49	172	5.8	49	1	1	4	7	12	20	34
50-64	406	5.7	51	1	1	3	7	12	20	37
65 +	878	7.0	49	1	2	5	9	15	21	34
GRAND TOTAL	**1734**	**6.3**	**48**	**1**	**2**	**4**	**8**	**14**	**20**	**34**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.0	7	< 1	1	5	6	7	7	7
20-34	76	5.8	8	2	4	6	7	10	11	15
35-49	112	5.8	8	2	4	6	7	9	10	15
50-64	117	6.0	7	3	4	6	7	9	10	13
65 +	127	6.1	7	3	4	6	7	8	10	15
B. Operated										
0-19 YRS	4	6.3	2	5	5	6	7	8	8	8
20-34	38	5.4	8	1	4	6	7	9	10	13
35-49	53	4.9	8	2	2	5	6	8	10	13
50-64	43	5.8	8	2	4	5	7	9	10	17
65 +	58	6.7	7	3	5	7	8	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	7.3	14	2	5	7	10	13	13	13
20-34	99	6.3	10	2	4	6	9	11	13	13
35-49	209	7.0	15	3	5	7	8	11	14	23
50-64	363	7.1	14	3	5	6	8	11	13	23
65 +	869	7.3	15	4	5	7	8	11	12	19
B. Operated										
0-19 YRS	5	7.6	7	5	6	6	10	11	11	11
20-34	51	7.8	19	3	4	7	11	13	15	18
35-49	114	7.6	22	2	4	7	10	13	17	22
50-64	202	8.1	28	3	5	7	9	13	17	30
65 +	435	8.5	24	4	6	8	10	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	439	5.9	7	3	4	6	7	9	10	14
B. Operated	196	5.7	8	2	4	6	7	9	11	13
2. MULTIPLE DX										
A. Not Operated	1552	7.1	14	3	5	7	8	11	13	20
B. Operated	807	8.2	24	3	5	7	10	13	17	29
1. SINGLE DX	635	5.9	7	2	4	6	7	9	10	13
2. MULTIPLE DX	2359	7.5	18	3	5	7	9	12	14	24
A. Not Operated	1991	6.9	13	3	5	7	8	10	12	19
B. Operated	1003	7.7	22	3	5	7	9	13	16	27
TOTAL										
0-19 YRS	28	6.4	10	1	5	6	8	11	13	13
20-34	264	6.3	11	2	4	6	8	11	13	15
35-49	488	6.6	15	2	4	6	8	11	13	21
50-64	725	7.1	17	3	5	7	9	11	14	23
65 +	1489	7.5	17	4	5	7	9	11	14	24
GRAND TOTAL	**2994**	**7.1**	**16**	**3**	**5**	**7**	**9**	**11**	**13**	**22**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	2.0	1	1	1	2	3	3	3	3
65 +	9	6.1	19	1	2	7	11	11	11	11
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	174	1.8	1	1	1	1	2	3	3	7
35-49	329	1.8	4	1	1	1	2	3	3	16
50-64	193	2.3	9	1	1	1	2	3	5	20
65 +	69	3.5	22	1	1	2	3	7	14	28
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	5.5	26	1	1	4	9	12	12	12
35-49	11	7.7	23	2	5	7	9	15	19	19
50-64	40	6.5	34	2	3	5	8	9	18	32
65 +	194	8.1	29	3	4	7	10	14	19	30
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	57	2.6	7	1	1	2	3	6	9	13
35-49	125	3.1	10	1	1	2	3	6	9	19
50-64	138	6.0	59	1	1	3	7	19	24	37
65 +	177	10.7	129	1	2	7	16	26	32	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	4.7	15	1	2	3	8	11	11	11
B. Operated	768	2.1	6	1	1	1	2	3	4	17
2. MULTIPLE DX										
A. Not Operated	249	7.8	30	3	4	7	9	14	19	30
B. Operated	498	6.5	76	1	1	3	8	19	25	40
1. SINGLE DX	783	2.1	7	1	1	1	2	3	5	17
2. MULTIPLE DX	747	7.0	61	1	2	4	9	17	24	37
A. Not Operated	264	7.6	29	2	4	7	9	13	19	30
B. Operated	1266	3.8	39	1	1	2	3	9	17	31
TOTAL										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	235	2.0	3	1	1	1	2	3	6	12
35-49	468	2.3	7	1	1	2	2	4	7	17
50-64	374	4.1	34	1	1	2	4	9	19	29
65 +	449	8.4	73	1	3	6	10	19	26	40
GRAND TOTAL	**1530**	**4.5**	**39**	**1**	**1**	**2**	**5**	**11**	**17**	**30**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	2.3	2	< 1	< 1	2	3	4	4	4
35-49	15	2.0	2	1	1	1	2	5	6	6
50-64	13	2.2	2	< 1	1	2	3	4	6	6
65 +	7	2.3	3	1	1	2	4	5	5	5
B. Operated										
0-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
20-34	60	2.3	1	1	1	2	3	4	5	5
35-49	144	2.2	1	1	1	2	3	4	4	7
50-64	88	2.2	1	1	1	2	3	4	4	5
65 +	35	2.7	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	22	2.6	3	1	1	2	4	5	6	7
35-49	36	3.1	5	1	1	2	4	7	8	9
50-64	59	3.0	4	1	1	3	4	6	7	11
65 +	78	3.5	6	1	2	3	5	6	7	15
B. Operated										
0-19 YRS	6	2.7	2	1	2	2	3	5	5	5
20-34	296	2.7	3	1	2	2	3	5	5	10
35-49	664	2.7	3	1	2	2	3	4	6	9
50-64	491	2.9	3	1	2	2	4	5	6	9
65 +	357	3.4	7	1	2	3	4	6	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.2	2	< 1	1	2	3	4	5	6
B. Operated	330	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	196	3.2	5	1	2	3	4	6	7	12
B. Operated	1814	2.9	4	1	2	2	4	5	6	10
1. SINGLE DX	374	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2010	2.9	4	1	2	2	4	5	6	10
A. Not Operated	240	3.0	5	1	1	2	4	6	7	11
B. Operated	2144	2.8	3	1	2	2	3	5	6	9
TOTAL										
0-19 YRS	11	2.5	1	1	2	2	3	4	5	5
20-34	386	2.6	3	1	2	2	3	5	5	8
35-49	859	2.6	3	1	2	2	3	4	6	9
50-64	651	2.8	3	1	2	2	3	5	6	9
65 +	477	3.3	6	1	2	3	4	6	7	14
GRAND TOTAL	**2384**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**	**10**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	4.6	10	1	3	4	5	8	12	14
20-34	81	5.7	7	2	4	6	7	9	11	12
35-49	98	5.9	7	2	4	6	7	9	10	14
50-64	136	5.3	6	2	4	5	7	9	10	11
65 +	150	5.6	9	1	4	6	7	9	10	12
B. Operated										
0-19 YRS	27	3.8	13	< 1	1	1	7	10	11	12
20-34	59	4.9	10	1	1	5	7	9	10	13
35-49	84	5.4	10	1	3	6	7	9	10	16
50-64	63	5.5	12	2	3	5	7	10	11	19
65 +	65	6.2	16	1	5	6	8	10	11	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	4.7	19	1	2	3	7	10	14	21
20-34	167	5.8	15	1	2	6	8	10	12	21
35-49	372	5.8	14	1	3	5	8	11	13	17
50-64	658	5.7	12	2	3	6	8	10	11	18
65 +	2043	5.8	16	2	3	5	7	10	13	19
B. Operated										
0-19 YRS	32	5.8	29	1	2	5	8	10	15	28
20-34	147	6.4	24	1	3	6	9	13	14	26
35-49	254	7.7	41	2	4	7	9	13	20	32
50-64	433	7.9	32	2	5	7	10	15	20	28
65 +	797	8.7	40	3	5	7	10	15	19	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	483	5.6	8	2	4	6	7	9	10	12
B. Operated	298	5.4	12	1	2	5	7	9	10	15
2. MULTIPLE DX										
A. Not Operated	3283	5.8	15	2	3	5	8	10	13	19
B. Operated	1663	8.1	37	2	5	7	10	14	19	33
1. SINGLE DX	781	5.5	9	1	3	6	7	9	10	13
2. MULTIPLE DX	4946	6.5	24	2	3	6	8	12	15	26
A. Not Operated	3766	5.8	14	2	3	5	8	10	12	18
B. Operated	1961	7.7	34	2	4	7	9	14	18	31
TOTAL										
0-19 YRS	120	4.8	19	1	1	4	7	10	12	23
20-34	454	5.9	16	1	3	6	8	10	13	22
35-49	808	6.4	22	2	3	6	8	11	14	27
50-64	1290	6.4	19	2	3	6	8	11	14	22
65 +	3055	6.5	24	2	3	6	8	11	14	25
GRAND TOTAL	**5727**	**6.4**	**22**	**2**	**3**	**6**	**8**	**11**	**14**	**24**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1295	1.8	1	1	1	2	2	3	4	6
20-34	118	2.4	1	1	2	2	3	4	4	6
35-49	85	2.4	2	1	1	2	3	4	5	6
50-64	32	3.1	3	1	2	3	4	6	7	7
65 +	19	2.3	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	62	1.4	1	< 1	1	1	1	3	5	7
20-34	16	2.4	4	1	1	2	3	3	7	9
35-49	18	3.9	8	1	1	4	6	8	9	9
50-64	5	3.4	4	1	2	4	5	6	6	6
65 +	3	4.3	9	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2058	2.6	3	1	1	2	3	5	6	10
20-34	359	3.0	4	1	2	3	4	6	7	10
35-49	227	3.3	5	1	2	3	4	6	7	13
50-64	234	4.2	7	2	2	4	5	7	9	13
65 +	387	4.8	13	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	143	2.8	15	< 1	1	1	3	8	10	21
20-34	68	4.0	16	1	1	3	5	8	12	24
35-49	53	5.2	24	1	2	3	7	12	17	20
50-64	43	5.1	19	1	1	3	8	12	14	17
65 +	50	7.4	42	1	3	6	9	15	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1549	1.9	1	1	1	2	2	3	4	6
B. Operated	104	2.2	4	< 1	1	1	3	5	7	9
2. MULTIPLE DX										
A. Not Operated	3265	3.1	5	1	2	2	4	6	7	12
B. Operated	357	4.3	23	1	1	2	6	10	13	23
1. SINGLE DX	1653	1.9	2	1	1	2	2	3	4	7
2. MULTIPLE DX	3622	3.2	7	1	2	2	4	6	8	13
A. Not Operated	4814	2.7	4	1	1	2	3	5	7	11
B. Operated	461	3.8	20	1	1	2	5	9	12	21
TOTAL										
0-19 YRS	3558	2.3	3	1	1	2	3	4	5	9
20-34	561	3.0	5	1	2	2	4	5	7	12
35-49	383	3.4	8	1	2	3	4	6	8	17
50-64	314	4.2	8	1	2	3	5	7	10	14
65 +	459	5.0	16	2	3	4	6	9	11	19
GRAND TOTAL	**5275**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1278	2.7	3	1	2	2	3	5	6	8
20-34	46	2.5	2	1	2	2	3	4	5	7
35-49	47	3.1	3	1	2	3	4	5	6	11
50-64	36	3.4	3	1	2	3	4	6	7	7
65 +	81	4.0	6	1	2	3	5	8	10	12
B. Operated										
0-19 YRS	17	2.6	2	1	1	3	3	5	6	6
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	2	7.0	2	6	6	7	8	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3111	3.6	7	1	2	3	4	6	8	13
20-34	311	4.5	12	2	2	3	5	9	12	18
35-49	489	4.3	8	2	2	4	5	8	10	15
50-64	1708	5.3	13	2	3	4	6	9	11	21
65 +	5107	5.8	13	2	3	5	7	10	13	20
B. Operated										
0-19 YRS	51	5.8	58	1	2	3	7	14	21	44
20-34	34	8.7	86	2	3	7	11	14	17	55
35-49	32	5.6	11	1	3	5	8	10	12	14
50-64	116	10.9	78	3	5	9	13	22	30	46
65 +	283	10.9	92	4	5	8	13	19	28	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1488	2.8	3	1	2	2	3	5	6	9
B. Operated	24	3.0	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	10726	5.0	12	2	3	4	6	9	11	18
B. Operated	516	9.9	83	3	4	8	12	19	27	48
1. SINGLE DX	1512	2.8	3	1	2	2	3	5	6	9
2. MULTIPLE DX	11242	5.2	16	2	3	4	6	9	12	20
A. Not Operated	12214	4.7	11	2	2	4	6	9	11	17
B. Operated	540	9.6	81	2	4	7	12	18	26	47
TOTAL										
0-19 YRS	4457	3.3	6	1	2	3	4	6	8	12
20-34	393	4.6	19	1	2	3	5	10	12	19
35-49	571	4.3	8	2	2	4	5	8	10	14
50-64	1862	5.6	18	2	3	5	7	10	13	23
65 +	5471	6.0	18	2	3	5	7	11	13	22
GRAND TOTAL	**12754**	**4.9**	**15**	**2**	**3**	**4**	**6**	**9**	**12**	**20**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	25	1.1		1	1	1	1	1	2	3
20-34	78	1.1		< 1	1	1	1	1	2	2
35-49	48	1.2		< 1	1	1	1	2	2	3
50-64	28	1.3		< 1	1	1	2	2	3	3
65 +	14	1.2		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.0	3	< 1	< 1	1	3	4	4	4
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	92	1.1		< 1	1	1	1	1	2	5
20-34	249	1.3	1	1	1	1	1	2	3	6
35-49	274	1.4	1	1	1	1	1	2	3	7
50-64	151	1.3		1	1	1	2	2	2	4
65 +	38	1.7	2	1	1	1	2	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	193	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	9	1.3	1	< 1	< 1	1	1	3	4	4
B. Operated	804	1.3	1	1	1	1	1	2	3	6
1. SINGLE DX	194	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX	813	1.3	1	1	1	1	1	2	3	6
A. Not Operated	10	1.5	1	< 1	1	1	1	3	4	4
B. Operated	997	1.3	1	1	1	1	1	2	3	6
TOTAL										
0-19 YRS	117	1.1		< 1	1	1	1	1	2	4
20-34	331	1.3	1	1	1	1	1	2	2	5
35-49	325	1.3	1	1	1	1	1	2	3	6
50-64	182	1.3		1	1	1	2	2	2	4
65 +	52	1.6	1	1	1	1	2	3	4	6
GRAND TOTAL	**1007**	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**	**6**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	6	1.0		1	1	1	1	1	1	1
35-49	7	1.7	2	< 1	1	1	2	4	5	5
50-64	12	1.3		1	1	1	2	2	2	2
65 +	7	1.9	2	< 1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	12	1.4	1	< 1	1	1	2	3	4	4
20-34	41	1.5	1	1	1	1	2	3	4	5
35-49	72	1.4		1	1	1	2	2	3	4
50-64	65	1.8	1	1	1	1	2	3	4	6
65 +	47	1.6	1	1	1	1	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	35	1.4	1	1	1	1	1	2	4	5
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	237	1.6	1	1	1	1	2	3	3	6
1. SINGLE DX	35	1.4	1	1	1	1	1	2	4	5
2. MULTIPLE DX	239	1.6	1	1	1	1	2	3	3	6
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	272	1.5	1	1	1	1	2	3	3	6
TOTAL										
0-19 YRS	16	1.3	1	< 1	1	1	1	2	3	4
20-34	47	1.4	1	1	1	1	1	3	4	5
35-49	80	1.4	1	1	1	1	2	2	3	5
50-64	77	1.7	1	1	1	1	2	3	3	6
65 +	54	1.7	1	1	1	1	2	3	4	6
GRAND TOTAL	**274**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**6**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.8	3	< 1	< 1	1	2	5	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2090	1.0		< 1	1	1	1	1	1	2
20-34	478	1.1		1	1	1	1	1	2	4
35-49	88	1.2		1	1	1	1	2	2	5
50-64	7	1.1		1	1	1	1	2	2	2
65 +	5	1.0		< 1	< 1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	39	1.6	1	< 1	< 1	1	2	3	4	4
20-34	8	1.4		< 1	< 1	1	2	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1799	1.1		< 1	1	1	1	1	2	4
20-34	210	1.2		1	1	1	1	2	2	4
35-49	63	1.4	1	1	1	1	1	2	3	7
50-64	13	2.0	2	1	1	2	2	4	6	6
65 +	4	5.0	45	1	1	2	9	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	1.8	2	< 1	1	1	2	4	5	5
B. Operated	2668	1.1		< 1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	49	1.6	1	< 1	< 1	1	2	3	4	4
B. Operated	2089	1.2	1	< 1	1	1	1	1	2	4
1. SINGLE DX	2677	1.1		< 1	1	1	1	1	1	2
2. MULTIPLE DX	2138	1.2	1	< 1	1	1	1	1	2	4
A. Not Operated	58	1.6	1	< 1	< 1	1	2	3	4	5
B. Operated	4757	1.1		< 1	1	1	1	1	2	3
TOTAL										
0-19 YRS	3934	1.1		< 1	1	1	1	1	2	3
20-34	699	1.1		1	1	1	1	2	2	4
35-49	153	1.3	1	1	1	1	1	2	3	5
50-64	20	1.7	1	1	1	1	2	3	4	6
65 +	9	2.8	21	< 1	1	1	2	10	15	15
GRAND TOTAL	**4815**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**	**4**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	187	2.1	2	1	1	2	3	4	4	6
20-34	114	2.4	2	1	2	2	3	4	5	7
35-49	58	2.4	2	1	1	2	3	4	6	92
50-64	16	2.6	1	1	2	2	3	5	5	5
65 +	16	2.6	3	< 1	1	2	3	5	6	7
B. Operated										
0-19 YRS	233	1.8	2	< 1	1	1	2	3	5	8
20-34	197	2.0	2	1	1	2	3	4	5	7
35-49	169	1.6	2	< 1	1	1	2	3	4	7
50-64	105	1.6	2	< 1	1	1	2	3	5	8
65 +	62	1.5	3	< 1	1	1	1	2	3	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	247	2.9	10	1	1	2	4	5	7	11
20-34	124	2.9	5	1	2	3	3	5	6	12
35-49	98	3.2	8	1	2	3	4	6	7	17
50-64	64	3.4	7	1	2	2	5	6	9	12
65 +	90	3.9	11	1	2	3	5	7	9	19
B. Operated										
0-19 YRS	410	2.6	15	< 1	1	1	3	5	9	18
20-34	364	2.0	3	1	1	1	2	4	5	10
35-49	476	2.3	13	1	1	1	2	4	7	16
50-64	353	2.5	15	1	1	1	3	5	7	13
65 +	310	3.2	20	1	1	2	3	7	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	2.3	2	1	1	2	3	4	5	7
B. Operated	766	1.8	2	< 1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	623	3.2	9	1	2	2	4	6	7	15
B. Operated	1913	2.5	13	1	1	1	2	5	8	16
1. SINGLE DX	1157	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX	2536	2.6	12	1	1	2	3	5	8	16
A. Not Operated	1014	2.8	6	1	1	2	3	5	6	12
B. Operated	2679	2.3	10	1	1	1	2	4	7	14
TOTAL										
0-19 YRS	1077	2.4	9	< 1	1	2	3	5	6	14
20-34	799	2.2	3	1	1	2	3	4	5	9
35-49	801	2.3	9	1	1	1	2	4	6	15
50-64	538	2.4	11	1	1	1	3	5	7	12
65 +	478	3.1	16	1	1	2	3	7	10	20
GRAND TOTAL	**3693**	**2.4**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	194	3.5	4	1	2	3	4	6	8	11
20-34	123	4.2	10	2	3	3	5	7	10	18
35-49	110	3.9	4	2	3	4	5	6	8	11
50-64	84	5.1	8	2	3	5	6	8	13	14
65 +	167	5.3	6	2	3	5	7	8	10	13
B. Operated										
0-19 YRS	4	5.8	6	3	4	5	7	9	9	9
20-34	5	11.4	6	9	10	10	14	14	14	14
35-49	5	3.4	2	2	2	4	4	5	5	5
50-64	8	10.6	19	6	8	10	11	18	20	20
65 +	7	13.0	31	5	10	12	18	20	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	486	5.3	24	2	3	4	7	10	13	27
20-34	417	5.4	12	2	3	4	7	10	13	18
35-49	517	6.1	15	3	4	5	8	10	13	20
50-64	1157	7.0	22	3	4	6	8	12	15	26
65 +	5319	7.8	24	3	5	7	10	13	17	26
B. Operated										
0-19 YRS	42	15.3	130	4	6	14	21	32	37	56
20-34	82	18.0	288	5	6	12	22	43	49	83
35-49	119	17.3	239	5	7	12	20	45	52	85
50-64	226	15.6	172	5	8	12	18	29	45	77
65 +	803	16.3	160	6	9	13	20	31	43	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	678	4.3	7	2	3	4	5	8	9	13
B. Operated	29	9.4	26	3	5	9	12	17	20	20
2. MULTIPLE DX										
A. Not Operated	7896	7.3	23	3	4	6	9	13	16	26
B. Operated	1272	16.4	177	5	8	13	20	32	47	86
1. SINGLE DX	707	4.5	9	2	3	4	6	8	10	15
2. MULTIPLE DX	9168	8.6	54	3	4	7	10	16	21	42
A. Not Operated	8574	7.1	23	3	4	6	9	13	16	25
B. Operated	1301	16.2	174	5	8	13	19	32	46	86
TOTAL										
0-19 YRS	726	5.4	32	2	2	4	6	10	15	31
20-34	627	6.8	67	2	3	5	7	13	18	45
35-49	751	7.5	67	3	4	5	8	14	20	50
50-64	1475	8.2	54	3	4	6	9	15	20	41
65 +	6296	8.8	49	3	5	7	11	16	21	39
GRAND TOTAL	**9875**	**8.3**	**52**	**3**	**4**	**6**	**10**	**15**	**20**	**41**

186: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2048	3.1	3	1	2	3	4	5	6	10
20-34	393	3.8	6	2	2	3	5	6	8	10
35-49	392	4.0	5	2	3	4	5	7	8	12
50-64	215	4.3	5	2	3	4	5	7	9	12
65 +	439	5.1	10	2	3	5	6	9	11	14
B. Operated										
0-19 YRS	26	3.7	17	< 1	1	3	4	6	11	22
20-34	9	7.0	38	2	3	4	10	17	20	20
35-49	20	6.5	17	2	4	5	8	13	16	17
50-64	22	8.3	28	2	5	7	11	15	20	22
65 +	25	13.2	290	4	7	9	12	19	43	91
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5254	3.9	11	1	2	3	5	7	9	16
20-34	906	4.4	8	2	3	4	5	8	10	15
35-49	1261	5.2	10	2	3	4	6	9	11	17
50-64	2321	5.8	12	3	4	5	7	10	12	19
65 +	10211	6.9	20	3	4	6	8	12	15	23
B. Operated										
0-19 YRS	161	11.0	139	2	4	7	14	22	33	64
20-34	127	9.5	44	3	5	8	12	18	21	33
35-49	188	11.0	130	4	5	9	12	20	25	96
50-64	346	11.3	86	4	6	8	14	22	26	53
65 +	1094	13.0	92	5	7	11	16	23	29	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3487	3.6	5	2	2	3	4	6	8	11
B. Operated	102	7.8	97	2	3	6	9	15	20	58
2. MULTIPLE DX										
A. Not Operated	19953	5.8	17	2	3	5	7	10	13	21
B. Operated	1916	12.1	96	4	6	10	15	22	28	61
1. SINGLE DX	3589	3.7	8	2	2	3	5	7	8	12
2. MULTIPLE DX	21869	6.3	27	2	3	5	8	12	15	25
A. Not Operated	23440	5.5	16	2	3	4	7	10	13	20
B. Operated	2018	11.9	97	4	6	9	15	22	28	61
TOTAL										
0-19 YRS	7489	3.8	13	1	2	3	5	7	9	17
20-34	1435	4.7	13	2	3	4	6	8	11	20
35-49	1861	5.5	25	2	3	4	7	10	12	22
50-64	2904	6.4	24	3	4	5	8	11	14	24
65 +	11769	7.4	30	3	4	6	9	13	17	27
GRAND TOTAL	**25458**	**6.0**	**25**	**2**	**3**	**5**	**7**	**11**	**14**	**24**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	2.1	1	1	1	2	3	4	4	5
20-34	31	2.7	3	1	1	2	4	5	6	8
35-49	27	2.3	1	1	2	2	3	4	4	4
50-64	17	2.5	2	1	2	2	3	4	5	6
65 +	28	4.1	6	2	2	4	6	7	8	10
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	0									
50-64	0									
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	162	3.2	8	1	2	2	3	6	8	14
20-34	111	2.9	6	1	2	2	3	5	6	14
35-49	154	3.2	5	1	2	3	4	6	8	13
50-64	188	3.9	6	2	2	3	5	7	8	11
65 +	590	5.1	14	2	3	4	6	9	11	20
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.7	65	< 1	< 1	1	11	15	15	15
35-49	7	4.3	11	1	2	4	5	10	11	11
50-64	8	8.4	73	1	2	4	14	22	24	24
65 +	34	11.1	63	3	5	10	14	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	153	2.7	3	1	2	2	3	5	6	8
B. Operated	3	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	1205	4.2	11	2	2	3	5	8	10	17
B. Operated	53	9.3	61	1	3	8	14	19	23	39
1. SINGLE DX	156	2.7	3	1	2	2	3	5	6	8
2. MULTIPLE DX	1258	4.4	14	2	2	3	5	8	11	20
A. Not Operated	1358	4.0	10	1	2	3	5	8	10	16
B. Operated	56	8.9	60	1	3	6	13	19	23	38
TOTAL										
0-19 YRS	214	2.9	7	1	2	2	3	5	7	12
20-34	146	2.9	6	1	2	2	3	5	6	15
35-49	188	3.1	5	1	2	3	4	5	7	12
50-64	213	4.0	9	2	2	3	5	7	8	20
65 +	653	5.4	18	2	3	4	6	10	12	22
GRAND TOTAL	**1414**	**4.2**	**13**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	92	2.1	1	1	1	2	3	4	5	5
20-34	5	3.2	2	2	2	3	4	5	5	5
35-49	19	2.9	2	1	2	3	4	5	5	5
50-64	39	3.7	6	1	2	3	5	7	9	12
65 +	64	4.9	8	1	3	4	7	9	11	12
B. Operated										
0-19 YRS	4	3.3	15	< 1	< 1	1	5	9	9	9
20-34	0									
35-49	3	3.0	7	< 1	< 1	2	5	6	6	6
50-64	4	2.5	3	< 1	< 1	2	4	4	4	4
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	200	2.9	3	1	2	2	3	5	7	10
20-34	59	3.5	6	1	2	3	4	6	8	14
35-49	104	4.0	6	1	2	3	5	7	9	14
50-64	329	4.9	10	2	3	4	6	9	11	17
65 +	794	5.7	15	2	3	5	7	10	12	18
B. Operated										
0-19 YRS	7	5.7	30	< 1	1	3	10	14	15	15
20-34	6	12.7	181	2	4	9	12	36	39	39
35-49	17	9.1	47	2	3	7	14	20	21	21
50-64	31	8.6	34	2	3	9	11	17	20	23
65 +	72	9.3	46	2	4	8	13	19	24	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	3.3	6	1	2	3	4	6	9	11
B. Operated	13	2.8	6	< 1	< 1	2	4	7	9	9
2. MULTIPLE DX										
A. Not Operated	1486	4.9	13	2	3	4	6	9	11	17
B. Operated	133	9.1	48	2	4	8	12	18	22	32
1. SINGLE DX	232	3.3	6	1	2	3	4	6	9	11
2. MULTIPLE DX	1619	5.3	17	2	3	4	7	10	13	20
A. Not Operated	1705	4.7	12	2	2	4	6	9	11	16
B. Operated	146	8.5	47	1	3	7	12	18	21	31
TOTAL										
0-19 YRS	303	2.7	4	1	2	2	3	5	6	11
20-34	70	4.3	25	1	2	3	5	7	12	34
35-49	143	4.4	13	1	2	3	5	8	13	21
50-64	403	5.0	13	2	3	4	6	10	13	19
65 +	932	5.9	18	2	3	5	7	11	13	21
GRAND TOTAL	**1851**	**5.0**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**19**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	34	4.0	5	1	2	4	6	7	8	8
65 +	46	5.0	11	2	3	4	7	8	13	16
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	14.0		14	14	14	14	14	14	14
35-49	3	8.0	4	6	6	8	9	10	10	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	4	5.0	3	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	27	5.7	22	2	3	5	7	12	19	19
50-64	231	6.6	31	2	3	5	8	12	17	28
65 +	525	6.1	18	2	3	5	8	11	14	21
B. Operated										
0-19 YRS	5	5.4	5	4	4	4	7	9	9	9
20-34	6	7.0	22	3	4	6	7	15	16	16
35-49	10	11.5	36	2	8	11	17	18	19	19
50-64	23	14.4	116	4	5	14	17	32	38	45
65 +	58	13.5	65	5	8	12	17	27	32	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	4.6	8	1	2	4	6	8	9	16
B. Operated	11	5.9	14	2	3	6	8	12	14	14
2. MULTIPLE DX										
A. Not Operated	785	6.2	22	2	3	5	8	11	15	25
B. Operated	102	12.8	72	4	7	11	17	25	32	71
1. SINGLE DX	93	4.7	9	2	3	4	6	8	10	16
2. MULTIPLE DX	887	7.0	32	2	4	5	9	14	18	29
A. Not Operated	867	6.1	21	2	3	5	8	11	14	22
B. Operated	113	12.1	71	4	6	10	16	23	31	65
TOTAL										
0-19 YRS	7	5.0	4	3	4	4	6	8	9	9
20-34	8	7.3	26	2	3	6	11	15	16	16
35-49	42	7.1	29	2	3	5	10	17	19	19
50-64	290	6.9	40	2	3	5	8	14	18	33
65 +	633	6.7	26	2	4	5	9	13	17	27
GRAND TOTAL	**980**	**6.8**	**30**	**2**	**3**	**5**	**8**	**13**	**17**	**28**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3845	2.2	2	1	1	2	3	4	4	6
20-34	753	3.0	4	1	2	3	4	5	6	8
35-49	791	3.2	4	1	2	3	4	6	7	11
50-64	545	3.6	5	1	2	3	5	6	8	12
65 +	347	3.9	5	2	2	3	5	7	8	11
B. Operated										
0-19 YRS	26	2.4	6	< 1	1	2	3	5	7	12
20-34	7	4.4	8	< 1	2	3	7	8	8	8
35-49	7	5.0	23	1	2	4	6	13	15	15
50-64	5	7.2	31	3	4	5	9	17	17	17
65 +	5	6.4	17	2	3	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3722	2.7	5	1	2	2	3	5	6	9
20-34	1088	3.5	5	1	2	3	4	6	7	11
35-49	1513	4.1	8	2	2	4	5	7	9	14
50-64	2073	4.9	10	2	3	4	6	9	11	16
65 +	3101	5.6	14	2	3	5	7	10	13	19
B. Operated										
0-19 YRS	66	5.5	28	< 1	2	4	8	12	16	26
20-34	35	6.9	34	2	3	5	8	14	22	23
35-49	56	12.7	127	3	5	10	16	31	37	53
50-64	82	11.1	142	3	5	7	13	21	32	73
65 +	146	12.3	139	4	5	10	15	22	26	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6281	2.6	3	1	2	2	3	5	6	9
B. Operated	50	3.9	14	1	1	3	5	9	12	17
2. MULTIPLE DX										
A. Not Operated	11497	4.1	10	1	2	3	5	8	10	16
B. Operated	385	10.5	116	2	4	8	13	21	29	53
1. SINGLE DX	6331	2.7	3	1	2	2	3	5	6	9
2. MULTIPLE DX	11882	4.3	15	1	2	3	5	8	11	18
A. Not Operated	17778	3.6	8	1	2	3	4	7	9	14
B. Operated	435	9.7	109	2	4	7	12	19	25	53
TOTAL										
0-19 YRS	7659	2.5	4	1	1	2	3	4	5	8
20-34	1883	3.3	6	1	2	3	4	6	7	11
35-49	2367	4.0	11	1	2	3	5	7	9	15
50-64	2705	4.8	15	2	3	4	6	9	11	17
65 +	3599	5.7	20	2	3	5	7	10	13	21
GRAND TOTAL	**18213**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	5	3.4	5	1	2	3	5	7	7	7
35-49	10	2.8	4	1	1	2	4	6	7	7
50-64	108	4.6	8	1	2	4	6	8	9	16
65 +	197	4.1	8	1	2	3	5	8	10	15
B. Operated										
0-19 YRS	0									
20-34	3	7.7	9	5	5	7	10	11	11	11
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	3.3	8	< 1	< 1	2	5	7	7	7
65 +	3	5.3	16	< 1	1	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	4.6	5	2	3	4	6	8	8	8
20-34	26	9.6	238	1	4	6	8	15	31	82
35-49	103	5.3	22	2	3	4	7	10	11	27
50-64	924	5.8	17	2	3	5	7	11	14	23
65 +	2171	5.9	17	2	3	5	7	10	13	22
B. Operated										
0-19 YRS	7	6.4	11	2	3	7	9	11	11	11
20-34	9	10.6	23	6	8	8	12	18	21	21
35-49	23	10.5	126	3	5	7	11	20	38	54
50-64	103	10.1	146	2	4	6	12	20	32	71
65 +	188	10.9	98	3	4	8	14	23	28	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	4.2	8	1	2	4	5	8	9	14
B. Operated	12	4.9	10	< 1	2	5	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	3237	5.9	19	2	3	5	7	10	14	23
B. Operated	330	10.5	111	3	4	7	13	22	29	55
1. SINGLE DX	337	4.2	8	1	2	4	5	8	9	14
2. MULTIPLE DX	3567	6.3	29	2	3	5	8	11	15	26
A. Not Operated	3562	5.7	18	2	3	5	7	10	13	22
B. Operated	342	10.3	108	3	4	7	13	21	28	54
TOTAL										
0-19 YRS	25	4.6	8	1	2	4	7	8	10	11
20-34	43	9.0	151	2	4	7	10	14	19	82
35-49	138	6.0	41	1	3	4	7	10	13	43
50-64	1139	6.1	30	2	3	5	7	11	15	26
65 +	2559	6.1	24	2	3	5	7	11	14	25
GRAND TOTAL	**3904**	**6.1**	**28**	**2**	**3**	**5**	**7**	**11**	**14**	**26**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.5	6	1	1	2	2	5	9	10
20-34	47	2.5	4	1	1	2	3	5	7	9
35-49	12	3.6	3	1	2	4	5	6	7	7
50-64	6	3.8	25	1	1	2	3	13	14	14
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	67	5.2	12	2	3	4	6	9	13	18
20-34	274	5.2	13	2	3	4	7	10	13	17
35-49	112	5.2	9	2	3	4	7	10	11	13
50-64	37	5.9	24	1	3	4	9	11	16	24
65 +	43	7.0	53	2	3	5	8	14	19	42
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	40	2	2	3	9	15	15	15
20-34	23	4.9	32	1	2	2	5	14	18	22
35-49	13	3.2	2	2	2	3	4	5	6	6
50-64	19	6.0	48	1	2	4	6	12	24	31
65 +	34	6.2	15	1	3	6	9	11	12	16
B. Operated										
0-19 YRS	41	9.2	47	2	4	6	13	18	23	30
20-34	173	8.0	86	3	4	6	9	14	20	51
35-49	132	7.0	30	3	4	5	8	14	20	26
50-64	133	8.2	42	3	4	6	10	17	20	33
65 +	245	10.7	109	3	4	7	13	22	31	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	2.8	6	1	1	2	4	5	9	12
B. Operated	533	5.4	16	2	3	4	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	93	5.4	25	1	2	4	6	11	16	27
B. Operated	724	8.8	75	3	4	6	11	18	22	38
1. SINGLE DX	622	5.0	15	2	2	4	6	10	12	17
2. MULTIPLE DX	817	8.4	70	2	4	6	10	17	22	36
A. Not Operated	182	4.1	17	1	2	3	5	10	12	20
B. Operated	1257	7.4	53	2	3	5	9	15	20	34
TOTAL										
0-19 YRS	134	6.0	27	1	2	4	7	14	17	26
20-34	517	5.9	40	2	3	4	7	11	15	22
35-49	269	5.9	20	2	3	4	7	11	14	23
50-64	195	7.4	39	2	3	5	10	16	19	32
65 +	324	9.7	94	3	4	7	11	21	29	46
GRAND TOTAL	**1439**	**6.9**	**49**	**2**	**3**	**5**	**9**	**14**	**19**	**33**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	2.3	2	1	1	2	3	5	5	5
20-34	0									
35-49	3	8.3	85	3	3	3	15	19	19	19
50-64	15	8.9	40	4	4	8	11	13	24	28
65 +	31	7.9	38	2	4	6	10	17	22	28
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	0									
35-49	1	26.0		26	26	26	26	26	26	26
50-64	1	10.0		10	10	10	10	10	10	10
65 +	5	19.2	50	12	14	17	24	30	30	30
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	144	5.6	79	1	1	3	6	14	22	99 +
20-34	50	3.7	5	2	2	3	5	7	7	9
35-49	173	6.4	29	2	3	5	8	14	16	29
50-64	883	7.1	28	2	4	6	9	14	18	26
65 +	2149	7.5	27	3	4	6	9	13	17	28
B. Operated										
0-19 YRS	36	25.8	691	4	8	23	75	99 +	99 +	99 +
20-34	14	16.4	263	5	6	12	18	33	59	67
35-49	41	20.7	420	4	8	13	24	53	66	97
50-64	167	20.3	327	6	9	14	26	53	81	99 +
65 +	331	17.7	212	5	8	13	23	40	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	7.1	38	1	3	5	9	15	20	28
B. Operated	9	15.0	100	1	8	15	23	28	30	30
2. MULTIPLE DX										
A. Not Operated	3399	7.2	30	2	4	6	9	13	17	28
B. Operated	589	19.1	292	5	8	14	24	51	73	99 +
1. SINGLE DX	69	8.2	52	1	3	6	11	18	26	30
2. MULTIPLE DX	3988	8.9	86	2	4	7	11	18	25	66
A. Not Operated	3459	7.2	30	2	4	6	9	13	17	28
B. Operated	598	19.0	289	5	8	14	24	50	73	99 +
TOTAL										
0-19 YRS	193	9.1	250	1	2	4	11	37	99	99 +
20-34	64	6.5	86	2	2	4	7	14	19	62
35-49	218	9.2	133	2	3	6	11	19	28	65
50-64	1066	9.2	98	3	4	6	10	18	26	71
65 +	2516	8.8	64	3	4	7	11	17	22	48
GRAND TOTAL	**4057**	**8.9**	**85**	**2**	**4**	**7**	**11**	**18**	**25**	**66**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	2.6	8	1	1	2	3	5	9	16
20-34	71	2.4	5	1	1	2	3	4	7	14
35-49	56	3.7	66	1	1	2	4	6	7	59
50-64	58	4.4	19	1	2	3	5	11	12	24
65 +	81	4.5	15	1	2	3	5	9	12	21
B. Operated										
0-19 YRS	27	4.4	34	< 1	< 1	2	6	12	14	27
20-34	34	5.0	25	1	2	4	5	11	19	21
35-49	64	5.4	18	1	2	4	7	13	15	16
50-64	55	6.7	29	2	3	6	8	11	17	32
65 +	69	6.5	40	1	3	5	7	14	18	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	471	4.3	19	1	2	3	5	9	13	22
20-34	251	4.4	15	1	2	3	6	9	11	19
35-49	355	4.7	21	1	2	3	6	10	13	21
50-64	743	5.1	20	1	3	4	6	10	12	19
65 +	2834	6.7	33	2	3	5	8	13	16	27
B. Operated										
0-19 YRS	204	11.6	197	1	2	8	15	31	51	99 +
20-34	141	11.1	109	2	4	8	14	23	30	50
35-49	275	9.4	99	2	4	7	12	20	26	59
50-64	548	10.7	110	2	5	8	13	21	31	60
65 +	1113	12.6	109	3	6	10	16	26	34	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	385	3.4	20	1	1	2	4	7	11	18
B. Operated	249	5.8	29	1	2	5	7	12	16	31
2. MULTIPLE DX										
A. Not Operated	4654	6.0	28	2	3	5	8	12	15	25
B. Operated	2281	11.6	117	2	5	8	15	24	33	61
1. SINGLE DX	634	4.4	25	1	1	3	5	10	13	25
2. MULTIPLE DX	6935	7.8	65	2	3	6	10	16	22	43
A. Not Operated	5039	5.8	28	1	2	4	7	11	15	25
B. Operated	2530	11.0	111	2	4	8	14	23	32	59
TOTAL										
0-19 YRS	821	5.9	73	1	2	3	7	14	20	56
20-34	497	6.1	51	1	2	4	7	14	19	39
35-49	750	6.4	58	1	2	4	8	14	19	43
50-64	1404	7.3	63	2	3	5	9	15	20	40
65 +	4097	8.3	60	2	4	6	10	17	22	41
GRAND TOTAL	**7569**	**7.5**	**62**	**2**	**3**	**5**	**9**	**16**	**21**	**42**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.8	12	< 1	1	2	3	5	12	14
20-34	20	2.7	5	1	1	2	3	6	9	10
35-49	14	2.2	1	1	1	2	3	4	4	4
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	551	1.6	1	< 1	< 1	1	2	3	3	5
20-34	648	1.9	1	1	1	2	2	3	4	5
35-49	434	2.1	4	1	1	2	2	3	4	7
50-64	86	2.1	2	1	1	2	3	4	5	8
65 +	26	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	2.9	7	< 1	1	2	3	6	8	14
20-34	35	3.4	3	1	2	3	5	6	7	8
35-49	25	4.3	15	1	2	3	5	7	14	18
50-64	23	3.5	7	1	2	3	4	8	10	11
65 +	30	3.9	10	1	2	3	4	8	12	15
B. Operated										
0-19 YRS	588	2.0	2	< 1	1	2	2	3	4	7
20-34	497	2.7	9	1	1	2	3	4	6	10
35-49	341	2.5	6	1	1	2	3	4	5	14
50-64	152	2.5	5	1	1	2	3	5	6	15
65 +	107	2.8	6	1	1	2	3	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	2.5	5	1	1	2	3	4	8	14
B. Operated	1745	1.9	2	< 1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	144	3.6	8	1	2	3	4	7	9	15
B. Operated	1685	2.4	6	1	1	2	3	4	5	11
1. SINGLE DX	1795	1.9	2	< 1	1	2	2	3	4	6
2. MULTIPLE DX	1829	2.5	6	1	1	2	3	4	6	12
A. Not Operated	194	3.3	8	1	2	2	4	7	9	15
B. Operated	3430	2.1	4	< 1	1	2	2	3	5	9
TOTAL										
0-19 YRS	1183	1.9	2	< 1	< 1	1	2	3	4	7
20-34	1200	2.3	5	1	1	2	3	4	5	10
35-49	814	2.4	5	1	1	2	3	4	5	11
50-64	264	2.4	4	1	1	2	3	5	6	11
65 +	163	2.9	7	1	1	2	3	6	8	13
GRAND TOTAL	**3624**	**2.2**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**	**10**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	51	2.6	2	1	2	2	3	5	6	7
20-34	28	3.1	2	1	2	3	4	5	6	6
35-49	19	3.3	5	1	2	3	4	7	9	9
50-64	14	2.7	2	1	2	3	4	4	5	5
65 +	8	5.4	47	1	2	3	5	17	22	22
B. Operated										
0-19 YRS	68	1.9	1	< 1	1	1	3	3	4	6
20-34	50	2.2	3	1	1	2	2	5	6	9
35-49	62	1.7	2	1	1	1	2	3	5	8
50-64	46	1.8	2	1	1	1	2	4	4	7
65 +	57	2.5	6	1	1	2	3	7	9	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	100	3.5	7	1	2	3	4	7	9	14
20-34	39	3.5	4	1	2	3	5	6	7	9
35-49	42	3.9	7	1	2	3	5	7	10	12
50-64	44	5.6	16	2	2	4	8	13	14	15
65 +	93	5.9	13	2	3	5	8	10	13	19
B. Operated										
0-19 YRS	85	2.7	3	1	1	2	3	5	6	8
20-34	77	4.2	29	1	1	3	5	8	11	35
35-49	85	2.8	16	1	1	2	3	5	9	25
50-64	92	2.9	7	1	1	2	4	6	9	13
65 +	106	4.9	23	1	1	3	7	12	15	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	3.0	5	1	2	3	4	5	6	13
B. Operated	283	2.0	3	1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	318	4.5	11	1	2	4	6	9	11	15
B. Operated	445	3.5	16	1	1	2	4	8	11	19
1. SINGLE DX	403	2.3	4	1	1	2	3	4	6	10
2. MULTIPLE DX	763	3.9	14	1	2	3	5	9	11	18
A. Not Operated	438	4.1	10	1	2	3	5	8	10	15
B. Operated	728	2.9	12	1	1	2	3	6	9	17
TOTAL										
0-19 YRS	304	2.7	4	1	1	2	3	5	6	10
20-34	194	3.4	14	1	1	2	4	6	8	14
35-49	208	2.8	9	1	1	2	3	6	8	14
50-64	196	3.2	9	1	1	2	4	7	10	14
65 +	264	4.7	18	1	2	3	7	10	13	21
GRAND TOTAL	**1166**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**10**	**15**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	183	2.1	3	1	1	1	3	4	5	10
20-34	43	2.1	2	< 1	1	2	3	4	5	6
35-49	90	1.8	1	< 1	1	2	2	3	4	6
50-64	79	1.9	2	< 1	1	1	2	4	5	8
65 +	59	2.5	4	1	1	2	3	4	6	13
B. Operated										
0-19 YRS	35	3.6	7	< 1	1	4	6	7	8	8
20-34	26	4.3	4	1	3	4	6	7	8	9
35-49	46	4.5	7	1	2	4	6	7	9	12
50-64	42	4.2	12	1	1	4	7	8	9	19
65 +	64	4.1	7	1	2	4	5	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	372	3.2	12	1	1	2	4	7	10	19
20-34	265	3.1	5	1	2	3	4	5	7	13
35-49	490	2.7	5	1	1	2	3	5	7	10
50-64	635	3.2	8	1	2	2	4	6	8	16
65 +	1052	3.9	13	1	2	3	5	7	9	16
B. Operated										
0-19 YRS	241	8.2	78	1	4	6	10	15	22	45
20-34	129	6.3	50	2	3	5	7	11	14	50
35-49	316	6.2	39	2	3	5	7	11	18	32
50-64	400	6.6	46	2	3	5	8	12	18	48
65 +	830	7.1	49	2	3	5	9	14	20	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	454	2.1	3	1	1	2	3	4	5	8
B. Operated	213	4.1	8	1	2	4	6	7	9	12
2. MULTIPLE DX										
A. Not Operated	2814	3.4	10	1	2	3	4	7	8	16
B. Operated	1916	6.9	51	2	3	5	8	14	19	43
1. SINGLE DX	667	2.7	5	1	1	2	4	6	7	10
2. MULTIPLE DX	4730	4.8	29	1	2	3	6	9	14	29
A. Not Operated	3268	3.2	9	1	1	2	4	6	8	15
B. Operated	2129	6.7	47	2	3	5	8	13	18	41
TOTAL										
0-19 YRS	831	4.5	35	1	1	3	6	9	14	26
20-34	463	4.0	19	1	2	3	5	7	9	16
35-49	942	3.9	19	1	2	3	5	7	10	21
50-64	1156	4.3	24	1	2	3	5	8	12	26
65 +	2005	5.2	30	1	2	4	6	10	14	30
GRAND TOTAL	**5397**	**4.6**	**27**	**1**	**2**	**3**	**5**	**9**	**13**	**27**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.1	1	1	1	2	3	3	3	3
20-34	23	2.7	6	1	1	2	3	4	8	12
35-49	24	2.9	4	1	2	2	4	5	7	10
50-64	20	3.0	4	1	2	2	4	6	8	9
65 +	14	5.2	14	2	3	4	6	10	15	16
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.5		5	5	5	6	6	6	6
35-49	23	5.1	13	1	2	5	7	8	12	17
50-64	15	4.2	8	< 1	2	3	6	8	9	10
65 +	23	6.2	70	< 1	1	3	8	12	26	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	3.0	4	< 1	1	3	5	6	6	6
20-34	35	4.9	17	1	2	4	7	11	15	16
35-49	85	3.9	10	1	2	3	5	8	11	16
50-64	96	3.5	3	2	2	3	4	6	6	8
65 +	196	4.7	12	2	3	4	5	8	11	17
B. Operated										
0-19 YRS	3	7.3	56	3	3	3	13	16	16	16
20-34	22	6.0	18	1	3	5	8	11	14	18
35-49	106	5.4	22	< 1	2	4	7	9	12	29
50-64	120	6.1	24	2	3	5	8	11	15	25
65 +	227	6.4	21	2	3	5	8	12	14	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	3.2	6	1	2	2	4	6	9	14
B. Operated	66	5.3	30	< 1	2	4	7	9	12	36
2. MULTIPLE DX										
A. Not Operated	422	4.2	10	1	2	3	5	8	10	16
B. Operated	478	6.1	22	2	3	5	8	11	14	27
1. SINGLE DX	155	4.1	17	1	2	3	5	8	10	19
2. MULTIPLE DX	900	5.2	17	2	3	4	7	10	12	20
A. Not Operated	511	4.1	9	1	2	3	5	8	10	16
B. Operated	544	6.0	23	1	3	5	8	11	14	27
TOTAL										
0-19 YRS	22	3.2	10	1	1	3	4	5	10	16
20-34	84	4.6	14	1	2	3	6	10	12	17
35-49	238	4.6	16	1	2	4	6	9	11	20
50-64	251	4.7	15	2	2	4	6	9	11	19
65 +	460	5.6	20	2	3	5	7	11	13	26
GRAND TOTAL	**1055**	**5.0**	**17**	**1**	**2**	**4**	**7**	**10**	**12**	**20**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	2.5	6	< 1	1	1	3	7	8	8
20-34	19	2.8	2	1	2	3	3	4	6	7
35-49	55	3.1	2	1	2	3	4	5	6	7
50-64	77	3.2	2	2	2	3	4	5	6	7
65 +	67	4.0	5	2	2	4	5	7	9	12
B. Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	21	5.8	5	2	4	7	7	8	9	9
35-49	31	6.2	8	3	4	6	8	10	12	13
50-64	50	5.8	12	2	3	5	7	9	12	18
65 +	64	7.4	37	2	3	6	10	15	19	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	3.8	5	2	2	3	4	7	9	10
20-34	63	3.2	2	2	2	3	4	5	6	8
35-49	184	3.7	6	2	2	3	5	6	7	15
50-64	376	4.2	7	2	2	3	5	7	9	13
65 +	1008	4.9	16	2	3	4	6	8	11	19
B. Operated										
0-19 YRS	8	5.4	8	2	3	5	7	10	11	11
20-34	44	6.6	12	3	4	6	8	10	11	21
35-49	156	7.6	45	2	3	6	9	16	21	34
50-64	387	7.5	44	2	3	5	10	14	21	35
65 +	1047	8.5	48	3	4	7	11	16	21	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	226	3.3	3	1	2	3	4	6	7	9
B. Operated	167	6.5	20	2	3	6	8	12	15	27
2. MULTIPLE DX										
A. Not Operated	1644	4.6	12	2	3	4	5	8	10	16
B. Operated	1642	8.1	46	3	4	6	10	16	21	35
1. SINGLE DX	393	4.7	13	2	2	4	6	8	11	18
2. MULTIPLE DX	3286	6.3	32	2	3	5	7	12	16	29
A. Not Operated	1870	4.4	11	2	3	4	5	7	10	15
B. Operated	1809	7.9	44	3	4	6	10	15	21	34
TOTAL										
0-19 YRS	30	3.9	7	1	2	3	5	8	10	11
20-34	147	4.6	8	2	3	4	6	8	10	12
35-49	426	5.2	23	2	3	4	6	10	14	28
50-64	890	5.6	26	2	3	4	7	11	14	28
65 +	2186	6.7	35	2	3	5	8	13	17	29
GRAND TOTAL	**3679**	**6.1**	**30**	**2**	**3**	**5**	**7**	**12**	**16**	**28**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	2.1	1	1	2	2	3	4	4	4
20-34	58	2.1	1	1	1	2	3	3	4	6
35-49	87	2.4	2	1	1	2	3	4	6	8
50-64	44	2.4	2	1	1	2	3	4	6	7
65 +	17	3.5	8	1	2	3	4	6	11	13
B. Operated										
0-19 YRS	3	4.3	12	1	2	4	7	8	8	8
20-34	9	5.9	26	< 1	< 1	5	9	14	16	16
35-49	29	6.0	8	3	4	6	8	9	13	14
50-64	10	6.1	5	4	4	6	6	10	11	11
65 +	6	8.0	84	< 1	2	5	8	24	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	3.0	6	1	1	2	4	5	9	11
20-34	118	3.1	4	1	2	3	4	6	8	10
35-49	226	3.1	6	1	2	3	4	6	7	12
50-64	223	3.4	4	1	2	3	4	6	7	11
65 +	422	4.3	11	2	2	3	5	8	9	14
B. Operated										
0-19 YRS	4	4.0	10	< 1	1	3	6	8	8	8
20-34	26	5.0	8	1	3	5	7	8	10	12
35-49	94	7.2	23	3	4	7	8	11	18	27
50-64	53	7.4	60	2	3	6	9	16	18	98
65 +	100	7.6	55	3	4	5	9	14	19	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	223	2.4	2	1	1	2	3	4	5	8
B. Operated	57	6.1	17	1	4	6	8	10	14	25
2. MULTIPLE DX										
A. Not Operated	1015	3.7	7	1	2	3	4	7	8	13
B. Operated	277	7.1	40	2	4	6	8	13	18	47
1. SINGLE DX	280	3.2	8	1	2	2	4	6	8	14
2. MULTIPLE DX	1292	4.4	16	1	2	3	5	8	10	20
A. Not Operated	1238	3.4	7	1	2	3	4	6	8	12
B. Operated	334	7.0	36	2	4	6	8	12	17	34
TOTAL										
0-19 YRS	50	2.8	5	1	1	2	4	5	8	11
20-34	211	3.2	6	1	2	3	4	6	8	12
35-49	436	4.0	12	1	2	3	5	8	9	19
50-64	330	4.0	15	1	2	3	5	7	9	17
65 +	545	4.9	21	2	3	4	6	9	11	22
GRAND TOTAL	**1572**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**	**19**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.4	3	1	1	2	3	5	7	7
20-34	73	2.8	2	1	2	3	3	4	6	7
35-49	124	3.0	3	1	2	3	4	5	6	8
50-64	130	2.9	2	1	2	3	4	5	6	9
65 +	86	3.3	3	2	2	3	4	5	6	9
B. Operated										
0-19 YRS	4	7.5	15	4	5	6	10	13	13	13
20-34	58	6.4	9	3	5	6	7	9	11	21
35-49	57	6.2	4	4	5	6	7	9	10	10
50-64	64	6.4	7	3	4	6	8	10	12	13
65 +	44	6.9	13	2	4	7	10	11	13	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	2.9	1	2	2	3	3	4	5	6
20-34	177	3.2	3	1	2	3	4	5	6	10
35-49	327	3.5	4	2	2	3	4	6	7	10
50-64	493	3.9	6	2	2	3	5	7	8	12
65 +	1081	5.2	12	2	3	4	6	9	12	20
B. Operated										
0-19 YRS	5	7.2	12	3	4	7	10	12	12	12
20-34	77	8.1	60	3	4	7	9	14	17	52
35-49	195	7.7	36	2	4	6	10	13	20	30
50-64	306	9.0	51	3	5	7	11	16	21	42
65 +	723	11.0	93	3	5	8	14	20	29	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	423	3.0	2	1	2	3	4	5	6	8
B. Operated	227	6.5	8	3	5	6	8	10	11	14
2. MULTIPLE DX										
A. Not Operated	2106	4.5	9	2	3	4	5	8	10	17
B. Operated	1306	9.9	74	3	5	8	12	19	26	50
1. SINGLE DX	650	4.2	7	2	2	3	6	8	9	12
2. MULTIPLE DX	3412	6.5	41	2	3	5	8	13	18	33
A. Not Operated	2529	4.2	9	2	2	4	5	7	9	15
B. Operated	1533	9.4	65	3	5	7	11	17	25	47
TOTAL										
0-19 YRS	47	3.6	7	2	2	3	4	7	9	13
20-34	385	4.6	19	2	2	3	6	8	11	18
35-49	703	4.8	16	2	2	4	6	9	12	25
50-64	993	5.5	25	2	3	4	7	10	13	28
65 +	1934	7.3	50	2	3	5	9	14	19	37
GRAND TOTAL	**4062**	**6.2**	**36**	**2**	**3**	**4**	**7**	**12**	**16**	**31**

204: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	11	3.2	5	< 1	1	2	5	6	7	7
50-64	6	5.2	2	3	4	5	6	7	7	7
65 +	7	4.6	9	1	2	5	6	9	10	10
B. Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	7.7	12	4	5	8	10	11	11	11
35-49	17	7.6	25	2	4	7	10	15	18	19
50-64	5	10.2	1	9	9	10	11	12	12	12
65 +	14	9.3	41	2	3	9	12	19	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	13	3.2	2	1	2	3	4	5	7	7
35-49	24	4.2	4	2	3	4	5	6	9	10
50-64	25	5.1	8	2	3	5	6	9	11	12
65 +	87	5.7	12	3	3	5	7	10	13	19
B. Operated										
0-19 YRS	0									
20-34	13	12.1	108	5	6	7	16	32	34	34
35-49	64	13.4	91	5	7	12	15	24	37	50
50-64	88	10.9	58	5	6	8	13	20	26	43
65 +	144	12.6	148	4	7	10	14	24	30	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.0	5	1	2	4	6	7	8	10
B. Operated	40	8.5	26	2	4	9	11	17	19	21
2. MULTIPLE DX										
A. Not Operated	152	5.1	10	2	3	4	6	9	11	18
B. Operated	309	12.3	109	4	7	10	14	23	30	70
1. SINGLE DX	67	6.7	22	2	3	6	9	12	18	21
2. MULTIPLE DX	461	9.9	87	3	4	7	12	19	25	50
A. Not Operated	179	4.9	9	2	3	4	6	9	11	17
B. Operated	349	11.8	100	4	6	9	14	22	30	68
TOTAL										
0-19 YRS	5	4.2	10	1	2	3	7	8	8	8
20-34	31	7.4	63	2	3	5	8	17	31	34
35-49	116	9.7	73	2	4	7	13	19	24	49
50-64	124	9.4	49	3	5	8	11	18	23	37
65 +	252	9.8	102	3	4	7	12	19	24	74
GRAND TOTAL	**528**	**9.5**	**80**	**3**	**4**	**7**	**12**	**19**	**24**	**49**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	65	2.1	2	1	1	2	2	4	5	7
20-34	155	2.1	4	1	1	2	2	4	5	8
35-49	109	2.2	2	1	1	2	3	4	5	46
50-64	73	2.2	3	< 1	1	2	3	4	5	8
65 +	44	3.0	5	1	1	2	4	7	8	9
B. Operated										
0-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
20-34	11	1.9	2	< 1	< 1	< 1	3	4	5	5
35-49	23	3.4	8	< 1	< 1	3	5	7	9	12
50-64	18	3.5	18	< 1	< 1	2	4	8	14	18
65 +	20	3.2	20	< 1	< 1	1	2	11	15	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	204	2.3	4	1	1	2	3	4	6	11
20-34	534	2.8	4	1	1	2	4	5	7	11
35-49	796	3.1	5	1	2	3	4	5	7	11
50-64	744	3.4	6	1	2	3	4	6	8	13
65 +	1373	4.1	7	2	2	4	5	7	9	14
B. Operated										
0-19 YRS	16	5.2	32	1	2	3	7	13	20	22
20-34	91	4.6	13	1	2	3	6	9	13	19
35-49	161	4.9	20	1	3	4	6	9	12	23
50-64	216	5.7	19	2	3	4	8	10	14	25
65 +	444	7.2	62	2	3	5	9	14	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	446	2.2	3	1	1	2	3	4	5	9
B. Operated	75	3.1	12	< 1	< 1	1	4	7	11	17
2. MULTIPLE DX										
A. Not Operated	3651	3.5	6	1	2	3	4	6	8	13
B. Operated	928	6.2	41	2	3	4	8	12	17	32
1. SINGLE DX	521	2.4	4	< 1	1	2	3	4	7	13
2. MULTIPLE DX	4579	4.0	14	1	2	3	5	8	10	19
A. Not Operated	4097	3.3	6	1	2	3	4	6	8	13
B. Operated	1003	6.0	39	1	3	4	7	11	16	30
TOTAL										
0-19 YRS	288	2.4	5	1	1	2	3	4	7	13
20-34	791	2.9	6	1	1	2	4	5	7	12
35-49	1089	3.3	8	1	2	3	4	6	8	14
50-64	1051	3.8	10	1	2	3	5	7	9	16
65 +	1881	4.8	22	2	2	4	6	9	12	21
GRAND TOTAL	**5100**	**3.8**	**14**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.4	2	1	1	2	4	5	5	6
20-34	35	3.1	9	1	1	2	4	7	9	15
35-49	36	2.6	5	1	1	2	3	6	7	12
50-64	21	4.3	48	1	1	2	4	7	19	33
65 +	16	3.5	12	1	2	2	4	9	12	14
B. Operated										
0-19 YRS	24	3.0	2	1	2	3	4	5	6	6
20-34	2	9.0	128	< 1	< 1	8	17	17	17	17
35-49	8	6.9	12	2	4	7	10	11	11	11
50-64	17	7.9	21	1	6	7	10	15	16	16
65 +	10	12.2	48	5	7	10	16	23	24	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	90	2.7	5	1	1	2	3	5	7	12
20-34	107	3.8	13	1	2	3	4	7	11	21
35-49	168	3.7	15	1	1	3	4	8	11	25
50-64	176	4.3	12	1	2	3	6	9	11	18
65 +	341	4.0	11	1	2	3	5	8	10	17
B. Operated										
0-19 YRS	22	4.0	25	1	2	3	3	6	16	25
20-34	38	10.5	239	1	3	6	9	19	53	74
35-49	93	10.5	94	2	4	8	14	23	29	50
50-64	113	13.0	132	3	6	9	17	29	38	58
65 +	209	11.8	102	3	5	8	16	24	30	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	139	3.0	13	1	1	2	3	6	8	17
B. Operated	61	6.6	28	1	2	6	8	15	17	24
2. MULTIPLE DX										
A. Not Operated	882	3.8	12	1	2	3	5	7	10	17
B. Operated	475	11.4	117	2	4	8	15	23	32	58
1. SINGLE DX	200	4.1	20	1	1	2	5	9	14	23
2. MULTIPLE DX	1357	6.5	62	1	2	4	7	15	21	41
A. Not Operated	1021	3.7	12	1	2	3	5	7	10	17
B. Operated	536	10.8	110	2	4	8	14	22	31	57
TOTAL										
0-19 YRS	167	2.8	7	1	1	2	3	5	6	12
20-34	182	5.1	67	1	2	3	6	9	15	53
35-49	305	5.7	48	1	2	3	7	13	21	31
50-64	327	7.5	73	1	2	5	9	17	22	43
65 +	576	7.0	59	1	2	4	8	16	22	40
GRAND TOTAL	**1557**	**6.2**	**57**	**1**	**2**	**4**	**7**	**14**	**20**	**39**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	1.9	2	< 1	1	1	2	4	5	5
20-34	17	1.7	2	1	1	1	2	3	5	6
35-49	7	1.9	1	< 1	1	1	3	3	3	3
50-64	3	1.7	1	< 1	< 1	< 1	2	3	3	3
65 +	3	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	3489	2.7	1	2	2	2	3	4	5	7
20-34	2662	2.9	1	2	2	3	3	4	5	6
35-49	1099	3.0	2	2	2	3	4	5	5	8
50-64	285	3.4	2	2	3	3	4	5	6	9
65 +	83	3.7	2	2	3	4	4	6	7	69
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	5	2.6	1	1	2	3	3	4	4	4
50-64	0									
65 +	6	4.8	29	< 1	1	2	9	13	14	14
B. Operated										
0-19 YRS	632	3.8	24	2	2	3	4	6	7	11
20-34	692	3.9	6	2	3	3	4	6	7	14
35-49	332	4.4	9	2	3	4	5	7	8	16
50-64	188	4.9	10	2	3	4	6	9	11	17
65 +	124	6.2	12	3	4	5	8	11	13	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	1.9	2	< 1	1	1	3	3	5	6
B. Operated	7618	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	22	2.7	10	1	1	2	3	5	11	14
B. Operated	1968	4.2	13	2	3	3	5	7	9	15
1. SINGLE DX	7670	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX	1990	4.2	13	2	3	3	5	7	9	15
A. Not Operated	74	2.1	4	< 1	1	1	3	3	5	13
B. Operated	9586	3.1	4	2	2	3	4	5	6	9
TOTAL										
0-19 YRS	4149	2.8	5	2	2	3	3	4	5	8
20-34	3376	3.1	2	2	2	3	4	5	5	8
35-49	1443	3.4	4	2	2	3	4	5	6	10
50-64	476	4.0	6	2	3	3	5	6	9	14
65 +	216	5.1	9	2	3	4	6	10	12	17
GRAND TOTAL	**9660**	**3.1**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	6.1	10	2	3	6	8	10	11	11
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	6	4.0	9	< 1	< 1	4	7	7	7	7
50-64	0									
65 +	4	5.3	11	3	3	4	7	10	10	10
B. Operated										
0-19 YRS	867	5.6	5	3	4	5	7	8	10	13
20-34	474	5.2	6	3	3	5	6	8	10	13
35-49	345	5.6	5	3	4	6	7	9	10	12
50-64	189	6.5	8	3	5	6	8	10	11	16
65 +	73	7.2	8	4	5	7	8	11	12	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	8.2	35	3	4	6	10	18	19	19
20-34	0									
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	4	9.3	15	5	6	9	12	13	13	13
65 +	6	7.0	9	2	6	7	9	10	10	10
B. Operated										
0-19 YRS	650	7.7	18	4	5	7	9	13	16	24
20-34	393	7.3	14	4	5	7	8	12	14	24
35-49	414	8.1	17	4	6	7	10	12	17	23
50-64	307	9.2	24	5	6	8	11	14	17	30
65 +	365	10.0	29	5	7	9	12	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	5.3	9	1	3	5	7	9	10	11
B. Operated	1948	5.7	6	3	4	5	7	9	10	13
2. MULTIPLE DX										
A. Not Operated	18	7.6	18	3	5	7	10	13	17	19
B. Operated	2129	8.3	21	4	6	7	10	13	17	26
1. SINGLE DX	1968	5.7	6	3	4	5	7	9	10	13
2. MULTIPLE DX	2147	8.3	21	4	6	7	10	13	17	26
A. Not Operated	38	6.4	14	2	4	6	9	11	13	19
B. Operated	4077	7.1	16	3	5	6	8	11	14	23
TOTAL										
0-19 YRS	1531	6.5	12	3	4	6	8	10	13	19
20-34	869	6.2	11	3	4	6	7	10	12	18
35-49	767	6.9	13	3	5	6	8	11	13	21
50-64	500	8.2	20	4	6	7	10	13	16	26
65 +	448	9.4	27	5	6	8	11	15	19	31
GRAND TOTAL	**4115**	**7.0**	**15**	**3**	**5**	**6**	**8**	**11**	**14**	**22**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.3		< 1	1	1	2	2	3	3
20-34	14	1.9	1	1	1	2	3	3	4	4
35-49	11	2.9	2	1	2	3	4	5	5	5
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	2	3.0	2	2	2	3	4	4	4	4
B. Operated										
0-19 YRS	190	2.6	1	2	2	3	3	4	4	7
20-34	181	3.1	2	2	2	3	4	5	6	8
35-49	65	3.3	2	2	2	3	4	6	6	7
50-64	17	3.3	1	2	3	3	4	5	5	5
65 +	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	2.8	20	< 1	1	1	2	12	15	15
20-34	16	2.3	3	1	1	2	3	5	7	8
35-49	5	1.4		< 1	1	1	2	2	2	2
50-64	5	8.0	32	2	3	7	12	16	16	16
65 +	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-19 YRS	124	3.2	4	2	2	3	4	5	7	12
20-34	120	3.8	2	2	3	4	4	5	7	9
35-49	57	4.8	6	2	3	4	6	9	9	13
50-64	17	5.3	10	3	3	4	5	11	13	14
65 +	18	5.8	27	2	3	4	6	10	19	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	1.9	1	1	1	1	3	4	4	5
B. Operated	456	2.9	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	45	3.1	15	1	1	2	3	8	14	16
B. Operated	336	3.9	6	2	3	3	4	7	9	13
1. SINGLE DX	510	2.8	2	1	2	3	3	4	5	7
2. MULTIPLE DX	381	3.8	7	2	2	3	4	7	9	14
A. Not Operated	99	2.4	8	1	1	2	3	4	8	16
B. Operated	792	3.4	4	2	2	3	4	5	7	11
TOTAL										
0-19 YRS	356	2.7	3	1	2	2	3	4	5	12
20-34	331	3.3	2	2	2	3	4	5	6	8
35-49	138	3.8	5	2	2	3	5	7	8	11
50-64	41	4.6	10	2	3	4	5	10	12	16
65 +	25	5.1	21	2	3	4	5	9	14	24
GRAND TOTAL	**891**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	3.2	24	1	1	1	4	12	12	12
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	618	1.1		< 1	< 1	< 1	1	1	1	3
20-34	246	1.3		< 1	1	1	1	2	2	5
35-49	343	1.4	1	1	1	1	2	2	3	5
50-64	466	1.5	1	< 1	1	1	2	2	3	4
65 +	433	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	10	1.3	1	< 1	< 1	< 1	1	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	1.2		< 1	< 1	< 1	1	2	2	2
65 +	16	2.3	3	< 1	< 1	2	4	5	5	5
B. Operated										
0-19 YRS	488	1.3	2	< 1	< 1	1	1	2	3	7
20-34	164	1.7	2	1	1	1	2	3	4	11
35-49	256	1.8	1	1	1	1	2	3	4	6
50-64	500	2.0	2	1	1	2	2	4	5	8
65 +	1085	2.5	4	1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.0	8	< 1	1	1	2	3	10	12
B. Operated	2106	1.4	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	35	2.0	3	< 1	< 1	1	2	5	5	9
B. Operated	2493	2.1	3	1	1	1	2	4	5	10
1. SINGLE DX	2120	1.4	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	2528	2.1	3	< 1	1	1	2	4	5	10
A. Not Operated	49	2.0	5	< 1	< 1	1	2	5	6	12
B. Operated	4599	1.7	2	< 1	1	1	2	3	4	8
TOTAL										
0-19 YRS	1117	1.2	1	< 1	< 1	1	1	1	2	5
20-34	417	1.5	1	< 1	1	1	2	2	3	6
35-49	602	1.6	1	1	1	1	2	3	4	6
50-64	974	1.8	2	1	1	1	2	3	4	7
65 +	1538	2.3	4	1	1	2	3	4	6	10
GRAND TOTAL	**4648**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**8**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	172	1.3		< 1	1	1	1	2	2	3
20-34	59	1.7	1	1	1	1	2	3	4	5
35-49	51	1.6	1	1	1	1	2	3	3	7
50-64	58	2.2	3	1	1	2	3	4	5	9
65 +	102	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4		< 1	1	1	2	2	2	2
20-34	1	8.0		8	8	8	8	8	8	8
35-49	0									
50-64	1	1.0		1	1	1	1	1	1	1
65 +	19	4.6	50	1	1	3	4	9	23	32
B. Operated										
0-19 YRS	152	2.0	3	1	1	2	2	4	6	9
20-34	21	3.7	9	1	2	2	5	9	10	11
35-49	27	4.6	10	1	2	3	6	10	11	13
50-64	73	4.1	18	1	1	3	5	10	15	19
65 +	431	5.7	44	1	2	4	7	13	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.2		< 1	< 1	1	1	2	3	3
B. Operated	442	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	26	4.0	39	1	1	2	4	8	16	32
B. Operated	704	4.7	32	1	2	3	6	10	14	24
1. SINGLE DX	452	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	730	4.6	33	1	2	3	5	10	14	25
A. Not Operated	36	3.2	30	< 1	1	1	3	5	11	32
B. Operated	1146	3.5	22	1	1	2	4	8	11	21
TOTAL										
0-19 YRS	333	1.6	2	< 1	1	1	2	3	4	7
20-34	82	2.2	4	1	1	2	2	4	8	10
35-49	79	2.7	6	1	1	2	3	6	9	12
50-64	134	3.2	12	1	1	2	3	6	11	18
65 +	554	5.1	38	1	2	3	6	11	16	28
GRAND TOTAL	1182	3.5	23	1	1	2	4	8	11	21

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	16	1.4	1	< 1	1	1	2	2	4	4
35-49	36	1.6	1	< 1	1	1	2	3	4	6
50-64	17	2.2	1	1	1	2	3	3	4	4
65 +	15	2.6	3	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	3.3	6	< 1	1	3	5	6	6	6
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	36	5.3	93	< 1	< 1	1	4	27	36	99 +
20-34	14	2.5	3	1	1	2	3	5	6	6
35-49	66	2.5	4	1	1	2	3	4	5	11
50-64	55	3.7	19	1	1	2	4	8	11	27
65 +	46	3.3	10	1	1	2	4	7	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	138	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	10	2.1	3	< 1	< 1	1	3	5	6	6
B. Operated	217	3.4	24	1	1	2	4	7	11	35
1. SINGLE DX	138	1.5	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	227	3.4	23	< 1	1	2	4	6	11	35
A. Not Operated	10	2.1	3	< 1	< 1	1	3	5	6	6
B. Operated	355	2.7	16	< 1	1	2	3	5	8	28
TOTAL										
0-19 YRS	92	2.7	40	< 1	< 1	< 1	1	4	24	73
20-34	31	2.0	2	< 1	1	2	2	4	5	6
35-49	105	2.2	3	1	1	2	3	4	5	11
50-64	75	3.3	14	1	1	2	3	6	10	24
65 +	62	3.1	8	1	1	2	4	6	10	13
GRAND TOTAL	365	2.7	16	< 1	1	1	3	5	8	28

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	5.0		5	5	5	5	5	5	5
35-49	0									
50-64	2	9.0	128	1	1	9	17	17	17	17
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	26	1.6	1	< 1	< 1	1	2	3	3	4
20-34	78	2.6	2	1	1	2	3	5	6	8
35-49	222	2.6	2	1	1	2	4	5	5	7
50-64	285	2.8	2	1	2	3	4	5	5	7
65 +	249	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	7	1.3	1	< 1	< 1	< 1	1	3	3	3
50-64	10	2.3	1	< 1	1	2	3	4	4	4
65 +	23	3.0	6	< 1	1	2	5	7	8	8
B. Operated										
0-19 YRS	15	3.3	7	1	2	3	3	6	10	11
20-34	79	3.3	4	1	2	3	4	6	8	11
35-49	303	3.8	7	1	2	3	5	6	8	16
50-64	468	4.1	11	1	2	3	5	7	9	17
65 +	696	4.6	10	2	3	4	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.3	54	1	1	3	11	17	17	17
B. Operated	860	2.8	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	45	2.5	4	< 1	1	2	3	6	7	8
B. Operated	1561	4.2	10	1	2	4	5	7	9	16
1. SINGLE DX	864	2.8	3	1	1	3	4	5	6	7
2. MULTIPLE DX	1606	4.2	10	1	2	4	5	7	9	16
A. Not Operated	49	2.8	8	< 1	1	2	3	6	8	17
B. Operated	2421	3.7	8	1	2	3	5	6	8	14
TOTAL										
0-19 YRS	42	2.2	4	< 1	< 1	2	3	4	6	11
20-34	162	3.0	3	1	2	3	4	5	6	11
35-49	532	3.3	5	1	2	3	4	6	7	11
50-64	765	3.6	8	1	2	3	4	6	7	15
65 +	969	4.2	9	1	2	4	5	7	9	15
GRAND TOTAL	**2470**	**3.7**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	1.9		< 1	1	2	2	3	3	3
50-64	9	1.9		1	1	2	2	3	3	3
65 +	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	13	3.7	6	1	2	3	5	7	9	9
50-64	13	5.3	8	2	3	5	6	10	11	11
65 +	12	4.3	10	< 1	< 1	4	7	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	3.7	7	1	2	3	7	7	7	7
20-34	11	2.3	4	1	1	2	2	6	7	7
35-49	68	2.8	14	1	1	2	3	5	5	26
50-64	119	2.8	3	1	2	2	4	5	6	7
65 +	230	3.6	6	1	2	3	4	7	9	13
B. Operated										
0-19 YRS	11	8.2	6	5	6	7	10	12	12	12
20-34	40	5.5	6	3	4	5	6	9	11	12
35-49	87	7.0	29	4	4	6	9	11	13	38
50-64	130	6.7	28	2	4	6	8	11	18	27
65 +	150	8.2	42	3	5	7	9	14	17	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	1.7		< 1	1	2	2	3	3	3
B. Operated	44	4.5	8	< 1	2	4	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	434	3.2	6	1	2	3	4	6	7	12
B. Operated	418	7.2	31	3	5	6	8	12	16	34
1. SINGLE DX	66	3.5	7	< 1	1	3	5	7	9	11
2. MULTIPLE DX	852	5.2	22	1	2	4	7	9	12	25
A. Not Operated	456	3.1	6	1	2	2	4	6	7	11
B. Operated	462	7.0	29	3	4	6	8	11	15	32
TOTAL										
0-19 YRS	21	6.0	11	2	3	7	8	11	12	12
20-34	55	4.8	7	1	3	5	6	8	11	12
35-49	175	4.9	24	1	2	4	6	9	11	32
50-64	271	4.8	18	1	2	4	6	8	11	21
65 +	396	5.3	25	2	2	4	7	10	13	25
GRAND TOTAL	**918**	**5.1**	**21**	**1**	**2**	**4**	**7**	**9**	**12**	**25**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	11	1.9	1	< 1	1	2	3	4	4	4
35-49	17	1.6	1	1	1	1	2	2	3	4
50-64	10	1.4		1	1	1	2	2	2	2
65 +	20	1.9	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	3	2.0	1	< 1	< 1	2	3	3	3	3
65 +	3	2.7	4	< 1	< 1	2	4	5	5	5
B. Operated										
0-19 YRS	4	3.8	8	< 1	1	3	6	7	7	7
20-34	14	2.4	3	1	1	2	3	4	6	7
35-49	15	3.2	9	1	1	2	4	6	10	12
50-64	14	4.4	14	1	2	3	5	11	13	13
65 +	50	5.0	19	1	2	4	7	11	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	5	1	1	2	4	4	4	4
B. Operated	61	1.7	1	< 1	1	1	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	9	2.4	4	< 1	< 1	2	3	6	6	6
B. Operated	97	4.2	15	1	2	3	5	9	12	20
1. SINGLE DX	63	1.7	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX	106	4.0	14	1	2	3	5	9	11	19
A. Not Operated	11	2.5	3	< 1	< 1	2	4	5	6	6
B. Operated	158	3.2	11	1	1	2	4	8	11	14
TOTAL										
0-19 YRS	8	2.4	5	< 1	< 1	< 1	3	6	7	7
20-34	25	2.2	2	1	1	2	3	4	5	7
35-49	35	2.5	5	1	1	2	3	5	6	12
50-64	28	3.0	9	1	1	2	3	7	11	13
65 +	73	4.0	16	1	2	3	5	9	11	22
GRAND TOTAL	**169**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**11**	**14**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.2	2	< 1	1	2	3	4	4	4
50-64	4	2.3	1	1	1	2	3	3	3	3
65 +	9	2.6	4	< 1	1	2	3	6	7	7
B. Operated										
0-19 YRS	13	1.8	3	< 1	1	1	2	5	7	7
20-34	28	2.5	4	1	1	2	3	5	8	8
35-49	100	2.8	4	1	1	2	4	5	6	9
50-64	95	3.4	7	1	2	3	4	7	8	15
65 +	126	4.1	10	1	2	3	6	9	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	7	2.1	1	< 1	1	2	3	4	4	4
50-64	19	3.6	4	1	2	4	5	6	8	8
65 +	52	5.1	18	2	3	4	6	11	14	21
B. Operated										
0-19 YRS	13	8.1	20	3	5	8	11	14	16	17
20-34	37	4.7	14	1	2	4	6	9	12	19
35-49	163	5.6	33	1	2	5	7	11	14	34
50-64	241	6.1	39	1	3	5	7	12	15	29
65 +	637	8.2	50	2	4	7	10	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.4	2	< 1	1	2	3	4	6	7
B. Operated	362	3.4	7	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	81	4.5	14	1	2	4	5	8	12	21
B. Operated	1091	7.2	45	2	3	6	9	14	18	33
1. SINGLE DX	381	3.3	7	1	1	2	4	7	9	12
2. MULTIPLE DX	1172	7.0	43	2	3	5	9	13	18	32
A. Not Operated	100	4.1	12	1	2	3	5	8	11	20
B. Operated	1453	6.3	38	1	2	5	8	12	16	30
TOTAL										
0-19 YRS	27	5.0	21	1	1	4	8	12	14	17
20-34	67	3.8	10	1	1	3	5	8	9	18
35-49	276	4.4	23	1	2	3	6	8	12	22
50-64	359	5.2	30	1	2	4	6	10	13	26
65 +	824	7.3	44	2	3	6	9	14	18	32
GRAND TOTAL	**1553**	**6.1**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	140	1.9	3	1	1	1	2	4	4	8
20-34	167	2.9	4	1	1	2	4	5	6	11
35-49	299	3.2	4	1	2	3	4	6	7	11
50-64	342	3.4	5	1	2	3	4	6	8	12
65 +	370	3.5	4	1	2	3	4	6	7	10
B. Operated										
0-19 YRS	101	5.0	13	2	3	4	6	9	11	21
20-34	105	7.4	16	4	5	6	9	11	14	25
35-49	124	7.9	14	4	5	7	10	13	15	21
50-64	102	8.7	18	5	6	8	10	13	15	28
65 +	130	9.9	16	5	7	9	13	16	17	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	169	3.5	10	1	1	3	4	7	9	18
20-34	197	4.0	12	1	2	3	5	8	9	17
35-49	477	4.2	11	1	2	3	5	8	10	18
50-64	860	4.8	19	2	3	4	6	9	12	19
65 +	2535	5.2	16	2	3	4	6	10	12	20
B. Operated										
0-19 YRS	207	8.3	66	3	5	7	9	15	21	90
20-34	201	9.8	79	4	6	8	11	15	21	49
35-49	412	11.6	70	5	7	9	14	22	31	47
50-64	580	12.7	83	5	7	10	15	23	30	53
65 +	1558	14.3	99	6	8	12	17	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1318	3.2	4	1	2	3	4	6	7	11
B. Operated	562	7.9	18	3	5	7	10	13	16	24
2. MULTIPLE DX										
A. Not Operated	4238	4.9	16	2	3	4	6	9	12	19
B. Operated	2958	12.9	91	5	7	10	15	23	31	55
1. SINGLE DX	1880	4.6	13	1	2	3	6	9	12	17
2. MULTIPLE DX	7196	8.2	62	2	3	6	10	16	22	41
A. Not Operated	5556	4.5	14	1	2	4	6	8	11	18
B. Operated	3520	12.1	83	5	7	10	14	22	29	52
TOTAL										
0-19 YRS	617	5.0	34	1	2	4	7	9	14	29
20-34	670	6.0	39	1	2	5	8	11	14	36
35-49	1312	6.7	41	2	3	5	8	14	18	35
50-64	1884	7.2	51	2	3	5	9	14	19	38
65 +	4593	8.3	62	2	3	6	11	17	22	39
GRAND TOTAL	**9076**	**7.4**	**54**	**2**	**3**	**5**	**9**	**15**	**21**	**38**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	990	1.8	1	1	1	1	2	3	4	6
20-34	516	1.7	2	1	1	1	2	3	4	5
35-49	259	2.1	2	1	1	2	3	4	4	6
50-64	136	2.4	4	1	1	2	3	4	6	11
65 +	115	2.5	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	46	3.1	3	1	2	3	3	6	7	10
20-34	67	3.2	3	1	2	3	4	5	7	8
35-49	50	3.7	6	2	2	3	4	6	8	14
50-64	19	4.3	5	< 1	2	5	6	7	8	8
65 +	17	4.6	11	< 1	2	4	6	9	12	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2625	2.4	5	1	1	2	3	4	5	8
20-34	954	2.3	2	1	1	2	3	4	5	9
35-49	800	2.8	5	1	2	2	3	6	7	11
50-64	861	3.3	7	1	2	3	4	6	8	14
65 +	2027	3.9	9	1	2	3	5	7	9	16
B. Operated										
0-19 YRS	66	8.4	159	2	2	4	6	24	43	62
20-34	143	4.6	14	2	2	4	5	9	10	20
35-49	121	5.4	33	2	3	4	6	10	12	28
50-64	128	8.1	83	2	4	6	10	15	20	55
65 +	325	8.7	47	3	4	7	11	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2016	1.9	2	1	1	2	2	3	4	7
B. Operated	199	3.5	5	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. Not Operated	7267	3.0	6	1	2	2	4	5	7	12
B. Operated	783	7.3	57	2	3	5	9	14	20	41
1. SINGLE DX	2215	2.0	2	1	1	2	3	4	5	8
2. MULTIPLE DX	8050	3.4	13	1	2	2	4	6	9	17
A. Not Operated	9283	2.7	5	1	1	2	3	5	7	11
B. Operated	982	6.5	49	2	3	5	8	13	18	36
TOTAL										
0-19 YRS	3727	2.4	7	1	1	2	3	4	5	9
20-34	1680	2.4	4	1	1	2	3	4	5	9
35-49	1230	3.0	8	1	1	2	4	6	7	12
50-64	1144	3.8	18	1	2	3	4	7	10	19
65 +	2484	4.5	16	1	2	3	5	8	12	21
GRAND TOTAL	**10265**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

219: Diverticula of Intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	35	3.8	3	2	3	4	4	5	8	11
35-49	233	3.9	4	2	2	4	5	6	7	10
50-64	292	4.2	5	2	3	4	6	7	8	12
65 +	286	4.4	7	2	3	4	6	8	9	12
B. Operated										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	28	7.2	28	4	5	6	7	10	21	29
35-49	97	7.3	8	3	6	7	8	11	12	17
50-64	115	8.0	11	5	6	8	9	11	14	21
65 +	84	8.5	14	6	7	8	10	13	15	23
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	24	5.0	6	2	3	5	7	8	10	10
35-49	208	4.6	6	2	3	4	6	8	9	12
50-64	656	4.7	8	2	3	4	6	8	10	16
65 +	2420	5.0	10	2	3	4	6	9	11	16
B. Operated										
0-19 YRS	4	9.8	41	5	5	7	14	19	19	19
20-34	46	9.3	38	4	6	8	10	14	27	33
35-49	296	9.8	27	5	7	9	11	17	21	29
50-64	541	10.0	45	5	7	9	11	17	21	35
65 +	1268	11.7	74	4	7	10	14	20	28	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	846	4.2	5	2	3	4	5	7	8	12
B. Operated	326	7.8	12	5	6	7	9	11	14	21
2. MULTIPLE DX										
A. Not Operated	3308	5.0	9	2	3	4	6	9	10	16
B. Operated	2155	11.0	60	4	7	9	13	19	24	41
1. SINGLE DX	1172	5.2	10	2	3	5	7	9	10	15
2. MULTIPLE DX	5463	7.3	38	2	4	6	9	14	18	30
A. Not Operated	4154	4.8	9	2	3	4	6	8	10	16
B. Operated	2481	10.6	55	4	7	9	12	18	23	38
TOTAL										
0-19 YRS	6	8.3	29	5	5	6	9	18	19	19
20-34	133	6.6	26	2	4	5	8	11	14	30
35-49	834	6.6	20	2	4	6	8	11	15	23
50-64	1604	6.6	27	2	3	6	8	12	15	25
65 +	4058	7.2	39	2	3	5	9	14	18	31
GRAND TOTAL	**6635**	**6.9**	**34**	**2**	**3**	**6**	**9**	**13**	**17**	**29**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	4	4.5	7	2	2	4	6	8	8	8
35-49	11	3.3	5	1	2	3	4	7	9	9
50-64	4	2.0	4	1	1	1	3	5	5	5
65 +	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	39	2.1	10	< 1	< 1	1	2	3	5	20
20-34	262	1.9	1	1	1	1	2	3	4	6
35-49	328	1.9	2	1	1	1	2	3	4	8
50-64	142	2.0	2	1	1	2	2	4	5	7
65 +	50	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	7.1	93	1	3	5	7	14	33	39
20-34	16	3.5	9	< 1	1	2	4	9	10	11
35-49	16	3.3	3	1	2	3	5	5	7	7
50-64	14	6.4	23	1	2	5	9	14	16	16
65 +	23	6.0	37	1	2	4	8	13	23	23
B. Operated										
0-19 YRS	26	4.7	89	1	1	2	4	15	56	99 +
20-34	224	3.2	23	1	1	2	4	5	8	25
35-49	364	2.7	7	1	1	2	3	5	8	14
50-64	280	3.6	24	1	1	2	4	7	9	37
65 +	219	4.5	25	1	2	3	5	10	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.1	4	1	1	3	4	5	8	9
B. Operated	821	1.9	2	1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated	83	5.3	33	1	2	4	7	10	15	34
B. Operated	1113	3.4	20	1	1	2	4	7	10	27
1. SINGLE DX	848	2.0	2	1	1	2	2	4	5	8
2. MULTIPLE DX	1196	3.5	21	1	1	2	4	7	11	27
A. Not Operated	110	4.7	27	1	2	3	6	9	12	30
B. Operated	1934	2.8	13	1	1	2	3	5	8	19
TOTAL										
0-19 YRS	85	3.7	49	< 1	1	2	3	7	13	81
20-34	506	2.6	12	1	1	2	3	4	6	12
35-49	719	2.4	5	1	1	2	3	4	7	11
50-64	440	3.1	18	1	1	2	4	6	8	28
65 +	294	4.2	23	1	2	2	5	9	15	25
GRAND TOTAL	**2044**	**2.9**	**14**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	2.2	1	1	1	2	3	4	5	5
20-34	48	2.8	3	1	1	2	4	5	6	7
35-49	40	3.6	4	1	2	3	5	6	7	9
50-64	19	2.9	2	1	2	3	4	5	6	6
65 +	15	3.7	6	2	2	3	5	8	8	8
B. Operated										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	17	4.4	4	1	3	4	6	7	8	8
35-49	8	4.5	9	1	2	3	7	9	9	9
50-64	2	7.0	8	5	5	7	9	9	9	9
65 +	10	8.7	72	3	4	7	8	21	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.3	26	1	2	3	5	7	9	29
20-34	121	3.8	15	1	2	3	4	7	9	21
35-49	124	4.2	6	2	2	4	6	7	9	12
50-64	115	4.7	13	1	2	4	6	9	10	20
65 +	229	6.0	19	2	3	5	8	12	15	21
B. Operated										
0-19 YRS	9	11.3	89	4	6	9	11	27	35	35
20-34	35	4.8	15	1	3	4	6	7	10	23
35-49	36	6.3	19	1	3	5	8	12	16	21
50-64	26	11.0	166	2	5	7	11	23	34	64
65 +	88	10.3	100	4	5	8	12	18	23	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	3.0	3	1	2	3	4	6	7	8
B. Operated	40	5.5	24	2	3	4	7	9	10	32
2. MULTIPLE DX										
A. Not Operated	619	4.9	15	2	2	4	6	9	12	18
B. Operated	194	8.7	82	3	4	6	9	17	22	58
1. SINGLE DX	185	3.6	9	1	2	3	5	7	8	10
2. MULTIPLE DX	813	5.8	34	2	3	4	7	11	15	28
A. Not Operated	764	4.5	14	1	2	4	6	8	11	17
B. Operated	234	8.2	74	2	4	6	9	16	22	52
TOTAL										
0-19 YRS	65	4.5	32	1	2	3	5	9	11	34
20-34	221	3.8	12	1	2	3	5	7	8	17
35-49	208	4.5	9	1	2	4	6	8	9	15
50-64	162	5.5	41	1	2	4	6	9	14	27
65 +	342	7.1	44	2	3	6	9	14	17	31
GRAND TOTAL	**998**	**5.4**	**30**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	48	5.4	22	2	2	4	6	13	14	27
20-34	99	4.4	9	2	3	4	5	9	11	17
35-49	66	4.5	8	2	3	4	6	8	10	15
50-64	17	4.3	4	2	3	4	5	8	9	9
65 +	18	3.8	4	2	2	3	5	7	8	8
B. Operated										
0-19 YRS	49	7.4	47	2	3	6	8	18	25	32
20-34	97	7.2	20	1	4	7	9	15	17	20
35-49	72	8.3	32	2	5	8	10	15	22	84
50-64	44	8.9	26	3	5	8	12	16	17	23
65 +	17	8.9	20	3	5	8	12	15	16	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	7.3	102	2	3	5	7	14	17	64
20-34	183	5.6	24	2	3	4	7	11	14	30
35-49	156	4.9	12	2	3	4	6	9	11	21
50-64	99	6.1	32	2	3	4	7	12	19	30
65 +	127	6.1	20	2	3	5	7	12	18	23
B. Operated										
0-19 YRS	72	10.3	53	4	6	8	14	22	28	30
20-34	239	10.8	102	3	6	8	13	21	27	53
35-49	243	11.2	70	4	6	9	13	22	29	42
50-64	138	10.6	77	3	5	8	13	20	24	47
65 +	235	11.8	104	3	6	9	14	22	30	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	4.6	11	2	3	4	6	8	11	16
B. Operated	279	7.9	29	2	4	7	10	15	18	30
2. MULTIPLE DX										
A. Not Operated	617	5.8	28	2	3	4	7	11	14	28
B. Operated	927	11.1	86	3	6	8	14	21	28	52
1. SINGLE DX	527	6.3	23	2	3	5	8	12	16	25
2. MULTIPLE DX	1544	9.0	70	2	4	7	11	18	24	40
A. Not Operated	865	5.4	24	2	3	4	6	10	13	25
B. Operated	1206	10.3	75	3	5	8	13	20	26	45
TOTAL										
0-19 YRS	221	7.9	59	2	3	6	8	17	24	35
20-34	618	7.7	58	2	3	6	9	16	20	34
35-49	537	8.2	49	2	4	6	10	16	23	38
50-64	298	8.5	55	2	4	7	11	17	21	38
65 +	397	9.5	77	3	4	7	12	18	24	50
GRAND TOTAL	**2071**	**8.3**	**59**	**2**	**4**	**6**	**10**	**17**	**22**	**38**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	3.5	9	1	1	3	6	7	7	7
20-34	6	5.2	15	< 1	1	5	9	10	10	10
35-49	5	4.0	6	1	2	3	6	7	7	7
50-64	6	5.8	18	2	3	4	9	13	13	13
65 +	5	6.2	31	< 1	2	3	11	14	14	14
B. Operated										
0-19 YRS	14	6.8	21	3	3	6	9	12	17	19
20-34	12	7.3	14	2	4	8	9	13	14	14
35-49	13	6.3	34	2	2	5	8	15	21	22
50-64	8	6.3	54	1	3	4	6	19	24	24
65 +	8	30.1	1177	3	6	12	52	87	96	96
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	18	6.2	14	2	3	5	9	11	13	14
20-34	26	4.0	4	2	3	4	5	6	8	9
35-49	54	7.3	48	3	4	6	8	12	18	40
50-64	66	7.1	25	3	4	6	9	14	17	25
65 +	71	8.1	33	3	5	7	10	15	18	33
B. Operated										
0-19 YRS	28	10.6	115	3	4	7	11	23	26	55
20-34	46	11.2	97	4	6	9	13	19	24	67
35-49	56	11.7	70	4	6	10	14	25	31	38
50-64	68	12.6	43	6	8	11	16	21	26	35
65 +	96	16.7	183	6	9	12	21	30	42	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	5.0	15	1	2	4	7	10	13	14
B. Operated	55	10.1	245	2	3	6	10	19	35	94
2. MULTIPLE DX										
A. Not Operated	235	7.0	30	2	3	6	9	12	17	35
B. Operated	294	13.4	114	4	7	10	16	25	31	62
1. SINGLE DX	81	8.5	175	1	3	5	9	13	23	87
2. MULTIPLE DX	529	10.5	86	3	5	8	12	21	29	50
A. Not Operated	261	6.8	29	2	3	6	9	12	16	34
B. Operated	349	12.8	135	4	6	10	15	24	31	67
TOTAL										
0-19 YRS	64	8.1	63	2	3	6	10	17	22	51
20-34	90	8.2	63	3	4	6	10	14	19	51
35-49	128	9.0	60	3	4	7	11	18	27	38
50-64	148	9.5	42	3	5	8	12	19	23	29
65 +	180	13.6	188	3	6	10	16	29	35	78
GRAND TOTAL	**610**	**10.3**	**99**	**3**	**5**	**8**	**12**	**20**	**28**	**55**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	1.7	1	< 1	1	1	2	3	4	7
20-34	66	2.4	3	1	1	2	3	5	6	10
35-49	70	2.3	3	< 1	1	2	3	4	5	9
50-64	61	3.6	12	1	1	3	4	7	9	20
65 +	98	2.6	5	< 1	1	2	3	6	8	12
B. Operated										
0-19 YRS	51	3.3	11	< 1	1	2	4	7	7	20
20-34	88	4.1	9	1	2	3	5	8	10	17
35-49	99	4.8	10	1	2	4	7	9	10	15
50-64	68	4.8	17	1	2	4	7	10	14	19
65 +	89	5.6	29	1	3	5	7	10	10	34
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	2.8	8	1	1	2	3	5	8	15
20-34	169	4.2	23	1	2	3	5	7	13	31
35-49	221	3.6	7	1	2	3	4	7	10	12
50-64	331	4.1	9	1	2	3	5	7	10	17
65 +	1401	4.8	16	1	2	4	6	9	12	20
B. Operated										
0-19 YRS	99	7.4	79	1	3	5	7	18	29	46
20-34	274	6.2	54	1	3	4	7	11	17	47
35-49	399	7.7	83	1	3	5	9	16	24	61
50-64	504	8.9	74	2	4	7	10	19	26	46
65 +	1241	10.2	84	2	4	8	13	21	29	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	384	2.5	5	< 1	1	2	3	5	7	11
B. Operated	395	4.6	16	1	2	4	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	2306	4.4	14	1	2	3	6	9	12	19
B. Operated	2517	9.0	80	2	4	7	11	19	26	50
1. SINGLE DX	779	3.6	12	1	1	3	5	8	10	16
2. MULTIPLE DX	4823	6.8	54	1	3	5	8	14	20	39
A. Not Operated	2690	4.1	13	1	2	3	5	8	11	18
B. Operated	2912	8.4	74	2	3	6	10	18	25	47
TOTAL										
0-19 YRS	423	3.7	28	1	1	2	4	7	11	30
20-34	597	4.9	35	1	2	3	6	9	13	33
35-49	789	5.7	50	1	2	4	7	11	16	36
50-64	964	6.6	49	1	2	5	8	13	20	41
65 +	2829	7.1	53	1	3	5	9	14	21	39
GRAND TOTAL	**5602**	**6.3**	**49**	**1**	**2**	**4**	**8**	**13**	**19**	**37**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	4.5	14	2	2	3	7	10	10	10
35-49	6	9.2	93	1	2	5	15	25	26	26
50-64	8	9.5	45	3	5	7	14	20	20	20
65 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-19 YRS	0									
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	2.3	2	1	1	2	4	4	4	4
65 +	6	5.0	19	1	2	4	6	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	91	7.1	50	2	3	5	8	14	22	39
35-49	307	7.0	34	2	3	5	9	14	19	32
50-64	335	6.9	33	2	4	5	8	13	17	31
65 +	189	8.1	38	3	4	7	10	15	16	30
B. Operated										
0-19 YRS	0									
20-34	21	10.8	107	3	4	6	15	27	35	41
35-49	136	9.3	59	3	4	7	12	20	25	41
50-64	167	10.2	84	3	5	7	12	20	29	43
65 +	74	9.4	43	3	5	8	13	18	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	8.3	50	2	3	6	10	20	23	26
B. Operated	17	3.5	8	1	2	3	4	6	11	13
2. MULTIPLE DX										
A. Not Operated	923	7.2	36	2	3	6	9	14	18	32
B. Operated	398	9.8	68	3	5	7	12	20	28	41
1. SINGLE DX	36	6.0	35	1	2	4	7	15	20	26
2. MULTIPLE DX	1321	8.0	47	2	4	6	10	16	20	37
A. Not Operated	942	7.2	36	2	3	6	9	14	19	32
B. Operated	415	9.5	67	3	4	7	12	19	27	41
TOTAL										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	119	7.6	59	2	3	5	8	17	26	40
35-49	451	7.7	43	2	4	6	9	16	20	34
50-64	516	7.9	52	3	4	6	9	17	21	39
65 +	270	8.4	39	3	4	7	11	15	19	31
GRAND TOTAL	**1357**	**7.9**	**47**	**2**	**4**	**6**	**10**	**16**	**20**	**37**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	4	6.0	17	2	2	6	9	10	10	10
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	2	4.5	13	2	2	4	7	7	7	7
65 +	2	4.5	1	4	4	4	5	5	5	5
B. Operated										
0-19 YRS	17	2.9	36	1	1	1	2	5	19	26
20-34	16	1.1		< 1	1	1	1	1	3	3
35-49	23	2.0	13	< 1	1	1	1	3	9	18
50-64	28	1.6	2	< 1	1	1	2	4	5	6
65 +	19	6.9	64	1	1	5	7	19	26	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	2.7	5	< 1	1	2	4	7	7	7
20-34	14	5.7	12	2	4	5	7	11	13	14
35-49	63	5.2	19	2	2	4	7	10	13	25
50-64	80	6.2	26	2	3	5	8	12	20	24
65 +	156	7.1	23	2	4	6	9	14	16	24
B. Operated										
0-19 YRS	23	4.8	55	< 1	1	2	6	13	26	29
20-34	20	5.1	22	1	1	3	9	12	14	15
35-49	73	7.0	51	1	2	5	9	14	21	36
50-64	135	6.3	38	1	2	5	8	13	17	29
65 +	130	8.7	45	2	4	7	11	16	22	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.6	9	< 1	1	3	5	9	10	10
B. Operated	103	2.8	24	< 1	1	1	2	6	14	28
2. MULTIPLE DX										
A. Not Operated	322	6.3	23	2	3	5	8	12	16	24
B. Operated	381	7.1	44	1	2	5	9	15	21	33
1. SINGLE DX	118	2.9	22	< 1	1	1	2	7	11	28
2. MULTIPLE DX	703	6.7	35	1	3	5	9	14	18	29
A. Not Operated	337	6.2	23	2	3	5	8	12	16	24
B. Operated	484	6.2	43	1	1	4	8	14	20	32
TOTAL										
0-19 YRS	52	3.6	37	< 1	1	1	2	8	23	29
20-34	54	4.1	16	1	1	2	6	10	13	15
35-49	163	5.5	34	1	2	4	7	12	18	33
50-64	245	5.7	32	1	2	4	8	11	16	26
65 +	307	7.8	35	2	4	6	10	15	20	31
GRAND TOTAL	**821**	**6.2**	**35**	**1**	**2**	**5**	**8**	**14**	**18**	**29**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	3.1	4	1	1	3	4	5	7	8
20-34	22	4.0	6	1	3	3	5	8	9	9
35-49	23	3.1	5	1	1	2	5	7	8	8
50-64	12	3.3	11	1	1	2	4	9	12	12
65 +	14	7.6	110	1	2	4	6	31	33	33
B. Operated										
0-19 YRS	8	2.6	15	1	1	1	2	9	12	12
20-34	4	4.5	8	1	2	4	6	8	8	8
35-49	16	2.6	6	1	1	1	5	5	8	9
50-64	8	7.8	26	1	3	7	12	14	14	14
65 +	8	5.8	37	< 1	2	4	6	16	20	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.6	10	1	2	3	4	8	12	14
20-34	87	6.0	39	2	3	4	7	10	15	40
35-49	190	5.8	27	2	3	4	7	12	17	26
50-64	300	6.2	29	2	3	5	8	12	15	30
65 +	403	7.1	27	3	4	6	8	14	16	27
B. Operated										
0-19 YRS	32	5.9	41	1	1	4	7	16	20	26
20-34	45	10.2	156	2	4	7	11	16	48	59
35-49	70	12.0	216	3	4	8	14	25	32	85
50-64	124	10.3	68	3	5	8	14	20	23	38
65 +	134	12.5	97	3	6	9	17	28	32	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	4.1	24	1	2	3	5	8	9	32
B. Operated	44	4.3	19	1	1	3	5	11	14	20
2. MULTIPLE DX										
A. Not Operated	1026	6.3	29	2	3	5	8	12	16	27
B. Operated	405	11.0	113	2	4	8	14	23	29	55
1. SINGLE DX	130	4.2	22	1	1	3	5	8	12	31
2. MULTIPLE DX	1431	7.6	57	2	3	6	9	15	20	35
A. Not Operated	1112	6.1	29	2	3	5	8	12	15	29
B. Operated	449	10.3	108	1	4	8	13	21	29	52
TOTAL										
0-19 YRS	101	4.2	20	1	1	3	5	10	14	23
20-34	158	6.9	71	2	3	5	8	12	16	53
35-49	299	6.9	77	1	3	4	8	15	20	34
50-64	444	7.3	43	2	3	5	9	15	19	30
65 +	559	8.4	51	3	4	6	10	16	23	34
GRAND TOTAL	**1561**	**7.3**	**55**	**2**	**3**	**5**	**9**	**15**	**20**	**34**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.6		1	1	2	2	3	3	3
20-34	108	1.8	1	< 1	1	1	2	4	4	5
35-49	127	1.6	1	< 1	1	1	2	3	3	6
50-64	100	2.2	3	1	1	2	3	4	5	11
65 +	84	2.5	4	1	1	2	3	5	7	10
B. Operated										
0-19 YRS	196	3.9	2	3	3	4	5	6	7	10
20-34	2063	4.0	2	3	3	4	5	6	6	9
35-49	2055	4.1	2	3	3	4	5	6	7	9
50-64	1564	4.4	3	3	3	4	5	6	7	10
65 +	768	5.2	7	3	4	5	6	8	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	1.9	2	1	1	1	2	4	5	5
20-34	141	3.0	13	< 1	1	2	4	6	7	13
35-49	199	2.7	8	< 1	1	2	3	5	7	15
50-64	278	3.1	6	1	1	2	4	6	8	13
65 +	707	4.4	11	1	2	4	6	9	11	17
B. Operated										
0-19 YRS	170	5.1	7	3	4	5	6	8	10	12
20-34	2150	5.0	7	3	3	4	6	8	9	15
35-49	2979	5.3	11	3	4	5	6	8	10	16
50-64	3389	6.0	17	3	4	5	7	9	11	19
65 +	4365	7.9	27	4	5	7	9	13	17	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	431	2.0	2	1	1	2	2	4	5	8
B. Operated	6646	4.3	3	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	1346	3.7	10	1	2	3	5	7	10	15
B. Operated	13053	6.3	19	3	4	5	7	10	13	22
1. SINGLE DX	7077	4.1	3	2	3	4	5	6	7	10
2. MULTIPLE DX	14399	6.1	19	3	4	5	7	10	13	21
A. Not Operated	1777	3.3	9	1	1	2	4	6	9	14
B. Operated	19699	5.6	14	3	4	5	6	9	12	19
TOTAL										
0-19 YRS	399	4.2	5	2	3	4	5	7	8	10
20-34	4462	4.4	5	3	3	4	5	7	8	12
35-49	5360	4.6	8	3	3	4	5	7	9	14
50-64	5331	5.3	13	3	4	5	6	8	10	16
65 +	5924	7.1	24	3	4	6	9	12	15	24
GRAND TOTAL	**21476**	**5.4**	**14**	**3**	**3**	**5**	**6**	**9**	**11**	**19**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.7	4	1	1	3	3	5	7	7
20-34	54	2.1	2	1	1	2	3	4	5	7
35-49	64	2.3	3	1	1	2	3	4	5	9
50-64	46	2.2	2	< 1	1	2	3	4	5	8
65 +	14	3.1	17	1	1	2	3	5	14	17
B. Operated										
0-19 YRS	16	4.1	4	2	3	4	5	8	8	8
20-34	172	4.3	4	3	3	4	5	7	9	11
35-49	163	4.4	3	3	3	4	5	7	8	11
50-64	97	4.9	4	3	4	5	6	7	8	12
65 +	57	6.1	11	3	4	5	7	10	14	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.3	13	< 1	1	3	7	10	10	10
20-34	62	2.9	8	< 1	1	2	3	6	8	18
35-49	98	3.5	6	1	2	3	5	6	7	14
50-64	101	3.7	9	1	2	3	4	7	9	17
65 +	214	5.2	14	2	2	4	7	10	13	19
B. Operated										
0-19 YRS	15	6.7	16	3	4	5	8	12	16	18
20-34	229	5.1	8	3	3	4	6	8	11	18
35-49	330	5.3	7	3	4	4	6	9	11	14
50-64	303	6.6	13	3	4	6	8	11	13	21
65 +	430	9.0	30	4	6	8	11	15	19	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	2.3	3	1	1	2	3	4	5	9
B. Operated	505	4.6	5	3	3	4	5	7	9	13
2. MULTIPLE DX										
A. Not Operated	482	4.2	11	1	2	3	6	8	10	18
B. Operated	1307	6.8	19	3	4	6	8	12	14	23
1. SINGLE DX	693	4.0	5	1	3	4	5	7	8	12
2. MULTIPLE DX	1789	6.1	18	2	4	5	8	11	14	21
A. Not Operated	670	3.7	10	1	2	3	5	8	9	17
B. Operated	1812	6.2	16	3	4	5	7	11	13	21
TOTAL										
0-19 YRS	48	4.6	10	1	3	4	6	8	10	18
20-34	517	4.3	7	2	3	4	5	7	9	15
35-49	655	4.5	7	2	3	4	5	8	10	13
50-64	547	5.4	12	2	3	5	7	9	12	19
65 +	715	7.5	27	3	4	7	9	13	16	27
GRAND TOTAL	**2482**	**5.5**	**16**	**2**	**3**	**5**	**7**	**10**	**12**	**20**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	3.2	7	1	2	2	3	7	10	10
35-49	12	2.0	3	1	1	2	2	4	7	7
50-64	9	3.1	7	< 1	1	2	5	7	8	8
65 +	12	2.3	2	< 1	1	2	4	5	5	5
B. Operated										
0-19 YRS	8	5.8	7	3	4	5	7	10	11	11
20-34	58	4.6	6	1	3	4	6	8	9	13
35-49	53	5.6	15	2	3	5	7	10	11	23
50-64	37	4.7	13	1	1	4	7	9	13	15
65 +	80	5.3	19	1	2	5	7	10	13	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	15	3.3	19	1	1	2	4	5	15	18
35-49	22	3.0	4	1	2	2	4	6	7	8
50-64	24	4.2	13	1	2	2	7	9	12	14
65 +	93	4.4	12	2	2	4	5	8	14	18
B. Operated										
0-19 YRS	11	6.3	18	3	4	5	7	12	17	18
20-34	113	7.1	15	4	5	6	8	11	14	23
35-49	122	6.7	11	3	5	6	8	11	12	18
50-64	175	7.9	28	3	5	7	10	13	17	28
65 +	628	9.8	49	4	6	9	12	16	22	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.7	5	1	1	2	3	6	7	10
B. Operated	236	5.1	14	1	2	5	7	9	11	17
2. MULTIPLE DX										
A. Not Operated	155	4.0	12	1	2	3	5	8	11	18
B. Operated	1049	8.8	38	3	5	8	10	14	19	35
1. SINGLE DX	280	4.7	13	1	2	4	7	9	11	16
2. MULTIPLE DX	1204	8.2	38	2	5	7	10	14	18	34
A. Not Operated	199	3.7	10	1	2	3	5	8	10	17
B. Operated	1285	8.1	36	2	5	7	10	14	18	33
TOTAL										
0-19 YRS	21	5.9	12	3	4	5	7	9	14	18
20-34	196	5.9	14	2	4	5	8	10	13	20
35-49	209	5.8	13	2	3	5	8	10	11	18
50-64	245	6.9	26	2	4	6	9	13	15	24
65 +	813	8.7	46	2	5	8	11	15	20	37
GRAND TOTAL	**1484**	**7.6**	**35**	**2**	**4**	**7**	**9**	**13**	**17**	**30**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	3.6	3	1	2	3	5	6	6	6
20-34	7	2.3	1	< 1	2	2	3	4	4	4
35-49	7	4.6	8	1	2	4	7	9	9	9
50-64	8	3.8	7	1	2	3	5	8	9	9
65 +	17	3.8	8	1	2	3	4	9	10	11
B. Operated										
0-19 YRS	10	6.9	60	1	1	5	7	20	26	26
20-34	10	3.3	7	1	1	2	6	7	7	7
35-49	18	3.4	8	1	1	3	4	8	10	11
50-64	17	3.6	12	1	1	2	4	9	12	13
65 +	18	4.3	11	1	1	3	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	51	6.3	11	2	4	6	8	11	13	14
20-34	17	4.3	12	1	2	3	5	8	13	15
35-49	44	5.2	17	2	2	4	6	11	14	19
50-64	70	5.1	18	1	3	4	6	9	13	27
65 +	159	5.4	13	2	3	5	7	11	13	17
B. Operated										
0-19 YRS	21	12.2	52	2	8	10	18	22	24	25
20-34	35	8.7	91	1	3	7	9	25	26	47
35-49	65	8.8	73	2	4	7	13	18	21	94
50-64	112	8.3	57	2	5	7	10	14	20	41
65 +	253	10.1	87	2	5	8	13	19	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	3.6	6	1	2	3	4	8	9	11
B. Operated	73	4.1	17	1	1	3	6	9	11	23
2. MULTIPLE DX										
A. Not Operated	341	5.4	14	2	3	5	7	11	13	17
B. Operated	486	9.5	78	2	4	7	12	19	25	53
1. SINGLE DX	120	3.9	13	1	1	3	6	8	10	18
2. MULTIPLE DX	827	7.8	56	2	3	6	10	16	20	39
A. Not Operated	388	5.2	14	2	3	4	7	10	13	17
B. Operated	559	8.8	73	1	4	7	11	18	23	47
TOTAL										
0-19 YRS	90	7.5	31	2	4	6	10	14	21	26
20-34	69	6.2	56	1	2	4	7	13	25	43
35-49	134	6.7	47	1	3	5	8	16	18	66
50-64	207	6.7	42	1	3	5	8	13	16	27
65 +	447	8.0	61	2	3	6	10	16	20	39
GRAND TOTAL	**947**	**7.3**	**52**	**1**	**3**	**6**	**9**	**15**	**19**	**37**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	4.0	14	1	2	3	4	9	12	19
20-34	169	4.0	6	1	2	3	5	7	9	12
35-49	203	4.4	9	2	2	4	5	8	9	19
50-64	159	4.8	14	2	2	4	6	8	10	27
65 +	93	5.0	17	2	2	4	6	8	11	26
B. Operated										
0-19 YRS	3	5.7	1	5	5	5	7	7	7	7
20-34	24	8.0	21	4	5	7	9	12	21	22
35-49	30	5.8	17	1	2	5	7	10	12	21
50-64	40	8.3	49	2	4	6	10	16	26	32
65 +	22	11.5	114	2	6	8	17	21	33	50
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	5.4	22	2	2	4	7	12	15	23
20-34	581	5.3	14	2	3	4	6	10	13	18
35-49	947	5.8	18	2	3	5	7	10	13	20
50-64	702	5.8	23	2	3	5	7	10	15	25
65 +	853	6.0	17	2	3	5	7	11	14	22
B. Operated										
0-19 YRS	11	18.7	295	6	8	10	20	51	55	55
20-34	156	13.9	145	4	6	10	17	27	38	78
35-49	285	14.1	169	4	6	10	17	33	49	99 +
50-64	261	15.2	208	4	7	10	19	33	51	82
65 +	386	13.0	122	4	6	10	16	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	656	4.5	11	2	2	4	6	8	10	17
B. Operated	119	8.1	48	2	5	6	9	17	21	38
2. MULTIPLE DX										
A. Not Operated	3138	5.7	18	2	3	5	7	10	13	22
B. Operated	1099	14.0	160	4	6	10	17	30	44	78
1. SINGLE DX	775	5.0	18	2	2	4	6	9	11	23
2. MULTIPLE DX	4237	7.9	68	2	4	6	9	15	22	50
A. Not Operated	3794	5.5	17	2	3	5	7	10	13	21
B. Operated	1218	13.4	152	4	6	10	16	28	40	76
TOTAL										
0-19 YRS	101	6.4	65	2	2	4	7	14	20	52
20-34	930	6.6	46	2	3	5	7	13	17	36
35-49	1465	7.2	58	2	3	5	8	13	20	50
50-64	1162	7.8	80	2	3	5	9	16	23	54
65 +	1354	8.0	59	2	4	6	9	16	21	44
GRAND TOTAL	**5012**	**7.4**	**61**	**2**	**3**	**5**	**8**	**14**	**21**	**48**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.0	2	< 1	1	2	2	4	5	6
20-34	49	2.3	2	1	1	2	3	4	5	8
35-49	61	2.2	1	1	1	2	3	4	5	5
50-64	71	3.1	4	1	2	3	4	5	6	12
65 +	114	3.4	7	1	2	3	4	6	9	15
B. Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	5	2.8	2	1	2	3	4	4	4	4
35-49	7	3.0	3	< 1	2	2	4	6	6	6
50-64	20	5.1	11	< 1	2	4	8	10	10	10
65 +	16	6.1	105	< 1	1	3	5	11	33	43
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	140	2.7	3	1	1	2	3	5	6	8
20-34	293	3.1	11	1	2	2	4	5	7	22
35-49	597	3.5	12	1	2	3	4	6	8	13
50-64	894	4.1	10	2	2	3	5	7	9	18
65 +	3096	4.9	18	2	3	4	6	9	11	20
B. Operated										
0-19 YRS	20	10.7	223	1	2	4	8	38	46	50
20-34	70	5.3	20	2	2	4	6	11	16	22
35-49	132	5.8	19	2	3	5	8	12	16	19
50-64	262	6.5	49	2	3	4	7	14	19	40
65 +	943	7.6	46	2	4	6	9	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	2.8	4	1	1	2	4	5	6	12
B. Operated	49	4.8	39	< 1	2	3	6	9	10	43
2. MULTIPLE DX										
A. Not Operated	5020	4.4	15	2	2	4	5	8	10	19
B. Operated	1427	7.2	45	2	3	5	8	15	20	39
1. SINGLE DX	376	3.1	9	1	2	2	4	5	8	13
2. MULTIPLE DX	6447	5.0	23	2	2	4	6	9	13	24
A. Not Operated	5347	4.3	15	2	2	3	5	8	10	18
B. Operated	1476	7.1	45	2	3	5	8	15	20	40
TOTAL										
0-19 YRS	193	3.4	31	1	1	2	4	5	6	39
20-34	417	3.4	12	1	2	2	4	6	8	21
35-49	797	3.8	13	1	2	3	5	7	9	16
50-64	1247	4.5	19	2	2	3	5	8	12	21
65 +	4169	5.5	26	2	3	4	6	10	14	25
GRAND TOTAL	**6823**	**4.9**	**23**	**2**	**2**	**4**	**6**	**9**	**12**	**23**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.8	1	1	1	2	2	3	4	4
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	4	4.5	4	2	3	5	6	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	6.5	46	1	1	5	12	15	15	15
50-64	0									
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	45	5.5	37	1	2	4	6	14	18	31
20-34	5	8.6	74	2	2	3	17	19	19	19
35-49	11	4.5	3	2	3	4	6	7	7	7
50-64	16	6.1	32	3	3	4	6	12	21	25
65 +	33	7.8	51	2	3	5	10	16	23	34
B. Operated										
0-19 YRS	24	14.5	164	3	4	14	18	43	62	99 +
20-34	7	9.9	24	4	6	10	15	16	16	16
35-49	19	12.5	228	2	5	8	12	30	53	65
50-64	18	14.3	402	4	6	9	14	20	64	92
65 +	39	15.0	99	4	8	14	19	27	34	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.1	1	1	1	2	3	4	5	5
B. Operated	11	5.0	17	1	2	4	6	11	15	15
2. MULTIPLE DX										
A. Not Operated	110	6.3	39	1	2	4	7	15	19	32
B. Operated	107	14.0	178	3	6	11	17	27	43	95
1. SINGLE DX	27	3.3	10	1	1	2	4	6	10	15
2. MULTIPLE DX	217	10.1	122	2	3	7	14	21	31	74
A. Not Operated	126	5.8	36	1	2	4	7	14	18	32
B. Operated	118	13.2	169	3	6	10	16	26	41	94
TOTAL										
0-19 YRS	86	7.4	85	1	2	4	10	18	32	81
20-34	14	8.4	41	2	3	6	16	17	19	19
35-49	35	9.1	141	2	3	6	10	15	33	65
50-64	34	10.4	239	3	4	6	12	17	24	92
65 +	75	11.4	88	2	4	9	16	24	29	45
GRAND TOTAL	**244**	**9.3**	**114**	**2**	**3**	**6**	**13**	**19**	**28**	**66**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	3.0	5	< 1	1	3	4	7	7	10
20-34	8	2.6	1	1	2	3	3	4	4	4
35-49	3	5.7	16	2	3	5	9	10	10	10
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-19 YRS	45	1.6	1	1	1	1	2	3	4	5
20-34	22	1.5	1	1	1	1	1	3	4	6
35-49	22	1.8	3	1	1	1	2	4	6	8
50-64	15	3.9	35	1	1	1	3	9	19	23
65 +	5	1.8	3	1	1	1	2	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	124	3.3	9	< 1	< 1	2	5	8	9	14
20-34	21	5.2	18	2	2	4	7	11	15	18
35-49	20	5.1	33	2	2	3	6	10	19	27
50-64	29	5.4	9	2	3	4	7	11	11	12
65 +	53	6.5	24	2	3	5	9	14	16	22
B. Operated										
0-19 YRS	39	3.7	15	1	1	2	4	9	14	17
20-34	46	4.8	40	1	1	2	6	11	16	32
35-49	72	4.6	27	1	1	2	6	10	18	23
50-64	71	5.7	63	1	1	2	7	15	20	41
65 +	75	8.1	114	1	2	4	11	24	33	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.1	5	< 1	1	3	4	6	7	10
B. Operated	109	1.9	6	1	1	1	2	3	5	15
2. MULTIPLE DX										
A. Not Operated	247	4.6	16	< 1	2	3	6	10	12	21
B. Operated	303	5.6	59	1	1	2	7	14	20	40
1. SINGLE DX	179	2.4	6	1	1	1	3	5	7	10
2. MULTIPLE DX	550	5.1	40	1	1	3	6	11	17	33
A. Not Operated	317	4.2	14	< 1	2	3	6	9	11	19
B. Operated	412	4.7	48	1	1	2	5	12	18	39
TOTAL										
0-19 YRS	265	3.0	8	< 1	1	2	4	7	8	14
20-34	97	3.9	25	1	1	2	5	8	12	30
35-49	117	4.2	24	1	1	2	5	10	17	25
50-64	116	5.3	45	1	1	3	7	13	19	40
65 +	134	7.2	75	1	2	4	9	16	26	47
GRAND TOTAL	**729**	**4.5**	**33**	**1**	**1**	**2**	**5**	**10**	**15**	**32**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	2.9	2	1	2	3	3	5	6	6
20-34	0									
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
0-19 YRS	0									
20-34	3	1.3		1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	9.0		9	9	9	9	9	9	9
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	35	4.5	9	2	2	3	6	8	10	16
20-34	12	4.0	10	1	2	3	6	9	11	11
35-49	4	7.3	74	1	2	4	12	20	20	20
50-64	10	5.3	9	2	3	5	7	10	11	11
65 +	24	6.5	7	4	5	6	7	10	13	13
B. Operated										
0-19 YRS	9	8.2	18	4	5	7	11	15	15	15
20-34	7	4.7	9	2	2	4	6	9	10	10
35-49	12	4.9	26	< 1	1	3	7	12	17	18
50-64	15	7.4	28	1	2	7	13	14	15	15
65 +	26	10.8	55	2	5	10	15	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.3	4	2	2	3	4	5	7	11
B. Operated	6	2.5	10	< 1	1	1	2	8	9	9
2. MULTIPLE DX										
A. Not Operated	85	5.2	12	2	3	5	7	9	12	19
B. Operated	69	8.1	39	1	3	7	13	15	18	32
1. SINGLE DX	33	3.2	5	1	2	3	4	5	9	11
2. MULTIPLE DX	154	6.5	26	2	3	5	9	14	16	20
A. Not Operated	112	4.8	10	2	2	4	6	9	11	18
B. Operated	75	7.7	39	1	2	7	12	15	18	31
TOTAL										
0-19 YRS	66	4.5	10	2	2	3	6	9	11	16
20-34	22	3.9	9	1	2	3	5	9	10	11
35-49	18	5.2	32	1	1	3	6	16	19	20
50-64	28	6.4	20	2	3	5	9	14	14	15
65 +	53	8.6	36	3	5	7	12	15	19	35
GRAND TOTAL	**187**	**5.9**	**24**	**2**	**2**	**5**	**8**	**13**	**15**	**20**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
20-34	0									
35-49	2	2.0	2	< 1	< 1	1	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	3	4.3	12	< 1	1	4	7	8	8	8
B. Operated										
0-19 YRS	5	3.2	7	1	1	2	5	7	7	7
20-34	21	6.0	209	< 1	1	1	4	12	41	66
35-49	23	2.6	5	1	1	2	3	6	8	9
50-64	27	4.8	82	1	1	1	5	10	18	47
65 +	30	4.3	78	1	1	2	3	8	12	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	7.2	426	< 1	< 1	1	4	6	59	87
20-34	19	3.4	2	1	2	4	4	6	6	6
35-49	38	5.0	21	1	2	4	6	11	14	24
50-64	40	6.6	26	2	3	5	8	16	19	20
65 +	145	7.0	23	3	4	6	9	14	17	22
B. Operated										
0-19 YRS	68	12.1	202	2	4	9	15	25	34	90
20-34	175	7.9	59	1	2	6	11	16	22	41
35-49	238	7.0	53	1	2	5	9	15	20	46
50-64	286	6.8	38	1	2	6	9	14	18	38
65 +	383	9.3	87	2	3	6	13	21	25	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.9	5	< 1	< 1	3	3	6	8	8
B. Operated	106	4.3	84	1	1	2	4	8	12	56
2. MULTIPLE DX										
A. Not Operated	259	6.4	48	1	3	5	8	13	17	24
B. Operated	1150	8.2	72	1	3	6	10	18	24	45
1. SINGLE DX	115	4.2	78	1	1	2	4	8	11	55
2. MULTIPLE DX	1409	7.9	68	1	3	6	10	17	22	42
A. Not Operated	268	6.3	47	1	3	5	8	12	17	24
B. Operated	1256	7.9	74	1	2	5	10	17	23	47
TOTAL										
0-19 YRS	92	10.5	233	1	2	6	12	24	33	94
20-34	215	7.3	70	1	2	5	9	14	21	44
35-49	301	6.4	47	1	2	4	9	13	18	43
50-64	355	6.6	40	1	2	5	9	14	18	39
65 +	561	8.4	71	2	3	6	11	18	23	48
GRAND TOTAL	**1524**	**7.6**	**70**	**1**	**2**	**5**	**9**	**16**	**22**	**45**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	3.3	10	1	1	2	6	7	7	7
65 +	9	4.9	12	< 1	2	5	7	10	11	11
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.0	4	1	2	3	4	6	6	6
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	7	1.3	1	1	1	1	1	3	3	3
65 +	12	3.8	9	1	2	3	5	9	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	4.6	8	1	2	4	7	8	9	9
20-34	29	5.5	13	2	3	5	8	11	12	13
35-49	38	5.2	18	2	2	5	7	8	9	27
50-64	85	6.4	19	2	3	5	9	12	14	22
65 +	573	7.6	27	3	4	6	9	15	19	27
B. Operated										
0-19 YRS	13	11.8	79	2	4	10	19	26	27	27
20-34	42	10.6	90	2	5	8	14	20	33	47
35-49	61	12.0	119	2	6	8	16	26	33	60
50-64	115	14.1	151	3	6	10	17	30	41	60
65 +	326	13.6	121	5	7	11	17	25	34	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	4.3	11	1	1	4	6	10	11	11
B. Operated	27	3.0	7	1	1	2	4	7	9	11
2. MULTIPLE DX										
A. Not Operated	749	7.2	25	2	4	6	9	13	18	26
B. Operated	557	13.3	124	3	6	10	17	26	34	56
1. SINGLE DX	45	3.5	9	1	1	2	5	8	10	11
2. MULTIPLE DX	1306	9.8	76	3	5	7	12	20	26	46
A. Not Operated	767	7.1	25	2	4	6	9	13	18	26
B. Operated	584	12.8	123	3	6	10	17	25	34	54
TOTAL										
0-19 YRS	42	6.5	41	1	2	5	8	14	23	27
20-34	77	8.1	61	2	3	6	10	17	21	44
35-49	102	9.3	89	2	4	7	12	20	30	49
50-64	210	10.4	108	2	4	8	13	21	31	56
65 +	920	9.7	69	3	5	7	12	19	24	44
GRAND TOTAL	**1351**	**9.6**	**75**	**2**	**4**	**7**	**12**	**19**	**25**	**46**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	167	3.3	3	2	2	3	4	6	6	9
20-34	282	3.1	2	1	2	3	4	5	5	8
35-49	80	3.3	3	2	2	3	4	5	6	11
50-64	48	3.7	2	2	3	4	5	6	6	9
65 +	32	4.3	7	2	2	4	5	8	10	12
B. Operated										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	8	3.4	1	3	3	3	4	5	5	5
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	439	3.7	4	2	2	3	4	6	8	11
20-34	801	3.7	3	2	3	3	5	6	7	10
35-49	411	4.7	8	2	3	4	5	8	9	15
50-64	414	5.1	9	2	3	5	6	8	10	17
65 +	817	5.6	9	3	4	5	7	9	11	15
B. Operated										
0-19 YRS	21	7.2	33	3	4	5	7	14	22	27
20-34	64	6.0	12	3	3	5	8	11	13	17
35-49	43	10.7	51	4	6	8	16	19	24	38
50-64	55	11.3	119	4	5	7	13	22	40	56
65 +	115	10.5	46	5	6	9	13	17	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	609	3.3	3	2	2	3	4	5	6	9
B. Operated	15	3.1	1	2	3	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	2882	4.6	7	2	3	4	6	8	9	14
B. Operated	298	9.5	56	3	5	7	12	17	22	41
1. SINGLE DX	624	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX	3180	5.0	14	2	3	4	6	8	11	18
A. Not Operated	3491	4.4	7	2	3	4	5	7	9	13
B. Operated	313	9.2	55	3	5	7	11	17	21	41
TOTAL										
0-19 YRS	631	3.7	5	2	2	3	5	6	7	11
20-34	1155	3.7	4	2	2	3	5	6	7	11
35-49	536	5.0	14	2	3	4	6	8	11	19
50-64	518	5.6	24	2	3	5	6	9	13	27
65 +	964	6.1	16	3	4	5	7	10	13	20
GRAND TOTAL	**3804**	**4.8**	**12**	**2**	**3**	**4**	**6**	**8**	**10**	**17**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	137	3.0	2	2	2	3	4	5	5	7
20-34	173	3.1	2	1	2	3	4	5	6	9
35-49	66	3.2	3	1	2	3	4	5	7	9
50-64	20	3.7	6	1	2	3	5	8	8	8
65 +	14	4.7	7	2	3	4	6	8	10	11
B. Operated										
0-19 YRS	9	3.7	4	1	2	3	5	7	7	7
20-34	8	7.3	28	1	3	7	11	14	15	15
35-49	5	3.4	2	2	2	4	4	5	5	5
50-64	4	4.5	15	1	2	3	7	10	10	10
65 +	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	281	3.9	5	2	2	3	5	7	8	12
20-34	382	3.8	5	2	2	3	5	6	7	11
35-49	222	4.5	9	2	3	4	6	8	10	15
50-64	179	4.8	10	2	3	4	6	8	12	18
65 +	350	5.9	15	3	4	5	7	10	13	20
B. Operated										
0-19 YRS	36	7.3	12	3	5	7	9	12	13	18
20-34	42	8.3	28	3	5	7	10	15	18	27
35-49	47	11.9	207	3	5	9	13	23	30	95
50-64	57	9.0	33	4	6	8	11	15	22	32
65 +	71	12.6	64	5	7	10	16	26	31	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	410	3.2	3	1	2	3	4	5	6	9
B. Operated	30	4.6	13	1	2	4	5	10	13	15
2. MULTIPLE DX										
A. Not Operated	1414	4.6	9	2	3	4	6	8	10	15
B. Operated	253	10.2	73	4	6	8	12	17	25	37
1. SINGLE DX	440	3.2	3	1	2	3	4	5	7	10
2. MULTIPLE DX	1667	5.4	23	2	3	4	6	10	13	24
A. Not Operated	1824	4.3	8	2	3	4	5	7	9	15
B. Operated	283	9.6	70	3	5	8	12	17	23	36
TOTAL										
0-19 YRS	463	3.9	6	2	2	3	5	7	9	12
20-34	605	3.9	8	2	2	3	5	6	9	15
35-49	340	5.3	42	2	3	4	6	9	13	25
50-64	260	5.6	18	2	3	4	7	10	14	22
65 +	439	6.9	28	3	4	6	8	13	16	31
GRAND TOTAL	**2107**	**5.0**	**20**	**2**	**3**	**4**	**6**	**9**	**12**	**23**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	1.5	1	< 1	1	1	2	2	4	5
20-34	155	1.5	1	1	1	1	2	2	3	6
35-49	201	1.5	1	< 1	1	1	2	3	3	7
50-64	119	1.7	1	< 1	1	1	2	3	4	6
65 +	50	1.6	1	1	1	1	2	3	3	5
B. Operated										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	61	3.3	5	1	1	3	4	7	8	11
35-49	86	3.1	5	1	1	2	4	7	8	10
50-64	59	2.4	3	< 1	1	2	4	5	6	7
65 +	30	2.9	6	1	1	2	4	5	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.7	7	1	1	1	4	6	9	10
20-34	144	2.1	2	1	1	2	3	4	5	7
35-49	191	2.3	5	1	1	2	3	5	6	9
50-64	154	2.3	3	1	1	2	3	4	5	9
65 +	149	2.8	5	1	1	2	3	6	7	13
B. Operated										
0-19 YRS	10	6.1	7	3	4	6	8	10	10	10
20-34	77	4.7	18	1	2	3	6	11	14	21
35-49	116	5.9	57	1	2	4	7	13	15	48
50-64	165	6.3	29	1	2	5	8	12	17	27
65 +	188	6.5	25	1	3	5	9	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	1.6	1	< 1	1	1	2	3	3	6
B. Operated	240	3.0	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
A. Not Operated	653	2.4	4	1	1	2	3	5	6	10
B. Operated	556	6.0	32	1	2	5	8	12	16	25
1. SINGLE DX	784	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1209	4.1	20	1	1	3	5	9	12	23
A. Not Operated	1197	2.0	3	1	1	1	2	4	5	8
B. Operated	796	5.1	26	1	2	4	7	10	14	24
TOTAL										
0-19 YRS	48	3.0	8	1	1	2	4	8	10	10
20-34	437	2.5	6	1	1	2	3	5	7	14
35-49	594	2.9	16	1	1	2	3	6	8	16
50-64	497	3.5	15	1	1	2	4	8	10	23
65 +	417	4.3	18	1	2	3	6	10	13	20
GRAND TOTAL	**1993**	**3.3**	**14**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	72	1.6	2	1	1	1	2	2	3	8
20-34	659	1.5	1	1	1	1	2	2	3	4
35-49	1053	1.4	1	< 1	1	1	2	2	3	4
50-64	510	1.6	1	1	1	1	2	3	4	5
65 +	174	1.7	1	1	1	1	2	3	4	5
B. Operated										
0-19 YRS	42	2.4	2	1	1	2	3	4	5	6
20-34	425	2.5	3	1	1	2	3	5	6	9
35-49	647	2.3	3	1	1	2	3	4	6	8
50-64	417	2.5	4	1	1	2	3	5	6	10
65 +	155	2.7	5	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	1.6	1	1	1	1	2	2	4	5
20-34	324	1.7	1	1	1	1	2	3	4	5
35-49	488	1.9	2	1	1	1	2	3	4	7
50-64	451	1.9	2	1	1	1	2	3	4	7
65 +	319	2.3	4	1	1	2	3	4	6	11
B. Operated										
0-19 YRS	21	3.6	4	1	2	3	5	6	7	8
20-34	272	3.8	9	1	2	3	5	7	9	15
35-49	466	3.6	9	1	2	3	4	7	9	13
50-64	470	3.8	9	1	2	3	5	8	9	15
65 +	459	5.3	26	1	2	4	7	11	16	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2468	1.5	1	1	1	1	2	3	3	5
B. Operated	1686	2.4	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	1619	1.9	2	1	1	1	2	4	4	7
B. Operated	1688	4.2	14	1	2	3	5	8	11	20
1. SINGLE DX	4154	1.9	2	1	1	1	2	4	5	8
2. MULTIPLE DX	3307	3.1	9	1	1	2	4	6	9	16
A. Not Operated	4087	1.7	1	1	1	1	2	3	4	6
B. Operated	3374	3.3	9	1	1	2	4	7	9	16
TOTAL										
0-19 YRS	172	2.0	2	1	1	1	2	4	5	8
20-34	1680	2.2	3	1	1	2	3	4	6	9
35-49	2654	2.1	3	1	1	1	2	4	5	9
50-64	1848	2.4	5	1	1	2	3	5	7	11
65 +	1107	3.5	15	1	1	2	4	8	11	21
GRAND TOTAL	**7461**	**2.4**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.7	2	<1	1	1	2	3	5	7
20-34	24	1.7	1	1	1	1	2	3	4	5
35-49	18	1.7	1	<1	1	1	2	4	4	4
50-64	17	2.1	2	1	1	2	3	4	5	5
65+	7	6.3	29	1	2	4	11	14	15	15
B. Operated										
0-19 YRS	226	4.3	5	2	3	4	5	7	8	13
20-34	64	4.2	6	1	2	4	6	8	8	10
35-49	61	4.1	7	<1	2	4	6	8	9	13
50-64	55	4.6	28	1	1	3	6	8	11	35
65+	51	3.8	16	1	1	2	6	9	11	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	2.8	9	<1	1	2	3	7	9	16
20-34	56	3.2	12	1	1	2	3	8	11	20
35-49	50	3.3	9	<1	1	3	4	7	8	15
50-64	63	3.4	8	1	1	3	4	8	10	12
65+	129	5.1	13	1	2	4	7	11	13	16
B. Operated										
0-19 YRS	311	5.2	8	3	3	5	7	9	10	17
20-34	175	5.6	17	1	3	5	7	9	12	25
35-49	190	5.9	28	1	3	5	7	11	14	22
50-64	241	6.5	29	1	3	6	8	12	16	32
65+	404	8.0	50	1	3	7	10	16	20	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	2.2	5	<1	1	1	2	4	6	14
B. Operated	457	4.3	9	1	2	4	6	7	9	15
2. MULTIPLE DX										
A. Not Operated	336	3.9	12	1	1	3	5	8	12	16
B. Operated	1321	6.4	30	1	3	5	8	12	16	28
1. SINGLE DX	541	3.9	9	1	2	4	5	7	8	15
2. MULTIPLE DX	1657	5.9	27	1	3	5	8	11	15	26
A. Not Operated	420	3.6	11	1	1	2	5	8	11	15
B. Operated	1778	5.9	26	1	3	5	7	11	14	26
TOTAL										
0-19 YRS	593	4.6	8	2	3	4	6	8	10	16
20-34	319	4.6	14	1	2	4	6	9	11	21
35-49	319	4.9	21	1	2	4	7	10	12	19
50-64	376	5.5	26	1	2	4	7	10	14	31
65+	591	7.0	41	1	3	6	9	14	18	33
GRAND TOTAL	**2198**	**5.4**	**24**	**1**	**2**	**4**	**7**	**10**	**14**	**23**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	24	1.5	1	<1	<1	1	2	2	3	5
35-49	30	1.5	1	<1	1	1	2	3	3	6
50-64	20	1.6	1	1	1	1	2	3	3	4
65+	6	3.2	5	<1	1	3	5	6	6	6
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	11	2.1	3	<1	1	1	3	5	7	7
35-49	14	2.0	2	1	1	1	3	4	6	6
50-64	15	2.3	5	1	1	1	3	6	7	8
65+	7	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	20	2.3	3	<1	1	1	3	5	6	6
35-49	23	1.9	2	1	1	1	2	4	6	7
50-64	23	3.7	26	1	1	2	3	11	17	22
65+	18	3.4	21	1	1	2	2	9	14	18
B. Operated										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	12	4.6	27	<1	1	2	7	11	18	19
35-49	35	2.9	8	1	1	2	4	7	10	12
50-64	70	4.0	14	1	2	3	5	9	11	21
65+	181	3.9	11	1	2	3	5	8	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	1.6	1	<1	1	1	2	3	4	6
B. Operated	49	2.1	3	1	1	1	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	86	2.8	13	1	1	2	3	6	9	21
B. Operated	302	3.8	12	1	2	3	5	8	11	17
1. SINGLE DX	131	1.8	2	<1	1	1	2	3	5	7
2. MULTIPLE DX	388	3.6	12	1	1	3	4	8	11	19
A. Not Operated	168	2.2	7	1	1	1	2	4	6	17
B. Operated	351	3.6	11	1	1	3	4	8	11	16
TOTAL										
0-19 YRS	10	2.0	4	<1	1	1	3	5	7	7
20-34	67	2.4	7	<1	1	1	2	6	7	17
35-49	102	2.2	4	1	1	1	2	4	6	11
50-64	128	3.4	14	1	1	2	4	8	10	22
65+	212	3.8	12	1	2	3	5	8	11	17
GRAND TOTAL	**519**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**10**	**17**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.4	1	1	2	2	3	4	4	4
20-34	4	1.5	1	< 1	< 1	1	2	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65 +	4	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	5	2.2	1	< 1	< 1	3	3	3	3	3
20-34	17	1.6	1	1	1	1	2	3	3	3
35-49	21	3.0	28	< 1	1	1	2	7	17	24
50-64	14	2.1	6	< 1	1	1	2	5	9	10
65 +	24	2.1	5	1	1	1	2	5	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	2.9	3	1	1	2	4	6	7	8
20-34	38	3.0	4	1	2	2	4	6	6	10
35-49	32	3.8	6	1	2	3	6	7	10	11
50-64	29	5.0	29	1	2	4	6	8	14	29
65 +	156	5.1	12	2	3	4	7	9	10	17
B. Operated										
0-19 YRS	9	8.1	82	< 1	1	3	16	22	25	25
20-34	19	3.4	11	1	1	2	4	9	12	13
35-49	32	5.6	26	1	2	5	8	11	14	25
50-64	80	4.2	20	1	1	3	5	10	15	21
65 +	264	4.7	19	1	2	3	6	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.8	1	< 1	1	1	3	3	4	4
B. Operated	81	2.2	10	< 1	1	1	2	4	9	20
2. MULTIPLE DX										
A. Not Operated	283	4.4	12	1	2	4	6	8	9	16
B. Operated	404	4.7	21	1	1	3	6	11	14	22
1. SINGLE DX	100	2.2	8	< 1	1	1	2	4	6	17
2. MULTIPLE DX	687	4.6	17	1	2	3	6	9	13	21
A. Not Operated	302	4.3	12	1	2	3	6	8	9	15
B. Operated	485	4.3	20	1	1	3	6	10	14	22
TOTAL										
0-19 YRS	47	3.7	21	1	1	3	4	8	16	25
20-34	78	2.7	5	1	1	2	3	5	7	12
35-49	88	4.2	19	1	1	3	6	10	11	25
50-64	126	4.1	21	1	1	2	5	9	14	24
65 +	448	4.7	16	1	2	4	6	9	13	17
GRAND TOTAL	**787**	**4.3**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-19 YRS	26	1.5	2	< 1	< 1	1	1	2	5	7
20-34	35	1.6	1	1	1	1	2	3	4	6
35-49	43	1.3	1	1	1	1	1	2	4	6
50-64	29	1.5	1	< 1	1	1	2	3	4	4
65 +	59	1.3		1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	1	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	1.7	1	< 1	< 1	1	2	3	3	3
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	9	5.0	28	1	2	3	6	14	18	18
B. Operated										
0-19 YRS	28	2.6	6	< 1	1	2	3	7	8	11
20-34	50	2.4	9	1	1	1	2	5	7	19
35-49	66	2.1	10	1	1	1	2	4	5	22
50-64	79	2.5	4	1	1	2	4	5	6	10
65 +	257	3.3	14	1	1	2	4	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	8	< 1	< 1	1	5	6	6	6
B. Operated	192	1.4	1	1	1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated	18	3.2	17	< 1	1	2	3	7	14	18
B. Operated	480	2.9	11	1	1	2	4	6	8	19
1. SINGLE DX	195	1.4	1	1	1	1	1	2	4	6
2. MULTIPLE DX	498	2.9	11	1	1	2	4	6	8	19
A. Not Operated	21	3.1	15	< 1	1	2	3	7	12	18
B. Operated	672	2.5	8	1	1	1	3	5	7	16
TOTAL										
0-19 YRS	57	2.1	4	< 1	< 1	1	2	5	7	11
20-34	87	2.0	6	1	1	1	2	4	6	16
35-49	113	1.8	6	1	1	1	2	4	5	13
50-64	110	2.2	3	1	1	1	3	5	6	9
65 +	326	3.0	12	1	1	2	4	6	8	19
GRAND TOTAL	**693**	**2.5**	**9**	**1**	**1**	**1**	**3**	**5**	**7**	**17**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	101	2.5	2	1	1	2	3	4	5	8
20-34	34	2.2	1	1	1	2	3	4	4	5
35-49	23	3.1	4	1	2	3	3	5	7	10
50-64	21	3.5	3	1	2	3	5	6	6	6
65 +	64	4.4	10	1	2	4	6	8	10	17
B. Operated										
0-19 YRS	10	2.7	4	< 1	< 1	2	3	6	7	7
20-34	2	1.5	1	< 1	< 1	1	2	2	2	2
35-49	4	3.5	9	1	1	3	6	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65 +	6	12.3	55	5	7	11	14	25	26	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	574	3.5	6	1	2	3	4	7	8	13
20-34	328	3.9	10	1	2	3	5	7	10	16
35-49	361	4.8	15	2	3	4	6	9	11	23
50-64	614	5.2	15	2	3	4	6	9	12	20
65 +	3599	6.2	21	2	4	5	8	11	13	23
B. Operated										
0-19 YRS	71	7.4	152	1	3	5	7	12	15	82
20-34	46	6.8	28	2	3	6	8	12	19	26
35-49	52	8.9	67	2	3	6	12	23	28	36
50-64	101	9.1	38	3	5	7	11	17	23	31
65 +	422	10.7	67	4	6	9	13	20	27	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	243	3.1	5	1	2	3	4	6	7	11
B. Operated	23	5.4	34	< 1	1	3	7	12	18	26
2. MULTIPLE DX										
A. Not Operated	5476	5.6	18	2	3	5	7	10	12	21
B. Operated	692	9.7	70	3	5	8	12	18	25	41
1. SINGLE DX	266	3.3	8	1	2	3	4	6	8	16
2. MULTIPLE DX	6168	6.0	26	2	3	5	7	11	14	26
A. Not Operated	5719	5.5	18	2	3	4	7	10	12	21
B. Operated	715	9.6	69	2	5	8	12	18	25	40
TOTAL										
0-19 YRS	756	3.7	20	1	2	3	4	7	9	14
20-34	410	4.0	12	1	2	3	5	8	11	18
35-49	440	5.2	23	2	3	4	6	10	13	29
50-64	737	5.7	20	2	3	5	7	10	13	24
65 +	4091	6.6	27	2	4	5	8	12	15	27
GRAND TOTAL	**6434**	**5.9**	**26**	**2**	**3**	**5**	**7**	**11**	**14**	**26**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.8	1	< 1	1	1	2	4	4	4
20-34	15	1.9	2	1	1	1	2	4	5	5
35-49	7	1.6	1	< 1	1	1	2	4	4	4
50-64	10	1.9	1	1	1	2	3	4	4	4
65 +	17	3.2	9	1	2	2	3	6	11	14
B. Operated										
0-19 YRS	28	2.4	8	< 1	1	1	3	6	8	13
20-34	39	1.6	1	< 1	1	1	2	3	3	4
35-49	60	2.1	5	< 1	1	1	2	6	7	12
50-64	77	1.9	3	< 1	1	1	2	3	4	10
65 +	126	2.1	11	1	1	1	2	3	4	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.1	21	1	1	2	3	5	16	22
20-34	39	2.6	10	< 1	1	1	3	7	11	14
35-49	49	3.8	11	1	2	3	4	9	11	16
50-64	95	3.5	5	1	2	3	5	6	8	11
65 +	318	4.1	11	1	2	3	5	8	10	18
B. Operated										
0-19 YRS	45	3.2	11	< 1	1	2	4	7	9	18
20-34	68	4.1	12	1	1	3	6	9	11	15
35-49	132	4.4	28	1	1	2	6	10	15	28
50-64	297	4.1	27	1	2	3	4	9	12	28
65 +	1008	4.4	21	1	2	3	5	9	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.2	4	1	1	2	3	4	5	13
B. Operated	330	2.0	6	< 1	1	1	2	3	5	11
2. MULTIPLE DX										
A. Not Operated	534	3.8	11	1	2	3	5	7	10	18
B. Operated	1550	4.3	22	1	2	3	5	9	13	26
1. SINGLE DX	392	2.1	6	< 1	1	1	2	4	5	12
2. MULTIPLE DX	2084	4.2	19	1	2	3	5	8	12	23
A. Not Operated	596	3.6	10	1	2	3	5	7	10	17
B. Operated	1880	3.9	20	1	1	3	4	8	12	25
TOTAL										
0-19 YRS	119	2.8	12	< 1	1	2	3	7	9	19
20-34	161	3.0	9	1	1	2	4	7	10	14
35-49	248	3.7	19	1	1	2	5	7	13	22
50-64	479	3.6	19	1	1	2	4	8	10	26
65 +	1469	4.1	18	1	2	3	5	8	12	22
GRAND TOTAL	**2476**	**3.8**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**22**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65 +	5	4.0	5	1	2	4	5	7	7	7
B. Operated										
0-19 YRS	0									
20-34	2	2.0		2	2	2	2	2	2	2
35-49	26	3.1	2	1	2	3	4	5	5	6
50-64	632	3.0	2	1	2	3	4	4	5	8
65 +	1434	3.3	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	40	3.2	6	< 1	1	3	4	7	9	11
65 +	159	3.7	10	< 1	1	3	5	8	10	16
B. Operated										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	5	2.0	1	1	1	2	2	3	3	3
35-49	87	3.1	3	1	2	3	4	5	6	9
50-64	2346	3.4	5	2	2	3	4	5	7	11
65 +	8159	4.1	8	2	3	3	5	7	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	3.7	4	1	2	4	5	6	7	7
B. Operated	2094	3.2	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	200	3.6	9	< 1	1	3	5	8	10	15
B. Operated	10599	3.9	8	2	3	3	4	6	8	14
1. SINGLE DX	2103	3.2	2	2	2	3	4	5	6	9
2. MULTIPLE DX	10799	3.9	8	2	3	3	4	7	8	14
A. Not Operated	209	3.6	9	< 1	1	3	5	7	9	15
B. Operated	12693	3.8	7	2	3	3	4	6	8	13
TOTAL										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	7	2.0		1	2	2	2	3	3	3
35-49	115	3.1	2	1	2	3	4	5	6	9
50-64	3021	3.3	4	2	2	3	[illegible]	5	7	11
65 +	9757	4.0	8	2	3	3	[illegible]	7	8	14
GRAND TOTAL	**12902**	**3.8**	**7**	**2**	**3**	**3**	[illegible]	**6**	**8**	**13**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	13	2.4	1	1	2	3	3	4	4	4
35-49	22	3.4	4	1	2	3	4	6	7	9
50-64	15	4.0	3	2	2	4	6	6	7	7
65 +	10	2.6	1	1	2	3	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	6	2.0	2	< 1	1	2	3	4	4	4
50-64	11	1.8	1	< 1	1	2	2	3	4	4
65 +	6	2.0	2	< 1	< 1	1	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	35	2.7	2	1	2	3	3	5	6	8
35-49	53	4.0	15	2	2	3	5	6	8	27
50-64	116	4.0	3	2	3	4	5	6	8	10
65 +	120	4.4	8	2	3	4	6	7	9	16
B. Operated										
0-19 YRS	0									
20-34	7	3.9	4	1	2	4	6	6	6	6
35-49	21	4.4	10	1	2	4	6	9	11	13
50-64	38	5.6	15	2	3	4	9	12	13	15
65 +	112	4.4	14	1	2	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.2	3	1	2	3	4	6	6	9
B. Operated	23	1.9	1	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	327	4.0	7	2	2	3	5	7	8	11
B. Operated	178	4.6	14	1	2	4	6	10	12	19
1. SINGLE DX	85	2.9	3	1	2	3	4	5	6	8
2. MULTIPLE DX	505	4.2	9	1	2	4	5	8	10	15
A. Not Operated	389	3.9	6	2	2	3	5	6	8	11
B. Operated	201	4.3	13	1	2	3	5	9	12	18
TOTAL										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	55	2.8	2	1	2	3	3	5	6	8
35-49	102	3.8	11	1	2	3	5	7	8	20
50-64	180	4.2	7	2	3	4	5	7	10	13
65 +	248	4.3	10	1	2	4	5	8	10	20
GRAND TOTAL	**590**	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	35	1.1		< 1	< 1	1	1	2	2	2
20-34	18	1.1		< 1	1	1	1	2	2	2
35-49	21	1.1		1	1	1	1	2	2	2
50-64	24	1.1		1	1	1	1	2	2	2
65 +	28	1.3	1	1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	3	2.3	1	< 1	1	3	3	3	3	3
B. Operated										
0-19 YRS	34	1.1		< 1	1	1	1	2	2	4
20-34	13	1.5	3	< 1	1	1	1	3	6	7
35-49	9	2.1	2	1	1	1	3	5	5	5
50-64	33	2.7	8	1	1	1	3	5	10	14
65 +	46	2.9	10	1	1	2	3	5	7	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	126	1.2		< 1	1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	5	2.8	1	< 1	2	3	3	4	4	4
B. Operated	135	2.2	6	1	1	1	3	4	6	15
1. SINGLE DX	129	1.1		< 1	1	1	1	2	2	3
2. MULTIPLE DX	140	2.2	6	1	1	1	3	4	6	15
A. Not Operated	8	2.1	2	< 1	< 1	2	3	4	4	4
B. Operated	261	1.7	4	< 1	1	1	2	3	5	10
TOTAL										
0-19 YRS	71	1.1		< 1	< 1	1	1	2	2	4
20-34	31	1.3	1	< 1	1	1	1	2	2	7
35-49	30	1.4	1	1	1	1	1	3	4	5
50-64	60	2.0	5	1	1	1	2	4	6	14
65 +	77	2.3	7	1	1	1	3	4	6	17
GRAND TOTAL	**269**	**1.7**	**4**	**< 1**	**1**	**1**	**2**	**3**	**4**	**10**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	3.3	9	1	1	3	4	5	8	15
20-34	52	3.6	3	2	2	3	4	6	7	8
35-49	49	3.7	4	1	2	3	5	6	8	11
50-64	19	3.4	3	2	2	3	4	5	8	9
65 +	15	4.3	3	2	3	4	5	5	8	9
B. Operated										
0-19 YRS	15	1.9	2	1	1	1	3	4	5	6
20-34	18	3.8	23	1	1	3	4	6	16	22
35-49	10	3.5	7	< 1	1	3	5	8	9	9
50-64	13	3.2	11	< 1	1	2	4	9	10	10
65 +	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	4.1	13	1	2	3	4	7	13	16
20-34	43	3.9	9	1	2	3	6	8	9	15
35-49	53	4.0	5	2	3	3	5	7	9	11
50-64	62	5.0	6	2	3	4	6	9	10	12
65 +	102	5.3	7	3	3	5	7	9	11	14
B. Operated										
0-19 YRS	15	4.9	11	1	2	5	7	9	11	12
20-34	15	5.6	26	1	2	4	8	14	17	18
35-49	20	4.4	10	1	2	4	7	9	10	12
50-64	25	4.0	8	1	1	4	7	7	8	9
65 +	50	6.4	23	1	3	5	9	13	16	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	160	3.6	4	1	2	3	5	6	7	11
B. Operated	59	3.1	11	1	1	2	4	7	9	21
2. MULTIPLE DX										
A. Not Operated	276	4.7	7	2	3	4	6	8	10	14
B. Operated	125	5.3	17	1	2	5	8	11	14	19
1. SINGLE DX	219	3.5	6	1	2	3	4	6	8	12
2. MULTIPLE DX	401	4.9	11	1	3	4	6	9	11	16
A. Not Operated	436	4.3	6	2	3	4	5	8	9	13
B. Operated	184	4.6	17	1	1	3	7	10	13	20
TOTAL										
0-19 YRS	71	3.5	9	1	1	3	5	7	9	16
20-34	128	4.0	10	1	2	3	5	8	9	19
35-49	132	3.9	6	1	2	3	5	7	9	11
50-64	119	4.3	7	1	2	4	6	9	10	11
65 +	170	5.5	12	2	3	5	7	10	12	17
GRAND TOTAL	**620**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	1.2		< 1	< 1	1	1	2	2	2
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	55	1.0		< 1	< 1	< 1	< 1	1	1	1
20-34	3	1.0		< 1	< 1	< 1	1	1	1	1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	4	1.0		< 1	< 1	< 1	1	1	1	1
65 +	6	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	22	1.1		< 1	< 1	< 1	1	2	2	3
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	11	2.7	5	1	1	2	3	7	8	8
65 +	10	2.7	7	< 1	< 1	1	4	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.3		< 1	< 1	1	2	2	2	2
B. Operated	69	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	4	1.3		< 1	< 1	1	2	2	2	2
B. Operated	48	1.8	3	< 1	< 1	1	2	4	6	9
1. SINGLE DX	80	1.0		< 1	< 1	< 1	1	1	1	2
2. MULTIPLE DX	52	1.8	3	< 1	< 1	1	2	4	6	9
A. Not Operated	15	1.3		< 1	< 1	1	2	2	2	2
B. Operated	117	1.3	1	< 1	< 1	< 1	1	2	3	8
TOTAL										
0-19 YRS	90	1.1		< 1	< 1	< 1	1	1	1	3
20-34	5	1.0		< 1	< 1	1	1	1	1	1
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	15	2.3	5	< 1	1	1	3	6	7	8
65 +	17	2.1	5	< 1	< 1	1	2	5	8	9
GRAND TOTAL	**132**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**	**8**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.9	1	1	1	2	3	3	3	3
20-34	8	3.1	7	1	1	2	4	8	9	9
35-49	7	7.4	82	< 1	1	4	10	23	26	26
50-64	3	3.3	10	1	1	2	6	7	7	7
65 +	3	4.0	1	3	3	4	5	5	5	5
B. Operated										
0-19 YRS	323	1.1		< 1	1	1	1	1	2	3
20-34	88	1.3		< 1	1	1	1	2	3	4
35-49	72	1.9	3	< 1	1	1	2	4	6	9
50-64	137	1.8	3	1	1	1	2	3	4	14
65 +	89	1.7	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	3.6	5	1	2	3	5	7	8	8
20-34	9	6.6	10	2	5	7	8	11	12	12
35-49	12	3.4	5	1	2	2	5	7	8	8
50-64	16	3.7	9	< 1	1	3	5	8	10	11
65 +	30	4.1	12	< 1	1	3	6	10	11	12
B. Operated										
0-19 YRS	106	1.4	1	< 1	1	1	2	2	4	5
20-34	84	2.8	5	1	1	2	3	6	8	11
35-49	118	3.0	11	1	1	2	3	7	9	16
50-64	286	2.4	13	1	1	2	3	4	6	13
65 +	271	2.9	13	1	1	2	3	5	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.6	21	1	1	2	4	9	10	26
B. Operated	709	1.4	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	84	4.1	9	1	1	3	6	8	11	12
B. Operated	865	2.6	11	1	1	2	3	5	8	17
1. SINGLE DX	745	1.5	2	< 1	1	1	2	3	3	7
2. MULTIPLE DX	949	2.7	11	1	1	2	3	6	8	16
A. Not Operated	120	3.9	12	1	1	3	5	8	10	16
B. Operated	1574	2.1	7	1	1	1	2	4	6	14
TOTAL										
0-19 YRS	461	1.3	1	< 1	1	1	1	2	3	5
20-34	189	2.3	5	1	1	1	3	5	7	11
35-49	209	2.8	11	1	1	2	3	6	9	17
50-64	442	2.3	10	1	1	2	3	4	6	13
65 +	393	2.7	10	1	1	2	3	5	8	19
GRAND TOTAL	**1694**	**2.2**	**7**	**1**	**1**	**1**	**2**	**4**	**6**	**14**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	6	1.2		< 1	< 1	< 1	1	2	2	2
20-34	47	2.0	1	< 1	< 1	2	3	4	4	4
35-49	152	1.9	1	< 1	< 1	1	3	4	4	5
50-64	85	1.8	2	< 1	< 1	1	2	4	5	6
65 +	46	1.5	1	< 1	< 1	< 1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	3	5.0	37	< 1	< 1	2	9	12	12	12
20-34	40	2.7	3	< 1	2	3	4	4	4	10
35-49	199	2.7	2	< 1	2	3	3	5	5	9
50-64	136	2.3	2	< 1	1	2	3	4	5	8
65 +	84	2.4	3	< 1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	< 1	< 1	1	2	2	2	2
B. Operated	336	1.8	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	462	2.5	3	< 1	1	2	3	4	5	10
1. SINGLE DX	338	1.8	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX	463	2.5	3	< 1	1	2	3	4	5	10
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	798	2.2	2	< 1	< 1	2	3	4	5	7
TOTAL										
0-19 YRS	9	2.4	13	< 1	< 1	< 1	2	8	12	12
20-34	87	2.3	2	< 1	< 1	2	3	4	4	8
35-49	352	2.3	2	< 1	1	2	3	4	5	7
50-64	223	2.1	2	< 1	< 1	1	3	4	5	7
65 +	130	2.1	2	< 1	< 1	2	3	4	5	8
GRAND TOTAL	**801**	**2.2**	**2**	**< 1**	**< 1**	**2**	**3**	**4**	**5**	**7**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	3.6	3	1	3	3	5	6	6	6
20-34	18	3.5	3	2	2	3	4	6	8	9
35-49	6	4.2	10	1	2	3	5	9	10	10
50-64	2	2.5	5	< 1	< 1	2	4	4	4	4
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-19 YRS	154	1.9	1	1	1	2	2	3	3	5
20-34	351	2.0	1	1	1	2	2	3	4	5
35-49	224	2.1	2	1	1	2	3	3	4	7
50-64	149	2.0	1	< 1	1	2	2	3	4	6
65 +	58	2.0	1	< 1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	16	2.4	4	< 1	< 1	2	3	4	7	8
35-49	20	3.7	7	< 1	1	3	6	8	8	8
50-64	12	2.8	6	< 1	< 1	2	4	7	8	8
65 +	18	5.3	48	< 1	1	3	6	15	24	28
B. Operated										
0-19 YRS	48	2.0	1	1	1	2	3	3	3	5
20-34	173	2.4	2	1	2	2	3	4	5	7
35-49	275	2.4	2	1	1	2	3	4	5	7
50-64	206	2.5	3	1	1	2	3	4	6	8
65 +	122	2.4	2	1	1	2	3	5	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.4	4	1	2	3	4	6	8	10
B. Operated	936	2.0	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	68	3.6	17	< 1	1	3	4	8	8	26
B. Operated	824	2.4	2	1	1	2	3	4	5	7
1. SINGLE DX	971	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	892	2.5	3	1	1	2	3	4	5	8
A. Not Operated	103	3.6	13	< 1	1	3	4	8	9	22
B. Operated	1760	2.2	2	1	1	2	3	4	4	7
TOTAL										
0-19 YRS	211	2.0	1	1	1	2	2	3	3	5
20-34	558	2.2	1	1	1	2	3	3	4	6
35-49	525	2.3	2	1	1	2	3	4	5	8
50-64	369	2.3	2	1	1	2	3	4	5	8
65 +	200	2.5	7	< 1	1	2	3	5	6	13
GRAND TOTAL	**1863**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	119	1.5	1	1	1	1	2	3	3	7
20-34	215	1.7	1	1	1	1	2	3	3	5
35-49	70	1.4		1	1	1	2	2	3	4
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	252	2.8	2	1	2	3	4	4	5	7
20-34	654	2.9	2	1	2	3	4	4	5	7
35-49	197	3.4	2	1	3	3	4	5	6	7
50-64	28	4.1	2	3	3	4	5	5	7	9
65 +	18	4.6	3	3	4	5	6	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	80	1.9	1	< 1	1	2	2	4	4	5
20-34	167	2.4	9	1	1	2	3	4	6	10
35-49	70	2.1	4	< 1	1	2	2	4	5	13
50-64	6	2.2	1	1	1	2	3	3	3	3
65 +	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated										
0-19 YRS	196	3.3	4	1	2	3	4	5	7	11
20-34	1519	3.7	4	1	3	3	4	6	7	10
35-49	941	4.2	4	3	3	4	5	6	8	13
50-64	157	4.8	4	3	4	4	5	7	9	15
65 +	92	6.8	45	3	4	5	7	11	14	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	405	1.6	1	1	1	1	2	3	3	5
B. Operated	1149	3.0	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	326	2.2	6	1	1	2	3	4	5	9
B. Operated	2905	4.0	5	2	3	4	5	6	7	12
1. SINGLE DX	1554	2.6	2	1	1	3	4	4	5	7
2. MULTIPLE DX	3231	3.8	6	1	3	4	4	6	7	12
A. Not Operated	731	1.9	3	1	1	1	2	3	4	7
B. Operated	4054	3.7	5	1	3	4	4	6	7	11
TOTAL										
0-19 YRS	647	2.6	3	1	1	3	3	4	5	8
20-34	2555	3.2	4	1	2	3	4	5	6	9
35-49	1278	3.8	4	1	3	4	4	6	7	12
50-64	192	4.6	4	3	4	4	5	6	9	14
65 +	113	6.4	38	3	4	5	7	10	13	34
GRAND TOTAL	**4785**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	364	3.1	2	2	2	3	4	5	6	8
20-34	867	3.3	2	2	2	3	4	5	6	8
35-49	170	3.8	4	2	2	4	5	7	7	9
50-64	3	5.0	7	2	3	6	7	7	7	7
65 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-19 YRS	66	4.0	6	1	3	4	5	7	8	14
20-34	323	3.7	5	1	3	3	4	6	8	12
35-49	124	3.9	6	2	3	4	4	6	10	13
50-64	18	4.8	9	2	3	4	5	10	12	13
65 +	5	4.4	1	3	4	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	299	3.6	3	2	2	3	4	6	7	10
20-34	810	3.8	4	2	2	3	5	6	8	11
35-49	185	4.3	5	2	3	4	5	7	9	12
50-64	6	3.5	2	2	2	3	4	6	6	6
65 +	15	9.4	68	4	5	7	10	17	31	36
B. Operated										
0-19 YRS	155	5.1	13	2	3	4	6	8	10	25
20-34	1693	4.2	5	2	3	4	5	7	9	14
35-49	950	4.8	10	3	3	4	5	8	10	17
50-64	94	6.6	44	3	4	5	7	11	19	42
65 +	49	11.9	117	4	5	8	16	21	32	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1405	3.3	3	2	2	3	4	6	6	9
B. Operated	536	3.8	5	1	3	3	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	1315	3.9	5	2	3	3	5	6	8	11
B. Operated	2941	4.6	11	2	3	4	5	8	10	17
1. SINGLE DX	1941	3.5	3	2	2	3	4	6	7	10
2. MULTIPLE DX	4256	4.4	10	2	3	4	5	7	9	16
A. Not Operated	2720	3.6	4	2	2	3	4	6	7	10
B. Operated	3477	4.5	10	2	3	4	5	7	10	17
TOTAL										
0-19 YRS	884	3.7	5	2	2	3	5	6	7	11
20-34	3693	3.9	5	2	3	3	5	6	8	11
35-49	1429	4.5	8	2	3	4	5	7	9	16
50-64	121	6.1	36	3	4	4	6	10	15	38
65 +	70	10.7	100	4	5	7	14	19	32	59
GRAND TOTAL	**6197**	**4.1**	**8**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	18	2.2	2	<1	1	2	3	5	6	6
35-49	7	3.0	4	<1	1	2	5	6	6	6
50-64	0									
65+	0									
B. Operated										
0-19 YRS	19	2.3	2	<1	1	2	3	5	5	5
20-34	281	3.1	2	1	2	3	4	5	5	7
35-49	224	3.6	1	2	3	4	4	5	5	8
50-64	23	3.9	1	3	3	4	5	5	6	6
65+	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	21	3.2	4	<1	1	3	5	6	7	7
35-49	9	3.8	3	2	2	4	5	6	7	7
50-64	0									
65+	0									
B. Operated										
0-19 YRS	42	2.7	3	<1	1	2	4	5	6	9
20-34	2008	3.7	2	2	3	4	4	5	6	9
35-49	3140	4.1	3	3	3	4	5	5	6	9
50-64	296	4.3	3	3	4	4	5	6	7	8
65+	30	5.6	5	4	4	5	7	8	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	2.4	2	<1	1	2	3	5	6	6
B. Operated	549	3.3	2	1	3	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	30	3.4	3	<1	2	3	5	6	7	7
B. Operated	5516	4.0	3	3	3	4	4	5	6	9
1. SINGLE DX	578	3.3	2	1	3	3	4	5	5	7
2. MULTIPLE DX	5546	4.0	3	3	3	4	4	5	6	9
A. Not Operated	59	2.9	3	<1	1	2	4	6	6	7
B. Operated	6065	3.9	3	2	3	4	4	5	6	9
TOTAL										
0-19 YRS	65	2.6	3	1	1	2	4	5	5	9
20-34	2328	3.6	2	2	3	4	4	5	6	8
35-49	3380	4.1	3	3	3	4	5	5	6	9
50-64	319	4.3	2	3	3	4	5	6	6	8
65+	32	5.6	5	3	4	5	7	9	11	12
GRAND TOTAL	**6124**	**3.9**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	0									
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	5	2.4	2	<1	1	3	3	4	4	4
35-49	6	3.7	3	<1	3	4	4	6	6	6
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	2.0	1	1	1	2	3	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	105	3.7	2	2	3	4	5	5	6	9
35-49	121	3.7	2	2	3	4	4	5	6	7
50-64	26	4.4	6	2	3	4	5	7	10	11
65+	8	5.6	8	1	4	5	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	15	3.1	3	<1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	9	2.2	2	1	1	2	3	5	5	5
B. Operated	263	3.8	3	2	3	4	4	5	7	9
1. SINGLE DX	16	3.0	3	<1	1	3	4	5	6	6
2. MULTIPLE DX	272	3.8	3	2	3	4	4	5	7	9
A. Not Operated	10	2.2	2	1	1	2	3	4	5	5
B. Operated	278	3.8	3	1	3	4	4	5	7	9
TOTAL										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	117	3.6	3	1	3	4	4	5	6	9
35-49	128	3.7	2	2	3	4	4	5	6	7
50-64	28	4.3	6	1	3	4	5	7	10	11
65+	10	5.1	8	<1	4	5	8	9	9	9
GRAND TOTAL	**288**	**3.7**	**3**	**1**	**3**	**4**	**4**	**5**	**6**	**9**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.1	3	1	2	3	4	6	6	6
20-34	47	2.7	2	1	2	3	3	5	6	7
35-49	15	3.0	2	1	2	3	4	5	6	6
50-64	3	5.7	6	3	4	6	7	8	8	8
65 +	2	10.0	18	7	7	10	13	13	13	13
B. Operated										
0-19 YRS	9	2.4	6	< 1	1	1	3	6	8	8
20-34	45	1.8	3	< 1	1	1	2	3	5	9
35-49	18	2.1	4	< 1	< 1	1	3	4	7	9
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	5	4.4	6	1	3	4	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.7	5	1	2	3	5	6	8	11
20-34	57	3.2	2	2	2	3	4	5	6	8
35-49	21	4.0	5	2	3	3	5	7	9	11
50-64	8	2.8	1	1	2	3	3	5	5	5
65 +	10	5.8	7	2	5	6	7	9	11	11
B. Operated										
0-19 YRS	10	3.6	5	< 1	2	3	5	7	7	7
20-34	62	3.9	7	1	2	3	5	7	9	14
35-49	59	3.4	5	< 1	2	3	4	5	7	14
50-64	19	7.2	54	2	3	4	7	20	25	28
65 +	16	8.6	34	3	5	7	11	18	22	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	3.1	4	1	2	3	4	6	7	12
B. Operated	80	2.1	4	< 1	1	1	3	4	7	9
2. MULTIPLE DX										
A. Not Operated	123	3.6	4	2	2	3	5	6	7	11
B. Operated	166	4.5	17	1	2	4	5	9	12	23
1. SINGLE DX	159	2.6	4	< 1	1	2	3	5	7	9
2. MULTIPLE DX	289	4.1	11	1	2	3	5	7	10	21
A. Not Operated	202	3.4	4	1	2	3	4	6	7	11
B. Operated	246	3.7	14	< 1	1	3	4	7	10	22
TOTAL										
0-19 YRS	58	3.4	5	1	2	3	4	6	8	11
20-34	211	3.0	4	1	2	3	4	5	7	10
35-49	113	3.2	5	< 1	1	3	4	5	7	12
50-64	33	5.5	36	1	3	3	5	14	21	28
65 +	33	7.2	22	2	5	6	8	12	18	23
GRAND TOTAL	**448**	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**9**	**16**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	109	3.5	1	2	3	4	4	5	5	7
35-49	251	3.5	2	2	3	4	4	5	5	8
50-64	427	3.6	3	2	3	3	4	5	6	9
65 +	447	3.9	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	1.3		< 1	< 1	< 1	1	2	2	2
35-49	11	1.8	3	< 1	< 1	< 1	2	5	6	6
50-64	8	2.9	5	< 1	1	2	4	6	7	7
65 +	23	3.0	9	< 1	1	1	4	7	10	12
B. Operated										
0-19 YRS	4	4.5	1	4	4	4	5	6	6	6
20-34	656	3.7	1	2	3	4	4	5	6	7
35-49	1771	4.0	2	3	3	4	5	5	6	9
50-64	1637	4.3	2	3	3	4	5	6	7	9
65 +	1880	4.8	6	3	4	4	6	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	1234	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	46	2.5	6	< 1	< 1	1	3	6	8	12
B. Operated	5948	4.3	3	3	3	4	5	6	7	10
1. SINGLE DX	1236	3.7	2	2	3	4	4	5	6	8
2. MULTIPLE DX	5994	4.3	3	3	3	4	5	6	7	10
A. Not Operated	48	2.5	6	< 1	< 1	1	3	6	7	12
B. Operated	7182	4.2	3	3	3	4	5	6	7	10
TOTAL										
0-19 YRS	4	4.5	1	4	4	4	5	6	6	6
20-34	769	3.7	1	2	3	4	4	5	5	7
35-49	2033	3.9	2	3	3	4	5	5	6	8
50-64	2073	4.1	3	3	3	4	5	6	7	9
65 +	2351	4.6	5	3	3	4	5	7	8	12
GRAND TOTAL	**7230**	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	11	1.4		< 1	1	1	2	2	2	2
35-49	8	1.6	1	1	1	1	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	48	2.4	2	< 1	< 1	2	4	4	5	5
35-49	81	2.2	2	< 1	< 1	2	3	4	5	6
50-64	13	2.6	1	< 1	1	3	3	4	4	4
65 +	2	3.0	8	< 1	< 1	2	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	2.5	3	1	2	2	3	5	7	7
20-34	20	1.9	1	1	1	2	2	3	4	4
35-49	31	1.9	2	< 1	1	1	2	4	6	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	17	2.9	8	< 1	1	2	4	7	10	11
20-34	286	3.3	2	1	3	3	4	5	6	7
35-49	560	3.6	3	1	3	4	4	5	6	8
50-64	67	3.5	2	1	3	4	4	5	6	6
65 +	8	3.4	3	1	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	1.5	1	< 1	1	1	2	3	3	4
B. Operated	148	2.3	2	< 1	< 1	2	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	64	2.0	2	1	1	2	2	4	5	7
B. Operated	938	3.5	2	1	3	4	4	5	6	8
1. SINGLE DX	171	2.2	2	< 1	< 1	2	3	4	5	5
2. MULTIPLE DX	1002	3.4	3	1	2	3	4	5	6	8
A. Not Operated	87	1.9	2	1	1	2	2	3	4	7
B. Operated	1086	3.3	3	1	2	3	4	5	6	8
TOTAL										
0-19 YRS	37	2.5	5	< 1	1	2	3	6	7	11
20-34	365	3.1	2	1	2	3	4	5	5	7
35-49	680	3.3	3	1	2	3	4	5	6	8
50-64	81	3.4	2	1	3	4	4	5	6	6
65 +	10	3.3	3	< 1	2	3	4	6	7	7
GRAND TOTAL	1173	3.2	3	1	2	3	4	5	6	7

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	14	1.5	1	< 1	1	1	1	3	5	5
35-49	7	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	11	1.3		< 1	< 1	1	1	2	3	3
20-34	110	2.1	2	< 1	< 1	1	3	4	4	5
35-49	191	2.2	2	< 1	< 1	2	3	4	5	6
50-64	21	2.0	2	< 1	1	1	4	4	4	4
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.1	1	< 1	1	2	2	3	4	5
20-34	26	1.9	1	< 1	1	2	2	3	5	5
35-49	48	2.3	7	< 1	1	1	3	5	7	17
50-64	6	1.8	4	< 1	< 1	1	1	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	11	3.2	4	< 1	1	3	4	6	7	7
20-34	675	3.6	2	2	3	4	4	5	6	8
35-49	1818	3.7	2	2	3	4	4	5	6	8
50-64	207	3.8	3	1	3	4	4	6	6	9
65 +	6	4.8	9	< 1	3	4	6	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.3	1	1	1	1	1	2	3	5
B. Operated	334	2.1	2	< 1	< 1	1	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	97	2.1	4	< 1	1	2	2	4	5	13
B. Operated	2717	3.7	2	2	3	4	4	5	6	8
1. SINGLE DX	360	2.1	2	< 1	< 1	1	3	4	4	5
2. MULTIPLE DX	2814	3.6	2	2	3	4	4	5	6	8
A. Not Operated	123	2.0	4	< 1	1	1	2	4	5	10
B. Operated	3051	3.5	3	1	3	4	4	5	6	8
TOTAL										
0-19 YRS	42	2.0	2	< 1	1	2	3	4	5	7
20-34	825	3.3	2	1	2	3	4	5	6	7
35-49	2064	3.5	3	1	3	4	4	5	6	8
50-64	234	3.6	3	1	3	4	4	5	6	8
65 +	9	4.2	7	< 1	2	4	5	8	10	10
GRAND TOTAL	3174	3.5	3	1	3	4	4	5	6	8

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	3	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	3	3.3		3	3	3	4	4	4	4
35-49	4	1.8	1	< 1	< 1	1	2	3	3	3
50-64	28	1.9	3	< 1	< 1	< 1	2	5	5	6
65 +	22	1.7	2	< 1	< 1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.0	3	< 1	< 1	1	3	4	4	4
50-64	4	1.3		1	1	1	2	2	2	2
65 +	9	1.7	1	< 1	1	2	2	3	3	3
B. Operated										
0-19 YRS	0									
20-34	17	3.6		3	3	4	4	4	5	5
35-49	94	3.5	3	1	3	4	4	5	6	9
50-64	177	3.3	5	< 1	1	3	4	6	6	12
65 +	119	3.4	6	< 1	1	3	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.0		1	1	1	1	1	1	1
B. Operated	57	1.9	2	< 1	< 1	< 1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	17	1.7	1	< 1	1	1	2	3	4	4
B. Operated	407	3.4	5	< 1	1	4	4	6	7	12
1. SINGLE DX	60	1.8	2	< 1	< 1	< 1	2	4	5	7
2. MULTIPLE DX	424	3.3	5	< 1	1	3	4	6	7	12
A. Not Operated	20	1.6	1	< 1	1	1	2	3	4	4
B. Operated	464	3.2	5	< 1	1	3	4	6	6	12
TOTAL										
0-19 YRS	0									
20-34	21	3.6		3	3	4	4	4	5	5
35-49	101	3.4	3	1	2	4	4	5	6	9
50-64	212	3.1	5	< 1	1	3	4	6	6	12
65 +	150	3.1	6	< 1	1	2	4	6	7	12
GRAND TOTAL	484	3.1	5	< 1	1	3	4	5	6	11

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.2		< 1	< 1	1	1	2	2	2
20-34	25	1.7	1	< 1	1	1	2	3	5	5
35-49	7	2.3	4	1	1	1	3	5	6	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	37	3.1	2	1	2	3	4	5	6	6
20-34	209	2.7	2	1	1	3	3	5	5	7
35-49	168	3.2	4	1	2	3	4	6	7	8
50-64	79	3.4	6	< 1	2	3	4	5	7	15
65 +	42	3.4	8	< 1	1	3	4	7	10	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	3.0	2	< 1	1	3	4	5	5	5
20-34	30	2.4	3	< 1	1	2	3	4	5	10
35-49	25	2.2	2	< 1	1	1	3	5	5	6
50-64	14	3.6	10	< 1	2	2	3	10	10	10
65 +	20	2.9	5	< 1	1	2	4	7	7	8
B. Operated										
0-19 YRS	71	3.7	8	1	2	3	4	5	7	19
20-34	665	3.5	2	2	3	4	4	5	6	7
35-49	1005	3.9	3	2	3	4	4	6	7	10
50-64	570	4.4	6	2	3	4	5	7	9	16
65 +	347	6.1	28	3	4	5	7	11	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	1.7	1	< 1	1	1	2	3	5	6
B. Operated	535	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	97	2.6	4	< 1	1	2	3	5	7	10
B. Operated	2658	4.2	8	2	3	4	5	6	8	14
1. SINGLE DX	579	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2755	4.1	8	2	3	4	5	6	8	14
A. Not Operated	141	2.3	4	< 1	1	2	3	5	6	10
B. Operated	3193	4.0	7	2	3	4	5	6	8	14
TOTAL										
0-19 YRS	127	3.2	5	1	2	3	4	5	6	12
20-34	929	3.3	2	1	2	3	4	5	6	7
35-49	1205	3.7	3	1	3	4	4	6	7	10
50-64	664	4.3	6	2	3	4	5	6	9	16
65 +	409	5.7	26	1	3	5	7	11	13	21
GRAND TOTAL	3334	3.9	7	1	3	4	5	6	8	13

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	1.2		1	1	1	1	2	3	4
20-34	89	1.9	1	< 1	1	2	3	4	4	6
35-49	19	2.0	2	< 1	1	2	2	4	6	7
50-64	3	2.0	3	< 1	< 1	1	3	4	4	4
65 +	0									
B. Operated										
0-19 YRS	29	2.0	3	< 1	1	1	3	4	7	7
20-34	282	2.7	2	< 1	1	3	4	4	5	6
35-49	423	3.4	2	2	2	3	4	5	6	7
50-64	343	3.6	2	2	3	4	4	5	6	7
65 +	211	3.9	3	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	2.2	14	< 1	1	1	2	3	5	27
20-34	118	2.6	12	< 1	1	2	3	4	6	21
35-49	42	4.7	97	< 1	< 1	1	4	9	21	58
50-64	13	2.0	3	< 1	< 1	1	3	5	6	6
65 +	12	3.3	15	< 1	1	2	4	9	13	14
B. Operated										
0-19 YRS	47	2.8	5	< 1	1	2	4	6	8	99 +
20-34	1415	3.6	2	1	3	4	4	5	6	8
35-49	1451	4.1	3	3	3	4	5	6	6	9
50-64	635	4.2	3	2	3	4	5	6	7	10
65 +	463	4.6	5	2	3	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	1.8	1	< 1	1	1	2	3	4	7
B. Operated	1288	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	238	2.9	27	< 1	1	2	3	5	7	30
B. Operated	4011	4.0	3	2	3	4	5	6	7	10
1. SINGLE DX	1438	3.2	2	1	2	3	4	5	6	8
2. MULTIPLE DX	4249	3.9	5	2	3	4	5	6	7	11
A. Not Operated	388	2.5	18	< 1	1	1	3	4	5	24
B. Operated	5299	3.8	3	2	3	4	4	6	6	9
TOTAL										
0-19 YRS	168	2.1	7	< 1	1	1	3	4	5	25
20-34	1904	3.3	3	1	2	3	4	5	6	8
35-49	1935	3.9	5	2	3	4	5	5	6	9
50-64	994	4.0	3	2	3	4	5	6	6	10
65 +	686	4.4	4	2	3	4	5	7	8	12
GRAND TOTAL	**5687**	**3.7**	**4**	**1**	**3**	**4**	**4**	**5**	**6**	**10**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.5	2	< 1	< 1	1	1	4	4	4
20-34	31	1.7	2	< 1	1	1	2	3	5	6
35-49	6	1.8	2	1	1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	131	3.1	1	2	2	3	4	4	5	6
20-34	1483	3.1	1	2	3	3	4	4	5	6
35-49	295	3.2	1	2	3	3	4	4	5	6
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.6	2	< 1	< 1	1	2	4	4	4
20-34	14	2.2	2	1	1	2	3	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	121	3.5	1	2	3	3	4	5	6	7
20-34	1786	3.5	1	2	3	3	4	5	5	7
35-49	374	3.7	2	2	3	4	4	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	1.7	2	< 1	1	1	2	3	5	6
B. Operated	1910	3.1	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	21	2.1	1	1	1	2	3	4	4	4
B. Operated	2281	3.5	2	2	3	3	4	5	5	8
1. SINGLE DX	1953	3.1	1	2	3	3	4	4	5	6
2. MULTIPLE DX	2302	3.5	2	2	3	3	4	5	5	8
A. Not Operated	64	1.8	2	1	1	1	3	4	4	6
B. Operated	4191	3.3	1	2	3	3	4	5	5	7
TOTAL										
0-19 YRS	263	3.2	1	2	3	3	4	4	5	7
20-34	3314	3.3	1	2	3	3	4	5	5	7
35-49	677	3.4	2	2	3	3	4	5	5	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	**4255**	**3.3**	**1**	**2**	**3**	**3**	**4**	**5**	**5**	**7**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.3		< 1	< 1	1	2	2	2	2
20-34	16	1.9	1	1	1	2	2	3	4	5
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	35	1.1		1	1	1	1	1	2	2
20-34	99	1.4		< 1	1	1	2	2	3	4
35-49	19	1.6	1	< 1	< 1	1	2	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.9	4	1	1	2	4	6	7	7
20-34	28	1.8	2	< 1	1	1	2	5	5	7
35-49	6	1.2		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	32	2.4	10	< 1	< 1	1	2	6	8	17
20-34	216	1.9	5	< 1	< 1	1	2	4	5	14
35-49	65	2.2	3	< 1	1	1	3	4	5	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.7	1	< 1	1	1	2	3	4	5
B. Operated	153	1.3		< 1	1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Oporated	41	1.9	3	< 1	1	1	2	4	6	7
B. Operated	313	2.0	5	< 1	< 1	1	2	4	5	14
1. SINGLE DX	179	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX	354	2.0	5	< 1	< 1	1	2	4	5	12
A. Not Operated	67	1.8	2	< 1	1	1	2	4	5	7
B. Operated	466	1.8	4	< 1	1	1	2	3	4	11
TOTAL										
0-19 YRS	80	1.8	5	< 1	1	1	2	3	6	14
20-34	359	1.7	3	< 1	1	1	2	3	4	8
35-49	94	2.0	3	< 1	1	1	3	4	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**533**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**	**9**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	12.0		12	12	12	12	12	12	12
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	12.0		12	12	12	12	12	12	12
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	0									
2. MULTIPLE DX	2	6.5	61	1	1	6	12	12	12	12
A. Not Operated	1	12.0		12	12	12	12	12	12	12
B. Operated	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-19 YRS	0									
20-34	2	6.5	61	1	1	6	12	12	12	12
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2**	**6.5**	**61**	**1**	**1**	**6**	**12**	**12**	**12**	**12**

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	1.3		< 1	< 1	1	1	2	3	3
20-34	160	1.2		< 1	< 1	1	1	2	3	4
35-49	29	1.3		< 1	1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	365	1.2		< 1	< 1	1	1	2	2	4
20-34	1596	1.1		< 1	< 1	1	1	1	2	4
35-49	327	1.1		< 1	< 1	1	1	1	1	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	26	2.0	3	< 1	1	1	2	4	6	9
20-34	88	1.7	2	< 1	1	1	2	3	4	8
35-49	16	1.8	1	< 1	1	2	2	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	85	1.6	1	1	1	1	2	4	4	6
20-34	481	2.0	4	< 1	1	1	2	4	5	11
35-49	117	1.8	4	< 1	1	1	2	3	5	11
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	239	1.3		< 1	< 1	1	1	2	3	3
B. Operated	2288	1.1		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	130	1.8	2	< 1	1	1	2	3	4	8
B. Operated	683	1.9	3	< 1	1	1	2	4	5	11
1. SINGLE DX	2527	1.2		< 1	< 1	1	1	1	2	4
2. MULTIPLE DX	813	1.9	3	< 1	1	1	2	4	5	10
A. Not Operated	369	1.4	1	< 1	1	1	2	2	3	5
B. Operated	2971	1.3	1	< 1	< 1	1	1	2	3	6
TOTAL										
0-19 YRS	525	1.3	1	< 1	< 1	1	1	2	3	5
20-34	2325	1.3	1	< 1	< 1	1	1	2	3	6
35-49	489	1.3	1	< 1	< 1	1	1	2	3	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	**3340**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**	**6**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.2	2	< 1	1	2	3	4	4	5
20-34	132	1.8	2	< 1	1	1	2	3	4	8
35-49	23	1.2		< 1	1	1	1	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	82	1.3	1	< 1	< 1	1	1	2	3	8
20-34	571	1.2		< 1	1	1	1	2	2	4
35-49	115	1.1		< 1	< 1	1	1	1	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	3.4	5	1	2	3	4	7	8	8
20-34	117	2.5	3	1	1	2	3	5	5	9
35-49	8	3.0	3	< 1	1	3	4	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	49	2.1	2	< 1	1	2	3	4	5	6
20-34	300	2.2	5	< 1	1	1	3	5	7	12
35-49	70	1.8	2	< 1	1	1	2	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	193	1.8	2	< 1	1	1	2	3	4	7
B. Operated	768	1.2		< 1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	152	2.7	3	1	1	2	4	5	6	8
B. Operated	419	2.1	4	< 1	1	1	3	4	6	11
1. SINGLE DX	961	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	571	2.3	4	< 1	1	2	3	5	6	10
A. Not Operated	345	2.2	2	< 1	1	2	3	4	5	8
B. Operated	1187	1.5	2	< 1	1	1	2	3	4	8
TOTAL										
0-19 YRS	196	2.0	2	< 1	1	1	3	4	5	8
20-34	1120	1.7	2	< 1	1	1	2	3	4	8
35-49	216	1.4	1	< 1	1	1	1	2	4	6
50-64	0									
65 +	0									
GRAND TOTAL	**1532**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**	**8**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.3		< 1	< 1	1	2	2	2	3
20-34	170	1.7	2	< 1	1	1	2	3	4	6
35-49	19	1.6	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	1.5	1	< 1	1	1	2	3	3	3
20-34	27	1.5	1	< 1	< 1	1	2	3	4	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	19	1.5		< 1	1	1	2	3	3	3
20-34	89	2.1	2	< 1	1	2	3	4	5	7
35-49	22	4.4	107	< 1	1	2	3	6	24	50
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	2.4	4	< 1	1	1	3	5	7	9
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	221	1.6	2	< 1	1	1	2	3	3	6
B. Operated	33	1.5	1	< 1	< 1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	130	2.4	20	< 1	1	2	3	4	5	16
B. Operated	22	2.3	4	< 1	1	2	3	4	7	9
1. SINGLE DX	254	1.6	2	< 1	1	1	2	3	3	5
2. MULTIPLE DX	152	2.4	17	< 1	1	2	3	4	5	9
A. Not Operated	351	1.9	9	< 1	1	1	2	3	4	7
B. Operated	55	1.8	2	< 1	1	1	2	3	5	9
TOTAL										
0-19 YRS	58	1.4		< 1	1	1	2	2	3	3
20-34	305	1.8	2	< 1	1	1	2	3	5	7
35-49	43	3.0	56	< 1	1	1	2	4	6	50
50-64	0									
65 +	0									
GRAND TOTAL	**406**	**1.9**	**8**	**< 1**	**1**	**1**	**2**	**3**	**4**	**7**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.3		< 1	< 1	1	2	2	2	2
20-34	32	2.1	2	< 1	1	2	3	4	5	5
35-49	5	1.4	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	5	2.4	4	< 1	< 1	1	4	5	5	5
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	24	2.2	3	1	1	2	3	4	6	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	4	3.5	9	1	1	3	6	7	7	7
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	1.9	1	< 1	1	1	2	4	4	5
B. Operated	8	1.9	3	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	31	2.0	2	1	1	2	2	4	6	7
B. Operated	5	4.0	8	1	1	5	6	7	7	7
1. SINGLE DX	53	1.9	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX	36	2.3	3	1	1	2	3	6	7	7
A. Not Operated	76	1.9	2	< 1	1	2	2	4	5	7
B. Operated	13	2.7	5	< 1	< 1	1	5	6	7	7
TOTAL										
0-19 YRS	16	1.3		< 1	< 1	1	2	2	2	2
20-34	65	2.2	3	< 1	1	2	3	5	6	7
35-49	8	2.0	3	1	1	1	2	5	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**89**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**	**7**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	89	2.3	3	<1	1	2	3	4	5	12
20-34	477	2.3	3	1	1	2	3	4	5	10
35-49	76	2.4	3	1	1	2	3	4	5	10
50-64	0									
65+	0									
B. Operated										
0-19 YRS	20	2.5	4	<1	1	2	3	6	7	8
20-34	99	2.1	2	<1	1	2	2	4	5	8
35-49	19	2.9	3	1	2	3	4	5	6	6
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.3	2	1	1	2	3	5	5	7
20-34	252	2.7	7	1	1	2	3	5	7	14
35-49	42	3.2	13	1	1	2	3	6	10	21
50-64	0									
65+	0									
B. Operated										
0-19 YRS	21	2.6	6	<1	1	1	3	7	8	8
20-34	115	3.9	30	<1	1	2	5	8	13	28
35-49	23	4.3	57	<1	1	2	3	9	20	37
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	642	2.3	3	1	1	2	3	4	5	10
B. Operated	138	2.3	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	346	2.7	7	1	1	2	3	5	7	14
B. Operated	159	3.8	31	<1	1	2	4	8	11	35
1. SINGLE DX	780	2.3	3	1	1	2	3	4	5	10
2. MULTIPLE DX	505	3.1	15	1	1	2	3	6	9	17
A. Not Operated	988	2.4	5	1	1	2	3	4	6	11
B. Operated	297	3.1	18	<1	1	2	3	6	8	17
TOTAL										
0-19 YRS	182	2.3	3	<1	1	2	3	5	6	8
20-34	943	2.6	8	1	1	2	3	5	7	14
35-49	160	2.9	13	1	1	2	3	5	8	20
50-64	0									
65+	0									
GRAND TOTAL	**1285**	**2.6**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	115	2.8	4	1	2	2	3	5	6	11
20-34	926	2.9	5	1	2	2	3	5	6	11
35-49	73	3.3	5	1	2	3	4	6	8	11
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	13	5.7	18	1	2	4	10	11	13	14
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	121	2.7	5	1	1	2	3	5	6	14
20-34	876	3.0	5	1	2	2	4	6	7	11
35-49	48	3.7	9	1	2	3	4	8	10	15
50-64	0									
65+	0									
B. Operated										
0-19 YRS	9	2.8	4	1	2	2	4	6	6	6
20-34	47	6.0	32	1	1	5	8	13	17	28
35-49	6	24.8	761	<1	<1	17	46	64	66	66
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1114	2.9	5	1	2	2	3	5	6	11
B. Operated	13	5.7	18	1	2	4	10	11	13	14
2. MULTIPLE DX										
A. Not Operated	1045	3.0	5	1	2	2	4	5	7	12
B. Operated	62	7.4	121	1	1	4	8	16	30	64
1. SINGLE DX	1127	3.0	5	1	2	2	4	5	6	11
2. MULTIPLE DX	1107	3.3	13	1	2	2	4	6	8	16
A. Not Operated	2159	3.0	5	1	2	2	4	5	7	11
B. Operated	75	7.1	103	1	1	4	8	14	25	61
TOTAL										
0-19 YRS	245	2.8	4	1	2	2	3	5	6	12
20-34	1862	3.1	6	1	2	2	4	5	7	13
35-49	127	4.4	57	1	2	3	4	7	11	51
50-64	0									
65+	0									
GRAND TOTAL	**2234**	**3.1**	**9**	**1**	**2**	**2**	**4**	**5**	**7**	**13**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	1.1	1	< 1	< 1	< 1	1	1	2	5
20-34	1443	1.1	1	< 1	< 1	< 1	1	1	2	3
35-49	112	1.1		< 1	< 1	< 1	1	1	1	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	184	1.1		< 1	< 1	< 1	1	1	1	5
20-34	681	1.1		< 1	< 1	< 1	1	1	1	3
35-49	44	1.1		< 1	< 1	< 1	1	1	2	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	1.3		< 1	< 1	1	1	2	3	4
20-34	245	1.5	1	< 1	< 1	1	1	2	4	7
35-49	25	1.3	2	< 1	< 1	< 1	1	1	3	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	17	1.4	1	< 1	< 1	1	1	3	4	4
20-34	86	1.7	6	< 1	< 1	1	1	3	4	17
35-49	8	1.6	1	< 1	< 1	1	2	4	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1848	1.1	1	< 1	< 1	< 1	1	1	2	3
B. Operated	909	1.1		< 1	< 1	< 1	1	1	1	4
2. MULTIPLE DX										
A. Not Operated	322	1.4	1	< 1	< 1	1	1	2	3	7
B. Operated	111	1.6	5	< 1	< 1	1	1	3	4	15
1. SINGLE DX	2757	1.1		< 1	< 1	< 1	1	1	2	4
2. MULTIPLE DX	433	1.5	2	< 1	< 1	1	1	2	4	8
A. Not Operated	2170	1.2	1	< 1	< 1	< 1	1	1	2	4
B. Operated	1020	1.1	1	< 1	< 1	< 1	1	1	2	4
TOTAL										
0-19 YRS	546	1.2		< 1	< 1	< 1	1	1	2	4
20-34	2455	1.2	1	< 1	< 1	< 1	1	1	2	4
35-49	189	1.1	1	< 1	< 1	< 1	1	1	2	5
50-64	0									
65 +	0									
GRAND TOTAL	**3190**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	4.0	20	1	2	3	4	8	17	18
20-34	213	3.1	23	1	1	2	3	6	10	21
35-49	48	3.0	11	< 1	1	2	3	8	10	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	43	2.9	19	< 1	1	2	3	5	12	23
35-49	12	1.8	1	< 1	1	1	2	4	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	1.9	5	1	1	1	1	6	7	7
20-34	116	4.2	31	1	1	2	4	11	15	30
35-49	36	3.7	15	1	1	2	4	9	13	18
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	36	7.1	85	1	2	3	9	14	34	39
35-49	11	5.6	33	1	2	3	8	15	19	19
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	273	3.1	21	1	1	2	3	6	10	21
B. Operated	55	2.7	15	< 1	1	2	3	5	7	23
2. MULTIPLE DX										
A. Not Operated	159	4.0	26	1	1	2	4	10	15	26
B. Operated	49	6.8	71	1	2	3	9	15	25	39
1. SINGLE DX	328	3.0	20	1	1	2	3	6	10	21
2. MULTIPLE DX	208	4.7	38	1	1	2	5	12	16	37
A. Not Operated	432	3.4	23	1	1	2	3	7	13	21
B. Operated	104	4.6	45	1	1	2	4	13	19	38
TOTAL										
0-19 YRS	21	3.7	21	1	1	2	4	10	16	18
20-34	408	3.7	31	1	1	2	3	8	14	31
35-49	107	3.4	14	1	1	2	3	8	13	19
50-64	0									
65 +	0									
GRAND TOTAL	**536**	**3.7**	**27**	**1**	**1**	**2**	**3**	**8**	**14**	**24**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	1.3	1	< 1	< 1	1	1	3	3	4
20-34	271	1.8	3	< 1	1	1	2	3	4	8
35-49	32	1.9	5	< 1	< 1	1	2	3	4	13
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.1	5	< 1	< 1	1	3	4	8	9
20-34	72	1.8	2	< 1	< 1	1	2	4	5	5
35-49	7	1.6	1	< 1	< 1	1	2	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	1.9	3	< 1	1	1	2	3	6	9
20-34	163	2.8	8	1	1	2	3	6	7	12
35-49	17	2.9	8	1	1	2	3	8	9	9
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	4.2	12	< 1	1	4	6	10	10	10
20-34	75	4.2	31	1	1	2	4	11	18	29
35-49	9	2.9	7	< 1	1	2	4	7	9	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	352	1.7	3	< 1	1	1	2	3	4	8
B. Operated	93	1.8	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	210	2.6	8	1	1	2	3	6	8	12
B. Operated	89	4.0	28	1	1	2	4	11	17	27
1. SINGLE DX	445	1.7	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX	299	3.1	14	1	1	2	3	7	10	21
A. Not Operated	562	2.1	5	< 1	1	1	2	4	6	11
B. Operated	182	2.9	16	< 1	1	2	3	5	10	21
TOTAL										
0-19 YRS	98	1.7	3	< 1	1	1	2	3	4	10
20-34	581	2.4	8	< 1	1	1	3	4	7	18
35-49	65	2.3	5	< 1	1	1	3	4	8	12
50-64	0									
65 +	0									
GRAND TOTAL	**744**	**2.3**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**	**13**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.7	2	1	1	3	4	5	6	6
20-34	183	2.6	2	1	2	2	3	4	5	7
35-49	6	2.3	1	1	2	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	8	3.1	6	1	1	2	5	7	7	7
20-34	16	3.0	8	< 1	1	2	4	6	10	12
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	363	3.1	3	1	2	3	4	5	6	8
20-34	828	2.9	4	1	2	3	4	5	6	7
35-49	41	2.8	2	1	2	3	4	4	5	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	49	2.8	4	< 1	1	2	4	6	6	10
20-34	123	3.3	10	< 1	1	2	4	6	8	19
35-49	3	2.3	5	< 1	< 1	1	4	5	5	5
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	2.6	2	1	2	2	3	4	5	6
B. Operated	24	3.0	7	< 1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	1232	3.0	4	1	2	3	4	5	6	8
B. Operated	175	3.1	9	< 1	1	2	4	6	7	16
1. SINGLE DX	288	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1407	3.0	5	1	2	3	4	5	6	9
A. Not Operated	1496	2.9	4	1	2	3	4	5	6	8
B. Operated	199	3.1	8	< 1	1	2	4	6	7	15
TOTAL										
0-19 YRS	495	3.0	3	1	2	3	4	5	6	8
20-34	1150	2.9	5	1	2	3	4	5	6	9
35-49	50	2.7	2	1	2	2	4	4	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**1695**	**2.9**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	1.7	1	< 1	1	1	2	3	4	4
20-34	206	2.7	6	1	1	2	3	5	7	10
35-49	27	3.0	4	1	2	2	4	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	42	2.0	3	< 1	< 1	1	2	4	5	9
35-49	7	3.7	8	< 1	1	3	5	8	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	2.9	11	1	1	2	3	5	8	15
20-34	1207	2.9	9	1	1	2	3	6	7	16
35-49	172	3.3	7	1	1	3	4	6	9	14
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	58	2.5	9	< 1	1	2	2	5	9	17
20-34	321	3.3	19	< 1	1	2	4	7	10	19
35-49	37	3.2	10	< 1	1	2	5	7	11	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	256	2.7	5	1	1	2	3	5	7	10
B. Operated	54	2.1	3	< 1	< 1	1	2	4	7	9
2. MULTIPLE DX										
A. Not Operated	1593	3.0	9	1	1	2	3	6	8	16
B. Operated	416	3.2	17	< 1	1	2	4	6	10	18
1. SINGLE DX	310	2.6	5	< 1	1	2	3	5	7	10
2. MULTIPLE DX	2009	3.0	11	1	1	2	4	6	8	16
A. Not Operated	1849	2.9	9	1	1	2	3	6	8	15
B. Operated	470	3.0	15	< 1	1	2	3	6	9	17
TOTAL										
0-19 YRS	300	2.7	10	< 1	1	2	3	5	8	15
20-34	1776	2.9	10	< 1	1	2	3	6	8	16
35-49	243	3.2	7	1	1	2	4	6	9	13
50-64	0									
65 +	0									
GRAND TOTAL	**2319**	**2.9**	**10**	**< 1**	**1**	**2**	**3**	**6**	**8**	**16**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	713	1.8	3	< 1	< 1	1	2	3	4	10
20-34	3113	1.8	4	< 1	< 1	1	2	3	5	11
35-49	312	1.7	4	< 1	< 1	1	1	3	5	12
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	388	2.0	11	< 1	< 1	1	2	3	5	18
20-34	1703	2.0	9	< 1	< 1	1	2	3	6	16
35-49	172	2.0	6	< 1	< 1	1	2	3	5	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	423	2.4	16	< 1	1	1	3	4	7	11
20-34	2060	2.7	15	< 1	1	2	3	5	8	21
35-49	229	2.8	17	< 1	1	1	2	6	10	23
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	276	2.8	11	< 1	1	2	3	6	8	20
20-34	1373	3.0	20	< 1	1	2	3	6	9	24
35-49	165	3.2	34	< 1	1	2	3	6	10	48
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4138	1.8	4	< 1	< 1	1	2	3	5	10
B. Operated	2263	2.0	9	< 1	< 1	1	2	3	5	16
2. MULTIPLE DX										
A. Not Operated	2712	2.7	15	< 1	1	1	3	5	8	21
B. Operated	1814	3.0	20	< 1	1	2	3	6	9	25
1. SINGLE DX	6401	1.9	6	< 1	< 1	1	2	3	5	12
2. MULTIPLE DX	4526	2.8	17	< 1	1	2	3	5	9	23
A. Not Operated	6850	2.1	8	< 1	1	1	2	4	6	14
B. Operated	4077	2.4	14	< 1	< 1	1	2	5	7	20
TOTAL										
0-19 YRS	1800	2.1	9	< 1	1	1	2	4	6	13
20-34	8249	2.3	11	< 1	< 1	1	2	4	6	16
35-49	878	2.3	14	< 1	< 1	1	2	4	7	22
50-64	0									
65 +	0									
GRAND TOTAL	**10927**	**2.2**	**11**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**16**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	74	1.5		1	1	1	2	2	3	3
20-34	479	1.7		1	1	2	2	3	3	4
35-49	51	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	44	2.7	5	1	2	2	3	4	5	15
20-34	410	2.3	7	1	2	2	3	4	4	6
35-49	46	2.4	1	1	2	2	3	4	4	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	133	1.7	1	1	1	2	2	3	3	5
20-34	779	1.9	3	1	1	2	2	3	3	6
35-49	93	2.0	1	1	1	2	3	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	266	2.9	7	1	2	2	3	5	7	12
20-34	2596	3.2	19	1	2	3	4	5	6	17
35-49	442	3.3	7	1	2	3	4	5	6	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	604	1.7		1	1	2	2	3	3	3
B. Operated	500	2.4	6	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	1005	1.9	2	1	1	2	2	3	3	5
B. Operated	3304	3.2	16	1	2	3	4	5	6	14
1. SINGLE DX	1104	2.0	3	1	1	2	2	3	4	5
2. MULTIPLE DX	4309	2.9	13	1	2	2	3	4	5	13
A. Not Operated	1609	1.8	2	1	1	2	2	3	3	4
B. Operated	3804	3.1	15	1	2	3	4	5	5	14
TOTAL										
0-19 YRS	517	2.4	4	1	1	2	3	4	5	11
20-34	4264	2.7	13	1	2	2	3	4	5	12
35-49	632	2.9	5	1	2	2	4	5	5	12
50-64	0									
65 +	0									
GRAND TOTAL	**5413**	**2.7**	**11**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3028	1.5		1	1	1	2	2	3	3
20-34	18852	1.5		1	1	1	2	2	3	3
35-49	1641	1.6		1	1	2	2	2	3	4
50-64	3	1.7		1	1	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	1863	1.7	1	1	1	2	2	2	3	3
20-34	11413	1.6		1	1	2	2	2	3	3
35-49	886	1.7		1	1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	158	1.7	1	1	1	2	2	3	3	4
20-34	925	1.8	1	1	1	2	2	3	3	4
35-49	114	1.8	2	1	1	2	2	3	4	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	120	1.7		1	1	2	2	3	3	4
20-34	2953	2.1	1	1	2	2	3	3	3	4
35-49	497	2.2	1	1	2	2	3	3	4	4
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23524	1.5		1	1	1	2	2	3	3
B. Operated	14163	1.6	1	1	1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	1197	1.8	1	1	1	2	2	3	3	4
B. Operated	3570	2.1	1	1	2	2	3	3	3	4
1. SINGLE DX	37687	1.6		1	1	1	2	2	3	3
2. MULTIPLE DX	4767	2.0	1	1	2	2	2	3	3	4
A. Not Operated	24721	1.6		1	1	1	2	2	3	3
B. Operated	17733	1.7	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	5169	1.6	1	1	1	1	2	2	3	3
20-34	34143	1.6		1	1	2	2	2	3	3
35-49	3138	1.7	1	1	1	2	2	3	3	4
50-64	4	1.8		1	1	2	2	2	2	2
65 +	0									
GRAND TOTAL	**42454**	**1.6**		**1**	**1**	**2**	**2**	**2**	**3**	**3**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	10	1.6	1	< 1	1	1	2	3	3	3
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	3.3	1	2	3	3	4	5	5	5
20-34	117	5.6	57	2	3	4	5	7	20	45
35-49	25	4.3	4	3	3	4	5	6	8	13
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	9	4.8	59	1	1	2	4	17	25	25
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	7.1	37	3	3	5	8	19	23	23
20-34	398	8.1	139	3	3	4	6	18	33	68
35-49	118	11.4	233	3	4	4	10	28	49	70
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.8	1	< 1	1	2	3	3	4	4
B. Operated	148	5.3	46	2	3	4	5	7	11	43
2. MULTIPLE DX										
A. Not Operated	11	4.1	50	< 1	1	2	4	13	24	25
B. Operated	534	8.8	158	3	3	4	7	21	36	67
1. SINGLE DX	160	5.0	43	2	3	4	5	6	11	43
2. MULTIPLE DX	545	8.7	156	3	3	4	6	21	36	67
A. Not Operated	23	2.9	25	< 1	1	2	3	4	12	25
B. Operated	682	8.0	136	3	3	4	6	19	31	64
TOTAL										
0-19 YRS	26	5.9	29	3	3	4	5	12	22	23
20-34	534	7.4	119	2	3	4	5	15	30	64
35-49	145	10.1	199	3	4	4	8	27	46	66
50-64	0									
65 +	0									
GRAND TOTAL	**705**	**7.9**	**133**	**2**	**3**	**4**	**5**	**19**	**30**	**64**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.7	1	1	1	1	3	3	3	3
20-34	99	1.7	1	1	1	2	2	3	3	5
35-49	19	1.4		1	1	1	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	14	2.7	2	1	1	3	4	5	5	5
20-34	127	2.6	2	1	1	3	4	4	4	6
35-49	19	3.1	9	1	1	2	4	5	10	14
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	1.6	1	< 1	1	1	2	3	3	3
20-34	123	3.1	19	1	1	2	3	5	12	28
35-49	8	2.1	2	1	1	2	2	4	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	84	3.7	14	1	2	3	4	5	8	23
20-34	656	4.3	28	1	2	3	5	6	9	36
35-49	106	4.9	42	2	3	4	5	7	10	42
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	129	1.6	1	1	1	2	2	3	3	4
B. Operated	160	2.7	2	1	1	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	144	2.9	16	1	1	2	3	5	11	27
B. Operated	846	4.3	29	1	2	3	4	6	9	36
1. SINGLE DX	289	2.2	2	1	1	2	3	4	4	6
2. MULTIPLE DX	990	4.1	27	1	2	3	4	6	9	33
A. Not Operated	273	2.3	9	1	1	2	2	3	5	15
B. Operated	1006	4.0	25	1	2	3	4	6	8	33
TOTAL										
0-19 YRS	122	3.2	11	1	1	3	4	5	5	21
20-34	1005	3.7	22	1	2	3	4	5	8	29
35-49	152	4.1	32	1	2	3	4	5	9	38
50-64	0									
65 +	0									
GRAND TOTAL	**1279**	**3.7**	**22**	**1**	**2**	**3**	**4**	**5**	**8**	**30**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	26	1.7	1	1	1	2	2	3	3	4
35-49	4	2.5		2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	58	1.7		1	1	2	2	2	3	3
20-34	422	1.7	1	1	1	2	2	3	3	4
35-49	50	1.7	1	1	1	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	19	1.9	1	1	1	2	2	3	3	3
35-49	4	1.8		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	50	2.2	2	1	1	2	3	3	3	11
20-34	479	2.2	3	1	1	2	3	3	4	8
35-49	55	2.4	6	1	1	2	3	4	4	18
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	1.8	1	1	1	2	2	3	3	4
B. Operated	530	1.7		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	28	1.9	1	1	1	2	2	3	3	3
B. Operated	584	2.2	3	1	1	2	3	3	4	9
1. SINGLE DX	564	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	612	2.2	3	1	1	2	3	3	4	8
A. Not Operated	62	1.8	1	1	1	2	2	3	3	4
B. Operated	1114	2.0	2	1	1	2	2	3	3	6
TOTAL										
0-19 YRS	117	1.9	1	1	1	2	2	3	3	6
20-34	946	2.0	2	1	1	2	2	3	4	6
35-49	113	2.1	3	1	1	2	2	3	4	10
50-64	0									
65 +	0									
GRAND TOTAL	**1176**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	30	1.7		1	1	2	2	2	3	3
20-34	182	1.7		1	1	2	2	2	3	4
35-49	17	1.8	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	2.0	1	1	1	2	2	4	4	5
20-34	136	2.0	1	1	1	2	2	3	4	4
35-49	7	1.4		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	1.9	1	1	1	2	2	3	4	4
20-34	96	1.9	1	1	1	2	2	3	3	4
35-49	14	1.9	1	1	1	2	3	3	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	39	2.6	6	1	2	2	3	3	7	15
20-34	247	2.4	2	1	2	2	3	4	5	6
35-49	25	2.6	2	1	2	2	3	4	5	7
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	229	1.7		1	1	2	2	3	3	4
B. Operated	174	2.0	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	133	1.9	1	1	1	2	2	3	3	4
B. Operated	311	2.4	2	1	2	2	3	4	5	8
1. SINGLE DX	403	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	444	2.3	2	1	2	2	3	3	4	6
A. Not Operated	362	1.8	1	1	1	2	2	3	3	4
B. Operated	485	2.3	2	1	2	2	3	4	4	6
TOTAL										
0-19 YRS	123	2.1	3	1	1	2	2	3	4	11
20-34	661	2.0	1	1	1	2	2	3	4	6
35-49	63	2.1	1	1	1	2	3	4	4	7
50-64	0									
65 +	0									
GRAND TOTAL	**847**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	4.0	17	1	1	2	6	10	10	10
20-34	37	2.4	9	1	1	2	2	3	4	20
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	63	2.9	2	1	2	3	4	4	5	7
35-49	8	4.0	7	1	2	4	5	8	9	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	2.7	1	1	2	3	4	4	4	4
20-34	43	2.3	1	1	1	2	3	4	4	5
35-49	10	2.6	3	1	1	2	3	5	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	51	4.6	19	2	3	4	5	7	9	28
20-34	671	4.6	29	2	3	4	5	6	8	34
35-49	128	5.1	25	2	3	4	5	6	14	32
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.4	9	1	1	2	2	3	5	20
B. Operated	74	3.0	2	1	2	3	4	4	6	9
2. MULTIPLE DX										
A. Not Operated	60	2.4	1	1	1	2	3	4	4	7
B. Operated	850	4.6	27	2	3	4	5	6	9	32
1. SINGLE DX	120	2.8	5	1	2	2	3	4	5	13
2. MULTIPLE DX	910	4.5	26	2	3	4	5	6	9	32
A. Not Operated	106	2.4	5	1	1	2	3	4	4	14
B. Operated	924	4.5	26	2	3	4	5	6	9	32
TOTAL										
0-19 YRS	65	4.3	17	2	2	3	5	7	9	27
20-34	814	4.2	25	2	2	3	4	6	8	31
35-49	151	4.8	22	2	3	4	5	6	13	32
50-64	0									
65 +	0									
GRAND TOTAL	**1030**	**4.3**	**24**	**2**	**2**	**4**	**4**	**6**	**8**	**31**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	1.7	1	< 1	1	1	2	4	4	4
20-34	45	1.6	1	1	1	1	2	2	5	5
35-49	7	1.6		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	164	3.5	1	3	3	3	4	4	5	5
20-34	1306	3.5	1	3	3	4	4	4	5	6
35-49	118	3.5	2	2	3	3	4	5	5	9
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	1.6	1	< 1	1	1	2	3	4	4
20-34	48	1.6	1	1	1	1	2	3	3	6
35-49	8	2.1	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	196	4.1	8	3	3	4	4	6	7	15
20-34	1878	3.9	7	3	3	4	4	5	6	12
35-49	345	3.9	3	3	3	4	4	5	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	1.6	1	1	1	1	2	2	4	5
B. Operated	1588	3.5	1	3	3	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	68	1.7	1	1	1	1	2	3	4	6
B. Operated	2419	3.9	6	3	3	4	4	5	6	12
1. SINGLE DX	1646	3.4	1	2	3	3	4	4	5	6
2. MULTIPLE DX	2487	3.8	6	2	3	4	4	5	6	12
A. Not Operated	126	1.7	1	1	1	1	2	3	4	5
B. Operated	4007	3.7	4	3	3	4	4	5	5	9
TOTAL										
0-19 YRS	378	3.7	5	2	3	3	4	5	6	11
20-34	3277	3.7	4	2	3	4	4	5	5	9
35-49	478	3.7	3	2	3	4	4	5	5	10
50-64	0									
65 +	0									
GRAND TOTAL	**4133**	**3.7**	**4**	**2**	**3**	**4**	**4**	**5**	**5**	**9**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.8		1	1	2	2	3	3	3
20-34	378	1.7	1	1	1	2	2	3	3	4
35-49	39	1.7		1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	109	2.4	1	1	2	2	3	4	4	5
20-34	768	2.3	1	1	1	2	3	4	4	5
35-49	80	2.3	1	1	1	2	3	4	4	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	37	1.7	1	1	1	2	2	3	3	4
20-34	336	1.8	1	1	1	2	2	3	3	4
35-49	39	2.1	3	1	1	2	2	3	5	11
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	471	3.2	4	1	2	3	4	5	6	11
20-34	3865	3.1	3	1	2	3	4	5	5	7
35-49	528	3.6	11	2	2	3	4	5	6	10
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	454	1.7	1	1	1	2	2	3	3	4
B. Operated	957	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	412	1.8	1	1	1	2	2	3	3	5
B. Operated	4864	3.2	4	1	2	3	4	5	5	8
1. SINGLE DX	1411	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX	5276	3.1	4	1	2	3	4	5	5	8
A. Not Operated	866	1.8	1	1	1	2	2	3	3	4
B. Operated	5821	3.0	3	1	2	3	4	5	5	7
TOTAL										
0-19 YRS	654	2.9	3	1	2	3	4	5	5	9
20-34	5347	2.8	2	1	2	3	4	4	5	7
35-49	686	3.2	9	1	2	3	4	5	5	9
50-64	0									
65 +	0									
GRAND TOTAL	**6687**	**2.9**	**3**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	9	2.1	2	1	1	2	3	4	5	5
35-49	3	4.0	9	1	2	4	6	7	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	124	3.7	1	3	3	4	4	5	5	6
20-34	690	3.8	1	3	3	4	4	5	5	6
35-49	75	4.0	1	3	4	4	5	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	2.8	2	1	2	3	4	4	5	5
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	648	4.3	4	3	3	4	5	6	7	10
20-34	4595	4.1	1	3	3	4	5	5	6	8
35-49	505	4.2	2	3	4	4	5	5	6	9
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.6	3	1	2	2	3	5	6	7
B. Operated	889	3.8	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	19	2.8	2	1	1	3	4	5	5	5
B. Operated	5748	4.1	2	3	3	4	5	5	6	9
1. SINGLE DX	906	3.7	1	3	3	4	4	5	5	6
2. MULTIPLE DX	5767	4.1	2	3	3	4	5	5	6	9
A. Not Operated	36	2.7	2	1	1	3	4	5	5	7
B. Operated	6637	4.1	2	3	3	4	5	5	6	8
TOTAL										
0-19 YRS	778	4.2	4	3	3	4	5	5	6	10
20-34	5310	4.0	1	3	3	4	5	5	6	8
35-49	585	4.2	2	3	4	4	5	5	6	7
50-64	0									
65 +	0									
GRAND TOTAL	**6673**	**4.1**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	**8**

293: Uterine inertia, delivered (661.0-661.2 with 5th digit 0, 1; 662.0-662.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	84	1.7		1	1	2	2	3	3	3
20-34	503	1.7	1	1	1	2	2	3	3	4
35-49	45	1.9	1	1	1	2	2	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	216	2.8	2	1	2	3	4	5	5	7
20-34	1379	2.9	2	1	2	3	4	5	5	6
35-49	135	3.0	2	1	2	3	4	5	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	2.1	1	1	2	2	2	3	4	6
20-34	462	2.0	1	1	1	2	2	3	3	4
35-49	52	2.2	1	1	2	2	3	3	4	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	548	3.3	4	1	2	3	4	5	6	11
20-34	4420	3.3	3	1	2	3	4	5	6	8
35-49	574	3.4	3	2	2	3	4	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	632	1.7	1	1	1	2	2	3	3	4
B. Operated	1730	2.9	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	587	2.0	1	1	1	2	2	3	3	5
B. Operated	5542	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	2362	2.6	2	1	2	2	4	4	5	6
2. MULTIPLE DX	6129	3.2	3	1	2	3	4	5	6	8
A. Not Oparated	1219	1.9	1	1	1	2	2	3	3	4
B. Operated	7272	3.2	3	1	2	3	4	5	6	8
TOTAL										
0-19 YRS	921	3.0	3	1	2	3	4	5	6	9
20-34	6764	3.0	3	1	2	3	4	5	5	7
35-49	806	3.2	2	1	2	3	4	5	6	8
50-64	0									
65 +	0									
GRAND TOTAL	**8491**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
20-34	61	1.7	1	1	1	1	2	3	3	7
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	41	2.8	2	1	1	3	4	5	6	6
20-34	250	2.8	2	1	2	3	4	5	5	5
35-49	35	2.8	2	1	1	3	4	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	1.7	1	1	1	1	2	3	5	5
20-34	70	2.0	3	1	1	2	2	3	4	12
35-49	11	2.0	1	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	102	3.4	3	1	2	3	4	5	6	12
20-34	990	3.6	8	2	3	3	4	5	6	12
35-49	175	3.4	2	2	3	3	4	5	6	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	1.6	1	1	1	1	2	3	3	7
B. Operated	326	2.8	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. Not Operated	95	2.0	2	1	1	2	2	3	4	10
B. Operated	1267	3.6	7	2	3	3	4	5	6	11
1. SINGLE DX	394	2.6	2	1	1	2	4	4	5	6
2. MULTIPLE DX	1362	3.4	7	1	2	3	4	5	6	12
A. Not Operated	163	1.8	2	1	1	2	2	3	4	8
B. Operated	1593	3.4	6	1	2	3	4	5	6	8
TOTAL										
0-19 YRS	161	3.0	3	1	2	3	4	5	6	11
20-34	1371	3.3	7	1	2	3	4	5	5	9
35-49	224	3.2	2	1	2	3	4	5	5	8
50-64	0									
65 +	0									
GRAND TOTAL	**1756**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.8	1	1	1	2	2	3	4	4
20-34	355	1.7		1	1	2	2	2	3	4
35-49	25	1.5		1	1	2	2	2	2	2
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	174	3.2	1	2	3	3	4	4	5	6
20-34	4186	3.3	1	2	3	3	4	4	5	5
35-49	430	3.6	1	3	3	4	4	4	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	212	2.0	1	1	1	2	2	3	4	5
35-49	26	2.0	1	1	2	2	2	3	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	203	3.5	1	2	3	3	4	5	5	7
20-34	7390	3.5	2	2	3	3	4	5	5	7
35-49	1378	3.6	2	2	3	4	4	5	5	8
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	391	1.7		1	1	2	2	2	3	4
B. Operated	4790	3.3	1	2	3	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	244	2.0	1	1	1	2	2	3	4	5
B. Operated	8971	3.5	2	2	3	4	4	5	5	7
1. SINGLE DX	5181	3.2	1	2	3	3	4	4	5	5
2. MULTIPLE DX	9215	3.5	2	2	3	3	4	5	5	7
A. Not Operated	635	1.8	1	1	1	2	2	3	3	4
B. Operated	13761	3.5	2	2	3	3	4	4	5	6
TOTAL										
0-19 YRS	394	3.3	1	2	3	3	4	4	5	7
20-34	12143	3.4	2	2	3	3	4	4	5	6
35-49	1859	3.6	2	2	3	4	4	5	5	7
50-64	0									
65 +	0									
GRAND TOTAL	**14396**	**3.4**	**2**	**2**	**3**	**3**	**4**	**4**	**5**	**6**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	68	1.9	1	1	1	2	2	3	3	5
20-34	524	1.9	1	1	1	2	2	3	3	4
35-49	63	2.4	7	1	2	2	3	3	4	20
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	95	1.9	1	1	1	2	2	3	3	5
20-34	784	2.0	1	1	1	2	2	3	3	5
35-49	90	2.3	6	1	2	2	2	3	3	17
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	92	2.4	3	1	1	2	3	4	5	10
20-34	669	2.5	7	1	1	2	3	4	5	11
35-49	93	2.6	8	1	2	2	3	4	8	17
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	396	3.1	6	1	2	3	4	5	7	11
20-34	3110	3.3	12	1	2	3	4	5	7	20
35-49	460	3.7	20	1	2	3	4	6	8	23
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	655	1.9	1	1	1	2	2	3	3	4
B. Operated	969	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	854	2.5	7	1	1	2	3	4	5	11
B. Operated	3966	3.3	12	1	2	3	4	5	7	18
1. SINGLE DX	1624	2.0	1	1	1	2	2	3	3	5
2. MULTIPLE DX	4820	3.2	11	1	2	2	4	5	7	17
A. Not Operated	1509	2.2	5	1	1	2	2	3	4	10
B. Operated	4935	3.1	10	1	2	2	3	5	6	16
TOTAL										
0-19 YRS	651	2.7	4	1	2	2	3	5	6	10
20-34	5087	2.8	9	1	2	2	3	5	6	15
35-49	706	3.3	16	1	2	2	4	5	7	22
50-64	0									
65 +	0									
GRAND TOTAL	**6444**	**2.9**	**9**	**1**	**2**	**2**	**3**	**5**	**6**	**15**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	430	1.6		1	1	2	2	2	3	3
20-34	3412	1.6		1	1	2	2	2	3	3
35-49	283	1.7		1	1	2	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	448	1.7	1	1	1	2	2	3	3	4
20-34	3399	1.7	1	1	1	2	2	3	3	4
35-49	276	1.6		1	1	2	2	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	185	1.8	1	1	1	2	2	3	3	5
20-34	1327	1.8	1	1	1	2	2	3	3	4
35-49	142	1.8	1	1	1	2	2	3	3	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	454	2.0	2	1	1	2	2	3	4	6
20-34	4192	2.1	2	1	1	2	2	3	4	5
35-49	498	2.4	4	1	2	2	3	4	4	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4125	1.6		1	1	2	2	2	3	3
B. Operated	4123	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	1655	1.8	1	1	1	2	2	3	3	4
B. Operated	5144	2.1	2	1	1	2	2	3	4	5
1. SINGLE DX	8248	1.7	1	1	1	2	2	2	3	4
2. MULTIPLE DX	6799	2.0	2	1	1	2	2	3	4	5
A. Not Operated	5780	1.7	1	1	1	2	2	2	3	3
B. Operated	9267	1.9	2	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	1517	1.7	1	1	1	2	2	3	3	4
20-34	12330	1.8	1	1	1	2	2	3	3	4
35-49	1199	2.0	2	1	1	2	2	3	4	5
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	**15047**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	120	1.4		1	1	1	2	2	2	4
20-34	888	1.5		1	1	1	2	2	3	3
35-49	96	1.5		1	1	1	2	2	3	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1339	1.5		1	1	1	2	2	2	3
20-34	9694	1.5		1	1	1	2	2	3	3
35-49	992	1.6		1	1	2	2	2	3	3
50-64	3	1.7	1	1	1	1	3	3	3	3
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	1.7		1	1	2	2	3	3	4
20-34	486	1.7	1	1	1	2	2	2	3	4
35-49	56	1.7		1	1	2	2	2	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	796	1.8	2	1	1	2	2	3	3	4
20-34	7583	1.8	1	1	1	2	2	3	3	4
35-49	1060	2.0	1	1	1	2	2	3	3	5
50-64	1	3.0		3	3	3	3	3	3	3
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1104	1.5		1	1	1	2	2	3	3
B. Operated	12028	1.5		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	614	1.7	1	1	1	2	2	2	3	4
B. Operated	9440	1.8	1	1	1	2	2	3	3	4
1. SINGLE DX	13132	1.5		1	1	1	2	2	3	3
2. MULTIPLE DX	10054	1.8	1	1	1	2	2	3	3	4
A. Not Operated	1718	1.6		1	1	1	2	2	3	3
B. Operated	21468	1.7	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	2327	1.6	1	1	1	1	2	2	3	4
20-34	18651	1.7	1	1	1	2	2	2	3	4
35-49	2204	1.8	1	1	1	2	2	3	3	4
50-64	4	2.0	1	1	1	2	3	3	3	3
65 +	0									
GRAND TOTAL	**23186**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	1.7		1	1	2	2	2	3	3
20-34	214	1.7		1	1	2	2	3	3	3
35-49	16	1.9		1	1	2	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	694	1.7		1	1	2	2	2	3	4
20-34	2973	1.8	1	1	1	2	2	3	3	4
35-49	159	1.8	1	1	1	2	2	3	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.1	1	1	2	2	2	3	4	7
20-34	132	2.0	1	1	2	2	3	3	3	4
35-49	6	1.7	1	1	1	2	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	573	2.0	1	1	1	2	2	3	3	6
20-34	3019	2.1	1	1	2	2	3	3	4	5
35-49	270	2.3	2	1	2	2	3	3	4	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	271	1.7		1	1	2	2	3	3	3
B. Operated	3826	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	165	2.0	1	1	2	2	2	3	3	4
B. Operated	3862	2.1	1	1	2	2	3	3	4	5
1. SINGLE DX	4097	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	4027	2.1	1	1	2	2	3	3	4	5
A. Not Operated	436	1.8	1	1	1	2	2	3	3	3
B. Operated	7688	1.9	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	1335	1.8	1	1	1	2	2	3	3	4
20-34	6338	2.0	1	1	1	2	2	3	3	4
35-49	451	2.1	1	1	1	2	2	3	3	5
50-64	0									
65+	0									
GRAND TOTAL	**8124**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	1.3		1	1	1	2	2	2	2
20-34	221	1.7		1	1	2	2	3	3	3
35-49	7	2.1	2	1	1	2	2	4	5	5
50-64	0									
65+	0									
B. Operated										
0-19 YRS	322	1.6		1	1	2	2	2	3	3
20-34	1356	1.6		1	1	2	2	2	3	3
35-49	83	1.7		1	1	2	2	3	3	3
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	1.8	1	1	1	1	2	4	4	4
20-34	95	1.7	1	1	1	1	2	3	3	4
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	0									
65+	0									
B. Operated										
0-19 YRS	241	2.0	7	1	1	2	2	3	3	6
20-34	1402	1.9	1	1	1	2	2	3	3	5
35-49	111	2.0	1	1	1	2	2	3	4	6
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	260	1.6		1	1	2	2	2	3	3
B. Operated	1761	1.6		1	1	2	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	117	1.7	1	1	1	1	2	3	3	4
B. Operated	1754	1.9	2	1	1	2	2	3	3	5
1. SINGLE DX	2021	1.6		1	1	2	2	2	3	3
2. MULTIPLE DX	1871	1.9	2	1	1	2	2	3	3	5
A. Not Operated	377	1.7	1	1	1	2	2	3	3	4
B. Operated	3515	1.8	1	1	1	2	2	3	3	4
TOTAL										
0-19 YRS	612	1.8	3	1	1	2	2	3	3	4
20-34	3074	1.7	1	1	1	2	2	3	3	4
35-49	206	1.9	1	1	1	2	2	3	3	5
50-64	0									
65+	0									
GRAND TOTAL	**3892**	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	632	1.7	1	1	1	2	2	3	3	5
20-34	3573	1.7	1	1	1	2	2	3	3	4
35-49	356	1.8	2	1	1	2	2	3	3	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1465	2.1	2	1	1	2	3	3	4	6
20-34	8398	2.1	2	1	1	2	3	3	4	6
35-49	774	2.3	1	1	1	2	3	4	4	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	557	2.1	2	1	1	2	2	3	4	8
20-34	3342	2.0	2	1	1	2	2	3	4	7
35-49	370	2.0	1	1	1	2	2	3	4	6
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	3260	2.9	5	1	2	2	4	5	6	12
20-34	21965	3.0	8	1	2	2	4	5	6	13
35-49	2872	3.5	17	1	2	3	4	5	7	22
50-64	3	4.7		4	4	5	5	5	5	5
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4561	1.7	1	1	1	2	2	3	3	4
B. Operated	10637	2.2	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	4270	2.0	2	1	1	2	2	3	4	7
B. Operated	28100	3.0	8	1	2	2	4	5	6	13
1. SINGLE DX	15198	2.0	2	1	1	2	2	3	4	5
2. MULTIPLE DX	32370	2.9	8	1	2	2	3	5	6	13
A. Not Operated	8831	1.9	2	1	1	2	2	3	3	6
B. Operated	38737	2.8	7	1	2	2	3	5	6	12
TOTAL										
0-19 YRS	5914	2.5	4	1	1	2	3	4	5	9
20-34	37278	2.6	6	1	2	2	3	4	5	10
35-49	4372	3.0	12	1	2	2	4	5	6	16
50-64	4	3.8	4	1	2	4	5	5	5	5
65 +	0									
GRAND TOTAL	**47568**	**2.6**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	32	2.8	2	1	2	3	4	4	5	7
20-34	141	2.7	2	1	2	3	3	4	4	8
35-49	13	2.7	2	1	2	3	3	5	6	6
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	5.5	8	3	4	5	6	10	11	11
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	3.6	5	2	2	3	4	6	7	14
20-34	218	3.2	3	2	2	3	4	5	6	10
35-49	20	3.0	2	1	2	3	4	4	6	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	6	4.5	7	2	2	4	6	9	9	9
20-34	35	4.3	7	1	3	4	5	9	11	11
35-49	3	6.3	34	2	2	4	11	13	13	13
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	186	2.7	2	1	2	3	3	4	5	8
B. Operated	9	4.2	9	1	2	4	5	9	11	11
2. MULTIPLE DX										
A. Not Operated	282	3.2	3	2	2	3	4	5	6	10
B. Operated	44	4.5	8	2	2	4	5	9	11	13
1. SINGLE DX	195	2.8	2	1	2	3	3	4	5	9
2. MULTIPLE DX	326	3.4	4	2	2	3	4	5	6	12
A. Not Operated	468	3.0	2	2	2	3	4	5	6	9
B. Operated	53	4.4	8	1	3	4	5	9	11	13
TOTAL										
0-19 YRS	84	3.3	4	1	2	3	4	6	7	12
20-34	400	3.2	3	2	2	3	4	5	6	10
35-49	37	3.1	4	1	2	3	4	4	7	13
50-64	0									
65 +	0									
GRAND TOTAL	**521**	**3.2**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	1.2		< 1	< 1	1	1	2	3	3
35-49	3	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	10	1.4		< 1	< 1	1	2	2	2	2
20-34	78	1.3		< 1	< 1	1	1	2	3	4
35-49	5	1.2		< 1	< 1	1	1	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	21	1.8	1	< 1	1	1	2	4	4	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	13	3.4	18	1	1	2	4	7	15	17
20-34	88	2.3	4	1	1	1	3	5	6	10
35-49	9	2.7	3	< 1	1	2	4	6	6	6
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.2		< 1	< 1	1	1	2	3	3
B. Operated	93	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	23	1.7	1	< 1	1	1	2	3	4	5
B. Operated	110	2.5	5	1	1	2	3	5	6	14
1. SINGLE DX	108	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	133	2.3	5	1	1	1	3	5	6	13
A. Not Operated	38	1.5	1	< 1	1	1	2	3	4	5
B. Operated	203	1.9	3	< 1	1	1	2	4	5	9
TOTAL										
0-19 YRS	25	2.4	10	< 1	1	2	2	4	7	17
20-34	197	1.8	2	< 1	1	1	2	4	5	7
35-49	19	1.8	2	< 1	1	1	2	4	6	6
50-64	0									
65 +	0									
GRAND TOTAL	**241**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**	**7**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	4.0	10	1	2	3	5	10	11	12
20-34	82	3.2	6	1	2	3	4	6	10	12
35-49	9	2.8	3	1	2	2	3	6	7	7
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	23	2.0	5	< 1	1	1	2	5	8	9
20-34	134	2.0	2	1	1	2	2	4	5	8
35-49	15	1.9	2	1	1	1	2	3	5	6
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	17	4.6	9	2	3	4	6	9	11	12
20-34	95	4.8	10	1	2	4	7	9	10	14
35-49	19	2.9	4	1	1	3	4	6	7	8
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	19	2.9	5	1	1	2	4	6	8	10
20-34	127	3.4	14	1	1	2	5	7	10	45
35-49	12	4.3	14	1	2	3	6	11	12	12
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	3.4	7	1	2	3	4	7	10	12
B. Operated	172	2.0	3	1	1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	131	4.5	9	1	2	4	6	9	10	14
B. Operated	158	3.4	13	1	1	2	5	7	10	28
1. SINGLE DX	288	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	289	3.9	11	1	1	3	5	8	10	17
A. Not Operated	247	4.0	9	1	2	3	5	9	10	13
B. Operated	330	2.7	8	1	1	2	3	6	8	14
TOTAL										
0-19 YRS	84	3.3	8	1	1	2	4	8	10	12
20-34	438	3.3	9	1	1	2	4	7	9	14
35-49	55	2.9	6	1	1	2	4	6	8	12
50-64	0									
65 +	0									
GRAND TOTAL	**577**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**13**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	370	3.0	4	1	2	3	4	5	7	12
20-34	326	3.2	3	2	2	3	4	5	7	9
35-49	260	3.7	4	2	2	3	5	7	8	10
50-64	168	4.3	5	2	3	4	5	8	9	11
65 +	142	4.5	7	2	3	4	6	8	10	13
B. Operated										
0-19 YRS	152	3.3	6	1	1	3	4	6	8	9
20-34	166	4.1	13	1	2	3	5	7	10	23
35-49	105	4.2	7	2	2	4	5	7	9	16
50-64	68	5.0	12	2	3	4	7	10	13	16
65 +	39	8.2	60	2	3	5	9	20	26	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	546	3.6	6	2	2	3	4	6	8	11
20-34	632	4.2	7	2	2	4	5	8	9	13
35-49	848	5.0	12	2	3	4	6	9	11	16
50-64	876	5.9	17	2	3	5	7	11	14	22
65 +	1803	6.3	15	3	4	5	8	11	14	21
B. Operated										
0-19 YRS	226	5.1	23	2	2	4	6	9	11	25
20-34	422	6.7	38	2	3	5	8	13	19	34
35-49	528	8.0	69	2	3	6	10	15	20	57
50-64	477	9.5	78	3	4	7	11	18	26	53
65 +	647	10.7	67	3	5	8	14	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1266	3.5	4	2	2	3	4	6	7	11
B. Operated	530	4.3	15	1	2	4	5	8	10	22
2. MULTIPLE DX										
A. Not Operated	4705	5.4	14	2	3	4	7	10	12	19
B. Operated	2300	8.6	63	2	4	6	11	17	23	42
1. SINGLE DX	1796	3.8	7	1	2	3	5	7	8	14
2. MULTIPLE DX	7005	6.4	32	2	3	5	8	12	16	30
A. Not Operated	5971	5.0	12	2	3	4	6	9	12	18
B. Operated	2830	7.8	57	2	3	6	10	16	21	39
TOTAL										
0-19 YRS	1294	3.7	9	1	2	3	4	7	8	14
20-34	1546	4.7	17	2	2	4	5	9	11	22
35-49	1741	5.7	30	2	3	4	7	10	14	24
50-64	1589	6.8	37	2	3	5	8	13	17	32
65 +	2631	7.3	32	3	4	6	9	14	18	32
GRAND TOTAL	**8801**	**5.9**	**28**	**2**	**3**	**4**	**7**	**11**	**15**	**28**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	3.4	4	1	2	3	5	6	8	9
20-34	57	3.0	2	2	2	3	4	5	6	9
35-49	40	3.3	3	1	2	3	4	6	7	7
50-64	21	5.1	39	1	2	3	5	9	20	30
65 +	14	3.9	2	2	3	4	4	6	6	6
B. Operated										
0-19 YRS	63	2.6	4	< 1	1	2	4	6	7	8
20-34	53	4.0	9	1	2	3	5	6	9	19
35-49	30	3.8	11	1	2	2	5	9	11	13
50-64	26	4.0	20	1	2	3	4	7	11	24
65 +	12	4.7	26	1	2	3	5	11	19	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	153	3.4	4	1	2	3	4	6	8	11
20-34	81	3.8	8	2	2	3	4	6	8	18
35-49	75	4.6	7	2	3	4	6	9	11	12
50-64	90	6.0	20	2	3	5	8	12	16	22
65 +	171	5.5	14	2	3	5	7	10	11	20
B. Operated										
0-19 YRS	94	4.4	8	1	3	4	6	8	10	13
20-34	90	5.9	23	2	3	4	7	12	16	26
35-49	97	7.0	44	1	3	5	9	14	19	36
50-64	89	7.7	50	2	3	6	9	14	23	39
65 +	140	8.0	81	2	4	6	9	14	20	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	3.5	7	1	2	3	4	6	7	10
B. Operated	184	3.5	10	1	2	3	4	7	9	20
2. MULTIPLE DX										
A. Not Operated	570	4.7	11	2	2	4	6	9	11	19
B. Operated	510	6.7	46	2	3	5	8	13	17	32
1. SINGLE DX	394	3.5	8	1	2	3	4	6	8	16
2. MULTIPLE DX	1080	5.6	29	2	3	4	7	10	14	26
A. Not Operated	780	4.4	10	2	2	4	5	8	10	18
B. Operated	694	5.9	39	1	2	4	7	11	15	29
TOTAL										
0-19 YRS	388	3.5	5	1	2	3	5	7	8	11
20-34	281	4.4	13	2	2	3	5	8	11	21
35-49	242	5.2	24	2	2	4	6	11	14	24
50-64	226	6.4	35	2	3	5	7	12	17	32
65 +	337	6.4	43	2	3	5	8	11	15	27
GRAND TOTAL	**1474**	**5.1**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**25**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	4	6.0	29	1	1	5	10	12	12	12
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	103	1.7	1	1	1	1	2	3	4	5
20-34	169	1.7	1	1	1	1	2	3	4	6
35-49	43	1.7	2	1	1	1	2	3	5	6
50-64	9	1.8	3	< 1	1	1	2	4	6	6
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	5	2.0	1	< 1	1	2	3	3	3	3
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	16	6.9	233	< 1	1	2	2	27	49	58
20-34	35	3.6	14	1	1	2	4	10	12	15
35-49	18	2.3	2	1	1	2	2	5	6	6
50-64	6	4.5	29	1	1	2	5	14	15	15
65 +	3	2.7	8	1	1	1	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	6.0	29	1	1	5	10	12	12	12
B. Operated	324	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	6	1.8	1	< 1	1	2	3	3	3	3
B. Operated	78	4.0	57	1	1	2	3	8	14	50
1. SINGLE DX	328	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	84	3.9	53	1	1	2	3	7	14	48
A. Not Operated	10	3.5	15	< 1	1	2	3	10	12	12
B. Operated	402	2.2	13	1	1	1	2	3	5	14
TOTAL										
0-19 YRS	119	2.4	34	1	1	1	2	3	4	38
20-34	213	2.1	5	1	1	1	2	3	6	12
35-49	61	1.9	2	1	1	1	2	4	5	6
50-64	15	2.9	14	1	1	1	3	6	13	15
65 +	4	2.3	6	1	1	1	4	6	6	6
GRAND TOTAL	**412**	**2.2**	**13**	**1**	**1**	**1**	**2**	**3**	**5**	**14**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
B. Operated										
0-19 YRS	26	1.0		< 1	< 1	< 1	1	1	2	2
20-34	14	1.1		< 1	< 1	1	1	2	2	2
35-49	16	1.2		< 1	< 1	1	1	2	3	3
50-64	6	1.2		< 1	< 1	1	1	2	2	2
65 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
B. Operated										
0-19 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
20-34	3	2.0	3	< 1	< 1	1	3	4	4	4
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	9	2.1	3	< 1	1	1	4	5	5	5
65 +	8	5.4	4	3	4	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	64	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	6	2.7	4	< 1	< 1	2	5	5	5	5
B. Operated	28	2.8	5	< 1	< 1	2	4	7	7	8
1. SINGLE DX	66	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	34	2.8	5	< 1	< 1	2	4	6	7	8
A. Not Operated	8	2.6	3	< 1	< 1	2	4	5	5	5
B. Operated	92	1.6	2	< 1	< 1	1	1	4	5	8
TOTAL										
0-19 YRS	33	1.0		< 1	< 1	< 1	1	1	1	2
20-34	18	1.4	1	< 1	< 1	1	1	3	4	4
35-49	22	1.7	2	< 1	< 1	1	2	4	5	5
50-64	17	1.7	2	< 1	< 1	1	2	4	5	5
65 +	10	4.5	7	< 1	2	5	7	8	8	8
GRAND TOTAL	**100**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**8**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	0									
50-64	3	16.3	152	6	8	13	26	30	30	30
65+	4	6.5	1	5	6	7	7	7	7	7
B. Operated										
0-19 YRS	4	7.3	140	<1	<1	1	13	25	25	25
20-34	9	4.8	7	1	2	5	7	8	8	8
35-49	25	7.6	34	2	3	6	11	15	18	25
50-64	12	4.3	9	1	2	4	6	9	10	10
65+	41	11.2	111	2	5	9	14	21	33	52
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	13	7.5	120	2	2	4	7	17	38	43
20-34	39	9.8	54	3	5	8	13	21	25	30
35-49	47	9.5	164	2	5	6	11	17	21	86
50-64	94	8.8	42	3	4	7	13	18	21	33
65+	388	8.4	44	3	4	7	10	16	21	37
B. Operated										
0-19 YRS	50	18.5	277	2	6	13	30	43	51	73
20-34	137	18.4	239	3	6	15	29	45	57	99+
35-49	181	16.7	314	2	5	10	24	44	63	99+
50-64	211	17.3	297	3	6	11	22	45	60	99+
65+	715	15.8	203	3	6	12	21	34	47	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	7.6	66	2	2	6	7	20	29	30
B. Operated	91	8.5	72	1	3	6	11	16	22	50
2. MULTIPLE DX										
A. Not Operated	581	8.6	56	3	4	7	11	17	22	39
B. Operated	1294	16.6	241	3	6	12	22	40	52	95
1. SINGLE DX	102	8.4	71	1	3	6	11	16	23	49
2. MULTIPLE DX	1875	14.1	197	3	5	9	19	32	46	86
A. Not Operated	592	8.6	56	3	4	7	11	17	22	38
B. Operated	1385	16.1	234	3	6	11	22	38	51	91
TOTAL										
0-19 YRS	69	15.3	256	2	4	7	24	41	46	69
20-34	187	15.8	206	2	5	11	23	40	51	99+
35-49	253	14.5	271	2	4	8	19	35	53	99
50-64	320	14.3	228	3	5	9	18	35	51	98
65+	1148	13.1	158	3	5	9	17	28	41	71
GRAND TOTAL	**1977**	**13.8**	**192**	**3**	**5**	**9**	**18**	**31**	**45**	**85**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	73	2.9	10	1	1	2	3	7	10	17
20-34	42	3.4	5	1	2	3	4	6	8	10
35-49	34	2.7	3	1	1	2	3	5	7	9
50-64	22	5.0	33	1	2	3	5	11	21	25
65+	17	3.8	6	1	2	3	5	8	9	10
B. Operated										
0-19 YRS	79	1.8	4	<1	<1	1	2	4	5	11
20-34	69	3.2	13	<1	1	2	4	7	14	16
35-49	78	2.9	10	<1	1	2	3	6	9	17
50-64	54	2.4	9	<1	1	1	3	4	7	18
65+	30	2.8	5	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	181	3.2	5	1	2	3	4	6	8	13
20-34	105	3.6	9	1	2	3	4	8	9	16
35-49	126	4.1	14	1	2	3	5	8	13	20
50-64	134	4.7	18	1	2	4	6	9	15	23
65+	202	6.9	74	2	3	5	8	11	15	42
B. Operated										
0-19 YRS	103	3.4	19	<1	1	2	3	8	11	26
20-34	97	4.0	26	1	1	2	6	9	13	29
35-49	134	3.2	15	1	1	2	3	6	13	21
50-64	124	4.2	20	1	1	2	5	11	14	21
65+	131	5.7	48	1	2	3	7	12	23	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188	3.3	10	1	2	2	4	7	9	18
B. Operated	310	2.6	9	<1	1	1	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	748	4.7	30	1	2	3	6	9	12	24
B. Operated	589	4.1	27	1	1	2	5	10	14	28
1. SINGLE DX	498	2.9	9	<1	1	2	3	6	9	17
2. MULTIPLE DX	1337	4.4	29	1	2	3	5	9	13	25
A. Not Operated	936	4.4	26	1	2	3	5	8	11	23
B. Operated	899	3.6	21	<1	1	2	4	8	13	23
TOTAL										
0-19 YRS	436	2.9	9	<1	1	2	3	6	8	14
20-34	313	3.6	15	1	1	2	4	8	10	16
35-49	372	3.4	13	1	1	2	4	7	11	19
50-64	334	4.2	19	1	1	3	5	9	14	22
65+	380	6.0	58	1	2	4	7	11	16	39
GRAND TOTAL	**1835**	**4.0**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.3	5	1	1	1	3	7	8	8
20-34	24	2.7	3	1	1	2	4	5	7	7
35-49	18	3.1	10	1	1	2	3	9	12	12
50-64	7	4.4	19	1	1	3	6	12	13	13
65 +	6	3.2	4	< 1	2	3	5	6	6	6
B. Operated										
0-19 YRS	12	3.0	11	1	1	2	4	8	11	12
20-34	13	5.3	18	1	1	4	10	11	12	12
35-49	9	6.2	72	1	1	5	6	20	28	28
50-64	4	6.3	57	1	1	4	11	17	17	17
65 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	48	4.4	32	1	1	2	5	9	20	28
20-34	98	4.5	15	1	2	3	6	9	15	19
35-49	107	5.4	21	2	2	4	6	13	15	24
50-64	94	7.1	22	2	3	7	10	13	16	21
65 +	64	6.2	17	2	3	5	8	13	14	18
B. Operated										
0-19 YRS	17	6.7	92	1	2	2	5	27	29	30
20-34	59	7.7	64	1	3	6	10	15	23	41
35-49	57	10.4	117	1	3	7	15	25	34	97
50-64	39	12.4	204	2	4	8	16	29	60	99 +
65 +	46	14.7	102	5	8	13	19	30	34	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.8	7	1	1	2	3	7	8	13
B. Operated	39	4.8	30	1	1	3	6	11	15	28
2. MULTIPLE DX										
A. Not Operated	411	5.6	21	1	2	4	7	12	15	22
B. Operated	218	10.6	119	2	3	8	15	27	32	82
1. SINGLE DX	132	3.4	14	1	1	2	4	8	11	19
2. MULTIPLE DX	629	7.3	61	1	3	5	9	16	23	42
A. Not Operated	504	5.1	20	1	2	3	7	11	15	21
B. Operated	257	9.8	109	1	3	7	13	25	31	74
TOTAL										
0-19 YRS	115	3.9	31	1	1	2	4	8	18	29
20-34	194	5.3	31	1	2	3	7	11	16	34
35-49	191	6.7	57	1	2	4	8	16	23	50
50-64	144	8.4	77	2	3	7	10	17	24	76
65 +	117	9.4	68	2	4	7	13	19	29	41
GRAND TOTAL	**761**	**6.7**	**55**	**1**	**2**	**4**	**8**	**15**	**20**	**40**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	4.2	17	1	2	3	4	12	14	17
20-34	11	4.0	5	1	2	4	5	8	9	9
35-49	17	3.5	6	1	2	3	5	6	9	11
50-64	25	4.0	5	2	3	3	5	7	8	10
65 +	22	4.1	7	1	2	4	5	8	10	11
B. Operated										
0-19 YRS	9	3.8	12	< 1	1	2	7	9	10	10
20-34	36	4.9	17	1	2	4	8	11	14	17
35-49	97	4.3	13	1	2	3	6	9	11	18
50-64	198	4.1	10	1	2	3	6	9	10	13
65 +	154	5.4	15	1	2	5	8	10	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	8.5	79	2	3	5	10	18	29	41
20-34	14	5.3	13	2	3	4	7	11	12	12
35-49	48	5.3	11	1	3	4	7	11	12	13
50-64	95	5.1	13	2	2	4	7	9	12	19
65 +	200	6.0	21	2	3	5	7	11	15	23
B. Operated										
0-19 YRS	18	12.3	440	1	4	7	10	19	65	94
20-34	57	5.9	28	1	2	5	8	11	13	32
35-49	140	5.3	20	1	2	3	7	10	13	23
50-64	298	6.2	23	1	2	5	9	11	14	22
65 +	412	7.7	30	2	4	7	10	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	104	4.0	9	1	2	3	5	7	11	15
B. Operated	494	4.6	13	1	2	3	7	10	11	15
2. MULTIPLE DX										
A. Not Operated	413	6.0	27	2	3	5	7	11	15	27
B. Operated	925	6.8	35	1	3	6	9	12	15	28
1. SINGLE DX	598	4.5	12	1	2	3	7	9	11	15
2. MULTIPLE DX	1338	6.6	32	2	3	6	9	12	15	28
A. Not Operated	517	5.6	24	2	3	4	7	11	14	25
B. Operated	1419	6.0	28	1	2	5	9	11	14	23
TOTAL										
0-19 YRS	112	7.6	120	1	2	4	9	16	24	61
20-34	118	5.4	21	1	2	4	8	11	13	23
35-49	302	4.9	16	1	2	4	7	10	12	21
50-64	616	5.2	17	1	2	4	8	10	12	18
65 +	788	6.7	25	2	3	6	9	12	15	25
GRAND TOTAL	**1936**	**5.9**	**27**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	4	4.5	15	1	2	3	7	10	10	10
50-64	4	2.3	6	1	1	1	4	6	6	6
65 +	22	5.3	16	< 1	2	5	8	11	13	15
B. Operated										
0-19 YRS	5	6.0	16	1	2	7	9	11	11	11
20-34	40	4.8	12	1	2	4	6	10	12	15
35-49	186	6.1	9	2	4	6	8	10	11	14
50-64	848	7.4	8	4	6	7	9	10	12	15
65 +	1886	8.4	7	5	7	8	10	12	13	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	3	2.7	2	< 1	1	3	4	4	4	4
35-49	10	4.1	24	< 1	1	1	5	13	14	14
50-64	34	3.0	15	< 1	< 1	1	3	7	14	17
65 +	219	5.9	27	< 1	2	4	8	12	17	25
B. Operated										
0-19 YRS	7	9.3	11	5	8	9	10	14	15	15
20-34	71	5.7	12	2	3	5	8	10	12	17
35-49	298	6.6	12	1	4	7	9	11	12	16
50-64	1434	8.2	13	4	6	8	10	12	14	18
65 +	5127	9.8	21	6	7	9	11	14	16	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.7	14	1	1	4	7	10	11	15
B. Operated	2965	7.9	8	4	6	8	10	11	13	15
2. MULTIPLE DX										
A. Not Operated	266	5.4	26	< 1	1	4	8	12	16	24
B. Operated	6937	9.3	20	5	7	9	11	14	16	24
1. SINGLE DX	2998	7.9	8	4	6	8	10	11	13	15
2. MULTIPLE DX	7203	9.1	21	5	7	9	11	14	16	24
A. Not Operated	299	5.3	25	< 1	1	4	8	11	15	23
B. Operated	9902	8.9	17	5	7	8	10	13	15	22
TOTAL										
0-19 YRS	13	7.6	14	3	4	8	10	12	14	15
20-34	116	5.3	12	2	2	5	8	10	12	16
35-49	498	6.3	11	2	4	7	8	10	12	15
50-64	2320	7.8	11	4	6	8	9	12	13	18
65 +	7254	9.3	19	6	7	9	11	14	15	23
GRAND TOTAL	**10201**	**8.8**	**17**	**5**	**7**	**8**	**10**	**13**	**15**	**22**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17- 715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	3	3.3	6	1	1	3	5	6	6	6
B. Operated										
0-19 YRS	4	3.5	9	2	2	2	5	8	8	8
20-34	37	2.0	1	1	1	2	2	3	5	6
35-49	119	2.0	3	1	1	2	2	4	5	9
50-64	194	2.8	7	1	1	2	3	7	7	12
65 +	140	3.9	9	1	1	3	6	9	10	12
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	21	5.0	16	1	2	4	7	11	14	16
65 +	96	5.9	52	1	3	4	7	13	15	45
B. Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	43	2.5	2	1	1	2	4	5	5	5
35-49	107	2.9	6	1	1	2	3	6	8	13
50-64	213	3.0	6	1	1	2	4	7	9	11
65 +	338	5.7	23	1	2	5	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.9	3	1	1	3	4	5	6	6
B. Operated	494	2.9	7	1	1	2	3	7	8	11
2. MULTIPLE DX										
A. Not Operated	123	5.6	44	1	2	4	7	12	15	35
B. Operated	703	4.2	16	1	1	3	6	9	11	19
1. SINGLE DX	502	2.9	7	1	1	2	4	7	8	11
2. MULTIPLE DX	826	4.4	20	1	2	3	6	9	12	19
A. Not Operated	131	5.4	42	1	2	4	6	11	15	32
B. Operated	1197	3.7	13	1	1	2	5	8	10	18
TOTAL										
0-19 YRS	6	2.7	7	< 1	1	2	2	7	8	8
20-34	82	2.2	2	1	1	2	3	4	5	6
35-49	232	2.4	4	1	1	2	3	5	6	10
50-64	431	3.0	7	1	1	2	4	7	8	13
65 +	577	5.3	25	1	2	4	7	10	13	23
GRAND TOTAL	**1328**	**3.8**	**16**	**1**	**1**	**2**	**5**	**8**	**10**	**18**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	70	5.5	16	1	3	5	7	11	14	20
20-34	24	3.9	14	2	2	3	4	5	13	19
35-49	26	3.2	4	1	2	3	4	6	8	8
50-64	7	4.0	2	2	3	4	5	6	6	6
65 +	14	4.5	23	1	1	3	5	9	17	19
B. Operated										
0-19 YRS	65	7.3	28	2	4	6	8	14	16	29
20-34	95	4.4	16	1	2	3	5	11	13	20
35-49	134	3.8	13	1	2	3	5	7	10	17
50-64	137	4.5	9	1	2	4	7	8	10	14
65 +	85	5.8	13	1	3	5	9	11	12	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	81	7.1	32	2	3	6	10	15	20	26
20-34	49	5.4	16	1	2	4	7	11	14	18
35-49	51	5.3	16	1	3	4	7	10	15	18
50-64	54	6.2	34	2	3	4	7	12	22	31
65 +	122	6.4	28	2	3	5	8	12	17	28
B. Operated										
0-19 YRS	119	9.3	36	3	5	8	13	17	21	32
20-34	164	6.0	43	2	2	4	7	12	17	33
35-49	232	6.7	53	2	2	5	8	14	21	40
50-64	229	8.0	70	2	3	6	10	17	23	49
65 +	293	11.2	110	2	6	8	13	22	30	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	141	4.6	14	1	2	4	6	8	12	19
B. Operated	516	4.8	16	1	2	4	7	10	13	17
2. MULTIPLE DX										
A. Not Operated	357	6.3	27	2	3	5	8	13	17	27
B. Operated	1037	8.5	73	2	3	6	10	17	23	48
1. SINGLE DX	657	4.8	15	1	2	4	7	10	12	19
2. MULTIPLE DX	1394	7.9	62	2	3	6	10	16	22	41
A. Not Operated	498	5.8	23	2	3	4	7	12	17	24
B. Operated	1553	7.3	57	1	3	5	9	15	21	40
TOTAL										
0-19 YRS	335	7.6	31	2	4	6	10	15	19	28
20-34	332	5.3	30	1	2	4	6	11	14	26
35-49	443	5.4	35	1	2	4	6	11	16	31
50-64	427	6.6	48	1	3	5	8	13	18	43
65 +	514	9.0	78	2	4	7	11	17	25	47
GRAND TOTAL	**2051**	**6.9**	**49**	**1**	**3**	**5**	**9**	**14**	**19**	**36**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	1.5		< 1	< 1	1	2	2	2	2
50-64	0									
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	157	2.5	2	1	1	2	3	4	5	10
20-34	417	2.7	2	1	2	3	3	4	5	6
35-49	181	2.3	2	< 1	1	2	3	4	5	7
50-64	50	2.2	5	< 1	< 1	1	2	5	7	13
65 +	16	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	11	3.2	15	< 1	< 1	2	4	9	14	14
35-49	1	6.0		6	6	6	6	6	6	6
50-64	0									
65 +	4	1.5		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	246	2.7	2	1	2	3	3	4	5	8
20-34	717	2.7	2	1	2	3	3	4	5	7
35-49	408	2.5	3	1	1	2	3	5	6	9
50-64	155	2.0	3	< 1	1	1	3	4	5	9
65 +	112	2.4	4	< 1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.1	1	< 1	1	2	3	4	4	4
B. Operated	821	2.5	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	17	2.8	11	< 1	< 1	2	3	6	11	14
B. Operated	1638	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	830	2.5	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	1655	2.6	3	1	1	2	3	4	5	8
A. Not Operated	26	2.6	7	< 1	1	2	3	5	8	14
B. Operated	2459	2.6	2	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	406	2.6	2	1	1	3	3	4	5	8
20-34	1147	2.7	2	1	2	3	3	4	5	7
35-49	594	2.5	3	< 1	1	2	3	4	5	8
50-64	205	2.1	3	< 1	1	1	2	4	6	9
65 +	133	2.2	4	< 1	1	1	3	4	7	10
GRAND TOTAL	**2485**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	38	2.3	2	1	1	2	3	5	5	5
20-34	28	2.3	1	1	1	2	3	4	4	6
35-49	23	3.2	6	1	2	3	4	5	8	12
50-64	13	2.2	1	< 1	1	2	3	4	4	4
65 +	22	3.2	4	1	2	3	4	5	8	11
B. Operated										
0-19 YRS	612	2.1	2	1	1	2	3	3	4	7
20-34	1101	2.2	2	1	1	2	3	4	4	7
35-49	355	2.3	2	1	1	2	3	4	5	7
50-64	81	2.2	2	< 1	1	2	3	4	5	8
65 +	48	3.0	4	< 1	1	2	5	6	6	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	3.1	11	< 1	1	2	3	8	11	17
20-34	53	3.4	13	< 1	1	2	4	8	12	17
35-49	67	3.7	23	1	1	2	4	7	15	26
50-64	56	3.6	5	1	2	3	4	7	8	11
65 +	227	4.5	19	1	2	3	6	8	12	22
B. Operated										
0-19 YRS	491	2.7	10	1	1	2	3	4	6	15
20-34	685	2.7	4	1	1	2	3	5	6	11
35-49	399	2.7	4	1	1	2	3	5	7	10
50-64	197	3.8	17	1	1	2	5	9	12	19
65 +	192	5.3	17	1	2	4	8	11	13	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	124	2.6	3	1	1	2	3	4	5	11
B. Operated	2197	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	456	4.0	16	1	2	3	5	8	12	20
B. Operated	1964	3.1	9	1	1	2	4	6	9	15
1. SINGLE DX	2321	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2420	3.2	10	1	1	2	4	6	9	15
A. Not Operated	580	3.7	14	1	2	3	4	7	11	19
B. Operated	4161	2.6	5	1	1	2	3	5	6	12
TOTAL										
0-19 YRS	1194	2.4	6	1	1	2	3	4	5	11
20-34	1867	2.4	3	1	1	2	3	4	5	9
35-49	844	2.6	5	1	1	2	3	4	6	10
50-64	347	3.3	12	1	1	2	4	7	10	15
65 +	489	4.6	17	1	2	3	6	10	12	19
GRAND TOTAL	**4741**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	4	4.0	2	2	3	4	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	3	5.0	12	1	2	7	7	7	7	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	5.2	15	1	2	4	8	11	11	11
50-64	6	8.7	20	4	5	8	13	14	14	14
65 +	8	7.1	21	2	4	7	9	14	16	16
B. Operated										
0-19 YRS	0									
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49	5	9.8	40	6	6	8	11	21	21	21
50-64	6	11.2	48	6	6	7	19	21	21	21
65 +	8	15.4	254	5	6	7	21	42	51	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.4	3	1	2	4	5	5	5	5
B. Operated	3	5.0	12	1	2	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	22	6.8	18	2	4	6	10	13	15	16
B. Operated	21	12.6	116	5	6	8	19	22	35	51
1. SINGLE DX	8	4.0	6	1	2	4	6	7	7	7
2. MULTIPLE DX	43	9.6	73	3	5	7	11	20	22	51
A. Not Operated	27	6.2	17	2	3	5	9	13	14	16
B. Operated	24	11.6	108	5	6	7	17	21	31	51
TOTAL										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	3	9.7	36	4	5	9	14	16	16	16
35-49	17	6.2	22	1	4	6	7	10	17	21
50-64	13	9.2	36	3	5	7	13	19	21	21
65 +	16	11.3	146	2	5	7	13	22	42	51
GRAND TOTAL	**51**	**8.7**	**66**	**2**	**5**	**7**	**10**	**19**	**21**	**51**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	8	3.4	3	1	2	3	5	6	6	6
35-49	14	4.1	16	1	2	3	5	7	15	17
50-64	14	5.0	12	2	3	4	6	12	13	13
65 +	35	4.5	7	2	2	4	7	9	9	10
B. Operated										
0-19 YRS	0									
20-34	35	3.3	4	1	2	3	5	7	7	8
35-49	192	3.4	6	1	2	3	4	7	8	11
50-64	267	4.0	8	1	2	3	6	8	9	12
65 +	138	4.9	15	1	1	4	7	10	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	4.7	4	3	3	4	6	7	7	7
20-34	7	5.9	19	2	3	5	7	13	15	15
35-49	35	4.9	9	1	2	4	8	10	10	11
50-64	100	5.3	19	1	2	4	7	11	14	20
65 +	362	5.7	18	2	3	5	7	11	13	18
B. Operated										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	60	4.5	8	1	3	4	6	8	9	17
35-49	313	4.4	10	1	2	4	6	8	10	15
50-64	449	5.8	41	1	3	4	7	11	14	24
65 +	553	7.8	36	1	4	7	10	14	19	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	4.4	9	1	2	4	6	8	10	16
B. Operated	632	3.9	9	1	2	3	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	507	5.6	17	2	3	5	7	11	13	19
B. Operated	1376	6.2	32	1	3	5	8	12	16	25
1. SINGLE DX	703	4.0	9	1	2	3	6	8	9	13
2. MULTIPLE DX	1883	6.0	28	1	3	5	8	12	15	24
A. Not Operated	578	5.4	17	2	3	5	7	10	13	19
B. Operated	2008	5.5	26	1	2	4	7	10	14	23
TOTAL										
0-19 YRS	4	6.0	10	3	3	5	8	10	10	10
20-34	110	4.1	8	1	2	4	6	7	8	16
35-49	554	4.1	9	1	2	3	5	8	9	13
50-64	830	5.1	28	1	2	4	7	10	13	20
65 +	1088	6.6	28	1	3	6	9	13	16	25
GRAND TOTAL	**2586**	**5.5**	**24**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	6	5.5	4	3	4	5	7	8	8	8
20-34	231	4.3	8	1	2	4	6	8	10	14
35-49	381	4.4	8	1	2	4	6	8	9	14
50-64	188	4.5	9	1	2	4	7	9	11	14
65 +	72	4.8	7	1	3	4	7	9	10	11
B. Operated										
0-19 YRS	72	3.3	3	1	2	3	4	5	6	9
20-34	2334	3.9	6	1	2	3	5	7	8	13
35-49	3603	4.1	7	1	2	4	5	7	9	14
50-64	1368	4.2	10	1	2	4	5	8	10	15
65 +	403	4.7	11	1	2	4	6	8	11	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	5.2	22	< 1	2	4	6	13	14	14
20-34	187	5.1	14	1	3	4	7	10	12	19
35-49	395	5.4	15	1	3	5	7	10	13	20
50-64	313	5.9	18	2	3	5	8	10	12	20
65 +	417	6.2	15	2	4	5	8	11	14	19
B. Operated										
0-19 YRS	24	6.6	15	3	4	5	8	13	15	16
20-34	947	5.4	12	2	3	5	7	9	12	18
35-49	1884	5.7	18	2	3	5	7	10	12	22
50-64	1427	6.2	20	2	3	5	8	11	14	22
65 +	1047	7.8	28	3	4	7	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	878	4.4	8	1	2	4	6	8	10	14
B. Operated	7780	4.1	8	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	1318	5.7	16	2	3	5	7	11	13	19
B. Operated	5329	6.2	20	2	3	5	8	11	14	23
1. SINGLE DX	8658	4.1	8	1	2	4	5	7	9	14
2. MULTIPLE DX	6647	6.1	19	2	3	5	8	11	14	22
A. Not Operated	2196	5.2	13	1	3	4	7	9	12	18
B. Operated	13109	4.9	14	1	3	4	6	9	11	19
TOTAL										
0-19 YRS	108	4.3	8	1	3	4	5	7	11	15
20-34	3699	4.3	9	1	3	4	5	8	10	15
35-49	6263	4.7	12	1	3	4	6	8	10	17
50-64	3296	5.2	16	1	3	4	7	10	12	19
65 +	1939	6.7	23	2	4	6	8	12	15	24
GRAND TOTAL	**15305**	**5.0**	**14**	**1**	**3**	**4**	**6**	**9**	**11**	**18**

321: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.7		< 1	< 1	2	2	2	2	2
20-34	31	3.3	8	1	1	2	5	6	7	14
35-49	60	4.1	7	1	1	4	6	8	9	10
50-64	29	4.1	15	1	1	3	5	10	11	17
65 +	14	4.6	9	1	2	4	6	8	11	12
B. Operated										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	253	3.6	6	1	2	3	4	6	7	14
35-49	875	3.4	4	1	2	3	4	6	7	11
50-64	355	3.5	6	1	2	3	5	6	8	12
65 +	59	4.2	8	1	2	4	5	8	10	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	18	4.6	31	< 1	1	2	6	13	19	21
35-49	48	4.3	12	< 1	2	4	6	7	13	16
50-64	55	5.4	23	1	2	3	8	12	15	25
65 +	61	5.4	14	2	2	5	8	11	13	16
B. Operated										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	154	3.8	6	1	2	3	5	7	8	12
35-49	650	4.2	11	1	2	4	5	8	10	17
50-64	360	4.6	22	1	2	4	5	8	10	32
65 +	149	6.1	23	2	3	5	7	12	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	137	3.9	9	1	1	3	6	8	9	14
B. Operated	1544	3.5	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. Not Operated	182	5.0	18	1	2	4	7	11	14	20
B. Operated	1315	4.5	15	1	2	4	5	8	11	21
1. SINGLE DX	1681	3.5	5	1	2	3	5	6	8	12
2. MULTIPLE DX	1497	4.6	15	1	2	4	6	8	12	21
A. Not Operated	319	4.6	14	1	2	3	6	9	13	17
B. Operated	2859	3.9	10	1	2	3	5	7	9	16
TOTAL										
0-19 YRS	7	2.7	4	< 1	2	2	3	6	7	7
20-34	456	3.7	7	1	2	3	5	7	8	15
35-49	1633	3.8	7	1	2	3	5	7	8	15
50-64	799	4.2	15	1	2	3	5	8	10	21
65 +	283	5.5	18	1	3	4	7	11	13	23
GRAND TOTAL	**3178**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**	**16**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	9.3	193	1	1	3	17	30	30	30
20-34	14	3.6	4	1	2	3	5	6	8	8
35-49	20	4.0	6	1	2	4	5	6	9	11
50-64	9	4.1	8	1	2	4	6	8	9	9
65 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
0-19 YRS	5	8.2	76	1	2	6	12	23	23	23
20-34	21	5.0	12	1	1	5	8	9	10	12
35-49	33	5.8	9	1	4	6	8	9	10	11
50-64	8	5.9	10	1	3	7	8	9	9	9
65 +	4	8.0	28	1	4	9	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	5.3	16	1	2	6	8	9	9	9
20-34	18	4.7	16	1	2	4	5	9	14	18
35-49	25	4.7	14	2	3	4	5	8	14	18
50-64	17	5.0	5	2	4	5	6	8	9	9
65 +	13	5.9	15	3	3	4	8	12	14	14
B. Operated										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	27	10.0	69	2	5	8	11	19	33	35
35-49	27	8.8	13	5	7	9	10	11	17	20
50-64	15	10.1	139	1	5	8	10	12	41	51
65 +	5	8.4	17	3	5	8	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	4.4	19	1	2	4	5	7	9	30
B. Operated	71	5.8	15	1	2	6	8	10	11	21
2. MULTIPLE DX										
A. Not Operated	76	5.0	12	2	3	4	6	9	13	18
B. Operated	76	9.5	56	3	6	8	10	16	20	47
1. SINGLE DX	120	5.3	17	1	2	5	7	9	11	25
2. MULTIPLE DX	152	7.2	39	2	4	6	9	12	18	35
A. Not Operated	125	4.8	15	1	3	4	6	8	11	21
B. Operated	147	7.7	39	1	5	7	9	12	17	35
TOTAL										
0-19 YRS	14	8.0	74	1	2	6	9	24	29	30
20-34	80	6.4	37	1	3	5	8	12	18	34
35-49	105	6.0	14	1	3	5	8	10	11	19
50-64	49	6.6	51	1	4	6	8	10	11	51
65 +	24	6.8	16	3	3	6	10	13	13	14
GRAND TOTAL	**272**	**6.4**	**30**	**1**	**3**	**5**	**8**	**11**	**13**	**32**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	10	3.4	3	1	2	3	4	6	7	7
35-49	18	4.6	10	1	3	4	6	8	12	14
50-64	15	3.1	3	1	2	3	4	5	7	8
65 +	8	5.0	9	1	3	4	7	9	10	10
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	6	2.8	8	1	1	2	4	8	8	8
35-49	10	2.3	5	< 1	1	1	4	6	7	7
50-64	4	7.0	21	< 1	3	7	10	12	12	12
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	14	6.0	21	2	3	5	8	13	17	18
35-49	39	5.9	13	2	4	5	9	11	14	15
50-64	52	4.6	15	1	2	4	6	7	9	25
65 +	80	4.7	7	2	3	4	7	8	11	12
B. Operated										
0-19 YRS	0									
20-34	15	6.7	76	< 1	1	4	8	10	29	36
35-49	24	4.9	62	1	1	2	5	10	25	36
50-64	12	2.5	5	1	1	1	4	6	7	7
65 +	26	7.2	33	1	1	6	10	16	19	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.0	7	1	2	3	5	7	9	14
B. Operated	23	3.1	10	< 1	1	1	5	8	10	12
2. MULTIPLE DX										
A. Not Operated	185	5.0	12	1	3	4	6	9	11	17
B. Operated	77	5.6	47	1	1	4	7	13	20	36
1. SINGLE DX	74	3.7	8	1	1	3	5	8	9	14
2. MULTIPLE DX	262	5.2	22	1	2	4	7	10	13	25
A. Not Operated	236	4.8	11	1	3	4	6	9	11	16
B. Operated	100	5.1	40	1	1	2	7	11	17	36
TOTAL										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	45	5.2	34	1	2	4	7	9	13	36
35-49	91	5.0	25	1	1	4	6	10	14	29
50-64	83	4.1	12	1	2	3	5	7	9	22
65 +	115	5.2	14	1	3	4	7	10	12	20
GRAND TOTAL	**336**	**4.9**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	20	3.4	10	1	1	2	4	9	11	12
20-34	187	4.0	9	1	2	3	5	8	9	15
35-49	295	3.5	9	1	1	3	5	7	8	16
50-64	155	3.9	7	1	2	3	5	8	9	12
65 +	104	3.7	10	1	1	3	5	8	11	14
B. Operated										
0-19 YRS	16	4.1	10	1	1	4	7	8	9	10
20-34	237	2.6	5	1	1	1	4	6	8	11
35-49	446	3.1	8	1	1	2	4	7	8	12
50-64	433	3.9	8	1	1	4	5	7	8	12
65 +	445	5.6	13	1	3	5	7	10	11	20
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	5.2	72	1	2	2	4	9	30	39
20-34	307	5.1	25	1	2	4	6	11	18	25
35-49	524	5.5	22	1	2	4	7	11	18	24
50-64	460	5.0	14	1	2	4	7	10	12	18
65 +	760	5.4	21	1	2	4	7	11	14	21
B. Operated										
0-19 YRS	18	4.6	9	1	1	5	7	9	10	10
20-34	242	4.1	17	1	1	3	5	8	11	21
35-49	604	4.9	26	1	1	4	6	10	12	19
50-64	784	6.1	25	1	3	5	8	11	13	26
65 +	1412	7.8	28	2	5	7	10	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	761	3.7	9	1	2	3	5	7	9	14
B. Operated	1577	4.0	10	1	1	3	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	2084	5.3	21	1	2	4	7	11	15	24
B. Operated	3060	6.5	28	1	3	6	8	12	15	27
1. SINGLE DX	2338	3.9	10	1	1	3	6	8	9	14
2. MULTIPLE DX	5144	6.0	25	1	3	5	8	12	15	25
A. Not Operated	2845	4.9	18	1	2	4	6	10	13	21
B. Operated	4637	5.6	23	1	2	5	8	11	14	24
TOTAL										
0-19 YRS	87	4.4	33	1	1	3	6	8	11	36
20-34	973	4.0	16	1	1	3	5	8	11	21
35-49	1869	4.4	19	1	1	3	6	9	12	19
50-64	1832	5.1	18	1	2	4	7	9	12	20
65 +	2721	6.6	25	1	3	6	8	12	15	26
GRAND TOTAL	**7482**	**5.3**	**22**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	75	2.7	4	1	1	2	3	6	7	11
20-34	39	3.3	6	1	2	2	4	7	10	11
35-49	28	2.6	2	1	1	2	3	4	6	6
50-64	27	4.0	10	1	2	3	5	8	11	14
65 +	18	3.3	10	1	2	2	3	9	12	12
B. Operated										
0-19 YRS	66	2.0	3	< 1	1	1	2	4	6	8
20-34	275	1.9	2	1	1	2	2	3	4	9
35-49	442	1.9	2	1	1	1	2	3	4	7
50-64	303	2.1	3	1	1	2	3	4	5	8
65 +	102	2.7	7	1	1	2	3	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	2.9	4	1	1	2	4	6	7	10
20-34	46	4.0	5	1	2	4	5	7	8	9
35-49	69	4.2	8	1	2	3	5	8	9	16
50-64	81	4.7	20	1	2	3	5	9	12	26
65 +	123	4.2	8	1	2	4	6	8	10	15
B. Operated										
0-19 YRS	43	2.3	3	1	1	2	4	5	6	7
20-34	241	2.5	4	1	1	2	3	5	7	10
35-49	527	2.5	7	1	1	2	3	5	6	10
50-64	481	2.7	7	1	1	2	3	5	8	12
65 +	270	3.9	18	1	2	3	5	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	3.0	6	1	1	2	4	6	8	12
B. Operated	1188	2.0	3	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	371	4.1	10	1	2	3	5	8	9	17
B. Operated	1562	2.8	8	1	1	2	3	5	8	13
1. SINGLE DX	1375	2.2	3	1	1	2	3	4	6	10
2. MULTIPLE DX	1933	3.0	9	1	1	2	4	6	8	13
A. Not Operated	558	3.7	9	1	2	3	5	7	9	15
B. Operated	2750	2.5	6	1	1	2	3	5	6	12
TOTAL										
0-19 YRS	236	2.5	4	1	1	2	3	6	7	9
20-34	601	2.4	4	1	1	2	3	5	7	10
35-49	1066	2.3	5	1	1	2	3	4	6	9
50-64	892	2.7	7	1	1	2	3	5	8	13
65 +	513	3.7	14	1	2	3	4	8	11	15
GRAND TOTAL	**3308**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	54	1.6	1	1	1	1	2	3	3	4
20-34	97	1.8	1	1	1	1	2	3	4	5
35-49	136	1.7	1	1	1	1	2	3	3	5
50-64	108	1.7	1	1	1	2	2	3	3	5
65 +	60	2.2	5	< 1	1	2	3	4	5	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	7	2.3	7	< 1	< 1	< 1	2	7	8	8
B. Operated										
0-19 YRS	85	2.0	1	1	1	2	2	4	4	5
20-34	142	1.8	1	1	1	2	2	3	4	5
35-49	345	2.1	1	1	1	2	3	3	4	6
50-64	493	2.2	2	1	1	2	3	4	4	7
65 +	412	2.3	2	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	455	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	15	1.7	3	< 1	< 1	< 1	1	3	7	8
B. Operated	1477	2.2	1	1	1	2	3	4	4	6
1. SINGLE DX	455	1.8	1	1	1	1	2	3	4	5
2. MULTIPLE DX	1492	2.1	1	1	1	2	3	4	4	6
A. Not Operated	15	1.7	3	< 1	< 1	< 1	1	3	7	8
B. Operated	1932	2.1	1	1	1	2	3	4	4	6
TOTAL										
0-19 YRS	142	1.9	1	1	1	2	2	3	4	5
20-34	240	1.8	1	1	1	2	2	3	4	5
35-49	483	1.9	1	1	1	2	2	3	4	5
50-64	603	2.1	1	1	1	2	3	4	4	6
65 +	479	2.3	2	1	1	2	3	4	5	7
GRAND TOTAL	**1947**	**2.1**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	30	1.0		< 1	< 1	< 1	1	1	1	2
20-34	39	1.5	2	< 1	< 1	1	1	3	5	6
35-49	40	1.4	1	< 1	< 1	1	1	3	4	5
50-64	26	1.8	3	< 1	< 1	1	1	4	7	7
65 +	14	2.1	7	< 1	< 1	1	1	6	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	1.5	1	< 1	< 1	1	2	2	2	2
65 +	4	3.3	10	1	1	2	5	8	8	8
B. Operated										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	25	2.0	2	< 1	1	1	3	5	5	5
35-49	22	2.0	1	1	1	2	2	3	4	4
50-64	51	3.0	21	1	1	2	3	6	8	30
65 +	37	3.1	5	1	1	2	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	2	1	1	2	3	4	4	4
B. Operated	149	1.5	2	< 1	< 1	1	1	3	4	7
2. MULTIPLE DX										
A. Not Operated	7	3.1	7	< 1	1	2	5	8	8	8
B. Operated	140	2.6	10	1	1	2	3	5	7	16
1. SINGLE DX	152	1.5	2	< 1	< 1	1	1	3	4	7
2. MULTIPLE DX	147	2.6	10	1	1	2	3	5	7	15
A. Not Operated	10	2.9	6	< 1	1	2	4	7	8	8
B. Operated	289	2.0	6	< 1	< 1	1	2	4	6	10
TOTAL										
0-19 YRS	35	1.0		< 1	< 1	< 1	1	1	1	2
20-34	64	1.7	2	< 1	< 1	1	2	4	5	6
35-49	63	1.7	1	< 1	< 1	1	2	3	4	6
50-64	81	2.6	15	< 1	1	1	2	5	8	25
65 +	56	2.8	6	< 1	1	2	4	7	8	10
GRAND TOTAL	**299**	**2.1**	**6**	**< 1**	**< 1**	**1**	**2**	**4**	**6**	**10**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	78	7.4	32	2	4	7	9	13	18	33
20-34	5	6.8	13	4	5	6	8	13	13	13
35-49	14	5.5	17	1	2	4	10	11	13	14
50-64	9	10.0	171	1	3	7	10	32	43	43
65 +	7	7.3	49	< 1	2	4	10	19	21	21
B. Operated										
0-19 YRS	74	7.1	26	1	4	6	9	14	15	29
20-34	57	7.4	45	1	3	5	8	19	23	26
35-49	44	7.0	30	1	3	6	11	14	18	24
50-64	45	9.0	148	2	3	6	9	19	41	60
65 +	32	5.1	22	1	2	4	7	9	12	25
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	89	9.0	49	3	4	7	11	16	27	36
20-34	23	11.2	74	3	5	8	17	25	28	29
35-49	31	7.4	29	2	3	7	10	15	19	21
50-64	57	8.9	46	2	4	7	13	19	23	29
65 +	81	9.0	47	2	5	7	12	19	22	36
B. Operated										
0-19 YRS	142	11.4	96	3	6	9	14	21	31	48
20-34	141	12.5	138	3	5	8	15	26	39	69
35-49	208	12.7	159	3	5	9	15	28	44	72
50-64	246	13.0	154	3	6	9	16	27	41	84
65 +	378	13.8	160	3	6	10	17	27	43	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	7.4	40	2	4	6	9	14	18	38
B. Operated	252	7.2	52	1	3	6	9	14	20	36
2. MULTIPLE DX										
A. Not Operated	281	9.0	48	2	4	7	12	19	24	29
B. Operated	1115	12.9	148	3	6	9	16	26	41	68
1. SINGLE DX	365	7.3	49	1	3	6	9	14	20	36
2. MULTIPLE DX	1396	12.1	130	3	5	9	15	25	36	65
A. Not Operated	394	8.5	46	2	4	7	11	18	23	33
B. Operated	1367	11.9	135	3	5	8	14	25	37	65
TOTAL										
0-19 YRS	383	9.2	62	3	5	7	11	16	25	42
20-34	226	10.9	110	3	4	7	14	25	31	59
35-49	297	10.9	126	2	4	8	13	23	36	56
50-64	357	11.7	139	2	5	8	15	24	36	69
65 +	498	12.4	138	2	5	9	15	25	35	63
GRAND TOTAL	**1761**	**11.1**	**117**	**2**	**5**	**8**	**14**	**23**	**32**	**60**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	4.6	21	< 1	1	3	6	8	18	19
20-34	22	2.8	8	< 1	1	2	3	6	10	13
35-49	51	2.6	10	1	1	2	3	4	5	22
50-64	35	2.7	4	1	1	2	3	6	7	9
65 +	89	5.4	18	1	3	4	7	10	12	22
B. Operated										
0-19 YRS	536	2.7	7	1	1	2	3	5	7	13
20-34	352	2.7	3	1	1	2	4	5	6	8
35-49	279	3.4	6	1	1	3	4	7	8	13
50-64	170	4.0	9	1	2	3	6	9	10	14
65 +	132	6.6	20	2	3	6	9	12	14	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	6.2	52	1	2	4	7	16	28	28
20-34	53	3.2	7	1	1	2	5	7	8	12
35-49	159	3.0	8	1	1	2	3	6	10	16
50-64	262	4.7	15	1	2	4	6	9	13	20
65 +	1873	6.5	23	2	3	5	8	12	15	22
B. Operated										
0-19 YRS	273	3.3	14	1	1	2	4	7	10	21
20-34	492	4.0	14	1	2	3	5	8	10	22
35-49	536	5.5	35	1	2	4	7	10	14	25
50-64	543	7.4	41	2	3	6	10	14	18	33
65 +	1044	9.8	49	3	6	9	12	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	224	4.0	15	1	1	3	5	8	11	22
B. Operated	1469	3.3	9	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	2377	6.0	22	2	3	5	8	11	15	22
B. Operated	2888	6.9	42	1	3	5	9	14	18	33
1. SINGLE DX	1693	3.4	10	1	1	2	4	7	9	15
2. MULTIPLE DX	5265	6.5	33	1	3	5	8	13	16	28
A. Not Operated	2601	5.8	22	2	3	5	7	11	14	22
B. Operated	4357	5.7	33	1	2	4	8	12	15	28
TOTAL										
0-19 YRS	866	3.1	12	1	1	2	4	6	8	19
20-34	919	3.4	10	1	1	3	4	7	9	17
35-49	1025	4.4	23	1	2	3	6	9	12	22
50-64	1010	6.0	30	1	2	4	8	12	16	28
65 +	3138	7.5	34	2	4	6	10	14	18	31
GRAND TOTAL	**6958**	**5.8**	**29**	**1**	**2**	**4**	**8**	**12**	**15**	**25**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	13.0	200	3	3	13	23	23	23	23
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	116	2.2	7	1	1	2	2	4	5	14
20-34	30	2.6	4	< 1	1	2	3	5	6	10
35-49	28	3.8	22	< 1	1	2	4	10	17	19
50-64	15	3.1	3	1	2	3	4	5	7	7
65 +	10	3.6	4	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	3	5.3	14	1	2	7	8	8	8	8
65 +	10	11.9	70	1	4	11	19	24	25	25
B. Operated										
0-19 YRS	343	3.4	26	1	1	2	3	6	8	31
20-34	71	3.8	16	1	2	3	4	7	10	23
35-49	84	3.8	36	1	2	3	4	6	7	40
50-64	72	4.0	10	1	2	3	5	7	13	15
65 +	62	6.0	36	1	2	4	7	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	9.7	133	3	3	3	18	23	23	23
B. Operated	199	2.6	8	1	1	2	3	5	7	18
2. MULTIPLE DX										
A. Not Operated	19	7.9	58	1	1	7	12	21	24	25
B. Operated	632	3.8	26	1	2	3	4	7	10	26
1. SINGLE DX	202	2.7	10	1	1	2	3	5	7	21
2. MULTIPLE DX	651	3.9	27	1	2	3	4	7	12	25
A. Not Operated	22	8.2	63	1	1	6	12	23	24	25
B. Operated	831	3.5	22	1	1	2	4	6	9	25
TOTAL										
0-19 YRS	464	3.1	22	1	1	2	3	5	7	25
20-34	102	3.5	13	1	1	3	4	7	9	23
35-49	115	3.8	31	1	2	3	4	6	9	32
50-64	90	3.9	9	1	2	3	5	7	9	15
65 +	82	6.4	40	1	2	4	9	16	21	28
GRAND TOTAL	**853**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	31	2.5	4	< 1	1	1	3	6	7	7
20-34	52	3.0	7	1	1	2	4	6	8	15
35-49	54	3.0	6	< 1	1	2	4	7	8	10
50-64	41	2.6	3	1	1	2	4	5	6	7
65 +	36	2.5	3	1	1	2	3	5	6	7
B. Operated										
0-19 YRS	227	5.1	12	< 1	1	5	8	9	10	14
20-34	176	3.4	10	1	1	2	5	8	9	14
35-49	227	3.3	14	1	1	2	4	7	9	21
50-64	211	2.7	6	1	1	2	3	6	8	14
65 +	120	2.7	8	1	1	2	3	5	9	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	57	3.3	9	< 1	1	3	4	8	10	15
20-34	112	3.4	10	1	1	3	4	7	9	19
35-49	190	4.0	18	1	2	3	5	8	12	24
50-64	217	3.6	13	1	1	3	4	7	10	18
65 +	375	4.7	16	1	2	4	6	10	13	19
B. Operated										
0-19 YRS	425	4.4	26	< 1	1	2	7	10	14	25
20-34	319	4.5	27	1	1	3	6	10	14	25
35-49	385	4.9	26	1	2	3	7	10	14	27
50-64	392	6.1	69	1	2	4	8	12	19	37
65 +	466	5.8	45	1	2	4	8	13	17	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	214	2.8	5	1	1	2	4	6	7	10
B. Operated	961	3.5	11	1	1	2	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	951	4.1	15	1	2	3	5	8	11	19
B. Operated	1987	5.2	39	1	1	3	7	11	15	33
1. SINGLE DX	1175	3.4	10	1	1	2	5	8	9	15
2. MULTIPLE DX	2938	4.8	32	1	1	3	6	10	14	29
A. Not Operated	1165	3.8	13	1	2	3	5	8	10	18
B. Operated	2948	4.6	31	1	1	3	6	10	14	27
TOTAL										
0-19 YRS	740	4.4	20	< 1	1	3	7	9	12	23
20-34	659	3.9	18	1	1	2	5	9	11	22
35-49	856	4.2	20	1	1	3	5	9	12	24
50-64	861	4.5	39	1	1	3	5	9	13	32
65 +	997	4.9	29	1	2	3	6	11	14	28
GRAND TOTAL	**4113**	**4.4**	**26**	**1**	**1**	**3**	**6**	**9**	**13**	**25**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	6	4.3	7	2	2	3	7	8	8	8
35-49	6	5.2	18	1	2	4	6	12	13	13
50-64	3	3.7	14	1	1	2	6	8	8	8
65 +	2	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	0									
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.0	8	< 1	< 1	2	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	17	4.5	10	1	2	4	6	8	11	13
B. Operated	4	2.5	4	< 1	< 1	2	4	5	5	5
1. SINGLE DX	0									
2. MULTIPLE DX	21	4.1	9	1	2	4	5	8	10	13
A. Not Operated	17	4.5	10	1	2	4	6	8	11	13
B. Operated	4	2.5	4	< 1	< 1	2	4	5	5	5
TOTAL										
0-19 YRS	0									
20-34	7	4.1	6	2	2	3	6	8	8	8
35-49	8	4.6	15	< 1	1	4	6	11	13	13
50-64	4	3.0	11	1	1	2	5	8	8	8
65 +	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**21**	**4.1**	**9**	**1**	**2**	**4**	**5**	**8**	**10**	**13**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	9.9	353	1	1	2	7	43	52	52
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
B. Operated										
0-19 YRS	62	4.5	6	1	3	4	6	7	8	13
20-34	5	3.8	4	1	2	4	5	6	6	6
35-49	6	5.0	4	3	4	4	7	8	8	8
50-64	4	4.8	6	2	3	4	6	8	8	8
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	5.1	52	1	1	2	7	11	16	42
20-34	4	4.8	6	2	3	4	6	8	8	8
35-49	3	6.0	25	< 1	1	6	10	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65 +	10	10.2	36	3	4	10	13	18	22	22
B. Operated										
0-19 YRS	148	8.4	63	2	3	6	11	20	31	99 +
20-34	18	8.7	34	4	5	7	10	14	23	29
35-49	17	13.8	265	3	5	7	14	38	55	63
50-64	10	12.7	123	2	3	9	19	30	33	33
65 +	6	6.8	25	2	3	6	8	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	7.3	226	1	1	2	5	26	50	52
B. Operated	77	4.5	6	1	3	4	6	7	8	13
2. MULTIPLE DX										
A. Not Operated	68	5.9	47	1	1	3	9	13	17	39
B. Operated	199	9.0	80	2	3	6	11	21	32	99 +
1. SINGLE DX	88	4.9	32	1	2	4	6	7	9	37
2. MULTIPLE DX	267	8.2	74	1	3	6	10	19	30	92
A. Not Operated	79	6.1	70	1	1	3	9	13	19	49
B. Operated	276	7.8	64	2	3	5	9	16	29	89
TOTAL										
0-19 YRS	267	6.9	57	1	2	5	8	16	26	90
20-34	29	6.9	28	2	4	6	9	11	16	29
35-49	27	10.6	185	2	4	6	9	30	43	63
50-64	16	9.7	91	2	3	5	13	27	31	33
65 +	16	8.9	33	3	4	8	13	16	20	22
GRAND TOTAL	**355**	**7.4**	**65**	**1**	**3**	**5**	**9**	**16**	**27**	**62**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	15	1.3	1	< 1	< 1	< 1	1	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	193	1.3	1	< 1	< 1	1	1	2	3	5
20-34	31	1.2		< 1	1	1	1	2	2	4
35-49	11	1.4		< 1	1	1	2	3	3	3
50-64	6	1.5	1	< 1	< 1	1	2	3	3	3
65 +	7	1.7	2	< 1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	2.2	2	< 1	< 1	2	3	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	88	1.6	2	< 1	1	1	2	3	4	8
20-34	9	2.1	4	1	1	1	2	6	7	7
35-49	11	1.8	1	< 1	1	1	3	4	4	4
50-64	11	1.4	1	< 1	1	1	1	3	4	4
65 +	7	3.3	13	1	1	2	4	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.8	2	< 1	< 1	1	3	4	5	5
B. Operated	248	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	7	2.0	2	< 1	< 1	1	3	4	4	4
B. Operated	126	1.7	2	< 1	1	1	2	3	4	9
1. SINGLE DX	266	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	133	1.8	2	< 1	1	1	2	3	4	9
A. Not Operated	25	1.8	2	< 1	< 1	1	3	4	4	5
B. Operated	374	1.4	1	< 1	< 1	1	1	3	4	7
TOTAL										
0-19 YRS	302	1.4	1	< 1	< 1	1	1	3	3	6
20-34	42	1.5	1	1	1	1	1	3	4	7
35-49	24	1.8	1	1	1	1	2	3	4	5
50-64	17	1.4	1	< 1	1	1	2	3	4	4
65 +	14	2.5	8	1	1	1	3	6	10	11
GRAND TOTAL	**399**	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**4**	**7**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.9	1	1	1	1	3	4	4	5
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	8.0		8	8	8	8	8	8	8
50-64	3	1.0		1	1	1	1	1	1	1
65 +	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated										
0-19 YRS	487	3.9	8	< 1	1	4	6	7	9	12
20-34	37	5.2	16	1	1	5	7	9	11	20
35-49	21	4.1	11	1	1	4	6	8	10	13
50-64	15	3.0	7	< 1	1	2	5	8	8	8
65 +	3	5.0	12	3	3	3	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	178	3.3	18	< 1	1	2	4	7	10	26
20-34	23	3.7	22	< 1	1	2	5	7	13	23
35-49	11	3.0	12	< 1	1	2	3	8	13	13
50-64	8	5.0	30	1	2	4	5	14	18	18
65 +	12	4.2	7	2	2	3	5	9	9	9
B. Operated										
0-19 YRS	1273	8.3	95	1	2	7	10	16	27	84
20-34	80	7.4	33	1	4	7	9	14	19	31
35-49	89	6.9	36	1	3	7	8	14	19	32
50-64	64	7.8	39	1	2	7	10	16	22	29
65 +	45	9.5	69	1	3	8	14	21	28	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.0	2	1	1	1	3	4	5	8
B. Operated	563	4.0	8	< 1	1	4	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	232	3.4	18	< 1	1	2	4	7	11	24
B. Operated	1551	8.2	85	1	2	7	10	16	25	80
1. SINGLE DX	594	3.9	8	< 1	1	4	6	8	9	12
2. MULTIPLE DX	1783	7.5	79	< 1	2	6	9	15	23	65
A. Not Operated	263	3.3	16	< 1	1	2	4	7	9	23
B. Operated	2114	7.0	68	1	1	6	9	14	20	62
TOTAL										
0-19 YRS	1959	6.7	70	< 1	1	5	8	13	20	64
20-34	143	6.1	28	1	2	6	8	10	17	26
35-49	122	6.1	31	1	2	5	8	12	16	31
50-64	90	6.5	35	1	1	5	9	14	18	28
65 +	63	7.9	57	1	2	5	10	17	27	33
GRAND TOTAL	**2377**	**6.6**	**64**	**< 1**	**1**	**5**	**8**	**13**	**20**	**60**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	366	1.9	1	1	1	2	2	3	4	6
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	28	1.7	5	< 1	< 1	< 1	1	3	6	12
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	405	2.3	2	1	1	2	3	4	5	7
20-34	10	2.3	1	1	2	2	3	4	5	5
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.8	6	1	1	2	4	6	6	6
B. Operated	372	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	28	1.7	5	< 1	< 1	< 1	1	3	6	12
B. Operated	418	2.3	2	1	1	2	3	4	5	7
1. SINGLE DX	376	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	446	2.2	2	1	1	2	3	4	5	7
A. Not Operated	32	1.8	5	< 1	< 1	< 1	1	4	6	12
B. Operated	790	2.1	1	1	1	2	3	3	4	7
TOTAL										
0-19 YRS	803	2.1	2	1	1	2	3	3	4	7
20-34	14	2.4	1	1	2	2	3	4	5	5
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	0									
65 +	0									
GRAND TOTAL	**822**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	367	2.7	1	1	2	3	3	4	4	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	2.4	3	< 1	1	2	3	4	7	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	194	3.6	4	2	3	3	4	5	6	13
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	367	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	15	2.4	3	< 1	1	2	3	4	7	8
B. Operated	194	3.6	4	2	3	3	4	5	6	13
1. SINGLE DX	370	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	209	3.6	4	2	3	3	4	5	6	12
A. Not Operated	18	2.5	3	< 1	1	2	3	4	6	8
B. Operated	561	3.0	2	2	2	3	4	5	5	7
TOTAL										
0-19 YRS	579	3.0	2	2	2	3	4	5	5	8
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**579**	**3.0**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	37	1.9	3	< 1	1	1	2	4	5	10
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	2.0	2	< 1	< 1	1	3	3	3	3
65 +	0									
B. Operated										
0-19 YRS	182	4.0	10	< 1	1	3	6	8	11	13
20-34	21	5.7	19	1	2	6	9	12	14	15
35-49	14	3.6	7	1	1	3	6	7	7	7
50-64	3	3.3	2	2	2	3	4	5	5	5
65 +	3	7.3	1	6	6	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	5.1	81	1	1	2	5	9	23	85
20-34	3	1.7		1	1	2	2	2	2	2
35-49	8	3.6	4	1	2	3	5	6	7	7
50-64	3	1.7		1	1	2	2	2	2	2
65 +	6	3.5	1	2	3	3	4	5	5	5
B. Operated										
0-19 YRS	383	9.0	162	1	3	5	9	23	53	99 +
20-34	44	6.1	16	2	3	5	8	10	13	22
35-49	29	5.5	18	1	2	5	7	11	13	20
50-64	35	7.5	29	1	4	7	10	14	18	26
65 +	28	8.2	26	1	4	8	11	15	16	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.0	3	< 1	1	1	2	4	6	10
B. Operated	223	4.2	11	1	1	3	6	9	11	14
2. MULTIPLE DX										
A. Not Operated	116	4.7	68	1	2	3	5	8	19	79
B. Operated	519	8.4	127	1	3	6	9	18	40	99 +
1. SINGLE DX	265	3.8	10	< 1	1	3	6	8	11	13
2. MULTIPLE DX	635	7.8	118	1	2	5	9	17	36	99 +
A. Not Operated	158	4.0	52	< 1	1	2	4	7	10	67
B. Operated	742	7.1	96	1	2	5	8	14	26	99 +
TOTAL										
0-19 YRS	698	6.8	109	1	2	4	8	14	31	99 +
20-34	70	5.7	17	1	2	5	8	11	13	21
35-49	52	4.8	13	1	1	5	7	8	11	20
50-64	43	6.5	28	1	2	5	10	12	16	26
65 +	37	7.4	23	2	4	7	10	14	15	22
GRAND TOTAL	**900**	**6.6**	**89**	**1**	**2**	**4**	**8**	**13**	**23**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	147	1.1		< 1	< 1	1	1	1	2	3
20-34	6	1.0		< 1	< 1	1	1	1	1	1
35-49	3	3.0	12	< 1	< 1	1	5	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	118	1.4	1	< 1	1	1	2	3	3	6
20-34	11	1.7	2	< 1	1	1	2	4	5	5
35-49	5	1.2		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	157	1.1		< 1	< 1	1	1	1	2	6
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	136	1.4	1	< 1	1	1	2	3	3	6
1. SINGLE DX	158	1.1		< 1	< 1	1	1	1	2	6
2. MULTIPLE DX	139	1.4	1	< 1	1	1	2	3	3	6
A. Not Operated	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated	293	1.3	1	< 1	< 1	1	1	2	3	6
TOTAL										
0-19 YRS	269	1.2	1	< 1	< 1	1	1	2	3	5
20-34	17	1.5	1	< 1	1	1	2	3	4	5
35-49	8	1.9	4	< 1	1	1	2	5	7	7
50-64	2	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
GRAND TOTAL	297	1.3	1	< 1	< 1	1	1	2	3	6

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	2.1	3	< 1	< 1	1	3	5	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	341	2.4	4	< 1	1	2	3	5	7	9
20-34	47	3.5	5	1	2	3	4	5	8	14
35-49	28	4.0	5	1	2	4	6	7	8	8
50-64	9	4.2	6	1	3	4	6	8	8	8
65 +	5	4.0	6	< 1	1	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	38	3.7	39	< 1	1	2	3	6	20	31
20-34	59	2.3	5	< 1	1	2	3	5	7	14
35-49	69	2.1	2	< 1	< 1	2	3	4	5	8
50-64	20	2.6	1	1	2	2	3	5	5	5
65 +	7	4.1	7	2	2	3	7	8	8	8
B. Operated										
0-19 YRS	294	5.0	28	1	2	4	6	10	13	27
20-34	107	4.2	9	1	2	4	5	7	9	17
35-49	69	5.0	9	2	3	4	6	9	12	16
50-64	43	5.5	18	1	3	4	7	13	15	17
65 +	26	6.1	6	3	5	6	8	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.3	3	< 1	1	2	3	5	6	6
B. Operated	430	2.7	4	< 1	1	2	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	193	2.6	11	< 1	1	2	3	5	7	21
B. Operated	539	4.9	20	1	2	4	6	9	12	23
1. SINGLE DX	439	2.7	4	< 1	1	2	4	5	7	9
2. MULTIPLE DX	732	4.3	19	1	2	3	5	8	11	23
A. Not Operated	202	2.6	10	< 1	1	2	3	5	7	20
B. Operated	969	3.9	14	1	1	3	5	8	10	18
TOTAL										
0-19 YRS	680	3.6	18	< 1	1	2	4	8	10	23
20-34	214	3.5	8	1	2	3	4	6	9	14
35-49	167	3.7	7	< 1	2	3	5	7	8	15
50-64	72	4.6	13	1	2	4	6	10	14	17
65 +	38	5.5	7	2	3	5	8	9	11	11
GRAND TOTAL	1171	3.7	14	< 1	1	3	5	7	10	18

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	301	1.7	1	1	1	2	2	3	3	4
20-34	5	1.4		1	1	1	2	2	2	2
35-49	0									
50-64	5	4.0	4	1	3	4	5	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
20-34	1	10.0		10	10	10	10	10	10	10
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	171	2.7	39	1	1	2	3	4	6	19
20-34	16	1.9	1	1	1	2	3	3	4	4
35-49	20	2.0	1	1	1	2	3	4	4	5
50-64	18	1.9	1	< 1	1	2	3	3	4	4
65 +	19	1.9	1	< 1	1	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	312	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	4	3.3	20	< 1	< 1	1	5	10	10	10
B. Operated	244	2.5	28	1	1	2	3	4	5	17
1. SINGLE DX	314	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	248	2.5	28	1	1	2	3	4	5	17
A. Not Operated	6	2.5	14	< 1	< 1	< 1	1	9	10	10
B. Operated	556	2.1	13	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	477	2.1	15	1	1	2	2	3	4	7
20-34	22	2.1	4	1	1	2	2	4	6	10
35-49	20	2.0	1	1	1	2	3	4	4	5
50-64	23	2.3	2	1	1	2	3	4	5	6
65 +	20	2.0	1	< 1	1	2	3	4	4	5
GRAND TOTAL	**562**	**2.1**	**13**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	56	2.0	6	< 1	< 1	1	2	5	6	15
20-34	6	3.3	3	2	2	3	3	7	7	7
35-49	2	1.0		< 1	< 1	< 1	1	1	1	1
50-64	4	4.0	12	1	1	4	7	7	7	7
65 +	2	5.5	13	3	3	5	8	8	8	8
B. Operated										
0-19 YRS	800	3.0	10	< 1	1	2	4	6	8	15
20-34	135	2.7	7	1	1	2	4	7	8	11
35-49	88	3.6	9	1	1	2	5	8	10	13
50-64	43	2.9	7	1	1	2	4	7	10	99 +
65 +	6	4.0	12	1	1	3	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	4.5	20	1	1	3	6	10	11	26
20-34	12	3.1	2	1	2	3	4	5	5	5
35-49	20	3.9	7	1	1	4	5	8	9	10
50-64	14	3.5	4	1	2	4	5	6	6	6
65 +	15	5.3	20	1	2	3	8	13	14	15
B. Operated										
0-19 YRS	545	4.9	50	1	2	3	6	10	17	95
20-34	118	5.2	14	1	2	5	8	10	13	15
35-49	116	6.6	24	1	3	6	9	11	15	25
50-64	83	6.5	24	1	4	6	8	11	20	24
65 +	47	10.2	58	2	5	8	14	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	2.3	6	< 1	1	1	3	6	7	14
B. Operated	1072	3.0	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. Not Operated	157	4.3	15	1	1	3	6	9	11	23
B. Operated	909	5.6	42	1	2	4	7	11	17	40
1. SINGLE DX	1142	2.9	9	< 1	1	2	4	6	8	15
2. MULTIPLE DX	1066	5.4	38	1	2	4	7	11	16	37
A. Not Operated	227	3.7	13	< 1	1	3	5	8	10	18
B. Operated	1981	4.2	26	1	1	3	5	9	13	25
TOTAL										
0-19 YRS	1497	3.7	26	1	1	2	4	7	11	26
20-34	271	3.9	11	1	1	2	6	9	10	14
35-49	226	5.1	19	1	2	4	7	10	13	22
50-64	144	5.1	19	1	2	4	7	9	13	28
65 +	70	8.5	50	2	3	7	12	17	23	35
GRAND TOTAL	**2208**	**4.1**	**25**	**1**	**1**	**3**	**5**	**9**	**12**	**24**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	11.2	62	3	5	10	16	23	24	32
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	2	19.5	113	12	12	19	27	27	27	27
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	261	16.7	183	3	8	14	23	33	51	76
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	206	31.4	516	8	14	31	56	99 +	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	11.2	62	3	5	10	16	23	24	32
B. Operated	2	19.5	113	12	12	19	27	27	27	27
2. MULTIPLE DX										
A. Not Operated	261	16.7	183	3	8	14	23	33	51	76
B. Operated	206	31.4	516	8	14	31	56	99 +	99 +	99 +
1. SINGLE DX	31	11.8	66	3	5	10	17	23	27	32
2. MULTIPLE DX	467	23.2	383	5	9	18	35	66	99 +	99 +
A. Not Operated	290	16.1	174	3	7	14	22	32	43	76
B. Operated	208	31.3	513	8	14	31	56	99 +	99 +	99 +
TOTAL										
0-19 YRS	498	22.5	371	4	9	17	34	63	99 +	99 +
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**498**	**22.5**	**371**	**4**	**9**	**17**	**34**	**63**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2271	2.0	1	1	1	2	2	3	3	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	18	2.7	1	2	2	3	3	3	4	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	589	2.6	4	1	2	2	3	4	5	11
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	21	3.7	5	2	2	3	4	7	9	10
20-34	0									
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2271	2.0	1	1	1	2	2	3	3	4
B. Operated	18	2.7	1	2	2	3	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	589	2.6	4	1	2	2	3	4	5	11
B. Operated	21	3.7	5	2	2	3	4	7	9	10
1. SINGLE DX	2289	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	610	2.6	4	1	2	2	3	4	5	11
A. Not Operated	2860	2.1	1	1	1	2	2	3	4	6
B. Operated	39	3.2	3	2	2	3	3	6	8	10
TOTAL										
0-19 YRS	2899	2.1	1	1	1	2	2	3	4	6
20-34	0									
35-49	0									
50-64	0									
65 +	0									
GRAND TOTAL	**2899**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	252	2.9	8	1	1	2	3	5	8	14
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	31	2.6	4	< 1	< 1	2	3	6	7	8
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	526	5.8	53	1	2	4	7	12	18	43
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	193	11.2	99	2	5	9	17	36	99 +	99 +
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	0									
50-64	0									
65 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	253	2.9	8	1	1	2	3	5	8	14
B. Operated	32	2.5	4	< 1	< 1	2	3	6	7	8
2. MULTIPLE DX										
A. Not Operated	526	5.8	53	1	2	4	7	12	18	43
B. Operated	194	11.1	99	2	4	9	17	36	99 +	99 +
1. SINGLE DX	285	2.9	7	1	1	2	3	5	8	14
2. MULTIPLE DX	720	7.3	71	1	2	4	9	18	32	99 +
A. Not Operated	779	4.9	40	1	2	3	5	10	14	37
B. Operated	226	9.9	95	1	3	7	15	34	99 +	99 +
TOTAL										
0-19 YRS	1002	6.0	57	1	2	3	7	14	25	99 +
20-34	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	0									
65 +	0									
GRAND TOTAL	**1005**	**6.0**	**57**	**1**	**2**	**3**	**7**	**14**	**25**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	637	1.8	2	1	1	1	2	3	4	6
20-34	188	2.2	10	1	1	1	2	4	5	11
35-49	100	1.9	2	1	1	2	2	3	5	7
50-64	54	2.5	7	1	1	2	3	4	5	19
65 +	65	2.6	3	1	2	2	3	5	6	9
B. Operated										
0-19 YRS	5	4.4	37	1	1	1	7	15	15	15
20-34	5	2.2	5	< 1	1	1	3	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1307	2.3	4	1	1	2	3	4	5	11
20-34	375	2.8	11	1	1	2	3	5	7	20
35-49	431	3.1	12	1	1	2	4	6	8	17
50-64	434	4.1	14	1	2	3	5	8	11	18
65 +	982	4.6	13	2	2	4	6	9	12	19
B. Operated										
0-19 YRS	30	11.2	118	1	3	9	15	26	31	46
20-34	36	5.7	36	1	2	3	8	16	18	21
35-49	41	6.4	42	1	2	5	7	11	20	35
50-64	41	9.2	86	2	3	5	12	26	29	35
65 +	73	11.5	126	2	5	8	12	28	38	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1044	2.0	4	1	1	2	2	3	5	9
B. Operated	15	2.7	14	1	1	1	2	6	13	15
2. MULTIPLE DX										
A. Not Operated	3529	3.3	10	1	1	2	4	7	9	16
B. Operated	221	9.1	92	2	3	6	11	24	29	47
1. SINGLE DX	1059	2.0	4	1	1	2	2	3	5	9
2. MULTIPLE DX	3750	3.7	17	1	1	2	4	7	11	23
A. Not Operated	4573	3.0	9	1	1	2	4	6	8	15
B. Operated	236	8.7	89	1	2	5	11	21	28	47
TOTAL										
0-19 YRS	1979	2.3	6	1	1	2	3	4	5	13
20-34	604	2.8	13	1	1	2	3	5	8	19
35-49	573	3.1	13	1	1	2	4	6	8	22
50-64	530	4.3	21	1	2	3	5	9	12	26
65 +	1123	5.0	23	2	2	4	6	10	13	24
GRAND TOTAL	**4809**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	240	2.5	2	1	2	2	3	4	5	7
20-34	25	3.0	2	1	2	3	4	5	5	5
35-49	34	2.9	3	1	2	3	4	6	6	8
50-64	23	4.0	7	1	2	4	5	7	9	12
65 +	26	3.8	3	2	2	4	4	6	8	8
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	4.3	9	1	2	5	6	7	7	7
35-49	5	9.2	115	3	3	4	13	28	28	28
50-64	3	9.0	63	3	4	6	15	18	18	18
65 +	6	10.3	54	3	4	10	17	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	672	3.2	6	1	2	3	4	6	7	14
20-34	194	3.7	5	1	2	3	5	7	8	12
35-49	224	4.8	13	2	2	4	6	9	12	16
50-64	336	4.9	11	2	3	4	6	9	10	16
65 +	724	5.5	17	2	3	4	7	10	13	23
B. Operated										
0-19 YRS	32	7.8	55	2	3	5	10	17	25	32
20-34	39	9.9	119	2	4	6	14	23	37	50
35-49	57	9.5	37	3	5	8	13	15	22	33
50-64	72	8.1	25	3	4	7	11	14	18	24
65 +	123	10.2	48	4	5	8	13	18	25	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	348	2.8	3	1	2	3	3	5	6	8
B. Operated	19	8.0	57	2	3	4	14	18	24	28
2. MULTIPLE DX										
A. Not Operated	2150	4.4	12	2	2	3	6	8	11	17
B. Operated	323	9.3	51	3	4	8	12	17	24	34
1. SINGLE DX	367	3.1	7	1	2	3	4	5	6	17
2. MULTIPLE DX	2473	5.1	20	2	2	4	6	10	13	24
A. Not Operated	2498	4.2	11	1	2	3	5	8	10	16
B. Operated	342	9.3	51	3	4	7	12	18	24	33
TOTAL										
0-19 YRS	946	3.2	7	1	2	3	4	5	7	15
20-34	261	4.6	27	1	2	3	5	8	12	29
35-49	320	5.5	21	2	3	4	7	11	13	28
50-64	434	5.4	15	2	3	4	7	10	13	20
65 +	879	6.1	24	2	3	5	7	12	15	26
GRAND TOTAL	**2840**	**4.8**	**18**	**2**	**2**	**4**	**6**	**9**	**13**	**23**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	1.4	1	< 1	< 1	1	2	3	3	3
20-34	63	2.6	7	1	1	2	3	5	6	17
35-49	56	3.6	16	1	2	3	4	7	9	25
50-64	21	1.9	3	< 1	1	1	2	4	6	9
65 +	6	2.0	1	1	1	2	2	4	4	4
B. Operated										
0-19 YRS	0									
20-34	11	2.4	4	1	1	1	3	6	7	7
35-49	8	4.4	9	1	2	4	7	8	8	8
50-64	4	3.3	3	1	2	3	4	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	63	2.3	10	1	1	2	2	3	6	23
20-34	174	3.3	11	1	2	2	4	6	8	17
35-49	159	3.6	15	1	1	2	4	7	9	25
50-64	132	3.6	19	1	2	2	4	6	9	32
65 +	91	3.0	5	1	1	2	4	6	8	13
B. Operated										
0-19 YRS	3	5.0	9	2	3	5	7	8	8	8
20-34	14	4.6	32	1	1	2	5	15	18	19
35-49	17	2.9	6	1	1	2	4	6	9	10
50-64	10	6.3	24	1	4	5	8	13	18	18
65 +	16	7.2	28	2	2	6	10	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	164	2.7	9	1	1	2	3	5	7	18
B. Operated	24	3.2	6	1	1	3	4	7	8	8
2. MULTIPLE DX										
A. Not Operated	619	3.3	13	1	1	2	4	6	8	24
B. Operated	60	5.1	23	1	1	4	7	13	16	19
1. SINGLE DX	188	2.7	9	1	1	2	3	5	7	18
2. MULTIPLE DX	679	3.5	14	1	1	2	4	7	9	23
A. Not Operated	783	3.2	12	1	1	2	4	6	8	22
B. Operated	84	4.6	18	1	1	3	6	10	15	19
TOTAL										
0-19 YRS	84	2.2	8	< 1	1	2	2	3	6	19
20-34	262	3.2	11	1	1	2	4	5	8	18
35-49	240	3.6	14	1	1	2	4	7	9	25
50-64	167	3.5	17	1	1	2	4	7	9	29
65 +	114	3.5	10	1	2	2	4	8	10	16
[illegible]AND TOTAL	**867**	**3.3**	**13**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.6		< 1	1	2	2	2	2	2
20-34	13	2.1	3	1	1	1	3	5	6	6
35-49	21	2.8	3	1	2	2	3	5	6	8
50-64	22	3.1	2	< 1	2	3	4	5	6	6
65 +	39	2.3	3	1	1	2	3	4	6	8
B. Operated										
0-19 YRS	6	1.8	4	< 1	< 1	1	1	6	6	6
20-34	20	3.6	10	1	2	3	4	5	11	16
35-49	44	3.6	3	1	2	3	5	6	7	8
50-64	65	3.7	5	1	2	3	5	7	8	11
65 +	67	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	3.2	5	1	2	3	4	6	8	9
20-34	20	3.1	6	< 1	1	3	4	6	9	11
35-49	38	3.2	5	1	2	3	4	6	8	11
50-64	105	3.0	3	1	1	3	4	6	7	8
65 +	203	3.4	7	1	2	3	4	7	8	13
B. Operated										
0-19 YRS	10	3.2	6	1	2	2	4	7	9	9
20-34	31	4.6	14	1	2	4	6	7	8	21
35-49	59	4.2	6	1	2	4	5	6	10	13
50-64	122	4.3	8	1	3	4	6	8	9	15
65 +	243	4.8	14	1	2	4	6	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	100	2.5	3	1	1	2	3	5	6	8
B. Operated	202	3.4	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	382	3.2	6	1	2	3	4	6	7	12
B. Operated	465	4.5	11	1	2	4	6	8	10	19
1. SINGLE DX	302	3.1	4	1	2	3	4	6	6	9
2. MULTIPLE DX	847	3.9	9	1	2	3	5	7	9	15
A. Not Operated	482	3.1	5	1	1	3	4	6	7	11
B. Operated	667	4.2	9	1	2	4	5	7	9	15
TOTAL										
0-19 YRS	37	2.8	4	1	1	2	4	6	8	9
20-34	84	3.6	10	1	1	3	4	6	8	19
35-49	162	3.6	5	1	2	3	5	6	7	11
50-64	314	3.7	6	1	2	3	5	7	8	11
65 +	552	3.9	10	1	2	3	5	7	9	15
GRAND TOTAL	**1149**	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	22	3.2	5	1	2	2	5	7	8	9
20-34	5	2.8	2	1	2	3	4	4	4	4
35-49	13	2.2	3	< 1	1	1	4	5	6	6
50-64	5	1.6		< 1	1	2	2	2	2	2
65 +	8	1.9	1	1	1	2	3	3	3	3
B. Operated										
0-19 YRS	21	1.8	3	< 1	< 1	< 1	1	5	6	7
20-34	22	1.5		< 1	1	1	2	3	3	3
35-49	31	1.5	2	< 1	< 1	1	1	2	3	9
50-64	12	2.9	9	< 1	1	1	4	8	9	9
65 +	12	1.8	1	< 1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	30	4.0	17	< 1	1	3	5	9	11	20
20-34	29	2.8	11	1	1	2	3	5	7	18
35-49	55	3.3	9	1	2	2	4	7	11	14
50-64	66	4.2	22	1	1	3	4	10	16	23
65 +	160	5.7	72	1	2	3	7	12	16	27
B. Operated										
0-19 YRS	20	5.5	50	1	1	3	7	16	24	26
20-34	16	7.8	240	1	1	2	8	12	48	64
35-49	28	6.9	244	1	1	2	5	13	30	82
50-64	39	5.9	50	< 1	1	4	7	16	21	33
65 +	61	10.5	127	1	3	8	14	19	31	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	53	2.6	3	1	1	2	3	5	7	9
B. Operated	98	1.8	3	< 1	< 1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	340	4.6	43	1	2	3	5	11	14	22
B. Operated	164	7.9	131	1	1	4	10	18	23	64
1. SINGLE DX	151	2.0	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX	504	5.7	74	1	2	3	7	13	18	44
A. Not Operated	393	4.3	38	1	2	3	5	10	13	22
B. Operated	262	5.6	92	< 1	1	2	6	14	19	62
TOTAL										
0-19 YRS	93	3.6	19	< 1	1	2	5	9	9	25
20-34	72	3.5	61	1	1	2	3	6	12	54
35-49	127	3.6	61	1	1	2	3	7	11	37
50-64	122	4.5	30	1	1	3	5	11	17	26
65 +	241	6.6	86	1	2	3	9	15	18	49
GRAND TOTAL	**655**	**4.9**	**60**	**1**	**1**	**2**	**5**	**11**	**16**	**33**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
20-34	7	6.0	62	1	2	2	9	20	22	22
35-49	4	7.0	144	< 1	< 1	1	13	25	25	25
50-64	9	4.2	23	< 1	1	2	6	13	13	13
65 +	9	8.7	45	1	2	7	15	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	2	8.5	5	7	7	8	10	10	10	10
35-49	6	6.8	7	3	4	8	8	10	10	10
50-64	9	6.7	27	1	3	5	10	15	15	15
65 +	37	6.3	21	1	3	6	8	12	16	22
B. Operated										
0-19 YRS	8	7.1	40	< 1	2	5	11	17	18	18
20-34	16	10.9	40	4	6	10	13	20	24	25
35-49	31	13.2	127	2	4	11	19	27	41	44
50-64	94	14.6	201	4	5	11	17	32	44	77
65 +	295	12.8	129	3	6	10	15	29	37	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	33	5.8	48	< 1	1	2	10	17	21	25
2. MULTIPLE DX										
A. Not Operated	55	6.7	21	2	3	6	9	13	16	22
B. Operated	444	13.0	140	3	6	10	16	29	37	92
1. SINGLE DX	35	5.7	45	< 1	1	2	9	17	21	25
2. MULTIPLE DX	499	12.3	130	3	5	9	15	26	35	87
A. Not Operated	57	6.6	21	2	3	6	9	13	16	22
B. Operated	477	12.5	137	2	5	10	16	26	36	89
TOTAL										
0-19 YRS	13	6.2	44	< 1	1	3	10	18	18	18
20-34	25	9.3	45	2	4	9	12	20	23	25
35-49	41	11.7	115	1	4	9	17	25	36	44
50-64	113	13.0	183	2	4	10	16	27	34	74
65 +	342	11.9	119	2	5	9	15	26	36	99 +
GRAND TOTAL	**534**	**11.9**	**127**	**2**	**5**	**9**	**15**	**25**	**34**	**83**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	21	1.5	1	< 1	1	1	2	3	3	3
20-34	275	1.8	6	1	1	1	2	3	3	5
35-49	1400	1.6	1	1	1	1	2	3	3	5
50-64	1138	1.8	2	1	1	2	2	3	4	6
65 +	524	2.0	1	1	1	2	2	3	4	7
B. Operated										
0-19 YRS	0									
20-34	29	2.0	3	1	1	1	3	5	6	7
35-49	236	2.0	3	1	1	1	2	4	5	7
50-64	267	1.8	2	< 1	1	1	2	4	5	7
65 +	98	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	52	1.9	1	1	1	2	2	3	4	6
20-34	668	1.9	3	1	1	2	2	3	4	9
35-49	3243	2.0	2	1	1	2	2	4	5	7
50-64	4676	2.3	2	1	1	2	3	4	5	8
65 +	5095	2.7	4	1	2	2	3	5	6	10
B. Operated										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	55	3.0	5	1	1	2	4	6	7	13
35-49	625	2.6	3	1	1	2	3	5	6	10
50-64	1089	2.8	6	1	1	2	4	6	7	12
65 +	858	3.6	13	1	1	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3358	1.8	2	1	1	1	2	3	4	5
B. Operated	630	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	13734	2.4	3	1	1	2	3	4	5	8
B. Operated	2630	3.0	8	1	1	2	4	6	7	13
1. SINGLE DX	3988	1.8	2	1	1	1	2	3	4	6
2. MULTIPLE DX	16364	2.5	4	1	1	2	3	4	6	10
A. Not Operated	17092	2.3	3	1	1	2	3	4	5	8
B. Operated	3260	2.8	7	1	1	2	4	6	7	12
TOTAL										
0-19 YRS	76	1.9	1	1	1	2	2	3	4	6
20-34	1027	2.0	4	1	1	1	2	3	4	8
35-49	5504	2.0	2	1	1	2	2	4	4	7
50-64	7170	2.3	3	1	1	2	3	4	5	8
65 +	6575	2.8	5	1	1	2	3	5	6	11
GRAND TOTAL	**20352**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	237	1.8	1	1	1	1	2	4	4	6
20-34	11	2.3	7	< 1	< 1	1	2	6	10	10
35-49	12	2.2	1	< 1	1	2	2	4	5	5
50-64	12	3.2	29	1	1	1	3	9	18	20
65 +	14	1.9	1	1	1	2	2	3	4	4
B. Operated										
0-19 YRS	14	1.6	1	< 1	< 1	1	2	3	4	5
20-34	16	2.2	6	< 1	1	1	2	5	8	10
35-49	23	2.3	4	< 1	1	2	2	5	7	10
50-64	33	3.5	38	< 1	1	2	3	7	15	33
65 +	15	2.5	3	< 1	1	2	4	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	494	2.9	10	1	1	2	4	5	7	22
20-34	45	2.9	6	1	1	2	4	5	7	13
35-49	82	3.4	16	1	1	2	4	8	13	21
50-64	192	3.5	15	1	1	3	4	7	9	18
65 +	367	4.3	14	1	2	3	6	8	12	22
B. Operated										
0-19 YRS	50	11.3	337	1	2	3	13	31	53	95
20-34	21	3.7	5	1	2	4	5	7	8	8
35-49	60	3.5	8	1	1	3	5	8	9	14
50-64	100	4.1	16	1	1	3	5	9	13	62
65 +	138	4.9	19	1	2	4	7	11	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	286	1.9	3	1	1	1	2	4	4	7
B. Operated	101	2.6	15	< 1	1	1	3	5	8	24
2. MULTIPLE DX										
A. Not Operated	1180	3.5	13	1	1	2	4	7	9	21
B. Operated	369	5.3	64	1	1	3	6	11	15	52
1. SINGLE DX	387	2.1	6	1	1	1	2	4	5	13
2. MULTIPLE DX	1549	3.9	25	1	1	3	5	8	11	25
A. Not Operated	1466	3.2	11	1	1	2	4	6	8	20
B. Operated	470	4.7	55	1	1	3	5	10	14	43
TOTAL										
0-19 YRS	795	3.1	32	1	1	2	3	5	7	27
20-34	93	2.9	6	< 1	1	2	4	6	8	12
35-49	177	3.2	11	1	1	2	4	7	10	18
50-64	337	3.7	18	1	1	2	4	8	11	26
65 +	534	4.4	15	1	2	3	6	9	12	22
GRAND TOTAL	1936	3.6	22	1	1	2	4	7	10	23

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.7	1	1	1	1	2	3	5	5
20-34	53	1.5	1	1	1	1	2	3	3	5
35-49	59	1.5	1	< 1	1	1	2	2	4	9
50-64	46	1.4		< 1	1	1	2	2	3	3
65 +	12	2.0	3	< 1	1	1	3	5	6	6
B. Operated										
0-19 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
20-34	12	1.8	1	< 1	1	2	2	3	4	4
35-49	18	2.5	2	1	2	2	3	4	5	6
50-64	17	3.2	3	1	2	3	4	6	7	7
65 +	21	3.4	7	1	2	3	4	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	3.6	34	< 1	1	1	3	8	19	26
20-34	53	2.1	3	1	1	1	3	4	5	8
35-49	97	2.2	2	1	1	2	3	4	5	8
50-64	82	3.0	7	1	1	2	3	6	9	14
65 +	229	4.2	15	1	2	4	5	8	10	23
B. Operated										
0-19 YRS	19	3.7	9	< 1	1	3	5	8	10	12
20-34	39	3.2	11	1	1	2	4	8	12	14
35-49	41	3.7	9	1	1	2	5	8	10	13
50-64	87	4.1	15	1	2	3	5	9	13	19
65 +	296	4.5	15	1	2	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	183	1.5	1	< 1	1	1	2	2	3	6
B. Operated	72	2.7	4	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. Not Operated	485	3.3	11	1	1	2	4	7	9	16
B. Operated	482	4.2	14	1	2	3	5	9	12	19
1. SINGLE DX	255	1.9	2	1	1	1	2	4	4	8
2. MULTIPLE DX	967	3.8	13	1	1	3	5	8	10	18
A. Not Operated	668	2.8	9	1	1	2	4	6	8	15
B. Operated	554	4.0	13	1	2	3	5	8	12	18
TOTAL										
0-19 YRS	60	3.1	17	< 1	1	1	4	6	10	25
20-34	157	2.1	4	1	1	1	2	4	5	12
35-49	215	2.3	4	1	1	2	3	4	6	11
50-64	232	3.1	9	1	1	2	4	7	9	16
65 +	558	4.3	15	1	2	3	5	8	11	20
GRAND TOTAL	1222	3.4	11	1	1	2	4	7	9	16

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	749	1.5	1	<1	1	1	2	3	3	6
20-34	843	2.0	3	1	1	2	2	4	5	7
35-49	582	2.2	4	1	1	2	3	5	6	9
50-64	248	2.1	2	1	1	2	3	4	5	7
65 +	174	2.3	3	1	1	2	3	5	6	10
B. Operated										
0-19 YRS	154	2.8	3	1	2	3	3	4	5	8
20-34	242	2.8	2	1	2	3	3	5	5	7
35-49	93	3.7	10	1	2	3	5	6	10	20
50-64	33	3.2	8	1	1	3	4	6	7	15
65 +	15	4.1	9	<1	1	3	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	621	2.0	3	1	1	1	2	4	5	9
20-34	1107	2.6	5	1	1	2	3	5	6	12
35-49	909	3.0	5	1	1	2	4	6	7	11
50-64	840	3.2	9	1	2	2	4	6	8	18
65 +	1270	3.8	9	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	138	3.3	5	1	2	3	4	6	7	11
20-34	333	4.0	11	1	2	3	5	8	10	18
35-49	209	4.7	14	1	2	4	6	9	12	18
50-64	166	5.5	28	1	2	4	7	11	14	33
65 +	281	6.2	39	1	2	4	8	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2596	2.0	2	1	1	1	2	4	5	8
B. Operated	537	3.0	4	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated	4747	3.0	7	1	1	2	4	6	7	13
B. Operated	1127	4.8	21	1	2	4	6	9	13	26
1. SINGLE DX	3133	2.1	3	1	1	2	3	4	5	8
2. MULTIPLE DX	5874	3.4	10	1	1	2	4	6	9	16
A. Not Operated	7343	2.6	6	1	1	2	3	5	7	11
B. Operated	1664	4.2	17	1	2	3	5	8	11	23
TOTAL										
0-19 YRS	1662	2.0	3	1	1	1	2	4	5	8
20-34	2525	2.6	5	1	1	2	3	5	6	12
35-49	1793	3.0	6	1	1	2	4	6	8	14
50-64	1287	3.3	11	1	1	2	4	6	9	18
65 +	1740	4.0	14	1	2	3	5	8	10	19
GRAND TOTAL	**9007**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	61	1.6	1	<1	1	1	2	3	4	5
20-34	23	1.5	1	<1	<1	1	2	3	4	4
35-49	31	1.8	2	<1	1	1	2	4	4	5
50-64	20	2.5	9	<1	1	2	3	4	9	14
65 +	33	2.5	4	1	1	2	3	5	8	8
B. Operated										
0-19 YRS	11	2.5	3	<1	1	2	3	5	7	7
20-34	25	2.6	4	<1	1	2	4	5	6	8
35-49	21	3.0	5	<1	1	3	5	6	7	8
50-64	14	2.4	4	<1	<1	1	4	6	7	7
65 +	9	3.4	7	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	294	2.4	11	1	1	2	3	4	6	13
20-34	230	3.1	6	1	1	2	4	6	7	12
35-49	269	3.7	13	1	1	2	5	8	11	17
50-64	384	3.7	10	1	2	3	5	7	10	14
65 +	874	4.4	13	1	2	4	5	8	10	16
B. Operated										
0-19 YRS	66	3.6	45	1	1	1	4	9	11	44
20-34	100	3.6	20	1	1	2	4	8	12	25
35-49	116	4.6	36	1	1	2	6	9	17	34
50-64	110	5.3	68	1	1	3	6	11	18	49
65 +	275	6.3	36	1	2	5	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	1.9	3	<1	1	1	2	4	4	8
B. Operated	80	2.7	4	<1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	2051	3.7	12	1	2	3	5	7	10	15
B. Operated	667	5.2	41	1	1	3	7	12	16	31
1. SINGLE DX	248	2.2	3	<1	1	1	3	5	6	8
2. MULTIPLE DX	2718	4.1	19	1	2	3	5	8	11	20
A. Not Operated	2219	3.6	11	1	2	3	5	7	9	15
B. Operated	747	4.9	38	1	1	3	7	11	16	29
TOTAL										
0-19 YRS	432	2.5	14	1	1	2	2	4	7	13
20-34	378	3.1	9	1	1	2	4	6	8	16
35-49	437	3.8	18	1	1	2	5	8	12	21
50-64	528	4.0	22	1	2	3	5	8	11	19
65 +	1191	4.8	19	1	2	4	6	10	13	21
GRAND TOTAL	**2966**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	391	3.1	29	1	1	2	3	5	8	28
20-34	144	3.4	38	1	1	2	3	5	9	42
35-49	198	1.9	2	1	1	1	2	3	4	9
50-64	231	1.9	3	1	1	1	2	3	4	12
65 +	364	2.1	3	1	1	2	2	4	5	9
B. Operated										
0-19 YRS	35	1.7	3	< 1	< 1	1	1	3	7	7
20-34	50	1.6	1	1	1	1	2	3	4	6
35-49	72	1.5	1	< 1	1	1	2	3	3	6
50-64	72	1.7	2	1	1	1	2	3	5	7
65 +	43	2.1	4	< 1	1	1	3	4	7	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	876	4.1	23	1	1	3	5	8	12	26
20-34	448	3.4	33	1	1	2	3	6	8	36
35-49	798	3.0	11	1	1	2	4	6	8	16
50-64	1530	2.9	8	1	1	2	3	6	7	13
65 +	5346	3.6	11	1	2	3	4	7	9	15
B. Operated										
0-19 YRS	136	7.6	102	1	1	5	8	14	35	49
20-34	98	3.1	10	1	1	2	4	8	10	15
35-49	218	4.0	56	1	1	2	4	8	13	28
50-64	287	5.2	65	1	1	3	5	11	16	45
65 +	638	5.7	37	1	2	4	7	12	17	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1328	2.5	15	1	1	2	3	4	6	16
B. Operated	272	1.7	2	< 1	1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated	8998	3.5	13	1	2	3	4	7	9	17
B. Operated	1377	5.3	51	1	1	3	6	12	16	40
1. SINGLE DX	1600	2.3	12	1	1	2	2	4	6	13
2. MULTIPLE DX	10375	3.7	18	1	2	3	4	7	10	20
A. Not Operated	10326	3.4	13	1	1	2	4	6	9	17
B. Operated	1649	4.7	45	1	1	3	6	11	14	35
TOTAL										
0-19 YRS	1438	4.1	33	1	1	2	5	8	12	35
20-34	740	3.2	29	1	1	2	3	6	9	32
35-49	1286	2.9	17	1	1	2	3	5	8	17
50-64	2120	3.1	16	1	1	2	3	6	8	18
65 +	6391	3.7	13	1	2	3	4	7	10	18
GRAND TOTAL	**11975**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	0									
35-49	1	35.0		35	35	35	35	35	35	35
50-64	2	45.0	512	29	29	45	61	61	61	61
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	21	20.1	307	6	8	14	28	47	64	65
20-34	6	9.5	54	1	3	9	14	19	20	20
35-49	3	21.3	340	1	7	26	34	37	37	37
50-64	1	8.0		8	8	8	8	8	8	8
65 +	2	13.0	72	7	7	13	19	19	19	19
B. Operated										
0-19 YRS	41	31.7	437	10	19	27	42	63	85	99 +
20-34	38	39.5	761	12	17	29	58	85	96	97
35-49	15	38.7	583	15	21	34	55	92	98	99 +
50-64	8	41.8	400	21	32	41	60	94	99 +	99 +
65 +	5	40.2	239	15	32	43	52	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	38.5	233	29	29	32	48	61	61	61
2. MULTIPLE DX										
A. Not Operated	33	17.5	246	3	7	13	22	36	60	65
B. Operated	107	36.6	558	12	18	32	54	82	97	99 +
1. SINGLE DX	4	38.5	233	29	29	32	48	61	61	61
2. MULTIPLE DX	140	32.1	549	8	15	26	44	70	94	99 +
A. Not Operated	33	17.5	246	3	7	13	22	36	60	65
B. Operated	111	36.7	545	12	19	32	54	82	96	99 +
TOTAL										
0-19 YRS	63	27.8	411	8	12	22	38	61	71	99 +
20-34	44	35.4	770	11	14	25	57	82	96	97
35-49	19	35.8	533	13	21	33	49	87	96	99 +
50-64	11	39.3	440	17	25	39	56	89	98	99 +
65 +	7	32.4	347	9	16	38	49	53	54	54
GRAND TOTAL	**144**	**32.3**	**539**	**8**	**15**	**27**	**44**	**69**	**93**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	196	1.7	2	1	1	1	2	3	4	8
20-34	9	3.8	13	1	2	3	4	9	13	13
35-49	4	5.0	2	3	4	5	6	6	6	6
50-64	0									
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	50	4.0	4	2	3	4	5	7	8	8
20-34	21	4.1	11	1	2	3	5	10	12	14
35-49	6	6.5	29	1	2	5	12	14	14	14
50-64	1	11.0		11	11	11	11	11	11	11
65 +	3	5.0	9	2	3	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	255	3.7	27	1	1	2	4	7	13	26
20-34	54	5.2	27	1	2	3	8	12	13	29
35-49	23	5.8	36	1	2	3	8	12	19	27
50-64	13	6.2	16	1	3	5	9	12	12	12
65 +	21	9.8	64	3	4	7	16	23	27	29
B. Operated										
0-19 YRS	126	8.8	96	1	3	5	11	22	33	66
20-34	101	10.1	99	2	4	7	15	23	32	78
35-49	64	11.9	201	2	4	7	15	28	36	85
50-64	27	17.6	370	2	5	7	26	41	64	75
65 +	17	12.5	88	2	5	12	19	25	31	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	210	1.8	3	1	1	1	2	3	5	10
B. Operated	81	4.3	8	1	2	3	5	8	11	14
2. MULTIPLE DX										
A. Not Operated	366	4.5	32	1	1	2	5	11	16	28
B. Operated	335	10.7	142	2	4	6	14	26	35	77
1. SINGLE DX	291	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX	701	7.5	94	1	2	4	9	20	27	52
A. Not Operated	576	3.5	23	1	1	2	4	8	12	26
B. Operated	416	9.5	122	2	3	6	11	22	34	66
TOTAL										
0-19 YRS	627	4.1	37	1	1	2	4	9	16	34
20-34	185	7.7	71	1	2	5	10	20	25	53
35-49	97	9.8	150	1	3	6	11	22	32	71
50-64	41	13.8	274	2	5	7	16	37	51	75
65 +	42	10.4	72	2	4	7	16	23	27	34
GRAND TOTAL	**992**	**6.0**	**73**	**1**	**1**	**3**	**7**	**15**	**22**	**45**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3; 6; 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	125	2.1	4	1	1	1	2	4	6	10
20-34	30	2.9	8	1	1	2	4	7	9	12
35-49	14	2.9	4	1	1	2	4	6	8	8
50-64	8	3.3	7	1	1	3	5	7	7	7
65 +	8	6.4	26	2	2	4	10	14	15	15
B. Operated										
0-19 YRS	14	4.8	4	2	3	5	6	7	8	8
20-34	9	5.6	61	1	2	2	5	19	25	25
35-49	3	5.7	30	2	2	3	10	12	12	12
50-64	0									
65 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	282	4.1	25	1	2	2	4	9	14	28
20-34	153	5.0	32	1	2	3	5	11	16	32
35-49	79	6.4	60	1	2	3	8	14	21	43
50-64	36	10.0	247	2	3	5	10	22	36	88
65 +	42	6.7	30	2	3	5	9	12	17	31
B. Operated										
0-19 YRS	134	9.1	117	2	3	5	11	21	34	80
20-34	156	10.2	133	2	3	6	12	27	38	72
35-49	86	11.9	126	2	4	8	17	28	33	91
50-64	19	11.2	95	1	2	11	18	28	64	99 +
65 +	26	12.3	77	2	5	11	21	28	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	185	2.5	6	1	1	2	3	6	7	13
B. Operated	27	5.4	24	2	2	4	7	11	14	25
2. MULTIPLE DX										
A. Not Operated	592	5.2	47	1	2	3	6	11	17	36
B. Operated	421	10.4	121	2	3	7	13	26	35	99 +
1. SINGLE DX	212	2.9	9	1	1	2	3	7	9	14
2. MULTIPLE DX	1013	7.3	84	1	2	4	9	18	28	48
A. Not Operated	777	4.5	38	1	1	3	5	10	15	31
B. Operated	448	10.1	117	2	3	6	13	25	34	99
TOTAL										
0-19 YRS	555	4.9	48	1	1	3	5	11	17	41
20-34	348	7.1	83	1	2	4	8	17	28	45
35-49	182	8.7	95	1	3	6	12	20	32	65
50-64	63	9.5	174	1	3	5	12	28	33	98
65 +	77	8.6	51	2	3	7	11	21	27	81
GRAND TOTAL	**1225**	**6.6**	**74**	**1**	**2**	**3**	**8**	**16**	**25**	**45**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	1.3		< 1	< 1	1	1	2	3	3
20-34	22	1.6	1	< 1	1	1	2	3	4	6
35-49	7	1.7	2	< 1	1	1	2	4	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-19 YRS	241	1.5	1	< 1	1	1	2	3	4	5
20-34	364	2.1	3	1	1	2	2	4	5	10
35-49	135	2.2	3	1	1	2	3	4	6	9
50-64	28	2.1	8	1	1	1	2	4	6	15
65 +	13	1.6	3	< 1	1	1	2	3	6	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	55	1.7	2	< 1	1	1	2	4	4	9
20-34	94	1.9	2	< 1	1	1	2	4	5	7
35-49	45	2.8	3	1	1	2	4	5	6	8
50-64	27	3.6	12	1	1	2	5	8	13	13
65 +	47	4.1	14	1	2	3	5	9	14	17
B. Operated										
0-19 YRS	340	3.1	11	1	1	2	4	6	9	15
20-34	687	3.8	17	1	2	3	4	7	11	21
35-49	285	4.0	24	1	2	3	5	8	11	24
50-64	108	5.3	31	1	2	3	7	12	16	31
65 +	101	5.2	23	1	2	4	6	11	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	1.6	1	< 1	1	1	2	3	5	6
B. Operated	781	1.9	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	268	2.6	6	1	1	2	3	5	7	14
B. Operated	1521	3.9	18	1	1	3	5	8	12	22
1. SINGLE DX	825	1.9	3	1	1	1	2	4	5	9
2. MULTIPLE DX	1789	3.7	17	1	1	2	4	7	11	20
A. Not Operated	312	2.4	5	< 1	1	2	3	5	7	14
B. Operated	2302	3.2	14	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	647	2.4	7	1	1	1	3	5	6	13
20-34	1167	3.1	12	1	1	2	4	6	9	17
35-49	472	3.3	16	1	1	2	4	6	8	16
50-64	165	4.4	25	1	1	2	6	11	15	29
65 +	163	4.6	19	1	2	3	6	11	13	21
GRAND TOTAL	**2614**	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	76	2.8	4	1	1	2	3	6	8	10
20-34	206	3.3	7	1	1	3	4	6	8	15
35-49	141	4.1	15	1	2	3	5	7	10	25
50-64	87	4.8	24	2	2	4	6	8	10	33
65 +	130	5.4	20	2	3	4	7	10	14	23
B. Operated										
0-19 YRS	28	9.0	29	3	5	9	12	14	17	27
20-34	29	7.6	30	3	4	7	10	11	20	28
35-49	24	7.4	33	2	4	6	10	12	22	25
50-64	12	6.9	26	1	4	5	10	15	17	17
65 +	11	8.1	41	1	3	5	13	17	21	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	3.7	11	1	2	3	5	7	9	15
20-34	346	4.4	14	1	2	3	6	9	11	19
35-49	257	5.4	43	1	2	4	7	10	14	27
50-64	237	5.8	18	2	3	5	7	10	15	19
65 +	1305	6.5	16	3	4	6	8	11	14	20
B. Operated										
0-19 YRS	93	8.8	67	2	3	6	13	19	23	40
20-34	200	10.9	142	2	4	8	14	21	32	98
35-49	136	10.6	102	2	4	7	14	22	27	57
50-64	75	10.5	70	2	5	7	15	25	27	38
65 +	169	11.5	87	3	6	10	15	22	30	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	640	4.0	14	1	2	3	5	8	10	18
B. Operated	104	7.9	30	2	4	7	11	14	20	27
2. MULTIPLE DX										
A. Not Operated	2279	5.8	19	2	3	5	7	11	14	20
B. Operated	673	10.7	102	2	4	8	14	21	29	60
1. SINGLE DX	744	4.6	18	1	2	4	6	9	12	21
2. MULTIPLE DX	2952	6.9	42	2	3	5	8	14	18	32
A. Not Operated	2919	5.4	19	2	3	4	7	10	13	20
B. Operated	777	10.3	93	2	4	8	13	21	27	55
TOTAL										
0-19 YRS	331	5.4	34	1	2	3	7	12	16	32
20-34	781	5.9	55	1	2	4	7	12	18	37
35-49	558	6.4	56	1	2	4	7	13	19	35
50-64	411	6.5	33	2	3	5	8	14	17	35
65 +	1615	6.9	26	2	4	6	9	12	16	27
GRAND TOTAL	**3696**	**6.4**	**38**	**2**	**3**	**5**	**8**	**13**	**17**	**30**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	3	5.3	44	1	1	2	10	13	13	13
35-49	4	6.0	21	1	3	5	9	12	12	12
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	18.0		18	18	18	18	18	18	18
B. Operated										
0-19 YRS	6	15.0	34	7	11	14	21	22	22	22
20-34	13	14.1	166	5	7	11	16	30	48	52
35-49	4	10.0	49	4	4	8	15	19	19	19
50-64	3	14.7	92	6	8	13	22	25	25	25
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	6	9.7	22	2	9	10	12	15	15	15
20-34	25	14.2	405	1	2	6	15	47	66	75
35-49	10	14.4	299	1	4	9	20	40	59	59
50-64	6	10.0	63	3	4	7	14	23	24	24
65+	30	10.2	158	3	4	6	12	20	26	69
B. Operated										
0-19 YRS	28	22.1	187	9	13	22	30	77	99+	99+
20-34	89	22.1	276	7	12	17	32	48	56	99+
35-49	45	22.1	208	7	10	19	29	43	47	67
50-64	20	24.1	296	8	11	17	30	52	60	66
65+	23	26.1	526	9	12	19	28	58	87	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	5.4	30	1	1	4	7	13	17	18
B. Operated	26	13.7	103	5	7	12	19	24	30	52
2. MULTIPLE DX										
A. Not Operated	77	12.0	233	1	4	7	13	26	55	73
B. Operated	205	22.8	275	8	12	19	30	50	66	99+
1. SINGLE DX	40	10.8	92	1	5	8	14	22	24	52
2. MULTIPLE DX	282	19.8	286	4	9	15	27	46	62	99+
A. Not Operated	91	11.0	207	1	3	6	12	24	46	73
B. Operated	231	21.8	263	7	11	17	28	47	60	99+
TOTAL										
0-19 YRS	44	17.7	168	4	10	15	27	51	99+	99+
20-34	130	19.4	298	2	8	13	28	47	56	99+
35-49	63	19.1	221	4	8	15	26	42	48	66
50-64	31	19.1	256	5	7	14	25	47	54	66
65+	54	17.1	367	4	5	11	19	37	66	95
GRAND TOTAL	**322**	**18.7**	**270**	**3**	**8**	**14**	**25**	**45**	**56**	**99+**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	16	1.7	1	1	1	1	2	3	3	3
20-34	27	1.6	1	1	1	1	2	3	3	3
35-49	44	2.0	2	1	1	2	2	4	5	8
50-64	33	2.1	3	1	1	2	2	4	6	9
65+	35	3.4	9	1	1	3	4	8	11	13
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	4.3	8	1	2	4	6	7	7	7
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	50	2.3	2	1	1	2	3	4	5	8
20-34	205	2.8	5	1	1	2	4	5	7	11
35-49	278	3.5	8	1	2	3	4	7	8	13
50-64	270	4.0	9	1	2	3	5	8	10	15
65+	676	5.2	14	2	3	4	7	10	12	20
B. Operated										
0-19 YRS	22	5.8	16	2	3	5	8	10	14	19
20-34	107	5.7	16	2	3	5	8	12	13	20
35-49	111	8.4	80	2	3	5	10	19	30	43
50-64	89	8.1	63	2	3	6	10	18	23	42
65+	147	10.2	78	2	4	8	14	22	28	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	155	2.2	4	1	1	2	3	4	5	12
B. Operated	10	5.9	11	2	4	5	7	11	13	13
2. MULTIPLE DX										
A. Not Operated	1479	4.2	12	1	2	3	6	8	11	18
B. Operated	476	8.2	62	2	3	6	10	18	24	37
1. SINGLE DX	165	2.5	5	1	1	2	3	5	7	13
2. MULTIPLE DX	1955	5.2	27	1	2	4	6	11	14	28
A. Not Operated	1634	4.1	11	1	2	3	5	8	11	17
B. Operated	486	8.2	61	2	3	6	10	18	23	37
TOTAL										
0-19 YRS	89	3.2	9	1	1	2	4	7	9	17
20-34	343	3.6	10	1	1	3	5	8	10	15
35-49	436	4.6	31	1	2	3	5	9	13	31
50-64	393	4.8	24	1	2	3	6	10	13	24
65+	859	6.0	29	2	3	5	7	12	16	28
GRAND TOTAL	**2120**	**5.0**	**25**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	4.3	41	1	2	3	4	8	11	43
20-34	52	5.2	24	1	2	4	6	12	16	22
35-49	34	6.4	58	2	2	4	6	14	20	41
50-64	40	5.2	13	2	3	4	6	8	11	22
65 +	145	5.8	19	2	3	5	7	11	13	24
B. Operated										
0-19 YRS	7	6.9	26	1	2	6	11	14	14	14
20-34	10	9.0	55	2	4	6	13	21	23	23
35-49	4	10.5	74	4	5	7	16	23	23	23
50-64	5	18.8	475	3	7	11	25	57	57	57
65 +	3	22.3	754	5	6	8	42	54	54	54
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	127	5.4	28	2	3	5	7	8	12	32
20-34	170	6.4	44	2	3	5	7	11	18	42
35-49	102	7.5	48	2	4	6	9	14	19	42
50-64	128	8.2	51	2	4	6	10	16	21	39
65 +	995	7.4	27	3	4	6	9	13	16	24
B. Operated										
0-19 YRS	75	14.4	274	3	4	8	15	41	53	74
20-34	115	16.4	288	4	6	11	17	40	60	81
35-49	79	16.2	151	4	8	12	24	35	40	55
50-64	68	16.7	149	4	8	14	21	30	41	58
65 +	123	13.3	108	4	6	10	16	23	40	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	5.5	26	1	3	4	6	10	14	24
B. Operated	29	11.8	183	2	4	8	13	23	54	57
2. MULTIPLE DX										
A. Not Operated	1522	7.2	33	2	4	6	9	13	17	30
B. Operated	460	15.2	193	4	6	11	17	34	45	72
1. SINGLE DX	346	6.0	42	1	3	4	7	11	16	41
2. MULTIPLE DX	1982	9.0	82	3	4	7	10	17	25	50
A. Not Operated	1839	6.9	32	2	4	6	8	13	16	29
B. Operated	489	15.0	193	4	6	11	17	33	45	71
TOTAL										
0-19 YRS	255	7.9	119	2	3	5	8	14	33	59
20-34	347	9.6	145	2	3	6	11	21	31	69
35-49	219	10.5	104	2	4	7	13	25	33	52
50-64	241	10.3	98	2	4	7	13	22	30	57
65 +	1266	7.8	39	3	4	6	9	14	18	34
GRAND TOTAL	**2328**	**8.6**	**77**	**2**	**4**	**6**	**10**	**16**	**23**	**48**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	2.9	20	1	1	1	2	7	17	19
20-34	14	1.8	1	1	1	1	2	3	5	5
35-49	18	2.2	2	1	1	2	3	4	6	7
50-64	16	2.7	4	1	1	2	3	6	7	8
65 +	52	3.2	21	1	1	2	3	5	7	33
B. Operated										
0-19 YRS	833	1.8	5	1	1	1	2	3	4	13
20-34	108	2.5	3	1	1	2	3	5	6	8
35-49	87	2.8	4	1	1	2	3	5	6	13
50-64	81	2.8	5	1	2	2	4	5	7	14
65 +	124	3.8	9	1	2	3	5	7	8	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.7	30	1	1	2	4	8	14	31
20-34	27	4.5	36	1	1	3	4	16	20	24
35-49	20	3.0	7	1	1	2	4	6	9	11
50-64	49	3.6	8	1	1	3	5	7	7	16
65 +	327	5.5	27	1	3	4	7	10	13	26
B. Operated										
0-19 YRS	260	3.5	16	1	1	2	4	7	12	20
20-34	150	5.7	38	1	2	3	7	12	19	34
35-49	136	5.4	55	1	2	3	6	12	14	43
50-64	133	6.4	82	2	3	4	7	12	18	39
65 +	381	6.7	28	2	3	6	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	145	2.8	14	1	1	2	3	5	7	20
B. Operated	1233	2.2	6	1	1	1	3	4	6	13
2. MULTIPLE DX										
A. Not Operated	469	4.9	26	1	2	4	6	9	13	24
B. Operated	1060	5.6	38	1	2	4	7	12	15	27
1. SINGLE DX	1378	2.3	7	1	1	1	3	4	6	14
2. MULTIPLE DX	1529	5.4	35	1	2	4	7	11	14	26
A. Not Operated	614	4.4	24	1	2	3	6	9	12	23
B. Operated	2293	3.8	24	1	1	2	4	8	12	21
TOTAL										
0-19 YRS	1184	2.3	10	1	1	1	2	4	7	19
20-34	299	4.3	26	1	2	3	5	9	14	27
35-49	261	4.1	33	1	2	3	5	9	12	17
50-64	279	4.7	45	1	2	3	5	9	13	26
65 +	884	5.6	26	1	3	4	7	11	14	21
GRAND TOTAL	**2907**	**3.9**	**24**	**1**	**1**	**2**	**5**	**8**	**12**	**21**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	25	1.2		<1	1	1	1	2	3	3
20-34	15	1.3		<1	1	1	2	2	3	3
35-49	8	1.9	2	<1	1	1	2	4	5	5
50-64	4	1.5	1	<1	<1	1	2	3	3	3
65+	6	2.0		1	2	2	2	3	3	3
B. Operated										
0-19 YRS	939	1.5	1	<1	1	1	2	3	3	5
20-34	362	2.1	3	1	1	2	3	4	5	8
35-49	326	1.9	2	1	1	1	2	3	4	7
50-64	222	2.0	2	1	1	2	2	3	4	7
65+	198	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	2.0	3	<1	1	1	2	5	6	8
20-34	40	2.2	3	1	1	2	3	4	5	8
35-49	33	2.8	3	1	1	2	4	5	6	9
50-64	16	4.9	14	1	2	4	7	11	12	12
65+	88	4.6	20	1	2	3	6	9	13	26
B. Operated										
0-19 YRS	303	2.8	7	1	1	2	3	6	8	14
20-34	400	4.4	26	1	2	3	5	8	12	30
35-49	266	4.0	15	1	2	3	5	8	11	20
50-64	227	3.7	8	1	2	3	5	8	9	13
65+	414	4.1	17	1	2	3	5	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	1.4	1	<1	1	1	2	3	3	5
B. Operated	2047	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	219	3.4	12	1	1	2	4	8	10	16
B. Operated	1610	3.8	16	1	2	3	5	8	11	20
1. SINGLE DX	2105	1.8	2	1	1	1	2	3	4	7
2. MULTIPLE DX	1829	3.8	16	1	2	3	4	8	11	19
A. Not Operated	277	3.0	10	1	1	2	4	7	9	15
B. Operated	3657	2.7	9	1	1	2	3	5	7	15
TOTAL										
0-19 YRS	1309	1.8	3	1	1	1	2	3	5	10
20-34	817	3.2	15	1	1	2	4	6	8	23
35-49	633	2.8	9	1	1	2	3	6	8	14
50-64	469	2.9	6	1	1	2	4	6	8	12
65+	706	3.7	14	1	2	3	4	7	10	18
GRAND TOTAL	**3934**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**15**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.6	2	1	2	2	4	5	5	5
20-34	11	1.9	2	1	1	1	2	4	5	5
35-49	6	2.7	10	1	1	2	2	8	9	9
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	172	1.3	1	<1	<1	1	1	2	3	5
20-34	255	1.6	1	<1	1	1	2	3	4	6
35-49	126	1.7	2	<1	1	1	2	4	5	6
50-64	45	1.9	2	<1	1	1	2	4	5	8
65+	23	1.7	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	15	1.9	2	<1	1	1	2	4	5	5
20-34	24	1.9	1	1	1	1	3	4	4	5
35-49	14	2.4	3	1	1	2	3	5	6	6
50-64	8	1.8	1	<1	1	1	2	4	4	4
65+	16	5.6	39	1	1	3	8	15	21	23
B. Operated										
0-19 YRS	140	2.7	12	1	1	2	3	6	8	15
20-34	325	2.9	12	1	1	2	3	6	8	15
35-49	179	3.1	17	1	1	2	4	6	7	28
50-64	90	2.7	10	1	1	2	3	5	6	20
65+	59	3.8	20	1	1	2	4	7	16	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	34	2.2	3	1	1	2	2	4	5	9
B. Operated	621	1.5	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	77	2.7	11	1	1	2	3	5	9	21
B. Operated	793	3.0	14	1	1	2	3	6	7	20
1. SINGLE DX	655	1.6	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	870	2.9	13	1	1	2	3	6	7	20
A. Not Operated	111	2.6	9	1	1	2	3	5	6	18
B. Operated	1414	2.3	9	<1	1	1	3	5	6	13
TOTAL										
0-19 YRS	337	1.9	6	<1	1	1	2	4	5	12
20-34	615	2.3	8	<1	1	1	3	5	6	11
35-49	325	2.5	11	<1	1	2	3	5	6	13
50-64	147	2.4	7	1	1	2	3	4	6	10
65+	101	3.5	20	1	1	2	4	8	14	22
GRAND TOTAL	**1525**	**2.4**	**9**	**<1**	**1**	**1**	**3**	**5**	**6**	**13**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	29	11.3	121	1	2	7	20	25	32	43
20-34	10	4.2	4	2	3	4	5	7	8	8
35-49	7	5.7	26	1	2	5	7	14	16	16
50-64	12	5.0	16	1	2	5	6	9	15	16
65 +	57	6.2	26	1	3	4	7	15	19	21
B. Operated										
0-19 YRS	73	6.0	39	1	2	4	7	10	19	34
20-34	49	6.9	17	3	4	6	8	12	14	24
35-49	91	6.3	12	3	4	6	7	10	13	21
50-64	237	7.0	10	4	5	6	9	11	13	17
65 +	1171	9.0	20	5	6	8	11	13	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	14.1	205	1	1	9	28	36	36	36
20-34	8	4.5	21	< 1	< 1	3	6	12	14	14
35-49	17	13.4	408	1	2	6	11	51	67	71
50-64	43	10.7	256	2	4	7	10	20	41	96
65 +	509	7.8	36	2	4	6	10	15	18	31
B. Operated										
0-19 YRS	93	11.8	140	2	4	9	13	25	34	66
20-34	112	11.7	171	4	6	8	12	21	27	88
35-49	194	11.1	112	5	7	9	12	17	26	81
50-64	623	10.1	31	5	7	9	12	15	19	31
65 +	7739	10.6	28	6	7	9	12	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	7.2	52	1	3	5	8	18	22	35
B. Operated	1621	8.4	20	4	6	8	10	13	15	22
2. MULTIPLE DX										
A. Not Operated	589	8.3	67	2	4	6	10	16	20	46
B. Operated	8761	10.6	33	6	7	9	12	16	20	33
1. SINGLE DX	1736	8.3	22	4	6	8	10	13	15	23
2. MULTIPLE DX	9350	10.4	35	5	7	9	12	16	20	33
A. Not Operated	704	8.1	65	2	3	6	10	16	20	44
B. Operated	10382	10.2	32	5	7	9	12	16	19	31
TOTAL										
0-19 YRS	207	9.8	112	1	3	7	12	24	32	42
20-34	179	9.7	120	3	5	7	11	17	24	75
35-49	309	9.7	101	3	5	7	11	16	22	74
50-64	915	9.3	37	4	6	8	11	15	18	31
65 +	9476	10.2	28	5	7	9	12	16	19	30
GRAND TOTAL	**11086**	**10.1**	**34**	**5**	**7**	**9**	**12**	**16**	**19**	**32**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	227	13.3	108	1	3	13	21	28	32	39
20-34	9	2.4	1	1	2	2	3	4	4	4
35-49	6	4.0	8	1	1	4	7	7	7	7
50-64	3	21.3	261	12	12	12	33	40	40	40
65 +	21	9.3	102	3	4	8	10	15	31	50
B. Operated										
0-19 YRS	365	8.8	87	1	2	5	12	22	29	41
20-34	94	7.8	22	3	5	7	10	13	17	25
35-49	41	7.2	14	3	4	7	9	13	15	16
50-64	31	9.6	56	2	5	9	11	16	20	41
65 +	56	8.8	24	4	6	8	11	15	16	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	145	15.8	116	2	6	16	23	28	34	50
20-34	19	14.7	221	3	4	7	25	40	46	49
35-49	16	7.6	39	2	3	7	10	15	22	25
50-64	30	7.0	51	2	3	4	9	15	21	35
65 +	167	10.9	174	2	4	6	11	31	46	68
B. Operated										
0-19 YRS	406	12.1	101	2	5	9	18	25	30	42
20-34	344	12.4	105	4	7	10	15	22	30	71
35-49	131	13.7	117	4	7	11	16	27	39	50
50-64	120	14.6	217	4	6	10	16	33	47	80
65 +	393	13.3	121	5	8	11	14	24	34	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	12.5	110	1	3	10	20	27	32	40
B. Operated	587	8.6	64	1	3	6	11	20	25	39
2. MULTIPLE DX										
A. Not Operated	377	12.5	146	2	4	8	18	28	40	60
B. Operated	1394	12.9	119	4	6	10	16	25	33	67
1. SINGLE DX	853	9.8	82	1	3	7	14	22	29	40
2. MULTIPLE DX	1771	12.8	125	3	6	10	16	26	34	65
A. Not Operated	643	12.5	131	2	4	9	19	28	35	52
B. Operated	1981	11.6	107	3	5	9	14	23	30	59
TOTAL										
0-19 YRS	1143	11.8	105	1	3	9	18	25	30	41
20-34	466	11.4	96	4	6	9	14	21	28	68
35-49	194	11.5	95	3	5	9	14	22	31	45
50-64	184	12.6	172	3	6	9	14	26	40	74
65 +	637	12.1	128	4	6	9	14	23	37	69
GRAND TOTAL	**2624**	**11.8**	**113**	**2**	**5**	**9**	**15**	**25**	**32**	**57**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	79	1.8	2	1	1	1	2	4	4	8
20-34	78	2.3	3	1	1	2	3	4	6	7
35-49	42	2.9	4	1	2	2	3	6	8	10
50-64	30	2.1	1	1	1	2	3	4	4	4
65 +	45	4.8	11	2	3	4	6	8	10	20
B. Operated										
0-19 YRS	430	2.8	5	1	1	2	4	5	7	10
20-34	430	4.0	10	1	2	3	5	8	10	18
35-49	337	4.4	8	1	2	4	6	8	10	14
50-64	160	5.3	14	1	3	4	7	9	11	15
65 +	93	6.0	18	2	3	5	8	12	13	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	61	2.1	3	1	1	2	2	4	5	11
20-34	41	3.3	6	1	1	3	5	7	8	10
35-49	60	4.0	19	1	2	2	4	8	11	25
50-64	46	5.8	41	2	2	5	7	8	18	34
65 +	185	6.5	25	2	4	5	9	12	15	29
B. Operated										
0-19 YRS	295	6.0	45	1	2	4	7	12	16	30
20-34	470	8.3	83	2	3	5	9	18	24	46
35-49	365	8.5	87	2	3	6	9	15	25	54
50-64	235	8.7	57	3	4	7	11	16	20	44
65 +	269	10.1	86	3	5	8	11	17	30	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	274	2.7	5	1	1	2	3	5	7	10
B. Operated	1450	4.0	10	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	393	5.1	23	1	2	4	6	10	13	29
B. Operated	1634	8.3	75	2	3	6	10	16	23	46
1. SINGLE DX	1724	3.8	9	1	2	3	5	8	9	14
2. MULTIPLE DX	2027	7.7	67	2	3	5	9	15	21	45
A. Not Operated	667	4.1	17	1	2	3	5	8	11	20
B. Operated	3084	6.3	49	1	2	4	8	13	17	39
TOTAL										
0-19 YRS	865	3.8	21	1	1	3	4	8	11	23
20-34	1019	5.8	48	1	2	4	7	12	18	35
35-49	804	6.2	49	2	3	4	7	12	15	40
50-64	471	6.8	41	2	3	5	8	13	17	34
65 +	592	7.9	54	3	4	6	10	14	18	43
GRAND TOTAL	**3751**	**5.9**	**44**	**1**	**2**	**4**	**7**	**12**	**16**	**34**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	39	2.1	3	< 1	1	2	3	4	6	10
20-34	80	2.6	3	1	1	2	3	5	6	10
35-49	47	2.7	6	1	1	2	3	5	9	12
50-64	31	2.5	3	< 1	1	2	4	5	6	7
65 +	43	3.0	4	1	2	3	4	5	6	11
B. Operated										
0-19 YRS	640	2.2	3	1	1	2	3	4	5	9
20-34	1143	2.8	5	1	2	2	3	5	6	10
35-49	940	3.0	4	1	2	3	4	5	6	10
50-64	674	3.3	3	1	2	3	4	6	7	9
65 +	394	4.1	4	2	3	4	5	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	3.1	7	1	1	2	4	7	9	13
20-34	85	2.6	3	< 1	1	2	3	5	6	9
35-49	74	4.4	15	1	2	4	5	7	11	25
50-64	61	3.5	12	1	2	3	4	6	9	23
65 +	191	4.9	13	2	3	4	6	9	9	17
B. Operated										
0-19 YRS	319	4.4	17	1	2	3	5	9	12	23
20-34	787	4.9	32	1	2	3	6	9	13	30
35-49	721	4.8	19	2	2	4	6	9	12	26
50-64	596	5.5	35	2	3	4	6	10	14	33
65 +	786	6.2	18	2	4	5	8	11	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	2.6	4	1	1	2	3	5	6	11
B. Operated	3791	3.0	4	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. Not Operated	467	4.0	11	1	2	3	5	8	9	15
B. Operated	3209	5.3	25	2	3	4	6	10	13	25
1. SINGLE DX	4031	3.0	4	1	2	3	4	5	7	9
2. MULTIPLE DX	3676	5.1	24	2	2	4	6	9	13	25
A. Not Operated	707	3.5	9	1	2	3	5	7	9	13
B. Operated	7000	4.0	15	1	2	3	5	7	10	18
TOTAL										
0-19 YRS	1054	2.9	8	1	1	2	3	5	8	16
20-34	2095	3.6	16	1	2	3	4	7	9	17
35-49	1782	3.8	11	1	2	3	4	7	9	18
50-64	1362	4.3	19	2	2	3	5	7	10	19
65 +	1414	5.4	14	2	3	4	7	9	12	19
GRAND TOTAL	**7707**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**10**	**18**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	8	1.5	1	1	1	1	2	3	3	3
20-34	15	2.2	3	1	1	2	3	4	6	7
35-49	4	2.5	1	2	2	2	3	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-19 YRS	12	1.3		< 1	1	1	1	2	3	3
20-34	26	2.2	2	1	1	2	3	5	5	6
35-49	19	2.1	1	1	1	2	3	4	4	4
50-64	7	2.3	1	1	1	2	3	4	4	4
65 +	3	4.3	17	1	1	3	7	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	71	2.3	4	1	1	2	2	5	7	10
20-34	94	2.8	5	1	1	2	4	6	7	11
35-49	68	2.8	7	1	1	2	3	6	7	17
50-64	33	2.9	5	1	1	2	4	6	7	9
65 +	71	5.5	18	1	2	5	7	10	16	23
B. Operated										
0-19 YRS	34	2.9	5	1	1	2	4	6	7	10
20-34	63	3.5	11	1	1	2	4	8	12	15
35-49	35	5.5	47	1	2	3	5	17	20	31
50-64	24	3.2	6	1	1	3	4	7	9	10
65 +	18	9.4	39	2	4	8	14	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	1.9	2	1	1	2	2	4	4	7
B. Operated	67	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	337	3.3	9	1	1	2	4	7	8	17
B. Operated	174	4.4	23	1	1	3	5	10	15	20
1. SINGLE DX	99	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX	511	3.6	14	1	1	2	5	7	11	19
A. Not Operated	369	3.2	9	1	1	2	4	7	8	17
B. Operated	241	3.7	18	1	1	2	4	8	13	20
TOTAL										
0-19 YRS	125	2.3	4	1	1	2	3	5	7	10
20-34	198	2.9	6	1	1	2	4	6	8	14
35-49	126	3.4	19	1	1	2	3	7	12	23
50-64	66	2.9	5	1	1	2	4	6	8	10
65 +	95	6.1	24	1	2	5	8	13	18	22
GRAND TOTAL	**610**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	1.7	2	1	1	1	3	4	4	4
20-34	0									
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	9	1.9	1	1	1	2	2	3	4	4
20-34	3	5.7	52	1	1	2	11	14	14	14
35-49	4	6.8	15	3	3	6	10	11	11	11
50-64	2	3.0	8	1	1	3	5	5	5	5
65 +	7	8.3	20	4	5	7	12	15	15	15
B. Operated										
0-19 YRS	5	34.6	760	4	25	34	78	98	99 +	99 +
20-34	13	10.8	73	4	5	8	17	37	86	99 +
35-49	4	33.8	1385	3	4	25	63	81	81	81
50-64	7	14.9	138	2	6	12	23	32	34	34
65 +	3	7.0	7	4	5	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.7	2	1	1	1	3	4	4	4
B. Operated	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	25	5.0	20	1	2	4	7	14	14	15
B. Operated	32	17.9	399	3	5	10	30	78	96	99 +
1. SINGLE DX	9	2.0	2	1	1	1	3	4	4	4
2. MULTIPLE DX	57	12.3	271	1	3	7	15	34	80	99 +
A. Not Operated	32	4.3	17	1	1	3	6	12	14	15
B. Operated	34	17.1	388	3	5	9	28	75	94	99 +
TOTAL										
0-19 YRS	21	9.6	358	1	1	2	4	47	87	99 +
20-34	16	9.9	70	2	5	7	15	29	75	99 +
35-49	9	18.4	737	3	4	5	20	67	81	81
50-64	10	11.2	128	1	2	6	19	29	34	34
65 +	10	7.9	15	4	4	7	9	14	15	15
GRAND TOTAL	**66**	**10.9**	**247**	**1**	**2**	**5**	**13**	**34**	**78**	**99 +**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	4	1.3		1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65 +	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-19 YRS	41	1.8	1	1	1	2	2	3	4	5
20-34	207	1.5	1	1	1	1	2	2	3	4
35-49	84	1.6	1	1	1	1	2	3	3	4
50-64	29	2.1	3	1	1	2	2	4	5	10
65 +	12	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	2.0	3	< 1	1	2	2	4	7	9
35-49	6	1.7	1	< 1	1	1	2	4	4	4
50-64	8	5.1	15	2	2	4	7	11	13	13
65 +	9	4.2	4	1	3	4	5	7	8	8
B. Operated										
0-19 YRS	12	2.6	5	1	1	2	3	7	7	7
20-34	66	2.5	4	1	1	2	3	5	7	9
35-49	38	2.1	4	1	1	2	2	4	6	12
50-64	24	4.5	25	1	2	2	5	11	17	21
65 +	52	2.7	4	1	1	2	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.7	1	< 1	1	1	2	3	4	4
B. Operated	373	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	45	3.0	7	1	1	2	4	6	8	13
B. Operated	192	2.7	7	1	1	2	3	6	7	14
1. SINGLE DX	383	1.6	1	1	1	1	2	3	3	5
2. MULTIPLE DX	237	2.8	7	1	1	2	3	6	8	13
A. Not Operated	55	2.7	6	1	1	2	4	6	8	13
B. Operated	565	2.0	3	1	1	2	2	3	5	10
TOTAL										
0-19 YRS	55	1.9	2	1	1	2	2	3	5	7
20-34	296	1.8	2	1	1	1	2	3	4	7
35-49	132	1.8	2	1	1	1	2	3	4	9
50-64	62	3.4	14	1	1	2	3	8	12	20
65 +	75	2.6	4	1	1	2	4	5	7	10
GRAND TOTAL	**620**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**	**10**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.7		1	1	2	2	2	2	2
50-64	0									
65 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
0-19 YRS	115	2.1	2	< 1	1	2	3	4	4	7
20-34	138	2.1	2	< 1	1	1	3	4	5	6
35-49	91	1.9	2	< 1	< 1	1	2	4	5	7
50-64	42	1.5	1	< 1	< 1	1	2	3	4	4
65 +	14	2.4	5	< 1	< 1	1	2	7	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	6	2.2	3	< 1	1	2	3	5	5	5
35-49	3	2.0	1	< 1	< 1	2	3	3	3	3
50-64	6	2.3	4	< 1	< 1	1	5	5	5	5
65 +	7	5.6	15	2	3	4	7	12	13	13
B. Operated										
0-19 YRS	180	2.7	3	< 1	1	2	4	5	6	8
20-34	332	2.9	5	1	1	3	4	5	6	11
35-49	158	2.6	5	< 1	1	2	3	5	6	13
50-64	97	2.8	8	< 1	1	2	4	6	8	16
65 +	61	3.0	19	< 1	1	2	3	5	8	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.0	1	1	1	2	3	4	4	4
B. Operated	400	2.0	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	23	3.2	8	< 1	1	2	4	6	10	13
B. Operated	828	2.8	6	< 1	1	2	4	5	6	13
1. SINGLE DX	408	2.0	2	< 1	1	1	3	4	5	7
2. MULTIPLE DX	851	2.8	6	< 1	1	2	4	5	6	13
A. Not Operated	31	2.9	7	< 1	1	2	4	6	8	13
B. Operated	1228	2.5	5	< 1	1	2	3	5	6	11
TOTAL										
0-19 YRS	298	2.5	3	< 1	1	2	3	4	5	8
20-34	477	2.6	4	< 1	1	2	3	5	5	9
35-49	255	2.3	4	< 1	1	2	3	5	6	12
50-64	145	2.4	6	< 1	1	1	3	5	6	14
65 +	84	3.2	16	< 1	1	2	3	7	8	26
GRAND TOTAL	**1259**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**	**12**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	3.7	36	< 1	1	2	3	11	20	22
20-34	13	4.2	6	1	2	4	6	7	9	10
35-49	13	3.6	6	1	2	4	5	7	8	8
50-64	3	4.3	2	3	3	4	5	6	6	6
65 +	4	4.0	2	3	3	4	5	6	6	6
B. Operated										
0-19 YRS	82	2.5	7	1	1	1	3	5	7	15
20-34	101	3.2	8	1	1	2	5	7	8	14
35-49	100	3.3	13	1	1	2	4	7	12	19
50-64	33	3.5	17	1	1	2	4	10	14	17
65 +	22	2.3	5	< 1	1	1	3	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	7	4.1	10	1	2	3	7	9	9	9
20-34	25	5.1	62	1	1	3	5	8	18	41
35-49	21	5.1	15	1	2	4	7	11	13	15
50-64	12	3.3	4	1	2	3	5	6	8	8
65 +	20	6.2	37	< 1	2	4	8	17	19	20
B. Operated										
0-19 YRS	71	5.1	37	1	1	3	7	9	14	36
20-34	163	4.8	24	1	1	3	6	10	14	25
35-49	86	5.8	38	1	2	3	8	13	18	76
50-64	45	4.5	16	1	1	3	6	9	14	17
65 +	64	5.3	28	1	2	4	7	12	19	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.9	12	1	2	3	5	6	8	22
B. Operated	338	3.0	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	85	5.0	32	1	2	3	6	10	15	34
B. Operated	429	5.1	29	1	2	3	7	11	15	33
1. SINGLE DX	383	3.1	10	1	1	2	4	7	9	17
2. MULTIPLE DX	514	5.1	29	1	2	3	7	11	15	33
A. Not Operated	130	4.6	25	1	2	3	6	9	12	26
B. Operated	767	4.2	22	1	1	2	6	9	13	24
TOTAL										
0-19 YRS	172	3.7	23	1	1	2	5	9	10	27
20-34	302	4.3	21	1	1	3	6	8	12	24
35-49	220	4.4	24	1	1	3	6	11	14	34
50-64	93	4.0	14	1	1	2	6	9	14	17
65 +	110	4.8	25	1	1	3	6	11	18	23
GRAND TOTAL	**897**	**4.2**	**22**	**1**	**1**	**3**	**6**	**9**	**13**	**24**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.0		< 1	< 1	1	1	1	1	1
20-34	5	2.2	1	< 1	1	2	3	4	4	4
35-49	6	2.7	4	1	1	2	4	6	6	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65 +	4	3.5	9	2	2	2	5	8	8	8
B. Operated										
0-19 YRS	241	2.8	2	1	2	3	4	4	5	6
20-34	430	2.7	1	1	2	3	3	4	5	6
35-49	158	2.7	2	1	2	3	3	4	5	6
50-64	27	3.1	2	1	2	3	4	5	6	7
65 +	15	3.7	5	2	2	3	5	7	8	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	8	1.5	1	< 1	< 1	1	2	3	3	3
20-34	28	2.8	7	< 1	1	2	3	6	7	14
35-49	16	3.1	7	< 1	1	2	5	7	8	9
50-64	11	3.8	6	1	2	3	5	7	8	8
65 +	49	5.0	19	1	2	4	6	10	13	26
B. Operated										
0-19 YRS	388	3.1	3	1	2	3	4	5	5	8
20-34	810	3.2	3	1	2	3	4	5	6	10
35-49	404	3.5	4	2	2	3	4	5	7	12
50-64	65	3.6	5	1	2	3	5	6	8	12
65 +	40	4.9	10	2	3	4	6	9	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.4	3	< 1	1	2	2	5	7	8
B. Operated	871	2.7	2	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. Not Operated	112	3.8	13	1	1	3	5	7	11	20
B. Operated	1707	3.3	3	1	2	3	4	5	6	11
1. SINGLE DX	893	2.7	2	1	2	3	3	4	5	7
2. MULTIPLE DX	1819	3.3	4	1	2	3	4	5	6	11
A. Not Operated	134	3.6	12	1	1	2	5	7	9	18
B. Operated	2578	3.1	3	1	2	3	4	5	6	10
TOTAL										
0-19 YRS	642	2.9	2	1	2	3	4	5	5	7
20-34	1273	3.0	3	1	2	3	4	5	5	8
35-49	584	3.2	4	1	2	3	4	5	6	12
50-64	105	3.5	4	1	2	3	4	6	7	11
65 +	108	4.7	13	2	2	4	6	9	11	21
GRAND TOTAL	**2712**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	2.9	3	1	2	3	4	5	6	6
20-34	158	3.4	5	1	2	3	4	6	8	11
35-49	158	3.9	7	1	2	3	5	8	9	13
50-64	60	4.1	12	1	2	3	5	7	8	23
65+	19	3.5	4	1	2	4	5	6	7	8
B. Operated										
0-19 YRS	0									
20-34	10	5.1	29	1	1	3	10	13	16	16
35-49	9	1.6	2	<1	1	1	2	4	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.1	4	1	3	4	6	7	7	7
20-34	161	4.6	11	1	2	4	6	8	11	17
35-49	228	4.3	7	2	2	4	6	8	9	13
50-64	136	4.5	7	2	3	4	6	8	9	14
65+	224	5.0	10	2	3	4	6	9	11	18
B. Operated										
0-19 YRS	0									
20-34	12	5.3	11	1	2	5	8	9	11	11
35-49	32	7.4	25	2	3	7	10	14	16	21
50-64	13	5.0	18	1	2	4	6	10	16	17
65+	12	12.0	58	5	7	9	13	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	405	3.7	7	1	2	3	5	7	9	13
B. Operated	21	3.2	17	1	1	1	4	10	13	16
2. MULTIPLE DX										
A. Not Operated	760	4.6	9	2	3	4	6	8	10	16
B. Operated	69	7.4	31	1	3	6	10	14	17	28
1. SINGLE DX	426	3.7	7	1	2	3	5	7	9	14
2. MULTIPLE DX	829	4.8	11	2	3	4	6	9	11	17
A. Not Operated	1165	4.3	8	1	2	3	6	8	9	15
B. Operated	90	6.4	31	1	2	5	9	13	16	27
TOTAL										
0-19 YRS	21	3.5	4	1	2	3	5	6	7	7
20-34	341	4.1	9	1	2	3	5	8	10	16
35-49	427	4.3	9	1	2	3	6	9	10	15
50-64	210	4.4	9	2	2	4	6	8	9	17
65+	256	5.2	14	2	3	4	7	9	12	22
GRAND TOTAL	1255	4.4	10	1	2	4	6	8	10	16

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	1.5	1	1	1	1	2	3	3	6
20-34	123	3.4	12	1	2	2	4	6	8	19
35-49	158	4.0	6	1	2	3	6	8	8	13
50-64	58	3.3	8	1	2	3	4	7	9	17
65+	25	4.0	14	1	2	3	5	7	12	18
B. Operated										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	24	2.2	4	1	1	1	3	5	7	8
35-49	17	3.7	17	1	1	1	6	10	13	15
50-64	4	4.0	36	<1	<1	1	7	13	13	13
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	72	2.2	4	<1	1	1	3	5	6	11
20-34	254	3.6	8	1	2	3	4	7	9	13
35-49	313	4.2	11	1	2	3	5	8	10	15
50-64	189	4.1	10	1	2	4	5	8	11	16
65+	259	4.6	9	1	2	4	6	9	11	15
B. Operated										
0-19 YRS	8	3.4	19	<1	1	2	3	11	14	14
20-34	37	4.1	11	1	1	3	6	9	11	13
35-49	36	4.1	15	1	1	2	6	10	13	14
50-64	13	5.2	8	1	4	5	7	9	11	11
65+	17	10.2	68	4	5	7	14	18	30	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	399	3.5	9	1	2	3	4	7	8	15
B. Operated	47	2.9	11	1	1	1	4	7	10	15
2. MULTIPLE DX										
A. Not Operated	1087	4.0	10	1	2	3	5	8	10	15
B. Operated	111	5.1	25	1	1	4	7	11	14	25
1. SINGLE DX	446	3.4	9	1	1	3	4	7	8	15
2. MULTIPLE DX	1198	4.1	11	1	2	3	5	8	10	16
A. Not Operated	1486	3.9	9	1	2	3	5	8	10	15
B. Operated	158	4.4	22	1	1	3	6	10	13	18
TOTAL										
0-19 YRS	117	2.1	4	<1	1	1	2	4	6	12
20-34	438	3.5	9	1	1	3	4	7	9	14
35-49	524	4.1	10	1	2	3	5	8	10	14
50-64	264	4.0	10	1	2	3	5	8	11	16
65+	301	4.9	15	1	2	4	6	9	12	18
GRAND TOTAL	1644	3.9	11	1	2	3	5	8	10	16

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	1.2		< 1	1	1	1	2	2	2
20-34	27	2.0	2	< 1	1	1	2	5	6	7
35-49	22	2.0	1	1	1	2	3	4	4	5
50-64	8	2.1	3	1	1	2	3	5	6	6
65 +	13	3.6	14	1	2	2	4	9	13	14
B. Operated										
0-19 YRS	55	1.4	1	< 1	1	1	2	2	3	5
20-34	267	1.7	1	1	1	2	2	3	3	5
35-49	504	1.9	1	1	1	2	2	3	4	5
50-64	522	2.4	1	1	2	2	3	4	4	6
65 +	287	2.7	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	24	2.0	5	< 1	1	1	2	4	8	10
20-34	33	2.2	2	< 1	1	2	3	4	6	6
35-49	49	2.7	9	< 1	1	2	3	5	6	21
50-64	38	3.1	7	< 1	1	2	4	8	9	10
65 +	126	4.3	6	1	3	4	6	7	8	12
B. Operated										
0-19 YRS	28	1.7	1	1	1	2	2	3	3	3
20-34	121	2.6	14	1	1	2	3	4	6	20
35-49	252	2.6	7	1	2	2	3	4	5	10
50-64	531	2.8	8	1	2	2	3	5	5	9
65 +	445	3.3	4	1	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.1	4	< 1	1	2	2	4	6	12
B. Operated	1635	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	270	3.4	7	< 1	1	3	5	7	8	12
B. Operated	1377	2.9	7	1	2	2	3	5	6	10
1. SINGLE DX	1718	2.1	2	1	1	2	3	4	4	6
2. MULTIPLE DX	1647	3.0	7	1	2	2	4	5	6	10
A. Not Operated	353	3.1	6	< 1	1	2	4	6	8	12
B. Operated	3012	2.5	4	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	120	1.6	1	< 1	1	1	2	3	3	8
20-34	448	2.0	5	1	1	2	2	3	4	7
35-49	827	2.2	4	1	1	2	3	4	4	8
50-64	1099	2.6	5	1	2	2	3	4	5	8
65 +	871	3.3	4	1	2	3	4	5	7	11
GRAND TOTAL	**3365**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	664	1.1		< 1	1	1	1	2	2	3
20-34	113	1.4	1	1	1	1	2	2	3	7
35-49	60	1.5	1	< 1	1	1	2	2	4	6
50-64	18	1.5	1	< 1	1	1	2	3	3	3
65 +	16	2.4	5	1	1	1	3	6	8	9
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	0									
50-64	2	4.0	8	2	2	4	6	6	6	6
65 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	970	1.6	2	1	1	1	2	3	4	7
20-34	632	2.2	4	1	1	1	3	4	6	11
35-49	288	2.4	7	1	1	2	3	4	6	12
50-64	135	2.5	4	1	1	2	3	5	7	12
65 +	245	3.6	10	1	1	3	5	8	9	15
B. Operated										
0-19 YRS	279	2.7	43	1	1	1	2	5	7	21
20-34	345	2.9	27	1	1	2	3	5	9	29
35-49	154	2.9	10	1	1	2	3	6	7	21
50-64	67	3.4	5	1	2	3	5	7	9	10
65 +	103	3.9	14	1	1	2	5	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	871	1.2	1	< 1	1	1	1	2	2	4
B. Operated	6	3.7	7	1	1	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	2270	2.1	5	1	1	1	2	4	6	11
B. Operated	948	3.0	26	1	1	2	3	6	9	21
1. SINGLE DX	877	1.2	1	< 1	1	1	1	2	2	5
2. MULTIPLE DX	3218	2.4	11	1	1	1	3	5	7	15
A. Not Operated	3141	1.9	4	1	1	1	2	4	5	10
B. Operated	954	3.0	26	1	1	2	3	6	9	21
TOTAL										
0-19 YRS	1914	1.6	8	1	1	1	2	2	4	8
20-34	1092	2.3	11	1	1	1	2	4	6	16
35-49	502	2.5	8	1	1	2	3	5	6	19
50-64	222	2.7	5	1	1	2	3	6	7	11
65 +	365	3.7	11	1	1	3	5	8	10	16
GRAND TOTAL	**4095**	**2.1**	**9**	**1**	**1**	**1**	**2**	**4**	**6**	**13**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	1	58.0		58	58	58	58	58	58	58
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	23	25.1	391	6	11	22	40	71	99+	99+
20-34	13	19.5	142	6	11	13	29	34	41	43
35-49	3	37.7	289	25	26	31	50	57	57	57
50-64	2	39.5	613	22	22	39	57	57	57	57
65+	4	7.8	64	2	2	5	13	19	19	19
B. Operated										
0-19 YRS	48	37.9	614	12	18	36	61	92	99	99+
20-34	57	31.1	419	9	19	30	44	99+	99+	99+
35-49	19	44.5	595	18	24	47	68	93	99+	99+
50-64	6	26.7	213	13	16	26	45	89	99+	99+
65+	9	28.2	781	2	7	17	54	71	77	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	18	1	1	4	7	7	7	7
B. Operated	1	58.0		58	58	58	58	58	58	58
2. MULTIPLE DX										
A. Not Operated	45	23.4	319	5	10	22	32	60	75	99+
B. Operated	139	34.9	537	10	18	31	62	92	99+	99+
1. SINGLE DX	3	22.0	981	1	2	7	45	58	58	58
2. MULTIPLE DX	184	32.1	506	8	16	29	53	88	99+	99+
A. Not Operated	47	22.6	322	4	9	20	31	59	72	99+
B. Operated	140	35.1	537	10	18	31	62	92	99+	99+
TOTAL										
0-19 YRS	72	33.4	573	8	17	29	56	91	99+	99+
20-34	70	28.9	385	8	14	30	40	91	99+	99+
35-49	24	42.4	583	18	24	46	65	87	99+	99+
50-64	8	29.9	275	14	17	26	49	83	99+	99+
65+	13	21.9	633	2	4	13	28	65	75	77
GRAND TOTAL	**187**	**31.9**	**510**	**8**	**16**	**29**	**53**	**87**	**99+**	**99+**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	379	1.5	2	<1	1	1	1	3	4	10
20-34	107	2.6	13	1	1	1	2	7	8	21
35-49	45	3.0	17	1	1	2	3	6	9	26
50-64	16	4.6	41	1	1	2	5	15	22	24
65+	16	3.8	5	1	2	4	6	7	7	7
B. Operated										
0-19 YRS	21	6.0	53	1	3	4	6	11	23	35
20-34	14	5.8	18	2	3	5	6	14	16	16
35-49	10	7.9	15	4	5	7	11	14	15	15
50-64	10	4.9	9	1	3	4	7	9	11	11
65+	33	7.9	17	4	5	7	10	14	18	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	725	2.9	23	1	1	1	3	6	11	26
20-34	477	3.3	14	<1	1	2	4	8	12	19
35-49	231	3.7	27	1	1	2	4	8	13	25
50-64	118	4.7	33	1	1	3	5	10	17	31
65+	260	5.9	31	1	2	4	8	13	16	29
B. Operated										
0-19 YRS	261	9.4	222	1	1	4	11	24	48	99+
20-34	349	8.4	131	1	1	4	11	22	33	99
35-49	204	9.9	167	1	2	5	12	25	38	76
50-64	98	11.7	180	1	3	7	15	29	42	86
65+	246	13.6	177	2	4	9	18	31	40	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	563	2.0	7	1	1	1	2	4	7	16
B. Operated	88	6.8	25	3	4	6	8	13	16	29
2. MULTIPLE DX										
A. Not Operated	1811	3.7	24	1	1	2	4	8	13	25
B. Operated	1158	10.3	175	1	2	6	14	26	40	96
1. SINGLE DX	651	2.6	12	1	1	1	3	6	9	18
2. MULTIPLE DX	2969	6.2	93	1	1	3	7	16	24	64
A. Not Operated	2374	3.3	20	1	1	2	4	7	12	23
B. Operated	1246	10.0	165	1	2	6	13	24	39	92
TOTAL										
0-19 YRS	1386	3.8	63	1	1	1	3	8	16	56
20-34	947	5.1	63	1	1	2	6	13	19	46
35-49	490	6.3	93	1	1	3	7	15	24	57
50-64	242	7.5	103	1	2	4	8	20	28	70
65+	555	9.3	109	2	3	6	12	20	31	58
GRAND TOTAL	**3620**	**5.6**	**81**	**1**	**1**	**2**	**6**	**14**	**22**	**56**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	17	1.6	2	< 1	1	1	2	3	5	6
20-34	44	1.9	2	1	1	1	2	4	5	7
35-49	17	1.9	1	1	1	2	2	3	4	4
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	5	2.2	1	1	1	2	3	4	4	4
B. Operated										
0-19 YRS	22	4.0	7	2	2	3	4	7	10	13
20-34	85	3.6	3	2	2	3	4	6	7	10
35-49	28	4.4	6	2	3	4	5	8	9	11
50-64	13	4.1	2	3	3	4	5	6	7	7
65 +	6	3.8	5	2	2	3	4	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	68	2.6	3	1	1	2	4	5	6	8
20-34	141	2.9	7	1	1	2	4	6	8	14
35-49	120	3.1	10	1	1	2	4	6	8	16
50-64	67	4.0	10	1	2	3	5	7	11	18
65 +	133	5.7	15	2	3	5	8	12	14	19
B. Operated										
0-19 YRS	149	6.6	35	2	3	5	8	12	17	31
20-34	367	6.6	31	2	3	5	8	12	19	41
35-49	203	6.8	50	2	3	5	8	13	16	38
50-64	127	7.8	53	2	3	5	9	18	25	33
65 +	150	9.6	78	2	4	7	13	20	26	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	87	1.9	2	1	1	1	2	3	4	7
B. Operated	154	3.9	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. Not Operated	529	3.8	11	1	2	3	5	8	11	16
B. Operated	996	7.3	46	2	3	5	9	15	20	41
1. SINGLE DX	241	3.1	4	1	2	3	4	6	7	11
2. MULTIPLE DX	1525	6.0	37	1	3	4	7	12	17	31
A. Not Operated	616	3.5	10	1	1	2	5	7	10	15
B. Operated	1150	6.8	42	2	3	5	8	13	19	40
TOTAL										
0-19 YRS	256	5.0	26	1	2	4	6	10	13	30
20-34	637	5.1	23	1	2	4	6	10	14	31
35-49	368	5.2	35	1	2	4	6	10	14	28
50-64	211	6.3	39	2	3	4	7	14	20	27
65 +	294	7.6	51	2	3	5	10	15	21	43
GRAND TOTAL	**1766**	**5.7**	**33**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	131	3.1	6	1	1	2	4	6	8	12
20-34	62	2.7	21	< 1	1	2	2	6	6	32
35-49	25	2.9	4	< 1	1	2	4	6	7	7
50-64	4	1.8	1	1	1	2	2	3	3	3
65 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-19 YRS	69	5.1	3	3	4	5	6	7	8	12
20-34	99	5.4	5	3	4	5	7	8	9	12
35-49	22	6.1	11	3	4	6	7	11	14	14
50-64	9	5.2	4	2	4	5	7	8	8	8
65 +	4	5.3	2	4	4	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	238	3.9	8	1	2	3	6	8	10	12
20-34	186	3.4	9	1	1	2	4	7	9	16
35-49	88	3.4	7	1	1	2	5	7	9	13
50-64	33	3.8	12	1	1	3	5	7	12	17
65 +	42	5.4	33	1	2	4	6	10	15	33
B. Operated										
0-19 YRS	365	9.4	80	4	5	7	10	17	25	70
20-34	619	9.9	123	3	5	7	10	20	30	61
35-49	253	11.5	152	4	5	8	12	22	34	96
50-64	97	12.1	111	4	7	9	13	25	35	60
65 +	105	12.5	178	5	7	9	14	21	35	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	2.9	10	1	1	2	4	6	7	12
B. Operated	203	5.4	5	3	4	5	7	8	9	13
2. MULTIPLE DX										
A. Not Operated	587	3.8	10	1	2	3	5	8	10	15
B. Operated	1439	10.4	121	4	5	7	11	19	29	69
1. SINGLE DX	428	4.1	9	1	2	4	6	7	8	13
2. MULTIPLE DX	2026	8.5	98	2	4	6	9	16	24	60
A. Not Operated	812	3.5	10	1	1	2	5	7	9	15
B. Operated	1642	9.8	109	3	5	7	10	18	28	66
TOTAL										
0-19 YRS	803	6.4	48	1	3	5	8	12	16	41
20-34	966	7.7	91	1	3	6	8	14	22	57
35-49	388	8.8	116	2	3	6	10	17	28	64
50-64	143	9.5	94	1	4	7	11	19	30	50
65 +	154	10.1	142	2	5	7	11	18	28	77
GRAND TOTAL	**2454**	**7.7**	**85**	**1**	**3**	**6**	**9**	**14**	**22**	**57**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	1.9	3	< 1	1	1	2	5	6	6
20-34	0									
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	106	2.1	2	1	1	2	3	4	5	8
20-34	49	2.1	2	< 1	1	1	3	4	5	6
35-49	27	2.2	1	1	1	2	3	4	4	4
50-64	10	3.4	10	1	1	2	5	9	9	9
65 +	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	4.3	7	1	2	4	6	8	9	9
20-34	8	2.3	3	1	1	2	3	5	5	5
35-49	5	3.4	3	2	2	3	4	6	6	6
50-64	3	3.3	6	1	1	3	5	6	6	6
65 +	3	2.7	2	< 1	1	3	4	4	4	4
B. Operated										
0-19 YRS	126	3.3	55	1	1	2	4	6	8	85
20-34	139	3.4	7	1	1	3	5	7	9	12
35-49	80	3.8	13	1	2	3	5	9	11	18
50-64	31	3.5	8	1	2	3	4	5	10	16
65 +	54	4.1	10	1	2	3	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	2.1	2	< 1	1	1	3	4	6	6
B. Operated	196	2.2	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	31	3.4	5	1	1	3	5	6	8	9
B. Operated	430	3.5	22	1	1	3	4	7	9	18
1. SINGLE DX	209	2.2	2	1	1	2	3	4	5	9
2. MULTIPLE DX	461	3.5	21	1	1	3	4	7	9	18
A. Not Operated	44	3.0	5	1	1	2	4	6	7	9
B. Operated	626	3.1	17	1	1	2	4	6	9	16
TOTAL										
0-19 YRS	253	2.8	29	1	1	2	3	5	7	20
20-34	196	3.0	6	1	1	2	4	6	7	11
35-49	116	3.4	10	1	1	2	4	6	10	17
50-64	44	3.5	8	1	2	3	4	6	9	16
65 +	61	3.9	9	1	2	3	5	7	9	15
GRAND TOTAL	**670**	**3.1**	**16**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	35	1.9	2	1	1	1	2	4	5	8
20-34	29	1.7	1	< 1	1	1	2	3	4	6
35-49	9	1.3	1	< 1	< 1	1	2	3	3	3
50-64	6	2.3	2	1	1	2	4	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-19 YRS	140	1.4	1	< 1	1	1	1	2	3	6
20-34	87	2.0	2	< 1	1	1	2	4	5	9
35-49	31	1.7	2	< 1	1	1	2	3	4	7
50-64	13	2.8	22	< 1	1	1	2	8	16	18
65 +	4	12.5	529	1	1	1	24	47	47	47
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	96	2.0	2	1	1	1	3	4	5	7
20-34	145	1.8	7	< 1	1	1	2	3	4	9
35-49	57	2.2	4	< 1	1	1	3	5	6	10
50-64	23	2.3	4	< 1	1	1	3	5	7	8
65 +	43	2.3	2	1	1	2	3	5	5	6
B. Operated										
0-19 YRS	404	2.4	7	1	1	1	3	5	6	12
20-34	551	2.6	26	< 1	1	1	3	4	6	20
35-49	224	3.3	16	1	1	2	4	7	12	19
50-64	99	3.3	15	1	1	2	4	8	11	64
65 +	147	3.9	19	1	1	2	5	8	13	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	1.8	2	< 1	1	1	2	4	4	7
B. Operated	275	1.8	10	< 1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	364	2.0	4	< 1	1	1	2	4	5	8
B. Operated	1425	2.8	18	1	1	2	3	6	8	20
1. SINGLE DX	355	1.8	8	< 1	1	1	2	3	5	8
2. MULTIPLE DX	1789	2.7	15	1	1	2	3	5	8	18
A. Not Operated	444	2.0	4	< 1	1	1	2	4	5	8
B. Operated	1700	2.7	17	1	1	2	3	5	8	19
TOTAL										
0-19 YRS	675	2.1	5	< 1	1	1	3	4	6	10
20-34	812	2.4	20	< 1	1	1	2	4	6	18
35-49	321	2.9	12	1	1	2	3	6	11	17
50-64	141	3.0	13	1	1	2	4	7	9	35
65 +	195	3.7	25	1	1	2	4	8	12	24
GRAND TOTAL	**2144**	**2.5**	**14**	**< 1**	**1**	**1**	**3**	**5**	**7**	**17**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	45	1.5	2	< 1	1	1	2	2	4	8
20-34	121	1.4	2	< 1	1	1	2	2	2	8
35-49	34	1.6		< 1	1	1	2	3	3	3
50-64	3	2.7		2	2	3	3	3	3	3
65 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	102	1.7	1	< 1	1	1	2	4	4	5
20-34	106	2.4	5	< 1	1	2	3	5	7	13
35-49	36	2.1	4	< 1	1	1	3	4	6	10
50-64	9	2.1	2	< 1	1	2	3	4	5	5
65 +	4	2.8	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	36	2.3	13	< 1	1	1	2	4	5	22
20-34	129	1.8	2	< 1	1	1	2	3	4	8
35-49	55	2.0	3	< 1	1	1	2	5	6	8
50-64	6	3.5	3	1	3	3	5	6	6	6
65 +	6	6.3	86	1	1	3	5	23	25	25
B. Operated										
0-19 YRS	95	3.5	9	1	1	2	5	8	10	14
20-34	231	4.2	31	1	1	3	5	8	12	39
35-49	108	5.8	103	1	1	3	6	10	16	68
50-64	25	3.8	7	1	1	4	6	8	27	99 +
65 +	15	10.6	486	1	2	4	7	22	71	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	1.5	2	< 1	1	1	2	2	3	6
B. Operated	257	2.1	3	< 1	1	1	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	232	2.1	6	< 1	1	1	2	4	5	15
B. Operated	474	4.6	57	1	1	3	6	9	12	43
1. SINGLE DX	462	1.8	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	706	3.8	42	1	1	2	4	7	10	35
A. Not Operated	437	1.8	4	< 1	1	1	2	3	4	9
B. Operated	731	3.7	39	< 1	1	2	4	7	10	34
TOTAL										
0-19 YRS	278	2.4	6	< 1	1	1	3	5	7	13
20-34	587	2.8	15	< 1	1	2	3	6	8	18
35-49	233	3.7	52	1	1	2	4	7	10	38
50-64	43	3.3	5	1	1	3	5	7	8	99 +
65 +	27	7.8	291	1	1	3	6	19	34	88
GRAND TOTAL	**1168**	**3.0**	**27**	**< 1**	**1**	**2**	**3**	**6**	**8**	**22**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.2	1	1	1	2	3	3	4	5
20-34	97	2.4	2	1	1	2	3	4	5	7
35-49	65	2.7	3	1	1	2	3	5	6	10
50-64	18	2.7	3	1	2	2	3	6	7	7
65 +	8	4.3	7	2	2	4	5	9	10	10
B. Operated										
0-19 YRS	252	1.8	2	< 1	1	1	2	4	5	8
20-34	466	2.1	5	< 1	1	1	2	4	6	11
35-49	221	2.2	4	< 1	1	1	2	5	7	10
50-64	85	2.8	6	1	1	2	3	6	9	11
65 +	47	1.8	2	1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	73	2.4	3	< 1	1	2	3	4	6	11
20-34	175	3.0	6	1	2	2	4	6	8	11
35-49	78	3.6	7	1	2	3	5	7	8	16
50-64	32	4.1	13	1	1	2	6	9	13	14
65 +	41	3.8	7	1	2	3	5	7	9	14
B. Operated										
0-19 YRS	313	2.4	6	1	1	2	3	5	6	13
20-34	770	3.2	12	1	1	2	4	7	9	16
35-49	310	3.6	15	1	1	2	5	8	11	21
50-64	174	4.3	23	1	1	2	6	10	14	27
65 +	124	4.1	16	1	1	2	6	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	234	2.5	2	1	1	2	3	4	6	8
B. Operated	1071	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated	399	3.2	7	1	2	2	4	7	8	13
B. Operated	1691	3.3	13	1	1	2	4	7	10	19
1. SINGLE DX	1305	2.2	4	< 1	1	1	3	4	6	10
2. MULTIPLE DX	2090	3.3	12	1	1	2	4	7	10	17
A. Not Operated	633	2.9	5	1	1	2	4	6	7	11
B. Operated	2762	2.8	10	1	1	2	3	6	9	16
TOTAL										
0-19 YRS	684	2.2	4	1	1	1	3	4	6	11
20-34	1508	2.8	9	1	1	2	3	6	8	13
35-49	674	3.1	10	1	1	2	4	7	9	17
50-64	309	3.8	17	1	1	2	5	9	11	20
65 +	220	3.5	12	1	1	2	5	8	10	16
GRAND TOTAL	**3395**	**2.9**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**14**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	2.4	2	1	1	2	3	5	5	6
20-34	82	2.5	4	1	1	2	3	4	7	10
35-49	53	3.3	9	1	1	3	4	7	8	19
50-64	9	3.6	11	1	1	2	6	9	9	9
65 +	3	5.3	24	2	2	3	9	11	11	11
B. Operated										
0-19 YRS	258	2.6	5	1	1	2	3	5	7	10
20-34	242	2.7	6	1	1	2	3	5	7	14
35-49	85	4.2	107	1	1	2	3	7	11	69
50-64	29	4.1	27	1	1	2	5	11	15	23
65 +	20	5.5	18	1	2	4	7	11	15	18
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	44	2.5	2	< 1	1	2	4	4	4	6
20-34	75	3.3	5	1	2	2	4	6	8	12
35-49	46	4.0	7	1	2	3	5	8	10	11
50-64	30	4.5	21	1	2	3	5	9	12	24
65 +	54	5.6	16	2	3	5	7	9	12	25
B. Operated										
0-19 YRS	182	4.8	30	1	2	3	6	11	14	32
20-34	260	5.4	37	1	2	3	6	12	16	30
35-49	145	7.5	108	1	2	4	9	15	23	63
50-64	76	8.4	74	1	3	6	10	19	28	42
65 +	86	9.4	65	2	4	7	12	17	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	2.8	5	1	1	2	3	5	7	11
B. Operated	634	3.0	21	1	1	2	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	249	3.9	10	1	2	3	5	7	9	13
B. Operated	749	6.4	58	1	2	4	8	14	19	40
1. SINGLE DX	845	3.0	17	1	1	2	3	6	8	15
2. MULTIPLE DX	998	5.8	47	1	2	4	7	12	17	37
A. Not Operated	460	3.4	8	1	1	3	4	6	8	12
B. Operated	1383	4.9	44	1	2	3	5	11	15	35
TOTAL										
0-19 YRS	548	3.3	14	1	1	2	4	7	10	19
20-34	659	3.8	19	1	1	3	4	8	12	24
35-49	329	5.5	80	1	2	3	6	11	17	50
50-64	144	6.4	53	1	2	4	8	16	22	36
65 +	163	7.6	45	2	3	6	10	14	20	39
GRAND TOTAL	**1843**	**4.5**	**35**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	0									
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	7	3.6	5	1	2	3	5	7	7	7
20-34	17	1.5	2	< 1	1	1	1	2	5	6
35-49	4	1.3		< 1	< 1	1	2	2	2	2
50-64	3	4.3	4	2	3	5	6	6	6	6
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	1.0		< 1	< 1	1	1	1	1	1
20-34	4	4.0	6	< 1	2	4	6	7	7	7
35-49	8	4.4	23	< 1	1	2	7	12	14	14
50-64	2	3.5	13	1	1	3	6	6	6	6
65 +	4	3.8	18	< 1	< 1	2	6	10	10	10
B. Operated										
0-19 YRS	44	6.5	79	1	2	4	7	18	20	52
20-34	133	7.6	103	1	2	5	8	19	24	54
35-49	43	9.9	190	1	2	5	11	23	46	67
50-64	22	4.9	20	1	2	3	8	11	14	18
65 +	11	7.8	59	2	2	3	12	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	1	1	2	2	3	3	3
B. Operated	32	2.2	3	< 1	1	1	2	6	6	7
2. MULTIPLE DX										
A. Not Operated	21	3.6	14	< 1	1	2	5	9	12	14
B. Operated	253	7.6	105	1	2	4	8	19	23	52
1. SINGLE DX	36	2.1	3	< 1	1	1	2	6	6	7
2. MULTIPLE DX	274	7.3	99	1	2	4	8	18	23	51
A. Not Operated	25	3.3	12	< 1	1	2	4	9	11	14
B. Operated	285	7.0	96	1	2	4	8	18	22	51
TOTAL										
0-19 YRS	57	5.6	64	1	2	3	5	12	19	50
20-34	155	6.8	93	1	2	4	7	16	22	49
35-49	55	8.5	159	1	1	5	9	19	42	66
50-64	27	4.7	17	1	2	3	6	10	13	18
65 +	16	6.4	47	1	2	3	9	20	22	22
GRAND TOTAL	**310**	**6.7**	**91**	**1**	**2**	**4**	**8**	**16**	**21**	**50**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65+	0									
B. Operated										
0-19 YRS	17	2.6	3	1	1	2	4	5	6	6
20-34	21	2.7	10	1	1	2	3	4	10	16
35-49	12	1.9	2	1	1	2	3	4	5	5
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	9.3	90	2	2	7	16	22	22	22
20-34	8	2.9	4	<1	1	3	3	6	7	7
35-49	6	3.5	1	2	3	3	4	5	5	5
50-64	6	7.8	142	1	2	3	5	29	32	32
65+	8	3.5	5	1	2	3	5	7	7	7
B. Operated										
0-19 YRS	10	7.1	64	1	3	4	7	20	28	28
20-34	28	3.7	13	1	1	2	5	8	13	15
35-49	29	6.1	89	1	1	2	5	19	35	35
50-64	19	6.2	37	1	2	4	8	15	21	25
65+	8	6.8	10	4	4	5	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	55	2.6	6	1	1	2	3	5	6	16
2. MULTIPLE DX										
A. Not Operated	32	4.9	40	1	2	3	5	8	21	32
B. Operated	94	5.6	46	1	2	3	7	13	20	35
1. SINGLE DX	58	2.6	6	1	1	2	3	5	6	16
2. MULTIPLE DX	126	5.4	44	1	2	3	6	12	21	35
A. Not Operated	35	4.6	37	1	2	3	4	7	19	32
B. Operated	149	4.5	33	1	1	2	5	10	16	35
TOTAL										
0-19 YRS	31	4.9	37	1	2	3	5	11	21	28
20-34	59	3.2	10	1	1	2	3	7	11	16
35-49	48	4.7	57	1	1	2	4	12	22	35
50-64	28	6.2	53	1	2	4	7	15	26	32
65+	18	5.2	11	1	3	4	7	11	11	11
GRAND TOTAL	**184**	**4.5**	**34**	**1**	**1**	**3**	**5**	**10**	**16**	**34**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	50	3.8	4	2	2	4	5	6	8	12
20-34	20	3.2	4	1	1	3	4	6	7	9
35-49	7	6.3	25	2	4	5	7	15	17	17
50-64	4	3.5	4	1	2	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	42	5.2	40	1	2	4	5	8	18	31
20-34	30	3.2	8	<1	1	2	5	5	10	14
35-49	17	2.6	2	1	2	2	3	5	5	5
50-64	6	4.0	4	1	3	4	5	7	7	7
65+	16	3.9	5	1	2	4	5	7	8	9
B. Operated										
0-19 YRS	8	4.3	8	1	2	4	6	8	9	9
20-34	18	2.8	3	<1	1	3	4	6	6	6
35-49	7	2.7	1	1	2	3	4	4	4	4
50-64	7	5.9	29	2	2	4	7	15	17	17
65+	4	2.3	2	<1	<1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.8	6	1	2	4	5	6	8	15
B. Operated	3	3.3	16	1	1	1	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	111	4.0	19	1	1	3	5	7	9	31
B. Operated	44	3.5	8	1	2	3	4	6	8	17
1. SINGLE DX	85	3.8	6	1	2	4	5	6	8	15
2. MULTIPLE DX	155	3.9	16	1	1	3	5	7	9	30
A. Not Operated	193	3.9	14	1	2	3	5	7	8	25
B. Operated	47	3.5	9	1	1	3	4	7	8	17
TOTAL										
0-19 YRS	102	4.4	19	1	2	4	5	8	9	31
20-34	68	3.1	6	<1	1	3	4	5	7	13
35-49	32	3.4	9	1	2	3	4	5	7	17
50-64	17	4.6	14	1	2	4	6	8	14	17
65+	21	3.5	5	1	2	4	5	6	8	9
GRAND TOTAL	**240**	**3.8**	**13**	**1**	**2**	**3**	**5**	**7**	**8**	**19**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	234	1.6	5	< 1	1	1	2	2	3	9
20-34	212	1.6	1	< 1	1	1	2	3	3	6
35-49	112	1.6	1	1	1	1	2	3	3	7
50-64	56	1.8	2	1	1	1	2	3	3	8
65 +	67	3.3	11	1	1	2	4	7	9	19
B. Operated										
0-19 YRS	44	2.4	7	< 1	1	1	3	5	7	15
20-34	43	2.6	5	< 1	1	2	3	6	8	10
35-49	27	2.5	2	1	1	2	4	5	5	5
50-64	10	2.0	1	< 1	1	2	3	4	4	4
65 +	6	4.2	10	1	3	3	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	528	1.7	2	< 1	1	1	2	3	4	8
20-34	636	2.1	4	< 1	1	1	2	4	5	10
35-49	393	2.4	4	1	1	2	3	5	6	11
50-64	284	3.0	10	1	1	2	4	6	9	15
65 +	786	4.4	12	1	2	3	6	8	11	18
B. Operated										
0-19 YRS	73	3.1	44	1	1	1	3	5	9	46
20-34	136	2.8	8	1	1	2	3	6	7	16
35-49	85	3.5	18	1	1	2	4	7	11	25
50-64	61	5.1	36	1	2	3	6	10	15	33
65 +	123	6.8	51	1	2	5	9	15	20	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	681	1.8	4	< 1	1	1	2	3	4	9
B. Operated	130	2.6	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	2627	2.8	8	1	1	2	3	6	8	14
B. Operated	478	4.3	32	1	1	2	5	9	14	30
1. SINGLE DX	811	1.9	4	< 1	1	1	2	3	5	9
2. MULTIPLE DX	3105	3.1	12	1	1	2	4	6	9	17
A. Not Operated	3308	2.6	7	1	1	2	3	5	7	13
B. Operated	608	3.9	27	1	1	2	4	9	13	28
TOTAL										
0-19 YRS	879	1.8	7	< 1	1	1	2	3	5	9
20-34	1027	2.1	4	< 1	1	1	2	4	6	11
35-49	617	2.4	5	1	1	2	3	5	6	12
50-64	411	3.1	13	1	1	2	4	7	9	16
65 +	982	4.6	18	1	2	3	6	9	12	20
GRAND TOTAL	**3916**	**2.8**	**11**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	23	1.5	1	1	1	1	2	3	3	4
20-34	19	1.6		1	1	1	2	3	3	3
35-49	10	1.7		< 1	1	2	2	3	3	3
50-64	4	4.0	17	< 1	1	2	6	10	10	10
65 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-19 YRS	11	2.2	3	< 1	1	2	2	5	7	7
20-34	21	4.3	42	1	1	2	4	12	23	26
35-49	10	5.2	38	1	2	3	7	15	21	21
50-64	4	4.3	27	1	1	2	7	12	12	12
65 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	2.3	2	1	1	2	3	4	5	6
20-34	41	3.4	14	1	2	2	3	8	13	18
35-49	11	1.9	2	1	1	1	3	4	5	5
50-64	3	4.0	1	3	3	4	5	5	5	5
65 +	5	7.8	13	5	5	6	11	13	13	13
B. Operated										
0-19 YRS	23	7.2	155	1	1	3	9	13	35	60
20-34	66	8.5	88	1	2	5	11	21	25	50
35-49	50	5.9	77	1	1	3	5	13	23	52
50-64	8	6.4	41	1	2	5	7	17	21	21
65 +	5	13.6	647	1	1	2	18	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	1.7	2	1	1	1	2	3	3	10
B. Operated	50	3.8	28	1	1	2	4	8	20	26
2. MULTIPLE DX										
A. Not Operated	76	3.3	11	1	1	2	4	6	11	17
B. Operated	152	7.5	107	1	2	4	9	21	25	59
1. SINGLE DX	108	2.7	15	1	1	2	2	4	9	23
2. MULTIPLE DX	228	6.1	79	1	2	3	6	14	21	54
A. Not Operated	134	2.6	7	1	1	2	3	5	9	15
B. Operated	202	6.6	90	1	1	3	7	18	23	56
TOTAL										
0-19 YRS	73	3.6	55	1	1	2	3	7	10	51
20-34	147	5.6	56	1	1	2	6	14	21	36
35-49	81	4.7	55	1	1	2	4	11	21	45
50-64	19	5.1	25	1	2	3	7	11	17	21
65 +	16	7.2	204	1	1	2	6	13	45	59
GRAND TOTAL	**336**	**5.0**	**61**	**1**	**1**	**2**	**5**	**11**	**21**	**52**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	370	1.1		< 1	< 1	1	1	1	2	3
20-34	32	1.1		< 1	1	1	1	2	2	2
35-49	39	1.2	1	< 1	1	1	1	2	3	5
50-64	33	1.1		< 1	1	1	1	2	2	2
65 +	34	1.2	1	< 1	1	1	1	2	3	6
B. Operated										
0-19 YRS	158	1.4	1	< 1	< 1	1	1	2	4	7
20-34	15	2.5	6	< 1	1	1	4	7	8	8
35-49	15	1.9	2	< 1	< 1	1	3	4	5	6
50-64	8	1.1		< 1	< 1	1	1	2	2	2
65 +	7	1.7	2	1	1	1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	134	1.8	4	< 1	1	1	2	3	5	13
20-34	17	2.1	3	< 1	1	1	3	4	6	7
35-49	33	2.1	3	< 1	1	1	3	4	6	7
50-64	48	2.5	4	1	1	2	3	5	8	9
65 +	132	3.4	14	1	1	2	4	7	10	22
B. Operated										
0-19 YRS	82	2.8	27	1	1	1	3	5	8	34
20-34	14	4.9	11	1	2	5	8	9	11	11
35-49	33	6.2	68	1	1	3	6	14	28	37
50-64	34	8.1	230	1	1	5	9	16	18	89
65 +	90	5.6	37	1	2	4	8	14	17	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	508	1.1		< 1	< 1	1	1	1	2	3
B. Operated	203	1.5	2	< 1	< 1	1	1	3	5	8
2. MULTIPLE DX										
A. Not Operated	364	2.5	8	< 1	1	1	3	5	7	14
B. Operated	253	5.1	65	1	1	3	6	11	16	40
1. SINGLE DX	711	1.2	1	< 1	< 1	1	1	2	2	6
2. MULTIPLE DX	617	3.6	33	1	1	2	4	8	11	24
A. Not Operated	872	1.7	4	< 1	1	1	2	3	5	11
B. Operated	456	3.5	40	< 1	1	1	4	8	12	29
TOTAL										
0-19 YRS	744	1.5	4	< 1	< 1	1	1	2	4	8
20-34	78	2.3	5	< 1	1	1	3	6	8	11
35-49	120	2.9	24	< 1	1	1	3	6	9	32
50-64	123	3.6	72	< 1	1	1	3	8	12	38
65 +	263	3.8	22	1	1	2	5	8	13	21
GRAND TOTAL	**1328**	**2.3**	**17**	**<1**	**1**	**1**	**2**	**5**	**7**	**16**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	10	5.5	80	1	1	2	6	18	30	30
20-34	8	2.6	2	< 1	1	2	4	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	0									
65 +	0									
B. Operated										
0-19 YRS	34	3.2	7	1	1	2	5	7	7	12
20-34	24	6.0	40	1	2	4	7	14	19	28
35-49	13	8.2	37	2	4	7	10	16	22	24
50-64	5	6.0	41	< 1	1	5	8	17	17	17
65 +	9	7.9	112	< 1	2	4	8	27	32	32
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	31	5.9	75	1	1	3	6	14	22	44
20-34	26	6.0	84	1	1	3	4	17	27	42
35-49	18	6.9	127	1	2	4	5	12	35	50
50-64	9	7.9	14	4	5	7	11	13	14	14
65 +	22	8.9	81	1	2	6	14	20	29	39
B. Operated										
0-19 YRS	94	10.6	147	< 1	1	6	17	27	41	50
20-34	97	14.1	185	2	5	11	19	37	48	99 +
35-49	65	15.3	241	2	4	10	23	36	52	96
50-64	41	14.9	90	3	8	15	20	26	29	46
65 +	44	19.6	307	2	7	16	24	51	65	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.1	41	1	1	2	4	6	18	30
B. Operated	85	5.4	36	1	1	3	7	14	17	31
2. MULTIPLE DX										
A. Not Operated	106	6.9	81	1	2	4	8	15	22	47
B. Operated	341	14.2	195	1	4	11	20	34	47	79
1. SINGLE DX	105	5.2	36	1	1	3	6	13	17	31
2. MULTIPLE DX	447	12.4	177	1	3	8	18	30	45	69
A. Not Operated	126	6.4	75	1	2	4	7	14	22	45
B. Operated	426	12.4	175	1	3	8	18	29	45	71
TOTAL										
0-19 YRS	169	8.0	110	1	1	4	9	21	30	47
20-34	155	10.9	153	1	2	6	17	28	43	97
35-49	98	12.6	202	2	3	7	19	32	49	89
50-64	55	12.9	83	3	5	12	16	26	26	45
65 +	75	15.0	244	2	4	10	19	34	51	68
GRAND TOTAL	**552**	**11.1**	**158**	**1**	**2**	**6**	**16**	**27**	**41**	**67**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	57	2.8	5	< 1	1	2	4	6	8	10
20-34	30	2.6	4	1	1	2	4	6	7	7
35-49	14	3.3	14	< 1	1	2	3	7	13	15
50-64	8	2.5	3	1	1	2	3	5	6	6
65 +	2	9.0	50	4	4	9	14	14	14	14
B. Operated										
0-19 YRS	18	2.5	5	< 1	1	2	2	6	8	9
20-34	15	2.7	5	1	1	2	4	6	7	8
35-49	12	3.9	4	1	2	4	5	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	225	3.2	11	1	1	2	4	7	9	16
20-34	137	4.5	25	1	1	3	6	10	15	22
35-49	82	4.1	15	1	1	3	5	11	13	17
50-64	42	6.2	25	2	3	5	8	13	15	26
65 +	56	5.3	17	1	2	4	7	10	15	19
B. Operated										
0-19 YRS	72	8.0	71	1	3	4	10	21	29	39
20-34	52	7.8	69	1	2	4	12	19	26	38
35-49	43	14.2	130	2	7	11	21	31	36	50
50-64	26	11.9	57	3	7	10	16	24	27	31
65 +	15	11.5	143	2	4	6	13	37	39	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	2.9	7	1	1	2	4	6	7	14
B. Operated	47	2.9	5	< 1	1	2	4	7	7	9
2. MULTIPLE DX										
A. Not Operated	542	4.1	18	1	1	3	5	9	12	19
B. Operated	208	10.0	91	1	3	7	13	24	30	40
1. SINGLE DX	158	2.9	6	1	1	2	4	6	7	14
2. MULTIPLE DX	750	5.7	45	1	1	3	7	13	19	36
A. Not Operated	653	3.9	16	1	1	2	5	9	12	19
B. Operated	255	8.6	83	1	2	5	12	22	29	40
TOTAL										
0-19 YRS	372	4.0	25	1	1	2	5	9	12	29
20-34	234	4.9	33	1	1	3	6	12	17	30
35-49	151	6.9	68	1	2	4	8	17	27	36
50-64	77	7.7	43	2	3	6	11	16	24	30
65 +	74	6.6	48	1	2	5	8	14	18	39
GRAND TOTAL	**908**	**5.2**	**39**	**1**	**1**	**3**	**6**	**12**	**18**	**33**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	2.4	1	1	2	3	3	3	4	5
20-34	14	3.3	7	1	1	2	4	8	10	10
35-49	7	2.6	4	1	1	2	3	6	7	7
50-64	4	3.5	2	2	2	3	4	5	5	5
65 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
0-19 YRS	18	2.0	4	< 1	< 1	1	2	5	7	8
20-34	35	2.1	3	< 1	1	1	3	4	5	9
35-49	17	1.6	1	1	1	1	2	3	4	4
50-64	10	3.4	21	1	1	1	5	11	15	15
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	20	2.0	1	1	1	2	3	4	4	5
20-34	40	4.9	35	1	2	3	5	12	17	31
35-49	37	4.4	9	1	2	4	7	8	10	13
50-64	14	5.1	29	1	2	4	6	9	19	22
65 +	23	6.2	23	2	3	5	7	15	16	18
B. Operated										
0-19 YRS	55	2.5	10	1	1	1	2	7	12	95
20-34	65	5.3	142	1	1	2	4	15	20	80
35-49	39	8.3	219	1	1	4	9	21	28	87
50-64	17	10.9	229	1	1	4	12	42	48	48
65 +	17	9.8	297	1	2	4	11	15	53	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	2.9	4	1	2	3	3	5	7	10
B. Operated	81	2.1	5	< 1	1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	134	4.6	21	1	2	3	6	8	15	23
B. Operated	193	6.0	145	1	1	2	5	14	23	89
1. SINGLE DX	127	2.4	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX	327	5.4	95	1	1	2	6	13	18	77
A. Not Operated	180	4.2	17	1	2	3	5	8	13	21
B. Operated	274	4.8	107	1	1	2	4	12	18	84
TOTAL										
0-19 YRS	112	2.3	6	1	1	1	3	5	8	47
20-34	154	4.3	71	1	1	2	4	9	16	31
35-49	100	5.3	94	1	1	3	6	11	15	58
50-64	45	6.8	107	1	1	3	7	15	30	48
65 +	43	7.5	130	1	2	5	8	15	16	74
GRAND TOTAL	**454**	**4.6**	**71**	**1**	**1**	**2**	**5**	**10**	**15**	**48**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	108	1.5	1	< 1	1	1	2	3	4	5
20-34	130	1.7	2	< 1	1	1	2	3	5	9
35-49	61	2.3	8	< 1	1	1	3	4	6	19
50-64	34	2.4	4	1	1	2	3	4	7	10
65 +	22	4.9	42	1	2	2	6	11	19	30
B. Operated										
0-19 YRS	23	2.0	2	< 1	1	1	2	5	6	6
20-34	48	3.1	12	1	1	2	3	8	10	16
35-49	26	4.9	17	1	1	4	7	12	13	15
50-64	12	4.1	16	< 1	1	2	6	11	13	13
65 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	184	2.3	10	1	1	1	2	4	6	21
20-34	286	2.0	4	< 1	1	1	2	4	6	11
35-49	127	2.6	7	< 1	1	2	3	6	7	15
50-64	78	3.1	12	1	1	2	4	5	9	22
65 +	184	5.3	20	2	3	4	7	12	13	24
B. Operated										
0-19 YRS	49	3.7	17	1	1	2	4	8	10	25
20-34	119	5.9	52	1	2	3	7	15	21	38
35-49	49	5.3	17	1	2	4	7	12	13	18
50-64	44	6.8	38	1	2	5	10	17	21	23
65 +	55	9.8	137	2	4	7	10	16	29	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	355	2.0	6	< 1	1	1	2	4	5	11
B. Operated	110	3.4	12	1	1	2	4	8	12	16
2. MULTIPLE DX										
A. Not Operated	859	3.0	11	1	1	2	3	6	9	18
B. Operated	316	6.3	57	1	2	4	8	14	19	35
1. SINGLE DX	465	2.4	8	1	1	1	2	5	7	15
2. MULTIPLE DX	1175	3.9	26	1	1	2	4	9	13	25
A. Not Operated	1214	2.7	10	1	1	2	3	6	8	16
B. Operated	426	5.5	47	1	2	3	7	13	17	33
TOTAL										
0-19 YRS	364	2.2	8	1	1	1	2	4	6	16
20-34	583	2.9	16	< 1	1	1	3	6	9	22
35-49	263	3.2	12	1	1	2	4	7	11	18
50-64	168	4.0	20	1	1	2	4	10	13	23
65 +	262	6.2	49	2	3	4	8	12	16	32
GRAND TOTAL	**1640**	**3.4**	**21**	**1**	**1**	**2**	**4**	**8**	**12**	**22**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	866	1.3	1	< 1	1	1	1	2	3	5
20-34	349	1.8	10	< 1	1	1	2	3	3	10
35-49	157	1.6	1	< 1	1	1	2	2	3	6
50-64	30	1.4	1	< 1	< 1	1	1	3	3	4
65 +	22	3.2	7	1	2	2	4	6	10	13
B. Operated										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	3	2.7		2	2	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1793	2.1	11	< 1	1	1	2	4	5	17
20-34	2282	2.6	14	< 1	1	1	3	5	7	21
35-49	1497	2.7	12	1	1	2	3	5	8	17
50-64	600	3.7	17	1	1	3	4	7	10	22
65 +	894	4.2	14	1	2	3	5	8	11	18
B. Operated										
0-19 YRS	33	5.4	28	1	2	3	8	14	17	22
20-34	82	8.0	166	1	1	3	7	23	39	67
35-49	64	11.1	298	1	3	5	9	43	56	78
50-64	43	8.7	70	2	2	5	13	23	27	29
65 +	62	10.1	98	2	4	8	11	20	32	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1424	1.5	3	< 1	1	1	2	2	3	8
B. Operated	8	2.0	1	< 1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	7066	2.8	14	1	1	2	3	5	8	18
B. Operated	284	8.9	152	1	2	5	10	21	35	63
1. SINGLE DX	1432	1.5	3	< 1	1	1	2	2	3	8
2. MULTIPLE DX	7350	3.0	20	1	1	2	3	6	9	24
A. Not Operated	8490	2.6	12	< 1	1	1	3	5	7	17
B. Operated	292	8.8	149	1	2	5	10	21	33	63
TOTAL										
0-19 YRS	2694	1.9	8	< 1	1	1	2	3	5	14
20-34	2716	2.6	19	< 1	1	1	3	5	8	25
35-49	1720	2.9	24	1	1	2	3	5	8	24
50-64	674	3.9	22	1	1	3	5	8	11	27
65 +	978	4.6	21	1	2	3	6	9	12	23
GRAND TOTAL	**8782**	**2.8**	**18**	**< 1**	**1**	**2**	**3**	**5**	**8**	**21**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	1.3	1	< 1	1	1	1	2	3	5
20-34	129	1.6	1	< 1	1	1	2	3	4	6
35-49	78	1.7	11	< 1	1	1	2	2	3	23
50-64	33	1.4	1	1	1	1	2	3	3	3
65 +	13	3.3	40	1	1	1	2	8	21	24
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	4	3.3	1	2	2	3	4	4	4	4
35-49	4	6.5	6	3	5	7	8	8	8	8
50-64	2	15.5	113	8	8	15	23	23	23	23
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	233	2.0	8	< 1	1	1	2	3	5	14
20-34	280	2.5	20	1	1	1	3	5	7	15
35-49	201	2.5	9	1	1	2	2	4	7	17
50-64	104	3.5	42	1	1	2	4	6	8	38
65 +	103	3.9	20	1	1	2	5	9	11	25
B. Operated										
0-19 YRS	12	2.3	2	< 1	1	2	3	4	5	5
20-34	26	8.5	88	1	3	5	9	28	33	33
35-49	13	10.5	110	2	4	6	15	27	35	37
50-64	7	16.7	721	1	2	3	24	64	73	73
65 +	14	15.7	246	2	3	9	24	37	49	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	546	1.5	3	< 1	1	1	1	2	3	6
B. Operated	13	5.6	35	1	2	4	8	11	21	23
2. MULTIPLE DX										
A. Not Operated	921	2.6	17	1	1	1	3	5	7	17
B. Operated	72	10.0	178	1	2	5	11	31	35	69
1. SINGLE DX	559	1.6	4	< 1	1	1	1	3	4	8
2. MULTIPLE DX	993	3.2	32	1	1	2	3	6	9	32
A. Not Operated	1467	2.2	12	1	1	1	2	4	6	16
B. Operated	85	9.4	158	1	2	5	9	29	34	66
TOTAL										
0-19 YRS	541	1.6	4	< 1	1	1	2	3	4	7
20-34	439	2.6	20	< 1	1	1	3	5	7	26
35-49	296	2.7	16	1	1	1	2	5	8	22
50-64	146	3.8	72	1	1	2	3	6	10	63
65 +	130	5.1	58	1	1	2	6	11	21	39
GRAND TOTAL	**1552**	**2.6**	**23**	**1**	**1**	**1**	**2**	**5**	**7**	**25**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	1.3		1	1	1	1	2	2	5
20-34	92	1.5	1	1	1	1	2	3	3	7
35-49	76	1.8	5	< 1	1	1	2	3	4	16
50-64	43	1.8	2	< 1	1	1	2	4	5	5
65 +	33	1.8	3	< 1	1	1	2	3	4	11
B. Operated										
0-19 YRS	4	6.5	107	< 1	< 1	1	12	22	22	22
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	5.0	48	1	1	1	10	13	13	13
50-64	2	4.0		4	4	4	4	4	4	4
65 +	2	21.5	613	4	4	21	39	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	261	3.3	72	1	1	1	2	5	8	59
20-34	176	2.6	8	1	1	1	3	6	9	15
35-49	220	3.0	14	1	1	2	3	6	9	22
50-64	215	3.4	20	1	1	2	4	7	10	20
65 +	531	4.1	12	1	2	3	5	8	11	19
B. Operated										
0-19 YRS	31	12.9	401	1	1	4	37	67	99 +	99 +
20-34	34	8.6	169	1	1	2	10	26	39	56
35-49	29	6.9	81	1	1	3	9	26	35	99 +
50-64	24	8.0	80	1	3	6	10	20	56	99 +
65 +	57	10.5	151	1	3	6	14	23	31	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	1.5	2	1	1	1	2	2	3	6
B. Operated	13	7.2	129	< 1	1	2	6	25	36	39
2. MULTIPLE DX										
A. Not Operated	1403	3.5	24	1	1	2	4	7	10	21
B. Operated	175	9.6	177	1	1	4	13	31	55	99 +
1. SINGLE DX	446	1.7	6	1	1	1	2	3	4	11
2. MULTIPLE DX	1578	4.2	45	1	1	2	4	8	14	49
A. Not Operated	1836	3.0	20	1	1	2	3	6	9	18
B. Operated	188	9.4	174	1	1	4	13	30	54	99 +
TOTAL										
0-19 YRS	485	3.2	72	1	1	1	2	4	8	66
20-34	304	3.0	28	1	1	1	3	6	10	28
35-49	328	3.1	19	1	1	2	3	7	12	29
50-64	284	3.5	24	1	1	2	4	7	11	37
65 +	623	4.6	30	1	2	3	5	10	14	24
GRAND TOTAL	**2024**	**3.6**	**37**	**1**	**1**	**2**	**4**	**7**	**12**	**41**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	293	1.3	1	< 1	1	1	1	2	3	5
20-34	129	1.6	1	< 1	1	1	2	3	4	6
35-49	78	1.7	11	< 1	1	1	2	2	3	23
50-64	33	1.4	1	1	1	1	2	3	3	3
65 +	13	3.3	40	1	1	1	2	8	21	24
B. Operated										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	4	3.3	1	2	2	3	4	4	4	4
35-49	4	6.5	6	3	5	7	8	8	8	8
50-64	2	15.5	113	8	8	15	23	23	23	23
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	233	2.0	8	< 1	1	1	2	3	5	14
20-34	280	2.5	20	1	1	1	3	5	7	15
35-49	201	2.5	9	1	1	2	2	4	7	17
50-64	104	3.5	42	1	1	2	4	6	8	38
65 +	103	3.9	20	1	1	2	5	9	11	25
B. Operated										
0-19 YRS	12	2.3	2	< 1	1	2	3	4	5	5
20-34	26	8.5	88	1	3	5	9	28	33	33
35-49	13	10.5	110	2	4	6	15	27	35	37
50-64	7	16.7	721	1	2	3	24	64	73	73
65 +	14	15.7	246	2	3	9	24	37	49	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	546	1.5	3	< 1	1	1	1	2	3	6
B. Operated	13	5.6	35	1	2	4	8	11	21	23
2. MULTIPLE DX										
A. Not Operated	921	2.6	17	1	1	1	3	5	7	17
B. Operated	72	10.0	178	1	2	5	11	31	35	69
1. SINGLE DX	559	1.6	4	< 1	1	1	1	3	4	8
2. MULTIPLE DX	993	3.2	32	1	1	2	3	6	9	32
A. Not Operated	1467	2.2	12	1	1	1	2	4	6	16
B. Operated	85	9.4	158	1	2	5	9	29	34	66
TOTAL										
0-19 YRS	541	1.6	4	< 1	1	1	2	3	4	7
20-34	439	2.6	20	< 1	1	1	3	5	7	26
35-49	296	2.7	16	1	1	1	2	5	8	22
50-64	146	3.8	72	1	1	2	3	6	10	63
65 +	130	5.1	58	1	1	2	6	11	21	39
GRAND TOTAL	**1552**	**2.6**	**23**	**1**	**1**	**1**	**2**	**5**	**7**	**25**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	189	1.3		1	1	1	1	2	2	5
20-34	92	1.5	1	1	1	1	2	3	3	7
35-49	76	1.8	5	< 1	1	1	2	3	4	16
50-64	43	1.8	2	< 1	1	1	2	4	5	5
65 +	33	1.8	3	< 1	1	1	2	3	4	11
B. Operated										
0-19 YRS	4	6.5	107	< 1	< 1	1	12	22	22	22
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	5.0	48	1	1	1	10	13	13	13
50-64	2	4.0		4	4	4	4	4	4	4
65 +	2	21.5	613	4	4	21	39	39	39	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	261	3.3	72	1	1	1	2	5	8	59
20-34	176	2.6	8	1	1	1	3	6	9	15
35-49	220	3.0	14	1	1	2	3	6	9	22
50-64	215	3.4	20	1	1	2	4	7	10	20
65 +	531	4.1	12	1	2	3	5	8	11	19
B. Operated										
0-19 YRS	31	12.9	401	1	1	4	37	67	99 +	99 +
20-34	34	8.6	169	1	1	2	10	26	39	56
35-49	29	6.9	81	1	1	3	9	26	35	99 +
50-64	24	8.0	80	1	3	6	10	20	56	99 +
65 +	57	10.5	151	1	3	6	14	23	31	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	433	1.5	2	1	1	1	2	2	3	6
B. Operated	13	7.2	129	< 1	1	2	6	25	36	39
2. MULTIPLE DX										
A. Not Operated	1403	3.5	24	1	1	2	4	7	10	21
B. Operated	175	9.6	177	1	1	4	13	31	55	99 +
1. SINGLE DX	446	1.7	6	1	1	1	2	3	4	11
2. MULTIPLE DX	1578	4.2	45	1	1	2	4	8	14	49
A. Not Operated	1836	3.0	20	1	1	2	3	6	9	18
B. Operated	188	9.4	174	1	1	4	13	30	54	99 +
TOTAL										
0-19 YRS	485	3.2	72	1	1	1	2	4	8	66
20-34	304	3.0	28	1	1	1	3	6	10	28
35-49	328	3.1	19	1	1	2	3	7	12	29
50-64	284	3.5	24	1	1	2	4	7	11	37
65 +	623	4.6	30	1	2	3	5	10	14	24
GRAND TOTAL	**2024**	**3.6**	**37**	**1**	**1**	**2**	**4**	**7**	**12**	**41**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.6	4	< 1	1	2	4	6	7	8
20-34	23	4.4	8	1	3	3	6	8	10	10
35-49	30	3.2	9	1	1	3	4	7	8	16
50-64	30	4.2	8	1	2	4	5	9	10	10
65 +	46	4.4	21	1	2	3	5	7	18	20
B. Operated										
0-19 YRS	203	3.2	12	1	1	2	4	6	8	21
20-34	225	3.4	14	1	1	2	4	7	9	24
35-49	283	3.9	16	1	1	2	5	8	12	21
50-64	386	4.5	14	1	1	3	7	10	12	15
65 +	749	5.5	26	1	2	4	8	11	14	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	244	4.7	15	1	2	4	6	10	12	19
20-34	153	5.1	31	1	2	3	5	10	17	26
35-49	218	4.9	13	1	2	4	7	10	12	18
50-64	239	5.1	16	1	2	4	7	10	14	19
65 +	547	6.1	34	1	3	5	7	12	16	31
B. Operated										
0-19 YRS	974	6.8	93	1	2	4	7	16	23	48
20-34	781	6.3	69	1	2	4	8	13	19	44
35-49	1312	6.5	58	1	2	4	8	14	20	37
50-64	2102	7.4	69	1	2	5	9	15	23	44
65 +	4095	8.0	71	1	2	6	10	16	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	157	3.8	12	1	1	3	5	7	10	18
B. Operated	1846	4.5	20	1	1	3	7	10	13	22
2. MULTIPLE DX										
A. Not Operated	1401	5.4	24	1	2	4	7	11	14	25
B. Operated	9264	7.4	71	1	2	5	9	15	22	45
1. SINGLE DX	2003	4.5	19	1	1	3	6	10	13	22
2. MULTIPLE DX	10665	7.1	66	1	2	5	9	15	21	43
A. Not Operated	1558	5.2	23	1	2	4	7	10	14	24
B. Operated	11110	6.9	64	1	2	5	9	14	21	42
TOTAL										
0-19 YRS	1449	5.9	69	1	2	3	6	13	20	43
20-34	1182	5.5	54	1	2	3	7	12	17	36
35-49	1843	5.9	47	1	2	4	7	12	17	31
50-64	2757	6.8	57	1	2	5	9	14	19	40
65 +	5437	7.4	62	1	2	5	10	15	21	43
GRAND TOTAL	**12668**	**6.7**	**59**	**1**	**2**	**5**	**9**	**14**	**20**	**41**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	64	1.4	1	< 1	1	1	2	2	3	4
20-34	42	1.9	2	1	1	2	2	4	5	6
35-49	51	2.4	4	1	1	2	3	4	6	12
50-64	50	2.3	3	1	1	2	2	5	5	9
65 +	84	2.6	3	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	102	1.2		< 1	1	1	1	2	3	5
20-34	106	1.6	1	< 1	1	1	2	3	4	6
35-49	86	2.3	6	1	1	2	2	4	6	16
50-64	46	2.0	2	1	1	2	2	4	5	6
65 +	72	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	43	1.9	1	< 1	1	1	2	4	5	5
20-34	67	2.4	7	1	1	2	3	5	5	17
35-49	65	2.8	4	1	1	2	4	6	7	10
50-64	137	3.5	8	1	2	3	4	7	9	16
65 +	313	3.5	10	1	2	3	4	7	8	15
B. Operated										
0-19 YRS	63	2.2	5	1	1	1	2	4	8	10
20-34	106	3.1	16	1	1	2	4	7	9	22
35-49	139	3.4	19	1	1	2	4	9	10	22
50-64	200	4.0	20	1	1	2	5	10	14	21
65 +	484	4.5	27	1	1	3	6	10	15	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	291	2.2	2	1	1	2	3	4	6	8
B. Operated	412	1.9	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	625	3.2	8	1	1	3	4	6	8	14
B. Operated	992	4.0	22	1	1	2	5	9	12	24
1. SINGLE DX	703	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX	1617	3.7	17	1	1	2	4	8	11	21
A. Not Operated	916	2.9	7	1	1	2	3	6	7	13
B. Operated	1404	3.4	17	1	1	2	4	7	11	21
TOTAL										
0-19 YRS	272	1.6	2	< 1	1	1	2	3	4	9
20-34	321	2.3	8	1	1	1	2	5	6	15
35-49	341	2.9	11	1	1	2	3	6	9	20
50-64	433	3.5	13	1	1	2	4	7	11	19
65 +	953	3.9	18	1	1	3	5	8	11	24
GRAND TOTAL	**2320**	**3.2**	**13**	**1**	**1**	**2**	**4**	**7**	**10**	**19**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	3.8	9	1	2	3	4	8	10	17
20-34	80	3.8	5	1	2	4	5	7	8	11
35-49	84	4.2	5	2	3	4	5	7	8	13
50-64	63	3.9	5	2	3	3	5	7	8	14
65 +	47	5.0	8	2	3	4	6	10	12	14
B. Operated										
0-19 YRS	45	5.4	15	1	3	5	8	10	11	21
20-34	72	5.7	17	1	3	5	7	12	14	19
35-49	84	4.6	10	1	2	4	6	8	10	17
50-64	47	6.9	27	1	3	6	10	14	17	26
65 +	37	5.8	18	1	2	5	9	12	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	77	4.7	11	2	3	4	6	9	11	18
20-34	172	5.1	14	2	3	4	6	9	14	21
35-49	214	5.8	30	2	3	4	7	10	15	33
50-64	220	5.9	15	2	3	5	8	11	13	20
65 +	346	7.0	33	2	3	5	9	14	17	28
B. Operated										
0-19 YRS	106	8.0	39	2	4	7	10	15	20	32
20-34	189	9.1	63	2	4	7	11	18	25	49
35-49	311	11.2	161	2	4	8	13	23	34	80
50-64	316	11.9	140	3	4	8	15	26	33	62
65 +	456	12.7	118	3	6	10	16	26	32	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	320	4.1	6	2	2	4	5	7	9	13
B. Operated	285	5.5	17	1	2	5	7	11	14	19
2. MULTIPLE DX										
A. Not Operated	1029	6.0	24	2	3	5	7	11	14	27
B. Operated	1378	11.3	121	3	5	8	14	24	32	64
1. SINGLE DX	605	4.8	12	1	2	4	6	9	12	17
2. MULTIPLE DX	2407	9.1	87	2	4	6	11	19	27	48
A. Not Operated	1349	5.6	21	2	3	4	7	11	14	22
B. Operated	1663	10.3	108	2	4	7	13	22	29	60
TOTAL										
0-19 YRS	274	5.9	25	2	3	5	7	11	15	27
20-34	513	6.5	35	2	3	5	8	13	17	35
35-49	693	7.9	93	2	3	5	8	16	24	62
50-64	646	8.7	86	2	4	6	10	18	26	47
65 +	886	9.8	84	2	4	7	12	20	27	47
GRAND TOTAL	**3012**	**8.2**	**75**	**2**	**3**	**6**	**10**	**17**	**24**	**45**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	28	2.6	5	< 1	1	1	4	7	7	8
20-34	64	2.9	4	1	1	3	4	5	7	9
35-49	73	3.8	8	1	2	3	5	7	9	13
50-64	63	4.1	13	1	1	3	6	9	10	18
65 +	49	3.8	8	1	2	3	5	8	10	13
B. Operated										
0-19 YRS	38	3.4	6	< 1	< 1	3	6	7	8	9
20-34	63	4.6	13	1	2	4	7	9	10	21
35-49	94	5.3	27	1	2	4	7	11	14	28
50-64	62	5.3	34	1	2	4	7	10	16	35
65 +	86	4.5	17	1	1	3	7	9	14	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	165	3.3	20	1	1	2	4	8	11	17
20-34	296	3.1	7	1	1	2	4	6	8	14
35-49	396	4.0	11	1	2	3	5	8	10	15
50-64	451	4.7	16	1	2	4	7	9	11	23
65 +	690	5.4	15	1	2	5	7	10	12	20
B. Operated										
0-19 YRS	313	4.2	49	1	1	1	5	11	18	41
20-34	522	3.7	26	1	1	2	4	9	12	26
35-49	729	5.1	41	1	1	2	7	12	17	31
50-64	814	6.9	81	1	1	4	8	16	24	50
65 +	1523	7.0	76	1	2	4	9	16	24	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	277	3.5	8	1	1	3	5	7	9	13
B. Operated	343	4.8	21	1	2	4	6	9	14	24
2. MULTIPLE DX										
A. Not Operated	1998	4.5	14	1	2	3	6	9	11	18
B. Operated	3901	6.0	63	1	1	3	8	14	21	42
1. SINGLE DX	620	4.2	16	1	1	3	6	9	10	20
2. MULTIPLE DX	5899	5.5	47	1	1	3	7	12	17	36
A. Not Operated	2275	4.3	14	1	2	3	6	9	11	17
B. Operated	4244	5.9	60	1	1	3	7	14	20	41
TOTAL										
0-19 YRS	544	3.8	35	1	1	2	4	8	13	29
20-34	945	3.5	18	1	1	2	4	8	10	19
35-49	1292	4.7	29	1	1	3	6	10	15	29
50-64	1390	6.0	56	1	2	4	7	13	19	42
65 +	2348	6.4	55	1	2	4	8	14	20	39
GRAND TOTAL	**6519**	**5.3**	**44**	**1**	**1**	**3**	**7**	**12**	**17**	**34**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	9	2.3	1	1	2	2	3	4	4	4
35-49	8	2.4	3	1	1	2	4	5	5	5
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	0									
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64	4	12.5	83	7	7	9	18	26	26	26
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	2.6	5	1	1	2	3	6	8	9
20-34	13	6.3	17	2	3	5	8	12	15	16
35-49	24	3.4	3	1	2	4	4	5	7	8
50-64	19	3.0	3	1	2	3	4	5	6	7
65+	60	4.8	34	1	2	3	6	10	14	36
B. Operated										
0-19 YRS	5	8.8	32	<1	4	6	13	20	20	20
20-34	7	6.9	57	3	3	3	8	20	23	23
35-49	17	9.1	43	3	4	7	12	18	24	27
50-64	14	9.3	99	1	1	6	12	26	32	34
65+	26	9.0	101	1	3	5	13	20	29	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	2.2	1	1	1	2	3	4	4	5
B. Operated	8	8.0	59	3	3	6	9	21	26	26
2. MULTIPLE DX										
A. Not Operated	143	4.1	18	1	2	3	4	8	10	22
B. Operated	69	8.8	75	1	3	6	12	20	25	45
1. SINGLE DX	33	3.6	21	1	1	3	4	7	10	26
2. MULTIPLE DX	212	5.6	42	1	2	4	7	12	18	36
A. Not Operated	168	3.8	16	1	1	3	4	8	10	20
B. Operated	77	8.8	72	1	3	6	11	20	26	43
TOTAL										
0-19 YRS	38	3.3	14	1	1	2	4	7	10	20
20-34	29	5.2	24	2	2	3	6	11	16	23
35-49	52	5.1	23	1	3	4	5	11	16	27
50-64	39	6.2	55	1	2	4	7	15	26	34
65+	87	6.0	56	1	2	4	8	14	20	44
GRAND TOTAL	**245**	**5.3**	**39**	**1**	**2**	**3**	**6**	**11**	**17**	**34**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	5	1.6	1	<1	1	1	2	3	3	3
20-34	223	1.1		<1	<1	<1	1	1	2	4
35-49	87	1.2		<1	<1	1	1	2	3	4
50-64	0									
65+	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	7	1.7	1	<1	<1	<1	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	144	1.7	1	<1	1	1	2	3	4	7
35-49	74	1.7	2	<1	1	1	2	4	4	7
50-64	0									
65+	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		<1	<1	<1	1	1	1	1
B. Operated	315	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	8	1.6	1	<1	<1	1	2	3	3	3
B. Operated	220	1.7	1	<1	1	1	2	3	4	7
1. SINGLE DX	317	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	228	1.7	1	<1	1	1	2	3	4	7
A. Not Operated	10	1.5	1	<1	<1	1	2	3	3	3
B. Operated	535	1.4	1	<1	<1	1	1	3	3	5
TOTAL										
0-19 YRS	7	1.7	1	<1	1	2	2	3	3	3
20-34	375	1.3	1	<1	<1	1	1	2	3	5
35-49	163	1.4	1	<1	<1	1	1	3	4	6
50-64	0									
65+	0									
GRAND TOTAL	**545**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**3**	**3**	**5**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	3	1.0		1	1	1	1	1	1	1
1000-1499	1	20.0		20	20	20	20	20	20	20
1500-1749	1	18.0		18	18	18	18	18	18	18
1750-2499	1080	2.1	2	1	1	2	3	4	4	7
2500 +	85908	1.8	1	1	1	2	2	3	4	5
B. Operated										
1-999 G	0									
1000-1499	1	9.0		9	9	9	9	9	9	9
1500-1749	0									
1750-2499	2	7.0	18	4	4	7	10	10	10	10
2500 +	29	2.3	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated										
1-999 G	10	55.0	1093	1	54	73	99 +	99 +	99 +	99 +
1000-1499	126	34.1	203	18	26	32	40	51	61	79
1500-1749	189	20.7	102	11	14	19	25	33	39	52
1750-2499	4116	5.4	29	1	2	4	7	13	17	26
2500 +	53576	2.6	3	1	1	2	3	4	5	9
B. Operated										
1-999 G	61	72.9	338	56	73	98	99 +	99 +	99 +	99 +
1000-1499	178	49.9	401	27	38	52	73	99 +	99 +	99 +
1500-1749	172	32.5	242	15	21	31	41	53	66	99 +
1750-2499	480	15.8	157	4	8	13	22	29	39	83
2500 +	1231	7.5	74	2	3	5	9	15	24	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86993	1.8	1	1	1	2	2	3	4	5
B. Operated	32	2.8	7	1	1	2	3	6	10	11
2. MULTIPLE DX										
A. Not Operated	58017	2.9	10	1	2	2	4	5	6	15
B. Operated	2122	16.9	394	2	4	9	25	56	86	99 +
1. SINGLE DX	87025	1.8	1	1	1	2	2	3	4	5
2. MULTIPLE DX	60139	3.4	30	1	2	2	4	5	8	30
A. Not Operated	145010	2.3	5	1	1	2	3	4	5	10
B. Operated	2154	16.7	391	2	4	9	25	55	86	99 +
TOTAL										
1-999 G	74	67.6	640	46	70	94	99 +	99 +	99 +	99 +
1000-1499	306	43.2	382	21	31	41	60	88	99 +	99 +
1500-1749	362	26.3	203	12	16	24	33	45	53	94
1750-2499	5678	5.7	46	1	2	3	7	14	19	32
2500 +	140744	2.2	3	1	1	2	3	4	4	8
GRAND TOTAL	**147164**	**2.5**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**15**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	198	3.2	3	1	2	3	4	5	6	9
2500 +	737	3.1	2	1	2	3	4	5	5	8
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	4	47.5	1	46	47	48	48	48	48	48
1000-1499	37	32.7	156	16	24	31	44	54	81	99 +
1500-1749	56	20.7	60	10	14	21	26	31	34	38
1750-2499	748	7.3	36	2	4	5	10	15	19	29
2500 +	836	4.1	6	2	3	4	5	6	7	15
B. Operated										
1-999 G	15	69.7	291	55	64	92	99 +	99 +	99 +	99 +
1000-1499	50	49.6	395	27	34	47	68	85	99	99 +
1500-1749	39	27.5	78	18	20	27	33	42	42	50
1750-2499	88	20.5	223	5	9	19	27	36	53	75
2500 +	27	11.7	109	2	4	7	15	31	33	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	935	3.2	2	1	2	3	4	5	5	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1681	6.8	53	2	3	4	7	15	22	40
B. Operated	219	30.7	498	6	15	27	49	82	99 +	99 +
1. SINGLE DX	935	3.2	2	1	2	3	4	5	5	8
2. MULTIPLE DX	1900	9.5	162	2	3	5	10	25	38	92
A. Not Operated	2616	5.5	38	2	3	4	5	11	17	33
B. Operated	219	30.7	498	6	15	27	49	82	99 +	99 +
TOTAL										
1-999 G	19	65.0	313	48	57	87	99 +	99 +	99 +	99 +
1000-1499	87	42.4	361	23	29	39	57	81	99	99 +
1500-1749	95	23.5	78	12	17	23	28	35	41	47
1750-2499	1034	7.6	63	2	3	5	10	17	22	36
2500 +	1600	3.8	7	2	2	4	4	5	7	15
GRAND TOTAL	**2835**	**7.4**	**118**	**2**	**3**	**4**	**6**	**18**	**31**	**80**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	2	1.0		1	1	1	1	1	1	1
2500 +	188	1.3		< 1	1	1	1	2	2	3
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	28	5.9	33	1	2	4	7	12	20	26
2500 +	140	2.6	4	1	1	2	3	5	7	21
B. Operated										
1-999 G	1	2.0		2	2	51	99 +	99 +	99 +	99 +
1000-1499	0									
1500-1749	0									
1750-2499	8	9.9	57	4	5	8	11	22	27	27
2500 +	4	3.5	4	1	2	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	1.3		< 1	1	1	1	2	2	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	168	3.2	10	1	1	2	4	7	9	25
B. Operated	13	7.3	46	2	3	6	10	34	85	99 +
1. SINGLE DX	190	1.3		< 1	1	1	1	2	2	3
2. MULTIPLE DX	181	3.5	14	1	1	2	4	8	11	76
A. Not Operated	358	2.2	6	1	1	1	2	4	7	13
B. Operated	13	7.3	46	2	3	6	10	34	85	99 +
TOTAL										
1-999 G	1	2.0		2	2	51	99 +	99 +	99 +	99 +
1000-1499	0									
1500-1749	0									
1750-2499	38	6.5	39	1	2	5	8	13	23	27
2500 +	332	1.9	3	1	1	1	2	4	5	9
GRAND TOTAL	**371**	**2.3**	**8**	**1**	**1**	**1**	**2**	**5**	**8**	**24**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
20-34	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	223	1.4	1	< 1	1	1	2	3	3	4
20-34	273	1.5	1	< 1	1	1	2	3	4	6
35-49	184	1.7	1	< 1	1	1	2	3	4	5
50-64	76	1.8	4	< 1	1	1	2	3	5	14
65 +	66	2.6	7	< 1	1	2	3	6	7	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	1.8	2	< 1	< 1	< 1	2	4	4	4
20-34	0									
35-49	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
50-64	3	3.0	7	< 1	< 1	2	5	6	6	6
65 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-19 YRS	162	1.5	1	< 1	1	1	2	3	4	6
20-34	127	2.3	2	1	1	2	3	5	5	8
35-49	103	3.2	12	1	1	2	4	6	9	20
50-64	76	3.1	8	1	1	2	4	7	10	14
65 +	64	3.8	14	1	1	2	5	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.3		< 1	< 1	1	2	2	2	2
B. Operated	822	1.6	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	10	2.3	3	< 1	< 1	1	4	5	6	6
B. Operated	532	2.5	7	1	1	2	3	5	8	13
1. SINGLE DX	828	1.6	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	542	2.5	7	1	1	2	3	5	8	13
A. Not Operated	16	1.9	2	< 1	< 1	1	2	4	5	6
B. Operated	1354	2.0	4	< 1	1	1	2	4	5	10
TOTAL										
0-19 YRS	393	1.5	1	< 1	1	1	2	3	4	5
20-34	401	1.8	2	< 1	1	1	2	3	4	7
35-49	289	2.2	5	1	1	2	3	4	6	11
50-64	155	2.4	7	< 1	1	1	3	6	7	15
65 +	132	3.2	10	1	1	2	4	8	9	16
GRAND TOTAL	**1370**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-19 YRS	0									
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	0									
35-49	0									
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
B. Operated										
0-19 YRS	4	5.5	30	1	1	5	10	12	12	12
20-34	14	1.9	1	1	1	2	3	3	3	3
35-49	21	2.8	5	1	1	2	3	6	7	9
50-64	35	2.6	5	< 1	1	2	4	5	7	10
65 +	35	3.4	8	1	1	2	5	6	10	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	109	2.9	6	1	1	2	4	6	9	12
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	111	2.9	6	1	1	2	4	6	9	12
A. Not Operated	3	3.3	4	1	2	4	5	5	5	5
B. Operated	109	2.9	6	1	1	2	4	6	9	12
TOTAL										
0-19 YRS	5	5.4	22	1	1	5	9	12	12	12
20-34	14	1.9	1	1	1	2	3	3	3	3
35-49	21	2.8	5	1	1	2	3	6	7	9
50-64	36	2.6	5	< 1	1	2	4	5	7	10
65 +	36	3.4	8	1	1	2	5	6	10	11
GRAND TOTAL	**112**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**9**	**12**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	18	2.2	3	1	1	1	2	5	6	6
20-34	22	3.0	3	1	1	3	5	5	5	5
35-49	101	2.3	3	1	1	1	4	5	5	6
50-64	189	1.9	2	1	1	1	3	5	5	7
65 +	214	2.3	2	1	1	1	3	5	5	6
B. Operated										
0-19 YRS	0									
20-34	2	5.0		5	5	5	5	5	5	5
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	5	4.0	3	1	3	5	5	5	5	5
65 +	5	5.2	10	1	4	5	6	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	2487	2.7	4	1	1	2	4	5	6	9
20-34	722	3.3	10	1	1	3	5	5	7	16
35-49	1685	2.4	4	1	1	2	3	5	5	9
50-64	3698	2.4	4	1	1	2	3	5	6	8
65 +	4236	2.5	5	1	1	2	3	5	6	9
B. Operated										
0-19 YRS	182	4.3	24	1	1	3	5	9	13	26
20-34	85	4.1	9	1	2	4	6	7	9	16
35-49	208	5.0	47	1	2	3	5	9	21	39
50-64	360	5.2	29	1	2	4	6	10	14	31
65 +	409	5.0	27	1	2	4	6	9	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	544	2.2	3	1	1	1	3	5	5	6
B. Operated	14	4.6	5	1	4	5	5	6	9	10
2. MULTIPLE DX										
A. Not Operated	12828	2.5	5	1	1	2	4	5	6	9
B. Operated	1244	4.9	30	1	2	4	6	9	14	30
1. SINGLE DX	558	2.3	3	1	1	1	3	5	5	6
2. MULTIPLE DX	14072	2.7	7	1	1	2	4	5	6	12
A. Not Operated	13372	2.5	5	1	1	2	3	5	6	9
B. Operated	1258	4.9	29	1	2	4	6	9	14	30
TOTAL										
0-19 YRS	2687	2.8	6	1	1	2	4	5	6	12
20-34	831	3.4	10	1	1	3	5	6	7	16
35-49	1996	2.6	9	1	1	2	3	5	6	15
50-64	4252	2.6	7	1	1	2	3	5	6	11
65 +	4864	2.7	7	1	1	2	4	5	6	12
GRAND TOTAL	**14630**	**2.7**	**7**	**1**	**1**	**2**	**4**	**5**	**6**	**12**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-19 YRS	386	2.1	16	< 1	1	1	2	3	4	26
20-34	615	1.9	6	< 1	< 1	1	2	4	5	11
35-49	272	2.4	13	< 1	1	1	2	4	6	30
50-64	166	3.3	35	< 1	1	1	2	6	11	32
65 +	169	7.0	135	< 1	1	2	8	20	34	58
B. Operated										
0-19 YRS	163	3.1	14	< 1	1	2	4	7	8	15
20-34	329	3.0	6	< 1	1	2	4	7	8	10
35-49	309	3.5	11	1	1	2	5	7	9	14
50-64	229	4.8	33	1	1	4	7	9	10	29
65 +	130	5.2	35	< 1	1	5	8	10	11	35
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	737	6.0	147	< 1	1	2	5	16	39	99 +
20-34	795	5.8	126	< 1	1	2	4	18	32	95
35-49	762	8.0	148	1	1	3	9	23	36	66
50-64	1083	9.3	130	1	2	4	14	25	34	54
65 +	3787	13.2	130	2	5	11	18	28	36	53
B. Operated										
0-19 YRS	528	4.6	100	< 1	1	2	5	9	24	99 +
20-34	761	4.0	60	1	1	2	4	8	13	94
35-49	1128	3.9	28	1	1	2	5	9	10	34
50-64	1132	5.2	63	1	1	2	7	11	17	54
65 +	1673	7.6	111	1	1	4	10	18	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1608	2.7	28	< 1	1	1	2	5	9	33
B. Operated	1160	3.8	18	< 1	1	2	6	8	9	16
2. MULTIPLE DX										
A. Not Operated	7164	10.5	143	1	2	6	15	26	35	62
B. Operated	5272	5.5	77	1	1	2	7	11	21	61
1. SINGLE DX	2768	3.1	24	< 1	1	1	3	7	9	29
2. MULTIPLE DX	12436	8.4	121	1	1	4	11	22	32	62
A. Not Operated	8772	9.1	131	1	1	4	13	24	33	57
B. Operated	6432	5.2	66	1	1	2	7	10	18	57
TOTAL										
0-19 YRS	1814	4.5	96	< 1	1	1	4	9	22	99 +
20-34	2500	3.9	63	< 1	1	2	3	8	16	59
35-49	2471	4.9	65	1	1	2	5	10	20	48
50-64	2660	6.7	91	1	1	3	8	17	28	52
65 +	5759	11.2	130	1	3	8	16	26	35	54
GRAND TOTAL	**15204**	**7.4**	**107**	**1**	**1**	**3**	**9**	**20**	**29**	**57**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47841	2.4	7	<1	1	2	3	4	6	13
20-34	116926	2.2	4	1	1	2	3	4	5	9
35-49	42212	3.1	8	1	1	2	4	6	8	13
50-64	26762	3.8	12	1	2	3	5	8	9	15
65 +	25507	4.7	18	1	2	4	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	60557	5.4	78	1	1	3	5	11	21	60
20-34	145888	3.8	22	1	2	3	4	6	10	25
35-49	96619	5.2	36	1	2	4	6	10	14	32
50-64	106628	6.4	46	1	2	5	8	13	17	35
65 +	223879	7.5	50	2	3	6	10	15	20	36
TOTAL SINGLE DX	259248	2.8	8	1	1	2	3	5	8	13
TOTAL MULTIPLE DX	633571	5.9	45	1	2	4	7	12	17	35
TOTAL										
0-19 YRS	108398	4.1	49	1	1	2	4	8	14	42
20-34	262814	3.1	15	1	1	2	4	5	7	18
35-49	138831	4.5	29	1	2	3	5	9	12	28
50-64	133390	5.8	40	1	2	4	7	12	16	32
65 +	249386	7.3	47	2	3	6	9	14	19	35
GRAND TOTAL	**892819**	**5.0**	**37**	**1**	**2**	**3**	**6**	**10**	**15**	**31**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	95	7.0	23	1	2	6	9	14	16	20
20-34	85	7.0	14	3	5	7	8	11	12	24
35-49	119	7.6	22	3	4	7	9	15	17	23
50-64	124	7.8	29	2	4	7	10	14	18	31
65 +	121	8.8	25	3	5	8	11	15	18	26
2. MULTIPLE DX										
0-19 YRS	311	14.3	228	2	5	10	19	34	60	99 +
20-34	186	17.9	316	3	7	12	23	43	63	99
35-49	294	15.0	209	4	7	10	18	32	46	82
50-64	405	14.2	166	4	7	10	17	29	42	91
65 +	633	15.4	159	5	8	12	19	30	40	78
TOTAL SINGLE DX	524	7.7	24	2	5	7	10	14	17	24
TOTAL MULTIPLE DX	1829	15.2	197	4	7	11	19	32	46	90
TOTAL										
0-19 YRS	406	12.6	190	2	5	9	16	28	52	99 +
20-34	251	15.1	261	3	6	9	18	37	56	97
35-49	413	12.9	167	4	6	9	15	26	40	75
50-64	529	12.7	141	4	6	9	15	26	38	85
65 +	754	14.3	144	5	7	11	18	28	37	75
GRAND TOTAL	2353	13.5	160	3	6	10	17	28	41	86

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	5.0	18	2	3	4	6	8	11	28
20-34	16	6.0	13	3	4	5	7	13	14	14
35-49	27	7.4	17	4	5	5	11	14	15	17
50-64	25	7.4	24	3	5	7	9	11	15	27
65 +	26	8.1	30	3	4	7	10	13	18	29
2. MULTIPLE DX										
0-19 YRS	113	15.4	372	3	5	8	17	37	71	83
20-34	79	14.1	164	5	6	9	18	27	38	72
35-49	90	16.8	257	5	8	11	21	43	78	99 +
50-64	83	17.7	287	5	8	12	21	35	49	90
65 +	135	16.7	185	6	8	13	20	32	42	73
TOTAL SINGLE DX	162	6.4	22	2	4	5	8	12	14	29
TOTAL MULTIPLE DX	500	16.2	254	5	7	10	19	35	56	91
TOTAL										
0-19 YRS	181	11.5	264	3	4	6	11	27	55	78
20-34	95	12.7	148	4	6	9	14	26	36	71
35-49	117	14.6	217	4	6	10	17	37	66	99 +
50-64	108	15.3	245	4	7	10	18	33	43	88
65 +	161	15.3	170	5	8	11	19	29	40	70
GRAND TOTAL	662	13.8	214	3	5	9	17	30	43	85

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	190	3.8	3	2	3	3	4	6	7	11
20-34	30	3.7	9	1	2	3	4	9	10	14
35-49	21	4.4	11	1	3	3	5	10	13	14
50-64	10	2.9	4	1	2	2	3	6	8	8
65 +	11	5.0	10	2	3	4	5	10	13	13
2. MULTIPLE DX										
0-19 YRS	180	6.3	69	2	3	4	7	11	26	99 +
20-34	79	11.2	270	2	3	5	12	29	52	98
35-49	57	9.2	176	2	3	5	8	23	38	78
50-64	12	16.1	356	3	4	7	38	67	94	99 +
65 +	15	8.7	132	2	2	4	7	34	37	38
TOTAL SINGLE DX	262	3.8	5	2	3	3	4	6	8	13
TOTAL MULTIPLE DX	343	8.3	150	2	3	5	8	22	38	99 +
TOTAL										
0-19 YRS	370	5.0	37	2	3	4	5	8	12	92
20-34	109	9.1	209	2	3	4	9	21	34	97
35-49	78	7.9	136	2	3	4	7	16	30	71
50-64	22	10.1	234	2	3	4	8	45	73	99 +
65 +	26	7.2	82	2	3	4	5	14	35	38
GRAND TOTAL	605	6.4	92	2	3	4	6	12	25	97

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	91	4.1	7	2	2	4	5	7	9	16
20-34	13	6.4	12	2	4	6	9	11	13	14
35-49	14	7.5	87	2	3	5	6	16	33	38
50-64	19	5.0	5	2	3	5	7	8	8	8
65 +	30	6.8	19	3	4	6	8	9	20	22
2. MULTIPLE DX										
0-19 YRS	255	14.6	368	3	4	7	19	55	92	99 +
20-34	46	16.5	249	4	6	11	24	39	64	99 +
35-49	58	17.6	336	2	4	11	30	51	76	99 +
50-64	70	15.7	227	3	6	10	22	37	48	95
65 +	152	14.6	134	4	7	11	20	30	36	52
TOTAL SINGLE DX	167	5.2	17	2	3	4	7	8	10	22
TOTAL MULTIPLE DX	581	15.2	277	3	4	9	21	39	72	99 +
TOTAL										
0-19 YRS	346	11.8	295	2	3	5	14	39	78	99 +
20-34	59	14.3	214	3	5	9	18	36	54	97
35-49	72	15.6	303	2	4	8	23	43	67	99 +
50-64	89	13.4	199	2	5	8	17	33	42	91
65 +	182	13.3	124	4	6	10	18	28	33	51
GRAND TOTAL	748	13.0	237	2	4	7	16	34	57	99 +

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	147	4.1	20	1	2	3	4	7	11	27
20-34	26	5.8	33	1	3	4	7	13	18	28
35-49	14	5.4	16	2	3	4	6	11	15	16
50-64	7	11.0	433	1	2	3	6	48	58	58
65 +	8	7.4	26	2	2	7	12	13	14	14
2. MULTIPLE DX										
0-19 YRS	583	6.6	69	1	2	4	7	16	25	44
20-34	95	12.3	228	2	4	7	15	35	50	99 +
35-49	56	10.2	117	2	5	7	11	24	42	97
50-64	43	12.0	125	2	4	8	17	29	43	99 +
65 +	94	11.0	122	2	4	7	13	24	35	58
TOTAL SINGLE DX	202	4.8	36	1	2	3	5	9	14	30
TOTAL MULTIPLE DX	871	8.2	103	2	3	5	9	20	31	74
TOTAL										
0-19 YRS	730	6.1	61	1	2	4	6	14	22	41
20-34	121	10.9	193	2	3	7	13	27	45	99 +
35-49	70	9.2	101	2	4	7	10	17	34	92
50-64	50	11.9	161	2	4	7	16	32	50	99 +
65 +	102	10.7	115	2	4	7	13	23	34	57
GRAND TOTAL	1073	7.5	92	2	2	4	8	17	28	62

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	6.1	11	2	4	5	8	11	14	15
20-34	139	6.1	31	3	4	5	7	10	14	28
35-49	288	5.2	11	2	3	4	6	8	11	20
50-64	385	5.5	13	2	3	5	7	9	11	20
65 +	387	6.6	11	3	4	6	8	10	11	18
2. MULTIPLE DX										
0-19 YRS	48	9.9	132	3	4	7	11	18	23	76
20-34	182	9.9	121	3	4	6	10	17	34	61
35-49	463	7.6	46	3	4	6	8	13	19	46
50-64	742	7.9	34	3	5	7	9	14	19	38
65 +	1432	9.6	48	4	6	8	11	16	21	37
TOTAL SINGLE DX	1222	5.8	15	3	4	5	7	9	11	20
TOTAL MULTIPLE DX	2867	8.9	51	4	5	7	10	16	21	44
TOTAL										
0-19 YRS	71	8.7	95	3	4	6	10	15	21	67
20-34	321	8.3	86	3	4	5	8	15	21	56
35-49	751	6.7	34	3	4	5	7	11	16	33
50-64	1127	7.1	29	3	4	6	8	12	16	33
65 +	1819	8.9	42	4	5	7	10	15	20	34
GRAND TOTAL	4089	8.0	42	3	4	6	9	14	18	37

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	12.9	97	4	5	7	25	26	28	30
20-34	62	4.4	16	1	1	3	6	10	11	23
35-49	80	4.6	19	1	1	3	7	9	10	27
50-64	40	4.6	13	1	1	4	6	10	13	14
65 +	32	6.0	20	1	2	5	10	13	13	16
2. MULTIPLE DX										
0-19 YRS	186	11.2	109	2	4	8	15	26	32	88
20-34	127	9.5	79	2	3	7	12	18	29	45
35-49	148	8.3	86	2	3	6	9	18	29	53
50-64	122	11.5	208	1	4	7	14	22	36	77
65 +	155	11.1	100	2	5	8	15	22	25	60
TOTAL SINGLE DX	278	6.6	48	1	2	5	8	14	26	29
TOTAL MULTIPLE DX	738	10.4	115	2	4	7	13	23	30	62
TOTAL										
0-19 YRS	250	11.7	106	2	4	8	17	26	30	69
20-34	189	7.8	64	1	3	6	10	17	24	43
35-49	228	7.0	66	1	2	5	8	13	23	45
50-64	162	9.8	169	1	3	6	11	19	29	71
65 +	187	10.2	90	1	4	7	14	21	24	57
GRAND TOTAL	1016	9.3	99	1	3	6	11	22	28	57

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	2.3	4	< 1	< 1	1	3	6	7	7
20-34	33	4.1	5	1	2	4	6	8	9	9
35-49	58	3.3	5	1	1	3	6	6	8	10
50-64	38	3.7	9	1	1	3	5	8	11	12
65 +	29	3.0	6	1	1	2	5	7	7	8
2. MULTIPLE DX										
0-19 YRS	15	2.2	1	< 1	1	2	3	4	4	4
20-34	48	5.6	61	1	1	3	7	10	22	41
35-49	52	5.3	28	1	2	3	7	14	16	22
50-64	75	4.9	24	1	1	4	7	11	14	27
65 +	67	4.4	28	1	1	3	5	10	16	30
TOTAL SINGLE DX	169	3.4	7	1	1	3	5	7	8	11
TOTAL MULTIPLE DX	257	4.8	32	1	1	3	6	11	16	30
TOTAL										
0-19 YRS	26	2.2	2	< 1	< 1	2	3	4	5	7
20-34	81	5.0	39	1	1	3	6	9	15	38
35-49	110	4.3	17	1	1	3	6	9	13	21
50-64	113	4.5	20	1	1	4	6	9	12	24
65 +	96	4.0	22	1	1	2	5	7	13	28
GRAND TOTAL	426	4.3	22	1	1	3	6	9	12	25

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	78	1.3	1	< 1	< 1	< 1	1	2	3	7
20-34	147	1.6	1	< 1	1	1	2	3	4	5
35-49	137	1.9	3	< 1	1	1	2	5	7	9
50-64	106	2.1	6	< 1	1	1	2	5	7	14
65 +	74	2.0	3	< 1	< 1	1	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	105	1.5	1	< 1	< 1	1	1	3	5	48
20-34	203	3.0	22	1	1	1	3	5	11	27
35-49	218	3.1	24	1	1	2	3	7	8	33
50-64	191	3.9	91	1	1	1	3	8	12	69
65 +	134	3.7	31	1	1	2	4	8	12	37
TOTAL SINGLE DX	542	1.8	3	< 1	< 1	1	2	4	6	9
TOTAL MULTIPLE DX	851	3.2	38	< 1	1	1	3	7	10	33
TOTAL										
0-19 YRS	183	1.4	1	< 1	< 1	1	1	2	5	8
20-34	350	2.4	14	< 1	1	1	2	4	7	25
35-49	355	2.6	17	< 1	1	1	3	6	8	13
50-64	297	3.3	62	< 1	1	1	2	6	11	42
65 +	208	3.1	22	< 1	1	1	3	7	9	28
GRAND TOTAL	1393	2.6	25	<1	1	1	2	5	8	23

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	30	3.9	2	2	3	4	5	6	7	8
35-49	23	3.8	3	2	2	4	5	6	8	9
50-64	7	5.0	3	3	3	5	6	8	8	8
65 +	3	4.7	1	4	4	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	30	5.1	11	2	3	4	5	11	13	16
35-49	28	4.9	3	2	4	5	6	7	8	10
50-64	21	6.6	11	3	4	5	9	12	12	13
65 +	35	9.3	33	3	5	9	12	16	23	26
TOTAL SINGLE DX	63	4.0	3	2	3	4	5	6	7	9
TOTAL MULTIPLE DX	117	6.6	19	3	4	5	9	13	14	25
TOTAL										
0-19 YRS	3	4.0	3	3	3	3	5	6	6	6
20-34	60	4.5	8	2	3	4	5	7	11	16
35-49	51	4.4	4	2	3	4	6	7	8	10
50-64	28	6.2	10	3	4	5	8	11	12	13
65 +	38	9.0	32	3	4	8	12	15	22	26
GRAND TOTAL	180	5.7	15	2	3	4	7	11	13	22

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	6	3.8	11	< 1	1	2	8	8	8	8
35-49	5	3.2	2	2	2	3	4	6	6	6
50-64	8	4.4	35	< 1	1	1	6	15	18	18
65 +	7	7.6	36	1	2	7	11	17	18	18
2. MULTIPLE DX										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	8	10.5	134	< 1	2	6	16	30	35	35
35-49	15	5.5	32	1	2	4	7	11	20	23
50-64	23	9.7	46	1	4	9	15	19	22	27
65 +	38	6.9	73	1	2	4	9	16	18	49
TOTAL SINGLE DX	26	4.9	24	1	1	3	7	12	18	18
TOTAL MULTIPLE DX	87	7.6	63	1	2	5	11	17	20	44
TOTAL										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	14	7.6	88	< 1	1	4	8	19	31	35
35-49	20	5.0	25	1	2	3	6	10	17	23
50-64	31	8.3	48	1	2	6	13	18	19	27
65 +	45	7.0	67	1	2	5	9	17	18	49
GRAND TOTAL	113	7.0	55	1	2	5	9	17	19	40

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	65	1.8		1	1	2	2	3	3	5
20-34	379	2.1		1	1	2	3	3	4	5
35-49	541	2.0		1	1	2	2	3	4	5
50-64	304	2.1		1	2	2	3	3	4	5
65 +	166	2.7	8	1	2	2	3	4	5	16
2. MULTIPLE DX										
0-19 YRS	27	3.2	3	2	2	3	4	6	7	10
20-34	198	2.8	2	2	2	2	3	5	6	9
35-49	352	2.5	2	1	2	2	3	4	5	8
50-64	313	3.0	5	1	2	2	3	5	7	14
65 +	303	3.9	18	2	2	3	4	7	12	28
TOTAL SINGLE DX	1455	2.1	2	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	1193	3.1	8	1	2	2	3	5	7	15
TOTAL										
0-19 YRS	92	2.3	2	1	2	2	3	4	4	9
20-34	577	2.3	2	1	2	2	3	4	5	8
35-49	893	2.2	1	1	1	2	3	4	4	7
50-64	617	2.5	3	1	2	2	3	4	5	10
65 +	469	3.5	15	1	2	2	3	6	9	25
GRAND TOTAL	2648	2.5	5	1	2	2	3	4	5	11

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	100	1.6	2	<1	1	1	2	3	4	9
20-34	46	2.0	2	1	1	2	2	3	6	9
35-49	54	2.3	2	1	1	2	3	5	6	8
50-64	50	2.7	23	1	1	2	3	3	4	36
65 +	32	2.9	9	1	1	2	3	5	7	18
2. MULTIPLE DX										
0-19 YRS	22	1.8	1	1	1	1	2	4	4	5
20-34	64	5.1	21	1	2	4	8	10	13	25
35-49	120	4.5	43	1	2	3	4	8	12	47
50-64	158	4.1	24	2	2	3	4	8	13	27
65 +	167	5.2	65	2	2	3	5	9	12	58
TOTAL SINGLE DX	282	2.1	7	1	1	2	2	3	5	11
TOTAL MULTIPLE DX	531	4.6	41	1	2	3	5	9	12	34
TOTAL										
0-19 YRS	122	1.6	2	1	1	1	2	3	4	8
20-34	110	3.8	16	1	1	2	6	9	11	21
35-49	174	3.8	32	1	2	3	4	6	10	40
50-64	208	3.8	24	1	2	3	4	6	12	31
65 +	199	4.8	57	2	2	3	4	9	12	48
GRAND TOTAL	813	3.7	30	1	1	2	4	7	10	28

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	5.3	7	2	4	5	6	10	11	11
20-34	26	6.0	4	4	5	6	7	9	10	12
35-49	37	6.5	13	3	4	5	7	10	17	19
50-64	20	7.2	13	4	5	6	9	13	15	17
65 +	13	6.2	5	3	5	6	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	29	8.3	16	4	5	8	10	15	16	18
20-34	44	6.6	11	3	5	6	8	11	14	17
35-49	64	6.7	23	3	4	6	8	9	12	35
50-64	71	8.8	69	4	6	7	10	14	16	60
65 +	69	11.0	84	5	6	8	13	22	27	54
TOTAL SINGLE DX	109	6.3	9	3	5	6	7	10	12	18
TOTAL MULTIPLE DX	277	8.5	50	4	5	7	9	14	18	43
TOTAL										
0-19 YRS	42	7.4	15	3	5	6	9	13	15	18
20-34	70	6.4	9	3	5	6	8	10	12	16
35-49	101	6.6	20	3	4	6	8	10	13	29
50-64	91	8.5	57	4	5	7	10	13	16	50
65 +	82	10.3	75	5	6	7	11	21	25	52
GRAND TOTAL	386	7.9	40	4	5	6	9	13	17	36

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	25	1.1		<1	<1	<1	<1	1	2	2
20-34	0									
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64	9	1.2		<1	<1	<1	1	2	2	2
65+	7	3.7	40	<1	1	1	2	15	18	18
2. MULTIPLE DX										
0-19 YRS	5	2.2	1	<1	<1	2	3	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	5	3.0	8	1	1	1	5	7	7	7
50-64	9	5.2	32	<1	<1	2	8	15	16	16
65+	21	4.9	37	1	1	2	7	14	20	24
TOTAL SINGLE DX	46	1.5	6	<1	<1	<1	1	2	2	18
TOTAL MULTIPLE DX	42	4.4	27	<1	1	2	6	12	16	24
TOTAL										
0-19 YRS	30	1.3		<1	<1	<1	1	2	3	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	10	2.0	5	<1	<1	1	1	6	7	7
50-64	18	3.2	20	<1	<1	1	2	11	15	16
65+	28	4.6	37	1	1	2	6	15	19	24
GRAND TOTAL	88	2.9	18	<1	<1	1	2	7	13	22

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	58	1.3		<1	<1	1	1	2	3	5
20-34	15	1.3		<1	1	1	2	2	2	2
35-49	16	1.4	1	<1	1	1	1	4	4	4
50-64	14	1.5		1	1	1	2	3	3	3
65+	18	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	137	2.3	8	<1	1	1	2	4	6	18
20-34	182	3.2	18	1	1	2	4	6	10	17
35-49	83	2.8	8	1	1	2	3	6	8	17
50-64	66	3.9	20	1	1	2	4	10	17	19
65+	112	4.5	22	1	1	3	6	10	13	24
TOTAL SINGLE DX	121	1.4	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	580	3.3	16	1	1	2	4	7	11	20
TOTAL										
0-19 YRS	195	2.0	6	<1	1	1	2	4	6	18
20-34	197	3.1	18	1	1	2	3	6	10	17
35-49	99	2.5	8	1	1	1	3	5	8	16
50-64	80	3.5	17	1	1	2	3	8	15	19
65+	130	4.1	21	<1	1	3	5	9	12	23
GRAND TOTAL	701	2.9	14	<1	1	2	3	6	10	19

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.3	1	<1	<1	1	1	2	4	5
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	17	1.5	2	<1	1	1	1	2	5	7
50-64	5	1.6	1	1	1	1	2	3	3	3
65+	15	1.4		1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	24	2.7	6	1	1	1	5	7	8	9
20-34	14	1.8	3	1	1	1	2	4	6	7
35-49	9	1.7	4	<1	<1	1	1	5	7	7
50-64	11	1.3		1	1	1	2	2	2	2
65+	35	1.5		<1	1	1	2	2	4	5
TOTAL SINGLE DX	54	1.4	1	<1	1	1	1	3	3	7
TOTAL MULTIPLE DX	93	1.8	3	1	1	1	2	4	6	9
TOTAL										
0-19 YRS	37	2.2	5	<1	1	1	2	6	7	9
20-34	18	1.[illegible]	2	1	1	1	2	3	6	7
35-49	26	1.[illegible]	3	<1	1	1	1	2	7	7
50-64	16	1.4		1	1	1	2	2	3	3
65+	50	1.4	1	1	1	1	1	3	4	5
GRAND TOTAL	147	1.7	2	1	1	1	1	4	6	8

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.2		<1	<1	<1	1	2	2	2
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	10	1.4	1	<1	<1	1	1	3	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	14.8	620	1	1	3	28	52	52	52
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	3.6	13	<1	1	3	5	10	11	11
TOTAL SINGLE DX	21	1.6	1	<1	<1	<1	2	3	4	5
TOTAL MULTIPLE DX	23	4.3	113	<1	1	1	3	6	25	52
TOTAL										
0-19 YRS	23	1.3		<1	<1	<1	1	2	3	4
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	5	12.0	503	1	1	1	17	52	52	52
50-64	4	2.5	4	1	1	2	4	5	5	5
65+	8	3.3	12	<1	<1	2	4	9	11	11
GRAND TOTAL	44	3.0	61	<1	<1	1	2	5	7	52

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	1.4		<1	1	1	2	3	3	3
20-34	20	1.9		1	1	2	2	3	3	3
35-49	42	1.9		1	2	2	2	2	3	4
50-64	15	2.5	1	1	1	3	3	4	5	5
65+	63	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	15	1.8	2	<1	1	1	2	4	5	6
20-34	17	2.5	1	1	2	2	3	4	5	5
35-49	35	2.7	4	1	1	2	3	5	8	10
50-64	50	3.5	41	1	1	2	3	4	15	33
65+	259	2.6	3	1	2	2	3	4	5	11
TOTAL SINGLE DX	149	1.8	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	376	2.7	8	1	2	2	3	4	6	14
TOTAL										
0-19 YRS	24	1.7	2	<1	1	1	2	3	5	6
20-34	37	2.1	1	1	2	2	3	3	4	5
35-49	77	2.2	2	1	2	2	2	3	5	10
50-64	65	3.3	32	1	1	2	3	4	8	33
65+	322	2.4	3	1	1	2	3	4	5	10
GRAND TOTAL	525	2.4	6	1	1	2	3	4	5	11

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	54	2.6	2	1	1	2	3	5	5	10
20-34	22	2.4	2	<1	1	2	4	5	6	6
35-49	19	2.0	1	<1	1	2	3	4	4	4
50-64	5	1.4		<1	1	1	2	2	2	2
65+	9	2.2	4	<1	1	1	3	5	7	7
2. MULTIPLE DX										
0-19 YRS	47	2.8	3	<1	1	2	4	6	7	7
20-34	26	3.5	4	1	2	3	4	7	9	9
35-49	29	3.6	8	1	1	2	5	8	10	12
50-64	12	4.0	6	1	3	3	4	9	10	10
65+	34	5.4	22	1	1	4	9	14	14	15
TOTAL SINGLE DX	109	2.3	3	<1	1	2	3	5	5	8
TOTAL MULTIPLE DX	148	3.8	10	1	1	3	5	8	12	14
TOTAL										
0-19 YRS	101	2.7	3	<1	1	2	4	5	7	9
20-34	48	3.0	4	1	1	3	4	6	7	9
35-49	48	2.9	6	1	1	2	4	6	8	12
50-64	17	3.2	6	1	1	3	4	7	9	10
65+	43	4.7	20	1	1	3	7	13	14	15
GRAND TOTAL	257	3.2	7	1	1	2	4	7	9	14

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.2	1	<1	<1	1	1	1	4	5
20-34	5	1.8	1	<1	1	1	2	4	4	4
35-49	12	2.8	10	<1	1	1	3	9	10	10
50-64	26	2.4	5	1	1	2	2	6	8	10
65+	51	1.8	1	1	1	1	3	3	4	4
2. MULTIPLE DX										
0-19 YRS	13	1.8	2	<1	<1	1	2	4	6	6
20-34	20	3.2	5	1	1	3	5	6	8	10
35-49	30	3.2	6	1	1	2	4	7	8	12
50-64	39	3.4	11	1	1	2	4	8	12	14
65+	119	3.7	30	1	1	3	4	7	11	32
TOTAL SINGLE DX	111	1.9	3	<1	1	1	2	4	5	10
TOTAL MULTIPLE DX	221	3.4	20	1	1	2	4	7	10	17
TOTAL										
0-19 YRS	30	1.5	2	<1	<1	1	1	3	5	6
20-34	25	2.9	5	1	1	2	4	5	7	10
35-49	42	3.0	8	1	1	2	4	7	9	12
50-64	65	3.0	9	1	1	2	4	7	10	14
65+	170	3.1	22	1	1	2	3	5	8	21
GRAND TOTAL	332	2.9	15	1	1	2	4	6	8	13

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.8	3	<1	2	2	3	6	6	6
20-34	14	1.8	1	<1	1	1	3	3	4	4
35-49	8	2.9		1	3	3	3	4	4	4
50-64	12	2.6	5	1	1	2	3	6	9	9
65+	11	3.1	8	<1	1	2	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	15	3.3	8	<1	1	2	4	9	9	9
20-34	21	3.2	3	1	2	3	4	6	7	7
35-49	26	4.4	22	1	2	3	4	12	17	19
50-64	19	3.6	11	1	1	2	5	8	11	14
65+	67	4.5	14	1	2	3	6	10	12	19
TOTAL SINGLE DX	51	2.5	4	1	1	2	3	5	7	9
TOTAL MULTIPLE DX	148	4.1	13	1	1	3	5	9	11	19
TOTAL										
0-19 YRS	21	3.1	7	<1	1	2	4	8	9	9
20-34	35	2.7	3	1	1	2	3	5	6	7
35-49	34	4.1	17	1	2	3	4	10	15	19
50-64	31	3.2	10	1	1	2	5	8	9	14
65+	78	4.3	14	1	1	3	6	9	11	19
GRAND TOTAL	199	3.7	11	1	1	3	5	8	10	18

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	0									
35-49	0									
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	11	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.5	1	2	2	3	4	5	5	5
50-64	9	1.6	1	<1	<1	1	2	3	4	4
65+	28	3.8	72	1	1	1	2	6	17	45
TOTAL SINGLE DX	18	1.1		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	48	3.0	43	<1	1	1	2	5	8	45
TOTAL										
0-19 YRS	10	1.3		<1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	12	1.4	1	<1	<1	1	2	3	4	4
65+	39	3.0	53	<1	<1	1	2	5	11	45
GRAND TOTAL	66	2.5	32	<1	1	1	2	4	6	40

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	30	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	9	1.0		<1	<1	1	1	1	1	1
50-64	51	1.0		<1	<1	<1	<1	1	1	2
65+	270	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
0-19 YRS	12	1.6	1	<1	1	1	2	4	4	4
20-34	10	2.1		1	2	2	3	3	3	3
35-49	24	1.8	2	<1	<1	1	2	3	5	8
50-64	88	1.9	2	<1	<1	1	2	4	5	9
65+	425	2.5	25	<1	<1	1	2	5	7	28
TOTAL SINGLE DX	362	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	559	2.4	20	<1	<1	1	2	4	7	21
TOTAL										
0-19 YRS	42	1.2		<1	<1	1	1	1	3	4
20-34	12	1.9	1	1	1	2	3	3	3	3
35-49	33	1.6	2	<1	<1	1	2	3	4	8
50-64	139	1.6	2	<1	<1	1	1	3	5	8
65+	695	1.9	16	<1	<1	<1	1	3	5	21
GRAND TOTAL	921	1.8	13	<1	<1	<1	1	3	5	14

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	22	1.4		<1	<1	<1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	9	4.1	27	<1	1	2	5	13	17	17
65+	32	2.6	5	<1	1	2	3	5	8	11
TOTAL SINGLE DX	27	1.3	1	<1	<1	<1	1	3	4	4
TOTAL MULTIPLE DX	44	2.9	9	<1	1	2	4	5	9	17
TOTAL										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	12	3.3	22	<1	<1	1	3	10	16	17
65+	54	2.1	4	<1	<1	1	3	4	5	11
GRAND TOTAL	71	2.3	7	<1	<1	1	3	4	7	16

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	2.7	2	1	2	2	3	5	7	8
20-34	103	2.6	7	1	1	2	3	4	7	18
35-49	163	2.4	2	1	1	2	3	4	5	7
50-64	300	2.6	5	1	1	2	3	4	6	13
65+	309	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	63	3.5	15	1	1	2	3	6	15	20
20-34	167	3.3	10	1	2	3	4	6	7	17
35-49	227	3.4	8	1	2	3	4	6	9	19
50-64	488	2.9	4	1	2	2	3	5	7	11
65+	706	3.1	4	1	2	3	4	5	7	11
TOTAL SINGLE DX	907	2.5	4	1	1	2	3	4	5	11
TOTAL MULTIPLE DX	1651	3.1	6	1	2	3	4	5	7	15
TOTAL										
0-19 YRS	95	3.2	11	1	1	2	3	6	9	19
20-34	270	3.0	10	1	2	2	3	5	7	17
35-49	390	3.0	6	1	2	3	3	5	7	17
50-64	788	2.8	5	1	2	2	3	4	7	12
65+	1015	2.8	4	1	2	3	3	5	6	10
GRAND TOTAL	2558	2.9	5	1	2	2	3	5	7	12

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	17	1.5		1	1	1	2	3	3	3
20-34	15	2.3	3	1	1	1	4	5	6	6
35-49	20	2.8	8	1	1	2	3	7	10	12
50-64	34	2.8	8	1	1	2	3	5	7	17
65 +	78	2.6	5	1	1	2	3	6	8	13
2. MULTIPLE DX										
0-19 YRS	33	3.2	31	1	1	2	3	11	83	99 +
20-34	76	3.1	5	1	2	3	3	6	8	14
35-49	117	3.7	47	1	2	2	3	6	8	48
50-64	162	2.8	8	1	1	2	3	5	6	13
65 +	292	3.3	12	1	1	2	3	7	9	20
TOTAL SINGLE DX	164	2.5	6	1	1	2	3	5	7	14
TOTAL MULTIPLE DX	680	3.2	18	1	1	2	3	6	8	30
TOTAL										
0-19 YRS	50	2.6	22	1	1	1	3	7	30	99 +
20-34	91	2.9	5	1	1	2	3	5	7	14
35-49	137	3.6	41	1	1	2	3	6	8	43
50-64	196	2.8	9	1	1	2	3	5	7	15
65 +	370	3.1	11	1	1	2	3	6	8	16
GRAND TOTAL	844	3.1	16	1	1	2	3	6	8	22

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	211	1.0		<1	<1	<1	<1	<1	1	1
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	5	1.0		<1	<1	<1	1	1	1	1
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	89	1.2	1	<1	<1	<1	1	1	2	8
20-34	6	1.3		1	1	1	1	3	3	3
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65 +	9	2.0	4	1	1	1	2	6	6	6
TOTAL SINGLE DX	222	1.0		<1	<1	<1	<1	1	1	1
TOTAL MULTIPLE DX	109	1.3	1	<1	<1	<1	1	1	3	7
TOTAL										
0-19 YRS	300	1.1		<1	<1	<1	<1	1	1	3
20-34	9	1.2		1	1	1	1	2	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	7	1.0		<1	<1	<1	1	1	1	1
65 +	10	1.9	4	<1	1	1	1	5	6	6
GRAND TOTAL	331	1.1		<1	<1	<1	<1	1	1	5

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	62	2.9	6	<1	1	2	4	7	8	10
20-34	19	2.1	1	1	1	2	3	4	5	5
35-49	15	2.5	2	1	1	2	3	4	6	7
50-64	21	2.3	4	1	1	2	2	6	8	9
65 +	13	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	60	6.9	145	1	2	4	7	11	40	98
20-34	57	4.1	29	1	2	2	5	7	9	37
35-49	52	3.6	9	1	2	3	4	6	12	15
50-64	42	3.3	10	1	1	2	4	9	11	15
65 +	124	4.4	16	1	1	3	6	10	12	19
TOTAL SINGLE DX	130	2.5	4	1	1	2	3	6	7	9
TOTAL MULTIPLE DX	335	4.5	41	1	2	3	6	9	12	39
TOTAL										
0-19 YRS	122	4.9	78	<1	1	2	6	9	11	86
20-34	76	3.6	23	1	1	2	4	6	8	33
35-49	67	3.3	8	1	2	3	4	6	10	15
50-64	63	3.0	8	1	1	2	3	7	10	14
65 +	137	4.2	15	1	1	3	6	9	12	19
GRAND TOTAL	465	4.0	31	1	1	2	5	8	10	35

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	1.3		< 1	< 1	1	1	2	3	5
20-34	25	2.2	7	< 1	1	1	2	5	10	11
35-49	28	1.3		< 1	< 1	1	1	3	4	4
50-64	8	1.3		< 1	< 1	1	1	3	3	3
65 +	16	2.4	10	< 1	< 1	1	2	5	11	14
2. MULTIPLE DX										
0-19 YRS	139	2.2	4	< 1	1	1	3	4	6	10
20-34	82	3.2	24	1	1	2	4	6	7	34
35-49	42	2.8	7	1	1	2	4	6	9	12
50-64	42	4.2	28	< 1	1	2	4	11	17	25
65 +	67	4.7	22	1	1	3	7	13	14	21
TOTAL SINGLE DX	180	1.5	3	< 1	< 1	1	1	3	4	11
TOTAL MULTIPLE DX	372	3.2	16	< 1	1	2	4	7	10	20
TOTAL										
0-19 YRS	242	1.8	3	< 1	1	1	2	4	5	8
20-34	107	3.0	20	< 1	1	1	3	6	8	29
35-49	70	2.2	5	< 1	1	1	3	5	7	12
50-64	50	3.7	25	< 1	1	2	4	8	17	25
65 +	83	4.2	21	< 1	1	2	6	12	14	20
GRAND TOTAL	552	2.6	12	<1	1	1	3	6	8	18

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	1.1		< 1	1	1	1	2	2	2
20-34	61	1.1		1	1	1	1	2	2	2
35-49	77	1.1		1	1	1	1	2	2	3
50-64	45	1.1		1	1	1	1	2	2	3
65 +	32	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	16	1.1		< 1	1	1	1	1	3	3
20-34	45	1.2		1	1	1	1	2	2	3
35-49	65	1.3	1	1	1	1	1	2	3	8
50-64	52	1.4	1	1	1	1	1	2	3	8
65 +	34	1.4		1	1	1	2	2	4	5
TOTAL SINGLE DX	230	1.1		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	212	1.3	1	1	1	1	1	2	3	6
TOTAL										
0-19 YRS	31	1.1		< 1	1	1	1	2	2	3
20-34	106	1.2		1	1	1	1	2	2	3
35-49	142	1.2	1	1	1	1	1	2	2	4
50-64	97	1.3	1	1	1	1	1	2	3	7
65 +	66	1.3	1	1	1	1	1	2	3	5
GRAND TOTAL	442	1.2	1	1	1	1	1	2	2	4

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	138	1.0		< 1	1	1	1	1	1	2
20-34	78	1.1		< 1	1	1	1	1	2	4
35-49	57	1.1		1	1	1	1	1	2	2
50-64	51	1.5	13	< 1	1	1	1	1	1	27
65 +	17	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	134	1.0		< 1	1	1	1	1	1	2
20-34	58	1.1		< 1	1	1	1	1	2	2
35-49	74	1.2	2	1	1	1	1	1	2	11
50-64	78	1.3	3	1	1	1	1	2	2	14
65 +	54	1.5	2	< 1	1	1	1	2	3	11
TOTAL SINGLE DX	341	1.1	2	< 1	1	1	1	1	1	2
TOTAL MULTIPLE DX	398	1.2	1	< 1	1	1	1	1	2	5
TOTAL										
0-19 YRS	272	1.0		< 1	1	1	1	1	1	2
20-34	136	1.1		< 1	1	1	1	1	2	3
35-49	131	1.2	1	1	1	1	1	1	2	5
50-64	129	1.4	7	1	1	1	1	1	2	20
65 +	71	1.4	2	1	1	1	1	2	2	10
GRAND TOTAL	739	1.2	2	<1	1	1	1	1	2	3

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	851	1.1		< 1	< 1	< 1	< 1	< 1	< 1	2
20-34	11	1.2		< 1	< 1	1	1	2	2	2
35-49	6	1.7	1	< 1	< 1	1	3	3	3	3
50-64	7	1.6		1	1	1	2	3	3	3
65 +	5	4.4	58	< 1	< 1	1	5	18	18	18
2. MULTIPLE DX										
0-19 YRS	580	2.2	21	< 1	< 1	1	1	4	7	15
20-34	16	4.1	17	< 1	1	2	6	12	13	13
35-49	19	1.9	4	< 1	< 1	1	2	4	8	10
50-64	14	2.5	6	1	1	1	3	8	8	8
65 +	19	5.6	24	1	2	4	7	13	17	19
TOTAL SINGLE DX	880	1.1	1	< 1	< 1	< 1	< 1	< 1	1	3
TOTAL MULTIPLE DX	648	2.3	21	< 1	< 1	1	2	4	8	16
TOTAL										
0-19 YRS	1431	1.5	9	< 1	< 1	< 1	1	2	3	11
20-34	27	2.9	12	< 1	1	1	3	9	12	13
35-49	25	1.8	4	< 1	< 1	1	2	3	6	10
50-64	21	2.2	5	1	1	1	2	6	8	8
65 +	24	5.4	30	1	1	4	7	15	18	19
GRAND TOTAL	1528	1.6	10	<1	<1	<1	1	2	4	12

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	68	1.2		1	1	1	1	2	2	4
20-34	42	1.0		1	1	1	1	1	2	2
35-49	57	1.4	1	1	1	1	1	2	2	11
50-64	36	1.3		1	1	1	2	2	2	3
65 +	28	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	157	2.4	14	1	1	1	2	6	9	21
20-34	85	1.4	2	1	1	1	1	2	3	11
35-49	110	1.5	2	1	1	1	1	2	4	9
50-64	86	1.9	8	1	1	1	2	3	6	19
65 +	65	2.6	17	1	1	1	2	5	13	23
TOTAL SINGLE DX	231	1.3	1	1	1	1	1	2	2	5
TOTAL MULTIPLE DX	503	2.0	9	1	1	1	1	4	7	17
TOTAL										
0-19 YRS	225	2.0	11	1	1	1	1	4	7	16
20-34	127	1.3	2	1	1	1	1	2	2	10
35-49	167	1.4	2	1	1	1	1	2	4	10
50-64	122	1.7	6	1	1	1	2	3	4	16
65 +	93	2.4	13	1	1	1	2	4	7	22
GRAND TOTAL	734	1.8	7	1	1	1	1	3	5	14

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	1.0		<1	<1	1	1	1	1	3
20-34	30	1.5	1	1	1	1	1	3	6	6
35-49	72	1.3		1	1	1	1	2	2	5
50-64	45	1.3		1	1	1	1	2	3	3
65 +	25	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	75	2.1	5	<1	1	1	2	5	9	10
20-34	43	1.8	5	<1	1	1	2	3	6	12
35-49	59	2.6	19	1	1	1	2	5	13	24
50-64	62	2.3	7	1	1	1	3	5	6	17
65 +	43	2.6	9	1	1	1	3	6	11	15
TOTAL SINGLE DX	233	1.2		<1	1	1	1	2	2	5
TOTAL MULTIPLE DX	282	2.3	9	1	1	1	2	5	8	18
TOTAL										
0-19 YRS	136	1.6	3	<1	<1	1	1	3	6	10
20-34	73	1.7	4	1	1	1	[illegible]	3	5	12
35-49	131	1.9	10	1	1	1	[illegible]	3	5	20
50-64	107	1.9	4	1	1	1	2	3	5	13
65 +	68	2.1	7	1	1	1	2	4	7	15
GRAND TOTAL	515	1.8	6	<1	1	1	2	3	6	14

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	20	1.1		<1	1	1	1	1	2	2
35-49	12	1.1		<1	<1	1	1	2	2	2
50-64	6	1.5		<1	1	1	2	3	3	3
65 +	7	1.3		<1	1	1	1	3	3	3
2. MULTIPLE DX										
0-19 YRS	27	1.2		1	1	1	1	2	3	4
20-34	84	1.2		1	1	1	1	2	3	4
35-49	80	1.4		1	1	1	1	3	3	5
50-64	58	1.6		1	1	1	2	3	4	5
65 +	23	3.4	24	1	1	1	4	8	17	21
TOTAL SINGLE DX	52	1.1		<1	1	1	1	2	2	3
TOTAL MULTIPLE DX	272	1.5	3	1	1	1	2	3	4	6
TOTAL										
0-19 YRS	34	1.2		1	1	1	1	2	2	4
20-34	104	1.2		1	1	1	1	2	2	4
35-49	92	1.3	1	1	1	1	1	2	3	5
50-64	64	1.6	1	1	1	1	2	3	4	5
65 +	30	2.9	20	1	1	1	2	6	15	21
GRAND TOTAL	324	1.5	2	1	1	1	1	2	3	6

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	81	1.4		< 1	1	1	2	3	3	5
20-34	105	1.3		1	1	1	1	2	3	5
35-49	68	1.5	1	< 1	1	1	2	2	3	9
50-64	36	1.4	1	< 1	1	1	1	2	3	7
65 +	11	1.3		< 1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	206	1.8	5	1	1	1	2	3	4	12
20-34	363	1.6	1	1	1	1	2	3	4	8
35-49	346	1.6	4	1	1	1	2	3	4	8
50-64	199	1.7	3	1	1	1	2	3	5	12
65 +	101	2.6	7	1	1	2	3	5	7	16
TOTAL SINGLE DX	301	1.4	1	< 1	1	1	1	2	3	6
TOTAL MULTIPLE DX	1215	1.8	4	1	1	1	2	3	4	10
TOTAL										
0-19 YRS	287	1.7	4	1	1	1	2	3	4	10
20-34	468	1.5	2	1	1	1	2	3	3	8
35-49	414	1.6	4	1	1	1	2	3	4	9
50-64	235	1.7	3	1	1	1	2	3	4	11
65 +	112	2.5	7	1	1	1	3	5	7	15
GRAND TOTAL	1516	1.7	4	1	1	1	2	3	4	9

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	18	1.8	2	< 1	< 1	1	2	4	6	6
20-34	13	1.5		1	1	1	2	2	3	3
35-49	12	2.2	7	< 1	< 1	1	2	6	9	10
50-64	20	1.6	2	< 1	1	1	2	3	5	7
65 +	21	2.2	11	< 1	1	1	2	4	10	16
2. MULTIPLE DX										
0-19 YRS	37	1.8	2	< 1	1	1	2	3	6	9
20-34	46	1.9	2	1	1	1	2	4	5	8
35-49	70	1.7	6	1	1	1	1	3	4	18
50-64	63	2.7	13	1	1	2	3	5	7	24
65 +	96	5.8	70	1	1	3	6	18	26	42
TOTAL SINGLE DX	84	1.9	5	< 1	1	1	2	3	6	14
TOTAL MULTIPLE DX	312	3.2	30	1	1	1	3	7	14	31
TOTAL										
0-19 YRS	55	1.8	3	< 1	1	1	2	3	6	9
20-34	59	1.8	2	1	1	1	2	4	5	8
35-49	82	1.8	7	< 1	1	1	1	3	5	17
50-64	83	2.5	11	1	1	1	3	5	7	22
65 +	117	5.2	62	1	1	2	5	16	20	40
GRAND TOTAL	396	2.9	25	1	1	1	3	6	10	29

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.2		< 1	< 1	< 1	1	1	2	6
20-34	48	2.2	5	< 1	1	1	3	4	5	16
35-49	57	3.0	3	1	1	3	4	6	6	7
50-64	68	3.4	4	1	2	3	5	6	8	11
65 +	68	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	76	3.9	49	1	1	2	3	9	15	43
20-34	127	3.6	11	1	1	2	5	8	10	19
35-49	106	4.0	16	1	2	3	5	6	10	26
50-64	137	4.3	12	1	2	4	5	7	9	22
65 +	286	4.9	11	1	2	4	6	9	11	18
TOTAL SINGLE DX	294	2.7	4	< 1	1	2	4	5	6	9
TOTAL MULTIPLE DX	732	4.3	17	1	2	3	6	8	10	21
TOTAL										
0-19 YRS	129	2.8	31	< 1	< 1	1	3	5	9	37
20-34	175	3.3	11	1	1	2	4	7	10	17
35-49	163	3.7	12	1	2	3	5	6	8	19
50-64	205	4.0	10	1	2	3	5	7	9	21
65 +	354	4.5	10	1	2	4	6	8	10	17
GRAND TOTAL	1026	3.9	14	1	1	3	5	7	9	19

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	1.8	3	< 1	1	1	2	4	7	7
20-34	33	1.3		1	1	1	2	2	2	3
35-49	55	1.2		1	1	1	1	2	2	3
50-64	40	1.8	3	1	1	1	2	3	7	8
65 +	15	1.3		1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	20	3.8	30	1	1	1	3	12	18	21
20-34	86	2.0	5	1	1	1	2	5	6	14
35-49	125	1.9	3	1	1	1	2	3	4	11
50-64	95	2.0	4	1	1	1	2	4	7	13
65 +	100	4.0	82	1	1	2	3	8	13	59
TOTAL SINGLE DX	154	1.4	1	1	1	1	2	2	3	8
TOTAL MULTIPLE DX	426	2.5	24	1	1	1	2	4	8	17
TOTAL										
0-19 YRS	31	3.1	21	1	1	1	2	8	16	21
20-34	119	1.8	4	1	1	1	2	3	6	12
35-49	180	1.7	2	1	1	1	2	3	3	10
50-64	135	2.0	4	1	1	1	2	4	7	11
65 +	115	3.6	73	1	1	1	2	8	12	58
GRAND TOTAL	580	2.2	19	1	1	1	2	4	7	16

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	48	1.5	1	<1	<1	1	1	3	5	6
20-34	52	2.5	3	1	1	2	3	5	8	9
35-49	69	2.3	5	1	1	1	2	6	9	12
50-64	35	2.0	1	1	1	2	2	3	5	5
65+	26	2.2	2	1	1	2	2	5	6	7
2. MULTIPLE DX										
0-19 YRS	204	3.3	30	<1	1	1	3	8	13	32
20-34	224	3.0	14	1	1	1	3	7	11	21
35-49	277	2.5	12	1	1	1	2	5	8	15
50-64	235	2.9	17	1	1	1	3	7	11	18
65+	192	3.9	21	1	1	2	4	11	14	19
TOTAL SINGLE DX	230	2.1	3	<1	1	1	2	5	6	9
TOTAL MULTIPLE DX	1132	3.1	19	1	1	1	3	7	12	19
TOTAL										
0-19 YRS	252	3.0	26	<1	1	1	3	7	12	24
20-34	276	2.9	12	1	1	1	3	7	11	19
35-49	346	2.4	11	1	1	1	2	5	8	13
50-64	270	2.8	15	1	1	1	3	7	9	18
65+	218	3.7	19	1	1	2	4	10	13	18
GRAND TOTAL	1362	2.9	16	1	1	1	3	7	11	19

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	50	1.1		<1	<1	<1	<1	2	2	3
20-34	16	1.5		1	1	1	2	3	3	3
35-49	12	5.3	105	<1	1	2	3	17	34	37
50-64	10	2.9	7	<1	1	2	5	7	8	8
65+	8	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	115	3.4	57	<1	<1	1	2	5	13	50
20-34	109	5.6	70	1	1	3	6	11	19	50
35-49	72	6.5	92	1	1	3	7	15	26	55
50-64	60	4.1	29	1	1	2	5	9	14	34
65+	85	7.2	99	1	2	3	9	20	36	82
TOTAL SINGLE DX	96	1.9	15	<1	<1	1	2	3	5	24
TOTAL MULTIPLE DX	441	5.3	72	<1	1	2	5	12	21	50
TOTAL										
0-19 YRS	165	2.7	41	<1	<1	<1	2	4	8	45
20-34	125	5.0	63	1	1	3	5	9	16	47
35-49	84	6.3	93	1	1	3	7	14	27	53
50-64	70	3.9	27	1	1	2	5	8	13	32
65+	93	6.7	94	1	1	3	8	19	36	78
GRAND TOTAL	537	4.7	64	<1	1	2	5	10	19	47

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	104	1.0		<1	<1	<1	<1	<1	1	1
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	0									
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	107	2.3	39	<1	<1	<1	1	2	5	46
20-34	9	1.8		1	1	2	2	3	3	3
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	2.0	1	1	1	2	3	3	3	3
TOTAL SINGLE DX	113	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	123	2.2	34	<1	<1	<1	2	3	4	44
TOTAL										
0-19 YRS	211	1.6	20	<1	<1	<1	<1	2	2	21
20-34	14	1.5		1	1	1	2	2	3	3
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	236	1.6	18	<1	<1	<1	1	2	3	12

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	1.1		<1	<1	<1	<1	2	2	3
20-34	13	4.2	70	1	1	2	3	9	28	32
35-49	11	1.3		1	1	1	2	2	2	2
50-64	24	1.7	1	1	1	1	2	3	4	5
65+	10	2.4	4	1	1	2	3	6	8	8
2. MULTIPLE DX										
0-19 YRS	65	1.9	6	<1	<1	1	2	3	5	17
20-34	15	5.8	52	1	2	3	6	21	24	25
35-49	22	4.4	29	1	1	2	5	14	19	20
50-64	33	3.7	40	1	1	2	4	5	15	35
65+	34	3.7	39	1	1	2	3	7	10	37
TOTAL SINGLE DX	121	1.7	9	<1	<1	1	2	3	3	15
TOTAL MULTIPLE DX	169	3.3	28	<1	1	2	3	6	12	33
TOTAL										
0-19 YRS	128	1.5	3	<1	<1	<1	1	2	3	10
20-34	28	5.1	59	1	2	2	4	17	26	32
35-49	33	3.4	22	1	1	2	3	8	17	20
50-64	57	2.9	24	1	1	2	3	5	6	34
65+	44	3.4	32	1	1	2	3	7	9	37
GRAND TOTAL	290	2.6	20	<1	<1	1	2	5	7	29

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	1.8	4	<1	1	1	2	3	3	15
20-34	136	1.7		1	1	2	2	3	4	4
35-49	208	1.6		1	1	1	2	3	3	5
50-64	177	1.8	1	1	1	2	2	3	4	6
65+	173	2.1	3	1	1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	36	1.9		1	1	2	2	3	4	5
20-34	67	2.3	3	1	1	1	3	5	7	8
35-49	121	2.0	3	1	1	2	2	3	5	11
50-64	168	2.4	5	1	1	2	3	5	6	14
65+	265	3.4	21	1	1	2	4	7	10	13
TOTAL SINGLE DX	736	1.8	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	655	2.7	11	1	1	2	3	5	8	13
TOTAL										
0-19 YRS	78	1.8	3	1	1	1	2	3	3	12
20-34	203	1.9	2	1	1	2	2	3	4	8
35-49	329	1.8	2	1	1	1	2	3	4	6
50-64	343	2.1	3	1	1	2	2	4	5	11
65+	438	2.9	15	1	1	2	3	5	9	13
GRAND TOTAL	1391	2.2	7	1	1	2	2	4	5	12

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	205	2.0		1	1	2	3	3	4	5
20-34	5	1.4		1	1	1	2	2	2	2
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64	5	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	286	2.5	2	1	2	2	3	4	5	8
20-34	10	2.4	1	1	1	2	3	4	5	5
35-49	36	2.5	5	1	1	2	3	4	7	13
50-64	15	2.3	1	1	1	2	3	4	5	5
65+	3	2.0	3	1	1	1	3	4	4	4
TOTAL SINGLE DX	221	1.9	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	350	2.5	3	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	491	2.3	2	1	1	2	3	4	4	7
20-34	15	2.1	2	1	1	2	3	4	5	5
35-49	40	2.4	5	1	1	2	3	4	6	13
50-64	20	2.0	1	1	1	2	3	4	5	5
65+	5	2.0	2	1	1	1	3	4	4	4
GRAND TOTAL	571	2.3	2	1	1	2	3	4	4	8

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	274	1.9	1	<1	1	1	2	3	4	8
20-34	49	3.6	7	1	1	3	5	8	9	10
35-49	45	2.9	6	1	1	2	4	6	9	11
50-64	51	4.2	21	1	1	3	6	9	10	29
65+	66	3.7	16	1	1	2	4	9	11	21
2. MULTIPLE DX										
0-19 YRS	312	2.8	19	1	1	2	3	5	7	23
20-34	228	3.5	11	1	1	2	5	7	10	16
35-49	157	4.2	22	1	2	2	5	10	14	22
50-64	168	5.9	51	1	2	3	8	13	18	38
65+	256	6.4	54	1	2	4	8	15	20	45
TOTAL SINGLE DX	485	2.6	8	1	1	2	3	6	8	12
TOTAL MULTIPLE DX	1121	4.4	33	1	1	2	5	10	14	32
TOTAL										
0-19 YRS	586	2.3	11	<1	1	2	3	4	6	10
20-34	277	3.5	10	1	1	2	5	7	10	16
35-49	202	3.9	19	1	1	2	4	9	13	22
50-64	219	5.5	45	1	2	3	8	12	16	35
65+	322	5.9	48	1	2	4	8	14	18	43
GRAND TOTAL	1606	3.9	26	1	1	2	4	8	12	28

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	831	1.1		<1	1	1	1	1	2	3
20-34	489	1.2		1	1	1	1	2	2	4
35-49	101	1.3		1	1	1	1	2	3	6
50-64	9	1.1		1	1	1	1	2	2	2
65+	4	2.5	9	1	1	1	4	7	7	7
2. MULTIPLE DX										
0-19 YRS	407	1.4	5	<1	1	1	1	2	3	7
20-34	246	1.4	1	1	1	1	1	2	3	5
35-49	77	1.5	4	1	1	1	1	2	3	15
50-64	19	2.1	4	1	1	2	2	3	7	10
65+	10	4.1	65	1	1	1	3	15	27	27
TOTAL SINGLE DX	1434	1.1		1	1	1	1	1	2	4
TOTAL MULTIPLE DX	759	1.5	5	1	1	1	1	2	3	8
TOTAL										
0-19 YRS	1238	1.2	2	<1	1	1	1	1	2	5
20-34	735	1.3	1	1	1	1	1	2	3	4
35-49	178	1.4	2	1	1	1	1	2	3	6
50-64	28	1.8	3	1	1	1	2	2	4	10
65+	14	3.6	48	1	1	1	3	9	23	27
GRAND TOTAL	2193	1.3	2	1	1	1	1	2	2	5

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1357	1.0		<1	1	1	1	1	1	2
20-34	37	1.1		1	1	1	1	2	2	2
35-49	4	1.3		1	1	1	2	2	2	2
50-64	0									
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	1600	1.2	1	<1	1	1	1	1	2	5
20-34	42	1.2		1	1	1	1	2	2	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
TOTAL SINGLE DX	1399	1.0		<1	1	1	1	1	1	2
TOTAL MULTIPLE DX	1644	1.2	1	<1	1	1	1	1	2	5
TOTAL										
0-19 YRS	2957	1.1	1	<1	1	1	1	1	2	4
20-34	79	1.2		1	1	1	1	2	2	3
35-49	6	1.2		1	1	1	1	2	2	2
50-64	0									
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	3043	1.1	1	<1	1	1	1	1	2	4

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	1.1		<1	<1	<1	1	1	1	5
20-34	0									
35-49	0									
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	158	1.1		<1	<1	<1	1	1	1	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	47	1.1		<1	<1	<1	1	1	1	5
TOTAL MULTIPLE DX	162	1.1		<1	<1	<1	1	1	1	4
TOTAL										
0-19 YRS	205	1.1		<1	<1	<1	1	1	1	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
GRAND TOTAL	209	1.1		<1	<1	<1	1	1	1	5

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	234	1.7	2	<1	1	1	2	3	5	8
20-34	132	1.9	1	<1	1	1	2	3	4	7
35-49	62	2.1	2	1	1	1	2	4	7	8
50-64	38	2.1	2	1	1	1	3	4	6	7
65 +	30	3.5	7	1	1	2	5	8	10	10
2. MULTIPLE DX										
0-19 YRS	126	3.6	40	1	1	2	4	7	10	39
20-34	88	2.5	8	1	1	2	3	4	7	19
35-49	122	3.1	20	1	1	2	3	6	10	30
50-64	107	4.8	46	1	1	2	4	13	18	39
65 +	105	5.4	27	1	1	4	7	13	16	26
TOTAL SINGLE DX	496	1.9	3	<1	1	1	2	4	5	9
TOTAL MULTIPLE DX	548	3.9	31	1	1	2	4	9	13	28
TOTAL										
0-19 YRS	360	2.4	16	<1	1	1	2	5	6	13
20-34	220	2.1	4	1	1	2	3	4	5	12
35-49	184	2.8	15	1	1	2	3	5	8	24
50-64	145	4.1	37	1	1	2	4	10	16	38
65 +	135	4.9	24	1	1	3	7	11	15	25
GRAND TOTAL	1044	3.0	18	1	1	2	3	6	10	19

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.3		<1	<1	1	1	2	3	3
20-34	4	1.3		1	1	1	2	2	2	2
35-49	16	2.6	3	<1	1	2	3	5	7	8
50-64	13	2.9	2	<1	2	3	4	5	7	7
65 +	21	2.1	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	34	3.8	15	1	2	2	4	7	13	20
20-34	24	5.2	34	1	2	3	6	13	21	24
35-49	20	4.7	6	2	3	4	6	8	10	11
50-64	59	5.4	31	1	2	4	7	9	20	28
65 +	113	4.4	24	1	2	3	5	9	12	29
TOTAL SINGLE DX	67	2.2	2	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	250	4.6	25	1	2	3	6	9	13	26
TOTAL										
0-19 YRS	47	3.1	12	<1	1	2	4	7	8	20
20-34	28	4.6	32	1	1	3	5	11	20	24
35-49	36	3.8	6	1	2	3	5	7	9	11
50-64	72	4.9	27	1	2	4	6	8	13	28
65 +	134	4.0	22	1	2	3	5	8	11	24
GRAND TOTAL	317	4.1	21	1	2	3	5	8	11	25

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	46	1.3	1	<1	<1	<1	1	2	3	7
20-34	10	2.1	4	<1	1	1	3	5	7	7
35-49	18	1.3	1	<1	<1	1	1	1	4	6
50-64	25	1.6	3	<1	<1	1	1	3	6	9
65+	32	1.2		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
0-19 YRS	35	5.9	170	<1	<1	2	3	17	29	71
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	20	1.5	1	<1	1	1	1	2	5	7
50-64	46	3.9	36	1	1	2	6	9	12	38
65+	72	4.5	44	1	1	2	4	11	19	33
TOTAL SINGLE DX	131	1.4	2	<1	<1	1	1	2	4	8
TOTAL MULTIPLE DX	178	4.2	62	<1	1	1	4	10	16	37
TOTAL										
0-19 YRS	81	3.3	78	<1	<1	<1	2	5	12	59
20-34	15	1.9	3	<1	1	1	2	4	6	7
35-49	38	1.4	2	<1	<1	1	1	2	5	7
50-64	71	3.1	26	<1	1	1	2	7	9	33
65+	104	3.5	33	<1	1	1	3	10	12	32
GRAND TOTAL	309	3.0	38	<1	<1	1	2	6	11	32

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	4.6	26	<1	<1	2	8	13	13	13
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	8.0	8	4	6	9	10	10	10	10
50-64	9	6.3	13	2	4	6	9	12	12	12
65+	7	11.4	50	6	8	8	14	24	26	26
2. MULTIPLE DX										
0-19 YRS	28	5.4	37	<1	1	2	8	16	19	22
20-34	4	3.5	1	2	2	3	4	5	5	5
35-49	8	6.1	19	1	3	7	11	65	99+	99+
50-64	28	8.9	57	1	2	6	15	18	24	27
65+	44	10.7	104	1	3	9	14	19	31	49
TOTAL SINGLE DX	26	7.9	29	1	4	8	10	13	17	26
TOTAL MULTIPLE DX	112	8.3	70	1	2	6	13	18	23	68
TOTAL										
0-19 YRS	33	5.3	35	<1	1	2	7	15	19	22
20-34	5	5.4	19	2	3	4	7	13	13	13
35-49	12	6.8	15	2	4	8	10	30	87	99+
50-64	37	8.3	47	1	3	6	13	17	22	27
65+	51	10.8	96	1	4	9	14	19	26	49
GRAND TOTAL	138	8.3	62	1	2	7	12	17	23	55

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	3	8.7	5	6	7	10	10	10	10	10
50-64	17	11.8	16	8	9	9	16	17	20	21
65+	11	10.2	13	6	9	10	12	15	17	17
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	12	15.3	36	9	10	13	21	24	26	26
50-64	71	14.5	44	8	10	13	17	25	30	38
65+	84	18.5	152	9	11	15	22	35	57	88
TOTAL SINGLE DX	31	10.9	15	8	9	10	13	17	17	21
TOTAL MULTIPLE DX	167	16.6	101	8	10	13	20	29	38	64
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	15	14.0	37	9	10	12	19	23	25	26
50-64	88	14.0	40	8	9	13	16	21	27	36
65+	95	17.5	143	8	10	13	21	34	54	84
GRAND TOTAL	198	15.7	92	8	10	13	19	26	35	62

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7	4.9	10	1	2	6	8	73	99+	99+
20-34	5	3.0	4	1	1	3	4	6	6	6
35-49	8	10.0	72	4	5	6	14	24	26	26
50-64	11	5.9	19	2	4	5	6	13	17	17
65+	9	20.7	784	3	4	8	24	67	91	91
2. MULTIPLE DX										
0-19 YRS	70	26.1	469	6	14	21	50	99+	99+	99+
20-34	58	30.8	524	5	11	29	46	66	83	99
35-49	70	26.9	544	5	10	18	46	72	97	99+
50-64	139	30.4	632	4	9	27	55	86	99+	99+
65+	224	33.2	571	7	14	30	56	89	99+	99+
TOTAL SINGLE DX	40	9.5	223	1	4	6	9	24	57	99+
TOTAL MULTIPLE DX	561	30.6	569	5	12	28	53	87	99+	99+
TOTAL										
0-19 YRS	77	24.2	465	4	12	20	46	99+	99+	99+
20-34	63	28.6	540	4	8	24	45	64	81	98
35-49	78	25.2	521	5	8	18	43	68	97	99+
50-64	150	28.6	628	4	8	23	52	84	99+	99+
65+	233	32.7	582	6	14	29	56	89	99+	99+
GRAND TOTAL	601	29.2	573	4	10	24	51	86	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	3.1	5	< 1	1	2	5	6	7	7
20-34	7	2.3	4	< 1	1	1	3	6	6	6
35-49	10	2.4	3	< 1	1	1	4	5	6	6
50-64	6	2.7	8	1	1	1	4	8	8	8
65 +	8	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	70	13.2	292	1	2	8	17	42	63	99 +
20-34	13	8.8	62	2	3	5	14	21	25	26
35-49	17	7.7	88	1	2	4	11	32	74	99 +
50-64	27	11.1	185	1	2	7	14	45	53	99 +
65 +	36	7.4	46	1	2	5	10	18	22	25
TOTAL SINGLE DX	42	2.4	4	< 1	1	1	4	6	7	8
TOTAL MULTIPLE DX	163	10.7	184	1	2	6	15	31	49	99 +
TOTAL										
0-19 YRS	81	11.8	265	1	1	7	16	39	59	99 +
20-34	20	6.5	50	1	2	4	8	18	23	26
35-49	27	5.7	62	1	1	3	6	22	41	99 +
50-64	33	9.6	163	1	1	5	11	39	48	99 +
65 +	44	6.3	43	1	1	3	9	18	21	25
GRAND TOTAL	205	9.0	158	1	1	5	12	25	43	99 +

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	9	2.3	3	< 1	1	1	4	5	5	5
20-34	18	6.4	25	1	2	5	10	12	17	20
35-49	35	5.3	24	< 1	1	4	7	11	17	19
50-64	38	5.1	29	< 1	1	3	8	13	19	20
65 +	36	7.1	28	1	3	7	10	13	17	25
2. MULTIPLE DX										
0-19 YRS	51	6.6	45	< 1	1	4	10	16	20	28
20-34	129	10.7	79	3	5	9	14	20	28	48
35-49	231	11.0	98	2	5	8	14	22	31	50
50-64	464	9.5	60	2	4	8	13	19	23	35
65 +	1106	10.3	58	3	5	9	14	20	24	38
TOTAL SINGLE DX	136	5.7	26	< 1	1	4	9	12	18	21
TOTAL MULTIPLE DX	1981	10.1	65	3	5	8	13	20	24	44
TOTAL										
0-19 YRS	60	5.9	41	< 1	1	4	7	15	19	28
20-34	147	10.2	75	3	5	8	13	19	26	44
35-49	266	10.3	92	2	4	8	13	21	29	48
50-64	502	9.1	59	2	4	7	12	19	23	35
65 +	1142	10.2	58	3	5	8	13	19	23	37
GRAND TOTAL	2117	9.8	63	2	4	8	13	19	24	42

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	1	27.0		27	27	27	27	27	27	27
35-49	0									
50-64	1	18.0		18	18	18	18	18	18	18
65 +	2	12.0	2	11	11	12	13	13	13	13
TOTAL SINGLE DX	2	3.0	2	2	2	3	4	4	4	4
TOTAL MULTIPLE DX	6	14.3	51	8	9	12	18	26	27	27
TOTAL										
0-19 YRS	3	6.3	14	2	3	8	9	9	9	9
20-34	1	27.0		27	27	27	27	27	27	27
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	18.0		18	18	18	18	18	18	18
65 +	2	12.0	2	11	11	12	13	13	13	13
GRAND TOTAL	8	11.5	54	3	6	10	15	24	27	27

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	22	6.1	6	4	4	6	7	9	11	14
20-34	46	7.1	13	3	4	7	10	13	14	15
35-49	84	6.0	12	2	4	5	8	10	12	19
50-64	130	7.0	80	1	4	6	8	10	15	44
65 +	125	6.6	23	1	3	6	8	13	15	25
2. MULTIPLE DX										
0-19 YRS	81	12.1	224	3	4	8	13	26	58	96
20-34	208	11.4	99	4	6	9	13	21	29	69
35-49	292	10.5	73	3	5	8	13	21	29	51
50-64	755	9.3	56	3	5	7	11	17	23	37
65 +	1339	11.0	79	3	6	9	14	21	28	45
TOTAL SINGLE DX	407	6.7	37	2	4	6	8	11	14	25
TOTAL MULTIPLE DX	2675	10.5	79	3	5	8	13	20	27	48
TOTAL										
0-19 YRS	103	10.8	183	3	4	7	12	18	43	94
20-34	254	10.6	87	4	6	8	13	20	26	61
35-49	376	9.5	64	3	5	7	11	19	25	49
50-64	885	9.0	60	3	5	7	11	16	23	37
65 +	1464	10.6	76	3	5	8	13	21	27	44
GRAND TOTAL	3082	10.0	75	3	5	8	12	19	25	47

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	7.8	10	4	5	8	10	12	12	12
20-34	4	8.0	6	5	6	8	10	11	11	11
35-49	25	7.8	7	4	6	8	9	11	13	15
50-64	72	7.9	18	4	6	7	9	10	15	32
65 +	72	8.9	8	6	7	8	11	13	14	17
2. MULTIPLE DX										
0-19 YRS	10	10.9	65	3	7	10	19	57	96	99 +
20-34	31	14.5	164	6	7	10	17	22	52	63
35-49	86	10.6	70	5	6	8	11	18	31	51
50-64	363	10.5	34	6	7	8	12	18	22	33
65 +	544	11.7	61	6	7	10	13	20	25	47
TOTAL SINGLE DX	179	8.3	12	5	6	8	10	12	14	18
TOTAL MULTIPLE DX	1034	11.3	56	6	7	9	13	19	25	47
TOTAL										
0-19 YRS	16	9.8	45	4	6	10	11	27	75	99 +
20-34	35	13.7	150	6	7	10	16	20	46	63
35-49	111	10.0	57	5	6	8	10	15	27	45
50-64	435	10.1	33	5	7	8	11	17	22	33
65 +	616	11.4	56	6	7	9	13	19	24	46
GRAND TOTAL	1213	10.8	51	6	7	9	12	18	24	46

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	150	2.0	7	< 1	1	1	2	4	7	12
20-34	23	4.3	18	< 1	1	3	7	11	14	15
35-49	24	4.2	16	< 1	1	3	5	10	15	15
50-64	38	4.8	22	< 1	1	3	8	11	13	22
65 +	32	9.1	100	1	4	7	11	17	26	54
2. MULTIPLE DX										
0-19 YRS	271	7.4	150	< 1	1	3	8	17	31	98
20-34	162	12.0	120	3	6	10	15	22	29	64
35-49	241	11.3	106	2	5	9	14	23	30	74
50-64	357	10.1	78	2	5	8	13	19	26	42
65 +	848	11.7	77	3	6	10	16	23	28	42
TOTAL SINGLE DX	267	3.7	27	< 1	1	1	5	10	12	22
TOTAL MULTIPLE DX	1879	10.8	98	2	5	8	14	22	28	58
TOTAL										
0-19 YRS	421	5.5	106	< 1	1	2	6	13	22	87
20-34	185	11.1	114	2	5	9	14	21	28	63
35-49	265	10.7	103	2	4	8	14	22	28	70
50-64	395	9.6	76	2	4	7	13	19	25	42
65 +	880	11.6	79	3	5	9	15	22	28	42
GRAND TOTAL	2146	9.9	94	1	3	8	13	21	27	55

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.7	4	2	2	3	5	6	6	6
20-34	17	4.8	14	2	2	4	6	11	14	15
35-49	6	3.7	4	2	2	3	5	7	7	7
50-64	5	4.8	17	1	2	3	8	11	11	11
65 +	5	8.2	31	1	3	10	12	15	15	15
2. MULTIPLE DX										
0-19 YRS	13	9.3	72	1	3	5	15	21	27	29
20-34	30	6.2	32	2	3	5	7	12	31	99 +
35-49	26	12.3	265	4	4	6	11	29	49	78
50-64	45	9.8	52	3	4	8	11	23	26	29
65 +	74	12.1	108	3	5	10	15	24	38	48
TOTAL SINGLE DX	36	5.0	15	2	2	4	7	11	14	15
TOTAL MULTIPLE DX	188	10.5	104	3	4	7	13	24	30	66
TOTAL										
0-19 YRS	16	8.3	64	1	2	5	13	19	26	29
20-34	47	5.7	26	2	3	5	7	11	17	99 +
35-49	32	10.7	226	3	4	5	10	26	41	78
50-64	50	9.3	50	2	4	8	11	22	26	29
65 +	79	11.9	104	3	4	10	15	23	36	48
GRAND TOTAL	224	9.6	94	2	4	6	11	22	29	55

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	4.7	9	2	3	4	6	9	12	16
20-34	319	4.4	8	2	3	4	6	8	10	15
35-49	139	5.1	10	2	3	4	7	10	12	15
50-64	63	5.2	16	2	3	4	7	9	12	23
65 +	69	5.8	28	2	3	5	7	10	13	37
2. MULTIPLE DX										
0-19 YRS	256	10.3	158	2	4	6	12	23	32	72
20-34	484	7.3	64	2	3	5	8	14	20	43
35-49	434	7.6	40	2	4	5	9	15	20	33
50-64	572	8.6	46	3	4	7	10	18	22	32
65 +	915	9.6	65	3	4	7	12	20	27	37
TOTAL SINGLE DX	677	4.8	12	2	3	4	6	9	11	16
TOTAL MULTIPLE DX	2661	8.7	67	3	4	6	11	18	24	40
TOTAL										
0-19 YRS	343	8.9	127	2	3	5	10	18	29	66
20-34	803	6.2	44	2	3	4	7	11	16	35
35-49	573	7.0	34	2	3	5	9	14	18	32
50-64	635	8.2	44	2	4	6	10	17	22	32
65 +	984	9.3	64	3	4	7	12	19	26	37
GRAND TOTAL	3238	7.9	58	2	3	6	10	16	22	36

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	4.8	10	1	4	4	5	7	8	23
20-34	50	5.0	25	1	1	4	6	12	17	21
35-49	79	3.8	10	1	1	3	6	7	9	16
50-64	70	3.0	9	1	1	2	4	8	10	15
65 +	57	4.1	26	< 1	1	2	6	8	13	32
2. MULTIPLE DX										
0-19 YRS	73	10.0	210	4	4	6	8	15	53	99
20-34	136	9.1	87	2	4	7	12	18	27	79
35-49	165	9.4	77	1	3	7	13	21	28	48
50-64	287	9.0	103	1	2	6	12	19	28	57
65 +	426	9.0	84	1	3	7	12	19	29	42
TOTAL SINGLE DX	333	4.1	16	1	1	3	5	8	10	21
TOTAL MULTIPLE DX	1087	9.2	97	1	3	7	12	19	29	57
TOTAL										
0-19 YRS	150	7.3	114	3	4	5	7	11	16	97
20-34	186	8.0	74	1	3	6	10	17	22	64
35-49	244	7.6	63	1	2	5	10	18	24	43
50-64	357	7.8	90	1	2	5	10	17	25	55
65 +	483	8.4	80	1	2	6	11	17	27	42
GRAND TOTAL	1420	8.0	82	1	2	5	10	17	26	50

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	178	5.7	6	1	5	6	7	9	10	13
20-34	24	5.9	8	1	4	7	8	9	10	10
35-49	27	7.4	12	2	5	8	9	10	14	19
50-64	36	9.0	5	7	8	9	11	12	13	13
65 +	40	11.0	56	7	8	9	12	15	17	53
2. MULTIPLE DX										
0-19 YRS	611	11.4	104	5	7	8	12	22	34	99 +
20-34	113	13.7	100	7	8	10	16	30	34	53
35-49	239	13.1	117	6	8	10	14	24	33	58
50-64	556	14.2	93	8	9	11	16	24	33	71
65 +	904	15.5	103	8	10	12	18	27	36	62
TOTAL SINGLE DX	305	7.0	17	2	5	7	9	11	12	17
TOTAL MULTIPLE DX	2423	13.8	105	6	8	11	16	25	35	70
TOTAL										
0-19 YRS	789	10.1	88	5	6	8	11	18	28	93
20-34	137	12.3	93	5	7	9	15	25	34	49
35-49	266	12.5	110	6	8	9	13	21	31	57
50-64	592	13.9	89	8	9	11	16	23	32	67
65 +	944	15.3	103	8	9	12	18	27	36	61
GRAND TOTAL	2728	13.1	100	6	8	10	15	23	33	65

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	5.0	16	1	2	3	9	11	11	11
35-49	135	3.7	5	1	2	3	5	7	9	12
50-64	326	3.0	4	1	2	2	3	6	7	10
65 +	263	3.2	4	1	2	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	54	5.4	20	1	2	5	8	9	12	28
35-49	1107	4.3	8	1	2	3	6	8	10	13
50-64	3019	4.2	10	1	2	3	6	8	10	15
65 +	2930	5.0	18	1	2	4	7	10	13	20
TOTAL SINGLE DX	733	3.2	5	1	2	2	4	6	8	11
TOTAL MULTIPLE DX	7115	4.6	13	1	2	3	6	9	11	17
TOTAL										
0-19 YRS	7	1.3	1	1	1	1	1	3	3	3
20-34	61	5.4	20	1	2	5	8	10	12	27
35-49	1242	4.2	8	1	2	3	6	8	10	12
50-64	3345	4.1	10	1	2	3	6	8	10	15
65 +	3193	4.9	18	1	2	4	6	10	12	19
GRAND TOTAL	7848	4.4	13	1	2	3	6	9	11	16

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.8	21	1	2	2	8	12	12	12
35-49	33	7.4	6	4	7	7	9	10	12	14
50-64	106	8.8	7	6	7	8	10	12	13	20
65 +	117	10.2	14	7	8	9	11	14	16	25
2. MULTIPLE DX										
0-19 YRS	4	13.8	268	2	4	7	23	38	38	38
20-34	16	11.3	40	4	7	11	16	20	23	24
35-49	686	9.9	25	6	7	9	11	14	17	32
50-64	3010	11.2	36	7	8	10	12	17	21	37
65 +	3582	13.2	57	8	9	11	15	20	26	46
TOTAL SINGLE DX	262	9.1	12	6	7	9	10	13	15	18
TOTAL MULTIPLE DX	7298	12.0	48	7	8	10	13	19	23	40
TOTAL										
0-19 YRS	5	11.4	229	2	2	7	15	38	38	38
20-34	21	9.7	42	2	5	9	13	19	22	24
35-49	719	9.8	25	6	7	9	11	14	17	31
50-64	3116	11.1	36	7	8	10	12	16	21	36
65 +	3699	13.1	57	8	9	11	15	20	26	46
GRAND TOTAL	7560	11.9	47	7	8	10	13	18	23	39

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	181	1.5	2	<1	<1	1	1	3	5	9
20-34	58	2.7	4	1	1	2	4	7	7	8
35-49	488	2.4	4	1	1	1	3	6	7	10
50-64	811	2.4	4	1	1	1	3	6	7	10
65+	476	3.0	10	1	1	2	4	8	10	15
2. MULTIPLE DX										
0-19 YRS	432	2.4	13	<1	<1	1	2	6	9	28
20-34	211	3.8	14	1	1	2	5	8	12	19
35-49	2290	3.9	16	1	1	3	5	8	10	16
50-64	6126	4.0	17	1	1	3	6	9	11	18
65+	6518	4.8	21	1	1	3	7	10	13	22
TOTAL SINGLE DX	2014	2.5	6	<1	1	1	3	6	7	11
TOTAL MULTIPLE DX	15577	4.3	19	1	1	3	6	9	12	20
TOTAL										
0-19 YRS	613	2.1	10	<1	<1	1	2	5	8	19
20-34	269	3.6	13	1	1	2	5	8	10	18
35-49	2778	3.6	14	1	1	2	5	8	9	15
50-64	6937	3.8	16	1	1	2	5	8	10	18
65+	6994	4.7	21	1	1	3	7	10	13	22
GRAND TOTAL	17591	4.1	18	1	1	3	6	9	11	19

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	26	2.3	1	1	1	2	3	4	4	5
20-34	15	2.9	6	1	1	2	3	7	9	10
35-49	32	2.9	10	<1	1	2	3	6	10	17
50-64	72	2.7	8	1	1	2	3	6	9	17
65+	353	2.9	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	83	3.9	15	1	2	3	5	7	12	24
20-34	63	5.3	27	1	2	3	7	12	18	25
35-49	101	6.1	41	1	2	4	8	13	16	39
50-64	528	6.7	38	1	3	5	9	14	19	33
65+	3471	6.5	33	2	3	5	8	13	17	31
TOTAL SINGLE DX	498	2.9	8	1	1	2	3	6	8	16
TOTAL MULTIPLE DX	4246	6.5	34	2	3	5	8	13	17	31
TOTAL										
0-19 YRS	109	3.5	13	1	2	3	4	6	9	22
20-34	78	4.8	24	1	2	3	6	10	15	24
35-49	133	5.3	36	1	2	4	7	11	16	35
50-64	600	6.2	36	1	2	4	8	13	18	32
65+	3824	6.2	33	1	2	5	8	13	16	29
GRAND TOTAL	4744	6.1	33	1	2	4	8	13	16	30

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	6.0	13	1	1	7	9	10	10	10
20-34	9	5.8	11	1	3	6	9	9	9	9
35-49	8	5.1	7	2	3	5	7	9	9	9
50-64	6	6.0	23	<1	<1	5	10	13	13	13
65+	6	4.8	19	1	1	3	8	12	12	12
2. MULTIPLE DX										
0-19 YRS	55	8.9	96	1	5	7	9	14	30	61
20-34	68	8.3	36	2	4	7	11	18	20	87
35-49	83	9.5	72	2	5	8	11	15	24	49
50-64	121	11.2	68	3	5	9	15	23	26	38
65+	157	11.7	70	4	6	9	16	21	27	50
TOTAL SINGLE DX	39	5.6	13	1	2	6	9	10	11	13
TOTAL MULTIPLE DX	484	10.4	69	3	5	8	13	21	26	48
TOTAL										
0-19 YRS	65	8.4	84	1	5	7	9	14	26	58
20-34	77	8.0	34	2	4	7	10	16	20	81
35-49	91	9.1	68	2	5	7	11	15	23	48
50-64	127	10.9	67	3	5	9	15	23	25	38
65+	163	11.4	70	3	6	9	15	20	27	48
GRAND TOTAL	523	10.0	67	2	5	8	13	20	26	46

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	136	2.1	3	<1	1	1	3	5	6	10
20-34	52	2.8	7	<1	1	1	4	8	9	12
35-49	77	4.1	15	<1	1	3	5	9	10	21
50-64	78	4.0	24	<1	1	2	5	10	16	24
65+	75	4.2	24	<1	1	2	5	10	14	26
2. MULTIPLE DX										
0-19 YRS	481	5.0	85	1	2	3	5	9	14	61
20-34	206	7.6	53	1	3	6	0	17	25	99+
35-49	374	7.9	66	1	2	6	11	16	22	42
50-64	772	8.0	45	2	3	6	11	16	22	31
65+	2234	9.0	52	2	4	7	11	17	22	39
TOTAL SINGLE DX	418	3.3	15	<1	1	2	4	8	10	20
TOTAL MULTIPLE DX	4067	8.2	58	2	3	6	11	16	22	41
TOTAL										
0-19 YRS	617	4.3	69	1	1	2	4	8	12	52
20-34	258	6.6	48	1	2	5	9	15	21	94
35-49	451	7.2	60	1	2	5	10	14	20	41
50-64	850	7.6	44	1	3	6	10	16	22	31
65+	2309	8.9	52	2	4	7	11	17	22	39
GRAND TOTAL	4485	7.7	56	1	3	6	10	16	21	39

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	176	1.7		1	1	1	2	3	3	6
35-49	324	1.6	1	1	1	1	2	2	3	5
50-64	183	1.8	1	1	1	1	2	3	4	6
65 +	56	2.1	2	1	1	2	3	3	5	9
2. MULTIPLE DX										
0-19 YRS	2	18.5	613	1	1	18	36	36	36	36
20-34	58	1.9	2	1	1	1	2	3	5	9
35-49	135	2.6	10	1	1	2	3	4	7	22
50-64	102	3.0	17	1	1	2	3	5	8	24
65 +	86	3.8	27	1	1	2	4	9	13	31
TOTAL SINGLE DX	744	1.7	1	1	1	1	2	3	3	6
TOTAL MULTIPLE DX	383	3.0	18	1	1	2	3	5	8	26
TOTAL										
0-19 YRS	7	6.1	173	<1	<1	1	2	29	36	36
20-34	234	1.7	1	1	1	1	2	3	3	7
35-49	459	1.9	4	1	1	2	2	3	4	8
50-64	285	2.2	7	1	1	2	3	4	5	9
65 +	142	3.2	18	1	1	2	3	7	10	22
GRAND TOTAL	1127	2.1	7	1	1	2	2	3	5	12

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	6.1	7	3	5	6	7	9	12	13
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	25	6.2	6	3	5	6	8	9	10	12
50-64	114	6.0	9	3	4	6	7	9	12	17
65 +	115	7.2	51	3	4	6	8	11	13	45
2. MULTIPLE DX										
0-19 YRS	95	10.1	45	5	6	8	12	20	36	99 +
20-34	37	10.8	97	3	5	8	14	19	29	56
35-49	179	9.4	65	4	5	8	11	15	19	54
50-64	944	9.9	63	4	6	8	11	18	25	52
65 +	1954	11.1	72	5	6	9	13	20	28	48
TOTAL SINGLE DX	269	6.6	27	3	4	6	8	10	13	20
TOTAL MULTIPLE DX	3209	10.6	69	4	6	8	12	19	26	53
TOTAL										
0-19 YRS	108	9.6	42	5	6	8	12	17	35	99 +
20-34	39	10.5	94	3	5	8	13	18	28	56
35-49	204	9.0	59	4	5	8	10	15	18	53
50-64	1058	9.5	59	4	5	7	11	18	24	51
65 +	2069	10.8	72	4	6	9	13	20	27	48
GRAND TOTAL	3478	10.3	67	4	6	8	12	19	25	52

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	7.7	133	1	1	1	16	21	21	21
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	11	6.3	23	2	3	5	9	13	18	18
65 +	10	5.7	80	1	2	3	4	18	31	31
2. MULTIPLE DX										
0-19 YRS	35	5.4	18	1	1	5	9	12	13	14
20-34	337	3.9	13	1	2	3	5	8	11	21
35-49	436	5.2	39	1	2	4	6	9	15	29
50-64	728	5.3	29	1	2	4	6	10	15	28
65 +	980	6.0	30	2	2	4	8	12	15	27
TOTAL SINGLE DX	28	5.8	47	1	2	4	6	15	22	31
TOTAL MULTIPLE DX	2516	5.4	29	1	2	4	7	11	14	27
TOTAL										
0-19 YRS	37	5.3	18	1	1	4	9	12	13	14
20-34	340	4.0	14	1	2	3	5	8	12	21
35-49	438	5.2	39	1	2	4	6	9	15	29
50-64	739	5.3	29	1	2	4	6	10	15	28
65 +	990	6.0	31	2	2	4	8	12	15	30
GRAND TOTAL	2544	5.4	30	1	2	4	7	11	14	27

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	21	5.4	196	<1	1	2	3	6	34	66
35-49	28	3.3	11	<1	1	2	4	9	11	14
50-64	37	5.7	84	<1	1	1	7	18	23	47
65 +	42	4.8	59	1	1	2	5	9	13	49
2. MULTIPLE DX										
0-19 YRS	50	10.4	265	1	2	5	12	30	66	99 +
20-34	208	6.7	40	1	3	5	9	15	22	33
35-49	361	8.5	111	1	2	5	10	17	30	59
50-64	576	8.7	89	1	2	6	12	20	28	50
65 +	841	10.7	118	1	3	8	15	24	31	52
TOTAL SINGLE DX	131	4.8	76	1	1	2	5	9	15	52
TOTAL MULTIPLE DX	2036	9.3	106	1	2	6	12	21	30	57
TOTAL										
0-19 YRS	53	10.0	254	1	2	4	11	27	65	99
20-34	229	6.6	54	1	2	4	8	14	22	40
35-49	389	8.1	106	1	2	5	10	17	29	57
50-64	613	8.6	90	1	2	6	12	19	27	50
65 +	883	10.4	118	1	3	7	14	23	31	50
GRAND TOTAL	2167	9.1	106	1	2	6	12	21	29	56

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	14	5.0	7	3	3	4	6	8	12	13
50-64	121	3.5	3	2	2	3	4	5	8	11
65 +	383	3.8	5	2	3	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	37	5.8	88	2	3	4	5	6	19	57
50-64	627	4.9	18	2	3	4	5	9	12	20
65 +	2075	5.5	20	2	3	4	6	10	14	23
TOTAL SINGLE DX	518	3.8	5	2	2	3	4	6	8	12
TOTAL MULTIPLE DX	2739	5.4	21	2	3	4	6	10	13	23
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	51	5.6	66	2	3	4	5	7	13	57
50-64	748	4.6	16	2	3	4	5	8	11	17
65 +	2458	5.2	19	2	3	4	6	9	13	22
GRAND TOTAL	3257	5.1	19	2	3	4	6	9	13	22

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	215	4.4	10	1	2	4	5	7	10	19
20-34	91	3.3	10	1	1	2	5	8	10	16
35-49	120	4.7	27	1	1	3	6	11	15	24
50-64	237	5.2	45	1	1	3	7	11	14	33
65 +	371	6.0	31	1	2	5	8	13	16	29
2. MULTIPLE DX										
0-19 YRS	2027	16.0	334	3	5	9	22	49	74	99 +
20-34	492	7.7	74	1	2	5	10	18	24	43
35-49	747	8.9	114	1	2	5	11	21	32	64
50-64	1938	8.6	84	1	3	6	10	18	25	46
65 +	4139	9.5	82	2	4	8	12	18	26	48
TOTAL SINGLE DX	1034	5.1	29	1	1	4	7	10	14	26
TOTAL MULTIPLE DX	9343	10.6	148	1	4	7	12	24	37	85
TOTAL										
0-19 YRS	2242	14.9	315	2	4	8	19	46	70	99 +
20-34	583	7.0	67	1	2	4	9	16	22	42
35-49	867	8.3	104	1	2	5	11	19	29	62
50-64	2175	8.2	81	1	3	6	10	17	25	45
65 +	4510	9.2	80	1	4	8	11	18	25	46
GRAND TOTAL	10377	10.0	139	1	3	7	12	22	34	82

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	139	2.6	6	<1	<1	1	4	6	8	11
20-34	61	3.3	10	1	1	2	4	7	9	18
35-49	81	2.2	3	<1	1	2	3	5	7	9
50-64	84	3.0	5	<1	1	2	4	6	8	10
65 +	83	3.2	11	<1	1	2	4	7	9	19
2. MULTIPLE DX										
0-19 YRS	103	6.0	69	1	1	4	7	13	20	53
20-34	88	7.3	56	1	2	5	9	17	22	39
35-49	140	6.9	70	1	2	4	9	15	19	50
50-64	250	6.1	33	1	2	4	8	13	17	32
65 +	454	7.4	42	1	3	6	10	16	20	34
TOTAL SINGLE DX	448	2.8	7	<1	1	2	4	7	8	13
TOTAL MULTIPLE DX	1035	6.9	48	1	2	5	9	15	20	35
TOTAL										
0-19 YRS	242	4.0	36	<1	1	2	5	8	13	26
20-34	149	5.6	41	1	1	4	7	13	19	33
35-49	221	5.2	51	1	1	2	6	12	16	39
50-64	334	5.3	28	1	2	4	7	11	16	27
65 +	537	6.8	40	1	2	5	9	15	19	32
GRAND TOTAL	1483	5.6	39	1	1	4	7	12	17	33

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.7	2	<1	1	2	4	5	6	6
20-34	24	4.5	6	1	2	5	6	7	9	10
35-49	25	3.2	4	1	2	3	5	7	27	99 +
50-64	71	3.4	4	1	2	3	4	6	8	10
65 +	77	3.5	3	1	2	3	4	6	8	9
2. MULTIPLE DX										
0-19 YRS	12	5.0	4	2	4	5	6	8	9	9
20-34	51	6.7	19	2	4	6	8	11	15	23
35-49	81	5.2	17	2	2	4	6	11	15	20
50-64	176	6.1	37	2	3	4	7	12	17	34
65 +	302	6.2	42	2	3	4	7	11	16	33
TOTAL SINGLE DX	207	3.5	4	1	2	3	5	6	8	10
TOTAL MULTIPLE DX	622	6.0	35	2	3	4	7	11	16	30
TOTAL										
0-19 YRS	22	4.0	5	1	2	4	5	7	8	9
20-34	75	6.0	16	1	3	6	8	10	13	22
35-49	106	4.7	15	1	2	3	6	9	14	54
50-64	247	5.3	29	1	2	4	6	10	14	28
65 +	379	5.6	36	2	3	4	6	10	15	31
GRAND TOTAL	829	5.4	29	1	3	4	6	10	14	29

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	31.0	588	3	13	45	45	45	45	45
20-34	3	25.7	386	3	11	36	37	38	38	38
35-49	1	52.0		52	52	52	52	52	52	52
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14	47.3	195	32	36	48	53	61	78	83
20-34	2	41.0	32	37	37	41	45	45	45	45
35-49	0									
50-64	0									
65 +	0									
TOTAL SINGLE DX	7	31.7	412	3	11	38	45	51	52	52
TOTAL MULTIPLE DX	16	46.5	176	32	36	46	53	59	76	83
TOTAL										
0-19 YRS	17	44.4	273	31	36	45	53	59	75	83
20-34	5	31.8	272	3	28	37	40	45	45	45
35-49	1	52.0		52	52	52	52	52	52	52
50-64	0									
65 +	0									
GRAND TOTAL	23	42.0	281	25	36	45	51	57	67	83

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	228	3.9	13	1	2	3	5	6	8	21
20-34	117	5.6	13	2	4	5	7	9	11	21
35-49	75	6.2	38	2	3	5	6	8	24	32
50-64	85	7.4	48	1	3	5	8	17	25	33
65 +	70	7.5	43	2	3	5	10	16	18	35
2. MULTIPLE DX										
0-19 YRS	381	8.7	74	2	4	6	10	20	27	47
20-34	427	10.3	134	3	5	7	10	21	31	70
35-49	404	10.6	98	3	5	7	13	22	32	51
50-64	585	11.2	110	3	5	8	13	25	33	49
65 +	1579	10.2	72	3	5	8	13	19	27	45
TOTAL SINGLE DX	575	5.5	27	1	3	4	6	11	16	29
TOTAL MULTIPLE DX	3376	10.2	91	3	5	7	12	21	30	49
TOTAL										
0-19 YRS	609	6.9	57	1	3	5	8	16	22	40
20-34	544	9.3	112	3	5	6	9	18	28	62
35-49	479	10.0	91	3	4	7	11	21	31	48
50-64	670	10.7	104	3	5	7	12	25	32	48
65 +	1649	10.0	72	3	5	8	13	19	27	45
GRAND TOTAL	3951	9.6	84	3	4	7	11	19	28	48

587: Venous catheterization, except umbilical (38.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	153	4.5	20	<1	1	3	6	10	13	25
20-34	49	5.8	28	1	2	4	8	13	14	29
35-49	56	7.6	225	<1	1	3	7	14	26	80
50-64	49	7.1	48	<1	2	5	10	15	21	32
65 +	30	7.1	43	<1	1	5	10	16	21	26
2. MULTIPLE DX										
0-19 YRS	477	14.2	246	2	3	9	20	36	50	99 +
20-34	408	11.3	111	2	4	8	15	25	33	53
35-49	685	10.7	123	2	4	7	14	25	32	58
50-64	883	10.6	112	2	4	7	14	24	33	50
65 +	1498	11.3	96	2	5	9	15	23	30	51
TOTAL SINGLE DX	337	5.8	63	<1	1	4	8	13	16	31
TOTAL MULTIPLE DX	3951	11.4	125	2	4	8	15	25	33	60
TOTAL										
0-19 YRS	630	11.9	209	1	3	7	15	32	45	96
20-34	457	10.7	105	2	4	8	14	24	31	51
35-49	741	10.5	132	2	3	7	14	24	32	63
50-64	932	10.4	110	2	4	7	13	23	32	49
65 +	1528	11.2	96	2	5	9	15	23	29	51
GRAND TOTAL	4288	10.9	123	2	4	8	14	25	33	59

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	6.9	30	1	2	9	11	14	16	16
20-34	8	10.9	16	4	9	12	13	14	14	14
35-49	4	9.5	9	6	7	9	12	13	13	13
50-64	1	7.0		7	7	7	7	7	7	7
65 +	0									
2. MULTIPLE DX										
0-19 YRS	73	5.9	36	1	2	4	9	15	21	83
20-34	20	14.1	39	4	12	14	16	21	26	31
35-49	18	13.3	230	2	4	8	14	39	52	58
50-64	21	7.1	57	2	4	5	7	15	25	36
65 +	44	7.0	26	3	4	6	8	13	21	25
TOTAL SINGLE DX	28	8.4	24	1	2	9	13	14	15	16
TOTAL MULTIPLE DX	176	8.0	64	1	3	5	12	16	22	54
TOTAL										
0-19 YRS	88	6.1	36	1	2	4	10	15	21	72
20-34	28	13.2	34	4	10	14	15	20	22	31
35-49	22	12.6	190	3	5	8	13	33	49	58
50-64	22	7.1	54	2	4	5	7	15	24	36
65 +	44	7.0	26	3	4	6	8	13	21	25
GRAND TOTAL	204	8.1	58	1	3	6	13	16	21	50

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	2.7	11	<1	<1	1	2	7	10	15
20-34	11	3.3	3	1	2	3	5	6	7	7
35-49	23	4.6	18	1	1	3	7	10	14	18
50-64	45	6.6	103	1	1	4	7	13	22	61
65+	53	5.2	28	1	2	4	6	9	17	31
2. MULTIPLE DX										
0-19 YRS	84	7.7	170	<1	1	3	7	16	38	71
20-34	92	9.3	190	2	3	4	11	18	35	77
35-49	245	7.3	61	2	3	5	9	14	20	41
50-64	439	8.7	91	2	3	6	10	18	25	65
65+	814	9.0	83	2	4	6	11	18	25	53
TOTAL SINGLE DX	155	5.0	46	1	1	3	6	11	15	32
TOTAL MULTIPLE DX	1674	8.6	93	2	3	6	10	18	25	60
TOTAL										
0-19 YRS	107	6.6	140	<1	1	2	7	15	30	66
20-34	103	8.7	174	2	3	4	9	16	32	74
35-49	268	7.1	58	1	3	5	8	14	19	40
50-64	484	8.5	93	2	3	6	10	18	25	63
65+	867	8.7	81	2	3	6	11	18	25	49
GRAND TOTAL	1829	8.3	90	2	3	6	10	17	25	59

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	380	2.7	1	1	2	3	3	4	5	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	8.3	6	6	6	8	10	11	11	11
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	209	3.8	5	2	3	3	4	5	7	15
20-34	7	28.7	1268	1	4	9	61	83	85	85
35-49	8	16.3	128	7	9	13	18	35	42	42
50-64	12	14.2	181	6	8	10	14	30	51	55
65+	28	14.5	117	4	8	12	18	28	35	54
TOTAL SINGLE DX	384	2.8	2	1	2	3	3	4	5	8
TOTAL MULTIPLE DX	264	6.4	87	2	3	4	6	13	19	55
TOTAL										
0-19 YRS	589	3.1	3	2	2	3	4	5	5	8
20-34	8	26.1	1141	2	5	9	47	82	85	85
35-49	11	14.1	105	6	8	11	16	29	41	42
50-64	12	14.2	181	6	8	10	14	30	51	55
65+	28	14.5	118	4	8	12	18	28	35	54
GRAND TOTAL	648	4.3	40	2	2	3	4	6	11	30

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	7.0	100	1	2	4	6	17	35	39
20-34	0									
35-49	2	18.0	578	1	1	18	35	35	35	35
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	18	9.0	120	1	1	4	11	27	36	40
2. MULTIPLE DX										
0-19 YRS	112	15.3	293	2	6	8	23	48	86	99+
20-34	26	19.8	289	5	8	14	32	49	72	99+
35-49	52	16.4	276	3	5	11	21	39	64	69
50-64	125	14.0	172	2	4	9	19	32	43	61
65+	835	13.7	119	3	6	12	18	27	36	63
TOTAL SINGLE DX	35	8.5	121	1	2	4	9	31	38	40
TOTAL MULTIPLE DX	1150	14.1	153	3	6	11	19	30	43	98
TOTAL										
0-19 YRS	125	14.4	278	2	5	8	21	46	84	99+
20-34	26	19.8	289	5	8	14	32	49	72	99+
35-49	54	16.4	277	2	5	11	21	39	63	69
50-64	127	13.8	171	2	4	9	19	32	43	61
65+	853	13.6	120	2	6	11	18	28	36	63
GRAND TOTAL	1185	14.0	153	2	6	11	18	30	43	94

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.0	4	1	1	2	4	6	6	6
20-34	21	3.5	5	<1	1	3	5	7	8	9
35-49	42	4.1	5	1	2	4	5	7	9	10
50-64	48	4.8	8	2	3	4	6	8	10	16
65+	62	5.8	41	<1	2	4	7	10	18	40
2. MULTIPLE DX										
0-19 YRS	22	5.2	21	1	3	4	6	11	18	19
20-34	111	4.6	6	2	3	4	6	8	10	13
35-49	257	5.3	16	2	3	4	6	10	13	21
50-64	516	6.4	43	2	3	5	7	12	16	32
65+	1360	7.2	30	3	4	6	9	13	17	30
TOTAL SINGLE DX	177	4.8	19	<1	2	4	6	8	10	20
TOTAL MULTIPLE DX	2266	6.6	31	2	3	5	8	13	16	29
TOTAL										
0-19 YRS	26	4.8	20	1	3	4	6	8	18	19
20-34	132	4.4	6	2	3	4	6	8	10	13
35-49	299	5.1	15	2	3	4	6	10	13	21
50-64	564	6.2	41	2	3	5	7	12	16	31
65+	1422	7.1	31	2	4	6	9	13	17	30
GRAND TOTAL	2443	6.5	31	2	3	5	8	12	16	28

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	7.8	6	5	7	8	9	11	12	12
35-49	41	9.1	9	6	7	8	10	13	16	19
50-64	29	9.2	12	6	7	9	10	15	16	21
65+	51	11.1	36	7	8	9	13	17	20	39
2. MULTIPLE DX										
0-19 YRS	4	8.0		7	7	8	9	9	9	9
20-34	37	11.2	36	6	7	9	14	19	22	34
35-49	173	12.4	63	6	7	9	14	24	29	46
50-64	264	12.9	65	7	8	10	14	21	30	51
65+	475	15.3	96	8	9	13	18	25	34	70
TOTAL SINGLE DX	136	9.7	21	6	7	9	11	15	17	32
TOTAL MULTIPLE DX	953	13.9	81	7	8	11	17	23	31	57
TOTAL										
0-19 YRS	5	7.2	4	4	6	8	8	9	9	9
20-34	51	10.3	30	6	7	9	11	18	21	34
35-49	214	11.7	55	6	7	9	13	20	28	43
50-64	293	12.5	61	7	8	10	14	21	29	50
65+	526	14.9	92	7	9	12	18	24	33	69
GRAND TOTAL	1089	13.4	75	7	8	11	16	23	30	54

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	11.7	26	6	8	13	15	16	16	16
35-49	3	11.3	57	6	6	8	17	20	20	20
50-64	6	13.7	55	8	9	11	15	27	28	28
65+	4	13.5	39	7	9	12	17	22	22	22
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	19.3	140	12	12	13	28	33	33	33
35-49	21	16.8	167	8	10	12	20	37	47	59
50-64	65	14.9	61	8	10	12	17	24	34	47
65+	122	18.3	148	9	12	15	22	30	41	98
TOTAL SINGLE DX	16	12.8	39	6	8	12	15	22	26	28
TOTAL MULTIPLE DX	212	17.1	124	9	11	13	20	30	37	79
TOTAL										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	15.5	84	7	12	13	16	31	33	33
35-49	24	16.1	154	7	9	12	20	37	44	59
50-64	71	14.8	60	8	10	12	17	24	34	46
65+	126	18.1	146	9	12	14	22	30	39	98
GRAND TOTAL	228	16.8	119	9	11	13	20	29	37	74

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	5.1	11	2	3	4	7	10	13	13
20-34	19	7.4	14	5	5	6	8	10	17	22
35-49	34	5.9	3	4	4	6	7	8	9	11
50-64	35	8.1	11	5	6	7	9	12	17	18
65+	18	9.9	37	4	7	8	10	20	23	24
2. MULTIPLE DX										
0-19 YRS	10	8.1	59	3	4	5	8	21	27	27
20-34	46	10.2	77	5	7	8	11	14	22	60
35-49	128	10.9	70	5	7	8	12	20	26	49
50-64	150	13.1	124	6	7	10	15	21	31	64
65+	226	14.2	111	7	8	11	16	23	33	68
TOTAL SINGLE DX	118	7.3	15	4	5	7	8	11	17	23
TOTAL MULTIPLE DX	560	12.7	104	6	7	10	15	21	30	64
TOTAL										
0-19 YRS	22	6.5	33	2	3	4	8	14	20	27
20-34	65	9.3	61	5	6	8	10	12	20	56
35-49	162	9.8	60	5	6	7	10	18	23	43
50-64	185	12.1	107	6	7	9	13	19	25	64
65+	244	13.8	107	7	8	11	16	23	31	68
GRAND TOTAL	678	11.7	93	5	7	9	14	20	26	62

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	32	4.6	4	1	3	5	6	7	8	8
20-34	77	5.8	3	4	5	6	7	8	9	10
35-49	76	6.1	3	4	5	6	7	9	9	13
50-64	48	8.0	10	5	6	7	9	12	14	19
65 +	33	12.1	245	5	7	9	11	14	26	96
2. MULTIPLE DX										
0-19 YRS	280	13.0	229	4	6	8	15	36	84	99 +
20-34	194	7.6	38	4	5	6	8	11	19	34
35-49	354	9.0	50	4	5	7	9	17	24	41
50-64	365	11.3	75	5	6	8	12	22	31	52
65 +	567	15.4	140	6	8	12	19	30	40	86
TOTAL SINGLE DX	266	6.9	39	4	5	6	8	10	12	19
TOTAL MULTIPLE DX	1760	12.0	120	5	6	8	14	25	35	98
TOTAL										
0-19 YRS	312	12.2	213	3	5	8	14	34	82	99 +
20-34	271	7.1	29	4	5	6	7	10	13	26
35-49	430	8.5	43	4	5	7	9	16	21	38
50-64	413	10.9	69	5	6	8	12	21	31	49
65 +	600	15.2	147	6	8	12	18	29	40	92
GRAND TOTAL	2026	11.4	112	5	6	8	13	23	32	95

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	57	4.3	21	1	2	3	5	8	12	25
20-34	109	4.4	14	< 1	2	3	5	9	15	18
35-49	138	3.2	6	< 1	< 1	3	4	7	9	23
50-64	146	3.5	12	< 1	< 1	2	5	7	9	18
65 +	155	4.4	25	< 1	< 1	3	6	10	15	31
2. MULTIPLE DX										
0-19 YRS	122	7.1	34	2	3	6	8	14	22	28
20-34	404	5.9	25	2	3	4	7	11	16	25
35-49	579	5.7	27	2	3	4	7	11	15	31
50-64	859	5.9	33	1	3	5	8	11	15	28
65 +	2728	7.2	42	2	3	6	9	14	19	33
TOTAL SINGLE DX	605	3.9	16	< 1	< 1	3	5	8	12	21
TOTAL MULTIPLE DX	4692	6.7	37	2	3	5	8	13	17	32
TOTAL										
0-19 YRS	179	6.2	32	1	3	5	8	12	20	27
20-34	513	5.6	23	2	3	4	7	10	16	23
35-49	717	5.3	24	1	2	4	6	10	15	30
50-64	1005	5.6	31	< 1	2	4	7	11	14	26
65 +	2883	7.1	42	2	3	5	9	14	18	32
GRAND TOTAL	5297	6.4	36	1	3	5	8	13	17	31

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	11	8.7	13	5	6	8	11	14	17	17
20-34	24	8.3	10	4	6	8	10	14	15	16
35-49	18	8.1	6	5	6	8	10	12	12	12
50-64	24	11.8	59	6	7	10	13	23	27	37
65 +	36	9.4	13	6	7	8	11	16	16	20
2. MULTIPLE DX										
0-19 YRS	80	16.0	283	6	7	10	28	99 +	99 +	99 +
20-34	131	12.4	171	6	7	9	12	20	37	83
35-49	197	14.2	154	5	7	10	17	28	37	79
50-64	273	14.6	106	6	8	11	17	27	39	70
65 +	645	16.4	139	7	9	12	19	32	41	71
TOTAL SINGLE DX	113	9.4	22	5	6	8	11	16	17	28
TOTAL MULTIPLE DX	1326	15.3	148	6	8	11	18	31	44	99 +
TOTAL										
0-19 YRS	91	15.1	256	6	7	10	21	99 +	99 +	99 +
20-34	155	11.8	149	6	7	9	12	17	27	78
35-49	215	13.7	145	5	7	9	16	27	36	78
50-64	297	14.4	103	6	8	11	17	27	38	66
65 +	681	16.0	135	7	9	12	19	31	40	71
GRAND TOTAL	1439	14.8	140	6	8	11	17	30	41	99 +

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	33	7.6	28	4	5	7	8	10	19	32
20-34	94	7.7	14	5	6	7	9	10	12	25
35-49	171	8.0	9	5	6	7	9	11	14	22
50-64	304	8.1	5	6	7	8	9	11	12	16
65 +	370	8.6	8	6	7	8	9	12	15	22
2. MULTIPLE DX										
0-19 YRS	80	12.6	90	5	6	10	16	30	71	99 +
20-34	222	12.9	119	6	7	9	13	25	37	57
35-49	660	11.1	53	6	7	9	12	18	24	40
50-64	1561	11.0	54	6	7	9	12	18	23	42
65 +	4152	13.1	74	7	8	11	15	22	28	57
TOTAL SINGLE DX	972	8.2	9	6	7	8	9	11	14	20
TOTAL MULTIPLE DX	6675	12.4	70	7	8	10	14	21	27	53
TOTAL										
0-19 YRS	113	11.1	77	5	6	8	13	28	37	99 +
20-34	316	11.3	94	5	7	9	11	21	29	56
35-49	831	10.5	46	6	7	9	11	17	23	38
50-64	1865	10.5	47	6	7	9	11	16	21	41
65 +	4522	12.7	71	7	8	10	14	21	28	52
GRAND TOTAL	7647	11.9	64	6	8	9	13	20	26	51

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	6.3	7	3	3	7	8	9	9	9
20-34	3	6.7	21	4	4	4	10	12	12	12
35-49	9	9.7	27	4	5	8	15	17	18	18
50-64	6	6.8	3	5	6	6	7	10	10	10
65 +	10	9.0	10	5	7	8	12	13	14	14
2. MULTIPLE DX										
0-19 YRS	25	24.6	804	5	6	11	51	90	94	99 +
20-34	10	16.0	207	7	9	10	13	41	52	52
35-49	36	11.4	37	5	7	10	14	20	21	30
50-64	63	13.3	118	6	7	9	15	33	41	93
65 +	165	15.4	94	6	8	13	20	30	35	46
TOTAL SINGLE DX	34	8.1	14	4	6	7	10	14	15	18
TOTAL MULTIPLE DX	299	15.3	162	6	7	11	19	31	42	91
TOTAL										
0-19 YRS	31	21.0	698	4	6	9	31	82	92	99 +
20-34	13	13.8	176	4	8	10	12	35	49	52
35-49	45	11.1	35	5	7	10	15	20	21	30
50-64	69	12.7	112	5	6	8	15	31	39	90
65 +	175	15.1	91	6	8	12	20	29	34	45
GRAND TOTAL	333	14.5	151	5	7	11	18	30	40	91

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	110	4.6	6	2	3	4	6	8	8	12
20-34	80	6.5	3	4	5	7	8	9	9	10
35-49	97	6.4	6	3	5	6	8	9	11	15
50-64	113	6.9	6	4	6	7	8	10	11	13
65 +	90	7.3	28	3	5	7	8	10	13	35
2. MULTIPLE DX										
0-19 YRS	285	9.9	93	3	5	7	10	19	34	54
20-34	193	8.0	19	4	5	7	10	13	17	26
35-49	299	9.6	39	5	6	8	10	17	24	37
50-64	394	10.5	67	5	6	8	11	19	27	48
65 +	842	11.3	71	5	7	9	13	19	26	46
TOTAL SINGLE DX	490	6.3	11	3	4	6	8	10	10	15
TOTAL MULTIPLE DX	2013	10.4	65	4	6	8	12	18	26	49
TOTAL										
0-19 YRS	395	8.4	74	2	4	6	9	17	27	54
20-34	273	7.6	15	4	5	7	9	11	13	23
35-49	396	8.8	33	4	6	8	10	15	21	36
50-64	507	9.7	56	5	6	8	10	17	24	43
65 +	932	11.0	68	5	7	9	12	19	26	46
GRAND TOTAL	2503	9.6	57	4	6	8	10	17	24	44

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	5.9	7	2	4	6	7	9	12	13
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	13.8	57	9	9	11	16	27	27	27
50-64	8	7.3	27	2	4	6	9	16	18	18
55 +	15	11.6	123	4	5	10	13	17	41	49
2. MULTIPLE DX										
0-19 YRS	44	13.2	105	6	7	11	18	53	99 +	99 +
20-34	25	15.9	312	5	7	9	18	40	88	99 +
35-49	63	15.6	304	6	7	10	14	38	61	90
50-64	116	19.0	270	7	9	13	21	36	61	83
65 +	305	14.9	93	6	9	12	18	27	36	51
TOTAL SINGLE DX	43	9.0	63	3	5	7	11	15	21	49
TOTAL MULTIPLE DX	553	15.8	167	6	8	12	19	31	43	94
TOTAL										
0-19 YRS	58	11.4	91	5	6	9	16	36	99 +	99 +
20-34	26	15.5	304	5	6	8	18	40	87	99 +
35-49	68	15.4	285	6	7	10	14	35	60	89
50-64	124	18.3	263	6	9	12	20	36	60	82
65 +	320	14.8	95	6	8	12	18	27	36	51
GRAND TOTAL	596	15.3	162	6	8	11	18	30	41	93

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4982	3.2	3	2	2	3	4	6	7	10
20-34	3634	3.2	2	2	2	3	4	5	6	9
35-49	1586	3.6	3	2	2	3	4	6	7	10
50-64	505	4.5	6	2	3	4	6	8	9	13
65 +	155	5.0	5	2	3	4	7	8	9	14
2. MULTIPLE DX										
0-19 YRS	1708	5.1	20	2	3	4	6	9	12	20
20-34	1502	4.8	10	2	3	4	6	8	10	17
35-49	855	6.2	16	3	4	5	8	11	13	21
50-64	513	7.2	21	3	4	6	9	13	14	25
65 +	523	8.4	24	4	5	7	10	14	16	29
TOTAL SINGLE DX	10862	3.3	3	2	2	3	4	6	7	10
TOTAL MULTIPLE DX	5101	5.8	19	2	3	5	7	10	13	22
TOTAL										
0-19 YRS	6690	3.7	8	2	2	3	4	7	8	14
20-34	5136	3.6	5	2	2	3	4	6	8	12
35-49	2441	4.5	10	2	3	4	6	8	10	17
50-64	1018	5.9	16	2	3	5	8	10	13	21
65 +	678	7.8	22	3	4	7	10	13	15	28
GRAND TOTAL	15963	4.1	10	2	2	3	5	7	9	15

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	6.0	6	3	4	5	8	10	10	10
20-34	6	5.3	9	2	2	5	8	9	9	9
35-49	7	8.0	10	3	6	8	10	12	12	12
50-64	2	6.0	8	4	4	6	8	8	8	8
65 +	4	12.3	25	7	9	11	15	19	19	19
2. MULTIPLE DX										
0-19 YRS	17	7.9	13	4	6	7	9	15	16	16
20-34	10	9.7	57	2	4	7	14	20	26	26
35-49	6	11.3	31	5	6	11	16	19	19	19
50-64	9	9.9	13	5	6	10	13	15	15	15
65 +	8	14.8	59	9	10	11	17	28	31	31
TOTAL SINGLE DX	29	7.2	14	3	4	7	9	12	13	19
TOTAL MULTIPLE DX	50	10.1	34	4	6	9	13	16	22	31
TOTAL										
0-19 YRS	27	7.2	12	4	5	7	8	12	15	16
20-34	16	8.1	43	2	3	6	11	15	23	26
35-49	13	9.5	21	4	6	9	12	17	19	19
50-64	11	9.2	14	5	6	9	12	14	15	15
65 +	12	13.9	46	8	10	11	16	25	30	31
GRAND TOTAL	79	9.1	29	4	5	8	11	15	19	30

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.6	7	<1	<1	1	3	8	9	11
20-34	17	3.5	23	<1	1	2	2	13	16	17
35-49	18	2.1	1	1	1	2	2	4	4	4
50-64	33	2.3	3	1	1	2	3	4	7	9
65 +	63	2.9	4	1	1	2	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	36	5.4	41	<1	1	4	6	12	20	32
20-34	27	5.6	39	1	2	3	5	13	20	29
35-49	43	5.9	61	1	2	4	6	9	20	46
50-64	86	4.7	20	1	2	3	6	11	14	25
65 +	278	5.8	39	1	2	4	7	12	17	40
TOTAL SINGLE DX	155	2.7	7	<1	1	2	3	5	8	15
TOTAL MULTIPLE DX	470	5.6	38	1	2	4	7	12	17	31
TOTAL										
0-19 YRS	60	4.3	30	<1	1	2	5	9	15	31
20-34	44	4.8	34	1	1	3	5	14	17	29
35-49	61	4.8	46	1	2	3	5	9	13	44
50-64	119	4.1	17	1	2	3	5	7	13	22
65 +	341	5.3	35	1	2	3	7	11	15	30
GRAND TOTAL	625	4.9	32	1	2	3	6	11	15	29

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.0	24	1	1	2	2	5	17	20
20-34	99	2.2	2	1	1	2	3	4	6	8
35-49	127	2.2	2	1	1	2	3	4	6	9
50-64	44	2.4	3	1	1	2	3	5	6	8
65 +	20	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-19 YRS	17	4.2	26	1	2	2	4	15	18	18
20-34	87	4.7	49	1	2	3	4	9	14	44
35-49	105	4.3	23	1	2	3	5	10	12	26
50-64	94	4.5	25	1	2	3	5	10	19	69
65 +	77	7.1	49	1	2	5	8	17	24	32
TOTAL SINGLE DX	304	2.3	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	380	5.0	36	1	2	3	6	11	18	32
TOTAL										
0-19 YRS	31	3.7	25	1	1	2	3	10	18	20
20-34	186	3.4	25	1	1	2	4	6	9	23
35-49	232	3.1	13	1	1	2	3	7	9	18
50-64	138	3.8	19	1	1	3	4	8	12	39
65 +	97	6.2	43	1	2	4	7	16	19	32
GRAND TOTAL	684	3.8	23	1	1	2	4	8	11	29

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	6.7	5	4	5	6	8	10	12	12
20-34	13	9.2	3	7	8	9	10	12	13	13
35-49	20	8.6	1	7	8	8	9	10	12	13
50-64	70	9.0	10	6	7	8	10	14	16	19
65 +	96	9.3	8	6	7	9	11	13	14	19
2. MULTIPLE DX										
0-19 YRS	60	9.8	100	4	6	8	10	15	17	69
20-34	48	12.1	83	6	7	9	14	22	27	60
35-49	105	11.2	34	6	8	10	13	18	22	37
50-64	319	10.9	23	7	8	10	13	18	21	34
65 +	771	13.6	74	7	9	11	15	21	31	59
TOTAL SINGLE DX	209	9.0	9	6	7	9	10	13	14	18
TOTAL MULTIPLE DX	1303	12.5	62	7	8	11	14	20	26	49
TOTAL										
0-19 YRS	70	9.3	87	4	6	7	10	14	17	66
20-34	61	11.5	68	6	8	9	12	18	26	57
35-49	125	10.8	30	6	8	9	12	17	21	37
50-64	389	10.6	22	6	8	9	12	17	20	31
65 +	867	13.1	69	7	9	11	14	21	29	52
GRAND TOTAL	1512	12.0	56	7	8	10	14	19	24	46

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	120	2.9	5	<1	1	2	4	6	7	13
20-34	308	3.3	7	1	2	3	4	6	7	13
35-49	397	3.2	6	1	2	3	4	6	7	10
50-64	373	3.3	4	1	2	3	4	6	7	10
65+	328	3.8	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
0-19 YRS	350	5.2	77	1	2	3	5	9	15	72
20-34	1354	4.9	34	1	2	3	5	9	13	27
35-49	2453	4.9	31	2	2	4	6	9	12	28
50-64	3369	5.4	23	2	3	4	6	10	14	27
65+	8542	6.6	32	2	3	5	8	12	16	29
TOTAL SINGLE DX	1526	3.4	6	1	2	3	4	6	8	11
TOTAL MULTIPLE DX	16068	5.9	32	2	3	4	7	11	15	28
TOTAL										
0-19 YRS	470	4.6	60	1	2	3	5	8	13	37
20-34	1662	4.6	30	1	2	3	5	8	12	27
35-49	2850	4.7	28	1	2	3	5	8	11	25
50-64	3742	5.2	22	2	3	4	6	9	13	27
65+	8870	6.5	32	2	3	5	8	12	16	29
GRAND TOTAL	17594	5.7	31	2	3	4	7	11	14	28

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	83	1.6		1	1	1	2	3	3	5
35-49	118	1.6		1	1	1	2	3	3	5
50-64	52	1.6		1	1	1	2	3	3	5
65+	13	1.6		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	4	3.3	3	<1	1	3	4	5	5	5
20-34	71	2.4	2	1	1	2	3	4	5	10
35-49	109	2.0	1	1	1	1	2	4	5	8
50-64	83	2.1	4	1	1	1	2	4	6	13
65+	62	3.6	27	1	1	2	3	7	14	30
TOTAL SINGLE DX	276	1.6	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	329	2.4	8	1	1	2	3	4	6	15
TOTAL										
0-19 YRS	14	1.7	2	<1	<1	1	2	4	5	5
20-34	154	1.9	2	1	1	1	2	3	4	7
35-49	227	1.8	1	1	1	1	2	3	4	7
50-64	135	1.9	3	1	1	1	2	4	5	9
65+	75	3.3	24	1	1	2	3	6	13	29
GRAND TOTAL	605	2.0	5	1	1	1	2	4	5	10

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	25	1.7	1	1	1	1	2	4	4	4
35-49	21	1.6	1	1	1	1	2	3	4	6
50-64	18	1.7	1	1	1	1	2	4	5	6
65+	14	2.2	7	1	1	1	3	4	9	11
2. MULTIPLE DX										
0-19 YRS	6	2.5	3	<1	1	2	4	5	5	5
20-34	52	2.2	2	1	1	2	3	4	7	8
35-49	97	2.6	15	1	1	2	3	4	8	26
50-64	65	2.6	5	1	1	2	3	5	8	13
65+	63	5.8	95	1	2	3	5	14	17	62
TOTAL SINGLE DX	83	1.7	2	1	1	1	2	3	4	9
TOTAL MULTIPLE DX	283	3.2	30	1	1	2	3	6	8	29
TOTAL										
0-19 YRS	11	1.8	2	<1	<1	1	3	4	5	5
20-34	77	2.0	2	1	1	1	2	4	6	8
35-49	118	2.4	13	1	1	2	3	4	7	22
50-64	83	2.4	4	1	1	2	3	4	7	12
65+	77	5.1	81	1	1	3	5	12	17	59
GRAND TOTAL	366	2.9	24	1	1	2	3	5	8	17

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	59	2.3	1	1	1	2	3	4	5	5
35-49	140	2.2	1	1	1	2	3	4	4	7
50-64	84	2.2	1	1	1	2	3	4	4	5
65+	36	2.8	3	1	1	2	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	308	2.7	3	1	1	2	3	5	6	11
35-49	673	2.8	11	1	2	2	3	4	6	9
50-64	493	2.9	3	1	2	3	4	5	7	10
65+	358	3.6	15	1	2	3	4	6	8	17
TOTAL SINGLE DX	321	2.3	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1836	3.0	9	1	2	2	4	5	6	12
TOTAL										
0-19 YRS	6	2.7	1	2	2	3	3	4	4	4
20-34	367	2.6	3	1	1	2	3	5	5	11
35-49	813	2.7	10	1	2	2	3	4	6	9
50-64	577	2.8	3	1	2	2	3	5	6	10
65+	394	3.5	14	1	2	3	4	6	7	17
GRAND TOTAL	2157	2.9	8	1	2	2	3	5	6	11

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	2.0	1	<1	1	2	2	4	5	7
20-34	75	2.2	2	1	1	2	3	4	5	7
35-49	101	2.4	3	1	1	2	3	5	6	9
50-64	45	2.2	4	1	1	2	2	4	6	13
65+	26	3.2	7	1	1	2	5	8	9	10
2. MULTIPLE DX										
0-19 YRS	65	4.2	11	1	2	3	6	8	9	20
20-34	100	3.4	7	1	2	3	4	6	8	15
35-49	126	3.8	28	1	1	2	4	8	11	35
50-64	101	3.3	12	1	1	2	4	6	8	23
65+	104	3.7	8	1	2	3	5	8	9	14
TOTAL SINGLE DX	292	2.3	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	496	3.7	15	1	1	3	4	8	9	20
TOTAL										
0-19 YRS	110	3.3	9	<1	1	2	4	7	8	15
20-34	175	2.9	5	1	1	2	4	5	7	12
35-49	227	3.2	18	1	1	2	3	6	9	23
50-64	146	2.9	10	1	1	2	3	6	7	19
65+	130	3.6	8	1	1	3	5	8	9	13
GRAND TOTAL	788	3.2	11	1	1	2	4	6	8	16

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	4	8.0	8	5	6	7	10	12	12	12
35-49	5	6.8	39	1	1	7	11	16	16	16
50-64	3	8.3	9	5	6	9	10	11	11	11
65+	6	7.7	50	<1	3	5	12	19	20	20
2. MULTIPLE DX										
0-19 YRS	10	11.4	74	2	6	8	16	25	26	26
20-34	16	9.3	33	3	5	8	12	17	23	25
35-49	19	11.9	41	4	7	11	17	21	23	25
50-64	26	13.1	44	5	9	12	19	21	25	27
65+	53	15.1	92	6	8	13	20	29	33	43
TOTAL SINGLE DX	20	7.6	26	1	4	7	11	14	18	20
TOTAL MULTIPLE DX	124	13.1	68	5	7	11	17	25	29	39
TOTAL										
0-19 YRS	12	10.8	67	3	4	8	15	25	26	26
20-34	20	9.0	28	4	6	8	11	15	21	25
35-49	24	10.8	43	2	6	10	16	20	22	25
50-64	29	12.6	42	5	9	11	17	21	25	27
65+	59	14.3	92	4	7	13	19	29	32	43
GRAND TOTAL	144	12.4	65	3	6	11	16	25	29	38

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	49	3.7	24	1	1	2	5	9	15	26
20-34	49	2.8	7	1	1	1	4	8	9	10
35-49	60	2.9	23	1	1	1	3	7	9	32
50-64	60	2.5	11	<1	1	1	2	6	11	17
65+	28	5.1	24	1	1	4	9	11	12	22
2. MULTIPLE DX										
0-19 YRS	152	8.7	98	1	2	6	11	18	26	59
20-34	162	10.1	119	2	4	7	11	24	40	53
35-49	222	8.9	127	1	2	6	11	19	27	59
50-64	357	8.3	68	1	3	7	11	17	22	42
65+	489	9.2	44	2	5	8	12	18	23	34
TOTAL SINGLE DX	246	3.2	18	1	1	1	4	8	11	22
TOTAL MULTIPLE DX	1382	9.0	79	1	3	7	11	18	24	45
TOTAL										
0-19 YRS	201	7.5	85	1	1	4	10	17	24	57
20-34	211	8.4	103	1	3	5	9	20	33	50
35-49	282	7.6	111	1	1	5	9	18	23	56
50-64	417	7.5	64	1	1	6	10	16	21	41
65+	517	9.0	45	1	4	8	11	17	23	33
GRAND TOTAL	1628	8.1	74	1	2	6	10	17	23	42

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	223	3.9	2	2	3	4	5	6	7	10
20-34	2283	4.1	2	3	3	4	5	6	7	10
35-49	2254	4.1	2	3	3	4	5	6	7	9
50-64	1678	4.4	3	3	3	4	5	6	8	11
65+	861	5.5	11	3	4	5	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	208	5.3	9	3	3	5	6	9	10	18
20-34	2531	5.2	11	3	4	4	6	8	10	16
35-49	3457	5.5	14	3	4	5	6	9	11	17
50-64	3888	6.4	22	3	4	5	7	10	13	24
65+	5357	8.6	34	4	5	7	10	14	19	31
TOTAL SINGLE DX	7299	4.3	4	3	3	4	5	6	8	11
TOTAL MULTIPLE DX	15441	6.7	25	3	4	5	8	11	14	25
TOTAL										
0-19 YRS	431	4.6	6	3	3	4	5	7	9	15
20-34	4814	4.7	8	3	3	4	5	7	9	14
35-49	5711	5.0	10	3	3	4	5	8	9	16
50-64	5566	5.8	17	3	4	5	7	9	11	21
65+	6218	8.2	33	4	5	7	10	14	18	30
GRAND TOTAL	22740	6.0	19	3	4	5	7	10	13	23

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	7	2.6	3	1	1	2	4	5	5	5
65 +	10	1.6		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	2	12.0	8	10	10	12	14	14	14	14
20-34	4	2.3	3	<1	<1	1	3	5	5	5
35-49	12	5.0	29	1	1	3	8	13	18	19
50-64	30	7.1	33	1	2	6	9	15	20	23
65 +	70	7.7	56	2	3	5	10	16	20	46
TOTAL SINGLE DX	24	1.9	1	1	1	1	3	4	4	5
TOTAL MULTIPLE DX	118	7.2	46	1	3	5	9	15	20	32
TOTAL										
0-19 YRS	3	9.0	31	3	5	10	13	14	14	14
20-34	7	1.7	2	<1	<1	1	2	4	5	5
35-49	15	4.3	25	1	1	2	6	10	17	19
50-64	37	6.2	31	1	2	4	9	14	19	23
65 +	80	6.9	53	1	3	5	9	15	19	43
GRAND TOTAL	142	6.3	43	1	2	4	9	14	19	25

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (51.97; 52.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	30	3.2	6	1	1	2	4	7	9	10
35-49	51	2.9	4	1	1	3	4	6	7	10
50-64	43	3.1	6	1	1	2	4	7	8	11
65 +	57	4.3	23	1	1	2	6	8	14	27
2. MULTIPLE DX										
0-19 YRS	12	6.3	55	1	1	4	7	21	22	22
20-34	83	5.9	38	1	2	4	7	12	17	37
35-49	181	6.4	42	1	2	5	8	13	16	31
50-64	226	6.4	31	1	3	5	8	12	17	29
65 +	639	8.0	57	2	3	6	10	16	21	42
TOTAL SINGLE DX	181	3.4	11	1	1	2	4	7	9	18
TOTAL MULTIPLE DX	1141	7.2	49	1	3	6	9	14	19	40
TOTAL										
0-19 YRS	12	6.3	56	1	1	4	7	21	22	22
20-34	113	5.2	31	1	2	4	7	10	14	32
35-49	232	5.6	36	1	2	4	7	11	15	31
50-64	269	5.9	29	1	2	5	8	11	15	26
65 +	696	7.7	56	1	3	6	9	15	21	42
GRAND TOTAL	1322	6.7	46	1	2	5	9	13	18	39

619: Miscellaneous operations on biliary tract (51.01-51.13; 51.31-51.95; 51.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	6.6	11	2	4	6	9	11	12	12
20-34	14	4.6	6	1	2	5	6	8	8	8
35-49	19	6.8	44	1	1	6	8	18	24	24
50-64	32	6.8	16	1	4	7	9	12	15	15
65 +	31	9.1	27	3	6	9	11	15	16	28
2. MULTIPLE DX										
0-19 YRS	33	16.9	273	6	9	10	21	30	39	94
20-34	51	10.8	50	5	6	8	14	25	29	99
35-49	86	12.4	143	4	6	9	15	25	40	91
50-64	175	12.1	95	4	6	10	15	21	29	52
65 +	437	14.0	105	6	8	11	16	26	33	56
TOTAL SINGLE DX	106	7.2	24	1	4	7	10	13	15	26
TOTAL MULTIPLE DX	782	13.3	112	5	7	10	16	25	33	57
TOTAL										
0-19 YRS	43	14.5	230	5	7	10	19	26	37	94
20-34	65	9.5	48	4	5	8	11	23	27	89
35-49	105	11.4	130	2	6	8	13	23	35	87
50-64	207	11.3	87	3	6	9	14	19	26	51
65 +	468	13.7	101	6	8	11	16	26	32	55
GRAND TOTAL	888	12.6	105	4	7	10	15	24	32	57

620: Operations on pancreas, except ERCP (52.01-52.12; 52.2-52.83; 52.92-52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	7.7	1	7	7	7	9	9	9	9
20-34	11	8.0	27	4	5	6	10	15	21	22
35-49	12	8.2	26	3	5	6	11	15	20	21
50-64	27	8.0	45	2	4	6	10	14	26	31
65 +	16	9.7	47	<1	5	8	14	21	22	22
2. MULTIPLE DX										
0-19 YRS	11	26.5	253	10	14	24	39	51	55	55
20-34	41	19.7	385	4	9	15	22	59	78	99 +
35-49	87	18.9	181	7	9	16	26	44	66	99 +
50-64	124	20.5	262	6	10	16	27	39	55	84
65 +	216	15.6	152	5	8	12	19	32	38	72
TOTAL SINGLE DX	69	8.4	37	2	5	7	10	19	22	30
TOTAL MULTIPLE DX	479	18.1	213	5	8	14	24	37	54	99 +
TOTAL										
0-19 YRS	14	22.5	260	7	9	15	31	50	54	55
20-34	52	17.2	331	4	7	12	19	43	65	99 +
35-49	99	17.6	174	6	9	14	25	40	63	99 +
50-64	151	18.3	246	5	8	13	22	36	50	83
65 +	232	15.2	147	4	8	12	19	31	38	69
GRAND TOTAL	548	16.9	201	5	8	13	22	36	50	99 +

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	55	2.1	4	1	1	1	2	5	6	13
20-34	73	3.3	11	1	1	2	4	8	11	18
35-49	90	4.4	17	1	2	4	5	7	9	28
50-64	82	3.9	7	1	2	3	6	8	9	12
65 +	92	4.0	19	< 1	1	3	5	8	10	28
2. MULTIPLE DX										
0-19 YRS	111	5.3	47	1	2	4	6	9	15	44
20-34	234	5.2	28	1	2	4	7	10	14	31
35-49	334	5.8	42	2	3	4	7	11	16	42
50-64	605	6.1	37	2	3	4	7	12	16	35
65 +	2025	6.8	37	2	3	5	8	13	18	31
TOTAL SINGLE DX	392	3.7	13	1	1	3	5	7	9	19
TOTAL MULTIPLE DX	3309	6.4	38	2	3	5	8	12	17	32
TOTAL										
0-19 YRS	166	4.2	35	1	1	3	5	8	13	36
20-34	307	4.7	25	1	2	3	6	9	13	29
35-49	424	5.5	37	1	2	4	7	10	15	35
50-64	687	5.9	34	1	3	4	7	11	15	32
65 +	2117	6.6	37	2	3	5	8	13	18	31
GRAND TOTAL	3701	6.1	36	2	3	5	7	12	16	32

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	449	1.1		< 1	< 1	< 1	1	1	2	3
20-34	259	1.3		< 1	1	1	1	2	3	5
35-49	280	1.5		< 1	1	1	2	2	3	7
50-64	372	1.6	1	< 1	1	1	2	3	4	7
65 +	409	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	382	1.7	10	< 1	< 1	1	1	3	5	10
20-34	207	2.1	12	1	1	1	2	4	5	30
35-49	262	2.1	5	1	1	1	2	4	5	13
50-64	509	2.3	15	1	1	1	2	4	6	14
65 +	1489	3.3	17	1	1	2	4	7	10	19
TOTAL SINGLE DX	1769	1.4	1	< 1	1	1	2	2	3	5
TOTAL MULTIPLE DX	2849	2.7	15	1	1	2	3	5	8	18
TOTAL										
0-19 YRS	831	1.4	5	< 1	< 1	1	1	2	3	6
20-34	466	1.7	6	< 1	1	1	2	3	4	11
35-49	542	1.8	3	1	1	1	2	3	4	9
50-64	881	2.0	10	1	1	1	2	3	5	11
65 +	1898	2.9	15	1	1	2	3	6	8	17
GRAND TOTAL	4618	2.2	10	<1	1	1	2	4	6	14

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	339	1.1		< 1	< 1	< 1	1	1	2	3
20-34	47	1.4		1	1	1	2	2	2	5
35-49	116	1.5		1	1	1	2	2	3	5
50-64	151	1.6		1	1	1	2	3	3	4
65 +	132	1.9	1	1	1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	313	3.9	156	< 1	1	1	2	4	34	99 +
20-34	48	1.9	5	1	1	1	2	3	4	17
35-49	98	1.8	1	1	1	2	2	3	4	5
50-64	186	2.2	2	1	1	2	3	4	5	8
65 +	361	3.3	13	1	1	2	4	6	10	20
TOTAL SINGLE DX	785	1.4	1	< 1	1	1	2	2	3	4
TOTAL MULTIPLE DX	1006	3.0	55	1	1	2	3	5	7	66
TOTAL										
0-19 YRS	652	2.4	77	< 1	< 1	1	1	2	4	87
20-34	95	1.7	3	1	1	1	2	2	3	12
35-49	214	1.6	1	1	1	1	2	3	3	5
50-64	337	1.9	2	1	1	2	2	3	4	6
65 +	493	2.9	11	1	1	2	3	5	7	19
GRAND TOTAL	1791	2.3	32	<1	1	1	2	4	5	27

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
20-34	15	2.1	1	1	1	2	3	4	5	5
35-49	28	1.4		1	1	1	2	2	2	2
50-64	33	2.1	1	1	1	2	3	4	4	5
65 +	69	2.8	5	1	1	2	3	5	8	14
2. MULTIPLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	8	2.5	4	1	1	2	3	6	7	7
35-49	21	3.0	8	1	1	2	4	8	10	11
50-64	42	3.8	9	1	1	3	5	8	11	14
65 +	187	6.1	41	1	2	4	8	12	17	40
TOTAL SINGLE DX	147	2.3	3	1	1	2	3	4	5	9
TOTAL MULTIPLE DX	261	5.3	34	1	2	4	7	11	14	31
TOTAL										
0-19 YRS	5	1.6	1	< 1	1	1	2	3	3	3
20-34	23	2.3	2	1	1	2	3	4	6	7
35-49	49	2.1	4	1	1	1	2	4	6	11
50-64	75	3.0	6	1	1	2	4	6	8	13
65 +	256	5.2	34	1	2	3	7	11	15	31
GRAND TOTAL	408	4.2	25	1	2	3	5	9	12	27

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	61	1.1		<1	<1	<1	1	1	2	3
20-34	26	1.5		<1	1	1	2	3	4	4
35-49	73	1.9	1	<1	1	2	2	4	5	7
50-64	41	2.1		1	1	2	3	3	4	4
65+	31	2.7	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	53	9.0	209	<1	<1	2	10	34	50	99
20-34	30	2.6	6	1	1	2	3	5	7	13
35-49	118	3.2	12	1	1	2	4	6	8	22
50-64	120	4.0	16	1	2	3	5	9	11	24
65+	146	5.7	38	1	2	4	7	12	17	30
TOTAL SINGLE DX	232	1.8	2	<1	1	1	2	3	4	7
TOTAL MULTIPLE DX	467	4.8	46	1	1	3	5	11	15	41
TOTAL										
0-19 YRS	114	4.7	112	<1	<1	<1	2	14	34	77
20-34	56	2.1	4	1	1	1	2	4	5	13
35-49	191	2.7	9	1	1	2	3	5	6	16
50-64	161	3.5	13	1	1	2	4	7	10	22
65+	177	5.2	33	1	2	3	6	11	15	29
GRAND TOTAL	699	3.8	34	<1	1	2	4	8	12	33

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	29	1.5		<1	<1	1	2	3	3	4
20-34	89	2.6	2	1	1	2	3	5	5	8
35-49	268	2.8	2	1	1	3	4	5	6	9
50-64	322	2.9	2	1	2	3	4	5	6	8
65+	290	3.2	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	17	3.0	6	1	1	2	3	6	9	11
20-34	105	3.5	4	1	2	3	4	6	8	11
35-49	384	4.3	16	1	2	3	5	7	10	20
50-64	601	4.6	22	1	2	4	5	8	11	24
65+	943	5.0	14	1	3	4	6	9	12	20
TOTAL SINGLE DX	998	2.9	3	1	1	3	4	5	6	9
TOTAL MULTIPLE DX	2050	4.6	17	1	2	4	6	8	11	20
TOTAL										
0-19 YRS	46	2.1	3	<1	<1	1	3	3	6	11
20-34	194	3.1	4	1	2	3	4	6	7	11
35-49	652	3.7	12	1	2	3	4	6	8	17
50-64	923	4.0	16	1	2	3	5	7	9	18
65+	1233	4.6	13	1	2	4	6	8	11	16
GRAND TOTAL	3048	4.1	13	1	2	3	5	7	9	17

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	4.5	5	<1	3	5	7	7	7	7
20-34	4	6.8	11	4	4	6	9	11	11	11
35-49	9	4.1	4	1	3	4	5	7	9	9
50-64	14	6.9	17	3	5	6	7	12	17	19
65+	15	6.7	8	3	5	7	8	9	12	13
2. MULTIPLE DX										
0-19 YRS	24	12.7	169	4	5	10	20	23	74	99+
20-34	16	8.8	86	4	5	6	9	12	33	42
35-49	67	8.1	68	4	5	7	9	11	13	61
50-64	85	8.7	41	4	6	7	9	15	22	40
65+	160	11.0	47	5	7	9	13	18	24	30
TOTAL SINGLE DX	52	5.9	10	2	4	6	7	9	11	19
TOTAL MULTIPLE DX	352	9.9	61	5	6	8	11	18	23	60
TOTAL										
0-19 YRS	34	10.3	134	3	5	7	12	22	54	99+
20-34	20	8.4	71	4	4	6	9	12	27	42
35-49	76	7.6	62	4	5	7	9	11	13	56
50-64	99	8.5	38	4	5	7	9	15	21	39
65+	175	10.7	46	5	7	9	13	18	24	30
GRAND TOTAL	404	9.4	56	4	5	7	11	17	23	51

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	3.7	14	<1	1	3	6	7	8	23
20-34	107	3.5	5	1	1	3	5	7	8	11
35-49	91	4.3	13	1	2	4	5	8	10	21
50-64	78	5.6	27	1	2	4	7	11	14	31
65+	61	6.5	79	1	2	4	7	14	25	49
2. MULTIPLE DX										
0-19 YRS	133	6.8	79	1	2	5	8	12	16	64
20-34	288	6.1	55	1	3	4	7	12	17	45
35-49	503	8.1	56	2	4	6	10	16	21	36
50-64	663	8.2	50	2	4	6	10	17	22	40
65+	1002	9.6	68	2	5	8	12	18	23	46
TOTAL SINGLE DX	407	4.6	25	1	2	3	6	8	12	29
TOTAL MULTIPLE DX	2589	8.4	62	2	4	7	10	16	21	42
TOTAL										
0-19 YRS	203	5.7	59	1	1	4	7	10	14	52
20-34	395	5.4	43	1	2	4	6	10	15	33
35-49	594	7.5	52	2	3	6	9	14	20	35
50-64	741	8.0	49	2	4	6	9	16	21	39
65+	1063	9.4	69	2	4	7	12	18	23	46
GRAND TOTAL	2996	7.9	58	2	3	6	10	16	21	40

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	4.4	9	2	3	4	5	8	10	19
20-34	224	4.3	8	2	3	4	5	7	9	14
35-49	123	5.3	9	2	3	5	7	9	12	16
50-64	55	7.3	20	3	5	6	9	13	16	24
65 +	53	7.4	21	3	4	6	9	13	16	24
2. MULTIPLE DX										
0-19 YRS	215	8.2	61	3	4	6	10	16	28	99 +
20-34	496	6.7	55	3	3	5	7	12	17	46
35-49	393	9.0	95	3	4	6	9	18	28	53
50-64	284	12.1	115	4	6	9	14	23	31	69
65 +	574	13.2	118	5	7	10	16	25	33	67
TOTAL SINGLE DX	612	5.1	12	2	3	4	6	9	12	20
TOTAL MULTIPLE DX	1962	10.0	98	3	4	7	12	21	29	60
TOTAL										
0-19 YRS	372	6.6	43	2	3	5	8	12	19	55
20-34	720	6.0	42	2	3	4	6	10	14	41
35-49	516	8.1	78	3	4	6	9	15	25	45
50-64	339	11.3	103	4	6	8	13	22	29	66
65 +	627	12.7	113	5	6	10	16	24	32	63
GRAND TOTAL	2574	8.8	82	3	4	6	10	17	26	54

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	2.4	3	<1	1	2	3	5	6	8
20-34	555	2.3	3	<1	1	1	3	4	6	10
35-49	96	2.1	3	<1	<1	1	3	4	5	10
50-64	10	2.2	2	<1	<1	1	3	5	5	5
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	162	3.3	6	1	1	3	5	7	8	12
20-34	914	2.9	6	<1	1	2	4	6	7	13
35-49	223	3.4	13	<1	1	3	4	7	8	17
50-64	34	4.6	38	1	1	4	5	9	12	36
65 +	32	9.3	83	1	2	6	14	24	29	30
TOTAL SINGLE DX	835	2.3	3	<1	1	1	3	5	6	9
TOTAL MULTIPLE DX	1365	3.2	11	<1	1	2	4	6	8	18
TOTAL										
0-19 YRS	335	2.9	5	<1	1	2	4	6	7	10
20-34	1469	2.7	6	<1	1	2	4	5	7	11
35-49	319	3.0	11	<1	1	2	4	6	8	15
50-64	44	4.1	31	<1	1	3	5	7	11	36
65 +	33	9.0	82	1	2	5	14	23	29	30
GRAND TOTAL	2200	2.9	9	<1	1	2	4	6	7	15

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	7.1	22	3	4	6	8	14	16	24
20-34	184	5.3	14	2	3	4	6	10	12	23
35-49	172	6.3	16	2	3	6	8	12	15	19
50-64	103	7.2	18	2	4	7	9	12	15	23
65 +	126	9.3	57	2	5	8	11	16	20	45
2. MULTIPLE DX										
0-19 YRS	216	12.4	195	3	4	7	15	30	44	99 +
20-34	631	5.8	41	2	3	4	7	11	14	41
35-49	626	8.3	69	2	4	6	10	17	25	42
50-64	578	10.0	66	2	5	8	12	19	24	44
65 +	1093	12.8	82	4	8	11	16	23	30	55
TOTAL SINGLE DX	649	6.8	27	2	4	6	9	12	15	24
TOTAL MULTIPLE DX	3144	9.9	84	2	4	8	12	20	27	50
TOTAL										
0-19 YRS	280	11.2	161	3	4	7	13	26	37	97
20-34	815	5.7	36	2	3	4	7	10	14	31
35-49	798	7.9	59	2	3	6	9	16	22	40
50-64	681	9.5	60	2	5	8	11	17	23	43
65 +	1219	12.4	81	4	7	10	15	22	29	54
GRAND TOTAL	3793	9.4	75	2	4	7	12	19	25	48

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	6.4	11	2	3	7	8	11	12	13
20-34	20	6.1	2	4	5	6	7	9	9	10
35-49	50	6.5	5	5	5	6	7	8	10	20
50-64	65	6.4	2	5	6	6	7	8	10	11
65 +	54	7.4	7	5	6	7	8	11	13	19
2. MULTIPLE DX										
0-19 YRS	84	7.5	36	3	3	6	9	16	23	28
20-34	93	10.0	127	4	5	7	9	16	35	60
35-49	163	9.7	62	4	5	8	11	16	24	45
50-64	266	10.3	75	5	6	8	11	18	24	50
65 +	461	10.8	50	6	7	9	12	18	25	47
TOTAL SINGLE DX	213	6.7	6	4	5	6	8	9	11	16
TOTAL MULTIPLE DX	1067	10.2	65	5	6	8	11	18	24	50
TOTAL										
0-19 YRS	108	7.3	31	2	3	6	9	14	20	28
20-34	113	9.3	108	4	5	6	9	15	23	59
35-49	213	9.0	51	5	5	7	10	15	22	42
50-64	331	9.5	64	5	6	7	10	15	23	42
65 +	515	10.4	47	5	7	8	11	18	24	46
GRAND TOTAL	1280	9.6	57	5	6	7	10	16	23	47

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	3.0	4	1	1	3	3	6	8	9
35-49	34	4.1	6	1	2	4	5	8	9	11
50-64	22	2.8	2	1	1	3	4	5	6	6
65 +	10	3.8	7	1	2	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	24	5.0	10	1	2	5	8	10	10	10
20-34	31	7.5	46	2	3	6	10	14	16	36
35-49	57	7.4	56	1	3	6	9	15	25	41
50-64	99	7.1	42	1	3	5	9	15	23	33
65 +	185	9.6	59	2	4	8	13	18	21	44
TOTAL SINGLE DX	92	3.4	5	1	2	3	4	7	8	10
TOTAL MULTIPLE DX	396	8.2	52	2	3	6	10	17	22	37
TOTAL										
0-19 YRS	25	5.0	10	1	2	5	8	10	10	10
20-34	56	5.5	32	1	2	3	6	13	14	35
35-49	91	6.2	40	1	3	5	8	11	17	37
50-64	121	6.3	38	1	2	5	7	12	21	32
65 +	195	9.3	58	2	3	8	13	18	21	43
GRAND TOTAL	488	7.3	47	1	3	5	9	16	20	35

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	0									
35-49	2	9.5	5	8	8	9	11	11	11	11
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	28	17.0	356	8	9	10	16	36	54	99
20-34	108	12.3	70	6	8	9	13	21	31	49
35-49	122	12.0	64	7	8	9	14	20	29	50
50-64	56	11.3	40	6	7	10	13	18	20	41
65 +	6	10.5	24	6	6	9	13	18	19	19
TOTAL SINGLE DX	3	8.7	4	7	7	8	10	11	11	11
TOTAL MULTIPLE DX	320	12.4	88	6	8	9	14	20	30	50
TOTAL										
0-19 YRS	29	16.7	347	7	9	10	16	35	51	99
20-34	108	12.3	71	6	8	9	13	21	31	49
35-49	124	12.0	63	7	8	9	13	20	29	50
50-64	56	11.3	40	6	7	10	13	18	20	41
65 +	6	10.5	24	6	6	9	13	18	19	19
GRAND TOTAL	323	12.3	87	6	8	9	14	20	30	50

636: Miscellaneous operations on kidney, except percutaneous nephrostomy 55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	157	3.3	6	1	1	3	4	6	8	12
20-34	98	3.5	7	1	1	3	5	7	9	13
35-49	71	4.3	17	1	1	4	6	8	9	25
50-64	55	4.2	12	1	1	3	6	8	11	19
65 +	43	4.2	14	1	1	3	6	11	13	13
2. MULTIPLE DX										
0-19 YRS	223	5.6	52	1	2	4	7	11	14	38
20-34	250	6.0	47	1	1	4	7	14	18	40
35-49	284	5.9	39	1	1	5	8	13	17	27
50-64	271	7.5	55	1	2	6	10	15	20	39
65 +	360	9.1	65	2	4	7	12	19	23	38
TOTAL SINGLE DX	424	3.7	10	1	1	3	5	8	9	14
TOTAL MULTIPLE DX	1388	7.0	55	1	2	5	9	15	20	35
TOTAL										
0-19 YRS	380	4.6	35	1	2	3	6	9	12	22
20-34	348	5.3	37	1	1	4	6	11	16	35
35-49	355	5.6	35	1	1	4	7	12	16	28
50-64	326	7.0	50	1	2	6	9	14	19	36
65 +	403	8.5	62	1	4	7	11	18	22	35
GRAND TOTAL	1812	6.2	46	1	2	5	8	13	18	33

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	3.3	3	1	2	3	4	5	5	5
20-34	33	4.2	5	1	2	4	6	7	8	9
35-49	37	3.1	3	1	1	3	4	6	6	8
50-64	31	4.9	8	1	2	5	6	9	10	13
65 +	14	5.1	14	1	2	4	8	10	13	14
2. MULTIPLE DX										
0-19 YRS	6	5.5	10	1	4	5	8	10	10	10
20-34	34	5.1	8	2	3	5	6	9	11	13
35-49	59	6.9	61	2	3	6	8	12	13	56
50-64	68	7.2	41	2	4	6	9	13	15	43
65 +	96	8.5	44	2	4	6	11	17	20	35
TOTAL SINGLE DX	119	4.1	7	1	2	4	6	8	9	13
TOTAL MULTIPLE DX	263	7.3	43	2	4	6	9	13	17	35
TOTAL										
0-19 YRS	10	4.6	8	1	3	4	5	9	10	10
20-34	67	4.7	7	1	3	4	6	8	10	13
35-49	96	5.4	43	1	2	4	7	9	12	40
50-64	99	6.5	32	2	3	6	8	11	14	34
65 +	110	8.1	41	2	4	6	11	16	19	34
GRAND TOTAL	**382**	**6.3**	**34**	**1**	**3**	**5**	**8**	**12**	**15**	**32**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	173	4.5	4	2	3	4	5	7	8	11
20-34	11	6.5	5	4	5	6	8	10	10	10
35-49	7	6.4	1	5	5	6	8	8	8	8
50-64	4	7.3	7	5	5	6	9	11	11	11
65 +	7	10.6	45	4	6	9	14	22	23	23
2. MULTIPLE DX										
0-19 YRS	224	6.2	14	3	4	5	7	10	13	21
20-34	39	8.0	16	4	6	7	9	14	17	23
35-49	34	10.4	33	4	7	9	13	18	24	25
50-64	45	11.2	44	4	7	9	14	19	27	30
65 +	59	10.8	38	4	7	9	13	18	24	33
TOTAL SINGLE DX	202	5.0	7	3	3	4	6	8	9	17
TOTAL MULTIPLE DX	401	8.0	27	3	4	7	9	15	19	28
TOTAL										
0-19 YRS	397	5.5	11	3	3	5	7	9	11	20
20-34	50	7.7	14	4	6	7	9	13	15	23
35-49	41	9.7	30	4	6	8	13	16	24	25
50-64	49	10.9	42	4	7	9	14	19	27	30
65 +	66	10.7	39	4	7	9	13	18	24	32
GRAND TOTAL	**603**	**7.0**	**22**	**3**	**4**	**6**	**8**	**13**	**17**	**26**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	2.3	2	1	1	2	3	4	5	6
20-34	220	2.4	2	1	1	2	3	5	6	7
35-49	363	2.1	1	1	1	2	3	4	5	6
50-64	209	2.3	2	1	1	2	3	4	5	9
65 +	76	2.2	1	1	1	2	3	4	4	8
2. MULTIPLE DX										
0-19 YRS	7	3.3	6	1	1	3	5	7	7	7
20-34	129	4.0	13	1	2	3	5	8	11	20
35-49	238	3.3	8	1	1	3	4	6	8	19
50-64	219	3.2	7	1	1	3	4	6	7	16
65 +	212	3.9	13	1	2	3	4	8	10	21
TOTAL SINGLE DX	891	2.2	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	805	3.5	10	1	2	3	4	7	9	19
TOTAL										
0-19 YRS	30	2.6	3	1	1	2	4	5	6	7
20-34	349	3.0	7	1	1	2	4	6	7	15
35-49	601	2.6	5	1	1	2	3	5	6	10
50-64	428	2.8	5	1	1	2	4	5	6	13
65 +	288	3.4	11	1	1	2	4	7	9	19
GRAND TOTAL	**1696**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**14**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	14	3.6	5	1	1	3	6	7	7	7
20-34	14	4.1	4	2	3	3	5	8	9	9
35-49	18	2.6	3	1	1	2	4	6	7	7
50-64	14	3.2	14	1	1	2	3	7	13	15
65 +	22	3.6	20	<1	1	2	4	8	14	21
2. MULTIPLE DX										
0-19 YRS	32	6.6	27	1	3	5	9	12	18	26
20-34	30	5.0	22	1	1	4	7	10	12	23
35-49	37	8.0	89	1	3	6	8	17	21	55
50-64	47	5.7	51	1	1	3	7	11	23	35
65 +	78	8.8	58	1	4	8	10	18	23	43
TOTAL SINGLE DX	82	3.4	10	1	1	3	4	7	8	19
TOTAL MULTIPLE DX	224	7.2	54	1	2	6	9	15	21	39
TOTAL										
0-19 YRS	46	5.7	23	1	3	5	7	10	16	26
20-34	44	4.7	17	1	2	4	6	9	11	23
35-49	55	6.2	67	1	2	4	7	13	18	53
50-64	61	5.2	44	1	1	3	6	11	18	35
65 +	100	7.7	55	1	2	7	10	17	21	38
GRAND TOTAL	**306**	**6.2**	**45**	**1**	**2**	**4**	**8**	**13**	**18**	**33**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	45	1.8	1	<1	<1	1	3	4	5	6
20-34	167	2.4	3	1	1	2	3	5	6	10
35-49	230	2.3	4	<1	1	2	3	5	6	9
50-64	163	2.4	3	<1	1	2	3	5	6	10
65 +	126	2.7	8	<1	1	2	3	6	7	15
2. MULTIPLE DX										
0-19 YRS	101	5.2	57	<1	1	3	6	10	16	44
20-34	235	5.7	47	1	2	4	6	11	18	36
35-49	365	5.2	56	1	2	3	6	10	17	38
50-64	455	5.8	43	1	2	4	8	12	15	30
65 +	1330	7.3	51	1	3	5	9	14	20	36
TOTAL SINGLE DX	731	2.4	5	<1	1	2	3	5	6	10
TOTAL MULTIPLE DX	2486	6.5	51	1	2	5	8	13	19	36
TOTAL										
0-19 YRS	146	4.1	43	<1	1	2	4	8	13	39
20-34	402	4.3	31	1	1	3	5	8	14	30
35-49	595	4.1	38	1	1	3	5	8	12	26
50-64	618	4.9	35	1	2	3	7	10	13	26
65 +	1456	6.9	49	1	2	5	9	14	20	35
GRAND TOTAL	3217	5.5	44	1	2	4	7	12	16	31

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.3		1	1	1	2	2	2	2
20-34	24	1.4		1	1	1	2	3	3	3
35-49	77	2.5	49	1	1	1	2	3	4	50
50-64	243	1.8	1	1	1	1	2	3	4	6
65 +	513	1.8	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	18	4.6	22	1	1	3	7	10	15	19
20-34	33	4.7	32	1	2	3	5	12	18	28
35-49	102	3.7	15	1	1	2	4	9	12	20
50-64	533	2.8	12	1	1	2	3	5	9	20
65 +	2292	3.7	20	1	1	2	4	7	11	22
TOTAL SINGLE DX	861	1.9	6	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	2978	3.5	19	1	1	2	4	7	11	21
TOTAL										
0-19 YRS	22	4.0	20	1	1	2	6	9	14	19
20-34	57	3.3	22	1	1	2	3	7	12	27
35-49	179	3.2	31	1	1	2	3	7	11	23
50-64	776	2.5	9	1	1	2	3	5	7	19
65 +	2805	3.3	17	1	1	2	4	7	10	21
GRAND TOTAL	3839	3.1	16	1	1	2	3	6	9	20

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	11	2.1		<1	1	2	3	3	3	3
35-49	12	1.7		1	1	2	2	3	3	3
50-64	14	2.0	2	1	1	1	2	5	6	6
65 +	15	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	11	5.2	20	<1	1	4	9	12	15	15
35-49	28	4.9	134	1	1	2	4	10	18	62
50-64	49	3.3	9	1	1	2	4	7	11	15
65 +	165	4.7	50	1	2	3	5	9	14	28
TOTAL SINGLE DX	55	2.0	2	1	1	2	3	3	5	6
TOTAL MULTIPLE DX	256	4.5	49	1	2	3	5	9	13	28
TOTAL										
0-19 YRS	6	3.3	8	1	1	3	5	8	8	8
20-34	22	3.6	13	<1	1	2	4	9	12	15
35-49	40	4.0	95	1	1	2	3	5	12	62
50-64	63	3.0	8	1	1	2	4	6	10	15
65 +	180	4.5	47	1	2	3	5	9	13	28
GRAND TOTAL	311	4.1	42	1	1	3	4	8	12	27

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	38	4.0	7	1	2	3	4	7	11	13
20-34	20	4.1	4	1	2	4	6	7	8	8
35-49	60	3.9	5	1	2	3	5	7	8	11
50-64	76	5.6	17	1	2	4	8	11	12	21
65 +	91	4.9	15	1	1	4	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	186	9.0	97	2	3	6	10	22	30	66
20-34	94	8.6	90	2	4	6	11	17	20	59
35-49	115	6.3	52	2	2	4	7	15	19	38
50-64	268	7.4	39	1	3	6	10	15	20	28
65 +	747	7.8	57	1	3	6	11	16	20	39
TOTAL SINGLE DX	285	4.7	12	1	2	4	7	10	12	16
TOTAL MULTIPLE DX	1410	7.8	61	1	3	6	10	16	21	40
TOTAL										
0-19 YRS	224	8.1	86	2	3	5	9	18	28	59
20-34	114	7.8	78	2	3	6	10	15	19	53
35-49	175	5.5	37	2	2	4	6	11	16	27
50-64	344	7.0	35	1	3	6	10	14	18	28
65 +	838	7.4	54	1	2	5	10	15	19	38
GRAND TOTAL	1695	7.3	54	1	3	5	10	15	20	36

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	0									
50-64	3	1.0		1	1	1	1	1	1	1
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	0									
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	8	4.3	15	1	1	2	8	10	10	10
TOTAL SINGLE DX	9	1.3	1	<1	<1	1	1	3	4	4
TOTAL MULTIPLE DX	13	3.2	11	<1	1	2	4	10	10	10
TOTAL										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.6	1	1	1	1	2	3	3	3
65 +	9	3.9	14	1	1	2	7	10	10	10
GRAND TOTAL	22	2.5	8	<1	1	1	2	7	10	10

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	233	1.9	2	<1	1	1	2	4	5	7
20-34	32	2.2	2	1	1	2	3	4	4	10
35-49	41	3.0	5	1	1	3	4	6	6	13
50-64	23	2.2	1	1	1	2	3	4	5	5
65 +	27	1.3		1	1	1	2	2	3	3
2. MULTIPLE DX										
0-19 YRS	128	2.8	5	<1	1	2	4	6	8	12
20-34	32	4.9	33	1	1	3	6	11	19	28
35-49	43	2.7	5	1	1	2	4	5	6	13
50-64	63	2.9	6	1	1	2	4	6	7	14
65 +	97	3.2	9	1	1	2	4	7	9	17
TOTAL SINGLE DX	356	2.1	3	<1	1	1	3	4	5	8
TOTAL MULTIPLE DX	363	3.1	9	1	1	2	4	6	8	15
TOTAL										
0-19 YRS	361	2.2	4	<1	1	1	3	5	6	9
20-34	64	3.6	20	1	1	2	4	6	11	27
35-49	84	2.8	5	1	1	2	4	5	6	13
50-64	86	2.7	5	1	1	2	3	5	6	14
65 +	124	2.8	8	1	1	2	3	6	8	14
GRAND TOTAL	719	2.6	6	<1	1	2	3	5	7	13

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	5	1.6	1	<1	1	1	2	3	3	3
50-64	7	2.9	12	<1	1	1	4	9	10	10
65 +	8	2.5	9	<1	<1	1	2	8	10	10
2. MULTIPLE DX										
0-19 YRS	6	3.7	9	<1	<1	3	6	8	8	8
20-34	21	4.3	7	1	2	4	6	8	9	10
35-49	21	4.3	25	<1	1	3	5	9	16	23
50-64	36	5.9	34	1	2	5	7	15	17	30
65 +	165	7.2	32	2	3	6	10	15	20	27
TOTAL SINGLE DX	27	2.2	6	<1	1	1	2	5	10	10
TOTAL MULTIPLE DX	249	6.4	31	1	3	5	8	14	19	27
TOTAL										
0-19 YRS	9	2.9	7	<1	<1	1	5	7	8	8
20-34	25	3.9	7	1	2	3	6	8	9	10
35-49	26	3.8	22	<1	1	2	4	9	13	23
50-64	43	5.4	32	1	1	4	7	11	17	30
65 +	173	7.0	32	1	3	5	10	15	20	27
GRAND TOTAL	276	6.0	30	1	2	4	8	14	18	27

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	23	1.4		<1	1	1	2	3	3	3
35-49	30	1.1		1	1	1	1	2	2	2
50-64	23	1.9	1	1	1	1	3	4	4	4
65 +	54	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	24	4.2	14	1	1	2	6	11	12	12
20-34	51	3.4	54	1	1	1	3	7	10	52
35-49	49	2.9	51	1	1	1	2	5	9	50
50-64	91	3.2	6	1	1	2	4	6	9	12
65 +	310	4.3	17	1	2	3	5	9	14	21
TOTAL SINGLE DX	140	1.5	1	1	1	1	2	3	3	5
TOTAL MULTIPLE DX	525	3.9	22	1	1	2	5	8	11	21
TOTAL										
0-19 YRS	34	3.3	12	<1	1	1	5	11	11	12
20-34	74	2.8	38	1	1	1	2	5	9	42
35-49	79	2.2	32	1	1	1	1	3	5	39
50-64	114	3.0	6	1	1	2	4	6	8	12
65 +	364	3.9	16	1	1	3	5	8	12	20
GRAND TOTAL	665	3.4	19	1	1	2	4	7	11	20

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	22	3.9	1	2	3	4	5	5	6	6
35-49	133	3.9	1	2	3	4	5	6	6	8
50-64	135	3.9	1	2	3	4	5	5	6	7
65 +	99	4.2	2	2	3	4	5	7	7	9
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	35	4.3	3	3	3	4	5	6	6	13
35-49	283	4.6	1	3	4	4	5	6	6	8
50-64	276	4.7	2	3	4	4	5	6	8	11
65 +	219	5.3	5	3	4	5	6	8	9	14
TOTAL SINGLE DX	389	4.0	2	2	3	4	5	6	6	8
TOTAL MULTIPLE DX	814	4.8	3	3	4	5	5	7	8	12
TOTAL										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	57	4.2	3	3	3	4	5	6	6	13
35-49	416	4.4	2	3	4	4	5	6	6	8
50-64	411	4.5	2	3	4	4	5	6	7	11
65 +	318	4.9	5	2	4	5	6	8	9	13
GRAND TOTAL	1203	4.5	3	3	4	4	5	6	7	11

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	3.5	1	2	3	3	4	5	6	6
35-49	164	3.3	1	2	2	3	4	5	6	7
50-64	178	3.3	2	2	2	3	4	5	5	9
65 +	106	3.5	1	2	3	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	2	6.0	18	3	4	9	77	99 +	99 +	99 +
20-34	48	3.7	3	2	2	3	5	6	6	12
35-49	242	3.6	2	2	3	4	4	5	6	9
50-64	326	3.8	2	2	3	4	5	6	7	10
65 +	321	4.5	5	2	3	4	5	7	9	14
TOTAL SINGLE DX	473	3.4	2	2	2	3	4	5	6	8
TOTAL MULTIPLE DX	939	4.0	4	2	3	4	5	6	7	11
TOTAL										
0-19 YRS	3	6.3	9	3	5	8	54	99 +	99 +	99 +
20-34	72	3.6	3	2	3	3	4	5	6	11
35-49	406	3.5	2	2	3	3	4	5	6	8
50-64	504	3.6	2	2	3	3	4	5	6	10
65 +	427	4.3	5	2	3	4	5	7	8	14
GRAND TOTAL	1412	3.8	3	2	3	4	4	6	7	11

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	2.1	1	<1	1	2	3	4	4	4
20-34	57	2.5	5	1	1	2	3	5	8	12
35-49	99	2.4	2	1	1	2	3	5	6	8
50-64	76	2.2	2	1	1	2	3	4	5	8
65 +	38	2.1	2	1	1	2	2	4	6	7
2. MULTIPLE DX										
0-19 YRS	15	5.4	12	2	3	4	9	10	12	12
20-34	118	4.0	10	1	2	3	5	8	11	15
35-49	125	4.1	15	1	1	3	6	9	11	19
50-64	191	4.8	26	1	2	4	6	10	12	21
65 +	281	6.0	29	1	2	4	8	14	16	26
TOTAL SINGLE DX	280	2.3	3	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	730	5.0	23	1	2	4	7	11	15	22
TOTAL										
0-19 YRS	25	4.1	10	1	2	3	5	10	11	12
20-34	175	3.5	9	1	1	3	4	8	10	15
35-49	224	3.3	10	1	1	2	4	7	10	18
50-64	267	4.1	21	1	1	3	5	8	11	17
65 +	319	5.5	27	1	2	4	8	13	16	25
GRAND TOTAL	1010	4.3	19	1	1	3	5	10	13	20

652: Ultrasonic lithotripsy, except by percutaneous nephrostomy (59.95-59.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	26	1.7	2	1	1	1	1	4	5	6
35-49	46	2.1	4	1	1	1	2	5	8	9
50-64	36	1.5		1	1	1	2	2	3	3
65 +	24	2.0	2	1	1	1	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	3.2	20	1	1	2	4	6	12	23
35-49	34	2.9	5	1	1	2	4	7	8	10
50-64	61	4.7	20	1	2	3	6	10	15	23
65 +	70	3.8	17	1	1	2	4	9	11	23
TOTAL SINGLE DX	134	1.9	2	1	1	1	2	4	5	9
TOTAL MULTIPLE DX	192	3.8	17	1	1	2	5	8	11	23
TOTAL										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	52	2.5	12	1	1	1	3	5	6	23
35-49	80	2.4	5	1	1	1	3	6	8	10
50-64	97	3.5	15	1	1	2	4	8	13	20
65 +	94	3.3	14	1	1	2	4	7	10	23
GRAND TOTAL	326	3.0	12	1	1	2	4	7	9	22

653: Miscellaneous operations on urinary tract (59.0-59.21, 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	5.7	7	3	4	6	8	10	10	10
35-49	13	11.2	51	3	7	9	13	25	27	27
50-64	11	8.8	39	3	6	8	9	16	25	26
65 +	29	10.0	51	4	5	8	13	19	25	34
TOTAL SINGLE DX	11	4.5	4	2	3	4	6	7	8	8
TOTAL MULTIPLE DX	65	9.2	43	3	5	8	10	19	25	33
TOTAL										
0-19 YRS	3	4.0	3	2	3	5	5	5	5	5
20-34	15	5.1	7	2	3	4	6	9	10	10
35-49	15	10.7	46	3	7	9	13	24	26	27
50-64	12	8.4	37	3	5	8	9	15	24	26
65 +	31	9.5	51	3	5	7	12	19	25	34
GRAND TOTAL	76	8.5	40	3	4	7	10	17	25	32

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	1.5		1	1	1	2	2	2	2
35-49	25	2.9	1	1	2	3	4	5	5	6
50-64	656	2.9	1	2	2	3	3	4	5	8
65 +	1639	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	5	4.6	8	2	2	4	7	8	8	8
20-34	8	3.1	6	1	2	2	3	7	9	9
35-49	101	3.7	10	1	2	3	4	6	9	21
50-64	2539	3.5	7	2	2	3	4	5	7	13
65 +	10422	4.4	13	2	3	3	5	7	10	19
TOTAL SINGLE DX	2327	3.2	2	2	2	3	4	5	5	8
TOTAL MULTIPLE DX	13075	4.2	12	2	3	3	5	7	10	18
TOTAL										
0-19 YRS	8	3.5	7	1	1	3	5	8	8	[illegible]
20-34	12	2.6	5	1	1	2	3	5	8	9
35-49	126	3.5	8	1	2	3	4	6	8	20
50-64	3195	3.4	6	2	2	3	4	5	6	12
65 +	12061	4.2	12	2	3	3	5	7	10	18
GRAND TOTAL	15402	4.0	11	2	3	3	4	6	9	18

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	0									
35-49	7	5.7	4	4	5	5	6	9	10	10
50-64	152	6.7	6	4	5	6	8	9	11	13
65 +	237	6.8	4	4	5	7	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	0									
35-49	6	7.3	1	6	6	7	8	9	9	9
50-64	360	7.7	10	5	6	7	9	11	13	20
65 +	949	8.3	19	5	6	7	9	13	15	25
TOTAL SINGLE DX	397	6.7	5	4	5	6	8	9	11	13
TOTAL MULTIPLE DX	1316	8.2	18	5	6	7	9	12	15	25
TOTAL										
0-19 YRS	2	10.5	181	1	1	10	20	20	20	20
20-34	0									
35-49	13	6.5	3	4	5	6	8	9	10	10
50-64	512	7.4	10	5	6	7	9	11	12	20
65 +	1186	8.0	17	5	6	7	9	12	14	24
GRAND TOTAL	1713	7.8	15	5	6	7	9	11	14	23

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	2.0	2	1	1	1	4	4	4	4
50-64	35	1.9	2	<1	1	1	2	5	5	7
65+	58	1.3	1	<1	1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	13	3.3	27	1	1	2	3	9	18	20
50-64	77	4.0	13	1	1	3	5	10	12	16
65+	301	5.6	28	1	2	4	7	13	16	26
TOTAL SINGLE DX	105	1.8	2	<1	1	1	2	4	5	6
TOTAL MULTIPLE DX	393	5.2	26	1	1	3	7	12	15	26
TOTAL										
0-19 YRS	0									
20-34	4	2.5	6	1	1	2	4	6	6	6
35-49	23	2.7	16	1	1	1	3	5	11	20
50-64	112	3.3	11	<1	1	2	4	8	11	15
65+	359	4.9	26	1	1	3	7	12	15	26
GRAND TOTAL	498	4.5	22	1	1	3	6	11	14	25

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.3	1	<1	<1	1	1	2	3	8
20-34	25	2.0	2	<1	1	1	3	4	5	7
35-49	25	2.4	5	1	1	1	4	6	7	9
50-64	17	2.0	8	1	1	1	2	3	9	13
65+	17	1.8	3	1	1	1	2	4	7	8
2. MULTIPLE DX										
0-19 YRS	44	3.9	105	<1	1	1	2	5	16	63
20-34	32	3.3	5	1	1	3	5	7	8	8
35-49	38	5.1	19	1	2	4	7	13	15	17
50-64	40	5.5	39	1	1	3	8	13	28	99+
65+	52	6.1	37	1	2	5	7	14	19	32
TOTAL SINGLE DX	137	1.8	3	<1	1	1	2	4	6	10
TOTAL MULTIPLE DX	206	4.9	44	1	1	3	6	11	16	45
TOTAL										
0-19 YRS	97	2.5	50	<1	<1	1	1	3	5	48
20-34	57	2.7	4	<1	1	2	4	6	7	8
35-49	63	4.0	15	1	1	2	6	9	14	17
50-64	57	4.4	33	1	1	2	6	12	22	94
65+	69	5.0	32	1	1	3	6	11	19	30
GRAND TOTAL	343	3.7	30	<1	1	2	5	8	12	31

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	1.4		<1	1	1	2	3	3	5
20-34	93	1.7	5	1	1	1	2	3	4	15
35-49	51	1.5	1	1	1	1	1	2	3	9
50-64	24	1.6	3	1	1	1	2	2	5	10
65+	80	1.9	5	1	1	1	2	3	6	13
2. MULTIPLE DX										
0-19 YRS	59	2.1	4	1	1	1	2	4	7	12
20-34	54	3.0	8	1	1	2	3	9	10	12
35-49	42	3.2	9	1	1	2	4	9	10	12
50-64	95	4.9	32	1	1	2	7	12	16	28
65+	534	5.1	37	1	1	3	7	12	18	28
TOTAL SINGLE DX	318	1.6	4	1	1	1	2	3	4	11
TOTAL MULTIPLE DX	784	4.6	32	1	1	2	6	11	16	27
TOTAL										
0-19 YRS	129	1.7	3	<1	1	1	2	3	5	10
20-34	147	2.2	7	1	1	1	2	4	7	12
35-49	93	2.2	6	1	1	1	2	6	9	12
50-64	119	4.2	29	1	1	2	6	10	15	27
65+	614	4.6	35	1	1	2	6	11	17	27
GRAND TOTAL	1102	3.7	26	1	1	2	4	9	13	26

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	306	1.1		<1	<1	1	1	1	2	3
20-34	36	1.2		<1	1	1	1	2	2	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	155	2.2	44	<1	1	1	2	3	3	70
20-34	13	1.8	1	<1	1	1	2	3	5	5
35-49	3	1.7		<1	<1	2	2	2	2	2
50-64	4	6.0	45	2	2	3	10	16	16	16
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL SINGLE DX	345	1.1		<1	<1	1	1	1	2	3
TOTAL MULTIPLE DX	176	2.2	41	<1	1	1	2	3	4	65
TOTAL										
0-19 YRS	461	1.5	15	<1	<1	1	1	2	3	6
20-34	49	1.3	1	<1	1	1	1	2	3	5
35-49	6	1.3		<1	1	1	2	2	2	2
50-64	4	6.0	45	2	2	3	10	16	16	16
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	521	1.5	14	<1	<1	1	1	2	3	6

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	66	1.2		<1	1	1	1	2	2	6
20-34	19	1.7		<1	1	1	2	3	4	4
35-49	12	2.0	5	1	1	1	2	4	8	9
50-64	7	2.9	24	<1	1	1	1	11	14	14
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	25	3.1	28	<1	1	1	2	9	15	25
20-34	11	1.5		<1	1	1	2	3	3	3
35-49	6	4.3	8	1	1	5	6	8	8	8
50-64	6	1.7		1	1	2	2	3	3	3
65+	6	7.3	185	1	1	2	4	32	35	35
TOTAL SINGLE DX	105	1.6	3	<1	1	1	1	2	4	12
TOTAL MULTIPLE DX	54	3.2	34	<1	1	1	2	6	11	35
TOTAL										
0-19 YRS	91	1.7	9	<1	1	1	1	2	5	20
20-34	30	1.6	1	<1	1	1	2	3	3	4
35-49	18	2.8	7	1	1	2	4	7	9	9
50-64	13	2.3	13	<1	1	1	2	5	12	14
65+	7	7.7	155	1	1	2	8	30	35	35
GRAND TOTAL	159	2.1	14	<1	1	1	2	4	7	24

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	0									
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
TOTAL SINGLE DX	2	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	6	2.5	2	1	1	2	4	4	4	4
TOTAL										
0-19 YRS	0									
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	0									
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	8	2.1	2	<1	<1	2	3	4	4	4

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	1.0		<1	1	1	1	1	1	2
20-34	19	1.6	2	<1	1	1	1	3	5	7
35-49	27	1.2		<1	1	1	1	1	3	5
50-64	19	1.5	1	<1	1	1	2	2	5	7
65+	8	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	12	2.9	10	<1	1	1	4	9	9	9
20-34	12	2.0	1	<1	1	2	3	4	5	5
35-49	25	1.4		1	1	1	2	2	3	4
50-64	20	1.4		1	1	1	2	3	3	3
65+	17	2.5	5	1	1	2	3	5	9	10
TOTAL SINGLE DX	109	1.3	1	<1	1	1	1	2	3	7
TOTAL MULTIPLE DX	86	1.9	3	1	1	1	2	3	6	10
TOTAL										
0-19 YRS	48	1.5	3	<1	1	1	1	2	6	9
20-34	31	1.7	2	<1	1	1	2	3	5	7
35-49	52	1.3	1	1	1	1	1	2	3	5
50-64	39	1.5	1	1	1	1	2	2	3	7
65+	25	2.1	4	1	1	1	2	3	7	10
GRAND TOTAL	195	1.5	2	<1	1	1	1	3	4	9

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	64	1.6	12	<1	<1	<1	1	1	2	25
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	3	2.7	8	<1	<1	<1	5	6	6	6
50-64	4	1.0		<1	<1	<1	1	1	1	1
65+	8	1.9	6	<1	<1	1	1	6	8	8
2. MULTIPLE DX										
0-19 YRS	31	3.2	27	<1	<1	<1	2	8	20	21
20-34	4	1.0		<1	<1	1	1	1	1	1
35-49	8	1.8	1	<1	1	1	2	4	4	4
50-64	16	2.9	9	1	1	1	4	9	9	9
65+	23	6.7	36	<1	1	4	10	17	19	21
TOTAL SINGLE DX	82	1.6	10	<1	<1	<1	1	1	4	22
TOTAL MULTIPLE DX	82	3.9	25	<1	<1	1	4	10	17	21
TOTAL										
0-19 YRS	95	2.1	17	<1	<1	<1	1	2	9	24
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49	11	2.0	3	<1	<1	1	3	5	6	6
50-64	20	2.5	8	<1	1	1	2	8	9	9
65+	31	5.5	33	<1	1	3	9	15	18	21
GRAND TOTAL	164	2.7	19	<1	<1	1	2	8	11	21

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	2.0		2	2	2	2	2	2	2
35-49	18	2.1	4	1	1	2	2	4	8	10
50-64	120	1.7		1	1	1	2	3	4	4
65 +	88	1.7	1	1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	0									
20-34	18	3.1	4	1	2	3	3	6	8	9
35-49	90	2.4	2	1	1	2	3	4	6	9
50-64	299	2.1	5	1	1	2	3	4	5	8
65 +	271	2.0	2	1	1	2	2	4	5	8
TOTAL SINGLE DX	229	1.7	1	1	1	1	2	3	4	5
TOTAL MULTIPLE DX	678	2.1	4	1	1	2	3	4	5	8
TOTAL										
0-19 YRS	0									
20-34	21	2.9	4	1	2	2	3	6	7	9
35-49	108	2.3	3	1	1	2	3	4	6	10
50-64	419	2.0	4	1	1	2	2	3	4	7
65 +	359	1.9	2	1	1	1	2	3	4	8
GRAND TOTAL	907	2.0	3	1	1	2	2	4	4	8

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.6		<1	1	1	2	3	4	4
20-34	17	2.0	1	1	1	2	3	4	5	5
35-49	24	2.4	4	<1	1	1	3	5	7	8
50-64	24	2.0	2	1	1	2	2	3	6	7
65 +	18	2.5	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
0-19 YRS	30	2.8	18	<1	1	1	3	5	7	24
20-34	32	4.5	18	1	2	3	6	9	10	23
35-49	31	4.4	22	1	1	2	5	12	16	20
50-64	35	5.1	31	1	1	3	6	14	19	22
65 +	49	4.6	28	1	2	3	5	9	20	26
TOTAL SINGLE DX	107	2.1	2	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	177	4.3	25	1	1	2	5	9	17	24
TOTAL										
0-19 YRS	54	2.3	11	<1	1	1	2	4	6	23
20-34	49	3.6	14	1	1	2	4	8	10	23
35-49	55	3.5	16	1	1	2	5	7	12	20
50-64	59	3.8	22	1	1	2	5	9	16	22
65 +	67	4.0	23	1	1	2	5	8	13	25
GRAND TOTAL	284	3.5	18	1	1	2	4	8	11	23

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	158	3.2	1	2	3	3	4	4	5	7
20-34	445	3.2	1	2	3	3	4	4	5	6
35-49	66	3.3	1	2	3	3	4	5	5	6
50-64	10	4.9	3	3	4	4	6	8	8	8
65 +	5	5.8	4	3	4	6	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	145	3.9	4	2	3	3	4	5	7	12
20-34	1041	3.7	2	2	3	4	4	5	6	9
35-49	293	4.2	7	2	3	4	5	6	9	17
50-64	32	6.9	22	3	4	6	8	13	16	25
65 +	37	8.1	16	4	5	7	12	15	16	16
TOTAL SINGLE DX	684	3.3	1	2	3	3	4	5	5	7
TOTAL MULTIPLE DX	1548	4.0	5	2	3	4	4	6	8	14
TOTAL										
0-19 YRS	303	3.5	3	2	3	3	4	5	6	11
20-34	1486	3.6	2	2	3	3	4	5	6	9
35-49	359	4.0	6	2	3	4	4	6	8	16
50-64	42	6.4	19	3	4	5	8	11	15	25
65 +	42	7.9	15	4	5	6	11	14	16	16
GRAND TOTAL	2232	3.8	4	2	3	3	4	5	7	12

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	3.7	1	2	3	3	4	5	7	9
20-34	350	3.6	1	2	3	3	4	5	5	8
35-49	204	3.6	2	3	3	3	4	5	5	10
50-64	24	3.9	1	3	3	4	4	5	6	8
65 +	15	6.5	60	3	3	4	5	18	28	31
2. MULTIPLE DX										
0-19 YRS	119	4.8	20	3	3	4	5	7	9	24
20-34	1126	4.0	3	3	3	4	4	6	7	10
35-49	640	4.3	5	3	3	4	5	6	7	12
50-64	87	6.4	22	3	4	5	8	13	15	75
65 +	103	8.2	54	4	4	6	10	13	19	45
TOTAL SINGLE DX	680	3.7	3	2	3	3	4	5	6	9
TOTAL MULTIPLE DX	2075	4.4	9	3	3	4	5	6	8	16
TOTAL										
0-19 YRS	206	4.4	13	3	3	4	5	7	7	13
20-34	1476	3.9	3	3	3	4	4	5	6	10
35-49	844	4.1	5	3	3	4	4	6	7	12
50-64	111	5.8	19	3	4	4	7	11	15	59
65 +	118	8.0	55	3	4	6	9	14	20	42
GRAND TOTAL	2755	4.3	8	3	3	4	5	6	8	15

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	46	3.5	1	2	3	3	4	5	6	7
35-49	80	3.8	1	3	3	4	4	5	6	8
50-64	57	4.1	2	3	3	4	5	6	7	11
65 +	22	5.0	5	3	4	4	6	8	10	12
2. MULTIPLE DX										
0-19 YRS	6	4.2		4	4	4	4	5	5	5
20-34	291	4.2	2	3	3	4	5	6	7	9
35-49	740	4.5	4	3	3	4	5	7	8	14
50-64	276	6.0	15	3	4	5	7	10	14	26
65 +	254	8.3	41	4	5	6	9	13	18	39
TOTAL SINGLE DX	207	3.9	2	3	3	4	4	5	6	10
TOTAL MULTIPLE DX	1567	5.3	14	3	4	4	6	9	11	21
TOTAL										
0-19 YRS	8	3.9	1	2	4	4	4	5	5	5
20-34	337	4.1	2	3	3	4	5	6	7	9
35-49	820	4.4	4	3	3	4	5	6	8	14
50-64	333	5.7	14	3	4	5	6	10	12	23
65 +	276	8.1	39	4	5	6	9	13	18	38
GRAND TOTAL	1774	5.2	13	3	3	4	5	8	11	19

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	35	2.7	2	1	1	3	4	5	6	7
20-34	96	2.4	2	<1	1	2	3	4	5	8
35-49	22	2.6	2	<1	1	3	3	4	6	7
50-64	0									
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	39	3.4	4	1	2	3	4	6	9	10
20-34	431	3.1	2	1	2	3	4	5	5	7
35-49	123	3.3	6	1	2	3	4	5	6	13
50-64	3	8.0	37	4	4	5	12	15	15	15
65 +	6	9.3	65	<1	3	7	16	21	22	22
TOTAL SINGLE DX	154	2.5	2	<1	1	3	3	4	6	7
TOTAL MULTIPLE DX	602	3.2	4	1	2	3	4	5	6	10
TOTAL										
0-19 YRS	74	3.1	4	1	2	3	4	5	7	10
20-34	527	3.0	2	1	2	3	4	5	5	7
35-49	145	3.2	6	1	2	3	4	5	6	9
50-64	3	8.0	37	4	4	5	12	15	15	15
65 +	7	8.1	64	<1	1	6	14	21	22	22
GRAND TOTAL	756	3.1	4	1	2	3	4	5	6	9

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	132	1.1		<1	<1	<1	1	1	2	4
35-49	33	1.1		<1	<1	<1	1	1	1	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	157	1.9	2	<1	1	2	2	3	4	7
35-49	64	1.8	1	<1	<1	1	2	3	4	8
50-64	0									
65 +	0									
TOTAL SINGLE DX	166	1.1		<1	<1	<1	1	1	2	4
TOTAL MULTIPLE DX	224	1.9	2	<1	1	2	2	3	4	7
TOTAL										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	289	1.6	1	<1	<1	1	2	3	3	5
35-49	97	1.5	1	<1	<1	1	2	3	4	7
50-64	0									
65 +	0									
GRAND TOTAL	390	1.6	1	<1	<1	1	2	3	3	5

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3	2	< 1	< 1	2	3	4	4	4
20-34	155	1.7		< 1	< 1	1	2	3	4	5
35-49	72	1.8	1	< 1	1	1	3	4	4	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14	2.4	2	1	1	2	3	4	6	6
20-34	1920	2.4	2	1	2	2	3	3	4	7
35-49	384	2.5	2	1	2	2	3	4	4	8
50-64	2	3.0		3	3	3	3	3	3	3
65 +	0									
TOTAL SINGLE DX	232	1.8	1	< 1	< 1	1	2	3	4	5
TOTAL MULTIPLE DX	2320	2.4	3	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	17	2.4	2	1	1	2	3	4	5	6
20-34	2075	2.3	3	1	2	2	3	3	4	7
35-49	456	2.4	3	1	2	2	3	4	4	8
50-64	4	2.8		2	2	3	3	3	3	3
65 +	0									
GRAND TOTAL	**2552**	**2.3**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	106	3.2	1	2	3	3	4	5	5	6
20-34	1309	3.1	1	2	3	3	4	4	5	6
35-49	317	3.1	1	2	3	3	4	4	5	6
50-64	1	3.0		3	3	3	3	3	3	3
65 +	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	132	3.6	1	2	3	3	4	5	6	8
20-34	1763	3.5	1	2	3	3	4	5	5	8
35-49	447	3.5	1	2	3	3	4	5	6	8
50-64	7	7.4	17	3	4	7	10	13	14	14
65 +	6	8.2	26	4	4	6	11	16	17	17
TOTAL SINGLE DX	1734	3.1	1	2	3	3	4	4	5	6
TOTAL MULTIPLE DX	2355	3.5	2	2	3	3	4	5	6	8
TOTAL										
0-19 YRS	238	3.4	1	2	3	3	4	5	6	7
20-34	3072	3.3	1	2	3	3	4	5	5	7
35-49	764	3.4	2	2	3	3	4	5	5	8
50-64	8	6.9	17	3	3	6	10	13	14	14
65 +	7	7.6	24	4	4	5	10	16	17	17
GRAND TOTAL	**4089**	**3.3**	**2**	**2**	**3**	**3**	**4**	**5**	**5**	**7**

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	40	1.3		< 1	< 1	1	1	2	3	3
35-49	29	1.4	1	< 1	1	1	1	3	5	6
50-64	5	1.4	1	< 1	< 1	1	2	3	3	3
65 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	42	1.8	1	< 1	1	1	3	4	5	5
35-49	30	2.1	6	1	1	1	2	4	6	14
50-64	11	1.9	2	1	1	1	3	5	6	6
65 +	13	7.4	237	1	1	2	5	19	51	58
TOTAL SINGLE DX	76	1.3	1	< 1	< 1	1	1	2	3	6
TOTAL MULTIPLE DX	100	2.6	35	1	1	1	3	5	6	36
TOTAL										
0-19 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
20-34	82	1.6	1	< 1	1	1	2	4	4	5
35-49	59	1.8	4	1	1	1	1	4	6	13
50-64	16	1.8	2	1	1	1	2	4	5	6
65 +	15	6.5	208	1	1	2	5	9	46	58
GRAND TOTAL	**176**	**2.1**	**21**	**<1**	**1**	**1**	**2**	**4**	**5**	**13**

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
20-34	17	1.3		< 1	1	1	2	2	3	3
35-49	18	1.8	2	< 1	< 1	1	2	4	6	7
50-64	9	2.6	10	< 1	< 1	1	2	8	10	10
65 +	12	2.6	2	< 1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	3	15.3	616	1	1	1	33	44	44	44
20-34	44	3.1	14	1	1	2	3	6	12	19
35-49	28	3.6	19	< 1	1	2	4	8	16	19
50-64	16	10.2	509	1	1	3	8	16	70	93
65 +	70	6.3	82	1	2	4	6	12	24	55
TOTAL SINGLE DX	58	1.9	3	< 1	< 1	1	2	5	6	10
TOTAL MULTIPLE DX	161	5.5	104	1	1	3	5	10	19	59
TOTAL										
0-19 YRS	5	9.6	370	< 1	< 1	1	12	44	44	44
20-34	61	2.6	11	< 1	1	1	3	4	8	19
35-49	46	2.9	14	< 1	1	1	4	7	10	19
50-64	25	7.4	336	< 1	1	2	6	12	36	93
65 +	82	5.7	72	1	2	3	6	10	23	51
GRAND TOTAL	**219**	**4.6**	**80**	**<1**	**1**	**2**	**4**	**9**	**17**	**49**

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	2.2	2	<1	1	2	2	4	6	7
20-34	234	1.7	7	1	1	1	2	2	4	12
35-49	59	1.7	4	1	1	1	2	3	4	16
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
2. MULTIPLE DX										
0-19 YRS	10	4.0	2	2	3	4	5	6	6	6
20-34	137	2.5	5	1	1	2	3	5	8	12
35-49	42	2.3	3	1	1	2	3	5	8	99+
50-64	0									
65+	0									
TOTAL SINGLE DX	307	1.7	7	1	1	1	2	3	4	14
TOTAL MULTIPLE DX	189	2.6	5	1	1	2	3	5	8	13
TOTAL										
0-19 YRS	23	3.0	3	1	2	3	4	6	7	7
20-34	371	2.0	7	1	1	1	2	4	5	12
35-49	101	2.0	4	1	1	1	2	4	5	57
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	0									
GRAND TOTAL	496	2.0	6	1	1	1	2	4	5	13

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	141	3.4	1	2	3	4	4	4	5	7
35-49	74	3.4	1	1	3	3	4	5	5	6
50-64	4	3.3	15	1	1	2	5	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	6.3	24	3	4	4	14	83	99+	99+
20-34	358	3.7	1	2	3	4	4	5	6	9
35-49	245	3.9	3	2	3	4	4	5	7	9
50-64	23	6.1	55	<1	1	4	7	15	24	32
65+	26	8.6	40	1	4	7	12	17	23	23
TOTAL SINGLE DX	222	3.4	2	1	3	3	4	5	5	7
TOTAL MULTIPLE DX	658	4.1	7	2	3	4	4	6	7	17
TOTAL										
0-19 YRS	8	5.3	22	2	3	4	9	66	99+	99+
20-34	499	3.6	2	2	3	4	4	5	6	8
35-49	319	3.7	3	2	3	4	4	5	6	9
50-64	27	5.7	50	<1	1	3	7	13	22	32
65+	27	8.4	40	1	4	7	12	17	23	23
GRAND TOTAL	880	3.9	6	2	3	4	4	5	7	15

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	377	4.0	1	3	3	4	4	5	5	9
35-49	922	4.1	1	3	3	4	4	5	6	9
50-64	317	4.3	1	3	4	4	5	6	6	10
65+	193	5.1	10	3	4	4	5	7	8	23
2. MULTIPLE DX										
0-19 YRS	21	6.1	33	2	3	4	6	12	21	27
20-34	3736	4.3	2	3	4	4	5	6	7	10
35-49	10976	4.4	3	3	4	4	5	6	7	10
50-64	2775	4.9	5	3	4	4	5	7	8	15
65+	1463	6.5	18	4	4	5	7	10	14	24
TOTAL SINGLE DX	1812	4.2	2	3	3	4	5	5	6	10
TOTAL MULTIPLE DX	18971	4.6	5	3	4	4	5	6	8	13
TOTAL										
0-19 YRS	24	5.7	30	2	3	4	6	10	20	27
20-34	4113	4.3	3	3	4	4	5	6	7	10
35-49	11898	4.4	3	3	4	4	5	6	7	10
50-64	3092	4.8	5	3	4	4	5	7	8	15
65+	1656	6.3	18	4	4	5	7	10	13	24
GRAND TOTAL	20783	4.6	5	3	4	4	5	6	8	12

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	303	3.1		2	3	3	4	4	5	5
35-49	399	3.4		2	3	3	4	4	5	6
50-64	163	4.0	2	3	3	4	4	5	6	11
65+	142	4.5	1	3	4	4	5	6	7	10
2. MULTIPLE DX										
0-19 YRS	6	3.0	2	<1	1	4	4	4	4	4
20-34	1770	3.5	1	2	3	3	4	5	5	7
35-49	3939	3.6	1	2	3	3	4	5	5	7
50-64	1157	4.1	1	3	3	4	5	6	6	8
65+	830	4.9	3	3	4	5	6	7	8	11
TOTAL SINGLE DX	1009	3.6	1	2	3	3	4	5	5	7
TOTAL MULTIPLE DX	7702	3.8	2	2	3	4	4	5	6	8
TOTAL										
0-19 YRS	8	3.0	2	<1	1	4	4	4	4	4
20-34	2073	3.4	1	2	3	3	4	5	5	7
35-49	4338	3.5	2	2	3	3	4	5	5	7
50-64	1320	4.1	2	3	3	4	5	5	6	8
65+	972	4.8	3	3	4	5	5	7	8	11
GRAND TOTAL	8711	3.7	2	2	3	4	4	5	6	8

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	12	7.3	1	6	7	7	8	9	10	10
35-49	9	7.9	2	6	7	8	9	10	11	11
50-64	4	9.5	1	9	9	9	10	11	11	11
65 +	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	28	9.1	34	6	7	7	8	17	23	32
35-49	50	10.3	84	6	7	8	10	17	24	64
50-64	37	11.8	44	6	7	9	15	23	24	33
65 +	38	14.8	231	6	6	10	16	30	39	90
TOTAL SINGLE DX	28	8.1	2	6	7	8	9	10	11	11
TOTAL MULTIPLE DX	154	11.6	104	6	7	8	12	22	29	63
TOTAL										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	40	8.6	25	6	7	7	8	11	21	32
35-49	59	9.9	73	6	7	8	9	15	22	61
50-64	41	11.6	41	6	8	9	14	22	24	33
65 +	40	14.5	221	6	6	10	16	29	38	90
GRAND TOTAL	182	11.0	90	6	7	8	11	20	25	57

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	20	1.1		< 1	< 1	1	1	1	2	3
20-34	101	1.5		< 1	1	1	2	3	3	5
35-49	18	1.0		< 1	< 1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	14	2.9	2	< 1	1	3	4	5	6	6
20-34	107	3.1	18	< 1	1	1	3	7	9	25
35-49	16	3.2	44	< 1	1	1	2	4	21	28
50-64	0									
65 +	0									
TOTAL SINGLE DX	139	1.4	1	< 1	< 1	1	1	2	3	5
TOTAL MULTIPLE DX	137	3.1	20	< 1	1	1	3	6	9	26
TOTAL										
0-19 YRS	34	1.8	2	< 1	< 1	1	2	4	5	6
20-34	208	2.3	10	< 1	1	1	2	4	7	22
35-49	34	2.0	21	< 1	< 1	1	1	2	4	28
50-64	0									
65 +	0									
GRAND TOTAL	276	2.2	11	<1	1	1	2	4	6	24

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	363	1.2		< 1	< 1	1	1	2	2	5
20-34	1913	1.2		< 1	< 1	1	1	2	3	4
35-49	487	1.2		< 1	< 1	1	1	1	2	5
50-64	59	1.3		< 1	< 1	< 1	1	2	3	5
65 +	33	1.3		< 1	< 1	< 1	1	2	2	6
2. MULTIPLE DX										
0-19 YRS	183	2.5	11	1	1	2	3	4	6	30
20-34	1280	2.4	9	< 1	1	2	3	5	6	11
35-49	645	2.1	10	< 1	1	1	2	4	6	13
50-64	185	2.4	12	< 1	< 1	1	2	6	8	14
65 +	184	4.3	24	< 1	1	2	6	10	16	24
TOTAL SINGLE DX	2855	1.2	1	< 1	< 1	1	1	2	3	4
TOTAL MULTIPLE DX	2477	2.5	12	< 1	1	1	3	5	7	16
TOTAL										
0-19 YRS	546	1.7	5	< 1	1	1	2	3	4	10
20-34	3193	1.7	5	< 1	1	1	2	3	4	7
35-49	1132	1.7	6	< 1	< 1	1	1	3	4	11
50-64	244	2.2	10	< 1	< 1	1	2	5	7	12
65 +	217	3.9	22	< 1	1	2	5	9	15	23
GRAND TOTAL	5332	1.8	6	<1	<1	1	2	3	5	10

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	13	1.4		< 1	< 1	< 1	1	3	4	4
20-34	69	1.5	1	< 1	< 1	1	1	3	4	7
35-49	10	1.9	2	< 1	1	1	2	5	5	5
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	25	2.0	4	< 1	< 1	1	2	4	7	11
20-34	125	2.7	12	< 1	< 1	1	2	6	10	18
35-49	24	2.3	6	< 1	< 1	1	2	5	8	12
50-64	0									
65 +	0									
TOTAL SINGLE DX	92	1.5	1	< 1	< 1	1	1	3	4	7
TOTAL MULTIPLE DX	174	2.5	11	< 1	< 1	1	2	6	9	17
TOTAL										
0-19 YRS	38	1.8	3	< 1	< 1	1	2	3	5	11
20-34	194	2.2	9	< 1	< 1	1	2	5	8	17
35-49	34	2.1	5	< 1	< 1	1	2	5	7	12
50-64	0									
65 +	0									
GRAND TOTAL	266	2.2	8	<1	<1	1	2	5	8	17

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	87	1.2		<1	<1	1	1	1	3	4
20-34	474	1.2		<1	<1	1	1	2	2	4
35-49	123	1.1		<1	<1	1	1	1	2	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	41	2.0	2	<1	1	1	2	3	5	10
20-34	222	2.0	3	<1	1	1	2	4	6	9
35-49	56	1.8	4	<1	1	1	2	3	4	14
50-64	5	6.6	59	1	1	1	14	16	16	16
65 +	5	5.8	30	1	2	5	8	15	15	15
TOTAL SINGLE DX	684	1.2		<1	<1	1	1	1	2	4
TOTAL MULTIPLE DX	329	2.1	5	<1	1	1	2	4	6	15
TOTAL										
0-19 YRS	128	1.4	1	<1	<1	1	1	3	3	7
20-34	696	1.4	1	<1	<1	1	1	2	4	6
35-49	179	1.3	1	<1	<1	1	1	2	3	5
50-64	5	6.6	59	1	1	1	14	16	16	16
65 +	5	5.8	31	1	2	5	8	15	15	15
GRAND TOTAL	**1013**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64	0									
65 +	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	47	4.4	13	2	3	4	4	6	10	24
35-49	10	2.7	1	1	2	3	3	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	4	3.5	1	2	2	3	4	5	5	5
TOTAL SINGLE DX	10	2.5	1	1	2	2	3	4	4	4
TOTAL MULTIPLE DX	64	4.1	10	2	3	4	4	5	8	23
TOTAL										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	50	4.2	13	2	3	4	4	6	9	24
35-49	14	2.7	1	2	2	3	3	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65 +	7	3.3	1	2	2	3	4	5	5	5
GRAND TOTAL	**74**	**3.9**	**9**	**2**	**3**	**3**	**4**	**5**	**8**	**22**

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	2.1	1	<1	1	2	3	4	4	4
20-34	61	2.6	7	<1	1	2	3	4	5	19
35-49	24	1.8	1	<1	<1	1	2	4	5	6
50-64	7	2.4	1	<1	1	3	3	4	4	4
65 +	7	2.4	1	1	1	2	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	3.8	27	1	1	2	4	6	16	25
20-34	168	2.7	5	<1	1	2	4	5	6	13
35-49	68	3.2	25	<1	1	2	4	5	6	31
50-64	23	2.9	2	1	2	3	4	5	6	7
65 +	20	4.0	13	1	2	3	5	7	12	17
TOTAL SINGLE DX	111	2.3	5	<1	1	2	3	4	5	12
TOTAL MULTIPLE DX	299	3.0	12	<1	1	2	4	5	7	21
TOTAL										
0-19 YRS	32	3.2	18	1	1	2	4	5	7	25
20-34	229	2.7	6	<1	1	2	4	5	6	14
35-49	92	2.8	20	<1	1	2	3	5	6	31
50-64	30	2.8	2	1	2	3	4	4	6	7
65 +	27	3.6	11	1	2	3	5	7	9	17
GRAND TOTAL	**410**	**2.8**	**10**	**<1**	**1**	**2**	**4**	**5**	**6**	**19**

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	27	3.0	1	1	2	3	4	5	6	7
35-49	95	2.8	1	1	2	3	4	4	5	5
50-64	242	3.3	1	2	2	3	4	5	6	7
65 +	245	3.6	2	2	3	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	63	3.1	2	1	2	3	4	5	6	7
35-49	294	3.9	3	2	3	4	4	5	6	13
50-64	546	3.9	2	2	3	4	5	6	6	9
65 +	651	4.3	3	2	3	4	5	7	7	12
TOTAL SINGLE DX	609	3.3	2	2	2	3	4	5	6	8
TOTAL MULTIPLE DX	1557	4.0	3	2	3	4	5	6	7	10
TOTAL										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	90	3.1	2	1	2	3	4	5	6	7
35-49	389	3.6	3	2	3	3	4	5	6	9
50-64	788	3.7	2	2	3	4	4	5	6	9
65 +	896	4.1	4	2	3	4	5	6	7	11
GRAND TOTAL	**2166**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.8	3	<1	1	1	2	3	5	10
20-34	60	2.4	3	1	1	2	3	4	5	13
35-49	28	3.2	6	1	1	2	4	7	8	12
50-64	28	3.5	6	1	2	3	4	6	8	14
65 +	22	4.1	4	2	3	4	6	7	8	9
2. MULTIPLE DX										
0-19 YRS	25	3.4	12	1	1	2	4	9	12	13
20-34	63	2.9	2	1	2	3	4	5	7	8
35-49	52	3.3	6	1	2	3	4	7	9	13
50-64	86	5.6	17	2	3	5	7	9	13	26
65 +	103	6.6	27	3	4	5	8	12	18	29
TOTAL SINGLE DX	162	2.9	5	1	1	2	4	6	7	14
TOTAL MULTIPLE DX	329	4.9	18	1	2	4	6	9	12	23
TOTAL										
0-19 YRS	49	2.6	8	<1	1	2	3	7	10	13
20-34	123	2.7	3	1	1	2	3	5	6	10
35-49	80	3.3	6	1	2	2	4	7	9	13
50-64	114	5.1	16	2	3	4	6	9	12	24
65 +	125	6.2	24	3	3	5	7	11	15	27
GRAND TOTAL	**491**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	3.3	12	<1	1	3	4	9	12	15
20-34	93	2.5	2	1	1	2	4	5	5	6
35-49	34	2.0	3	<1	1	1	3	4	4	11
50-64	29	3.4	8	1	2	3	4	5	9	16
65 +	40	3.4	3	1	2	3	4	5	8	10
2. MULTIPLE DX										
0-19 YRS	63	2.6	12	1	1	1	3	5	9	20
20-34	210	3.1	8	1	1	2	4	6	9	16
35-49	107	5.1	21	1	2	4	6	11	14	26
50-64	91	5.2	34	1	3	4	6	9	14	37
65 +	193	5.0	37	1	2	4	6	8	13	33
TOTAL SINGLE DX	219	2.8	5	1	1	2	4	5	6	12
TOTAL MULTIPLE DX	664	4.2	24	1	2	3	5	8	11	22
TOTAL										
0-19 YRS	86	2.8	12	1	1	2	3	6	10	19
20-34	303	2.9	7	1	1	2	4	5	8	12
35-49	141	4.3	19	1	1	3	5	10	12	26
50-64	120	4.8	29	1	2	3	5	9	13	28
65 +	233	4.7	32	1	2	4	5	8	12	28
GRAND TOTAL	**883**	**3.9**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	36	2.0	2	<1	1	1	3	3	5	8
20-34	52	2.0	3	<1	1	1	2	4	7	9
35-49	20	2.0	3	<1	<1	1	2	3	6	9
50-64	7	1.4		1	1	1	2	3	3	3
65 +	9	4.1	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	28	5.0	41	1	2	2	6	9	25	27
20-34	69	3.9	47	1	1	2	3	9	29	86
35-49	39	4.7	29	1	2	3	6	12	14	29
50-64	22	7.1	69	1	2	3	9	20	29	30
65 +	40	7.5	79	1	2	5	9	17	27	44
TOTAL SINGLE DX	124	2.1	3	<1	1	1	3	4	6	9
TOTAL MULTIPLE DX	198	5.3	53	1	1	2	6	14	28	39
TOTAL										
0-19 YRS	64	3.3	21	<1	1	2	3	7	9	27
20-34	121	3.1	29	1	1	2	3	5	13	51
35-49	59	3.8	22	<1	1	2	4	10	13	28
50-64	29	5.8	59	1	1	3	6	16	28	30
65 +	49	6.9	67	1	2	4	8	15	21	44
GRAND TOTAL	**322**	**4.1**	**36**	**1**	**1**	**2**	**4**	**9**	**15**	**33**

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	4.0	10	1	1	3	6	8	8	8
50-64	5	4.4	20	<1	1	2	7	12	12	12
65 +	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	0									
20-34	4	4.8	8	3	3	4	6	9	9	9
35-49	10	6.2	17	1	2	7	9	11	12	12
50-64	26	8.9	91	2	3	6	9	19	26	47
65 +	31	7.7	39	2	3	6	9	17	20	29
TOTAL SINGLE DX	13	3.6	10	1	2	2	5	9	11	12
TOTAL MULTIPLE DX	71	7.8	54	2	3	6	9	16	20	43
TOTAL										
0-19 YRS	0									
20-34	6	3.8	7	1	3	3	4	8	9	9
35-49	14	5.6	15	1	2	5	9	11	12	12
50-64	31	8.2	82	2	3	5	9	18	21	47
65 +	33	7.4	39	2	3	6	9	16	20	29
GRAND TOTAL	**84**	**7.1**	**49**	**2**	**3**	**5**	**9**	**15**	**19**	**41**

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.1		<1	<1	1	1	1	2	2
20-34	24	1.7		1	1	2	2	3	3	4
35-49	13	1.8		1	1	2	2	3	3	3
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS	17	2.7	8	<1	1	2	3	6	10	12
20-34	37	2.1	1	1	1	2	2	3	4	7
35-49	10	1.7	1	1	1	2	2	3	4	4
50-64	0									
65 +	3	4.7	2	3	3	5	6	6	6	6
TOTAL SINGLE DX	57	1.6	1	<1	1	1	2	3	4	4
TOTAL MULTIPLE DX	67	2.3	3	1	1	2	3	4	6	11
TOTAL										
0-19 YRS	33	1.9	5	<1	1	1	2	4	6	12
20-34	61	1.9	1	1	1	2	2	3	4	7
35-49	23	1.7	1	1	1	2	2	3	3	4
50-64	3	3.0	3	1	2	4	4	4	4	4
65 +	4	3.8	5	<1	1	4	5	6	6	6
GRAND TOTAL	124	2.0	2	1	1	2	2	3	5	8

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.5	1	<1	1	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2	27.5	1105	4	4	27	51	51	51	51
20-34	5	2.0	1	<1	1	2	3	3	3	3
35-49	0									
50-64	3	7.3	1	6	6	8	8	8	8	8
65 +	3	4.0	27	1	1	1	8	10	10	10
TOTAL SINGLE DX	7	1.9	1	<1	<1	1	3	3	3	3
TOTAL MULTIPLE DX	13	7.6	179	1	1	3	8	18	45	51
TOTAL										
0-19 YRS	4	14.3	602	<1	<1	2	27	51	51	51
20-34	9	2.2	1	<1	1	3	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	7.3	1	6	6	8	8	8	8	8
65 +	3	4.0	27	1	1	1	8	10	10	10
GRAND TOTAL	20	5.6	122	<1	1	3	5	9	30	51

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	370	1.8		1	1	2	2	3	3	4
20-34	2201	2.0		1	2	2	2	3	3	4
35-49	175	2.0		1	1	2	3	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	620	2.2	2	1	2	2	2	3	4	7
20-34	4419	2.3	1	1	2	2	3	3	4	6
35-49	462	2.5	2	1	2	2	3	4	5	10
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
TOTAL SINGLE DX	2747	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	5502	2.3	2	1	2	2	3	3	4	7
TOTAL										
0-19 YRS	990	2.0	2	1	1	2	2	3	4	5
20-34	6620	2.2	1	1	2	2	3	3	4	6
35-49	637	2.4	2	1	2	2	3	4	4	7
50-64	2	1.0		1	1	1	1	1	1	1
65 +	0									
GRAND TOTAL	8249	2.2	1	1	2	2	3	3	4	6

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	37	1.5		<1	1	1	2	2	2	3
35-49	8	1.4		1	1	1	2	2	2	2
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	12	1.8		<1	1	2	2	3	3	3
20-34	124	2.3	2	1	1	2	3	4	5	11
35-49	23	2.4	2	1	1	2	3	4	6	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
TOTAL SINGLE DX	48	1.5		1	1	1	2	2	3	3
TOTAL MULTIPLE DX	160	2.3	2	1	1	2	3	4	4	10
TOTAL										
0-19 YRS	15	1.9	1	1	1	2	2	3	3	3
20-34	161	2.1	2	1	1	2	3	3	4	10
35-49	31	2.1	2	1	1	2	3	4	4	8
50-64	1	4.0		4	4	4	4	4	4	4
65 +	0									
GRAND TOTAL	208	2.1	2	1	1	2	3	3	4	9

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	455	1.7		1	1	2	2	3	3	4
20-34	3329	1.9		1	1	2	2	3	3	4
35-49	354	2.0		1	2	2	2	3	3	4
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	735	2.1	1	1	1	2	2	3	4	7
20-34	5993	2.2	1	1	2	2	3	3	4	6
35-49	814	2.4	3	1	2	2	3	3	4	7
50-64	0									
65 +	0									
TOTAL SINGLE DX	4138	1.9	1	1	1	2	2	3	3	4
TOTAL MULTIPLE DX	7542	2.2	2	1	2	2	3	3	4	6
TOTAL										
0-19 YRS	1190	2.0	1	1	1	2	2	3	3	6
20-34	9322	2.1	1	1	2	2	3	3	3	5
35-49	1168	2.3	2	1	2	2	3	3	4	6
50-64	0									
65 +	0									
GRAND TOTAL	11680	2.1	1	1	2	2	3	3	3	5

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	7491	1.6		1	1	2	2	2	3	4
20-34	47019	1.6		1	1	2	2	2	3	3
35-49	4059	1.7		1	1	2	2	3	3	4
50-64	7	1.9		<1	1	2	2	3	3	3
65 +	0									
2. MULTIPLE DX										
0-19 YRS	3586	2.1	3	1	1	2	2	3	4	9
20-34	25774	2.1	3	1	1	2	2	3	4	7
35-49	3285	2.3	4	1	1	2	3	3	4	9
50-64	1	2.0		2	2	2	2	2	2	2
65 +	0									
TOTAL SINGLE DX	58576	1.6	1	1	1	2	2	2	3	4
TOTAL MULTIPLE DX	32646	2.1	4	1	1	2	2	3	4	7
TOTAL										
0-19 YRS	11077	1.8	2	1	1	2	2	3	3	5
20-34	72793	1.8	2	1	1	2	2	3	3	5
35-49	7344	2.0	2	1	1	2	2	3	3	6
50-64	8	1.9		<1	1	2	2	3	3	3
65 +	0									
GRAND TOTAL	91222	1.8	2	1	1	2	2	3	3	5

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	778	3.7	1	3	3	4	4	5	5	7
20-34	7797	3.6	1	3	3	4	4	5	5	6
35-49	812	3.8	1	3	3	4	4	5	5	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	2588	4.5	5	3	3	4	5	6	8	13
20-34	26594	4.3	8	3	3	4	5	5	7	14
35-49	4294	4.7	17	3	3	4	5	6	7	26
50-64	3	4.7		4	4	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	9387	3.7	2	3	3	4	4	5	5	6
TOTAL MULTIPLE DX	33479	4.4	10	3	3	4	5	6	7	15
TOTAL										
0-19 YRS	3366	4.3	5	3	3	4	5	6	7	13
20-34	34391	4.1	7	3	3	4	4	5	6	12
35-49	5106	4.5	15	3	3	4	5	6	7	22
50-64	3	4.7		4	4	5	5	5	5	5
65 +	0									
GRAND TOTAL	42866	4.2	8	3	3	4	4	5	6	13

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	23	3.9	1	2	3	4	5	6	6	6
20-34	160	4.2	14	3	3	4	4	5	6	28
35-49	16	4.1	1	3	3	4	5	5	6	7
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	66	5.2	14	3	3	4	5	8	12	26
20-34	499	5.4	29	3	3	4	5	8	11	35
35-49	100	7.6	118	3	4	4	7	14	21	73
50-64	0									
65 +	0									
TOTAL SINGLE DX	199	4.2	12	3	3	4	4	5	6	22
TOTAL MULTIPLE DX	665	5.7	42	3	3	4	5	9	13	38
TOTAL										
0-19 YRS	89	4.9	12	3	3	4	5	7	10	23
20-34	659	5.1	27	3	3	4	5	7	10	34
35-49	116	7.1	103	3	4	4	6	13	20	70
50-64	0									
65 +	0									
GRAND TOTAL	864	5.4	36	3	3	4	5	8	11	36

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.5		1	2	3	3	4	4	4
20-34	116	2.7	1	1	2	3	3	4	4	5
35-49	18	2.3	1	1	1	2	3	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	13	3.4	1	2	3	3	4	5	5	5
20-34	157	3.3	1	2	3	3	4	4	5	7
35-49	33	4.1	8	2	3	4	5	6	7	18
50-64	0									
65+	0									
TOTAL SINGLE DX	150	2.7	1	1	2	3	3	4	4	5
TOTAL MULTIPLE DX	203	3.4	3	2	3	3	4	5	5	7
TOTAL										
0-19 YRS	29	2.9	1	1	2	3	4	4	5	5
20-34	273	3.0	1	1	2	3	4	4	5	6
35-49	51	3.5	6	1	2	3	4	5	6	18
50-64	0									
65+	0									
GRAND TOTAL	353	3.1	2	1	2	3	4	4	5	7

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	12	1.3		<1	1	1	2	2	3	3
35-49	6	1.8	1	1	1	2	2	4	4	4
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	14	1.4		<1	1	1	2	2	3	3
35-49	9	1.8	1	1	1	2	2	3	4	4
50-64	0									
65+	0									
TOTAL SINGLE DX	22	1.4	1	<1	1	1	2	3	3	4
TOTAL MULTIPLE DX	26	1.6	1	<1	1	1	2	2	3	4
TOTAL										
0-19 YRS	7	1.3		<1	1	1	2	2	2	2
20-34	26	1.4		<1	1	1	2	2	3	3
35-49	15	1.8	1	1	1	2	2	4	4	4
50-64	0									
65+	0									
GRAND TOTAL	48	1.5	1	<1	1	1	2	2	3	4

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	84	4.4	36	1	1	3	5	9	14	36
20-34	285	3.7	22	1	1	2	4	7	12	23
35-49	33	3.9	20	1	1	2	4	11	14	21
50-64	0									
65+	0									
2. MULTIPLE DX										
0-19 YRS	79	4.9	21	1	2	3	6	11	16	22
20-34	399	5.1	46	1	2	3	5	11	16	43
35-49	49	6.9	110	1	2	3	6	16	37	45
50-64	0									
65+	0									
TOTAL SINGLE DX	402	3.8	25	1	1	2	4	8	13	26
TOTAL MULTIPLE DX	527	5.2	48	1	2	3	6	11	16	42
TOTAL										
0-19 YRS	163	4.6	29	1	2	3	5	10	16	33
20-34	684	4.5	37	1	1	3	5	10	15	37
35-49	82	5.7	76	1	1	2	6	13	26	44
50-64	0									
65+	0									
GRAND TOTAL	929	4.6	39	1	1	3	5	10	15	38

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1249	1.6		<1	1	1	2	2	3	4
20-34	6175	1.6	1	<1	1	1	2	3	3	5
35-49	457	1.7	1	<1	1	1	2	3	3	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
2. MULTIPLE DX										
0-19 YRS	622	2.0	1	<1	1	2	2	3	4	8
20-34	3224	2.2	9	<1	1	2	2	3	4	13
35-49	343	2.4	10	<1	1	2	3	4	5	13
50-64	0									
65+	0									
TOTAL SINGLE DX	7882	1.6	1	<1	1	1	2	3	3	5
TOTAL MULTIPLE DX	4189	2.2	9	<1	1	2	2	3	4	12
TOTAL										
0-19 YRS	1871	1.7	1	<1	1	1	2	3	3	6
20-34	9399	1.8	4	<1	1	2	2	3	3	8
35-49	800	2.0	5	<1	1	2	2	3	4	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	0									
GRAND TOTAL	12071	1.8	4	<1	1	2	2	3	3	7

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1625	1.5		1	1	1	2	2	3	3
20-34	10546	1.6		1	1	1	2	2	3	3
35-49	1016	1.6		1	1	2	2	2	3	3
50-64	0									
65 +	0									
2. MULTIPLE DX										
0-19 YRS	1812	1.9	1	1	1	2	2	3	3	6
20-34	13247	1.9	1	1	1	2	2	3	3	5
35-49	1574	2.0	1	1	1	2	2	3	4	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
TOTAL SINGLE DX	13187	1.6		1	1	1	2	2	3	3
TOTAL MULTIPLE DX	16635	1.9	2	1	1	2	2	3	3	5
TOTAL										
0-19 YRS	3437	1.7	1	1	1	2	2	3	3	4
20-34	23793	1.8	1	1	1	2	2	3	3	4
35-49	2590	1.9	1	1	1	2	2	3	3	5
50-64	2	2.5	1	2	2	2	3	3	3	3
65 +	0									
GRAND TOTAL	29822	1.8	1	1	1	2	2	3	3	4

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	12	3.4	16	<1	1	2	4	9	14	15
20-34	19	3.6	38	1	1	1	3	10	21	26
35-49	15	2.2	1	1	1	2	3	5	5	5
50-64	9	3.6	12	1	1	2	4	9	12	12
65 +	9	3.3	12	1	1	2	4	9	12	12
2. MULTIPLE DX										
0-19 YRS	14	3.1	6	1	2	3	3	7	9	10
20-34	20	5.4	15	1	2	5	8	11	13	14
35-49	34	7.1	63	1	2	3	9	22	24	32
50-64	27	5.7	45	1	2	4	7	9	18	35
65 +	50	8.8	61	2	4	8	11	16	20	50
TOTAL SINGLE DX	64	3.2	18	1	1	2	3	6	13	24
TOTAL MULTIPLE DX	145	6.8	49	1	2	5	9	15	20	36
TOTAL										
0-19 YRS	26	3.3	10	1	1	2	3	7	11	15
20-34	39	4.5	26	1	1	2	6	11	14	26
35-49	49	5.6	50	1	2	2	6	16	22	32
50-64	36	5.2	37	1	2	4	7	9	14	35
65 +	59	8.0	57	1	3	7	11	15	19	47
GRAND TOTAL	209	5.7	42	1	2	3	8	13	16	33

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	343	1.9	1	1	1	2	2	3	4	6
20-34	632	1.9		1	1	2	2	3	3	5
35-49	415	2.0		1	1	2	2	3	4	5
50-64	58	2.1	1	1	1	2	3	3	4	91
65 +	13	2.2		1	2	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	341	2.5	2	1	2	2	3	4	5	9
20-34	445	2.4	2	1	2	2	3	4	5	8
35-49	281	2.4	4	1	1	2	3	4	5	7
50-64	80	2.3	1	1	1	2	3	4	5	7
65 +	28	4.5	17	1	2	3	6	10	13	18
TOTAL SINGLE DX	1461	1.9	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1175	2.5	3	1	2	2	3	4	5	10
TOTAL										
0-19 YRS	684	2.2	2	1	1	2	3	3	4	8
20-34	1077	2.1	1	1	1	2	3	3	4	7
35-49	696	2.2	2	1	1	2	3	3	4	6
50-64	138	2.2	1	1	1	2	3	4	5	17
65 +	41	3.8	13	1	2	2	4	9	12	18
GRAND TOTAL	2636	2.2	2	1	1	2	3	3	4	7

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	52	1.3		1	1	1	2	2	2	3
20-34	93	1.8		1	1	2	2	3	4	5
35-49	20	2.2	2	1	1	2	3	4	5	6
50-64	5	1.6	2	<1	<1	1	2	4	4	4
65 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	97	3.3	20	1	1	2	3	6	11	27
20-34	144	3.3	7	1	2	3	4	7	8	14
35-49	48	4.3	14	1	2	3	5	10	12	20
50-64	19	2.5	3	1	1	2	3	5	6	7
65 +	12	6.9	36	2	3	5	9	16	21	22
TOTAL SINGLE DX	171	1.7	1	1	1	1	2	3	4	5
TOTAL MULTIPLE DX	320	3.5	14	1	1	2	4	7	11	21
TOTAL										
0-19 YRS	149	2.6	14	1	1	1	2	4	7	27
20-34	237	2.7	5	1	1	2	3	5	7	13
35-49	68	3.7	11	1	2	3	5	7	12	19
50-64	24	2.3	3	1	1	2	3	5	6	7
65 +	13	6.5	35	2	2	5	8	15	21	22
GRAND TOTAL	491	2.9	10	1	1	2	3	5	8	19

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	121	1.9	1	1	1	2	2	4	4	6
20-34	221	2.3	4	1	1	2	3	4	7	11
35-49	101	2.9	35	1	1	2	3	5	8	35
50-64	23	2.3	8	1	1	1	2	4	8	15
65 +	9	1.6	2	<1	1	1	1	4	6	6
2. MULTIPLE DX										
0-19 YRS	168	4.5	19	1	2	3	5	11	14	22
20-34	404	4.8	32	1	2	3	5	10	16	33
35-49	191	5.3	38	1	2	4	6	11	15	38
50-64	66	6.6	48	1	2	4	9	16	22	90
65 +	53	6.5	31	2	2	5	10	12	21	97
TOTAL SINGLE DX	475	2.3	10	1	1	2	3	4	6	12
TOTAL MULTIPLE DX	882	5.1	33	1	2	3	6	11	16	33
TOTAL										
0-19 YRS	289	3.4	14	1	1	2	4	7	12	20
20-34	625	3.9	24	1	1	2	4	8	12	30
35-49	292	4.5	39	1	1	3	5	9	12	38
50-64	89	5.5	42	1	2	3	7	14	17	76
65 +	62	5.8	31	1	2	5	8	12	18	91
GRAND TOTAL	1357	4.1	27	1	1	2	5	9	13	31

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	28	2.0	2	1	1	2	3	3	4	8
20-34	21	2.6	5	<1	1	2	3	5	8	11
35-49	12	3.3	11	<1	1	2	4	10	10	10
50-64	10	1.9	1	<1	1	2	2	3	4	4
65 +	3	2.3	1	<1	1	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	21	2.0		1	1	2	2	3	4	5
20-34	24	3.4	15	1	1	2	3	9	15	16
35-49	25	3.6	13	1	1	2	5	11	12	14
50-64	15	1.9	2	1	1	1	3	4	5	6
65 +	13	5.5	35	1	2	4	7	11	21	23
TOTAL SINGLE DX	74	2.4	4	1	1	2	3	4	8	11
TOTAL MULTIPLE DX	98	3.2	13	1	1	2	4	7	12	20
TOTAL										
0-19 YRS	49	2.0	2	1	1	2	2	3	4	8
20-34	45	3.0	11	1	1	2	3	6	12	16
35-49	37	3.5	12	1	1	2	5	10	12	14
50-64	25	1.9	2	1	1	1	2	4	5	6
65 +	16	4.9	30	1	1	3	7	8	19	23
GRAND TOTAL	172	2.9	10	1	1	2	3	6	10	16

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	77	4.5	24	2	2	3	5	8	12	32
20-34	13	5.0	10	1	2	5	7	9	11	12
35-49	9	3.8	3	1	2	4	5	6	6	6
50-64	4	7.0	2	6	6	7	8	9	9	9
65 +	4	6.3	4	4	4	6	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	148	5.5	71	2	2	3	5	9	14	60
20-34	22	6.7	22	2	4	5	9	11	16	23
35-49	22	7.4	30	2	4	6	9	16	19	22
50-64	11	15.3	181	3	5	8	25	37	41	41
65 +	9	20.0	160	4	9	22	32	34	35	35
TOTAL SINGLE DX	107	4.7	20	2	2	3	6	8	11	30
TOTAL MULTIPLE DX	212	7.0	82	2	3	4	7	14	27	48
TOTAL										
0-19 YRS	225	5.2	56	2	2	3	5	8	13	41
20-34	35	6.1	18	2	3	5	7	11	12	23
35-49	31	6.3	25	2	3	5	8	15	17	22
50-64	15	13.1	145	4	6	7	19	34	39	41
65 +	13	15.8	152	3	7	10	30	33	35	35
GRAND TOTAL	319	6.2	62	2	2	4	7	11	22	37

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	182	2.5	4	1	1	2	3	4	6	14
20-34	70	3.0	4	1	1	2	4	5	7	14
35-49	97	3.1	3	1	2	3	4	5	6	11
50-64	114	3.8	3	2	3	3	5	6	7	8
65 +	17	4.1	2	2	3	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	192	3.6	26	1	2	2	4	6	11	19
20-34	122	4.8	39	1	2	3	5	9	12	41
35-49	150	4.5	26	1	2	3	5	8	9	23
50-64	171	4.3	18	1	2	4	5	7	9	23
65 +	102	6.7	53	2	3	5	8	13	21	45
TOTAL SINGLE DX	480	3.1	4	1	2	3	4	6	6	11
TOTAL MULTIPLE DX	737	4.6	31	1	2	3	5	9	12	26
TOTAL										
0-19 YRS	374	3.1	16	1	1	2	3	5	9	16
20-34	192	4.1	28	1	2	3	5	7	11	29
35-49	247	3.9	18	1	2	3	5	7	9	14
50-64	285	4.1	12	1	3	4	5	7	8	19
65 +	119	6.4	47	2	3	4	7	12	20	45
GRAND TOTAL	1217	4.0	21	1	2	3	5	7	9	21

713: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	53	1.7		1	1	1	2	3	4	4
20-34	90	1.7		1	1	1	2	3	4	5
35-49	112	1.7		1	1	1	2	3	4	6
50-64	88	1.8		1	1	2	2	3	4	5
65 +	33	2.3	4	<1	1	2	3	4	5	12
2. MULTIPLE DX										
0-19 YRS	93	2.6	34	1	1	2	2	3	4	39
20-34	162	2.1	3	1	1	2	2	3	4	12
35-49	318	2.1	1	1	1	2	3	4	5	6
50-64	457	2.1	1	1	1	2	3	4	4	7
65 +	373	2.4	2	1	1	2	3	4	5	11
TOTAL SINGLE DX	376	1.8	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	1403	2.2	4	1	1	2	3	4	4	8
TOTAL										
0-19 YRS	146	2.3	22	1	1	2	2	3	4	20
20-34	252	1.9	3	1	1	2	2	3	4	8
35-49	430	2.0	1	1	1	2	2	3	4	6
50-64	545	2.1	1	1	1	2	3	3	4	6
65 +	406	2.4	3	1	1	2	3	4	5	11
GRAND TOTAL	1779	2.1	4	1	1	2	3	4	4	7

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	118	2.4	4	1	1	2	3	5	7	11
20-34	41	3.7	21	1	1	2	4	8	15	22
35-49	41	2.8	7	<1	1	2	3	7	8	14
50-64	20	3.1	5	1	1	2	4	6	8	10
65 +	3	7.7	25	3	4	7	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	71	9.8	114	1	2	6	14	20	32	52
20-34	56	9.7	136	1	3	5	15	22	33	98
35-49	46	11.4	243	2	3	5	13	38	43	82
50-64	45	10.6	115	2	3	6	16	23	36	48
65 +	85	12.6	135	2	5	10	16	23	35	65
TOTAL SINGLE DX	223	2.8	9	1	1	2	3	6	8	16
TOTAL MULTIPLE DX	303	10.9	144	1	3	7	15	23	36	71
TOTAL										
0-19 YRS	189	5.2	58	1	1	2	5	14	18	43
20-34	97	7.2	96	1	2	3	10	20	25	86
35-49	87	7.3	149	1	2	3	7	16	39	68
50-64	65	8.3	94	1	2	4	11	19	26	47
65 +	88	12.4	132	2	5	10	16	23	35	64
GRAND TOTAL	526	7.5	102	1	2	3	10	19	26	53

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	494	2.6	10	1	1	2	3	5	7	20
20-34	552	2.7	6	1	1	2	3	5	7	14
35-49	497	2.8	7	1	1	2	3	6	8	14
50-64	280	3.0	17	1	1	2	3	6	7	12
65 +	165	3.3	8	1	1	2	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	348	5.9	69	1	1	3	7	13	22	46
20-34	702	6.0	66	1	2	3	7	15	23	45
35-49	711	5.0	47	1	1	3	5	11	16	36
50-64	622	7.3	103	1	2	3	8	19	28	60
65 +	705	8.5	97	1	2	5	11	19	26	57
TOTAL SINGLE DX	1988	2.8	9	1	1	2	3	5	7	15
TOTAL MULTIPLE DX	3088	6.6	79	1	2	3	8	16	23	48
TOTAL										
0-19 YRS	842	4.0	37	1	1	2	4	9	13	34
20-34	1254	4.5	43	1	1	2	5	9	17	38
35-49	1208	4.1	33	1	1	2	4	9	13	31
50-64	902	6.0	81	1	2	3	6	15	24	55
65 +	870	7.5	85	1	2	4	9	17	24	51
GRAND TOTAL	5076	5.1	55	1	1	3	5	12	18	40

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	259	4.4	32	1	2	3	5	9	12	39
20-34	27	6.9	20	2	4	5	9	13	17	20
35-49	22	5.3	5	3	3	5	7	8	9	10
50-64	37	6.4	45	2	4	5	6	11	16	41
65 +	82	7.0	8	3	5	7	9	11	11	15
2. MULTIPLE DX										
0-19 YRS	148	8.0	123	1	2	3	9	24	32	47
20-34	70	9.7	121	2	4	8	11	16	21	68
35-49	60	9.9	171	3	4	6	10	19	28	88
50-64	91	9.2	67	3	5	7	11	14	21	53
65 +	435	9.4	30	4	6	8	11	15	18	34
TOTAL SINGLE DX	427	5.2	28	1	2	4	7	10	12	32
TOTAL MULTIPLE DX	804	9.2	70	3	5	8	11	16	22	44
TOTAL										
0-19 YRS	407	5.7	69	1	2	3	5	12	25	41
20-34	97	8.9	94	2	4	7	10	16	20	67
35-49	82	8.7	131	3	4	6	8	15	25	76
50-64	128	8.4	63	3	4	6	10	14	20	49
65 +	517	9.0	28	4	6	8	11	14	17	33
GRAND TOTAL	1231	7.8	59	2	3	6	9	14	20	40

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	119	3.1	40	1	1	2	3	5	8	32
20-34	169	2.9	7	1	1	2	4	5	7	12
35-49	89	3.5	11	1	1	2	5	7	8	21
50-64	48	3.5	7	1	2	3	5	7	9	13
65 +	21	4.3	9	1	2	3	7	8	11	13
2. MULTIPLE DX										
0-19 YRS	112	3.5	26	1	1	2	4	6	9	33
20-34	175	4.3	25	1	2	3	5	9	13	28
35-49	142	5.0	68	1	2	4	5	8	12	29
50-64	100	6.3	59	1	2	4	6	12	26	41
65 +	105	7.3	56	2	3	5	8	12	20	49
TOTAL SINGLE DX	446	3.2	17	1	1	2	4	6	8	18
TOTAL MULTIPLE DX	634	5.1	47	1	2	3	5	11	14	40
TOTAL										
0-19 YRS	231	3.3	34	1	1	2	3	5	9	30
20-34	344	3.6	17	1	1	3	4	6	11	25
35-49	231	4.5	47	1	2	3	5	8	11	24
50-64	148	5.4	44	1	2	4	6	10	20	40
65 +	126	6.8	49	2	3	5	8	12	16	47
GRAND TOTAL	1080	4.3	36	1	2	3	5	8	12	29

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	253	1.7	2	<1	1	1	2	3	4	8
20-34	366	2.0	5	<1	1	1	2	4	5	14
35-49	263	1.9	2	<1	1	1	2	3	5	7
50-64	117	2.4	7	<1	1	1	2	5	8	16
65 +	129	3.2	16	1	1	2	4	7	11	25
2. MULTIPLE DX										
0-19 YRS	239	3.3	64	<1	1	1	2	6	10	37
20-34	284	4.1	42	1	1	2	4	8	13	40
35-49	239	5.3	76	1	2	3	5	10	19	52
50-64	188	5.1	53	1	1	3	6	11	15	40
65 +	329	7.0	57	1	2	5	9	15	22	42
TOTAL SINGLE DX	1128	2.1	6	<1	1	1	2	4	6	14
TOTAL MULTIPLE DX	1279	5.1	60	1	1	3	6	11	18	42
TOTAL										
0-19 YRS	492	2.5	34	<1	1	1	2	4	6	31
20-34	650	2.9	23	1	1	2	3	5	8	27
35-49	502	3.5	41	1	1	2	3	6	10	38
50-64	305	4.0	37	1	1	2	5	9	13	25
65 +	458	5.9	49	1	2	4	8	14	20	39
GRAND TOTAL	2407	3.7	37	1	1	2	4	8	12	32

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	63	11.6	83	3	4	9	18	26	30	37
20-34	32	6.9	19	4	5	6	8	9	12	28
35-49	27	7.6	18	3	5	7	10	11	14	23
50-64	50	6.9	13	4	5	6	8	12	15	20
65 +	94	8.2	12	4	6	7	10	13	16	19
2. MULTIPLE DX										
0-19 YRS	97	12.0	89	3	5	9	14	27	32	39
20-34	91	10.1	40	4	6	9	12	17	20	42
35-49	36	12.1	141	4	5	8	14	23	40	61
50-64	92	10.6	115	4	6	8	11	16	22	71
65 +	673	10.1	40	5	7	9	12	16	19	35
TOTAL SINGLE DX	266	8.5	33	4	5	7	10	16	21	30
TOTAL MULTIPLE DX	989	10.4	56	5	6	9	12	17	22	45
TOTAL										
0-19 YRS	160	11.9	86	3	5	9	17	27	31	38
20-34	123	9.3	37	4	6	8	11	15	19	39
35-49	63	10.1	93	4	5	8	11	18	27	59
50-64	142	9.3	82	4	5	7	10	15	20	61
65 +	767	9.8	37	5	7	9	11	16	19	33
GRAND TOTAL	1255	10.0	52	4	6	8	11	17	22	38

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	103	5.6	15	1	3	5	8	11	13	20
20-34	82	6.9	15	3	4	6	9	13	14	18
35-49	87	6.4	11	3	4	6	7	12	15	18
50-64	146	7.6	11	4	5	7	9	13	15	17
65 +	631	8.9	25	5	6	8	11	13	15	22
2. MULTIPLE DX										
0-19 YRS	167	9.8	77	3	5	8	11	19	24	46
20-34	283	11.6	95	4	6	9	14	20	27	54
35-49	243	10.7	44	5	7	9	12	19	21	29
50-64	471	11.1	48	5	7	10	13	18	24	40
65 +	4257	10.7	32	6	7	9	12	16	20	33
TOTAL SINGLE DX	1049	8.1	22	4	5	7	10	13	15	20
TOTAL MULTIPLE DX	5421	10.8	39	6	7	9	12	17	21	35
TOTAL										
0-19 YRS	270	8.2	58	2	4	7	10	15	20	41
20-34	365	10.6	81	4	6	9	13	18	23	47
35-49	330	9.6	39	4	6	8	11	17	20	27
50-64	617	10.3	42	5	6	9	12	16	21	37
65 +	4888	10.5	32	6	7	9	12	16	20	32
GRAND TOTAL	6470	10.3	37	5	7	9	12	16	20	34

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	228	6.7	64	1	2	3	8	20	24	33
20-34	8	5.9	6	4	4	5	8	10	10	10
35-49	2	15.0	128	7	7	15	23	23	23	23
50-64	10	5.5	25	2	2	4	6	13	19	19
65 +	22	6.6	47	1	2	5	8	15	24	29
2. MULTIPLE DX										
0-19 YRS	166	10.5	90	2	2	7	17	23	28	43
20-34	27	16.7	367	2	4	7	27	44	55	82
35-49	25	19.5	320	5	8	14	29	44	60	69
50-64	24	10.1	176	1	4	7	10	16	41	65
65 +	75	10.8	191	2	4	7	11	20	43	75
TOTAL SINGLE DX	270	6.7	60	1	2	3	8	19	24	32
TOTAL MULTIPLE DX	317	11.8	168	2	3	7	16	27	41	66
TOTAL										
0-19 YRS	394	8.3	79	1	2	4	13	22	25	38
20-34	35	14.2	304	3	4	7	21	31	49	82
35-49	27	19.2	302	5	7	14	27	44	59	69
50-64	34	8.8	135	2	3	6	9	15	29	65
65 +	97	9.9	161	2	3	7	11	20	42	70
GRAND TOTAL	587	9.4	124	1	2	5	13	23	30	54

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	318	1.9	6	1	1	1	2	3	5	15
20-34	105	3.0	9	1	1	2	4	7	9	17
35-49	99	2.8	4	1	1	2	4	6	7	10
50-64	66	2.3	2	1	1	2	3	5	6	8
65 +	54	2.5	3	1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	92	4.1	20	1	1	2	5	10	14	23
20-34	119	4.3	9	1	2	3	5	9	11	14
35-49	103	5.7	38	1	2	4	8	12	14	34
50-64	71	5.2	40	1	2	3	6	10	11	43
65 +	109	5.7	48	1	1	4	7	12	16	45
TOTAL SINGLE DX	642	2.3	6	1	1	1	3	5	7	12
TOTAL MULTIPLE DX	494	5.0	31	1	2	3	6	10	13	23
TOTAL										
0-19 YRS	410	2.4	11	1	1	1	2	4	9	20
20-34	224	3.7	10	1	2	3	5	8	10	14
35-49	202	4.3	24	1	2	3	6	9	12	17
50-64	137	3.8	24	1	1	3	5	7	10	25
65 +	163	4.6	36	1	1	3	6	10	13	39
GRAND TOTAL	1136	3.5	19	1	1	2	4	8	10	19

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1408	2.1	4	1	1	2	3	4	5	8
20-34	1777	2.7	3	1	1	2	3	5	6	10
35-49	1390	3.0	4	1	2	3	4	5	7	11
50-64	869	3.4	7	1	2	3	4	6	8	11
65 +	562	4.1	7	2	2	4	5	7	8	13
2. MULTIPLE DX										
0-19 YRS	704	4.6	32	1	2	3	5	9	13	30
20-34	1492	5.4	43	1	2	4	6	11	16	32
35-49	1210	5.6	38	2	2	4	6	12	16	36
50-64	967	6.0	38	2	3	4	7	12	16	30
65 +	1272	7.1	37	2	4	5	9	13	17	34
TOTAL SINGLE DX	6006	2.9	5	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	5645	5.8	39	1	2	4	7	12	16	32
TOTAL										
0-19 YRS	2112	3.0	15	1	1	2	3	6	8	18
20-34	3269	3.9	24	1	2	3	4	7	11	23
35-49	2600	4.2	22	1	2	3	5	8	12	26
50-64	1836	4.8	26	1	2	4	5	9	13	26
65 +	1834	6.2	30	2	3	5	7	12	15	31
GRAND TOTAL	11651	4.3	24	1	2	3	5	8	12	25

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1175	1.7	2	<1	1	1	2	3	4	9
20-34	295	2.8	7	1	1	2	3	6	8	13
35-49	254	2.5	3	1	1	2	3	5	6	9
50-64	173	2.8	6	1	1	2	3	5	7	16
65 +	154	3.6	16	1	1	2	4	8	10	21
2. MULTIPLE DX										
0-19 YRS	429	3.8	32	1	1	2	4	8	12	30
20-34	325	5.6	74	1	1	3	6	12	18	50
35-49	260	4.7	31	1	2	3	5	10	15	32
50-64	207	5.4	43	1	2	3	6	12	17	39
65 +	514	5.8	39	1	2	4	7	11	14	37
TOTAL SINGLE DX	2051	2.2	5	1	1	1	2	4	6	12
TOTAL MULTIPLE DX	1735	5.1	44	1	2	3	6	11	15	38
TOTAL										
0-19 YRS	1604	2.2	12	1	1	1	2	4	7	16
20-34	620	4.2	44	1	1	2	5	9	12	41
35-49	514	3.6	19	1	1	2	4	7	11	23
50-64	380	4.1	28	1	1	3	5	8	15	27
65 +	668	5.3	35	1	2	4	7	11	13	35
GRAND TOTAL	3786	3.5	25	1	1	2	4	7	11	22

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	113	3.0	8	<1	1	2	3	7	9	15
20-34	20	3.5	5	1	1	3	6	7	7	7
35-49	21	3.8	25	<1	1	2	4	7	15	24
50-64	38	2.0	5	1	1	1	2	3	8	11
65 +	123	3.3	9	1	1	3	4	7	9	18
2. MULTIPLE DX										
0-19 YRS	69	5.9	42	1	2	3	7	16	17	37
20-34	57	6.3	39	1	2	4	7	13	20	33
35-49	17	8.2	70	1	2	6	10	20	29	33
50-64	34	3.9	12	1	2	3	5	7	14	16
65 +	174	7.0	68	1	2	4	8	16	23	48
TOTAL SINGLE DX	315	3.1	10	1	1	2	4	7	8	17
TOTAL MULTIPLE DX	351	6.4	54	1	2	4	8	15	20	40
TOTAL										
0-19 YRS	182	4.1	23	<1	1	3	5	9	15	21
20-34	77	5.5	32	1	2	4	7	10	18	32
35-49	38	5.7	49	1	2	3	7	14	23	33
50-64	72	2.9	10	1	1	2	3	6	11	16
65 +	297	5.5	47	1	2	3	6	12	19	37
GRAND TOTAL	666	4.8	36	1	1	3	6	11	16	32

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	83	1.6	1	1	1	1	2	3	4	6
20-34	148	2.0	2	1	1	1	3	4	5	7
35-49	98	1.8	1	1	1	1	2	3	4	6
50-64	40	2.0	1	1	1	2	3	4	5	99 +
65 +	31	2.2	2	<1	1	1	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	45	4.0	47	1	1	2	4	7	11	45
20-34	127	3.3	9	1	1	2	4	7	8	18
35-49	87	3.9	20	1	1	2	5	10	13	25
50-64	55	4.0	13	1	1	3	6	9	12	17
65 +	101	4.5	31	1	1	2	5	12	16	29
TOTAL SINGLE DX	400	1.9	2	1	1	1	2	4	5	7
TOTAL MULTIPLE DX	415	3.9	22	1	1	2	5	8	13	22
TOTAL										
0-19 YRS	128	2.5	19	1	1	1	3	5	7	22
20-34	275	2.6	6	1	1	2	3	5	7	15
35-49	185	2.8	11	1	1	2	3	6	10	14
50-64	95	3.2	9	1	1	2	4	8	10	62
65 +	132	3.9	25	1	1	2	4	9	15	26
GRAND TOTAL	815	2.9	13	1	1	2	3	6	8	18

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	286	2.9	10	1	1	2	3	7	10	17
20-34	207	2.8	7	1	1	2	3	6	7	14
35-49	164	2.8	8	1	1	2	4	6	8	15
50-64	76	4.2	57	1	1	2	4	9	11	51
65 +	60	7.1	45	1	2	5	9	15	22	34
2. MULTIPLE DX										
0-19 YRS	298	5.0	47	1	1	3	6	12	16	26
20-34	289	4.3	38	1	1	3	5	9	14	28
35-49	300	5.5	83	1	1	3	5	12	20	60
50-64	184	9.6	177	1	2	4	12	24	41	67
65 +	308	12.2	152	2	4	8	16	28	39	79
TOTAL SINGLE DX	793	3.3	18	1	1	2	4	7	10	22
TOTAL MULTIPLE DX	1379	7.2	103	1	2	3	8	17	27	57
TOTAL										
0-19 YRS	584	4.0	30	1	1	2	5	9	14	22
20-34	496	3.7	26	1	1	2	4	8	11	23
35-49	464	4.6	58	1	1	2	5	9	16	44
50-64	260	8.0	148	1	2	3	9	19	34	60
65 +	368	11.4	138	2	4	8	14	26	37	72
GRAND TOTAL	2172	5.8	76	1	1	3	6	14	21	48

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	17	2.4	5	<1	1	1	3	5	8	9
35-49	14	3.4	8	1	1	2	5	8	10	10
50-64	7	2.6	6	1	1	2	2	7	8	8
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	0									
20-34	1	13.0		13	13	13	13	13	13	13
35-49	5	6.8	14	3	4	6	8	13	13	13
50-64	1	5.0		5	5	5	5	5	5	5
65 +	0									
TOTAL SINGLE DX	42	2.6	6	<1	1	2	3	7	9	10
TOTAL MULTIPLE DX	7	7.4	16	3	5	6	11	13	13	13
TOTAL										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	18	2.9	11	<1	1	1	4	8	11	13
35-49	19	4.3	11	1	1	3	6	9	12	13
50-64	8	2.9	6	1	1	2	4	7	8	8
65 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	49	3.3	10	<1	1	2	5	8	10	13

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	70	4.1	11	2	3	3	5	6	7	22
20-34	2184	4.1	5	2	3	4	5	7	8	13
35-49	3743	4.2	6	2	3	4	5	7	9	13
50-64	1439	4.5	6	2	3	4	5	8	9	14
65 +	405	5.5	10	2	3	5	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	43	10.6	76	3	4	6	16	25	27	40
20-34	938	5.5	15	2	3	5	7	9	12	24
35-49	2215	5.7	19	2	3	5	7	10	12	22
50-64	1686	6.3	22	3	4	5	7	11	14	24
65 +	1282	8.2	32	3	5	7	10	15	18	29
TOTAL SINGLE DX	7841	4.3	7	2	3	4	5	7	9	14
TOTAL MULTIPLE DX	6164	6.4	24	3	4	5	8	11	15	26
TOTAL										
0-19 YRS	113	6.6	46	2	3	4	6	16	23	32
20-34	3122	4.5	9	2	3	4	5	7	10	16
35-49	5958	4.8	11	2	3	4	6	8	10	18
50-64	3125	5.4	16	2	3	4	7	9	12	21
65 +	1687	7.6	28	3	4	6	9	13	17	28
GRAND TOTAL	14005	5.2	15	2	3	4	6	9	12	20

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	47	1.6		< 1	< 1	1	2	3	4	4
20-34	104	1.6	1	< 1	< 1	1	2	3	4	6
35-49	79	1.5		< 1	< 1	1	2	3	4	5
50-64	54	1.6	1	< 1	< 1	1	2	3	5	8
65 +	26	1.6		< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	152	2.7	7	< 1	1	2	3	4	5	11
20-34	451	2.6	2	1	1	2	3	4	5	7
35-49	276	2.3	3	< 1	1	2	3	4	5	8
50-64	202	2.6	35	< 1	1	1	3	5	6	17
65 +	166	2.4	5	1	1	2	3	5	7	12
TOTAL SINGLE DX	310	1.6	1	< 1	< 1	1	2	3	4	6
TOTAL MULTIPLE DX	1247	2.5	9	1	1	2	3	4	5	9
TOTAL										
0-19 YRS	199	2.4	6	< 1	1	2	3	4	5	10
20-34	555	2.4	2	< 1	1	2	3	4	5	6
35-49	355	2.1	3	< 1	1	1	3	4	5	8
50-64	256	2.4	29	< 1	1	[illegible]	2	4	6	11
65 +	192	2.3	5	< 1	1	1	3	4	7	11
GRAND TOTAL	1557	2.3	8	<1	1	[illegible]	3	4	5	8

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	146	2.0	2	< 1	< 1	1	3	4	5	11
20-34	194	1.8	2	< 1	< 1	1	2	3	4	9
35-49	121	1.8	1	< 1	< 1	1	2	4	5	7
50-64	49	2.4	6	< 1	< 1	1	3	6	8	15
65 +	27	1.8	3	< 1	1	1	2	4	6	9
2. MULTIPLE DX										
0-19 YRS	112	2.7	15	< 1	< 1	2	3	4	7	25
20-34	223	2.5	8	< 1	1	2	3	4	7	15
35-49	153	2.5	14	< 1	1	1	3	4	7	17
50-64	105	3.0	32	< 1	1	1	3	6	9	34
65 +	75	4.3	26	< 1	1	2	6	13	14	25
TOTAL SINGLE DX	537	1.9	3	< 1	< 1	1	2	4	5	9
TOTAL MULTIPLE DX	668	2.8	17	< 1	1	2	3	5	9	21
TOTAL										
0-19 YRS	258	2.3	8	< 1	< 1	1	3	4	6	11
20-34	417	2.2	6	< 1	1	1	3	4	6	11
35-49	274	2.2	9	< 1	1	1	2	4	5	14
50-64	154	2.8	25	< 1	< 1	1	3	6	8	18
65 +	102	3.7	22	< 1	1	1	4	10	14	23
GRAND TOTAL	1205	2.4	11	<1	1	1	3	4	7	15

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	2.3	4	< 1	1	1	3	6	8	9
20-34	144	2.2	8	< 1	1	1	2	4	5	16
35-49	147	2.0	3	< 1	1	1	2	4	5	9
50-64	97	2.2	4	< 1	1	1	2	4	7	11
65 +	59	2.7	13	< 1	1	2	3	5	7	25
2. MULTIPLE DX										
0-19 YRS	93	2.7	7	< 1	1	1	3	7	9	13
20-34	222	3.9	34	1	1	2	4	9	15	40
35-49	292	3.8	30	1	1	2	4	9	13	25
50-64	205	4.1	24	1	1	2	4	10	16	27
65 +	209	8.9	163	1	2	4	11	21	36	66
TOTAL SINGLE DX	540	2.2	6	< 1	1	1	2	4	6	12
TOTAL MULTIPLE DX	1021	4.8	59	1	1	2	5	12	17	47
TOTAL										
0-19 YRS	186	2.5	6	< 1	1	1	3	7	8	12
20-34	366	3.2	25	< 1	1	2	3	6	13	31
35-49	439	3.2	22	1	1	2	3	7	11	21
50-64	302	3.4	19	1	1	2	4	9	13	22
65 +	268	7.5	136	1	1	3	9	17	30	66
GRAND TOTAL	1561	3.9	42	1	1	2	4	9	15	35

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	167	7.8	8	5	6	7	9	12	14	16
20-34	150	6.6	23	3	4	6	8	9	11	21
35-49	309	5.8	11	3	4	5	7	9	12	17
50-64	140	6.1	21	2	3	5	7	10	13	27
65 +	40	7.8	35	3	5	6	9	12	25	29
2. MULTIPLE DX										
0-19 YRS	209	10.2	56	5	6	8	12	18	25	99 +
20-34	307	9.8	49	4	6	8	12	19	23	43
35-49	554	8.0	36	3	4	7	9	15	21	36
50-64	382	9.3	76	3	5	7	10	17	25	49
65 +	220	10.8	56	4	6	9	13	21	27	39
TOTAL SINGLE DX	806	6.5	17	3	4	6	8	10	13	22
TOTAL MULTIPLE DX	1672	9.3	54	3	5	7	11	17	24	42
TOTAL										
0-19 YRS	376	9.1	37	5	6	8	10	15	21	58
20-34	457	8.8	43	4	5	7	10	16	21	42
35-49	863	7.2	29	3	4	6	8	13	17	30
50-64	522	8.4	64	3	4	7	9	15	23	43
65 +	260	10.4	54	3	6	9	12	20	27	38
GRAND TOTAL	2478	8.4	44	3	5	7	10	15	21	40

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	41	2.7	2	1	2	3	3	4	5	10
20-34	126	2.7	3	1	1	2	4	5	6	11
35-49	143	3.2	8	1	2	3	4	5	7	11
50-64	146	2.8	3	1	1	2	4	5	7	8
65 +	83	3.5	5	1	2	3	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	87	3.2	3	1	2	3	4	5	7	9
20-34	181	3.3	15	1	1	2	4	6	8	35
35-49	212	3.7	6	1	2	3	5	7	8	11
50-64	253	3.8	7	1	2	3	5	7	9	14
65 +	210	4.3	28	1	2	3	5	8	10	36
TOTAL SINGLE DX	539	3.0	5	1	1	3	4	5	7	10
TOTAL MULTIPLE DX	943	3.7	13	1	2	3	5	7	8	17
TOTAL										
0-19 YRS	128	3.1	3	1	2	3	4	5	6	9
20-34	307	3.1	11	1	1	2	4	5	7	20
35-49	355	3.5	8	1	2	3	4	6	8	11
50-64	399	3.4	6	1	2	3	4	6	8	13
65 +	293	4.1	22	1	2	3	5	7	10	27
GRAND TOTAL	1482	3.4	10	1	2	3	4	6	8	14

735: Total hip replacement (81.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	5	5.6	6	2	3	7	7	8	8	8
20-34	39	7.5	11	4	6	7	9	12	15	17
35-49	160	7.9	6	5	6	7	9	11	13	18
50-64	505	8.1	6	5	7	8	9	11	12	16
65 +	1083	8.7	8	6	7	9	10	12	13	16
2. MULTIPLE DX										
0-19 YRS	7	11.1	11	7	8	10	15	15	15	15
20-34	130	8.8	14	5	7	8	10	12	13	23
35-49	343	8.8	14	5	7	8	10	12	14	23
50-64	1104	9.4	18	6	7	9	10	13	16	30
65 +	3799	10.8	32	7	8	10	12	16	20	34
TOTAL SINGLE DX	1792	8.4	8	5	7	8	10	12	13	16
TOTAL MULTIPLE DX	5383	10.3	28	6	8	9	11	15	18	32
TOTAL										
0-19 YRS	12	8.8	17	3	7	8	12	15	15	15
20-34	169	8.5	14	5	6	8	10	12	14	19
35-49	503	8.5	12	5	6	8	10	12	14	22
50-64	1609	8.9	15	5	7	8	10	12	15	22
65 +	4882	10.3	28	6	8	9	12	15	18	31
GRAND TOTAL	7175	9.8	24	6	7	9	11	14	17	29

736: Other arthroplasty of hip (81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	10	5.8	24	2	2	4	7	14	18	18
20-34	8	5.9	8	2	4	6	7	10	11	11
35-49	17	8.8	35	4	5	8	9	16	23	27
50-64	64	7.8	4	5	6	8	9	11	12	13
65 +	406	9.6	13	6	7	9	11	14	16	21
2. MULTIPLE DX										
0-19 YRS	36	6.9	74	2	3	5	8	11	13	54
20-34	26	8.2	13	3	6	8	9	14	16	18
35-49	51	11.3	68	5	7	10	13	23	25	99
50-64	213	10.6	44	6	7	9	12	15	21	41
65 +	2507	11.1	31	6	8	10	13	17	22	33
TOTAL SINGLE DX	505	9.2	14	5	7	9	11	14	15	21
TOTAL MULTIPLE DX	2833	11.0	33	6	8	10	13	17	22	34
TOTAL										
0-19 YRS	46	6.7	63	2	3	5	7	11	15	54
20-34	34	7.6	13	3	5	7	9	12	15	18
35-49	68	10.6	60	4	7	9	12	22	25	91
50-64	277	10.0	37	6	7	9	11	14	17	33
65 +	2913	10.9	29	6	8	10	12	16	21	32
GRAND TOTAL	3338	10.7	31	6	8	10	12	16	21	33

737: Total knee replacement (81.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	7.0	14	2	4	7	9	11	11	11
20-34	11	6.8	6	3	5	7	9	10	11	11
35-49	65	7.9	7	5	6	7	9	11	13	17
50-64	464	7.8	6	5	6	8	9	11	12	15
65 +	1139	8.6	6	6	7	8	10	12	13	16
2. MULTIPLE DX										
0-19 YRS	7	5.7	14	<1	2	7	9	10	10	10
20-34	23	8.1	11	3	7	8	10	13	14	15
35-49	127	9.7	59	6	7	9	10	13	15	43
50-64	814	9.2	16	6	7	9	11	13	15	21
65 +	3247	9.8	15	6	7	9	11	14	16	25
TOTAL SINGLE DX	1683	8.3	7	5	7	8	10	11	13	16
TOTAL MULTIPLE DX	4218	9.7	17	6	7	9	11	14	16	25
TOTAL										
0-19 YRS	11	6.2	13	1	2	7	9	10	11	11
20-34	34	7.7	10	3	6	8	9	11	14	15
35-49	192	9.1	42	5	7	8	10	12	15	29
50-64	1278	8.7	13	5	7	8	10	12	14	18
65 +	4386	9.5	14	6	7	9	11	14	15	23
GRAND TOTAL	5901	9.3	15	6	7	9	11	13	15	22

738: Arthroplasty of knee, except total replacement (81.42-81.47)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	457	2.8	1	1	2	3	3	4	5	6
20-34	842	2.9	1	2	2	3	4	4	5	6
35-49	255	2.9	1	1	2	3	4	5	6	7
50-64	71	4.9	8	1	3	4	7	9	11	13
65 +	61	5.8	9	2	4	5	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	608	3.1	2	1	2	3	4	5	5	8
20-34	1380	3.2	3	2	2	3	4	5	6	10
35-49	618	3.5	5	2	2	3	4	5	7	13
50-64	127	5.3	24	1	2	4	7	10	12	26
65 +	133	7.0	25	2	4	6	8	12	16	26
TOTAL SINGLE DX	1686	3.1	3	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	2866	3.5	7	2	2	3	4	5	7	13
TOTAL										
0-19 YRS	1065	3.0	2	1	2	3	4	4	5	7
20-34	2222	3.1	3	2	2	3	4	5	5	8
35-49	873	3.3	5	2	2	3	4	5	6	12
50-64	198	5.2	19	1	3	4	7	10	12	17
65 +	194	6.6	21	2	4	6	8	11	15	22
GRAND TOTAL	4552	3.4	5	2	2	3	4	5	7	12

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.71; 81.81; 81.84; 81.86)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	26	2.8	4	1	1	2	4	4	8	10
35-49	62	2.6	2	1	1	2	3	5	6	7
50-64	143	2.6	4	1	1	2	3	5	7	11
65 +	146	3.8	7	1	2	3	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	35	3.8	31	1	1	2	5	7	8	33
35-49	69	3.0	2	1	2	3	4	6	7	8
50-64	178	4.0	21	1	2	3	5	8	10	21
65 +	308	4.8	12	1	2	4	7	9	12	18
TOTAL SINGLE DX	379	3.1	5	1	1	2	4	6	8	12
TOTAL MULTIPLE DX	592	4.3	15	1	2	3	6	8	10	18
TOTAL										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	61	3.3	20	1	1	2	4	7	8	30
35-49	131	2.8	3	1	2	2	4	6	6	7
50-64	321	3.4	14	1	1	2	4	7	9	14
65 +	454	4.5	11	1	2	4	6	8	11	17
GRAND TOTAL	971	3.8	12	1	2	3	5	8	9	15

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	380	1.8	1	1	1	2	2	3	4	5
20-34	930	1.9	3	1	1	2	2	3	4	5
35-49	447	1.9	1	1	1	2	2	3	4	5
50-64	294	2.2	1	1	1	2	3	4	5	8
65 +	110	2.6	2	1	1	2	3	5	5	8
2. MULTIPLE DX										
0-19 YRS	127	2.2	3	1	1	2	3	3	5	9
20-34	387	2.2	2	1	1	2	3	4	5	8
35-49	451	2.4	6	1	1	2	3	4	5	11
50-64	451	2.7	9	1	1	2	3	4	6	11
65 +	293	3.5	9	1	2	3	4	6	8	19
TOTAL SINGLE DX	2161	2.0	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	1709	2.6	7	1	1	2	3	4	6	12
TOTAL										
0-19 YRS	507	1.9	2	1	1	2	2	3	4	7
20-34	1317	2.0	3	1	1	2	2	3	4	6
35-49	898	2.1	4	1	1	2	3	4	4	8
50-64	745	2.5	7	1	1	2	3	4	5	9
65 +	403	3.3	8	1	2	3	4	6	7	15
GRAND TOTAL	3870	2.3	4	1	1	2	3	4	5	8

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	152	2.6	9	<1	1	1	3	5	8	19
20-34	127	2.9	6	1	1	2	3	6	9	12
35-49	110	2.5	3	<1	1	2	3	5	7	10
50-64	48	3.0	10	<1	1	2	4	6	7	21
65 +	29	4.2	15	<1	1	2	8	11	12	14
2. MULTIPLE DX										
0-19 YRS	308	3.6	30	1	1	2	4	7	10	35
20-34	211	5.9	85	1	2	4	6	11	14	84
35-49	211	5.7	49	1	2	3	7	12	20	45
50-64	145	8.2	121	1	2	4	9	18	33	57
65 +	157	8.8	63	2	3	6	13	20	23	29
TOTAL SINGLE DX	466	2.8	8	<1	1	2	3	6	9	14
TOTAL MULTIPLE DX	1032	5.9	67	1	2	3	7	13	21	47
TOTAL										
0-19 YRS	460	3.3	24	1	1	2	3	6	9	26
20-34	338	4.8	58	1	2	3	6	10	13	41
35-49	321	4.6	36	1	1	3	5	10	15	40
50-64	193	6.9	98	1	2	3	7	14	28	54
65 +	186	8.1	59	1	3	6	11	19	23	29
GRAND TOTAL	1498	5.0	50	1	1	3	6	11	17	40

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	94	1.7	3	<1	<1	1	1	3	6	10
20-34	88	2.1	4	<1	<1	1	2	5	7	10
35-49	82	1.8	3	<1	1	1	2	3	5	11
50-64	66	2.4	11	<1	1	1	2	5	6	22
65 +	38	2.5	5	<1	1	2	3	6	8	11
2. MULTIPLE DX										
0-19 YRS	55	9.3	219	1	1	4	11	21	53	66
20-34	55	4.4	26	1	1	2	6	10	17	24
35-49	88	5.2	73	1	1	3	6	13	15	52
50-64	126	6.3	117	1	1	3	7	13	27	92
65 +	181	7.8	60	1	2	5	12	19	21	30
TOTAL SINGLE DX	368	2.0	5	<1	<1	1	2	4	7	12
TOTAL MULTIPLE DX	505	6.8	92	1	1	3	9	16	21	65
TOTAL										
0-19 YRS	149	4.5	95	<1	<1	1	3	11	17	66
20-34	143	3.0	14	<1	1	1	3	7	10	20
35-49	170	3.5	42	1	1	2	3	8	13	17
50-64	192	4.9	84	<1	1	2	5	11	15	79
65 +	219	6.9	55	1	2	4	10	18	20	30
GRAND TOTAL	873	4.8	61	<1	1	2	5	12	17	30

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	8	1.3		<1	<1	1	1	3	3	3
20-34	13	2.1	2	<1	1	2	3	5	5	5
35-49	24	2.1	7	<1	<1	1	2	7	9	11
50-64	40	1.2		<1	1	1	1	2	2	3
65 +	31	1.2		<1	1	1	1	2	3	3
2. MULTIPLE DX										
0-19 YRS	9	2.3	3	1	1	2	3	5	7	7
20-34	23	3.7	7	1	1	3	6	8	9	10
35-49	30	3.4	13	1	1	2	6	7	10	18
50-64	31	1.4		<1	1	1	2	2	3	5
65 +	80	1.5	1	1	1	1	2	3	4	6
TOTAL SINGLE DX	116	1.5	2	<1	<1	1	1	2	3	9
TOTAL MULTIPLE DX	173	2.2	5	1	1	1	2	5	7	10
TOTAL										
0-19 YRS	17	1.8	2	<1	1	1	2	3	6	7
20-34	36	3.1	6	1	1	2	5	7	8	10
35-49	54	2.8	11	<1	1	1	4	7	10	18
50-64	71	1.3		<1	1	1	1	2	2	5
65 +	111	1.4	1	1	1	1	2	3	3	6
GRAND TOTAL	289	1.9	4	<1	1	1	2	4	6	10

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	93	1.3		<1	1	1	1	2	3	5
20-34	145	1.5	1	<1	1	1	2	2	4	6
35-49	57	1.5		<1	1	1	2	3	3	6
50-64	29	1.7	2	<1	1	1	2	3	4	8
65 +	17	1.6		1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	119	1.7	1	<1	1	1	2	4	4	7
20-34	223	2.0	3	1	1	1	2	4	5	10
35-49	124	2.4	48	1	1	1	2	3	5	28
50-64	56	3.0	21	1	1	2	2	6	12	24
65 +	37	2.5	7	1	1	2	3	4	9	14
TOTAL SINGLE DX	341	1.4	1	<1	1	1	2	2	3	6
TOTAL MULTIPLE DX	559	2.1	15	1	1	1	2	4	5	14
TOTAL										
0-19 YRS	212	1.5	1	<1	1	1	2	3	4	7
20-34	368	1.8	3	<1	1	1	2	3	4	7
35-49	181	2.1	34	1	1	1	2	3	4	10
50-64	85	2.6	15	1	1	1	2	4	8	24
65 +	54	2.2	5	1	1	1	2	4	6	14
GRAND TOTAL	900	1.9	10	<1	1	1	2	3	4	10

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	71	1.6		1	1	1	2	3	3	5
20-34	243	1.9	1	1	1	2	2	3	4	6
35-49	431	2.0	1	1	1	2	2	4	4	6
50-64	483	2.4	1	1	2	2	3	4	4	7
65 +	276	2.7	5	1	2	2	3	5	5	10
2. MULTIPLE DX										
0-19 YRS	63	5.1	118	1	1	2	4	9	21	60
20-34	221	3.4	14	1	1	2	3	7	11	24
35-49	298	3.4	14	1	2	2	4	7	10	19
50-64	506	2.9	8	1	2	2	3	5	6	11
65 +	453	4.3	28	1	2	3	4	7	12	41
TOTAL SINGLE DX	1504	2.2	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	1541	3.6	21	1	2	3	4	6	9	25
TOTAL										
0-19 YRS	134	3.3	59	1	1	2	3	5	9	60
20-34	464	2.6	8	1	1	2	3	5	7	16
35-49	729	2.6	7	1	1	2	3	4	6	13
50-64	989	2.7	5	1	2	2	3	4	6	10
65 +	729	3.7	20	1	2	3	4	6	8	29
GRAND TOTAL	3045	2.9	12	1	1	2	3	5	7	17

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	233	1.7		1	1	1	2	3	3	5
20-34	184	2.1	2	1	1	2	2	4	5	10
35-49	214	2.0	1	1	1	2	2	3	4	7
50-64	97	2.2	2	1	1	2	3	4	6	7
65 +	46	3.4	7	1	2	3	4	6	10	15
2. MULTIPLE DX										
0-19 YRS	398	2.8	44	<1	1	2	2	4	6	29
20-34	137	4.7	59	1	1	2	4	10	17	54
35-49	112	3.9	30	1	2	2	4	7	10	33
50-64	93	5.3	53	1	2	3	5	15	27	73
65 +	120	7.2	102	1	2	4	7	16	28	51
TOTAL SINGLE DX	774	2.0	2	1	1	2	2	3	4	7
TOTAL MULTIPLE DX	860	4.1	56	1	1	2	4	7	15	45
TOTAL										
0-19 YRS	631	2.4	28	<1	1	2	2	3	4	19
20-34	321	3.2	28	1	1	2	3	6	9	27
35-49	326	2.7	12	1	1	2	3	4	7	17
50-64	190	3.7	29	1	1	2	4	6	15	37
65 +	166	6.1	79	1	2	3	6	13	23	47
GRAND TOTAL	1634	3.1	32	1	1	2	3	5	9	29

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	1.3	1	<1	1	1	1	2	4	6
20-34	43	1.6	1	<1	1	1	2	3	5	6
35-49	34	1.5		<1	1	1	2	3	4	5
50-64	20	2.0	1	1	1	2	2	3	5	7
65 +	17	2.6	11	1	1	2	2	5	11	15
2. MULTIPLE DX										
0-19 YRS	28	2.2	3	<1	1	2	2	5	7	8
20-34	66	4.6	30	1	1	2	6	11	18	29
35-49	46	3.7	17	1	1	2	5	9	10	24
50-64	43	4.0	19	1	1	2	5	10	12	23
65 +	60	6.1	49	1	2	3	8	13	25	32
TOTAL SINGLE DX	138	1.7	3	<1	1	1	2	3	5	8
TOTAL MULTIPLE DX	243	4.4	29	1	1	2	5	10	14	28
TOTAL										
0-19 YRS	52	1.8	2	<1	1	1	2	4	6	8
20-34	109	3.4	21	1	1	1	4	8	12	25
35-49	80	2.8	12	<1	1	2	3	6	9	20
50-64	63	3.4	14	1	1	2	3	9	11	22
65 +	77	5.3	43	1	1	2	8	13	20	31
GRAND TOTAL	381	3.4	21	1	1	2	4	8	12	27

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	4	3.0	3	1	1	3	4	5	5	5
35-49	5	5.4	19	1	2	4	9	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65 +	3	8.3	104	1	2	4	16	20	20	20
2. MULTIPLE DX										
0-19 YRS	4	12.3	203	2	3	7	21	33	33	33
20-34	11	11.9	222	1	2	4	20	37	44	45
35-49	6	4.2	5	1	3	5	7	82	99 +	99 +
50-64	13	17.0	234	4	6	11	28	42	43	43
65 +	8	8.0	12	3	5	9	11	12	12	12
TOTAL SINGLE DX	15	4.9	27	1	1	4	6	11	18	20
TOTAL MULTIPLE DX	42	11.7	161	2	4	7	13	41	44	99 +
TOTAL										
0-19 YRS	6	9.5	142	2	2	5	10	31	33	33
20-34	15	9.5	176	1	2	4	8	32	42	45
35-49	11	4.7	11	1	2	4	8	38	91	99 +
50-64	14	15.9	235	3	4	9	24	42	43	43
65 +	11	8.1	30	2	4	8	11	15	20	20
GRAND TOTAL	57	9.9	133	1	3	5	11	33	43	96

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	2.8	10	<1	1	2	3	6	12	14
20-34	11	5.5	33	1	1	4	5	15	20	20
35-49	7	2.1	2	<1	<1	1	3	5	5	5
50-64	12	3.1	5	1	2	2	4	6	9	9
65+	22	6.2	69	<1	1	3	7	15	29	35
2. MULTIPLE DX										
0-19 YRS	14	7.4	91	<1	1	3	10	22	31	34
20-34	36	7.1	34	2	2	5	10	15	20	25
35-49	119	12.4	128	2	3	10	16	29	32	51
50-64	268	12.1	101	2	6	10	15	27	32	46
65+	476	11.7	113	2	5	9	15	23	32	57
TOTAL SINGLE DX	68	4.3	33	<1	1	2	5	10	15	33
TOTAL MULTIPLE DX	913	11.6	109	2	4	9	15	25	32	52
TOTAL										
0-19 YRS	30	4.9	52	<1	1	2	5	12	21	34
20-34	47	6.7	34	1	2	5	9	15	20	25
35-49	126	11.8	127	2	3	10	16	28	32	51
50-64	280	11.7	101	2	5	9	15	26	32	46
65+	498	11.4	112	2	4	8	15	23	32	57
GRAND TOTAL	981	11.1	107	2	4	8	15	24	31	49

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	5	5.2	3	3	4	5	7	7	7	7
35-49	5	5.0	2	3	4	5	6	7	7	7
50-64	7	9.3	28	4	6	9	10	18	20	20
65+	6	14.7	74	7	8	12	18	29	30	30
2. MULTIPLE DX										
0-19 YRS	8	12.5	55	5	8	10	18	24	24	24
20-34	30	13.4	99	4	7	9	17	28	30	46
35-49	74	16.8	318	4	6	11	20	37	60	80
50-64	178	17.4	164	6	8	13	22	36	45	59
65+	517	15.1	97	6	8	12	20	30	39	99+
TOTAL SINGLE DX	26	8.3	39	3	4	7	10	18	22	30
TOTAL MULTIPLE DX	807	15.6	133	5	8	12	20	31	41	75
TOTAL										
0-19 YRS	11	10.1	57	3	4	8	12	24	24	24
20-34	35	12.2	93	4	6	8	16	26	30	46
35-49	79	16.1	307	4	6	10	19	35	60	80
50-64	185	17.1	162	6	8	13	22	36	44	59
65+	523	15.0	97	6	8	12	20	30	39	99+
GRAND TOTAL	833	15.4	132	5	8	12	20	31	41	74

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	6.5	18	4	4	5	6	14	15	15
20-34	0									
35-49	1	12.0		12	12	12	12	12	12	12
50-64	5	10.4	90	4	4	5	16	26	26	26
65+	10	10.9	60	2	8	10	11	22	30	30
2. MULTIPLE DX										
0-19 YRS	6	15.0	37	6	9	17	20	21	21	21
20-34	8	7.8	7	5	6	7	9	12	13	13
35-49	24	12.0	90	3	7	8	15	28	33	39
50-64	60	21.1	392	5	8	13	28	48	62	96
65+	426	13.7	133	5	7	11	17	26	36	79
TOTAL SINGLE DX	22	9.6	51	4	4	8	12	18	28	30
TOTAL MULTIPLE DX	524	14.4	164	5	7	11	17	29	39	79
TOTAL										
0-19 YRS	12	10.8	45	4	5	8	17	20	21	21
20-34	8	7.8	8	5	6	7	9	12	13	13
35-49	25	12.0	87	3	7	9	14	28	32	39
50-64	65	20.3	376	5	7	12	27	47	61	94
65+	436	13.7	132	5	7	11	17	26	35	77
GRAND TOTAL	546	14.2	160	5	7	11	17	28	39	75

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	4	6.0	6	4	4	6	8	9	9	9
20-34	4	9.8	71	3	4	7	15	22	22	22
35-49	8	8.6	51	3	4	6	10	21	25	25
50-64	5	14.4	46	7	9	12	21	23	23	23
65+	5	7.4	41	1	4	5	10	18	18	18
2. MULTIPLE DX										
0-19 YRS	10	6.5	75	1	2	2	8	21	28	28
20-34	10	27.0	612	8	14	17	32	68	88	88
35-49	44	16.5	208	5	8	14	21	25	36	93
50-64	75	15.9	145	5	8	13	20	32	40	62
65+	126	15.3	85	5	9	14	19	29	32	47
TOTAL SINGLE DX	26	9.3	46	3	5	7	12	22	23	25
TOTAL MULTIPLE DX	265	15.8	147	4	8	13	20	29	36	62
TOTAL										
0-19 YRS	14	6.4	54	2	2	3	8	16	25	28
20-34	14	22.1	506	3	8	15	24	52	80	88
35-49	52	15.3	191	4	7	13	20	25	33	92
50-64	80	15.9	139	5	8	13	20	31	39	62
65+	131	15.0	[illegible]	5	8	14	19	29	32	47
GRAND TOTAL	291	15.2	141	4	8	13	19	29	34	62

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	15	2.7	3	1	1	2	4	5	6	6
20-34	15	3.9	7	1	1	4	6	7	9	10
35-49	5	5.4	21	1	1	6	8	12	12	12
50-64	5	8.2	3	6	7	8	9	11	11	11
65 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	8	5.0	15	1	2	4	7	11	13	13
20-34	18	8.1	42	3	3	6	9	15	24	29
35-49	18	9.3	37	4	6	8	11	19	24	26
50-64	5	6.2	16	2	2	7	9	11	11	11
65 +	3	6.0	13	3	3	5	9	10	10	10
TOTAL SINGLE DX	41	4.1	10	1	1	4	6	8	10	12
TOTAL MULTIPLE DX	52	7.7	33	2	3	7	10	13	21	29
TOTAL										
0-19 YRS	23	3.5	8	1	1	3	5	6	9	13
20-34	33	6.2	30	1	3	5	8	11	16	29
35-49	23	8.4	35	1	5	7	11	14	23	26
50-64	10	7.2	10	2	6	8	9	11	11	11
65 +	4	4.8	15	1	2	4	7	10	10	10
GRAND TOTAL	93	6.1	26	1	3	5	8	11	13	28

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	19	3.6	15	<1	1	2	5	7	13	17
35-49	11	3.7	25	<1	1	2	4	11	17	18
50-64	10	8.7	53	1	2	8	15	19	19	19
65 +	17	6.4	22	2	2	6	8	15	16	16
2. MULTIPLE DX										
0-19 YRS	8	3.1	7	<1	1	2	6	7	7	7
20-34	24	4.8	40	1	2	2	6	11	48	99 +
35-49	26	6.8	45	1	1	3	12	16	20	24
50-64	66	10.8	121	2	5	7	13	27	42	93
65 +	89	11.4	104	3	5	9	15	22	35	51
TOTAL SINGLE DX	60	5.1	28	1	1	3	7	15	17	19
TOTAL MULTIPLE DX	213	9.6	98	2	3	7	13	23	35	73
TOTAL										
0-19 YRS	11	2.5	6	<1	1	1	4	7	7	7
20-34	43	4.2	29	1	1	2	6	11	21	99 +
35-49	37	5.9	40	1	1	3	9	16	19	24
50-64	76	10.6	112	2	4	7	14	25	40	89
65 +	106	10.6	94	2	4	7	14	20	34	50
GRAND TOTAL	273	8.6	86	1	2	6	12	19	31	56

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65 +	0									
2. MULTIPLE DX										
0-19 YRS	0									
20-34	0									
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	5.5	1	5	5	5	6	6	6	6
65 +	3	8.7	10	5	6	10	11	11	11	11
TOTAL SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
TOTAL MULTIPLE DX	6	6.8	9	4	5	6	10	11	11	11
TOTAL										
0-19 YRS	0									
20-34	0									
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	3	4.0	7	1	2	5	6	6	6	6
65 +	3	8.7	10	5	6	10	11	11	11	11
GRAND TOTAL	8	5.6	11	2	3	5	8	11	11	11

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	16	1.3		<1	<1	<1	1	2	3	3
20-34	70	1.4		<1	<1	<1	1	3	3	6
35-49	289	1.7	1	<1	<1	1	2	3	4	7
50-64	249	1.7	1	<1	<1	1	2	3	4	7
65 +	203	1.9	13	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	5	1.2		<1	<1	<1	1	2	2	2
20-34	42	4.4	99	<1	1	2	4	7	14	63
35-49	268	3.1	21	<1	1	2	3	5	11	29
50-64	281	3.1	13	<1	1	2	4	7	11	18
65 +	431	4.1	20	1	1	3	5	10	14	21
TOTAL SINGLE DX	827	1.7	4	<1	<1	1	2	3	4	6
TOTAL MULTIPLE DX	1027	3.6	22	<1	1	2	4	8	12	23
TOTAL										
0-19 YRS	21	1.3		<1	<1	<1	1	2	3	3
20-34	112	2.5	40	<1	<1	1	2	4	6	38
35-49	557	2.4	12	<1	<1	1	2	4	6	19
50-64	530	2.5	8	<1	1	2	3	5	7	14
65 +	634	3.4	19	<1	1	2	4	8	12	20
GRAND TOTAL	1854	2.7	15	<1	<1	2	3	5	9	19

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	18	2.4	1	1	1	2	3	4	4	4
35-49	78	2.6	1	1	2	2	3	4	5	7
50-64	92	3.0	1	1	2	3	4	5	6	6
65 +	109	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	2.7	3	1	1	3	4	5	6	6
35-49	133	3.3	4	1	2	3	4	5	7	12
50-64	164	3.4	17	1	2	3	4	5	7	18
65 +	238	3.9	8	2	2	3	4	6	9	20
TOTAL SINGLE DX	299	2.9	2	1	2	3	4	5	5	7
TOTAL MULTIPLE DX	550	3.6	10	1	2	3	4	6	8	16
TOTAL										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	32	2.5	2	1	1	2	4	4	5	6
35-49	211	3.1	3	1	2	3	3	5	6	11
50-64	256	3.3	12	1	2	3	4	5	6	14
65 +	347	3.7	7	2	2	3	4	6	8	16
GRAND TOTAL	849	3.3	7	1	2	3	4	5	6	13

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	64	3.1	1	2	2	3	4	4	5	8
35-49	489	3.1	1	2	2	3	4	5	5	7
50-64	766	3.1	1	2	2	3	4	5	6	7
65 +	932	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	83	3.6	4	2	3	3	4	5	6	16
35-49	690	3.4	3	2	2	3	4	5	6	12
50-64	1181	3.6	3	2	2	3	4	6	7	11
65 +	2015	4.2	8	2	3	4	5	7	8	15
TOTAL SINGLE DX	2253	3.2	2	2	2	3	4	5	6	7
TOTAL MULTIPLE DX	3969	3.9	6	2	3	3	4	6	7	13
TOTAL										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	147	3.4	3	2	2	3	4	5	6	12
35-49	1179	3.3	3	2	2	3	4	5	6	10
50-64	1947	3.4	3	2	2	3	4	5	6	10
65 +	2947	3.9	7	2	3	3	5	6	8	13
GRAND TOTAL	6222	3.6	5	2	2	3	4	6	7	11

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	160	1.9		1	1	2	2	3	3	5
20-34	402	2.0		1	1	2	3	3	4	5
35-49	367	2.1	1	1	1	2	3	4	4	5
50-64	197	2.1	1	1	1	2	3	4	5	6
65 +	59	2.2	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	60	2.1		1	1	2	3	3	4	5
20-34	261	2.4	2	1	1	2	3	4	5	10
35-49	761	2.5	11	1	1	2	3	4	5	8
50-64	507	2.7	4	1	1	2	3	5	6	9
65 +	163	2.6	2	1	1	2	3	5	6	8
TOTAL SINGLE DX	1185	2.1	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	1752	2.5	7	1	1	2	3	4	6	8
TOTAL										
0-19 YRS	220	1.9	1	1	1	2	2	3	3	5
20-34	663	2.2	2	1	1	2	3	4	4	6
35-49	1128	2.4	8	1	1	2	3	4	5	7
50-64	704	2.5	4	1	1	2	3	5	6	9
65 +	222	2.5	2	1	1	2	3	4	6	8
GRAND TOTAL	2937	2.3	5	1	1	2	3	4	5	8

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	100	1.7		1	1	1	2	3	4	5
20-34	158	1.7	1	<1	1	1	2	3	3	6
35-49	43	1.7	1	1	1	1	2	3	5	6
50-64	9	1.8	2	<1	1	1	2	4	6	6
65 +	0									
2. MULTIPLE DX										
0-19 YRS	17	6.6	220	1	1	2	2	24	48	58
20-34	40	3.4	12	1	1	2	4	9	11	15
35-49	21	3.3	12	1	1	2	4	7	12	16
50-64	6	4.5	28	1	1	2	5	14	15	15
65 +	4	3.5	8	1	1	3	6	6	6	6
TOTAL SINGLE DX	310	1.7	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	88	4.1	52	1	1	2	4	8	15	47
TOTAL										
0-19 YRS	117	2.4	34	1	1	1	2	3	4	39
20-34	198	2.1	4	1	1	1	2	3	6	12
35-49	64	2.3	6	1	1	1	3	5	6	15
50-64	15	2.9	14	1	1	1	3	6	13	15
65 +	4	3.5	8	1	1	3	6	6	6	6
GRAND TOTAL	398	2.2	13	1	1	1	2	4	6	15

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	208	1.7	3	<1	<1	1	1	3	7	9
20-34	136	1.9	3	<1	1	1	2	4	6	11
35-49	138	2.5	9	<1	1	1	3	5	9	16
50-64	90	1.8	3	<1	1	1	2	4	5	11
65 +	82	2.5	8	<1	<1	1	3	6	8	17
2. MULTIPLE DX										
0-19 YRS	169	6.0	97	<1	1	2	5	16	29	49
20-34	170	7.2	104	1	1	3	8	20	26	62
35-49	218	6.6	81	1	1	3	7	17	28	45
50-64	243	7.8	100	1	2	5	9	17	22	62
65 +	460	8.9	103	1	3	6	11	20	26	70
TOTAL SINGLE DX	654	2.0	5	<1	<1	1	2	4	7	13
TOTAL MULTIPLE DX	1260	7.7	99	1	2	4	9	18	26	60
TOTAL										
0-19 YRS	377	3.6	50	<1	<1	1	3	8	13	43
20-34	306	4.8	66	<1	1	2	5	11	21	59
35-49	356	5.0	57	<1	1	2	5	11	19	36
50-64	333	6.2	81	<1	1	3	8	14	21	50
65 +	542	7.9	95	1	2	5	10	17	25	64
GRAND TOTAL	1914	5.7	74	<1	1	3	7	14	22	49

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	222	2.8	6	1	1	2	4	6	7	13
20-34	304	3.9	18	1	1	2	5	8	13	24
35-49	155	4.4	16	1	2	3	6	8	13	24
50-64	94	6.3	32	1	2	4	10	14	16	29
65 +	87	7.7	74	1	2	5	9	16	22	50
2. MULTIPLE DX										
0-19 YRS	574	5.6	54	1	2	3	6	13	21	41
20-34	848	8.3	105	1	2	5	10	20	31	55
35-49	794	10.6	158	2	3	7	13	23	36	85
50-64	734	12.6	174	3	5	8	15	26	40	81
65 +	1460	14.3	177	3	6	10	18	30	43	81
TOTAL SINGLE DX	862	4.4	24	1	1	3	6	9	14	24
TOTAL MULTIPLE DX	4410	11.0	153	2	3	7	14	25	36	70
TOTAL										
0-19 YRS	796	4.8	43	1	1	3	5	10	17	36
20-34	1152	7.1	86	1	2	4	8	17	26	47
35-49	949	9.6	141	1	3	6	12	22	32	79
50-64	828	11.8	162	2	4	8	15	25	36	79
65 +	1547	13.9	174	3	6	10	18	29	42	80
GRAND TOTAL	5272	9.9	138	1	3	6	13	23	34	67

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	383	2.7	6	<1	1	2	4	6	8	13
20-34	448	3.2	10	1	1	2	4	6	8	19
35-49	291	3.7	37	1	1	2	5	7	9	16
50-64	153	3.6	17	1	1	2	4	7	10	23
65 +	138	4.2	31	1	2	3	5	7	11	33
2. MULTIPLE DX										
0-19 YRS	1182	3.6	23	1	1	2	4	7	12	26
20-34	1953	4.4	42	1	1	2	5	9	13	35
35-49	1308	6.0	74	1	2	3	7	13	20	48
50-64	913	7.4	71	1	2	5	9	17	25	45
65 +	1610	7.2	67	1	2	5	9	16	22	41
TOTAL SINGLE DX	1413	3.3	18	1	1	2	4	7	9	18
TOTAL MULTIPLE DX	6966	5.6	57	1	2	3	7	12	19	40
TOTAL										
0-19 YRS	1565	3.4	19	1	1	2	4	7	10	23
20-34	2401	4.2	37	1	1	2	5	9	13	29
35-49	1599	5.6	68	1	2	3	6	11	17	46
50-64	1066	6.8	65	1	2	4	8	15	23	45
65 +	1748	7.0	65	1	2	5	9	15	21	41
GRAND TOTAL	8379	5.2	51	1	1	3	6	11	17	38

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	72	3.0	7	<1	1	2	4	7	9	12
20-34	78	4.9	36	1	1	2	6	14	17	30
35-49	55	5.9	38	1	1	3	8	16	20	25
50-64	38	5.5	37	1	1	3	6	16	21	23
65+	49	7.2	43	1	2	5	11	16	20	32
2. MULTIPLE DX										
0-19 YRS	132	10.6	148	<1	1	5	17	29	39	48
20-34	164	12.1	145	1	3	8	18	28	38	72
35-49	159	14.6	217	1	3	9	22	35	49	72
50-64	158	12.3	143	1	4	8	17	26	41	73
65+	274	14.3	171	2	5	10	21	32	43	65
TOTAL SINGLE DX	292	5.1	32	1	1	3	7	14	18	25
TOTAL MULTIPLE DX	887	13.0	168	1	3	9	19	30	41	65
TOTAL										
0-19 YRS	204	7.9	111	<1	1	3	9	22	31	47
20-34	242	9.8	122	1	2	6	14	24	34	55
35-49	214	12.4	185	1	2	7	19	31	45	66
50-64	196	11.0	130	1	3	7	16	24	35	67
65+	323	13.2	158	2	4	9	19	29	40	63
GRAND TOTAL	1179	11.1	146	1	2	7	16	27	37	62

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	27	2.1	8	1	1	1	2	4	7	16
20-34	28	3.1	4	1	1	3	4	6	7	9
35-49	21	3.3	11	1	1	2	4	8	11	14
50-64	8	2.8	6	<1	1	2	4	7	8	8
65+	14	4.1	30	1	1	2	4	12	19	21
2. MULTIPLE DX										
0-19 YRS	27	9.9	154	1	1	5	13	28	33	52
20-34	63	12.9	263	1	2	8	21	42	65	99+
35-49	44	11.3	220	1	2	5	13	38	46	64
50-64	52	12.2	204	1	2	4	20	38	45	50
65+	101	15.8	254	1	3	10	25	38	48	70
TOTAL SINGLE DX	98	3.0	11	1	1	2	4	6	9	19
TOTAL MULTIPLE DX	287	13.3	234	1	2	6	22	38	47	73
TOTAL										
0-19 YRS	54	6.0	96	1	1	2	6	19	28	51
20-34	91	9.9	204	1	2	4	10	32	55	99+
35-49	65	8.7	166	1	2	4	9	22	44	61
50-64	60	10.9	188	1	2	3	17	34	44	50
65+	115	14.4	242	1	3	7	23	37	47	69
GRAND TOTAL	385	10.6	197	1	2	4	14	31	44	71

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	75	1.5	2	<1	<1	1	1	2	4	10
20-34	64	2.3	2	1	1	2	3	4	5	9
35-49	77	2.4	3	1	1	2	3	5	6	11
50-64	54	2.2	3	1	1	2	3	4	5	10
65+	21	4.8	48	1	1	2	4	17	23	27
2. MULTIPLE DX										
0-19 YRS	140	2.9	10	<1	1	1	4	7	10	29
20-34	121	4.3	46	1	1	2	4	8	15	42
35-49	180	4.2	28	1	2	3	4	8	12	29
50-64	160	5.4	39	1	2	3	7	12	16	40
65+	210	8.1	98	1	2	5	10	19	29	89
TOTAL SINGLE DX	291	2.3	7	<1	1	1	3	4	6	15
TOTAL MULTIPLE DX	811	5.2	52	1	1	3	6	12	18	43
TOTAL										
0-19 YRS	215	2.4	8	<1	1	1	3	6	9	18
20-34	185	3.6	32	1	1	2	4	7	10	40
35-49	257	3.6	21	1	1	2	4	7	11	28
50-64	214	4.6	32	1	1	3	6	9	14	32
65+	231	7.8	95	1	2	5	9	19	29	86
GRAND TOTAL	1102	4.5	41	1	1	2	5	10	15	41

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	6	2.0		1	1	2	3	3	3	3
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	3	5.0	13	1	2	6	7	8	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	5	3.2	4	1	2	2	5	6	6	6
20-34	5	8.8	64	2	3	7	13	22	22	22
35-49	7	4.6	7	2	2	3	7	9	9	9
50-64	13	5.1	13	2	3	4	7	11	13	13
65+	46	6.9	24	2	3	6	8	13	16	27
TOTAL SINGLE DX	15	2.7	5	1	1	2	3	6	7	8
TOTAL MULTIPLE DX	76	6.2	23	2	3	5	8	11	15	26
TOTAL										
0-19 YRS	11	2.5	3	1	1	2	3	5	6	6
20-34	9	5.7	47	1	2	3	8	17	22	22
35-49	10	4.7	8	1	2	4	7	8	9	9
50-64	14	4.8	13	1	3	4	7	11	13	13
65+	47	6.8	24	2	3	6	8	13	16	27
GRAND TOTAL	91	5.6	22	1	2	4	8	10	15	25

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	34	1.4	2	<1	1	1	1	2	5	8
20-34	576	1.9	5	1	1	1	2	5	7	12
35-49	1013	1.8	4	<1	1	1	1	4	6	10
50-64	583	1.7	3	<1	1	1	1	4	6	11
65+	264	1.8	5	<1	1	1	1	4	7	12
2. MULTIPLE DX										
0-19 YRS	55	3.8	26	1	1	1	4	10	14	25
20-34	413	3.1	13	1	1	1	4	8	9	19
35-49	784	3.0	14	1	1	1	4	8	11	19
50-64	680	3.5	29	1	1	1	4	9	13	22
65+	713	4.5	27	1	1	2	6	11	15	24
TOTAL SINGLE DX	2470	1.8	4	<1	1	1	1	4	6	11
TOTAL MULTIPLE DX	2645	3.6	22	1	1	1	4	9	13	22
TOTAL										
0-19 YRS	89	2.9	19	1	1	1	3	8	12	24
20-34	989	2.4	9	1	1	1	2	6	8	16
35-49	1797	2.3	9	1	1	1	2	6	8	15
50-64	1263	2.7	18	1	1	1	2	7	10	18
65+	977	3.8	23	1	1	1	5	10	13	22
GRAND TOTAL	5115	2.7	14	1	1	1	3	7	10	18

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	24	2.8	4	1	1	2	4	6	7	9
20-34	77	2.5	9	1	1	1	3	7	8	17
35-49	85	3.6	18	1	1	2	4	8	12	23
50-64	126	3.1	10	<1	1	2	4	7	9	17
65+	153	2.4	4	<1	1	1	3	6	7	9
2. MULTIPLE DX										
0-19 YRS	41	6.4	140	1	1	3	6	15	18	74
20-34	107	4.9	25	1	1	3	6	12	18	59
35-49	218	6.7	65	1	1	4	8	15	23	44
50-64	478	5.5	34	1	2	4	7	12	16	29
65+	946	5.9	35	1	2	5	7	11	16	27
TOTAL SINGLE DX	465	2.9	10	<1	1	1	4	7	8	17
TOTAL MULTIPLE DX	1790	5.8	41	1	2	4	7	12	17	30
TOTAL										
0-19 YRS	65	5.1	93	1	1	2	5	12	16	66
20-34	184	3.9	20	1	1	2	5	9	14	27
35-49	303	5.8	54	1	1	4	7	14	18	41
50-64	604	5.0	30	1	1	4	6	11	14	27
65+	1099	5.4	33	1	2	4	7	10	15	27
GRAND TOTAL	2255	5.2	36	1	1	4	7	11	15	29

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	3.0	12	<1	<1	1	5	7	7	7
35-49	35	2.3	5	<1	<1	1	2	6	8	11
50-64	52	1.8	2	<1	<1	1	2	4	5	9
65+	32	1.9	3	<1	<1	1	2	4	7	8
2. MULTIPLE DX										
0-19 YRS	0									
20-34	8	4.6	9	<1	1	5	7	8	8	8
35-49	147	2.9	6	<1	1	2	4	7	8	12
50-64	423	3.3	8	<1	1	2	5	7	9	12
65+	576	4.1	16	<1	1	3	6	9	12	19
TOTAL SINGLE DX	123	2.0	4	<1	<1	1	2	5	7	10
TOTAL MULTIPLE DX	1154	3.7	12	<1	1	2	5	8	10	16
TOTAL										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	11	4.2	9	<1	1	4	7	8	8	8
35-49	182	2.8	6	<1	1	2	4	6	8	12
50-64	475	3.1	8	<1	1	2	5	7	9	12
65+	608	4.0	16	<1	1	3	6	9	12	18
GRAND TOTAL	1277	3.5	12	<1	1	2	5	8	10	16

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	60	3.3	10	<1	1	2	5	8	10	13
20-34	196	4.1	9	1	1	4	7	8	10	12
35-49	244	4.3	9	1	1	4	7	8	10	13
50-64	232	4.3	11	<1	1	4	7	9	10	17
65 +	245	4.3	12	1	1	4	7	9	11	15
2. MULTIPLE DX										
0-19 YRS	76	4.0	39	<1	1	2	5	8	11	42
20-34	328	6.1	28	1	2	5	8	12	14	28
35-49	685	5.9	18	1	2	5	8	11	13	23
50-64	1147	6.0	29	1	2	5	8	11	14	23
65 +	2296	6.7	35	1	2	6	9	12	16	30
TOTAL SINGLE DX	977	4.2	11	1	1	4	7	9	10	13
TOTAL MULTIPLE DX	4532	6.3	31	1	2	6	8	12	15	26
TOTAL										
0-19 YRS	136	3.7	27	<1	1	2	5	8	11	22
20-34	524	5.3	22	1	2	4	7	10	13	20
35-49	929	5.5	17	1	2	5	8	10	13	21
50-64	1379	5.7	27	1	2	5	8	11	14	22
65 +	2541	6.4	34	1	2	6	8	12	16	28
GRAND TOTAL	5509	5.9	28	1	2	5	8	11	14	24

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1064	2.4	7	1	1	1	3	5	7	13
20-34	773	4.0	30	1	1	2	4	8	11	31
35-49	682	4.0	22	1	2	3	5	8	10	16
50-64	525	4.4	31	1	2	3	5	8	12	30
65 +	680	4.6	23	1	2	3	6	9	11	26
2. MULTIPLE DX										
0-19 YRS	2547	4.5	48	1	1	2	5	10	15	43
20-34	2662	5.0	38	1	2	3	6	10	15	32
35-49	3062	5.5	41	1	2	4	7	11	16	33
50-64	4588	6.0	33	2	3	4	7	12	16	29
65 +	15768	6.7	29	2	3	5	8	13	16	27
TOTAL SINGLE DX	3724	3.7	22	1	1	2	4	7	10	23
TOTAL MULTIPLE DX	28627	6.1	35	2	3	5	8	12	16	29
TOTAL										
0-19 YRS	3611	3.9	37	1	1	2	4	8	13	34
20-34	3435	4.7	37	1	2	3	5	10	14	32
35-49	3744	5.3	39	1	2	4	6	10	15	31
50-64	5113	5.9	34	2	2	4	7	12	15	29
65 +	16448	6.6	29	2	3	5	8	13	16	27
GRAND TOTAL	32351	5.9	34	1	2	4	7	12	16	29

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1918	2.9	9	1	1	2	4	6	8	14
20-34	3231	2.8	7	1	1	2	3	5	7	13
35-49	2164	2.9	9	1	1	2	3	6	8	15
50-64	1392	3.3	12	1	1	2	4	7	8	14
65 +	1031	4.0	11	1	2	3	5	8	9	15
2. MULTIPLE DX										
0-19 YRS	4494	5.5	57	1	2	3	6	11	18	43
20-34	6193	4.5	28	1	2	3	5	9	12	28
35-49	6299	4.9	26	1	2	3	6	10	13	28
50-64	9483	5.4	22	2	3	4	7	10	14	24
65 +	24000	6.3	23	2	3	5	8	12	15	24
TOTAL SINGLE DX	9736	3.1	10	1	1	2	4	6	8	14
TOTAL MULTIPLE DX	50489	5.7	28	2	3	4	7	11	14	27
TOTAL										
0-19 YRS	6412	4.8	44	1	2	3	5	10	15	38
20-34	9424	3.9	22	1	2	3	5	7	11	26
35-49	8463	4.4	23	1	2	3	5	9	12	26
50-64	10875	5.1	22	1	2	4	7	10	13	23
65 +	25031	6.2	23	2	3	5	8	11	15	24
GRAND TOTAL	60205	5.2	26	1	2	4	7	10	14	26

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	42	3.9	6	1	2	4	5	7	9	13
20-34	9	1.9	1	<1	1	2	2	4	4	4
35-49	20	3.7	5	1	2	3	5	6	8	10
50-64	20	4.9	16	1	2	4	7	9	14	18
65+	8	5.1	17	1	2	4	7	12	14	14
2. MULTIPLE DX										
0-19 YRS	661	14.6	293	2	4	8	20	43	76	99+
20-34	113	7.5	75	2	3	5	9	17	25	76
35-49	192	8.8	86	2	3	6	12	18	24	61
50-64	348	10.4	90	3	5	8	13	20	27	54
65+	987	11.3	72	4	6	9	14	21	27	51
TOTAL SINGLE DX	99	3.9	9	1	2	3	5	8	9	16
TOTAL MULTIPLE DX	2301	11.7	144	3	5	8	15	25	38	99+
TOTAL										
0-19 YRS	703	14.0	283	2	4	8	19	42	74	99+
20-34	122	7.1	72	2	2	4	8	16	24	72
35-49	212	8.4	81	2	3	6	11	17	23	61
50-64	368	10.1	88	3	4	8	12	20	26	54
65+	995	11.2	72	4	6	9	14	21	27	51
GRAND TOTAL	**2400**	**11.4**	**141**	**2**	**4**	**8**	**14**	**24**	**38**	**99+**

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	2239	3.6	27	1	1	2	3	6	15	29
20-34	569	4.2	15	1	2	3	5	8	12	22
35-49	584	4.3	21	1	2	3	5	8	11	24
50-64	330	4.1	13	1	2	3	5	8	11	16
65+	296	4.6	26	1	2	3	6	8	11	26
2. MULTIPLE DX										
0-19 YRS	4268	5.1	48	1	2	3	5	11	21	37
20-34	1387	8.0	80	2	3	5	9	21	28	45
35-49	1670	6.8	60	1	3	4	8	15	23	46
50-64	2654	6.6	46	2	3	5	8	13	20	38
65+	8110	7.5	51	2	3	6	9	15	20	39
TOTAL SINGLE DX	4018	3.9	24	1	2	3	4	7	12	27
TOTAL MULTIPLE DX	18089	6.8	54	2	3	5	8	14	21	39
TOTAL										
0-19 YRS	6507	4.6	42	1	2	3	4	10	19	35
20-34	1956	6.9	65	1	2	4	8	16	27	38
35-49	2254	6.2	52	1	2	4	7	13	20	37
50-64	2984	6.4	43	2	3	4	7	12	18	38
65+	8406	7.4	51	2	3	6	9	14	20	39
GRAND TOTAL	**22107**	**6.3**	**50**	**1**	**2**	**4**	**7**	**13**	**20**	**37**

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-19 YRS										
20-34										
35-49										
50-64										
65 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1280	2.6	3	1	1	2	4	4	5	8
20-34	310	2.9	3	1	1	2	4	5	7	10
35-49	294	3.2	4	1	2	3	4	6	7	10
50-64	276	3.9	9	1	2	3	5	7	8	13
65 +	284	4.4	9	2	2	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	2350	4.5	31	1	2	3	5	8	12	30
20-34	1093	4.4	22	1	2	3	5	10	13	22
35-49	1655	4.9	22	1	2	4	6	9	12	22
50-64	3349	5.6	19	2	3	4	7	11	14	23
65 +	9667	6.7	26	2	3	5	8	12	16	26
TOTAL SINGLE DX	2444	3.0	5	1	1	3	4	5	7	11
TOTAL MULTIPLE DX	18114	5.9	26	2	3	5	7	11	15	25
TOTAL										
0-19 YRS	3630	3.8	23	1	2	3	4	7	10	25
20-34	1403	4.1	18	1	2	3	5	9	12	21
35-49	1949	4.6	20	1	2	3	6	9	12	21
50-64	3625	5.5	19	2	3	4	7	10	14	23
65 +	9951	6.6	27	2	3	5	8	12	15	26
GRAND TOTAL	20558	5.6	25	1	3	4	7	11	14	24

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-19 YRS	1855	2.2	9	1	1	2	2	4	5	13
20-34	843	3.0	29	< 1	1	2	3	5	8	32
35-49	1166	2.9	15	1	1	2	3	5	8	27
50-64	1034	2.7	5	1	1	2	3	5	7	11
65 +	860	3.4	10	1	1	2	4	7	9	15
2. MULTIPLE DX										
0-19 YRS	5719	5.7	103	1	2	3	5	12	24	68
20-34	2565	4.8	56	1	1	2	5	11	18	37
35-49	3978	4.0	21	1	2	3	5	8	12	24
50-64	7263	4.4	23	1	2	3	5	9	12	25
65 +	18199	5.5	25	2	2	4	7	11	14	25
TOTAL SINGLE DX	5758	2.7	13	1	1	2	3	5	7	19
TOTAL MULTIPLE DX	37724	5.1	39	1	2	3	6	10	14	31
TOTAL										
0-19 YRS	7574	4.9	82	1	1	2	4	9	19	59
20-34	3408	4.3	50	1	1	2	4	9	17	35
35-49	5144	3.7	20	1	1	2	4	7	11	25
50-64	8297	4.2	22	1	2	3	5	8	11	24
65 +	19059	5.4	25	2	2	4	7	11	14	25
GRAND TOTAL	43482	4.8	36	1	2	3	6	10	14	30

Appendix

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

Diagnosis Groups (continued)

358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental ICD-9-CM Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index
Part III: Crosswalk

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification.* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1988, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1988 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism

Group No.	Title
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine

Group No.	Title
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
305	skin and subcutaneous tissue, except digit

Group No.	Title
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary
354	renal

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebralvascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration

DIAGNOSIS INDEX (continued)

Group No.	Title
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD

Group No.	Title
	Dependence (continued)
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
	Disease **(continued)**
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
145	renal
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Drug **(continued)**
  - 112 dependence, except opioid
    - 111 opioid
  - 99 induced psychosis
  - 402 poisoning or overdose
  - 99 withdrawal syndrome or symptoms
- 113 Drunkenness
- 206 Duodenal disease, except ulcer and inflammation
  - ulcer-*see Ulcer, duodenal*
- 205 Duodenitis
- 2 Dysentery
- Dysfunction
  - 79 ovarian
  - 332 somatic (osteopathic)
- 267 Dysmenorrhea
- 267 Dyspareunia
- 353 Dyspnea
- 108 Dysthymia
- 124 Dystrophy, muscular
- 354 Dysuria

- 346 Eclampsia
  - 275 of pregnancy
    - 301 with delivery
- 268 Ectopic pregnancy
- Effect, adverse
  - 404 drugs, not otherwise specified
    - 402 overdose or wrong substance given or taken
  - 404 external conditions
  - 403 nonmedical substance
  - 404 radiation
  - 404 temperature
- 282 Elderly primigravida
  - 301 with delivery
- Elective
  - 269 abortion
  - 410 sterilization

Group No. **Title**

- 86 Electrolyte imbalance or disorder
- Embolism
  - 175 arterial, except cerebral, precerebral, and lower limb
  - cerebral
    - 165 without paralysis
    - 166 with paralysis
  - 171 lower limb
  - precerebral
    - 163 without paralysis
    - 164 with paralysis
  - 151 pulmonary, except postoperative
    - 408 postoperative
  - 180 vein
- 191 Emphysema
- 120 Encephalitis, except viral
  - 13 viral
    - 20 late effect
- 152 Endocarditis, acute and subacute bacterial
- 80 Endocrine disease, except ovary, thyroid, and diabetes mellitus
- 259 Endometriosis
- 261 Endometritis, except puerperal
  - 302 puerperal
- 73 Enlarged thyroid
- 218 Enteritis, except bacterial, regional, and viral
  - 2 bacterial
  - 218 noninfectious
  - 222 regional
  - 1 viral
- 252 Epididymitis
- 123 Epilepsy
- 349 Epistaxis
- 7 Erysipelas
- 71 Erythroplasia
- 180 Esophageal varices
- 199 Esophagitis
- 199 Esophagospasm
- 143 Essential benign hypertension

DIAGNOSIS INDEX (continued)

Group No.	Title
	Examination
417	follow-up
417	medical
	Failure
156	heart
408	postoperative
238	renal, except chronic
237	chronic
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper

Group No.	Title
	Fracture **(continued)**
	arm, except upper (continued)
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
	skull (continued)
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage

Group No.	Title
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device
	Heart
147	attack
156	failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn

DIAGNOSIS INDEX (continued)

Group No.	Title
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional

Group No.	Title
	Hernia (continued)
	incisional (continued)
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly
84	Hyperbilirubinemia, except neonatal
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy

DIAGNOSIS INDEX (continued)

Group No.	Title
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis

Group No.	Title
	Infertility **(continued)**
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion
386	internal, except chest
385	chest
376	knee ligament or meniscus
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg
	Laceration (continued)
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria

DIAGNOSIS INDEX (continued)

Group No.	Title
32	Malignant melanoma, skin
105	Manic-depressive psychosis
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis

Group No.	Title
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign **(continued)**
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
38	fallopian tube
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, except colon and rectum
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland

Group No.	Title
	Neoplasm, malignant **(continued)**
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive

DIAGNOSIS INDEX (continued)

Group No.	Title
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia

Group No.	Title
	Organic brain syndrome **(continued)**
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
136	chronic and unspecified
137	acute
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Pregnancy **(continued)**
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism

Group No.	Title
	Pulmonary **(continued)**
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congential
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic
237	chronic
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee

DIAGNOSIS INDEX (continued)

Group No.	Title
	Sprain, except knee, back, and sacroiliac region **(continued)**
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)

Group No.	Title
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 275 Toxemia of the puerperium
  - 301 with delivery
- 182 Tracheobronchitis, acute
- 409 Transfusion reaction
- 167 Transient ischemic attack (TIA)
- 131 Traumatic cataract
- Treatment
  - 416 chemotherapy
  - 415 dialysis
  - 417 physical therapy
  - 417 radiotherapy
- 17 Trichinosis
- 19 Trichomoniasis
- Tricuspid valve disease-*see Valvular disease*
- 127 Trigeminal neuralgia
- 245 Trigonitis
- 268 Tubal pregnancy
- Tuberculosis
  - 4 bone
  - 20 late effect
  - 3 lung
  - 4 nonrespiratory
  - 3 respiratory
- 14 Typhus

- Ulcer
  - 202 duodenal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 200 gastric
    - 201 with hemorrhage or perforation
    - 204 with obstruction
  - 202 gastrojejunal
    - 203 with hemorrhage or perforation
    - 204 with obstruction
  - 202 peptic, except gastric
    - 203 with hemorrhage or perforation

Group No. **Title**

- Ulcer **(continued)**
  - peptic, except gastric (continued)
    - 204 with obstruction
  - 309 skin
  - 178 varicose, lower extremity
- 222 Ulcerative colitis
- 78 Uncontrolled diabetes mellitus
- 339 Undescended testis
- 357 Undiagnosed disease
- 322 Unstable low back
- 181 Upper respiratory infection, acute, except streptococcal
  - 5 streptococcal
- 238 Uremia, except chronic
  - 237 chronic
- Ureteral
  - 243 disease, except calculus
    - 242 calculus
- Urethral
  - 248 disease, except calculus and stricture
    - 244 calculus
  - 246 stenosis, except congenital
    - 340 congenital
  - 246 stricture, except congenital
    - 340 congenital
- 248 Urethritis
  - 280 in pregnancy
- 181 URI (upper resiratory infection)
- 247 Urinary tract infection
  - 280 in pregnancy
- Uterine
  - 60 fibroid
  - 262 prolapse
- 134 Uveitis

- 261 Vaginitis, except atrophic and senile
  - 265 atrophic or senile
- 330 Valgus deformity, limb

DIAGNOSIS INDEX (continued)

Group No.	Title
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	Open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, and temporomandibular
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
737	total replacement, except hip and knee
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. — Title

- Aspiration
  - 768 breast, except for biopsy
    - 757 biopsy
  - 756 bursa
  - 690 cul-de-sac
  - 685 curettage, uterus, except for termination of pregnancy
    - 682 termination of pregnancy
  - 658 hydrocele, except of spermatic cord
    - 663 spermatic cord
  - 636 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 536 middle ear
  - 545 nasal sinus
  - 671 ovary
  - 768 skin
  - 663 spermatocele
  - 529 vitreous
- Augmentation
  - 760 breast
  - 707 chin

- Balloon
  - 582 angioplasty, except coronary
    - 571 coronary
  - 570 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 586 bone marrow
  - 501 brain
  - 757 breast

Group No. — Title

- Biopsy **(continued)**
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix
  - 598 colon
  - 598 duodenum
  - 676 endocervical
  - 589 esophagus
  - 531 eyeball
  - 517 eyelid
  - 674 fallopian tubes
  - 598 intestine (large) (small)
  - 732 joint structure
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 615 liver
  - 564 lung
  - 583 lymph nodes
  - 569 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - 545 nasal sinus
  - 542 nose
  - 531 orbit
  - 668 ovary, except by aspiration
    - 671 aspiration
  - 620 pancreas
  - 666 penis
  - 508 peripheral nerve
  - 628 peritoneum
  - 555 pharynx
  - 569 pleura
  - 657 prostate

OPERATION INDEX (continued)

Group No.	Title
	Biopsy (continued)
606	rectum
549	salivary gland or duct
658	scrotum
593	stomach
762	skin
598	small intestine
507	spinal meninges
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
597	gastric

Group No.	Title
	Bypass, graft or shunt (continued)
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix

OPERATION INDEX (continued)

Group No.	Title
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
582	blood vessel
568	chest
629	laparotomy site
	Control of hemorrhage **(continued)**
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce

Group No.	Title
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural

OPERATION INDEX (continued)

Group No. **Title**

- Endoscopy (continued)
  - 641 urethra
  - 687 uterus
  - 694 vagina
- 603 Enterostomy
- 531 Enucleation, eyeball
- 522 Epikeratophakia
- 532 Epilation, eyelid
- 705 Episioperinorrhaphy
- 705 Episiorrhaphy
- 698 Episiotomy, except with forceps delivery
  - 695 low forcep
  - 697 other forceps
- 543 Epistaxis control, except by anterior packing
  - 556 anterior packing
- 576 EPS (electrophysiologic stimulation studies), cardiac
- 618 ERCP (endoscopic retrograde cholangiopancreatography)
- 781 Erythrocytapheresis
- 589 Esophagectomy
- 609 Esophagogastroduodenoscopy, except with biopsy
  - 598 with biopsy
- 590 Esophagoscopy, except surgical approach
  - 621 surgical approach
- 589 Esophagotomy
- 652 ESWL (extracorporeal shock wave lithotripsy)
- 612 Evacuation, hemorrhoids
- Evisceration
  - 531 eyeball
  - 681 pelvic
- Examination
  - 783 eye
  - 783 general physical
  - 783 gynecologic
  - 783 pelvic
  - 779 psychiatric
- 781 Exchange transfusion, except intrauterine
  - 704 intrauterine

Group No. **Title**

- Excision-*see also Excision of lesion (and destruction of tissue)*
  - 610 anal fistula
  - 742 Baker's cyst
  - 715 bone, except facial and femur
    - 707 facial, except partial
      - 706 partial
    - 714 femur
  - 555 branchial cleft cyst
  - 713 bunion
  - 517 chalazion, eyelid
  - 600 colon
  - 673 fallopian tubes, bilateral, except endoscopic approach
    - 672 endoscopic approach
  - 678 fibroid, uterine
  - 616 gallbladder
  - 508 ganglion, except of tendon
    - 742 tendon (of hand)
  - 612 hemorrhoids
  - hydrocele
    - 687 round ligament
    - 663 spermatic cord
    - 658 tunica vaginalis
  - 729 intervertebral disc or cartilage, except chemonucleolysis
    - 728 chemonucleolysis
  - 732 joint, except intervertebral disc and cartilage of knee
    - 729 intervertebral disc, except chemonucleolysis
      - 728 chemonucleolysis
    - 730 knee cartilage
  - 633 kidney, except partial
    - 636 partial
  - 730 knee cartilage (semilunar)
  - 583 lymph nodes, except radical
    - 584 radical
  - 508 neuroma, peripheral nerve
  - ovary
    - 670 bilateral
    - 669 unilateral

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges
	Excision of lesion (continued)
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation

Group No.	Title
	Extracorporeal **(continued)**
582	membrane oxygenation (ECMO)
652	shock wave lithotripsy (ESWL)
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*

OPERATION INDEX (continued)

Group No.	Title
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy

Group No.	Title
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical

OPERATION INDEX (continued)

Group No.	Title
	Herniorrhaphy **(continued)**
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain

Group No.	Title
	Incision (and drainage) **(continued)**
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast
	Insertion **(continued)**
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins

OPERATION INDEX (continued)

Group No.	Title
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended

Group No.	Title
	Mastectomy **(continued)**
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension

OPERATION INDEX (continued)

Group No.	Title
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
681	Pelvic exenteration
582	Percutaneous transluminal angioplasty, except coronary
571	coronary artery (PTCA)
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast

OPERATION INDEX (continued)

Group No. **Title**

- Radiography **(continued)**
  - 771 cerebral
    - 771 arteries
    - 769 ventricles
  - 775 chest
  - 774 computerized axial tomography (C.A.T. Scan)
  - 775 gallbladder
  - 775 kidney
  - 775 skeletal
  - 775 spine, except myelogram
    - 770 myelogram
  - 773 veins
- Reattachment
  - 753 extremity
  - 528 retina
  - 746 tendon, except of hand
    - 744 hand
- 530 Recession, ocular muscle
- Reconstruction
  - 534 ear ossicles
  - 707 mandible
  - 744 thumb
- 688 Rectocele repair
- Reduction
  - 726 dislocation, except hip and temporomandibular
    - 725 hip (closed) (open)
    - 710 temporomandibular (joint)
  - fracture
    - 709 facial bone, except closed reduction
      - 708 closed reduction
    - femur
      - 721 closed, except with internal fixation
        - 719 with internal fixation
      - 721 open, except with internal fixation
        - 720 with internal fixation
    - 709 mandible, except closed reduction
      - 708 closed reduction

Group No. **Title**

- Reduction **(continued)**
  - fracture (continued)
    - 709 maxillofacial, except closed reduction
      - 708 closed reduction
    - 543 nose
    - site, other than above
      - 724 closed, except with internal fixation
        - 722 with internal fixation
      - 724 open, except with internal fixation
        - 723 with internal fixation
  - 621 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 783 manual
  - 602 intestinal torsion
  - 602 intussusception, intestine
  - 760 mammoplasty
  - 602 volvulus, intestine
- Release
  - adhesions-*see Lysis, adhesions*
  - 743 Dupuytren's contracture
  - 767 scar contracture, skin
  - 648 urethral stricture
- Removal
  - 718 bone growth stimulator
  - calculus
    - 619 biliary tract, except by ERCP or percutaneous
      - 618 by ERCP
      - 617 percutaneous
    - 644 bladder, except transurethral approach
      - 643 transurethral approach
    - 636 kidney, except transurethral approach
      - 639 transurethral approach
    - 519 lacrimal tract (by incision)
      - 532 without incision
    - 637 ureter, except transurethral approach
      - 639 transurethral approach
  - 783 catheter, nonoperatively

OPERATION INDEX (continued)

Group No. **Title**

- Removal (continued)
  - 783 cholecystotomy tube
  - 701 ectopic fetus
  - 718 fixation device, internal
  - foreign body
    - 780 bronchus, except with incision
      - 562 with incision
    - 531 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 760 breast
      - 727 joint
  - 597 gastric balloon
  - 666 penile prosthesis
    - 705 retained placenta, manually
    - 783 sutures
    - 783 t-tube, gallbladder
    - 783 therapeutic device, nonoperatively
    - 764 tissue expander, except breast
      - 760 breast
    - 529 vitreous
- 579 Renal dialysis
- Repair
  - 632 abdominal wall
  - 613 anal fistula, except by excision
    - 610 excision
  - 582 aneurysm (arteriovenous)
  - 644 bladder, except obstetric laceration
    - 705 obstetric laceration
  - 518 blepharoptosis
  - 582 blood vessel
  - 717 bone, except facial and femur
    - 707 facial
    - 716 femur

Group No. **Title**

- Repair (continued)
  - 760 breast
  - 563 bronchial fistula
  - 713 bunion
  - 570 cardiac septal defect and other anomalies
  - 677 cervix, except obstetric laceration
    - 705 obstetric laceration
  - 569 chest wall
  - 550 cleft palate
  - 520 conjunctiva
  - 522 cornea, except transplant
    - 521 transplant
  - 688 cystocele, vagina
  - 745 diastasis recti
  - 533 ear, external
  - 518 ectropion or entropion, eyelid
  - 705 episiotomy
  - 518 eyelid
  - fistula-*see Fistulectomy*
  - 713 hallux valgus
  - 744 hand
  - hernia-*see Herniorrhaphy*
  - 736 hip, except total replacement
    - 735 total replacement
  - 504 hydrocephalus, by ventricular shunt
  - 602 intestine
  - 740 joint, except hip, knee and prosthetic replacement
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee, except total replacement
      - 737 total replacement
    - 739 total replacement, except hip and knee
  - 738 knee (joint), except total replacement
    - 737 total replacement
  - Laceration-*see also Repair, by site*
    - 705 obstetric
  - 561 larynx

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures

Group No.	Title
	Repair (continued)
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump

OPERATION INDEX (continued)

Group No. **Title**
Revision (continued)
580 arteriovenous shunt for dialysis
597 gastric anastomosis
602 intestinal anastomosis
538 mastoidectomy
561 tracheostomy
538 tympanoplasty
505 ventricular shunt
541 Rhinoplasty
767 Rhytidectomy, facial
548 Root canal therapy
548 Root resection (tooth)
698 Rupture of membranes for delivery

Salpingectomy
673 bilateral
674 unilateral
Salpingo-oophorectomy
670 bilateral
669 unilateral
745 Scalenectomy
741 Scalenotomy
Scan
774 C.A.T. (computerized axial tomography)
775 radioisotope
528 Sclera buckling, for retinal detachment
717 Shortening, bone, except femur
716 femur
Shunt-*see also Bypass*
504 cerebral ventricles, except revision
505 revision
578 peripheral vessels, except for renal dialysis
580 for renal dialysis
632 peritoneovenous
578 systemic vessels
549 Sialoadenectomy
621 Sigmoidoscopy

Group No. **Title**
600 Sigmoidectomy
545 Sinusectomy, nasal
545 Sinusotomy, except radical maxillary
544 radical maxillary
767 Size-reduction, skin tissue except breast
760 breast
783 Sleep disorder function tests
Sphincterotomy
619 ampullary (of Vater) (pancreas), except by ERCP
617 by ERCP
613 anus
644 bladder neck
Spinal
733 fusion
512 tap or puncture
586 Splenectomy
734 Stabilization of joint, except foot and knee
740 foot
738 knee
534 Stapedectomy
534 Stapes mobilization
650 Stress incontinence repair, except by urethral suspension
649 urethral suspension
Stress test
783 cardiac
704 fetal
783 uterine
540 Submucous nasal resection
698 Surgical induction of labor for delivery
Suspension
649 urethra, except with bladder neck
650 with bladder neck
650 urethrovesical
Suture-*see also Repair, by site*
745 muscle, except of hand
744 hand
764 skin

OPERATION INDEX (continued)

Group No.	Title
	Suture (continued)
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
746	muscle, except of hand
744	hand
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy

OPERATION INDEX (continued)

Group No.	Title
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

PART III: CROSSWALK

From Old to New Hospital Diagnosis and Procedure Groups

In January 1989, Hospital Diagnosis Groups (List A) and Hospital Procedure Groups (List B) were revised. This crosswalk is provided to facilitate tracking back and forth between the old and new group numbers.

A. Hospital Diagnosis Groups (List A)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
001	002*	035	037	069	073	103	109	137	143	171	179
002	003	036	038	070	074	104	110	138	144	172	180
003	004	037	039	071	075	105	111	139	146*	173	181
004	005	038	040	072	076	106	112	140	147	174	182
005	006	039	041	073	078*	107	113	141	148	175	183
006	007	040	042	074	079	108	114	142	149	176	184
007	008	041	043	075	080	109	115	143	150	177	185
008	009	042	044	076	081	110	117*	144	151	178	186
009	010	043	045	077	082	111	118*	145	152	179	188*
010	011	044	046	078	083	112	119	146	153	180	189
011	012	045	047	079	084	113	120	147	154	181	190
012	013	046	048	080	085	114	121	148	155	182	191
013	014	047	050*	081	086	115	122	149	156	183	192
014	015	048	052*	082	087	116	123	150	158*	184	193
015	016	049	053	083	088	117	124	151	150	185	194
016	017	050	054	084	089	118	125	152	159	186	196*
017	019*	051	055	085	090	119	126	153	160	187	197
018	020	052	056	086	091	120	127	154	161	188	198
019	021	053	057	087	092	121	128	155	162	189	199
020	022	054	058	088	093	122	129	156	163	190	200
021	023	055	059	089	094	123	130	157	164	191	201
022	024	056	060	090	097*	124	131	158	165	192	202
023	025	057	061	091	096	125	131	159	166	193	203
024	026	058	062	092	098	126	132	160	167	194	204
025	027	059	063	093	099	127	133	161	168	195	205
026	028	060	064	094	100	128	134	162	169	196	206
027	029	061	065	095	101	129	135	163	170	197	207
028	030	062	066	096	102	130	136	164	172*	198	208
029	031	063	067	097	103	131	137	165	173	199	209
030	032	064	068	098	104	132	138	166	174	200	210
031	033	065	069	099	105	133	139	167	175*	201	211
032	034	066	070	100	106	134	140	168	176	202	212
033	035	067	071	101	107	135	141	169	177	203	213
034	036	068	072	102	108	136	142	170	178	204	214

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

Hospital Diagnosis Groups (continued)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	New	Old	New	Old	New	Old	New	Old	New	Old	New
205	215	239	253	273	287	307	323	341	359*	375	394
206	216	240	254	274	288	308	324	342	360*	376	395
207	217	241	255	275	289	309	325	343	361	377	396
208	218	242	256	276	290	310	326	344	362	378	397
209	219	243	257	277	291	311	327	345	363	379	397
210	220	244	258	278	292	312	328	346	364	380	398
211	224*	245	259	279	293	313	329	347	365	381	399
212	225	246	260	280	294	314	330	348	366	382	400
213	226	247	261	281	295	315	331	349	367	383	401
214	227	248	262	282	296	316	331	350	368	384	402
215	228	249	263	283	297	317	332	351	369	385	403
216	229	250	264*	284	298	318	333	352	370	386	404
217	230	251	265	285	299	319	334	353	371	387	405
218	231	252	266	286	300	320	335	354	372	388	406
219	232	253	267	287	301	321	336	355	373	389	407
220	233	254	268	288	302	322	337	356	374	390	408
221	234	255	269	289	303	323	338	357	375	391	409
222	235	256	270	290	304	324	339	358	376	392	410
223	236	257	271	291	305	325	340	359	377	393	411
224	237	258	272	292	306	326	341	360	378	394	412
225	238	259	273	293	307	327	342	361	379	395	413
226	239	260	274	294	308	328	345*	362	380	396	414
227	240	261	275	295	310*	329	346	363	381	397	415
228	241	262	276	296	311	330	347	364	382	398	417*
229	242	263	277	297	312	331	348	365	384*		
230	243	264	278	298	314*	332	349	366	385		
231	244	265	279	299	315	333	350	367	386		
232	245	266	280	300	316	334	351	368	387		
233	246	267	281	301	317	335	352	369	388		
234	248*	268	282	302	318	336	353	370	389		
235	249	269	283	303	319	337	354	371	390		
236	250	270	284	304	320	338	355	372	391		
237	251	271	285	305	321	339	356	373	392		
238	252	272	286	306	322	340	357	374	393		

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

A. Hospital Diagnosis Groups (List A) - APPENDIX

List A Group		Except for Diagnosis Code(s)	Now in
OLD	NEW		LIST A:
001	002	008.6, 008.8	001
017	019	136.3	018
047	050	204.0	049
048	052	205.0	051
073	078	250.70-250.71	077
090	097	290.10-290.13	095
110	117	309.0-309.1	116
111	118	311	116
139	146	403.0-403.9	145
150	158	425.0-425.9	157
164	172	440.2	171
167	175	444.22	171
179	188	481-482.9	187
186	196	518.81-518.82	195
211	224	564.1;	221
		555.0-556;	222
		567.0-567.9	223
234	248	599.0	247
250	264	626.8	263
295	310	707.0-707.9	309
298	314	715.15-715.16, 715.25-715.26, 715.35-715.36, 715.95-715.96	313
328	345	765.00-765.19;	343
		773.0-774.9	344
341	359	800.0-800.9 with 5th digit 4, 5, 803.0-803.9 with 5th digit 4, 5	358
342	360	801.0-801.9 with 5th digit 4, 5	358
365	384	851.0-854.1 with 5th digit 4, 5	383
398	417	V58.1	416

B. Hospital Procedure Groups (List B)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
501	501	535	534	569	568	603	604	637	642	671	679
502	502	536	535	570	569	604	604	638	644*	672	680
503	503	537	536	571	570	605	605	639	645	673	681
504	504	538	537	572	572	606	606	640	646	674	682
505	505*	539	538	573	573	607	607	641	647	675	683
506	506	540	539	574	574	608	608	642	648	676	684
507	507	541	540	575	575*	609	609	643	649	677	685
508	508	542	541	576	576	610	610	644	650	678	686
509	509	543	542	577	577	611	611	645	651	679	687
510	510	544	543	578	578*	612	612	646	653*	680	688
511	511	545	544	579	582	613	613*	647	654	681	689
512	512	546	545	580	579	614	614	648	655	682	690
513	513	547	546	581	582*	615	615	649	656	683	691
514	514	548	547	582	583	616	616	650	657	684	692
515	515	549	548	583	584	617	619*	651	658	685	693
516	516	550	549	584	588	618	620*	652	659	686	694
517	517	551	550	585	585	619	621	653	660	687	695
518	518	552	551	586	586	620	622	654	661	688	696
519	519	553	552	587	588*	621	623	655	662	689	697
520	520	554	553	588	589	622	624	656	663	690	698
521	521	555	554	589	590	623	625	657	664	691	699
522	522	556	555	590	591	624	626	658	666*	692	700
523	523	557	556	591	592	625	627	659	667	693	701
524	524	558	557	592	593	626	628	660	668	694	702
525	525	559	558	593	594	627	629	661	669	695	703
526	526	560	559	594	595	628	630	662	670	696	704
527	527	561	560	595	596	629	631	663	671	697	705
528	528	562	561*	596	597*	630	632	664	672	698	706
529	529	563	562	597	598	631	633	665	673	699	707
530	530	564	563	598	599	632	636*	666	674	700	708
531	530	565	564	599	600	633	637	667	675	701	709
532	531	566	565	600	601	634	638	668	676	702	710
533	532	567	566	601	602	635	640*	669	677	703	712*
534	533	568	567	602	603	636	641	670	678	704	713

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (Continued)

LIST B

Old	New
705	715*
706	717*
707	718
708	719
709	720
710	721
711	722
712	723
713	724
714	726*
715	726*

LIST B

Old	New
716	727
717	729*
718	730
719	732*
720	733
721	734
722	735
723	736
724	738*
725	740*
726	741

LIST B

Old	New
727	742
728	743
729	744
730	745
731	746
732	747
733	748
734	749
735	750
736	751
737	752

LIST B

Old	New
738	753
739	754
740	755
741	756
742	757
743	758
744	759
745	760
746	761
747	762
748	764*

LIST B

Old	New
749	765
750	766
751	767
752	768
753	769
754	770
755	771
756	772
757	773
758	775*
759	776

LIST B

Old	New
760	778*
761	779
762	780
763	781
764	783*

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (List B) - APPENDIX

List B Group			Now in
OLD	**NEW**	**Except for Procedure Code(s)**	**LIST B:**
505	505	02.2	504
562	561	31.1	560
575	575	36.00-36.02,36.04-36.09	571
578	578	39.27	580
581	582	39.42-39.43, 39.93-39.94;	580
		38.12	581
587	588	38.93	587
596	597	44.21-44.29	596
613	613	49.49	612
617	619	51.96, 51.98;	617
		51.97	618
618	620	52.91	618
632	636	55.03-55.04;	634
		55.6	635
635	640	56.0	639
638	644	57.0	643
646	653	59.95-59.96	652
658	666	64.95, 64.97	665
703	712	77.05, 77.15, 77.25, 77.35	711
705	715	77.45, 77.65, 77.75, 77.85, 77.95, 79.65	714
706	717	78.05, 78.15, 78.25, 78.35, 78.45, 78.55, 78.75, 78.85, 78.95, 79.95	716
714	726	79.75	725
715	726	79.85	725
717	729	80.52	728
719	732	80.20-80.29	731
724	738	81.41	737
725	740	81.31, 81.48, 81.71, 81.81, 81.84, 81.86	739
748	764	86.22	763
758	775	87.03, 87.41, 87.71, 88.01, 88.38	774
760	778	93.90-93.92	777
764	783	89.61-89.69	782

B4465-1.6U

LENGTH OF STAY

HKS PUBLICATIONS

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
October, 1989

LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1988
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1988
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1988
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Length of Stay by Psychiatric Diagnosis* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data
Data Quality
Database Characteristics

Organization of Length of Stay Tables x

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of Statistics xi

Application of Length of Stay Tables xii

Twenty-Five Years of Length of Stay xiii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 287

Indexes

Part I: Diagnosis Index 295
Part II: Operation Index 317
Part III: Crosswalk from Old to New Hospital Diagnosis and Procedure Groups 337

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1988 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are included in the 1988 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available.

1988 LENGTH OF STAY SERIES

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS

Linda E. Vanek, Assistant Manager, Normative Publications
Stacey Koepke, Customer Service Representative

INFORMATION SERVICES

Marion S. Morris, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),

Ruth Blumenauer and Kay Brown, Client Development Specialists, HKS,
Cindy Derr and the entire Word Processing staff,
Mary Kay Murray, Marketing Specialist, HKS,
Nancy Ramirez, Medical Systems Specialist, HKS,
Sally Smith, Senior Programmer Analyst,
Robert Travis, Librarian.

INTRODUCTION

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings. Now in its twenty-fifth year, and still drawn from CPHA's extensive database, *Length of Stay* remains the industry standard for inpatient normative data.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Table 1. Table definitions are as follows:

Region and Census Division

The regional volumes of Length of Stay series are defined by four census regions as described in the map below.



** Includes Alaska and Hawaii

See Table 2 for the states comprising each region and the number of hospitals and patients included in each volume.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976

TABLE 1
1988 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	382	46	12.0
25-49	1,158	208	18.0
50-99	1,244	254	20.4
100-199	1,203	237	19.7
200-299	726	158	21.8
300-399	423	96	22.7
400-499	216	49	22.7
500+	293	59	20.1
Total	**5,645**	**1,107**	**19.6**
Region and Census Division			
Northeast	803	259	32.3
New England	241	97	40.2
Middle Atlantic	562	162	28.8
North Central	1,645	354	21.5
East North Central	870	300	34.5
West North Central	775	54	7.0
South	2,096	197	9.4
South Atlantic	812	112	13.8
East South Central	485	45	9.3
West South Central	799	40	5.0
West	1,101	297	27.0
Mountain	365	136	37.3
Pacific	736	161	21.9
Location			
Urban	2,996	604	20.2
Rural	2,649	503	19.0
Teaching Intensity			
Low	4,641	834	18.0
Medium	619	143	23.1
High	319	64	20.1
Unknown	66	66	100

---

[1] Hospitals with average stay less than 30 days.

[2] 1987 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Table 2
STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number of hospitals and total patients included in the length of stay tables are shown below.

Region	Number of Hospitals	Number of Patients
Northeast	259	1,407,115
North Central	354	1,810,030
South	197	862,390
West	297	1,406,144
U.S.	1,107	5,485,679

The Pediatric book was compiled from the data of 1,077 hospitals. The Geriatric book was compiled from the data of 1,058 hospitals.

ORGANIZATION OF LENGTH OF STAY TABLES

Classification System

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

NOTE: The composition of List A Diagnosis and List B Procedure groups in the 1988 Length of Stay series has been revised to reflect advances in medical technology and current trends in clinical medicine. The title of each group includes a brief English description and *ICD-9-CM* codes that fall into that group. Where space is limited, a full description can be found in the Appendix. For tracking purposes, a crosswalk from the old Diagnosis and Procedure groups is provided in Part III of the Index at the back of the book.

Patient Data Assignment

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*, updated as of October 1988.

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication. [2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients, their average length of stay, the variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The *Length of Stay* series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The *LOS* series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the *LOS* series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate *Length of Stay* for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in *Length of Stay*. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

TWENTY-FIVE YEARS OF LENGTH OF STAY

Now in their 25th year, the *Length of Stay* publications are drawn from a unique database of hospital medical experience. The original series in 1963-64 utilized discharge records submitted to CPHA through the Professional Activity Study. The 1988 *LOS* series, published by HKS with data from PAS hospitals and hospital associations, is based on over five million patient records, representing almost 20 percent of the short-term, nonfederal hospitals in the United States.

With LOS data, healthcare professionals can track trends over time and examine current patterns of inpatient hospitalization. For a broad perspective, total days spent in the hospital for various conditions can be compared from the earliest data (1963-64) to the current data (1988). For example, average stay for a diagnosis of diabetes mellitus without complications which was 11.3 days in the 60's, dropped to 5.1 days in 1988.

The following table illustrates hospital stay over a ten year period:

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1988

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8	5.7
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8	4.7

All Patients Except Newborn

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1	6.0
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0	5.9
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0	5.0

Source: *Length of Stay by Diagnosis*, U.S. and Regions, 1979-1988.

As expected, there is a steady decline over the time period with almost a 15% decrease, from an average stay of 6.7 days in 1979 to 5.7 days in 1988. A slight levelling off can be observed since 1986. Regional variations remain consistent, with hospital stays highest in the Northeast and North Central, and lowest in the South and West.

A specific example of this pattern is evidenced in the table below which displays length of stay for normal delivery (ICD-9-CM 650) from 1980 through 1988. This table illustrates the overall decline in length of stay as well as the regional variations described above:

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.2	2.1
Northeast	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6
North Central	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.4	2.2
South	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
West	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1980 for frequently performed surgeries in the United States:

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
Cervical Cesarean Section	6.3	6.2	6.1	5.8	5.6	5.3	5.0	4.8	4.7
Cholecystectomy	10.9	10.7	10.4	9.9	9.1	8.2	7.7	7.2	6.9
Transurethral Prostatectomy	10.4	10.3	9.9	9.3	8.2	7.1	6.5	6.1	5.8
Unilateral Repair of Inguinal Hernia	4.8	4.7	4.4	4.1	3.7	3.2	2.8	2.6	2.5
Vaginal Hysterectomy	7.4	7.3	7.1	6.7	6.3	5.8	5.2	4.8	4.4

Researchers have looked at a variety of factors to explain the decline in hospital stay. Clearly one incentive to decrease stay resulted from the federal government's implementation of a fixed price prospective payment system (PPS) to reimburse hospitals for inpatient costs by Medicare patients. The effect of PPS is demonstrated in studies showing that between 1980 and 1985 Medicare beneficiaries have the greatest relative decline in stay. LOS data show increasingly shorter stays throughout the 80's with the most significant drop occurring between 1983 and 1984. Length of stay dropped 0.4 days for all U.S. hospitals over that year, and continued downward an additional 0.2 days in 1985.

In the 1980's new medical technologies have shortened the number of days a patient needs to be in the hospital. For example, the use of arthroscopic surgeries on the knee has decreased significantly the length of stay in U.S. short-term hospitals. Length of stay data for both internal derangement of the knee joint and dislocation of the knee show a decline from more than 4 days in 1980 to 2.5 days in 1988. Similarly the advent of chemoneucleolysis for herniated discs has reduced hospital stay dramatically.

Issues of cost containment have led to greater scrutiny over hospital stay, translated into the practice of discharging patients as soon as it is medically acceptable. Evidence of this practice is particularly clear for patients receiving medical/surgical procedures. Routine pre-operative examinations are now performed on an outpatient basis prior to admission. Post-operative stay has been shortened, with an increasing reliance on transfer to an alternative care facility after discharge.

The proliferation of HMO's and PPO's may provide yet another explanation for reduced inpatient days. With medical services now being prepaid, the incentive is to closely monitor all service delivery and to reduce costly hospital stays whenever possible.

Length of stay data are only one indicator of inpatient costs. This annual publication of norms from the CPHA database serves a significant function in offering a consistently reliable measure for review and analysis.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11939	4.9	35	1	2	3	6	9	14	31
70-74	10248	5.0	32	1	2	3	6	10	14	29
75-79	8374	5.4	39	1	2	4	6	10	15	32
80-84	6060	5.2	30	1	2	4	7	10	14	28
85 +	5274	5.4	30	1	2	4	7	10	14	28
B. Operated										
65-69 YRS	26401	4.6	17	1	2	3	6	10	12	17
70-74	21229	4.9	19	1	2	4	7	10	13	19
75-79	14965	5.1	24	< 1	1	4	7	11	13	21
80-84	8555	5.6	29	< 1	1	4	8	12	15	24
85 +	5432	6.3	36	< 1	2	5	9	14	16	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	167969	6.5	40	2	3	5	8	13	17	33
70-74	180890	7.0	45	2	3	5	8	13	18	36
75-79	176953	7.4	52	2	3	6	9	14	19	39
80-84	146883	7.8	56	2	4	6	9	15	20	42
85 +	144896	8.4	65	2	4	6	10	16	22	49
B. Operated										
65-69 YRS	149361	9.0	87	2	3	7	11	18	26	53
70-74	142734	9.7	96	2	4	7	12	20	28	58
75-79	117167	10.5	107	2	4	8	13	22	30	64
80-84	78401	11.6	123	2	5	9	15	24	33	71
85 +	61240	12.7	134	3	6	10	16	26	36	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41895	5.1	34	1	2	4	6	10	14	30
B. Operated	76582	5.0	22	1	2	4	7	11	13	20
2. MULTIPLE DX										
A. Not Operated	817591	7.4	51	2	3	6	9	14	19	39
B. Operated	548903	10.3	105	2	4	8	13	21	30	63
1. SINGLE DX	118477	5.0	26	1	2	4	7	10	13	24
2. MULTIPLE DX	1366494	8.5	75	2	4	6	10	17	24	50
A. Not Operated	859486	7.3	51	2	3	5	9	14	19	39
B. Operated	625485	9.6	98	2	4	7	12	20	28	59
TOTAL										
65-69 YRS	355670	7.4	60	2	3	5	9	15	21	42
70-74	355101	7.9	66	2	3	6	10	16	22	45
75-79	317459	8.4	73	2	3	6	10	17	23	49
80-84	239899	8.9	80	2	4	7	11	18	25	53
85 +	216842	9.5	87	2	4	7	12	19	26	59
GRAND TOTAL	**1484971**	**8.3**	**72**	**2**	**3**	**6**	**10**	**17**	**23**	**48**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	20	2.4	1	1	2	2	3	4	5	5
70-74	20	2.3	1	1	1	2	3	4	4	4
75-79	21	2.4	2	1	2	2	3	4	5	5
80-84	11	3.6	1	3	3	3	4	5	5	5
85 +	11	2.6	1	1	2	2	3	4	5	5
B. Operated										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	384	3.8	7	2	2	3	5	7	8	15
70-74	491	4.0	7	2	2	3	5	7	9	13
75-79	455	4.4	13	2	2	4	5	8	10	20
80-84	391	4.5	10	2	3	4	6	8	11	18
85 +	343	5.0	15	2	3	4	6	9	11	20
B. Operated										
65-69 YRS	25	5.9	15	2	3	5	8	13	14	16
70-74	36	7.9	46	3	4	6	9	17	27	31
75-79	24	9.6	40	2	5	7	15	20	22	25
80-84	20	9.4	32	4	6	8	11	18	23	26
85 +	12	6.8	23	2	3	5	9	13	18	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.6	1	1	2	2	3	4	5	5
B. Operated	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2064	4.3	10	2	2	4	5	8	10	18
B. Operated	117	7.9	35	3	4	6	9	17	21	30
1. SINGLE DX	85	2.6	1	1	2	2	3	4	5	5
2. MULTIPLE DX	2181	4.5	12	2	2	4	6	8	10	20
A. Not Operated	2147	4.3	10	2	2	3	5	8	9	18
B. Operated	119	7.9	35	2	4	6	9	17	21	30
TOTAL										
65-69 YRS	429	3.9	8	2	2	3	5	7	9	16
70-74	548	4.2	10	2	2	3	5	8	9	18
75-79	501	4.6	15	2	2	4	6	8	11	23
80-84	422	4.8	12	2	3	4	6	9	11	20
85 +	366	5.0	15	2	3	4	6	9	11	20
GRAND TOTAL	**2266**	**4.5**	**12**	**2**	**2**	**4**	**5**	**8**	**10**	**20**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	4.1	8	1	2	3	5	9	10	11
70-74	17	2.9	3	1	2	3	4	6	7	7
75-79	14	3.5	4	2	2	3	4	6	8	8
80-84	10	3.5	3	1	2	4	5	6	6	6
85 +	6	5.5	12	1	3	5	7	11	11	11
B. Operated										
65-69 YRS	4	7.3	1	6	6	7	8	8	8	8
70-74	4	6.3	15	4	4	5	8	12	12	12
75-79	4	6.3	6	3	4	6	8	9	9	9
80-84	2	7.5	61	2	2	7	13	13	13	13
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	257	5.7	24	2	3	5	7	10	13	25
70-74	280	6.4	27	2	3	5	8	12	15	22
75-79	259	7.6	44	3	4	6	9	14	16	22
80-84	195	7.6	38	2	4	6	10	14	19	32
85 +	166	9.6	105	3	4	6	11	20	31	78
B. Operated										
65-69 YRS	91	11.2	107	4	5	8	14	22	42	81
70-74	101	13.9	194	4	6	8	18	29	40	77
75-79	83	11.0	83	4	5	8	13	21	30	49
80-84	55	15.1	120	4	7	13	21	31	36	49
85 +	44	14.5	126	6	8	11	16	26	44	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	69	3.7	6	1	2	3	5	7	8	11
B. Operated	15	6.7	9	3	4	6	8	12	13	13
2. MULTIPLE DX										
A. Not Operated	1157	7.2	45	2	4	5	9	13	17	35
B. Operated	374	12.8	131	4	6	9	15	27	40	55
1. SINGLE DX	84	4.3	8	1	2	4	6	8	10	13
2. MULTIPLE DX	1531	8.5	72	3	4	6	10	16	23	50
A. Not Operated	1226	7.0	43	2	3	5	9	13	17	34
B. Operated	389	12.6	127	4	6	9	15	26	40	55
TOTAL										
65-69 YRS	374	7.0	48	2	3	5	8	13	18	50
70-74	402	8.1	79	2	4	6	9	16	24	48
75-79	360	8.2	54	3	4	6	10	15	19	42
80-84	262	9.0	64	2	4	6	11	18	26	47
85 +	217	10.4	111	3	5	7	12	21	34	67
GRAND TOTAL	**1615**	**8.3**	**69**	**2**	**4**	**6**	**10**	**16**	**22**	**49**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	8.0	8	6	6	8	10	10	10	10
75-79	3	9.3	32	3	5	11	13	14	14	14
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	9.5	41	5	5	9	14	14	14	14
B. Operated										
65-69 YRS	3	5.3	2	4	4	5	6	7	7	7
70-74	6	6.2	11	< 1	5	6	8	11	11	11
75-79	5	10.4	25	5	6	10	15	16	16	16
80-84	2	7.5	5	6	6	7	9	9	9	9
85 +	2	7.0	8	5	5	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	50	11.7	153	2	4	9	16	20	25	81
70-74	54	13.1	115	2	6	11	19	27	30	98
75-79	43	11.8	105	2	5	9	17	22	37	47
80-84	26	16.7	247	4	7	12	16	36	47	76
85 +	35	16.1	131	6	7	14	23	28	38	56
B. Operated										
65-69 YRS	39	17.6	362	4	7	11	18	45	63	91
70-74	53	15.7	146	5	7	11	22	31	44	55
75-79	42	14.9	116	5	7	12	21	33	68	99 +
80-84	32	17.7	167	5	8	16	24	34	39	62
85 +	23	20.2	188	9	11	14	28	46	50	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	8.0	19	3	5	6	12	14	14	14
B. Operated	18	7.4	14	4	5	6	9	14	16	16
2. MULTIPLE DX										
A. Not Operated	208	13.5	142	3	6	10	17	27	36	78
B. Operated	189	16.8	191	5	8	12	22	33	48	96
1. SINGLE DX	27	7.6	15	4	5	6	10	14	15	16
2. MULTIPLE DX	397	15.0	168	4	7	11	20	31	43	86
A. Not Operated	217	13.2	138	3	6	10	17	27	36	78
B. Operated	207	16.0	183	5	7	11	21	32	48	95
TOTAL										
65-69 YRS	93	13.9	243	3	5	10	17	26	47	87
70-74	115	13.9	126	4	6	10	20	29	32	76
75-79	93	13.0	104	3	6	10	19	28	39	99 +
80-84	61	16.7	195	4	7	12	23	34	39	74
85 +	62	17.1	151	6	9	14	24	32	47	56
GRAND TOTAL	**424**	**14.6**	**161**	**4**	**6**	**11**	**19**	**30**	**40**	**83**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	16.0		16	16	16	16	16	16	16
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	17.0	476	5	5	8	14	56	61	61
70-74	9	10.9	20	4	9	11	15	16	16	16
75-79	4	20.0	58	14	15	17	25	31	31	31
80-84	4	29.0	133	14	23	37	54	99 +	99 +	99 +
85 +	4	20.5	132	6	13	21	28	34	34	34
B. Operated										
65-69 YRS	13	29.4	598	5	13	18	39	67	82	85
70-74	16	21.5	209	6	12	20	34	53	85	99 +
75-79	9	31.2	421	13	16	18	54	60	63	63
80-84	5	22.2	176	7	12	27	38	94	99 +	99 +
85 +	3	26.3	69	17	20	29	32	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	3	8.7	44	3	4	7	14	16	16	16
2. MULTIPLE DX										
A. Not Operated	27	17.7	173	5	10	15	24	38	65	99 +
B. Operated	46	26.0	340	6	14	20	36	61	86	99 +
1. SINGLE DX	4	8.3	30	3	5	7	12	16	16	16
2. MULTIPLE DX	73	22.9	291	6	12	18	33	56	78	99 +
A. Not Operated	28	17.3	170	6	9	14	23	38	63	99 +
B. Operated	49	25.0	338	6	12	18	33	59	84	99 +
TOTAL										
65-69 YRS	21	23.7	540	5	7	15	31	62	73	85
70-74	26	17.6	157	6	10	15	22	39	63	99 +
75-79	13	27.8	324	14	15	18	37	57	62	63
80-84	10	23.0	183	6	13	29	38	99 +	99 +	99 +
85 +	7	23.0	99	8	18	22	32	34	34	34
GRAND TOTAL	**77**	**22.2**	**288**	**6**	**11**	**17**	**33**	**56**	**74**	**99 +**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.0		4	4	4	4	4	4	4
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	3.4	2	2	2	3	4	5	6	6
70-74	12	3.3	3	2	2	3	4	6	7	7
75-79	11	4.5	8	1	2	3	7	9	9	9
80-84	8	4.5	8	1	2	4	6	9	10	10
85 +	5	6.2	9	2	4	6	9	9	9	9
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	2	8.5	13	6	6	8	11	11	11	11
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.7	1	4	4	4	6	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	57	4.0	5	2	2	3	5	7	9	10
B. Operated	3	9.0	7	6	7	10	11	11	11	11
1. SINGLE DX	3	4.7	1	4	4	4	6	6	6	6
2. MULTIPLE DX	60	4.2	6	2	2	3	6	9	10	11
A. Not Operated	60	4.0	5	2	2	3	5	7	9	10
B. Operated	3	9.0	7	6	7	10	11	11	11	11
TOTAL										
65-69 YRS	24	3.7	3	2	2	3	4	6	7	10
70-74	15	4.2	6	2	2	3	6	7	10	11
75-79	11	4.5	8	1	2	3	7	9	9	9
80-84	8	4.5	8	1	2	4	6	9	10	10
85 +	5	6.2	9	2	4	6	9	9	9	9
GRAND TOTAL	**63**	**4.3**	**6**	**2**	**2**	**4**	**6**	**9**	**10**	**11**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	8.2	21	3	4	7	12	15	17	17
70-74	21	6.8	48	2	3	5	7	12	24	33
75-79	25	6.8	31	2	3	5	11	15	17	20
80-84	23	8.3	52	3	5	5	10	17	24	34
85 +	28	8.4	37	3	5	7	9	12	26	30
B. Operated										
65-69 YRS	2	17.5	61	12	12	17	23	23	23	23
70-74	1	16.0		16	16	16	16	16	16	16
75-79	2	18.0	200	8	8	18	28	28	28	28
80-84	6	18.2	74	7	11	17	28	28	28	28
85 +	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1502	9.9	42	4	6	8	12	17	23	36
70-74	1911	10.2	54	4	6	9	12	17	23	41
75-79	2053	10.6	59	4	6	9	13	18	23	45
80-84	1977	10.6	58	4	6	9	12	18	23	49
85 +	2511	11.0	61	4	6	9	13	19	25	45
B. Operated										
65-69 YRS	615	18.5	180	7	9	14	24	39	47	75
70-74	622	18.7	195	7	10	14	23	38	47	74
75-79	714	19.7	230	7	10	15	25	39	64	99 +
80-84	577	19.9	204	7	11	16	26	43	58	99 +
85 +	560	19.9	208	7	11	16	25	39	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	7.7	37	2	4	6	9	16	19	33
B. Operated	12	17.0	66	8	10	16	25	28	28	28
2. MULTIPLE DX										
A. Not Operated	9964	10.5	56	4	6	9	13	18	24	43
B. Operated	3088	19.3	204	7	10	15	25	40	54	99 +
1. SINGLE DX	127	8.6	47	3	4	6	10	17	26	33
2. MULTIPLE DX	13052	12.6	105	5	7	10	15	24	33	66
A. Not Operated	10079	10.5	56	4	6	9	13	18	24	43
B. Operated	3100	19.3	204	7	10	15	25	40	54	99 +
TOTAL										
65-69 YRS	2137	12.4	97	4	7	9	15	24	33	54
70-74	2555	12.3	101	4	7	9	14	23	32	54
75-79	2804	12.9	118	5	7	10	15	25	34	73
80-84	2583	12.7	106	5	7	10	15	24	34	80
85 +	3100	12.6	99	5	7	10	15	23	32	71
GRAND TOTAL	**13179**	**12.6**	**105**	**5**	**7**	**10**	**15**	**24**	**33**	**66**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	7.6	46	4	4	5	8	18	26	26
70-74	8	5.4	15	2	2	5	7	12	13	13
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	0									
85 +	2	13.0	128	5	5	13	21	21	21	21
B. Operated										
65-69 YRS	3	15.7	602	1	1	2	33	44	44	44
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	91	7.0	23	3	4	5	9	13	16	27
70-74	108	9.3	64	3	5	7	11	19	31	65
75-79	88	9.8	111	4	5	7	10	19	22	69
80-84	82	7.6	26	3	4	6	10	13	17	29
85 +	83	8.9	50	4	4	7	11	16	24	41
B. Operated										
65-69 YRS	51	19.1	358	3	6	13	31	51	92	99 +
70-74	37	19.5	303	7	9	13	23	44	65	77
75-79	26	15.1	264	4	6	11	17	47	81	99 +
80-84	20	20.3	128	9	13	18	25	43	71	99 +
85 +	21	25.1	376	4	10	16	35	57	60	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	6.9	37	2	4	5	8	15	23	26
B. Operated	3	15.7	602	1	1	2	33	44	44	44
2. MULTIPLE DX										
A. Not Operated	452	8.5	56	3	4	7	10	16	22	39
B. Operated	155	19.5	302	4	8	15	25	51	65	99 +
1. SINGLE DX	25	8.0	91	2	3	5	8	21	30	44
2. MULTIPLE DX	607	11.3	141	3	5	8	13	24	36	94
A. Not Operated	474	8.5	55	3	4	6	10	16	22	38
B. Operated	158	19.4	304	4	8	14	25	50	64	99 +
TOTAL										
65-69 YRS	155	11.2	172	3	4	7	12	31	44	99 +
70-74	153	11.5	138	3	5	8	13	26	36	77
75-79	116	10.9	147	4	5	8	13	19	24	95
80-84	102	10.0	71	3	5	8	13	23	28	72
85 +	106	12.2	154	4	5	8	13	28	39	60
GRAND TOTAL	**632**	**11.2**	**140**	**3**	**5**	**8**	**13**	**24**	**36**	**93**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	5.2	7	2	3	5	7	9	9	9
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	7.6	25	3	5	7	9	15	19	21
70-74	16	9.9	95	3	4	6	11	23	34	39
75-79	19	11.5	118	4	5	9	12	29	41	44
80-84	11	8.5	15	2	7	9	12	13	13	13
85 +	14	10.8	22	4	8	10	14	17	19	19
B. Operated										
65-69 YRS	4	24.0	483	7	10	16	38	56	56	56
70-74	5	20.8	94	9	16	20	24	36	36	36
75-79	0									
80-84	0									
85 +	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.2	6	2	2	3	6	8	9	9
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	77	9.8	60	3	5	8	12	17	22	43
B. Operated	10	21.3	214	8	13	19	20	46	56	56
1. SINGLE DX	9	4.2	6	2	2	3	6	8	9	9
2. MULTIPLE DX	87	11.1	89	3	5	9	13	20	36	52
A. Not Operated	86	9.2	57	3	5	8	11	17	21	42
B. Operated	10	21.3	214	8	13	19	20	46	56	56
TOTAL										
65-69 YRS	27	9.5	111	3	5	7	10	19	26	56
70-74	23	11.6	112	2	4	8	19	26	37	39
75-79	20	11.1	116	4	5	8	12	26	40	44
80-84	11	8.5	15	2	7	9	12	13	13	13
85 +	15	10.9	21	4	8	10	14	17	19	19
GRAND TOTAL	**96**	**10.4**	**85**	**3**	**5**	**8**	**13**	**20**	**32**	**50**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	4.6	7	2	3	4	6	8	9	13
70-74	33	4.2	9	1	2	3	6	9	10	12
75-79	31	5.8	11	2	4	6	7	9	10	19
80-84	18	5.4	12	1	3	5	7	9	13	15
85 +	15	7.6	54	3	4	5	8	20	27	29
B. Operated										
65-69 YRS	4	3.0	11	1	1	2	5	8	8	8
70-74	8	5.5	34	< 1	1	3	8	15	18	18
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	3	2.7	2	1	1	3	4	4	4	4
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	281	7.5	27	3	4	6	9	13	18	30
70-74	340	7.0	28	2	4	6	8	13	16	29
75-79	343	7.4	24	3	4	6	9	14	16	28
80-84	296	8.4	41	3	4	7	10	16	20	37
85 +	231	8.6	73	3	4	7	10	15	20	54
B. Operated										
65-69 YRS	45	13.6	158	3	7	10	17	36	47	99 +
70-74	43	13.1	122	3	5	11	16	25	40	49
75-79	59	11.0	91	3	5	9	14	20	27	56
80-84	34	16.1	158	6	8	12	20	34	43	62
85 +	30	15.0	138	3	9	12	17	31	37	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	5.2	15	2	3	4	7	9	10	22
B. Operated	18	3.9	19	1	1	2	4	9	14	18
2. MULTIPLE DX										
A. Not Operated	1491	7.7	37	3	4	6	9	14	18	35
B. Operated	211	13.4	130	3	6	10	17	26	39	63
1. SINGLE DX	149	5.1	16	1	3	4	7	9	10	20
2. MULTIPLE DX	1702	8.4	52	3	4	7	10	16	20	39
A. Not Operated	1622	7.5	36	3	4	6	9	14	18	34
B. Operated	229	12.6	127	2	5	10	16	25	38	62
TOTAL										
65-69 YRS	364	7.9	47	2	4	6	10	15	20	40
70-74	424	7.4	40	2	3	6	9	14	19	35
75-79	435	7.7	34	3	4	6	9	14	18	36
80-84	351	8.9	57	3	4	7	11	17	22	40
85 +	277	9.3	82	3	4	7	11	17	23	53
GRAND TOTAL	**1851**	**8.1**	**50**	**3**	**4**	**6**	**10**	**15**	**20**	**39**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.6	5	1	2	3	6	6	6	6
70-74	1	8.0		8	8	8	8	8	8	8
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
B. Operated										
65-69 YRS	3	3.0	12	1	1	1	6	7	7	7
70-74	3	7.0	49	2	2	4	12	15	15	15
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	50	6.8	26	2	4	6	8	12	14	31
70-74	59	8.5	65	2	3	6	9	18	29	38
75-79	37	9.8	73	2	5	8	10	26	31	32
80-84	24	12.5	281	3	5	8	12	23	44	86
85 +	14	10.3	84	2	4	7	14	23	32	34
B. Operated										
65-69 YRS	16	13.0	143	3	5	9	16	34	39	41
70-74	14	8.8	37	2	4	8	13	16	21	22
75-79	10	10.5	18	5	7	10	15	50	96	99 +
80-84	4	16.8	249	5	7	11	26	40	40	40
85 +	4	15.0	73	8	9	12	21	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.0	6	1	3	6	7	8	8	8
B. Operated	7	5.0	24	1	1	4	6	13	15	15
2. MULTIPLE DX										
A. Not Operated	184	9.0	87	2	4	7	10	19	28	37
B. Operated	48	11.7	86	3	5	10	14	28	40	99 +
1. SINGLE DX	16	5.0	13	1	2	5	7	8	13	15
2. MULTIPLE DX	232	9.5	87	3	4	7	11	22	31	49
A. Not Operated	193	8.8	83	2	4	6	10	19	27	36
B. Operated	55	10.9	83	2	5	9	14	26	38	96
TOTAL										
65-69 YRS	74	7.7	56	2	3	6	9	14	27	40
70-74	77	8.5	57	2	4	6	10	16	27	37
75-79	49	9.8	59	3	5	8	13	25	32	99 +
80-84	29	13.0	261	4	5	8	12	25	42	86
85 +	19	11.0	79	3	4	8	15	25	31	34
GRAND TOTAL	**248**	**9.2**	**84**	**2**	**4**	**7**	**11**	**20**	**29**	**41**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	7.0		7	7	7	7	7	7	7
70-74	3	5.7	20	1	2	6	9	10	10	10
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	3	4.3	2	3	3	4	5	6	6	6
85 +	0									
B. Operated										
65-69 YRS	2	12.0	98	5	5	12	19	19	19	19
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	10	5.3	6	2	4	5	7	9	10	10
B. Operated	4	10.0	44	5	5	8	15	19	19	19
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	14	6.6	19	3	4	6	7	12	17	19
A. Not Operated	10	5.3	6	2	4	5	7	9	10	10
B. Operated	5	8.8	40	4	5	5	13	19	19	19
TOTAL										
65-69 YRS	5	8.4	37	4	5	7	10	19	19	19
70-74	4	5.5	14	1	3	5	8	10	10	10
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	4	6.0	13	3	3	5	8	11	11	11
85 +	0									
GRAND TOTAL	**15**	**6.5**	**18**	**3**	**4**	**5**	**7**	**11**	**17**	**19**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	1.4	1	< 1	< 1	1	1	3	4	4
70-74	2	1.0		< 1	< 1	< 1	1	1	1	1
75-79	2	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	6	3.0	5	1	2	2	4	7	7	7
70-74	8	2.3	4	< 1	1	2	3	6	7	7
75-79	3	4.0	7	< 1	1	5	6	6	6	6
80-84	0									
85 +	2	6.0	2	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	11	1.3	1	< 1	< 1	1	1	2	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	19	3.2	5	< 1	1	2	5	7	7	7
1. SINGLE DX	11	1.3	1	< 1	< 1	1	1	2	4	4
2. MULTIPLE DX	19	3.2	5	< 1	1	2	5	7	7	7
A. Not Operated	0									
B. Operated	30	2.5	4	< 1	1	1	4	6	7	7
TOTAL										
65-69 YRS	13	2.2	3	< 1	1	1	3	5	7	7
70-74	10	2.0	4	< 1	1	1	2	5	7	7
75-79	5	2.8	6	< 1	1	1	5	6	6	6
80-84	0									
85 +	2	6.0	2	5	5	6	7	7	7	7
GRAND TOTAL	**30**	**2.5**	**4**	**< 1**	**1**	**1**	**4**	**6**	**7**	**7**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	3.9	7	1	3	3	4	8	11	11
70-74	21	4.3	31	1	2	3	4	6	16	28
75-79	20	4.2	5	2	2	4	6	7	8	9
80-84	11	3.3	5	1	2	3	3	7	9	9
85 +	6	3.7	5	1	2	3	6	7	7	7
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	340	4.7	29	2	2	4	5	9	11	29
70-74	349	4.9	15	2	3	4	6	8	12	22
75-79	349	4.9	12	2	3	4	6	9	12	17
80-84	308	5.1	18	2	3	4	6	10	12	22
85 +	280	5.6	26	2	3	4	7	10	15	26
B. Operated										
65-69 YRS	44	15.9	278	3	5	11	21	43	66	99 +
70-74	31	17.5	383	3	7	11	17	38	72	87
75-79	20	17.8	241	3	5	13	29	41	49	55
80-84	17	14.2	61	4	7	15	20	26	27	27
85 +	11	16.5	290	3	5	11	23	46	55	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	4.0	12	2	2	3	4	7	9	23
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1626	5.0	19	2	3	4	6	9	12	22
B. Operated	123	16.4	263	3	5	12	21	40	55	90
1. SINGLE DX	77	4.0	12	2	2	3	4	7	9	23
2. MULTIPLE DX	1749	5.8	45	2	3	4	7	11	15	41
A. Not Operated	1703	5.0	19	2	3	4	6	9	12	22
B. Operated	123	16.4	263	3	5	12	21	40	55	90
TOTAL										
65-69 YRS	403	5.9	67	2	3	4	6	11	17	78
70-74	401	5.8	54	2	3	4	7	11	15	36
75-79	389	5.5	31	2	3	4	6	10	14	31
80-84	336	5.5	24	2	3	4	6	11	15	27
85 +	297	5.9	39	2	3	4	7	11	17	40
GRAND TOTAL	**1826**	**5.7**	**44**	**2**	**3**	**4**	**6**	**11**	**15**	**40**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.9	2	1	1	3	4	5	5	5
70-74	4	4.3	34	1	1	2	7	13	13	13
75-79	2	7.5	1	7	7	7	8	8	8	8
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	6.7	28	1	2	4	10	15	16	17
70-74	15	5.7	10	1	4	6	7	10	10	10
75-79	18	9.2	45	2	3	7	15	19	22	22
80-84	12	6.8	26	1	2	6	11	14	15	15
85 +	7	10.4	189	1	3	4	12	35	40	40
B. Operated										
65-69 YRS	8	12.5	111	3	5	10	16	30	35	35
70-74	2	19.5	5	18	18	19	21	21	21	21
75-79	2	21.5	61	16	16	21	27	27	27	27
80-84	2	10.0	2	9	9	10	11	11	11	11
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.0	12	1	1	3	5	8	12	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	79	7.4	42	1	3	6	10	15	17	35
B. Operated	14	14.4	82	5	7	13	18	28	33	35
1. SINGLE DX	14	4.0	12	1	1	3	5	8	12	13
2. MULTIPLE DX	93	8.5	53	1	3	7	14	16	21	38
A. Not Operated	93	6.9	38	1	3	5	10	15	16	32
B. Operated	14	14.4	82	5	7	13	18	28	33	35
TOTAL										
65-69 YRS	42	7.2	46	1	2	5	10	15	17	35
70-74	21	6.7	31	1	2	6	10	15	19	21
75-79	22	10.1	53	2	4	7	15	21	24	27
80-84	15	7.0	23	1	3	7	11	14	15	15
85 +	7	10.4	189	1	3	4	12	35	40	40
GRAND TOTAL	**107**	**7.9**	**50**	**1**	**3**	**6**	**12**	**16**	**21**	**37**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	10.3		10	10	10	11	11	11	11
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	13.5	5	12	12	13	15	15	15	15
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	11.9	173	3	4	10	15	16	46	56
70-74	13	11.5	401	2	2	7	10	25	67	77
75-79	9	8.8	39	2	5	9	10	18	23	23
80-84	10	9.8	48	1	5	10	14	19	24	24
85 +	9	14.7	112	6	8	11	18	33	38	38
B. Operated										
65-69 YRS	6	15.8	253	1	4	9	32	38	39	39
70-74	6	17.0	223	1	4	13	32	37	38	38
75-79	2	12.5	13	10	10	12	15	15	15	15
80-84	2	11.0	128	3	3	11	19	19	19	19
85 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	7.0	15	2	3	8	10	11	11	11
B. Operated	3	9.3	54	1	4	12	14	15	15	15
2. MULTIPLE DX										
A. Not Operated	56	11.4	165	2	5	10	12	22	34	76
B. Operated	17	14.9	164	2	4	13	22	37	39	39
1. SINGLE DX	9	7.8	24	1	3	10	11	14	15	15
2. MULTIPLE DX	73	12.2	164	2	5	10	14	26	38	72
A. Not Operated	62	11.0	151	2	5	10	12	18	30	74
B. Operated	20	14.1	148	1	4	12	17	35	38	39
TOTAL										
65-69 YRS	24	12.7	164	3	5	10	14	33	44	56
70-74	22	11.9	301	1	2	6	12	34	54	77
75-79	13	10.1	32	4	5	10	13	17	22	23
80-84	13	9.4	51	1	3	10	14	20	23	24
85 +	10	14.2	101	6	8	11	16	31	38	38
GRAND TOTAL	**82**	**11.7**	**150**	**2**	**5**	**10**	**14**	**24**	**38**	**70**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	3	5.7	6	3	4	6	7	8	8	8
75-79	3	14.7	36	9	10	14	19	21	21	21
80-84	1	7.0		7	7	7	7	7	7	7
85 +	2	9.5	13	7	7	9	12	12	12	12
B. Operated										
65-69 YRS	9	5.1	8	1	3	6	7	8	8	8
70-74	3	6.3	22	1	3	8	9	10	10	10
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	70	10.5	103	3	5	8	13	19	24	55
70-74	59	10.5	126	3	5	7	12	20	27	73
75-79	62	11.9	103	4	6	9	13	27	29	59
80-84	71	11.2	99	3	5	8	14	21	26	62
85 +	65	9.8	37	4	6	8	13	19	20	33
B. Operated										
65-69 YRS	54	19.4	309	5	7	15	22	44	60	88
70-74	48	20.7	256	5	7	17	29	56	64	99 +
75-79	30	16.4	135	5	8	12	24	35	38	48
80-84	24	14.3	160	4	6	8	22	35	41	46
85 +	24	14.5	131	6	7	12	17	23	45	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	8.7	28	3	6	7	11	17	21	21
B. Operated	14	5.7	9	1	3	7	8	9	10	10
2. MULTIPLE DX										
A. Not Operated	327	10.8	92	3	5	8	13	20	27	58
B. Operated	180	17.9	225	5	7	14	24	41	54	96
1. SINGLE DX	25	7.0	19	1	5	7	8	12	16	21
2. MULTIPLE DX	507	13.3	151	4	6	9	16	28	39	66
A. Not Operated	338	10.7	90	3	5	8	13	20	27	58
B. Operated	194	17.0	219	4	7	12	23	39	53	95
TOTAL										
65-69 YRS	135	13.6	200	4	5	9	16	27	46	67
70-74	113	14.6	202	4	6	9	20	34	57	99 +
75-79	96	13.3	113	4	6	10	17	28	35	56
80-84	97	11.8	113	3	6	8	14	26	33	58
85 +	91	11.0	64	4	6	9	14	19	21	48
GRAND TOTAL	**532**	**13.0**	**146**	**4**	**6**	**9**	**16**	**27**	**39**	**65**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	26.0		26	26	26	26	26	26	26
70-74	5	11.4	17	6	8	12	14	17	17	17
75-79	4	11.5	47	5	6	10	17	20	20	20
80-84	1	16.0		16	16	16	16	16	16	16
85 +	0									
B. Operated										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	2	7.0	50	2	2	7	12	12	12	12
75-79	1	22.0		22	22	22	22	22	22	22
80-84	1	11.0		11	11	11	11	11	11	11
85 +	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	11	13.2	41	6	7	13	17	22	26	26
B. Operated	6	11.8	41	3	11	12	13	21	22	22
1. SINGLE DX	0									
2. MULTIPLE DX	17	12.7	39	5	8	12	16	22	25	26
A. Not Operated	11	13.2	41	6	7	13	17	22	26	26
B. Operated	6	11.8	41	3	11	12	13	21	22	22
TOTAL										
65-69 YRS	2	19.5	85	13	13	19	26	26	26	26
70-74	7	10.1	24	3	7	12	13	16	17	17
75-79	5	13.6	57	5	6	14	20	22	22	22
80-84	2	13.5	13	11	11	13	16	16	16	16
85 +	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**17**	**12.7**	**39**	**5**	**8**	**12**	**16**	**22**	**25**	**26**

18: Pneumocystosis(136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	10.0	50	3	5	8	13	22	25	26
70-74	12	14.3	96	5	8	11	18	28	37	39
75-79	10	14.4	64	3	7	15	21	24	24	24
80-84	4	8.8	13	6	6	7	11	14	14	14
85 +	4	9.0	49	3	3	7	14	18	18	18
B. Operated										
65-69 YRS	15	22.0	110	10	14	20	32	35	36	36
70-74	9	13.6	62	6	8	11	19	26	28	28
75-79	9	16.6	372	3	8	9	17	49	65	65
80-84	3	11.3	10	9	9	10	14	15	15	15
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	42	12.0	64	4	6	10	16	24	25	39
B. Operated	36	17.6	160	6	9	14	24	35	36	65
1. SINGLE DX	0									
2. MULTIPLE DX	78	14.6	115	4	7	11	20	29	35	58
A. Not Operated	42	12.0	64	4	6	10	16	24	25	39
B. Operated	36	17.6	160	6	9	14	24	35	36	65
TOTAL										
65-69 YRS	27	16.7	118	4	8	14	25	34	35	36
70-74	21	14.0	78	5	8	11	18	26	33	39
75-79	19	15.4	198	3	7	12	21	24	47	65
80-84	7	9.9	12	6	7	9	13	15	15	15
85 +	4	9.0	49	3	3	7	14	18	18	18
GRAND TOTAL	**78**	**14.6**	**115**	**4**	**7**	**11**	**20**	**29**	**35**	**58**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	8	5.5	21	1	1	5	9	12	13	13
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	9.5	145	1	1	9	18	18	18	18
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	7.1	15	2	4	6	10	13	14	14
70-74	17	6.7	21	3	3	5	8	14	18	19
75-79	14	7.9	36	3	4	6	9	17	22	23
80-84	10	7.7	12	3	5	8	9	12	14	14
85 +	8	7.6	7	4	6	7	10	11	12	12
B. Operated										
65-69 YRS	22	9.7	85	1	3	8	13	25	32	33
70-74	14	9.0	71	1	4	6	12	19	30	33
75-79	7	7.6	45	1	3	6	10	19	21	21
80-84	9	11.4	116	1	6	8	16	29	35	35
85 +	6	8.8	25	3	6	8	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.4	7	3	4	5	6	10	10	10
B. Operated	14	4.9	30	1	1	2	8	13	17	18
2. MULTIPLE DX										
A. Not Operated	70	7.3	19	3	4	7	9	14	15	22
B. Operated	58	9.4	72	1	3	8	12	21	32	35
1. SINGLE DX	19	5.0	24	1	1	3	8	12	16	18
2. MULTIPLE DX	128	8.3	44	2	4	7	10	16	21	34
A. Not Operated	75	7.2	18	3	4	6	9	14	15	22
B. Operated	72	8.6	67	1	2	7	12	19	31	35
TOTAL										
65-69 YRS	53	7.8	46	1	3	7	10	14	21	33
70-74	34	7.3	42	1	3	5	9	15	19	33
75-79	24	8.0	39	1	3	6	10	18	22	23
80-84	21	8.7	61	1	3	8	10	17	27	35
85 +	15	7.9	14	4	6	6	10	12	16	17
GRAND TOTAL	**147**	**7.9**	**42**	**1**	**3**	**7**	**10**	**15**	**21**	**33**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	1	13.0		13	13	13	13	13	13	13
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	10.0		10	10	10	10	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0	—								
2. MULTIPLE DX										
A. Not Operated	2	8.5	41	4	4	8	13	13	13	13
B. Operated	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	0									
2. MULTIPLE DX	3	9.0	21	4	5	10	12	13	13	13
A. Not Operated	2	8.5	41	4	4	8	13	13	13	13
B. Operated	1	10.0		10	10	10	10	10	10	10
TOTAL										
65-69 YRS	2	7.0	18	4	4	7	10	10	10	10
70-74	0									
75-79	1	13.0		13	13	13	13	13	13	13
80-84	0									
85 +	0									
GRAND TOTAL	**3**	**9.0**	**21**	**4**	**5**	**10**	**12**	**13**	**13**	**13**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.8	7	< 1	< 1	1	5	7	7	7
70-74	4	3.3	8	1	1	3	5	7	7	7
75-79	3	2.7	1	2	2	2	4	4	4	4
80-84	2	8.5	5	7	7	8	10	10	10	10
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	92	4.0	23	< 1	1	2	5	9	15	27
70-74	91	4.4	42	< 1	1	3	5	8	12	43
75-79	64	3.8	16	1	1	2	4	10	12	21
80-84	27	3.9	23	< 1	1	2	4	9	17	21
85 +	32	2.4	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	48	7.0	35	2	3	5	9	16	19	30
70-74	40	8.0	64	2	4	6	9	16	27	41
75-79	34	8.0	43	1	3	6	10	17	21	29
80-84	22	7.2	30	2	3	5	11	17	19	20
85 +	12	9.6	66	3	4	7	13	22	29	30
B. Operated										
65-69 YRS	331	11.9	176	1	3	8	16	26	40	75
70-74	344	10.9	142	1	3	8	15	26	35	83
75-79	261	10.5	118	1	3	7	14	26	34	50
80-84	140	10.0	161	1	2	5	14	22	28	73
85 +	108	11.0	205	2	3	5	13	31	45	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	3.5	9	< 1	1	2	6	7	9	10
B. Operated	306	3.9	25	< 1	1	2	4	8	11	26
2. MULTIPLE DX										
A. Not Operated	156	7.7	45	2	3	5	10	18	20	31
B. Operated	1184	11.0	154	1	3	7	15	26	36	71
1. SINGLE DX	321	3.9	25	< 1	1	2	4	8	11	25
2. MULTIPLE DX	1340	10.6	142	1	3	7	14	24	34	70
A. Not Operated	171	7.4	43	2	3	5	10	16	20	31
B. Operated	1490	9.5	136	1	2	5	13	23	32	69
TOTAL										
65-69 YRS	476	9.8	141	1	2	6	13	22	32	69
70-74	479	9.3	122	1	2	6	12	22	31	71
75-79	362	9.0	98	1	2	5	12	22	29	48
80-84	191	8.8	129	1	2	5	12	20	26	71
85 +	153	9.0	163	1	2	4	10	24	43	59
GRAND TOTAL	**1661**	**9.3**	**127**	**1**	**2**	**5**	**12**	**22**	**31**	**68**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	9.3	44	5	5	6	14	17	17	17
70-74	6	4.3	13	1	2	3	9	9	9	9
75-79	3	2.3	5	< 1	< 1	< 1	4	5	5	5
80-84	3	2.7	2	< 1	1	3	4	4	4	4
85 +	2	20.5	761	1	1	20	40	40	40	40
B. Operated										
65-69 YRS	16	5.6	26	1	2	4	8	12	16	18
70-74	14	7.5	39	< 1	2	6	11	16	20	21
75-79	10	6.6	20	< 1	3	6	12	13	13	13
80-84	5	7.2	58	1	2	2	15	16	16	16
85 +	2	13.5	1	13	13	13	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	52	6.9	45	2	3	5	8	18	21	31
70-74	35	10.5	97	2	5	8	14	21	23	55
75-79	40	8.9	58	2	3	7	10	21	27	31
80-84	23	7.5	26	4	5	5	8	17	21	21
85 +	13	5.4	21	1	2	5	7	12	16	17
B. Operated										
65-69 YRS	218	16.1	184	4	7	12	20	35	46	75
70-74	192	16.7	219	3	6	13	24	35	49	95
75-79	119	14.9	234	3	6	10	18	30	52	95
80-84	78	16.7	242	4	7	12	21	33	49	85
85 +	55	16.4	260	4	7	12	20	35	46	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	6.5	92	< 1	1	3	7	15	32	40
B. Operated	47	6.9	31	< 1	2	5	12	15	17	21
2. MULTIPLE DX										
A. Not Operated	163	8.1	56	2	3	6	10	19	22	31
B. Operated	662	16.1	215	3	6	12	21	35	48	87
1. SINGLE DX	64	6.8	46	< 1	2	5	11	15	17	37
2. MULTIPLE DX	825	14.6	194	3	6	10	18	32	45	83
A. Not Operated	180	8.0	59	2	3	6	9	18	22	37
B. Operated	709	15.5	208	3	6	12	20	34	47	87
TOTAL										
65-69 YRS	289	13.8	165	3	5	11	18	30	39	71
70-74	247	15.0	196	2	5	11	20	34	47	88
75-79	172	12.8	186	2	5	9	16	28	45	87
80-84	109	14.0	200	3	5	10	17	28	37	82
85 +	72	14.4	231	3	5	9	17	34	45	81
GRAND TOTAL	**889**	**14.0**	**187**	**2**	**5**	**10**	**18**	**31**	**42**	**80**

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	9.3	89	2	3	6	16	20	20	20
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	23	8.4	32	1	4	7	11	15	22	22
70-74	26	8.6	18	3	7	8	11	14	15	20
75-79	12	9.9	25	4	6	8	14	18	19	19
80-84	13	10.5	30	5	8	10	13	17	23	24
85 +	16	8.1	30	3	5	7	9	14	22	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	71	7.6	49	2	3	6	10	13	18	45
70-74	64	7.4	37	2	3	6	9	13	18	36
75-79	75	8.1	41	2	4	6	10	17	21	30
80-84	43	7.1	29	2	3	5	10	16	20	23
85 +	46	9.9	90	2	4	7	12	22	32	48
B. Operated										
65-69 YRS	434	16.6	163	6	9	13	21	33	47	89
70-74	446	16.7	158	6	9	13	20	31	42	66
75-79	407	16.7	147	6	9	13	20	33	46	69
80-84	292	17.5	169	6	10	14	22	35	44	98
85 +	244	16.2	135	5	9	13	21	33	41	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.9	38	2	3	6	8	18	20	20
B. Operated	90	8.9	26	3	6	8	11	15	20	25
2. MULTIPLE DX										
A. Not Operated	299	8.0	48	2	4	6	10	16	21	36
B. Operated	1823	16.7	155	6	9	13	21	33	44	77
1. SINGLE DX	97	8.8	27	3	6	8	11	15	20	25
2. MULTIPLE DX	2122	15.5	149	4	8	12	20	30	42	72
A. Not Operated	306	7.9	48	2	4	6	10	16	21	36
B. Operated	1913	16.4	152	6	9	13	21	32	43	76
TOTAL										
65-69 YRS	531	15.0	153	4	8	12	19	29	44	87
70-74	537	15.2	148	4	8	12	19	29	39	65
75-79	495	15.2	138	4	8	12	19	30	43	65
80-84	349	15.9	159	5	8	13	21	30	41	97
85 +	307	14.8	129	4	7	11	20	31	38	55
GRAND TOTAL	**2219**	**15.2**	**146**	**4**	**8**	**12**	**19**	**30**	**41**	**71**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	7.0	2	6	6	7	8	8	8	8
70-74	3	11.3	42	5	6	11	16	18	18	18
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	8.4	28	3	4	6	12	16	17	17
70-74	7	6.7	10	3	4	6	10	11	11	11
75-79	9	7.6	20	2	4	6	11	14	15	15
80-84	3	9.7	114	3	3	4	17	22	22	22
85 +	4	8.5	10	4	6	9	10	11	11	11
B. Operated										
65-69 YRS	84	15.8	85	8	10	13	18	25	31	56
70-74	69	15.9	74	9	10	14	19	30	43	99 +
75-79	81	17.4	184	7	9	13	20	32	47	78
80-84	37	18.7	181	7	10	15	22	30	50	71
85 +	29	23.9	271	9	13	19	31	59	65	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	7	10.0	19	5	6	10	12	17	18	18
2. MULTIPLE DX										
A. Not Operated	30	7.9	23	3	4	6	11	14	17	22
B. Operated	300	17.4	142	8	10	14	21	31	47	89
1. SINGLE DX	7	10.0	19	5	6	10	12	17	18	18
2. MULTIPLE DX	330	16.5	139	7	10	13	19	30	46	83
A. Not Operated	30	7.9	23	3	4	6	11	14	17	22
B. Operated	307	17.2	141	8	10	14	20	31	47	88
TOTAL										
65-69 YRS	93	15.1	84	7	10	13	17	25	30	55
70-74	79	14.9	74	7	10	13	18	29	39	99 +
75-79	91	16.3	174	6	8	12	19	31	45	77
80-84	41	17.8	176	7	9	14	22	29	49	71
85 +	33	22.1	264	8	11	17	28	56	65	99 +
GRAND TOTAL	**337**	**16.4**	**137**	**7**	**9**	**13**	**19**	**30**	**45**	**82**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.7	2	1	1	3	4	4	4	4
70-74	6	4.3	15	1	1	4	7	10	10	10
75-79	9	4.7	15	1	2	4	7	11	12	12
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	2	15.5	265	4	4	15	27	27	27	27
B. Operated										
65-69 YRS	241	8.5	8	6	7	8	10	11	13	15
70-74	187	9.3	21	6	7	9	10	13	15	31
75-79	164	9.1	12	6	7	8	10	13	16	22
80-84	112	9.5	15	6	8	9	12	13	15	24
85 +	65	10.1	19	7	8	10	12	14	16	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	103	6.3	28	2	3	5	8	13	17	28
70-74	151	8.0	51	2	4	6	9	15	22	30
75-79	123	6.6	32	2	3	5	8	15	19	26
80-84	108	9.1	85	2	3	6	11	19	31	46
85 +	137	8.8	61	2	4	6	11	17	23	45
B. Operated										
65-69 YRS	2151	12.8	62	7	8	10	15	21	27	48
70-74	2388	13.3	75	7	9	11	15	22	28	62
75-79	2446	14.4	95	7	9	11	17	25	33	63
80-84	1819	16.1	118	8	10	13	19	28	36	69
85 +	1367	16.6	110	8	10	14	20	29	38	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	5.0	35	1	1	3	7	11	18	27
B. Operated	769	9.1	14	6	7	9	10	13	14	21
2. MULTIPLE DX										
A. Not Operated	622	7.8	52	2	3	6	10	16	22	39
B. Operated	10171	14.4	92	7	9	12	17	25	33	60
1. SINGLE DX	791	9.0	15	6	7	9	10	13	14	22
2. MULTIPLE DX	10793	14.0	92	7	9	11	16	24	32	59
A. Not Operated	644	7.7	52	2	3	6	9	16	22	39
B. Operated	10940	14.0	88	7	9	11	16	24	31	59
TOTAL										
65-69 YRS	2498	12.1	59	7	8	10	14	20	25	47
70-74	2732	12.7	73	7	8	10	15	21	27	60
75-79	2742	13.7	91	7	8	11	16	24	32	59
80-84	2041	15.4	115	7	9	12	18	27	36	66
85 +	1571	15.6	108	7	9	13	19	28	36	64
GRAND TOTAL	**11584**	**13.7**	**88**	**7**	**8**	**11**	**16**	**24**	**31**	**57**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	2.3	1	< 1	2	2	3	4	4	4
70-74	2	2.5	5	< 1	< 1	2	4	4	4	4
75-79	6	7.7	29	1	4	6	14	14	14	14
80-84	4	2.3	2	1	1	2	3	4	4	4
85 +	6	6.5	25	1	3	5	11	14	14	14
B. Operated										
65-69 YRS	149	8.6	18	2	7	9	10	13	17	20
70-74	111	8.7	22	2	5	9	12	15	17	21
75-79	87	8.0	24	1	3	8	11	13	16	20
80-84	71	8.2	22	2	4	9	11	14	15	19
85 +	42	5.9	19	1	2	5	10	11	14	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	69	9.3	106	2	4	6	10	18	31	57
70-74	68	7.4	127	1	3	5	8	13	21	77
75-79	71	7.6	45	2	3	7	10	15	22	35
80-84	54	8.2	63	2	3	7	10	14	23	48
85 +	57	7.5	55	2	3	5	10	21	24	34
B. Operated										
65-69 YRS	1006	13.3	77	7	9	11	16	22	29	49
70-74	1057	13.8	77	6	9	12	16	25	32	51
75-79	856	14.6	112	6	9	12	17	26	37	70
80-84	646	15.2	147	4	9	12	18	29	43	92
85 +	474	14.9	136	3	8	13	19	29	38	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	4.7	18	1	2	3	5	14	14	14
B. Operated	460	8.2	21	1	5	9	11	14	16	20
2. MULTIPLE DX										
A. Not Operated	319	8.0	80	2	3	6	10	16	23	46
B. Operated	4039	14.2	103	5	9	12	17	25	34	64
1. SINGLE DX	484	8.0	21	1	4	8	11	14	16	20
2. MULTIPLE DX	4358	13.8	104	4	8	11	16	25	34	63
A. Not Operated	343	7.8	76	2	3	5	9	15	23	45
B. Operated	4499	13.6	98	4	8	11	16	24	33	60
TOTAL										
65-69 YRS	1230	12.4	74	5	8	11	15	21	28	48
70-74	1238	13.0	79	4	8	11	15	23	30	50
75-79	1020	13.5	105	4	8	11	16	24	33	67
80-84	775	14.0	137	3	8	11	17	26	39	88
85 +	579	13.5	128	3	5	11	18	26	36	64
GRAND TOTAL	**4842**	**13.2**	**99**	**4**	**8**	**11**	**16**	**24**	**32**	**59**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	2	10.0	50	5	5	10	15	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	20	7.4	29	1	3	7	9	15	19	22
70-74	20	6.4	12	1	3	7	10	11	11	11
75-79	15	8.5	47	1	3	6	13	19	22	23
80-84	5	10.6	10	8	8	9	14	14	14	14
85 +	6	10.2	122	1	1	8	11	29	31	31
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	8.4	60	3	4	6	10	14	20	47
70-74	55	8.4	68	2	3	7	10	18	23	50
75-79	51	9.3	91	2	4	6	11	18	29	49
80-84	54	8.1	74	2	4	6	9	16	20	56
85 +	40	9.5	65	2	4	6	12	22	25	38
B. Operated										
65-69 YRS	297	14.3	150	4	7	11	17	28	34	63
70-74	285	15.8	154	5	8	13	20	34	41	82
75-79	236	15.4	149	5	8	13	19	29	38	63
80-84	190	15.2	153	5	9	12	18	29	36	75
85 +	118	13.8	77	5	8	12	18	26	33	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	7.2	30	2	3	5	13	15	15	15
B. Operated	66	7.8	34	1	3	8	10	14	20	30
2. MULTIPLE DX										
A. Not Operated	264	8.7	70	3	4	6	10	18	24	49
B. Operated	1126	15.0	144	5	8	12	18	30	39	74
1. SINGLE DX	72	7.8	33	1	3	7	10	15	19	29
2. MULTIPLE DX	1390	13.8	136	4	7	11	17	28	37	63
A. Not Operated	270	8.6	69	3	4	6	10	17	24	49
B. Operated	1192	14.6	140	4	8	12	18	29	38	73
TOTAL										
65-69 YRS	382	13.0	135	3	6	10	16	25	33	60
70-74	362	14.2	143	3	7	11	17	30	40	75
75-79	303	14.0	140	3	6	11	18	28	37	61
80-84	250	13.5	141	3	6	10	17	27	34	71
85 +	165	12.6	78	4	6	11	16	24	32	47
GRAND TOTAL	**1462**	**13.5**	**133**	**3**	**6**	**11**	**17**	**27**	**37**	**61**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.0	7	< 1	1	5	6	6	6	6
70-74	9	5.3	9	2	4	5	6	10	12	12
75-79	6	4.8	7	< 1	4	5	6	9	9	9
80-84	3	10.0	57	3	4	9	16	18	18	18
85 +	3	14.3	352	3	3	4	28	36	36	36
B. Operated										
65-69 YRS	33	8.9	39	2	5	7	11	18	22	26
70-74	18	9.4	21	1	8	10	12	14	17	19
75-79	17	12.8	49	4	7	11	19	22	23	24
80-84	7	8.3	44	2	3	7	15	18	18	18
85 +	6	10.8	46	1	6	11	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	117	6.8	26	1	3	5	10	14	17	23
70-74	117	7.1	33	2	3	6	9	14	16	30
75-79	114	9.2	77	2	4	7	12	19	26	80
80-84	98	9.4	80	2	4	7	10	19	27	51
85 +	79	8.9	47	3	5	7	10	20	24	33
B. Operated										
65-69 YRS	438	15.4	114	5	8	13	20	28	36	58
70-74	445	15.6	116	5	9	13	20	29	37	58
75-79	373	16.4	181	4	8	13	19	33	44	74
80-84	271	17.4	163	6	10	14	22	32	42	71
85 +	157	17.4	177	5	9	13	22	37	47	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	6.8	53	1	3	5	7	13	23	36
B. Operated	81	9.9	39	2	6	9	14	19	22	25
2. MULTIPLE DX										
A. Not Operated	525	8.2	53	2	4	6	10	16	22	36
B. Operated	1684	16.2	144	5	9	14	20	31	39	68
1. SINGLE DX	105	9.2	43	2	5	8	13	18	22	30
2. MULTIPLE DX	2209	14.3	134	3	7	12	18	28	37	65
A. Not Operated	549	8.1	53	2	4	6	10	16	22	36
B. Operated	1765	15.9	140	5	9	13	20	30	39	67
TOTAL										
65-69 YRS	591	13.3	105	3	6	11	18	26	33	56
70-74	589	13.6	108	3	6	11	18	27	34	55
75-79	510	14.5	161	4	7	12	18	28	39	71
80-84	379	15.1	151	3	7	12	19	29	38	67
85 +	245	14.5	148	4	7	11	18	33	39	70
GRAND TOTAL	**2314**	**14.0**	**131**	**3**	**7**	**11**	**18**	**27**	**37**	**62**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	37	5.6	23	< 1	3	5	7	9	12	28
70-74	34	4.9	22	1	2	3	6	13	15	22
75-79	10	10.0	49	2	5	9	12	21	25	25
80-84	8	5.6	17	2	2	4	8	12	13	13
85 +	1	24.0		24	24	24	24	24	24	24
B. Operated										
65-69 YRS	207	7.0	25	1	2	7	10	13	15	24
70-74	185	7.1	23	1	3	7	10	12	15	23
75-79	114	7.1	34	1	2	7	10	13	17	34
80-84	45	7.5	61	1	2	6	10	12	22	39
85 +	16	7.2	52	< 1	1	5	11	20	22	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	799	8.1	55	2	3	6	10	17	22	37
70-74	771	8.5	60	2	4	6	11	17	22	39
75-79	579	8.6	54	2	4	7	11	17	24	38
80-84	314	8.5	65	2	3	6	11	16	21	42
85 +	168	9.0	52	3	4	7	11	19	22	39
B. Operated										
65-69 YRS	2658	12.0	91	3	7	10	15	23	30	50
70-74	2544	12.2	90	3	7	10	15	24	31	52
75-79	1628	12.5	104	3	6	10	15	25	31	52
80-84	691	12.2	92	3	6	10	16	23	31	54
85 +	262	13.3	108	4	6	11	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	6.1	30	1	3	5	8	13	18	27
B. Operated	567	7.1	29	1	2	7	10	13	16	27
2. MULTIPLE DX										
A. Not Operated	2631	8.4	57	2	4	6	11	17	23	38
B. Operated	7783	12.2	94	3	7	10	15	24	31	52
1. SINGLE DX	657	7.0	29	1	2	7	10	13	16	27
2. MULTIPLE DX	10414	11.3	87	3	5	9	14	22	29	50
A. Not Operated	2721	8.4	56	2	4	6	11	17	22	38
B. Operated	8350	11.9	91	3	6	10	15	23	30	52
TOTAL										
65-69 YRS	3701	10.8	82	3	5	9	13	21	28	48
70-74	3534	11.1	83	3	5	9	14	22	29	48
75-79	2331	11.2	92	2	5	9	14	23	30	50
80-84	1058	10.8	85	3	5	9	14	21	28	52
85 +	447	11.5	90	3	5	9	15	23	27	50
GRAND TOTAL	**11071**	**11.0**	**85**	**3**	**5**	**9**	**14**	**22**	**29**	**49**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	3.3	6	< 1	1	3	5	7	7	7
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	62	6.6	35	1	1	5	10	13	16	30
70-74	64	6.6	51	< 1	1	3	10	14	21	35
75-79	35	5.3	32	1	2	4	8	11	11	31
80-84	13	6.1	55	1	1	1	10	15	24	26
85 +	12	6.5	71	1	1	3	9	18	28	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	41	5.5	17	1	2	5	7	12	15	18
70-74	41	6.9	20	1	4	6	11	14	17	99 +
75-79	22	7.5	23	2	3	7	12	14	16	16
80-84	17	7.4	32	2	3	5	11	17	18	18
85 +	4	5.3	19	1	2	4	8	11	11	11
B. Operated										
65-69 YRS	303	13.0	138	2	6	11	16	25	38	93
70-74	271	12.5	105	2	5	11	16	25	32	65
75-79	173	12.5	152	1	4	10	16	24	36	76
80-84	92	14.1	309	1	3	9	17	32	65	96
85 +	37	9.1	58	1	2	9	12	22	29	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.5	7	< 1	1	3	5	7	8	8
B. Operated	186	6.3	43	1	1	4	10	13	17	32
2. MULTIPLE DX										
A. Not Operated	125	6.6	21	1	3	6	9	14	16	38
B. Operated	876	12.7	145	2	5	10	16	25	37	89
1. SINGLE DX	196	6.2	41	1	1	4	10	13	17	32
2. MULTIPLE DX	1001	11.9	134	2	4	10	15	24	34	88
A. Not Operated	135	6.3	21	1	3	6	9	14	16	30
B. Operated	1062	11.6	133	1	3	10	15	24	34	79
TOTAL										
65-69 YRS	413	11.1	118	1	4	9	15	22	32	80
70-74	377	10.8	93	1	4	9	14	22	31	65
75-79	232	10.8	128	1	4	8	14	22	31	72
80-84	122	12.3	252	1	3	8	16	26	59	93
85 +	53	8.2	58	1	2	7	11	21	29	97
GRAND TOTAL	**1197**	**11.0**	**123**	**1**	**3**	**9**	**14**	**22**	**31**	**78**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	2	2.0	2	1	1	2	3	3	3	3
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	44	5.4	17	1	2	4	8	11	14	17
70-74	29	4.8	13	1	2	4	6	10	13	14
75-79	25	5.0	32	< 1	1	3	6	10	19	25
80-84	18	4.7	28	< 1	1	3	6	11	18	22
85 +	10	2.7	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	10.1	284	1	3	4	9	29	57	62
70-74	16	8.4	76	1	2	6	12	19	30	34
75-79	8	6.4	12	2	4	6	8	11	12	12
80-84	17	9.8	63	3	5	8	11	21	29	33
85 +	7	9.9	120	3	4	5	10	29	34	34
B. Operated										
65-69 YRS	112	13.6	210	2	4	9	17	27	46	79
70-74	97	12.5	143	2	5	9	15	29	34	60
75-79	95	13.3	149	3	5	9	18	29	37	62
80-84	63	12.9	172	1	4	8	19	31	42	95
85 +	53	10.9	86	3	5	9	14	20	26	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.6	5	1	2	3	6	6	6	6
B. Operated	126	4.9	19	1	2	3	7	10	13	23
2. MULTIPLE DX										
A. Not Operated	60	9.0	105	1	4	6	10	18	33	59
B. Operated	420	12.8	159	2	4	9	16	28	37	69
1. SINGLE DX	133	4.8	19	1	2	3	6	10	13	23
2. MULTIPLE DX	480	12.3	153	2	4	9	16	27	36	68
A. Not Operated	67	8.5	97	1	3	6	10	15	33	57
B. Operated	546	11.0	138	1	3	7	14	26	34	67
TOTAL										
65-69 YRS	170	11.1	174	1	3	7	15	23	33	71
70-74	144	10.3	118	1	3	7	13	27	31	53
75-79	130	11.1	127	2	4	8	13	26	36	53
80-84	99	10.8	134	1	3	6	14	28	38	84
85 +	70	9.6	84	2	4	7	13	18	26	53
GRAND TOTAL	**613**	**10.7**	**134**	**1**	**3**	**7**	**14**	**25**	**33**	**64**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	6.3	70	< 1	< 1	2	12	16	16	16
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	51	3.4	9	1	1	2	4	8	10	12
70-74	47	3.3	11	< 1	1	3	4	6	7	22
75-79	37	4.4	19	1	2	2	7	10	12	21
80-84	16	3.8	9	1	2	3	5	8	10	11
85 +	11	3.5	4	1	2	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	7.7	33	1	3	7	12	16	19	19
70-74	1	12.0		12	12	12	12	12	12	12
75-79	4	5.5	20	2	2	4	8	12	12	12
80-84	5	5.2	12	1	2	6	7	10	10	10
85 +	5	4.4	10	2	3	3	5	10	10	10
B. Operated										
65-69 YRS	83	4.9	18	1	2	4	6	9	11	22
70-74	76	7.8	74	1	3	5	9	17	27	44
75-79	69	6.2	48	1	2	5	7	13	22	40
80-84	40	7.7	99	1	3	6	9	13	15	64
85 +	34	7.4	59	1	2	5	9	18	27	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.8	48	< 1	1	3	10	16	16	16
B. Operated	162	3.6	11	1	1	3	4	8	10	20
2. MULTIPLE DX										
A. Not Operated	25	6.4	22	2	3	5	10	12	14	19
B. Operated	302	6.6	55	1	2	5	8	14	21	41
1. SINGLE DX	166	3.7	12	1	1	3	4	8	11	20
2. MULTIPLE DX	327	6.6	52	1	2	5	8	13	19	41
A. Not Operated	29	6.3	24	1	3	4	10	12	16	19
B. Operated	464	5.5	42	1	2	4	7	11	16	35
TOTAL										
65-69 YRS	147	4.6	17	1	2	3	6	9	12	21
70-74	124	6.1	55	1	2	4	7	14	18	42
75-79	111	5.5	37	1	2	4	7	12	14	34
80-84	61	6.5	70	1	2	5	8	11	14	59
85 +	50	6.2	45	1	2	4	8	15	22	31
GRAND TOTAL	**493**	**5.6**	**41**	**1**	**2**	**4**	**7**	**11**	**16**	**34**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	91	1.9	4	< 1	< 1	1	2	4	6	10
70-74	108	2.2	7	< 1	< 1	1	2	6	8	15
75-79	121	2.2	7	< 1	< 1	1	2	6	9	12
80-84	76	2.3	7	< 1	< 1	1	2	6	8	15
85 +	77	2.8	7	< 1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	5.5	14	1	3	5	9	10	10	10
70-74	7	11.4	95	1	4	6	21	23	23	23
75-79	13	5.5	11	3	3	4	7	10	13	14
80-84	6	7.7	61	< 1	4	5	8	21	23	23
85 +	9	8.3	28	2	3	11	13	14	15	15
B. Operated										
65-69 YRS	175	4.6	46	< 1	1	2	5	9	18	41
70-74	178	5.5	58	< 1	1	2	7	15	22	40
75-79	192	5.3	71	1	1	2	6	12	19	43
80-84	190	5.3	41	< 1	1	3	6	13	16	36
85 +	228	5.8	52	1	1	3	7	13	20	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	3	1	2	4	4	4	4	4
B. Operated	473	2.3	6	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX										
A. Not Operated	41	7.5	37	2	3	5	10	17	22	23
B. Operated	963	5.3	54	< 1	1	2	6	12	19	40
1. SINGLE DX	476	2.3	6	< 1	< 1	1	2	5	8	13
2. MULTIPLE DX	1004	5.4	53	< 1	1	3	7	13	20	38
A. Not Operated	44	7.2	36	2	3	5	10	15	22	23
B. Operated	1436	4.3	40	< 1	1	2	5	10	16	31
TOTAL										
65-69 YRS	273	3.7	33	< 1	1	2	4	8	10	33
70-74	294	4.4	43	< 1	< 1	2	5	10	19	34
75-79	327	4.2	47	< 1	1	2	5	10	14	28
80-84	272	4.5	34	< 1	1	2	6	10	16	29
85 +	314	5.1	42	< 1	1	3	6	12	17	31
GRAND TOTAL	**1480**	**4.4**	**40**	**< 1**	**1**	**2**	**5**	**10**	**16**	**30**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	4.1	3	2	3	4	5	7	7	7
70-74	11	5.3	6	2	4	5	7	9	9	9
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	5	4.2	5	1	3	4	5	7	7	7
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	1193	3.8	4	2	2	4	5	6	7	10
70-74	975	3.9	3	2	3	4	5	6	7	9
75-79	641	4.0	4	2	3	4	5	7	7	9
80-84	358	4.2	5	2	3	4	5	7	8	11
85 +	177	3.9	6	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	79	6.4	25	1	3	5	9	14	16	23
70-74	63	9.0	160	1	3	6	12	16	24	86
75-79	73	7.0	44	1	3	5	9	15	17	39
80-84	58	9.1	69	1	3	7	12	22	27	36
85 +	48	7.3	96	1	2	5	8	16	19	63
B. Operated										
65-69 YRS	2745	5.1	14	2	3	4	6	9	11	20
70-74	2443	5.5	18	2	3	5	6	9	11	24
75-79	2137	5.7	17	2	3	5	7	9	12	22
80-84	1306	6.2	32	2	3	5	7	11	14	26
85 +	802	6.0	23	2	3	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	4.4	5	1	3	4	6	7	9	9
B. Operated	3344	3.9	4	2	3	4	5	7	7	10
2. MULTIPLE DX										
A. Not Operated	321	7.7	74	1	3	5	10	15	22	38
B. Operated	9433	5.6	19	2	3	5	7	9	12	23
1. SINGLE DX	3371	3.9	4	2	3	4	5	7	7	10
2. MULTIPLE DX	9754	5.6	21	2	3	5	7	9	12	24
A. Not Operated	348	7.4	70	1	3	5	9	15	21	36
B. Operated	12777	5.1	16	2	3	4	6	8	11	20
TOTAL										
65-69 YRS	4026	4.8	12	2	3	4	6	8	10	17
70-74	3492	5.1	17	2	3	4	6	8	11	22
75-79	2852	5.3	15	2	3	5	6	9	12	21
80-84	1727	5.9	29	2	3	5	7	10	14	25
85 +	1028	5.7	24	2	3	5	7	10	12	23
GRAND TOTAL	**13125**	**5.2**	**17**	**2**	**3**	**4**	**6**	**9**	**11**	**21**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	2.3	1	1	2	2	3	3	3	3
70-74	11	2.8	1	1	2	3	4	4	4	4
75-79	10	2.3	1	1	1	3	3	3	3	3
80-84	3	4.7	4	3	3	4	6	7	7	7
85 +	3	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	29	2.6	1	1	2	2	3	4	5	6
70-74	18	4.5	31	2	2	2	4	8	19	25
75-79	14	2.9	1	2	2	3	3	4	6	6
80-84	9	3.7	4	1	2	3	5	6	7	7
85 +	3	2.7	4	< 1	< 1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	31	4.5	8	2	3	4	6	8	10	15
70-74	19	9.8	141	2	3	4	12	34	39	39
75-79	27	5.0	11	2	3	4	6	10	13	15
80-84	20	13.3	142	2	4	10	18	30	38	46
85 +	16	8.9	60	2	4	7	13	27	75	99 +
B. Operated										
65-69 YRS	110	6.8	30	2	3	5	9	15	17	27
70-74	107	8.5	85	2	3	5	10	20	28	47
75-79	55	9.7	47	2	4	8	12	20	22	34
80-84	48	7.9	68	2	3	5	10	19	27	37
85 +	42	10.4	85	3	4	8	14	19	35	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.8	1	1	2	3	3	4	4	7
B. Operated	73	3.3	9	1	2	2	4	5	7	21
2. MULTIPLE DX										
A. Not Operated	113	7.7	71	2	3	4	10	18	29	65
B. Operated	362	8.3	61	2	3	6	11	17	23	36
1. SINGLE DX	106	3.1	7	1	2	3	3	5	6	16
2. MULTIPLE DX	475	8.2	63	2	3	5	10	18	25	39
A. Not Operated	146	6.6	59	2	3	4	7	15	26	48
B. Operated	435	7.5	56	2	3	5	9	16	23	35
TOTAL										
65-69 YRS	176	5.6	23	2	2	4	7	12	15	23
70-74	155	7.8	82	2	3	4	9	19	27	39
75-79	106	6.9	37	2	3	4	9	16	20	29
80-84	80	8.7	84	2	3	5	11	23	30	43
85 +	64	9.3	74	2	4	7	13	19	35	91
GRAND TOTAL	**581**	**7.2**	**57**	**2**	**3**	**4**	**9**	**16**	**23**	**38**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	2.6	1	2	2	2	3	4	4	4
70-74	15	2.5	1	2	2	2	3	4	5	5
75-79	9	2.3	1	1	2	2	3	4	4	4
80-84	3	2.3		2	2	2	3	3	3	3
85 +	3	5.0	21	1	2	4	8	10	10	10
B. Operated										
65-69 YRS	176	4.9	3	3	4	5	6	7	8	10
70-74	118	5.2	4	3	4	5	6	8	9	12
75-79	81	5.3	5	3	4	5	6	8	10	12
80-84	41	5.6	5	3	5	5	7	8	10	13
85 +	19	6.6	16	1	3	6	8	12	14	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	4.8	26	1	2	3	5	10	18	23
70-74	35	5.5	37	1	2	3	6	12	19	31
75-79	36	6.8	40	1	2	5	10	14	22	29
80-84	27	8.0	57	2	3	5	11	21	26	28
85 +	22	8.5	72	2	3	5	10	24	30	32
B. Operated										
65-69 YRS	790	7.0	21	4	5	6	8	12	15	29
70-74	654	7.2	25	4	5	6	8	12	16	30
75-79	488	8.0	31	4	5	7	9	14	17	31
80-84	272	7.8	25	4	5	7	9	14	18	32
85 +	144	9.4	74	3	5	7	11	15	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.7	2	2	2	2	3	4	5	10
B. Operated	435	5.2	5	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	166	6.4	43	1	2	4	8	14	22	31
B. Operated	2348	7.5	28	4	5	6	8	13	17	31
1. SINGLE DX	479	5.0	5	2	4	5	6	8	9	12
2. MULTIPLE DX	2514	7.4	29	3	5	6	8	13	17	31
A. Not Operated	210	5.6	37	1	2	3	7	12	21	30
B. Operated	2783	7.2	25	4	5	6	8	12	16	29
TOTAL										
65-69 YRS	1026	6.5	19	3	4	5	7	11	15	26
70-74	822	6.8	23	3	4	6	8	11	15	29
75-79	614	7.5	29	3	5	6	9	13	17	30
80-84	343	7.5	25	3	5	6	9	13	18	30
85 +	188	8.9	68	2	5	7	11	15	22	42
GRAND TOTAL	**2993**	**7.0**	**26**	**3**	**5**	**6**	**8**	**12**	**16**	**29**

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	1.6	2	< 1	1	1	2	4	5	5
70-74	3	3.3	10	1	1	2	6	7	7	7
75-79	4	2.5	3	1	1	2	4	5	5	5
80-84	2	3.5	13	1	1	3	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	36	8.7	37	4	5	7	11	18	21	31
70-74	25	7.6	32	4	5	6	9	11	17	31
75-79	9	5.4	7	2	4	5	6	9	11	11
80-84	6	11.8	30	6	8	10	17	20	20	20
85 +	3	8.0	4	6	6	8	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	53	5.4	14	1	2	5	7	10	13	19
70-74	49	5.7	25	1	1	4	8	13	15	23
75-79	41	9.3	133	2	3	6	9	19	38	56
80-84	39	8.2	46	2	4	6	11	17	23	31
85 +	36	10.7	134	2	5	8	11	18	40	59
B. Operated										
65-69 YRS	431	11.8	70	5	7	9	14	21	32	43
70-74	329	13.8	95	6	8	11	16	25	34	59
75-79	222	14.9	115	6	7	12	19	28	36	57
80-84	118	15.5	129	6	8	13	19	30	43	82
85 +	55	15.4	159	5	9	13	17	26	45	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.3	4	< 1	1	1	2	6	7	7
B. Operated	79	8.2	31	4	5	6	10	15	19	31
2. MULTIPLE DX										
A. Not Operated	218	7.6	67	1	3	6	9	15	20	51
B. Operated	1155	13.5	98	5	7	11	16	25	35	57
1. SINGLE DX	98	7.1	31	1	4	6	9	12	18	31
2. MULTIPLE DX	1373	12.6	98	4	7	10	15	24	32	57
A. Not Operated	237	7.1	64	1	2	5	9	14	19	50
B. Operated	1234	13.2	95	5	7	10	16	25	33	57
TOTAL										
65-69 YRS	530	10.8	67	4	6	9	13	19	29	42
70-74	406	12.3	91	4	7	10	15	24	32	56
75-79	276	13.6	120	5	7	10	18	27	35	56
80-84	165	13.5	115	4	6	11	18	25	37	71
85 +	94	13.4	149	4	7	11	15	25	44	92
GRAND TOTAL	**1471**	**12.2**	**95**	**4**	**6**	**10**	**15**	**23**	**32**	**56**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	4	2.8	2	1	2	3	4	4	4	4
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	12	4.0	11	< 1	1	3	6	8	11	11
70-74	9	6.3	29	2	3	4	8	15	19	19
75-79	11	5.1	15	1	2	4	7	10	14	14
80-84	8	2.5	2	< 1	1	2	3	4	5	5
85 +	13	3.0	7	< 1	1	1	4	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	11.0	112	1	3	6	18	28	30	30
70-74	6	8.2	89	1	2	4	11	24	26	26
75-79	8	5.1	20	1	2	4	8	12	13	13
80-84	7	5.4	5	2	4	6	6	8	9	9
85 +	10	12.1	281	2	4	8	9	35	59	59
B. Operated										
65-69 YRS	70	11.3	80	3	6	8	14	26	30	42
70-74	57	11.7	78	3	6	9	14	29	31	38
75-79	55	10.5	125	2	4	8	14	20	36	98
80-84	73	11.8	110	4	6	10	15	20	22	69
85 +	55	8.4	55	1	3	7	11	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.4	1	1	1	2	3	4	4	4
B. Operated	53	4.2	13	1	1	3	6	8	11	19
2. MULTIPLE DX										
A. Not Operated	38	8.6	112	2	3	5	9	17	28	59
B. Operated	310	10.8	91	2	5	8	14	21	30	60
1. SINGLE DX	61	3.9	12	1	1	3	5	8	10	18
2. MULTIPLE DX	348	10.6	93	2	5	8	13	21	30	59
A. Not Operated	46	7.5	98	1	2	4	9	14	27	59
B. Operated	363	9.9	85	2	4	8	13	20	28	51
TOTAL										
65-69 YRS	90	10.2	78	2	4	7	14	24	30	41
70-74	76	10.3	74	2	4	7	13	25	31	37
75-79	77	8.8	100	2	3	7	12	17	28	92
80-84	88	10.5	100	2	5	8	14	19	22	66
85 +	78	8.0	79	1	3	6	10	16	22	54
GRAND TOTAL	**409**	**9.6**	**87**	**2**	**4**	**7**	**13**	**19**	**28**	**55**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	3.3	6	1	1	2	6	7	7	7
70-74	9	2.3	2	< 1	1	2	3	5	5	5
75-79	4	3.3	2	2	2	3	4	5	5	5
80-84	2	5.5	5	4	4	5	7	7	7	7
85 +	3	3.7	2	2	2	4	5	5	5	5
B. Operated										
65-69 YRS	597	5.3	10	1	3	5	7	9	11	15
70-74	558	4.8	10	1	2	4	7	9	11	15
75-79	450	4.2	10	1	2	4	6	8	10	15
80-84	226	4.0	6	1	2	4	5	7	8	15
85 +	113	4.2	7	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	151	6.6	46	1	3	5	8	13	16	37
70-74	218	7.2	56	1	3	5	8	16	23	43
75-79	215	7.5	40	2	3	6	9	15	20	34
80-84	181	8.3	90	2	3	6	10	18	29	99 +
85 +	161	7.8	66	2	3	6	10	15	20	77
B. Operated										
65-69 YRS	2476	6.9	37	2	3	5	8	13	16	30
70-74	3130	6.5	33	2	3	5	8	12	16	27
75-79	2783	6.8	46	2	3	5	8	13	18	34
80-84	2009	7.0	41	2	3	5	8	14	19	34
85 +	1393	8.3	62	3	4	6	10	16	21	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.2	4	1	2	3	5	6	7	7
B. Operated	1944	4.7	10	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	926	7.5	59	2	3	6	9	16	22	47
B. Operated	11791	7.0	42	2	3	5	8	13	18	33
1. SINGLE DX	1971	4.7	10	1	2	4	6	9	10	15
2. MULTIPLE DX	12717	7.0	43	2	3	5	8	13	18	34
A. Not Operated	953	7.4	58	2	3	5	9	15	22	46
B. Operated	13735	6.6	38	2	3	5	8	12	17	30
TOTAL										
65-69 YRS	3233	6.6	33	2	3	5	8	12	15	27
70-74	3915	6.3	31	2	3	5	8	12	16	27
75-79	3452	6.5	42	2	3	5	8	13	17	31
80-84	2418	6.8	43	2	3	5	8	13	18	35
85 +	1670	7.9	60	2	4	6	9	15	20	47
GRAND TOTAL	**14688**	**6.7**	**39**	**2**	**3**	**5**	**8**	**13**	**17**	**32**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	8	4.3	9	1	2	4	6	9	10	10
70-74	9	2.6	4	1	1	2	4	6	6	6
75-79	7	4.7	21	1	1	2	7	12	13	13
80-84	2	4.0	2	3	3	4	5	5	5	5
85 +	3	4.3	12	< 1	1	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	11.5	113	4	4	11	19	19	19	19
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	32	4.7	14	1	3	4	6	9	10	19
70-74	26	5.5	21	1	3	4	7	13	17	18
75-79	24	6.5	25	2	2	6	9	14	16	20
80-84	6	11.2	30	4	7	11	16	17	17	17
85 +	11	8.3	39	3	4	5	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	29	3.8	9	1	1	3	5	8	10	13
2. MULTIPLE DX										
A. Not Operated	2	11.5	113	4	4	11	19	19	19	19
B. Operated	99	6.1	24	1	3	4	8	15	17	21
1. SINGLE DX	30	3.7	9	1	1	3	5	8	10	13
2. MULTIPLE DX	101	6.2	25	1	3	4	8	15	18	20
A. Not Operated	3	8.0	93	1	2	4	15	19	19	19
B. Operated	128	5.6	21	1	2	4	8	13	17	20
TOTAL										
65-69 YRS	42	4.9	17	1	3	4	6	10	14	19
70-74	36	4.6	18	1	2	3	6	10	16	18
75-79	31	6.1	24	1	2	5	9	13	15	20
80-84	8	9.4	33	3	4	7	15	17	17	17
85 +	14	7.4	35	2	4	5	9	17	20	21
GRAND TOTAL	**131**	**5.6**	**23**	**1**	**2**	**4**	**8**	**13**	**17**	**20**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	1.3	1	< 1	< 1	< 1	1	3	3	3
70-74	19	1.2		< 1	< 1	< 1	1	2	3	3
75-79	23	4.0	137	< 1	< 1	< 1	< 1	6	26	57
80-84	10	1.6	1	< 1	< 1	< 1	2	3	4	4
85 +	3	5.3	26	1	2	4	9	11	11	11
B. Operated										
65-69 YRS	438	3.1	12	1	1	2	3	7	11	17
70-74	435	3.2	12	1	1	2	4	7	10	17
75-79	366	3.0	9	1	1	2	4	6	9	16
80-84	238	3.2	8	1	1	2	4	7	9	15
85 +	174	3.4	7	1	2	3	5	7	8	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	5.7	29	1	2	4	7	15	18	23
70-74	67	6.2	30	2	3	5	8	13	17	29
75-79	76	7.6	60	< 1	2	5	10	17	25	36
80-84	59	7.6	133	1	2	4	7	12	33	68
85 +	83	10.4	108	2	3	7	12	27	35	46
B. Operated										
65-69 YRS	1431	6.3	59	1	2	4	7	15	20	36
70-74	1712	6.4	59	1	2	4	8	15	21	41
75-79	1783	6.2	48	1	2	4	8	14	19	38
80-84	1320	6.5	53	1	2	4	8	14	20	40
85 +	945	7.0	49	1	3	5	9	15	20	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	2.5	51	< 1	< 1	< 1	1	3	6	51
B. Operated	1651	3.1	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	328	7.8	77	1	3	5	9	16	27	43
B. Operated	7191	6.4	54	1	2	4	8	14	20	39
1. SINGLE DX	1715	3.1	12	1	1	2	4	7	9	16
2. MULTIPLE DX	7519	6.5	55	1	2	4	8	15	20	40
A. Not Operated	392	6.9	77	< 1	2	4	9	15	23	44
B. Operated	8842	5.8	47	1	2	4	7	13	18	35
TOTAL										
65-69 YRS	1921	5.5	49	1	2	3	6	13	18	33
70-74	2233	5.7	50	1	2	3	7	13	19	35
75-79	2248	5.7	44	1	2	3	7	13	17	35
80-84	1627	6.0	51	1	2	4	7	13	19	39
85 +	1205	6.7	50	1	3	5	8	14	20	45
GRAND TOTAL	**9234**	**5.9**	**49**	**1**	**2**	**4**	**7**	**13**	**18**	**36**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	84	7.0	12	1	5	7	9	11	13	15
70-74	77	7.2	12	1	5	7	9	11	13	16
75-79	36	7.1	12	2	5	7	9	11	13	16
80-84	23	7.5	23	1	3	7	12	14	15	16
85 +	11	7.5	25	2	3	9	9	14	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	55	8.9	81	2	4	7	11	18	25	51
70-74	62	8.8	52	2	4	7	11	18	24	35
75-79	53	6.2	27	2	2	5	8	14	16	27
80-84	36	9.5	33	4	5	9	13	21	23	99 +
85 +	39	10.6	113	3	4	7	13	25	46	99 +
B. Operated										
65-69 YRS	509	10.6	55	4	7	9	12	18	23	46
70-74	520	11.7	72	5	7	9	14	21	26	52
75-79	394	12.1	90	5	7	10	14	22	28	68
80-84	238	12.9	67	6	8	11	16	23	29	42
85 +	113	13.8	87	3	8	12	17	26	31	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.3		3	3	3	4	4	4	4
B. Operated	231	7.1	14	1	5	7	9	12	13	16
2. MULTIPLE DX										
A. Not Operated	245	8.7	61	2	4	7	12	18	24	58
B. Operated	1774	11.8	72	5	7	9	14	21	28	48
1. SINGLE DX	234	7.1	14	1	5	7	9	12	13	16
2. MULTIPLE DX	2019	11.4	72	4	7	9	14	21	27	51
A. Not Operated	248	8.6	61	2	4	7	12	18	24	57
B. Operated	2005	11.2	68	4	7	9	13	20	26	46
TOTAL										
65-69 YRS	649	10.0	53	3	6	8	12	18	22	44
70-74	659	10.9	66	4	7	9	13	20	25	44
75-79	484	11.0	82	4	6	9	13	20	27	57
80-84	297	12.1	62	4	7	10	16	22	28	44
85 +	164	12.6	92	3	7	10	16	26	32	55
GRAND TOTAL	**2253**	**10.9**	**67**	**3**	**7**	**9**	**13**	**20**	**26**	**47**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	2.0	3	1	1	1	2	5	6	6
70-74	7	2.1	1	1	1	2	3	4	4	4
75-79	0									
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	5.0	8	3	3	5	7	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79	4	9.0	26	4	5	8	12	16	16	16
80-84	0									
85 +	2	7.0	8	5	5	7	9	9	9	9
B. Operated										
65-69 YRS	16	4.4	15	1	2	3	6	11	13	14
70-74	11	5.4	40	1	1	3	6	17	20	20
75-79	11	3.2	12	1	1	2	4	9	12	12
80-84	14	2.4	2	1	1	2	3	4	5	6
85 +	8	6.4	27	3	3	4	8	15	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	16	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	9	6.9	18	2	4	7	9	13	16	16
B. Operated	60	4.2	18	1	2	3	4	10	14	20
1. SINGLE DX	16	2.0	2	1	1	2	3	4	5	6
2. MULTIPLE DX	69	4.5	19	1	2	3	6	10	15	20
A. Not Operated	9	6.9	18	2	4	7	9	13	16	16
B. Operated	76	3.7	15	1	1	2	4	8	13	19
TOTAL										
65-69 YRS	25	3.8	12	1	2	2	5	9	12	14
70-74	19	4.0	25	1	1	3	3	12	18	20
75-79	15	4.7	21	1	1	2	7	12	15	16
80-84	16	2.3	2	1	1	2	3	3	5	6
85 +	10	6.5	22	3	3	5	8	13	18	18
GRAND TOTAL	**85**	**4.0**	**16**	**1**	**2**	**3**	**4**	**9**	**14**	**19**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	6.8	34	2	3	4	9	18	19	19
70-74	12	7.8	75	2	4	6	7	18	32	34
75-79	4	10.0	68	1	5	9	15	21	21	21
80-84	6	10.2	95	2	2	8	12	26	28	28
85 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
65-69 YRS	42	11.2	81	4	6	9	14	19	25	55
70-74	45	8.8	25	3	6	8	12	15	16	27
75-79	19	10.3	71	3	4	7	14	25	30	30
80-84	10	13.8	92	1	2	15	19	26	30	30
85 +	4	9.3	43	1	4	10	14	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	112	8.9	68	3	4	6	11	18	26	41
70-74	100	11.8	210	3	4	7	13	27	41	85
75-79	72	11.5	199	2	4	7	13	23	29	74
80-84	52	14.0	195	3	5	11	17	24	50	71
85 +	35	11.7	74	3	6	9	15	24	30	39
B. Operated										
65-69 YRS	164	17.0	213	5	8	13	20	36	49	73
70-74	155	16.6	164	5	9	13	20	32	45	65
75-79	96	21.0	222	9	12	16	25	42	52	90
80-84	35	17.3	138	4	10	15	21	35	43	57
85 +	11	13.8	56	7	7	13	17	25	30	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	7.7	54	2	3	5	10	18	24	34
B. Operated	120	10.3	58	3	6	9	14	18	25	38
2. MULTIPLE DX										
A. Not Operated	371	11.2	151	3	4	7	13	23	34	73
B. Operated	461	17.7	191	6	9	14	21	36	48	74
1. SINGLE DX	161	9.7	58	2	5	8	13	18	24	34
2. MULTIPLE DX	832	14.8	183	3	6	11	18	29	44	74
A. Not Operated	412	10.8	143	2	4	7	13	22	33	72
B. Operated	581	16.1	172	5	8	13	19	31	45	70
TOTAL										
65-69 YRS	335	13.0	154	3	5	10	16	25	39	62
70-74	312	13.6	164	3	6	10	16	27	43	66
75-79	191	16.1	217	4	7	12	20	34	51	77
80-84	103	14.9	160	2	6	12	19	28	45	64
85 +	52	11.6	67	3	6	9	15	23	30	39
GRAND TOTAL	**993**	**13.9**	**167**	**3**	**6**	**11**	**17**	**27**	**42**	**71**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	6	11.8	25	7	8	10	17	19	19	19
70-74	5	15.0	26	9	10	18	19	20	20	20
75-79	5	7.2	11	4	5	6	10	12	12	12
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	9.1	61	2	3	5	17	21	22	22
70-74	10	6.0	7	2	4	6	7	10	11	11
75-79	9	12.2	92	3	5	9	17	28	30	30
80-84	5	11.2	173	3	3	5	17	34	34	34
85 +	1	38.0		38	38	38	38	38	38	38
B. Operated										
65-69 YRS	17	13.9	46	6	8	15	18	25	27	27
70-74	11	20.1	256	2	10	20	26	40	58	60
75-79	9	17.4	180	5	7	12	26	39	39	39
80-84	2	17.0	2	16	16	17	18	18	18	18
85 +	2	51.5	1861	21	21	51	82	82	82	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	16	11.4	28	5	7	10	17	19	20	20
2. MULTIPLE DX										
A. Not Operated	35	10.1	90	3	4	6	13	25	33	38
B. Operated	41	18.3	230	5	9	16	22	32	49	82
1. SINGLE DX	17	10.8	32	4	7	10	17	19	20	20
2. MULTIPLE DX	76	14.6	180	3	5	11	20	27	39	76
A. Not Operated	36	9.9	89	2	4	6	12	25	33	38
B. Operated	57	16.4	181	5	8	15	20	27	39	80
TOTAL										
65-69 YRS	33	12.1	49	4	7	10	17	21	25	27
70-74	26	13.7	151	3	6	10	20	26	34	60
75-79	23	13.2	117	4	5	9	16	32	39	39
80-84	8	11.5	121	2	3	8	17	29	34	34
85 +	3	47.0	991	21	25	38	71	82	82	82
GRAND TOTAL	**93**	**13.9**	**154**	**3**	**6**	**10**	**18**	**27**	**37**	**73**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.0	1	1	1	2	2	3	3	3
70-74	5	2.2	1	1	1	2	3	4	4	4
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	1	10.0		10	10	10	10	10	10	10
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	26	2.7	3	2	2	2	3	4	5	10
70-74	21	4.6	20	1	2	3	5	11	17	18
75-79	17	3.0	2	1	2	3	4	5	6	7
80-84	7	3.1	2	1	2	3	4	5	5	5
85 +	5	5.4	18	3	3	4	6	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	17	4.9	34	1	1	4	7	8	19	25
70-74	16	5.6	26	1	2	4	6	14	17	19
75-79	14	4.6	9	2	2	4	6	9	11	11
80-84	11	10.0	245	2	3	4	9	30	54	56
85 +	6	7.5	38	3	3	5	9	18	19	19
B. Operated										
65-69 YRS	98	6.6	41	2	3	4	8	15	23	30
70-74	60	7.1	46	2	3	4	9	16	23	34
75-79	69	9.5	136	2	4	6	11	21	37	96
80-84	30	13.0	372	3	4	6	16	27	51	99
85 +	17	13.3	202	3	4	9	18	31	49	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.9	5	1	2	2	3	5	9	10
B. Operated	76	3.5	9	2	2	3	4	5	9	17
2. MULTIPLE DX										
A. Not Operated	64	6.1	62	1	2	4	7	12	19	52
B. Operated	274	8.5	115	2	3	5	10	18	27	73
1. SINGLE DX	90	3.4	8	1	2	3	4	5	10	17
2. MULTIPLE DX	338	8.1	106	2	3	5	9	18	26	59
A. Not Operated	78	5.6	53	1	2	4	7	11	17	47
B. Operated	350	7.4	96	2	3	4	8	17	25	57
TOTAL										
65-69 YRS	146	5.5	34	2	2	3	6	13	19	27
70-74	102	6.1	36	2	3	4	7	14	19	30
75-79	102	7.6	101	2	3	5	8	15	29	89
80-84	49	10.9	288	2	4	5	10	23	51	39
85 +	29	10.4	138	3	3	5	14	21	34	57
GRAND TOTAL	**428**	**7.1**	**89**	**2**	**3**	**4**	**8**	**16**	**24**	**56**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	7.5	39	2	3	5	12	19	20	20
70-74	16	10.7	72	3	5	7	17	26	27	27
75-79	14	7.5	23	2	3	8	10	11	18	20
80-84	7	4.4	9	1	2	5	6	8	9	9
85 +	8	4.3	18	< 1	1	4	5	11	14	14
B. Operated										
65-69 YRS	63	5.5	25	1	2	5	8	10	15	30
70-74	66	6.7	36	1	2	5	11	16	18	23
75-79	41	3.7	11	< 1	1	3	5	7	10	17
80-84	19	7.5	107	< 1	1	4	8	25	35	37
85 +	14	5.3	17	1	2	4	9	10	14	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2287	9.1	68	2	4	7	12	18	23	41
70-74	2179	9.0	69	2	4	6	11	19	25	40
75-79	1673	9.5	84	3	4	7	12	20	25	47
80-84	1177	9.4	85	3	4	7	11	19	24	58
85 +	773	9.2	54	3	4	7	11	18	22	39
B. Operated										
65-69 YRS	3142	11.9	115	2	5	9	15	25	32	55
70-74	2865	12.3	123	2	5	9	16	26	34	59
75-79	2069	12.3	124	2	5	10	16	25	33	62
80-84	1141	12.9	124	3	6	10	17	27	35	57
85 +	641	12.6	132	2	6	10	16	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	7.6	41	1	3	5	10	19	22	27
B. Operated	203	5.7	34	< 1	2	4	7	14	16	32
2. MULTIPLE DX										
A. Not Operated	8089	9.2	73	2	4	7	11	19	24	44
B. Operated	9858	12.3	121	2	5	9	16	25	33	58
1. SINGLE DX	262	6.1	36	1	2	4	8	15	18	31
2. MULTIPLE DX	17947	10.9	102	2	4	8	14	22	29	53
A. Not Operated	8148	9.2	72	2	4	7	11	19	24	44
B. Operated	10061	12.1	120	2	5	9	16	25	33	58
TOTAL										
65-69 YRS	5506	10.6	96	2	4	8	14	22	29	50
70-74	5126	10.8	102	2	4	8	14	23	30	51
75-79	3797	11.0	107	2	4	8	14	23	29	57
80-84	2344	11.1	107	3	5	8	14	22	30	57
85 +	1436	10.7	91	3	4	8	14	21	30	54
GRAND TOTAL	**18209**	**10.8**	**101**	**2**	**4**	**8**	**14**	**22**	**29**	**52**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
65-69 YRS	8	4.1	7	1	2	4	6	8	8	8
70-74	6	5.5	26	1	1	4	9	13	14	14
75-79	5	2.8	6	1	1	2	4	7	7	7
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	10.4	60	3	4	7	15	23	24	24
70-74	10	8.5	54	2	2	6	15	19	22	22
75-79	7	6.0	36	< 1	1	3	11	15	16	16
80-84	1	7.0		7	7	7	7	7	7	7
85 +	5	10.0	22	5	6	9	13	17	17	17
B. Operated										
65-69 YRS	36	14.3	222	1	5	10	18	31	44	74
70-74	26	14.4	112	2	7	11	24	33	34	34
75-79	22	14.1	164	4	8	10	14	33	48	52
80-84	14	13.9	73	6	8	10	19	29	31	32
85 +	5	9.2	14	3	8	10	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	36	< 1	< 1	1	7	13	13	13
B. Operated	20	4.2	12	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. Not Operated	33	8.7	44	2	3	7	13	18	23	24
B. Operated	103	14.0	148	3	6	10	17	30	34	62
1. SINGLE DX	24	4.1	15	1	1	3	6	9	13	14
2. MULTIPLE DX	136	12.7	128	2	6	10	16	29	33	55
A. Not Operated	37	8.2	45	1	3	7	13	17	23	24
B. Operated	123	12.4	139	2	5	9	15	29	33	58
TOTAL										
65-69 YRS	56	11.7	169	1	4	7	16	28	31	72
70-74	43	11.5	96	1	3	9	16	29	33	34
75-79	34	10.8	133	1	3	8	13	24	42	52
80-84	16	12.8	73	5	7	9	17	28	31	32
85 +	11	9.9	16	4	7	10	13	15	17	17
GRAND TOTAL	**160**	**11.4**	**120**	**1**	**4**	**9**	**14**	**26**	**32**	**52**

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	22.0		22	22	22	22	22	22	22
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	7.3	14	3	4	9	10	10	10	10
70-74	8	6.5	108	1	2	3	4	24	32	32
75-79	6	8.8	57	2	3	7	11	21	22	22
80-84	3	5.7	9	3	3	5	8	9	9	9
85 +	3	6.8	24	1	2	6	11	13	14	14
B. Operated										
65-69 YRS	14	26.3	590	6	8	18	40	47	85	96
70-74	18	22.1	385	3	6	15	40	57	81	99 +
75-79	9	10.7	73	3	5	7	15	24	29	29
80-84	5	16.4	135	6	7	11	26	33	33	33
85 +	3	25.7	272	9	13	26	38	42	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	5.0	37	1	1	2	9	12	12	12
B. Operated	2	12.5	181	3	3	12	22	22	22	22
2. MULTIPLE DX										
A. Not Operated	28	7.1	48	2	3	4	10	13	23	32
B. Operated	49	20.8	363	4	7	14	33	44	58	99 +
1. SINGLE DX	5	8.0	81	1	2	3	14	22	22	22
2. MULTIPLE DX	77	15.8	291	2	4	9	24	41	52	99
A. Not Operated	31	6.9	46	1	2	4	10	13	22	32
B. Operated	51	20.5	355	3	7	14	33	43	58	99 +
TOTAL										
65-69 YRS	17	22.9	537	4	8	13	34	41	77	96
70-74	28	16.2	336	1	3	7	34	52	60	99 +
75-79	17	10.2	68	2	4	7	15	22	27	29
80-84	9	12.3	97	4	6	9	15	29	33	33
85 +	11	11.9	149	2	3	9	13	32	41	42
GRAND TOTAL	**82**	**15.4**	**280**	**2**	**4**	**9**	**23**	**40**	**49**	**99**

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.3	4	1	2	4	5	5	5	5
70-74	4	4.0	10	1	1	3	6	8	8	8
75-79	0									
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	7	3.4	6	1	2	2	6	7	7	7
70-74	4	8.3	9	5	6	8	10	12	12	12
75-79	2	2.0	2	< 1	< 1	1	3	3	3	3
80-84	2	2.5	5	1	1	2	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	6.8	29	2	4	5	8	15	17	29
70-74	60	8.3	56	2	3	6	10	18	24	36
75-79	57	7.1	27	2	3	5	9	15	20	21
80-84	28	7.9	29	2	4	7	10	17	18	23
85 +	35	6.5	33	2	3	6	8	11	17	32
B. Operated										
65-69 YRS	52	11.6	132	2	4	8	15	28	43	54
70-74	57	10.4	83	3	6	8	13	16	22	59
75-79	45	11.2	51	2	6	10	15	21	27	30
80-84	34	12.1	191	4	5	7	12	21	54	63
85 +	21	13.8	158	4	5	10	14	31	45	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	4.1	7	1	2	4	6	8	8	8
B. Operated	15	4.4	11	1	2	3	7	9	11	12
2. MULTIPLE DX										
A. Not Operated	226	7.3	36	2	3	5	9	15	19	33
B. Operated	209	11.5	112	3	5	9	14	22	31	60
1. SINGLE DX	23	4.3	9	1	2	4	7	8	10	12
2. MULTIPLE DX	435	9.3	77	2	4	7	11	18	26	54
A. Not Operated	234	7.2	36	2	3	5	9	15	19	32
B. Operated	224	11.0	108	3	5	8	14	20	30	60
TOTAL										
65-69 YRS	108	8.8	84	2	4	5	11	17	29	49
70-74	125	9.1	67	3	4	7	11	16	23	44
75-79	104	8.8	41	2	5	7	12	18	21	29
80-84	64	9.9	119	3	4	7	11	17	26	62
85 +	57	9.2	89	2	4	7	10	17	30	53
GRAND TOTAL	**458**	**9.1**	**74**	**2**	**4**	**7**	**11**	**17**	**25**	**53**

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	3.3	6	1	1	3	5	7	7	7
70-74	5	3.8	8	< 1	1	4	6	7	7	7
75-79	4	4.3	28	1	1	2	7	12	12	12
80-84	4	3.5	3	< 1	2	4	5	5	5	5
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	6	15.3	458	1	2	4	25	52	55	55
70-74	6	15.5	205	< 1	3	12	26	37	38	38
75-79	1	3.0		3	3	3	3	3	3	3
80-84	3	8.7	50	1	3	10	14	15	15	15
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	13.2	127	2	4	9	20	27	40	43
70-74	38	7.9	52	2	3	5	9	20	26	29
75-79	37	9.3	81	3	4	6	12	19	22	52
80-84	27	10.7	120	2	4	7	12	25	34	50
85 +	30	9.4	111	1	3	6	13	17	38	49
B. Operated										
65-69 YRS	69	30.0	326	5	12	32	43	53	73	99 +
70-74	87	24.9	334	4	8	26	38	46	63	91
75-79	65	23.4	281	4	8	22	34	43	64	95
80-84	45	16.4	253	5	6	10	27	43	63	99 +
85 +	39	13.3	158	3	6	10	15	32	39	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.6	8	< 1	1	3	5	7	10	12
B. Operated	16	13.4	243	1	2	7	20	37	50	55
2. MULTIPLE DX										
A. Not Operated	159	9.9	95	2	4	7	13	22	29	50
B. Operated	305	23.0	314	4	7	20	36	46	63	99 +
1. SINGLE DX	36	7.9	133	1	1	4	8	24	34	55
2. MULTIPLE DX	464	18.5	277	3	6	12	31	44	53	95
A. Not Operated	179	9.2	89	2	3	6	12	21	28	50
B. Operated	321	22.5	314	4	7	18	36	46	63	99 +
TOTAL										
65-69 YRS	108	23.5	341	2	6	23	38	46	62	99 +
70-74	136	19.0	301	2	5	11	32	45	50	80
75-79	107	17.6	252	3	5	12	29	42	52	84
80-84	79	13.5	198	3	5	8	17	32	53	89
85 +	70	11.5	139	2	4	8	13	26	38	60
GRAND TOTAL	**500**	**17.8**	**274**	**2**	**5**	**10**	**30**	**43**	**53**	**87**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A Not Operated										
65-69 YRS	4	2.5	9	< 1	< 1	1	4	7	7	7
70-74	3	2.7		2	2	3	3	3	3	3
75-79	5	2.6	3	< 1	1	3	4	5	5	5
80-84	5	3.0	20	< 1	< 1	1	4	11	11	11
85 +	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
65-69 YRS	5	10.8	97	5	5	6	14	28	28	28
70-74	8	9.8	66	1	4	8	13	23	26	26
75-79	0									
80-84	2	4.5	13	2	2	4	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	52	9.2	140	2	3	5	10	22	41	60
70-74	50	6.0	22	1	2	4	8	13	15	22
75-79	51	6.6	38	1	2	4	9	17	20	25
80-84	57	8.4	58	2	3	5	11	21	26	30
85 +	35	8.1	52	2	3	5	12	20	24	29
B. Operated										
65-69 YRS	65	16.9	175	4	6	10	27	35	40	52
70-74	54	18.5	429	3	4	9	28	55	64	81
75-79	37	12.3	257	4	5	8	10	23	47	87
80-84	35	15.7	340	3	4	10	18	33	67	82
85 +	35	12.7	117	3	6	8	16	29	40	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.7	7	< 1	< 1	1	3	6	9	11
B. Operated	15	9.4	66	2	5	6	11	26	27	28
2. MULTIPLE DX										
A. Not Operated	245	7.7	63	2	3	5	10	19	23	43
B. Operated	226	15.7	267	3	5	9	21	38	49	82
1. SINGLE DX	34	5.7	43	< 1	1	3	7	12	24	28
2. MULTIPLE DX	471	11.5	177	2	4	7	14	28	39	67
A. Not Operated	264	7.3	61	1	2	5	9	17	22	41
B. Operated	241	15.3	256	3	5	9	20	36	48	82
TOTAL										
65-69 YRS	126	13.0	168	2	4	8	21	33	40	55
70-74	115	12.0	251	2	3	6	12	33	53	73
75-79	93	8.7	131	2	3	5	10	17	24	70
80-84	99	10.6	168	1	3	7	14	23	31	79
85 +	72	10.2	88	2	4	7	14	24	29	43
GRAND TOTAL	**505**	**11.1**	**170**	**2**	**3**	**7**	**13**	**28**	**38**	**66**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	6.3	28	1	2	5	9	14	17	23
70-74	24	6.0	35	2	2	4	8	13	20	26
75-79	14	3.7	10	1	1	2	5	9	11	11
80-84	13	7.6	55	1	3	7	9	15	27	30
85 +	7	2.6	5	1	1	2	4	6	7	7
B. Operated										
65-69 YRS	127	5.4	29	1	1	4	8	12	18	23
70-74	104	5.1	26	1	1	4	7	10	18	24
75-79	75	4.4	17	< 1	1	3	7	9	14	19
80-84	43	6.3	47	1	1	3	8	19	22	23
85 +	13	6.2	44	1	2	2	12	16	19	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	312	8.9	69	2	4	7	11	20	24	42
70-74	282	9.7	95	2	4	7	12	20	26	70
75-79	287	9.7	70	2	4	7	12	22	28	39
80-84	213	9.5	69	3	4	7	12	20	25	84
85 +	103	10.2	119	3	5	7	11	17	25	66
B. Operated										
65-69 YRS	656	13.7	166	3	5	10	17	29	42	69
70-74	665	13.2	118	3	6	10	18	27	36	51
75-79	581	14.5	167	3	6	11	19	30	40	75
80-84	364	14.5	151	3	7	11	19	31	38	64
85 +	226	12.6	95	3	6	9	17	25	32	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	5.7	30	1	2	4	8	11	16	29
B. Operated	362	5.3	28	1	1	3	8	12	18	23
2. MULTIPLE DX										
A. Not Operated	1197	9.5	80	2	4	7	12	20	26	55
B. Operated	2492	13.8	145	3	6	10	18	29	38	60
1. SINGLE DX	447	5.4	29	1	1	4	8	12	18	24
2. MULTIPLE DX	3689	12.4	128	3	5	9	16	26	35	58
A. Not Operated	1282	9.3	77	2	4	7	11	19	25	52
B. Operated	2854	12.7	138	2	5	9	17	27	36	56
TOTAL										
65-69 YRS	1122	11.3	129	2	4	8	15	24	33	57
70-74	1075	11.3	108	2	4	8	15	24	32	51
75-79	957	12.1	135	2	4	9	16	26	36	53
80-84	633	12.1	123	2	5	9	16	25	35	66
85 +	349	11.4	102	3	5	8	15	23	30	63
GRAND TOTAL	**4136**	**11.6**	**122**	**2**	**4**	**8**	**15**	**25**	**34**	**55**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	109	2.0	1	1	1	2	2	4	4	5
70-74	94	2.1	1	1	1	2	3	3	4	5
75-79	47	1.9	1	1	1	2	2	3	4	5
80-84	29	3.1	17	1	2	2	3	5	8	23
85 +	7	3.3	2	2	2	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	1.0		< 1	< 1	< 1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	128	2.6	5	1	1	2	3	4	5	17
70-74	135	3.1	7	1	2	2	3	6	8	13
75-79	67	3.7	7	1	2	3	5	6	8	16
80-84	34	3.6	14	1	2	2	3	9	10	19
85 +	18	3.9	8	1	2	3	6	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	286	2.2	3	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	5	3.4	11	< 1	1	3	5	9	9	9
B. Operated	382	3.1	7	1	2	2	4	6	8	17
1. SINGLE DX	287	2.2	3	1	1	2	3	4	4	6
2. MULTIPLE DX	387	3.1	7	1	2	2	4	6	8	17
A. Not Operated	6	3.5	9	< 1	1	3	4	8	9	9
B. Operated	668	2.7	5	1	1	2	3	5	6	13
TOTAL										
65-69 YRS	239	2.3	4	1	1	2	3	4	5	9
70-74	230	2.7	5	1	2	2	3	5	6	10
75-79	117	2.9	5	1	2	2	4	5	6	14
80-84	63	3.4	15	1	2	2	3	7	10	22
85 +	25	3.7	6	1	2	3	5	8	9	10
GRAND TOTAL	**674**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
70-74	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	8	1.6	2	< 1	< 1	< 1	1	4	5	5
80-84	3	1.3		< 1	< 1	< 1	2	2	2	2
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	122	3.7	15	< 1	< 1	1	7	9	11	16
70-74	95	3.7	13	< 1	< 1	1	8	9	10	12
75-79	76	3.6	13	< 1	< 1	1	7	9	10	15
80-84	43	3.0	8	< 1	< 1	1	5	8	9	10
85 +	22	2.4	4	< 1	1	2	3	6	7	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	3.0	5	< 1	1	2	5	6	7	7
70-74	38	4.1	17	1	1	3	5	7	14	20
75-79	34	6.6	27	2	3	5	8	16	19	21
80-84	23	4.9	25	< 1	2	3	6	12	16	22
85 +	25	8.1	189	1	3	4	7	11	46	63
B. Operated										
65-69 YRS	535	7.3	46	< 1	2	6	9	14	20	38
70-74	526	7.7	57	< 1	2	7	10	14	22	35
75-79	487	7.4	50	1	2	6	10	14	19	41
80-84	323	8.5	94	1	2	6	11	17	22	51
85 +	254	8.2	52	1	3	7	11	18	22	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	1.5	1	< 1	< 1	< 1	2	3	4	5
B. Operated	358	3.5	13	< 1	< 1	1	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	143	5.3	50	1	2	4	6	10	16	42
B. Operated	2125	7.7	58	1	2	6	10	15	21	40
1. SINGLE DX	375	3.4	12	< 1	< 1	1	6	9	10	14
2. MULTIPLE DX	2268	7.5	58	1	2	6	10	15	21	40
A. Not Operated	160	4.9	47	< 1	1	3	6	10	16	38
B. Operated	2483	7.1	53	< 1	2	6	9	14	20	39
TOTAL										
65-69 YRS	683	6.5	41	< 1	1	6	9	12	18	33
70-74	661	6.9	51	< 1	1	6	9	13	20	34
75-79	605	6.8	45	< 1	2	5	9	14	17	[illegible]
80-84	392	7.6	83	< 1	2	5	9	16	21	[illegible]
85 +	302	7.7	62	1	2	6	10	17	22	44
GRAND TOTAL	**2643**	**7.0**	**53**	**< 1**	**2**	**6**	**9**	**14**	**20**	**39**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	35	4.1	9	1	1	3	7	9	10	10
70-74	18	3.9	7	1	2	4	6	8	8	8
75-79	15	3.0	5	1	1	2	5	6	7	8
80-84	3	4.7	30	< 1	< 1	2	9	11	11	11
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	8.0	98	1	1	8	15	15	15	15
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	9.0	50	4	4	9	14	14	14	14
85 +	2	7.0	50	2	2	7	12	12	12	12
B. Operated										
65-69 YRS	65	7.1	30	2	4	6	8	13	21	26
70-74	45	6.8	22	2	2	7	10	14	15	18
75-79	34	9.6	63	2	5	8	11	21	26	35
80-84	14	8.2	29	2	3	7	12	15	18	19
85 +	3	14.7	158	3	5	13	24	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	71	3.8	8	1	1	3	6	8	10	11
2. MULTIPLE DX										
A. Not Operated	8	6.3	39	1	1	3	13	15	15	15
B. Operated	161	7.8	37	2	3	7	10	15	21	28
1. SINGLE DX	71	3.8	8	1	1	3	6	8	10	11
2. MULTIPLE DX	169	7.7	37	2	3	6	10	15	21	28
A. Not Operated	8	6.3	39	1	1	3	13	15	15	15
B. Operated	232	6.6	32	1	2	6	9	13	18	27
TOTAL										
65-69 YRS	101	6.0	25	1	2	5	8	11	16	25
70-74	65	6.1	20	1	2	5	9	12	15	18
75-79	50	7.5	54	1	2	6	10	19	24	35
80-84	19	7.7	29	2	3	7	12	15	17	19
85 +	5	11.6	109	2	3	12	17	28	28	28
GRAND TOTAL	**240**	**6.6**	**32**	**1**	**2**	**5**	**9**	**13**	**18**	**27**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	8.0	98	1	1	8	15	15	15	15
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	114	2.3	5	< 1	< 1	1	3	5	8	10
70-74	84	2.4	6	< 1	1	1	3	5	8	12
75-79	30	1.6	1	< 1	< 1	1	2	3	4	4
80-84	17	2.5	4	< 1	1	1	4	6	7	7
85 +	6	1.8	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	4.6	11	1	3	3	6	10	11	11
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79	4	8.3	4	6	6	8	10	10	10	10
80-84	1	5.0		5	5	5	5	5	5	5
85 +	2	4.5	25	1	1	4	8	8	8	8
B. Operated										
65-69 YRS	156	3.9	16	1	1	2	5	9	11	22
70-74	121	5.3	26	1	2	3	8	13	16	24
75-79	88	6.3	52	1	2	4	8	13	21	39
80-84	38	6.4	21	2	2	6	9	13	16	19
85 +	15	4.7	15	< 1	1	3	7	11	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.0	35	1	3	6	11	15	15	15
B. Operated	251	2.2	5	< 1	< 1	1	3	5	7	10
2. MULTIPLE DX										
A. Not Operated	17	5.5	10	1	3	5	8	10	11	11
B. Operated	418	5.0	28	1	2	3	7	11	15	25
1. SINGLE DX	255	2.3	5	< 1	< 1	1	3	5	7	11
2. MULTIPLE DX	435	5.1	27	1	2	3	7	11	15	25
A. Not Operated	21	5.8	14	1	3	5	8	11	13	15
B. Operated	669	4.0	21	< 1	1	2	5	9	13	23
TOTAL										
65-69 YRS	279	3.2	12	< 1	1	2	4	8	10	18
70-74	209	4.1	20	< 1	1	2	5	10	14	22
75-79	123	5.2	42	1	1	3	7	11	15	34
80-84	56	5.2	19	1	2	4	7	11	14	19
85 +	23	4.0	13	1	1	3	7	9	12	13
GRAND TOTAL	**690**	**4.0**	**21**	**< 1**	**1**	**2**	**5**	**9**	**13**	**23**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	31	2.0	7	< 1	< 1	1	2	4	4	15
70-74	14	2.5	9	< 1	< 1	1	3	6	11	12
75-79	14	2.1	3	< 1	< 1	1	2	5	6	7
80-84	12	3.1	36	< 1	< 1	< 1	1	9	20	22
85 +	7	2.7	7	< 1	< 1	1	4	7	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	5.2	12	1	1	6	8	9	9	9
70-74	5	4.6	2	2	4	5	5	6	6	6
75-79	7	6.7	21	2	4	5	8	14	16	16
80-84	11	6.7	20	3	5	5	7	15	16	16
85 +	6	9.8	87	3	3	6	14	26	27	27
B. Operated										
65-69 YRS	53	5.6	45	< 1	1	4	8	11	15	40
70-74	34	6.1	53	1	1	3	9	16	21	34
75-79	31	7.3	75	2	3	6	8	12	18	49
80-84	30	9.1	85	1	1	7	11	25	31	34
85 +	15	10.3	163	1	3	9	11	18	44	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	13	< 1	< 1	3	7	8	8	8
B. Operated	78	2.3	11	< 1	< 1	1	2	4	8	20
2. MULTIPLE DX										
A. Not Operated	35	6.7	27	2	4	5	8	14	16	27
B. Operated	163	7.1	71	1	1	5	9	14	23	48
1. SINGLE DX	82	2.4	11	< 1	< 1	1	3	5	8	20
2. MULTIPLE DX	198	7.0	63	1	2	5	9	14	21	45
A. Not Operated	39	6.4	26	1	4	5	8	14	16	27
B. Operated	241	5.6	56	< 1	1	3	8	12	18	42
TOTAL										
65-69 YRS	91	4.3	32	< 1	1	1	7	10	12	32
70-74	53	5.0	39	< 1	1	2	6	12	18	34
75-79	53	5.7	52	< 1	2	4	7	10	16	48
80-84	54	7.2	64	< 1	1	5	10	18	26	34
85 +	29	8.3	109	< 1	2	6	10	16	28	53
GRAND TOTAL	**280**	**5.7**	**52**	**< 1**	**1**	**3**	**8**	**12**	**18**	**39**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	24	1.9	3	< 1	< 1	1	2	5	6	6
70-74	18	1.4	1	< 1	< 1	< 1	1	2	4	5
75-79	15	1.4		< 1	< 1	1	2	2	2	2
80-84	4	1.3		< 1	< 1	1	1	2	2	2
85 +	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	47	3.3	12	< 1	1	2	4	6	11	17
70-74	51	2.3	4	< 1	1	2	3	5	6	10
75-79	34	4.9	195	< 1	1	2	3	6	9	83
80-84	10	1.5		< 1	< 1	1	2	2	2	2
85 +	8	3.6	25	1	1	2	3	12	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	63	1.6	1	< 1	< 1	< 1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	150	3.2	50	< 1	1	2	3	5	8	17
1. SINGLE DX	63	1.6	1	< 1	< 1	< 1	2	3	5	6
2. MULTIPLE DX	151	3.2	50	< 1	1	2	3	5	8	17
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	213	2.7	36	< 1	1	2	2	5	6	17
TOTAL										
65-69 YRS	71	2.8	9	< 1	1	2	4	6	7	17
70-74	70	2.1	3	< 1	< 1	1	2	5	6	9
75-79	49	3.8	137	< 1	1	2	3	5	8	83
80-84	14	1.4		< 1	< 1	1	2	2	2	2
85 +	10	3.3	20	1	1	2	3	10	16	16
GRAND TOTAL	**214**	**2.7**	**36**	**< 1**	**1**	**2**	**2**	**5**	**6**	**17**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	8	4.1	2	2	3	5	5	5	5	5
70-74	9	6.8	9	3	5	7	8	11	13	13
75-79	2	5.0	2	4	4	5	6	6	6	6
80-84	1	8.0		8	8	8	8	8	8	8
85 +	3	9.7	32	5	6	8	14	16	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	5.7		5	5	6	6	6	6	6
70-74	4	2.8	5	< 1	1	2	4	6	6	6
75-79	3	6.7	2	5	5	7	8	8	8	8
80-84	2	4.0	18	< 1	< 1	3	7	7	7	7
85 +	2	9.0	50	4	4	9	14	14	14	14
B. Operated										
65-69 YRS	222	6.1	22	4	4	5	6	8	12	24
70-74	139	6.7	18	4	4	6	7	11	16	25
75-79	66	6.8	12	4	5	6	8	11	13	22
80-84	29	8.4	115	4	4	5	8	14	19	61
85 +	13	7.3	22	4	5	6	8	28	84	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	23	6.1	10	2	5	5	8	9	14	16
2. MULTIPLE DX										
A. Not Operated	14	5.3	12	< 1	2	5	7	9	13	14
B. Operated	469	6.6	25	4	4	5	7	11	15	27
1. SINGLE DX	23	6.1	10	2	5	5	8	9	14	16
2. MULTIPLE DX	483	6.5	25	4	4	5	7	11	14	27
A. Not Operated	14	5.3	12	< 1	2	5	7	9	13	14
B. Operated	492	6.6	24	4	4	5	7	11	15	27
TOTAL										
65-69 YRS	233	6.0	21	4	4	5	6	8	12	23
70-74	152	6.6	17	3	4	6	7	11	16	25
75-79	71	6.8	12	4	5	6	8	11	13	22
80-84	32	8.1	106	3	4	5	8	14	17	61
85 +	18	7.9	23	4	5	7	12	18	64	99 +
GRAND TOTAL	**506**	**6.5**	**24**	**4**	**4**	**5**	**7**	**11**	**14**	**26**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	7.4	4	4	7	8	8	9	9	9
70-74	7	5.1	3	2	4	5	6	8	8	8
75-79	5	5.2	20	1	2	4	8	12	12	12
80-84	3	21.0	661	1	4	12	40	50	50	50
85 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	4.0	9	< 1	1	4	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	21	8.0	102	2	4	6	8	12	29	50
1. SINGLE DX	3	4.0	9	< 1	1	4	6	7	7	7
2. MULTIPLE DX	21	8.0	102	2	4	6	8	12	29	50
A. Not Operated	0									
B. Operated	24	7.5	92	1	4	6	8	12	24	50
TOTAL										
65-69 YRS	5	7.4	4	4	7	8	8	9	9	9
70-74	8	4.6	5	1	3	5	6	7	8	8
75-79	6	5.0	16	1	2	4	7	11	12	12
80-84	4	17.5	490	1	4	9	31	50	50	50
85 +	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**24**	**7.5**	**92**	**1**	**4**	**6**	**8**	**12**	**24**	**50**

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	49	5.2	4	3	4	5	6	8	9	13
70-74	40	5.2	3	4	4	5	6	7	8	10
75-79	14	6.2	5	5	5	6	6	10	12	12
80-84	7	6.0	2	3	5	7	7	7	7	7
85 +	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	3	9.0	61	4	4	5	15	18	18	18
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	306	6.7	18	4	5	6	7	10	13	24
70-74	243	7.3	30	4	5	6	8	11	14	36
75-79	166	8.7	58	4	5	6	9	16	20	35
80-84	77	8.5	28	4	6	7	9	14	18	33
85 +	38	10.8	38	6	7	9	13	20	31	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	112	5.4	4	4	4	5	6	8	9	12
2. MULTIPLE DX										
A. Not Operated	6	6.8	31	3	4	5	6	17	18	18
B. Operated	830	7.6	32	4	5	6	8	12	16	34
1. SINGLE DX	112	5.4	4	4	4	5	6	8	9	12
2. MULTIPLE DX	836	7.6	32	4	5	6	8	13	16	34
A. Not Operated	6	6.8	31	3	4	5	6	17	18	18
B. Operated	942	7.4	29	4	5	6	8	12	16	31
TOTAL										
65-69 YRS	357	6.5	16	4	4	5	7	10	13	23
70-74	286	7.0	27	4	5	6	7	10	14	32
75-79	181	8.5	54	4	5	6	9	16	20	34
80-84	84	8.3	26	4	5	7	9	14	16	32
85 +	40	10.5	37	6	7	9	12	19	30	99 +
GRAND TOTAL	**948**	**7.3**	**29**	**4**	**5**	**6**	**8**	**12**	**16**	**31**

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	2	4.0	18	1	1	4	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	9	3.7	4	1	2	4	5	6	7	7
70-74	7	4.1	7	1	2	4	6	8	8	8
75-79	2	8.0	18	5	5	8	11	11	11	11
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	2.6	7	< 1	< 1	1	4	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	18	4.3	7	1	2	4	6	8	10	11
1. SINGLE DX	5	2.6	7	< 1	< 1	1	4	7	7	7
2. MULTIPLE DX	18	4.3	7	1	2	4	6	8	10	11
A. Not Operated	0									
B. Operated	23	4.0	7	1	1	4	6	7	9	11
TOTAL										
65-69 YRS	11	3.4	4	< 1	1	4	5	6	7	7
70-74	8	3.8	7	< 1	1	3	6	7	8	8
75-79	4	6.0	17	1	3	6	9	11	11	11
80-84	0									
85 +	0									
GRAND TOTAL	**23**	**4.0**	**7**	**1**	**1**	**4**	**6**	**7**	**9**	**11**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	10	4.4	2	2	4	5	5	6	6	6
70-74	8	3.9	7	1	2	3	5	8	9	9
75-79	6	5.7	15	2	3	4	10	11	11	11
80-84	2	11.5	85	5	5	11	18	18	18	18
85 +	2	3.5	5	2	2	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	28	5.0	13	2	3	4	6	10	12	18
1. SINGLE DX	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX	28	5.0	13	2	3	4	6	10	12	18
A. Not Operated	0									
B. Operated	31	4.6	13	1	2	4	5	9	11	18
TOTAL										
65-69 YRS	11	4.1	3	1	3	5	5	6	6	6
70-74	9	3.7	7	1	2	2	5	8	9	9
75-79	6	5.7	15	2	3	4	10	11	11	11
80-84	3	8.0	79	1	2	5	15	18	18	18
85 +	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**31**	**4.6**	**13**	**1**	**2**	**4**	**5**	**9**	**11**	**18**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	2.2	4	< 1	1	1	3	6	7	7
70-74	10	2.0	6	< 1	1	1	2	6	9	9
75-79	7	1.4	1	< 1	< 1	1	1	3	4	4
80-84	4	3.5	7	1	1	3	5	7	7	7
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	56	7.7	153	1	2	4	9	13	20	83
70-74	43	5.9	25	1	2	5	9	11	12	28
75-79	41	4.9	31	1	1	3	6	15	18	24
80-84	30	5.6	37	1	1	3	8	17	19	21
85 +	12	4.2	12	< 1	1	3	6	9	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	35	2.2	4	< 1	1	1	2	6	7	9
2. MULTIPLE DX										
A. Not Operated	3	4.3	12	< 1	1	4	7	8	8	8
B. Operated	182	6.1	67	1	2	3	8	13	18	33
1. SINGLE DX	35	2.2	4	< 1	1	1	2	6	7	9
2. MULTIPLE DX	185	6.0	67	1	2	4	8	13	18	33
A. Not Operated	3	4.3	12	< 1	1	4	7	8	8	8
B. Operated	217	5.4	59	1	1	3	8	12	17	30
TOTAL										
65-69 YRS	69	6.7	129	1	1	3	8	13	18	76
70-74	54	5.1	24	1	1	3	8	10	12	27
75-79	50	4.5	27	1	1	2	6	12	16	24
80-84	34	5.4	34	1	1	3	7	16	19	21
85 +	13	4.1	11	1	1	3	6	9	11	12
GRAND TOTAL	220	5.4	59	1	1	3	8	12	17	30

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.3		< 1	< 1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	2.2	2	< 1	1	2	3	4	4	4
1. SINGLE DX	5	2.0	2	< 1	1	2	3	4	4	4
2. MULTIPLE DX	5	2.2	2	< 1	1	2	3	4	4	4
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	9	2.1	2	< 1	1	2	3	4	4	4
TOTAL										
65-69 YRS	5	1.8	2	< 1	< 1	1	2	4	4	4
70-74	3	1.7		1	1	2	2	2	2	2
75-79	0									
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	0									
GRAND TOTAL	10	2.1	1	< 1	1	2	3	4	4	4

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	4	3.0	5	1	1	2	4	6	6	6
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	51	8.9	20	2	6	9	12	16	16	19
70-74	34	9.0	31	4	6	9	11	12	13	36
75-79	22	10.0	47	3	5	8	13	18	27	31
80-84	9	21.2	810	7	8	11	19	66	96	96
85 +	3	8.7	12	5	6	9	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	33	5.7	15	1	3	5	8	11	14	15
70-74	36	6.7	48	1	3	5	8	12	21	38
75-79	41	7.8	43	2	3	5	11	15	17	37
80-84	45	10.0	89	3	5	6	12	21	32	46
85 +	43	10.0	98	3	5	7	11	21	48	99 +
B. Operated										
65-69 YRS	177	14.1	135	4	7	11	19	30	46	99 +
70-74	167	15.8	228	5	8	12	18	29	56	99
75-79	103	19.8	321	6	9	15	23	41	59	99 +
80-84	47	17.6	201	5	8	13	21	46	54	99 +
85 +	16	18.1	234	5	11	15	21	61	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.8	3	1	1	2	4	5	6	6
B. Operated	119	10.1	91	4	6	9	12	16	19	55
2. MULTIPLE DX										
A. Not Operated	198	8.2	63	2	4	6	11	16	24	48
B. Operated	510	16.3	215	5	8	12	20	35	55	99 +
1. SINGLE DX	127	9.6	89	3	5	9	12	15	18	50
2. MULTIPLE DX	708	14.0	185	3	6	10	17	29	48	99 +
A. Not Operated	206	8.0	62	2	3	6	10	15	23	48
B. Operated	629	15.1	197	5	8	11	18	31	51	99 +
TOTAL										
65-69 YRS	263	12.0	107	3	6	9	15	23	38	95
70-74	241	13.3	184	3	6	10	15	26	39	96
75-79	168	15.4	245	3	6	11	18	33	55	98
80-84	101	14.5	214	4	6	10	18	38	49	98
85 +	62	12.0	138	4	5	9	15	26	55	99 +
GRAND TOTAL	**835**	**13.3**	**173**	**3**	**6**	**10**	**16**	**27**	**43**	**99 +**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	76	2.3	1	1	2	2	3	3	4	6
70-74	45	2.5	2	1	2	2	3	4	5	8
75-79	18	2.8	1	2	2	3	3	4	5	5
80-84	13	2.5	1	1	2	2	3	4	4	4
85 +	3	3.7	5	1	2	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	9.5	61	4	4	9	15	15	15	15
80-84	1	26.0		26	26	26	26	26	26	26
85 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
65-69 YRS	128	3.2	3	2	2	3	4	5	7	10
70-74	79	3.9	11	2	2	3	4	6	12	20
75-79	50	4.6	12	2	2	3	6	9	11	21
80-84	21	4.1	14	2	2	3	4	10	14	15
85 +	17	7.2	44	1	3	4	11	18	21	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	155	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated	7	8.9	81	1	2	4	14	24	26	26
B. Operated	295	3.9	11	2	2	3	4	7	11	20
1. SINGLE DX	155	2.5	1	1	2	2	3	4	5	6
2. MULTIPLE DX	302	4.0	13	2	2	3	4	7	11	21
A. Not Operated	7	8.9	81	1	2	4	14	24	26	26
B. Operated	450	3.4	8	1	2	3	4	6	8	18
TOTAL										
65-69 YRS	206	2.9	2	1	2	2	3	5	6	9
70-74	125	3.4	8	2	2	3	4	5	8	19
75-79	70	4.3	11	2	2	3	5	8	11	20
80-84	35	4.2	24	2	2	3	4	8	15	26
85 +	21	6.8	38	1	3	4	10	17	20	22
GRAND TOTAL	**457**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**9**	**19**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	16.0		16	16	16	16	16	16	16
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	34	3.7	6	1	2	3	4	7	9	11
70-74	20	4.1	7	1	2	3	6	8	9	9
75-79	8	5.0	7	2	3	5	7	9	9	9
80-84	8	5.4	13	2	2	4	8	11	11	11
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	8.7	26	1	5	9	12	15	18	18
70-74	11	8.7	37	2	5	6	13	19	20	20
75-79	10	10.4	100	3	4	7	13	25	36	36
80-84	4	12.5	55	3	7	13	17	21	21	21
85 +	4	20.3	211	6	10	17	30	40	40	40
B. Operated										
65-69 YRS	174	8.0	83	2	3	5	10	17	23	67
70-74	134	7.1	70	2	3	4	7	18	23	40
75-79	96	9.2	161	2	3	5	9	23	35	73
80 84	34	8.1	152	3	4	4	7	14	21	73
85 +	16	11.4	118	2	3	8	16	32	35	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	16.0		16	16	16	16	16	16	16
B. Operated	71	4.1	7	1	2	3	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	41	10.6	71	3	5	10	14	20	28	40
B. Operated	454	8.1	102	2	3	4	9	19	28	67
1. SINGLE DX	72	4.3	9	1	2	3	6	8	10	15
2. MULTIPLE DX	495	8.3	100	2	3	5	10	19	28	65
A. Not Operated	42	10.7	70	3	5	10	14	20	27	40
B. Operated	525	7.6	91	2	3	4	8	17	24	64
TOTAL										
65-69 YRS	220	7.4	70	2	3	5	9	16	21	60
70-74	165	6.8	61	2	3	4	7	18	20	35
75-79	115	9.1	144	2	3	5	9	23	35	71
80-84	46	8.0	120	3	4	5	10	14	21	73
85 +	21	12.6	139	2	3	10	18	34	38	40
GRAND TOTAL	**567**	**7.8**	**90**	**2**	**3**	**4**	**9**	**18**	**24**	**62**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	4.0	4	1	3	5	5	6	6	6
70-74	12	3.8	3	1	2	4	5	6	6	6
75-79	7	3.0	2	< 1	2	3	4	5	5	5
80-84	0									
85 +	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	3.3	4	1	2	4	5	5	5	5
70-74	3	1.7	1	< 1	< 1	1	2	3	3	3
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	77	5.0	7	3	4	5	6	8	10	15
70-74	53	5.2	8	3	3	5	6	8	9	18
75-79	23	5.2	33	2	2	5	5	8	16	30
80-84	11	5.8	34	1	1	4	8	16	18	18
85 +	6	5.8	37	< 1	1	3	10	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	34	3.7	3	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	7	2.3	3	< 1	< 1	1	4	5	5	5
B. Operated	170	5.2	13	2	3	5	6	8	12	18
1. SINGLE DX	34	3.7	3	1	2	4	5	6	6	6
2. MULTIPLE DX	177	5.1	13	1	3	5	6	8	12	18
A. Not Operated	7	2.3	3	< 1	< 1	1	4	5	5	5
B. Operated	204	4.9	12	1	3	5	6	8	10	18
TOTAL										
65-69 YRS	93	4.8	6	2	4	5	5	7	9	15
70-74	68	4.8	7	2	3	5	6	8	9	17
75-79	30	4.7	27	1	2	4	5	7	9	30
80-84	12	5.4	33	< 1	1	4	7	16	18	18
85 +	8	5.1	28	< 1	1	3	7	14	16	16
GRAND TOTAL	**211**	**4.8**	**12**	**1**	**3**	**5**	**6**	**8**	**10**	**18**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	96	3.6	7	< 1	2	3	5	7	9	14
70-74	87	4.0	14	< 1	2	3	5	8	9	23
75-79	55	3.6	9	1	1	3	5	8	10	14
80-84	22	2.6	4	1	1	2	4	6	7	7
85 +	12	3.3	7	< 1	1	2	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	5	5.6	29	2	2	4	7	15	15	15
75-79	4	13.3	395	2	2	4	24	43	43	43
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	265	6.3	36	1	3	5	8	13	17	28
70-74	282	6.6	48	1	3	5	9	13	16	30
75-79	232	7.4	73	1	3	5	9	14	21	50
80-84	159	7.0	48	1	2	5	9	14	18	43
85 +	73	8.7	83	2	4	5	11	16	31	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	6.0		6	6	6	6	6	6	6
B. Operated	272	3.6	9	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	14	6.5	123	1	2	3	5	18	37	43
B. Operated	1011	6.9	53	1	3	5	9	13	18	39
1. SINGLE DX	273	3.6	9	1	1	3	5	7	9	15
2. MULTIPLE DX	1025	6.9	54	1	3	5	9	13	18	40
A. Not Operated	15	6.5	114	1	2	3	5	15	36	43
B. Operated	1283	6.2	46	1	2	4	8	13	16	34
TOTAL										
65-69 YRS	364	5.6	30	1	2	4	7	12	15	25
70-74	374	6.0	41	1	2	4	8	12	15	26
75-79	291	6.7	67	1	2	4	8	13	20	45
80-84	183	6.4	45	1	2	4	8	13	17	40
85 +	86	7.9	75	1	3	5	10	14	29	48
GRAND TOTAL	1298	6.2	46	1	2	4	8	13	17	35

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	4.4	31	< 1	1	1	5	15	17	17
70-74	15	2.3	3	< 1	1	2	3	4	6	7
75-79	9	1.9	2	< 1	1	2	2	4	5	5
80-84	6	2.3	2	1	1	2	4	4	4	4
85 +	6	8.5	18	2	8	9	12	13	13	13
B. Operated										
65-69 YRS	108	4.6	19	1	1	3	8	10	12	20
70-74	99	4.3	15	< 1	1	3	6	9	12	20
75-79	71	3.7	16	< 1	1	2	5	8	12	21
80-84	33	4.1	18	< 1	1	2	6	11	13	18
85 +	22	3.8	16	1	1	3	4	10	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	114	5.3	21	1	2	4	7	10	14	25
70-74	125	5.8	33	1	3	4	7	11	15	32
75-79	117	6.9	36	1	2	5	10	15	18	29
80-84	100	6.8	41	1	2	5	9	15	19	32
85 +	113	8.1	49	2	3	6	11	18	25	99 +
B. Operated										
65-69 YRS	371	7.8	62	1	3	7	9	14	20	48
70-74	366	8.4	78	2	3	7	10	16	24	53
75-79	333	8.9	93	2	3	7	11	17	24	64
80-84	235	9.3	64	2	3	7	12	20	25	40
85 +	171	10.4	121	2	4	8	13	19	25	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.5	15	< 1	1	2	4	9	13	17
B. Operated	333	4.2	17	< 1	1	3	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	569	6.6	37	1	2	5	9	14	18	34
B. Operated	1476	8.7	81	2	3	7	11	17	23	52
1. SINGLE DX	382	4.1	17	< 1	1	2	6	9	12	20
2. MULTIPLE DX	2045	8.1	69	1	3	6	10	17	22	45
A. Not Operated	618	6.3	36	1	2	4	8	14	18	34
B. Operated	1809	7.9	72	1	3	6	10	16	21	45
TOTAL										
65-69 YRS	606	6.7	48	1	2	5	9	13	17	39
70-74	605	7.0	60	1	2	5	9	14	19	41
75-79	530	7.7	72	1	2	6	10	15	22	48
80-84	374	8.0	56	1	2	6	11	18	24	36
85 +	312	9.1	88	2	3	7	12	19	24	76
GRAND TOTAL	2427	7.5	63	1	2	6	10	15	20	42

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	1	2	2	2	3	3	3	3
70-74	0									
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	103	2.8	2	1	2	3	3	5	5	8
70-74	63	2.9	4	1	2	2	3	4	7	11
75-79	35	2.5	1	1	2	2	3	3	5	7
80-84	17	2.8	1	1	2	3	4	4	4	4
85 +	5	6.2	16	3	4	5	8	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	2.3	4	< 1	1	1	3	5	6	6
70-74	6	5.5	44	< 1	1	3	7	17	18	18
75-79	11	4.0	9	1	2	4	5	8	12	12
80-84	1	5.0		5	5	5	5	5	5	5
85 +	11	5.9	15	2	3	5	8	12	14	14
B. Operated										
65-69 YRS	169	4.0	7	2	2	3	5	7	9	14
70-74	133	3.9	10	2	2	3	5	7	9	17
75-79	101	4.6	15	2	2	4	5	10	14	21
80-84	40	5.3	17	2	3	4	6	9	13	25
85 +	11	10.6	88	2	3	8	19	24	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.6	1	1	2	3	3	4	4	4
B. Operated	223	2.8	3	1	2	3	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	36	4.5	16	1	1	4	6	11	13	18
B. Operated	454	4.4	13	2	2	3	5	8	11	21
1. SINGLE DX	228	2.8	3	1	2	3	3	5	5	11
2. MULTIPLE DX	490	4.4	13	2	2	3	5	8	11	21
A. Not Operated	41	4.3	14	1	1	3	5	9	13	18
B. Operated	677	3.9	10	2	2	3	4	7	10	19
TOTAL										
65-69 YRS	281	3.5	5	1	2	3	4	6	8	13
70-74	202	3.6	9	1	2	3	4	6	9	16
75-79	149	4.1	12	2	2	3	4	7	12	21
80-84	58	4.6	13	2	3	4	5	8	10	24
85 +	28	7.7	47	2	3	5	10	19	22	28
GRAND TOTAL	**718**	**3.9**	**11**	**1**	**2**	**3**	**4**	**7**	**10**	**19**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.4	4	2	3	4	6	7	7	7
70-74	3	4.0	1	3	3	4	5	5	5	5
75-79	5	5.6	10	2	3	6	8	10	10	10
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	28	2.5	1	1	2	2	3	4	5	6
70-74	22	3.4	4	1	2	3	4	6	7	9
75-79	14	3.0	3	1	2	3	4	6	6	6
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	113	7.6	34	3	4	6	9	14	18	37
70-74	114	8.0	51	3	4	7	10	14	18	38
75-79	128	7.8	28	3	4	6	10	16	17	28
80-84	107	11.4	169	2	4	7	13	26	43	69
85 +	75	13.5	242	4	5	8	14	32	55	77
B. Operated										
65-69 YRS	91	5.0	24	2	2	3	5	10	16	27
70-74	53	8.9	109	2	3	5	11	23	42	98
75-79	38	10.2	111	1	2	6	16	25	37	39
80-84	28	11.3	146	2	4	9	16	31	60	99 +
85 +	12	17.0	180	5	8	11	25	36	47	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.6	5	2	3	4	6	8	9	10
B. Operated	68	2.9	3	1	2	2	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	537	9.3	96	3	4	7	10	17	24	60
B. Operated	222	8.3	91	2	3	4	10	20	30	69
1. SINGLE DX	82	3.2	3	1	2	3	4	6	7	10
2. MULTIPLE DX	759	9.0	95	2	4	6	10	18	26	60
A. Not Operated	551	9.2	94	3	4	7	10	17	22	60
B. Operated	290	7.0	76	2	2	4	8	18	25	56
TOTAL										
65-69 YRS	237	5.9	28	2	3	4	7	12	16	30
70-74	192	7.7	63	2	3	6	9	15	21	61
75-79	185	7.9	45	2	4	6	10	16	19	38
80-84	138	11.2	162	2	4	7	13	25	43	85
85 +	89	13.7	230	4	6	8	15	31	50	77
GRAND TOTAL	**841**	**8.4**	**89**	**2**	**3**	**6**	**10**	**17**	**24**	**59**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	3.7	5	1	2	4	5	7	8	8
70-74	4	6.0	6	3	4	6	8	9	9	9
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	2	2.5	5	< 1	< 1	2	4	4	4	4
85 +	4	3.8	6	1	2	3	5	7	7	7
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	85	5.0	8	2	3	5	6	8	11	15
70-74	68	6.1	14	2	3	5	8	13	14	17
75-79	59	6.4	12	2	4	6	9	12	14	92
80-84	53	5.9	12	3	4	5	8	11	13	97
85 +	30	8.3	98	3	4	7	9	30	95	99 +
B. Operated										
65-69 YRS	12	7.9	22	2	4	7	12	14	14	14
70-74	10	6.7	15	2	3	6	10	12	14	14
75-79	12	7.4	15	3	4	8	9	13	14	14
80-84	8	10.9	79	3	4	7	16	25	28	28
85 +	3	14.0	12	10	11	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.9	6	1	1	4	6	7	8	9
B. Operated	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	295	6.0	21	2	4	5	8	12	14	99 +
B. Operated	45	8.4	30	2	4	8	12	14	17	28
1. SINGLE DX	23	4.3	9	1	2	4	6	8	10	13
2. MULTIPLE DX	340	6.4	22	2	4	5	8	13	15	99 +
A. Not Operated	317	5.9	20	2	3	5	7	11	14	99 +
B. Operated	46	8.5	29	2	4	8	13	14	17	28
TOTAL										
65-69 YRS	108	5.2	10	1	3	5	6	10	13	15
70-74	82	6.2	14	2	3	6	8	12	14	16
75-79	72	6.5	13	2	4	6	9	12	14	81
80-84	63	6.4	22	2	4	5	8	13	18	90
85 +	38	8.4	83	3	4	7	10	18	78	99 +
GRAND TOTAL	**363**	**6.2**	**22**	**2**	**3**	**5**	**8**	**13**	**14**	**92**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	31	6.2	57	2	3	4	7	9	10	45
70-74	20	6.4	31	2	3	5	7	14	20	24
75-79	19	4.3	4	2	3	4	6	7	8	9
80-84	10	6.1	5	2	4	7	8	9	9	9
85 +	5	8.2	48	2	3	5	13	19	19	19
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	500	8.1	47	3	4	7	10	14	19	45
70-74	455	8.4	34	3	5	7	11	15	20	40
75-79	405	9.6	67	3	5	8	12	18	22	75
80-84	333	10.1	99	3	5	8	12	17	20	69
85 +	256	10.3	50	4	6	8	13	19	25	55
B. Operated										
65-69 YRS	107	16.0	161	6	8	12	20	28	40	77
70-74	87	20.3	271	6	10	17	27	50	89	99 +
75-79	77	21.7	340	7	10	15	29	51	62	85
80-84	67	18.6	248	6	11	15	25	53	99	99 +
85 +	46	23.5	321	8	12	19	33	48	74	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	5.9	32	2	3	5	7	9	12	38
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1949	9.1	58	3	5	7	11	16	21	55
B. Operated	384	19.5	260	6	10	15	25	41	71	99 +
1. SINGLE DX	85	5.9	32	2	3	5	7	9	12	38
2. MULTIPLE DX	2333	10.8	106	3	5	8	13	20	30	86
A. Not Operated	2034	9.0	57	3	5	7	11	16	21	51
B. Operated	384	19.5	260	6	10	15	25	41	71	99 +
TOTAL										
65-69 YRS	638	9.3	76	3	5	7	11	18	24	55
70-74	562	10.2	89	3	5	8	12	21	29	99 +
75-79	501	11.2	127	3	5	8	13	21	35	77
80-84	410	11.4	131	3	6	9	14	19	31	98
85 +	307	12.3	112	4	6	9	14	23	35	95
GRAND TOTAL	**2418**	**10.7**	**104**	**3**	**5**	**8**	**13**	**20**	**29**	**86**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	7.0		7	7	7	7	7	7	7
75-79	2	7.0	50	2	2	7	12	12	12	12
80-84	0									
85 +	1	9.0		9	9	9	9	9	9	9
B. Operated										
65-69 YRS	5	9.8	163	1	1	2	19	30	30	30
70-74	5	17.2	62	9	13	15	21	30	30	30
75-79	3	7.0	27	< 1	2	10	10	10	10	10
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	79	7.8	28	3	4	6	10	14	17	29
70-74	104	9.1	65	3	5	7	10	19	23	47
75-79	73	9.2	64	3	4	7	11	18	22	48
80-84	50	10.0	57	4	6	8	12	17	22	42
85 +	36	11.1	105	3	5	8	14	22	26	59
B. Operated										
65-69 YRS	792	18.7	252	5	8	14	23	41	53	86
70-74	695	18.3	217	4	8	15	25	39	56	99 +
75-79	563	18.1	212	5	8	14	23	41	54	98
80-84	343	16.7	184	4	8	13	22	34	47	92
85 +	239	13.9	102	5	7	12	18	28	34	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.4	13	2	6	7	10	12	12	12
B. Operated	13	12.0	99	1	2	10	16	30	30	30
2. MULTIPLE DX										
A. Not Operated	342	9.2	59	3	5	7	11	17	22	43
B. Operated	2632	17.8	213	5	8	14	23	38	50	92
1. SINGLE DX	18	10.7	77	1	2	9	15	26	30	30
2. MULTIPLE DX	2974	16.8	203	4	7	13	22	36	48	87
A. Not Operated	347	9.1	59	3	5	7	11	17	22	42
B. Operated	2645	17.7	213	5	8	14	23	38	50	92
TOTAL										
65-69 YRS	876	17.7	242	4	7	13	22	39	50	85
70-74	806	17.1	205	4	8	13	24	37	52	99 +
75-79	641	17.0	202	4	8	13	21	37	51	90
80-84	393	15.8	172	4	7	12	20	34	42	84
85 +	276	13.5	102	4	7	11	17	26	34	63
GRAND TOTAL	**2992**	**16.7**	**203**	**4**	**7**	**13**	**22**	**36**	**48**	**87**

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	233	5.2	7	2	3	5	7	9	10	15
70-74	179	4.9	7	2	3	4	6	8	11	13
75-79	119	5.9	21	2	3	5	7	10	13	25
80-84	64	5.9	11	3	4	5	7	10	12	18
85 +	31	7.3	52	3	4	5	9	13	17	41
B. Operated										
65-69 YRS	16	3.3	12	1	1	2	3	7	13	15
70-74	21	4.7	13	1	2	4	7	10	12	13
75-79	12	6.4	39	1	1	4	12	16	18	18
80-84	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3124	6.8	23	3	4	6	8	12	15	26
70-74	2861	7.0	31	3	4	6	8	12	16	31
75-79	2406	7.7	53	3	4	6	9	13	18	39
80-84	1564	8.3	65	3	4	6	10	15	20	48
85 +	994	8.5	64	3	4	7	10	15	22	69
B. Operated										
65-69 YRS	1114	13.0	171	2	5	9	16	27	41	80
70-74	840	13.1	145	3	5	10	16	28	38	85
75-79	592	14.2	149	4	7	11	17	30	39	87
80-84	333	15.3	147	4	7	12	20	33	46	99 +
85 +	178	14.9	152	4	7	11	19	32	42	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	626	5.4	13	2	3	5	7	9	11	16
B. Operated	52	4.5	19	1	2	2	6	12	15	18
2. MULTIPLE DX										
A. Not Operated	10949	7.4	42	3	4	6	9	13	17	36
B. Operated	3057	13.6	156	3	6	10	17	29	40	86
1. SINGLE DX	678	5.3	13	2	3	5	7	9	12	17
2. MULTIPLE DX	14006	8.8	73	3	4	7	10	16	24	54
A. Not Operated	11575	7.3	41	3	4	6	9	13	17	35
B. Operated	3109	13.5	155	3	6	10	17	29	40	85
TOTAL										
65-69 YRS	4487	8.2	67	3	4	6	9	15	22	48
70-74	3901	8.2	61	3	4	6	9	15	22	45
75-79	3129	8.8	76	3	4	7	10	16	24	52
80-84	1963	9.4	84	3	4	7	11	18	27	62
85 +	1204	9.4	82	3	5	7	11	18	27	70
GRAND TOTAL	**14684**	**8.6**	**71**	**3**	**4**	**6**	**10**	**16**	**23**	**52**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	12.0		12	12	12	12	12	12	12
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	1	12.0		12	12	12	12	12	12	12
B. Operated	0									
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	1	12.0		12	12	12	12	12	12	12
A. Not Operated	1	12.0		12	12	12	12	12	12	12
B. Operated	1	6.0		6	6	6	6	6	6	6
TOTAL										
65-69 YRS	0									
70-74	1	12.0		12	12	12	12	12	12	12
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
GRAND TOTAL	**2**	**9.0**	**18**	**6**	**6**	**9**	**12**	**12**	**12**	**12**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	2.0	1	1	1	2	3	3	4	4
70-74	28	3.3	10	1	1	2	4	9	11	12
75-79	14	3.1	3	1	2	3	5	5	5	5
80-84	18	8.6	345	1	2	4	6	11	54	82
85 +	15	2.0	1	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	9	7.8	86	1	3	4	9	24	25	25
70-74	7	4.0	13	2	2	3	4	10	12	12
75-79	3	5.7	2	4	4	6	7	7	7	7
80-84	0									
85 +	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	912	5.8	23	2	3	4	7	11	15	24
70-74	1021	6.0	34	2	3	4	7	12	16	34
75-79	1052	6.4	35	2	3	5	8	13	17	32
80-84	818	6.6	43	2	3	5	8	13	18	44
85 +	711	6.8	57	2	3	5	8	13	16	40
B. Operated										
65-69 YRS	179	10.4	113	2	3	7	14	25	34	88
70-74	168	11.3	107	2	4	8	15	28	34	52
75-79	130	10.5	114	2	4	8	12	19	30	64
80-84	94	16.5	247	4	7	12	20	36	61	99 +
85 +	55	13.8	114	4	8	11	18	38	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	3.9	75	1	1	2	4	6	10	53
B. Operated	20	6.5	47	2	2	4	6	18	24	25
2. MULTIPLE DX										
A. Not Operated	4514	6.3	37	2	3	5	8	12	16	34
B. Operated	626	11.9	136	3	4	9	15	28	40	99 +
1. SINGLE DX	111	4.3	70	1	1	3	4	8	12	47
2. MULTIPLE DX	5140	7.0	53	2	3	5	8	14	19	42
A. Not Operated	4605	6.2	38	2	3	5	8	12	16	34
B. Operated	646	11.7	134	2	4	9	14	28	40	99
TOTAL										
65-69 YRS	1116	6.5	41	2	3	4	8	14	18	36
70-74	1224	6.7	47	2	3	5	8	14	20	38
75-79	1199	6.8	45	2	3	5	8	13	18	37
80-84	930	7.7	78	2	3	5	9	15	22	60
85 +	782	7.3	63	2	3	5	8	14	21	51
GRAND TOTAL	**5251**	**6.9**	**53**	**2**	**3**	**5**	**8**	**14**	**19**	**42**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	6.7	12	3	4	7	9	10	10	10
70-74	2	9.5	13	7	7	9	12	12	12	12
75-79	0									
80-84	0									
85 +	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	2	1.0		1	1	1	1	1	1	1
80-84	2	2.5	1	2	2	2	3	3	3	3
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	104	10.4	130	3	4	8	12	18	31	67
70-74	128	9.3	99	3	5	7	10	15	26	91
75-79	147	11.8	137	4	5	8	14	25	38	65
80-84	158	11.0	155	3	5	8	13	24	59	99 +
85 +	199	10.4	104	3	5	7	12	21	30	66
B. Operated										
65-69 YRS	86	16.3	291	2	6	10	20	41	51	86
70-74	127	13.9	168	3	5	10	20	29	37	63
75-79	140	11.8	150	3	5	8	15	24	36	97
80-84	106	15.2	221	3	6	10	20	37	46	75
85 +	174	11.1	140	2	4	8	14	23	33	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	7.7	12	3	5	7	11	12	12	12
B. Operated	7	3.6	26	< 1	1	2	3	13	15	15
2. MULTIPLE DX										
A. Not Operated	736	10.6	124	3	5	8	12	22	33	99 +
B. Operated	633	13.2	184	3	5	9	16	29	40	80
1. SINGLE DX	14	5.6	22	1	2	4	10	12	14	15
2. MULTIPLE DX	1369	11.8	154	3	5	8	14	25	37	88
A. Not Operated	743	10.6	123	3	5	8	12	22	33	99 +
B. Operated	640	13.1	184	3	5	9	16	29	40	80
TOTAL										
65-69 YRS	194	13.0	207	3	4	9	14	30	45	83
70-74	258	11.6	138	3	5	8	15	25	35	86
75-79	289	11.7	143	3	5	8	14	25	37	83
80-84	266	12.6	184	3	5	9	16	28	47	99 +
85 +	376	10.7	120	3	4	7	12	22	31	67
GRAND TOTAL	**1383**	**11.7**	**153**	**3**	**5**	**8**	**14**	**25**	**37**	**87**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	1	13.0		13	13	13	13	13	13	13
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	13.5	25	10	10	13	17	17	17	17
70-74	6	4.2	3	2	3	4	5	7	7	7
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	5	8.6	7	6	7	8	13	91	99 +	99 +
70-74	3	14.0	196	4	5	8	24	30	30	30
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. Not Operated	9	6.6	21	2	4	5	8	14	17	17
B. Operated	8	10.6	68	5	7	8	17	72	99 +	99 +
1. SINGLE DX	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX	17	8.5	45	3	4	7	10	26	72	99 +
A. Not Operated	9	6.6	21	2	4	5	8	14	17	17
B. Operated	10	9.9	63	3	6	8	13	58	96	99 +
TOTAL										
65-69 YRS	8	8.9	23	3	7	9	14	67	99 +	99 +
70-74	9	7.4	75	2	3	4	7	21	30	30
75-79	0									
80-84	2	10.0	18	7	7	10	13	13	13	13
85 +	0									
GRAND TOTAL	**19**	**8.3**	**44**	**2**	**4**	**7**	**11**	**23**	**65**	**99 +**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	3.8	18	1	2	2	4	10	15	15
70-74	10	3.4	4	1	2	3	4	6	8	8
75-79	9	2.3	1	< 1	2	3	3	3	3	3
80-84	6	6.8	18	3	3	6	9	13	14	14
85 +	5	3.8	7	1	2	3	6	7	7	7
B. Operated										
65-69 YRS	15	3.3	4	1	1	4	5	6	6	5
70-74	9	2.6	5	1	1	2	3	6	8	8
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	221	8.2	74	2	4	6	10	16	21	36
70-74	221	8.1	33	2	4	7	11	17	20	26
75-79	194	7.9	59	3	4	6	9	14	22	46
80-84	128	7.6	35	3	4	6	9	14	20	34
85 +	105	8.5	66	3	4	6	10	16	25	49
B. Operated										
65-69 YRS	105	9.5	58	2	4	8	13	23	30	99 +
70-74	97	13.0	158	3	6	10	16	32	41	92
75-79	91	12.9	155	3	6	9	16	25	39	69
80-84	38	18.4	285	4	8	15	22	39	53	90
85 +	23	13.8	83	4	7	11	20	28	31	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.8	10	1	2	3	4	8	11	15
B. Operated	26	3.1	5	1	1	3	5	6	8	8
2. MULTIPLE DX										
A. Not Operated	869	8.0	53	2	4	6	10	16	21	33
B. Operated	354	12.6	141	3	6	9	16	25	38	90
1. SINGLE DX	66	3.5	8	1	2	3	4	7	8	15
2. MULTIPLE DX	1223	9.3	83	3	4	7	11	19	25	50
A. Not Operated	909	7.8	52	2	4	6	9	15	20	33
B. Operated	380	11.9	138	2	5	9	15	24	37	88
TOTAL										
65-69 YRS	351	8.2	67	2	3	6	10	17	23	45
70-74	337	9.2	75	2	4	7	12	18	25	46
75-79	295	9.2	93	2	4	6	10	20	27	55
80-84	173	9.9	108	3	4	7	12	20	23	55
85 +	133	9.3	71	3	4	7	11	19	26	44
GRAND TOTAL	**1289**	**9.0**	**81**	**2**	**4**	**7**	**11**	**18**	**25**	**48**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	3.5	3	2	2	3	4	7	7	7
70-74	11	3.8	3	1	2	4	5	6	7	7
75-79	8	3.9	7	1	2	3	5	8	9	9
80-84	6	5.0	17	1	3	3	8	12	12	12
85 +	8	2.8	4	< 1	1	2	4	6	6	6
B. Operated										
65-69 YRS	7	2.3	2	< 1	1	2	4	4	4	4
70-74	4	1.3		< 1	< 1	1	2	2	2	2
75-79	3	7.3	50	< 1	1	6	13	15	15	15
80-84	0									
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	122	5.9	26	2	3	4	7	9	16	30
70-74	141	5.7	17	2	3	5	7	11	15	22
75-79	167	5.8	17	2	3	5	7	12	15	20
80-84	115	5.9	30	2	3	4	6	10	20	29
85 +	111	6.6	47	2	3	5	7	12	18	38
B. Operated										
65-69 YRS	32	7.5	60	1	3	5	9	16	20	40
70-74	53	10.5	162	1	3	8	13	22	28	82
75-79	37	11.1	179	2	2	5	13	31	40	59
80-84	15	13.6	78	4	8	12	17	28	32	34
85 +	19	9.5	62	2	4	6	14	21	26	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	49	3.7	5	1	2	3	5	7	8	12
B. Operated	16	2.8	13	< 1	< 1	1	3	6	12	15
2. MULTIPLE DX										
A. Not Operated	656	6.0	26	2	3	5	7	11	16	24
B. Operated	156	10.2	125	2	3	7	13	24	31	58
1. SINGLE DX	65	3.5	7	1	2	3	4	7	8	15
2. MULTIPLE DX	812	6.8	48	2	3	5	8	13	20	35
A. Not Operated	705	5.8	25	2	3	4	7	11	16	24
B. Operated	172	9.5	119	1	3	6	12	22	30	55
TOTAL										
65-69 YRS	177	5.8	30	2	3	4	7	10	17	34
70-74	209	6.8	57	2	3	5	8	13	17	32
75-79	215	6.7	48	2	3	5	8	13	17	38
80-84	136	6.7	40	2	3	4	8	14	22	32
85 +	140	6.7	48	2	3	5	7	14	20	33
GRAND TOTAL	**877**	**6.5**	**45**	**2**	**3**	**5**	**7**	**13**	**19**	**34**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	3.4	4	1	2	3	4	5	7	10
70-74	38	4.1	13	1	2	3	4	10	13	16
75-79	55	4.2	11	1	2	3	6	9	12	15
80-84	61	4.9	14	1	3	4	7	9	12	20
85 +	71	5.1	18	2	3	4	6	9	13	26
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	2	10.0	50	5	5	10	15	15	15	15
80-84	3	6.3	57	1	1	3	12	15	15	15
85 +	2	19.0	2	18	18	19	20	20	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3661	6.1	31	2	3	5	7	12	15	28
70-74	4591	6.7	40	2	3	5	8	13	17	34
75-79	5453	7.3	55	2	3	5	8	14	19	49
80-84	5369	7.9	71	2	4	6	9	15	21	61
85 +	6910	8.6	79	3	4	6	10	17	23	65
B. Operated										
65-69 YRS	549	13.1	143	3	6	10	17	28	38	99 +
70-74	666	13.5	151	4	6	10	17	29	40	99 +
75-79	741	14.6	166	4	7	11	18	33	52	99 +
80-84	770	16.1	195	4	7	12	21	34	48	98
85 +	905	16.0	184	5	8	12	20	33	53	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	248	4.5	14	1	2	4	6	9	12	16
B. Operated	8	9.9	62	1	2	10	17	19	20	20
2. MULTIPLE DX										
A. Not Operated	25984	7.5	59	2	3	5	9	14	20	50
B. Operated	3631	14.8	172	4	7	11	19	32	47	99 +
1. SINGLE DX	256	4.7	16	1	2	4	6	9	13	20
2. MULTIPLE DX	29615	8.4	79	2	4	6	10	17	24	62
A. Not Operated	26232	7.5	59	2	3	5	9	14	20	49
B. Operated	3639	14.8	172	4	7	11	19	32	47	99 +
TOTAL										
65-69 YRS	4234	7.0	51	2	3	5	8	14	20	41
70-74	5295	7.5	59	2	3	5	9	15	21	46
75-79	6251	8.1	73	2	4	6	9	16	23	62
80-84	6203	8.9	93	2	4	6	10	18	25	70
85 +	7888	9.4	96	3	4	7	11	19	27	72
GRAND TOTAL	**29871**	**8.4**	**78**	**2**	**4**	**6**	**10**	**17**	**23**	**62**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	3.7	4	1	2	4	5	6	7	8
70-74	26	2.9	3	1	2	2	5	6	6	7
75-79	11	2.7	4	< 1	1	3	4	6	7	7
80-84	11	2.9	4	< 1	< 1	3	5	6	6	6
85 +	24	3.3	8	1	1	2	5	6	9	13
B. Operated										
65-69 YRS	8	4.1	5	1	2	4	6	7	7	7
70-74	5	4.6	12	< 1	1	6	7	9	9	9
75-79	4	4.5	4	3	3	4	6	7	7	7
80-84	7	4.7	31	< 1	1	4	4	14	17	17
85 +	4	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	407	5.2	19	1	3	4	7	10	12	23
70-74	441	5.1	28	2	2	4	6	9	12	22
75-79	574	5.4	14	2	3	5	7	10	13	22
80-84	556	5.7	26	2	3	5	7	10	13	26
85 +	745	6.1	31	2	3	5	7	12	16	31
B. Operated										
65-69 YRS	166	8.2	56	3	4	6	9	14	25	41
70-74	230	8.5	70	3	4	7	10	15	17	50
75-79	255	9.2	40	3	5	8	11	17	25	36
80-84	245	9.9	83	3	5	8	11	18	26	56
85 +	199	10.0	103	3	5	7	11	18	25	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	3.1	5	1	1	3	5	6	7	11
B. Operated	28	4.2	11	1	2	4	6	7	10	17
2. MULTIPLE DX										
A. Not Operated	2723	5.6	24	2	3	4	7	10	14	25
B. Operated	1095	9.2	70	3	5	7	11	16	24	56
1. SINGLE DX	118	3.4	6	1	1	3	5	6	7	14
2. MULTIPLE DX	3818	6.6	40	2	3	5	8	12	17	34
A. Not Operated	2813	5.5	24	2	3	4	7	10	13	25
B. Operated	1123	9.1	69	3	5	7	11	16	23	55
TOTAL										
65-69 YRS	599	6.0	30	2	3	5	8	10	15	31
70-74	702	6.1	44	2	3	5	7	11	15	31
75-79	844	6.5	25	2	3	5	8	12	16	29
80-84	819	6.9	46	2	3	5	8	13	18	36
85 +	972	6.9	48	2	3	5	8	13	17	37
GRAND TOTAL	**3936**	**6.5**	**39**	**2**	**3**	**5**	**8**	**12**	**16**	**34**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.5	5	2	2	3	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	5.4	18	2	2	3	9	11	11	11
70-74	7	3.4	19	1	1	2	3	11	13	13
75-79	0									
80-84	0									
85 +	2	9.0	2	8	8	9	10	10	10	10
B. Operated										
65-69 YRS	2	18.5	5	17	17	18	20	20	20	20
70-74	0									
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	5	2	2	3	5	5	5	5
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	14	4.9	18	1	2	3	9	11	13	13
B. Operated	3	14.3	54	6	9	17	19	20	20	20
1. SINGLE DX	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX	17	6.6	35	1	2	3	10	16	19	20
A. Not Operated	16	4.8	16	1	2	3	8	11	12	13
B. Operated	4	11.0	81	1	3	11	18	20	20	20
TOTAL										
65-69 YRS	10	7.2	47	1	2	4	11	18	20	20
70-74	7	3.4	19	1	1	2	3	11	13	13
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	2	9.0	2	8	8	9	10	10	10	10
GRAND TOTAL	**20**	**6.0**	**32**	**1**	**2**	**3**	**9**	**15**	**18**	**20**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	40	3.5	16	< 1	1	2	5	9	11	19
70-74	73	2.4	5	< 1	< 1	1	3	6	8	9
75-79	74	3.5	106	< 1	< 1	1	2	6	10	70
80-84	65	2.7	8	< 1	1	2	3	5	7	17
85 +	65	2.6	5	< 1	1	1	4	6	7	9
B. Operated										
65-69 YRS	16	6.3	14	< 1	3	7	9	10	13	14
70-74	28	5.1	10	< 1	2	5	7	10	10	12
75-79	13	3.9	10	1	1	4	5	9	11	12
80-84	16	6.3	24	1	2	5	10	13	15	16
85 +	11	7.5	21	3	4	6	9	14	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	838	5.0	34	1	2	3	6	10	14	28
70-74	968	5.4	38	1	2	4	7	11	15	34
75-79	1105	5.3	31	1	2	4	7	10	15	30
80-84	968	5.7	42	1	2	4	7	11	16	35
85 +	1079	6.2	41	1	2	4	8	13	17	30
B. Operated										
65-69 YRS	337	10.2	82	2	4	8	13	22	28	48
70-74	405	9.8	84	2	5	7	11	20	27	47
75-79	385	10.6	80	3	5	8	13	21	27	48
80-84	351	10.3	92	3	5	7	13	21	29	59
85 +	347	11.3	130	3	5	8	13	22	37	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	2.9	30	< 1	1	1	3	6	8	16
B. Operated	84	5.7	15	1	3	5	8	11	13	18
2. MULTIPLE DX										
A. Not Operated	4958	5.6	37	1	2	4	7	11	16	31
B. Operated	1825	10.4	93	3	5	8	13	21	29	53
1. SINGLE DX	401	3.5	28	< 1	1	2	4	8	10	17
2. MULTIPLE DX	6783	6.9	57	1	2	5	8	14	20	42
A. Not Operated	5275	5.4	37	1	2	4	7	11	15	30
B. Operated	1909	10.2	91	3	5	8	13	21	28	53
TOTAL										
65-69 YRS	1231	6.4	52	1	2	4	8	14	19	37
70-74	1474	6.4	53	1	2	4	8	14	19	42
75-79	1577	6.5	52	1	2	5	8	14	18	39
80-84	1400	6.8	58	1	2	5	8	14	20	43
85 +	1502	7.2	65	1	3	5	9	14	20	42
GRAND TOTAL	**7184**	**6.7**	**56**	**1**	**2**	**5**	**8**	**14**	**20**	**42**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	26.0		26	26	26	26	26	26	26
70-74	0									
75-79	4	7.8	6	5	6	7	9	11	11	11
80-84	3	7.3	30	1	3	10	11	11	11	11
85 +	1	23.0		23	23	23	23	23	23	23
B. Operated										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9	11.3	66	3	6	10	14	25	26	26
B. Operated	1	12.0		12	12	12	12	12	12	12
1. SINGLE DX	0									
2. MULTIPLE DX	10	11.4	59	3	7	10	12	24	26	26
A. Not Operated	9	11.3	66	3	6	10	14	25	26	26
B. Operated	1	12.0		12	12	12	12	12	12	12
TOTAL										
65-69 YRS	2	19.0	98	12	12	19	26	26	26	26
70-74	0									
75-79	4	7.8	6	5	6	7	9	11	11	11
80-84	3	7.3	30	1	3	10	11	11	11	11
85 +	1	23.0		23	23	23	23	23	23	23
GRAND TOTAL	**10**	**11.4**	**59**	**3**	**7**	**10**	**12**	**24**	**26**	**26**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	4.3	14	< 1	1	3	5	11	12	12
70-74	22	4.0	29	< 1	1	2	5	8	15	25
75-79	17	4.2	16	< 1	1	2	6	10	14	15
80-84	7	2.3	6	< 1	1	1	3	6	7	7
85 +	15	2.5	4	< 1	< 1	1	4	6	6	6
B. Operated										
65-69 YRS	32	7.3	55	1	3	5	8	11	24	39
70-74	18	5.1	11	< 1	3	5	7	9	12	14
75-79	22	7.5	17	2	6	7	9	14	15	16
80-84	9	4.3	6	< 1	3	4	6	8	8	8
85 +	6	9.3	35	4	5	7	12	19	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	630	6.4	20	2	3	5	8	11	14	24
70-74	604	6.7	30	2	3	5	8	12	15	32
75-79	526	6.5	27	2	3	5	8	12	16	28
80-84	306	6.4	33	2	3	5	8	12	16	32
85 +	276	7.2	32	2	4	6	9	14	18	31
B. Operated										
65-69 YRS	316	11.1	106	3	5	8	14	24	31	54
70-74	328	11.5	103	4	5	9	14	23	31	57
75-79	288	11.4	67	3	6	9	15	23	27	46
80-84	168	11.7	90	3	5	9	15	23	27	49
85 +	123	11.8	92	4	5	9	15	24	31	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	3.7	16	< 1	1	2	5	8	11	22
B. Operated	87	6.7	31	1	4	6	8	12	15	34
2. MULTIPLE DX										
A. Not Operated	2342	6.6	27	2	3	5	8	12	16	30
B. Operated	1223	11.4	92	3	5	9	14	23	29	52
1. SINGLE DX	166	5.3	26	< 1	1	4	7	11	14	25
2. MULTIPLE DX	3565	8.3	55	2	4	6	10	16	22	38
A. Not Operated	2421	6.5	27	2	3	5	8	12	15	29
B. Operated	1310	11.1	89	3	5	8	14	23	29	51
TOTAL										
65-69 YRS	996	7.9	53	2	4	6	9	14	22	37
70-74	972	8.2	60	2	4	6	10	15	22	42
75-79	853	8.1	45	2	4	6	10	16	22	34
80-84	490	8.1	58	2	4	6	10	17	23	36
85 +	420	8.4	53	2	4	6	11	17	21	43
GRAND TOTAL	**3731**	**8.1**	**54**	**2**	**4**	**6**	**10**	**16**	**22**	**37**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	2	4.0	2	3	3	4	5	5	5	5
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	3.0	3	2	2	2	4	5	5	5
70-74	1	1.0		1	1	1	1	1	1	1
75-79	5	3.2	2	2	2	3	4	5	5	5
80-84	3	2.3	1	1	1	3	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	3	10.7	32	6	7	9	15	17	17	17
70-74	6	12.2	16	8	9	11	16	18	18	18
75-79	0									
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	4	3.5	1	3	3	3	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	13	2.6	2	1	2	2	3	5	5	5
B. Operated	10	11.0	21	5	8	10	16	17	18	18
1. SINGLE DX	6	2.8	2	1	2	3	3	5	5	5
2. MULTIPLE DX	23	6.3	28	1	2	5	9	16	17	18
A. Not Operated	15	2.5	2	1	1	2	3	5	5	5
B. Operated	14	8.9	27	3	5	8	12	17	18	18
TOTAL										
65-69 YRS	6	6.8	32	2	2	5	9	16	17	17
70-74	11	7.7	35	1	2	8	11	17	18	18
75-79	6	3.2	1	2	2	3	4	5	5	5
80-84	5	3.0	2	1	2	3	4	5	5	5
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**29**	**5.6**	**24**	**1**	**2**	**3**	**8**	**14**	**17**	**18**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
B. Operated										
65-69 YRS	5	2.2	2	< 1	1	2	3	4	4	4
70-74	6	2.7	6	< 1	< 1	1	4	7	7	7
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	3.7	2	2	2	4	5	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	3	6.7	32	2	3	5	11	13	13	13
85+	3	6.7	6	4	5	7	8	9	9	9
B. Operated										
65-69 YRS	8	6.8	61	1	1	3	11	20	22	22
70-74	10	3.9	19	1	1	2	4	11	15	15
75-79	4	3.8	14	1	1	3	6	9	9	9
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	12	2.3	4	< 1	< 1	1	3	5	7	7
2. MULTIPLE DX										
A. Not Operated	12	4.9	12	1	2	4	6	10	13	13
B. Operated	25	4.8	30	1	1	3	7	15	17	22
1. SINGLE DX	12	2.3	4	< 1	< 1	1	3	5	7	7
2. MULTIPLE DX	37	4.9	23	1	2	3	7	12	15	22
A. Not Operated	12	4.9	12	1	2	4	6	10	13	13
B. Operated	37	4.0	22	< 1	1	2	4	9	15	22
TOTAL										
65-69 YRS	16	4.8	34	1	1	3	5	14	20	22
70-74	17	3.4	13	< 1	1	2	4	7	12	15
75-79	7	3.1	9	1	1	1	5	8	9	9
80-84	5	4.8	23	1	2	3	7	13	13	13
85+	4	7.3	6	4	5	8	9	9	9	9
GRAND TOTAL	**49**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**15**	**22**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	9.9	99	1	2	5	18	24	29	31
70-74	23	11.6	118	1	3	7	20	27	31	38
75-79	20	11.5	98	1	4	9	16	23	34	42
80-84	19	16.6	569	1	5	9	15	51	83	91
85+	12	5.8	21	1	2	5	7	14	15	15
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	234	10.2	103	2	4	8	14	21	29	47
70-74	332	9.9	101	2	4	7	13	21	32	66
75-79	348	10.3	127	2	3	7	13	23	33	53
80-84	330	9.5	103	2	3	6	12	22	28	44
85+	343	8.7	102	2	3	6	10	18	26	71
B. Operated										
65-69 YRS	40	13.7	93	4	6	11	19	26	32	46
70-74	28	15.6	240	5	7	11	18	27	59	71
75-79	40	14.2	255	1	5	11	20	24	38	94
80-84	35	14.7	255	2	6	10	21	39	95	99+
85+	33	12.5	141	1	3	9	22	35	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	91	11.5	194	1	2	8	15	26	31	84
B. Operated	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	1587	9.7	108	2	3	6	12	21	30	55
B. Operated	176	14.1	191	2	5	11	20	30	43	99+
1. SINGLE DX	93	11.4	190	1	3	8	15	26	31	83
2. MULTIPLE DX	1763	10.1	118	2	4	7	13	22	31	65
A. Not Operated	1678	9.8	112	2	3	6	13	21	30	57
B. Operated	178	14.0	189	2	5	10	20	30	42	99+
TOTAL										
65-69 YRS	292	10.6	102	2	4	8	14	22	30	46
70-74	383	10.5	114	2	4	7	14	22	32	69
75-79	409	10.8	138	2	4	7	14	23	34	57
80-84	384	10.3	142	2	3	6	13	23	32	90
85+	388	8.9	104	2	3	6	11	20	30	77
GRAND TOTAL	**1856**	**10.2**	**121**	**2**	**4**	**7**	**13**	**22**	**31**	**69**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	14.2	191	2	8	11	14	36	50	50
70-74	12	6.3	12	2	4	6	9	11	12	12
75-79	18	10.3	94	3	4	7	14	17	33	44
80-84	16	3.5	6	< 1	1	3	5	7	8	9
85 +	15	11.9	278	< 1	1	4	14	28	55	64
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	95	11.4	150	3	4	8	15	41	99 +	99 +
70-74	146	10.5	118	2	4	7	14	20	29	73
75-79	248	12.8	196	3	5	8	14	30	44	96
80-84	234	12.0	175	2	4	8	14	31	43	99 +
85 +	219	13.8	316	3	4	7	16	35	70	99 +
B. Operated										
65-69 YRS	8	6.6	13	2	5	7	11	65	99 +	99 +
70-74	16	15.2	88	2	11	14	21	34	77	99 +
75-79	31	13.9	151	2	7	12	16	45	92	99 +
80-84	23	21.2	333	4	8	22	59	99 +	99 +	99 +
85 +	13	11.1	115	3	5	8	10	34	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	9.0	121	1	3	5	11	16	28	61
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	942	12.3	202	3	4	8	15	30	48	99 +
B. Operated	91	14.9	182	3	7	12	28	78	99 +	99 +
1. SINGLE DX	72	9.0	119	1	3	6	11	16	27	61
2. MULTIPLE DX	1033	12.5	201	3	4	8	15	33	55	99 +
A. Not Operated	1013	12.1	197	3	4	8	14	30	47	99 +
B. Operated	92	14.8	180	3	7	12	28	74	99 +	99 +
TOTAL										
65-69 YRS	114	11.3	144	3	4	8	14	41	99 +	99 +
70-74	174	10.7	111	2	4	8	14	21	34	93
75-79	297	12.7	185	3	5	8	15	31	45	99 +
80-84	273	12.3	188	2	4	8	15	36	61	99 +
85 +	247	13.5	302	2	4	7	16	34	64	99 +
GRAND TOTAL	**1105**	**12.3**	**196**	**3**	**4**	**8**	**15**	**32**	**54**	**99 +**

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	19.0	97	10	10	19	27	28	28	28
70-74	1	3.0		3	3	3	3	3	3	3
75-79	6	9.8	25	4	5	9	15	16	16	16
80-84	8	8.8	42	3	4	6	13	19	21	21
85 +	7	6.0	27	1	2	6	8	14	16	16
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	73	12.4	101	4	6	9	16	30	41	99 +
70-74	139	13.3	184	3	5	8	18	29	48	99 +
75-79	222	12.3	123	3	5	10	16	27	42	99 +
80-84	200	11.7	135	3	5	8	13	25	37	94
85 +	193	11.6	134	3	5	8	14	25	42	99 +
B. Operated										
65-69 YRS	10	20.2	59	8	17	20	26	29	30	30
70-74	12	18.4	316	6	8	14	33	99 +	99 +	99 +
75-79	21	23.6	386	9	12	16	35	69	88	99 +
80-84	16	19.8	232	4	9	16	25	40	56	62
85 +	15	20.7	239	5	8	12	30	44	50	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	9.6	55	2	4	7	15	21	27	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	827	12.1	136	3	5	9	15	28	42	99 +
B. Operated	74	20.9	257	6	10	17	30	51	75	99 +
1. SINGLE DX	26	9.6	55	2	4	7	15	21	27	28
2. MULTIPLE DX	901	12.9	152	3	5	9	17	29	45	99 +
A. Not Operated	853	12.1	134	3	5	9	15	28	42	99 +
B. Operated	74	20.9	257	6	10	17	30	51	75	99 +
TOTAL										
65-69 YRS	87	13.6	102	4	6	10	20	30	38	99 +
70-74	152	13.7	194	3	5	8	18	32	58	99 +
75-79	249	13.2	151	3	5	10	16	29	45	99 +
80-84	224	12.2	142	3	5	9	14	26	39	92
85 +	215	12.0	143	3	5	8	14	28	43	99 +
GRAND TOTAL	**927**	**12.8**	**149**	**3**	**5**	**9**	**16**	**29**	**44**	**99 +**

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	9.7	88	2	3	6	12	23	32	39
70-74	52	14.4	161	4	7	11	16	28	47	62
75-79	90	11.8	158	2	4	8	15	27	49	88
80-84	76	11.9	156	2	3	7	16	28	41	57
85 +	86	8.5	69	1	2	5	13	19	28	35
B. Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	14.0		14	14	14	14	14	14	14
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	318	13.2	181	3	5	9	18	28	46	99 +
70-74	535	12.4	149	2	4	9	16	27	36	82
75-79	870	12.3	149	3	5	9	15	27	42	99 +
80-84	941	12.0	164	3	5	8	15	27	44	99 +
85 +	1057	11.1	145	3	4	8	14	24	39	99 +
B. Operated										
65-69 YRS	26	12.4	43	5	9	11	16	22	26	29
70-74	49	19.6	221	5	10	16	26	42	64	99 +
75-79	69	19.0	224	6	10	14	22	41	51	74
80-84	85	20.8	451	4	7	15	32	80	99 +	99 +
85 +	81	17.2	290	3	7	14	24	58	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	327	11.2	132	2	3	7	15	24	36	60
B. Operated	5	3.8	33	1	1	1	5	14	14	14
2. MULTIPLE DX										
A. Not Operated	3721	12.0	155	3	5	8	15	27	41	99 +
B. Operated	310	18.5	290	4	9	14	24	50	81	99 +
1. SINGLE DX	332	11.1	131	2	3	7	15	23	35	60
2. MULTIPLE DX	4031	12.5	168	3	5	9	16	28	44	99 +
A. Not Operated	4048	11.9	153	3	4	8	15	27	41	99 +
B. Operated	315	18.3	289	4	8	14	24	49	78	99 +
TOTAL										
65-69 YRS	367	12.9	166	3	5	9	17	28	40	98
70-74	637	13.1	158	3	5	10	17	28	40	82
75-79	1030	12.7	157	3	5	9	16	28	43	99 +
80-84	1103	12.7	190	3	5	8	16	31	50	99 +
85 +	1226	11.3	152	2	4	8	14	25	41	99 +
GRAND TOTAL	**4363**	**12.4**	**165**	**3**	**5**	**9**	**16**	**28**	**43**	**99 +**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	7.3	40	2	3	4	11	18	19	19
70-74	8	11.6	80	2	4	10	18	24	26	26
75-79	2	8.0	50	3	3	8	13	13	13	13
80-84	1	5.0		5	5	5	5	5	5	5
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	472	8.1	68	2	3	5	10	19	27	40
70-74	288	9.0	129	3	4	6	9	21	33	99 +
75-79	150	9.8	103	3	4	7	12	22	32	99
80-84	47	11.1	115	3	5	8	12	24	36	50
85 +	21	6.7	26	2	4	6	7	13	19	25
B. Operated										
65-69 YRS	28	16.5	189	6	8	12	20	30	39	71
70-74	19	17.4	543	3	5	8	21	78	97	99 +
75-79	13	21.1	182	7	13	19	33	54	90	99 +
80-84	1	12.0		12	12	12	12	12	12	12
85 +	3	25.7	290	6	13	35	36	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	8.4	50	2	3	4	13	19	22	26
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	978	8.8	93	2	4	5	10	20	28	70
B. Operated	64	18.0	286	5	8	13	23	42	76	99 +
1. SINGLE DX	27	8.4	50	2	3	4	13	19	22	26
2. MULTIPLE DX	1042	9.3	109	2	4	6	11	22	31	95
A. Not Operated	1005	8.8	92	2	4	5	10	20	28	68
B. Operated	64	18.0	286	5	8	13	23	42	76	99 +
TOTAL										
65-69 YRS	515	8.6	77	2	3	5	10	20	28	44
70-74	315	9.6	155	3	4	6	9	23	38	99 +
75-79	165	10.6	116	3	4	7	14	25	37	99 +
80-84	49	11.0	111	3	5	8	12	24	35	50
85 +	25	8.8	86	3	5	6	7	25	35	36
GRAND TOTAL	**1069**	**9.3**	**108**	**2**	**4**	**6**	**11**	**21**	**31**	**91**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	15.2	305	3	6	10	19	46	46	46
70-74	3	5.7	16	2	3	5	9	10	10	10
75-79	10	6.2	16	2	2	5	10	12	13	13
80-84	6	3.3	5	1	2	3	5	7	7	7
85 +	3	12.7	200	4	4	5	23	29	29	29
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	162	7.5	53	2	3	5	10	15	18	40
70-74	198	7.7	52	2	3	5	9	16	23	36
75-79	169	7.8	60	3	3	6	9	16	24	43
80-84	155	7.9	81	2	3	5	9	15	25	51
85 +	144	6.4	75	2	3	4	7	12	17	30
B. Operated										
65-69 YRS	12	13.2	132	4	5	10	17	27	42	45
70-74	12	13.8	125	5	6	9	19	34	36	36
75-79	13	11.5	235	2	4	6	12	29	53	59
80-84	11	8.5	18	2	6	8	11	14	15	15
85 +	9	10.7	146	4	5	7	34	99 +	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	7.9	89	2	2	5	10	13	32	46
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	828	7.5	63	2	3	5	9	15	23	40
B. Operated	57	11.6	128	4	5	8	14	35	53	99 +
1. SINGLE DX	27	7.9	89	2	2	5	10	13	32	46
2. MULTIPLE DX	885	7.8	68	2	3	5	9	15	23	48
A. Not Operated	855	7.5	64	2	3	5	9	15	23	42
B. Operated	57	11.6	128	4	5	8	14	35	53	99 +
TOTAL										
65-69 YRS	179	8.1	66	2	3	6	10	16	20	46
70-74	213	8.0	57	2	4	6	9	17	25	36
75-79	192	8.0	69	2	3	6	9	15	24	52
80-84	172	7.8	75	2	3	5	9	15	25	49
85 +	156	6.8	81	2	3	5	7	13	24	99
GRAND TOTAL	**912**	**7.8**	**69**	**2**	**3**	**5**	**9**	**15**	**23**	**47**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	58	15.4	139	3	7	13	23	32	36	60
70-74	21	18.2	129	6	10	13	24	33	40	47
75-79	22	16.1	118	5	8	14	18	32	38	45
80-84	9	16.7	100	6	10	15	20	33	38	38
85 +	9	12.3	136	1	2	8	23	28	28	28
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	150	19.5	236	5	8	15	26	41	49	69
70-74	89	22.1	233	7	12	19	29	44	49	84
75-79	56	17.3	227	3	7	14	26	34	53	99
80-84	26	22.0	401	5	8	13	30	51	65	79
85 +	7	18.6	284	4	8	9	34	44	45	45
B. Operated										
65-69 YRS	15	21.1	120	8	13	21	32	42	83	99 +
70-74	6	13.2	65	4	7	11	22	24	24	24
75-79	5	14.8	7	12	13	15	16	19	19	19
80-84	3	35.3	1340	5	10	25	63	76	76	76
85 +	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	119	15.9	128	4	7	13	23	32	36	51
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	328	20.0	247	5	8	16	28	43	51	80
B. Operated	30	19.8	202	7	12	15	25	38	74	99 +
1. SINGLE DX	119	15.9	128	4	7	13	23	32	36	51
2. MULTIPLE DX	358	20.0	243	5	8	16	27	43	51	82
A. Not Operated	447	18.9	218	4	8	15	26	39	47	79
B. Operated	30	19.8	202	7	12	15	25	38	74	99 +
TOTAL										
65-69 YRS	223	18.5	205	4	8	15	25	38	48	72
70-74	116	20.9	209	7	11	19	28	41	48	77
75-79	83	16.9	184	4	8	14	24	32	44	94
80-84	38	21.8	386	5	8	14	30	50	70	79
85 +	17	15.2	184	2	3	9	23	38	43	45
GRAND TOTAL	**477**	**19.0**	**217**	**5**	**8**	**15**	**26**	**39**	**48**	**80**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	14.0		14	14	14	14	14	14	14
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	14.8	59	6	8	13	24	24	24	24
70-74	9	11.4	50	4	4	11	18	21	21	21
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	28.0		28	28	28	28	28	28	28
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	5.0	36	2	2	2	8	14	14	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	17	13.1	68	4	6	13	20	24	27	28
B. Operated	0									
1. SINGLE DX	4	5.0	36	2	2	2	8	14	14	14
2. MULTIPLE DX	17	13.1	68	4	6	13	20	24	27	28
A. Not Operated	21	11.5	70	2	4	11	18	24	26	28
B. Operated	0									
TOTAL										
65-69 YRS	8	11.6	78	2	4	10	19	24	24	24
70-74	10	11.7	45	4	4	12	18	20	21	21
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	15.0	338	2	2	15	28	28	28	28
85 +	0									
GRAND TOTAL	**21**	**11.5**	**70**	**2**	**4**	**11**	**18**	**24**	**26**	**28**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	90	16.7	163	4	7	14	21	31	49	58
70-74	33	17.0	150	3	8	13	23	37	40	47
75-79	18	15.4	128	3	7	11	24	31	37	39
80-84	8	13.3	168	2	7	9	15	35	43	43
85 +	2	5.5	5	4	4	5	7	7	7	7
B. Operated										
65-69 YRS	0									
70-74	1	34.0		34	34	34	34	34	34	34
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	302	21.1	256	6	10	18	29	41	58	98
70-74	200	21.3	254	6	10	18	29	46	57	99 +
75-79	89	17.8	141	5	10	15	23	37	42	82
80-84	28	22.9	256	8	13	20	28	42	52	84
85 +	20	12.9	98	4	7	10	20	34	68	99 +
B. Operated										
65-69 YRS	20	25.1	383	9	11	19	29	62	65	68
70-74	9	27.9	347	5	12	29	37	54	65	65
75-79	4	22.0	209	12	12	16	31	43	43	43
80-84	4	24.5	39	17	20	24	29	32	32	32
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	151	16.3	154	4	7	13	22	33	43	57
B. Operated	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. Not Operated	639	20.5	237	6	10	17	28	41	55	99 +
B. Operated	37	25.4	303	9	12	20	33	59	64	68
1. SINGLE DX	152	16.4	155	4	7	13	22	33	43	57
2. MULTIPLE DX	676	20.8	241	6	10	17	28	42	56	99 +
A. Not Operated	790	19.7	223	5	9	16	26	40	53	99
B. Operated	38	25.6	297	9	12	21	34	58	64	68
TOTAL										
65-69 YRS	412	20.4	245	5	10	17	26	41	57	92
70-74	243	21.0	245	6	9	17	29	45	55	99 +
75-79	111	17.5	140	5	9	15	24	37	42	72
80-84	40	21.2	226	7	11	19	27	39	46	84
85 +	22	12.2	94	4	6	9	18	31	62	99 +
GRAND TOTAL	**828**	**20.0**	**228**	**5**	**9**	**16**	**27**	**41**	**54**	**98**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	361	18.6	204	4	8	15	25	38	46	74
70-74	304	19.2	188	5	10	17	25	37	45	68
75-79	259	20.3	174	5	11	19	26	37	46	64
80-84	106	16.4	131	3	8	15	25	33	40	46
85 +	52	18.8	152	3	9	17	25	36	43	51
B. Operated										
65-69 YRS	3	11.3	17	8	8	10	14	16	16	16
70-74	1	21.0		21	21	21	21	21	21	21
75-79	4	24.3	63	16	18	23	30	34	34	34
80-84	3	32.3	433	9	16	39	46	49	49	49
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1524	18.5	178	5	9	15	25	36	43	66
70-74	1488	20.2	212	5	10	17	27	40	50	75
75-79	1200	20.2	211	5	10	17	27	39	48	77
80-84	684	20.2	226	5	9	17	27	40	52	86
85 +	340	19.9	203	5	10	17	26	37	51	76
B. Operated										
65-69 YRS	113	24.8	347	8	12	18	33	53	65	94
70-74	109	26.3	304	10	14	22	34	47	71	98
75-79	89	26.8	334	7	14	23	38	57	68	99 +
80-84	62	28.5	254	12	17	25	35	50	62	76
85 +	32	23.9	141	12	17	21	31	39	49	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1082	19.0	183	4	9	16	26	37	45	62
B. Operated	11	22.6	177	9	11	20	32	43	48	49
2. MULTIPLE DX										
A. Not Operated	5236	19.7	203	5	10	16	26	38	48	76
B. Operated	405	26.1	301	9	14	22	33	52	64	97
1. SINGLE DX	1093	19.0	183	4	9	16	26	37	45	62
2. MULTIPLE DX	5641	20.1	213	5	10	17	27	39	50	77
A. Not Operated	6318	19.6	200	5	9	16	26	38	47	75
B. Operated	416	26.0	298	9	14	21	33	51	64	97
TOTAL										
65-69 YRS	2001	18.9	194	5	9	15	25	37	46	69
70-74	1902	20.4	215	5	10	17	27	40	50	77
75-79	1552	20.6	214	5	10	18	27	39	49	77
80-84	855	20.4	223	5	10	17	27	40	50	82
85 +	424	20.1	193	5	10	18	26	37	49	66
GRAND TOTAL	**6734**	**20.0**	**208**	**5**	**10**	**17**	**26**	**39**	**48**	**77**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	164	16.8	153	4	8	15	22	30	39	61
70-74	87	17.9	159	5	3	15	25	35	42	62
75-79	58	23.2	335	6	10	18	29	53	66	78
80-84	17	13.6	121	1	4	11	21	31	36	38
85 +	8	8.3	67	1	2	6	11	22	26	26
B. Operated										
65-69 YRS	2	18.5	1	18	18	18	19	19	19	19
70-74	0									
75-79	1	24.0		24	24	24	24	24	24	24
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	604	19.2	172	5	10	17	25	37	49	69
70-74	468	19.2	192	4	10	16	26	39	46	71
75-79	260	18.6	203	4	8	16	27	36	50	98
80-84	124	19.2	170	6	11	17	22	39	48	81
85 +	72	15.5	156	3	7	13	20	36	44	58
B. Operated										
65-69 YRS	33	25.6	334	8	13	21	33	57	72	76
70-74	36	30.0	419	11	15	28	42	68	83	99 +
75-79	21	25.4	208	12	15	19	39	43	52	62
80-84	9	22.2	178	10	12	19	26	45	51	51
85 +	8	34.8	792	10	14	23	51	80	91	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	334	17.8	189	4	8	15	24	34	44	71
B. Operated	3	20.3	10	18	18	19	23	24	24	24
2. MULTIPLE DX										
A. Not Operated	1528	18.9	183	5	9	16	25	37	48	72
B. Operated	107	27.4	355	9	14	20	36	56	75	95
1. SINGLE DX	337	17.9	188	4	8	15	24	34	44	71
2. MULTIPLE DX	1635	19.5	198	5	9	17	26	39	50	75
A. Not Operated	1862	18.7	184	5	9	16	25	37	48	71
B. Operated	110	27.2	346	9	14	20	36	55	75	95
TOTAL										
65-69 YRS	803	19.0	177	5	9	16	25	35	49	70
70-74	591	19.7	207	5	10	17	26	40	49	74
75-79	340	19.8	229	5	9	16	27	41	56	90
80-84	150	18.7	166	5	11	16	22	38	48	75
85 +	88	16.6	234	3	7	13	21	38	49	80
GRAND TOTAL	**1972**	**19.2**	**197**	**5**	**9**	**16**	**25**	**38**	**49**	**74**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	66	10.6	65	2	3	9	14	22	25	34
70-74	43	10.8	99	1	3	7	16	27	36	99 +
75-79	46	9.9	66	2	3	8	14	21	27	32
80-84	38	11.7	124	2	4	8	17	33	34	42
85 +	27	6.6	39	1	2	4	9	13	20	28
B. Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	18.5	221	8	8	18	29	29	29	29
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	352	11.4	137	2	4	8	15	27	35	56
70-74	428	10.4	79	2	4	8	13	22	28	45
75-79	485	10.9	136	2	4	7	13	21	31	72
80-84	369	9.9	106	2	4	7	12	23	31	62
85 +	368	9.1	76	2	4	7	11	21	25	53
B. Operated										
65-69 YRS	39	15.8	263	3	7	10	17	39	52	76
70-74	40	17.8	294	4	6	15	21	39	52	91
75-79	37	14.8	188	2	6	12	19	44	85	99 +
80-84	36	16.3	145	4	7	13	24	41	45	99 +
85 +	27	15.6	217	5	6	10	19	41	51	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	220	10.2	79	2	3	8	14	25	31	39
B. Operated	3	14.3	162	6	6	8	24	29	29	29
2. MULTIPLE DX										
A. Not Operated	2002	10.4	108	2	4	7	13	22	31	57
B. Operated	179	16.1	220	4	7	13	20	40	53	99 +
1. SINGLE DX	223	10.2	80	2	3	8	14	25	31	39
2. MULTIPLE DX	2181	10.8	119	2	4	7	14	23	33	68
A. Not Operated	2222	10.3	105	2	4	7	13	23	31	56
B. Operated	182	16.1	218	4	7	13	20	39	53	99 +
TOTAL										
65-69 YRS	458	11.6	138	2	4	8	16	26	35	61
70-74	513	11.1	101	2	4	8	15	23	33	52
75-79	568	11.0	134	2	4	8	14	23	32	76
80-84	443	10.6	113	2	4	7	13	27	34	64
85 +	422	9.3	85	2	4	7	11	21	27	57
GRAND TOTAL	**2404**	**10.8**	**116**	**2**	**4**	**7**	**14**	**23**	**33**	**65**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	5.8	73	< 1	1	2	5	23	27	28
70-74	12	7.3	51	1	2	4	10	19	23	24
75-79	11	3.5	22	< 1	1	2	4	10	16	17
80-84	6	5.8	29	1	2	4	9	14	15	15
85 +	4	5.8	48	< 1	1	3	10	16	16	16
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	200	6.4	47	1	2	4	8	14	20	32
70-74	170	6.2	56	1	2	4	7	15	20	40
75-79	115	6.2	49	2	2	4	7	13	20	38
80-84	86	7.1	74	2	2	4	8	18	22	50
85 +	51	4.3	22	1	2	3	5	8	10	31
B. Operated										
65-69 YRS	9	11.0	149	1	3	6	19	30	38	38
70-74	9	4.6	10	1	2	4	7	9	10	10
75-79	9	11.7	183	2	4	6	15	35	44	44
80-84	4	10.0	73	3	4	7	16	22	22	22
85 +	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	5.7	47	1	1	3	6	17	24	28
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	622	6.3	51	1	2	4	7	14	20	38
B. Operated	32	9.2	105	1	3	6	10	21	36	44
1. SINGLE DX	50	5.7	47	1	1	3	6	17	24	28
2. MULTIPLE DX	654	6.4	54	1	2	4	7	15	21	39
A. Not Operated	672	6.2	51	1	2	4	7	15	20	36
B. Operated	32	9.2	105	1	3	6	10	21	36	44
TOTAL										
65-69 YRS	226	6.6	53	1	2	4	8	16	21	38
70-74	191	6.2	53	1	2	4	7	15	20	37
75-79	135	6.3	57	1	2	4	7	15	21	41
80-84	96	7.2	71	2	2	4	9	18	22	47
85 +	56	4.5	23	1	2	3	6	9	11	30
GRAND TOTAL	**704**	**6.4**	**54**	**1**	**2**	**4**	**7**	**15**	**21**	**38**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	8.0	42	2	4	5	11	18	21	22
70-74	20	8.3	57	2	4	6	10	18	27	32
75-79	19	13.4	117	2	3	14	18	26	36	42
80-84	4	10.5	24	4	7	11	14	16	16	16
85 +	7	13.6	26	8	10	13	15	22	23	23
B. Operated										
65-69 YRS	0									
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	192	10.1	70	2	4	8	13	21	26	44
70-74	158	9.4	58	2	4	7	13	20	23	41
75-79	129	10.3	77	3	4	7	15	23	28	39
80-84	60	11.6	89	3	5	9	16	23	29	48
85 +	40	10.8	89	2	4	8	13	26	32	39
B. Operated										
65-69 YRS	9	14.3	104	3	6	10	23	29	30	30
70-74	6	18.7	433	3	7	13	16	56	60	60
75-79	11	11.1	79	4	5	7	14	27	30	30
80-84	4	16.8	308	2	5	11	28	42	42	42
85 +	2	15.0	98	8	8	15	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	10.5	69	2	4	8	15	22	25	41
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	579	10.2	72	2	4	8	14	21	27	43
B. Operated	32	14.4	163	4	6	10	19	30	41	60
1. SINGLE DX	65	10.4	69	2	4	8	15	22	25	40
2. MULTIPLE DX	611	10.4	77	3	4	8	14	22	28	43
A. Not Operated	643	10.2	71	2	4	8	14	21	27	42
B. Operated	33	14.1	160	4	6	10	18	30	40	60
TOTAL										
65-69 YRS	215	10.1	70	2	4	8	14	21	26	44
70-74	185	9.6	70	2	4	7	13	20	23	43
75-79	159	10.7	82	2	4	7	16	24	28	42
80-84	68	11.8	95	3	5	10	16	23	33	49
85 +	49	11.4	79	3	5	9	14	24	29	39
GRAND TOTAL	**676**	**10.4**	**76**	**2**	**4**	**8**	**14**	**22**	**28**	**43**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	6.1	28	1	2	3	11	13	16	18
70-74	11	5.1	25	< 1	1	3	8	13	16	16
75-79	10	10.5	112	2	4	7	13	28	36	36
80-84	5	5.2	10	2	3	4	8	9	9	9
85 +	5	3.2	5	1	2	2	5	6	6	6
B. Operated										
65-69 YRS	4	2.3	1	1	1	2	3	3	3	3
70-74	4	3.3	8	< 1	< 1	2	5	7	7	7
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	143	10.4	114	2	4	7	14	20	28	71
70-74	107	6.9	37	2	3	5	8	13	18	35
75-79	118	9.4	87	2	4	6	11	21	30	46
80-84	73	10.0	116	2	3	6	12	26	32	57
85 +	88	5.7	21	1	2	4	8	12	15	23
B. Operated										
65-69 YRS	21	16.0	248	1	3	11	24	47	50	51
70-74	25	10.6	45	4	4	12	14	19	24	28
75-79	9	19.7	165	5	8	25	31	35	36	36
80-84	7	25.1	1100	1	6	14	27	84	97	97
85 +	10	14.3	109	6	8	10	21	31	39	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	6.4	43	1	2	4	9	13	18	36
B. Operated	10	3.1	4	< 1	1	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	529	8.6	80	2	3	6	11	19	26	43
B. Operated	72	15.2	231	3	6	11	20	32	44	87
1. SINGLE DX	57	5.8	38	1	2	4	8	13	17	35
2. MULTIPLE DX	601	9.4	102	2	3	6	12	20	28	50
A. Not Operated	576	8.4	77	2	3	6	11	18	25	42
B. Operated	82	13.7	218	2	4	9	17	31	41	82
TOTAL										
65-69 YRS	184	10.5	125	2	3	7	14	20	29	64
70-74	147	7.3	39	1	3	6	9	15	18	32
75-79	139	10.1	97	2	4	6	13	24	33	44
80-84	85	11.0	198	2	3	6	13	27	32	85
85 +	103	6.4	35	1	2	5	9	12	18	32
GRAND TOTAL	**658**	**9.1**	**98**	**2**	**3**	**6**	**11**	**20**	**28**	**49**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	84	6.4	63	1	2	4	6	19	29	33
70-74	41	7.5	80	2	3	5	6	28	29	34
75-79	15	5.5	18	2	3	4	6	14	15	16
80-84	3	3.7	6	< 1	1	4	5	6	6	6
85 +	5	1.8	2	< 1	< 1	1	2	4	4	4
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	7.0		7	7	7	7	7	7	7
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1151	12.7	100	2	4	9	21	28	30	36
70-74	711	11.4	97	2	4	7	18	27	29	36
75-79	348	11.7	107	2	4	8	17	28	31	46
80-84	96	9.2	61	2	4	6	13	22	28	31
85 +	29	11.1	128	2	2	6	19	28	31	42
B. Operated										
65-69 YRS	43	17.1	110	4	9	16	23	31	34	49
70-74	37	18.7	247	3	9	16	28	36	69	99 +
75-79	18	14.2	103	4	6	12	19	31	34	35
80-84	5	15.4	149	4	5	10	28	30	30	30
85 +	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	6.4	60	1	2	4	6	18	29	34
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	2335	12.0	99	2	4	8	20	28	30	37
B. Operated	104	17.0	159	3	8	14	26	32	36	91
1. SINGLE DX	149	6.4	60	1	2	4	6	18	29	34
2. MULTIPLE DX	2439	12.2	103	2	4	8	20	28	30	39
A. Not Operated	2483	11.7	99	2	4	7	20	28	29	37
B. Operated	105	16.9	158	3	7	14	26	32	36	91
TOTAL										
65-69 YRS	1278	12.4	101	2	4	8	21	28	30	36
70-74	789	11.6	106	2	4	7	19	28	29	39
75-79	382	11.6	105	2	4	7	17	28	31	45
80-84	104	9.3	65	2	4	6	13	24	28	31
85 +	35	9.5	117	1	2	4	13	28	30	42
GRAND TOTAL	**2588**	**11.9**	**102**	**2**	**4**	**8**	**20**	**28**	**30**	**38**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	14.2	91	4	7	13	23	28	30	30
70-74	17	11.1	64	2	4	9	16	24	25	26
75-79	8	8.9	60	2	3	5	15	20	22	22
80-84	2	14.0		14	14	14	14	14	14	14
85 +	1	42.0		42	42	42	42	42	42	42
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	39	12.4	89	2	5	10	17	26	28	42
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	39	12.4	89	2	5	10	17	26	28	42
A. Not Operated	39	12.4	89	2	5	10	17	26	28	42
B. Operated	0									
TOTAL										
65-69 YRS	11	14.2	91	4	7	13	23	28	30	30
70-74	17	11.1	64	2	4	9	16	24	25	26
75-79	8	8.9	60	2	3	5	15	20	22	22
80-84	2	14.0		14	14	14	14	14	14	14
85 +	1	42.0		42	42	42	42	42	42	42
GRAND TOTAL	**39**	**12.4**	**89**	**2**	**5**	**10**	**17**	**26**	**28**	**42**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	60	17.0	98	5	10	14	23	32	35	41
70-74	54	14.3	117	3	5	13	23	30	33	49
75-79	25	13.6	94	4	5	12	16	28	32	40
80-84	4	16.8	105	4	9	17	24	28	28	28
85 +	6	22.0	124	3	17	26	30	30	30	30
B. Operated										
65-69 YRS	2	21.0	98	14	14	21	28	28	28	28
70-74	1	28.0		28	28	28	28	28	28	28
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.5	8	1	1	3	6	7	7	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	149	15.6	106	3	7	14	23	30	34	41
B. Operated	4	18.5	137	4	9	21	28	28	28	28
1. SINGLE DX	6	3.5	8	1	1	3	6	7	7	7
2. MULTIPLE DX	153	15.7	106	4	7	14	23	30	34	41
A. Not Operated	155	15.2	108	3	6	14	23	30	34	41
B. Operated	4	18.5	137	4	9	21	28	28	28	28
TOTAL										
65-69 YRS	64	16.7	100	4	9	14	23	32	35	40
70-74	56	14.4	117	3	5	13	23	30	33	49
75-79	28	12.4	97	2	5	10	15	28	30	40
80-84	5	14.6	102	4	5	14	23	28	28	28
85 +	6	22.0	124	3	17	26	30	30	30	30
GRAND TOTAL	**159**	**15.3**	**108**	**3**	**6**	**14**	**23**	**30**	**34**	**41**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	3.2	19	1	1	1	4	11	11	11
70-74	3	3.0	3	< 1	1	4	4	4	4	4
75-79	2	3.0	8	< 1	< 1	2	5	5	5	5
80-84	2	1.0		< 1	< 1	< 1	1	1	1	1
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	62	5.7	56	1	2	4	6	10	25	42
70-74	64	5.6	47	1	2	3	6	12	22	32
75-79	33	6.2	67	1	2	3	8	13	17	45
80-84	27	5.0	31	1	2	3	5	14	21	22
85 +	6	3.3	6	1	2	2	6	7	7	7
B. Operated										
65-69 YRS	4	2.0	1	< 1	1	2	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	4	6.3	29	< 1	1	5	10	13	13	13
80-84	5	7.2	86	1	2	2	12	23	23	23
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.5	8	< 1	< 1	1	4	6	10	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	192	5.6	49	1	2	3	6	12	21	39
B. Operated	14	5.0	40	< 1	1	2	8	14	21	23
1. SINGLE DX	14	2.5	8	< 1	< 1	1	4	6	10	11
2. MULTIPLE DX	206	5.5	48	1	2	3	6	12	21	37
A. Not Operated	206	5.4	47	1	2	3	6	12	21	37
B. Operated	14	5.0	40	< 1	1	2	8	14	21	23
TOTAL										
65-69 YRS	71	5.3	51	1	2	3	6	10	23	41
70-74	68	5.4	45	1	2	3	6	12	22	32
75-79	39	6.0	59	1	2	3	8	13	16	45
80-84	34	5.1	37	1	2	3	5	16	22	23
85 +	8	2.8	6	< 1	1	2	4	7	7	7
GRAND TOTAL	**220**	**5.3**	**46**	**1**	**2**	**3**	**6**	**12**	**21**	**36**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	19	11.7	105	2	3	8	16	29	31	31
70-74	16	9.7	113	1	2	4	14	28	32	34
75-79	14	5.4	12	2	3	4	8	10	13	14
80-84	6	7.5	53	2	2	5	9	20	21	21
85 +	2	7.0	8	5	5	7	9	9	9	9
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	14.0		14	14	14	14	14	14	14
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	57	9.0	78	2	3	7	10	27	29	34
B. Operated	3	9.7	20	5	6	10	13	14	14	14
1. SINGLE DX	0									
2. MULTIPLE DX	60	9.0	74	2	3	7	11	26	29	34
A. Not Operated	57	9.0	78	2	3	7	10	27	29	34
B. Operated	3	9.7	20	5	6	10	13	14	14	14
TOTAL										
65-69 YRS	20	11.4	101	2	4	8	16	29	30	31
70-74	17	9.7	105	1	2	4	13	27	32	34
75-79	15	6.0	16	2	3	4	9	14	14	14
80-84	6	7.5	53	2	2	5	9	20	21	21
85 +	2	7.0	8	5	5	7	9	9	9	9
GRAND TOTAL	**60**	**9.0**	**74**	**2**	**3**	**7**	**11**	**26**	**29**	**34**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.5	13	1	1	3	6	6	6	6
70-74	3	19.3	206	3	8	25	29	30	30	30
75-79	2	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	2	7.5	5	6	6	7	9	9	9	9
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	66	3.2	4	1	2	3	4	6	8	9
70-74	67	4.9	19	1	2	4	6	9	16	20
75-79	52	4.6	17	1	2	3	6	10	15	20
80-84	48	5.2	30	2	2	4	6	9	19	30
85 +	20	5.1	14	2	2	4	7	11	13	13
B. Operated										
65-69 YRS	4	5.0	14	1	2	4	7	10	10	10
70-74	9	14.4	613	3	4	6	10	52	80	80
75-79	6	14.5	210	2	5	8	25	38	39	39
80-84	4	25.3	762	6	8	14	42	66	66	66
85 +	4	26.8	1318	6	6	10	47	81	81	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	8.9	136	1	2	3	15	28	30	30
B. Operated	3	5.7	12	2	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	253	4.5	17	1	2	3	6	8	13	20
B. Operated	27	16.5	521	3	5	7	13	61	80	81
1. SINGLE DX	11	8.0	100	1	2	3	8	27	30	30
2. MULTIPLE DX	280	5.6	76	1	2	4	6	10	17	58
A. Not Operated	261	4.6	20	1	2	3	6	9	14	25
B. Operated	30	15.4	479	2	5	7	11	52	80	81
TOTAL										
65-69 YRS	73	3.3	5	1	2	3	4	6	8	10
70-74	79	6.5	100	1	2	5	6	14	19	65
75-79	62	5.6	41	1	2	4	6	11	19	37
80-84	53	6.7	100	2	2	4	6	13	21	65
85 +	24	8.7	251	2	2	5	8	13	34	81
GRAND TOTAL	**291**	**5.7**	**77**	**1**	**2**	**4**	**6**	**10**	**18**	**55**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	12.6	201	2	4	8	14	36	48	58
70-74	31	11.3	61	3	5	9	16	21	27	33
75-79	16	8.8	72	2	3	7	12	14	29	36
80-84	18	12.8	98	3	4	9	15	27	32	35
85 +	15	11.5	154	1	4	6	14	35	39	40
B. Operated										
65-69 YRS	2	8.5	13	6	6	8	11	11	11	11
70-74	0									
75-79	0									
80-84	0									
85 +	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	218	9.7	73	2	4	7	13	22	26	43
70-74	252	9.9	92	2	4	7	12	21	28	49
75-79	216	9.9	83	3	4	7	13	21	28	49
80-84	119	10.9	116	3	3	8	15	24	32	59
85 +	82	9.0	53	2	4	6	13	19	22	37
B. Operated										
65-69 YRS	22	20.3	315	4	7	12	36	51	72	99 +
70-74	16	18.9	174	6	11	19	23	52	85	99 +
75-79	6	18.8	144	6	9	15	33	34	34	34
80-84	13	15.8	219	6	8	12	18	28	56	62
85 +	2	12.5	113	5	5	12	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	11.5	116	2	4	8	15	27	35	52
B. Operated	3	12.7	58	6	7	11	18	21	21	21
2. MULTIPLE DX										
A. Not Operated	887	9.9	85	2	4	7	13	21	27	48
B. Operated	59	18.5	223	5	8	14	27	48	59	99 +
1. SINGLE DX	112	11.6	114	2	4	8	15	27	35	52
2. MULTIPLE DX	946	10.4	97	2	4	7	14	22	30	51
A. Not Operated	996	10.1	88	2	4	7	13	22	28	49
B. Operated	62	18.2	215	5	8	14	24	47	58	99 +
TOTAL										
65-69 YRS	271	10.9	113	2	4	7	14	24	35	56
70-74	299	10.6	96	2	4	7	15	21	30	53
75-79	238	10.0	85	2	4	7	14	22	33	48
80-84	150	11.5	123	3	4	8	15	25	32	62
85 +	100	9.5	69	2	4	6	14	21	24	39
GRAND TOTAL	**1058**	**10.6**	**99**	**2**	**4**	**7**	**14**	**23**	**31**	**51**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	9.2	49	2	4	6	15	17	23	27
70-74	14	6.1	18	2	3	5	9	13	14	14
75-79	13	7.5	39	1	2	8	11	17	18	18
80-84	6	6.8	23	1	4	5	11	14	14	14
85 +	3	2.7	4	1	1	2	4	5	5	5
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	114	8.8	77	2	3	5	12	21	27	39
70-74	82	9.0	67	1	3	6	14	20	25	81
75-79	77	9.9	82	2	4	7	14	21	32	40
80-84	33	10.0	86	2	3	8	13	21	27	45
85 +	28	7.4	46	2	3	5	11	15	24	30
B. Operated										
65-69 YRS	2	17.0	242	6	6	17	28	28	28	28
70-74	4	7.0	55	2	2	4	11	18	18	18
75-79	3	14.3	49	7	9	15	19	21	21	21
80-84	1	21.0		21	21	21	21	21	21	21
85 +	3	10.3	90	1	3	10	17	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	7.4	34	1	3	5	12	15	18	27
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	334	9.1	74	2	3	6	13	21	27	42
B. Operated	13	12.1	79	2	4	10	20	23	27	28
1. SINGLE DX	55	7.4	34	1	3	5	12	15	18	27
2. MULTIPLE DX	347	9.2	74	2	3	6	13	21	27	42
A. Not Operated	389	8.9	69	1	3	6	13	20	27	41
B. Operated	13	12.1	79	2	4	10	20	23	27	28
TOTAL										
65-69 YRS	135	9.0	75	2	3	5	13	21	27	39
70-74	100	8.6	60	1	3	6	13	19	23	70
75-79	93	9.7	76	2	3	7	15	20	26	40
80-84	40	9.8	78	1	4	7	13	21	25	45
85 +	34	7.2	46	2	3	5	10	15	22	30
GRAND TOTAL	**402**	**9.0**	**69**	**1**	**3**	**6**	**13**	**21**	**27**	**41**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	7.6	119	1	2	3	10	27	27	27
70-74	2	13.0	18	10	10	13	16	16	16	16
75-79	1	19.0		19	19	19	19	19	19	19
80-84	1	1.0		1	1	1	1	1	1	1
85 +	2	4.0	18	1	1	4	7	7	7	7
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	47	6.0	35	2	3	5	6	8	22	30
70-74	30	6.4	24	2	3	4	9	13	16	22
75-79	42	7.4	37	2	3	5	9	15	22	28
80-84	27	7.1	19	2	4	7	9	14	16	19
85 +	35	8.1	55	2	4	6	9	22	24	33
B. Operated										
65-69 YRS	7	4.0	11	1	2	3	6	9	10	10
70-74	14	13.8	210	4	6	8	16	29	52	58
75-79	4	4.5	2	3	3	4	5	6	6	6
80-84	6	8.8	17	3	6	9	12	14	14	14
85 +	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	8.4	76	1	2	4	14	22	27	27
B. Operated	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	181	7.0	35	2	3	5	8	15	22	29
B. Operated	32	9.2	114	2	3	6	11	18	26	58
1. SINGLE DX	13	7.5	68	1	1	4	11	21	26	27
2. MULTIPLE DX	213	7.3	47	2	3	5	8	15	22	31
A. Not Operated	192	7.0	37	2	3	5	8	15	22	29
B. Operated	34	8.8	109	2	3	6	11	17	25	58
TOTAL										
65-69 YRS	60	5.8	37	1	3	4	6	9	22	30
70-74	46	9.0	88	2	4	6	11	16	23	58
75-79	48	7.3	36	3	3	5	9	15	21	28
80-84	34	7.2	19	2	4	7	9	14	15	19
85 +	38	7.7	54	1	4	6	8	21	23	33
GRAND TOTAL	**226**	**7.3**	**48**	**2**	**3**	**5**	**8**	**16**	**22**	**31**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	12.0		12	12	12	12	12	12	12
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	6.6	24	2	2	6	11	13	13	13
70-74	2	15.5	25	12	12	15	19	19	19	19
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	10.5	5	9	9	10	12	12	12	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	8.5	37	2	3	8	12	17	19	19
B. Operated	0									
1. SINGLE DX	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX	8	8.5	37	2	3	8	12	17	19	19
A. Not Operated	10	8.9	30	2	4	9	12	16	19	19
B. Operated	0									
TOTAL										
65-69 YRS	5	6.6	24	2	2	6	11	13	13	13
70-74	3	14.3	16	12	12	12	17	19	19	19
75-79	0									
80-84	2	6.5	13	4	4	6	9	9	9	9
85 +	0									
GRAND TOTAL	**10**	**8.9**	**30**	**2**	**4**	**9**	**12**	**16**	**19**	**19**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	11.7	215	2	2	7	14	38	43	43
70-74	3	12.7	24	7	9	15	16	16	16	16
75-79	3	6.7	41	2	2	4	11	14	14	14
80-84	3	4.7		4	4	5	5	5	5	5
85 +	1	12.0		12	12	12	12	12	12	12
B. Operated										
65-69 YRS	5	10.4	176	< 1	1	1	22	29	29	29
70-74	4	25.0	1257	1	2	11	47	77	77	77
75-79	2	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	52	12.9	72	5	7	12	15	24	31	45
70-74	41	13.6	115	3	8	12	16	34	44	99 +
75-79	44	14.1	222	4	7	11	18	20	32	96
80-84	29	16.1	117	2	10	14	20	31	38	48
85 +	13	16.7	57	5	12	17	22	27	29	29
B. Operated										
65-69 YRS	52	24.7	491	4	12	19	28	71	85	99 +
70-74	57	19.2	388	1	7	14	26	44	81	99
75-79	31	22.8	255	4	13	21	29	43	50	77
80-84	16	25.0	342	2	11	23	35	55	58	59
85 +	9	25.7	356	6	9	30	41	80	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	9.8	99	2	4	7	14	16	34	43
B. Operated	11	14.7	518	< 1	1	5	19	48	75	77
2. MULTIPLE DX										
A. Not Operated	179	14.2	124	4	7	13	18	27	34	82
B. Operated	165	22.5	387	3	9	18	29	53	77	99 +
1. SINGLE DX	28	11.7	257	1	3	5	15	26	46	77
2. MULTIPLE DX	344	18.2	267	4	8	14	23	39	55	99 +
A. Not Operated	196	13.8	123	4	7	12	17	27	34	74
B. Operated	176	22.0	396	2	8	18	29	53	77	99 +
TOTAL										
65-69 YRS	116	18.0	304	3	7	15	21	41	65	96
70-74	105	17.0	300	2	7	13	22	40	68	99 +
75-79	80	17.0	244	4	7	14	21	32	46	90
80-84	48	18.3	209	3	8	14	25	37	52	59
85 +	23	20.0	183	6	11	17	29	43	73	99 +
GRAND TOTAL	**372**	**17.7**	**268**	**3**	**7**	**14**	**22**	**38**	**54**	**99**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	39	7.1	126	1	2	4	8	14	17	70
70-74	34	5.5	15	1	3	5	7	11	14	15
75-79	18	6.2	16	1	3	6	9	10	13	15
80-84	12	6.8	12	3	4	6	9	12	13	13
85 +	7	7.9	27	3	4	6	11	16	17	17
B. Operated										
65-69 YRS	0									
70-74	4	3.5	9	1	1	3	6	7	7	7
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	188	9.2	110	3	4	6	11	17	23	68
70-74	286	9.7	80	3	4	8	12	19	27	71
75-79	382	9.6	78	3	5	7	12	18	25	58
80-84	281	11.7	166	3	6	8	12	23	35	98
85 +	133	12.2	146	3	5	8	14	36	46	99 +
B. Operated										
65-69 YRS	25	14.4	282	3	5	7	13	52	67	99 +
70-74	42	16.1	315	3	8	11	16	33	55	96
75-79	63	18.1	210	6	10	14	26	53	99 +	99 +
80-84	38	14.7	151	3	6	12	19	34	50	99 +
85 +	20	18.0	139	8	10	15	27	41	76	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	6.5	54	1	3	5	9	12	15	39
B. Operated	4	3.5	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	1270	10.3	110	3	5	7	12	20	31	86
B. Operated	188	16.5	221	4	8	12	21	47	63	99 +
1. SINGLE DX	114	6.4	53	1	3	5	9	12	15	37
2. MULTIPLE DX	1458	11.1	129	3	5	8	13	23	36	99 +
A. Not Operated	1380	10.0	107	3	4	7	12	19	30	79
B. Operated	192	16.2	220	4	7	12	21	47	62	99 +
TOTAL										
65-69 YRS	252	9.4	131	2	4	6	11	18	28	78
70-74	366	10.0	106	3	4	8	12	19	27	71
75-79	463	10.6	102	3	5	8	13	22	35	99 +
80-84	331	11.9	160	3	6	8	13	25	38	99 +
85 +	160	12.7	144	3	5	9	15	36	48	99 +
GRAND TOTAL	**1572**	**10.8**	**125**	**3**	**5**	**8**	**13**	**22**	**35**	**99 +**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	7.6	39	3	4	6	8	18	21	21
70-74	3	4.3		4	4	4	5	5	5	5
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	1	12.0		12	12	12	12	12	12	12
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	61	11.4	122	3	5	8	15	21	34	97
70-74	38	7.8	46	2	4	6	9	17	19	38
75-79	11	15.5	321	6	8	9	11	44	64	66
80-84	2	8.5	5	7	7	8	10	10	10	10
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	14	17.0	389	3	8	14	22	80	95	99 +
70-74	6	13.7	69	5	7	12	18	26	27	27
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	6.5	25	3	4	5	7	13	20	21
B. Operated	3	4.7	40	1	1	1	9	12	12	12
2. MULTIPLE DX										
A. Not Operated	113	10.4	115	3	5	8	12	20	28	82
B. Operated	20	16.0	287	3	7	14	21	49	89	99 +
1. SINGLE DX	14	6.1	26	1	3	5	7	13	19	21
2. MULTIPLE DX	133	11.3	143	3	5	8	14	21	36	99 +
A. Not Operated	124	10.1	108	3	5	7	11	20	25	79
B. Operated	23	14.5	266	2	6	11	19	33	86	99 +
TOTAL										
65-69 YRS	84	11.7	161	3	5	8	15	22	54	99 +
70-74	48	8.4	49	2	4	7	9	18	21	38
75-79	12	14.8	299	6	7	9	11	40	62	66
80-84	2	8.5	5	7	7	8	10	10	10	10
85 +	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**147**	**10.8**	**134**	**3**	**5**	**8**	**14**	**21**	**29**	**99 +**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	48	3.7	9	1	2	3	4	8	12	15
70-74	49	3.0	6	1	1	2	4	6	9	10
75-79	33	3.7	3	1	3	3	5	6	7	9
80-84	25	3.4	5	1	2	3	6	7	8	8
85 +	17	2.9	3	1	2	3	4	6	6	6
B. Operated										
65-69 YRS	2	9.0	50	4	4	9	14	14	14	14
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	867	6.5	53	2	3	5	8	13	17	42
70-74	905	6.9	65	2	3	5	8	14	20	52
75-79	758	6.8	45	2	3	5	8	14	19	36
80-84	573	7.3	67	2	3	5	8	14	19	41
85 +	442	7.5	60	2	3	5	8	15	21	66
B. Operated										
65-69 YRS	94	14.2	185	3	6	9	20	32	45	87
70-74	86	16.1	280	4	6	11	20	32	65	97
75-79	78	18.7	338	4	8	13	21	41	65	92
80-84	54	14.8	159	3	6	10	19	33	42	62
85 +	44	19.9	467	3	7	13	26	75	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	172	3.4	6	1	2	3	4	6	9	12
B. Operated	4	5.3	36	1	1	3	9	14	14	14
2. MULTIPLE DX										
A. Not Operated	3545	6.9	58	2	3	5	8	14	19	45
B. Operated	356	16.4	273	4	7	11	20	36	63	99 +
1. SINGLE DX	176	3.4	7	1	2	3	4	6	9	14
2. MULTIPLE DX	3901	7.8	85	2	3	5	9	16	23	64
A. Not Operated	3717	6.8	56	2	3	5	8	13	19	43
B. Operated	360	16.3	272	4	6	11	20	35	63	99 +
TOTAL										
65-69 YRS	1011	7.1	69	2	3	5	8	14	21	48
70-74	1041	7.5	87	2	3	5	8	15	22	64
75-79	870	7.7	81	2	3	5	9	16	21	64
80-84	652	7.8	77	2	3	5	9	15	22	45
85 +	503	8.4	106	2	3	6	9	17	29	93
GRAND TOTAL	**4077**	**7.6**	**82**	**2**	**3**	**5**	**9**	**15**	**22**	**63**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	42	5.9	34	1	2	5	7	11	17	33
70-74	42	6.7	103	2	3	3	7	11	19	64
75-79	48	5.7	27	1	2	4	7	13	15	26
80-84	41	7.1	40	1	3	5	9	18	21	26
85 +	22	6.2	16	2	3	5	8	13	15	16
B. Operated										
65-69 YRS	47	5.6	28	1	1	4	7	14	17	21
70-74	51	5.1	15	1	2	4	8	10	13	19
75-79	30	6.2	33	1	2	5	8	12	22	26
80-84	22	6.7	37	1	2	5	8	15	20	26
85 +	7	7.3	34	3	4	6	7	17	20	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	619	8.9	74	2	4	6	11	19	27	62
70-74	756	9.6	106	2	4	6	12	20	29	67
75-79	891	9.4	108	2	4	7	11	19	29	65
80-84	715	10.0	90	3	4	7	12	21	28	85
85 +	642	10.2	128	3	5	7	12	20	31	99 +
B. Operated										
65-69 YRS	375	13.0	186	3	5	9	17	30	43	99 +
70-74	392	13.3	157	3	6	10	17	29	39	99 +
75-79	398	13.7	141	3	6	10	18	29	38	62
80-84	211	17.0	229	4	7	13	21	38	57	99 +
85 +	145	16.4	209	4	8	13	21	36	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	195	6.3	46	1	3	4	8	13	18	30
B. Operated	157	5.8	26	1	2	4	8	13	16	25
2. MULTIPLE DX										
A. Not Operated	3623	9.6	102	2	4	7	12	20	28	81
B. Operated	1521	14.1	176	3	6	10	18	30	47	99 +
1. SINGLE DX	352	6.1	37	1	3	4	8	13	18	26
2. MULTIPLE DX	5144	11.0	128	3	4	8	14	23	34	98
A. Not Operated	3818	9.5	100	2	4	7	11	20	28	79
B. Operated	1678	13.4	168	3	5	9	17	29	42	99 +
TOTAL										
65-69 YRS	1083	10.1	114	2	4	7	13	22	31	96
70-74	1241	10.5	123	2	4	7	13	23	32	73
75-79	1367	10.5	118	2	4	7	13	22	32	62
80-84	989	11.3	125	3	5	8	14	25	36	99 +
85 +	816	11.2	145	3	5	8	14	22	36	99 +
GRAND TOTAL	**5496**	**10.7**	**124**	**2**	**4**	**7**	**13**	**23**	**33**	**96**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	2.8	3	1	1	3	4	5	5	5
70-74	14	3.7	4	2	2	3	5	7	8	8
75-79	3	2.3		2	2	2	3	3	3	3
80-84	7	2.1	2	1	1	2	3	5	5	5
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	118	3.6	7	1	2	3	5	7	9	13
70-74	89	4.3	8	1	2	3	7	8	10	12
75-79	44	4.2	9	2	2	3	6	8	11	12
80-84	20	6.0	21	2	3	4	8	13	16	18
85 +	10	4.6	25	1	1	3	7	12	17	17
B. Operated										
65-69 YRS	10	8.3	44	2	3	6	13	18	23	23
70-74	4	3.8	2	2	2	4	5	5	5	5
75-79	7	5.4	24	2	2	3	10	13	13	13
80-84	3	5.7	2	4	4	6	7	7	7	7
85 +	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	2.9	3	1	2	2	4	5	6	8
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	281	4.1	9	1	2	3	5	8	10	15
B. Operated	25	6.3	26	2	3	5	8	13	16	23
1. SINGLE DX	38	2.9	3	1	2	3	4	5	6	8
2. MULTIPLE DX	306	4.3	11	1	2	3	6	8	11	16
A. Not Operated	318	4.0	9	1	2	3	5	8	10	15
B. Operated	26	6.2	26	2	3	4	7	13	16	23
TOTAL										
65-69 YRS	141	3.9	10	1	2	3	5	8	10	17
70-74	107	4.2	7	1	2	3	6	8	9	12
75-79	54	4.2	10	2	2	3	6	10	12	13
80-84	30	5.1	17	1	2	4	7	11	14	18
85 +	12	4.3	22	1	1	3	6	11	16	17
GRAND TOTAL	**344**	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**11**	**16**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	64	1.1		<1	<1	<1	<1	1	2	3
70-74	63	1.0		<1	<1	<1	<1	1	1	2
75-79	54	1.1		<1	<1	<1	<1	1	2	3
80-84	34	1.1		<1	<1	<1	<1	1	2	3
85 +	20	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	3.5	7	<1	1	3	5	7	9	9
70-74	9	3.4	9	<1	1	2	4	8	10	10
75-79	4	3.5	14	<1	1	2	6	9	9	9
80-84	5	1.8	1	1	1	2	2	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	73	2.0	4	<1	<1	1	2	3	8	10
70-74	80	1.9	2	<1	1	1	2	3	5	8
75-79	52	2.5	24	<1	1	1	2	4	5	34
80-84	26	3.0	34	<1	1	2	2	4	12	31
85 +	19	2.6	6	<1	1	2	3	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	235	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. Not Operated	29	3.1	7	<1	1	2	4	8	9	10
B. Operated	250	2.2	11	<1	1	1	2	4	7	10
1. SINGLE DX	237	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX	279	2.3	10	<1	1	1	2	4	7	10
A. Not Operated	31	3.0	7	<1	1	2	4	7	9	10
B. Operated	485	1.7	6	<1	<1	<1	1	3	4	10
TOTAL										
65-69 YRS	148	1.7	3	<1	<1	<1	2	3	6	10
70-74	153	1.6	2	<1	<1	1	2	3	4	9
75-79	110	1.8	12	<1	<1	<1	2	3	4	20
80-84	65	1.9	14	<1	<1	1	2	3	4	27
85 +	40	1.8	4	<1	<1	1	2	3	6	10
GRAND TOTAL	**516**	**1.7**	**6**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	30	4.4	25	1	1	3	5	9	12	26
70-74	28	4.7	17	1	1	3	7	11	15	15
75-79	13	3.0	2	1	2	3	4	5	5	5
80-84	15	4.5	8	1	3	3	6	9	10	11
85 +	8	4.5	13	1	2	3	7	10	10	10
B. Operated										
65-69 YRS	118	3.9	56	1	1	2	4	8	11	41
70-74	81	2.7	9	1	1	2	3	7	8	17
75-79	64	2.8	7	< 1	1	1	4	6	8	14
80-84	27	2.2	4	1	1	1	3	6	7	9
85 +	7	1.3	1	1	1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	303	6.3	32	2	3	4	8	12	17	29
70-74	309	6.7	37	2	3	5	9	14	19	30
75-79	272	7.7	76	2	3	5	9	15	21	58
80-84	197	7.8	57	2	3	5	10	15	18	48
85 +	121	8.1	108	2	3	5	9	15	22	50
B. Operated										
65-69 YRS	296	6.8	107	1	2	4	8	17	29	99 +
70-74	231	9.4	186	1	2	6	11	24	51	99 +
75-79	174	9.5	170	1	2	5	13	20	37	96
80-84	111	9.9	126	1	2	7	14	24	32	54
85 +	52	8.7	74	2	3	6	10	23	29	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	94	4.3	16	1	2	3	6	9	12	21
B. Operated	297	3.1	27	1	1	2	4	7	9	20
2. MULTIPLE DX										
A. Not Operated	1202	7.1	55	2	3	5	9	14	19	41
B. Operated	864	8.6	142	1	2	5	10	20	34	99 +
1. SINGLE DX	391	3.4	24	1	1	2	4	7	10	20
2. MULTIPLE DX	2066	7.7	92	1	2	5	9	17	25	70
A. Not Operated	1296	6.9	53	2	3	5	9	14	19	39
B. Operated	1161	7.2	118	1	2	3	9	17	29	88
TOTAL										
65-69 YRS	747	6.0	66	1	2	4	7	13	21	57
70-74	649	7.1	90	1	2	4	9	15	24	86
75-79	523	7.6	101	1	2	4	9	17	23	69
80-84	350	7.9	77	1	2	5	10	16	23	49
85 +	188	7.9	92	1	3	5	10	16	24	42
GRAND TOTAL	**2457**	**7.0**	**84**	**1**	**2**	**4**	**9**	**15**	**23**	**67**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	277	2.5	2	1	1	2	3	4	5	8
70-74	219	2.4	2	1	1	2	3	4	5	7
75-79	163	2.5	2	1	2	2	3	4	5	9
80-84	60	2.2	1	1	1	2	3	3	4	5
85 +	34	2.6	2	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	2.9	11	< 1	< 1	1	3	9	10	10
70-74	10	3.5	5	1	1	3	5	7	7	7
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	4	1.5		1	1	1	2	2	2	2
85 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
65-69 YRS	612	3.1	6	1	2	3	4	5	7	12
70-74	528	3.1	4	1	2	3	4	6	7	10
75-79	397	3.2	5	1	2	3	4	6	7	12
80-84	214	3.1	3	1	2	3	4	5	6	9
85 +	119	3.3	7	1	2	3	4	5	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	753	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	26	2.7	5	1	1	2	4	7	8	10
B. Operated	1870	3.1	5	1	2	3	4	5	7	11
1. SINGLE DX	753	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1896	3.1	5	1	2	3	4	5	7	11
A. Not Operated	26	2.7	5	1	1	2	4	7	8	10
B. Operated	2623	2.9	4	1	2	3	4	5	6	10
TOTAL										
65-69 YRS	896	2.9	5	1	2	2	4	5	6	11
70-74	757	2.9	3	1	2	3	4	5	7	10
75-79	562	3.0	5	1	2	3	4	5	7	11
80-84	278	2.9	3	1	2	3	4	5	6	9
85 +	156	3.1	6	1	2	3	4	5	6	14
GRAND TOTAL	**2649**	**2.9**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	2.0	1	< 1	1	2	2	4	4	4
70-74	8	1.6		1	1	2	2	2	2	2
75-79	6	2.3	2	1	1	2	3	5	5	5
80-84	0									
85 +	4	1.5		1	1	1	2	2	2	2
B. Operated										
65-69 YRS	52	2.2	2	< 1	1	2	3	4	5	7
70-74	31	1.8	1	< 1	1	1	2	3	3	5
75-79	49	2.4	4	< 1	1	2	3	5	6	11
80-84	27	2.0	1	1	1	2	3	4	4	5
85 +	15	1.9	1	1	1	2	2	2	4	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	1.9	1	1	1	2	2	4	4	4
70-74	17	2.2	4	1	1	2	2	3	7	9
75-79	16	2.7	9	1	1	2	3	4	10	13
80-84	14	3.9	8	1	2	3	5	8	10	11
85 +	15	4.3	19	2	2	3	4	14	15	15
B. Operated										
65-69 YRS	121	3.5	25	1	2	2	4	6	8	29
70-74	162	2.9	4	1	2	2	3	5	7	10
75-79	175	3.5	14	1	2	3	4	7	9	22
80-84	133	3.1	6	1	2	2	3	6	7	15
85 +	78	4.0	29	1	2	2	4	8	11	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	1.9	1	1	1	2	2	3	4	5
B. Operated	174	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	71	3.0	9	1	1	2	3	6	11	15
B. Operated	669	3.3	14	1	2	2	4	6	9	20
1. SINGLE DX	203	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	740	3.3	13	1	2	2	4	6	9	19
A. Not Operated	100	2.7	7	1	1	2	3	5	8	14
B. Operated	843	3.1	12	1	2	2	3	5	7	15
TOTAL										
65-69 YRS	193	3.0	17	1	1	2	3	5	6	15
70-74	218	2.6	4	1	1	2	3	5	7	10
75-79	246	3.2	11	1	2	2	3	6	9	20
80-84	174	3.0	6	1	2	2	3	6	7	13
85 +	112	3.6	23	1	2	2	4	6	11	33
GRAND TOTAL	**943**	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**	**14**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	12.0	244	2	2	4	23	30	30	30
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
65-69 YRS	27	2.2	2	1	1	2	3	5	5	6
70-74	25	2.6	6	< 1	1	1	3	8	8	9
75-79	23	2.0	2	< 1	1	2	3	4	5	6
80-84	21	1.9	3	< 1	1	1	2	3	6	9
85 +	12	2.0	2	< 1	1	2	3	4	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	9	3.8	15	1	1	3	5	11	11	11
70-74	16	2.8	2	1	2	3	4	5	5	5
75-79	17	4.2	39	1	1	1	3	15	21	23
80-84	8	2.1	1	1	2	2	2	4	4	4
85 +	9	1.9	1	1	1	2	2	4	4	4
B. Operated										
65-69 YRS	76	3.4	30	1	1	2	4	6	8	37
70-74	61	2.6	5	1	1	2	3	6	7	12
75-79	71	3.9	79	1	1	2	3	7	9	61
80-84	53	2.8	5	< 1	1	2	4	6	8	9
85 +	31	3.4	12	1	1	2	5	9	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.6	87	1	1	2	4	20	30	30
B. Operated	108	2.2	3	< 1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	59	3.1	14	1	1	2	3	5	11	22
B. Operated	292	3.3	30	1	1	2	4	7	9	15
1. SINGLE DX	117	2.4	10	< 1	1	2	3	5	6	16
2. MULTIPLE DX	351	3.2	27	1	1	2	3	7	9	16
A. Not Operated	68	3.4	24	1	1	2	3	6	11	29
B. Operated	400	3.0	23	1	1	2	3	6	8	13
TOTAL										
65-69 YRS	114	3.1	22	1	1	2	3	6	9	26
70-74	103	2.6	4	1	1	2	3	5	7	10
75-79	114	3.8	62	1	1	2	3	7	9	46
80-84	83	2.5	4	< 1	1	2	4	5	8	9
85 +	54	2.8	8	1	1	2	3	6	10	13
GRAND TOTAL	**468**	**3.0**	**23**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84	0									
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
65-69 YRS	487	1.0		<1	<1	<1	<1	1	1	2
70-74	702	1.1		<1	<1	<1	<1	1	2	2
75-79	918	1.1		<1	<1	<1	<1	1	2	2
80-84	721	1.1		<1	<1	<1	<1	1	2	2
85+	575	1.1	1	<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	1.6	3	<1	<1	1	1	3	6	8
70-74	23	2.1	5	<1	<1	1	3	4	7	11
75-79	26	1.7	2	<1	<1	1	1	4	5	7
80-84	28	2.2	9	<1	<1	1	2	4	8	16
85+	27	2.4	7	<1	<1	1	2	7	8	12
B. Operated										
65-69 YRS	615	1.9	11	<1	1	2	2	3	4	8
70-74	819	1.8	10	<1	1	1	2	3	4	8
75-79	1070	1.7	2	<1	1	1	2	3	4	8
80-84	986	1.9	8	<1	1	2	2	3	4	10
85+	791	2.0	12	<1	1	2	2	3	4	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated	3403	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX										
A. Not Operated	122	2.0	6	<1	<1	1	2	4	7	13
B. Operated	4281	1.9	8	<1	1	1	2	3	4	9
1. SINGLE DX	3405	1.1		<1	<1	<1	<1	1	2	2
2. MULTIPLE DX	4403	1.9	8	<1	1	1	2	3	4	9
A. Not Operated	124	2.0	6	<1	<1	1	2	4	7	13
B. Operated	7684	1.5	5	<1	<1	1	2	2	3	7
TOTAL										
65-69 YRS	1120	1.5	7	<1	<1	1	2	2	3	6
70-74	1544	1.5	5	<1	<1	1	2	2	3	7
75-79	2015	1.4	1	<1	<1	1	2	2	3	7
80-84	1735	1.6	5	<1	<1	1	2	2	3	7
85+	1394	1.7	8	<1	<1	1	2	2	3	8
GRAND TOTAL	**7808**	**1.5**	**5**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85+	0									
B. Operated										
65-69 YRS	5	2.0	5	<1	<1	1	2	6	6	6
70-74	5	3.2	11	1	1	2	4	9	9	9
75-79	3	2.3	2	<1	<1	2	3	4	4	4
80-84	2	1.0		<1	<1	<1	<1	<1	<1	<1
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	4.7	21	2	2	3	5	8	15	23
70-74	23	4.4	10	1	2	3	7	9	11	12
75-79	17	4.9	8	2	2	4	7	9	11	11
80-84	11	4.2	7	1	3	4	6	8	10	10
85+	3	4.0	7	2	2	3	6	7	7	7
B. Operated										
65-69 YRS	27	3.0	5	1	1	2	5	7	7	7
70-74	17	4.9	41	1	1	2	7	18	21	21
75-79	11	3.4	5	<1	1	3	5	6	7	7
80-84	7	8.7	34	2	4	7	14	17	17	17
85+	3	1.7		1	1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	15	2.3	6	<1	<1	1	3	6	8	9
2. MULTIPLE DX										
A. Not Operated	76	4.6	12	2	2	3	6	9	10	20
B. Operated	65	4.1	19	1	1	2	6	8	15	21
1. SINGLE DX	18	2.3	5	<1	<1	1	3	5	8	9
2. MULTIPLE DX	141	4.3	15	1	2	3	6	8	11	21
A. Not Operated	79	4.5	12	1	2	3	6	9	10	20
B. Operated	80	3.8	17	1	1	2	5	8	13	21
TOTAL										
65-69 YRS	54	3.6	12	1	1	3	5	7	8	22
70-74	47	4.3	21	1	1	3	7	9	13	21
75-79	31	4.1	7	1	2	4	6	7	10	11
80-84	21	5.3	20	1	2	4	6	13	16	17
85+	6	2.8	5	1	2	2	3	7	7	7
GRAND TOTAL	**159**	**4.1**	**14**	**1**	**2**	**3**	**6**	**8**	**11**	**21**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.0	3	2	3	4	5	6	6	6
70-74	6	1.5	1	<1	<1	1	2	3	3	3
75-79	14	4.1	6	<1	2	4	7	7	8	8
80-84	9	3.9	6	<1	2	4	6	7	7	7
85 +	11	4.8	3	2	4	5	6	7	7	7
B. Operated										
65-69 YRS	96	1.5	1	<1	<1	1	2	3	3	6
70-74	95	1.6	1	<1	<1	1	2	3	4	8
75-79	117	1.8	1	<1	1	1	2	3	4	7
80-84	107	1.9	2	<1	1	2	2	3	4	8
85 +	75	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	36	5.7	15	<1	3	5	7	11	14	17
70-74	42	5.1	10	1	3	4	8	9	11	14
75-79	51	5.5	15	1	2	5	8	11	13	15
80-84	48	5.7	14	1	3	5	8	11	14	17
85 +	49	6.4	25	1	3	6	8	13	18	21
B. Operated										
65-69 YRS	295	2.3	5	1	1	2	3	4	6	13
70-74	382	2.5	5	1	1	2	3	4	5	13
75-79	413	2.9	11	1	1	2	3	5	7	19
80-84	322	2.7	6	1	1	2	3	5	7	13
85 +	232	3.5	42	1	1	2	4	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	3.9	5	<1	2	4	6	7	7	8
B. Operated	490	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	226	5.7	16	1	3	5	8	11	14	19
B. Operated	1644	2.8	12	1	1	2	3	5	7	15
1. SINGLE DX	535	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX	1870	3.1	13	1	1	2	3	6	9	17
A. Not Operated	271	5.4	14	1	3	5	7	10	14	18
B. Operated	2134	2.5	10	<1	1	2	3	4	6	13
TOTAL										
65-69 YRS	432	2.4	6	<1	1	2	3	5	7	14
70-74	525	2.5	6	<1	1	2	3	5	7	12
75-79	595	2.9	10	1	1	2	3	6	8	17
80-84	486	2.9	7	1	1	2	3	6	8	14
85 +	367	3.5	32	<1	1	2	4	7	10	20
GRAND TOTAL	**2405**	**2.8**	**11**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	4.8	6	2	3	5	6	8	9	10
70-74	8	3.9	13	1	1	2	7	9	10	10
75-79	10	3.6	3	1	2	4	5	6	6	6
80-84	7	4.3	8	2	2	3	5	9	10	10
85 +	7	4.0	5	2	2	4	6	7	7	7
B. Operated										
65-69 YRS	82	2.0	4	<1	1	1	2	4	6	12
70-74	69	2.2	3	<1	1	2	3	4	5	9
75-79	79	2.4	6	<1	<1	1	3	5	9	12
80-84	52	2.4	6	<1	1	1	3	6	8	14
85 +	31	2.4	9	<1	<1	1	3	6	7	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	106	4.3	9	1	2	4	6	8	11	14
70-74	86	4.7	15	1	2	4	6	9	10	23
75-79	107	5.2	23	1	2	4	6	10	15	25
80-84	63	5.8	31	1	3	5	7	8	14	35
85 +	63	6.6	22	2	3	6	9	13	18	21
B. Operated										
65-69 YRS	324	3.3	12	1	1	2	4	7	11	18
70-74	324	3.4	13	1	1	2	4	8	10	20
75-79	309	3.7	16	1	1	2	4	8	12	20
80-84	205	4.1	51	1	1	2	4	8	11	45
85 +	137	3.8	18	1	1	2	4	7	12	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	4.2	6	1	2	4	6	8	10	10
B. Operated	313	2.3	5	<1	1	1	2	4	7	13
2. MULTIPLE DX										
A. Not Operated	425	5.2	19	1	2	4	7	9	13	22
B. Operated	1299	3.6	20	1	1	2	4	8	11	20
1. SINGLE DX	363	2.5	6	<1	1	2	3	6	8	13
2. MULTIPLE DX	1724	4.0	20	1	1	3	5	8	11	21
A. Not Operated	475	5.1	18	1	2	4	6	9	12	21
B. Operated	1612	3.3	17	1	1	2	4	7	10	19
TOTAL										
65-69 YRS	530	3.4	10	1	1	2	4	7	10	17
70-74	487	3.5	12	1	1	2	4	8	10	20
75-79	505	3.8	16	1	1	2	5	8	12	20
80-84	327	4.2	40	1	1	2	5	8	11	36
85 +	238	4.3	20	1	1	3	5	10	15	21
GRAND TOTAL	**2087**	**3.7**	**18**	**1**	**1**	**2**	**5**	**8**	**11**	**20**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	2.8	8	< 1	< 1	1	4	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	2.0		2	2	2	2	2	2	2
80-84	3	2.0	3	< 1	< 1	1	3	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	30	3.8	8	1	2	3	5	9	10	11
70-74	32	4.8	14	1	2	4	6	11	14	15
75-79	33	4.0	9	1	2	3	5	7	12	14
80-84	23	5.4	23	2	2	3	7	14	17	18
85 +	14	3.4	3	1	2	3	5	7	77	99 +
B. Operated										
65-69 YRS	21	3.2	12	1	1	2	3	8	12	15
70-74	17	5.1	20	1	2	3	6	13	15	16
75-79	17	3.4	10	1	1	2	5	9	10	10
80-84	8	3.9	12	1	1	3	5	9	11	11
85 +	5	3.2	15	1	1	1	5	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	10	2.2	4	< 1	1	1	2	5	7	7
2. MULTIPLE DX										
A. Not Operated	132	4.3	12	1	2	3	5	10	14	32
B. Operated	68	3.8	14	1	1	2	5	10	11	16
1. SINGLE DX	11	2.6	5	< 1	1	2	4	7	7	7
2. MULTIPLE DX	200	4.2	13	1	2	3	5	10	13	17
A. Not Operated	133	4.4	12	1	2	3	5	10	14	31
B. Operated	78	3.6	13	1	1	2	5	9	11	16
TOTAL										
65-69 YRS	55	3.5	10	1	1	2	5	7	10	15
70-74	51	4.9	16	1	2	4	6	11	15	16
75-79	52	3.7	9	1	2	3	5	8	10	14
80-84	34	4.7	19	1	2	3	5	11	16	18
85 +	19	3.3	6	1	1	3	5	8	55	99 +
GRAND TOTAL	**211**	**4.1**	**12**	**1**	**2**	**3**	**5**	**9**	**13**	**17**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	37	1.1		1	1	1	1	1	2	2
70-74	18	1.3		< 1	1	1	2	2	3	3
75-79	11	1.1		< 1	< 1	1	1	2	2	2
80-84	8	1.3	1	< 1	< 1	1	1	3	3	3
85 +	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	4.9	15	< 1	2	5	7	10	14	14
70-74	20	5.0	17	1	3	3	7	11	15	16
75-79	16	5.1	10	2	3	4	6	9	12	14
80-84	11	4.5	5	2	3	4	6	8	10	10
85 +	9	5.3	28	1	1	4	8	14	17	17
B. Operated										
65-69 YRS	113	1.5	1	1	1	1	2	2	3	8
70-74	65	1.6	1	1	1	1	2	2	3	6
75-79	36	1.8	4	< 1	1	1	2	3	3	13
80-84	13	5.6	39	1	2	2	7	17	19	20
85 +	3	5.3	56	1	1	1	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.0	8	2	2	4	6	6	6	6
B. Operated	75	1.6	13	< 1	1	1	1	2	2	25
2. MULTIPLE DX										
A. Not Operated	67	5.0	14	1	3	4	7	9	14	17
B. Operated	230	1.9	5	1	1	1	2	3	4	14
1. SINGLE DX	77	1.6	13	< 1	1	1	1	2	3	25
2. MULTIPLE DX	297	2.6	9	1	1	1	3	6	8	16
A. Not Operated	69	4.9	14	1	3	4	6	9	14	17
B. Operated	305	1.8	7	1	1	1	2	2	4	15
TOTAL										
65-69 YRS	161	1.7	3	1	1	1	2	3	5	10
70-74	103	2.2	6	1	1	1	2	4	7	15
75-79	63	2.5	7	< 1	1	2	3	5	8	14
80-84	33	4.2	19	1	1	3	5	10	15	20
85 +	14	7.0	78	1	1	3	9	18	29	32
GRAND TOTAL	**374**	**2.4**	**10**	**1**	**1**	**1**	**2**	**5**	**8**	**16**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	4.5	5	2	3	4	6	7	8	8
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	5.0	18	2	2	5	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	18	1.4	1	1	1	1	2	2	3	4
70-74	9	4.2	27	1	1	2	5	13	17	17
75-79	7	2.3	3	1	1	2	3	5	6	6
80-84	2	4.0	18	1	1	4	7	7	7	7
85 +	2	7.5	85	< 1	< 1	7	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	48	7.5	58	2	3	5	9	17	25	42
70-74	45	6.7	12	3	4	7	9	11	12	15
75-79	33	8.9	82	2	4	6	10	18	31	43
80-84	29	7.3	54	3	4	5	8	12	18	41
85 +	23	8.7	44	3	4	6	12	18	25	27
B. Operated										
65-69 YRS	45	7.5	129	1	1	2	8	24	36	49
70-74	42	7.4	109	1	1	2	11	21	37	39
75-79	21	5.4	49	1	1	2	5	16	22	28
80-84	20	10.4	100	2	3	5	17	22	31	39
85 +	13	15.5	104	1	11	14	19	27	38	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.3	5	2	2	4	6	8	8	8
B. Operated	38	2.7	12	1	1	1	2	7	11	17
2. MULTIPLE DX										
A. Not Operated	178	7.7	48	3	4	6	10	14	22	42
B. Operated	141	8.3	109	1	1	3	13	21	35	44
1. SINGLE DX	50	3.1	11	1	1	2	4	7	8	17
2. MULTIPLE DX	319	7.9	75	1	2	5	10	19	26	42
A. Not Operated	190	7.5	46	2	3	6	9	14	20	42
B. Operated	179	7.1	94	1	1	2	10	20	28	43
TOTAL										
65-69 YRS	119	6.4	77	1	1	3	7	16	26	46
70-74	97	6.7	55	1	2	4	9	14	20	39
75-79	63	6.9	64	1	2	5	8	16	25	42
80-84	52	8.3	71	2	3	5	10	19	23	41
85 +	38	10.9	73	2	4	9	14	22	26	41
GRAND TOTAL	**369**	**7.3**	**69**	**1**	**2**	**4**	**9**	**17**	**24**	**42**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	130	2.7	2	1	2	2	4	5	6	7
70-74	105	2.7	3	1	2	2	3	5	6	10
75-79	92	2.7	3	1	1	2	3	5	6	9
80-84	44	2.7	2	1	1	3	4	4	5	8
85 +	33	3.3	5	1	2	3	5	6	8	9
B. Operated										
65-69 YRS	34	2.7	9	1	1	2	4	5	6	17
70-74	18	3.0	5	1	1	2	4	7	8	8
75-79	10	2.5	4	1	1	2	3	6	8	8
80-84	5	1.8		1	1	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	750	3.6	6	1	2	3	5	7	8	12
70-74	753	3.8	11	1	2	3	5	7	9	13
75-79	745	4.0	8	1	2	3	5	7	9	13
80-84	603	4.4	13	2	2	3	5	8	11	19
85 +	373	4.9	45	1	2	3	5	8	12	42
B. Operated										
65-69 YRS	64	4.7	15	1	2	3	6	9	13	19
70-74	63	6.2	20	1	3	5	8	12	17	19
75-79	28	6.4	23	2	3	5	8	13	19	19
80-84	39	10.0	93	3	4	7	12	16	34	49
85 +	18	8.1	81	2	3	5	10	17	31	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	404	2.7	3	1	2	2	3	5	6	8
B. Operated	67	2.7	6	1	1	2	3	5	7	16
2. MULTIPLE DX										
A. Not Operated	3224	4.0	14	1	2	3	5	7	9	15
B. Operated	212	6.6	40	2	3	5	8	13	18	40
1. SINGLE DX	471	2.7	3	1	2	2	3	5	6	8
2. MULTIPLE DX	3436	4.2	16	1	2	3	5	8	10	17
A. Not Operated	3628	3.9	13	1	2	3	5	7	9	15
B. Operated	279	5.7	35	1	2	4	7	12	16	35
TOTAL										
65-69 YRS	978	3.6	6	1	2	3	4	6	8	12
70-74	939	3.8	12	1	2	3	5	7	9	15
75-79	875	3.9	8	1	2	3	5	7	9	14
80-84	691	4.6	19	2	2	3	5	8	12	22
85 +	424	4.9	44	1	2	3	5	8	12	41
GRAND TOTAL	**3907**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	47	1.3		1	1	1	1	2	3	4
70-74	25	1.4		1	1	1	2	2	3	3
75-79	13	1.2		< 1	1	1	1	2	2	2
80-84	6	1.2		1	1	1	1	2	2	2
85 +	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	3.0	12	1	1	1	6	7	7	7
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	45	1.6		1	1	1	2	2	3	3
70-74	30	1.5	1	1	1	1	2	2	2	5
75-79	22	1.6	1	1	1	1	2	2	3	5
80-84	8	1.6	1	1	1	2	2	3	3	3
85 +	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	94	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	5	2.6	7	1	1	1	4	7	7	7
B. Operated	107	1.6	1	1	1	1	2	2	3	5
1. SINGLE DX	96	1.3		1	1	1	2	2	2	4
2. MULTIPLE DX	112	1.6	1	1	1	1	2	2	3	6
A. Not Operated	7	2.3	5	1	1	1	3	6	7	7
B. Operated	201	1.4		1	1	1	2	2	3	4
TOTAL										
65-69 YRS	96	1.5	1	1	1	1	2	2	3	6
70-74	56	1.5	1	1	1	1	2	2	2	5
75-79	36	1.4	1	1	1	1	2	2	2	5
80-84	15	1.5	1	1	1	1	2	3	3	3
85 +	5	1.6		1	1	2	2	2	2	2
GRAND TOTAL	**208**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	2.6	2	1	1	3	3	5	5	5
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	47	1.2		1	1	1	1	2	3	3
70-74	30	1.5	1	< 1	1	1	2	3	3	7
75-79	14	1.5	1	1	1	1	2	3	3	3
80-84	8	1.0		< 1	< 1	1	1	1	1	1
85 +	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	4.4	31	1	2	4	4	5	19	24
70-74	17	4.6	6	3	3	4	6	9	10	10
75-79	22	4.6	11	1	3	4	5	10	12	15
80-84	11	5.6	21	2	3	4	6	14	15	15
85 +	8	4.1	8	1	2	3	5	9	10	10
B. Operated										
65-69 YRS	129	1.7	3	1	1	1	2	3	4	12
70-74	72	3.2	46	1	1	1	2	6	14	45
75-79	47	2.0	5	1	1	1	2	4	6	13
80-84	13	4.8	47	< 1	1	2	5	15	22	24
85 +	8	2.4	7	1	1	1	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.3	2	1	1	2	3	4	5	5
B. Operated	101	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	73	4.7	14	1	3	4	5	10	13	22
B. Operated	269	2.3	17	1	1	1	2	4	7	17
1. SINGLE DX	113	1.4	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX	342	2.8	18	1	1	1	3	6	10	18
A. Not Operated	85	4.4	13	1	3	4	5	9	11	21
B. Operated	370	2.1	13	1	1	1	2	4	6	15
TOTAL										
65-69 YRS	200	1.9	5	1	1	1	2	4	4	12
70-74	121	3.0	29	1	1	1	3	6	9	28
75-79	84	2.6	7	1	1	2	3	5	8	14
80-84	32	4.1	28	< 1	1	2	4	13	15	24
85 +	18	3.0	7	1	1	2	4	7	9	10
GRAND TOTAL	**455**	**2.5**	**14**	**1**	**1**	**1**	**3**	**5**	**7**	**15**

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	4.0	10	1	2	3	5	9	11	11
70-74	6	9.8	52	4	5	6	18	20	20	20
75-79	11	7.3	16	3	4	6	9	13	17	17
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	3	9.7	49	3	4	9	15	17	17	17
B. Operated										
65-69 YRS	4	14.3	90	2	8	15	20	25	25	25
70-74	3	9.3	4	7	8	10	11	11	11	11
75-79	5	14.0	118	1	7	12	21	30	30	30
80-84	1	10.0		10	10	10	10	10	10	10
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.5	1	2	2	2	3	3	3	3
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	30	7.0	26	2	4	5	9	17	18	20
B. Operated	13	12.7	67	2	8	11	16	26	29	30
1. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX	43	8.7	44	2	4	7	11	18	22	30
A. Not Operated	32	6.7	25	2	3	5	8	17	18	20
B. Operated	13	12.7	67	2	8	11	16	26	29	30
TOTAL										
65-69 YRS	12	7.4	56	1	2	4	12	19	24	25
70-74	9	9.7	34	4	5	7	13	19	20	20
75-79	17	9.0	52	3	4	8	11	18	26	30
80-84	3	6.3	10	4	4	5	9	10	10	10
85 +	4	7.8	48	2	2	6	13	17	17	17
GRAND TOTAL	**45**	**8.4**	**44**	**2**	**4**	**6**	**11**	**18**	**21**	**30**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	5.2	22	< 1	1	3	9	12	12	12
70-74	2	5.5	5	4	4	5	7	7	7	7
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	24	7.7	125	1	1	2	12	15	28	53
70-74	23	4.7	22	1	1	3	8	12	15	16
75-79	7	4.3	31	1	1	2	6	14	16	16
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	116	7.8	69	1	3	6	10	14	18	51
70-74	129	7.7	60	2	4	6	10	13	14	37
75-79	151	8.5	52	3	4	7	9	14	22	36
80-84	106	7.9	35	3	4	6	10	17	22	62
85 +	82	8.4	68	3	4	6	9	17	28	46
B. Operated										
65-69 YRS	387	11.5	128	1	2	10	15	23	35	65
70-74	318	12.2	156	1	2	10	16	27	37	62
75-79	192	12.6	159	2	3	9	18	29	34	80
80-84	78	13.0	153	1	3	11	20	33	46	99 +
85 +	36	10.3	63	2	4	8	15	21	25	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	4.5	12	1	2	3	7	10	12	12
B. Operated	56	5.9	68	1	1	2	10	14	16	51
2. MULTIPLE DX										
A. Not Operated	584	8.1	56	3	4	6	10	14	20	39
B. Operated	1011	12.0	142	1	2	10	16	26	36	65
1. SINGLE DX	66	5.7	59	1	1	3	10	14	16	47
2. MULTIPLE DX	1595	10.6	114	2	3	8	14	22	31	62
A. Not Operated	594	8.0	55	3	4	6	10	14	20	38
B. Operated	1067	11.7	140	1	2	10	16	25	36	64
TOTAL										
65-69 YRS	532	10.5	117	1	2	9	14	21	30	64
70-74	472	10.5	128	1	3	8	14	23	31	60
75-79	352	10.6	114	2	3	7	14	23	32	60
80-84	185	10.0	91	2	3	7	13	24	34	99 +
85 +	120	9.0	66	2	4	6	10	20	26	40
GRAND TOTAL	**1661**	**10.4**	**113**	**1**	**3**	**8**	**14**	**22**	**31**	**61**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	64	3.0	4	1	2	2	4	5	7	10
70-74	48	3.8	9	1	2	3	5	7	9	16
75-79	43	3.6	4	2	2	3	4	6	8	11
80-84	32	3.5	6	1	2	3	4	7	9	11
85 +	21	3.1	2	1	2	3	4	5	6	6
B. Operated										
65-69 YRS	17	2.8	9	1	1	2	3	8	9	10
70-74	4	7.3	20	1	4	8	10	11	11	11
75-79	4	1.3		< 1	< 1	1	2	2	2	2
80-84	4	3.0	5	1	1	2	4	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	896	4.8	22	2	2	4	6	9	12	23
70-74	791	4.9	20	2	2	4	6	9	12	21
75-79	794	5.0	13	2	3	4	6	9	12	20
80-84	525	5.2	21	2	2	4	6	10	14	23
85 +	361	6.3	54	2	3	5	7	11	18	65
B. Operated										
65-69 YRS	185	7.0	61	1	2	4	9	16	21	36
70-74	175	7.5	57	1	3	6	9	16	23	36
75-79	115	8.5	81	1	3	6	11	17	22	48
80-84	68	6.0	44	1	1	4	8	13	21	31
85 +	38	7.1	123	1	1	4	7	19	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	3.4	5	1	2	3	4	6	8	12
B. Operated	29	3.2	11	1	1	2	4	9	10	11
2. MULTIPLE DX										
A. Not Operated	3367	5.1	23	2	3	4	6	9	12	23
B. Operated	581	7.3	66	1	2	5	9	16	22	43
1. SINGLE DX	237	3.4	6	1	2	3	4	6	8	12
2. MULTIPLE DX	3948	5.4	30	2	3	4	7	10	14	27
A. Not Operated	3575	5.0	22	2	2	4	6	9	12	22
B. Operated	610	7.2	64	1	2	5	9	16	22	42
TOTAL										
65-69 YRS	1162	5.0	28	1	2	4	6	10	13	25
70-74	1018	5.3	27	2	2	4	6	10	14	26
75-79	956	5.3	22	2	3	4	6	10	13	22
80-84	629	5.2	23	1	2	4	6	10	14	26
85 +	420	6.2	58	2	3	4	7	11	18	74
GRAND TOTAL	**4185**	**5.3**	**29**	**2**	**2**	**4**	**6**	**10**	**14**	**27**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	4.3	5	2	3	4	6	8	10	10
70-74	18	4.8	6	2	3	4	6	8	10	12
75-79	30	5.3	10	2	3	5	7	10	12	13
80-84	22	4.3	5	2	3	4	5	8	9	9
85 +	20	5.5	12	2	3	5	6	11	14	14
B. Operated										
65-69 YRS	7	3.0	24	1	1	1	2	12	14	14
70-74	3	1.0		1	1	1	1	1	1	1
75-79	3	1.0		< 1	< 1	1	1	1	1	1
80-84	1	10.0		10	10	10	10	10	10	10
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	892	6.8	31	3	4	6	8	12	15	26
70-74	1100	7.2	28	3	4	6	9	13	17	27
75-79	1143	7.8	40	3	4	6	10	14	18	29
80-84	1053	8.3	37	3	4	7	10	14	19	36
85 +	866	8.7	67	3	4	7	10	17	24	64
B. Operated										
65-69 YRS	185	10.8	87	2	4	9	14	21	30	42
70-74	172	11.0	77	3	5	9	14	22	29	44
75-79	142	12.8	111	3	6	11	15	29	37	99 +
80-84	99	13.1	103	4	6	10	17	26	36	77
85 +	67	16.8	242	4	8	13	19	34	43	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	4.8	8	2	3	4	6	9	11	14
B. Operated	15	3.3	21	1	1	1	2	12	13	14
2. MULTIPLE DX										
A. Not Operated	5054	7.7	40	3	4	6	9	14	19	36
B. Operated	665	12.2	110	2	5	10	15	26	34	62
1. SINGLE DX	138	4.6	9	1	3	4	6	9	12	14
2. MULTIPLE DX	5719	8.3	50	3	4	6	10	15	21	41
A. Not Operated	5177	7.7	40	3	4	6	9	14	18	35
B. Operated	680	12.0	110	2	5	10	15	25	33	60
TOTAL										
65-69 YRS	1117	7.4	42	2	4	6	9	14	17	32
70-74	1293	7.6	36	3	4	6	9	14	19	33
75-79	1318	8.3	50	3	4	6	10	15	20	37
80-84	1175	8.6	44	3	4	7	11	15	20	39
85 +	954	9.2	82	3	4	7	11	18	25	68
GRAND TOTAL	**5857**	**8.2**	**50**	**3**	**4**	**6**	**10**	**15**	**20**	**40**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	6.0		6	6	6	6	6	6	6
75-79	2	9.5	61	4	4	9	15	15	15	15
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	13	3.0	4	1	2	2	4	6	8	8
70-74	8	4.4	17	1	1	3	6	11	13	13
75-79	6	3.5	4	1	2	3	5	6	6	6
80-84	4	2.0	2	1	1	2	3	4	4	4
85 +	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	67	7.0	17	2	4	7	9	14	14	19
70-74	86	7.3	61	2	4	5	8	13	20	51
75-79	77	6.9	18	3	4	6	8	11	15	24
80-84	48	8.7	48	3	5	7	8	19	22	37
85 +	40	9.1	78	3	4	7	11	17	25	50
B. Operated										
65-69 YRS	169	9.5	95	1	3	7	12	21	27	53
70-74	125	10.4	110	1	3	8	13	25	31	53
75-79	101	12.7	119	3	5	10	15	29	36	53
80-84	36	13.7	249	2	3	8	15	48	54	58
85 +	20	17.2	262	2	6	14	22	34	53	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	7.5	26	4	4	5	10	15	15	15
B. Operated	33	3.3	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated	318	7.6	42	2	4	6	8	14	19	32
B. Operated	451	11.2	127	2	3	8	14	25	35	56
1. SINGLE DX	37	3.8	10	1	2	3	5	7	11	15
2. MULTIPLE DX	769	9.7	95	2	4	7	11	20	28	53
A. Not Operated	322	7.5	41	2	4	6	8	14	19	32
B. Operated	484	10.6	122	2	3	8	13	24	33	56
TOTAL										
65-69 YRS	249	8.5	72	2	3	7	10	19	24	37
70-74	220	8.9	90	2	3	6	10	19	27	53
75-79	186	9.9	82	3	4	7	12	22	30	47
80-84	88	10.4	136	2	4	7	11	22	38	57
85 +	63	11.4	147	2	4	7	14	24	34	67
GRAND TOTAL	**806**	**9.4**	**92**	**2**	**4**	**7**	**11**	**20**	**27**	**53**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	3.7	1	3	3	3	4	6	6	6
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	18.0		18	18	18	18	18	18	18
85 +	0									
B. Operated										
65-69 YRS	9	3.2	12	1	1	2	4	9	11	11
70-74	3	1.7		1	1	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	40	7.2	44	2	4	6	8	14	17	40
70-74	72	7.8	45	2	4	6	9	15	23	36
75-79	41	9.2	115	3	4	7	10	15	19	70
80-84	41	7.2	19	3	4	6	9	12	16	21
85 +	25	13.6	182	2	4	10	18	30	41	61
B. Operated										
65-69 YRS	101	9.3	65	2	3	8	13	19	26	40
70-74	89	10.8	71	2	5	9	14	22	31	37
75-79	51	11.1	94	1	3	9	14	26	32	37
80-84	20	12.6	146	2	4	9	15	26	42	53
85 +	7	13.7	18	13	15	21	22	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	5.8	25	3	3	3	7	14	18	18
B. Operated	14	2.9	8	1	1	2	2	7	10	11
2. MULTIPLE DX										
A. Not Operated	219	8.5	71	2	4	6	10	16	23	46
B. Operated	268	10.6	79	2	3	9	14	23	31	39
1. SINGLE DX	23	4.0	16	1	2	3	4	9	13	18
2. MULTIPLE DX	487	9.7	77	2	4	8	12	20	27	40
A. Not Operated	228	8.4	70	2	4	6	10	16	22	45
B. Operated	282	10.2	78	2	3	8	14	23	30	38
TOTAL										
65-69 YRS	156	8.2	57	2	3	6	11	17	24	40
70-74	165	9.3	61	2	4	7	12	20	28	36
75-79	94	10.1	102	2	3	8	13	23	31	55
80-84	63	9.0	65	3	4	8	11	17	21	50
85 +	32	14.7	149	2	6	12	22	26	34	61
GRAND TOTAL	**510**	**9.4**	**75**	**2**	**3**	**7**	**12**	**20**	**27**	**39**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	360	6.9	9	3	5	7	9	10	12	14
70-74	357	7.4	11	3	5	7	9	11	13	17
75-79	244	7.7	13	4	6	8	9	11	13	18
80-84	177	7.7	11	4	6	7	9	11	13	20
85 +	101	7.8	9	4	6	7	9	11	13	18
B. Operated										
65-69 YRS	149	7.7	20	3	5	7	10	12	14	26
70-74	90	8.1	14	4	6	7	10	12	14	23
75-79	36	7.4	16	1	5	7	10	12	14	18
80-84	18	10.1	37	3	6	9	12	19	25	27
85 +	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5263	9.0	22	5	6	8	11	14	17	27
70-74	5980	9.5	28	5	7	9	11	14	18	28
75-79	6048	10.0	34	5	7	9	12	16	20	34
80-84	5124	10.4	41	5	7	9	12	17	20	34
85 +	3964	10.7	44	5	7	9	12	17	22	39
B. Operated										
65-69 YRS	3348	11.7	69	5	7	10	14	21	27	49
70-74	2551	12.8	88	5	8	10	15	22	30	60
75-79	1671	13.8	81	6	8	12	17	25	30	52
80-84	790	14.7	96	7	9	12	18	25	33	67
85 +	409	16.3	147	7	9	13	20	30	39	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1239	7.4	11	3	5	7	9	11	12	17
B. Operated	295	7.9	19	4	5	7	10	12	14	26
2. MULTIPLE DX										
A. Not Operated	26379	9.9	34	5	7	9	12	15	19	33
B. Operated	8769	12.9	84	6	8	11	15	23	30	58
1. SINGLE DX	1534	7.5	12	3	5	7	9	11	13	18
2. MULTIPLE DX	35148	10.6	48	5	7	9	12	17	22	40
A. Not Operated	27618	9.8	33	5	7	9	11	15	19	32
B. Operated	9064	12.8	83	5	8	10	15	23	30	57
TOTAL										
65-69 YRS	9120	9.9	41	5	7	9	11	16	20	37
70-74	8978	10.3	47	5	7	9	12	17	21	39
75-79	7999	10.8	46	5	7	9	12	18	23	40
80-84	6109	10.8	50	5	7	9	13	18	23	39
85 +	4476	11.2	55	5	7	9	13	18	24	44
GRAND TOTAL	**36682**	**10.5**	**47**	**5**	**7**	**9**	**12**	**17**	**22**	**39**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	230	2.6	2	1	2	2	3	5	5	7
70-74	195	2.5	3	1	2	2	3	4	6	8
75-79	170	3.0	7	1	2	2	4	5	7	12
80-84	139	2.6	2	1	2	2	3	5	5	7
85 +	72	3.2	8	1	2	3	4	5	6	19
B. Operated										
65-69 YRS	104	2.5	8	1	1	2	3	5	8	15
70-74	72	2.1	3	1	1	1	2	4	7	9
75-79	36	2.7	9	1	1	2	3	5	11	14
80-84	8	2.4	3	1	1	2	3	5	6	6
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4007	3.7	7	1	2	3	5	7	8	14
70-74	4143	3.9	9	2	2	3	5	7	9	14
75-79	3805	4.1	10	2	2	3	5	7	9	15
80-84	2914	4.3	16	2	2	3	5	7	10	18
85 +	2241	4.6	24	2	2	3	5	8	11	19
B. Operated										
65-69 YRS	2076	4.5	24	1	1	3	6	10	13	23
70-74	1732	5.3	32	1	2	3	8	12	15	26
75-79	898	6.3	41	1	2	4	9	15	19	27
80-84	276	7.3	60	1	2	5	10	15	21	38
85 +	134	8.5	61	2	4	7	10	16	25	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	806	2.7	4	1	2	2	3	5	6	9
B. Operated	221	2.4	6	1	1	2	2	5	8	14
2. MULTIPLE DX										
A. Not Operated	17110	4.1	12	2	2	3	5	7	9	16
B. Operated	5116	5.3	33	1	2	3	8	12	16	27
1. SINGLE DX	1027	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	22226	4.3	17	1	2	3	5	8	11	20
A. Not Operated	17916	4.0	12	2	2	3	5	7	9	15
B. Operated	5337	5.2	33	1	2	3	7	12	16	27
TOTAL										
65-69 YRS	6417	3.9	12	1	2	3	5	8	10	17
70-74	6142	4.2	16	1	2	3	5	8	11	19
75-79	4909	4.5	16	1	2	3	5	9	11	21
80-84	3337	4.5	20	2	2	3	5	8	11	22
85 +	2448	4.8	26	2	2	4	6	9	12	25
GRAND TOTAL	**23253**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

1,058 Hospitals, United States, Geriatric, January-December 1988

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	493	3.4	3	1	2	3	4	6	7	10
70-74	472	3.4	5	1	2	3	4	6	7	10
75-79	385	3.7	6	1	2	3	4	6	8	15
80-84	279	3.8	5	2	2	3	5	6	9	13
85 +	173	3.7	4	1	2	3	5	7	8	9
B. Operated										
65-69 YRS	171	4.8	62	1	2	3	5	9	14	23
70-74	156	4.8	14	1	2	4	7	10	11	17
75-79	84	6.0	41	2	3	4	8	11	14	42
80-84	26	4.7	17	1	2	3	6	9	14	18
85 +	6	9.5	49	1	3	10	15	17	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7857	4.5	9	2	3	4	6	8	10	15
70-74	8562	4.9	14	2	3	4	6	9	11	18
75-79	8185	5.1	14	2	3	4	6	9	11	19
80-84	6437	5.4	19	2	3	4	7	9	12	21
85 +	4475	5.7	27	2	3	4	7	10	13	26
B. Operated										
65-69 YRS	4991	8.0	51	2	3	6	11	16	20	34
70-74	4117	8.9	67	2	3	7	12	18	22	43
75-79	2548	9.5	64	2	4	8	13	19	24	43
80-84	1080	10.8	106	2	4	8	14	21	27	66
85 +	393	11.0	91	3	5	9	14	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1802	3.5	5	1	2	3	4	6	7	11
B. Operated	443	5.1	38	1	2	4	7	10	14	19
2. MULTIPLE DX										
A. Not Operated	35516	5.1	16	2	3	4	6	9	11	19
B. Operated	13129	8.9	65	2	4	7	12	18	22	40
1. SINGLE DX	2245	3.8	12	1	2	3	5	7	9	15
2. MULTIPLE DX	48645	6.1	32	2	3	5	7	12	16	28
A. Not Operated	37318	5.0	15	2	3	4	6	9	11	19
B. Operated	13572	8.8	65	2	4	7	12	17	22	40
TOTAL										
65-69 YRS	13512	5.8	28	2	3	4	7	11	15	25
70-74	13307	6.1	34	2	3	4	7	12	16	28
75-79	11202	6.1	29	2	3	5	7	11	16	28
80-84	7822	6.1	34	2	3	5	7	11	15	28
85 +	5047	6.1	33	2	3	5	7	11	15	28
GRAND TOTAL	**50890**	**6.0**	**31**	**2**	**3**	**4**	**7**	**12**	**15**	**27**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	3.4	12	1	1	2	4	6	10	20
70-74	27	3.3	13	1	1	2	4	6	9	19
75-79	11	5.6	26	2	3	5	6	12	19	20
80-84	11	3.4	7	< 1	1	2	6	7	8	8
85 +	12	3.8	2	2	3	4	5	6	6	6
B. Operated										
65-69 YRS	1110	3.6	13	1	1	2	4	9	11	15
70-74	655	3.7	17	1	1	2	4	10	12	18
75-79	271	3.7	16	1	1	2	4	10	12	18
80-84	60	4.1	20	1	1	2	6	10	13	23
85 +	8	4.6	18	1	2	3	6	12	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	680	4.4	13	1	2	4	6	8	11	16
70-74	700	4.5	12	2	2	4	6	8	10	17
75-79	599	5.4	21	2	3	4	7	10	13	20
80-84	495	6.2	30	2	3	5	7	12	16	28
85 +	392	6.1	35	2	3	5	7	11	16	85
B. Operated										
65-69 YRS	7482	7.1	58	1	2	5	10	15	19	37
70-74	5482	7.8	64	1	2	6	11	16	22	41
75-79	2653	8.7	77	1	2	7	12	18	24	47
80-84	622	10.1	104	1	3	7	14	22	27	56
85 +	145	9.0	71	2	3	7	13	21	24	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	107	3.6	12	1	1	3	5	7	8	20
B. Operated	2104	3.7	15	1	1	2	4	10	12	17
2. MULTIPLE DX										
A. Not Operated	2866	5.2	21	2	3	4	6	9	13	23
B. Operated	16384	7.7	66	1	2	6	11	16	22	42
1. SINGLE DX	2211	3.7	15	1	1	2	4	9	12	17
2. MULTIPLE DX	19250	7.4	60	1	2	5	10	16	20	40
A. Not Operated	2973	5.1	21	2	3	4	6	9	13	23
B. Operated	18488	7.3	62	1	2	5	10	16	20	39
TOTAL										
65-69 YRS	9318	6.5	51	1	2	4	9	14	18	35
70-74	6864	7.1	57	1	2	5	10	15	20	37
75-79	3534	7.7	65	1	2	5	11	16	22	43
80-84	1188	8.1	73	2	3	5	10	18	23	46
85 +	557	6.8	45	2	3	5	8	14	20	56
GRAND TOTAL	**21461**	**7.0**	**56**	**1**	**2**	**5**	**10**	**15**	**20**	**37**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	47	7.9	8	5	6	8	9	10	13	17
70-74	37	7.5	7	4	6	7	9	11	12	14
75-79	27	8.0	5	5	6	8	9	11	12	13
80-84	20	7.9	8	5	6	8	9	10	13	16
85 +	17	9.1	33	3	6	9	10	13	23	28
B. Operated										
65-69 YRS	5	13.2	279	4	5	6	16	43	43	43
70-74	8	12.4	41	3	9	12	17	20	21	21
75-79	5	10.2	19	3	9	11	12	15	15	15
80-84	2	9.0	8	7	7	9	11	11	11	11
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	709	9.7	20	6	7	9	11	14	18	27
70-74	720	10.5	31	6	7	10	12	16	19	32
75-79	703	11.2	45	6	8	10	13	18	21	40
80-84	517	11.3	52	6	8	10	13	18	21	33
85 +	422	11.5	55	6	8	10	13	18	21	41
B. Operated										
65-69 YRS	278	14.3	107	6	8	12	17	24	35	59
70-74	244	13.8	57	7	9	12	16	26	30	40
75-79	214	15.3	116	6	9	12	18	32	40	79
80-84	149	15.8	70	8	10	14	19	28	3	46
85 +	84	17.0	191	6	9	13	19	34	46	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	148	8.0	10	5	6	8	9	11	12	17
B. Operated	20	11.7	80	3	6	11	13	20	32	43
2. MULTIPLE DX										
A. Not Operated	3071	10.8	39	6	7	9	12	17	20	33
B. Operated	969	14.9	99	7	9	12	18	27	35	59
1. SINGLE DX	168	8.4	19	5	6	8	10	11	15	27
2. MULTIPLE DX	4040	11.7	56	6	8	10	14	19	24	43
A. Not Operated	3219	10.6	38	6	7	9	12	17	20	33
B. Operated	989	14.8	98	7	9	12	18	27	35	58
TOTAL										
65-69 YRS	1039	10.9	48	6	7	9	12	18	22	40
70-74	1009	11.2	39	6	8	10	13	18	22	37
75-79	949	12.0	63	6	8	10	14	19	25	52
80-84	688	12.2	58	6	8	10	14	19	25	42
85 +	523	12.3	80	6	8	10	14	20	27	61
GRAND TOTAL	**4208**	**11.6**	**55**	**6**	**8**	**10**	**13**	**19**	**24**	**42**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.7	4	2	2	3	5	6	6	6
70-74	4	11.3	126	4	5	6	17	28	28	28
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	21.0		21	21	21	21	21	21	21
B. Operated										
65-69 YRS	1	30.0		30	30	30	30	30	30	30
70-74	0									
75-79	0									
80-84	2	5.0	32	< 1	< 1	4	9	9	9	9
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	81	19.2	185	6	10	16	28	33	42	75
70-74	76	22.1	150	8	12	21	29	42	45	86
75-79	68	26.2	265	7	15	23	33	45	59	85
80-84	46	20.9	194	5	9	19	33	43	51	99 +
85 +	45	23.2	133	9	15	24	30	33	43	57
B. Operated										
65-69 YRS	64	26.0	291	6	11	24	42	51	53	64
70-74	72	29.2	334	7	15	29	41	53	57	92
75-79	44	35.6	444	14	18	35	45	77	96	99 +
80-84	35	30.7	242	14	17	34	40	50	76	99 +
85 +	23	35.0	294	13	24	33	42	61	70	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	9.0	75	2	3	6	10	24	28	28
B. Operated	3	13.3	224	< 1	2	9	25	30	30	30
2. MULTIPLE DX										
A. Not Operated	316	22.2	192	7	12	20	30	41	47	84
B. Operated	238	30.3	333	10	15	30	42	52	63	98
1. SINGLE DX	13	10.0	97	2	3	6	13	28	30	30
2. MULTIPLE DX	554	25.7	268	8	14	23	35	47	55	98
A. Not Operated	326	21.8	193	6	12	19	29	41	46	84
B. Operated	241	30.1	334	9	15	30	42	52	62	98
TOTAL										
65-69 YRS	149	21.9	243	6	10	16	30	45	52	65
70-74	152	25.2	252	7	13	22	36	46	53	97
75-79	113	29.7	354	10	16	28	38	51	77	99
80-84	84	24.4	243	7	13	21	37	44	52	99 +
85 +	69	27.1	212	10	16	28	33	43	57	75
GRAND TOTAL	**567**	**25.3**	**269**	**7**	**13**	**22**	**35**	**46**	**54**	**97**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	2.4	2	< 1	2	2	3	4	4	8
70-74	27	2.4	4	1	1	2	3	4	7	10
75-79	19	1.8	1	1	1	2	2	4	4	4
80-84	12	2.7	2	1	2	2	3	5	6	6
85 +	6	2.0	1	1	1	2	3	3	3	3
B. Operated										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	455	3.6	7	1	2	3	5	7	9	14
70-74	492	4.4	16	1	2	3	5	8	11	22
75-79	456	4.7	15	2	2	4	6	9	11	21
80-84	325	5.2	21	2	2	4	6	10	13	30
85 +	256	5.8	31	2	3	4	7	11	14	40
B. Operated										
65-69 YRS	40	9.4	77	2	4	7	11	24	29	37
70-74	35	10.2	98	3	6	7	11	19	24	57
75-79	30	9.1	46	2	4	8	12	17	20	33
80-84	32	11.4	87	4	5	9	13	22	36	42
85 +	18	15.1	120	5	8	13	20	40	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	93	2.3	2	1	1	2	3	4	4	9
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	1984	4.6	17	1	2	4	6	8	11	21
B. Operated	155	10.6	84	3	5	8	13	22	31	56
1. SINGLE DX	94	2.3	2	1	1	2	3	4	4	9
2. MULTIPLE DX	2139	5.0	24	1	2	4	6	9	13	29
A. Not Operated	2077	4.5	16	1	2	3	5	8	11	21
B. Operated	156	10.5	84	3	5	8	13	22	30	56
TOTAL										
65-69 YRS	524	4.0	14	1	2	3	5	8	10	21
70-74	555	4.6	23	1	2	3	6	9	12	25
75-79	505	4.9	17	1	2	4	6	9	12	22
80-84	369	5.6	29	2	3	4	7	11	16	36
85 +	280	6.3	41	2	3	5	7	12	18	49
GRAND TOTAL	**2233**	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	**13**	**29**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	304	2.4	4	< 1	1	2	3	4	6	10
70-74	271	2.7	7	1	1	2	3	5	7	17
75-79	185	3.1	19	1	1	2	4	6	7	14
80-84	100	3.3	11	1	2	3	4	6	8	19
85 +	63	3.4	12	1	2	2	4	5	7	24
B. Operated										
65-69 YRS	6	1.3		< 1	1	1	2	2	2	2
70-74	9	8.9	84	1	2	5	15	23	29	29
75-79	4	2.8	4	1	1	3	4	5	5	5
80-84	5	4.8	16	1	1	4	9	9	9	9
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3650	4.3	12	1	2	3	5	8	11	17
70-74	4153	4.8	19	1	2	4	6	9	12	21
75-79	3900	5.3	21	2	2	4	7	10	13	22
80-84	2909	5.5	24	2	3	4	7	10	13	24
85 +	2476	6.3	32	2	3	5	8	12	16	34
B. Operated										
65-69 YRS	380	9.0	81	2	4	7	11	19	27	54
70-74	450	10.5	108	2	4	8	13	22	29	59
75-79	412	10.8	100	2	4	8	14	22	30	59
80-84	294	10.7	132	3	4	8	13	20	26	76
85 +	256	12.8	149	3	5	9	16	29	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	923	2.8	9	1	1	2	3	5	7	13
B. Operated	25	5.0	42	1	1	2	5	15	19	29
2. MULTIPLE DX										
A. Not Operated	17088	5.2	21	2	2	4	6	10	13	22
B. Operated	1792	10.6	111	2	4	8	13	22	31	67
1. SINGLE DX	948	2.9	10	1	1	2	3	5	7	15
2. MULTIPLE DX	18880	5.7	32	2	2	4	7	11	15	30
A. Not Operated	18011	5.0	21	1	2	4	6	10	12	22
B. Operated	1817	10.5	111	2	4	8	13	22	31	67
TOTAL										
65-69 YRS	4340	4.5	20	1	2	3	6	9	12	21
70-74	4883	5.3	30	1	2	4	6	10	14	27
75-79	4501	5.7	31	2	2	4	7	11	15	29
80-84	3308	5.9	36	2	3	4	7	11	15	31
85 +	2796	6.9	46	2	3	5	8	13	18	43
GRAND TOTAL	**19828**	**5.5**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	190	3.1	4	1	2	2	4	6	7	9
70-74	149	3.0	3	1	2	3	4	5	6	9
75-79	110	3.3	5	1	2	3	4	6	9	11
80-84	100	3.5	9	1	2	3	4	8	9	16
85 +	68	4.0	14	1	2	3	5	7	9	24
B. Operated										
65-69 YRS	89	3.7	10	1	2	3	5	6	7	20
70-74	142	3.5	7	1	2	3	5	7	9	13
75-79	131	4.2	11	1	2	3	5	9	13	15
80-84	96	3.8	8	1	2	3	5	9	10	11
85 +	99	4.3	21	1	2	3	5	8	11	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3595	5.0	18	2	2	4	6	9	12	21
70-74	4049	5.3	23	2	3	4	6	10	12	22
75-79	4122	5.7	22	2	3	4	7	11	14	24
80-84	3230	6.0	28	2	3	5	7	11	14	27
85 +	2744	6.6	39	2	3	5	8	12	17	31
B. Operated										
65-69 YRS	1649	8.5	71	2	4	6	11	18	23	45
70-74	2014	8.0	52	2	4	6	10	16	21	40
75-79	2329	8.0	54	2	4	6	10	15	21	41
80-84	2040	8.5	61	3	4	7	10	16	21	43
85 +	1906	9.1	61	3	4	7	11	17	23	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	617	3.3	6	1	2	3	4	6	8	11
B. Operated	557	3.9	11	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. Not Operated	17740	5.6	25	2	3	4	7	10	14	24
B. Operated	9938	8.4	59	2	4	6	10	16	22	43
1. SINGLE DX	1174	3.6	8	1	2	3	4	7	9	13
2. MULTIPLE DX	27678	6.6	39	2	3	5	8	13	17	31
A. Not Operated	18357	5.6	25	2	3	4	7	10	14	24
B. Operated	10495	8.2	58	2	4	6	10	16	21	43
TOTAL										
65-69 YRS	5523	5.9	36	2	3	4	7	12	17	29
70-74	6354	6.1	33	2	3	5	7	12	16	29
75-79	6692	6.4	34	2	3	5	8	12	16	29
80-84	5466	6.8	41	2	3	5	8	13	17	31
85 +	4817	7.5	49	2	3	6	9	14	19	38
GRAND TOTAL	**28852**	**6.5**	**38**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	173	5.1	13	2	3	4	6	10	12	18
70-74	244	5.0	11	2	3	4	6	9	12	18
75-79	283	5.1	15	2	3	4	6	9	12	22
80-84	283	5.3	17	2	3	4	7	9	13	22
85 +	331	4.9	12	2	3	4	6	8	11	17
B. Operated										
65-69 YRS	8	5.0	21	1	1	3	10	11	11	11
70-74	13	6.8	21	2	3	5	9	14	16	16
75-79	4	13.5	81	3	6	15	21	21	21	21
80-84	7	10.3	115	1	2	7	13	28	32	32
85 +	3	5.0	7	3	3	4	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11063	7.2	32	3	4	6	9	13	17	29
70-74	13979	7.5	35	3	4	6	9	14	18	30
75-79	15627	7.7	39	3	4	6	9	14	18	32
80-84	14551	7.9	41	3	4	6	10	14	19	35
85 +	16068	8.3	52	3	4	6	10	15	20	40
B. Operated										
65-69 YRS	1769	12.3	99	3	6	10	16	24	33	63
70-74	1992	13.7	133	4	7	10	17	27	38	77
75-79	1844	14.1	131	4	7	11	17	28	39	77
80-84	1301	15.4	176	5	7	12	19	29	44	92
85 +	1246	15.8	162	5	8	12	20	32	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1314	5.1	14	2	3	4	6	9	12	20
B. Operated	35	7.7	48	1	3	5	11	16	21	32
2. MULTIPLE DX										
A. Not Operated	71288	7.7	41	3	4	6	9	14	18	33
B. Operated	8152	14.1	138	4	7	11	18	28	39	85
1. SINGLE DX	1349	5.1	15	2	3	4	6	9	12	21
2. MULTIPLE DX	79440	8.4	54	3	4	6	10	16	21	41
A. Not Operated	72602	7.7	40	3	4	6	9	14	18	33
B. Operated	8187	14.0	138	4	7	11	18	28	39	84
TOTAL										
65-69 YRS	13013	7.8	44	3	4	6	10	15	19	35
70-74	16228	8.2	51	3	4	6	10	15	21	39
75-79	17758	8.3	52	3	4	6	10	15	21	40
80-84	16142	8.5	56	3	4	7	10	16	21	42
85 +	17648	8.8	63	3	4	7	10	16	23	48
GRAND TOTAL	**80789**	**8.3**	**54**	**3**	**4**	**6**	**10**	**16**	**21**	**40**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	5.2	3	3	3	5	7	7	7	7
70-74	7	4.1	8	< 1	1	4	7	8	8	8
75-79	3	4.3	2	3	3	4	5	6	6	6
80-84	3	4.7	4	3	3	4	6	7	7	7
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	16	3.1	23	1	1	2	2	7	16	20
70-74	10	1.4		< 1	1	1	2	2	2	2
75-79	10	3.3	31	< 1	1	1	3	11	19	19
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	582	7.5	37	3	4	6	10	14	17	29
70-74	571	8.4	46	2	4	7	11	15	20	38
75-79	478	8.7	63	3	4	7	10	16	22	46
80-84	309	9.1	57	3	5	7	11	17	22	37
85 +	166	8.6	31	3	5	7	11	15	19	29
B. Operated										
65-69 YRS	304	8.1	93	1	2	5	11	17	27	71
70-74	199	9.4	155	1	2	6	12	20	32	89
75-79	134	11.5	133	2	3	8	15	25	38	50
80-84	60	12.0	140	2	4	9	16	22	36	69
85 +	14	19.4	369	3	9	16	25	72	93	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	4.7	5	1	3	5	7	7	8	8
B. Operated	38	3.1	27	1	1	1	2	6	20	22
2. MULTIPLE DX										
A. Not Operated	2106	8.4	48	3	4	7	10	15	20	36
B. Operated	711	9.6	130	1	2	6	13	22	34	76
1. SINGLE DX	58	3.7	20	1	1	2	4	7	15	22
2. MULTIPLE DX	2817	8.7	69	2	4	7	11	17	23	47
A. Not Operated	2126	8.3	48	3	4	7	10	15	20	36
B. Operated	749	9.3	127	1	2	6	12	21	33	72
TOTAL										
65-69 YRS	908	7.6	56	2	3	6	10	15	20	40
70-74	787	8.5	73	2	4	7	11	16	21	46
75-79	625	9.2	79	2	4	7	11	18	24	47
80-84	373	9.5	71	3	4	7	12	19	24	42
85 +	182	9.5	64	3	5	8	12	16	26	64
GRAND TOTAL	**2875**	**8.6**	**69**	**2**	**4**	**7**	**11**	**16**	**22**	**46**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	3.4	8	1	2	3	4	7	9	13
70-74	26	3.5	6	1	2	3	5	7	8	11
75-79	21	4 2	19	1	2	3	4	9	16	19
80-84	9	3.4	3	1	2	3	5	6	6	6
85 +	3	2.7	2	1	1	3	4	4	4	4
B. Operated										
65-69 YRS	100	3.9	22	1	1	1	6	10	12	23
70-74	73	4.5	22	1	1	2	8	10	13	23
75-79	76	5.1	35	1	1	2	8	13	17	27
80-84	27	5.0	34	1	1	2	6	15	19	23
85 +	7	2.7	2	1	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	755	5.9	24	2	3	5	7	11	14	26
70-74	718	6.3	27	2	3	5	8	11	14	26
75-79	612	6.7	33	2	3	5	8	13	17	28
80-84	459	7.1	47	2	3	5	8	14	22	36
85 +	304	7.7	53	2	3	6	9	16	22	30
B. Operated										
65-69 YRS	1101	10.2	103	1	2	9	14	21	27	55
70-74	1028	11.0	117	1	3	9	15	22	31	73
75-79	878	11.8	128	1	3	10	16	24	34	59
80-84	385	11.9	108	2	4	10	16	24	29	51
85 +	174	11.2	99	2	4	9	15	24	29	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	3.6	9	1	2	3	4	6	9	17
B. Operated	283	4.4	26	1	1	2	8	11	14	24
2. MULTIPLE DX										
A. Not Operated	2848	6.6	34	2	3	5	8	12	16	30
B. Operated	3566	11.1	114	1	3	9	15	23	30	58
1. SINGLE DX	375	4.2	22	1	1	2	5	10	13	24
2. MULTIPLE DX	6414	9.1	83	2	3	7	12	19	25	50
A. Not Operated	2940	6.5	33	2	3	5	8	12	16	30
B. Operated	3849	10.6	110	1	2	9	14	22	29	56
TOTAL										
65-69 YRS	1989	8.2	73	1	2	6	11	17	23	44
70-74	1845	8.8	83	1	3	7	12	18	25	54
75-79	1587	9.4	92	2	3	7	12	20	27	52
80-84	880	9.1	79	2	3	6	12	20	26	48
85 +	488	8.8	72	2	3	6	12	20	25	37
GRAND TOTAL	**6789**	**8.8**	**81**	**1**	**3**	**6**	**12**	**19**	**25**	**50**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.0	4	< 1	< 1	1	3	5	5	5
70-74	0									
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	10	11.8	60	3	7	11	15	23	30	30
70-74	5	13.8	61	4	7	15	20	23	23	23
75-79	3	31.7	472	7	15	40	46	48	48	48
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	7.7	116	< 1	1	6	8	14	36	44
70-74	20	13.7	109	3	6	10	21	27	35	41
75-79	25	17.8	188	5	7	16	25	33	42	65
80-84	31	13.6	154	3	6	9	21	37	53	99 +
85 +	20	10.4	36	4	6	9	14	20	21	22
B. Operated										
65-69 YRS	78	27.5	396	6	13	23	38	66	75	99 +
70-74	62	29.0	396	8	14	25	40	72	90	99 +
75-79	38	25.1	247	9	13	24	36	53	84	99 +
80-84	20	27.7	306	8	15	26	40	77	99 +	99 +
85 +	12	37.2	303	19	24	34	51	63	68	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.0	3	< 1	< 1	1	3	5	5	5
B. Operated	18	15.7	157	4	7	12	19	37	45	48
2. MULTIPLE DX										
A. Not Operated	111	13.2	133	2	6	9	20	28	40	78
B. Operated	210	28.1	356	8	14	24	40	67	79	99 +
1. SINGLE DX	25	11.8	151	< 1	3	8	15	30	42	48
2. MULTIPLE DX	321	22.9	328	5	9	20	33	57	74	99 +
A. Not Operated	118	12.5	133	1	5	9	19	28	38	76
B. Operated	228	27.1	350	7	13	23	39	62	78	99 +
TOTAL										
65-69 YRS	107	22.3	384	2	8	18	30	57	74	99 +
70-74	87	24.6	356	6	11	21	33	59	79	99 +
75-79	67	22.3	244	6	10	20	32	49	65	99 +
80-84	51	19.1	256	4	7	15	35	53	93	99 +
85 +	34	19.4	303	4	7	12	26	45	60	69
GRAND TOTAL	**346**	**22.1**	**323**	**4**	**9**	**19**	**32**	**54**	**72**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	18.3	102	10	12	15	24	33	33	33
70-74	6	11.3	111	3	3	7	19	28	29	29
75-79	4	22.5	20	19	19	21	25	29	29	29
80-84	4	15.3	9	12	13	15	17	19	19	19
85 +	4	9.5	19	7	7	8	12	16	16	16
B. Operated										
65-69 YRS	6	40.3	306	24	25	37	54	63	64	64
70-74	6	36.2	352	18	30	59	99 +	99 +	99 +	99 +
75-79	7	29.9	227	13	16	25	42	49	51	51
80-84	4	28.5	318	18	18	21	39	55	55	55
85 +	6	21.7	171	7	12	20	29	41	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	22	15.0	70	4	8	15	19	29	31	33
B. Operated	29	31.4	275	14	20	29	54	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	51	24.4	251	7	14	22	39	63	99 +	99 +
A. Not Operated	22	15.0	70	4	8	15	19	29	31	33
B. Operated	29	31.4	275	14	20	29	54	99 +	99 +	99 +
TOTAL										
65-69 YRS	10	31.5	334	12	15	25	49	59	64	64
70-74	12	23.8	379	3	13	29	81	99 +	99 +	99 +
75-79	11	27.2	156	14	19	22	38	46	51	51
80-84	8	21.9	190	13	15	18	21	45	55	55
85 +	10	16.8	141	7	7	13	26	35	42	42
GRAND TOTAL	**51**	**24.4**	**251**	**7**	**14**	**22**	**39**	**63**	**99 +**	**99 +**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	12.9	270	4	6	9	13	19	56	72
70-74	28	6.5	25	1	2	5	11	14	15	19
75-79	28	8.5	71	2	3	5	12	19	26	38
80-84	19	8.3	38	2	4	7	10	17	23	26
85 +	23	10.1	116	2	4	7	12	18	40	48
B. Operated										
65-69 YRS	31	11.1	66	4	5	9	12	25	29	33
70-74	27	10.9	190	2	4	7	11	27	36	69
75-79	23	9.5	69	2	6	8	10	16	32	38
80-84	19	10.1	17	6	7	9	12	15	19	22
85 +	10	11.4	27	4	9	12	13	18	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	257	11.3	133	3	5	8	14	22	29	76
70-74	345	11.6	119	4	5	8	14	23	30	64
75-79	413	12.2	121	3	5	9	16	24	33	83
80-84	360	13.4	148	4	6	10	17	27	38	79
85 +	344	12.9	104	4	6	10	17	27	30	95
B. Operated										
65-69 YRS	225	20.3	236	6	9	16	28	45	62	99 +
70-74	255	19.3	275	6	9	14	25	44	74	99 +
75-79	223	21.9	366	6	8	16	31	57	96	99 +
80-84	161	19.6	211	7	10	16	25	40	57	99 +
85 +	124	22.2	275	8	12	18	32	57	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	8.9	91	2	4	6	11	17	24	57
B. Operated	110	10.6	83	3	6	8	12	21	29	50
2. MULTIPLE DX										
A. Not Operated	1719	12.3	125	4	6	9	16	25	31	79
B. Operated	988	20.5	276	6	9	16	28	49	76	99 +
1. SINGLE DX	224	9.7	88	2	4	7	12	18	27	53
2. MULTIPLE DX	2707	15.3	196	4	7	11	20	32	50	99 +
A. Not Operated	1833	12.1	123	3	5	9	15	24	31	77
B. Operated	1098	19.5	266	6	9	15	27	45	70	99 +
TOTAL										
65-69 YRS	529	15.2	195	4	6	10	19	31	46	93
70-74	655	14.3	195	4	6	10	19	31	44	99 +
75-79	687	15.1	219	4	6	11	20	35	53	99 +
80-84	559	14.9	168	4	7	11	19	30	43	84
85 +	501	15.0	161	4	7	12	19	32	52	99 +
GRAND TOTAL	**2931**	**14.9**	**190**	**4**	**7**	**11**	**19**	**32**	**48**	**99 +**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	128	13.7	113	4	7	11	17	25	31	62
70-74	134	16.3	244	5	7	12	19	29	49	89
75-79	159	15.3	179	5	8	11	17	30	49	98
80-84	143	14.0	131	5	8	11	17	25	39	80
85 +	134	15.9	146	5	7	13	21	34	44	99 +
B. Operated										
65-69 YRS	58	19.9	272	5	8	15	32	50	94	99 +
70-74	73	23.8	238	10	13	21	34	60	92	99 +
75-79	76	26.1	390	9	14	20	37	77	99 +	99 +
80-84	46	23.2	264	7	11	18	32	40	57	83
85 +	33	29.5	726	7	12	19	49	87	99	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	698	15.0	163	5	7	11	19	29	43	85
B. Operated	286	24.2	348	7	12	19	34	63	96	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	984	17.7	234	5	8	13	22	38	61	99 +
A. Not Operated	698	15.0	163	5	7	11	19	29	43	85
B. Operated	286	24.2	348	7	12	19	34	63	96	99 +
TOTAL										
65-69 YRS	186	15.6	169	4	7	12	21	33	49	99 +
70-74	207	18.9	253	5	9	14	24	39	68	99 +
75-79	235	18.8	271	6	9	14	24	44	77	99 +
80-84	189	16.2	178	5	8	12	20	32	44	81
85 +	167	18.6	286	6	8	14	22	44	76	99 +
GRAND TOTAL	**984**	**17.7**	**234**	**5**	**8**	**13**	**22**	**38**	**61**	**99 +**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	4.8	15	1	2	4	7	11	12	12
70-74	17	3.9	7	1	2	4	5	7	10	11
75-79	20	5.1	28	1	1	4	8	9	16	24
80-84	8	3.6	3	2	2	3	5	6	6	6
85 +	7	5.6	27	2	3	4	5	15	17	17
B. Operated										
65-69 YRS	409	3.9	7	1	2	4	5	7	8	15
70-74	448	3.9	6	1	2	3	5	7	8	14
75-79	301	4.1	13	1	2	4	5	7	9	14
80-84	120	4.3	9	1	2	4	5	8	10	16
85 +	31	4.4	4	2	3	4	6	7	7	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	174	5.2	24	1	2	4	7	10	13	22
70-74	273	6.0	28	2	3	5	7	11	14	28
75-79	269	6.0	24	2	3	5	7	11	14	21
80-84	236	7.0	60	2	3	5	8	12	17	52
85 +	192	7.9	97	2	4	5	9	13	20	53
B. Operated										
65-69 YRS	2347	5.8	24	2	3	5	7	11	14	25
70-74	2544	6.3	30	2	3	5	8	12	16	27
75-79	1862	6.8	34	2	4	5	8	13	18	28
80-84	839	7.3	55	2	4	5	8	14	19	44
85 +	283	8.2	58	2	4	6	9	17	23	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	4.6	16	1	2	4	6	10	11	23
B. Operated	1309	4.0	8	1	2	4	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	1144	6.4	45	2	3	5	7	12	15	36
B. Operated	7875	6.4	33	2	3	5	8	12	16	29
1. SINGLE DX	1377	4.0	9	1	2	4	5	7	9	15
2. MULTIPLE DX	9019	6.4	35	2	3	5	8	12	16	29
A. Not Operated	1212	6.3	44	2	3	5	7	11	15	33
B. Operated	9184	6.1	30	2	3	5	7	12	16	28
TOTAL										
65-69 YRS	2946	5.5	22	2	3	4	6	10	14	23
70-74	3282	5.9	28	2	3	5	7	11	15	27
75-79	2452	6.4	31	2	3	5	8	12	16	26
80-84	1203	6.9	52	2	3	5	8	13	17	41
85 +	513	7.8	69	2	4	6	9	15	22	45
GRAND TOTAL	**10396**	**6.1**	**32**	**2**	**3**	**5**	**7**	**12**	**15**	**28**

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	7.7	25	3	4	7	10	14	19	22
70-74	30	10.9	50	3	6	10	15	18	23	34
75-79	36	9.0	59	4	4	7	12	19	37	99 +
80-84	18	7.3	25	2	5	7	9	11	19	24
85 +	11	10.7	37	5	7	8	14	20	25	25
B. Operated										
65-69 YRS	124	10.3	118	3	4	7	13	21	30	89
70-74	104	11.2	108	2	4	8	16	25	42	99 +
75-79	86	11.0	140	3	5	7	13	23	31	61
80-84	48	13.4	61	4	8	12	17	22	27	44
85 +	17	12.8	86	4	7	7	21	27	31	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	118	9.1	43	4	5	7	12	18	24	58
B. Operated	379	11.2	111	3	5	8	15	24	31	95
1. SINGLE DX	0									
2. MULTIPLE DX	497	10.7	96	3	5	8	14	22	29	92
A. Not Operated	118	9.1	43	4	5	7	12	18	24	58
B. Operated	379	11.2	111	3	5	8	15	24	31	95
TOTAL										
65-69 YRS	147	9.9	104	3	4	7	12	21	29	85
70-74	134	11.1	94	2	5	9	16	24	34	99 +
75-79	122	10.4	116	3	5	7	12	22	34	72
80-84	66	11.7	58	4	7	10	16	22	25	41
85 +	28	12.0	66	4	7	8	16	25	28	33
GRAND TOTAL	**497**	**10.7**	**96**	**3**	**5**	**8**	**14**	**22**	**29**	**92**

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	135	6.0	26	2	3	5	7	11	13	33
70-74	167	5.6	23	2	3	4	6	10	12	24
75-79	161	7.3	35	3	4	6	9	13	16	44
80-84	132	7.3	33	2	4	6	9	12	20	31
85 +	123	7.6	33	2	4	6	9	14	20	31
B. Operated										
65-69 YRS	16	13.6	260	3	4	8	10	47	52	54
70-74	16	9.9	71	2	5	8	11	23	30	33
75-79	13	6.9	67	1	2	5	7	18	29	31
80-84	10	7.4	22	2	5	6	9	15	17	17
85 +	5	11.4	265	1	2	5	17	40	40	40
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2878	9.0	69	3	4	7	11	17	22	47
70-74	3588	9.7	83	3	5	7	12	19	26	63
75-79	4102	10.5	106	3	5	8	12	20	31	77
80-84	3738	11.0	108	3	5	8	13	22	31	68
85 +	3618	11.5	126	4	5	8	13	23	33	91
B. Operated										
65-69 YRS	538	14.3	170	4	6	10	19	32	49	99 +
70-74	611	17.7	285	5	7	12	23	43	73	99 +
75-79	586	18.4	282	5	8	14	24	48	83	99 +
80-84	459	21.6	333	6	9	16	31	58	89	99 +
85 +	393	26.3	451	8	12	20	38	70	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	718	6.7	31	2	3	5	8	12	16	32
B. Operated	60	10.0	126	2	4	6	10	27	36	53
2. MULTIPLE DX										
A. Not Operated	17924	10.4	101	3	5	8	12	20	29	69
B. Operated	2587	19.1	308	5	8	14	25	50	77	99 +
1. SINGLE DX	778	7.0	39	2	3	5	8	12	17	34
2. MULTIPLE DX	20511	11.5	135	3	5	8	13	23	36	92
A. Not Operated	18642	10.2	98	3	5	7	12	20	29	68
B. Operated	2647	18.9	306	5	8	14	25	49	77	99 +
TOTAL										
65-69 YRS	3567	9.7	88	3	4	7	12	19	27	60
70-74	4382	10.7	118	3	5	8	13	22	31	82
75-79	4862	11.3	132	3	5	8	13	24	36	99
80-84	4339	12.0	141	3	5	8	14	26	37	91
85 +	4139	12.7	173	4	5	9	15	27	42	99 +
GRAND TOTAL	**21289**	**11.3**	**132**	**3**	**5**	**8**	**13**	**23**	**35**	**91**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1261	11.6	105	4	6	9	14	23	32	74
70-74	1616	12.2	123	4	6	9	14	25	35	70
75-79	1813	12.5	125	4	6	9	15	25	36	99 +
80-84	1695	12.8	126	4	6	10	15	25	34	72
85 +	1543	13.8	158	5	7	10	16	27	38	80
B. Operated										
65-69 YRS	208	21.0	298	6	10	17	25	52	70	99 +
70-74	236	22.1	387	6	10	15	28	57	87	99 +
75-79	247	22.3	339	6	9	19	31	63	99	99 +
80-84	186	23.7	314	7	11	20	33	56	99	99 +
85 +	189	24.0	276	8	12	20	32	53	75	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7928	12.6	128	4	6	9	15	25	35	77
B. Operated	1066	22.5	326	7	10	18	31	56	88	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	8994	13.8	162	4	6	10	17	29	42	99 +
A. Not Operated	7928	12.6	128	4	6	9	15	25	35	77
B. Operated	1066	22.5	326	7	10	18	31	56	88	99 +
TOTAL										
65-69 YRS	1469	12.9	143	4	6	9	16	26	37	97
70-74	1852	13.5	167	4	6	10	16	28	43	91
75-79	2060	13.6	161	4	6	10	17	30	44	99 +
80-84	1881	13.9	155	4	6	10	17	29	43	98
85 +	1732	14.9	181	5	7	11	18	31	43	93
GRAND TOTAL	**8994**	**13.8**	**162**	**4**	**6**	**10**	**17**	**29**	**42**	**99 +**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	220	3.1	4	1	2	3	4	6	7	10
70-74	236	3.5	20	1	2	3	4	6	8	13
75-79	217	3.6	20	1	2	3	4	6	8	17
80-84	201	3.8	14	1	2	3	5	6	8	18
85 +	196	3.8	8	1	2	3	5	7	9	15
B. Operated										
65-69 YRS	56	3.7	6	1	2	3	5	6	8	14
70-74	51	3.1	6	1	1	2	4	5	6	14
75-79	34	3.7	9	1	1	3	5	8	9	12
80-84	11	2.8	6	1	1	1	5	7	8	8
85 +	12	4.7	6	2	3	4	5	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2646	4.6	13	2	2	4	6	8	11	17
70-74	3511	5.1	22	2	3	4	6	9	12	21
75-79	4080	5.6	38	2	3	4	7	10	13	34
80-84	3942	5.9	41	2	3	4	7	11	14	36
85 +	4211	6.6	55	2	3	5	8	12	19	53
B. Operated										
65-69 YRS	624	7.2	60	2	3	5	8	13	19	46
70-74	683	7.7	54	2	3	6	9	15	21	44
75-79	567	8.3	74	2	4	6	10	16	24	61
80-84	423	11.1	132	2	5	8	13	24	37	99 +
85 +	313	12.7	157	4	5	9	15	30	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1070	3.6	13	1	2	3	4	6	8	14
B. Operated	164	3.5	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
A. Not Operated	18390	5.7	36	2	3	4	7	10	14	33
B. Operated	2610	8.9	88	2	4	6	11	18	27	64
1. SINGLE DX	1234	3.5	12	1	2	3	4	6	8	14
2. MULTIPLE DX	21000	6.1	44	2	3	4	7	11	15	38
A. Not Operated	19460	5.5	35	2	3	4	7	10	13	32
B. Operated	2774	8.5	85	2	4	6	10	17	26	63
TOTAL										
65-69 YRS	3546	5.0	22	2	2	4	6	9	12	21
70-74	4481	5.4	28	2	3	4	6	10	13	27
75-79	4898	5.8	42	2	3	4	7	11	15	38
80-84	4577	6.3	51	2	3	5	7	12	16	43
85 +	4732	6.9	62	2	3	5	8	13	20	56
GRAND TOTAL	**22234**	**5.9**	**42**	**2**	**3**	**4**	**7**	**11**	**15**	**37**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	68	6.2	43	2	3	5	7	11	14	45
70-74	101	6.1	33	2	3	5	7	10	12	40
75-79	111	6.1	22	2	3	5	7	10	16	25
80-84	116	6.7	76	2	3	5	7	11	14	51
85 +	115	6.1	22	2	3	5	7	11	15	27
B. Operated										
65-69 YRS	4	5.5	10	1	3	6	7	8	8	8
70-74	12	4.2	9	1	2	4	6	8	10	10
75-79	8	5.4	22	1	1	4	9	12	13	13
80-84	4	5.8	15	2	3	5	8	11	11	11
85 +	2	21.0	392	7	7	21	35	35	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	994	7.4	46	2	4	6	9	14	19	35
70-74	1265	8.2	56	3	4	6	10	15	19	40
75-79	1615	8.5	65	3	4	7	10	15	21	44
80-84	1554	9.2	82	3	4	7	11	17	24	58
85 +	1788	9.4	77	3	5	7	11	17	24	59
B. Operated										
65-69 YRS	149	13.3	197	4	6	9	15	32	57	99 +
70-74	174	15.1	212	4	6	11	19	32	53	79
75-79	196	16.4	218	5	8	12	20	35	54	96
80-84	137	18.7	261	6	10	14	22	44	83	99 +
85 +	171	18.7	231	5	8	15	25	44	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	511	6.3	39	2	3	5	7	11	14	35
B. Operated	30	6.0	42	1	2	5	7	11	13	35
2. MULTIPLE DX										
A. Not Operated	7216	8.7	68	3	4	7	10	16	22	49
B. Operated	827	16.4	226	5	7	12	20	37	57	99 +
1. SINGLE DX	541	6.2	39	2	3	5	7	11	14	35
2. MULTIPLE DX	8043	9.5	90	3	4	7	11	18	26	64
A. Not Operated	7727	8.5	66	3	4	7	10	16	22	47
B. Operated	857	16.1	223	4	7	12	20	36	55	99 +
TOTAL										
65-69 YRS	1215	8.1	68	2	4	6	10	15	22	52
70-74	1552	8.8	77	3	4	7	10	16	23	55
75-79	1930	9.2	84	3	4	7	11	17	25	54
80-84	1811	9.7	101	3	4	7	11	19	26	81
85 +	2076	10.0	94	3	5	7	12	19	28	66
GRAND TOTAL	**8584**	**9.3**	**87**	**3**	**4**	**7**	**11**	**18**	**25**	**61**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	367	9.0	42	3	5	7	11	18	21	34
70-74	520	9.4	56	3	5	8	12	16	24	49
75-79	652	9.9	71	3	5	8	12	19	27	53
80-84	572	10.8	115	3	5	8	12	20	32	80
85 +	660	10.5	96	4	6	8	12	19	27	65
B. Operated										
65-69 YRS	63	17.2	297	5	8	12	17	40	67	83
70-74	61	18.2	239	6	8	14	23	38	57	98
75-79	56	18.4	211	5	9	14	25	43	69	99 +
80-84	56	17.7	210	6	10	15	22	50	91	99 +
85 +	59	17.4	240	6	9	14	20	32	59	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2771	10.0	80	3	5	8	12	19	27	58
B. Operated	295	17.8	238	6	9	14	22	39	67	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	3066	10.8	100	3	5	8	13	21	30	76
A. Not Operated	2771	10.0	80	3	5	8	12	19	27	58
B. Operated	295	17.8	238	6	9	14	22	39	67	99 +
TOTAL										
65-69 YRS	430	10.2	87	3	5	8	12	19	24	47
70-74	581	10.4	82	3	5	8	12	19	30	57
75-79	708	10.6	87	3	5	8	13	21	30	83
80-84	628	11.4	127	3	5	8	14	23	34	86
85 +	719	11.0	111	4	6	8	13	20	29	79
GRAND TOTAL	**3066**	**10.8**	**100**	**3**	**5**	**8**	**13**	**21**	**30**	**76**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	4.0	38	1	2	3	4	6	13	33
70-74	38	5.2	30	1	2	4	7	9	20	25
75-79	28	4.2	8	1	2	3	6	9	11	11
80-84	30	4.4	10	1	2	4	6	8	13	13
85 +	12	4.2	11	1	1	4	5	9	12	12
B. Operated										
65-69 YRS	19	4.7	39	< 1	1	2	7	10	19	27
70-74	11	3.5	18	< 1	1	2	4	10	15	15
75-79	10	2.7	5	< 1	1	2	4	6	8	8
80-84	3	3.3	10	< 1	< 1	2	6	7	7	7
85 +	3	6.0	25	1	2	6	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	516	5.5	14	2	3	5	7	11	13	18
70-74	550	6.5	33	2	3	5	8	13	17	25
75-79	664	7.7	83	2	3	5	9	14	20	53
80-84	595	7.7	79	2	3	6	9	14	21	81
85 +	590	8.3	81	2	3	6	10	17	29	70
B. Operated										
65-69 YRS	144	9.4	103	1	3	7	12	18	31	66
70-74	141	9.2	110	2	3	7	13	18	23	88
75-79	117	10.6	162	2	4	7	11	20	37	71
80-84	76	15.4	334	2	4	9	20	40	66	97
85 +	68	11.7	99	2	4	9	17	26	31	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	134	4.5	20	1	2	4	5	8	12	26
B. Operated	46	4.0	23	< 1	1	2	5	9	12	27
2. MULTIPLE DX										
A. Not Operated	2915	7.2	61	2	3	5	8	13	19	50
B. Operated	546	10.7	152	2	4	7	13	23	37	88
1. SINGLE DX	180	4.4	21	1	2	3	5	8	12	26
2. MULTIPLE DX	3461	7.8	77	2	3	5	9	15	22	60
A. Not Operated	3049	7.1	60	2	3	5	8	13	19	49
B. Operated	592	10.2	146	1	3	7	12	22	36	88
TOTAL										
65-69 YRS	705	6.2	37	2	3	5	8	12	15	33
70-74	740	6.9	48	2	3	5	8	14	18	36
75-79	819	8.0	93	2	3	5	9	15	22	56
80-84	704	8.3	109	2	3	6	9	15	28	88
85 +	673	8.6	83	2	4	6	10	19	29	70
GRAND TOTAL	**3641**	**7.6**	**75**	**2**	**3**	**5**	**9**	**15**	**21**	**56**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.4	5	1	1	1	3	6	7	7
70-74	7	4.1	8	1	1	4	7	8	8	8
75-79	11	4.2	11	< 1	1	3	7	9	10	10
80-84	3	6.3	46	< 1	1	4	11	14	14	14
85 +	7	6.6	20	< 1	2	7	8	13	14	14
B. Operated										
65-69 YRS	201	4.6	13	1	1	4	7	9	11	16
70-74	225	4.9	21	1	1	4	7	10	11	22
75-79	124	5.5	24	1	2	5	7	11	15	24
80-84	79	5.6	18	1	2	4	9	12	13	16
85 +	44	6.7	25	1	1	6	10	14	16	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	119	6.9	33	1	3	6	9	12	13	30
70-74	136	6.6	24	1	3	6	9	12	15	23
75-79	150	7.4	70	1	3	6	9	14	17	52
80-84	126	7.9	40	2	4	7	10	14	19	35
85 +	145	7.4	26	2	4	6	9	13	16	21
B. Operated										
65-69 YRS	2462	10.9	117	2	5	8	14	23	32	67
70-74	2629	11.6	126	2	5	9	14	24	32	76
75-79	2187	12.0	114	2	6	9	15	25	36	67
80-84	1443	13.2	147	3	6	10	16	27	38	74
85 +	1225	13.1	124	4	7	10	16	26	35	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.5	14	1	1	4	7	8	13	14
B. Operated	673	5.1	20	1	1	4	7	11	13	20
2. MULTIPLE DX										
A. Not Operated	676	7.2	39	1	3	6	9	13	16	29
B. Operated	9946	12.0	125	2	5	9	15	25	34	71
1. SINGLE DX	708	5.1	19	1	1	4	7	11	13	20
2. MULTIPLE DX	10622	11.7	121	2	5	9	14	24	33	68
A. Not Operated	711	7.1	38	1	3	6	9	13	16	29
B. Operated	10619	11.5	121	2	5	9	14	24	33	68
TOTAL										
65-69 YRS	2789	10.3	109	2	4	8	13	21	31	65
70-74	2997	10.9	118	2	5	8	13	22	30	67
75-79	2472	11.4	109	2	5	9	14	24	34	66
80-84	1651	12.4	137	2	6	9	15	26	36	71
85 +	1421	12.3	115	3	6	10	15	24	33	67
GRAND TOTAL	**11330**	**11.3**	**117**	**2**	**5**	**9**	**14**	**23**	**32**	**67**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	22	3.5	10	< 1	1	2	6	8	9	11
70-74	16	2.6	9	1	1	1	3	5	11	13
75-79	14	6.7	354	< 1	1	2	2	11	58	72
80-84	2	5.5	13	3	3	5	8	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	24	4.9	22	1	2	3	5	11	17	20
70-74	21	5.5	19	2	3	4	6	11	16	20
75-79	32	9.6	217	2	3	5	9	20	34	80
80-84	20	4.4	8	1	2	4	5	9	10	11
85 +	29	8.5	54	2	4	5	12	21	23	26
B Operated										
65-69 YRS	251	7.7	75	1	2	5	11	16	21	42
70-74	226	7.9	64	1	2	6	10	18	22	39
75-79	112	9.8	95	2	3	8	12	21	25	53
80-84	52	9.0	75	1	3	6	13	17	29	42
85 +	23	10.0	123	2	3	7	12	27	40	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.3		1	1	1	2	2	2	2
B. Operated	54	4.1	96	1	1	2	4	8	10	70
2. MULTIPLE DX										
A. Not Operated	126	6.9	79	2	3	4	7	16	21	46
B. Operated	664	8.3	77	1	2	6	11	18	24	43
1. SINGLE DX	58	3.9	90	1	1	2	3	8	10	67
2. MULTIPLE DX	790	8.1	77	1	2	6	11	17	23	43
A. Not Operated	130	6.8	77	1	3	4	7	15	20	44
B. Operated	718	8.0	79	1	2	6	11	17	24	43
TOTAL										
65-69 YRS	298	7.2	68	1	2	5	10	16	21	41
70-74	265	7.4	59	1	2	5	10	17	21	33
75-79	159	9.4	140	1	3	6	12	20	27	72
80-84	74	7.6	59	1	3	5	10	16	27	39
85 +	52	9.2	83	2	4	6	12	22	26	43
GRAND TOTAL	**848**	**7.8**	**79**	**1**	**2**	**5**	**10**	**17**	**23**	**43**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	2.0	3	< 1	< 1	1	3	5	5	5
70-74	8	4.3	71	< 1	< 1	1	2	18	25	25
75-79	5	4.8	11	2	3	3	7	10	10	10
80-84	9	3.0	12	< 1	1	1	4	9	11	11
85 +	5	2.4	2	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	110	9.0	17	5	7	8	11	13	14	26
70-74	98	9.5	26	2	8	9	12	16	18	26
75-79	59	8.3	20	1	6	9	10	14	15	18
80-84	24	10.0	46	1	6	10	13	17	22	33
85 +	10	11.1	33	3	9	10	13	20	22	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	74	5.3	31	< 1	1	3	8	12	15	29
70-74	108	5.4	32	< 1	1	4	7	11	18	29
75-79	133	6.2	36	1	2	4	8	14	20	26
80-84	92	4.8	12	1	3	4	7	9	11	18
85 +	128	7.0	69	2	3	5	8	14	19	49
B. Operated										
65-69 YRS	1381	12.9	100	6	8	10	14	22	30	74
70-74	1520	13.8	99	7	8	11	15	26	35	63
75-79	1127	14.8	132	6	9	12	16	28	39	79
80-84	508	14.8	126	6	9	12	18	27	38	87
85 +	169	17.9	203	8	11	14	21	31	47	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.2	20	< 1	1	2	4	6	11	25
B. Operated	301	9.2	24	2	7	9	11	14	17	26
2. MULTIPLE DX										
A. Not Operated	535	5.9	39	1	2	4	8	12	17	28
B. Operated	4705	14.0	115	6	9	11	16	26	36	76
1. SINGLE DX	337	8.5	27	1	6	9	11	14	17	26
2. MULTIPLE DX	5240	13.2	113	4	8	11	15	25	34	73
A. Not Operated	571	5.7	38	1	2	4	7	12	17	27
B. Operated	5006	13.7	110	6	8	11	16	25	35	74
TOTAL										
65-69 YRS	1574	12.2	94	5	8	10	14	21	29	67
70-74	1734	13.0	95	4	8	10	15	24	33	61
75-79	1324	13.6	125	3	8	11	16	26	36	75
80-84	633	13.0	119	3	7	11	16	26	33	78
85 +	312	13.0	168	2	5	10	16	26	33	88
GRAND TOTAL	**5577**	**12.9**	**109**	**3**	**8**	**10**	**15**	**24**	**33**	**67**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	34	5.0	10	1	2	5	7	9	10	12
70-74	23	5.3	20	1	2	5	7	11	15	20
75-79	20	5.6	9	2	4	5	7	9	12	14
80-84	10	8.9	38	2	5	7	15	18	20	20
85 +	2	12.0	8	10	10	12	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	3.4	7	< 1	1	3	4	7	10	10
70-74	9	7.8	162	< 1	1	2	8	29	40	40
75-79	9	7.1	32	1	3	5	10	16	18	18
80-84	8	10.6	212	1	2	4	14	36	43	43
85 +	8	9.4	126	2	3	6	9	29	36	36
B. Operated										
65-69 YRS	272	10.1	90	3	5	7	12	19	26	49
70-74	261	9.4	70	3	5	8	11	16	23	40
75-79	201	11.4	80	3	6	9	15	23	29	46
80-84	91	11.2	82	3	6	9	12	23	28	51
85 +	52	14.7	128	5	8	11	19	35	48	99
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	1	2	2	3	4	4	4	4
B. Operated	89	5.8	17	1	3	5	8	10	14	20
2. MULTIPLE DX										
A. Not Operated	44	7.5	99	1	2	4	7	18	37	43
B. Operated	877	10.6	85	3	5	8	12	21	28	49
1. SINGLE DX	92	5.7	17	1	3	5	8	10	14	20
2. MULTIPLE DX	921	10.4	86	3	5	8	12	21	28	48
A. Not Operated	47	7.2	94	1	2	4	7	17	37	43
B. Operated	966	10.1	80	3	5	8	12	20	26	47
TOTAL										
65-69 YRS	317	9.3	82	2	4	7	11	19	24	46
70-74	293	9.0	70	2	5	7	11	16	22	40
75-79	231	10.7	75	3	5	8	14	22	28	46
80-84	110	10.8	86	3	5	8	12	23	28	49
85 +	62	13.9	125	4	7	10	18	35	43	94
GRAND TOTAL	**1013**	**10.0**	**81**	**2**	**5**	**8**	**12**	**20**	**27**	**46**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	25	1	1	4	8	8	8	8
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	49	4.5	13	1	1	3	7	10	12	12
70-74	19	5.7	18	1	2	6	8	12	14	15
75-79	20	6.0	44	1	2	4	8	10	21	31
80-84	8	4.1	22	1	1	2	6	12	13	13
85 +	16	4.7	8	1	3	4	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	28	6.5	28	2	2	6	8	11	16	27
70-74	36	7.1	27	1	3	6	11	14	17	20
75-79	33	7.1	18	2	5	6	10	12	13	22
80-84	26	8.3	28	3	5	6	12	17	19	21
85 +	30	8.2	26	3	5	7	10	13	18	28
B. Operated										
65-69 YRS	506	10.5	83	2	5	9	13	20	26	51
70-74	374	10.7	74	3	6	9	13	19	26	43
75-79	303	10.8	100	3	5	9	13	21	27	71
80-84	186	10.4	81	3	5	8	13	20	27	38
85 +	144	10.6	64	3	5	9	13	20	28	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7	14	1	1	2	6	8	8	8
B. Operated	112	5.0	19	1	1	4	7	11	12	21
2. MULTIPLE DX										
A. Not Operated	153	7.4	25	2	4	6	10	13	18	27
B. Operated	1513	10.6	82	2	5	9	13	20	27	48
1. SINGLE DX	115	4.9	19	1	1	4	7	11	12	21
2. MULTIPLE DX	1666	10.3	77	2	5	8	13	20	26	45
A. Not Operated	156	7.4	25	2	4	6	10	13	18	27
B. Operated	1625	10.2	80	2	5	8	13	20	26	46
TOTAL										
65-69 YRS	585	9.8	77	1	4	8	12	19	24	50
70-74	429	10.2	70	2	5	9	13	18	25	41
75-79	357	10.2	91	2	5	8	12	20	26	59
80-84	220	10.0	74	2	5	8	13	20	25	36
85 +	190	9.7	56	3	5	8	12	18	27	37
GRAND TOTAL	**1781**	**10.0**	**75**	**2**	**5**	**8**	**12**	**19**	**25**	**45**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.1	3	< 1	< 1	1	3	5	5	5
70-74	11	9.8	384	1	2	4	6	35	65	68
75-79	16	4.3	28	1	2	3	5	6	18	23
80-84	4	4.5	22	< 1	< 1	3	8	11	11	11
85 +	4	1.8	2	< 1	< 1	1	2	4	4	4
B. Operated										
65-69 YRS	138	3.2	10	1	1	2	4	8	10	16
70-74	133	4.7	66	1	1	2	5	11	16	33
75-79	84	3.6	11	1	1	2	6	9	11	14
80-84	45	4.1	35	< 1	1	2	4	9	18	29
85 +	16	3.3	9	1	1	2	4	8	11	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	149	6.2	54	1	2	4	8	12	17	29
70-74	181	6.8	43	1	3	5	8	15	21	33
75-79	183	6.3	37	2	3	5	8	13	16	23
80-84	136	6.7	34	2	3	5	8	14	18	31
85 +	120	8.3	96	2	4	6	11	14	18	52
B. Operated										
65-69 YRS	920	8.8	97	1	2	6	11	19	27	65
70-74	940	9.0	99	1	3	6	12	20	27	58
75-79	716	10.9	127	1	3	8	14	24	34	60
80-84	414	12.1	152	2	4	9	16	24	34	95
85 +	311	12.7	144	2	5	10	16	26	34	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	5.2	115	< 1	1	3	4	8	17	68
B. Operated	416	3.9	31	1	1	2	5	9	12	23
2. MULTIPLE DX										
A. Not Operated	769	6.8	51	1	3	5	8	14	17	30
B. Operated	3301	10.1	117	1	3	7	13	22	31	62
1. SINGLE DX	458	4.0	39	1	1	2	5	9	12	24
2. MULTIPLE DX	4070	9.5	106	1	3	7	12	20	28	61
A. Not Operated	811	6.7	54	1	3	5	8	14	17	31
B. Operated	3717	9.4	111	1	2	7	12	21	29	61
TOTAL										
65-69 YRS	1214	7.8	84	1	2	5	10	17	24	58
70-74	1265	8.2	92	1	2	5	10	18	25	55
75-79	999	9.3	106	1	3	6	12	20	30	53
80-84	599	10.2	123	2	3	7	13	22	29	66
85 +	451	11.1	132	2	4	8	14	22	31	61
GRAND TOTAL	**4528**	**8.9**	**102**	**1**	**2**	**6**	**11**	**19**	**27**	**60**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	123	6.6	8	3	5	6	8	10	12	14
70-74	114	6.6	10	3	4	6	8	11	12	18
75-79	90	6.6	6	3	5	7	8	10	11	14
80-84	60	6.6	10	2	4	6	9	11	12	15
85 +	42	6.7	10	3	4	6	8	11	13	15
B. Operated										
65-69 YRS	84	7.3	13	2	5	7	9	12	13	19
70-74	55	7.3	18	2	4	7	9	15	17	17
75-79	50	6.8	9	3	5	7	9	10	12	16
80-84	20	7.6	10	3	6	8	9	12	13	14
85 +	18	7.5	15	2	5	7	10	13	15	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	821	7.8	15	4	6	7	9	12	15	22
70-74	836	8.1	18	4	6	7	10	13	16	23
75-79	723	8.3	23	4	6	8	10	12	15	24
80-84	531	8.6	23	4	6	8	10	14	17	25
85 +	437	9.2	35	4	6	8	11	16	20	33
B. Operated										
65-69 YRS	518	9.3	36	3	6	8	11	16	20	32
70-74	548	10.1	55	4	6	9	11	17	23	46
75-79	441	10.5	77	4	6	9	12	17	24	85
80-84	296	11.3	104	4	6	9	12	21	29	65
85 +	235	11.5	92	4	7	9	13	20	26	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	429	6.6	9	3	5	6	8	10	12	15
B. Operated	227	7.2	13	2	5	7	9	12	14	17
2. MULTIPLE DX										
A. Not Operated	3348	8.3	22	4	6	8	10	13	16	25
B. Operated	2038	10.3	67	4	6	9	12	17	24	50
1. SINGLE DX	656	6.8	10	3	5	7	8	11	13	16
2. MULTIPLE DX	5386	9.1	40	4	6	8	11	15	19	34
A. Not Operated	3777	.8.1	20	4	6	7	10	13	16	24
B. Operated	2265	10.0	62	4	6	8	12	17	23	48
TOTAL										
65-69 YRS	1546	8.2	22	3	6	7	10	13	16	26
70-74	1553	8.7	32	4	6	8	10	14	18	32
75-79	1304	8.9	41	4	6	8	10	14	17	35
80-84	907	9.3	50	4	6	8	11	15	20	45
85 +	732	9.8	53	4	6	8	12	17	22	38
GRAND TOTAL	**6042**	**8.8**	**37**	**4**	**6**	**8**	**10**	**14**	**18**	**33**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	5.1	16	< 1	1	5	8	11	11	11
70-74	8	5.6	13	1	2	5	8	10	11	11
75-79	12	9.8	122	3	4	6	8	24	40	43
80-84	9	7.0	13	1	5	7	10	11	11	11
85 +	10	7.5	44	2	3	4	14	18	18	18
B. Operated										
65-69 YRS	147	2.9	10	1	1	2	3	5	9	13
70-74	79	5.9	82	1	2	3	6	11	20	56
75-79	53	5.8	65	1	2	3	6	14	17	52
80-84	22	10.3	311	1	2	5	11	19	45	85
85 +	11	11.7	197	1	2	4	25	34	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	135	9.9	102	3	5	7	12	19	25	58
70-74	150	9.5	44	3	5	8	12	18	22	35
75-79	195	10.4	65	3	5	8	13	21	26	40
80-84	201	10.9	112	3	5	8	14	21	26	66
85 +	198	11.1	79	4	6	8	13	21	29	48
B. Operated										
65-69 YRS	302	10.4	152	1	2	5	14	25	35	59
70-74	257	12.1	179	2	3	7	17	29	37	63
75-79	200	13.4	172	2	4	9	18	32	36	66
80-84	182	16.1	172	3	7	13	22	32	44	99 +
85 +	115	17.0	162	6	9	14	22	37	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	7.3	48	2	3	6	9	14	18	43
B. Operated	312	5.0	70	1	2	3	5	10	15	47
2. MULTIPLE DX										
A. Not Operated	879	10.4	81	3	5	8	13	20	26	48
B. Operated	1056	13.1	172	2	4	9	19	31	38	81
1. SINGLE DX	358	5.3	67	1	2	3	6	11	16	43
2. MULTIPLE DX	1935	11.9	132	2	5	8	16	25	34	63
A. Not Operated	925	10.3	80	3	5	8	12	19	26	47
B. Operated	1368	11.2	160	1	3	7	16	28	36	70
TOTAL										
65-69 YRS	591	8.4	113	1	2	4	11	19	29	54
70-74	494	10.2	125	2	3	7	13	23	31	59
75-79	460	11.1	118	2	4	8	14	25	34	53
80-84	414	13.1	154	3	5	10	18	26	35	98
85 +	334	13.1	118	4	7	10	17	27	38	88
GRAND TOTAL	**2293**	**10.9**	**128**	**2**	**4**	**8**	**14**	**24**	**33**	**62**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	1.4		< 1	< 1	1	2	2	2	2
70-74	10	2.6	2	< 1	< 1	2	4	5	5	5
75-79	5	2.4	5	< 1	< 1	1	4	6	6	6
80-84	6	1.3	1	< 1	< 1	1	1	3	3	3
85 +	6	3.2	6	2	2	2	3	7	8	8
B. Operated										
65-69 YRS	73	2.9	3	1	2	3	4	5	6	8
70-74	43	2.6	3	< 1	1	2	3	5	6	9
75-79	28	2.6	2	1	1	2	3	5	6	7
80-84	12	2.8	3	1	2	3	3	5	8	8
85 +	10	3.4	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	114	3.8	10	< 1	2	3	5	7	8	19
70-74	86	4.0	10	1	2	3	5	7	10	19
75-79	96	4.8	27	1	2	3	6	8	16	30
80-84	89	4.7	10	2	2	4	6	9	11	16
85 +	85	5.1	15	2	2	4	7	10	12	21
B. Operated										
65-69 YRS	705	3.5	7	1	2	3	4	6	8	12
70-74	499	3.9	16	1	2	3	4	7	10	16
75-79	316	4.4	14	1	2	3	5	9	12	18
80-84	153	5.6	34	2	3	4	6	11	15	33
85 +	100	5.6	29	2	3	4	7	10	16	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.1	3	< 1	< 1	1	3	4	6	8
B. Operated	166	2.8	3	1	2	2	3	5	6	8
2. MULTIPLE DX										
A. Not Operated	470	4.4	14	1	2	4	6	8	11	21
B. Operated	1773	4.1	15	1	2	3	5	7	10	17
1. SINGLE DX	204	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	2243	4.1	15	1	2	3	5	8	10	18
A. Not Operated	508	4.3	14	1	2	3	5	8	10	20
B. Operated	1939	3.9	14	1	2	3	5	7	10	17
TOTAL										
65-69 YRS	903	3.4	7	1	2	3	4	6	8	12
70-74	638	3.8	14	1	2	3	4	7	10	16
75-79	445	4.3	16	1	2	3	5	8	12	20
80-84	260	5.1	24	1	2	4	6	10	13	32
85 +	201	5.2	21	2	2	4	6	10	13	23
GRAND TOTAL	**2447**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	134	6.4	19	2	4	6	8	10	12	21
70-74	117	6.2	11	2	4	6	8	10	11	17
75-79	101	5.8	11	1	3	6	8	10	11	15
80-84	62	6.8	15	3	4	6	8	10	13	23
85 +	37	6.0	15	1	2	6	8	11	12	17
B. Operated										
65-69 YRS	79	6.3	22	1	4	6	8	9	12	30
70-74	80	7.0	16	2	5	7	9	11	13	25
75-79	56	6.4	20	1	3	6	9	12	15	21
80-84	41	7.4	21	1	5	8	9	11	12	27
85 +	26	7.6	15	4	5	7	8	15	16	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1546	6.7	22	2	3	6	8	12	14	24
70-74	1689	6.8	28	2	4	6	9	12	15	26
75-79	1577	6.9	33	2	3	6	9	12	15	31
80-84	1366	6.9	32	2	3	6	9	12	15	28
85 +	1153	7.2	43	2	4	6	9	13	16	40
B. Operated										
65-69 YRS	877	10.1	80	2	6	8	12	19	28	58
70-74	892	10.4	76	3	6	8	12	18	26	50
75-79	774	10.7	72	3	6	9	13	19	26	56
80-84	594	10.9	67	4	6	9	13	20	26	43
85 +	420	11.3	80	4	6	9	13	21	27	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	451	6.2	14	2	4	6	8	10	11	17
B. Operated	282	6.8	19	1	4	7	8	11	13	27
2. MULTIPLE DX										
A. Not Operated	7331	6.9	31	2	4	6	9	12	15	28
B. Operated	3557	10.6	75	3	6	8	12	19	27	53
1. SINGLE DX	733	6.4	16	1	4	6	8	10	12	22
2. MULTIPLE DX	10888	8.1	48	2	4	7	10	14	19	39
A. Not Operated	7782	6.8	30	2	4	6	9	12	15	28
B. Operated	3839	10.3	72	3	6	8	12	18	26	50
TOTAL										
65-69 YRS	2636	7.8	44	2	4	7	9	14	18	38
70-74	2778	8.0	45	2	4	7	10	14	18	37
75-79	2508	8.0	47	2	4	7	10	14	18	38
80-84	2063	8.0	45	2	4	7	10	15	19	35
85 +	1636	8.2	54	2	4	7	10	15	20	46
GRAND TOTAL	**11621**	**8.0**	**46**	**2**	**4**	**7**	**10**	**14**	**19**	**38**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	2.5	2	1	2	3	3	4	5	6
70-74	13	2.7	2	1	2	2	3	5	6	6
75-79	11	2.6	1	1	2	3	3	4	4	[illegible]
80-84	11	4.4	2	3	3	4	6	7	7	7
85 +	6	3.8	7	1	2	3	6	8	8	8
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	4.0	18	1	1	4	7	7	7	7
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	354	5.3	13	2	3	4	7	10	13	19
70-74	328	5.8	20	2	3	5	7	10	13	25
75-79	303	5.7	24	2	3	5	7	10	12	25
80-84	227	6.2	42	2	3	5	8	11	12	37
85 +	228	6.4	41	2	3	5	8	11	14	29
B. Operated										
65-69 YRS	58	6.9	26	2	3	7	9	12	18	26
70-74	56	8.6	86	1	2	6	11	19	28	46
75-79	23	11.5	243	3	5	7	12	21	43	77
80-84	17	12.3	80	4	6	10	19	23	31	36
85 +	27	10.8	45	3	6	10	14	19	23	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	3.1	3	1	2	3	4	6	6	8
B. Operated	5	4.2	7	1	2	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	1440	5.8	26	2	3	5	7	10	13	25
B. Operated	181	9.1	81	2	4	7	11	19	24	44
1. SINGLE DX	63	3.2	3	1	2	3	4	6	7	8
2. MULTIPLE DX	1621	6.2	33	2	3	5	7	11	14	29
A. Not Operated	1498	5.7	25	2	3	5	7	10	13	24
B. Operated	186	9.0	80	2	3	7	10	19	24	43
TOTAL										
65-69 YRS	430	5.4	15	2	3	4	7	10	13	20
70-74	399	6.1	30	2	3	5	7	11	16	32
75-79	339	6.0	40	2	3	5	7	11	13	30
80-84	255	6.6	45	2	3	5	8	11	13	36
85 +	261	6.8	42	2	3	6	8	12	15	31
GRAND TOTAL	**1684**	**6.1**	**32**	**2**	**3**	**5**	**7**	**11**	**14**	**28**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	67	4.9	7	2	3	4	6	9	11	13
70-74	78	5.1	22	2	3	4	6	8	9	33
75-79	75	4.5	7	2	3	4	5	7	9	16
80-84	43	4.6	5	2	3	4	6	7	8	12
85 +	55	4.8	8	2	3	4	6	9	10	17
B. Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4874	6.6	22	3	4	6	8	11	14	23
70-74	5423	6.8	20	3	4	6	8	12	15	24
75-79	4516	6.9	25	3	4	6	8	12	15	26
80-84	3202	7.1	28	3	4	6	9	12	15	27
85 +	2519	7.5	34	3	4	6	9	13	16	36
B. Operated										
65-69 YRS	392	12.0	130	4	6	9	14	23	33	67
70-74	344	12.3	99	4	6	10	14	22	32	59
75-79	329	12.4	105	4	6	10	16	25	30	67
80-84	210	13.4	85	5	7	11	17	25	29	47
85 +	155	14.5	133	5	8	11	19	31	49	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	318	4.8	11	2	3	4	6	8	10	14
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	20534	6.9	25	3	4	6	8	12	15	26
B. Operated	1430	12.7	111	4	6	10	15	25	32	66
1. SINGLE DX	319	4.8	11	2	3	4	6	8	10	14
2. MULTIPLE DX	21964	7.3	32	3	4	6	9	13	16	30
A. Not Operated	20852	6.9	25	3	4	6	8	12	15	26
B. Operated	1431	12.6	111	4	6	10	15	25	32	66
TOTAL										
65-69 YRS	5334	7.0	32	3	4	6	8	12	15	28
70-74	5845	7.1	27	3	4	6	9	12	16	28
75-79	4920	7.3	32	3	4	6	9	13	17	30
80-84	3455	7.4	34	3	4	6	9	13	17	30
85 +	2729	7.8	41	3	4	6	9	14	18	50
GRAND TOTAL	**22283**	**7.2**	**32**	**3**	**4**	**6**	**9**	**13**	**16**	**30**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	30	1.4		< 1	1	1	2	3	3	3
70-74	15	1.3		1	1	1	1	2	3	3
75-79	4	1.3		1	1	1	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	159	1.6	1	1	1	1	2	3	4	6
70-74	85	1.6	2	1	1	1	2	3	4	9
75-79	32	1.5	1	1	1	1	2	2	3	4
80-84	5	2.2	7	1	1	1	3	7	7	7
85 +	5	2.2	2	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	49	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	286	1.6	1	1	1	1	2	3	4	7
1. SINGLE DX	49	1.4		1	1	1	2	2	3	3
2. MULTIPLE DX	289	1.6	1	1	1	1	2	3	4	7
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	335	1.6	1	1	1	1	2	3	4	6
TOTAL										
65-69 YRS	191	1.5	1	1	1	1	2	3	3	6
70-74	100	1.6	2	1	1	1	2	3	4	8
75-79	37	1.4		1	1	1	2	2	3	4
80-84	5	2.2	7	1	1	1	3	7	7	7
85 +	5	2.2	2	1	1	2	3	4	4	4
GRAND TOTAL	**338**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**6**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	12	1.5	1	< 1	< 1	1	2	3	3	3
70-74	17	1.6	1	< 1	1	1	2	3	4	5
75-79	3	1.7		1	1	2	2	2	2	2
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	106	1.7	1	1	1	1	2	3	4	6
70-74	61	1.8	1	1	1	1	2	3	4	5
75-79	27	1.6	1	1	1	1	2	3	3	4
80-84	20	1.5		1	1	1	2	3	3	3
85 +	7	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	34	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	221	1.7	1	1	1	1	2	3	4	5
1. SINGLE DX	34	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	221	1.7	1	1	1	1	2	3	4	5
A. Not Operated	0									
B. Operated	255	1.7	1	1	1	1	2	3	4	5
TOTAL										
65-69 YRS	118	1.7	1	1	1	1	2	3	4	6
70-74	78	1.7	1	1	1	1	2	3	4	5
75-79	30	1.6	1	1	1	1	2	3	3	4
80-84	22	1.5		1	1	1	2	3	3	3
85 +	7	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**255**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**5**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	5	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	3	2.0	3	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	13.0		13	13	13	13	13	13	13
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	7	2.0	1	1	1	2	3	3	3	3
70-74	4	1.3		1	1	1	2	2	2	2
75-79	3	6.0	31	< 1	1	5	10	12	12	12
80-84	1	1.0		1	1	1	1	1	1	1
85 +	4	7.3	47	1	1	6	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	10	1.4	1	< 1	1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated	2	10.0	18	7	7	10	13	13	13	13
B. Operated	19	3.5	18	1	1	2	3	12	14	15
1. SINGLE DX	11	1.4	1	< 1	1	1	1	3	4	4
2. MULTIPLE DX	21	4.1	21	1	1	2	5	12	14	15
A. Not Operated	3	7.0	36	< 1	2	7	11	13	13	13
B. Operated	29	2.8	13	1	1	1	3	9	12	15
TOTAL										
65-69 YRS	12	1.6	1	1	1	1	2	3	3	3
70-74	7	3.0	20	< 1	1	1	2	11	13	13
75-79	4	4.8	27	< 1	< 1	3	8	12	12	12
80-84	2	4.0	18	1	1	4	7	7	7	7
85 +	7	5.0	32	< 1	1	2	9	14	15	15
GRAND TOTAL	**32**	**3.2**	**16**	**< 1**	**1**	**1**	**3**	**11**	**13**	**15**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	2.8	7	< 1	1	2	3	7	10	11
70-74	11	3.1	4	< 1	1	3	5	6	7	7
75-79	8	2.3	1	< 1	2	2	3	3	3	3
80-84	11	1.5	1	< 1	< 1	< 1	2	3	3	3
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	108	1.8	7	< 1	1	1	2	3	5	16
70-74	66	1.7	4	< 1	1	1	1	4	6	12
75-79	52	1.9	4	< 1	1	1	2	4	8	9
80-84	14	1.4	1	< 1	1	1	2	3	3	3
85 +	7	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	112	4.4	13	1	2	3	6	8	11	20
70-74	89	4.3	12	1	2	4	6	9	11	18
75-79	87	4.9	19	1	2	4	6	10	12	27
80-84	36	6.1	33	2	3	4	7	10	18	31
85 +	35	5.8	32	2	2	4	7	12	17	29
B. Operated										
65-69 YRS	432	3.0	16	1	1	2	3	7	11	19
70-74	287	4.1	30	1	1	2	5	10	13	31
75-79	194	4.5	32	1	1	2	5	12	18	29
80-84	79	4.8	40	1	1	2	6	13	18	33
85 +	35	4.7	33	< 1	2	3	6	8	16	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.5	4	< 1	< 1	2	3	5	7	11
B. Operated	247	1.8	5	< 1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated	359	4.8	18	1	2	4	6	9	12	21
B. Operated	1027	3.8	26	1	1	2	4	9	13	29
1. SINGLE DX	294	1.9	5	< 1	1	1	2	3	6	11
2. MULTIPLE DX	1386	4.0	24	1	1	2	5	9	13	28
A. Not Operated	406	4.5	17	1	2	4	6	9	11	21
B. Operated	1274	3.4	22	1	1	2	3	8	12	26
TOTAL										
65-69 YRS	668	3.0	14	1	1	2	3	7	10	20
70-74	453	3.8	22	1	1	2	4	9	12	25
75-79	341	4.1	24	1	1	2	5	10	14	28
80-84	140	4.5	33	< 1	1	3	5	10	15	32
85 +	78	4.9	30	1	2	3	6	9	17	30
GRAND TOTAL	**1680**	**3.7**	**21**	**1**	**1**	**2**	**4**	**8**	**12**	**26**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	114	5.7	8	3	4	5	7	9	11	17
70-74	102	6.0	11	3	4	5	8	10	11	20
75-79	108	6.3	50	3	4	5	7	9	11	45
80-84	84	6.8	27	3	5	6	8	10	12	35
85 +	81	7.5	22	3	5	6	8	13	17	25
B. Operated										
65-69 YRS	5	14.8	37	9	11	13	17	25	25	25
70-74	6	11.7	39	3	9	11	18	19	19	19
75-79	3	18.0	91	12	12	13	25	29	29	29
80-84	7	15.3	132	4	6	14	20	34	37	37
85 +	4	14.0	150	3	4	11	23	30	30	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2827	8.7	42	4	5	7	10	15	19	35
70-74	3595	8.9	39	4	5	8	11	15	20	32
75-79	3635	9.5	49	4	5	8	11	16	21	40
80-84	3219	9.9	49	4	6	8	12	18	22	39
85 +	3821	10.8	61	4	6	9	13	19	24	42
B. Operated										
65-69 YRS	568	17.6	189	6	9	14	22	34	48	85
70-74	641	19.3	235	6	10	15	24	41	58	99 +
75-79	718	19.1	211	7	10	15	24	39	63	99 +
80-84	541	20.8	216	8	11	17	26	40	55	86
85 +	481	20.2	208	8	11	16	25	41	60	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	489	6.4	24	3	4	5	8	10	12	24
B. Operated	25	14.4	77	4	8	13	19	29	32	37
2. MULTIPLE DX										
A. Not Operated	17097	9.6	49	4	5	8	12	17	21	38
B. Operated	2949	19.4	213	7	10	15	24	38	56	99 +
1. SINGLE DX	514	6.8	29	3	4	6	8	11	14	28
2. MULTIPLE DX	20046	11.0	85	4	6	9	13	20	28	59
A. Not Operated	17586	9.5	48	4	5	8	11	17	21	38
B. Operated	2974	19.3	212	7	10	15	24	38	56	99 +
TOTAL										
65-69 YRS	3514	10.0	76	4	5	8	12	18	25	50
70-74	4344	10.4	81	4	5	8	12	19	26	56
75-79	4464	10.9	88	4	6	8	13	20	29	70
80-84	3851	11.4	87	4	6	9	14	21	29	54
85 +	4387	11.8	85	5	7	9	14	21	28	61
GRAND TOTAL	**20560**	**10.9**	**84**	**4**	**6**	**8**	**13**	**20**	**27**	**58**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	324	5.2	9	2	3	5	6	8	10	16
70-74	333	6.1	9	3	4	5	8	10	12	15
75-79	317	5.6	8	3	4	5	7	9	11	14
80-84	306	6.2	16	3	4	5	7	11	13	22
85 +	346	6.6	24	3	4	5	8	11	13	19
B. Operated										
65-69 YRS	22	7.5	14	2	4	8	10	11	13	15
70-74	19	10.6	50	3	6	8	17	20	24	27
75-79	10	10.9	13	6	9	11	12	16	19	19
80-84	16	9.9	19	5	7	9	12	16	17	18
85 +	7	24.1	1001	5	6	9	32	80	91	91
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6171	7.6	25	3	5	6	9	13	16	27
70-74	7595	8.0	34	3	5	7	10	14	17	29
75-79	8479	8.6	42	3	5	7	10	15	19	35
80-84	7972	8.9	41	4	5	7	11	15	20	34
85 +	10512	9.6	55	4	5	8	12	16	21	44
B. Operated										
65-69 YRS	941	14.6	135	5	8	11	18	27	35	80
70-74	1045	15.0	119	6	8	12	18	28	36	82
75-79	1088	15.7	144	6	9	13	19	29	39	92
80-84	938	16.6	148	6	9	14	20	30	45	99 +
85 +	933	17.6	153	7	10	15	22	34	51	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1626	5.9	13	3	4	5	7	10	12	17
B. Operated	74	10.8	124	4	6	9	12	18	21	78
2. MULTIPLE DX										
A. Not Operated	40729	8.6	41	4	5	7	10	15	19	35
B. Operated	4945	15.9	140	6	9	13	19	29	41	98
1. SINGLE DX	1700	6.1	19	3	4	5	8	10	12	19
2. MULTIPLE DX	45674	9.4	57	4	5	8	11	17	22	45
A. Not Operated	42355	8.5	41	3	5	7	10	15	19	34
B. Operated	5019	15.8	140	6	9	13	19	29	41	97
TOTAL										
65-69 YRS	7458	8.4	44	3	5	7	10	15	20	35
70-74	8992	8.7	48	3	5	7	10	16	20	38
75-79	9894	9.3	57	4	5	7	11	16	22	43
80-84	9232	9.6	57	4	5	8	11	17	22	46
85 +	11798	10.1	67	4	6	8	12	18	24	53
GRAND TOTAL	**47374**	**9.3**	**56**	**4**	**5**	**7**	**11**	**17**	**22**	**44**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	24	3.9	9	1	2	3	5	7	11	14
70-74	18	4.3	6	2	2	4	5	8	10	11
75-79	19	4.5	4	2	3	4	6	7	8	8
80-84	22	4.5	6	2	2	4	6	8	9	10
85 +	19	5.3	17	1	2	5	6	8	15	20
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	363	4.9	9	2	3	4	6	9	11	16
70-74	418	5.8	22	2	3	5	7	10	13	21
75-79	492	5.6	17	2	3	5	7	9	12	23
80-84	399	6.6	29	2	3	5	8	12	16	30
85 +	466	7.1	44	3	4	6	8	13	16	27
B. Operated										
65-69 YRS	18	11.3	92	3	6	8	13	20	34	44
70-74	24	11.7	59	4	7	11	13	20	29	38
75-79	26	10.2	63	3	5	8	13	19	30	36
80-84	18	15.5	160	3	7	11	20	38	41	42
85 +	20	18.5	113	6	10	16	24	36	38	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	4.5	8	2	2	4	6	7	9	17
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	2138	6.0	25	2	3	5	7	11	14	24
B. Operated	106	13.2	99	4	6	11	15	28	37	43
1. SINGLE DX	103	4.5	8	2	2	4	6	7	9	17
2. MULTIPLE DX	2244	6.4	31	2	3	5	7	12	15	28
A. Not Operated	2240	6.0	25	2	3	5	7	11	14	23
B. Operated	107	13.1	99	4	6	10	15	28	37	43
TOTAL										
65-69 YRS	406	5.1	15	2	3	4	6	9	12	18
70-74	460	6.0	25	2	4	5	7	11	14	24
75-79	537	5.8	20	2	3	5	7	10	12	24
80-84	439	6.9	36	2	3	5	8	13	17	37
85 +	505	7.5	51	2	4	6	9	14	18	36
GRAND TOTAL	**2347**	**6.3**	**30**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	58	6.1	9	2	4	6	8	11	12	15
70-74	61	5.6	12	2	3	5	8	11	12	16
75-79	39	5.6	12	2	3	5	6	11	13	18
80-84	18	5.2	31	1	2	4	6	7	19	26
85 +	11	4.5	4	2	3	4	6	8	8	8
B. Operated										
65-69 YRS	3	6.0	21	2	3	5	9	11	11	11
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	4	1.8	2	< 1	< 1	< 1	2	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	755	6.6	23	3	4	6	8	11	15	24
70-74	787	7.0	29	2	4	6	9	13	16	28
75-79	679	7.1	35	3	4	6	9	13	16	28
80-84	443	7.0	28	3	4	6	9	12	15	31
85 +	377	7.5	39	3	4	6	9	14	18	43
B. Operated										
65-69 YRS	98	11.3	87	3	5	9	14	26	33	99 +
70-74	88	12.9	144	2	5	9	17	30	37	59
75-79	91	11.6	71	4	6	9	16	24	34	99 +
80-84	51	10.2	50	3	6	9	13	21	23	36
85 +	32	11.3	114	3	5	9	13	18	41	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	5.6	13	2	3	5	7	11	12	17
B. Operated	12	3.0	8	< 1	1	2	4	7	10	11
2. MULTIPLE DX										
A. Not Operated	3041	7.0	30	3	4	6	9	13	16	28
B. Operated	360	11.6	94	3	5	9	15	25	33	95
1. SINGLE DX	199	5.5	13	2	3	5	7	10	12	17
2. MULTIPLE DX	3401	7.5	39	3	4	6	9	14	18	36
A. Not Operated	3228	6.9	29	3	4	6	9	12	16	28
B. Operated	372	11.3	93	3	5	9	14	25	33	91
TOTAL										
65-69 YRS	914	7.1	31	3	4	6	9	13	17	32
70-74	938	7.4	42	2	4	6	9	14	18	36
75-79	812	7.5	40	3	4	6	9	14	19	40
80-84	516	7.2	31	3	4	6	9	13	16	31
85 +	420	7.7	45	3	4	6	10	14	19	46
GRAND TOTAL	**3600**	**7.4**	**38**	**3**	**4**	**6**	**9**	**13**	**17**	**36**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	61	5.2	14	2	3	4	7	9	11	20
70-74	46	7.0	21	3	4	5	9	15	16	21
75-79	42	6.1	12	3	4	6	7	9	12	21
80-84	11	3.8	6	1	2	4	5	7	9	9
85 +	5	6.0	12	1	3	7	9	9	9	9
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	661	7.9	44	3	4	6	10	14	20	36
70-74	699	8.2	45	3	4	6	10	14	20	39
75-79	619	8.1	54	3	4	6	10	15	19	31
80-84	272	8.4	71	3	4	6	10	15	22	34
85 +	125	7.7	28	3	4	7	10	14	16	33
B. Operated										
65-69 YRS	83	18.3	352	5	8	11	22	57	71	94
70-74	81	16.8	177	6	8	14	21	32	55	93
75-79	56	15.6	162	5	8	13	21	38	92	99 +
80-84	34	18.9	122	8	9	16	25	35	41	48
85 +	11	26.1	334	9	13	18	44	54	57	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	5.9	15	2	3	5	7	11	15	21
B. Operated	4	5.0	3	3	3	5	6	7	7	7
2. MULTIPLE DX										
A. Not Operated	2376	8.1	49	3	4	6	10	14	20	35
B. Operated	265	17.7	229	5	8	13	22	35	64	99 +
1. SINGLE DX	169	5.9	15	2	3	5	7	11	15	21
2. MULTIPLE DX	2641	9.0	76	3	4	7	11	17	24	55
A. Not Operated	2541	7.9	47	3	4	6	10	14	19	35
B. Operated	269	17.5	228	5	8	13	22	35	63	99 +
TOTAL										
65-69 YRS	806	8.7	84	3	4	6	10	16	23	69
70-74	827	8.9	63	3	4	7	11	17	24	52
75-79	719	8.6	64	3	4	7	11	16	22	45
80-84	317	9.4	85	3	4	7	11	18	25	44
85 +	141	9.1	74	3	4	7	11	16	20	52
GRAND TOTAL	**2810**	**8.8**	**72**	**3**	**4**	**7**	**10**	**16**	**23**	**53**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	449	4.7	12	2	3	4	6	8	10	15
70-74	338	4.6	6	2	3	4	6	8	9	11
75-79	226	4.8	9	2	3	4	6	8	9	15
80-84	141	4.7	8	2	3	4	6	8	9	17
85 +	66	4.6	7	2	2	4	6	9	10	11
B. Operated										
65-69 YRS	6	6.0	12	3	4	5	8	12	12	12
70-74	4	8.5	22	2	5	9	11	13	13	13
75-79	2	5.5	1	5	5	5	6	6	6	6
80-84	1	13.0		13	13	13	13	13	13	13
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3941	6.4	20	3	4	5	8	11	14	24
70-74	3439	6.5	22	3	4	5	8	11	14	23
75-79	2619	7.1	30	3	4	6	9	13	17	29
80-84	1548	7.1	30	3	4	6	9	13	16	28
85 +	904	7.9	39	3	4	7	10	14	17	30
B. Operated										
65-69 YRS	198	14.4	180	4	7	10	17	29	38	72
70-74	168	12.0	87	4	6	10	15	22	32	95
75-79	147	14.2	179	5	7	11	17	25	53	99 +
80-84	70	14.8	174	4	6	11	18	30	42	67
85 +	38	18.2	199	4	9	14	24	45	56	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1220	4.7	9	2	3	4	6	8	9	14
B. Operated	13	7.2	15	3	4	6	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	12451	6.8	25	3	4	6	8	12	15	25
B. Operated	621	14.0	156	4	7	11	17	27	38	94
1. SINGLE DX	1233	4.7	9	2	3	4	6	8	10	14
2. MULTIPLE DX	13072	7.1	34	3	4	6	9	13	16	30
A. Not Operated	13671	6.6	24	3	4	5	8	12	15	25
B. Operated	634	13.8	154	4	7	10	16	27	38	94
TOTAL										
65-69 YRS	4594	6.6	29	2	4	5	8	12	15	28
70-74	3949	6.6	25	3	4	5	8	11	14	24
75-79	2994	7.3	38	3	4	6	9	13	18	31
80-84	1760	7.2	37	3	4	6	9	13	17	30
85 +	1008	8.1	48	3	4	6	10	14	18	38
GRAND TOTAL	**14305**	**6.9**	**32**	**3**	**4**	**6**	**8**	**12**	**16**	**29**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	227	5.5	30	2	3	4	6	10	13	41
70-74	209	5.5	12	2	3	5	7	10	12	17
75-79	176	5.1	11	2	3	5	6	9	11	18
80-84	76	4.7	12	1	3	4	5	9	11	18
85 +	39	6.9	111	3	4	5	7	10	13	69
B. Operated										
65-69 YRS	8	5.4	17	< 1	1	5	9	10	11	11
70-74	3	6.0	12	2	3	8	8	8	8	8
75-79	4	5.8	19	2	2	6	9	10	10	10
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2230	7.1	27	3	4	6	9	13	16	26
70-74	2313	7.4	40	3	4	6	9	13	17	34
75-79	1834	7.3	36	3	4	6	9	13	17	30
80-84	1061	7.7	41	3	4	6	9	15	19	40
85 +	581	7.8	52	2	4	6	9	14	19	47
B. Operated										
65-69 YRS	223	11.8	103	4	6	9	14	23	30	51
70-74	231	13.1	137	3	6	10	16	28	35	83
75-79	179	12.4	113	3	5	9	17	27	32	78
80-84	106	12.8	167	3	6	10	16	23	46	99 +
85 +	57	13.6	84	5	8	11	17	25	31	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	727	5.4	23	2	3	4	7	10	12	20
B. Operated	15	5.6	14	< 1	2	6	9	10	11	11
2. MULTIPLE DX										
A. Not Operated	8019	7.4	37	3	4	6	9	13	17	32
B. Operated	796	12.6	122	3	6	10	16	26	34	79
1. SINGLE DX	742	5.4	23	2	3	4	7	10	12	20
2. MULTIPLE DX	8815	7.8	47	3	4	6	9	14	19	38
A. Not Operated	8746	7.2	36	3	4	6	9	13	17	30
B. Operated	811	12.4	121	3	6	9	15	26	34	79
TOTAL										
65-69 YRS	2688	7.4	35	3	4	6	9	14	17	30
70-74	2756	7.7	49	3	4	6	9	14	19	38
75-79	2193	7.5	43	3	4	6	9	14	19	34
80-84	1243	7.9	53	3	4	6	10	16	20	49
85 +	677	8.2	60	3	4	6	10	15	21	47
GRAND TOTAL	**9557**	**7.6**	**45**	**3**	**4**	**6**	**9**	**14**	**19**	**38**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	4	5.3	12	2	3	4	7	10	10	10
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	37	6.8	43	2	3	5	8	15	17	35
70-74	25	7.2	28	3	4	5	10	12	18	26
75-79	23	8.3	101	3	4	5	8	19	37	42
80-84	9	4.6	5	2	3	4	6	8	8	8
85 +	9	6.7	3	4	6	7	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	40	6.4	14	2	4	6	8	12	14	15
70-74	35	6.3	15	1	3	6	10	11	13	13
75-79	46	6.7	35	2	3	5	8	15	21	29
80-84	18	8.0	23	3	5	7	11	14	18	20
85 +	19	8.4	40	3	5	6	11	15	23	29
B. Operated										
65-69 YRS	259	11.7	97	3	5	9	15	25	32	47
70-74	268	12.1	122	3	5	8	16	24	35	49
75-79	229	11.7	117	4	5	9	14	23	32	51
80-84	152	12.2	137	4	6	9	14	26	33	86
85 +	69	10.1	50	3	5	7	13	21	25	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.0	9	2	3	4	6	10	10	10
B. Operated	103	7.0	45	2	3	5	8	14	17	38
2. MULTIPLE DX										
A. Not Operated	158	6.9	25	2	4	6	9	13	15	28
B. Operated	977	11.8	111	3	5	9	14	24	32	55
1. SINGLE DX	108	6.9	44	2	3	5	8	14	16	38
2. MULTIPLE DX	1135	11.1	102	3	5	8	14	22	31	48
A. Not Operated	163	6.8	24	2	4	6	9	12	15	28
B. Operated	1080	11.3	107	3	5	8	14	23	32	49
TOTAL										
65-69 YRS	337	10.5	85	3	4	7	14	23	30	43
70-74	332	11.0	107	3	5	8	13	22	32	48
75-79	298	10.7	106	3	4	7	13	22	32	46
80-84	179	11.4	123	3	5	8	13	21	31	82
85 +	97	9.5	44	3	5	7	12	19	25	31
GRAND TOTAL	**1243**	**10.7**	**98**	**3**	**5**	**8**	**13**	**22**	**30**	**47**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	7.4	33	1	3	5	11	14	19	22
70-74	21	6.9	14	3	4	6	8	13	16	17
75-79	12	7.3	61	1	3	5	8	20	27	28
80-84	4	2.8	3	1	1	2	4	5	5	5
85 +	4	6.8	14	3	4	6	9	12	12	12
B. Operated										
65-69 YRS	1	12.0		12	12	12	12	12	12	12
70-74	4	22.5	38	15	18	22	26	30	30	30
75-79	4	7.0	51	1	2	5	12	17	17	17
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2524	9.0	47	3	5	7	11	17	22	40
70-74	2389	9.2	48	3	5	8	11	17	21	38
75-79	1857	9.6	68	3	5	7	12	18	23	42
80-84	1086	9.6	54	3	5	8	12	18	22	37
85 +	687	10.4	74	3	5	8	13	19	26	50
B. Operated										
65-69 YRS	437	21.1	273	6	10	17	29	54	79	99 +
70-74	449	21.4	313	6	9	16	31	57	83	99 +
75-79	280	20.8	302	6	10	16	30	60	99 +	99 +
80-84	199	20.9	306	6	9	16	26	48	70	99 +
85 +	96	19.5	229	7	11	16	29	62	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	58	6.8	28	2	4	5	9	14	17	28
B. Operated	9	14.4	94	2	6	15	22	27	30	30
2. MULTIPLE DX										
A. Not Operated	8543	9.4	55	3	5	8	12	17	22	40
B. Operated	1461	21.0	292	6	10	16	29	55	91	99 +
1. SINGLE DX	67	7.9	43	2	4	6	11	17	22	30
2. MULTIPLE DX	10004	11.1	106	3	5	8	13	22	32	80
A. Not Operated	8601	9.4	55	3	5	7	12	17	22	40
B. Operated	1470	21.0	291	6	10	16	29	55	90	99 +
TOTAL										
65-69 YRS	2979	10.8	98	3	5	8	13	22	31	72
70-74	2863	11.1	109	3	5	8	13	21	33	81
75-79	2153	11.1	112	3	5	8	13	22	34	98
80-84	1289	11.3	110	3	5	8	14	22	31	66
85 +	787	11.5	101	3	6	9	14	22	34	99 +
GRAND TOTAL	**10071**	**11.1**	**106**	**3**	**5**	**8**	**13**	**22**	**32**	**79**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	61	4.2	22	1	1	3	5	8	15	23
70-74	58	4.6	13	< 1	2	3	6	10	12	17
75-79	61	5.4	17	2	2	4	8	12	14	18
80-84	41	4.7	16	1	2	3	6	11	13	17
85 +	42	4.7	13	2	2	4	6	9	12	18
B. Operated										
65-69 YRS	88	5.6	17	< 1	2	5	7	11	14	19
70-74	58	5.2	19	1	1	4	9	11	14	18
75-79	33	7.2	68	1	1	5	9	17	31	33
80-84	33	6.9	35	1	2	5	10	15	18	25
85 +	11	12.8	147	3	3	5	22	33	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1992	6.8	30	2	3	5	9	13	16	28
70-74	2356	7.5	47	2	4	6	9	14	19	35
75-79	2390	8.2	53	3	4	7	10	15	21	34
80-84	2132	8.9	63	3	4	7	11	17	23	49
85 +	2461	9.6	56	3	5	8	12	18	23	42
B. Operated										
65-69 YRS	1092	12.5	142	2	5	9	16	25	33	67
70-74	1102	13.5	142	3	6	10	17	28	39	67
75-79	988	15.3	181	3	6	12	20	32	44	80
80-84	736	15.7	167	4	8	13	19	32	44	85
85 +	681	17.5	201	5	9	14	22	34	54	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	263	4.7	16	1	2	3	6	10	13	18
B. Operated	223	6.3	36	1	2	5	9	14	17	33
2. MULTIPLE DX										
A. Not Operated	11331	8.3	51	2	4	7	10	16	20	38
B. Operated	4599	14.6	166	3	7	11	18	30	41	78
1. SINGLE DX	486	5.5	26	1	2	4	7	11	16	25
2. MULTIPLE DX	15930	10.1	93	3	4	8	12	20	28	57
A. Not Operated	11594	8.2	51	2	4	6	10	15	20	38
B. Operated	4822	14.2	163	3	6	11	18	29	40	77
TOTAL										
65-69 YRS	3233	8.6	75	2	4	6	11	17	23	47
70-74	3574	9.3	83	2	4	7	11	19	26	51
75-79	3472	10.2	100	3	4	7	13	21	28	58
80-84	2942	10.5	97	3	5	8	13	21	29	63
85 +	3195	11.3	98	3	5	9	14	22	29	61
GRAND TOTAL	**16416**	**9.9**	**91**	**3**	**4**	**7**	**12**	**20**	**27**	**57**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	2	2.5	5	< 1	< 1	2	4	4	4	4
B. Operated										
65-69 YRS	47	1.8	2	< 1	1	1	2	3	4	8
70-74	41	1.7	1	< 1	1	1	2	3	3	5
75-79	11	1.5		< 1	1	1	2	3	3	3
80-84	4	1.8	1	< 1	< 1	1	2	3	3	3
85 +	7	2.4	3	< 1	< 1	1	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	34	5.1	25	1	2	3	6	12	15	24
70-74	19	6.3	33	2	3	4	7	13	21	26
75-79	24	3.4	4	1	2	3	4	7	8	8
80-84	15	7.7	57	2	4	5	8	14	27	32
85 +	10	3.4	2	1	3	3	4	5	6	6
B. Operated										
65-69 YRS	174	3.6	27	1	1	2	4	7	14	29
70-74	160	3.1	11	1	1	2	3	7	10	17
75-79	117	3.3	18	1	1	2	3	8	11	28
80-84	73	3.5	29	1	1	2	4	7	10	36
85 +	47	3.6	38	1	1	2	3	8	10	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.3	4	< 1	2	3	4	7	7	7
B. Operated	110	1.8	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	102	5.1	25	1	3	4	5	11	14	29
B. Operated	571	3.4	22	1	1	2	3	7	11	27
1. SINGLE DX	116	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	673	3.7	23	1	1	2	4	7	12	27
A. Not Operated	108	5.0	24	1	3	4	5	11	14	29
B. Operated	681	3.1	19	1	1	2	3	6	9	26
TOTAL										
65-69 YRS	256	3.5	23	1	1	2	4	7	13	26
70-74	222	3.1	12	1	1	2	3	7	10	19
75-79	153	3.2	15	1	1	2	3	7	9	27
80-84	92	4.1	34	1	1	2	5	7	13	38
85 +	66	3.4	28	1	1	2	4	6	9	37
GRAND TOTAL	**789**	**3.4**	**20**	**1**	**1**	**2**	**4**	**7**	**11**	**26**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	2.7	2	1	1	3	4	5	5	5
70-74	9	6.0	13	2	3	5	9	11	11	11
75-79	6	4.8	7	< 1	2	6	7	7	7	7
80-84	6	2.7	1	1	3	3	3	3	3	3
85 +	5	8.0	66	3	3	4	11	22	22	22
B. Operated										
65-69 YRS	62	2.4	6	1	1	2	2	5	10	11
70-74	52	2.1	3	1	1	1	3	4	5	10
75-79	26	2.2	3	1	1	2	2	5	6	7
80-84	19	2.4	2	< 1	1	2	3	5	6	6
85 +	12	3.5	8	1	1	3	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	86	6.3	20	2	3	5	9	11	14	24
70-74	73	6.1	17	2	3	5	8	11	12	25
75-79	73	6.1	15	2	3	6	8	10	15	81
80-84	60	8.1	34	2	4	6	10	16	20	28
85 +	94	8.6	23	4	6	7	10	15	19	27
B. Operated										
65-69 YRS	141	4.3	41	1	1	2	5	10	13	66
70-74	125	4.9	33	1	1	3	5	12	19	27
75-79	79	4.5	23	1	1	3	7	10	14	24
80-84	53	4.1	12	1	2	3	6	8	12	17
85 +	45	10.0	109	2	3	7	12	19	36	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.4	15	1	2	3	6	9	10	22
B. Operated	171	2.4	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	386	7.1	22	3	4	6	9	12	17	26
B. Operated	443	5.1	41	1	2	3	6	12	17	36
1. SINGLE DX	211	2.8	7	1	1	2	3	6	9	11
2. MULTIPLE DX	829	6.0	33	1	2	4	8	12	17	29
A. Not Operated	426	6.8	22	2	4	6	9	12	16	26
B. Operated	614	4.3	32	1	1	2	5	10	14	28
TOTAL										
65-69 YRS	303	4.4	28	1	2	3	5	10	12	25
70-74	259	4.7	24	1	2	3	6	11	14	26
75-79	184	4.8	18	1	2	3	7	9	13	24
80-84	138	5.5	25	1	2	4	7	12	16	25
85 +	156	8.6	50	2	4	7	11	15	20	36
GRAND TOTAL	**1040**	**5.3**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	58	2.7	2	< 1	1	2	4	5	6	6
70-74	51	3.0	5	1	1	2	4	6	7	14
75-79	29	3.0	6	1	1	2	4	7	8	11
80-84	17	3.4	11	< 1	1	2	4	8	12	14
85 +	13	4.1	21	1	1	3	4	11	16	17
B. Operated										
65-69 YRS	55	4.5	20	< 1	1	3	7	8	12	22
70-74	63	3.9	10	< 1	1	3	6	8	10	16
75-79	44	3.5	8	< 1	1	3	5	7	10	12
80-84	25	4.3	8	1	2	4	6	7	10	12
85 +	16	4.8	6	2	3	5	6	8	9	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1019	4.2	10	1	2	3	5	8	10	17
70-74	1002	4.6	21	2	2	4	5	8	11	18
75-79	878	5.0	22	2	3	4	6	9	13	20
80-84	623	5.4	28	2	3	4	6	10	14	26
85 +	540	5.8	23	2	3	4	7	11	16	25
B. Operated										
65-69 YRS	746	7.4	61	2	3	5	9	14	20	53
70-74	767	7.9	76	2	3	5	10	16	21	55
75-79	707	8.2	63	2	3	6	10	17	23	44
80-84	572	8.6	91	2	3	6	10	18	27	48
85 +	444	9.2	58	3	4	7	12	19	23	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	3.0	6	1	1	2	4	6	8	14
B. Operated	203	4.1	11	< 1	1	3	6	8	10	19
2. MULTIPLE DX										
A. Not Operated	4062	4.9	20	2	2	4	6	9	12	21
B. Operated	3236	8.2	70	2	3	6	10	16	22	48
1. SINGLE DX	371	3.6	9	< 1	1	3	5	7	9	16
2. MULTIPLE DX	7298	6.3	45	2	3	4	8	13	17	35
A. Not Operated	4230	4.8	20	2	2	4	6	9	12	21
B. Operated	3439	7.9	67	2	3	6	10	16	22	47
TOTAL										
65-69 YRS	1878	5.4	33	1	2	4	7	11	14	31
70-74	1883	5.9	46	1	2	4	7	12	16	34
75-79	1658	6.3	42	2	3	4	7	12	17	33
80-84	1237	6.9	59	2	3	5	8	13	20	42
85 +	1013	7.2	41	2	3	5	9	15	20	34
GRAND TOTAL	**7669**	**6.2**	**44**	**2**	**3**	**4**	**7**	**12**	**17**	**35**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.4	5	< 1	2	3	5	6	8	8
70-74	10	4.7	18	1	2	3	6	11	16	16
75-79	12	4.3	7	< 1	2	4	6	8	9	9
80-84	5	5.4	9	< 1	3	6	8	8	8	8
85 +	6	10.8	351	2	2	4	4	44	49	49
B. Operated										
65-69 YRS	18	6.9	72	< 1	3	5	8	9	27	39
70-74	12	4.6	13	< 1	< 1	3	8	9	10	10
75-79	8	5.3	16	1	2	4	7	11	13	13
80-84	5	3.4	9	< 1	< 1	2	6	8	8	8
85 +	5	6.8	54	< 1	1	4	11	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	211	5.2	12	2	3	4	6	9	11	20
70-74	190	5.2	13	2	3	5	7	9	11	13
75-79	180	6.2	23	2	3	5	7	10	14	29
80-84	146	5.8	19	2	3	5	7	10	14	24
85 +	141	6.9	29	3	4	5	8	13	18	27
B. Operated										
65-69 YRS	252	7.1	35	2	4	6	9	12	16	37
70-74	269	8.8	83	3	4	6	11	15	21	56
75-79	229	8.9	66	3	5	7	11	15	19	45
80-84	184	8.9	71	3	5	7	10	15	24	42
85 +	108	9.3	80	3	4	7	10	16	24	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	5.1	52	< 1	2	4	6	8	10	49
B. Operated	48	5.7	38	< 1	2	4	8	9	14	39
2. MULTIPLE DX										
A. Not Operated	868	5.8	19	2	3	5	7	10	13	24
B. Operated	1042	8.5	66	3	4	7	10	15	20	44
1. SINGLE DX	94	5.4	45	< 1	2	4	7	9	12	45
2. MULTIPLE DX	1910	7.2	46	2	4	6	8	13	17	39
A. Not Operated	914	5.7	21	2	3	5	7	10	13	25
B. Operated	1090	8.4	65	3	4	7	10	14	20	44
TOTAL										
65-69 YRS	494	6.2	26	2	3	5	8	11	13	28
70-74	481	7.2	56	2	3	5	8	13	17	40
75-79	429	7.6	48	3	4	6	9	14	17	41
80-84	340	7.4	50	2	4	6	9	13	19	39
85 +	260	8.0	58	3	4	6	9	14	22	48
GRAND TOTAL	**2004**	**7.2**	**46**	**2**	**4**	**6**	**8**	**13**	**17**	**39**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	47	3.1	3	2	2	3	4	5	6	10
70-74	39	5.2	65	2	3	4	5	7	8	53
75-79	37	4.6	7	2	3	4	6	8	10	14
80-84	42	4.3	4	2	3	4	6	7	8	9
85 +	22	6.0	10	3	4	5	7	11	13	14
B. Operated										
65-69 YRS	36	5.9	22	2	3	5	7	9	14	27
70-74	40	7.4	23	2	4	6	9	14	18	21
75-79	29	5.4	16	2	3	4	6	11	16	18
80-84	25	8.5	40	3	4	7	11	16	21	31
85 +	14	8.9	49	3	5	6	10	19	26	28
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	718	5.4	12	2	3	4	7	9	11	20
70-74	758	5.6	13	2	3	5	7	9	12	20
75-79	728	6.0	15	3	4	5	7	11	13	21
80-84	634	6.9	36	3	4	5	8	13	17	29
85 +	601	7.2	35	3	4	6	9	13	17	31
B. Operated										
65-69 YRS	779	9.3	82	3	4	7	11	18	27	56
70-74	863	9.8	72	3	5	7	11	19	26	44
75-79	913	10.3	97	3	5	7	12	21	29	59
80-84	796	11.0	102	3	5	8	13	21	28	68
85 +	637	10.6	77	4	5	9	13	19	26	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	4.4	18	2	3	4	5	7	9	14
B. Operated	144	7.0	28	2	3	6	8	14	18	28
2. MULTIPLE DX										
A. Not Operated	3439	6.2	22	3	4	5	7	11	14	24
B. Operated	3988	10.2	87	3	5	7	12	20	27	58
1. SINGLE DX	331	5.5	24	2	3	4	7	10	14	27
2. MULTIPLE DX	7427	8.3	61	3	4	6	10	16	22	44
A. Not Operated	3626	6.1	22	3	3	5	7	11	14	24
B. Operated	4132	10.1	85	3	5	7	12	19	27	58
TOTAL										
65-69 YRS	1580	7.3	51	3	4	5	8	13	20	42
70-74	1700	7.7	49	3	4	6	9	15	20	40
75-79	1707	8.3	63	3	4	6	10	16	23	42
80-84	1497	9.0	75	3	4	6	11	17	23	48
85 +	1274	8.9	59	3	5	7	11	16	22	49
GRAND TOTAL	**7758**	**8.2**	**59**	**3**	**4**	**6**	**10**	**16**	**22**	**43**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	35	3.1	2	1	2	3	4	5	6	7
70-74	23	4.3	6	1	2	4	6	8	9	9
75-79	19	3.7	3	1	3	3	5	7	7	7
80-84	10	2.4	3	1	1	2	4	5	5	5
85 +	9	4.9	11	2	3	4	5	10	13	13
B. Operated										
65-69 YRS	7	4.4	2	2	4	4	5	7	7	7
70-74	4	7.0	11	3	4	7	9	11	11	11
75-79	2	5.5	41	< 1	< 1	5	10	10	10	10
80-84	1	14.0		14	14	14	14	14	14	14
85 +	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	495	4.7	9	2	3	4	6	8	10	16
70-74	409	4.9	14	2	3	4	6	8	10	20
75-79	371	5.2	12	2	3	4	6	9	11	15
80-84	279	6.0	18	2	3	5	8	11	14	20
85 +	227	7.2	73	3	4	6	8	12	14	45
B. Operated										
65-69 YRS	113	8.1	34	3	4	7	11	16	21	28
70-74	136	8.4	47	3	5	7	10	15	20	31
75-79	115	9.7	67	3	5	8	12	18	24	45
80-84	88	9.9	66	3	4	8	13	21	27	79
85 +	58	10.4	95	3	4	7	14	18	26	59
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	96	3.6	4	1	2	3	5	6	7	11
B. Operated	15	7.3	39	2	4	5	9	14	23	26
2. MULTIPLE DX										
A. Not Operated	1781	5.4	21	2	3	4	6	9	12	19
B. Operated	510	9.1	58	3	4	7	11	18	24	43
1. SINGLE DX	111	4.1	10	1	2	4	5	7	9	19
2. MULTIPLE DX	2291	6.2	32	2	3	5	8	11	15	27
A. Not Operated	1877	5.3	20	2	3	4	6	9	12	19
B. Operated	525	9.1	57	3	4	7	11	18	24	42
TOTAL										
65-69 YRS	650	5.2	15	2	3	4	6	10	12	21
70-74	572	5.7	24	2	3	5	7	10	13	24
75-79	507	6.1	28	2	3	5	8	11	14	26
80-84	378	6.8	32	2	3	5	9	14	18	31
85 +	295	7.8	78	3	4	6	9	14	16	52
GRAND TOTAL	**2402**	**6.1**	**31**	**2**	**3**	**5**	**7**	**11**	**15**	**27**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	74	3.6	3	2	2	3	4	6	7	8
70-74	60	3.6	3	2	2	4	4	6	7	8
75-79	63	4.4	6	2	3	4	5	7	11	12
80-84	33	4.4	5	1	3	4	6	8	8	9
85 +	24	5.3	8	3	3	5	6	9	11	14
B. Operated										
65-69 YRS	36	6.7	13	3	4	6	9	11	12	20
70-74	33	7.0	18	3	4	6	9	12	16	21
75-79	27	6.9	11	3	4	7	9	12	13	14
80-84	19	7.4	14	3	4	6	10	13	14	14
85 +	18	12.8	72	6	8	11	14	24	34	39
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	902	5.4	10	2	3	5	7	9	11	19
70-74	924	6.0	17	3	4	5	7	10	13	21
75-79	883	6.5	34	3	4	5	7	11	14	36
80-84	743	7.6	56	3	4	6	9	13	17	36
85 +	735	8.1	46	3	4	6	10	15	19	32
B. Operated										
65-69 YRS	545	11.6	105	3	5	9	14	23	31	68
70-74	585	12.3	132	4	6	9	14	25	35	68
75-79	586	13.2	135	4	6	10	16	26	37	82
80-84	539	13.3	129	4	6	10	17	25	32	80
85 +	405	15.2	144	5	8	12	18	28	39	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	254	4.0	5	2	3	4	5	7	8	12
B. Operated	133	7.7	25	3	4	7	10	13	14	29
2. MULTIPLE DX										
A. Not Operated	4187	6.6	32	3	4	5	8	11	15	28
B. Operated	2660	13.0	130	4	6	10	16	26	36	72
1. SINGLE DX	387	5.3	15	2	3	4	7	10	12	19
2. MULTIPLE DX	6847	9.1	80	3	4	7	11	18	24	53
A. Not Operated	4441	6.5	31	3	4	5	8	11	15	28
B. Operated	2793	12.7	126	4	6	10	15	25	35	70
TOTAL										
65-69 YRS	1557	7.5	52	3	4	5	9	14	20	47
70-74	1602	8.2	68	3	4	6	9	15	22	45
75-79	1559	8.9	82	3	4	6	10	17	25	61
80-84	1334	9.8	92	3	4	7	11	19	26	54
85 +	1182	10.6	91	3	5	8	13	20	27	54
GRAND TOTAL	**7234**	**8.9**	**77**	**3**	**4**	**6**	**10**	**17**	**24**	**52**

204: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	6.0	6	2	4	6	8	9	9	9
70-74	11	5.7	13	2	3	4	9	11	13	13
75-79	4	4.5	14	1	1	4	7	9	9	9
80-84	4	5.0	3	3	3	5	6	7	7	7
85 +	3	5.3	17	2	2	4	8	10	10	10
B. Operated										
65-69 YRS	8	8.3	31	3	4	7	12	17	18	18
70-74	13	10.4	48	2	6	8	16	21	23	23
75-79	7	8.6	31	3	4	8	11	18	19	19
80-84	4	13.0	17	9	9	13	16	17	17	17
85 +	2	10.5	5	9	9	10	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	53	6.1	16	3	3	5	8	10	13	22
70-74	67	5.9	10	3	3	5	7	10	12	16
75-79	68	8.0	34	3	4	7	10	15	18	34
80-84	57	8.1	21	4	5	6	10	14	17	26
85 +	62	9.3	50	3	5	7	11	17	29	34
B. Operated										
65-69 YRS	142	14.7	152	5	7	11	19	26	33	70
70-74	148	15.9	254	5	7	12	18	32	65	99 +
75-79	119	14.5	92	5	8	12	20	29	32	70
80-84	87	18.3	311	5	8	13	21	32	64	92
85 +	64	18.2	100	7	10	17	23	33	40	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	5.5	9	2	3	5	8	10	10	13
B. Operated	34	9.8	34	3	6	9	15	18	21	23
2. MULTIPLE DX										
A. Not Operated	307	7.5	28	3	4	6	10	13	17	31
B. Operated	560	15.9	186	5	8	12	20	30	43	95
1. SINGLE DX	65	7.8	26	3	4	6	9	16	18	23
2. MULTIPLE DX	867	12.9	146	4	6	10	16	25	33	85
A. Not Operated	338	7.3	26	3	4	6	9	13	16	30
B. Operated	594	15.6	179	5	8	12	20	30	42	95
TOTAL										
65-69 YRS	212	12.0	122	3	5	9	16	23	30	57
70-74	239	12.3	184	3	5	8	14	25	42	99 +
75-79	198	11.8	79	3	6	9	16	24	31	51
80-84	152	14.0	211	5	6	10	16	26	35	89
85 +	131	13.6	93	4	6	10	18	29	33	43
GRAND TOTAL	**932**	**12.6**	**139**	**4**	**5**	**9**	**16**	**25**	**32**	**83**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	84	2.5	3	1	1	2	3	5	6	9
70-74	42	3.2	4	< 1	2	3	4	6	7	8
75-79	42	3.5	11	1	1	3	5	6	8	20
80-84	28	3.3	6	1	2	3	4	8	9	9
85 +	19	3.1	3	1	2	3	4	5	6	7
B. Operated										
65-69 YRS	16	3.3	16	< 1	< 1	< 1	5	7	13	16
70-74	16	2.9	13	< 1	< 1	1	3	7	13	15
75-79	7	2.7	8	< 1	< 1	< 1	4	7	8	8
80-84	4	5.8	44	< 1	< 1	3	10	15	15	15
85 +	3	8.3	37	3	4	7	13	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1294	4.7	18	2	3	4	6	8	11	18
70-74	1433	5.0	13	2	3	4	6	9	11	19
75-79	1229	5.2	16	2	3	4	6	9	12	22
80-84	994	5.9	22	2	3	5	7	11	13	26
85 +	922	5.9	20	2	3	5	7	11	14	24
B. Operated										
65-69 YRS	471	8.0	56	2	4	6	10	15	21	43
70-74	502	7.9	60	2	4	6	9	16	22	59
75-79	449	8.4	55	3	4	6	10	15	20	39
80-84	309	9.6	67	3	5	7	11	19	26	41
85 +	271	9.2	83	3	5	7	10	18	25	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	215	3.0	5	1	1	2	4	6	7	9
B. Operated	46	3.6	17	< 1	< 1	1	5	8	15	16
2. MULTIPLE DX										
A. Not Operated	5872	5.3	17	2	3	4	6	10	12	21
B. Operated	2002	8.5	62	3	4	6	10	16	22	48
1. SINGLE DX	261	3.1	7	< 1	1	2	4	6	8	15
2. MULTIPLE DX	7874	6.1	31	2	3	5	7	11	15	28
A. Not Operated	6087	5.2	17	2	3	4	6	9	12	21
B. Operated	2048	8.4	62	2	4	6	10	16	21	48
TOTAL										
65-69 YRS	1865	5.5	29	2	3	4	7	10	13	26
70-74	1993	5.7	26	2	3	4	7	10	14	25
75-79	1727	6.0	28	2	3	5	7	11	14	25
80-84	1335	6.7	34	2	3	5	8	12	18	31
85 +	1215	6.6	36	2	3	5	8	12	16	31
GRAND TOTAL	**8135**	**6.0**	**30**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.1	5	1	2	2	3	6	9	10
70-74	10	4.0	6	< 1	2	4	5	7	9	9
75-79	12	3.7	13	< 1	1	3	5	8	13	14
80-84	6	2.8	4	< 1	1	2	4	6	6	6
85 +	0									
B. Operated										
65-69 YRS	8	8.6	18	2	7	8	10	15	16	16
70-74	8	9.6	84	1	3	6	16	24	26	26
75-79	5	7.8	25	< 1	5	7	10	15	15	15
80-84	2	12.0	18	9	9	12	15	15	15	15
85 +	6	14.7	52	6	10	13	22	24	24	24
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	321	5.0	19	2	2	4	6	9	12	24
70-74	303	5.5	28	1	2	4	7	11	15	34
75-79	258	5.7	25	1	3	5	7	11	14	28
80-84	192	6.0	23	2	3	5	7	11	16	28
85 +	187	6.9	34	2	3	6	8	14	18	36
B. Operated										
65-69 YRS	192	13.2	116	4	6	10	17	27	38	51
70-74	234	12.5	115	3	5	9	16	26	37	55
75-79	179	14.1	127	4	7	11	18	30	39	65
80-84	142	15.1	204	3	6	10	18	36	49	69
85 +	99	13.7	110	4	6	11	18	29	35	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	3.4	7	1	2	3	4	6	9	14
B. Operated	29	10.2	45	2	6	9	15	21	24	26
2. MULTIPLE DX										
A. Not Operated	1261	5.7	26	2	3	4	7	11	15	29
B. Operated	846	13.6	132	4	6	10	17	29	39	59
1. SINGLE DX	70	6.3	34	1	2	4	9	15	20	26
2. MULTIPLE DX	2107	8.8	83	2	3	6	11	19	28	50
A. Not Operated	1302	5.6	25	2	3	4	7	11	15	29
B. Operated	875	13.4	130	4	6	10	17	29	38	59
TOTAL										
65-69 YRS	534	7.9	69	2	3	5	10	17	24	47
70-74	555	8.5	77	2	3	6	10	19	27	46
75-79	454	9.0	82	2	3	6	11	19	27	46
80-84	342	9.8	118	2	4	6	11	20	31	58
85 +	292	9.4	71	2	4	7	12	20	28	48
GRAND TOTAL	**2177**	**8.8**	**82**	**2**	**3**	**6**	**11**	**19**	**28**	**50**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	103	4.3	5	2	3	4	5	7	9	14
70-74	66	4.3	4	2	3	4	5	7	8	13
75-79	39	4.5	6	3	3	4	5	6	11	14
80-84	16	4.9	3	3	4	5	6	7	8	8
85 +	6	5.8	21	2	3	5	12	83	99 +	99 +
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	5.3	22	1	2	4	8	13	14	14
70-74	4	5.0	6	2	3	5	7	7	7	7
75-79	0									
80-84	3	4.0	19	< 1	< 1	2	7	9	9	9
85 +	4	2.0	1	< 1	< 1	2	3	3	3	3
B. Operated										
65-69 YRS	174	6.6	22	3	4	5	8	11	13	18
70-74	132	7.2	18	3	5	6	9	11	13	23
75-79	91	7.5	18	4	5	6	10	13	18	21
80-84	44	7.3	17	4	5	6	9	13	17	20
85 +	29	8.0	13	4	5	8	10	13	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.3		3	3	3	4	4	4	4
B. Operated	230	4.4	5	2	3	4	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	18	4.3	13	< 1	2	3	7	9	12	14
B. Operated	470	7.1	19	3	4	6	9	12	14	20
1. SINGLE DX	234	4.4	5	2	3	4	5	7	9	15
2. MULTIPLE DX	488	7.0	19	3	4	6	9	12	14	20
A. Not Operated	22	4.1	11	1	2	3	5	9	11	14
B. Operated	700	6.2	16	3	4	5	8	11	13	19
TOTAL										
65-69 YRS	286	5.7	17	3	3	5	7	10	13	17
70-74	203	6.2	15	3	4	5	8	10	12	19
75-79	131	6.6	16	3	4	5	8	12	15	20
80-84	63	6.6	14	3	4	5	8	12	15	20
85 +	39	7.1	16	3	4	6	10	14	16	99 +
GRAND TOTAL	**722**	**6.1**	**16**	**3**	**4**	**5**	**8**	**11**	**13**	**19**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	6.8	13	3	3	8	10	10	10	10
70-74	0									
75-79	3	7.0	28	3	3	5	11	13	13	13
80-84	1	10.0		10	10	10	10	10	10	10
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	98	7.3	9	4	5	7	9	12	13	16
70-74	65	7.4	8	4	6	7	9	11	12	18
75-79	32	7.0	7	4	5	7	8	12	12	13
80-84	12	9.1	11	5	6	8	11	14	15	15
85 +	8	10.1	16	5	7	10	13	16	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	7.4	15	2	4	8	10	12	13	13
70-74	3	19.7	254	9	10	12	31	38	38	38
75-79	5	10.8	20	5	8	10	14	17	17	17
80-84	1	6.0		6	6	6	6	6	6	6
85 +	2	8.0	72	2	2	8	14	14	14	14
B. Operated										
65-69 YRS	409	11.0	53	5	7	9	12	18	22	33
70-74	322	11.5	76	6	7	10	13	19	25	88
75-79	246	12.3	56	6	8	10	14	22	27	41
80-84	146	13.4	87	6	9	11	16	25	28	99 +
85 +	112	14.8	116	6	9	13	17	25	31	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.8	15	3	3	6	10	12	13	13
B. Operated	215	7.5	9	4	6	7	9	12	13	16
2. MULTIPLE DX										
A. Not Operated	19	10.2	63	2	6	9	13	16	29	38
B. Operated	1235	12.0	70	6	8	10	14	21	26	47
1. SINGLE DX	225	7.5	9	4	5	7	9	12	13	16
2. MULTIPLE DX	1254	12.0	70	6	8	10	14	21	26	47
A. Not Operated	29	9.0	48	2	4	9	11	14	18	38
B. Operated	1450	11.4	64	5	7	9	13	19	25	42
TOTAL										
65-69 YRS	520	10.2	46	5	7	9	12	17	21	32
70-74	390	10.9	68	5	7	9	12	18	25	65
75-79	286	11.7	52	5	7	10	13	20	26	41
80-84	160	13.0	82	6	8	11	15	25	28	99
85 +	123	14.3	110	6	8	13	17	25	30	69
GRAND TOTAL	**1479**	**11.3**	**64**	**5**	**7**	**9**	**13**	**19**	**25**	**42**

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	2.8	1	2	2	3	3	4	4	4
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	7	5.0	4	3	3	4	7	8	8	8
70-74	4	5.3	4	3	3	5	7	7	7	7
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	6.0	7	3	4	6	8	9	9	9
70-74	5	5.2	16	2	3	4	7	12	12	12
75-79	3	5.7	1	5	5	5	7	7	7	7
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	23	8.8	43	3	4	7	9	23	25	25
70-74	23	6.9	31	2	3	5	10	15	19	24
75-79	12	7.3	20	3	4	6	9	15	16	16
80-84	7	6.3	3	4	5	6	7	9	9	9
85 +	4	18.8	210	4	7	17	30	37	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.6	1	1	2	3	3	4	4	4
B. Operated	13	4.8	4	3	3	4	7	7	8	8
2. MULTIPLE DX										
A. Not Operated	14	5.6	7	3	4	5	7	9	11	12
B. Operated	69	8.2	44	3	4	6	9	17	24	35
1. SINGLE DX	21	4.0	4	2	3	4	5	7	8	8
2. MULTIPLE DX	83	7.8	39	3	4	6	9	15	23	33
A. Not Operated	22	4.5	7	2	3	4	5	8	10	12
B. Operated	82	7.7	39	3	4	6	9	15	23	33
TOTAL										
65-69 YRS	40	7.1	31	3	3	6	8	11	23	25
70-74	34	6.1	25	2	3	4	7	12	17	24
75-79	17	6.5	17	2	4	5	9	14	16	16
80-84	9	6.0	2	4	5	6	7	8	9	9
85 +	4	18.8	210	4	7	17	30	37	37	37
GRAND TOTAL	**104**	**7.0**	**34**	**2**	**4**	**5**	**8**	**12**	**22**	**31**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	3	1.7	1	< 1	< 1	1	2	3	3	3
75-79	10	2.4	5	1	1	2	3	6	8	8
80-84	0									
85 +	2	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	1182	1.8	1	1	1	1	2	3	4	6
70-74	909	1.9	1	1	1	2	2	3	4	6
75-79	618	1.9	1	1	1	2	2	3	4	6
80-84	350	2.3	3	1	1	2	3	4	5	8
85 +	182	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	33	2.0	4	< 1	< 1	1	2	5	8	9
70-74	40	3.0	12	< 1	< 1	1	4	8	11	15
75-79	38	2.9	8	< 1	1	2	4	7	10	13
80-84	26	5.1	29	1	2	4	7	10	14	27
85 +	14	3.3	5	< 1	1	3	5	6	8	8
B. Operated										
65-69 YRS	2221	2.7	6	1	1	2	3	5	7	13
70-74	2198	3.1	12	1	1	2	4	6	8	14
75-79	1730	3.1	7	1	1	2	4	6	8	15
80-84	1105	3.5	13	1	2	3	4	7	9	17
85 +	579	4.5	28	1	2	3	5	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.0	3	1	1	1	2	4	6	8
B. Operated	3241	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	151	3.2	12	< 1	1	2	4	8	10	15
B. Operated	7833	3.2	11	1	1	2	4	6	8	16
1. SINGLE DX	3260	1.9	2	1	1	2	2	3	4	6
2. MULTIPLE DX	7984	3.2	11	1	1	2	4	6	8	16
A. Not Operated	170	3.0	11	< 1	1	2	4	7	9	15
B. Operated	11074	2.8	8	1	1	2	3	5	7	14
TOTAL										
65-69 YRS	3440	2.4	4	1	1	2	3	5	6	10
70-74	3150	2.8	9	1	1	2	3	5	7	13
75-79	2396	2.8	6	1	1	2	4	5	7	13
80-84	1481	3.3	11	1	1	2	4	6	8	16
85 +	777	3.9	22	1	1	3	5	8	11	22
GRAND TOTAL	**11244**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	4	2.5	2	1	1	2	3	4	4	4
75-79	4	1.8	1	< 1	< 1	1	2	3	3	3
80-84	2	1.0		1	1	1	1	1	1	1
85 +	3	2.7	1	2	2	2	4	4	4	4
B. Operated										
65-69 YRS	129	2.7	2	1	2	2	3	5	6	7
70-74	122	2.9	3	1	2	3	4	5	6	10
75-79	85	2.9	3	1	1	3	4	5	6	8
80-84	73	3.4	4	1	2	3	4	6	8	9
85 +	60	3.4	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	1.8	1	< 1	1	2	2	3	4	4
70-74	16	4.5	45	1	2	3	4	6	22	29
75-79	26	3.9	12	1	1	3	5	9	12	13
80-84	15	6.5	57	1	3	5	7	10	26	32
85 +	30	5.4	26	1	2	4	7	13	15	22
B. Operated										
65-69 YRS	339	5.4	32	1	2	4	7	11	15	35
70-74	429	6.1	40	2	2	4	7	13	18	34
75-79	450	6.4	38	2	3	5	8	13	17	31
80-84	409	7.7	75	2	3	5	9	16	19	42
85 +	403	8.8	68	2	4	7	11	17	23	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.9	1	1	1	2	3	4	4	4
B. Operated	469	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	99	4.6	28	1	2	3	5	10	14	31
B. Operated	2030	6.9	52	2	3	5	8	14	19	39
1. SINGLE DX	484	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	2129	6.8	51	2	3	5	8	14	19	39
A. Not Operated	114	4.2	25	1	1	3	5	9	13	30
B. Operated	2499	6.1	45	1	2	4	7	13	17	36
TOTAL										
65-69 YRS	482	4.5	25	1	2	3	5	9	13	28
70-74	571	5.3	34	1	2	4	6	11	15	32
75-79	565	5.7	33	1	2	4	7	12	16	31
80-84	499	7.0	66	2	3	5	8	15	19	41
85 +	496	7.9	61	2	3	5	10	16	22	42
GRAND TOTAL	**2613**	**6.1**	**45**	**1**	**2**	**4**	**7**	**13**	**17**	**35**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	38	2.0	1	1	1	2	3	3	4	5
70-74	21	1.9	1	< 1	1	2	3	4	4	4
75-79	13	1.8	1	< 1	1	1	2	3	4	4
80-84	4	3.0	3	1	1	3	4	5	5	5
85 +	7	2.7	6	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	1	5.0		5	5	5	5	5	5	5
85 +	3	4.0	7	< 1	1	5	6	6	6	6
B. Operated										
65-69 YRS	113	3.7	7	1	2	3	5	7	10	14
70-74	90	4.3	24	1	1	3	5	9	13	29
75-79	61	5.6	111	1	2	3	5	9	14	75
80-84	30	4.8	16	2	3	4	5	8	14	21
85 +	15	5.5	14	1	2	5	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	8	< 1	< 1	1	5	6	6	6
B. Operated	83	2.1	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	9	3.6	5	< 1	1	4	5	6	6	6
B. Operated	309	4.4	34	1	2	3	5	9	11	23
1. SINGLE DX	86	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	318	4.4	33	1	2	3	5	9	11	22
A. Not Operated	12	3.3	5	< 1	1	3	5	6	6	6
B. Operated	392	3.9	28	1	2	3	4	8	11	20
TOTAL										
65-69 YRS	154	3.2	6	1	2	3	4	6	9	13
70-74	113	3.8	20	1	1	3	4	8	11	27
75-79	77	4.8	90	1	1	3	5	9	12	64
80-84	35	4.6	14	2	2	4	5	7	12	21
85 +	25	4.6	12	1	1	4	7	9	11	11
GRAND TOTAL	**404**	**3.9**	**27**	**1**	**1**	**3**	**4**	**8**	**11**	**19**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.7	2	2	2	4	5	5	5	5
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	4	3.5	3	2	2	3	5	6	6	6
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	286	3.5	4	1	2	3	5	6	7	10
70-74	246	3.5	4	1	2	3	5	6	7	8
75-79	152	3.9	5	1	2	4	5	7	7	10
80-84	60	3.2	3	1	2	3	4	5	6	8
85 +	23	3.4	2	2	2	3	5	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	42	3.3	7	< 1	1	3	5	6	7	15
70-74	30	4.8	18	1	1	4	7	10	12	19
75-79	30	3.8	4	1	2	4	6	7	7	7
80-84	14	5.4	10	2	3	5	7	11	11	11
85 +	16	5.3	30	1	2	4	5	12	20	23
B. Operated										
65-69 YRS	929	5.1	14	2	3	4	6	9	11	19
70-74	737	5.4	16	2	3	5	7	9	11	23
75-79	533	5.7	18	2	3	5	7	11	14	22
80-84	244	5.9	18	2	3	5	7	11	15	22
85 +	97	6.6	21	2	3	6	9	13	15	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.0	2	1	2	3	4	5	6	6
B. Operated	767	3.5	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. Not Operated	132	4.2	12	1	2	4	6	8	11	20
B. Operated	2540	5.4	16	2	3	5	7	10	12	22
1. SINGLE DX	778	3.5	4	1	2	3	5	6	7	9
2. MULTIPLE DX	2672	5.4	16	2	3	5	7	9	12	22
A. Not Operated	143	4.1	11	1	2	3	5	7	10	19
B. Operated	3307	5.0	14	2	3	4	6	9	11	20
TOTAL										
65-69 YRS	1260	4.6	12	1	3	4	6	8	10	17
70-74	1016	4.9	14	2	3	4	6	8	10	20
75-79	719	5.2	15	1	3	4	7	9	13	21
80-84	318	5.4	16	2	3	4	7	10	13	21
85 +	137	5.9	20	2	3	5	8	12	15	23
GRAND TOTAL	**3450**	**5.0**	**14**	**1**	**3**	**4**	**6**	**9**	**11**	**20**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.4	6	1	2	2	4	8	8	8
70-74	10	2.4	2	< 1	2	2	3	4	5	5
75-79	9	1.8		< 1	1	2	2	3	3	3
80-84	11	2.1	2	< 1	< 1	< 1	4	4	4	4
85 +	2	5.0	8	3	3	5	7	7	7	7
B. Operated										
65-69 YRS	12	5.3	12	< 1	1	6	8	9	10	10
70-74	7	5.0	15	< 1	1	6	8	10	11	11
75-79	5	6.0	29	2	3	3	9	15	15	15
80-84	2	15.0	98	8	8	15	22	22	22	22
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	304	3.7	5	2	2	3	5	6	8	12
70-74	296	3.9	5	2	2	3	5	7	8	13
75-79	283	4.5	9	2	3	4	6	8	10	15
80-84	229	4.4	7	2	3	4	5	8	9	15
85 +	181	6.0	39	2	3	4	7	12	16	22
B. Operated										
65-69 YRS	180	8.5	57	3	5	7	9	14	18	56
70-74	141	8.9	39	3	6	7	11	15	20	34
75-79	112	8.7	34	3	5	8	10	15	20	33
80-84	70	10.1	48	2	5	9	14	18	23	37
85 +	40	11.4	91	2	5	8	17	22	30	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	45	2.6	3	< 1	1	2	3	5	7	8
B. Operated	26	6.1	24	< 1	2	6	8	11	16	22
2. MULTIPLE DX										
A. Not Operated	1293	4.4	12	2	2	4	5	8	10	16
B. Operated	543	9.1	49	3	5	8	11	17	21	47
1. SINGLE DX	71	3.9	14	< 1	1	2	6	8	10	21
2. MULTIPLE DX	1836	5.8	27	2	3	4	7	11	15	25
A. Not Operated	1338	4.3	11	2	2	4	5	8	9	16
B. Operated	569	8.9	49	3	5	7	11	16	21	45
TOTAL										
65-69 YRS	509	5.5	29	2	3	4	7	10	13	30
70-74	454	5.5	21	2	3	4	7	10	13	22
75-79	409	5.6	19	2	3	5	7	11	14	24
80-84	312	5.7	23	2	3	4	7	11	15	24
85 +	223	7.0	52	2	3	5	8	15	18	39
GRAND TOTAL	**1907**	**5.7**	**27**	**2**	**3**	**4**	**7**	**11**	**14**	**25**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	43	2.2	3	1	1	2	3	4	6	9
70-74	21	2.3	5	1	1	2	3	5	8	9
75-79	25	2.4	2	1	1	2	3	4	5	5
80-84	20	2.9	7	1	1	2	4	6	9	11
85 +	6	2.8	1	1	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	3.8	7	1	2	4	5	8	8	8
70-74	4	4.3	16	< 1	< 1	3	7	9	9	9
75-79	2	5.5	13	3	3	5	8	8	8	8
80-84	3	5.3	6	3	3	5	7	8	8	8
85 +	4	8.5	16	5	5	7	11	14	14	14
B. Operated										
65-69 YRS	64	4.8	16	1	2	3	6	10	14	19
70-74	54	3.9	8	1	2	3	5	7	10	14
75-79	67	4.4	17	1	2	3	5	9	13	23
80-84	47	4.6	15	1	2	3	7	11	12	15
85 +	19	6.5	29	2	3	6	8	11	19	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	115	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	18	5.4	12	1	3	5	8	9	12	14
B. Operated	251	4.6	15	1	2	3	6	10	12	20
1. SINGLE DX	115	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX	269	4.6	15	1	2	3	6	10	12	19
A. Not Operated	18	5.4	12	1	3	5	8	9	12	14
B. Operated	366	3.9	13	1	2	3	5	8	11	16
TOTAL										
65-69 YRS	112	3.7	12	1	1	3	4	8	11	18
70-74	79	3.5	7	1	1	3	4	7	9	13
75-79	94	3.9	13	1	2	3	4	8	12	21
80-84	70	4.1	13	1	1	3	6	10	12	14
85 +	29	6.0	24	2	3	5	8	11	15	25
GRAND TOTAL	**384**	**4.0**	**13**	**1**	**2**	**3**	**5**	**9**	**11**	**16**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.4	3	< 1	1	2	4	5	5	5
70-74	6	2.8	2	1	2	3	4	5	5	5
75-79	6	4.0	9	2	2	3	4	9	10	10
80-84	5	2.4	1	1	2	3	3	3	3	3
85 +	6	5.3	7	1	4	6	7	8	8	8
B. Operated										
65-69 YRS	140	4.4	13	1	2	4	6	9	10	15
70-74	113	4.5	8	1	2	4	6	9	9	12
75-79	111	4.3	10	1	2	4	6	9	10	16
80-84	58	4.9	9	2	2	4	7	9	11	15
85 +	39	6.2	22	2	3	5	8	13	17	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	38	4.7	14	2	2	4	6	10	14	16
70-74	48	5.5	25	2	3	4	6	8	13	27
75-79	51	4.6	9	2	2	4	6	8	11	14
80-84	60	5.8	24	2	3	4	6	16	18	20
85 +	65	9.6	171	2	4	6	12	19	26	99 +
B. Operated										
65-69 YRS	613	8.1	61	2	4	6	10	15	25	46
70-74	626	9.0	76	2	4	7	11	18	25	50
75-79	565	10.2	86	3	5	8	13	19	27	57
80-84	483	11.2	83	3	6	9	14	22	27	51
85 +	424	11.8	95	3	6	9	14	23	31	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	3.4	5	1	2	3	5	7	8	10
B. Operated	461	4.6	12	1	2	4	6	9	10	15
2. MULTIPLE DX										
A. Not Operated	262	6.3	59	2	3	4	7	13	18	43
B. Operated	2711	9.9	81	2	4	8	12	19	27	52
1. SINGLE DX	492	4.5	11	1	2	4	6	9	10	15
2. MULTIPLE DX	2973	9.6	80	2	4	7	12	19	26	52
A. Not Operated	293	6.0	54	2	3	4	7	12	17	37
B. Operated	3172	9.1	74	2	4	7	11	18	25	48
TOTAL										
65-69 YRS	799	7.3	53	2	3	5	9	14	20	37
70-74	793	8.1	66	2	3	6	9	16	23	46
75-79	733	8.9	74	2	4	7	11	17	25	47
80-84	606	10.0	75	3	4	8	13	20	25	47
85 +	534	11.0	100	3	5	9	14	21	29	70
GRAND TOTAL	**3465**	**8.8**	**73**	**2**	**4**	**7**	**11**	**17**	**25**	**47**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	267	3.8	5	1	2	3	5	7	8	11
70-74	259	3.8	4	2	2	3	5	7	7	9
75-79	204	4.2	12	1	2	4	5	7	8	18
80-84	112	4.3	8	2	2	4	5	8	10	14
85 +	139	4.7	9	2	3	4	6	9	10	14
B. Operated										
65-69 YRS	117	10.0	16	5	7	9	13	15	17	23
70-74	84	9.9	18	6	7	9	12	15	17	27
75-79	67	10.3	15	6	7	10	13	16	17	22
80-84	56	10.6	18	6	8	10	12	16	22	23
85 +	45	11.3	21	7	8	10	14	17	20	25
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1706	5.7	16	2	3	5	7	10	13	22
70-74	1968	6.1	26	2	3	5	7	11	15	28
75-79	1905	6.6	33	2	3	5	8	12	15	28
80-84	1662	6.9	29	2	4	6	9	12	16	24
85 +	1762	7.8	46	3	4	6	9	14	18	39
B. Operated										
65-69 YRS	1155	15.0	120	7	9	12	17	26	37	71
70-74	1289	15.2	112	6	9	12	19	27	35	70
75-79	1210	16.4	111	7	10	13	20	30	40	63
80-84	988	16.8	138	7	10	14	20	29	40	73
85 +	873	16.9	112	8	10	14	20	29	38	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	981	4.1	7	1	2	4	5	7	9	11
B. Operated	369	10.3	17	6	7	10	13	16	17	23
2. MULTIPLE DX										
A. Not Operated	9003	6.6	31	2	3	5	8	12	15	27
B. Operated	5515	16.0	119	7	9	13	19	29	38	71
1. SINGLE DX	1350	5.8	17	2	3	4	8	11	14	20
2. MULTIPLE DX	14518	10.2	85	3	4	8	13	20	27	52
A. Not Operated	9984	6.4	29	2	3	5	8	12	15	27
B. Operated	5884	15.6	114	7	9	13	19	28	37	69
TOTAL										
65-69 YRS	3245	9.0	73	2	4	7	11	18	24	49
70-74	3600	9.3	75	2	4	7	12	19	26	46
75-79	3386	10.0	82	3	4	7	12	20	28	50
80-84	2818	10.3	89	3	4	8	13	20	26	50
85 +	2819	10.5	83	3	5	8	13	20	27	57
GRAND TOTAL	**15868**	**9.8**	**81**	**3**	**4**	**7**	**12**	**20**	**26**	**50**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	119	2.8	7	1	1	2	3	5	6	15
70-74	122	3.0	6	1	2	2	4	6	7	12
75-79	65	3.1	8	1	1	2	4	6	8	14
80-84	73	3.0	4	1	2	3	4	5	7	11
85 +	57	2.9	4	1	2	2	4	6	6	12
B. Operated										
65-69 YRS	23	3.8	7	< 1	2	3	5	8	10	10
70-74	11	4.3	7	< 1	2	4	6	8	10	10
75-79	2	9.0	32	5	5	9	13	13	13	13
80-84	5	3.4	18	< 1	1	2	4	11	11	11
85 +	4	4.3	10	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1666	4.4	13	2	2	4	5	8	11	18
70-74	1805	4.7	17	2	2	4	6	9	12	20
75-79	1656	4.9	19	2	2	4	6	9	12	25
80-84	1383	5.3	22	2	3	4	6	10	13	26
85 +	1414	5.9	40	2	3	4	7	11	14	34
B. Operated										
65-69 YRS	345	9.2	61	3	4	7	11	18	24	48
70-74	320	9.6	68	3	4	7	12	19	25	47
75-79	298	11.0	82	3	5	8	14	22	28	59
80-84	221	10.5	73	4	5	8	12	21	28	62
85 +	166	12.0	122	4	6	8	15	25	33	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	436	3.0	6	1	1	2	4	6	7	12
B. Operated	45	4.2	9	< 1	2	4	6	10	10	13
2. MULTIPLE DX										
A. Not Operated	7924	5.0	22	2	3	4	6	9	12	24
B. Operated	1350	10.2	77	3	5	8	13	21	28	55
1. SINGLE DX	481	3.1	6	1	2	2	4	6	7	13
2. MULTIPLE DX	9274	5.8	33	2	3	4	7	11	15	31
A. Not Operated	8360	4.9	21	2	2	4	6	9	12	24
B. Operated	1395	10.0	76	3	5	8	12	21	28	55
TOTAL										
65-69 YRS	2153	5.1	23	2	2	4	6	10	13	29
70-74	2258	5.3	26	2	2	4	6	10	14	27
75-79	2021	5.8	32	2	3	4	7	11	17	30
80-84	1682	5.9	32	2	3	4	7	11	15	30
85 +	1641	6.4	50	2	3	5	7	12	16	38
GRAND TOTAL	**9755**	**5.6**	**32**	**2**	**3**	**4**	**7**	**11**	**15**	**30**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	322	4.4	6	1	3	4	6	8	9	12
70-74	300	4.6	6	2	3	4	6	7	9	13
75-79	197	4.3	7	1	3	4	5	8	9	13
80-84	144	4.5	8	1	2	4	6	8	10	14
85 +	110	5.4	12	1	3	5	7	9	12	17
B. Operated										
65-69 YRS	98	9.7	39	5	7	8	11	15	17	41
70-74	74	9.6	21	6	7	9	11	15	17	28
75-79	40	9.4	21	4	7	9	11	14	18	26
80-84	20	10.0	11	6	8	9	11	15	17	18
85 +	5	12.4	123	5	6	8	15	32	32	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1890	5.6	12	2	3	5	7	9	11	17
70-74	2122	5.9	16	2	3	5	7	10	13	20
75-79	2257	6.2	16	2	4	5	8	11	13	22
80-84	2083	6.6	27	3	4	6	8	11	14	22
85 +	2075	7.3	30	3	4	6	9	13	17	32
B. Operated										
65-69 YRS	1264	12.6	90	5	7	10	14	23	30	54
70-74	1381	13.1	90	5	8	11	16	23	29	58
75-79	1155	14.2	123	5	8	11	17	26	34	67
80-84	864	14.3	122	4	7	12	19	26	35	79
85 +	618	15.5	172	5	8	12	19	30	45	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1073	4.5	7	1	3	4	6	8	9	14
B. Operated	237	9.7	29	5	7	9	11	15	17	29
2. MULTIPLE DX										
A. Not Operated	10427	6.3	21	2	4	5	8	11	14	23
B. Operated	5282	13.7	113	5	8	11	17	25	33	67
1. SINGLE DX	1310	5.5	15	2	3	5	7	10	12	18
2. MULTIPLE DX	15709	8.8	64	3	4	7	11	17	23	43
A. Not Operated	11500	6.1	20	2	4	5	8	11	13	22
B. Operated	5519	13.5	110	5	8	11	16	25	32	65
TOTAL										
65-69 YRS	3574	8.1	52	3	4	6	10	15	20	40
70-74	3877	8.4	54	3	4	7	10	16	21	36
75-79	3649	8.6	64	3	4	6	10	17	22	42
80-84	3111	8.6	65	3	4	6	10	17	22	43
85 +	2808	9.0	73	3	4	7	11	17	24	53
GRAND TOTAL	**17019**	**8.5**	**61**	**3**	**4**	**7**	**10**	**16**	**22**	**42**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.7	2	3	3	5	6	6	6	6
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	77	2.3	4	1	1	2	3	4	7	11
70-74	59	2.6	7	1	1	2	3	4	6	18
75-79	28	4.1	50	1	1	2	3	6	26	31
80-84	10	3.8	8	1	1	3	6	8	10	10
85 +	3	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	34	8.6	72	2	2	6	10	23	28	33
70-74	31	8.7	109	2	3	4	9	26	34	46
75-79	19	9.8	78	1	3	8	14	24	27	30
80-84	17	5.4	10	1	3	5	8	10	11	11
85 +	21	8.0	90	1	3	6	9	15	30	45
B. Operated										
65-69 YRS	376	4.2	25	1	2	3	5	8	14	28
70-74	235	5.4	31	1	2	3	7	12	18	27
75-79	160	6.3	47	1	2	4	8	14	17	36
80-84	94	8.2	60	2	3	6	11	18	27	38
85 +	61	9.8	101	2	3	7	14	20	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.4	2	3	3	5	5	6	6	6
B. Operated	177	2.8	13	1	1	2	3	5	7	24
2. MULTIPLE DX										
A. Not Operated	122	8.3	76	2	3	5	9	22	29	45
B. Operated	926	5.7	41	1	2	3	7	13	18	33
1. SINGLE DX	182	2.8	12	1	1	2	3	5	7	24
2. MULTIPLE DX	1048	6.0	46	1	2	4	7	14	19	34
A. Not Operated	127	8.1	74	2	3	5	9	22	29	45
B. Operated	1103	5.2	38	1	2	3	6	12	17	32
TOTAL										
65-69 YRS	490	4.2	27	1	2	3	5	9	14	30
70-74	325	5.2	36	1	2	3	6	11	18	30
75-79	208	6.3	51	1	2	4	8	14	22	35
80-84	122	7.4	50	2	3	5	9	15	24	36
85 +	85	9.1	96	2	3	6	11	18	28	55
GRAND TOTAL	**1230**	**5.5**	**42**	**1**	**2**	**3**	**7**	**12**	**18**	**33**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	3.4	5	< 1	2	3	4	7	8	8
70-74	17	4.9	12	2	2	4	7	10	12	13
75-79	17	3.4	3	1	2	3	5	6	6	6
80-84	3	2.7	1	2	2	2	4	4	4	4
85 +	4	2.5	2	< 1	1	2	3	4	4	4
B. Operated										
65-69 YRS	4	5.0	2	4	4	5	6	7	7	7
70-74	3	5.0	19	2	2	3	8	10	10	10
75-79	5	7.0	4	4	5	8	8	9	9	9
80-84	4	12.3	177	3	5	7	20	32	32	32
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	185	5.9	16	2	3	5	8	11	14	21
70-74	207	5.8	19	2	3	4	8	11	13	31
75-79	202	6.4	17	3	4	6	8	11	13	21
80-84	169	8.6	57	3	4	6	10	16	23	42
85 +	124	7.5	42	2	4	6	9	13	17	31
B. Operated										
65-69 YRS	87	11.8	159	3	5	8	13	22	39	76
70-74	90	9.8	50	4	5	8	12	20	23	39
75-79	94	12.2	114	3	5	9	15	26	35	57
80-84	57	13.2	117	5	7	10	17	23	34	67
85 +	44	13.6	111	4	8	11	18	29	68	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	3.7	6	1	2	3	5	7	9	13
B. Operated	16	7.4	48	3	4	6	8	10	25	32
2. MULTIPLE DX										
A. Not Operated	887	6.7	29	2	3	5	8	12	16	31
B. Operated	372	11.8	110	4	5	9	15	22	34	74
1. SINGLE DX	76	4.5	17	1	2	4	6	8	10	27
2. MULTIPLE DX	1259	8.2	58	3	4	6	10	16	21	43
A. Not Operated	947	6.5	28	2	3	5	8	12	16	30
B. Operated	388	11.7	108	4	5	9	14	22	33	73
TOTAL										
65-69 YRS	295	7.5	65	2	3	6	8	14	20	41
70-74	317	6.9	31	2	3	5	9	13	18	34
75-79	318	7.9	52	3	4	6	9	14	20	37
80-84	233	9.7	76	3	4	7	12	19	27	44
85 +	172	8.9	66	2	4	8	11	18	25	90
GRAND TOTAL	**1335**	**8.0**	**57**	**2**	**4**	**6**	**10**	**15**	**21**	**43**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	5.8	14	2	3	5	8	12	14	14
70-74	21	5.2	9	2	3	5	7	9	11	13
75-79	7	5.6	8	2	3	5	8	10	10	10
80-84	2	8.0	8	6	6	8	10	10	10	10
85 +	0									
B. Operated										
65-69 YRS	30	8.7	32	2	4	7	12	15	20	25
70-74	19	7.9	21	3	4	7	12	15	16	17
75-79	15	12.9	307	1	5	7	14	20	60	73
80-84	6	7.5	72	1	1	4	11	22	23	23
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	130	6.8	23	3	4	6	8	12	16	29
70-74	129	6.4	21	2	4	5	8	12	14	44
75-79	85	8.3	42	3	4	6	11	16	21	36
80-84	50	8.4	27	3	5	7	10	17	20	25
85 +	43	7.6	21	3	5	6	10	14	17	20
B. Operated										
65-69 YRS	280	14.3	155	4	7	11	17	28	39	68
70-74	246	14.2	158	4	6	10	18	30	38	72
75-79	213	14.2	143	4	6	10	17	31	43	79
80-84	130	13.9	106	5	7	10	19	28	33	52
85 +	80	15.3	189	5	7	12	18	35	71	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	5.6	10	2	3	5	8	10	13	14
B. Operated	71	9.2	89	2	4	7	12	16	20	63
2. MULTIPLE DX										
A. Not Operated	437	7.2	27	3	4	6	9	13	18	30
B. Operated	949	14.3	149	4	7	11	17	30	41	73
1. SINGLE DX	118	7.8	61	2	3	6	10	14	17	40
2. MULTIPLE DX	1386	12.1	121	3	5	9	15	25	33	70
A. Not Operated	484	7.1	26	3	4	6	9	13	18	29
B. Operated	1020	13.9	146	4	6	11	17	29	39	73
TOTAL										
65-69 YRS	457	11.5	117	3	5	9	14	22	30	57
70-74	415	11.1	116	3	5	8	13	24	32	71
75-79	320	12.4	127	3	5	9	16	27	38	69
80-84	188	12.1	89	4	6	9	15	24	30	49
85 +	124	12.5	142	4	6	10	15	26	52	99 +
GRAND TOTAL	**1504**	**11.7**	**118**	**3**	**5**	**8**	**14**	**25**	**33**	**70**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	3.0	2	< 1	1	3	4	4	4	4
70-74	5	6.2	31	< 1	2	3	11	14	14	14
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	0									
70-74	6	17.7	568	5	5	9	12	61	66	66
75-79	3	38.0	2524	8	8	10	74	96	96	96
80-84	5	15.8	208	< 1	6	13	23	39	39	39
85 +	2	10.5	145	2	2	10	19	19	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	93	8.7	101	3	4	7	9	16	20	63
70-74	85	10.4	53	3	5	8	14	21	23	35
75-79	50	9.4	38	3	5	8	13	18	24	26
80-84	22	8.6	28	3	5	7	12	16	18	21
85 +	16	11.5	34	5	8	10	13	22	24	25
B. Operated										
65-69 YRS	123	20.0	269	7	10	16	26	42	66	99 +
70-74	99	20.9	243	6	10	16	29	41	54	90
75-79	63	22.3	336	7	11	16	25	44	63	93
80-84	49	20.7	283	7	10	15	24	37	59	87
85 +	39	15.7	104	5	10	14	21	27	50	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.5	16	< 1	3	3	4	12	14	14
B. Operated	16	20.0	676	2	6	10	18	63	87	96
2. MULTIPLE DX										
A. Not Operated	266	9.5	64	3	5	8	12	18	22	33
B. Operated	373	20.3	258	7	10	16	25	42	59	98
1. SINGLE DX	27	13.7	457	1	3	8	13	35	70	96
2. MULTIPLE DX	639	15.8	205	4	7	12	20	31	45	90
A. Not Operated	277	9.3	63	3	4	8	12	18	22	33
B. Operated	389	20.3	274	7	10	16	25	42	60	98
TOTAL										
65-69 YRS	220	14.9	226	3	6	10	19	30	49	93
70-74	195	15.9	190	4	6	12	20	34	42	80
75-79	117	17.0	293	4	7	12	19	31	56	95
80-84	76	16.9	230	5	8	13	20	34	46	84
85 +	58	14.2	87	4	8	12	18	24	39	96
GRAND TOTAL	**666**	**15.7**	**215**	**4**	**7**	**12**	**19**	**31**	**46**	**91**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	65	2.8	4	< 1	1	2	4	5	6	11
70-74	65	4.4	39	1	1	2	5	8	14	38
75-79	71	3.0	6	< 1	1	2	4	7	8	10
80-84	56	3.6	12	1	1	2	4	8	12	17
85 +	68	3.2	8	< 1	1	2	4	7	11	13
B. Operated										
65-69 YRS	92	5.0	19	1	1	4	7	9	13	23
70-74	81	6.5	40	1	2	5	9	12	18	36
75-79	68	5.9	44	1	2	4	8	10	14	43
80-84	50	6.3	60	1	3	5	8	9	13	45
85 +	31	5.4	17	1	2	5	8	11	16	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	761	5.3	25	1	2	4	7	11	14	26
70-74	995	5.7	37	1	2	4	7	11	15	28
75-79	1151	5.7	29	2	3	4	7	11	14	26
80-84	1235	6.4	44	2	3	5	8	12	18	33
85 +	1419	6.5	35	2	3	5	8	13	17	32
B. Operated										
65-69 YRS	1082	11.6	121	3	5	9	14	23	30	69
70-74	1126	11.5	118	2	4	9	14	25	36	71
75-79	1120	12.2	135	3	5	9	15	26	37	80
80-84	847	13.0	153	3	5	10	16	26	37	66
85 +	720	13.1	142	3	6	10	16	26	40	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	325	3.4	14	< 1	1	2	4	7	9	17
B. Operated	322	5.8	36	1	2	5	8	10	14	38
2. MULTIPLE DX										
A. Not Operated	5561	6.0	35	2	3	4	7	12	15	29
B. Operated	4895	12.2	132	3	5	9	15	25	36	71
1. SINGLE DX	647	4.6	26	1	1	3	6	9	12	25
2. MULTIPLE DX	10456	8.9	90	2	3	6	11	18	26	58
A. Not Operated	5886	5.9	34	1	3	4	7	12	15	28
B. Operated	5217	11.8	129	3	5	9	15	24	35	70
TOTAL										
65-69 YRS	2000	8.6	86	2	3	6	11	17	25	54
70-74	2267	8.5	86	2	3	6	10	18	27	58
75-79	2410	8.7	89	2	3	6	11	18	27	58
80-84	2188	8.9	97	2	3	6	11	18	25	55
85 +	2238	8.5	78	2	3	6	11	17	24	54
GRAND TOTAL	**11103**	**8.7**	**87**	**2**	**3**	**6**	**11**	**18**	**26**	**56**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	22.0	338	9	9	22	35	35	35	35
70-74	0									
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	8	3.3	8	1	1	2	4	8	9	9
70-74	5	7.4	25	2	3	6	12	14	14	14
75-79	1	6.0		6	6	6	6	6	6	6
80-84	1	13.0		13	13	13	13	13	13	13
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	318	9.8	55	3	5	8	13	19	25	42
70-74	183	10.5	88	3	5	8	13	19	25	50
75-79	102	11.0	83	4	7	9	12	21	28	56
80-84	40	10.1	35	4	6	9	12	16	18	36
85 +	11	8.9	33	3	5	8	10	16	23	24
B. Operated										
65-69 YRS	116	13.2	126	3	6	10	17	26	35	64
70-74	95	14.0	144	4	7	11	17	27	40	65
75-79	57	15.0	226	3	6	10	17	35	49	73
80-84	20	15.8	74	5	8	16	21	27	33	37
85 +	4	15.0	186	5	6	10	23	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	17.3	234	8	8	9	28	35	35	35
B. Operated	15	5.5	19	1	2	4	8	13	14	14
2. MULTIPLE DX										
A. Not Operated	654	10.2	67	3	5	8	13	18	26	45
B. Operated	292	14.0	147	4	6	11	17	28	38	65
1. SINGLE DX	18	7.4	64	1	2	5	9	14	27	35
2. MULTIPLE DX	946	11.4	95	3	6	9	14	21	30	57
A. Not Operated	657	10.2	68	3	5	8	13	19	26	45
B. Operated	307	13.6	144	3	6	10	17	28	37	65
TOTAL										
65-69 YRS	444	10.7	77	3	5	8	14	21	28	55
70-74	283	11.6	108	3	5	9	14	21	33	57
75-79	161	12.4	136	4	7	9	13	26	35	67
80-84	61	12.0	54	5	7	10	16	21	27	37
85 +	15	10.5	71	3	6	8	11	24	32	35
GRAND TOTAL	**964**	**11.3**	**94**	**3**	**6**	**9**	**14**	**21**	**30**	**57**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	7.0	37	3	3	4	11	14	14	14
70-74	5	4.4	6	2	2	5	6	8	8	8
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	34	2.2	6	1	1	1	2	5	7	12
70-74	21	2.0	3	< 1	1	1	2	5	6	7
75-79	9	5.8	96	1	1	1	7	21	31	31
80-84	4	11.5	150	1	1	11	22	24	24	24
85 +	2	9.0	128	1	1	9	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	197	7.8	36	3	4	6	9	15	18	45
70-74	165	9.6	95	3	4	8	12	17	26	69
75-79	164	11.1	90	3	5	9	14	22	23	63
80-84	113	10.7	102	3	5	8	12	17	27	62
85 +	45	12.5	74	5	7	10	16	28	38	99 +
B. Operated										
65-69 YRS	220	9.2	109	1	2	6	12	19	27	52
70-74	161	10.4	112	1	3	7	13	23	36	50
75-79	125	12.5	163	1	5	9	16	26	39	92
80-84	78	11.3	82	2	3	9	17	23	31	37
85 +	31	14.5	198	3	7	9	14	33	43	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	5.1	13	2	3	4	5	11	14	14
B. Operated	70	3.3	30	1	1	1	2	7	17	30
2. MULTIPLE DX										
A. Not Operated	684	9.8	78	3	5	8	12	18	23	64
B. Operated	615	10.7	123	1	3	8	14	23	32	60
1. SINGLE DX	80	3.5	28	1	1	1	4	7	15	29
2. MULTIPLE DX	1299	10.2	100	2	4	8	13	20	28	60
A. Not Operated	694	9.7	78	3	5	8	12	18	23	63
B. Operated	685	10.0	119	1	2	7	14	22	31	58
TOTAL										
65-69 YRS	454	8.0	72	1	3	6	10	16	22	49
70-74	352	9.5	100	1	3	7	12	20	26	51
75-79	298	11.5	121	2	5	9	15	22	29	72
80-84	196	10.9	94	2	5	8	15	21	29	53
85 +	79	13.1	122	4	7	10	15	31	38	90
GRAND TOTAL	**1379**	**9.8**	**98**	**1**	**4**	**7**	**13**	**20**	**28**	**59**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	14	7.2	58	1	3	5	9	15	27	31
70-74	9	4.0	3	1	3	4	5	7	7	7
75-79	8	5.9	33	1	2	4	7	16	19	19
80-84	4	13.8	202	3	3	10	24	33	33	33
85 +	6	4.5	2	2	4	5	6	6	6	6
B. Operated										
65-69 YRS	12	4.1	37	< 1	1	1	3	15	19	20
70-74	12	3.2	6	1	1	2	5	6	7	7
75-79	6	8.8	159	1	1	1	19	29	30	30
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	464	8.3	62	3	4	6	10	15	21	43
70-74	427	8.9	76	3	4	6	10	16	22	59
75-79	299	8.9	48	3	5	7	11	16	23	37
80-84	145	8.9	34	3	5	8	11	17	20	30
85 +	91	10.0	44	4	6	8	12	21	22	35
B. Operated										
65-69 YRS	174	13.6	138	2	6	10	20	28	33	58
70-74	160	15.8	154	3	7	13	21	31	40	57
75-79	114	15.0	164	3	6	11	22	33	43	59
80-84	61	15.7	160	4	6	11	23	36	44	52
85 +	27	14.3	92	6	8	13	18	25	32	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	6.5	48	1	3	5	6	14	24	33
B. Operated	32	4.4	46	1	1	1	5	15	20	30
2. MULTIPLE DX										
A. Not Operated	1426	8.8	60	3	4	7	11	16	22	44
B. Operated	536	14.8	148	3	6	11	21	30	40	57
1. SINGLE DX	73	5.6	48	1	1	4	6	14	20	33
2. MULTIPLE DX	1962	10.4	91	3	5	7	13	22	28	49
A. Not Operated	1467	8.7	59	3	4	7	10	16	22	43
B. Operated	568	14.2	148	2	6	11	20	29	38	56
TOTAL										
65-69 YRS	664	9.5	88	3	4	7	11	21	26	48
70-74	608	10.5	105	3	5	7	14	22	29	58
75-79	427	10.5	87	3	5	8	13	23	30	45
80-84	211	10.9	82	3	5	8	14	23	30	46
85 +	125	10.6	57	4	6	8	14	21	23	40
GRAND TOTAL	**2035**	**10.2**	**90**	**3**	**4**	**7**	**13**	**21**	**28**	**49**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	96	2.9	3	1	1	2	4	6	6	7
70-74	70	2.8	3	1	1	2	4	6	7	8
75-79	54	3.6	6	1	2	3	5	7	8	12
80-84	47	3.5	4	1	2	3	5	7	7	8
85 +	37	4.7	8	1	2	5	7	9	9	11
B. Operated										
65-69 YRS	1127	5.2	4	3	4	5	6	8	9	11
70-74	700	5.6	6	3	4	5	7	9	10	15
75-79	381	6.2	9	3	4	6	7	9	11	15
80-84	179	6.8	8	4	5	6	8	11	12	15
85 +	88	8.3	20	4	5	7	10	13	17	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	689	4.5	11	1	2	4	6	8	11	17
70-74	757	5.2	16	2	3	4	7	10	12	20
75-79	718	5.5	16	2	3	4	7	10	12	20
80-84	590	6.6	33	2	4	6	8	12	15	27
85 +	706	7.6	54	3	4	6	9	14	17	42
B. Operated										
65-69 YRS	5333	7.8	27	4	5	6	9	13	17	26
70-74	4540	8.7	33	4	5	7	10	14	18	31
75-79	3375	10.0	52	5	6	8	12	17	21	42
80-84	1878	11.3	54	5	7	10	13	19	25	43
85 +	1263	13.2	74	6	8	11	16	23	28	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304	3.3	5	1	2	3	5	7	7	9
B. Operated	2475	5.7	7	3	4	5	7	9	10	14
2. MULTIPLE DX										
A. Not Operated	3460	5.8	27	2	3	5	7	11	14	24
B. Operated	16389	9.3	43	4	5	8	11	16	20	36
1. SINGLE DX	2779	5.4	7	3	4	5	7	9	10	14
2. MULTIPLE DX	19849	8.7	42	3	5	7	11	15	19	35
A. Not Operated	3764	5.6	26	2	3	4	7	10	13	23
B. Operated	18864	8.8	40	4	5	7	11	15	19	35
TOTAL										
65-69 YRS	7245	7.0	24	3	4	6	8	12	15	24
70-74	6067	7.8	30	3	5	7	9	13	17	29
75-79	4528	8.9	46	4	5	7	11	16	20	39
80-84	2694	9.8	50	4	6	8	12	17	22	40
85 +	2094	11.0	72	4	6	9	13	20	25	51
GRAND TOTAL	**22628**	**8.3**	**39**	**3**	**5**	**7**	**10**	**15**	**19**	**34**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	28	4.0	14	1	1	3	6	8	10	17
70-74	17	4.1	3	3	3	4	5	6	8	9
75-79	12	4.0	3	2	3	4	5	6	7	7
80-84	9	3.7	4	1	2	3	5	6	6	6
85 +	13	4.9	17	< 1	2	3	7	12	14	14
B. Operated										
65-69 YRS	70	6.1	10	3	4	5	7	9	15	17
70-74	38	6.2	8	4	4	6	7	10	13	15
75-79	23	7.3	13	4	5	6	10	12	15	16
80-84	18	7.2	5	5	6	7	9	10	11	11
85 +	10	12.3	51	7	8	10	15	23	30	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	232	5.5	20	2	3	5	7	10	12	19
70-74	221	5.5	13	2	3	5	7	10	12	19
75-79	196	6.2	18	2	3	5	8	11	15	22
80-84	173	6.9	22	2	4	6	9	13	17	25
85 +	211	8.1	39	3	4	7	10	14	20	34
B. Operated										
65-69 YRS	439	9.5	55	4	5	8	11	16	23	46
70-74	428	9.3	40	4	6	8	11	16	18	37
75-79	311	11.0	48	5	7	10	14	18	23	50
80-84	231	12.8	82	6	8	11	16	22	28	62
85 +	166	14.9	106	7	9	13	18	26	36	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	4.1	9	1	2	3	5	8	9	16
B. Operated	159	6.8	14	4	4	6	8	11	15	17
2. MULTIPLE DX										
A. Not Operated	1033	6.4	23	2	3	5	8	11	16	25
B. Operated	1575	10.8	62	4	6	9	13	18	24	48
1. SINGLE DX	238	5.9	14	2	4	5	8	10	14	17
2. MULTIPLE DX	2608	9.1	52	3	5	7	11	16	21	40
A. Not Operated	1112	6.2	23	2	3	5	8	11	14	25
B. Operated	1734	10.5	59	4	6	9	12	18	23	47
TOTAL										
65-69 YRS	769	7.8	43	3	4	6	9	14	17	36
70-74	704	7.8	33	3	4	7	10	13	17	34
75-79	542	9.0	41	3	5	8	11	16	21	31
80-84	431	10.0	62	3	5	8	12	18	23	49
85 +	400	10.9	78	3	5	9	14	20	26	47
GRAND TOTAL	**2846**	**8.8**	**49**	**3**	**5**	**7**	**11**	**16**	**21**	**40**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	3.7	5	< 1	2	4	6	7	7	7
70-74	10	2.8	4	1	1	2	3	6	7	7
75-79	9	3.4	4	1	2	4	5	6	7	7
80-84	3	5.0	7	3	3	4	7	8	8	8
85 +	4	3.5	8	1	1	3	6	6	6	6
B. Operated										
65-69 YRS	81	5.6	20	1	2	5	7	11	14	25
70-74	66	6.4	32	1	2	5	8	13	22	25
75-79	54	7.7	32	1	3	7	11	14	19	26
80-84	42	7.2	29	1	4	6	8	14	17	28
85 +	36	6.3	27	1	2	5	10	13	14	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	70	4.6	9	2	2	4	6	10	11	13
70-74	85	5.0	11	2	3	4	6	9	13	16
75-79	83	6.5	41	2	3	5	8	11	16	41
80-84	85	5.9	14	2	3	5	8	11	13	19
85 +	95	7.3	14	3	4	7	9	13	15	17
B. Operated										
65-69 YRS	479	10.0	33	4	6	9	13	18	20	29
70-74	513	11.5	61	5	7	10	14	20	25	41
75-79	551	12.0	78	4	7	10	15	22	28	62
80-84	470	12.6	67	5	8	11	15	22	29	46
85 +	439	13.7	103	5	8	12	16	25	32	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	3.5	5	1	2	3	5	7	7	8
B. Operated	279	6.5	28	1	2	5	8	13	16	26
2. MULTIPLE DX										
A. Not Operated	418	6.0	19	2	3	5	8	11	14	17
B. Operated	2452	11.9	69	4	7	10	15	21	27	48
1. SINGLE DX	312	6.2	26	1	2	5	8	13	15	25
2. MULTIPLE DX	2870	11.1	66	3	6	9	14	20	25	45
A. Not Operated	451	5.8	18	2	3	5	7	11	13	17
B. Operated	2731	11.4	68	3	7	10	14	20	26	46
TOTAL										
65-69 YRS	637	8.8	33	2	5	8	12	16	19	28
70-74	674	10.0	58	2	5	8	13	19	24	36
75-79	697	10.9	74	3	6	9	14	19	26	49
80-84	600	11.3	64	3	6	10	14	21	26	41
85 +	574	12.1	91	4	7	10	15	22	28	54
GRAND TOTAL	**3182**	**10.6**	**65**	**3**	**6**	**9**	**13**	**19**	**25**	**43**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	5.5	11	2	2	4	9	11	11	11
70-74	9	4.2	7	1	2	3	6	8	8	8
75-79	7	2.7	5	< 1	1	2	4	6	7	7
80-84	9	5.9	41	1	3	4	7	16	22	22
85 +	5	4.2	2	3	3	4	5	6	6	6
B. Operated										
65-69 YRS	20	6.9	36	1	2	6	9	13	20	26
70-74	19	4.8	9	1	2	4	7	9	9	9
75-79	12	4.4	15	< 1	1	3	7	10	12	12
80-84	5	3.6	16	< 1	1	1	6	10	10	10
85 +	4	6.5	64	1	1	4	12	18	18	18
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	124	6.4	18	2	3	5	9	12	15	19
70-74	137	6.5	20	2	3	6	9	12	16	20
75-79	141	7.2	30	2	4	6	9	12	16	33
80-84	117	7.4	43	2	4	6	10	15	18	33
85 +	139	8.8	37	4	5	7	11	15	18	56
B. Operated										
65-69 YRS	195	11.6	124	2	5	9	14	22	31	75
70-74	247	10.5	66	2	5	9	14	21	27	49
75-79	195	12.3	71	4	7	10	15	23	29	49
80-84	152	12.3	182	2	5	9	15	27	37	94
85 +	146	15.8	174	3	7	13	20	36	45	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	4.8	14	1	2	4	7	9	11	22
B. Operated	60	5.4	23	1	1	5	8	10	13	25
2. MULTIPLE DX										
A. Not Operated	658	7.3	30	2	4	6	9	14	17	28
B. Operated	935	12.2	117	3	6	10	15	25	34	80
1. SINGLE DX	108	5.1	19	1	2	4	7	10	11	24
2. MULTIPLE DX	1593	10.2	87	2	5	8	13	20	28	55
A. Not Operated	706	7.1	29	2	4	6	9	13	17	28
B. Operated	995	11.8	114	2	6	9	15	24	33	75
TOTAL										
65-69 YRS	357	9.2	83	2	4	8	11	18	25	64
70-74	412	8.8	52	2	3	7	12	17	24	39
75-79	355	9.8	59	2	5	8	12	19	27	41
80-84	283	9.9	124	2	4	7	13	18	29	77
85 +	294	12.2	118	3	6	9	15	26	36	99
GRAND TOTAL	**1701**	**9.9**	**84**	**2**	**4**	**8**	**13**	**19**	**27**	**53**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	103	4.8	13	2	3	4	6	7	9	24
70-74	71	5.6	15	2	3	5	7	10	15	22
75-79	57	5.1	12	2	3	4	7	10	12	17
80-84	33	5.9	23	2	3	5	7	9	14	27
85 +	29	5.1	6	2	4	4	7	9	10	10
B. Operated										
65-69 YRS	28	9.0	66	1	3	8	11	20	23	37
70-74	16	7.9	33	< 1	3	7	11	16	19	21
75-79	11	8.1	204	< 1	1	4	8	26	48	50
80-84	7	6.6	21	< 1	2	7	9	13	14	14
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	909	6.8	26	3	4	6	8	12	16	27
70-74	772	7.1	32	3	4	6	8	12	17	27
75-79	657	7.0	26	3	4	6	8	12	15	25
80-84	548	7.4	24	3	4	6	9	13	16	28
85 +	529	8.3	57	3	4	7	10	15	18	51
B. Operated										
65-69 YRS	425	14.6	166	5	7	11	17	31	43	80
70-74	442	15.5	157	5	8	12	18	32	45	76
75-79	341	14.7	145	5	8	12	17	28	40	80
80-84	216	14.2	105	5	8	12	17	27	36	53
85 +	180	13.1	101	5	7	10	17	24	33	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	293	5.2	14	2	3	4	7	8	12	21
B. Operated	62	8.3	73	1	2	7	9	18	21	48
2. MULTIPLE DX										
A. Not Operated	3415	7.2	32	3	4	6	9	13	16	28
B. Operated	1604	14.6	144	5	8	11	17	29	41	71
1. SINGLE DX	355	5.7	25	2	3	5	7	10	15	27
2. MULTIPLE DX	5019	9.6	80	3	5	7	11	18	25	54
A. Not Operated	3708	7.1	31	3	4	6	8	13	16	28
B. Operated	1666	14.4	143	5	7	11	17	29	40	71
TOTAL										
65-69 YRS	1465	8.9	79	3	4	6	10	17	25	49
70-74	1301	9.9	90	3	5	7	12	19	28	59
75-79	1066	9.4	78	3	5	7	11	18	25	53
80-84	804	9.2	55	3	5	7	11	17	23	39
85 +	738	9.4	71	3	5	7	11	17	23	51
GRAND TOTAL	**5374**	**9.3**	**77**	**3**	**4**	**7**	**11**	**18**	**25**	**50**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	74	3.6	5	1	2	3	5	7	8	11
70-74	75	3.6	7	1	1	3	5	8	9	12
75-79	90	3.7	5	1	2	3	5	7	8	11
80-84	49	3.9	11	1	2	3	4	9	11	16
85 +	51	5.3	28	1	3	4	6	11	12	35
B. Operated										
65-69 YRS	10	3.7	7	< 1	2	3	4	7	10	10
70-74	8	4.1	9	< 1	1	4	6	9	9	9
75-79	13	9.3	125	3	3	5	9	25	40	43
80-84	5	8.2	45	2	3	6	12	19	19	19
85 +	5	7.0	25	1	3	6	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1710	5.4	20	2	3	4	6	9	12	19
70-74	2072	5.8	27	2	3	5	7	10	14	24
75-79	2247	6.1	26	2	3	5	7	11	14	25
80-84	2148	6.4	27	2	3	5	8	12	15	29
85 +	2793	7.2	41	2	4	6	9	13	18	36
B. Operated										
65-69 YRS	775	8.6	63	3	4	6	10	17	24	38
70-74	802	9.4	89	3	4	7	11	19	28	52
75-79	892	9.6	69	3	4	7	12	20	25	50
80-84	793	9.8	67	3	5	7	12	20	27	44
85 +	654	11.4	115	3	5	8	14	23	31	65
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	3.9	10	1	2	3	5	8	10	13
B. Operated	41	6.5	53	1	3	4	8	12	19	43
2. MULTIPLE DX										
A. Not Operated	10970	6.3	30	2	3	5	7	11	15	27
B. Operated	3916	9.7	80	3	4	7	12	20	28	51
1. SINGLE DX	380	4.2	15	1	2	3	5	8	11	18
2. MULTIPLE DX	14886	7.2	45	2	4	5	8	14	18	37
A. Not Operated	11309	6.2	29	2	3	5	7	11	15	27
B. Operated	3957	9.7	80	3	4	7	12	20	28	51
TOTAL										
65-69 YRS	2569	6.3	35	2	3	5	7	12	16	31
70-74	2957	6.7	46	2	3	5	8	12	18	37
75-79	3242	7.0	41	2	3	5	8	13	18	36
80-84	2995	7.3	40	2	4	5	9	14	19	36
85 +	3503	7.9	58	3	4	6	9	15	21	43
GRAND TOTAL	**15266**	**7.1**	**45**	**2**	**3**	**5**	**8**	**13**	**18**	**37**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	2	8.0	2	7	7	8	9	9	9	9
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	27	5.9	19	2	2	4	9	14	15	16
70-74	31	8.2	30	3	4	7	10	16	22	24
75-79	23	11.0	146	4	5	6	12	21	43	56
80-84	16	8.6	55	4	4	7	9	14	28	34
85 +	15	13.6	96	4	5	12	17	31	33	34
B. Operated										
65-69 YRS	43	14.9	163	4	7	10	21	30	49	54
70-74	43	17.7	111	6	10	15	25	35	37	44
75-79	19	12.9	103	2	6	10	19	27	35	40
80-84	20	13.0	50	3	8	13	19	25	59	99 +
85 +	9	20.8	554	3	7	9	27	62	67	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.8	33	2	3	4	7	16	16	16
B. Operated	4	5.8	12	< 1	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	112	9.0	67	2	4	7	11	16	24	44
B. Operated	134	15.6	147	3	8	12	22	32	43	72
1. SINGLE DX	9	5.8	21	1	3	4	7	13	16	16
2. MULTIPLE DX	246	12.6	121	3	5	9	16	25	36	56
A. Not Operated	117	8.9	66	2	4	6	11	16	24	43
B. Operated	138	15.3	146	3	8	12	22	31	43	71
TOTAL										
65-69 YRS	73	11.4	121	2	5	8	15	22	39	54
70-74	77	13.2	100	3	6	11	18	29	35	42
75-79	44	11.5	121	4	5	8	13	24	37	56
80-84	37	10.8	56	3	6	9	14	24	30	99 +
85 +	24	16.3	264	3	5	11	18	36	59	67
GRAND TOTAL	**255**	**12.4**	**119**	**3**	**5**	**9**	**16**	**25**	**36**	**56**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	8.0	49	1	3	8	13	15	15	15
70-74	0									
75-79	0									
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	14	1.9	2	1	1	2	2	4	5	5
70-74	6	2.3	1	1	2	2	3	3	3	3
75-79	3	1.3		< 1	< 1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	56	7.7	53	2	3	5	9	17	25	35
70-74	51	6.6	17	2	4	6	9	13	14	18
75-79	33	8.7	22	4	5	8	11	15	17	25
80-84	32	8.4	30	2	4	7	11	16	21	22
85 +	24	9.4	57	4	4	6	12	23	26	32
B. Operated										
65-69 YRS	98	8.8	115	1	2	4	11	26	33	47
70-74	82	8.8	56	1	2	6	14	19	23	31
75-79	63	13.4	128	2	6	11	18	26	36	57
80-84	31	16.4	314	2	4	11	22	32	65	77
85 +	8	12.9	119	1	4	10	21	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	6.8	29	1	2	7	10	15	15	15
B. Operated	24	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	196	7.9	35	2	4	6	10	15	21	31
B. Operated	282	10.8	128	1	2	7	15	25	31	55
1. SINGLE DX	29	2.7	9	1	1	2	3	6	8	15
2. MULTIPLE DX	478	9.6	92	2	3	7	13	22	28	47
A. Not Operated	201	7.9	35	2	4	6	10	15	21	31
B. Operated	306	10.1	124	1	2	6	14	25	30	53
TOTAL										
65-69 YRS	171	7.8	87	1	2	4	9	22	28	45
70-74	139	7.7	41	1	3	6	11	16	20	29
75-79	99	11.5	96	2	5	9	15	24	28	54
80-84	65	12.1	179	2	4	8	14	25	31	75
85 +	33	10.0	71	3	4	7	13	25	29	32
GRAND TOTAL	**507**	**9.2**	**90**	**1**	**3**	**6**	**12**	**21**	**28**	**47**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	0									
75-79	0									
80-84	1	11.0		11	11	11	11	11	11	11
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	18	6.3	17	2	3	5	9	13	14	14
70-74	15	8.2	29	3	6	6	10	12	22	25
75-79	19	7.9	19	3	5	7	10	14	17	19
80-84	14	8.9	25	4	5	7	11	16	20	21
85 +	17	9.8	63	4	5	7	12	16	29	36
B. Operated										
65-69 YRS	24	15.0	175	3	6	11	18	43	45	50
70-74	21	14.7	143	4	7	9	21	35	39	43
75-79	20	11.8	69	2	6	9	18	26	27	27
80-84	9	13.9	63	5	6	15	16	25	30	30
85 +	5	20.0	90	6	13	23	26	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.7	14	4	4	5	9	11	11	11
B. Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated	83	8.2	30	3	5	6	10	14	18	32
B. Operated	79	14.3	120	4	7	11	19	30	40	48
1. SINGLE DX	4	5.3	18	< 1	2	4	8	11	11	11
2. MULTIPLE DX	162	11.2	83	3	5	9	14	24	30	43
A. Not Operated	86	8.1	30	3	5	6	10	14	17	32
B. Operated	80	14.1	121	3	7	11	19	29	39	48
TOTAL										
65-69 YRS	44	11.0	121	2	4	8	13	21	43	50
70-74	37	11.7	104	3	6	8	13	28	36	43
75-79	39	9.9	47	3	5	8	12	20	26	27
80-84	24	10.8	42	5	6	9	15	18	24	30
85 +	22	12.1	84	4	5	10	16	26	33	36
GRAND TOTAL	**166**	**11.0**	**82**	**3**	**5**	**8**	**14**	**24**	**30**	**43**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	7.4	58	1	2	3	14	18	18	18
70-74	26	1.2	1	1	1	1	1	1	3	5
75-79	5	5.2	5	2	3	6	7	8	8	8
80-84	2	1.5	1	< 1	< 1	1	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	37	3.6	12	1	1	2	4	10	11	13
70-74	30	4.8	108	1	1	2	3	6	35	49
75-79	27	3.4	11	1	1	2	4	8	11	13
80-84	9	3.8	14	1	2	2	5	10	12	12
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	137	8.1	45	2	4	6	10	16	22	33
70-74	147	7.8	40	1	4	6	10	15	23	33
75-79	160	9.4	57	3	5	7	13	18	22	33
80-84	151	9.7	57	3	4	9	13	17	21	47
85 +	142	9.6	86	3	4	7	11	20	26	64
B. Operated										
65-69 YRS	466	9.6	114	2	3	6	12	23	28	69
70-74	350	10.8	166	1	3	7	14	23	31	82
75-79	296	10.9	128	1	3	7	16	24	32	65
80-84	181	13.2	163	2	5	9	17	30	36	80
85 +	85	15.6	195	4	7	13	19	34	50	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	2.6	13	1	1	1	2	6	11	18
B. Operated	104	3.9	39	1	1	2	4	8	12	41
2. MULTIPLE DX										
A. Not Operated	737	8.9	57	2	4	7	12	17	23	34
B. Operated	1378	11.0	144	2	3	7	15	24	32	75
1. SINGLE DX	142	3.5	32	1	1	2	3	8	12	36
2. MULTIPLE DX	2115	10.3	114	2	4	7	13	22	29	65
A. Not Operated	775	8.6	57	2	4	7	11	17	22	33
B. Operated	1482	10.5	140	1	3	7	14	24	31	70
TOTAL										
65-69 YRS	645	8.9	95	2	3	6	11	21	27	43
70-74	553	9.3	127	1	2	6	12	21	28	67
75-79	488	9.9	100	2	3	7	13	21	29	58
80-84	343	11.4	116	2	4	9	15	24	32	64
85 +	228	11.8	134	3	5	9	15	25	31	69
GRAND TOTAL	**2257**	**9.9**	**112**	**2**	**3**	**7**	**13**	**21**	**29**	**64**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	6.8	27	3	3	5	10	14	14	14
70-74	4	2.8	4	1	1	3	4	5	5	5
75-79	6	4.7	18	< 1	1	3	9	11	11	11
80-84	3	11.0	63	5	6	8	17	20	20	20
85 +	5	9.4	23	5	6	8	12	17	17	17
B. Operated										
65-69 YRS	5	3.2	1	2	2	4	4	4	4	4
70-74	6	2.8	3	1	2	2	5	5	5	5
75-79	3	2.3	2	1	1	2	3	4	4	4
80-84	2	4.5	25	1	1	4	8	8	8	8
85 +	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	359	8.6	44	3	5	7	11	15	20	34
70-74	417	8.9	46	3	5	7	11	16	21	33
75-79	485	9.3	54	3	5	7	12	17	22	39
80-84	457	10.4	64	3	5	8	13	20	24	43
85 +	569	10.4	70	4	6	8	13	19	23	48
B. Operated										
65-69 YRS	316	15.6	211	4	7	11	19	32	45	93
70-74	331	17.6	206	5	9	14	21	37	45	91
75-79	324	18.4	207	6	8	15	23	36	49	99
80-84	227	19.0	198	6	8	15	25	40	47	83
85 +	167	17.4	161	7	10	15	21	30	52	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	6.6	28	1	3	5	9	15	18	20
B. Operated	18	3.5	7	1	2	3	4	7	10	11
2. MULTIPLE DX										
A. Not Operated	2287	9.6	58	3	5	8	12	18	22	43
B. Operated	1365	17.6	201	5	8	14	22	36	46	98
1. SINGLE DX	40	5.2	20	1	2	4	7	11	15	20
2. MULTIPLE DX	3652	12.6	126	4	6	9	16	25	34	73
A. Not Operated	2309	9.6	57	3	5	8	12	18	22	43
B. Operated	1383	17.4	201	5	8	14	22	35	46	98
TOTAL										
65-69 YRS	684	11.8	134	3	5	8	14	23	34	73
70-74	758	12.6	135	3	6	9	16	25	36	67
75-79	818	12.8	135	4	6	9	16	26	35	85
80-84	689	13.2	125	4	6	10	17	26	38	70
85 +	743	11.9	98	4	6	9	15	21	28	77
GRAND TOTAL	**3692**	**12.5**	**126**	**4**	**6**	**9**	**16**	**25**	**34**	**73**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	23	4.2	3	2	3	4	6	6	7	8
70-74	24	5.4	17	2	3	5	6	7	12	23
75-79	13	5.7	8	2	4	5	7	10	12	12
80-84	6	6.3	8	3	4	6	9	10	10	10
85 +	11	4.6	5	2	3	4	6	8	9	9
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	542	6.4	15	3	4	6	8	11	13	20
70-74	614	6.3	20	3	4	5	8	10	12	25
75-79	584	7.0	39	3	4	6	8	11	13	24
80-84	501	6.8	18	3	4	6	8	12	15	28
85 +	522	7.5	37	3	4	6	9	13	16	35
B. Operated										
65-69 YRS	106	11.0	68	5	6	9	12	18	24	50
70-74	129	12.3	51	6	7	10	15	23	26	54
75-79	115	13.5	109	5	7	11	16	24	33	61
80-84	98	13.3	68	5	8	11	17	26	30	44
85 +	54	12.9	117	5	7	10	15	25	51	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	5.0	9	2	3	5	6	8	9	20
B. Operated	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	2763	6.8	26	3	4	6	8	11	14	25
B. Operated	502	12.6	78	5	7	10	15	24	30	60
1. SINGLE DX	79	4.9	9	2	3	5	6	8	9	20
2. MULTIPLE DX	3265	7.7	38	3	4	6	9	13	17	34
A. Not Operated	2840	6.7	26	3	4	6	8	11	14	25
B. Operated	504	12.5	78	5	7	10	15	24	30	60
TOTAL										
65-69 YRS	671	7.0	26	3	4	6	8	12	16	25
70-74	767	7.2	30	3	4	6	8	13	16	32
75-79	713	8.0	55	3	4	6	9	13	18	45
80-84	606	7.9	32	3	4	6	10	14	18	35
85 +	587	8.0	46	3	4	7	9	14	18	49
GRAND TOTAL	**3344**	**7.6**	**38**	**3**	**4**	**6**	**9**	**13**	**17**	**34**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	5.0	7	2	3	5	6	8	11	12
70-74	13	3.8	4	2	3	3	4	8	8	8
75-79	9	5.2	10	2	3	5	7	10	12	12
80-84	9	5.2	6	3	4	4	6	9	11	11
85 +	3	4.7	5	2	3	6	6	6	6	6
B. Operated										
65-69 YRS	5	3.6	3	2	2	4	5	6	6	6
70-74	2	8.5	1	8	8	8	9	9	9	9
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	1	13.0		13	13	13	13	13	13	13
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	281	6.4	14	3	4	5	8	10	12	22
70-74	282	6.7	27	3	4	6	8	12	14	27
75-79	264	7.1	27	3	4	6	8	12	15	33
80-84	200	7.3	19	3	4	6	9	13	15	24
85 +	241	7.0	16	3	4	6	9	12	14	21
B. Operated										
65-69 YRS	103	13.0	83	6	7	10	15	25	36	44
70-74	111	14.4	126	6	8	12	17	26	34	70
75-79	78	16.1	117	4	7	14	21	34	37	50
80-84	56	14.1	186	5	6	11	17	25	40	82
85 +	38	13.4	120	5	7	11	15	28	31	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	4.7	6	2	3	4	6	8	11	12
B. Operated	10	5.5	13	2	3	4	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	1268	6.9	21	3	4	6	8	12	14	24
B. Operated	386	14.3	121	5	7	11	17	28	35	62
1. SINGLE DX	61	4.9	7	2	3	4	6	8	11	13
2. MULTIPLE DX	1654	8.6	54	3	5	7	10	15	22	39
A. Not Operated	1319	6.8	20	3	4	6	8	12	14	24
B. Operated	396	14.0	120	5	7	11	17	28	35	61
TOTAL										
65-69 YRS	406	8.0	40	3	4	6	9	14	19	39
70-74	408	8.7	65	3	4	6	10	16	23	41
75-79	353	9.0	61	3	4	7	11	17	29	40
80-84	266	8.7	61	3	4	7	11	15	19	41
85 +	282	7.9	34	3	5	6	10	13	17	30
GRAND TOTAL	**1715**	**8.5**	**53**	**3**	**4**	**6**	**10**	**15**	**21**	**38**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	143	1.5	1	< 1	1	1	2	2	3	5
70-74	82	1.5	1	1	1	1	2	3	3	5
75-79	41	1.7	1	1	1	1	2	3	4	4
80-84	19	1.9	3	< 1	1	1	3	5	6	7
85 +	5	2.2	3	< 1	1	1	3	5	5	5
B. Operated										
65-69 YRS	113	2.9	10	1	1	2	3	7	9	17
70-74	85	2.5	5	1	1	2	3	6	8	10
75-79	45	3.2	23	< 1	1	2	3	6	9	31
80-84	28	3.5	9	1	1	2	5	8	9	13
85 +	8	5.1	60	< 1	1	2	4	18	24	24
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	321	2.8	6	1	1	2	3	6	8	12
70-74	249	3.1	7	1	1.	2	4	6	8	11
75-79	156	3.7	10	1	2	3	5	8	10	14
80-84	73	4.2	13	1	2	3	5	10	11	17
85 +	52	4.6	10	1	2	4	6	8	10	15
B. Operated										
65-69 YRS	403	5.8	34	1	2	4	8	12	17	31
70-74	362	6.8	61	1	2	5	9	13	18	46
75-79	210	7.7	49	1	3	6	10	16	23	33
80-84	113	7.8	76	1	2	6	10	15	17	48
85 +	52	7.9	43	2	4	6	10	14	25	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	290	1.6	1	1	1	1	2	3	3	5
B. Operated	279	3.0	12	1	1	2	4	7	9	18
2. MULTIPLE DX										
A. Not Operated	851	3.3	8	1	1	2	4	7	9	14
B. Operated	1140	6.8	50	1	2	5	9	14	18	34
1. SINGLE DX	569	2.3	7	1	1	1	2	4	7	13
2. MULTIPLE DX	1991	5.3	35	1	2	3	7	11	15	28
A. Not Operated	1141	2.9	7	1	1	2	3	6	8	13
B. Operated	1419	6.0	45	1	2	4	8	13	17	31
TOTAL										
65-69 YRS	980	3.9	20	1	1	2	5	9	12	22
70-74	778	4.6	35	1	1	3	6	10	13	28
75-79	452	5.3	34	1	2	3	7	11	16	27
80-84	233	5.7	47	1	2	3	8	13	15	24
85 +	117	6.0	30	1	2	5	7	12	15	29
GRAND TOTAL	**2560**	**4.6**	**30**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	281	1.7	1	1	1	1	2	3	4	5
70-74	159	1.9	1	1	1	2	2	3	4	5
75-79	74	1.8	2	1	1	1	2	3	4	8
80-84	21	2.0	2	1	1	2	2	4	5	6
85 +	17	2.8	4	1	1	2	3	6	7	8
B. Operated										
65-69 YRS	321	3.2	6	1	1	2	4	6	8	13
70-74	170	3.3	8	1	1	2	4	7	10	14
75-79	87	3.4	10	1	1	3	4	7	7	20
80-84	53	3.8	7	1	2	3	5	8	9	11
85 +	8	4.8	6	2	3	4	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	543	2.4	3	1	1	2	3	4	6	11
70-74	391	2.7	4	1	1	2	3	5	6	11
75-79	233	3.1	6	1	2	2	4	6	8	14
80-84	107	2.9	3	1	2	3	4	5	6	8
85 +	45	4.2	100	1	2	2	4	6	7	69
B. Operated										
65-69 YRS	898	5.4	25	1	2	4	7	11	15	26
70-74	641	6.0	32	1	3	4	8	12	16	25
75-79	432	6.2	32	2	3	5	8	13	18	28
80-84	201	6.7	38	2	3	5	9	13	17	29
85 +	116	9.1	64	2	4	6	11	20	27	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	552	1.8	1	1	1	2	2	3	4	6
B. Operated	639	3.3	7	1	1	2	4	7	9	13
2. MULTIPLE DX										
A. Not Operated	1319	2.7	7	1	1	2	3	5	6	11
B. Operated	2288	6.0	32	1	3	4	8	12	16	29
1. SINGLE DX	1191	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX	3607	4.8	26	1	2	3	6	10	14	24
A. Not Operated	1871	2.5	6	1	1	2	3	4	6	10
B. Operated	2927	5.4	28	1	2	4	7	11	15	26
TOTAL										
65-69 YRS	2043	3.8	15	1	1	2	5	8	11	19
70-74	1361	4.2	20	1	2	3	5	9	12	19
75-79	826	4.7	23	1	2	3	6	10	14	24
80-84	382	5.0	25	1	2	3	6	10	13	24
85 +	186	7.1	71	1	2	4	9	16	24	39
GRAND TOTAL	**4798**	**4.3**	**21**	**1**	**2**	**3**	**5**	**9**	**12**	**23**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	4.9	22	1	2	3	7	13	15	15
70-74	9	2.8	3	1	2	2	4	5	6	6
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	1	5.0		5	5	5	5	5	5	5
85 +	3	4.3	6	2	2	4	6	7	7	7
B. Operated										
65-69 YRS	58	3.3	8	1	1	2	5	8	9	11
70-74	50	3.6	15	1	1	2	5	9	11	21
75-79	29	5.2	26	1	1	3	8	12	18	20
80-84	10	3.6	10	< 1	1	2	5	9	11	11
85 +	6	1.7	3	< 1	1	1	1	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	128	6.3	29	1	2	5	8	13	18	27
70-74	130	5.8	23	2	3	5	7	11	14	22
75-79	127	7.4	36	2	3	6	9	14	16	36
80-84	83	7.0	34	1	3	6	9	14	16	33
85 +	98	8.5	54	2	4	6	11	16	25	38
B. Operated										
65-69 YRS	513	8.7	60	2	4	7	11	18	24	41
70-74	417	8.4	56	1	3	7	11	17	24	38
75-79	322	9.3	79	1	4	7	12	18	26	45
80-84	183	10.2	73	2	4	8	14	22	29	99 +
85 +	123	10.7	91	2	4	8	14	24	32	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.8	11	1	2	3	4	8	12	15
B. Operated	153	3.7	14	1	1	2	6	8	11	20
2. MULTIPLE DX										
A. Not Operated	566	6.9	35	2	3	6	9	14	17	35
B. Operated	1558	9.1	67	2	4	7	12	19	25	44
1. SINGLE DX	180	3.7	14	1	1	2	5	8	11	19
2. MULTIPLE DX	2124	8.5	59	2	3	6	11	17	24	42
A. Not Operated	593	6.8	34	2	3	5	9	13	16	35
B. Operated	1711	8.6	64	1	3	7	11	18	25	43
TOTAL										
65-69 YRS	710	7.8	52	1	3	6	10	16	21	36
70-74	606	7.4	47	1	3	6	10	15	20	36
75-79	481	8.5	65	1	3	6	11	17	23	42
80-84	277	9.0	62	2	4	7	13	19	24	89
85 +	230	9.5	75	2	4	7	12	20	29	44
GRAND TOTAL	**2304**	**8.1**	**57**	**1**	**3**	**6**	**11**	**17**	**23**	**40**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	2.4	3	< 1	1	2	3	5	6	6
70-74	5	1.4	1	< 1	< 1	1	2	3	3	3
75-79	4	6.8	90	2	2	2	12	21	21	21
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	19	2.0	2	1	1	1	3	4	5	5
70-74	17	2.0	2	1	1	2	2	5	6	6
75-79	11	5.0	14	1	2	3	8	10	12	12
80-84	5	2.6	7	< 1	< 1	1	4	7	7	7
85 +	6	3.8	5	1	3	3	6	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-59 YRS	22	3.2	12	1	1	2	4	5	10	18
70-74	21	3.4	6	1	1	3	5	7	8	9
75-79	17	4.2	7	1	2	4	6	9	10	10
80-84	13	4.2	7	1	2	3	6	8	9	9
85 +	5	5.2	10	1	2	6	8	8	8	8
B. Operated										
65-69 YRS	178	4.8	18	1	2	4	6	10	13	23
70-74	195	4.8	19	1	2	4	6	9	13	22
75-79	175	6.1	35	1	3	5	8	11	14	30
80-84	138	7.1	94	1	3	5	8	12	23	49
85 +	115	7.2	43	2	3	5	9	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23	2.9	18	< 1	1	2	3	5	11	21
B. Operated	58	2.8	6	1	1	2	3	7	8	12
2. MULTIPLE DX										
A. Not Operated	78	3.8	8	1	2	3	5	8	9	16
B. Operated	801	5.8	39	1	2	4	7	11	16	31
1. SINGLE DX	81	2.8	9	1	1	2	3	6	8	18
2. MULTIPLE DX	879	5.6	37	1	2	4	7	11	15	31
A. Not Operated	101	3.6	10	1	1	3	4	7	9	19
B. Operated	859	5.6	38	1	2	4	7	11	15	31
TOTAL										
65-69 YRS	232	4.3	16	1	2	3	5	9	12	21
70-74	238	4.4	17	1	2	3	6	9	12	21
75-79	207	5.9	32	1	3	4	8	11	14	29
80-84	157	6.6	84	1	2	4	8	11	21	44
85 +	126	7.0	40	2	3	5	8	16	20	34
GRAND TOTAL	**960**	**5.4**	**35**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	2.9	4	1	1	3	3	6	7	7
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	3.0		3	3	3	3	3	3	3
85 +	5	3.2	2	1	2	4	4	4	4	4
B. Operated										
65-69 YRS	38	2.3	8	1	1	1	2	4	5	18
70-74	27	2.4	7	1	1	1	3	4	10	12
75-79	19	2.8	7	< 1	1	2	3	7	10	10
80-84	17	2.4	5	< 1	1	1	3	6	8	8
85 +	14	2.9	8	< 1	1	2	5	8	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	91	5.5	10	2	3	5	7	10	12	15
70-74	119	5.1	13	2	3	4	6	9	12	19
75-79	144	5.7	13	2	3	5	7	10	13	20
80-84	143	6.6	26	2	3	6	8	11	16	32
85 +	170	7.0	26	2	4	6	9	13	17	25
B. Operated										
65-69 YRS	292	5.3	34	1	2	4	7	11	15	26
70-74	306	6.5	71	1	2	4	7	15	22	42
75-79	334	6.6	44	1	2	5	8	14	21	41
80-84	266	8.5	129	1	3	6	9	16	25	84
85 +	303	8.4	79	2	4	6	9	16	23	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	2.5	2	1	1	3	3	4	6	7
B. Operated	115	2.5	7	1	1	1	3	5	9	14
2. MULTIPLE DX										
A. Not Operated	667	6.1	19	2	3	5	8	11	14	23
B. Operated	1501	7.0	71	1	2	5	8	14	21	47
1. SINGLE DX	134	2.5	6	1	1	2	3	5	8	13
2. MULTIPLE DX	2168	6.7	55	1	3	5	8	13	18	41
A. Not Operated	686	6.0	19	2	3	5	7	11	14	23
B. Operated	1616	6.7	68	1	2	5	8	14	20	45
TOTAL										
65-69 YRS	428	5.0	27	1	2	4	7	10	13	22
70-74	456	5.8	52	1	2	4	7	12	18	33
75-79	499	6.2	34	1	3	5	8	12	18	37
80-84	427	7.6	91	1	3	5	9	14	21	67
85 +	492	7.7	59	2	4	6	9	15	19	41
GRAND TOTAL	**2302**	**6.5**	**53**	**1**	**3**	**5**	**8**	**13**	**18**	**40**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.0	3	< 1	< 1	< 1	3	4	4	4
70-74	0									
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	54	1.7	1	< 1	1	1	2	3	3	5
70-74	47	1.7	3	< 1	1	1	2	3	5	10
75-79	46	2.5	5	< 1	1	2	3	7	8	8
80-84	28	2.0	1	< 1	1	2	3	4	4	5
85 +	19	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	4.8	8	2	2	4	7	8	8	8
70-74	14	4.2	6	1	2	4	6	7	9	9
75-79	18	4.3	10	1	2	3	5	10	12	12
80-84	16	6.1	29	1	2	5	7	17	19	19
85 +	21	7.9	71	1	2	6	10	16	28	38
B. Operated										
65-69 YRS	233	4.0	23	1	1	3	5	8	11	17
70-74	285	4.0	12	1	1	3	5	8	11	19
75-79	306	4.1	25	1	2	3	5	8	10	16
80-84	226	5.5	35	1	2	3	7	12	19	33
85 +	177	5.2	32	1	2	4	7	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.9	1	< 1	< 1	1	3	4	4	4
B. Operated	194	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	73	5.7	32	1	2	4	7	11	17	34
B. Operated	1227	4.5	25	1	2	3	6	9	12	22
1. SINGLE DX	201	2.0	3	< 1	1	1	2	4	5	8
2. MULTIPLE DX	1300	4.5	25	1	2	3	6	9	12	22
A. Not Operated	80	5.4	30	1	2	4	7	11	15	33
B. Operated	1421	4.1	23	1	1	3	5	8	11	22
TOTAL										
65-69 YRS	294	3.6	19	1	1	2	5	8	10	17
70-74	346	3.7	11	1	1	3	5	8	10	16
75-79	373	3.9	22	1	1	3	5	8	10	15
80-84	271	5.1	32	1	2	3	6	11	18	32
85 +	217	5.2	34	1	2	3	7	10	14	31
GRAND TOTAL	**1501**	**4.2**	**23**	**1**	**1**	**3**	**5**	**9**	**11**	**22**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	42	5.1	13	2	3	5	6	8	9	24
70-74	49	4.0	5	1	3	4	5	7	8	9
75-79	60	4.7	12	2	3	4	6	8	9	24
80-84	45	5.5	12	2	3	5	7	10	13	17
85 +	63	6.7	92	1	3	5	7	10	14	68
B. Operated										
65-69 YRS	4	6.0	21	< 1	2	5	9	12	12	12
70-74	8	7.4	60	1	4	5	6	20	26	26
75-79	2	7.5	13	5	5	7	10	10	10	10
80-84	2	10.0	32	6	6	10	14	14	14	14
85 +	7	3.0	12	< 1	< 1	1	4	9	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1896	7.1	35	3	4	6	8	12	17	35
70-74	2654	7.7	36	3	4	6	9	13	18	35
75-79	3450	8.0	49	3	4	6	9	14	19	37
80-84	3735	8.2	46	3	4	7	10	15	19	44
85 +	5032	8.8	55	3	5	7	10	16	21	43
B. Operated										
65-69 YRS	415	12.6	118	4	6	10	15	24	36	68
70-74	547	13.3	112	5	7	11	16	24	29	72
75-79	676	14.8	165	5	7	11	18	31	45	99 +
80-84	650	16.1	212	5	8	12	19	35	57	99 +
85 +	716	15.7	150	6	8	12	19	34	48	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	259	5.2	31	2	3	4	6	9	11	24
B. Operated	23	6.0	32	< 1	1	5	7	12	18	26
2. MULTIPLE DX										
A. Not Operated	16767	8.2	47	3	4	7	10	14	19	40
B. Operated	3004	14.7	157	5	7	11	18	30	46	99 +
1. SINGLE DX	282	5.3	31	2	3	5	6	9	11	25
2. MULTIPLE DX	19771	9.1	69	3	5	7	11	17	23	55
A. Not Operated	17026	8.1	47	3	4	6	10	14	19	40
B. Operated	3027	14.7	157	5	7	11	18	30	46	99 +
TOTAL										
65-69 YRS	2357	8.1	53	3	4	6	9	14	20	48
70-74	3258	8.5	53	3	4	7	10	16	21	48
75-79	4188	9.1	74	3	5	7	10	17	24	51
80-84	4432	9.3	78	3	5	7	11	17	24	71
85 +	5818	9.6	72	3	5	7	11	18	26	56
GRAND TOTAL	**20053**	**9.1**	**69**	**3**	**5**	**7**	**11**	**17**	**23**	**55**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	1.8	1	< 1	1	2	2	3	3	3
70-74	19	2.8	5	1	1	2	3	6	8	9
75-79	20	2.5	1	1	2	2	3	4	5	6
80-84	17	3.5	10	< 1	2	3	4	7	12	14
85 +	14	3.4	6	1	2	3	6	8	8	8
B. Operated										
65-69 YRS	134	2.3	10	1	1	2	3	4	5	12
70-74	148	2.4	3	1	1	2	3	5	7	9
75-79	104	2.6	3	1	1	2	3	5	6	9
80-84	53	2.4	4	1	1	2	3	4	5	14
85 +	35	3.7	17	1	1	2	4	8	10	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	204	4.6	17	1	2	4	6	9	12	20
70-74	271	5.3	47	1	2	3	6	10	16	30
75-79	314	5.3	43	1	2	4	6	10	12	30
80-84	257	5.8	35	2	3	4	7	11	14	38
85 +	293	6.1	47	2	3	4	7	11	17	39
B. Operated										
65-69 YRS	875	5.2	41	1	2	3	6	10	15	32
70-74	1049	5.8	48	1	2	4	7	13	18	35
75-79	927	5.5	35	1	2	4	6	11	16	36
80-84	678	6.7	44	2	3	4	8	15	21	33
85 +	576	7.6	51	2	3	5	9	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.8	5	1	1	2	3	6	7	12
B. Operated	474	2.5	6	1	1	2	3	4	7	10
2. MULTIPLE DX										
A. Not Operated	1339	5.5	39	1	2	4	6	10	13	30
B. Operated	4105	6.0	44	1	2	4	7	13	18	34
1. SINGLE DX	559	2.5	6	1	1	2	3	5	7	10
2. MULTIPLE DX	5444	5.9	43	1	2	4	7	12	17	34
A. Not Operated	1424	5.3	38	1	2	4	6	10	13	29
B. Operated	4579	5.6	41	1	2	4	7	12	17	33
TOTAL										
65-69 YRS	1228	4.7	34	1	2	3	5	9	14	28
70-74	1487	5.3	44	1	2	3	6	11	16	33
75-79	1365	5.2	35	1	2	4	6	10	14	32
80-84	1005	6.2	40	1	2	4	7	13	19	33
85 +	918	6.9	49	2	3	5	8	14	19	36
GRAND TOTAL	**6003**	**5.6**	**40**	**1**	**2**	**4**	**7**	**11**	**16**	**33**

1,058 Hospitals, United States, Geriatric, January-December 1988

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	2.1	2	< 1	< 1	1	3	4	5	5
70-74	14	1.6	2	< 1	< 1	< 1	< 1	4	6	6
75-79	10	2.6	4	< 1	< 1	2	4	6	7	7
80-84	5	2.6	3	1	1	2	4	5	5	5
85 +	6	2.3	2	< 1	< 1	2	4	4	4	4
B. Operated										
65-69 YRS	1631	3.8	3	2	3	4	5	6	7	10
70-74	1423	4.0	3	2	3	4	5	6	7	10
75-79	986	4.2	4	2	3	4	5	6	8	11
80-84	410	4.2	3	2	3	4	5	7	8	10
85 +	172	4.9	6	2	3	4	6	8	10	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	145	3.9	15	< 1	1	3	5	8	11	21
70-74	178	4.6	59	< 1	1	3	6	9	12	25
75-79	181	4.6	21	1	2	3	6	9	12	25
80-84	116	4.6	21	< 1	1	3	6	10	13	26
85 +	97	6.1	46	1	2	4	7	11	20	40
B. Operated										
65-69 YRS	7879	5.0	13	2	3	4	6	8	10	18
70-74	8329	5.3	14	2	3	4	6	9	11	19
75-79	6613	5.7	20	3	3	5	7	10	13	23
80-84	3827	6.4	27	3	4	5	7	12	15	28
85 +	2039	7.8	53	3	4	6	9	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.1	3	< 1	< 1	1	3	4	5	7
B. Operated	4622	4.0	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. Not Operated	717	4.7	33	< 1	1	3	6	9	13	25
B. Operated	28687	5.6	20	3	3	4	6	10	13	24
1. SINGLE DX	4674	4.0	3	2	3	4	5	6	7	10
2. MULTIPLE DX	29404	5.6	20	2	3	4	6	10	13	24
A. Not Operated	769	4.5	31	< 1	1	3	6	9	12	25
B. Operated	33309	5.4	18	2	3	4	6	9	12	22
TOTAL										
65-69 YRS	9672	4.7	11	2	3	4	5	8	10	18
70-74	9944	5.1	14	2	3	4	6	8	11	18
75-79	7790	5.5	18	2	3	4	6	10	12	21
80-84	4358	6.2	25	3	4	5	7	11	15	28
85 +	2314	7.5	50	3	4	6	9	14	18	35
GRAND TOTAL	**34078**	**5.4**	**18**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	2.8	2	1	2	3	4	5	5	5
70-74	8	3.5	1	2	2	3	4	5	5	5
75-79	3	3.0	1	2	2	3	4	4	4	4
80-84	5	2.8	2	1	2	3	4	5	5	5
85 +	0									
B. Operated										
65-69 YRS	16	3.0	6	< 1	< 1	2	5	7	8	8
70-74	9	2.9	3	1	2	2	4	5	5	5
75-79	8	2.0	1	< 1	1	2	3	4	4	4
80-84	4	6.3	25	1	3	5	9	13	13	13
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	154	4.4	4	2	3	4	6	7	8	10
70-74	95	5.1	7	2	3	5	6	9	10	14
75-79	67	5.2	10	2	3	5	7	8	11	18
80-84	43	5.6	6	3	3	6	7	9	10	12
85 +	24	6.2	24	1	3	5	7	12	16	24
B. Operated										
65-69 YRS	135	5.6	23	2	2	4	7	11	15	23
70-74	120	5.2	16	1	3	4	7	9	15	18
75-79	116	6.5	28	2	3	5	8	12	18	25
80-84	65	7.4	36	2	4	6	9	14	15	39
85 +	53	6.7	40	1	3	5	8	12	17	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.0	2	1	2	3	4	5	5	5
B. Operated	37	3.1	7	< 1	1	2	4	7	8	13
2. MULTIPLE DX										
A. Not Operated	383	4.9	7	2	3	4	6	8	10	14
B. Operated	489	6.1	26	2	3	4	8	12	16	24
1. SINGLE DX	64	3.1	5	< 1	1	3	4	5	7	12
2. MULTIPLE DX	872	5.6	18	2	3	4	7	10	13	22
A. Not Operated	410	4.8	7	2	3	4	6	8	10	14
B. Operated	526	5.8	25	1	3	4	8	12	15	23
TOTAL										
65-69 YRS	316	4.8	12	2	3	4	6	9	11	21
70-74	232	5.0	11	2	3	4	6	9	13	16
75-79	194	5.8	21	2	3	5	7	12	16	24
80-84	117	6.5	24	3	3	6	8	11	14	26
85 +	77	6.5	35	1	3	5	8	12	16	36
GRAND TOTAL	**936**	**5.4**	**18**	**2**	**3**	**4**	**7**	**10**	**13**	**22**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	47	1.5	1	1	1	1	2	3	3	4
70-74	47	1.4	1	< 1	1	1	2	2	3	5
75-79	27	2.5	13	1	1	1	3	5	8	19
80-84	9	2.7	3	1	1	3	3	5	6	6
85 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	2.8	6	< 1	< 1	2	4	6	6	6
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	4	3.3	11	1	1	2	5	8	8	8
80-84	1	6.0		6	6	6	6	6	6	6
85 +	4	6.0	76	< 1	< 1	2	11	19	19	19
B. Operated										
65-69 YRS	110	2.9	10	1	1	2	4	6	9	18
70-74	85	2.8	9	1	1	2	3	5	9	18
75-79	75	2.9	4	1	1	3	4	5	7	11
80-84	41	3.2	10	1	1	2	4	8	11	14
85 +	14	4.1	12	1	2	3	5	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	134	1.8	3	1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	14	3.9	24	< 1	< 1	2	6	9	17	19
B. Operated	325	3.0	8	1	1	2	3	6	10	15
1. SINGLE DX	134	1.8	3	1	1	1	2	3	4	8
2. MULTIPLE DX	339	3.0	9	1	1	2	3	6	10	16
A. Not Operated	14	3.9	24	< 1	< 1	2	6	9	17	19
B. Operated	459	2.6	7	1	1	2	3	5	7	15
TOTAL										
65-69 YRS	161	2.5	7	1	1	2	3	5	7	16
70-74	133	2.3	7	1	1	2	2	4	6	16
75-79	106	2.8	6	1	1	2	3	5	7	15
80-84	51	3.2	9	1	1	2	4	7	11	14
85 +	22	3.9	21	< 1	1	2	4	11	15	19
GRAND TOTAL	**473**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	4.4	3	2	3	4	5	7	7	9
70-74	19	4.7	4	2	3	5	6	8	9	9
75-79	11	5.7	7	3	4	5	8	10	10	10
80-84	2	5.0		5	5	5	5	5	5	5
85 +	1	7.0		7	7	7	7	7	7	7
B. Operated										
65-69 YRS	12	2.3	5	1	1	1	3	6	7	7
70-74	17	2.9	7	1	1	2	3	7	10	11
75-79	4	6.8	11	3	4	7	9	10	10	10
80-84	3	1.0		1	1	1	1	1	1	1
85 +	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	124	5.8	9	3	4	5	7	9	11	16
70-74	118	6.0	9	3	4	5	7	11	11	15
75-79	79	5.9	8	3	4	5	7	10	11	16
80-84	62	7.5	25	3	5	6	9	13	17	32
85 +	32	7.2	22	3	4	7	9	12	20	22
B. Operated										
65-69 YRS	77	5.7	16	1	3	5	8	10	13	20
70-74	68	8.5	106	1	3	6	11	16	22	64
75-79	66	8.4	48	2	4	7	10	16	20	39
80-84	35	6.9	24	2	3	6	9	12	19	21
85 +	24	8.0	35	2	4	6	12	18	19	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	4.8	4	2	4	4	6	8	9	10
B. Operated	37	3.1	8	1	1	2	5	8	10	11
2. MULTIPLE DX										
A. Not Operated	415	6.2	12	3	4	5	8	10	12	20
B. Operated	270	7.4	50	1	3	6	9	15	18	39
1. SINGLE DX	99	4.2	6	1	2	4	5	8	9	11
2. MULTIPLE DX	685	6.7	27	2	4	6	8	12	15	24
A. Not Operated	477	6.0	12	3	4	5	7	10	12	20
B. Operated	307	6.9	47	1	3	5	9	14	17	33
TOTAL										
65-69 YRS	242	5.4	11	2	3	5	7	9	11	18
70-74	222	6.4	40	2	3	5	8	11	14	32
75-79	160	6.9	26	2	4	6	9	11	16	26
80-84	102	7.1	24	3	4	6	9	13	17	27
85 +	58	7.6	26	2	4	7	9	15	20	22
GRAND TOTAL	**784**	**6.4**	**25**	**2**	**4**	**5**	**8**	**11**	**15**	**22**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	10	1.1		< 1	< 1	< 1	< 1	1	2	2
70-74	4	1.0		< 1	< 1	< 1	1	1	1	1
75-79	5	1.0		< 1	< 1	1	1	1	1	1
80-84	6	1.0		< 1	< 1	< 1	1	1	1	1
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	4.0	2	3	3	4	5	5	5	5
70-74	0									
75-79	5	2.8	9	1	1	2	4	8	8	8
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	26	2.9	9	< 1	1	2	2	8	10	13
70-74	21	1.9	2	< 1	1	1	2	4	5	6
75-79	24	3.8	23	< 1	1	1	5	11	14	20
80-84	22	4.3	25	1	1	2	4	13	15	17
85 +	16	3.1	6	< 1	1	2	4	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	26	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX										
A. Not Operated	10	2.6	5	< 1	1	2	3	6	8	8
B. Operated	109	3.2	14	< 1	1	2	4	8	13	18
1. SINGLE DX	29	1.1		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	119	3.2	13	< 1	1	2	4	8	12	18
A. Not Operated	13	2.3	4	< 1	1	2	3	6	8	8
B. Operated	135	2.8	12	< 1	1	1	3	7	12	17
TOTAL										
65-69 YRS	39	2.4	7	< 1	< 1	1	2	6	9	13
70-74	26	1.7	2	< 1	< 1	1	2	4	5	6
75-79	34	3.3	18	< 1	1	1	4	9	12	20
80-84	31	3.4	20	< 1	1	2	3	13	14	17
85 +	18	3.0	6	< 1	1	2	4	7	9	9
GRAND TOTAL	**148**	**2.8**	**11**	**< 1**	**1**	**1**	**3**	**7**	**11**	**17**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	120	2.3	3	1	1	2	3	4	6	8
70-74	80	2.0	2	< 1	1	1	3	4	5	6
75-79	33	2.4	3	1	1	2	3	5	6	8
80-84	19	2.9	5	1	1	2	4	6	8	9
85 +	5	4.2	37	< 1	< 1	1	6	15	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	29	3.4	8	< 1	1	3	5	7	8	12
70-74	22	4.3	9	1	2	3	6	10	10	10
75-79	21	6.0	20	1	3	4	8	13	16	16
80-84	14	7.1	52	2	3	4	8	15	25	28
85 +	16	10.8	66	2	4	9	17	23	26	27
B. Operated										
65-69 YRS	421	3.7	46	1	1	2	4	6	10	31
70-74	253	4.6	73	1	1	3	4	8	16	44
75-79	123	6.4	75	1	2	4	6	13	24	48
80-84	59	8.4	111	1	2	4	11	18	30	59
85 +	26	8.2	34	1	3	8	12	18	19	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.8	1	3	3	4	4	5	5	5
B. Operated	257	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated	102	5.8	31	1	2	4	8	12	17	27
B. Operated	882	4.8	64	1	2	3	5	10	14	42
1. SINGLE DX	261	2.3	3	1	1	2	3	4	6	8
2. MULTIPLE DX	984	4.9	60	1	2	3	5	10	15	40
A. Not Operated	106	5.7	30	1	2	4	7	12	17	27
B. Operated	1139	4.2	51	1	1	2	4	8	13	35
TOTAL										
65-69 YRS	571	3.4	35	1	1	2	4	6	8	16
70-74	356	4.0	54	1	1	2	4	7	10	28
75-79	177	5.6	57	1	2	4	6	11	18	42
80-84	94	7.0	82	1	2	4	8	15	28	50
85 +	47	8.6	47	1	3	8	13	19	21	27
GRAND TOTAL	**1245**	**4.3**	**49**	**1**	**1**	**3**	**4**	**9**	**13**	**32**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	94	1.4	1	< 1	< 1	< 1	1	3	3	5
70-74	79	1.4	1	< 1	< 1	< 1	1	2	3	7
75-79	37	1.4		< 1	< 1	1	2	2	3	3
80-84	24	1.5		< 1	< 1	1	2	2	3	3
85 +	7	2.1	3	< 1	< 1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	1.0		1	1	1	1	1	1	1
70-74	2	1.5	1	< 1	< 1	1	2	2	2	2
75-79	2	4.0		4	4	4	4	4	4	4
80-84	2	4.0	18	1	1	4	7	7	7	7
85 +	0									
B. Operated										
65-69 YRS	162	2.3	4	< 1	1	2	3	5	7	14
70-74	140	2.4	3	< 1	1	2	3	5	6	8
75-79	89	2.4	9	< 1	1	2	2	4	5	21
80-84	40	2.7	7	< 1	1	2	3	5	8	13
85 +	18	2.7	6	1	1	2	3	7	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	241	1.4	1	< 1	< 1	< 1	2	2	3	5
2. MULTIPLE DX										
A. Not Operated	8	2.6	5	< 1	1	2	4	6	7	7
B. Operated	449	2.4	5	< 1	1	2	3	5	6	13
1. SINGLE DX	243	1.4	1	< 1	< 1	< 1	2	2	3	5
2. MULTIPLE DX	457	2.4	5	< 1	1	2	3	5	6	13
A. Not Operated	10	2.3	4	< 1	1	1	4	6	7	7
B. Operated	690	2.1	4	< 1	< 1	1	2	4	5	11
TOTAL										
65-69 YRS	259	2.0	3	< 1	< 1	1	2	3	5	11
70-74	221	2.0	2	< 1	< 1	1	2	4	5	7
75-79	129	2.1	7	< 1	1	1	2	4	4	20
80-84	66	2.3	5	< 1	1	2	3	4	6	13
85 +	25	2.6	5	< 1	1	2	3	6	8	9
GRAND TOTAL	**700**	**2.1**	**4**	**< 1**	**< 1**	**1**	**2**	**4**	**5**	**11**

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
70-74	2	1.0		< 1	< 1	< 1	1	1	1	1
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	2	2.5	5	1	1	2	4	4	4	4
B. Operated										
65-69 YRS	93	2.2	2	< 1	1	2	3	4	5	7
70-74	45	2.0	4	< 1	< 1	1	2	4	5	12
75-79	21	1.4	1	< 1	< 1	1	1	3	3	4
80-84	8	2.0	3	< 1	< 1	1	2	5	6	6
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	31	4.9	15	< 1	1	4	7	11	12	15
70-74	18	5.4	46	< 1	1	4	5	24	68	99 +
75-79	7	1.7	1	< 1	1	2	2	3	3	3
80-84	11	5.0	15	1	3	4	6	12	13	13
85 +	5	4.4	7	1	2	6	6	7	7	7
B. Operated										
65-69 YRS	161	3.0	13	1	1	2	3	5	6	20
70-74	104	3.6	17	1	1	2	4	7	10	25
75-79	52	3.4	15	1	2	2	4	5	11	25
80-84	25	3.6	11	1	1	2	6	9	10	11
85 +	12	4.5	26	1	1	2	6	12	17	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.9	3	< 1	< 1	1	3	5	5	5
B. Operated	168	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	72	4.7	21	1	1	4	6	11	15	83
B. Operated	354	3.3	15	1	1	2	4	6	9	23
1. SINGLE DX	176	2.1	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	426	3.6	16	1	1	2	4	7	11	25
A. Not Operated	80	4.4	20	< 1	1	3	6	10	14	78
B. Operated	522	2.9	11	< 1	1	2	3	5	8	19
TOTAL										
65-69 YRS	288	2.9	10	< 1	1	2	3	6	7	13
70-74	169	3.4	17	< 1	1	2	4	6	11	28
75-79	80	2.7	11	< 1	1	2	3	5	6	21
80-84	45	3.6	11	< 1	1	2	5	9	11	13
85 +	20	4.1	18	1	1	2	6	9	14	18
GRAND TOTAL	**602**	**3.1**	**12**	**< 1**	**1**	**2**	**4**	**6**	**9**	**21**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.8	1	2	2	3	3	4	4	4
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	21	4.8	4	3	4	4	6	8	9	9
70-74	15	5.1	2	4	4	5	6	7	8	8
75-79	11	6.5	4	4	6	6	8	9	11	11
80-84	4	5.5	6	3	3	5	7	8	8	8
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	2.3	2	< 1	< 1	2	3	4	4	4
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	3	5.0	21	1	2	4	8	10	10	10
80-84	2	3.0	2	2	2	3	4	4	4	4
85 +	2	14.5	313	2	2	14	27	27	27	27
B. Operated										
65-69 YRS	121	6.3	19	4	4	5	7	9	11	26
70-74	95	6.5	9	4	5	6	7	11	12	17
75-79	70	8.2	71	3	5	6	8	15	24	56
80-84	36	8.5	17	5	5	7	10	16	18	19
85 +	23	8.3	25	4	5	7	10	15	19	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.7	1	2	2	3	3	4	4	4
B. Operated	51	5.3	4	3	4	5	6	8	9	11
2. MULTIPLE DX										
A. Not Operated	13	4.8	51	1	1	2	4	13	24	27
B. Operated	345	7.1	27	4	5	6	8	11	16	25
1. SINGLE DX	57	5.1	4	3	4	5	6	8	9	11
2. MULTIPLE DX	358	7.0	28	4	5	6	8	11	16	27
A. Not Operated	19	4.1	35	1	2	2	4	8	19	27
B. Operated	396	6.9	25	4	5	6	8	11	15	24
TOTAL										
65-69 YRS	150	5.9	17	3	4	5	7	9	10	19
70-74	113	6.2	8	4	4	6	7	10	11	17
75-79	84	7.9	60	3	5	6	8	13	21	51
80-84	42	8.0	17	4	5	7	10	15	18	19
85 +	26	8.5	39	2	5	7	10	16	25	27
GRAND TOTAL	**415**	**6.8**	**25**	**4**	**4**	**6**	**7**	**11**	**15**	**25**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	4.3	4	2	3	5	6	6	6	6
70-74	1	5.0		5	5	5	5	5	5	5
75-79	1	3.0		3	3	3	3	3	3	3
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	8	.4	7	1	4	5	6	9	10	10
70-74	4	4.5	1	4	4	4	5	6	6	6
75-79	4	4.0	1	3	3	4	5	5	5	5
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	8.8	60	2	5	8	9	12	29	36
70-74	10	6.9	18	3	4	5	8	14	17	17
75-79	6	6.5	8	3	4	6	9	10	10	10
80-84	7	10.0	55	3	5	8	12	23	25	25
85 +	3	11.3	20	7	8	11	15	16	16	16
B. Operated										
65-69 YRS	56	9.7	85	4	5	7	11	17	24	62
70-74	33	12.4	79	4	6	10	15	27	32	40
75-79	25	12.1	83	4	6	9	15	22	30	44
80-84	12	11.8	48	4	8	10	16	22	25	26
85 +	11	16.0	126	4	6	15	23	33	37	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.2	3	2	3	5	5	6	6	6
B. Operated	17	4.9	4	3	4	5	6	7	9	10
2. MULTIPLE DX										
A. Not Operated	42	8.4	38	3	5	7	9	14	20	36
B. Operated	137	11.5	84	4	6	9	14	23	30	47
1. SINGLE DX	22	4.7	3	3	4	5	6	7	8	10
2. MULTIPLE DX	179	10.7	75	4	5	8	13	21	28	43
A. Not Operated	47	7.9	36	3	4	7	9	13	18	36
B. Operated	154	10.7	79	4	5	8	14	22	29	44
TOTAL										
65-69 YRS	83	8.9	71	4	5	7	9	15	23	55
70-74	48	10.4	66	4	5	8	13	20	31	40
75-79	36	10.0	69	3	5	7	13	21	24	44
80-84	20	10.9	47	4	6	9	13	22	25	26
85 +	14	15.0	104	5	7	13	21	32	36	37
GRAND TOTAL	**201**	**10.1**	**70**	**4**	**5**	**7**	**11**	**20**	**26**	**42**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	43	5.9	7	4	4	5	7	9	12	15
70-74	29	5.3	3	3	4	5	6	8	9	10
75-79	18	7.3	12	4	4	7	10	12	13	14
80-84	5	6.2	2	4	5	6	7	8	8	8
85 +	2	8.0	32	4	4	8	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	97	6.0	7	4	4	5	7	10	12	15
1. SINGLE DX	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX	97	6.0	7	4	4	5	7	10	12	15
A. Not Operated	0									
B. Operated	99	6.0	7	4	4	5	7	10	12	15
TOTAL										
65-69 YRS	44	5.8	7	4	4	5	7	9	12	15
70-74	29	5.3	3	3	4	5	6	8	9	10
75-79	18	7.3	12	4	4	7	10	12	13	14
80-84	6	6.7	3	4	6	7	8	9	9	9
85 +	2	8.0	32	4	4	8	12	12	12	12
GRAND TOTAL	**99**	**6.0**	**7**	**4**	**4**	**5**	**7**	**10**	**12**	**15**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	2	3.0	8	< 1	< 1	2	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	25.0		25	25	25	25	25	25	25
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	14	3.1	3	1	1	3	5	5	6	6
70-74	7	4.3	8	< 1	2	4	6	8	9	9
75-79	4	4.0	6	< 1	1	4	6	6	6	6
80-84	6	4.5	12	< 1	1	4	8	9	9	9
85 +	4	4.8	2	3	3	5	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	3.4	4	< 1	1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	2	14.0	242	3	3	14	25	25	25	25
B. Operated	35	3.9	6	< 1	2	4	6	6	9	9
1. SINGLE DX	5	3.4	4	< 1	1	3	5	6	6	6
2. MULTIPLE DX	37	4.4	17	< 1	2	4	6	8	9	25
A. Not Operated	2	14.0	242	3	3	14	25	25	25	25
B. Operated	40	3.8	5	< 1	2	4	6	6	8	9
TOTAL										
65-69 YRS	16	4.4	33	1	1	3	5	6	19	25
70-74	9	4.3	7	1	2	4	6	8	9	9
75-79	6	3.7	5	< 1	< 1	4	5	6	6	6
80-84	7	4.3	10	< 1	1	3	7	9	9	9
85 +	4	4.8	2	3	3	5	6	6	6	6
GRAND TOTAL	**42**	**4.3**	**16**	**< 1**	**2**	**4**	**6**	**7**	**9**	**25**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	8.5	5	7	7	8	10	10	10	10
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	13.0		13	13	13	13	13	13	13
B. Operated										
65-69 YRS	5	2.4	4	1	1	1	4	5	5	5
70-74	7	2.9	6	< 1	1	2	4	7	8	8
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	3	2.3	5	< 1	< 1	1	4	5	5	5
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	5.1	5	2	3	5	6	8	9	9
70-74	12	6.5	19	3	4	5	7	13	17	18
75-79	13	15.3	634	2	4	6	9	53	84	91
80-84	5	22.2	1568	3	4	5	28	93	93	93
85 +	10	4.7	4	2	3	5	6	7	8	8
B. Operated										
65-69 YRS	22	7.7	28	2	3	6	12	15	17	19
70-74	17	6.1	30	1	2	5	8	14	19	21
75-79	13	9.2	140	2	2	4	11	25	40	43
80-84	23	10.3	57	3	5	8	15	19	25	34
85 +	17	12.4	99	3	4	11	19	25	33	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	7.0	22	2	3	7	11	13	13	13
B. Operated	18	2.5	4	< 1	1	2	4	5	7	8
2. MULTIPLE DX										
A. Not Operated	48	9.9	338	2	4	5	7	14	48	93
B. Operated	92	9.1	66	2	3	7	13	19	23	40
1. SINGLE DX	23	3.5	11	1	1	2	5	8	11	13
2. MULTIPLE DX	140	9.4	158	2	3	6	11	19	24	91
A. Not Operated	53	9.6	308	2	4	5	7	14	39	93
B. Operated	110	8.0	62	1	3	5	11	19	21	39
TOTAL										
65-69 YRS	36	6.2	22	1	3	5	9	14	15	19
70-74	38	5.8	22	1	2	5	8	11	17	21
75-79	28	11.5	361	2	2	5	8	36	48	91
80-84	32	11.2	273	2	4	7	11	19	33	93
85 +	29	9.4	73	3	3	6	13	22	27	37
GRAND TOTAL	**163**	**8.6**	**141**	**2**	**3**	**5**	**9**	**18**	**22**	**85**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.5	5	1	1	2	4	4	4	4
70-74	0									
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	680	4.5	3	3	3	4	5	7	7	9
70-74	526	4.8	3	3	4	5	6	7	8	10
75-79	296	4.6	3	3	3	4	6	7	8	9
80-84	113	5.1	3	3	4	5	6	7	9	11
85 +	29	4.9	6	2	4	4	6	8	9	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	31	1.9	2	< 1	1	1	3	4	4	6
70-74	26	3.8	30	1	1	2	4	6	17	27
75-79	24	3.6	36	< 1	< 1	2	4	7	14	30
80-84	22	6.8	268	< 1	1	2	5	10	39	79
85 +	8	4.3	17	< 1	1	3	6	11	13	13
B. Operated										
65-69 YRS	2397	5.3	6	3	4	5	6	8	9	13
70-74	1996	5.6	6	3	4	5	7	8	10	15
75-79	1255	6.0	15	3	4	5	7	9	11	19
80-84	532	6.2	12	3	4	5	7	9	12	19
85 +	197	6.0	8	3	4	5	8	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	< 1	< 1	1	3	4	4	4
B. Operated	1644	4.7	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. Not Operated	111	3.8	70	< 1	1	2	4	6	12	49
B. Operated	6377	5.6	9	3	4	5	7	8	10	16
1. SINGLE DX	1647	4.7	3	3	3	5	6	7	8	10
2. MULTIPLE DX	6488	5.6	10	3	4	5	7	8	10	16
A. Not Operated	114	3.8	68	< 1	1	2	4	6	11	48
B. Operated	8021	5.4	8	3	4	5	6	8	9	15
TOTAL										
65-69 YRS	3110	5.1	5	3	4	5	6	7	9	13
70-74	2548	5.4	6	3	4	5	6	8	9	15
75-79	1575	5.7	14	3	4	5	6	8	10	18
80-84	668	6.0	19	3	4	5	7	9	11	19
85 +	234	5.8	8	3	4	5	7	9	11	17
GRAND TOTAL	**8135**	**5.4**	**9**	**3**	**4**	**5**	**6**	**8**	**9**	**15**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-34										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	32	1.6	2	< 1	< 1	< 1	1	4	5	7
70-74	29	1.4	1	< 1	< 1	< 1	1	2	3	6
75-79	20	2.2	3	< 1	< 1	1	3	5	5	6
80-84	11	1.7	1	< 1	1	1	2	3	4	4
85 +	5	2.4	1	1	2	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	4.2	5	1	2	5	5	7	7	7
70-74	10	3.4	5	1	2	3	4	7	7	7
75-79	12	4.4	10	1	1	4	7	9	10	10
80-84	11	1.9	3	< 1	< 1	1	2	4	7	7
85 +	14	9.5	441	1	2	4	6	15	67	82
B. Operated										
65-69 YRS	189	3.8	10	< 1	1	4	5	7	9	19
70-74	130	3.9	20	< 1	1	2	5	7	10	28
75-79	107	3.8	15	1	1	2	5	7	10	21
80-84	75	4.3	17	1	2	3	6	9	11	24
85 +	54	4.5	17	1	2	3	5	12	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	97	1.7	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	53	5.0	122	1	1	3	6	7	9	80
B. Operated	555	4.0	15	1	1	3	5	8	11	19
1. SINGLE DX	98	1.7	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX	608	4.1	24	1	1	3	5	8	11	20
A. Not Operated	54	5.0	120	1	1	3	6	7	9	79
B. Operated	652	3.6	14	< 1	1	2	5	7	10	19
TOTAL										
65-69 YRS	227	3.5	10	< 1	1	3	5	7	8	19
70-74	169	3.4	17	< 1	1	2	4	7	9	24
75-79	139	3.6	13	< 1	1	2	5	7	10	20
80-84	97	3.8	15	< 1	1	2	5	8	10	21
85 +	74	5.3	95	1	2	3	6	10	14	66
GRAND TOTAL	**706**	**3.7**	**22**	**< 1**	**1**	**2**	**5**	**7**	**10**	**19**

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	4.0		4	4	4	4	4	4	4
80-84	2	4.5	1	4	4	4	5	5	5	5
85 +	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated										
65-69 YRS	62	3.8	6	< 1	2	4	5	7	9	11
70-74	32	4.4	35	< 1	1	3	5	9	13	32
75-79	18	2.7	2	< 1	1	2	4	5	6	6
80-84	8	5.8	61	< 1	< 1	1	9	19	22	22
85 +	5	6.0	21	< 1	1	7	9	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	6.6	171	1	2	3	4	13	38	61
70-74	16	5.8	59	1	1	3	7	11	26	32
75-79	17	5.2	25	1	1	4	7	12	17	19
80-84	22	6.1	35	1	2	5	8	11	18	28
85 +	36	7.7	51	1	3	6	10	21	30	99 +
B. Operated										
65-69 YRS	476	6.5	33	1	4	5	8	12	16	33
70-74	307	7.1	67	2	4	5	8	12	18	51
75-79	190	8.1	99	1	3	5	10	15	20	64
80-84	113	8.0	50	1	2	6	11	17	24	33
85 +	68	9.2	63	2	5	7	13	19	25	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.7	3	< 1	1	2	4	5	5	5
B. Operated	125	4.0	17	< 1	1	3	5	8	11	24
2. MULTIPLE DX										
A. Not Operated	112	6.5	66	1	2	4	8	14	26	75
B. Operated	1154	7.2	57	1	4	5	9	14	19	44
1. SINGLE DX	135	3.9	16	< 1	1	3	5	7	11	23
2. MULTIPLE DX	1266	7.2	58	1	3	5	9	14	19	46
A. Not Operated	122	6.2	62	1	2	4	7	13	24	71
B. Operated	1279	6.9	54	1	3	5	8	13	18	40
TOTAL										
65-69 YRS	561	6.2	36	1	3	5	7	12	16	34
70-74	357	6.8	64	1	4	5	7	11	17	44
75-79	226	7.4	87	1	3	5	9	14	19	53
80-84	145	7.6	48	1	2	6	11	16	22	33
85 +	112	8.4	57	1	3	6	12	18	27	99 +
GRAND TOTAL	**1401**	**6.9**	**54**	**1**	**3**	**5**	**8**	**13**	**19**	**42**

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	2	3.5	13	< 1	< 1	3	6	6	6	6
75-79	5	2.2	7	< 1	< 1	< 1	2	7	7	7
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	222	4.5	5	2	3	4	6	8	8	11
70-74	128	4.7	5	2	3	4	6	7	9	13
75-79	77	5.0	6	2	3	5	6	8	9	15
80-84	39	4.4	5	2	3	4	6	8	8	8
85 +	13	5.5	4	3	4	5	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	3.2	9	< 1	1	1	6	8	9	9
70-74	12	4.1	7	< 1	1	4	6	8	9	9
75-79	7	4.7	13	1	1	5	7	10	10	10
80-84	8	9.0	55	2	3	8	12	21	24	24
85 +	1	8.0		8	8	8	8	8	8	8
B. Operated										
65-69 YRS	504	5.3	17	3	4	5	6	8	9	14
70-74	345	5.4	7	3	4	5	7	9	10	13
75-79	215	5.8	7	3	4	5	7	9	11	15
80-84	101	6.4	14	2	4	6	8	10	12	23
85 +	41	6.4	13	3	4	5	8	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.1	5	< 1	< 1	< 1	1	6	7	7
B. Operated	479	4.7	5	2	3	4	6	8	8	12
2. MULTIPLE DX										
A. Not Operated	39	5.1	21	< 1	1	4	7	10	12	24
B. Operated	1206	5.6	12	3	4	5	7	9	10	15
1. SINGLE DX	489	4.6	5	2	3	4	6	8	8	12
2. MULTIPLE DX	1245	5.6	12	3	4	5	7	9	10	15
A. Not Operated	49	4.4	19	< 1	1	3	7	9	11	24
B. Operated	1685	5.3	10	3	4	5	6	8	10	14
TOTAL										
65-69 YRS	740	5.0	13	2	3	5	6	8	9	13
70-74	487	5.2	7	3	4	5	6	8	10	13
75-79	304	5.5	7	3	4	5	7	9	10	15
80-84	148	6.0	15	2	4	6	8	10	11	24
85 +	55	6.2	10	3	4	5	8	10	13	19
GRAND TOTAL	**1734**	**5.3**	**11**	**2**	**4**	**5**	**6**	**8**	**10**	**14**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

1,058 Hospitals, United States, Geriatric, January-December 1988

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

293: Uterine inertia, delivered (661.0-661.2 with 5th digit 0, 1; 662.0-662.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	159	5.0	8	2	3	4	6	8	10	16
70-74	119	5.2	8	2	3	5	6	9	11	14
75-79	117	6.6	28	2	4	6	8	11	13	30
80-84	99	5.5	16	2	3	4	7	11	14	21
85 +	78	5.1	7	2	3	4	7	9	10	13
B. Operated										
65-69 YRS	57	7.8	54	2	3	5	9	21	28	29
70-74	34	6.1	24	2	3	5	7	15	18	19
75-79	34	8.8	57	2	4	6	12	18	23	35
80-84	20	6.9	29	2	3	6	8	15	20	21
85 +	24	8.3	35	3	4	6	11	17	20	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1767	7.5	29	3	4	6	9	13	17	30
70-74	1781	7.8	39	3	4	6	9	14	18	34
75-79	1632	8.1	47	3	4	7	10	15	18	35
80-84	1451	8.4	48	3	5	7	10	15	19	47
85 +	1647	8.9	60	3	5	7	11	16	21	48
B. Operated										
65-69 YRS	846	12.6	122	4	6	9	15	24	36	70
70-74	784	12.3	100	4	6	9	16	25	32	57
75-79	703	13.8	142	4	6	11	17	29	37	99 +
80-84	571	14.0	138	4	7	11	18	28	36	62
85 +	545	14.4	163	4	7	11	18	30	42	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	572	5.5	13	2	3	5	7	10	12	18
B. Operated	169	7.6	43	2	3	5	9	18	22	29
2. MULTIPLE DX										
A. Not Operated	8278	8.2	44	3	4	7	10	14	19	37
B. Operated	3449	13.3	131	4	6	10	16	27	36	77
1. SINGLE DX	741	6.0	21	2	3	5	7	11	14	24
2. MULTIPLE DX	11727	9.7	75	3	5	7	11	18	25	54
A. Not Operated	8850	8.0	43	3	4	6	9	14	18	36
B. Operated	3618	13.0	128	4	6	10	16	26	36	75
TOTAL										
65-69 YRS	2829	8.9	62	3	4	7	11	16	23	43
70-74	2718	9.0	60	3	5	7	11	17	23	47
75-79	2486	9.7	80	3	5	7	11	18	26	58
80-84	2141	9.8	77	3	5	7	11	19	25	57
85 +	2294	10.1	89	3	5	8	12	19	26	78
GRAND TOTAL	**12468**	**9.4**	**73**	**3**	**5**	**7**	**11**	**18**	**24**	**53**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	4.6	3	3	3	4	6	8	8	8
70-74	15	4.1	3	2	3	4	5	6	8	8
75-79	9	4.8	14	1	2	3	6	11	11	11
80-84	12	3.8	39	< 1	< 1	1	4	10	21	23
85 +	6	6.0	11	4	4	4	8	12	12	12
B. Operated										
65-69 YRS	18	4.7	34	1	2	3	4	9	20	26
70-74	10	4.2	5	1	2	4	6	7	8	8
75-79	4	8.0	73	1	2	5	14	20	20	20
80-84	4	9.0	120	< 1	1	5	16	25	25	25
85 +	4	2.8	4	< 1	< 1	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	152	6.3	14	2	3	6	9	11	13	18
70-74	153	6.3	18	3	4	5	8	11	14	28
75-79	136	7.4	85	3	4	6	8	10	15	53
80-84	106	8.7	69	3	4	6	10	15	30	46
85 +	105	8.0	55	3	5	6	9	12	15	47
B. Operated										
65-69 YRS	174	10.8	130	3	4	7	12	24	35	80
70-74	146	11.0	114	3	4	8	13	22	33	76
75-79	118	11.6	197	3	4	8	14	23	44	96
80-84	92	12.4	156	3	5	8	17	26	41	61
85 +	54	12.1	122	3	6	9	14	21	30	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.5	13	< 1	3	4	5	8	11	22
B. Operated	40	5.2	34	1	2	3	6	10	22	26
2. MULTIPLE DX										
A. Not Operated	652	7.2	46	3	4	6	9	12	15	33
B. Operated	584	11.4	142	3	5	8	14	23	36	78
1. SINGLE DX	97	4.8	21	1	2	4	5	8	12	26
2. MULTIPLE DX	1236	9.2	96	3	4	7	10	17	25	62
A. Not Operated	709	7.0	44	3	4	6	8	12	15	32
B. Operated	624	11.0	138	3	4	7	13	23	35	76
TOTAL										
65-69 YRS	359	8.3	76	2	4	6	10	16	24	52
70-74	324	8.3	66	2	4	6	10	16	22	50
75-79	267	9.1	136	3	4	6	10	17	23	91
80-84	214	10.0	110	3	4	7	11	21	33	59
85 +	169	9.1	78	3	5	7	11	15	21	65
GRAND TOTAL	**1333**	**8.8**	**91**	**3**	**4**	**6**	**10**	**17**	**24**	**60**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	2.3		2	2	2	3	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	3.5	13	1	1	3	6	6	6	6
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	13	2.6	3	1	1	2	4	5	6	6
70-74	10	6.7	96	1	2	3	6	20	34	34
75-79	4	3.8	8	1	1	3	6	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85 +	3	6.0	21	1	2	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	4	2.8	6	< 1	< 1	2	4	6	6	6
B. Operated	31	4.5	36	1	1	3	6	7	10	34
1. SINGLE DX	6	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	35	4.3	33	1	1	3	6	7	9	34
A. Not Operated	4	2.8	6	< 1	< 1	2	4	6	6	6
B. Operated	37	4.1	31	1	1	2	5	7	9	34
TOTAL										
65-69 YRS	18	2.4	3	1	1	2	4	5	6	6
70-74	13	5.5	77	1	2	3	6	12	30	34
75-79	6	3.7	7	1	1	3	6	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85 +	3	6.0	21	1	2	7	9	10	10	10
GRAND TOTAL	**41**	**4.0**	**29**	**1**	**1**	**2**	**5**	**7**	**9**	**34**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
B. Operated										
65-69 YRS	15	1.7	2	< 1	< 1	< 1	2	3	5	5
70-74	12	1.1		< 1	< 1	< 1	< 1	1	2	2
75-79	18	1.0		< 1	< 1	< 1	< 1	< 1	1	1
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	2	4.5	1	4	4	4	5	5	5	5
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	17	4.1	7	< 1	1	4	6	8	8	8
70-74	12	2.8	4	< 1	1	2	4	5	6	6
75-79	15	3.9	16	< 1	< 1	2	6	9	13	14
80-84	4	6.3	63	1	1	3	11	18	18	18
85 +	10	4.3	12	< 1	1	3	7	9	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	47	1.3	1	< 1	< 1	< 1	< 1	2	3	5
2. MULTIPLE DX										
A. Not Operated	3	4.0	1	3	3	4	52	99 +	99 +	99 +
B. Operated	58	4.0	12	< 1	1	3	6	8	10	18
1. SINGLE DX	48	1.3	1	< 1	< 1	< 1	< 1	2	3	5
2. MULTIPLE DX	61	4.0	12	< 1	1	3	6	8	12	90
A. Not Operated	4	3.3	3	< 1	2	4	29	99 +	99 +	99 +
B. Operated	105	2.8	9	< 1	< 1	1	4	7	8	16
TOTAL										
65-69 YRS	32	3.0	6	< 1	< 1	2	5	7	8	8
70-74	24	2.0	3	< 1	< 1	< 1	3	5	5	6
75-79	35	2.4	9	< 1	< 1	< 1	3	7	9	14
80-84	7	4.1	38	< 1	1	2	11	75	99 +	99 +
85 +	11	4.2	11	< 1	1	3	7	9	11	11
GRAND TOTAL	**109**	**2.8**	**9**	**< 1**	**< 1**	**1**	**4**	**7**	**8**	**51**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	23.7	310	5	10	26	36	40	40	40
70-74	4	9.3	48	2	3	9	15	17	17	17
75-79	7	6.1	16	2	2	6	10	11	11	11
80-84	12	6.7	51	1	2	5	8	16	25	27
85 +	15	12.4	133	7	7	9	12	19	44	52
B. Operated										
65-69 YRS	36	10.9	147	1	3	7	14	30	41	48
70-74	34	10.5	110	1	2	8	15	24	33	47
75-79	32	11.1	66	1	4	9	15	25	30	99 +
80-84	28	11.2	67	1	5	9	15	24	27	32
85 +	38	11.7	158	1	4	7	14	28	46	53
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	271	10.3	56	4	5	8	13	19	24	44
70-74	311	11.1	100	4	5	8	14	21	28	59
75-79	410	12.1	119	4	6	9	15	23	35	80
80-84	437	12.8	162	4	6	9	15	24	37	94
85 +	574	11.9	122	4	6	9	14	25	36	97
B. Operated										
65-69 YRS	546	16.9	233	3	7	12	24	41	56	99 +
70-74	757	18.4	250	4	8	14	24	46	68	99 +
75-79	781	19.0	265	4	8	14	27	47	59	99 +
80-84	736	19.8	282	5	9	15	26	45	60	99 +
85 +	897	18.2	235	4	8	14	24	40	57	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	10.2	104	2	5	7	11	22	33	52
B. Operated	168	11.1	111	1	3	8	15	25	34	53
2. MULTIPLE DX										
A. Not Operated	2003	11.8	118	4	6	9	14	23	32	76
B. Operated	3717	18.5	254	4	8	14	25	44	60	99 +
1. SINGLE DX	209	10.9	109	1	4	8	14	25	34	53
2. MULTIPLE DX	5720	16.2	217	4	7	12	21	37	53	99 +
A. Not Operated	2044	11.8	118	4	6	9	14	23	32	75
B. Operated	3885	18.2	250	4	8	14	24	43	60	99 +
TOTAL										
65-69 YRS	856	14.6	183	3	6	10	19	33	47	99 +
70-74	1106	16.0	214	4	7	12	21	39	56	99 +
75-79	1230	16.4	221	4	7	12	21	39	56	99 +
80-84	1213	16.9	244	4	7	12	21	37	52	99
85 +	1524	15.6	199	4	7	11	20	35	49	99 +
GRAND TOTAL	**5929**	**16.0**	**214**	**4**	**7**	**12**	**21**	**37**	**53**	**99 +**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	10.2	79	1	2	8	18	23	27	29
70-74	26	6.8	25	2	3	5	9	14	16	21
75-79	11	4.7	26	< 1	1	3	7	14	16	16
80-84	14	5.0	20	1	2	3	8	13	14	14
85 +	14	4.9	12	< 1	3	4	6	9	14	15
B. Operated										
65-69 YRS	95	2.1	11	< 1	< 1	1	2	3	7	21
70-74	68	2.1	7	< 1	< 1	1	2	4	6	17
75-79	43	2.2	9	< 1	< 1	1	2	6	8	17
80-84	25	2.4	7	< 1	< 1	1	2	9	9	10
85 +	13	1.7	2	< 1	< 1	< 1	2	4	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	291	8.4	59	2	3	6	11	20	23	41
70-74	287	8.2	40	2	4	6	11	19	22	27
75-79	262	7.7	40	2	4	6	10	15	20	25
80-84	169	8.7	119	2	4	6	10	16	21	72
85 +	153	9.1	71	3	4	7	11	16	30	46
B. Operated										
65-69 YRS	251	7.0	86	1	1	3	9	18	24	54
70-74	183	9.0	121	1	2	5	11	20	31	48
75-79	133	7.7	65	1	2	5	10	18	24	36
80-84	87	8.4	67	1	2	6	12	16	28	37
85 +	68	10.4	101	1	4	7	15	30	39	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	6.8	38	1	2	4	9	15	21	28
B. Operated	244	2.1	9	< 1	< 1	1	2	4	8	17
2. MULTIPLE DX										
A. Not Operated	1162	8.3	60	2	4	6	11	17	22	38
B. Operated	722	8.1	91	1	2	5	11	20	28	51
1. SINGLE DX	330	3.3	20	< 1	< 1	1	3	9	14	22
2. MULTIPLE DX	1884	8.3	72	1	3	6	11	19	24	42
A. Not Operated	1248	8.2	59	2	3	6	11	17	22	38
B. Operated	966	6.6	77	< 1	1	3	9	17	25	44
TOTAL										
65-69 YRS	658	7.0	68	1	2	4	9	18	23	41
70-74	564	7.7	66	1	2	5	10	18	23	40
75-79	449	7.1	47	1	2	5	10	15	21	30
80-84	295	7.9	92	1	3	5	10	15	23	49
85 +	248	8.9	76	2	4	6	11	21	31	52
GRAND TOTAL	**2214**	**7.5**	**67**	**1**	**2**	**5**	**10**	**17**	**23**	**40**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	3.0	1	2	2	3	4	4	4	4
70-74	0									
75-79	4	3.8	5	< 1	1	4	5	6	6	6
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	6.3	12	3	4	6	9	10	10	10
75-79	2	12.0	32	8	8	12	16	16	16	16
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	85	8.3	52	2	4	7	11	19	21	39
70-74	65	8.3	31	3	4	6	12	16	20	23
75-79	74	10.4	84	3	4	7	14	20	27	49
80-84	32	10.4	68	3	5	8	12	24	31	35
85 +	12	8.2	37	4	5	6	8	16	25	26
B. Operated										
65-69 YRS	66	13.8	109	4	7	12	18	30	36	93
70-74	61	17.6	235	5	8	13	22	41	52	98
75-79	47	17.4	243	6	7	12	24	35	48	74
80-84	18	17.4	173	5	8	15	20	40	47	50
85 +	12	13.5	82	5	6	11	18	27	33	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.4	3	1	2	3	5	6	6	6
B. Operated	6	8.0	21	3	5	7	10	15	16	16
2. MULTIPLE DX										
A. Not Operated	268	9.1	57	2	4	7	12	19	23	40
B. Operated	204	16.1	182	5	7	13	20	34	47	91
1. SINGLE DX	14	5.4	15	2	3	4	6	11	15	16
2. MULTIPLE DX	472	12.1	122	3	5	9	15	24	35	69
A. Not Operated	276	8.9	56	2	4	7	12	19	23	39
B. Operated	210	15.8	179	5	7	12	20	34	46	91
TOTAL										
65-69 YRS	156	10.5	83	2	4	8	14	21	30	60
70-74	129	12.6	148	3	5	9	16	24	39	88
75-79	127	12.8	151	3	5	8	16	27	36	72
80-84	50	12.9	115	4	5	9	16	29	37	50
85 +	24	10.8	64	5	5	8	13	24	28	34
GRAND TOTAL	**486**	**11.9**	**121**	**3**	**5**	**8**	**15**	**24**	**34**	**67**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	5.1	5	2	4	5	6	9	10	11
70-74	17	4.4	4	3	3	4	5	8	9	9
75-79	19	6.3	23	2	3	5	8	15	17	18
80-84	5	4.4	3	2	3	5	6	6	6	6
85 +	3	4.3	2	3	3	4	5	6	6	6
B. Operated										
65-69 YRS	199	6.2	21	1	2	6	10	13	15	18
70-74	144	6.2	24	1	2	5	9	13	15	22
75-79	73	7.4	31	1	3	7	11	14	17	30
80-84	22	7.9	16	3	5	7	11	14	15	15
85 +	3	18.7	202	9	10	12	29	35	35	35
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	237	6.1	13	2	4	5	8	11	14	21
70-74	243	7.3	44	3	4	5	9	13	17	37
75-79	197	7.6	37	3	4	6	9	15	19	29
80-84	109	6.7	32	2	3	5	8	13	16	32
85 +	42	10.2	240	3	4	6	10	17	30	98
B. Operated										
65-69 YRS	514	8.4	51	2	3	8	11	16	20	32
70-74	426	8.8	39	2	4	8	12	16	21	31
75-79	253	11.4	103	3	6	9	13	20	29	73
80-84	105	10.9	80	3	5	9	13	22	28	50
85 +	24	13.7	105	2	4	12	19	31	32	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	5.2	10	2	3	4	6	9	11	18
B. Operated	441	6.6	25	1	2	6	10	13	15	21
2. MULTIPLE DX										
A. Not Operated	828	7.1	42	2	4	5	8	13	16	31
B. Operated	1322	9.4	62	2	4	8	12	17	23	37
1. SINGLE DX	514	6.4	23	1	3	5	9	13	15	21
2. MULTIPLE DX	2150	8.5	56	2	4	7	11	16	21	37
A. Not Operated	901	6.9	40	2	4	5	8	13	16	30
B. Operated	1763	8.7	54	2	4	8	11	16	21	33
TOTAL										
65-69 YRS	979	7.3	36	2	3	6	10	14	16	28
70-74	830	7.8	38	2	3	7	10	15	19	29
75-79	542	9.3	70	3	4	8	11	17	23	53
80-84	241	8.6	55	2	4	7	11	16	23	37
85 +	72	11.5	186	3	4	7	14	27	33	85
GRAND TOTAL	**2664**	**8.1**	**50**	**2**	**4**	**7**	**10**	**15**	**20**	**33**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.35-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	25	7.1	37	< 1	1	8	10	13	17	27
70-74	23	7.5	22	1	4	8	10	13	17	18
75-79	19	6.5	19	1	3	5	10	13	14	14
80-84	13	8.8	83	1	3	5	13	23	30	32
85 +	18	5.8	26	< 1	3	4	8	14	18	20
B. Operated										
65-69 YRS	1756	9.1	9	6	7	9	11	13	14	18
70-74	1677	9.6	10	6	8	9	11	14	15	19
75-79	1177	10.0	12	6	8	10	12	14	16	21
80-84	567	10.4	13	7	8	10	12	15	16	24
85 +	176	11.1	20	7	8	10	13	17	18	27
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	159	5.3	33	< 1	1	3	7	12	17	31
70-74	222	4.8	27	1	1	3	6	10	14	29
75-79	203	6.2	70	1	2	4	8	12	16	45
80-84	225	7.3	89	1	3	5	9	14	18	82
85 +	216	8.4	107	2	3	6	10	17	39	99 +
B. Operated										
65-69 YRS	4625	10.7	27	6	8	10	12	16	18	29
70-74	5047	11.2	28	7	8	10	13	16	19	30
75-79	4115	11.6	33	7	9	11	13	17	20	32
80-84	2188	12.2	39	7	9	11	14	18	22	38
85 +	766	13.2	61	7	9	11	15	21	25	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	98	7.1	33	< 1	2	6	10	14	17	30
B. Operated	5353	9.7	11	6	8	9	11	14	15	19
2. MULTIPLE DX										
A. Not Operated	1025	6.5	68	1	2	4	8	13	19	47
B. Operated	16741	11.4	32	7	8	10	13	16	20	32
1. SINGLE DX	5451	9.6	12	6	8	9	11	14	15	20
2. MULTIPLE DX	17766	11.1	36	6	8	10	13	16	20	33
A. Not Operated	1123	6.5	65	1	2	4	8	13	18	46
B. Operated	22094	11.0	28	7	8	10	13	16	19	30
TOTAL										
65-69 YRS	6565	10.1	23	6	8	10	12	15	17	26
70-74	6969	10.6	25	6	8	10	12	15	18	28
75-79	5514	11.1	31	6	8	10	13	16	19	30
80-84	2993	11.5	40	6	8	10	14	17	21	36
85 +	1176	11.9	67	5	8	11	14	19	25	51
GRAND TOTAL	**23217**	**10.8**	**30**	**6**	**8**	**10**	**13**	**16**	**19**	**30**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17- 715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	4.0	3	2	2	4	5	6	6	6
70-74	9	2.8	6	1	1	2	3	7	9	9
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	3	6.3		6	6	6	7	7	7	7
85 +	4	4.3	4	3	3	4	5	7	7	7
B. Operated										
65-69 YRS	133	4.1	13	1	1	3	6	9	11	16
70-74	112	4.7	13	1	2	4	7	10	12	15
75-79	65	5.9	18	1	2	5	9	12	14	16
80-84	23	6.8	14	1	4	7	10	11	12	13
85 +	12	5.8	17	1	2	4	10	11	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	44	7.6	180	2	3	5	9	11	15	91
70-74	79	6.0	17	2	3	5	7	13	15	20
75-79	107	7.6	86	2	3	5	9	14	19	55
80-84	101	7.1	71	1	3	5	8	13	19	80
85 +	127	8.2	153	2	3	5	9	17	26	99 +
B. Operated										
65-69 YRS	336	5.6	24	1	2	4	8	13	16	21
70-74	279	6.7	23	2	3	5	9	13	15	24
75-79	225	8.4	40	2	4	7	11	15	18	33
80-84	100	10.1	54	3	5	9	12	18	24	39
85 +	39	11.0	93	2	3	10	15	21	22	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	4.0	5	1	2	4	6	7	8	9
B. Operated	345	4.9	14	1	2	4	8	11	12	15
2. MULTIPLE DX										
A. Not Operated	458	7.4	98	2	3	5	8	14	19	88
B. Operated	979	7.2	36	1	3	6	10	14	18	27
1. SINGLE DX	367	4.8	14	1	2	4	7	10	12	15
2. MULTIPLE DX	1437	7.3	56	2	3	5	10	14	18	42
A. Not Operated	480	7.2	94	2	3	5	8	14	18	86
B. Operated	1324	6.6	31	1	3	5	9	13	16	26
TOTAL										
65-69 YRS	517	5.3	34	1	2	4	7	11	14	20
70-74	479	6.0	20	1	3	5	8	12	15	20
75-79	399	7.8	49	2	4	7	10	14	17	34
80-84	227	8.4	59	2	4	7	11	16	20	54
85 +	182	8.5	129	2	3	5	10	17	24	96
GRAND TOTAL	**1804**	**6.8**	**48**	**1**	**3**	**5**	**9**	**13**	**17**	**33**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	18	4.1	26	< 1	< 1	2	4	12	17	19
70-74	18	4.7	50	< 1	< 1	2	5	9	22	31
75-79	15	5.1	31	< 1	< 1	3	7	12	19	21
80-84	15	3.3	9	< 1	< 1	1	5	8	9	10
85 +	14	4.2	23	< 1	2	3	4	11	17	19
B. Operated										
65-69 YRS	101	7.3	32	1	3	7	10	13	15	31
70-74	73	7.1	16	2	3	8	10	12	13	16
75-79	51	8.5	25	1	5	10	11	15	18	20
80-84	31	8.0	30	3	4	6	11	15	17	26
85 +	9	8.2	22	1	4	7	13	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	113	8.3	43	3	3	6	11	16	19	33
70-74	105	7.5	31	2	4	6	9	14	20	27
75-79	129	8.3	107	2	3	5	10	16	28	93
80-84	106	8.7	71	2	4	6	10	19	25	44
85 +	107	9.1	80	3	4	6	11	16	26	51
B. Operated										
65-69 YRS	327	11.6	102	2	5	10	14	23	31	55
70-74	286	13.5	161	2	5	10	16	29	41	65
75-79	225	13.5	126	4	7	11	17	27	31	66
80-84	130	17.8	182	6	9	15	23	37	43	83
85 +	90	16.2	136	7	9	13	20	31	48	84
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	4.3	28	< 1	< 1	2	5	10	16	28
B. Operated	265	7.6	26	2	3	8	11	13	15	20
2. MULTIPLE DX										
A. Not Operated	560	8.4	68	2	4	6	10	16	24	44
B. Operated	1058	13.7	139	3	7	11	16	29	38	65
1. SINGLE DX	345	6.8	28	1	3	6	10	13	15	21
2. MULTIPLE DX	1618	11.8	121	3	5	9	15	25	33	60
A. Not Operated	640	7.9	64	2	3	5	10	15	23	41
B. Operated	1323	12.5	122	3	6	10	15	25	34	60
TOTAL										
65-69 YRS	559	9.9	79	2	4	8	13	18	29	45
70-74	482	10.9	117	2	4	8	13	24	31	61
75-79	420	11.0	111	2	4	9	14	21	29	66
80-84	282	12.5	139	3	5	9	16	27	38	68
85 +	220	11.6	112	3	5	9	14	25	37	59
GRAND TOTAL	**1963**	**11.0**	**108**	**2**	**4**	**9**	**14**	**23**	**31**	**59**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	1	7.0		7	7	7	7	7	7	7
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	37	1.6	1	< 1	< 1	1	2	3	4	4
70-74	15	1.4	1	< 1	< 1	1	2	3	3	3
75-79	10	1.9	1	< 1	1	2	3	4	4	4
80-84	6	1.0		< 1	< 1	< 1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	6.0	75	< 1	< 1	1	12	16	16	16
70-74	7	4.3	11	2	2	3	7	10	10	10
75-79	1	12.0		12	12	12	12	12	12	12
80-84	1	1.0		1	1	1	1	1	1	1
85 +	5	3.2	3	1	2	4	4	5	5	5
B. Operated										
65-69 YRS	135	2.2	4	< 1	< 1	1	2	5	7	10
70-74	95	2.7	6	< 1	1	2	3	5	7	15
75-79	60	2.8	7	< 1	1	2	3	6	11	90
80-84	33	3.0	8	< 1	1	2	4	6	9	14
85 +	8	3.1	6	1	1	2	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.8	3	2	3	3	4	7	7	7
B. Operated	68	1.6	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	17	4.5	19	1	2	3	6	12	15	16
B. Operated	331	2.5	6	< 1	1	2	3	5	7	14
1. SINGLE DX	74	1.7	1	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	348	2.6	6	< 1	1	2	3	6	8	14
A. Not Operated	23	4.3	15	1	2	3	5	10	13	16
B. Operated	399	2.4	5	< 1	1	2	3	5	7	13
TOTAL										
65-69 YRS	176	2.1	4	< 1	< 1	1	2	4	7	11
70-74	118	2.6	6	< 1	1	2	3	5	7	15
75-79	73	2.8	7	< 1	1	2	3	5	12	79
80-84	41	2.8	7	< 1	1	2	3	6	8	14
85 +	14	3.2	4	1	1	3	4	6	7	8
GRAND TOTAL	**422**	**2.5**	**6**	**< 1**	**1**	**2**	**3**	**5**	**7**	**14**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	1.6	1	< 1	1	1	2	3	4	4
70-74	22	3.9	21	1	1	2	4	10	15	19
75-79	12	3.1	9	< 1	< 1	2	4	7	10	11
80-84	15	5.5	43	1	2	3	8	12	22	25
85 +	19	4.7	22	1	1	3	5	12	16	18
B. Operated										
65-69 YRS	59	4.0	13	< 1	1	3	5	9	12	18
70-74	46	4.4	22	1	2	3	6	8	12	28
75-79	27	3.7	11	< 1	2	2	6	7	9	16
80-84	11	3.5	6	1	2	3	4	8	8	8
85 +	7	2.4	6	< 1	1	1	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	125	6.2	53	1	2	4	7	14	19	39
70-74	138	6.9	67	1	3	4	8	15	22	44
75-79	168	6.9	51	1	3	5	8	15	22	38
80-84	151	6.8	43	2	3	5	9	14	18	36
85 +	183	6.4	46	1	3	4	7	14	22	41
B. Operated										
65-69 YRS	198	5.9	56	1	2	4	8	12	14	56
70-74	197	5.7	29	1	2	4	8	11	16	28
75-79	117	6.9	51	2	3	5	9	14	20	67
80-84	81	8.6	71	1	3	6	11	17	27	42
85 +	44	9.8	72	1	3	8	15	23	31	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	3.9	21	< 1	1	2	4	10	13	23
B. Operated	150	4.0	15	1	2	3	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	765	6.7	51	1	3	4	8	14	21	39
B. Operated	637	6.6	51	1	2	5	9	14	20	42
1. SINGLE DX	230	3.9	17	1	1	3	5	9	12	20
2. MULTIPLE DX	1402	6.7	51	1	2	4	8	14	20	41
A. Not Operated	845	6.4	49	1	2	4	7	14	20	38
B. Operated	787	6.1	45	1	2	4	8	13	18	40
TOTAL										
65-69 YRS	394	5.6	48	1	2	4	7	12	15	40
70-74	403	5.9	41	1	2	4	7	12	17	35
75-79	324	6.5	47	1	2	5	8	13	20	40
80-84	258	7.2	51	1	3	5	10	15	22	38
85 +	253	6.8	50	1	2	5	9	16	23	43
GRAND TOTAL	**1632**	**6.3**	**47**	**1**	**2**	**4**	**8**	**13**	**19**	**39**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	8.0	42	2	4	6	10	19	20	20
70-74	6	9.7	160	2	3	5	8	32	35	35
75-79	5	14.6	262	2	4	8	22	42	42	42
80-84	3	3.3	1	2	2	4	4	4	4	4
85 +	2	7.5	25	4	4	7	11	11	11	11
B. Operated										
65-69 YRS	10	8.7	19	5	5	7	12	15	18	18
70-74	6	30.2	312	3	22	31	44	50	51	51
75-79	0									
80-84	1	20.0		20	20	20	20	20	20	20
85 +	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.0	8	1	1	3	5	5	5	5
B. Operated	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. Not Operated	22	9.3	112	2	3	5	10	24	38	42
B. Operated	18	16.5	207	5	6	11	22	41	48	51
1. SINGLE DX	3	4.7	12	1	2	5	7	8	8	8
2. MULTIPLE DX	40	12.5	164	2	4	7	17	34	43	51
A. Not Operated	24	8.8	106	2	3	5	9	21	37	42
B. Operated	19	16.1	200	5	6	9	21	40	48	51
TOTAL										
65-69 YRS	18	8.0	26	3	5	7	10	16	19	20
70-74	13	18.8	319	2	3	8	34	45	50	51
75-79	5	14.6	262	2	4	8	22	42	42	42
80-84	4	7.5	70	2	3	4	12	20	20	20
85 +	3	8.0	13	4	5	9	10	11	11	11
GRAND TOTAL	**43**	**12.0**	**157**	**2**	**4**	**7**	**15**	**34**	**43**	**51**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	34	3.5	5	1	2	3	5	7	8	10
70-74	34	3.8	8	< 1	1	3	5	8	9	13
75-79	25	4.8	13	2	2	4	6	9	14	16
80-84	13	5.2	5	3	3	4	7	8	9	9
85 +	14	4.2	12	1	1	3	8	9	10	10
B. Operated										
65-69 YRS	169	4.2	10	1	1	4	7	8	10	11
70-74	147	5.1	22	1	1	5	7	10	12	27
75-79	69	4.5	16	1	1	2	7	11	12	15
80-84	20	8.7	75	1	2	6	11	25	29	30
85 +	5	3.0	7	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	313	5.8	18	2	3	5	7	11	14	22
70-74	390	6.5	24	2	3	5	8	12	16	25
75-79	395	6.7	32	2	3	5	9	12	15	28
80-84	402	7.5	41	3	4	6	9	14	19	42
85 +	379	7.9	36	3	4	7	10	15	19	41
B. Operated										
65-69 YRS	628	8.3	67	1	4	6	10	17	23	41
70-74	580	8.9	68	1	4	7	11	18	24	33
75-79	403	10.8	108	1	5	9	14	22	33	71
80-84	199	10.5	68	2	5	9	14	21	28	48
85 +	85	14.8	147	3	7	12	18	30	46	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	4.1	9	1	2	4	5	8	9	14
B. Operated	410	4.8	19	1	1	4	7	10	11	25
2. MULTIPLE DX										
A. Not Operated	1879	6.9	31	2	3	6	9	13	17	30
B. Operated	1895	9.5	82	1	4	8	12	19	27	48
1. SINGLE DX	530	4.6	17	1	1	4	7	9	11	22
2. MULTIPLE DX	3774	8.2	58	2	4	6	10	16	22	42
A. Not Operated	1999	6.8	30	2	3	6	9	13	16	29
B. Operated	2305	8.7	74	1	3	7	11	17	23	44
TOTAL										
65-69 YRS	1144	6.8	46	1	3	5	8	13	19	33
70-74	1151	7.4	48	1	3	6	9	15	20	29
75-79	892	8.3	70	2	3	6	11	16	23	49
80-84	634	8.4	51	2	4	6	10	17	23	42
85 +	483	9.0	63	2	4	7	11	17	23	53
GRAND TOTAL	**4304**	**7.8**	**55**	**2**	**3**	**6**	**10**	**15**	**21**	**41**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	107	5.7	16	1	3	5	8	10	13	21
70-74	64	5.4	13	2	3	5	8	9	12	18
75-79	41	5.9	16	1	3	5	8	11	13	18
80-84	23	7.0	25	2	3	6	8	16	18	19
85 +	11	6.1	17	1	2	6	10	12	13	13
B. Operated										
65-69 YRS	581	5.1	16	1	2	4	7	10	13	17
70-74	321	5.5	17	1	3	5	7	10	12	22
75-79	151	5.7	22	1	2	4	8	12	15	23
80-84	56	6.4	17	1	3	6	9	13	14	18
85 +	9	8.0	50	1	2	8	12	19	21	21
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	484	7.3	25	2	4	7	9	13	16	26
70-74	463	7.8	25	3	4	7	10	14	17	26
75-79	331	7.8	30	3	4	6	10	14	18	31
80-84	249	8.4	35	3	5	7	10	15	20	31
85 +	180	8.6	37	3	4	7	11	15	19	34
B. Operated										
65-69 YRS	1414	8.3	46	2	4	7	10	16	21	34
70-74	1047	9.1	46	2	5	8	11	17	23	37
75-79	606	10.6	74	3	6	8	13	20	27	46
80-84	240	12.5	102	4	6	10	16	23	29	59
85 +	75	14.3	157	4	6	11	18	29	38	67
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	5.8	16	1	3	5	8	10	13	19
B. Operated	1118	5.4	17	1	2	5	7	11	13	21
2. MULTIPLE DX										
A. Not Operated	1707	7.8	29	3	4	7	10	14	18	29
B. Operated	3382	9.4	59	2	5	8	12	18	24	40
1. SINGLE DX	1364	5.5	17	1	3	5	7	11	13	19
2. MULTIPLE DX	5089	8.9	50	3	5	7	11	17	22	36
A. Not Operated	1953	7.6	28	3	4	7	10	14	17	28
B. Operated	4500	8.4	52	2	4	7	11	17	22	37
TOTAL										
65-69 YRS	2586	7.3	36	2	4	6	9	14	18	30
70-74	1895	8.1	37	2	4	7	10	15	19	30
75-79	1129	8.9	55	2	4	7	11	17	22	39
80-84	568	9.9	66	3	5	8	12	19	25	39
85 +	275	10.0	76	3	5	8	12	19	24	44
GRAND TOTAL	**6453**	**8.2**	**45**	**2**	**4**	**7**	**10**	**16**	**20**	**34**

321: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	5.1	7	2	3	5	6	9	11	11
70-74	12	4.7	9	1	2	4	6	8	11	12
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	4	5.3	6	2	3	6	7	7	7	7
85 +	2	3.5	13	1	1	3	6	6	6	6
B. Operated										
65-69 YRS	83	4.2	7	1	2	4	5	8	9	13
70-74	33	3.9	5	1	2	4	5	7	9	9
75-79	16	4.1	11	1	2	4	5	7	12	14
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	79	6.2	16	2	3	6	8	12	15	18
70-74	67	5.9	15	2	3	5	7	11	14	18
75-79	60	8.1	67	2	3	5	10	16	29	39
80-84	35	7.6	48	2	3	6	8	20	25	29
85 +	17	5.8	11	2	4	5	7	9	14	16
B. Operated										
65-69 YRS	226	6.6	63	1	3	5	8	12	15	39
70-74	122	6.8	31	1	3	5	8	16	19	28
75-79	55	8.9	49	2	4	6	12	18	23	34
80-84	29	12.6	85	4	7	10	15	25	29	46
85 +	8	18.8	193	5	8	16	25	41	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	4.8	7	1	3	5	6	7	11	12
B. Operated	133	4.2	8	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. Not Operated	258	6.7	32	2	3	5	8	13	17	33
B. Operated	440	7.6	60	2	3	6	9	15	20	36
1. SINGLE DX	166	4.3	7	1	2	4	6	8	9	14
2. MULTIPLE DX	698	7.2	50	2	3	5	9	14	19	34
A. Not Operated	291	6.5	29	2	3	5	8	12	16	32
B. Operated	573	6.8	50	1	3	5	8	13	19	33
TOTAL										
65-69 YRS	401	6.0	41	1	3	5	7	11	14	28
70-74	234	6.0	23	1	3	5	7	12	17	24
75-79	133	7.9	54	2	3	5	10	16	24	35
80-84	69	9.7	66	2	4	7	12	21	28	43
85 +	27	9.5	97	2	4	6	10	21	32	46
GRAND TOTAL	**864**	**6.7**	**43**	**1**	**3**	**5**	**8**	**13**	**18**	**33**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	6.5	1	6	6	6	7	7	7	7
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	3	4.3	33	1	1	1	9	11	11	11
75-79	3	7.7	37	1	3	9	12	13	13	13
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	7.4	24	3	4	6	10	16	18	19
70-74	21	5.0	11	1	3	4	6	10	12	13
75-79	17	6.8	21	3	4	5	8	13	18	20
80-84	12	6.5	28	2	3	5	7	14	20	21
85 +	10	9.1	205	2	3	4	6	30	49	49
B. Operated										
65-69 YRS	19	9.4	39	2	5	8	13	19	22	24
70-74	5	8.6	20	3	5	8	12	14	14	14
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	2	13.0	32	9	9	13	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.8	5	2	3	5	6	7	7	7
B. Operated	7	6.1	26	1	1	7	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	76	6.7	43	2	3	5	8	12	18	42
B. Operated	27	9.4	33	3	6	8	13	18	21	24
1. SINGLE DX	11	5.6	18	1	1	6	9	12	13	13
2. MULTIPLE DX	103	7.4	41	3	4	6	9	14	19	36
A. Not Operated	80	6.6	41	2	3	5	8	12	17	41
B. Operated	34	8.7	33	1	4	8	12	17	20	24
TOTAL										
65-69 YRS	38	8.4	30	3	4	7	11	17	20	24
70-74	31	5.4	15	1	3	4	8	12	13	14
75-79	21	6.9	21	3	4	5	9	13	17	20
80-84	12	6.5	28	2	3	5	7	14	20	21
85 +	12	9.8	173	2	3	5	10	27	46	49
GRAND TOTAL	**114**	**7.2**	**39**	**2**	**3**	**6**	**9**	**14**	**19**	**33**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	4.1	8	1	2	4	5	9	10	10
70-74	8	4.4	4	1	3	4	6	7	7	7
75-79	7	5.9	29	1	3	4	7	15	17	17
80-84	10	5.8	7	3	4	5	8	9	10	10
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	12	3.2	8	1	1	2	5	8	9	9
70-74	6	3.2	13	1	1	2	4	9	10	10
75-79	3	4.3	5	3	3	3	6	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	84	6.4	18	2	3	5	9	12	14	23
70-74	77	7.0	31	2	4	6	9	12	15	35
75-79	77	7.5	70	2	4	6	9	14	17	56
80-84	65	7.2	17	3	4	6	10	13	16	19
85 +	56	9.5	104	3	4	6	11	18	27	60
B. Operated										
65-69 YRS	30	7.7	50	1	1	6	12	17	21	30
70-74	32	8.8	133	1	3	5	11	25	56	99 +
75-79	16	11.3	277	1	4	7	10	19	55	71
80-84	5	10.2	63	2	5	6	17	21	21	21
85 +	2	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	38	4.9	10	1	3	4	6	9	10	17
B. Operated	22	3.5	8	1	1	2	6	8	9	10
2. MULTIPLE DX										
A. Not Operated	359	7.4	45	2	4	6	9	13	16	39
B. Operated	85	8.9	121	1	3	6	12	19	28	90
1. SINGLE DX	60	4.4	10	1	2	4	6	9	10	16
2. MULTIPLE DX	444	7.7	60	2	4	6	10	14	18	61
A. Not Operated	397	7.2	43	2	4	6	9	13	16	34
B. Operated	107	7.8	102	1	2	5	10	16	24	83
TOTAL										
65-69 YRS	138	6.2	25	1	3	5	9	13	15	26
70-74	123	7.1	56	2	3	5	9	12	20	71
75-79	103	7.9	97	2	3	6	9	14	18	69
80-84	81	7.2	18	3	4	6	10	13	16	21
85 +	59	9.2	99	3	4	6	11	18	27	59
GRAND TOTAL	**504**	**7.3**	**55**	**2**	**3**	**6**	**9**	**14**	**17**	**51**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	159	4.0	10	< 1	1	3	5	8	11	14
70-74	97	4.0	13	1	1	3	6	9	12	15
75-79	74	3.8	13	< 1	1	2	5	8	10	21
80-84	42	4.6	16	1	1	3	7	12	13	14
85 +	32	4.3	12	1	2	4	6	7	9	18
B. Operated										
65-69 YRS	499	5.4	15	1	2	5	7	10	12	18
70-74	428	5.2	13	1	2	5	7	10	11	16
75-79	224	5.9	19	1	2	6	8	11	13	21
80-84	116	6.3	27	1	1	6	9	13	16	24
85 +	36	6.6	24	1	2	6	10	14	16	20
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	679	6.5	33	2	3	5	8	12	16	35
70-74	681	6.6	32	2	3	5	8	12	16	25
75-79	683	7.0	51	2	3	5	9	13	17	35
80-84	555	7.7	47	2	4	6	9	14	18	37
85 +	447	7.4	39	2	3	6	9	15	19	32
B. Operated										
65-69 YRS	1387	7.9	43	1	4	7	10	15	19	30
70-74	1361	8.7	50	1	5	7	11	16	21	38
75-79	1037	9.8	60	2	5	8	12	18	26	42
80-84	485	11.1	92	2	6	9	13	21	27	64
85 +	183	13.4	107	3	7	11	17	30	33	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	404	4.0	12	< 1	1	3	6	9	11	15
B. Operated	1303	5.5	17	1	2	5	8	10	12	20
2. MULTIPLE DX										
A. Not Operated	3045	7.0	40	2	3	6	9	13	18	33
B. Operated	4453	9.2	59	2	5	8	11	17	23	41
1. SINGLE DX	1707	5.2	16	1	2	5	7	10	12	19
2. MULTIPLE DX	7498	8.3	52	2	4	7	10	16	21	38
A. Not Operated	3449	6.7	38	1	3	5	8	13	17	32
B. Operated	5756	8.4	51	1	4	7	10	16	21	38
TOTAL										
65-69 YRS	2724	6.9	35	1	3	6	9	13	17	29
70-74	2567	7.4	40	1	3	6	9	14	18	32
75-79	2018	8.2	54	1	4	7	10	15	21	38
80-84	1198	8.9	66	2	4	7	11	17	22	44
85 +	698	8.8	62	2	4	7	11	18	24	43
GRAND TOTAL	**9205**	**7.7**	**47**	**1**	**3**	**6**	**10**	**15**	**20**	**36**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	21	3.7	5	1	2	3	5	7	8	8
70-74	11	4.4	11	1	2	3	6	10	11	11
75-79	13	5.2	15	1	2	3	9	11	12	12
80-84	7	2.4	4	1	1	2	2	6	7	7
85 +	7	2.9	4	1	1	2	4	6	7	7
B. Operated										
65-69 YRS	151	2.3	4	< 1	1	2	3	4	6	10
70-74	98	2.3	4	< 1	1	2	3	4	6	11
75-79	40	3.0	7	< 1	1	2	4	6	10	12
80-84	11	2.7	4	< 1	< 1	2	4	6	7	7
85 +	5	4.8	27	< 1	< 1	1	10	11	11	11
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	123	5.2	13	2	3	4	7	10	11	18
70-74	117	5.0	12	2	3	4	6	11	13	16
75-79	112	5.3	15	1	2	4	7	11	14	16
80-84	92	5.5	14	2	3	5	7	10	11	21
85 +	61	7.2	118	2	2	5	8	11	16	77
B. Operated										
65-69 YRS	354	3.6	12	1	1	3	4	7	11	18
70-74	254	4.7	28	1	2	3	5	9	14	33
75-79	141	5.3	57	1	2	3	6	10	12	45
80-84	70	6.7	37	1	2	5	10	15	20	29
85 +	40	7.4	52	1	3	4	8	19	24	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.9	8	1	2	3	6	9	10	12
B. Operated	305	2.4	5	< 1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	505	5.5	26	2	3	4	7	11	13	19
B. Operated	859	4.6	29	1	2	3	5	10	14	30
1. SINGLE DX	364	2.7	6	< 1	1	2	3	6	8	11
2. MULTIPLE DX	1364	4.9	28	1	2	4	6	10	13	25
A. Not Operated	564	5.3	24	2	2	4	7	10	12	19
B. Operated	1164	4.0	24	1	1	3	5	9	12	27
TOTAL										
65-69 YRS	649	3.6	11	1	1	3	4	8	10	18
70-74	480	4.3	20	1	2	3	5	8	12	27
75-79	306	5.0	34	1	2	3	6	11	12	30
80-84	180	5.7	23	1	2	5	7	11	16	22
85 +	113	6.9	84	1	2	4	8	13	20	50
GRAND TOTAL	**1728**	**4.4**	**24**	**1**	**2**	**3**	**5**	**10**	**12**	**22**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
B. Operated										
65-69 YRS	128	1.9	1	< 1	1	2	2	4	4	5
70-74	69	2.2	5	< 1	1	1	3	4	6	13
75-79	49	1.5	1	< 1	1	1	2	3	4	4
80-84	20	2.0	1	1	1	2	3	4	4	5
85 +	8	1.8	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	1.4		< 1	< 1	1	2	3	3	3
70-74	4	3.0	11	< 1	< 1	1	5	8	8	8
75-79	7	2.4	4	< 1	< 1	< 1	4	6	6	6
80-84	3	2.3	1	1	1	3	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	757	2.4	3	1	1	2	3	4	5	8
70-74	566	2.6	4	1	1	2	3	4	5	9
75-79	329	2.7	4	1	1	2	3	5	6	10
80-84	128	2.7	3	1	2	2	3	5	5	10
85 +	48	2.9	5	1	1	2	4	7	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	274	1.9	2	< 1	1	1	2	4	4	6
2. MULTIPLE DX										
A. Not Operated	26	2.1	3	< 1	< 1	1	3	4	6	8
B. Operated	1828	2.6	3	1	1	2	3	5	6	9
1. SINGLE DX	275	1.9	2	< 1	1	1	2	4	4	6
2. MULTIPLE DX	1854	2.6	3	1	1	2	3	5	6	9
A. Not Operated	27	2.2	3	< 1	< 1	1	3	5	6	8
B. Operated	2102	2.5	3	1	1	2	3	4	5	9
TOTAL										
65-69 YRS	896	2.3	2	1	1	2	3	4	5	7
70-74	639	2.5	4	1	1	2	3	4	6	10
75-79	385	2.6	4	1	1	2	3	5	6	10
80-84	151	2.6	3	1	1	2	3	4	5	9
85 +	58	2.8	5	1	1	2	4	6	7	9
GRAND TOTAL	**2129**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	2	1.0		1	1	1	1	1	1	1
75-79	2	9.0	8	7	7	9	11	11	11	11
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	30	1.7	1	< 1	< 1	1	2	3	3	6
70-74	22	1.7	4	< 1	< 1	< 1	1	3	7	10
75-79	14	1.7	1	< 1	< 1	1	2	3	5	5
80-84	8	1.4	1	< 1	< 1	1	1	3	4	4
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	3.3	10	1	1	2	4	8	11	12
70-74	11	6.1	18	2	3	4	11	12	12	12
75-79	3	3.7	2	2	2	4	5	5	5	5
80-84	3	5.7	4	4	4	5	7	8	8	8
85 +	4	8.3	73	3	3	4	13	21	21	21
B. Operated										
65-69 YRS	69	3.9	20	1	1	3	4	7	9	27
70-74	47	4.0	14	1	2	3	5	8	10	22
75-79	28	4.5	15	1	2	3	5	12	13	15
80-84	11	3.3	6	1	2	2	5	7	8	8
85 +	15	5.6	67	1	1	3	6	11	27	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.8	18	1	1	4	8	11	11	11
B. Operated	75	1.7	2	< 1	< 1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	34	5.0	19	1	2	4	5	12	12	21
B. Operated	170	4.1	20	1	2	3	5	9	11	27
1. SINGLE DX	80	1.9	3	< 1	< 1	1	2	4	6	11
2. MULTIPLE DX	204	4.3	20	1	2	3	5	9	12	26
A. Not Operated	39	5.0	18	1	2	4	6	11	12	21
B. Operated	245	3.4	16	< 1	1	2	4	7	10	25
TOTAL										
65-69 YRS	113	3.2	14	< 1	1	2	4	7	9	26
70-74	82	3.6	13	< 1	1	2	4	9	11	19
75-79	47	3.8	12	< 1	1	3	5	10	12	15
80-84	22	2.9	6	< 1	1	2	4	7	8	8
85 +	20	5.9	64	1	1	3	6	16	27	33
GRAND TOTAL	**284**	**3.6**	**17**	**< 1**	**1**	**2**	**4**	**8**	**11**	**24**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	10	10.2	64	2	6	8	13	22	30	30
70-74	5	5.6	65	< 1	1	2	7	20	20	20
75-79	4	5.0	7	2	3	5	7	8	8	8
80-84	9	11.7	57	3	5	11	19	22	23	23
85 +	1	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	37	6.8	59	1	3	5	9	12	14	46
70-74	20	5.7	11	2	4	5	7	10	13	14
75-79	20	12.3	153	2	5	8	16	33	42	44
80-84	10	3.1	6	< 1	< 1	2	4	7	9	9
85 +	8	7.6	19	2	4	8	10	14	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	120	12.7	112	3	5	10	16	27	33	54
70-74	112	13.3	105	3	6	11	16	29	35	49
75-79	110	14.8	161	4	6	11	21	29	36	71
80-84	93	15.0	136	5	6	12	18	31	42	54
85 +	80	16.2	160	6	8	13	20	33	44	66
B. Operated										
65-69 YRS	437	18.1	223	5	8	14	22	41	50	75
70-74	419	17.4	231	4	7	14	22	42	52	98
75-79	280	18.6	262	5	9	14	23	42	56	94
80-84	222	19.7	311	5	8	13	27	48	64	99 +
85 +	180	18.3	237	4	8	14	24	43	51	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	29	8.9	55	2	3	7	12	21	23	30
B. Operated	95	7.4	65	1	3	6	9	13	23	45
2. MULTIPLE DX										
A. Not Operated	515	14.2	133	4	6	11	18	29	39	56
B. Operated	1538	18.3	246	5	8	14	23	42	52	97
1. SINGLE DX	124	7.8	63	2	3	6	9	15	23	45
2. MULTIPLE DX	2053	17.3	221	4	8	13	22	40	49	88
A. Not Operated	544	14.0	130	4	6	11	18	29	37	55
B. Operated	1633	17.6	242	4	8	13	22	42	52	96
TOTAL										
65-69 YRS	604	16.2	199	4	7	12	20	37	45	71
70-74	556	16.1	204	3	7	12	21	37	48	89
75-79	414	17.2	232	4	7	13	22	37	48	88
80-84	334	17.7	258	4	7	12	23	41	54	99 +
85 +	269	17.3	210	4	8	13	21	42	48	84
GRAND TOTAL	**2177**	**16.7**	**217**	**4**	**7**	**12**	**21**	**39**	**49**	**87**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	44	5.7	42	< 1	1	4	7	12	20	35
70-74	53	5.3	11	1	3	5	7	9	11	17
75-79	61	7.6	156	2	3	5	7	12	22	86
80-84	56	5.8	16	1	3	5	8	11	12	22
85 +	49	6.6	39	1	3	5	8	12	15	35
B. Operated										
65-69 YRS	129	5.7	21	1	2	4	8	11	14	25
70-74	90	7.6	76	1	3	7	10	12	14	59
75-79	70	7.3	19	2	4	7	11	14	15	17
80-84	40	8.9	22	3	5	9	12	15	16	22
85 +	34	10.3	43	3	6	9	14	19	23	30
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	786	7.3	37	2	3	6	9	15	19	31
70-74	1109	8.1	48	2	4	7	10	15	21	34
75-79	1364	8.4	57	3	4	7	10	15	19	46
80-84	1456	8.5	55	3	4	7	10	16	22	41
85 +	1490	8.8	80	3	4	6	10	16	23	76
B. Operated										
65-69 YRS	810	10.6	80	2	5	9	13	21	28	47
70-74	825	12.0	90	3	6	10	15	23	31	58
75-79	766	13.2	123	4	7	10	15	26	37	72
80-84	548	13.3	117	5	8	10	15	24	34	63
85 +	478	14.1	106	6	8	12	16	26	37	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	263	6.3	56	1	3	5	7	11	14	35
B. Operated	363	7.2	38	1	3	6	10	14	15	29
2. MULTIPLE DX										
A. Not Operated	6205	8.3	58	2	4	7	10	16	21	45
B. Operated	3427	12.4	103	4	7	10	15	24	33	63
1. SINGLE DX	626	6.8	46	1	3	6	9	13	15	32
2. MULTIPLE DX	9632	9.8	78	3	5	8	12	19	25	53
A. Not Operated	6468	8.2	58	2	4	6	10	15	21	43
B. Operated	3790	11.9	99	3	6	10	14	23	32	61
TOTAL										
65-69 YRS	1769	8.7	59	2	4	7	11	17	24	37
70-74	2077	9.5	69	2	4	8	12	19	24	48
75-79	2261	10.0	86	3	5	8	12	18	26	58
80-84	2100	9.7	74	3	5	8	12	18	25	52
85 +	2051	10.0	89	3	5	8	13	19	27	81
GRAND TOTAL	**10258**	**9.6**	**76**	**3**	**4**	**8**	**12**	**18**	**25**	**53**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	16	2.7	3	< 1	1	2	4	6	6	6
70-74	12	3.5	4	1	2	4	5	6	7	7
75-79	6	4.8	12	< 1	3	4	6	10	11	11
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5	15.6	57	5	10	17	20	25	25	25
70-74	8	9.0	140	< 1	1	6	9	29	37	37
75-79	3	17.3	460	3	4	7	33	42	42	42
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	3	15.3	46	10	11	13	20	23	23	23
B. Operated										
65-69 YRS	64	4.9	12	1	3	4	7	10	12	15
70-74	57	5.5	23	1	2	4	8	10	14	26
75-79	36	9.6	114	2	3	5	12	21	39	46
80-84	15	9.7	32	3	4	12	14	18	18	18
85 +	9	11.0	82	1	2	14	17	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	35	3.4	5	< 1	1	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	21	12.1	131	2	4	9	17	30	39	42
B. Operated	181	6.7	45	1	3	5	9	14	18	39
1. SINGLE DX	36	3.3	5	< 1	1	3	5	6	7	11
2. MULTIPLE DX	202	7.3	56	1	3	5	9	16	20	42
A. Not Operated	22	11.7	130	2	3	8	17	29	39	42
B. Operated	216	6.2	40	1	2	4	8	14	18	34
TOTAL										
65-69 YRS	86	5.1	20	1	2	4	6	11	15	23
70-74	77	5.6	32	1	2	4	7	10	14	34
75-79	45	9.5	120	2	3	5	11	21	42	46
80-84	18	8.7	32	3	4	7	14	17	18	18
85 +	12	12.1	72	2	3	13	18	24	25	25
GRAND TOTAL	**238**	**6.7**	**50**	**1**	**3**	**4**	**8**	**14**	**19**	**42**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	31	3.3	14	1	1	2	4	7	13	18
70-74	29	2.8	3	1	1	2	4	6	7	7
75-79	17	3.1	6	< 1	1	2	5	7	8	8
80-84	14	4.0	8	1	1	3	7	8	8	8
85 +	11	4.5	7	1	2	4	7	8	10	10
B. Operated										
65-69 YRS	163	2.5	7	1	1	2	3	4	7	14
70-74	119	2.6	6	< 1	1	2	3	5	7	14
75-79	78	2.1	3	1	1	1	3	5	5	10
80-84	26	3.3	9	< 1	1	2	5	9	9	10
85 +	12	2.3	3	< 1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	347	5.0	16	1	2	4	6	9	13	21
70-74	309	5.2	18	1	2	4	6	10	15	23
75-79	297	5.9	41	1	3	4	8	12	16	25
80-84	234	6.3	26	2	3	5	8	13	17	31
85 +	196	8.0	62	2	3	6	10	16	23	52
B. Operated										
65-69 YRS	514	5.7	42	1	2	3	7	13	18	42
70-74	410	7.1	83	1	2	4	9	16	21	52
75-79	286	7.5	102	1	2	4	9	15	25	62
80-84	137	7.9	80	1	2	5	11	17	23	53
85 +	62	10.4	111	1	3	7	15	23	35	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	102	3.4	8	1	1	2	5	7	8	15
B. Operated	398	2.5	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	1383	5.9	31	1	3	4	7	12	16	28
B. Operated	1409	6.9	74	1	2	4	9	15	21	48
1. SINGLE DX	500	2.7	7	1	1	2	3	6	7	13
2. MULTIPLE DX	2792	6.4	53	1	2	4	8	14	18	41
A. Not Operated	1485	5.7	30	1	2	4	7	11	16	27
B. Operated	1807	5.9	62	1	1	3	7	14	19	44
TOTAL										
65-69 YRS	1055	4.9	28	1	2	3	6	10	15	28
70-74	867	5.7	49	1	2	3	7	13	18	30
75-79	678	6.1	64	1	2	4	8	13	17	44
80-84	411	6.6	44	1	2	5	8	14	19	35
85 +	281	8.2	70	2	3	6	10	17	24	48
GRAND TOTAL	**3292**	**5.8**	**48**	**1**	**2**	**4**	**7**	**13**	**17**	**36**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	16.7	520	3	3	4	33	43	43	43
70-74	1	4.0		4	4	4	4	4	4	4
75-79	3	10.0	36	4	5	10	14	16	16	16
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	9.0		9	9	9	9	9	9	9
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	9	9.8	176	2	3	4	11	32	43	43
B. Operated	2	5.5	25	2	2	5	9	9	9	9
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	11	9.0	147	2	3	4	10	27	42	43
A. Not Operated	10	9.2	160	2	3	4	10	29	43	43
B. Operated	2	5.5	25	2	2	5	9	9	9	9
TOTAL										
65-69 YRS	5	11.2	317	2	3	4	14	43	43	43
70-74	2	6.5	13	4	4	6	9	9	9	9
75-79	3	10.0	36	4	5	10	14	16	16	16
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**12**	**8.6**	**135**	**2**	**3**	**4**	**9**	**24**	**40**	**43**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	5.0		5	5	5	5	5	5	5
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	4	12.8	60	3	8	13	18	22	22	22
70-74	6	4.7	17	1	1	4	8	10	10	10
75-79	4	9.3	20	4	6	9	12	15	15	15
80-84	3	2.3		2	2	2	3	3	3	3
85 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
65-69 YRS	12	10.8	40	5	8	10	12	43	89	99 +
70-74	9	13.4	45	4	7	14	18	22	24	24
75-79	5	19.6	773	2	6	8	25	69	69	69
80-84	4	7.8	39	2	3	6	12	16	16	16
85 +	2	23.0	98	16	16	23	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	18	7.4	34	1	2	7	10	14	19	22
B. Operated	32	13.3	152	4	7	11	16	29	63	99 +
1. SINGLE DX	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	50	11.2	116	2	4	9	14	23	30	99 +
A. Not Operated	19	7.3	33	1	2	7	10	14	19	22
B. Operated	33	13.1	149	4	7	10	16	29	61	99 +
TOTAL										
65-69 YRS	17	10.9	42	4	7	10	13	27	72	99 +
70-74	16	9.6	50	1	4	8	15	20	23	24
75-79	9	15.0	424	3	7	9	12	47	69	69
80-84	7	5.4	28	2	2	3	8	15	16	16
85 +	3	18.7	105	10	11	16	26	30	30	30
GRAND TOTAL	**52**	**10.9**	**113**	**2**	**5**	**9**	**14**	**22**	**30**	**99**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	10	1.5	1	< 1	1	1	2	3	3	3
70-74	4	2.0	4	< 1	< 1	1	3	5	5	5
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	11	1.6		< 1	1	2	2	3	3	3
70-74	8	4.4	24	< 1	1	2	8	12	13	13
75-79	3	1.0		1	1	1	1	1	1	1
80-84	5	1.2		1	1	1	2	2	2	2
85 +	4	2.5	1	2	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	17	1.8	2	< 1	1	1	2	5	6	6
2. MULTIPLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	31	2.3	8	1	1	1	2	4	11	13
1. SINGLE DX	18	1.9	2	< 1	1	1	2	4	6	6
2. MULTIPLE DX	32	2.4	8	1	1	2	2	5	10	13
A. Not Operated	2	4.0	2	3	3	4	5	5	5	5
B. Operated	48	2.1	6	1	1	1	2	5	6	13
TOTAL										
65-69 YRS	22	1.7	1	< 1	1	2	2	3	4	5
70-74	12	3.6	18	< 1	1	1	5	12	13	13
75-79	4	2.3	6	1	1	1	4	6	6	6
80-84	7	1.1		1	1	1	1	2	2	2
85 +	5	2.6	1	2	2	2	3	4	4	4
GRAND TOTAL	**50**	**2.2**	**6**	**1**	**1**	**1**	**2**	**5**	**6**	**13**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	8	5.0	23	1	1	2	10	12	12	12
70-74	6	7.0	18	2	3	7	10	13	13	13
75-79	0									
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	23	4.7	8	2	2	3	8	9	9	9
70-74	14	8.1	40	2	4	6	9	16	23	25
75-79	19	7.7	99	2	3	4	8	14	32	46
80-84	10	8.8	88	2	3	5	8	25	32	32
85 +	10	8.9	69	1	2	7	10	23	24	24
B. Operated										
65-69 YRS	57	7.7	35	1	2	8	13	16	17	24
70-74	53	7.7	56	1	2	5	10	16	26	34
75-79	24	8.3	48	2	3	8	11	17	22	31
80-84	9	13.3	68	3	7	13	18	25	29	29
85 +	5	5.6	43	1	1	1	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.8	1	< 1	< 1	1	2	3	3	3
B. Operated	15	5.9	19	1	2	6	10	12	13	13
2. MULTIPLE DX										
A. Not Operated	76	7.2	55	2	3	5	8	15	24	42
B. Operated	148	8.1	48	1	2	7	12	16	21	31
1. SINGLE DX	19	5.0	18	1	1	3	9	12	13	13
2. MULTIPLE DX	224	7.8	50	1	2	6	10	16	23	33
A. Not Operated	80	6.9	53	2	3	5	8	14	23	42
B. Operated	163	7.9	45	1	2	7	11	16	20	31
TOTAL										
65-69 YRS	90	6.6	29	1	2	5	10	15	16	22
70-74	74	7.6	49	1	2	5	10	15	25	33
75-79	44	7.9	68	2	3	6	10	16	22	46
80-84	19	10.9	80	2	4	8	17	25	31	32
85 +	16	7.7	55	1	1	6	10	22	24	24
GRAND TOTAL	**243**	**7.5**	**48**	**1**	**2**	**6**	**10**	**15**	**22**	**32**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**0**									

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	4	6.0	11	< 1	3	7	8	8	8	8
70-74	2	1.5	1	< 1	< 1	1	2	2	2	2
75-79	5	3.4	4	< 1	1	4	5	6	6	6
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	4.3	6	2	2	4	6	8	8	8
70-74	11	7.2	57	1	3	5	7	18	27	28
75-79	5	6.6	39	< 1	1	5	12	15	15	15
80-84	7	6.0	21	2	3	4	10	13	13	13
85 +	9	5.3	11	1	3	4	7	10	11	11
B. Operated										
65-69 YRS	29	10.4	173	1	2	6	14	18	33	68
70-74	21	9.8	33	4	6	9	13	19	22	23
75-79	27	8.3	98	1	2	6	12	15	23	51
80-84	14	9.1	93	< 1	1	8	12	23	32	35
85 +	17	12.3	54	4	7	11	15	19	29	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	12	3.8	8	< 1	< 1	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated	39	5.9	26	1	3	4	7	12	14	28
B. Operated	108	9.9	96	1	4	8	13	18	24	58
1. SINGLE DX	12	3.8	8	< 1	< 1	3	6	8	8	8
2. MULTIPLE DX	147	8.8	81	1	3	7	12	17	22	51
A. Not Operated	39	5.9	26	1	3	4	7	12	14	28
B. Operated	120	9.3	91	1	3	7	12	17	23	56
TOTAL										
65-69 YRS	40	8.9	132	1	2	6	11	16	25	68
70-74	34	8.5	42	2	4	7	11	17	23	28
75-79	37	7.4	79	< 1	2	4	10	15	17	51
80-84	21	8.1	69	< 1	2	5	12	17	28	35
85 +	27	9.6	50	2	4	9	14	17	21	34
GRAND TOTAL	**159**	**8.5**	**77**	**1**	**3**	**6**	**11**	**16**	**22**	**50**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
1. SINGLE DX	0									
2. MULTIPLE DX	2	1.0		< 1	< 1	< 1	1	1	1	1
A. Not Operated	0									
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
TOTAL										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**2**	**1.0**		**<1**	**<1**	**<1**	**1**	**1**	**1**	**1**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	0									
75-79	0									
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
65-69 YRS	7	4.3	3	1	3	5	6	6	6	6
70-74	4	1.5		< 1	< 1	1	2	2	2	2
75-79	0									
80-84	1	5.0		5	5	5	5	5	5	5
85 +	2	4.0	18	< 1	< 1	3	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	3.3	7	1	2	2	5	8	8	8
70-74	2	7.5	41	3	3	7	12	12	12	12
75-79	6	4.0	7	1	2	3	6	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85 +	4	4.3	9	1	2	4	6	8	8	8
B. Operated										
65-69 YRS	36	8.6	212	3	4	6	7	11	21	90
70-74	29	7.9	29	3	5	6	10	13	18	29
75-79	21	6.9	25	1	3	5	11	14	15	17
80-84	9	5.6	1	4	5	6	6	7	7	7
85 +	6	10.0	31	1	8	10	12	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated	14	3.5	5	< 1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated	19	4.1	9	1	2	3	6	8	10	12
B. Operated	101	7.8	90	2	4	6	9	13	17	59
1. SINGLE DX	16	3.3	5	< 1	1	3	5	6	7	7
2. MULTIPLE DX	120	7.3	79	2	3	6	8	12	16	47
A. Not Operated	21	3.9	9	1	2	3	5	8	10	12
B. Operated	115	7.3	82	1	4	6	8	12	17	50
TOTAL										
65-69 YRS	50	7.2	157	2	3	5	7	9	16	90
70-74	35	7.1	30	2	3	6	10	12	16	29
75-79	27	6.3	22	1	2	5	10	13	14	17
80-84	11	5.2	2	3	5	6	6	7	7	7
85 +	13	6.6	28	< 1	1	7	10	13	17	18
GRAND TOTAL	**136**	**6.8**	**72**	**1**	**3**	**5**	**8**	**12**	**15**	**37**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	1.7		< 1	< 1	2	2	2	2	2
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	10.0		10	10	10	10	10	10	10
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	23	3.8	55	< 1	1	2	4	6	17	37
70-74	16	3.9	6	1	2	3	5	7	9	10
75-79	7	1.7	1	< 1	1	1	2	4	4	4
80-84	2	2.0	2	< 1	< 1	1	3	3	3	3
85 +	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	3.6	13	< 1	1	2	5	10	10	10
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	49	3.4	28	< 1	1	2	4	6	7	37
1. SINGLE DX	5	3.6	13	< 1	1	2	5	10	10	10
2. MULTIPLE DX	49	3.4	28	< 1	1	2	4	6	7	37
A. Not Operated	0									
B. Operated	54	3.4	26	< 1	1	2	4	6	9	36
TOTAL										
65-69 YRS	26	3.6	49	< 1	1	2	3	6	12	37
70-74	17	3.8	5	1	2	3	5	7	9	10
75-79	8	2.8	10	< 1	1	2	3	8	10	10
80-84	2	2.0	2	< 1	< 1	1	3	3	3	3
85 +	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**54**	**3.4**	**26**	**< 1**	**1**	**2**	**4**	**6**	**9**	**36**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	3	5.3	6	3	3	5	7	8	8	8
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
B. Operated										
65-69 YRS	15	4.5	34	1	1	2	6	14	19	21
70-74	4	2.0	1	1	1	2	3	3	3	3
75-79	8	3.8	10	< 1	1	3	5	9	10	10
80-84	6	5.0	58	1	1	1	6	19	20	20
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	19	5.6	12	2	4	5	7	11	14	15
70-74	13	6.5	24	2	3	5	8	15	17	17
75-79	13	4.5	12	1	2	3	6	11	11	11
80-84	21	6.5	19	2	3	5	8	14	15	16
85 +	13	8.2	46	3	4	6	10	15	26	28
B. Operated										
65-69 YRS	79	6.5	30	1	2	6	8	13	18	26
70-74	47	9.0	55	1	3	7	12	20	23	37
75-79	25	10.7	42	2	6	10	16	18	22	26
80-84	17	10.9	50	1	6	11	14	20	26	28
85 +	9	10.3	74	2	4	10	14	24	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.8	6	3	3	4	6	8	8	8
B. Operated	34	4.1	26	1	1	2	5	10	19	21
2. MULTIPLE DX										
A. Not Operated	79	6.2	21	2	3	5	8	13	15	25
B. Operated	177	8.4	45	1	3	7	12	17	22	29
1. SINGLE DX	38	4.1	24	1	1	2	5	9	18	21
2. MULTIPLE DX	256	7.7	38	1	3	6	11	16	21	28
A. Not Operated	83	6.2	21	2	3	5	8	12	15	24
B. Operated	211	7.7	44	1	2	6	11	16	21	28
TOTAL										
65-69 YRS	113	6.1	28	1	2	5	8	13	17	25
70-74	64	8.0	48	1	3	6	12	17	22	35
75-79	49	7.6	36	1	2	6	11	16	18	26
80-84	45	7.9	40	1	3	6	12	16	20	28
85 +	23	8.8	55	3	3	6	11	18	28	29
GRAND TOTAL	**294**	**7.3**	**38**	**1**	**3**	**6**	**10**	**16**	**20**	**28**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	0									

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
B. Operated										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	81	3.2	4	1	2	3	4	6	7	9
70-74	60	3.3	5	1	2	3	4	6	9	10
75-79	41	4.2	24	1	2	3	5	8	10	31
80-84	39	3.9	10	1	2	3	5	8	13	14
85 +	14	3.7	6	1	2	3	4	6	10	11
B. Operated										
65-69 YRS	4	2.0	1	1	1	2	3	3	3	3
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	958	5.7	20	2	3	4	7	11	15	22
70-74	966	6.1	34	2	3	5	7	12	15	26
75-79	894	6.2	27	2	3	5	7	12	16	28
80-84	690	6.7	36	2	3	5	8	13	18	32
85 +	609	7.4	56	2	4	5	9	14	20	46
B. Operated										
65-69 YRS	84	11.6	142	2	5	9	14	22	39	94
70-74	97	17.5	261	3	7	13	22	42	53	98
75-79	82	14.5	154	4	6	11	20	31	44	91
80-84	50	13.9	122	4	5	11	20	30	45	99 +
85 +	51	16.4	148	4	8	14	22	32	38	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	235	3.6	9	1	2	3	4	7	9	13
B. Operated	6	2.0		1	2	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	4117	6.3	33	2	3	5	8	12	16	28
B. Operated	364	14.8	177	3	6	11	20	32	45	99
1. SINGLE DX	241	3.5	9	1	2	3	4	7	9	13
2. MULTIPLE DX	4481	7.0	50	2	3	5	8	14	19	38
A. Not Operated	4352	6.2	32	2	3	5	7	12	16	28
B. Operated	370	14.6	177	3	6	11	20	32	45	99
TOTAL										
65-69 YRS	1127	5.9	31	2	3	4	7	12	15	27
70-74	1123	6.9	63	2	3	5	8	14	20	45
75-79	1018	6.8	43	2	3	5	8	13	19	37
80-84	779	7.1	44	2	3	5	9	14	19	37
85 +	675	8.0	67	2	4	6	9	17	23	51
GRAND TOTAL	**4722**	**6.8**	**49**	**2**	**3**	**5**	**8**	**14**	**19**	**38**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	4.6	21	1	2	4	5	8	14	23
70-74	20	3.8	4	2	2	3	5	7	7	8
75-79	15	4.4	3	2	3	4	6	6	7	7
80-84	18	4.3	6	2	2	3	7	8	9	10
85 +	14	4.3	7	2	3	4	4	7	11	12
B. Operated										
65-69 YRS	3	7.7	66	2	2	4	14	17	17	17
70-74	4	10.8	53	4	4	10	17	18	18	18
75-79	2	3.5	1	3	3	3	4	4	4	4
80-84	0									
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	557	5.9	16	2	3	5	7	11	14	23
70-74	586	6.4	29	2	3	5	8	11	15	26
75-79	565	7.0	37	2	4	6	9	12	17	32
80-84	436	7.2	38	3	4	6	9	13	16	28
85 +	391	7.6	55	2	4	6	9	14	19	35
B. Operated										
65-69 YRS	133	14.7	204	4	6	11	17	28	46	97
70-74	119	12.6	97	4	6	9	14	29	35	46
75-79	128	13.0	100	4	7	10	18	29	33	64
80-84	66	14.8	158	4	7	11	16	40	54	99 +
85 +	40	17.8	203	5	8	13	24	38	48	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	4.3	9	2	2	4	6	7	8	19
B. Operated	10	8.5	42	2	4	5	16	17	18	18
2. MULTIPLE DX										
A. Not Operated	2535	6.8	34	2	4	5	8	12	16	30
B. Operated	486	14.0	145	4	7	10	17	31	41	91
1. SINGLE DX	99	4.7	13	2	2	4	6	8	12	21
2. MULTIPLE DX	3021	7.9	59	3	4	6	9	15	21	43
A. Not Operated	2624	6.7	33	2	4	5	8	12	16	30
B. Operated	496	13.9	144	4	6	10	17	30	40	89
TOTAL										
65-69 YRS	715	7.5	63	2	4	5	9	14	21	50
70-74	729	7.4	45	2	4	6	9	13	19	36
75-79	710	8.0	53	2	4	6	9	15	22	39
80-84	520	8.1	59	3	4	6	10	14	20	49
85 +	446	8.5	75	2	4	6	10	16	24	48
GRAND TOTAL	**3120**	**7.8**	**58**	**2**	**4**	**6**	**9**	**14**	**21**	**42**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	12	1.8	1	< 1	1	2	2	4	4	4
70-74	4	2.3	2	1	1	2	3	4	4	4
75-79	3	4.3	2	3	3	4	5	6	6	6
80-84	2	4.0		4	4	4	4	4	4	4
85 +	3	1.7		1	1	2	2	2	2	2
B. Operated										
65-69 YRS	6	1.7	1	< 1	< 1	1	2	4	4	4
70-74	4	3.3	15	1	1	2	5	9	9	9
75-79	4	1.8	2	< 1	< 1	1	2	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	119	4.5	12	1	2	4	6	8	11	18
70-74	112	3.9	7	1	2	3	5	7	10	14
75-79	87	3.8	11	1	2	3	4	7	11	17
80-84	53	4.8	15	2	2	4	5	8	13	23
85 +	44	5.4	82	1	2	3	5	7	18	49
B. Operated										
65-69 YRS	32	6.3	20	2	2	6	9	14	16	16
70-74	18	8.0	71	2	3	5	9	23	30	32
75-79	11	6.6	20	2	3	6	11	13	14	14
80-84	11	9.9	65	2	3	8	15	21	27	28
85 +	3	11.3	30	5	7	14	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.4	2	1	1	2	4	4	5	6
B. Operated	14	2.1	5	< 1	< 1	1	2	5	8	9
2. MULTIPLE DX										
A. Not Operated	415	4.3	18	1	2	3	5	8	10	19
B. Operated	75	7.5	39	2	3	6	10	15	17	31
1. SINGLE DX	38	2.3	3	< 1	1	2	4	4	5	9
2. MULTIPLE DX	490	4.8	23	1	2	3	6	9	13	25
A. Not Operated	439	4.2	18	1	2	3	5	8	10	18
B. Operated	89	6.6	38	1	2	5	9	15	16	30
TOTAL										
65-69 YRS	169	4.5	14	1	2	3	6	9	13	17
70-74	138	4.4	17	1	2	3	5	9	10	28
75-79	105	4.0	12	1	2	3	5	8	13	16
80-84	66	5.6	26	2	3	4	7	13	16	27
85 +	50	5.6	76	1	2	3	5	8	15	49
GRAND TOTAL	**528**	**4.6**	**22**	**1**	**2**	**3**	**5**	**9**	**13**	**24**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	44	3.2	4	1	2	3	4	7	8	10
70-74	29	2.2	2	1	1	2	3	4	5	5
75-79	38	2.5	2	1	1	2	3	4	6	7
80-84	14	5.1	35	1	2	3	4	11	21	24
85 +	21	2.6	2	1	1	2	4	5	5	6
B. Operated										
65-69 YRS	67	3.7	5	1	2	3	5	6	9	12
70-74	54	3.6	5	1	2	3	5	6	8	14
75-79	58	3.5	5	1	2	3	5	7	8	10
80-84	30	3.0	3	< 1	1	3	4	5	6	7
85 +	19	3.2	5	1	2	2	4	6	8	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	200	3.9	8	1	2	3	5	7	9	17
70-74	210	3.7	10	1	2	3	5	7	8	13
75-79	150	4.0	8	1	2	3	5	8	9	13
80-84	139	4.0	25	1	2	3	5	7	10	21
85 +	137	4.2	17	1	2	3	5	8	11	17
B. Operated										
65-69 YRS	247	4.7	10	1	3	4	6	8	10	17
70-74	254	5.0	10	2	3	4	6	9	10	15
75-79	173	5.4	20	2	3	4	7	10	13	19
80-84	133	5.4	19	2	3	4	6	11	15	23
85 +	101	4.8	19	1	2	4	6	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	146	2.9	6	1	1	2	4	5	7	11
B. Operated	228	3.5	5	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. Not Operated	836	3.9	13	1	2	3	5	7	9	14
B. Operated	908	5.0	14	2	3	4	6	9	11	20
1. SINGLE DX	374	3.3	5	1	2	3	4	6	7	10
2. MULTIPLE DX	1744	4.5	14	1	2	4	5	8	11	19
A. Not Operated	982	3.8	12	1	2	3	5	7	9	14
B. Operated	1136	4.7	13	2	2	4	6	9	11	19
TOTAL										
65-69 YRS	558	4.1	8	1	2	4	5	7	9	16
70-74	547	4.2	10	1	2	4	5	8	9	15
75-79	419	4.4	13	1	2	3	6	9	11	15
80-84	316	4.6	21	1	2	3	5	8	12	23
85 +	278	4.2	16	1	2	3	5	8	11	20
GRAND TOTAL	**2118**	**4.3**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	8	2.3	1	< 1	1	2	3	3	3	3
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	6	2.8	13	1	1	2	2	9	10	10
80-84	3	1.7	1	< 1	< 1	1	2	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	20	2.8	20	< 1	< 1	1	3	5	13	21
70-74	10	1.7	2	< 1	< 1	1	2	4	5	5
75-79	8	1.3		< 1	< 1	1	2	2	2	2
80-84	3	3.7	14	< 1	< 1	2	6	8	8	8
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	167	5.6	24	1	2	4	8	13	16	24
70-74	153	5.6	24	1	2	4	7	12	17	26
75-79	150	6.0	31	1	2	4	8	13	16	28
80-84	81	7.6	77	2	2	5	9	15	30	46
85 +	98	9.3	160	2	3	6	12	18	28	99 +
B. Operated										
65-69 YRS	79	9.6	94	1	2	7	14	24	30	45
70-74	87	11.6	191	1	3	8	17	23	32	77
75-79	52	12.8	105	2	5	11	18	26	35	46
80-84	45	12.2	115	1	6	11	16	23	27	64
85 +	36	18.4	287	2	6	15	24	40	63	71
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	2.3	4	< 1	1	2	3	3	6	10
B. Operated	42	2.3	11	< 1	< 1	1	2	4	7	21
2. MULTIPLE DX										
A. Not Operated	649	6.5	54	1	2	4	8	14	18	43
B. Operated	299	12.2	155	1	3	9	17	25	34	68
1. SINGLE DX	64	2.3	8	< 1	< 1	1	2	3	7	19
2. MULTIPLE DX	948	8.3	93	1	2	5	11	18	24	64
A. Not Operated	671	6.4	53	1	2	4	8	14	18	41
B. Operated	341	11.0	148	1	2	8	15	24	32	66
TOTAL										
65-69 YRS	274	6.5	48	1	2	4	9	15	19	34
70-74	254	7.5	89	1	2	4	10	18	22	66
75-79	216	7.3	57	1	2	5	10	17	24	36
80-84	132	9.0	93	1	2	7	12	18	28	51
85 +	136	11.7	207	2	3	7	16	25	44	99 +
GRAND TOTAL	**1012**	**7.9**	**90**	**1**	**2**	**5**	**10**	**18**	**24**	**60**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	9.0		9	9	9	9	9	9	9
75-79	0									
80-84	1	8.0		8	8	8	8	8	8	8
85 +	5	7.8	28	3	4	6	11	16	16	16
B. Operated										
65-69 YRS	15	10.2	64	3	5	9	12	17	30	35
70-74	17	7.1	36	1	3	6	10	17	21	22
75-79	20	11.0	67	3	6	8	17	24	26	27
80-84	15	8.7	35	2	4	7	13	17	20	21
85 +	30	8.2	59	2	4	6	8	15	26	38
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	32	8.8	70	3	4	6	11	19	22	44
70-74	38	10.6	241	2	4	7	11	18	29	95
75-79	31	10.5	147	3	4	7	10	24	44	53
80-84	45	10.3	98	1	4	9	12	19	32	46
85 +	71	9.5	93	2	4	8	9	19	28	55
B. Operated										
65-69 YRS	362	16.7	200	4	8	13	21	35	48	92
70-74	357	15.7	158	4	7	13	21	35	44	99 +
75-79	331	17.3	223	4	8	13	22	33	51	95
80-84	327	16.4	176	5	7	13	21	34	46	74
85 +	398	15.4	209	5	7	11	19	32	47	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	8.0	19	3	4	8	10	15	16	16
B. Operated	97	9.0	53	2	4	7	12	20	24	37
2. MULTIPLE DX										
A. Not Operated	217	9.9	122	2	4	8	11	19	29	54
B. Operated	1775	16.3	194	4	7	12	21	34	47	98
1. SINGLE DX	104	8.9	51	2	4	7	12	18	24	36
2. MULTIPLE DX	1992	15.6	190	4	7	12	20	33	46	95
A. Not Operated	224	9.8	119	2	4	8	11	19	28	54
B. Operated	1872	15.9	189	4	7	12	21	33	46	97
TOTAL										
65-69 YRS	409	15.9	190	4	7	12	20	35	44	85
70-74	413	14.9	165	4	7	11	19	34	43	99 +
75-79	382	16.4	213	4	7	12	22	32	49	93
80-84	388	15.4	166	4	7	12	20	33	43	72
85 +	504	14.1	188	4	6	9	17	29	45	97
GRAND TOTAL	**2096**	**15.2**	**185**	**4**	**7**	**11**	**20**	**32**	**44**	**95**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	599	2.4	3	1	1	2	3	4	6	8
70-74	371	2.4	2	1	1	2	3	4	5	8
75-79	235	2.5	5	1	1	2	3	4	6	10
80-84	161	2.5	3	1	1	2	3	4	6	9
85 +	80	2.5	4	1	1	2	3	5	6	12
B. Operated										
65-69 YRS	261	1.9	2	1	1	1	2	3	5	9
70-74	124	2.2	3	1	1	2	2	4	5	10
75-79	47	2.6	6	1	1	2	3	5	8	12
80-84	10	1.4	1	< 1	1	1	1	3	4	4
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	5154	3.1	4	1	2	3	4	6	7	11
70-74	4282	3.4	6	1	2	3	4	6	8	13
75-79	3152	3.5	8	1	2	3	4	6	8	14
80-84	2017	3.6	7	1	2	3	4	7	8	15
85 +	1353	4.1	19	1	2	3	5	7	10	21
B. Operated										
65-69 YRS	1344	3.7	17	1	1	2	5	7	10	19
70-74	900	4.0	20	1	2	3	5	8	11	20
75-79	453	5.4	37	1	2	4	6	10	15	23
80-84	162	5.0	15	1	2	4	7	11	13	17
85 +	73	8.1	56	2	4	6	11	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1446	2.4	3	1	1	2	3	4	6	9
B. Operated	443	2.0	3	1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	15958	3.4	7	1	2	3	4	6	8	13
B. Operated	2932	4.2	23	1	2	3	5	8	12	21
1. SINGLE DX	1889	2.3	3	1	1	2	3	4	6	9
2. MULTIPLE DX	18890	3.5	10	1	2	3	4	6	8	15
A. Not Operated	17404	3.3	7	1	2	3	4	6	8	13
B. Operated	3375	3.9	21	1	1	3	5	8	11	21
TOTAL										
65-69 YRS	7358	3.1	7	1	2	2	4	6	7	12
70-74	5677	3.4	8	1	2	3	4	6	8	14
75-79	3887	3.7	11	1	2	3	4	7	9	17
80-84	2350	3.6	8	1	2	3	4	7	9	15
85 +	1507	4.2	21	1	2	3	5	8	11	21
GRAND TOTAL	**20779**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	16	2.6	4	1	1	2	3	6	8	9
70-74	13	2.3	2	< 1	1	2	3	4	5	5
75-79	6	4.3	39	1	1	2	3	16	17	17
80-84	5	1.9	1	< 1	1	2	3	3	3	3
85 +	4	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated										
65-69 YRS	28	2.0	2	< 1	< 1	1	3	4	5	7
70-74	22	2.8	9	< 1	< 1	1	4	8	10	12
75-79	8	2.5	1	< 1	1	2	3	4	4	4
80-84	6	4.5	16	< 1	1	3	9	10	10	10
85 +	3	3.7	6	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	313	4.9	15	1	2	4	6	9	12	21
70-74	348	4.8	15	1	2	4	6	10	12	20
75-79	291	5.3	24	1	2	4	7	11	14	25
80-84	223	5.5	25	2	2	4	6	11	14	27
85 +	184	5.8	23	2	3	5	8	12	16	24
B. Operated										
65-69 YRS	205	6.4	71	1	2	4	7	12	20	41
70-74	199	6.3	37	1	2	5	8	14	19	37
75-79	130	7.0	51	1	2	5	10	14	20	64
80-84	57	8.0	58	1	3	6	10	18	25	34
85 +	48	9.6	111	1	3	6	12	21	28	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	47	2.5	7	< 1	1	2	3	4	6	17
B. Operated	67	2.6	6	< 1	< 1	1	4	6	9	12
2. MULTIPLE DX										
A. Not Operated	1359	5.2	20	1	2	4	7	10	13	24
B. Operated	639	6.9	59	1	2	5	8	14	21	44
1. SINGLE DX	114	2.6	6	< 1	1	2	3	5	8	14
2. MULTIPLE DX	1998	5.7	33	1	2	4	7	12	16	29
A. Not Operated	1406	5.1	20	1	2	4	6	10	13	23
B. Operated	706	6.5	55	1	2	4	8	14	20	39
TOTAL										
65-69 YRS	562	5.2	36	1	2	4	6	10	13	27
70-74	582	5.2	23	1	2	4	7	11	14	25
75-79	435	5.7	33	1	2	4	7	12	16	38
80-84	294	5.8	32	1	2	4	7	11	17	33
85 +	239	6.5	43	2	3	5	8	13	19	32
GRAND TOTAL	**2112**	**5.5**	**32**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	42	2.5	6	1	1	2	3	5	5	16
70-74	39	2.3	2	< 1	1	2	3	4	5	6
75-79	28	2.3	2	< 1	1	2	3	5	6	6
80-84	16	2.7	7	1	1	2	3	8	9	9
85 +	8	2.5	1	1	1	2	3	4	4	4
B. Operated										
65-69 YRS	21	5.7	13	2	3	5	8	11	13	14
70-74	16	2.6	2	1	2	2	3	4	6	7
75-79	11	2.3	3	< 1	1	1	4	5	5	5
80-84	7	2.7	1	2	2	3	3	4	4	4
85 +	5	4.4	9	1	2	4	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	226	3.7	13	1	2	3	5	7	8	13
70-74	267	4.5	32	1	2	3	5	8	10	27
75-79	231	5.0	18	1	2	4	6	10	13	30
80-84	213	5.7	42	1	2	4	6	12	18	49
85 +	238	6.3	25	2	3	5	8	12	15	28
B. Operated										
65-69 YRS	227	5.2	11	2	3	5	7	10	13	16
70-74	281	6.3	31	1	3	5	8	13	16	27
75-79	249	6.4	56	2	3	5	8	12	14	29
80-84	193	7.7	37	2	4	6	10	15	21	25
85 +	175	9.0	72	2	3	6	13	22	27	89
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	2.4	4	1	1	2	3	5	6	10
B. Operated	60	3.8	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. Not Operated	1175	5.0	27	1	2	4	6	9	13	29
B. Operated	1125	6.8	41	2	3	5	8	13	18	34
1. SINGLE DX	193	2.8	6	1	1	2	3	5	8	14
2. MULTIPLE DX	2300	5.9	35	1	3	4	7	12	15	30
A. Not Operated	1308	4.8	25	1	2	4	6	9	12	27
B. Operated	1185	6.6	40	2	3	5	8	13	17	33
TOTAL										
65-69 YRS	516	4.3	12	1	2	4	6	8	10	16
70-74	603	5.2	30	1	2	4	6	10	14	26
75-79	519	5.5	37	1	2	4	7	11	14	29
80-84	429	6.5	39	1	3	5	8	14	18	39
85 +	426	7.3	46	2	3	5	9	14	23	36
GRAND TOTAL	**2493**	**5.6**	**33**	**1**	**2**	**4**	**7**	**11**	**15**	**29**

1,058 Hospitals, United States, Geriatric, January-December 1988

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	173	2.5	4	1	1	2	3	5	5	10
70-74	139	3.0	7	1	1	2	4	6	9	14
75-79	83	3.0	5	1	1	3	4	5	7	12
80-84	64	3.0	5	1	1	2	4	7	8	9
85 +	56	2.5	4	1	1	2	3	4	7	10
B. Operated										
65-69 YRS	20	3.0	5	< 1	1	3	4	6	8	9
70-74	14	3.7	12	< 1	1	2	6	9	11	12
75-79	10	4.7	9	< 1	2	5	6	9	10	10
80-84	6	4.7	17	1	1	4	9	9	9	9
85 +	4	3.5	11	1	1	3	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1096	4.0	11	1	2	3	5	7	9	16
70-74	1008	4.5	14	1	2	4	6	8	10	19
75-79	916	4.6	13	1	2	4	6	8	11	17
80-84	696	5.0	17	1	2	4	6	9	12	21
85 +	682	5.1	19	2	2	4	6	10	13	24
B. Operated										
65-69 YRS	226	6.8	26	1	3	6	9	14	16	25
70-74	237	7.3	41	2	3	6	9	14	17	28
75-79	175	8.5	72	2	3	6	10	18	28	37
80-84	110	9.2	99	1	3	6	13	18	25	60
85 +	83	9.2	148	1	4	6	10	16	27	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	515	2.8	5	1	1	2	3	6	7	11
B. Operated	54	3.7	9	< 1	1	3	6	9	9	12
2. MULTIPLE DX										
A. Not Operated	4398	4.6	14	1	2	4	6	9	11	19
B. Operated	831	7.8	62	2	3	6	10	15	21	42
1. SINGLE DX	569	2.8	5	1	1	2	3	6	8	11
2. MULTIPLE DX	5229	5.1	23	1	2	4	6	10	13	24
A. Not Operated	4913	4.4	14	1	2	3	6	8	10	19
B. Operated	885	7.6	60	1	3	6	9	15	20	40
TOTAL										
65-69 YRS	1515	4.2	13	1	2	3	5	8	11	18
70-74	1398	4.8	19	1	2	4	6	9	12	21
75-79	1184	5.0	23	1	2	4	6	9	12	28
80-84	876	5.4	29	1	2	4	7	10	15	26
85 +	825	5.3	33	1	2	4	7	10	13	28
GRAND TOTAL	**5798**	**4.9**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	4.0	20	1	1	2	5	10	16	19
70-74	22	3.3	7	< 1	1	2	4	8	9	9
75-79	18	5.1	31	1	2	3	7	16	18	18
80-84	8	4.1	7	1	2	3	6	8	8	8
85 +	7	2.1	3	1	1	1	3	5	6	6
B. Operated										
65-69 YRS	8	4.3	20	< 1	1	2	6	12	14	14
70-74	13	2.5	4	< 1	1	1	4	6	6	6
75-79	9	3.1	3	1	2	3	4	6	6	6
80-84	3	8.0	61	3	3	4	14	17	17	17
85 +	8	3.1	6	< 1	< 1	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	638	5.1	19	2	2	4	7	10	12	22
70-74	593	5.5	23	2	2	4	7	11	15	24
75-79	594	5.5	44	2	2	4	6	10	14	35
80-84	497	5.8	35	2	3	4	7	11	15	46
85 +	457	6.1	49	2	3	5	7	11	14	56
B. Operated										
65-69 YRS	208	7.1	56	1	2	5	10	17	21	35
70-74	195	8.3	63	1	2	6	12	19	26	35
75-79	193	8.5	110	1	2	6	11	15	26	55
80-84	173	8.3	53	1	3	6	11	18	23	42
85 +	163	9.7	167	1	3	6	11	19	31	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.9	16	1	1	2	5	8	14	19
B. Operated	41	3.5	11	< 1	1	2	5	6	10	17
2. MULTIPLE DX										
A. Not Operated	2779	5.6	33	2	3	4	7	10	14	29
B. Operated	932	8.3	88	1	2	6	11	17	26	45
1. SINGLE DX	123	3.8	15	< 1	1	2	5	8	14	18
2. MULTIPLE DX	3711	6.3	48	1	3	4	7	13	17	36
A. Not Operated	2861	5.5	33	2	3	4	7	10	14	29
B. Operated	973	8.1	85	1	2	6	10	17	25	45
TOTAL										
65-69 YRS	881	5.5	29	1	2	4	7	11	16	28
70-74	823	6.1	33	1	2	4	8	13	17	31
75-79	814	6.2	61	1	2	4	7	13	17	44
80-84	681	6.4	40	2	3	5	8	13	18	45
85 +	635	6.9	81	2	3	5	8	13	17	65
GRAND TOTAL	**3834**	**6.2**	**47**	**1**	**3**	**4**	**7**	**13**	**17**	**35**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	318	2.8	6	1	1	2	4	6	7	13
70-74	268	2.9	6	1	1	2	4	6	8	12
75-79	275	3.2	7	1	1	2	4	6	9	13
80-84	223	3.3	9	1	1	3	4	7	8	14
85 +	220	3.6	9	1	1	3	5	7	9	14
B. Operated										
65-69 YRS	64	2.0	2	< 1	1	1	3	4	5	9
70-74	39	2.6	13	< 1	1	1	3	6	7	22
75-79	35	3.7	39	< 1	1	1	3	10	19	31
80-84	17	3.1	6	< 1	1	3	4	7	9	10
85 +	7	9.7	6	6	8	10	11	13	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3438	4.3	14	1	2	3	5	8	10	18
70-74	4100	4.7	25	1	2	4	6	9	11	22
75-79	4569	5.0	28	2	2	4	6	9	12	23
80-84	4221	5.4	32	2	2	4	7	10	14	31
85 +	4170	5.9	45	2	3	4	7	11	16	44
B. Operated										
65-69 YRS	554	6.7	71	1	2	4	9	13	20	51
70-74	614	8.0	78	1	3	5	11	17	26	67
75-79	643	8.8	79	2	3	6	11	19	27	65
80-84	539	9.9	125	2	3	7	12	22	29	77
85 +	471	10.1	103	2	4	7	13	22	33	95
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1304	3.1	7	1	1	2	4	6	8	12
B. Operated	162	3.0	16	< 1	1	1	3	6	10	22
2. MULTIPLE DX										
A. Not Operated	20498	5.1	30	2	2	4	6	9	13	26
B. Operated	2821	8.6	92	1	3	6	11	19	27	68
1. SINGLE DX	1466	3.1	8	1	1	2	4	6	9	13
2. MULTIPLE DX	23319	5.5	38	2	2	4	7	10	15	33
A. Not Operated	21802	5.0	28	1	2	4	6	9	12	25
B. Operated	2983	8.3	89	1	3	6	10	18	27	67
TOTAL										
65-69 YRS	4374	4.4	22	1	2	3	5	9	11	21
70-74	5021	4.9	32	1	2	4	6	10	13	27
75-79	5522	5.3	35	1	2	4	6	10	14	29
80-84	5000	5.8	43	2	2	4	7	11	16	36
85 +	4868	6.2	51	2	3	4	7	12	17	47
GRAND TOTAL	**24785**	**5.4**	**37**	**1**	**2**	**4**	**6**	**10**	**14**	**32**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	4	7.0	72	< 1	< 1	4	13	19	19	19
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	3	36.7	789	10	16	34	58	66	66	66
70-74	4	44.3	41	37	43	49	99 +	99 +	99 +	99 +
75-79	3	35.7	384	15	26	46	77	99 +	99 +	99 +
80-84	1	84.0		84	84	84	84	84	84	84
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	5.8	61	< 1	< 1	1	10	19	19	19
B. Operated	11	43.5	444	14	36	49	84	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	16	31.7	637	1	11	38	63	99 +	99 +	99 +
A. Not Operated	5	5.8	61	< 1	< 1	1	10	19	19	19
B. Operated	11	43.5	444	14	36	49	84	99 +	99 +	99 +
TOTAL										
65-69 YRS	3	36.7	789	10	16	34	58	66	66	66
70-74	4	44.3	41	37	43	49	99 +	99 +	99 +	99 +
75-79	7	19.3	399	< 1	4	17	46	86	99 +	99 +
80-84	2	42.5	3445	1	1	42	84	84	84	84
85 +	0									
GRAND TOTAL	**16**	**31.7**	**637**	**1**	**11**	**38**	**63**	**99 +**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	4.5	5	3	3	4	6	6	6	6
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	2.0		2	2	2	2	2	2	2
85 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	6	5.3	10	2	2	5	8	10	10	10
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	15	8.6	58	1	4	7	10	21	27	29
70-74	16	7.9	39	2	4	6	10	16	22	25
75-79	19	8.7	35	2	4	9	12	17	21	24
80-84	9	8.6	43	2	2	8	13	19	19	19
85 +	17	12.1	53	3	7	11	16	23	27	28
B. Operated										
65-69 YRS	12	21.2	425	3	6	17	30	49	70	74
70-74	11	15.5	186	3	5	10	25	37	43	44
75-79	14	12.1	77	3	6	11	18	34	83	99 +
80-84	5	11.4	132	2	3	6	20	29	29	29
85 +	7	23.3	199	11	12	14	37	42	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	3	1	2	2	3	5	6	6
B. Operated	6	5.3	10	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	76	9.3	45	2	4	8	13	18	24	29
B. Operated	49	16.6	214	3	6	12	25	38	44	99 +
1. SINGLE DX	13	3.8	8	1	2	2	5	8	10	10
2. MULTIPLE DX	125	12.1	123	2	4	9	16	28	36	80
A. Not Operated	83	8.7	45	2	4	7	12	18	24	29
B. Operated	55	15.4	204	2	5	11	23	37	44	98
TOTAL										
65-69 YRS	35	12.1	209	2	4	7	15	29	37	74
70-74	27	11.0	109	2	4	7	13	25	34	44
75-79	34	9.9	54	2	4	9	15	22	31	99 +
80-84	16	8.6	66	2	2	6	14	19	26	29
85 +	26	14.3	120	2	7	12	17	32	39	43
GRAND TOTAL	**138**	**11.4**	**118**	**2**	**4**	**8**	**16**	**26**	**35**	**77**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3; 6; 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	6.8	36	2	2	5	11	15	15	15
70-74	5	5.0	18	1	2	3	9	10	10	10
75-79	3	3.0	4	1	1	3	4	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85 +	3	6.7	32	2	3	5	11	13	13	13
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	11.0		11	11	11	11	11	11	11
80-84	0									
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	36	7.6	33	2	4	7	10	13	16	31
70-74	31	7.7	23	3	4	7	10	15	17	19
75-79	26	6.7	21	1	3	5	11	14	15	16
80-84	19	7.5	26	2	3	5	12	15	18	19
85 +	26	10.3	195	2	3	8	10	19	32	74
B. Operated										
65-69 YRS	27	11.7	127	2	4	9	15	33	54	99 +
70-74	20	14.9	97	3	8	12	25	32	63	99 +
75-79	13	11.5	61	4	6	11	21	99 +	99 +	99 +
80-84	14	13.6	202	2	3	8	21	30	48	53
85 +	11	16.8	91	6	8	14	25	29	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	5.2	20	1	2	3	8	13	14	15
B. Operated	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. Not Operated	138	8.0	58	2	4	6	11	14	17	36
B. Operated	85	13.4	115	3	5	11	21	32	55	99 +
1. SINGLE DX	18	5.3	21	1	2	3	9	12	14	15
2. MULTIPLE DX	223	10.0	86	2	4	8	13	23	32	99 +
A. Not Operated	154	7.7	54	2	3	6	10	14	17	31
B. Operated	87	13.2	115	2	5	11	21	32	53	99 +
TOTAL										
65-69 YRS	67	9.2	73	2	4	8	11	18	32	91
70-74	56	10.0	61	2	4	9	14	23	31	95
75-79	43	8.0	37	2	4	7	12	20	47	99 +
80-84	34	9.9	105	2	3	6	13	21	26	53
85 +	41	11.6	160	2	5	9	13	24	30	74
GRAND TOTAL	**241**	**9.7**	**83**	**2**	**4**	**8**	**13**	**21**	**31**	**99 +**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.3		1	1	1	2	2	2	2
70-74	1	4.0		4	4	4	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85 +	4	13.3	395	2	2	4	24	43	43	43
B. Operated										
65-69 YRS	17	2.9	10	1	1	2	4	7	11	13
70-74	12	2.3	3	<1	1	1	4	5	5	5
75-79	5	3.2	15	1	1	2	4	10	10	10
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	5	2.8	4	1	1	3	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	3.2	3	1	2	3	4	6	7	8
70-74	35	4.8	28	1	2	3	6	8	11	31
75-79	43	4.7	25	1	2	3	6	11	18	23
80-84	41	4.9	17	1	2	4	6	10	15	18
85 +	54	7.0	83	2	2	4	8	15	19	60
B. Operated										
65-69 YRS	96	6.3	111	1	2	3	6	13	21	69
70-74	91	6.2	33	1	2	5	9	15	17	27
75-79	72	6.8	31	2	3	5	9	12	16	32
80-84	69	8.5	82	1	3	5	11	24	29	42
85 +	66	9.1	101	2	3	6	12	24	36	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.9	153	1	1	2	4	20	41	43
B. Operated	41	2.7	7	1	1	2	3	6	8	13
2. MULTIPLE DX										
A. Not Operated	199	5.2	38	1	2	3	6	11	16	27
B. Operated	394	7.2	72	1	2	5	9	16	24	48
1. SINGLE DX	52	3.3	37	1	1	2	4	6	10	42
2. MULTIPLE DX	593	6.5	61	1	2	4	8	14	20	44
A. Not Operated	210	5.2	43	1	2	3	6	10	16	36
B. Operated	435	6.8	68	1	2	5	9	15	22	45
TOTAL										
65-69 YRS	143	5.2	79	1	2	3	6	9	17	65
70-74	139	5.5	30	1	2	4	7	13	17	31
75-79	121	5.8	29	1	2	5	8	12	16	27
80-84	113	7.0	59	1	2	4	8	16	27	36
85 +	129	8.1	98	2	2	5	10	18	31	70
GRAND TOTAL	**645**	**6.3**	**60**	**1**	**2**	**4**	**7**	**14**	**19**	**43**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	98	5.4	16	2	3	4	7	12	14	20
70-74	82	5.8	13	2	3	5	8	11	13	18
75-79	93	5.8	12	2	3	5	8	10	13	18
80-84	72	6.0	15	2	3	5	8	11	15	19
85 +	69	6.9	40	2	3	5	9	13	20	35
B. Operated										
65-69 YRS	7	11.6	61	1	4	13	18	21	21	21
70-74	8	9.6	78	2	3	6	15	24	27	27
75-79	7	9.0	39	2	3	9	14	18	18	18
80-84	6	13.3	33	9	10	11	16	23	24	24
85 +	8	8.1	40	1	3	6	13	17	19	19
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	549	8.0	36	3	4	7	10	15	19	32
70-74	738	8.1	44	3	4	7	10	15	19	34
75-79	1045	8.5	54	3	4	7	10	15	20	46
80-84	1108	8.6	40	3	5	7	10	16	21	35
85 +	1271	9.7	91	3	4	7	12	18	26	65
B. Operated										
65-69 YRS	104	14.5	193	4	6	11	18	38	56	99 +
70-74	134	15.6	198	5	7	11	20	33	48	99 +
75-79	160	13.1	114	3	6	11	16	27	37	97
80-84	114	14.8	88	5	8	13	20	28	39	99 +
85 +	121	16.8	132	6	8	13	24	33	40	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	414	5.9	19	2	3	5	8	11	14	21
B. Operated	36	10.2	49	2	4	9	16	19	23	27
2. MULTIPLE DX										
A. Not Operated	4711	8.7	57	3	4	7	11	16	21	44
B. Operated	633	14.9	144	5	7	12	19	30	42	99 +
1. SINGLE DX	450	6.3	22	2	3	5	8	12	16	24
2. MULTIPLE DX	5344	9.5	72	3	5	7	11	18	25	51
A. Not Operated	5125	8.5	55	3	4	7	10	16	21	43
B. Operated	669	14.6	140	4	7	12	19	30	41	99 +
TOTAL										
65-69 YRS	758	8.6	61	3	4	7	11	16	22	43
70-74	962	9.0	70	3	4	7	11	17	22	48
75-79	1305	8.9	61	3	4	7	11	16	22	48
80-84	1300	9.0	47	3	5	7	11	17	22	40
85 +	1469	10.2	96	3	4	7	12	20	30	61
GRAND TOTAL	**5794**	**9.2**	**69**	**3**	**4**	**7**	**11**	**17**	**24**	**49**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	14.5	25	11	11	14	18	18	18	18
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	7	7.7	23	2	3	7	12	14	14	14
70-74	18	18.5	296	5	9	13	24	45	63	69
75-79	21	9.5	72	3	4	6	12	15	28	41
80-84	12	9.0	39	3	4	6	13	20	21	21
85 +	21	7.4	8	4	5	8	9	11	12	12
B. Operated										
65-69 YRS	10	26.8	641	7	12	19	42	94	99 +	99 +
70-74	17	35.6	695	12	15	28	46	82	92	96
75-79	11	21.1	94	11	16	21	24	62	95	99 +
80-34	10	36.8	1059	3	10	27	69	86	91	91
85 +	2	13.0	242	2	2	13	24	24	24	24
SUETOTALS:										
1. SINGLE DX										
A. Not Operated	4	8.5	56	2	2	7	14	18	18	18
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	79	10.8	111	3	5	8	12	19	25	64
B. Operated	50	30.0	615	8	14	22	43	86	95	99 +
1. SINGLE DX	4	8.5	56	2	2	7	14	18	18	18
2. MULTIPLE DX	129	18.2	391	4	6	12	22	45	81	99 +
A. Not Operated	83	10.7	108	3	5	8	12	19	25	64
B. Operated	50	30.0	615	8	14	22	43	86	95	99 +
TOTAL										
65-69 YRS	19	18.5	415	3	8	13	20	67	95	99 +
70-74	36	26.1	550	5	10	18	33	66	80	96
75-79	32	13.5	108	3	6	12	19	28	45	99 +
80-84	23	20.8	661	3	4	10	22	72	85	91
85 +	23	7.9	20	4	5	8	10	12	16	24
GRAND TOTAL	**133**	**17.9**	**383**	**3**	**6**	**12**	**21**	**44**	**79**	**99 +**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	37	3.0	5	1	1	3	4	6	9	11
70-74	26	2.8	4	1	1	2	4	4	8	8
75-79	33	3.6	11	1	1	3	4	8	13	15
80-84	32	4.3	12	1	2	3	5	10	11	16
85 +	22	4.7	9	1	3	4	6	9	11	12
B. Operated										
65-69 YRS	3	4.0	19	1	1	2	7	9	9	9
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	0									
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	448	5.4	35	2	3	4	7	10	12	22
70-74	520	6.4	42	2	3	5	8	11	15	23
75-79	599	6.5	36	2	3	5	8	12	15	24
80-84	534	7.0	39	2	3	5	9	13	18	32
85 +	702	8.0	55	2	4	6	10	16	23	36
B. Operated										
65-69 YRS	112	11.1	121	3	5	8	14	21	34	65
70-74	116	11.7	140	3	5	8	15	27	29	69
75-79	116	15.3	291	3	6	10	19	31	63	93
80-84	87	15.0	254	3	6	11	16	40	53	97
85 +	67	19.2	268	3	6	14	30	43	51	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	3.6	9	1	2	3	4	8	10	15
B. Operated	5	5.0	12	1	2	6	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	2803	6.8	43	2	3	5	8	13	17	32
B. Operated	498	14.0	214	3	5	9	17	30	49	82
1. SINGLE DX	155	3.7	9	1	2	3	5	8	10	15
2. MULTIPLE DX	3301	7.9	75	2	3	6	9	15	21	51
A. Not Operated	2953	6.6	42	2	3	5	8	13	17	31
B. Operated	503	13.9	212	3	5	9	17	30	49	82
TOTAL										
65-69 YRS	600	6.3	54	2	3	4	7	12	16	38
70-74	663	7.2	62	2	3	5	9	14	19	44
75-79	748	7.7	85	2	3	5	9	15	20	60
80-84	653	7.9	74	2	3	6	9	15	20	53
85 +	792	8.9	81	2	4	6	11	18	28	50
GRAND TOTAL	**3456**	**7.7**	**73**	**2**	**3**	**5**	**9**	**15**	**21**	**50**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	59	5.9	14	2	3	5	9	11	13	19
70-74	79	7.2	29	2	4	6	9	12	18	31
75-79	82	6.9	34	2	4	6	8	12	16	37
80-84	116	6.3	17	2	3	5	8	11	15	20
85 +	164	8.5	84	3	4	6	10	15	21	47
B. Operated										
65-69 YRS	3	18.7	264	6	8	13	31	37	37	37
70-74	1	54.0		54	54	54	54	54	54	54
75-79	1	14.0		14	14	14	14	14	14	14
80-84	2	18.5	41	14	14	18	23	23	23	23
85 +	3	8.7	16	5	6	8	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	305	10.6	85	4	5	8	13	18	29	48
70-74	465	9.8	57	3	5	8	12	19	25	41
75-79	677	10.5	80	3	5	8	13	18	25	56
80-84	889	10.5	69	4	5	8	13	20	27	58
85 +	1406	10.7	102	3	5	8	13	21	29	72
B. Operated										
65-69 YRS	74	19.4	158	7	11	15	25	41	45	51
70-74	91	17.5	218	5	7	14	22	38	61	89
75-79	111	17.8	232	5	9	14	22	35	54	94
80-84	97	17.8	221	6	8	13	25	42	80	99 +
85 +	135	18.5	225	6	9	14	22	42	53	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	500	7.2	44	2	4	6	9	13	17	33
B. Operated	10	18.7	241	5	8	13	23	45	54	54
2. MULTIPLE DX										
A. Not Operated	3742	10.5	83	3	5	8	13	20	27	57
B. Operated	508	18.2	213	6	9	14	22	40	53	99 +
1. SINGLE DX	510	7.5	50	2	4	6	9	13	18	37
2. MULTIPLE DX	4250	11.4	105	3	5	9	14	22	31	68
A. Not Operated	4242	10.1	80	3	5	8	12	19	27	53
B. Operated	518	18.2	214	6	9	14	22	40	53	99 +
TOTAL										
65-69 YRS	441	11.5	103	3	5	9	14	23	36	47
70-74	636	10.7	88	3	5	8	13	21	28	54
75-79	871	11.1	102	3	5	9	14	20	29	67
80-84	1104	10.7	83	3	5	8	13	21	29	85
85 +	1708	11.1	115	3	5	8	13	21	30	77
GRAND TOTAL	**4760**	**11.0**	**100**	**3**	**5**	**8**	**13**	**21**	**30**	**65**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	31	2.5	3	< 1	1	2	3	4	5	10
70-74	32	3.1	12	< 1	1	2	4	6	7	20
75-79	40	2.6	3	1	1	2	3	5	7	8
80-84	43	3.7	27	1	1	2	4	8	10	33
85 +	55	3.5	7	1	2	3	4	6	9	13
B. Operated										
65-69 YRS	127	3.3	12	1	1	3	4	6	8	19
70-74	104	4.2	9	1	2	3	6	8	9	17
75-79	88	4.5	10	1	2	4	6	8	10	17
80-84	87	5.0	12	2	2	4	7	10	12	16
85 +	41	4.3	23	1	2	3	5	8	12	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	155	6.5	67	1	3	4	7	13	21	34
70-74	194	8.2	128	2	3	5	8	18	29	75
75-79	283	6.9	50	2	3	5	9	14	19	44
80-84	314	7.9	59	2	3	5	10	15	22	42
85 +	444	8.7	113	2	3	5	9	20	36	74
B. Operated										
65-69 YRS	347	6.6	42	2	3	5	8	13	20	37
70-74	331	8.6	74	2	4	6	10	17	25	51
75-79	369	9.3	78	2	4	6	11	21	28	49
80-84	326	9.6	103	2	4	7	11	19	28	69
85 +	307	10.8	135	3	5	8	12	21	29	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	201	3.2	11	1	1	2	4	6	8	16
B. Operated	447	4.2	12	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated	1390	7.8	85	2	3	5	9	16	26	60
B. Operated	1680	8.9	87	2	4	6	11	18	27	59
1. SINGLE DX	648	3.9	12	1	2	3	5	7	10	16
2. MULTIPLE DX	3070	8.4	86	2	3	6	10	17	26	60
A. Not Operated	1591	7.2	78	1	3	5	8	15	24	57
B. Operated	2127	7.9	75	2	3	5	9	16	24	53
TOTAL										
65-69 YRS	660	5.8	42	1	2	4	7	11	18	34
70-74	661	7.5	80	2	3	5	9	15	24	61
75-79	780	7.5	60	2	3	5	9	17	23	44
80-84	770	8.0	73	2	3	6	10	16	23	52
85 +	847	9.0	113	2	3	6	10	18	32	74
GRAND TOTAL	**3718**	**7.6**	**76**	**2**	**3**	**5**	**9**	**16**	**24**	**54**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	9	1.8		< 1	1	2	2	3	3	3
70-74	7	2.0	1	< 1	1	2	3	4	4	4
75-79	9	1.6		< 1	1	2	2	2	2	2
80-84	7	2.6	2	< 1	1	2	4	5	5	5
85 +	9	2.2	2	1	1	2	3	4	5	5
B. Operated										
65-69 YRS	258	2.3	3	1	1	2	3	4	5	8
70-74	183	2.3	3	1	1	2	3	4	5	11
75-79	140	2.7	4	1	1	2	4	6	7	10
80-84	98	3.4	9	1	1	3	4	7	10	16
85 +	52	2.5	2	1	1	2	4	4	5	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	31	5.4	22	1	2	4	7	13	17	17
70-74	45	6.2	49	1	2	4	8	15	24	31
75-79	58	5.4	15	2	3	4	7	11	13	18
80-84	58	10.1	181	1	4	6	13	22	30	85
85 +	76	8.7	101	1	3	5	12	24	28	49
B. Operated										
65-69 YRS	407	4.7	38	1	2	3	5	10	15	32
70-74	390	4.9	29	1	2	3	6	10	17	28
75-79	352	4.8	30	1	2	3	6	10	13	31
80-84	277	6.5	46	1	2	4	8	15	20	44
85 +	269	7.7	89	2	3	5	9	14	23	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.0	1	< 1	1	2	2	4	4	5
B. Operated	731	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	268	7.5	84	1	3	5	9	17	24	43
B. Operated	1695	5.6	45	1	2	4	7	12	17	38
1. SINGLE DX	772	2.5	4	1	1	2	3	5	6	11
2. MULTIPLE DX	1963	5.8	51	1	2	4	7	12	18	39
A. Not Operated	309	6.8	77	1	2	4	8	16	22	42
B. Operated	2426	4.6	34	1	2	3	5	10	14	31
TOTAL										
65-69 YRS	705	3.8	25	1	1	2	4	7	12	20
70-74	625	4.2	24	1	2	3	5	8	13	27
75-79	559	4.3	23	1	2	3	5	9	11	26
80-84	440	6.2	58	1	2	4	7	14	20	41
85 +	406	7.1	82	1	2	4	8	14	24	47
GRAND TOTAL	**2735**	**4.9**	**40**	**1**	**2**	**3**	**5**	**10**	**15**	**35**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	5.0		5	5	5	5	5	5	5
80-84	2	3.0	8	1	1	3	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	29	1.8	1	1	1	1	2	3	4	6
70-74	19	2.1	4	< 1	1	1	3	6	8	8
75-79	11	1.5		< 1	1	1	2	2	2	2
80-84	8	3.0	17	< 1	< 1	1	3	10	13	13
85 +	5	2.2	1	< 1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	16	5.6	32	1	1	3	9	13	19	21
70-74	11	3.7	12	< 1	1	2	5	9	12	12
75-79	13	7.5	98	1	2	4	6	25	33	35
80-84	14	11.5	157	3	5	7	15	26	45	50
85 +	13	7.4	35	2	3	5	10	17	19	20
B. Operated										
65-69 YRS	78	4.1	61	1	1	2	4	7	10	53
70-74	67	4.9	50	1	1	3	4	13	19	35
75-79	58	4.1	16	1	2	3	5	9	11	21
80-84	30	4.0	14	1	1	2	7	10	13	13
85 +	18	5.2	41	1	2	3	5	14	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.6	3	1	1	2	4	5	5	5
B. Operated	72	2.0	4	< 1	1	1	2	4	6	12
2. MULTIPLE DX										
A. Not Operated	67	7.2	71	1	2	4	8	16	22	47
B. Operated	251	4.3	40	1	1	3	5	8	14	34
1. SINGLE DX	79	2.1	4	< 1	1	1	2	4	6	12
2. MULTIPLE DX	318	4.9	48	1	1	3	5	11	17	35
A. Not Operated	74	6.8	66	1	2	4	8	16	22	46
B. Operated	323	3.8	33	1	1	2	4	7	13	29
TOTAL										
65-69 YRS	125	3.7	43	1	1	2	4	7	10	32
70-74	99	4.1	37	1	1	2	4	8	17	35
75-79	83	4.3	28	1	1	3	5	9	13	31
80-84	54	5.8	61	1	1	3	7	13	16	49
85 +	36	5.6	35	1	2	3	5	16	19	26
GRAND TOTAL	**397**	**4.4**	**40**	**1**	**1**	**2**	**5**	**9**	**15**	**34**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	26	5.3	21	1	2	4	6	13	15	20
70-74	27	6.5	27	1	3	5	10	14	16	19
75-79	36	6.1	26	1	2	5	9	11	16	24
80-84	51	8.8	48	2	4	6	15	19	21	30
85 +	85	8.4	60	3	4	6	10	15	24	42
B. Operated										
65-69 YRS	406	9.7	26	5	7	9	11	14	17	27
70-74	539	9.9	24	5	7	9	12	15	18	28
75-79	748	10.4	20	6	8	10	12	16	18	27
80-84	825	11.4	35	6	8	10	13	17	20	35
85 +	1160	11.1	34	6	8	10	13	17	20	32
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	125	9.8	79	2	4	7	13	19	25	55
70-74	230	10.0	100	3	4	7	13	19	24	73
75-79	325	10.9	95	3	5	8	14	23	32	67
80-84	419	11.4	120	2	4	8	14	24	37	77
85 +	730	12.1	170	3	5	8	14	28	41	89
B. Operated										
65-69 YRS	2253	13.2	70	6	8	11	15	22	29	59
70-74	3516	14.1	103	7	9	11	16	23	33	68
75-79	5333	14.4	95	7	9	12	17	24	34	72
80-84	6866	14.9	108	7	9	12	17	26	36	76
85 +	10233	15.0	114	7	9	12	17	27	37	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	225	7.5	44	2	3	5	10	16	20	35
B. Operated	3678	10.7	29	6	7	10	13	16	19	29
2. MULTIPLE DX										
A. Not Operated	1829	11.3	131	3	5	8	14	24	35	82
B. Operated	28201	14.6	104	7	9	12	17	25	35	75
1. SINGLE DX	3903	10.5	31	5	7	10	13	16	20	29
2. MULTIPLE DX	30030	14.4	106	7	9	12	17	25	35	75
A. Not Operated	2054	10.9	123	3	4	8	13	23	33	73
B. Operated	31879	14.2	97	7	9	12	16	24	33	71
TOTAL										
65-69 YRS	2810	12.5	66	6	8	11	15	21	27	57
70-74	4312	13.3	96	6	8	11	15	22	30	66
75-79	6442	13.7	88	6	9	11	16	23	32	66
80-84	8161	14.3	102	7	9	12	16	25	34	71
85 +	12208	14.4	111	6	9	12	17	26	36	79
GRAND TOTAL	**33933**	**14.0**	**99**	**6**	**8**	**11**	**16**	**24**	**33**	**71**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	14.5	198	1	3	11	19	44	45	45
70-74	9	5.7	12	2	3	5	7	11	13	13
75-79	13	7.6	12	4	6	7	9	13	15	15
80-84	8	8.9	6	5	7	9	11	12	12	12
85 +	29	7.6	92	1	3	4	9	18	21	50
B. Operated										
65-69 YRS	41	10.9	60	4	6	8	12	20	27	42
70-74	39	12.1	57	5	7	10	16	21	26	41
75-79	31	13.2	171	4	7	9	12	27	53	56
80-84	34	11.7	48	5	7	10	14	24	28	29
85 +	46	10.3	44	4	6	9	14	16	27	31
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	74	17.3	331	3	5	9	21	50	57	94
70-74	106	14.5	264	3	5	8	20	40	53	99 +
75-79	114	15.0	272	2	5	9	16	41	58	83
80-84	126	13.8	215	3	5	8	20	36	67	99 +
85 +	243	13.6	299	2	4	8	13	38	57	99
B. Operated										
65-69 YRS	242	18.7	311	6	9	13	22	47	72	99 +
70-74	270	17.5	219	6	9	13	20	39	53	98
75-79	316	17.3	198	7	9	13	20	37	48	99 +
80-84	351	18.7	244	7	9	13	22	45	61	99 +
85 +	461	17.5	222	6	9	13	22	32	58	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	8.9	86	2	4	7	10	18	22	49
B. Operated	191	11.5	71	4	6	9	14	20	28	49
2. MULTIPLE DX										
A. Not Operated	663	14.5	276	3	4	8	17	41	58	99 +
B. Operated	1640	17.9	235	6	9	13	21	39	58	99 +
1. SINGLE DX	265	10.8	76	3	6	9	13	19	27	49
2. MULTIPLE DX	2303	16.9	249	4	8	12	21	40	58	99 +
A. Not Operated	737	13.9	260	3	4	8	15	40	56	99 +
B. Operated	1831	17.2	221	6	9	13	20	37	54	99 +
TOTAL										
65-69 YRS	372	17.4	287	4	7	11	21	45	67	99 +
70-74	424	16.0	216	4	7	12	19	38	52	99 +
75-79	474	16.2	212	5	8	12	19	38	51	99
80-84	519	16.9	227	5	8	12	21	40	61	99 +
85 +	779	15.5	238	3	7	11	19	32	56	99 +
GRAND TOTAL	**2568**	**16.3**	**234**	**4**	**7**	**12**	**19**	**38**	**56**	**99 +**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	36	5.2	13	1	3	5	7	8	11	20
70-74	38	5.3	11	2	3	4	6	9	12	17
75-79	31	6.2	29	2	3	4	8	14	19	24
80-84	25	8.2	52	2	3	6	10	23	25	27
85 +	24	5.5	23	1	2	4	7	13	15	20
B. Operated										
65-69 YRS	117	6.2	18	2	3	5	8	13	15	20
70-74	68	6.6	26	3	4	6	8	10	12	35
75-79	38	11.0	90	3	5	9	13	19	29	54
80-84	34	8.9	27	3	6	8	11	14	18	29
85 +	17	6.6	53	2	2	3	11	15	24	29
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	106	7.6	49	2	4	6	9	14	21	41
70-74	139	9.4	107	3	4	7	11	18	28	47
75-79	152	8.9	94	3	4	6	10	15	26	49
80-84	115	8.7	72	2	4	6	10	22	29	63
85 +	179	9.7	169	2	3	6	11	19	31	97
B. Operated										
65-69 YRS	303	12.3	137	4	6	8	14	27	42	63
70-74	269	12.1	103	4	6	9	14	27	33	47
75-79	212	12.3	116	4	6	10	15	23	37	99 +
80-84	154	15.1	185	4	7	11	17	30	43	74
85 +	132	12.1	192	3	4	7	15	31	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	154	5.9	24	2	3	5	7	12	17	24
B. Operated	274	7.3	36	2	3	6	9	14	17	30
2. MULTIPLE DX										
A. Not Operated	691	9.0	105	2	4	6	10	18	27	75
B. Operated	1070	12.6	139	4	6	9	15	28	39	70
1. SINGLE DX	428	6.8	32	2	3	6	9	13	17	29
2. MULTIPLE DX	1761	11.2	129	3	5	8	13	24	35	73
A. Not Operated	845	8.4	92	2	4	6	9	17	25	72
B. Operated	1344	11.5	122	3	5	8	13	24	35	68
TOTAL										
65-69 YRS	562	9.7	96	3	4	7	11	19	31	56
70-74	514	10.1	93	3	5	7	12	20	30	45
75-79	433	10.6	103	3	5	8	13	20	31	73
80-84	328	11.7	128	3	5	8	13	25	31	69
85 +	352	10.2	165	2	3	6	12	21	38	99
GRAND TOTAL	**2189**	**10.3**	**113**	**3**	**4**	**7**	**12**	**21**	**31**	**68**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	43	4.0	10	1	1	4	5	7	12	15
70-74	29	3.3	9	1	2	3	4	7	8	15
75-79	32	3.4	3	1	2	3	5	6	6	7
80-84	20	4.4	10	< 1	2	4	6	9	11	12
85 +	25	4.6	14	1	2	4	7	9	12	17
B. Operated										
65-69 YRS	540	4.6	8	2	3	4	6	8	10	14
70-74	319	4.9	16	2	3	4	6	8	9	21
75-79	207	5.2	11	2	3	5	7	9	12	17
80-84	99	5.6	9	2	4	5	8	10	11	15
85 +	57	6.2	13	3	4	5	8	12	14	16
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	141	6.2	32	1	3	4	8	14	17	29
70-74	168	6.3	29	2	3	5	8	13	16	32
75-79	154	6.9	42	2	3	5	8	14	18	38
80-84	129	8.6	98	3	4	6	9	15	21	61
85 +	141	7.3	92	2	3	5	9	14	25	99 +
B. Operated										
65-69 YRS	906	6.8	35	3	4	6	8	12	15	31
70-74	741	7.5	45	3	4	6	9	14	18	41
75-79	557	8.7	62	3	5	7	10	15	20	39
80-84	364	10.0	89	3	5	7	12	20	27	69
85 +	246	11.1	141	4	5	8	12	21	37	82
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	149	3.9	9	1	2	3	5	7	11	15
B. Operated	1222	4.9	11	2	3	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	733	7.0	57	2	3	5	8	14	18	40
B. Operated	2814	8.2	61	3	4	6	10	15	20	54
1. SINGLE DX	1371	4.8	11	2	3	4	6	8	10	16
2. MULTIPLE DX	3547	7.9	60	3	4	6	9	15	20	51
A. Not Operated	882	6.5	50	2	3	5	8	13	17	38
B. Operated	4036	7.2	48	2	4	6	8	13	17	40
TOTAL										
65-69 YRS	1630	6.0	26	2	3	5	7	11	14	27
70-74	1257	6.6	36	2	3	5	8	12	16	33
75-79	950	7.5	48	2	4	6	9	14	17	36
80-84	612	8.8	78	3	4	7	10	17	23	65
85 +	469	9.0	109	2	4	6	10	16	27	92
GRAND TOTAL	**4918**	**7.1**	**48**	**2**	**4**	**5**	**8**	**13**	**17**	**39**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	2	1.5	1	1	1	1	2	2	2	2
75-79	0									
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	1	31.0		31	31	31	31	31	31	31
B. Operated										
65-69 YRS	3	4.0	19	1	1	2	7	9	9	9
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	51	4.8	14	1	2	3	7	11	12	16
70-74	38	5.4	14	1	3	4	8	11	12	13
75-79	60	6.0	23	2	3	5	8	12	18	22
80-84	47	8.5	144	2	3	5	10	19	33	99 +
85 +	63	8.2	99	2	3	5	7	18	36	52
B. Operated										
65-69 YRS	9	8.8	56	2	4	7	11	22	23	23
70-74	20	10.1	95	2	5	6	11	27	34	36
75-79	16	12.1	129	2	3	7	22	32	34	35
80-84	5	16.2	348	2	4	9	25	48	48	48
85 +	11	10.6	78	2	3	10	16	23	28	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	5.9	123	1	1	2	3	25	31	31
B. Operated	7	3.0	8	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. Not Operated	259	6.7	62	2	3	4	8	14	19	52
B. Operated	61	11.0	110	2	3	7	17	26	34	47
1. SINGLE DX	14	4.4	63	1	1	2	3	11	27	31
2. MULTIPLE DX	320	7.5	73	2	3	5	9	17	23	50
A. Not Operated	266	6.7	63	2	3	4	8	14	19	51
B. Operated	68	10.2	105	2	3	6	14	24	33	46
TOTAL										
65-69 YRS	65	5.2	21	1	2	4	7	11	14	23
70-74	62	6.7	44	1	3	5	9	12	19	36
75-79	78	7.2	50	2	3	5	9	19	23	34
80-84	54	8.9	159	2	3	5	10	19	43	99
85 +	75	8.9	101	2	3	5	11	23	35	50
GRAND TOTAL	**334**	**7.4**	**73**	**2**	**3**	**5**	**9**	**17**	**24**	**49**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	12.0		12	12	12	12	12	12	12
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	14.0		14	14	14	14	14	14	14
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74	6	7.7	15	2	7	8	11	12	12	12
75-79	4	10.8	31	7	7	8	14	19	19	19
80-84	10	12.3	40	6	7	11	15	22	24	24
85 +	5	3.8	2	2	3	4	5	6	6	6
B. Operated										
65-69 YRS	3	39.0	27	36	36	36	43	45	45	45
70-74	4	33.3	459	9	15	34	51	55	55	55
75-79	4	38.8	1347	14	16	24	61	93	93	93
80-84	3	14.3	22	9	11	16	17	18	18	18
85 +	5	4.8	3	4	4	4	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	7.0	50	2	2	7	12	12	12	12
B. Operated	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	27	8.9	33	2	5	7	12	18	21	24
B. Operated	19	24.8	529	4	8	18	36	52	76	93
1. SINGLE DX	3	9.3	41	2	4	12	13	14	14	14
2. MULTIPLE DX	46	15.5	294	4	6	9	19	36	49	93
A. Not Operated	29	8.7	33	2	5	7	12	17	21	24
B. Operated	20	24.3	507	4	8	17	36	51	74	93
TOTAL										
65-69 YRS	5	25.0	383	2	5	36	38	45	45	45
70-74	10	17.9	336	4	7	10	22	51	55	55
75-79	10	21.4	691	4	8	14	19	61	93	93
80-84	14	12.7	32	7	8	12	16	21	23	24
85 +	10	4.3	3	2	4	4	4	7	8	8
GRAND TOTAL	**49**	**15.1**	**280**	**3**	**6**	**9**	**18**	**36**	**47**	**93**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	1	2.0		2	2	2	2	2	2	2
80-84	4	3.8	2	2	2	4	5	5	5	5
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	16	1.5	1	< 1	< 1	1	2	3	3	3
70-74	8	2.3	1	< 1	1	2	3	4	4	4
75-79	8	14.0	1023	1	1	2	5	67	93	93
80-84	10	4.1	46	1	1	1	4	14	23	23
85 +	7	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	4.3	3	2	3	4	5	7	7	7
70-74	6	6.5	17	3	4	5	8	13	14	14
75-79	10	10.9	735	1	2	2	4	46	88	88
80-84	6	9.5	105	2	2	6	12	27	29	29
85 +	11	5.9	69	1	2	3	6	17	29	30
B. Operated										
65-69 YRS	42	2.7	8	1	1	2	3	5	9	15
70-74	32	4.0	15	1	2	3	5	8	13	19
75-79	46	5.5	43	1	1	3	6	15	24	25
80-84	32	5.3	23	1	2	4	7	13	18	19
85 +	27	6.0	44	1	2	3	7	15	21	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	3.4	4	< 1	2	3	5	6	6	6
B. Operated	49	4.2	179	< 1	1	1	3	4	8	93
2. MULTIPLE DX										
A. Not Operated	39	7.6	215	1	2	4	6	13	30	88
B. Operated	179	4.6	27	1	1	3	5	11	17	25
1. SINGLE DX	56	4.1	156	< 1	1	2	3	5	7	89
2. MULTIPLE DX	218	5.1	61	1	2	3	6	12	18	29
A. Not Operated	46	7.0	184	1	2	4	6	12	29	88
B. Operated	228	4.5	59	1	1	2	5	10	16	26
TOTAL										
65-69 YRS	65	2.5	6	< 1	1	2	3	5	7	14
70-74	46	4.0	14	1	2	3	5	8	14	19
75-79	65	7.3	256	1	1	3	5	15	25	92
80-84	52	5.5	35	1	2	3	6	13	19	29
85 +	46	5.3	43	1	1	3	6	13	22	30
GRAND TOTAL	**274**	**4.9**	**80**	**1**	**1**	**3**	**5**	**10**	**18**	**30**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
B. Operated										
65-69 YRS	27	2.1	4	< 1	< 1	1	2	4	8	9
70-74	20	2.7	5	< 1	< 1	2	4	6	7	8
75-79	8	3.0	12	< 1	< 1	1	4	9	10	10
80-84	5	2.8	6	< 1	1	2	3	7	7	7
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	3.8	5	2	2	3	6	7	7	7
70-74	3	3.7	4	2	2	3	5	6	6	6
75-79	4	10.8	135	1	2	7	19	27	27	27
80-84	6	8.2	20	3	4	8	13	13	13	13
85 +	8	7.5	18	3	4	7	9	14	16	16
B. Operated										
65-69 YRS	87	2.7	6	< 1	< 1	2	4	6	7	13
70-74	78	2.8	8	< 1	1	2	3	6	8	16
75-79	54	4.4	23	1	1	3	6	10	15	22
80-84	30	4.5	37	1	1	2	5	14	29	99 +
85 +	11	4.8	30	< 1	1	1	7	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	2	3	3	4	5	6	6	6
B. Operated	60	2.5	5	< 1	< 1	1	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	27	6.9	32	2	3	6	9	13	18	27
B. Operated	260	3.4	15	< 1	1	2	4	7	11	22
1. SINGLE DX	64	2.6	5	< 1	< 1	1	3	6	8	10
2. MULTIPLE DX	287	3.7	18	< 1	1	2	5	8	13	25
A. Not Operated	31	6.5	29	2	3	5	8	13	16	27
B. Operated	320	3.2	13	< 1	1	2	4	7	10	21
TOTAL										
65-69 YRS	121	2.6	6	< 1	< 1	2	3	6	8	11
70-74	103	2.8	7	< 1	1	2	4	6	7	15
75-79	66	4.6	29	< 1	1	3	6	11	17	26
80-84	41	4.9	32	1	2	3	7	13	24	99 +
85 +	20	5.8	25	1	1	5	8	15	16	16
GRAND TOTAL	**351**	**3.5**	**16**	**< 1**	**1**	**2**	**4**	**8**	**11**	**22**

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	7	3.1	6	1	1	2	5	7	7	7
70-74	1	3.0		3	3	3	3	3	3	3
75-79	0									
80-84	2	7.5	25	4	4	7	11	11	11	11
85 +	2	5.0	2	4	4	5	6	6	6	6
B. Operated										
65-69 YRS	22	2.4	3	< 1	1	2	3	5	7	8
70-74	25	3.1	11	1	1	2	3	8	11	13
75-79	8	1.9	2	< 1	< 1	1	3	4	4	4
80-84	11	2.9	7	1	1	2	6	7	7	7
85 +	9	5.8	25	< 1	1	4	9	14	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	13	6.3	43	< 1	1	3	9	18	20	20
70-74	14	8.6	63	1	2	5	17	21	22	22
75-79	18	8.4	86	2	3	5	10	23	33	37
80-84	16	7.4	36	1	2	6	10	18	20	20
85 +	14	4.6	17	2	2	3	7	15	79	99 +
B. Operated										
65-69 YRS	69	8.9	126	1	2	4	10	22	35	60
70-74	57	6.4	45	1	2	4	8	14	22	35
75-79	52	12.5	156	2	3	8	19	29	38	58
80-84	24	10.3	272	1	1	7	10	25	42	80
85 +	20	6.8	43	1	3	4	8	16	22	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	4.2	9	1	2	3	6	8	11	11
B. Operated	75	3.0	10	1	1	2	4	7	10	14
2. MULTIPLE DX										
A. Not Operated	75	7.2	50	1	2	5	10	19	22	84
B. Operated	222	9.1	124	1	2	5	11	21	29	60
1. SINGLE DX	87	3.2	9	1	1	2	4	7	11	14
2. MULTIPLE DX	297	8.6	105	1	2	5	10	20	27	62
A. Not Operated	87	6.8	45	1	2	4	9	18	21	76
B. Operated	297	7.5	101	1	2	4	9	18	26	55
TOTAL										
65-69 YRS	111	6.9	91	1	2	4	8	17	23	50
70-74	97	5.8	41	1	2	3	8	14	20	32
75-79	78	10.5	134	1	3	6	15	25	35	56
80-84	53	7.8	140	1	1	4	9	18	24	78
85 +	45	5.8	29	1	2	4	7	15	20	99 +
GRAND TOTAL	**384**	**7.4**	**89**	**1**	**2**	**4**	**9**	**18**	**25**	**56**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	5	2.6	1	1	2	3	3	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84	2	5.0	18	2	2	5	8	8	8	8
85 +	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
65-69 YRS	16	4.0	7	1	2	4	5	7	10	11
70-74	17	4.9	16	1	3	3	6	10	15	17
75-79	8	3.3	11	< 1	1	2	3	9	11	11
80-84	2	4.0	2	3	3	4	5	5	5	5
85 +	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	28	4.5	8	1	2	4	6	7	12	12
70-74	32	7.8	226	2	3	4	6	12	24	86
75-79	34	6.2	31	1	2	5	8	15	16	26
80-84	39	4.4	13	1	2	4	6	7	8	22
85 +	59	6.6	46	2	4	5	7	11	17	41
B. Operated										
65-69 YRS	37	5.1	11	2	3	4	7	11	12	13
70-74	40	6.5	20	2	3	6	8	11	14	26
75-79	32	7.8	61	2	4	6	9	14	18	44
80-84	14	4.6	9	2	2	5	8	10	77	99 +
85 +	15	9.1	51	3	6	6	9	20	25	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.0	3	1	2	3	4	5	8	8
B. Operated	45	4.3	11	1	2	3	5	9	11	17
2. MULTIPLE DX										
A. Not Operated	192	6.0	61	1	3	4	6	10	15	38
B. Operated	138	6.5	30	2	3	6	8	12	18	50
1. SINGLE DX	57	4.0	10	1	2	3	5	8	11	17
2. MULTIPLE DX	330	6.2	48	2	3	5	7	11	16	42
A. Not Operated	204	5.8	58	1	2	4	6	10	15	37
B. Operated	183	6.0	26	2	3	5	7	11	16	38
TOTAL										
65-69 YRS	82	4.6	9	2	3	4	6	9	12	13
70-74	94	6.4	88	2	3	4	7	11	16	60
75-79	75	6.5	42	1	2	5	8	13	17	39
80-84	57	4.5	11	1	2	4	6	8	10	94
85 +	79	6.9	45	2	4	6	7	13	20	39
GRAND TOTAL	**387**	**5.9**	**43**	**2**	**3**	**4**	**7**	**11**	**15**	**38**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	29	4.7	5	2	3	4	6	8	9	9
70-74	16	4.8	13	2	2	3	6	12	13	13
75-79	12	4.7	8	1	2	4	7	9	10	10
80-84	8	3.8	9	1	2	3	5	8	10	10
85 +	10	3.5	5	1	2	3	5	7	8	8
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	191	5.2	11	2	3	4	6	9	11	15
70-74	193	5.9	16	2	3	5	7	10	14	19
75-79	208	6.1	19	2	3	5	8	11	14	27
80-84	155	7.0	64	2	4	5	8	11	17	80
85 +	151	6.4	28	2	3	5	8	12	13	51
B. Operated										
65-69 YRS	19	8.2	37	2	4	8	10	16	22	26
70-74	18	11.0	67	3	4	9	15	22	28	32
75-79	14	12.9	61	5	8	11	18	27	28	28
80-84	5	12.8	9	10	12	12	79	99 +	99 +	99 +
85 +	6	17.2	43	8	13	20	24	85	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	4.4	7	2	2	4	6	8	10	13
B. Operated	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	898	6.1	26	2	3	5	7	11	14	27
B. Operated	62	11.3	54	3	6	10	17	26	49	99 +
1. SINGLE DX	78	4.3	8	1	2	4	6	8	10	13
2. MULTIPLE DX	960	6.4	29	2	3	5	8	12	16	32
A. Not Operated	973	5.9	25	2	3	5	7	10	13	26
B. Operated	65	10.8	56	2	5	10	16	26	39	99 +
TOTAL										
65-69 YRS	240	5.4	13	2	3	5	7	9	11	17
70-74	228	6.2	21	2	3	5	8	12	16	24
75-79	235	6.4	23	2	3	5	8	11	16	28
80-84	168	7.0	61	2	3	5	9	12	18	99 +
85 +	167	6.6	32	2	3	5	8	12	18	91
GRAND TOTAL	**1038**	**6.2**	**28**	**2**	**3**	**5**	**8**	**11**	**16**	**30**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	27	3.9	4	2	3	3	5	7	9	9
70-74	13	4.5	23	1	2	3	5	12	17	18
75-79	14	2.5	4	1	1	2	4	5	7	7
80-84	6	1.5	1	1	1	1	2	3	3	3
85 +	13	3.0	5	1	1	2	5	6	7	7
B. Operated										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	183	5.2	23	1	3	4	6	10	12	24
70-74	179	6.2	42	2	3	5	8	11	14	27
75-79	155	5.6	27	2	3	4	7	9	15	33
80-84	152	6.1	30	2	3	5	7	12	16	27
85 +	152	5.9	21	2	3	5	8	11	15	32
B. Operated										
65-69 YRS	13	9.5	115	2	4	7	12	18	38	43
70-74	14	11.1	83	4	6	9	12	24	34	37
75-79	9	9.2	33	2	5	8	14	17	18	18
80-84	9	8.8	45	4	5	6	9	21	24	24
85 +	8	15.0	248	3	6	9	18	41	51	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	3.4	8	1	1	3	4	7	9	16
B. Operated	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	821	5.8	29	2	3	5	7	10	14	30
B. Operated	53	10.6	97	3	5	7	12	20	35	51
1. SINGLE DX	75	3.4	8	1	1	3	4	7	8	16
2. MULTIPLE DX	874	6.1	34	2	3	5	7	12	15	33
A. Not Operated	894	5.6	27	2	3	4	7	10	13	29
B. Operated	55	10.3	95	3	5	7	12	19	34	51
TOTAL										
65-69 YRS	225	5.3	27	2	3	4	6	10	12	32
70-74	206	6.4	45	2	3	5	8	12	15	33
75-79	178	5.5	27	1	3	4	7	10	15	32
80-84	167	6.1	31	2	3	5	7	12	16	27
85 +	173	6.1	33	2	3	5	7	12	16	46
GRAND TOTAL	**949**	**5.9**	**33**	**2**	**3**	**5**	**7**	**11**	**15**	**32**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	15	2.9	2	1	2	3	4	5	6	6
70-74	10	4.8	15	1	2	4	6	11	14	14
75-79	2	2.0	2	1	1	2	3	3	3	3
80-84	7	2.6	4	1	1	2	4	6	6	6
85 +	6	3.8	8	1	1	4	6	7	7	7
B. Operated										
65-69 YRS	329	3.0	3	1	2	3	4	5	5	7
70-74	198	2.9	2	1	2	3	4	5	6	8
75-79	91	3.3	3	2	2	3	4	5	6	10
80-84	26	4.3	11	1	2	4	5	7	13	15
85 +	9	2.8	3	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	79	3.9	11	1	1	3	5	8	12	16
70-74	81	4.1	7	1	2	4	5	7	10	13
75-79	81	5.1	17	1	2	4	7	12	16	75
80-84	78	7.0	117	2	3	4	8	12	19	74
85 +	112	6.3	32	2	3	5	7	13	15	32
B. Operated										
65-69 YRS	505	3.7	8	2	2	3	4	6	8	15
70-74	354	4.1	13	2	2	3	5	7	9	16
75-79	206	4.4	11	2	2	4	5	8	11	20
80-84	70	6.5	48	2	3	4	8	11	17	46
85 +	23	8.6	66	3	4	5	11	17	26	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	3.4	7	1	1	3	5	6	7	14
B. Operated	653	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	431	5.3	37	1	2	4	6	11	14	24
B. Operated	1158	4.2	14	2	2	3	5	7	10	20
1. SINGLE DX	693	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX	1589	4.5	21	2	2	3	5	8	11	22
A. Not Operated	471	5.2	35	1	2	4	6	10	14	23
B. Operated	1811	3.8	10	2	2	3	4	6	8	16
TOTAL										
65-69 YRS	928	3.4	6	1	2	3	4	6	7	14
70-74	643	3.8	9	2	2	3	5	6	8	14
75-79	380	4.3	11	2	2	3	5	8	11	20
80-84	181	6.3	72	2	3	4	7	11	16	44
85 +	150	6.3	36	2	3	5	7	13	16	39
GRAND TOTAL	**2282**	**4.1**	**16**	**1**	**2**	**3**	**5**	**7**	**10**	**19**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	2.9	30	< 1	1	2	2	4	14	27
70-74	17	1.9	3	1	1	1	2	5	6	6
75-79	13	2.2	2	1	1	2	3	4	5	5
80-84	8	2.9	7	1	1	2	3	7	9	9
85 +	8	1.0		< 1	1	1	1	1	1	1
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	1	6.0		6	6	6	6	6	6	6
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	229	3.8	17	1	2	3	4	8	11	17
70-74	246	3.7	15	1	1	2	4	7	11	27
75-79	246	4.9	29	1	2	3	6	10	14	26
80-84	202	6.5	62	1	2	4	7	16	25	80
85 +	248	5.7	41	1	2	4	7	10	15	35
B. Operated										
65-69 YRS	97	4.9	62	1	2	3	5	10	14	79
70-74	100	5.6	33	1	2	3	7	14	20	24
75-79	109	6.6	72	1	2	4	7	15	19	47
80-84	81	7.0	98	2	2	4	8	12	21	64
85 +	94	6.9	111	1	2	4	7	17	27	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	68	2.3	12	1	1	1	2	4	6	24
B. Operated	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	1171	4.9	33	1	2	3	6	10	15	34
B. Operated	481	6.2	74	1	2	3	7	13	22	58
1. SINGLE DX	69	2.4	12	1	1	1	2	5	6	24
2. MULTIPLE DX	1652	5.3	45	1	2	3	6	11	16	41
A. Not Operated	1239	4.7	32	1	2	3	6	10	15	33
B. Operated	482	6.2	74	1	2	3	7	13	22	58
TOTAL										
65-69 YRS	348	4.1	30	1	2	3	5	8	12	41
70-74	363	4.1	21	1	1	3	5	9	14	24
75-79	369	5.3	41	1	2	3	6	11	17	39
80-84	291	6.5	70	1	2	4	8	15	25	68
85 +	350	5.9	59	1	2	4	7	12	21	50
GRAND TOTAL	**1721**	**5.1**	**44**	**1**	**2**	**3**	**6**	**11**	**16**	**40**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	7.0	2	6	6	7	8	8	8	8
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	1	19.0		19	19	19	19	19	19	19
80-84	3	10.3	64	2	4	11	16	18	18	18
85 +	6	17.3	510	2	2	11	16	57	62	62
B. Operated										
65-69 YRS	6	41.3	1115	3	17	40	62	84	87	87
70-74	9	33.8	582	9	15	34	52	90	99 +	99 +
75-79	2	57.5	761	38	57	88	99 +	99 +	99 +	99 +
80-84	6	29.8	939	6	12	44	99 +	99 +	99 +	99 +
85 +	5	14.0	110	1	6	13	22	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	13	13.0	256	1	2	10	16	28	56	62
B. Operated	28	32.7	726	7	13	33	80	99 +	99 +	99 +
1. SINGLE DX	0									
2. MULTIPLE DX	41	26.5	653	2	9	19	62	99 +	99 +	99 +
A. Not Operated	13	13.0	256	1	2	10	16	28	56	62
B. Operated	28	32.7	726	7	13	33	80	99 +	99 +	99 +
TOTAL										
65-69 YRS	8	32.8	1049	2	7	18	61	79	87	87
70-74	10	30.5	625	5	11	27	52	88	99	99 +
75-79	3	44.7	874	19	33	77	99 +	99 +	99 +	99 +
80-84	9	23.3	698	3	9	21	92	99 +	99 +	99 +
85 +	11	15.8	302	1	4	12	19	42	60	62
GRAND TOTAL	**41**	**26.5**	**653**	**2**	**9**	**19**	**62**	**99 +**	**99 +**	**99 +**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.0	9	< 1	1	2	4	6	11	12
70-74	11	4.6	19	1	1	2	7	12	14	14
75-79	9	2.3	4	< 1	1	2	3	6	7	7
80-84	13	4.1	10	1	2	2	6	8	11	12
85 +	13	5.0	18	1	2	3	8	12	14	14
B. Operated										
65-69 YRS	15	6.7	11	3	4	6	10	11	12	12
70-74	15	9.7	38	5	5	8	12	18	24	26
75-79	25	7.9	25	4	5	7	10	13	22	22
80-84	12	9.3	37	3	4	8	12	20	21	21
85 +	14	12.0	56	5	7	10	14	23	29	31
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	152	6.5	41	1	2	4	8	17	22	27
70-74	190	6.7	51	1	2	4	9	14	21	40
75-79	245	7.4	52	1	2	6	10	17	20	53
80-84	221	8.8	78	2	3	6	11	19	27	43
85 +	311	8.6	114	2	3	6	10	17	26	69
B. Operated										
65-69 YRS	137	14.8	286	2	4	9	20	39	51	91
70-74	168	14.4	185	2	5	11	19	39	56	99 +
75-79	173	16.7	289	3	5	11	22	45	71	99 +
80-84	203	15.7	231	2	6	11	20	37	48	84
85 +	187	14.3	221	2	4	10	18	32	47	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	59	3.9	12	1	1	2	6	10	12	14
B. Operated	81	8.9	33	4	5	7	10	18	22	29
2. MULTIPLE DX										
A. Not Operated	1119	7.8	73	1	3	5	10	17	23	50
B. Operated	868	15.2	240	2	5	11	20	39	56	99 +
1. SINGLE DX	140	6.8	31	1	2	6	10	13	19	26
2. MULTIPLE DX	1987	11.0	159	2	3	7	14	26	40	88
A. Not Operated	1178	7.6	71	1	3	5	10	16	22	48
B. Operated	949	14.7	225	2	5	10	19	35	51	99 +
TOTAL										
65-69 YRS	317	10.0	162	1	3	6	12	23	37	82
70-74	384	10.1	122	2	3	7	14	24	38	91
75-79	452	10.9	161	1	3	7	14	26	44	99 +
80-84	449	11.8	157	2	4	8	15	27	40	68
85 +	525	10.6	155	2	3	7	13	23	33	81
GRAND TOTAL	**2127**	**10.7**	**152**	**2**	**3**	**7**	**14**	**25**	**38**	**85**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	4.0	17	1	1	3	6	11	11	11
70-74	9	2.3	1	1	2	2	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
B. Operated										
65-69 YRS	8	8.9	191	1	2	4	8	33	42	42
70-74	0									
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	5.0	18	2	2	5	8	8	8	8
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	101	5.3	21	2	3	4	7	9	12	29
70-74	128	6.6	34	2	3	5	8	14	15	38
75-79	100	7.0	55	2	3	5	10	13	15	43
80-84	72	7.4	35	2	4	6	10	14	16	36
85 +	75	8.4	53	2	4	6	10	18	22	40
B. Operated										
65-69 YRS	145	10.4	86	4	5	8	14	19	30	74
70-74	138	15.4	297	3	6	10	17	32	64	99
75-79	90	11.0	120	3	5	8	13	20	25	70
80-84	73	13.8	168	3	5	10	19	32	40	92
85 +	68	11.5	82	3	6	10	13	25	31	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.8	6	1	1	2	3	4	9	11
B. Operated	12	7.5	128	1	2	4	7	21	39	42
2. MULTIPLE DX										
A. Not Operated	476	6.8	39	2	3	5	8	13	16	37
B. Operated	514	12.5	163	3	5	9	14	26	38	79
1. SINGLE DX	28	4.8	61	1	2	3	4	10	15	42
2. MULTIPLE DX	990	9.7	111	2	4	7	12	19	28	67
A. Not Operated	492	6.7	39	2	3	5	8	13	16	37
B. Operated	526	12.4	162	3	5	9	14	26	38	78
TOTAL										
65-69 YRS	259	8.2	68	2	4	6	10	16	23	45
70-74	275	10.9	186	2	4	7	12	23	38	82
75-79	192	8.8	89	2	4	6	11	16	20	67
80-84	148	10.5	110	2	4	8	13	23	37	67
85 +	144	9.8	69	3	5	8	13	18	27	44
GRAND TOTAL	**1018**	**9.6**	**111**	**2**	**4**	**7**	**12**	**19**	**28**	**67**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	2.8	5	1	1	2	4	6	6	6
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	3	7.0	19	4	4	5	10	12	12	12
70-74	3	6.0	1	5	5	6	7	7	7	7
75-79	0									
80-84	0									
85 +	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	46	5.9	22	1	2	5	8	13	15	23
70-74	62	6.3	45	1	3	4	6	17	21	32
75-79	46	6.2	43	1	2	4	9	13	15	39
80-84	46	9.1	215	2	3	6	10	16	21	99
85 +	41	5.8	17	2	3	5	7	13	14	19
B. Operated										
65-69 YRS	104	15.7	240	5	7	11	17	35	55	93
70-74	80	12.6	105	4	7	9	16	24	33	59
75-79	76	19.4	317	7	9	14	21	41	65	99
80-84	39	13.9	197	3	6	9	16	31	53	60
85 +	42	16.4	289	3	6	12	23	42	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	2.2	2	1	1	2	2	5	6	6
B. Operated	7	6.3	7	4	5	5	7	11	12	12
2. MULTIPLE DX										
A. Not Operated	241	6.7	68	1	3	4	8	14	18	34
B. Operated	341	15.7	230	5	7	11	18	34	58	96
1. SINGLE DX	16	4.0	8	1	2	3	6	7	10	12
2. MULTIPLE DX	582	11.9	182	2	4	8	14	25	38	87
A. Not Operated	250	6.5	66	1	2	4	8	14	18	33
B. Operated	348	15.5	227	5	7	11	17	34	57	96
TOTAL										
65-69 YRS	157	12.4	188	2	5	9	15	26	38	87
70-74	147	9.7	86	2	4	7	11	20	27	44
75-79	123	14.3	252	2	5	10	16	34	52	97
80-84	86	11.2	209	2	3	7	12	22	37	85
85 +	85	11.0	178	2	4	7	13	26	42	93
GRAND TOTAL	**598**	**11.7**	**179**	**2**	**4**	**8**	**14**	**25**	**37**	**87**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	3	2.7	2	< 1	1	3	4	4	4	4
70-74	6	2.0	2	1	1	2	3	4	4	4
75-79	7	1.4	1	1	1	1	2	3	3	3
80-84	5	4.0	6	< 1	1	5	6	7	7	7
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
70-74	0									
75-79	4	3.5	2	2	2	3	4	5	5	5
80-84	1	26.0		26	26	26	26	26	26	26
85 +	2	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	33	3.9	7	1	2	3	6	8	9	10
70-74	36	4.6	21	1	1	3	6	10	14	22
75-79	32	4.6	19	1	2	4	6	8	16	20
80-84	30	5.0	21	1	2	4	5	11	14	23
85 +	44	4.6	14	1	2	3	6	8	14	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	23	2.3	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	10	5.0	56	< 1	2	3	4	15	26	26
B. Operated	175	4.6	16	1	2	3	6	9	14	21
1. SINGLE DX	23	2.3	3	< 1	1	2	3	5	6	7
2. MULTIPLE DX	185	4.6	18	1	2	3	6	9	14	23
A. Not Operated	10	5.0	56	< 1	2	3	4	15	26	26
B. Operated	198	4.3	15	1	2	3	6	8	13	21
TOTAL										
65-69 YRS	39	3.7	7	1	1	3	5	7	9	10
70-74	42	4.2	19	1	1	3	5	9	14	22
75-79	43	4.0	15	1	1	3	5	8	12	20
80-84	36	5.5	31	1	2	4	6	12	20	26
85 +	48	4.4	13	1	2	3	6	8	14	16
GRAND TOTAL	**208**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**13**	**22**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	2	2.0		2	2	2	2	2	2	2
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85 +	1	1.0		1	1	1	1	1	1	1
B. Operated										
65-69 YRS	8	2.1	6	1	1	1	2	6	8	8
70-74	5	11.4	403	1	1	1	17	47	47	47
75-79	5	2.4	5	< 1	1	1	4	6	6	6
80-84	7	1.6	1	< 1	< 1	1	2	3	3	3
85 +	4	2.0	4	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	26	3.2	10	1	1	2	4	6	8	16
70-74	24	3.9	11	1	1	3	6	9	10	13
75-79	29	3.5	15	1	1	2	4	9	13	17
80-84	37	4.4	14	1	2	3	6	10	12	18
85 +	47	5.2	33	1	1	3	6	11	18	31
B. Operated										
65-69 YRS	103	3.3	13	1	1	2	4	6	10	21
70-74	103	5.3	61	1	1	3	6	12	21	73
75-79	97	6.0	33	1	2	4	9	14	20	65
80-84	100	5.2	34	1	2	4	6	10	15	36
85 +	121	6.6	110	1	2	3	7	12	23	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	1	1	1	2	3	4	4	4
B. Operated	29	3.6	73	< 1	1	1	3	7	10	47
2. MULTIPLE DX										
A. Not Operated	163	4.2	19	1	1	3	5	10	12	21
B. Operated	524	5.3	53	1	2	3	6	12	16	47
1. SINGLE DX	36	3.3	59	1	1	1	3	6	8	47
2. MULTIPLE DX	687	5.1	45	1	2	3	6	11	16	37
A. Not Operated	170	4.1	18	1	1	3	5	9	12	20
B. Operated	553	5.2	54	1	1	3	6	11	16	47
TOTAL										
65-69 YRS	137	3.2	12	1	1	2	4	6	8	20
70-74	134	5.3	63	1	1	3	6	11	19	58
75-79	134	5.2	29	1	2	3	7	13	17	39
80-84	145	4.8	28	1	2	3	6	9	13	33
85 +	173	6.1	86	1	2	3	7	11	20	47
GRAND TOTAL	**723**	**5.0**	**46**	**1**	**1**	**3**	**6**	**10**	**16**	**41**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	4	1.5		1	1	1	2	2	2	2
70-74	1	3.0		3	3	3	3	3	3	3
75-79	2	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	3	1.3		1	1	1	2	2	2	2
B. Operated										
65-69 YRS	10	3.2	6	< 1	1	2	5	7	7	7
70-74	3	5.3	44	1	1	2	10	13	13	13
75-79	1	8.0		8	8	8	8	8	8	8
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	3	3.3		3	3	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8	4.1	6	2	2	4	5	8	9	9
70-74	9	6.3	56	1	1	5	7	18	25	25
75-79	5	2.2	1	1	2	2	3	3	3	3
80-84	3	3.0	12	< 1	< 1	1	5	7	7	7
85 +	7	5.4	11	< 1	2	6	8	10	10	10
B. Operated										
65-69 YRS	13	10.5	207	1	3	5	13	25	49	55
70-74	20	13.1	410	1	3	6	11	34	63	88
75-79	4	14.8	204	1	2	14	27	29	29	29
80-84	5	9.0	25	2	6	9	11	16	16	16
85 +	6	3.0	2	1	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	1.5	1	1	1	1	2	3	3	3
B. Operated	19	3.6	10	1	1	3	5	8	11	13
2. MULTIPLE DX										
A. Not Operated	32	4.6	21	1	2	4	6	9	10	25
B. Operated	48	10.8	245	1	3	5	11	28	40	88
1. SINGLE DX	29	2.9	8	1	1	2	3	7	8	13
2. MULTIPLE DX	80	8.3	164	1	2	5	8	19	29	78
A. Not Operated	42	3.9	18	1	1	2	5	8	10	25
B. Operated	67	8.8	188	1	2	4	8	21	31	82
TOTAL										
65-69 YRS	35	5.9	89	1	2	3	5	12	16	55
70-74	33	10.2	273	1	2	5	8	26	37	88
75-79	12	6.7	95	1	1	2	6	26	29	29
80-84	10	5.7	26	< 1	1	5	9	13	16	16
85 +	19	3.7	7	1	2	3	5	8	10	10
GRAND TOTAL	**109**	**6.9**	**127**	**1**	**2**	**4**	**7**	**15**	**25**	**68**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	11	4.5	4	2	4	4	5	7	9	9
70-74	9	3.8	4	2	2	4	5	7	7	7
75-79	7	6.3	25	2	3	5	9	15	16	16
80-84	2	4.0	8	2	2	4	6	6	6	6
85 +	2	3.5	1	3	3	3	4	4	4	4
B. Operated										
65-69 YRS	80	2.4	5	1	1	2	3	5	7	11
70-74	31	2.0	4	1	1	1	2	4	8	9
75-79	26	2.4	3	< 1	1	2	4	5	6	8
80-84	11	1.5	1	< 1	1	1	2	3	4	4
85 +	4	4.8	15	1	2	4	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	43	5.2	14	2	3	4	6	11	13	19
70-74	31	4.8	52	1	2	3	5	9	15	40
75-79	26	5.0	8	2	3	5	7	7	10	14
80-84	26	7.7	78	2	3	5	9	14	21	47
85 +	23	6.8	34	1	3	6	9	18	20	20
B. Operated										
65-69 YRS	145	3.9	20	1	1	2	4	9	13	26
70-74	109	4.1	13	1	1	3	6	9	12	53
75-79	59	4.9	37	1	1	2	6	11	20	28
80-84	48	6.0	51	1	2	3	9	14	16	42
85 +	47	5.9	57	1	2	3	7	13	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	4.6	9	2	3	4	5	8	10	16
B. Operated	152	2.3	4	1	1	1	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	149	5.8	35	2	3	4	7	11	14	40
B. Operated	408	4.6	29	1	1	3	6	10	14	28
1. SINGLE DX	183	2.7	6	1	1	2	4	5	8	11
2. MULTIPLE DX	557	4.9	31	1	2	3	6	11	14	29
A. Not Operated	180	5.6	31	2	3	4	6	11	14	34
B. Operated	560	4.0	23	1	1	2	5	9	13	27
TOTAL										
65-69 YRS	279	3.7	15	1	1	2	5	8	11	21
70-74	180	3.8	18	1	1	2	5	8	11	34
75-79	118	4.5	23	1	1	3	6	9	15	27
80-84	87	5.9	54	1	2	3	7	13	15	45
85 +	76	6.0	46	1	2	3	8	13	20	38
GRAND TOTAL	**740**	**4.3**	**25**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	5	5.2	34	< 1	1	2	8	15	15	15
70-74	3	4.7	30	1	1	2	9	11	11	11
75-79	3	6.0	12	2	3	8	8	8	8	8
80-84	2	11.0	50	6	6	11	16	16	16	16
85 +	5	5.2	19	2	2	3	8	12	12	12
B. Operated										
65-69 YRS	35	4.0	18	1	2	3	5	6	9	25
70-74	11	2.5	4	1	1	2	4	5	7	7
75-79	12	7.1	46	2	3	5	9	15	24	26
80-84	11	8.6	24	2	4	10	12	14	15	15
85 +	11	8.9	54	1	2	6	14	20	23	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	37	6.9	23	3	4	6	8	12	17	26
70-74	41	6.7	42	2	3	5	8	13	20	34
75-79	34	5.9	11	2	4	5	8	11	12	15
80-84	31	4.9	10	2	2	4	7	8	13	15
85 +	39	6.5	20	3	4	6	7	12	14	26
B. Operated										
65-69 YRS	91	9.3	59	2	4	7	11	19	25	40
70-74	78	13.5	188	3	6	9	16	31	38	71
75-79	76	12.6	127	3	5	11	15	24	34	67
80-84	49	12.6	168	3	5	8	14	28	37	74
85 +	45	10.2	48	3	6	9	12	17	26	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.9	24	1	2	4	8	14	16	16
B. Operated	80	5.6	30	1	2	4	7	13	16	26
2. MULTIPLE DX										
A. Not Operated	182	6.3	22	2	3	5	7	12	14	27
B. Operated	339	11.6	120	3	5	9	14	24	33	66
1. SINGLE DX	98	5.6	29	1	2	4	8	13	16	26
2. MULTIPLE DX	521	9.7	92	2	4	7	12	19	28	49
A. Not Operated	200	6.2	22	2	3	5	8	12	14	27
B. Operated	419	10.5	108	2	4	8	13	22	31	61
TOTAL										
65-69 YRS	168	7.5	46	2	3	5	9	15	23	35
70-74	133	10.3	139	2	4	7	12	24	34	67
75-79	125	10.1	95	3	4	8	12	20	26	52
80-84	93	9.5	106	2	4	6	12	20	28	59
85 +	100	8.4	39	2	4	7	11	15	22	32
GRAND TOTAL	**619**	**9.1**	**84**	**2**	**4**	**6**	**11**	**18**	**26**	**43**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2	5.0	32	< 1	< 1	4	9	9	9	9
70-74	3	10.3	165	1	2	5	20	25	25	25
75-79	2	5.0	32	1	1	5	9	9	9	9
80-84	2	5.0	18	2	2	5	8	8	8	8
85 +	3	6.3	12	3	4	6	9	10	10	10
B. Operated										
65-69 YRS	16	10.4	74	2	4	8	15	22	29	32
70-74	13	9.8	66	3	4	9	13	22	28	30
75-79	10	9.6	184	< 1	2	3	10	32	44	44
80-84	6	15.2	500	1	2	6	17	55	59	59
85 +	10	8.5	66	2	2	5	15	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	12	6.7	45	1	2	5	9	14	23	25
B. Operated	55	10.3	127	2	3	6	15	22	31	58
1. SINGLE DX	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX	67	9.7	113	2	2	6	12	22	30	56
A. Not Operated	13	6.2	44	1	1	5	9	13	23	25
B. Operated	59	9.7	123	2	2	5	14	22	31	58
TOTAL										
65-69 YRS	18	9.8	70	2	4	8	15	22	28	32
70-74	17	9.5	74	2	3	5	13	24	28	30
75-79	14	7.8	140	1	1	3	9	23	39	44
80-84	10	10.3	321	1	1	2	10	38	59	59
85 +	13	8.0	53	2	3	6	11	21	23	23
GRAND TOTAL	**72**	**9.1**	**110**	**1**	**2**	**5**	**11**	**22**	**29**	**56**

1,058 Hospitals, United States, Geriatric, January-December 1988

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	1	10.0		10	10	10	10	10	10	10
B. Operated										
65-69 YRS	3	6.0	39	1	2	4	11	13	13	13
70-74	3	6.0	12	4	4	4	9	10	10	10
75-79	1	5.0		5	5	5	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	6	5.0	6	3	3	4	8	8	8	8
70-74	4	2.0	2	1	1	2	3	4	4	4
75-79	9	9.6	88	2	3	5	14	26	30	30
80-84	3	5.7	20	< 1	1	6	9	10	10	10
85 +	6	17.0	530	2	3	6	24	57	61	61
B. Operated										
65-69 YRS	16	6.4	26	1	3	5	9	11	18	21
70-74	6	6.7	17	4	4	5	9	13	14	14
75-79	4	18.0	517	2	3	9	33	51	51	51
80-84	6	18.5	513	3	9	11	14	59	64	64
85 +	2	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	10.0		10	10	10	10	10	10	10
B. Operated	7	5.9	17	2	4	4	9	12	13	13
2. MULTIPLE DX										
A. Not Operated	28	8.7	153	1	3	5	8	22	33	61
B. Operated	34	9.9	169	2	4	6	11	16	45	64
1. SINGLE DX	8	6.4	17	2	4	5	10	12	13	13
2. MULTIPLE DX	62	9.4	160	2	3	5	10	20	38	64
A. Not Operated	29	8.7	148	1	3	5	9	22	32	61
B. Operated	41	9.2	145	2	4	6	11	15	34	64
TOTAL										
65-69 YRS	25	6.0	21	1	3	5	8	11	15	21
70-74	13	5.1	14	1	3	4	6	11	13	14
75-79	14	11.6	192	2	3	5	15	32	47	51
80-84	9	14.2	367	1	5	10	12	44	64	64
85 +	9	13.8	356	2	5	6	13	46	61	61
GRAND TOTAL	**70**	**9.0**	**144**	**1**	**3**	**5**	**10**	**17**	**30**	**63**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	3.0	7	1	1	2	5	6	6	6
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	10	3.4	3	1	2	3	5	6	6	6
70-74	13	4.5	13	1	2	4	5	12	12	12
75-79	7	5.4	10	2	4	6	9	73	99 +	99 +
80-84	8	8.5	36	2	3	7	13	17	18	18
85 +	17	4.3	3	2	3	4	5	7	8	9
B. Operated										
65-69 YRS	3	5.0	37	1	1	2	9	12	12	12
70-74	5	2.6	5	< 1	< 1	< 1	5	5	5	5
75-79	2	6.0	8	4	4	6	8	8	8	8
80-84	5	3.4	1	2	3	4	4	4	4	4
85 +	3	3.3	4	1	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.0	7	1	1	2	5	6	6	6
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	55	4.9	13	2	3	4	5	12	14	95
B. Operated	18	3.7	8	< 1	1	4	5	7	10	12
1. SINGLE DX	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX	73	4.6	12	1	2	4	5	11	12	80
A. Not Operated	58	4.8	12	2	2	4	5	11	14	93
B. Operated	18	3.7	8	< 1	1	4	5	7	10	12
TOTAL										
65-69 YRS	16	3.6	8	1	2	3	5	6	10	12
70-74	18	3.9	11	< 1	2	3	5	10	12	12
75-79	9	5.6	9	2	4	6	8	55	99 +	99 +
80-84	13	6.5	28	2	3	4	10	16	18	18
85 +	20	4.2	3	2	3	4	5	6	8	9
GRAND TOTAL	**76**	**4.6**	**11**	**1**	**2**	**4**	**5**	**11**	**12**	**78**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	51	2.0	3	1	1	2	2	4	6	10
70-74	37	3.5	16	1	1	2	4	7	8	24
75-79	37	3.3	13	1	1	2	4	7	11	18
80-84	28	4.1	18	1	2	3	5	7	15	20
85 +	64	4.1	12	1	1	3	5	9	12	15
B. Operated										
65-69 YRS	10	2.6	2	< 1	1	2	4	5	5	5
70-74	5	3.6	11	1	1	3	5	9	9	9
75-79	5	4.8	17	< 1	1	3	8	11	11	11
80-84	4	6.5	60	1	2	3	11	18	18	18
85 +	6	5.3	29	1	2	3	10	14	14	14
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	409	4.5	23	1	2	3	5	9	12	25
70-74	468	4.8	15	1	2	4	6	10	13	21
75-79	613	6.1	62	1	2	4	7	12	16	71
80-84	659	6.1	34	1	3	4	7	13	18	35
85 +	927	6.7	66	2	3	5	8	12	18	61
B. Operated										
65-69 YRS	88	7.2	41	2	3	6	9	16	21	30
70-74	91	7.1	34	1	2	5	11	16	17	27
75-79	114	10.2	184	1	3	6	12	22	31	94
80-84	60	9.5	101	2	4	7	13	25	47	99 +
85 +	78	9.9	84	2	4	8	13	20	32	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	217	3.4	12	1	1	2	4	7	10	19
B. Operated	30	4.2	18	< 1	1	3	5	10	14	18
2. MULTIPLE DX										
A. Not Operated	3076	5.9	45	1	2	4	7	12	16	37
B. Operated	431	8.8	95	2	3	6	11	19	28	92
1. SINGLE DX	247	3.5	12	1	1	2	4	7	11	18
2. MULTIPLE DX	3507	6.2	52	1	2	4	7	13	17	45
A. Not Operated	3293	5.7	43	1	2	4	7	11	16	36
B. Operated	461	8.5	91	2	3	6	11	18	27	90
TOTAL										
65-69 YRS	558	4.7	26	1	2	3	6	10	13	29
70-74	601	5.1	19	1	2	4	6	11	14	23
75-79	769	6.6	79	1	2	4	8	14	19	82
80-84	751	6.3	39	1	3	4	8	14	19	37
85 +	1075	6.8	65	2	3	5	8	13	18	59
GRAND TOTAL	**3754**	**6.1**	**50**	**1**	**2**	**4**	**7**	**12**	**17**	**43**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	1.8	1	1	1	2	2	4	4	4
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	2	4.5	25	1	1	4	8	8	8	8
70-74	3	4.0	19	1	1	2	7	9	9	9
75-79	1	1.0		1	1	1	1	1	1	1
80-84	2	7.5	85	1	1	7	14	14	14	14
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	12	5.3	15	1	3	5	6	10	15	16
70-74	3	4.7	6	2	3	5	6	7	7	7
75-79	2	8.5	5	7	7	8	10	10	10	10
80-84	3	7.3	30	2	3	7	11	13	13	13
85 +	3	5.7	14	3	3	4	8	10	10	10
B. Operated										
65-69 YRS	18	9.9	380	1	2	3	6	37	64	74
70-74	7	10.9	453	1	1	3	5	48	59	59
75-79	4	10.8	56	1	5	12	16	18	18	18
80-84	2	25.5	1105	2	2	25	49	49	49	49
85 +	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	1	1	1	2	2	4	4	4
B. Operated	9	4.2	24	1	1	1	8	12	14	14
2. MULTIPLE DX										
A. Not Operated	23	5.8	14	2	3	5	7	11	14	16
B. Operated	32	11.1	352	1	2	3	7	49	58	74
1. SINGLE DX	15	3.3	16	1	1	1	4	9	13	14
2. MULTIPLE DX	55	8.9	215	1	2	5	7	16	50	73
A. Not Operated	29	5.0	14	1	2	4	7	10	13	16
B. Operated	41	9.6	286	1	1	3	8	30	54	74
TOTAL										
65-69 YRS	38	6.9	190	1	2	3	6	8	36	74
70-74	13	7.8	242	1	2	3	6	19	51	59
75-79	7	8.7	42	1	3	9	14	17	18	18
80-84	7	12.6	286	1	2	7	14	42	49	49
85 +	5	4.8	12	1	2	4	7	10	10	10
GRAND TOTAL	**70**	**7.7**	**177**	**1**	**2**	**4**	**7**	**14**	**49**	**71**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	17	1.3		< 1	1	1	1	3	3	3
70-74	23	1.4	1	< 1	1	1	2	3	3	4
75-79	32	1.4	1	< 1	1	1	2	3	3	5
80-84	14	1.3		< 1	1	1	1	2	3	3
85 +	23	1.5	1	< 1	1	1	2	2	4	6
B. Operated										
65-69 YRS	8	2.8	9	< 1	1	1	4	8	9	9
70-74	5	3.8	33	< 1	1	1	5	14	14	14
75-79	4	2.3	4	1	1	2	3	5	5	5
80-84	3	2.3	5	1	1	1	4	5	5	5
85 +	4	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	102	2.6	6	< 1	1	2	4	6	8	53
70-74	118	4.2	28	1	1	2	5	10	14	28
75-79	110	3.2	10	1	1	2	4	7	10	16
80-84	86	4.0	11	1	2	3	6	9	10	16
85 +	110	4.5	26	1	2	3	5	9	14	32
B. Operated										
65-69 YRS	57	8.6	196	1	2	5	10	18	23	94
70-74	82	7.0	83	1	1	5	9	13	23	54
75-79	73	6.5	41	1	2	4	10	14	18	33
80-84	54	5.1	20	1	2	4	7	12	16	17
85 +	60	5.7	34	1	2	3	8	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	109	1.4	1	< 1	1	1	2	2	3	5
B. Operated	24	2.6	10	1	1	1	3	6	10	14
2. MULTIPLE DX										
A. Not Operated	526	3.7	17	1	1	2	5	8	11	28
B. Operated	326	6.6	74	1	2	4	9	15	19	38
1. SINGLE DX	133	1.6	3	< 1	1	1	2	3	5	10
2. MULTIPLE DX	852	4.8	41	1	1	3	6	11	15	29
A. Not Operated	635	3.3	15	1	1	2	4	7	10	22
B. Operated	350	6.3	71	1	2	4	9	14	18	37
TOTAL										
65-69 YRS	184	4.4	72	1	1	2	5	10	16	77
70-74	228	5.0	48	1	1	2	6	11	16	31
75-79	219	4.0	22	1	1	2	5	10	13	22
80-84	157	4.1	14	1	1	3	6	9	11	17
85 +	197	4.5	27	1	1	2	5	11	15	26
GRAND TOTAL	**985**	**4.4**	**37**	**1**	**1**	**2**	**5**	**10**	**14**	**28**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	5.0	9	2	3	5	7	8	8	8
70-74	0									
75-79	0									
80-84	0									
85 +	1	2.0		2	2	2	2	2	2	2
B. Operated										
65-69 YRS	7	4.4	25	< 1	< 1	2	8	12	13	13
70-74	9	7.2	90	1	2	4	9	23	31	31
75-79	3	16.0	241	1	4	15	28	32	32	32
80-84	4	28.0	47	18	23	30	32	33	33	33
85 +	4	15.0	87	5	7	14	22	26	26	26
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	11	7.8	32	2	3	8	13	43	92	99 +
70-74	22	8.5	26	3	5	7	13	19	49	99 +
75-79	13	10.8	54	4	5	9	14	22	27	28
80-84	21	16.1	175	3	5	11	25	39	41	43
85 +	9	10.6	78	3	5	7	13	25	32	32
B. Operated										
65-69 YRS	56	21.6	387	5	9	15	30	51	80	99
70-74	51	28.1	355	7	14	22	37	58	66	80
75-79	56	21.7	328	5	10	17	27	47	67	80
80-84	24	21.5	411	5	7	15	33	70	85	99 +
85 +	45	19.5	264	3	8	16	28	41	61	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	8	2	2	4	6	8	8	8
B. Operated	27	11.7	133	1	2	9	19	32	32	33
2. MULTIPLE DX										
A. Not Operated	76	11.2	86	3	5	8	14	28	39	99 +
B. Operated	232	22.6	347	5	10	17	32	51	70	99 +
1. SINGLE DX	31	10.7	123	1	2	5	17	31	32	33
2. MULTIPLE DX	308	19.8	307	4	8	14	28	47	68	99 +
A. Not Operated	80	10.8	84	2	5	8	14	27	39	99 +
B. Operated	259	21.5	336	4	9	17	31	49	68	98
TOTAL										
65-69 YRS	77	17.5	334	2	6	11	24	49	78	99 +
70-74	82	20.5	329	3	7	16	31	51	65	93
75-79	72	19.5	288	4	9	15	25	41	63	78
80-84	49	19.7	286	5	7	14	32	40	70	99 +
85 +	59	17.6	231	3	7	13	26	39	51	98
GRAND TOTAL	**339**	**19.0**	**296**	**4**	**7**	**14**	**28**	**42**	**65**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	6	4.8	23	1	2	3	6	13	14	14
70-74	3	2.7	4	1	1	2	4	5	5	5
75-79	2	4.0		4	4	4	4	4	4	4
80-84	4	10.8	42	5	6	9	15	20	20	20
85 +	2	8.5	1	8	8	8	9	9	9	9
B. Operated										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	0									
80-84	1	9.0		9	9	9	9	9	9	9
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	51	7.7	67	2	3	5	9	16	20	52
70-74	60	6.9	38	2	4	5	8	14	18	34
75-79	44	6.9	27	2	3	6	10	14	18	22
80-84	36	10.7	67	3	5	8	14	26	29	33
85 +	23	8.7	144	2	3	6	9	27	71	99 +
B. Operated										
65-69 YRS	29	12.8	90	3	4	10	19	27	31	32
70-74	24	11.2	60	5	7	9	15	25	51	99 +
75-79	25	19.4	279	3	6	14	38	46	65	99 +
80-84	10	9.7	89	3	3	5	18	59	96	99 +
85 +	19	14.3	166	1	8	9	18	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	6.2	25	1	2	5	8	13	18	20
B. Operated	4	3.5	14	< 1	< 1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated	214	7.9	59	2	4	6	10	16	22	54
B. Operated	107	14.0	147	3	6	9	19	37	44	99 +
1. SINGLE DX	21	5.7	24	1	2	4	8	12	17	20
2. MULTIPLE DX	321	9.9	96	2	4	7	13	24	35	99 +
A. Not Operated	231	7.8	57	2	4	6	10	16	22	53
B. Operated	111	13.6	145	3	5	9	19	37	44	99 +
TOTAL										
65-69 YRS	87	9.2	77	2	3	6	13	20	26	45
70-74	88	7.8	47	2	4	6	9	18	25	75
75-79	71	11.2	149	2	4	7	14	36	44	90
80-84	51	10.5	66	3	4	8	14	27	31	99
85 +	45	10.9	149	1	4	8	13	36	44	99 +
GRAND TOTAL	**342**	**9.7**	**93**	**2**	**4**	**7**	**12**	**22**	**35**	**99 +**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	7.0		7	7	7	7	7	7	7
70-74	3	7.0	28	3	3	5	11	13	13	13
75-79	0									
80-84	1	6.0		6	6	6	6	6	6	6
85 +	1	6.0		6	6	6	6	6	6	6
B. Operated										
65-69 YRS	4	1.0		< 1	< 1	1	1	1	1	1
70-74	4	2.0	2	1	1	2	3	4	4	4
75-79	0									
80-84	0									
85 +	0									
2 MULTIPLE DX										
A. Not Operated										
65-69 YRS	21	6.0	13	2	4	6	7	8	13	18
70-74	22	12.1	181	3	4	7	14	31	46	57
75-79	18	8.4	43	2	4	6	13	17	22	25
80-84	22	7.4	37	2	3	6	7	17	21	25
85 +	19	8.6	66	2	3	5	15	20	25	30
B. Operated										
65-69 YRS	26	7.9	122	1	1	3	9	28	34	46
70-74	19	17.1	609	1	2	9	18	56	84	92
75-79	15	18.2	599	2	4	7	22	56	79	87
80-84	1	47.0		47	47	73	99 +	99 +	99 +	99 +
85 +	6	25.7	126	13	15	25	35	40	41	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	6.7	10	3	5	6	7	12	13	13
B. Operated	8	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	102	8.5	71	2	4	6	10	18	25	48
B. Operated	67	15.0	398	1	2	8	19	44	75	99
1. SINGLE DX	15	3.9	12	1	1	3	6	7	12	13
2. MULTIPLE DX	169	11.1	210	2	3	6	14	28	41	91
A. Not Operated	109	8.4	68	2	4	6	10	18	25	46
B. Operated	75	13.6	373	1	2	7	16	41	69	98
TOTAL										
65-69 YRS	53	6.6	67	1	2	5	8	12	27	46
70-74	48	12.9	335	1	3	7	14	29	59	92
75-79	33	12.8	310	2	4	7	13	28	53	87
80-84	24	9.0	100	2	4	6	10	25	60	99 +
85 +	26	12.5	127	2	3	8	19	30	36	41
GRAND TOTAL	**184**	**10.5**	**197**	**1**	**3**	**6**	**13**	**25**	**40**	**90**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	13	3.1	8	1	1	2	3	8	10	11
70-74	3	2.3	1	1	1	3	3	3	3	3
75-79	15	4.0	55	< 1	1	2	2	8	24	30
80-84	12	2.1	2	1	1	2	2	4	6	6
85 +	11	5.3	15	1	2	4	9	11	11	11
B. Operated										
65-69 YRS	5	5.0	10	< 1	2	6	7	9	9	9
70-74	4	6.0	29	3	3	4	9	14	14	14
75-79	3	3.7	14	< 1	< 1	2	6	8	8	8
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	99	5.2	22	1	2	3	6	13	15	23
70-74	125	6.3	45	1	2	4	7	13	19	41
75-79	112	7.3	39	2	3	6	9	13	25	29
80-84	128	5.5	13	2	3	4	8	11	13	17
85 +	154	7.7	51	2	3	5	10	16	21	48
B. Operated										
65-69 YRS	55	11.1	126	2	4	7	12	29	34	52
70-74	59	11.4	99	3	5	9	14	24	28	57
75-79	43	12.2	184	2	4	10	15	24	53	99 +
80-84	34	12.1	172	2	4	9	15	26	32	70
85 +	22	11.6	126	3	5	7	12	31	38	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	3.5	21	1	1	2	3	8	11	29
B. Operated	14	4.4	15	< 1	1	3	6	9	13	14
2. MULTIPLE DX										
A. Not Operated	618	6.5	36	2	3	5	8	13	18	31
B. Operated	213	11.6	135	2	4	8	14	27	35	74
1. SINGLE DX	68	3.7	19	1	1	2	4	9	11	27
2. MULTIPLE DX	831	7.8	66	2	3	5	10	16	24	45
A. Not Operated	672	6.2	35	2	3	4	8	13	16	30
B. Operated	227	11.2	131	2	4	8	14	26	34	72
TOTAL										
65-69 YRS	172	6.9	62	1	2	4	8	15	25	43
70-74	191	7.8	66	2	3	5	10	18	21	43
75-79	173	8.2	81	2	3	6	10	16	27	71
80-84	175	6.6	51	2	3	4	8	14	15	32
85 +	188	8.0	59	2	3	6	10	16	24	47
GRAND TOTAL	**899**	**7.5**	**64**	**2**	**3**	**5**	**9**	**15**	**23**	**45**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	22	3.1	13	1	1	2	4	9	13	13
70-74	13	2.0	3	1	1	1	2	5	7	7
75-79	13	2.8	6	1	1	2	3	8	8	8
80-84	12	3.9	5	1	2	3	5	7	8	8
85 +	11	2.4	4	1	1	2	3	6	8	8
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	689	4.9	26	1	2	3	6	10	14	28
70-74	632	5.6	33	1	2	4	7	11	16	27
75-79	635	5.7	48	1	2	4	7	10	14	47
80-84	451	5.8	38	2	3	4	7	11	14	31
85 +	443	5.7	18	2	3	5	7	11	13	21
B. Operated										
65-69 YRS	55	13.2	266	2	4	8	16	29	55	99 +
70-74	59	12.6	147	4	5	9	15	28	43	97
75-79	53	11.5	191	1	4	9	14	20	36	87
80-84	34	15.8	168	7	9	13	19	36	92	99 +
85 +	31	11.4	91	4	5	8	13	26	35	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	71	2.9	7	1	1	2	4	7	8	13
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2850	5.5	33	1	2	4	7	11	14	27
B. Operated	232	12.8	180	3	5	9	16	29	41	99 +
1. SINGLE DX	71	2.9	7	1	1	2	4	7	8	13
2. MULTIPLE DX	3082	6.1	48	1	2	4	7	12	17	36
A. Not Operated	2921	5.4	33	1	2	4	7	11	14	27
B. Operated	232	12.8	180	3	5	9	16	29	41	99 +
TOTAL										
65-69 YRS	766	5.5	47	1	2	4	6	11	16	34
70-74	704	6.1	45	1	3	4	7	12	18	32
75-79	701	6.1	60	1	2	4	7	11	15	48
80-84	497	6.4	52	2	3	5	8	13	17	51
85 +	485	5.9	25	2	3	5	7	12	15	25
GRAND TOTAL	**3153**	**6.0**	**47**	**1**	**2**	**4**	**7**	**12**	**17**	**36**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	19	1.7	3	< 1	1	1	2	5	6	6
70-74	16	3.3	32	1	1	1	3	5	18	24
75-79	7	1.7	1	1	1	1	2	4	4	4
80-84	4	2.0	2	1	1	2	3	4	4	4
85 +	5	2.8	4	1	1	3	4	6	6	6
B. Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	122	3.8	20	1	1	2	5	8	10	24
70-74	104	4.1	48	1	1	2	5	8	9	45
75-79	70	3.6	14	1	1	2	4	10	15	82
80-84	63	6.6	99	1	2	3	7	14	36	94
85 +	53	5.5	22	1	2	4	8	12	16	20
B. Operated										
65-69 YRS	12	16.3	499	3	3	6	18	56	71	73
70-74	19	14.8	179	4	6	11	24	45	77	99 +
75-79	10	23.2	822	1	3	13	38	66	94	94
80-84	4	28.8	392	5	15	28	42	53	53	53
85 +	8	10.0	44	4	5	9	19	68	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	2.3	12	1	1	1	3	5	6	24
B. Operated	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	412	4.5	39	1	1	3	5	9	13	45
B. Operated	53	17.1	366	3	4	11	25	53	89	99 +
1. SINGLE DX	54	2.3	11	1	1	1	2	4	6	23
2. MULTIPLE DX	465	5.9	92	1	1	3	6	13	25	90
A. Not Operated	463	4.3	37	1	1	2	5	9	13	43
B. Operated	56	16.2	359	2	4	10	24	52	86	99 +
TOTAL										
65-69 YRS	154	4.5	64	1	1	2	5	9	11	49
70-74	139	5.5	77	1	1	3	6	12	26	59
75-79	88	5.7	136	1	1	2	5	14	25	98
80-84	72	7.5	132	1	2	3	8	26	41	90
85 +	66	5.9	26	1	2	4	9	13	19	86
GRAND TOTAL	**519**	**5.6**	**85**	**1**	**1**	**3**	**6**	**12**	**24**	**79**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	36	1.7	1	1	1	1	2	3	4	5
70-74	43	1.9	4	1	1	1	2	3	6	11
75-79	25	2.4	3	1	1	2	3	6	26	99 +
80-84	17	2.6	5	1	1	2	3	5	8	10
85 +	22	2.3	2	1	1	2	3	4	5	7
B. Operated										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	2	20.0	722	1	1	20	39	39	39	39
75-79	1	4.0		4	4	4	4	4	4	4
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	521	4.7	17	1	2	3	6	10	13	24
70-74	575	5.3	31	1	2	4	6	11	14	23
75-79	628	5.5	25	1	2	4	7	10	15	26
80-84	560	6.3	44	2	3	5	8	12	17	36
85 +	560	7.0	45	2	3	5	8	13	18	41
B. Operated										
65-69 YRS	82	9.8	104	1	3	7	13	21	30	52
70-74	76	10.3	172	1	2	7	15	26	58	99 +
75-79	86	14.5	294	1	4	11	17	28	52	90
80-84	51	11.6	149	2	5	9	13	37	65	99 +
85 +	45	19.6	292	4	9	15	26	53	70	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	2.1	3	1	1	2	3	4	5	16
B. Operated	5	10.0	265	1	2	4	13	39	39	39
2. MULTIPLE DX										
A. Not Operated	2844	5.8	33	2	2	4	7	11	15	30
B. Operated	340	12.7	207	1	3	9	17	30	51	99 +
1. SINGLE DX	148	2.4	12	1	1	2	3	4	6	40
2. MULTIPLE DX	3184	6.5	56	1	3	4	8	13	19	47
A. Not Operated	2987	5.6	32	1	2	4	7	11	15	30
B. Operated	345	12.6	207	1	3	9	17	30	50	99 +
TOTAL										
65-69 YRS	641	5.2	31	1	2	3	6	11	16	28
70-74	696	5.7	49	1	2	4	7	11	17	45
75-79	740	6.4	64	1	2	4	7	13	19	49
80-84	628	6.6	54	2	3	5	8	13	19	70
85 +	627	7.7	72	2	3	5	9	15	24	56
GRAND TOTAL	**3332**	**6.3**	**55**	**1**	**2**	**4**	**8**	**13**	**19**	**47**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	33	3.3	5	1	2	3	4	6	6	11
70-74	44	4.8	25	1	1	3	6	12	17	20
75-79	36	4.3	17	1	1	3	6	8	15	18
80-84	23	4.3	19	1	2	3	5	8	17	18
85 +	25	5.1	11	1	3	4	7	9	12	14
B. Operated										
65-69 YRS	493	6.2	41	1	2	4	9	12	16	33
70-74	557	6.5	36	1	2	5	9	13	16	28
75-79	460	6.0	39	1	2	4	9	13	16	27
80-84	351	5.1	27	1	1	3	7	11	17	25
85 +	230	4.7	25	1	1	3	6	11	14	22
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	411	6.7	44	1	3	5	8	14	18	40
70-74	372	6.4	49	1	3	5	8	12	17	42
75-79	371	6.9	53	2	3	5	8	14	22	53
80-84	287	7.1	59	1	3	5	9	13	19	43
85 +	311	7.0	51	2	3	5	8	14	17	36
B. Operated										
65-69 YRS	3603	9.4	107	1	3	7	12	20	29	56
70-74	3364	9.7	115	1	3	7	12	20	30	57
75-79	2859	9.5	107	1	3	7	12	19	29	59
80-84	1924	9.7	107	1	3	7	13	21	31	59
85 +	1260	10.1	123	1	3	7	13	22	34	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	161	4.3	16	1	2	3	6	8	15	18
B. Operated	2091	5.9	35	1	2	4	9	12	16	28
2. MULTIPLE DX										
A. Not Operated	1752	6.8	50	1	3	5	8	13	19	41
B. Operated	13010	9.6	111	1	3	7	12	20	30	58
1. SINGLE DX	2252	5.8	34	1	2	4	8	12	16	28
2. MULTIPLE DX	14762	9.3	104	1	3	7	12	19	29	57
A. Not Operated	1913	6.6	48	1	3	5	8	13	18	39
B. Operated	15101	9.1	102	1	3	7	12	19	28	56
TOTAL										
65-69 YRS	4540	8.7	95	1	2	6	11	19	27	55
70-74	4337	9.0	100	1	3	7	11	18	27	53
75-79	3726	8.8	94	1	3	6	11	18	26	57
80-84	2585	8.8	93	1	3	6	12	19	28	54
85 +	1826	8.8	101	1	3	6	11	19	28	52
GRAND TOTAL	**17014**	**8.8**	**97**	**1**	**3**	**6**	**11**	**18**	**27**	**55**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	105	3.0	3	1	2	3	4	5	7	9
70-74	97	3.0	5	1	2	2	4	5	7	14
75-79	68	3.0	3	1	2	3	4	5	6	9
80-84	30	3.1	3	1	2	3	4	6	6	7
85 +	22	2.8	3	1	1	3	4	5	6	7
B. Operated										
65-69 YRS	62	3.2	4	1	2	3	4	6	7	10
70-74	33	3.5	9	1	2	3	4	9	11	13
75-79	41	4.0	32	1	2	3	4	7	10	36
80-84	18	4.1	15	1	2	3	6	10	13	15
85 +	13	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	315	3.7	8	1	2	3	5	7	9	13
70-74	308	3.4	4	1	2	3	4	5	7	11
75-79	243	4.1	11	1	2	3	5	7	11	17
80-84	175	4.4	10	1	2	3	6	9	11	15
85 +	99	4.6	16	1	2	3	6	9	13	23
B. Operated										
65-69 YRS	420	4.7	50	1	1	3	6	10	15	29
70-74	423	4.8	29	1	1	3	6	10	16	27
75-79	364	4.6	27	1	1	3	6	11	15	26
80-84	198	5.0	37	1	2	3	7	11	15	29
85 +	130	5.3	42	1	2	4	7	11	14	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	3.0	4	1	2	3	4	5	6	10
B. Operated	167	3.5	13	1	2	3	4	7	10	15
2. MULTIPLE DX										
A. Not Operated	1140	3.9	9	1	2	3	5	7	9	15
B. Operated	1535	4.8	36	1	1	3	6	11	15	27
1. SINGLE DX	489	3.2	7	1	2	3	4	6	7	12
2. MULTIPLE DX	2675	4.4	25	1	2	3	5	9	12	22
A. Not Operated	1462	3.7	8	1	2	3	5	7	9	14
B. Operated	1702	4.7	34	1	1	3	6	10	15	27
TOTAL										
65-69 YRS	902	4.0	27	1	2	3	5	8	11	20
70-74	861	4.1	17	1	2	3	5	8	11	21
75-79	716	4.3	20	1	2	3	5	9	13	23
80-84	421	4.6	23	1	2	3	6	9	12	18
85 +	264	4.7	27	1	2	3	6	9	13	26
GRAND TOTAL	**3164**	**4.2**	**22**	**1**	**2**	**3**	**5**	**8**	**12**	**21**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	46	4.6	6	2	3	4	6	8	9	12
70-74	35	6.2	14	3	4	5	7	12	14	18
75-79	25	5.2	4	3	4	5	6	9	9	9
80-84	14	6.5	18	2	2	6	10	13	14	14
85 +	12	5.6	4	3	4	5	7	9	10	10
B. Operated										
65-69 YRS	52	7.3	39	1	2	6	10	14	22	29
70-74	34	7.6	29	1	2	8	10	16	18	20
75-79	26	7.9	43	2	3	6	10	15	23	30
80-84	19	13.1	190	2	5	9	13	35	50	54
85 +	6	15.2	275	< 1	5	6	31	40	41	41
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	331	8.1	43	3	4	6	11	15	20	30
70-74	316	7.8	31	3	4	6	10	15	18	30
75-79	210	8.2	30	3	4	7	11	15	19	31
80-84	136	8.4	47	2	4	7	10	15	20	34
85 +	107	8.7	59	3	5	7	11	15	16	51
B. Operated										
65-69 YRS	492	14.9	180	4	7	11	18	32	45	67
70-74	440	15.4	199	3	7	12	20	32	47	96
75-79	322	14.7	162	4	6	10	20	31	39	72
80-84	169	15.5	234	3	6	11	20	34	45	96
85 +	112	14.9	167	4	6	12	19	28	42	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	132	5.5	9	2	3	5	7	9	12	16
B. Operated	137	8.6	71	2	3	7	11	17	23	46
2. MULTIPLE DX										
A. Not Operated	1100	8.1	39	3	4	7	10	15	19	30
B. Operated	1535	15.1	186	3	6	11	19	32	44	77
1. SINGLE DX	269	7.1	43	2	3	5	9	13	18	39
2. MULTIPLE DX	2635	12.2	137	3	5	9	15	25	35	67
A. Not Operated	1232	7.8	37	3	4	6	10	14	18	29
B. Operated	1672	14.5	180	3	6	11	18	31	44	74
TOTAL										
65-69 YRS	921	11.5	128	3	5	8	14	23	33	63
70-74	825	11.8	135	3	5	8	15	24	35	78
75-79	583	11.6	114	3	5	8	14	26	32	59
80-84	338	12.1	159	3	5	9	14	25	38	75
85 +	237	11.6	122	3	5	8	14	22	31	65
GRAND TOTAL	**2904**	**11.7**	**130**	**3**	**5**	**8**	**14**	**24**	**33**	**66**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	47	4.3	10	1	2	3	6	9	10	16
70-74	39	6.1	52	1	2	5	9	12	13	43
75-79	24	4.2	15	1	1	2	6	10	13	14
80-84	20	4.0	12	< 1	2	3	5	9	12	14
85 +	5	1.8	1	1	1	1	3	3	3	3
B. Operated										
65-69 YRS	87	4.7	16	1	1	3	7	10	12	18
70-74	80	4.8	16	< 1	2	4	7	9	13	21
75-79	54	6.4	55	1	2	4	8	13	18	40
80-84	26	3.2	10	< 1	1	2	4	7	9	16
85 +	19	4.8	16	< 1	1	5	6	11	15	15
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	606	5.8	36	1	2	5	8	10	12	30
70-74	478	5.9	31	1	2	4	8	12	16	24
75-79	423	5.9	24	1	2	5	8	12	16	22
80-84	258	6.2	23	1	3	5	8	13	16	23
85 +	232	7.1	59	2	3	5	9	13	18	35
B. Operated										
65-69 YRS	1460	7.9	128	1	1	4	9	19	29	66
70-74	1316	7.6	107	1	2	4	9	17	26	57
75-79	1035	7.9	94	1	2	5	10	18	25	52
80-84	615	7.9	86	1	2	4	11	19	27	48
85 +	468	9.3	112	1	2	6	13	23	34	77
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	4.7	23	1	2	3	6	10	13	20
B. Operated	266	4.9	24	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. Not Operated	1997	6.0	34	1	2	5	8	12	15	26
B. Operated	4894	7.9	109	1	2	4	10	19	27	58
1. SINGLE DX	401	4.8	24	1	2	4	7	10	13	21
2. MULTIPLE DX	6891	7.4	88	1	2	5	9	16	24	51
A. Not Operated	2132	6.0	33	1	2	4	8	12	15	26
B. Operated	5160	7.8	105	1	2	4	10	18	27	57
TOTAL										
65-69 YRS	2200	7.1	97	1	2	4	8	15	24	57
70-74	1913	7.0	84	1	2	4	9	15	22	49
75-79	1536	7.2	73	1	2	5	9	16	22	41
80-84	919	7.2	66	1	2	4	10	16	23	44
85 +	724	8.4	94	1	2	6	11	20	27	62
GRAND TOTAL	**7292**	**7.2**	**84**	**1**	**2**	**4**	**9**	**16**	**23**	**50**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	3	6.7	80	1	1	2	13	17	17	17
70-74	3	5.3	44	1	1	2	10	13	13	13
75-79	0									
80-84	3	5.0	37	1	1	2	9	12	12	12
85 +	3	3.0	12	1	1	1	6	7	7	7
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	64	5.3	31	1	2	3	6	13	19	25
70-74	46	5.7	43	1	1	4	7	11	15	38
75-79	43	4.4	21	1	1	3	5	14	15	17
80-84	38	5.0	27	1	2	4	6	9	13	29
85 +	29	5.2	28	1	2	3	6	12	20	21
B. Operated										
65-69 YRS	23	12.8	121	2	4	11	20	25	33	47
70-74	18	12.6	104	2	5	10	15	31	35	35
75-79	16	9.2	52	2	4	6	13	21	25	26
80-84	10	7.2	33	1	2	6	10	16	18	18
85 +	7	11.1	358	1	1	3	11	45	53	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	5.0	33	1	1	2	9	14	17	17
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	220	5.1	30	1	1	3	6	11	16	27
B. Operated	74	11.1	109	2	4	8	15	24	32	52
1. SINGLE DX	12	5.0	33	1	1	2	9	14	17	17
2. MULTIPLE DX	294	6.6	56	1	2	4	8	15	21	37
A. Not Operated	232	5.1	30	1	1	3	6	12	16	27
B. Operated	74	11.1	109	2	4	8	15	24	32	52
TOTAL										
65-69 YRS	90	7.2	64	1	2	4	10	19	24	39
70-74	67	7.5	67	1	2	5	11	15	26	37
75-79	59	5.7	33	1	2	4	8	15	17	26
80-84	51	5.5	28	1	2	4	8	11	15	29
85 +	39	6.1	84	1	1	3	7	14	21	53
GRAND TOTAL	**306**	**6.6**	**55**	**1**	**2**	**4**	**8**	**15**	**21**	**36**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**2**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**2**	**2**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
2. MULTIPLE DX										
A. Not Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
B. Operated										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500 +										
GRAND TOTAL										

Geriatric patients are excluded from this diagnosis group because of clinical implausibility

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	13.0		13	13	13	13	13	13	13
80-84	2	3.0	8	< 1	< 1	2	5	5	5	5
85 +	0									
B. Operated										
65-69 YRS	70	1.9	2	< 1	< 1	1	2	4	5	6
70-74	48	2.9	5	< 1	1	2	4	6	7	9
75-79	36	2.8	5	< 1	1	2	3	7	8	9
80-84	37	3.0	7	1	1	2	4	7	10	11
85 +	15	4.9	24	1	2	3	4	15	16	17
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	1	13.0		13	13	13	13	13	13	13
75-79	6	5.0	40	1	1	2	7	16	17	17
80-84	2	4.0		4	4	4	4	4	4	4
85 +	0									
B. Operated										
65-69 YRS	73	3.7	14	1	1	2	4	9	13	18
70-74	73	3.3	13	1	1	2	4	6	8	23
75-79	51	4.7	23	1	2	3	6	10	15	27
80-84	31	6.4	42	2	3	4	8	11	16	36
85 +	23	4.5	13	1	2	3	7	10	12	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.8	23	< 1	< 1	1	5	12	13	13
B. Operated	206	2.7	6	< 1	1	2	4	6	7	13
2. MULTIPLE DX										
A. Not Operated	9	5.7	33	1	1	4	8	15	17	17
B. Operated	251	4.2	20	1	2	3	5	9	13	25
1. SINGLE DX	212	2.7	6	< 1	1	2	4	6	8	14
2. MULTIPLE DX	260	4.3	20	1	1	3	5	9	13	24
A. Not Operated	15	4.9	28	< 1	1	3	6	13	16	17
B. Operated	457	3.5	14	< 1	1	2	4	8	11	17
TOTAL										
65-69 YRS	145	2.8	9	< 1	1	2	3	6	9	16
70-74	123	3.2	11	< 1	1	2	4	6	8	17
75-79	94	4.1	19	1	1	3	5	9	13	23
80-84	72	4.5	24	1	2	3	5	9	11	32
85 +	38	4.7	17	1	2	3	6	11	15	17
GRAND TOTAL	**472**	**3.6**	**15**	**< 1**	**1**	**2**	**4**	**8**	**11**	**17**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		1	1	1	1	1	1	1
85+	0									
B. Operated										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	22	2.2		2	2	2	2	3	4	4
70-74	20	3.4	15	1	2	2	2	9	14	16
75-79	25	2.2		2	2	2	2	3	4	4
80-84	24	1.7		1	1	2	2	2	2	2
85+	8	2.5	1	2	2	2	3	4	4	4
B. Operated										
65-69 YRS	67	7.2	60	1	3	4	9	23	28	88
70-74	46	4.1	13	1	1	3	5	9	12	18
75-79	33	6.9	36	1	2	4	11	15	16	26
80-84	15	5.1	28	1	1	4	7	18	76	99+
85+	4	11.0	9	7	9	11	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	99	2.3	4	1	2	2	2	3	4	15
B. Operated	165	6.2	40	1	2	4	9	14	24	89
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	264	4.7	30	1	2	3	5	12	16	35
A. Not Operated	100	2.3	4	1	2	2	2	3	4	14
B. Operated	165	6.2	40	1	2	4	9	14	24	89
TOTAL										
65-69 YRS	89	5.9	50	2	2	3	6	13	28	74
70-74	66	3.9	14	1	2	2	5	9	13	18
75-79	58	4.9	26	2	2	2	6	14	15	25
80-84	40	3.0	13	1	1	2	3	7	16	99+
85+	12	5.3	20	2	2	3	9	13	14	14
GRAND TOTAL	**265**	**4.7**	**29**	**1**	**2**	**2**	**5**	**12**	**16**	**35**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	150	2.2	2	1	1	2	3	4	5	6
70-74	113	2.2	3	1	1	1	3	5	5	7
75-79	43	2.6	3	1	1	2	4	5	5	7
80-84	15	3.7	12	1	1	3	5	8	12	14
85+	2	4.0		4	4	4	4	4	4	4
B. Operated										
65-69 YRS	9	4.3	9	< 1	2	5	6	8	10	10
70-74	4	3.5	8	< 1	< 1	3	6	6	6	6
75-79	5	3.6	6	< 1	1	5	5	6	6	6
80-84	0									
85+	0									
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	8754	3.0	6	1	1	2	4	5	6	11
70-74	6737	3.0	7	1	1	2	4	5	6	11
75-79	3662	3.1	8	1	1	2	4	5	6	11
80-84	1251	3.2	7	1	1	3	4	6	7	12
85+	320	3.9	29	1	2	3	5	6	8	16
B. Operated										
65-69 YRS	940	5.7	45	1	2	4	6	10	17	41
70-74	697	5.1	30	1	2	4	6	9	15	34
75-79	330	5.9	34	2	3	5	6	10	10	39
80-84	134	6.3	52	2	3	5	7	12	21	58
85+	29	6.6	33	1	3	5	7	18	21	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	323	2.3	3	1	1	2	3	5	5	7
B. Operated	18	3.9	7	< 1	1	5	6	6	9	10
2. MULTIPLE DX										
A. Not Operated	20724	3.1	7	1	1	2	4	5	6	11
B. Operated	2130	5.6	39	1	2	4	6	10	16	37
1. SINGLE DX	341	2.4	3	1	1	2	4	5	5	8
2. MULTIPLE DX	22854	3.3	11	1	1	2	4	6	7	15
A. Not Operated	21047	3.0	7	1	1	2	4	5	6	11
B. Operated	2148	5.6	39	1	2	4	6	10	16	37
TOTAL										
65-69 YRS	9853	3.2	10	1	1	2	4	6	7	15
70-74	7551	3.2	10	1	1	2	4	6	7	15
75-79	4040	3.4	11	1	1	3	4	6	7	15
80-84	1400	3.5	12	1	1	3	5	6	8	18
85+	351	4.1	30	1	2	3	5	7	9	22
GRAND TOTAL	**23195**	**3.3**	**11**	**1**	**1**	**2**	**4**	**6**	**7**	**15**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
65-69 YRS	153	3.8	60	< 1	< 1	1	3	9	14	45
70-74	127	2.7	33	< 1	< 1	1	2	5	13	60
75-79	91	4.6	56	< 1	< 1	1	5	12	24	40
80-84	62	5.9	172	< 1	< 1	1	3	13	41	63
85 +	64	5.2	71	< 1	1	1	5	15	27	38
B. Operated										
65-69 YRS	164	4.7	15	< 1	1	3	8	10	12	14
70-74	134	4.6	16	< 1	1	3	8	10	11	16
75-79	95	5.6	49	< 1	< 1	3	8	12	15	42
80-84	55	3.9	23	< 1	< 1	1	6	9	11	29
85 +	20	6.7	41	< 1	1	4	11	14	19	23
2. MULTIPLE DX										
A. Not Operated										
65-69 YRS	2278	14.0	195	2	3	10	21	34	43	69
70-74	2424	14.5	183	2	4	11	21	33	42	77
75-79	2531	15.4	178	2	5	13	22	34	43	99 +
80-84	1969	16.0	170	3	6	14	22	33	43	78
85 +	1567	15.3	159	3	6	13	21	32	41	99 +
B. Operated										
65-69 YRS	1791	7.6	116	1	1	4	9	16	30	63
70-74	1542	8.2	126	1	1	4	10	19	32	74
75-79	1116	9.5	140	1	2	6	11	24	37	62
80-84	682	10.0	141	1	2	7	12	24	37	60
85 +	451	9.8	150	1	1	5	13	28	39	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	497	4.1	68	< 1	< 1	1	3	10	19	51
B. Operated	468	4.8	24	< 1	1	3	8	10	12	20
2. MULTIPLE DX										
A. Not Operated	10769	15.0	179	2	5	12	21	33	43	82
B. Operated	5582	8.6	130	1	1	5	10	22	35	65
1. SINGLE DX	965	4.5	47	< 1	< 1	1	6	10	14	42
2. MULTIPLE DX	16351	12.8	172	1	3	9	18	31	41	76
A. Not Operated	11266	14.5	179	2	4	11	21	33	42	78
B. Operated	6050	8.3	123	1	1	4	10	20	34	64
TOTAL										
65-69 YRS	4386	10.7	164	1	2	6	14	29	39	65
70-74	4227	11.6	165	1	2	8	16	29	39	76
75-79	3833	13.2	171	1	3	9	19	31	41	77
80-84	2768	14.1	170	1	4	11	20	31	41	71
85 +	2102	13.7	161	1	4	11	19	30	40	99 +
GRAND TOTAL	**17316**	**12.4**	**168**	**1**	**3**	**8**	**18**	**30**	**40**	**73**

Length of Stay Tables
Operation Groups

1,058 Hospitals, United States, Geriatric, January-December 1988, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30431	4.6	18	1	2	3	6	9	12	18
70-74	24709	4.9	20	1	2	4	7	10	12	20
75-79	17746	5.1	24	1	2	4	7	11	13	21
80-84	10590	5.5	28	1	2	4	8	12	15	25
85 +	7128	6.2	37	1	2	5	9	13	16	28
2. MULTIPLE DX										
65-69 YRS	219523	8.4	73	2	3	6	10	17	23	48
70-74	221805	8.9	80	2	4	7	11	18	25	52
75-79	195936	9.6	88	2	4	7	12	19	27	57
80-84	144916	10.2	98	3	4	8	13	20	28	62
85 +	124395	11.0	108	3	5	8	13	22	31	70
TOTAL SINGLE DX	90604	5.0	23	1	2	4	7	10	13	21
TOTAL MULTIPLE DX	906575	9.4	87	2	4	7	12	19	26	56
TOTAL										
65-69 YRS	249954	7.9	68	2	3	6	10	16	22	46
70-74	246514	8.5	75	2	3	6	11	17	24	49
75-79	213682	9.2	84	2	4	7	11	18	26	55
80-84	155506	9.9	94	2	4	7	12	20	28	60
85 +	131523	10.7	105	3	5	8	13	21	30	68
GRAND TOTAL	**997179**	**9.0**	**83**	**2**	**4**	**7**	**11**	**18**	**25**	**54**

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	110	9.9	51	3	6	9	12	18	22	40
70-74	111	9.3	59	3	5	8	12	15	18	45
75-79	81	10.1	71	4	5	7	12	22	30	45
80-84	45	12.9	205	3	6	10	16	22	24	96
85 +	24	10.0	21	5	7	10	12	15	20	21
2. MULTIPLE DX										
65-69 YRS	625	17.2	210	5	8	12	21	38	54	99 +
70-74	609	18.0	193	6	9	14	22	39	52	99 +
75-79	421	21.0	336	6	10	16	27	51	78	99 +
80-84	252	18.7	204	7	9	15	25	41	56	99 +
85 +	179	18.9	205	7	10	15	22	38	56	99 +
TOTAL SINGLE DX	371	10.1	75	3	6	9	12	18	22	46
TOTAL MULTIPLE DX	2086	18.5	231	6	9	14	23	41	58	99 +
TOTAL										
65-69 YRS	735	16.1	193	5	8	12	20	36	52	94
70-74	720	16.7	183	5	8	13	21	34	47	99 +
75-79	502	19.2	310	5	8	14	24	45	75	99 +
80-84	297	17.8	208	6	8	14	22	40	54	99 +
85 +	203	17.8	192	6	10	14	21	35	53	99 +
GRAND TOTAL	**2457**	**17.3**	**217**	**5**	**8**	**13**	**21**	**37**	**55**	**99 +**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	23	9.7	27	5	7	9	11	16	21	29
70-74	23	11.5	252	3	4	7	11	19	50	77
75-79	14	8.2	35	3	4	7	10	14	23	26
80-84	8	9.8	28	3	6	10	12	17	19	19
85 +	3	20.0	147	7	11	22	29	31	31	31
2. MULTIPLE DX										
65-69 YRS	107	20.0	228	6	10	16	26	54	73	99 +
70-74	119	19.6	314	5	8	14	27	45	67	99 +
75-79	105	20.4	267	7	9	15	32	41	72	99 +
80-84	83	21.5	293	7	10	16	27	44	60	98
85 +	49	20.5	233	8	12	16	22	40	56	82
TOTAL SINGLE DX	71	10.5	107	4	5	9	11	17	29	68
TOTAL MULTIPLE DX	463	20.3	270	6	10	15	27	44	67	99 +
TOTAL										
65-69 YRS	130	18.2	208	6	9	14	24	46	66	99 +
70-74	142	18.3	311	4	7	12	23	43	66	99 +
75-79	119	18.9	255	6	8	13	27	40	69	99 +
80-84	91	20.5	281	7	10	15	26	43	57	97
85 +	52	20.5	226	8	11	16	23	39	54	82
GRAND TOTAL	**534**	**19.0**	**259**	**6**	**9**	**14**	**25**	**42**	**65**	**99 +**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	5.2	9	3	4	4	5	10	13	13
70-74	3	3.0	4	1	1	3	4	5	5	5
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	18	8.6	88	2	3	5	10	24	32	36
70-74	13	11.2	159	3	4	7	11	29	45	49
75-79	11	14.2	201	3	4	6	29	36	38	38
80-84	0									
85 +	0									
TOTAL SINGLE DX	16	4.6	7	2	3	4	5	8	11	13
TOTAL MULTIPLE DX	42	10.9	138	3	4	6	11	34	37	49
TOTAL										
65-69 YRS	29	7.3	60	2	3	5	7	17	26	36
70-74	16	9.7	139	2	4	6	10	23	41	49
75-79	13	12.6	182	3	4	5	19	36	38	38
80-84	0									
85 +	0									
GRAND TOTAL	**58**	**9.1**	**109**	**2**	**4**	**5**	**10**	**25**	**36**	**48**

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	8.4	26	4	5	7	11	16	20	21
70-74	25	6.2	9	2	4	6	8	9	11	15
75-79	19	6.6	21	3	4	5	8	12	18	22
80-84	10	6.3	6	3	4	7	8	9	10	10
85 +	4	10.0	44	6	6	7	14	20	20	20
2. MULTIPLE DX										
65-69 YRS	130	18.0	285	4	7	12	23	42	62	89
70-74	144	17.8	172	6	8	15	24	39	50	99 +
75-79	153	19.3	179	6	10	16	26	39	49	98
80-84	67	21.3	249	7	9	18	29	56	81	99 +
85 +	24	21.0	156	8	13	20	27	42	69	99 +
TOTAL SINGLE DX	73	7.0	17	3	4	6	8	12	16	22
TOTAL MULTIPLE DX	518	18.9	212	6	9	15	25	41	58	99 +
TOTAL										
65-69 YRS	145	17.0	267	4	7	11	21	41	59	87
70-74	169	16.1	165	5	8	11	22	35	48	99 +
75-79	172	17.9	177	5	8	14	24	39	49	92
80-84	77	19.3	243	6	8	16	27	47	72	99 +
85 +	28	19.4	154	6	9	20	26	40	61	99 +
GRAND TOTAL	**591**	**17.4**	**203**	**5**	**8**	**13**	**23**	**39**	**53**	**99 +**

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	7.7	32	2	3	5	13	16	16	16
70-74	5	12.0	104	3	3	10	19	27	27	27
75-79	6	6.8	36	2	2	5	8	17	18	18
80-84	0									
85 +	4	8.5	28	3	4	8	13	14	14	14
2. MULTIPLE DX										
65-69 YRS	59	10.8	126	2	4	7	15	27	36	96
70-74	77	13.5	203	3	5	8	16	37	43	74
75-79	68	12.5	104	3	6	10	16	24	31	56
80-84	27	16.5	221	5	8	12	19	30	50	74
85 +	18	19.2	311	4	7	11	29	47	59	65
TOTAL SINGLE DX	24	8.5	45	2	3	6	13	17	21	27
TOTAL MULTIPLE DX	249	13.3	170	3	5	9	16	30	42	74
TOTAL										
65-69 YRS	68	10.4	114	2	4	7	14	24	35	93
70-74	82	13.4	196	3	4	8	16	36	43	72
75-79	74	12.1	101	3	5	10	15	23	31	56
80-84	27	16.5	221	5	8	12	19	30	50	74
85 +	22	17.2	274	3	7	11	19	44	56	65
GRAND TOTAL	273	12.9	160	3	5	9	16	29	41	72

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	359	6.8	13	4	4	6	8	11	13	21
70-74	313	6.9	11	4	5	6	8	11	13	18
75-79	157	7.8	16	4	5	7	9	12	16	22
80-84	71	8.8	26	4	6	8	10	14	20	29
85 +	17	8.8	13	5	6	7	11	15	16	16
2. MULTIPLE DX										
65-69 YRS	1201	10.6	81	4	6	8	12	19	27	56
70-74	1141	11.0	73	4	6	9	13	20	27	47
75-79	898	12.4	98	5	7	10	15	23	31	64
80-84	395	13.0	97	5	7	10	16	22	33	49
85 +	147	15.9	137	6	9	13	19	30	40	68
TOTAL SINGLE DX	917	7.2	15	4	5	7	9	11	14	21
TOTAL MULTIPLE DX	3782	11.6	88	5	6	9	14	21	28	54
TOTAL										
65-69 YRS	1560	9.7	68	4	5	7	11	17	24	49
70-74	1454	10.1	63	4	6	8	11	18	25	47
75-79	1055	11.8	89	5	7	9	14	22	29	61
80-84	466	12.4	89	5	7	10	15	21	31	48
85 +	164	15.1	129	6	8	12	18	28	35	67
GRAND TOTAL	4699	10.8	77	4	6	8	12	20	27	49

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	36	8.8	31	2	5	8	12	18	20	21
70-74	25	7.0	22	2	3	6	11	13	16	18
75-79	9	10.6	82	1	1	8	20	23	23	23
80-84	10	5.8	42	< 1	1	2	13	16	16	16
85 +	3	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	139	12.6	130	2	6	11	16	24	30	94
70-74	143	15.4	216	3	5	10	20	40	52	75
75-79	103	16.5	240	4	7	11	23	35	43	86
80-84	41	18.3	269	3	6	15	20	43	47	86
85 +	30	13.9	140	2	7	11	17	25	31	61
TOTAL SINGLE DX	83	7.9	35	1	3	7	12	17	20	23
TOTAL MULTIPLE DX	456	15.0	197	3	6	11	20	31	44	86
TOTAL										
65-69 YRS	175	11.8	112	2	6	9	15	23	28	84
70-74	168	14.2	196	2	5	10	18	34	49	71
75-79	112	16.0	229	3	6	11	23	34	42	85
80-84	51	15.9	248	1	5	13	19	42	46	86
85 +	33	12.9	138	2	4	10	16	25	30	61
GRAND TOTAL	539	13.9	179	2	5	10	18	29	42	81

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	46	2.5	4	< 1	1	2	4	6	7	8
70-74	35	3.5	13	1	1	2	6	8	8	19
75-79	29	2.2	4	< 1	1	1	3	6	7	9
80-84	12	2.8	6	1	1	2	3	8	9	9
85 +	8	1.3		1	1	1	1	3	3	3
2. MULTIPLE DX										
65-69 YRS	94	5.3	33	1	2	3	7	13	18	28
70-74	62	8.1	178	1	2	4	9	19	24	88
75-79	49	7.2	143	1	1	3	9	17	27	99 +
80-84	30	3.8	16	1	1	3	4	7	13	20
85 +	14	7.6	70	1	2	4	11	17	28	31
TOTAL SINGLE DX	130	2.7	7	< 1	1	1	3	7	8	11
TOTAL MULTIPLE DX	249	6.3	92	1	2	3	8	16	21	77
TOTAL										
65-69 YRS	140	4.4	25	1	1	2	5	11	16	26
70-74	97	6.4	123	1	1	3	7	16	21	67
75-79	78	5.3	97	1	1	2	6	15	19	93
80-84	42	3.5	14	1	1	2	4	7	11	20
85 +	22	5.3	53	1	1	2	5	15	22	31
GRAND TOTAL	379	5.1	66	1	1	2	6	13	18	33

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	120	1.9	7	<1	<1	1	2	3	5	15
70-74	113	1.6	2	<1	<1	<1	1	3	4	8
75-79	76	1.8	4	<1	<1	<1	1	4	6	13
80-84	43	1.2		<1	<1	<1	1	2	3	3
85 +	20	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	213	3.0	8	<1	1	2	3	7	10	15
70-74	180	3.9	65	<1	1	2	3	8	11	48
75-79	116	3.9	35	<1	1	2	4	9	15	37
80-84	60	6.2	87	1	1	2	8	17	26	48
85 +	47	3.6	35	1	1	2	4	8	9	40
TOTAL SINGLE DX	372	1.6	4	<1	<1	<1	1	3	4	10
TOTAL MULTIPLE DX	616	3.8	40	1	1	2	4	8	12	38
TOTAL										
65-69 YRS	333	2.6	8	<1	1	1	3	6	9	15
70-74	293	3.0	42	<1	<1	1	3	6	9	22
75-79	192	3.0	24	<1	<1	1	3	7	10	30
80-84	103	4.1	57	<1	<1	1	3	10	20	43
85 +	67	2.9	26	<1	<1	1	3	6	8	35
GRAND TOTAL	**988**	**3.0**	**28**	**<1**	**<1**	**1**	**3**	**7**	**9**	**26**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	5.3	5	2	4	5	8	8	8	8
70-74	3	4.0		4	4	4	4	4	4	4
75-79	2	2.5	5	1	1	2	4	4	4	4
80-84	2	5.0	2	4	4	5	6	6	6	6
85 +	0									
2. MULTIPLE DX										
65-69 YRS	49	11.1	49	3	6	9	15	20	26	32
70-74	58	9.4	45	3	5	8	12	16	21	37
75-79	36	12.9	48	7	9	12	16	27	32	99 +
80-84	27	14.4	144	6	7	10	17	29	47	52
85 +	14	14.5	131	6	8	13	14	26	44	49
TOTAL SINGLE DX	13	4.5	4	2	4	4	5	8	8	8
TOTAL MULTIPLE DX	184	11.7	70	3	7	9	14	21	28	51
TOTAL										
65-69 YRS	55	10.5	48	3	5	8	15	19	25	32
70-74	61	9.1	45	3	4	7	12	16	21	36
75-79	38	12.4	52	5	8	11	15	26	31	99 +
80-84	29	13.7	140	5	7	8	16	29	46	52
85 +	14	14.5	131	6	8	13	14	26	44	49
GRAND TOTAL	**197**	**11.2**	**69**	**3**	**6**	**9**	**14**	**21**	**28**	**51**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	13	5.5	26	<1	<1	4	8	13	16	17
70-74	5	2.2	7	<1	<1	<1	2	7	7	7
75-79	7	5.3	41	<1	<1	1	8	16	18	18
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
2. MULTIPLE DX										
65-69 YRS	32	11.7	98	3	5	9	15	23	27	52
70-74	36	7.4	75	1	2	5	9	17	17	49
75-79	26	10.9	128	3	4	8	13	23	36	55
80-84	15	7.9	39	1	3	6	11	19	20	21
85 +	10	13.5	88	2	6	12	18	28	28	28
TOTAL SINGLE DX	26	4.7	26	<1	<1	2	7	12	17	18
TOTAL MULTIPLE DX	119	9.9	92	2	4	7	13	20	27	53
TOTAL										
65-69 YRS	45	9.9	85	1	4	8	12	21	25	52
70-74	41	6.8	70	1	2	5	8	17	17	49
75-79	33	9.7	114	1	4	7	12	19	30	55
80-84	16	7.7	37	1	3	6	11	18	20	21
85 +	10	13.5	89	2	6	12	18	28	28	28
GRAND TOTAL	**145**	**9.0**	**84**	**1**	**3**	**6**	**11**	**18**	**25**	**52**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	231	2.7	3	1	2	2	3	4	5	9
70-74	144	3.1	8	1	2	3	3	5	6	17
75-79	83	2.7	1	1	2	3	3	4	5	7
80-84	37	2.8	1	1	2	3	4	4	4	5
85 +	14	5.3	12	2	3	4	5	13	13	13
2. MULTIPLE DX										
65-69 YRS	448	4.0	11	2	2	3	4	7	10	18
70-74	293	5.2	39	2	2	3	5	11	18	40
75-79	225	6.0	59	2	3	4	6	11	17	40
80-84	91	7.8	156	2	3	4	7	16	28	79
85 +	47	13.5	299	2	3	8	19	31	57	90
TOTAL SINGLE DX	509	2.9	5	1	2	2	3	4	5	12
TOTAL MULTIPLE DX	1104	5.4	57	2	2	3	5	10	17	39
TOTAL										
65-69 YRS	679	3.6	9	1	2	3	4	6	8	18
70-74	437	4.5	30	2	2	3	4	8	14	35
75-79	308	5.1	46	2	2	3	5	10	13	38
80-84	128	6.4	116	2	2	4	5	11	20	62
85 +	61	11.6	244	2	3	5	14	26	44	86
GRAND TOTAL	**1613**	**4.6**	**42**	**2**	**2**	**3**	**5**	**8**	**13**	**33**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	43	3.2	13	1	2	2	4	5	6	25
70-74	31	4.0	14	1	2	3	4	8	13	18
75-79	10	3.3	3	1	2	3	4	6	7	7
80-84	11	3.0	9	1	1	2	3	8	11	11
85 +	5	4.4	29	1	2	2	6	14	14	14
2. MULTIPLE DX										
65-69 YRS	229	5.8	53	2	2	4	5	12	20	34
70-74	176	6.2	75	2	3	4	5	13	20	56
75-79	140	7.8	150	2	3	4	8	18	34	99 +
80-84	63	10.8	236	3	4	5	11	28	41	86
85 +	39	12.0	82	2	3	12	17	25	31	36
TOTAL SINGLE DX	100	3.5	12	1	2	3	4	7	10	21
TOTAL MULTIPLE DX	647	7.2	103	2	3	4	7	16	27	67
TOTAL										
65-69 YRS	272	5.4	48	2	2	3	5	11	19	30
70-74	207	5.9	67	2	2	3	5	13	19	48
75-79	150	7.5	142	2	3	4	8	17	32	99 +
80-84	74	9.6	210	2	3	4	8	20	35	83
85 +	44	11.2	81	2	3	10	16	24	29	36
GRAND TOTAL	**747**	**6.7**	**92**	**2**	**2**	**4**	**6**	**15**	**25**	**67**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	5.8	4	3	4	6	7	8	9	9
70-74	8	7.1	8	3	5	7	9	11	12	12
75-79	4	7.0	3	5	5	7	8	9	9	9
80-84	2	8.0	8	6	6	8	10	10	10	10
85 +	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	111	12.8	128	5	6	10	16	23	32	64
70-74	71	12.2	99	4	7	9	14	24	29	56
75-79	60	14.0	99	5	7	11	19	29	35	43
80-84	15	17.2	321	6	6	11	21	35	63	73
85 +	4	14.0	24	8	10	14	17	20	20	20
TOTAL SINGLE DX	27	6.7	6	3	5	7	8	10	11	12
TOTAL MULTIPLE DX	261	13.2	123	5	6	10	16	26	33	59
TOTAL										
65-69 YRS	123	12.1	121	5	6	9	14	22	30	62
70-74	79	11.6	92	3	6	8	13	23	28	55
75-79	64	13.5	96	5	6	10	19	27	34	43
80-84	17	16.1	291	6	6	10	19	34	60	73
85 +	5	13.4	20	8	10	13	16	20	20	20
GRAND TOTAL	**288**	**12.6**	**115**	**5**	**6**	**9**	**15**	**24**	**33**	**59**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	1.1		<1	<1	<1	1	1	2	2
70-74	13	2.5	22	<1	<1	1	2	6	16	18
75-79	15	1.2		<1	<1	1	1	2	2	2
80-84	5	1.6		<1	1	2	2	2	2	2
85+	5	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	33	4.0	22	<1	1	2	5	10	13	22
70-74	26	8.2	190	<1	1	2	12	16	36	66
75-79	39	5.3	45	1	1	3	7	12	18	35
80-84	13	3.6	8	<1	1	3	6	8	8	8
85+	32	10.0	355	1	1	2	11	40	87	99+
TOTAL SINGLE DX	50	1.5	6	<1	<1	1	1	2	2	18
TOTAL MULTIPLE DX	143	6.4	135	1	1	2	8	15	25	93
TOTAL										
65-69 YRS	45	3.2	18	<1	<1	1	4	9	12	22
70-74	39	6.3	139	<1	1	1	8	16	24	66
75-79	54	4.1	36	<1	1	2	4	11	15	34
80-84	18	3.1	7	<1	1	2	5	8	8	8
85+	37	8.8	316	<1	1	2	10	33	76	99+
GRAND TOTAL	193	5.2	106	<1	1	2	5	13	20	81

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	43	1.3	1	<1	<1	<1	1	2	3	7
70-74	32	1.2		<1	<1	<1	1	2	2	3
75-79	26	1.2		<1	<1	<1	1	2	2	3
80-84	27	1.1		<1	<1	<1	<1	2	2	3
85+	20	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	142	4.8	59	1	1	2	4	11	20	48
70-74	126	3.9	22	1	1	2	5	11	15	99+
75-79	118	6.5	63	<1	1	3	8	18	29	61
80-84	97	6.6	71	1	2	4	8	19	24	79
85+	91	6.2	77	<1	1	3	8	12	16	51
TOTAL SINGLE DX	148	1.2		<1	<1	<1	1	1	2	4
TOTAL MULTIPLE DX	574	5.5	58	1	1	3	7	14	22	55
TOTAL										
65-69 YRS	185	4.0	48	<1	1	1	4	9	18	43
70-74	158	3.3	19	<1	1	2	4	9	14	99+
75-79	144	5.5	57	<1	1	2	6	15	28	47
80-84	124	5.4	61	<1	1	2	6	16	23	67
85+	111	5.3	67	<1	<1	2	7	12	16	50
GRAND TOTAL	722	4.6	49	<1	1	2	5	12	19	50

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	1.2		1	1	1	1	2	3	3
70-74	17	1.6	3	<1	1	1	2	3	6	8
75-79	18	1.2		<1	1	1	1	2	3	3
80-84	16	1.3		1	1	1	2	2	2	2
85+	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	27	1.2		<1	1	1	1	2	2	3
70-74	41	1.4		<1	1	1	2	3	3	4
75-79	53	1.4		1	1	1	2	3	4	5
80-84	55	1.8	3	<1	1	1	2	4	5	10
85+	36	2.0	3	1	1	1	2	4	6	10
TOTAL SINGLE DX	75	1.3	1	1	1	1	1	2	3	7
TOTAL MULTIPLE DX	212	1.6	2	<1	1	1	2	3	4	9
TOTAL										
65-69 YRS	48	1.2		<1	1	1	1	2	3	3
70-74	58	1.5	1	<1	1	1	2	3	3	8
75-79	71	1.4	1	<1	1	1	1	2	3	5
80-84	71	1.7	3	<1	1	1	2	3	5	10
85+	39	1.9	3	1	1	1	2	4	6	10
GRAND TOTAL	287	1.5	2	<1	1	1	2	3	4	8

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	8.5	113	1	1	8	16	16	16	16
2. MULTIPLE DX										
65-69 YRS	10	2.1	1	1	1	2	3	4	4	4
70-74	7	6.1	48	<1	1	4	7	18	21	21
75-79	2	4.0	8	2	2	4	6	6	6	6
80-84	2	32.0	1250	7	7	32	57	57	57	57
85+	8	5.9	36	1	1	3	10	15	17	17
TOTAL SINGLE DX	6	4.0	35	<1	1	2	3	15	16	16
TOTAL MULTIPLE DX	29	6.3	119	1	1	3	6	15	23	57
TOTAL										
65-69 YRS	11	2.0	1	<1	1	2	3	4	4	4
70-74	8	5.5	45	<1	1	3	6	17	21	21
75-79	3	3.7	4	2	2	3	5	6	6	6
80-84	3	22.0	925	2	3	7	44	57	57	57
85+	10	6.4	42	1	1	3	11	16	17	17
GRAND TOTAL	35	5.9	104	1	1	3	6	16	20	57

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	35	1.9		1	1	2	2	3	3	4
70-74	57	2.0	1	1	1	2	2	4	4	7
75-79	78	2.0	1	1	1	2	3	3	4	7
80-84	72	2.1	1	1	1	2	3	4	4	5
85 +	59	2.0	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
65-69 YRS	232	2.7	33	1	1	2	3	4	5	11
70-74	306	2.9	8	1	2	2	3	4	5	22
75-79	345	3.0	8	1	2	2	3	4	6	17
80-84	281	2.7	3	1	2	2	3	4	5	10
85 +	168	2.8	2	1	2	3	3	5	6	9
TOTAL SINGLE DX	301	2.0	1	1	1	2	3	3	4	6
TOTAL MULTIPLE DX	1332	2.8	11	1	2	2	3	4	6	14
TOTAL										
65-69 YRS	267	2.6	29	1	1	2	3	4	5	10
70-74	363	2.7	7	1	1	2	3	4	5	20
75-79	423	2.8	8	1	2	2	3	4	6	17
80-84	353	2.6	3	1	2	2	3	4	5	10
85 +	227	2.6	3	1	1	2	3	5	6	8
GRAND TOTAL	**1633**	**2.7**	**9**	**1**	**2**	**2**	**3**	**4**	**5**	**12**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	1.0		<1	<1	<1	1	1	1	1
70-74	12	2.2	1	<1	1	2	3	4	5	5
75-79	4	1.3		<1	<1	1	2	2	2	2
80-84	7	3.6	10	<1	1	2	6	9	9	9
85 +	4	2.3	3	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	30	4.2	21	<1	1	2	6	12	15	18
70-74	29	4.6	31	<1	1	2	6	12	15	26
75-79	27	4.9	15	1	2	4	7	13	23	99 +
80-84	33	5.0	16	1	2	3	7	11	13	15
85 +	27	3.1	15	1	1	2	3	5	10	21
TOTAL SINGLE DX	33	2.2	4	<1	1	1	2	5	7	9
TOTAL MULTIPLE DX	146	4.4	20	1	1	3	6	11	14	28
TOTAL										
65-69 YRS	36	3.7	19	<1	1	1	5	11	15	18
70-74	41	3.9	24	<1	1	2	4	9	14	26
75-79	31	4.5	15	1	2	3	7	12	15	99 +
80-84	40	4.8	16	1	2	3	7	11	12	15
85 +	31	3.0	14	1	1	2	3	5	8	21
GRAND TOTAL	**179**	**4.0**	**18**	**<1**	**1**	**2**	**5**	**10**	**14**	**24**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	65	2.2	2	<1	1	2	3	5	5	7
70-74	50	2.3	3	<1	1	2	3	4	8	9
75-79	56	2.2	1	<1	1	2	3	4	5	6
80-84	44	1.9	2	<1	1	1	2	4	5	9
85 +	11	2.0	1	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
65-69 YRS	181	4.3	61	1	2	2	4	7	11	53
70-74	194	3.0	4	1	2	2	3	6	8	11
75-79	206	3.2	7	1	2	2	3	7	8	14
80-84	155	3.5	18	1	2	2	4	6	9	20
85 +	93	4.7	92	1	1	2	4	9	16	62
TOTAL SINGLE DX	226	2.2	2	<1	1	2	3	4	5	8
TOTAL MULTIPLE DX	829	3.6	31	1	2	2	4	7	9	23
TOTAL										
65-69 YRS	246	3.7	46	1	1	2	4	6	8	52
70-74	244	2.8	5	1	1	2	3	5	8	10
75-79	262	3.0	7	1	1	2	3	6	8	14
80-84	199	3.2	16	1	1	2	4	6	8	17
85 +	104	4.5	84	1	1	2	4	8	14	57
GRAND TOTAL	**1055**	**3.3**	**25**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	22	1.6	1	<1	1	1	2	3	4	5
70-74	13	2.0	3	<1	<1	1	2	5	7	7
75-79	24	3.0	9	1	1	2	3	9	11	11
80-84	7	3.0	7	1	1	1	5	7	7	7
85 +	15	1.5		1	1	1	2	2	3	3
2. MULTIPLE DX										
65-69 YRS	50	4.9	45	1	2	3	5	12	23	33
70-74	97	4.9	31	1	1	3	6	10	16	69
75-79	87	4.7	48	1	1	3	5	9	19	43
80-84	67	4.8	21	1	1	3	7	11	14	22
85 +	46	5.8	28	1	2	4	10	14	20	99 +
TOTAL SINGLE DX	81	2.2	5	<1	1	1	2	5	7	11
TOTAL MULTIPLE DX	347	4.9	35	1	1	3	5	11	19	37
TOTAL										
65-69 YRS	72	3.9	34	<1	1	2	3	8	18	32
70-74	110	4.5	29	1	1	3	5	10	15	61
75-79	111	4.3	40	1	1	2	5	9	12	41
80-84	74	4.6	20	1	1	3	7	11	13	22
85 +	61	4.7	25	1	1	2	7	13	18	91
GRAND TOTAL	**428**	**4.4**	**31**	**1**	**1**	**2**	**5**	**10**	**15**	**36**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	1.4		<1	1	1	2	2	2	2
70-74	13	1.3		<1	<1	1	2	2	2	2
75-79	10	1.5		<1	<1	1	2	3	3	3
80-84	15	1.4		<1	1	1	2	2	2	2
85 +	10	1.5		<1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	66	3.2	32	<1	1	2	2	4	12	34
70-74	64	2.4	9	1	1	2	2	4	6	19
75-79	79	3.4	64	<1	1	1	2	6	7	51
80-84	77	3.1	34	1	1	2	2	7	15	85
85 +	61	2.9	14	1	1	1	3	7	12	21
TOTAL SINGLE DX	56	1.4		<1	1	1	2	2	2	3
TOTAL MULTIPLE DX	347	3.0	33	1	1	2	2	6	9	45
TOTAL										
65-69 YRS	74	3.0	29	<1	1	2	2	4	9	33
70-74	77	2.2	8	<1	1	2	2	4	6	19
75-79	89	3.2	58	<1	1	1	2	5	7	50
80-84	92	2.8	29	<1	1	2	2	6	9	76
85 +	71	2.7	13	1	1	1	2	6	11	20
GRAND TOTAL	403	2.8	28	<1	1	2	2	5	9	39

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	481	1.0		<1	<1	<1	<1	1	1	2
70-74	687	1.1		<1	<1	<1	<1	1	2	2
75-79	910	1.1		<1	<1	<1	<1	1	2	2
80-84	696	1.1		<1	<1	<1	<1	1	2	2
85 +	557	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
65-69 YRS	659	2.4	32	<1	1	2	2	3	6	21
70-74	867	2.5	35	<1	1	1	2	4	7	32
75-79	1166	2.5	23	<1	1	1	2	4	7	29
80-84	1056	2.7	42	<1	1	2	2	4	7	36
85 +	904	2.9	41	1	1	2	2	4	9	37
TOTAL SINGLE DX	3331	1.1		<1	<1	<1	<1	1	2	2
TOTAL MULTIPLE DX	4652	2.6	35	<1	1	2	2	4	7	32
TOTAL										
65-69 YRS	1140	1.9	19	<1	<1	1	2	2	3	16
70-74	1554	1.9	20	<1	<1	1	2	2	4	16
75-79	2076	1.9	14	<1	<1	1	2	2	4	16
80-84	1752	2.0	26	<1	<1	1	2	3	4	24
85 +	1461	2.3	27	<1	<1	1	2	3	6	26
GRAND TOTAL	7983	2.0	21	<1	<1	1	2	2	4	19

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	24	1.3		<1	<1	<1	1	2	3	4
70-74	20	1.2		<1	<1	<1	1	2	2	2
75-79	36	1.0		<1	<1	<1	<1	1	1	2
80-84	32	1.2		<1	<1	<1	1	2	2	3
85 +	26	1.2		<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
65-69 YRS	40	3.9	157	<1	1	1	2	4	10	80
70-74	45	2.8	14	<1	1	2	3	5	8	22
75-79	54	2.4	6	<1	1	2	2	4	8	15
80-84	48	2.4	5	<1	1	2	2	4	6	15
85 +	34	5.0	111	1	1	2	2	11	31	53
TOTAL SINGLE DX	138	1.2		<1	<1	<1	1	2	2	4
TOTAL MULTIPLE DX	221	3.1	51	<1	1	2	2	5	10	40
TOTAL										
65-69 YRS	64	2.9	99	<1	<1	1	2	3	5	71
70-74	65	2.3	11	<1	<1	1	2	4	5	21
75-79	90	1.8	4	<1	<1	1	2	3	5	13
80-84	80	1.9	4	<1	<1	1	2	3	4	13
85 +	60	3.4	66	<1	<1	1	2	4	12	51
GRAND TOTAL	359	2.4	33	<1	<1	1	2	4	5	21

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	272	2.5	2	1	1	2	3	4	5	8
70-74	217	2.4	1	1	1	2	3	4	5	7
75-79	158	2.5	2	1	2	2	3	4	5	9
80-84	56	2.2	1	1	1	2	3	3	4	5
85 +	32	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
65-69 YRS	626	3.1	5	1	2	3	4	5	7	12
70-74	536	3.2	4	1	2	3	4	6	7	11
75-79	415	3.3	5	1	2	3	4	6	7	14
80-84	218	3.2	6	1	2	3	4	6	7	15
85 +	114	3.1	4	1	2	3	4	5	6	13
TOTAL SINGLE DX	735	2.5	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1909	3.2	5	1	2	3	4	6	7	12
TOTAL										
65-69 YRS	898	2.9	5	1	2	3	3	5	6	11
70-74	753	2.9	4	1	2	3	4	5	7	11
75-79	573	3.1	5	1	2	3	4	5	7	12
80-84	274	3.0	5	1	2	3	4	5	6	12
85 +	146	3.0	4	1	2	3	4	5	6	13
GRAND TOTAL	2644	3.0	5	1	2	3	4	5	7	11

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	73	2.3	4	1	1	2	2	5	7	13
70-74	61	2.3	3	1	1	2	3	5	7	9
75-79	56	2.6	4	1	1	2	3	5	6	13
80-84	42	2.5	5	1	1	2	3	4	8	14
85+	20	3.0	3	1	1	3	4	6	7	7
2. MULTIPLE DX										
65-69 YRS	326	3.3	12	1	1	2	4	7	11	18
70-74	273	3.0	9	1	1	2	3	6	8	16
75-79	252	3.3	13	1	1	2	4	8	10	22
80-84	173	2.9	4	1	1	2	4	6	8	12
85+	109	3.2	9	1	1	2	4	7	9	16
TOTAL SINGLE DX	252	2.5	4	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	1133	3.2	10	1	1	2	4	7	9	17
TOTAL										
65-69 YRS	399	3.1	12	1	1	2	3	6	10	18
70-74	334	2.9	8	1	1	2	3	6	8	14
75-79	308	3.2	12	1	1	2	3	7	10	18
80-84	215	2.9	5	1	1	2	3	6	8	12
85+	129	3.2	8	1	1	2	4	7	9	15
GRAND TOTAL	1385	3.1	9	1	1	2	3	6	9	16

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	1.0		<1	<1	<1	1	1	1	1
70-74	2	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	2	1.0		<1	<1	<1	<1	<1	<1	<1
85+	0									
2. MULTIPLE DX										
65-69 YRS	13	1.3		1	1	1	2	2	2	2
70-74	9	1.7	1	1	1	1	2	4	5	5
75-79	4	2.5	5	1	1	2	4	6	6	6
80-84	2	2.0		2	2	2	2	2	2	2
85+	2	3.5	13	1	1	3	6	6	6	6
TOTAL SINGLE DX	7	1.0		<1	<1	<1	1	1	1	1
TOTAL MULTIPLE DX	30	1.8	2	1	1	1	2	4	6	6
TOTAL										
65-69 YRS	16	1.3		<1	1	1	2	2	2	2
70-74	11	1.5	1	1	1	1	2	3	5	5
75-79	4	2.5	6	1	1	2	4	6	6	6
80-84	4	1.5		<1	<1	1	2	2	2	2
85+	2	3.5	13	1	1	3	6	6	6	6
GRAND TOTAL	37	1.6	2	<1	1	1	2	2	5	6

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	23	2.0	3	1	1	1	2	5	7	8
70-74	16	2.5	1	1	1	2	3	4	5	5
75-79	10	2.0	6	<1	1	1	1	6	9	9
80-84	16	2.1	3	<1	1	1	3	5	6	7
85+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	96	3.8	11	1	1	2	6	9	10	16
70-74	103	4.4	20	1	1	3	6	11	15	21
75-79	81	5.2	38	1	2	3	7	12	16	35
80-84	83	5.2	31	1	2	3	6	12	18	31
85+	93	6.5	85	1	2	4	8	13	19	92
TOTAL SINGLE DX	68	2.1	3	1	1	1	3	5	6	9
TOTAL MULTIPLE DX	456	5.0	38	1	2	3	6	11	16	26
TOTAL										
65-69 YRS	119	3.4	10	1	1	2	5	8	10	15
70-74	119	4.1	19	1	1	3	5	9	15	21
75-79	91	4.9	36	1	1	3	6	12	14	33
80-84	99	4.7	28	1	1	3	5	11	16	28
85+	96	6.3	84	1	2	4	8	13	19	91
GRAND TOTAL	524	4.6	34	1	1	3	6	10	14	24

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	1.5		<1	<1	1	2	3	3	3
70-74	19	1.8	3	<1	<1	<1	1	5	6	7
75-79	25	1.3		<1	<1	<1	1	2	3	4
80-84	11	1.6	3	<1	<1	<1	1	4	7	7
85 +	12	2.8	13	<1	<1	2	3	7	13	14
2. MULTIPLE DX										
65-69 YRS	55	4.7	27	1	1	2	6	13	18	22
70-74	66	7.6	136	<1	1	4	9	20	39	94
75-79	63	5.4	27	1	2	4	8	12	18	90
80-84	44	9.5	122	1	3	7	12	17	23	69
85 +	61	8.3	89	1	2	5	11	21	31	94
TOTAL SINGLE DX	82	1.7	3	<1	<1	1	2	3	5	12
TOTAL MULTIPLE DX	289	7.0	82	1	1	4	9	17	23	87
TOTAL										
65-69 YRS	70	4.0	23	<1	1	2	5	10	17	21
70-74	85	6.3	112	<1	1	2	7	18	31	87
75-79	88	4.2	23	<1	1	2	6	10	16	72
80-84	55	7.9	108	<1	1	5	11	16	23	67
85 +	73	7.4	81	1	2	4	10	19	25	88
GRAND TOTAL	**371**	**5.8**	**69**	**<1**	**1**	**3**	**7**	**16**	**21**	**68**

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	52	1.3		1	1	1	1	2	3	4
70-74	31	1.3		1	1	1	2	2	2	3
75-79	16	1.2		1	1	1	1	2	2	2
80-84	7	1.1		1	1	1	1	2	2	2
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	63	1.5		1	1	1	2	2	3	3
70-74	39	1.6	1	1	1	1	2	2	4	5
75-79	28	1.5		1	1	1	2	2	3	5
80-84	9	1.6		1	1	1	2	3	3	3
85 +	2	1.5	1	1	1	1	2	2	2	2
TOTAL SINGLE DX	108	1.3		1	1	1	1	2	2	4
TOTAL MULTIPLE DX	141	1.5	1	1	1	1	2	2	3	5
TOTAL										
65-69 YRS	115	1.4		1	1	1	2	2	3	4
70-74	70	1.5	1	1	1	1	2	2	3	5
75-79	44	1.4	1	1	1	1	2	2	2	5
80-84	16	1.4		1	1	1	2	2	3	3
85 +	4	1.5		1	1	1	2	2	2	2
GRAND TOTAL	**249**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	37	1.0		1	1	1	1	1	1	2
70-74	17	1.2		1	1	1	1	2	3	3
75-79	11	1.1		<1	1	1	1	2	2	2
80-84	5	1.0		<1	<1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	108	1.3		1	1	1	2	2	2	3
70-74	54	1.8	4	1	1	1	2	2	4	12
75-79	32	1.7	2	1	1	1	2	4	6	7
80-84	7	3.3	31	<1	1	1	2	13	16	16
85 +	4	2.3	6	1	1	1	4	6	6	6
TOTAL SINGLE DX	70	1.1		1	1	1	1	1	2	3
TOTAL MULTIPLE DX	205	1.6	3	1	1	1	2	2	3	11
TOTAL										
65-69 YRS	145	1.2		1	1	1	1	2	2	3
70-74	71	1.6	3	1	1	1	2	2	3	12
75-79	43	1.6	2	1	1	1	2	3	5	7
80-84	12	2.3	19	<1	1	1	1	6	15	16
85 +	4	2.3	6	1	1	1	4	6	6	6
GRAND TOTAL	**275**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**	**10**

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	1.0		<1	<1	1	1	1	1	1
70-74	7	1.0		<1	<1	1	1	1	1	1
75-79	7	4.7	39	<1	<1	<1	6	16	18	18
80-84	4	1.0		<1	<1	<1	<1	<1	<1	<1
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	26	7.8	109	<1	1	3	11	18	37	42
70-74	27	7.3	31	1	3	6	12	16	19	19
75-79	18	6.3	45	<1	1	2	11	17	19	20
80-84	10	7.6	44	1	3	7	9	18	24	24
85 +	9	15.3	186	3	6	10	24	38	40	40
TOTAL SINGLE DX	30	1.9	11	<1	<1	1	1	3	6	18
TOTAL MULTIPLE DX	90	8.1	76	1	2	5	12	18	24	41
TOTAL										
65-69 YRS	37	5.8	86	<1	1	1	6	14	30	42
70-74	34	6.0	32	<1	1	4	10	14	18	19
75-79	25	5.8	42	<1	<1	2	9	18	19	20
80-84	14	5.7	40	<1	<1	3	7	13	22	24
85 +	10	14.0	184	1	5	9	20	37	40	40
GRAND TOTAL	**120**	**6.5**	**67**	**<1**	**1**	**3**	**9**	**17**	**20**	**41**

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	39	1.4		1	1	1	2	3	3	4
70-74	22	2.9	12	1	1	2	3	7	11	17
75-79	12	1.8		1	1	2	3	3	3	3
80-84	3	1.0		1	1	1	1	1	1	1
85 +	2	16.5	481	1	1	16	32	32	32	32
2. MULTIPLE DX										
65-69 YRS	113	3.3	40	1	1	1	2	5	16	37
70-74	77	2.6	21	1	1	1	2	4	7	31
75-79	48	2.9	12	1	1	2	3	7	13	17
80-84	28	5.8	46	1	1	3	7	19	21	24
85 +	4	8.8	88	1	1	7	16	20	20	20
TOTAL SINGLE DX	78	2.3	16	1	1	1	2	3	6	28
TOTAL MULTIPLE DX	270	3.4	32	1	1	1	3	7	15	32
TOTAL										
65-69 YRS	152	2.8	31	1	1	1	2	4	11	33
70-74	99	2.6	19	1	1	1	2	5	7	28
75-79	60	2.7	10	1	1	2	3	6	11	17
80-84	31	5.3	44	1	1	2	6	18	21	24
85 +	6	11.3	165	1	1	7	20	31	32	32
GRAND TOTAL	348	3.1	29	1	1	1	2	6	13	32

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	46	1.9	1	1	1	1	2	4	5	6
70-74	20	2.1	2	1	1	2	2	4	6	7
75-79	12	2.2	3	1	1	2	2	4	7	8
80-84	9	1.7		1	1	2	2	3	3	3
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
65-69 YRS	71	2.6	7	1	1	2	3	6	10	13
70-74	51	3.1	15	1	1	2	3	7	14	20
75-79	18	2.8	2	1	2	3	4	5	6	6
80-84	7	4.6	26	1	1	2	6	13	15	15
85 +	5	4.8	24	1	1	4	7	13	13	13
TOTAL SINGLE DX	88	2.0	2	1	1	2	2	4	4	8
TOTAL MULTIPLE DX	152	3.0	11	1	1	2	3	6	11	15
TOTAL										
65-69 YRS	117	2.4	5	1	1	2	3	5	7	12
70-74	71	2.8	12	1	1	2	3	6	11	19
75-79	30	2.6	3	1	1	2	3	5	6	8
80-84	16	2.9	13	1	1	2	3	6	12	15
85 +	6	4.2	22	< 1	1	3	5	12	13	13
GRAND TOTAL	240	2.6	8	1	1	2	3	5	8	15

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	1.7	2	< 1	1	1	2	4	6	6
70-74	11	1.3		1	1	1	1	2	3	3
75-79	4	1.8		1	1	2	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	85	2.0	4	1	1	1	2	4	5	14
70-74	35	2.1	6	1	1	1	2	4	8	13
75-79	18	3.7	15	1	1	2	5	10	13	15
80-84	7	6.3	46	1	2	5	6	18	21	21
85 +	4	2.5	1	1	1	2	3	4	4	4
TOTAL SINGLE DX	26	1.5	1	1	1	1	2	3	4	6
TOTAL MULTIPLE DX	149	2.4	9	1	1	1	2	5	7	17
TOTAL										
65-69 YRS	96	2.0	4	1	1	1	2	4	6	13
70-74	46	1.9	5	1	1	1	2	4	7	13
75-79	22	3.4	13	1	1	2	4	8	13	15
80-84	7	6.3	47	1	2	5	6	18	21	21
85 +	4	2.5	2	1	1	2	3	4	4	4
GRAND TOTAL	175	2.3	8	1	1	1	2	5	7	16

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	1.3		<1	<1	1	2	2	3	3
70-74	11	1.8	1	1	1	1	2	4	5	5
75-79	13	2.1	4	<1	1	1	2	4	8	9
80-84	4	2.5	3	<1	1	2	4	5	5	5
85+	4	2.0		<1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	185	2.7	14	1	1	1	2	5	10	21
70-74	136	2.6	7	1	1	2	3	6	9	15
75-79	63	2.6	4	1	1	2	4	5	8	11
80-84	49	5.0	142	1	1	2	4	7	14	84
85+	42	3.7	13	1	1	3	5	10	15	99+
TOTAL SINGLE DX	62	1.7	2	<1	1	1	2	3	4	9
TOTAL MULTIPLE DX	475	3.0	25	1	1	2	3	6	10	20
TOTAL										
65-69 YRS	215	2.5	13	1	1	1	2	5	9	21
70-74	147	2.6	7	1	1	1	3	6	8	15
75-79	76	2.5	5	1	1	2	3	5	8	11
80-84	53	4.8	132	1	1	2	4	7	13	82
85+	46	3.5	12	1	1	2	4	10	14	99+
GRAND TOTAL	**537**	**2.8**	**22**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	35	1.3		<1	<1	1	1	3	4	4
70-74	44	1.7	3	<1	<1	1	2	3	5	11
75-79	36	2.6	10	<1	<1	1	2	5	11	16
80-84	14	1.2		<1	<1	1	1	2	3	3
85+	13	2.2	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	144	3.6	42	1	1	2	3	7	13	49
70-74	117	3.8	23	1	1	2	4	9	12	24
75-79	73	6.8	102	1	1	3	7	20	33	46
80-84	63	7.3	70	1	2	4	9	18	24	44
85+	68	6.6	90	1	1	3	8	16	28	93
TOTAL SINGLE DX	142	1.8	4	<1	<1	1	2	4	5	12
TOTAL MULTIPLE DX	465	5.1	60	1	1	2	6	12	20	46
TOTAL										
65-69 YRS	179	3.1	35	<1	1	1	3	6	10	44
70-74	161	3.2	18	<1	1	1	3	8	11	18
75-79	109	5.4	75	<1	1	2	5	14	29	45
80-84	77	6.2	63	<1	1	3	8	17	23	42
85+	81	5.9	79	1	1	3	7	14	26	88
GRAND TOTAL	**607**	**4.3**	**49**	**<1**	**1**	**2**	**4**	**10**	**17**	**45**

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	3.6	4	1	2	3	5	6	9	12
70-74	50	3.7	5	1	2	3	5	6	8	14
75-79	53	3.4	4	1	2	3	5	7	7	10
80-84	29	2.9	2	<1	1	3	4	5	6	7
85+	21	3.4	4	1	2	3	4	6	8	10
2. MULTIPLE DX										
65-69 YRS	298	5.1	27	1	3	4	6	9	10	20
70-74	280	5.4	31	2	3	4	6	9	14	24
75-79	207	5.3	24	1	2	4	6	10	13	29
80-84	165	5.6	21	2	3	4	7	11	14	27
85+	131	5.2	23	1	3	4	6	9	13	29
TOTAL SINGLE DX	225	3.5	5	1	2	3	5	6	7	11
TOTAL MULTIPLE DX	1081	5.3	27	2	3	4	6	9	13	26
TOTAL										
65-69 YRS	370	4.8	24	1	2	4	6	8	10	18
70-74	330	5.1	28	2	3	4	6	9	14	23
75-79	260	4.9	21	1	2	4	6	9	11	27
80-84	194	5.2	20	1	3	4	6	10	14	27
85+	152	5.0	21	1	2	4	6	9	11	28
GRAND TOTAL	**1306**	**5.0**	**23**	**1**	**2**	**4**	**6**	**9**	**11**	**24**

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	1.5		<1	1	1	2	2	3	3
70-74	16	1.6		1	1	1	2	3	4	4
75-79	9	1.3		<1	1	1	2	2	2	2
80-84	2	1.5	1	1	1	1	2	2	2	2
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	122	3.6	48	1	1	2	3	8	12	36
70-74	68	4.8	70	1	1	2	4	11	17	52
75-79	52	4.8	45	1	1	2	5	12	19	40
80-84	14	3.4	14	1	1	2	4	9	14	15
85+	3	12.7	122	1	4	14	21	23	23	23
TOTAL SINGLE DX	55	1.5	1	1	1	1	2	2	3	4
TOTAL MULTIPLE DX	259	4.2	53	1	1	2	4	10	16	40
TOTAL										
65-69 YRS	149	3.2	40	1	1	2	3	6	10	25
70-74	84	4.2	59	1	1	2	3	11	16	49
75-79	61	4.2	40	1	1	2	4	10	16	38
80-84	16	3.2	13	1	1	2	3	8	13	15
85+	4	10.3	105	1	2	8	18	23	23	23
GRAND TOTAL	**314**	**3.8**	**45**	**1**	**1**	**2**	**3**	**9**	**14**	**37**

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	37	2.7	15	1	1	2	3	4	7	24
70-74	33	2.1	2	<1	1	1	2	5	6	7
75-79	23	2.1	2	1	1	2	2	4	5	6
80-84	3	2.3	5	1	1	1	4	5	5	5
85 +	0									
2. MULTIPLE DX										
65-69 YRS	275	3.8	47	1	1	2	4	10	15	34
70-74	187	5.7	71	1	1	3	6	14	24	58
75-79	106	5.1	42	1	1	2	6	13	18	35
80-84	58	7.2	63	1	1	5	10	16	20	40
85 +	31	7.3	30	1	2	5	12	14	19	19
TOTAL SINGLE DX	96	2.3	7	1	1	2	3	5	6	17
TOTAL MULTIPLE DX	657	5.0	55	1	1	2	6	13	18	40
TOTAL										
65-69 YRS	312	3.7	44	1	1	2	3	8	15	29
70-74	220	5.2	63	1	1	2	5	13	22	50
75-79	129	4.5	36	1	1	2	5	12	17	35
80-84	61	6.9	61	1	1	5	9	16	19	40
85 +	31	7.3	30	1	2	5	12	14	19	19
GRAND TOTAL	753	4.7	50	1	1	2	5	12	17	38

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	1.5	1	<1	<1	<1	2	3	4	4
70-74	11	1.1		<1	<1	1	1	2	2	2
75-79	4	1.5		<1	<1	1	2	2	2	2
80-84	3	1.3		<1	<1	<1	2	2	2	2
85 +	4	1.8	2	<1	<1	<1	2	4	4	4
2. MULTIPLE DX										
65-69 YRS	128	6.7	81	1	1	3	9	19	36	99 +
70-74	136	7.7	124	1	2	4	9	17	37	99 +
75-79	136	10.3	254	1	2	5	12	26	46	91
80-84	91	7.9	104	1	2	4	11	22	29	99 +
85 +	84	9.8	168	1	2	5	14	22	43	91
TOTAL SINGLE DX	34	1.4	1	<1	<1	1	1	2	4	4
TOTAL MULTIPLE DX	575	8.4	150	1	2	4	11	21	40	99 +
TOTAL										
65-69 YRS	140	6.3	77	1	1	3	8	17	35	99 +
70-74	147	7.2	118	1	1	3	8	17	37	99 +
75-79	140	10.1	249	1	2	5	12	24	45	91
80-84	94	7.6	102	1	2	4	11	22	29	99 +
85 +	88	9.4	163	1	2	4	13	22	42	90
GRAND TOTAL	609	8.0	144	1	2	3	10	21	38	99 +

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	1.7		1	1	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	1.5	1	<1	<1	1	2	2	2	2
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	0									
85 +	0									
TOTAL SINGLE DX	6	1.5		<1	1	1	2	2	2	2
TOTAL MULTIPLE DX	7	1.9	1	<1	1	2	3	3	3	3
TOTAL										
65-69 YRS	4	1.5		<1	<1	1	2	2	2	2
70-74	5	1.6	1	1	1	1	2	3	3	3
75-79	4	2.0	1	<1	1	2	3	3	3	3
80-84	0									
85 +	0									
GRAND TOTAL	13	1.7	1	<1	1	2	2	3	3	3

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	2.0	4	<1	1	1	2	5	8	8
70-74	9	2.0		1	1	2	3	3	3	3
75-79	4	1.5		1	1	1	2	2	2	2
80-84	3	1.7		1	1	2	2	2	2	2
85 +	6	2.2	3	<1	<1	1	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	64	5.2	57	1	1	2	6	12	23	40
70-74	52	3.7	36	1	1	2	3	6	15	34
75-79	39	5.7	82	1	2	2	5	13	31	42
80-84	18	6.0	69	1	1	2	11	15	26	33
85 +	13	6.6	117	1	2	3	6	15	37	42
TOTAL SINGLE DX	33	1.9	2	<1	1	2	2	3	5	8
TOTAL MULTIPLE DX	186	5.1	61	1	1	2	5	11	24	42
TOTAL										
65-69 YRS	75	4.8	51	1	1	2	6	11	19	39
70-74	61	3.5	32	1	1	2	3	6	11	33
75-79	43	5.3	76	1	1	2	4	13	28	42
80-84	21	5.4	62	1	1	2	5	15	24	33
85 +	19	5.2	84	<1	1	3	5	8	27	42
GRAND TOTAL	219	4.6	54	1	1	2	4	10	19	42

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	202	2.0	2	1	1	2	2	4	4	10
70-74	146	2.3	2	1	1	2	3	4	4	10
75-79	91	2.2	2	1	1	2	3	4	5	8
80-84	56	3.1	15	1	1	2	3	6	7	23
85 +	25	2.9	4	1	2	2	4	6	7	8
2. MULTIPLE DX										
65-69 YRS	279	3.7	41	1	1	2	4	6	11	31
70-74	305	3.8	17	1	2	3	4	8	11	22
75-79	188	4.6	56	1	2	3	4	9	13	54
80-84	103	4.6	33	1	2	3	5	10	13	37
85 +	90	5.8	35	1	2	5	7	11	12	37
TOTAL SINGLE DX	520	2.3	4	1	1	2	3	4	5	10
TOTAL MULTIPLE DX	965	4.2	36	1	2	3	4	9	12	33
TOTAL										
65-69 YRS	481	3.0	25	1	1	2	3	5	8	18
70-74	451	3.3	13	1	1	2	3	6	10	21
75-79	279	3.8	40	1	1	2	4	7	11	35
80-84	159	4.1	28	1	2	2	4	9	13	33
85 +	115	5.2	30	1	2	4	7	11	12	29
GRAND TOTAL	1485	3.5	25	1	1	2	4	7	10	22

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74	0									
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	2.0	2	1	1	2	3	4	4	4
70-74	4	3.0		2	2	3	4	4	4	4
75-79	0									
80-84	0									
85 +	1	3.0		3	3	3	3	3	3	3
TOTAL SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
TOTAL MULTIPLE DX	9	2.6	1	1	2	3	3	4	4	4
TOTAL										
65-69 YRS	7	1.7	1	1	1	1	2	4	4	4
70-74	4	3.0	1	2	2	3	4	4	4	4
75-79	0									
80-84	1	3.0		3	3	3	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	13	2.3	1	1	1	2	3	4	4	4

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	78	3.4	13	<1	1	2	4	9	11	17
70-74	75	2.8	6	<1	1	2	3	7	9	11
75-79	40	3.3	15	<1	1	2	4	7	11	22
80-84	24	2.2	2	<1	1	1	3	4	5	7
85 +	26	2.7	6	1	1	2	3	5	9	11
2. MULTIPLE DX										
65-69 YRS	234	7.4	103	1	2	4	9	17	25	69
70-74	273	8.0	85	1	2	4	10	19	29	52
75-79	216	7.8	80	1	2	5	9	16	27	47
80-84	161	7.2	61	1	2	5	8	16	23	43
85 +	123	9.0	97	1	2	5	11	23	30	48
TOTAL SINGLE DX	243	3.0	10	<1	1	2	4	7	10	16
TOTAL MULTIPLE DX	1007	7.8	86	1	2	5	10	18	27	48
TOTAL										
65-69 YRS	312	6.4	84	1	1	3	8	15	21	57
70-74	348	6.8	73	1	2	4	8	17	25	45
75-79	256	7.1	73	1	2	4	9	15	26	44
80-84	185	6.5	57	1	2	4	7	15	23	41
85 +	149	7.9	87	1	2	4	10	19	27	45
GRAND TOTAL	1250	6.9	75	1	2	4	8	16	24	45

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	1.0		1	1	1	1	1	1	1
70-74	6	1.3		1	1	1	2	2	2	2
75-79	4	3.0	8	1	1	2	5	7	7	7
80-84	0									
85 +	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	20	4.6	38	1	1	2	5	15	20	23
70-74	9	2.6	4	1	1	2	4	6	6	6
75-79	5	4.2	1	3	3	5	5	5	5	5
80-84	4	9.8	145	1	1	5	18	27	27	27
85 +	3	5.3	4	3	4	6	7	7	7	7
TOTAL SINGLE DX	18	1.7	2	1	1	1	2	4	6	7
TOTAL MULTIPLE DX	41	4.7	34	1	1	3	6	10	20	27
TOTAL										
65-69 YRS	26	3.8	32	1	1	1	3	12	19	23
70-74	15	2.1	3	1	1	1	2	6	6	6
75-79	9	3.7	4	1	2	3	5	6	7	7
80-84	4	9.8	145	1	1	5	18	27	27	27
85 +	5	4.2	6	1	2	4	6	7	7	7
GRAND TOTAL	59	3.8	26	1	1	2	4	8	15	27

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	2	6.0	50	1	1	6	11	11	11	11
TOTAL SINGLE DX	3	3.7	14	< 1	< 1	2	6	8	8	8
TOTAL MULTIPLE DX	3	4.3	33	1	1	1	9	11	11	11
TOTAL										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	3	4.3	33	< 1	< 1	1	8	11	11	11
GRAND TOTAL	6	4.0	19	< 1	1	2	8	11	11	11

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	0									
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	0									

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	31	3.1	8	1	1	2	5	8	10	10
70-74	23	4.5	10	1	1	4	7	9	10	11
75-79	20	3.0	2	< 1	1	3	4	5	6	7
80-84	6	2.8	12	< 1	1	1	2	9	10	10
85 +	6	2.5	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	117	6.2	65	1	1	3	8	15	19	38
70-74	99	9.6	168	1	2	6	11	21	42	68
75-79	65	10.0	192	1	2	5	11	27	41	71
80-84	37	9.4	166	1	2	5	11	24	26	72
85 +	29	14.5	313	2	4	7	15	34	68	72
TOTAL SINGLE DX	86	3.4	8	1	1	2	5	8	10	11
TOTAL MULTIPLE DX	347	8.9	153	1	2	5	10	20	28	71
TOTAL										
65-69 YRS	148	5.6	55	1	1	3	8	14	17	23
70-74	122	8.6	142	1	2	5	10	20	31	67
75-79	85	8.4	156	1	2	4	9	18	33	70
80-84	43	8.5	149	1	2	5	10	21	26	72
85 +	35	12.4	279	2	3	6	14	30	60	72
GRAND TOTAL	433	7.8	129	1	2	4	9	18	25	70

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	2.5	2	< 1	1	2	3	5	6	7
70-74	16	2.3	1	1	1	2	3	4	4	4
75-79	20	2.5	2	1	1	2	3	5	6	7
80-84	3	2.3		2	2	2	3	3	3	3
85 +	7	2.6	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	106	5.2	36	1	2	3	6	11	16	35
70-74	135	4.7	16	1	2	4	6	8	12	21
75-79	108	5.6	23	1	2	4	7	13	15	57
80-84	85	5.8	32	1	2	4	7	11	18	28
85 +	66	5.7	56	1	2	4	6	15	25	99 +
TOTAL SINGLE DX	67	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	500	5.3	30	1	2	4	6	12	16	38
TOTAL										
65-69 YRS	127	4.8	32	1	2	3	6	10	14	32
70-74	151	4.4	16	1	2	4	5	8	12	19
75-79	128	5.1	21	1	2	4	7	12	15	42
80-84	88	5.7	32	1	2	3	7	14	18	28
85 +	73	5.4	52	1	2	4	6	14	21	99 +
GRAND TOTAL	567	5.0	28	1	2	3	6	11	15	33

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	42	1.1		<1	<1	1	1	2	2	2
70-74	30	1.7	5	<1	<1	1	1	2	7	13
75-79	18	2.1	4	<1	1	1	2	5	7	8
80-84	12	1.2		<1	1	1	1	2	3	3
85+	5	1.4		<1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	122	4.1	39	1	1	2	4	11	16	33
70-74	87	5.2	46	<1	1	2	8	12	15	36
75-79	84	6.3	118	1	1	2	7	15	23	66
80-84	40	7.5	190	1	1	2	8	22	31	77
85+	16	3.7	18	1	1	2	5	9	15	17
TOTAL SINGLE DX	107	1.5	2	<1	<1	1	1	2	4	10
TOTAL MULTIPLE DX	349	5.3	77	1	1	2	6	12	20	38
TOTAL										
65-69 YRS	164	3.3	31	<1	1	1	3	8	13	32
70-74	117	4.3	38	<1	1	1	6	11	14	34
75-79	102	5.6	100	1	1	2	5	13	21	64
80-84	52	6.0	153	1	1	1	4	15	29	76
85+	21	3.1	15	<1	1	2	3	8	13	17
GRAND TOTAL	456	4.4	62	<1	1	1	4	11	15	34

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	8.7	76	1	2	8	11	20	31	32
70-74	11	8.9	38	1	5	8	12	18	22	22
75-79	6	6.0	7	2	4	6	8	9	9	9
80-84	3	15.0	93	8	9	11	22	26	26	26
85+	0									
2. MULTIPLE DX										
65-69 YRS	65	12.8	93	2	7	12	15	23	35	47
70-74	50	12.2	206	1	3	9	14	23	45	83
75-79	26	10.3	68	2	4	9	15	21	27	36
80-84	9	11.1	358	1	2	4	10	42	60	60
85+	0									
TOTAL SINGLE DX	31	8.9	51	1	4	8	11	18	26	32
TOTAL MULTIPLE DX	150	12.1	140	2	4	10	15	23	36	60
TOTAL										
65-69 YRS	76	12.2	92	2	6	11	15	23	33	47
70-74	61	11.6	177	1	3	9	14	22	37	79
75-79	32	9.5	59	2	4	8	13	19	25	36
80-84	12	12.1	280	1	2	6	13	36	57	60
85+	0									
GRAND TOTAL	181	11.5	126	2	4	9	15	22	32	57

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	12.3	8	9	10	12	15	17	17	17
70-74	14	13.0	54	9	9	10	14	22	33	36
75-79	8	9.0	9	4	8	10	11	11	11	11
80-84	3	13.0	7	11	11	12	15	16	16	16
85+	3	10.7	4	9	9	10	12	13	13	13
2. MULTIPLE DX										
65-69 YRS	144	19.1	147	10	11	15	23	38	57	99+
70-74	110	18.3	123	10	12	15	21	31	44	82
75-79	62	17.3	110	10	11	14	20	29	37	97
80-84	25	24.0	378	10	15	18	29	85	99+	99+
85+	10	23.3	273	9	12	18	24	52	59	59
TOTAL SINGLE DX	42	11.8	24	9	9	11	13	16	18	36
TOTAL MULTIPLE DX	351	19.0	154	10	12	15	22	37	57	99+
TOTAL										
65-69 YRS	158	18.5	139	10	11	15	22	38	55	99+
70-74	124	17.7	118	10	11	14	21	31	42	77
75-79	70	16.3	106	9	11	13	19	28	36	95
80-84	28	22.8	349	10	15	17	25	78	99+	99+
85+	13	20.4	237	9	10	13	23	49	57	59
GRAND TOTAL	393	18.2	145	10	11	14	21	34	55	99+

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	24.2	778	4	4	10	44	69	72	72
70-74	10	10.6	95	2	2	8	17	26	30	30
75-79	3	10.7	30	7	7	8	15	17	17	17
80-84	1	13.0		13	13	13	13	13	13	13
85+	2	49.5	3445	8	8	49	91	91	91	91
2. MULTIPLE DX										
65-69 YRS	289	36.4	602	8	19	35	63	99+	99+	99+
70-74	298	38.7	629	9	19	42	67	99+	99+	99+
75-79	153	39.6	643	11	23	48	91	99+	99+	99+
80-84	116	39.5	561	11	21	43	65	99+	99+	99+
85+	45	37.7	386	16	24	48	68	99+	99+	99+
TOTAL SINGLE DX	22	18.0	534	2	4	10	17	52	80	91
TOTAL MULTIPLE DX	901	38.2	602	9	20	42	69	99+	99+	99+
TOTAL										
65-69 YRS	295	36.2	606	8	18	35	63	99+	99+	99+
70-74	308	37.8	637	7	18	41	66	99+	99+	99+
75-79	156	39.1	647	10	23	47	90	99+	99+	99+
80-84	117	39.3	563	12	20	43	65	99+	99+	99+
85+	47	38.2	450	14	24	48	72	99+	99+	99+
GRAND TOTAL	923	37.7	609	8	20	41	68	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	1.7		1	1	1	2	3	3	3
70-74	7	1.0		<1	1	1	1	1	1	1
75-79	5	1.2		1	1	1	2	2	2	2
80-84	3	1.7	1	1	1	1	3	3	3	3
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	81	11.2	317	1	2	3	14	33	56	88
70-74	53	11.0	307	1	1	4	12	31	44	96
75-79	31	8.3	161	1	1	4	10	24	62	99 +
80-84	18	9.2	81	<1	2	5	15	23	28	30
85 +	5	9.6	244	<1	1	1	15	37	37	37
TOTAL SINGLE DX	26	1.3		1	1	1	1	3	3	3
TOTAL MULTIPLE DX	188	10.4	261	1	2	4	12	30	46	98
TOTAL										
65-69 YRS	90	10.3	294	1	2	3	10	30	52	86
70-74	60	9.8	282	1	1	3	9	28	43	93
75-79	36	7.3	144	1	1	3	10	19	54	99 +
80-84	21	8.1	77	<1	1	3	13	21	27	30
85 +	7	7.1	180	<1	1	1	6	31	37	37
GRAND TOTAL	**214**	**9.3**	**238**	**1**	**1**	**3**	**10**	**27**	**44**	**97**

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	57	4.2	16	<1	<1	2	7	11	13	15
70-74	54	7.1	35	<1	2	5	10	17	19	22
75-79	43	6.7	35	1	2	6	10	13	17	31
80-84	32	8.5	51	<1	4	8	10	15	24	36
85 +	10	9.3	76	2	4	5	13	23	30	30
2. MULTIPLE DX										
65-69 YRS	1333	11.3	83	3	5	9	14	22	30	48
70-74	1328	12.1	85	3	6	10	16	24	31	47
75-79	1193	12.5	103	3	6	10	16	24	30	55
80-84	685	13.4	104	4	7	11	18	24	34	62
85 +	426	15.4	149	5	8	12	18	29	39	88
TOTAL SINGLE DX	196	6.5	37	<1	2	5	10	14	18	31
TOTAL MULTIPLE DX	4965	12.4	99	3	6	10	16	24	32	54
TOTAL										
65-69 YRS	1390	11.0	83	3	5	9	14	21	29	48
70-74	1382	11.9	84	3	6	10	15	23	31	47
75-79	1236	12.3	102	3	6	10	15	23	30	53
80-84	717	13.2	103	4	7	11	17	24	34	62
85 +	436	15.3	149	5	8	12	18	29	38	87
GRAND TOTAL	**5161**	**12.2**	**98**	**3**	**6**	**10**	**16**	**24**	**31**	**53**

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	12.5	1	11	11	12	13	14	14	14
70-74	1	12.0		12	12	12	12	12	12	12
75-79	3	20.3	74	11	14	22	26	28	28	28
80-84	0									
85 +	1	10.0		10	10	10	10	10	10	10
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	9	14.8	37	10	11	12	16	26	28	28
TOTAL										
65-69 YRS	4	12.5	2	11	11	12	13	14	14	14
70-74	1	12.0		12	12	12	12	12	12	12
75-79	3	20.3	74	11	14	22	26	28	28	28
80-84	0									
85 +	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**9**	**14.8**	**37**	**10**	**11**	**12**	**16**	**26**	**28**	**28**

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	163	6.2	18	1	3	6	9	12	13	20
70-74	118	6.6	22	1	2	6	9	12	15	23
75-79	69	6.1	37	<1	1	5	9	14	18	32
80-84	37	5.5	23	1	1	5	7	14	17	18
85 +	16	4.9	16	<1	1	4	8	10	12	13
2. MULTIPLE DX										
65-69 YRS	1764	11.9	89	3	6	9	15	24	30	52
70-74	1728	12.1	99	3	6	9	15	24	32	49
75-79	1264	13.1	121	3	6	10	16	25	33	63
80-84	655	12.9	108	3	6	10	17	27	34	60
85 +	299	13.3	113	3	6	10	18	26	36	51
TOTAL SINGLE DX	403	6.2	23	1	2	6	9	12	15	21
TOTAL MULTIPLE DX	5710	12.4	103	3	6	10	16	25	32	54
TOTAL										
65-69 YRS	1927	11.4	86	3	6	9	14	23	29	48
70-74	1846	11.7	97	3	6	9	15	24	31	49
75-79	1333	12.7	120	3	6	10	16	25	32	61
80-84	692	12.5	107	3	6	10	17	26	34	59
85 +	315	12.9	112	3	6	10	17	25	36	51
GRAND TOTAL	**6113**	**12.0**	**101**	**3**	**6**	**9**	**15**	**24**	**31**	**54**

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	79	9.6	10	6	7	9	11	14	16	22
70-74	61	10.0	15	6	7	9	11	15	19	25
75-79	34	11.5	125	7	8	9	11	14	16	73
80-84	8	9.0	6	6	7	9	11	12	12	12
85 +	2	14.0	98	7	7	14	21	21	21	21
2. MULTIPLE DX										
65-69 YRS	754	13.6	81	7	8	11	16	23	29	52
70-74	654	13.9	75	7	9	11	16	25	32	58
75-79	316	13.8	73	7	9	11	16	26	31	62
80-84	99	13.5	64	8	8	11	14	25	30	46
85 +	19	15.7	51	7	10	15	20	27	29	29
TOTAL SINGLE DX	184	10.1	34	6	7	9	11	14	17	24
TOTAL MULTIPLE DX	1842	13.7	76	7	9	11	16	24	31	53
TOTAL										
65-69 YRS	833	13.2	76	7	8	10	15	22	28	52
70-74	715	13.6	71	7	9	11	15	24	31	55
75-79	350	13.5	78	7	9	11	15	25	31	72
80-84	107	13.2	61	8	8	11	14	24	29	45
85 +	21	15.6	51	7	9	15	21	27	28	29
GRAND TOTAL	**2026**	**13.4**	**74**	**7**	**8**	**11**	**15**	**23**	**30**	**52**

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	47	5.0	18	< 1	1	3	8	11	13	17
70-74	32	8.2	119	< 1	1	6	8	21	28	54
75-79	23	8.6	113	< 1	1	6	10	30	35	38
80-84	11	5.7	40	< 1	< 1	2	9	17	18	18
85 +	8	9.9	79	4	5	6	11	25	30	30
2. MULTIPLE DX										
65-69 YRS	829	12.8	133	3	5	9	16	27	37	65
70-74	830	12.7	119	3	6	10	16	24	33	61
75-79	739	13.2	106	4	7	11	17	25	31	62
80-84	456	15.1	143	4	7	12	20	27	37	69
85 +	333	15.9	141	5	8	13	21	30	41	73
TOTAL SINGLE DX	121	5.9	70	< 1	1	4	9	15	27	43
TOTAL MULTIPLE DX	3187	13.5	127	4	6	11	17	26	34	64
TOTAL										
65-69 YRS	876	12.4	130	3	5	9	16	26	35	63
70-74	862	12.6	120	3	6	10	16	24	33	60
75-79	762	13.0	108	3	6	11	17	25	31	61
80-84	467	14.9	143	4	7	12	19	27	36	69
85 +	341	15.7	141	5	8	13	21	30	40	72
GRAND TOTAL	**3308**	**13.3**	**126**	**3**	**6**	**10**	**17**	**26**	**34**	**63**

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	6.4	29	1	2	4	11	14	15	15
70-74	2	6.5	5	5	5	6	8	8	8	8
75-79	4	4.3	21	1	1	2	7	11	11	11
80-84	1	10.0		10	10	10	10	10	10	10
85 +	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	56	12.8	120	3	4	8	19	28	33	48
70-74	73	12.5	75	4	6	11	15	22	31	45
75-79	40	15.5	189	3	6	12	18	34	45	67
80-84	24	11.3	92	3	5	8	13	24	32	40
85 +	19	15.1	184	4	5	12	18	35	48	55
TOTAL SINGLE DX	16	6.2	19	1	2	5	10	12	14	15
TOTAL MULTIPLE DX	212	13.3	120	3	5	10	18	27	37	51
TOTAL										
65-69 YRS	63	12.1	113	3	4	8	18	26	32	48
70-74	75	12.4	75	4	6	11	15	22	31	45
75-79	44	14.5	184	3	5	11	17	33	45	67
80-84	25	11.3	88	3	5	9	12	24	32	40
85 +	21	14.3	173	4	5	11	17	32	47	55
GRAND TOTAL	**228**	**12.8**	**116**	**3**	**5**	**10**	**17**	**26**	**35**	**50**

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	62	6.6	27	2	3	5	8	15	17	26
70-74	36	6.4	13	3	3	5	9	13	14	16
75-79	30	7.1	52	3	4	6	8	10	16	42
80-84	19	7.3	58	3	4	5	8	11	26	37
85 +	10	8.8	39	3	6	7	9	19	24	24
2. MULTIPLE DX										
65-69 YRS	928	10.7	80	3	5	8	13	21	28	44
70-74	886	11.7	106	3	5	9	15	24	30	63
75-79	751	12.8	112	4	6	10	16	27	34	59
80-84	488	13.1	126	4	6	10	17	27	36	67
85 +	327	13.2	88	4	6	11	17	26	31	55
TOTAL SINGLE DX	157	6.9	33	2	3	5	8	13	16	36
TOTAL MULTIPLE DX	3380	12.0	103	4	6	9	15	24	32	58
TOTAL										
65-69 YRS	990	10.4	78	3	5	8	13	21	27	43
70-74	922	11.5	104	3	5	9	14	24	30	61
75-79	781	12.5	112	4	6	9	16	27	34	58
80-84	507	12.9	125	4	6	10	16	26	36	65
85 +	337	13.1	87	4	6	11	17	26	31	55
GRAND TOTAL	**3537**	**11.8**	**101**	**3**	**5**	**9**	**15**	**24**	**31**	**57**

1,058 Hospitals, United States, Geriatric, January-December 1988, by Operation

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	73	4.3	26	< 1	1	2	6	9	12	31
70-74	62	4.4	19	1	1	2	7	12	14	18
75-79	36	5.6	40	1	2	3	7	14	17	33
80-84	15	4.1	18	< 1	1	2	5	10	14	15
85 +	3	11.0	97	3	4	8	18	22	22	22
2. MULTIPLE DX										
65-69 YRS	553	11.0	103	1	4	8	14	24	33	48
70-74	550	11.0	106	2	4	8	14	26	32	49
75-79	381	12.7	133	2	5	10	17	28	33	52
80-84	187	12.9	129	2	5	10	17	25	32	58
85 +	103	11.9	93	2	5	10	15	22	27	54
TOTAL SINGLE DX	189	4.7	27	1	1	3	6	11	15	29
TOTAL MULTIPLE DX	1774	11.6	113	2	4	9	15	25	33	49
TOTAL										
65-69 YRS	626	10.2	99	1	3	8	14	22	32	46
70-74	612	10.3	101	1	3	8	14	25	32	48
75-79	417	12.0	129	2	5	9	16	26	33	52
80-84	202	12.2	126	2	5	10	16	23	32	56
85 +	106	11.9	93	2	5	10	15	22	26	54
GRAND TOTAL	1963	10.9	109	1	4	8	15	24	32	48

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	38	12.5	63	8	9	11	13	16	26	53
70-74	35	10.2	13	7	8	10	11	14	16	24
75-79	28	10.7	27	4	7	10	14	17	21	21
80-84	8	8.0	51	2	3	6	11	20	23	23
85 +	5	5.6	7	3	4	5	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	927	16.3	122	8	10	13	19	28	41	73
70-74	872	17.9	151	8	10	14	21	34	45	83
75-79	637	17.9	149	8	10	15	22	33	43	76
80-84	256	18.0	137	6	11	15	23	34	47	76
85 +	96	13.4	108	3	5	12	19	26	31	55
TOTAL SINGLE DX	114	10.7	38	5	8	10	12	16	21	38
TOTAL MULTIPLE DX	2788	17.2	140	8	10	14	21	31	42	77
TOTAL										
65-69 YRS	965	16.1	121	8	10	13	18	28	41	71
70-74	907	17.6	148	8	10	14	21	33	44	81
75-79	665	17.6	147	8	10	14	21	32	42	76
80-84	264	17.7	138	6	10	15	23	34	46	74
85 +	101	13.0	106	3	5	11	18	25	30	54
GRAND TOTAL	2902	16.9	137	8	10	14	20	31	42	76

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	398	3.5	5	2	2	3	4	7	9	13
70-74	266	3.7	6	1	2	3	5	7	9	14
75-79	126	3.7	6	2	2	3	4	8	9	12
80-84	34	4.1	7	2	2	3	6	8	9	12
85 +	6	4.2	3	2	2	4	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	3743	5.5	18	2	3	4	7	10	13	21
70-74	2683	6.0	30	2	3	4	8	12	16	26
75-79	1399	6.6	29	2	3	5	9	13	17	27
80-84	422	7.6	38	2	3	6	10	15	19	28
85 +	117	7.9	33	2	4	7	10	16	20	28
TOTAL SINGLE DX	830	3.6	6	1	2	3	4	7	9	13
TOTAL MULTIPLE DX	8364	6.0	26	2	3	5	8	12	15	25
TOTAL										
65-69 YRS	4141	5.3	18	2	3	4	7	10	13	20
70-74	2949	5.8	28	2	2	4	8	11	15	26
75-79	1525	6.4	28	2	3	5	9	12	16	27
80-84	456	7.4	37	2	3	6	10	15	19	28
85 +	123	7.8	33	2	4	6	10	15	18	28
GRAND TOTAL	9194	5.8	24	2	3	4	8	11	15	25

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	236	10.3	12	7	8	10	12	14	16	22
70-74	144	11.0	17	8	9	10	13	16	18	26
75-79	62	11.0	10	8	9	10	12	16	18	22
80-84	10	13.9	31	8	10	12	18	22	24	24
85 +	3	15.3	2	14	14	15	16	17	17	17
2. MULTIPLE DX										
65-69 YRS	5259	13.8	75	8	9	11	16	23	28	61
70-74	4066	14.6	79	8	9	12	17	24	31	57
75-79	2064	15.9	81	9	10	14	19	26	34	68
80-84	477	17.7	120	9	11	15	21	28	39	73
85 +	72	18.5	62	10	12	17	24	28	34	44
TOTAL SINGLE DX	455	10.8	15	8	8	10	12	15	17	24
TOTAL MULTIPLE DX	11938	14.6	81	8	9	12	17	24	31	60
TOTAL										
65-69 YRS	5495	13.6	73	8	9	11	15	22	28	58
70-74	4210	14.5	78	8	9	12	16	24	31	56
75-79	2126	15.8	80	9	10	13	18	26	33	67
80-84	487	17.7	119	9	11	15	21	27	39	73
85 +	75	18.4	60	10	13	17	24	28	33	43
GRAND TOTAL	12393	14.5	79	8	9	12	17	24	30	59

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1287	2.4	12	1	1	1	2	5	8	12
70-74	768	2.5	6	1	1	2	2	6	8	12
75-79	351	2.5	9	1	1	1	2	5	8	14
80-84	95	3.4	13	1	1	2	4	9	12	17
85 +	13	2.7	2	1	2	2	3	6	6	6
2. MULTIPLE DX										
65-69 YRS	11197	4.8	25	1	1	3	7	11	14	23
70-74	8331	5.2	28	1	2	3	7	11	15	25
75-79	4577	6.0	33	1	2	4	8	13	16	28
80-84	1399	7.5	57	1	2	6	10	16	21	37
85 +	376	7.8	39	2	3	7	11	16	18	36
TOTAL SINGLE DX	2514	2.5	10	1	1	1	2	6	8	13
TOTAL MULTIPLE DX	25880	5.3	31	1	2	3	8	12	15	26
TOTAL										
65-69 YRS	12484	4.6	25	1	1	2	7	10	13	22
70-74	9099	5.0	27	1	1	3	7	11	15	24
75-79	4928	5.7	33	1	2	4	8	13	16	27
80-84	1494	7.2	55	1	2	5	9	15	20	36
85 +	389	7.7	39	1	3	6	10	16	18	36
GRAND TOTAL	28394	5.1	29	1	1	3	7	11	15	25

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	149	3.0	6	1	1	2	4	6	7	12
70-74	219	2.9	5	1	1	2	4	6	7	12
75-79	251	3.3	9	1	1	2	4	6	9	15
80-84	227	3.2	8	1	1	2	4	7	10	14
85 +	203	3.1	7	1	1	2	4	7	9	13
2. MULTIPLE DX										
65-69 YRS	1912	8.9	77	2	3	6	11	19	25	45
70-74	2602	8.5	58	2	4	6	11	17	23	40
75-79	3218	8.6	65	2	4	6	11	17	23	45
80-84	2949	9.0	75	2	4	7	11	18	24	52
85 +	2818	9.3	69	2	4	7	12	18	24	49
TOTAL SINGLE DX	1049	3.1	8	1	1	2	4	6	9	13
TOTAL MULTIPLE DX	13499	8.8	69	2	4	7	11	18	24	45
TOTAL										
65-69 YRS	2061	8.5	75	2	3	6	11	18	24	44
70-74	2821	8.1	57	2	3	6	10	17	22	39
75-79	3469	8.2	64	2	3	6	11	16	22	44
80-84	3176	8.6	73	2	3	6	11	18	23	49
85 +	3021	8.9	68	2	4	7	11	18	23	48
GRAND TOTAL	14548	8.4	67	2	3	6	11	17	23	44

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	8.7	26	3	5	8	11	17	18	18
70-74	4	6.5	60	1	2	3	11	18	18	18
75-79	4	6.5	9	4	4	6	9	10	10	10
80-84	4	7.3	17	1	5	9	10	10	10	10
85 +	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	196	14.0	131	4	6	11	18	29	34	62
70-74	151	13.1	84	3	7	11	17	25	29	51
75-79	105	15.7	137	4	8	13	20	30	40	61
80-84	41	18.0	193	4	9	16	21	37	51	62
85 +	30	17.2	112	4	10	16	27	34	41	99 +
TOTAL SINGLE DX	21	7.3	25	1	3	8	10	14	18	18
TOTAL MULTIPLE DX	523	14.6	124	4	7	12	19	29	34	61
TOTAL										
65-69 YRS	203	13.8	129	4	6	11	18	29	34	61
70-74	155	12.9	84	3	7	11	17	25	29	50
75-79	109	15.4	135	4	8	12	20	29	39	60
80-84	45	17.1	186	4	9	14	21	33	48	62
85 +	32	16.5	114	4	9	16	26	33	40	99 +
GRAND TOTAL	544	14.3	122	3	7	11	18	28	34	61

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	80	2.7	7	< 1	1	2	3	6	10	11
70-74	69	2.8	8	< 1	< 1	2	3	6	7	18
75-79	63	3.7	20	< 1	1	2	4	9	14	20
80-84	34	6.0	63	1	2	3	7	12	25	39
85 +	23	5.6	56	< 1	1	4	7	12	21	35
2. MULTIPLE DX										
65-69 YRS	1736	9.8	63	2	4	8	13	19	25	39
70-74	1821	10.5	87	2	4	8	14	21	28	52
75-79	1762	11.0	90	2	5	9	14	22	28	52
80-84	1474	12.0	97	3	6	10	15	24	30	58
85 +	1375	13.4	113	4	7	11	17	26	34	62
TOTAL SINGLE DX	269	3.6	23	< 1	1	2	4	9	11	27
TOTAL MULTIPLE DX	8168	11.3	91	3	5	9	15	22	29	53
TOTAL										
65-69 YRS	1816	9.5	63	2	4	8	13	19	25	39
70-74	1890	10.3	87	2	4	8	14	21	28	51
75-79	1825	10.8	90	2	5	9	14	22	28	52
80-84	1508	11.9	97	3	5	9	15	24	30	57
85 +	1398	13.3	114	4	6	10	17	26	34	62
GRAND TOTAL	8437	11.0	90	2	5	9	14	22	29	52

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	129	2.2	2	1	1	2	3	4	4	9
70-74	60	3.9	33	1	2	3	4	7	10	40
75-79	31	2.4	1	1	1	2	3	4	5	5
80-84	9	2.6	3	< 1	1	2	3	6	7	7
85 +	5	3.2	8	1	1	2	5	8	8	8
2. MULTIPLE DX										
65-69 YRS	188	4.3	21	1	2	3	5	10	16	22
70-74	126	5.1	35	1	2	3	5	11	14	33
75-79	70	7.1	96	1	2	4	10	16	19	62
80-84	43	8.9	188	1	2	4	12	21	25	83
85 +	9	6.2	34	1	2	5	9	16	19	19
TOTAL SINGLE DX	234	2.7	11	1	1	2	3	4	7	12
TOTAL MULTIPLE DX	436	5.5	56	1	2	3	6	13	19	32
TOTAL										
65-69 YRS	317	3.5	14	1	1	2	4	7	12	19
70-74	186	4.7	35	1	2	3	5	8	13	35
75-79	101	5.6	71	1	2	3	6	13	19	48
80-84	52	7.8	162	1	2	3	7	20	25	82
85 +	14	5.1	26	1	1	3	8	12	17	19
GRAND TOTAL	**670**	**4.5**	**42**	**1**	**2**	**3**	**5**	**9**	**16**	**28**

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	134	7.5	10	4	5	7	9	12	14	17
70-74	131	8.4	23	4	5	8	10	14	19	26
75-79	88	9.6	66	4	6	8	10	14	19	56
80-84	41	9.0	18	4	6	9	11	13	15	27
85 +	16	9.8	19	4	6	10	12	16	18	19
2. MULTIPLE DX										
65-69 YRS	2453	13.6	122	5	7	10	16	25	36	66
70-74	2313	14.0	128	5	7	10	17	27	37	76
75-79	1744	15.1	144	6	8	11	18	30	42	84
80-84	897	15.8	147	6	8	12	18	29	39	74
85 +	450	17.2	144	7	9	14	21	32	42	67
TOTAL SINGLE DX	410	8.5	28	4	5	8	10	13	16	27
TOTAL MULTIPLE DX	7857	14.5	134	6	8	11	17	28	38	74
TOTAL										
65-69 YRS	2587	13.3	119	5	7	10	15	25	35	65
70-74	2444	13.7	124	5	7	10	16	26	37	73
75-79	1832	14.8	142	6	8	11	18	29	41	83
80-84	938	15.5	144	6	8	12	18	29	38	73
85 +	466	17.0	142	7	9	14	21	32	41	67
GRAND TOTAL	**8267**	**14.2**	**131**	**5**	**8**	**11**	**17**	**27**	**38**	**72**

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	3.2	9	< 1	1	2	4	8	9	9
70-74	6	2.5	2	1	1	2	3	5	5	5
75-79	3	22.0	243	4	11	31	31	31	31	31
80-84	4	5.0	23	1	2	3	8	12	12	12
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	1316	7.6	77	2	3	5	9	15	22	48
70-74	1002	7.3	71	2	3	5	9	14	21	38
75-79	748	7.7	66	2	3	5	9	15	21	44
80-84	373	8.1	69	2	3	5	10	17	22	42
85 +	124	9.5	77	2	4	7	12	20	27	44
TOTAL SINGLE DX	20	6.2	80	1	1	3	5	21	31	31
TOTAL MULTIPLE DX	3563	7.7	73	2	3	5	9	15	21	45
TOTAL										
65-69 YRS	1322	7.5	77	2	3	5	9	15	22	48
70-74	1008	7.3	71	2	3	5	8	14	21	38
75-79	751	7.8	67	2	3	6	9	15	21	44
80-84	377	8.1	69	2	3	5	10	17	22	41
85 +	125	9.4	77	2	4	7	12	20	27	43
GRAND TOTAL	**3583**	**7.6**	**73**	**2**	**3**	**5**	**9**	**15**	**22**	**44**

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	45	4.1	18	1	2	2	4	10	13	21
70-74	36	5.2	90	1	1	2	5	9	27	49
75-79	21	3.7	12	< 1	1	2	5	9	12	13
80-84	12	2.8	6	< 1	1	2	3	8	8	8
85 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	1071	11.7	156	2	3	8	16	27	35	70
70-74	851	13.3	198	2	4	9	18	30	40	84
75-79	663	14.2	217	2	4	10	19	33	45	77
80-84	318	12.9	173	2	4	9	17	30	37	82
85 +	120	18.2	248	4	7	15	24	41	55	89
TOTAL SINGLE DX	117	4.2	38	1	1	2	4	9	12	40
TOTAL MULTIPLE DX	3023	13.1	189	2	4	9	18	30	39	78
TOTAL										
65-69 YRS	1116	11.4	154	1	3	8	15	27	35	69
70-74	887	13.0	196	1	3	9	17	30	39	83
75-79	684	13.9	214	2	4	9	19	33	44	76
80-84	330	12.6	171	1	3	8	17	29	37	80
85 +	123	17.8	249	3	7	14	23	41	55	89
GRAND TOTAL	**3140**	**12.8**	**186**	**1**	**3**	**9**	**17**	**29**	**39**	**77**

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	318	4.6	5	2	3	4	5	7	9	15
70-74	346	4.5	5	2	3	4	5	7	9	14
75-79	222	4.9	13	2	3	4	6	8	9	16
80-84	91	4.9	6	3	3	4	6	8	11	16
85 +	22	4.7	3	2	4	5	6	7	8	8
2. MULTIPLE DX										
65-69 YRS	2102	6.8	30	3	4	5	8	13	17	30
70-74	2334	7.3	37	3	4	5	9	14	19	33
75-79	1698	7.9	45	3	4	6	9	15	20	36
80-84	791	8.7	59	3	4	6	10	17	22	44
85 +	242	9.3	53	3	5	7	12	17	25	41
TOTAL SINGLE DX	999	4.7	8	2	3	4	5	7	9	15
TOTAL MULTIPLE DX	7167	7.5	41	3	4	5	9	15	19	34
TOTAL										
65-69 YRS	2420	6.5	28	3	4	5	7	12	16	29
70-74	2680	6.9	34	3	4	5	8	13	18	32
75-79	1920	7.5	43	3	4	5	9	15	19	34
80-84	882	8.3	55	3	4	6	10	16	21	44
85 +	264	8.9	51	3	4	7	11	16	25	41
GRAND TOTAL	8166	7.2	38	3	4	5	8	14	18	33

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	409	5.7	27	1	2	4	8	11	13	28
70-74	333	6.3	31	1	2	5	9	14	17	27
75-79	216	5.6	26	1	2	4	8	11	15	24
80-84	116	5.9	31	1	2	4	8	13	17	28
85 +	69	6.5	37	1	2	5	9	13	18	35
2. MULTIPLE DX										
65-69 YRS	4532	11.2	118	2	5	9	14	23	32	65
70-74	4467	11.6	115	2	5	9	14	24	34	63
75-79	3480	12.4	133	2	5	9	15	26	36	69
80-84	2029	12.6	138	3	6	10	16	26	35	69
85 +	1204	13.2	127	3	6	11	17	26	36	78
TOTAL SINGLE DX	1143	5.9	29	1	2	4	9	12	15	27
TOTAL MULTIPLE DX	15712	11.9	125	2	5	9	15	25	34	66
TOTAL										
65-69 YRS	4941	10.7	114	2	4	8	13	22	31	64
70-74	4800	11.3	111	2	5	9	14	23	33	62
75-79	3696	12.0	130	2	5	9	15	25	36	67
80-84	2145	12.3	135	2	5	9	15	26	35	68
85 +	1273	12.8	125	3	6	10	16	26	36	76
GRAND TOTAL	16855	11.5	120	2	5	9	14	24	33	65

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	103	3.3	7	< 1	1	3	5	7	8	12
70-74	102	4.0	14	< 1	1	3	5	9	11	18
75-79	56	3.4	10	< 1	1	2	5	7	9	15
80-84	26	3.1	7	< 1	< 1	2	4	8	9	11
85 +	8	1.6		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	625	9.1	85	1	3	7	12	20	27	50
70-74	511	9.5	79	2	4	7	13	21	27	41
75-79	388	10.9	131	1	3	8	14	22	32	63
80-84	214	10.0	88	1	3	7	13	23	29	46
85 +	137	10.9	102	2	4	8	14	27	36	44
TOTAL SINGLE DX	295	3.5	10	< 1	1	2	5	8	9	15
TOTAL MULTIPLE DX	1875	9.8	95	1	3	7	13	22	29	49
TOTAL										
65-69 YRS	728	8.3	78	1	3	6	11	18	26	49
70-74	613	8.6	73	1	3	6	11	19	26	38
75-79	444	10.0	122	1	3	7	13	22	30	53
80-84	240	9.2	84	1	3	7	12	22	28	46
85 +	145	10.4	102	2	3	7	14	26	35	43
GRAND TOTAL	2170	9.0	88	1	3	6	12	20	27	46

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	87	4.7	19	1	3	4	5	9	11	28
70-74	67	5.3	54	1	2	4	5	8	13	45
75-79	35	5.2	29	2	3	4	6	9	15	31
80-84	9	3.0	3	1	2	3	4	6	7	7
85 +	4	3.8	12	2	2	2	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	367	7.9	66	2	4	5	9	16	23	43
70-74	318	8.1	60	2	4	6	10	17	25	34
75-79	187	8.7	78	3	4	6	10	17	31	39
80-84	82	10.0	157	2	4	7	10	17	23	75
85 +	48	8.0	47	2	4	6	10	17	21	32
TOTAL SINGLE DX	202	4.9	32	1	2	4	5	9	11	35
TOTAL MULTIPLE DX	1002	8.3	73	2	4	6	9	17	24	42
TOTAL										
65-69 YRS	454	7.3	59	2	3	5	8	15	22	40
70-74	385	7.6	61	2	3	5	9	16	24	38
75-79	222	8.1	72	2	4	6	9	16	30	38
80-84	91	9.3	146	2	4	7	10	17	20	75
85 +	52	7.7	46	2	3	6	9	16	20	32
GRAND TOTAL	1204	7.7	68	2	3	5	9	16	23	40

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	18.0		18	18	18	18	18	18	18
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	18.0		18	18	18	18	18	18	18
TOTAL										
65-69 YRS	0									
70-74	0									
75-79	1	18.0		18	18	18	18	18	18	18
80-84	0									
85 +	0									
GRAND TOTAL	1	18.0		18	18	18	18	18	18	18

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	81	6.3	32	1	3	5	8	10	12	35
70-74	76	6.8	36	< 1	3	5	9	14	17	34
75-79	47	6.5	22	1	3	6	9	15	16	18
80-84	33	5.4	16	< 1	3	4	7	11	15	17
85 +	20	7.2	25	3	4	6	9	15	19	20
2. MULTIPLE DX										
65-69 YRS	1547	11.7	102	3	5	9	14	24	33	58
70-74	1817	12.0	107	4	6	9	14	24	33	56
75-79	1773	12.1	92	4	6	9	15	24	32	54
80-84	1342	12.3	114	4	6	9	15	23	33	70
85 +	1157	12.6	111	4	6	10	15	26	34	76
TOTAL SINGLE DX	257	6.4	29	1	3	5	8	12	16	25
TOTAL MULTIPLE DX	7636	12.1	105	4	6	9	15	24	33	61
TOTAL										
65-69 YRS	1628	11.5	100	3	5	9	14	23	32	56
70-74	1893	11.8	106	3	6	9	14	24	33	56
75-79	1820	12.0	91	4	6	9	15	23	31	54
80-84	1375	12.1	113	4	6	9	15	23	32	69
85 +	1177	12.5	111	4	6	9	15	26	34	74
GRAND TOTAL	7893	11.9	104	4	6	9	15	24	32	61

587: Venous catheterization, except umbilical (38.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	29	7.8	116	< 1	1	5	9	18	23	55
70-74	38	5.2	34	< 1	1	4	6	9	22	26
75-79	22	5.2	42	< 1	1	2	8	17	20	22
80-84	8	5.9	27	1	2	4	9	14	14	14
85 +	5	16.2	180	6	7	7	28	35	35	35
2. MULTIPLE DX										
65-69 YRS	1455	12.9	149	2	5	9	17	28	38	73
70-74	1350	13.6	150	2	5	10	19	30	38	62
75-79	1004	15.7	195	4	6	12	21	32	46	94
80-84	722	16.0	188	4	7	12	20	33	42	73
85 +	577	17.1	189	4	8	14	22	35	43	91
TOTAL SINGLE DX	102	6.5	69	< 1	1	4	7	16	23	45
TOTAL MULTIPLE DX	5108	14.6	171	3	6	11	19	31	41	77
TOTAL										
65-69 YRS	1484	12.8	150	2	5	9	17	28	38	73
70-74	1388	13.4	149	2	5	10	18	29	38	62
75-79	1026	15.5	195	3	6	12	20	32	46	93
80-84	730	15.8	188	4	7	12	20	33	42	73
85 +	582	17.0	189	4	8	14	22	35	42	91
GRAND TOTAL	5210	14.4	170	3	6	11	19	31	41	76

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	4.0	8	2	2	4	6	6	6	6
70-74	3	1.0		< 1	< 1	< 1	1	1	1	1
75-79	4	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
80-84	1	7.0		7	7	7	7	7	7	7
85 +	0									
2. MULTIPLE DX										
65-69 YRS	37	8.6	50	2	4	7	10	17	28	31
70-74	36	8.0	21	3	5	7	11	17	20	99 +
75-79	35	8.5	39	3	4	7	12	22	24	99 +
80-84	27	8.0	17	3	5	7	12	13	16	17
85 +	15	10.0	44	4	6	8	11	19	26	29
TOTAL SINGLE DX	10	2.2	5	< 1	< 1	< 1	2	6	7	7
TOTAL MULTIPLE DX	150	8.5	34	3	4	7	11	17	23	98
TOTAL										
65-69 YRS	39	8.4	49	2	4	7	10	16	28	31
70-74	39	7.5	24	2	4	6	11	17	19	99 +
75-79	39	7.7	41	1	3	6	11	21	24	99 +
80-84	28	8.0	17	3	5	7	12	13	16	17
85 +	15	10.0	44	4	6	8	11	19	26	29
GRAND TOTAL	160	8.1	34	2	4	7	11	17	22	91

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	60	4.6	36	<1	1	3	6	9	12	40
70-74	60	4.6	21	<1	1	3	6	10	16	21
75-79	38	4.3	32	<1	<1	3	5	7	16	31
80-84	14	3.9	9	1	2	3	6	7	11	12
85+	11	6.4	16	2	3	5	8	13	14	14
2. MULTIPLE DX										
65-69 YRS	814	10.3	127	2	4	7	13	21	35	66
70-74	822	10.3	124	2	4	7	12	21	31	61
75-79	725	9.3	83	2	4	7	11	18	29	58
80-84	620	10.2	120	2	4	7	12	22	31	65
85+	470	10.8	101	3	5	8	14	21	31	73
TOTAL SINGLE DX	183	4.6	27	<1	1	3	6	9	14	28
TOTAL MULTIPLE DX	3451	10.1	113	2	4	7	12	21	31	62
TOTAL										
65-69 YRS	874	9.9	123	1	4	7	12	21	33	66
70-74	882	9.9	119	2	4	7	12	20	30	61
75-79	763	9.1	82	2	4	7	11	18	28	57
80-84	634	10.0	119	1	4	7	12	21	30	64
85+	481	10.7	100	3	5	8	14	21	31	73
GRAND TOTAL	**3634**	**9.9**	**110**	**2**	**4**	**7**	**12**	**20**	**30**	**62**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	7.0		7	7	7	7	7	7	7
75-79	0									
80-84	0									
85+	0									
2. MULTIPLE DX										
65-69 YRS	22	18.5	208	7	9	12	22	38	56	59
70-74	22	20.9	360	7	10	14	26	39	68	88
75-79	25	17.4	179	6	11	15	18	43	50	58
80-84	17	22.9	257	9	11	20	30	44	61	68
85+	19	16.5	166	5	9	13	18	35	47	55
TOTAL SINGLE DX	1	7.0		7	7	7	7	7	7	7
TOTAL MULTIPLE DX	105	19.1	230	6	10	14	22	37	54	77
TOTAL										
65-69 YRS	22	18.5	209	7	9	12	22	38	56	59
70-74	23	20.3	353	7	9	14	25	37	66	88
75-79	25	17.4	180	6	11	15	18	43	50	58
80-84	17	22.9	257	9	11	20	30	44	61	68
85+	19	16.5	166	5	9	13	18	35	47	55
GRAND TOTAL	**106**	**19.0**	**229**	**6**	**10**	**14**	**22**	**37**	**54**	**77**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	6.6	58	1	2	3	7	20	23	23
70-74	14	10.5	126	1	2	5	16	30	32	33
75-79	14	5.9	23	1	2	5	8	11	17	19
80-84	13	9.2	39	1	3	9	15	17	18	18
85+	19	10.7	115	1	4	6	16	28	36	40
2. MULTIPLE DX										
65-69 YRS	429	19.4	308	4	8	14	26	46	67	99+
70-74	628	19.0	292	3	9	14	26	47	80	99+
75-79	901	19.3	308	4	8	15	26	51	81	99+
80-84	987	19.8	285	4	9	15	26	47	70	99+
85+	1540	18.8	253	4	8	15	24	43	64	99+
TOTAL SINGLE DX	67	8.9	78	1	2	6	13	22	30	39
TOTAL MULTIPLE DX	4485	19.2	282	4	8	15	25	46	71	99+
TOTAL										
65-69 YRS	436	19.2	306	4	7	14	26	46	66	99+
70-74	642	18.8	290	3	8	14	26	46	80	99+
75-79	915	19.1	307	4	8	14	25	50	81	99+
80-84	1000	19.7	284	4	9	15	26	47	69	99+
85+	1559	18.7	253	4	8	15	24	43	63	99+
GRAND TOTAL	**4552**	**19.1**	**281**	**4**	**8**	**15**	**25**	**46**	**71**	**99+**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	50	4.2	6	<1	2	4	6	8	9	10
70-74	36	5.1	16	<1	1	5	7	9	11	21
75-79	42	5.6	46	<1	3	4	7	10	13	43
80-84	21	4.9	7	1	3	5	7	9	9	10
85+	18	6.9	29	2	3	6	7	17	19	19
2. MULTIPLE DX										
65-69 YRS	1237	8.1	48	3	4	6	10	15	21	39
70-74	1551	8.9	66	3	4	7	11	16	24	41
75-79	1449	9.3	62	3	5	7	12	17	24	42
80-84	1210	9.5	58	3	5	7	11	17	23	44
85+	1061	10.2	77	3	5	8	13	19	24	54
TOTAL SINGLE DX	167	5.1	21	<1	2	4	7	9	10	21
TOTAL MULTIPLE DX	6508	9.2	63	3	5	7	11	17	23	43
TOTAL										
65-69 YRS	1287	8.0	47	3	4	6	9	15	21	38
70-74	1587	8.8	66	3	4	7	10	16	24	41
75-79	1491	9.2	62	3	5	7	11	17	24	43
80-84	1231	9.4	58	3	5	7	11	17	23	44
85+	1079	10.1	76	3	5	8	12	19	24	53
GRAND TOTAL	**6675**	**9.1**	**62**	**3**	**5**	**7**	**11**	**17**	**23**	**43**

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	23	10.8	52	6	7	8	11	18	27	39
70-74	36	10.9	16	7	8	10	13	17	20	23
75-79	14	11.1	16	7	8	10	13	17	19	19
80-84	20	13.8	36	8	10	11	17	22	27	31
85+	10	11.2	41	5	8	9	15	21	27	27
2. MULTIPLE DX										
65-69 YRS	453	18.3	177	8	10	14	22	34	47	79
70-74	467	18.5	190	8	10	14	22	34	49	77
75-79	422	19.7	150	9	12	16	24	33	46	67
80-84	311	21.5	201	10	13	18	25	38	53	93
85+	194	20.9	134	10	12	18	27	39	47	99+
TOTAL SINGLE DX	103	11.5	31	7	8	10	14	19	21	35
TOTAL MULTIPLE DX	1847	19.5	175	9	11	15	23	36	48	82
TOTAL										
65-69 YRS	476	17.9	174	8	10	14	21	34	47	79
70-74	503	18.0	182	8	10	14	21	33	49	76
75-79	436	19.4	148	9	11	16	24	33	45	67
80-84	331	21.0	194	10	12	18	25	37	50	92
85+	204	20.4	134	9	12	17	26	38	46	99+
GRAND TOTAL	**1950**	**19.1**	**170**	**8**	**11**	**15**	**23**	**35**	**47**	**80**

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	13.6	24	9	11	12	15	22	22	22
70-74	3	14.3	17	11	11	13	17	19	19	19
75-79	3	11.3	16	7	8	12	14	15	15	15
80-84	0									
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
65-69 YRS	130	21.1	165	10	12	17	26	39	51	81
70-74	104	21.1	193	9	12	18	25	36	52	97
75-79	74	21.3	210	10	12	17	26	47	65	99+
80-84	34	25.4	392	11	14	23	29	56	95	99+
85+	11	25.2	82	15	18	22	31	39	40	40
TOTAL SINGLE DX	12	14.2	28	8	11	13	17	23	25	25
TOTAL MULTIPLE DX	353	21.7	202	10	12	18	26	41	56	99+
TOTAL										
65-69 YRS	135	20.8	162	10	12	17	25	38	50	80
70-74	107	20.9	190	9	12	17	25	36	50	97
75-79	77	20.9	206	10	12	17	26	46	63	99+
80-84	34	25.4	393	11	14	23	29	56	95	99+
85+	12	25.2	75	15	18	23	31	39	40	40
GRAND TOTAL	**365**	**21.4**	**198**	**10**	**12**	**17**	**26**	**40**	**56**	**99+**

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	12.9	58	6	7	10	18	25	27	27
70-74	14	9.4	29	3	6	8	11	17	20	21
75-79	11	9.0	23	4	7	7	11	17	19	19
80-84	4	11.0	4	10	10	10	12	14	14	14
85+	4	13.8	84	3	6	14	21	24	24	24
2. MULTIPLE DX										
65-69 YRS	181	15.0	137	7	8	12	18	27	38	80
70-74	174	14.7	118	7	8	12	17	27	38	58
75-79	157	17.4	157	8	9	13	22	34	41	87
80-84	125	18.2	148	9	11	15	21	30	45	92
85+	74	18.8	138	8	11	15	24	30	43	65
TOTAL SINGLE DX	41	10.5	36	5	7	9	14	20	22	27
TOTAL MULTIPLE DX	711	16.4	141	7	9	13	19	29	42	73
TOTAL										
65-69 YRS	189	14.9	134	7	8	12	18	27	33	79
70-74	188	14.3	113	6	8	11	17	26	38	57
75-79	168	16.8	153	7	9	13	21	32	39	85
80-84	129	18.0	145	9	11	15	21	30	45	91
85+	78	18.5	136	8	11	15	24	30	42	65
GRAND TOTAL	**752**	**16.1**	**137**	**7**	**9**	**13**	**19**	**29**	**41**	**71**

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	8.7	13	4	6	8	10	15	17	18
70-74	23	8.6	21	4	6	8	9	12	18	26
75-79	18	13.2	433	6	6	8	10	14	63	96
80-84	13	11.8	9	8	9	12	14	16	17	17
85 +	18	13.6	61	7	10	11	14	24	35	39
2. MULTIPLE DX										
65-69 YRS	485	15.8	150	6	8	12	20	34	44	92
70-74	462	17.3	181	7	9	13	21	35	49	99 +
75-79	428	17.7	177	7	9	14	22	35	51	99 +
80-84	344	18.6	177	8	10	15	23	35	47	82
85 +	279	19.2	170	8	11	15	23	37	50	79
TOTAL SINGLE DX	100	10.8	100	5	7	9	12	15	18	67
TOTAL MULTIPLE DX	1998	17.5	172	7	9	13	21	35	48	99 +
TOTAL										
65-69 YRS	513	15.4	146	6	8	11	20	32	43	90
70-74	485	16.9	178	7	9	13	21	35	47	99 +
75-79	446	17.5	188	7	9	13	21	35	51	99 +
80-84	357	18.3	173	8	10	14	22	34	46	82
85 +	297	18.9	166	8	11	15	22	37	49	76
GRAND TOTAL	**2098**	**17.2**	**171**	**7**	**9**	**13**	**21**	**35**	**47**	**98**

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	166	3.7	15	< 1	< 1	2	5	9	12	18
70-74	139	4.0	17	< 1	< 1	2	6	10	14	19
75-79	104	3.9	15	< 1	< 1	2	5	9	13	17
80-84	80	4.3	32	< 1	1	2	5	9	12	32
85 +	40	4.4	19	< 1	1	2	7	11	14	17
2. MULTIPLE DX										
65-69 YRS	2655	8.5	63	2	4	6	11	17	22	44
70-74	2891	9.1	76	2	4	7	11	19	25	47
75-79	2860	9.2	73	2	4	7	11	18	25	53
80-84	2380	9.9	81	3	5	7	13	20	27	51
85 +	1878	10.5	87	3	5	8	13	21	28	55
TOTAL SINGLE DX	529	4.0	19	< 1	< 1	2	6	9	13	19
TOTAL MULTIPLE DX	12664	9.3	76	2	4	7	11	18	25	49
TOTAL										
65-69 YRS	2821	8.2	62	1	4	6	10	16	21	43
70-74	3030	8.9	75	2	4	7	11	18	25	46
75-79	2964	9.0	72	2	4	7	11	18	25	52
80-84	2460	9.7	81	2	4	7	12	20	26	50
85 +	1918	10.4	87	3	5	8	13	21	28	54
GRAND TOTAL	**13193**	**9.1**	**75**	**2**	**4**	**7**	**11**	**18**	**25**	**48**

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	9.4	9	7	7	9	11	15	16	16
70-74	25	9.4	28	5	7	8	10	16	22	29
75-79	14	9.3	6	6	8	9	10	12	15	16
80-84	17	12.1	79	6	8	10	12	16	35	45
85 +	12	10.8	22	6	8	9	13	18	21	21
2. MULTIPLE DX										
65-69 YRS	547	18.3	205	7	10	14	22	39	52	99 +
70-74	549	18.2	163	8	10	14	22	35	51	99 +
75-79	513	18.9	172	8	11	15	22	39	50	78
80-84	393	20.2	211	8	11	16	25	39	54	88
85 +	317	19.4	171	8	11	16	24	35	51	99 +
TOTAL SINGLE DX	96	10.1	28	6	7	9	11	16	17	38
TOTAL MULTIPLE DX	2319	18.9	185	8	10	15	23	38	51	98
TOTAL										
65-69 YRS	575	17.9	199	7	9	13	21	38	51	99 +
70-74	574	17.8	161	8	10	14	22	35	49	99
75-79	527	18.7	170	8	11	15	22	39	49	77
80-84	410	19.9	208	8	10	15	24	39	53	87
85 +	329	19.1	168	8	11	16	24	35	51	99 +
GRAND TOTAL	**2415**	**18.5**	**181**	**8**	**10**	**14**	**22**	**37**	**51**	**98**

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	380	9.2	15	6	7	8	10	13	15	21
70-74	306	9.7	19	6	8	9	10	13	16	31
75-79	217	9.5	10	7	7	9	11	13	16	22
80-84	135	10.2	13	7	8	9	12	14	17	24
85 +	68	10.9	13	7	9	10	12	15	16	27
2. MULTIPLE DX										
65-69 YRS	3681	13.7	86	7	9	11	15	23	31	59
70-74	4008	14.3	92	7	9	11	16	24	32	66
75-79	3716	15.3	106	8	9	12	18	27	36	69
80-84	2593	16.8	121	8	10	13	20	29	38	71
85 +	1841	18.1	130	9	11	15	21	31	41	81
TOTAL SINGLE DX	1106	9.6	16	6	7	9	11	13	16	23
TOTAL MULTIPLE DX	15839	15.3	106	8	9	12	18	26	35	69
TOTAL										
65-69 YRS	4061	13.3	82	7	8	10	15	22	30	58
70-74	4314	14.0	89	7	9	11	16	23	31	65
75-79	3933	15.0	103	8	9	12	17	26	35	68
80-84	2728	16.5	118	8	10	13	19	29	37	71
85 +	1909	17.8	128	9	11	15	21	31	40	80
GRAND TOTAL	**16945**	**14.9**	**102**	**8**	**9**	**12**	**17**	**26**	**35**	**67**

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	12	8.1	5	6	6	7	9	12	14	14
70-74	7	10.7	31	6	8	8	12	20	22	22
75-79	4	6.3	3	4	5	6	7	8	8	8
80-84	5	8.0	13	3	6	8	10	13	13	13
85 +	4	7.8	4	5	6	8	9	10	10	10
2. MULTIPLE DX										
65-69 YRS	152	16.2	106	7	9	14	19	32	37	66
70-74	174	16.3	122	7	9	14	21	30	37	99
75-79	164	17.4	147	7	10	14	22	39	51	99 +
80-84	121	19.7	194	7	11	15	25	36	47	90
85 +	128	21.1	224	8	11	17	26	43	63	99 +
TOTAL SINGLE DX	32	8.4	12	5	6	8	9	12	14	22
TOTAL MULTIPLE DX	739	17.9	157	7	10	15	23	34	46	99 +
TOTAL										
65-69 YRS	164	15.6	103	7	9	12	19	31	37	64
70-74	181	16.1	120	7	9	13	20	29	37	99
75-79	168	17.2	147	7	9	14	22	38	50	99 +
80-84	126	19.2	193	7	11	15	25	36	44	89
85 +	132	20.7	223	8	10	16	26	43	62	99 +
GRAND TOTAL	771	17.5	154	7	9	14	22	34	44	99 +

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	98	7.9	15	3	6	8	10	12	14	23
70-74	72	7.8	15	3	5	7	9	12	16	22
75-79	64	9.0	39	3	6	8	11	14	16	43
80-84	35	8.1	57	2	4	6	9	12	28	37
85 +	24	9.8	30	3	6	9	12	16	21	25
2. MULTIPLE DX										
65-69 YRS	797	11.4	64	5	7	9	13	20	27	49
70-74	777	12.2	71	6	7	10	14	23	29	49
75-79	652	13.3	101	6	8	10	15	24	33	68
80-84	439	13.6	97	6	9	11	16	24	31	58
85 +	270	13.8	105	5	8	11	17	24	31	70
TOTAL SINGLE DX	293	8.3	27	3	5	8	10	13	16	28
TOTAL MULTIPLE DX	2935	12.6	84	6	8	10	15	23	30	58
TOTAL										
65-69 YRS	895	11.0	60	5	7	9	12	19	26	48
70-74	849	11.8	68	5	7	9	14	22	28	49
75-79	716	12.9	97	6	8	10	14	23	32	64
80-84	474	13.2	96	5	8	10	16	23	31	58
85 +	294	13.5	101	5	7	11	17	24	29	69
GRAND TOTAL	3228	12.2	80	5	7	10	14	22	29	57

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	19	10.7	102	4	6	9	10	18	37	49
70-74	12	9.6	8	6	7	9	12	13	14	14
75-79	7	11.0	41	3	5	11	15	20	21	21
80-84	8	10.9	12	5	9	11	13	15	15	15
85 +	7	11.1	22	5	8	10	15	17	17	17
2. MULTIPLE DX										
65-69 YRS	293	17.8	134	9	11	15	21	33	46	69
70-74	267	18.3	157	7	10	15	23	35	46	96
75-79	306	20.1	230	7	10	16	26	40	58	99 +
80-84	259	21.4	190	9	12	17	27	38	48	88
85 +	249	22.2	224	9	12	18	29	43	56	99
TOTAL SINGLE DX	53	10.6	46	4	7	10	13	16	20	48
TOTAL MULTIPLE DX	1374	19.9	189	8	11	16	25	37	49	96
TOTAL										
65-69 YRS	312	17.4	135	8	10	14	21	32	46	68
70-74	279	17.9	154	7	9	14	23	34	45	94
75-79	313	19.9	228	7	10	16	26	39	58	99 +
80-84	267	21.1	188	9	12	17	27	37	46	86
85 +	256	21.9	222	9	12	17	29	43	55	98
GRAND TOTAL	1427	19.5	187	8	10	16	24	37	48	94

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	209	5.7	9	3	3	5	7	10	12	16
70-74	130	5.5	6	2	4	5	7	9	10	13
75-79	73	5.5	7	3	4	5	7	8	12	14
80-84	30	6.4	10	3	4	6	8	11	14	15
85 +	13	7.7	17	3	4	8	11	23	83	99 +
2. MULTIPLE DX										
65-69 YRS	591	9.0	30	4	5	8	11	15	19	30
70-74	483	9.5	44	4	6	8	11	15	20	31
75-79	333	10.8	51	4	6	9	13	20	25	39
80-84	193	10.8	41	5	6	9	13	20	26	34
85 +	140	12.1	54	5	7	11	14	22	26	35
TOTAL SINGLE DX	455	5.7	9	3	4	5	7	10	12	15
TOTAL MULTIPLE DX	1740	10.0	42	4	6	9	12	18	23	33
TOTAL										
65-69 YRS	800	8.2	27	3	5	7	10	14	17	27
70-74	613	8.7	39	4	5	8	10	14	18	30
75-79	406	9.8	47	4	5	8	12	19	23	37
80-84	223	10.2	39	4	6	9	12	19	26	34
85 +	153	11.7	53	4	7	10	14	22	27	54
GRAND TOTAL	2195	9.1	38	4	5	8	11	16	21	32

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	4	8.5	5	7	7	8	10	12	12	12
70-74	3	12.3	37	7	8	11	17	19	19	19
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	13	16.9	219	6	9	11	19	37	56	60
70-74	4	12.8	57	7	7	11	18	23	23	23
75-79	5	11.0	6	8	9	11	12	15	15	15
80-84	3	12.0	12	8	9	14	14	14	14	14
85 +	4	26.5	264	11	12	26	40	42	42	42
TOTAL SINGLE DX	7	10.1	19	7	7	8	12	18	19	19
TOTAL MULTIPLE DX	29	16.1	154	7	9	11	17	36	43	60
TOTAL										
65-69 YRS	17	14.9	179	6	8	10	17	29	50	60
70-74	7	12.6	41	7	7	11	18	22	23	23
75-79	5	11.0	7	8	9	11	12	15	15	15
80-84	3	12.0	12	8	9	14	14	14	14	14
85 +	4	26.5	264	11	12	26	40	42	42	42
GRAND TOTAL	36	15.0	132	7	8	11	16	30	41	60

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	57	2.7	4	1	1	2	4	6	7	10
70-74	63	2.3	2	1	1	2	3	4	5	8
75-79	50	2.6	3	< 1	1	2	4	5	6	9
80-84	47	3.3	5	1	1	3	4	7	8	11
85 +	36	2.9	5	1	1	2	4	6	8	11
2. MULTIPLE DX										
65-69 YRS	263	7.9	90	1	3	5	10	16	26	47
70-74	338	8.0	93	2	2	4	10	19	25	50
75-79	296	6.7	38	1	2	5	9	16	20	34
80-84	268	7.6	45	2	3	5	10	16	21	30
85 +	293	9.5	121	2	3	6	12	19	29	70
TOTAL SINGLE DX	253	2.7	4	1	1	2	4	5	7	11
TOTAL MULTIPLE DX	1458	7.9	79	1	3	5	10	17	24	47
TOTAL										
65-69 YRS	320	7.0	79	1	2	4	8	15	22	46
70-74	401	7.1	84	1	2	4	8	17	23	47
75-79	346	6.1	36	1	2	4	8	14	19	32
80-84	315	7.0	42	1	3	5	9	15	20	30
85 +	329	8.8	113	1	3	5	11	18	27	67
GRAND TOTAL	1711	7.2	72	1	2	4	9	16	22	45

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	20	3.3	7	1	2	2	4	7	11	12
70-74	10	2.8	2	1	2	2	4	5	5	5
75-79	8	5.5	71	1	1	2	5	20	26	26
80-84	3	4.3	2	3	3	4	5	6	6	6
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	85	7.0	48	2	3	4	8	17	21	33
70-74	73	10.2	127	2	3	8	13	19	25	73
75-79	44	9.0	60	3	4	6	12	21	24	36
80-84	40	12.3	136	2	5	9	15	28	29	64
85 +	26	11.7	286	2	4	7	11	21	53	81
TOTAL SINGLE DX	42	3.6	18	1	2	2	4	6	11	26
TOTAL MULTIPLE DX	268	9.5	110	2	3	6	12	20	28	61
TOTAL										
65-69 YRS	105	6.3	43	2	2	4	7	15	19	33
70-74	83	9.3	118	1	3	7	12	18	25	68
75-79	52	8.5	63	2	3	5	11	21	25	36
80-84	43	11.7	131	2	4	8	15	28	29	64
85 +	27	11.3	280	1	3	6	11	20	51	81
GRAND TOTAL	310	8.7	101	2	3	5	11	19	26	53

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	120	10.0	9	7	8	9	12	14	16	20
70-74	87	10.8	15	6	8	10	13	16	18	22
75-79	58	10.4	11	7	8	10	12	15	17	20
80-84	37	10.6	11	7	9	10	12	15	16	20
85 +	12	9.8	16	5	7	10	11	16	17	17
2. MULTIPLE DX										
65-69 YRS	878	14.6	93	8	9	12	16	24	34	64
70-74	882	15.5	92	8	10	13	18	28	37	69
75-79	691	16.9	127	8	10	13	20	31	41	82
80-84	465	17.5	136	8	11	14	21	32	42	98
85 +	281	19.0	139	9	11	16	22	38	46	90
TOTAL SINGLE DX	314	10.4	12	7	8	10	12	15	17	21
TOTAL MULTIPLE DX	3197	16.2	113	8	10	13	19	29	39	77
TOTAL										
65-69 YRS	998	14.1	86	8	9	11	16	23	31	59
70-74	969	15.1	87	8	10	12	17	26	35	60
75-79	749	16.4	122	8	10	13	19	30	40	80
80-84	502	17.0	130	8	10	14	20	31	41	95
85 +	293	18.6	138	9	11	15	22	38	45	86
GRAND TOTAL	3511	15.7	106	8	10	13	18	28	38	75

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	349	3.5	9	< 1	1	3	5	7	8	11
70-74	290	4.4	15	< 1	2	4	6	9	11	23
75-79	251	4.2	12	< 1	1	3	6	9	12	19
80-84	169	4.2	12	< 1	1	3	6	9	11	16
85 +	107	5.7	48	1	2	4	6	12	17	43
2. MULTIPLE DX										
65-69 YRS	6704	7.1	42	2	4	6	9	13	18	33
70-74	7428	8.0	55	2	4	6	9	15	21	39
75-79	7381	8.4	62	3	4	6	10	16	22	45
80-84	6143	8.9	66	3	4	7	11	17	23	47
85 +	5456	9.6	77	3	5	7	11	18	25	52
TOTAL SINGLE DX	1166	4.2	16	< 1	1	3	5	8	10	20
TOTAL MULTIPLE DX	33112	8.3	61	3	4	6	10	16	22	44
TOTAL										
65-69 YRS	7053	7.0	41	2	3	5	8	13	18	33
70-74	7718	7.8	54	2	4	6	9	15	21	39
75-79	7632	8.2	61	3	4	6	10	16	22	44
80-84	6312	8.8	66	3	4	7	10	17	23	47
85 +	5563	9.5	77	3	5	7	11	18	25	51
GRAND TOTAL	34278	8.2	60	3	4	6	10	16	21	43

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	28	1.9	1	1	1	2	3	3	4	5
70-74	23	2.0		1	1	2	3	3	4	4
75-79	9	1.4		1	1	1	2	2	2	2
80-84	2	5.5	41	1	1	5	10	10	10	10
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	117	3.3	19	1	1	2	3	6	13	27
70-74	67	3.6	42	1	1	2	4	6	8	46
75-79	46	4.1	11	1	2	3	6	8	9	18
80-84	24	7.3	100	1	2	4	9	14	25	50
85 +	11	9.0	40	2	3	8	15	18	20	20
TOTAL SINGLE DX	63	2.0	2	1	1	2	2	3	4	9
TOTAL MULTIPLE DX	265	4.1	33	1	1	2	4	8	14	30
TOTAL										
65-69 YRS	145	3.0	16	1	1	2	3	5	9	25
70-74	90	3.2	32	1	1	2	3	5	7	38
75-79	55	3.6	10	1	1	2	5	8	9	18
80-84	26	7.1	94	1	2	4	9	14	22	50
85 +	12	8.4	41	2	3	7	14	17	20	20
GRAND TOTAL	328	3.7	28	1	1	2	4	8	12	26

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	1.7	1	< 1	1	1	2	4	5	6
70-74	17	2.4	3	< 1	1	2	3	5	6	7
75-79	13	3.1	7	< 1	1	3	4	6	10	11
80-84	9	2.7	2	1	1	3	4	5	5	5
85 +	6	2.8	3	< 1	2	2	3	6	6	6
2. MULTIPLE DX										
65-69 YRS	114	3.4	9	1	1	3	4	7	11	16
70-74	71	3.7	13	1	1	2	5	9	13	17
75-79	57	5.9	51	1	2	4	6	16	28	95
80-84	42	6.8	50	1	3	4	9	16	22	34
85 +	29	10.2	164	1	3	5	13	22	26	66
TOTAL SINGLE DX	63	2.4	4	< 1	1	2	3	5	6	10
TOTAL MULTIPLE DX	313	5.0	42	1	2	3	5	12	17	36
TOTAL										
65-69 YRS	132	3.2	9	1	1	2	4	6	9	15
70-74	88	3.4	12	1	1	2	4	8	12	17
75-79	70	5.4	44	1	2	3	6	13	18	87
80-84	51	6.1	44	1	2	4	8	14	18	34
85 +	35	8.9	144	1	3	4	12	19	24	66
GRAND TOTAL	376	4.6	36	1	1	3	5	11	16	34

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	76	2.8	2	1	2	3	4	5	6	8
70-74	42	2.9	3	1	2	3	4	5	7	9
75-79	29	2.6	2	1	1	2	3	5	6	7
80-84	11	2.7	3	1	1	3	3	5	8	8
85 +	10	3.4	5	1	2	3	5	7	8	8
2. MULTIPLE DX										
65-69 YRS	704	3.7	14	1	2	3	4	6	8	19
70-74	521	4.1	16	1	2	3	5	8	11	21
75-79	310	4.4	17	1	2	3	5	9	12	21
80-84	154	5.9	30	2	3	4	7	13	16	32
85 +	89	6.6	73	1	2	4	7	13	21	86
TOTAL SINGLE DX	168	2.8	3	1	2	2	3	5	6	8
TOTAL MULTIPLE DX	1778	4.3	20	1	2	3	5	8	12	22
TOTAL										
65-69 YRS	780	3.6	13	1	2	3	4	6	8	18
70-74	563	4.0	15	1	2	3	4	8	11	21
75-79	339	4.3	16	1	2	3	5	8	12	20
80-84	165	5.7	30	1	3	4	7	13	16	32
85 +	99	6.2	67	1	2	4	7	12	19	82
GRAND TOTAL	1946	4.1	19	1	2	3	5	8	11	22

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	33	2.3	4	1	1	2	3	6	7	8
70-74	25	2.8	14	1	1	2	3	5	11	19
75-79	22	5.3	57	1	2	3	5	12	27	31
80-84	8	4.0	7	1	2	3	6	8	9	9
85 +	9	3.8	9	1	1	3	5	9	10	10
2. MULTIPLE DX										
65-69 YRS	157	4.8	26	1	2	3	6	10	14	28
70-74	119	5.4	34	1	2	3	7	13	19	28
75-79	109	7.7	68	1	3	5	9	16	24	46
80-84	73	9.3	83	2	3	6	13	20	33	88
85 +	73	9.5	89	3	4	7	11	16	27	57
TOTAL SINGLE DX	97	3.4	20	1	1	2	4	7	9	28
TOTAL MULTIPLE DX	531	6.8	57	1	2	4	8	15	21	44
TOTAL										
65-69 YRS	190	4.3	23	1	2	3	6	9	13	26
70-74	144	5.0	32	1	2	3	6	12	18	26
75-79	131	7.3	67	1	2	4	9	15	25	45
80-84	81	8.8	79	2	3	6	12	19	31	84
85 +	82	8.8	84	2	4	7	11	15	25	56
GRAND TOTAL	**628**	**6.3**	**52**	**1**	**2**	**4**	**8**	**14**	**20**	**42**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	8.8	58	< 1	3	6	15	20	20	20
70-74	4	7.5	15	3	4	7	10	12	12	12
75-79	2	24.5	61	19	19	24	30	30	30	30
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	44	19.2	260	4	8	14	29	38	49	81
70-74	50	20.0	148	7	12	18	25	34	46	58
75-79	31	20.1	136	8	13	16	27	39	45	50
80-84	17	21.6	260	4	8	19	34	36	55	66
85 +	19	15.6	100	6	7	13	25	29	33	36
TOTAL SINGLE DX	12	10.3	79	1	3	8	16	23	29	30
TOTAL MULTIPLE DX	161	19.4	181	6	9	16	26	35	45	65
TOTAL										
65-69 YRS	49	18.1	248	4	7	14	28	36	48	81
70-74	54	19.0	149	6	10	17	24	34	45	58
75-79	33	20.4	131	8	14	16	27	38	45	50
80-84	18	20.4	269	3	7	19	34	36	54	66
85 +	19	15.6	101	6	7	13	25	29	33	36
GRAND TOTAL	**173**	**18.8**	**179**	**5**	**9**	**16**	**26**	**34**	**45**	**64**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	59	3.5	19	1	1	1	4	9	13	21
70-74	48	3.3	13	1	1	1	5	10	11	15
75-79	23	3.2	16	1	1	1	4	8	14	17
80-84	7	12.7	148	1	2	8	22	31	33	33
85 +	5	4.2	19	1	1	1	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	738	10.1	81	1	3	8	14	21	26	49
70-74	603	10.7	91	1	4	9	14	21	26	42
75-79	477	11.9	102	2	6	10	15	23	31	46
80-84	245	11.5	90	3	5	10	14	21	30	50
85 +	105	12.9	93	3	7	10	18	24	29	51
TOTAL SINGLE DX	142	3.8	26	1	1	1	5	10	14	25
TOTAL MULTIPLE DX	2168	10.9	91	1	5	9	15	22	28	46
TOTAL										
65-69 YRS	797	9.6	80	1	2	8	14	20	25	48
70-74	651	10.1	89	1	3	8	14	21	26	41
75-79	500	11.5	102	2	5	10	15	23	30	46
80-84	252	11.5	91	3	5	10	14	22	31	50
85 +	110	12.5	94	3	6	10	17	24	29	50
GRAND TOTAL	**2310**	**10.5**	**90**	**1**	**4**	**9**	**14**	**21**	**28**	**45**

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1231	5.4	5	3	4	5	6	8	10	14
70-74	768	5.8	7	3	4	5	7	9	10	16
75-79	421	6.5	15	4	4	6	8	10	12	18
80-84	211	7.1	9	4	5	6	8	12	13	16
85 +	110	9.2	27	4	6	8	11	15	20	31
2. MULTIPLE DX										
65-69 YRS	6235	8.4	34	4	5	7	10	14	18	31
70-74	5475	9.5	49	4	5	8	11	16	21	38
75-79	4153	11.0	65	5	6	9	13	19	25	49
80-84	2459	12.3	68	6	7	10	15	21	28	51
85 +	1619	14.4	91	7	9	12	17	25	33	70
TOTAL SINGLE DX	2741	6.0	9	3	4	5	7	9	11	16
TOTAL MULTIPLE DX	19941	10.2	57	4	6	8	12	18	23	44
TOTAL										
65-69 YRS	7466	7.9	31	4	5	6	9	14	17	29
70-74	6243	9.1	46	4	5	7	11	16	20	36
75-79	4574	10.6	63	5	6	9	12	18	24	48
80-84	2670	11.9	65	5	7	10	14	20	26	48
85 +	1729	14.1	89	6	9	12	16	25	32	69
GRAND TOTAL	**22682**	**9.7**	**53**	**4**	**5**	**8**	**12**	**17**	**22**	**41**

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	2.7	4	1	2	2	3	6	7	7
70-74	10	2.5	3	1	1	2	3	5	7	7
75-79	7	4.9	40	1	1	3	5	16	19	19
80-84	8	3.4	10	1	1	2	6	9	9	9
85 +	5	7.0	41	2	3	5	10	18	18	18
2. MULTIPLE DX										
65-69 YRS	54	11.0	118	2	4	8	15	22	29	64
70-74	62	9.3	165	2	3	6	11	17	25	83
75-79	36	13.2	71	3	7	12	19	27	28	32
80-84	32	9.3	82	2	3	6	13	18	23	45
85 +	34	12.0	120	3	4	8	18	23	32	54
TOTAL SINGLE DX	37	3.8	17	1	1	2	4	8	15	19
TOTAL MULTIPLE DX	218	10.8	119	2	4	8	15	21	29	58
TOTAL										
65-69 YRS	61	10.0	112	2	3	7	14	20	28	62
70-74	72	8.4	149	1	3	5	10	16	19	79
75-79	43	11.9	75	2	4	9	18	27	28	32
80-84	40	8.1	73	1	2	5	11	17	22	45
85 +	39	11.3	112	2	4	7	17	22	31	54
GRAND TOTAL	**255**	**9.8**	**111**	**2**	**3**	**7**	**14**	**20**	**28**	**54**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (51.97; 52.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	65	4.6	38	1	1	2	5	10	17	35
70-74	61	3.9	9	< 1	1	3	6	8	10	14
75-79	40	4.6	25	1	1	3	7	9	11	28
80-84	20	4.2	9	1	1	3	7	8	10	11
85 +	26	3.3	10	1	1	2	4	10	11	11
2. MULTIPLE DX										
65-69 YRS	495	8.9	64	2	4	7	11	18	26	42
70-74	551	8.6	64	2	4	7	11	17	22	46
75-79	504	9.0	70	2	4	7	11	18	23	45
80-84	417	9.5	67	2	4	8	12	18	24	46
85 +	443	10.8	83	2	5	8	14	21	29	51
TOTAL SINGLE DX	212	4.2	21	1	1	2	6	9	11	27
TOTAL MULTIPLE DX	2410	9.3	70	2	4	7	12	18	24	46
TOTAL										
65-69 YRS	560	8.4	64	1	3	6	11	18	25	41
70-74	612	8.1	61	2	3	6	10	16	22	38
75-79	544	8.7	69	2	3	7	11	17	22	44
80-84	437	9.2	66	2	4	7	12	18	23	46
85 +	469	10.4	83	2	5	8	13	20	28	51
GRAND TOTAL	**2622**	**8.9**	**68**	**2**	**4**	**7**	**11**	**18**	**24**	**46**

619: Miscellaneous operations on biliary tract (51.01-51.13; 51.31-51.95; 51.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	35	8.5	22	4	6	7	9	15	15	29
70-74	20	7.8	20	1	6	8	11	12	15	18
75-79	25	12.9	39	6	8	12	17	22	24	26
80-84	15	7.9	39	1	5	7	9	11	24	28
85 +	8	9.3	30	2	6	8	13	17	18	18
2. MULTIPLE DX										
65-69 YRS	382	14.7	108	6	8	12	18	26	32	66
70-74	428	15.6	117	7	9	13	19	29	40	68
75-79	408	16.2	113	7	10	14	19	29	38	64
80-84	313	17.0	140	8	10	14	20	32	41	81
85 +	278	18.2	177	7	10	15	22	32	47	97
TOTAL SINGLE DX	103	9.4	32	2	6	8	11	17	21	28
TOTAL MULTIPLE DX	1809	16.2	129	7	9	13	20	29	39	71
TOTAL										
65-69 YRS	417	14.1	104	6	8	12	17	26	32	61
70-74	448	15.2	115	7	9	12	19	28	39	66
75-79	433	16.0	110	7	10	14	19	29	37	61
80-84	328	16.6	140	7	10	13	20	30	40	81
85 +	286	17.9	175	7	10	14	22	32	46	97
GRAND TOTAL	**1912**	**15.8**	**126**	**7**	**9**	**13**	**19**	**29**	**38**	**70**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.2-52.83; 52.92-52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	9.6	48	1	5	8	14	20	23	26
70-74	13	11.7	30	6	9	10	16	19	21	21
75-79	5	11.2	110	< 1	1	10	22	22	22	22
80-84	2	11.0	72	5	5	11	17	17	17	17
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	225	19.5	270	5	9	14	26	46	61	99 +
70-74	216	20.0	217	5	10	16	28	40	54	99 +
75-79	156	18.0	214	4	8	15	24	38	44	80
80-84	102	18.2	216	3	9	15	23	36	50	71
85 +	30	14.2	179	2	7	11	17	30	53	57
TOTAL SINGLE DX	46	10.2	48	1	6	9	15	21	22	26
TOTAL MULTIPLE DX	729	18.9	232	4	9	15	25	40	54	99 +
TOTAL										
65-69 YRS	250	18.5	257	4	8	14	24	43	60	99 +
70-74	229	19.6	210	5	10	16	27	40	52	99 +
75-79	161	17.8	212	4	8	15	24	37	44	80
80-84	104	18.0	214	3	9	15	23	36	50	71
85 +	31	13.8	179	2	5	11	17	29	52	57
GRAND TOTAL	**775**	**18.4**	**225**	**4**	**8**	**15**	**24**	**39**	**52**	**98**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	112	3.8	10	< 1	1	3	6	8	9	16
70-74	107	4.6	19	< 1	1	4	6	9	13	24
75-79	98	4.2	17	< 1	1	4	6	8	11	68
80-84	50	4.6	17	< 1	1	3	7	11	13	18
85 +	49	5.0	18	1	2	3	7	12	13	17
2. MULTIPLE DX										
65-69 YRS	1870	7.5	41	2	4	6	9	14	19	33
70-74	2143	7.9	59	2	4	6	9	15	21	45
75-79	2345	8.4	68	3	4	6	10	16	21	53
80-84	2190	8.9	66	3	4	7	11	18	23	41
85 +	2024	9.3	67	3	5	7	11	18	24	55
TOTAL SINGLE DX	416	4.3	16	< 1	1	3	6	9	12	20
TOTAL MULTIPLE DX	10572	8.4	62	3	4	6	10	16	22	44
TOTAL										
65-69 YRS	1982	7.3	41	2	4	6	9	14	19	33
70-74	2250	7.7	58	2	4	6	9	15	20	42
75-79	2443	8.2	67	2	4	6	10	16	21	53
80-84	2240	8.8	66	2	4	7	11	18	23	41
85 +	2073	9.2	66	3	4	7	11	18	24	55
GRAND TOTAL	10988	8.3	61	2	4	6	10	16	22	43

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1133	1.9	1	1	1	1	2	3	4	6
70-74	911	2.0	1	1	1	2	3	4	4	6
75-79	631	2.0	1	1	1	2	3	4	5	6
80-84	369	2.4	3	1	1	2	3	4	6	9
85 +	219	2.4	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
65-69 YRS	2389	3.1	10	1	1	2	4	6	8	16
70-74	2453	3.7	25	1	1	2	4	7	10	24
75-79	2088	3.8	19	1	2	3	5	8	11	22
80-84	1433	4.6	38	1	2	3	5	9	14	31
85 +	941	6.1	51	1	2	4	8	13	18	35
TOTAL SINGLE DX	3263	2.0	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	9304	3.9	26	1	1	3	4	8	12	24
TOTAL										
65-69 YRS	3522	2.7	8	1	1	2	3	5	7	15
70-74	3364	3.2	20	1	1	2	4	6	9	20
75-79	2719	3.4	16	1	1	2	4	7	10	20
80-84	1802	4.1	32	1	1	3	5	8	13	25
85 +	1160	5.4	44	1	2	3	7	12	16	33
GRAND TOTAL	12567	3.4	20	1	1	2	4	7	10	21

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	186	1.9	1	1	1	2	3	3	4	5
70-74	121	2.3	1	1	1	2	3	4	5	8
75-79	71	2.4	2	1	1	2	3	4	5	8
80-84	51	2.5	3	1	1	2	4	5	5	11
85 +	24	2.6	2	1	1	2	3	5	7	7
2. MULTIPLE DX										
65-69 YRS	379	3.0	5	1	2	2	4	5	7	15
70-74	386	3.4	8	1	2	3	4	7	8	14
75-79	284	4.2	18	1	2	3	5	8	12	20
80-84	186	5.2	33	1	2	3	6	11	16	35
85 +	112	5.8	32	2	2	5	7	10	17	62
TOTAL SINGLE DX	453	2.2	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1347	3.9	16	1	2	3	5	7	11	20
TOTAL										
65-69 YRS	565	2.7	5	1	1	2	3	5	6	11
70-74	507	3.1	7	1	1	2	4	6	8	13
75-79	355	3.8	16	1	2	3	5	7	11	20
80-84	237	4.6	28	1	2	3	5	11	14	29
85 +	136	5.2	29	1	2	4	6	10	14	47
GRAND TOTAL	1800	3.5	13	1	2	3	4	6	9	19

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	2.7	3	1	1	2	4	5	6	10
70-74	54	2.9	4	1	1	2	4	7	8	9
75-79	69	3.0	4	1	1	2	4	5	7	11
80-84	48	3.5	7	1	2	3	4	7	9	15
85 +	21	3.8	5	1	2	3	5	8	8	9
2. MULTIPLE DX										
65-69 YRS	164	4.4	12	1	2	3	6	8	11	18
70-74	192	5.8	30	1	2	4	8	11	16	30
75-79	188	6.9	74	2	2	4	8	14	19	48
80-84	185	8.2	61	2	3	6	10	17	21	45
85 +	167	9.8	87	2	4	8	12	20	25	46
TOTAL SINGLE DX	264	3.0	5	1	1	2	4	6	8	11
TOTAL MULTIPLE DX	896	7.0	56	2	3	5	9	14	20	43
TOTAL										
65-69 YRS	236	3.9	11	1	2	3	5	7	10	17
70-74	246	5.2	26	1	2	4	7	10	14	29
75-79	257	5.9	59	1	2	4	7	13	16	45
80-84	233	7.2	54	1	2	5	9	15	20	35
85 +	188	9.1	82	2	4	7	11	18	25	46
GRAND TOTAL	1160	6.1	48	1	2	4	8	13	17	36

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	68	2.4	2	1	1	2	3	5	6	8
70-74	44	2.5	2	1	1	2	3	5	6	7
75-79	25	2.0	1	1	1	1	3	4	4	5
80-84	12	3.4	4	1	2	3	5	7	8	8
85 +	10	3.4	7	1	1	2	5	8	9	9
2. MULTIPLE DX										
65-69 YRS	251	5.1	27	1	2	4	6	10	15	27
70-74	198	6.0	51	1	2	4	7	13	20	38
75-79	169	7.5	105	1	3	5	8	16	25	80
80-84	86	7.2	64	2	3	5	8	14	20	51
85 +	66	10.9	142	3	5	9	11	22	29	78
TOTAL SINGLE DX	159	2.5	3	1	1	2	3	5	6	8
TOTAL MULTIPLE DX	770	6.6	67	1	2	4	8	14	21	42
TOTAL										
65-69 YRS	319	4.5	23	1	2	3	5	9	13	26
70-74	242	5.4	44	1	2	3	6	11	18	36
75-79	194	6.7	95	1	2	4	7	14	24	78
80-84	98	6.7	58	2	3	5	8	14	19	48
85 +	76	9.9	131	1	4	8	11	21	29	73
GRAND TOTAL	**929**	**5.9**	**58**	**1**	**2**	**4**	**7**	**12**	**18**	**38**

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	348	3.8	7	1	2	3	5	7	8	11
70-74	284	3.8	4	1	2	3	5	7	8	10
75-79	191	4.1	6	1	2	4	6	7	8	14
80-84	72	3.5	3	1	2	3	5	7	7	8
85 +	36	4.0	6	2	2	3	5	7	9	14
2. MULTIPLE DX										
65-69 YRS	1199	5.7	24	2	3	5	7	10	14	32
70-74	994	6.3	43	2	3	5	7	11	14	32
75-79	733	6.8	38	2	3	5	9	13	17	31
80-84	372	7.3	37	2	4	6	9	14	21	31
85 +	218	9.6	85	3	4	7	11	19	30	57
TOTAL SINGLE DX	931	3.8	6	1	2	3	5	7	8	11
TOTAL MULTIPLE DX	3516	6.5	39	2	3	5	8	12	16	34
TOTAL										
65-69 YRS	1547	5.3	22	1	3	4	6	9	12	29
70-74	1278	5.8	36	2	3	5	7	10	13	29
75-79	924	6.2	33	2	3	5	8	12	16	29
80-84	444	6.7	34	2	3	5	8	13	19	28
85 +	254	8.8	78	2	4	6	10	17	28	54
GRAND TOTAL	**4447**	**6.0**	**33**	**2**	**3**	**5**	**7**	**11**	**15**	**31**

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	6.2	10	2	4	6	8	10	12	13
70-74	11	6.6	7	3	5	6	9	10	11	11
75-79	7	7.1	17	2	4	7	9	14	15	15
80-84	8	9.9	33	3	7	9	11	19	22	22
85 +	5	12.4	36	6	8	12	15	22	22	22
2. MULTIPLE DX										
65-69 YRS	126	10.4	72	5	6	8	12	18	26	75
70-74	129	12.3	80	5	7	10	15	23	33	99 +
75-79	114	13.9	78	7	9	12	17	26	31	73
80-84	83	16.5	180	7	9	13	19	28	44	79
85 +	40	18.4	86	8	11	16	23	30	35	50
TOTAL SINGLE DX	49	7.7	20	2	5	7	9	12	15	22
TOTAL MULTIPLE DX	492	13.4	101	5	8	11	16	25	32	79
TOTAL										
65-69 YRS	144	9.9	67	4	6	8	12	16	25	70
70-74	140	11.8	77	5	7	9	14	23	30	99 +
75-79	121	13.5	77	6	9	11	17	26	31	70
80-84	91	15.9	171	7	9	11	19	28	42	77
85 +	45	17.8	84	8	11	16	22	30	35	50
GRAND TOTAL	**541**	**12.9**	**96**	**5**	**7**	**10**	**15**	**25**	**31**	**69**

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	63	5.3	26	1	2	4	7	9	15	30
70-74	41	4.9	22	< 1	1	3	7	12	16	20
75-79	48	6.1	58	1	2	4	7	12	15	50
80-84	25	7.6	72	1	2	5	9	17	24	39
85 +	15	5.3	13	1	2	5	7	10	13	14
2. MULTIPLE DX										
65-69 YRS	1134	10.6	88	3	5	8	13	21	27	56
70-74	1021	11.3	98	3	5	9	14	21	31	56
75-79	693	13.0	122	3	6	10	17	26	34	60
80-84	523	12.3	125	3	5	9	15	25	33	76
85 +	341	13.9	148	3	7	11	17	27	38	78
TOTAL SINGLE DX	192	5.7	38	1	2	4	7	12	17	36
TOTAL MULTIPLE DX	3712	11.8	109	3	5	9	15	23	31	62
TOTAL										
65-69 YRS	1197	10.3	87	2	5	8	13	20	26	50
70-74	1062	11.1	97	3	5	9	14	21	30	56
75-79	741	12.5	121	3	5	10	16	25	34	58
80-84	548	12.1	124	3	5	9	15	25	33	76
85 +	356	13.5	145	3	7	11	17	27	38	77
GRAND TOTAL	**3904**	**11.5**	**108**	**3**	**5**	**9**	**14**	**23**	**30**	**60**

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	58	6.8	10	4	5	6	8	11	12	21
70-74	37	8.7	40	3	4	7	11	16	24	29
75-79	25	6.6	8	3	5	6	8	9	12	14
80-84	17	9.1	20	3	6	9	13	14	17	18
85 +	9	12.3	66	5	7	10	14	26	31	31
2. MULTIPLE DX										
65-69 YRS	556	15.0	174	5	7	11	18	29	43	85
70-74	550	14.6	137	5	7	11	18	32	39	78
75-79	426	16.7	202	5	8	13	20	32	47	83
80-84	265	16.6	161	7	9	14	19	27	37	77
85 +	170	17.1	147	7	10	14	21	30	43	82
TOTAL SINGLE DX	146	7.8	24	3	5	7	9	13	16	29
TOTAL MULTIPLE DX	1967	15.6	167	5	8	12	19	30	42	82
TOTAL										
65-69 YRS	614	14.3	165	5	7	10	17	27	41	81
70-74	587	14.2	133	5	7	11	17	30	39	75
75-79	451	16.1	197	5	7	12	19	31	47	82
80-84	282	16.1	156	7	9	13	18	26	36	77
85 +	179	16.8	144	7	10	14	21	30	41	80
GRAND TOTAL	**2113**	**15.1**	**161**	**5**	**7**	**12**	**18**	**29**	**40**	**80**

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	2.6	13	< 1	< 1	< 1	3	9	9	9
70-74	8	1.6	1	< 1	< 1	1	2	3	4	4
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	1	6.0		6	6	6	6	6	6	6
85 +	0									
2. MULTIPLE DX										
65-69 YRS	33	6.1	48	1	1	3	8	16	21	30
70-74	35	10.3	99	1	2	8	15	23	34	39
75-79	29	6.9	47	1	1	3	11	16	22	24
80-84	8	15.3	77	3	9	14	22	27	29	29
85 +	8	12.9	67	3	5	12	21	22	23	23
TOTAL SINGLE DX	16	2.8	7	< 1	< 1	1	4	7	8	9
TOTAL MULTIPLE DX	113	8.7	73	1	2	6	14	21	24	38
TOTAL										
65-69 YRS	36	5.6	45	< 1	1	2	8	15	21	30
70-74	43	8.7	92	1	1	5	14	21	30	39
75-79	31	6.8	44	1	1	4	11	16	22	24
80-84	9	14.2	77	4	7	14	22	26	29	29
85 +	8	12.9	67	3	5	12	21	22	23	23
GRAND TOTAL	**129**	**8.0**	**68**	**1**	**1**	**5**	**12**	**21**	**23**	**37**

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	124	9.0	32	2	6	8	11	15	18	33
70-74	77	9.5	72	2	6	8	12	14	17	59
75-79	71	8.5	19	3	5	8	12	14	16	22
80-84	43	10.3	16	6	8	10	11	16	20	23
85 +	26	10.4	18	6	7	10	13	17	18	19
2. MULTIPLE DX										
65-69 YRS	1059	13.6	151	4	7	10	16	27	38	80
70-74	1028	14.4	127	4	8	11	18	27	36	67
75-79	823	15.7	139	6	8	12	19	30	40	68
80-84	608	16.3	145	6	9	13	20	31	44	85
85 +	431	16.6	108	7	10	14	20	30	40	79
TOTAL SINGLE DX	341	9.3	36	3	6	9	12	15	17	31
TOTAL MULTIPLE DX	3949	15.0	138	5	8	12	18	29	38	75
TOTAL										
65-69 YRS	1183	13.2	141	4	7	10	15	26	37	79
70-74	1105	14.0	125	4	7	11	17	27	36	66
75-79	894	15.1	134	5	8	12	18	29	38	67
80-84	651	15.9	139	6	9	13	19	30	42	84
85 +	457	16.3	105	7	10	14	19	29	38	74
GRAND TOTAL	**4290**	**14.5**	**132**	**5**	**8**	**12**	**18**	**28**	**37**	**72**

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	8.2	5	6	7	8	10	11	13	15
70-74	62	8.3	5	6	7	8	9	12	13	15
75-79	31	8.0	6	5	7	8	9	11	13	16
80-84	14	8.4	12	4	5	8	12	13	14	14
85 +	7	10.3	17	7	9	9	11	17	19	19
2. MULTIPLE DX										
65-69 YRS	534	12.0	75	6	7	9	13	20	28	53
70-74	537	12.9	86	6	8	10	15	25	29	63
75-79	392	14.1	110	6	8	11	16	26	35	75
80-84	211	14.8	84	7	9	11	18	27	31	43
85 +	91	15.8	84	8	9	13	19	28	35	46
TOTAL SINGLE DX	186	8.3	7	5	7	8	10	12	13	16
TOTAL MULTIPLE DX	1765	13.3	89	6	8	10	16	24	31	60
TOTAL										
65-69 YRS	606	11.5	69	6	7	9	12	19	27	50
70-74	599	12.4	80	6	7	9	14	23	29	59
75-79	423	13.7	105	6	8	10	16	24	34	74
80-84	225	14.4	82	7	8	11	18	26	31	43
85 +	98	15.4	82	7	9	13	18	28	34	46
GRAND TOTAL	**1951**	**12.8**	**83**	**6**	**8**	**10**	**15**	**22**	**30**	**55**

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	24	5.0	8	1	3	5	7	8	10	12
70-74	19	5.5	15	2	2	4	8	10	14	17
75-79	17	4.4	16	1	2	4	5	8	14	18
80-84	7	4.7	7	1	2	5	7	8	8	8
85 +	0									
2. MULTIPLE DX										
65-69 YRS	213	10.8	92	3	4	8	14	20	34	49
70-74	201	10.8	78	2	5	9	14	21	30	42
75-79	128	13.7	95	3	7	12	18	27	32	61
80-84	91	15.0	174	4	7	11	19	28	39	75
85 +	47	11.5	72	2	5	10	16	24	31	34
TOTAL SINGLE DX	67	5.0	12	1	2	4	7	8	10	18
TOTAL MULTIPLE DX	680	12.0	101	3	5	9	16	25	32	51
TOTAL										
65-69 YRS	237	10.2	87	3	4	8	13	20	30	49
70-74	220	10.4	75	2	4	8	13	20	29	41
75-79	145	12.6	95	2	5	10	18	26	32	53
80-84	98	14.3	170	3	7	10	18	28	38	74
85 +	47	11.5	72	2	5	10	16	24	31	34
GRAND TOTAL	**747**	**11.3**	**97**	**2**	**4**	**9**	**15**	**23**	**31**	**50**

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	17	14.1	43	7	10	13	18	25	29	30
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
TOTAL SINGLE DX	1	8.0		8	8	8	8	8	8	8
TOTAL MULTIPLE DX	18	13.6	45	6	9	12	18	25	29	30
TOTAL										
65-69 YRS	18	13.7	43	7	9	12	18	25	29	30
70-74	1	6.0		6	6	6	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
GRAND TOTAL	**19**	**13.3**	**44**	**7**	**9**	**12**	**17**	**24**	**29**	**30**

636: Miscellaneous operations on kidney, except percutaneous nephrostomy 55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	53	4.0	12	1	1	2	6	9	12	15
70-74	28	3.8	11	1	1	3	5	9	11	12
75-79	18	4.8	14	1	1	3	8	10	12	13
80-84	10	6.3	28	< 1	1	6	11	13	14	14
85 +	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	441	10.2	83	2	4	8	13	23	31	42
70-74	344	10.6	93	2	4	8	14	21	27	52
75-79	248	12.3	107	2	5	9	17	25	33	50
80-84	148	12.7	110	3	5	11	17	22	32	59
85 +	68	13.0	76	4	7	11	16	28	32	89
TOTAL SINGLE DX	110	4.2	14	1	1	3	7	10	12	14
TOTAL MULTIPLE DX	1249	11.2	95	2	5	9	14	23	30	47
TOTAL										
65-69 YRS	494	9.5	79	1	3	7	12	21	29	42
70-74	372	10.1	90	2	4	8	13	21	26	50
75-79	266	11.8	105	2	5	9	16	25	31	50
80-84	158	12.3	107	2	5	11	16	22	32	59
85 +	69	12.8	78	3	7	11	16	28	32	88
GRAND TOTAL	**1359**	**10.6**	**92**	**2**	**4**	**8**	**14**	**22**	**29**	**47**

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	22	6.7	11	2	4	7	9	11	12	14
70-74	17	6.5	18	1	3	7	10	12	13	14
75-79	11	5.9	13	2	4	5	7	11	15	15
80-84	4	7.5	9	3	6	9	9	9	9	9
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	136	9.7	56	3	5	8	12	16	22	43
70-74	97	10.0	68	3	5	8	13	18	21	50
75-79	64	10.9	71	3	5	9	14	23	27	43
80-84	32	13.9	111	6	7	10	17	26	34	55
85 +	27	14.6	130	5	7	12	17	28	37	57
TOTAL SINGLE DX	55	6.5	13	1	4	7	9	11	13	15
TOTAL MULTIPLE DX	356	10.7	75	3	5	9	13	20	26	54
TOTAL										
65-69 YRS	158	9.3	51	3	5	8	11	15	20	40
70-74	114	9.5	63	2	5	8	12	17	20	43
75-79	75	10.2	66	2	5	7	14	22	26	41
80-84	36	13.2	103	5	7	9	16	25	33	55
85 +	28	14.3	129	5	7	11	17	28	36	57
GRAND TOTAL	**411**	**10.2**	**69**	**3**	**5**	**8**	**13**	**18**	**25**	**49**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	10.2	13	6	7	9	14	14	14	14
70-74	11	12.3	55	5	9	10	15	23	31	32
75-79	5	10.6	62	4	4	9	15	23	23	23
80-84	2	12.5	13	10	10	12	15	15	15	15
85 +	0									
2. MULTIPLE DX										
65-69 YRS	74	16.4	235	5	9	12	18	33	54	77
70-74	91	16.0	134	7	9	13	20	30	47	88
75-79	55	16.4	105	6	10	14	20	25	43	56
80-84	25	16.0	149	4	7	13	21	40	42	46
85 +	10	19.4	37	13	15	19	20	29	32	32
TOTAL SINGLE DX	23	11.5	41	5	8	10	14	18	26	32
TOTAL MULTIPLE DX	255	16.4	153	6	9	13	20	31	44	76
TOTAL										
65-69 YRS	79	16.1	223	5	9	12	18	30	49	77
70-74	102	15.6	126	7	9	12	19	30	40	85
75-79	60	16.0	103	5	9	14	20	24	40	55
80-84	27	15.7	140	4	7	13	21	38	42	46
85 +	10	19.4	37	13	15	19	20	29	32	32
GRAND TOTAL	**278**	**15.9**	**146**	**6**	**9**	**13**	**19**	**29**	**41**	**76**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	147	2.7	3	1	1	2	4	5	6	9
70-74	69	2.4	1	1	1	2	3	4	5	7
75-79	35	3.1	14	1	1	2	4	5	6	23
80-84	28	3.3	4	1	2	3	5	7	7	8
85 +	5	5.0	10	1	2	5	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	442	4.6	20	1	2	3	6	9	12	25
70-74	292	5.1	21	1	2	4	6	10	12	30
75-79	205	5.1	19	1	2	4	7	9	12	25
80-84	101	7.0	58	2	3	5	8	12	23	45
85 +	43	7.4	42	2	4	6	9	15	17	39
TOTAL SINGLE DX	284	2.7	5	1	1	2	4	5	6	9
TOTAL MULTIPLE DX	1083	5.1	26	1	2	4	6	10	13	28
TOTAL										
65-69 YRS	589	4.1	17	1	2	3	5	8	11	23
70-74	361	4.5	19	1	2	3	5	9	11	26
75-79	240	4.8	19	1	2	4	6	9	11	24
80-84	129	6.2	49	1	3	4	7	11	18	39
85 +	48	7.2	39	2	3	6	9	14	16	39
GRAND TOTAL	**1367**	**4.6**	**22**	**1**	**2**	**3**	**6**	**9**	**12**	**26**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	13	3.8	15	1	1	2	6	8	14	15
70-74	23	4.1	24	< 1	1	2	5	11	16	21
75-79	9	5.4	16	1	2	5	9	11	12	12
80-84	9	4.3	16	1	1	3	7	11	12	12
85 +	3	3.0	7	1	1	2	5	6	6	6
2. MULTIPLE DX										
65-69 YRS	92	8.1	52	1	3	7	10	17	20	39
70-74	107	9.8	82	2	4	8	11	20	24	51
75-79	70	8.2	52	1	4	7	11	15	21	44
80-84	59	10.8	64	3	6	9	14	23	28	38
85 +	22	9.5	133	1	3	8	10	13	32	58
TOTAL SINGLE DX	57	4.2	18	1	1	2	6	10	13	21
TOTAL MULTIPLE DX	350	9.2	69	1	4	8	11	18	23	43
TOTAL										
65-69 YRS	105	7.6	50	1	3	6	10	17	19	38
70-74	130	8.8	76	1	3	7	11	19	23	47
75-79	79	7.9	49	1	3	7	11	14	19	42
80-84	68	10.0	63	2	4	8	13	21	27	37
85 +	25	8.8	122	1	2	8	10	13	25	58
GRAND TOTAL	**407**	**8.5**	**65**	**1**	**3**	**7**	**11**	**17**	**22**	**42**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	244	2.8	5	< 1	1	2	4	6	7	10
70-74	225	2.5	6	< 1	< 1	1	3	6	7	11
75-79	163	2.7	5	< 1	< 1	2	3	6	8	12
80-84	87	3.5	24	< 1	1	2	4	7	11	30
85 +	50	3.1	6	< 1	1	2	4	6	10	11
2. MULTIPLE DX										
65-69 YRS	1861	8.3	81	1	3	6	10	17	24	46
70-74	2131	8.6	77	1	3	6	11	18	25	51
75-79	2052	9.4	81	2	4	7	12	20	28	53
80-84	1703	11.0	122	2	5	8	13	21	33	71
85 +	1598	11.2	109	3	5	8	14	23	32	74
TOTAL SINGLE DX	769	2.8	8	< 1	1	2	4	6	8	13
TOTAL MULTIPLE DX	9345	9.6	94	2	4	7	12	20	28	59
TOTAL										
65-69 YRS	2105	7.7	76	1	2	5	10	16	23	46
70-74	2356	8.0	74	1	3	6	10	17	24	48
75-79	2215	8.9	79	1	3	7	11	19	26	51
80-84	1790	10.6	120	2	4	8	13	21	32	70
85 +	1648	11.0	108	2	5	8	14	22	32	71
GRAND TOTAL	**10114**	**9.1**	**91**	**1**	**3**	**7**	**12**	**19**	**27**	**56**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	499	2.2	2	1	1	2	3	4	5	8
70-74	489	2.3	2	1	1	2	3	5	5	9
75-79	409	2.6	4	1	1	2	3	5	6	11
80-84	258	2.7	3	1	1	2	3	5	7	9
85 +	196	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX										
65-69 YRS	1907	4.3	29	1	2	3	5	9	13	27
70-74	2243	5.1	48	1	2	3	6	11	16	39
75-79	2328	5.3	42	1	2	3	6	12	16	33
80-84	1764	6.4	64	1	2	4	8	14	20	43
85 +	1323	7.4	60	1	3	5	9	16	23	53
TOTAL SINGLE DX	1851	2.5	4	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	9565	5.5	49	1	2	3	6	12	17	37
TOTAL										
65-69 YRS	2406	3.9	25	1	1	3	4	8	12	25
70-74	2732	4.6	41	1	1	3	5	9	14	35
75-79	2737	4.9	38	1	2	3	6	10	15	31
80-84	2022	5.9	58	1	2	4	7	13	19	40
85 +	1519	6.9	55	1	3	5	8	15	22	50
GRAND TOTAL	**11416**	**5.0**	**43**	**1**	**2**	**3**	**6**	**11**	**16**	**33**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	1.9	2	1	1	1	2	3	5	8
70-74	11	2.9	5	1	1	2	5	6	7	7
75-79	11	2.7	5	< 1	1	2	3	7	9	9
80-84	6	3.0	5	< 1	1	2	4	7	7	7
85 +	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	160	5.6	63	1	2	4	5	11	19	38
70-74	173	5.2	27	1	2	4	6	12	16	30
75-79	171	7.1	71	1	2	4	8	14	28	39
80-84	139	7.9	102	1	3	5	9	18	20	51
85 +	119	6.9	52	2	3	5	9	15	21	99 +
TOTAL SINGLE DX	50	2.5	4	1	1	2	3	6	7	9
TOTAL MULTIPLE DX	762	6.5	63	1	2	4	8	13	19	43
TOTAL										
65-69 YRS	181	5.2	57	1	2	3	5	10	18	36
70-74	184	5.0	26	1	2	4	6	11	15	30
75-79	182	6.8	69	1	2	4	8	14	27	39
80-84	145	7.7	100	1	3	5	8	18	20	49
85 +	120	6.9	52	2	3	5	9	15	21	99 +
GRAND TOTAL	**812**	**6.2**	**61**	**1**	**2**	**4**	**7**	**13**	**19**	**42**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	102	6.4	31	1	2	4	10	14	17	25
70-74	98	5.5	32	1	2	4	8	11	12	32
75-79	58	5.8	18	1	3	5	8	12	13	20
80-84	36	5.0	20	1	2	3	8	12	15	17
85 +	23	5.6	22	1	2	5	7	11	17	20
2. MULTIPLE DX										
65-69 YRS	675	11.3	152	2	4	8	14	23	33	73
70-74	721	10.8	117	2	4	8	14	22	30	58
75-79	701	10.8	105	2	4	8	14	23	31	52
80-84	517	10.4	95	2	4	8	13	21	28	60
85 +	401	11.5	101	2	5	9	15	23	32	69
TOTAL SINGLE DX	317	5.8	27	1	2	4	9	12	15	25
TOTAL MULTIPLE DX	3015	10.9	117	2	4	8	14	22	30	61
TOTAL										
65-69 YRS	777	10.6	139	2	3	8	13	21	30	68
70-74	819	10.1	111	1	3	8	13	22	29	53
75-79	759	10.4	100	2	4	8	14	22	30	52
80-84	553	10.0	92	2	4	7	13	20	27	58
85 +	424	11.2	99	2	5	9	15	22	30	65
GRAND TOTAL	**3332**	**10.4**	**110**	**2**	**3**	**8**	**14**	**21**	**29**	**60**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	1.5	1	< 1	< 1	1	2	2	2	2
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	8	6.5	82	< 1	1	4	7	22	28	28
70-74	11	4.7	28	< 1	1	2	7	14	17	17
75-79	8	21.6	760	3	6	8	34	69	74	74
80-84	9	8.0	42	2	3	5	11	18	22	22
85 +	2	6.5	1	6	6	7	77	99 +	99 +	99 +
TOTAL SINGLE DX	4	1.3		< 1	< 1	1	1	2	2	2
TOTAL MULTIPLE DX	38	9.5	218	1	2	6	10	26	66	99 +
TOTAL										
65-69 YRS	8	6.5	82	< 1	1	4	7	22	28	28
70-74	12	4.4	27	< 1	1	2	6	13	16	17
75-79	10	17.6	663	1	2	7	10	65	74	74
80-84	10	7.3	42	1	2	5	11	17	22	22
85 +	2	6.5	1	6	6	7	77	99 +	99 +	99 +
GRAND TOTAL	42	8.7	203	1	2	5	10	23	63	99 +

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	30	2.4	2	1	1	2	4	5	5	5
70-74	24	1.9	1	1	1	2	2	3	5	6
75-79	19	2.5	5	< 1	1	1	4	7	8	8
80-84	9	2.4	1	< 1	1	2	3	4	5	5
85 +	7	4.1	8	1	2	3	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	101	3.4	10	1	1	2	4	7	10	16
70-74	103	5.0	25	1	2	4	6	10	16	27
75-79	82	5.0	27	1	2	4	6	8	13	34
80-84	59	4.9	25	1	2	3	5	11	14	30
85 +	48	9.8	126	1	3	7	11	24	32	54
TOTAL SINGLE DX	89	2.4	3	1	1	2	3	5	6	9
TOTAL MULTIPLE DX	393	5.2	37	1	2	3	6	10	15	31
TOTAL										
65-69 YRS	131	3.2	9	1	1	2	4	7	10	15
70-74	127	4.4	23	1	1	3	5	9	15	26
75-79	101	4.5	24	1	2	3	6	8	11	31
80-84	68	4.6	23	1	2	3	5	9	13	29
85 +	55	9.1	115	1	2	7	10	22	29	54
GRAND TOTAL	482	4.7	32	1	1	3	6	9	14	29

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	6	1.8	2	< 1	< 1	1	2	5	5	5
70-74	6	3.0	2	< 1	2	3	4	5	5	5
75-79	10	3.8	12	< 1	1	2	8	9	10	10
80-84	8	2.6	5	< 1	1	2	4	6	7	7
85 +	6	2.0	4	< 1	1	1	2	6	6	6
2. MULTIPLE DX										
65-69 YRS	188	8.1	47	2	3	6	11	17	20	34
70-74	229	9.0	108	1	3	6	11	19	27	68
75-79	292	9.5	76	2	4	7	12	19	28	43
80-84	282	10.6	78	2	5	9	14	22	28	55
85 +	243	9.7	67	3	5	7	13	18	22	46
TOTAL SINGLE DX	36	2.8	6	< 1	1	2	4	7	8	10
TOTAL MULTIPLE DX	1234	9.5	77	2	4	7	12	19	25	49
TOTAL										
65-69 YRS	194	7.9	48	1	3	6	11	16	20	33
70-74	235	8.9	106	1	3	6	11	19	27	66
75-79	302	9.3	76	2	4	7	12	18	27	42
80-84	290	10.4	78	2	5	8	13	21	28	55
85 +	249	9.5	67	2	4	7	13	18	22	45
GRAND TOTAL	1270	9.3	76	2	4	7	12	19	25	49

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	56	2.0	1	1	1	2	3	3	5	9
70-74	52	2.6	7	1	1	2	3	6	7	17
75-79	42	2.7	5	1	1	2	3	6	8	12
80-84	28	2.6	2	1	1	2	4	5	6	6
85 +	12	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
65-69 YRS	316	5.2	38	1	2	4	6	10	14	36
70-74	345	5.4	51	1	2	4	6	11	16	40
75-79	343	5.6	50	1	2	4	7	11	14	51
80-84	242	6.5	39	1	3	5	8	13	19	39
85 +	158	6.7	43	1	2	5	8	17	22	36
TOTAL SINGLE DX	190	2.4	4	1	1	2	3	5	6	11
TOTAL MULTIPLE DX	1404	5.8	46	1	2	4	7	11	18	39
TOTAL										
65-69 YRS	372	4.7	35	1	2	3	5	9	12	36
70-74	397	5.1	47	1	2	3	6	9	15	40
75-79	385	5.3	47	1	2	3	6	11	14	47
80-84	270	6.1	37	1	2	4	7	13	19	38
85 +	170	6.4	42	1	2	4	8	16	21	35
GRAND TOTAL	1594	5.4	42	1	2	4	6	11	16	38

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	102	5.1	4	3	4	5	6	8	9	13
70-74	45	4.7	2	3	4	5	5	7	7	10
75-79	34	5.8	9	3	3	5	8	9	11	16
80-84	18	4.2	4	2	2	4	6	7	8	8
85 +	5	6.8	1	5	6	7	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	239	5.7	6	3	4	5	7	8	10	14
70-74	152	6.2	7	4	4	6	8	9	11	16
75-79	103	6.7	9	3	4	6	8	10	13	18
80-84	40	7.1	7	4	5	7	8	11	13	15
85 +	15	7.1	9	3	5	7	9	11	13	14
TOTAL SINGLE DX	204	5.1	5	3	4	5	6	8	9	13
TOTAL MULTIPLE DX	549	6.2	8	3	4	6	7	9	11	15
TOTAL										
65-69 YRS	341	5.6	6	3	4	5	7	8	9	14
70-74	197	5.8	6	3	4	5	7	9	10	15
75-79	137	6.5	10	3	4	6	8	9	12	17
80-84	58	6.2	8	3	4	6	8	10	12	15
85 +	20	7.1	8	4	5	7	9	10	12	14
GRAND TOTAL	**753**	**5.9**	**7**	**3**	**4**	**5**	**7**	**9**	**11**	**15**

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	98	4.1	3	2	3	4	5	7	8	10
70-74	68	4.7	7	2	3	4	6	8	10	15
75-79	44	4.5	3	2	3	4	6	7	8	9
80-84	15	4.7	4	3	3	5	5	8	8	8
85 +	8	4.8	4	2	3	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	284	5.3	23	2	3	5	6	8	10	23
70-74	226	5.1	7	3	4	5	6	8	10	14
75-79	146	5.7	14	3	4	5	7	9	11	19
80-84	73	5.8	9	2	4	6	8	10	11	16
85 +	32	5.7	11	2	4	5	7	10	14	15
TOTAL SINGLE DX	233	4.4	5	2	3	4	5	8	8	12
TOTAL MULTIPLE DX	761	5.4	15	2	3	5	6	8	11	18
TOTAL										
65-69 YRS	382	5.0	19	2	3	4	6	8	9	19
70-74	294	5.0	7	3	3	4	6	8	10	14
75-79	190	5.4	12	2	4	5	6	9	10	17
80-84	88	5.6	9	2	4	5	7	9	11	15
85 +	40	5.5	10	2	4	5	7	9	14	15
GRAND TOTAL	**994**	**5.2**	**13**	**2**	**3**	**5**	**6**	**8**	**10**	**16**

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	55	2.5	4	1	1	2	3	5	6	13
70-74	32	2.3	2	1	1	2	3	4	5	7
75-79	21	3.6	40	< 1	1	2	3	4	17	31
80-84	12	3.7	4	1	2	3	5	7	7	7
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	313	6.7	43	1	2	5	9	15	20	32
70-74	264	8.1	83	1	3	5	10	17	25	57
75-79	187	8.7	63	1	3	7	12	18	23	39
80-84	124	7.2	38	1	3	5	10	15	21	28
85 +	86	11.6	133	2	4	8	14	27	33	60
TOTAL SINGLE DX	122	2.7	10	1	1	2	3	5	6	18
TOTAL MULTIPLE DX	974	8.0	67	1	3	5	10	17	24	37
TOTAL										
65-69 YRS	368	6.1	40	1	2	4	8	14	19	31
70-74	296	7.5	78	1	2	5	9	16	24	50
75-79	208	8.2	64	1	3	6	11	17	23	38
80-84	136	6.9	36	1	2	5	10	15	20	28
85 +	88	11.4	133	2	4	8	14	27	33	60
GRAND TOTAL	**1096**	**7.4**	**64**	**1**	**2**	**5**	**10**	**16**	**23**	**37**

652: Ultrasonic lithotripsy, except by percutaneous nephrostomy (59.95-59.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	180	1.7	2	< 1	1	1	2	3	4	10
70-74	108	1.6	1	1	1	1	2	3	5	8
75-79	46	1.5		1	1	1	2	2	3	5
80-84	25	1.6	1	< 1	1	1	2	3	5	7
85 +	7	5.7	67	< 1	1	3	5	20	24	24
2. MULTIPLE DX										
65-69 YRS	259	3.0	16	1	1	2	3	7	8	28
70-74	223	3.1	11	1	1	2	4	8	9	18
75-79	133	4.7	32	1	1	2	5	15	19	24
80-84	66	3.8	16	1	1	2	4	11	15	16
85 +	29	7.0	70	1	2	4	8	17	25	40
TOTAL SINGLE DX	366	1.7	3	1	1	1	2	3	4	9
TOTAL MULTIPLE DX	710	3.6	21	1	1	2	4	8	13	23
TOTAL										
65-69 YRS	439	2.5	11	1	1	1	2	5	7	18
70-74	331	2.6	9	1	1	2	3	6	8	15
75-79	179	3.9	27	1	1	2	3	11	17	22
80-84	91	3.2	13	1	1	2	3	9	13	16
85 +	36	6.7	68	1	2	4	7	18	24	40
GRAND TOTAL	**1076**	**3.0**	**16**	**1**	**1**	**2**	**3**	**7**	**10**	**22**

653: Miscellaneous operations on urinary tract (59.0-59.21, 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	5.3	5	4	4	4	7	8	8	8
70-74	2	2.5	1	2	2	2	3	3	3	3
75-79	1	5.0		5	5	5	5	5	5	5
80-84	1	3.0		3	3	3	3	3	3	3
85 +	0									
2. MULTIPLE DX										
65-69 YRS	36	14.8	129	3	7	12	21	30	32	56
70-74	31	13.4	163	4	5	9	17	30	38	63
75-79	29	10.8	155	1	3	7	12	33	43	48
80-84	15	10.2	40	2	5	8	15	18	22	24
85 +	17	16.1	243	2	6	10	20	40	54	60
TOTAL SINGLE DX	7	4.1	4	2	3	4	5	7	8	8
TOTAL MULTIPLE DX	128	13.2	148	2	5	9	17	29	42	61
TOTAL										
65-69 YRS	39	14.0	126	3	6	9	21	29	32	56
70-74	33	12.7	160	3	5	9	16	28	37	63
75-79	30	10.6	151	1	3	7	12	30	42	48
80-84	16	9.8	41	2	4	8	14	18	22	24
85 +	17	16.1	244	2	6	10	20	40	54	60
GRAND TOTAL	**135**	**12.7**	**144**	**2**	**5**	**9**	**16**	**28**	**41**	**60**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1728	3.8	2	2	3	4	5	6	6	9
70-74	1589	4.0	2	2	3	4	5	6	7	10
75-79	1146	4.2	4	2	3	4	5	6	7	11
80-84	548	4.4	5	2	3	4	5	7	8	12
85 +	236	4.8	5	2	3	5	6	8	9	12
2. MULTIPLE DX										
65-69 YRS	9245	5.3	21	2	3	4	6	9	12	23
70-74	10386	5.7	24	3	3	4	6	10	14	26
75-79	8841	6.6	41	3	3	5	7	12	17	35
80-84	5636	7.5	50	3	4	5	9	15	20	38
85 +	3443	9.2	74	3	4	7	11	18	26	57
TOTAL SINGLE DX	5247	4.1	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	37551	6.4	38	3	3	5	7	12	17	33
TOTAL										
65-69 YRS	10973	5.1	19	2	3	4	6	8	11	22
70-74	11975	5.5	22	3	3	4	6	9	13	25
75-79	9987	6.3	38	3	3	5	7	11	16	33
80-84	6184	7.3	47	3	4	5	8	14	19	36
85 +	3679	8.9	71	3	4	6	11	17	25	54
GRAND TOTAL	**42798**	**6.1**	**34**	**3**	**3**	**5**	**7**	**11**	**16**	**31**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	268	8.0	6	5	6	8	9	11	13	16
70-74	185	8.2	8	5	6	8	10	11	13	17
75-79	72	8.0	6	5	6	8	10	11	13	16
80-84	8	7.8	3	5	6	8	9	10	10	10
85 +	5	8.8	2	7	8	8	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	980	10.1	34	6	7	9	12	15	19	34
70-74	909	10.2	33	6	7	9	12	16	20	35
75-79	516	11.7	71	6	7	10	13	18	24	52
80-84	244	12.8	53	6	8	11	16	23	28	43
85 +	111	14.7	115	7	8	12	18	25	35	88
TOTAL SINGLE DX	538	8.1	7	5	6	8	9	11	13	16
TOTAL MULTIPLE DX	2760	10.9	47	6	7	9	13	17	23	37
TOTAL										
65-69 YRS	1248	9.7	29	5	7	8	11	15	18	31
70-74	1094	9.9	30	5	7	9	11	15	19	32
75-79	588	11.2	65	5	7	9	13	17	24	49
80-84	252	12.6	53	6	8	11	15	22	28	42
85 +	116	14.5	112	7	8	12	18	25	34	87
GRAND TOTAL	**3298**	**10.4**	**42**	**5**	**7**	**9**	**12**	**16**	**21**	**36**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	99	1.8	1	< 1	1	1	2	4	5	6
70-74	53	2.0	4	< 1	1	1	2	3	6	13
75-79	59	2.3	6	< 1	1	1	3	4	8	14
80-84	16	2.9	10	< 1	1	1	4	6	11	13
85 +	11	2.7	3	< 1	1	2	4	6	6	6
2. MULTIPLE DX										
65-69 YRS	320	5.0	28	1	1	3	7	12	15	26
70-74	354	6.3	42	1	2	4	9	15	19	26
75-79	362	6.7	48	1	2	4	9	15	22	43
80-84	217	8.3	58	1	2	6	11	17	27	35
85 +	165	8.5	50	1	4	7	12	19	22	40
TOTAL SINGLE DX	238	2.1	4	< 1	1	1	2	5	6	13
TOTAL MULTIPLE DX	1418	6.7	46	1	2	4	9	15	20	33
TOTAL										
65-69 YRS	419	4.3	24	1	1	2	6	10	14	24
70-74	407	5.8	39	1	1	4	8	14	18	26
75-79	421	6.1	45	1	1	4	9	14	20	38
80-84	233	8.0	57	1	2	5	11	17	26	34
85 +	176	8.1	49	1	3	6	11	18	21	40
GRAND TOTAL	**1656**	**6.0**	**42**	**1**	**1**	**4**	**8**	**14**	**19**	**32**

658: Operations on scrotum and tunica vaginalis (61.0-61 11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	1.9	2	1	1	1	3	3	5	7
70-74	22	2.0	4	< 1	1	1	2	4	8	9
75-79	15	2.9	7	1	1	2	4	8	9	10
80-84	6	5.0	15	2	2	3	9	11	11	11
85 +	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	92	4.1	32	1	1	3	5	9	11	36
70-74	95	5.7	37	1	2	4	7	15	19	29
75-79	63	6.2	39	1	1	3	9	16	20	27
80-84	45	7.6	111	1	2	4	9	16	24	61
85 +	19	5.6	11	1	3	5	8	10	12	13
TOTAL SINGLE DX	70	2.4	6	1	1	1	3	6	9	11
TOTAL MULTIPLE DX	314	5.6	46	1	2	3	7	12	19	33
TOTAL										
65-69 YRS	117	3.6	27	1	1	2	4	8	10	30
70-74	117	5.0	34	1	1	3	6	12	19	28
75-79	78	5.6	35	1	1	3	7	13	20	26
80-84	51	7.3	100	1	2	4	9	16	20	61
85 +	21	5.1	12	1	2	5	7	10	12	13
GRAND TOTAL	**384**	**5.0**	**40**	**1**	**1**	**3**	**6**	**11**	**18**	**31**

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	75	2.0	5	1	1	1	2	3	7	12
70-74	95	1.9	3	< 1	1	1	2	3	5	12
75-79	104	1.7	2	1	1	1	2	3	5	9
80-84	62	2.3	5	1	1	1	2	6	7	13
85 +	29	2.5	10	< 1	1	1	2	7	9	15
2. MULTIPLE DX										
65-69 YRS	405	5.7	41	1	1	3	8	14	18	32
70-74	558	6.5	100	1	1	3	8	15	21	54
75-79	567	6.7	71	1	2	3	9	17	22	35
80-84	451	6.9	72	1	1	3	9	18	26	40
85 +	295	7.7	75	1	2	5	10	19	26	59
TOTAL SINGLE DX	365	2.0	4	1	1	1	2	4	6	12
TOTAL MULTIPLE DX	2276	6.7	74	1	1	3	9	17	22	41
TOTAL										
65-69 YRS	480	5.2	38	1	1	2	7	13	17	31
70-74	653	5.8	89	1	1	2	7	14	20	50
75-79	671	5.9	64	1	1	3	7	15	21	33
80-84	513	6.4	67	1	1	3	8	18	25	40
85 +	324	7.3	71	1	2	4	9	18	25	54
GRAND TOTAL	**2641**	**6.0**	**67**	**1**	**1**	**3**	**8**	**15**	**21**	**39**

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	2	1.0		< 1	< 1	< 1	1	1	1	1
TOTAL										
65-69 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
70-74	0									
75-79	2	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
GRAND TOTAL	**3**	**1.0**		**<1**	**<1**	**1**	**1**	**1**	**1**	**1**

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	8	8.5	213	1	1	3	7	33	44	44
70-74	6	9.3	175	1	1	3	12	33	35	35
75-79	3	30.0	2437	1	1	2	66	87	87	87
80-84	5	3.6	7	1	2	3	5	8	8	8
85 +	5	6.8	48	2	3	4	9	19	19	19
TOTAL SINGLE DX	5	4.4	14	1	1	4	7	10	10	10
TOTAL MULTIPLE DX	27	9.9	344	1	1	3	8	32	50	87
TOTAL										
65-69 YRS	9	7.7	193	1	1	3	7	30	44	44
70-74	8	7.6	136	1	1	3	8	28	35	35
75-79	5	21.2	1366	1	2	6	29	87	87	87
80-84	5	3.6	7	1	2	3	5	8	8	8
85 +	5	6.8	49	2	3	4	9	19	19	19
GRAND TOTAL	**32**	**9.0**	**254**	**1**	**1**	**3**	**7**	**24**	**43**	**87**

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	0									
75-79	3	5.7	5	3	4	7	7	7	7	7
80-84	0									
85 +	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	5	5.6	4	3	4	7	7	7	7	7
TOTAL										
65-69 YRS	2	5.5	5	4	4	5	7	7	7	7
70-74	0									
75-79	3	5.7	5	3	4	7	7	7	7	7
80-84	0									
85 +	0									
GRAND TOTAL	**5**	**5.6**	**4**	**3**	**4**	**7**	**7**	**7**	**7**	**7**

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	21	1.4		1	1	1	2	3	3	4
70-74	11	1.6		<1	1	1	2	3	3	3
75-79	5	5.0	61	1	1	2	6	19	19	19
80-84	3	1.7	1	<1	<1	1	2	3	3	3
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	40	2.6	5	1	1	2	3	6	7	13
70-74	35	2.7	8	1	1	2	3	6	10	12
75-79	23	3.7	13	1	1	2	6	11	12	12
80-84	4	2.3	2	1	1	2	3	4	4	4
85 +	6	5.8	23	1	1	5	10	12	12	12
TOTAL SINGLE DX	41	1.9	8	1	1	1	2	3	4	19
TOTAL MULTIPLE DX	108	3.1	9	1	1	2	4	8	11	13
TOTAL										
65-69 YRS	61	2.2	4	1	1	2	2	5	6	12
70-74	46	2.5	6	1	1	2	3	6	9	12
75-79	28	3.9	20	1	1	2	5	11	13	19
80-84	7	2.0	2	<1	1	1	3	4	4	4
85 +	7	5.3	21	1	1	3	9	12	12	12
GRAND TOTAL	**149**	**2.7**	**9**	**1**	**1**	**2**	**3**	**6**	**11**	**13**

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	1.7	4	<1	<1	<1	1	4	8	8
70-74	6	1.0		<1	<1	<1	<1	1	1	1
75-79	5	1.0		<1	<1	1	1	1	1	1
80-84	8	1.4	1	<1	<1	1	1	3	4	4
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	41	4.9	58	<1	1	2	6	10	13	47
70-74	53	3.9	41	<1	1	2	5	8	9	42
75-79	47	6.7	39	1	1	4	11	14	21	24
80-84	40	7.9	92	1	2	4	10	19	22	53
85 +	30	6.6	52	1	2	4	9	15	18	36
TOTAL SINGLE DX	31	1.4	2	<1	<1	<1	1	2	4	8
TOTAL MULTIPLE DX	211	5.9	57	1	1	3	8	13	20	45
TOTAL										
65-69 YRS	52	4.2	48	<1	1	2	6	9	13	46
70-74	59	3.6	38	<1	1	1	4	8	9	41
75-79	52	6.1	39	<1	1	4	11	14	20	24
80-84	48	6.8	83	1	1	3	10	17	21	53
85 +	31	6.5	52	1	2	3	9	15	18	36
GRAND TOTAL	**242**	**5.3**	**52**	**<1**	**1**	**2**	**7**	**13**	**18**	**43**

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	107	2.4	2	1	1	2	3	4	6	8
70-74	75	2.1	1	1	1	2	3	4	5	6
75-79	29	2.3	2	1	1	2	3	5	5	6
80-84	11	2.5	1	1	2	2	3	4	6	6
85 +	0									
2. MULTIPLE DX										
65-69 YRS	398	2.7	4	1	1	2	4	5	6	12
70-74	204	2.8	3	1	1	2	4	5	7	9
75-79	72	3.8	12	1	2	3	4	6	10	23
80-84	19	3.2	3	1	2	3	4	6	7	8
85 +	4	1.8	1	1	1	2	2	3	3	3
TOTAL SINGLE DX	222	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	697	2.9	5	1	1	2	4	5	7	11
TOTAL										
65-69 YRS	505	2.7	4	1	1	2	3	5	6	11
70-74	279	2.6	3	1	1	2	4	5	6	9
75-79	101	3.3	10	1	1	3	4	6	7	18
80-84	30	2.9	3	1	2	2	3	6	6	8
85 +	4	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	**919**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	24	3.9	8	< 1	2	3	5	7	11	13
70-74	13	2.8	8	< 1	< 1	2	3	7	10	11
75-79	12	4.5	17	< 1	1	2	8	10	13	13
80-84	3	7.7	52	3	3	4	13	16	16	16
85 +	7	4.4	28	< 1	< 1	1	7	14	15	15
2. MULTIPLE DX										
65-69 YRS	76	6.7	103	1	3	5	8	13	16	69
70-74	63	7.1	69	1	2	4	8	16	27	44
75-79	41	7.4	57	1	3	5	9	16	21	40
80-84	20	8.0	30	1	3	8	11	14	18	22
85 +	20	7.5	25	3	4	6	10	15	19	21
TOTAL SINGLE DX	59	4.0	14	< 1	1	3	5	10	13	16
TOTAL MULTIPLE DX	220	7.1	71	1	3	5	9	15	20	41
TOTAL										
65-69 YRS	100	6.0	82	1	2	4	7	12	14	54
70-74	76	6.4	61	1	2	4	8	15	24	42
75-79	53	6.8	49	1	2	4	9	15	20	39
80-84	23	7.9	31	1	3	8	12	15	18	22
85 +	27	6.7	27	< 1	3	5	9	15	18	21
GRAND TOTAL	**279**	**6.5**	**60**	**1**	**2**	**4**	**8**	**14**	**18**	**39**

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	5.1	3	3	4	5	6	8	9	9
70-74	3	5.3		5	5	5	6	6	6	6
75-79	3	7.0	13	4	4	6	10	11	11	11
80-84	1	8.0		8	8	8	8	8	8	8
85 +	0									
2. MULTIPLE DX										
65-69 YRS	48	9.8	35	4	5	9	12	17	23	32
70-74	25	10.0	14	5	8	10	14	16	34	99 +
75-79	37	14.2	176	4	5	8	22	27	45	62
80-84	24	15.8	176	5	7	12	19	32	42	63
85 +	19	9.2	12	5	6	9	12	15	58	99 +
TOTAL SINGLE DX	16	5.7	4	4	4	5	6	9	10	11
TOTAL MULTIPLE DX	153	11.8	90	5	6	9	14	24	32	98
TOTAL										
65-69 YRS	57	9.0	33	4	5	8	12	16	22	31
70-74	28	9.5	15	5	6	8	14	16	21	99 +
75-79	40	13.7	167	4	5	8	19	27	43	62
80-84	25	15.5	171	5	7	12	19	32	40	63
85 +	19	9.2	12	5	6	9	12	15	58	99 +
GRAND TOTAL	**169**	**11.2**	**85**	**4**	**5**	**8**	**14**	**23**	**32**	**92**

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	18	5.6	13	2	4	5	6	9	15	18
70-74	20	6.0	37	3	3	4	6	8	19	31
75-79	8	6.1	4	4	5	6	7	10	11	11
80-84	1	4.0		4	4	4	4	4	4	4
85 +	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	118	8.4	44	4	5	6	9	16	24	36
70-74	99	10.6	86	4	5	8	11	20	31	54
75-79	84	10.9	102	4	5	8	12	22	29	61
80-84	40	13.0	88	6	7	11	17	19	30	55
85 +	25	12.7	45	6	8	11	15	21	25	35
TOTAL SINGLE DX	49	5.8	21	3	4	5	6	8	11	31
TOTAL MULTIPLE DX	366	10.4	75	4	5	8	12	19	25	48
TOTAL										
65-69 YRS	136	8.1	41	4	4	6	9	16	22	34
70-74	119	9.8	81	4	5	7	11	19	31	51
75-79	92	10.5	95	4	5	7	12	19	26	60
80-84	41	12.8	88	5	7	11	17	19	29	55
85 +	27	12.1	46	5	7	11	15	21	24	35
GRAND TOTAL	**415**	**9.8**	**71**	**4**	**5**	**7**	**11**	**18**	**25**	**47**

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	34	5.5	12	3	4	5	6	9	12	22
70-74	27	5.6	2	4	4	5	7	8	9	11
75-79	7	6.6	8	4	5	5	8	11	12	12
80-84	9	5.9	3	3	5	7	7	8	8	8
85 +	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	256	8.6	38	4	5	7	10	14	18	39
70-74	203	10.2	71	4	6	8	12	17	25	42
75-79	127	10.0	56	4	5	7	12	20	28	40
80-84	86	10.9	60	5	6	8	13	19	30	41
85 +	33	11.4	67	5	6	9	13	19	32	42
TOTAL SINGLE DX	79	5.8	8	3	4	5	7	9	11	19
TOTAL MULTIPLE DX	705	9.7	56	4	5	7	11	17	24	42
TOTAL										
65-69 YRS	290	8.2	36	4	5	6	10	14	18	36
70-74	230	9.7	66	4	5	7	11	17	24	42
75-79	134	9.8	55	4	5	7	11	20	27	40
80-84	95	10.4	58	5	6	8	12	19	28	41
85 +	35	11.3	65	6	6	9	13	19	31	42
GRAND TOTAL	**784**	**9.3**	**52**	**4**	**5**	**7**	**10**	**17**	**23**	**41**

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	11.3	79	< 1	4	11	18	22	22	22
70-74	5	7.8	23	4	5	6	10	16	16	16
75-79	5	18.4	259	4	5	16	27	44	44	44
80-84	1	20.0		20	20	20	20	20	20	20
85 +	3	28.7	2134	1	1	3	62	82	82	82
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	18	15.7	387	2	4	8	20	37	67	82
TOTAL										
65-69 YRS	5	9.2	81	< 1	1	8	16	22	22	22
70-74	5	7.8	23	4	5	6	10	16	16	16
75-79	5	18.4	259	4	5	16	27	44	44	44
80-84	1	20.0		20	20	20	20	20	20	20
85 +	3	28.7	2134	1	1	3	62	82	82	82
GRAND TOTAL	**19**	**14.9**	**377**	**1**	**4**	**8**	**19**	**35**	**65**	**82**

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	3	4.7	1	4	4	4	6	6	6	6
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	3	14.0	21	9	10	15	17	18	18	18
70-74	7	9.7	32	3	5	9	15	17	17	17
75-79	6	10.7	30	5	8	9	11	20	21	21
80-84	0									
85 +	3	13.0	243	4	4	4	24	31	31	31
TOTAL SINGLE DX	4	4.8	1	4	4	5	5	6	6	6
TOTAL MULTIPLE DX	19	11.2	52	4	5	9	15	20	26	31
TOTAL										
65-69 YRS	4	11.8	34	5	7	12	16	18	18	18
70-74	10	8.2	28	3	4	6	14	16	17	17
75-79	6	10.7	31	5	8	9	11	20	21	21
80-84	0									
85 +	3	13.0	243	4	4	4	24	31	31	31
GRAND TOTAL	23	10.1	49	4	5	8	15	19	24	31

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	1.4		< 1	< 1	1	2	2	2	2
70-74	3	1.3		1	1	1	2	2	2	2
75-79	7	2.0	1	< 1	1	2	3	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	31	2.8	15	1	1	1	2	7	10	20
70-74	20	7.2	200	< 1	1	2	4	24	45	58
75-79	11	2.0	2	1	1	1	3	4	5	5
80-84	9	1.9	1	1	1	2	2	4	5	5
85 +	4	4.5	13	1	1	4	7	9	9	9
TOTAL SINGLE DX	19	1.6	1	< 1	1	1	2	3	4	4
TOTAL MULTIPLE DX	75	3.8	63	1	1	1	3	6	14	52
TOTAL										
65-69 YRS	39	2.5	13	< 1	1	1	2	6	10	20
70-74	23	6.4	177	< 1	1	2	4	19	42	58
75-79	18	2.0	2	1	1	2	3	4	5	5
80-84	10	1.8	2	1	1	2	2	4	5	5
85 +	4	4.5	14	1	1	4	7	9	9	9
GRAND TOTAL	94	3.4	51	1	1	1	2	6	10	47

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	2.3	2	< 1	< 1	2	3	4	6	6
70-74	23	3.6	25	< 1	1	2	3	7	14	25
75-79	6	3.0	1	2	2	3	4	5	5	5
80-84	7	4.3	8	< 1	1	5	7	8	8	8
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	82	7.4	95	1	2	5	9	15	18	60
70-74	83	8.3	97	2	3	6	9	22	26	90
75-79	71	6.2	36	1	2	5	8	11	18	34
80-84	50	8.0	129	1	2	5	9	15	19	76
85 +	41	8.3	148	1	3	4	11	16	22	75
TOTAL SINGLE DX	52	3.2	13	< 1	1	2	4	6	8	25
TOTAL MULTIPLE DX	327	7.6	95	1	2	5	9	15	23	72
TOTAL										
65-69 YRS	97	6.6	84	1	2	4	8	15	16	60
70-74	106	7.3	86	1	2	4	8	19	24	83
75-79	77	5.9	35	1	2	5	8	11	17	34
80-84	57	7.5	116	1	2	5	8	13	19	73
85 +	42	8.2	146	2	3	4	11	16	22	75
GRAND TOTAL	379	7.0	86	1	2	4	8	15	21	68

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	0									
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
TOTAL SINGLE DX	1	2.0		2	2	2	2	2	2	2
TOTAL MULTIPLE DX	2	1.0		1	1	1	1	1	1	1
TOTAL										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		1	1	1	1	1	1	1
80-84	0									
85 +	0									
GRAND TOTAL	**3**	**1.3**		**1**	**1**	**1**	**2**	**2**	**2**	**2**

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	4.0	3	2	3	5	5	5	5	5
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	3.0	8	1	1	3	5	5	5	5
80-84	0									
85 +	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	45	7.7	40	1	2	7	12	17	20	23
70-74	27	7.0	54	< 1	1	4	10	19	23	27
75-79	19	8.3	44	1	3	7	12	17	23	27
80-84	27	9.7	142	1	2	6	11	24	34	54
85 +	17	10.3	52	3	5	7	17	22	23	23
TOTAL SINGLE DX	7	4.3	4	1	3	5	5	7	7	7
TOTAL MULTIPLE DX	135	8.4	65	1	2	6	12	20	23	34
TOTAL										
65-69 YRS	48	7.5	38	1	2	6	12	16	20	23
70-74	28	6.9	52	< 1	1	4	10	19	22	27
75-79	21	7.8	43	1	3	6	12	15	23	27
80-84	27	9.7	142	1	2	6	11	24	34	54
85 +	18	10.1	50	3	5	7	17	22	23	23
GRAND TOTAL	**142**	**8.2**	**63**	**1**	**2**	**6**	**12**	**19**	**23**	**33**

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	267	5.5	8	4	4	5	6	7	9	13
70-74	178	5.5	2	4	4	5	6	8	9	11
75-79	99	5.8	3	4	4	6	6	8	10	14
80-84	43	6.3	6	5	5	6	7	8	10	20
85 +	19	8.5	11	5	6	8	10	14	16	16
2. MULTIPLE DX										
65-69 YRS	1987	7.1	22	4	5	6	8	12	16	29
70-74	1414	7.5	24	4	5	6	8	12	16	28
75-79	857	8.9	45	5	5	7	10	15	21	36
80-84	402	9.2	49	5	5	7	10	15	20	38
85 +	173	10.1	37	5	6	8	12	16	20	43
TOTAL SINGLE DX	606	5.7	6	4	4	5	6	8	9	14
TOTAL MULTIPLE DX	4833	7.8	31	4	5	6	8	13	18	32
TOTAL										
65-69 YRS	2254	6.9	21	4	5	6	7	11	15	28
70-74	1592	7.3	22	4	5	6	8	12	15	28
75-79	956	8.6	42	4	5	7	9	15	20	34
80-84	445	9.0	46	5	5	7	10	15	20	37
85 +	192	9.9	35	5	6	8	12	16	20	41
GRAND TOTAL	**5439**	**7.6**	**28**	**4**	**5**	**6**	**8**	**13**	**17**	**31**

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	281	5.0	2	3	4	5	6	7	8	11
70-74	191	5.4	2	4	4	5	6	7	8	10
75-79	112	5.2	1	3	4	5	6	7	8	9
80-84	40	5.6	3	4	4	5	7	8	9	11
85 +	9	6.0	7	3	4	6	8	10	11	11
2. MULTIPLE DX										
65-69 YRS	1232	5.5	4	4	4	5	6	8	9	13
70-74	989	5.8	4	4	4	5	7	8	9	15
75-79	653	6.4	20	4	5	6	7	9	11	23
80-84	248	6.8	15	4	5	6	8	10	12	28
85 +	89	7.1	11	4	5	6	8	10	16	19
TOTAL SINGLE DX	633	5.2	3	3	4	5	6	7	8	11
TOTAL MULTIPLE DX	3211	5.9	9	4	4	5	7	8	10	16
TOTAL										
65-69 YRS	1513	5.4	4	3	4	5	6	8	9	13
70-74	1180	5.7	4	4	4	5	7	8	9	14
75-79	765	6.2	18	4	5	6	7	8	10	21
80-84	288	6.7	14	4	5	6	8	10	12	25
85 +	98	7.0	11	4	5	6	8	10	15	19
GRAND TOTAL	**3844**	**5.8**	**8**	**4**	**4**	**5**	**7**	**8**	**10**	**16**

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	7.0	3	4	6	8	8	8	8	8
70-74	6	10.5	16	6	9	10	11	17	18	18
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	2	8.0	2	7	7	8	9	9	9	9
85 +	0									
2. MULTIPLE DX										
65-69 YRS	46	14.5	183	6	8	11	15	25	37	90
70-74	33	14.2	75	6	8	12	17	31	33	36
75-79	21	19.2	526	6	8	13	18	41	84	99
80-84	12	15.4	75	6	9	14	17	30	35	36
85 +	3	10.0	13	7	7	9	13	14	14	14
TOTAL SINGLE DX	15	8.4	10	5	7	8	9	11	16	18
TOTAL MULTIPLE DX	115	15.2	198	6	8	12	16	27	36	93
TOTAL										
65-69 YRS	51	13.7	170	6	8	10	15	21	36	89
70-74	39	13.6	68	6	8	11	16	28	33	36
75-79	23	18.1	493	6	7	12	17	31	81	99
80-84	14	14.4	71	6	8	13	17	28	34	36
85 +	3	10.0	13	7	7	9	13	14	14	14
GRAND TOTAL	130	14.4	181	6	8	11	15	24	36	92

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	55	1.4		< 1	< 1	< 1	1	2	3	6
70-74	40	1.4	3	< 1	< 1	< 1	1	2	2	13
75-79	36	2.8	10	< 1	< 1	2	3	6	9	17
80-84	18	1.6		< 1	1	1	2	3	4	4
85 +	9	4.4	32	< 1	2	3	4	14	19	19
2. MULTIPLE DX										
65-69 YRS	288	4.8	66	< 1	1	2	6	10	15	40
70-74	263	5.4	40	< 1	1	3	7	15	20	29
75-79	232	5.1	34	1	1	3	7	12	16	29
80-84	170	7.7	160	1	2	4	8	21	34	99
85 +	133	6.3	52	1	2	4	8	12	19	40
TOTAL SINGLE DX	158	1.9	6	< 1	< 1	1	2	3	5	17
TOTAL MULTIPLE DX	1086	5.6	67	1	1	3	7	13	20	40
TOTAL										
65-69 YRS	343	4.2	57	< 1	1	2	5	9	14	34
70-74	303	4.9	38	< 1	1	2	6	14	19	28
75-79	268	4.8	32	< 1	1	2	6	11	14	29
80-84	188	7.2	148	1	2	3	7	19	30	99
85 +	142	6.2	52	1	2	4	8	12	19	38
GRAND TOTAL	1244	5.2	61	<1	1	2	6	12	19	37

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
70-74	0									
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	6	14.0	248	3	4	9	14	42	45	45
70-74	4	8.8	41	1	3	9	14	15	15	15
75-79	3	3.3	10	1	1	2	6	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85 +	2	3.0	8	1	1	3	5	5	5	5
TOTAL SINGLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOTAL MULTIPLE DX	16	8.9	114	1	2	6	12	15	36	45
TOTAL										
65-69 YRS	7	12.1	231	1	3	7	13	39	45	45
70-74	4	8.8	42	1	3	9	14	15	15	15
75-79	3	3.3	10	1	1	2	6	7	7	7
80-84	1	7.0		7	7	7	7	7	7	7
85 +	2	3.0	8	1	1	3	5	5	5	5
GRAND TOTAL	**17**	**8.4**	**111**	**1**	**2**	**6**	**11**	**15**	**34**	**45**

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.7		2	2	3	3	3	3	3
70-74	1	4.0		4	4	4	4	4	4	4
75-79	0									
80-84	3	6.3	4	4	5	7	8	8	8	8
85 +	0									
2. MULTIPLE DX										
65-69 YRS	12	8.0	29	3	3	7	10	16	19	20
70-74	5	4.2	4	2	3	3	6	7	7	7
75-79	3	10.3	42	4	5	10	15	17	17	17
80-84	3	6.0	7	4	4	5	8	9	9	9
85 +	1	9.0		9	9	9	9	9	9	9
TOTAL SINGLE DX	7	4.4	5	2	3	4	6	8	8	8
TOTAL MULTIPLE DX	24	7.3	23	3	3	6	10	15	18	20
TOTAL										
65-69 YRS	15	6.9	28	2	3	4	10	15	19	20
70-74	6	4.2	4	2	3	4	6	7	7	7
75-79	3	10.3	42	4	5	10	15	17	17	17
80-84	6	6.2	5	4	4	6	8	9	9	9
85 +	1	9.0		9	9	9	9	9	9	9
GRAND TOTAL	**31**	**6.6**	**20**	**2**	**3**	**5**	**9**	**13**	**17**	**20**

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	2.0		1	1	2	3	3	3	3
70-74	10	2.5	2	<1	1	2	4	5	5	5
75-79	3	2.3		2	2	2	3	3	3	3
80-84	2	3.5	1	3	3	3	4	4	4	4
85 +	0									
2. MULTIPLE DX										
65-69 YRS	32	4.7	21	2	3	3	4	9	19	21
70-74	29	3.1	4	1	2	2	4	5	9	10
75-79	18	4.4	14	1	2	3	5	8	14	17
80-84	17	4.6	27	1	3	3	4	7	18	24
85 +	9	5.6	21	2	3	5	6	13	17	17
TOTAL SINGLE DX	23	2.4	1	1	1	2	3	4	5	5
TOTAL MULTIPLE DX	105	4.2	17	1	2	3	5	8	13	22
TOTAL										
65-69 YRS	40	4.2	19	1	2	3	4	8	16	21
70-74	39	2.9	4	<1	2	2	4	5	7	10
75-79	21	4.1	13	1	2	3	5	8	13	17
80-84	19	4.5	24	2	3	3	4	6	16	24
85 +	9	5.6	21	2	3	5	6	13	17	17
GRAND TOTAL	**128**	**3.9**	**14**	**1**	**2**	**3**	**4**	**7**	**10**	**22**

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	328	4.2	2	2	3	4	5	6	7	9
70-74	267	4.4	3	2	3	4	5	7	8	11
75-79	137	4.3	2	2	3	4	5	6	8	9
80-84	48	5.0	3	3	4	5	6	7	9	10
85 +	10	4.5	3	2	3	4	5	7	8	8
2. MULTIPLE DX										
65-69 YRS	796	4.9	6	3	4	4	6	7	9	13
70-74	670	5.1	5	3	4	5	6	8	9	14
75-79	386	5.5	7	3	4	5	7	8	9	18
80-84	157	6.0	18	3	4	5	7	8	11	29
85 +	51	5.5	9	3	3	5	7	8	12	18
TOTAL SINGLE DX	790	4.3	3	2	3	4	5	7	7	9
TOTAL MULTIPLE DX	2060	5.2	7	3	4	5	6	8	9	15
TOTAL										
65-69 YRS	1124	4.7	5	3	3	4	6	7	8	12
70-74	937	4.9	5	3	4	5	6	7	9	14
75-79	523	5.2	7	3	4	5	6	8	9	16
80-84	205	5.8	15	3	4	5	6	8	10	23
85 +	61	5.3	9	3	3	5	6	8	10	18
GRAND TOTAL	**2850**	**5.0**	**6**	**3**	**3**	**5**	**6**	**7**	**9**	**14**

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	20	4.5	4	2	3	4	5	8	9	10
70-74	25	4.5	2	2	3	5	6	6	7	8
75-79	9	4.0	4	1	2	3	6	7	7	7
80-84	3	2.0	1	1	1	2	3	3	3	3
85 +	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	106	7.2	23	3	4	6	8	12	16	29
70-74	93	8.6	107	3	4	6	10	14	23	66
75-79	43	8.9	165	3	4	6	9	14	21	86
80-84	21	10.1	73	3	5	8	12	22	33	33
85 +	10	9.3	75	1	2	6	18	22	25	25
TOTAL SINGLE DX	58	4.3	4	2	3	4	6	7	8	10
TOTAL MULTIPLE DX	273	8.2	80	3	4	6	10	14	21	56
TOTAL										
65-69 YRS	126	6.8	21	3	4	5	8	12	15	27
70-74	118	7.7	88	3	4	5	8	13	21	64
75-79	52	8.1	140	3	4	6	8	13	19	85
80-84	24	9.1	72	1	5	6	11	17	33	33
85 +	11	8.7	72	1	2	6	16	22	25	25
GRAND TOTAL	331	7.5	69	3	4	5	8	13	20	45

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	41	3.9	4	2	2	3	5	7	8	10
70-74	29	3.7	2	1	3	4	5	6	6	7
75-79	34	3.4	3	2	2	3	4	5	8	10
80-84	17	4.4	6	2	2	4	6	9	10	10
85 +	13	3.8	5	1	2	4	5	7	9	9
2. MULTIPLE DX										
65-69 YRS	174	5.4	29	2	3	4	6	10	17	39
70-74	180	5.6	44	2	2	4	6	9	15	33
75-79	140	5.3	24	2	2	4	6	10	14	28
80-84	105	6.2	31	2	3	4	7	12	19	30
85 +	74	7.3	48	2	3	5	8	17	18	39
TOTAL SINGLE DX	134	3.8	4	2	2	3	5	6	8	10
TOTAL MULTIPLE DX	673	5.8	35	2	3	4	6	11	17	36
TOTAL										
65-69 YRS	215	5.1	25	2	3	4	6	9	15	39
70-74	209	5.3	39	2	2	4	6	8	14	33
75-79	174	4.9	21	2	2	4	6	8	13	25
80-84	122	5.9	29	2	3	4	7	11	18	29
85 +	87	6.8	43	2	3	5	8	16	18	38
GRAND TOTAL	807	5.4	30	2	3	4	6	10	15	34

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	16	1.7	2	< 1	< 1	1	2	4	6	7
70-74	20	3.8	17	< 1	1	3	5	7	13	19
75-79	4	3.3	5	< 1	1	3	5	6	6	6
80-84	11	1.9	1	< 1	< 1	1	3	4	5	5
85 +	9	2.6	5	< 1	1	1	3	6	8	8
2. MULTIPLE DX										
65-69 YRS	55	6.7	29	1	2	5	10	14	18	22
70-74	33	7.7	91	2	2	4	10	24	42	99 +
75-79	52	7.2	36	2	3	6	10	16	20	26
80-84	36	8.9	134	1	2	5	11	19	30	61
85 +	44	9.4	104	2	3	7	12	22	36	99 +
TOTAL SINGLE DX	60	2.7	8	< 1	< 1	1	3	6	7	18
TOTAL MULTIPLE DX	220	7.9	72	1	2	5	11	19	23	72
TOTAL										
65-69 YRS	71	5.6	28	< 1	1	4	7	14	17	22
70-74	53	6.2	67	1	2	4	8	19	32	98
75-79	56	6.9	35	1	2	5	9	16	20	26
80-84	47	7.3	112	< 1	1	3	9	18	23	61
85 +	53	8.2	94	1	2	5	11	21	29	98
GRAND TOTAL	280	6.8	63	1	2	4	9	16	21	60

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	4.6	14	1	2	3	7	11	11	11
70-74	6	4.8	11	2	2	3	8	10	10	10
75-79	9	5.8	16	1	2	7	7	12	14	14
80-84	1	3.0		3	3	3	3	3	3	3
85 +	6	4.5	10	1	1	4	8	8	8	8
2. MULTIPLE DX										
65-69 YRS	44	12.1	131	2	5	8	14	28	35	56
70-74	40	11.9	92	4	5	9	13	30	33	38
75-79	33	10.2	61	3	5	8	14	21	37	99 +
80-84	48	10.8	115	3	5	9	14	18	22	74
85 +	30	8.3	30	2	4	8	11	14	21	25
TOTAL SINGLE DX	30	4.9	12	1	2	4	8	10	11	14
TOTAL MULTIPLE DX	195	10.8	92	3	5	8	13	22	31	66
TOTAL										
65-69 YRS	52	10.9	120	2	4	8	13	27	32	56
70-74	46	11.0	87	3	5	8	12	30	32	38
75-79	42	9.3	55	2	5	7	14	18	32	99 +
80-84	49	10.7	114	3	5	9	14	18	22	74
85 +	36	7.7	29	2	4	7	10	14	19	25
GRAND TOTAL	225	10.1	85	2	4	8	13	20	29	60

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	3	4.7	2	3	3	5	6	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	4	4.8	7	1	3	5	6	7	7	7
75-79	3	3.7		3	3	4	4	4	4	4
80-84	1	5.0		5	5	5	5	5	5	5
85 +	2	6.5	1	6	6	6	7	7	7	7
TOTAL SINGLE DX	5	3.4	4	< 1	1	3	5	6	6	6
TOTAL MULTIPLE DX	12	4.3	4	1	3	4	6	7	7	7
TOTAL										
65-69 YRS	2	2.0	2	1	1	2	3	3	3	3
70-74	4	4.8	7	1	3	5	6	7	7	7
75-79	6	4.2	1	3	3	4	5	6	6	6
80-84	2	3.5	5	2	2	3	5	5	5	5
85 +	3	4.7	10	< 1	1	6	7	7	7	7
GRAND TOTAL	**17**	**4.1**	**4**	**1**	**2**	**4**	**6**	**7**	**7**	**7**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	0									
75-79	0									
80-84	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	4.3	5	1	2	5	6	6	6	6
70-74	6	12.2	126	6	7	8	9	32	35	35
75-79	1	11.0		11	11	11	11	11	11	11
80-84	3	6.0	13	3	3	5	9	10	10	10
85 +	3	3.3	16	1	1	1	6	8	8	8
TOTAL SINGLE DX	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
TOTAL MULTIPLE DX	17	7.6	60	1	4	6	9	11	27	35
TOTAL										
65-69 YRS	4	4.3	6	1	2	5	6	6	6	6
70-74	6	12.2	127	6	7	8	9	32	35	35
75-79	1	11.0		11	11	11	11	11	11	11
80-84	4	4.8	15	< 1	1	4	7	10	10	10
85 +	3	3.3	16	1	1	1	6	8	8	8
GRAND TOTAL	**18**	**7.2**	**58**	**1**	**3**	**6**	**9**	**11**	**25**	**35**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

1,058 Hospitals, United States, Geriatric, January-December 1988, by Operation

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

Geriatric patients are excluded from this operation group because of clinical implausibility

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	15	2.4	5	1	1	1	4	7	7	7
70-74	9	5.0	15	1	2	3	7	11	13	13
75-79	9	5.4	29	1	2	4	7	15	17	17
80-84	2	5.0	32	1	1	5	9	9	9	9
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	43	10.3	71	2	3	8	15	25	28	32
70-74	53	9.0	54	2	3	7	12	19	25	36
75-79	43	13.6	237	2	3	9	20	27	38	85
80-84	17	7.5	38	2	3	5	11	17	21	23
85 +	11	12.7	96	3	6	12	15	26	37	38
TOTAL SINGLE DX	36	3.9	15	1	1	2	6	9	13	17
TOTAL MULTIPLE DX	167	10.6	109	2	3	8	14	24	27	48
TOTAL										
65-69 YRS	58	8.2	66	1	2	7	11	23	26	32
70-74	62	8.4	50	2	3	7	11	18	23	35
75-79	52	12.2	210	1	3	8	18	26	31	84
80-84	19	7.2	37	1	2	5	10	16	21	23
85 +	12	11.8	97	2	4	11	15	24	36	38
GRAND TOTAL	**203**	**9.4**	**99**	**1**	**3**	**7**	**13**	**22**	**27**	**44**

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	2.1		1	1	2	3	3	4	4
70-74	23	2.0		1	1	2	2	3	4	5
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	40	5.0	36	1	2	2	6	13	21	26
70-74	19	5.8	62	1	1	2	5	20	26	27
75-79	14	7.1	153	1	2	4	6	15	41	49
80-84	5	16.2	221	3	6	13	23	41	41	41
85 +	6	15.2	319	1	4	6	31	43	44	44
TOTAL SINGLE DX	43	2.0	1	1	1	2	3	3	4	5
TOTAL MULTIPLE DX	84	6.9	97	1	2	3	7	19	28	47
TOTAL										
65-69 YRS	57	4.1	27	1	2	2	3	9	17	26
70-74	42	3.7	32	1	1	2	3	8	19	27
75-79	17	6.2	129	1	2	3	5	10	36	49
80-84	5	16.2	221	3	6	13	23	41	41	41
85 +	6	15.2	320	1	4	6	31	43	44	44
GRAND TOTAL	**127**	**5.3**	**69**	**1**	**2**	**2**	**4**	**13**	**25**	**45**

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	2.0		2	2	2	2	2	2	2
70-74	1	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	1	2.0		2	2	2	2	2	2	2
85 +	0									
2. MULTIPLE DX										
65-69 YRS	17	6.7	37	2	2	4	8	16	20	22
70-74	10	7.5	28	1	2	8	10	15	16	16
75-79	10	13.2	128	2	4	9	21	31	34	34
80-84	11	6.5	22	2	3	5	8	14	18	18
85 +	11	8.4	37	1	3	7	13	17	18	18
TOTAL SINGLE DX	5	1.8		1	1	2	2	2	2	2
TOTAL MULTIPLE DX	59	8.2	51	2	3	6	12	17	22	34
TOTAL										
65-69 YRS	20	6.0	34	2	2	4	6	16	19	22
70-74	11	6.9	30	1	1	8	10	15	16	16
75-79	10	13.2	128	2	4	9	21	31	34	34
80-84	12	6.1	22	2	2	5	8	13	17	18
85 +	11	8.4	38	1	3	7	13	17	18	18
GRAND TOTAL	**64**	**7.7**	**50**	**2**	**2**	**5**	**11**	**17**	**21**	**33**

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	2.1	2	1	1	1	4	5	5	5
70-74	8	2.9	3	< 1	1	2	5	5	5	5
75-79	4	4.8	17	1	1	4	8	10	10	10
80-84	1	1.0		1	1	1	1	1	1	1
85 +	3	2.3	1	1	1	3	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	43	8.9	217	1	2	5	8	20	40	74
70-74	51	7.4	39	2	3	6	11	16	22	99
75-79	41	7.5	20	2	4	7	10	12	14	24
80-84	19	13.2	133	3	4	8	17	29	37	44
85 +	21	10.0	47	3	5	8	12	20	26	28
TOTAL SINGLE DX	25	2.8	5	1	1	2	4	5	7	10
TOTAL MULTIPLE DX	175	8.7	91	2	3	6	11	17	28	71
TOTAL										
65-69 YRS	52	7.7	187	1	1	3	7	18	26	74
70-74	59	6.8	37	1	3	5	10	16	20	93
75-79	45	7.3	20	2	4	7	10	11	14	24
80-8	20	12.6	134	3	4	8	16	29	37	44
85 +	24	9.0	48	3	4	7	12	18	26	28
GRAND TOTAL	**200**	**8.0**	**84**	**1**	**3**	**5**	**11**	**16**	**26**	**69**

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	8	2.0	1	1	1	2	3	4	4	4
70-74	5	2.0	1	1	1	2	3	3	3	3
75-79	4	2.0	4	1	1	1	3	5	5	5
80-84	1	1.0		1	1	1	1	1	1	1
85 +	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
65-69 YRS	27	7.0	205	1	1	3	6	17	28	74
70-74	14	3.3	19	1	1	2	3	8	15	17
75-79	6	7.7	30	2	3	7	10	16	17	17
80-84	7	10.7	58	2	4	10	16	22	23	23
85 +	8	4.3	3	2	3	4	6	7	7	7
TOTAL SINGLE DX	19	1.9	2	1	1	1	3	4	5	5
TOTAL MULTIPLE DX	62	6.3	106	1	1	3	7	16	18	68
TOTAL										
65-69 YRS	35	5.9	162	1	1	2	5	15	19	74
70-74	19	2.9	15	1	1	2	3	7	12	17
75-79	10	5.4	26	1	1	4	8	13	17	17
80-84	8	9.5	62	1	3	7	15	21	23	23
85 +	9	3.9	4	1	2	3	6	7	7	7
GRAND TOTAL	**81**	**5.3**	**84**	**1**	**1**	**3**	**6**	**15**	**17**	**58**

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	9.5	1	9	9	9	10	10	10	10
70-74	4	6.8	3	4	5	7	8	8	8	8
75-79	4	7.5	36	2	3	6	11	16	16	16
80-84	1	18.0		18	18	18	18	18	18	18
85 +	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	12	13.9	125	2	5	11	22	32	32	32
70-74	8	18.8	144	10	11	14	21	39	46	46
75-79	10	17.3	91	7	11	16	22	31	35	35
80-84	3	15.0	39	8	10	17	19	20	20	20
85 +	11	20.2	533	6	8	11	19	55	82	85
TOTAL SINGLE DX	12	8.8	22	3	6	8	11	17	18	18
TOTAL MULTIPLE DX	44	17.2	207	4	10	12	21	32	38	85
TOTAL										
65-69 YRS	14	13.3	109	2	8	10	15	32	32	32
70-74	12	14.8	127	6	8	11	17	31	44	46
75-79	14	14.5	93	3	7	11	22	28	33	35
80-84	4	15.8	28	8	12	17	19	20	20	20
85 +	12	19.5	490	7	9	11	19	50	80	85
GRAND TOTAL	**56**	**15.4**	**178**	**4**	**8**	**11**	**19**	**31**	**35**	**83**

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	42	3.7	3	1	2	4	5	6	7	8
70-74	20	3.4	3	1	2	3	4	6	7	7
75-79	9	5.3	14	1	2	6	8	11	12	12
80-84	2	7.5	41	3	3	7	12	12	12	12
85 +	0									
2. MULTIPLE DX										
65-69 YRS	148	7.1	54	2	3	5	7	15	20	45
70-74	85	6.4	34	2	3	5	8	11	15	37
75-79	41	9.6	139	1	3	5	11	20	38	59
80-84	29	15.0	316	3	5	7	16	43	50	80
85 +	14	12.8	160	1	7	8	20	34	43	45
TOTAL SINGLE DX	73	3.9	5	1	2	4	5	7	8	12
TOTAL MULTIPLE DX	317	8.2	94	2	3	5	9	17	25	49
TOTAL										
65-69 YRS	190	6.3	45	2	3	4	7	12	19	44
70-74	105	5.9	30	2	3	4	7	11	14	35
75-79	50	8.8	119	1	3	5	10	17	35	59
80-84	31	14.5	300	3	5	7	14	41	48	80
85 +	14	12.8	161	1	7	8	20	34	43	45
GRAND TOTAL	**390**	**7.4**	**80**	**2**	**3**	**5**	**8**	**15**	**21**	**47**

713: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	85	2.0	1	1	1	2	2	4	4	5
70-74	42	2.4	4	1	1	2	3	4	5	12
75-79	25	2.0	2	< 1	1	1	2	4	6	8
80-84	14	1.9	1	1	1	2	3	3	4	4
85 +	5	1.8	1	< 1	1	1	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	649	2.6	9	1	1	2	3	4	5	14
70-74	483	2.7	5	1	1	2	3	5	6	13
75-79	268	3.0	6	1	1	2	4	5	8	13
80-84	113	3.9	30	1	1	2	4	8	11	33
85 +	43	4.8	32	1	1	3	6	11	14	33
TOTAL SINGLE DX	171	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1556	2.9	10	1	1	2	3	5	6	14
TOTAL										
65-69 YRS	734	2.5	9	1	1	2	3	4	5	11
70-74	525	2.7	5	1	1	2	3	5	6	13
75-79	293	2.9	6	1	1	2	4	5	8	12
80-84	127	3.6	28	1	1	2	4	7	10	30
85 +	48	4.5	30	1	1	3	5	10	14	33
GRAND TOTAL	1727	2.8	9	1	1	2	3	5	6	14

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	3.9	3	2	2	3	6	7	7	7
70-74	10	5.5	40	< 1	1	3	7	17	18	18
75-79	5	6.0	29	2	3	3	9	15	15	15
80-84	1	3.0		3	3	3	3	3	3	3
85 +	3	12.0	3	10	11	13	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	76	15.7	266	2	4	12	21	33	53	75
70-74	55	19.0	287	3	9	13	25	50	71	99 +
75-79	51	12.4	253	2	5	9	14	20	26	96
80-84	28	16.9	165	2	8	14	21	37	44	49
85 +	36	16.5	255	6	7	12	17	43	54	78
TOTAL SINGLE DX	28	5.7	25	1	2	3	7	14	16	18
TOTAL MULTIPLE DX	246	16.0	256	3	6	12	20	41	53	96
TOTAL										
65-69 YRS	85	14.5	252	2	3	10	17	32	52	75
70-74	65	16.9	272	2	6	12	22	49	67	99 +
75-79	56	11.8	236	2	4	8	14	19	25	94
80-84	29	16.4	166	2	8	12	21	37	43	49
85 +	39	16.2	237	6	8	12	16	37	53	78
GRAND TOTAL	274	15.0	242	2	5	11	18	35	51	91

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	198	3.4	13	1	1	2	4	6	10	20
70-74	133	3.4	12	1	1	3	4	7	10	19
75-79	87	3.8	27	1	1	2	5	8	10	34
80-84	35	5.9	32	1	2	4	8	14	21	24
85 +	16	5.4	17	1	2	4	9	11	14	15
2. MULTIPLE DX										
65-69 YRS	785	8.9	136	1	2	5	10	20	31	65
70-74	642	10.6	141	2	3	7	14	25	34	59
75-79	514	11.0	130	2	3	8	15	25	34	60
80-84	279	11.8	137	2	4	9	15	26	38	69
85 +	126	15.0	184	3	5	12	19	32	42	70
TOTAL SINGLE DX	469	3.7	18	1	1	3	4	8	10	23
TOTAL MULTIPLE DX	2346	10.5	141	1	3	7	14	24	35	62
TOTAL										
65-69 YRS	983	7.8	117	1	2	4	9	18	28	59
70-74	775	9.4	127	1	2	5	12	22	32	59
75-79	601	9.9	122	1	3	6	13	23	31	59
80-84	314	11.1	129	2	4	8	14	25	37	65
85 +	142	13.9	174	2	5	11	18	30	40	70
GRAND TOTAL	2815	9.4	127	1	2	5	12	22	32	60

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	7.7	9	4	6	7	9	11	14	17
70-74	44	8.7	41	3	4	8	11	15	27	30
75-79	55	8.6	22	4	5	7	12	16	16	24
80-84	56	9.2	17	4	7	9	11	15	19	20
85 +	70	9.1	17	4	6	9	11	15	16	21
2. MULTIPLE DX										
65-69 YRS	177	13.5	109	5	7	10	16	27	36	67
70-74	253	12.9	109	5	7	10	15	22	30	70
75-79	330	13.2	96	6	8	11	15	23	32	87
80-84	341	13.6	109	5	7	11	16	25	37	63
85 +	426	12.8	76	5	8	10	15	25	34	52
TOTAL SINGLE DX	269	8.7	21	4	6	8	11	15	16	26
TOTAL MULTIPLE DX	1527	13.1	97	5	8	10	15	25	34	65
TOTAL										
65-69 YRS	221	12.3	95	5	7	10	14	25	34	63
70-74	297	12.3	102	5	7	10	14	22	29	69
75-79	385	12.5	88	5	7	10	15	22	28	77
80-84	397	13.0	99	5	7	10	15	24	32	62
85 +	496	12.3	69	5	8	10	14	22	33	49
GRAND TOTAL	1796	12.5	88	5	7	10	15	22	31	60

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	25	4.2	9	1	2	3	6	8	11	14
70-74	25	3.3	5	1	2	2	5	6	8	9
75-79	11	7.3	19	2	4	6	12	13	14	14
80-84	11	5.9	12	2	3	6	7	11	13	13
85 +	3	3.7	1	3	3	3	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	94	7.9	42	2	3	6	10	16	21	33
70-74	99	8.5	72	2	3	7	10	15	25	47
75-79	44	8.1	77	2	4	6	9	14	20	54
80-84	29	10.7	111	3	5	7	13	31	48	99 +
85 +	27	9.7	54	2	3	9	14	20	23	32
TOTAL SINGLE DX	75	4.6	11	1	2	4	6	10	12	14
TOTAL MULTIPLE DX	293	8.6	65	2	4	6	11	17	27	48
TOTAL										
65-69 YRS	119	7.1	37	2	3	5	9	15	18	32
70-74	124	7.4	63	1	3	5	9	13	21	46
75-79	55	7.9	65	2	4	6	10	14	15	53
80-84	40	9.4	87	3	4	7	12	23	41	99 +
85 +	30	9.1	52	2	3	7	13	19	21	32
GRAND TOTAL	368	7.8	57	2	3	6	10	15	21	47

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	111	2.5	15	<1	1	1	2	5	6	25
70-74	97	3.5	11	<1	1	2	4	7	8	20
75-79	79	3.3	8	1	1	2	4	7	9	15
80-84	65	4.1	16	1	2	2	5	11	12	20
85 +	47	6.0	44	1	2	4	6	17	20	30
2. MULTIPLE DX										
65-69 YRS	267	6.3	79	1	2	3	7	15	24	58
70-74	239	7.0	79	1	2	4	8	18	26	60
75-79	219	8.7	78	1	3	6	12	19	26	51
80-84	173	10.8	180	2	3	7	12	26	36	93
85 +	205	11.6	134	2	5	9	14	23	36	81
TOTAL SINGLE DX	399	3.6	18	<1	1	2	4	7	11	23
TOTAL MULTIPLE DX	1103	8.6	110	1	2	5	11	19	30	74
TOTAL										
65-69 YRS	378	5.2	64	1	1	2	6	12	19	49
70-74	336	6.0	62	1	2	3	7	14	22	56
75-79	298	7.3	66	1	2	5	9	16	23	46
80-84	238	9.0	144	1	2	5	11	21	31	81
85 +	252	10.6	122	2	4	8	13	21	33	76
GRAND TOTAL	1502	7.3	90	1	2	4	9	16	25	59

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	9.1	20	5	6	8	10	16	19	25
70-74	38	8.4	12	4	6	8	11	14	15	17
75-79	53	9.0	8	5	6	9	11	13	14	16
80-84	55	11.8	116	5	7	9	13	18	22	75
85 +	86	10.2	22	6	7	9	13	15	16	33
2. MULTIPLE DX										
65-69 YRS	205	12.4	92	6	7	10	14	22	34	62
70-74	274	12.6	75	6	8	10	15	23	31	91
75-79	387	12.5	76	6	8	10	15	20	31	96
80-84	461	13.9	121	6	8	11	16	25	37	68
85 +	757	13.3	79	6	8	11	16	24	32	61
TOTAL SINGLE DX	276	9.9	38	5	7	9	12	15	18	34
TOTAL MULTIPLE DX	2084	13.1	89	6	8	11	15	23	32	70
TOTAL										
65-69 YRS	249	11.9	81	5	7	9	13	21	30	54
70-74	312	12.1	70	5	7	10	14	21	30	78
75-79	440	12.1	70	6	8	10	14	20	28	91
80-84	516	13.7	121	6	8	11	16	24	37	71
85 +	843	13.0	75	6	8	11	15	22	31	54
GRAND TOTAL	2360	12.8	84	6	8	10	15	22	31	66

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	238	9.8	34	5	6	9	12	15	17	31
70-74	292	10.4	31	5	7	9	12	15	20	36
75-79	362	10.4	29	6	7	9	12	16	19	27
80-84	406	11.2	30	6	8	10	13	16	22	33
85 +	611	11.3	42	6	8	10	13	17	20	33
2. MULTIPLE DX										
65-69 YRS	1389	14.0	97	7	8	12	16	24	33	90
70-74	2017	15.1	128	7	9	12	17	26	37	74
75-79	2928	15.2	119	7	9	12	17	27	37	84
80-84	3810	15.4	120	7	9	12	18	27	39	81
85 +	5976	15.6	130	7	9	12	18	29	39	87
TOTAL SINGLE DX	1909	10.8	35	6	7	10	13	16	20	31
TOTAL MULTIPLE DX	16120	15.3	123	7	9	12	17	28	38	83
TOTAL										
65-69 YRS	1627	13.4	91	6	8	11	16	23	31	83
70-74	2309	14.5	119	7	9	12	16	25	35	71
75-79	3290	14.6	112	7	9	12	17	26	36	81
80-84	4216	15.0	113	7	9	12	17	26	37	79
85 +	6587	15.2	124	7	9	12	17	28	38	85
GRAND TOTAL	18029	14.8	116	7	9	12	17	26	36	80

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	8.3	108	1	2	4	9	20	35	42
70-74	16	6.3	21	1	2	6	8	13	16	17
75-79	12	6.0	12	2	3	6	8	10	13	13
80-84	18	9.1	51	2	5	7	11	21	27	29
85 +	16	7.1	33	2	3	5	10	14	20	23
2. MULTIPLE DX										
65-69 YRS	42	22.0	466	3	6	16	35	62	77	99 +
70-74	47	13.9	198	3	5	10	17	31	39	79
75-79	71	15.2	286	3	6	10	17	38	61	80
80-84	65	12.5	129	3	5	8	15	35	43	92
85 +	115	15.5	298	3	6	10	18	38	54	98
TOTAL SINGLE DX	79	7.5	47	1	3	6	9	14	22	38
TOTAL MULTIPLE DX	340	15.4	275	3	5	10	18	39	54	97
TOTAL										
65-69 YRS	59	18.1	399	2	4	11	22	52	73	98
70-74	63	12.0	164	2	4	9	14	29	34	74
75-79	83	13.8	257	3	5	8	15	27	55	79
80-84	83	11.8	114	3	5	8	14	29	40	83
85 +	131	14.5	273	3	5	9	16	32	53	98
GRAND TOTAL	419	13.9	241	2	5	9	17	34	50	91

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	68	2.6	4	1	1	2	3	6	7	10
70-74	45	2.2	2	1	1	2	3	4	5	10
75-79	36	3.2	10	1	1	2	4	9	10	14
80-84	20	4.8	29	1	2	2	6	14	19	19
85 +	12	3.3	3	1	2	3	5	6	7	7
2. MULTIPLE DX										
65-69 YRS	135	6.2	50	1	2	4	8	13	16	42
70-74	97	7.5	138	1	2	4	7	17	32	65
75-79	86	8.4	131	1	2	5	10	16	40	91
80-84	77	8.7	82	1	2	6	12	20	28	48
85 +	56	6.7	17	1	3	7	9	12	14	17
TOTAL SINGLE DX	181	2.9	8	1	1	2	3	7	9	17
TOTAL MULTIPLE DX	451	7.4	86	1	2	5	9	15	22	53
TOTAL										
65-69 YRS	203	5.0	38	1	2	3	7	11	14	35
70-74	142	5.8	101	1	1	3	5	13	24	53
75-79	122	6.9	101	1	2	4	9	14	26	82
80-84	97	7.9	74	1	2	5	10	19	24	44
85 +	68	6.1	16	1	2	6	9	12	14	17
GRAND TOTAL	632	6.1	68	1	2	4	7	13	19	50

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	693	4.4	9	2	2	4	6	8	10	17
70-74	428	4.7	15	2	3	4	6	8	9	17
75-79	271	5.3	12	2	3	5	6	9	12	18
80-84	166	5.9	17	2	3	5	8	11	14	20
85 +	79	6.5	27	2	3	5	8	13	14	29
2. MULTIPLE DX										
65-69 YRS	1324	7.5	51	2	4	5	9	14	20	43
70-74	1120	8.4	64	3	4	6	10	16	24	47
75-79	898	8.8	62	3	4	7	11	16	22	43
80-84	614	10.5	89	3	5	7	13	21	30	51
85 +	479	10.4	86	4	5	8	12	19	26	60
TOTAL SINGLE DX	1637	4.9	13	2	3	4	6	9	11	17
TOTAL MULTIPLE DX	4435	8.7	67	3	4	6	10	17	24	46
TOTAL										
65-69 YRS	2017	6.4	39	2	3	5	7	12	17	36
70-74	1548	7.4	54	2	3	5	9	15	20	44
75-79	1169	7.9	53	2	4	6	10	15	20	38
80-84	780	9.5	78	3	4	7	11	19	27	49
85 +	558	9.9	80	3	5	8	12	18	25	59
GRAND TOTAL	6072	7.7	56	2	4	6	9	15	20	42

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	240	3.3	15	1	1	2	4	7	10	20
70-74	152	3.0	5	1	1	2	4	6	9	11
75-79	127	4.0	37	1	1	2	5	8	13	35
80-84	108	4.6	23	1	2	3	6	10	12	28
85 +	75	3.3	9	1	2	2	4	7	8	16
2. MULTIPLE DX										
65-69 YRS	514	6.7	67	1	2	4	8	13	22	46
70-74	534	7.6	70	2	3	5	9	16	26	46
75-79	549	7.7	88	1	2	5	10	16	25	62
80-84	462	9.1	108	2	3	6	11	18	28	73
85 +	490	10.4	197	2	3	7	11	24	51	99 +
TOTAL SINGLE DX	702	3.6	18	1	1	2	4	7	10	20
TOTAL MULTIPLE DX	2549	8.2	107	1	3	5	10	17	28	76
TOTAL										
65-69 YRS	754	5.6	53	1	2	3	7	12	17	37
70-74	686	6.6	60	1	2	4	8	14	22	44
75-79	676	7.0	81	1	2	5	8	15	20	52
80-84	570	8.2	96	1	3	6	10	17	26	70
85 +	565	9.5	178	2	3	6	10	21	44	99 +
GRAND TOTAL	3251	7.2	91	1	2	4	8	15	24	65

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	53	4.5	36	1	1	2	6	8	22	28
70-74	76	3.9	11	1	1	3	6	8	11	16
75-79	58	4.4	16	1	2	3	5	10	13	20
80-84	65	4.4	19	1	1	4	6	8	12	24
85 +	34	4.5	14	1	2	3	5	11	12	18
2. MULTIPLE DX										
65-69 YRS	96	10.6	187	1	2	7	12	24	37	76
70-74	106	7.9	91	2	3	4	9	16	36	49
75-79	137	8.6	119	2	3	5	10	19	32	70
80-84	109	9.5	103	1	2	5	14	24	40	99 +
85 +	91	10.3	164	2	3	7	13	23	29	75
TOTAL SINGLE DX	286	4.3	19	1	1	3	5	8	12	24
TOTAL MULTIPLE DX	539	9.3	130	1	3	6	11	21	35	68
TOTAL										
65-69 YRS	149	8.4	142	1	2	4	9	20	30	54
70-74	182	6.2	62	1	2	4	7	13	17	43
75-79	195	7.4	92	1	2	4	8	18	23	63
80-84	174	7.6	78	1	2	4	10	20	31	85
85 +	125	8.8	130	1	3	5	10	20	27	56
GRAND TOTAL	825	7.6	97	1	2	4	9	18	26	56

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	35	2.6	4	< 1	1	2	4	6	8	9
70-74	25	2.4	1	1	1	2	3	4	5	5
75-79	21	7.5	387	< 1	1	3	5	7	46	93
80-84	16	2.4	3	1	1	2	4	4	6	7
85 +	12	1.5	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
65-69 YRS	91	5.7	71	1	1	3	7	11	20	51
70-74	98	5.8	44	1	2	4	7	15	23	32
75-79	88	6.9	67	1	2	3	10	19	27	76
80-84	72	9.8	257	1	2	5	11	18	32	93
85 +	61	8.2	98	1	2	5	10	23	30	50
TOTAL SINGLE DX	109	3.3	78	< 1	1	2	4	5	7	43
TOTAL MULTIPLE DX	410	7.1	102	1	2	4	8	17	25	57
TOTAL										
65-69 YRS	126	4.8	54	1	1	3	5	10	16	38
70-74	123	5.1	37	1	2	3	6	11	20	30
75-79	109	7.0	126	1	2	3	7	18	27	96
80-84	88	8.5	219	1	2	4	8	17	28	92
85 +	73	7.1	88	1	1	3	9	18	28	49
GRAND TOTAL	519	6.3	99	1	1	3	7	15	24	56

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	51	7.3	111	1	2	4	8	13	25	61
70-74	34	7.6	80	1	2	5	10	17	22	46
75-79	34	10.1	162	2	3	5	12	35	41	53
80-84	28	8.0	65	2	3	7	10	12	16	45
85 +	11	8.1	35	2	4	7	12	17	21	21
2. MULTIPLE DX										
65-69 YRS	279	11.7	173	1	3	8	15	29	43	84
70-74	231	16.8	289	2	5	10	24	42	59	89
75-79	199	15.5	246	3	5	11	20	39	56	99 +
80-84	111	17.7	224	4	7	15	26	43	57	99 +
85 +	82	15.1	160	3	7	12	19	33	42	59
TOTAL SINGLE DX	158	8.2	101	1	2	5	10	16	31	52
TOTAL MULTIPLE DX	902	14.9	229	2	5	10	20	37	51	99 +
TOTAL										
65-69 YRS	330	11.0	166	1	2	7	14	27	42	72
70-74	265	15.6	272	2	4	10	22	40	55	86
75-79	233	14.7	237	2	5	10	19	36	54	99 +
80-84	139	15.8	207	3	6	11	23	39	49	99 +
85 +	93	14.2	150	3	6	11	17	31	37	58
GRAND TOTAL	1060	13.9	215	2	4	9	19	34	49	90

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
75-79	3	5.0	28	1	1	3	9	11	11	11
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	15.0	8	13	13	15	17	17	17	17
70-74	2	9.0	8	7	7	9	11	11	11	11
75-79	0									
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
TOTAL SINGLE DX	6	3.2	15	< 1	1	2	3	10	11	11
TOTAL MULTIPLE DX	5	10.4	26	4	6	11	14	17	17	17
TOTAL										
65-69 YRS	4	8.3	64	1	1	7	15	17	17	17
70-74	3	6.3	25	< 1	2	7	10	11	11	11
75-79	3	5.0	28	1	1	3	9	11	11	11
80-84	1	4.0		4	4	4	4	4	4	4
85 +	0									
GRAND TOTAL	11	6.5	32	<1	1	4	11	15	17	17

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	545	6.1	13	3	4	5	7	10	13	18
70-74	312	6.3	15	3	4	5	7	10	12	23
75-79	140	6.8	17	3	4	6	8	12	15	23
80-84	61	8.6	21	4	5	8	11	14	19	22
85 +	8	10.0	35	3	5	9	14	19	20	20
2. MULTIPLE DX										
65-69 YRS	1530	9.1	63	3	5	7	10	17	22	41
70-74	1188	9.7	40	4	6	8	12	18	22	34
75-79	689	11.5	69	5	6	9	14	20	29	44
80-84	274	13.1	70	6	7	11	16	25	29	51
85 +	66	13.9	86	6	7	12	17	24	33	53
TOTAL SINGLE DX	1066	6.4	15	3	4	5	8	11	14	21
TOTAL MULTIPLE DX	3747	10.1	60	4	5	8	12	19	25	41
TOTAL										
65-69 YRS	2075	8.3	52	3	4	7	9	15	20	34
70-74	1500	9.0	37	4	5	7	11	17	21	31
75-79	829	10.7	63	4	6	8	13	20	26	43
80-84	335	12.3	64	5	7	10	15	24	28	43
85 +	74	13.5	82	5	7	12	17	24	32	51
GRAND TOTAL	4813	9.3	52	3	5	7	11	17	23	38

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	0TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	42	1.6		< 1	< 1	1	2	3	4	4
70-74	23	1.3		< 1	< 1	1	1	3	3	3
75-79	12	1.4		< 1	< 1	1	2	3	3	3
80-84	9	1.3		< 1	< 1	1	2	2	2	2
85 +	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	211	2.4	9	< 1	1	1	3	5	8	12
70-74	178	2.4	5	< 1	1	2	3	5	7	15
75-79	101	3.3	17	< 1	1	2	3	8	12	21
80-84	59	2.7	12	< 1	1	2	3	7	12	92
85 +	23	4.0	24	1	1	1	4	15	16	16
TOTAL SINGLE DX	87	1.5	1	< 1	< 1	1	2	3	3	4
TOTAL MULTIPLE DX	572	2.6	10	< 1	1	2	3	5	9	19
TOTAL										
65-69 YRS	253	2.2	8	< 1	1	1	2	4	6	11
70-74	201	2.3	5	< 1	1	1	3	5	7	13
75-79	113	3.1	16	< 1	1	2	3	7	12	21
80-84	68	2.5	11	< 1	1	2	2	5	10	85
85 +	24	3.9	23	1	1	2	4	15	15	16
GRAND TOTAL	659	2.5	9	< 1	1	1	3	5	8	18

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	36	2.1	4	< 1	< 1	1	2	6	8	9
70-74	16	2.4	2	< 1	1	2	4	5	6	6
75-79	11	3.9	35	< 1	1	1	3	14	19	20
80-84	5	6.4	121	< 1	1	1	9	26	26	26
85 +	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	98	4.8	50	< 1	1	2	5	13	16	74
70-74	56	6.5	134	1	1	2	6	20	25	65
75-79	37	6.5	69	< 1	1	2	10	29	68	99 +
80-84	28	12.8	378	1	2	4	14	39	48	90
85 +	11	4.9	54	< 1	1	1	6	15	25	26
TOTAL SINGLE DX	70	2.8	17	< 1	< 1	1	3	6	9	25
TOTAL MULTIPLE DX	230	6.5	118	< 1	1	2	7	18	30	99 +
TOTAL										
65-69 YRS	134	4.1	40	< 1	1	2	4	11	14	55
70-74	72	5.6	108	< 1	1	2	4	14	23	62
75-79	48	5.9	62	< 1	1	2	10	24	30	99 +
80-84	33	11.8	340	1	2	3	13	36	43	90
85 +	13	4.4	47	< 1	1	1	5	11	23	26
GRAND TOTAL	300	5.6	97	< 1	1	2	6	14	27	95

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	73	2.5	6	< 1	1	2	3	5	8	14
70-74	44	4.0	26	< 1	1	2	4	10	13	28
75-79	32	2.8	9	< 1	< 1	1	4	6	10	15
80-84	11	3.7	55	< 1	< 1	1	2	12	25	26
85 +	7	4.9	13	< 1	1	4	8	10	10	10
2. MULTIPLE DX										
65-69 YRS	224	7.8	136	1	1	3	9	19	30	64
70-74	212	9.4	189	1	2	4	10	26	44	65
75-79	141	10.8	219	1	2	5	13	26	38	82
80-84	68	12.0	166	1	2	6	17	34	44	91
85 +	44	16.1	238	1	4	13	21	36	51	60
TOTAL SINGLE DX	167	3.1	16	< 1	1	2	3	7	10	25
TOTAL MULTIPLE DX	689	9.8	183	1	2	4	12	27	42	66
TOTAL										
65-69 YRS	297	6.5	110	< 1	1	3	7	15	26	56
70-74	256	8.4	166	1	2	3	9	24	39	65
75-79	173	9.3	190	1	2	4	12	23	34	78
80-84	79	10.8	158	1	2	5	15	30	41	86
85 +	51	14.6	222	1	3	10	19	35	48	60
GRAND TOTAL	856	8.5	157	1	1	3	10	23	35	65

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	44	7.6	32	3	4	6	9	12	18	31
70-74	30	6.2	15	3	4	5	8	10	13	22
75-79	12	8.5	19	3	5	9	11	13	17	18
80-84	1	28.0		28	28	28	28	28	28	28
85 +	4	11.0	36	5	6	10	15	19	19	19
2. MULTIPLE DX										
65-69 YRS	270	11.3	79	4	6	9	13	22	27	44
70-74	150	12.2	77	4	7	10	14	21	29	49
75-79	86	16.2	166	6	9	12	20	35	44	91
80-84	36	20.8	383	8	9	13	24	35	72	91
85 +	18	17.3	90	7	10	14	23	33	37	38
TOTAL SINGLE DX	91	7.7	30	3	4	6	9	12	19	30
TOTAL MULTIPLE DX	560	13.1	119	4	7	10	15	25	35	73
TOTAL										
65-69 YRS	314	10.8	75	4	6	9	12	21	27	43
70-74	180	11.2	72	4	6	9	13	20	26	48
75-79	98	15.3	155	5	9	11	18	33	41	89
80-84	37	20.9	374	8	9	14	27	35	72	91
85 +	22	16.1	85	7	8	13	19	31	36	38
GRAND TOTAL	651	12.4	110	4	6	10	14	24	34	69

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	94	3.4	5	1	1	3	5	7	8	11
70-74	79	3.8	10	1	2	3	5	7	12	16
75-79	43	3.6	6	1	1	3	5	8	9	11
80-84	10	3.7	6	<1	2	3	5	7	9	9
85 +	3	6.3	56	2	2	2	12	15	15	15
2. MULTIPLE DX										
65-69 YRS	226	5.2	42	1	2	3	6	10	15	31
70-74	210	5.8	57	1	2	4	7	10	16	43
75-79	76	6.2	84	1	2	4	7	10	19	52
80-84	33	7.0	62	2	3	4	10	33	83	99 +
85 +	12	8.3	41	1	2	8	13	17	20	20
TOTAL SINGLE DX	229	3.6	8	1	2	3	5	7	9	14
TOTAL MULTIPLE DX	557	5.7	55	1	2	4	6	11	17	52
TOTAL										
65-69 YRS	320	4.7	32	1	2	3	5	8	13	26
70-74	289	5.3	46	1	2	4	6	10	15	34
75-79	119	5.2	57	1	2	3	[illegible]	9	12	48
80-84	43	6.3	51	1	2	4	[illegible]	15	50	99 +
85 +	15	7.9	41	2	2	7	[illegible]	16	19	20
GRAND TOTAL	786	5.1	42	1	2	3	6	10	15	44

735: Total hip replacement (81.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	961	9.4	8	6	8	9	11	13	14	17
70-74	897	9.9	12	6	8	9	11	14	15	23
75-79	629	10.4	14	7	8	10	12	14	16	22
80-84	346	11.2	26	7	9	10	13	16	18	37
85 +	171	11.2	14	7	8	10	13	17	19	23
2. MULTIPLE DX										
65-69 YRS	2827	11.7	41	7	8	10	13	17	22	40
70-74	3121	12.3	47	7	9	11	14	18	24	44
75-79	2799	13.2	59	7	9	11	15	20	27	50
80-84	1919	13.9	64	7	9	12	16	22	29	52
85 +	1293	15.2	91	8	10	13	18	25	33	65
TOTAL SINGLE DX	3004	10.1	14	6	8	9	12	14	16	22
TOTAL MULTIPLE DX	11959	12.9	58	7	9	11	14	20	26	47
TOTAL										
65-69 YRS	3788	11.1	34	7	8	10	12	16	20	36
70-74	4018	11.7	41	7	8	10	13	17	23	41
75-79	3428	12.7	52	7	9	11	14	19	25	46
80-84	2265	13.5	60	7	9	12	15	21	28	48
85 +	1464	14.8	84	8	9	12	17	24	32	59
GRAND TOTAL	14963	12.4	50	7	9	11	14	19	24	44

736: Other arthroplasty of hip (81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	153	10.5	16	7	8	10	12	14	16	26
70-74	227	10.7	38	6	8	10	12	15	19	34
75-79	293	11.2	21	7	8	10	13	16	19	31
80-84	292	11.2	19	7	8	10	14	17	20	26
85 +	366	11.6	30	6	8	11	14	17	20	36
2. MULTIPLE DX										
65-69 YRS	827	14.2	86	7	9	12	17	24	29	58
70-74	1253	14.4	113	7	9	11	16	24	33	68
75-79	1866	14.3	80	7	9	12	16	24	32	54
80-84	2214	14.9	105	7	9	12	17	25	34	73
85 +	2888	15.0	101	7	9	12	17	26	37	96
TOTAL SINGLE DX	1331	11.1	26	7	8	10	13	16	20	28
TOTAL MULTIPLE DX	9048	14.7	99	7	9	12	17	25	34	72
TOTAL										
65-69 YRS	980	13.6	78	7	9	11	16	22	28	57
70-74	1480	13.8	104	7	9	11	15	22	31	67
75-79	2159	13.9	74	7	9	12	16	23	30	52
80-84	2506	14.5	97	7	9	12	16	24	32	71
85 +	3254	14.6	95	7	9	12	17	26	35	89
GRAND TOTAL	10379	14.2	91	7	9	12	16	24	32	70

737: Total knee replacement (81.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1038	9.5	9	6	7	9	11	14	15	19
70-74	1045	9.7	9	6	8	9	11	14	15	19
75-79	763	10.1	11	6	8	10	12	15	16	21
80-84	368	10.5	14	6	8	10	12	15	16	25
85 +	114	11.5	25	7	8	10	14	16	19	36
2. MULTIPLE DX										
65-69 YRS	2990	11.0	23	7	8	10	13	16	18	28
70-74	3300	11.4	25	7	9	10	13	16	20	31
75-79	2680	11.8	27	7	9	11	14	17	20	32
80-84	1411	12.4	39	8	9	11	14	18	22	36
85 +	463	13.5	63	7	9	12	15	20	27	50
TOTAL SINGLE DX	3328	9.9	11	6	8	9	11	14	16	20
TOTAL MULTIPLE DX	10844	11.6	29	7	9	11	13	17	20	32
TOTAL										
65-69 YRS	4028	10.6	20	7	8	10	12	15	18	26
70-74	4345	11.0	22	7	8	10	13	16	19	29
75-79	3443	11.4	24	7	9	10	13	16	20	30
80-84	1779	12.0	35	7	9	11	14	17	21	33
85 +	577	13.1	57	7	9	11	15	19	25	48
GRAND TOTAL	14172	11.2	26	7	8	10	13	16	19	30

738: Arthroplasty of knee, except total replacement (81.42-81.47)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	60	5.4	9	1	3	5	7	9	11	16
70-74	56	7.7	16	3	5	7	9	11	16	24
75-79	19	7.5	19	1	4	7	11	12	14	16
80-84	15	8.5	13	4	6	8	10	14	15	16
85 +	9	7.1	8	4	5	7	8	[illegible]	13	13
2. MULTIPLE DX										
65-69 YRS	147	7.8	24	2	4	7	10	14	17	25
70-74	146	7.9	19	3	5	7	10	14	16	22
75-79	98	9.0	26	3	6	8	11	16	18	29
80-84	60	9.2	44	4	6	8	10	15	22	41
85 +	20	11.1	90	4	6	8	12	21	34	45
TOTAL SINGLE DX	159	6.8	14	2	4	6	9	11	14	19
TOTAL MULTIPLE DX	471	8.4	29	3	5	8	10	15	18	26
TOTAL										
65-69 YRS	207	7.1	21	2	4	6	9	13	15	23
70-74	202	7.8	19	3	5	7	10	13	16	23
75-79	117	8.7	26	3	5	8	11	15	17	27
80-84	75	9.0	38	4	6	8	10	15	20	39
85 +	29	9.9	67	4	6	8	11	17	24	45
GRAND TOTAL	630	8.0	26	3	5	7	10	14	17	25

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.71; 81.81; 81.84; 81.86)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	131	3.4	7	1	1	2	4	8	9	12
70-74	115	4.3	6	1	2	4	6	8	9	13
75-79	72	5.5	15	1	3	5	7	11	14	18
80-84	39	6.2	9	3	4	6	8	11	12	14
85 +	8	4.8	10	2	2	3	7	10	10	10
2. MULTIPLE DX										
65-69 YRS	337	4.8	31	1	2	3	6	9	13	26
70-74	288	5.9	24	1	2	4	8	12	15	24
75-79	192	6.8	37	2	3	6	8	13	16	30
80-84	80	8.4	37	3	4	7	10	17	24	28
85 +	46	10.7	89	2	6	8	12	17	29	53
TOTAL SINGLE DX	365	4.4	10	1	2	4	6	9	11	15
TOTAL MULTIPLE DX	943	6.1	36	2	3	4	8	12	16	27
TOTAL										
65-69 YRS	468	4.4	25	1	2	3	5	8	11	22
70-74	403	5.4	20	1	2	4	7	11	13	22
75-79	264	6.4	32	2	3	5	8	13	16	23
80-84	119	7.7	29	3	4	7	10	14	19	27
85 +	54	9.8	82	2	5	8	12	17	26	52
GRAND TOTAL	1308	5.7	29	1	2	4	7	11	14	25

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	170	2.8	2	1	2	3	4	5	5	8
70-74	112	2.6	2	1	2	2	3	4	6	8
75-79	45	3.6	7	1	2	3	5	7	8	15
80-84	12	5.2	41	< 1	1	3	6	15	22	23
85 +	7	5.3	31	< 1	1	5	6	15	17	17
2. MULTIPLE DX										
65-69 YRS	388	3.3	6	1	2	3	4	6	8	14
70-74	270	3.9	8	1	2	3	5	7	10	15
75-79	154	5.0	31	1	2	3	5	10	21	26
80-84	49	6.1	38	1	3	4	7	13	24	26
85 +	23	8.8	69	1	3	7	13	23	28	30
TOTAL SINGLE DX	346	3.0	5	1	2	3	4	5	6	13
TOTAL MULTIPLE DX	884	4.1	16	1	2	3	5	7	11	23
TOTAL										
65-69 YRS	558	3.2	5	1	2	3	4	5	7	13
70-74	382	3.5	7	1	2	3	4	7	9	15
75-79	199	4.7	26	1	2	3	5	8	18	25
80-84	61	5.9	38	1	2	4	7	13	23	26
85 +	30	8.0	61	1	3	5	9	20	27	30
GRAND TOTAL	1230	3.8	13	1	2	3	4	7	10	22

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	37	3.5	25	< 1	< 1	2	3	8	13	28
70-74	21	2.5	7	< 1	< 1	1	3	8	9	10
75-79	16	3.1	6	< 1	< 1	2	4	8	8	8
80-84	13	6.6	42	< 1	2	4	10	19	21	21
85 +	3	4.3	33	< 1	< 1	1	8	11	11	11
2. MULTIPLE DX										
65-69 YRS	168	8.2	136	1	2	5	9	17	25	72
70-74	154	8.3	122	1	2	5	10	17	23	77
75-79	116	9.5	130	1	3	6	11	19	29	61
80-84	82	9.7	70	2	3	6	14	22	28	80
85 +	49	13.2	205	3	6	8	17	21	45	84
TOTAL SINGLE DX	90	3.7	21	< 1	< 1	2	4	9	12	25
TOTAL MULTIPLE DX	569	9.1	129	1	3	6	12	20	28	72
TOTAL										
65-69 YRS	205	7.4	119	1	2	4	8	16	24	67
70-74	175	7.6	112	1	2	5	9	17	22	68
75-79	132	8.7	120	1	2	6	10	18	28	60
80-84	95	9.3	67	2	3	6	14	21	25	72
85 +	52	12.7	199	2	5	8	17	21	43	83
GRAND TOTAL	659	8.4	118	1	2	5	11	19	24	64

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	68	2.8	6	< 1	1	2	4	7	8	12
70-74	45	2.1	3	< 1	< 1	1	3	5	6	9
75-79	20	2.7	5	< 1	1	2	3	7	8	8
80-84	22	3.8	24	< 1	1	1	5	9	15	22
85 +	9	4.1	11	1	1	3	6	9	11	11
2. MULTIPLE DX										
65-69 YRS	227	8.9	97	1	2	5	13	21	27	55
70-74	206	9.9	143	1	2	6	14	24	32	97
75-79	179	11.1	154	1	3	8	14	24	35	70
80-84	81	10.4	84	1	3	8	16	23	31	81
85 +	69	12.1	155	2	3	8	16	26	36	64
TOTAL SINGLE DX	164	2.8	8	< 1	1	2	4	7	8	13
TOTAL MULTIPLE DX	762	10.1	128	1	2	6	14	23	30	65
TOTAL										
65-69 YRS	295	7.4	83	1	2	4	10	19	25	54
70-74	251	8.5	127	1	2	4	11	22	29	94
75-79	199	10.3	146	1	2	7	14	23	33	69
80-84	103	9.0	79	1	2	6	14	22	29	69
85 +	78	11.1	145	2	3	7	14	26	33	63
GRAND TOTAL	926	8.8	114	1	2	5	12	21	28	60

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	69	1.3		< 1	1	1	2	2	3	4
70-74	46	1.5		< 1	1	1	2	3	3	4
75-79	30	1.4	1	< 1	1	1	1	3	4	5
80-84	10	1.5	1	< 1	1	1	2	3	4	4
85 +	3	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	89	2.3	8	1	1	1	2	5	7	19
70-74	76	2.7	25	1	1	1	2	4	9	33
75-79	45	2.9	31	1	1	2	2	4	22	99 +
80-84	24	3.5	18	1	1	2	4	7	13	21
85 +	6	12.3	224	1	3	4	29	33	34	34
TOTAL SINGLE DX	158	1.4	1	< 1	1	1	2	2	3	4
TOTAL MULTIPLE DX	240	2.9	26	1	1	1	2	5	9	35
TOTAL										
65-69 YRS	158	1.9	5	1	1	1	2	3	5	14
70-74	122	2.2	16	< 1	1	1	2	3	7	27
75-79	75	2.3	20	< 1	1	1	2	4	5	83
80-84	34	2.9	14	1	1	2	3	6	9	21
85 +	9	8.6	172	1	1	3	10	32	34	34
GRAND TOTAL	398	2.3	16	< 1	1	1	2	4	7	32

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	23	1.7	1	< 1	1	1	2	3	4	4
70-74	17	1.6	1	< 1	< 1	1	2	4	4	4
75-79	3	1.0		1	1	1	1	1	1	1
80-84	1	2.0		2	2	2	2	2	2	2
85 +	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	62	3.2	12	1	1	2	4	7	10	21
70-74	28	2.1	3	1	1	1	3	4	6	10
75-79	20	2.6	2	1	1	2	4	5	6	6
80-84	10	4.8	27	1	1	2	11	13	14	14
85 +	4	1.8	1	1	1	2	2	3	3	3
TOTAL SINGLE DX	49	1.6	1	< 1	1	1	2	3	4	4
TOTAL MULTIPLE DX	124	2.9	10	1	1	2	3	6	10	16
TOTAL										
65-69 YRS	85	2.8	10	1	1	2	3	6	8	19
70-74	45	2.0	3	< 1	1	1	2	4	5	10
75-79	23	2.3	3	1	1	2	3	5	6	6
80-84	11	4.5	26	1	1	2	9	13	14	14
85 +	9	1.7	1	1	1	1	2	3	3	3
GRAND TOTAL	173	2.5	8	1	1	2	3	5	8	14

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	285	3.0	5	1	2	2	4	5	6	15
70-74	169	2.7	2	1	2	2	3	5	5	7
75-79	84	3.2	2	1	2	3	4	5	6	9
80-84	22	3.4	3	1	2	3	5	6	7	7
85 +	9	3.4	8	< 1	1	3	4	8	10	10
2. MULTIPLE DX										
65-69 YRS	479	4.4	43	1	2	3	4	7	11	31
70-74	348	4.5	25	2	2	3	5	8	10	33
75-79	215	6.1	72	2	2	4	6	10	17	49
80-84	74	7.3	47	2	3	5	9	16	21	36
85 +	31	9.5	60	2	3	8	15	23	29	99 +
TOTAL SINGLE DX	569	3.0	4	1	2	3	4	5	6	10
TOTAL MULTIPLE DX	1147	5.1	46	2	2	3	5	9	13	38
TOTAL										
65-69 YRS	764	3.9	30	1	2	3	4	6	8	25
70-74	517	3.9	19	1	2	3	4	7	9	20
75-79	299	5.3	55	2	2	3	5	9	11	42
80-84	96	6.4	39	2	3	4	7	15	20	35
85 +	40	8.2	55	1	3	6	12	21	27	99 +
GRAND TOTAL	1716	4.4	33	1	2	3	5	7	11	33

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	65	3.2	3	1	2	3	4	6	7	8
70-74	44	3.6	4	~~1~~ 2	2	3	5	7	8	11
75-79	27	3.7	5	1	2	3	5	6	8	11
80-84	8	7.3	19	3	4	6	10	14	15	15
85 +	4	5.5	7	3	3	5	7	9	9	9
2. MULTIPLE DX										
65-69 YRS	133	7.0	89	1	2	4	7	14	37	56
70-74	101	9.9	161	2	3	6	10	24	41	63
75-79	80	7.4	67	1	2	4	8	18	26	43
80-84	39	10.1	149	2	3	7	10	28	53	99 +
85 +	15	10.5	81	3	6	8	11	19	34	39
TOTAL SINGLE DX	148	3.7	6	1	2	3	5	7	8	13
TOTAL MULTIPLE DX	368	8.3	112	1	3	5	9	20	37	61
TOTAL										
65-69 YRS	198	5.7	64	1	2	4	6	11	19	47
70-74	145	8.0	122	1	3	4	8	17	31	61
75-79	107	6.4	54	1	2	4	7	15	23	38
80-84	47	9.6	128	2	4	7	10	27	50	99 +
85 +	19	9.5	69	3	5	7	10	18	30	39
GRAND TOTAL	516	7.0	86	1	2	4	7	15	28	58

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	19	2.1	2	1	1	1	2	5	6	6
70-74	10	1.7	1	< 1	1	1	2	3	4	4
75-79	10	3.8	46	1	1	2	2	13	23	23
80-84	5	4.4	25	1	1	1	8	12	12	12
85 +	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
65-69 YRS	61	10.4	203	1	2	6	13	32	39	98
70-74	56	7.0	59	1	2	4	9	15	25	37
75-79	43	6.2	49	1	1	4	8	14	20	35
80-84	28	10.1	219	1	2	5	12	33	71	99 +
85 +	26	8.5	58	2	4	7	12	24	44	99 +
TOTAL SINGLE DX	46	2.9	17	1	1	1	2	6	13	23
TOTAL MULTIPLE DX	214	8.4	120	1	2	5	10	25	34	99 +
TOTAL										
65-69 YRS	80	8.4	168	1	1	4	8	27	35	95
70-74	66	6.2	54	1	1	3	8	15	24	37
75-79	53	5.7	49	1	1	3	7	14	22	35
80-84	33	9.2	192	1	1	4	11	29	62	99 +
85 +	28	8.5	57	2	3	7	12	22	37	99 +
GRAND TOTAL	260	7.4	106	1	1	4	9	23	32	98

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	11.5	145	3	3	11	20	20	20	20
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	6.0		6	6	6	6	6	6	6
85 +	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	16	8.6	73	2	3	6	11	15	30	36
70-74	6	23.5	359	7	12	13	43	51	52	52
75-79	4	7.5	9	4	5	7	10	11	11	11
80-84	10	14.2	96	5	8	12	16	29	39	39
85 +	5	16.0	222	4	6	10	24	41	41	41
TOTAL SINGLE DX	8	5.8	35	2	3	4	5	16	20	20
TOTAL MULTIPLE DX	41	13.0	146	3	6	9	14	37	42	52
TOTAL										
65-69 YRS	17	8.4	69	2	3	6	10	15	29	36
70-74	8	20.5	308	4	9	13	31	49	52	52
75-79	5	6.8	10	4	4	6	9	11	11	11
80-84	11	13.5	93	5	7	12	15	28	38	39
85 +	8	11.0	175	2	3	6	14	34	41	41
GRAND TOTAL	49	11.8	134	3	4	8	14	30	41	52

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	5.2	11	1	3	5	7	10	12	12
70-74	17	4.9	10	1	2	5	7	8	12	14
75-79	27	7.1	69	<1	1	5	8	21	26	35
80-84	7	3.7	21	<1	1	2	3	12	14	14
85+	14	5.2	18	1	1	4	7	12	14	15
2. MULTIPLE DX										
65-69 YRS	577	14.3	123	3	6	12	19	29	38	52
70-74	490	14.8	153	3	7	12	20	32	43	99+
75-79	400	14.6	158	3	6	12	19	29	40	63
80-84	304	13.5	136	3	5	10	18	30	38	70
85+	241	16.3	249	3	7	12	20	32	55	82
TOTAL SINGLE DX	79	5.7	34	<1	2	4	7	12	15	32
TOTAL MULTIPLE DX	2012	14.6	155	3	6	12	19	30	40	72
TOTAL										
65-69 YRS	591	14.1	122	3	6	12	19	29	38	52
70-74	507	14.5	152	3	6	11	20	31	42	99+
75-79	427	14.2	156	3	5	11	18	28	39	62
80-84	311	13.3	136	3	5	10	17	30	38	69
85+	255	15.7	243	3	7	11	19	32	52	81
GRAND TOTAL	2091	14.3	153	3	6	11	18	30	39	71

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	9	12.6	57	5	7	12	15	24	30	30
70-74	10	16.8	511	5	6	10	14	49	80	80
75-79	3	12.7	114	6	6	7	20	25	25	25
80-84	5	6.8	14	2	3	7	10	11	11	11
85+	7	8.4	23	3	5	6	13	15	15	15
2. MULTIPLE DX										
65-69 YRS	526	23.0	315	7	11	18	31	52	75	99+
70-74	509	21.1	224	7	10	17	28	40	57	99+
75-79	479	20.7	241	8	10	16	26	44	57	99+
80-84	371	20.5	248	7	10	16	26	42	61	98
85+	380	17.5	241	6	8	12	21	40	61	99+
TOTAL SINGLE DX	34	12.1	180	5	6	9	13	19	29	80
TOTAL MULTIPLE DX	2265	20.8	259	7	10	16	27	44	62	99+
TOTAL										
65-69 YRS	535	22.8	313	7	11	18	30	52	74	99+
70-74	519	21.1	229	7	10	17	28	40	58	99+
75-79	482	20.7	241	8	10	16	26	44	57	99+
80-84	376	20.3	248	7	10	16	25	41	61	98
85+	387	17.3	239	6	8	12	21	39	61	99+
GRAND TOTAL	2299	20.6	258	7	10	16	27	43	62	99+

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	7	14.4	96	7	8	10	22	30	31	31
70-74	12	12.3	115	2	4	10	18	31	33	33
75-79	9	11.8	34	7	8	10	15	22	22	22
80-84	11	11.7	86	4	5	7	15	29	29	29
85+	17	8.2	66	3	5	6	8	13	29	38
2. MULTIPLE DX										
65-69 YRS	309	20.1	258	7	10	14	28	47	80	99+
70-74	404	19.4	254	6	9	14	25	48	71	99+
75-79	446	18.3	217	6	9	14	23	41	57	99+
80-84	489	17.1	212	6	8	13	22	37	61	99+
85+	815	14.6	152	5	7	12	17	29	45	99+
TOTAL SINGLE DX	56	11.1	78	4	6	8	13	28	31	38
TOTAL MULTIPLE DX	2463	17.3	210	6	8	13	22	40	59	99+
TOTAL										
65-69 YRS	316	20.0	255	7	9	14	28	47	76	99+
70-74	416	19.2	252	6	9	14	25	47	67	99+
75-79	455	18.2	215	6	8	14	23	41	56	99+
80-84	500	17.0	210	6	8	13	22	37	61	99+
85+	832	14.5	151	5	7	11	17	29	45	99+
GRAND TOTAL	2519	17.1	208	6	8	13	22	39	58	99+

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	3	8.7	64	1	3	8	15	17	17	17
70-74	3	10.0	49	5	5	7	15	18	18	18
75-79	2	14.5	221	4	4	14	25	25	25	25
80-84	3	8.7	12	5	6	9	11	12	12	12
85+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	187	19.5	217	5	10	16	23	38	48	80
70-74	168	21.6	321	6	10	16	26	46	69	99
75-79	127	20.0	181	6	11	17	23	44	51	99+
80-84	76	22.7	243	8	12	18	37	55	99+	99+
85+	58	20.3	205	4	9	18	29	47	56	99+
TOTAL SINGLE DX	13	9.3	48	3	5	7	13	19	24	25
TOTAL MULTIPLE DX	616	20.7	240	6	10	17	26	45	57	99+
TOTAL										
65-69 YRS	190	19.4	217	5	10	16	23	38	48	79
70-74	171	21.4	319	6	10	16	26	45	68	99
75-79	129	20.0	181	6	11	17	27	44	51	99+
80-84	79	22.2	241	8	11	17	36	54	99+	99+
85+	60	19.8	206	4	8	18	27	46	56	99+
GRAND TOTAL	629	20.4	239	6	10	16	26	44	57	99+

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	0									
75-79	1	4.0		4	4	4	4	4	4	4
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
2. MULTIPLE DX										
65-69 YRS	4	7.0	6	5	5	7	9	10	10	10
70-74	2	8.0		8	8	8	8	8	8	8
75-79	3	3.0	4	1	1	3	4	5	5	5
80-84	0									
85 +	0									
TOTAL SINGLE DX	5	2.4	2	1	1	2	4	4	4	4
TOTAL MULTIPLE DX	9	5.9	8	2	4	5	8	9	10	10
TOTAL										
65-69 YRS	6	5.7	8	2	4	5	8	10	10	10
70-74	2	8.0		8	8	8	8	8	8	8
75-79	4	3.3	3	1	2	3	4	5	5	5
80-84	2	1.0		1	1	1	1	1	1	1
85 +	0									
GRAND TOTAL	14	4.6	9	1	2	4	8	8	10	10

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	14	5.6	32	2	2	3	9	16	18	19
70-74	15	5.1	10	1	3	5	7	8	12	13
75-79	7	3.0	6	1	1	2	5	7	7	7
80-84	3	8.3	50	2	3	7	14	16	16	16
85 +	4	4.3	7	1	2	4	6	7	7	7
2. MULTIPLE DX										
65-69 YRS	100	12.7	177	2	5	10	15	26	44	70
70-74	108	11.6	105	3	5	9	15	25	31	80
75-79	79	14.5	164	2	5	10	19	34	43	59
80-84	45	11.4	83	3	6	8	14	27	32	43
85 +	57	14.2	157	4	5	9	21	34	41	52
TOTAL SINGLE DX	43	5.1	19	1	2	4	7	10	16	19
TOTAL MULTIPLE DX	389	12.8	141	3	5	9	16	28	39	59
TOTAL										
65-69 YRS	114	11.8	164	2	3	8	14	24	43	66
70-74	123	10.8	98	3	5	8	15	24	30	75
75-79	86	13.6	161	2	5	9	18	34	40	58
80-84	48	11.3	81	3	6	8	14	25	31	43
85 +	61	13.5	154	3	5	8	19	32	40	52
GRAND TOTAL	432	12.0	134	2	5	8	15	27	38	56

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	0									
70-74	3	6.3	2	5	5	6	7	8	8	8
75-79	1	8.0		8	8	8	8	8	8	8
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	2	10.5	13	8	8	10	13	13	13	13
70-74	7	6.7	8	3	4	7	9	11	11	11
75-79	1	12.0		12	12	12	12	12	12	12
80-84	5	12.0	5	9	10	13	14	14	14	14
85 +	2	23.0	8	21	21	23	25	25	25	25
TOTAL SINGLE DX	4	6.8	2	5	5	7	8	8	8	8
TOTAL MULTIPLE DX	17	10.9	32	4	8	10	13	20	24	25
TOTAL										
65-69 YRS	2	10.5	13	8	8	10	13	13	13	13
70-74	10	6.6	6	3	5	6	8	10	11	11
75-79	2	10.0	8	8	8	10	12	12	12	12
80-84	5	12.0	6	9	10	13	14	14	14	14
85 +	2	23.0	8	21	21	23	25	25	25	25
GRAND TOTAL	21	10.1	29	4	7	9	13	17	23	25

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	336	2.1	2	<1	<1	1	3	4	5	7
70-74	267	2.0	2	<1	<1	1	2	5	6	7
75-79	177	2.4	15	<1	<1	2	3	4	5	8
80-84	85	2.2	2	<1	<1	1	3	5	6	7
85 +	54	2.5	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
65-69 YRS	736	4.7	34	1	1	3	6	11	17	32
70-74	676	5.6	59	1	1	3	6	13	20	46
75-79	523	6.2	68	1	2	3	8	14	20	53
80-84	360	7.9	104	1	2	4	9	19	29	54
85 +	257	8.1	83	1	2	6	10	18	25	79
TOTAL SINGLE DX	919	2.1	5	<1	<1	1	3	4	5	7
TOTAL MULTIPLE DX	2552	6.0	64	1	2	3	7	14	21	50
TOTAL										
65-69 YRS	1072	3.9	26	<1	1	2	4	9	14	29
70-74	943	4.6	46	<1	1	2	5	10	17	39
75-79	700	5.2	58	<1	1	3	6	12	18	48
80-84	445	6.8	90	1	2	4	7	16	26	51
85 +	311	7.1	74	1	2	4	9	16	23	66
GRAND TOTAL	3471	5.0	52	<1	1	3	6	11	18	43

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	85	3.4	2	1	2	3	4	5	6	8
70-74	62	3.4	2	2	2	3	4	6	7	9
75-79	41	3.8	3	2	2	3	5	6	8	9
80-84	39	4.1	4	1	3	4	5	7	8	8
85 +	36	4.1	8	1	2	4	5	7	8	16
2. MULTIPLE DX										
65-69 YRS	218	5.0	18	2	3	4	6	9	12	23
70-74	163	5.5	56	2	3	4	6	9	15	97
75-79	182	5.8	33	2	3	4	6	12	18	35
80-84	165	6.3	70	2	3	4	7	11	16	30
85 +	192	6.3	35	2	3	4	7	12	17	28
TOTAL SINGLE DX	263	3.7	4	1	2	3	5	6	7	9
TOTAL MULTIPLE DX	920	5.7	41	2	3	4	6	11	16	34
TOTAL										
65-69 YRS	303	4.6	14	2	2	4	5	8	11	20
70-74	225	4.9	43	2	3	4	5	8	12	86
75-79	223	5.4	29	2	3	4	6	10	16	34
80-84	204	5.9	58	2	3	4	7	11	13	26
85 +	228	5.9	31	2	3	4	7	12	16	26
GRAND TOTAL	1183	5.3	34	2	3	4	6	9	14	30

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	921	4.1	3	2	3	4	5	7	8	10
70-74	794	4.2	3	2	3	4	5	7	8	9
75-79	496	4.3	3	2	3	4	5	7	8	10
80-84	273	4.5	4	2	3	4	6	7	8	11
85 +	96	4.7	4	3	3	4	6	7	8	13
2. MULTIPLE DX										
65-69 YRS	2268	5.3	17	2	3	5	6	8	11	19
70-74	2091	5.6	14	3	3	5	7	9	11	20
75-79	1789	5.9	19	3	4	5	7	9	12	24
80-84	1030	6.3	20	3	4	5	7	11	15	24
85 +	511	6.2	18	3	4	5	8	10	13	24
TOTAL SINGLE DX	2580	4.3	4	2	3	4	5	7	8	10
TOTAL MULTIPLE DX	7689	5.7	18	3	3	5	7	9	12	22
TOTAL										
65-69 YRS	3189	5.0	14	2	3	4	6	8	10	17
70-74	2885	5.2	12	2	3	4	6	8	10	18
75-79	2285	5.5	16	3	3	5	7	9	11	22
80-84	1303	5.9	17	3	4	5	7	10	13	23
85 +	607	6.0	16	3	4	5	7	10	12	20
GRAND TOTAL	10269	5.3	15	2	3	5	6	9	11	19

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	90	2.7	2	1	2	2	3	5	7	9
70-74	25	2.6	5	1	1	2	3	4	7	12
75-79	14	2.3	5	<1	<1	1	3	4	9	10
80-84	2	1.5	1	1	1	1	2	2	2	2
85 +	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	208	3.0	8	1	1	2	3	5	7	14
70-74	94	3.5	9	1	2	3	4	6	9	17
75-79	47	4.4	21	2	2	3	5	10	11	29
80-84	22	7.5	68	1	2	5	9	21	28	32
85 +	11	12.6	251	1	3	7	12	42	48	49
TOTAL SINGLE DX	134	2.6	4	1	1	2	3	5	7	10
TOTAL MULTIPLE DX	382	3.8	23	1	2	2	4	7	10	31
TOTAL										
65-69 YRS	298	2.9	7	1	2	2	3	5	7	13
70-74	119	3.3	9	1	1	2	4	6	9	17
75-79	61	3.9	18	1	2	2	4	10	10	27
80-84	24	7.0	65	1	2	4	8	20	28	32
85 +	14	10.3	216	1	2	4	9	39	47	49
GRAND TOTAL	516	3.5	19	1	2	2	4	6	10	27

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	5	2.2		2	2	2	3	3	3	3
70-74	2	1.0		1	1	1	1	1	1	1
75-79	0									
80-84	0									
85 +	0									
2. MULTIPLE DX										
65-69 YRS	9	2.4	4	1	1	1	4	6	6	6
70-74	11	3.9	4	1	2	4	6	7	7	7
75-79	9	5.6	16	1	3	5	6	12	15	15
80-84	2	4.0	18	< 1	2	7	77	99 +	99 +	99 +
85 +	3	7.0	36	1	2	7	11	13	13	13
TOTAL SINGLE DX	7	1.9		1	1	2	2	3	3	3
TOTAL MULTIPLE DX	34	4.2	11	1	1	4	6	7	14	99 +
TOTAL										
65-69 YRS	14	2.4	3	1	1	2	3	5	6	6
70-74	13	3.5	5	1	2	3	6	6	7	7
75-79	9	5.6	17	1	3	5	6	12	15	15
80-84	2	4.0	18	< 1	2	7	77	99 +	99 +	99 +
85 +	3	7.0	36	1	2	7	11	13	13	13
GRAND TOTAL	41	3.8	10	1	1	3	6	7	14	99 +

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	159	2.2	8	< 1	< 1	< 1	2	4	10	15
70-74	140	2.2	5	< 1	< 1	1	3	5	7	11
75-79	113	2.0	7	< 1	< 1	< 1	2	4	7	15
80-84	62	2.3	6	< 1	< 1	< 1	2	6	9	12
85 +	49	3.6	36	< 1	< 1	1	3	7	15	36
2. MULTIPLE DX										
65-69 YRS	601	9.0	107	1	2	6	11	19	29	59
70-74	554	10.1	131	1	3	7	13	22	34	87
75-79	541	10.2	117	1	4	7	13	22	29	74
80-84	426	10.9	134	2	4	7	13	27	39	99 +
85 +	437	11.6	143	2	4	8	15	30	40	99 +
TOTAL SINGLE DX	523	2.3	10	< 1	< 1	1	2	5	8	16
TOTAL MULTIPLE DX	2559	10.2	126	1	3	7	13	23	34	86
TOTAL										
65-69 YRS	760	7.6	94	< 1	1	5	10	17	25	53
70-74	694	8.5	116	< 1	2	5	11	19	28	77
75-79	654	8.7	108	< 1	2	6	11	20	28	62
80-84	488	9.8	126	< 1	3	7	12	25	37	99 +
85 +	486	10.8	138	1	4	8	14	29	36	99 +
GRAND TOTAL	3082	8.9	115	<1	2	6	11	21	31	76

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	106	8.0	93	1	2	5	10	20	30	47
70-74	66	8.6	63	1	2	7	11	16	25	44
75-79	68	9.6	86	1	3	8	14	20	24	51
80-84	46	10.9	178	1	3	9	14	20	32	85
85 +	43	11.5	147	2	4	7	14	26	45	53
2. MULTIPLE DX										
65-69 YRS	1694	16.9	230	4	7	12	21	41	55	99 +
70-74	1751	17.9	266	4	7	14	23	42	66	99 +
75-79	1563	18.8	258	5	8	14	26	48	69	99 +
80-84	1418	20.0	284	5	9	16	27	46	74	99 +
85 +	1578	19.6	283	5	9	15	25	45	68	99 +
TOTAL SINGLE DX	329	9.3	105	1	3	7	12	20	27	52
TOTAL MULTIPLE DX	8004	18.6	265	5	8	14	24	44	65	99 +
TOTAL										
65-69 YRS	1800	16.4	227	3	7	12	21	39	54	99 +
70-74	1817	17.6	262	4	7	13	23	42	65	99 +
75-79	1631	18.5	254	5	8	14	26	47	68	99 +
80-84	1464	19.7	284	5	9	15	26	45	72	99 +
85 +	1621	19.3	282	5	8	14	25	45	67	99 +
GRAND TOTAL	8333	18.2	262	4	8	14	24	43	64	99 +

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	196	4.4	22	1	1	3	6	10	12	29
70-74	135	4.7	52	1	1	3	5	9	14	49
75-79	124	5.1	29	< 1	1	3	7	11	13	30
80-84	76	4.1	18	< 1	1	3	6	8	11	24
85 +	64	4.2	11	1	2	3	5	8	11	17
2. MULTIPLE DX										
65-69 YRS	1570	8.5	88	1	3	6	11	19	26	49
70-74	1488	8.9	100	1	3	6	11	19	26	60
75-79	1295	9.7	117	2	3	6	12	21	31	69
80-84	1034	10.1	133	2	3	7	13	22	33	69
85 +	1203	9.6	112	2	3	6	12	22	32	67
TOTAL SINGLE DX	595	4.6	29	1	1	3	6	10	12	29
TOTAL MULTIPLE DX	6590	9.3	108	2	3	6	12	20	29	64
TOTAL										
65-69 YRS	1766	8.1	83	1	2	5	10	18	25	47
70-74	1623	8.5	98	1	3	6	11	18	25	60
75-79	1419	9.3	111	2	3	6	11	21	30	67
80-84	1110	9.7	128	2	3	6	12	22	32	68
85 +	1267	9.3	109	2	3	6	11	21	31	66
GRAND TOTAL	7185	8.9	104	1	3	6	11	20	28	61

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	55	6.1	52	1	1	4	8	12	26	35
70-74	49	7.4	58	< 1	2	5	10	16	25	34
75-79	39	9.7	74	< 1	3	8	14	22	29	32
80-84	35	10.4	71	1	3	8	17	24	25	33
85 +	26	13.2	114	2	5	11	23	30	34	35
2. MULTIPLE DX										
65-69 YRS	321	15.6	218	3	5	11	21	34	49	91
70-74	307	17.7	231	3	7	14	25	40	54	99 +
75-79	267	18.3	257	3	8	13	25	39	50	93
80-84	227	18.6	259	4	8	14	26	40	61	99 +
85 +	207	19.2	253	4	7	16	27	44	55	99 +
TOTAL SINGLE DX	204	8.7	73	1	2	6	12	22	30	34
TOTAL MULTIPLE DX	1329	17.7	243	3	7	13	24	40	53	99 +
TOTAL										
65-69 YRS	376	14.2	206	2	5	10	19	32	45	89
70-74	356	16.3	220	2	6	12	23	36	52	99 +
75-79	306	17.2	242	2	7	12	24	38	49	91
80-84	262	17.5	241	4	7	13	25	38	55	99 +
85 +	233	18.5	241	4	7	14	26	42	54	99 +
GRAND TOTAL	1533	16.5	229	2	6	12	23	37	51	99 +

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	17	3.9	14	1	1	2	6	10	12	13
70-74	9	3.3	7	< 1	1	3	5	8	8	8
75-79	10	7.6	138	< 1	< 1	2	8	28	36	36
80-84	4	1.3		< 1	< 1	1	2	2	2	2
85 +	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
65-69 YRS	64	14.0	280	1	3	8	21	45	58	96
70-74	71	15.5	239	1	4	10	26	42	54	99 +
75-79	63	15.0	291	1	3	8	22	46	56	71
80-84	39	17.5	419	1	4	11	34	94	99 +	99 +
85 +	52	22.9	558	2	6	14	32	79	90	99 +
TOTAL SINGLE DX	42	4.5	43	< 1	1	2	6	11	16	36
TOTAL MULTIPLE DX	289	16.7	346	1	4	10	26	49	73	99 +
TOTAL										
65-69 YRS	81	11.9	241	1	2	6	16	39	51	91
70-74	80	14.2	228	1	3	8	25	40	53	99 +
75-79	73	13.9	275	1	2	7	21	39	55	70
80-84	43	16.0	402	1	3	8	33	87	99 +	99 +
85 +	54	22.3	548	2	6	14	32	77	90	99 +
GRAND TOTAL	331	15.1	324	1	3	8	24	47	70	99 +

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	72	1.9	3	1	1	1	2	4	5	11
70-74	31	2.7	12	< 1	1	1	2	7	12	16
75-79	21	3.3	36	< 1	1	1	2	9	18	27
80-84	12	4.5	31	< 1	1	2	5	16	16	16
85 +	8	6.9	49	1	1	4	12	18	19	19
2. MULTIPLE DX										
65-69 YRS	257	8.1	111	1	2	5	11	20	27	74
70-74	206	11.5	210	1	3	7	14	29	48	99 +
75-79	184	12.5	197	2	4	9	16	32	45	99 +
80-84	154	13.9	147	3	6	11	19	29	34	99 +
85 +	150	14.0	122	4	6	11	21	42	99 +	99 +
TOTAL SINGLE DX	144	2.8	15	< 1	1	1	3	5	12	19
TOTAL MULTIPLE DX	951	11.6	162	1	4	8	15	29	43	99 +
TOTAL										
65-69 YRS	329	6.8	94	1	1	3	9	16	25	58
70-74	237	10.4	193	1	2	6	13	27	48	99 +
75-79	205	11.6	189	1	3	8	15	28	43	99 +
80-84	166	13.2	145	3	5	10	18	28	34	99
85 +	158	13.7	121	4	6	11	20	41	99 +	99 +
GRAND TOTAL	1095	10.4	151	1	3	7	14	27	41	99 +

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	2.7	4	1	1	2	4	5	5	5
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	26.0		26	26	26	26	26	26	26
85 +	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	58	7.3	47	2	3	5	8	14	23	38
70-74	46	7.3	22	2	4	6	9	15	16	22
75-79	62	10.2	185	2	3	6	11	21	31	76
80-84	51	11.4	207	2	4	8	12	25	36	83
85 +	29	8.9	38	3	4	7	13	20	26	99 +
TOTAL SINGLE DX	9	5.3	63	1	1	3	5	18	26	26
TOTAL MULTIPLE DX	246	9.1	111	2	4	6	11	19	26	77
TOTAL										
65-69 YRS	59	7.2	47	2	3	5	8	14	23	38
70-74	49	7.0	22	2	3	6	9	14	16	22
75-79	63	10.1	184	2	3	6	11	21	31	76
80-84	52	11.6	207	3	4	8	12	27	35	82
85 +	32	8.4	38	3	4	6	13	19	25	99 +
GRAND TOTAL	**255**	**8.9**	**109**	**2**	**3**	**6**	**10**	**19**	**26**	**77**

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	452	2.1	9	1	1	1	2	4	8	14
70-74	314	2.2	6	1	1	1	2	5	8	13
75-79	171	2.2	10	< 1	1	1	2	5	8	16
80-84	71	2.1	9	1	1	1	1	6	7	19
85 +	21	4.1	25	1	1	1	7	10	15	21
2. MULTIPLE DX										
65-69 YRS	1117	5.3	49	1	1	2	7	14	18	37
70-74	1044	6.1	57	1	1	3	8	15	19	33
75-79	689	6.4	54	1	1	4	9	15	21	36
80-84	337	7.7	58	1	2	5	12	17	22	41
85 +	125	8.9	91	1	3	7	12	16	31	70
TOTAL SINGLE DX	1029	2.2	9	1	1	1	2	5	8	15
TOTAL MULTIPLE DX	3312	6.2	57	1	1	3	8	15	20	38
TOTAL										
65-69 YRS	1569	4.4	40	1	1	2	5	11	17	30
70-74	1358	5.2	49	1	1	2	7	13	18	30
75-79	860	5.6	48	1	1	3	8	14	19	33
80-84	408	6.8	55	1	1	4	10	17	21	36
85 +	146	8.2	85	1	2	6	11	16	28	62
GRAND TOTAL	**4341**	**5.2**	**48**	**1**	**1**	**2**	**7**	**14**	**18**	**33**

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	201	2.7	12	1	1	2	3	5	7	23
70-74	197	2.6	7	< 1	1	2	3	5	9	15
75-79	152	2.8	8	< 1	1	2	3	7	9	13
80-84	52	2.6	5	< 1	1	1	4	7	8	9
85 +	23	3.6	8	1	2	3	5	6	9	14
2. MULTIPLE DX										
65-69 YRS	1391	6.2	31	1	2	5	8	13	18	27
70-74	1343	6.2	39	1	2	4	8	13	18	34
75-79	1041	6.4	41	1	2	5	9	14	17	29
80-84	468	7.0	63	1	2	5	8	14	19	49
85 +	201	7.4	85	2	3	6	9	14	20	77
TOTAL SINGLE DX	625	2.7	9	< 1	1	2	3	6	8	15
TOTAL MULTIPLE DX	4444	6.4	42	1	2	5	8	13	18	32
TOTAL										
65-69 YRS	1592	5.7	31	1	2	4	8	12	17	26
70-74	1540	5.7	37	1	2	4	8	12	17	33
75-79	1193	6.0	39	1	2	4	8	13	17	28
80-84	520	6.6	60	1	2	5	8	13	18	48
85 +	224	7.0	79	1	2	5	8	14	18	69
GRAND TOTAL	**5069**	**5.9**	**40**	**1**	**2**	**4**	**8**	**13**	**17**	**29**

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	27	2.9	11	< 1	1	1	4	8	9	15
70-74	18	2.6	6	< 1	< 1	1	4	5	9	11
75-79	7	4.6	15	< 1	2	3	6	11	12	12
80-84	4	7.5	169	< 1	< 1	1	14	27	27	27
85 +	0									
2. MULTIPLE DX										
65-69 YRS	391	4.9	23	< 1	1	3	7	11	14	24
70-74	292	5.4	33	< 1	1	4	7	12	17	27
75-79	154	5.9	25	1	2	5	8	13	16	23
80-84	54	6.9	39	1	2	5	11	16	19	27
85 +	22	6.1	32	1	2	4	10	15	17	20
TOTAL SINGLE DX	56	3.3	20	< 1	1	1	4	8	12	26
TOTAL MULTIPLE DX	913	5.4	28	< 1	2	4	7	12	16	24
TOTAL										
65-69 YRS	418	4.8	23	< 1	1	3	7	11	14	23
70-74	310	5.3	33	< 1	1	4	7	11	17	26
75-79	161	5.9	25	1	2	5	8	13	16	23
80-84	58	6.9	45	1	2	4	11	16	21	27
85 +	22	6.1	32	1	2	4	10	15	17	20
GRAND TOTAL	**969**	**5.3**	**28**	**< 1**	**1**	**4**	**7**	**12**	**16**	**24**

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	381	3.9	11	1	1	2	6	9	10	14
70-74	345	4.0	15	1	1	2	6	9	11	16
75-79	235	4.2	16	1	1	2	6	10	12	16
80-84	125	4.7	14	1	1	3	8	11	11	14
85+	66	5.0	16	1	1	5	7	10	14	18
2. MULTIPLE DX										
65-69 YRS	3047	6.9	40	1	2	6	9	14	17	33
70-74	3042	7.3	48	1	2	6	9	14	19	34
75-79	2488	7.9	54	1	3	7	11	15	20	35
80-84	1592	8.8	68	2	4	7	11	16	23	44
85+	1103	9.3	65	2	4	8	11	17	23	47
TOTAL SINGLE DX	1152	4.2	14	1	1	2	7	9	11	16
TOTAL MULTIPLE DX	11272	7.7	53	1	3	6	10	15	20	37
TOTAL										
65-69 YRS	3428	6.5	38	1	2	5	9	13	17	33
70-74	3387	7.0	46	1	2	6	9	14	18	33
75-79	2723	7.6	52	1	2	6	10	15	19	35
80-84	1717	8.5	66	1	3	7	11	16	22	43
85+	1169	9.1	64	2	4	7	11	17	23	47
GRAND TOTAL	**12424**	**7.4**	**50**	**1**	**2**	**6**	**10**	**14**	**19**	**35**

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	598	5.6	34	1	2	4	6	10	16	32
70-74	581	5.7	43	1	2	4	7	10	16	33
75-79	463	6.0	38	2	2	4	7	11	17	26
80-84	380	6.3	51	2	3	4	7	11	20	42
85+	307	6.3	30	2	3	5	8	12	15	29
2. MULTIPLE DX										
65-69 YRS	11498	8.2	63	2	4	6	10	16	22	44
70-74	13476	8.8	76	3	4	6	11	17	24	55
75-79	14491	9.3	87	3	4	7	11	18	26	60
80-84	12728	10.0	97	3	4	7	12	20	28	69
85+	12300	10.5	110	3	5	8	12	21	31	80
TOTAL SINGLE DX	2329	5.9	40	1	2	4	7	11	16	34
TOTAL MULTIPLE DX	64493	9.4	88	3	4	7	11	18	26	62
TOTAL										
65-69 YRS	12096	8.1	62	2	4	6	10	16	22	44
70-74	14057	8.7	75	2	4	6	10	17	23	54
75-79	14954	9.2	86	3	4	7	11	18	26	59
80-84	13108	9.9	96	3	4	7	12	20	28	67
85+	12607	10.4	109	3	5	8	12	21	30	77
GRAND TOTAL	**66822**	**9.3**	**87**	**3**	**4**	**7**	**11**	**18**	**26**	**61**

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1301	4.4	19	1	2	3	6	8	11	23
70-74	1181	4.8	15	1	2	4	6	9	11	23
75-79	853	5.0	19	1	2	4	6	9	13	18
80-84	635	5.2	19	1	2	4	7	10	13	22
85+	528	5.7	33	2	3	4	7	10	14	31
2. MULTIPLE DX										
65-69 YRS	23320	6.9	33	2	3	6	9	13	16	30
70-74	25459	7.4	39	2	4	6	9	14	18	33
75-79	24889	7.9	46	3	4	6	10	14	19	37
80-84	20385	8.2	49	3	4	7	10	15	20	39
85+	18893	9.0	66	3	4	7	11	17	22	48
TOTAL SINGLE DX	4498	4.9	20	1	2	4	6	9	12	23
TOTAL MULTIPLE DX	112946	7.8	46	3	4	6	9	14	19	37
TOTAL										
65-69 YRS	24621	6.8	33	2	3	5	8	13	16	30
70-74	26640	7.3	39	2	4	6	9	13	18	32
75-79	25742	7.8	46	3	4	6	9	14	19	37
80-84	21020	8.1	48	3	4	6	10	15	20	39
85+	19421	8.9	65	3	4	7	11	16	22	48
GRAND TOTAL	**117444**	**7.7**	**46**	**2**	**4**	**6**	**9**	**14**	**19**	**36**

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	11	11.6	75	3	4	10	18	25	26	26
70-74	9	8.6	53	1	3	6	14	20	23	23
75-79	10	4.3	9	2	2	3	5	9	12	12
80-84	5	13.4	336	3	4	6	17	46	46	46
85 +	4	5.3	19	1	2	4	8	11	11	11
2. MULTIPLE DX										
65-69 YRS	894	12.8	105	4	6	10	16	26	34	66
70-74	949	14.0	125	5	7	11	18	26	35	77
75-79	791	14.9	152	5	7	11	18	28	39	76
80-84	571	13.8	105	5	8	11	17	26	32	62
85 +	478	14.4	127	5	8	11	17	29	37	91
TOTAL SINGLE DX	39	8.6	82	2	3	5	12	21	26	46
TOTAL MULTIPLE DX	3683	13.9	124	5	7	11	17	27	35	72
TOTAL										
65-69 YRS	905	12.8	105	4	6	10	16	26	34	65
70-74	958	13.9	125	5	7	11	17	26	35	77
75-79	801	14.8	152	4	7	11	18	28	38	75
80-84	576	13.8	107	5	8	11	17	26	32	62
85 +	482	14.3	127	5	8	11	17	29	37	91
GRAND TOTAL	3722	13.9	124	4	7	11	17	27	35	72

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	510	6.3	50	1	3	5	7	12	17	40
70-74	381	6.6	39	2	3	5	8	13	17	39
75-79	357	6.5	36	2	3	5	8	13	15	38
80-84	246	6.8	33	2	3	5	8	15	18	30
85 +	275	8.1	84	2	3	6	9	17	21	49
2. MULTIPLE DX										
65-69 YRS	6744	9.1	86	2	4	6	11	18	27	53
70-74	8009	9.3	81	3	4	7	11	19	26	55
75-79	7864	9.8	86	3	4	7	12	20	28	55
80-84	6825	10.2	97	3	5	7	12	20	29	64
85 +	6951	10.8	113	3	5	8	13	21	30	76
TOTAL SINGLE DX	1769	6.8	48	2	3	5	8	13	18	38
TOTAL MULTIPLE DX	36393	9.8	93	3	4	7	12	20	28	61
TOTAL										
65-69 YRS	7254	8.9	84	2	4	6	10	18	26	52
70-74	8390	9.2	80	3	4	7	11	18	26	54
75-79	8221	9.7	85	3	4	7	12	19	27	55
80-84	7071	10.0	95	3	5	7	12	20	28	63
85 +	7226	10.7	113	3	5	8	13	21	30	75
GRAND TOTAL	38162	9.7	91	3	4	7	11	19	28	60

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
65-69 YRS										
70-74										
75-79										
80-84										
85 +										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	237	4.8	11	2	2	4	6	9	11	17
70-74	219	5.5	12	2	3	4	8	10	12	17
75-79	166	5.5	38	2	3	4	6	9	11	27
80-84	139	5.2	19	2	2	4	6	9	13	28
85 +	112	5.7	28	2	3	5	7	9	11	29
2. MULTIPLE DX										
65-69 YRS	6538	7.5	40	2	4	6	9	14	19	35
70-74	7059	7.9	46	3	4	6	10	15	19	35
75-79	6932	8.4	57	3	4	6	10	16	21	41
80-84	5737	8.7	60	3	4	7	11	16	22	45
85 +	5656	9.4	71	3	5	7	11	17	24	54
TOTAL SINGLE DX	873	5.3	21	2	3	4	7	10	11	20
TOTAL MULTIPLE DX	31922	8.3	55	3	4	6	10	16	21	42
TOTAL										
65-69 YRS	6775	7.4	40	2	4	6	9	14	18	35
70-74	7278	7.8	45	2	4	6	9	15	19	34
75-79	7098	8.3	57	3	4	6	10	16	21	40
80-84	5876	8.6	60	3	4	7	10	16	22	44
85 +	5768	9.3	71	3	5	7	11	17	24	53
GRAND TOTAL	**32795**	**8.2**	**54**	**3**	**4**	**6**	**10**	**15**	**21**	**42**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
65-69 YRS	1060	4.3	23	1	2	3	5	8	11	22
70-74	869	4.1	12	1	2	3	6	8	10	16
75-79	686	4.6	19	1	2	3	6	9	12	25
80-84	467	4.8	24	1	2	3	6	10	14	21
85 +	356	4.8	18	1	2	4	6	10	11	23
2. MULTIPLE DX										
65-69 YRS	16930	6.3	39	2	3	5	8	12	17	33
70-74	18989	6.9	44	2	3	5	8	13	18	36
75-79	18159	7.3	51	2	3	5	9	14	19	42
80-84	14838	7.8	61	2	3	6	9	15	21	44
85 +	13509	8.5	70	2	4	6	10	16	22	51
TOTAL SINGLE DX	3438	4.4	20	1	2	3	6	9	11	21
TOTAL MULTIPLE DX	82425	7.3	53	2	3	5	9	14	19	41
TOTAL										
65-69 YRS	17990	6.2	39	2	3	5	8	12	17	32
70-74	19858	6.7	43	2	3	5	8	13	18	35
75-79	18845	7.2	50	2	3	5	9	14	19	41
80-84	15305	7.7	60	2	3	6	9	15	21	44
85 +	13865	8.4	70	2	4	6	10	16	22	50
GRAND TOTAL	**85863**	**7.2**	**52**	**2**	**3**	**5**	**9**	**14**	**19**	**40**

Appendix

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

Diagnosis Groups (continued)

358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental ICD-9-CM Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index
Part III: Crosswalk

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1988, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1988 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs. *(Revised Group Numbers as of January 1, 1989)*

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism

Group No.	Title
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No.	Title
	Anomaly, congenital **(continued)**
340	genitourinary system, except undescended testis and urethral stenosis
335	heart
342	musculoskeletal system, except clubfoot
338	respiratory system
357	Anorexia, except nervosa
118	nervosa
147	Anterior wall infarction
107	Anxiety reaction or neurosis, except depression
108	depression
173	Aortic aneurysm
	Aortic valve disease-*see Valvular disease*
134	Aphakia
89	Aplastic anemia
209	Appendicitis, except acute
207	acute, without peritonitis
208	with peritonitis
209	recurrent
155	Arrhythmia, heart
176	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
	Arteriosclerosis
170	cerebral
150	coronary
171	lower limb
	Arteriosclerotic
150	cardiovascular disease
96	dementia or psychosis
150	heart disease
172	vascular disease, except lower limb
171	lower limb
315	Arthritis, except osteo- and rheumatoid
314	osteo- except hip, knee and spine
313	hip
313	knee
319	spine
315	Arthritis, except osteo- and rheumatoid **(continued)**
315	pyogenic
312	rheumatoid, except spine
318	spine
356	Ascites
150	ASCVD (arteriosclerotic cardiovascular disease)
150	ASHD (arteriosclerotic heart disease)
192	Asthma
192	Asthmatic bronchitis
	Atherosclerosis-*see Arteriosclerosis*
154	Atrial fibrillation and flutter
81	Avitaminosis
152	Bacterial endocarditis
247	Bacteriuria, except in pregnancy
280	in pregnancy
301	with delivery
327	Baker's cyst
249	Benign prostatic hyperplasia (BPH)
248	Bladder disease, except calculus and cystitis
52	Blast cell leukemia
	Bleeding
265	menopausal
265	postmenopausal
263	uterine, dysfunctional
234	Blind loop syndrome
135	Blindness
155	Block, heart
349	Bloody nose
329	Bone disease, except osteomyelitis and osteoarthritis
130	Borderline glaucoma
2	Botulism
71	Bowen's disease
249	BPH (benign prostatic hyperplasia)
256	Breast disease, except fibrocystic
255	fibrocystic
192	Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary
354	renal

DIAGNOSIS INDEX (continued)

Group No. **Title**

- 218 Colitis, except mucous and ulcerative
  - 221 mucous
  - 222 ulcerative
- 311 Collagen disease, not otherwise specified
- 357 Coma, except diabetic, hepatic, and in head injury
  - 76 diabetic
  - 227 hepatic
  - 383 in head injury, except skull fracture
    - 358 skull fracture
- 12 Common warts
- Complication of
  - 408 amputation stump
  - 405 cardiac pacemaker
  - drugs-*see Effect, adverse*
  - 405 grafts
  - 405 internal orthopedic device
  - 409 medical care, except drugs
  - 405 prosthesis, any
  - 408 surgery, not elsewhere classified
  - 405 transplanted organ
- 382 Concussion, current or unspecified
- 156 Congestive heart failure
- 133 Conjunctivitis
- 395 Contusion, except eye or orbit
  - 394 eye and orbit
- 346 Convulsions, except epileptic
  - 123 epileptic
- 193 COPD (chronic obstructive pulmonary disease)
- Coronary
  - 150 artery disease
  - 149 insufficiency, except chronic
    - 150 chronic
  - 147 occlusion, acute
- 353 Cough
- 9 Cowpox
- 330 Coxa valgum, varum
- 88 Crisis, sickle cell

Group No. **Title**

- 222 Crohn's disease
- 182 Croupous bronchitis
- 386 Crush injury, except chest and limbs
  - 385 chest
  - 396 limbs
- 80 Cushing's syndrome
- CVA (cerebralvascular accident)
  - 168 without paralysis
  - 169 with paralysis
- 134 Cyclitis
- Cyst
  - 327 Baker's
  - 198 mouth
  - 257 ovarian
  - 307 pilonidal
  - 128 retinal
  - 308 sebaceous
  - 327 synovial
- Cystic
  - 255 breast
  - 231 duct remnant
  - 82 fibrosis
- 245 Cystitis
  - 280 of pregnancy
- 262 Cystocele
- 13 Cytomegalic inclusion disease

- 140 Deafness
- 309 Decubitus
- Deficiency
  - 119 mental
  - 81 nutritional
- Deformity
  - congenital-*see Anomaly, congenital*
  - 331 musculoskeletal, acquired
- 134 Degeneration, globe of eye
- 86 Dehydration

DIAGNOSIS INDEX (continued)

Group No.	Title
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD

Group No.	Title
	Dependence **(continued)**
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial
	Disease **(continued)**
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
145	renal
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
78	Kimmelstiel-Wilson
133	lacrimal tract, inflammation
198	lip
227	liver, except infectious and serum hepatitis, and cirrhosis
196	lung, except pneumonia, obstructive, and pneumothorax
193	obstructive, except asthma, bronchitis, and emphysema
254	male genitalia, except prostate, hydrocele, and inflammatory
138	Meniere's
198	mouth, except dental
124	muscle, except deformity
127	nervous system, except CNS and sciatica
193	obstructive lung, except asthma, bronchitis, and emphysema
266	ovary, except endometriosis
	Paget's
329	bone
34	breast
232	pancreas
266	parametrium, except endometriosis
19	parasitic, except helminthiasis
121	Parkinson's
258	pelvic inflammatory
206	peptic
345	perinatal, except prematurity and jaundice
127	peripheral nervous system, except sciatica
224	peritoneum, except peritonitis
196	pleura
250	prostate, except hypertrophy
196	respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
	rheumatic
141	active
142	chronic
198	salivary gland
88	sickle-cell
310	skin, except infective, pilonidal, ulcer, and sebaceous cysts

Group No.	Title
	Disease (continued)
206	stomach, except ulcer and inflammatory
197	teeth
331	tendon, except tenosynovitis
198	tongue
357	undiagnosed
196	upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243	ureter, except calculus
248	urethra, except calculus and stricture
15	venereal
13	viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9	with exanthem
377	Dislocation, joint, except knee and shoulder
376	knee
375	shoulder
	Disorder
118	behavior
86	electrolyte
84	immunodeficiency, except AIDS
13	AIDS
264	menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109	personality
115	psychophysiologic
321	Displacement of intervertebral disc, except lumbar
320	lumbar
173	Dissecting aortic aneurysm
195	Distress, acute respiratory
219	Diverticulitis
219	Diverticulosis
	Diverticulum
199	esophagus
219	intestine
	Drug
114	abuse, except alcohol

DIAGNOSIS INDEX (continued)

Group No.	Title
	Drug (continued)
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization

Group No.	Title
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Examination
  - 417 follow-up
  - 417 medical

- Failure
  - 156 heart
    - 408 postoperative
  - 238 renal, except chronic
    - 237 chronic
  - 195 respiratory (acute)
- 357 Fainting
- 277 False labor
- Fever
  - 141 active rheumatic
  - 347 of undetermined origin (FUO)
  - 2 paratyphoid
  - 302 puerperal
  - 5 scarlet
  - 2 typhoid
  - 13 yellow
- Fibrillation or flutter
  - 154 atrial
  - 155 ventricular
- Fibrocystic disease
  - 255 breast
  - 82 pancreas
- 60 Fibroma, uterus
- 17 Filariasis
- 220 Fissure, anal
- 220 Fistula, anal
- 134 Flat anterior chamber
- 2 Food poisoning
- 397 Foreign body in body orifice
- Fracture
  - 372 ankle
  - 367 arm, except upper

Group No. **Title**

- Fracture **(continued)**
  - arm, except upper (continued)
    - 366 upper
  - 372 bimalleolar
  - 368 carpal
  - 373 clavicle
  - 367 Colles'
  - 361 face bone
  - 370 femur, except upper end
    - 369 upper end
  - 371 fibula, except lateral malleolus
  - 368 finger
  - 372 foot
  - 368 hand
  - 417 healed, aftercare, except removal of fixation device
    - 414 removal of fixation device
  - 369 hip
  - 366 humerus
  - 372 knee
  - 372 lateral malleolus
  - 371 leg, lower, except ankle
    - 370 upper, except hip
  - 361 mandible
  - 372 medial malleolus
  - 368 metacarpal
  - 372 metatarsal
  - 374 multiple bones
  - 361 nose
  - 372 patella
  - 365 pelvis
  - 367 radius
  - 364 rib
  - 373 scapula
  - skull
    - 360 base, except with prolonged loss of consciousness
      - 358 prolonged loss of consciousness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
	skull (continued)
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage

Group No.	Title
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device
	Heart
147	attack
156	failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn

DIAGNOSIS INDEX (continued)

Group No.	Title
344	Hemolytic disease of newborn
90	Hemophilia
353	Hemoptysis
	Hemorrhage
279	antepartum, except early
274	early
180	blood vessel, spontaneous
263	dysfunctional uterine
233	gastrointestinal
161	intracerebral, except subarachnoid
162	with paralysis
161	without paralysis
272	postabortal
406	postoperative wound
288	postpartum, except delayed or secondary
303	delayed or secondary
274	pregnancy, early
303	puerperal, after 24 hours
	subarachnoid
159	without paralysis
160	with paralysis
179	Hemorrhoids
227	Hepatitis, except chronic and viral
226	chronic
10	infectious
10	serum
10	viral
	Hernia
215	abdominal, except inguinal
216	with complication
214	diaphragmatic
216	with complication
215	femoral
216	with complication
214	hiatal
216	with complication
213	incisional

Group No.	Title
	Hernia (continued)
	incisional (continued)
216	with complication
210	inguinal
211	with complication
213	postoperative
216	with complication
212	umbilical
216	with complication
213	ventral
216	with complication
111	Heroin dependence or addiction
9	Herpes simplex
20	late effect
9	Herpes zoster
20	late effect
84	Histiocytosis
13	HIV infection
48	Hodgkin's disease
13	Human immunodeficiency virus (disease) (illness)
251	Hydrocele
333	Hydrocephaly
84	Hyperbilirubinemia, except neonatal
344	neonatal
84	Hypercalcemia
276	Hyperemesis gravidarum
80	Hyperinsulinism
84	Hyperlipoproteinemia
80	Hyperparathyroidism
249	Hyperplasia of prostate
86	Hyperpotassemia
143	Hypertension, except renal and of pregnancy
275	of pregnancy
301	with delivery
145	renal
146	renovascular
134	Hypertensive retinopathy

DIAGNOSIS INDEX (continued)

Group No.	Title
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis

Group No.	Title
	Infertility (continued)
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion
386	internal, except chest
385	chest
376	knee ligament or meniscus
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No.	Title
317	Internal derangement of joint, except knee
316	knee
224	Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113	Intoxication, acute alcohol
104	Involutional melancholia
134	Iridocyclitis
134	Iritis
87	Iron deficiency anemia
221	Irritable colon or bowel
	Ischemic
170	cerebrovascular disease, generalized
150	heart disease, except acute or subacute
149	acute or subacute, except infarction
123	Jacksonian epilepsy
357	Jaundice, except newborn
344	of newborn
	Juvenile diabetes-*see Diabetes mellitus*
243	Kidney disease, except nephritis, nephrosis, infection, and calculus
240	infection, except nephritis, nephrosis, and acute pyelonephritis
78	Kimmelstiel-Wilson disease
331	Kyphosis
	Laceration
389	abdominal wall
390	arm
389	back
384	cerebral, except with prolonged loss of consciousness
383	with prolonged loss of consciousness
389	chest
387	eye
390	hand
388	head, except eye
391	leg

Group No.	Title
	Laceration **(continued)**
391	lower limb
389	multiple sites
388	neck
299	perineum, in delivery, except first and second degree
298	first and second degree
389	trunk
390	upper limb
225	Laennec's cirrhosis
269	Legal abortion
52	Leukemia, except lymphocytic and acute myelogenous
51	acute myelogenous
50	lymphocytic, except acute
49	acute
227	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7	Lockjaw
331	Lordosis
114	LSD reaction
324	Lumbago
322	Lumbosacral instability
196	Lung disease, except pneumonia and obstructive
188	pneumonia, except bacterial
187	bacterial
193	obstructive
93	Lymphadenitis, except acute and mesenteric
306	acute
92	mesenteric
350	Lymphadenopathy
13	in HIV infection (disease) (syndrome)
58	Lymphangioma
180	Lymphedema
53	Lymphosarcoma
134	Macular degeneration, retina
234	Malabsorption syndrome
14	Malaria

DIAGNOSIS INDEX (continued)

Group No.	Title
32	Malignant melanoma, skin
105	Manic-depressive psychosis
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis

Group No.	Title
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign (continued)
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
38	fallopian tube
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, except colon and rectum
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland

Group No.	Title
	Neoplasm, malignant (continued)
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive

DIAGNOSIS INDEX (continued)

Group No.	Title
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia

Group No.	Title
	Organic brain syndrome **(continued)**
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
136	chronic and unspecified
137	acute
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary

Group No.	Title
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal

DIAGNOSIS INDEX (continued)

Group No.	Title
	Pregnancy **(continued)**
417	undelivered
282	Premature rupture of membranes
296	with delivery
343	Prematurity of newborn
267	Premenstrual tension
95	Presenile dementia or psychosis
222	Proctocolitis, idiopathic
	Prolapse
134	iris
262	uterovaginal
250	Prostatic disease, except hypertrophy
249	hypertrophy
	Proteinuria
357	except postural
236	postural or orthostatic
	Psychogenic
115	diarrhea
115	hyperventilation
115	paralysis
115	vomiting
123	Psychomotor epilepsy
106	Psychosis
98	alcoholic
95	Alzheimer's
96	arteriosclerotic
104	depressive
99	drug-induced
105	manic-depressive
94	organic, acute or transient
97	chronic, except arteriosclerotic and Alzheimer's
97	senile
104	Psychotic depression
304	Puerperal complication
301	with delivery
	Pulmonary
151	embolism

Group No.	Title
	Pulmonary **(continued)**
191	emphysema
3	tuberculosis
	valve disease-*see Valvular disease*
240	Pyelitis, except acute
239	acute
240	Pyelonephritis, except acute
239	acute
337	Pyloric stenosis, congenital
347	Pyrexia of unknown origin
302	puerperal
13	Rabies
417	Radiotherapy session or treatment
357	Rash
	Reaction
107	anxiety
108	depressive
404	drug, not elsewhere classified
409	transfusion
262	Rectocele, female
253	Redundant prepuce
222	Regional enteritis
414	Removal of internal fixation device
	Renal
241	calculus
415	dialysis treatment
238	failure, except chronic
237	chronic
145	hypertension
146	Renovascular hypertension
195	Respiratory distress, acute
3	Respiratory tuberculosis
134	Retained intraocular foreign body
287	Retained placenta
119	Retardation, mental
354	Retention, urine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee

DIAGNOSIS INDEX (continued)

Group No.	Title
	Sprain, except knee, back, and sacroiliac region **(continued)**
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)

Group No.	Title
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery

DIAGNOSIS INDEX (continued)

Group No.	Title
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation

Group No.	Title
	Ulcer **(continued)**
	peptic, except gastric (continued)
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper resiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb

DIAGNOSIS INDEX (continued)

Group No.	Title
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	Open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, and temporomandibular
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
737	total replacement, except hip and knee
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No.	Title
	Aspiration
768	breast, except for biopsy
757	biopsy
756	bursa
690	cul-de-sac
685	curettage, uterus, except for termination of pregnancy
682	termination of pregnancy
658	hydrocele, except of spermatic cord
663	spermatic cord
636	kidney
614	liver, percutaneous, except for biopsy
615	biopsy
536	middle ear
545	nasal sinus
671	ovary
768	skin
663	spermatocele
529	vitreous
	Augmentation
760	breast
707	chin
	Balloon
582	angioplasty, except coronary
571	coronary
570	valvuloplasty, heart
	Biopsy
515	adrenal gland
611	anus
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
586	bone marrow
501	brain
757	breast
	Biopsy **(continued)**
562	bronchus
501	cerebral meninges
676	cervix
598	colon
598	duodenum
676	endocervical
589	esophagus
531	eyeball
517	eyelid
674	fallopian tubes
598	intestine (large) (small)
732	joint structure
636	kidney
598	large intestine
557	larynx
551	lip
615	liver
564	lung
583	lymph nodes
569	mediastinum
	meninges
501	cerebral
507	spinal
742	muscle
545	nasal sinus
542	nose
531	orbit
668	ovary, except by aspiration
671	aspiration
620	pancreas
666	penis
508	peripheral nerve
628	peritoneum
555	pharynx
569	pleura
657	prostate

OPERATION INDEX (continued)

Group No.	Title
	Biopsy **(continued)**
606	rectum
549	salivary gland or duct
658	scrotum
593	stomach
762	skin
598	small intestine
507	spinal meninges
661	testes
514	thyroid
551	tongue
557	trachea, except endoscopic approach
558	endoscopic approach
640	ureter
678	uterine ligaments
678	uterus
551	uvula
690	vagina
557	vocal cord
691	vulva
518	Blepharorrhaphy
781	Blood transfusion, except intrauterine exchange
704	intrauterine exchange
585	Bone marrow transplant
760	Breast augmentation
696	Breech extraction for delivery
566	Bronchoscopy
713	Bunionectomy
745	Bursectomy, except of hand
743	hand
741	Bursotomy
	Bypass, graft or shunt
572	aortocoronary
578	blood vessels (systemic), except for renal dialysis
580	for renal dialysis
572	coronary
597	gastric

Group No.	Title
	Bypass, graft or shunt **(continued)**
572	heart
582	heart-lung
602	intestine
597	stomach
638	urinary
781	Cancer chemotherapy
	Cardiac
573	catheterization
576	electrophysiologic stimulation studies
783	function tests
576	mapping studies
	massage
781	closed
575	open
574	pacemaker insertion or replacement
575	revascularization, except coronary bypass
572	coronary bypass
783	stress tests
581	Carotid thromboendarterectomy
509	Carpal tunnel decompression or release
778	Cast application
774	C.A.T. scan
526	Cataract extraction, except intracapsular
525	intracapsular
	Catheterization
654	bladder, except suprapubic approach
644	suprapubic approach
582	blood vessel
573	cardiac
512	spinal canal (for infusion of agents)
651	ureteral
654	urethral, indwelling
587	vein, except umbilical
582	umbilical
677	Cerclage, cervix

OPERATION INDEX (continued)

Group
No. Title

- 700 Cesarean section, except low cervical
  - 699 low cervical
- 728 Chemonucleolysis
- 781 Chemotherapy
- 775 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 775 Cholecystogram
- 619 Cholecystotomy
- 782 Circulatory monitoring
- 664 Circumcision, except newborn
- Closure
  - 619 cholecystostomy
  - 602 colostomy
  - fistula-*see Fistulectomy*
  - 597 gastric anastomosis
  - 602 sigmoidostomy
  - 569 thoracostomy
  - 640 ureterostomy
  - 646 urethrostomy
- 600 Colectomy
- 567 Collapse of lung, surgical
- 609 Colonoscopy
- 603 Colostomy, except loop
  - 601 loop
- 689 Colporrhaphy, except for cystocele or rectocele repair
  - 688 cystocele or rectocele repair
- 774 Computerized axial tomography (C.A.T. scan)
- 675 Conization of cervix
- 520 Conjunctivoplasty
- 783 Consultation
- 777 Continuous positive airway pressure (CPAP)
- Control of hemorrhage
  - 644 bladder
  - 582 blood vessel
  - 568 chest
  - 629 laparotomy site

Group
No. Title

- Control of hemorrhage **(continued)**
  - 543 nose, except by anterior packing
    - 556 anterior packing
  - 568 pleura
  - 582 postoperative, not elsewhere classified
  - 657 prostate
  - 591 stomach
  - 555 tonsil
- 521 Corneal transplant
- 572 Coronary bypass
- 777 CPAP (continuous positive airway pressure)
- 503 Cranioplasty
- 502 Craniotomy
- 676 Cryoconization, cervix
- 690 Culdocentesis
- 690 Culdoscopy, except for tubal ligation
  - 672 tubal ligation
- 523 Cyclocryotherapy (eye)
- 523 Cyclodialysis
- 644 Cystectomy (bladder)
- 688 Cystocele repair
- 641 Cystoscopy
- 644 Cystostomy
- 644 Cystotomy

- 683 D and C (uterus), except for termination of pregnancy
  - 682 termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 763 burn (skin), except nonexcisional
    - 764 nonexcisional
  - 715 fracture, except of femur and skull
    - 714 femur
    - 502 skull
  - 768 nail, nail bed, nail fold
  - 763 skin (infection) (wound), except nonexcisional
    - 764 nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce

Group No.	Title
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERCP (endoscopic retrograde cholangiopancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy)
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine

Group No.	Title
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral

OPERATION INDEX (continued)

Group No.	Title
	Excision **(continued)**
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
665	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges
	Excision of lesion **(continued)**
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue

OPERATION INDEX (continued)

Group No. **Title**

- Excision of lesion **(continued)**
  - 628 peritoneum
  - 606 rectum
  - 549 salivary gland
  - 524 sclera
  - 658 scrotum
  - 762 skin, except debridement, radical and of pilonidal cyst
    - 763 debridement
    - 761 pilonidal cyst or sinus
    - 764 radical
  - 507 skull
  - 598 small intestine
  - 507 spinal meninges
  - 593 stomach
  - 742 tendon
  - 661 testis
  - 551 tongue
  - 558 trachea
  - 640 ureter
  - 646 urethra
  - 687 uterine ligament
  - 678 uterus
  - 690 vagina
  - 558 vocal cord
  - 691 vulva
- Exenteration
  - 531 eyeball, orbit
  - 681 pelvic
- Exploration
  - 629 abdominal cavity
  - 619 bile duct, except by ERCP
    - 618 by ERCP
  - 636 kidney
- 629 Exploratory laparotomy
- 601 Exteriorization, intestine
- Extracorporeal
  - 582 circulation

Group No. **Title**

- Extracorporeal **(continued)**
  - 582 membrane oxygenation (ECMO)
  - 652 shock wave lithotripsy (ESWL)
- Extraction
  - 696 breech, for delivery
  - 546 dental
  - 694 menstrual
  - 546 teeth
  - 697 vacuum, for delivery

- 767 Face lift
- 745 Fasciectomy, except of hand
  - 743 hand
- 741 Fasciotomy, except of hand
  - 743 hand
- Fistulectomy
  - 610 anal
  - 644 bladder
  - 555 branchial cleft
  - 563 bronchus
  - 602 intestine
  - 541 nasal
  - 541 nasolabial
  - 545 oroantral
  - 609 perirectal
  - 555 pharynx
  - 646 rectourethral
  - 687 rectouterine
  - 689 rectovaginal
  - 644 rectovesical
  - 609 rectum
  - 561 tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 756 Fitting, limb prosthesis
- 717 Fixation, internal, of bone, except hip or with fracture-reduction
  - 716 hip
  - with fracture-reduction-*see Fracture-reduction*

OPERATION INDEX (continued)

Group No.	Title
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
50[illegible]	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy

Group No.	Title
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical

OPERATION INDEX (continued)

Group No.	Title
	Herniorrhaphy **(continued)**
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain

Group No.	Title
	Incision (and drainage) **(continued)**
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast

Group No.	Title
	Insertion **(continued)**
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins

OPERATION INDEX (continued)

Group No.	Title
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended

Group No.	Title
	Mastectomy (continued)
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension

OPERATION INDEX (continued)

Group No.	Title
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
681	Pelvic exenteration
582	Percutaneous transluminal angioplasty, except coronary
571	coronary artery (PTCA)
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis

Group No.	Title
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast

OPERATION INDEX (continued)

Group No.	Title
	Radiography **(continued)**
771	cerebral
771	arteries
769	ventricles
775	chest
774	computerized axial tomography (C.A.T. Scan)
775	gallbladder
775	kidney
775	skeletal
775	spine, except myelogram
770	myelogram
773	veins
	Reattachment
753	extremity
528	retina
746	tendon, except of hand
744	hand
530	Recession, ocular muscle
	Reconstruction
534	ear ossicles
707	mandible
744	thumb
688	Rectocele repair
	Reduction
726	dislocation, except hip and temporomandibular
725	hip (closed) (open)
710	temporomandibular (joint)
	fracture
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction

Group No.	Title
	Reduction **(continued)**
	fracture (continued)
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	site, other than above
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
621	hemorrhoids
	hernia-*see also Herniorrhaphy*
783	manual
602	intestinal torsion
602	intussusception, intestine
760	mammoplasty
602	volvulus, intestine
	Release
	adhesions-*see Lysis, adhesions*
743	Dupuytren's contracture
767	scar contracture, skin
648	urethral stricture
	Removal
718	bone growth stimulator
	calculus
619	biliary tract, except by ERCP or percutaneous
618	by ERCP
617	percutaneous
644	bladder, except transurethral approach
643	transurethral approach
636	kidney, except transurethral approach
639	transurethral approach
519	lacrimal tract (by incision)
532	without incision
637	ureter, except transurethral approach
639	transurethral approach
783	catheter, nonoperatively

OPERATION INDEX (continued)

Group No. Title

- Removal (continued)
  - 783 cholecystotomy tube
  - 701 ectopic fetus
  - 718 fixation device, internal
  - foreign body
    - 780 bronchus, except with incision
      - 562 with incision
    - 531 eye, except as below
      - 524 anterior chamber
      - 520 conjunctiva
      - 524 iris
      - 527 lens
    - prosthesis
      - 760 breast
      - 727 joint
  - 597 gastric balloon
  - 666 penile prosthesis
    - 705 retained placenta, manually
    - 783 sutures
    - 783 t-tube, gallbladder
    - 783 therapeutic device, nonoperatively
    - 764 tissue expander, except breast
      - 760 breast
    - 529 vitreous
- 579 Renal dialysis
- Repair
  - 632 abdominal wall
  - 613 anal fistula, except by excision
    - 610 excision
  - 582 aneurysm (arteriovenous)
  - 644 bladder, except obstetric laceration
    - 705 obstetric laceration
  - 518 blepharoptosis
  - 582 blood vessel
  - 717 bone, except facial and femur
    - 707 facial
    - 716 femur

Group No. Title

- Repair (continued)
  - 760 breast
  - 563 bronchial fistula
  - 713 bunion
  - 570 cardiac septal defect and other anomalies
  - 677 cervix, except obstetric laceration
    - 705 obstetric laceration
  - 569 chest wall
  - 550 cleft palate
  - 520 conjunctiva
  - 522 cornea, except transplant
    - 521 transplant
  - 688 cystocele, vagina
  - 745 diastasis recti
  - 533 ear, external
  - 518 ectropion or entropion, eyelid
  - 705 episiotomy
  - 518 eyelid
  - fistula-*see Fistulectomy*
  - 713 hallux valgus
  - 744 hand
  - hernia-*see Herniorrhaphy*
  - 736 hip, except total replacement
    - 735 total replacement
  - 504 hydrocephalus, by ventricular shunt
  - 602 intestine
  - 740 joint, except hip, knee and prosthetic replacement
    - 736 hip, except total replacement
      - 735 total replacement
    - 738 knee, except total replacement
      - 737 total replacement
    - 739 total replacement, except hip and knee
  - 738 knee (joint), except total replacement
    - 737 total replacement
  - Laceration-*see also Repair, by site*
    - 705 obstetric
  - 561 larynx

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures

Group No.	Title
	Repair (continued)
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump

OPERATION INDEX (continued)

Group No.	Title
	Revision (continued)
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy

Group No.	Title
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
617	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin

OPERATION INDEX (continued)

Group No. Title

- Suture (continued)
  - 745 tendon, except of hand
    - 744 hand
- 510 Sympathectomy
- 732 Synovectomy

- 553 T and A
- Takedown-*see Closure*
- 745 Tenosynovectomy, except of hand
  - 743 hand
- 741 Tenotomy, except of hand
  - 743 hand
- Termination of pregnancy
  - 684 aspiration curettage
  - 682 dilation and curettage
  - 700 hysterotomy
  - 702 intra-amniotic injection
- Therapy
  - 779 behavior
  - 781 cancer (chemical)
  - 779 electroconvulsive (ECT)
  - 778 occupational
  - 778 physical
  - 779 psychiatric
  - 776 radiation
  - 779 shock (EST)
  - 778 speech
  - 777 ventilation
- 775 Thermography
- 576 Thoracentesis
- 569 Thoracoscopy, transpleural
- 568 Thoracotomy
- 515 Thymectomy
- 513 Thyroidectomy
- 582 Thromboendarterectomy, except carotid
  - 581 carotid
- 551 Tongue-tie operation

Group No. Title

- 552 Tonsillectomy, except with adenoidectomy
  - 553 with adenoidectomy
- 547 Tooth restoration
- 781 TPN (total parenteral nutrition)
- 560 Tracheostomy
- 778 Traction, skeletal, except with fracture-reduction
  - with fracture-reduction-*see Reduction, fracture*
- Transfer-*see Transplant*
- Transfusion
  - 781 blood, except intrauterine exchange
    - 704 intrauterine
  - 585 bone marrow
  - 781 coagulation factor
  - 781 gamma globulin
  - 781 plasma
- Transplant, transplantation
  - 585 bone marrow
  - 521 corneal
  - 570 heart
  - 635 kidney
  - 746 muscle, except of hand
    - 744 hand
  - 746 tendon, except of hand
    - 744 hand
- 655 TUR of prostate
- 542 Turbinectomy, nasal
- 535 Tympanoplasty, except revision
  - 538 revision
- 536 Tympanotomy
- Ultrasonic fragmentation of calculus
  - 652 biliary
  - 652 urinary, except by percutaneous nephrostomy
    - 634 percutaneous nephrostomy
- 775 Ultrasound, diagnostic
- 640 Ureterectomy
- 638 Ureterostomy
- 637 Ureterotomy

OPERATION INDEX (continued)

Group No. **Title**
641 Urethroscopy
648 Urethrotomy
638 Urinary diversion
783 Uroflowmetry, uroflometry

781 Vaccination
697 Vacuum extraction for delivery
694 Vaginoscopy
596 Vagotomy
570 Valvuloplasty, cardiac
577 Varicose vein operation
662 Vasectomy
663 Vasoplasty
662 Vasotomy
663 Vasovasostomy
773 Venography
777 Ventilation, mechanical
504 Ventricular shunt, except revision
505 revision
769 Ventriculography
692 Vulvectomy

X-ray-*see Radiography*

767 Z-plasty, skin

PART III: CROSSWALK

From Old to New Hospital Diagnosis and Procedure Groups

In January 1989, Hospital Diagnosis Groups (List A) and Hospital Procedure Groups (List B) were revised. This crosswalk is provided to facilitate tracking back and forth between the old and new group numbers.

A. Hospital Diagnosis Groups (List A)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
001	002*	035	037	069	073	103	109	137	143	171	179
002	003	036	038	070	074	104	110	138	144	172	180
003	004	037	039	071	075	105	111	139	146*	173	181
004	005	038	040	072	076	106	112	140	147	174	182
005	006	039	041	073	078*	107	113	141	148	175	183
006	007	040	042	074	079	108	114	142	149	176	184
007	008	041	043	075	080	109	115	143	150	177	185
008	009	042	044	076	081	110	117*	144	151	178	186
009	010	043	045	077	082	111	118*	145	152	179	188*
010	011	044	046	078	083	112	119	146	153	180	189
011	012	045	047	079	084	113	120	147	154	181	190
012	013	046	048	080	085	114	121	148	155	182	191
013	014	047	050*	081	086	115	122	149	156	183	192
014	015	048	052*	082	087	116	123	150	158*	184	193
015	016	049	053	083	088	117	124	151	150	185	194
016	017	050	054	084	089	118	125	152	159	186	196*
017	019*	051	055	085	090	119	126	153	160	187	197
018	020	052	056	086	091	120	127	154	161	188	198
019	021	053	057	087	092	121	128	155	162	189	199
020	022	054	058	088	093	122	129	156	163	190	200
021	023	055	059	089	094	123	130	157	164	191	201
022	024	056	060	090	097*	124	131	158	165	192	202
023	025	057	061	091	096	125	131	159	166	193	203
024	026	058	062	092	098	126	132	160	167	194	204
025	027	059	063	093	099	127	133	161	168	195	205
026	028	060	064	094	100	128	134	162	169	196	206
027	029	061	065	095	101	129	135	163	170	197	207
028	030	062	066	096	102	130	136	164	172*	198	208
029	031	063	067	097	103	131	137	165	173	199	209
030	032	064	068	098	104	132	138	166	174	200	210
031	033	065	069	099	105	133	139	167	175*	201	211
032	034	066	070	100	106	134	140	168	176	202	212
033	035	067	071	101	107	135	141	169	177	203	213
034	036	068	072	102	108	136	142	170	178	204	214

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

Hospital Diagnosis Groups (continued)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
205	215	239	253	273	287	307	323	341	359*	375	394
206	216	240	254	274	288	308	324	342	360*	376	395
207	217	241	255	275	289	309	325	343	361	377	396
208	218	242	256	276	290	310	326	344	362	378	397
209	219	243	257	277	291	311	327	345	363	379	397
210	220	244	258	278	292	312	328	346	364	380	398
211	224*	245	259	279	293	313	329	347	365	381	399
212	225	246	260	280	294	314	330	348	366	382	400
213	226	247	261	281	295	315	331	349	367	383	401
214	227	248	262	282	296	316	331	350	368	384	402
215	228	249	263	283	297	317	332	351	369	385	403
216	229	250	264*	284	298	318	333	352	370	386	404
217	230	251	265	285	299	319	334	353	371	387	405
218	231	252	266	286	300	320	335	354	372	388	406
219	232	253	267	287	301	321	336	355	373	389	407
220	233	254	268	288	302	322	337	356	374	390	408
221	234	255	269	289	303	323	338	357	375	391	409
222	235	256	270	290	304	324	339	358	376	392	410
223	236	257	271	291	305	325	340	359	377	393	411
224	237	258	272	292	306	326	341	360	378	394	412
225	238	259	273	293	307	327	342	361	379	395	413
226	239	260	274	294	308	328	345*	362	380	396	414
227	240	261	275	295	310*	329	346	363	381	397	415
228	241	262	276	296	311	330	347	364	382	398	417*
229	242	263	277	297	312	331	348	365	384*		
230	243	264	278	298	314*	332	349	366	385		
231	244	265	279	299	315	333	350	367	386		
232	245	266	280	300	316	334	351	368	387		
233	246	267	281	301	317	335	352	369	388		
234	248*	268	282	302	318	336	353	370	389		
235	249	269	283	303	319	337	354	371	390		
236	250	270	284	304	320	338	355	372	391		
237	251	271	285	305	321	339	356	373	392		
238	252	272	286	306	322	340	357	374	393		

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

A. Hospital Diagnosis Groups (List A) - APPENDIX

List A Group			Now in
OLD	NEW	Except for Diagnosis Code(s)	LIST A:
001	002	008.6, 008.8	001
017	019	136.3	018
047	050	204.0	049
048	052	205.0	051
073	078	250.70-250.71	077
090	097	290.10-290.13	095
110	117	309.0-309.1	116
111	118	311	116
139	146	403.0-403.9	145
150	158	425.0-425.9	157
164	172	440.2	171
167	175	444.22	171
179	188	481-482.9	187
186	196	518.81-518.82	195
211	224	564.1;	221
		555.0-556;	222
		567.0-567.9	223
234	248	599.0	247
250	264	626.8	263
295	310	707.0-707.9	309
298	314	715.15-715.16, 715.25-715.26, 715.35-715.36, 715.95-715.96	313
328	345	765.00-765.19;	343
		773.0-774.9	344
341	359	800.0-800.9 with 5th digit 4, 5, 803.0-803.9 with 5th digit 4, 5	358
342	360	801.0-801.9 with 5th digit 4, 5	358
365	384	851.0-854.1 with 5th digit 4, 5	383
398	417	V58.1	416

B. Hospital Procedure Groups (List B)

LIST B

Old	New
501	501
502	502
503	503
504	504
505	505*
506	506
507	507
508	508
509	509
510	510
511	511
512	512
513	513
514	514
515	515
516	516
517	517
518	518
519	519
520	520
521	521
522	522
523	523
524	524
525	525
526	526
527	527
528	528
529	529
530	530
531	530
532	531
533	532
534	533

LIST B

Old	New
535	534
536	535
537	536
538	537
539	538
540	539
541	540
542	541
543	542
544	543
545	544
546	545
547	546
548	547
549	548
550	549
551	550
552	551
553	552
554	553
555	554
556	555
557	556
558	557
559	558
560	559
561	560
562	561*
563	562
564	563
565	564
566	565
567	566
568	567

LIST B

Old	New
569	568
570	569
571	570
572	572
573	573
574	574
575	575*
576	576
577	577
578	578*
579	582
580	579
581	582*
582	583
583	584
584	588
585	585
586	586
587	588*
588	589
589	590
590	591
591	592
592	593
593	594
594	595
595	596
596	597*
597	598
598	599
599	600
600	601
601	602
602	603

LIST B

Old	New
603	604
604	604
605	605
606	606
607	607
608	608
609	609
610	610
611	611
612	612
613	613*
614	614
615	615
616	616
617	619*
618	620*
619	621
620	622
621	623
622	624
623	625
624	626
625	627
626	628
627	629
628	630
629	631
630	632
631	633
632	636*
633	637
634	638
635	640*
636	641

LIST B

Old	New
637	642
638	644*
639	645
640	646
641	647
642	648
643	649
644	650
645	651
646	653*
647	654
648	655
649	656
650	657
651	658
652	659
653	660
654	661
655	662
656	663
657	664
658	666*
659	667
660	668
661	669
662	670
663	671
664	672
665	673
666	674
667	675
668	676
669	677
670	678

LIST B

Old	New
671	679
672	680
673	681
674	682
675	683
676	684
677	685
678	686
679	687
680	688
681	689
682	690
683	691
684	692
685	693
686	694
687	695
688	696
689	697
690	698
691	699
692	700
693	701
694	702
695	703
696	704
697	705
698	706
699	707
700	708
701	709
702	710
703	712*
704	713

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (Continued)

LIST B	
Old	New
705	715*
706	717*
707	718
708	719
709	720
710	721
711	722
712	723
713	724
714	726*
715	726*
716	727
717	729*
718	730
719	732*
720	733
721	734
722	735
723	736
724	738*
725	740*
726	741
727	742
728	743
729	744
730	745
731	746
732	747
733	748
734	749
735	750
736	751
737	752
738	753
739	754
740	755
741	756
742	757
743	758
744	759
745	760
746	761
747	762
748	764*
749	765
750	766
751	767
752	768
753	769
754	770
755	771
756	772
757	773
758	775*
759	776
760	778*
761	779
762	780
763	781
764	783*

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (List B) - APPENDIX

List B Group			Now in
OLD	NEW	Except for Procedure Code(s)	LIST B:
505	505	02.2	504
562	561	31.1	560
575	575	36.00-36.02,36.04-36.09	571
578	578	39.27	580
581	582	39.42-39.43, 39.93-39.94;	580
		38.12	581
587	588	38.93	587
596	597	44.21-44.29	596
613	613	49.49	612
617	619	51.96, 51.98;	617
		51.97	618
618	620	52.91	618
632	636	55.03-55.04;	634
		55.6	635
635	640	56.0	639
638	644	57.0	643
646	653	59.95-59.96	652
658	666	64.95, 64.97	665
703	712	77.05, 77.15, 77.25, 77.35	711
705	715	77.45, 77.65, 77.75, 77.85, 77.95, 79.65	714
706	717	78.05, 78.15, 78.25, 78.35, 78.45, 78.55, 78.75, 78.85, 78.95, 79.95	716
714	726	79.75	725
715	726	79.85	725
717	729	80.52	728
719	732	80.20-80.29	731
724	738	81.41	737
725	740	81.31, 81.48, 81.71, 81.81, 81.84, 81.86	739
748	764	86.22	763
758	775	87.03, 87.41, 87.71, 88.01, 88.38	774
760	778	93.90-93.92	777
764	783	89.61-89.69	782

B4465-1.7U

LOS

LENGTH OF STAY

HKS PUBLICATIONS

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988

Healthcare Knowledge Systems
Ann Arbor, Michigan
October, 1989

LENGTH OF STAY

Copyright 1989 by Healthcare Knowledge Systems (HKS), Ann Arbor, Michigan, based on data from The Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a database or retrieval system, without the prior written permission of the publisher.

This volume is one of the books in the Length of Stay by Diagnosis and Operation series:

Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0895-9824

Length of Stay by Diagnosis and Operation, Northeastern Region, 1988
ISSN 0895-9838

Length of Stay by Diagnosis and Operation, North Central Region, 1988
ISSN 0895-9846

Length of Stay by Diagnosis and Operation, Southern Region, 1988
ISSN 0895-9854

Length of Stay by Diagnosis and Operation, Western Region, 1988
ISSN 0895-9862

Geriatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-2173

Pediatric Length of Stay by Diagnosis and Operation, United States, 1988
ISSN 0891-1223

Length of Stay data has been available from CPHA since 1963. In addition to *Length of Stay by Diagnosis and Operation*, other titles in the Cost Containment Series include: *Length of Stay by Psychiatric Diagnosis* and *Length of Stay by DRG and Payment Source*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern and Western regions. For further information, please contact, HKS Publications, 1968 Green Road, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

CONTENTS

Preface iv

Introduction v

Description of the Database v

Source of the Data
Data Quality
Database Characteristics

Organization of Length of Stay Tables x

Classification System
Patient Data Assignment
Definition of Multiple Diagnosis Patients
Definition of Operated Patients

Explanation of Statistics xi

Application of Length of Stay Tables xii

Twenty-Five Years of Length of Stay xiii

Length of Stay Tables 1

Length of Stay Diagnosis Groups 1
Summary of All Patients in Diagnosis Groups 2
Summary of All Patients Except Newborn 3
Diagnosis Groups 1-417 4
Length of Stay Operation Groups 213
Summary of All Patients in Operation Groups 214
Operation Groups 501-783 215

Appendix

Supplemental *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups 287

Indexes

Part I: Diagnosis Index 295
Part II: Operation Index 317
Part III: Crosswalk from Old to New Hospital Diagnosis and Procedure Groups 337

PREFACE

This book is one volume in a set of seven books presenting statistics on hospital stay during 1988 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are included in the 1988 series.

These statistics, also available on magnetic tape, provide a valuable perspective for utilization review and quality assurance professionals, physicians, consultants, hospital administrators, third party payors and researchers interested in cost containment and quality care.

Appreciation is extended to the hospitals and state organizations that supported this publication by making their data available.

1988 LENGTH OF STAY SERIES

PRODUCTION STAFF

HEALTHCARE KNOWLEDGE SYSTEMS

Linda E. Vanek, Assistant Manager, Normative Publications
Stacey Koepke, Customer Service Representative

INFORMATION SERVICES

Marion S. Mcrris, Senior Programmer Analyst
Lale A. Olson, Senior Electronic Publishing Analyst
Billie Thompson, Electronic Publishing Analyst

The following individuals made valuable contributions to the development of this publication:

Robert Seeman, Senior Nosologist, Commission on Professional and Hospital Activities (CPHA),

Ruth Blumenauer and Kay Brown, Client Development Specialists, HKS,
Cindy Derr and the entire Word Processing staff,
Mary Kay Murray, Marketing Specialist, HKS,
Nancy Ramirez, Medical Systems Specialist, HKS,
Sally Smith, Senior Programmer Analyst,
Robert Travis, Librarian.

INTRODUCTION

One of several divisions of TSM Computing Group, the newly established Healthcare Knowledge Systems (HKS) markets a line of high quality, information-oriented products and services to the healthcare industry and related fields. HKS is the official marketer and distributor of products derived from the clinical research and classification development of the Commission on Professional and Hospital Activities (CPHA).

HKS Publications offers a range of information products, available through books, magnetic media and educational seminars. The *Length of Stay* series is one of a number of data reference tools setting performance guidelines for a variety of healthcare settings. Now in its twenty-fifth year, and still drawn from CPHA's extensive database, *Length of Stay* remains the industry standard for inpatient normative data.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the Length of Stay tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Hospital medical records personnel are trained in coding and abstracting methods. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Database Characteristics

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is less than 30 days. General hospitals provide patient services for a variety of medical conditions. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Maine Hospital Association, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Rhode Island Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association and the Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay tables are displayed in Table 1. Table definitions are as follows:

Region and Census Division

The regional volumes of Length of Stay series are defined by four census regions as described in the map below.



See Table 2 for the states comprising each region and the number of hospitals and patients included in each volume.

Urban/Rural Hospitals

Urban hospitals are those with a metropolitan statistical area designation on the 1987 AHA magnetic tape. Hospitals without a metropolitan statistical area designation represent rural hospitals.

Teaching Intensity

The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.[1] The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by Joint Commission on Accreditation of Healthcare Organizations
- Cancer Program approved by American College of Surgeons
- Residency approved by American Medical Association
- Medical School Affiliation reported by American Medical Association
- Hospital-controlled professional nursing school, reported by National League for Nursing
- Member of Council of Teaching Hospitals of the Association of American Medical Colleges

Based on this index, hospitals are classified by one of three teaching status groups:

1. Low Teaching Intensity Hospitals
2. Medium Teaching Intensity Hospitals
3. High Teaching Intensity Hospitals

---

[1] Phillip, P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976

TABLE 1
1988 LENGTH OF STAY HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

	U.S. TOTAL[2]	LENGTH OF STAY SAMPLE	PERCENT OF TOTAL
Hospital Category			
Bedsize			
6-24	382	46	12.0
25-49	1,158	208	18.0
50-99	1,244	254	20.4
100-199	1,203	237	19.7
200-299	726	158	21.8
300-399	423	96	22.7
400-499	216	49	22.7
500+	293	59	20.1
Total	**5,645**	**1,107**	**19.6**
Region and Census Division			
Northeast	803	259	32.3
New England	241	97	40.2
Middle Atlantic	562	162	28.8
North Central	1,645	354	21.5
East North Central	870	300	34.5
West North Central	775	54	7.0
South	2,096	197	9.4
South Atlantic	812	112	13.8
East South Central	485	45	9.3
West South Central	799	40	5.0
West	1,101	297	27.0
Mountain	365	136	37.3
Pacific	736	161	21.9
Location			
Urban	2,996	604	20.2
Rural	2,649	503	19.0
Teaching Intensity			
Low	4,641	834	18.0
Medium	619	143	23.1
High	319	64	20.1
Unknown	66	66	100

---

[1] Hospitals with average stay less than 30 days.

[2] 1987 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Table 2
STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

The number of hospitals and total patients included in the length of stay tables are shown below.

Region	Number of Hospitals	Number of Patients
Northeast	259	1,407,115
North Central	354	1,810,030
South	197	862,390
West	297	1,406,144
U.S.	1,107	5,485,679

The Pediatric book was compiled from the data of 1,077 hospitals. The Geriatric book was compiled from the data of 1,058 hospitals.

ORGANIZATION OF LENGTH OF STAY TABLES

Classification System

The length of stay tables are organized according to CPHA's diagnosis and procedure classification system. The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*[1]. Within each diagnosis group, patients are stratified by single or multiple diagnosis, operated or nonoperated status, and age. For diagnosis groups 411-413, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group, patients are stratified by single or multiple diagnosis and age.

NOTE: The composition of List A Diagnosis and List B Procedure groups in the 1988 Length of Stay series has been revised to reflect advances in medical technology and current trends in clinical medicine. The title of each group includes a brief English description and *ICD-9-CM* codes that fall into that group. Where space is limited, a full description can be found in the Appendix. For tracking purposes, a crosswalk from the old Diagnosis and Procedure groups is provided in Part III of the Index at the back of the book.

Patient Data Assignment

Diagnosis and procedure information for all patient data included in this book is coded using *ICD-9-CM*, updated as of October 1988.

Patient data are assigned an *ICD-9-CM* List A group on the basis of the principal diagnosis. This is the diagnosis that, after study, explains why the patient was admitted to the hospital. The principal procedure is one that was performed for definitive treatment rather than one performed for diagnosis or exploratory purposes, or was necessary to take care of a complication.[2]

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1. Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM* Volume 1)[3]
2. Codes V27.0-V27.9 (outcome of delivery)
3. E codes (external causes of injury and poisoning)

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one significant surgical procedure. The procedure may or may not relate to the principal diagnosis.

In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one significant procedure was present. These tables contain procedures which are either therapeutic to the principal diagnosis or the only procedure listed.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups and ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

[2] As defined by the American Hospital Association in the 1984 Revision of the Uniform Hospital Discharge Data Set.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1986.

While most List B groups contain only significant procedures, the following tables contain significant, as well as other procedures: 547, 556, 575, 576, 582, 587, 609, 615, 621, 628, 632, 641, 652, 653, 661, 674, 687, 690, 694, 698, 704, 716, 717, 774, 775, 777, 778, 782, 783. Because of their mixed composition, these tables are included for information purposes only.

List B tables which contain no significant procedures are identified with a disclaimer explaining why these tables cannot be used for purposes of examining length of stay.

EXPLANATION OF STATISTICS

The List A diagnosis group titles and List B procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that List A or List B group.

Data are categorized by total patients, their average length of stay, the variance, and distribution percentiles. Patients are stratified by single or multiple diagnoses (Dx), operation status, and age. In addition, two subtotals and a grand total are included.

Total Number of Patients

This number represents the total number of patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the length of stay for each patient and then dividing by the total number of patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients.

Subtotal and Grand Total

The subtotal represents the total patients in each of the single or multiple diagnosis, operated or nonoperated categories. The Grand Total represents the total number of patients in the specified diagnosis or procedure category.

APPLICATION OF LENGTH OF STAY TABLES

The *Length of Stay* series can be used as a valuable reference source in a variety of healthcare settings. Use of stay data allows healthcare professionals to compare regional and national norms to their own institution or client. The *LOS* series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the *LOS* series create the opportunity to establish baselines as far back as 1963 to forecast and plan for future service demands.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate *Length of Stay* for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in *Length of Stay*. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses

Not Operated or Operated (for Diagnosis groups only)

Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by healthcare professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Concern for quality care and cost containment make the Length of Stay tables an essential tool in the healthcare industry.

TWENTY-FIVE YEARS OF LENGTH OF STAY

Now in their 25th year, the *Length of Stay* publications are drawn from a unique database of hospital medical experience. The original series in 1963-64 utilized discharge records submitted to CPHA through the Professional Activity Study. The 1988 *LOS* series, published by HKS with data from PAS hospitals and hospital associations, is based on over five million patient records, representing almost 20 percent of the short-term, nonfederal hospitals in the United States.

With LOS data, healthcare professionals can track trends over time and examine current patterns of inpatient hospitalization. For a broad perspective, total days spent in the hospital for various conditions can be compared from the earliest data (1963-64) to the current data (1988). For example, average stay for a diagnosis of diabetes mellitus without complications which was 11.3 days in the 60's, dropped to 5.1 days in 1988.

The following table illustrates hospital stay over a ten year period:

AVERAGE LENGTH OF STAY IN SHORT-TERM, NONFEDERAL HOSPITALS UNITED STATES AND CENSUS REGIONS 1979-1988

All Patients

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	6.7	6.7	6.7	6.6	6.5	6.1	5.9	5.8	5.8	5.7
Northeast	7.6	7.6	7.7	7.6	7.3	7.1	6.7	6.6	6.6	6.6
North Central	7.0	7.0	6.9	6.8	6.7	6.2	6.1	5.9	5.8	5.8
South	6.5	6.5	6.5	6.4	6.2	5.9	5.7	5.8	5.7	5.7
West	5.5	5.5	5.4	5.3	5.2	4.9	4.8	4.8	4.8	4.7

All Patients Except Newborn

Region	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	7.0	7.0	7.0	6.9	6.7	6.3	6.1	6.0	6.0	6.0
Northeast	7.9	7.8	7.8	7.8	7.5	7.2	6.9	6.8	6.9	6.9
North Central	7.2	7.2	7.2	7.1	7.0	6.5	6.3	6.2	6.1	6.0
South	6.8	6.8	6.7	6.6	6.4	6.1	6.0	6.0	6.0	5.9
West	5.8	5.8	5.7	5.6	5.5	5.2	5.1	5.1	5.0	5.0

Source: *Length of Stay by Diagnosis.* U.S. and Regions, 1979-1988.

As expected, there is a steady decline over the time period with almost a 15% decrease, from an average stay of 6.7 days in 1979 to 5.7 days in 1988. A slight levelling off can be observed since 1986. Regional variations remain consistent, with hospital stays highest in the Northeast and North Central, and lowest in the South and West.

A specific example of this pattern is evidenced in the table below which displays length of stay for normal delivery (ICD-9-CM 650) from 1980 through 1988. This table illustrates the overall decline in length of stay as well as the regional variations described above:

AVERAGE LENGTH OF STAY: NORMAL DELIVERY UNITED STATES AND REGIONS, 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
U.S.	3.1	3.0	2.9	2.8	2.6	2.5	2.3	2.2	2.1
Northeast	3.4	3.3	3.2	3.1	3.0	2.9	2.8	2.7	2.6
North Central	3.4	3.3	3.2	3.1	2.9	2.7	2.5	2.4	2.2
South	3.0	2.9	2.8	2.7	2.6	2.5	2.4	2.3	2.2
West	2.3	2.2	2.1	2.0	1.9	1.9	1.8	1.7	1.6

There has been a corresponding decline for surgical hospital stays. The following table illustrates the average length of stay since 1980 for frequently performed surgeries in the United States:

AVERAGE LENGTH OF STAY: SPECIFIC SURGERIES UNITED STATES 1980-1988

	1980	1981	1982	1983	1984	1985	1986	1987	1988
Cervical Cesarean Section	6.3	6.2	6.1	5.8	5.6	5.3	5.0	4.8	4.7
Cholecystectomy	10.9	10.7	10.4	9.9	9.1	8.2	7.7	7.2	6.9
Transurethral Prostatectomy	10.4	10.3	9.9	9.3	8.2	7.1	6.5	6.1	5.8
Unilateral Repair of Inguinal Hernia	4.8	4.7	4.4	4.1	3.7	3.2	2.8	2.6	2.5
Vaginal Hysterectomy	7.4	7.3	7.1	6.7	6.3	5.8	5.2	4.8	4.4

Researchers have looked at a variety of factors to explain the decline in hospital stay. Clearly one incentive to decrease stay resulted from the federal government's implementation of a fixed price prospective payment system (PPS) to reimburse hospitals for inpatient costs by Medicare patients. The effect of PPS is demonstrated in studies showing that between 1980 and 1985 Medicare beneficiaries have the greatest relative decline in stay. LOS data show increasingly shorter stays throughout the 80's with the most significant drop occurring between 1983 and 1984. Length of stay dropped 0.4 days for all U.S. hospitals over that year, and continued downward an additional 0.2 days in 1985.

In the 1980's new medical technologies have shortened the number of days a patient needs to be in the hospital. For example, the use of arthroscopic surgeries on the knee has decreased significantly the length of stay in U.S. short-term hospitals. Length of stay data for both internal derangement of the knee joint and dislocation of the knee show a decline from more than 4 days in 1980 to 2.5 days in 1988. Similarly the advent of chemoneucleolysis for herniated discs has reduced hospital stay dramatically.

Issues of cost containment have led to greater scrutiny over hospital stay, translated into the practice of discharging patients as soon as it is medically acceptable. Evidence of this practice is particularly clear for patients receiving medical/surgical procedures. Routine pre-operative examinations are now performed on an outpatient basis prior to admission. Post-operative stay has been shortened, with an increasing reliance on transfer to an alternative care facility after discharge.

The proliferation of HMO's and PPO's may provide yet another explanation for reduced inpatient days. With medical services now being prepaid, the incentive is to closely monitor all service delivery and to reduce costly hospital stays whenever possible.

Length of stay data are only one indicator of inpatient costs. This annual publication of norms from the CPHA database serves a significant function in offering a consistently reliable measure for review and analysis.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	319835	2.4	2	1	2	2	3	4	5	6
1-11 MOS	30343	3.2	7	1	2	3	4	6	8	13
1-5 YRS	48922	2.7	8	1	1	2	3	5	7	14
6-12 YRS	32994	3.5	32	1	1	2	3	6	9	31
13-19 YRS	64916	3.7	42	1	1	2	3	6	12	37
B. Operated										
0-27 DYS	1707	4.6	56	1	2	3	4	9	15	98
1-11 MOS	12268	3.2	17	< 1	1	2	4	6	9	20
1-5 YRS	27099	2.8	14	< 1	1	1	3	6	9	19
6-12 YRS	34576	2.8	15	1	1	1	3	6	8	19
13-19 YRS	73098	2.7	7	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	226470	4.0	25	2	2	3	4	6	9	27
1-11 MOS	65299	4.2	17	1	2	3	5	8	11	20
1-5 YRS	98911	3.5	15	1	2	3	4	6	9	18
6-12 YRS	50059	4.9	65	1	2	3	5	9	17	47
13-19 YRS	86426	6.9	117	1	2	3	6	19	31	57
B. Operated										
0-27 DYS	11385	19.4	453	3	5	11	33	74	99 +	99 +
1-11 MOS	16431	8.2	136	1	2	4	10	21	35	99 +
1-5 YRS	37097	5.7	83	1	1	2	7	14	22	57
6-12 YRS	32006	5.4	72	1	1	2	6	13	21	49
13-19 YRS	74578	5.0	51	1	2	3	5	10	16	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	497010	2.7	10	1	2	2	3	4	5	14
B. Operated	148748	2.8	12	1	1	2	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	527165	4.5	42	1	2	3	4	8	13	38
B. Operated	171497	6.5	109	1	1	3	7	15	27	83
1. SINGLE DX	645758	2.7	11	1	1	2	3	5	6	14
2. MULTIPLE DX	698662	5.0	59	1	2	3	5	9	17	47
A. Not Operated	1024175	3.6	27	1	2	2	4	6	9	29
B. Operated	320245	4.8	67	1	1	2	5	10	17	57
TOTAL										
0-27 DYS	559397	3.4	26	1	2	2	4	5	7	28
1-11 MOS	124341	4.4	33	1	2	3	5	8	12	31
1-5 YRS	212029	3.6	26	1	1	2	4	7	10	26
6-12 YRS	149635	4.2	49	1	1	2	4	8	14	41
13-19 YRS	299018	4.7	60	1	1	2	4	9	17	44
GRAND TOTAL	**1344420**	**3.9**	**37**	**1**	**2**	**2**	**4**	**7**	**11**	**35**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10896	3.1	10	1	2	2	3	5	8	16
1-11 MOS	30343	3.2	7	1	2	3	4	6	8	13
1-5 YRS	48922	2.7	8	1	1	2	3	5	7	14
6-12 YRS	32994	3.5	32	1	1	2	3	6	9	31
13-19 YRS	64916	3.7	42	1	1	2	3	6	12	37
B. Operated										
0-27 DYS	1373	4.5	36	1	2	3	5	9	14	54
1-11 MOS	12268	3.2	17	< 1	1	2	4	6	9	20
1-5 YRS	27099	2.8	14	< 1	1	1	3	6	9	19
6-12 YRS	34576	2.8	15	1	1	1	3	6	8	19
13-19 YRS	73098	2.7	7	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11374	6.5	76	2	2	4	7	14	22	58
1-11 MOS	65299	4.2	17	1	2	3	5	8	11	20
1-5 YRS	98911	3.5	15	1	2	3	4	6	9	18
6-12 YRS	50059	4.9	65	1	2	3	5	9	17	47
13-19 YRS	86426	6.9	117	1	2	3	6	19	31	57
B. Operated										
0-27 DYS	2941	16.4	336	3	5	11	33	99 +	99 +	99 +
1-11 MOS	16431	8.2	136	1	2	4	10	21	35	99 +
1-5 YRS	37097	5.7	83	1	1	2	7	14	22	57
6-12 YRS	32006	5.4	72	1	1	2	6	13	21	49
13-19 YRS	74578	5.0	51	1	2	3	5	10	16	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	188071	3.3	24	1	1	2	3	6	9	27
B. Operated	148414	2.8	11	1	1	2	3	6	8	16
2. MULTIPLE DX										
A. Not Operated	312069	4.9	56	1	2	3	5	9	16	43
B. Operated	163053	5.8	79	1	1	3	6	13	22	64
1. SINGLE DX	336485	3.1	19	1	1	2	3	6	8	22
2. MULTIPLE DX	475122	5.2	64	1	2	3	5	11	19	48
A. Not Operated	500140	4.3	44	1	2	3	4	8	13	39
B. Operated	311467	4.3	49	1	1	2	5	9	15	43
TOTAL										
0-27 DYS	26584	6.1	91	1	2	3	6	15	28	99 +
1-11 MOS	124341	4.4	33	1	2	3	5	8	12	31
1-5 YRS	212029	3.6	26	1	1	2	4	7	10	26
6-12 YRS	149635	4.2	49	1	1	2	4	8	14	41
13-19 YRS	299018	4.7	60	1	1	2	4	9	17	44
GRAND TOTAL	**811607**	**4.3**	**46**	**1**	**1**	**2**	**4**	**8**	**14**	**41**

1: Viral gastroenteritis (008.6; 008.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	128	3.1	2	2	2	3	4	5	5	9
1-11 MOS	771	2.8	2	1	2	3	3	5	6	7
1-5 YRS	677	2.3	1	1	1	2	3	4	4	6
6-12 YRS	458	1.8	1	1	1	1	2	3	4	5
13-19 YRS	415	1.8	1	1	1	2	2	3	4	6
B. Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	6	2.7	1	1	2	3	3	4	4	4
1-5 YRS	8	2.9	1	1	2	3	4	4	4	4
6-12 YRS	6	2.5	1	1	2	2	3	4	4	4
13-19 YRS	16	3.1	3	2	2	3	3	4	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	154	3.9	11	2	2	3	4	7	9	13
1-11 MOS	2424	3.3	5	1	2	3	4	5	7	12
1-5 YRS	2886	2.7	2	1	2	2	3	4	5	8
6-12 YRS	712	2.4	2	1	1	2	3	4	5	8
13-19 YRS	562	2.4	4	1	1	2	3	4	5	8
B. Operated										
0-27 DYS	7	22.3	216	5	8	26	31	42	44	44
1-11 MOS	64	11.4	186	2	3	6	14	35	51	95
1-5 YRS	30	7.1	53	1	3	5	9	21	32	99+
6-12 YRS	18	5.1	24	1	3	3	5	13	17	19
13-19 YRS	25	5.7	48	2	3	4	6	9	18	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2449	2.3	2	1	1	2	3	4	5	7
B. Operated	38	2.9	2	2	2	3	4	4	5	9
2. MULTIPLE DX										
A. Not Operated	6738	2.9	4	1	2	2	3	5	6	10
B. Operated	144	9.2	128	2	3	5	11	26	38	99+
1. SINGLE DX	2487	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	6882	3.0	7	1	2	3	4	5	6	12
A. Not Operated	9187	2.7	3	1	2	2	3	5	6	9
B. Operated	182	7.9	108	2	3	4	9	20	36	88
TOTAL										
0-27 DYS	291	4.0	20	2	2	3	4	6	8	31
1-11 MOS	3265	3.3	9	1	2	3	4	5	7	13
1-5 YRS	3601	2.7	3	1	2	2	3	4	5	8
6-12 YRS	1194	2.2	2	1	1	2	3	4	5	7
13-19 YRS	1018	2.3	4	1	1	2	3	4	5	8
GRAND TOTAL	**9369**	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**6**	**11**

2: Intestinal infectious disease, except viral (001-008.5; 009)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	51	3.8	4	2	3	3	5	6	7	11
1-11 MOS	380	4.4	16	2	2	3	5	7	10	22
1-5 YRS	337	3.3	4	1	2	3	4	5	7	12
6-12 YRS	233	3.1	5	1	2	3	4	5	7	13
13-19 YRS	171	3.1	3	1	2	3	4	6	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	7	8.7	39	2	4	7	12	19	20	20
1-5 YRS	6	5.0	4	2	3	5	7	7	7	7
6-12 YRS	13	6.0	15	3	3	6	7	10	16	17
13-19 YRS	26	5.0	13	2	3	4	5	11	13	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	61	5.9	28	2	3	4	7	13	17	28
1-11 MOS	726	5.1	21	2	3	4	6	10	14	29
1-5 YRS	965	3.8	9	2	2	3	4	6	9	15
6-12 YRS	389	3.5	6	1	2	3	4	6	8	14
13-19 YRS	280	3.3	5	1	2	3	4	6	7	12
B. Operated										
0-27 DYS	5	6.6	15	3	4	6	8	13	13	13
1-11 MOS	31	16.5	241	4	5	10	21	46	53	54
1-5 YRS	30	12.2	342	2	4	7	12	40	93	99+
6-12 YRS	18	11.6	153	3	5	6	13	36	43	43
13-19 YRS	40	7.0	95	2	3	4	6	13	24	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1172	3.6	8	1	2	3	4	6	8	15
B. Operated	52	5.8	16	2	3	4	7	11	16	20
2. MULTIPLE DX										
A. Not Operated	2421	4.1	13	2	2	3	5	7	10	17
B. Operated	124	11.3	205	3	4	6	12	32	50	96
1. SINGLE DX	1224	3.7	9	1	2	3	4	6	8	16
2. MULTIPLE DX	2545	4.5	24	2	2	3	5	8	11	27
A. Not Operated	3593	4.0	11	1	2	3	5	7	9	17
B. Operated	176	9.6	156	2	4	5	10	20	42	85
TOTAL										
0-27 DYS	117	5.0	18	2	3	3	6	9	14	25
1-11 MOS	1144	5.2	29	2	3	4	5	10	14	30
1-5 YRS	1338	3.9	16	1	2	3	4	6	9	15
6-12 YRS	653	3.6	12	1	2	3	4	6	8	16
13-19 YRS	517	3.6	13	1	2	3	4	6	8	15
GRAND TOTAL	**3769**	**4.2**	**19**	**1**	**2**	**3**	**5**	**7**	**10**	**22**

3: Respiratory tuberculosis (010-012)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	5.3	17	1	3	3	7	12	13	13
1-5 YRS	9	3.6	6	1	1	3	6	7	7	7
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	9	7.1	28	1	3	5	12	15	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.8	4	< 1	1	2	4	6	6	6
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	0									
13-19 YRS	7	11.4	215	3	4	6	11	38	44	44
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	15.0	39	10	11	13	20	22	22	22
1-5 YRS	18	3.7	6	1	2	3	6	8	8	8
6-12 YRS	4	7.5	27	3	4	6	11	15	15	15
13-19 YRS	16	8.2	16	3	6	8	9	15	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	4	20.0	497	2	2	14	37	49	49	49
1-5 YRS	9	11.7	120	1	4	7	21	29	29	29
6-12 YRS	3	8.3	1	7	7	9	9	9	9	9
13-19 YRS	7	13.4	36	7	8	12	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	5.1	16	1	2	4	7	12	14	15
B. Operated	14	7.3	119	1	2	4	6	15	38	44
2. MULTIPLE DX										
A. Not Operated	41	6.6	23	2	3	6	8	14	16	22
B. Operated	23	13.2	134	3	6	9	20	29	36	49
1. SINGLE DX	42	5.8	50	1	2	4	6	12	14	44
2. MULTIPLE DX	64	9.0	71	2	3	7	10	21	27	46
A. Not Operated	69	6.0	21	1	3	5	8	14	15	21
B. Operated	37	11.0	133	2	3	7	13	28	39	49
TOTAL										
0-27 DYS	0									
1-11 MOS	19	9.3	142	1	2	3	12	24	39	49
1-5 YRS	38	5.6	42	1	2	4	6	8	24	29
6-12 YRS	10	6.4	15	2	3	6	9	12	15	15
13-19 YRS	39	9.5	58	3	5	8	12	16	22	44
GRAND TOTAL	**106**	**7.7**	**65**	**1**	**3**	**6**	**9**	**15**	**23**	**46**

4: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	9.5	48	4	5	8	9	22	23	23
6-12 YRS	0									
13-19 YRS	3	13.3	236	3	4	6	25	31	31	31
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	6.0	83	< 1	1	2	6	23	27	28
6-12 YRS	5	5.0	71	< 1	1	1	6	20	20	20
13-19 YRS	5	7.8	23	2	3	8	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	13.6	184	3	4	7	23	35	35	35
1-5 YRS	3	8.0	19	3	5	10	11	11	11	11
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	3	28.7	692	5	10	24	49	57	57	57
1-5 YRS	12	11.5	328	1	2	4	10	40	60	63
6-12 YRS	3	7.3	42	1	2	7	12	14	14	14
13-19 YRS	5	8.8	84	3	4	5	11	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	10.8	92	3	5	8	12	28	31	31
B. Operated	22	6.2	62	< 1	1	2	10	20	24	28
2. MULTIPLE DX										
A. Not Operated	9	10.4	114	2	3	7	13	29	35	35
B. Operated	23	12.6	289	1	3	5	14	35	59	63
1. SINGLE DX	31	7.5	73	< 1	1	4	10	22	28	31
2. MULTIPLE DX	32	12.0	236	1	3	5	13	31	55	63
A. Not Operated	18	10.6	97	3	4	7	11	29	33	35
B. Operated	45	9.5	185	1	1	4	12	25	37	63
TOTAL										
0-27 DYS	0									
1-11 MOS	8	19.3	364	3	4	13	29	50	57	57
1-5 YRS	33	8.8	156	1	2	4	10	24	30	63
6-12 YRS	8	5.9	54	< 1	1	2	10	18	20	20
13-19 YRS	14	8.9	78	2	3	5	12	26	30	31
GRAND TOTAL	**63**	**9.8**	**158**	**1**	**2**	**5**	**12**	**26**	**32**	**62**

5: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	10	2.6	1	1	2	3	3	4	4	4
1-5 YRS	115	2.4	2	1	1	2	3	4	5	7
6-12 YRS	126	2.2	1	1	1	2	3	4	4	6
13-19 YRS	94	2.7	2	1	2	3	3	4	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	23	1.0		< 1	1	1	1	1	2	2
6-12 YRS	73	1.0		1	1	1	1	1	1	2
13-19 YRS	25	1.3	1	1	1	1	1	2	3	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	49	3.4	4	1	2	3	4	5	6	12
1-5 YRS	473	2.7	3	1	2	2	3	5	6	9
6-12 YRS	523	2.5	2	1	2	2	3	4	6	8
13-19 YRS	342	2.9	3	1	2	3	4	5	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	27	2.3	6	1	1	1	3	6	8	11
6-12 YRS	61	2.5	16	1	1	1	2	6	11	21
13-19 YRS	20	2.0	4	1	1	1	2	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	347	2.4	2	1	2	2	3	4	5	6
B. Operated	121	1.1		1	1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	1389	2.7	3	1	2	2	3	5	6	9
B. Operated	109	2.4	11	1	1	1	2	6	9	20
1. SINGLE DX	468	2.1	2	1	1	2	3	4	4	6
2. MULTIPLE DX	1498	2.7	3	1	2	2	3	5	6	10
A. Not Operated	1736	2.7	2	1	2	2	3	5	5	8
B. Operated	230	1.7	6	1	1	1	1	3	6	13
TOTAL										
0-27 DYS	4	3.3	4	1	2	3	5	6	6	6
1-11 MOS	60	3.3	4	1	2	3	4	5	7	12
1-5 YRS	638	2.6	3	1	1	2	3	5	5	8
6-12 YRS	783	2.3	3	1	1	2	3	4	5	10
13-19 YRS	481	2.8	3	1	2	3	4	5	5	8
GRAND TOTAL	**1966**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**5**	**9**

6: Septicemia (038)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	216	4.6	10	2	3	3	5	10	10	15
1-11 MOS	839	4.3	8	2	2	3	5	9	10	14
1-5 YRS	309	4.1	16	2	2	3	4	8	10	18
6-12 YRS	37	4.9	23	1	2	3	6	10	12	27
13-19 YRS	20	3.6	2	2	2	3	4	6	7	7
B. Operated										
0-27 DYS	6	6.3	42	2	2	4	7	18	19	19
1-11 MOS	19	6.1	13	2	3	5	9	12	14	14
1-5 YRS	6	8.8	70	2	4	6	10	23	25	25
6-12 YRS	2	10.0	18	7	7	10	13	13	13	13
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	314	5.8	19	2	3	4	8	11	14	21
1-11 MOS	1589	5.2	18	2	3	4	7	10	12	20
1-5 YRS	1078	5.4	22	2	3	4	7	11	14	22
6-12 YRS	289	6.3	20	2	3	5	9	13	15	20
13-19 YRS	210	7.0	25	2	4	6	10	13	16	20
B. Operated										
0-27 DYS	22	12.3	73	3	5	10	20	27	55	99 +
1-11 MOS	128	12.1	149	3	5	9	14	26	43	99 +
1-5 YRS	110	17.2	179	6	9	14	20	34	52	90
6-12 YRS	47	17.0	182	7	9	13	19	36	47	73
13-19 YRS	69	15.3	140	4	8	13	18	32	41	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1421	4.3	10	2	2	3	5	9	10	14
B. Operated	34	6.7	28	2	3	5	9	14	18	25
2. MULTIPLE DX										
A. Not Operated	3480	5.5	20	2	3	4	7	11	14	21
B. Operated	376	14.8	160	4	7	11	19	32	45	99 +
1. SINGLE DX	1455	4.3	11	2	2	3	5	9	10	14
2. MULTIPLE DX	3856	6.4	41	2	3	4	8	13	17	37
A. Not Operated	4901	5.2	18	2	3	4	7	10	13	19
B. Operated	410	14.1	154	3	7	11	18	29	44	99 +
TOTAL										
0-27 DYS	558	5.6	20	2	3	4	7	11	14	24
1-11 MOS	2575	5.3	24	2	3	4	7	10	12	24
1-5 YRS	1503	6.0	42	2	3	4	7	12	17	34
6-12 YRS	375	7.5	53	2	3	6	10	14	18	39
13-19 YRS	300	8.7	63	2	4	7	11	17	21	46
GRAND TOTAL	**5311**	**5.9**	**34**	**2**	**3**	**4**	**7**	**11**	**15**	**32**

7: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	21	8.9	33	2	5	7	13	15	20	25
1-11 MOS	347	5.8	18	2	3	5	8	11	13	16
1-5 YRS	180	6.0	12	2	3	6	8	10	11	15
6-12 YRS	63	6.4	14	2	3	6	9	11	12	20
13-19 YRS	79	5.4	10	1	3	5	8	10	11	11
B. Operated										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	6	10.7	21	4	7	11	15	16	16	16
1-5 YRS	18	4.2	23	< 1	1	2	6	9	16	20
6-12 YRS	6	5.3	6	1	4	6	7	7	7	7
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	32	12.1	46	4	7	12	16	20	23	35
1-11 MOS	341	7.4	34	2	4	6	10	13	16	23
1-5 YRS	229	6.8	27	2	3	6	9	13	15	26
6-12 YRS	85	6.2	19	2	3	5	8	10	13	28
13-19 YRS	126	6.4	21	2	3	5	10	12	14	26
B. Operated										
0-27 DYS	3	12.3	112	1	4	14	20	22	22	22
1-11 MOS	26	20.7	245	6	11	17	27	36	49	79
1-5 YRS	40	16.1	292	1	6	12	21	42	71	99 +
6-12 YRS	26	12.2	115	2	7	9	19	25	59	99 +
13-19 YRS	29	18.3	487	3	4	9	25	47	54	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	690	6.0	16	2	3	5	8	10	13	16
B. Operated	32	5.8	26	1	1	5	8	14	16	20
2. MULTIPLE DX										
A. Not Operated	813	7.1	30	2	3	6	10	13	16	25
B. Operated	124	16.7	287	3	6	12	22	42	54	99 +
1. SINGLE DX	722	5.9	16	2	3	5	8	11	13	17
2. MULTIPLE DX	937	8.4	74	2	3	7	10	15	22	48
A. Not Operated	1503	6.6	24	2	3	6	9	12	15	23
B. Operated	156	14.4	252	1	4	10	18	36	50	99 +
TOTAL										
0-27 DYS	57	11.0	44	3	6	11	15	19	23	34
1-11 MOS	720	7.1	41	2	3	6	9	13	16	33
1-5 YRS	467	7.2	51	2	3	6	9	13	16	41
6-12 YRS	180	7.1	35	2	3	6	9	12	19	46
13-19 YRS	235	7.5	90	2	3	5	10	12	17	48
GRAND TOTAL	**1659**	**7.3**	**50**	**2**	**3**	**6**	**9**	**13**	**17**	**37**

8: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	200	4.1	6	2	3	3	4	6	10	14
1-11 MOS	704	3.4	3	2	2	3	4	5	6	10
1-5 YRS	254	3.3	3	1	2	3	4	5	6	11
6-12 YRS	288	3.0	4	1	2	3	4	5	6	10
13-19 YRS	237	3.0	4	1	2	3	4	5	7	12
B. Operated										
0-27 DYS	5	5.2	9	2	3	4	7	10	10	10
1-11 MOS	7	2.6	1	2	2	2	3	4	4	4
1-5 YRS	3	3.3		3	3	3	4	4	4	4
6-12 YRS	2	2.0		2	2	2	75	99 +	99 +	99 +
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	145	5.1	10	3	3	4	6	10	12	16
1-11 MOS	535	4.0	7	2	3	3	4	7	8	15
1-5 YRS	264	4.3	10	2	3	4	5	8	10	20
6-12 YRS	146	4.2	21	1	2	3	5	9	12	37
13-19 YRS	159	4.2	10	2	2	3	5	8	10	20
B. Operated										
0-27 DYS	4	5.8	20	2	2	4	9	12	12	12
1-11 MOS	14	6.1	13	2	3	5	10	11	13	13
1-5 YRS	5	13.4	262	2	2	3	26	38	38	38
6-12 YRS	6	9.3	87	1	3	7	10	25	27	27
13-19 YRS	6	8.3	49	2	3	5	15	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1683	3.3	4	2	2	3	4	5	7	11
B. Operated	19	3.5	4	2	2	3	4	8	55	99 +
2. MULTIPLE DX										
A. Not Operated	1249	4.3	10	2	3	3	5	7	10	18
B. Operated	35	8.1	64	2	3	5	10	19	26	38
1. SINGLE DX	1702	3.3	4	2	2	3	4	5	7	11
2. MULTIPLE DX	1284	4.4	12	2	3	3	5	8	10	21
A. Not Operated	2932	3.7	7	2	2	3	4	6	8	14
B. Operated	54	6.4	47	2	2	4	9	15	26	97
TOTAL										
0-27 DYS	354	4.5	8	2	3	4	5	8	11	15
1-11 MOS	1260	3.7	5	2	3	3	4	6	7	13
1-5 YRS	526	3.9	10	2	2	3	4	6	9	18
6-12 YRS	442	3.4	11	1	2	3	4	6	9	27
13-19 YRS	404	3.6	8	1	2	3	4	6	8	15
GRAND TOTAL	**2986**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**9**	**15**

9: Viral diseases with exanthem (050-057)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	34	6.0	16	2	3	5	7	11	16	18
1-11 MOS	121	3.3	6	1	2	3	3	6	8	13
1-5 YRS	147	3.0	4	1	2	3	4	6	6	11
6-12 YRS	74	3.5	11	1	2	2	4	7	11	17
13-19 YRS	86	4.0	9	1	2	3	5	7	9	18
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	9.3	4	7	8	10	11	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	25	8.3	39	2	3	5	13	17	20	22
1-11 MOS	263	3.8	8	2	2	3	4	7	9	20
1-5 YRS	654	4.1	9	1	2	3	5	7	9	16
6-12 YRS	405	4.9	15	1	2	4	6	9	11	19
13-19 YRS	246	4.9	15	2	3	4	6	8	9	16
B. Operated										
0-27 DYS	3	29.0	148	21	21	23	38	43	43	43
1-11 MOS	20	13.3	179	2	4	10	16	28	43	57
1-5 YRS	26	12.8	170	3	5	9	14	27	46	60
6-12 YRS	21	19.4	223	6	8	13	26	42	50	59
13-19 YRS	19	10.4	39	4	5	8	14	17	23	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	462	3.6	8	1	2	3	4	7	9	17
B. Operated	9	5.8	10	3	3	4	8	11	11	11
2. MULTIPLE DX										
A. Not Operated	1593	4.5	12	1	2	4	6	8	10	18
B. Operated	89	14.5	167	3	6	11	17	30	43	60
1. SINGLE DX	471	3.6	8	1	2	3	4	7	9	17
2. MULTIPLE DX	1682	5.0	25	2	2	4	6	9	13	27
A. Not Operated	2055	4.3	11	1	2	3	5	8	10	17
B. Operated	98	13.7	158	3	5	10	15	29	43	60
TOTAL										
0-27 DYS	62	8.0	53	2	3	6	11	17	21	41
1-11 MOS	407	4.1	20	2	2	3	4	7	11	26
1-5 YRS	829	4.2	16	1	2	3	5	7	10	19
6-12 YRS	501	5.3	32	1	2	4	6	10	13	34
13-19 YRS	354	5.1	16	2	3	4	6	8	11	18
GRAND TOTAL	**2153**	**4.7**	**22**	**1**	**2**	**3**	**6**	**8**	**12**	**24**

10: Viral hepatitis (070)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	16	2.6	4	1	1	2	3	5	8	9
6-12 YRS	31	4.4	13	1	2	3	6	8	10	19
13-19 YRS	86	5.2	22	2	3	4	6	10	12	29
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.3		1	1	1	2	2	2	2
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.8	1	4	4	5	5	6	6	6
1-5 YRS	23	3.8	8	1	2	3	5	7	10	13
6-12 YRS	37	3.4	4	2	2	3	4	6	8	11
13-19 YRS	81	4.7	10	2	2	4	6	9	10	16
B. Operated										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	4	15.3	302	3	5	8	25	41	41	41
1-5 YRS	7	5.3	51	1	1	2	5	18	21	21
6-12 YRS	5	16.0	324	1	2	16	45	94	99 +	99 +
13-19 YRS	5	9.2	43	2	6	8	11	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	4.7	18	1	2	4	6	9	11	22
B. Operated	6	2.0	4	1	1	1	2	6	6	6
2. MULTIPLE DX										
A. Not Operated	145	4.2	8	1	2	3	5	8	9	15
B. Operated	22	11.5	162	1	2	8	20	42	64	99 +
1. SINGLE DX	141	4.5	17	1	2	3	6	9	11	21
2. MULTIPLE DX	167	5.2	34	1	2	4	6	9	15	44
A. Not Operated	280	4.4	13	1	2	4	6	8	10	17
B. Operated	28	9.4	142	1	2	6	14	36	48	99 +
TOTAL										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	10	8.6	134	2	4	5	8	25	41	41
1-5 YRS	50	3.4	12	1	1	2	5	6	9	21
6-12 YRS	74	4.7	35	1	2	3	5	8	17	86
13-19 YRS	173	5.0	17	2	3	4	6	9	12	19
GRAND TOTAL	**308**	**4.9**	**26**	**1**	**2**	**4**	**6**	**9**	**12**	**39**

11: Infectious mononucleosis (075)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	60	3.2	2	2	2	3	4	6	6	7
6-12 YRS	62	2.9	2	1	2	3	4	5	6	6
13-19 YRS	369	3.2	3	1	2	3	4	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	4	2.0	2	1	1	2	3	4	4	4
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	4.3	2	3	3	4	5	6	6	6
1-5 YRS	140	3.3	3	2	2	3	4	5	7	8
6-12 YRS	204	3.1	3	1	2	3	4	5	6	11
13-19 YRS	1254	3.6	4	2	2	3	4	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	3	22.0	876	2	3	8	44	56	56	56
1-5 YRS	14	5.2	17	1	2	4	9	13	78	99 +
6-12 YRS	5	12.6	127	1	3	9	24	26	26	26
13-19 YRS	31	6.6	33	1	2	5	9	15	18	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	494	3.2	3	1	2	3	4	6	7	9
B. Operated	8	3.3	4	1	2	3	4	6	7	7
2. MULTIPLE DX										
A. Not Operated	1602	3.5	4	2	2	3	4	6	7	10
B. Operated	53	7.7	83	1	2	5	10	18	26	98
1. SINGLE DX	502	3.2	3	1	2	3	4	6	7	9
2. MULTIPLE DX	1655	3.6	7	2	2	3	4	6	8	12
A. Not Operated	2096	3.4	4	2	2	3	4	6	7	10
B. Operated	61	7.1	75	1	2	4	9	17	25	95
TOTAL										
0-27 DYS	0									
1-11 MOS	10	9.2	274	2	3	4	6	32	56	56
1-5 YRS	216	3.4	4	2	2	3	4	6	7	13
6-12 YRS	275	3.2	7	1	2	3	4	5	6	14
13-19 YRS	1656	3.6	4	2	2	3	4	6	7	11
GRAND TOTAL	**2157**	**3.5**	**6**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

12: Viral warts (078.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	20	1.1		< 1	< 1	< 1	1	1	2	2
6-12 YRS	17	1.2		< 1	< 1	< 1	1	2	2	2
13-19 YRS	63	1.2		< 1	< 1	< 1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	2.0	3	1	1	1	3	5	5	5
6-12 YRS	0									
13-19 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	9.0	57	2	3	8	15	17	17	17
6-12 YRS	2	23.5	1013	1	1	23	46	46	46	46
13-19 YRS	21	2.2	4	< 1	1	1	3	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0		2	2	2	2	2	2	2
B. Operated	102	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	7	2.0	2	< 1	1	1	3	5	5	5
B. Operated	26	4.7	84	< 1	1	1	4	8	23	46
1. SINGLE DX	104	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	33	4.1	67	< 1	1	1	4	8	16	46
A. Not Operated	9	2.0	2	< 1	1	2	2	4	5	5
B. Operated	128	1.9	19	< 1	< 1	1	1	2	4	23
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	28	2.1	11	< 1	< 1	< 1	1	4	9	17
6-12 YRS	19	3.5	106	< 1	< 1	< 1	1	2	26	46
13-19 YRS	88	1.5	1	< 1	< 1	1	1	3	4	8
GRAND TOTAL	**137**	**1.9**	**18**	**< 1**	**< 1**	**1**	**1**	**3**	**4**	**21**

13: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	781	3.0	2	2	2	3	3	4	5	8
1-11 MOS	2231	2.7	1	1	2	3	3	4	5	7
1-5 YRS	776	2.6	3	1	2	2	3	4	5	11
6-12 YRS	354	2.2	3	1	1	2	3	4	5	8
13-19 YRS	307	2.5	3	1	1	2	3	5	5	9
B. Operated										
0-27 DYS	9	3.1		2	3	3	3	4	4	4
1-11 MOS	16	6.8	118	1	2	3	4	30	35	36
1-5 YRS	18	2.3	2	< 1	1	2	3	5	6	6
6-12 YRS	22	6.3	247	< 1	1	3	5	7	35	76
13-19 YRS	14	2.6	4	< 1	1	2	3	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	560	3.5	5	2	2	3	4	5	7	11
1-11 MOS	2572	3.2	8	1	2	3	4	5	7	13
1-5 YRS	2003	3.1	11	1	2	2	3	5	7	15
6-12 YRS	826	2.9	5	1	2	2	3	5	7	13
13-19 YRS	708	2.9	5	1	1	2	3	5	7	12
B. Operated										
0-27 DYS	20	4.0	14	2	2	3	4	6	13	19
1-11 MOS	69	8.5	122	2	3	5	9	19	47	91
1-5 YRS	82	12.1	282	2	3	5	14	30	46	87
6-12 YRS	41	8.4	109	1	3	5	9	20	34	48
13-19 YRS	39	7.6	69	1	3	5	10	15	35	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4449	2.7	2	1	2	3	3	4	5	7
B. Operated	79	4.5	94	< 1	1	3	4	6	8	64
2. MULTIPLE DX										
A. Not Operated	6669	3.1	8	1	2	3	4	5	7	14
B. Operated	251	9.2	159	2	3	5	10	24	43	95
1. SINGLE DX	4528	2.7	4	1	2	3	3	4	5	7
2. MULTIPLE DX	6920	3.4	15	1	2	3	4	5	8	18
A. Not Operated	11118	3.0	6	1	2	3	3	5	6	11
B. Operated	330	8.0	147	1	2	4	8	19	36	80
TOTAL										
0-27 DYS	1370	3.2	3	2	2	3	4	5	6	10
1-11 MOS	4888	3.1	7	1	2	3	4	5	6	11
1-5 YRS	2879	3.2	19	1	2	2	3	5	7	21
6-12 YRS	1243	2.9	13	1	1	2	3	5	7	17
13-19 YRS	1068	2.9	8	1	1	2	4	5	7	15
GRAND TOTAL	**11448**	**3.1**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**15**

14: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	58	4.5	12	2	2	4	5	9	12	17
6-12 YRS	69	4.1	13	1	2	3	4	9	14	16
13-19 YRS	51	3.2	9	1	1	2	4	8	10	13
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	8.3	44	4	4	5	13	16	16	16
6-12 YRS	2	12.5	5	11	11	12	14	14	14	14
13-19 YRS	2	12.0	2	11	11	12	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	33	5.1	13	1	3	4	6	10	14	16
6-12 YRS	42	4.7	11	2	2	4	6	10	12	14
13-19 YRS	44	5.3	19	1	3	4	6	11	13	24
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	3	7.0	19	2	4	9	10	10	10	10
13-19 YRS	7	9.7	69	3	4	7	13	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	180	4.0	11	1	2	3	4	8	12	17
B. Operated	8	9.4	29	2	4	11	13	15	16	16
2. MULTIPLE DX										
A. Not Operated	121	5.0	14	1	3	4	6	10	13	18
B. Operated	11	8.7	47	3	4	7	10	19	25	26
1. SINGLE DX	188	4.2	13	1	2	3	5	10	13	17
2. MULTIPLE DX	132	5.3	18	2	3	4	6	11	14	24
A. Not Operated	301	4.4	13	1	2	3	6	10	13	17
B. Operated	19	9.0	37	2	4	9	13	16	21	26
TOTAL										
0-27 DYS	0									
1-11 MOS	5	2.8	4	1	1	3	4	6	6	6
1-5 YRS	95	4.8	13	2	3	4	6	10	15	17
6-12 YRS	116	4.6	13	1	2	3	6	11	13	15
13-19 YRS	104	4.7	20	1	2	3	6	11	13	25
GRAND TOTAL	**320**	**4.7**	**15**	**1**	**2**	**3**	**6**	**10**	**13**	**17**

15: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	6.2	15	2	3	7	9	11	11	21
1-11 MOS	17	7.8	21	1	4	9	11	13	15	16
1-5 YRS	11	5.9	15	1	2	6	9	11	12	12
6-12 YRS	8	5.0	8	2	3	4	7	10	10	10
13-19 YRS	211	5.3	8	3	4	5	6	9	11	15
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	3	3.7	14	1	1	2	6	8	8	8
13-19 YRS	14	4.1	14	< 1	2	3	5	9	14	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	14	7.4	25	3	4	6	10	15	19	20
1-11 MOS	21	12.4	147	3	4	10	14	28	45	50
1-5 YRS	13	5.6	25	2	2	3	7	13	17	18
6-12 YRS	17	4.7	10	1	2	5	6	8	11	13
13-19 YRS	229	5.5	7	3	4	5	7	9	11	14
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	27	10.5	92	2	4	8	11	25	35	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	296	5.6	11	2	3	5	7	10	11	16
B. Operated	22	3.6	11	1	1	2	5	8	11	15
2. MULTIPLE DX										
A. Not Operated	294	6.0	22	2	4	5	7	11	14	20
B. Operated	29	9.9	90	1	3	8	11	24	35	36
1. SINGLE DX	318	5.5	11	2	3	5	7	10	11	16
2. MULTIPLE DX	323	6.4	29	2	3	5	7	11	14	35
A. Not Operated	590	5.8	16	2	3	5	7	10	12	19
B. Operated	51	7.2	65	1	2	4	9	18	25	36
TOTAL										
0-27 DYS	65	6.4	17	2	3	6	9	11	12	21
1-11 MOS	39	10.1	93	2	4	10	13	15	31	50
1-5 YRS	28	5.1	19	1	2	4	8	12	13	18
6-12 YRS	28	4.7	9	1	2	4	7	9	10	13
13-19 YRS	481	5.6	14	2	4	5	7	10	11	22
GRAND TOTAL	**641**	**5.9**	**20**	**2**	**3**	**5**	**7**	**10**	**13**	**23**

16: Mycoses (110-118)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	31	2.5	3	1	1	2	4	5	6	8
1-5 YRS	58	3.8	10	1	2	3	5	7	10	18
6-12 YRS	20	3.6	3	1	2	4	5	6	6	6
13-19 YRS	17	2.8	1	1	2	3	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	7.0	37	1	2	5	10	17	19	19
13-19 YRS	3	5.3	14	< 1	2	7	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	3.0	2	1	2	3	4	5	5	5
1-11 MOS	64	4.4	21	2	2	3	5	8	11	31
1-5 YRS	337	3.9	8	2	2	3	5	7	9	16
6-12 YRS	76	5.3	42	2	3	4	6	9	12	44
13-19 YRS	64	5.4	22	2	3	4	6	11	14	29
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	32.6	798	9	11	23	70	90	99 +	99 +
1-5 YRS	23	26.0	495	4	6	16	43	55	68	75
6-12 YRS	24	17.6	254	5	7	15	22	34	52	77
13-19 YRS	15	31.2	804	6	7	27	45	87	90	91
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	3.3	6	1	2	3	4	5	7	16
B. Operated	13	5.8	28	1	2	5	7	14	18	19
2. MULTIPLE DX										
A. Not Operated	554	4.3	16	2	2	3	5	7	10	19
B. Operated	72	24.8	525	5	8	17	38	66	80	98
1. SINGLE DX	139	3.6	8	1	2	3	4	6	9	18
2. MULTIPLE DX	626	6.7	116	2	2	4	6	12	24	71
A. Not Operated	680	4.1	14	2	2	3	5	7	10	18
B. Operated	85	21.9	495	3	6	12	31	56	78	97
TOTAL										
0-27 DYS	14	3.0	2	2	2	3	3	5	5	5
1-11 MOS	105	6.2	141	1	2	3	5	11	26	89
1-5 YRS	419	5.1	59	2	2	3	5	8	14	49
6-12 YRS	128	7.5	98	2	3	4	7	18	24	55
13-19 YRS	99	8.9	220	2	3	4	7	20	31	89
GRAND TOTAL	**765**	**6.1**	**98**	**2**	**2**	**3**	**5**	**10**	**19**	**64**

17: Helminthiases (120-129)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	5	5.2	20	2	3	4	6	13	13	13
13-19 YRS	6	5.0	9	3	3	4	5	10	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
6-12 YRS	8	2.3	1	1	2	2	3	3	3	3
13-19 YRS	6	2.8	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	4.2	2	2	3	4	5	6	7	7
6-12 YRS	10	2.5	3	1	1	2	4	5	5	5
13-19 YRS	11	4.5	7	1	2	4	7	8	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	7	3.3	1	2	3	3	4	4	4	4
13-19 YRS	2	20.5	221	10	10	20	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	4.6	11	2	3	4	4	11	13	13
B. Operated	17	2.8	3	1	2	2	3	4	7	9
2. MULTIPLE DX										
A. Not Operated	33	3.8	5	1	2	4	5	7	8	9
B. Operated	10	7.1	76	2	3	4	7	20	31	31
1. SINGLE DX	31	3.6	7	1	2	3	4	7	11	13
2. MULTIPLE DX	43	4.5	22	1	2	4	5	7	9	31
A. Not Operated	47	4.0	6	1	2	4	5	7	9	13
B. Operated	27	4.4	33	2	2	3	4	9	13	31
TOTAL										
0-27 DYS	0									
1-11 MOS	3	4.7	16	1	2	4	8	9	9	9
1-5 YRS	16	4.1	3	1	3	4	5	7	7	7
6-12 YRS	30	3.1	5	1	2	3	4	5	5	13
13-19 YRS	25	5.5	36	2	2	4	6	10	16	31
GRAND TOTAL	**74**	**4.2**	**16**	**1**	**2**	**3**	**5**	**7**	**10**	**27**

18: Pneumocystosis(136.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	11.3	140	4	4	5	20	25	25	25
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	37.0		37	37	37	37	37	37	37
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	18.0	60	5	15	20	23	25	25	25
1-5 YRS	17	9.1	92	2	2	5	14	27	28	28
6-12 YRS	13	8.9	28	2	6	8	11	14	21	22
13-19 YRS	5	13.4	76	7	8	9	18	28	28	28
B. Operated										
0-27 DYS	0									
1-11 MOS	10	34.6	285	17	24	30	47	83	99	99 +
1-5 YRS	16	24.9	362	9	13	18	38	74	93	99 +
6-12 YRS	4	12.5	39	6	8	11	16	21	21	21
13-19 YRS	13	18.0	172	8	11	15	21	60	91	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	10.0	101	4	4	5	15	25	25	25
B. Operated	1	37.0		37	37	37	37	37	37	37
2. MULTIPLE DX										
A. Not Operated	40	10.7	70	2	4	8	16	24	28	28
B. Operated	43	23.9	293	8	13	19	38	69	99 +	99 +
1. SINGLE DX	5	15.4	221	4	5	6	28	37	37	37
2. MULTIPLE DX	83	17.5	228	3	8	14	25	46	73	99 +
A. Not Operated	44	10.6	71	2	4	8	16	25	28	28
B. Operated	44	24.2	290	9	13	19	38	68	99 +	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	15	29.1	266	15	19	25	43	69	91	99 +
1-5 YRS	35	17.0	279	2	5	13	27	39	71	99 +
6-12 YRS	20	10.0	41	3	5	9	12	21	23	25
13-19 YRS	18	16.7	144	7	9	15	20	46	80	99 +
GRAND TOTAL	**88**	**17.4**	**225**	**3**	**7**	**14**	**25**	**42**	**70**	**99 +**

19: Miscellaneous infectious and parasitic diseases (100-104; 130-136.2; 136.4-136.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	2.9	2	1	2	3	4	5	5	5
1-5 YRS	7	8.1	79	2	2	4	15	22	23	23
6-12 YRS	6	4.3	23	< 1	2	3	3	13	14	14
13-19 YRS	16	3.9	11	1	2	3	5	11	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	7.7	97	1	1	3	15	19	19	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	5.5	2	4	4	5	7	7	7	7
1-5 YRS	22	6.5	67	2	2	4	8	13	26	39
6-12 YRS	15	6.8	87	2	2	2	7	28	29	30
13-19 YRS	21	4.4	22	1	2	3	5	9	15	22
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	22.0	543	3	6	15	40	48	48	48
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	8	9.8	135	2	3	5	12	30	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	4.6	25	1	2	3	5	12	17	23
B. Operated	5	5.2	60	1	1	2	7	19	19	19
2. MULTIPLE DX										
A. Not Operated	64	5.8	50	2	2	3	6	10	24	38
B. Operated	14	10.9	201	2	2	5	15	37	46	48
1. SINGLE DX	41	4.7	28	1	2	3	4	13	19	23
2. MULTIPLE DX	78	6.7	79	2	2	4	7	16	29	45
A. Not Operated	100	5.4	41	2	2	3	6	11	20	34
B. Operated	19	9.4	165	1	2	4	13	29	43	48
TOTAL										
0-27 DYS	0									
1-11 MOS	14	4.1	3	2	3	4	5	7	7	7
1-5 YRS	32	8.3	116	2	3	4	9	20	37	48
6-12 YRS	25	5.4	60	1	2	2	4	14	28	30
13-19 YRS	48	5.3	42	1	2	3	6	12	19	36
GRAND TOTAL	**119**	**6.0**	**62**	**2**	**2**	**3**	**6**	**15**	**23**	**42**

20: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	0									
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	2	1.5	1	1	1	1	2	2	2	2
A. Not Operated	2	1.5	1	1	1	1	2	2	2	2
B. Operated	1	7.0		7	7	7	7	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**3**	**3.3**	**10**	**1**	**1**	**2**	**6**	**7**	**7**	**7**

21: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	0									
6-12 YRS	6	2.5	4	1	1	2	3	6	6	6
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	27.0	450	12	12	27	42	42	42	42
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	10	4.5	13	1	2	4	6	10	13	13
13-19 YRS	8	2.4	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS	9	3.0	5	< 1	1	3	5	6	6	6
6-12 YRS	12	5.8	50	1	2	3	8	16	24	25
13-19 YRS	2	11.5	25	8	8	11	15	15	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	67.0		67	67	67	67	67	67	67
1-5 YRS	8	11.3	52	2	6	10	18	20	20	20
6-12 YRS	11	9.3	39	1	3	11	16	41	92	99 +
13-19 YRS	11	7.2	33	1	3	6	10	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	3.6	7	1	1	3	6	7	8	8
B. Operated	22	5.5	78	1	1	2	6	12	25	42
2. MULTIPLE DX										
A. Not Operated	26	5.3	30	1	2	4	6	12	17	25
B. Operated	31	10.9	147	1	3	9	16	19	62	99 +
1. SINGLE DX	30	5.0	59	1	1	2	6	10	13	42
2. MULTIPLE DX	57	8.4	100	1	2	6	12	19	23	97
A. Not Operated	34	4.9	24	1	2	3	6	11	14	25
B. Operated	53	8.7	123	1	2	5	13	19	38	99
TOTAL										
0-27 DYS	0									
1-11 MOS	8	19.1	526	5	6	7	27	59	67	67
1-5 YRS	19	6.4	41	< 1	1	4	10	19	20	20
6-12 YRS	39	5.9	34	1	2	4	10	16	21	99 +
13-19 YRS	21	5.8	28	1	1	4	8	15	17	19
GRAND TOTAL	**87**	**7.2**	**87**	**1**	**2**	**5**	**9**	**16**	**20**	**87**

22: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

23: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	5.0		5	5	5	5	5	5	5
1. SINGLE DX	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX	1	5.0		5	5	5	5	5	5	5
A. Not Operated	0									
B. Operated	2	11.0	72	5	5	11	17	17	17	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	0									
13-19 YRS	1	17.0		17	17	17	17	17	17	17
GRAND TOTAL	**2**	**11.0**	**72**	**5**	**5**	**11**	**17**	**17**	**17**	**17**

24: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	0									
B. Operated	2	3.0	8	1	1	3	5	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**2**	**3.0**	**8**	**1**	**1**	**3**	**5**	**5**	**5**	**5**

25: Malignant neoplasm of colon (153)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	0									
B. Operated										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	4	14.0	14	9	11	14	16	18	18	18
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	9.0	98	2	2	9	16	16	16	16
13-19 YRS	8	14.4	98	4	7	12	19	30	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	11.5	25	8	8	11	15	15	15	15
2. MULTIPLE DX										
A. Not Operated	2	7.0	2	6	6	7	8	8	8	8
B. Operated	16	13.6	62	3	8	14	18	20	30	34
1. SINGLE DX	2	11.5	25	8	8	11	15	15	15	15
2. MULTIPLE DX	18	12.8	59	4	8	12	18	20	28	34
A. Not Operated	2	7.0	2	6	6	7	8	8	8	8
B. Operated	18	13.3	56	4	8	14	18	20	28	34
TOTAL										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	6	11.7	22	6	8	11	15	18	18	18
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	3	8.7	49	2	3	8	14	16	16	16
13-19 YRS	9	14.4	86	5	8	15	18	28	34	34
GRAND TOTAL	**20**	**12.7**	**54**	**4**	**8**	**12**	**17**	**19**	**27**	**34**

26: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	2	10.5	13	8	8	10	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	3	9.7	8	8	8	8	12	13	13	13
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	4	8.3	14	4	6	8	11	13	13	13
A. Not Operated	2	4.5	1	4	4	4	5	5	5	5
B. Operated	3	9.7	8	8	8	8	12	13	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	2	10.5	13	8	8	10	13	13	13	13
GRAND TOTAL	**5**	**7.6**	**12**	**4**	**5**	**8**	**9**	**13**	**13**	**13**

27: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	3.7	5	< 1	1	5	6	6	6	6
1-5 YRS	17	6.4	100	1	1	2	6	19	33	40
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	16	7.0	20	1	4	6	10	13	15	16
1-5 YRS	32	9.1	104	2	5	7	10	13	25	59
6-12 YRS	4	1.8	1	< 1	< 1	1	2	3	3	3
13-19 YRS	3	8.7	26	3	5	10	12	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	6.1	32	< 1	2	4	9	15	17	17
1-5 YRS	36	4.2	13	1	1	3	6	11	11	14
6-12 YRS	10	6.2	52	< 1	1	3	10	18	23	23
13-19 YRS	6	7.8	20	1	5	8	12	13	13	13
B. Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	19	19.6	315	5	8	15	24	41	63	77
1-5 YRS	45	15.8	208	6	7	11	19	34	50	99 +
6-12 YRS	20	18.3	355	1	4	12	24	47	62	71
13-19 YRS	13	16.8	145	4	6	17	24	35	38	39
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	5.2	66	1	1	2	6	9	24	40
B. Operated	56	8.1	72	1	4	6	10	13	19	57
2. MULTIPLE DX										
A. Not Operated	61	5.2	23	1	1	3	8	12	14	22
B. Operated	98	17.1	243	4	7	13	22	36	50	96
1. SINGLE DX	83	7.2	71	1	2	6	9	13	20	53
2. MULTIPLE DX	159	12.5	192	1	4	9	16	28	39	90
A. Not Operated	88	5.2	36	1	1	3	7	12	14	34
B. Operated	154	13.9	199	3	6	10	17	32	41	90
TOTAL										
0-27 DYS	3	10.7	90	1	3	11	18	20	20	20
1-11 MOS	51	11.1	170	1	4	6	14	23	33	77
1-5 YRS	130	9.7	135	1	3	7	11	21	35	93
6-12 YRS	36	12.2	256	1	2	5	15	32	50	71
13-19 YRS	22	13.3	109	3	5	11	18	33	36	39
GRAND TOTAL	**242**	**10.7**	**156**	**1**	**3**	**7**	**13**	**23**	**35**	**78**

28: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	2	26.0	72	20	20	26	32	32	32	32
13-19 YRS	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	4	21.0	138	5	12	23	29	32	32	32
1. SINGLE DX	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX	5	18.2	143	5	6	20	28	32	32	32
A. Not Operated	1	7.0		7	7	7	7	7	7	7
B. Operated	6	17.7	113	5	8	17	27	31	32	32
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	4	16.8	138	7	7	14	26	32	32	32
13-19 YRS	2	20.5	85	14	14	20	27	27	27	27
GRAND TOTAL	**7**	**16.1**	**110**	**5**	**7**	**14**	**25**	**31**	**32**	**32**

29: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	7.5	61	2	2	7	13	13	13	13
6-12 YRS	3	13.0	169	5	5	6	22	28	28	28
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	0									
6-12 YRS	2	9.0	8	7	7	9	11	11	11	11
13-19 YRS	3	25.0	675	10	10	10	44	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	10.8	109	2	4	6	17	28	28	28
2. MULTIPLE DX										
A. Not Operated	2	4.0		4	4	4	4	4	4	4
B. Operated	6	17.7	338	7	10	11	13	51	55	55
1. SINGLE DX	5	10.8	109	2	4	6	17	28	28	28
2. MULTIPLE DX	8	14.3	282	4	6	10	12	42	55	55
A. Not Operated	2	4.0		4	4	4	4	4	4	4
B. Operated	11	14.5	225	4	6	10	13	39	54	55
TOTAL										
0-27 DYS	0									
1-11 MOS	2	8.5	41	4	4	8	13	13	13	13
1-5 YRS	3	6.3	34	2	2	4	11	13	13	13
6-12 YRS	5	11.4	91	5	6	7	15	28	28	28
13-19 YRS	3	25.0	675	10	10	10	44	55	55	55
GRAND TOTAL	**13**	**12.9**	**204**	**3**	**5**	**10**	**13**	**33**	**51**	**55**

30: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.5	2	1	1	1	1	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	3.0	2	<1	3	3	3	5	5	5
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	5	8.2	13	5	6	6	11	13	13	13
1-5 YRS	8	6.5	9	3	4	7	8	11	12	12
6-12 YRS	7	5.6	10	3	3	5	6	11	12	12
13-19 YRS	5	6.8	19	3	4	4	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.8	14	1	1	3	6	9	9	9
1-5 YRS	6	5.0	17	1	3	4	5	12	13	13
6-12 YRS	5	10.6	309	1	2	3	13	42	42	42
13-19 YRS	8	5.8	35	2	3	4	5	16	20	20
B. Operated										
0-27 DYS	0									
1-11 MOS	10	10.0	72	4	5	7	11	23	32	32
1-5 YRS	15	10.1	40	3	5	9	13	22	23	24
6-12 YRS	17	10.5	80	4	5	7	13	23	32	37
13-19 YRS	15	12.6	180	3	6	8	13	42	46	47
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	2.5	2	1	1	3	3	5	5	5
B. Operated	25	6.6	11	3	4	6	9	12	12	13
2. MULTIPLE DX										
A. Not Operated	23	6.3	79	1	3	4	5	14	28	42
B. Operated	57	10.9	90	4	5	8	13	23	35	47
1. SINGLE DX	40	5.1	12	1	3	4	7	11	12	13
2. MULTIPLE DX	80	9.6	90	3	4	6	11	21	34	46
A. Not Operated	38	4.8	51	1	1	3	5	8	17	42
B. Operated	82	9.6	70	3	5	7	11	16	27	45
TOTAL										
0-27 DYS	0									
1-11 MOS	25	6.6	44	1	1	5	9	13	19	32
1-5 YRS	30	7.9	30	2	4	7	11	13	22	24
6-12 YRS	35	8.3	86	3	3	5	9	18	34	42
13-19 YRS	30	9.2	110	3	4	6	9	17	42	47
GRAND TOTAL	**120**	**8.1**	**68**	**2**	**3**	**5**	**9**	**15**	**24**	**44**

31: Malignant neoplasm of bone and connective tissue (170-171)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	24	3.5	8	1	2	3	4	9	10	11
6-12 YRS	73	3.6	7	1	2	3	4	7	10	13
13-19 YRS	62	4.0	18	1	2	3	4	8	12	24
B. Operated										
0-27 DYS	0									
1-11 MOS	14	3.9	6	1	2	3	6	8	8	8
1-5 YRS	54	6.2	42	1	2	5	9	12	14	39
6-12 YRS	95	6.6	29	1	3	5	8	14	17	25
13-19 YRS	139	5.4	25	1	2	4	7	10	15	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	7.2	16	3	4	7	9	14	16	16
1-5 YRS	71	5.5	35	1	3	4	6	12	17	35
6-12 YRS	142	4.9	24	1	2	4	6	9	14	24
13-19 YRS	108	5.7	40	1	2	4	5	14	20	31
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	10	12.8	102	2	8	8	18	29	31	31
1-5 YRS	56	11.4	119	3	5	9	14	20	27	64
6-12 YRS	75	10.5	126	2	4	7	14	23	48	99+
13-19 YRS	101	8.9	49	2	4	7	12	19	24	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	162	3.7	11	1	2	3	4	8	10	18
B. Operated	302	5.8	29	1	2	5	8	12	16	25
2. MULTIPLE DX										
A. Not Operated	334	5.4	31	1	2	4	6	11	16	31
B. Operated	243	10.1	91	2	4	8	13	21	29	67
1. SINGLE DX	464	5.1	23	1	2	4	7	10	14	24
2. MULTIPLE DX	577	7.4	62	1	3	5	9	16	22	48
A. Not Operated	496	4.8	25	1	2	3	5	10	14	28
B. Operated	545	7.7	61	1	3	6	10	16	22	51
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	40	7.2	44	1	3	6	8	15	23	31
1-5 YRS	205	7.1	64	1	3	4	9	14	19	45
6-12 YRS	385	6.1	47	1	3	4	7	14	17	49
13-19 YRS	410	6.1	36	1	2	4	8	14	19	30
GRAND TOTAL	**1041**	**6.4**	**46**	**1**	**2**	**4**	**8**	**14**	**19**	**38**

32: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	8	3.4	2	1	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.5	13	4	4	6	9	9	9	9
13-19 YRS	0									
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	10.6	88	2	4	6	17	25	25	25
13-19 YRS	4	3.8	13	1	1	2	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	13	2.8	2	1	2	2	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	2	6.5	13	4	4	6	9	9	9	9
B. Operated	10	8.4	62	1	2	5	15	20	25	25
1. SINGLE DX	13	2.8	2	1	2	2	4	5	6	6
2. MULTIPLE DX	12	8.1	53	2	3	5	12	19	24	25
A. Not Operated	2	6.5	13	4	4	6	9	9	9	9
B. Operated	23	5.2	35	1	2	3	6	15	19	25
TOTAL										
0-27 DYS	2	9.0	98	2	2	9	16	16	16	16
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	9	7.8	59	2	2	5	10	21	25	25
13-19 YRS	12	3.5	5	1	2	3	4	7	9	9
GRAND TOTAL	**25**	**5.3**	**32**	**1**	**2**	**3**	**6**	**15**	**18**	**25**

33: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.0	9	1	2	4	6	7	7	7
1-5 YRS	3	5.3	4	3	4	6	7	7	7	7
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	7	2.0	2	< 1	1	1	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	16	3.0	5	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	2	5.5	13	3	3	5	8	8	8	8
B. Operated	5	3.2	1	2	2	3	4	5	5	5
1. SINGLE DX	17	2.9	5	1	1	2	4	7	7	7
2. MULTIPLE DX	7	3.9	4	2	3	3	5	7	8	8
A. Not Operated	3	4.3	10	2	2	3	7	8	8	8
B. Operated	21	3.0	4	1	1	3	4	6	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	4	5.0	10	1	2	5	7	8	8	8
1-5 YRS	5	4.2	5	2	3	3	6	7	7	7
6-12 YRS	6	2.7	3	1	1	2	4	5	5	5
13-19 YRS	9	2.2	2	< 1	1	2	3	4	5	5
GRAND TOTAL	**24**	**3.2**	**5**	**1**	**1**	**3**	**4**	**7**	**7**	**8**

34: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.7	8	< 1	< 1	< 1	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.7	9	3	3	5	8	9	9	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	6.0	1	5	5	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	6	2.7	4	< 1	< 1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	6	5.8	4	3	5	6	7	9	9	9
1. SINGLE DX	6	2.7	4	< 1	< 1	2	4	6	6	6
2. MULTIPLE DX	6	5.8	4	3	5	6	7	9	9	9
A. Not Operated	0									
B. Operated	12	4.3	6	< 1	2	4	6	8	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	6	4.2	7	2	2	3	5	9	9	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	4.3	7	< 1	< 1	5	6	7	7	7
GRAND TOTAL	**12**	**4.3**	**6**	**< 1**	**2**	**4**	**6**	**8**	**9**	**9**

35: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	13.5	5	12	12	13	15	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	0									
13-19 YRS	2	7.5	1	7	7	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	5	10.8	11	7	8	12	13	15	15	15
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	5	10.8	11	7	8	12	13	15	15	15
A. Not Operated	0									
B. Operated	6	9.7	16	4	7	10	12	15	15	15
TOTAL										
0-27 DYS	0									
1-11 MOS	2	13.5	5	12	12	13	15	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	0									
13-19 YRS	3	6.3	4	4	5	7	8	8	8	8
GRAND TOTAL	**6**	**9.7**	**16**	**4**	**7**	**10**	**12**	**15**	**15**	**15**

36: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

37: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	4	5.0		5	5	5	5	5	5	5
13-19 YRS	3	4.3		4	4	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	5.0	2	3	4	5	6	7	7	7
13-19 YRS	16	7.2	11	4	5	6	9	12	14	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	3.0	3	2	2	2	4	5	5	5
13-19 YRS	3	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	9.7	40	6	6	6	14	17	17	17
6-12 YRS	2	8.0	18	5	5	8	11	11	11	11
13-19 YRS	15	7.3	6	4	6	7	9	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	4.7		4	4	5	5	5	5	5
B. Operated	22	6.6	9	4	5	5	7	12	13	15
2. MULTIPLE DX										
A. Not Operated	7	4.1	2	2	3	5	5	5	5	5
B. Operated	20	7.8	10	4	6	7	9	12	15	17
1. SINGLE DX	31	6.0	8	4	5	5	6	11	12	15
2. MULTIPLE DX	27	6.8	11	3	5	6	8	11	14	17
A. Not Operated	16	4.4	1	2	4	5	5	5	5	5
B. Operated	42	7.1	10	4	5	6	8	12	14	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	6.9	20	4	5	5	6	15	17	17
6-12 YRS	14	5.0	5	2	5	5	5	7	10	11
13-19 YRS	37	6.8	8	4	5	6	8	12	13	15
GRAND TOTAL	**58**	**6.4**	**9**	**4**	**5**	**5**	**7**	**11**	**13**	**17**

38: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	18	< 1	< 1	3	7	7	7	7
1-5 YRS	4	6.5	25	1	3	6	10	13	13	13
6-12 YRS	0									
13-19 YRS	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	6.5	26	3	3	4	9	14	14	14
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	12.3	47	3	7	13	19	19	19	19
6-12 YRS	0									
13-19 YRS	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	8	6.3	26	< 1	1	6	10	14	14	14
2. MULTIPLE DX										
A. Not Operated	4	6.5	26	3	3	4	9	14	14	14
B. Operated	7	12.4	40	4	7	13	18	19	19	19
1. SINGLE DX	10	5.4	24	< 1	1	4	7	13	14	14
2. MULTIPLE DX	11	10.3	40	3	4	9	16	19	19	19
A. Not Operated	6	5.0	21	1	3	4	5	13	14	14
B. Operated	15	9.1	40	1	3	7	14	19	19	19
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0	18	< 1	< 1	3	7	7	7	7
1-5 YRS	16	8.1	40	1	3	6	13	19	19	19
6-12 YRS	0									
13-19 YRS	3	9.7	44	2	5	13	14	14	14	14
GRAND TOTAL	**21**	**8.0**	**37**	**1**	**3**	**7**	**13**	**18**	**19**	**19**

39: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	3	5.7	8	4	4	4	8	9	9	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	4	21.8	888	4	4	13	74	99+	99+	99+
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	3	21.0	481	5	7	12	37	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	3.7		3	3	4	4	4	4	4
B. Operated	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	7	3.7	7	1	2	3	4	8	9	9
B. Operated	11	17.4	410	4	5	11	33	76	97	99+
1. SINGLE DX	5	4.2	9	1	2	4	5	9	9	9
2. MULTIPLE DX	18	12.1	291	2	3	5	13	58	85	99+
A. Not Operated	10	3.7	4	1	3	3	4	7	9	9
B. Operated	13	15.5	366	3	4	10	20	69	93	99+
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	9.0	8	7	7	9	11	11	11	11
1-5 YRS	6	16.2	614	2	4	9	53	93	99+	99+
6-12 YRS	6	5.8	49	2	3	3	4	18	20	20
13-19 YRS	8	10.6	216	2	4	5	10	36	46	46
GRAND TOTAL	**23**	**10.3**	**237**	**2**	**3**	**4**	**11**	**48**	**76**	**99+**

40: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	14	4.3	17	1	1	2	7	11	13	13
6-12 YRS	0									
13-19 YRS	16	2.4	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	9.0	12	7	7	8	10	15	15	15
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	4.0	3	1	3	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	3	26.0	727	8	9	13	46	57	57	57
1-5 YRS	5	8.2	62	1	2	4	15	19	19	19
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	18	5.6	16	1	1	5	9	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	4	1	2	4	5	5	5	5
B. Operated	33	3.2	10	1	1	2	5	7	11	13
2. MULTIPLE DX										
A. Not Operated	12	6.3	11	3	5	5	7	10	14	15
B. Operated	27	8.3	117	1	2	6	10	14	25	57
1. SINGLE DX	37	3.2	9	1	1	2	5	7	10	13
2. MULTIPLE DX	39	7.7	84	1	4	5	9	14	17	57
A. Not Operated	16	5.6	11	1	4	5	7	8	13	15
B. Operated	60	5.5	64	1	1	3	7	12	14	53
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	13.6	380	2	5	6	12	48	57	57
1-5 YRS	27	5.7	25	1	1	4	8	14	16	19
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	39	4.1	11	1	1	4	6	10	11	12
GRAND TOTAL	**76**	**5.5**	**52**	**1**	**1**	**4**	**7**	**11**	**14**	**47**

41: Malignant neoplasm of bladder (188)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	5.5	26	1	1	4	10	13	16	16
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	7.0	18	4	4	7	10	10	10	10
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	8	8.0	46	2	3	7	9	19	23	23
1-5 YRS	10	13.7	111	1	2	14	19	29	34	34
6-12 YRS	2	13.0	162	4	4	13	22	22	22	22
13-19 YRS	3	8.7	82	2	3	5	15	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		1	1	1	1	1	1	1
B. Operated	12	4.9	23	1	2	3	7	12	15	16
2. MULTIPLE DX										
A. Not Operated	4	7.5	30	2	3	7	12	14	14	14
B. Operated	23	11.0	83	2	3	9	18	23	27	34
1. SINGLE DX	16	3.9	20	1	1	2	4	11	14	16
2. MULTIPLE DX	27	10.5	75	2	3	9	16	23	25	34
A. Not Operated	8	4.3	25	1	1	2	7	13	14	14
B. Operated	35	8.9	70	1	2	5	15	22	24	34
TOTAL										
0-27 DYS	0									
1-11 MOS	10	8.0	44	2	2	7	10	18	23	23
1-5 YRS	25	8.4	74	1	1	4	14	19	26	34
6-12 YRS	4	7.3	98	1	1	3	13	22	22	22
13-19 YRS	4	7.0	66	2	2	4	12	19	19	19
GRAND TOTAL	**43**	**8.0**	**64**	**1**	**2**	**4**	**13**	**20**	**23**	**34**

42: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	3.6	1	2	3	4	4	4	4	4
1-5 YRS	18	3.4	3	1	2	4	4	5	7	8
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	6	12.0	65	2	5	13	14	24	25	25
B. Operated										
0-27 DYS	0									
1-11 MOS	11	7.2	8	3	6	7	9	11	12	12
1-5 YRS	63	9.4	16	6	7	9	11	14	15	25
6-12 YRS	22	9.5	43	5	6	8	10	17	28	30
13-19 YRS	5	12.2	151	2	5	7	18	33	33	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	8.5	70	2	4	5	12	23	24	24
1-5 YRS	43	5.9	32	1	3	5	8	11	15	32
6-12 YRS	14	5.2	19	1	2	4	6	12	15	16
13-19 YRS	7	2.1	2	1	1	1	3	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	19	12.1	19	7	9	11	14	18	22	23
1-5 YRS	89	13.2	110	5	8	10	15	28	36	89
6-12 YRS	23	15.0	214	5	8	10	16	29	55	65
13-19 YRS	13	10.7	47	5	6	8	13	21	27	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	4.9	22	1	3	4	5	12	14	25
B. Operated	101	9.3	27	5	7	8	11	14	18	31
2. MULTIPLE DX										
A. Not Operated	70	5.6	30	1	2	4	7	12	16	30
B. Operated	144	13.1	108	5	8	10	15	24	35	73
1. SINGLE DX	136	8.2	29	3	5	7	11	14	15	30
2. MULTIPLE DX	214	10.7	95	2	5	9	13	21	32	67
A. Not Operated	105	5.4	27	1	3	4	6	12	15	28
B. Operated	245	11.6	78	5	7	9	13	21	30	65
TOTAL										
0-27 DYS	0									
1-11 MOS	45	8.7	28	3	4	8	11	16	21	24
1-5 YRS	213	9.8	68	3	5	8	11	19	26	51
6-12 YRS	61	10.4	114	2	6	8	11	19	28	63
13-19 YRS	31	9.3	66	1	4	7	13	21	29	33
GRAND TOTAL	**350**	**9.7**	**70**	**2**	**5**	**8**	**12**	**18**	**25**	**50**

43: Malignant neoplasm of eye (190)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	8	2.4	5	< 1	< 1	1	3	6	7	7
6-12 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	16	2.1	4	< 1	1	1	2	6	7	8
1-5 YRS	33	2.5	4	1	1	2	3	4	6	12
6-12 YRS	6	1.7	1	< 1	1	1	2	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	4	7.3	77	< 1	1	4	13	20	20	20
6-12 YRS	5	4.6	17	1	2	2	8	10	10	10
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.7	5	1	1	4	5	7	7	7
1-5 YRS	10	17.9	505	1	3	5	26	57	64	64
6-12 YRS	3	5.0	9	2	3	5	7	8	8	8
13-19 YRS	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.3	4	< 1	< 1	1	3	6	7	7
B. Operated	58	2.3	4	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. Not Operated	14	6.4	70	1	2	2	8	21	27	29
B. Operated	21	10.7	280	1	2	5	8	36	57	64
1. SINGLE DX	70	2.3	4	< 1	1	2	3	4	6	11
2. MULTIPLE DX	35	9.0	196	1	2	4	8	26	45	64
A. Not Operated	26	4.5	42	< 1	< 1	2	5	10	22	29
B. Operated	79	4.5	89	1	1	2	4	7	15	60
TOTAL										
0-27 DYS	4	8.5	188	1	1	2	16	29	29	29
1-11 MOS	26	2.5	4	< 1	1	2	4	6	7	8
1-5 YRS	55	5.6	127	< 1	1	2	4	12	24	63
6-12 YRS	17	3.0	9	< 1	1	2	4	8	9	10
13-19 YRS	3	4.7	9	2	2	4	7	8	8	8
GRAND TOTAL	**105**	**4.5**	**77**	**< 1**	**1**	**2**	**4**	**8**	**18**	**57**

44: Malignant neoplasm of brain (191)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.3	5	1	1	3	5	6	6	6
1-5 YRS	38	3.7	18	1	1	2	5	9	11	23
6-12 YRS	52	3.5	10	1	1	2	5	9	10	14
13-19 YRS	19	3.4	12	1	1	1	6	9	10	10
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	13	8.8	14	4	6	10	12	13	14	14
1-5 YRS	105	8.3	50	1	2	8	11	15	24	36
6-12 YRS	134	7.6	57	1	2	6	10	15	20	45
13-19 YRS	66	7.5	41	2	3	6	10	14	17	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	3.6	9	1	2	2	5	9	9	9
1-5 YRS	115	5.2	39	1	2	3	6	11	18	31
6-12 YRS	127	5.4	54	1	2	3	6	11	14	37
13-19 YRS	62	5.0	55	1	1	3	5	9	17	42
B. Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	41	20.0	519	4	8	15	36	99 +	99 +	99 +
1-5 YRS	204	16.4	273	2	6	12	21	39	66	99 +
6-12 YRS	218	14.5	228	2	6	10	16	36	49	97
13-19 YRS	126	15.0	268	4	6	11	17	32	71	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	3.6	12	1	1	2	5	9	10	17
B. Operated	319	7.8	49	1	3	7	11	14	21	38
2. MULTIPLE DX										
A. Not Operated	313	5.2	47	1	2	3	6	11	16	34
B. Operated	590	15.6	272	3	6	11	18	37	66	99 +
1. SINGLE DX	432	6.7	43	1	2	5	9	13	17	36
2. MULTIPLE DX	903	12.0	219	1	3	8	14	29	47	99 +
A. Not Operated	426	4.7	38	1	1	3	6	10	14	31
B. Operated	909	12.9	208	2	5	9	15	29	47	99 +
TOTAL										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	67	14.6	368	2	5	9	18	75	99 +	99 +
1-5 YRS	462	10.7	170	1	2	7	13	25	37	84
6-12 YRS	531	9.5	140	1	2	6	11	20	32	77
13-19 YRS	273	10.1	168	1	3	7	11	22	35	78
GRAND TOTAL	**1335**	**10.3**	**168**	**1**	**3**	**7**	**12**	**23**	**37**	**96**

45: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	2.6	4	< 1	1	2	4	6	7	7
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	19	6.5	49	< 1	3	5	8	10	23	33
6-12 YRS	9	10.4	23	5	8	10	15	60	99 +	99 +
13-19 YRS	10	10.2	144	1	4	6	13	29	41	41
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.7	32	1	2	4	10	12	12	12
1-5 YRS	10	3.7	15	< 1	1	1	7	10	11	11
6-12 YRS	7	3.3	3	2	2	3	4	6	7	7
13-19 YRS	4	4.5	4	3	3	4	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	13	11.6	27	6	8	10	16	17	21	22
1-5 YRS	24	14.3	127	5	8	10	15	36	42	46
6-12 YRS	19	14.2	327	2	3	7	13	51	57	59
13-19 YRS	13	14.2	98	4	8	12	19	31	34	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	2.6	4	< 1	1	2	4	5	7	7
B. Operated	41	8.2	63	1	5	6	10	19	36	99 +
2. MULTIPLE DX										
A. Not Operated	24	4.0	11	1	1	3	6	9	11	12
B. Operated	69	13.8	153	3	7	10	15	33	46	58
1. SINGLE DX	53	6.9	55	1	3	5	8	15	30	98
2. MULTIPLE DX	93	11.2	134	1	4	8	14	22	40	57
A. Not Operated	36	3.5	9	< 1	1	3	4	7	10	12
B. Operated	110	11.7	126	2	5	8	14	25	41	75
TOTAL										
0-27 DYS	0									
1-11 MOS	19	9.7	30	3	5	8	14	16	19	22
1-5 YRS	63	8.4	88	< 1	2	7	10	16	34	45
6-12 YRS	36	10.8	195	2	3	7	12	42	57	99 +
13-19 YRS	28	11.0	105	2	4	7	14	28	36	41
GRAND TOTAL	**146**	**9.7**	**109**	**1**	**3**	**7**	**12**	**20**	**36**	**60**

46: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.5	14	1	1	2	6	9	9	9
1-5 YRS	27	2.4	5	< 1	1	1	3	6	8	10
6-12 YRS	5	2.0	2	< 1	1	2	3	4	4	4
13-19 YRS	8	2.1		< 1	2	2	3	3	3	3
B. Operated										
0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	8	6.1	8	3	4	6	8	10	11	11
1-5 YRS	35	7.6	92	1	3	5	7	16	33	46
6-12 YRS	20	2.9	4	1	1	2	5	6	6	7
13-19 YRS	42	3.8	57	1	2	2	3	5	9	50
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	20	2.6	3	1	1	2	4	5	6	6
1-5 YRS	110	4.5	26	1	2	3	6	8	10	33
6-12 YRS	32	5.7	97	< 1	1	2	5	14	30	48
13-19 YRS	8	5.9	29	1	2	4	9	15	16	16
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	31	13.5	286	4	6	8	12	34	47	85
1-5 YRS	113	14.4	221	4	6	9	19	32	53	70
6-12 YRS	36	10.2	172	1	3	7	13	24	59	99 +
13-19 YRS	43	6.1	55	2	3	4	7	12	14	49
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	44	2.4	5	< 1	1	2	3	5	8	10
B. Operated	107	5.1	57	1	2	3	6	9	13	48
2. MULTIPLE DX										
A. Not Operated	170	4.6	37	1	1	3	6	8	14	34
B. Operated	224	12.0	197	2	4	7	13	28	49	74
1. SINGLE DX	151	4.3	43	1	1	2	5	8	11	46
2. MULTIPLE DX	394	8.8	141	1	2	5	9	20	33	70
A. Not Operated	214	4.1	31	1	1	2	5	8	11	33
B. Operated	331	9.8	162	2	3	6	10	22	38	70
TOTAL										
0-27 DYS	3	8.0	3	7	7	7	9	10	10	10
1-11 MOS	63	8.4	167	1	3	5	9	14	33	80
1-5 YRS	285	8.6	132	1	2	5	9	20	33	59
6-12 YRS	93	6.7	108	1	1	3	7	16	31	87
13-19 YRS	101	4.8	50	1	2	3	5	9	13	49
GRAND TOTAL	**545**	**7.5**	**118**	**1**	**2**	**4**	**8**	**15**	**30**	**60**

47: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	15	3.5	3	1	3	3	5	6	6	6
6-12 YRS	4	6.5	10	4	4	5	8	11	11	11
13-19 YRS	6	3.2	4	< 1	1	3	5	6	6	6
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	10	5.9	18	1	3	5	8	12	15	15
1-5 YRS	32	7.2	30	1	3	6	9	14	19	26
6-12 YRS	17	3.8	6	1	1	4	6	7	8	8
13-19 YRS	11	6.5	16	1	3	6	10	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	12	6.8	20	3	4	6	7	16	17	17
1-5 YRS	66	4.4	19	1	2	3	5	9	12	26
6-12 YRS	38	4.9	24	1	1	4	6	11	16	24
13-19 YRS	68	3.8	9	1	2	3	5	8	10	15
B. Operated										
0-27 DYS	2	16.0	72	10	10	16	22	22	22	22
1-11 MOS	24	17.8	496	2	4	9	23	48	78	84
1-5 YRS	115	11.9	220	2	4	7	13	30	63	99 +
6-12 YRS	70	10.4	169	2	4	6	10	22	43	68
13-19 YRS	124	9.2	95	2	5	7	10	18	26	78
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	27	3.7	5	1	3	3	5	6	7	11
B. Operated	71	6.1	22	1	3	6	8	12	14	25
2. MULTIPLE DX										
A. Not Operated	186	4.4	17	1	2	3	5	9	13	22
B. Operated	335	11.0	184	2	4	7	12	24	44	86
1. SINGLE DX	98	5.5	18	1	3	5	7	11	13	23
2. MULTIPLE DX	521	8.7	134	1	3	5	9	19	30	77
A. Not Operated	213	4.4	15	1	2	3	5	8	12	20
B. Operated	406	10.2	159	2	4	6	11	22	39	82
TOTAL										
0-27 DYS	6	8.3	59	1	2	7	10	21	22	22
1-11 MOS	47	12.2	291	2	3	6	13	28	50	84
1-5 YRS	228	8.5	133	1	3	5	9	19	30	84
6-12 YRS	129	7.8	107	1	3	5	8	15	25	59
13-19 YRS	209	7.1	66	1	3	5	8	15	21	64
GRAND TOTAL	**619**	**8.2**	**117**	**1**	**3**	**5**	**9**	**16**	**27**	**73**

48: Hodgkin's disease (201)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	2.1	5	1	1	1	2	6	7	7
13-19 YRS	21	2.4	4	< 1	1	2	3	5	7	9
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	6	2.5	6	< 1	1	2	3	7	7	7
6-12 YRS	55	5.8	18	1	2	5	8	14	15	15
13-19 YRS	154	5.3	16	1	2	5	7	9	11	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	18	4.6	13	1	1	3	8	10	11	11
13-19 YRS	38	5.6	21	1	2	4	7	11	14	23
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	30	8.6	24	3	4	8	11	16	19	20
13-19 YRS	85	11.9	221	2	4	7	11	30	52	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.3	4	1	1	2	3	5	7	9
B. Operated	216	5.4	16	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. Not Operated	58	5.2	18	1	2	4	7	11	13	22
B. Operated	117	10.9	169	2	4	7	11	25	50	61
1. SINGLE DX	244	5.0	16	1	2	4	7	9	12	16
2. MULTIPLE DX	175	9.0	126	2	3	6	10	18	30	57
A. Not Operated	86	4.2	15	1	1	3	6	10	11	20
B. Operated	333	7.3	76	1	3	5	8	12	19	54
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	2.7	5	< 1	1	2	4	7	7	7
6-12 YRS	110	6.1	20	1	2	6	9	12	15	20
13-19 YRS	298	7.0	84	1	2	5	8	11	21	55
GRAND TOTAL	**419**	**6.7**	**65**	**1**	**2**	**5**	**8**	**12**	**17**	**52**

1,077 Hospitals, United States, Pediatric, January-December 1988

49: Acute lymphoid leukemia (204.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.8	2	< 1	< 1	1	2	4	4	4
1-5 YRS	113	3.7	11	< 1	1	3	5	7	8	17
6-12 YRS	127	3.6	19	< 1	1	2	5	7	10	24
13-19 YRS	67	4.7	60	1	2	3	5	8	11	54
B. Operated										
0-27 DYS	0									
1-11 MOS	14	7.3	30	2	4	6	9	15	20	21
1-5 YRS	200	7.4	54	1	3	6	10	13	20	44
6-12 YRS	160	6.4	80	< 1	2	4	8	12	19	53
13-19 YRS	59	7.0	42	1	2	5	10	13	25	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	7.8	64	1	2	4	11	21	27	29
1-5 YRS	244	5.3	26	1	2	4	8	11	14	22
6-12 YRS	286	6.0	55	1	2	4	7	13	19	41
13-19 YRS	126	5.5	36	1	2	4	6	10	18	32
B. Operated										
0-27 DYS	1	65.0		65	65	65	65	65	65	65
1-11 MOS	19	18.4	157	6	9	13	32	41	74	99 +
1-5 YRS	266	15.7	194	3	6	11	21	34	44	73
6-12 YRS	165	16.0	228	2	6	11	23	36	53	99 +
13-19 YRS	124	22.4	348	4	8	18	32	48	59	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	3.9	25	< 1	1	3	5	7	10	24
B. Operated	433	6.9	61	1	2	5	9	13	20	44
2. MULTIPLE DX										
A. Not Operated	672	5.7	41	1	2	4	7	12	18	36
B. Operated	575	17.4	246	3	7	12	24	37	49	94
1. SINGLE DX	744	5.7	48	1	2	4	7	11	15	37
2. MULTIPLE DX	1247	11.1	170	1	3	6	14	28	37	71
A. Not Operated	983	5.1	37	1	2	3	6	10	16	31
B. Operated	1008	12.9	193	2	4	8	17	32	42	79
TOTAL										
0-27 DYS	2	34.0	1922	3	3	34	65	65	65	65
1-11 MOS	52	11.1	115	1	4	8	14	32	33	98
1-5 YRS	823	8.9	108	1	3	6	11	21	29	47
6-12 YRS	738	7.9	112	1	2	4	9	20	30	67
13-19 YRS	376	11.2	206	1	2	5	13	30	39	70
GRAND TOTAL	1991	9.0	131	1	2	5	10	23	33	59

50: Other lymphoid leukemia (204.1-204.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.8	11	< 1	1	5	7	8	8	8
6-12 YRS	3	10.3	2	9	9	10	11	12	12	12
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	13.3	196	2	4	9	24	29	29	29
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.0	5	2	2	3	5	7	7	7
B. Operated	3	2.0	1	< 1	< 1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	7	7.1	15	1	4	8	10	12	12	12
B. Operated	4	17.3	192	2	5	19	29	29	29	29
1. SINGLE DX	7	3.1	4	< 1	2	3	4	6	7	7
2. MULTIPLE DX	11	10.8	93	1	4	9	11	29	29	29
A. Not Operated	11	6.0	13	1	3	7	9	11	12	12
B. Operated	7	10.7	163	< 1	2	3	24	29	29	29
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	7.6	84	1	2	5	8	23	29	29
6-12 YRS	8	9.1	80	1	2	8	11	24	29	29
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
GRAND TOTAL	18	7.8	71	1	2	5	9	24	29	29

51: Acute myelogenous leukemia (205.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	3.9	3	1	3	4	5	6	6	6
1-5 YRS	24	5.8	85	1	1	4	5	8	24	47
6-12 YRS	21	4.9	16	< 1	1	4	7	10	13	16
13-19 YRS	23	2.6	7	< 1	< 1	1	3	7	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	4	5.5	12	1	3	6	8	9	9	9
1-5 YRS	25	10.5	169	1	1	7	10	36	41	45
6-12 YRS	26	8.1	79	< 1	1	5	11	19	31	34
13-19 YRS	21	3.9	11	1	2	2	5	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	7.6	163	< 1	1	4	5	25	43	47
1-5 YRS	42	8.7	56	1	3	7	12	18	26	33
6-12 YRS	52	7.0	61	1	3	5	9	13	24	40
13-19 YRS	33	5.8	32	< 1	1	5	8	12	16	27
B. Operated										
0-27 DYS	1	45.0		45	45	45	45	45	45	45
1-11 MOS	11	28.1	355	6	10	33	36	50	67	69
1-5 YRS	46	31.1	720	4	9	26	50	70	86	95
6-12 YRS	49	25.3	465	3	8	16	42	61	69	99 +
13-19 YRS	71	31.0	372	7	12	31	43	57	68	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	4.4	34	< 1	1	3	6	8	11	39
B. Operated	76	7.6	91	1	1	4	10	19	33	44
2. MULTIPLE DX										
A. Not Operated	140	7.3	61	1	2	5	9	16	24	41
B. Operated	178	29.3	484	5	10	28	44	61	70	94
1. SINGLE DX	152	6.0	65	< 1	1	3	7	11	22	45
2. MULTIPLE DX	318	19.6	418	1	4	10	33	51	64	87
A. Not Operated	216	6.2	54	< 1	1	4	8	13	18	42
B. Operated	254	22.8	465	2	5	13	37	56	69	92
TOTAL										
0-27 DYS	1	45.0		45	45	45	45	45	45	45
1-11 MOS	36	12.8	267	1	3	5	15	36	44	69
1-5 YRS	137	16.0	417	1	3	7	19	47	62	92
6-12 YRS	148	12.9	265	1	3	7	14	40	56	72
13-19 YRS	148	17.1	366	1	2	8	31	47	56	74
GRAND TOTAL	**470**	**15.2**	**344**	**1**	**3**	**7**	**20**	**44**	**57**	**81**

52: Other leukemia (205.1-208.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.3		< 1	< 1	< 1	1	2	2	2
1-5 YRS	10	5.8	51	< 1	1	4	6	16	25	25
6-12 YRS	14	2.6	8	< 1	1	1	4	5	10	11
13-19 YRS	8	3.1	3	1	2	3	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	14	8.9	134	1	2	4	8	32	36	37
6-12 YRS	13	13.4	714	1	1	2	8	52	86	94
13-19 YRS	7	13.0	303	3	5	7	10	44	52	52
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	45.0		45	45	45	45	45	45	45
1-5 YRS	25	6.9	88	2	2	4	8	10	25	48
6-12 YRS	24	8.9	87	1	2	6	12	19	34	35
13-19 YRS	20	6.4	53	< 1	1	3	9	19	24	25
B. Operated										
0-27 DYS	0									
1-11 MOS	13	21.6	320	3	7	18	34	50	53	54
1-5 YRS	34	15.4	474	2	3	7	11	54	57	97
6-12 YRS	31	17.7	338	3	5	11	25	47	65	68
13-19 YRS	27	16.7	195	1	5	12	25	35	48	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	3.4	19	< 1	1	2	4	6	10	25
B. Operated	36	11.0	355	1	2	4	8	36	49	94
2. MULTIPLE DX										
A. Not Operated	70	8.0	96	1	2	4	9	17	34	47
B. Operated	105	17.2	337	2	5	10	26	48	55	81
1. SINGLE DX	72	7.2	199	< 1	1	3	6	15	36	85
2. MULTIPLE DX	175	13.5	260	1	3	8	17	36	50	67
A. Not Operated	106	6.4	74	< 1	2	3	8	16	25	46
B. Operated	141	15.6	347	1	3	8	22	43	55	94
TOTAL										
0-27 DYS	0									
1-11 MOS	20	16.9	330	< 1	2	8	30	47	51	54
1-5 YRS	83	10.6	261	1	2	5	9	32	50	84
6-12 YRS	82	11.9	288	1	2	5	13	34	48	86
13-19 YRS	62	11.2	160	1	2	7	16	27	41	52
GRAND TOTAL	**247**	**11.7**	**249**	**1**	**2**	**6**	**12**	**34**	**48**	**69**

53: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	4.9	17	<1	1	5	6	10	15	16
6-12 YRS	29	3.1	4	1	1	3	4	6	6	7
13-19 YRS	17	5.2	35	1	2	4	6	9	20	26
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	43	5.4	23	1	2	4	7	11	17	21
6-12 YRS	63	6.1	55	1	2	5	8	12	13	51
13-19 YRS	42	6.2	58	1	2	4	7	16	28	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	8.6	74	1	2	5	16	21	21	21
1-5 YRS	42	6.4	48	1	2	5	8	10	20	36
6-12 YRS	45	4.8	29	1	1	3	5	12	19	24
13-19 YRS	29	6.2	51	1	2	4	7	12	24	35
B. Operated										
0-27 DYS	0									
1-11 MOS	6	24.2	521	4	11	30	80	99+	99+	99+
1-5 YRS	42	16.6	306	4	6	11	21	65	81	99+
6-12 YRS	66	14.0	164	3	5	10	18	32	45	55
13-19 YRS	66	17.6	336	3	7	10	22	47	60	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	60	4.1	16	1	1	4	5	7	9	25
B. Operated	150	5.9	45	1	2	4	7	12	17	31
2. MULTIPLE DX										
A. Not Operated	121	5.9	42	1	2	4	8	12	21	35
B. Operated	180	16.3	271	3	6	10	21	45	63	99+
1. SINGLE DX	210	5.4	38	1	2	4	7	11	16	30
2. MULTIPLE DX	301	12.1	205	2	3	8	14	33	53	99+
A. Not Operated	181	5.3	34	1	2	4	6	10	17	34
B. Operated	330	11.5	195	1	3	7	13	31	52	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	13	14.9	325	1	3	12	37	99+	99+	99+
1-5 YRS	141	9.0	137	1	3	6	10	19	38	99+
6-12 YRS	203	8.0	95	1	2	5	10	18	28	54
13-19 YRS	154	10.9	204	1	3	6	11	29	43	73
GRAND TOTAL	**511**	**9.3**	**147**	**1**	**3**	**5**	**10**	**23**	**37**	**76**

54: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	7	2.0		1	2	2	2	3	3	3
6-12 YRS	15	2.7	4	1	1	2	4	5	7	8
13-19 YRS	55	1.9	2	<1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.8	1	1	1	2	3	3	3	3
6-12 YRS	11	3.0	12	<1	1	1	5	9	11	11
13-19 YRS	21	3.2	6	1	1	3	4	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	78	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	42	3.1	10	1	1	2	4	7	9	16
1. SINGLE DX	79	2.1	2	1	1	2	2	4	5	8
2. MULTIPLE DX	42	3.1	10	1	1	2	4	7	9	16
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	120	2.4	5	1	1	2	3	5	7	12
TOTAL										
0-27 DYS	2	8.5	113	1	1	8	16	16	16	16
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	13	1.9	1	1	1	2	2	3	3	3
6-12 YRS	26	2.8	7	1	1	2	4	7	9	11
13-19 YRS	77	2.3	3	1	1	2	3	4	7	8
GRAND TOTAL	**121**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

55: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	7	1.7	1	1	1	1	2	4	4	4
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	30	2.5	3	< 1	1	2	4	5	7	7
6-12 YRS	19	4.8	14	1	1	3	9	10	11	12
13-19 YRS	16	7.5	19	1	5	7	10	14	15	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	23.0	882	2	2	23	44	44	44	44
1-5 YRS	7	2.6	7	< 1	< 1	1	3	7	8	8
6-12 YRS	4	2.0	2	1	1	2	3	4	4	4
13-19 YRS	4	4.0	7	1	2	4	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	8	7.4	25	2	4	7	8	15	18	18
1-5 YRS	18	3.9	19	< 1	1	2	5	8	15	19
6-12 YRS	18	3.2	10	1	1	2	4	7	11	13
13-19 YRS	31	10.3	67	2	5	9	11	19	28	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	1.7	1	< 1	1	1	2	3	4	4
B. Operated	68	4.3	14	1	1	3	7	10	12	15
2. MULTIPLE DX										
A. Not Operated	17	5.2	105	< 1	1	2	4	8	31	44
B. Operated	75	6.7	46	1	2	5	9	15	19	37
1. SINGLE DX	80	3.9	13	1	1	2	6	9	11	15
2. MULTIPLE DX	92	6.5	56	1	2	4	8	14	19	42
A. Not Operated	29	3.7	63	< 1	1	2	3	6	10	44
B. Operated	143	5.6	32	1	2	4	8	12	15	29
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	12	9.3	140	1	3	6	8	26	41	44
1-5 YRS	58	2.9	9	< 1	1	2	4	6	8	18
6-12 YRS	48	3.5	11	1	1	2	5	9	10	13
13-19 YRS	52	8.8	50	1	4	8	11	15	23	40
GRAND TOTAL	**172**	**5.3**	**38**	**1**	**1**	**3**	**7**	**11**	**15**	**37**

56: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	4	1.5		1	1	1	2	2	2	2
13-19 YRS	3	4.0	27	1	1	1	8	10	10	10
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	9	3.6	12	< 1	1	1	7	9	9	9
1-5 YRS	188	1.6	4	< 1	1	1	1	2	4	11
6-12 YRS	82	2.0	5	< 1	1	1	1	5	7	11
13-19 YRS	33	3.6	12	1	1	2	5	8	11	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	11	2.5	5	< 1	< 1	2	4	6	8	8
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	2	14.5	85	8	8	14	21	21	21	21
1-11 MOS	5	8.2	179	1	1	3	11	32	32	32
1-5 YRS	85	3.5	28	1	1	1	3	8	13	28
6-12 YRS	40	4.9	27	1	1	2	7	13	15	23
13-19 YRS	21	7.4	72	< 1	1	5	9	16	26	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.7	4	< 1	1	1	2	2	7	10
B. Operated	313	2.0	6	< 1	1	1	2	4	7	12
2. MULTIPLE DX										
A. Not Operated	16	2.9	6	< 1	1	2	4	8	9	9
B. Operated	153	4.7	41	1	1	2	6	12	17	32
1. SINGLE DX	332	2.0	6	< 1	1	1	2	4	7	12
2. MULTIPLE DX	169	4.5	38	1	1	2	6	11	17	32
A. Not Operated	35	2.3	5	< 1	1	1	2	5	9	10
B. Operated	466	2.9	19	< 1	1	1	2	7	10	24
TOTAL										
0-27 DYS	3	13.0	49	8	8	10	18	21	21	21
1-11 MOS	16	5.2	61	1	1	2	7	9	25	32
1-5 YRS	295	2.1	11	< 1	1	1	2	4	8	23
6-12 YRS	128	2.9	13	1	1	1	3	8	12	18
13-19 YRS	59	4.9	36	1	1	3	7	11	16	36
GRAND TOTAL	**501**	**2.8**	**18**	**< 1**	**1**	**1**	**2**	**7**	**10**	**23**

57: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	3	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	4	5.3	62	1	1	2	9	17	17	17
13-19 YRS	9	1.2		1	1	1	1	2	3	3
B. Operated										
0-27 DYS	4	4.0	15	< 1	< 1	3	7	9	9	9
1-11 MOS	36	2.5	4	< 1	1	2	4	5	5	11
1-5 YRS	95	2.6	8	< 1	1	1	3	6	10	14
6-12 YRS	295	2.1	4	< 1	1	1	2	5	6	9
13-19 YRS	468	2.2	4	< 1	1	1	3	4	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	8.2	244	1	1	2	3	36	40	40
13-19 YRS	5	4.4	18	< 1	1	2	8	10	10	10
B. Operated										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	29	5.1	12	1	3	5	6	9	13	15
1-5 YRS	39	3.7	9	1	1	3	5	7	10	13
6-12 YRS	77	3.3	8	< 1	1	2	4	7	10	13
13-19 YRS	105	3.1	10	< 1	1	2	4	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	2.1	15	< 1	1	1	1	3	12	17
B. Operated	898	2.2	4	< 1	1	1	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	15	5.1	100	< 1	1	2	3	10	32	40
B. Operated	251	3.6	11	1	1	2	5	8	11	15
1. SINGLE DX	915	2.2	5	< 1	1	1	3	5	6	11
2. MULTIPLE DX	266	3.7	16	1	1	2	5	8	11	18
A. Not Operated	32	3.5	55	< 1	1	1	2	9	16	40
B. Operated	1149	2.5	6	< 1	1	2	3	5	8	13
TOTAL										
0-27 DYS	6	7.0	79	< 1	1	3	9	22	24	24
1-11 MOS	68	3.6	9	< 1	1	3	5	7	9	15
1-5 YRS	138	2.8	8	< 1	1	1	4	6	9	13
6-12 YRS	382	2.5	9	< 1	1	1	3	5	7	12
13-19 YRS	587	2.4	5	< 1	1	1	3	5	7	12
GRAND TOTAL	**1181**	**2.5**	**8**	**< 1**	**1**	**2**	**3**	**5**	**8**	**13**

58: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	31	2.7	6	1	1	2	3	6	9	10
1-5 YRS	16	3.1	5	< 1	2	3	3	6	9	10
6-12 YRS	13	1.5	1	< 1	1	1	2	3	4	4
13-19 YRS	10	3.6	18	< 1	1	2	5	10	15	15
B. Operated										
0-27 DYS	12	2.5	14	< 1	1	1	2	6	13	14
1-11 MOS	258	2.7	11	< 1	1	1	3	6	10	16
1-5 YRS	419	2.1	12	< 1	< 1	1	2	4	6	12
6-12 YRS	253	2.2	6	< 1	< 1	1	2	4	7	13
13-19 YRS	149	2.4	10	< 1	1	1	3	5	8	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	8.0	33	3	4	6	12	17	17	17
1-11 MOS	30	3.9	15	1	1	3	4	10	13	16
1-5 YRS	30	3.6	19	1	1	2	4	9	15	19
6-12 YRS	14	2.3	5	< 1	< 1	1	2	7	7	7
13-19 YRS	7	4.0	10	< 1	1	2	7	8	8	8
B. Operated										
0-27 DYS	4	17.5	546	1	5	11	64	99 +	99 +	99 +
1-11 MOS	114	6.9	95	1	1	4	8	18	24	80
1-5 YRS	161	4.3	33	< 1	1	2	5	9	18	29
6-12 YRS	102	4.2	54	< 1	1	2	5	9	12	45
13-19 YRS	60	5.3	124	< 1	1	2	5	11	14	76
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.7	6	< 1	1	2	3	5	9	14
B. Operated	1091	2.3	10	< 1	< 1	1	2	5	8	14
2. MULTIPLE DX										
A. Not Operated	86	3.8	16	< 1	1	2	5	9	14	18
B. Operated	441	5.2	72	< 1	1	2	5	12	20	63
1. SINGLE DX	1164	2.3	10	< 1	1	1	2	5	8	14
2. MULTIPLE DX	527	4.9	63	< 1	1	2	5	11	18	54
A. Not Operated	159	3.3	12	< 1	1	2	4	7	10	17
B. Operated	1532	3.1	30	< 1	1	1	3	7	11	27
TOTAL										
0-27 DYS	24	6.1	116	1	1	3	7	17	64	99 +
1-11 MOS	433	3.9	36	< 1	1	2	4	10	14	33
1-5 YRS	626	2.8	18	< 1	1	1	3	6	9	23
6-12 YRS	382	2.7	19	< 1	< 1	1	3	6	8	18
13-19 YRS	226	3.3	42	< 1	1	1	3	8	10	30
GRAND TOTAL	**1691**	**3.1**	**28**	**< 1**	**1**	**1**	**3**	**7**	**11**	**26**

59: Benign neoplasm of breast (217)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	1.6	1	< 1	1	1	2	3	3	3
13-19 YRS	57	1.3	1	< 1	< 1	< 1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	6	1.3		< 1	< 1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	67	1.4	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	1.8	1	< 1	< 1	1	2	4	4	4
1. SINGLE DX	67	1.4	1	< 1	< 1	1	2	2	3	6
2. MULTIPLE Dx	9	1.8	1	< 1	< 1	1	2	4	4	4
A. Not Operated	0									
B. Operated	76	1.4	1	< 1	< 1	1	2	2	3	5
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	11	1.9	1	< 1	1	2	3	4	4	4
13-19 YRS	63	1.3	1	< 1	< 1	< 1	1	2	3	6
GRAND TOTAL	**76**	**1.4**	**1**	**< 1**	**< 1**	**1**	**2**	**2**	**3**	**5**

60: Uterine leiomyoma (218)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	5	3.0	2	1	2	3	4	5	5	5
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	1	4.0		4	4	52	99 +	99 +	99 +	99 +
13-19 YRS	10	4.9	3	2	4	5	6	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	3	3.0	3	< 1	1	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	20	4.4	3	2	3	4	6	7	49	99 +
1. SINGLE DX	6	2.5	3	< 1	1	2	4	4	4	4
2. MULTIPLE DX	20	4.4	3	2	3	4	6	7	49	99 +
A. Not Operated	3	2.0	3	1	1	1	3	4	4	4
B. Operated	23	4.2	3	2	3	4	6	7	36	99 +
TOTAL										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	9	3.1	2	1	2	3	4	5	5	5
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	2	2.5	5	1	2	4	76	99 +	99 +	99 +
13-19 YRS	11	4.5	4	1	3	4	6	7	8	8
GRAND TOTAL	**26**	**3.9**	**3**	**1**	**3**	**4**	**6**	**6**	**22**	**99 +**

61: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	4.5	13	2	2	4	7	7	7	7
1. SINGLE DX	0									
2. MULTIPLE DX	2	4.5	13	2	2	4	7	7	7	7
A. Not Operated	0									
B. Operated	2	4.5	13	2	2	4	7	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	0									
GRAND TOTAL	2	4.5	13	2	2	4	7	7	7	7

62: Benign neoplasm of ovary (220)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	4.3	7	1	3	4	7	8	8	8
6-12 YRS	37	4.1	2	2	3	4	5	6	7	7
13-19 YRS	226	3.7	1	3	3	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.0	3	<1	1	4	4	4	4	4
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	3	5.3	10	3	3	4	8	9	9	9
6-12 YRS	30	4.2	3	2	3	4	5	6	7	10
13-19 YRS	186	4.2	2	3	3	4	5	6	6	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4	3	1	1	2	3	5	5	5
B. Operated	270	3.8	1	3	3	4	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	3	3.0	3	<1	1	4	4	4	4	4
B. Operated	221	4.3	3	3	3	4	5	6	7	12
1. SINGLE DX	275	3.8	2	2	3	4	4	5	6	7
2. MULTIPLE DX	224	4.3	3	3	3	4	5	6	7	12
A. Not Operated	8	2.6	3	<1	1	2	4	5	5	5
B. Operated	491	4.0	2	3	3	4	5	6	6	10
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS	9	4.7	7	2	3	4	7	9	9	9
6-12 YRS	69	4.1	2	2	3	4	5	6	7	9
13-19 YRS	418	3.9	2	3	3	4	4	6	6	9
GRAND TOTAL	499	4.0	2	3	3	4	5	6	6	10

63: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	7	3.9	2	2	3	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	8	3.5	3	1	2	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	3.5	13	1	1	3	6	6	6	6
1. SINGLE DX	8	3.5	3	1	2	3	5	6	6	6
2. MULTIPLE DX	2	3.5	13	1	1	3	6	6	6	6
A. Not Operated	0									
B. Operated	10	3.5	3	<1	2	3	5	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	0									
13-19 YRS	9	3.8	3	1	3	4	5	6	6	6
GRAND TOTAL	**10**	**3.5**	**3**	**<1**	**2**	**3**	**5**	**6**	**6**	**6**

64: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5	1.6	2	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	10	1.3	1	<1	<1	1	1	3	4	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	1.7		1	1	2	2	2	2	2
1. SINGLE DX	10	1.3	1	<1	<1	1	1	3	4	4
2. MULTIPLE DX	3	1.7		1	1	2	2	2	2	2
A. Not Operated	0									
B. Operated	13	1.4	1	<1	<1	1	1	3	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	7	1.6	1	1	1	1	2	4	4	4
GRAND TOTAL	**13**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**3**	**4**	**4**

65: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	9.5	145	1	1	9	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	9.0		9	9	9	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	5.4	54	1	1	1	9	18	18	18
2. MULTIPLE DX										
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	7	6.4	27	1	2	7	9	15	16	16
1. SINGLE DX	5	5.4	54	1	1	1	9	18	18	18
2. MULTIPLE DX	8	6.8	24	1	2	7	9	14	16	16
A. Not Operated	1	9.0		9	9	9	9	9	9	9
B. Operated	12	6.0	35	1	1	4	8	17	18	18
TOTAL										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	4	3.0	5	1	1	2	4	6	6	6
6-12 YRS	3	5.0	12	1	2	7	7	7	7	7
13-19 YRS	5	7.6	50	1	1	9	11	18	18	18
GRAND TOTAL	**13**	**6.2**	**32**	**1**	**1**	**6**	**9**	**16**	**18**	**18**

66: Benign neoplasm of eye (224)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	6	1.2		< 1	< 1	< 1	< 1	2	2	2
1-5 YRS	10	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	7	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	2.3	4	< 1	< 1	1	3	6	6	6
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	27	1.1		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	2.1	3	< 1	1	1	3	5	6	6
1. SINGLE DX	28	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	9	2.1	3	< 1	1	1	3	5	6	6
A. Not Operated	1	3.0		3	3	3	3	3	3	3
B. Operated	36	1.4	1	< 1	< 1	< 1	1	2	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	7	1.1		< 1	< 1	< 1	1	2	2	2
1-5 YRS	17	1.6	2	< 1	< 1	1	2	4	5	6
6-12 YRS	9	1.3	1	< 1	< 1	< 1	1	3	3	3
13-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
GRAND TOTAL	**37**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

67: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	4	6.3	7	4	4	5	8	10	10	10
1-5 YRS	5	5.2	18	1	2	4	7	12	12	12
6-12 YRS	16	8.4	24	2	5	7	13	14	16	17
13-19 YRS	22	8.1	9	4	7	8	10	12	14	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	15.7	204	2	6	13	20	34	51	53
1-5 YRS	21	10.9	122	4	5	8	11	19	37	54
6-12 YRS	22	12.0	245	2	6	8	12	23	48	76
13-19 YRS	32	9.3	45	2	5	8	12	19	24	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	48	7.9	16	3	5	7	10	14	15	17
2. MULTIPLE DX										
A. Not Operated	4	2.3	6	1	1	1	4	6	6	6
B. Operated	87	11.1	133	2	5	8	13	21	29	68
1. SINGLE DX	50	7.6	17	2	5	7	10	14	15	17
2. MULTIPLE DX	91	10.7	131	2	5	8	13	21	29	67
A. Not Operated	6	2.2	4	1	1	1	3	6	6	6
B. Operated	135	10.0	93	2	5	8	12	17	23	57
TOTAL										
0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	16	12.4	165	1	4	9	17	22	44	53
1-5 YRS	27	9.6	103	3	4	6	10	16	28	54
6-12 YRS	41	9.8	147	1	5	7	12	16	25	76
13-19 YRS	55	8.8	30	4	6	8	10	15	19	30
GRAND TOTAL	**141**	**9.6**	**92**	**2**	**5**	**7**	**11**	**17**	**22**	**56**

68: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	12	1.8	1	< 1	1	1	3	3	3	3
13-19 YRS	60	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	20	3.0	5	1	2	2	3	6	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	78	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	21	3.0	5	1	2	2	3	6	9	10
1. SINGLE DX	79	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	21	3.0	5	1	2	2	3	6	9	10
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	99	2.1	2	1	1	2	2	3	4	9
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	13	1.8	1	< 1	1	1	3	3	3	3
13-19 YRS	81	2.2	2	1	1	2	2	3	4	9
GRAND TOTAL	**100**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**9**

69: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	5.4	19	1	2	4	10	10	10	10
13-19 YRS	13	6.5	12	3	5	6	8	11	15	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	3.2	7	1	1	2	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	7	10.9	128	3	4	7	13	31	35	35
13-19 YRS	27	8.3	43	2	5	8	10	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	19	6.2	13	2	4	6	8	10	13	16
2. MULTIPLE DX										
A. Not Operated	9	2.8	4	1	1	2	4	6	6	6
B. Operated	35	8.7	57	2	5	8	10	17	30	35
1. SINGLE DX	20	5.9	13	1	3	5	8	10	13	16
2. MULTIPLE DX	44	7.5	52	1	3	6	9	14	23	35
A. Not Operated	10	2.6	4	1	1	2	4	6	6	6
B. Operated	54	7.8	42	2	4	6	9	14	18	35
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	3.5	6	1	1	3	5	6	6	6
6-12 YRS	13	8.1	81	2	3	5	10	18	32	35
13-19 YRS	46	7.1	32	1	4	6	9	11	17	34
GRAND TOTAL	**64**	**7.0**	**40**	**1**	**3**	**6**	**9**	**11**	**17**	**35**

70: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.5	6	1	1	2	4	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	2.2	5	< 1	1	1	3	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	2.5	5	< 1	< 1	2	4	4	4	4
1. SINGLE DX	5	2.2	5	< 1	1	1	3	6	6	6
2. MULTIPLE DX	2	2.5	5	< 1	< 1	2	4	4	4	4
A. Not Operated	0									
B. Operated	7	2.3	4	< 1	< 1	1	3	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	2.5	4	< 1	1	2	4	6	6	6
GRAND TOTAL	**7**	**2.3**	**4**	**< 1**	**< 1**	**1**	**3**	**6**	**6**	**6**

71: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	7.0	50	2	2	7	12	12	12	12
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	6.5	5	5	5	6	8	8	8	8
B. Operated	2	4.5	1	4	4	4	5	5	5	5
1. SINGLE DX	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX	4	5.5	3	4	4	5	7	8	8	8
A. Not Operated	4	6.8	18	2	3	6	10	12	12	12
B. Operated	2	4.5	1	4	4	4	5	5	5	5
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	2	6.5	5	5	5	6	8	8	8	8
6-12 YRS	0									
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	**6**	**6.0**	**12**	**2**	**4**	**5**	**8**	**12**	**12**	**12**

72: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	14	1.9	3	1	1	1	2	4	6	7
1-5 YRS	27	1.8	2	< 1	1	1	2	2	7	7
6-12 YRS	30	3.6	8	1	1	3	5	8	11	11
13-19 YRS	17	2.9	18	< 1	1	1	3	7	14	18
B. Operated										
0-27 DYS	8	5.9	42	< 1	1	4	6	17	21	21
1-11 MOS	26	3.0	7	< 1	1	2	4	7	8	11
1-5 YRS	81	5.0	31	< 1	1	3	7	10	13	31
6-12 YRS	86	4.3	65	1	1	2	6	9	12	51
13-19 YRS	120	4.0	16	1	1	3	5	9	11	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	11	5.5	33	< 1	1	2	12	14	15	15
1-5 YRS	58	3.5	58	< 1	< 1	1	3	6	11	53
6-12 YRS	45	2.9	10	1	1	2	3	5	11	15
13-19 YRS	56	3.7	15	1	1	3	5	7	10	24
B. Operated										
0-27 DYS	8	13.8	141	1	5	9	22	32	35	35
1-11 MOS	12	13.3	253	3	5	7	13	44	51	52
1-5 YRS	56	9.0	95	1	2	6	15	21	25	52
6-12 YRS	82	8.8	71	2	3	7	11	18	26	46
13-19 YRS	120	9.1	133	1	3	6	10	21	37	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	2.7	8	< 1	1	2	3	7	7	15
B. Operated	321	4.3	33	1	1	2	6	9	12	27
2. MULTIPLE DX										
A. Not Operated	170	3.5	29	< 1	1	2	4	7	12	23
B. Operated	278	9.3	112	1	3	6	11	21	32	57
1. SINGLE DX	411	3.9	28	1	1	2	5	9	11	24
2. MULTIPLE DX	448	7.1	88	1	1	4	8	16	25	53
A. Not Operated	260	3.2	22	< 1	1	2	4	7	11	18
B. Operated	599	6.6	76	1	1	4	8	15	22	51
TOTAL										
0-27 DYS	18	9.2	93	< 1	3	6	11	24	31	35
1-11 MOS	63	5.2	71	1	1	2	6	11	16	50
1-5 YRS	222	5.2	56	< 1	1	2	7	12	18	40
6-12 YRS	243	5.5	56	1	1	3	7	11	16	37
13-19 YRS	313	5.8	67	1	1	3	7	12	21	51
GRAND TOTAL	**859**	**5.6**	**62**	**1**	**1**	**3**	**7**	**12**	**18**	**47**

73: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	2.1		1	2	2	3	3	3	3
13-19 YRS	46	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.0	3	1	2	4	4	4	4	4
13-19 YRS	9	2.4	1	1	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	54	2.2	1	1	2	2	3	3	3	5
2. MULTIPLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	12	2.6	1	1	2	3	3	4	4	4
1. SINGLE DX	56	2.1	1	1	2	2	3	3	3	5
2. MULTIPLE DX	13	2.5	1	1	2	2	3	4	4	4
A. Not Operated	3	1.0		< 1	< 1	1	1	1	1	1
B. Operated	66	2.2	1	1	2	2	3	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	11	2.3	1	1	1	2	3	4	4	4
13-19 YRS	57	2.2	1	1	2	2	3	3	4	5
GRAND TOTAL	**69**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

74: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	2.1		1	2	2	3	3	3	3
1-11 MOS	8	3.9	48	1	1	1	2	16	21	21
1-5 YRS	5	2.4	1	< 1	1	2	3	4	4	4
6-12 YRS	6	3.7	4	2	2	3	5	7	7	7
13-19 YRS	11	4.2	4	2	3	5	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0	31	1	2	5	10	12	12	12
6-12 YRS	17	4.6	8	3	3	4	5	9	12	13
13-19 YRS	60	2.7	5	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	3.2	14	1	2	2	3	9	13	13
1-11 MOS	5	6.0	91	1	1	2	8	23	23	23
1-5 YRS	10	5.6	13	1	4	5	7	10	13	13
6-12 YRS	19	4.1	10	1	2	4	5	7	11	15
13-19 YRS	29	4.3	4	1	3	4	6	7	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	4	9.8	20	4	7	10	13	15	15	15
13-19 YRS	19	5.2	15	2	3	3	5	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	37	3.4	12	1	2	2	4	6	7	21
B. Operated	80	3.3	7	1	2	3	4	6	10	13
2. MULTIPLE DX										
A. Not Operated	72	4.4	13	1	2	4	6	8	12	21
B. Operated	24	6.2	19	3	3	4	10	14	15	15
1. SINGLE DX	117	3.3	8	1	2	3	4	6	8	16
2. MULTIPLE DX	96	4.9	15	1	2	4	6	10	14	19
A. Not Operated	109	4.1	13	1	2	3	5	7	9	22
B. Operated	104	3.9	11	1	2	3	4	10	12	15
TOTAL										
0-27 DYS	16	2.8	8	1	2	2	3	3	10	13
1-11 MOS	13	4.7	60	1	1	1	3	21	23	23
1-5 YRS	19	5.2	15	1	2	4	7	12	13	13
6-12 YRS	46	4.7	11	2	3	4	6	10	13	15
13-19 YRS	119	3.6	7	1	2	3	5	6	9	14
GRAND TOTAL	**213**	**4.0**	**12**	**1**	**2**	**3**	**5**	**7**	**12**	**17**

75: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	9.3	50	3	4	8	15	17	17	17
1-5 YRS	115	5.1	5	2	4	5	6	8	9	12
6-12 YRS	284	5.1	4	3	4	5	6	7	9	12
13-19 YRS	147	4.7	4	2	3	4	6	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	63	5.3	4	2	4	6	7	8	8	9
6-12 YRS	169	5.4	12	2	4	5	7	8	9	15
13-19 YRS	150	5.0	11	2	3	4	6	8	10	20
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	5.2	8	1	4	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	549	5.0	5	2	3	5	6	7	9	12
B. Operated	3	6.0	21	1	2	7	9	10	10	10
2. MULTIPLE DX										
A. Not Operated	384	5.2	10	2	3	5	7	8	9	15
B. Operated	7	4.3	8	1	2	5	6	8	9	9
1. SINGLE DX	552	5.0	5	2	3	5	6	7	9	12
2. MULTIPLE DX	391	5.2	10	2	3	5	7	8	9	15
A. Not Operated	933	5.1	7	2	3	5	6	8	9	13
B. Operated	10	4.8	11	1	2	5	7	9	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	6	8.5	25	3	4	8	10	16	17	17
1-5 YRS	180	5.1	5	2	4	5	6	8	8	11
6-12 YRS	454	5.2	7	2	4	5	6	8	9	13
13-19 YRS	303	4.9	7	2	3	4	6	7	9	13
GRAND TOTAL	**943**	**5.1**	**7**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

76: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	8.0	39	3	4	6	13	15	15	15
1-5 YRS	114	5.1	9	1	3	5	7	8	9	16
6-12 YRS	684	3.8	5	1	2	3	5	7	8	10
13-19 YRS	1225	3.2	5	1	2	3	4	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.5	5	4	4	5	7	7	7	7
6-12 YRS	3	5.0	4	3	3	5	6	7	7	7
13-19 YRS	10	5.8	5	3	4	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	18	8.1	13	5	6	7	11	14	16	17
1-5 YRS	168	6.1	57	2	3	5	7	9	14	22
6-12 YRS	885	4.2	15	1	2	3	5	8	9	16
13-19 YRS	1731	3.9	16	1	2	3	5	7	8	14
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.7	8	6	6	6	10	11	11	11
1-5 YRS	8	8.4	4	6	7	8	10	11	11	11
6-12 YRS	26	5.8	9	1	3	6	8	10	11	11
13-19 YRS	80	8.1	31	3	4	7	10	15	21	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2026	3.6	5	1	2	3	5	7	8	11
B. Operated	15	5.6	4	3	4	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	2803	4.1	18	1	2	3	5	7	9	16
B. Operated	117	7.6	25	3	4	7	9	13	17	28
1. SINGLE DX	2041	3.6	5	1	2	3	5	7	8	11
2. MULTIPLE DX	2920	4.3	19	1	2	3	5	8	9	18
A. Not Operated	4829	3.9	13	1	2	3	5	7	8	14
B. Operated	132	7.4	23	3	4	6	9	12	16	27
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	24	8.0	14	5	6	7	11	15	16	17
1-5 YRS	292	5.8	37	2	3	5	7	9	12	21
6-12 YRS	1598	4.0	11	1	2	3	5	8	9	13
13-19 YRS	3046	3.7	12	1	2	3	5	7	8	14
GRAND TOTAL	**4961**	**4.0**	**14**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

77: Diabetic circulatory disorder (250.70-250.71)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

78: Diabetes mellitus with other complications (250.40-250.61; 250.80-250.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.3	2	4	4	5	6	7	7	7
1-5 YRS	121	4.8	4	2	3	5	6	7	9	11
6-12 YRS	400	4.8	5	2	3	5	6	8	9	13
13-19 YRS	454	4.2	7	2	3	4	5	7	9	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	1.1		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	7	6.1	11	1	4	6	8	11	11	11
1-5 YRS	127	5.7	21	2	3	5	7	9	11	26
6-12 YRS	399	5.2	21	2	3	4	7	8	12	26
13-19 YRS	701	4.5	24	2	2	4	5	7	9	17
B. Operated										
0-27 DYS	0									
1-11 MOS	4	10.8	70	5	5	7	16	23	23	23
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	8	8.3	33	3	4	6	11	18	20	20
13-19 YRS	42	8.6	80	2	3	4	14	23	31	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	978	4.5	6	2	3	4	6	7	9	13
B. Operated	7	1.1		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated	1236	4.8	22	2	2	4	6	8	10	22
B. Operated	55	8.6	69	2	3	5	12	22	28	96
1. SINGLE DX	985	4.5	6	2	3	4	6	7	9	13
2. MULTIPLE DX	1291	5.0	25	2	3	4	6	8	11	27
A. Not Operated	2214	4.7	15	2	3	4	6	8	9	16
B. Operated	62	7.8	67	1	2	5	11	21	27	92
TOTAL										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	14	7.3	27	3	5	6	9	12	21	23
1-5 YRS	249	5.3	13	2	3	5	7	8	10	18
6-12 YRS	807	5.0	13	2	3	4	6	8	10	19
13-19 YRS	1204	4.5	20	2	2	4	5	7	9	23
GRAND TOTAL	**2276**	**4.8**	**17**	**2**	**3**	**4**	**6**	**8**	**10**	**21**

79: Ovarian dysfunction (256)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	21	2.5	2	< 1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	9	2.9	6	1	1	2	3	7	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	22	4.1	4	2	3	4	5	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	1	1	1	2	3	3	3	3
B. Operated	23	2.5	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. Not Operated	11	2.7	5	1	1	2	3	6	9	9
B. Operated	25	4.2	3	2	3	4	5	6	7	9
1. SINGLE DX	28	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	36	3.7	4	1	2	3	5	6	8	9
A. Not Operated	16	2.5	4	1	1	2	3	4	7	9
B. Operated	48	3.4	4	1	2	3	5	6	7	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	0									
6-12 YRS	6	2.8	2	1	2	3	4	5	5	5
13-19 YRS	57	3.1	4	1	2	3	4	6	7	9
GRAND TOTAL	**64**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**9**

80: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	4.8	9	2	2	4	6	10	10	10
1-11 MOS	20	2.4	4	1	1	2	3	5	7	8
1-5 YRS	166	1.8	3	1	1	1	2	3	4	8
6-12 YRS	196	1.6	2	1	1	1	2	3	5	7
13-19 YRS	90	1.8	3	< 1	1	1	2	3	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	11	4.8	7	2	3	4	6	9	11	11
1-5 YRS	14	2.8	5	1	1	2	3	5	9	10
6-12 YRS	25	3.4	4	1	2	3	5	7	7	8
13-19 YRS	11	3.6	13	1	1	2	6	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	19	7.1	15	3	4	7	10	13	13	13
1-11 MOS	79	5.6	36	1	2	3	8	14	20	29
1-5 YRS	336	3.1	17	1	1	2	3	6	9	27
6-12 YRS	333	2.2	5	1	1	1	3	4	6	15
13-19 YRS	303	3.1	20	1	1	2	4	6	9	29
B. Operated										
0-27 DYS	6	21.8	252	5	8	27	41	88	99 +	99 +
1-11 MOS	19	12.7	224	1	4	7	23	48	78	99 +
1-5 YRS	24	9.3	82	1	2	6	15	26	28	30
6-12 YRS	18	5.7	18	1	3	5	8	12	15	16
13-19 YRS	29	9.4	243	1	3	6	8	16	25	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	485	1.8	3	1	1	1	2	3	5	9
B. Operated	61	3.6	7	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. Not Operated	1070	3.1	17	1	1	2	3	6	9	21
B. Operated	96	10.1	164	1	3	6	14	27	41	99 +
1. SINGLE DX	546	2.0	4	1	1	1	2	4	6	10
2. MULTIPLE DX	1166	3.7	32	1	1	2	4	8	13	31
A. Not Operated	1555	2.7	13	1	1	2	3	5	8	19
B. Operated	157	7.6	113	1	2	4	8	18	29	98
TOTAL										
0-27 DYS	38	8.6	79	2	4	6	11	22	40	99 +
1-11 MOS	129	6.1	64	1	2	3	8	14	23	66
1-5 YRS	540	3.0	17	1	1	2	3	6	9	26
6-12 YRS	572	2.2	5	1	1	1	3	4	6	14
13-19 YRS	433	3.3	33	1	1	2	4	6	9	28
GRAND TOTAL	**1712**	**3.1**	**24**	**1**	**1**	**2**	**3**	**6**	**10**	**27**

81: Nutritional deficiencies (260-269)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	9	5.7	5	3	4	7	7	8	9	9
1-5 YRS	5	4.4	4	3	3	4	5	8	8	8
6-12 YRS	3	19.7	197	5	9	21	30	33	33	33
13-19 YRS	6	37.8	665	7	22	53	84	99 +	99 +	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	8.4	41	3	5	7	9	19	23	23
1-11 MOS	98	8.1	44	2	4	6	10	16	20	39
1-5 YRS	53	10.6	155	2	4	7	12	22	45	59
6-12 YRS	31	13.5	273	2	4	7	15	33	64	66
13-19 YRS	47	25.2	420	5	8	16	43	52	61	78
B. Operated										
0-27 DYS	2	36.0	18	33	33	36	39	39	39	39
1-11 MOS	25	31.5	715	4	8	25	61	80	96	99 +
1-5 YRS	26	18.3	328	3	6	13	30	50	81	99 +
6-12 YRS	32	15.3	149	4	6	11	24	42	90	99 +
13-19 YRS	23	9.9	65	2	4	7	16	22	25	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	14.7	356	3	4	7	30	67	99 +	99 +
B. Operated	3	7.3	4	5	6	8	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	237	12.8	211	2	4	7	14	35	47	67
B. Operated	108	19.0	357	3	6	12	28	54	82	99 +
1. SINGLE DX	28	13.9	322	3	4	7	21	65	99 +	99 +
2. MULTIPLE DX	345	14.7	264	2	5	8	19	42	56	99 +
A. Not Operated	262	13.0	224	2	4	7	14	38	51	77
B. Operated	111	18.7	351	3	6	11	28	51	81	99 +
TOTAL										
0-27 DYS	12	12.3	154	3	5	7	16	35	38	39
1-11 MOS	133	12.4	248	3	4	7	14	30	58	96
1-5 YRS	85	12.5	211	2	4	7	14	33	52	92
6-12 YRS	67	14.5	203	3	5	9	23	39	65	99 +
13-19 YRS	76	21.6	392	3	6	11	38	55	70	99 +
GRAND TOTAL	**373**	**14.7**	**268**	**2**	**5**	**8**	**19**	**43**	**60**	**99 +**

82: Cystic fibrosis (277.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI- ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	40	7.8	101	1	3	5	10	14	17	63
1-5 YRS	92	8.8	27	2	5	9	12	14	17	27
6-12 YRS	205	10.5	33	2	7	11	14	15	19	25
13-19 YRS	234	10.6	20	5	8	10	14	15	19	22
B. Operated										
0-27 DYS	3	8.0	7	5	6	9	10	10	10	10
1-11 MOS	4	20.5	242	1	8	23	33	34	34	34
1-5 YRS	6	9.5	60	1	3	8	14	21	22	22
6-12 YRS	12	10.7	71	3	4	10	14	21	30	32
13-19 YRS	20	10.6	34	3	7	10	13	19	22	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	10	4.6	12	2	3	3	4	11	12	12
1-11 MOS	174	9.7	61	3	3	8	14	21	25	38
1-5 YRS	218	8.3	30	1	3	8	12	15	16	25
6-12 YRS	454	11.6	35	4	8	11	14	17	22	35
13-19 YRS	482	11.9	34	5	8	11	14	19	21	32
B. Operated										
0-27 DYS	8	27.3	369	7	11	23	42	55	58	58
1-11 MOS	15	18.0	293	3	8	16	55	99 +	99 +	99 +
1-5 YRS	33	13.9	77	3	8	13	20	24	29	41
6-12 YRS	63	13.7	58	6	8	14	16	21	26	44
13-19 YRS	86	16.5	63	9	12	15	19	27	34	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	571	10.1	32	3	7	10	14	15	18	25
B. Operated	45	11.2	65	3	5	10	14	22	32	34
2. MULTIPLE DX										
A. Not Operated	1338	10.8	39	3	7	10	14	18	21	34
B. Operated	205	15.8	96	7	10	14	19	28	39	99 +
1. SINGLE DX	616	10.2	34	3	7	10	14	15	19	28
2. MULTIPLE DX	1543	11.5	49	3	7	11	14	19	24	38
A. Not Operated	1909	10.6	37	3	7	10	14	17	21	32
B. Operated	250	14.9	93	5	9	14	19	27	38	98
TOTAL										
0-27 DYS	21	13.7	255	3	3	9	13	41	52	58
1-11 MOS	233	10.1	90	2	3	8	14	22	33	99 +
1-5 YRS	349	9.0	37	2	3	9	13	15	20	28
6-12 YRS	734	11.4	37	4	7	11	14	18	22	35
13-19 YRS	822	12.0	35	5	9	11	14	19	22	34
GRAND TOTAL	**2159**	**11.1**	**45**	**3**	**7**	**11**	**14**	**18**	**22**	**38**

83: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	2.4	3	1	1	2	3	5	5	5
13-19 YRS	4	5.3	14	1	2	5	8	10	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	6.5	4	4	5	6	8	10	11	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	7	11.1	88	1	2	14	16	24	26	26
6-12 YRS	14	12.0	123	2	4	7	25	28	32	33
13-19 YRS	13	12.4	143	2	3	7	24	32	34	34
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	23	6.9	4	5	5	7	8	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.9	9	1	1	3	6	8	10	10
B. Operated	20	6.5	4	4	5	6	8	10	11	12
2. MULTIPLE DX										
A. Not Operated	36	11.6	113	2	3	7	20	28	33	34
B. Operated	25	6.6	4	4	5	6	8	9	11	12
1. SINGLE DX	30	5.6	7	2	4	5	7	9	10	12
2. MULTIPLE DX	61	9.5	74	2	4	6	11	26	30	34
A. Not Operated	46	9.9	100	1	2	6	14	26	32	34
B. Operated	45	6.6	4	4	5	6	8	9	11	12
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	9	9.7	76	1	3	6	15	22	26	26
6-12 YRS	20	9.2	104	1	2	5	11	27	30	33
13-19 YRS	60	7.9	39	4	5	6	8	11	24	34
GRAND TOTAL	**91**	**8.3**	**55**	**2**	**4**	**6**	**9**	**19**	**26**	**34**

84: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	30	2.7	3	1	2	2	3	5	7	7
1-11 MOS	43	4.4	27	1	2	3	4	8	18	25
1-5 YRS	138	2.7	5	< 1	1	2	3	6	7	12
6-12 YRS	83	2.8	20	< 1	1	2	3	5	8	29
13-19 YRS	58	2.9	7	< 1	1	2	3	8	9	11
B. Operated										
0-27 DYS	5	7.8	71	1	2	6	11	22	22	22
1-11 MOS	16	8.0	82	1	2	5	12	31	76	99 +
1-5 YRS	55	3.3	23	< 1	1	2	3	6	12	29
6-12 YRS	44	4.5	15	1	2	4	6	8	13	18
13-19 YRS	21	4.4	15	1	1	3	6	10	13	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	41	4.6	25	1	2	3	4	13	18	22
1-11 MOS	150	6.5	44	1	2	4	8	16	21	32
1-5 YRS	288	4.1	21	< 1	1	3	5	8	12	27
6-12 YRS	192	3.5	18	< 1	1	2	4	7	9	25
13-19 YRS	171	3.8	17	1	2	2	4	8	13	22
B. Operated										
0-27 DYS	3	12.3	265	1	3	18	65	99 +	99 +	99 +
1-11 MOS	54	14.7	349	1	3	8	27	83	99 +	99 +
1-5 YRS	103	11.9	233	1	3	6	13	32	50	72
6-12 YRS	54	12.1	214	1	2	8	18	45	89	99 +
13-19 YRS	51	8.1	73	1	3	5	11	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	352	2.9	11	< 1	1	2	3	6	8	16
B. Operated	141	4.5	29	1	1	3	6	10	17	38
2. MULTIPLE DX										
A. Not Operated	842	4.3	25	< 1	1	3	5	9	15	26
B. Operated	265	11.8	223	1	3	6	16	39	63	99 +
1. SINGLE DX	493	3.4	17	< 1	1	2	4	7	9	25
2. MULTIPLE DX	1107	6.1	82	1	2	3	7	15	25	78
A. Not Operated	1194	3.9	21	< 1	1	2	5	8	12	25
B. Operated	406	9.3	168	1	2	4	11	29	50	99 +
TOTAL										
0-27 DYS	79	4.4	29	1	2	3	5	10	21	79
1-11 MOS	263	8.0	117	1	2	4	9	24	33	99 +
1-5 YRS	584	5.1	65	< 1	1	3	5	10	18	50
6-12 YRS	373	4.7	55	< 1	1	2	5	10	19	67
13-19 YRS	301	4.4	27	1	2	2	5	10	15	24
GRAND TOTAL	**1600**	**5.3**	**64**	**1**	**1**	**3**	**6**	**12**	**21**	**57**

85: Gout (274)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

86: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	28	3.0	4	1	1	3	4	6	7	9
1-11 MOS	95	2.8	5	1	1	2	3	5	7	14
1-5 YRS	187	2.4	4	1	1	2	3	4	7	12
6-12 YRS	79	2.0	1	1	1	2	2	3	5	7
13-19 YRS	46	1.9	1	1	1	2	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	3	3.3	4	1	2	4	5	5	5	5
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	207	4.5	11	2	2	3	5	9	12	16
1-11 MOS	2827	3.6	12	1	2	3	4	6	8	17
1-5 YRS	5071	2.7	6	1	2	2	3	4	6	13
6-12 YRS	1818	2.9	13	1	1	2	3	5	7	16
13-19 YRS	1216	3.1	12	1	2	2	4	5	8	15
B. Operated										
0-27 DYS	17	9.0	88	1	3	5	15	16	30	38
1-11 MOS	124	12.6	184	3	4	8	18	32	70	99 +
1-5 YRS	129	9.6	126	1	2	6	13	29	48	99 +
6-12 YRS	50	10.0	181	1	1	5	14	28	55	99 +
13-19 YRS	63	9.3	138	1	2	5	11	29	33	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	435	2.4	4	1	1	2	3	4	6	10
B. Operated	8	3.9	4	1	2	4	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	11139	3.0	10	1	2	2	3	5	7	15
B. Operated	383	10.6	153	1	3	6	15	30	45	99 +
1. SINGLE DX	443	2.4	4	1	1	2	3	4	6	10
2. MULTIPLE DX	11522	3.3	16	1	2	2	4	6	8	22
A. Not Operated	11574	3.0	9	1	2	2	3	5	7	14
B. Operated	391	10.4	151	1	3	6	14	30	44	99 +
TOTAL										
0-27 DYS	252	4.7	17	1	2	3	5	9	14	16
1-11 MOS	3049	3.9	22	1	2	3	4	7	9	27
1-5 YRS	5390	2.9	10	1	2	2	3	5	7	17
6-12 YRS	1949	3.0	18	1	1	2	3	5	7	19
13-19 YRS	1325	3.4	20	1	2	2	4	6	9	23
GRAND TOTAL	**11965**	**3.2**	**16**	**1**	**2**	**2**	**4**	**6**	**8**	**21**

87: Iron deficiency anemia (280)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	18	3.4	4	1	2	3	4	7	8	8
1-5 YRS	52	2.7	5	1	1	2	3	6	8	10
6-12 YRS	3	5.0	13	1	2	6	7	8	8	8
13-19 YRS	12	2.6	2	1	1	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	30	4.0	13	2	2	3	5	7	9	20
1-5 YRS	64	3.3	4	1	2	3	4	6	7	9
6-12 YRS	16	4.4	21	1	2	3	5	12	16	17
13-19 YRS	68	3.2	5	1	1	3	4	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.0	13	4	4	6	10	11	11	11
1-5 YRS	6	4.3	20	1	1	3	7	11	12	12
6-12 YRS	0									
13-19 YRS	14	6.6	23	2	3	6	9	12	17	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	85	2.9	4	1	1	2	4	6	8	9
B. Operated	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. Not Operated	179	3.5	7	1	2	3	5	7	8	16
B. Operated	23	6.0	21	1	2	5	9	11	14	19
1. SINGLE DX	87	2.9	4	1	1	2	4	6	8	9
2. MULTIPLE DX	202	3.8	9	1	2	3	5	7	9	18
A. Not Operated	264	3.3	6	1	2	3	4	7	8	13
B. Operated	25	5.8	20	1	2	4	9	11	14	19
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	52	3.9	10	1	2	3	5	7	9	20
1-5 YRS	123	3.1	5	1	1	2	4	6	8	11
6-12 YRS	19	4.5	19	1	1	3	6	11	15	17
13-19 YRS	94	3.6	9	1	1	3	5	8	9	15
GRAND TOTAL	**289**	**3.5**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

88: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	56	3.7	4	1	2	3	5	6	8	8
1-5 YRS	382	3.2	4	1	2	3	4	6	7	10
6-12 YRS	725	3.2	5	1	2	3	4	6	8	11
13-19 YRS	1233	4.4	9	1	2	4	6	8	10	14
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS	10	4.5	4	1	3	5	6	7	7	7
6-12 YRS	7	3.6	4	1	2	4	5	6	6	6
13-19 YRS	9	8.2	99	1	2	5	9	24	33	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	125	4.0	5	2	3	3	5	7	8	11
1-5 YRS	670	4.3	10	2	3	3	5	8	10	14
6-12 YRS	601	4.5	11	1	2	4	6	8	10	15
13-19 YRS	956	6.1	18	2	3	5	8	11	14	20
B. Operated										
0-27 DYS	0									
1-11 MOS	5	4.0	2	2	3	4	5	5	5	5
1-5 YRS	19	8.6	70	1	3	7	17	56	99 +	99 +
6-12 YRS	23	5.9	14	2	3	5	7	12	14	15
13-19 YRS	51	11.7	130	3	5	8	15	23	33	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2398	3.8	7	1	2	3	5	7	9	13
B. Operated	29	5.3	34	1	2	5	6	9	12	33
2. MULTIPLE DX										
A. Not Operated	2352	5.0	14	2	3	4	7	9	12	18
B. Operated	98	9.4	91	2	4	7	13	23	30	99 +
1. SINGLE DX	2427	3.8	7	1	2	3	5	7	9	13
2. MULTIPLE DX	2450	5.2	18	2	3	4	7	10	12	20
A. Not Operated	4750	4.4	11	1	2	4	6	8	10	16
B. Operated	127	8.4	80	2	4	6	11	18	27	99 +
TOTAL										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	189	3.9	4	2	3	3	5	7	8	10
1-5 YRS	1081	4.0	10	1	2	3	5	7	9	16
6-12 YRS	1356	3.8	8	1	2	3	5	7	9	15
13-19 YRS	2249	5.3	18	2	3	4	7	10	13	19
GRAND TOTAL	**4877**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

89: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	2.4	2	1	1	2	3	5	5	5
1-11 MOS	108	2.0	5	< 1	1	1	2	4	6	14
1-5 YRS	180	2.9	10	1	1	2	4	6	8	19
6-12 YRS	212	2.5	6	1	1	2	3	6	8	12
13-19 YRS	119	2.6	8	1	1	1	3	6	7	16
B. Operated										
0-27 DYS	0									
1-11 MOS	33	2.2	2	1	1	2	3	5	5	7
1-5 YRS	74	5.7	59	1	2	3	6	13	22	44
6-12 YRS	74	4.9	31	1	3	4	5	7	11	39
13-19 YRS	31	5.4	13	2	3	4	6	9	16	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.3	7	2	2	4	6	9	10	10
1-11 MOS	133	3.3	16	1	1	2	4	7	9	20
1-5 YRS	349	3.8	18	1	1	3	5	8	11	26
6-12 YRS	272	3.6	25	< 1	1	2	4	9	13	23
13-19 YRS	239	3.4	15	1	1	2	4	7	9	13
B. Operated										
0-27 DYS	2	12.0	162	3	3	12	21	21	21	21
1-11 MOS	41	12.3	268	1	3	7	13	28	50	78
1-5 YRS	122	10.4	124	1	3	7	15	31	40	99 +
6-12 YRS	99	10.6	182	3	4	6	12	24	43	99 +
13-19 YRS	87	9.9	222	1	3	5	10	22	50	94
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	627	2.5	7	1	1	1	3	6	8	14
B. Operated	212	4.8	35	1	2	4	5	8	16	34
2. MULTIPLE DX										
A. Not Operated	1004	3.6	19	1	1	2	4	8	11	24
B. Operated	351	10.6	180	1	3	6	13	26	40	99 +
1. SINGLE DX	839	3.1	15	1	1	2	4	6	9	19
2. MULTIPLE DX	1355	5.4	70	1	1	3	6	12	20	70
A. Not Operated	1631	3.2	15	1	1	2	4	7	10	18
B. Operated	563	8.4	133	1	3	5	9	21	33	97
TOTAL										
0-27 DYS	21	4.3	20	1	2	3	5	9	15	21
1-11 MOS	315	3.9	54	1	1	2	4	9	14	34
1-5 YRS	725	4.9	44	1	1	3	5	11	19	40
6-12 YRS	657	4.5	50	1	1	2	5	10	14	44
13-19 YRS	476	4.5	58	1	1	2	5	9	13	47
GRAND TOTAL	**2194**	**4.5**	**50**	**1**	**1**	**2**	**5**	**10**	**15**	**41**

90: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.2	2	< 1	< 1	1	4	4	4	4
1-5 YRS	38	2.4	3	1	1	2	3	5	6	7
6-12 YRS	27	3.6	9	1	2	3	5	7	11	13
13-19 YRS	40	4.4	8	1	2	4	6	7	10	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	3.3	6	1	1	3	5	6	6	6
6-12 YRS	4	7.3	28	3	4	5	10	15	15	15
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	6.3	19	2	2	6	10	10	10	10
1-11 MOS	9	4.6	11	1	2	4	6	10	12	12
1-5 YRS	45	2.5	5	1	1	2	3	5	7	11
6-12 YRS	60	4.4	13	1	2	3	6	8	13	18
13-19 YRS	51	5.7	48	1	2	4	6	12	19	42
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	15.0	103	6	8	13	23	26	26	26
1-5 YRS	4	6.8	80	1	1	3	12	20	20	20
6-12 YRS	10	13.5	150	2	5	10	16	34	42	42
13-19 YRS	7	15.7	77	5	8	15	22	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.4	7	1	2	3	5	7	8	13
B. Operated	8	6.5	25	2	3	5	10	14	15	15
2. MULTIPLE DX										
A. Not Operated	169	4.3	23	1	2	3	5	9	13	23
B. Operated	25	12.9	105	2	5	12	20	26	31	42
1. SINGLE DX	119	3.6	8	1	2	3	5	7	10	14
2. MULTIPLE DX	194	5.4	41	1	2	3	6	13	19	36
A. Not Operated	280	4.0	16	1	2	3	5	8	11	19
B. Operated	33	11.4	92	2	4	8	15	26	28	42
TOTAL										
0-27 DYS	5	6.2	14	2	3	6	10	10	10	10
1-11 MOS	18	5.5	38	< 1	1	4	6	13	21	26
1-5 YRS	90	2.7	7	1	1	2	3	5	7	16
6-12 YRS	101	5.2	32	1	2	4	6	12	15	34
13-19 YRS	99	5.9	41	1	2	4	6	13	20	35
GRAND TOTAL	**313**	**4.7**	**29**	**1**	**2**	**3**	**5**	**11**	**15**	**27**

91: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	73	3.3	10	1	2	2	4	6	7	21
1-5 YRS	475	2.7	5	1	1	2	3	5	7	13
6-12 YRS	298	3.0	12	1	1	2	3	6	8	14
13-19 YRS	150	3.4	18	< 1	1	2	4	6	9	26
B. Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	26	3.5	9	1	1	3	4	7	9	15
1-5 YRS	164	4.0	31	1	2	3	4	6	11	31
6-12 YRS	127	4.3	8	1	2	4	5	7	10	15
13-19 YRS	103	5.1	10	1	3	5	6	9	13	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	2.8	5	1	1	2	4	6	8	8
1-11 MOS	172	4.5	22	1	2	3	5	9	14	24
1-5 YRS	1124	4.2	12	1	2	3	5	8	10	17
6-12 YRS	751	4.4	15	1	2	3	5	8	11	19
13-19 YRS	457	4.9	27	1	2	4	6	9	13	24
B. Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	59	8.5	81	1	3	5	11	19	35	95
1-5 YRS	161	8.4	88	2	3	5	10	18	26	46
6-12 YRS	152	10.2	141	2	4	6	11	21	41	60
13-19 YRS	138	8.9	107	1	3	7	11	17	23	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	998	2.9	10	1	1	2	3	6	8	15
B. Operated	422	4.3	18	1	2	4	5	7	11	17
2. MULTIPLE DX										
A. Not Operated	2517	4.4	16	1	2	3	6	9	11	19
B. Operated	512	9.1	107	1	3	6	11	18	32	60
1. SINGLE DX	1420	3.3	12	1	1	2	4	6	8	15
2. MULTIPLE DX	3029	5.2	35	1	2	4	6	10	15	33
A. Not Operated	3515	4.0	15	1	2	3	5	8	10	18
B. Operated	934	6.9	73	1	2	4	8	15	20	48
TOTAL										
0-27 DYS	19	2.9	4	1	1	2	4	6	7	8
1-11 MOS	330	4.8	32	1	2	3	5	10	16	36
1-5 YRS	1924	4.2	20	1	2	3	5	8	11	22
6-12 YRS	1328	4.7	32	1	2	3	6	9	13	33
13-19 YRS	848	5.3	39	1	2	4	6	11	14	28
GRAND TOTAL	**4449**	**4.6**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**28**

92: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.3	5	< 1	< 1	1	4	5	5	5
1-5 YRS	58	1.6		1	1	1	2	3	3	3
6-12 YRS	398	1.6	1	1	1	1	2	3	3	4
13-19 YRS	392	1.7	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	56	3.1	2	2	2	3	4	5	7	8
6-12 YRS	263	2.8	1	2	2	3	3	4	5	7
13-19 YRS	367	3.1	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	71	1.8	1	1	1	2	2	3	4	7
6-12 YRS	258	2.0	1	1	1	2	2	3	4	6
13-19 YRS	257	2.1	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	38	4.2	10	2	2	3	5	8	10	18
6-12 YRS	148	3.5	3	2	3	3	4	5	6	10
13-19 YRS	167	3.9	10	2	3	3	4	6	7	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	851	1.7	1	1	1	1	2	3	3	5
B. Operated	686	3.0	2	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	586	2.0	1	1	1	2	2	3	4	7
B. Operated	353	3.8	7	2	3	3	4	6	7	15
1. SINGLE DX	1537	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	939	2.7	4	1	1	2	3	5	6	9
A. Not Operated	1437	1.8	1	1	1	2	2	3	4	5
B. Operated	1039	3.3	4	2	2	3	4	5	6	9
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.3	5	< 1	< 1	1	4	5	5	5
1-5 YRS	223	2.5	4	1	1	2	3	4	6	9
6-12 YRS	1067	2.3	2	1	1	2	3	4	5	7
13-19 YRS	1183	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**2476**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

93: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	60	4.9	7	2	3	5	6	9	10	11
1-5 YRS	184	4.1	5	2	2	4	5	7	8	12
6-12 YRS	83	4.1	4	2	2	4	5	7	8	9
13-19 YRS	36	3.0	4	1	2	3	4	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	22	6.0	9	3	4	5	8	10	12	13
1-5 YRS	60	5.0	20	< 1	1	4	7	12	14	21
6-12 YRS	42	3.2	8	< 1	1	2	4	7	9	12
13-19 YRS	30	3.1	8	< 1	1	2	4	7	9	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	57	5.1	8	2	3	5	7	8	10	15
1-5 YRS	201	4.4	5	2	3	4	6	8	9	11
6-12 YRS	81	4.1	12	2	2	3	5	7	8	23
13-19 YRS	38	4.2	8	1	2	4	6	9	10	11
B. Operated										
0-27 DYS	0									
1-11 MOS	25	7.3	16	2	4	7	10	13	15	15
1-5 YRS	34	5.1	12	1	3	4	8	9	12	16
6-12 YRS	18	4.9	11	< 1	1	6	7	9	10	10
13-19 YRS	14	6.1	23	1	2	5	9	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	365	4.1	5	1	2	4	5	7	8	11
B. Operated	154	4.3	14	< 1	1	3	6	9	12	15
2. MULTIPLE DX										
A. Not Operated	378	4.4	7	2	3	4	6	8	9	13
B. Operated	91	5.8	15	1	3	6	9	11	14	16
1. SINGLE DX	519	4.1	8	1	2	4	6	8	9	13
2. MULTIPLE DX	469	4.7	9	1	3	4	6	9	10	15
A. Not Operated	743	4.2	6	2	2	4	6	7	9	11
B. Operated	245	4.9	15	1	1	4	7	10	13	15
TOTAL										
0-27 DYS	3	3.3	6	1	1	3	5	6	6	6
1-11 MOS	164	5.5	9	2	3	5	7	10	11	15
1-5 YRS	479	4.4	8	1	2	4	6	8	9	14
6-12 YRS	224	4.0	8	1	2	3	5	7	8	11
13-19 YRS	118	3.8	9	1	1	3	5	9	10	14
GRAND TOTAL	**988**	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**14**

94: Transient organic psychotic conditions (293)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	0									
6-12 YRS	4	1.8	1	1	1	2	2	3	3	3
13-19 YRS	13	14.0	231	1	1	4	29	37	39	39
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	12.0	217	3	3	4	23	29	29	29
6-12 YRS	17	11.0	249	1	2	2	21	30	49	58
13-19 YRS	58	20.3	521	1	3	12	33	70	78	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	13.4	136	1	3	12	23	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	11.0	191	1	1	3	20	35	38	39
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	80	17.7	451	1	2	8	28	61	74	99 +
B. Operated	5	13.4	136	1	3	12	23	29	29	29
1. SINGLE DX	18	11.0	191	1	1	3	20	35	38	39
2. MULTIPLE DX	85	17.4	432	1	2	9	28	58	73	99 +
A. Not Operated	98	16.4	408	1	2	8	28	53	71	99 +
B. Operated	5	13.4	136	1	3	12	23	29	29	29
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	3	12.0	217	3	3	4	23	29	29	29
6-12 YRS	21	9.2	213	1	1	2	11	27	43	58
13-19 YRS	76	18.8	448	1	2	12	29	64	74	99 +
GRAND TOTAL	**103**	**16.3**	**393**	**1**	**2**	**8**	**28**	**49**	**71**	**99 +**

95: Alzheimer's dementia (290.10-290.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

Pediatric patients are excluded from this diagnosis group because of clinical implausibility

96: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
1. SINGLE DX										
2. MULTIPLE DX										
A. Not Operated										
B. Operated										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

Pediatric patients are excluded from this diagnosis group because of clinical implausibility

97: Chronic organic brain syndrome, except Alzheimer's and arteriosclerotic dementia (290.0; 290.20-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.8	2	1	1	1	3	4	4	4
1-5 YRS	37	1.1		< 1	1	1	1	2	2	2
6-12 YRS	64	1.4		1	1	1	2	2	2	4
13-19 YRS	85	5.0	147	1	1	2	3	5	24	70
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	3.0	7	< 1	1	3	6	72	99 +	99 +
1-5 YRS	40	4.1	56	< 1	1	2	3	6	20	42
6-12 YRS	79	7.0	167	1	1	2	4	23	36	66
13-19 YRS	190	8.7	212	1	2	4	7	23	41	74
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	0									
1-5 YRS	5	1.4	1	1	1	1	2	3	3	3
6-12 YRS	7	7.3	236	1	1	1	23	83	99 +	99 +
13-19 YRS	27	3.4	36	1	1	1	2	7	16	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	2.9	69	1	1	1	2	4	4	59
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	317	7.5	178	1	1	2	6	22	38	72
B. Operated	40	3.9	63	1	1	1	3	10	35	99 +
1. SINGLE DX	190	2.9	69	1	1	1	2	4	4	59
2. MULTIPLE DX	357	7.1	166	1	1	2	6	21	38	76
A. Not Operated	507	5.8	142	1	1	2	4	14	31	69
B. Operated	40	3.9	63	1	1	1	3	10	35	99 +
TOTAL										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	11	2.5	5	< 1	1	1	5	35	91	99 +
1-5 YRS	82	2.6	29	< 1	1	1	2	4	6	36
6-12 YRS	150	4.6	105	1	1	1	2	12	32	68
13-19 YRS	302	7.1	181	1	1	2	5	17	37	72
GRAND TOTAL	**547**	**5.7**	**136**	**1**	**1**	**2**	**4**	**14**	**31**	**70**

98: Alcoholic psychoses (291)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.1	2	< 1	< 1	2	3	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	49	6.0	65	1	1	2	5	20	28	31
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	2.1	2	< 1	< 1	2	3	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	52	6.0	61	1	2	3	6	20	27	31
B. Operated	0									
1. SINGLE DX	7	2.1	2	< 1	< 1	2	3	5	5	5
2. MULTIPLE DX	52	6.0	61	1	2	3	6	20	27	31
A. Not Operated	59	5.5	56	1	1	2	5	18	25	31
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	56	5.5	59	1	1	2	5	20	26	31
GRAND TOTAL	**59**	**5.5**	**56**	**1**	**1**	**2**	**5**	**18**	**25**	**31**

99: Drug psychoses (292)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	3	1.7		< 1	< 1	2	2	2	2	2
6-12 YRS	4	10.5	190	2	2	4	18	31	31	31
13-19 YRS	31	7.1	69	1	2	4	10	16	27	38
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	4.8	17	1	2	3	8	11	11	11
6-12 YRS	5	3.8	7	2	2	2	6	8	8	8
13-19 YRS	179	9.1	164	1	3	5	10	21	29	82
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1	19.0		19	13	19	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	7.7	84	1	2	4	9	22	30	38
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	191	8.8	156	1	2	5	10	21	28	78
B. Operated	2	13.0	72	7	7	13	19	19	19	19
1. SINGLE DX	40	7.7	84	1	2	4	9	22	30	38
2. MULTIPLE DX	193	8.8	155	1	2	5	10	21	28	77
A. Not Operated	231	8.6	143	1	2	5	10	21	29	65
B. Operated	2	13.0	72	7	7	13	19	19	19	19
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	10.7	280	1	1	1	23	30	30	30
1-5 YRS	8	3.6	13	< 1	1	2	5	10	11	11
6-12 YRS	10	6.8	78	2	2	4	7	19	31	31
13-19 YRS	211	8.9	150	1	2	5	11	21	28	71
GRAND TOTAL	**233**	**8.6**	**143**	**1**	**2**	**5**	**10**	**21**	**29**	**64**

100: Paranoid schizophrenia (295.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	24.0		24	24	62	99 +	99 +	99 +	99 +
1-5 YRS	0									
6-12 YRS	1	38.0		38	38	38	38	38	38	38
13-19 YRS	113	21.9	384	3	7	17	31	49	74	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	28.2	140	13	22	28	33	46	46	46
13-19 YRS	130	20.4	338	4	8	14	30	46	69	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	26.0	542	11	12	14	37	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	21.9	380	3	7	17	32	52	78	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	135	20.7	332	4	8	15	30	46	68	99 +
B. Operated	5	26.0	542	11	12	14	37	66	66	66
1. SINGLE DX	116	21.9	380	3	7	17	32	52	78	99 +
2. MULTIPLE DX	140	20.9	337	4	8	15	29	46	67	99 +
A. Not Operated	251	21.3	353	4	7	16	31	49	72	99 +
B. Operated	5	26.0	542	11	12	14	37	66	66	66
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	24.0		24	24	62	99 +	99 +	99 +	99 +
1-5 YRS	0									
6-12 YRS	6	29.8	128	14	25	28	38	45	46	46
13-19 YRS	248	21.2	361	4	7	16	31	49	70	99 +
GRAND TOTAL	**256**	**21.4**	**355**	**4**	**8**	**16**	**31**	**49**	**71**	**99 +**

101: Acute schizophrenic episode (295.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	30.0		30	30	30	30	30	30	30
13-19 YRS	35	21.4	237	6	12	19	28	47	69	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	33	32.7	623	5	12	32	42	94	99	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	21.6	233	6	13	19	28	47	68	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	33	32.7	623	5	12	32	42	94	99	99 +
B. Operated	0									
1. SINGLE DX	36	21.6	233	6	13	19	28	47	68	99 +
2. MULTIPLE DX	33	32.7	623	5	12	32	42	94	99	99 +
A. Not Operated	69	26.9	444	5	12	22	39	67	98	99 +
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	30.0		30	30	30	30	30	30	30
13-19 YRS	68	26.9	450	5	12	22	40	67	98	99 +
GRAND TOTAL	**69**	**26.9**	**444**	**5**	**12**	**22**	**39**	**67**	**98**	**99 +**

102: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	15	26.2	610	3	10	24	33	89	97	99 +
13-19 YRS	323	21.2	331	3	7	16	31	48	59	94
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	16	33.9	429	10	15	31	49	56	73	80
13-19 YRS	345	21.2	336	3	7	16	32	55	69	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	31.3	521	7	17	31	34	69	82	83
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	339	21.4	342	3	7	16	31	49	61	99 +
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	362	21.8	345	3	7	17	32	56	69	99 +
B. Operated	11	31.3	521	7	17	31	34	69	82	83
1. SINGLE DX	339	21.4	342	3	7	16	31	49	61	99 +
2. MULTIPLE DX	373	22.0	352	3	8	17	33	56	72	99 +
A. Not Operated	701	21.6	343	3	7	16	32	52	64	99 +
B. Operated	11	31.3	521	7	17	31	34	69	82	83
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	31	30.2	514	6	12	28	43	72	90	99 +
13-19 YRS	679	21.4	337	3	7	16	32	51	64	99 +
GRAND TOTAL	**712**	**21.7**	**347**	**3**	**7**	**16**	**32**	**53**	**65**	**99 +**

103: Childhood psychosis (299)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	19	10.1	96	2	4	7	14	21	33	42
6-12 YRS	34	30.2	637	4	9	25	42	75	83	97
13-19 YRS	19	19.4	135	7	10	17	26	39	43	43
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	32	17.5	302	3	3	11	28	49	51	57
6-12 YRS	57	34.2	457	8	20	35	51	74	99 +	99 +
13-19 YRS	33	19.6	371	3	8	13	30	76	99 +	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	83.0		83	83	83	83	83	83	83
13-19 YRS	2	45.0	1568	17	17	45	73	73	73	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	72	22.1	427	4	7	14	31	46	73	94
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	123	25.7	449	3	8	22	42	70	99 +	99 +
B. Operated	3	57.7	1265	17	31	73	80	83	83	83
1. SINGLE DX	72	22.1	427	4	7	14	31	46	73	94
2. MULTIPLE DX	126	26.4	483	3	9	22	43	72	99	99 +
A. Not Operated	195	24.3	442	3	8	20	39	63	80	99 +
B. Operated	3	57.7	1265	17	31	73	80	83	83	83
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	51	14.7	235	3	3	8	18	42	50	57
6-12 YRS	92	33.2	544	6	14	31	50	75	98	99 +
13-19 YRS	54	20.5	323	4	9	17	28	69	92	99 +
GRAND TOTAL	**198**	**24.8**	**464**	**3**	**8**	**21**	**41**	**67**	**83**	**99 +**

104: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	4	22.5	390	4	9	18	36	50	50	50
6-12 YRS	122	24.5	429	3	10	20	33	58	78	99 +
13-19 YRS	972	19.2	285	3	7	15	27	42	53	87
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	29.5	145	21	21	29	38	38	38	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	11.8	79	1	5	9	21	21	21	21
1-5 YRS	13	28.7	343	2	19	24	41	57	63	65
6-12 YRS	279	30.6	353	7	17	29	42	61	78	99 +
13-19 YRS	2243	23.1	351	4	9	19	35	48	69	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	37.4	378	17	22	38	64	86	99 +	99 +
13-19 YRS	50	27.1	434	3	8	27	42	66	97	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1099	19.8	304	3	7	15	28	45	56	95
B. Operated	2	29.5	145	21	21	29	38	38	38	38
2. MULTIPLE DX										
A. Not Operated	2540	23.9	356	4	9	20	36	50	70	99 +
B. Operated	58	28.5	433	3	10	28	43	67	99 +	99 +
1. SINGLE DX	1101	19.8	303	3	7	15	28	45	56	95
2. MULTIPLE DX	2598	24.0	358	4	9	20	36	51	70	99 +
A. Not Operated	3639	22.7	344	3	8	18	34	48	66	99 +
B. Operated	60	28.6	420	3	10	28	43	66	99 +	99 +
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	11.8	79	1	5	9	21	21	21	21
1-5 YRS	17	27.2	338	2	17	23	41	54	61	65
6-12 YRS	409	28.9	383	6	15	27	41	61	78	99 +
13-19 YRS	3267	22.0	336	3	8	17	33	46	65	99 +
GRAND TOTAL	**3699**	**22.8**	**346**	**3**	**8**	**18**	**34**	**48**	**67**	**99 +**

105: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	25.5	221	15	15	25	36	36	36	36
6-12 YRS	31	28.0	356	7	11	23	42	58	61	62
13-19 YRS	331	18.2	246	3	7	14	25	41	55	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	9.7	80	4	4	5	16	20	20	20
1-5 YRS	2	33.0	2	32	32	33	34	34	34	34
6-12 YRS	60	29.9	512	7	12	25	48	73	99 +	99 +
13-19 YRS	539	22.4	339	4	9	17	32	49	68	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	29.0		29	29	29	29	29	29	29
6-12 YRS	2	59.0	242	48	48	59	70	70	70	70
13-19 YRS	7	17.7	478	1	2	14	45	89	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	364	19.1	262	3	7	14	27	43	57	98
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	604	23.1	359	4	9	17	34	54	70	99 +
B. Operated	10	27.1	641	2	5	28	58	82	98	99 +
1. SINGLE DX	364	19.1	262	3	7	14	27	43	57	98
2. MULTIPLE DX	614	23.2	363	4	9	18	34	55	70	99 +
A. Not Operated	968	21.6	326	4	9	17	31	49	68	99 +
B. Operated	10	27.1	641	2	5	28	58	82	98	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	3	9.7	80	4	4	5	16	20	20	20
1-5 YRS	5	29.2	70	15	25	32	34	36	36	36
6-12 YRS	93	29.9	467	7	11	25	48	69	81	99 +
13-19 YRS	877	20.8	309	4	8	16	29	47	66	99 +
GRAND TOTAL	**978**	**21.7**	**329**	**4**	**9**	**17**	**31**	**50**	**68**	**99 +**

106: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	4.6	49	< 1	1	1	4	17	20	20
6-12 YRS	27	21.0	338	2	5	22	37	62	99 +	99 +
13-19 YRS	156	13.6	221	2	3	9	17	34	45	68
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	5.7	82	1	1	2	4	22	26	26
6-12 YRS	29	19.1	453	1	3	12	38	84	99 +	99 +
13-19 YRS	286	17.3	304	2	4	12	24	42	56	96
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	31.7	1434	1	6	20	60	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	190	14.3	240	2	3	9	20	37	49	92
B. Operated	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	323	17.1	314	2	4	11	25	44	63	99 +
B. Operated	3	31.7	1434	1	6	20	60	74	74	74
1. SINGLE DX	191	14.3	238	2	3	9	20	37	49	92
2. MULTIPLE DX	326	17.3	322	2	4	11	25	45	63	99 +
A. Not Operated	513	16.1	288	2	4	10	23	42	59	99 +
B. Operated	4	26.3	1074	1	5	15	47	74	74	74
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	5.1	60	1	1	2	4	21	25	26
6-12 YRS	56	20.0	391	2	3	14	38	70	99 +	99 +
13-19 YRS	446	16.1	283	2	4	10	22	41	54	88
GRAND TOTAL	**517**	**16.2**	**292**	**2**	**4**	**10**	**23**	**42**	**60**	**99 +**

107: Anxiety states (300.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	14.4	207	2	2	11	25	36	36	36
13-19 YRS	47	4.1	31	< 1	1	2	3	13	16	26
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	18	15.6	259	1	4	8	27	33	52	63
13-19 YRS	85	8.3	112	1	1	3	10	23	33	45
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	5.1	54	< 1	1	2	4	14	22	36
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	103	9.5	143	1	2	4	13	27	34	54
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	52	5.1	54	< 1	1	2	4	14	22	36
2. MULTIPLE DX	104	9.5	142	1	2	4	13	27	34	54
A. Not Operated	155	8.1	117	1	1	3	10	23	32	46
B. Operated	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	23	15.3	238	2	3	8	26	35	45	63
13-19 YRS	133	6.7	86	1	1	3	8	20	26	44
GRAND TOTAL	**156**	**8.0**	**116**	**1**	**1**	**3**	**10**	**23**	**32**	**46**

108: Neurotic depression (300.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	58	27.4	307	6	14	29	35	56	64	98
13-19 YRS	462	17.3	256	3	5	12	25	42	52	78
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	32.1	176	12	29	30	42	44	45	45
6-12 YRS	301	32.0	410	7	17	29	43	61	80	99 +
13-19 YRS	1468	22.4	344	3	8	18	34	50	63	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	24	22.8	364	2	5	22	38	56	72	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	522	18.4	271	3	6	13	28	42	56	85
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1779	24.1	368	3	9	21	36	52	66	99 +
B. Operated	24	22.8	364	2	5	24	39	62	99 +	99 +
1. SINGLE DX	522	18.4	271	3	6	13	28	42	56	85
2. MULTIPLE DX	1803	24.1	367	3	9	21	36	53	66	99 +
A. Not Operated	2301	22.8	351	3	8	19	34	50	63	99 +
B. Operated	24	22.8	364	2	5	24	39	62	99 +	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	26.7	285	2	10	29	42	44	45	45
6-12 YRS	359	31.3	395	7	16	29	43	60	80	99 +
13-19 YRS	1954	21.2	328	3	7	16	32	49	61	99 +
GRAND TOTAL	**2325**	**22.8**	**351**	**3**	**8**	**19**	**34**	**50**	**63**	**99 +**

109: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS	9	3.7	48	< 1	< 1	1	2	14	22	22
6-12 YRS	83	12.4	323	1	2	4	15	37	59	99
13-19 YRS	396	10.5	255	1	2	4	13	34	49	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	7.0	31	2	3	6	11	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	10.0	49	2	5	13	14	15	15	15
1-5 YRS	11	6.5	45	1	2	3	8	19	21	21
6-12 YRS	142	19.4	526	1	3	9	31	63	88	99 +
13-19 YRS	787	12.7	264	1	3	6	16	38	60	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	1	43.0		43	43	43	43	43	43	43
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	4	17.5	316	1	3	15	32	39	39	39
13-19 YRS	31	15.2	325	1	3	6	28	44	52	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	489	10.7	263	1	2	4	13	35	49	99 +
B. Operated	4	6.0	25	2	2	4	9	13	13	13
2. MULTIPLE DX										
A. Not Operated	943	13.7	306	1	3	6	18	42	63	99 +
B. Operated	37	16.0	320	1	3	7	32	43	50	66
1. SINGLE DX	493	10.7	261	1	2	4	13	34	49	99 +
2. MULTIPLE DX	980	13.7	306	1	3	6	18	43	63	99 +
A. Not Operated	1432	12.7	293	1	2	5	16	39	61	99 +
B. Operated	41	15.0	299	1	3	6	26	42	49	66
TOTAL										
0-27 DYS	0									
1-11 MOS	5	19.2	233	2	10	15	28	43	43	43
1-5 YRS	21	5.3	44	< 1	1	2	7	19	21	22
6-12 YRS	230	16.8	456	1	2	7	28	50	77	99 +
13-19 YRS	1217	12.0	263	1	2	5	15	37	58	99 +
GRAND TOTAL	**1473**	**12.7**	**293**	**1**	**2**	**6**	**16**	**39**	**60**	**99 +**

110: Alcoholic dependence syndrome (303)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	134	9.3	187	1	1	3	11	28	29	64
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	6.0	32	1	3	5	14	83	99 +	99 +
1-5 YRS	0									
6-12 YRS	14	21.1	139	3	14	22	31	34	38	39
13-19 YRS	2390	23.9	217	3	12	26	33	42	45	61
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
13-19 YRS	35	21.4	196	2	8	22	29	41	43	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	9.1	183	1	1	3	10	28	29	63
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2411	23.8	217	3	11	26	33	42	45	61
B. Operated	37	20.4	204	1	6	21	28	40	43	56
1. SINGLE DX	138	9.1	183	1	1	3	10	28	29	63
2. MULTIPLE DX	2448	23.7	217	3	11	26	32	42	45	61
A. Not Operated	2549	23.0	226	2	9	25	32	42	45	61
B. Operated	37	20.4	204	1	6	21	28	40	43	56
TOTAL										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	7	5.6	28	2	3	5	11	75	99 +	99 +
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	17	17.8	165	2	5	18	30	33	37	39
13-19 YRS	2559	23.1	226	2	9	25	32	42	45	61
GRAND TOTAL	**2586**	**23.0**	**226**	**2**	**9**	**25**	**32**	**42**	**44**	**61**

111: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	26.5	682	3	4	24	31	67	88	90
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	96	22.0	177	3	9	27	32	36	42	51
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	28.5	1013	6	6	28	51	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	26.5	682	3	4	24	31	67	88	90
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	97	21.8	180	3	9	27	32	36	42	51
B. Operated	2	28.5	1013	6	6	28	51	51	51	51
1. SINGLE DX	11	26.5	682	3	4	24	31	67	88	90
2. MULTIPLE DX	99	22.0	187	3	9	27	33	37	43	53
A. Not Operated	108	22.3	227	3	8	27	32	37	43	70
B. Operated	2	28.5	1013	6	6	28	51	51	51	51
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	109	22.6	231	3	8	27	32	38	44	69
GRAND TOTAL	**110**	**22.4**	**233**	**3**	**7**	**27**	**32**	**37**	**44**	**69**

112: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	25.5	113	18	18	25	33	33	33	33
13-19 YRS	133	15.4	259	2	3	9	27	34	42	82
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	28.5	598	4	7	29	49	51	51	51
1-5 YRS	0									
6-12 YRS	8	26.3	146	11	17	26	36	42	42	42
13-19 YRS	1758	25.0	230	4	13	27	35	42	48	68
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	28.1	191	9	20	27	40	43	52	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	135	15.6	258	2	3	9	28	33	42	82
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1770	25.0	230	4	13	27	35	42	48	68
B. Operated	18	28.1	191	9	20	27	40	43	52	58
1. SINGLE DX	135	15.6	258	2	3	9	28	33	42	82
2. MULTIPLE DX	1788	25.1	230	4	13	27	35	42	48	68
A. Not Operated	1905	24.4	238	3	11	26	34	42	47	69
B. Operated	18	28.1	191	9	20	27	40	43	52	58
TOTAL										
0-27 DYS	0									
1-11 MOS	4	28.5	598	4	7	29	49	51	51	51
1-5 YRS	0									
6-12 YRS	10	26.1	126	12	18	26	33	41	42	42
13-19 YRS	1909	24.4	237	3	11	26	34	42	47	69
GRAND TOTAL	**1923**	**24.4**	**237**	**3**	**11**	**26**	**34**	**42**	**47**	**68**

113: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	29	1.1		< 1	< 1	1	1	1	2	4
13-19 YRS	383	1.5	5	< 1	< 1	1	1	2	2	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	20	2.3	9	< 1	1	1	2	6	10	13
13-19 YRS	614	6.3	110	< 1	1	2	5	26	32	45
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	7.3	218	< 1	< 1	1	2	38	45	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	413	1.5	5	< 1	< 1	1	1	2	2	14
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	637	6.1	107	< 1	1	2	5	26	31	44
B. Operated	20	7.3	218	< 1	< 1	1	2	38	45	46
1. SINGLE DX	414	1.5	5	< 1	< 1	1	1	2	2	14
2. MULTIPLE DX	657	6.1	110	< 1	1	2	4	26	32	46
A. Not Operated	1050	4.3	72	< 1	1	1	2	10	28	41
B. Operated	21	7.0	209	< 1	< 1	1	2	37	45	46
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	49	1.6	4	< 1	1	1	1	3	4	13
13-19 YRS	1018	4.5	77	< 1	1	1	2	12	28	43
GRAND TOTAL	**1071**	**4.3**	**74**	**< 1**	**1**	**1**	**2**	**10**	**28**	**43**

114: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	87	6.2	100	< 1	1	2	6	22	32	42
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	13	8.6	129	1	1	4	10	31	34	35
13-19 YRS	473	18.4	281	1	3	15	29	42	47	77
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	18.2	333	1	5	8	35	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	89	6.1	98	< 1	1	2	5	21	32	42
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	488	18.1	279	1	3	14	29	42	47	77
B. Operated	5	18.2	333	1	5	8	35	43	43	43
1. SINGLE DX	89	6.1	98	< 1	1	2	5	21	32	42
2. MULTIPLE DX	493	18.1	279	1	3	14	29	42	47	77
A. Not Operated	577	16.3	270	1	2	10	28	41	45	75
B. Operated	5	18.2	333	1	5	8	35	43	43	43
TOTAL										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	15	7.7	116	1	1	4	7	30	34	35
13-19 YRS	565	16.5	272	1	2	11	28	42	45	75
GRAND TOTAL	**582**	**16.3**	**270**	**1**	**2**	**10**	**28**	**41**	**45**	**75**

115: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	15	7.3	452	1	1	2	3	4	64	84
13-19 YRS	21	3.1	12	< 1	1	2	4	6	11	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	17.4	448	1	2	7	35	51	53	53
6-12 YRS	41	9.7	204	1	2	3	11	37	52	99 +
13-19 YRS	110	8.5	161	1	2	3	7	27	37	55
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.0	27	2	2	2	9	11	11	11
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	8	12.9	377	2	4	6	10	46	60	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	4.5	173	1	1	2	3	5	11	84
B. Operated	5	2.4	2	1	1	3	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	159	9.2	183	1	2	3	9	32	48	60
B. Operated	13	9.5	244	2	2	6	8	23	53	60
1. SINGLE DX	45	4.3	154	1	1	2	3	4	9	84
2. MULTIPLE DX	172	9.2	186	1	2	3	9	32	49	60
A. Not Operated	199	8.2	184	1	2	3	6	29	45	72
B. Operated	18	7.6	184	1	2	4	6	13	42	60
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	14	10.2	268	1	2	2	11	43	51	53
6-12 YRS	60	8.7	249	1	2	3	6	33	52	98
13-19 YRS	142	7.8	151	1	2	3	6	25	35	56
GRAND TOTAL	**217**	**8.2**	**183**	**1**	**2**	**3**	**6**	**27**	**45**	**68**

116: Nonpsychotic depressive reactions, except neurotic depresssion (309.0-309.1; 311)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	4.7	6	2	3	5	6	7	7	7
1-5 YRS	5	17.0	96	2	12	16	24	28	28	28
6-12 YRS	81	17.1	165	3	7	14	27	35	41	58
13-19 YRS	873	10.2	137	1	3	6	14	25	35	74
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	6	21.3	113	9	14	21	30	34	34	34
6-12 YRS	139	20.1	359	3	6	15	30	44	73	99 +
13-19 YRS	1770	12.2	192	1	3	7	16	30	42	77
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	61.0		61	61	61	61	61	61	61
13-19 YRS	35	13.4	327	1	1	4	24	56	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	962	10.8	142	1	3	7	14	28	36	72
B. Operated	4	1.3		< 1	< 1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	1916	12.8	208	1	3	8	18	32	42	82
B. Operated	36	14.8	380	1	1	5	25	60	88	99 +
1. SINGLE DX	966	10.8	142	1	3	7	14	28	36	72
2. MULTIPLE DX	1952	12.9	211	1	3	7	18	32	43	84
A. Not Operated	2878	12.1	187	1	3	7	16	30	41	80
B. Operated	40	13.4	358	1	1	4	24	59	82	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	4	8.0	49	2	3	6	12	18	18	18
1-5 YRS	11	19.4	100	6	14	16	28	32	34	34
6-12 YRS	221	19.2	295	3	7	15	28	41	61	99 +
13-19 YRS	2682	11.6	176	1	3	7	15	29	41	77
GRAND TOTAL	**2918**	**12.2**	**189**	**1**	**3**	**7**	**16**	**30**	**41**	**82**

117: Adjustment reactions and acute reactions to stress except depression (308; 309.2-309.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	14	27.1	944	2	6	13	34	86	91	93
6-12 YRS	157	17.1	274	2	5	13	25	45	62	99 +
13-19 YRS	846	12.4	206	1	3	7	17	31	43	96
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	61.0		61	61	61	61	61	61	61
13-19 YRS	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	3	3.3	6	< 1	1	3	5	6	6	6
1-5 YRS	44	20.2	209	5	9	16	31	42	53	99 +
6-12 YRS	320	23.2	345	3	8	21	38	50	69	99 +
13-19 YRS	1691	12.7	199	1	3	7	17	31	43	71
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	4.8	56	1	1	1	9	16	16	16
6-12 YRS	4	26.8	468	8	9	39	63	99 +	99 +	99 +
13-19 YRS	33	12.4	344	1	2	4	21	49	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1017	13.3	231	1	3	8	18	35	49	99 +
B. Operated	2	41.5	761	22	22	41	61	61	61	61
2. MULTIPLE DX										
A. Not Operated	2060	14.4	236	1	4	9	21	37	47	87
B. Operated	41	13.1	341	1	2	5	23	54	99 +	99 +
1. SINGLE DX	1019	13.4	233	1	3	8	18	35	49	99 +
2. MULTIPLE DX	2101	14.4	238	1	4	9	21	37	48	91
A. Not Operated	3077	14.1	235	1	3	9	20	36	48	92
B. Operated	43	14.4	379	1	2	6	25	60	99 +	99 +
TOTAL										
0-27 DYS	2	10.0	98	3	3	10	17	17	17	17
1-11 MOS	3	3.3	6	< 1	1	3	5	6	6	6
1-5 YRS	62	20.7	378	2	8	15	31	47	73	99
6-12 YRS	482	21.3	332	3	6	16	34	50	66	99 +
13-19 YRS	2571	12.6	203	1	3	7	17	31	43	85
GRAND TOTAL	**3120**	**14.1**	**237**	**1**	**3**	**9**	**20**	**36**	**48**	**96**

118: Other mental disorders (307; 312-315)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	3.3	11	1	2	2	3	8	13	13
1-5 YRS	72	15.4	313	1	2	7	27	43	66	99 +
6-12 YRS	415	20.7	432	2	4	15	32	65	85	99 +
13-19 YRS	892	18.2	272	2	6	14	28	42	55	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	15.0	392	1	1	15	29	29	29	29
6-12 YRS	6	44.7	925	8	26	37	77	83	84	84
13-19 YRS	5	19.6	816	3	4	6	29	70	70	70
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	15	6.9	81	1	2	6	9	11	30	37
1-5 YRS	203	16.1	249	2	3	12	28	42	54	99 +
6-12 YRS	1075	26.2	442	3	10	22	41	59	83	99 +
13-19 YRS	2327	23.2	373	3	8	19	36	54	67	99 +
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	7	21.1	252	3	10	18	29	46	50	50
6-12 YRS	15	33.1	617	4	7	34	54	59	73	77
13-19 YRS	49	26.6	457	3	10	25	40	57	77	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1391	18.7	323	2	5	14	29	45	67	99 +
B. Operated	13	30.5	880	3	5	26	50	78	83	84
2. MULTIPLE DX										
A. Not Operated	3621	23.6	392	3	8	20	36	55	71	99 +
B. Operated	73	26.8	472	3	9	24	44	59	74	99
1. SINGLE DX	1404	18.8	329	2	5	14	29	45	68	99 +
2. MULTIPLE DX	3694	23.7	393	3	8	20	37	55	71	99 +
A. Not Operated	5012	22.3	377	3	7	18	34	52	70	99 +
B. Operated	86	27.3	526	3	7	25	44	60	77	99
TOTAL										
0-27 DYS	2	14.5	265	3	3	14	26	26	26	26
1-11 MOS	28	5.2	50	1	2	2	6	11	15	37
1-5 YRS	284	16.0	264	1	3	11	28	43	56	99 +
6-12 YRS	1511	24.9	450	3	8	21	40	61	84	99 +
13-19 YRS	3273	21.9	352	3	7	17	33	50	65	99 +
GRAND TOTAL	**5098**	**22.3**	**380**	**3**	**7**	**18**	**34**	**53**	**70**	**99 +**

119: Mental retardation (317-319)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	6	13.7	124	1	6	10	26	28	28	28
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	13	7.5	156	1	2	4	6	18	42	48
6-12 YRS	14	9.8	100	2	3	8	14	40	85	99+
13-19 YRS	32	13.0	216	2	5	9	19	55	93	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	13.7	82	7	8	10	20	24	24	24
6-12 YRS	3	6.3	34	2	2	4	11	13	13	13
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	9	9.9	110	1	2	6	17	27	28	28
B. Operated	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	61	11.2	173	2	4	7	14	41	77	99+
B. Operated	9	7.3	56	1	2	4	11	20	24	24
1. SINGLE DX	12	7.8	95	1	1	3	10	27	28	28
2. MULTIPLE DX	70	10.7	158	2	3	7	13	33	66	99+
A. Not Operated	70	11.0	163	2	3	7	14	33	66	99+
B. Operated	12	5.8	48	1	1	3	8	16	23	24
TOTAL										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	16	8.6	142	1	3	4	9	23	41	48
6-12 YRS	23	7.3	75	1	2	4	11	19	58	99+
13-19 YRS	41	12.3	192	2	4	9	19	36	79	99+
GRAND TOTAL	**82**	**10.2**	**149**	**1**	**3**	**6**	**13**	**28**	**57**	**99+**

120: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	67	10.7	46	3	6	10	14	17	21	43
1-11 MOS	463	9.5	14	3	8	10	11	14	15	21
1-5 YRS	361	9.6	9	5	8	10	11	13	14	18
6-12 YRS	66	7.8	26	2	3	9	10	12	16	26
13-19 YRS	48	6.2	16	1	2	6	10	11	12	13
B. Operated										
0-27 DYS	3	19.3	86	13	13	15	26	30	30	30
1-11 MOS	33	12.5	54	4	10	11	14	21	31	36
1-5 YRS	16	15.9	162	7	10	12	16	30	50	58
6-12 YRS	8	14.1	89	6	9	12	15	30	36	36
13-19 YRS	7	17.1	274	3	5	12	27	44	48	48
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	115	13.9	52	4	10	14	19	22	23	38
1-11 MOS	752	10.8	21	4	9	10	13	16	18	25
1-5 YRS	569	10.6	23	5	9	10	12	15	17	29
6-12 YRS	103	7.9	36	1	3	8	11	15	18	30
13-19 YRS	71	9.4	79	2	4	8	11	18	21	58
B. Operated										
0-27 DYS	27	27.4	283	10	14	25	43	60	68	99+
1-11 MOS	147	20.1	175	10	12	16	23	37	49	87
1-5 YRS	99	18.0	193	7	10	14	22	37	45	73
6-12 YRS	36	22.2	164	9	13	20	27	44	54	55
13-19 YRS	38	22.0	332	5	8	17	31	58	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1005	9.3	16	3	7	10	11	14	15	21
B. Operated	67	14.3	104	5	10	12	16	30	36	56
2. MULTIPLE DX										
A. Not Operated	1610	10.7	29	4	9	10	13	16	19	26
B. Operated	347	20.5	208	8	11	16	26	43	54	87
1. SINGLE DX	1072	9.7	23	3	7	10	11	14	16	23
2. MULTIPLE DX	1957	12.4	75	4	9	11	14	21	27	54
A. Not Operated	2615	10.2	24	4	8	10	12	15	17	24
B. Operated	414	19.5	196	8	11	15	25	40	53	85
TOTAL										
0-27 DYS	212	14.7	104	4	9	14	19	23	31	63
1-11 MOS	1395	11.4	45	4	9	10	13	16	21	41
1-5 YRS	1045	11.0	42	5	9	10	12	15	18	39
6-12 YRS	213	10.5	85	2	4	10	13	22	28	52
13-19 YRS	164	11.7	161	2	4	8	13	28	42	71
GRAND TOTAL	**3029**	**11.4**	**58**	**4**	**9**	**10**	**13**	**17**	**23**	**48**

121: Parkinson's disease (332)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	5.0		5	5	5	5	5	5	5
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	21.0	98	14	14	21	28	28	28	28
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	3	14.7	169	2	5	14	24	28	28	28
A. Not Operated	3	15.7	134	5	7	14	24	28	28	28
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**4**	**12.3**	**136**	**2**	**3**	**9**	**21**	**28**	**28**	**28**

122: Multiple sclerosis (340)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	5.3	16	2	3	4	5	12	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	27	7.4	43	2	3	6	10	14	18	34
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	21.0	412	6	7	14	35	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	5.3	16	2	3	4	5	12	16	16
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	27	7.4	43	2	3	6	10	14	18	34
B. Operated	4	21.0	412	6	7	14	35	50	50	50
1. SINGLE DX	11	5.3	16	2	3	4	5	12	16	16
2. MULTIPLE DX	31	9.2	100	2	4	7	11	17	33	50
A. Not Operated	38	6.8	36	2	3	5	8	13	16	34
B. Operated	4	21.0	412	6	7	14	35	50	50	50
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	42	8.2	80	2	3	5	9	15	26	50
GRAND TOTAL	**42**	**8.2**	**80**	**2**	**3**	**5**	**9**	**15**	**26**	**50**

123: Epilepsy (345)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	13	3.5	6	1	2	3	4	7	9	9
1-11 MOS	232	4.2	14	1	2	3	5	7	8	28
1-5 YRS	769	2.9	7	1	1	2	3	6	8	14
6-12 YRS	645	2.7	7	1	1	2	3	5	8	14
13-19 YRS	466	2.9	8	1	1	2	4	6	8	11
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.3	10	2	2	3	7	8	8	8
1-5 YRS	14	7.9	43	2	2	7	10	19	22	23
6-12 YRS	27	12.1	182	2	4	8	14	28	38	66
13-19 YRS	27	8.5	56	1	3	8	10	17	25	35
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	5.2	11	2	3	4	7	10	13	13
1-11 MOS	473	5.4	25	2	2	4	7	11	14	25
1-5 YRS	1775	4.1	28	1	2	3	5	8	12	25
6-12 YRS	1071	3.8	21	1	1	2	4	8	12	23
13-19 YRS	767	4.3	20	1	2	3	5	9	13	27
B. Operated										
0-27 DYS	2	14.5	113	7	7	14	22	22	22	22
1-11 MOS	46	13.7	204	2	5	9	14	33	53	62
1-5 YRS	120	14.4	349	2	4	8	18	36	58	99
6-12 YRS	60	12.9	138	3	4	10	17	23	36	67
13-19 YRS	55	13.2	180	1	4	10	19	31	44	98
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2125	3.0	8	1	1	2	4	6	8	14
B. Operated	72	9.4	101	2	3	8	11	20	29	59
2. MULTIPLE DX										
A. Not Operated	4098	4.2	24	1	2	3	5	9	12	25
B. Operated	283	13.7	244	2	4	9	17	32	48	98
1. SINGLE DX	2197	3.2	13	1	1	2	4	7	9	17
2. MULTIPLE DX	4381	4.8	44	1	2	3	5	10	15	33
A. Not Operated	6223	3.8	19	1	2	3	4	8	11	23
B. Operated	355	12.8	217	2	4	8	16	30	44	96
TOTAL										
0-27 DYS	28	4.9	20	1	2	3	7	9	14	22
1-11 MOS	754	5.5	37	2	2	4	7	11	15	33
1-5 YRS	2678	4.3	41	1	2	3	4	8	13	31
6-12 YRS	1803	3.8	26	1	1	2	4	8	13	25
13-19 YRS	1315	4.2	27	1	2	3	5	9	13	29
GRAND TOTAL	**6578**	**4.3**	**34**	**1**	**2**	**3**	**5**	**9**	**13**	**30**

124: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	4.1	52	1	1	1	3	16	23	23
1-11 MOS	64	3.6	15	< 1	1	2	4	7	14	19
1-5 YRS	168	3.4	12	< 1	1	2	4	7	10	18
6-12 YRS	188	3.9	19	1	2	3	4	6	10	28
13-19 YRS	135	3.7	42	1	1	2	4	7	9	27
B. Operated										
0-27 DYS	6	4.2	6	2	3	3	4	9	9	9
1-11 MOS	173	3.9	12	1	2	3	5	7	9	23
1-5 YRS	323	5.4	55	< 1	1	3	6	10	25	34
6-12 YRS	267	5.1	27	1	2	4	7	9	15	26
13-19 YRS	132	6.5	40	2	3	5	8	11	14	54
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	7.9	84	2	2	5	10	18	31	36
1-11 MOS	207	6.4	112	1	2	3	7	14	19	61
1-5 YRS	405	4.6	53	1	1	3	5	10	15	33
6-12 YRS	320	5.4	59	1	2	3	6	11	19	44
13-19 YRS	309	5.9	82	1	2	3	7	12	23	99 +
B. Operated										
0-27 DYS	14	10.9	144	3	4	7	14	48	87	99 +
1-11 MOS	246	9.3	151	2	3	5	11	29	93	99 +
1-5 YRS	490	8.4	118	1	2	5	9	23	32	69
6-12 YRS	518	7.8	83	1	3	6	9	15	26	67
13-19 YRS	308	10.3	165	2	4	7	12	24	43	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	564	3.6	23	1	1	2	4	7	10	19
B. Operated	901	5.2	36	1	2	3	6	10	16	29
2. MULTIPLE DX										
A. Not Operated	1256	5.4	72	1	2	3	6	11	18	59
B. Operated	1576	8.7	122	2	3	6	10	21	36	99 +
1. SINGLE DX	1465	4.6	32	1	2	3	5	9	13	28
2. MULTIPLE DX	2832	7.3	102	1	2	4	8	16	28	99 +
A. Not Operated	1820	4.9	57	1	2	3	5	10	15	42
B. Operated	2477	7.4	94	1	2	5	8	17	28	99 +
TOTAL										
0-27 DYS	44	7.5	89	1	2	4	9	21	39	99 +
1-11 MOS	690	6.5	97	1	2	4	7	15	27	99 +
1-5 YRS	1386	6.0	75	1	2	3	7	14	25	49
6-12 YRS	1293	6.1	58	1	2	4	7	12	19	42
13-19 YRS	884	7.2	105	1	2	4	9	14	28	99 +
GRAND TOTAL	**4297**	**6.4**	**80**	**1**	**2**	**4**	**7**	**14**	**25**	**74**

125: Migraine (346)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	17	1.9	3	1	1	1	2	4	6	7
6-12 YRS	112	1.9	2	< 1	1	1	2	4	5	8
13-19 YRS	221	2.4	3	1	1	2	3	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	10	2.1	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	50	3	3	8	13	13	13	13
1-5 YRS	19	2.5	4	1	1	2	3	6	7	7
6-12 YRS	116	2.2	3	1	1	2	3	4	5	10
13-19 YRS	236	3.3	11	1	1	2	4	7	9	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.0	32	< 1	< 1	4	9	9	9	9
6-12 YRS	5	4.8	11	1	3	4	6	10	10	10
13-19 YRS	17	4.1	17	< 1	1	2	5	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351	2.2	2	1	1	2	3	4	5	7
B. Operated	12	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	373	3.0	9	1	1	2	4	6	8	13
B. Operated	24	4.3	16	< 1	1	3	6	10	13	15
1. SINGLE DX	363	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	397	3.0	9	1	1	2	4	7	8	14
A. Not Operated	724	2.6	6	1	1	2	3	5	7	10
B. Operated	36	3.6	12	1	1	2	4	9	11	15
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.7	41	1	1	3	10	13	13	13
1-5 YRS	38	2.4	4	1	1	2	3	6	7	9
6-12 YRS	235	2.1	3	1	1	2	3	4	5	9
13-19 YRS	484	2.9	7	1	1	2	4	6	7	11
GRAND TOTAL	**760**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

126: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6	1.2		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	3	1.7		1	1	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
13-19 YRS	14	3.0	11	1	1	2	4	7	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	9	1.4	1	< 1	< 1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated	5	3.4	10	1	2	2	4	9	9	9
B. Operated	17	2.8	9	1	1	1	3	6	11	13
1. SINGLE DX	11	1.4		< 1	< 1	1	2	3	3	3
2. MULTIPLE DX	22	2.9	9	1	1	2	3	7	11	13
A. Not Operated	7	2.7	8	1	1	2	3	8	9	9
B. Operated	26	2.3	7	< 1	1	1	3	5	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	2.7	7	< 1	1	2	3	7	9	9
13-19 YRS	24	2.3	7	< 1	1	1	2	5	8	13
GRAND TOTAL	**33**	**2.4**	**7**	**< 1**	**1**	**1**	**3**	**5**	**9**	**13**

127: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	41	7.8	102	1	2	5	9	14	22	61
6-12 YRS	64	6.1	73	1	1	3	6	17	24	49
13-19 YRS	83	4.8	28	1	2	3	5	11	16	26
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	15	6.0	55	1	2	3	6	21	25	26
6-12 YRS	27	4.2	19	1	1	2	6	10	14	16
13-19 YRS	111	3.3	28	< 1	1	2	3	6	7	32
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	7	5.3	15	1	2	3	9	10	10	10
1-5 YRS	40	7.1	62	1	2	5	8	16	24	39
6-12 YRS	54	8.2	105	1	3	4	9	22	31	52
13-19 YRS	84	11.9	249	2	3	6	12	36	52	68
B. Operated										
0-27 DYS	1	38.0		38	38	38	38	38	38	38
1-11 MOS	5	7.6	50	3	4	4	10	20	20	20
1-5 YRS	24	9.5	254	1	2	4	7	31	46	71
6-12 YRS	40	5.3	168	1	2	3	5	7	9	84
13-19 YRS	111	5.6	44	1	1	3	6	16	19	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	5.8	60	1	2	3	7	13	22	43
B. Operated	155	3.8	29	< 1	1	2	4	7	13	26
2. MULTIPLE DX										
A. Not Operated	188	9.4	159	2	3	5	10	23	39	63
B. Operated	181	6.3	105	1	2	3	6	16	23	80
1. SINGLE DX	346	4.9	47	1	1	3	5	11	17	30
2. MULTIPLE DX	369	7.9	135	1	2	4	8	19	34	69
A. Not Operated	379	7.6	112	1	2	4	9	17	28	57
B. Operated	336	5.1	71	1	1	3	5	11	19	52
TOTAL										
0-27 DYS	6	8.7	208	1	2	3	4	35	38	38
1-11 MOS	15	5.9	23	2	3	4	8	10	17	20
1-5 YRS	120	7.7	112	1	2	4	8	16	29	64
6-12 YRS	185	6.2	95	1	2	3	6	13	24	53
13-19 YRS	389	6.1	90	1	1	3	6	14	23	57
GRAND TOTAL	**715**	**6.4**	**94**	**1**	**2**	**3**	**7**	**14**	**24**	**55**

128: Retinal detachment and defects (361)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	7	1.4		1	1	1	2	2	2	2
1-5 YRS	12	2.4	2	1	1	2	3	4	5	5
6-12 YRS	48	2.8	3	1	1	2	4	5	6	7
13-19 YRS	67	2.6	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	12	2.5	4	1	1	2	3	5	8	8
1-5 YRS	24	2.0	4	1	1	1	2	4	7	10
6-12 YRS	46	3.0	6	1	1	2	4	6	8	13
13-19 YRS	82	3.3	10	1	2	3	4	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	134	2.6	2	1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	5	1.0		< 1	< 1	1	1	1	1	1
B. Operated	164	3.0	7	1	1	2	3	5	7	16
1. SINGLE DX	136	2.6	2	1	1	2	3	5	6	7
2. MULTIPLE DX	169	2.9	7	1	1	2	3	5	7	16
A. Not Operated	7	1.0		< 1	< 1	1	1	1	1	1
B. Operated	298	2.8	5	1	1	2	3	5	7	14
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	20	2.1	3	1	1	2	3	3	6	8
1-5 YRS	38	2.1	3	1	1	2	3	4	6	10
6-12 YRS	95	2.9	4	1	1	2	4	6	7	11
13-19 YRS	151	2.9	6	1	2	2	3	5	6	16
GRAND TOTAL	**305**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

129: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	5	1.2		1	1	1	2	2	2	2
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	7	1.7	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	4	3.0	6	1	1	3	5	6	6	6
13-19 YRS	3	1.7		1	1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	18	1.7	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	4	2.0	1	< 1	< 1	1	3	3	3	3
B. Operated	12	1.9	2	< 1	1	1	2	5	6	6
1. SINGLE DX	22	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	16	1.9	2	< 1	< 1	1	3	4	5	6
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	3	3
B. Operated	30	1.8	2	< 1	1	1	2	4	5	6
TOTAL										
0-27 DYS	0									
1-11 MOS	8	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	10	1.2		< 1	1	1	1	2	2	2
6-12 YRS	9	2.8	4	1	1	3	4	6	6	6
13-19 YRS	11	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	**38**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**5**	**6**

130: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	6	3.7	6	< 1	< 1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	2.5	1	2	2	2	3	4	4	4
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	10	2.0	1	< 1	1	2	3	3	3	3
13-19 YRS	10	2.0	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	13	2.3	4	< 1	< 1	1	3	6	7	7
2. MULTIPLE DX										
A. Not Operated	4	2.5	1	2	2	2	3	4	4	4
B. Operated	24	1.8	1	1	1	2	3	3	4	4
1. SINGLE DX	18	1.9	3	< 1	< 1	< 1	2	5	6	7
2. MULTIPLE DX	28	1.9	1	1	1	2	3	3	4	4
A. Not Operated	9	1.7	1	< 1	< 1	1	2	3	4	4
B. Operated	37	2.0	2	< 1	1	1	3	4	5	7
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	7	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	13	1.8	1	< 1	1	2	2	3	3	3
13-19 YRS	20	2.6	3	< 1	1	2	4	5	6	7
GRAND TOTAL	**46**	**1.9**	**2**	**< 1**	**< 1**	**1**	**3**	**4**	**5**	**7**

131: Cataract (366)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	7	1.1		<1	<1	1	1	2	2	2
1-5 YRS	28	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	28	1.2		<1	<1	1	1	2	2	3
13-19 YRS	14	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.2	5	1	1	1	3	6	6	6
1-5 YRS	22	1.3		<1	1	1	1	2	3	4
6-12 YRS	22	2.0	2	<1	1	2	2	4	5	7
13-19 YRS	27	2.3	3	<1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	1.0		1	1	1	1	1	1	1
B. Operated	77	1.2		<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	4	1.0		<1	<1	<1	1	1	1	1
B. Operated	76	1.9	2	<1	1	1	2	4	5	7
1. SINGLE DX	79	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	80	1.8	2	<1	1	1	2	4	5	7
A. Not Operated	6	1.0		<1	<1	1	1	1	1	1
B. Operated	153	1.5	1	<1	1	1	2	3	4	7
TOTAL										
0-27 DYS	0									
1-11 MOS	13	1.5	2	<1	1	1	2	3	5	6
1-5 YRS	52	1.3	1	<1	1	1	1	2	2	5
6-12 YRS	53	1.5	1	<1	1	1	2	3	4	7
13-19 YRS	41	1.9	2	<1	<1	1	2	4	5	7
GRAND TOTAL	**159**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

132: Strabismus (378)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	11	2.3	4	<1	1	1	3	6	7	7
6-12 YRS	7	3.1	6	1	1	2	4	7	8	8
13-19 YRS	2	4.0	8	2	2	4	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	72	1.0		<1	<1	<1	<1	1	1	1
1-5 YRS	477	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	204	1.0		<1	<1	<1	1	1	1	2
13-19 YRS	63	1.0		<1	<1	<1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	2.7	7	<1	1	1	4	7	8	8
1-5 YRS	13	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	8	1.3		<1	<1	1	2	2	2	2
13-19 YRS	11	2.4	4	<1	1	2	3	6	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	23	1.1		<1	<1	1	1	2	2	2
1-5 YRS	219	1.2	1	<1	<1	<1	1	1	2	3
6-12 YRS	84	1.2		<1	<1	<1	1	2	2	4
13-19 YRS	32	1.2		<1	<1	1	1	2	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	2.6	5	1	1	2	4	6	7	8
B. Operated	816	1.0		<1	<1	<1	<1	1	1	2
2. MULTIPLE DX										
A. Not Operated	40	2.1	3	<1	<1	1	2	4	6	8
B. Operated	358	1.2	1	<1	<1	<1	1	1	2	3
1. SINGLE DX	840	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX	398	1.3	1	<1	<1	<1	1	2	2	5
A. Not Operated	64	2.3	4	<1	1	1	3	5	7	8
B. Operated	1174	1.1		<1	<1	<1	1	1	1	2
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	106	1.2	1	<1	<1	<1	1	1	2	6
1-5 YRS	720	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	303	1.1		<1	<1	<1	1	1	2	5
13-19 YRS	108	1.3	1	<1	<1	<1	1	2	3	7
GRAND TOTAL	**1238**	**1.1**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

133: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	27	3.0	4	1	2	3	4	5	7	9
1-11 MOS	64	2.9	3	< 1	2	3	3	5	6	10
1-5 YRS	115	2.2	3	< 1	< 1	2	3	4	6	10
6-12 YRS	24	3.5	9	1	1	3	5	6	9	15
13-19 YRS	34	3.2	2	2	2	3	4	5	7	7
B. Operated										
0-27 DYS	3	2.7	8	< 1	< 1	< 1	5	6	6	6
1-11 MOS	14	1.2		< 1	< 1	1	1	2	3	3
1-5 YRS	64	1.7	2	< 1	< 1	< 1	1	4	5	7
6-12 YRS	44	1.3	1	< 1	< 1	< 1	1	2	3	5
13-19 YRS	48	1.7	2	< 1	< 1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	44	3.9	6	1	2	3	4	9	10	10
1-11 MOS	151	3.6	9	1	2	3	4	6	8	18
1-5 YRS	146	3.2	5	1	2	3	4	6	7	11
6-12 YRS	38	3.8	8	1	2	3	5	8	11	12
13-19 YRS	34	3.6	3	2	2	3	5	6	7	8
B. Operated										
0-27 DYS	3	8.3	33	5	5	5	13	15	15	15
1-11 MOS	19	4.3	26	< 1	1	2	6	9	17	22
1-5 YRS	57	1.9	2	< 1	< 1	1	2	4	6	7
6-12 YRS	41	4.2	24	< 1	1	2	6	12	15	21
13-19 YRS	55	3.0	21	1	1	2	3	5	7	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	264	2.7	4	< 1	1	2	3	5	6	10
B. Operated	173	1.6	2	< 1	< 1	1	1	3	5	7
2. MULTIPLE DX										
A. Not Operated	413	3.5	7	1	2	3	4	6	8	13
B. Operated	175	3.2	17	< 1	1	2	3	7	11	22
1. SINGLE DX	437	2.3	3	< 1	< 1	1	3	5	6	9
2. MULTIPLE DX	588	3.4	10	1	1	3	4	6	8	18
A. Not Operated	677	3.2	6	1	2	3	4	6	7	12
B. Operated	343	2.4	10	< 1	< 1	1	2	5	7	19
TOTAL										
0-27 DYS	77	3.7	7	1	2	3	4	7	10	14
1-11 MOS	248	3.3	8	1	2	3	4	6	8	18
1-5 YRS	382	2.4	4	< 1	< 1	2	3	5	6	9
6-12 YRS	147	3.1	12	< 1	1	2	4	7	11	16
13-19 YRS	171	2.8	9	< 1	1	2	4	5	7	17
GRAND TOTAL	**1025**	**2.9**	**7**	**< 1**	**1**	**2**	**4**	**5**	**7**	**15**

134: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	16	3.4	2	2	2	3	4	6	7	7
1-11 MOS	310	3.2	4	1	2	3	4	6	7	9
1-5 YRS	636	3.1	3	2	2	3	4	5	6	9
6-12 YRS	177	3.3	4	2	2	3	4	5	7	12
13-19 YRS	67	3.1	3	1	2	3	4	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	98	1.9	2	1	1	2	2	3	4	10
1-5 YRS	48	2.2	4	< 1	1	1	2	6	7	9
6-12 YRS	32	2.9	7	< 1	1	2	4	7	8	9
13-19 YRS	33	2.5	5	< 1	1	2	3	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	32	3.6	4	2	2	3	4	7	8	10
1-11 MOS	471	3.8	5	2	2	3	4	7	8	11
1-5 YRS	822	3.7	6	2	2	3	4	6	7	12
6-12 YRS	271	4.2	7	2	2	3	5	7	10	14
13-19 YRS	114	4.3	9	1	2	3	6	7	10	17
B. Operated										
0-27 DYS	0									
1-11 MOS	68	6.3	110	1	1	3	6	20	24	65
1-5 YRS	81	5.7	21	1	2	5	8	12	15	21
6-12 YRS	78	5.8	28	1	2	5	7	12	16	29
13-19 YRS	65	4.5	17	1	1	3	7	11	14	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1206	3.1	3	2	2	3	4	5	6	9
B. Operated	211	2.2	4	1	1	2	2	5	7	10
2. MULTIPLE DX										
A. Not Operated	1710	3.8	6	2	2	3	5	7	8	12
B. Operated	292	5.6	43	1	2	4	7	12	17	29
1. SINGLE DX	1417	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	2002	4.1	12	1	2	3	5	7	10	17
A. Not Operated	2916	3.5	5	2	2	3	4	6	7	11
B. Operated	503	4.2	29	1	1	2	5	10	13	23
TOTAL										
0-27 DYS	48	3.5	3	2	2	3	4	6	8	10
1-11 MOS	947	3.6	12	1	2	3	4	6	8	14
1-5 YRS	1587	3.5	5	1	2	3	4	6	7	12
6-12 YRS	558	4.1	10	1	2	3	5	7	10	17
13-19 YRS	279	3.8	9	1	2	3	5	7	10	16
GRAND TOTAL	**3419**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**8**	**14**

135: Other disorders of eye (367-369; 379.5-379.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	1.2		< 1	1	1	1	2	2	2
1-5 YRS	11	2.5	2	< 1	1	3	3	4	5	5
6-12 YRS	8	2.0	2	< 1	1	2	2	4	5	5
13-19 YRS	9	2.4	4	1	1	1	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	4	1.8	2	< 1	< 1	1	2	4	4	4
6-12 YRS	4	1.3		< 1	< 1	< 1	1	2	2	2
13-19 YRS	5	1.6	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	2.6	5	1	2	2	2	6	9	9
1-5 YRS	9	2.4	4	< 1	1	1	4	6	6	6
6-12 YRS	16	2.0	1	1	1	2	3	4	4	4
13-19 YRS	13	2.2	2	< 1	1	1	4	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	7	3.6	14	< 1	< 1	2	7	9	9	9
13-19 YRS	7	1.9	1	1	1	1	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	2.1	2	< 1	1	2	3	5	5	6
B. Operated	14	1.5	1	< 1	< 1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated	50	2.2	3	1	1	2	3	4	5	9
B. Operated	18	2.3	7	< 1	1	1	2	7	9	9
1. SINGLE DX	49	2.0	2	< 1	1	1	3	4	5	6
2. MULTIPLE DX	68	2.3	4	< 1	1	2	3	4	6	9
A. Not Operated	85	2.2	2	1	1	2	3	4	5	8
B. Operated	32	2.0	4	< 1	< 1	1	2	4	8	9
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	18	2.1	4	< 1	1	2	2	4	7	9
1-5 YRS	28	2.1	2	< 1	< 1	1	3	5	5	6
6-12 YRS	35	2.2	4	< 1	1	2	3	4	8	9
13-19 YRS	34	2.1	2	1	1	1	3	4	5	6
GRAND TOTAL	**117**	**2.1**	**3**	**<1**	**1**	**1**	**3**	**4**	**5**	**9**

136: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	94	3.0	3	2	2	3	3	4	5	12
1-11 MOS	633	2.4	2	1	2	2	3	4	4	6
1-5 YRS	283	2.8	7	1	2	2	3	4	6	13
6-12 YRS	38	3.6	14	< 1	1	2	4	7	15	16
13-19 YRS	14	3.7	5	1	2	3	5	7	8	8
B. Operated										
0-27 DYS	4	2.8	2	1	2	3	4	4	4	4
1-11 MOS	492	1.2		< 1	< 1	< 1	< 1	1	2	4
1-5 YRS	1766	1.1		< 1	< 1	< 1	< 1	1	1	4
6-12 YRS	587	1.1	1	< 1	< 1	< 1	1	1	1	5
13-19 YRS	183	1.1		< 1	1	1	1	1	1	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	135	3.0	3	2	2	3	3	4	6	9
1-11 MOS	1691	2.9	3	1	2	3	3	5	6	9
1-5 YRS	1676	2.8	5	1	2	2	3	5	6	12
6-12 YRS	215	3.3	9	1	1	2	4	6	9	16
13-19 YRS	58	4.0	13	1	2	3	5	8	11	20
B. Operated										
0-27 DYS	9	2.7	3	1	2	2	3	5	7	7
1-11 MOS	213	3.3	15	< 1	1	2	4	7	9	24
1-5 YRS	1612	1.6	4	< 1	< 1	1	1	3	5	11
6-12 YRS	914	1.5	8	< 1	1	1	1	2	3	15
13-19 YRS	282	1.5	3	< 1	1	1	1	2	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1062	2.7	4	1	2	2	3	4	5	10
B. Operated	3032	1.1		< 1	< 1	< 1	< 1	1	1	4
2. MULTIPLE DX										
A. Not Operated	3775	2.9	4	1	2	3	3	5	6	11
B. Operated	3030	1.7	6	< 1	1	1	1	3	5	13
1. SINGLE DX	4094	1.5	2	< 1	< 1	< 1	1	3	4	6
2. MULTIPLE DX	6805	2.4	5	< 1	1	2	3	4	6	11
A. Not Operated	4837	2.8	4	1	2	2	3	5	6	11
B. Operated	6062	1.4	3	< 1	< 1	< 1	1	2	3	10
TOTAL										
0-27 DYS	242	3.0	3	2	2	3	3	4	6	10
1-11 MOS	3029	2.5	3	< 1	1	2	3	4	5	9
1-5 YRS	5337	1.9	4	< 1	< 1	1	2	4	5	10
6-12 YRS	1754	1.6	7	< 1	< 1	1	1	3	4	13
13-19 YRS	537	1.7	4	< 1	1	1	1	3	5	11
GRAND TOTAL	**10899**	**2.0**	**4**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

137: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	15	3.1	2	2	2	3	4	5	5	5
1-11 MOS	115	2.5	2	1	2	2	3	4	5	7
1-5 YRS	106	3.1	4	1	2	2	4	5	7	11
6-12 YRS	81	4.1	6	2	2	4	5	7	8	13
13-19 YRS	48	3.9	7	1	2	3	5	8	10	13
B. Operated										
0-27 DYS	5	3.8	5	1	2	4	5	7	7	7
1-11 MOS	28	2.9	9	< 1	< 1	1	3	9	10	10
1-5 YRS	115	2.2	5	< 1	< 1	< 1	3	6	8	10
6-12 YRS	85	2.0	4	< 1	< 1	1	2	4	7	11
13-19 YRS	58	2.5	6	< 1	1	1	3	6	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	16	3.4	4	1	2	3	4	7	8	8
1-11 MOS	298	3.2	5	1	2	3	4	6	7	12
1-5 YRS	424	3.3	5	1	2	3	4	6	8	12
6-12 YRS	163	4.0	7	2	2	3	5	7	9	13
13-19 YRS	83	4.3	8	2	3	4	5	7	9	17
B. Operated										
0-27 DYS	6	3.5	4	1	2	3	5	6	6	6
1-11 MOS	61	5.9	24	2	3	5	7	11	14	29
1-5 YRS	219	3.7	34	< 1	1	2	4	9	13	17
6-12 YRS	196	3.1	15	1	1	1	4	9	11	20
13-19 YRS	100	3.6	23	1	1	1	5	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	365	3.2	4	1	2	3	4	5	7	12
B. Operated	291	2.3	5	< 1	< 1	1	3	6	8	10
2. MULTIPLE DX										
A. Not Operated	984	3.5	6	1	2	3	4	6	8	13
B. Operated	582	3.7	25	< 1	1	2	5	10	13	19
1. SINGLE DX	656	2.8	5	< 1	1	2	4	5	8	11
2. MULTIPLE DX	1566	3.6	13	1	1	3	4	7	10	16
A. Not Operated	1349	3.4	5	1	2	3	4	6	8	12
B. Operated	873	3.2	19	< 1	1	1	4	8	11	17
TOTAL										
0-27 DYS	42	3.3	3	1	2	3	4	6	7	8
1-11 MOS	502	3.4	7	1	2	3	4	6	8	13
1-5 YRS	864	3.2	13	< 1	1	2	4	6	9	15
6-12 YRS	525	3.3	10	1	1	2	4	7	10	15
13-19 YRS	289	3.6	13	1	1	3	5	8	10	16
GRAND TOTAL	**2222**	**3.4**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

138: Vertiginous syndromes (386)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	5	2.0	2	1	1	2	3	4	4	4
13-19 YRS	19	3.2	12	1	1	2	4	5	11	16
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	5	1.0		1	1	1	1	1	1	1
6-12 YRS	14	1.0		< 1	< 1	1	1	1	1	1
13-19 YRS	10	1.4		< 1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	7	4.4	19	< 1	1	3	6	12	13	13
6-12 YRS	10	2.5	1	1	2	3	3	4	4	4
13-19 YRS	26	2.7	3	1	2	2	3	4	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	2.3	5	< 1	1	1	2	7	7	7
6-12 YRS	9	1.4	1	< 1	1	1	2	3	3	3
13-19 YRS	6	2.2	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	2.8	8	1	1	2	3	4	7	16
B. Operated	31	1.3	1	< 1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	45	3.0	5	1	2	2	3	6	8	13
B. Operated	21	1.9	2	< 1	1	1	2	3	5	7
1. SINGLE DX	59	2.0	5	< 1	1	1	2	4	5	15
2. MULTIPLE DX	66	2.7	4	1	1	2	3	4	7	12
A. Not Operated	73	2.9	6	1	1	2	3	5	7	15
B. Operated	52	1.5	1	< 1	1	1	2	3	3	7
TOTAL										
0-27 DYS	0									
1-11 MOS	4	3.5	6	1	1	3	5	6	6	6
1-5 YRS	22	2.6	9	< 1	1	1	3	7	10	13
6-12 YRS	38	1.6	1	< 1	1	1	2	3	4	4
13-19 YRS	61	2.6	5	1	1	2	3	4	6	15
GRAND TOTAL	**125**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

139: Otosclerosis (387)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	26	1.2		1	1	1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	7	1.3		1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	29	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	8	1.3		1	1	1	2	2	2	2
1. SINGLE DX	29	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX	9	1.2		1	1	1	2	2	2	2
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	37	1.3		1	1	1	2	2	2	3
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	4	1.5	1	1	1	1	2	3	3	3
13-19 YRS	33	1.2		1	1	1	1	2	2	2
GRAND TOTAL	**38**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

140: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.4	1	< 1	< 1	< 1	1	3	3	3
1-5 YRS	31	1.7	3	< 1	< 1	< 1	1	4	7	8
6-12 YRS	10	3.4	9	< 1	1	2	5	8	9	9
13-19 YRS	9	4.4	19	< 1	1	4	6	12	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	7	3.9	40	< 1	1	1	3	15	18	18
1-5 YRS	187	1.1	1	< 1	1	1	1	1	2	6
6-12 YRS	613	1.1		< 1	1	1	1	1	2	3
13-19 YRS	274	1.2	1	< 1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	18	3.6	3	1	3	4	4	6	7	7
1-5 YRS	32	5.6	92	< 1	1	3	7	9	14	55
6-12 YRS	21	4.0	16	< 1	< 1	2	6	11	12	13
13-19 YRS	10	3.1	8	< 1	1	2	4	8	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	6	3.2	15	< 1	< 1	1	3	10	11	11
1-5 YRS	160	1.7	6	< 1	1	1	1	2	6	16
6-12 YRS	601	1.2	1	< 1	1	1	1	2	3	5
13-19 YRS	367	1.3	1	1	1	1	1	2	2	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	55	2.5	7	< 1	< 1	< 1	3	7	8	14
B. Operated	1081	1.2	1	< 1	1	1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	81	4.5	42	< 1	1	3	6	9	11	42
B. Operated	1134	1.3	2	< 1	1	1	1	2	3	8
1. SINGLE DX	1136	1.2	1	< 1	1	1	1	1	2	6
2. MULTIPLE DX	1215	1.5	5	< 1	1	1	1	2	4	11
A. Not Operated	136	3.6	29	< 1	< 1	2	5	8	10	20
B. Operated	2215	1.2	1	< 1	1	1	1	2	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	36	3.3	11	< 1	1	3	4	6	10	18
1-5 YRS	410	1.8	11	< 1	1	1	1	3	7	14
6-12 YRS	1245	1.2	1	< 1	1	1	1	1	2	5
13-19 YRS	660	1.3	2	< 1	1	1	1	2	3	7
GRAND TOTAL	**2351**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**3**	**9**

1,077 Hospitals, United States, Pediatric, January-December 1988

141: Rheumatic fever, acute (390-392)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	20	5.0	8	1	3	4	7	9	10	11
6-12 YRS	87	4.7	12	2	3	3	6	9	13	18
13-19 YRS	18	6.4	14	2	3	6	9	11	14	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	20	5.2	13	1	2	4	8	10	12	14
6-12 YRS	68	7.5	35	2	3	6	10	18	21	22
13-19 YRS	26	9.2	61	2	4	7	10	24	29	30
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	7	25.6	474	8	10	20	34	63	69	69
13-19 YRS	6	8.3	28	4	4	6	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	5.0	12	2	3	4	6	9	12	17
B. Operated	4	5.5	6	3	4	5	7	9	9	9
2. MULTIPLE DX										
A. Not Operated	115	7.5	38	2	3	6	10	17	21	29
B. Operated	14	17.5	304	4	7	14	20	42	63	69
1. SINGLE DX	129	5.0	12	2	3	4	6	9	11	17
2. MULTIPLE DX	129	8.5	75	2	3	6	10	19	21	45
A. Not Operated	240	6.2	26	2	3	5	8	13	17	25
B. Operated	18	14.8	260	4	5	9	16	33	57	69
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	42	5.3	13	1	3	4	8	10	12	16
6-12 YRS	164	6.8	56	2	3	5	8	15	20	37
13-19 YRS	51	8.0	40	2	4	6	10	16	25	30
GRAND TOTAL	**258**	**6.8**	**46**	**2**	**3**	**5**	**8**	**14**	**19**	**30**

142: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	4.7	24	1	1	2	11	11	11	11
6-12 YRS	11	5.3	16	1	2	6	8	11	13	13
13-19 YRS	16	4.6	10	1	2	4	7	8	9	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	8	6.5	21	2	3	5	10	13	14	14
13-19 YRS	6	6.8	57	2	3	4	5	20	22	22
B. Operated										
0-27 DYS	0									
1-11 MOS	2	12.0	32	8	10	16	79	99 +	99 +	99 +
1-5 YRS	11	9.7	125	2	3	5	13	27	38	39
6-12 YRS	18	4.4	14	< 1	1	2	8	10	11	11
13-19 YRS	12	11.8	181	1	2	9	16	30	45	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	4.3	12	1	2	3	6	9	9	9
B. Operated	33	4.8	14	1	2	[illegible]	8	10	11	13
2. MULTIPLE DX										
A. Not Operated	17	6.3	28	2	3	4	8	13	19	22
B. Operated	43	8.2	95	1	2	6	10	20	42	99 +
1. SINGLE DX	37	4.8	13	1	2	3	8	10	11	13
2. MULTIPLE DX	60	7.7	76	1	2	5	9	19	30	94
A. Not Operated	21	5.9	25	2	3	4	8	12	18	22
B. Operated	76	6.8	62	1	2	5	9	15	22	86
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	10.3	24	7	7	12	58	99 +	99 +	99 +
1-5 YRS	19	7.5	84	1	2	4	10	17	30	39
6-12 YRS	38	5.0	16	1	1	3	8	11	12	14
13-19 YRS	36	7.5	80	1	2	5	9	19	23	48
GRAND TOTAL	**97**	**6.6**	**53**	**1**	**2**	**5**	**9**	**14**	**21**	**75**

143: Essential hypertension (401)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.1	4	1	2	3	5	6	6	6
1-5 YRS	13	2.9	5	1	2	2	4	7	9	9
6-12 YRS	14	2.4	2	1	1	2	3	5	5	5
13-19 YRS	25	2.7	3	1	2	2	3	6	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.3	44	3	3	4	12	15	15	15
1-5 YRS	6	3.3	9	1	1	2	6	8	8	8
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	7	1.4		< 1	1	1	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	11	3.1	4	1	1	3	4	6	6	6
1-5 YRS	26	3.8	9	1	2	3	4	7	9	16
6-12 YRS	39	4.1	12	1	2	3	5	9	11	17
13-19 YRS	75	3.4	11	1	2	3	4	6	9	22
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	4.7	13	1	2	4	7	10	10	10
6-12 YRS	13	8.0	124	1	2	4	8	29	35	37
13-19 YRS	24	8.3	256	1	1	3	8	29	83	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	2.7	3	1	1	2	3	6	6	9
B. Operated	19	3.2	12	1	1	2	4	7	12	15
2. MULTIPLE DX										
A. Not Operated	153	3.6	10	1	2	3	4	7	10	17
B. Operated	43	7.7	179	1	2	3	8	27	49	99 +
1. SINGLE DX	82	2.8	5	1	1	2	3	6	7	13
2. MULTIPLE DX	196	4.5	50	1	2	3	5	9	13	58
A. Not Operated	216	3.4	9	1	2	3	4	6	9	16
B. Operated	62	6.3	131	1	1	3	6	15	32	97
TOTAL										
0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	24	3.6	9	1	2	3	5	6	9	15
1-5 YRS	51	3.6	8	1	2	3	5	7	9	16
6-12 YRS	69	4.4	32	1	2	3	5	9	11	35
13-19 YRS	131	4.1	57	1	2	2	4	7	12	81
GRAND TOTAL	**278**	**4.0**	**37**	**1**	**2**	**3**	**4**	**8**	**11**	**35**

144: Hypertensive heart disease (402)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	6.0	3	5	5	5	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	5.0	3	3	4	6	6	6	6	6
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	29.0		29	29	29	29	29	29	29
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	6.0	3	5	5	5	7	8	8	8
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	5	8.2	61	3	4	6	10	22	22	22
B. Operated	1	29.0		29	29	29	29	29	29	29
1. SINGLE DX	3	6.0	3	5	5	5	7	8	8	8
2. MULTIPLE DX	6	11.7	121	3	4	6	22	28	29	29
A. Not Operated	8	7.4	37	3	4	5	7	18	22	22
B. Operated	1	29.0		29	29	29	29	29	29	29
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.0	3	3	4	6	6	6	6	6
1-5 YRS	2	16.5	313	4	4	16	29	29	29	29
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	3	6.0	3	5	5	5	7	8	8	8
GRAND TOTAL	**9**	**9.8**	**84**	**3**	**5**	**6**	**11**	**26**	**29**	**29**

145: Hypertensive renal disease (403)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	10	3.7	6	1	2	3	5	7	9	9
13-19 YRS	11	3.5	8	1	2	3	4	8	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	C									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	5.2	14	1	2	5	7	11	11	11
13-19 YRS	7	5.0	7	2	3	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	14	3.9	11	1	1	3	6	9	11	12
6-12 YRS	23	5.5	17	2	3	4	7	13	14	15
13-19 YRS	37	3.8	10	1	1	3	5	8	11	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	14.1	161	2	5	13	16	34	42	42
6-12 YRS	22	7.6	147	1	2	6	8	21	74	99 +
13-19 YRS	34	10.0	66	2	3	8	15	22	26	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22	3.7	6	1	2	3	5	7	10	11
B. Operated	13	4.8	9	1	2	4	7	9	11	11
2. MULTIPLE DX										
A. Not Operated	76	4.3	12	1	2	3	6	9	13	15
B. Operated	64	9.7	106	2	3	8	12	22	35	94
1. SINGLE DX	35	4.1	8	1	2	3	6	8	10	11
2. MULTIPLE DX	140	6.8	62	1	2	4	9	15	20	64
A. Not Operated	98	4.2	11	1	2	3	6	9	12	15
B. Operated	77	8.9	93	2	3	7	11	19	31	89
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	24	7.3	80	1	2	4	10	16	24	42
6-12 YRS	60	5.9	63	1	2	4	8	11	14	96
13-19 YRS	89	6.2	39	1	2	4	8	14	19	31
GRAND TOTAL	**175**	**6.2**	**52**	**1**	**2**	**4**	**8**	**13**	**19**	**55**

146: Other hypertensive disease (404-405)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	3.2	11	1	1	2	4	9	9	9
13-19 YRS	5	8.6	204	1	1	2	12	34	34	34
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	24.0	242	13	13	24	35	35	35	35
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	8	5.9	36	1	2	5	6	16	20	20
6-12 YRS	7	4.4	8	1	2	4	7	8	8	8
13-19 YRS	7	5.0	27	1	1	2	7	14	15	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	7.8	42	1	3	8	11	18	20	20
6-12 YRS	14	4.1	8	1	2	4	4	8	10	11
13-19 YRS	10	7.0	98	1	2	4	7	21	34	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.0	1	1	1	2	2	3	3	3
B. Operated	10	5.9	104	1	1	2	5	21	34	34
2. MULTIPLE DX										
A. Not Operated	27	6.3	54	1	2	4	7	15	22	35
B. Operated	34	6.0	43	1	2	4	8	11	19	34
1. SINGLE DX	15	4.6	70	1	1	2	3	9	28	34
2. MULTIPLE DX	61	6.1	47	1	2	4	7	14	20	35
A. Not Operated	32	5.6	48	1	2	3	7	14	19	35
B. Operated	44	6.0	55	1	2	4	7	11	24	34
TOTAL										
0-27 DYS	2	24.0	242	13	13	24	35	35	35	35
1-11 MOS	5	3.2	3	2	2	3	4	6	6	6
1-5 YRS	18	6.6	37	1	2	5	8	18	20	20
6-12 YRS	26	4.0	8	1	2	3	7	8	9	11
13-19 YRS	25	6.2	82	1	1	2	6	15	34	34
GRAND TOTAL	**76**	**5.8**	**51**	**1**	**2**	**3**	**7**	**13**	**20**	**35**

147: Acute myocardial infarction (410)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	10.4	23	3	7	11	15	16	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	7.7	32	3	4	6	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. Not Operated	10	10.4	23	3	7	11	15	16	16	16
B. Operated	3	7.7	32	3	4	6	12	14	14	14
1. SINGLE DX	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX	13	9.8	24	3	6	11	14	15	16	16
A. Not Operated	10	10.4	23	3	7	11	15	16	16	16
B. Operated	4	6.5	27	3	3	5	10	14	14	14
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	9.3	26	3	6	9	14	15	16	16
GRAND TOTAL	**14**	**9.3**	**26**	**3**	**6**	**9**	**14**	**15**	**16**	**16**

148: Angina pectoris (413)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	3.0	2	1	2	3	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	6	3.0	2	1	2	3	4	5	5	5
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	0									
2. MULTIPLE DX	7	2.9	2	1	2	3	4	5	5	5
A. Not Operated	6	3.0	2	1	2	3	4	5	5	5
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.9	2	1	2	3	4	5	5	5
GRAND TOTAL	**7**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**5**

149: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.7	4	2	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	3.7	4	2	2	3	5	6	6	6
B. Operated	1	7.0		7	7	7	7	7	7	7
1. SINGLE DX	0									
2. MULTIPLE DX	4	4.5	6	2	2	4	6	7	7	7
A. Not Operated	3	3.7	4	2	2	3	5	6	6	6
B. Operated	1	7.0		7	7	7	7	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	4.5	6	2	2	4	6	7	7	7
GRAND TOTAL	**4**	**4.5**	**6**	**2**	**2**	**4**	**6**	**7**	**7**	**7**

150: Other ischemic heart disease (412; 414; 429.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	36.0		36	36	36	36	36	36	36
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	3.1	7	1	1	2	5	8	8	8
6-12 YRS	5	4.2	6	2	2	4	6	8	8	8
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	4	2.0	2	< 1	< 1	1	3	4	4	4
2. MULTIPLE DX										
A. Not Operated	7	7.3	162	1	1	3	4	30	36	36
B. Operated	15	3.3	7	1	1	2	5	8	8	8
1. SINGLE DX	5	1.8	2	< 1	1	1	2	4	4	4
2. MULTIPLE DX	22	4.6	54	1	1	2	4	8	19	36
A. Not Operated	8	6.5	144	1	1	2	4	26	36	36
B. Operated	19	3.1	6	1	1	2	4	7	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	13	2.8	6	< 1	1	2	4	7	8	8
6-12 YRS	9	7.0	123	1	2	4	6	25	36	36
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
GRAND TOTAL	**27**	**4.1**	**45**	**1**	**1**	**2**	**4**	**8**	**12**	**36**

151: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	6.6	5	3	5	6	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	44.0		44	44	44	44	44	44	44
6-12 YRS	0									
13-19 YRS	6	6.7	25	1	1	7	12	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	6	7.5	12	3	5	7	10	12	12	12
13-19 YRS	19	9.4	26	3	6	9	13	15	20	23
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	32.0		32	32	32	32	32	32	32
6-12 YRS	4	20.5	372	3	8	15	32	48	48	48
13-19 YRS	14	11.1	32	2	7	11	15	18	20	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	6.6	5	3	5	6	9	9	9	9
B. Operated	7	12.0	220	1	2	8	12	38	44	44
2. MULTIPLE DX										
A. Not Operated	27	8.5	24	3	5	8	11	14	17	23
B. Operated	19	14.2	119	2	8	14	17	28	41	48
1. SINGLE DX	17	8.8	93	2	5	6	9	12	33	44
2. MULTIPLE DX	46	10.8	70	3	6	9	14	18	25	48
A. Not Operated	37	8.0	19	3	5	8	10	13	15	23
B. Operated	26	13.6	140	1	7	12	15	31	45	48
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	20.3	444	2	2	17	38	44	44	44
6-12 YRS	10	[illegible]	176	3	5	9	14	32	48	48
13-19 YRS	49	[illegible]	25	2	6	9	12	15	18	23
GRAND TOTAL	**63**	**10.3**	**75**	**3**	**5**	**9**	**13**	**17**	**26**	**47**

152: Acute and subacute endocarditis (421)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	12.0	106	4	7	8	15	30	30	30
6-12 YRS	3	10.7	52	6	6	7	16	19	19	19
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	9.0	8	7	7	9	11	11	11	11
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	28.3	1780	2	3	6	59	77	77	77
1-5 YRS	7	23.7	228	3	10	26	32	42	45	45
6-12 YRS	21	25.0	210	7	15	22	41	45	48	49
13-19 YRS	23	15.1	152	3	5	10	28	31	35	43
B. Operated										
0-27 DYS	0									
1-11 MOS	2	54.5	313	42	48	67	92	99+	99+	99+
1-5 YRS	9	25.0	532	4	11	16	35	64	74	74
6-12 YRS	8	27.6	186	7	15	34	38	41	41	41
13-19 YRS	10	29.4	221	7	27	30	33	49	57	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	10.1	69	3	6	7	10	24	30	30
B. Operated	3	8.3	5	7	7	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	54	20.8	261	3	6	17	31	43	47	76
B. Operated	29	29.3	332	5	16	30	41	62	74	99+
1. SINGLE DX	13	9.7	53	4	6	7	10	21	28	30
2. MULTIPLE DX	83	23.8	299	4	8	23	33	45	60	92
A. Not Operated	64	19.2	245	3	6	16	30	43	46	73
B. Operated	32	27.3	339	5	13	30	40	59	73	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	5	38.8	1174	2	6	54	77	98	99+	99+
1-5 YRS	22	20.8	326	4	7	16	31	46	59	74
6-12 YRS	34	23.4	203	6	13	19	35	43	46	49
13-19 YRS	35	18.6	212	2	5	15	30	33	43	57
GRAND TOTAL	**96**	**21.9**	**288**	**4**	**7**	**18**	**31**	**44**	**54**	**89**

153: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	20	3.5	11	1	2	2	4	5	11	16
1-11 MOS	24	3.2	9	1	1	2	4	8	10	12
1-5 YRS	11	3.1	9	< 1	1	2	4	7	11	11
6-12 YRS	13	2.1	2	1	1	1	3	5	5	5
13-19 YRS	11	2.0	6	< 1	1	1	2	5	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	2.4	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	13	4.4	11	1	2	3	5	10	12	13
1-11 MOS	33	4.0	23	1	2	3	4	9	11	26
1-5 YRS	30	2.8	11	1	1	2	3	4	13	16
6-12 YRS	15	1.7	2	1	1	1	2	4	5	5
13-19 YRS	28	2.9	6	1	1	2	3	5	8	13
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	6.0	13	3	3	5	9	10	10	10
1-5 YRS	0									
6-12 YRS	4	3.5	14	1	1	2	6	9	9	9
13-19 YRS	3	4.0	13	1	1	3	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	79	2.9	8	1	1	2	4	5	9	15
B. Operated	7	2.6	2	1	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated	119	3.2	12	1	1	2	3	6	11	19
B. Operated	11	4.5	11	1	2	3	7	9	10	10
1. SINGLE DX	86	2.9	7	1	1	2	4	5	9	15
2. MULTIPLE DX	130	3.3	12	1	1	2	3	7	11	18
A. Not Operated	198	3.1	10	1	1	2	3	6	10	15
B. Operated	18	3.8	8	1	2	3	5	9	10	10
TOTAL										
0-27 DYS	34	3.9	11	1	2	3	5	7	12	16
1-11 MOS	60	3.8	17	1	1	3	4	9	11	25
1-5 YRS	42	2.9	10	< 1	1	2	3	5	12	16
6-12 YRS	33	2.1	3	1	1	1	2	5	5	9
13-19 YRS	47	2.7	6	1	1	2	3	5	8	13
GRAND TOTAL	**216**	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**10**	**16**

154: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	4.5	40	1	1	2	8	14	14	14
6-12 YRS	4	4.8	1	4	4	5	5	6	6	6
13-19 YRS	38	2.0	2	1	1	1	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	13	5.5	7	2	4	5	7	9	11	11
1-5 YRS	20	5.0	7	1	3	5	6	9	10	11
6-12 YRS	28	3.8	15	1	1	3	5	7	12	20
13-19 YRS	68	3.5	7	1	1	3	5	8	9	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.6	25	< 1	1	6	8	13	13	13
6-12 YRS	3	6.7	25	2	3	6	10	12	12	12
13-19 YRS	7	9.0	204	< 1	1	3	11	35	40	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	50	2.5	5	1	1	2	3	5	6	14
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	132	4.0	9	1	2	3	5	8	10	13
B. Operated	15	7.4	101	< 1	1	3	11	13	33	40
1. SINGLE DX	50	2.5	5	1	1	2	3	5	6	14
2. MULTIPLE DX	147	4.3	19	1	2	3	6	8	11	21
A. Not Operated	182	3.6	8	1	1	3	5	7	9	13
B. Operated	15	7.4	101	< 1	1	3	11	13	33	40
TOTAL										
0-27 DYS	6	2.5	1	1	2	2	3	4	4	4
1-11 MOS	14	5.3	7	2	3	5	7	9	11	11
1-5 YRS	29	5.0	13	1	2	5	6	11	13	14
6-12 YRS	35	4.1	14	1	2	3	5	7	12	20
13-19 YRS	113	3.4	19	1	1	2	4	7	9	23
GRAND TOTAL	**197**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**11**	**17**

155: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	47	4.1	30	1	2	2	4	8	13	32
1-11 MOS	80	3.9	26	1	1	2	5	9	12	32
1-5 YRS	38	2.5	3	1	1	2	3	5	6	9
6-12 YRS	54	2.5	3	1	1	2	4	4	5	8
13-19 YRS	86	2.6	7	1	1	2	3	5	7	16
B. Operated										
0-27 DYS	4	2.8	2	1	2	3	4	4	4	4
1-11 MOS	5	4.6	7	< 1	3	5	8	91	99 +	99 +
1-5 YRS	12	3.8	7	1	1	3	6	7	8	8
6-12 YRS	25	3.8	9	1	1	3	5	7	11	12
13-19 YRS	60	3.9	10	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	65	4.9	21	1	2	4	6	9	11	31
1-11 MOS	164	5.1	33	1	2	3	6	12	17	27
1-5 YRS	103	3.2	16	1	1	2	3	6	9	25
6-12 YRS	97	3.5	18	1	1	2	4	7	9	26
13-19 YRS	241	3.0	9	1	1	2	3	6	9	17
B. Operated										
0-27 DYS	6	10.7	36	4	6	10	13	20	21	21
1-11 MOS	20	7.3	47	2	3	6	7	17	25	29
1-5 YRS	47	6.5	40	1	3	5	8	13	22	31
6-12 YRS	67	5.7	36	1	2	4	7	15	20	26
13-19 YRS	105	8.0	145	2	2	4	9	17	30	96
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	305	3.1	15	1	1	2	4	6	9	20
B. Operated	106	3.8	9	1	2	3	6	8	10	52
2. MULTIPLE DX										
A. Not Operated	670	3.8	19	1	1	2	4	8	11	21
B. Operated	245	7.1	85	1	2	4	8	16	24	63
1. SINGLE DX	411	3.3	13	1	1	2	4	7	9	20
2. MULTIPLE DX	915	4.7	39	1	2	3	5	10	15	32
A. Not Operated	975	3.6	18	1	1	2	4	8	11	21
B. Operated	351	6.1	64	1	2	4	7	13	21	61
TOTAL										
0-27 DYS	122	4.8	26	1	2	3	6	10	11	33
1-11 MOS	269	4.9	32	1	2	3	6	11	16	37
1-5 YRS	200	3.9	21	1	1	2	5	8	12	28
6-12 YRS	243	3.9	20	1	1	3	5	8	12	24
13-19 YRS	492	4.1	42	1	1	2	4	8	12	31
GRAND TOTAL	**1326**	**4.3**	**31**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

156: Heart failure (428)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	15	4.9	25	2	2	3	6	9	18	21
1-5 YRS	16	4.5	8	2	2	4	7	9	10	10
6-12 YRS	3	6.3	24	3	3	4	10	12	12	12
13-19 YRS	4	22.0	449	3	4	20	40	45	45	45
B. Operated										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	27	5.1	13	2	3	4	6	12	14	15
1-11 MOS	253	6.5	65	1	2	4	7	15	20	42
1-5 YRS	151	6.4	45	2	3	5	7	12	19	49
6-12 YRS	59	5.8	22	1	3	5	7	10	17	25
13-19 YRS	79	5.4	17	2	2	5	7	10	12	21
B. Operated										
0-27 DYS	6	13.0	20	7	9	13	16	19	19	19
1-11 MOS	69	16.0	368	2	5	9	18	46	90	99 +
1-5 YRS	36	11.1	78	4	6	9	13	26	39	99 +
6-12 YRS	16	15.4	214	4	5	10	20	41	49	52
13-19 YRS	32	14.0	277	1	3	7	20	44	66	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	40	6.5	75	2	2	4	7	11	28	45
B. Operated	3	10.3	86	4	4	6	17	21	21	21
2. MULTIPLE DX										
A. Not Operated	569	6.2	46	2	3	4	7	12	18	39
B. Operated	159	14.3	255	2	5	9	17	42	59	99 +
1. SINGLE DX	43	6.8	75	2	3	4	7	14	26	45
2. MULTIPLE DX	728	8.0	103	2	3	5	9	17	28	68
A. Not Operated	609	6.2	48	2	3	4	7	12	18	41
B. Operated	162	14.2	251	2	5	9	17	42	59	99 +
TOTAL										
0-27 DYS	36	6.8	28	2	3	5	8	15	18	21
1-11 MOS	337	8.4	140	2	2	4	9	19	31	93
1-5 YRS	204	7.1	51	2	3	5	8	14	20	49
6-12 YRS	79	7.8	73	2	3	5	9	16	25	49
13-19 YRS	115	8.4	120	2	3	5	9	20	40	80
GRAND TOTAL	**771**	**7.9**	**101**	**2**	**3**	**5**	**9**	**17**	**28**	**66**

157: Cardiomyopathy (425)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	9.3	86	3	3	5	16	20	20	20
1-5 YRS	7	3.0	1	2	2	3	4	4	4	4
6-12 YRS	4	5.8	24	1	2	5	9	12	12	12
13-19 YRS	3	5.7	22	2	2	4	9	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	10	1.8	1	1	1	2	2	3	4	4
1-5 YRS	8	1.9	2	1	1	2	2	4	5	5
6-12 YRS	5	1.4		< 1	1	1	2	2	2	2
13-19 YRS	7	3.6	12	< 1	1	2	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	23	6.1	45	2	2	4	6	16	21	30
1-5 YRS	26	5.8	21	2	2	4	7	13	16	18
6-12 YRS	17	5.6	26	1	2	4	8	18	68	99 +
13-19 YRS	37	5.8	19	1	2	5	8	14	15	15
B. Operated										
0-27 DYS	2	11.0	8	9	9	11	13	13	13	13
1-11 MOS	23	12.5	223	2	3	8	17	42	75	99 +
1-5 YRS	36	10.0	188	1	2	5	13	25	32	72
6-12 YRS	24	9.7	163	1	1	4	10	34	38	44
13-19 YRS	41	13.9	389	1	2	7	17	34	61	88
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.3	22	2	3	4	6	12	17	20
B. Operated	30	2.2	4	1	1	2	2	4	7	10
2. MULTIPLE DX										
A. Not Operated	105	5.8	26	1	2	4	7	14	16	61
B. Operated	126	11.7	250	1	2	6	15	33	41	91
1. SINGLE DX	48	3.3	13	1	1	2	4	7	11	20
2. MULTIPLE DX	231	9.0	156	1	2	5	10	23	34	90
A. Not Operated	123	5.7	25	1	2	4	7	14	16	48
B. Operated	156	9.9	216	1	2	4	11	27	38	88
TOTAL										
0-27 DYS	5	7.0	20	1	5	6	10	13	13	13
1-11 MOS	59	8.0	121	1	2	4	10	23	35	96
1-5 YRS	77	7.1	103	1	2	4	7	17	25	62
6-12 YRS	50	7.2	94	1	1	3	8	24	35	99
13-19 YRS	88	9.4	206	1	2	5	10	20	34	88
GRAND TOTAL	**279**	**8.0**	**136**	**1**	**2**	**4**	**9**	**20**	**32**	**88**

158: Other heart diseases (415.0; 416-420; 422-424; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	10.2	111	< 1	3	4	18	26	26	26
1-5 YRS	11	5.2	39	< 1	1	2	7	14	21	22
6-12 YRS	17	6.6	79	1	2	3	6	20	30	35
13-19 YRS	71	3.3	4	1	2	3	4	6	8	9
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	3.3	8	< 1	1	2	5	7	9	10
1-5 YRS	46	2.5	5	1	1	1	3	6	8	9
6-12 YRS	47	3.6	14	1	1	2	5	9	9	21
13-19 YRS	59	3.5	13	< 1	1	2	5	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	8.7	9	5	7	8	9	14	14	14
1-11 MOS	38	5.8	26	1	3	4	8	11	18	24
1-5 YRS	47	4.7	16	1	2	4	7	12	15	99 +
6-12 YRS	58	4.6	17	1	2	4	5	9	11	27
13-19 YRS	121	4.0	13	1	2	3	5	8	10	22
B. Operated										
0-27 DYS	4	26.3	318	7	18	26	62	99 +	99 +	99 +
1-11 MOS	43	9.8	301	1	2	4	9	26	40	98
1-5 YRS	155	7.6	105	1	2	3	9	21	27	59
6-12 YRS	80	8.8	120	1	2	5	12	26	35	88
13-19 YRS	96	7.5	113	1	2	6	10	14	18	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	105	4.4	26	1	2	3	4	8	11	30
B. Operated	168	3.2	11	1	1	2	5	8	9	16
2. MULTIPLE DX										
A. Not Operated	270	4.6	16	1	2	4	6	9	12	24
B. Operated	378	8.3	137	1	2	4	10	21	32	97
1. SINGLE DX	273	3.7	17	1	1	2	5	8	9	22
2. MULTIPLE DX	648	6.7	90	1	2	4	8	15	25	63
A. Not Operated	375	4.5	19	1	2	3	5	9	12	25
B. Operated	546	6.7	103	1	1	3	8	16	26	63
TOTAL										
0-27 DYS	12	13.6	183	4	6	9	23	60	92	99 +
1-11 MOS	101	7.4	148	1	2	4	8	17	25	76
1-5 YRS	259	6.1	72	1	1	2	7	15	25	59
6-12 YRS	202	6.2	67	1	2	3	7	13	26	50
13-19 YRS	347	4.7	41	1	2	3	6	10	12	22
GRAND TOTAL	**921**	**5.8**	**70**	**1**	**2**	**3**	**7**	**12**	**21**	**51**

159: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	2	15.5	365	2	2	15	29	29	29	29
6-12 YRS	4	11.5	41	7	8	9	15	21	21	21
13-19 YRS	7	13.4	82	2	5	17	19	25	26	26
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	6	7.7	35	1	1	8	12	15	15	15
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	17.0	91	5	11	19	28	86	99 +	99 +
13-19 YRS	15	16.8	489	3	7	11	18	25	76	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3	5	< 1	< 1	< 1	4	5	5	5
B. Operated	14	13.7	81	2	7	13	21	26	28	29
2. MULTIPLE DX										
A. Not Operated	10	6.8	30	1	1	5	12	14	15	15
B. Operated	21	16.9	365	4	8	12	22	49	96	99 +
1. SINGLE DX	17	11.7	87	< 1	3	9	20	25	28	29
2. MULTIPLE DX	31	13.6	275	2	5	11	17	26	87	99 +
A. Not Operated	13	5.8	27	< 1	1	5	11	13	15	15
B. Operated	35	15.6	248	3	8	12	21	29	74	99 +
TOTAL										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	8	9.0	49	1	3	8	13	19	21	21
1-5 YRS	3	11.3	234	2	2	3	22	29	29	29
6-12 YRS	10	14.8	72	6	9	16	23	58	96	99 +
13-19 YRS	26	13.6	322	1	4	10	17	25	39	93
GRAND TOTAL	**48**	**12.9**	**206**	**1**	**4**	**10**	**19**	**26**	**33**	**99 +**

160: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	16.5	365	3	3	16	30	30	30	30
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	14.7	192	3	5	11	25	30	30	30
1. SINGLE DX	0									
2. MULTIPLE DX	3	14.7	192	3	5	11	25	30	30	30
A. Not Operated	0									
B. Operated	3	14.7	192	3	5	11	25	30	30	30
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	16.5	365	3	3	16	30	30	30	30
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	0									
GRAND TOTAL	**3**	**14.7**	**192**	**3**	**5**	**11**	**25**	**30**	**30**	**30**

161: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	5	5.0	19	1	2	3	9	11	11	11
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	6	7.0	33	2	2	5	12	16	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	17	9.2	70	2	4	6	12	24	29	31
1-5 YRS	8	4.8	10	1	2	4	6	10	11	11
6-12 YRS	4	6.5	42	2	2	4	10	16	16	16
13-19 YRS	8	6.5	7	3	5	6	9	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.8	3	4	4	5	7	8	8	8
1-11 MOS	14	11.2	97	3	4	10	12	19	37	42
1-5 YRS	6	5.8	76	1	1	2	7	21	23	23
6-12 YRS	7	4.9	17	< 1	1	5	6	12	13	13
13-19 YRS	12	7.1	37	1	3	6	13	37	88	99 +
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	22	11.6	124	2	4	7	19	27	35	45
1-5 YRS	12	10.8	64	2	4	9	16	24	24	24
6-12 YRS	26	18.5	300	3	8	13	24	58	73	99 +
13-19 YRS	29	15.0	358	3	5	9	15	40	62	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.2	21	1	2	3	8	12	14	16
B. Operated	37	7.4	41	2	4	5	9	15	23	31
2. MULTIPLE DX										
A. Not Operated	43	7.8	58	1	3	6	11	16	29	99 +
B. Operated	90	14.5	244	2	5	10	18	36	60	94
1. SINGLE DX	55	6.7	35	2	2	5	9	13	16	31
2. MULTIPLE DX	133	12.3	193	2	4	8	15	29	46	99 +
A. Not Operated	61	7.0	48	1	2	5	11	15	22	93
B. Operated	127	12.4	195	2	4	8	15	28	45	89
TOTAL										
0-27 DYS	7	6.4	6	4	4	6	8	10	11	11
1-11 MOS	58	10.2	93	2	4	7	13	24	30	45
1-5 YRS	29	7.1	52	1	2	5	10	21	24	24
6-12 YRS	39	14.1	244	2	5	10	16	42	65	99 +
13-19 YRS	55	11.1	214	2	4	7	12	21	57	99
GRAND TOTAL	**188**	**10.7**	**153**	**2**	**4**	**7**	**13**	**24**	**42**	**94**

162: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	19.7	560	6	6	6	37	47	47	47
6-12 YRS	5	25.8	298	11	12	23	34	54	54	54
13-19 YRS	3	15.3	1	14	14	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	3	3.7	1	3	3	3	5	5	5	5
B. Operated	11	21.3	253	6	11	16	27	50	54	54
1. SINGLE DX	0									
2. MULTIPLE DX	14	17.5	251	3	6	13	23	48	53	54
A. Not Operated	3	3.7	1	3	3	3	5	5	5	5
B. Operated	11	21.3	253	6	11	16	27	50	54	54
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	16.0	427	5	5	6	27	47	47	47
6-12 YRS	6	22.0	325	4	11	18	28	51	54	54
13-19 YRS	3	15.3	1	14	14	16	16	16	16	16
GRAND TOTAL	**14**	**17.5**	**251**	**3**	**6**	**13**	**23**	**48**	**53**	**54**

163: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	4.0		4	4	4	4	4	4	4
1. SINGLE DX	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX	1	4.0		4	4	4	4	4	4	4
A. Not Operated	0									
B. Operated	3	4.7	1	4	4	4	6	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.7	1	4	4	4	6	6	6	6
GRAND TOTAL	3	4.7	1	4	4	4	6	6	6	6

164: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	0									

165: Occlusion of cerebral arteries without paralysis (434)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	6.0	21	3	3	4	6	14	16	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	10.0	36	4	7	9	11	20	23	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	2.0	2	1	1	2	3	3	3	3
B. Operated	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. Not Operated	7	6.0	21	3	3	4	6	14	16	16
B. Operated	8	10.0	36	4	7	9	11	20	23	23
1. SINGLE DX	5	3.2	8	1	1	3	4	8	8	8
2. MULTIPLE DX	15	8.1	31	3	4	7	9	16	21	23
A. Not Operated	9	5.1	19	2	3	4	5	12	16	16
B. Operated	11	8.4	35	2	4	8	9	17	22	23
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	6.9	30	2	3	5	9	14	19	23
GRAND TOTAL	**20**	**6.9**	**30**	**2**	**3**	**5**	**9**	**14**	**19**	**23**

166: Occlusion of cerebral arteries with paralysis (434 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	14.0	95	6	6	11	21	27	27	27
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	32.8	908	5	11	26	54	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	14.0	95	6	6	11	21	27	27	27
B. Operated	4	32.8	908	5	11	26	54	74	74	74
1. SINGLE DX	0									
2. MULTIPLE DX	8	23.4	531	5	6	16	31	62	74	74
A. Not Operated	4	14.0	95	6	6	11	21	27	27	27
B. Operated	4	32.8	908	5	11	26	54	74	74	74
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	23.4	531	5	6	16	31	62	74	74
GRAND TOTAL	**8**	**23.4**	**531**	**5**	**6**	**16**	**31**	**62**	**74**	**74**

167: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	1.3	1	1	1	1	1	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	25	2.7	4	1	2	2	3	5	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	4	4.8	12	2	2	4	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.9	2	1	1	1	3	5	5	5
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	26	2.7	4	1	2	2	3	5	8	10
B. Operated	5	5.0	9	2	2	6	7	9	9	9
1. SINGLE DX	8	2.3	3	1	1	1	4	5	5	5
2. MULTIPLE DX	31	3.1	5	1	2	2	4	7	9	10
A. Not Operated	33	2.5	4	1	1	2	3	5	7	10
B. Operated	6	5.0	7	2	2	5	6	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	36	2.8	5	1	1	2	3	6	8	10
GRAND TOTAL	**39**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**8**	**10**

168: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	6.5	41	2	2	6	11	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	6.3	21	2	2	5	9	13	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	6.5	41	2	2	6	11	11	11	11
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	8	6.3	21	2	2	5	9	13	14	14
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX	9	5.8	20	2	2	4	9	13	14	14
A. Not Operated	10	6.3	21	2	2	5	11	13	14	14
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	5.9	20	2	2	4	10	12	14	14
GRAND TOTAL	**11**	**5.9**	**20**	**2**	**2**	**4**	**10**	**12**	**14**	**14**

169: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	7.0	2	6	6	7	8	8	8	8
1. SINGLE DX	0									
2. MULTIPLE DX	2	7.0	2	6	6	7	8	8	8	8
A. Not Operated	0									
B. Operated	2	7.0	2	6	6	7	8	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**2**	**7.0**	**2**	**6**	**6**	**7**	**8**	**8**	**8**	**8**

170: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	< 1	< 1	1	2	2	2	2
6-12 YRS	4	4.8	39	1	1	2	8	14	14	14
13-19 YRS	5	4.2	20	1	2	3	5	12	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	3	6.0	16	2	3	6	9	10	10	10
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	9	4.3	11	< 1	1	5	6	9	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	10.3	162	2	2	4	20	25	25	25
1-5 YRS	10	4.7	32	1	2	3	5	13	20	20
6-12 YRS	23	7.3	29	2	3	6	10	13	20	24
13-19 YRS	24	4.4	11	2	2	3	6	9	13	14
B. Operated										
0-27 DYS	0									
1-11 MOS	6	10.2	198	1	3	4	11	35	38	38
1-5 YRS	6	19.5	582	1	3	6	50	51	51	51
6-12 YRS	14	10.7	217	1	4	6	11	23	51	59
13-19 YRS	9	7.4	61	1	2	5	11	20	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.9	21	< 1	1	2	3	13	14	14
B. Operated	16	4.4	10	1	1	4	6	10	10	10
2. MULTIPLE DX										
A. Not Operated	60	5.9	29	1	2	4	8	12	19	25
B. Operated	35	11.3	228	1	3	5	11	38	51	59
1. SINGLE DX	27	4.2	14	1	1	3	6	10	12	14
2. MULTIPLE DX	95	7.9	107	1	2	5	9	18	25	55
A. Not Operated	71	5.6	28	1	2	3	8	12	18	25
B. Operated	51	9.1	169	1	2	5	10	21	49	59
TOTAL										
0-27 DYS	0									
1-11 MOS	10	9.8	148	1	3	4	11	31	38	38
1-5 YRS	21	6.8	211	1	2	3	7	32	50	51
6-12 YRS	44	7.8	89	1	3	5	10	14	20	59
13-19 YRS	47	5.0	21	1	2	3	6	11	13	25
GRAND TOTAL	**122**	**7.0**	**89**	**1**	**2**	**4**	**8**	**13**	**24**	**53**

171: Occlusive disease of lower limb arteries (440.2; 444.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	4	5.3	9	1	3	6	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	3.0	5	1	1	3	5	5	5	5
13-19 YRS	2	12.0	32	8	8	12	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	10.3	14	6	7	12	13	13	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	12.0	25	7	8	12	16	17	17	17
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	4	3.5	6	< 1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	5.4	7	1	4	6	7	8	8	8
B. Operated	6	6.0	31	1	1	5	8	15	16	16
2. MULTIPLE DX										
A. Not Operated	5	6.6	33	< 1	1	6	12	13	13	13
B. Operated	10	6.6	24	1	2	6	8	14	17	17
1. SINGLE DX	11	5.7	18	1	2	6	7	11	16	16
2. MULTIPLE DX	15	6.6	25	< 1	2	6	11	13	16	17
A. Not Operated	10	6.0	18	< 1	1	6	8	12	13	13
B. Operated	16	6.4	25	1	2	6	8	16	17	17
TOTAL										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	4	9.3	47	< 1	3	9	14	17	17	17
6-12 YRS	8	3.4	5	1	1	3	5	6	6	6
13-19 YRS	13	6.9	21	1	4	6	9	14	16	16
GRAND TOTAL	**26**	**6.2**	**22**	**1**	**2**	**6**	**8**	**13**	**16**	**17**

172: Atherosclerosis, except of lower limb (440.0; 440.1; 440.8-440.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	0									
2. MULTIPLE DX	2	3.0	2	2	2	3	4	4	4	4
A. Not Operated	1	4.0		4	4	4	4	4	4	4
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
GRAND TOTAL	**2**	**3.0**	**2**	**2**	**2**	**3**	**4**	**4**	**4**	**4**

173: Aortic aneurysm (441)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	15.0	108	9	9	9	23	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	3	15.0	108	9	9	9	23	27	27	27
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	3	15.0	108	9	9	9	23	27	27	27
A. Not Operated	0									
B. Operated	4	13.5	81	9	9	9	18	27	27	27
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	13.5	81	9	9	9	18	27	27	27
GRAND TOTAL	**4**	**13.5**	**81**	**9**	**9**	**9**	**18**	**27**	**27**	**27**

174: Aneurysm, except aortic (442)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	3.6	7	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	9.7	48	2	3	11	14	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	5	3.6	7	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	9	9.7	48	2	3	11	14	19	22	22
1. SINGLE DX	5	3.6	7	1	1	4	5	7	7	7
2. MULTIPLE DX	9	9.7	48	2	3	11	14	19	22	22
A. Not Operated	0									
B. Operated	14	7.5	41	1	3	5	12	16	21	22
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	7.5	41	1	3	5	12	16	21	22
GRAND TOTAL	**14**	**7.5**	**41**	**1**	**3**	**5**	**12**	**16**	**21**	**22**

175: Arterial embolism and thrombosis, except lower limb (444.0-444.21, 444.81-444.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	5	5.4	10	1	3	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	8.0		8	8	8	8	8	8	8
B. Operated										
0-27 DYS	1	97.0		97	97	97	97	97	97	97
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	35.5	1013	13	13	35	58	58	58	58
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	8.8	21	4	6	7	11	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	6	4.8	10	1	2	4	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	2	5.0	18	2	2	5	8	8	8	8
B. Operated	10	22.7	932	4	7	10	16	77	97	97
1. SINGLE DX	7	4.3	11	1	1	4	7	9	9	9
2. MULTIPLE DX	12	19.8	811	3	6	9	14	70	93	97
A. Not Operated	3	3.7	14	1	1	2	6	8	8	8
B. Operated	16	16.0	642	2	4	8	12	54	85	97
TOTAL										
0-27 DYS	1	97.0		97	97	97	97	97	97	97
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	3	24.3	880	2	5	13	47	58	58	58
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	11	7.2	15	3	4	7	9	12	16	16
GRAND TOTAL	**19**	**14.1**	**558**	**1**	**4**	**7**	**10**	**41**	**79**	**97**

176: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	45	4.5	6	2	3	4	6	9	10	12
1-5 YRS	268	4.5	5	2	3	4	5	8	9	12
6-12 YRS	52	4.0	4	2	2	4	5	7	9	9
13-19 YRS	25	2.9	11	< 1	1	1	4	5	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.8	3	< 1	1	3	4	5	5	5
1-5 YRS	13	5.2	19	2	3	4	6	9	16	18
6-12 YRS	12	4.7	17	1	2	3	7	12	13	13
13-19 YRS	11	4.0	20	< 1	1	2	5	11	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	56	6.9	28	2	4	5	8	13	18	26
1-5 YRS	208	5.6	12	2	3	5	7	10	12	18
6-12 YRS	51	8.0	287	1	3	4	6	12	15	97
13-19 YRS	44	4.4	19	1	2	3	6	8	10	27
B. Operated										
0-27 DYS	0									
1-11 MOS	7	20.3	678	2	4	6	28	65	74	74
1-5 YRS	27	8.5	49	2	4	7	11	22	25	27
6-12 YRS	18	12.2	209	1	3	7	15	38	49	50
13-19 YRS	29	8.0	158	2	3	5	8	14	26	68
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	390	4.3	5	2	3	4	5	8	9	12
B. Operated	41	4.4	16	1	2	4	5	10	14	18
2. MULTIPLE DX										
A. Not Operated	359	6.0	54	2	3	5	7	11	13	26
B. Operated	81	10.2	179	2	3	6	12	23	39	72
1. SINGLE DX	431	4.3	6	1	3	4	5	8	9	13
2. MULTIPLE DX	440	6.8	80	2	3	5	7	12	16	52
A. Not Operated	749	5.1	29	2	3	4	6	9	12	19
B. Operated	122	8.3	131	1	2	5	9	16	26	70
TOTAL										
0-27 DYS	0									
1-11 MOS	113	6.6	67	2	3	5	7	12	19	47
1-5 YRS	516	5.1	11	2	3	4	6	9	11	18
6-12 YRS	133	6.7	147	1	2	4	6	13	15	84
13-19 YRS	109	5.0	57	1	1	3	6	9	14	44
GRAND TOTAL	**871**	**5.6**	**45**	**2**	**3**	**4**	**6**	**10**	**13**	**27**

177: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	30	6.0	21	2	3	5	9	10	10	25
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	5.7	6	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	3	7.7	4	6	6	7	9	10	10	10
1-5 YRS	3	8.3	86	2	2	4	15	19	19	19
6-12 YRS	5	6.0	4	4	5	6	7	9	9	9
13-19 YRS	31	8.5	25	2	5	8	11	14	21	22
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	21	7.9	17	4	5	7	10	12	17	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	5.8	20	2	3	5	8	10	10	25
B. Operated	18	5.7	6	3	3	6	8	9	9	9
2. MULTIPLE DX										
A. Not Operated	43	8.0	25	2	5	7	10	14	20	22
B. Operated	23	7.7	17	3	5	7	10	12	16	21
1. SINGLE DX	50	5.8	15	2	3	5	8	9	10	25
2. MULTIPLE DX	66	7.9	22	3	5	7	10	13	19	22
A. Not Operated	75	7.1	23	2	4	6	9	13	18	24
B. Operated	41	6.8	13	3	4	6	9	11	12	21
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	3	7.7	4	6	6	7	9	10	10	10
1-5 YRS	3	8.3	86	2	2	4	15	19	19	19
6-12 YRS	9	5.3	5	2	4	6	6	8	9	9
13-19 YRS	100	7.1	20	3	4	6	9	12	14	23
GRAND TOTAL	**116**	**7.0**	**20**	**2**	**4**	**6**	**9**	**12**	**15**	**23**

178: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	2.5	28	< 1	1	1	2	2	9	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	2.3	3	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	26	2.5	28	< 1	1	1	2	2	9	28
2. MULTIPLE DX										
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	7	2.3	3	1	1	2	3	5	6	6
1. SINGLE DX	26	2.5	28	< 1	1	1	2	2	9	28
2. MULTIPLE DX	8	2.3	3	1	1	2	3	5	6	6
A. Not Operated	1	2.0		2	2	2	2	2	2	2
B. Operated	33	2.4	22	< 1	1	1	2	3	6	28
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	34	2.4	22	1	1	1	2	3	6	28
GRAND TOTAL	**34**	**2.4**	**22**	**1**	**1**	**1**	**2**	**3**	**6**	**28**

179: Hemorrhoids (455)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	2.4		2	2	2	3	3	3	3
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	13	2.8	2	1	2	3	4	4	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	7	3.9	15	1	1	3	5	11	12	12
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	5	1.4		< 1	< 1	1	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	30	2.5	3	1	1	2	3	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	2.4		2	2	2	3	3	3	3
B. Operated	19	2.3	2	< 1	1	2	4	4	5	5
2. MULTIPLE DX										
A. Not Operated	10	4.0	14	1	2	3	5	10	12	12
B. Operated	38	2.4	3	1	1	2	3	5	6	8
1. SINGLE DX	24	2.3	2	< 1	1	2	3	4	5	5
2. MULTIPLE DX	48	2.8	5	1	1	2	3	5	8	12
A. Not Operated	15	3.5	9	1	2	2	3	9	11	12
B. Operated	57	2.4	3	1	1	2	3	5	5	8
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	3	3.0	12	< 1	< 1	1	5	7	7	7
1-5 YRS	7	2.4	9	< 1	< 1	1	2	8	9	9
6-12 YRS	6	1.5		1	1	1	2	2	2	2
13-19 YRS	55	2.8	4	1	1	2	3	5	5	12
GRAND TOTAL	**72**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

180: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	8	1.8	1	< 1	1	2	2	3	3	3
6-12 YRS	15	2.9	11	1	1	2	3	5	12	14
13-19 YRS	65	4.8	10	1	2	5	7	9	10	15
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	20	8.1	397	< 1	1	2	6	14	53	91
6-12 YRS	22	2.0	7	< 1	1	1	1	5	9	12
13-19 YRS	148	3.1	13	< 1	1	1	4	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	10.7	2	9	9	11	12	12	12	12
1-11 MOS	15	3.2	5	1	2	2	4	8	8	8
1-5 YRS	41	4.9	25	1	2	3	6	11	19	21
6-12 YRS	49	4.6	18	1	2	3	5	13	15	16
13-19 YRS	141	4.7	19	1	2	3	7	11	14	22
B. Operated										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	8	17.0	543	2	3	5	25	58	68	68
1-5 YRS	44	6.6	59	1	1	4	8	16	24	34
6-12 YRS	53	5.5	42	1	2	3	7	18	24	97
13-19 YRS	105	5.7	34	1	1	4	8	14	17	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	92	4.1	10	1	1	3	6	9	10	15
B. Operated	192	3.5	53	< 1	1	1	4	9	11	19
2. MULTIPLE DX										
A. Not Operated	249	4.7	19	1	2	3	6	11	14	21
B. Operated	211	6.3	63	1	1	4	8	16	23	80
1. SINGLE DX	284	3.7	39	< 1	1	2	5	9	11	15
2. MULTIPLE DX	460	5.4	40	1	2	3	7	13	17	34
A. Not Operated	341	4.5	17	1	2	3	6	10	13	21
B. Operated	403	5.0	60	1	1	2	7	12	17	49
TOTAL										
0-27 DYS	6	8.7	44	1	1	10	12	17	18	18
1-11 MOS	27	7.4	190	1	2	3	6	14	39	68
1-5 YRS	113	5.9	102	1	1	3	6	15	19	55
6-12 YRS	139	4.3	26	1	1	2	5	12	17	35
13-19 YRS	459	4.4	20	1	1	3	7	10	14	23
GRAND TOTAL	**744**	**4.8**	**40**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

181: Acute URI except streptococcal (460-465)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	182	2.5	2	1	2	2	3	4	5	9
1-11 MOS	1733	2.4	2	1	1	2	3	4	5	7
1-5 YRS	2930	2.0	2	1	1	2	2	4	4	7
6-12 YRS	449	2.0	2	1	1	2	3	4	4	7
13-19 YRS	354	2.6	2	1	2	2	3	4	5	7
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	18	5.4	57	< 1	1	4	6	8	24	34
1-5 YRS	115	2.2	8	1	1	1	2	5	8	16
6-12 YRS	165	1.3	2	< 1	1	1	1	1	3	8
13-19 YRS	146	1.4	2	1	1	1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	265	3.0	4	1	2	3	4	5	6	11
1-11 MOS	3297	3.1	6	1	2	3	4	5	7	11
1-5 YRS	4722	2.8	4	1	2	2	3	5	6	10
6-12 YRS	1117	2.8	4	1	2	2	3	5	6	10
13-19 YRS	1146	3.1	4	1	2	3	4	5	6	10
B. Operated										
0-27 DYS	5	8.8	76	3	4	5	12	24	24	24
1-11 MOS	72	10.4	146	2	3	6	11	26	34	58
1-5 YRS	331	3.8	46	1	1	1	5	8	12	28
6-12 YRS	262	2.3	7	< 1	1	1	2	6	8	12
13-19 YRS	207	2.6	9	1	1	1	3	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5648	2.2	2	1	1	2	3	4	5	7
B. Operated	445	1.7	6	1	1	1	1	3	5	11
2. MULTIPLE DX										
A. Not Operated	10547	2.9	4	1	2	2	4	5	6	10
B. Operated	877	3.6	38	1	1	1	4	8	12	29
1. SINGLE DX	6093	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX	11424	3.0	7	1	2	2	4	5	7	12
A. Not Operated	16195	2.6	4	1	1	2	3	5	6	9
B. Operated	1322	3.0	28	1	1	1	3	7	10	26
TOTAL										
0-27 DYS	453	2.8	4	1	2	2	3	5	6	11
1-11 MOS	5120	3.0	8	1	2	2	4	5	6	11
1-5 YRS	8098	2.5	5	1	1	2	3	5	6	10
6-12 YRS	1993	2.4	4	1	1	2	3	4	6	10
13-19 YRS	1853	2.8	4	1	1	2	4	5	6	10
GRAND TOTAL	**17517**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

182: Acute bronchitis and bronchiolitis (466)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	171	3.6	4	2	2	3	5	6	7	10
1-11 MOS	4573	3.3	4	1	2	3	4	6	7	10
1-5 YRS	1834	2.5	2	1	1	2	3	4	5	7
6-12 YRS	255	2.4	2	1	1	2	3	4	5	8
13-19 YRS	104	3.0	2	1	2	3	4	5	6	8
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	4.1	15	1	2	3	5	8	14	18
1-5 YRS	15	2.0	3	< 1	1	1	2	4	6	7
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	488	4.5	10	2	3	4	5	8	10	16
1-11 MOS	10306	4.0	8	2	2	3	5	7	8	14
1-5 YRS	3550	3.2	6	1	2	3	4	5	7	11
6-12 YRS	491	3.6	9	1	2	3	4	7	11	15
13-19 YRS	414	5.1	21	2	2	4	6	11	16	22
B. Operated										
0-27 DYS	14	11.6	286	3	4	6	11	28	58	67
1-11 MOS	141	10.5	160	2	3	7	14	22	44	99 +
1-5 YRS	68	10.4	186	2	4	7	12	20	30	82
6-12 YRS	12	9.2	59	2	3	7	14	19	26	27
13-19 YRS	15	11.7	33	5	7	11	16	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6937	3.0	3	1	2	3	4	5	6	9
B. Operated	40	3.1	10	1	1	2	4	6	8	18
2. MULTIPLE DX										
A. Not Operated	15249	3.9	8	2	2	3	5	7	8	14
B. Operated	250	10.6	160	2	4	7	14	21	38	86
1. SINGLE DX	6977	3.0	3	1	2	3	4	5	6	9
2. MULTIPLE DX	15499	4.0	11	2	2	3	5	7	9	16
A. Not Operated	22186	3.6	7	1	2	3	4	6	8	13
B. Operated	290	9.5	146	2	3	6	12	20	33	83
TOTAL										
0-27 DYS	674	4.4	15	2	3	4	5	7	9	16
1-11 MOS	15041	3.8	8	2	2	3	5	7	8	14
1-5 YRS	5467	3.1	7	1	2	3	4	5	6	11
6-12 YRS	760	3.3	8	1	2	3	4	5	9	15
13-19 YRS	534	4.9	19	2	2	3	5	11	15	22
GRAND TOTAL	**22476**	**3.7**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

183: Deviated nasal septum (470)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	16	1.1		1	1	1	1	1	2	2
13-19 YRS	304	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	56	1.1		< 1	1	1	1	2	2	2
13-19 YRS	777	1.3	1	1	1	1	1	2	2	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	323	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	837	1.2		1	1	1	1	2	2	4
1. SINGLE DX	324	1.3		1	1	1	1	2	2	4
2. MULTIPLE DX	840	1.2		1	1	1	1	2	2	4
A. Not Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated	1160	1.3		1	1	1	1	2	2	4
TOTAL										
0-27 DYS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	73	1.1		< 1	1	1	1	2	2	2
13-19 YRS	1083	1.3		1	1	1	1	2	2	4
GRAND TOTAL	**1164**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**	**4**

184: Nasal polyp (471)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	14	1.2	1	< 1	1	1	1	2	3	4
13-19 YRS	17	1.6	1	1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	3.0	16	1	1	2	3	9	14	14
6-12 YRS	50	1.7	1	1	1	1	2	3	4	6
13-19 YRS	66	1.9	5	1	1	1	2	3	6	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	33	1.4	1	< 1	1	1	1	3	4	5
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	127	1.9	4	1	1	1	2	3	5	14
1. SINGLE DX	33	1.4	1	< 1	1	1	1	3	4	5
2. MULTIPLE DX	129	1.9	4	1	1	1	2	3	5	14
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	160	1.8	4	1	1	1	2	3	5	14
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	11	2.8	14	< 1	1	2	3	8	13	14
6-12 YRS	65	1.6	1	1	1	1	2	3	4	6
13-19 YRS	84	1.8	4	1	1	1	2	3	5	13
GRAND TOTAL	**162**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**5**	**14**

185: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	23	1.6		< 1	1	1	2	3	3	3
6-12 YRS	17	1.1		< 1	1	1	1	1	2	3
13-19 YRS	84	1.2		1	1	1	1	2	3	5
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	1.1		< 1	1	1	1	2	51	99 +
1-5 YRS	4160	1.1		1	1	1	1	1	1	2
6-12 YRS	6847	1.0		1	1	1	1	1	1	2
13-19 YRS	4548	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.0	1	1	1	2	2	4	4	4
1-5 YRS	138	2.0	7	< 1	< 1	1	2	4	6	14
6-12 YRS	73	1.3	1	< 1	< 1	1	1	2	3	6
13-19 YRS	39	2.5	4	< 1	< 1	2	3	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	48	2.4	33	< 1	1	1	1	3	7	39
1-5 YRS	6311	1.2	2	1	1	1	1	2	2	6
6-12 YRS	5415	1.1		1	1	1	1	1	2	3
13-19 YRS	1697	1.2		1	1	1	1	2	2	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	126	1.3		1	1	1	1	2	3	4
B. Operated	15575	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	257	1.9	4	< 1	< 1	1	2	4	5	12
B. Operated	13471	1.2	1	1	1	1	1	1	2	4
1. SINGLE DX	15701	1.1		1	1	1	1	1	1	2
2. MULTIPLE DX	13728	1.2	1	1	1	1	1	1	2	5
A. Not Operated	383	1.7	3	< 1	< 1	1	2	3	4	10
B. Operated	29046	1.1	1	1	1	1	1	1	2	3
TOTAL										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	75	2.0	21	< 1	1	1	2	3	5	84
1-5 YRS	10632	1.2	1	1	1	1	1	1	2	4
6-12 YRS	12352	1.1		1	1	1	1	1	1	3
13-19 YRS	6368	1.1		1	1	1	1	1	2	3
GRAND TOTAL	**29429**	**1.1**	**1**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

186: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10	1.9	2	1	1	1	3	4	4	4
1-11 MOS	90	2.4	3	< 1	1	2	3	5	6	9
1-5 YRS	290	2.5	4	< 1	1	2	3	4	5	10
6-12 YRS	216	2.5	2	1	2	2	3	4	5	9
13-19 YRS	371	2.8	2	1	2	3	3	4	6	7
B. Operated										
0-27 DYS	8	5.3	51	1	1	2	6	18	22	22
1-11 MOS	73	5.9	58	< 1	1	3	7	15	27	35
1-5 YRS	262	2.3	7	< 1	1	1	3	5	7	13
6-12 YRS	337	2.2	4	1	1	1	2	5	7	11
13-19 YRS	532	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	35	3.3	4	1	2	3	4	6	7	10
1-11 MOS	214	3.6	27	1	2	3	4	6	7	23
1-5 YRS	542	3.3	9	1	2	3	4	6	8	13
6-12 YRS	327	3.3	4	1	2	3	4	7	8	10
13-19 YRS	352	3.4	5	1	2	3	4	6	7	12
B. Operated										
0-27 DYS	12	10.7	104	3	4	6	16	25	34	36
1-11 MOS	163	12.0	218	1	1	6	17	33	53	99
1-5 YRS	642	4.3	64	< 1	1	2	4	9	15	43
6-12 YRS	464	2.9	19	1	1	2	3	7	10	17
13-19 YRS	623	2.7	11	1	1	2	3	5	8	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	977	2.6	3	1	1	2	3	4	5	9
B. Operated	1212	2.5	8	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	1470	3.4	10	1	2	3	4	6	8	12
B. Operated	1904	4.2	56	1	1	2	4	9	15	42
1. SINGLE DX	2189	2.5	6	1	1	2	3	5	6	12
2. MULTIPLE DX	3374	3.8	36	1	1	2	4	7	11	34
A. Not Operated	2447	3.1	7	1	2	3	4	5	7	10
B. Operated	3116	3.5	38	1	1	2	3	7	12	34
TOTAL										
0-27 DYS	65	4.7	35	1	2	3	4	8	19	34
1-11 MOS	540	6.3	100	1	1	3	6	16	27	56
1-5 YRS	1736	3.4	29	1	1	2	4	7	10	27
6-12 YRS	1344	2.8	9	1	1	2	3	6	8	12
13-19 YRS	1878	2.7	6	1	1	2	3	5	6	11
GRAND TOTAL	**5563**	**3.3**	**24**	**1**	**1**	**2**	**4**	**6**	**9**	**24**

187: Bacterial pneumonia (481-482.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	21	5.6	8	2	4	5	8	10	11	11
1-11 MOS	174	4.2	7	2	2	4	5	8	9	15
1-5 YRS	412	3.5	5	1	2	3	4	6	7	10
6-12 YRS	204	3.5	4	2	2	3	4	6	7	10
13-19 YRS	116	4.0	4	2	3	4	5	6	8	12
B. Operated										
0-27 DYS	0									
1-11 MOS	2	11.5	13	9	9	11	14	14	14	14
1-5 YRS	7	11.9	190	2	3	6	15	36	41	41
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	5.5	27	2	2	4	9	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	42	6.6	27	3	3	5	8	13	17	28
1-11 MOS	619	5.5	19	2	3	4	7	11	13	22
1-5 YRS	1012	5.1	20	2	3	4	6	10	14	19
6-12 YRS	483	7.8	51	2	3	6	11	15	18	36
13-19 YRS	491	9.1	42	3	4	7	13	18	23	33
B. Operated										
0-27 DYS	6	17.3	26	11	13	21	23	85	99 +	99 +
1-11 MOS	39	14.8	89	5	8	15	22	37	99 +	99 +
1-5 YRS	81	17.7	292	4	8	13	21	38	62	96
6-12 YRS	60	16.8	139	5	9	14	22	32	38	62
13-19 YRS	57	16.8	163	6	9	13	21	35	44	70
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	927	3.7	5	2	2	3	5	7	8	11
B. Operated	14	9.4	106	2	3	6	13	19	36	41
2. MULTIPLE DX										
A. Not Operated	2647	6.5	32	2	3	5	8	14	16	27
B. Operated	243	16.8	184	5	8	14	21	35	53	99 +
1. SINGLE DX	941	3.8	7	2	2	3	5	7	8	12
2. MULTIPLE DX	2890	7.3	53	2	3	5	9	15	20	39
A. Not Operated	3574	5.8	27	2	3	4	7	12	15	25
B. Operated	257	16.4	182	5	8	13	21	35	52	99 +
TOTAL										
0-27 DYS	69	7.2	31	3	3	6	10	15	21	86
1-11 MOS	834	5.7	24	2	3	4	7	11	15	31
1-5 YRS	1512	5.4	40	2	2	4	6	11	15	31
6-12 YRS	748	7.4	56	2	3	5	10	15	20	37
13-19 YRS	668	8.8	55	3	4	6	12	17	23	38
GRAND TOTAL	**3831**	**6.5**	**44**	**2**	**3**	**4**	**8**	**14**	**17**	**35**

188: Other pneumonia (480; 483-486)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	335	4.6	6	2	3	4	6	8	10	11
1-11 MOS	3493	3.6	4	2	2	3	4	6	7	10
1-5 YRS	4560	3.1	3	1	2	3	4	5	6	8
6-12 YRS	1472	3.3	3	2	2	3	4	5	7	9
13-19 YRS	679	3.8	4	2	2	3	5	6	8	10
B. Operated										
0-27 DYS	3	7.3	9	4	5	8	9	10	10	10
1-11 MOS	24	4.4	8	1	2	4	6	9	10	10
1-5 YRS	44	3.9	16	< 1	1	2	5	9	13	17
6-12 YRS	16	4.9	28	1	2	3	6	11	19	22
13-19 YRS	18	4.8	12	< 1	2	4	8	9	11	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	470	5.9	15	2	3	5	8	11	14	24
1-11 MOS	7666	4.6	14	2	3	4	6	8	10	19
1-5 YRS	11869	3.7	7	2	2	3	4	6	8	14
6-12 YRS	3088	4.1	10	2	2	3	5	7	9	17
13-19 YRS	1324	4.9	11	2	3	4	6	9	11	17
B. Operated										
0-27 DYS	24	14.6	209	5	8	11	15	37	80	99 +
1-11 MOS	187	14.6	181	4	6	11	19	43	78	99 +
1-5 YRS	309	12.1	169	2	4	8	15	25	45	98
6-12 YRS	131	13.0	171	3	6	9	16	26	42	98
13-19 YRS	93	12.4	124	3	7	11	15	20	28	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10539	3.4	3	2	2	3	4	6	7	10
B. Operated	105	4.4	15	1	2	3	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	24417	4.2	10	2	2	3	5	7	9	16
B. Operated	744	13.0	169	3	5	9	16	28	46	99 +
1. SINGLE DX	10644	3.4	4	2	2	3	4	6	7	10
2. MULTIPLE DX	25161	4.4	17	2	2	3	5	8	10	20
A. Not Operated	34956	3.9	8	2	2	3	5	7	9	14
B. Operated	849	11.9	157	2	5	9	15	25	44	99 +
TOTAL										
0-27 DYS	832	5.6	20	2	3	5	7	10	12	23
1-11 MOS	11370	4.5	15	2	3	4	5	8	10	19
1-5 YRS	16782	3.7	10	2	2	3	4	6	8	15
6-12 YRS	4707	4.1	15	2	2	3	5	7	9	19
13-19 YRS	2114	4.9	16	2	3	4	6	9	11	19
GRAND TOTAL	**35805**	**4.1**	**13**	**2**	**2**	**3**	**5**	**7**	**9**	**18**

189: Influenza (487)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	48	2.7	2	1	2	2	4	5	6	6
1-5 YRS	52	2.3	1	1	2	2	3	4	5	6
6-12 YRS	55	2.3	2	1	1	2	3	4	5	6
13-19 YRS	50	2.4	3	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	4	2.8	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	6.7	17	2	5	6	8	13	14	14
1-11 MOS	125	4.2	14	2	2	3	5	8	10	23
1-5 YRS	263	3.4	5	1	2	3	4	6	8	12
6-12 YRS	135	2.8	3	1	2	2	3	5	6	9
13-19 YRS	167	3.1	5	1	2	3	4	5	6	13
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	4	18.8	315	7	8	11	29	45	45	45
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	6	11.2	244	1	1	6	11	39	42	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	208	2.4	2	1	1	2	3	4	5	7
B. Operated	8	2.4	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	696	3.4	7	1	2	3	4	6	8	13
B. Operated	14	11.6	197	1	3	7	11	42	44	45
1. SINGLE DX	216	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	710	3.5	11	1	2	3	4	6	8	14
A. Not Operated	904	3.2	6	1	2	3	4	6	7	12
B. Operated	22	8.2	143	1	2	4	8	22	43	45
TOTAL										
0-27 DYS	10	5.3	13	2	3	4	6	11	14	14
1-11 MOS	175	3.8	11	2	2	3	5	7	9	20
1-5 YRS	319	3.4	11	1	2	3	4	6	8	13
6-12 YRS	195	2.7	3	1	2	2	3	5	6	9
13-19 YRS	227	3.2	11	1	2	3	4	5	6	16
GRAND TOTAL	**926**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

190: Chronic and unspecified bronchitis (490-491)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	4.7	6	2	3	5	6	7	7	7
1-11 MOS	208	2.8	2	1	2	2	4	5	6	9
1-5 YRS	281	2.1	2	1	1	2	3	4	5	7
6-12 YRS	44	2.3	1	1	1	2	3	4	4	5
13-19 YRS	27	2.6	1	1	2	2	3	4	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	5	5.0	22	1	2	2	9	11	11	11
1-5 YRS	15	2.1	4	< 1	1	1	3	4	7	8
6-12 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	4.0	7	2	2	3	6	8	9	9
1-11 MOS	416	3.6	8	1	2	3	4	6	7	14
1-5 YRS	532	3.0	4	1	2	3	4	5	7	11
6-12 YRS	121	3.7	10	1	2	3	4	7	11	16
13-19 YRS	102	4.3	11	1	2	3	5	9	12	15
B. Operated										
0-27 DYS	0									
1-11 MOS	9	4.2	9	1	2	3	7	9	9	9
1-5 YRS	20	5.2	48	1	1	2	6	16	22	27
6-12 YRS	11	4.7	30	< 1	1	2	7	15	15	15
13-19 YRS	5	4.2	16	1	2	3	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	563	2.4	2	1	1	2	3	4	5	8
B. Operated	22	2.6	8	< 1	1	1	3	8	10	11
2. MULTIPLE DX										
A. Not Operated	1182	3.4	6	1	2	3	4	6	8	13
B. Operated	45	4.8	31	1	1	3	6	14	16	27
1. SINGLE DX	585	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX	1227	3.4	7	1	2	3	4	6	8	14
A. Not Operated	1745	3.1	5	1	2	3	4	5	7	13
B. Operated	67	4.1	24	1	1	2	5	10	15	25
TOTAL										
0-27 DYS	14	4.1	6	2	2	3	6	8	9	9
1-11 MOS	638	3.3	6	1	2	3	4	6	7	12
1-5 YRS	848	2.8	4	1	2	2	3	5	6	11
6-12 YRS	178	3.4	9	1	2	3	4	6	10	15
13-19 YRS	134	3.9	9	1	2	3	5	9	11	15
GRAND TOTAL	**1812**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**13**

191: Emphysema (492)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	5	4.2	9	1	2	4	5	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	5	7.0	15	< 1	4	8	9	11	11	11
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	0									
13-19 YRS	11	14.8	261	4	4	6	24	41	51	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.7	30	1	1	2	9	11	11	11
B. Operated	3	4.0	1	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	8	4.6	7	2	3	4	6	9	9	9
B. Operated	17	12.5	181	4	4	8	14	33	46	52
1. SINGLE DX	6	4.3	13	1	2	3	5	10	11	11
2. MULTIPLE DX	25	10.0	137	3	4	6	10	28	38	52
A. Not Operated	11	4.6	11	1	2	4	7	10	11	11
B. Operated	20	11.3	162	3	4	6	12	31	43	52
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	7.1	13	1	4	8	10	11	11	11
1-5 YRS	3	7.7	41	3	3	5	12	15	15	15
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	18	10.4	189	1	4	4	9	32	45	52
GRAND TOTAL	**31**	**8.9**	**117**	**2**	**4**	**5**	**9**	**20**	**34**	**52**

192: Asthma (493)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	4.0	4	2	3	3	5	7	7	7
1-11 MOS	1399	3.2	4	1	2	3	4	6	7	10
1-5 YRS	10693	2.4	2	1	2	2	3	4	5	7
6-12 YRS	7198	2.6	2	1	2	2	3	4	5	7
13-19 YRS	3462	2.8	3	1	2	2	4	5	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	13	7.6	22	2	3	9	12	13	14	14
1-5 YRS	43	2.8	3	1	1	3	4	4	6	10
6-12 YRS	23	3.4	4	1	1	3	5	7	7	7
13-19 YRS	10	3.1	6	1	1	2	4	7	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.3	3	1	2	3	4	5	5	5
1-11 MOS	2886	3.7	6	2	2	3	5	7	8	12
1-5 YRS	11149	2.9	4	1	2	3	4	5	6	9
6-12 YRS	4312	3.0	4	1	2	3	4	5	6	9
13-19 YRS	2345	3.5	6	1	2	3	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	62	7.3	44	2	4	6	9	13	26	92
1-5 YRS	143	7.2	70	1	3	5	8	15	20	58
6-12 YRS	44	6.3	23	1	2	5	8	13	18	20
13-19 YRS	52	8.8	135	3	4	6	9	14	28	69
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	22757	2.6	2	1	2	2	3	4	5	7
B. Operated	89	3.7	9	1	2	3	4	8	10	14
2. MULTIPLE DX										
A. Not Operated	20696	3.1	4	1	2	3	4	5	6	10
B. Operated	301	7.4	69	1	3	5	9	14	20	60
1. SINGLE DX	22846	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX	20997	3.2	5	1	2	3	4	5	7	11
A. Not Operated	43453	2.8	3	1	2	2	3	5	6	9
B. Operated	390	6.5	57	1	3	5	8	12	18	56
TOTAL										
0-27 DYS	9	3.7	3	1	2	3	5	6	7	7
1-11 MOS	4360	3.6	6	1	2	3	4	6	8	12
1-5 YRS	22028	2.7	3	1	2	2	3	5	5	8
6-12 YRS	11577	2.8	3	1	2	2	3	5	6	8
13-19 YRS	5869	3.1	6	1	2	3	4	5	6	10
GRAND TOTAL	**43843**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**6**	**9**

193: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	0									
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	8	4.0	11	1	1	3	5	9	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	3	6.0	9	3	4	6	8	9	9	9
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.0	4	1	3	4	5	6	6	6
1-5 YRS	7	8.7	86	2	3	4	15	24	25	25
6-12 YRS	17	7.9	37	2	4	6	11	17	21	23
13-19 YRS	86	11.1	31	6	8	10	13	17	22	34
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	9.9	118	1	3	7	23	80	99 +	99 +
6-12 YRS	11	8.0	24	2	3	8	12	15	16	16
13-19 YRS	25	14.7	116	4	10	13	17	22	40	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12	3.9	9	1	2	3	5	8	11	11
B. Operated	5	7.2	39	1	2	6	11	17	17	17
2. MULTIPLE DX										
A. Not Operated	115	10.1	36	3	6	10	13	17	22	32
B. Operated	43	12.2	98	3	5	11	16	23	41	99 +
1. SINGLE DX	17	4.9	18	1	2	4	6	11	15	17
2. MULTIPLE DX	158	10.7	53	3	6	10	14	18	23	51
A. Not Operated	127	9.6	37	3	5	9	13	17	22	32
B. Operated	48	11.7	94	2	5	10	16	22	37	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	7	4.3	4	1	3	4	6	7	7	7
1-5 YRS	15	9.8	92	1	3	6	18	31	80	99 +
6-12 YRS	33	7.4	29	1	3	6	10	15	18	23
13-19 YRS	120	11.3	53	3	7	10	14	18	22	41
GRAND TOTAL	**175**	**10.1**	**53**	**3**	**5**	**10**	**13**	**18**	**23**	**49**

194: Spontaneous pneumothorax (512)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	125	2.2	3	1	1	2	3	4	5	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	4	5.5	10	2	3	5	8	9	9	9
13-19 YRS	304	5.1	8	2	3	4	6	9	12	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	8	4.1	5	1	2	4	6	7	7	7
13-19 YRS	45	3.5	16	1	1	2	4	9	13	19
B. Operated										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	8.8	45	2	5	8	11	20	20	20
6-12 YRS	6	11.0	59	4	4	10	14	23	24	24
13-19 YRS	157	10.0	55	4	5	8	13	19	25	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	127	2.3	3	1	1	2	3	4	6	11
B. Operated	309	5.2	9	2	3	4	6	9	12	15
2. MULTIPLE DX										
A. Not Operated	59	3.6	13	1	1	2	4	8	13	19
B. Operated	171	9.9	54	3	5	8	13	19	25	30
1. SINGLE DX	436	4.3	9	1	2	4	6	8	11	14
2. MULTIPLE DX	230	8.3	51	2	4	6	12	18	22	30
A. Not Operated	186	2.7	7	1	1	2	3	5	8	14
B. Operated	480	6.9	30	2	4	5	8	13	18	27
TOTAL										
0-27 DYS	5	2.4	1	1	2	2	3	4	4	4
1-11 MOS	3	6.0	13	3	3	5	9	10	10	10
1-5 YRS	8	8.8	54	2	3	7	14	20	20	20
6-12 YRS	19	6.8	30	2	4	5	8	14	19	24
13-19 YRS	631	5.6	27	1	2	4	7	12	15	26
GRAND TOTAL	**666**	**5.7**	**27**	**1**	**2**	**4**	**7**	**12**	**16**	**26**

195: Respiratory failure and insufficiency (518.81; 518.82)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	22	3.7	22	1	2	3	4	5	13	24
1-5 YRS	17	2.8	16	1	1	2	2	5	13	18
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	4	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	2	37.0	2592	< 1	< 1	36	73	73	73	73
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	5.9	22	< 1	2	5	9	13	14	14
1-11 MOS	195	7.7	57	2	3	5	10	16	21	50
1-5 YRS	227	5.0	32	1	2	3	6	12	16	35
6-12 YRS	83	6.3	112	1	2	3	7	14	20	96
13-19 YRS	87	9.1	112	1	3	5	11	24	33	50
B. Operated										
0-27 DYS	4	20.0	201	6	8	18	31	37	37	37
1-11 MOS	62	27.7	581	6	11	23	58	99+	99+	99+
1-5 YRS	47	21.9	557	3	7	16	53	99+	99+	99+
6-12 YRS	10	21.2	513	5	10	14	80	99+	99+	99+
13-19 YRS	20	14.9	168	2	6	14	22	70	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.1	17	1	1	2	3	5	8	24
B. Operated	5	15.6	1030	< 1	1	1	20	73	73	73
2. MULTIPLE DX										
A. Not Operated	600	6.7	64	1	2	4	8	15	21	51
B. Operated	143	23.3	509	4	9	17	53	99+	99+	99+
1. SINGLE DX	51	4.3	112	1	1	2	3	5	17	72
2. MULTIPLE DX	743	9.9	193	1	3	5	12	28	59	99+
A. Not Operated	646	6.4	62	1	2	4	7	15	20	50
B. Operated	148	23.1	522	4	8	17	53	99+	99+	99+
TOTAL										
0-27 DYS	13	10.0	112	1	3	7	12	28	35	37
1-11 MOS	281	12.0	254	2	3	7	15	39	73	99+
1-5 YRS	292	7.6	153	1	2	4	8	18	52	99+
6-12 YRS	96	7.7	168	1	2	4	9	20	81	99+
13-19 YRS	112	9.8	124	1	3	5	14	26	39	99+
GRAND TOTAL	**794**	**9.5**	**189**	**1**	**2**	**5**	**12**	**26**	**58**	**99+**

196: Other lung and pleural diseases (500-518.5; 518.89-519.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	23	2.2	2	< 1	1	2	3	5	5	5
1-11 MOS	299	3.2	7	1	2	3	4	5	7	16
1-5 YRS	754	2.5	3	1	1	2	3	4	5	9
6-12 YRS	222	3.1	11	1	1	2	3	5	12	18
13-19 YRS	155	3.6	14	1	1	2	5	9	10	19
B. Operated										
0-27 DYS	2	52.0	3362	11	11	52	93	93	93	93
1-11 MOS	26	4.7	38	1	1	2	5	9	17	31
1-5 YRS	130	3.3	41	< 1	1	1	3	7	11	38
6-12 YRS	56	4.8	51	< 1	1	2	6	12	21	38
13-19 YRS	34	5.8	17	1	2	5	8	11	14	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	49	4.9	15	2	3	4	6	10	12	24
1-11 MOS	1001	4.6	21	1	2	3	5	9	13	26
1-5 YRS	1800	4.0	23	1	2	3	5	8	11	22
6-12 YRS	604	6.0	43	1	2	4	7	14	18	29
13-19 YRS	469	6.6	45	1	2	4	8	15	19	33
B. Operated										
0-27 DYS	7	20.9	377	1	6	18	29	53	58	58
1-11 MOS	195	16.0	304	2	4	11	33	96	99+	99+
1-5 YRS	560	8.9	172	1	1	4	11	22	40	98
6-12 YRS	243	10.8	196	1	1	6	15	35	45	99+
13-19 YRS	211	11.9	187	1	3	8	15	29	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1453	2.9	7	1	2	2	3	5	7	16
B. Operated	248	4.5	71	< 1	1	2	5	9	13	39
2. MULTIPLE DX										
A. Not Operated	3923	4.8	29	1	2	3	5	10	14	26
B. Operated	1216	11.0	208	1	2	6	15	35	58	99+
1. SINGLE DX	1701	3.1	16	1	1	2	3	5	8	18
2. MULTIPLE DX	5139	6.3	78	1	2	3	7	14	23	75
A. Not Operated	5376	4.3	23	1	2	3	5	9	13	24
B. Operated	1464	9.9	190	1	1	5	13	31	51	99+
TOTAL										
0-27 DYS	81	6.7	157	1	2	3	6	12	21	82
1-11 MOS	1521	5.8	70	1	2	3	6	13	25	99+
1-5 YRS	3244	4.5	49	1	2	3	4	9	14	43
6-12 YRS	1125	6.4	76	1	2	3	7	16	22	56
13-19 YRS	869	7.3	81	1	2	4	9	16	23	57
GRAND TOTAL	**6840**	**5.5**	**65**	**1**	**2**	**3**	**6**	**13**	**19**	**59**

197: Disease of teeth and jaws (520-526)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.5	2	1	1	2	3	4	4	4
1-5 YRS	25	3.3	10	1	2	2	3	7	11	16
6-12 YRS	18	2.8	9	< 1	1	2	3	5	10	14
13-19 YRS	35	3.1	33	< 1	1	2	3	3	7	35
B. Operated										
0-27 DYS	2	1.5	1	< 1	< 1	1	2	2	2	2
1-11 MOS	12	2.1	3	< 1	1	1	3	5	7	7
1-5 YRS	330	1.1		< 1	< 1	< 1	< 1	1	2	4
6-12 YRS	177	1.9	3	< 1	1	1	2	3	4	9
13-19 YRS	1288	2.0	1	< 1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	11	4.5	8	1	2	4	6	9	10	10
1-5 YRS	91	2.9	3	1	2	3	4	5	6	9
6-12 YRS	50	3.1	7	1	1	3	4	5	9	14
13-19 YRS	51	3.6	8	< 1	1	3	5	7	9	13
B. Operated										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	15	4.1	40	< 1	1	2	3	7	21	26
1-5 YRS	536	1.6	2	< 1	< 1	1	2	3	4	8
6-12 YRS	399	2.4	9	< 1	1	2	3	4	6	16
13-19 YRS	1327	2.5	4	1	2	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	82	3.1	19	1	1	2	3	5	8	29
B. Operated	1809	1.8	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	203	3.2	6	1	2	3	4	6	8	12
B. Operated	2278	2.3	5	< 1	1	2	3	4	5	10
1. SINGLE DX	1891	1.9	2	< 1	< 1	1	2	3	4	6
2. MULTIPLE DX	2481	2.4	5	< 1	1	2	3	4	5	10
A. Not Operated	285	3.2	9	1	1	3	4	6	8	14
B. Operated	4087	2.1	3	< 1	1	2	3	4	4	7
TOTAL										
0-27 DYS	3	4.7	30	< 1	< 1	2	9	11	11	11
1-11 MOS	42	3.5	18	< 1	1	2	4	7	9	26
1-5 YRS	982	1.6	2	< 1	< 1	< 1	2	3	4	8
6-12 YRS	644	2.3	7	< 1	1	2	3	4	6	14
13-19 YRS	2701	2.3	3	1	1	2	3	4	5	7
GRAND TOTAL	**4372**	**2.2**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**	**9**

198: Disease of mouth, except dental (527-529)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	4.8	4	2	3	5	6	7	7	7
1-11 MOS	48	3.8	3	2	2	4	5	6	7	10
1-5 YRS	124	3.0	3	1	2	3	4	5	6	10
6-12 YRS	44	3.0	2	2	2	3	4	5	6	7
13-19 YRS	35	3.3	2	1	2	3	4	5	7	8
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	2.3	4	1	1	2	3	4	8	9
1-5 YRS	105	2.4	3	1	1	2	3	5	5	8
6-12 YRS	115	2.4	3	1	1	2	3	4	7	10
13-19 YRS	103	2.5	7	1	1	2	3	4	8	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	3.7	1	3	3	3	5	5	5	5
1-11 MOS	105	4.4	15	2	2	3	6	8	10	24
1-5 YRS	233	3.6	6	1	2	3	4	6	7	11
6-12 YRS	84	4.0	8	2	2	3	5	8	9	16
13-19 YRS	63	3.9	7	1	2	3	5	9	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	15	3.9	10	1	1	3	6	8	11	12
1-5 YRS	128	3.1	6	1	2	2	4	6	8	12
6-12 YRS	145	2.8	4	1	1	2	4	5	7	9
13-19 YRS	92	3.8	39	1	1	2	4	7	10	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	255	3.2	3	2	2	3	4	5	6	10
B. Operated	340	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. Not Operated	488	3.9	8	1	2	3	5	7	9	13
B. Operated	380	3.2	13	1	1	2	4	6	8	13
1. SINGLE DX	595	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	868	3.6	11	1	2	3	4	7	9	13
A. Not Operated	743	3.6	7	1	2	3	4	7	8	11
B. Operated	720	2.8	9	1	1	2	3	5	7	12
TOTAL										
0-27 DYS	8	4.1	3	2	3	4	5	6	7	7
1-11 MOS	184	4.0	11	1	2	3	5	7	10	16
1-5 YRS	590	3.2	5	1	2	3	4	6	7	11
6-12 YRS	388	2.9	5	1	1	2	4	6	7	10
13-19 YRS	293	3.3	17	1	1	2	4	6	9	18
GRAND TOTAL	**1463**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**11**

199: Diseases of esophagus (530)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	243	2.9	4	1	2	2	4	5	6	10
1-11 MOS	728	2.6	6	1	1	2	3	5	6	12
1-5 YRS	122	2.0	5	1	1	1	2	4	6	14
6-12 YRS	65	1.8	4	1	1	1	2	4	5	13
13-19 YRS	54	1.8	1	1	1	2	2	3	4	4
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	135	5.5	47	1	1	4	7	11	16	37
1-5 YRS	160	4.9	52	1	1	3	7	10	13	26
6-12 YRS	96	4.8	85	1	1	2	5	7	15	56
13-19 YRS	56	4.2	12	1	1	3	6	9	11	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	347	4.0	11	1	2	3	5	8	11	19
1-11 MOS	1280	4.1	15	1	2	3	5	8	11	18
1-5 YRS	290	3.5	13	1	1	2	5	8	11	18
6-12 YRS	119	3.2	20	1	1	2	4	6	7	33
13-19 YRS	198	3.4	10	1	1	2	4	7	10	19
B. Operated										
0-27 DYS	19	9.8	65	2	5	8	16	61	99 +	99 +
1-11 MOS	466	12.1	196	2	4	8	15	29	46	99
1-5 YRS	534	10.5	121	1	4	7	13	22	33	66
6-12 YRS	277	9.6	86	1	3	7	13	22	27	48
13-19 YRS	215	9.2	92	1	3	7	11	22	27	60
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1212	2.5	5	1	1	2	3	5	6	12
B. Operated	448	5.0	52	1	1	3	6	10	14	43
2. MULTIPLE DX										
A. Not Operated	2234	3.9	14	1	2	3	5	7	11	19
B. Operated	1511	10.6	134	1	4	7	13	24	34	74
1. SINGLE DX	1660	3.2	19	1	1	2	4	6	9	18
2. MULTIPLE DX	3745	6.6	73	1	2	4	8	15	22	53
A. Not Operated	3446	3.4	11	1	1	3	4	7	9	17
B. Operated	1959	9.4	121	1	3	6	11	22	30	69
TOTAL										
0-27 DYS	610	3.8	11	1	2	3	4	7	11	20
1-11 MOS	2609	5.2	57	1	2	3	6	10	17	43
1-5 YRS	1106	6.9	82	1	1	4	8	16	22	54
6-12 YRS	557	6.5	72	1	1	3	8	15	24	43
13-19 YRS	523	5.7	51	1	2	3	7	12	20	39
GRAND TOTAL	**5405**	**5.6**	**59**	**1**	**2**	**3**	**6**	**12**	**18**	**44**

200: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	13	3.2	4	1	2	3	4	6	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.6	9	1	2	5	7	8	8	8
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	6	1.7	1	< 1	< 1	1	2	4	4	4
13-19 YRS	26	4.0	4	2	3	4	5	7	8	8
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	0									
1-5 YRS	6	10.7	56	2	3	11	17	20	20	20
6-12 YRS	6	3.3	2	1	3	3	5	5	5	5
13-19 YRS	14	5.6	17	2	3	5	6	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	3.0	3	1	2	3	3	6	7	8
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	40	3.7	4	1	2	3	5	7	8	8
B. Operated	27	6.4	27	2	3	5	8	16	17	20
1. SINGLE DX	21	2.9	3	1	2	3	3	6	7	8
2. MULTIPLE DX	67	4.8	15	1	2	4	6	8	14	19
A. Not Operated	60	3.5	4	1	2	3	5	7	8	8
B. Operated	28	6.3	26	2	3	5	7	15	17	20
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	6	4.0	10	1	1	3	7	8	8	8
1-5 YRS	13	6.5	41	1	2	3	9	18	20	20
6-12 YRS	15	2.5	2	< 1	1	2	3	5	5	5
13-19 YRS	53	4.3	8	2	3	4	5	7	8	16
GRAND TOTAL	**88**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**13**	**19**

201: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	3	4.7	6	2	3	5	6	7	7	7
6-12 YRS	6	3.2	10	1	1	2	4	8	9	9
13-19 YRS	6	3.0	8	1	1	2	4	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	10	7.2	10	3	6	7	9	12	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	4	3.5	4	2	2	3	5	6	6	6
1-5 YRS	6	4.3	8	2	3	3	4	9	10	10
6-12 YRS	7	3.3	1	2	2	3	4	5	5	5
13-19 YRS	17	3.2	3	1	2	3	4	6	7	7
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	8.6	45	2	3	7	13	19	19	19
1-5 YRS	1	35.0		35	35	35	35	35	35	35
6-12 YRS	5	10.4	22	3	7	12	13	15	15	15
13-19 YRS	19	8.2	85	3	5	6	8	11	30	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	17	3.1	7	1	1	2	4	8	9	9
B. Operated	15	6.7	17	2	4	6	8	14	15	16
2. MULTIPLE DX										
A. Not Operated	36	3.5	3	2	2	3	4	6	7	10
B. Operated	31	9.5	83	3	5	7	11	17	34	45
1. SINGLE DX	32	4.8	15	1	1	4	7	9	14	16
2. MULTIPLE DX	67	6.2	48	2	3	4	7	11	16	43
A. Not Operated	53	3.4	4	1	2	3	4	6	8	10
B. Operated	46	8.6	62	3	5	7	9	15	22	45
TOTAL										
0-27 DYS	3	5.3	6	3	3	5	7	8	8	8
1-11 MOS	12	5.3	27	1	2	4	6	13	18	19
1-5 YRS	11	8.3	96	2	3	4	9	24	34	35
6-12 YRS	21	4.9	17	1	2	3	6	12	14	15
13-19 YRS	52	5.8	39	2	3	5	7	9	11	44
GRAND TOTAL	**99**	**5.8**	**38**	**1**	**3**	**4**	**7**	**11**	**15**	**40**

202: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	0									
1-5 YRS	3	2.3	1	1	1	3	3	3	3	3
6-12 YRS	16	3.3	2	2	2	3	4	5	6	6
13-19 YRS	66	2.7	3	1	2	2	3	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	6.0	9	3	4	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	8	4.8	11	2	2	3	7	10	11	11
6-12 YRS	15	3.9	5	2	2	3	5	8	9	9
13-19 YRS	93	3.2	8	1	2	3	4	5	7	19
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	4	4.0	9	< 1	1	4	6	7	7	7
13-19 YRS	12	14.2	563	2	3	5	8	55	76	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	86	2.8	3	1	2	2	4	5	6	9
B. Operated	6	5.2	11	1	3	4	8	10	10	10
2. MULTIPLE DX										
A. Not Operated	118	3.5	8	1	2	3	4	6	9	17
B. Operated	18	10.5	395	< 1	2	5	7	33	66	80
1. SINGLE DX	92	3.0	4	1	2	2	4	5	7	10
2. MULTIPLE DX	136	4.4	62	1	2	3	4	7	10	49
A. Not Operated	204	3.2	6	1	2	3	4	6	8	12
B. Operated	24	9.2	300	1	2	5	7	13	55	80
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	5.0	19	2	2	3	8	10	10	10
1-5 YRS	12	3.8	9	1	2	3	5	9	11	11
6-12 YRS	36	3.6	4	2	2	3	4	7	8	9
13-19 YRS	176	3.9	49	1	2	3	4	6	8	38
GRAND TOTAL	**228**	**3.8**	**39**	**1**	**2**	**3**	**4**	**6**	**8**	**27**

203: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	6.0		6	6	6	6	6	6	6
6-12 YRS	5	2.8	3	1	2	2	4	5	5	5
13-19 YRS	34	3.0	3	1	2	3	3	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	7.3	8	4	5	7	9	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	8.0	28	4	4	6	12	14	14	14
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	8	5.0	7	2	3	5	6	9	10	10
13-19 YRS	62	3.7	4	2	3	3	4	6	8	13
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	18.7	170	5	12	25	65	99+	99+	99+
1-5 YRS	4	5.8	11	2	3	6	8	9	9	9
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	26	6.8	24	3	5	6	8	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	3.1	3	1	2	3	5	6	7	7
B. Operated	12	6.8	11	3	5	6	8	12	13	13
2. MULTIPLE DX										
A. Not Operated	75	3.9	6	2	3	3	5	6	9	14
B. Operated	35	7.5	41	3	4	6	8	19	30	99+
1. SINGLE DX	54	3.9	7	1	2	3	6	7	9	13
2. MULTIPLE DX	110	5.1	20	2	3	4	6	9	13	58
A. Not Operated	117	3.6	5	2	2	3	5	6	8	13
B. Operated	47	7.3	33	3	4	6	8	13	27	99+
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	10.6	107	2	4	6	23	72	99+	99+
1-5 YRS	8	4.9	8	2	2	5	7	9	9	9
6-12 YRS	14	4.3	6	1	2	4	5	7	9	10
13-19 YRS	133	4.4	10	2	3	3	6	8	9	16
GRAND TOTAL	**164**	**4.7**	**16**	**2**	**3**	**3**	**6**	**8**	**12**	**30**

204: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	3	5.3	8	2	3	7	7	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	4.8	7	1	3	5	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	35.0	349	15	21	38	48	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	4.5	13	2	2	4	7	7	7	7
B. Operated	4	4.8	7	2	2	5	7	7	7	7
2. MULTIPLE DX										
A. Not Operated	10	5.5	17	1	3	5	8	12	15	15
B. Operated	4	27.5	458	5	10	26	45	52	52	52
1. SINGLE DX	6	4.7	7	2	2	5	7	7	7	7
2. MULTIPLE DX	14	11.8	224	2	3	6	15	39	49	52
A. Not Operated	12	5.3	15	2	2	5	7	10	14	15
B. Operated	8	16.1	347	2	4	7	26	48	52	52
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	16	10.5	199	2	3	6	8	36	48	52
GRAND TOTAL	**20**	**9.7**	**166**	**2**	**3**	**6**	**8**	**27**	**45**	**52**

205: Gastritis and duodenitis (535)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	3.3	4	1	2	3	4	7	7	7
1-11 MOS	47	2.0	1	1	1	2	2	3	4	6
1-5 YRS	89	2.1	2	1	1	2	2	4	5	8
6-12 YRS	137	2.0	2	1	1	2	3	4	4	7
13-19 YRS	223	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	7	3.4	10	1	1	2	6	9	9	9
6-12 YRS	21	3.0	3	1	2	2	5	6	6	6
13-19 YRS	16	4.1	7	1	2	3	6	8	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	16	2.3	2	1	1	2	3	4	5	5
1-11 MOS	141	2.8	2	1	2	3	3	5	6	8
1-5 YRS	463	2.4	3	1	1	2	3	4	5	9
6-12 YRS	401	2.7	3	1	2	2	3	5	6	10
13-19 YRS	561	2.7	3	1	2	2	3	5	6	9
B. Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	4.2	8	1	2	4	7	7	7	7
1-5 YRS	22	3.5	7	1	2	3	4	8	10	11
6-12 YRS	46	4.7	22	1	2	3	6	11	14	22
13-19 YRS	56	5.4	27	1	2	4	7	13	19	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	502	2.2	2	1	1	2	3	4	5	7
B. Operated	46	3.5	6	1	2	3	5	7	8	9
2. MULTIPLE DX										
A. Not Operated	1582	2.6	3	1	2	2	3	4	6	9
B. Operated	131	4.7	21	1	2	3	6	10	14	23
1. SINGLE DX	548	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX	1713	2.8	5	1	2	2	3	5	6	12
A. Not Operated	2084	2.5	3	1	1	2	3	4	5	8
B. Operated	177	4.4	17	1	2	3	6	9	12	22
TOTAL										
0-27 DYS	24	2.5	2	1	1	2	3	4	6	7
1-11 MOS	195	2.7	2	1	2	2	3	5	6	8
1-5 YRS	581	2.4	3	1	1	2	3	4	5	9
6-12 YRS	605	2.7	5	1	1	2	3	5	6	12
13-19 YRS	856	2.8	5	1	2	2	3	5	7	11
GRAND TOTAL	**2261**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

206: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	7	1.6		1	1	2	2	2	2	2
1-11 MOS	26	2.4	2	1	1	2	3	4	5	6
1-5 YRS	29	3.0	13	1	1	2	4	6	8	20
6-12 YRS	37	3.6	5	1	2	4	5	7	7	10
13-19 YRS	39	2.6	3	1	1	2	3	6	7	8
B. Operated										
0-27 DYS	22	3.2	1	2	2	3	4	5	6	6
1-11 MOS	111	3.2	1	2	2	3	4	5	5	6
1-5 YRS	15	4.6	21	1	1	4	6	7	16	19
6-12 YRS	5	5.4	12	2	2	5	9	9	9	9
13-19 YRS	5	4.8	10	1	2	6	7	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	1.9	2	< 1	1	1	2	4	5	5
1-11 MOS	78	2.9	4	1	2	2	4	6	8	9
1-5 YRS	106	2.8	4	1	1	2	3	5	7	12
6-12 YRS	158	3.3	7	1	1	3	4	7	9	12
13-19 YRS	112	5.3	78	1	2	3	5	8	17	52
B. Operated										
0-27 DYS	9	3.9	3	1	3	3	5	6	7	7
1-11 MOS	59	8.0	160	2	3	4	8	23	32	99
1-5 YRS	39	11.4	366	1	1	4	11	30	57	93
6-12 YRS	26	6.6	41	1	2	4	8	18	20	25
13-19 YRS	27	11.1	172	1	3	7	21	44	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	138	2.9	5	1	1	2	4	6	7	11
B. Operated	158	3.4	4	2	2	3	4	6	6	9
2. MULTIPLE DX										
A. Not Operated	465	3.5	23	1	1	2	4	6	9	21
B. Operated	160	8.9	186	1	3	4	9	25	36	99 +
1. SINGLE DX	296	3.2	5	1	2	3	4	6	7	10
2. MULTIPLE DX	625	4.9	70	1	2	3	5	9	17	60
A. Not Operated	603	3.4	19	1	1	2	4	6	8	18
B. Operated	318	6.2	103	1	2	3	6	11	26	95
TOTAL										
0-27 DYS	49	2.8	2	1	2	3	4	5	5	7
1-11 MOS	274	4.1	40	1	2	3	4	6	9	34
1-5 YRS	189	4.7	92	1	1	2	4	9	13	60
6-12 YRS	226	3.7	11	1	2	3	5	8	10	18
13-19 YRS	183	5.5	79	1	2	3	5	10	31	84
GRAND TOTAL	**921**	**4.3**	**50**	**1**	**2**	**3**	**4**	**8**	**11**	**48**

207: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	3.1	4	1	2	3	5	6	7	7
6-12 YRS	42	2.3	3	< 1	1	2	3	5	6	7
13-19 YRS	56	2.4	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	8	2.5	1	1	2	2	3	4	4	4
1-5 YRS	334	3.3	3	2	2	3	4	5	7	11
6-12 YRS	4221	2.9	2	2	2	3	3	4	5	8
13-19 YRS	6209	2.9	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	17	2.2	2	1	1	2	3	5	6	6
13-19 YRS	25	2.1	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	74	5.0	61	2	3	3	5	8	10	55
6-12 YRS	784	4.0	16	2	3	3	5	6	8	13
13-19 YRS	1260	4.0	6	2	3	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	108	2.4	2	< 1	1	2	3	5	6	7
B. Operated	10772	2.9	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	44	2.1	2	1	1	2	3	4	5	7
B. Operated	2121	4.0	12	2	3	3	5	6	8	14
1. SINGLE DX	10880	2.9	2	2	2	3	3	4	5	8
2. MULTIPLE DX	2165	4.0	12	2	3	3	4	6	8	14
A. Not Operated	152	2.3	2	< 1	1	2	3	4	6	7
B. Operated	12893	3.1	3	2	2	3	4	5	6	9
TOTAL										
0-27 DYS	0									
1-11 MOS	12	2.7	1	1	2	3	3	4	5	5
1-5 YRS	419	3.6	14	2	2	3	4	6	7	11
6-12 YRS	5064	3.1	4	2	2	3	3	5	6	9
13-19 YRS	7550	3.1	2	2	2	3	4	5	6	8
GRAND TOTAL	**13045**	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

208: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	6.4	7	2	5	7	8	9	10	10
6-12 YRS	21	8.3	12	3	7	9	10	12	14	15
13-19 YRS	23	8.3	9	4	6	8	10	13	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.0	3	5	6	8	8	8	8	8
1-5 YRS	365	7.0	8	4	5	7	8	10	12	18
6-12 YRS	1287	6.4	8	3	4	6	8	10	11	16
13-19 YRS	1063	5.9	9	3	4	6	7	9	11	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	7.1	26	1	3	6	10	15	16	16
6-12 YRS	10	9.2	21	3	7	9	11	15	19	19
13-19 YRS	12	9.1	17	5	7	8	12	15	16	16
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	8.8	27	5	6	7	10	18	18	18
1-5 YRS	340	9.3	28	5	6	8	11	15	19	31
6-12 YRS	871	8.8	28	4	5	7	10	14	20	31
13-19 YRS	780	8.6	32	4	5	7	10	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	7.9	10	4	6	8	10	12	14	15
B. Operated	2718	6.3	9	3	4	6	8	10	11	16
2. MULTIPLE DX										
A. Not Operated	29	8.7	20	3	6	8	11	15	16	19
B. Operated	1997	8.8	29	4	6	8	10	14	19	31
1. SINGLE DX	2774	6.3	9	3	4	6	8	10	11	16
2. MULTIPLE DX	2026	8.8	29	4	6	8	10	14	19	31
A. Not Operated	85	8.2	13	4	6	8	10	13	15	18
B. Operated	4715	7.4	19	3	5	7	9	12	14	24
TOTAL										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	8.1	17	5	6	7	8	15	18	18
1-5 YRS	724	8.1	19	4	5	7	10	12	16	25
6-12 YRS	2189	7.4	17	4	5	7	9	12	14	24
13-19 YRS	1878	7.1	20	3	4	6	8	11	14	24
GRAND TOTAL	**4800**	**7.4**	**19**	**3**	**5**	**7**	**9**	**12**	**14**	**24**

1,077 Hospitals, United States, Pediatric, January-December 1988

209: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	34	1.4		1	1	1	2	2	3	3
13-19 YRS	54	1.5	1	1	1	1	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	7.5	41	3	3	7	12	12	12	12
1-5 YRS	38	3.2	4	2	2	3	4	6	7	12
6-12 YRS	278	2.9	2	2	2	3	3	4	5	9
13-19 YRS	409	3.0	2	2	2	3	3	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.3		< 1	1	1	2	2	2	2
6-12 YRS	38	2.4	10	1	1	1	2	5	12	14
13-19 YRS	40	2.1	5	1	1	2	2	3	5	15
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	25	6.3	40	2	2	5	7	12	24	27
6-12 YRS	115	3.5	4	2	2	3	4	6	8	12
13-19 YRS	265	3.9	6	2	3	3	4	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	90	1.4	1	1	1	1	2	3	3	4
B. Operated	727	3.0	2	2	2	3	3	5	5	10
2. MULTIPLE DX										
A. Not Operated	88	2.2	7	1	1	1	2	3	6	15
B. Operated	406	4.0	8	2	2	3	4	6	9	16
1. SINGLE DX	817	2.8	2	1	2	3	3	4	5	9
2. MULTIPLE DX	494	3.6	8	1	2	3	4	6	9	15
A. Not Operated	178	1.8	4	1	1	1	2	3	4	14
B. Operated	1133	3.3	5	2	2	3	4	5	7	12
TOTAL										
0-27 DYS	0									
1-11 MOS	4	4.5	26	1	1	2	7	12	12	12
1-5 YRS	74	3.9	18	1	2	3	5	7	11	26
6-12 YRS	465	2.9	3	1	2	3	3	5	6	10
13-19 YRS	768	3.2	4	1	2	3	4	5	6	11
GRAND TOTAL	**1311**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

210: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	28	1.1		< 1	1	1	1	1	2	2
1-5 YRS	6	2.2	3	< 1	< 1	1	3	5	5	5
6-12 YRS	4	1.0		< 1	< 1	< 1	1	1	1	1
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	46	1.3	1	< 1	1	1	1	2	3	5
1-11 MOS	1682	1.2		< 1	1	1	1	2	2	3
1-5 YRS	655	1.2	1	< 1	< 1	< 1	1	1	2	3
6-12 YRS	345	1.1		< 1	< 1	< 1	1	1	2	3
13-19 YRS	551	1.4	1	< 1	1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	76	1.5	2	< 1	< 1	1	1	3	5	6
1-5 YRS	34	1.4	1	< 1	< 1	< 1	1	2	4	4
6-12 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	6	2.0	4	< 1	< 1	1	2	6	6	6
B. Operated										
0-27 DYS	40	2.0	4	1	1	1	2	4	4	12
1-11 MOS	1669	1.6	3	< 1	1	1	2	2	4	9
1-5 YRS	643	1.4	1	< 1	< 1	1	1	2	3	6
6-12 YRS	230	1.3	1	< 1	< 1	1	1	2	2	5
13-19 YRS	210	1.9	2	< 1	1	1	2	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.2	1	< 1	1	1	1	2	3	5
B. Operated	3279	1.2		< 1	< 1	1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	119	1.5	1	< 1	< 1	1	1	3	4	6
B. Operated	2792	1.5	2	< 1	1	1	2	2	4	8
1. SINGLE DX	3321	1.2		< 1	< 1	1	1	2	2	3
2. MULTIPLE DX	2911	1.5	2	< 1	1	1	2	2	4	8
A. Not Operated	161	1.4	1	< 1	< 1	1	1	2	4	6
B. Operated	6071	1.4	1	< 1	< 1	1	1	2	3	6
TOTAL										
0-27 DYS	88	1.6	2	< 1	1	1	2	3	4	9
1-11 MOS	3455	1.4	2	< 1	1	1	1	2	3	7
1-5 YRS	1338	1.3	1	< 1	< 1	< 1	1	2	2	5
6-12 YRS	581	1.2		< 1	< 1	1	1	2	2	4
13-19 YRS	770	1.5	1	< 1	1	1	2	3	3	6
GRAND TOTAL	**6232**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

211: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	14	1.4	1	< 1	< 1	1	1	3	4	4
1-5 YRS	10	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	55	1.8	2	1	1	1	2	4	4	9
1-11 MOS	397	1.6	1	< 1	1	1	2	3	3	6
1-5 YRS	209	1.3		< 1	1	1	1	2	2	4
6-12 YRS	32	1.6	1	< 1	1	1	2	3	3	3
13-19 YRS	59	1.8	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	25	1.6	1	< 1	1	1	2	3	4	5
1-5 YRS	9	1.2		< 1	< 1	1	1	2	2	2
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	51	3.1	11	1	1	2	4	7	11	17
1-11 MOS	515	2.4	14	1	1	2	3	4	6	11
1-5 YRS	162	1.9	2	1	1	1	2	4	5	9
6-12 YRS	13	3.4	55	< 1	1	1	2	7	24	28
13-19 YRS	26	2.9	3	1	2	2	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.2		< 1	< 1	1	1	1	3	4
B. Operated	752	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	36	1.4	1	< 1	1	1	2	3	4	5
B. Operated	767	2.4	11	1	1	2	3	4	6	13
1. SINGLE DX	780	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX	803	2.3	11	1	1	2	3	4	6	12
A. Not Operated	64	1.3	1	< 1	< 1	1	1	2	3	5
B. Operated	1519	2.0	6	1	1	1	2	3	4	9
TOTAL										
0-27 DYS	110	2.4	6	1	1	2	2	5	7	15
1-11 MOS	951	2.0	8	1	1	1	2	4	5	8
1-5 YRS	390	1.5	1	< 1	1	1	2	2	4	6
6-12 YRS	45	2.1	16	1	1	1	2	3	3	28
13-19 YRS	87	2.1	2	1	1	2	3	4	4	7
GRAND TOTAL	**1583**	**1.9**	**6**	**1**	**1**	**1**	**2**	**3**	**4**	**9**

212: Umbilical hernia without complication (553.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	4	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	8	7.6	86	1	2	4	9	24	29	29
1-11 MOS	39	1.3	1	< 1	< 1	1	1	2	3	5
1-5 YRS	166	1.3	1	< 1	< 1	1	1	2	3	6
6-12 YRS	84	1.3	1	< 1	< 1	1	1	2	3	7
13-19 YRS	23	1.4	1	< 1	< 1	1	1	2	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
6-12 YRS	4	1.5	1	< 1	< 1	1	2	3	3	3
13-19 YRS	3	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated										
0-27 DYS	13	14.8	137	1	5	25	50	99 +	99 +	99 +
1-11 MOS	34	2.6	7	< 1	1	1	3	6	9	12
1-5 YRS	58	2.9	35	< 1	1	1	2	5	9	36
6-12 YRS	20	1.6	1	< 1	1	1	2	3	3	4
13-19 YRS	13	2.2	3	< 1	1	1	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	2.0	6	< 1	1	1	1	6	7	7
B. Operated	320	1.5	4	< 1	< 1	1	1	2	3	8
2. MULTIPLE DX										
A. Not Operated	13	1.4	1	< 1	< 1	1	2	3	3	3
B. Operated	138	3.7	41	< 1	1	1	3	10	27	99 +
1. SINGLE DX	326	1.5	4	< 1	< 1	1	1	2	3	8
2. MULTIPLE DX	151	3.5	38	< 1	1	1	3	9	27	99 +
A. Not Operated	19	1.6	2	< 1	< 1	1	1	3	5	7
B. Operated	458	2.1	16	< 1	< 1	1	2	3	7	37
TOTAL										
0-27 DYS	21	12.0	125	1	3	11	27	99 +	99 +	99 +
1-11 MOS	78	1.9	4	< 1	1	1	2	5	7	11
1-5 YRS	231	1.7	10	< 1	< 1	1	1	2	3	13
6-12 YRS	108	1.4	1	< 1	< 1	1	1	2	3	6
13-19 YRS	39	1.7	2	< 1	< 1	1	2	4	5	6
GRAND TOTAL	**477**	**2.1**	**15**	**< 1**	**< 1**	**1**	**2**	**3**	**7**	**36**

213: Ventral hernia without complication (553.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	2.6	5	< 1	1	2	3	6	8	9
1-5 YRS	40	2.3	4	< 1	< 1	1	3	5	7	8
6-12 YRS	30	1.7	1	< 1	< 1	1	2	4	4	4
13-19 YRS	36	2.3	9	< 1	1	2	2	5	6	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.5	25	< 1	< 1	4	8	8	8	8
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	15	3.6	11	1	1	2	6	10	11	11
1-5 YRS	29	3.2	6	1	1	2	5	6	9	9
6-12 YRS	11	2.8	4	1	2	2	3	6	7	7
13-19 YRS	21	2.8	3	1	2	2	3	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	127	2.2	5	< 1	< 1	1	3	5	6	11
2. MULTIPLE DX										
A. Not Operated	5	2.6	9	< 1	< 1	1	3	8	8	8
B. Operated	76	3.1	6	1	1	2	4	6	9	11
1. SINGLE DX	128	2.2	5	< 1	< 1	1	3	5	6	11
2. MULTIPLE DX	81	3.1	6	1	1	2	4	6	8	11
A. Not Operated	6	2.3	8	< 1	< 1	1	2	7	8	8
B. Operated	203	2.5	5	< 1	1	2	3	6	7	10
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	37	3.1	8	< 1	1	2	4	8	10	11
1-5 YRS	72	2.6	5	< 1	< 1	2	4	6	7	9
6-12 YRS	41	2.0	2	< 1	1	1	3	4	5	7
13-19 YRS	58	2.5	7	< 1	1	2	3	5	7	17
GRAND TOTAL	**209**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**6**	**7**	**10**

214: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	9	5.3	3	3	4	6	7	7	7	7
1-5 YRS	12	6.8	32	2	4	5	8	14	22	23
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.8	5	1	1	2	3	7	7	7
1-5 YRS	3	6.0	21	1	2	7	9	10	10	10
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	9	4.1	5	2	3	3	5	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	15	8.7	13	5	6	7	10	16	17	17
1-5 YRS	27	9.6	44	4	6	8	11	16	27	32
6-12 YRS	7	10.6	30	6	7	8	12	20	22	22
13-19 YRS	13	11.8	88	4	5	8	23	36	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	3	1	1	2	4	5	5	5
B. Operated	22	6.3	19	3	4	6	7	9	15	23
2. MULTIPLE DX										
A. Not Operated	21	3.8	7	1	2	3	5	8	9	10
B. Operated	62	10.0	43	4	6	8	11	22	28	91
1. SINGLE DX	26	5.7	18	2	3	5	7	9	13	23
2. MULTIPLE DX	83	8.4	41	2	4	7	10	17	27	77
A. Not Operated	25	3.6	6	1	2	3	5	7	8	10
B. Operated	84	9.0	39	4	5	7	10	18	26	76
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	30	6.5	14	2	4	7	7	10	16	17
1-5 YRS	43	8.4	40	3	5	7	10	16	24	32
6-12 YRS	10	8.6	33	2	6	8	11	17	22	22
13-19 YRS	25	8.0	63	2	3	5	8	27	43	99 +
GRAND TOTAL	**109**	**7.7**	**37**	**2**	**4**	**7**	**9**	**16**	**23**	**59**

215: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	5	2.2	3	< 1	< 1	1	3	5	5	5
6-12 YRS	3	1.3		< 1	< 1	< 1	2	2	2	2
13-19 YRS	9	2.3	4	< 1	1	1	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	3	7.7	10	4	5	9	10	10	10	10
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	8.0	67	< 1	1	6	14	17	17	17
13-19 YRS	7	4.0	5	1	2	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	19	2.1	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	14	5.4	19	< 1	2	5	7	11	16	17
1. SINGLE DX	19	2.1	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX	16	4.9	19	< 1	1	4	7	10	15	17
A. Not Operated	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated	33	3.5	12	< 1	1	2	5	8	10	17
TOTAL										
0-27 DYS	0									
1-11 MOS	5	5.2	17	1	2	4	9	10	10	10
1-5 YRS	8	1.8	2	< 1	< 1	< 1	2	4	5	5
6-12 YRS	6	4.7	40	< 1	< 1	1	6	16	17	17
13-19 YRS	16	3.1	5	< 1	1	2	5	7	7	7
GRAND TOTAL	**35**	**3.3**	**12**	**< 1**	**< 1**	**2**	**5**	**7**	**10**	**17**

216: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	3	2.7	2	< 1	1	3	4	4	4	4
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	2.3	5	1	1	1	4	6	7	7
1-5 YRS	25	2.3	3	1	1	2	3	5	7	7
6-12 YRS	16	2.0	3	< 1	1	1	2	5	6	7
13-19 YRS	21	1.7	1	< 1	1	1	2	3	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	0									
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	15	3.9	10	1	1	2	7	9	10	10
1-5 YRS	17	4.5	19	1	1	3	6	11	14	16
6-12 YRS	12	6.5	19	2	3	6	9	12	16	17
13-19 YRS	17	6.9	32	2	2	4	11	14	19	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	1.8	2	< 1	< 1	1	3	4	4	4
B. Operated	73	2.1	3	1	1	1	2	4	6	7
2. MULTIPLE DX										
A. Not Operated	4	3.5	4	1	2	3	5	6	6	6
B Operated	61	5.4	21	1	2	4	8	12	15	21
1. SINGLE DX	79	2.1	3	< 1	1	1	3	4	6	7
2. MULTIPLE DX	65	5.3	20	1	2	4	8	11	14	20
A. Not Operated	10	2.5	3	< 1	< 1	2	4	5	6	6
B. Operated	134	3.6	14	1	1	2	5	9	11	18
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	27	3.2	8	1	1	2	5	7	9	10
1-5 YRS	47	3.2	10	1	1	2	5	7	9	16
6-12 YRS	28	3.9	15	1	1	2	6	9	10	17
13-19 YRS	41	3.9	20	1	1	2	4	11	13	21
GRAND TOTAL	**144**	**3.5**	**13**	**1**	**1**	**2**	**5**	**9**	**11**	**17**

217: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	1.8	1	1	1	2	2	3	3	3
1-11 MOS	207	1.8	2	1	1	1	2	3	4	7
1-5 YRS	251	2.1	15	1	1	1	2	4	5	16
6-12 YRS	56	3.1	5	1	1	3	4	6	7	11
13-19 YRS	116	3.0	4	1	1	3	4	5	8	10
B. Operated										
0-27 DYS	2	13.0	72	7	7	13	19	19	19	19
1-11 MOS	224	4.5	9	2	3	4	6	7	8	24
1-5 YRS	131	5.2	12	2	3	5	7	9	11	19
6-12 YRS	76	7.5	35	3	5	6	8	12	15	42
13-19 YRS	85	8.1	23	4	6	7	9	13	18	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.3	52	1	1	2	9	16	16	16
1-11 MOS	143	3.0	12	1	1	2	3	6	8	19
1-5 YRS	204	3.4	15	1	1	3	4	6	8	19
6-12 YRS	112	3.9	11	1	2	3	5	8	12	17
13-19 YRS	157	4.0	8	1	2	3	5	7	9	13
B Operated										
0-27 DYS	8	25.9	1223	5	7	8	82	94	99+	99+
1-11 MOS	284	10.0	188	3	4	6	10	22	39	90
1-5 YRS	219	9.6	77	3	5	7	11	17	30	57
6-12 YRS	137	9.9	50	4	6	8	11	19	28	50
13-19 YRS	179	11.3	96	4	6	8	13	21	27	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	638	2.2	8	1	1	2	3	4	6	10
B. Operated	518	5.7	18	2	3	5	7	9	13	26
2. MULTIPLE DX										
A. Not Operated	620	3.6	12	1	2	3	4	7	9	18
B. Operated	827	10.3	127	3	5	7	11	20	30	82
1. SINGLE DX	1156	3.8	15	1	1	3	5	8	9	19
2. MULTIPLE DX	1447	7.4	89	1	3	5	8	15	22	61
A. Not Operated	1258	2.9	10	1	1	2	3	6	8	16
B. Operated	1345	8.5	90	3	4	6	9	16	24	69
TOTAL										
0-27 DYS	22	12.2	541	1	1	5	8	82	90	99+
1-11 MOS	858	5.4	78	1	2	3	6	9	16	61
1-5 YRS	805	5.0	40	1	1	3	6	10	15	34
6-12 YRS	381	6.7	37	2	3	5	8	13	18	39
13-19 YRS	537	6.8	51	1	3	5	8	13	19	33
GRAND TOTAL	**2603**	**5.8**	**59**	**1**	**2**	**4**	**7**	**11**	**17**	**47**

218: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	184	2.7	2	1	2	3	4	5	5	7
1-11 MOS	1326	2.6	2	1	2	2	3	4	5	7
1-5 YRS	1381	2.2	2	1	1	2	3	4	4	7
6-12 YRS	1203	1.8	1	1	1	1	2	3	4	5
13-19 YRS	1292	1.9	2	1	1	2	2	3	4	7
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	26	8.3	89	2	4	5	8	26	33	39
1-5 YRS	34	3.7	12	1	2	3	4	7	12	19
6-12 YRS	38	3.2	5	1	2	3	4	6	6	14
13-19 YRS	82	3.5	4	2	2	3	4	7	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	344	3.8	6	1	2	3	5	7	9	14
1-11 MOS	4906	3.3	7	1	2	3	4	5	7	13
1-5 YRS	6791	2.6	3	1	2	2	3	4	5	9
6-12 YRS	2093	2.4	3	1	1	2	3	4	5	8
13-19 YRS	1613	2.4	3	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	12	15.3	378	3	4	9	13	46	67	70
1-11 MOS	132	14.1	275	3	4	7	17	38	52	70
1-5 YRS	117	10.3	249	2	2	4	9	32	53	92
6-12 YRS	63	7.7	90	2	3	4	8	17	35	44
13-19 YRS	122	4.6	17	2	2	4	5	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5386	2.2	2	1	1	2	3	4	5	7
B. Operated	181	4.2	20	2	2	3	4	7	10	30
2. MULTIPLE DX										
A. Not Operated	15747	2.8	4	1	2	2	3	5	6	10
B. Operated	446	9.6	187	2	3	5	9	25	42	70
1. SINGLE DX	5567	2.2	3	1	1	2	3	4	5	7
2. MULTIPLE DX	16193	3.0	11	1	2	2	3	5	6	13
A. Not Operated	21133	2.6	4	1	2	2	3	4	6	9
B. Operated	627	8.1	145	2	3	4	7	19	35	66
TOTAL										
0-27 DYS	541	3.7	16	1	2	3	4	6	9	14
1-11 MOS	6390	3.4	14	1	2	3	4	5	7	16
1-5 YRS	8323	2.7	7	1	2	2	3	4	5	10
6-12 YRS	3397	2.3	5	1	1	2	3	4	5	9
13-19 YRS	3109	2.3	4	1	1	2	3	4	5	9
GRAND TOTAL	**21760**	**2.8**	**9**	**1**	**2**	**2**	**3**	**5**	**6**	**12**

219: Diverticula of intestine (562)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	3	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	7	7.6	9	4	5	8	9	12	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.3	4	3	4	5	7	8	8	8
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	0									
13-19 YRS	4	3.5	3	2	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	12.0	98	5	5	12	19	19	19	19
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	9	7.3	3	5	6	7	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	2	2	2	3	4	5	5	5
B. Operated	10	7.0	8	3	5	7	8	11	13	13
2. MULTIPLE DX										
A. Not Operated	9	4.7	4	2	3	5	6	8	8	8
B. Operated	12	8.8	19	5	6	7	9	17	19	19
1. SINGLE DX	14	6.0	9	3	4	6	8	9	12	13
2. MULTIPLE DX	21	7.0	17	3	5	6	8	12	17	19
A. Not Operated	13	4.3	4	2	3	4	5	7	8	8
B. Operated	22	8.0	14	4	6	7	9	14	17	19
TOTAL										
0-27 DYS	0									
1-11 MOS	6	5.2	4	3	3	5	7	8	8	8
1-5 YRS	4	9.5	41	5	6	7	13	19	19	19
6-12 YRS	2	10.5	61	5	5	10	16	16	16	16
13-19 YRS	23	6.2	8	3	4	6	8	9	11	13
GRAND TOTAL	**35**	**6.6**	**13**	**3**	**4**	**6**	**8**	**10**	**15**	**19**

220: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	1.3		< 1	< 1	1	2	2	2	2
1-11 MOS	19	3.6	12	1	1	2	4	9	13	14
1-5 YRS	12	2.3	5	< 1	< 1	1	3	7	7	7
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	9	5.0	15	2	2	4	7	11	14	14
B. Operated										
0-27 DYS	8	1.9	2	< 1	1	1	2	4	5	5
1-11 MOS	78	2.3	5	< 1	1	1	3	5	7	12
1-5 YRS	35	2.7	11	< 1	1	1	2	7	12	13
6-12 YRS	14	2.4	5	1	1	1	3	5	8	9
13-19 YRS	106	2.6	6	1	1	2	3	5	6	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	2.3	1	1	2	2	3	4	5	5
1-11 MOS	27	3.5	4	1	2	3	4	6	8	10
1-5 YRS	22	4.7	18	1	2	3	7	9	13	19
6-12 YRS	9	10.2	150	2	3	3	15	31	39	39
13-19 YRS	33	4.9	12	1	1	4	7	10	11	13
B. Operated										
0-27 DYS	4	3.3	10	1	1	2	5	8	8	8
1-11 MOS	37	2.1	2	< 1	1	2	3	4	5	6
1-5 YRS	33	9.7	338	1	2	3	10	48	81	99 +
6-12 YRS	23	6.9	103	1	2	3	5	18	30	46
13-19 YRS	95	4.1	16	1	2	3	5	12	15	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	3.4	11	< 1	1	2	4	7	12	14
B. Operated	241	2.5	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. Not Operated	106	4.6	24	1	2	3	7	9	12	28
B. Operated	192	5.0	83	1	1	3	5	13	15	95
1. SINGLE DX	287	2.6	7	1	1	2	3	5	7	14
2. MULTIPLE DX	298	4.9	62	1	2	3	5	11	15	70
A. Not Operated	152	4.2	20	1	2	3	6	8	11	19
B. Operated	433	3.6	42	1	1	2	4	7	13	49
TOTAL										
0-27 DYS	31	2.2	2	1	1	2	2	4	5	8
1-11 MOS	161	2.6	5	1	1	2	3	5	7	12
1-5 YRS	102	5.4	125	< 1	1	2	6	11	16	94
6-12 YRS	48	6.1	83	1	1	3	5	16	23	46
13-19 YRS	243	3.6	11	1	1	3	4	7	12	20
GRAND TOTAL	**585**	**3.8**	**36**	**1**	**1**	**2**	**4**	**8**	**13**	**43**

221: Irritable colon (564.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	2.1	1	1	1	2	3	4	4	4
1-5 YRS	16	4.3	15	2	2	3	5	8	14	17
6-12 YRS	45	3.0	4	1	2	3	4	5	8	10
13-19 YRS	68	2.6	2	1	2	2	3	5	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	3.8	3	1	3	4	5	5	5	5
6-12 YRS	12	5.2	18	2	3	4	6	11	16	17
13-19 YRS	15	5.3	11	2	3	4	7	10	13	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	4.1	4	2	2	5	5	7	7	7
1-5 YRS	19	3.5	6	1	2	3	5	7	9	10
6-12 YRS	39	3.5	4	1	2	3	5	6	8	9
13-19 YRS	108	3.6	11	1	2	3	4	6	7	21
B. Operated										
0-27 DYS	0									
1-11 MOS	5	5.2	12	1	3	4	8	10	10	10
1-5 YRS	6	16.0	189	5	6	9	32	35	35	35
6-12 YRS	8	10.9	100	3	4	7	16	27	29	29
13-19 YRS	21	7.6	56	3	4	5	8	15	25	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	136	2.9	4	1	2	3	4	5	6	11
B. Operated	33	4.9	12	2	3	4	6	9	13	17
2. MULTIPLE DX										
A. Not Operated	180	3.6	8	1	2	3	5	6	7	15
B. Operated	40	9.2	83	3	4	6	9	26	33	36
1. SINGLE DX	169	3.3	6	1	2	3	4	6	8	16
2. MULTIPLE DX	220	4.6	26	1	2	3	5	7	11	33
A. Not Operated	316	3.3	7	1	2	3	4	6	7	13
B. Operated	73	7.3	55	2	4	5	8	15	28	36
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	26	3.7	5	1	2	3	5	7	8	10
1-5 YRS	46	5.4	46	1	2	3	6	10	20	35
6-12 YRS	104	4.0	16	1	2	3	5	8	9	26
13-19 YRS	212	3.8	14	1	2	3	5	6	8	21
GRAND TOTAL	**389**	**4.1**	**18**	**1**	**2**	**3**	**5**	**7**	**9**	**29**

222: Regional enteritis and ulcerative colitis (555-556)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	8.4	47	3	4	6	9	20	23	23
6-12 YRS	59	5.4	29	1	2	4	6	11	15	28
13-19 YRS	181	5.4	11	2	3	5	7	10	13	17
B. Operated										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	18	10.8	82	2	4	8	15	22	31	37
6-12 YRS	61	9.5	89	2	4	6	11	23	34	42
13-19 YRS	167	8.7	49	2	4	8	11	16	21	38
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	5.3	17	2	3	4	5	12	16	17
6-12 YRS	70	6.9	68	2	3	5	8	12	17	56
13-19 YRS	249	6.5	29	2	3	5	8	13	15	29
B. Operated										
0-27 DYS	0									
1-11 MOS	4	13.3	299	2	3	6	23	39	39	39
1-5 YRS	15	20.6	420	2	4	17	37	57	58	59
6-12 YRS	88	13.3	96	3	6	11	18	30	32	41
13-19 YRS	339	12.9	113	4	6	9	16	27	36	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	247	5.5	17	2	3	4	7	10	13	23
B. Operated	247	9.1	61	2	4	7	11	18	25	40
2. MULTIPLE DX										
A. Not Operated	334	6.5	36	2	3	5	8	13	15	29
B. Operated	446	13.3	122	4	6	9	17	29	37	53
1. SINGLE DX	494	7.3	42	2	3	6	9	14	20	37
2. MULTIPLE DX	780	10.4	96	2	4	7	13	22	31	48
A. Not Operated	581	6.1	28	2	3	5	8	12	14	28
B. Operated	693	11.8	104	3	6	8	14	25	34	49
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	11.0	250	2	2	5	15	39	39	39
1-5 YRS	54	11.8	182	2	3	7	17	25	46	59
6-12 YRS	278	9.1	82	2	3	6	11	23	30	41
13-19 YRS	936	9.0	69	2	4	7	11	17	26	44
GRAND TOTAL	**1274**	**9.2**	**77**	**2**	**4**	**7**	**11**	**18**	**28**	**46**

223: Peritonitis (567)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	7.6	35	< 1	4	7	10	17	17	17
6-12 YRS	5	3.2	3	1	2	4	4	5	5	5
13-19 YRS	8	5.1	6	2	3	5	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	10.0	48	3	5	9	11	22	24	24
6-12 YRS	11	8.2	48	2	3	6	11	20	22	22
13-19 YRS	12	7.3	19	4	5	6	8	13	18	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	13.0	2	12	12	13	14	14	14	14
1-5 YRS	49	7.8	59	2	3	5	10	13	28	43
6-12 YRS	54	5.9	9	2	3	5	8	10	11	14
13-19 YRS	61	4.9	12	1	2	4	7	10	12	14
B. Operated										
0-27 DYS	0									
1-11 MOS	6	20.2	323	2	2	17	40	43	43	43
1-5 YRS	23	14.6	219	4	6	11	19	35	81	99 +
6-12 YRS	41	11.3	114	3	4	8	15	24	48	99 +
13-19 YRS	61	14.7	145	5	7	9	19	26	44	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	5.3	14	1	3	5	7	8	14	17
B. Operated	30	8.2	35	3	4	7	11	19	22	24
2. MULTIPLE DX										
A. Not Operated	166	6.2	27	2	3	5	8	11	13	29
B. Operated	131	13.9	156	4	6	10	18	28	44	99 +
1. SINGLE DX	48	7.1	29	2	4	6	9	15	20	24
2. MULTIPLE DX	297	9.6	98	2	4	7	11	20	29	65
A. Not Operated	184	6.1	25	2	3	5	8	11	13	29
B. Operated	161	12.8	138	4	5	9	17	26	43	96
TOTAL										
0-27 DYS	0									
1-11 MOS	8	18.4	242	2	7	14	30	42	43	43
1-5 YRS	84	9.8	106	2	4	7	11	21	29	91
6-12 YRS	111	8.0	58	2	4	6	10	16	22	73
13-19 YRS	142	9.3	91	2	4	7	11	20	25	55
GRAND TOTAL	**345**	**9.2**	**89**	**2**	**4**	**7**	**11**	**19**	**27**	**57**

224: Miscellaneous diseases of intestine and peritoneum (557; 560.3; 564.0; 564.2-564.9; 568-569)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	15	2.3	2	1	1	2	3	4	5	6
1-11 MOS	63	2.6	14	< 1	1	2	2	4	5	25
1-5 YRS	162	2.3	3	1	1	2	3	5	6	8
6-12 YRS	218	2.4	6	< 1	1	2	3	4	7	15
13-19 YRS	138	2.3	4	1	1	2	3	4	6	11
B. Operated										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	38	3.6	23	< 1	1	2	4	7	12	27
1-5 YRS	112	3.7	11	1	1	2	6	8	9	18
6-12 YRS	85	3.9	8	1	1	4	6	7	9	13
13-19 YRS	66	4.5	25	1	2	3	6	8	9	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	24	3.9	12	1	2	3	5	8	11	17
1-11 MOS	96	3.5	16	1	2	3	4	6	8	25
1-5 YRS	337	3.6	17	1	1	2	4	7	11	21
6-12 YRS	345	2.7	7	1	1	2	3	5	7	11
13-19 YRS	246	3.4	11	1	1	2	4	7	10	16
B. Operated										
0-27 DYS	10	13.7	285	< 1	1	12	40	99 +	99 +	99 +
1-11 MOS	93	9.2	148	2	4	6	9	22	50	99 +
1-5 YRS	171	8.1	98	2	3	5	10	18	30	78
6-12 YRS	145	7.5	64	2	3	5	9	17	21	43
13-19 YRS	161	8.8	148	2	3	5	10	19	29	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	596	2.4	5	1	1	2	3	4	6	13
B. Operated	304	3.9	15	1	1	3	6	8	9	19
2. MULTIPLE DX										
A. Not Operated	1048	3.2	12	1	1	2	4	6	9	17
B. Operated	580	8.4	114	2	3	5	10	19	30	98
1. SINGLE DX	900	2.9	9	1	1	2	4	6	8	15
2. MULTIPLE DX	1628	5.1	55	1	2	3	6	11	17	46
A. Not Operated	1644	2.9	10	1	1	2	3	5	8	15
B. Operated	884	6.9	85	1	2	4	8	14	22	79
TOTAL										
0-27 DYS	52	5.2	74	1	1	3	6	18	49	99 +
1-11 MOS	290	5.1	66	1	2	3	5	10	21	70
1-5 YRS	782	4.3	35	1	1	3	5	9	12	35
6-12 YRS	793	3.6	21	1	1	2	4	7	11	21
13-19 YRS	611	4.7	53	1	1	3	5	10	13	36
GRAND TOTAL	**2528**	**4.3**	**40**	**1**	**1**	**3**	**5**	**9**	**12**	**36**

225: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	2	7.0	2	6	6	7	8	8	8	8
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	2	7.0	2	6	6	7	8	8	8	8
A. Not Operated	2	7.0	2	6	6	7	8	8	8	8
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**2**	**7.0**	**2**	**6**	**6**	**7**	**8**	**8**	**8**	**8**

226: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	4.9	31	1	2	2	5	15	17	17
6-12 YRS	6	3.7	7	2	2	3	4	8	9	9
13-19 YRS	6	2.5	3	< 1	< 1	2	4	5	5	5
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	11.9	263	1	1	4	19	40	46	46
1-5 YRS	24	1.7	1	1	1	2	2	3	4	4
6-12 YRS	23	1.9	3	1	1	1	2	4	6	9
13-19 YRS	39	2.4	15	1	1	1	2	4	10	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	7.0	33	2	2	7	10	16	16	16
1-5 YRS	20	5.5	46	1	2	4	7	10	21	31
6-12 YRS	17	3.4	6	< 1	2	3	5	7	9	10
13-19 YRS	29	3.9	8	1	2	3	5	8	10	11
B. Operated										
0-27 DYS	0									
1-11 MOS	11	10.6	129	1	2	5	19	30	32	32
1-5 YRS	32	16.4	520	1	2	4	25	59	90	99 +
6-12 YRS	35	9.6	191	1	1	2	13	30	44	58
13-19 YRS	51	5.5	189	1	2	2	3	10	16	93
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	3.5	14	< 1	1	2	4	7	13	17
B. Operated	95	2.9	34	1	1	1	2	4	11	37
2. MULTIPLE DX										
A. Not Operated	71	4.5	20	1	2	3	6	9	11	28
B. Operated	129	9.8	279	1	2	2	10	30	49	95
1. SINGLE DX	116	3.0	30	1	1	2	2	4	11	33
2. MULTIPLE DX	200	7.9	193	1	2	3	7	22	33	93
A. Not Operated	92	4.2	19	1	2	3	5	8	11	25
B. Operated	224	6.8	186	1	1	2	4	22	33	93
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	26	9.6	140	1	2	4	12	28	35	46
1-5 YRS	83	8.5	251	1	1	2	7	29	51	98
6-12 YRS	81	5.7	96	1	1	2	5	14	24	55
13-19 YRS	125	4.0	85	1	1	2	3	8	12	49
GRAND TOTAL	**316**	**6.1**	**139**	**1**	**1**	**2**	**5**	**15**	**30**	**80**

227: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.8	8	2	2	3	5	8	8	8
1-5 YRS	19	2.7	6	1	1	2	4	4	9	12
6-12 YRS	23	3.7	9	1	2	3	4	7	11	14
13-19 YRS	29	3.7	5	1	2	3	5	7	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.3	4	1	1	2	3	5	5	5
1-5 YRS	21	3.5	13	1	1	1	6	9	12	12
6-12 YRS	14	4.1	16	1	1	3	5	10	14	15
13-19 YRS	13	5.0	61	1	1	2	4	20	25	26
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	28	5.1	29	1	2	3	6	14	17	23
1-5 YRS	47	5.8	30	1	2	4	9	13	17	26
6-12 YRS	56	5.4	29	2	2	4	6	11	13	34
13-19 YRS	61	3.6	4	1	2	3	4	6	7	9
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	30	11.0	188	1	2	6	14	49	95	99+
1-5 YRS	55	15.3	360	1	2	8	22	39	50	97
6-12 YRS	63	11.5	256	1	1	4	18	30	63	96
13-19 YRS	38	20.0	543	1	4	10	34	63	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	75	3.4	7	1	2	3	4	7	9	13
B. Operated	52	3.9	25	1	1	2	5	10	15	26
2. MULTIPLE DX										
A. Not Operated	192	4.9	22	1	2	4	6	10	14	25
B. Operated	187	14.2	339	1	2	7	21	44	67	99+
1. SINGLE DX	127	3.6	14	1	1	2	4	8	12	20
2. MULTIPLE DX	379	9.5	200	1	2	4	10	26	44	99+
A. Not Operated	267	4.5	18	1	2	3	5	9	12	22
B. Operated	239	12.0	288	1	2	5	15	37	59	99+
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	66	7.5	108	1	2	4	9	22	48	99+
1-5 YRS	142	8.7	180	1	2	4	10	22	36	67
6-12 YRS	156	7.5	127	1	2	4	8	19	30	74
13-19 YRS	141	8.1	204	1	2	4	6	22	40	94
GRAND TOTAL	**506**	**8.0**	**160**	**1**	**2**	**4**	**8**	**21**	**36**	**96**

228: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	57	2.2	2	1	1	2	3	5	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	686	4.3	3	3	3	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	85	3.0	4	1	2	3	4	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	608	6.1	17	3	4	5	7	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	2.2	2	1	1	2	3	5	5	6
B. Operated	686	4.3	3	3	3	4	5	6	8	10
2. MULTIPLE DX										
A. Not Operated	85	3.0	4	1	2	3	4	6	7	10
B. Operated	608	6.1	17	3	4	5	7	10	12	21
1. SINGLE DX	743	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX	693	5.7	16	3	4	5	7	9	11	20
A. Not Operated	142	2.7	3	1	1	2	4	5	6	8
B. Operated	1294	5.2	10	3	3	4	6	8	10	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1436	4.9	10	2	3	4	6	8	10	14
GRAND TOTAL	**1436**	**4.9**	**10**	**2**	**3**	**4**	**6**	**8**	**10**	**14**

229: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	36	2.7	2	1	1	3	4	5	5	7
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	3	5.3	56	1	1	1	11	14	14	14
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	49	5.4	45	2	3	4	5	8	10	49
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	< 1	< 1	2	4	4	4	4
1-5 YRS	0									
6-12 YRS	2	6.5	25	3	3	6	10	10	10	10
13-19 YRS	40	3.5	6	1	1	3	5	7	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	9	6.6	54	1	1	4	10	19	23	23
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	49	7.9	126	3	4	5	9	12	14	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	2.6	2	1	1	3	4	5	6	7
B. Operated	58	5.2	41	1	3	4	5	8	11	46
2. MULTIPLE DX										
A. Not Operated	44	3.6	7	1	1	3	5	7	9	13
B. Operated	61	7.5	109	2	3	5	9	12	16	75
1. SINGLE DX	99	4.1	27	1	2	3	5	7	9	32
2. MULTIPLE DX	105	5.9	69	1	3	4	7	11	13	49
A. Not Operated	85	3.1	5	1	1	3	4	6	7	12
B. Operated	119	6.4	77	2	3	5	7	11	13	59
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	4.0	31	1	1	2	4	11	18	23
1-5 YRS	4	4.5	40	1	1	2	8	14	14	14
6-12 YRS	6	6.3	8	3	3	7	8	10	10	10
13-19 YRS	174	5.1	53	1	3	4	5	9	11	42
GRAND TOTAL	**204**	**5.0**	**49**	**1**	**2**	**4**	**5**	**9**	**12**	**35**

230: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.5	6	2	2	3	5	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	6.4	6	3	5	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	3.1	3	1	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	38	7.3	16	4	5	6	9	11	17	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	3.5	6	2	2	3	5	7	7	7
B. Operated	21	6.4	6	3	5	6	8	10	11	11
2. MULTIPLE DX										
A. Not Operated	7	3.1	3	1	2	3	5	6	6	6
B. Operated	38	7.3	16	4	5	6	9	11	17	22
1. SINGLE DX	25	5.9	7	3	4	6	7	10	10	11
2. MULTIPLE DX	45	6.7	17	3	4	6	8	11	16	22
A. Not Operated	11	3.3	4	1	2	3	5	6	7	7
B. Operated	59	7.0	13	3	5	6	9	11	14	22
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	70	6.4	13	3	4	6	8	10	11	21
GRAND TOTAL	**70**	**6.4**	**13**	**3**	**4**	**6**	**8**	**10**	**11**	**21**

231: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	7.5	21	3	4	6	11	14	15	15
1-5 YRS	7	4.4	12	2	2	2	6	10	11	11
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	8	3.6	3	1	2	4	5	6	6	6
B. Operated										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	7	8.1	38	1	2	7	14	15	15	15
1-5 YRS	11	7.8	22	2	4	7	11	15	16	16
6-12 YRS	9	4.8	14	1	1	4	8	10	10	10
13-19 YRS	7	6.0	26	1	1	4	11	12	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	50	9.2	26	3	6	8	12	15	16	28
1-5 YRS	52	6.9	21	1	4	6	9	12	14	27
6-12 YRS	16	5.4	9	1	4	5	7	10	11	11
13-19 YRS	14	5.6	24	2	2	4	7	10	18	20
B. Operated										
0-27 DYS	0									
1-11 MOS	30	19.7	288	6	11	15	20	41	60	83
1-5 YRS	38	16.0	251	4	8	11	22	26	36	95
6-12 YRS	17	15.2	151	2	6	14	20	32	40	44
13-19 YRS	21	12.3	292	1	3	10	15	20	50	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	5.0	13	2	2	4	6	11	13	15
B. Operated	35	7.3	34	1	2	7	11	15	16	26
2. MULTIPLE DX										
A. Not Operated	132	7.5	23	2	4	7	10	13	15	27
B. Operated	106	16.2	253	3	7	13	20	30	44	88
1. SINGLE DX	61	6.3	26	1	2	5	9	14	15	25
2. MULTIPLE DX	238	11.3	144	2	5	8	14	22	29	81
A. Not Operated	158	7.0	23	2	4	6	10	13	15	27
B. Operated	141	14.0	213	2	5	11	17	26	37	84
TOTAL										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	95	12.3	132	3	6	10	15	20	29	73
1-5 YRS	108	10.0	120	2	5	7	11	22	25	62
6-12 YRS	45	8.8	87	1	3	6	10	18	31	44
13-19 YRS	50	8.2	142	1	2	4	11	16	20	81
GRAND TOTAL	**299**	**10.3**	**124**	**2**	**4**	**8**	**13**	**20**	**27**	**71**

232: Diseases of pancreas (577)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	115	4.7	13	1	3	4	6	9	11	21
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	0									
13-19 YRS	12	8.1	34	3	5	7	9	16	23	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	174	5.5	20	2	3	4	6	10	15	24
B. Operated										
0-27 DYS	2	56.0	968	34	34	56	78	78	78	78
1-11 MOS	0									
1-5 YRS	3	9.3	104	2	3	5	17	21	21	21
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	60	15.9	140	5	8	12	21	30	43	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	118	4.8	14	1	3	4	6	9	12	21
B. Operated	13	8.5	33	4	5	7	10	16	22	24
2. MULTIPLE DX										
A. Not Operated	176	5.5	20	2	3	4	6	10	15	24
B. Operated	66	16.6	197	4	8	12	21	32	50	74
1. SINGLE DX	131	5.1	17	1	3	4	6	9	13	24
2. MULTIPLE DX	242	8.5	93	2	3	5	10	20	24	55
A. Not Operated	294	5.2	18	2	3	4	6	9	14	23
B. Operated	79	15.3	179	4	7	11	20	31	44	72
TOTAL										
0-27 DYS	2	56.0	968	34	34	56	78	78	78	78
1-11 MOS	2	10.0	18	7	7	10	13	13	13	13
1-5 YRS	6	7.5	67	1	2	4	14	20	21	21
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	361	7.0	54	2	3	5	8	15	22	37
GRAND TOTAL	**373**	**7.3**	**68**	**2**	**3**	**5**	**8**	**15**	**23**	**46**

233: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	26	1.8	1	< 1	1	2	3	3	3	3
1-11 MOS	49	2.1	2	1	1	2	2	4	5	6
1-5 YRS	49	2.0	1	1	1	2	2	4	4	5
6-12 YRS	30	2.3	2	< 1	1	2	3	4	5	5
13-19 YRS	37	2.4	4	1	1	2	3	4	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.8	9	< 1	1	1	4	8	8	8
1-5 YRS	5	3.0	6	1	1	2	5	6	6	6
6-12 YRS	5	1.8	2	< 1	1	1	2	4	4	4
13-19 YRS	5	3.2	3	< 1	1	3	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	41	2.8	2	1	2	2	4	5	6	7
1-11 MOS	105	3.7	10	1	2	3	4	7	11	18
1-5 YRS	136	3.3	9	1	2	2	4	5	8	18
6-12 YRS	127	3.8	26	1	2	3	4	6	10	27
13-19 YRS	197	3.3	11	1	2	3	4	5	7	21
B. Operated										
0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	28	9.3	174	2	3	5	7	23	44	61
1-5 YRS	31	6.3	109	1	1	3	6	11	22	57
6-12 YRS	34	9.4	210	1	2	4	12	18	35	79
13-19 YRS	48	8.7	110	2	3	5	8	25	35	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	191	2.1	2	1	1	2	3	4	5	6
B. Operated	20	2.7	4	< 1	1	2	4	6	7	8
2. MULTIPLE DX										
A. Not Operated	606	3.4	13	1	2	3	4	6	8	19
B. Operated	144	8.4	142	1	2	5	8	19	36	62
1. SINGLE DX	211	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	750	4.4	41	1	2	3	5	7	13	39
A. Not Operated	797	3.1	11	1	2	2	4	5	7	16
B. Operated	164	7.7	129	1	2	4	7	15	29	60
TOTAL										
0-27 DYS	70	2.5	2	1	1	2	3	5	5	7
1-11 MOS	187	4.1	37	1	2	3	4	7	11	36
1-5 YRS	221	3.4	22	1	1	2	4	6	9	21
6-12 YRS	196	4.5	58	1	1	3	5	8	14	45
13-19 YRS	287	4.1	30	1	2	3	4	7	12	34
GRAND TOTAL	**961**	**3.9**	**34**	**1**	**2**	**3**	**4**	**6**	**10**	**31**

234: Intestinal malabsorption (579)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	32	3.0	19	1	1	2	3	4	4	26
1-11 MOS	58	3.3	3	1	2	3	5	6	7	8
1-5 YRS	21	7.6	207	1	2	3	5	19	44	65
6-12 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
13-19 YRS	3	5.3	9	2	3	6	7	8	8	8
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	4.3	9	1	2	3	7	9	10	10
1-5 YRS	17	4.6	19	1	2	4	6	8	15	19
6-12 YRS	3	7.3	72	1	2	4	14	17	17	17
13-19 YRS	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	58	5.2	37	2	2	3	5	12	19	34
1-11 MOS	171	5.8	26	2	3	4	7	12	17	34
1-5 YRS	83	8.3	90	2	3	5	10	16	24	58
6-12 YRS	15	10.3	222	1	2	5	10	29	50	57
13-19 YRS	9	4.9	31	1	1	2	8	14	16	16
B. Operated										
0-27 DYS	5	12.6	183	1	4	7	20	35	35	35
1-11 MOS	55	22.3	554	3	6	15	48	94	99 +	99 +
1-5 YRS	60	17.0	318	3	5	11	28	65	99 +	99 +
6-12 YRS	15	6.4	46	1	2	4	11	23	77	99 +
13-19 YRS	6	13.8	148	3	4	11	17	34	36	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	116	4.0	46	1	2	3	4	6	8	40
B. Operated	39	4.7	16	1	2	4	6	9	14	19
2. MULTIPLE DX										
A. Not Operated	336	6.5	54	2	3	4	7	14	18	41
B. Operated	141	17.7	387	2	5	11	30	78	99 +	99 +
1. SINGLE DX	155	4.2	38	1	2	3	5	7	9	27
2. MULTIPLE DX	477	9.8	178	2	3	5	12	28	53	99 +
A. Not Operated	452	5.9	53	1	2	4	6	13	17	39
B. Operated	180	14.9	335	2	4	8	24	60	99 +	99 +
TOTAL										
0-27 DYS	96	4.8	41	1	2	3	4	10	19	35
1-11 MOS	300	8.3	161	2	3	4	8	24	50	99 +
1-5 YRS	181	10.8	191	2	3	5	14	31	48	99 +
6-12 YRS	35	8.0	120	1	2	4	10	23	49	99 +
13-19 YRS	20	7.7	70	1	2	5	10	16	26	36
GRAND TOTAL	**632**	**8.4**	**149**	**1**	**2**	**4**	**9**	**24**	**40**	**99 +**

235: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	153	4.4	11	1	2	4	5	8	11	16
6-12 YRS	111	4.3	34	2	2	3	5	6	10	35
13-19 YRS	56	3.3	6	< 1	1	2	5	7	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	60	2.6	5	1	1	2	2	6	8	11
6-12 YRS	126	2.1	3	1	1	2	2	4	6	9
13-19 YRS	118	2.2	5	1	1	2	2	4	6	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	3.1	4	< 1	2	3	4	6	8	8
1-5 YRS	190	4.9	19	< 1	2	4	6	10	12	18
6-12 YRS	149	4.7	18	1	2	3	6	9	13	21
13-19 YRS	111	4.1	21	< 1	1	3	5	8	13	24
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	18.1	410	2	3	15	44	85	99 +	99 +
1-5 YRS	58	8.6	118	1	2	4	11	21	33	56
6-12 YRS	74	6.6	58	1	1	3	11	16	27	84
13-19 YRS	90	5.2	37	1	1	3	7	13	15	32
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	4.2	18	1	2	3	5	7	10	17
B. Operated	305	2.2	4	1	1	2	2	5	6	11
2. MULTIPLE DX										
A. Not Operated	460	4.6	19	< 1	2	3	6	9	12	20
B. Operated	230	6.9	79	1	2	3	9	17	27	65
1. SINGLE DX	627	3.2	12	1	1	2	4	6	9	14
2. MULTIPLE DX	690	5.4	40	1	2	3	6	12	16	39
A. Not Operated	782	4.4	19	1	2	3	6	8	12	20
B. Operated	535	4.2	41	1	1	2	4	11	16	39
TOTAL										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	19	8.6	195	1	2	3	6	44	74	99 +
1-5 YRS	461	4.9	29	1	2	4	6	10	13	26
6-12 YRS	460	4.2	26	1	2	3	5	9	13	27
13-19 YRS	375	3.6	18	1	1	2	4	8	12	21
GRAND TOTAL	**1317**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**13**	**28**

236: Miscellaneous nephritis and functional disorders of kidney (580; 587; 593.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	12.0	162	3	3	12	21	21	21	21
1-5 YRS	25	3.9	4	2	2	4	5	6	8	8
6-12 YRS	33	3.2	2	1	2	3	4	5	6	6
13-19 YRS	10	3.4	2	1	2	3	5	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	6	5.0	27	1	2	3	6	14	15	15
13-19 YRS	9	2.3	6	1	1	1	3	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	43	5.2	9	2	3	4	7	9	12	15
6-12 YRS	79	4.5	11	2	2	3	6	9	11	19
13-19 YRS	47	5.0	7	2	3	4	7	9	10	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0	3	4	5	7	7	7	7	7
6-12 YRS	12	6.9	24	1	3	6	10	15	16	16
13-19 YRS	14	8.4	19	2	5	9	11	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	70	3.7	7	2	2	3	5	6	6	18
B. Operated	18	3.0	13	1	1	2	4	7	12	15
2. MULTIPLE DX										
A. Not Operated	169	4.8	9	2	3	4	6	9	11	16
B. Operated	29	7.5	19	2	4	7	10	15	15	16
1. SINGLE DX	88	3.6	8	1	2	3	5	6	8	19
2. MULTIPLE DX	198	5.2	12	2	3	4	7	10	12	16
A. Not Operated	239	4.5	9	2	3	4	6	8	10	16
B. Operated	47	5.8	21	1	2	4	9	14	15	16
TOTAL										
0-27 DYS	0									
1-11 MOS	2	12.0	162	3	3	12	21	21	21	21
1-5 YRS	74	4.6	7	2	3	4	6	8	10	15
6-12 YRS	130	4.4	11	2	2	3	5	8	11	17
13-19 YRS	80	5.1	11	1	3	4	7	10	12	15
GRAND TOTAL	**286**	**4.7**	**11**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

237: Chronic renal failure (585)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	5.2	46	< 1	1	3	6	17	22	22
6-12 YRS	12	6.1	62	1	1	3	8	19	25	26
13-19 YRS	11	1.9	2	< 1	1	1	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	11	6.6	28	1	2	4	12	14	15	15
6-12 YRS	18	8.2	61	1	3	6	12	16	26	33
13-19 YRS	43	5.3	20	1	2	3	7	12	14	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	12	13.3	553	2	3	6	12	35	80	87
1-5 YRS	52	5.0	32	1	2	3	7	10	12	31
6-12 YRS	48	4.8	47	1	1	2	6	10	15	42
13-19 YRS	53	4.9	38	< 1	1	3	6	13	14	30
B. Operated										
0-27 DYS	0									
1-11 MOS	15	10.3	58	1	4	11	15	26	78	99 +
1-5 YRS	69	18.5	277	2	5	16	26	41	59	99 +
6-12 YRS	102	14.8	162	2	4	12	21	33	42	53
13-19 YRS	215	12.0	101	2	4	10	17	24	33	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	4.4	38	1	1	2	4	12	21	26
B. Operated	74	6.2	31	1	2	5	8	13	16	30
2. MULTIPLE DX										
A. Not Operated	167	5.6	77	1	1	3	7	12	14	40
B. Operated	401	13.8	150	2	4	11	20	31	39	99
1. SINGLE DX	106	5.7	33	1	2	3	8	13	16	29
2. MULTIPLE DX	568	11.4	143	1	3	8	16	27	36	81
A. Not Operated	199	5.4	71	1	1	3	6	12	15	37
B. Operated	475	12.6	139	2	4	10	18	29	37	88
TOTAL										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	29	11.3	251	2	4	7	14	24	87	99 +
1-5 YRS	141	11.8	195	1	2	6	18	32	40	99 +
6-12 YRS	180	10.9	135	1	2	7	16	27	35	49
13-19 YRS	322	9.6	88	1	3	7	14	22	29	51
GRAND TOTAL	**674**	**10.5**	**130**	**1**	**3**	**7**	**15**	**25**	**34**	**59**

238: Other renal failure (584; 586)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	3	7.3	34	3	3	5	12	14	14	14
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	9.0	50	4	4	9	14	14	14	14
13-19 YRS	2	9.5	145	1	1	9	18	18	18	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	6.0	13	1	3	7	8	9	9	9
1-11 MOS	9	8.4	47	2	4	7	10	20	24	24
1-5 YRS	20	4.2	11	< 1	1	3	6	9	11	13
6-12 YRS	24	6.1	29	1	1	5	9	12	18	22
13-19 YRS	21	4.0	10	1	2	3	5	7	11	14
B. Operated										
0-27 DYS	2	47.0	2738	10	10	47	84	84	84	84
1-11 MOS	4	21.5	12	17	19	22	24	25	25	25
1-5 YRS	21	14.7	73	5	8	13	19	27	31	35
6-12 YRS	13	12.3	89	4	6	8	16	28	31	32
13-19 YRS	37	14.1	156	2	5	9	20	30	32	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	3.9	13	1	2	3	5	9	14	14
B. Operated	5	8.2	54	1	3	4	15	18	18	18
2. MULTIPLE DX										
A. Not Operated	78	5.3	21	1	2	4	7	11	14	23
B. Operated	77	15.2	175	3	6	12	21	28	32	78
1. SINGLE DX	16	5.3	27	1	2	3	5	14	17	18
2. MULTIPLE DX	155	10.2	122	1	3	7	14	24	28	60
A. Not Operated	83	5.1	21	1	2	4	6	11	14	23
B. Operated	82	14.8	169	3	6	11	20	28	32	77
TOTAL										
0-27 DYS	6	19.7	1003	1	6	8	10	77	84	84
1-11 MOS	15	11.1	77	2	3	8	20	24	25	25
1-5 YRS	46	8.8	67	1	3	6	13	20	26	35
6-12 YRS	42	8.2	53	1	4	5	11	18	25	32
13-19 YRS	62	10.2	121	1	2	6	15	27	30	57
GRAND TOTAL	**171**	**9.7**	**115**	**1**	**3**	**6**	**13**	**24**	**28**	**56**

239: Acute pyelonephritis (590.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	19	3.6	2	2	2	4	4	6	7	7
1-5 YRS	116	3.7	2	2	3	3	5	6	7	8
6-12 YRS	135	3.4	3	2	2	3	4	6	7	10
13-19 YRS	405	3.5	3	2	2	3	4	6	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.2	6	3	3	5	7	9	9	9
6-12 YRS	4	4.8	5	2	3	5	6	7	7	7
13-19 YRS	9	5.7	6	3	4	6	7	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	9	6.3	9	2	4	6	8	11	11	11
1-11 MOS	102	5.5	39	2	3	4	7	9	11	39
1-5 YRS	356	4.1	4	2	3	4	5	7	8	11
6-12 YRS	337	4.2	4	2	3	4	5	7	8	12
13-19 YRS	898	4.2	4	2	3	4	5	7	8	11
B. Operated										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	26	10.9	113	4	5	9	10	21	30	56
1-5 YRS	43	8.0	20	4	5	6	10	14	17	24
6-12 YRS	49	6.8	19	3	4	6	8	10	16	27
13-19 YRS	52	6.4	11	3	4	5	8	12	13	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	676	3.5	3	2	2	3	4	6	7	9
B. Operated	18	5.3	5	3	3	5	6	9	10	10
2. MULTIPLE DX										
A. Not Operated	1702	4.3	6	2	3	4	5	7	8	11
B. Operated	172	7.6	33	3	4	6	9	13	17	26
1. SINGLE DX	694	3.6	3	2	2	3	4	6	7	9
2. MULTIPLE DX	1874	4.6	10	2	3	4	5	7	9	14
A. Not Operated	2378	4.1	5	2	3	4	5	7	8	11
B. Operated	190	7.4	31	3	4	6	9	13	17	26
TOTAL										
0-27 DYS	12	5.9	8	3	4	6	7	10	11	11
1-11 MOS	147	6.2	51	2	3	4	7	10	13	56
1-5 YRS	520	4.4	6	2	3	4	5	7	9	14
6-12 YRS	525	4.2	6	2	3	4	5	7	8	13
13-19 YRS	1364	4.1	4	2	3	4	5	7	8	11
GRAND TOTAL	**2568**	**4.3**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**13**

240: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	6.6	11	4	4	6	8	12	12	12
1-11 MOS	42	4.2	5	2	3	4	5	7	8	14
1-5 YRS	137	3.4	3	2	2	3	4	5	6	10
6-12 YRS	151	3.4	3	2	2	3	4	5	6	10
13-19 YRS	248	3.6	10	2	2	3	4	5	6	12
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.7	5	3	4	7	7	7	7	7
1-5 YRS	15	5.4	7	2	4	5	7	9	11	12
6-12 YRS	15	4.8	9	2	3	4	6	8	12	13
13-19 YRS	22	5.0	7	2	3	5	8	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	9.0	25	4	5	9	13	14	14	14
1-11 MOS	110	5.1	8	2	3	4	7	10	10	13
1-5 YRS	329	4.6	8	2	3	4	5	7	9	15
6-12 YRS	287	4.1	4	2	3	4	5	7	8	11
13-19 YRS	528	4.2	5	2	3	4	5	7	8	11
B. Operated										
0-27 DYS	3	10.7	120	2	3	7	19	23	23	23
1-11 MOS	26	9.5	24	3	7	9	11	15	18	25
1-5 YRS	53	7.1	13	4	5	6	10	11	14	18
6-12 YRS	36	6.9	16	3	4	6	9	12	16	18
13-19 YRS	49	8.6	32	3	5	7	11	17	19	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	583	3.6	6	2	2	3	4	5	6	11
B. Operated	55	5.1	7	2	3	5	7	9	9	13
2. MULTIPLE DX										
A. Not Operated	1257	4.4	6	2	3	4	5	7	9	14
B. Operated	167	7.9	23	3	5	7	10	15	18	26
1. SINGLE DX	638	3.7	7	2	2	3	5	6	7	12
2. MULTIPLE DX	1424	4.8	9	2	3	4	6	8	10	17
A. Not Operated	1840	4.1	6	2	3	4	5	7	8	12
B. Operated	222	7.2	20	3	4	6	9	13	16	25
TOTAL										
0-27 DYS	11	8.4	37	3	4	7	11	18	23	23
1-11 MOS	181	5.6	12	2	3	5	7	10	11	16
1-5 YRS	534	4.5	8	2	3	4	5	7	10	15
6-12 YRS	489	4.1	5	2	3	4	5	7	8	13
13-19 YRS	847	4.3	9	2	3	4	5	7	9	16
GRAND TOTAL	**2062**	**4.4**	**9**	**2**	**3**	**4**	**5**	**7**	**10**	**15**

241: Calculus of kidney (592.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.3	6	1	1	1	4	6	6	6
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	18	1.8	2	< 1	1	1	2	4	5	5
13-19 YRS	100	1.5	1	1	1	1	2	2	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	6.0	13	2	3	7	8	9	9	9
6-12 YRS	12	4.0	30	1	1	2	4	10	19	21
13-19 YRS	33	2.4	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	4.8	13	< 1	3	4	7	11	11	11
6-12 YRS	22	3.1	5	1	2	2	5	8	41	99 +
13-19 YRS	100	2.5	3	1	1	2	3	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	10	4.2	4	2	3	4	6	7	8	8
6-12 YRS	16	4.9	5	2	3	5	7	8	8	8
13-19 YRS	37	7.3	34	1	3	7	10	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	125	1.6	1	1	1	1	2	3	4	5
B. Operated	49	3.0	10	1	1	2	4	6	7	21
2. MULTIPLE DX										
A. Not Operated	130	2.7	4	1	1	2	4	5	7	28
B. Operated	64	6.3	25	2	3	5	8	11	18	26
1. SINGLE DX	174	2.0	4	1	1	1	2	4	5	9
2. MULTIPLE DX	194	3.9	14	1	1	3	5	8	10	24
A. Not Operated	255	2.2	3	1	1	2	3	4	6	10
B. Operated	113	4.9	21	1	2	4	6	10	16	23
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	4.7	33	1	1	3	5	15	17	17
1-5 YRS	22	4.2	8	1	2	3	6	8	10	11
6-12 YRS	68	3.3	10	1	1	2	5	7	8	85
13-19 YRS	270	2.8	10	1	1	2	3	6	7	19
GRAND TOTAL	**368**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**20**

242: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	36	2.0	3	1	1	2	2	3	7	8
13-19 YRS	303	1.7	1	1	1	1	2	3	3	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	4.8	9	< 1	3	4	8	9	9	9
6-12 YRS	27	3.4	3	1	2	3	5	6	6	6
13-19 YRS	195	2.9	4	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	3.8	6	< 1	1	3	5	7	7	7
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	19	1.9	2	1	1	2	2	4	5	6
13-19 YRS	192	2.3	3	1	1	2	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	4	8.5	30	4	4	7	12	16	16	16
6-12 YRS	18	4.8	7	1	2	5	7	8	9	9
13-19 YRS	87	4.3	14	1	2	3	5	8	9	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	348	1.7	1	1	1	1	2	3	3	8
B. Operated	229	3.0	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	217	2.2	3	1	1	2	3	4	5	8
B. Operated	111	4.5	14	1	2	3	6	8	9	21
1. SINGLE DX	577	2.2	3	1	1	2	3	4	5	8
2. MULTIPLE DX	328	3.0	8	1	1	2	4	6	8	14
A. Not Operated	565	1.9	2	1	1	2	2	3	4	8
B. Operated	340	3.5	8	1	2	3	5	6	8	13
TOTAL										
0-27 DYS	0									
1-11 MOS	13	2.2	3	< 1	< 1	2	3	5	7	7
1-5 YRS	15	4.7	18	1	1	4	7	9	14	16
6-12 YRS	100	2.9	4	1	1	2	4	6	8	9
13-19 YRS	777	2.4	4	1	1	2	3	5	6	10
GRAND TOTAL	**905**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

243: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	21	3.2	22	< 1	1	1	4	7	14	22
1-5 YRS	18	2.4	2	< 1	1	2	4	5	5	5
6-12 YRS	22	2.1	2	< 1	1	2	2	4	5	6
13-19 YRS	17	2.2	2	1	1	2	3	5	5	5
B. Operated										
0-27 DYS	8	3.9	33	< 1	1	2	3	14	18	18
1-11 MOS	125	4.2	7	2	2	4	5	7	9	14
1-5 YRS	494	4.8	5	2	3	4	6	8	9	11
6-12 YRS	450	5.0	6	2	3	5	6	8	9	14
13-19 YRS	116	5.4	7	1	4	5	7	8	10	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	12	7.8	28	2	3	7	11	16	18	18
1-11 MOS	51	5.3	20	1	2	4	8	13	14	17
1-5 YRS	65	3.6	13	< 1	1	2	4	9	11	20
6-12 YRS	56	2.8	6	1	1	2	4	7	8	12
13-19 YRS	77	2.9	4	1	2	2	4	6	7	10
B. Operated										
0-27 DYS	12	9.4	35	3	4	9	13	18	21	21
1-11 MOS	189	6.6	35	2	4	5	8	12	15	37
1-5 YRS	583	6.0	15	3	3	5	7	10	12	20
6-12 YRS	481	6.3	15	3	4	6	7	11	14	19
13-19 YRS	209	6.5	21	2	3	5	8	12	16	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.6	7	< 1	1	2	3	5	6	18
B. Operated	1193	4.8	6	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. Not Operated	261	3.7	12	1	1	2	5	9	11	17
B. Operated	1474	6.3	19	2	4	5	8	11	14	21
1. SINGLE DX	1273	4.7	7	2	3	4	6	8	9	13
2. MULTIPLE DX	1735	5.9	18	2	3	5	7	11	14	21
A. Not Operated	341	3.5	12	1	1	2	4	8	11	17
B. Operated	2667	5.6	14	2	3	5	7	9	12	19
TOTAL										
0-27 DYS	34	7.2	33	1	3	5	10	17	18	21
1-11 MOS	386	5.5	25	1	3	4	7	10	14	22
1-5 YRS	1160	5.3	11	2	3	5	7	9	11	17
6-12 YRS	1009	5.4	11	2	3	5	7	9	11	18
13-19 YRS	419	5.4	16	1	2	5	7	10	12	21
GRAND TOTAL	**3008**	**5.4**	**14**	**2**	**3**	**5**	**7**	**9**	**12**	**19**

244: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	1.8	2	1	1	1	2	4	4	4
13-19 YRS	14	1.9	2	1	1	1	3	4	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	1.4	1	< 1	< 1	1	2	3	3	3
13-19 YRS	9	2.4	2	1	1	3	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	0									
13-19 YRS	17	2.3	2	1	1	2	3	4	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	9	3.6	14	< 1	< 1	2	5	10	12	12
6-12 YRS	14	2.7	4	< 1	1	2	3	7	7	7
13-19 YRS	21	2.9	3	1	2	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	1.9	2	1	1	1	2	4	5	6
B. Operated	17	1.9	2	< 1	1	1	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	18	2.3	2	1	1	2	3	4	6	7
B. Operated	44	3.0	5	< 1	1	2	4	7	7	12
1. SINGLE DX	38	1.9	2	1	1	1	3	4	5	6
2. MULTIPLE DX	62	2.8	5	1	1	2	3	7	7	11
A. Not Operated	39	2.1	2	1	1	1	3	4	5	7
B. Operated	61	2.7	5	< 1	1	2	3	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	3.4	11	< 1	< 1	2	4	9	12	12
6-12 YRS	27	2.1	3	< 1	1	1	3	4	7	7
13-19 YRS	61	2.4	3	1	1	2	3	5	6	7
GRAND TOTAL	**100**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**10**

245: Cystitis (595)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	20	2.4	2	1	1	2	3	4	6	7
6-12 YRS	14	3.1	5	1	2	3	4	7	8	8
13-19 YRS	15	1.9	1	< 1	1	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.2	3	< 1	< 1	2	3	5	5	5
6-12 YRS	13	2.6	4	< 1	< 1	1	4	6	6	6
13-19 YRS	7	2.6	2	1	1	3	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	4.7	6	2	3	5	6	7	7	7
1-11 MOS	6	2.5	1	2	2	2	3	4	4	4
1-5 YRS	45	3.5	5	1	2	3	4	8	8	11
6-12 YRS	36	3.0	3	2	2	3	4	4	6	10
13-19 YRS	67	3.2	12	1	2	2	3	6	8	22
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	13	3.8	4	1	2	4	5	6	7	7
6-12 YRS	20	5.3	33	< 1	1	4	6	12	19	25
13-19 YRS	29	7.7	48	1	3	6	10	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	52	2.4	3	1	1	2	3	4	7	8
B. Operated	26	2.5	3	< 1	< 1	2	3	6	6	6
2. MULTIPLE DX										
A. Not Operated	157	3.2	7	1	2	3	4	6	8	16
B. Operated	64	6.2	35	1	2	4	7	14	22	25
1. SINGLE DX	78	2.4	3	< 1	1	2	3	5	6	8
2. MULTIPLE DX	221	4.1	17	1	2	3	4	8	12	24
A. Not Operated	209	3.0	6	1	2	2	4	6	7	14
B. Operated	90	5.1	28	< 1	2	3	6	12	17	25
TOTAL										
0-27 DYS	4	4.0	6	2	2	4	6	7	7	7
1-11 MOS	11	3.5	9	1	2	2	4	8	12	12
1-5 YRS	83	3.2	4	1	2	3	4	6	8	10
6-12 YRS	83	3.5	11	< 1	2	3	4	6	9	21
13-19 YRS	118	4.1	23	1	2	3	4	9	16	24
GRAND TOTAL	**299**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**10**	**23**

246: Urethral stricture (598)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	68	1.5	2	< 1	< 1	1	1	3	5	8
6-12 YRS	66	1.5	4	< 1	< 1	1	1	3	4	13
13-19 YRS	60	2.3	6	< 1	1	1	2	4	8	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	4	1.5		1	1	1	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	6	5.3	21	1	1	5	8	12	12	12
1-5 YRS	83	2.7	9	< 1	< 1	1	3	6	9	15
6-12 YRS	73	2.7	32	< 1	< 1	1	2	5	9	38
13-19 YRS	58	3.9	26	< 1	1	2	5	8	15	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	195	1.8	4	< 1	< 1	1	2	3	5	12
2. MULTIPLE DX										
A. Not Operated	7	1.4		< 1	1	1	2	2	2	2
B. Operated	220	3.1	21	< 1	< 1	1	3	7	10	23
1. SINGLE DX	196	1.8	4	< 1	< 1	1	2	3	5	12
2. MULTIPLE DX	227	3.0	21	< 1	< 1	1	3	7	9	22
A. Not Operated	8	1.4		< 1	1	1	2	2	2	2
B. Operated	415	2.5	14	< 1	< 1	1	2	5	8	17
TOTAL										
0-27 DYS	0									
1-11 MOS	7	4.7	21	1	1	2	8	11	12	12
1-5 YRS	154	2.2	6	< 1	< 1	1	2	5	7	15
6-12 YRS	139	2.2	19	< 1	< 1	1	1	4	8	19
13-19 YRS	123	3.0	16	< 1	1	2	3	6	10	22
GRAND TOTAL	**423**	**2.5**	**13**	**< 1**	**< 1**	**1**	**2**	**5**	**8**	**17**

247: Urinary tract infection (599.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	43	4.2	7	2	2	3	6	8	10	12
1-11 MOS	263	3.5	3	2	2	3	4	5	7	10
1-5 YRS	188	2.7	2	1	2	2	4	4	6	8
6-12 YRS	127	2.6	2	1	1	2	3	5	5	8
13-19 YRS	131	2.7	5	1	1	2	3	5	7	12
B. Operated										
0-27 DYS	2	9.0	8	7	7	9	11	11	11	11
1-11 MOS	24	5.4	8	3	4	5	6	8	11	15
1-5 YRS	27	2.0	3	< 1	< 1	< 1	3	5	5	6
6-12 YRS	22	1.6	2	< 1	< 1	< 1	2	3	5	7
13-19 YRS	10	3.3	5	< 1	1	3	5	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	206	5.6	8	3	3	5	7	10	10	14
1-11 MOS	1114	4.4	8	2	3	4	5	8	10	14
1-5 YRS	938	4.0	7	2	2	3	5	7	9	14
6-12 YRS	525	3.7	6	1	2	3	5	7	8	13
13-19 YRS	583	3.7	7	1	2	3	5	7	9	14
B. Operated										
0-27 DYS	39	7.4	15	3	5	7	10	11	14	23
1-11 MOS	151	7.8	73	3	4	5	9	15	19	35
1-5 YRS	141	5.9	25	1	3	4	8	11	16	39
6-12 YRS	70	5.6	48	< 1	2	4	6	13	16	45
13-19 YRS	66	5.8	26	1	3	5	6	10	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	752	3.0	4	1	2	3	4	5	7	10
B. Operated	85	3.2	7	< 1	< 1	2	5	7	8	14
2. MULTIPLE DX										
A. Not Operated	3366	4.1	7	2	2	3	5	7	9	14
B. Operated	467	6.6	44	2	3	5	8	12	17	34
1. SINGLE DX	837	3.1	4	1	2	3	4	5	7	10
2. MULTIPLE DX	3833	4.4	12	2	2	4	5	8	10	16
A. Not Operated	4118	3.9	7	2	2	3	5	7	9	13
B. Operated	552	6.1	40	1	3	5	7	11	16	33
TOTAL										
0-27 DYS	290	5.6	10	2	3	5	7	10	11	15
1-11 MOS	1552	4.6	15	2	3	4	5	8	10	17
1-5 YRS	1294	4.0	9	1	2	3	5	7	9	16
6-12 YRS	744	3.7	10	1	2	3	4	7	8	15
13-19 YRS	790	3.7	8	1	2	3	5	7	9	15
GRAND TOTAL	**4670**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

248: Other urinary tract diseases (596-597; 599.1-599.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.8	20	1	1	5	7	12	12	12
1-5 YRS	34	2.5	4	1	1	2	3	5	6	9
6-12 YRS	40	2.0	2	< 1	1	1	3	4	4	5
13-19 YRS	35	2.7	24	1	1	1	2	4	6	30
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	4.5	6	1	3	5	6	7	7	7
1-5 YRS	75	2.7	7	< 1	< 1	1	4	7	8	14
6-12 YRS	84	2.7	8	1	1	2	3	6	9	15
13-19 YRS	83	2.4	4	< 1	1	2	3	6	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	5.4	16	1	3	4	9	11	11	11
1-5 YRS	81	2.8	5	1	1	2	3	5	8	11
6-12 YRS	87	2.1	2	1	1	2	3	4	5	7
13-19 YRS	101	3.1	10	1	1	2	4	6	8	20
B. Operated										
0-27 DYS	3	9.3	6	7	7	9	11	12	12	12
1-11 MOS	18	5.6	26	1	2	5	7	13	18	20
1-5 YRS	97	4.9	23	1	2	3	7	12	16	22
6-12 YRS	109	4.0	18	< 1	1	2	5	8	9	24
13-19 YRS	92	4.2	17	1	1	3	5	9	14	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	2.4	10	1	1	2	3	5	6	18
B. Operated	247	2.6	7	< 1	1	2	3	6	8	14
2. MULTIPLE DX										
A. Not Operated	278	2.8	7	1	1	2	3	5	8	12
B. Operated	319	4.5	20	1	2	3	6	10	14	22
1. SINGLE DX	361	2.6	8	< 1	1	2	3	6	7	14
2. MULTIPLE DX	597	3.7	14	1	1	2	5	8	11	21
A. Not Operated	392	2.7	8	1	1	2	3	5	7	12
B. Operated	566	3.7	15	< 1	1	2	5	8	12	21
TOTAL										
0-27 DYS	4	7.3	22	1	4	8	10	12	12	12
1-11 MOS	36	5.3	19	1	2	5	7	11	14	20
1-5 YRS	287	3.4	13	< 1	1	2	4	8	11	18
6-12 YRS	320	2.9	10	1	1	2	3	6	8	17
13-19 YRS	311	3.2	13	1	1	2	4	7	9	21
GRAND TOTAL	**958**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

249: Hyperplasia of prostate (600)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	6.0	8	4	4	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	2	6.0	8	4	4	6	8	8	8	8
1. SINGLE DX	0									
2. MULTIPLE DX	2	6.0	8	4	4	6	8	8	8	8
A. Not Operated	0									
B. Operated	2	6.0	8	4	4	6	8	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	6.0	8	4	4	6	8	8	8	8
GRAND TOTAL	**2**	**6.0**	**8**	**4**	**4**	**6**	**8**	**8**	**8**	**8**

250: Diseases of the prostate, except hyperplasia (601-602)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	3.2	3	1	2	3	4	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	3.0	3	1	2	3	3	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	3.5	5	< 1	1	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6	3.2	3	1	2	3	4	6	6	6
B. Operated	2	3.0	8	< 1	< 1	2	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	11	3.0	3	1	2	3	3	6	7	7
B. Operated	8	3.5	5	< 1	1	3	5	7	8	8
1. SINGLE DX	8	3.1	3	< 1	1	3	4	6	6	6
2. MULTIPLE DX	19	3.2	4	1	2	3	4	6	8	8
A. Not Operated	17	3.1	3	1	2	3	4	6	7	7
B. Operated	10	3.4	5	< 1	1	3	5	7	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	27	3.2	3	< 1	2	3	4	6	7	8
GRAND TOTAL	**27**	**3.2**	**3**	**< 1**	**2**	**3**	**4**	**6**	**7**	**8**

251: Hydrocele (603)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	1.1		<1	1	1	1	2	2	2
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	45	1.1		<1	<1	1	1	2	2	2
1-5 YRS	77	1.2		<1	<1	1	1	2	2	4
6-12 YRS	21	1.1		<1	<1	1	1	2	2	2
13-19 YRS	54	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	2.1	4	<1	1	1	2	6	7	7
1-5 YRS	6	3.7	37	1	1	1	2	15	16	16
6-12 YRS	0									
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-27 DYS	0									
1-11 MOS	92	1.6	2	<1	1	1	2	3	4	9
1-5 YRS	88	1.4	1	<1	1	1	2	2	3	6
6-12 YRS	35	1.7	2	<1	1	1	2	4	5	7
13-19 YRS	32	1.9	2	1	1	2	2	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	13	1.3		<1	1	1	2	2	3	3
B. Operated	198	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	17	2.5	15	<1	1	1	2	6	13	16
B. Operated	247	1.6	2	<1	1	1	2	3	4	7
1. SINGLE DX	211	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	264	1.7	2	<1	1	1	2	3	4	9
A. Not Operated	30	2.0	9	<1	1	1	2	3	7	16
B. Operated	445	1.4	1	<1	1	1	1	2	3	6
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	153	1.5	1	<1	1	1	1	3	3	7
1-5 YRS	176	1.4	2	<1	<1	1	1	2	3	6
6-12 YRS	56	1.5	1	<1	1	1	1	3	4	7
13-19 YRS	88	1.5	1	<1	1	1	2	2	3	7
GRAND TOTAL	**475**	**1.5**	**2**	**<1**	**1**	**1**	**1**	**2**	**3**	**7**

252: Orchitis and epididymitis (604)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	41	2.6	2	1	1	2	4	5	5	7
13-19 YRS	108	3.8	5	1	2	4	5	6	7	12
B. Operated										
0-27 DYS	0									
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	7	2.0	2	<1	1	1	3	5	5	5
6-12 YRS	14	2.5	4	1	1	1	4	6	6	6
13-19 YRS	44	2.5	4	1	1	2	3	6	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	4	3.8	12	<1	<1	3	6	8	8	8
6-12 YRS	18	3.8	13	1	1	3	5	7	12	16
13-19 YRS	64	4.6	6	2	3	4	6	7	10	12
B. Operated										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	8	3.6	13	1	2	3	4	10	12	12
6-12 YRS	12	2.4	3	1	1	2	3	5	7	7
13-19 YRS	34	4.7	8	2	3	4	6	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	152	3.4	4	1	2	3	4	6	7	10
B. Operated	70	2.4	3	1	1	2	3	6	6	7
2. MULTIPLE DX										
A. Not Operated	87	4.4	7	1	3	4	6	7	9	15
B. Operated	59	4.0	9	1	2	3	5	9	12	13
1. SINGLE DX	222	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	146	4.2	8	1	2	4	6	8	11	13
A. Not Operated	239	3.8	5	1	2	4	5	6	7	13
B. Operated	129	3.1	7	1	1	2	4	6	8	12
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	10	2.2	2	1	1	2	2	4	6	6
1-5 YRS	22	3.0	7	<1	1	2	4	6	10	12
6-12 YRS	85	2.8	5	1	1	2	4	5	7	13
13-19 YRS	250	3.9	6	1	2	4	5	6	8	12
GRAND TOTAL	**368**	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**12**

253: Redundant prepuce and phimosis (605)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	1.3	1	< 1	< 1	< 1	1	3	3	3
1-11 MOS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	10	1.1		< 1	1	1	1	2	2	2
6-12 YRS	6	1.5	1	< 1	1	1	2	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	48	1.0		< 1	< 1	< 1	1	1	1	2
1-5 YRS	150	1.0		< 1	< 1	< 1	1	1	1	2
6-12 YRS	60	1.1		< 1	< 1	< 1	1	1	1	4
13-19 YRS	27	1.1		< 1	< 1	< 1	1	1	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	4.3	33	< 1	< 1	1	8	11	11	11
1-5 YRS	14	1.7	3	< 1	< 1	1	1	5	6	6
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	23	1.4	2	< 1	1	1	1	2	4	7
1-5 YRS	57	1.2		< 1	< 1	< 1	1	2	3	4
6-12 YRS	31	1.2		< 1	< 1	1	1	2	2	4
13-19 YRS	4	1.8		< 1	1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	28	1.3		< 1	< 1	1	1	2	3	3
B. Operated	285	1.0		< 1	< 1	< 1	1	1	1	2
2. MULTIPLE DX										
A. Not Operated	21	2.0	6	< 1	1	1	2	5	8	11
B. Operated	115	1.3	1	< 1	< 1	1	1	2	3	5
1. SINGLE DX	313	1.1		< 1	< 1	< 1	1	1	2	3
2. MULTIPLE DX	136	1.4	2	< 1	< 1	1	1	2	3	8
A. Not Operated	49	1.6	3	< 1	< 1	1	1	3	5	11
B. Operated	400	1.1		< 1	< 1	< 1	1	1	2	4
TOTAL										
0-27 DYS	10	1.3		< 1	< 1	< 1	1	2	3	3
1-11 MOS	76	1.3	2	< 1	< 1	< 1	1	1	2	10
1-5 YRS	231	1.1		< 1	< 1	< 1	1	1	2	4
6-12 YRS	100	1.2		< 1	< 1	1	1	2	2	4
13-19 YRS	32	1.2		< 1	< 1	< 1	1	2	2	2
GRAND TOTAL	**449**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**	**4**

254: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	3.3	10	1	1	2	5	8	8	8
1-11 MOS	10	2.3	2	< 1	1	2	3	4	5	5
1-5 YRS	41	1.8	1	< 1	1	2	2	3	4	4
6-12 YRS	39	1.6	1	1	1	1	2	3	4	4
13-19 YRS	29	1.8	1	1	1	1	2	3	5	6
B. Operated										
0-27 DYS	8	1.5	1	< 1	1	1	2	3	4	4
1-11 MOS	25	1.2		< 1	< 1	1	1	1	2	4
1-5 YRS	108	1.3	1	< 1	1	1	1	2	3	4
6-12 YRS	428	1.2		< 1	1	1	1	2	2	4
13-19 YRS	737	1.4	1	< 1	1	1	2	2	3	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	3.8	7	1	1	4	6	6	6	6
1-11 MOS	12	3.9	5	1	2	4	5	7	9	9
1-5 YRS	43	2.6	2	1	1	2	4	4	5	8
6-12 YRS	29	3.4	8	1	2	3	4	7	9	14
13-19 YRS	28	3.5	5	1	1	3	5	7	7	8
B. Operated										
0-27 DYS	16	2.2	4	1	1	1	3	4	7	9
1-11 MOS	34	2.4	6	< 1	1	1	3	6	8	10
1-5 YRS	72	2.3	10	< 1	1	1	2	4	6	20
6-12 YRS	156	1.8	4	< 1	1	1	2	3	5	13
13-19 YRS	244	2.5	22	1	1	1	2	4	7	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	123	1.8	1	< 1	1	1	2	3	4	7
B. Operated	1306	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX										
A. Not Operated	116	3.2	5	1	1	3	4	6	8	11
B. Operated	522	2.2	13	1	1	1	2	4	6	14
1. SINGLE DX	1429	1.4	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	638	2.4	12	1	1	1	3	5	7	14
A. Not Operated	239	2.5	3	1	1	2	3	5	6	8
B. Operated	1828	1.6	5	< 1	1	1	2	3	4	8
TOTAL										
0-27 DYS	32	2.3	5	1	1	1	3	6	8	9
1-11 MOS	81	2.2	4	< 1	1	1	3	5	7	10
1-5 YRS	264	1.8	4	< 1	1	1	2	3	4	11
6-12 YRS	652	1.4	2	< 1	1	1	1	2	3	7
13-19 YRS	1038	1.8	6	< 1	1	1	2	3	4	8
GRAND TOTAL	**2067**	**1.7**	**5**	**< 1**	**1**	**1**	**2**	**3**	**4**	**8**

255: Benign mammary dysplasias (610)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	23	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	3.2	9	1	1	2	4	7	11	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	23	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	14	3.2	9	1	1	2	4	7	11	12
1. SINGLE DX	23	1.3		< 1	< 1	< 1	1	2	3	3
2. MULTIPLE DX	14	3.2	9	1	1	2	4	7	11	12
A. Not Operated	0									
B. Operated	37	2.0	4	< 1	< 1	1	2	4	6	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	37	2.0	4	< 1	< 1	1	2	4	6	12
GRAND TOTAL	37	2.0	4	< 1	< 1	1	2	4	6	12

256: Miscellaneous diseases of breast (611)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	3.8	4	1	2	4	6	6	6	6
1-11 MOS	5	3.6	4	2	2	3	5	7	7	7
1-5 YRS	0									
6-12 YRS	5	5.8	8	2	3	6	8	9	9	9
13-19 YRS	19	2.9	3	1	1	3	4	5	6	6
B. Operated										
0-27 DYS	3	4.0	13	1	1	3	7	8	8	8
1-11 MOS	6	2.0	1	1	1	2	3	3	3	3
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	25	2.0	3	1	1	2	2	3	6	8
13-19 YRS	629	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	3.9	2	2	3	4	5	6	6	6
1-11 MOS	11	5.1	7	2	2	6	7	8	8	8
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	20	3.5	4	< 1	2	3	5	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	4	4.5	10	2	2	3	6	9	9	9
1-5 YRS	0									
6-12 YRS	3	2.0	1	< 1	< 1	2	3	3	3	3
13-19 YRS	184	2.3	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	35	3.6	4	1	2	3	5	6	8	9
B. Operated	666	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	40	4.1	5	1	2	4	6	7	8	8
B. Operated	191	2.3	3	1	1	2	3	4	5	9
1. SINGLE DX	701	2.0	1	1	1	2	3	3	4	7
2. MULTIPLE DX	231	2.6	3	1	1	2	3	5	6	8
A. Not Operated	75	3.8	5	1	2	3	6	7	8	9
B. Operated	857	2.0	1	1	1	2	3	3	4	6
TOTAL										
0-27 DYS	17	3.9	4	1	3	4	5	6	7	8
1-11 MOS	26	4.0	6	2	2	3	6	8	8	9
1-5 YRS	3	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	34	2.7	5	1	1	2	3	6	8	9
13-19 YRS	852	2.1	1	1	1	2	3	3	4	6
GRAND TOTAL	**932**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

257: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	39	1.8	1	1	1	2	2	3	4	6
13-19 YRS	606	1.8	1	1	1	1	2	3	4	6
B. Operated										
0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	7	4.9	20	1	2	3	6	13	14	14
1-5 YRS	4	3.0	2	2	2	3	4	5	5	5
6-12 YRS	34	3.2	2	2	2	3	4	5	6	7
13-19 YRS	754	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	31	2.3	1	1	2	2	3	4	4	5
13-19 YRS	424	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	3.9	3	1	3	4	5	7	7	7
1-5 YRS	6	3.7	1	3	3	4	4	5	5	5
6-12 YRS	27	3.6	2	2	3	3	5	6	7	8
13-19 YRS	766	3.7	4	1	3	3	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	646	1.8	1	1	1	1	2	3	4	6
B. Operated	803	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	458	2.2	2	1	1	2	3	4	5	7
B. Operated	809	3.8	4	1	3	3	5	6	7	11
1. SINGLE DX	1449	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1267	3.2	4	1	2	3	4	5	7	10
A. Not Operated	1104	2.0	2	1	1	2	2	3	4	7
B. Operated	1612	3.5	4	1	2	3	4	6	7	10
TOTAL										
0-27 DYS	5	4.2	6	2	3	3	6	8	8	8
1-11 MOS	18	4.6	11	1	3	4	6	9	12	14
1-5 YRS	12	3.0	2	1	2	3	4	5	5	5
6-12 YRS	131	2.7	2	1	2	2	3	5	6	7
13-19 YRS	2550	2.9	3	1	1	3	4	5	6	9
GRAND TOTAL	**2716**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

258: Pelvic inflammatory disease (614)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	17	3.9	6	1	2	3	5	7	10	11
13-19 YRS	1599	3.8	4	2	2	3	5	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	9	6.3	19	2	3	4	9	13	15	15
13-19 YRS	218	4.6	8	1	3	4	6	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	3	6.7	5	4	5	8	8	8	8	8
6-12 YRS	17	5.9	9	2	4	5	8	9	12	13
13-19 YRS	1480	4.3	6	2	3	4	5	7	9	14
B. Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	12	11.6	103	2	4	10	14	28	35	36
13-19 YRS	546	5.3	11	2	3	5	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1620	3.8	4	2	2	3	5	6	7	11
B. Operated	228	4.6	8	2	3	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated	1503	4.3	6	2	3	4	5	7	9	14
B. Operated	562	5.4	14	2	3	5	6	9	11	21
1. SINGLE DX	1848	3.9	5	2	2	3	5	6	8	12
2. MULTIPLE DX	2065	4.6	8	2	3	4	5	8	10	15
A. Not Operated	3123	4.0	5	2	3	4	5	7	8	13
B. Operated	790	5.2	12	2	3	4	6	9	11	19
TOTAL										
0-27 DYS	0									
1-11 MOS	6	4.7	2	3	4	4	5	7	7	7
1-5 YRS	9	3.9	7	1	2	4	5	8	8	8
6-12 YRS	55	6.6	36	2	3	5	9	12	16	35
13-19 YRS	3843	4.2	6	2	3	4	5	7	9	14
GRAND TOTAL	**3913**	**4.3**	**7**	**2**	**3**	**4**	**5**	**7**	**9**	**14**

259: Endometriosis (617)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	2.4	1	1	2	2	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	46	2.7	4	< 1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	3.8	7	1	2	3	4	8	10	10
B. Operated										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	117	3.3	4	1	2	3	4	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.4	1	1	2	2	3	4	5	5
B. Operated	47	2.7	4	< 1	1	2	4	5	6	10
2. MULTIPLE DX										
A. Not Operated	9	3.8	7	1	2	3	4	8	10	10
B. Operated	124	3.3	3	1	2	3	4	5	7	9
1. SINGLE DX	55	2.6	4	< 1	1	2	4	5	6	10
2. MULTIPLE DX	133	3.4	4	1	2	3	4	5	7	9
A. Not Operated	17	3.1	5	1	2	2	4	6	9	10
B. Operated	171	3.2	4	1	1	3	4	5	6	9
TOTAL										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	4	3.5	3	1	2	4	5	5	5	5
1-5 YRS	0									
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	180	3.1	4	1	1	3	4	5	7	10
GRAND TOTAL	**188**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

260: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	15	3.2	9	1	1	2	5	6	10	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	7	1.7	1	< 1	< 1	1	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	16	3.2	8	1	1	2	4	6	10	12
B. Operated	7	1.7	1	< 1	< 1	1	2	4	4	4
1. SINGLE DX	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX	23	2.7	7	< 1	1	2	4	5	8	12
A. Not Operated	19	3.0	7	1	1	2	4	6	9	12
B. Operated	8	1.6	1	< 1	< 1	1	2	3	4	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	25	2.6	6	1	1	2	4	5	7	12
GRAND TOTAL	**27**	**2.6**	**6**	**1**	**1**	**2**	**4**	**5**	**7**	**12**

261: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	7	2.6	2	1	1	3	4	4	4	4
6-12 YRS	6	2.5	2	< 1	1	2	3	5	5	5
13-19 YRS	58	3.3	2	2	2	3	4	6	6	7
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	4	1.5		< 1	< 1	1	2	2	2	2
13-19 YRS	68	2.1	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	8	5.8	11	2	3	6	8	10	10	10
1-5 YRS	17	5.9	21	2	3	3	10	12	15	16
6-12 YRS	8	2.4	3	< 1	1	2	3	5	6	6
13-19 YRS	94	3.7	4	2	3	3	4	6	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	4	11.8	173	2	3	7	20	31	31	31
1-5 YRS	4	3.5	25	1	1	1	6	11	11	11
6-12 YRS	3	6.0	28	2	2	4	10	12	12	12
13-19 YRS	39	3.6	8	< 1	1	3	5	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	3.2	2	1	2	3	4	5	6	7
B. Operated	75	2.0	3	< 1	1	1	2	4	5	9
2. MULTIPLE DX										
A. Not Operated	129	4.0	7	2	2	3	5	8	10	13
B. Operated	50	4.4	25	1	1	3	5	9	12	31
1. SINGLE DX	149	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX	179	4.1	12	1	2	3	5	9	10	15
A. Not Operated	203	3.7	5	2	2	3	4	6	9	12
B. Operated	125	3.0	13	< 1	1	2	3	7	9	17
TOTAL										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	14	7.0	57	2	2	5	9	12	27	31
1-5 YRS	30	4.5	17	1	2	3	5	11	12	16
6-12 YRS	21	2.8	6	< 1	1	2	3	5	9	12
13-19 YRS	259	3.2	4	1	2	3	4	6	8	10
GRAND TOTAL	**328**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**9**	**12**

262: Genital prolapse (618)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	14.5	145	6	6	14	23	23	23	23
13-19 YRS	3	5.0	3	4	4	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	2	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	10	6.0	38	2	3	4	6	15	23	23
1. SINGLE DX	5	1.2		< 1	< 1	1	1	2	2	2
2. MULTIPLE DX	10	6.0	38	2	3	4	6	15	23	23
A. Not Operated	3	1.3		< 1	< 1	1	2	2	2	2
B. Operated	12	5.2	35	1	2	4	5	12	21	23
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	3	10.0	133	< 1	1	6	19	23	23	23
13-19 YRS	4	4.0	6	< 1	2	4	6	7	7	7
GRAND TOTAL	**15**	**4.4**	**30**	**< 1**	**1**	**3**	**4**	**7**	**19**	**23**

263: Metrorrhagia and dysfunctional uterine hemorrhage (626.6; 626.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	33	1.8	2	1	1	1	2	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	30	1.3		< 1	< 1	1	2	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	2.8	4	< 1	1	2	4	6	7	7
13-19 YRS	75	2.4	3	1	1	2	3	4	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	8.3	85	2	3	4	11	24	26	26
13-19 YRS	68	2.5	3	1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	36	1.9	2	1	1	2	2	3	4	8
B. Operated	31	1.4	1	< 1	< 1	1	2	2	3	4
2. MULTIPLE DX										
A. Not Operated	85	2.4	3	1	1	2	3	4	6	11
B. Operated	74	2.9	11	1	1	2	3	5	7	22
1. SINGLE DX	67	1.7	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX	159	2.7	7	1	1	2	3	5	7	13
A. Not Operated	121	2.3	3	1	1	2	3	4	6	9
B. Operated	105	2.5	9	< 1	1	2	3	5	7	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	20	4.5	31	1	2	3	4	9	18	26
13-19 YRS	206	2.2	3	< 1	1	2	3	4	5	8
GRAND TOTAL	**226**	**2.4**	**6**	**< 1**	**1**	**2**	**3**	**4**	**6**	**11**

264: Other disorders of menstruation (626.0-626.5; 626.7; 626.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.0	3	1	1	1	3	5	5	5
13-19 YRS	19	1.4		1	1	1	2	2	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	26	1.5	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	2.1	1	< 1	1	2	3	3	3	3
13-19 YRS	68	2.1	2	1	1	2	2	3	4	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	4.3	3	2	3	4	5	6	6	6
13-19 YRS	49	2.4	2	1	1	2	3	5	5	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	24	1.5	1	1	1	1	2	2	4	5
B. Operated	27	1.6	1	< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	77	2.1	2	1	1	2	2	3	4	10
B. Operated	53	2.6	3	1	1	2	4	5	5	7
1. SINGLE DX	51	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	130	2.3	2	1	1	2	3	4	5	8
A. Not Operated	101	2.0	2	1	1	2	2	3	4	9
B. Operated	80	2.3	2	< 1	1	2	3	5	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	19	2.6	2	1	1	2	4	5	6	6
13-19 YRS	162	2.0	2	1	1	2	2	4	5	7
GRAND TOTAL	**181**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

265: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	0									
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. Not Operated	0									
B. Operated	1	1.0		1	1	1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	1	1.0		1	1	1	1	1	1	1

266: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	8	1.6	1	< 1	< 1	1	2	3	4	4
6-12 YRS	6	1.2		< 1	< 1	< 1	1	2	2	2
13-19 YRS	37	1.8	1	1	1	1	2	4	4	5
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	4	2.5	4	1	1	2	4	5	5	5
1-5 YRS	11	2.9	4	< 1	< 1	3	4	6	7	7
6-12 YRS	36	3.2	3	1	2	3	4	5	6	9
13-19 YRS	112	2.8	3	< 1	1	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	2.0	1	< 1	1	2	3	3	3	3
1-11 MOS	0									
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	10	2.4	4	< 1	1	2	4	6	7	7
13-19 YRS	41	2.6	4	1	1	2	3	4	6	11
B. Operated										
0-27 DYS	3	7.3	44	3	3	4	12	15	15	15
1-11 MOS	9	3.1	4	1	1	3	4	6	7	7
1-5 YRS	21	5.0	26	1	2	3	5	12	19	22
6-12 YRS	46	4.6	11	2	3	4	5	9	9	22
13-19 YRS	183	4.1	14	1	2	4	5	6	8	20
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	54	1.7	1	< 1	1	1	2	4	4	5
B. Operated	164	2.9	3	< 1	1	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated	57	2.5	3	1	1	2	3	4	6	11
B. Operated	262	4.3	14	1	2	4	5	7	9	22
1. SINGLE DX	218	2.6	3	< 1	1	2	4	5	6	8
2. MULTIPLE DX	319	3.9	13	1	2	3	5	6	9	22
A. Not Operated	111	2.1	2	< 1	1	2	3	4	5	9
B. Operated	426	3.7	10	1	2	3	5	6	8	17
TOTAL										
0-27 DYS	9	3.6	20	< 1	1	2	3	11	15	15
1-11 MOS	15	2.7	4	1	1	2	4	5	7	7
1-5 YRS	42	3.7	16	< 1	1	3	4	6	12	22
6-12 YRS	98	3.7	8	1	2	3	5	6	9	16
13-19 YRS	373	3.3	9	1	1	3	4	6	7	12
GRAND TOTAL	537	3.4	9	1	1	3	4	6	7	15

267: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	19	1.8	1	< 1	1	2	2	3	4	5
13-19 YRS	231	1.7	1	1	1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	3.7	17	< 1	< 1	2	3	11	12	12
13-19 YRS	100	2.2	3	< 1	< 1	1	3	4	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	13	1.6	1	< 1	1	1	2	3	3	3
13-19 YRS	187	2.2	5	1	1	2	3	3	5	8
B. Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	8.0		8	8	54	99 +	99 +	99 +	99 +
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	6	4.3	5	1	3	4	6	7	7	7
13-19 YRS	142	3.1	8	1	1	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	250	1.7	1	1	1	1	2	3	4	7
B. Operated	106	2.3	4	< 1	< 1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	200	2.2	5	1	1	2	3	3	5	8
B. Operated	151	3.2	8	1	1	3	4	6	8	25
1. SINGLE DX	356	1.9	2	< 1	1	1	2	4	4	8
2. MULTIPLE DX	351	2.6	7	1	1	2	3	5	6	13
A. Not Operated	450	1.9	3	1	1	1	2	3	4	8
B. Operated	257	2.8	6	< 1	1	2	4	6	8	13
TOTAL										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	1	8.0		8	8	54	99 +	99 +	99 +	99 +
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	44	2.4	4	< 1	1	2	3	5	6	12
13-19 YRS	660	2.2	4	< 1	1	2	3	4	5	9
GRAND TOTAL	**707**	**2.2**	**4**	**< 1**	**1**	**2**	**3**	**4**	**5**	**10**

268: Ectopic pregnancy (633)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	2.1	4	< 1	1	1	3	4	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	362	3.4	2	2	3	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	2.2	2	< 1	1	1	3	4	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	372	3.9	2	2	3	4	4	6	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	2.1	4	< 1	1	1	3	4	7	9
B. Operated	363	3.4	2	2	3	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	13	2.2	2	< 1	1	1	3	4	5	5
B. Operated	372	3.9	2	2	3	4	4	6	6	9
1. SINGLE DX	383	3.4	2	2	3	3	4	5	6	7
2. MULTIPLE DX	385	3.8	2	2	3	4	4	6	6	9
A. Not Operated	33	2.2	3	< 1	1	1	3	4	5	9
B. Operated	735	3.7	2	2	3	4	4	5	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	767	3.6	2	2	3	4	4	5	6	8
GRAND TOTAL	**768**	**3.6**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	**8**

269: Legally induced abortion (635)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	324	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	34	2.5	4	1	1	2	3	5	7	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	379	1.5	2	< 1	< 1	< 1	1	2	4	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	20	1.7	1	< 1	< 1	1	2	3	4	5
B. Operated	324	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX										
A. Not Operated	34	2.5	4	1	1	2	3	5	7	9
B. Operated	379	1.5	2	< 1	< 1	< 1	1	2	4	10
1. SINGLE DX	344	1.3		< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	413	1.5	3	< 1	< 1	< 1	1	2	4	9
A. Not Operated	54	2.2	3	< 1	1	2	2	5	6	9
B. Operated	703	1.4	1	< 1	< 1	< 1	1	2	3	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	757	1.4	2	< 1	< 1	< 1	1	2	3	8
GRAND TOTAL	**757**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

270: Other induced abortion (636)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	0									
1. SINGLE DX	0									
2. MULTIPLE DX	0									
A. Not Operated	0									
B. Operated	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**0**									

271: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	311	1.4	1	< 1	< 1	1	1	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1842	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	96	2.0	2	< 1	1	1	3	4	5	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	440	1.9	2	1	1	1	2	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	311	1.4	1	< 1	< 1	1	1	2	3	4
B. Operated	1842	1.2	1	< 1	< 1	1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	97	2.0	2	< 1	1	1	2	4	5	9
B. Operated	440	1.9	2	1	1	1	2	4	4	6
1. SINGLE DX	2153	1.2	1	< 1	< 1	1	1	2	3	4
2. MULTIPLE DX	537	1.9	2	1	1	1	2	4	4	7
A. Not Operated	408	1.5	1	< 1	1	1	2	3	4	6
B. Operated	2282	1.4	1	< 1	1	1	1	2	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2689	1.4	1	< 1	1	1	1	2	3	5
GRAND TOTAL	**2690**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**	**5**

272: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	147	2.3	2	< 1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	302	1.5	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	109	3.0	4	1	2	2	4	6	8	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	185	2.5	4	1	1	2	3	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	147	2.3	2	< 1	1	2	3	4	5	6
B. Operated	302	1.5	1	< 1	1	1	2	2	3	6
2. MULTIPLE DX										
A. Not Operated	109	3.0	4	1	2	2	4	6	8	10
B. Operated	185	2.5	4	1	1	2	3	5	6	11
1. SINGLE DX	449	1.7	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	294	2.7	4	1	1	2	3	5	7	11
A. Not Operated	256	2.6	3	1	1	2	3	5	6	8
B. Operated	487	1.9	2	< 1	1	1	2	4	5	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	743	2.1	3	< 1	1	2	3	4	5	8
GRAND TOTAL	**743**	**2.1**	**3**	**< 1**	**1**	**2**	**3**	**4**	**5**	**8**

273: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	227	1.6	1	< 1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	17	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	102	2.0	2	< 1	1	2	2	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	3.0	8	< 1	1	2	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	1.6	1	< 1	1	1	2	3	4	5
B. Operated	17	1.5	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	102	2.0	2	< 1	1	2	2	4	5	7
B. Operated	6	3.0	8	< 1	1	2	6	7	7	7
1. SINGLE DX	244	1.6	1	< 1	1	1	2	3	4	5
2. MULTIPLE DX	108	2.1	2	< 1	1	2	2	4	5	7
A. Not Operated	329	1.7	1	< 1	1	1	2	3	4	5
B. Operated	23	1.9	3	< 1	1	1	2	5	6	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	352	1.8	1	< 1	1	1	2	3	4	6
GRAND TOTAL	**352**	**1.8**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**	**6**

274: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	26	1.4	1	< 1	1	1	1	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	2.4	5	< 1	1	2	3	6	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	1.4	1	< 1	1	1	1	3	4	5
B. Operated	3	1.0		< 1	< 1	< 1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated	16	2.4	5	< 1	1	2	3	6	8	9
B. Operated	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	29	1.4	1	< 1	1	1	1	3	3	5
2. MULTIPLE DX	17	2.3	5	< 1	1	1	3	6	8	9
A. Not Operated	42	1.8	3	< 1	1	1	2	4	5	9
B. Operated	4	1.0		< 1	< 1	< 1	1	1	1	1
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	46	1.7	2	< 1	1	1	2	3	5	9
GRAND TOTAL	**46**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**	**9**

275: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	472	2.6	4	1	1	2	3	5	6	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	63	2.9	6	1	1	2	3	7	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	197	3.0	12	1	2	2	3	5	7	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	58	2.9	6	< 1	1	2	4	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	473	2.6	4	1	1	2	3	4	6	10
B. Operated	63	2.9	6	1	1	2	3	7	8	12
2. MULTIPLE DX										
A. Not Operated	197	3.0	12	1	2	2	3	5	7	16
B. Operated	58	2.9	6	< 1	1	2	4	7	8	12
1. SINGLE DX	536	2.7	4	1	1	2	3	5	7	11
2. MULTIPLE DX	255	3.0	10	1	1	2	3	6	7	16
A. Not Operated	670	2.7	6	1	2	2	3	5	6	14
B. Operated	121	2.9	6	< 1	1	2	3	7	8	12
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	790	2.8	6	1	1	2	3	5	7	13
GRAND TOTAL	**791**	**2.8**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

276: Excessive vomiting in pregnancy (643 with 5th digit 0, 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	736	2.9	3	1	2	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	3.8	8	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	584	3.2	7	1	2	3	4	6	7	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	24	4.0	22	1	1	3	5	7	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	736	2.9	3	1	2	3	4	5	6	9
B. Operated	4	3.8	8	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. Not Operated	584	3.2	7	1	2	3	4	6	7	13
B. Operated	24	4.0	22	1	1	3	5	7	12	24
1. SINGLE DX	740	2.9	3	1	2	3	4	5	6	9
2. MULTIPLE DX	608	3.3	8	1	2	3	4	6	7	13
A. Not Operated	1320	3.1	5	1	2	3	4	5	7	11
B. Operated	28	4.0	20	1	1	3	5	7	10	24
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1348	3.1	5	1	2	3	4	5	7	11
GRAND TOTAL	**1348**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**11**

277: False labor (644.10; 644.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1523	1.1		<1	<1	<1	1	1	2	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	519	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	203	1.6	3	<1	<1	1	2	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	78	1.3	1	<1	<1	1	1	2	3	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1523	1.1		<1	<1	<1	1	1	2	3
B. Operated	519	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. Not Operated	203	1.6	3	<1	<1	1	2	3	4	8
B. Operated	78	1.3	1	<1	<1	1	1	2	3	6
1. SINGLE DX	2042	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	281	1.5	2	<1	<1	1	1	3	3	8
A. Not Operated	1726	1.1	1	<1	<1	<1	1	1	2	4
B. Operated	597	1.2	1	<1	<1	<1	1	1	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2323	1.2	1	<1	<1	<1	1	1	2	4
GRAND TOTAL	**2323**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

278: Placenta previa without delivery (641.03; 641.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	2.8	10	<1	1	2	3	6	8	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5	3.8	3	2	3	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	32	3.1	7	1	1	2	4	7	10	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	12.3	178	1	1	8	22	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	2.8	10	<1	1	2	3	6	8	18
B. Operated	5	3.8	3	2	3	3	5	6	6	6
2. MULTIPLE DX										
A. Not Operated	32	3.1	7	1	1	2	4	7	10	12
B. Operated	6	12.3	178	1	1	8	22	32	33	33
1. SINGLE DX	67	2.9	10	<1	1	2	3	6	7	18
2. MULTIPLE DX	38	4.6	42	1	1	2	4	11	19	33
A. Not Operated	94	2.9	9	1	1	2	3	6	9	18
B. Operated	11	8.5	110	1	2	3	13	26	32	33
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	105	3.5	22	1	1	2	3	7	13	27
GRAND TOTAL	**105**	**3.5**	**22**	**1**	**1**	**2**	**3**	**7**	**13**	**27**

279: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	197	1.7	3	< 1	1	1	2	3	4	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	40	2.3	8	< 1	< 1	1	2	5	10	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	123	2.9	7	< 1	1	2	4	7	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	5.0	83	< 1	1	2	4	9	25	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	197	1.7	3	< 1	1	1	2	3	4	10
B. Operated	40	2.3	8	< 1	< 1	1	2	5	10	14
2. MULTIPLE DX										
A. Not Operated	123	2.9	7	< 1	1	2	4	7	8	13
B. Operated	21	5.0	83	< 1	1	2	4	9	25	43
1. SINGLE DX	237	1.8	4	< 1	1	1	2	3	4	13
2. MULTIPLE DX	144	3.2	18	< 1	1	2	4	7	9	19
A. Not Operated	320	2.1	5	< 1	1	1	2	4	6	12
B. Operated	61	3.2	35	< 1	< 1	1	3	8	10	40
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	381	2.3	10	< 1	1	1	2	5	7	14
GRAND TOTAL	**381**	**2.3**	**10**	**< 1**	**1**	**1**	**2**	**5**	**7**	**14**

280: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	401	2.7	2	1	1	2	4	5	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	41	2.1	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1378	3.2	3	1	2	3	4	5	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	160	3.3	7	< 1	1	3	4	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	2.7	2	1	1	2	4	5	5	7
B. Operated	41	2.1	3	< 1	< 1	1	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	1378	3.2	3	1	2	3	4	5	6	9
B. Operated	160	3.3	7	< 1	1	3	4	6	7	10
1. SINGLE DX	443	2.6	2	1	1	2	4	5	5	7
2. MULTIPLE DX	1538	3.2	4	1	2	3	4	5	6	10
A. Not Operated	1780	3.1	3	1	2	3	4	5	6	9
B. Operated	201	3.0	6	< 1	1	2	4	6	7	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1980	3.1	3	1	2	3	4	5	6	9
GRAND TOTAL	**1981**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Maternal conditions classifiable elsewhere complicating pregnancy, without delivery (647-648 with 5th digit 3, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	133	2.7	5	< 1	1	2	3	5	7	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	18	2.7	20	< 1	< 1	1	3	4	14	20
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1134	3.0	10	< 1	1	2	4	6	8	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	191	3.2	9	< 1	1	2	4	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	133	2.7	5	< 1	1	2	3	5	7	12
B. Operated	18	2.7	20	< 1	< 1	1	3	4	14	20
2. MULTIPLE DX										
A. Not Operated	1134	3.0	10	< 1	1	2	4	6	8	16
B. Operated	191	3.2	9	< 1	1	2	4	8	10	14
1. SINGLE DX	151	2.7	6	< 1	1	2	3	5	7	12
2. MULTIPLE DX	1325	3.0	10	< 1	1	2	4	6	8	15
A. Not Operated	1267	3.0	10	< 1	1	2	4	6	8	15
B. Operated	209	3.1	10	< 1	1	2	4	8	10	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1476	3.0	10	< 1	1	2	4	6	8	15
GRAND TOTAL	**1476**	**3.0**	**10**	**< 1**	**1**	**2**	**4**	**6**	**8**	**15**

282: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2482	2.0	5	< 1	1	1	2	4	5	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	926	2.2	8	< 1	< 1	1	2	4	6	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	5	< 1	< 1	2	4	4	4	4
13-19 YRS	1550	2.9	16	< 1	1	2	3	5	8	20
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	719	2.8	13	< 1	1	2	3	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2483	2.0	5	< 1	1	1	2	4	5	11
B. Operated	926	2.2	8	< 1	< 1	1	2	4	6	17
2. MULTIPLE DX										
A. Not Operated	1552	2.9	16	< 1	1	2	3	5	8	20
B. Operated	719	2.8	13	< 1	1	2	3	6	8	16
1. SINGLE DX	3409	2.0	6	< 1	< 1	1	2	4	5	12
2. MULTIPLE DX	2271	2.9	15	< 1	1	2	3	6	8	20
A. Not Operated	4035	2.3	10	< 1	1	1	3	4	6	13
B. Operated	1645	2.5	10	< 1	< 1	1	3	5	7	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.0	3	< 1	1	4	4	4	4	4
13-19 YRS	5677	2.4	10	< 1	1	1	3	4	6	14
GRAND TOTAL	**5680**	**2.4**	**10**	**< 1**	**1**	**1**	**3**	**4**	**6**	**14**

283: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	308	2.3	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	169	2.8	2	2	2	3	3	4	5	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	583	2.3	1	1	2	2	3	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	978	3.2	10	2	2	3	4	5	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	308	2.3	1	1	2	2	3	3	4	5
B. Operated	169	2.8	2	2	2	3	3	4	5	13
2. MULTIPLE DX										
A. Not Operated	583	2.3	1	1	2	2	3	3	4	6
B. Operated	978	3.2	10	2	2	3	4	5	7	13
1. SINGLE DX	477	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX	1561	2.9	7	1	2	2	3	4	5	12
A. Not Operated	891	2.3	1	1	2	2	3	3	4	6
B. Operated	1147	3.1	9	2	2	3	4	5	6	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2038	2.8	6	1	2	2	3	4	5	11
GRAND TOTAL	**2038**	**2.8**	**6**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

284: Normal delivery (650)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	11712	2.0	1	1	2	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	5542	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	542	2.2	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	436	2.1	1	1	2	2	3	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11714	2.0	1	1	2	2	2	3	3	4
B. Operated	5542	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	542	2.2	1	1	2	2	3	3	4	5
B. Operated	436	2.1	1	1	2	2	3	3	3	4
1. SINGLE DX	17256	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX	978	2.2	1	1	2	2	3	3	4	5
A. Not Operated	12256	2.1	1	1	2	2	2	3	3	4
B. Operated	5978	2.1	1	1	2	2	2	3	3	4
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	18232	2.1	1	1	2	2	2	3	3	4
GRAND TOTAL	**18234**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

285: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	8	2.9	3	<1	2	2	4	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	3.4	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	3.3	8	1	1	2	5	8	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	51	8.1	64	3	4	5	8	20	23	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	2.9	3	<1	2	2	4	5	6	6
B. Operated	16	3.4	1	2	2	3	4	5	6	6
2. MULTIPLE DX										
A. Not Operated	10	3.3	8	1	1	2	5	8	9	9
B. Operated	51	8.1	64	3	4	5	8	20	23	43
1. SINGLE DX	24	3.3	2	2	2	3	4	5	6	6
2. MULTIPLE DX	61	7.3	58	2	3	5	8	16	23	42
A. Not Operated	18	3.1	5	1	2	2	4	7	8	9
B. Operated	67	7.0	53	2	3	5	7	14	22	41
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	85	6.2	45	2	3	4	6	12	22	39
GRAND TOTAL	**85**	**6.2**	**45**	**2**	**3**	**4**	**6**	**12**	**22**	**39**

286: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	33	2.2	2	1	1	2	3	4	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	51	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	65	2.5	4	1	2	2	3	4	5	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	298	4.1	9	1	2	4	5	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	33	2.2	2	1	1	2	3	4	6	6
B. Operated	51	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	65	2.5	4	1	2	2	3	4	5	14
B. Operated	298	4.1	9	1	2	4	5	6	8	19
1. SINGLE DX	84	2.8	2	1	2	2	4	5	5	7
2. MULTIPLE DX	363	3.8	8	1	2	3	4	6	7	18
A. Not Operated	98	2.4	3	1	1	2	3	4	5	11
B. Operated	349	3.9	8	1	2	4	5	6	7	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	447	3.6	7	1	2	3	4	6	7	17
GRAND TOTAL	**447**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**17**

287: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, 4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	19	1.9		1	2	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	151	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	15	2.6	4	1	1	2	3	4	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	126	2.3	2	1	2	2	3	3	4	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	19	1.9		1	2	2	2	3	3	3
B. Operated	151	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	15	2.6	4	1	1	2	3	4	8	9
B. Operated	126	2.3	2	1	2	2	3	3	4	9
1. SINGLE DX	170	2.0	1	1	2	2	3	3	3	4
2. MULTIPLE DX	141	2.4	2	1	2	2	3	3	5	9
A. Not Operated	34	2.2	2	1	2	2	3	3	4	9
B. Operated	277	2.2	1	1	2	2	3	3	3	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	311	2.2	1	1	2	2	3	3	3	8
GRAND TOTAL	**311**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	**8**

288: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	77	2.1	1	1	2	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	59	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	70	2.6	4	1	2	2	3	4	4	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	96	2.9	7	1	2	2	3	4	7	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.1	1	1	2	2	2	3	3	4
B. Operated	59	2.2	1	1	2	2	3	3	4	5
2. MULTIPLE DX										
A. Not Operated	70	2.6	4	1	2	2	3	4	4	15
B. Operated	96	2.9	7	1	2	2	3	4	7	17
1. SINGLE DX	136	2.1	1	1	2	2	3	3	4	4
2. MULTIPLE DX	166	2.8	6	1	2	2	3	4	6	18
A. Not Operated	147	2.3	2	1	2	2	3	3	4	5
B. Operated	155	2.7	5	1	2	2	3	4	6	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	302	2.5	4	1	2	2	3	3	4	12
GRAND TOTAL	**302**	**2.5**	**4**	**1**	**2**	**2**	**3**	**3**	**4**	**12**

289: Multiple pregnancy, delivered (651 with 5th digit 0, 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	3.1	5	1	2	3	3	5	9	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	14	3.4	7	2	2	3	3	6	11	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	27	2.7	1	2	2	3	3	4	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	144	5.6	33	2	3	4	5	10	17	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	3.1	5	1	2	3	3	5	9	10
B. Operated	14	3.4	7	2	2	3	3	6	11	12
2. MULTIPLE DX										
A. Not Operated	27	2.7	1	2	2	3	3	4	4	5
B. Operated	144	5.6	33	2	3	4	5	10	17	34
1. SINGLE DX	28	3.2	6	1	2	3	3	5	10	12
2. MULTIPLE DX	171	5.2	29	2	3	4	5	9	14	33
A. Not Operated	41	2.8	2	1	2	3	3	4	5	10
B. Operated	158	5.4	31	2	3	4	5	10	15	34
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	199	4.9	26	2	2	4	5	9	14	32
GRAND TOTAL	**199**	**4.9**	**26**	**2**	**2**	**4**	**5**	**9**	**14**	**32**

290: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	2.1	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	539	3.8	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	21	1.7	1	1	1	2	2	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	681	4.6	5	3	4	4	5	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.1	1	1	1	2	3	4	4	4
B. Operated	540	3.8	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	21	1.7	1	1	1	2	2	3	4	4
B. Operated	682	4.6	5	3	4	4	5	6	8	14
1. SINGLE DX	561	3.7	1	3	3	4	4	5	5	7
2. MULTIPLE DX	703	4.5	5	3	3	4	5	6	8	13
A. Not Operated	42	1.9	1	1	1	2	2	3	4	4
B. Operated	1222	4.2	3	3	3	4	5	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	1262	4.1	4	3	3	4	5	6	7	11
GRAND TOTAL	**1264**	**4.1**	**4**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

291: Other fetal dystocia, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	131	2.0		1	2	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	302	2.9	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	113	2.2	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1272	3.7	6	2	2	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	131	2.0		1	2	2	2	3	3	3
B. Operated	302	2.9	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	113	2.2	1	1	2	2	3	3	4	5
B. Operated	1273	3.7	6	2	2	3	4	6	7	11
1. SINGLE DX	433	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX	1386	3.6	6	2	2	3	4	5	7	10
A. Not Operated	244	2.1	1	1	2	2	3	3	3	4
B. Operated	1575	3.6	5	2	2	3	4	5	6	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1818	3.4	5	2	2	3	4	5	6	9
GRAND TOTAL	**1819**	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

292: Fetopelvic disproportion, delivered (653; 660.1 all with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	2.7	1	1	2	3	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	563	4.2	1	3	4	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	3.8	1	2	3	4	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	2356	4.8	4	3	4	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	2.7	1	1	2	3	3	4	4	4
B. Operated	564	4.2	1	3	4	4	5	5	6	7
2. MULTIPLE DX										
A. Not Operated	10	3.8	1	2	3	4	5	5	5	5
B. Operated	2358	4.8	4	3	4	4	5	7	8	12
1. SINGLE DX	575	4.2	1	3	4	4	5	5	6	7
2. MULTIPLE DX	2368	4.8	4	3	4	4	5	7	8	12
A. Not Operated	21	3.2	1	2	3	3	4	5	5	5
B. Operated	2922	4.7	3	3	4	4	5	6	8	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	2940	4.7	3	3	4	4	5	6	8	11
GRAND TOTAL	**2943**	**4.7**	**3**	**3**	**4**	**4**	**5**	**6**	**8**	**11**

293: Uterine inertia, delivered (661.0-661.2 with 5th digit 0, 1; 662.0-662.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	283	2.2	1	1	2	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	610	3.3	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	265	2.5	2	1	2	2	3	4	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1740	4.0	4	2	2	4	5	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	283	2.2	1	1	2	2	3	3	4	4
B. Operated	610	3.3	2	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	265	2.5	2	1	2	2	3	4	4	5
B. Operated	1740	4.0	4	2	2	4	5	6	7	11
1. SINGLE DX	893	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX	2005	3.8	4	2	2	3	5	6	7	11
A. Not Operated	548	2.4	1	1	2	2	3	3	4	5
B. Operated	2350	3.8	4	2	2	4	5	6	7	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2898	3.5	4	2	2	3	4	6	7	11
GRAND TOTAL	**2898**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

294: Other prolonged labor, delivered (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	31	2.0	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	118	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	45	3.0	13	1	2	2	3	5	8	24
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	297	4.0	7	2	3	4	5	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	31	2.0	1	1	1	2	2	3	3	4
B. Operated	118	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. Not Operated	45	3.0	13	1	2	2	3	5	8	24
B. Operated	297	4.0	7	2	3	4	5	6	7	12
1. SINGLE DX	149	3.0	2	1	2	3	4	5	6	6
2. MULTIPLE DX	342	3.9	7	2	3	4	5	6	7	12
A. Not Operated	76	2.6	8	1	2	2	3	4	5	21
B. Operated	415	3.8	5	2	3	4	5	6	6	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	491	3.6	6	1	2	3	5	5	6	11
GRAND TOTAL	**491**	**3.6**	**6**	**1**	**2**	**3**	**5**	**5**	**6**	**11**

295: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	48	2.1	1	1	2	2	3	3	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	856	3.8	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	28	2.2	1	1	2	2	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	829	4.2	4	3	3	4	5	6	6	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.1	1	1	2	2	3	3	4	4
B. Operated	856	3.8	1	3	3	4	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	28	2.2	1	1	2	2	2	3	4	6
B. Operated	829	4.2	4	3	3	4	5	6	6	9
1. SINGLE DX	904	3.7	1	2	3	4	4	5	5	7
2. MULTIPLE DX	857	4.1	4	3	3	4	5	6	6	9
A. Not Operated	76	2.1	1	1	2	2	2	3	4	6
B. Operated	1685	4.0	3	3	3	4	5	5	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1761	3.9	3	2	3	4	5	5	6	8
GRAND TOTAL	**1761**	**3.9**	**3**	**2**	**3**	**4**	**5**	**5**	**6**	**8**

296: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	409	2.5	1	1	2	2	3	4	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	406	2.6	4	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	427	3.3	13	2	2	3	3	5	7	20
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1425	3.9	15	2	2	3	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	409	2.5	1	1	2	2	3	4	4	5
B. Operated	406	2.6	4	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. Not Operated	428	3.3	13	2	2	3	3	5	7	20
B. Operated	1425	3.9	15	2	2	3	4	6	8	18
1. SINGLE DX	815	2.5	2	1	2	2	3	4	4	5
2. MULTIPLE DX	1853	3.7	14	2	2	3	4	6	8	19
A. Not Operated	837	2.9	8	2	2	3	3	4	5	12
B. Operated	1831	3.6	12	2	2	3	4	6	7	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2667	3.4	11	2	2	3	4	5	7	16
GRAND TOTAL	**2668**	**3.4**	**11**	**2**	**2**	**3**	**4**	**5**	**7**	**16**

297: Umbilical cord complication (663 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1359	2.0	1	1	2	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1326	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	555	2.2	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1253	2.4	2	1	2	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1359	2.0	1	1	2	2	2	3	3	4
B. Operated	1327	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	555	2.2	1	1	2	2	3	3	4	5
B. Operated	1254	2.4	2	1	2	2	3	4	4	7
1. SINGLE DX	2686	2.1	1	1	2	2	2	3	3	4
2. MULTIPLE DX	1809	2.3	2	1	2	2	3	4	4	6
A. Not Operated	1914	2.1	1	1	2	2	3	3	3	4
B. Operated	2581	2.2	1	1	2	2	3	3	4	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	4493	2.2	1	1	2	2	3	3	4	5
GRAND TOTAL	**4495**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**5**

298: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	365	1.9	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3394	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	232	2.3	2	1	2	2	3	3	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2189	2.2	2	1	2	2	3	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	366	1.9	1	1	1	2	2	3	3	4
B. Operated	3395	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	232	2.3	2	1	2	2	3	3	4	8
B. Operated	2189	2.2	2	1	2	2	3	3	4	6
1. SINGLE DX	3761	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	2421	2.2	2	1	2	2	3	3	4	6
A. Not Operated	598	2.1	1	1	1	2	2	3	4	6
B. Operated	5584	2.1	1	1	1	2	2	3	3	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	6180	2.1	1	1	1	2	2	3	3	5
GRAND TOTAL	**6182**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

299: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0, 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	158	2.1		1	2	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2263	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	78	2.5	1	1	2	2	3	4	4	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1973	2.5	2	1	2	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	159	2.1		1	2	2	3	3	3	4
B. Operated	2265	2.2	1	1	2	2	3	3	3	4
2. MULTIPLE DX										
A. Not Operated	78	2.5	1	1	2	2	3	4	4	8
B. Operated	1974	2.5	2	1	2	2	3	4	4	7
1. SINGLE DX	2424	2.1	1	1	2	2	3	3	3	4
2. MULTIPLE DX	2052	2.5	2	1	2	2	3	4	4	7
A. Not Operated	237	2.2	1	1	2	2	3	3	4	7
B. Operated	4239	2.3	1	1	2	2	3	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	2.5		2	2	2	3	3	3	3
13-19 YRS	4472	2.3	1	1	2	2	3	3	4	6
GRAND TOTAL	**4476**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

300: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	168	1.9	1	1	1	2	2	3	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1020	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	108	2.2	1	1	2	2	3	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	896	2.4	3	1	2	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	168	1.9	1	1	1	2	2	3	3	4
B. Operated	1020	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
A. Not Operated	108	2.2	1	1	2	2	3	3	4	5
B. Operated	896	2.4	3	1	2	2	3	3	4	7
1. SINGLE DX	1188	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX	1004	2.4	3	1	2	2	3	3	4	7
A. Not Operated	276	2.0	1	1	2	2	2	3	3	5
B. Operated	1916	2.2	2	1	2	2	3	3	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2192	2.2	2	1	2	2	3	3	4	6
GRAND TOTAL	**2192**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

301: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	2336	2.3	2	1	2	2	3	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4742	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2232	2.7	4	1	2	2	3	4	6	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	4.4	8	1	2	5	6	8	8	8
13-19 YRS	10046	3.6	9	2	2	3	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2337	2.3	2	1	2	2	3	3	4	7
B. Operated	4742	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	2234	2.7	4	1	2	2	3	4	6	9
B. Operated	10051	3.6	9	2	2	3	4	6	8	14
1. SINGLE DX	7079	2.5	2	1	2	2	3	4	5	7
2. MULTIPLE DX	12285	3.4	8	1	2	3	4	6	8	14
A. Not Operated	4571	2.5	3	1	2	2	3	4	5	8
B. Operated	14793	3.3	7	1	2	3	4	6	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	8	5.3	21	1	2	4	7	13	15	15
13-19 YRS	19356	3.1	6	1	2	3	4	5	7	12
GRAND TOTAL	**19364**	**3.1**	**6**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

302: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	111	3.1	2	1	2	3	4	5	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	5.5	27	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	141	3.8	5	2	2	3	4	6	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	16	4.6	6	2	3	4	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	3.1	2	1	2	3	4	5	7	8
B. Operated	4	5.5	27	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. Not Operated	141	3.8	5	2	2	3	4	6	7	14
B. Operated	16	4.6	6	2	3	4	6	8	9	9
1. SINGLE DX	115	3.2	3	1	2	3	4	5	7	10
2. MULTIPLE DX	157	3.8	5	2	2	3	4	6	8	14
A. Not Operated	252	3.5	4	2	2	3	4	6	7	12
B. Operated	20	4.8	9	1	2	4	7	9	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	272	3.6	4	2	2	3	4	6	7	12
GRAND TOTAL	**272**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

303: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	1.1		< 1	1	1	1	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	39	1.5	1	< 1	< 1	1	2	2	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	2.5	1	1	2	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	51	2.7	6	1	1	2	3	5	6	17
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	1.1		< 1	1	1	1	2	2	2
B. Operated	39	1.5	1	< 1	< 1	1	2	2	4	4
2. MULTIPLE DX										
A. Not Operated	12	2.5	1	1	2	2	3	4	4	4
B. Operated	51	2.7	6	1	1	2	3	5	6	17
1. SINGLE DX	50	1.4	1	< 1	1	1	2	2	4	4
2. MULTIPLE DX	63	2.6	5	1	1	2	3	4	6	16
A. Not Operated	23	1.8	1	< 1	1	1	3	3	4	4
B. Operated	90	2.1	4	< 1	1	2	2	4	5	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	113	2.1	4	< 1	1	2	2	4	4	11
GRAND TOTAL	**113**	**2.1**	**4**	**< 1**	**1**	**2**	**2**	**4**	**4**	**11**

304: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	62	3.5	6	1	2	3	4	6	10	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	81	2.5	5	1	1	2	3	4	8	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	52	3.8	7	1	2	3	5	8	9	12
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	69	3.3	9	1	2	2	4	6	11	16
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	62	3.5	6	1	2	3	4	6	10	12
B. Operated	81	2.5	5	1	1	2	3	4	8	12
2. MULTIPLE DX										
A. Not Operated	52	3.8	7	1	2	3	5	8	9	12
B. Operated	70	3.3	9	1	2	2	4	6	11	16
1. SINGLE DX	143	2.9	6	1	2	2	3	5	9	12
2. MULTIPLE DX	122	3.5	8	1	2	3	4	7	10	15
A. Not Operated	114	3.6	6	1	2	3	4	7	10	12
B. Operated	151	2.9	7	1	1	2	3	5	10	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	264	3.2	7	1	2	2	4	6	10	12
GRAND TOTAL	**265**	**3.2**	**7**	**1**	**2**	**2**	**4**	**6**	**10**	**12**

305: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	23	3.2	2	2	2	3	3	6	6	6
1-11 MOS	191	3.6	4	2	2	3	4	6	7	11
1-5 YRS	644	3.2	4	1	2	3	4	6	7	10
6-12 YRS	610	3.2	3	2	2	3	4	5	6	10
13-19 YRS	509	3.5	4	2	2	3	4	6	7	11
B. Operated										
0-27 DYS	5	3.8	9	1	2	2	7	7	7	7
1-11 MOS	100	3.7	7	1	1	3	5	7	8	12
1-5 YRS	268	3.5	7	1	2	3	5	7	8	13
6-12 YRS	183	4.0	11	1	2	3	5	8	9	19
13-19 YRS	194	4.5	11	1	2	4	6	8	10	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	33	4.0	6	2	2	3	5	8	10	10
1-11 MOS	359	4.4	6	2	3	4	5	7	10	11
1-5 YRS	901	3.8	7	2	2	3	5	7	8	13
6-12 YRS	701	3.9	7	2	2	3	5	7	9	15
13-19 YRS	623	4.2	9	2	2	4	5	7	9	15
B. Operated										
0-27 DYS	15	6.7	38	1	2	4	11	14	20	22
1-11 MOS	125	5.7	14	2	3	5	7	10	12	20
1-5 YRS	300	5.5	25	2	3	4	7	11	14	24
6-12 YRS	244	6.2	26	2	3	5	8	11	15	24
13-19 YRS	318	5.9	29	2	3	5	7	10	13	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1977	3.3	4	1	2	3	4	6	7	11
B. Operated	750	3.9	9	1	2	3	5	8	9	13
2. MULTIPLE DX										
A. Not Operated	2617	4.0	7	2	2	3	5	7	9	14
B. Operated	1002	5.8	25	2	3	5	7	11	14	25
1. SINGLE DX	2727	3.5	5	1	2	3	4	6	8	12
2. MULTIPLE DX	3619	4.5	13	2	3	4	5	8	11	19
A. Not Operated	4594	3.7	6	2	2	3	4	6	8	13
B. Operated	1752	5.0	19	1	2	4	6	9	12	22
TOTAL										
0-27 DYS	76	4.3	12	2	2	3	5	9	11	20
1-11 MOS	775	4.3	8	2	3	4	5	8	10	13
1-5 YRS	2113	3.8	9	1	2	3	5	7	9	15
6-12 YRS	1738	4.0	10	2	2	3	5	7	10	16
13-19 YRS	1644	4.4	12	2	2	4	5	8	9	17
GRAND TOTAL	**6346**	**4.1**	**10**	**2**	**2**	**3**	**5**	**7**	**9**	**15**

306: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	3.4	2	2	3	3	4	6	7	7
1-11 MOS	93	4.5	8	2	2	4	6	7	10	15
1-5 YRS	202	3.8	5	2	2	3	5	7	8	11
6-12 YRS	118	3.4	5	1	2	3	4	6	8	11
13-19 YRS	89	3.9	5	1	2	3	5	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	38	4.6	12	1	2	3	7	10	11	15
1-5 YRS	129	3.3	6	< 1	1	2	5	7	8	11
6-12 YRS	92	3.7	10	< 1	1	3	5	7	9	18
13-19 YRS	70	4.3	40	< 1	1	3	5	8	8	44
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	62	3.7	4	2	2	3	5	7	8	11
1-11 MOS	156	4.1	6	2	3	3	5	7	10	13
1-5 YRS	404	4.2	19	2	2	3	5	7	9	14
6-12 YRS	181	3.9	5	2	2	3	5	7	8	13
13-19 YRS	120	3.6	5	1	2	3	4	6	7	13
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	87	6.1	17	2	3	5	7	11	13	25
1-5 YRS	176	5.8	23	2	3	5	7	11	14	24
6-12 YRS	83	5.7	21	2	3	5	7	11	13	27
13-19 YRS	106	5.9	47	1	2	4	7	11	15	43
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	551	3.8	5	2	2	3	5	7	8	11
B. Operated	329	3.8	15	< 1	1	3	5	7	9	15
2. MULTIPLE DX										
A. Not Operated	923	4.0	11	2	2	3	5	7	9	13
B. Operated	453	5.8	27	2	3	5	7	11	14	30
1. SINGLE DX	880	3.8	9	1	2	3	5	7	9	13
2. MULTIPLE DX	1376	4.6	17	2	2	4	6	8	11	20
A. Not Operated	1474	3.9	9	2	2	3	5	7	9	12
B. Operated	782	5.0	23	1	2	4	6	9	13	22
TOTAL										
0-27 DYS	112	3.6	3	2	2	3	4	6	7	10
1-11 MOS	374	4.7	10	2	3	4	6	9	11	15
1-5 YRS	911	4.3	15	1	2	3	5	8	10	17
6-12 YRS	474	4.1	9	1	2	3	5	7	9	14
13-19 YRS	385	4.4	24	1	2	3	5	8	11	20
GRAND TOTAL	**2256**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**16**

307: Pilonidal cyst (685)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	0									
13-19 YRS	13	3.3	7	1	1	2	5	7	9	10
B. Operated										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	20	2.0	3	< 1	1	1	2	4	6	7
1-5 YRS	20	2.1	11	< 1	1	1	2	3	9	16
6-12 YRS	12	1.8	2	1	1	1	2	4	5	5
13-19 YRS	808	2.0	2	1	1	2	2	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	7	2.1	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	5	19.0	610	1	1	6	36	58	58	58
6-12 YRS	5	3.2	4	< 1	1	4	5	5	5	5
13-19 YRS	120	2.8	6	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	3.2	7	1	1	2	5	6	9	10
B. Operated	863	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
A. Not Operated	12	2.8	6	1	1	2	3	6	9	10
B. Operated	133	3.4	33	1	1	2	4	6	9	34
1. SINGLE DX	879	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX	145	3.4	31	1	1	2	4	6	9	30
A. Not Operated	28	3.0	6	1	1	2	4	6	10	10
B. Operated	996	2.2	7	1	1	2	3	4	5	9
TOTAL										
0-27 DYS	4	3.5	19	1	1	2	6	10	10	10
1-11 MOS	25	2.1	3	< 1	1	1	2	6	6	7
1-5 YRS	29	5.1	137	< 1	1	1	2	12	30	58
6-12 YRS	18	2.3	2	1	1	2	3	5	5	5
13-19 YRS	948	2.1	3	1	1	2	3	4	5	9
GRAND TOTAL	**1024**	**2.2**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

308: Sebaceous cyst (706.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	1.2		< 1	< 1	1	1	2	3	3
1-5 YRS	50	1.2		< 1	< 1	< 1	1	2	3	4
6-12 YRS	34	1.2		< 1	< 1	< 1	1	2	2	4
13-19 YRS	32	1.2		< 1	< 1	< 1	1	2	2	2
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	3	4.7	30	1	1	2	9	11	11	11
1-5 YRS	7	1.3	1	< 1	< 1	< 1	1	3	3	3
6-12 YRS	11	1.2		< 1	1	1	1	2	2	2
13-19 YRS	12	2.0	7	< 1	1	1	2	5	9	10
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4	2.5	3	< 1	1	2	4	5	5	5
B. Operated	134	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX										
A. Not Operated	6	1.7	1	< 1	< 1	1	2	3	3	3
B. Operated	33	1.8	5	< 1	1	1	2	3	9	11
1. SINGLE DX	138	1.2		< 1	< 1	< 1	1	2	2	4
2. MULTIPLE DX	39	1.8	5	< 1	1	1	2	3	7	11
A. Not Operated	10	2.0	2	< 1	< 1	2	2	4	5	5
B. Operated	167	1.3	1	< 1	< 1	< 1	1	2	2	9
TOTAL										
0-27 DYS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	23	1.8	4	< 1	< 1	1	2	3	6	11
1-5 YRS	60	1.2		< 1	< 1	< 1	1	2	3	4
6-12 YRS	45	1.2		< 1	< 1	1	1	2	2	4
13-19 YRS	47	1.5	2	< 1	< 1	1	2	2	3	10
GRAND TOTAL	**177**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**9**

309: Chronic ulcer of skin (707.0-707.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	6	5.2	17	2	3	4	6	12	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	5.4	44	1	2	2	8	17	17	17
6-12 YRS	9	11.3	222	< 1	2	5	14	38	43	43
13-19 YRS	35	11.6	111	1	2	9	17	27	34	39
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	6.5	22	1	3	6	10	12	12	12
1-5 YRS	15	7.4	40	2	3	6	8	20	23	24
6-12 YRS	28	12.3	149	3	4	8	14	36	43	46
13-19 YRS	44	8.9	117	2	3	5	9	21	36	53
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	10.2	117	1	1	6	20	25	25	25
1-5 YRS	20	11.2	115	2	3	8	15	23	37	46
6-12 YRS	42	14.4	284	2	4	9	18	38	46	89
13-19 YRS	148	21.1	276	4	7	18	29	46	56	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.7	14	1	2	3	6	11	13	13
B. Operated	50	10.7	122	1	2	7	16	28	34	43
2. MULTIPLE DX										
A. Not Operated	92	9.5	110	2	3	6	10	21	39	50
B. Operated	216	18.5	270	3	6	15	26	43	51	75
1. SINGLE DX	61	9.7	108	1	2	6	15	26	33	43
2. MULTIPLE DX	308	15.8	239	3	5	10	22	39	47	70
A. Not Operated	103	9.0	102	2	3	6	10	20	36	49
B. Operated	266	17.1	251	2	5	13	24	39	48	72
TOTAL										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	11	7.7	60	1	1	6	11	21	25	25
1-5 YRS	42	8.7	79	1	2	6	14	18	26	46
6-12 YRS	81	13.1	221	2	4	8	15	38	44	76
13-19 YRS	233	16.9	244	2	5	12	24	39	50	68
GRAND TOTAL	**369**	**14.8**	**222**	**2**	**4**	**9**	**20**	**37**	**46**	**67**

310: Other diseases of skin and subcutaneous tissue (690-706.1; 706.3-706.9; 708-709)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	17	2.7	3	1	1	2	4	5	6	7
1-11 MOS	103	3.0	4	1	2	3	4	5	7	11
1-5 YRS	260	3.0	6	1	1	2	4	6	7	15
6-12 YRS	127	4.4	24	1	2	2	4	12	18	23
13-19 YRS	136	5.9	43	1	2	3	8	16	22	28
B. Operated										
0-27 DYS	2	1.5	1	< 1	< 1	1	2	2	2	2
1-11 MOS	20	3.5	18	< 1	< 1	1	5	8	14	18
1-5 YRS	128	2.5	13	< 1	< 1	1	2	5	8	23
6-12 YRS	124	2.5	9	< 1	< 1	1	3	6	9	16
13-19 YRS	202	2.3	10	< 1	< 1	1	2	4	7	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	51	3.6	3	2	2	3	5	6	7	10
1-11 MOS	162	3.8	14	1	2	3	4	7	10	20
1-5 YRS	379	3.3	8	1	2	3	4	6	8	17
6-12 YRS	210	4.0	16	1	2	3	4	8	13	21
13-19 YRS	223	4.4	18	1	2	3	5	9	13	21
B. Operated										
0-27 DYS	2	25.5	545	9	9	25	42	42	42	42
1-11 MOS	22	6.4	53	1	2	4	8	16	26	27
1-5 YRS	154	4.7	82	< 1	1	2	5	11	19	93
6-12 YRS	169	3.5	17	1	1	2	4	8	13	23
13-19 YRS	222	4.2	29	1	1	2	4	10	16	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	643	3.9	19	1	2	2	4	8	14	23
B. Operated	476	2.4	11	< 1	< 1	1	2	5	8	18
2. MULTIPLE DX										
A. Not Operated	1025	3.8	13	1	2	3	4	7	10	20
B. Operated	569	4.3	43	1	1	2	5	10	16	30
1. SINGLE DX	1119	3.3	16	< 1	1	2	4	7	11	22
2. MULTIPLE DX	1594	4.0	24	1	2	3	4	8	12	24
A. Not Operated	1668	3.8	15	1	2	3	4	7	11	21
B. Operated	1045	3.4	29	< 1	1	2	3	8	13	26
TOTAL										
0-27 DYS	72	4.0	25	1	2	3	5	6	9	35
1-11 MOS	307	3.7	14	1	2	3	4	7	10	23
1-5 YRS	921	3.3	21	1	1	2	4	6	9	20
6-12 YRS	630	3.6	17	1	1	2	4	9	13	21
13-19 YRS	783	4.1	25	< 1	1	2	4	10	15	26
GRAND TOTAL	**2713**	**3.7**	**20**	**1**	**1**	**2**	**4**	**8**	**12**	**23**

311: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	9	4.8	7	1	3	4	7	9	9	9
6-12 YRS	50	3.6	8	1	1	2	6	8	9	11
13-19 YRS	126	2.0	2	1	1	1	2	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	3.4	5	1	2	3	4	7	8	8
6-12 YRS	23	4.0	27	1	1	2	4	10	16	24
13-19 YRS	37	3.9	14	1	1	2	6	11	12	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	12	4.2	11	1	2	3	6	9	12	12
6-12 YRS	75	6.2	59	1	1	3	7	16	21	41
13-19 YRS	208	4.6	19	1	2	3	6	11	13	22
B. Operated										
0-27 DYS	0									
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	4	12.8	56	4	7	12	18	22	22	22
6-12 YRS	25	12.6	157	1	4	6	18	35	40	42
13-19 YRS	94	12.7	170	2	3	9	15	32	44	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	187	2.5	5	1	1	2	3	6	8	10
B. Operated	68	3.9	17	1	1	2	5	10	12	22
2. MULTIPLE DX										
A. Not Operated	296	5.0	29	1	2	3	6	12	15	25
B. Operated	124	12.7	160	2	4	10	16	32	41	53
1. SINGLE DX	255	2.9	8	1	1	2	4	7	9	13
2. MULTIPLE DX	420	7.2	80	1	2	4	9	17	26	46
A. Not Operated	483	4.0	21	1	1	2	5	9	13	22
B. Operated	192	9.6	127	1	2	5	12	25	36	49
TOTAL										
0-27 DYS	0									
1-11 MOS	4	7.3	38	2	3	5	11	16	16	16
1-5 YRS	33	5.2	20	2	2	3	8	11	14	22
6-12 YRS	173	6.1	61	1	1	3	7	14	24	41
13-19 YRS	465	5.4	58	1	1	3	6	13	19	44
GRAND TOTAL	**675**	**5.6**	**57**	**1**	**1**	**3**	**6**	**13**	**21**	**41**

312: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	62	4.7	16	1	2	4	6	8	15	20
6-12 YRS	80	4.1	8	1	2	3	6	8	10	15
13-19 YRS	38	4.4	8	1	2	4	6	8	10	11
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	0									
1-5 YRS	8	4.9	11	1	2	4	7	9	10	10
6-12 YRS	14	6.2	18	1	2	6	9	13	13	13
13-19 YRS	24	5.0	17	1	2	4	8	10	14	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	7.3	11	5	5	6	9	12	12	12
1-5 YRS	67	6.2	30	1	3	5	9	10	14	36
6-12 YRS	101	6.4	40	2	2	4	7	14	22	31
13-19 YRS	42	8.4	91	1	2	5	11	17	30	45
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	17	7.8	36	1	3	7	11	17	20	21
6-12 YRS	25	13.5	346	3	4	9	13	28	49	94
13-19 YRS	42	8.8	251	1	1	4	8	19	41	87
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	182	4.3	11	1	2	3	6	8	11	18
B. Operated	47	5.5	16	1	2	5	8	10	13	16
2. MULTIPLE DX										
A. Not Operated	214	6.7	47	2	3	5	9	14	19	40
B. Operated	85	9.9	234	1	3	6	10	21	32	92
1. SINGLE DX	229	4.6	12	1	2	3	6	9	11	17
2. MULTIPLE DX	299	7.6	101	1	3	5	9	15	24	50
A. Not Operated	396	5.6	32	1	2	4	7	11	16	31
B. Operated	132	8.3	160	1	2	5	9	15	26	88
TOTAL										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	5.6	11	2	4	5	7	11	12	12
1-5 YRS	154	5.7	25	1	2	4	7	10	15	21
6-12 YRS	220	6.3	68	2	2	4	7	12	18	32
13-19 YRS	146	6.9	105	1	2	4	8	14	18	56
GRAND TOTAL	**528**	**6.3**	**65**	**1**	**2**	**4**	**8**	**12**	**17**	**39**

313: Osteoarthrosis of hip and knee (715.15-715.16; 715.25-715.26; 715.35-715.36; 715.95-715.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	5.5	5	4	4	5	7	7	7	7
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	2	11.0		11	11	11	11	11	11	11
13-19 YRS	7	5.6	13	1	3	5	8	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	9	8.7	10	3	8	10	10	11	11	11
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	19	7.4	45	2	3	5	9	16	23	29
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	4.3	6	2	2	4	6	7	7	7
B. Operated	11	6.9	13	2	4	7	10	11	11	11
2. MULTIPLE DX										
A. Not Operated	2	5.5	1	5	5	5	6	6	6	6
B. Operated	30	8.2	34	2	4	8	10	15	17	29
1. SINGLE DX	14	6.4	12	2	3	7	9	11	11	11
2. MULTIPLE DX	32	8.0	32	2	4	7	10	15	17	29
A. Not Operated	5	4.8	4	2	3	5	6	7	7	7
B. Operated	41	7.9	28	2	4	8	10	13	16	29
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	8.6	9	3	8	9	10	11	11	11
1-5 YRS	3	9.3	46	4	5	7	14	17	17	17
6-12 YRS	3	10.7		10	10	11	11	11	11	11
13-19 YRS	29	6.7	33	2	3	5	8	13	17	29
GRAND TOTAL	**46**	**7.5**	**26**	**2**	**4**	**7**	**10**	**11**	**16**	**29**

314: Osteoarthrosis except of spine, hip, and knee (715.0-715.14; 715.17- 715.24; 715.27-715.34; 715.37-715.80; 715.89-715.94; 715.97-715.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	13	2.3	3	< 1	1	2	3	5	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	2.7	5	< 1	1	2	3	6	9	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	14	2.7	5	1	1	2	3	7	8	8
2. MULTIPLE DX										
A. Not Operated	2	8.5	5	7	7	8	10	10	10	10
B. Operated	11	2.7	5	< 1	1	2	3	6	9	9
1. SINGLE DX	14	2.7	5	1	1	2	3	7	8	8
2. MULTIPLE DX	13	3.6	10	1	1	3	5	9	10	10
A. Not Operated	2	8.5	5	7	7	8	10	10	10	10
B. Operated	25	2.7	5	1	1	2	3	7	8	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	25	2.7	5	1	1	2	3	7	8	9
GRAND TOTAL	**27**	**3.1**	**7**	**1**	**1**	**2**	**4**	**8**	**9**	**10**

315: Other arthropathies (711-713; 716)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	24	8.3	23	3	5	8	11	14	17	22
1-5 YRS	142	6.4	26	1	3	5	8	14	18	22
6-12 YRS	82	4.8	13	1	3	4	6	9	13	18
13-19 YRS	37	5.7	42	2	3	5	6	8	19	37
B. Operated										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	29	11.5	43	5	7	8	16	22	23	26
1-5 YRS	95	9.5	31	4	6	8	13	16	21	30
6-12 YRS	69	10.1	37	3	6	9	13	18	22	30
13-19 YRS	64	8.0	108	1	2	4	11	23	26	61
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	18.0	32	14	14	18	22	22	22	22
1-11 MOS	44	9.6	39	3	5	9	14	19	20	28
1-5 YRS	122	8.0	38	2	3	7	11	15	20	30
6-12 YRS	80	7.2	32	2	3	5	10	15	17	29
13-19 YRS	74	6.9	21	3	4	6	9	14	16	23
B. Operated										
0-27 DYS	8	18.8	95	6	12	17	25	33	35	35
1-11 MOS	74	15.5	100	6	9	14	21	25	39	54
1-5 YRS	135	13.5	50	6	8	12	19	24	28	31
6-12 YRS	115	13.0	89	4	7	10	16	26	34	46
13-19 YRS	99	10.7	105	2	4	8	14	23	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	6.0	25	1	3	4	8	12	15	22
B. Operated	258	9.5	53	3	5	8	12	19	23	31
2. MULTIPLE DX										
A. Not Operated	322	7.8	34	2	3	6	11	15	20	28
B. Operated	431	13.2	85	4	7	11	17	25	31	44
1. SINGLE DX	543	7.7	42	2	3	6	10	15	21	29
2. MULTIPLE DX	753	10.9	70	3	5	9	14	21	28	42
A. Not Operated	607	7.0	30	2	3	5	10	14	19	27
B. Operated	689	11.8	76	3	6	10	15	22	29	43
TOTAL										
0-27 DYS	11	18.1	72	8	13	16	22	31	35	35
1-11 MOS	171	12.3	72	4	7	10	16	22	26	44
1-5 YRS	494	9.3	44	2	4	8	13	19	22	30
6-12 YRS	346	9.1	58	3	4	7	13	18	24	38
13-19 YRS	274	8.4	78	2	3	6	11	19	25	44
GRAND TOTAL	**1296**	**9.5**	**60**	**2**	**4**	**7**	**13**	**20**	**24**	**37**

316: Internal derangement of knee joint (717)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.8	3	1	1	3	4	5	5	5
13-19 YRS	11	2.4	1	< 1	1	3	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	20	1.6	1	< 1	< 1	1	2	3	4	4
13-19 YRS	539	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	3	2.0	3	< 1	< 1	1	3	4	4	4
13-19 YRS	4	1.3		< 1	< 1	1	1	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	11	2.1	3	< 1	1	1	3	5	6	6
13-19 YRS	680	2.5	2	< 1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	16	2.5	2	1	1	3	3	4	5	5
B. Operated	562	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	8	1.5	1	< 1	< 1	1	2	3	4	4
B. Operated	692	2.5	2	< 1	1	2	3	4	5	8
1. SINGLE DX	578	2.3	2	< 1	1	2	3	4	5	7
2. MULTIPLE DX	700	2.5	2	< 1	1	2	3	4	5	7
A. Not Operated	24	2.2	2	< 1	1	2	3	4	5	5
B. Operated	1254	2.4	2	< 1	1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	3	1.7		< 1	< 1	2	2	2	2	2
6-12 YRS	39	1.9	2	< 1	1	1	3	4	5	6
13-19 YRS	1234	2.4	2	< 1	1	2	3	4	5	7
GRAND TOTAL	**1278**	**2.4**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**	**7**

317: Other disorders of joint (718-719)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	3.3	4	< 1	1	3	5	6	6	6
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	93	3.2	7	1	2	3	4	5	8	16
6-12 YRS	85	2.8	4	1	2	2	4	5	7	11
13-19 YRS	42	2.7	4	< 1	1	2	4	5	6	12
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.3	2	< 1	1	2	3	5	5	5
1-5 YRS	48	3.3	14	1	1	2	4	6	6	26
6-12 YRS	119	2.6	7	1	1	2	3	5	5	19
13-19 YRS	1710	2.2	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	110	3.3	26	1	1	2	3	7	11	28
6-12 YRS	107	4.8	24	1	2	3	6	10	13	28
13-19 YRS	89	4.5	47	< 1	2	3	5	8	10	47
B. Operated										
0-27 DYS	0									
1-11 MOS	11	2.2	1	1	2	2	2	4	4	4
1-5 YRS	358	3.2	7	1	2	2	4	6	8	15
6-12 YRS	476	4.4	32	1	2	3	5	8	12	31
13-19 YRS	842	3.3	19	1	1	2	4	6	9	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	227	2.9	5	1	1	2	4	5	7	13
B. Operated	1887	2.3	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated	311	4.2	31	1	1	3	5	8	12	33
B. Operated	1687	3.6	20	1	2	2	4	6	9	28
1. SINGLE DX	2114	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	1998	3.7	22	1	2	2	4	7	10	29
A. Not Operated	538	3.6	21	1	1	2	4	7	10	18
B. Operated	3574	2.9	11	1	1	2	3	5	7	16
TOTAL										
0-27 DYS	6	2.8	3	< 1	2	2	3	6	6	6
1-11 MOS	27	2.0	1	1	1	2	2	4	4	5
1-5 YRS	609	3.2	11	1	2	2	4	6	8	16
6-12 YRS	787	4.0	25	1	2	3	4	7	11	30
13-19 YRS	2683	2.6	9	1	1	2	3	4	6	13
GRAND TOTAL	**4112**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

318: Ankylosing spondylitis (720.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	2	17.5	365	4	4	17	31	31	31	31
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	4	11.5	178	2	3	6	20	31	31	31
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	0									
2. MULTIPLE DX	5	9.6	151	2	2	4	14	31	31	31
A. Not Operated	4	11.5	178	2	3	6	20	31	31	31
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	4.3	16	2	2	2	7	9	9	9
13-19 YRS	2	17.5	365	4	4	17	31	31	31	31
GRAND TOTAL	**5**	**9.6**	**151**	**2**	**2**	**4**	**14**	**31**	**31**	**31**

319: Spondylosis and allied disorders (721)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	3	3.7	14	1	1	2	6	8	8	8
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	4	3.8	7	1	1	4	6	6	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	19.0		19	19	19	19	19	19	19
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	4.3	4	3	3	4	5	7	7	7
13-19 YRS	3	8.0	31	3	4	7	12	14	14	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	9.0	2	7	8	10	10	10	10	10
13-19 YRS	4	5.5	1	4	5	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	3.2	8	1	2	2	4	8	8	8
B. Operated	5	6.8	52	1	2	6	9	19	19	19
2. MULTIPLE DX										
A. Not Operated	9	6.8	36	2	3	4	9	17	19	19
B. Operated	9	7.4	5	5	6	7	10	10	10	10
1. SINGLE DX	10	5.0	30	1	2	3	6	13	19	19
2. MULTIPLE DX	18	7.1	19	3	4	6	10	13	17	19
A. Not Operated	14	5.5	28	1	2	3	7	14	18	19
B. Operated	14	7.2	19	2	6	6	10	11	17	19
TOTAL										
0-27 DYS	0									
1-11 MOS	2	10.5	145	2	2	10	19	19	19	19
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	13	7.1	23	2	3	7	10	12	18	19
13-19 YRS	12	5.3	11	2	3	6	6	9	13	14
GRAND TOTAL	**28**	**6.4**	**23**	**1**	**3**	**6**	**8**	**13**	**19**	**19**

320: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	41	5.3	12	1	3	5	7	11	13	14
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	305	3.8	6	1	2	3	5	6	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	30	6.0	21	1	3	5	8	12	15	21
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	76	6.4	25	3	4	5	7	13	16	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	41	5.3	12	1	3	5	7	11	13	14
B. Operated	305	3.8	6	1	2	3	5	6	9	14
2. MULTIPLE DX										
A. Not Operated	30	6.0	21	1	3	5	8	12	15	21
B. Operated	76	6.4	25	3	4	5	7	13	16	27
1. SINGLE DX	346	4.0	7	1	2	4	5	7	9	14
2. MULTIPLE DX	106	6.3	24	2	4	5	7	13	16	27
A. Not Operated	71	5.6	16	1	3	5	7	11	14	20
B. Operated	381	4.3	11	1	3	4	5	7	10	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	452	4.5	12	1	3	4	5	8	11	17
GRAND TOTAL	**452**	**4.5**	**12**	**1**	**3**	**4**	**5**	**8**	**11**	**17**

321: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	7.3	26	3	4	6	11	13	13	13
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	2.2	4	< 1	< 1	1	2	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	3.3	5	1	2	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	8.5	41	4	4	8	13	13	13	13
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	54.0		54	54	54	54	54	54	54
6-12 YRS	0									
13-19 YRS	4	3.0	5	1	1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	3.7	14	< 1	1	2	6	10	13	13
B. Operated	6	3.3	5	1	2	3	4	7	7	7
2. MULTIPLE DX										
A. Not Operated	4	6.8	28	1	2	6	11	13	13	13
B. Operated	5	13.2	524	1	2	3	18	54	54	54
1. SINGLE DX	16	3.6	10	< 1	1	2	5	7	11	13
2. MULTIPLE DX	9	10.3	284	1	2	4	10	38	54	54
A. Not Operated	14	4.6	18	< 1	1	3	6	13	13	13
B. Operated	11	7.8	238	1	2	3	6	26	52	54
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	19.0	562	3	4	9	33	54	54	54
6-12 YRS	3	6.3	34	2	2	4	11	13	13	13
13-19 YRS	18	3.1	6	< 1	1	2	4	7	8	9
GRAND TOTAL	**25**	**6.0**	**112**	**1**	**2**	**3**	**6**	**13**	**23**	**54**

322: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	5	9.8	134	1	3	6	13	30	30	30
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	5	6.8	9	4	4	7	9	11	11	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	23.0		23	23	23	23	23	23	23
6-12 YRS	2	12.0	72	6	6	12	18	18	18	18
13-19 YRS	4	3.3	11	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	10.0	2	9	9	10	11	11	11	11
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	6	5.2	9	1	3	5	8	9	9	9
B. Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	0									
13-19 YRS	2	17.0	50	12	12	17	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	6.9	52	2	4	4	8	13	26	30
B. Operated	7	8.6	75	1	2	6	15	22	23	23
2. MULTIPLE DX										
A. Not Operated	10	7.4	15	2	4	8	9	12	14	14
B. Operated	4	12.0	51	6	7	10	17	22	22	22
1. SINGLE DX	21	7.4	57	1	3	4	8	20	26	30
2. MULTIPLE DX	14	8.7	27	3	6	8	11	15	20	22
A. Not Operated	24	7.1	35	2	4	6	9	12	19	30
B. Operated	11	9.8	63	1	4	8	16	22	23	23
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	7.5	5	6	6	7	9	9	9	9
1-5 YRS	9	11.1	88	2	5	8	14	27	30	30
6-12 YRS	6	7.8	43	2	3	5	14	18	18	18
13-19 YRS	17	6.6	27	1	3	6	8	12	18	22
GRAND TOTAL	**35**	**7.9**	**44**	**1**	**4**	**6**	**9**	**18**	**23**	**30**

323: Sciatica (724.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	2.3		2	2	2	3	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	4	3.3	10	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	5.7	4	4	4	5	7	8	8	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.3		2	2	2	3	3	3	3
B. Operated	5	2.8	9	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. Not Operated	3	5.7	4	4	4	5	7	8	8	8
B. Operated	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	8	2.6	5	1	1	2	3	6	8	8
2. MULTIPLE DX	4	4.8	6	2	3	4	6	8	8	8
A. Not Operated	6	4.0	5	2	2	3	5	8	8	8
B. Operated	6	2.7	7	1	1	2	2	7	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	11	3.5	6	1	2	2	5	8	8	8
GRAND TOTAL	**12**	**3.3**	**6**	**1**	**2**	**2**	**4**	**8**	**8**	**8**

324: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	4	1	1	1	3	5	5	5
1-5 YRS	20	2.1	5	1	1	1	3	4	7	10
6-12 YRS	36	2.4	3	1	1	2	3	5	6	10
13-19 YRS	83	3.5	6	1	2	3	5	7	8	11
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	3.8	14	1	1	3	5	10	10	10
6-12 YRS	11	2.3	2	1	1	2	3	4	5	5
13-19 YRS	69	2.8	13	1	1	1	3	7	8	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	5.3	36	< 1	1	3	9	14	14	14
1-5 YRS	30	2.4	10	1	1	2	2	4	5	18
6-12 YRS	36	2.9	7	< 1	1	2	4	7	8	12
13-19 YRS	138	4.0	23	1	2	3	5	8	10	33
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	5.8	24	1	3	5	6	14	18	18
6-12 YRS	20	8.5	115	1	3	5	9	21	38	44
13-19 YRS	45	4.1	12	1	1	3	6	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	143	3.0	5	1	1	2	4	6	8	10
B. Operated	87	2.8	11	1	1	1	3	6	8	20
2. MULTIPLE DX										
A. Not Operated	208	3.6	19	1	1	2	4	7	10	24
B. Operated	75	5.4	43	1	1	4	7	10	14	41
1. SINGLE DX	230	2.9	7	1	1	2	4	6	8	11
2. MULTIPLE DX	283	4.1	26	1	1	3	5	8	11	32
A. Not Operated	351	3.4	13	1	1	2	4	7	9	18
B. Operated	162	4.0	27	1	1	2	5	8	10	31
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.1	17	< 1	1	1	4	9	14	14
1-5 YRS	64	2.9	11	1	1	2	3	5	10	18
6-12 YRS	103	3.7	31	1	1	2	4	7	10	38
13-19 YRS	335	3.7	15	1	1	2	5	8	9	20
GRAND TOTAL	**513**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

325: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	2.2	2	1	1	2	4	4	4	4
1-5 YRS	220	2.8	6	1	1	2	3	6	7	11
6-12 YRS	148	3.0	3	1	2	3	4	6	7	9
13-19 YRS	51	4.3	6	2	3	4	6	7	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	37	3.4	15	< 1	< 1	2	4	8	13	17
6-12 YRS	43	3.3	14	< 1	1	2	5	8	10	20
13-19 YRS	178	1.8	3	< 1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	15	3.0	2	1	2	3	4	5	6	6
1-5 YRS	118	2.5	4	1	1	2	3	5	7	10
6-12 YRS	49	3.4	11	1	2	3	4	6	7	22
13-19 YRS	48	4.7	11	1	2	4	6	8	10	20
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	21	4.5	13	< 1	1	4	7	9	12	15
6-12 YRS	34	3.8	12	1	1	2	6	9	11	13
13-19 YRS	139	3.0	6	1	1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	425	3.0	5	1	2	2	4	6	7	10
B. Operated	259	2.3	7	< 1	1	1	2	5	8	15
2. MULTIPLE DX										
A. Not Operated	230	3.2	7	1	1	3	4	6	8	14
B. Operated	195	3.3	8	1	1	2	5	7	9	14
1. SINGLE DX	684	2.8	6	< 1	1	2	3	6	7	12
2. MULTIPLE DX	425	3.3	8	1	1	2	4	7	8	13
A. Not Operated	655	3.1	6	1	2	2	4	6	7	11
B. Operated	454	2.7	8	< 1	1	2	3	6	8	14
TOTAL										
0-27 DYS	0									
1-11 MOS	23	2.7	2	1	1	2	4	5	6	6
1-5 YRS	396	2.9	7	1	1	2	3	6	8	13
6-12 YRS	274	3.2	7	1	1	2	4	6	8	13
13-19 YRS	416	2.9	7	< 1	1	2	4	6	8	13
GRAND TOTAL	**1109**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**13**

326: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	30	1.6	1	< 1	1	1	2	3	3	5
13-19 YRS	211	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.0	4	< 1	< 1	1	3	5	5	5
1-5 YRS	4	1.8		1	1	2	2	2	2	2
6-12 YRS	28	1.8	1	1	1	2	2	3	3	4
13-19 YRS	352	2.2	1	1	1	2	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	243	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	388	2.1	1	1	1	2	3	4	4	6
1. SINGLE DX	243	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	391	2.1	1	1	1	2	3	4	4	6
A. Not Operated	3	1.3		< 1	< 1	< 1	2	2	2	2
B. Operated	631	2.0	1	1	1	2	3	4	4	6
TOTAL										
0-27 DYS	0									
1-11 MOS	5	2.2	3	< 1	1	1	3	5	5	5
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	59	1.7	1	1	1	1	2	3	3	5
13-19 YRS	565	2.1	1	1	1	2	3	4	4	6
GRAND TOTAL	**634**	**2.0**	**1**	**1**	**1**	**2**	**2**	**4**	**4**	**5**

327: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	36	1.2		< 1	< 1	1	1	2	3	4
6-12 YRS	50	1.2		< 1	< 1	< 1	1	2	2	3
13-19 YRS	72	1.1		< 1	< 1	< 1	< 1	2	2	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.4		1	1	1	2	2	2	2
6-12 YRS	7	1.9	2	< 1	1	1	2	4	5	5
13-19 YRS	16	1.8	2	< 1	1	1	2	3	6	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.0	1	1	1	2	3	3	3	3
B. Operated	158	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX										
A. Not Operated	4	1.8	2	< 1	< 1	1	2	4	4	4
B. Operated	30	1.7	2	< 1	1	1	2	3	5	7
1. SINGLE DX	161	1.2		< 1	< 1	< 1	1	2	2	3
2. MULTIPLE DX	34	1.7	2	< 1	1	1	2	3	5	7
A. Not Operated	7	1.9	1	< 1	< 1	1	3	4	4	4
B. Operated	188	1.2		< 1	< 1	< 1	1	2	2	5
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	43	1.2		< 1	< 1	1	1	2	3	4
6-12 YRS	61	1.3		< 1	< 1	1	1	2	3	5
13-19 YRS	89	1.3	1	< 1	< 1	< 1	1	2	2	6
GRAND TOTAL	**195**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

328: Osteomyelitis (730)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	11.0	27	6	6	11	15	16	16	16
1-11 MOS	24	10.4	48	2	4	9	17	21	23	24
1-5 YRS	87	8.9	41	3	5	7	10	18	25	29
6-12 YRS	111	8.9	37	3	4	8	12	16	20	31
13-19 YRS	36	9.9	32	3	6	9	14	19	21	23
B. Operated										
0-27 DYS	4	19.0	123	6	10	19	27	32	32	32
1-11 MOS	10	13.8	68	4	7	13	22	25	27	27
1-5 YRS	71	10.5	52	2	5	9	14	19	27	30
6-12 YRS	110	12.3	152	3	6	9	16	23	32	68
13-19 YRS	85	8.3	65	1	3	6	10	17	22	44
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	35	14.9	87	3	8	13	21	28	30	40
1-5 YRS	98	11.8	58	4	7	10	14	22	29	34
6-12 YRS	102	12.0	74	4	6	9	16	24	29	40
13-19 YRS	68	10.6	70	3	5	9	14	22	29	45
B. Operated										
0-27 DYS	6	22.5	181	9	13	18	33	43	44	44
1-11 MOS	38	22.4	232	6	10	19	41	44	48	54
1-5 YRS	100	14.3	85	4	8	12	19	29	32	41
6-12 YRS	202	15.2	133	5	7	11	21	32	42	51
13-19 YRS	182	15.1	172	3	6	11	21	36	46	90
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	9.2	38	3	5	8	11	18	22	29
B. Operated	280	10.8	99	2	5	8	15	22	28	45
2. MULTIPLE DX										
A. Not Operated	303	12.0	70	4	6	10	15	24	29	40
B. Operated	528	15.6	148	4	7	12	21	33	43	53
1. SINGLE DX	542	10.0	70	2	5	8	14	20	26	38
2. MULTIPLE DX	831	14.3	122	4	7	11	19	30	41	50
A. Not Operated	565	10.7	57	3	6	9	14	21	28	35
B. Operated	808	13.9	136	3	6	10	19	30	41	51
TOTAL										
0-27 DYS	14	18.2	129	6	9	15	23	34	42	44
1-11 MOS	107	16.4	147	4	7	13	22	38	43	51
1-5 YRS	356	11.5	64	3	6	10	15	25	29	34
6-12 YRS	525	12.7	110	3	6	10	16	26	33	48
13-19 YRS	371	12.2	123	3	5	9	15	29	40	51
GRAND TOTAL	**1373**	**12.6**	**106**	**3**	**6**	**10**	**16**	**27**	**33**	**48**

329: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	63	6.2	23	1	3	5	8	15	18	19
6-12 YRS	134	6.3	49	1	3	5	8	11	15	36
13-19 YRS	63	3.7	21	< 1	1	2	3	11	16	19
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	2.9	10	1	1	2	4	8	11	11
1-5 YRS	136	3.1	10	1	1	2	4	6	8	14
6-12 YRS	974	4.2	17	1	2	3	5	8	11	18
13-19 YRS	1094	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	4.4	7	1	2	5	7	8	8	8
1-5 YRS	48	7.8	96	1	2	4	9	19	25	51
6-12 YRS	92	7.4	69	1	2	4	10	19	29	33
13-19 YRS	95	6.7	107	1	2	3	7	15	21	59
B. Operated										
0-27 DYS	0									
1-11 MOS	7	5.7	27	< 1	1	4	9	14	15	15
1-5 YRS	95	5.3	68	1	2	3	5	10	15	53
6-12 YRS	358	5.2	45	1	2	3	6	11	16	38
13-19 YRS	644	4.7	37	1	1	3	6	10	14	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	262	5.7	37	1	2	4	7	12	16	26
B. Operated	2216	3.6	11	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. Not Operated	243	7.1	87	1	2	4	9	17	28	51
B. Operated	1104	4.9	42	1	2	3	6	10	15	37
1. SINGLE DX	2478	3.8	15	1	1	3	5	8	10	18
2. MULTIPLE DX	1347	5.3	51	1	2	3	6	11	17	39
A. Not Operated	505	6.4	61	1	2	4	8	14	19	45
B. Operated	3320	4.0	22	1	1	3	5	8	11	22
TOTAL										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	26	4.5	16	1	1	3	7	11	13	15
1-5 YRS	342	5.0	43	1	2	3	6	10	15	41
6-12 YRS	1558	4.8	30	1	2	3	6	9	14	28
13-19 YRS	1896	3.8	23	1	1	2	4	8	11	22
GRAND TOTAL	**3825**	**4.3**	**28**	**1**	**2**	**3**	**5**	**9**	**12**	**28**

330: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	3.0	9	1	1	2	3	8	9	9
13-19 YRS	3	10.0	127	3	3	4	18	23	23	23
B. Operated										
0-27 DYS	0									
1-11 MOS	9	1.8	1	< 1	1	2	2	3	4	4
1-5 YRS	72	2.1	2	1	1	2	3	4	4	9
6-12 YRS	198	3.4	55	1	1	2	3	5	6	52
13-19 YRS	239	3.1	9	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	17	1.8	3	< 1	1	1	2	5	7	7
6-12 YRS	11	2.5	20	< 1	< 1	1	1	8	15	16
13-19 YRS	11	1.6	2	< 1	< 1	1	2	4	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	11	2.1	2	< 1	1	2	3	4	5	5
1-5 YRS	253	3.1	34	1	1	2	4	5	6	12
6-12 YRS	518	3.9	36	1	2	3	4	7	9	32
13-19 YRS	428	4.4	30	1	2	3	5	8	10	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	11	4.8	42	< 1	1	3	4	15	22	23
B. Operated	518	3.1	26	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. Not Operated	40	2.4	14	< 1	< 1	1	2	6	11	18
B. Operated	1210	3.9	33	1	2	3	4	7	9	29
1. SINGLE DX	529	3.1	26	1	1	2	3	5	7	23
2. MULTIPLE DX	1250	3.8	32	1	2	3	4	7	9	27
A. Not Operated	51	2.9	20	< 1	1	1	2	7	16	23
B. Operated	1728	3.6	31	1	1	2	4	7	9	26
TOTAL										
0-27 DYS	0									
1-11 MOS	22	2.6	13	< 1	1	2	2	4	10	18
1-5 YRS	343	2.8	26	1	1	2	3	5	6	10
6-12 YRS	733	3.7	40	1	2	2	4	6	9	34
13-19 YRS	681	3.9	23	1	2	3	4	7	10	25
GRAND TOTAL	**1779**	**3.6**	**31**	**1**	**1**	**2**	**4**	**7**	**9**	**25**

331: Miscellaneous disorders of musculoskeletal system (725; 727.6-727.9; 728; 729.0-729.9; 737-738)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	2.2	4	< 1	1	1	2	5	7	8
1-5 YRS	35	1.7	2	< 1	< 1	1	1	4	5	7
6-12 YRS	90	2.0	4	< 1	< 1	1	2	4	7	10
13-19 YRS	108	3.0	84	< 1	< 1	1	3	4	7	49
B. Operated										
0-27 DYS	0									
1-11 MOS	14	4.1	53	1	1	2	3	7	24	29
1-5 YRS	138	2.2	3	< 1	1	2	3	5	6	8
6-12 YRS	295	5.3	13	1	2	6	8	10	10	17
13-19 YRS	819	6.0	14	1	3	7	8	10	11	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	2.9	15	< 1	1	1	3	8	13	14
1-5 YRS	72	2.7	6	< 1	1	2	4	7	9	11
6-12 YRS	111	3.3	15	1	1	2	4	6	9	24
13-19 YRS	184	3.5	18	< 1	1	2	4	8	11	25
B. Operated										
0-27 DYS	0									
1-11 MOS	19	3.0	9	1	1	1	5	7	10	11
1-5 YRS	449	3.1	20	1	1	2	3	6	10	23
6-12 YRS	681	6.5	65	1	2	4	9	13	22	49
13-19 YRS	937	7.1	64	1	2	6	9	15	21	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	247	2.4	39	< 1	< 1	1	2	4	7	12
B. Operated	1266	5.4	14	1	2	6	8	9	11	18
2. MULTIPLE DX										
A. Not Operated	379	3.3	15	< 1	1	2	4	7	9	24
B. Operated	2086	6.0	57	1	1	3	8	13	19	36
1. SINGLE DX	1513	4.9	19	< 1	1	5	7	9	10	17
2. MULTIPLE DX	2465	5.6	51	1	1	3	8	12	18	31
A. Not Operated	626	2.9	24	< 1	1	2	3	6	8	22
B. Operated	3352	5.8	41	1	1	4	8	11	15	28
TOTAL										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	57	3.1	19	1	1	1	3	6	10	28
1-5 YRS	694	2.8	15	< 1	1	2	3	6	8	20
6-12 YRS	1177	5.5	44	1	1	3	8	11	17	31
13-19 YRS	2048	6.1	42	1	1	6	8	11	15	27
GRAND TOTAL	**3978**	**5.3**	**39**	**1**	**1**	**3**	**8**	**10**	**15**	**27**

332: Somatic dysfunction (739)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. Not Operated	2	5.0	2	4	4	5	6	6	6	6
B. Operated	0									
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	2	5.0	2	4	4	5	6	6	6	6
A. Not Operated	2	5.0	2	4	4	5	6	6	6	6
B. Operated	1	2.0		2	2	2	2	2	2	2
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**3**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**6**	**6**

333: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	3.6	10	1	2	2	5	9	9	9
1-11 MOS	17	3.1	32	< 1	1	2	2	4	18	25
1-5 YRS	22	4.9	114	< 1	< 1	2	4	6	24	52
6-12 YRS	10	3.1	6	< 1	1	2	3	7	8	8
13-19 YRS	7	2.6	3	1	1	2	4	6	6	6
B. Operated										
0-27 DYS	45	6.8	23	2	4	5	9	16	17	21
1-11 MOS	164	4.8	10	2	3	4	6	8	9	19
1-5 YRS	67	4.4	8	1	2	4	6	8	9	15
6-12 YRS	49	4.9	11	1	2	5	7	9	10	17
13-19 YRS	36	5.9	12	2	5	6	7	10	13	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	20	10.2	133	1	4	7	11	28	42	42
1-11 MOS	108	5.5	84	1	1	2	6	14	18	52
1-5 YRS	104	3.3	10	1	1	2	4	8	9	16
6-12 YRS	53	3.4	8	1	1	3	4	7	9	14
13-19 YRS	26	4.1	15	1	1	3	6	10	13	15
B. Operated										
0-27 DYS	114	17.8	255	4	7	14	28	63	99 +	99 +
1-11 MOS	259	8.9	106	2	4	6	11	22	43	99 +
1-5 YRS	245	6.8	63	2	3	5	8	10	19	37
6-12 YRS	146	7.6	68	2	4	6	8	13	16	59
13-19 YRS	101	7.8	30	1	5	7	9	15	20	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	3.7	51	< 1	1	2	4	6	8	49
B. Operated	361	5.1	12	2	3	4	6	9	11	19
2. MULTIPLE DX										
A. Not Operated	311	4.6	46	1	1	2	5	10	14	41
B. Operated	865	9.1	110	2	4	6	10	21	35	99 +
1. SINGLE DX	422	4.9	18	1	2	4	6	8	11	20
2. MULTIPLE DX	1176	7.9	97	1	3	5	9	18	31	99 +
A. Not Operated	372	4.5	47	1	1	2	5	9	14	42
B. Operated	1226	7.9	84	2	3	6	9	17	28	99 +
TOTAL										
0-27 DYS	184	13.9	203	3	5	10	20	40	76	99 +
1-11 MOS	548	6.8	75	1	2	4	7	16	25	99 +
1-5 YRS	438	5.5	46	1	2	4	7	9	13	32
6-12 YRS	258	6.0	46	1	2	5	7	11	14	35
13-19 YRS	170	6.6	25	1	4	6	8	13	16	32
GRAND TOTAL	**1598**	**7.1**	**78**	**1**	**3**	**5**	**8**	**15**	**24**	**99 +**

334: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	38	1.2	1	< 1	< 1	< 1	1	2	3	6
1-5 YRS	60	1.2		< 1	< 1	< 1	1	1	3	5
6-12 YRS	6	2.7	2	< 1	1	3	3	5	5	5
13-19 YRS	8	2.9	4	1	1	2	4	6	6	6
B. Operated										
0-27 DYS	31	1.5	1	< 1	1	1	2	3	4	4
1-11 MOS	169	1.3	1	< 1	1	1	1	2	3	6
1-5 YRS	289	1.5	1	< 1	< 1	1	2	3	4	7
6-12 YRS	289	1.6	2	< 1	1	1	2	3	4	9
13-19 YRS	131	1.8	2	< 1	1	1	2	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	8	4.5	10	1	2	4	6	9	11	11
1-11 MOS	34	1.9	2	< 1	< 1	1	3	4	5	6
1-5 YRS	16	2.9	24	< 1	< 1	1	2	11	16	18
6-12 YRS	10	1.9	3	< 1	< 1	1	2	5	6	6
13-19 YRS	2	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	18	9.4	394	1	1	2	7	32	64	79
1-11 MOS	94	2.9	29	< 1	1	1	2	5	9	37
1-5 YRS	161	2.1	6	< 1	1	1	2	5	7	13
6-12 YRS	171	2.3	6	1	1	1	2	5	7	10
13-19 YRS	80	3.0	10	1	1	2	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	115	1.4	1	< 1	< 1	< 1	1	3	3	6
B. Operated	909	1.5	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	70	2.4	8	< 1	< 1	1	3	5	6	17
B. Operated	524	2.7	25	< 1	1	1	2	5	8	23
1. SINGLE DX	1024	1.5	1	< 1	1	1	2	3	4	7
2. MULTIPLE DX	594	2.7	23	< 1	1	1	2	5	8	21
A. Not Operated	185	1.8	4	< 1	< 1	1	2	4	5	12
B. Operated	1433	2.0	10	< 1	1	1	2	4	6	10
TOTAL										
0-27 DYS	60	4.3	128	1	1	1	2	7	10	75
1-11 MOS	335	1.8	9	< 1	< 1	1	2	3	5	10
1-5 YRS	526	1.7	4	< 1	< 1	1	2	3	5	10
6-12 YRS	476	1.8	3	< 1	1	1	2	4	5	10
13-19 YRS	221	2.3	5	< 1	1	1	3	5	7	10
GRAND TOTAL	**1618**	**1.9**	**10**	**< 1**	**1**	**1**	**2**	**4**	**6**	**10**

335: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	53	4.0	48	1	1	2	4	8	22	98
1-11 MOS	54	5.4	70	1	1	2	7	13	17	50
1-5 YRS	53	3.7	28	1	1	2	4	7	9	35
6-12 YRS	23	4.7	25	1	2	3	6	11	18	21
13-19 YRS	21	2.2	2	1	1	2	3	4	5	5
B. Operated										
0-27 DYS	58	6.8	36	1	2	5	9	17	24	93
1-11 MOS	700	5.2	57	1	1	3	7	11	14	28
1-5 YRS	1537	4.2	9	1	2	4	6	8	9	14
6-12 YRS	547	3.8	9	1	1	3	6	7	8	13
13-19 YRS	265	3.5	9	1	1	2	5	8	9	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	190	5.4	42	1	2	3	6	12	18	46
1-11 MOS	461	4.5	43	1	1	3	5	9	14	35
1-5 YRS	302	2.5	34	< 1	1	1	2	4	7	21
6-12 YRS	91	2.7	10	< 1	1	2	3	7	8	18
13-19 YRS	49	3.1	12	< 1	1	2	3	10	14	99 +
B. Operated										
0-27 DYS	471	14.7	191	4	7	11	20	52	99 +	99 +
1-11 MOS	2639	9.5	135	1	2	7	12	22	33	94
1-5 YRS	3476	6.8	77	1	2	5	8	14	20	57
6-12 YRS	1099	6.1	47	1	2	4	8	13	18	39
13-19 YRS	518	5.3	30	1	2	4	7	10	14	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	204	4.2	42	1	1	2	4	8	15	47
B. Operated	3107	4.3	21	1	2	4	6	8	10	18
2. MULTIPLE DX										
A. Not Operated	1093	3.9	37	< 1	1	2	4	8	13	33
B. Operated	8203	7.9	100	1	2	6	10	17	27	85
1. SINGLE DX	3311	4.3	22	1	1	4	6	8	10	19
2. MULTIPLE DX	9296	7.5	95	1	2	5	9	16	26	77
A. Not Operated	1297	3.9	38	< 1	1	2	4	8	13	36
B. Operated	11310	7.0	81	1	2	5	8	15	23	67
TOTAL										
0-27 DYS	772	11.1	154	2	4	8	15	33	70	99 +
1-11 MOS	3854	8.1	114	1	2	5	10	18	28	76
1-5 YRS	5368	5.8	57	1	2	4	7	11	16	43
6-12 YRS	1760	5.2	35	1	2	3	7	11	15	32
13-19 YRS	853	4.5	23	1	1	2	7	9	12	32
GRAND TOTAL	**12607**	**6.6**	**77**	**1**	**2**	**5**	**8**	**14**	**22**	**65**

336: Cleft palate and lip (749)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	3.8	2	2	3	3	5	6	6	6
1-11 MOS	16	2.1	2	1	1	2	3	5	5	5
1-5 YRS	15	4.0	89	1	1	1	2	4	29	38
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	18	3.8	8	1	2	3	5	9	11	11
1-11 MOS	945	2.4	2	1	1	2	3	4	5	7
1-5 YRS	550	2.5	2	1	1	2	3	4	5	7
6-12 YRS	182	2.0	1	1	1	2	3	3	4	6
13-19 YRS	109	2.0	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	17	4.9	22	1	2	3	6	12	16	18
1-11 MOS	38	1.7	4	< 1	< 1	1	1	4	6	11
1-5 YRS	50	1.3	1	< 1	< 1	1	1	2	4	7
6-12 YRS	9	1.6	1	< 1	1	1	2	3	4	4
13-19 YRS	3	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	11	10.4	249	2	2	2	7	42	43	43
1-11 MOS	842	2.8	4	1	2	2	3	5	6	10
1-5 YRS	773	2.9	6	1	2	2	3	5	6	11
6-12 YRS	266	2.2	1	1	1	2	3	4	4	6
13-19 YRS	167	2.0	1	1	1	2	3	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	3.2	35	1	1	2	3	5	6	38
B. Operated	1804	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	117	2.0	6	< 1	< 1	1	2	4	7	14
B. Operated	2059	2.7	6	1	1	2	3	5	6	9
1. SINGLE DX	1843	2.4	3	1	1	2	3	4	5	7
2. MULTIPLE DX	2176	2.7	6	1	1	2	3	5	6	10
A. Not Operated	156	2.3	14	< 1	< 1	1	2	5	6	18
B. Operated	3863	2.6	4	1	1	2	3	4	5	8
TOTAL										
0-27 DYS	54	5.5	63	2	2	3	5	10	17	43
1-11 MOS	1841	2.6	3	1	1	2	3	5	6	8
1-5 YRS	1388	2.7	5	1	1	2	3	5	6	9
6-12 YRS	457	2.1	1	1	1	2	3	3	4	6
13-19 YRS	279	2.0	1	1	1	2	3	4	4	6
GRAND TOTAL	**4019**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

337: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	19	2.6	6	< 1	1	2	3	6	9	10
1-11 MOS	24	2.3	4	1	1	2	3	4	6	10
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	560	3.1	2	2	2	3	4	5	6	8
1-11 MOS	1337	2.9	1	2	2	3	3	4	5	7
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	20	3.1	6	1	1	2	4	7	8	9
1-11 MOS	32	3.0	12	< 1	1	2	3	7	9	18
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	196	4.9	32	2	3	4	5	7	9	48
1-11 MOS	518	4.4	13	2	3	4	5	7	10	24
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	43	2.4	5	1	1	2	3	4	9	10
B. Operated	1897	3.0	2	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. Not Operated	52	3.0	9	< 1	1	2	4	7	9	18
B. Operated	714	4.5	19	2	3	4	5	7	9	29
1. SINGLE DX	1940	3.0	2	2	2	3	4	4	5	7
2. MULTIPLE DX	766	4.4	18	2	3	3	5	7	9	26
A. Not Operated	95	2.8	7	1	1	2	3	6	9	15
B. Operated	2611	3.4	7	2	2	3	4	5	6	11
TOTAL										
0-27 DYS	795	3.5	10	2	2	3	4	5	7	14
1-11 MOS	1911	3.3	5	2	2	3	4	5	6	11
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**2706**	**3.4**	**7**	**2**	**2**	**3**	**4**	**5**	**6**	**11**

338: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	32	2.7	4	1	1	2	3	5	8	11
1-11 MOS	133	2.9	8	1	1	2	3	7	10	13
1-5 YRS	53	3.4	29	< 1	1	2	3	6	15	31
6-12 YRS	19	2.9	18	< 1	< 1	2	3	4	13	20
13-19 YRS	3	4.7	5	2	3	6	6	6	6	6
B. Operated										
0-27 DYS	105	7.6	54	2	4	6	8	16	22	99 +
1-11 MOS	503	5.8	47	1	2	5	7	11	14	32
1-5 YRS	391	5.0	37	1	1	3	7	10	13	24
6-12 YRS	166	4.5	21	1	2	3	6	8	11	30
13-19 YRS	101	3.4	9	1	1	2	5	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	63	7.0	120	1	2	3	7	20	23	66
1-11 MOS	282	4.9	42	1	2	3	6	11	16	86
1-5 YRS	147	4.6	24	1	2	3	5	10	16	24
6-12 YRS	36	3.1	6	1	1	2	4	7	8	10
13-19 YRS	16	2.6	4	< 1	1	2	4	6	7	7
B. Operated										
0-27 DYS	278	16.3	256	4	7	11	25	61	99 +	99 +
1-11 MOS	690	10.3	176	1	3	7	12	26	46	99 +
1-5 YRS	675	8.6	138	1	2	5	9	20	36	65
6-12 YRS	245	6.5	91	1	2	4	7	14	22	53
13-19 YRS	169	4.3	17	1	1	3	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	240	3.0	13	< 1	1	2	3	6	10	20
B. Operated	1266	5.3	39	1	2	4	7	11	13	32
2. MULTIPLE DX										
A. Not Operated	544	4.9	43	1	2	3	6	10	17	47
B. Operated	2057	9.6	161	1	3	6	11	25	46	99 +
1. SINGLE DX	1506	5.0	35	1	1	3	7	10	13	30
2. MULTIPLE DX	2601	8.6	140	1	2	5	10	22	39	99 +
A. Not Operated	784	4.3	35	1	1	3	5	9	14	32
B. Operated	3323	8.0	119	1	2	5	9	18	32	99 +
TOTAL										
0-27 DYS	478	12.2	201	2	4	8	17	41	96	99 +
1-11 MOS	1608	7.4	105	1	2	5	8	16	27	99 +
1-5 YRS	1266	6.8	93	1	2	4	8	14	23	61
6-12 YRS	466	5.4	58	1	1	3	6	10	18	43
13-19 YRS	289	3.9	14	1	1	3	5	8	11	19
GRAND TOTAL	**4107**	**7.3**	**105**	**1**	**2**	**4**	**8**	**16**	**29**	**99 +**

339: Undescended testicle (752.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	2	2.0	2	< 1	< 1	1	3	3	3	3
6-12 YRS	4	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	24	1.6	4	< 1	< 1	1	1	2	6	11
1-5 YRS	365	1.2		< 1	1	1	1	2	2	4
6-12 YRS	311	1.3		< 1	1	1	1	2	3	4
13-19 YRS	73	1.5	1	< 1	1	1	2	3	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	0									
1-5 YRS	13	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	8	1.8	5	< 1	< 1	1	1	5	7	7
13-19 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	38	2.4	8	1	1	1	3	6	8	14
1-5 YRS	393	1.5	1	< 1	1	1	2	3	3	6
6-12 YRS	231	1.6	3	< 1	1	1	2	2	3	7
13-19 YRS	66	1.5	1	1	1	1	2	3	4	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.6	1	< 1	1	1	2	4	4	4
B. Operated	773	1.3	1	< 1	1	1	1	2	2	5
2. MULTIPLE DX										
A. Not Operated	25	1.3	2	< 1	< 1	1	1	1	4	7
B. Operated	729	1.6	2	< 1	1	1	2	3	4	6
1. SINGLE DX	781	1.3	1	< 1	1	1	1	2	3	5
2. MULTIPLE DX	754	1.6	2	< 1	1	1	2	3	4	6
A. Not Operated	33	1.4	1	< 1	< 1	1	1	3	4	7
B. Operated	1502	1.4	1	< 1	1	1	1	2	3	6
TOTAL										
0-27 DYS	4	2.3	2	1	1	2	3	4	4	4
1-11 MOS	62	2.1	7	< 1	1	1	2	5	8	14
1-5 YRS	773	1.3	1	< 1	1	1	1	2	3	5
6-12 YRS	554	1.4	2	< 1	1	1	1	2	3	6
13-19 YRS	142	1.5	1	< 1	1	1	2	3	4	6
GRAND TOTAL	**1535**	**1.4**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

340: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	17	1.5	1	< 1	1	1	2	3	4	4
1-11 MOS	27	1.9	5	1	1	1	2	4	7	11
1-5 YRS	23	1.7	2	< 1	1	1	2	3	5	6
6-12 YRS	8	2.1	3	1	1	1	3	5	6	6
13-19 YRS	8	3.3	7	< 1	1	2	5	7	8	8
B. Operated										
0-27 DYS	58	6.5	29	1	3	5	8	13	14	31
1-11 MOS	524	3.2	7	1	1	2	5	6	8	14
1-5 YRS	1157	2.8	7	1	1	2	4	6	9	13
6-12 YRS	242	3.1	9	< 1	1	2	4	7	10	14
13-19 YRS	159	4.1	14	1	2	3	5	8	10	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	28	4.7	13	1	2	4	6	10	13	16
1-11 MOS	48	4.0	39	< 1	1	2	4	11	17	31
1-5 YRS	60	1.8	3	< 1	< 1	1	2	4	6	7
6-12 YRS	27	2.5	4	< 1	1	2	3	5	7	8
13-19 YRS	24	2.3	3	< 1	1	2	3	3	5	9
B. Operated										
0-27 DYS	82	11.5	135	2	5	9	15	32	77	99 +
1-11 MOS	408	5.8	37	1	2	4	8	12	19	37
1-5 YRS	726	5.1	30	1	1	3	7	10	14	24
6-12 YRS	243	5.7	31	1	2	4	7	13	16	26
13-19 YRS	173	5.0	19	1	2	4	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	1.9	3	< 1	1	1	2	4	6	10
B. Operated	2140	3.2	9	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	187	3.0	15	< 1	1	2	3	6	9	22
B. Operated	1632	5.7	37	1	2	4	7	12	16	35
1. SINGLE DX	2223	3.1	9	1	1	2	4	7	9	14
2. MULTIPLE DX	1819	5.4	36	1	2	4	7	11	15	34
A. Not Operated	270	2.7	11	< 1	1	1	3	6	8	16
B. Operated	3772	4.3	23	1	1	3	5	9	13	25
TOTAL										
0-27 DYS	185	8.0	82	1	2	6	10	18	32	99 +
1-11 MOS	1007	4.3	22	1	1	3	5	9	13	28
1-5 YRS	1966	3.6	17	1	1	2	5	8	11	21
6-12 YRS	520	4.2	21	1	1	3	6	10	13	21
13-19 YRS	364	4.4	16	1	2	3	6	9	11	20
GRAND TOTAL	**4042**	**4.1**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

341: Clubfoot (754.5-754.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	6	1.7	3	< 1	< 1	1	1	5	5	5
1-5 YRS	11	1.6	1	< 1	< 1	< 1	2	4	4	4
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	764	2.3	2	1	1	2	3	4	5	8
1-5 YRS	469	2.2	3	1	1	2	3	3	4	10
6-12 YRS	186	2.7	7	1	1	2	3	4	6	10
13-19 YRS	88	2.8	3	1	1	3	4	5	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	26	1.0		< 1	< 1	1	1	1	1	1
1-5 YRS	17	1.4	1	< 1	< 1	1	1	3	5	5
6-12 YRS	10	1.4		< 1	< 1	1	2	3	3	3
13-19 YRS	4	1.0		< 1	< 1	1	1	1	1	1
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	164	3.2	38	1	1	3	3	5	6	12
1-5 YRS	341	2.8	6	1	1	2	4	5	7	11
6-12 YRS	188	3.2	14	1	2	2	4	5	6	14
13-19 YRS	152	3.2	6	1	2	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	21	2.0	3	< 1	< 1	1	3	5	6	7
B. Operated	1507	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. Not Operated	57	1.2	1	< 1	< 1	1	1	1	3	5
B. Operated	846	3.1	14	1	1	2	4	5	7	12
1. SINGLE DX	1528	2.3	3	1	1	2	3	4	5	9
2. MULTIPLE DX	903	2.9	14	1	1	2	4	5	7	12
A. Not Operated	78	1.4	1	< 1	< 1	1	1	3	4	7
B. Operated	2353	2.6	7	1	1	2	3	4	6	10
TOTAL										
0-27 DYS	4	3.0	3	1	1	3	4	5	5	5
1-11 MOS	960	2.4	9	1	1	2	3	4	5	8
1-5 YRS	838	2.4	4	1	1	2	3	4	6	10
6-12 YRS	385	2.9	11	1	1	2	3	5	6	11
13-19 YRS	244	3.0	5	1	1	2	4	5	7	11
GRAND TOTAL	**2431**	**2.6**	**7**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

342: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	21	4.5	30	1	2	3	5	10	17	25
1-11 MOS	144	2.5	15	< 1	1	1	2	5	10	24
1-5 YRS	118	2.3	6	< 1	< 1	1	2	5	8	14
6-12 YRS	60	2.5	7	1	1	1	3	6	8	14
13-19 YRS	43	2.7	3	1	1	2	4	5	6	7
B. Operated										
0-27 DYS	28	8.7	62	2	3	6	15	26	99 +	99 +
1-11 MOS	930	4.4	18	1	2	3	5	8	12	25
1-5 YRS	1236	3.3	16	1	1	2	4	6	9	20
6-12 YRS	861	3.3	12	1	1	2	4	7	8	15
13-19 YRS	760	3.2	10	1	1	2	5	7	8	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	91	7.7	99	2	2	5	10	15	23	63
1-11 MOS	205	4.4	58	< 1	1	2	5	9	13	62
1-5 YRS	197	3.6	31	< 1	1	2	4	7	11	30
6-12 YRS	109	4.2	55	< 1	1	2	4	8	12	45
13-19 YRS	88	4.4	37	< 1	1	2	5	10	15	35
B. Operated										
0-27 DYS	100	22.9	399	5	8	22	48	99 +	99 +	99 +
1-11 MOS	548	6.2	86	1	2	4	7	13	25	99 +
1-5 YRS	894	4.8	43	1	1	3	6	9	14	30
6-12 YRS	608	5.4	52	1	2	4	6	10	14	34
13-19 YRS	473	5.7	35	1	2	4	7	13	18	33
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	386	2.6	11	< 1	1	1	3	5	8	18
B. Operated	3815	3.6	15	1	1	3	5	7	9	20
2. MULTIPLE DX										
A. Not Operated	690	4.6	54	< 1	1	2	5	10	14	41
B. Operated	2623	6.1	77	1	2	4	7	13	23	99 +
1. SINGLE DX	4201	3.5	15	1	1	2	4	7	9	20
2. MULTIPLE DX	3313	5.8	73	1	2	3	6	12	21	83
A. Not Operated	1076	3.9	39	< 1	1	2	4	8	12	30
B. Operated	6438	4.6	42	1	1	3	5	9	14	44
TOTAL										
0-27 DYS	240	13.9	271	2	4	8	23	69	99 +	99 +
1-11 MOS	1827	4.8	44	1	1	3	5	9	15	55
1-5 YRS	2445	3.8	27	1	1	2	4	8	11	24
6-12 YRS	1638	4.1	31	1	1	3	5	8	11	24
13-19 YRS	1364	4.2	22	1	1	3	5	8	11	28
GRAND TOTAL	**7514**	**4.5**	**42**	**1**	**1**	**3**	**5**	**9**	**14**	**42**

343: Immature and premature infants (765)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	280	11.7	67	4	7	10	15	22	29	99 +
1-11 MOS	32	12.7	81	2	6	12	17	28	29	32
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	5	46.2	1186	9	46	77	99 +	99 +	99 +	99 +
1-11 MOS	2	18.5	145	10	10	18	27	27	27	27
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1180	18.5	261	4	8	14	25	44	67	99 +
1-11 MOS	126	20.2	261	5	9	18	27	36	52	91
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	355	33.8	619	9	18	52	99 +	99 +	99 +	99 +
1-11 MOS	33	23.3	396	6	13	20	59	99 +	99 +	99 +
1-5 YRS	2	14.0	338	1	1	14	27	27	27	27
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	312	11.8	69	3	7	10	15	23	29	99 +
B. Operated	7	38.3	997	9	16	77	99 +	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	1307	18.7	261	4	8	15	25	43	67	99 +
B. Operated	390	32.9	607	8	17	50	99 +	99 +	99 +	99 +
1. SINGLE DX	319	12.4	101	3	7	10	15	24	34	99 +
2. MULTIPLE DX	1697	21.9	376	5	9	18	40	99 +	99 +	99 +
A. Not Operated	1619	17.4	231	4	7	13	23	39	60	99 +
B. Operated	397	33.0	612	8	17	51	99 +	99 +	99 +	99 +
TOTAL										
0-27 DYS	1820	20.5	354	5	8	16	36	99 +	99 +	99 +
1-11 MOS	193	19.5	260	5	10	17	27	45	88	99 +
1-5 YRS	3	14.7	170	1	5	16	24	27	27	27
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**2016**	**20.4**	**345**	**5**	**9**	**16**	**35**	**99 +**	**99 +**	**99 +**

344: Perinatal jaundice (773-774)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4924	2.1	1	1	2	2	2	3	4	5
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	47	3.3	3	2	2	3	4	5	7	8
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1491	2.9	9	1	2	2	3	5	6	13
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	54	4.5	12	2	3	3	5	9	11	22
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	4924	2.1	1	1	2	2	2	3	4	5
B. Operated	47	3.3	3	2	2	3	4	5	7	8
2. MULTIPLE DX										
A. Not Operated	1491	2.9	9	1	2	2	3	5	6	13
B. Operated	54	4.5	12	2	3	3	5	9	11	22
1. SINGLE DX	4971	2.1	1	1	2	2	3	3	4	5
2. MULTIPLE DX	1545	3.0	9	1	2	2	3	5	6	14
A. Not Operated	6415	2.3	3	1	2	2	3	3	4	8
B. Operated	101	3.9	8	2	2	3	4	7	9	17
TOTAL										
0-27 DYS	6516	2.3	3	1	2	2	3	3	4	8
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	**6516**	**2.3**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**8**

345: Miscellaneous perinatal conditions causing morbidity and mortality (760-764; 766-772; 775-779)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	915	3.6	18	1	2	3	4	7	10	17
1-11 MOS	4	1.8	1	1	1	2	2	3	3	3
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	43	4.2	8	2	2	3	5	8	11	15
1-11 MOS	17	1.7	1	< 1	< 1	1	2	3	4	4
1-5 YRS	28	2.8	4	< 1	1	2	4	5	6	8
6-12 YRS	10	2.2	3	1	1	2	2	5	6	6
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2083	7.6	95	2	3	4	9	16	27	68
1-11 MOS	15	9.7	220	2	2	4	7	32	49	55
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	2	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	547	18.3	380	4	7	13	49	99 +	99 +	99 +
1-11 MOS	20	4.8	56	1	1	2	5	12	24	32
1-5 YRS	18	2.1	3	< 1	1	1	3	5	6	7
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	6	4.7	14	1	1	4	6	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	921	3.6	18	1	2	3	4	7	10	17
B. Operated	99	3.1	6	< 1	1	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	2102	7.6	95	2	3	4	9	16	27	68
B. Operated	593	17.2	368	3	6	12	43	99 +	99 +	99 +
1. SINGLE DX	1020	3.6	17	1	2	3	4	7	10	17
2. MULTIPLE DX	2695	9.7	171	2	3	6	12	33	80	99 +
A. Not Operated	3023	6.4	75	1	2	4	7	13	20	57
B. Operated	692	15.2	340	2	5	10	34	99 +	99 +	99 +
TOTAL										
0-27 DYS	3588	8.2	139	2	3	4	10	23	56	99 +
1-11 MOS	56	4.9	86	< 1	1	2	4	9	27	54
1-5 YRS	48	2.5	4	< 1	1	1	4	5	6	8
6-12 YRS	12	2.5	5	1	1	2	4	6	7	7
13-19 YRS	11	3.0	11	< 1	< 1	1	5	8	11	11
GRAND TOTAL	**3715**	**8.0**	**136**	**1**	**2**	**4**	**10**	**22**	**53**	**99 +**

346: Convulsions (780.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	59	3.8	34	1	2	3	4	6	7	43
1-11 MOS	669	2.8	5	1	1	2	3	5	6	12
1-5 YRS	1695	2.2	4	1	1	2	3	4	5	10
6-12 YRS	779	2.2	3	1	1	2	3	4	5	8
13-19 YRS	636	2.3	3	1	1	2	3	4	6	8
B. Operated										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	11	11.6	408	1	2	4	9	43	67	69
1-5 YRS	13	2.7	4	1	1	2	4	17	82	99 +
6-12 YRS	9	5.2	21	1	2	4	7	13	15	15
13-19 YRS	9	5.7	56	1	2	4	5	17	25	25
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	59	5.2	28	1	2	3	6	10	18	27
1-11 MOS	1412	3.3	7	1	2	3	4	6	8	14
1-5 YRS	4697	2.6	5	1	1	2	3	5	6	11
6-12 YRS	859	3.0	8	1	1	2	3	6	9	15
13-19 YRS	649	3.0	7	1	1	2	4	6	7	13
B. Operated										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	52	12.0	261	2	3	7	12	28	51	78
1-5 YRS	102	8.2	116	2	2	5	9	19	25	66
6-12 YRS	31	8.0	42	2	3	7	12	19	25	99 +
13-19 YRS	33	8.0	57	2	2	6	10	19	26	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3838	2.4	4	1	1	2	3	4	5	10
B. Operated	43	6.5	128	1	2	3	6	19	38	99 +
2. MULTIPLE DX										
A. Not Operated	7676	2.8	6	1	1	2	3	5	7	13
B. Operated	219	9.0	132	2	3	6	10	20	27	79
1. SINGLE DX	3881	2.4	6	1	1	2	3	4	6	10
2. MULTIPLE DX	7895	3.0	11	1	1	2	4	5	7	15
A. Not Operated	11514	2.7	6	1	1	2	3	5	6	12
B. Operated	262	8.6	131	2	2	5	10	20	27	81
TOTAL										
0-27 DYS	120	4.6	32	1	2	3	5	9	13	33
1-11 MOS	2144	3.4	17	1	2	3	4	6	8	15
1-5 YRS	6507	2.6	7	1	1	2	3	5	6	12
6-12 YRS	1678	2.8	7	1	1	2	3	5	7	15
13-19 YRS	1327	2.8	7	1	1	2	3	6	7	14
GRAND TOTAL	**11776**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

347: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	239	2.9	1	2	2	3	3	4	5	7
1-11 MOS	777	2.6	1	1	2	3	3	4	4	7
1-5 YRS	326	2.7	4	1	2	2	3	5	6	11
6-12 YRS	106	3.0	5	1	2	2	4	6	7	13
13-19 YRS	82	4.0	8	1	2	3	6	9	10	13
B. Operated										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	9	2.8	1	2	2	2	3	5	5	5
1-5 YRS	9	6.9	46	1	3	4	10	19	21	21
6-12 YRS	10	6.1	13	1	4	6	8	11	14	14
13-19 YRS	7	7.7	20	2	4	7	11	14	14	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	282	3.3	2	2	2	3	4	5	6	9
1-11 MOS	1351	3.0	3	1	2	3	4	5	6	9
1-5 YRS	1521	3.5	11	1	2	3	4	6	8	15
6-12 YRS	660	3.8	7	1	2	3	5	7	9	16
13-19 YRS	374	4.6	13	2	2	4	6	9	12	20
B. Operated										
0-27 DYS	9	3.2	1	2	3	3	4	5	5	5
1-11 MOS	35	7.8	67	2	3	4	10	20	27	37
1-5 YRS	99	8.8	82	2	3	6	11	21	27	48
6-12 YRS	36	7.6	114	2	3	4	6	17	23	62
13-19 YRS	38	11.2	201	1	3	7	14	29	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1530	2.8	3	1	2	3	3	4	5	10
B. Operated	37	5.6	21	2	2	4	7	13	15	21
2. MULTIPLE DX										
A. Not Operated	4188	3.5	8	1	2	3	4	6	8	14
B. Operated	217	8.7	104	2	3	5	11	20	29	68
1. SINGLE DX	1567	2.8	3	1	2	3	3	4	6	10
2. MULTIPLE DX	4405	3.7	14	1	2	3	4	6	9	18
A. Not Operated	5718	3.3	6	1	2	3	4	5	7	13
B. Operated	254	8.2	93	2	3	5	10	19	26	62
TOTAL										
0-27 DYS	532	3.1	2	2	2	3	4	4	5	8
1-11 MOS	2172	3.0	4	1	2	3	3	4	6	10
1-5 YRS	1955	3.6	15	1	2	3	4	6	9	17
6-12 YRS	812	3.9	12	1	2	3	5	7	9	17
13-19 YRS	501	5.1	30	1	2	4	6	10	13	27
GRAND TOTAL	**5972**	**3.5**	**11**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

348: Headache (784.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	12	1.8	1	<1	1	1	2	4	4	4
6-12 YRS	56	2.1	2	1	1	2	3	4	5	7
13-19 YRS	105	2.1	2	1	1	2	3	4	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	13	2.2	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	53	2.2	2	1	1	2	3	4	4	8
6-12 YRS	140	2.4	3	1	1	2	3	4	6	10
13-19 YRS	292	2.9	8	1	1	2	3	5	7	16
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	5.8	17	2	2	5	7	12	13	13
6-12 YRS	16	3.1	4	1	2	3	4	6	7	8
13-19 YRS	24	3.3	6	<1	1	2	5	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	173	2.1	2	1	1	2	3	4	5	7
B. Operated	16	2.1	2	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. Not Operated	486	2.7	6	1	1	2	3	5	7	13
B. Operated	46	3.5	7	1	2	3	5	7	8	13
1. SINGLE DX	189	2.1	2	1	1	2	3	4	5	6
2. MULTIPLE DX	532	2.8	6	1	1	2	3	5	7	13
A. Not Operated	659	2.5	5	1	1	2	3	4	6	12
B. Operated	62	3.2	6	1	1	2	5	6	8	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	72	2.4	4	1	1	2	3	4	7	12
6-12 YRS	214	2.4	3	1	1	2	3	4	5	9
13-19 YRS	434	2.7	7	1	1	2	3	5	7	13
GRAND TOTAL	**721**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

349: Epistaxis (784.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	10	1.2		< 1	1	1	1	2	2	2
13-19 YRS	12	1.6		1	1	2	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	12	1.8	2	< 1	< 1	< 1	2	4	6	6
13-19 YRS	18	2.3	3	1	1	1	4	5	6	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	4.4	21	1	1	3	7	12	12	12
1-5 YRS	32	1.9	3	< 1	1	1	2	4	6	9
6-12 YRS	42	2.2	2	< 1	1	2	3	4	6	7
13-19 YRS	28	2.2	2	1	1	2	3	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	13	2.5	7	< 1	1	1	3	7	9	10
6-12 YRS	15	2.3	6	1	1	2	2	4	9	10
13-19 YRS	17	4.6	31	1	1	3	5	9	19	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	25	1.4		1	1	1	2	2	3	3
B. Operated	41	1.8	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX										
A. Not Operated	107	2.2	3	< 1	1	2	3	4	6	10
B. Operated	45	3.2	16	1	1	2	4	7	10	24
1. SINGLE DX	66	1.7	2	< 1	< 1	1	2	4	5	6
2. MULTIPLE DX	152	2.5	7	< 1	1	2	3	5	7	12
A. Not Operated	132	2.1	3	< 1	1	2	3	4	5	10
B. Operated	86	2.6	10	< 1	1	1	3	6	7	19
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.0	18	1	1	2	5	11	12	12
1-5 YRS	57	1.8	3	< 1	1	1	2	4	6	10
6-12 YRS	79	2.1	3	< 1	1	1	3	4	6	9
13-19 YRS	75	2.7	9	1	1	2	4	5	6	20
GRAND TOTAL	**218**	**2.3**	**6**	**< 1**	**1**	**1**	**3**	**5**	**6**	**11**

350: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	5	2.4	3	1	1	2	3	5	5	5
1-11 MOS	17	3.4	6	1	2	3	5	6	9	11
1-5 YRS	17	2.5	2	1	1	2	3	5	5	5
6-12 YRS	25	3.2	5	1	1	3	4	7	8	9
13-19 YRS	20	3.6	5	1	2	3	5	7	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	43	1.3	2	< 1	< 1	1	1	2	4	8
6-12 YRS	44	2.4	7	< 1	< 1	1	2	7	8	13
13-19 YRS	58	1.7	2	< 1	< 1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	11	7.6	77	< 1	1	4	14	21	27	28
1-11 MOS	37	6.2	47	1	2	4	7	17	21	29
1-5 YRS	50	4.3	11	1	2	4	6	9	11	14
6-12 YRS	39	4.4	18	1	2	3	5	9	15	21
13-19 YRS	36	3.5	43	< 1	1	2	3	6	8	40
B. Operated										
0-27 DYS	4	20.0	102	9	11	20	28	30	30	30
1-11 MOS	20	14.2	192	1	4	9	23	30	43	55
1-5 YRS	42	7.1	116	1	1	3	9	18	26	60
6-12 YRS	40	5.4	53	< 1	1	2	8	15	21	34
13-19 YRS	41	5.6	54	1	1	3	7	11	24	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	84	3.1	5	1	1	3	5	6	7	10
B. Operated	147	1.8	3	< 1	< 1	1	2	4	6	9
2. MULTIPLE DX										
A. Not Operated	173	4.8	31	1	2	3	5	11	16	29
B. Operated	147	7.5	101	1	1	3	9	22	28	55
1. SINGLE DX	231	2.3	4	< 1	1	1	3	5	7	10
2. MULTIPLE DX	320	6.0	65	1	1	3	7	16	24	37
A. Not Operated	257	4.2	23	1	1	3	5	9	14	28
B. Operated	294	4.7	60	< 1	1	1	5	11	22	35
TOTAL										
0-27 DYS	20	8.8	95	1	1	4	15	27	29	30
1-11 MOS	76	7.6	90	1	2	4	9	20	29	49
1-5 YRS	152	4.1	41	< 1	1	2	5	9	14	27
6-12 YRS	148	3.8	23	< 1	1	2	5	9	13	23
13-19 YRS	155	3.4	28	< 1	1	2	3	7	10	35
GRAND TOTAL	**551**	**4.5**	**43**	**< 1**	**1**	**2**	**5**	**10**	**16**	**31**

351: Gangrene (785.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	3	4.7	6	2	3	5	6	7	7	7
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-27 DYS	2	23.5	925	2	2	23	45	45	45	45
1-11 MOS	0									
1-5 YRS	5	5.2	12	< 1	2	5	8	10	10	10
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	7	5.1	12	< 1	2	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	6	< 1	1	3	5	6	6	6
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	9.5	1	9	9	9	10	10	10	10
13-19 YRS	3	9.7	54	4	5	7	15	18	18	18
B. Operated										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	9	6.6	37	1	1	4	11	16	18	18
6-12 YRS	10	10.5	38	2	5	9	17	18	18	18
13-19 YRS	14	7.4	46	1	3	6	10	15	24	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5	4.0	6	1	2	5	6	7	7	7
B. Operated	16	7.2	112	< 1	2	5	8	10	35	45
2. MULTIPLE DX										
A. Not Operated	10	6.6	24	1	4	5	9	14	18	18
B. Operated	35	8.5	51	1	3	7	13	18	25	27
1. SINGLE DX	21	6.4	87	< 1	2	5	7	10	26	45
2. MULTIPLE DX	45	8.0	45	1	3	6	11	18	20	27
A. Not Operated	15	5.7	19	1	3	5	7	10	16	18
B. Operated	51	8.1	68	1	2	5	10	18	26	45
TOTAL										
0-27 DYS	5	15.8	382	1	2	4	31	45	45	45
1-11 MOS	4	2.8	6	< 1	< 1	2	4	6	6	6
1-5 YRS	18	5.7	22	1	2	4	8	12	16	18
6-12 YRS	14	9.3	34	1	5	8	15	18	18	18
13-19 YRS	25	7.0	35	1	3	5	9	14	20	27
GRAND TOTAL	**66**	**7.5**	**58**	**1**	**3**	**5**	**10**	**18**	**20**	**42**

352: Chest pain (786.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	0									
6-12 YRS	17	1.6	1	1	1	1	2	3	4	4
13-19 YRS	92	2.0	2	< 1	1	1	3	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	7	2.1	2	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	13	2.8	3	< 1	1	2	4	5	6	6
1-5 YRS	12	3.1	5	1	1	3	4	6	9	9
6-12 YRS	31	2.3	2	1	1	2	3	5	5	6
13-19 YRS	220	2.5	4	1	1	2	3	4	6	11
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	4	4.5	6	2	3	4	6	8	8	8
13-19 YRS	13	3.7	4	1	2	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	111	1.9	2	< 1	1	1	3	4	5	7
B. Operated	11	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. Not Operated	279	2.5	4	1	1	2	3	4	6	10
B. Operated	15	4.0	5	2	2	4	5	8	8	8
1. SINGLE DX	122	1.9	2	< 1	1	1	2	4	5	7
2. MULTIPLE DX	298	2.6	4	1	1	2	3	5	6	10
A. Not Operated	390	2.3	3	1	1	2	3	4	6	10
B. Operated	30	3.2	5	1	1	3	4	7	8	8
TOTAL										
0-27 DYS	4	3.5	6	1	2	3	5	7	7	7
1-11 MOS	17	2.6	3	1	1	2	4	5	6	6
1-5 YRS	13	2.9	5	1	1	2	4	6	8	9
6-12 YRS	54	2.2	2	1	1	2	3	4	5	8
13-19 YRS	332	2.4	4	1	1	2	3	4	6	10
GRAND TOTAL	**420**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

353: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	128	2.9	4	1	1	2	4	6	7	10
1-11 MOS	947	2.7	6	1	1	2	3	5	7	12
1-5 YRS	223	2.3	4	1	1	2	3	4	6	11
6-12 YRS	56	2.0	5	1	1	1	2	5	6	14
13-19 YRS	32	1.8	1	< 1	1	2	2	3	4	5
B. Operated										
0-27 DYS	3	2.3	2	< 1	< 1	2	3	4	4	4
1-11 MOS	28	2.8	5	< 1	1	2	4	6	7	10
1-5 YRS	46	2.1	4	< 1	1	1	2	5	6	10
6-12 YRS	18	2.7	6	< 1	1	2	4	6	8	10
13-19 YRS	9	3.6	12	< 1	1	2	4	9	12	12
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	148	4.3	18	1	2	3	5	8	13	24
1-11 MOS	1605	4.3	29	1	2	3	5	8	11	23
1-5 YRS	580	3.6	13	1	1	3	4	7	10	20
6-12 YRS	178	4.8	36	1	1	3	5	12	15	34
13-19 YRS	143	4.7	25	1	1	3	6	11	15	25
B. Operated										
0-27 DYS	7	6.6	104	3	3	5	20	79	99 +	99 +
1-11 MOS	127	12.2	239	1	2	7	17	35	60	99 +
1-5 YRS	140	10.5	296	1	1	3	13	35	60	99 +
6-12 YRS	46	7.3	127	1	1	3	10	18	26	63
13-19 YRS	33	12.2	239	1	2	7	18	21	42	79
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1386	2.6	5	1	1	2	3	5	6	11
B. Operated	104	2.5	5	< 1	1	2	3	5	8	11
2. MULTIPLE DX										
A. Not Operated	2654	4.2	25	1	2	3	5	8	12	24
B. Operated	353	10.8	245	1	1	5	15	32	59	99 +
1. SINGLE DX	1490	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	3007	5.0	55	1	2	3	5	10	16	42
A. Not Operated	4040	3.6	19	1	1	3	4	7	10	20
B. Operated	457	8.9	202	1	1	3	10	26	45	99 +
TOTAL										
0-27 DYS	286	3.7	14	1	2	3	4	6	10	26
1-11 MOS	2707	4.1	34	1	2	3	5	8	11	30
1-5 YRS	939	4.2	57	1	1	2	4	8	14	54
6-12 YRS	298	4.5	45	1	1	2	5	11	15	37
13-19 YRS	217	5.4	62	1	1	2	6	14	20	34
GRAND TOTAL	**4497**	**4.2**	**40**	**1**	**1**	**3**	**4**	**8**	**13**	**34**

354: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	2.0	3	< 1	< 1	1	3	4	4	4
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	20	1.5		< 1	1	1	2	2	3	3
6-12 YRS	19	1.7	2	1	1	1	2	4	5	5
13-19 YRS	75	1.7	1	1	1	2	2	3	3	5
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	15	1.1		< 1	< 1	1	1	1	3	3
6-12 YRS	28	2.6	7	< 1	< 1	1	4	6	9	10
13-19 YRS	15	2.3	4	< 1	1	1	3	6	7	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	34	2.7	9	< 1	1	2	3	6	8	16
6-12 YRS	33	3.2	20	1	1	2	4	5	9	26
13-19 YRS	82	2.5	4	1	1	2	3	5	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.0	3	1	2	4	4	4	4	4
1-5 YRS	31	4.5	23	< 1	1	3	6	12	14	22
6-12 YRS	59	6.4	44	1	1	5	8	13	21	33
13-19 YRS	62	6.4	35	1	2	4	8	18	19	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	120	1.7	1	1	1	1	2	3	4	5
B. Operated	59	2.2	5	< 1	< 1	1	2	5	7	10
2. MULTIPLE DX										
A. Not Operated	155	2.7	8	1	1	2	3	5	7	16
B. Operated	155	5.9	36	1	2	4	8	14	19	28
1. SINGLE DX	179	1.9	2	< 1	1	1	2	3	5	8
2. MULTIPLE DX	310	4.3	25	1	1	3	5	10	16	25
A. Not Operated	275	2.3	5	1	1	2	3	4	5	11
B. Operated	214	4.9	30	< 1	1	3	7	12	18	25
TOTAL										
0-27 DYS	6	3.0	3	< 1	1	3	4	5	5	5
1-11 MOS	10	2.6	2	1	1	2	4	5	5	5
1-5 YRS	100	2.8	12	< 1	1	2	3	6	10	19
6-12 YRS	139	4.2	28	< 1	1	2	5	10	13	29
13-19 YRS	234	3.3	15	1	1	2	3	7	12	19
GRAND TOTAL	**489**	**3.4**	**18**	**1**	**1**	**2**	**4**	**8**	**12**	**22**

355: Abdominal pain (789.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	14	1.4		1	1	1	2	2	3	3
1-11 MOS	67	1.9	2	1	1	1	2	3	5	7
1-5 YRS	293	1.5	1	< 1	1	1	2	3	3	6
6-12 YRS	1277	1.7	1	1	1	1	2	3	4	6
13-19 YRS	2078	1.9	2	1	1	1	2	3	4	7
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.8	2	< 1	1	3	4	4	4	4
1-5 YRS	15	2.9	1	2	2	3	3	5	5	5
6-12 YRS	136	2.9	2	2	2	3	3	4	5	10
13-19 YRS	342	3.3	7	1	2	3	4	5	6	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	2.1	2	< 1	1	2	3	4	4	4
1-11 MOS	68	2.4	3	1	1	2	3	5	7	8
1-5 YRS	320	2.1	3	1	1	2	3	4	5	10
6-12 YRS	953	2.1	4	1	1	2	3	4	5	8
13-19 YRS	1637	2.5	6	1	1	2	3	4	6	11
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	24	3.7	4	2	2	3	4	6	8	9
6-12 YRS	120	4.0	11	2	2	3	4	7	9	21
13-19 YRS	344	3.9	8	1	2	3	5	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3729	1.8	2	1	1	1	2	3	4	6
B. Operated	498	3.1	6	1	2	3	4	5	6	11
2. MULTIPLE DX										
A. Not Operated	2985	2.3	5	1	1	2	3	4	6	10
B. Operated	492	3.9	9	1	2	3	5	7	9	18
1. SINGLE DX	4227	2.0	2	1	1	1	2	3	4	7
2. MULTIPLE DX	3477	2.5	6	1	1	2	3	5	6	11
A. Not Operated	6714	2.0	3	1	1	2	2	4	5	8
B. Operated	990	3.5	7	1	2	3	4	6	8	15
TOTAL										
0-27 DYS	22	1.7	1	< 1	1	1	2	3	4	4
1-11 MOS	143	2.2	2	1	1	2	3	4	6	8
1-5 YRS	652	1.9	2	1	1	1	2	3	4	8
6-12 YRS	2486	2.0	3	1	1	2	2	4	5	8
13-19 YRS	4401	2.4	5	1	1	2	3	4	6	10
GRAND TOTAL	**7704**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

356: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	49	2.1	2	1	1	2	3	4	5	7
1-11 MOS	125	2.2	2	1	1	2	3	4	6	8
1-5 YRS	68	1.9	2	< 1	1	1	2	3	5	8
6-12 YRS	99	2.5	6	1	1	2	3	4	7	14
13-19 YRS	61	2.4	4	< 1	1	2	3	5	6	11
B. Operated										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	9	3.0	10	1	1	2	3	8	11	11
1-5 YRS	24	2.7	5	1	1	2	3	5	8	10
6-12 YRS	30	4.0	8	1	2	4	5	6	11	14
13-19 YRS	14	2.7	6	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	67	3.0	3	1	2	3	4	5	6	10
1-11 MOS	304	3.1	8	1	1	2	4	6	8	16
1-5 YRS	533	2.8	11	1	1	2	3	5	7	14
6-12 YRS	389	3.0	9	1	1	2	3	6	9	16
13-19 YRS	260	3.4	25	1	1	2	4	5	8	35
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	23	10.6	237	1	2	4	15	28	53	60
1-5 YRS	107	4.1	30	1	1	2	5	10	12	34
6-12 YRS	104	3.1	20	1	1	1	4	9	12	25
13-19 YRS	119	4.1	90	1	1	1	4	9	15	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	402	2.2	3	1	1	2	3	4	6	9
B. Operated	79	3.3	7	1	1	3	4	6	10	13
2. MULTIPLE DX										
A. Not Operated	1553	3.0	12	1	1	2	4	6	8	16
B. Operated	354	4.2	63	1	1	1	5	10	15	39
1. SINGLE DX	481	2.4	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1907	3.3	21	1	1	2	4	6	9	20
A. Not Operated	1955	2.9	10	1	1	2	3	5	8	15
B. Operated	433	4.1	53	1	1	2	5	9	14	32
TOTAL										
0-27 DYS	119	2.7	3	1	1	2	3	5	7	9
1-11 MOS	461	3.2	20	1	1	2	3	6	9	17
1-5 YRS	732	2.9	13	1	1	2	3	6	8	15
6-12 YRS	622	3.0	10	1	1	2	4	6	9	18
13-19 YRS	454	3.4	39	1	1	2	4	7	10	22
GRAND TOTAL	**2388**	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**9**	**18**

357: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	301	2.7	3	1	2	2	3	4	5	11
1-11 MOS	877	4.3	17	1	2	3	5	8	11	21
1-5 YRS	629	3.1	17	1	1	2	3	6	9	23
6-12 YRS	456	2.0	6	1	1	1	2	4	5	10
13-19 YRS	506	3.0	31	1	1	2	3	5	7	28
B. Operated										
0-27 DYS	3	5.7	32	1	2	4	10	12	12	12
1-11 MOS	45	4.1	26	1	1	2	5	9	13	30
1-5 YRS	103	2.4	12	< 1	1	1	2	4	8	22
6-12 YRS	55	4.4	164	< 1	1	1	2	7	10	80
13-19 YRS	63	1.8	3	1	1	1	2	3	5	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	350	4.3	13	2	2	3	5	9	10	15
1-11 MOS	2118	6.1	44	2	3	4	7	12	17	32
1-5 YRS	1406	5.3	66	1	2	3	6	11	17	42
6-12 YRS	608	3.0	16	1	1	2	3	5	8	18
13-19 YRS	897	3.1	15	1	1	2	4	6	8	21
B. Operated										
0-27 DYS	9	11.8	70	4	6	11	17	65	99 +	99 +
1-11 MOS	242	14.6	240	2	5	10	19	40	59	99 +
1-5 YRS	306	8.0	74	1	2	5	12	19	28	70
6-12 YRS	96	5.2	51	1	1	3	6	13	19	37
13-19 YRS	145	5.0	85	1	1	2	5	12	18	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2769	3.2	17	1	1	2	4	6	9	21
B. Operated	269	3.0	44	< 1	1	1	3	6	9	29
2. MULTIPLE DX										
A. Not Operated	5379	4.9	41	1	2	3	6	10	15	32
B. Operated	798	9.2	138	1	2	5	12	23	38	99 +
1. SINGLE DX	3038	3.2	19	1	1	2	4	6	9	22
2. MULTIPLE DX	6177	5.5	56	1	2	3	6	12	17	43
A. Not Operated	8148	4.4	34	1	2	3	5	9	13	29
B. Operated	1067	7.6	121	1	1	4	9	19	32	98
TOTAL										
0-27 DYS	663	3.7	11	1	2	3	4	7	10	15
1-11 MOS	3282	6.2	57	1	2	4	7	13	18	46
1-5 YRS	2444	5.0	54	1	1	3	5	11	17	38
6-12 YRS	1215	2.9	22	1	1	2	3	5	8	22
13-19 YRS	1611	3.2	26	1	1	2	3	6	9	24
GRAND TOTAL	**9215**	**4.7**	**45**	**1**	**2**	**3**	**5**	**10**	**15**	**37**

358: Fracture of skull with prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	20.0	63	14	15	17	26	29	29	29
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	3	26.3	142	13	17	30	34	36	36	36
1-5 YRS	8	15.6	58	5	9	16	21	25	27	27
6-12 YRS	9	15.7	128	5	7	11	25	33	36	36
13-19 YRS	13	24.0	438	4	8	17	33	64	65	65
B. Operated										
0-27 DYS	0									
1-11 MOS	4	32.8	528	3	16	35	49	58	58	58
1-5 YRS	17	33.1	300	14	23	34	56	87	99 +	99 +
6-12 YRS	25	36.0	606	7	20	35	61	99	99 +	99 +
13-19 YRS	48	28.7	250	11	19	27	43	69	99 +	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	4	15.3	132	1	7	15	23	29	29	29
2. MULTIPLE DX										
A. Not Operated	34	19.9	231	5	8	17	28	36	59	65
B. Operated	94	31.6	361	11	20	29	50	81	99 +	99 +
1. SINGLE DX	4	15.3	132	1	7	15	23	29	29	29
2. MULTIPLE DX	128	28.5	351	8	17	26	43	67	99 +	99 +
A. Not Operated	34	19.9	231	5	8	17	28	36	59	65
B. Operated	98	30.9	361	10	19	28	47	76	99 +	99 +
TOTAL										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	7	30.0	323	5	17	30	39	54	58	58
1-5 YRS	25	27.5	286	11	17	23	39	67	99 +	99 +
6-12 YRS	35	29.8	563	5	11	26	54	92	99 +	99 +
13-19 YRS	64	27.3	278	8	17	26	41	65	99 +	99 +
GRAND TOTAL	**132**	**28.1**	**349**	**7**	**16**	**26**	**42**	**66**	**99 +**	**99 +**

359: Fracture of vault of skull without prolonged loss of consciousness (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	46	1.6	1	1	1	1	2	3	3	5
1-11 MOS	571	1.5	1	< 1	1	1	2	3	4	6
1-5 YRS	316	1.7	2	< 1	1	1	2	3	4	8
6-12 YRS	134	2.1	4	1	1	1	2	4	6	11
13-19 YRS	34	2.5	4	1	1	2	4	5	6	9
B. Operated										
0-27 DYS	4	3.0	3	1	2	3	4	5	5	5
1-11 MOS	46	4.1	22	1	2	3	4	8	16	24
1-5 YRS	87	4.2	5	2	3	4	6	8	8	10
6-12 YRS	81	4.7	21	2	3	4	5	8	9	31
13-19 YRS	22	5.2	8	2	3	5	7	9	10	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	30	5.2	51	1	1	2	5	17	25	26
1-11 MOS	381	3.4	17	1	1	2	4	8	10	24
1-5 YRS	307	3.3	25	1	1	2	3	6	9	26
6-12 YRS	180	4.1	22	1	1	3	5	8	12	34
13-19 YRS	112	4.2	16	1	2	3	6	8	11	22
B. Operated										
0-27 DYS	5	16.8	119	5	6	21	24	30	30	30
1-11 MOS	38	13.4	216	1	3	9	18	34	53	57
1-5 YRS	122	8.9	161	1	3	5	9	21	37	98
6-12 YRS	125	8.8	142	2	3	5	9	24	30	86
13-19 YRS	123	13.6	162	2	4	10	17	34	41	75
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1101	1.7	2	< 1	1	1	2	3	4	8
B. Operated	240	4.5	14	2	2	3	5	8	9	21
2. MULTIPLE DX										
A. Not Operated	1010	3.6	21	1	1	2	4	7	11	26
B. Operated	413	10.8	164	1	3	6	13	27	40	87
1. SINGLE DX	1341	2.2	5	1	1	1	2	4	6	10
2. MULTIPLE DX	1423	5.7	73	1	1	3	6	13	23	51
A. Not Operated	2111	2.6	12	1	1	1	3	5	8	20
B. Operated	653	8.5	118	2	3	5	9	21	33	58
TOTAL										
0-27 DYS	85	3.8	37	1	1	2	3	7	22	29
1-11 MOS	1036	2.8	21	1	1	1	2	5	9	23
1-5 YRS	832	3.6	39	1	1	2	4	7	10	37
6-12 YRS	520	4.8	52	1	2	3	5	9	18	48
13-19 YRS	291	8.1	98	1	2	5	9	19	33	55
GRAND TOTAL	**2764**	**4.0**	**43**	**1**	**1**	**2**	**4**	**8**	**14**	**37**

360: Fracture of base of skull without prolonged loss of consciousness (801.0-801.9 with 5th digit 0-3; 6; 9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	1.5		1	1	1	2	2	2	2
1-11 MOS	84	1.5	2	1	1	1	2	2	5	7
1-5 YRS	196	1.6	1	< 1	1	1	2	3	4	6
6-12 YRS	150	2.3	3	1	1	2	3	4	5	10
13-19 YRS	68	2.8	7	1	1	2	3	6	8	14
B. Operated										
0-27 DYS	0									
1-11 MOS	5	2.4	2	1	1	2	3	5	5	5
1-5 YRS	19	5.9	49	1	2	4	6	12	24	31
6-12 YRS	18	5.2	12	2	3	4	7	10	13	15
13-19 YRS	27	4.7	11	1	2	4	7	9	10	15
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	5	5.8	74	1	1	2	8	21	21	21
1-11 MOS	65	3.5	19	1	1	2	4	7	12	25
1-5 YRS	236	3.7	22	1	1	2	4	8	12	22
6-12 YRS	230	3.6	19	1	2	2	4	7	11	20
13-19 YRS	244	5.4	31	1	2	3	7	12	18	29
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	11.9	192	2	3	6	14	37	45	46
1-5 YRS	59	9.9	208	2	3	5	10	22	30	87
6-12 YRS	84	9.8	178	1	3	5	10	29	49	99 +
13-19 YRS	189	10.4	123	2	4	7	13	21	32	64
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	504	1.9	3	1	1	1	2	4	5	9
B. Operated	69	5.0	21	1	2	4	6	9	15	28
2. MULTIPLE DX										
A. Not Operated	780	4.2	24	1	2	3	5	9	13	27
B. Operated	345	10.2	152	2	3	6	12	23	36	77
1. SINGLE DX	573	2.3	6	1	1	1	3	5	6	12
2. MULTIPLE DX	1125	6.0	71	1	2	3	7	13	20	46
A. Not Operated	1284	3.3	17	1	1	2	4	7	10	21
B. Operated	414	9.3	134	2	3	6	11	21	33	75
TOTAL										
0-27 DYS	12	3.5	32	1	1	2	3	9	19	21
1-11 MOS	166	3.1	28	1	1	1	3	6	10	32
1-5 YRS	510	3.7	42	1	1	2	4	7	12	30
6-12 YRS	482	4.3	48	1	1	2	4	9	12	47
13-19 YRS	528	6.8	68	1	2	4	8	15	20	41
GRAND TOTAL	**1698**	**4.8**	**52**	**1**	**1**	**2**	**5**	**10**	**17**	**40**

361: Fracture of face bones (802)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.3		< 1	1	1	2	2	2	2
6-12 YRS	18	1.8	1	< 1	1	1	2	4	5	5
13-19 YRS	31	1.5	1	< 1	1	1	2	3	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	44	2.3	4	< 1	1	2	3	4	6	11
6-12 YRS	171	1.7	2	< 1	1	1	2	3	5	7
13-19 YRS	735	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	1.2		1	1	1	2	2	2	2
1-5 YRS	44	1.9	2	1	1	1	2	4	5	8
6-12 YRS	51	2.4	4	1	1	2	3	4	7	12
13-19 YRS	135	2.5	9	< 1	1	2	3	4	5	16
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	83	4.1	16	1	2	3	5	9	12	23
6-12 YRS	252	4.1	38	1	1	2	5	8	13	31
13-19 YRS	1075	3.8	25	1	1	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	63	1.6	1	< 1	1	1	2	3	4	5
B. Operated	953	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	240	2.3	6	1	1	2	3	4	5	12
B. Operated	1412	3.9	27	1	1	3	5	8	11	21
1. SINGLE DX	1016	1.8	2	< 1	1	1	2	3	4	7
2. MULTIPLE DX	1652	3.6	24	1	1	2	4	7	10	20
A. Not Operated	303	2.1	5	< 1	1	2	3	4	5	10
B. Operated	2365	3.0	18	1	1	2	3	6	9	16
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	15	1.4		1	1	1	2	2	3	3
1-5 YRS	183	3.0	10	1	1	2	4	6	9	14
6-12 YRS	492	3.0	22	1	1	2	3	6	9	24
13-19 YRS	1976	2.9	16	1	1	2	3	6	8	15
GRAND TOTAL	**2668**	**2.9**	**16**	**1**	**1**	**2**	**3**	**6**	**8**	**16**

362: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	12	2.8	5	< 1	1	2	3	6	9	9
6-12 YRS	75	2.8	4	1	1	2	4	6	7	10
13-19 YRS	287	3.3	10	1	2	2	4	7	8	13
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	6.0	1	5	5	6	7	7	7	7
6-12 YRS	8	9.4	22	2	5	11	12	14	15	15
13-19 YRS	86	8.8	31	3	5	8	11	16	21	28
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	12.8	125	4	5	7	20	31	31	31
1-5 YRS	26	5.7	27	1	2	4	7	15	18	20
6-12 YRS	53	3.5	6	1	2	3	5	7	9	10
13-19 YRS	382	5.2	32	1	2	4	6	9	13	37
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	6.8	31	3	3	4	10	16	16	16
6-12 YRS	16	9.3	74	3	4	6	12	33	78	99 +
13-19 YRS	279	10.2	94	2	4	8	13	21	26	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	375	3.2	8	1	2	2	4	6	8	13
B. Operated	97	8.8	29	3	5	8	11	15	20	28
2. MULTIPLE DX										
A. Not Operated	466	5.1	30	1	2	4	6	9	13	35
B. Operated	300	10.1	92	2	4	8	13	21	27	68
1. SINGLE DX	472	4.3	18	1	2	3	5	10	12	22
2. MULTIPLE DX	766	7.0	60	1	3	5	8	15	21	44
A. Not Operated	841	4.2	21	1	2	3	5	8	10	27
B. Operated	397	9.8	77	2	4	8	13	19	25	62
TOTAL										
0-27 DYS	0									
1-11 MOS	6	11.0	119	2	4	6	16	29	31	31
1-5 YRS	46	5.1	21	1	2	3	7	11	16	20
6-12 YRS	152	4.1	18	1	2	3	5	10	12	36
13-19 YRS	1034	6.3	50	1	2	4	8	13	19	38
GRAND TOTAL	**1238**	**6.0**	**46**	**1**	**2**	**4**	**7**	**13**	**17**	**38**

363: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	11	2.5	3	1	1	2	3	5	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	20	14.4	128	4	7	11	19	24	39	53
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	13	7.7	30	1	2	8	11	16	18	18
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	34.5	1741	5	34	82	99+	99+	99+	99+
6-12 YRS	4	41.5	433	14	26	45	57	62	62	62
13-19 YRS	79	21.4	211	6	12	21	30	54	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	14	2.4	3	1	1	2	3	4	6	7
B. Operated	20	14.4	128	4	7	11	19	24	39	53
2. MULTIPLE DX										
A. Not Operated	14	8.0	29	1	2	8	12	15	17	18
B. Operated	85	22.6	254	6	12	22	34	67	99+	99+
1. SINGLE DX	34	9.4	110	1	2	6	13	22	25	53
2. MULTIPLE DX	99	20.5	248	4	10	17	30	62	99+	99+
A. Not Operated	28	5.2	23	1	2	3	8	12	15	18
B. Operated	105	21.0	239	6	11	18	30	62	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	24.0	1201	3	4	64	99+	99+	99+	99+
6-12 YRS	7	25.9	609	1	4	14	48	60	62	62
13-19 YRS	123	17.1	200	2	8	15	25	45	80	99+
GRAND TOTAL	**133**	**17.7**	**235**	**2**	**7**	**15**	**27**	**52**	**99+**	**99+**

364: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	12	1.5		< 1	1	1	2	2	2	2
13-19 YRS	42	1.7	1	1	1	1	2	3	4	5
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	6.3	25	2	2	5	10	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	4.6	21	< 1	2	3	4	12	16	16
1-5 YRS	12	5.1	68	1	1	2	4	16	28	30
6-12 YRS	30	2.2	2	1	1	2	2	5	6	7
13-19 YRS	147	3.1	60	1	1	2	3	5	6	14
B. Operated										
0-27 DYS	0									
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	4.3	10	2	2	3	6	9	9	9
6-12 YRS	10	10.5	275	2	3	5	8	34	57	57
13-19 YRS	77	7.8	63	2	3	6	9	18	21	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	61	1.7	1	1	1	1	2	3	4	5
B. Operated	4	6.3	25	2	2	5	10	13	13	13
2. MULTIPLE DX										
A. Not Operated	200	3.2	50	1	1	2	3	5	7	23
B. Operated	92	8.0	81	2	3	6	9	17	22	57
1. SINGLE DX	65	2.0	3	1	1	1	2	3	5	12
2. MULTIPLE DX	292	4.7	64	1	1	3	5	9	13	45
A. Not Operated	261	2.8	39	1	1	2	3	4	6	15
B. Operated	96	7.9	79	2	3	6	9	17	21	57
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	16	4.3	20	1	2	3	4	13	15	16
1-5 YRS	18	4.5	47	1	2	2	3	10	22	30
6-12 YRS	52	3.6	61	1	1	2	3	6	8	56
13-19 YRS	270	4.3	56	1	1	2	5	8	13	27
GRAND TOTAL	**357**	**4.2**	**54**	**1**	**1**	**2**	**4**	**8**	**12**	**30**

365: Fracture of pelvis (808)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	29	3.0	7	1	2	2	3	6	9	13
6-12 YRS	37	4.2	18	1	2	3	5	7	15	21
13-19 YRS	143	4.3	28	1	2	3	4	7	10	35
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	19	14.7	182	2	4	11	23	36	46	48
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	10.0	18	7	7	10	13	13	13	13
1-5 YRS	50	4.5	16	1	2	3	6	7	16	21
6-12 YRS	59	4.8	30	1	2	4	5	8	9	39
13-19 YRS	330	7.7	55	2	3	6	9	16	25	40
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	13.3	113	3	5	9	18	32	34	34
6-12 YRS	30	16.3	252	4	6	12	24	44	71	99 +
13-19 YRS	219	15.0	184	3	6	10	20	34	43	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	211	4.1	23	1	2	3	4	7	10	30
B. Operated	22	13.3	170	2	4	8	21	30	46	48
2. MULTIPLE DX										
A. Not Operated	441	6.9	49	2	3	5	8	14	22	39
B. Operated	260	15.0	188	3	6	10	20	34	46	93
1. SINGLE DX	233	5.0	43	1	2	3	5	9	18	43
2. MULTIPLE DX	701	9.9	116	2	4	6	11	25	34	53
A. Not Operated	652	6.0	42	1	2	4	7	11	19	35
B. Operated	282	14.9	186	3	6	10	20	34	46	89
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	10.0	9	7	8	10	12	13	13	13
1-5 YRS	91	5.1	33	1	2	3	6	11	17	32
6-12 YRS	128	7.3	101	1	2	4	7	15	34	78
13-19 YRS	711	9.4	109	2	3	6	11	24	32	51
GRAND TOTAL	**934**	**8.7**	**102**	**2**	**3**	**5**	**10**	**21**	**30**	**50**

366: Fracture of humerus (812)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	24	2.5	10	1	1	2	3	4	9	16
1-5 YRS	130	1.7	4	< 1	1	1	1	3	4	13
6-12 YRS	114	2.5	17	< 1	1	1	2	5	16	18
13-19 YRS	52	2.1	8	< 1	1	1	2	4	6	19
B. Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	11	3.6	10	1	1	2	5	9	11	11
1-5 YRS	1028	2.2	9	1	1	1	2	3	6	18
6-12 YRS	1372	2.4	10	1	1	1	2	4	7	19
13-19 YRS	541	2.6	11	1	1	2	3	4	6	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	52	4.4	9	1	2	4	6	10	11	97
1-5 YRS	55	3.2	15	1	1	2	3	7	12	20
6-12 YRS	56	3.6	26	1	1	2	3	6	14	26
13-19 YRS	60	5.7	81	1	1	2	5	19	26	47
B. Operated										
0-27 DYS	0									
1-11 MOS	13	7.8	51	2	3	5	11	22	22	22
1-5 YRS	200	4.2	21	1	1	2	5	10	15	23
6-12 YRS	395	4.3	27	1	1	2	4	10	16	23
13-19 YRS	310	5.4	47	1	2	3	6	11	14	40
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	322	2.1	10	< 1	1	1	2	3	7	17
B. Operated	2954	2.4	10	1	1	1	2	4	7	19
2. MULTIPLE DX										
A. Not Operated	224	4.3	34	1	1	2	5	10	17	35
B. Operated	918	4.7	33	1	1	3	5	11	16	24
1. SINGLE DX	3276	2.3	10	1	1	1	2	4	7	19
2. MULTIPLE DX	1142	4.6	33	1	1	3	5	11	16	26
A. Not Operated	546	3.0	21	1	1	1	3	6	13	26
B. Operated	3872	2.9	16	1	1	2	3	6	10	21
TOTAL										
0-27 DYS	5	2.0	1	1	1	2	3	3	3	3
1-11 MOS	100	4.3	17	1	2	3	5	10	13	60
1-5 YRS	1413	2.5	11	1	1	1	2	5	8	19
6-12 YRS	1937	2.8	15	1	1	2	3	5	11	21
13-19 YRS	963	3.6	29	1	1	2	4	8	13	27
GRAND TOTAL	**4418**	**2.9**	**17**	**1**	**1**	**2**	**3**	**6**	**11**	**21**

367: Fracture of radius and ulna (813)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	1.8	1	1	1	2	2	3	3	3
1-5 YRS	37	1.4	1	< 1	1	1	2	2	2	6
6-12 YRS	81	1.5	1	1	1	1	2	3	3	5
13-19 YRS	42	1.5	1	< 1	1	1	2	3	4	6
B. Operated										
0-27 DYS	0									
1-11 MOS	8	1.0		< 1	1	1	1	1	1	1
1-5 YRS	453	1.2		< 1	1	1	1	2	3	4
6-12 YRS	2129	1.5	1	< 1	1	1	2	2	3	6
13-19 YRS	1207	2.1	10	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	4.9	17	1	3	5	5	11	15	15
1-5 YRS	29	2.3	5	< 1	1	1	3	7	8	8
6-12 YRS	46	2.1	6	1	1	1	2	4	6	14
13-19 YRS	54	1.9	2	1	1	2	2	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	97	2.1	7	1	1	1	2	4	6	17
6-12 YRS	421	2.9	19	1	1	2	3	5	8	25
13-19 YRS	545	3.9	30	1	2	3	4	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	165	1.5	1	1	1	1	2	2	3	6
B. Operated	3797	1.6	4	1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	139	2.3	5	1	1	2	2	5	6	14
B. Operated	1064	3.3	24	1	1	2	4	6	11	24
1. SINGLE DX	3962	1.6	4	1	1	1	2	3	4	6
2. MULTIPLE DX	1203	3.2	22	1	1	2	3	6	10	22
A. Not Operated	304	1.9	3	1	1	1	2	3	5	10
B. Operated	4861	2.0	9	1	1	1	2	4	5	13
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	23	2.7	9	< 1	1	1	3	5	9	15
1-5 YRS	616	1.4	2	< 1	1	1	1	2	4	7
6-12 YRS	2677	1.7	4	1	1	1	2	3	4	10
13-19 YRS	1848	2.6	16	1	1	2	3	5	6	15
GRAND TOTAL	**5165**	**2.0**	**9**	**1**	**1**	**1**	**2**	**4**	**5**	**13**

368: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	2.3	3	1	1	2	3	5	5	5
6-12 YRS	23	2.2	2	< 1	1	2	3	4	5	5
13-19 YRS	25	2.2	2	1	1	2	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	72	1.7	2	< 1	1	1	2	4	4	7
6-12 YRS	136	1.6	1	< 1	1	1	2	3	3	6
13-19 YRS	441	1.4	1	< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	2.4	4	< 1	< 1	2	3	6	8	8
6-12 YRS	19	1.8	1	< 1	1	1	2	4	4	4
13-19 YRS	36	2.4	2	< 1	1	2	4	4	5	6
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	4	1	2	4	5	5	5	5
1-5 YRS	70	1.9	2	< 1	1	1	2	3	6	8
6-12 YRS	87	3.9	29	1	1	2	4	9	13	30
13-19 YRS	327	2.6	5	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	56	2.2	2	1	1	2	3	5	5	7
B. Operated	651	1.5	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	66	2.2	2	< 1	1	2	3	4	5	8
B. Operated	487	2.7	9	1	1	2	3	6	8	14
1. SINGLE DX	707	1.5	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	553	2.7	9	1	1	2	3	5	8	13
A. Not Operated	122	2.2	2	< 1	1	2	3	4	5	7
B. Operated	1138	2.0	5	< 1	1	1	2	4	6	11
TOTAL										
0-27 DYS	0									
1-11 MOS	5	2.8	3	1	1	3	4	5	5	5
1-5 YRS	161	1.9	2	< 1	1	1	2	4	5	8
6-12 YRS	265	2.4	11	< 1	1	1	3	4	7	21
13-19 YRS	829	2.0	3	< 1	1	1	2	4	5	10
GRAND TOTAL	**1260**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**	**11**

369: Fracture of femoral neck (820)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	15	4.9	17	1	2	3	7	11	13	14
1-5 YRS	45	8.0	67	1	2	3	15	22	23	28
6-12 YRS	27	14.0	106	2	4	16	24	27	30	31
13-19 YRS	27	11.4	211	1	2	4	18	40	44	48
B. Operated										
0-27 DYS	0									
1-11 MOS	5	4.8	14	1	2	4	8	10	10	10
1-5 YRS	34	11.3	96	1	2	9	21	25	27	30
6-12 YRS	148	8.1	60	2	3	5	9	20	27	35
13-19 YRS	108	5.8	17	2	3	5	7	9	13	23
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	8.5	50	1	4	7	11	20	21	21
1-5 YRS	28	12.6	147	1	2	7	20	34	36	37
6-12 YRS	32	13.6	131	1	1	11	23	29	33	36
13-19 YRS	13	12.5	211	2	3	5	19	32	47	51
B. Operated										
0-27 DYS	0									
1-11 MOS	20	11.8	30	6	8	10	14	21	22	22
1-5 YRS	52	9.6	73	2	3	7	13	22	28	35
6-12 YRS	96	16.8	223	3	6	10	26	34	41	80
13-19 YRS	126	11.4	79	4	6	9	13	21	26	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	114	9.8	110	1	2	5	17	26	30	45
B. Operated	295	7.5	50	2	3	5	9	17	25	33
2. MULTIPLE DX										
A. Not Operated	79	12.6	140	1	2	9	22	29	36	47
B. Operated	294	12.9	129	3	5	10	17	27	34	55
1. SINGLE DX	409	8.2	68	2	3	5	9	22	27	35
2. MULTIPLE DX	373	12.8	131	2	5	10	18	27	34	53
A. Not Operated	193	11.0	124	1	2	6	18	27	31	46
B. Operated	589	10.2	96	2	4	7	13	24	29	44
TOTAL										
0-27 DYS	0									
1-11 MOS	46	8.3	35	1	3	8	11	18	21	22
1-5 YRS	159	10.1	90	1	2	6	16	25	28	36
6-12 YRS	303	11.9	138	2	4	7	18	28	33	44
13-19 YRS	274	9.2	80	2	4	6	11	19	26	50
GRAND TOTAL	**782**	**10.4**	**103**	**2**	**3**	**7**	**14**	**25**	**30**	**44**

370: Other femoral fracture (821)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	131	4.9	41	1	1	2	5	13	19	32
1-5 YRS	535	10.4	78	1	2	7	18	22	25	31
6-12 YRS	340	19.6	134	3	12	21	26	33	39	50
13-19 YRS	67	22.3	316	2	4	26	33	41	55	79
B. Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	57	4.1	30	1	1	2	4	10	17	28
1-5 YRS	458	7.7	66	1	2	3	13	21	25	29
6-12 YRS	382	14.3	141	2	3	11	24	30	34	46
13-19 YRS	422	9.0	97	2	3	6	10	19	32	52
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	12.5	85	6	6	12	19	19	19	19
1-11 MOS	83	8.5	67	1	2	5	13	22	25	32
1-5 YRS	281	14.0	105	2	4	15	21	25	28	48
6-12 YRS	228	19.3	164	2	7	20	27	35	43	50
13-19 YRS	60	19.0	310	1	3	13	32	42	53	63
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	33	10.0	91	1	3	6	16	23	28	40
1-5 YRS	258	12.0	107	2	3	10	19	24	28	43
6-12 YRS	410	19.5	162	3	8	20	27	35	41	57
13-19 YRS	753	14.0	168	4	7	10	16	28	40	74
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1075	13.4	137	1	3	12	21	28	33	45
B. Operated	1320	9.8	105	1	2	6	15	25	30	42
2. MULTIPLE DX										
A. Not Operated	654	15.6	152	2	4	16	23	30	39	52
B. Operated	1455	15.1	162	3	6	12	21	30	39	61
1. SINGLE DX	2395	11.4	122	1	2	7	19	27	32	45
2. MULTIPLE DX	2109	15.3	159	2	5	12	22	30	39	60
A. Not Operated	1729	14.2	144	1	3	13	22	29	35	50
B. Operated	2775	12.6	142	2	4	9	19	28	34	56
TOTAL										
0-27 DYS	6	6.7	39	2	3	5	6	18	19	19
1-11 MOS	304	6.3	55	1	1	3	8	18	23	32
1-5 YRS	1532	10.5	89	1	2	7	18	23	26	37
6-12 YRS	1360	18.0	155	2	6	19	26	33	40	51
13-19 YRS	1302	13.0	171	3	5	9	16	30	39	64
GRAND TOTAL	**4504**	**13.2**	**143**	**1**	**3**	**10**	**21**	**28**	**35**	**53**

371: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	14	1.6	1	< 1	1	1	2	3	4	4
1-5 YRS	147	1.5	1	1	1	1	2	3	4	6
6-12 YRS	166	2.1	2	1	1	2	3	4	5	8
13-19 YRS	171	2.5	11	1	1	2	3	4	7	23
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	157	2.4	5	1	1	2	3	5	7	10
6-12 YRS	590	2.7	6	1	1	2	3	5	7	13
13-19 YRS	1035	3.5	9	1	2	3	4	7	9	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	17	4.1	8	1	2	4	6	8	9	9
1-5 YRS	58	2.7	7	1	1	2	3	5	7	16
6-12 YRS	100	3.0	8	1	1	2	3	7	10	13
13-19 YRS	113	3.3	11	1	1	2	4	8	9	18
B. Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	93	6.4	59	1	2	4	8	13	20	40
6-12 YRS	296	5.9	35	1	2	4	7	13	19	31
13-19 YRS	724	7.7	79	2	3	5	9	15	22	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	498	2.1	5	1	1	1	2	4	5	10
B. Operated	1785	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	288	3.1	9	1	1	2	4	8	9	15
B. Operated	1114	7.1	66	1	3	5	9	14	20	42
1. SINGLE DX	2283	2.9	8	1	1	2	4	6	8	13
2. MULTIPLE DX	1402	6.3	57	1	2	4	8	13	19	38
A. Not Operated	786	2.4	7	1	1	2	3	5	8	12
B. Operated	2899	4.7	34	1	2	3	5	10	14	30
TOTAL										
0-27 DYS	0									
1-11 MOS	35	2.9	6	1	1	2	4	8	8	9
1-5 YRS	455	3.0	18	1	1	2	3	6	10	20
6-12 YRS	1152	3.5	15	1	1	2	4	7	11	21
13-19 YRS	2043	4.9	39	1	2	3	6	10	14	30
GRAND TOTAL	**3685**	**4.2**	**29**	**1**	**1**	**3**	**5**	**9**	**12**	**27**

372: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	1.6	1	< 1	< 1	1	2	3	3	3
1-5 YRS	43	1.9	2	1	1	1	2	4	6	8
6-12 YRS	90	2.0	2	1	1	1	2	4	5	8
13-19 YRS	144	2.1	3	< 1	1	2	3	4	5	9
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	58	2.2	7	< 1	1	1	2	4	5	15
6-12 YRS	479	2.5	7	1	1	2	3	5	6	10
13-19 YRS	1699	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	4.4	13	< 1	1	4	6	10	12	13
1-5 YRS	34	3.2	8	1	1	3	4	5	9	15
6-12 YRS	54	3.0	12	1	1	2	3	4	8	24
13-19 YRS	116	3.0	14	1	1	2	3	7	8	20
B. Operated										
0-27 DYS	0									
1-11 MOS	3	6.7	1	6	6	6	8	8	8	8
1-5 YRS	49	6.2	46	1	2	4	7	17	22	32
6-12 YRS	188	5.6	29	1	2	4	7	12	19	25
13-19 YRS	926	5.1	35	1	2	3	6	10	14	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	285	2.0	2	1	1	2	2	4	5	8
B. Operated	2241	2.5	4	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	217	3.1	12	1	1	2	4	7	9	18
B. Operated	1166	5.3	34	1	2	3	6	11	16	32
1. SINGLE DX	2526	2.5	4	1	1	2	3	5	6	9
2. MULTIPLE DX	1383	4.9	31	1	2	3	6	10	14	30
A. Not Operated	502	2.5	7	1	1	2	3	5	7	11
B. Operated	3407	3.5	16	1	1	2	4	6	9	22
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	3.6	9	< 1	1	3	5	8	9	13
1-5 YRS	184	3.4	19	1	1	2	4	7	13	23
6-12 YRS	811	3.2	14	1	1	2	4	6	9	21
13-19 YRS	2885	3.4	15	1	1	2	4	6	9	20
GRAND TOTAL	**3909**	**3.3**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**21**

373: Fracture of other bones (810-811; 829)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	1.6	1	1	1	1	2	3	3	3
6-12 YRS	9	1.1		< 1	< 1	1	1	2	2	2
13-19 YRS	21	1.5	1	< 1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	1.2		< 1	1	1	1	2	3	3
13-19 YRS	47	1.7	2	1	1	1	2	4	4	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	2.5	4	< 1	1	2	3	6	7	7
1-5 YRS	32	2.3	4	1	1	2	3	5	6	11
6-12 YRS	38	2.1	4	1	1	1	2	4	7	11
13-19 YRS	151	2.5	5	1	1	2	3	6	7	10
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	17	2.6	4	1	1	2	4	6	7	7
13-19 YRS	87	3.6	12	1	1	2	5	8	12	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	1.4	1	< 1	1	1	2	3	3	3
B. Operated	56	1.7	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	233	2.4	5	1	1	2	3	5	7	11
B. Operated	108	3.4	11	1	1	2	4	7	11	17
1. SINGLE DX	98	1.6	1	1	1	1	2	3	4	6
2. MULTIPLE DX	341	2.7	7	1	1	2	3	6	8	12
A. Not Operated	275	2.3	4	1	1	1	3	5	6	11
B. Operated	164	2.8	8	1	1	2	3	6	8	13
TOTAL										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	13	2.2	4	< 1	1	1	2	6	7	7
1-5 YRS	45	2.0	3	1	1	1	2	4	5	11
6-12 YRS	73	2.0	3	1	1	1	2	4	6	10
13-19 YRS	306	2.6	7	1	1	2	3	6	7	13
GRAND TOTAL	**439**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

374: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	16	1.8	2	1	1	1	2	4	5	5
1-5 YRS	17	3.1	5	1	1	2	4	7	8	9
6-12 YRS	4	2.3	6	1	1	1	4	6	6	6
13-19 YRS	4	3.0	1	2	2	3	4	4	4	4
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	0									
1-5 YRS	2	8.0	18	5	5	8	11	11	11	11
6-12 YRS	3	4.7	6	2	3	5	6	7	7	7
13-19 YRS	4	5.5	14	2	2	5	8	10	10	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.9	29	1	1	2	3	13	16	16
1-5 YRS	6	4.5	13	1	2	3	6	10	11	11
6-12 YRS	7	2.7	3	1	1	2	4	5	5	5
13-19 YRS	9	3.8	9	1	2	3	5	9	10	10
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	3	20.0	268	2	7	24	31	34	34	34
6-12 YRS	10	25.8	585	2	8	23	34	61	83	83
13-19 YRS	19	13.8	296	2	6	9	16	53	89	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	42	2.6	4	1	1	2	4	6	7	9
B. Operated	10	5.5	10	2	3	5	7	10	11	11
2. MULTIPLE DX										
A. Not Operated	30	3.6	12	1	2	2	4	8	11	16
B. Operated	33	17.6	386	2	6	9	27	43	82	99 +
1. SINGLE DX	52	3.1	6	1	1	2	4	7	9	11
2. MULTIPLE DX	63	11.0	255	1	2	5	13	33	51	98
A. Not Operated	72	3.0	7	1	1	2	4	6	9	15
B. Operated	43	14.8	323	2	4	8	23	35	79	99 +
TOTAL										
0-27 DYS	4	3.0	5	1	1	2	4	6	6	6
1-11 MOS	23	2.4	10	1	1	1	3	4	9	16
1-5 YRS	28	5.5	54	1	2	3	6	11	25	34
6-12 YRS	24	12.5	363	1	2	5	15	34	52	83
13-19 YRS	36	9.2	181	2	3	6	10	25	60	99 +
GRAND TOTAL	**115**	**7.4**	**157**	**1**	**2**	**3**	**8**	**22**	**34**	**89**

375: Dislocation of shoulder (831)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	6	1.5	1	<1	1	1	2	3	3	3
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	1.7	1	1	1	2	2	3	3	3
13-19 YRS	149	2.0	1	1	1	2	2	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	7	2.7	5	<1	1	2	4	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	10.0	98	3	3	10	17	17	17	17
13-19 YRS	35	2.6	3	1	1	2	3	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	8	1.4	1	<1	1	1	2	3	3	3
B. Operated	156	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	8	2.5	5	<1	1	2	3	6	7	7
B. Operated	37	3.0	9	1	1	2	3	6	7	17
1. SINGLE DX	164	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	45	2.9	8	1	1	2	3	7	7	17
A. Not Operated	16	1.9	3	<1	1	1	2	4	6	7
B. Operated	193	2.2	3	1	1	2	2	4	5	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	12	2.9	20	1	1	2	3	7	16	17
13-19 YRS	197	2.1	2	1	1	2	2	4	5	7
GRAND TOTAL	**209**	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**	**6**

376: Dislocation of knee (836)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	16	1.9	1	1	1	2	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	0									
6-12 YRS	37	2.2	1	1	1	2	3	4	5	5
13-19 YRS	431	1.9	2	<1	<1	1	3	4	4	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	14	2.0	3	<1	<1	1	2	3	7	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	22	2.5	3	<1	1	2	3	6	7	7
13-19 YRS	537	2.7	5	<1	1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	18	1.9	1	1	1	2	3	4	4	4
B. Operated	470	1.9	1	<1	1	1	3	4	4	5
2. MULTIPLE DX										
A. Not Operated	15	2.0	3	<1	<1	2	2	3	7	8
B. Operated	560	2.7	5	<1	1	2	3	5	6	12
1. SINGLE DX	488	1.9	1	<1	1	1	3	4	4	5
2. MULTIPLE DX	575	2.7	5	<1	1	2	3	5	6	12
A. Not Operated	33	1.9	2	<1	1	2	2	3	4	8
B. Operated	1030	2.4	4	<1	1	2	3	4	5	9
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	62	2.3	2	1	1	2	3	4	5	7
13-19 YRS	998	2.4	4	<1	1	2	3	4	5	10
GRAND TOTAL	**1063**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

1,077 Hospitals, United States, Pediatric, January-December 1988

377: Other joint dislocation (830; 832-835; 837-839)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.5	10	1	2	4	7	9	9	9
6-12 YRS	21	4.3	36	1	1	2	4	15	20	22
13-19 YRS	35	2.6	5	1	1	2	4	5	8	9
B. Operated										
0-27 DYS	0									
1-11 MOS	3	2.3	2	< 1	< 1	2	3	4	4	4
1-5 YRS	41	3.5	17	1	1	2	4	7	12	21
6-12 YRS	126	2.6	6	< 1	1	1	4	6	7	13
13-19 YRS	212	3.3	15	< 1	1	2	4	7	13	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	13	7.2	50	< 1	2	7	8	15	26	28
6-12 YRS	18	4.4	51	< 1	1	2	3	9	23	31
13-19 YRS	31	5.1	13	1	2	4	7	10	13	14
B. Operated										
0-27 DYS	0									
1-11 MOS	3	14.0	507	1	1	1	30	40	40	40
1-5 YRS	55	5.9	97	1	2	3	5	11	24	54
6-12 YRS	93	6.5	63	1	2	4	7	15	28	39
13-19 YRS	180	7.0	75	1	2	5	8	15	26	44
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	64	3.4	16	1	1	2	4	8	10	22
B. Operated	382	3.1	12	< 1	1	1	4	7	10	20
2. MULTIPLE DX										
A. Not Operated	65	5.2	31	1	2	4	7	10	13	31
B. Operated	331	6.7	78	1	2	4	8	14	27	45
1. SINGLE DX	446	3.1	13	1	1	2	4	7	10	21
2. MULTIPLE DX	396	6.5	70	1	2	4	8	13	26	44
A. Not Operated	129	4.3	24	1	1	3	6	9	13	29
B. Operated	713	4.8	46	1	1	3	5	10	17	39
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	8	6.5	184	< 1	1	2	3	29	40	40
1-5 YRS	117	5.1	59	1	1	3	6	11	17	49
6-12 YRS	258	4.2	35	1	1	2	5	9	14	34
13-19 YRS	458	4.8	41	1	1	3	6	10	16	35
GRAND TOTAL	**842**	**4.7**	**43**	**1**	**1**	**3**	**5**	**10**	**16**	**36**

378: Sprains and strains of knee and leg (844)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.3		< 1	< 1	1	2	2	2	2
6-12 YRS	10	2.1	2	1	1	2	3	4	5	5
13-19 YRS	12	2.3	4	< 1	1	1	3	6	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	24	2.7	3	< 1	1	2	4	5	6	6
13-19 YRS	682	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	2.5	6	1	1	2	4	6	6	6
6-12 YRS	8	1.9	3	< 1	1	1	2	5	6	6
13-19 YRS	31	2.7	4	< 1	1	2	4	6	6	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	10.0	128	2	2	10	18	18	18	18
6-12 YRS	18	4.1	12	1	1	3	5	9	12	14
13-19 YRS	966	3.1	3	1	2	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	26	2.0	3	1	1	1	3	5	6	7
B. Operated	707	2.9	2	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. Not Operated	44	2.6	4	< 1	1	2	4	6	6	7
B. Operated	986	3.1	3	1	2	3	4	5	6	8
1. SINGLE DX	733	2.8	2	1	2	3	4	5	5	7
2. MULTIPLE DX	1030	3.1	3	1	2	3	4	5	6	8
A. Not Operated	70	2.4	3	< 1	1	1	4	5	6	7
B. Operated	1693	3.0	3	1	2	3	4	5	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	3.3	26	< 1	1	1	2	11	17	18
6-12 YRS	60	2.9	6	1	1	2	4	6	7	13
13-19 YRS	1691	3.0	2	1	2	3	4	5	6	7
GRAND TOTAL	**1763**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

379: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	10	2.1	1	1	1	2	3	4	4	4
13-19 YRS	66	3.7	4	1	2	3	5	6	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	7	2.6	3	1	1	3	4	5	5	5
13-19 YRS	65	4.0	7	1	2	3	5	7	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	7.0	2	6	6	7	8	8	8	3
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	76	3.4	4	1	2	3	5	6	8	10
B. Operated	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. Not Operated	74	4.0	8	1	2	3	5	7	9	15
B. Operated	2	7.0	2	6	6	7	8	8	8	8
1. SINGLE DX	77	3.5	4	1	2	3	5	6	7	10
2. MULTIPLE DX	76	4.1	9	1	2	3	5	7	9	15
A. Not Operated	150	3.7	6	1	2	3	5	7	8	15
B. Operated	3	6.3	2	5	5	6	7	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	17	2.3	2	1	1	2	3	4	5	5
13-19 YRS	134	3.9	6	1	2	3	5	7	8	13
GRAND TOTAL	**153**	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

380: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	29	1.7	1	< 1	1	1	2	4	4	5
6-12 YRS	32	1.8	2	1	1	1	2	3	6	7
13-19 YRS	134	2.0	2	1	1	2	2	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.3	20	1	2	5	9	10	10	10
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	3	3.3	16	1	1	1	6	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	10	1.8	2	< 1	1	1	2	4	5	5
6-12 YRS	44	2.0	2	1	1	1	3	4	6	7
13-19 YRS	249	2.7	5	1	1	2	4	6	7	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	25	3.0	8	< 1	1	2	4	5	9	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	1.9	2	1	1	1	2	4	5	7
B. Operated	8	4.4	12	1	1	4	7	9	10	10
2. MULTIPLE DX										
A. Not Operated	304	2.6	4	1	1	2	3	6	7	10
B. Operated	26	2.9	8	< 1	1	2	4	5	9	14
1. SINGLE DX	204	2.0	2	1	1	1	2	4	5	8
2. MULTIPLE DX	330	2.6	5	1	1	2	3	6	7	11
A. Not Operated	500	2.3	3	1	1	2	3	5	6	9
B. Operated	34	3.2	9	< 1	1	2	5	8	10	14
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	42	2.0	3	< 1	1	1	2	4	5	10
6-12 YRS	79	2.0	2	1	1	1	2	4	6	7
13-19 YRS	411	2.5	4	1	1	2	3	5	7	10
GRAND TOTAL	**534**	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**10**

381: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	17	1.8	1	< 1	1	2	2	3	4	4
6-12 YRS	22	2.0	1	1	1	2	3	4	4	4
13-19 YRS	32	2.5	25	< 1	1	1	2	4	5	29
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.2		< 1	1	1	1	2	2	2
6-12 YRS	11	1.5		< 1	1	1	2	3	3	3
13-19 YRS	133	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	10	1.8	1	< 1	1	2	2	3	4	4
6-12 YRS	13	3.6	11	1	1	1	6	9	10	10
13-19 YRS	64	2.0	2	< 1	1	2	2	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	1.6		1	1	2	2	2	2	2
6-12 YRS	12	1.9	2	1	1	2	2	4	6	6
13-19 YRS	74	2.0	2	1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	2.2	11	1	1	1	2	3	4	24
B. Operated	152	1.5	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated	87	2.3	4	1	1	2	3	5	7	10
B. Operated	93	1.9	2	1	1	2	2	3	4	7
1. SINGLE DX	225	1.7	4	< 1	1	1	2	3	3	5
2. MULTIPLE DX	180	2.1	3	1	1	2	2	4	6	9
A. Not Operated	160	2.2	7	1	1	2	2	4	6	10
B. Operated	245	1.7	1	< 1	1	1	2	3	3	6
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	40	1.7	1	< 1	1	1	2	3	4	4
6-12 YRS	58	2.3	4	1	1	2	3	5	7	10
13-19 YRS	303	1.9	4	< 1	1	1	2	3	4	7
GRAND TOTAL	**405**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**8**

382: Concussion (850)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	130	1.2	1	1	1	1	1	2	3	5
1-5 YRS	810	1.3	2	< 1	1	1	1	2	2	4
6-12 YRS	1290	1.2	1	1	1	1	1	2	2	4
13-19 YRS	1083	1.3		< 1	1	1	1	2	2	4
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	2.0	2	1	1	2	3	4	4	4
1-11 MOS	85	1.8	3	< 1	1	1	2	2	5	11
1-5 YRS	753	1.7	3	1	1	1	2	3	4	10
6-12 YRS	1295	1.7	5	1	1	1	2	3	4	6
13-19 YRS	1986	1.9	4	1	1	1	2	3	5	10
B. Operated										
0-27 DYS	0									
1-11 MOS	10	6.8	104	1	1	2	6	25	30	30
1-5 YRS	93	3.4	40	1	1	1	2	7	13	35
6-12 YRS	252	3.5	60	1	1	1	2	6	11	39
13-19 YRS	776	2.8	25	1	1	2	3	5	8	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3316	1.3	1	< 1	1	1	1	2	2	4
B. Operated	7	2.7	7	1	1	2	4	7	8	8
2. MULTIPLE DX										
A. Not Operated	4123	1.8	4	1	1	1	2	3	4	9
B. Operated	1131	3.0	35	1	1	2	3	6	9	34
1. SINGLE DX	3323	1.3	1	< 1	1	1	1	2	2	4
2. MULTIPLE DX	5254	2.1	11	1	1	1	2	3	5	13
A. Not Operated	7439	1.6	3	1	1	1	2	3	3	7
B. Operated	1138	3.0	35	1	1	2	3	6	9	34
TOTAL										
0-27 DYS	8	2.0	2	1	1	2	3	4	4	4
1-11 MOS	225	1.7	7	1	1	1	2	2	4	14
1-5 YRS	1657	1.6	5	1	1	1	1	2	3	10
6-12 YRS	2840	1.6	8	1	1	1	2	2	3	8
13-19 YRS	3847	1.9	8	1	1	1	2	3	5	11
GRAND TOTAL	**8577**	**1.8**	**7**	**1**	**1**	**1**	**2**	**3**	**4**	**10**

383: Intracranial injury, except concussion, with prolonged loss of consciousness (851.0-854.1 with 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	16.5	421	2	2	16	31	31	31	31
13-19 YRS	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	5	13.0	195	2	4	9	18	37	37	37
1-5 YRS	7	28.4	1026	1	3	26	69	97	99+	99+
6-12 YRS	18	22.1	408	4	9	18	27	51	73	81
13-19 YRS	29	21.2	271	7	9	19	29	67	98	99+
B. Operated										
0-27 DYS	0									
1-11 MOS	5	39.2	1181	1	14	26	75	77	77	77
1-5 YRS	24	36.8	435	13	18	40	54	77	99+	99+
6-12 YRS	34	38.2	772	7	17	37	72	96	99+	99+
13-19 YRS	91	34.6	479	13	19	29	53	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	8.0	31	3	4	7	12	14	14	14
B. Operated	3	16.3	210	2	5	16	27	31	31	31
2. MULTIPLE DX										
A. Not Operated	59	21.7	382	4	9	18	28	67	93	99+
B. Operated	154	35.9	547	12	18	30	55	92	99+	99+
1. SINGLE DX	6	12.2	117	2	3	10	16	29	31	31
2. MULTIPLE DX	213	31.9	540	8	16	27	50	83	99+	99+
A. Not Operated	62	21.0	373	4	8	17	28	65	92	99+
B. Operated	157	35.5	546	12	18	30	54	90	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	12	23.2	709	2	4	13	31	75	77	77
1-5 YRS	31	34.9	551	8	16	34	54	90	99+	99+
6-12 YRS	54	32.1	687	6	13	27	49	90	99	99+
13-19 YRS	122	31.0	458	10	17	25	48	77	99+	99+
GRAND TOTAL	**219**	**31.4**	**538**	**8**	**16**	**26**	**50**	**83**	**99+**	**99+**

384: Intracranial injury, except concussion, without prolonged loss of consciousness (851.0-854.1 except 5th digit 4; 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	10	2.8	22	1	1	1	2	9	16	16
1-11 MOS	195	1.7	10	<1	1	1	1	2	4	12
1-5 YRS	557	1.3	1	<1	1	1	1	2	3	5
6-12 YRS	607	1.5	3	1	1	1	1	2	3	7
13-19 YRS	462	2.1	8	<1	1	1	2	4	7	15
B. Operated										
0-27 DYS	0									
1-11 MOS	17	9.1	42	3	5	6	14	19	23	24
1-5 YRS	31	6.3	30	1	3	5	8	14	18	25
6-12 YRS	30	4.2	3	2	3	4	5	7	7	9
13-19 YRS	45	6.8	50	1	3	5	8	11	22	35
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	3.0	8	<1	1	2	3	9	9	9
1-11 MOS	242	3.9	30	1	1	2	4	10	15	30
1-5 YRS	822	2.5	22	1	1	1	2	5	7	25
6-12 YRS	908	2.5	21	1	1	1	2	4	7	26
13-19 YRS	1083	3.1	21	1	1	2	3	7	10	21
B. Operated										
0-27 DYS	2	22.0	8	20	20	22	24	24	24	24
1-11 MOS	57	16.9	206	2	8	15	21	32	47	76
1-5 YRS	158	10.0	240	1	1	4	11	34	49	99+
6-12 YRS	238	9.9	214	1	1	4	12	26	45	85
13-19 YRS	579	9.9	219	1	2	4	13	27	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1831	1.6	5	<1	1	1	1	3	4	11
B. Operated	123	6.3	34	2	3	5	7	13	18	34
2. MULTIPLE DX										
A. Not Operated	3070	2.8	22	1	1	1	3	6	9	25
B. Operated	1034	10.3	222	1	2	4	13	29	48	99+
1. SINGLE DX	1954	1.9	8	<1	1	1	2	4	6	15
2. MULTIPLE DX	4104	4.7	83	1	1	2	4	11	21	63
A. Not Operated	4901	2.4	16	1	1	1	2	5	7	21
B. Operated	1157	9.9	203	1	2	4	12	27	44	99+
TOTAL										
0-27 DYS	27	4.3	38	1	1	2	3	15	21	24
1-11 MOS	511	4.7	63	1	1	1	4	13	21	37
1-5 YRS	1568	2.9	43	1	1	1	2	5	10	40
6-12 YRS	1783	3.2	48	1	1	1	2	6	12	37
13-19 YRS	2169	4.8	81	1	1	2	4	11	19	67
GRAND TOTAL	**6058**	**3.8**	**60**	**1**	**1**	**1**	**3**	**8**	**16**	**48**

385: Internal injury to thoracic region (860-862)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	9	2.6	9	1	1	1	3	7	10	10
6-12 YRS	22	2.5	4	< 1	1	2	3	6	7	7
13-19 YRS	55	2.2	2	1	1	2	2	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	4.6	6	2	3	4	6	8	9	9
6-12 YRS	10	4.2	10	< 1	1	4	6	9	9	9
13-19 YRS	92	5.1	16	2	3	4	6	9	13	24
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	40	3.6	6	1	1	3	5	7	8	10
6-12 YRS	45	3.5	10	1	1	3	4	9	10	14
13-19 YRS	169	3.3	13	1	1	2	4	6	7	13
B. Operated										
0-27 DYS	0									
1-11 MOS	3	5.3	16	1	2	6	8	9	9	9
1-5 YRS	37	6.9	32	2	4	5	8	15	17	29
6-12 YRS	68	7.3	34	3	4	5	8	13	21	34
13-19 YRS	393	8.2	64	3	4	6	9	15	23	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	83	2.4	4	1	1	2	3	5	7	10
B. Operated	110	5.0	15	2	3	4	6	9	12	21
2. MULTIPLE DX										
A. Not Operated	256	3.4	12	1	1	3	4	6	9	13
B. Operated	501	8.0	58	3	4	6	9	15	22	40
1. SINGLE DX	198	3.8	11	1	2	3	5	8	10	15
2. MULTIPLE DX	757	6.4	47	1	3	5	8	12	17	39
A. Not Operated	344	3.1	10	1	1	2	4	6	8	12
B. Operated	611	7.4	51	2	4	5	9	14	20	39
TOTAL										
0-27 DYS	0									
1-11 MOS	7	4.6	14	1	1	3	8	10	10	10
1-5 YRS	94	4.9	19	1	2	4	6	10	14	24
6-12 YRS	145	5.2	24	1	2	4	7	10	13	26
13-19 YRS	709	6.2	47	1	2	4	7	12	16	39
GRAND TOTAL	**955**	**5.9**	**41**	**1**	**2**	**4**	**7**	**11**	**16**	**36**

386: Internal injury, except chest (863-869)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		< 1	< 1	1	2	2	2	2
1-5 YRS	64	4.8	9	1	2	5	8	9	10	11
6-12 YRS	227	4.6	11	1	2	4	7	9	11	13
13-19 YRS	254	3.3	8	1	1	2	5	7	9	14
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	22	5.1	12	1	3	5	7	9	12	15
6-12 YRS	62	6.5	8	4	5	6	8	9	10	17
13-19 YRS	153	5.9	10	3	4	6	7	8	12	18
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	4.8	14	2	2	3	9	10	10	10
1-5 YRS	128	4.7	15	1	2	3	7	10	12	18
6-12 YRS	296	5.0	17	1	2	4	7	10	12	20
13-19 YRS	455	4.3	21	1	2	3	6	9	11	15
B. Operated										
0-27 DYS	0									
1-11 MOS	5	13.4	74	7	8	10	17	28	28	28
1-5 YRS	111	11.5	79	5	6	9	13	22	32	76
6-12 YRS	215	10.8	130	4	5	7	11	21	32	69
13-19 YRS	815	10.9	103	4	6	8	12	21	32	54
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	548	4.0	10	1	1	3	6	9	10	13
B. Operated	238	6.0	10	3	4	6	7	9	11	18
2. MULTIPLE DX										
A. Not Operated	885	4.6	19	1	2	3	7	10	12	18
B. Operated	1146	10.9	106	4	6	8	12	21	32	59
1. SINGLE DX	786	4.6	10	1	2	4	6	9	10	15
2. MULTIPLE DX	2031	8.2	78	1	3	6	10	15	23	50
A. Not Operated	1433	4.4	15	1	2	3	6	9	11	16
B. Operated	1384	10.1	92	4	5	7	11	19	28	55
TOTAL										
0-27 DYS	0									
1-11 MOS	15	6.9	50	1	2	4	10	14	24	28
1-5 YRS	325	7.1	45	1	2	6	9	13	19	39
6-12 YRS	800	6.5	52	1	3	5	8	11	17	38
13-19 YRS	1677	7.5	69	1	3	6	9	14	21	46
GRAND TOTAL	**2817**	**7.2**	**61**	**1**	**3**	**6**	**9**	**13**	**19**	**43**

387: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	16	2.1	2	< 1	1	2	3	5	5	5
13-19 YRS	10	2.3	3	< 1	1	1	4	5	6	6
B. Operated										
0-27 DYS	0									
1-11 MOS	10	1.4	2	< 1	1	1	1	3	5	5
1-5 YRS	161	2.1	3	1	1	1	3	5	6	7
6-12 YRS	156	2.4	3	1	1	2	3	5	5	10
13-19 YRS	110	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	19	3.7	8	< 1	1	3	6	8	9	10
6-12 YRS	14	3.6	6	1	1	3	5	7	8	9
13-19 YRS	13	3.0	3	1	2	2	5	5	5	5
B. Operated										
0-27 DYS	0									
1-11 MOS	8	2.3	7	< 1	1	1	3	7	8	8
1-5 YRS	168	3.3	42	1	1	2	4	6	7	18
6-12 YRS	170	3.5	7	1	1	3	5	6	9	12
13-19 YRS	237	3.6	18	1	1	3	4	7	9	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32	2.1	2	< 1	1	2	3	4	5	6
B. Operated	437	2.3	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. Not Operated	47	3.5	5	< 1	1	3	5	6	8	10
B. Operated	583	3.5	22	1	1	3	4	6	8	18
1. SINGLE DX	469	2.3	3	1	1	2	3	5	5	8
2. MULTIPLE DX	630	3.5	20	1	1	3	4	6	8	17
A. Not Operated	79	2.9	5	< 1	1	2	4	6	7	10
B. Operated	1020	2.9	14	1	1	2	4	6	7	13
TOTAL										
0-27 DYS	0									
1-11 MOS	20	1.9	4	< 1	1	1	1	5	6	8
1-5 YRS	353	2.8	22	1	1	2	4	6	7	10
6-12 YRS	356	2.9	5	1	1	2	4	6	7	11
13-19 YRS	370	3.2	13	1	1	2	4	6	8	19
GRAND TOTAL	**1099**	**2.9**	**13**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

388: Other laceration of head and neck (872-874)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	16	2.1	3	1	1	1	3	6	6	6
1-5 YRS	130	2.0	2	1	1	1	3	4	5	7
6-12 YRS	52	2.2	3	1	1	2	2	5	6	10
13-19 YRS	66	2.1	2	< 1	1	1	3	4	5	8
B. Operated										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	20	1.9	2	< 1	< 1	1	2	4	5	5
1-5 YRS	315	1.5	2	< 1	1	1	1	2	3	8
6-12 YRS	152	2.2	34	< 1	1	1	2	3	5	28
13-19 YRS	147	2.1	4	< 1	1	1	2	4	6	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	22	2.2	4	1	1	1	3	5	7	8
1-5 YRS	149	2.3	2	1	1	2	3	5	6	7
6-12 YRS	100	2.1	1	1	1	2	3	4	5	5
13-19 YRS	171	2.1	3	< 1	1	2	3	4	5	8
B. Operated										
0-27 DYS	2	9.5	85	3	3	9	16	16	16	16
1-11 MOS	30	3.6	19	< 1	1	2	4	10	13	20
1-5 YRS	383	2.6	14	1	1	1	3	5	6	17
6-12 YRS	337	2.7	8	1	1	2	3	6	7	17
13-19 YRS	762	2.7	9	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	2.0	2	1	1	1	3	4	5	8
B. Operated	635	1.8	10	< 1	1	1	2	3	5	9
2. MULTIPLE DX										
A. Not Operated	442	2.2	2	1	1	2	3	4	5	7
B. Operated	1514	2.7	10	1	1	2	3	5	7	16
1. SINGLE DX	901	1.9	8	< 1	1	1	2	3	5	9
2. MULTIPLE DX	1956	2.6	8	1	1	2	3	5	6	15
A. Not Operated	708	2.1	2	1	1	2	3	4	5	7
B. Operated	2149	2.4	10	1	1	1	3	5	6	16
TOTAL										
0-27 DYS	5	5.4	36	1	2	3	7	16	16	16
1-11 MOS	88	2.6	9	< 1	1	1	3	5	8	17
1-5 YRS	977	2.1	7	< 1	1	1	2	4	5	11
6-12 YRS	641	2.5	13	1	1	2	3	5	6	16
13-19 YRS	1146	2.5	7	1	1	2	3	5	6	13
GRAND TOTAL	**2857**	**2.4**	**8**	**1**	**1**	**1**	**3**	**5**	**6**	**14**

389: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	3	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	34	1.8	2	< 1	1	1	2	3	4	7
6-12 YRS	57	1.5	1	< 1	1	1	2	3	3	5
13-19 YRS	171	1.9	3	< 1	1	1	2	3	5	12
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.0	3	< 1	1	3	4	5	5	5
1-5 YRS	75	1.6	1	1	1	1	2	3	3	6
6-12 YRS	122	1.7	3	< 1	1	1	2	3	5	10
13-19 YRS	185	2.6	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	4.0	7	1	2	5	6	6	6	6
1-5 YRS	22	2.2	2	< 1	1	2	3	4	5	6
6-12 YRS	24	3.4	33	1	1	2	3	6	14	29
13-19 YRS	111	2.4	7	1	1	2	2	5	8	15
B. Operated										
0-27 DYS	0									
1-11 MOS	5	3.8	21	1	1	2	5	12	12	12
1-5 YRS	52	3.2	12	1	1	2	4	8	12	17
6-12 YRS	84	4.3	19	1	1	2	6	11	14	19
13-19 YRS	275	4.7	19	1	2	4	6	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	266	1.9	5	< 1	1	1	2	3	4	12
B. Operated	388	2.1	4	1	1	1	3	4	6	10
2. MULTIPLE DX										
A. Not Operated	160	2.5	10	1	1	2	3	5	7	21
B. Operated	416	4.4	18	1	1	3	6	10	12	22
1. SINGLE DX	654	2.0	4	< 1	1	1	2	4	5	10
2. MULTIPLE DX	576	3.9	17	1	1	2	5	9	11	22
A. Not Operated	426	2.1	7	< 1	1	1	2	4	5	12
B. Operated	804	3.3	12	1	1	2	4	8	10	16
TOTAL										
0-27 DYS	2	15.5	313	3	3	15	28	28	28	28
1-11 MOS	16	3.1	8	< 1	1	2	4	6	10	12
1-5 YRS	183	2.2	5	1	1	1	2	4	6	12
6-12 YRS	287	2.6	11	1	1	1	3	6	9	15
13-19 YRS	742	3.2	11	1	1	2	4	7	10	15
GRAND TOTAL	**1230**	**2.9**	**11**	**1**	**1**	**2**	**3**	**7**	**9**	**15**

390: Open wound of upper limb (880-887)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	7	2.9	6	< 1	1	3	3	7	8	8
1-5 YRS	76	2.6	2	1	2	2	3	4	5	8
6-12 YRS	78	2.6	2	1	2	2	4	5	6	8
13-19 YRS	201	2.6	2	1	1	2	3	4	6	8
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	2.1	3	< 1	< 1	1	3	5	6	6
1-5 YRS	265	1.7	2	< 1	1	1	2	4	4	6
6-12 YRS	294	2.0	5	< 1	1	1	2	4	6	11
13-19 YRS	672	2.1	6	< 1	1	1	2	4	5	13
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	7	3.7	8	2	2	3	4	9	10	10
1-5 YRS	33	2.8	1	1	2	3	4	4	5	6
6-12 YRS	81	3.2	11	1	2	2	4	5	8	22
13-19 YRS	194	3.3	9	1	2	2	4	7	9	16
B. Operated										
0-27 DYS	0									
1-11 MOS	16	5.5	41	1	1	2	8	17	20	21
1-5 YRS	193	2.8	14	1	1	1	3	6	8	23
6-12 YRS	285	3.2	16	1	1	2	4	8	11	20
13-19 YRS	811	2.9	19	1	1	2	3	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	362	2.6	2	1	1	2	3	4	6	8
B. Operated	1243	2.0	5	< 1	1	1	2	4	5	11
2. MULTIPLE DX										
A. Not Operated	316	3.2	8	1	2	2	4	6	8	16
B. Operated	1305	3.0	18	1	1	2	3	6	9	17
1. SINGLE DX	1605	2.1	4	< 1	1	1	3	4	5	10
2. MULTIPLE DX	1621	3.0	16	1	1	2	3	6	9	16
A. Not Operated	678	2.9	5	1	2	2	3	5	7	13
B. Operated	2548	2.5	12	< 1	1	1	3	5	7	15
TOTAL										
0-27 DYS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	41	3.8	20	< 1	1	2	4	10	15	21
1-5 YRS	567	2.3	6	< 1	1	1	3	4	6	14
6-12 YRS	738	2.7	10	1	1	2	3	6	8	16
13-19 YRS	1878	2.6	12	1	1	2	3	5	7	13
GRAND TOTAL	**3226**	**2.6**	**10**	**1**	**1**	**2**	**3**	**5**	**7**	**15**

391: Open wound of lower limb (890-897)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	2.4	5	< 1	1	1	4	6	7	7
1-5 YRS	63	2.4	2	1	1	2	3	4	5	6
6-12 YRS	135	2.9	3	1	2	3	4	5	6	9
13-19 YRS	238	2.3	2	1	1	2	3	5	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	7	2.4	3	< 1	1	2	4	5	5	5
1-5 YRS	157	3.3	19	< 1	1	2	3	6	12	25
6-12 YRS	454	3.2	12	1	1	2	4	6	9	19
13-19 YRS	534	2.9	8	1	1	2	4	5	8	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	13	4.8	19	1	2	3	6	12	14	15
1-5 YRS	52	3.1	5	1	1	3	4	5	6	15
6-12 YRS	111	4.6	56	1	2	3	4	8	14	42
13-19 YRS	120	3.1	6	1	1	3	4	5	7	15
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.5	85	2	2	8	15	15	15	15
1-5 YRS	82	8.2	102	1	2	4	9	22	34	45
6-12 YRS	230	6.0	49	1	2	4	7	14	19	40
13-19 YRS	433	5.2	40	1	2	3	6	11	16	37
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	445	2.5	3	1	1	2	3	5	6	8
B. Operated	1152	3.1	11	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. Not Operated	296	3.7	25	1	2	3	4	6	9	18
B. Operated	747	5.8	50	1	2	3	7	12	19	41
1. SINGLE DX	1597	2.9	9	1	1	2	3	6	8	17
2. MULTIPLE DX	1043	5.2	44	1	2	3	6	11	16	37
A. Not Operated	741	3.0	12	1	1	2	4	5	7	15
B. Operated	1899	4.1	28	1	1	3	4	8	13	31
TOTAL										
0-27 DYS	0									
1-11 MOS	31	3.8	15	1	1	2	5	10	15	15
1-5 YRS	354	4.2	37	1	1	3	4	8	14	35
6-12 YRS	930	4.0	27	1	2	3	4	8	11	25
13-19 YRS	1325	3.6	18	1	1	2	4	7	10	23
GRAND TOTAL	**2640**	**3.8**	**24**	**1**	**1**	**2**	**4**	**7**	**11**	**26**

392: Injury to blood vessels (900-904)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	5	3.8	7	1	2	3	6	7	7	7
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	12	2.8	4	1	1	2	4	6	7	7
13-19 YRS	30	6.0	77	1	2	3	6	12	32	40
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	14	2.8	10	< 1	1	1	4	9	10	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	16	7.3	226	1	1	2	5	13	48	62
6-12 YRS	22	5.5	36	1	2	3	6	15	21	21
13-19 YRS	128	8.9	154	1	2	4	10	22	42	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	10	2.5	5	< 1	1	2	3	6	7	7
B. Operated	45	5.0	55	1	2	2	5	8	18	40
2. MULTIPLE DX										
A. Not Operated	18	2.6	8	< 1	1	1	3	8	10	10
B. Operated	166	8.3	145	1	2	4	9	21	36	63
1. SINGLE DX	55	4.5	46	1	1	2	5	8	13	40
2. MULTIPLE DX	184	7.7	135	1	2	4	9	19	28	63
A. Not Operated	28	2.5	7	< 1	1	1	3	7	9	10
B. Operated	211	7.6	128	1	2	4	8	18	32	62
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	23	5.7	160	1	1	2	5	10	31	62
6-12 YRS	37	4.2	25	1	1	2	5	11	18	21
13-19 YRS	177	7.8	129	1	2	4	9	19	33	62
GRAND TOTAL	**239**	**7.0**	**116**	**1**	**1**	**3**	**8**	**14**	**25**	**62**

393: Late effects of injury, poisoning, and other consequences of external causes (905-909)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	2.3	3	1	1	2	3	5	5	5
6-12 YRS	11	1.9	2	1	1	1	3	4	5	5
13-19 YRS	30	2.9	4	1	1	2	5	6	8	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	4.3	14	< 1	1	4	5	10	11	11
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	9	7.7	66	2	3	3	12	22	22	22
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	3.1	5	1	1	2	5	7	7	7
6-12 YRS	19	3.6	14	1	1	2	5	8	12	16
13-19 YRS	22	4.4	34	1	1	3	4	8	18	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3	2.7	4	< 1	< 1	2	4	5	5	5
B. Operated	48	2.6	4	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	20	5.3	37	1	2	3	5	16	21	22
B. Operated	48	3.9	21	1	1	3	5	7	12	28
1. SINGLE DX	51	2.6	4	1	1	2	4	5	6	8
2. MULTIPLE DX	68	4.3	26	1	1	3	5	9	16	27
A. Not Operated	23	5.0	33	1	2	3	5	13	21	22
B. Operated	96	3.3	13	1	1	2	4	6	8	22
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	20	3.4	7	1	1	3	5	6	9	11
6-12 YRS	36	2.9	8	1	1	2	4	6	8	16
13-19 YRS	62	4.1	25	1	1	3	5	8	16	27
GRAND TOTAL	**119**	**3.6**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**24**

394: Contusion of eye and adnexa (921)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	57	3.8	2	2	3	4	5	5	6	8
6-12 YRS	163	4.0	3	2	3	4	5	6	8	11
13-19 YRS	125	4.2	5	1	2	4	5	7	8	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	4	3.5	10	< 1	1	2	5	8	8	8
13-19 YRS	3	4.7	30	1	1	2	9	11	11	11
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	8	4.9	8	1	3	5	6	9	10	10
1-5 YRS	43	4.9	38	1	3	3	5	7	17	31
6-12 YRS	106	4.2	6	1	2	4	5	8	9	10
13-19 YRS	112	3.9	6	1	2	4	5	7	9	11
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.0	13	< 1	2	4	8	10	10	10
6-12 YRS	27	6.7	22	1	3	6	9	12	16	22
13-19 YRS	26	4.5	13	2	2	3	5	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	348	4.0	4	2	3	4	5	6	8	10
B. Operated	9	4.1	15	< 1	1	2	8	10	11	11
2. MULTIPLE DX										
A. Not Operated	269	4.2	11	1	2	4	5	7	9	11
B. Operated	58	5.6	18	2	2	5	7	11	14	21
1. SINGLE DX	357	4.0	4	2	3	4	5	6	8	11
2. MULTIPLE DX	327	4.4	12	1	2	4	5	8	10	17
A. Not Operated	617	4.1	7	1	3	4	5	6	8	11
B. Operated	67	5.4	17	1	2	4	8	11	13	21
TOTAL										
0-27 DYS	0									
1-11 MOS	11	3.9	8	1	1	4	6	8	10	10
1-5 YRS	107	4.3	17	1	3	4	5	6	8	31
6-12 YRS	300	4.3	6	2	3	4	5	8	9	12
13-19 YRS	266	4.1	6	1	2	4	5	7	9	13
GRAND TOTAL	**684**	**4.2**	**8**	**1**	**2**	**4**	**5**	**7**	**9**	**13**

395: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	8	1.8	1	1	1	2	2	3	3	3
1-11 MOS	86	1.4	1	1	1	1	1	3	4	5
1-5 YRS	288	1.6	1	< 1	1	1	2	3	4	7
6-12 YRS	327	1.4	1	< 1	1	1	2	2	3	4
13-19 YRS	402	1.8	3	< 1	1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	34	3.0	17	< 1	1	1	3	9	15	16
6-12 YRS	58	2.4	6	< 1	1	2	3	5	7	15
13-19 YRS	79	2.3	4	< 1	1	2	3	5	7	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	3.7	15	1	1	3	4	10	12	12
1-11 MOS	130	2.5	9	1	1	1	2	5	10	16
1-5 YRS	474	2.0	3	1	1	1	2	4	6	9
6-12 YRS	496	1.8	2	1	1	1	2	3	4	7
13-19 YRS	964	1.9	3	< 1	1	1	2	4	5	8
B. Operated										
0-27 DYS	0									
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	41	3.7	25	1	1	2	3	8	15	27
6-12 YRS	57	3.3	10	1	1	2	5	7	8	17
13-19 YRS	163	3.0	25	1	1	2	3	6	8	21
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1111	1.6	2	< 1	1	1	2	3	4	6
B. Operated	172	2.5	7	< 1	1	1	3	5	8	15
2. MULTIPLE DX										
A. Not Operated	2071	1.9	3	1	1	1	2	4	5	9
B. Operated	265	3.2	21	1	1	2	3	6	8	21
1. SINGLE DX	1283	1.7	3	< 1	1	1	2	3	4	8
2. MULTIPLE DX	2336	2.1	5	1	1	1	2	4	6	11
A. Not Operated	3182	1.8	3	< 1	1	1	2	3	4	8
B. Operated	437	2.9	16	< 1	1	2	3	6	8	18
TOTAL										
0-27 DYS	15	2.7	8	1	1	2	3	4	10	12
1-11 MOS	221	2.0	6	1	1	1	2	4	6	15
1-5 YRS	837	2.0	4	1	1	1	2	4	5	12
6-12 YRS	938	1.8	2	1	1	1	2	3	5	8
13-19 YRS	1608	2.0	5	< 1	1	1	2	4	5	9
GRAND TOTAL	**3619**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**	**10**

396: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	46	1.8	1	1	1	2	2	3	4	6
6-12 YRS	35	1.6	1	1	1	1	2	3	3	3
13-19 YRS	31	2.0	3	1	1	1	2	4	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	19	4.0	36	< 1	< 1	2	4	8	19	27
6-12 YRS	13	4.8	39	1	1	2	5	16	21	22
13-19 YRS	21	3.5	23	< 1	1	1	4	11	16	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	21	2.1	1	1	1	2	3	4	5	5
6-12 YRS	13	2.6	5	1	1	2	4	6	7	7
13-19 YRS	18	1.9	2	1	1	1	3	4	4	4
B. Operated										
0-27 DYS	0									
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	24	6.0	48	1	1	3	8	20	22	25
6-12 YRS	21	4.2	16	1	2	3	4	12	14	15
13-19 YRS	52	9.8	210	1	2	4	11	27	47	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	113	1.8	1	1	1	1	2	3	4	7
B. Operated	55	3.9	30	< 1	1	2	4	10	17	27
2. MULTIPLE DX										
A. Not Operated	54	2.2	3	1	1	2	3	4	6	7
B. Operated	99	7.6	130	1	1	3	9	20	31	61
1. SINGLE DX	168	2.5	12	1	1	1	2	4	7	21
2. MULTIPLE DX	153	5.7	92	1	1	2	5	12	21	60
A. Not Operated	167	1.9	2	1	1	1	2	4	5	7
B. Operated	154	6.3	97	1	1	3	7	16	23	60
TOTAL										
0-27 DYS	0									
1-11 MOS	7	3.1	14	< 1	1	1	6	9	10	10
1-5 YRS	110	3.2	20	< 1	1	2	3	5	12	26
6-12 YRS	82	2.9	13	1	1	2	3	6	12	20
13-19 YRS	122	5.6	107	1	1	2	4	12	22	61
GRAND TOTAL	**321**	**4.0**	**52**	**1**	**1**	**2**	**4**	**8**	**15**	**42**

397: Foreign body entering through orifice (930-939)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	46	1.5	1	< 1	< 1	1	2	3	4	5
1-11 MOS	342	1.3	1	< 1	1	1	1	2	3	4
1-5 YRS	930	1.1		< 1	< 1	1	1	2	2	3
6-12 YRS	281	1.2		< 1	< 1	1	1	2	2	4
13-19 YRS	98	1.3	1	< 1	1	1	1	2	3	4
B. Operated										
0-27 DYS	0									
1-11 MOS	97	1.5	1	< 1	1	1	2	2	4	7
1-5 YRS	445	1.5	1	< 1	1	1	2	2	3	6
6-12 YRS	98	1.7	3	< 1	< 1	1	2	3	6	9
13-19 YRS	35	2.1	3	< 1	1	1	3	4	6	7
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	46	2.3	3	1	1	2	3	4	5	10
1-11 MOS	182	2.2	3	1	1	2	3	4	5	10
1-5 YRS	198	1.9	4	< 1	1	1	2	4	6	12
6-12 YRS	71	2.0	9	< 1	1	1	2	4	5	20
13-19 YRS	70	2.6	9	< 1	1	1	3	5	11	15
B. Operated										
0-27 DYS	0									
1-11 MOS	57	5.5	70	1	1	2	6	15	32	96
1-5 YRS	191	3.5	32	1	1	2	3	7	11	32
6-12 YRS	44	4.5	15	1	1	3	8	10	11	14
13-19 YRS	34	3.5	11	1	1	2	5	8	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1697	1.2		< 1	< 1	1	1	2	2	4
B. Operated	675	1.5	2	< 1	1	1	2	3	4	8
2. MULTIPLE DX										
A. Not Operated	567	2.2	5	< 1	1	1	2	4	6	13
B. Operated	326	4.0	34	1	1	2	4	9	13	38
1. SINGLE DX	2372	1.3	1	< 1	< 1	1	1	2	3	5
2. MULTIPLE DX	893	2.8	16	1	1	2	3	6	9	24
A. Not Operated	2264	1.4	2	< 1	< 1	1	1	2	3	7
B. Operated	1001	2.3	14	< 1	1	1	2	4	8	16
TOTAL										
0-27 DYS	92	1.9	2	< 1	1	2	2	4	5	8
1-11 MOS	678	1.9	8	< 1	1	1	2	4	5	14
1-5 YRS	1764	1.6	5	< 1	1	1	1	2	4	9
6-12 YRS	494	1.7	4	< 1	< 1	1	1	3	6	10
13-19 YRS	237	2.1	6	< 1	1	1	2	4	7	13
GRAND TOTAL	**3265**	**1.7**	**6**	**< 1**	**1**	**1**	**2**	**3**	**4**	**11**

398: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	4	2.3	1	< 1	1	2	3	3	3	3
1-5 YRS	28	4.4	15	1	2	3	6	9	13	18
6-12 YRS	14	3.5	6	1	2	3	5	8	8	8
13-19 YRS	11	5.1	72	1	1	2	4	16	29	30
B. Operated										
0-27 DYS	0									
1-11 MOS	18	6.0	98	1	2	3	5	11	32	44
1-5 YRS	52	5.8	39	1	1	4	8	12	18	32
6-12 YRS	34	6.1	30	1	1	5	8	12	19	24
13-19 YRS	43	5.2	18	1	2	4	8	12	14	16
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	49	6.1	51	1	2	4	8	13	17	44
1-5 YRS	115	6.4	76	1	2	4	7	13	21	52
6-12 YRS	34	6.2	39	1	1	3	9	16	19	24
13-19 YRS	44	6.1	36	1	1	4	10	16	19	23
B. Operated										
0-27 DYS	0									
1-11 MOS	50	17.4	181	4	11	15	23	35	59	99 +
1-5 YRS	225	15.3	163	2	7	14	21	31	38	99 +
6-12 YRS	119	18.3	265	2	6	15	26	47	68	99 +
13-19 YRS	116	16.3	213	2	5	12	21	42	49	85
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	57	4.2	22	1	2	3	5	8	11	29
B. Operated	147	5.7	37	1	1	4	8	12	17	32
2. MULTIPLE DX										
A. Not Operated	243	6.3	58	1	2	4	8	14	19	45
B. Operated	510	16.4	200	2	6	14	23	37	51	99 +
1. SINGLE DX	204	5.3	33	1	2	4	7	11	16	31
2. MULTIPLE DX	753	13.2	177	1	3	10	18	31	46	99 +
A. Not Operated	300	5.9	51	1	2	4	7	13	18	43
B. Operated	657	14.0	184	1	4	11	20	32	47	99 +
TOTAL										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	121	10.7	141	1	3	7	15	25	38	80
1-5 YRS	420	11.0	135	1	3	7	16	27	36	99 +
6-12 YRS	201	13.2	208	1	3	8	19	36	51	99 +
13-19 YRS	214	11.4	158	1	2	7	16	29	45	61
GRAND TOTAL	**957**	**11.5**	**156**	**1**	**3**	**8**	**16**	**28**	**40**	**99 +**

399: Other burns (940; 941-946 with 4th digit 0, 1, 2; 947; 949 with 4th digit 0, 1, 2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	105	3.8	11	1	1	3	5	8	11	16
1-5 YRS	322	3.6	12	1	1	2	5	8	11	15
6-12 YRS	90	3.7	12	1	1	2	5	9	11	15
13-19 YRS	89	3.7	11	1	1	2	5	8	11	14
B. Operated										
0-27 DYS	0									
1-11 MOS	22	4.1	14	1	1	3	5	11	13	14
1-5 YRS	77	6.9	34	1	2	6	9	15	17	26
6-12 YRS	31	9.3	75	1	5	7	11	19	24	44
13-19 YRS	32	5.3	36	1	1	3	6	14	17	27
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7	8.4	89	1	2	4	17	23	23	23
1-11 MOS	284	4.7	16	1	2	3	7	9	13	18
1-5 YRS	1046	5.4	25	1	2	4	7	12	15	21
6-12 YRS	229	4.7	21	1	[illegible]	3	6	10	14	22
13-19 YRS	268	3.8	15	1	1	2	5	9	11	21
B. Operated										
0-27 DYS	0									
1-11 MOS	80	11.4	146	2	3	7	17	25	29	69
1-5 YRS	296	10.6	89	2	4	8	15	22	28	44
6-12 YRS	70	9.1	105	2	4	7	10	17	24	66
13-19 YRS	102	9.8	91	2	4	7	12	22	33	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	607	3.6	11	1	1	2	5	8	11	15
B. Operated	162	6.7	42	1	2	5	9	15	18	27
2. MULTIPLE DX										
A. Not Operated	1834	5.0	22	1	2	3	7	11	14	21
B. Operated	548	10.4	100	2	4	7	14	22	28	45
1. SINGLE DX	769	4.3	19	1	1	3	6	10	13	20
2. MULTIPLE DX	2382	6.2	45	1	2	4	8	14	18	32
A. Not Operated	2441	4.7	20	1	2	3	6	11	14	20
B. Operated	710	9.5	89	1	3	7	13	20	27	44
TOTAL										
0-27 DYS	8	7.5	83	1	1	3	13	22	23	23
1-11 MOS	491	5.6	42	1	2	4	7	13	17	29
1-5 YRS	1741	6.0	39	1	2	4	8	14	18	28
6-12 YRS	420	5.6	41	1	2	4	7	12	16	30
13-19 YRS	491	5.1	37	1	1	3	6	11	16	33
GRAND TOTAL	**3151**	**5.8**	**39**	**1**	**2**	**4**	**7**	**13**	**17**	**30**

400: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.0	4	1	1	1	3	5	5	5
6-12 YRS	19	1.9	2	1	1	1	2	4	5	5
13-19 YRS	51	2.5	2	1	1	3	3	4	5	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	13	3.6	5	< 1	2	3	5	7	8	8
6-12 YRS	24	2.8	11	< 1	1	2	3	6	10	16
13-19 YRS	55	1.8	3	< 1	1	1	2	4	5	10
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	14	9.1	126	2	2	4	11	23	38	42
6-12 YRS	12	3.3	9	< 1	1	2	4	9	10	10
13-19 YRS	59	4.3	62	1	1	2	3	8	13	55
B. Operated										
0-27 DYS	0									
1-11 MOS	4	15.8	412	1	1	9	30	44	44	44
1-5 YRS	34	3.4	41	< 1	1	1	4	80	99 +	99 +
6-12 YRS	62	2.2	9	1	1	1	2	4	8	17
13-19 YRS	157	3.6	45	< 1	1	2	3	7	11	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	74	2.3	2	1	1	2	3	4	5	7
B. Operated	93	2.3	6	< 1	1	1	3	5	6	13
2. MULTIPLE DX										
A. Not Operated	87	4.8	66	1	1	3	4	10	16	53
B. Operated	257	3.4	43	< 1	1	1	3	8	15	99 +
1. SINGLE DX	167	2.3	4	< 1	1	1	3	5	6	10
2. MULTIPLE DX	344	3.8	49	1	1	2	3	9	16	99 +
A. Not Operated	161	3.7	38	1	1	2	3	7	10	40
B. Operated	350	3.1	33	< 1	1	1	3	6	13	98
TOTAL										
0-27 DYS	0									
1-11 MOS	7	9.4	268	1	1	1	13	39	44	44
1-5 YRS	65	4.6	54	< 1	1	2	5	19	99 +	99 +
6-12 YRS	117	2.4	8	1	1	1	2	5	8	16
13-19 YRS	322	3.2	35	< 1	1	2	3	6	9	39
GRAND TOTAL	**511**	**3.3**	**34**	**1**	**1**	**2**	**3**	**7**	**12**	**55**

401: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	15	1.7	2	1	1	1	2	2	6	7
1-5 YRS	127	2.1	8	1	1	1	2	4	5	17
6-12 YRS	160	1.6	1	< 1	1	1	2	3	4	7
13-19 YRS	257	2.0	3	< 1	1	1	2	4	6	8
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	26	2.8	6	< 1	1	2	4	7	8	10
6-12 YRS	36	3.6	9	< 1	1	3	5	9	10	12
13-19 YRS	79	3.8	24	1	1	2	4	7	13	30
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	26	3.7	18	1	1	2	4	7	11	22
1-5 YRS	175	3.2	12	1	1	2	4	6	11	19
6-12 YRS	200	2.6	9	1	1	2	3	5	7	17
13-19 YRS	379	2.7	19	1	1	2	3	5	7	22
B. Operated										
0-27 DYS	0									
1-11 MOS	5	6.2	17	1	2	7	10	10	10	10
1-5 YRS	34	10.0	267	1	2	4	12	37	96	99 +
6-12 YRS	74	6.7	56	1	2	4	9	14	19	42
13-19 YRS	148	5.7	48	1	2	4	6	13	16	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	561	1.9	3	< 1	1	1	2	4	5	9
B. Operated	141	3.6	17	< 1	1	2	4	7	10	23
2. MULTIPLE DX										
A. Not Operated	782	2.8	15	1	1	2	3	5	7	19
B. Operated	261	6.6	79	1	2	4	8	14	23	84
1. SINGLE DX	702	2.2	7	< 1	1	1	2	4	6	12
2. MULTIPLE DX	1043	3.8	33	1	1	2	4	8	12	30
A. Not Operated	1343	2.4	10	1	1	2	3	5	7	15
B. Operated	402	5.5	59	1	2	3	6	12	16	50
TOTAL										
0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	46	3.3	14	1	1	2	3	7	10	22
1-5 YRS	362	3.4	38	1	1	2	3	7	12	37
6-12 YRS	470	3.0	17	1	1	2	3	6	10	19
13-19 YRS	863	3.1	21	1	1	2	3	6	9	25
GRAND TOTAL	**1745**	**3.1**	**23**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

402: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	1.0		< 1	< 1	1	1	1	1	1
1-11 MOS	84	1.5	1	< 1	1	1	2	3	4	7
1-5 YRS	1835	1.3	1	< 1	1	1	1	2	3	4
6-12 YRS	212	1.7	1	1	1	1	2	3	4	6
13-19 YRS	1721	1.8	5	< 1	1	1	2	3	4	7
B. Operated										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	2.0	2	< 1	< 1	1	3	4	4	4
6-12 YRS	4	2.3	4	1	1	2	3	5	5	5
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	2.3	1	1	2	2	3	3	3	3
1-11 MOS	126	2.5	5	1	1	2	3	5	6	13
1-5 YRS	1084	1.8	6	1	1	1	2	3	4	9
6-12 YRS	373	2.9	28	1	1	2	3	5	8	27
13-19 YRS	5340	2.9	21	1	1	2	3	5	9	23
B. Operated										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	5	6.2	28	1	3	5	8	15	15	15
1-5 YRS	19	6.2	99	1	1	3	6	14	32	44
6-12 YRS	8	14.5	325	1	2	4	28	43	45	45
13-19 YRS	84	6.1	56	1	2	3	8	14	21	41
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3855	1.5	2	< 1	1	1	2	3	3	6
B. Operated	11	2.1	2	< 1	1	2	3	4	5	5
2. MULTIPLE DX										
A. Not Operated	6929	2.7	19	1	1	2	3	5	8	21
B. Operated	117	6.8	81	1	2	3	8	16	23	44
1. SINGLE DX	3866	1.5	2	< 1	1	1	2	3	3	6
2. MULTIPLE DX	7046	2.8	20	1	1	2	3	5	8	23
A. Not Operated	10784	2.3	13	< 1	1	1	2	4	6	18
B. Operated	128	6.4	76	1	2	3	7	15	22	44
TOTAL										
0-27 DYS	10	3.2	18	< 1	1	2	3	9	15	15
1-11 MOS	216	2.2	5	1	1	1	3	5	6	13
1-5 YRS	2942	1.5	3	< 1	1	1	2	2	3	7
6-12 YRS	597	2.6	24	1	1	1	3	4	6	26
13-19 YRS	7147	2.7	18	1	1	2	3	5	8	21
GRAND TOTAL	**10912**	**2.4**	**14**	**< 1**	**1**	**1**	**2**	**4**	**6**	**19**

403: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	6	1.7	3	1	1	1	1	5	5	5
1-11 MOS	103	1.6	2	< 1	1	1	2	3	4	7
1-5 YRS	1291	2.4	4	1	1	1	4	6	6	8
6-12 YRS	220	2.0	3	1	1	1	2	5	6	8
13-19 YRS	292	1.3	1	< 1	1	1	1	2	3	5
B. Operated										
0-27 DYS	0									
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	25	2.2	5	< 1	1	1	3	4	9	9
6-12 YRS	5	2.2	7	1	1	1	3	7	7	7
13-19 YRS	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.0	38	1	1	3	9	14	14	14
1-11 MOS	61	2.8	8	1	1	2	3	5	6	18
1-5 YRS	792	3.3	15	1	1	2	5	6	8	23
6-12 YRS	119	3.1	9	< 1	1	2	5	7	8	15
13-19 YRS	348	2.1	9	< 1	1	1	2	4	6	18
B. Operated										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	16.0	18	13	13	16	19	19	19	19
1-5 YRS	34	5.6	82	1	1	2	6	17	42	99 +
6-12 YRS	9	9.8	303	1	3	5	6	36	56	56
13-19 YRS	21	8.5	100	2	3	4	8	25	32	36
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1912	2.1	4	1	1	1	2	5	6	8
B. Operated	36	2.3	5	< 1	1	1	3	7	8	9
2. MULTIPLE DX										
A. Not Operated	1324	3.0	13	1	1	2	4	6	8	21
B. Operated	67	7.4	114	1	2	4	7	22	37	92
1. SINGLE DX	1948	2.1	4	1	1	1	2	5	6	8
2. MULTIPLE DX	1391	3.2	18	1	1	2	4	6	8	24
A. Not Operated	3236	2.5	8	1	1	1	3	6	7	12
B. Operated	103	5.6	81	1	1	3	5	14	25	76
TOTAL										
0-27 DYS	11	3.4	17	1	1	1	5	10	14	14
1-11 MOS	169	2.2	7	1	1	1	3	5	6	18
1-5 YRS	2142	2.8	10	1	1	1	5	6	7	15
6-12 YRS	353	2.5	13	1	1	1	3	6	7	10
13-19 YRS	664	1.9	9	< 1	1	1	2	3	5	21
GRAND TOTAL	**3339**	**2.6**	**10**	**1**	**1**	**1**	**3**	**6**	**7**	**15**

404: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	9	5.0	43	< 1	2	3	4	15	22	22
1-11 MOS	101	2.1	6	1	1	1	2	4	6	16
1-5 YRS	375	1.6	2	1	1	1	2	3	4	6
6-12 YRS	159	1.7	2	1	1	1	2	3	4	8
13-19 YRS	167	1.8	4	< 1	1	1	2	3	4	10
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	7.3	74	< 1	1	2	14	21	21	21
6-12 YRS	4	3.5	4	1	2	4	5	5	5	5
13-19 YRS	5	6.8	78	1	2	2	11	22	22	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	15	3.7	5	1	2	3	5	6	8	9
1-11 MOS	192	4.5	27	1	1	3	6	10	15	27
1-5 YRS	470	3.7	61	1	1	2	3	6	10	50
6-12 YRS	249	3.0	29	1	1	2	3	6	8	16
13-19 YRS	293	2.7	19	1	1	2	3	5	7	16
B. Operated										
0-27 DYS	0									
1-11 MOS	16	9.6	126	1	3	5	13	37	79	99 +
1-5 YRS	53	14.3	358	1	1	5	35	61	99 +	99 +
6-12 YRS	25	11.0	464	1	1	2	12	60	92	99 +
13-19 YRS	35	8.9	496	1	1	1	4	23	96	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	811	1.7	3	1	1	1	2	3	4	9
B. Operated	17	6.2	55	1	1	3	7	21	22	22
2. MULTIPLE DX										
A. Not Operated	1219	3.4	39	1	1	2	3	6	10	29
B. Operated	129	11.6	385	1	1	4	15	57	98	99 +
1. SINGLE DX	828	1.8	5	1	1	1	2	3	5	11
2. MULTIPLE DX	1348	4.2	77	1	1	2	4	8	14	68
A. Not Operated	2030	2.8	25	1	1	1	3	5	8	21
B. Operated	146	11.0	348	1	1	3	14	50	96	99 +
TOTAL										
0-27 DYS	24	4.2	18	1	2	3	5	7	13	22
1-11 MOS	309	4.0	28	1	1	2	4	9	15	33
1-5 YRS	906	3.5	62	1	1	1	3	6	11	61
6-12 YRS	437	3.0	47	1	1	1	3	6	8	39
13-19 YRS	500	2.8	50	1	1	1	2	4	8	23
GRAND TOTAL	**2176**	**3.3**	**51**	**1**	**1**	**2**	**3**	**6**	**10**	**50**

405: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	19	2.1	2	< 1	< 1	2	3	4	5	6
1-5 YRS	65	3.6	14	< 1	1	3	4	8	11	20
6-12 YRS	63	5.5	55	1	1	3	6	13	23	39
13-19 YRS	58	5.0	21	1	2	3	7	12	15	20
B. Operated										
0-27 DYS	5	7.8	29	2	3	9	11	15	15	15
1-11 MOS	181	5.2	54	2	2	3	5	9	15	26
1-5 YRS	432	4.3	27	1	2	3	5	9	12	27
6-12 YRS	401	4.2	28	1	2	3	5	8	12	21
13-19 YRS	356	3.6	11	1	1	3	4	8	11	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.8	12	3	3	5	8	10	10	10
1-11 MOS	127	5.8	31	1	2	4	8	13	16	30
1-5 YRS	477	6.6	37	1	2	5	9	15	18	26
6-12 YRS	281	5.4	32	1	2	4	7	12	16	24
13-19 YRS	247	5.8	34	1	2	4	8	12	15	27
B. Operated										
0-27 DYS	31	15.7	338	2	4	11	23	31	40	96
1-11 MOS	663	10.5	158	2	3	5	14	26	34	63
1-5 YRS	1289	9.0	140	1	2	5	11	22	35	76
6-12 YRS	1216	7.0	83	1	2	4	8	16	22	53
13-19 YRS	1055	7.9	115	1	2	4	9	18	29	66
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	205	4.5	28	1	1	3	5	10	15	28
B. Operated	1375	4.2	27	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. Not Operated	1136	6.1	34	1	2	4	8	13	17	26
B. Operated	4254	8.4	123	1	2	4	10	20	30	66
1. SINGLE DX	1580	4.3	27	1	2	3	5	8	12	23
2. MULTIPLE DX	5390	7.9	105	1	2	4	9	18	27	60
A. Not Operated	1341	5.8	34	1	2	4	8	13	16	26
B. Operated	5629	7.4	103	1	2	4	8	17	26	59
TOTAL										
0-27 DYS	40	13.8	278	2	3	9	18	28	37	96
1-11 MOS	990	8.7	126	1	3	4	10	21	30	56
1-5 YRS	2263	7.5	97	1	2	4	9	17	26	59
6-12 YRS	1961	6.1	65	1	2	4	7	14	20	43
13-19 YRS	1716	6.6	82	1	2	4	8	15	22	56
GRAND TOTAL	**6970**	**7.1**	**90**	**1**	**2**	**4**	**8**	**16**	**24**	**55**

406: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	6	1.0		< 1	1	1	1	1	1	1
1-5 YRS	120	1.4	1	< 1	1	1	2	2	3	5
6-12 YRS	177	1.2		< 1	1	1	1	2	2	4
13-19 YRS	139	1.7	2	< 1	1	1	2	3	4	11
B. Operated										
0-27 DYS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-11 MOS	5	1.8	3	1	1	1	2	5	5	5
1-5 YRS	101	1.3		< 1	1	1	1	2	3	3
6-12 YRS	206	1.3	1	< 1	1	1	1	2	3	4
13-19 YRS	195	1.7	2	< 1	1	1	2	3	5	6
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	6	1.3		< 1	1	1	2	2	2	2
1-11 MOS	11	3.1	3	1	2	3	4	5	6	6
1-5 YRS	63	2.0	2	< 1	1	2	3	4	5	8
6-12 YRS	53	1.6	1	1	1	1	2	3	4	5
13-19 YRS	76	1.8	1	1	1	2	2	3	4	5
B. Operated										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.7	7	1	1	2	3	7	10	10
1-5 YRS	90	1.8	4	1	1	1	2	3	4	12
6-12 YRS	121	1.9	3	1	1	1	2	4	6	9
13-19 YRS	138	2.2	6	1	1	1	2	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	442	1.4	1	< 1	1	1	2	2	3	5
B. Operated	509	1.5	1	< 1	1	1	2	3	3	6
2. MULTIPLE DX										
A. Not Operated	209	1.9	1	1	1	1	2	4	4	6
B. Operated	360	2.0	4	1	1	1	2	4	6	10
1. SINGLE DX	951	1.4	1	< 1	1	1	2	2	3	5
2. MULTIPLE DX	569	1.9	3	1	1	1	2	4	5	10
A. Not Operated	651	1.6	1	< 1	1	1	2	3	4	5
B. Operated	869	1.7	3	< 1	1	1	2	3	4	9
TOTAL										
0-27 DYS	9	1.3		< 1	1	1	2	2	2	2
1-11 MOS	32	2.4	4	1	1	2	3	5	6	10
1-5 YRS	374	1.6	2	< 1	1	1	2	3	4	7
6-12 YRS	557	1.5	1	< 1	1	1	2	2	3	6
13-19 YRS	548	1.8	3	< 1	1	1	2	3	5	10
GRAND TOTAL	**1520**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**	**8**

407: Postoperative wound infection (998.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	4	3.0	7	1	1	2	5	7	7	7
1-11 MOS	19	3.9	9	< 1	2	3	6	9	11	11
1-5 YRS	44	4.7	11	2	2	4	6	10	11	17
6-12 YRS	56	4.6	10	2	2	4	6	8	10	18
13-19 YRS	69	4.3	8	1	2	4	6	7	9	15
B. Operated										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	16	4.2	20	1	1	3	5	11	15	17
1-5 YRS	23	4.7	14	1	2	3	8	9	11	15
6-12 YRS	51	6.2	30	2	3	5	8	11	16	34
13-19 YRS	98	5.7	14	2	3	5	7	11	12	22
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	14	3.8	5	1	2	3	5	7	9	9
1-11 MOS	65	5.2	12	1	3	4	7	10	12	17
1-5 YRS	93	5.1	12	2	3	4	7	10	10	17
6-12 YRS	71	6.1	20	2	3	4	8	12	16	21
13-19 YRS	118	6.0	19	2	3	5	8	10	15	22
B. Operated										
0-27 DYS	7	10.4	71	3	4	8	16	24	26	26
1-11 MOS	24	12.8	101	3	6	9	18	27	32	41
1-5 YRS	73	13.2	195	1	5	9	18	29	38	78
6-12 YRS	81	9.4	64	3	4	8	11	18	23	49
13-19 YRS	145	11.1	108	2	4	8	14	27	32	51
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	192	4.4	10	1	2	4	6	8	10	17
B. Operated	190	5.6	19	1	3	5	7	11	13	22
2. MULTIPLE DX										
A. Not Operated	361	5.6	16	2	3	4	7	10	13	20
B. Operated	330	11.2	116	2	4	8	14	26	31	54
1. SINGLE DX	382	5.0	14	1	2	4	7	10	11	18
2. MULTIPLE DX	691	8.3	71	2	3	6	10	17	26	43
A. Not Operated	553	5.2	14	2	3	4	7	10	12	19
B. Operated	520	9.2	88	2	4	6	11	19	28	50
TOTAL										
0-27 DYS	27	5.6	30	1	2	4	7	10	19	26
1-11 MOS	124	6.3	39	1	2	5	8	13	18	31
1-5 YRS	233	7.5	83	2	3	5	9	15	26	45
6-12 YRS	259	6.8	36	2	3	5	9	13	18	26
13-19 YRS	430	7.4	53	2	3	5	9	15	21	34
GRAND TOTAL	**1073**	**7.1**	**54**	**2**	**3**	**5**	**9**	**14**	**20**	**34**

408: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	3	4.7	2	3	3	5	6	6	6	6
1-11 MOS	15	2.4	2	< 1	2	2	3	4	6	6
1-5 YRS	45	2.3	3	1	1	2	3	4	5	11
6-12 YRS	39	2.9	6	1	1	2	4	7	9	9
13-19 YRS	48	3.1	5	1	1	3	4	7	8	8
B. Operated										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	27	5.7	69	< 1	1	2	7	11	17	43
1-5 YRS	76	3.6	17	< 1	1	2	5	8	11	20
6-12 YRS	37	3.4	13	< 1	1	2	5	9	13	15
13-19 YRS	53	4.7	37	< 1	1	3	6	8	22	31
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.3	23	1	2	4	8	12	12	12
1-11 MOS	82	4.1	16	1	1	3	5	10	12	19
1-5 YRS	226	2.8	13	1	1	2	3	5	7	15
6-12 YRS	164	3.1	17	1	1	2	3	8	11	24
13-19 YRS	186	3.2	11	1	1	2	4	7	11	15
B. Operated										
0-27 DYS	9	5.4	23	1	2	5	6	13	17	17
1-11 MOS	135	8.3	169	1	1	4	11	20	57	99 +
1-5 YRS	396	3.9	43	1	1	1	4	10	14	29
6-12 YRS	363	2.9	18	1	1	1	2	8	13	25
13-19 YRS	454	3.5	48	1	1	1	3	8	13	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	150	2.8	4	1	1	2	4	6	7	9
B. Operated	195	4.2	29	< 1	1	2	6	8	14	28
2. MULTIPLE DX										
A. Not Operated	662	3.2	14	1	1	2	4	7	11	18
B. Operated	1357	3.9	52	1	1	1	4	10	15	51
1. SINGLE DX	345	3.6	19	< 1	1	2	5	8	9	23
2. MULTIPLE DX	2019	3.7	40	1	1	1	4	9	13	32
A. Not Operated	812	3.1	12	1	1	2	4	7	10	17
B. Operated	1552	3.9	49	1	1	1	4	10	14	50
TOTAL										
0-27 DYS	18	5.3	15	1	3	5	6	11	15	17
1-11 MOS	259	6.3	104	1	1	3	8	13	21	98
1-5 YRS	743	3.4	29	1	1	2	4	8	12	21
6-12 YRS	603	3.0	17	1	1	1	3	8	12	23
13-19 YRS	741	3.5	35	1	1	1	3	8	12	32
GRAND TOTAL	**2364**	**3.6**	**37**	**1**	**1**	**2**	**4**	**9**	**13**	**31**

409: Other complications of medical care, except drugs (999)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	19	1.5		1	1	1	2	3	3	3
1-5 YRS	33	1.8	1	1	1	2	2	3	3	6
6-12 YRS	17	2.4	2	1	1	2	3	4	5	5
13-19 YRS	11	2.8	8	1	1	2	2	8	9	9
B. Operated										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	5.8	11	2	3	6	8	9	9	9
1-11 MOS	47	2.6	13	1	1	2	2	5	6	25
1-5 YRS	73	3.2	8	1	1	2	4	7	9	16
6-12 YRS	31	3.9	48	1	1	2	4	6	13	39
13-19 YRS	20	3.0	3	1	2	3	4	6	6	7
B. Operated										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	26.3	401	11	13	19	41	49	49	49
1-5 YRS	7	5.7	32	< 1	1	3	10	14	15	15
6-12 YRS	4	9.5	66	1	3	8	15	20	20	20
13-19 YRS	3	3.7	6	1	2	4	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	80	2.0	2	1	1	2	2	3	5	9
B. Operated	3	13.3	352	2	2	3	27	35	35	35
2. MULTIPLE DX										
A. Not Operated	175	3.2	16	1	1	2	3	7	9	23
B. Operated	18	9.4	137	1	1	6	11	20	37	49
1. SINGLE DX	83	2.4	15	1	1	2	2	3	5	26
2. MULTIPLE DX	193	3.8	30	1	1	2	4	8	11	33
A. Not Operated	255	2.8	12	1	1	2	3	5	8	17
B. Operated	21	10.0	154	1	1	6	12	26	41	49
TOTAL										
0-27 DYS	6	4.5	11	1	2	3	8	9	9	9
1-11 MOS	70	3.7	59	1	1	2	2	6	19	46
1-5 YRS	113	2.9	8	1	1	2	3	7	9	16
6-12 YRS	53	3.8	35	1	1	2	4	6	13	38
13-19 YRS	34	3.0	5	1	1	2	4	6	8	9
GRAND TOTAL	**276**	**3.4**	**26**	**1**	**1**	**2**	**3**	**7**	**10**	**32**

410: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	1.3	1	< 1	< 1	1	1	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	7	1.4		< 1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	10	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX										
A. Not Operated	0									
B. Operated	8	1.6	1	< 1	1	1	2	3	3	3
1. SINGLE DX	11	1.3		< 1	< 1	1	1	2	3	3
2. MULTIPLE DX	8	1.6	1	< 1	1	1	2	3	3	3
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	18	1.4	1	< 1	< 1	1	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	17	1.4		< 1	< 1	1	2	2	3	3
GRAND TOTAL	**19**	**1.4**		**< 1**	**< 1**	**1**	**2**	**3**	**3**	**3**

411: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	12	21.2	1324	1	1	2	30	88	97	98
1000-1499	13	48.1	158	33	41	47	55	65	67	67
1500-1749	17	27.1	161	14	20	23	33	48	51	51
1750-2499	4395	2.8	7	1	2	2	3	4	5	13
2500 +	300329	2.4	1	1	2	2	3	4	4	6
B. Operated										
1-999 G	1	97.0		97	98	99 +	99 +	99 +	99 +	99 +
1000-1499	6	47.0	824	13	51	74	99 +	99 +	99 +	99 +
1500-1749	1	70.0		70	70	70	70	70	70	70
1750-2499	12	11.3	243	2	2	4	16	33	51	54
2500 +	308	3.1	18	1	2	2	3	4	5	20
2. MULTIPLE DX										
A. Not Operated										
1-999 G	110	66.0	426	44	57	75	98	99 +	99 +	99 +
1000-1499	751	38.8	232	21	28	37	48	61	70	93
1500-1749	989	23.7	115	12	16	22	29	38	45	66
1750-2499	15660	6.5	40	2	2	4	8	15	19	29
2500 +	190328	3.2	4	1	2	3	4	5	6	10
B. Operated										
1-999 G	309	74.3	251	57	72	89	99 +	99 +	99 +	99 +
1000-1499	783	51.1	341	30	39	52	66	92	99 +	99 +
1500-1749	488	32.9	222	17	23	30	40	54	69	99 +
1750-2499	1537	18.0	185	5	9	15	24	36	46	91
2500 +	4291	8.0	83	2	3	5	9	16	24	56
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	304766	2.4	2	1	2	2	3	4	4	6
B. Operated	328	4.7	114	1	2	2	4	6	23	99 +
2. MULTIPLE DX										
A. Not Operated	207838	3.7	18	2	2	3	4	6	8	21
B. Operated	7408	19.1	466	2	5	10	29	63	90	99 +
1. SINGLE DX	305094	2.4	2	1	2	2	3	4	4	6
2. MULTIPLE DX	215246	4.2	41	2	2	3	4	6	10	39
A. Not Operated	512604	2.9	9	1	2	2	3	5	5	12
B. Operated	7736	18.4	460	2	4	10	28	62	88	99 +
TOTAL										
1-999 G	432	70.8	406	53	67	86	99 +	99 +	99 +	99 +
1000-1499	1553	45.1	325	25	33	43	59	77	96	99 +
1500-1749	1495	26.8	170	13	18	24	33	44	53	93
1750-2499	21604	6.6	56	2	2	4	8	15	21	37
2500 +	495256	2.7	4	1	2	2	3	4	5	8
GRAND TOTAL	**520340**	**3.1**	**19**	**1**	**2**	**2**	**3**	**5**	**6**	**19**

412: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	1	61.0		61	61	61	61	61	61	61
1000-1499	4	41.3	915	9	18	38	64	79	79	79
1500-1749	6	35.8	233	22	23	31	48	58	59	59
1750-2499	670	4.1	9	2	3	4	5	6	8	16
2500 +	2664	3.6	2	2	3	4	4	5	6	8
B. Operated										
1-999 G	1	85.0		85	89	99 +	99 +	99 +	99 +	99 +
1000-1499	0									
1500-1749	1	63.0		63	63	63	63	63	63	63
1750-2499	2	11.0	128	3	3	11	19	19	19	19
2500 +	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
1-999 G	29	57.8	352	40	47	63	76	99 +	99 +	99 +
1000-1499	208	38.2	241	21	28	36	49	59	68	97
1500-1749	296	24.2	95	12	17	23	29	37	43	53
1750-2499	2912	8.4	43	3	4	6	12	17	21	31
2500 +	2897	4.6	8	2	3	4	5	7	9	15
B. Operated										
1-999 G	68	70.4	267	50	68	88	99 +	99 +	99 +	99 +
1000-1499	217	51.6	325	31	40	51	66	84	97	99 +
1500-1749	136	32.7	169	19	23	31	39	50	59	80
1750-2499	317	19.3	151	6	11	18	24	33	41	71
2500 +	109	9.0	47	3	4	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3345	3.8	9	2	3	4	5	5	6	12
B. Operated	6	29.7	1263	3	4	41	92	99 +	99 +	99 +
2. MULTIPLE DX										
A. Not Operated	6342	8.6	96	3	4	5	9	20	29	52
B. Operated	847	32.5	539	7	15	29	53	82	99 +	99 +
1. SINGLE DX	3351	3.9	12	2	3	4	5	5	6	13
2. MULTIPLE DX	7189	11.4	207	3	4	5	13	30	47	93
A. Not Operated	9687	7.0	71	2	3	4	6	15	23	47
B. Operated	853	32.5	543	7	15	29	53	83	99 +	99 +
TOTAL										
1-999 G	99	66.8	320	47	60	81	99 +	99 +	99 +	99 +
1000-1499	429	45.0	332	23	33	44	57	76	88	99 +
1500-1749	439	27.1	138	14	19	25	33	42	49	63
1750-2499	3901	8.5	59	3	4	5	12	18	23	35
2500 +	5672	4.2	7	2	3	4	5	6	8	14
GRAND TOTAL	**10540**	**9.0**	**158**	**2**	**3**	**5**	**8**	**22**	**37**	**82**

413: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
1-999 G	0									
1000-1499	0									
1500-1749	1	1.0		1	1	1	1	1	1	1
1750-2499	45	2.4	2	1	2	2	3	4	6	7
2500 +	782	2.0	1	1	1	2	2	3	3	7
B. Operated										
1-999 G	0									
1000-1499	0									
1500-1749	0									
1750-2499	0									
2500 +	0									
2. MULTIPLE DX										
A. Not Operated										
1-999 G	13	23.6	849	1	3	10	70	99 +	99 +	99 +
1000-1499	47	27.4	649	3	8	25	41	87	96	99 +
1500-1749	20	21.0	334	2	7	18	29	46	64	72
1750-2499	177	9.9	138	2	3	6	12	24	36	63
2500 +	659	5.1	69	1	2	3	5	10	16	52
B. Operated										
1-999 G	20	37.6	1075	5	15	60	99 +	99 +	99 +	99 +
1000-1499	39	23.6	249	9	15	21	37	99 +	99 +	99 +
1500-1749	13	35.7	537	9	21	29	58	86	97	99 +
1750-2499	29	24.6	417	6	11	20	36	82	99	99 +
2500 +	88	15.3	231	4	7	11	20	38	86	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	828	2.0	1	1	1	2	2	3	4	7
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	916	7.8	160	1	2	3	7	19	35	94
B. Operated	189	22.2	424	5	10	17	35	94	99 +	99 +
1. SINGLE DX	828	2.0	1	1	1	2	2	3	4	7
2. MULTIPLE DX	1105	10.3	234	2	2	4	12	31	58	99 +
A. Not Operated	1744	5.1	93	1	2	2	4	10	20	67
B. Operated	189	22.2	424	5	10	17	35	94	99 +	99 +
TOTAL										
1-999 G	33	32.1	1005	2	10	30	95	99 +	99 +	99 +
1000-1499	86	25.7	466	5	11	22	37	94	99 +	99 +
1500-1749	34	26.0	459	3	11	23	35	66	81	99 +
1750-2499	251	10.3	179	2	2	5	12	27	37	84
2500 +	1529	4.1	54	1	2	2	4	8	14	47
GRAND TOTAL	**1933**	**6.7**	**151**	**1**	**2**	**3**	**6**	**18**	**35**	**99 +**

414: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
6-12 YRS	3	4.3	10	2	2	3	7	8	8	8
13-19 YRS	5	1.2		< 1	< 1	< 1	1	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	73	1.9	5	< 1	1	1	2	4	5	14
6-12 YRS	194	1.5	2	< 1	1	1	2	3	3	8
13-19 YRS	733	1.6	1	< 1	1	1	2	3	3	5
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-5 YRS	3	6.3	57	< 1	1	3	12	15	15	15
6-12 YRS	12	3.4	14	< 1	< 1	2	5	9	12	13
13-19 YRS	10	2.8	15	< 1	< 1	1	2	9	13	13
B. Operated										
0-27 DYS	0									
1-11 MOS	3	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	118	2.0	10	< 1	1	1	2	3	4	19
6-12 YRS	268	2.2	6	1	1	1	3	4	5	13
13-19 YRS	348	2.3	4	1	1	2	3	4	6	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.8	3	< 1	< 1	1	2	3	7	8
B. Operated	1002	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX										
A. Not Operated	26	3.4	17	< 1	< 1	1	4	12	14	15
B. Operated	737	2.2	6	1	1	1	3	4	6	13
1. SINGLE DX	1017	1.6	1	< 1	1	1	2	3	4	6
2. MULTIPLE DX	763	2.2	6	1	1	1	3	4	6	13
A. Not Operated	41	2.8	13	< 1	< 1	1	3	7	13	15
B. Operated	1739	1.9	3	< 1	1	1	2	3	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	8	1.4	1	< 1	< 1	1	1	3	4	4
1-5 YRS	199	2.0	9	< 1	1	1	2	3	5	16
6-12 YRS	477	2.0	5	< 1	1	1	2	3	5	12
13-19 YRS	1096	1.8	2	< 1	1	1	2	3	4	8
GRAND TOTAL	**1780**	**1.9**	**4**	**< 1**	**1**	**1**	**2**	**3**	**4**	**10**

415: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
B. Operated										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	3	2.0	1	1	1	2	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. Operated										
0-27 DYS	0									
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS	2	8.5	1	8	8	8	9	9	9	9
6-12 YRS	5	4.4	9	1	2	3	7	8	8	8
13-19 YRS	15	4.7	12	1	2	3	7	8	12	13
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	0									
B. Operated	0									
2. MULTIPLE DX										
A. Not Operated	7	2.3	2	1	1	2	3	5	5	5
B. Operated	24	5.2	12	1	2	4	8	9	12	13
1. SINGLE DX	0									
2. MULTIPLE DX	31	4.5	11	1	2	3	8	9	12	13
A. Not Operated	7	2.3	2	1	1	2	3	5	5	5
B. Operated	24	5.2	12	1	2	4	8	9	12	13
TOTAL										
0-27 DYS	0									
1-11 MOS	3	7.0	19	4	4	5	10	12	12	12
1-5 YRS	5	4.6	13	1	2	3	8	9	9	9
6-12 YRS	6	3.8	9	1	1	3	7	8	8	8
13-19 YRS	17	4.4	11	1	2	3	7	8	11	13
GRAND TOTAL	**31**	**4.5**	**11**	**1**	**2**	**3**	**8**	**9**	**12**	**13**

416: Admission for chemotherapy (V58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	0									
1-11 MOS	9	3.0	3	1	2	3	4	5	6	6
1-5 YRS	95	3.5	9	1	2	3	5	6	7	19
6-12 YRS	83	3.8	5	1	2	3	5	6	7	13
13-19 YRS	85	3.8	5	1	2	4	5	6	7	14
B. Operated										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	5.3	4	3	4	6	7	7	7	7
6-12 YRS	3	6.0	1	5	5	6	7	7	7	7
13-19 YRS	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	297	3.7	11	1	2	3	5	7	10	14
1-5 YRS	3602	3.0	6	1	2	2	4	5	6	10
6-12 YRS	3063	2.8	4	1	2	2	4	5	6	8
13-19 YRS	2649	3.0	5	1	2	3	4	5	6	10
B. Operated										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	45	7.5	54	2	3	6	8	15	26	37
1-5 YRS	266	4.7	25	1	2	4	5	8	12	31
6-12 YRS	233	4.6	23	1	2	3	6	10	14	29
13-19 YRS	183	6.5	72	1	3	4	6	12	25	50
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	272	3.6	6	1	2	3	5	6	7	15
B. Operated	8	6.9	19	3	4	6	7	14	17	17
2. MULTIPLE DX										
A. Not Operated	9613	3.0	5	1	2	2	4	5	6	10
B. Operated	728	5.3	39	1	2	4	6	10	16	31
1. SINGLE DX	280	3.7	7	1	2	3	5	6	7	16
2. MULTIPLE DX	10341	3.1	8	1	2	3	4	5	6	13
A. Not Operated	9885	3.0	5	1	2	3	4	5	6	10
B. Operated	736	5.3	39	1	2	4	6	10	16	31
TOTAL										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	352	4.2	18	1	2	3	5	8	10	26
1-5 YRS	3966	3.1	7	1	2	3	4	5	6	13
6-12 YRS	3382	3.0	5	1	2	3	4	5	6	12
13-19 YRS	2918	3.3	10	1	2	3	4	5	7	16
GRAND TOTAL	**10621**	**3.2**	**8**	**1**	**2**	**3**	**4**	**5**	**6**	**13**

417: Miscellaneous reasons for contact with health care system (V01.0-V25.1; V25.3-V28; V40-V55; V57-V58.0; V58.2-V82.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
A. Not Operated										
0-27 DYS	279	3.5	25	1	1	2	3	6	11	28
1-11 MOS	370	2.2	7	< 1	1	2	3	4	5	8
1-5 YRS	472	1.7	2	< 1	1	1	2	3	5	8
6-12 YRS	331	2.0	6	< 1	1	1	2	4	8	10
13-19 YRS	480	1.8	6	< 1	< 1	1	2	3	4	13
B. Operated										
0-27 DYS	6	5.8	27	< 1	2	4	8	14	15	15
1-11 MOS	146	4.4	15	< 1	1	3	7	9	10	20
1-5 YRS	346	3.0	9	< 1	1	1	5	7	9	12
6-12 YRS	186	2.2	4	< 1	1	1	2	6	7	10
13-19 YRS	294	3.1	16	< 1	1	2	4	7	9	21
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	229	5.8	38	1	2	3	7	14	18	27
1-11 MOS	447	4.0	62	< 1	1	2	3	7	16	54
1-5 YRS	947	3.7	57	< 1	1	1	3	7	13	57
6-12 YRS	838	5.2	106	< 1	1	2	4	12	29	87
13-19 YRS	1046	5.9	135	< 1	1	2	5	24	46	99 +
B. Operated										
0-27 DYS	11	6.4	53	1	2	4	8	18	24	25
1-11 MOS	393	5.2	37	1	1	4	7	10	14	82
1-5 YRS	979	3.5	32	1	1	2	4	8	10	37
6-12 YRS	524	3.5	68	1	1	1	3	8	18	99 +
13-19 YRS	702	4.3	73	1	1	2	5	10	24	99 +
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1932	2.1	8	< 1	1	1	2	4	6	13
B. Operated	978	3.1	12	< 1	1	2	4	7	9	14
2. MULTIPLE DX										
A. Not Operated	3507	4.9	92	< 1	1	2	4	12	29	99 +
B. Operated	2609	4.0	51	1	1	2	5	9	15	99 +
1. SINGLE DX	2910	2.5	10	< 1	1	1	3	6	8	13
2. MULTIPLE DX	6116	4.5	75	< 1	1	2	4	10	22	99 +
A. Not Operated	5439	3.9	64	< 1	1	2	3	8	17	71
B. Operated	3587	3.7	41	< 1	1	2	5	8	12	99
TOTAL										
0-27 DYS	525	4.6	32	1	2	3	4	11	16	28
1-11 MOS	1356	3.9	36	1	1	2	5	8	12	41
1-5 YRS	2744	3.2	33	< 1	1	1	3	7	9	40
6-12 YRS	1879	3.9	69	< 1	1	1	3	8	16	91
13-19 YRS	2522	4.4	82	< 1	1	1	4	10	28	99 +
GRAND TOTAL	**9026**	**3.9**	**55**	**< 1**	**1**	**2**	**4**	**8**	**15**	**77**

Length of Stay Tables
Operation Groups

1,077 Hospitals, United States, Pediatric, January-December 1988, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2247	4.5	48	1	2	3	5	9	14	83
1-11 MOS	18116	3.3	17	1	1	2	4	6	9	19
1-5 YRS	36723	2.9	15	< 1	1	2	3	6	9	20
6-12 YRS	41695	3.1	20	1	1	2	3	6	9	24
13-19 YRS	105785	2.7	10	1	1	2	3	5	6	13
2. MULTIPLE DX										
0-27 DYS	5519	18.2	525	2	4	10	38	99 +	99 +	99 +
1-11 MOS	31393	8.8	175	1	2	4	9	23	42	95
1-5 YRS	57280	5.6	77	1	1	3	6	13	22	51
6-12 YRS	47314	6.2	80	1	1	3	7	15	23	50
13-19 YRS	117525	5.0	53	1	2	3	5	10	16	42
TOTAL SINGLE DX	204566	2.9	14	1	1	2	3	5	8	18
TOTAL MULTIPLE DX	259031	6.1	92	1	2	3	6	14	24	69
TOTAL										
0-27 DYS	7766	14.2	425	2	3	7	21	86	99 +	99 +
1-11 MOS	49509	6.8	124	1	2	3	7	15	30	77
1-5 YRS	94003	4.6	54	1	1	2	5	10	17	41
6-12 YRS	89009	4.7	55	1	1	2	5	11	18	40
13-19 YRS	223310	3.9	34	1	2	2	4	7	11	32
GRAND TOTAL	**463597**	**4.7**	**60**	**1**	**1**	**2**	**5**	**9**	**16**	**50**

1,077 Hospitals, United States, Pediatric, January-December 1988, by Operation

501: Incision, excision of skull, brain, and cerebral meninges (01.0-01.15; 01.3-01.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	11.6	133	3	4	10	30	93	99+	99+
1-11 MOS	76	6.9	93	1	2	5	8	13	23	60
1-5 YRS	155	7.6	37	1	3	6	10	14	20	31
6-12 YRS	170	8.1	38	1	4	7	11	15	19	33
13-19 YRS	123	7.9	46	2	4	7	10	13	18	43
2. MULTIPLE DX										
0-27 DYS	11	29.4	607	2	18	29	58	99+	99+	99+
1-11 MOS	208	15.8	253	2	5	12	22	39	53	99+
1-5 YRS	450	13.3	200	2	4	9	17	35	47	86
6-12 YRS	359	14.1	240	2	5	9	16	33	51	92
13-19 YRS	315	16.7	286	4	7	11	20	45	68	99+
TOTAL SINGLE DX	529	7.8	49	1	3	6	10	14	21	36
TOTAL MULTIPLE DX	1343	14.8	245	2	5	10	19	36	53	99+
TOTAL										
0-27 DYS	16	23.8	513	2	6	23	48	99+	99+	99+
1-11 MOS	284	13.4	225	2	4	8	19	32	53	99+
1-5 YRS	605	11.8	165	2	4	8	15	29	41	74
6-12 YRS	529	12.1	183	2	5	8	14	26	43	80
13-19 YRS	438	14.2	235	3	6	10	16	33	49	95
GRAND TOTAL	**1872**	**12.8**	**200**	**2**	**5**	**9**	**15**	**30**	**47**	**98**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	123	5.2	15	2	3	4	6	8	13	24
1-5 YRS	67	7.1	62	2	4	6	8	11	12	54
6-12 YRS	72	8.2	124	2	4	5	7	16	27	67
13-19 YRS	57	9.5	71	3	5	7	10	20	32	96
2. MULTIPLE DX										
0-27 DYS	7	11.1	61	3	5	9	16	24	25	25
1-11 MOS	88	12.5	290	3	4	6	11	32	48	83
1-5 YRS	109	15.8	289	4	5	10	23	35	69	99+
6-12 YRS	110	15.4	275	4	5	8	21	49	74	99+
13-19 YRS	126	15.6	267	4	6	10	20	35	72	99+
TOTAL SINGLE DX	320	7.0	62	2	4	5	8	12	21	56
TOTAL MULTIPLE DX	440	14.9	276	4	5	8	19	36	68	99+
TOTAL										
0-27 DYS	8	10.3	59	3	4	8	14	23	25	25
1-11 MOS	211	8.2	142	3	3	5	7	17	31	75
1-5 YRS	176	12.5	220	3	5	7	13	30	57	96
6-12 YRS	182	12.6	228	3	4	7	15	36	60	99+
13-19 YRS	183	13.7	214	4	5	9	18	32	51	99+
GRAND TOTAL	**760**	**11.6**	**201**	**3**	**4**	**7**	**13**	**29**	**49**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	10	4.5	17	2	3	3	3	11	16	16
1-11 MOS	432	4.1	3	2	3	4	5	6	8	9
1-5 YRS	167	4.4	6	2	3	4	5	8	8	13
6-12 YRS	112	4.2	5	2	3	4	5	8	8	14
13-19 YRS	53	4.9	9	2	3	4	6	9	11	17
2. MULTIPLE DX										
0-27 DYS	7	4.0	6	1	2	3	6	8	8	8
1-11 MOS	202	6.2	72	3	3	4	6	8	13	63
1-5 YRS	182	7.4	96	2	4	5	8	11	18	60
6-12 YRS	130	10.1	209	2	3	5	10	25	57	99+
13-19 YRS	104	11.2	106	2	4	8	16	32	42	99+
TOTAL SINGLE DX	774	4.2	5	2	3	4	5	7	8	13
TOTAL MULTIPLE DX	625	8.2	116	2	3	5	8	17	29	98
TOTAL										
0-27 DYS	17	4.3	12	2	3	3	5	8	13	16
1-11 MOS	634	4.8	27	2	3	4	5	7	8	24
1-5 YRS	349	5.9	55	2	3	5	7	9	12	34
6-12 YRS	242	7.4	124	2	3	5	7	16	26	99+
13-19 YRS	157	9.0	82	2	3	6	11	21	37	99+
GRAND TOTAL	**1399**	**6.0**	**59**	**2**	**3**	**4**	**6**	**9**	**17**	**57**

504: Ventricular shunt (02.2-02.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	30	5.0	6	2	4	5	6	10	10	11
1-11 MOS	259	4.8	13	2	3	4	6	8	11	25
1-5 YRS	133	4.1	14	2	2	3	4	7	10	22
6-12 YRS	95	4.3	22	2	2	3	5	7	9	31
13-19 YRS	47	4.9	10	1	3	4	6	9	13	13
2. MULTIPLE DX										
0-27 DYS	84	30.7	904	4	8	30	93	99+	99+	99+
1-11 MOS	399	13.6	326	2	4	7	16	44	74	99+
1-5 YRS	311	13.6	275	3	4	6	17	41	52	93
6-12 YRS	214	13.7	250	3	4	8	18	44	69	99+
13-19 YRS	184	15.9	309	3	5	10	22	58	88	99+
TOTAL SINGLE DX	564	4.6	15	2	3	4	5	8	10	20
TOTAL MULTIPLE DX	1192	15.2	355	3	4	8	21	54	89	99+
TOTAL										
0-27 DYS	114	23.9	795	3	5	16	76	99+	99+	99+
1-11 MOS	658	10.1	222	2	3	5	10	27	54	99+
1-5 YRS	444	10.7	216	2	3	5	11	29	48	83
6-12 YRS	309	10.8	199	2	3	5	12	36	49	99+
13-19 YRS	231	13.7	268	2	4	8	17	45	77	99+
GRAND TOTAL	**1756**	**11.8**	**270**	**2**	**3**	**5**	**13**	**39**	**70**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1; 02.4-02.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	10	6.4	17	2	3	5	9	12	15	15
1-11 MOS	175	4.8	55	2	2	3	5	8	15	26
1-5 YRS	357	4.3	27	1	2	3	4	8	11	32
6-12 YRS	271	4.8	51	2	2	3	5	8	13	34
13-19 YRS	168	4.8	23	1	2	3	5	8	13	27
2. MULTIPLE DX										
0-27 DYS	35	14.5	106	3	5	13	23	30	38	99+
1-11 MOS	535	9.4	133	2	3	5	12	24	34	76
1-5 YRS	807	7.7	115	1	2	4	8	19	29	62
6-12 YRS	748	6.6	70	2	2	4	7	15	21	39
13-19 YRS	377	8.7	125	2	3	5	10	20	34	78
TOTAL SINGLE DX	981	4.6	38	2	2	3	5	8	12	30
TOTAL MULTIPLE DX	2502	8.0	109	2	2	4	9	19	29	65
TOTAL										
0-27 DYS	45	12.7	98	2	5	11	20	28	36	99+
1-11 MOS	710	8.3	118	2	3	4	9	21	30	73
1-5 YRS	1164	6.6	91	1	2	3	6	15	25	57
6-12 YRS	1019	6.1	66	2	2	4	6	14	20	38
13-19 YRS	545	7.5	97	2	3	4	8	17	27	73
GRAND TOTAL	3483	7.0	91	2	2	4	7	16	26	58

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	7.8	31	3	4	5	11	17	19	19
1-5 YRS	21	7.2	40	3	5	6	8	11	21	33
6-12 YRS	20	9.1	21	4	6	8	12	16	18	19
13-19 YRS	38	7.1	14	2	5	7	9	13	14	18
2. MULTIPLE DX										
0-27 DYS	4	8.3	11	5	7	10	99+	99+	99+	99+
1-11 MOS	17	17.6	514	3	5	7	19	63	74	76
1-5 YRS	63	9.1	56	4	5	7	10	21	24	93
6-12 YRS	50	10.0	73	4	6	8	12	17	21	48
13-19 YRS	70	11.7	84	4	6	9	15	24	42	89
TOTAL SINGLE DX	87	7.6	24	3	5	7	9	13	17	28
TOTAL MULTIPLE DX	204	10.9	109	4	6	8	12	23	44	99+
TOTAL										
0-27 DYS	4	8.3	12	5	7	10	99+	99+	99+	99+
1-11 MOS	25	14.4	374	3	4	7	12	33	71	76
1-5 YRS	84	8.6	52	4	5	6	9	18	24	82
6-12 YRS	70	9.8	58	4	6	8	12	16	21	47
13-19 YRS	108	10.1	64	4	5	8	11	18	25	69
GRAND TOTAL	291	9.9	86	4	5	7	11	19	32	99+

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	9.9	36	4	5	7	16	19	21	21
1-11 MOS	44	5.3	8	2	4	6	7	7	9	18
1-5 YRS	102	11.5	73	4	6	8	16	26	27	36
6-12 YRS	104	9.1	39	4	5	7	10	18	26	28
13-19 YRS	73	7.1	23	2	4	6	9	13	17	26
2. MULTIPLE DX										
0-27 DYS	56	17.5	120	5	8	17	28	61	99+	99+
1-11 MOS	97	8.4	55	3	4	6	10	16	16	46
1-5 YRS	209	10.6	92	3	5	7	12	26	30	46
6-12 YRS	194	9.8	84	3	5	7	11	17	31	54
13-19 YRS	210	13.2	140	4	6	9	17	28	41	81
TOTAL SINGLE DX	337	8.9	46	3	5	7	10	20	26	29
TOTAL MULTIPLE DX	766	11.3	106	3	5	8	14	26	33	92
TOTAL										
0-27 DYS	70	16.0	112	5	7	15	26	41	99+	99+
1-11 MOS	141	7.4	42	3	4	6	8	15	16	28
1-5 YRS	311	10.9	86	3	5	7	13	26	29	43
6-12 YRS	298	9.6	69	3	5	7	11	18	26	46
13-19 YRS	283	11.6	117	3	5	8	14	26	31	68
GRAND TOTAL	1103	10.6	89	3	5	7	13	25	30	66

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	3.0	2	<1	1	3	4	5	5	5
1-5 YRS	14	3.0	2	2	2	3	4	5	6	6
6-12 YRS	16	5.1	34	<1	1	2	10	15	16	16
13-19 YRS	46	3.7	17	<1	1	2	5	8	10	26
2. MULTIPLE DX										
0-27 DYS	1	67.0		67	67	67	67	67	67	67
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	27	5.2	91	1	2	2	3	20	27	43
6-12 YRS	18	10.2	462	<1	2	3	5	38	70	83
13-19 YRS	36	5.3	37	1	2	3	6	17	26	99+
TOTAL SINGLE DX	80	3.8	18	<1	1	2	5	8	13	23
TOTAL MULTIPLE DX	83	7.0	190	1	2	3	5	19	45	94
TOTAL										
0-27 DYS	1	67.0		67	67	67	67	67	67	67
1-11 MOS	5	3.6	4	<1	2	3	5	6	6	6
1-5 YRS	41	4.4	62	1	2	2	3	6	24	43
6-12 YRS	34	7.8	260	<1	1	2	6	15	44	83
13-19 YRS	82	4.4	27	<1	1	3	5	10	18	77
GRAND TOTAL	163	5.5	107	<1	1	3	5	11	24	81

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	58	2.2	3	< 1	< 1	< 1	3	5	6	8
6-12 YRS	62	2.4	5	< 1	< 1	1	3	7	8	11
13-19 YRS	100	2.0	6	< 1	1	1	2	4	6	16
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	4.0	4	1	2	5	5	6	6	6
1-5 YRS	62	2.1	4	< 1	< 1	1	2	5	6	12
6-12 YRS	111	2.3	13	< 1	1	1	2	5	8	20
13-19 YRS	207	2.3	3	1	1	1	3	5	6	12
TOTAL SINGLE DX	222	2.2	6	< 1	< 1	1	2	5	7	10
TOTAL MULTIPLE DX	385	2.3	7	< 1	1	1	3	5	6	12
TOTAL										
0-27 DYS	0									
1-11 MOS	7	3.6	4	1	2	4	5	6	6	6
1-5 YRS	120	2.1	4	< 1	< 1	1	3	5	6	11
6-12 YRS	173	2.3	11	< 1	1	1	2	6	8	12
13-19 YRS	307	2.2	5	< 1	1	1	3	5	6	12
GRAND TOTAL	**607**	**2.2**	**6**	**< 1**	**1**	**1**	**2**	**5**	**6**	**12**

510: Sympathectomy (05.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	4.0	3	3	3	3	5	6	6	6
TOTAL SINGLE DX	2	11.5	181	2	2	11	21	21	21	21
TOTAL MULTIPLE DX	5	5.0	4	3	3	6	6	7	7	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	4	8.3	74	3	3	5	13	21	21	21
GRAND TOTAL	**7**	**6.9**	**42**	**2**	**3**	**6**	**7**	**18**	**21**	**21**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	4	4.5	16	1	1	3	7	10	10	10
13-19 YRS	11	8.6	207	< 1	< 1	2	11	30	47	49
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	49.0		49	49	49	49	49	49	49
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	0									
13-19 YRS	12	8.8	205	1	2	3	6	30	48	51
TOTAL SINGLE DX	15	7.5	156	< 1	1	2	9	17	41	49
TOTAL MULTIPLE DX	15	10.5	281	1	2	3	7	49	50	51
TOTAL										
0-27 DYS	0									
1-11 MOS	1	49.0		49	49	49	49	49	49	49
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	4.5	16	1	1	3	7	10	10	10
13-19 YRS	23	8.7	197	< 1	1	3	7	27	50	51
GRAND TOTAL	**30**	**9.0**	**213**	**< 1**	**1**	**3**	**7**	**35**	**49**	**51**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.90-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	2.0	1	1	1	2	3	4	4	4
6-12 YRS	42	2.7	2	1	1	2	3	5	6	7
13-19 YRS	195	2.2	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	3	6.3	30	1	2	6	10	12	12	12
6-12 YRS	14	4.7	22	1	1	3	4	14	15	15
13-19 YRS	76	3.3	3	2	2	3	4	5	7	10
TOTAL SINGLE DX	247	2.3	2	1	1	2	3	4	4	7
TOTAL MULTIPLE DX	94	3.7	7	1	2	3	4	7	10	15
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	11	3.2	11	1	1	2	4	8	12	12
6-12 YRS	56	3.2	8	1	1	3	4	6	9	15
13-19 YRS	271	2.5	2	1	2	2	3	4	5	9
GRAND TOTAL	341	2.7	3	1	2	2	3	4	6	11

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	20	1.7	1	1	1	1	2	3	4	5
1-5 YRS	263	1.4		1	1	1	1	2	3	5
6-12 YRS	154	1.4	1	1	1	1	2	2	3	6
13-19 YRS	86	2.1	5	1	1	1	2	5	6	13
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	10.5	229	1	1	4	19	33	33	33
1-5 YRS	53	5.7	229	1	1	1	2	10	28	78
6-12 YRS	23	2.7	5	1	1	2	3	6	9	10
13-19 YRS	46	4.7	20	1	1	3	5	13	15	17
TOTAL SINGLE DX	523	1.5	2	1	1	1	2	2	4	8
TOTAL MULTIPLE DX	127	4.9	111	1	1	2	4	11	16	77
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	24	3.1	42	1	1	1	2	5	14	33
1-5 YRS	316	2.1	41	1	1	1	2	2	4	21
6-12 YRS	177	1.6	2	1	1	1	2	3	4	9
13-19 YRS	132	3.0	12	1	1	1	4	7	12	16
GRAND TOTAL	650	2.2	25	1	1	1	2	4	6	16

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	6	6.8	2	5	6	7	8	9	9	9
1-5 YRS	13	7.8	22	4	5	6	8	17	19	19
6-12 YRS	13	5.6	8	2	3	6	7	10	10	10
13-19 YRS	31	6.9	10	3	5	6	9	11	12	16
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	13	20.8	560	7	8	11	22	63	81	85
1-5 YRS	37	10.1	42	4	6	8	12	22	25	27
6-12 YRS	24	10.0	54	3	6	8	14	20	52	99 +
13-19 YRS	53	9.8	61	5	6	7	10	17	30	45
TOTAL SINGLE DX	65	6.9	11	3	5	6	9	11	13	19
TOTAL MULTIPLE DX	127	11.0	112	4	6	8	12	22	32	88
TOTAL										
0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	19	16.4	419	6	7	8	13	44	72	85
1-5 YRS	50	9.5	38	4	6	7	11	19	24	27
6-12 YRS	37	8.5	42	2	5	7	10	17	30	99 +
13-19 YRS	84	8.7	44	4	5	7	9	14	19	41
GRAND TOTAL	192	9.6	61	4	6	7	10	18	24	73

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	19	1.1		<1	<1	<1	1	2	2	2
1-5 YRS	57	1.1		<1	<1	<1	<1	1	2	3
6-12 YRS	23	1.1		<1	<1	<1	<1	1	2	2
13-19 YRS	10	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	14.0	18	11	11	14	17	17	17	17
1-5 YRS	12	3.8	26	<1	<1	2	4	11	18	19
6-12 YRS	10	2.3	3	<1	1	2	3	5	6	6
13-19 YRS	10	2.8	11	<1	1	2	2	8	12	12
TOTAL SINGLE DX	110	1.1		<1	<1	<1	<1	1	2	3
TOTAL MULTIPLE DX	34	3.7	20	<1	1	2	4	11	16	19
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	21	2.3	16	<1	<1	<1	1	6	14	17
1-5 YRS	69	1.6	5	<1	<1	<1	1	2	4	17
6-12 YRS	33	1.5	1	<1	<1	<1	1	3	4	6
13-19 YRS	20	1.9	6	<1	<1	<1	2	3	8	12
GRAND TOTAL	144	1.7	6	<1	<1	<1	1	3	4	17

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	1.2		<1	<1	1	1	2	3	3
1-5 YRS	128	1.2		<1	<1	1	1	2	2	5
6-12 YRS	89	1.4		<1	<1	1	1	2	3	6
13-19 YRS	46	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	15	5.7	53	<1	1	2	7	21	22	22
1-5 YRS	147	2.3	4	1	1	1	2	6	7	10
6-12 YRS	127	2.8	16	1	1	2	3	6	7	22
13-19 YRS	336	3.2	25	1	1	2	3	7	10	19
TOTAL SINGLE DX	276	1.3	1	<1	<1	1	1	2	3	6
TOTAL MULTIPLE DX	626	3.0	19	1	1	2	3	6	9	19
TOTAL										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	27	3.7	34	<1	<1	1	3	13	21	22
1-5 YRS	275	1.8	3	<1	1	1	2	4	6	10
6-12 YRS	216	2.2	10	<1	1	1	2	5	6	17
13-19 YRS	382	3.0	22	<1	1	2	3	6	9	16
GRAND TOTAL	902	2.5	14	<1	1	1	2	5	7	16

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	1.0		1	1	1	1	1	1	1
1-5 YRS	27	1.1		<1	1	1	1	2	2	2
6-12 YRS	22	1.3		<1	1	1	1	2	3	4
13-19 YRS	23	1.6	1	<1	1	1	2	3	5	7
2. MULTIPLE DX										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	5	6.0	9	<1	4	6	8	9	9	9
1-5 YRS	28	1.9	1	<1	1	1	3	4	4	6
6-12 YRS	26	2.4	9	1	1	1	2	7	9	14
13-19 YRS	23	2.4	5	1	1	1	3	6	8	10
TOTAL SINGLE DX	77	1.4	1	<1	1	1	1	2	3	6
TOTAL MULTIPLE DX	84	2.6	8	1	1	1	3	6	9	15
TOTAL										
0-27 DYS	3	8.3	33	5	5	5	13	15	15	15
1-11 MOS	9	3.8	12	<1	1	1	7	9	9	9
1-5 YRS	55	1.5	1	<1	1	1	2	3	4	6
6-12 YRS	48	1.9	6	1	1	1	2	4	8	14
13-19 YRS	46	2.0	4	1	1	1	2	4	6	10
GRAND TOTAL	161	2.0	5	<1	1	1	2	4	7	14

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	11	1.6	3	<1	<1	1	1	4	7	7
6-12 YRS	9	1.2		<1	<1	<1	1	2	2	2
13-19 YRS	6	1.5	1	<1	<1	<1	1	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	11	3.4	31	<1	1	1	3	10	19	20
6-12 YRS	13	2.5	6	1	1	1	2	7	9	9
13-19 YRS	7	1.3		<1	<1	1	1	3	3	3
TOTAL SINGLE DX	27	1.5	2	<1	<1	<1	1	2	4	7
TOTAL MULTIPLE DX	31	2.5	14	<1	1	1	2	5	9	20
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	22	2.5	17	<1	<1	1	2	5	12	20
6-12 YRS	22	2.0	4	<1	<1	1	2	4	8	9
13-19 YRS	13	1.4	1	<1	<1	<1	1	3	4	4
GRAND TOTAL	58	2.0	8	<1	<1	1	2	4	7	19

521: Corneal transplant (11.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	1.6		1	1	1	2	3	3	3
1-5 YRS	13	1.9	2	<1	1	1	2	4	6	7
6-12 YRS	7	1.1		1	1	1	1	2	2	2
13-19 YRS	23	2.0	2	1	1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	17	2.4	2	<1	1	2	4	5	5	5
1-5 YRS	19	2.3	3	<1	1	2	3	5	7	8
6-12 YRS	16	2.2	1	1	1	2	3	4	5	6
13-19 YRS	20	2.5	2	1	1	2	3	5	5	6
TOTAL SINGLE DX	51	1.8	2	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	72	2.3	2	1	1	2	3	4	6	8
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	24	2.2	2	<1	1	2	3	4	5	5
1-5 YRS	32	2.1	3	<1	1	2	2	5	7	8
6-12 YRS	23	1.9	1	1	1	2	2	3	5	6
13-19 YRS	43	2.2	2	1	1	2	3	4	5	7
GRAND TOTAL	123	2.1	2	1	1	2	3	4	5	7

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	1.5	2	<1	<1	1	1	4	5	5
1-5 YRS	70	2.9	2	1	1	3	4	5	6	7
6-12 YRS	71	2.8	4	1	1	2	4	5	6	11
13-19 YRS	47	2.8	1	1	2	3	4	5	5	6
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	8	5.6	94	<1	<1	1	5	22	29	29
1-5 YRS	62	3.2	3	<1	1	3	4	6	7	8
6-12 YRS	62	4.4	13	1	2	4	5	8	12	20
13-19 YRS	64	4.1	13	1	2	3	5	7	9	21
TOTAL SINGLE DX	196	2.8	3	1	1	3	4	5	6	10
TOTAL MULTIPLE DX	197	4.0	13	1	2	3	5	7	9	21
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	16	3.6	49	<1	<1	1	3	7	22	29
1-5 YRS	132	3.0	3	1	1	3	4	6	7	8
6-12 YRS	133	3.6	9	1	1	3	4	6	10	17
13-19 YRS	111	3.6	9	1	2	3	4	6	7	20
GRAND TOTAL	393	3.4	9	1	1	3	4	6	7	18

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	1.9	1	1	1	1	3	4	4	4
1-11 MOS	62	1.4		<1	1	1	1	2	3	5
1-5 YRS	17	1.4	1	<1	1	1	1	2	5	6
6-12 YRS	10	1.7	1	1	1	1	2	4	5	5
13-19 YRS	13	2.2	3	<1	1	2	3	5	7	7
2. MULTIPLE DX										
0-27 DYS	5	17.2	1193	1	1	2	21	79	79	79
1-11 MOS	30	1.6	1	<1	1	1	2	3	3	8
1-5 YRS	10	3.7	35	<1	1	2	2	13	20	20
6-12 YRS	17	3.1	5	1	1	2	4	7	8	8
13-19 YRS	12	3.8	17	<1	1	2	4	12	13	13
TOTAL SINGLE DX	111	1.5	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	74	3.6	89	1	1	2	3	6	11	65
TOTAL										
0-27 DYS	14	7.4	426	1	1	2	2	12	64	79
1-11 MOS	92	1.4	1	<1	1	1	2	3	3	7
1-5 YRS	27	2.3	14	<1	1	1	2	5	8	20
6-12 YRS	27	2.6	4	1	1	2	3	6	8	8
13-19 YRS	25	3.0	10	<1	1	2	3	7	12	13
GRAND TOTAL	185	2.4	37	<1	1	1	2	4	6	18

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	1.1		<1	1	1	1	2	2	2
1-5 YRS	18	3.1	3	1	1	3	4	6	7	7
6-12 YRS	15	2.8	2	1	2	2	4	5	6	6
13-19 YRS	15	3.1	6	1	1	3	4	5	9	11
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	10	4.6	40	1	1	2	6	15	21	21
1-5 YRS	13	4.5	9	1	2	3	7	9	10	10
6-12 YRS	33	5.6	28	1	2	4	7	13	19	22
13-19 YRS	33	4.4	14	1	2	3	6	9	14	16
TOTAL SINGLE DX	55	2.8	4	1	1	2	4	5	6	11
TOTAL MULTIPLE DX	90	4.9	21	1	2	3	6	10	15	22
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	17	3.2	26	1	1	1	2	8	17	21
1-5 YRS	31	3.7	6	1	1	3	6	7	9	10
6-12 YRS	48	4.8	22	1	2	3	6	11	15	22
13-19 YRS	48	4.0	12	<1	2	3	5	9	11	16
GRAND TOTAL	145	4.1	16	1	1	3	5	9	11	21

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	7	1.3		<1	1	1	2	2	2	2
1-11 MOS	18	1.4	1	<1	1	1	1	2	4	6
1-5 YRS	16	1.1		<1	<1	1	1	2	2	2
6-12 YRS	5	1.0		<1	<1	1	1	1	1	1
13-19 YRS	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
0-27 DYS	5	2.4	7	1	1	1	3	7	7	7
1-11 MOS	16	5.9	102	<1	1	2	3	19	32	37
1-5 YRS	17	1.2		<1	<1	1	1	2	3	3
6-12 YRS	10	2.3	7	<1	1	1	2	6	10	10
13-19 YRS	10	1.4		<1	1	1	2	2	2	2
TOTAL SINGLE DX	49	1.3	1	<1	1	1	1	2	2	6
TOTAL MULTIPLE DX	58	2.8	33	<1	1	1	2	4	15	36
TOTAL										
0-27 DYS	12	1.8	3	<1	1	1	2	4	7	7
1-11 MOS	34	3.5	53	<1	1	1	2	7	19	37
1-5 YRS	33	1.2		<1	<1	1	1	2	2	3
6-12 YRS	15	1.9	5	<1	1	1	2	2	8	10
13-19 YRS	13	1.5		<1	1	1	2	2	3	3
GRAND TOTAL	107	2.1	18	<1	1	1	2	2	6	27

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	1.1		<1	<1	1	1	2	2	2
1-11 MOS	64	1.5		1	1	1	2	2	2	4
1-5 YRS	40	1.4		<1	<1	1	2	2	3	4
6-12 YRS	32	1.4		<1	<1	1	2	2	3	6
13-19 YRS	18	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	5	4.4	22	1	1	1	9	10	10	10
1-11 MOS	29	1.9	3	<1	1	1	2	4	6	9
1-5 YRS	28	1.4		<1	1	1	1	3	3	4
6-12 YRS	20	2.1	2	<1	1	1	3	4	5	6
13-19 YRS	19	2.8	16	<1	1	2	3	4	12	19
TOTAL SINGLE DX	163	1.4		<1	1	1	2	2	2	4
TOTAL MULTIPLE DX	101	2.1	6	<1	1	1	2	4	6	14
TOTAL										
0-27 DYS	14	2.3	9	<1	1	1	1	9	10	10
1-11 MOS	93	1.6	1	<1	1	1	2	2	4	8
1-5 YRS	68	1.4	1	<1	<1	1	1	2	3	4
6-12 YRS	52	1.7	2	<1	1	1	2	3	5	6
13-19 YRS	37	2.0	9	<1	<1	1	2	4	4	19
GRAND TOTAL	264	1.7	3	<1	1	1	2	3	4	9

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	0									
TOTAL SINGLE DX	3	2.3	2	<1	<1	2	3	4	4	4
TOTAL MULTIPLE DX	3	2.0	1	1	1	2	3	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	6	2.2	1	<1	1	2	3	4	4	4

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	15	2.0		1	2	2	2	2	4	5
1-5 YRS	13	2.5	2	1	1	2	3	5	7	7
6-12 YRS	43	2.4	2	1	1	2	3	5	6	7
13-19 YRS	63	2.6	2	1	1	2	3	5	7	8
2. MULTIPLE DX										
0-27 DYS	2	78.5	221	68	68	78	89	89	89	89
1-11 MOS	17	2.6	3	1	2	2	3	3	7	9
1-5 YRS	24	2.3	4	1	1	1	3	5	7	10
6-12 YRS	51	3.3	9	1	1	2	4	7	10	17
13-19 YRS	99	3.4	8	1	2	3	4	6	7	19
TOTAL SINGLE DX	134	2.5	2	1	1	2	3	5	7	22
TOTAL MULTIPLE DX	193	4.0	68	1	1	2	4	6	9	48
TOTAL										
0-27 DYS	2	78.5	221	68	73	89	97	99+	99+	99+
1-11 MOS	32	2.3	2	1	2	2	3	3	5	9
1-5 YRS	37	2.3	4	1	1	2	3	5	7	10
6-12 YRS	94	2.9	7	1	1	2	3	6	7	15
13-19 YRS	162	3.1	7	1	2	3	4	6	7	16
GRAND TOTAL	327	3.4	41	1	1	2	3	6	7	31

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	57	1.7	2	1	1	1	2	2	3	12
1-5 YRS	23	1.5		1	1	1	2	3	4	5
6-12 YRS	17	3.4	4	1	2	3	4	7	8	9
13-19 YRS	20	2.2	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
0-27 DYS	1	1.0								
1-11 MOS	44	6.6	159	1	1	2	5	20	31	72
1-5 YRS	30	2.6	10	1	1	2	2	5	13	14
6-12 YRS	39	3.0	4	1	1	3	4	6	7	8
13-19 YRS	38	3.4	12	1	2	2	4	6	9	21
TOTAL SINGLE DX	118	2.0	3	1	1	1	2	4	6	10
TOTAL MULTIPLE DX	152	4.1	54	1	1	2	5	32	99+	99+
TOTAL										
0-27 DYS	2	1.0		21	99+	99+	99+	99+	99+	99+
1-11 MOS	101	3.8	76	1	1	1	2	7	16	52
1-5 YRS	53	2.1	6	1	1	1	2	4	6	14
6-12 YRS	56	3.1	4	1	1	3	4	7	7	9
13-19 YRS	58	3.0	9	1	1	2	4	6	7	20
GRAND TOTAL	270	3.2	33	1	1	2	4	9	99+	99+

530: Operations on ocular muscle (15.01-15.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	72	1.0		<1	<1	<1	<1	1	1	77
1-5 YRS	479	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	209	1.0		<1	<1	<1	1	1	1	2
13-19 YRS	63	1.0		<1	<1	<1	1	1	1	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	26	1.1		<1	<1	1	1	1	2	2
1-5 YRS	247	1.3	2	<1	<1	<1	1	1	2	8
6-12 YRS	100	1.3	1	<1	<1	1	1	2	3	7
13-19 YRS	40	1.2		<1	<1	1	1	2	2	3
TOTAL SINGLE DX	823	1.0		<1	<1	<1	<1	1	1	2
TOTAL MULTIPLE DX	413	1.3	2	<1	<1	1	1	2	2	7
TOTAL										
0-27 DYS	0									
1-11 MOS	98	1.0		<1	<1	<1	1	1	1	52
1-5 YRS	726	1.1	1	<1	<1	<1	1	1	1	3
6-12 YRS	309	1.1		<1	<1	<1	1	1	2	3
13-19 YRS	103	1.1		<1	<1	<1	1	1	2	3
GRAND TOTAL	1236	1.1	1	<1	<1	<1	1	1	1	3

531: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	28	3.3	6	<1	1	2	6	7	8	10
1-5 YRS	82	3.0	6	<1	1	2	4	7	8	11
6-12 YRS	64	2.9	6	<1	1	2	4	7	8	11
13-19 YRS	59	2.6	4	1	1	2	3	6	8	10
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	50	99+	99+	99+	99+
1-11 MOS	18	4.9	31	1	1	3	7	10	18	24
1-5 YRS	85	6.9	93	1	2	5	8	12	20	62
6-12 YRS	90	5.5	48	1	2	4	7	10	11	44
13-19 YRS	87	5.4	54	1	1	3	6	11	29	78
TOTAL SINGLE DX	235	2.9	6	<1	1	2	4	7	8	11
TOTAL MULTIPLE DX	281	5.8	63	1	2	4	7	11	18	75
TOTAL										
0-27 DYS	3	1.7	1	1	1	2	51	99+	99+	99+
1-11 MOS	46	4.0	17	<1	1	2	6	7	10	24
1-5 YRS	167	5.0	54	1	1	3	6	10	13	25
6-12 YRS	154	4.4	33	<1	1	3	6	8	11	15
13-19 YRS	146	4.2	36	1	1	2	5	8	13	44
GRAND TOTAL	516	4.5	39	1	1	3	6	9	12	39

532: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

533: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	17	1.2		<1	<1	<1	1	2	3	3
1-5 YRS	145	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	262	1.6	1	<1	1	1	2	3	4	7
13-19 YRS	105	2.1	4	<1	1	1	2	5	6	12
2. MULTIPLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	11	3.8	10	<1	1	2	7	8	8	8
1-5 YRS	89	2.6	8	<1	1	1	3	5	8	17
6-12 YRS	179	2.7	11	1	1	2	3	5	8	23
13-19 YRS	312	3.0	8	1	1	2	4	5	8	15
TOTAL SINGLE DX	529	1.7	2	<1	1	1	2	3	5	7
TOTAL MULTIPLE DX	592	2.9	10	1	1	2	4	5	8	19
TOTAL										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	28	2.2	6	<1	<1	1	2	7	8	8
1-5 YRS	234	1.9	4	<1	1	1	2	4	5	12
6-12 YRS	441	2.1	6	<1	1	1	2	4	6	20
13-19 YRS	417	2.8	8	1	1	2	3	5	7	15
GRAND TOTAL	**1121**	**2.3**	**7**	**<1**	**1**	**1**	**3**	**5**	**6**	**15**

534: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	22	1.2		1	1	1	1	2	3	3
13-19 YRS	39	1.2		<1	1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	1.5		<1	<1	1	2	2	2	2
6-12 YRS	34	1.2		1	1	1	1	2	3	4
13-19 YRS	42	1.2		1	1	1	1	2	2	3
TOTAL SINGLE DX	66	1.2		1	1	1	1	2	2	3
TOTAL MULTIPLE DX	80	1.2		1	1	1	1	2	2	4
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	56	1.2		1	1	1	1	2	3	4
13-19 YRS	81	1.2		1	1	1	1	2	2	3
GRAND TOTAL	**146**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**	**3**

535: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	95	1.1		<1	1	1	1	1	1	8
6-12 YRS	500	1.0		<1	1	1	1	1	1	2
13-19 YRS	221	1.1		<1	1	1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	74	1.2		<1	1	1	1	2	2	4
6-12 YRS	447	1.2	10	<1	1	1	1	1	2	3
13-19 YRS	275	1.2	2	1	1	1	1	2	2	4
TOTAL SINGLE DX	818	1.1		<1	1	1	1	1	1	2
TOTAL MULTIPLE DX	797	1.2	7	1	1	1	1	1	2	4
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.0	4	1	1	3	4	5	5	5
1-5 YRS	169	1.2	1	<1	1	1	1	1	2	7
6-12 YRS	947	1.1	5	<1	1	1	1	1	1	2
13-19 YRS	496	1.2	2	<1	1	1	1	1	2	3
GRAND TOTAL	**1615**	**1.1**	**4**	**<1**	**1**	**1**	**1**	**1**	**2**	**3**

536: Myringotomy (20.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	3.3	5	<1	1	3	4	7	7	7
1-11 MOS	514	1.2		<1	<1	<1	<1	1	3	5
1-5 YRS	1752	1.1	1	<1	<1	<1	<1	1	1	5
6-12 YRS	407	1.1		<1	<1	<1	<1	1	1	6
13-19 YRS	56	1.3	1	<1	<1	<1	1	1	2	10
2. MULTIPLE DX										
0-27 DYS	24	3.6	6	2	2	3	4	10	33	99+
1-11 MOS	377	4.7	29	<1	1	3	6	10	14	31
1-5 YRS	1997	2.2	14	<1	1	1	1	5	8	19
6-12 YRS	806	1.7	13	<1	1	1	1	2	5	15
13-19 YRS	99	3.2	30	<1	1	1	2	10	16	30
TOTAL SINGLE DX	2735	1.1	1	<1	<1	<1	<1	1	1	5
TOTAL MULTIPLE DX	3303	2.4	17	<1	1	1	2	5	9	20
TOTAL										
0-27 DYS	30	3.5	6	1	2	3	4	8	11	99+
1-11 MOS	891	2.7	16	<1	<1	<1	3	6	10	19
1-5 YRS	3749	1.7	9	<1	<1	<1	1	3	5	14
6-12 YRS	1213	1.5	9	<1	<1	1	1	1	3	11
13-19 YRS	155	2.5	21	<1	<1	1	1	5	10	26
GRAND TOTAL	**6038**	**1.8**	**10**	**<1**	**<1**	**<1**	**1**	**3**	**6**	**15**

537: Mastoidectomy (20.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	3.3	15	1	1	2	5	9	9	9
1-5 YRS	97	1.3	1	<1	1	1	1	2	3	8
6-12 YRS	220	1.3		1	1	1	1	2	3	6
13-19 YRS	142	1.5	1	1	1	1	1	3	4	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	9	8.9	93	1	3	5	12	25	31	31
1-5 YRS	118	4.8	70	1	1	1	5	14	17	43
6-12 YRS	407	2.3	15	1	1	1	2	5	9	21
13-19 YRS	268	1.8	7	1	1	1	1	3	5	15
TOTAL SINGLE DX	463	1.4	1	1	1	1	1	2	3	7
TOTAL MULTIPLE DX	802	2.6	23	1	1	1	2	5	10	22
TOTAL										
0-27 DYS	0									
1-11 MOS	13	7.2	74	1	2	4	9	20	29	31
1-5 YRS	215	3.2	42	1	1	1	2	9	14	29
6-12 YRS	627	1.9	11	1	1	1	1	3	6	17
13-19 YRS	410	1.7	5	1	1	1	1	3	4	9
GRAND TOTAL	1265	2.1	15	1	1	1	1	4	7	19

538: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	114	1.7	3	<1	<1	1	1	4	7	10
6-12 YRS	156	1.7	44	<1	<1	1	1	1	3	10
13-19 YRS	98	1.3	1	<1	<1	1	1	2	2	8
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	5.5	19	<1	2	4	8	12	14	15
1-5 YRS	125	3.1	16	<1	1	1	4	8	11	19
6-12 YRS	185	1.6	4	<1	1	1	1	2	5	14
13-19 YRS	122	1.9	5	<1	1	1	1	3	7	13
TOTAL SINGLE DX	372	1.6	20	<1	<1	1	1	2	4	10
TOTAL MULTIPLE DX	446	2.2	9	<1	1	1	2	5	10	16
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	4.6	17	<1	1	4	6	11	14	15
1-5 YRS	239	2.4	11	<1	<1	1	2	6	9	16
6-12 YRS	341	1.7	23	<1	<1	1	1	2	4	11
13-19 YRS	220	1.6	4	<1	1	1	1	2	4	12
GRAND TOTAL	818	1.9	14	<1	<1	1	1	4	7	14

539: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

540: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	123	1.4		1	1	1	2	2	2	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	24	4.1	180	1	1	1	2	3	24	67
13-19 YRS	401	1.3		1	1	1	1	2	2	4
TOTAL SINGLE DX	126	1.4		1	1	1	2	2	2	4
TOTAL MULTIPLE DX	429	1.4	10	1	1	1	1	2	2	4
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	26	3.9	166	<1	1	1	2	2	17	67
13-19 YRS	524	1.3		1	1	1	1	2	2	4
GRAND TOTAL	555	1.4	8	1	1	1	1	2	2	4

541: Rhinoplasty (21.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	2.3	2	< 1	1	2	3	5	5	5
1-5 YRS	65	1.9	1	< 1	1	1	3	4	4	6
6-12 YRS	73	1.8	1	1	1	1	2	3	5	8
13-19 YRS	377	1.4	1	1	1	1	1	2	3	7
2. MULTIPLE DX										
0-27 DYS	2	20.5	761	1	1	20	40	40	40	40
1-11 MOS	18	2.4	4	< 1	1	2	3	6	8	8
1-5 YRS	110	2.2	5	1	1	2	3	4	5	13
6-12 YRS	181	1.8	1	1	1	1	2	3	4	9
13-19 YRS	831	1.5	2	1	1	1	2	2	3	6
TOTAL SINGLE DX	522	1.5	1	1	1	1	2	3	4	7
TOTAL MULTIPLE DX	1142	1.7	4	1	1	1	2	3	4	8
TOTAL										
0-27 DYS	2	20.5	761	1	1	20	40	40	40	40
1-11 MOS	25	2.4	4	< 1	1	2	3	5	7	8
1-5 YRS	175	2.1	4	1	1	1	3	4	5	7
6-12 YRS	254	1.8	2	1	1	1	2	3	4	8
13-19 YRS	1208	1.5	2	1	1	1	2	2	3	7
GRAND TOTAL	**1664**	**1.6**	**3**	**1**	**1**	**1**	**2**	**3**	**4**	**7**

542: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	1.9	3	< 1	< 1	1	2	6	6	6
1-5 YRS	25	2.0	3	< 1	< 1	1	2	6	7	8
6-12 YRS	42	1.6	1	< 1	1	1	2	3	5	8
13-19 YRS	47	2.1	3	1	1	2	3	3	5	13
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	11	2.1	7	< 1	1	1	2	5	10	10
1-5 YRS	35	2.7	9	< 1	1	2	2	7	10	14
6-12 YRS	82	2.5	7	1	1	1	3	5	9	15
13-19 YRS	128	1.9	4	< 1	1	1	2	4	7	12
TOTAL SINGLE DX	129	1.9	3	< 1	1	1	2	4	6	9
TOTAL MULTIPLE DX	257	2.3	7	1	1	1	2	5	9	14
TOTAL										
0-27 DYS	2	6.0	50	1	1	6	11	11	11	11
1-11 MOS	25	2.0	5	< 1	1	1	2	6	7	10
1-5 YRS	60	2.4	7	< 1	< 1	1	2	6	8	14
6-12 YRS	124	2.2	6	1	1	1	2	5	7	14
13-19 YRS	175	2.0	5	1	1	1	2	4	6	12
GRAND TOTAL	**386**	**2.1**	**6**	**<1**	**1**	**1**	**2**	**5**	**7**	**13**

543: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	2.0	2	< 1	1	1	3	5	5	5
1-5 YRS	23	1.2		< 1	< 1	< 1	1	2	3	3
6-12 YRS	84	1.4	1	< 1	< 1	1	1	2	3	8
13-19 YRS	253	1.3		< 1	< 1	1	1	2	3	6
2. MULTIPLE DX										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	8	6.1	27	1	2	4	9	14	16	16
1-5 YRS	31	4.3	70	< 1	1	2	3	8	16	46
6-12 YRS	64	3.2	14	1	1	2	4	6	10	21
13-19 YRS	301	2.9	23	1	1	1	3	6	9	29
TOTAL SINGLE DX	366	1.3	1	< 1	< 1	1	1	2	3	6
TOTAL MULTIPLE DX	406	3.2	26	1	1	1	3	6	10	29
TOTAL										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	14	4.4	20	1	1	3	5	11	15	16
1-5 YRS	54	3.0	43	< 1	< 1	1	2	5	11	45
6-12 YRS	148	2.2	8	< 1	< 1	1	2	5	6	18
13-19 YRS	554	2.2	14	< 1	1	1	2	4	7	15
GRAND TOTAL	**772**	**2.3**	**15**	**<1**	**1**	**1**	**2**	**5**	**7**	**18**

544: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	15	2.6	10	1	1	1	3	9	10	11
13-19 YRS	34	1.6	1	1	1	1	2	2	4	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	4	5.5	49	1	1	2	9	16	16	16
6-12 YRS	30	4.0	24	1	1	2	4	12	15	20
13-19 YRS	74	2.9	17	1	1	1	2	7	14	21
TOTAL SINGLE DX	49	1.9	4	1	1	1	2	4	7	11
TOTAL MULTIPLE DX	109	3.5	23	1	1	1	3	11	16	21
TOTAL										
0-27 DYS	0									
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	4	5.5	50	1	1	2	9	16	16	16
6-12 YRS	45	3.5	19	1	1	1	4	11	13	20
13-19 YRS	108	2.5	12	1	1	1	2	5	10	19
GRAND TOTAL	**158**	**3.0**	**17**	**1**	**1**	**1**	**3**	**8**	**14**	**21**

545: Miscellaneous operations on accessory sinus (22.0-22.12; 22.2; 22.4-22.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	70	1.8	7	<1	<1	1	1	4	6	18
6-12 YRS	69	2.7	9	<1	1	1	3	7	9	16
13-19 YRS	77	2.5	5	1	1	1	3	6	8	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	4.7	10	1	2	5	7	9	10	10
1-5 YRS	161	4.0	31	<1	1	1	4	12	15	26
6-12 YRS	249	4.8	40	1	1	2	6	11	14	33
13-19 YRS	243	5.0	51	1	1	2	6	12	18	42
TOTAL SINGLE DX	219	2.3	7	<1	1	1	3	6	8	14
TOTAL MULTIPLE DX	660	4.7	42	1	1	2	6	11	16	33
TOTAL										
0-27 DYS	0									
1-11 MOS	10	3.8	9	<1	1	3	5	8	10	10
1-5 YRS	231	3.4	25	<1	1	1	3	9	14	25
6-12 YRS	318	4.3	35	1	1	2	6	11	13	32
13-19 YRS	320	4.4	42	1	1	2	5	11	16	32
GRAND TOTAL	**879**	**4.1**	**35**	**1**	**1**	**2**	**5**	**10**	**14**	**27**

546: Tooth extraction (23.0-23.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	73	1.2		<1	<1	<1	<1	1	3	5
6-12 YRS	49	1.7	12	<1	<1	<1	1	2	3	26
13-19 YRS	248	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	188	2.4	16	<1	<1	1	2	4	6	28
6-12 YRS	184	3.7	63	<1	1	2	3	7	12	51
13-19 YRS	270	3.1	25	1	1	2	3	7	13	39
TOTAL SINGLE DX	371	1.3	3	<1	<1	<1	1	1	3	5
TOTAL MULTIPLE DX	644	3.1	34	<1	1	1	3	6	11	42
TOTAL										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	261	2.0	12	<1	<1	1	2	3	5	22
6-12 YRS	233	3.3	53	<1	<1	1	3	5	11	46
13-19 YRS	518	2.2	15	<1	<1	1	2	4	8	19
GRAND TOTAL	**1015**	**2.4**	**23**	**<1**	**<1**	**1**	**2**	**4**	**7**	**26**

547: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	178	1.0		<1	<1	<1	<1	<1	1	1
6-12 YRS	18	1.4		<1	<1	<1	2	2	3	4
13-19 YRS	13	1.5	1	<1	<1	<1	1	3	5	5
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.3	16	1	1	1	6	8	8	8
1-5 YRS	255	1.6	4	<1	<1	1	2	2	3	13
6-12 YRS	107	3.1	56	<1	1	1	2	4	6	46
13-19 YRS	61	2.7	43	<1	1	1	2	2	6	46
TOTAL SINGLE DX	213	1.1		<1	<1	<1	<1	1	1	3
TOTAL MULTIPLE DX	427	2.1	23	<1	<1	1	2	2	4	33
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.1	7	1	1	1	2	7	8	8
1-5 YRS	433	1.4	2	<1	<1	<1	1	2	2	9
6-12 YRS	125	2.9	49	<1	<1	1	2	4	5	44
13-19 YRS	74	2.4	36	<1	<1	1	2	3	6	42
GRAND TOTAL	**640**	**1.8**	**16**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**21**

548: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	57	1.1		<1	<1	<1	<1	1	2	2
6-12 YRS	57	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	33	1.7		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	2.7	3	1	2	2	3	5	7	7
1-5 YRS	124	1.9	16	<1	<1	<1	1	3	4	27
6-12 YRS	123	2.8	10	<1	1	2	3	5	10	19
13-19 YRS	89	3.2	24	<1	1	2	3	5	9	32
TOTAL SINGLE DX	153	1.5	1	<1	<1	1	2	2	3	4
TOTAL MULTIPLE DX	346	2.6	16	<1	<1	1	3	5	6	19
TOTAL										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	14	2.4	2	1	2	2	2	4	6	7
1-5 YRS	181	1.7	12	<1	<1	<1	1	2	4	17
6-12 YRS	180	2.5	8	<1	1	2	3	4	6	19
13-19 YRS	122	2.8	18	1	1	2	3	5	7	24
GRAND TOTAL	**499**	**2.2**	**12**	**<1**	**<1**	**1**	**2**	**4**	**5**	**18**

549: Operations on salivary glands and ducts (26.0-26.12; 26.2-26.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	9.0	72	3	3	9	15	15	15	15
1-11 MOS	7	3.4	13	1	1	2	4	10	11	11
1-5 YRS	39	2.7	7	1	1	2	3	6	9	15
6-12 YRS	59	2.1	2	1	1	1	3	4	6	9
13-19 YRS	115	2.3	4	1	1	2	3	4	6	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	23	3.3	10	1	1	2	4	9	11	11
6-12 YRS	56	2.9	8	1	1	2	3	6	9	16
13-19 YRS	65	2.2	3	1	1	2	2	4	5	11
TOTAL SINGLE DX	222	2.4	5	1	1	2	3	4	7	15
TOTAL MULTIPLE DX	149	2.6	6	1	1	2	3	5	9	12
TOTAL										
0-27 DYS	2	9.0	72	3	3	9	15	15	15	15
1-11 MOS	12	2.6	9	<1	1	1	3	7	10	11
1-5 YRS	62	2.9	9	1	1	2	3	8	10	15
6-12 YRS	115	2.5	6	1	1	2	3	5	7	13
13-19 YRS	180	2.3	4	1	1	2	3	4	5	11
GRAND TOTAL	371	2.5	6	1	1	2	3	5	8	14

550: Palatoplasty (27.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	273	2.4	1	1	1	2	3	4	5	7
1-5 YRS	596	2.5	2	1	1	2	3	4	5	7
6-12 YRS	163	2.2	1	1	1	2	3	4	4	5
13-19 YRS	51	2.2		1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	377	2.7	2	1	2	2	3	4	5	9
1-5 YRS	779	3.0	6	1	2	2	4	5	7	12
6-12 YRS	235	2.6	2	1	2	2	3	4	5	8
13-19 YRS	82	3.1	13	1	1	2	3	5	10	22
TOTAL SINGLE DX	1084	2.4	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	1473	2.9	5	1	2	2	3	5	6	10
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	650	2.6	2	1	2	2	3	4	5	8
1-5 YRS	1375	2.8	5	1	2	2	3	5	6	9
6-12 YRS	398	2.4	2	1	1	2	3	4	5	7
13-19 YRS	133	2.8	9	1	1	2	3	4	6	21
GRAND TOTAL	2557	2.7	4	1	2	2	3	4	5	8

551: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	20	3.7	8	1	2	3	5	8	10	11
1-11 MOS	708	2.5	2	1	1	2	3	5	5	7
1-5 YRS	289	2.1	6	<1	1	1	2	4	5	9
6-12 YRS	144	2.1	3	<1	1	1	2	5	6	10
13-19 YRS	134	2.1	2	<1	1	1	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	16	14.9	263	2	2	11	42	99+	99+	99+
1-11 MOS	520	3.4	15	1	1	2	4	6	8	20
1-5 YRS	343	3.2	31	1	1	2	4	6	8	36
6-12 YRS	285	3.1	32	1	1	2	3	5	8	40
13-19 YRS	380	2.9	21	1	1	2	3	5	6	23
TOTAL SINGLE DX	1295	2.3	4	<1	1	2	3	5	6	8
TOTAL MULTIPLE DX	1544	3.3	28	1	1	2	4	6	8	41
TOTAL										
0-27 DYS	36	8.7	149	1	2	4	11	44	99+	99+
1-11 MOS	1228	2.8	8	1	1	2	4	5	6	11
1-5 YRS	632	2.7	21	<1	1	1	3	5	7	15
6-12 YRS	429	2.8	23	1	1	2	3	5	7	20
13-19 YRS	514	2.7	17	1	1	2	3	5	6	20
GRAND TOTAL	2839	2.9	17	1	1	2	3	5	7	20

552: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	426	1.1		1	1	1	1	2	2	3
6-12 YRS	1640	1.1		1	1	1	1	1	2	3
13-19 YRS	3585	1.1		1	1	1	1	1	2	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	3.8	18	<1	<1	2	6	10	10	10
1-5 YRS	401	1.4	1	1	1	1	1	2	3	7
6-12 YRS	816	1.2		1	1	1	1	1	2	5
13-19 YRS	1296	1.5	5	1	1	1	1	2	3	7
TOTAL SINGLE DX	5654	1.1		1	1	1	1	1	2	3
TOTAL MULTIPLE DX	2517	1.4	3	1	1	1	1	2	3	7
TOTAL										
0-27 DYS	0									
1-11 MOS	7	2.6	11	<1	<1	1	3	9	10	10
1-5 YRS	827	1.2	1	1	1	1	1	2	2	6
6-12 YRS	7456	1.1		1	1	1	1	1	2	3
13-19 YRS	4881	1.2	2	1	1	1	1	2	2	5
GRAND TOTAL	8171	1.2	1	1	1	1	1	2	2	5

553: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	1.0		1	1	1	1	21	85	99+
1-5 YRS	3820	1.1		1	1	1	1	1	1	3
6-12 YRS	5398	1.1		1	1	1	1	1	1	2
13-19 YRS	1228	1.1		1	1	1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	26	2.0	3	1	1	1	2	5	7	7
1-5 YRS	6026	1.4	4	1	1	1	1	2	3	9
6-12 YRS	4889	1.1		1	1	1	1	1	2	4
13-19 YRS	797	1.2		1	1	1	1	1	2	6
TOTAL SINGLE DX	10459	1.1		1	1	1	1	1	1	2
TOTAL MULTIPLE DX	11738	1.3	3	1	1	1	1	1	2	7
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	38	1.7	2	1	1	1	2	5	7	99+
1-5 YRS	9846	1.3	3	1	1	1	1	1	2	6
6-12 YRS	10287	1.1	1	1	1	1	1	1	2	3
13-19 YRS	2025	1.1		1	1	1	1	1	2	4
GRAND TOTAL	22197	1.2	2	1	1	1	1	1	2	4

554: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	122	1.0		<1	<1	1	1	1	1	2
6-12 YRS	155	1.0		<1	<1	1	1	1	1	2
13-19 YRS	34	1.0		<1	<1	1	1	1	1	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	36	4.0	58	<1	1	1	2	10	21	39
1-5 YRS	646	1.5	7	<1	<1	1	1	1	3	12
6-12 YRS	369	1.4	6	<1	1	1	1	1	2	9
13-19 YRS	54	1.9	17	<1	1	1	1	2	4	25
TOTAL SINGLE DX	315	1.0		<1	<1	1	1	1	1	2
TOTAL MULTIPLE DX	1105	1.5	9	<1	<1	1	1	1	3	15
TOTAL										
0-27 DYS	0									
1-11 MOS	40	3.7	54	<1	1	1	2	9	20	39
1-5 YRS	768	1.4	6	<1	<1	1	1	1	3	11
6-12 YRS	524	1.3	5	<1	<1	1	1	1	2	6
13-19 YRS	88	1.6	11	<1	1	1	1	1	2	23
GRAND TOTAL	1420	1.4	7	<1	<1	1	1	1	2	12

555: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.0	3	1	1	3	52	99+	99+	99+
1-11 MOS	53	2.9	34	<1	1	1	2	6	7	41
1-5 YRS	233	1.9	3	<1	1	1	2	3	6	9
6-12 YRS	360	1.8	2	1	1	1	2	3	4	8
13-19 YRS	472	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	3	9.7	74	2	3	8	16	19	19	19
1-11 MOS	34	8.1	104	1	2	5	11	18	31	50
1-5 YRS	152	3.9	39	1	1	2	5	9	11	36
6-12 YRS	184	2.7	10	1	1	2	3	5	8	26
13-19 YRS	255	3.0	11	1	2	2	3	5	6	17
TOTAL SINGLE DX	1121	2.0	4	<1	1	1	2	4	5	9
TOTAL MULTIPLE DX	628	3.5	25	1	1	2	4	7	10	31
TOTAL										
0-27 DYS	6	5.8	49	1	1	4	16	84	99+	99+
1-11 MOS	87	5.0	68	<1	1	2	6	12	18	47
1-5 YRS	385	2.7	18	<1	1	1	3	6	9	14
6-12 YRS	544	2.1	5	1	1	1	2	4	6	13
13-19 YRS	727	2.5	6	1	1	2	3	4	6	10
GRAND TOTAL	1749	2.5	12	1	1	2	3	5	7	14

556: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	12	2.5	8	<1	1	1	3	7	10	10
1-5 YRS	20	1.5	1	<1	<1	1	1	3	4	5
6-12 YRS	12	1.1		<1	<1	1	1	2	2	2
13-19 YRS	15	2.1	2	1	1	2	2	3	6	7
2. MULTIPLE DX										
0-27 DYS	4	3.5	5	2	2	3	5	7	7	7
1-11 MOS	19	2.9	2	1	1	3	4	5	6	7
1-5 YRS	29	3.7	7	1	2	2	6	8	9	9
6-12 YRS	28	3.9	33	1	1	3	4	7	10	32
13-19 YRS	209	3.1	5	1	2	2	4	5	6	15
TOTAL SINGLE DX	59	1.8	3	<1	1	1	2	3	6	10
TOTAL MULTIPLE DX	289	3.2	8	1	2	2	4	5	7	15
TOTAL										
0-27 DYS	4	3.5	6	2	2	3	5	7	7	7
1-11 MOS	31	2.8	5	1	1	2	4	6	7	10
1-5 YRS	49	2.8	6	<1	1	2	4	7	9	9
6-12 YRS	40	3.1	25	<1	1	2	3	6	7	32
13-19 YRS	224	3.0	5	1	2	2	4	5	6	14
GRAND TOTAL	348	3.0	7	1	2	2	4	5	7	14

557: Excision of lesion of larynx (30.0; 31.43; 31.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	51	99+	99+	99+	99+
1-11 MOS	32	4.4	46	<1	1	2	5	11	16	36
1-5 YRS	177	1.6	4	<1	1	1	1	2	4	15
6-12 YRS	78	1.3	1	<1	1	1	1	2	3	8
13-19 YRS	21	1.3		<1	1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	5	14.2	80	3	7	14	22	24	24	24
1-11 MOS	42	8.7	96	1	1	5	12	26	31	32
1-5 YRS	169	4.0	69	<1	1	1	3	7	17	43
6-12 YRS	42	2.9	28	<1	1	2	2	7	17	99+
13-19 YRS	23	3.8	59	<1	1	1	4	7	19	38
TOTAL SINGLE DX	309	1.8	8	<1	1	1	2	3	4	18
TOTAL MULTIPLE DX	281	4.7	71	1	1	1	4	12	24	43
TOTAL										
0-27 DYS	6	12.2	89	2	4	14	23	85	99+	99+
1-11 MOS	74	6.8	78	1	1	3	8	23	31	35
1-5 YRS	346	2.8	38	<1	1	1	2	4	10	36
6-12 YRS	120	1.9	11	<1	1	1	2	3	6	54
13-19 YRS	44	2.6	32	<1	1	1	2	4	7	38
GRAND TOTAL	590	3.2	40	<1	1	1	2	7	14	37

558: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	7	10.3	113	2	3	6	13	28	32	32
1-5 YRS	26	2.1	3	1	1	2	2	4	6	9
6-12 YRS	10	4.1	27	<1	1	2	5	13	17	17
13-19 YRS	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	8.3	139	1	2	5	11	31	72	99+
1-5 YRS	116	6.7	162	<1	1	3	6	13	35	66
6-12 YRS	21	8.7	261	1	2	3	9	39	84	99+
13-19 YRS	15	8.8	156	2	3	5	9	15	43	52
TOTAL SINGLE DX	44	4.1	34	1	1	2	4	13	14	32
TOTAL MULTIPLE DX	174	7.3	168	1	1	3	7	16	51	97
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	28	8.8	130	1	2	5	12	28	55	99+
1-5 YRS	142	5.9	136	<1	1	2	5	12	20	57
6-12 YRS	31	7.2	187	1	1	3	7	20	69	99+
13-19 YRS	16	9.1	147	2	3	5	10	15	41	52
GRAND TOTAL	218	6.7	142	1	1	3	6	14	36	92

559: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	32.0		32	32	32	32	32	32	32
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	32.0		32	32	32	32	32	32	32
TOTAL										
0-27 DYS	0									
1-11 MOS	1	32.0		32	32	32	32	32	32	32
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
GRAND TOTAL	1	32.0		32	32	32	32	32	32	32

560: Tracheostomy (31.1-31.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	11	16.4	126	6	8	11	25	35	36	36
1-5 YRS	13	19.8	516	3	5	9	27	62	68	69
6-12 YRS	6	22.5	889	2	8	14	66	96	99+	99+
13-19 YRS	6	8.3	161	1	2	3	6	31	34	34
2. MULTIPLE DX										
0-27 DYS	9	20.2	105	15	28	99+	99+	99+	99+	99+
1-11 MOS	65	26.9	389	12	15	35	99+	99+	99+	99+
1-5 YRS	113	24.1	398	5	10	22	45	99+	99+	99+
6-12 YRS	52	29.3	706	6	12	20	61	99+	99+	99+
13-19 YRS	78	28.5	505	4	14	25	63	99+	99+	99+
TOTAL SINGLE DX	37	17.4	374	2	5	9	23	54	77	99+
TOTAL MULTIPLE DX	317	26.5	465	6	14	27	80	99+	99+	99+
TOTAL										
0-27 DYS	10	20.4	94	15	27	99+	99+	99+	99+	99+
1-11 MOS	76	25.4	363	9	15	33	99+	99+	99+	99+
1-5 YRS	126	23.6	408	5	10	21	44	99+	99+	99+
6-12 YRS	58	28.6	714	5	12	19	62	99+	99+	99+
13-19 YRS	84	27.0	506	3	12	24	61	99+	99+	99+
GRAND TOTAL	354	25.5	462	6	12	25	69	99+	99+	99+

561: Operations on larynx and trachea, except excision and tracheostomy (31.0; 31.3; 31.6-31.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	9.5	13	7	7	9	12	12	12	12
1-11 MOS	26	7.4	71	1	2	4	9	20	25	33
1-5 YRS	88	3.9	25	1	1	2	4	10	13	29
6-12 YRS	41	3.6	11	1	1	2	5	8	11	14
13-19 YRS	18	4.3	29	1	1	1	6	12	18	21
2. MULTIPLE DX										
0-27 DYS	32	25.6	393	9	14	27	99+	99+	99+	99+
1-11 MOS	75	23.6	589	2	6	18	37	94	99+	99+
1-5 YRS	251	8.5	133	1	2	5	10	19	29	74
6-12 YRS	77	9.2	213	1	1	4	8	26	52	92
13-19 YRS	41	9.6	66	1	2	10	15	20	26	32
TOTAL SINGLE DX	175	4.5	31	1	1	2	6	11	15	30
TOTAL MULTIPLE DX	476	12.3	269	1	2	7	17	41	91	99+
TOTAL										
0-27 DYS	34	24.6	385	9	13	27	99+	99+	99+	99+
1-11 MOS	101	19.4	505	1	3	14	30	72	99+	99+
1-5 YRS	339	7.3	110	1	1	4	9	17	27	65
6-12 YRS	118	7.3	150	1	1	3	7	21	32	81
13-19 YRS	59	8.0	61	1	1	5	14	18	24	32
GRAND TOTAL	651	10.2	217	1	1	5	14	32	63	99+

562: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	3.7	8	<1	2	3	5	8	10	10
1-5 YRS	24	2.9	4	<1	1	2	5	6	7	7
6-12 YRS	9	2.4	4	<1	1	1	3	6	7	7
13-19 YRS	12	3.5	3	1	2	3	4	6	8	8
2. MULTIPLE DX										
0-27 DYS	3	22.3	254	9	13	29	70	99+	99+	99+
1-11 MOS	22	6.6	32	1	3	5	10	18	49	99+
1-5 YRS	54	6.9	70	1	1	4	9	19	23	42
6-12 YRS	26	5.3	24	1	2	3	8	13	15	18
13-19 YRS	43	11.9	140	4	6	9	15	20	26	77
TOTAL SINGLE DX	54	3.1	5	<1	1	3	5	6	7	10
TOTAL MULTIPLE DX	148	8.4	88	1	2	6	12	19	25	99+
TOTAL										
0-27 DYS	3	22.3	254	9	13	29	70	99+	99+	99+
1-11 MOS	31	5.7	27	1	2	4	8	16	21	99+
1-5 YRS	78	5.7	53	<1	1	3	6	15	21	39
6-12 YRS	35	4.6	20	<1	1	3	7	12	14	18
13-19 YRS	55	10.1	122	2	4	7	14	19	24	75
GRAND TOTAL	202	7.0	71	1	2	4	9	16	21	87

563: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	28.0	800	8	8	28	48	48	48	48
1-5 YRS	3	5.0	7	3	3	4	7	8	8	8
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	14.0		14	14	14	14	14	14	14
TOTAL SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
TOTAL MULTIPLE DX	7	13.4	245	3	5	8	13	41	48	48
TOTAL										
0-27 DYS	0									
1-11 MOS	4	14.8	501	<1	1	5	28	48	48	48
1-5 YRS	3	5.0	7	3	3	4	7	8	8	8
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	1	14.0		14	14	14	14	14	14	14
GRAND TOTAL	9	10.8	212	1	3	8	10	34	48	48

564: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.28)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	13	8.5	72	4	5	7	9	15	32	36
1-5 YRS	16	8.8	85	2	3	6	10	20	32	37
6-12 YRS	13	7.7	29	4	5	5	8	16	21	22
13-19 YRS	37	7.9	46	4	5	6	9	13	14	44
2. MULTIPLE DX										
0-27 DYS	2	30.0	1352	4	30	78	99+	99+	99+	99+
1-11 MOS	30	20.6	390	5	8	15	41	79	99+	99+
1-5 YRS	76	16.2	399	3	5	8	20	47	53	97
6-12 YRS	71	11.0	93	4	6	9	13	22	30	94
13-19 YRS	164	13.3	194	4	6	9	15	25	45	89
TOTAL SINGLE DX	81	8.2	52	3	4	6	9	14	21	42
TOTAL MULTIPLE DX	343	14.2	245	4	6	9	16	37	61	99+
TOTAL										
0-27 DYS	4	19.5	598	4	8	33	99+	99+	99+	99+
1-11 MOS	43	17.0	322	4	7	9	26	61	99+	99+
1-5 YRS	92	14.9	351	3	4	7	16	40	52	97
6-12 YRS	84	10.5	84	4	5	8	13	21	26	90
13-19 YRS	201	12.3	171	4	6	8	14	23	41	87
GRAND TOTAL	424	13.1	213	4	5	8	14	31	53	99+

565: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	11.3	72	5	6	8	18	21	21	21
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	6	8.0	8	5	5	8	9	13	13	13
6-12 YRS	5	10.6	44	6	6	9	13	22	22	22
13-19 YRS	5	8.0	10	4	5	8	10	12	12	12
2. MULTIPLE DX										
0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	3	10.0	19	7	7	8	13	15	15	15
1-5 YRS	9	8.2	34	4	5	6	15	60	99+	99+
6-12 YRS	13	10.2	9	7	8	10	11	16	17	17
13-19 YRS	15	18.3	265	9	10	15	24	67	91	99+
TOTAL SINGLE DX	20	9.3	23	5	6	8	10	17	21	22
TOTAL MULTIPLE DX	42	12.8	120	5	7	10	16	25	80	99+
TOTAL										
0-27 DYS	5	11.6	38	5	7	10	16	21	21	21
1-11 MOS	4	10.0	13	7	7	9	12	15	15	15
1-5 YRS	15	8.1	23	4	5	7	11	20	76	99+
6-12 YRS	18	10.3	17	6	7	10	11	17	20	22
13-19 YRS	20	15.8	219	5	9	11	22	45	84	99+
GRAND TOTAL	**62**	**11.6**	**91**	**5**	**7**	**10**	**14**	**22**	**41**	**99+**

566: Bronchoscopy (33.22-33.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	16	7.8	517	1	1	2	4	4	66	93
1-11 MOS	196	3.0	12	1	1	2	3	7	11	15
1-5 YRS	514	2.0	7	<1	1	1	2	4	6	11
6-12 YRS	103	2.7	18	<1	1	1	3	6	10	27
13-19 YRS	46	3.9	23	<1	1	2	5	9	12	28
2. MULTIPLE DX										
0-27 DYS	31	24.8	786	2	6	19	79	99+	99+	99+
1-11 MOS	455	8.1	105	1	2	6	10	18	26	85
1-5 YRS	775	6.2	99	1	1	3	7	15	21	63
6-12 YRS	194	8.2	133	1	2	4	10	18	22	74
13-19 YRS	172	10.2	161	1	3	6	13	24	36	86
TOTAL SINGLE DX	875	2.5	20	<1	1	1	2	5	8	15
TOTAL MULTIPLE DX	1627	7.8	132	1	2	4	9	18	28	92
TOTAL										
0-27 DYS	47	19.0	748	1	2	8	45	99+	99+	99+
1-11 MOS	651	6.5	83	1	1	4	8	15	23	62
1-5 YRS	1289	4.6	67	1	1	2	5	10	16	46
6-12 YRS	297	6.3	100	1	1	2	8	15	22	57
13-19 YRS	218	8.9	138	1	2	5	10	21	31	74
GRAND TOTAL	**2502**	**5.9**	**99**	**1**	**1**	**2**	**7**	**14**	**22**	**78**

567: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	6	4.2	18	1	1	2	8	11	11	11
6-12 YRS	2	6.0		6	6	6	6	6	6	6
13-19 YRS	20	5.3	9	2	3	4	6	11	12	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	8	10.9	83	1	4	10	14	25	29	29
6-12 YRS	12	14.8	362	3	5	8	17	36	67	72
13-19 YRS	43	9.3	42	4	5	7	12	20	26	28
TOTAL SINGLE DX	29	5.0	10	2	3	4	6	11	11	12
TOTAL MULTIPLE DX	63	10.5	107	3	5	8	13	21	27	66
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	0									
1-5 YRS	14	8.0	64	1	1	7	11	18	27	29
6-12 YRS	14	13.6	317	3	5	7	15	26	62	72
13-19 YRS	63	8.0	35	3	4	6	11	15	23	28
GRAND TOTAL	**92**	**8.8**	**83**	**2**	**4**	**6**	**11**	**18**	**25**	**54**

568: Thoracotomy (34.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	8	25.6	1641	2	3	4	88	99	99+	99+
1-11 MOS	5	9.0	31	2	4	9	14	15	15	15
1-5 YRS	19	6.6	17	2	3	6	9	14	15	15
6-12 YRS	26	6.9	60	1	2	5	9	12	21	39
13-19 YRS	360	4.9	8	2	3	4	6	9	11	15
2. MULTIPLE DX										
0-27 DYS	69	20.0	569	4	7	13	34	99+	99+	99+
1-11 MOS	60	31.5	547	5	12	24	49	66	71	82
1-5 YRS	102	15.6	234	3	5	11	23	33	49	97
6-12 YRS	140	13.1	141	3	5	9	17	30	39	56
13-19 YRS	610	8.5	81	3	4	6	10	15	21	58
TOTAL SINGLE DX	413	5.5	48	2	3	4	6	10	12	28
TOTAL MULTIPLE DX	981	12.1	205	3	4	8	14	28	49	99+
TOTAL										
0-27 DYS	77	20.6	664	3	5	12	51	99+	99+	99+
1-11 MOS	65	29.7	543	5	10	21	48	65	71	82
1-5 YRS	121	14.2	211	3	5	9	20	30	43	96
6-12 YRS	166	12.1	134	3	4	8	16	29	39	55
13-19 YRS	970	7.1	58	2	4	5	8	13	18	35
GRAND TOTAL	**1399**	**10.1**	**167**	**2**	**4**	**6**	**11**	**22**	**39**	**96**

569: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	20	4.9	8	< 1	3	5	7	8	10	11
1-5 YRS	168	4.9	4	3	4	5	6	7	8	14
6-12 YRS	150	5.3	11	2	4	5	6	8	9	27
13-19 YRS	187	5.3	6	3	4	5	6	8	11	15
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	21	10.5	254	2	4	6	11	38	86	99 +
1-5 YRS	77	8.4	85	3	4	6	9	19	28	90
6-12 YRS	97	9.7	104	4	5	7	12	17	24	65
13-19 YRS	159	11.5	211	3	5	7	12	25	40	96
TOTAL SINGLE DX	525	5.2	8	3	4	5	6	8	9	15
TOTAL MULTIPLE DX	354	10.3	157	3	4	6	11	21	33	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	41	7.8	139	1	3	5	8	16	44	99 +
1-5 YRS	245	6.0	33	3	4	5	6	10	13	43
6-12 YRS	247	7.0	52	3	4	5	7	13	16	35
13-19 YRS	346	8.1	110	3	4	6	8	15	23	74
GRAND TOTAL	879	7.2	74	3	4	5	7	13	19	73

570: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	18	10.2	63	2	5	7	16	24	26	26
1-11 MOS	195	9.7	151	1	5	7	10	16	22	80
1-5 YRS	572	6.3	11	4	5	6	7	9	11	21
6-12 YRS	196	6.0	12	2	5	6	7	8	11	14
13-19 YRS	107	6.0	12	1	4	6	8	9	11	20
2. MULTIPLE DX										
0-27 DYS	120	14.2	115	5	7	11	20	33	69	99 +
1-11 MOS	1007	14.8	160	6	8	11	17	30	45	99 +
1-5 YRS	1507	11.2	107	5	6	8	12	21	31	73
6-12 YRS	454	10.9	85	5	6	8	12	21	31	65
13-19 YRS	249	11.0	114	5	6	8	11	24	33	88
TOTAL SINGLE DX	1088	6.9	40	2	5	6	8	11	13	26
TOTAL MULTIPLE DX	3337	12.3	124	5	7	9	14	25	36	89
TOTAL										
0-27 DYS	138	13.7	110	5	7	11	19	29	60	99 +
1-11 MOS	1202	14.0	162	6	7	10	16	28	43	99 +
1-5 YRS	2079	9.9	86	4	6	7	10	17	27	64
6-12 YRS	650	9.4	68	4	5	7	10	17	27	52
13-19 YRS	356	9.5	90	3	6	7	10	17	29	86
GRAND TOTAL	4425	11.0	109	5	6	8	12	22	32	81

571: Coronary angioplasty, except open chest (36.00-36.02; 36.04-36.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS	0									
13-19 YRS	4	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	9.5	85	3	3	9	16	16	16	16
1-5 YRS	8	2.1	4	1	1	2	2	6	7	7
6-12 YRS	5	3.8	16	1	2	2	5	11	11	11
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
TOTAL SINGLE DX	9	3.2	6	1	2	2	4	8	8	8
TOTAL MULTIPLE DX	18	4.1	18	1	1	2	7	10	14	16
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	7.3	41	2	2	5	12	16	16	16
1-5 YRS	11	2.6	5	1	1	2	3	7	7	7
6-12 YRS	5	3.8	17	1	2	2	5	11	11	11
13-19 YRS	6	2.7	5	1	1	2	3	7	7	7
GRAND TOTAL	27	3.8	14	1	1	2	6	9	12	16

572: Direct heart revascularization (36.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	13.0	32	9	9	13	17	17	17	17
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	2	28.0	200	18	18	28	38	38	38	38
1-11 MOS	2	30.0	2	29	29	30	31	31	31	31
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	2	8.5	1	8	8	8	9	9	9	9
13-19 YRS	0									
TOTAL SINGLE DX	3	9.3	56	2	4	9	15	17	17	17
TOTAL MULTIPLE DX	8	17.8	178	3	7	13	30	36	38	38
TOTAL										
0-27 DYS	2	28.0	200	18	18	28	38	38	38	38
1-11 MOS	4	21.5	108	9	13	23	30	31	31	31
1-5 YRS	3	3.7	8	2	2	2	6	7	7	7
6-12 YRS	2	8.5	1	8	8	8	9	9	9	9
13-19 YRS	0									
GRAND TOTAL	11	15.5	151	2	7	9	26	34	38	38

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	5.5	32	1	2	4	8	12	19	21
1-11 MOS	312	1.7	1	< 1	1	1	2	2	3	8
1-5 YRS	648	1.6	1	< 1	1	1	2	2	3	7
6-12 YRS	269	1.6	1	< 1	1	1	2	2	3	6
13-19 YRS	205	1.9	2	< 1	1	2	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	72	7.7	65	2	3	5	10	22	42	99 +
1-11 MOS	1102	3.3	32	1	1	2	2	7	11	39
1-5 YRS	1747	2.1	11	< 1	1	2	2	3	5	16
6-12 YRS	662	2.2	8	< 1	1	2	2	3	6	15
13-19 YRS	402	3.5	22	1	1	2	3	8	13	24
TOTAL SINGLE DX	1447	1.7	2	< 1	1	1	2	2	3	8
TOTAL MULTIPLE DX	3985	2.7	19	1	1	2	2	5	9	26
TOTAL										
0-27 DYS	85	7.4	61	1	3	5	10	21	39	99 +
1-11 MOS	1414	2.9	26	1	1	2	2	6	9	33
1-5 YRS	2395	2.0	9	< 1	1	2	2	2	4	13
6-12 YRS	931	2.1	6	< 1	1	2	2	3	5	14
13-19 YRS	607	2.9	16	1	1	2	2	7	10	22
GRAND TOTAL	**5432**	**2.4**	**15**	**< 1**	**1**	**2**	**2**	**4**	**7**	**22**

574: Pacemaker insertion, replacement, removal, and repair (37.70-37.78; 37.8; 37.94-37.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	13.0	128	5	5	13	21	21	21	21
1-11 MOS	7	4.7	4	1	4	5	6	8	8	8
1-5 YRS	25	4.8	6	2	3	4	6	8	10	12
6-12 YRS	38	3.2	3	1	2	3	4	7	8	8
13-19 YRS	39	3.3	7	1	2	3	3	7	9	14
2. MULTIPLE DX										
0-27 DYS	3	14.7	30	11	11	16	60	99 +	99 +	99 +
1-11 MOS	15	10.2	193	2	3	6	10	19	47	57
1-5 YRS	73	6.2	36	2	3	4	7	13	17	31
6-12 YRS	105	6.1	56	2	2	4	6	12	20	44
13-19 YRS	103	7.1	176	2	2	3	7	15	18	94
TOTAL SINGLE DX	111	3.9	9	1	2	3	5	8	8	17
TOTAL MULTIPLE DX	299	6.8	100	2	3	4	7	14	20	75
TOTAL										
0-27 DYS	5	14.0	48	6	11	16	21	92	99 +	99 +
1-11 MOS	22	8.5	137	2	3	5	9	16	34	57
1-5 YRS	98	5.9	29	2	3	4	7	11	15	31
6-12 YRS	143	5.3	44	2	2	4	6	9	17	36
13-19 YRS	142	6.1	133	1	2	3	6	12	16	93
GRAND TOTAL	**410**	**6.0**	**77**	**2**	**2**	**4**	**6**	**12**	**17**	**55**

575: Miscellaneous operations on heart (35.0; 35.52; 36.03; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.91-37.93; 37.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	8.0	7	5	6	9	10	10	10	10
1-11 MOS	14	5.7	8	1	3	6	8	9	10	10
1-5 YRS	27	5.6	11	1	4	5	7	11	13	14
6-12 YRS	22	5.1	4	2	4	5	7	8	8	9
13-19 YRS	28	5.5	13	1	2	6	8	9	11	16
2. MULTIPLE DX										
0-27 DYS	21	18.6	269	6	8	13	24	62	77	99 +
1-11 MOS	63	13.2	162	4	6	9	15	38	54	99 +
1-5 YRS	84	10.0	119	2	4	7	12	21	41	91
6-12 YRS	83	7.8	77	2	2	5	9	18	25	51
13-19 YRS	101	8.9	67	2	4	7	10	17	27	42
TOTAL SINGLE DX	94	5.6	10	1	3	6	7	9	10	15
TOTAL MULTIPLE DX	352	10.3	117	2	4	7	12	24	39	98
TOTAL										
0-27 DYS	24	17.3	248	6	8	10	22	62	72	99 +
1-11 MOS	77	11.8	143	3	5	8	13	33	49	99 +
1-5 YRS	111	8.9	97	2	4	7	10	17	26	84
6-12 YRS	105	7.3	63	2	3	5	8	15	22	44
13-19 YRS	129	8.1	57	1	4	7	9	15	22	42
GRAND TOTAL	**446**	**9.3**	**98**	**2**	**4**	**7**	**10**	**20**	**31**	**74**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	13	8.6	427	1	1	2	5	22	67	77
1-11 MOS	127	3.1	24	< 1	1	1	3	7	8	35
1-5 YRS	340	2.2	5	< 1	1	1	2	5	7	13
6-12 YRS	112	2.5	7	< 1	1	1	3	7	10	13
13-19 YRS	705	2.6	3	1	2	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	31	16.5	647	2	4	8	61	99 +	99 +	99 +
1-11 MOS	282	8.7	157	1	2	5	10	25	35	99 +
1-5 YRS	526	5.9	81	1	1	3	7	12	18	71
6-12 YRS	307	6.7	60	1	2	4	9	15	21	47
13-19 YRS	1579	4.1	35	2	2	3	4	7	9	27
TOTAL SINGLE DX	1297	2.6	11	1	1	2	3	5	7	12
TOTAL MULTIPLE DX	2725	5.4	70	1	2	3	5	11	18	63
TOTAL										
0-27 DYS	44	14.2	584	1	3	5	21	99 +	99 +	99 +
1-11 MOS	409	7.0	123	1	1	4	8	19	30	97
1-5 YRS	866	4.4	55	1	1	2	5	10	14	53
6-12 YRS	419	5.6	49	1	1	3	7	14	19	33
13-19 YRS	2284	3.7	26	1	2	3	4	6	8	21
GRAND TOTAL	**4022**	**4.5**	**53**	**1**	**2**	**3**	**5**	**8**	**14**	**45**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	28	1.5		< 1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	30.5	61	25	25	30	36	36	36	36
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	0									
13-19 YRS	6	1.7		1	1	2	2	3	3	3
TOTAL SINGLE DX	30	1.6	1	< 1	1	1	2	2	4	5
TOTAL MULTIPLE DX	10	7.8	151	1	1	2	4	30	36	36
TOTAL										
0-27 DYS	0									
1-11 MOS	2	30.5	61	25	25	30	36	36	36	36
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
13-19 YRS	34	1.5	1	1	1	1	2	2	3	4
GRAND TOTAL	**40**	**3.1**	**43**	**<1**	**1**	**1**	**2**	**4**	**15**	**36**

578: Shunt or graft bypass, except arteriovenostomy for renal dialysis (39.0-39.26; 39.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	8.3	13	5	5	7	11	13	13	13
1-11 MOS	30	7.5	8	5	5	7	10	13	15	99 +
1-5 YRS	30	9.3	242	5	6	6	8	10	13	91
6-12 YRS	8	6.5	4	4	5	6	8	9	10	10
13-19 YRS	8	8.1	22	3	4	7	11	15	17	17
2. MULTIPLE DX										
0-27 DYS	74	17.8	232	7	9	14	27	99 +	99 +	99 +
1-11 MOS	184	12.5	105	5	7	9	14	27	47	99 +
1-5 YRS	204	10.1	106	5	6	8	10	17	26	97
6-12 YRS	50	10.2	39	5	6	8	13	17	19	41
13-19 YRS	48	13.8	91	5	7	10	17	31	34	38
TOTAL SINGLE DX	80	8.2	96	5	5	6	8	12	14	97
TOTAL MULTIPLE DX	560	12.2	121	5	7	9	14	27	47	99 +
TOTAL										
0-27 DYS	78	17.3	225	7	9	13	26	96	99 +	99 +
1-11 MOS	214	11.8	95	5	6	9	14	25	43	99 +
1-5 YRS	234	10.0	123	5	6	7	10	16	25	96
6-12 YRS	58	9.7	36	5	6	8	12	17	19	39
13-19 YRS	56	13.0	85	4	7	10	17	29	34	38
GRAND TOTAL	**640**	**11.7**	**119**	**5**	**6**	**8**	**13**	**25**	**46**	**99 +**

579: Hemodialysis (39.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	10	4.4	25	< 1	2	3	5	12	18	18
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	11.0	137	2	3	9	15	31	31	31
1-5 YRS	13	11.8	335	1	2	8	13	27	62	70
6-12 YRS	37	10.2	147	1	2	5	15	28	42	43
13-19 YRS	148	5.2	26	1	2	4	6	10	14	30
TOTAL SINGLE DX	14	4.1	20	1	1	3	5	9	16	18
TOTAL MULTIPLE DX	204	6.6	74	1	2	4	8	14	21	43
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	11.0	138	2	3	9	15	31	31	31
1-5 YRS	14	11.6	311	1	2	8	12	21	59	70
6-12 YRS	40	9.6	141	1	2	4	13	26	42	43
13-19 YRS	158	5.1	26	1	2	4	6	10	15	29
GRAND TOTAL	**218**	**6.5**	**71**	**1**	**2**	**4**	**8**	**14**	**21**	**42**

580: Operations associated with renal dialysis (39.27; 39.42-39.43; 39.93-39.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	7.5	107	2	2	3	13	23	23	23
6-12 YRS	7	3.9	5	1	2	4	5	7	8	8
13-19 YRS	21	4.0	21	1	2	2	4	10	15	21
2. MULTIPLE DX										
0-27 DYS	1	33.0		33	33	66	99 +	99 +	99 +	99 +
1-11 MOS	9	24.1	1109	1	3	12	76	93	99 +	99 +
1-5 YRS	11	10.5	301	1	2	2	9	39	56	58
6-12 YRS	36	8.7	123	2	3	5	10	19	23	63
13-19 YRS	145	10.8	149	2	3	7	14	27	35	66
TOTAL SINGLE DX	32	4.4	27	1	2	3	5	10	20	23
TOTAL MULTIPLE DX	202	11.1	199	2	3	6	14	27	44	93
TOTAL										
0-27 DYS	1	33.0		33	33	66	99 +	99 +	99 +	99 +
1-11 MOS	9	24.1	1110	1	3	12	76	93	99 +	99 +
1-5 YRS	15	9.7	240	1	2	2	9	26	50	58
6-12 YRS	43	7.9	107	2	3	5	9	18	22	63
13-19 YRS	166	9.9	138	1	3	5	12	25	34	64
GRAND TOTAL	**234**	**10.2**	**180**	**1**	**2**	**5**	**12**	**26**	**38**	**89**

581: Thromboendarterectomy of head and neck (38.12)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	1	4.0		4	4	4	4	4	4	4
TOTAL MULTIPLE DX	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1**	**4.0**		**4**	**4**	**4**	**4**	**4**	**4**	**4**

582: Miscellaneous operations on blood vessels (38.0-38.11; 38.13-38.4; 38.6-38.92; 38.94-38.98; 39.3-39.41; 39.49; 39.51-39.91; 39.96-39.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	64	4.6	15	1	2	3	6	14	31	99+
1-11 MOS	210	6.9	66	3	4	5	7	13	18	99+
1-5 YRS	425	5.0	26	2	3	4	6	7	9	31
6-12 YRS	189	4.6	11	1	2	4	6	7	8	15
13-19 YRS	161	5.0	36	1	1	4	6	10	14	34
2. MULTIPLE DX										
0-27 DYS	889	31.1	813	6	10	31	86	99+	99+	99+
1-11 MOS	1309	27.5	544	4	8	20	48	66	86	99+
1-5 YRS	1141	16.0	226	3	5	9	25	39	45	71
6-12 YRS	1398	14.5	134	3	7	12	20	29	37	62
13-19 YRS	2085	8.4	75	2	4	6	10	16	24	49
TOTAL SINGLE DX	1049	5.3	33	1	3	4	6	9	13	56
TOTAL MULTIPLE DX	6822	17.5	370	3	5	10	25	57	87	99+
TOTAL										
0-27 DYS	953	29.3	804	4	9	26	84	99+	99+	99+
1-11 MOS	1519	24.7	529	4	6	14	44	64	83	99+
1-5 YRS	1566	13.0	196	2	4	7	19	34	42	64
6-12 YRS	1587	13.3	130	2	5	10	19	28	36	60
13-19 YRS	2246	8.1	74	2	3	6	10	16	23	47
GRAND TOTAL	**7871**	**15.9**	**342**	**2**	**5**	**9**	**22**	**53**	**81**	**99+**

583: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	3.0	14	<1	1	2	3	8	13	14
1-11 MOS	83	4.4	15	1	2	3	6	10	12	20
1-5 YRS	249	2.9	6	<1	1	2	4	7	8	11
6-12 YRS	186	3.3	9	<1	1	2	4	7	10	15
13-19 YRS	175	3.1	13	<1	1	2	4	7	10	20
2. MULTIPLE DX										
0-27 DYS	1	52.0		52	52	76	99+	99+	99+	99+
1-11 MOS	69	5.4	12	1	3	5	7	10	13	17
1-5 YRS	187	7.4	77	1	2	5	9	16	22	52
6-12 YRS	129	8.0	94	1	2	6	10	18	28	54
13-19 YRS	120	6.2	64	1	2	4	8	12	21	44
TOTAL SINGLE DX	704	3.3	11	<1	1	2	4	7	9	15
TOTAL MULTIPLE DX	506	7.1	74	1	2	5	9	15	22	53
TOTAL										
0-27 DYS	12	7.1	213	<1	1	2	6	62	93	99+
1-11 MOS	152	4.9	14	1	2	4	6	10	12	18
1-5 YRS	436	4.8	42	<1	1	3	6	10	16	31
6-12 YRS	315	5.3	50	<1	1	3	7	11	16	39
13-19 YRS	295	4.4	36	<1	1	2	5	10	13	31
GRAND TOTAL	**1210**	**4.9**	**41**	**<1**	**1**	**3**	**6**	**10**	**15**	**33**

584: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	10	2.4	2	<1	1	2	4	5	5	5
6-12 YRS	4	6.8	5	5	5	6	8	10	10	10
13-19 YRS	13	2.9	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	46.0	2888	8	8	46	84	84	84	84
1-5 YRS	16	7.5	50	1	2	6	8	19	23	25
6-12 YRS	8	5.8	29	1	2	4	9	15	16	16
13-19 YRS	19	5.2	9	1	2	5	8	9	10	11
TOTAL SINGLE DX	30	3.3	5	1	1	3	4	6	7	10
TOTAL MULTIPLE DX	45	7.9	161	1	2	5	8	16	20	84
TOTAL										
0-27 DYS	0									
1-11 MOS	5	20.2	1277	2	3	4	27	84	84	84
1-5 YRS	26	5.5	37	1	1	4	7	17	20	25
6-12 YRS	12	6.1	20	2	3	5	8	13	16	16
13-19 YRS	32	4.3	8	1	2	4	6	8	9	11
GRAND TOTAL	**75**	**6.1**	**103**	**1**	**2**	**4**	**7**	**10**	**17**	**69**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	42.0	70	31	35	44	47	53	53	53
6-12 YRS	12	40.9	719	3	27	38	55	81	92	94
13-19 YRS	3	26.7	6	24	25	27	28	29	29	29
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	48.0	72	37	48	54	99 +	99 +	99 +	99 +
1-5 YRS	33	49.5	248	34	42	53	69	99 +	99 +	99 +
6-12 YRS	26	49.1	168	35	39	51	57	81	99 +	99 +
13-19 YRS	41	46.3	313	30	35	47	56	69	75	84
TOTAL SINGLE DX	20	39.1	461	13	27	36	49	65	84	94
TOTAL MULTIPLE DX	104	48.1	244	32	37	50	59	83	99 +	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	4	48.0	72	37	48	54	99 +	99 +	99 +	99 +
1-5 YRS	38	48.6	229	34	41	52	67	99 +	99 +	99 +
6-12 YRS	38	46.5	343	28	36	47	56	79	97	99 +
13-19 YRS	44	45.0	317	27	33	44	56	69	74	84
GRAND TOTAL	124	46.6	287	30	36	49	58	81	99 +	99 +

586: Miscellaneous operation on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	67	2.7	3	1	1	3	4	5	6	10
1-5 YRS	390	4.5	20	1	2	3	5	9	13	25
6-12 YRS	361	4.6	12	1	2	4	6	9	12	17
13-19 YRS	333	5.4	15	2	3	5	7	9	12	16
2. MULTIPLE DX										
0-27 DYS	10	25.3	946	4	5	7	60	73	82	82
1-11 MOS	147	9.6	95	2	3	6	11	22	33	44
1-5 YRS	564	8.7	73	2	3	6	10	20	28	45
6-12 YRS	487	9.4	111	2	4	6	11	20	30	67
13-19 YRS	636	10.9	126	3	5	8	12	23	34	78
TOTAL SINGLE DX	1153	4.7	16	1	2	4	6	9	12	19
TOTAL MULTIPLE DX	1844	9.8	110	2	4	7	11	22	31	65
TOTAL										
0-27 DYS	12	22.1	832	3	5	7	36	70	80	82
1-11 MOS	214	7.5	77	1	2	4	9	17	28	43
1-5 YRS	954	7.0	56	1	2	5	8	16	23	38
6-12 YRS	848	7.3	75	1	3	5	8	15	22	57
13-19 YRS	969	9.0	96	2	4	6	10	18	29	58
GRAND TOTAL	2997	7.8	80	1	3	5	9	16	24	51

587: Venous catheterization, except umbilical (38.93)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	8.9	46	2	4	5	16	19	19	19
1-11 MOS	62	9.3	84	1	2	7	14	27	31	91
1-5 YRS	241	6.1	64	1	1	3	7	14	24	45
6-12 YRS	159	6.3	73	1	1	4	8	14	20	39
13-19 YRS	123	7.7	77	1	3	5	10	16	24	45
2. MULTIPLE DX										
0-27 DYS	78	41.3	754	10	26	60	99 +	99 +	99 +	99 +
1-11 MOS	347	23.9	447	3	8	19	38	65	90	99 +
1-5 YRS	741	15.1	291	2	4	10	19	38	57	99 +
6-12 YRS	424	12.6	160	2	4	9	18	29	41	88
13-19 YRS	547	14.1	208	2	4	9	18	34	47	80
TOTAL SINGLE DX	594	6.9	72	1	2	4	9	16	25	43
TOTAL MULTIPLE DX	2137	16.8	322	2	5	11	24	47	75	99 +
TOTAL										
0-27 DYS	87	38.0	778	7	21	54	99 +	99 +	99 +	99 +
1-11 MOS	409	21.7	419	2	6	15	34	58	85	99 +
1-5 YRS	982	12.9	250	1	3	8	16	33	46	97
6-12 YRS	583	10.9	144	1	3	7	14	26	36	77
13-19 YRS	670	12.9	190	2	4	8	16	31	43	76
GRAND TOTAL	2731	14.6	284	2	4	9	20	41	65	99 +

588: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.99; 39.92; 40.19; 40.6-40.9; 41.38-41.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	12	3.8	5	1	2	3	5	7	9	9
1-5 YRS	21	4.4	18	1	2	3	5	12	14	15
6-12 YRS	15	6.7	35	1	2	5	9	16	20	21
13-19 YRS	19	4.8	23	1	1	2	8	13	16	17
2. MULTIPLE DX										
0-27 DYS	5	20.8	1074	1	4	7	29	79	79	79
1-11 MOS	36	6.6	114	1	2	3	5	11	39	48
1-5 YRS	64	7.8	98	1	2	4	13	20	24	56
6-12 YRS	60	8.1	38	1	4	7	13	17	21	92
13-19 YRS	171	5.1	15	2	3	4	6	9	14	25
TOTAL SINGLE DX	71	4.7	21	1	2	3	6	12	15	20
TOTAL MULTIPLE DX	336	6.6	63	1	3	4	7	14	20	50
TOTAL										
0-27 DYS	9	12.6	633	1	2	3	8	52	79	79
1-11 MOS	48	5.9	88	1	2	3	5	9	30	48
1-5 YRS	85	7.0	80	1	2	3	10	16	21	51
6-12 YRS	75	7.8	38	1	3	6	13	16	21	82
13-19 YRS	190	5.1	16	2	3	4	6	9	14	23
GRAND TOTAL	407	6.2	56	1	2	4	7	14	17	45

589: Operations on the esophagus (42.0-42.21; 42.24; 42.25; 42.3-42.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	8.0	36	2	3	8	12	14	14	14
1-11 MOS	50	2.9	8	< 1	1	2	4	6	7	15
1-5 YRS	70	3.2	15	< 1	1	1	3	10	13	16
6-12 YRS	65	3.6	55	< 1	1	1	3	6	12	45
13-19 YRS	33	2.9	6	1	1	2	4	7	8	11
2. MULTIPLE DX										
0-27 DYS	11	15.6	518	1	2	7	32	79	97	99 +
1-11 MOS	133	8.7	126	1	2	5	11	23	55	99 +
1-5 YRS	179	8.6	151	1	2	4	11	22	43	91
6-12 YRS	132	5.1	105	1	1	2	4	13	21	72
13-19 YRS	121	7.6	146	1	2	3	9	17	28	83
TOTAL SINGLE DX	221	3.3	25	< 1	1	1	4	7	12	27
TOTAL MULTIPLE DX	576	7.7	143	1	1	3	9	19	37	99 +
TOTAL										
0-27 DYS	14	14.0	415	1	2	7	15	70	92	99 +
1-11 MOS	183	7.1	101	1	2	4	9	20	35	99 +
1-5 YRS	249	7.1	119	1	1	3	8	17	28	73
6-12 YRS	197	4.6	89	1	1	2	4	10	21	60
13-19 YRS	154	6.6	120	1	2	3	7	15	21	77
GRAND TOTAL	**797**	**6.5**	**114**	**1**	**1**	**3**	**7**	**16**	**28**	**88**

590: Esophagoscopy and gastroscopy (42.23; 44.13)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

591: Gastrotomy and pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	570	3.1	1	2	2	3	4	5	6	8
1-11 MOS	1426	2.9	1	2	2	3	4	4	5	7
1-5 YRS	5	4.6	2	3	4	4	6	6	6	6
6-12 YRS	8	3.8	3	2	2	3	5	7	7	7
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	201	5.3	69	2	3	4	5	7	11	70
1-11 MOS	552	4.4	12	2	3	4	5	7	9	24
1-5 YRS	6	6.3	17	1	3	7	11	82	99 +	99 +
6-12 YRS	4	17.0	300	8	8	9	26	43	43	43
13-19 YRS	7	17.4	221	5	6	10	29	41	43	43
TOTAL SINGLE DX	2010	3.0	2	2	2	3	4	4	5	7
TOTAL MULTIPLE DX	770	4.8	33	2	3	4	5	7	10	43
TOTAL										
0-27 DYS	771	3.7	20	2	2	3	4	5	6	16
1-11 MOS	1978	3.3	5	2	2	3	4	5	6	11
1-5 YRS	11	5.5	10	2	3	5	8	38	91	99 +
6-12 YRS	12	8.2	127	2	3	5	8	19	40	43
13-19 YRS	8	15.8	212	4	5	9	25	40	43	43
GRAND TOTAL	**2780**	**3.5**	**11**	**2**	**2**	**3**	**4**	**5**	**6**	**13**

592: Gastrostomy (43.1-43.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
1-11 MOS	10	8.9	126	2	3	5	10	26	39	39
1-5 YRS	22	5.5	26	1	1	4	9	13	16	19
6-12 YRS	6	16.2	535	4	4	7	11	58	63	63
13-19 YRS	5	6.6	84	2	2	3	8	23	23	23
2. MULTIPLE DX										
0-27 DYS	16	28.2	339	12	19	37	99 +	99 +	99 +	99 +
1-11 MOS	115	16.7	285	3	7	12	21	60	99 +	99 +
1-5 YRS	176	13.3	226	3	4	7	17	33	56	99 +
6-12 YRS	90	15.3	219	3	5	12	22	47	75	99 +
13-19 YRS	96	17.2	288	3	6	13	24	43	85	99 +
TOTAL SINGLE DX	44	7.8	124	1	2	4	10	15	28	63
TOTAL MULTIPLE DX	493	15.7	261	3	5	11	23	50	99 +	99 +
TOTAL										
0-27 DYS	17	26.6	362	11	18	35	99 +	99 +	99 +	99 +
1-11 MOS	125	16.0	276	3	6	11	21	55	98	99 +
1-5 YRS	198	12.4	210	2	4	7	15	31	52	99 +
6-12 YRS	96	15.4	234	3	5	11	22	48	73	99 +
13-19 YRS	101	16.7	283	3	6	13	24	39	85	99 +
GRAND TOTAL	**537**	**15.0**	**254**	**3**	**5**	**10**	**22**	**49**	**90**	**99 +**

593: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	10.3	254	1	1	3	19	34	34	34
1-5 YRS	7	2.3	4	1	1	1	3	6	6	6
6-12 YRS	9	3.6	5	1	1	4	5	7	7	7
13-19 YRS	19	5.3	12	2	3	5	7	9	13	16
2. MULTIPLE DX										
0-27 DYS	2	13.0	128	5	5	13	21	21	21	21
1-11 MOS	14	8.1	25	3	4	6	13	14	16	16
1-5 YRS	27	8.2	164	1	2	4	9	18	26	66
6-12 YRS	35	4.6	13	1	2	4	6	8	13	17
13-19 YRS	75	5.4	19	1	3	5	6	11	14	22
TOTAL SINGLE DX	39	4.9	32	1	1	4	6	8	13	34
TOTAL MULTIPLE DX	153	6.1	46	1	3	4	7	13	18	22
TOTAL										
0-27 DYS	2	13.0	128	5	5	13	21	21	21	21
1-11 MOS	18	8.6	65	2	3	5	13	15	27	34
1-5 YRS	34	7.0	136	1	1	3	9	18	19	66
6-12 YRS	44	4.4	12	1	2	4	6	7	12	17
13-19 YRS	94	5.4	18	1	3	5	6	11	14	22
GRAND TOTAL	**192**	**5.8**	**43**	**1**	**2**	**4**	**7**	**13**	**17**	**29**

594: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	6.0	38	2	2	3	10	16	17	17
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS	4	12.3	29	7	8	14	39	99+	99+	99+
6-12 YRS	2	11.5	41	7	7	11	16	16	16	16
13-19 YRS	11	11.5	118	6	7	8	9	24	42	44
TOTAL SINGLE DX	7	5.7	33	2	2	3	8	16	17	17
TOTAL MULTIPLE DX	19	11.4	76	6	7	9	14	31	72	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	3	7.3	33	4	4	4	12	14	14	14
1-5 YRS	4	12.3	29	7	8	14	39	99+	99+	99+
6-12 YRS	2	11.5	41	7	7	11	16	16	16	16
13-19 YRS	17	9.5	93	2	5	8	9	16	35	44
GRAND TOTAL	**26**	**9.8**	**69**	**2**	**6**	**8**	**13**	**19**	**52**	**99+**

595: Total gastrectomy (43.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
TOTAL SINGLE DX	0									
TOTAL MULTIPLE DX	1	10.0		10	10	10	10	10	10	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**1**	**10.0**		**10**	**10**	**10**	**10**	**10**	**10**	**10**

596: Vagotomy and pyloroplasty (44.0; 44.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	10	3.5	1	2	3	3	4	5	6	6
1-11 MOS	13	3.3	5	1	2	3	4	7	9	10
1-5 YRS	4	3.5	9	1	1	3	6	7	7	7
6-12 YRS	6	10.3	86	4	6	7	9	27	29	29
13-19 YRS	8	6.8	9	3	4	6	8	12	13	13
2. MULTIPLE DX										
0-27 DYS	4	20.3	359	2	4	20	36	39	39	39
1-11 MOS	19	6.0	13	2	3	5	9	12	12	12
1-5 YRS	5	12.6	109	5	7	9	15	31	31	31
6-12 YRS	9	8.1	11	5	6	8	9	14	16	16
13-19 YRS	8	16.8	266	4	5	15	33	81	99+	99+
TOTAL SINGLE DX	41	5.1	22	2	3	4	6	9	11	29
TOTAL MULTIPLE DX	45	10.3	111	2	5	7	11	31	42	99+
TOTAL										
0-27 DYS	14	8.3	145	2	3	4	6	34	38	39
1-11 MOS	32	4.9	12	1	2	4	7	11	12	12
1-5 YRS	9	8.6	81	1	4	7	9	23	31	31
6-12 YRS	15	9.0	39	5	6	7	9	16	26	29
13-19 YRS	16	11.8	156	4	5	8	16	47	83	99+
GRAND TOTAL	**86**	**7.8**	**74**	**2**	**3**	**5**	**8**	**16**	**31**	**82**

597: Miscellaneous operations on stomach (44.11; 44.3-44.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	65	9.5	184	1	4	6	9	16	30	87
1-5 YRS	95	6.6	74	1	3	5	7	10	17	55
6-12 YRS	28	7.5	67	1	4	6	8	18	46	99+
13-19 YRS	52	6.6	5	4	5	6	8	9	11	14
2. MULTIPLE DX										
0-27 DYS	18	37.1	687	14	32	86	99+	99+	99+	99+
1-11 MOS	374	19.0	330	5	7	13	28	65	99+	99+
1-5 YRS	574	14.5	224	4	6	9	17	36	53	99+
6-12 YRS	238	14.8	153	5	7	11	20	36	51	99+
13-19 YRS	212	15.3	242	5	7	9	19	33	59	90+
TOTAL SINGLE DX	241	7.5	88	1	4	6	8	11	20	79
TOTAL MULTIPLE DX	1416	16.2	258	5	7	11	21	45	77	99+
TOTAL										
0-27 DYS	19	35.5	700	11	32	80	99+	99+	99+	99+
1-11 MOS	439	17.6	320	5	7	12	25	59	99+	99+
1-5 YRS	669	13.4	211	3	6	8	16	33	50	99+
6-12 YRS	266	14.1	149	5	7	10	19	35	50	99+
13-19 YRS	264	13.6	208	5	6	8	14	30	55	99
GRAND TOTAL	1657	14.9	242	4	6	9	19	42	70	99+

598: Local excision or destruction of intestinal lesion or tissue (45.14-45.16; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	6.8	23	2	3	6	9	14	16	16
1-11 MOS	48	5.6	24	1	3	5	7	9	12	33
1-5 YRS	122	3.9	12	1	1	3	5	8	12	18
6-12 YRS	110	4.4	28	1	1	3	5	8	12	32
13-19 YRS	147	5.0	14	1	2	4	7	10	12	17
2. MULTIPLE DX										
0-27 DYS	12	14.0	226	3	6	8	22	60	92	99+
1-11 MOS	125	9.3	128	2	4	6	9	23	25	70
1-5 YRS	219	8.1	99	1	2	5	10	18	23	69
6-12 YRS	192	6.2	54	1	2	4	7	12	17	42
13-19 YRS	366	7.2	54	2	3	5	8	14	20	37
TOTAL SINGLE DX	436	4.6	19	1	2	3	6	9	12	21
TOTAL MULTIPLE DX	914	7.6	79	2	3	5	8	16	24	52
TOTAL										
0-27 DYS	21	10.9	147	2	4	7	14	42	70	99+
1-11 MOS	173	8.3	102	2	3	6	8	17	24	62
1-5 YRS	341	6.6	72	1	2	4	8	14	21	58
6-12 YRS	302	5.5	46	1	2	4	6	11	17	41
13-19 YRS	513	6.5	44	2	3	5	8	12	17	37
GRAND TOTAL	1350	6.6	61	1	2	5	7	13	20	46

599: Resection of small intestine (45.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	15.2	347	2	4	9	17	48	58	58
1-11 MOS	19	7.7	12	4	6	7	8	13	16	18
1-5 YRS	22	7.8	9	5	6	7	9	12	15	17
6-12 YRS	14	7.8	2	6	6	8	9	10	10	10
13-19 YRS	30	9.3	61	5	6	8	9	12	14	49
2. MULTIPLE DX										
0-27 DYS	51	34.1	735	8	17	69	99+	99+	99+	99+
1-11 MOS	70	20.7	547	6	8	12	55	99+	99+	99+
1-5 YRS	66	13.8	142	5	7	9	18	32	40	96
6-12 YRS	90	16.8	253	6	7	10	23	43	74	99+
13-19 YRS	130	16.2	257	6	8	10	17	43	49	85
TOTAL SINGLE DX	94	8.9	59	5	6	7	9	12	16	54
TOTAL MULTIPLE DX	407	19.0	381	6	8	12	39	99+	99+	99+
TOTAL										
0-27 DYS	60	31.2	717	7	15	57	99+	99+	99+	99+
1-11 MOS	89	17.9	460	5	7	10	28	99+	99+	99+
1-5 YRS	88	12.3	116	5	7	8	16	26	36	90
6-12 YRS	104	15.6	229	6	7	9	20	42	69	99+
13-19 YRS	160	14.9	227	6	7	9	15	36	48	82
GRAND TOTAL	501	17.1	335	6	7	10	28	98	99+	99+

600: Colectomy (45.7-45.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	7.2	2	5	6	7	8	9	9	9
1-11 MOS	28	7.4	20	4	5	6	8	11	14	27
1-5 YRS	23	8.9	32	4	6	7	9	20	23	24
6-12 YRS	23	8.7	5	6	7	8	11	11	13	14
13-19 YRS	71	10.0	32	5	7	8	12	15	20	38
2. MULTIPLE DX										
0-27 DYS	19	34.6	462	11	18	42	85	99+	99+	99+
1-11 MOS	70	15.5	340	5	7	9	15	69	98	99+
1-5 YRS	48	16.2	282	5	7	10	16	48	69	99+
6-12 YRS	49	17.6	257	7	8	11	21	40	52	99+
13-19 YRS	186	14.5	104	6	8	11	17	29	37	62
TOTAL SINGLE DX	151	9.0	26	5	6	8	10	14	19	32
TOTAL MULTIPLE DX	372	16.3	226	6	8	11	20	42	72	99+
TOTAL										
0-27 DYS	25	28.0	491	7	9	36	69	99+	99+	99+
1-11 MOS	98	13.2	261	5	6	8	13	42	85	99+
1-5 YRS	71	13.8	212	5	7	8	13	30	55	95
6-12 YRS	72	14.7	193	6	8	10	17	31	45	99
13-19 YRS	257	13.2	88	6	8	10	15	28	34	54
GRAND TOTAL	523	14.2	179	6	7	10	16	34	53	99+

601: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	14	7.1	14	4	5	6	8	12	16	17
1-11 MOS	19	8.6	52	3	4	6	10	19	27	32
1-5 YRS	8	5.9	13	2	3	5	8	12	13	13
6-12 YRS	4	5.5	12	2	2	5	8	9	9	9
13-19 YRS	7	6.1	3	4	4	7	8	8	8	8
2. MULTIPLE DX										
0-27 DYS	26	22.3	638	5	8	16	82	99+	99+	99+
1-11 MOS	20	21.0	405	5	6	15	34	64	88	99+
1-5 YRS	18	14.6	391	4	6	9	12	30	66	88
6-12 YRS	19	20.1	686	4	5	8	27	67	85	91
13-19 YRS	27	16.4	253	4	7	12	20	24	55	79
TOTAL SINGLE DX	52	7.2	27	3	4	6	8	12	17	32
TOTAL MULTIPLE DX	110	19.0	461	5	6	11	24	79	99+	99+
TOTAL										
0-27 DYS	40	17.0	468	5	6	9	39	99+	99+	99+
1-11 MOS	39	14.9	267	4	5	8	19	44	66	99+
1-5 YRS	26	11.9	286	3	5	7	11	21	45	88
6-12 YRS	23	17.5	595	3	5	8	11	56	83	91
13-19 YRS	34	14.3	218	4	6	10	17	24	46	79
GRAND TOTAL	**162**	**15.2**	**350**	**4**	**6**	**9**	**18**	**54**	**92**	**99+**

602: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	9.3	22	4	6	9	12	16	19	19
1-11 MOS	269	4.8	8	2	3	4	6	8	9	14
1-5 YRS	170	5.4	7	2	3	6	7	9	10	12
6-12 YRS	40	7.0	20	4	5	6	7	9	14	30
13-19 YRS	85	7.4	11	4	6	7	8	10	13	24
2. MULTIPLE DX										
0-27 DYS	72	20.3	318	6	8	15	28	51	73	99+
1-11 MOS	401	10.2	174	3	4	6	9	20	40	86
1-5 YRS	313	8.7	70	4	5	7	9	15	20	73
6-12 YRS	114	12.3	132	5	6	9	13	30	49	99+
13-19 YRS	244	11.4	100	5	6	8	12	21	35	64
TOTAL SINGLE DX	576	5.6	11	2	3	5	7	9	11	19
TOTAL MULTIPLE DX	1144	10.9	142	4	5	7	11	21	39	88
TOTAL										
0-27 DYS	84	18.7	291	5	8	13	25	50	59	99+
1-11 MOS	670	8.0	115	2	3	6	8	13	24	70
1-5 YRS	483	7.6	51	3	5	6	8	11	16	54
6-12 YRS	154	10.9	108	4	6	8	11	20	44	97
13-19 YRS	329	10.4	81	5	6	8	10	19	29	61
GRAND TOTAL	**1720**	**9.1**	**104**	**3**	**5**	**7**	**9**	**16**	**29**	**68**

603: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	6.2	9	1	6	6	8	10	10	10
1-11 MOS	27	8.3	55	4	4	7	9	12	17	43
1-5 YRS	20	7.0	12	4	5	6	8	13	15	16
6-12 YRS	9	8.7	67	3	5	7	8	22	30	30
13-19 YRS	10	6.9	11	2	4	7	9	11	13	13
2. MULTIPLE DX										
0-27 DYS	36	17.0	389	6	7	11	24	92	99+	99+
1-11 MOS	43	14.8	167	5	7	11	19	51	99+	99+
1-5 YRS	44	14.7	159	4	6	11	17	38	44	99+
6-12 YRS	45	17.9	340	5	7	12	27	66	99+	99+
13-19 YRS	56	15.1	200	6	8	12	19	32	75	99+
TOTAL SINGLE DX	72	7.6	34	4	5	6	9	12	13	40
TOTAL MULTIPLE DX	224	15.8	242	5	7	12	21	39	99+	99+
TOTAL										
0-27 DYS	42	15.5	348	5	7	9	20	81	99+	99+
1-11 MOS	70	12.3	133	4	5	8	16	37	61	99+
1-5 YRS	64	12.3	126	4	5	8	15	35	38	94
6-12 YRS	54	16.4	305	5	6	10	25	44	98	99+
13-19 YRS	66	13.8	180	5	7	10	16	31	45	99+
GRAND TOTAL	**296**	**13.8**	**204**	**4**	**6**	**9**	**17**	**37**	**82**	**99+**

604: Appendectomy (47.0; 47.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	17	5.1	22	2	2	3	6	11	17	20
1-5 YRS	800	4.9	9	2	3	4	7	9	11	15
6-12 YRS	6167	3.6	5	2	2	3	4	7	8	11
13-19 YRS	8389	3.3	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	18	7.5	55	3	4	5	7	15	28	34
1-5 YRS	497	7.8	35	3	4	7	10	13	17	30
6-12 YRS	1998	5.8	23	2	3	5	7	11	14	24
13-19 YRS	2859	5.2	16	2	3	4	6	9	12	22
TOTAL SINGLE DX	15373	3.5	5	2	2	3	4	6	8	11
TOTAL MULTIPLE DX	5372	5.7	22	2	3	4	7	10	13	24
TOTAL										
0-27 DYS	0									
1-11 MOS	35	6.3	40	2	3	5	7	12	19	34
1-5 YRS	1297	6.0	21	2	3	5	8	11	13	22
6-12 YRS	8165	4.2	11	2	2	3	5	8	10	16
13-19 YRS	11248	3.8	7	2	2	3	4	6	8	14
GRAND TOTAL	**20745**	**4.1**	**10**	**2**	**2**	**3**	**5**	**7**	**10**	**15**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	7.0	1	5	6	7	8	9	9	9
6-12 YRS	19	5.9	4	3	5	5	8	9	10	10
13-19 YRS	16	7.3	27	3	4	5	10	13	19	22
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	8.3	12	4	6	8	10	14	14	14
6-12 YRS	15	10.1	28	5	6	9	13	16	22	24
13-19 YRS	20	11.5	126	5	7	8	12	17	37	56
TOTAL SINGLE DX	44	6.6	12	3	4	6	8	10	12	22
TOTAL MULTIPLE DX	41	10.5	73	5	7	8	12	16	21	56
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	14	7.6	6	5	6	7	8	10	13	14
6-12 YRS	34	7.7	19	3	5	7	9	13	16	24
13-19 YRS	36	9.6	85	3	5	8	11	16	21	56
GRAND TOTAL	**85**	**8.5**	**45**	**4**	**5**	**7**	**9**	**14**	**17**	**45**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	6.5	4	4	5	7	8	9	9	9
1-11 MOS	41	4.0	40	<1	1	2	4	9	12	39
1-5 YRS	61	3.3	8	<1	1	2	4	8	10	12
6-12 YRS	33	4.0	18	1	1	3	6	9	9	23
13-19 YRS	20	3.0	4	1	1	3	5	6	7	7
2. MULTIPLE DX										
0-27 DYS	24	12.3	235	4	5	7	12	32	47	73
1-11 MOS	73	8.3	112	2	3	5	8	22	30	59
1-5 YRS	62	6.2	39	1	2	5	7	11	22	30
6-12 YRS	46	6.0	41	1	2	4	8	13	21	32
13-19 YRS	41	8.4	92	1	3	7	10	17	30	48
TOTAL SINGLE DX	166	3.8	18	<1	1	2	5	8	9	21
TOTAL MULTIPLE DX	246	7.7	91	1	3	5	8	17	29	49
TOTAL										
0-27 DYS	35	10.5	168	4	5	7	9	15	35	73
1-11 MOS	114	6.7	90	1	2	4	7	13	29	48
1-5 YRS	123	4.8	26	<1	2	3	6	9	12	29
6-12 YRS	79	5.2	32	1	2	3	6	11	19	29
13-19 YRS	61	6.6	69	1	2	4	8	12	21	47
GRAND TOTAL	**412**	**6.2**	**65**	**1**	**2**	**4**	**7**	**12**	**22**	**40**

607: Proctotomy, perirectal incision and excision (48.0; 48.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	34	2.5	5	1	1	2	3	4	8	12
1-5 YRS	11	2.7	10	<1	1	1	2	9	11	11
6-12 YRS	6	2.0	1	<1	1	2	3	4	4	4
13-19 YRS	43	3.4	9	1	1	3	4	6	7	20
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	12	6.3	136	1	2	3	5	17	39	43
1-5 YRS	16	4.2	17	1	1	3	5	10	14	15
6-12 YRS	13	8.5	158	2	2	3	8	24	42	46
13-19 YRS	49	6.5	183	1	2	3	6	14	16	95
TOTAL SINGLE DX	96	2.9	8	1	1	2	4	5	7	16
TOTAL MULTIPLE DX	90	6.3	142	1	2	3	5	15	18	75
TOTAL										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	46	3.5	40	1	1	2	3	5	10	43
1-5 YRS	27	3.6	14	1	1	2	5	10	12	15
6-12 YRS	19	6.4	115	1	2	3	4	18	33	46
13-19 YRS	92	5.0	104	1	2	3	5	8	15	63
GRAND TOTAL	**186**	**4.6**	**75**	**1**	**1**	**3**	**4**	**8**	**15**	**45**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	72	7.1	4	5	6	7	8	10	11	12
1-5 YRS	45	10.4	78	4	7	9	12	15	19	62
6-12 YRS	15	7.0	9	4	5	6	9	11	13	14
13-19 YRS	13	9.2	8	6	7	9	11	13	14	14
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	78	9.4	51	5	7	8	10	13	16	51
1-5 YRS	113	9.7	29	5	7	8	11	17	21	32
6-12 YRS	22	15.1	226	6	7	10	14	31	53	72
13-19 YRS	33	12.2	24	7	9	11	16	19	23	24
TOTAL SINGLE DX	145	8.3	30	5	6	7	9	12	13	25
TOTAL MULTIPLE DX	247	10.4	55	5	7	9	11	17	22	44
TOTAL										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	150	8.3	30	5	6	7	9	12	13	44
1-5 YRS	158	9.9	43	4	7	8	11	17	21	37
6-12 YRS	37	11.8	152	4	6	9	13	19	35	72
13-19 YRS	46	11.3	22	7	8	10	13	18	21	24
GRAND TOTAL	**392**	**9.6**	**47**	**5**	**7**	**8**	**11**	**14**	**19**	**42**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	85	2.4	4	1	1	1	3	6	7	11
1-5 YRS	185	2.2	4	1	1	1	3	5	7	11
6-12 YRS	153	3.1	7	1	1	2	4	6	8	14
13-19 YRS	259	3.6	7	1	2	3	5	7	9	13
2. MULTIPLE DX										
0-27 DYS	16	6.0	75	1	1	4	7	8	28	37
1-11 MOS	183	5.7	27	1	2	4	7	13	15	28
1-5 YRS	321	5.9	69	1	2	3	7	14	21	38
6-12 YRS	317	5.9	78	1	2	4	7	12	17	56
13-19 YRS	877	5.7	52	1	2	4	6	11	16	56
TOTAL SINGLE DX	685	2.9	6	1	1	2	4	6	8	13
TOTAL MULTIPLE DX	1714	5.8	58	1	2	4	7	12	17	41
TOTAL										
0-27 DYS	19	5.3	66	1	1	3	7	8	24	37
1-11 MOS	268	4.7	23	1	1	3	6	10	14	26
1-5 YRS	506	4.5	49	1	1	2	5	10	17	33
6-12 YRS	470	5.0	57	1	2	3	6	10	14	38
13-19 YRS	1136	5.2	43	1	2	3	6	10	15	42
GRAND TOTAL	**2399**	**5.0**	**45**	**1**	**2**	**3**	**6**	**10**	**15**	**36**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	23	1.5	4	<1	<1	1	1	2	5	11
1-5 YRS	6	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	19	1.5		<1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	13	1.8	1	<1	1	1	3	4	4	4
1-5 YRS	4	18.0	574	2	2	8	33	53	53	53
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	18	6.9	152	1	2	3	5	17	40	53
TOTAL SINGLE DX	50	1.4	2	<1	1	1	1	2	3	11
TOTAL MULTIPLE DX	40	5.8	134	1	1	2	4	12	36	53
TOTAL										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	36	1.6	3	<1	<1	1	1	3	4	11
1-5 YRS	10	7.8	268	<1	1	1	3	33	53	53
6-12 YRS	3	2.3	5	1	1	1	4	5	5	5
13-19 YRS	37	4.1	80	1	1	2	3	6	16	53
GRAND TOTAL	**90**	**3.4**	**65**	**<1**	**1**	**1**	**3**	**5**	**11**	**53**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.2	4	<1	1	1	3	6	6	6
1-5 YRS	11	1.1		<1	<1	1	1	2	2	2
6-12 YRS	4	1.8	2	<1	<1	1	2	4	4	4
13-19 YRS	25	1.7		<1	1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	7	5.1	35	<1	1	2	8	15	17	17
6-12 YRS	1	46.0		46	46	46	46	46	46	46
13-19 YRS	15	2.8	5	1	1	2	4	7	8	8
TOTAL SINGLE DX	47	1.6	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	25	5.0	86	<1	1	2	4	9	24	46
TOTAL										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.9	3	<1	<1	1	2	5	6	6
1-5 YRS	18	2.7	17	<1	<1	1	2	7	14	17
6-12 YRS	5	10.6	393	<1	<1	1	14	46	46	46
13-19 YRS	40	2.1	3	1	1	2	3	4	6	8
GRAND TOTAL	**72**	**2.8**	**33**	**<1**	**1**	**1**	**2**	**5**	**8**	**40**

612: Hemorrhoidectomy (49.43-49.46; 49.49)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	11	3.2	1	1	2	3	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	29	2.5	2	1	1	2	3	5	5	8
TOTAL SINGLE DX	14	2.8	2	1	2	3	4	4	5	5
TOTAL MULTIPLE DX	32	2.6	3	1	1	2	3	5	7	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	40	2.7	2	1	2	3	4	5	5	8
GRAND TOTAL	**46**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47; 49.5-49.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	17	3.6	12	<1	1	2	5	7	12	15
1-11 MOS	88	3.1	6	1	1	2	4	6	9	12
1-5 YRS	69	3.5	9	1	1	3	4	7	10	17
6-12 YRS	32	5.2	16	1	2	4	8	10	11	18
13-19 YRS	46	2.5	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-27 DYS	17	4.2	10	1	1	3	6	9	10	11
1-11 MOS	109	5.0	13	1	2	4	7	9	11	18
1-5 YRS	88	7.1	63	2	3	5	9	13	18	50
6-12 YRS	31	8.6	89	2	3	5	8	23	33	35
13-19 YRS	59	4.4	11	1	2	3	6	9	11	17
TOTAL SINGLE DX	252	3.4	9	1	1	2	4	7	10	15
TOTAL MULTIPLE DX	304	5.8	37	1	2	4	8	11	17	32
TOTAL										
0-27 DYS	34	3.9	11	<1	1	3	5	8	11	15
1-11 MOS	197	4.2	11	1	2	3	6	8	10	17
1-5 YRS	157	5.5	43	1	2	3	7	11	15	30
6-12 YRS	63	6.9	54	1	2	4	8	19	23	35
13-19 YRS	105	3.6	9	1	1	3	5	7	9	16
GRAND TOTAL	**556**	**4.7**	**25**	**1**	**2**	**3**	**6**	**9**	**13**	**22**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	11.0	39	6	7	9	16	18	18	18
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	2	18.0	32	14	14	18	22	22	22	22
6-12 YRS	11	19.0	143	7	9	16	26	36	45	46
13-19 YRS	17	17.8	274	4	7	10	26	46	51	54
TOTAL SINGLE DX	6	8.3	36	2	3	7	12	17	18	18
TOTAL MULTIPLE DX	31	18.1	196	6	8	13	24	45	46	54
TOTAL										
0-27 DYS	0									
1-11 MOS	2	8.0	72	2	2	8	14	14	14	14
1-5 YRS	3	16.0	28	12	12	14	20	22	22	22
6-12 YRS	12	17.7	152	5	8	14	25	34	44	46
13-19 YRS	20	16.8	242	4	7	10	20	45	50	54
GRAND TOTAL	**37**	**16.5**	**182**	**4**	**8**	**12**	**22**	**43**	**46**	**54**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	10	12.6	568	1	1	3	6	51	77	77
1-11 MOS	65	4.4	19	1	1	3	6	12	14	20
1-5 YRS	92	4.6	63	1	1	2	5	9	14	49
6-12 YRS	56	4.6	35	1	1	2	7	9	17	34
13-19 YRS	77	3.3	20	1	1	2	3	9	14	24
2. MULTIPLE DX										
0-27 DYS	7	7.1	26	3	5	7	38	99+	99+	99+
1-11 MOS	145	12.8	263	1	3	7	18	51	79	99+
1-5 YRS	242	17.2	422	1	2	9	24	50	64	99+
6-12 YRS	138	15.7	290	1	2	10	24	43	60	99+
13-19 YRS	216	13.5	243	1	3	9	18	32	52	96
TOTAL SINGLE DX	300	4.5	55	1	1	2	5	10	15	35
TOTAL MULTIPLE DX	748	14.9	315	1	3	9	21	44	64	99+
TOTAL										
0-27 DYS	17	10.4	337	1	2	6	15	91	99+	99+
1-11 MOS	210	10.2	203	1	2	5	14	32	55	99+
1-5 YRS	334	13.7	355	1	2	6	19	39	59	99
6-12 YRS	194	12.5	242	1	2	7	19	35	56	99+
13-19 YRS	293	10.8	204	1	2	7	14	26	37	94
GRAND TOTAL	**1048**	**11.9**	**262**	**1**	**2**	**6**	**16**	**34**	**56**	**99+**

616: Cholecystectomy (51.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	4	8.3	61	1	1	8	15	16	16	16
6-12 YRS	4	6.0	6	3	4	6	8	9	9	9
13-19 YRS	754	4.4	3	3	3	4	5	7	8	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	14.2	107	2	6	14	17	29	38	38
1-5 YRS	10	10.8	54	1	8	9	15	22	26	26
6-12 YRS	6	7.5	1	6	7	7	8	9	9	9
13-19 YRS	719	6.4	18	3	4	5	8	11	13	23
TOTAL SINGLE DX	764	4.4	4	3	3	4	5	7	8	12
TOTAL MULTIPLE DX	745	6.6	21	3	4	5	8	11	14	25
TOTAL										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	11	13.6	100	3	6	14	17	27	37	38
1-5 YRS	14	10.1	54	1	2	9	15	19	24	26
6-12 YRS	10	6.9	3	4	6	7	8	9	9	9
13-19 YRS	1473	5.4	12	3	3	5	6	9	11	18
GRAND TOTAL	**1509**	**5.5**	**13**	**3**	**3**	**5**	**6**	**9**	**11**	**19**

617: Percutaneous operations on biliary tract (51.96; 51.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2	19.5	545	3	3	19	36	36	36	36
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	7	7.0	16	2	3	8	10	12	13	13
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	3	13.7	374	2	2	3	28	36	36	36
TOTAL MULTIPLE DX	10	7.4	21	1	3	8	10	13	14	14
TOTAL										
0-27 DYS	0									
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	7	7.0	17	2	3	8	10	12	13	13
6-12 YRS	2	6.0	32	2	2	6	10	10	10	10
13-19 YRS	3	13.3	386	1	1	3	28	36	36	36
GRAND TOTAL	**13**	**8.8**	**86**	**2**	**3**	**8**	**11**	**18**	**33**	**36**

618: Endoscopic retrograde cholangiopancreatographic procedures (ERCP) (51.97; 52.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	10	10.1	205	< 1	3	5	11	32	49	49
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	3	7.7	133	1	1	1	16	21	21	21
6-12 YRS	8	5.5	40	1	1	2	9	16	18	18
13-19 YRS	33	10.5	156	1	3	6	14	22	31	65
TOTAL SINGLE DX	12	8.6	181	< 1	1	5	8	25	46	49
TOTAL MULTIPLE DX	46	9.1	129	1	2	4	12	21	26	65
TOTAL										
0-27 DYS	0									
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	3	7.7	133	1	1	1	16	21	21	21
6-12 YRS	10	4.6	35	1	1	2	7	15	18	18
13-19 YRS	43	10.4	163	1	3	5	13	22	38	65
GRAND TOTAL	**58**	**9.0**	**137**	**1**	**2**	**5**	**12**	**20**	**29**	**64**

619: Miscellaneous operations on biliary tract (51.01-51.13; 51.31-51.95; 51.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	6.8		6	6	7	7	7	7	7
1-11 MOS	36	11.8	30	5	9	11	14	19	21	31
1-5 YRS	13	8.9	40	3	6	7	10	18	24	26
6-12 YRS	7	7.3	4	4	5	8	9	10	10	10
13-19 YRS	5	6.8	7	4	5	6	9	11	11	11
2. MULTIPLE DX										
0-27 DYS	9	26.1	712	6	13	22	29	97	99 +	99 +
1-11 MOS	55	17.6	157	8	10	14	21	36	47	60
1-5 YRS	13	18.8	191	6	10	15	23	41	51	53
6-12 YRS	16	17.8	131	8	12	16	19	32	46	51
13-19 YRS	19	11.4	66	2	5	10	15	26	27	27
TOTAL SINGLE DX	65	10.0	29	5	7	9	13	16	20	30
TOTAL MULTIPLE DX	112	17.4	190	6	9	14	22	36	51	96
TOTAL										
0-27 DYS	13	20.2	561	6	7	15	24	95	99	99 +
1-11 MOS	91	15.3	114	7	9	12	17	27	40	58
1-5 YRS	26	13.8	136	4	7	10	17	26	41	53
6-12 YRS	23	14.6	116	5	8	12	18	27	39	51
13-19 YRS	24	10.5	57	3	5	8	14	25	26	27
GRAND TOTAL	**177**	**14.7**	**143**	**5**	**8**	**12**	**17**	**26**	**39**	**84**

620: Operations on pancreas, except ERCP (52.01-52.12; 52.2-52.83; 52.92-52.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	0									
1-5 YRS	2	10.5	25	7	7	10	14	14	14	14
6-12 YRS	3	6.7	6	4	5	7	8	9	9	9
13-19 YRS	4	11.5	30	6	7	11	16	18	18	18
2. MULTIPLE DX										
0-27 DYS	4	29.3	141	14	20	30	38	42	42	42
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	10.7	69	2	5	9	12	25	26	26
6-12 YRS	4	27.3	273	11	13	28	41	42	42	42
13-19 YRS	26	23.0	302	9	11	18	29	48	60	81
TOTAL SINGLE DX	10	9.6	19	5	7	8	14	16	18	18
TOTAL MULTIPLE DX	41	21.9	263	8	11	16	29	42	52	81
TOTAL										
0-27 DYS	5	25.2	188	9	13	27	36	42	42	42
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	10.6	53	3	6	9	13	22	26	26
6-12 YRS	7	18.4	260	5	7	11	34	42	42	42
13-19 YRS	30	21.5	280	8	11	16	27	43	55	81
GRAND TOTAL	**51**	**19.5**	**238**	**6**	**9**	**14**	**27**	**41**	**49**	**81**

621: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	3.7	6	2	2	3	4	8	10	10
1-11 MOS	89	2.7	7	1	1	1	3	7	8	13
1-5 YRS	89	2.0	2	1	1	1	2	4	6	9
6-12 YRS	72	3.9	29	1	1	2	4	12	14	84
13-19 YRS	120	3.7	7	1	2	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	33	4.1	18	1	2	3	5	7	13	22
1-11 MOS	166	6.1	50	1	2	4	8	12	16	38
1-5 YRS	158	5.2	60	1	1	3	5	12	21	47
6-12 YRS	116	5.3	52	1	1	3	6	13	17	42
13-19 YRS	201	5.7	53	1	2	4	6	11	16	46
TOTAL SINGLE DX	379	3.1	11	1	1	2	4	7	9	16
TOTAL MULTIPLE DX	674	5.6	52	1	2	3	6	12	16	43
TOTAL										
0-27 DYS	42	4.0	15	1	2	3	5	7	12	22
1-11 MOS	255	4.9	38	1	1	3	7	11	15	25
1-5 YRS	247	4.1	42	1	1	2	4	9	15	42
6-12 YRS	188	4.8	44	1	1	2	5	12	16	45
13-19 YRS	321	5.0	37	1	2	4	6	9	13	40
GRAND TOTAL	**1053**	**4.7**	**39**	**1**	**1**	**3**	**5**	**10**	**14**	**39**

622: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	37	1.5	1	< 1	1	1	1	4	4	5
1-11 MOS	768	1.3		< 1	1	1	1	2	3	4
1-5 YRS	619	1.2	1	< 1	< 1	1	1	2	2	4
6-12 YRS	316	1.1		< 1	< 1	< 1	1	2	2	3
13-19 YRS	565	1.4		< 1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	35	8.7	361	1	1	2	17	99 +	99 +	99 +
1-11 MOS	771	2.7	49	< 1	1	1	2	4	6	58
1-5 YRS	596	1.7	6	< 1	< 1	1	2	3	4	10
6-12 YRS	230	1.8	13	< 1	< 1	1	2	2	4	31
13-19 YRS	265	2.0	5	1	1	1	2	4	5	16
TOTAL SINGLE DX	2305	1.3	1	< 1	< 1	1	1	2	3	4
TOTAL MULTIPLE DX	1897	2.3	32	< 1	1	1	2	3	6	57
TOTAL										
0-27 DYS	72	5.0	187	1	1	1	3	63	99 +	99 +
1-11 MOS	1539	2.0	25	< 1	1	1	2	3	5	13
1-5 YRS	1215	1.4	4	< 1	< 1	1	1	2	3	7
6-12 YRS	546	1.4	6	< 1	< 1	1	1	2	3	9
13-19 YRS	830	1.6	2	< 1	1	1	2	3	3	6
GRAND TOTAL	**4202**	**1.7**	**15**	**<1**	**<1**	**1**	**2**	**2**	**4**	**13**

623: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	63	1.5		1	1	1	2	3	4	87
1-11 MOS	1318	1.2		< 1	1	1	1	2	2	4
1-5 YRS	248	1.5	19	< 1	< 1	< 1	1	2	2	5
6-12 YRS	60	1.2		< 1	< 1	1	1	2	2	4
13-19 YRS	42	1.7		< 1	1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	85	26.8	1238	1	2	48	99 +	99 +	99 +	99 +
1-11 MOS	1626	3.1	83	1	1	1	2	4	8	72
1-5 YRS	251	2.1	34	< 1	< 1	1	2	3	5	59
6-12 YRS	45	8.1	378	< 1	1	1	2	27	63	91
13-19 YRS	34	4.9	57	1	1	2	4	11	22	39
TOTAL SINGLE DX	1731	1.3	3	< 1	1	1	1	2	2	4
TOTAL MULTIPLE DX	2041	4.1	154	< 1	1	1	2	6	35	99 +
TOTAL										
0-27 DYS	148	16.1	866	1	1	2	82	99 +	99 +	99 +
1-11 MOS	2944	2.3	47	< 1	1	1	2	3	5	47
1-5 YRS	499	1.8	27	< 1	< 1	1	1	2	3	22
6-12 YRS	105	4.1	172	< 1	< 1	1	1	2	21	82
13-19 YRS	76	3.1	28	< 1	1	2	3	4	10	35
GRAND TOTAL	**3772**	**2.8**	**87**	**<1**	**1**	**1**	**2**	**3**	**7**	**99 +**

624: Repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	3.0	12	< 1	< 1	1	4	9	9	9
6-12 YRS	3	1.3		< 1	< 1	1	2	2	2	2
13-19 YRS	6	1.5		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	7	7.0	61	1	1	3	14	19	19	19
13-19 YRS	6	2.5	1	1	2	2	3	4	4	4
TOTAL SINGLE DX	15	1.9	4	< 1	< 1	1	2	3	8	9
TOTAL MULTIPLE DX	14	4.6	35	1	1	2	4	17	19	19
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	2.7	10	< 1	< 1	1	3	8	9	9
6-12 YRS	10	5.3	48	< 1	1	2	7	18	19	19
13-19 YRS	12	2.0	1	< 1	1	2	3	4	4	4
GRAND TOTAL	**29**	**3.2**	**20**	**<1**	**1**	**1**	**3**	**8**	**17**	**19**

625: Repair of umbilical hernia (53.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	7.1	77	1	2	3	9	22	29	29
1-11 MOS	47	1.4	1	< 1	< 1	1	1	3	4	5
1-5 YRS	184	1.3		< 1	< 1	1	1	2	3	6
6-12 YRS	92	1.3		< 1	< 1	1	1	2	3	4
13-19 YRS	35	3.2	105	< 1	1	1	2	3	5	62
2. MULTIPLE DX										
0-27 DYS	18	18.2	298	2	6	21	48	99 +	99 +	99 +
1-11 MOS	61	3.5	40	1	1	1	3	8	11	42
1-5 YRS	81	2.5	8	< 1	1	1	2	6	9	16
6-12 YRS	32	8.5	253	< 1	1	2	6	53	93	99 +
13-19 YRS	36	10.9	209	1	2	7	12	32	37	75
TOTAL SINGLE DX	367	1.7	13	< 1	< 1	1	1	2	3	8
TOTAL MULTIPLE DX	228	6.2	125	1	1	2	6	22	43	99 +
TOTAL										
0-27 DYS	27	14.5	247	2	3	11	28	99 +	99 +	99 +
1-11 MOS	108	2.6	24	< 1	1	1	2	6	9	31
1-5 YRS	265	1.7	3	< 1	< 1	1	2	3	5	10
6-12 YRS	124	3.1	74	< 1	< 1	1	2	4	27	99 +
13-19 YRS	71	7.1	171	< 1	1	2	7	15	36	72
GRAND TOTAL	**595**	**3.4**	**61**	**< 1**	**< 1**	**1**	**2**	**7**	**15**	**87**

626: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	19	2.7	5	< 1	1	2	3	6	8	9
1-5 YRS	38	2.1	2	< 1	< 1	1	3	5	6	7
6-12 YRS	34	1.6	1	< 1	< 1	1	2	3	4	4
13-19 YRS	44	1.8	1	< 1	1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	20	3.0	7	1	1	2	4	7	9	11
1-5 YRS	36	3.8	21	1	1	2	5	7	9	27
6-12 YRS	15	5.6	147	1	1	2	3	7	38	49
13-19 YRS	28	2.5	3	1	1	2	3	5	6	8
TOTAL SINGLE DX	136	2.0	2	< 1	1	1	2	4	5	8
TOTAL MULTIPLE DX	100	3.5	32	1	1	2	4	6	8	38
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	39	2.8	6	< 1	1	2	3	7	9	11
1-5 YRS	74	2.9	13	< 1	1	2	4	6	7	23
6-12 YRS	49	2.8	47	< 1	1	1	2	4	6	49
13-19 YRS	72	2.1	2	< 1	1	2	2	4	6	8
GRAND TOTAL	**236**	**2.6**	**15**	**< 1**	**1**	**2**	**3**	**6**	**7**	**13**

627: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	10.7	12	7	8	11	13	14	14	14
1-11 MOS	20	5.4	5	2	4	5	7	8	9	10
1-5 YRS	19	6.6	21	1	5	6	8	9	17	23
6-12 YRS	5	4.2	9	1	2	3	7	8	8	8
13-19 YRS	6	5.2	23	< 1	1	4	7	13	14	14
2. MULTIPLE DX										
0-27 DYS	18	22.7	348	6	12	22	55	99 +	99 +	99 +
1-11 MOS	38	12.9	265	5	6	8	11	54	91	99 +
1-5 YRS	37	13.6	179	4	6	8	16	32	45	65
6-12 YRS	10	9.1	45	3	6	9	12	56	96	99 +
13-19 YRS	32	16.6	240	4	6	14	20	45	72	99 +
TOTAL SINGLE DX	53	6.0	15	1	4	6	7	9	13	23
TOTAL MULTIPLE DX	135	15.0	237	5	6	10	20	54	99 +	99 +
TOTAL										
0-27 DYS	21	21.0	316	6	10	20	54	99 +	99 +	99 +
1-11 MOS	58	10.3	187	4	5	7	10	25	71	99 +
1-5 YRS	56	11.2	136	4	5	8	11	24	34	64
6-12 YRS	15	7.5	38	1	4	7	10	25	78	99 +
13-19 YRS	38	14.8	223	2	5	13	19	37	66	99 +
GRAND TOTAL	**188**	**12.5**	**191**	**4**	**5**	**8**	**16**	**34**	**73**	**99 +**

628: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.24; 54.3-54.4; 54.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	6.0	62	1	2	3	7	20	20	20
1-11 MOS	44	3.8	9	1	1	3	6	8	9	15
1-5 YRS	116	4.5	21	< 1	1	3	6	10	13	26
6-12 YRS	85	3.9	9	1	1	3	6	8	10	15
13-19 YRS	94	3.7	16	1	1	3	4	6	11	25
2. MULTIPLE DX										
0-27 DYS	12	15.1	66	8	9	12	19	28	33	34
1-11 MOS	64	9.5	158	2	4	7	11	16	26	85
1-5 YRS	162	8.2	93	1	2	5	11	18	25	43
6-12 YRS	104	9.1	117	2	4	6	11	20	29	84
13-19 YRS	186	8.4	110	1	3	5	10	18	25	61
TOTAL SINGLE DX	344	4.1	16	1	1	3	6	8	11	21
TOTAL MULTIPLE DX	528	8.7	112	1	3	6	11	18	25	67
TOTAL										
0-27 DYS	17	12.4	79	3	6	11	18	24	31	34
1-11 MOS	108	7.1	105	1	2	5	8	14	16	63
1-5 YRS	278	6.6	67	< 1	1	5	9	13	21	37
6-12 YRS	189	6.8	75	1	2	5	8	13	20	69
13-19 YRS	280	6.8	84	1	2	4	7	15	22	55
GRAND TOTAL	**872**	**6.9**	**79**	**1**	**2**	**4**	**8**	**14**	**21**	**50**

629: Laparotomy (54.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	7.8	63	<1	3	5	19	84	99+	99+
1-11 MOS	38	5.2	8	2	3	4	7	9	12	14
1-5 YRS	65	5.3	15	1	2	5	7	10	12	22
6-12 YRS	103	5.0	9	2	3	4	7	9	11	15
13-19 YRS	314	4.7	10	2	3	4	5	8	11	20
2. MULTIPLE DX										
0-27 DYS	16	16.6	262	5	6	14	49	99+	99+	99+
1-11 MOS	47	12.3	162	3	5	8	17	41	99+	99+
1-5 YRS	103	10.9	101	3	5	9	13	24	33	83
6-12 YRS	163	10.4	114	3	5	7	12	24	33	81
13-19 YRS	460	8.6	84	3	4	6	10	16	25	54
TOTAL SINGLE DX	526	4.9	12	2	3	4	6	9	12	20
TOTAL MULTIPLE DX	789	9.6	103	3	4	7	11	21	34	99+
TOTAL										
0-27 DYS	22	14.2	218	3	5	12	45	99+	99+	99+
1-11 MOS	85	9.1	106	2	3	6	10	35	42	99+
1-5 YRS	168	8.8	75	2	4	6	11	17	29	64
6-12 YRS	266	8.3	81	2	4	6	10	16	26	58
13-19 YRS	774	7.0	58	2	3	5	8	13	19	44
GRAND TOTAL	1315	7.7	72	2	3	5	9	15	25	64

630: Laparoscopy, except that for procedures involving intrapelvic organs (54.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	2.3	3	1	1	2	3	5	5	5
6-12 YRS	21	2.4	2	<1	1	2	3	4	7	8
13-19 YRS	506	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	14	2.9	5	1	1	2	4	7	8	8
13-19 YRS	583	3.8	12	1	1	3	5	7	9	20
TOTAL SINGLE DX	531	2.7	5	<1	1	2	4	5	7	10
TOTAL MULTIPLE DX	600	3.8	12	1	1	3	5	7	9	20
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	5	3.8	15	1	1	2	6	10	10	10
6-12 YRS	35	2.6	4	1	1	2	3	6	8	8
13-19 YRS	1089	3.3	9	1	1	3	4	7	8	14
GRAND TOTAL	1131	3.3	9	1	1	2	4	7	8	13

631: Peritoneal dialysis (54.98)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

632: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	16	14.6	61	6	8	15	24	78	99+	99+
1-11 MOS	36	7.4	42	4	6	6	8	9	12	43
1-5 YRS	61	7.3	23	2	4	7	9	13	17	25
6-12 YRS	90	7.7	49	3	5	6	8	13	17	44
13-19 YRS	103	6.0	16	2	4	6	8	9	12	25
2. MULTIPLE DX										
0-27 DYS	66	23.7	455	5	8	20	45	99+	99+	99+
1-11 MOS	100	14.5	231	4	7	10	17	33	66	99+
1-5 YRS	194	14.6	232	3	6	9	19	37	59	99+
6-12 YRS	175	13.5	194	3	6	8	18	32	45	95
13-19 YRS	347	9.7	94	3	4	7	11	21	28	64
TOTAL SINGLE DX	306	7.4	36	2	4	6	8	13	21	46
TOTAL MULTIPLE DX	882	13.1	200	3	5	8	16	32	55	99+
TOTAL										
0-27 DYS	82	21.9	390	5	8	19	44	99+	99+	99+
1-11 MOS	136	12.6	190	4	6	8	13	25	49	99+
1-5 YRS	255	12.9	192	3	5	8	15	32	51	99+
6-12 YRS	265	11.6	153	3	5	7	14	25	39	80
13-19 YRS	450	8.8	79	2	4	6	10	19	27	54
GRAND TOTAL	1188	11.6	164	3	5	7	14	28	45	99+

633: Complete nephrectomy (55.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	8	4.9	3	2	3	5	6	7	7	7
1-11 MOS	52	3.6	9	1	1	3	5	8	10	15
1-5 YRS	70	8.0	21	3	4	8	11	14	15	25
6-12 YRS	28	6.0	8	2	3	6	8	10	11	13
13-19 YRS	20	7.2	17	3	4	6	9	13	16	18
2. MULTIPLE DX										
0-27 DYS	10	11.0	41	4	6	9	13	22	23	23
1-11 MOS	94	7.3	62	2	3	5	9	15	23	78
1-5 YRS	162	10.1	100	3	4	8	12	21	35	69
6-12 YRS	89	9.3	93	3	4	6	11	19	27	88
13-19 YRS	100	10.3	85	4	5	8	12	19	24	61
TOTAL SINGLE DX	178	6.2	18	2	3	5	8	12	14	20
TOTAL MULTIPLE DX	455	9.4	87	3	4	7	11	19	27	71
TOTAL										
0-27 DYS	18	8.3	33	3	5	7	10	19	22	23
1-11 MOS	146	6.0	47	1	2	4	8	13	17	53
1-5 YRS	232	9.4	77	3	4	8	11	17	26	54
6-12 YRS	117	8.5	75	3	4	6	9	17	25	80
13-19 YRS	120	9.8	75	4	5	7	11	18	21	59
GRAND TOTAL	633	8.5	70	2	4	6	10	16	23	57

634: Percutaneous nephrostomy (55.03-55.04)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS	12	10.5	445	1	2	4	8	29	70	77
13-19 YRS	5	3.2		2	3	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	8.6	189	1	2	4	9	26	47	49
1-5 YRS	13	6.4	18	2	3	5	8	14	16	16
6-12 YRS	11	5.5	22	< 1	1	3	9	12	15	15
13-19 YRS	24	7.8	38	2	4	6	10	12	25	27
TOTAL SINGLE DX	21	7.6	259	1	2	3	7	8	39	77
TOTAL MULTIPLE DX	60	7.2	56	1	3	5	10	12	20	47
TOTAL										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	7.6	164	1	2	4	8	18	43	49
1-5 YRS	15	6.5	16	3	3	6	8	13	15	16
6-12 YRS	23	8.1	240	1	2	3	8	11	37	77
13-19 YRS	29	7.0	35	2	3	6	9	11	24	27
GRAND TOTAL	81	7.3	106	1	3	5	8	11	20	68

635: Kidney transplant (55.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	14.0	2	13	13	14	15	15	15	15
6-12 YRS	8	10.9	10	8	8	10	13	16	16	16
13-19 YRS	9	9.8	10	7	7	8	12	14	16	16
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	8.0		8	8	54	99 +	99 +	99 +	99 +
1-5 YRS	40	26.2	260	13	17	23	34	68	99 +	99 +
6-12 YRS	55	22.0	162	9	13	19	28	47	55	98
13-19 YRS	101	17.6	81	8	11	16	22	29	34	52
TOTAL SINGLE DX	19	10.7	10	7	8	11	13	16	16	16
TOTAL MULTIPLE DX	198	20.5	151	9	13	18	25	37	52	99 +
TOTAL										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	8.0		8	8	54	99 +	99 +	99 +	99 +
1-5 YRS	42	25.6	254	13	16	23	33	60	99 +	99 +
6-12 YRS	63	20.6	157	8	12	17	26	43	52	94
13-19 YRS	110	17.0	80	8	10	16	21	28	32	52
GRAND TOTAL	217	19.6	146	8	12	17	25	36	49	99 +

636: Miscellaneous operations on kidney, except percutaneous nephrostomy 55.01-55.02; 55.1; 55.23-55.24; 55.3-55.4; 55.7-55.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	24	6.1	8	3	4	6	8	9	11	12
1-11 MOS	180	4.1	3	2	3	4	5	7	8	11
1-5 YRS	223	3.9	7	1	2	3	5	7	10	13
6-12 YRS	305	3.3	7	1	1	2	4	7	9	14
13-19 YRS	287	3.2	8	1	1	2	5	7	9	13
2. MULTIPLE DX										
0-27 DYS	21	9.4	45	3	5	8	15	21	59	99 +
1-11 MOS	172	8.0	74	3	4	5	9	15	23	70
1-5 YRS	239	7.2	45	2	3	6	8	15	20	32
6-12 YRS	290	6.5	47	1	2	5	8	13	16	41
13-19 YRS	338	7.2	54	1	2	5	10	16	22	32
TOTAL SINGLE DX	1019	3.6	8	1	2	3	5	7	9	13
TOTAL MULTIPLE DX	1060	7.2	54	1	3	5	9	15	21	36
TOTAL										
0-27 DYS	45	7.6	28	3	4	7	9	15	19	99 +
1-11 MOS	352	6.0	42	2	3	4	6	11	15	42
1-5 YRS	462	5.6	30	1	2	4	7	11	16	23
6-12 YRS	595	4.9	30	1	2	3	6	10	14	25
13-19 YRS	625	5.4	37	1	1	3	7	13	17	29
GRAND TOTAL	2079	5.4	34	1	2	4	7	11	15	29

637: Ureterotomy (56.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.7	4	2	2	3	5	6	6	6
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	5	2.2	1	1	1	2	3	4	4	4
13-19 YRS	7	4.7	21	2	2	3	5	13	15	15
2. MULTIPLE DX										
0-27 DYS	4	14.5	195	3	4	10	24	34	34	34
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	3	8.7	9	6	6	8	11	12	12	12
6-12 YRS	4	3.3	11	1	1	2	5	8	8	8
13-19 YRS	18	4.8	13	1	2	4	7	9	13	15
TOTAL SINGLE DX	17	3.6	10	1	2	3	4	6	12	15
TOTAL MULTIPLE DX	32	6.0	41	1	2	4	8	13	15	34
TOTAL										
0-27 DYS	4	14.5	195	3	4	10	24	34	34	34
1-11 MOS	6	3.0	3	1	2	3	3	6	6	6
1-5 YRS	5	6.6	13	3	4	6	9	12	12	12
6-12 YRS	9	2.7	5	1	1	2	3	6	8	8
13-19 YRS	25	4.8	15	1	2	3	6	10	15	15
GRAND TOTAL	**49**	**5.2**	**31**	**1**	**2**	**3**	**6**	**11**	**15**	**34**

638: Urinary diversion (56.5-56.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	6.0	4	4	5	5	7	9	9	9
1-11 MOS	76	6.2	14	2	3	5	8	13	14	18
1-5 YRS	366	5.1	5	3	4	5	6	8	9	13
6-12 YRS	312	5.2	4	3	4	5	6	8	8	13
13-19 YRS	50	6.9	5	4	5	7	8	10	12	14
2. MULTIPLE DX										
0-27 DYS	4	10.3	3	8	9	11	34	99+	99+	99+
1-11 MOS	129	8.2	44	3	4	7	10	17	22	33
1-5 YRS	442	7.1	24	3	4	6	8	11	14	26
6-12 YRS	326	6.9	15	3	4	6	8	12	15	21
13-19 YRS	109	9.6	39	3	5	7	12	19	23	30
TOTAL SINGLE DX	809	5.4	6	3	4	5	7	8	9	14
TOTAL MULTIPLE DX	1010	7.5	26	3	4	6	9	13	17	27
TOTAL										
0-27 DYS	9	7.9	8	4	5	8	11	56	99+	99+
1-11 MOS	205	7.4	34	3	4	6	9	14	19	26
1-5 YRS	808	6.2	17	3	4	5	7	10	12	22
6-12 YRS	638	6.1	11	3	4	5	7	9	13	19
13-19 YRS	159	8.8	31	3	5	7	11	17	21	29
GRAND TOTAL	**1819**	**6.5**	**18**	**3**	**4**	**6**	**8**	**11**	**14**	**23**

639: Transurethral clearance of ureter and renal pelvis (56.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	3.9	3	1	3	4	5	6	6	6
13-19 YRS	107	2.9	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	5.0	8	1	3	5	7	8	8	8
13-19 YRS	40	3.8	9	1	2	3	5	8	10	13
TOTAL SINGLE DX	116	3.0	3	1	2	3	4	5	6	9
TOTAL MULTIPLE DX	45	3.9	9	1	2	3	5	8	10	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	13	4.2	5	1	3	5	6	7	8	8
13-19 YRS	147	3.1	5	1	2	3	4	6	7	13
GRAND TOTAL	**161**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

640: Miscellaneous operations on ureter, except transurethral clearance (56.1; 56.32-56.34; 56.4; 56.8-56.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	16	6.8	11	3	5	6	8	11	14	16
1-5 YRS	36	4.8	12	1	2	4	6	11	12	15
6-12 YRS	13	6.2	11	1	4	7	8	11	13	13
13-19 YRS	12	5.7	19	2	3	4	7	11	17	18
2. MULTIPLE DX										
0-27 DYS	3	21.7	20	17	18	22	25	26	26	26
1-11 MOS	34	9.2	70	3	4	8	10	19	26	43
1-5 YRS	80	7.4	26	3	4	6	9	12	17	31
6-12 YRS	39	7.6	18	2	5	7	10	13	17	19
13-19 YRS	28	7.5	28	<1	3	7	10	15	18	21
TOTAL SINGLE DX	78	5.5	14	1	3	5	7	11	13	17
TOTAL MULTIPLE DX	184	8.0	36	3	4	7	9	15	20	32
TOTAL										
0-27 DYS	4	17.0	101	3	10	19	24	26	26	26
1-11 MOS	50	8.4	52	3	4	7	9	16	24	43
1-5 YRS	116	6.5	23	2	4	5	8	11	15	27
6-12 YRS	52	7.2	17	1	4	7	9	12	15	19
13-19 YRS	40	7.0	26	1	3	6	9	14	18	21
GRAND TOTAL	**262**	**7.3**	**30**	**2**	**4**	**6**	**9**	**13**	**18**	**26**

641: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	5.0	29	<1	1	3	8	13	13	13
1-11 MOS	19	3.7	8	<1	1	3	5	9	9	9
1-5 YRS	91	2.1	3	<1	<1	1	3	5	6	9
6-12 YRS	111	2.4	8	<1	<1	1	3	6	6	19
13-19 YRS	125	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-27 DYS	8	5.8	25	1	2	3	11	13	13	13
1-11 MOS	57	5.8	24	1	2	4	8	13	17	21
1-5 YRS	167	3.8	16	<1	1	2	5	9	10	15
6-12 YRS	170	4.3	41	<1	1	2	5	8	15	41
13-19 YRS	254	6.2	75	1	2	4	7	12	18	59
TOTAL SINGLE DX	350	2.6	6	<1	<1	1	3	6	7	10
TOTAL MULTIPLE DX	656	5.1	48	<1	1	3	6	10	15	42
TOTAL										
0-27 DYS	12	5.5	24	1	2	3	11	13	13	13
1-11 MOS	76	5.3	21	1	2	4	8	10	15	21
1-5 YRS	258	3.2	12	<1	<1	2	4	8	10	15
6-12 YRS	281	3.6	29	<1	1	2	4	7	10	34
13-19 YRS	379	5.2	55	1	2	3	6	9	15	49
GRAND TOTAL	**1006**	**4.2**	**35**	**<1**	**1**	**3**	**5**	**9**	**12**	**36**

642: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	3.2	10	<1	1	2	4	9	11	11
6-12 YRS	4	2.5	3	1	1	2	4	5	5	5
13-19 YRS	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	10	6.1	11	1	2	7	9	10	10	10
1-5 YRS	16	7.9	42	1	2	6	14	18	19	19
6-12 YRS	14	4.6	16	1	2	3	7	12	13	13
13-19 YRS	17	4.2	8	1	2	4	6	9	10	10
TOTAL SINGLE DX	19	2.6	6	1	1	2	3	5	8	11
TOTAL MULTIPLE DX	58	5.7	22	1	2	4	9	13	15	19
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	11	5.7	12	1	2	6	9	10	10	10
1-5 YRS	25	6.2	35	1	1	4	11	16	18	19
6-12 YRS	18	4.1	14	1	2	2	5	11	13	13
13-19 YRS	22	3.7	7	1	2	3	5	8	10	10
GRAND TOTAL	**77**	**5.0**	**19**	**1**	**2**	**3**	**7**	**11**	**14**	**19**

643: Transurethral clearance of bladder (57.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	2.6	3	<1	1	2	3	5	6	6
13-19 YRS	6	2.7	7	1	1	1	5	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	7	7.4	28	2	2	8	13	14	14	14
13-19 YRS	13	3.0	6	1	1	2	4	8	8	8
TOTAL SINGLE DX	14	2.5	4	1	1	2	3	6	7	7
TOTAL MULTIPLE DX	24	4.2	15	1	1	3	6	9	14	14
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	14	5.0	21	1	2	3	8	14	14	14
13-19 YRS	19	2.9	6	1	1	2	5	7	8	8
GRAND TOTAL	**38**	**3.6**	**12**	**1**	**1**	**2**	**5**	**8**	**12**	**14**

644: Miscellaneous operations on bladder, except endoscopy and transurethral procedures (57.1-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	23	6.4	61	2	2	3	6	19	26	32
1-11 MOS	33	3.2	5	1	2	2	4	6	9	10
1-5 YRS	42	5.5	24	1	1	4	8	14	16	19
6-12 YRS	43	5.0	13	1	2	4	7	11	12	13
13-19 YRS	32	4.8	14	1	2	3	7	10	11	18
2. MULTIPLE DX										
0-27 DYS	51	10.4	208	3	4	6	10	29	85	99+
1-11 MOS	121	8.4	98	2	3	5	9	21	33	70
1-5 YRS	168	9.0	89	1	3	6	12	21	26	52
6-12 YRS	174	11.0	70	2	5	9	13	24	28	37
13-19 YRS	217	9.6	80	3	4	7	13	21	29	99+
TOTAL SINGLE DX	173	4.9	21	1	2	3	6	11	14	22
TOTAL MULTIPLE DX	731	9.7	92	2	4	7	13	22	30	76
TOTAL										
0-27 DYS	74	9.2	165	2	3	5	10	27	35	99+
1-11 MOS	154	7.3	83	1	2	4	8	18	28	58
1-5 YRS	210	8.3	78	1	2	5	11	18	23	46
6-12 YRS	217	9.8	65	2	4	8	12	22	27	35
13-19 YRS	249	9.0	75	2	4	7	12	20	27	99
GRAND TOTAL	**904**	**8.8**	**82**	**2**	**3**	**6**	**11**	**20**	**27**	**59**

645: Urethral meatotomy (58.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	26	1.0		< 1	< 1	< 1	< 1	1	2	2
6-12 YRS	17	1.4	2	< 1	< 1	< 1	1	1	5	7
13-19 YRS	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	19	1.2		< 1	< 1	< 1	1	2	3	3
6-12 YRS	20	2.2	4	< 1	< 1	1	2	6	7	8
13-19 YRS	0									
TOTAL SINGLE DX	46	1.3	2	< 1	< 1	< 1	1	1	3	8
TOTAL MULTIPLE DX	40	1.8	3	< 1	< 1	1	2	4	6	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	45	1.1		< 1	< 1	< 1	1	1	2	3
6-12 YRS	37	1.8	3	< 1	< 1	< 1	1	5	7	8
13-19 YRS	3	3.7	14	1	1	2	6	8	8	8
GRAND TOTAL	**86**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**6**	**8**

646: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	6	6.8	24	1	2	6	12	13	13	13
1-11 MOS	271	2.2	2	< 1	1	1	3	5	5	8
1-5 YRS	984	2.7	6	1	1	2	3	6	8	12
6-12 YRS	167	2.8	8	< 1	1	2	4	6	9	15
13-19 YRS	93	3.5	9	1	1	2	5	7	11	13
2. MULTIPLE DX										
0-27 DYS	10	9.9	39	1	5	10	14	18	21	21
1-11 MOS	94	3.1	9	1	1	2	4	7	9	17
1-5 YRS	475	4.0	15	1	1	2	6	9	12	20
6-12 YRS	128	4.2	39	1	1	2	5	9	12	46
13-19 YRS	65	6.2	35	1	2	4	8	15	21	89
TOTAL SINGLE DX	1521	2.7	6	1	1	2	3	6	8	12
TOTAL MULTIPLE DX	772	4.2	22	1	1	2	5	10	13	23
TOTAL										
0-27 DYS	16	8.8	34	1	4	9	13	15	19	21
1-11 MOS	365	2.4	5	< 1	1	2	3	5	6	11
1-5 YRS	1459	3.2	10	1	1	2	4	7	10	15
6-12 YRS	295	3.4	23	1	1	2	4	7	10	19
13-19 YRS	158	4.6	22	1	1	3	6	11	14	29
GRAND TOTAL	**2293**	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**15**

647: Urethral dilation (58.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	22	1.4		< 1	< 1	< 1	2	3	3	4
6-12 YRS	14	1.3		< 1	< 1	< 1	1	2	4	4
13-19 YRS	15	2.3	6	< 1	< 1	< 1	2	6	9	10
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	3.0	12	1	1	1	6	7	7	7
1-5 YRS	44	2.7	6	< 1	< 1	1	4	6	7	13
6-12 YRS	35	2.5	6	< 1	< 1	1	3	7	9	11
13-19 YRS	39	9.1	137	< 1	1	3	9	32	34	42
TOTAL SINGLE DX	51	1.6	2	< 1	< 1	< 1	2	3	4	10
TOTAL MULTIPLE DX	122	4.7	56	< 1	< 1	2	5	9	24	36
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	3.0	12	1	1	1	6	7	7	7
1-5 YRS	66	2.3	5	< 1	< 1	1	3	5	6	12
6-12 YRS	49	2.2	5	< 1	< 1	1	2	5	7	11
13-19 YRS	54	7.2	110	< 1	< 1	2	8	30	33	42
GRAND TOTAL	**173**	**3.8**	**42**	**<1**	**<1**	**1**	**4**	**8**	**13**	**34**

648: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	19	1.7	2	< 1	1	1	2	3	5	7
6-12 YRS	30	1.6	1	< 1	1	1	1	4	5	5
13-19 YRS	34	1.9	1	1	1	1	2	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	4.5	14	1	2	3	7	11	11	11
1-5 YRS	37	3.0	9	< 1	1	1	4	8	11	14
6-12 YRS	51	3.8	40	1	1	2	5	7	8	45
13-19 YRS	73	5.0	61	1	2	3	5	9	12	49
TOTAL SINGLE DX	85	1.8	2	< 1	1	1	2	4	5	7
TOTAL MULTIPLE DX	167	4.1	42	1	1	2	5	8	11	47
TOTAL										
0-27 DYS	0									
1-11 MOS	8	4.0	12	1	1	3	6	10	11	11
1-5 YRS	56	2.5	8	< 1	1	1	3	6	9	14
6-12 YRS	81	3.0	27	< 1	1	1	4	6	8	34
13-19 YRS	107	4.0	45	1	1	2	5	8	10	48
GRAND TOTAL	**252**	**3.3**	**30**	**1**	**1**	**2**	**4**	**7**	**9**	**44**

649: Urethral suspension (59.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	4.3	6	2	2	4	6	7	7	7
TOTAL SINGLE DX	3	3.7	2	2	2	4	5	5	5	5
TOTAL MULTIPLE DX	5	5.4	6	2	3	6	7	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	0									
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	4.0	4	2	2	4	5	7	7	7
GRAND TOTAL	**8**	**4.8**	**5**	**2**	**3**	**5**	**6**	**8**	**8**	**8**

650: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	6.5	60	1	2	3	11	18	18	18
6-12 YRS	12	6.3	22	1	3	5	8	13	16	17
13-19 YRS	8	8.8	14	4	5	6	12	14	14	14
TOTAL SINGLE DX	6	3.7	6	1	1	3	6	7	7	7
TOTAL MULTIPLE DX	24	7.1	25	1	4	5	12	17	38	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	5.0	42	1	1	3	4	17	18	18
6-12 YRS	14	5.7	21	1	3	5	6	12	16	17
13-19 YRS	10	8.3	12	4	6	7	12	13	14	14
GRAND TOTAL	**30**	**6.4**	**23**	**1**	**3**	**5**	**10**	**15**	**18**	**99 +**

651: Ureteral catheterization (59.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	9	3.6	14	1	1	1	5	10	11	11
6-12 YRS	12	1.8	1	< 1	< 1	1	2	3	4	4
13-19 YRS	24	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	4	16.5	206	8	9	10	24	38	38	38
1-5 YRS	6	5.7	7	3	3	5	9	9	9	9
6-12 YRS	9	4.0	13	< 1	1	3	5	10	12	12
13-19 YRS	34	4.1	6	1	2	4	5	8	10	12
TOTAL SINGLE DX	48	2.6	5	1	1	2	3	5	9	11
TOTAL MULTIPLE DX	54	5.4	30	1	3	4	6	10	12	37
TOTAL										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	7	10.3	164	1	2	8	10	32	38	38
1-5 YRS	15	4.4	12	1	1	3	8	9	11	11
6-12 YRS	21	2.7	7	< 1	1	2	3	6	9	12
13-19 YRS	58	3.5	6	1	2	3	5	6	9	12
GRAND TOTAL	**102**	**4.1**	**20**	**1**	**2**	**3**	**5**	**9**	**11**	**25**

652: Ultrasonic lithotripsy, except by percutaneous nephrostomy (59.95-59.96)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	13	1.8	1	< 1	1	1	2	4	5	5
13-19 YRS	34	1.4		< 1	1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS	9	2.6	5	1	1	2	5	54	99 +	99 +
13-19 YRS	14	5.9	62	1	1	2	10	13	26	30
TOTAL SINGLE DX	51	1.6	1	< 1	1	1	2	3	3	6
TOTAL MULTIPLE DX	26	4.5	37	1	1	2	7	11	40	99 +
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.3	6	1	1	3	5	6	6	6
1-5 YRS	4	3.5	2	2	2	3	4	5	5	5
6-12 YRS	22	2.1	3	< 1	1	2	3	6	40	99 +
13-19 YRS	48	2.7	22	1	1	1	2	6	10	30
GRAND TOTAL	**77**	**2.6**	**15**	**1**	**1**	**1**	**3**	**6**	**10**	**80**

653: Miscellaneous operations on urinary tract (59.0-59.21, 59.91-59.94; 59.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	4	3.3	4	1	1	3	5	5	5	5
13-19 YRS	3	5.0	1	4	4	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	3.8	2	2	2	4	5	5	5	5
6-12 YRS	3	5.7	14	3	3	4	8	10	10	10
13-19 YRS	5	7.4	6	5	6	6	9	11	11	11
TOTAL SINGLE DX	8	4.9	9	1	3	5	6	9	11	11
TOTAL MULTIPLE DX	12	5.8	8	3	4	5	8	10	11	11
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	5.2	12	2	3	5	7	11	11	11
6-12 YRS	7	4.3	9	1	2	4	5	9	10	10
13-19 YRS	8	6.5	5	4	5	6	8	10	11	11
GRAND TOTAL	**20**	**5.4**	**8**	**2**	**3**	**5**	**6**	**10**	**11**	**11**

654: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.35; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

655: Transurethral prostatectomy (60.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	13.0	72	7	7	13	19	19	19	19
1-5 YRS	2	5.5	5	4	4	5	7	7	7	7
6-12 YRS	0									
13-19 YRS	8	13.1	316	2	2	4	22	43	46	46
TOTAL SINGLE DX	3	1.7	1	1	1	1	3	3	3	3
TOTAL MULTIPLE DX	12	11.8	217	2	3	5	13	40	45	46
TOTAL										
0-27 DYS	0									
1-11 MOS	2	13.0	72	7	7	13	19	19	19	19
1-5 YRS	3	4.7	4	3	3	4	6	7	7	7
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	9	11.8	293	1	2	3	15	42	46	46
GRAND TOTAL	**15**	**9.8**	**188**	**1**	**2**	**4**	**8**	**37**	**44**	**46**

656: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	3	2.7	1	2	2	2	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	66.0		66	66	66	66	66	66	66
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	4	5.8	24	2	3	4	9	13	13	13
TOTAL SINGLE DX	4	2.3	2	1	1	2	3	4	4	4
TOTAL MULTIPLE DX	6	18.2	596	2	4	9	20	61	66	66
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	33.5	2113	1	1	33	66	66	66	66
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	7	4.4	15	2	2	4	4	11	13	13
GRAND TOTAL	**10**	**11.8**	**399**	**1**	**2**	**4**	**13**	**43**	**66**	**66**

657: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	4	7.5	28	2	3	7	12	13	13	13
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	5.0	9	2	3	5	7	8	8	8
TOTAL SINGLE DX	3	3.3	10	1	1	2	6	7	7	7
TOTAL MULTIPLE DX	9	6.1	19	1	2	5	9	12	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	5	6.2	30	1	2	4	11	13	13	13
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	5	4.8	8	2	2	5	7	8	8	8
GRAND TOTAL	**12**	**5.4**	**17**	**1**	**2**	**4**	**8**	**12**	**13**	**13**

658: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	24	1.3		<1	<1	1	2	2	3	3
1-5 YRS	56	1.6	1	<1	<1	1	2	3	5	8
6-12 YRS	64	1.3		<1	1	1	1	2	4	5
13-19 YRS	90	1.7	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	34	1.9	3	<1	1	1	2	3	7	10
1-5 YRS	54	3.2	73	<1	1	1	2	6	7	61
6-12 YRS	40	2.1	14	1	1	1	2	3	5	25
13-19 YRS	42	3.4	25	1	1	2	4	6	10	31
TOTAL SINGLE DX	234	1.5	1	<1	1	1	2	3	4	6
TOTAL MULTIPLE DX	172	2.7	33	<1	1	1	2	5	7	30
TOTAL										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	58	1.7	2	<1	<1	1	2	3	4	10
1-5 YRS	110	2.4	37	<1	<1	1	2	5	6	33
6-12 YRS	104	1.6	6	<1	1	1	1	3	4	14
13-19 YRS	132	2.2	10	1	1	1	2	4	6	17
GRAND TOTAL	**406**	**2.0**	**15**	**<1**	**1**	**1**	**2**	**3**	**5**	**13**

659: Orchiectomy (62.3-62.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	9	1.4	1	<1	1	1	2	3	4	4
1-11 MOS	18	1.6	2	<1	1	1	1	4	6	6
1-5 YRS	61	1.3		<1	1	1	1	2	3	7
6-12 YRS	56	1.2		<1	1	1	1	2	2	2
13-19 YRS	175	1.9	3	1	1	1	2	4	5	12
2. MULTIPLE DX										
0-27 DYS	12	1.7	1	1	1	1	2	4	4	4
1-11 MOS	20	2.4	7	<1	1	1	3	9	51	99+
1-5 YRS	32	1.4		<1	<1	1	2	3	3	4
6-12 YRS	44	1.8	2	1	1	1	2	3	4	10
13-19 YRS	167	2.7	7	1	1	2	3	5	9	15
TOTAL SINGLE DX	319	1.6	2	<1	1	1	2	3	4	8
TOTAL MULTIPLE DX	275	2.4	6	1	1	2	3	5	7	15
TOTAL										
0-27 DYS	21	1.6	1	<1	1	1	2	4	4	4
1-11 MOS	38	2.0	5	<1	1	1	2	6	9	99+
1-5 YRS	93	1.3	1	<1	1	1	1	2	3	6
6-12 YRS	100	1.5	1	<1	1	1	2	2	3	8
13-19 YRS	342	2.3	5	1	1	2	3	4	6	13
GRAND TOTAL	**594**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**5**	**12**

660: Orchiopexy (62.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	27	1.5	3	<1	<1	1	1	1	5	11
1-5 YRS	360	1.2		<1	1	1	1	2	2	4
6-12 YRS	432	1.2		<1	1	1	1	2	2	4
13-19 YRS	515	1.3		<1	1	1	1	2	2	5
2. MULTIPLE DX										
0-27 DYS	8	3.1	7	1	2	3	77	99+	99+	99+
1-11 MOS	37	2.2	6	1	1	1	2	6	8	14
1-5 YRS	407	1.5		<1	1	1	2	2	3	6
6-12 YRS	276	2.0	22	<1	1	1	2	3	4	18
13-19 YRS	140	1.9	14	1	1	1	2	3	4	11
TOTAL SINGLE DX	1335	1.3	1	<1	1	1	1	2	2	4
TOTAL MULTIPLE DX	868	1.7	10	<1	1	1	2	3	4	13
TOTAL										
0-27 DYS	9	2.9	7	1	1	3	54	99+	99+	99+
1-11 MOS	64	1.9	6	<1	1	1	1	4	7	14
1-5 YRS	767	1.3	1	<1	1	1	1	2	3	5
6-12 YRS	708	1.5	9	<1	1	1	1	2	3	6
13-19 YRS	655	1.4	4	<1	1	1	1	2	3	6
GRAND TOTAL	**2203**	**1.4**	**4**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

661: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	28	1.4		< 1	< 1	1	1	3	4	4
6-12 YRS	173	1.1		< 1	1	1	1	1	2	3
13-19 YRS	93	1.7	1	1	1	1	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.0		1	1	1	1	1	1	1
1-5 YRS	26	2.7	8	< 1	1	1	4	7	10	12
6-12 YRS	60	1.4	1	< 1	1	1	2	2	3	7
13-19 YRS	39	3.1	18	1	1	2	4	5	11	25
TOTAL SINGLE DX	298	1.3	1	< 1	1	1	1	2	3	6
TOTAL MULTIPLE DX	131	2.2	8	< 1	1	1	2	5	7	15
TOTAL										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.0		1	1	1	1	1	1	1
1-5 YRS	54	2.1	5	< 1	1	1	2	5	7	12
6-12 YRS	233	1.2		< 1	1	1	1	2	2	4
13-19 YRS	132	2.1	7	1	1	1	2	5	6	14
GRAND TOTAL	**429**	**1.6**	**3**	**<1**	**1**	**1**	**1**	**3**	**5**	**9**

662: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOTAL SINGLE DX	2	1.0		< 1	< 1	< 1	1	1	1	1
TOTAL MULTIPLE DX	3	3.7	21	< 1	< 1	1	7	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	1.0		< 1	< 1	< 1	1	1	1	1
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**5**	**2.6**	**13**	**<1**	**<1**	**1**	**3**	**9**	**9**	**9**

663: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	2.0	2	< 1	< 1	1	3	4	4	4
1-5 YRS	15	1.5		< 1	1	1	2	3	3	3
6-12 YRS	56	1.3	1	< 1	1	1	1	2	4	6
13-19 YRS	62	1.7	2	< 1	1	1	2	3	6	9
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	4	1.0		< 1	< 1	1	1	1	1	1
6-12 YRS	23	1.7	3	< 1	1	1	2	3	6	9
13-19 YRS	30	2.6	5	1	1	2	3	6	9	9
TOTAL SINGLE DX	137	1.6	2	< 1	1	1	2	3	5	7
TOTAL MULTIPLE DX	60	2.2	5	1	1	1	2	5	9	9
TOTAL										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	1.7	1	< 1	1	1	2	4	4	4
1-5 YRS	19	1.4	1	< 1	1	1	2	3	3	3
6-12 YRS	79	1.4	2	< 1	1	1	1	2	5	8
13-19 YRS	92	2.0	4	< 1	1	1	2	5	7	9
GRAND TOTAL	**197**	**1.7**	**3**	**<1**	**1**	**1**	**2**	**4**	**6**	**9**

664: Circumcision, other than newborn (64.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	67	2.0	19	< 1	< 1	< 1	1	1	5	27
1-5 YRS	176	1.1		< 1	< 1	< 1	< 1	1	1	2
6-12 YRS	70	1.1		< 1	< 1	< 1	1	1	1	4
13-19 YRS	31	1.1		< 1	< 1	< 1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	64	8.1	67	1	1	6	14	21	26	90
1-5 YRS	79	1.7	3	< 1	< 1	1	1	3	5	12
6-12 YRS	44	2.2	16	< 1	< 1	1	1	3	11	24
13-19 YRS	11	5.2	81	< 1	1	2	5	16	31	32
TOTAL SINGLE DX	344	1.3	4	< 1	< 1	< 1	1	1	2	10
TOTAL MULTIPLE DX	198	4.1	39	< 1	< 1	1	4	13	20	34
TOTAL										
0-27 DYS	0									
1-11 MOS	131	5.0	52	< 1	< 1	1	6	18	24	47
1-5 YRS	255	1.3	2	< 1	< 1	< 1	1	1	2	11
6-12 YRS	114	1.5	7	< 1	< 1	1	1	2	4	17
13-19 YRS	42	2.1	23	< 1	< 1	< 1	1	3	5	32
GRAND TOTAL	**542**	**2.3**	**13**	**<1**	**<1**	**<1**	**1**	**4**	**11**	**26**

665: Insertion of penile prosthesis (64.95; 64.97)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	5.7	4	4	4	5	7	8	8	8
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	4	5.0	5	3	3	4	6	8	8	8
TOTAL										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4	4.5	8	1	2	4	6	8	8	8
GRAND TOTAL	**5**	**4.2**	**7**	**1**	**2**	**4**	**6**	**8**	**8**	**8**

666: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.96; 64.98-64.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	16	2.8	12	1	1	2	3	5	12	15
1-5 YRS	84	2.0	4	<1	1	1	2	4	6	12
6-12 YRS	29	2.5	10	<1	<1	1	2	6	12	11
13-19 YRS	28	3.3	42	1	1	1	3	4	13	35
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	27	2.9	10	<1	1	1	3	7	9	15
1-5 YRS	85	2.0	3	1	1	1	2	4	6	12
6-12 YRS	33	3.7	12	1	1	2	5	9	12	13
13-19 YRS	65	4.7	27	1	2	3	5	10	16	27
TOTAL SINGLE DX	157	2.4	13	<1	1	1	2	5	7	15
TOTAL MULTIPLE DX	211	3.2	14	1	1	2	4	7	11	22
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	43	2.8	11	<1	1	1	3	7	11	15
1-5 YRS	169	2.0	4	<1	1	1	2	4	6	13
6-12 YRS	62	3.1	12	<1	1	2	3	8	12	14
13-19 YRS	93	4.3	32	1	1	2	5	9	15	32
GRAND TOTAL	**368**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**6**	**10**	**20**

667: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients

668: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	5	4.0	2	2	3	4	5	6	6	6
1-11 MOS	7	4.6	21	1	2	3	6	13	14	14
1-5 YRS	4	3.5	1	3	3	3	4	5	5	5
6-12 YRS	25	3.7	1	2	3	4	4	5	6	6
13-19 YRS	514	3.6	1	2	3	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	7.3	13	4	4	6	10	12	12	12
1-11 MOS	3	6.7	21	4	4	4	10	12	12	12
1-5 YRS	4	3.0		2	2	3	4	4	4	4
6-12 YRS	20	5.9	25	2	3	4	6	14	18	20
13-19 YRS	569	4.3	4	2	3	4	5	6	8	11
TOTAL SINGLE DX	555	3.7	2	2	3	3	4	5	6	8
TOTAL MULTIPLE DX	600	4.3	6	2	3	4	5	6	9	13
TOTAL										
0-27 DYS	9	5.4	9	2	4	5	6	10	12	12
1-11 MOS	10	5.2	20	1	2	3	7	13	14	14
1-5 YRS	8	3.3	1	2	3	3	4	5	5	5
6-12 YRS	45	4.6	13	2	3	4	5	6	12	20
13-19 YRS	1083	4.0	3	2	3	4	5	6	7	11
GRAND TOTAL	**1155**	**4.0**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

669: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.5	1	2	2	3	4	5	5	5
1-5 YRS	12	3.6	4	1	2	3	4	7	8	8
6-12 YRS	54	3.9	2	2	3	4	5	6	7	7
13-19 YRS	227	4.1	3	3	3	4	5	6	7	11
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	3.6	6	1	1	3	6	7	8	8
1-5 YRS	18	7.4	119	3	3	4	5	15	36	49
6-12 YRS	52	4.0	2	2	3	4	5	6	6	10
13-19 YRS	314	5.1	13	3	4	4	5	7	9	16
TOTAL SINGLE DX	302	4.1	3	2	3	4	5	6	7	10
TOTAL MULTIPLE DX	395	5.0	17	3	3	4	5	7	9	17
TOTAL										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	18	3.6	4	1	2	3	5	6	7	8
1-5 YRS	30	5.9	75	2	3	4	5	8	17	49
6-12 YRS	106	4.0	2	2	3	4	5	6	7	9
13-19 YRS	541	4.7	10	3	3	4	5	7	9	14
GRAND TOTAL	**697**	**4.6**	**11**	**3**	**3**	**4**	**5**	**7**	**8**	**15**

670: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	3.0	2	1	2	3	4	4	4	4
13-19 YRS	6	4.0	4	2	2	3	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	0									
13-19 YRS	10	5.5	7	3	4	5	7	10	12	12
TOTAL SINGLE DX	12	3.3	3	1	2	3	4	6	7	7
TOTAL MULTIPLE DX	13	5.2	6	3	4	4	6	8	11	12
TOTAL										
0-27 DYS	0									
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	4	3.0	2	1	2	3	4	4	4	4
13-19 YRS	16	4.9	7	2	3	4	6	7	11	12
GRAND TOTAL	**25**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

671: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	4.2	3	2	3	4	5	7	7	7
13-19 YRS	117	2.9	5	1	1	2	4	5	6	14
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	7	3.7	2	2	3	3	5	6	6	6
13-19 YRS	178	4.3	33	1	2	3	4	7	9	30
TOTAL SINGLE DX	124	2.9	5	1	1	2	4	5	6	14
TOTAL MULTIPLE DX	186	4.2	32	1	2	3	4	6	9	29
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	13	3.9	2	2	3	4	5	6	7	7
13-19 YRS	295	3.7	23	1	2	3	4	6	8	23
GRAND TOTAL	**310**	**3.7**	**22**	**1**	**2**	**3**	**4**	**6**	**8**	**23**

672: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	2.4	2	<1	1	2	3	5	5	5
TOTAL SINGLE DX	3	1.0		<1	<1	<1	1	1	1	1
TOTAL MULTIPLE DX	9	2.4	2	<1	1	2	3	5	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	12	2.1	2	<1	<1	2	3	4	5	5
GRAND TOTAL	**12**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**5**

673: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	40	2.9	3	1	2	2	3	5	7	9
TOTAL SINGLE DX	6	1.7	1	<1	<1	1	2	4	4	4
TOTAL MULTIPLE DX	40	2.9	3	1	2	2	3	5	7	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	46	2.7	3	1	2	2	3	5	7	9
GRAND TOTAL	**46**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**7**	**9**

674: Miscellaneous operations on fallopian tubes (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	6	2.8	2	1	2	3	4	5	5	5
13-19 YRS	282	3.6	1	2	3	3	4	5	6	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	6	6.8	71	2	3	4	5	22	24	24
13-19 YRS	380	4.0	2	2	3	4	4	6	7	9
TOTAL SINGLE DX	288	3.6	2	2	3	3	4	5	6	7
TOTAL MULTIPLE DX	388	4.0	3	2	3	4	4	6	7	10
TOTAL										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	0									
6-12 YRS	12	4.8	38	1	2	3	4	11	22	24
13-19 YRS	662	3.8	2	2	3	4	4	6	6	9
GRAND TOTAL	**676**	**3.8**	**3**	**2**	**3**	**4**	**4**	**6**	**6**	**9**

675: Conization of cervix (67.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	1.3		<1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	13	5.2	133	<1	<1	1	2	19	38	42
TOTAL SINGLE DX	10	1.3		<1	1	1	2	2	2	2
TOTAL MULTIPLE DX	13	5.2	133	<1	<1	1	2	19	38	42
TOTAL										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	22	3.6	80	<1	1	1	2	6	25	42
GRAND TOTAL	**23**	**3.5**	**77**	**<1**	**<1**	**1**	**2**	**5**	**23**	**42**

676: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	24	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	27	4.0	69	<1	1	1	4	8	14	44
TOTAL SINGLE DX	25	1.1		<1	<1	<1	1	2	2	2
TOTAL MULTIPLE DX	27	4.0	70	<1	1	1	4	8	14	44
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	51	2.6	38	<1	<1	1	1	6	8	44
GRAND TOTAL	**52**	**2.6**	**38**	**<1**	**<1**	**1**	**1**	**6**	**8**	**43**

677: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	68	2.1	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	34	3.1	3	1	2	3	5	6	6	7
TOTAL SINGLE DX	68	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	34	3.1	3	1	2	3	5	6	6	7
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	102	2.4	2	1	1	2	3	5	6	7
GRAND TOTAL	**102**	**2.4**	**2**	**1**	**1**	**2**	**3**	**5**	**6**	**7**

678: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.16; 68.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	0									
13-19 YRS	7	4.4	14	< 1	1	4	6	11	12	12
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	5.0		5	5	52	99 +	99 +	99 +	99 +
13-19 YRS	29	4.8	9	2	3	4	6	8	13	16
TOTAL SINGLE DX	8	4.0	14	< 1	1	3	5	10	12	12
TOTAL MULTIPLE DX	31	5.2	13	2	3	4	6	14	16	99 +
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	0									
1-5 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
6-12 YRS	1	5.0		5	5	52	99 +	99 +	99 +	99 +
13-19 YRS	36	4.8	10	1	3	4	6	8	13	16
GRAND TOTAL	**39**	**4.9**	**13**	**1**	**3**	**4**	**6**	**12**	**15**	**99 +**

679: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	3	4.0	19	1	1	2	7	9	9	9
13-19 YRS	3	5.0	3	3	4	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	4	4.8	1	4	4	5	5	6	6	6
1-11 MOS	11	5.0	3	3	3	5	7	8	8	8
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	12	6.0	31	2	3	5	6	12	21	23
13-19 YRS	41	5.4	18	3	4	4	6	8	13	27
TOTAL SINGLE DX	8	5.5	16	1	2	5	8	12	13	13
TOTAL MULTIPLE DX	70	5.4	17	3	4	4	6	8	9	26
TOTAL										
0-27 DYS	4	4.8	1	4	4	5	5	6	6	6
1-11 MOS	12	4.9	3	3	3	5	6	7	8	8
1-5 YRS	3	7.7	22	4	4	6	11	13	13	13
6-12 YRS	15	5.6	28	2	2	4	7	9	19	23
13-19 YRS	44	5.4	18	3	4	4	6	8	11	27
GRAND TOTAL	**78**	**5.4**	**16**	**2**	**4**	**4**	**6**	**8**	**11**	**26**

680: Vaginal hysterectomy (68.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	0									
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	3.0	8	< 1	< 1	2	5	5	5	5
13-19 YRS	6	2.7	2	1	1	3	4	4	4	4
TOTAL SINGLE DX	4	2.8	2	1	1	3	4	4	4	4
TOTAL MULTIPLE DX	12	2.8	2	< 1	1	3	4	5	5	5
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.7		3	3	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.3	5	< 1	< 1	1	4	5	5	5
13-19 YRS	8	2.8	2	1	1	3	4	4	4	4
GRAND TOTAL	**16**	**2.8**	**2**	**1**	**1**	**3**	**4**	**4**	**5**	**5**

681: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	8.0		8	8	8	8	8	8	8
TOTAL SINGLE DX	1	10.0		10	10	10	10	10	10	10
TOTAL MULTIPLE DX	2	10.0	8	8	8	10	12	12	12	12
TOTAL										
0-27 DYS	0									
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	0									
13-19 YRS	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	3	10.0	4	8	8	10	11	12	12	12

682: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	80	1.1		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	47	4.2	39	<1	1	2	4	7	16	33
TOTAL SINGLE DX	80	1.1		<1	<1	<1	1	2	2	3
TOTAL MULTIPLE DX	47	4.2	40	<1	1	2	4	7	16	33
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	127	2.3	17	<1	<1	1	2	4	6	31
GRAND TOTAL	127	2.3	17	<1	<1	1	2	4	6	31

683: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1794	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	3	11.3	162	3	3	5	21	26	26	26
13-19 YRS	813	2.6	10	1	1	2	3	5	7	16
TOTAL SINGLE DX	1795	1.3	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	821	2.7	11	1	1	2	3	5	7	18
TOTAL										
0-27 DYS	0									
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	3	11.3	162	3	3	5	21	26	26	26
13-19 YRS	2607	1.7	4	<1	1	1	2	3	4	9
GRAND TOTAL	2616	1.8	4	<1	1	1	2	3	4	9

684: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	133	1.4	10	<1	<1	<1	<1	1	2	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	319	1.7	23	<1	<1	<1	<1	2	4	17
TOTAL SINGLE DX	133	1.4	11	<1	<1	<1	<1	1	2	11
TOTAL MULTIPLE DX	319	1.7	24	<1	<1	<1	<1	2	4	17
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	452	1.6	20	<1	<1	<1	<1	1	3	16
GRAND TOTAL	452	1.6	20	<1	<1	<1	<1	1	3	16

685: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	440	1.2		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	160	2.3	4	<1	1	2	3	4	6	13
TOTAL SINGLE DX	440	1.2	1	<1	<1	1	1	2	3	5
TOTAL MULTIPLE DX	160	2.3	5	<1	1	2	3	4	6	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	600	1.5	2	<1	<1	1	1	3	4	8
GRAND TOTAL	**600**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**	**8**

686: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	9	4.3	7	1	2	4	6	9	9	9
TOTAL SINGLE DX	1	1.0		1	1	1	1	1	1	1
TOTAL MULTIPLE DX	9	4.3	8	1	2	4	6	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	10	4.0	8	1	1	4	5	8	9	9
GRAND TOTAL	**10**	**4.0**	**8**	**1**	**1**	**4**	**5**	**8**	**9**	**9**

687: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	35	2.8	2	<1	1	3	4	5	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	57	3.2	12	1	1	2	4	6	7	24
TOTAL SINGLE DX	39	2.8	2	<1	1	3	4	5	6	6
TOTAL MULTIPLE DX	60	3.3	12	1	1	2	4	6	7	24
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	3.0	3	<1	1	3	4	5	5	5
6-12 YRS	3	4.3		4	4	4	5	5	5	5
13-19 YRS	92	3.1	9	1	1	2	4	5	7	19
GRAND TOTAL	**99**	**3.1**	**8**	**<1**	**1**	**2**	**4**	**5**	**7**	**18**

688: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	3	4.0	4	2	2	4	5	6	6	6
TOTAL SINGLE DX	6	1.0		<1	1	1	1	1	1	1
TOTAL MULTIPLE DX	7	3.7	3	2	2	3	5	6	6	6
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.5	1	1	1	1	2	3	3	3
6-12 YRS	4	2.8	6	1	1	2	4	6	6	6
13-19 YRS	4	3.3	5	<1	1	3	5	6	6	6
GRAND TOTAL	**13**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**6**	**6**	**6**

689: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	6	2.8	3	1	1	2	5	5	5	5
1-5 YRS	19	2.5	3	<1	1	2	3	6	7	7
6-12 YRS	26	3.1	15	<1	1	2	3	8	14	16
13-19 YRS	38	2.7	7	<1	1	1	3	8	9	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	9	5.3	6	2	4	5	7	9	9	9
1-5 YRS	29	6.1	31	1	2	4	7	16	17	22
6-12 YRS	29	5.8	38	1	1	3	10	16	18	21
13-19 YRS	72	3.9	26	1	1	2	6	8	9	35
TOTAL SINGLE DX	92	2.7	8	<1	1	2	3	7	8	15
TOTAL MULTIPLE DX	139	4.8	29	1	1	3	6	11	16	24
TOTAL										
0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	15	4.3	6	1	2	4	5	9	9	9
1-5 YRS	48	4.7	23	1	2	3	6	13	16	22
6-12 YRS	55	4.5	29	1	1	2	6	13	17	21
13-19 YRS	110	3.5	20	1	1	2	4	8	9	24
GRAND TOTAL	**231**	**4.0**	**22**	**1**	**1**	**2**	**5**	**9**	**13**	**21**

690: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	9	1.8	1	<1	<1	1	2	4	4	4
6-12 YRS	14	4.4	21	<1	1	2	7	11	14	15
13-19 YRS	62	3.0	6	<1	1	2	4	7	8	12
2. MULTIPLE DX										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	2	24.0	392	10	10	24	38	38	38	38
1-5 YRS	10	5.4	21	1	2	4	7	12	17	17
6-12 YRS	20	7.9	144	1	1	2	12	37	66	99+
13-19 YRS	152	3.2	10	1	1	2	4	6	8	18
TOTAL SINGLE DX	86	3.1	8	<1	1	2	4	7	10	14
TOTAL MULTIPLE DX	186	4.1	33	1	1	2	4	8	16	39
TOTAL										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	3	16.3	372	<1	2	10	31	38	38	38
1-5 YRS	19	3.7	15	<1	1	2	5	8	13	17
6-12 YRS	34	6.5	94	1	1	2	9	26	38	99+
13-19 YRS	214	3.2	9	1	1	2	4	6	8	17
GRAND TOTAL	**272**	**3.7**	**25**	**1**	**1**	**2**	**4**	**8**	**12**	**38**

691: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	3.3	8	1	1	2	4	7	10	11
1-5 YRS	18	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	29	2.6	15	<1	1	1	3	4	6	22
13-19 YRS	116	2.1	5	<1	1	1	2	3	6	14
2. MULTIPLE DX										
0-27 DYS	2	7.5	1	7	7	7	8	8	8	8
1-11 MOS	14	4.0	10	1	2	3	7	9	11	11
1-5 YRS	16	3.1	5	1	1	2	4	6	9	10
6-12 YRS	18	5.6	33	1	2	4	8	11	20	25
13-19 YRS	96	3.5	14	1	1	2	4	6	10	24
TOTAL SINGLE DX	176	2.2	7	<1	1	1	2	4	6	18
TOTAL MULTIPLE DX	146	3.8	16	1	2	3	4	8	10	25
TOTAL										
0-27 DYS	3	5.7	10	2	3	7	8	8	8	8
1-11 MOS	26	3.7	9	1	1	3	5	9	11	11
1-5 YRS	34	2.3	4	<1	1	2	3	4	6	10
6-12 YRS	47	3.7	24	<1	1	2	4	9	13	25
13-19 YRS	212	2.7	10	<1	1	2	3	5	8	20
GRAND TOTAL	**322**	**2.9**	**12**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

692: Vulvectomy (71.5-71.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	8.5	41	4	4	8	13	13	13	13
TOTAL SINGLE DX	4	1.3		<1	<1	1	2	2	2	2
TOTAL MULTIPLE DX	2	8.5	41	4	4	8	13	13	13	13
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	5.0	30	1	1	3	8	13	13	13
GRAND TOTAL	**6**	**3.7**	**22**	**<1**	**1**	**2**	**4**	**12**	**13**	**13**

693: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	25	1.6	1	1	1	1	2	3	4	6
6-12 YRS	52	1.2		< 1	1	1	1	2	2	3
13-19 YRS	12	1.5		< 1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	9.8	283	< 1	< 1	1	18	35	35	35
1-5 YRS	14	2.7	9	1	1	2	4	6	11	12
6-12 YRS	17	1.8	2	< 1	1	1	2	4	5	6
13-19 YRS	19	3.5	7	1	1	3	5	7	10	12
TOTAL SINGLE DX	93	1.5	1	< 1	1	1	2	3	4	7
TOTAL MULTIPLE DX	55	3.2	25	1	1	2	3	6	11	34
TOTAL										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	7	7.7	149	< 1	1	4	6	29	35	35
1-5 YRS	39	2.0	4	1	1	1	2	4	6	12
6-12 YRS	69	1.3	1	< 1	1	1	1	2	3	6
13-19 YRS	31	2.7	6	1	1	2	3	6	7	12
GRAND TOTAL	**148**	**2.1**	**11**	**1**	**1**	**1**	**2**	**4**	**6**	**13**

694: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.5	1	< 1	< 1	1	2	2	2	2
1-5 YRS	8	2.0	3	< 1	< 1	1	2	5	6	6
6-12 YRS	8	1.6	2	< 1	< 1	< 1	1	4	5	5
13-19 YRS	1	1.0		< 1	< 1	< 1	< 1	< 1	< 1	< 1
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	5	4.4	26	1	1	2	7	13	13	13
6-12 YRS	11	7.7	152	< 1	1	3	8	27	41	42
13-19 YRS	5	19.4	481	3	4	5	38	51	51	51
TOTAL SINGLE DX	19	1.7	2	< 1	< 1	< 1	2	4	6	6
TOTAL MULTIPLE DX	22	9.5	201	1	1	4	9	36	46	51
TOTAL										
0-27 DYS	0									
1-11 MOS	3	3.0	7	< 1	< 1	2	5	6	6	6
1-5 YRS	13	2.9	12	< 1	1	1	3	7	12	13
6-12 YRS	19	5.2	95	< 1	< 1	1	4	14	31	42
13-19 YRS	6	16.3	441	< 1	3	4	34	49	51	51
GRAND TOTAL	**41**	**5.9**	**122**	**<1**	**<1**	**2**	**5**	**15**	**38**	**51**

695: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1807	2.4		1	2	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2485	2.7	2	2	2	2	3	4	5	8
TOTAL SINGLE DX	1807	2.4	1	1	2	2	3	3	4	4
TOTAL MULTIPLE DX	2486	2.7	3	2	2	2	3	4	5	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4292	2.6	2	2	2	2	3	4	4	7
GRAND TOTAL	**4293**	**2.6**	**2**	**2**	**2**	**2**	**3**	**4**	**4**	**7**

696: Breech extraction (72.5-72.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	22	2.1		1	2	2	3	3	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	78	2.4	6	1	1	2	3	4	5	18
TOTAL SINGLE DX	22	2.1	1	1	2	2	3	3	4	4
TOTAL MULTIPLE DX	78	2.4	6	1	1	2	3	4	5	18
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	100	2.3	5	1	1	2	3	3	5	14
GRAND TOTAL	**100**	**2.3**	**5**	**1**	**1**	**2**	**3**	**3**	**5**	**14**

697: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1110	2.1		1	2	2	3	3	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1715	2.5	2	1	2	2	3	4	4	8
TOTAL SINGLE DX	1110	2.1	1	1	2	2	3	3	3	5
TOTAL MULTIPLE DX	1715	2.5	3	1	2	2	3	4	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2825	2.3	2	1	2	2	3	3	4	7
GRAND TOTAL	2825	2.3	2	1	2	2	3	3	4	7

698: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	4.3	22	2	2	3	3	13	15	15
13-19 YRS	26304	2.1		1	2	2	3	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	5	2.0		1	1	2	2	3	3	3
13-19 YRS	12222	2.6	4	1	2	2	3	4	5	10
TOTAL SINGLE DX	26311	2.1	1	1	2	2	3	3	3	4
TOTAL MULTIPLE DX	12227	2.6	4	1	2	2	3	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	12	3.3	14	1	2	2	3	7	14	15
13-19 YRS	38526	2.3	2	1	2	2	3	3	4	7
GRAND TOTAL	38538	2.3	2	1	2	2	3	3	4	7

699: Low cervical cesarean section (74.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3011	4.1	1	3	3	4	5	5	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	7	5.3	2	4	4	5	6	8	8	8
13-19 YRS	9519	5.1	8	3	4	4	5	7	9	15
TOTAL SINGLE DX	3013	4.1	1	3	3	4	5	5	6	8
TOTAL MULTIPLE DX	9526	5.1	8	3	4	4	5	7	9	15
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	9	4.8	2	3	4	5	5	7	8	8
13-19 YRS	12530	4.8	7	3	4	4	5	7	8	14
GRAND TOTAL	12539	4.8	7	3	4	4	5	7	8	14

700: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	111	4.2	1	3	4	4	5	6	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	329	5.6	15	3	4	5	6	8	10	21
TOTAL SINGLE DX	111	4.2	1	3	4	4	5	6	6	8
TOTAL MULTIPLE DX	329	5.6	16	3	4	5	6	8	10	21
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	440	5.3	13	3	4	5	6	8	9	18
GRAND TOTAL	440	5.3	13	3	4	5	6	8	9	18

701: Other abdominal operations to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	44	2.9	1	1	2	3	4	4	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	33	3.8	2	2	3	4	5	6	7	8
TOTAL SINGLE DX	44	2.9	1	1	2	3	4	4	5	5
TOTAL MULTIPLE DX	33	3.8	3	2	3	4	5	6	7	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	77	3.3	2	2	2	3	4	5	5	8
GRAND TOTAL	**77**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

702: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	120	1.5		1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	27	1.8		1	1	2	2	3	3	3
TOTAL SINGLE DX	120	1.5		1	1	1	2	2	3	4
TOTAL MULTIPLE DX	27	1.8	1	1	1	2	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	147	1.6		1	1	1	2	2	3	3
GRAND TOTAL	**147**	**1.6**		**1**	**1**	**1**	**2**	**2**	**3**	**3**

703: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	165	4.6	29	1	1	3	5	10	14	32
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	190	4.9	29	1	2	3	6	10	15	29
TOTAL SINGLE DX	165	4.6	29	1	1	3	5	10	14	32
TOTAL MULTIPLE DX	190	4.9	30	1	2	3	6	10	15	29
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	355	4.8	29	1	2	3	5	10	15	32
GRAND TOTAL	**355**	**4.8**	**29**	**1**	**2**	**3**	**5**	**10**	**15**	**32**

704: Intrauterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2846	1.7	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	1406	2.3	5	<1	1	2	3	4	5	10
TOTAL SINGLE DX	2846	1.7	1	<1	1	2	2	3	3	5
TOTAL MULTIPLE DX	1406	2.3	5	<1	1	2	3	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	4252	1.9	3	<1	1	2	2	3	4	7
GRAND TOTAL	**4252**	**1.9**	**3**	**<1**	**1**	**2**	**2**	**3**	**4**	**7**

705: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	4408	2.0		1	2	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5103	2.4	2	1	2	2	3	3	4	8
TOTAL SINGLE DX	4410	2.0	1	1	2	2	2	3	3	4
TOTAL MULTIPLE DX	5104	2.4	3	1	2	2	3	3	4	8
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	9511	2.2	2	1	2	2	3	3	4	6
GRAND TOTAL	**9514**	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**6**

706: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	8	4.5	14	< 1	1	3	8	10	10	10
6-12 YRS	29	3.1	10	1	1	2	4	7	10	15
13-19 YRS	29	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	3.5	10	< 1	1	2	7	8	8	8
6-12 YRS	33	3.3	6	1	1	3	4	7	9	10
13-19 YRS	52	5.2	127	1	2	3	4	8	10	80
TOTAL SINGLE DX	68	3.1	8	1	1	2	4	6	10	14
TOTAL MULTIPLE DX	91	4.4	76	1	2	3	5	8	10	58
TOTAL										
0-27 DYS	0									
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	14	4.1	12	< 1	1	3	7	10	10	10
6-12 YRS	62	3.2	8	1	1	2	4	7	9	14
13-19 YRS	81	4.2	84	1	1	3	4	7	9	63
GRAND TOTAL	**159**	**3.8**	**47**	**1**	**1**	**3**	**4**	**7**	**10**	**23**

707: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	4.4	4	1	2	5	6	7	8	8
1-5 YRS	14	5.6	9	1	3	5	8	9	11	11
6-12 YRS	24	3.1	5	1	1	3	4	8	32	99 +
13-19 YRS	1038	2.2	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	11	6.6	11	3	4	6	8	12	13	13
1-5 YRS	19	7.9	59	2	4	7	8	20	29	31
6-12 YRS	34	5.1	12	2	2	3	8	11	12	12
13-19 YRS	1001	2.7	3	1	2	2	3	4	5	9
TOTAL SINGLE DX	1088	2.3	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	1065	2.9	6	1	2	2	3	5	6	12
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	22	5.5	9	2	4	5	6	9	12	13
1-5 YRS	33	6.9	39	1	3	6	8	10	24	31
6-12 YRS	58	4.3	10	1	2	3	7	10	12	92
13-19 YRS	2039	2.5	3	1	2	2	3	4	5	7
GRAND TOTAL	**2153**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

708: Closed reduction of maxillofacial fractures (76.70-76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	18	2.7	5	1	1	2	3	5	9	11
6-12 YRS	49	1.8	1	1	1	2	2	3	4	6
13-19 YRS	168	2.0	1	1	1	2	2	4	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	36	3.7	9	1	2	3	4	7	10	15
6-12 YRS	93	3.4	21	1	1	2	4	6	9	27
13-19 YRS	278	3.7	21	1	2	3	4	7	8	20
TOTAL SINGLE DX	236	2.0	2	1	1	2	2	3	5	7
TOTAL MULTIPLE DX	409	3.6	20	1	1	3	4	7	8	23
TOTAL										
0-27 DYS	0									
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	54	3.4	8	1	2	3	4	7	10	15
6-12 YRS	142	2.8	15	1	1	2	3	5	7	27
13-19 YRS	446	3.0	14	1	1	2	4	6	7	17
GRAND TOTAL	**645**	**3.0**	**14**	**1**	**1**	**2**	**4**	**6**	**7**	**20**

709: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	9	1.7		1	1	1	2	3	3	3
6-12 YRS	37	2.4	2	1	1	2	3	4	6	7
13-19 YRS	283	2.1	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	25	7.2	78	1	4	5	7	12	31	42
6-12 YRS	81	7.6	70	1	3	5	10	16	22	49
13-19 YRS	559	5.2	26	1	2	4	7	11	14	28
TOTAL SINGLE DX	331	2.1	2	1	1	2	3	4	5	7
TOTAL MULTIPLE DX	665	5.5	34	1	2	4	7	11	15	30
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	34	5.7	63	1	2	4	6	9	24	42
6-12 YRS	118	6.0	55	1	2	4	7	13	20	39
13-19 YRS	842	4.1	20	1	1	3	5	9	12	26
GRAND TOTAL	**996**	**4.4**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

710: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	1.2		1	1	1	2	2	2	2
1-5 YRS	5	5.2	9	1	2	6	8	8	8	8
6-12 YRS	49	2.4	1	1	1	2	3	4	4	5
13-19 YRS	35	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	1.8	1	1	1	2	2	3	4	4
1-5 YRS	7	3.4	4	2	2	3	4	7	8	8
6-12 YRS	45	3.9	32	1	2	3	4	6	10	37
13-19 YRS	64	3.1	5	1	2	3	4	6	7	13
TOTAL SINGLE DX	98	2.4	2	1	1	2	3	4	5	8
TOTAL MULTIPLE DX	126	3.3	15	1	2	3	4	6	7	22
TOTAL										
0-27 DYS	0									
1-11 MOS	19	1.5	1	1	1	1	2	3	4	4
1-5 YRS	12	4.2	7	1	2	3	7	8	8	8
6-12 YRS	94	3.1	17	1	1	3	3	5	6	28
13-19 YRS	99	2.8	4	1	1	2	4	5	7	12
GRAND TOTAL	**224**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

711: Incision and division of femur (77.05; 77.15; 77.25; 77.35)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	84	4.0	18	2	2	3	4	6	7	30
6-12 YRS	190	5.2	19	2	3	4	6	10	13	27
13-19 YRS	71	5.7	24	2	3	4	7	9	12	32
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	11.3	81	2	4	10	18	23	23	23
1-5 YRS	180	4.9	37	2	3	4	5	8	10	31
6-12 YRS	304	5.3	34	2	3	4	6	8	10	34
13-19 YRS	161	7.7	80	3	4	5	8	14	21	57
TOTAL SINGLE DX	347	5.0	20	2	3	4	6	9	12	28
TOTAL MULTIPLE DX	649	5.8	48	2	3	4	6	10	14	35
TOTAL										
0-27 DYS	0									
1-11 MOS	6	8.5	68	2	2	5	13	22	23	23
1-5 YRS	264	4.6	32	2	3	4	5	7	10	31
6-12 YRS	494	5.3	29	2	3	4	6	9	11	31
13-19 YRS	232	7.1	64	3	4	5	8	12	19	39
GRAND TOTAL	**996**	**5.6**	**39**	**2**	**3**	**4**	**6**	**9**	**13**	**32**

712: Incision and division of bones except facial and femur (77.00-77.04; 77.06-77.14; 77.16-77.24; 77.26-77.34; 77.36-77.39)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	12.5	221	2	2	12	23	23	23	23
1-11 MOS	4	7.0	28	1	3	6	10	14	14	14
1-5 YRS	193	2.8	8	1	1	2	3	5	6	15
6-12 YRS	264	3.8	20	1	2	3	4	7	11	23
13-19 YRS	260	3.1	5	1	1	2	4	6	7	13
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	9.7	74	< 1	2	10	14	23	25	25
1-5 YRS	153	4.4	28	1	2	3	4	9	14	33
6-12 YRS	283	4.8	34	1	2	3	5	10	14	29
13-19 YRS	254	5.6	87	1	2	3	6	10	15	57
TOTAL SINGLE DX	723	3.3	13	1	1	2	4	6	8	21
TOTAL MULTIPLE DX	698	5.1	53	1	2	3	5	10	14	36
TOTAL										
0-27 DYS	3	11.0	117	2	3	8	19	23	23	23
1-11 MOS	11	8.7	55	1	2	7	14	19	24	25
1-5 YRS	346	3.5	18	1	1	2	4	6	10	24
6-12 YRS	547	4.3	28	1	2	3	5	9	13	24
13-19 YRS	514	4.3	48	1	2	3	5	8	11	32
GRAND TOTAL	**1421**	**4.2**	**33**	**1**	**2**	**3**	**4**	**8**	**12**	**26**

713: Bunionectomy (77.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	24	1.9	1	1	1	1	3	3	4	5
13-19 YRS	195	2.0	1	1	1	2	2	4	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	28	2.0	1	1	1	2	3	3	4	6
13-19 YRS	376	2.3	9	1	1	2	3	4	5	6
TOTAL SINGLE DX	223	2.0	1	1	1	2	3	4	4	6
TOTAL MULTIPLE DX	406	2.3	9	1	1	2	3	4	5	6
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	3.0	4	1	1	3	4	5	5	5
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	52	2.0	1	1	1	2	3	3	4	6
13-19 YRS	571	2.2	7	1	1	2	3	4	4	6
GRAND TOTAL	**629**	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

714: Excision of femur (77.45; 77.65; 77.75; 77.85; 77.95; 79.65)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	9.0	76	3	4	5	14	22	22	22
1-5 YRS	44	4.7	31	1	1	2	5	12	18	26
6-12 YRS	163	3.3	12	1	1	2	4	7	9	16
13-19 YRS	245	3.0	15	1	1	2	3	6	9	23
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	12.7	69	4	7	12	13	27	28	28
1-5 YRS	36	11.3	107	1	3	8	19	30	34	99+
6-12 YRS	76	12.7	153	1	3	8	20	31	44	87
13-19 YRS	117	10.1	110	1	2	7	15	27	33	69
TOTAL SINGLE DX	456	3.3	17	1	1	2	4	7	11	22
TOTAL MULTIPLE DX	235	11.2	123	1	3	7	17	29	34	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	10	11.2	68	3	5	9	13	25	28	28
1-5 YRS	80	7.7	76	1	1	4	10	23	30	80
6-12 YRS	239	6.3	76	1	1	3	7	17	27	49
13-19 YRS	362	5.3	57	1	1	2	6	15	22	40
GRAND TOTAL	**691**	**6.0**	**67**	**1**	**1**	**3**	**7**	**17**	**27**	**47**

715: Excision of bone, except facial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	6.7	24	<1	2	9	10	10	10	10
1-11 MOS	13	3.2	5	1	1	3	5	7	7	7
1-5 YRS	150	3.5	17	1	1	2	5	9	12	27
6-12 YRS	649	3.2	29	1	1	2	3	6	9	22
13-19 YRS	1030	2.8	11	1	1	2	3	6	8	18
2. MULTIPLE DX										
0-27 DYS	3	11.7	226	2	2	4	23	29	29	29
1-11 MOS	26	13.1	276	1	1	4	28	46	61	99+
1-5 YRS	147	7.7	118	1	2	4	9	17	27	65
6-12 YRS	352	7.4	80	1	2	3	9	21	27	43
13-19 YRS	705	6.7	87	1	1	3	8	15	27	50
TOTAL SINGLE DX	1845	3.0	18	1	1	2	3	6	9	21
TOTAL MULTIPLE DX	1233	7.2	94	1	2	4	9	18	28	49
TOTAL										
0-27 DYS	6	9.2	108	<1	2	6	10	27	29	29
1-11 MOS	39	9.8	205	1	1	4	11	40	50	99+
1-5 YRS	297	5.6	72	1	1	3	7	13	21	54
6-12 YRS	1001	4.6	52	1	1	2	4	10	20	37
13-19 YRS	1735	4.4	46	1	1	2	5	10	15	36
GRAND TOTAL	**3078**	**4.7**	**53**	**1**	**1**	**2**	**5**	**11**	**17**	**41**

716: Repair and plastic operation on femur (78.05; 78.15; 78.25; 78.35; 78.45; 78.55; 78.75; 78.85; 78.95; 79.95)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	6.0	8	3	3	6	8	9	9	9
1-5 YRS	31	11.4	82	1	2	11	20	23	26	28
6-12 YRS	554	5.4	44	2	2	3	6	9	20	34
13-19 YRS	480	4.3	22	1	2	3	5	8	10	24
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	6.5	41	2	2	6	11	11	11	11
1-5 YRS	28	11.4	172	2	2	7	15	27	32	62
6-12 YRS	228	9.2	146	1	2	4	11	25	32	68
13-19 YRS	297	7.7	70	1	3	5	10	16	24	46
TOTAL SINGLE DX	1070	5.1	37	1	2	3	6	9	15	31
TOTAL MULTIPLE DX	555	8.5	107	1	2	5	10	22	29	52
TOTAL										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	6.2	13	2	3	6	9	11	11	11
1-5 YRS	59	11.4	123	1	2	8	17	24	28	59
6-12 YRS	782	6.5	77	1	2	4	6	15	25	42
13-19 YRS	777	5.6	43	1	2	4	7	11	15	34
GRAND TOTAL	**1625**	**6.2**	**63**	**1**	**2**	**4**	**7**	**14**	**22**	**40**

717: Repair and plastic operation on bone, except facial and femur (78.0-78.5; 78.7-78.9; 79.9 except 4th digit 5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	9	1.9	1	1	1	1	3	4	4	4
1-5 YRS	45	4.2	103	<1	1	2	3	7	9	69
6-12 YRS	149	5.1	90	1	1	2	4	10	17	68
13-19 YRS	285	3.3	23	1	1	2	4	6	8	23
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	10.2	318	1	1	2	14	42	42	42
1-5 YRS	57	4.1	24	1	2	3	4	9	15	29
6-12 YRS	146	5.6	90	1	1	3	5	11	25	62
13-19 YRS	221	4.8	40	1	2	3	5	10	15	41
TOTAL SINGLE DX	488	3.9	52	1	1	2	4	7	11	39
TOTAL MULTIPLE DX	429	5.1	58	1	2	3	5	11	20	42
TOTAL										
0-27 DYS	0									
1-11 MOS	14	4.9	116	1	1	2	3	9	35	42
1-5 YRS	102	4.1	59	1	1	2	4	8	11	49
6-12 YRS	295	5.4	90	1	1	3	5	11	22	65
13-19 YRS	506	3.9	32	1	1	2	4	8	11	30
GRAND TOTAL	917	4.4	55	1	1	2	4	8	14	42

718: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	1.6	2	<1	<1	1	2	4	4	4
1-5 YRS	93	3.0	20	<1	1	1	2	7	15	24
6-12 YRS	233	2.4	14	<1	1	1	2	4	8	22
13-19 YRS	853	1.8	3	<1	1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	2.7	10	<1	<1	1	3	8	9	9
1-5 YRS	147	3.2	26	<1	1	1	2	8	13	32
6-12 YRS	369	3.7	57	1	1	2	3	7	14	31
13-19 YRS	578	4.4	87	1	1	2	4	8	15	69
TOTAL SINGLE DX	1184	2.0	7	<1	1	1	2	3	4	15
TOTAL MULTIPLE DX	1101	4.0	69	1	1	2	3	7	14	53
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	2.2	6	<1	<1	1	3	6	9	9
1-5 YRS	240	3.1	24	<1	1	1	2	7	14	26
6-12 YRS	602	3.2	41	<1	1	1	3	5	13	28
13-19 YRS	1431	2.8	39	1	1	1	3	4	7	37
GRAND TOTAL	2285	2.9	38	<1	1	1	3	5	9	32

719: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	17.0	242	6	6	17	28	28	28	28
1-5 YRS	60	16.5	84	2	9	17	23	27	30	39
6-12 YRS	86	16.3	157	3	4	13	27	34	37	47
13-19 YRS	118	8.3	58	2	4	6	9	18	23	41
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	28	15.7	91	2	7	16	24	26	29	38
6-12 YRS	80	21.0	203	4	9	22	29	38	45	70
13-19 YRS	211	11.7	107	4	6	9	13	20	34	60
TOTAL SINGLE DX	266	12.8	112	3	4	8	21	28	34	40
TOTAL MULTIPLE DX	319	14.4	145	4	6	11	19	30	38	60
TOTAL										
0-27 DYS	0									
1-11 MOS	2	17.0	242	6	6	17	28	28	28	28
1-5 YRS	88	16.2	86	2	9	17	23	26	29	39
6-12 YRS	166	18.5	184	3	5	19	27	35	39	57
13-19 YRS	329	10.5	92	3	5	8	13	19	30	58
GRAND TOTAL	585	13.7	130	3	5	10	20	29	36	55

720: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	15	6.3	58	1	1	4	6	23	24	25
6-12 YRS	109	6.1	32	2	3	5	7	11	15	33
13-19 YRS	249	7.4	51	2	4	6	9	13	16	48
2. MULTIPLE DX										
0-27 DYS	0		-							
1-11 MOS	12	11.5	28	5	7	13	14	19	20	20
1-5 YRS	31	10.2	83	3	4	7	12	24	34	35
6-12 YRS	109	10.2	82	3	4	8	12	20	36	41
13-19 YRS	446	12.9	103	5	7	10	15	24	31	56
TOTAL SINGLE DX	374	7.0	46	2	3	5	8	12	17	37
TOTAL MULTIPLE DX	598	12.3	98	4	6	10	15	23	32	55
TOTAL										
0-27 DYS	0									
1-11 MOS	13	11.2	27	5	7	13	14	18	20	20
1-5 YRS	46	9.0	77	2	3	5	12	23	32	35
6-12 YRS	218	8.2	61	2	4	6	10	16	27	40
13-19 YRS	695	11.0	92	3	5	9	13	21	26	55
GRAND TOTAL	972	10.3	85	3	5	8	12	20	26	50

721: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	62	3.2	14	1	1	2	3	8	11	22
1-5 YRS	389	5.9	45	1	2	3	7	18	21	27
6-12 YRS	275	11.1	114	1	3	6	19	28	31	41
13-19 YRS	131	8.3	136	1	2	3	7	30	37	48
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	32	8.8	80	1	2	6	12	20	27	40
1-5 YRS	207	10.0	132	1	2	5	16	22	24	69
6-12 YRS	212	16.2	162	2	5	15	25	32	40	53
13-19 YRS	84	15.1	276	2	3	8	24	39	53	73
TOTAL SINGLE DX	858	7.7	86	1	2	3	10	22	29	38
TOTAL MULTIPLE DX	536	13.2	172	2	3	9	20	29	38	64
TOTAL										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	94	5.1	43	1	1	2	6	13	19	35
1-5 YRS	596	7.3	80	1	2	3	11	19	23	33
6-12 YRS	487	13.3	142	2	3	9	22	30	34	50
13-19 YRS	215	10.9	202	1	2	4	11	32	40	63
GRAND TOTAL	1394	9.8	126	1	2	5	15	26	31	49

722: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	394	2.1	7	1	1	1	2	3	6	17
6-12 YRS	490	2.6	15	1	1	1	2	4	9	21
13-19 YRS	268	2.4	6	<1	1	1	3	5	7	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	60	4.3	33	1	1	2	4	12	18	32
6-12 YRS	137	5.3	42	1	1	2	5	16	21	26
13-19 YRS	155	6.0	49	1	2	4	9	13	18	27
TOTAL SINGLE DX	1157	2.4	10	1	1	1	2	4	7	19
TOTAL MULTIPLE DX	353	5.4	44	1	1	3	7	14	19	27
TOTAL										
0-27 DYS	0									
1-11 MOS	6	2.2	1	1	1	2	3	4	4	4
1-5 YRS	454	2.4	11	1	1	1	2	4	7	19
6-12 YRS	627	3.2	22	1	1	2	3	7	15	22
13-19 YRS	423	3.8	25	1	1	2	4	9	12	23
GRAND TOTAL	1510	3.1	20	1	1	2	3	7	13	22

723: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.52; 79.56-79.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	352	1.9	1	1	1	1	2	4	4	7
6-12 YRS	1120	2.3	5	1	1	2	3	4	6	10
13-19 YRS	2865	2.6	5	1	1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	10	4.7	10	<1	1	5	7	9	10	10
1-5 YRS	146	3.6	24	1	1	2	4	7	11	31
6-12 YRS	444	4.1	27	1	2	3	4	8	12	33
13-19 YRS	1646	5.5	43	1	2	4	6	11	15	36
TOTAL SINGLE DX	4341	2.4	5	1	1	2	3	4	6	9
TOTAL MULTIPLE DX	2246	5.1	39	1	2	3	6	11	15	35
TOTAL										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	12	4.3	9	<1	1	4	6	9	10	10
1-5 YRS	498	2.4	9	1	1	2	3	5	6	12
6-12 YRS	1564	2.8	12	1	1	2	3	5	7	22
13-19 YRS	4511	3.6	21	1	1	2	4	7	10	23
GRAND TOTAL	6587	3.3	18	1	1	2	4	6	9	22

724: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	22	2.3	6	1	1	1	2	6	9	11
1-5 YRS	958	1.8	6	1	1	1	2	3	4	16
6-12 YRS	2927	1.7	3	1	1	1	2	3	4	11
13-19 YRS	1622	2.3	5	1	1	2	3	4	6	13
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	17	7.2	48	2	3	5	7	20	25	26
1-5 YRS	261	4.1	38	1	1	2	4	10	16	33
6-12 YRS	732	4.2	35	1	1	2	5	9	15	35
13-19 YRS	820	5.0	66	1	1	3	5	10	15	47
TOTAL SINGLE DX	5531	1.9	5	1	1	1	2	3	5	13
TOTAL MULTIPLE DX	1830	4.5	50	1	1	2	5	10	15	37
TOTAL										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	39	4.4	30	1	1	2	6	10	18	26
1-5 YRS	1219	2.3	14	1	1	1	2	4	8	19
6-12 YRS	3659	2.2	11	1	1	1	2	4	7	18
13-19 YRS	2442	3.2	28	1	1	2	3	6	9	22
GRAND TOTAL	7361	2.6	18	1	1	1	2	5	8	20

725: Reduction of hip dislocation (79.75; 79.85)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	12.0	200	2	2	12	22	22	22	22
1-11 MOS	146	5.7	41	<1	1	2	10	16	18	27
1-5 YRS	156	5.4	30	1	2	4	7	13	16	27
6-12 YRS	43	4.5	6	2	3	4	6	7	9	13
13-19 YRS	67	5.8	26	1	2	4	6	15	18	21
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	46	10.2	120	1	2	5	17	25	34	40
1-5 YRS	91	6.5	39	2	3	4	7	17	23	26
6-12 YRS	39	5.6	18	2	3	5	7	8	16	23
13-19 YRS	93	8.1	80	2	3	5	10	15	22	57
TOTAL SINGLE DX	414	5.5	32	1	2	4	7	14	17	26
TOTAL MULTIPLE DX	269	7.5	66	2	3	5	9	18	24	40
TOTAL										
0-27 DYS	2	12.0	200	2	2	12	22	22	22	22
1-11 MOS	192	6.8	63	<1	1	3	10	17	24	37
1-5 YRS	247	5.8	34	1	2	4	7	14	20	27
6-12 YRS	82	5.0	12	2	3	4	6	8	9	22
13-19 YRS	160	7.1	59	2	3	5	9	15	19	48
GRAND TOTAL	**683**	**6.3**	**46**	**1**	**2**	**4**	**8**	**15**	**20**	**31**

726: Reduction of dislocation, except hip (79.70-79.74; 79.76-79.84; 79.86-79.89)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	2.3	1	1	2	2	3	4	4	4
1-5 YRS	27	2.2	4	1	1	1	3	5	7	10
6-12 YRS	108	1.5	2	<1	1	1	2	2	3	9
13-19 YRS	221	2.0	5	<1	1	1	2	4	5	10
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	5.4	12	2	3	4	8	10	11	11
1-5 YRS	16	2.9	10	1	1	2	3	9	11	12
6-12 YRS	38	4.3	122	<1	1	1	3	5	17	67
13-19 YRS	129	4.8	39	1	1	3	5	10	16	38
TOTAL SINGLE DX	363	1.9	4	<1	1	1	2	3	5	10
TOTAL MULTIPLE DX	192	4.6	52	1	1	3	5	10	15	41
TOTAL										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	14	4.1	9	2	2	3	4	9	11	11
1-5 YRS	43	2.4	6	1	1	1	3	5	9	12
6-12 YRS	146	2.2	34	<1	1	1	2	3	4	21
13-19 YRS	350	3.0	20	1	1	2	3	5	9	27
GRAND TOTAL	**555**	**2.8**	**22**	**1**	**1**	**1**	**3**	**5**	**9**	**23**

727: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	19.0	338	6	6	19	32	32	32	32
1-11 MOS	202	3.2	17	1	1	2	3	6	11	22
1-5 YRS	214	4.9	25	1	1	3	7	13	15	22
6-12 YRS	187	5.0	32	1	1	3	7	12	17	24
13-19 YRS	367	2.7	19	<1	1	2	3	5	8	16
2. MULTIPLE DX										
0-27 DYS	10	20.0	86	8	15	21	34	99+	99+	99+
1-11 MOS	125	10.8	147	1	2	7	15	24	30	62
1-5 YRS	251	7.8	62	1	2	4	12	20	24	37
6-12 YRS	225	9.0	87	1	3	5	12	21	29	45
13-19 YRS	390	3.9	31	1	1	2	4	8	15	29
TOTAL SINGLE DX	972	3.8	25	1	1	2	4	9	14	22
TOTAL MULTIPLE DX	1001	7.1	75	1	2	4	9	19	25	42
TOTAL										
0-27 DYS	12	19.8	102	6	15	21	33	99+	99+	99+
1-11 MOS	327	6.1	80	1	1	2	7	18	22	43
1-5 YRS	465	6.5	47	1	2	3	9	15	22	29
6-12 YRS	412	7.2	66	1	2	4	9	18	24	42
13-19 YRS	757	3.3	26	1	1	2	3	7	11	23
GRAND TOTAL	**1973**	**5.4**	**53**	**1**	**1**	**2**	**6**	**14**	**21**	**36**

728: Intervertebral chemonucleolysis (80.52)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	2.4	3	<1	1	2	3	5	7	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	11	2.4	3	<1	1	2	3	5	7	7
TOTAL MULTIPLE DX	0									
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	11	2.4	3	<1	1	2	3	5	7	7
GRAND TOTAL	**11**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**5**	**7**	**7**

729: Removal of intervertebral disc, except chemonucleolysis (80.50-80.51; 80.59)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	3	13.7	44	8	9	12	19	21	21	21
6-12 YRS	6	10.3	20	3	8	10	15	15	15	15
13-19 YRS	270	4.7	18	2	3	4	5	8	10	22
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	9	12.0	46	5	7	8	17	22	22	22
6-12 YRS	20	16.3	64	5	9	18	23	25	27	28
13-19 YRS	93	9.7	66	3	4	6	14	24	29	74
TOTAL SINGLE DX	280	5.0	22	2	3	4	5	9	11	23
TOTAL MULTIPLE DX	123	10.9	69	4	5	7	17	24	28	56
TOTAL										
0-27 DYS	0									
1-11 MOS	2	18.5	421	4	4	18	33	33	33	33
1-5 YRS	12	12.4	42	5	7	10	18	21	22	22
6-12 YRS	26	14.9	60	5	9	15	22	25	26	28
13-19 YRS	363	6.0	35	2	3	4	6	11	19	33
GRAND TOTAL	**403**	**6.8**	**44**	**2**	**3**	**4**	**7**	**16**	**22**	**33**

730: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	13	2.1		1	1	2	3	3	4	4
13-19 YRS	228	1.5		< 1	< 1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	13	1.5		< 1	1	1	2	3	3	3
13-19 YRS	488	2.4	3	< 1	1	2	3	4	5	7
TOTAL SINGLE DX	245	1.5	1	< 1	< 1	1	2	3	4	5
TOTAL MULTIPLE DX	501	2.4	4	< 1	1	2	3	4	5	7
TOTAL										
0-27 DYS	0									
1-11 MOS	2	1.0		< 1	< 1	< 1	1	1	1	1
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	26	1.8	1	1	1	2	3	3	4	4
13-19 YRS	716	2.1	3	< 1	1	2	3	4	5	7
GRAND TOTAL	**746**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**4**	**6**

731: Arthroscopy (80.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	8	6.6	14	3	4	6	7	13	15	15
6-12 YRS	42	4.1	35	< 1	< 1	1	4	12	22	24
13-19 YRS	403	1.9	3	< 1	< 1	1	2	4	5	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	3	6.0	61	1	1	2	12	15	15	15
1-5 YRS	8	14.9	77	4	11	14	18	28	32	32
6-12 YRS	30	4.8	26	< 1	1	2	7	13	14	19
13-19 YRS	333	2.9	37	< 1	1	1	3	5	7	38
TOTAL SINGLE DX	455	2.2	7	< 1	< 1	1	2	4	6	15
TOTAL MULTIPLE DX	374	3.3	41	< 1	1	1	3	6	13	34
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	6.0	41	1	1	4	10	15	15	15
1-5 YRS	16	10.8	61	2	5	9	15	20	28	32
6-12 YRS	72	4.4	31	< 1	< 1	1	5	13	18	24
13-19 YRS	736	2.3	19	< 1	< 1	1	2	4	6	15
GRAND TOTAL	**829**	**2.7**	**23**	**<1**	**<1**	**1**	**3**	**5**	**8**	**22**

732: Miscellaneous excisions of joint structures (80.3; 80.7-80.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.0	3	< 1	1	3	4	6	6	6
1-5 YRS	29	3.5	9	< 1	1	2	6	8	10	10
6-12 YRS	62	3.5	18	< 1	1	2	5	8	12	25
13-19 YRS	251	2.5	10	< 1	< 1	1	2	5	8	15
2. MULTIPLE DX										
0-27 DYS	2	14.0	2	13	13	14	15	15	15	15
1-11 MOS	6	17.5	229	< 1	3	18	21	41	43	43
1-5 YRS	24	8.4	52	1	4	7	9	15	28	32
6-12 YRS	45	10.2	114	1	2	7	14	26	36	42
13-19 YRS	296	3.6	35	< 1	1	1	4	10	14	27
TOTAL SINGLE DX	349	2.7	12	< 1	< 1	1	3	7	9	15
TOTAL MULTIPLE DX	373	5.0	57	< 1	1	2	5	13	21	42
TOTAL										
0-27 DYS	3	9.7	57	1	4	13	14	15	15	15
1-11 MOS	12	10.3	163	< 1	2	4	18	28	41	43
1-5 YRS	53	5.7	34	< 1	1	4	8	10	14	32
6-12 YRS	107	6.3	69	1	1	3	8	16	26	41
13-19 YRS	547	3.1	25	< 1	1	1	3	7	11	25
GRAND TOTAL	**722**	**3.9**	**36**	**<1**	**1**	**1**	**4**	**10**	**14**	**31**

733: Spinal fusion (81.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	25	7.4	36	3	4	5	9	12	20	31
6-12 YRS	223	7.9	6	6	6	7	9	11	13	18
13-19 YRS	650	8.0	7	5	6	7	9	11	13	19
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	6	5.7	2	3	5	6	7	81	99+	99+
1-5 YRS	70	9.2	61	4	5	7	11	15	20	90
6-12 YRS	358	11.6	81	6	7	9	12	20	31	62
13-19 YRS	685	12.1	59	6	8	10	14	23	28	48
TOTAL SINGLE DX	899	7.9	8	5	6	7	9	11	13	19
TOTAL MULTIPLE DX	1119	11.7	67	6	7	9	13	22	29	60
TOTAL										
0-27 DYS	0									
1-11 MOS	7	5.9	2	4	5	6	7	72	99+	99+
1-5 YRS	95	8.7	55	4	5	7	10	14	19	78
6-12 YRS	581	10.2	56	6	7	8	10	15	23	50
13-19 YRS	1335	10.1	38	6	7	8	11	17	23	40
GRAND TOTAL	**2018**	**10.0**	**44**	**6**	**7**	**8**	**11**	**16**	**23**	**45**

734: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	18	2.6	3	1	1	2	3	5	7	8
6-12 YRS	50	3.0	6	1	2	3	4	5	5	18
13-19 YRS	152	3.0	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	25	6.6	149	1	1	3	5	14	32	60
6-12 YRS	98	4.1	5	1	2	4	5	8	10	11
13-19 YRS	204	3.9	5	1	2	4	5	7	9	12
TOTAL SINGLE DX	220	3.0	4	1	2	3	4	5	7	9
TOTAL MULTIPLE DX	327	4.2	17	1	2	3	5	8	9	16
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	43	5.0	91	1	1	2	4	10	17	60
6-12 YRS	148	3.7	6	1	2	3	5	8	9	11
13-19 YRS	356	3.5	5	1	2	3	5	7	8	10
GRAND TOTAL	**547**	**3.7**	**12**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

735: Total hip replacement (81.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	12	6.8	3	5	6	7	8	9	11	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	8	10.8	6	8	9	10	12	15	15	15
1-5 YRS	0									
6-12 YRS	2	16.5	5	15	15	16	18	18	18	18
13-19 YRS	15	11.2	7	8	9	11	14	15	16	16
TOTAL SINGLE DX	13	6.5	5	4	5	7	7	9	11	11
TOTAL MULTIPLE DX	25	11.5	9	8	9	11	14	15	16	18
TOTAL										
0-27 DYS	0									
1-11 MOS	8	10.8	6	8	9	10	12	15	15	15
1-5 YRS	0									
6-12 YRS	3	11.7	72	2	5	15	17	18	18	18
13-19 YRS	27	9.3	10	5	7	8	11	14	15	16
GRAND TOTAL	**38**	**9.8**	**13**	**5**	**7**	**9**	**11**	**15**	**16**	**18**

736: Other arthroplasty of hip (81.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	9	3.4		2	3	3	4	5	5	5
6-12 YRS	11	4.0	10	2	2	3	5	8	13	13
13-19 YRS	24	6.0	14	1	3	6	8	10	13	18
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	9	13.3	40	7	8	10	21	22	22	22
1-5 YRS	17	4.8	8	2	3	4	6	10	11	11
6-12 YRS	34	6.4	29	3	3	4	7	13	19	27
13-19 YRS	25	11.0	151	2	4	6	10	30	39	54
TOTAL SINGLE DX	45	5.1	12	2	3	4	7	10	11	18
TOTAL MULTIPLE DX	85	8.2	69	2	4	6	9	20	25	47
TOTAL										
0-27 DYS	0									
1-11 MOS	10	13.0	37	7	8	10	21	22	22	22
1-5 YRS	26	4.3	6	2	3	4	5	8	11	11
6-12 YRS	45	5.8	25	2	3	4	6	12	16	27
13-19 YRS	49	8.5	89	2	4	6	8	17	30	54
GRAND TOTAL	**130**	**7.1**	**51**	**2**	**3**	**5**	**8**	**13**	**21**	**38**

737: Total knee replacement (81.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	9.7	5	7	8	11	11	11	11	11
13-19 YRS	5	7.8	34	1	3	7	12	16	16	16
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	9.4	2	7	8	10	10	11	11	11
1-5 YRS	2	9.0	128	1	1	9	17	17	17	17
6-12 YRS	2	5.5	41	< 1	< 1	5	10	10	10	10
13-19 YRS	9	10.6	80	2	6	8	13	26	31	31
TOTAL SINGLE DX	12	7.9	18	2	5	8	11	13	16	16
TOTAL MULTIPLE DX	18	9.5	51	1	7	9	11	18	26	31
TOTAL										
0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	6	9.2	2	7	8	9	10	11	11	11
1-5 YRS	3	6.7	80	1	1	2	13	17	17	17
6-12 YRS	5	8.0	18	< 1	5	10	11	11	11	11
13-19 YRS	14	9.6	62	1	4	8	11	19	28	31
GRAND TOTAL	30	8.9	37	1	7	8	11	16	18	31

738: Arthroplasty of knee, except total replacement (81.42-81.47)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	3.0	2	1	2	3	4	5	5	5
1-5 YRS	6	1.7		1	1	2	2	2	2	2
6-12 YRS	49	2.3	1	1	1	2	3	4	5	6
13-19 YRS	1323	2.9	1	1	2	3	4	5	5	7
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	3.5	2	1	3	4	4	5	5	5
6-12 YRS	42	3.5	6	1	2	3	4	6	9	13
13-19 YRS	1501	3.2	3	1	2	3	4	5	6	10
TOTAL SINGLE DX	1382	2.8	2	1	2	3	4	5	5	7
TOTAL MULTIPLE DX	1549	3.2	3	1	2	3	4	5	6	10
TOTAL										
0-27 DYS	0									
1-11 MOS	4	3.0	3	1	2	3	4	5	5	5
1-5 YRS	12	2.6	2	1	1	2	4	5	5	5
6-12 YRS	91	2.8	4	1	2	2	4	5	6	12
13-19 YRS	2824	3.0	3	1	2	3	4	5	6	8
GRAND TOTAL	2931	3.0	3	1	2	3	4	5	6	8

739: Prosthetic replacement of joint, except hip and knee (81.31; 81.48; 81.71; 81.81; 81.84; 81.86)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	7	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	13	2.4	1	< 1	1	2	3	4	5	5
TOTAL SINGLE DX	12	1.8	1	1	1	2	3	3	4	4
TOTAL MULTIPLE DX	15	2.4	2	< 1	1	2	3	4	5	5
TOTAL										
0-27 DYS	0									
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	1.6	2	1	1	1	2	4	4	4
13-19 YRS	20	2.4	1	< 1	1	2	3	4	5	5
GRAND TOTAL	27	2.1	1	1	1	2	3	4	4	5

740: Miscellaneous repair of other joint, except hip and knee (81.39; 81.49; 81.79; 81.82-81.83; 81.85; 81.87; 81.93-81.96; 81.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	10	3.1	5	1	2	2	4	7	8	8
1-5 YRS	19	2.4	4	1	1	2	3	5	7	9
6-12 YRS	26	2.1	2	< 1	1	1	3	5	6	7
13-19 YRS	1077	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	1.2		1	1	1	2	2	2	2
1-5 YRS	26	2.5	1	< 1	2	2	3	4	5	7
6-12 YRS	23	2.0	1	1	1	2	3	4	5	5
13-19 YRS	309	2.3	3	1	1	2	3	4	5	10
TOTAL SINGLE DX	1132	2.0	2	1	1	2	2	3	4	6
TOTAL MULTIPLE DX	363	2.3	3	1	1	2	3	4	5	10
TOTAL										
0-27 DYS	0									
1-11 MOS	15	2.5	4	1	1	2	3	6	7	8
1-5 YRS	45	2.5	3	1	1	2	3	4	6	9
6-12 YRS	49	2.0	2	1	1	1	3	5	5	7
13-19 YRS	1386	2.1	2	1	1	2	2	3	4	6
GRAND TOTAL	1495	2.1	2	1	1	2	3	3	4	7

741: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	122	5.1	44	1	1	3	5	14	21	32
1-5 YRS	236	3.6	16	<1	1	2	4	8	14	20
6-12 YRS	209	3.4	15	<1	1	2	4	8	12	23
13-19 YRS	280	3.2	13	<1	1	2	4	6	10	17
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	63	4.9	34	1	1	3	5	15	16	31
1-5 YRS	466	3.5	26	1	2	2	4	5	8	27
6-12 YRS	527	4.3	21	1	2	3	5	8	13	24
13-19 YRS	416	5.8	71	1	2	3	6	12	19	55
TOTAL SINGLE DX	850	3.7	20	<1	1	2	4	8	13	23
TOTAL MULTIPLE DX	1473	4.5	39	1	2	3	5	9	14	31
TOTAL										
0-27 DYS	4	3.5	2	2	2	3	4	5	5	5
1-11 MOS	185	5.1	41	1	1	3	5	15	19	32
1-5 YRS	702	3.5	23	1	1	2	4	6	10	23
6-12 YRS	736	4.1	20	1	2	3	4	8	13	23
13-19 YRS	696	4.7	50	1	1	3	5	10	15	43
GRAND TOTAL	2323	4.2	32	1	1	3	4	8	14	27

742: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	63	2.9	82	<1	1	1	2	4	6	64
1-5 YRS	160	2.4	8	<1	1	1	2	4	8	16
6-12 YRS	153	2.4	8	<1	<1	1	2	5	9	13
13-19 YRS	164	2.2	16	<1	<1	1	2	4	5	18
2. MULTIPLE DX										
0-27 DYS	9	13.4	42	5	11	14	21	62	99+	99+
1-11 MOS	55	13.3	334	1	2	6	17	57	66	99+
1-5 YRS	[illegible]	8.0	148	1	2	3	9	20	47	78
6-12 YRS	81	5.9	75	1	1	2	6	21	29	83
13-19 YRS	77	5.5	38	1	1	3	7	15	20	27
TOTAL SINGLE DX	543	2.4	19	<1	<1	1	2	4	7	16
TOTAL MULTIPLE DX	319	7.9	139	1	1	3	10	23	46	99+
TOTAL										
0-27 DYS	12	10.4	61	1	2	13	16	39	89	99+
1-11 MOS	118	7.8	225	<1	1	2	6	27	59	99+
1-5 YRS	257	4.5	69	<1	1	2	4	10	16	51
6-12 YRS	234	3.6	34	<1	1	2	3	9	14	34
13-19 YRS	241	3.3	26	<1	<1	1	3	7	14	24
GRAND TOTAL	862	4.4	71	<1	1	2	4	11	20	60

743: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	3	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	9	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	6	1.5		<1	<1	1	2	3	3	3
13-19 YRS	11	1.5	1	<1	<1	1	1	3	4	4
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	9	4.8	65	<1	1	2	3	18	26	26
6-12 YRS	5	4.0	25	1	1	2	5	13	13	13
13-19 YRS	21	3.4	20	<1	1	2	3	8	14	21
TOTAL SINGLE DX	29	1.5	1	<1	<1	1	2	3	4	4
TOTAL MULTIPLE DX	38	3.8	29	1	1	2	3	8	18	26
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	1.6	2	<1	<1	<1	2	4	4	4
1-5 YRS	18	3.2	34	<1	1	2	3	5	18	26
6-12 YRS	11	2.6	12	<1	<1	2	2	7	12	13
13-19 YRS	32	2.7	14	<1	1	2	3	5	9	21
GRAND TOTAL	67	2.8	18	<1	1	1	3	5	10	25

744: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	1.3		<1	1	1	2	2	3	3
1-5 YRS	102	1.5		<1	1	1	2	3	4	5
6-12 YRS	87	1.4		<1	1	1	2	2	3	4
13-19 YRS	246	1.5	2	<1	1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	15	2.0	2	<1	1	1	3	4	5	6
1-5 YRS	128	1.8	2	1	1	1	2	3	6	9
6-12 YRS	120	1.7	2	1	1	1	2	3	5	9
13-19 YRS	278	2.0	6	<1	1	1	2	4	5	9
TOTAL SINGLE DX	455	1.5	2	<1	1	1	2	2	3	5
TOTAL MULTIPLE DX	542	1.9	5	<1	1	1	2	4	5	9
TOTAL										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	34	1.6	1	<1	1	1	2	3	4	6
1-5 YRS	230	1.7	2	<1	1	1	2	3	4	7
6-12 YRS	207	1.6	2	1	1	1	2	3	4	8
13-19 YRS	524	1.8	5	<1	1	1	2	3	4	7
GRAND TOTAL	997	1.7	3	<1	1	1	2	3	4	8

745: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.8	3	1	1	2	4	5	5	5
1-5 YRS	40	2.4	8	1	1	1	3	4	9	14
6-12 YRS	96	2.2	8	1	1	2	2	4	5	21
13-19 YRS	165	2.2	4	1	1	2	2	4	5	13
2. MULTIPLE DX										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	29	2.9	12	1	1	2	3	5	10	18
6-12 YRS	70	3.8	33	<1	1	2	3	8	11	34
13-19 YRS	175	3.7	47	1	1	2	4	7	10	52
TOTAL SINGLE DX	306	2.2	6	1	1	2	2	4	5	14
TOTAL MULTIPLE DX	278	3.7	41	1	1	2	4	7	10	34
TOTAL										
0-27 DYS	2	13.0	242	2	2	13	24	24	24	24
1-11 MOS	7	3.3	2	1	2	3	5	5	5	5
1-5 YRS	69	2.6	10	1	1	1	3	5	10	17
6-12 YRS	166	2.9	20	1	1	2	3	5	8	27
13-19 YRS	340	3.0	27	1	1	2	3	5	8	19
GRAND TOTAL	584	2.9	23	1	1	2	3	5	8	23

746: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	528	2.4	2	1	1	2	3	4	6	8
1-5 YRS	388	2.2	4	1	1	2	3	4	4	11
6-12 YRS	233	2.2	2	1	1	2	3	4	5	8
13-19 YRS	243	2.6	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	122	2.9	12	1	1	2	3	5	6	17
1-5 YRS	670	2.4	6	1	1	2	3	4	5	15
6-12 YRS	617	3.0	18	1	1	2	3	5	8	25
13-19 YRS	359	3.9	55	1	1	2	4	6	9	34
TOTAL SINGLE DX	1392	2.3	3	1	1	2	3	4	6	10
TOTAL MULTIPLE DX	1768	2.9	21	1	1	2	3	5	7	22
TOTAL										
0-27 DYS	0									
1-11 MOS	650	2.5	5	1	1	2	3	4	6	9
1-5 YRS	1058	2.3	5	1	1	2	3	4	5	11
6-12 YRS	850	2.7	14	1	1	2	3	5	7	17
13-19 YRS	602	3.4	35	1	1	2	4	5	8	26
GRAND TOTAL	3160	2.7	13	1	1	2	3	4	6	16

747: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	1.3		<1	<1	1	1	3	3	3
1-5 YRS	31	1.5	2	<1	1	1	1	3	3	10
6-12 YRS	15	1.1		1	1	1	1	2	2	2
13-19 YRS	47	2.0	3	<1	1	1	2	5	6	8
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	5	1.4		<1	1	1	2	2	2	2
1-5 YRS	17	7.4	336	<1	1	2	3	60	90	99+
6-12 YRS	4	2.5	9	<1	<1	1	4	7	7	7
13-19 YRS	53	3.1	7	1	1	2	4	7	8	16
TOTAL SINGLE DX	100	1.7	2	<1	1	1	2	3	5	9
TOTAL MULTIPLE DX	79	3.8	78	1	1	2	4	7	12	92
TOTAL										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.4		<1	<1	1	2	3	3	3
1-5 YRS	48	3.6	124	<1	1	1	2	4	27	99+
6-12 YRS	19	1.4	2	1	1	1	1	2	5	7
13-19 YRS	100	2.5	6	1	1	2	3	6	7	12
GRAND TOTAL	179	2.6	37	<1	1	1	2	5	7	60

748: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	2.7	1	1	1	2	4	5	5	5
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	5.0	17	2	2	2	9	10	10	10
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	3	5.0	7	2	3	6	7	7	7	7
6-12 YRS	1	28.0		28	28	28	28	28	28	28
13-19 YRS	7	11.9	163	2	3	5	23	32	33	33
TOTAL SINGLE DX	9	4.3	11	1	2	2	7	10	10	10
TOTAL MULTIPLE DX	11	11.5	140	2	3	6	23	30	33	33
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	6	3.8	6	1	2	4	6	7	7	7
6-12 YRS	2	17.0	242	6	6	17	28	28	28	28
13-19 YRS	12	9.0	108	2	2	4	10	29	32	33
GRAND TOTAL	20	8.3	91	2	2	5	9	27	30	33

749: Amputation of toes (84.11)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	5	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	14	2.0	12	<1	1	1	1	3	12	14
6-12 YRS	15	2.4	2	1	1	2	3	5	6	6
13-19 YRS	18	2.6	2	1	2	2	3	5	6	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	7	1.1		<1	<1	1	1	2	2	2
1-5 YRS	16	11.6	188	1	2	6	16	35	40	42
6-12 YRS	8	6.3	64	<1	1	4	7	20	25	25
13-19 YRS	33	7.7	50	1	2	6	10	21	23	26
TOTAL SINGLE DX	52	2.2	5	<1	1	2	2	5	6	14
TOTAL MULTIPLE DX	64	7.8	86	1	1	4	10	22	28	41
TOTAL										
0-27 DYS	0									
1-11 MOS	12	1.1		<1	<1	1	1	2	2	2
1-5 YRS	30	7.1	126	<1	1	1	9	27	35	42
6-12 YRS	23	3.7	25	1	1	2	5	7	13	25
13-19 YRS	51	5.9	39	1	2	3	8	15	22	26
GRAND TOTAL	116	5.3	57	1	1	2	6	12	23	37

750: Below-knee amputation (84.15)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	7	7.9	53	3	5	6	7	21	24	24
13-19 YRS	4	4.0	2	2	3	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	10.0	8	8	8	10	12	12	12	12
1-5 YRS	4	11.5	87	3	3	11	19	21	21	21
6-12 YRS	4	27.5	532	10	15	42	99+	99+	99+	99+
13-19 YRS	12	24.1	736	3	5	14	31	69	89	92
TOTAL SINGLE DX	13	6.2	32	2	4	5	6	11	21	24
TOTAL MULTIPLE DX	22	21.1	517	3	7	16	31	93	99+	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	2	10.0	8	8	8	10	12	12	12	12
1-5 YRS	6	9.2	68	2	3	5	18	21	21	21
6-12 YRS	11	15.0	290	4	6	10	33	99+	99+	99+
13-19 YRS	16	19.1	621	3	4	7	23	57	82	92
GRAND TOTAL	35	15.6	384	3	5	8	23	61	97	99+

751: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	6	10.0	33	4	6	9	14	18	19	19
13-19 YRS	11	5.9	10	4	4	5	6	11	15	15
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	37.0	450	22	22	37	52	52	52	52
1-5 YRS	9	14.8	224	3	5	12	16	39	52	52
6-12 YRS	4	21.3	85	16	16	17	26	35	35	35
13-19 YRS	11	15.2	85	6	7	13	21	29	34	35
TOTAL SINGLE DX	19	7.1	20	4	4	5	8	15	17	19
TOTAL MULTIPLE DX	26	17.7	172	5	9	14	21	35	52	52
TOTAL										
0-27 DYS	0									
1-11 MOS	2	37.0	450	22	22	37	52	52	52	52
1-5 YRS	11	12.9	197	3	4	10	14	32	50	52
6-12 YRS	10	14.5	81	5	6	15	18	27	35	35
13-19 YRS	22	10.5	68	4	5	7	14	22	29	35
GRAND TOTAL	45	13.2	134	4	5	10	17	25	39	52

752: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	4.5	9	3	3	3	6	9	9	9
1-5 YRS	11	5.5	22	1	2	4	8	13	17	17
6-12 YRS	6	10.0	49	4	4	8	14	21	22	22
13-19 YRS	5	10.0	66	4	5	7	13	24	24	24
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	4	2.3		2	2	2	27	99+	99+	99+
1-5 YRS	12	6.8	64	1	2	3	9	19	27	28
6-12 YRS	11	11.6	123	2	4	8	17	28	38	39
13-19 YRS	13	18.6	629	3	4	12	21	46	86	96
TOTAL SINGLE DX	26	7.3	36	2	3	5	10	17	22	24
TOTAL MULTIPLE DX	40	11.5	276	2	2	6	14	30	65	99+
TOTAL										
0-27 DYS	0									
1-11 MOS	8	3.4	5	2	2	3	5	64	99+	99+
1-5 YRS	23	6.2	43	2	2	3	8	15	21	28
6-12 YRS	17	11.1	93	3	4	8	15	22	33	39
13-19 YRS	18	16.2	476	3	4	9	19	31	71	96
GRAND TOTAL	66	9.8	184	2	3	5	12	24	34	99

753: Reattachment of extremity (84.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	26	2.5	4	1	1	2	4	5	7	9
6-12 YRS	15	3.3	7	1	1	3	4	7	10	11
13-19 YRS	11	5.6	15	1	2	6	8	11	12	12
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	10	3.3	15	1	1	1	3	10	11	11
6-12 YRS	7	6.1	3	3	5	7	8	8	8	8
13-19 YRS	17	6.1	11	2	3	6	8	11	12	13
TOTAL SINGLE DX	54	3.5	8	1	1	3	5	8	10	12
TOTAL MULTIPLE DX	35	5.3	11	1	2	5	8	10	11	13
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.7		5	5	6	6	6	6	6
1-5 YRS	36	2.8	7	1	1	2	4	6	10	11
6-12 YRS	22	4.2	8	1	2	4	7	8	9	11
13-19 YRS	28	5.9	12	2	3	6	8	11	12	13
GRAND TOTAL	**89**	**4.2**	**10**	**1**	**1**	**3**	**6**	**9**	**11**	**13**

754: Revision of amputation stump (84.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	7	1.0		< 1	1	1	1	1	1	1
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	14	2.4	5	1	1	1	3	5	8	9
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	47.0	3200	7	7	47	87	87	87	87
1-5 YRS	4	2.5	5	< 1	< 1	1	4	6	6	6
6-12 YRS	13	3.8	13	1	1	2	5	10	12	12
13-19 YRS	14	8.6	190	1	2	2	7	26	45	51
TOTAL SINGLE DX	23	2.0	4	1	1	1	2	5	7	9
TOTAL MULTIPLE DX	33	8.3	289	1	1	2	7	17	47	87
TOTAL										
0-27 DYS	0									
1-11 MOS	2	47.0	3200	7	7	47	87	87	87	87
1-5 YRS	11	1.5	2	< 1	1	1	1	4	6	6
6-12 YRS	15	3.7	12	1	1	2	5	10	11	12
13-19 YRS	28	5.5	104	1	1	2	5	14	26	51
GRAND TOTAL	**56**	**5.7**	**180**	**1**	**1**	**2**	**5**	**10**	**21**	**85**

755: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	29.0		29	29	29	29	29	29	29
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	2	65.0		65	65	65	65	65	65	65
6-12 YRS	0									
13-19 YRS	0									
TOTAL SINGLE DX	3	20.7	208	4	10	29	29	29	29	29
TOTAL MULTIPLE DX	2	65.0		65	65	65	65	65	65	65
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	4	47.0	432	29	29	47	65	65	65	65
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	0									
GRAND TOTAL	**5**	**38.4**	**694**	**4**	**23**	**29**	**65**	**65**	**65**	**65**

756: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

757: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	11	1.5		<1	<1	1	2	3	3	3
13-19 YRS	90	1.3		<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	0									
6-12 YRS	4	17.8	831	3	3	4	32	61	61	61
13-19 YRS	32	4.4	58	<1	1	2	3	10	24	36
TOTAL SINGLE DX	104	1.3	1	<1	<1	<1	1	2	3	5
TOTAL MULTIPLE DX	38	5.7	134	<1	1	2	4	15	32	61
TOTAL										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	3.0	3	2	2	2	4	5	5	5
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	15	5.8	234	<1	1	2	3	4	47	61
13-19 YRS	122	2.1	17	<1	<1	1	2	3	5	28
GRAND TOTAL	**142**	**2.5**	**39**	**<1**	**<1**	**1**	**2**	**3**	**5**	**38**

758: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	22	1.9	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	0									
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	1.4		1	1	1	2	2	2	2
TOTAL SINGLE DX	24	1.9	1	<1	1	2	3	3	4	6
TOTAL MULTIPLE DX	6	1.7	1	1	1	2	2	3	3	3
TOTAL										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	27	1.8	1	<1	1	1	2	3	4	6
GRAND TOTAL	**30**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**3**	**3**	**6**

759: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	2	6.0	18	3	3	6	9	9	9	9
1-5 YRS	0									
6-12 YRS	0									
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
TOTAL SINGLE DX	4	2.0	2	<1	<1	1	3	4	4	4
TOTAL MULTIPLE DX	4	5.8	6	3	4	5	7	9	9	9
TOTAL										
0-27 DYS	0									
1-11 MOS	3	5.3	10	3	3	4	8	9	9	9
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	0									
13-19 YRS	4	3.5	6	<1	1	3	5	6	6	6
GRAND TOTAL	**8**	**3.9**	**8**	**<1**	**1**	**3**	**5**	**8**	**9**	**9**

760: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.95; 85.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	4	4.0	8	1	2	3	6	8	8	8
1-11 MOS	6	2.0		1	1	2	3	3	3	3
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	26	2.0	2	1	1	2	2	3	6	8
13-19 YRS	623	1.9		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	4.5	9	2	2	3	6	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	6	2.8	7	<1	1	2	3	7	8	8
13-19 YRS	227	2.2	2	1	1	2	3	4	4	7
TOTAL SINGLE DX	662	1.9	1	1	1	2	2	3	4	5
TOTAL MULTIPLE DX	239	2.3	3	1	1	2	3	4	5	8
TOTAL										
0-27 DYS	5	4.6	8	1	2	4	7	8	8	8
1-11 MOS	10	3.0	5	1	2	2	3	6	9	9
1-5 YRS	4	2.3	4	<1	<1	1	3	5	5	5
6-12 YRS	32	2.2	3	1	1	2	2	4	8	8
13-19 YRS	850	2.0	1	1	1	2	3	3	4	5
GRAND TOTAL	**901**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

761: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	14	1.9	2	<1	1	1	2	3	6	7
1-5 YRS	18	1.4		<1	1	1	2	3	3	3
6-12 YRS	13	1.8	1	<1	1	1	2	4	5	5
13-19 YRS	783	1.9	1	1	1	2	2	4	5	6
2. MULTIPLE DX										
0-27 DYS	0									
1-11 MOS	0									
1-5 YRS	5	22.2	501	1	8	12	36	58	58	58
6-12 YRS	6	12.8	656	<1	1	3	5	59	65	65
13-19 YRS	134	3.4	40	1	1	2	3	6	9	48
TOTAL SINGLE DX	830	1.9	2	1	1	1	2	4	5	6
TOTAL MULTIPLE DX	145	4.4	89	1	1	2	4	7	12	58
TOTAL										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	14	1.9	3	<1	1	1	2	3	6	7
1-5 YRS	23	5.9	169	<1	1	1	3	15	39	58
6-12 YRS	19	5.3	211	<1	1	1	3	5	38	65
13-19 YRS	917	2.2	8	1	1	2	2	4	5	8
GRAND TOTAL	975	2.3	15	1	1	2	2	4	5	11

762: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	12	2.2	2	<1	1	2	3	5	6	6
1-11 MOS	176	1.9	4	<1	<1	1	2	4	6	11
1-5 YRS	383	2.0	13	<1	<1	1	2	4	5	14
6-12 YRS	265	2.1	9	<1	<1	1	2	4	7	14
13-19 YRS	299	2.5	11	<1	<1	1	2	5	9	18
2. MULTIPLE DX										
0-27 DYS	15	10.1	91	1	3	9	16	34	80	99+
1-11 MOS	116	6.1	63	1	1	3	8	16	23	39
1-5 YRS	214	5.5	67	<1	1	3	6	13	20	44
6-12 YRS	177	5.4	78	<1	1	2	6	10	22	52
13-19 YRS	314	6.0	83	1	1	3	5	14	27	48
TOTAL SINGLE DX	1135	2.1	10	<1	<1	1	2	4	7	15
TOTAL MULTIPLE DX	836	5.8	76	<1	1	3	6	13	24	50
TOTAL										
0-27 DYS	27	6.6	66	<1	1	4	11	21	41	99+
1-11 MOS	292	3.6	32	<1	1	1	4	9	13	26
1-5 YRS	597	3.3	35	<1	<1	1	3	7	11	28
6-12 YRS	442	3.4	40	<1	<1	1	3	8	10	38
13-19 YRS	613	4.3	51	<1	1	2	4	10	17	42
GRAND TOTAL	1971	3.7	41	<1	1	1	4	8	13	35

763: Debridement of skin (86.22)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	18.7	526	3	4	8	36	45	45	45
1-11 MOS	47	4.6	14	1	2	3	7	12	12	14
1-5 YRS	277	4.1	20	1	1	2	5	9	14	26
6-12 YRS	316	4.1	29	1	1	2	5	9	13	25
13-19 YRS	534	4.1	25	1	1	2	5	8	13	28
2. MULTIPLE DX										
0-27 DYS	7	10.0	77	1	3	9	13	24	27	27
1-11 MOS	121	12.1	213	2	3	7	16	25	33	82
1-5 YRS	633	8.1	88	1	2	5	11	20	27	99+
6-12 YRS	593	8.4	125	1	2	4	10	20	30	64
13-19 YRS	1311	8.3	122	1	2	4	9	22	34	60
TOTAL SINGLE DX	1177	4.2	26	1	1	3	5	9	13	27
TOTAL MULTIPLE DX	2665	8.5	120	1	2	4	10	21	32	64
TOTAL										
0-27 DYS	10	12.6	186	1	3	8	13	36	45	45
1-11 MOS	168	10.0	169	1	2	5	13	22	30	78
1-5 YRS	910	6.9	71	1	2	4	9	17	24	66
6-12 YRS	909	6.9	96	1	2	4	8	15	24	60
13-19 YRS	1845	7.1	98	1	2	3	8	17	29	51
GRAND TOTAL	3842	7.2	95	1	2	4	8	17	27	57

764: Other incision, excision, and suture of skin, except debridement (86.04-86.09; 86.4-86.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	11	3.7	5	1	2	3	6	7	7	7
1-11 MOS	152	3.7	9	<1	1	3	5	8	9	13
1-5 YRS	595	3.1	11	<1	1	2	4	6	8	18
6-12 YRS	607	3.6	24	1	1	2	4	8	10	22
13-19 YRS	665	3.3	12	1	1	2	4	7	9	20
2. MULTIPLE DX										
0-27 DYS	30	15.9	619	2	4	6	18	94	99	99+
1-11 MOS	227	7.3	92	1	3	5	8	12	20	55
1-5 YRS	869	4.3	28	1	1	3	5	10	13	25
6-12 YRS	983	4.9	40	1	1	3	5	11	19	36
13-19 YRS	2507	4.3	42	1	1	2	5	9	16	39
TOTAL SINGLE DX	2030	3.4	16	<1	1	2	4	7	9	20
TOTAL MULTIPLE DX	4616	4.7	47	1	1	2	5	10	16	41
TOTAL										
0-27 DYS	41	12.6	480	2	3	5	13	62	97	99+
1-11 MOS	379	5.8	62	1	2	4	7	11	14	54
1-5 YRS	1464	3.8	22	1	1	2	5	8	12	22
6-12 YRS	1590	4.4	35	1	1	2	5	9	14	31
13-19 YRS	3172	4.1	37	1	1	2	4	8	13	34
GRAND TOTAL	6646	4.3	38	1	1	2	5	9	13	33

765: Free skin graft (86.6; 86.91)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	21	6.4	135	1	1	2	5	24	39	44
1-5 YRS	140	4.9	35	1	1	3	6	13	17	32
6-12 YRS	120	5.6	43	1	1	3	7	16	19	34
13-19 YRS	114	4.6	26	1	1	2	6	10	15	28
2. MULTIPLE DX										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	62	18.3	259	2	6	15	24	38	64	98
1-5 YRS	282	14.5	156	1	4	13	20	28	37	66
6-12 YRS	163	12.0	169	1	2	8	17	31	42	97
13-19 YRS	225	13.3	230	1	3	8	19	31	47	96
TOTAL SINGLE DX	395	5.1	40	1	1	3	7	12	18	32
TOTAL MULTIPLE DX	733	13.9	193	1	4	11	19	31	41	94
TOTAL										
0-27 DYS	1	36.0		36	36	36	36	36	36	36
1-11 MOS	83	15.3	253	1	3	12	23	37	49	94
1-5 YRS	422	11.3	136	1	2	8	17	27	32	61
6-12 YRS	283	9.3	125	1	2	5	12	24	33	73
13-19 YRS	339	10.4	179	1	2	6	12	27	38	77
GRAND TOTAL	**1128**	**10.8**	**157**	**1**	**2**	**6**	**16**	**27**	**35**	**73**

766: Pedicle graft of skin (86.7)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	36	1.6		<1	1	1	2	3	4	5
6-12 YRS	44	3.8	45	1	1	2	4	7	11	43
13-19 YRS	58	3.6	39	<1	1	1	3	7	18	38
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	16.2	39	7	12	17	20	24	24	24
1-5 YRS	32	11.2	397	1	1	3	6	38	51	91
6-12 YRS	42	5.4	60	1	1	3	7	12	16	47
13-19 YRS	68	10.7	156	1	2	6	17	31	47	91
TOTAL SINGLE DX	142	3.1	31	<1	1	1	2	6	9	39
TOTAL MULTIPLE DX	148	9.4	181	1	2	4	12	28	46	91
TOTAL										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	9.7	80	1	2	7	17	22	24	24
1-5 YRS	68	6.1	208	<1	1	2	3	12	35	84
6-12 YRS	86	4.5	53	1	1	2	6	9	14	46
13-19 YRS	126	7.4	114	1	1	3	8	22	36	65
GRAND TOTAL	**290**	**6.3**	**117**	**1**	**1**	**2**	**6**	**18**	**31**	**53**

767: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.28; 86.8; 86.93; 86.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	51	1.4		<1	1	1	2	2	2	5
1-5 YRS	214	1.8	4	<1	1	1	2	3	5	10
6-12 YRS	145	2.4	8	<1	1	1	3	5	8	16
13-19 YRS	153	2.1	4	<1	1	1	2	5	7	11
2. MULTIPLE DX										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	47	3.7	110	1	1	1	2	5	8	73
1-5 YRS	252	3.5	27	1	1	2	4	8	11	24
6-12 YRS	159	3.5	17	1	1	2	4	8	14	29
13-19 YRS	232	5.3	72	1	2	3	6	10	23	86
TOTAL SINGLE DX	565	2.0	5	<1	1	1	2	4	6	12
TOTAL MULTIPLE DX	691	4.1	47	1	1	2	4	9	15	49
TOTAL										
0-27 DYS	3	10.7	200	2	2	3	21	27	27	27
1-11 MOS	98	2.5	54	1	1	1	2	4	5	43
1-5 YRS	466	2.7	18	1	1	1	3	6	9	20
6-12 YRS	304	3.0	13	1	1	1	3	7	10	19
13-19 YRS	385	4.0	48	<1	1	2	4	8	12	49
GRAND TOTAL	**1256**	**3.2**	**29**	**1**	**1**	**1**	**[illegible]**	**7**	**10**	**27**

768: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

769: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	4	3.0	4	1	1	2	4	6	6	6
1-5 YRS	9	2.0	5	1	1	1	2	6	8	8
6-12 YRS	17	3.7	18	< 1	1	2	4	11	15	16
13-19 YRS	5	3.2	11	1	1	2	4	9	9	9
2. MULTIPLE DX										
0-27 DYS	5	2.8	2	1	2	3	4	5	5	5
1-11 MOS	18	5.8	52	< 1	2	3	5	14	23	29
1-5 YRS	38	4.9	27	1	2	3	6	10	11	30
6-12 YRS	21	5.2	39	1	1	3	5	15	22	23
13-19 YRS	21	5.4	39	1	3	4	5	9	21	30
TOTAL SINGLE DX	38	3.1	11	1	1	2	3	8	11	16
TOTAL MULTIPLE DX	103	5.1	34	1	2	3	5	11	17	30
TOTAL										
0-27 DYS	8	2.6	2	1	2	3	3	5	5	5
1-11 MOS	22	5.3	~~44~~	~~1~~	~~2~~	3	5	14	20	29
1-5 YRS	47	4.4	24	1	1	3	6	10	10	30
6-12 YRS	38	4.5	30	1	1	3	4	12	20	23
13-19 YRS	26	5.0	34	1	2	4	5	9	17	30
GRAND TOTAL	**141**	**4.6**	**29**	**1**	**1**	**3**	**5**	**10**	**14**	**30**

770: Myelography (87.21)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	1.5	1	1	1	1	2	3	4	4
1-5 YRS	37	2.2	9	1	1	1	2	3	9	17
6-12 YRS	59	1.8	3	1	1	1	2	4	6	9
13-19 YRS	154	2.3	10	1	1	1	2	5	7	23
2. MULTIPLE DX										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	12	3.2	19	1	1	1	3	11	14	15
1-5 YRS	78	2.5	13	1	1	1	2	4	9	22
6-12 YRS	86	4.0	36	1	1	2	4	9	15	32
13-19 YRS	135	4.6	49	1	1	2	5	12	20	58
TOTAL SINGLE DX	258	2.1	8	1	1	1	2	5	7	17
TOTAL MULTIPLE DX	314	3.9	36	1	1	2	4	9	17	33
TOTAL										
0-27 DYS	3	2.3	5	1	1	1	4	5	5	5
1-11 MOS	20	2.5	12	1	1	1	2	7	12	15
1-5 YRS	115	2.4	12	1	1	1	2	4	9	20
6-12 YRS	145	3.1	24	1	1	1	3	8	10	31
13-19 YRS	289	3.4	30	1	1	1	3	8	14	32
GRAND TOTAL	**572**	**3.1**	**24**	**1**	**1**	**1**	**3**	**7**	**11**	**28**

771: Cerebral arteriography (88.41)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	6	3.0	12	1	1	2	3	9	10	10
1-5 YRS	30	2.0	2	1	1	1	2	5	6	6
6-12 YRS	60	2.2	3	1	1	2	2	5	6	9
13-19 YRS	87	2.8	7	1	1	2	3	5	9	16
2. MULTIPLE DX										
0-27 DYS	3	7.3	20	3	4	7	11	12	12	12
1-11 MOS	14	3.6	30	1	1	1	3	13	18	20
1-5 YRS	25	4.7	17	1	1	3	8	10	13	16
6-12 YRS	75	6.3	127	1	2	2	6	13	18	67
13-19 YRS	115	6.5	94	1	2	3	8	13	22	53
TOTAL SINGLE DX	183	2.5	6	1	1	2	3	5	7	13
TOTAL MULTIPLE DX	232	6.1	92	1	2	3	7	13	20	66
TOTAL										
0-27 DYS	3	7.3	20	3	4	7	11	12	12	12
1-11 MOS	20	3.5	24	1	1	1	3	11	16	20
1-5 YRS	55	3.2	11	1	1	2	4	8	10	16
6-12 YRS	135	4.5	76	1	1	2	4	9	14	65
13-19 YRS	202	4.9	61	1	1	2	5	10	17	41
GRAND TOTAL	**415**	**4.5**	**57**	**1**	**1**	**2**	**5**	**10**	**15**	**41**

772: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	10	5.6	25	1	2	3	10	13	14	14
1-5 YRS	10	2.6	3	2	2	2	2	5	8	8
6-12 YRS	5	8.2	208	1	1	2	10	34	34	34
13-19 YRS	2	2.0		2	2	2	2	2	2	2
TOTAL SINGLE DX	12	2.0	1	1	2	2	2	3	4	4
TOTAL MULTIPLE DX	28	5.0	47	2	2	2	5	13	16	34
TOTAL										
0-27 DYS	2	8.0	32	4	4	8	12	12	12	12
1-11 MOS	11	5.3	24	1	2	2	9	13	14	14
1-5 YRS	11	2.5	3	2	2	2	2	5	8	8
6-12 YRS	9	5.3	116	1	1	2	2	21	34	34
13-19 YRS	7	1.9		1	2	2	2	2	2	2
GRAND TOTAL	**40**	**4.1**	**35**	**1**	**2**	**2**	**2**	**11**	**13**	**34**

773: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	0									
1-11 MOS	8	4.0	23	1	1	2	5	12	15	15
1-5 YRS	41	2.4	4	<1	1	2	3	6	8	9
6-12 YRS	53	2.4	3	1	1	2	3	6	7	7
13-19 YRS	245	3.5	12	1	1	2	4	9	11	15
2. MULTIPLE DX										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	25	3.6	23	1	1	1	4	11	14	22
1-5 YRS	62	5.8	67	<1	1	2	8	14	21	47
6-12 YRS	85	5.8	62	1	2	3	7	13	21	45
13-19 YRS	260	5.7	51	1	2	4	7	11	14	39
TOTAL SINGLE DX	347	3.2	10	1	1	2	4	8	10	15
TOTAL MULTIPLE DX	433	5.6	54	1	2	3	7	12	16	44
TOTAL										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	33	3.7	23	1	1	1	4	11	14	22
1-5 YRS	103	4.4	45	<1	1	2	5	10	15	38
6-12 YRS	138	4.5	42	1	1	2	5	10	13	44
13-19 YRS	505	4.6	33	1	1	3	6	11	13	22
GRAND TOTAL	**780**	**4.6**	**36**	**1**	**1**	**2**	**6**	**10**	**14**	**28**

774: Computerized axial tomography (87.03; 87.41; 87.71; 88.01; 88.38)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	73	3.3	9	1	2	2	3	8	11	14
1-11 MOS	554	3.2	15	1	1	2	4	7	10	21
1-5 YRS	1313	2.7	11	1	1	2	3	5	8	16
6-12 YRS	1382	2.8	17	1	1	2	3	6	8	25
13-19 YRS	1753	4.2	57	1	1	2	4	8	14	47
2. MULTIPLE DX										
0-27 DYS	166	9.2	140	1	3	5	11	22	29	92
1-11 MOS	1205	6.5	61	1	2	4	8	14	21	41
1-5 YRS	2783	4.2	32	1	1	3	5	9	13	30
6-12 YRS	2547	4.5	42	1	1	2	5	10	16	37
13-19 YRS	3773	5.7	80	1	2	3	6	12	21	62
TOTAL SINGLE DX	5075	3.3	30	1	1	2	3	6	10	30
TOTAL MULTIPLE DX	10474	5.2	58	1	2	3	6	11	18	45
TOTAL										
0-27 DYS	239	7.4	108	1	2	4	9	17	23	75
1-11 MOS	1759	5.5	49	1	2	3	6	13	18	35
1-5 YRS	4096	3.7	26	1	1	2	4	8	11	27
6-12 YRS	3929	3.9	35	1	1	2	4	8	14	34
13-19 YRS	5526	5.3	74	1	1	3	5	11	19	56
GRAND TOTAL	**15549**	**4.6**	**50**	**1**	**1**	**2**	**5**	**10**	**15**	**42**

775: Miscellaneous radiography and special diagnostic procedures (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	350	3.7	30	1	2	3	4	7	10	82
1-11 MOS	1626	3.7	20	1	2	3	4	7	9	20
1-5 YRS	1969	3.4	10	1	2	3	4	6	8	18
6-12 YRS	1910	3.5	18	1	1	2	4	7	10	20
13-19 YRS	5405	3.3	16	1	1	2	4	6	8	19
2. MULTIPLE DX										
0-27 DYS	893	9.4	178	2	3	5	10	24	47	99+
1-11 MOS	4273	6.5	71	2	2	4	7	12	21	49
1-5 YRS	4717	5.3	40	1	2	4	6	10	15	33
6-12 YRS	3847	6.2	56	1	2	4	7	14	20	39
13-19 YRS	9954	4.9	44	1	2	3	5	9	13	41
TOTAL SINGLE DX	11260	3.4	17	1	1	2	4	6	9	20
TOTAL MULTIPLE DX	23684	5.6	56	1	2	4	6	11	17	44
TOTAL										
0-27 DYS	1243	7.8	144	1	2	4	8	19	36	99+
1-11 MOS	5899	5.7	59	1	2	4	6	10	17	46
1-5 YRS	6686	4.7	33	1	2	3	5	9	14	31
6-12 YRS	5757	5.3	45	1	2	3	6	12	17	35
13-19 YRS	15359	4.3	35	1	2	3	5	8	11	34
GRAND TOTAL	**34944**	**4.9**	**45**	**1**	**2**	**3**	**5**	**9**	**14**	**38**

776: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

777: Mechanical ventilation (93.90-93.92)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	15	18.5	693	4	4	6	13	61	84	92
1-11 MOS	37	10.4	136	2	3	6	12	28	40	52
1-5 YRS	54	5.0	52	1	2	3	5	9	11	50
6-12 YRS	31	4.5	30	1	2	3	4	8	23	24
13-19 YRS	47	4.3	9	1	2	3	6	9	10	14
2. MULTIPLE DX										
0-27 DYS	268	28.1	783	5	8	18	72	99+	99+	99+
1-11 MOS	442	26.0	481	4	8	18	44	61	75	99+
1-5 YRS	458	14.3	227	2	4	8	20	39	49	99+
6-12 YRS	370	16.1	185	3	6	14	21	33	40	77
13-19 YRS	512	8.6	103	2	3	6	10	18	25	87
TOTAL SINGLE DX	184	6.9	120	1	2	4	7	13	24	58
TOTAL MULTIPLE DX	2050	17.5	369	3	5	10	25	52	79	99+
TOTAL										
0-27 DYS	283	27.6	781	5	8	16	71	99+	99+	99+
1-11 MOS	479	24.8	472	3	7	16	42	61	74	99+
1-5 YRS	512	13.3	217	2	4	7	18	39	48	99+
6-12 YRS	401	15.2	183	2	5	12	21	32	40	72
13-19 YRS	559	8.2	97	2	3	5	9	17	24	83
GRAND TOTAL	2234	16.6	357	2	4	9	23	50	76	99+

778: Miscellaneous special therapies and rehabilitation (93.0-93.8; 93.93-93.99)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	105	4.0	9	2	2	3	5	7	11	16
1-11 MOS	1900	3.6	7	1	2	3	4	6	8	15
1-5 YRS	3826	3.7	21	1	2	2	4	6	14	25
6-12 YRS	2216	5.9	66	1	2	3	5	19	25	39
13-19 YRS	3069	4.8	51	1	2	3	4	10	18	40
2. MULTIPLE DX										
0-27 DYS	186	7.5	111	2	3	4	7	13	23	60
1-11 MOS	3489	4.9	27	2	3	4	5	8	12	28
1-5 YRS	5639	4.5	29	1	2	3	5	8	15	28
6-12 YRS	2801	7.3	86	1	2	4	8	19	27	47
13-19 YRS	6179	7.0	103	1	2	4	6	17	31	51
TOTAL SINGLE DX	11116	4.4	37	1	2	3	4	8	18	32
TOTAL MULTIPLE DX	18294	5.9	65	1	2	3	6	13	22	44
TOTAL										
0-27 DYS	291	6.2	77	2	2	4	6	12	17	52
1-11 MOS	5389	4.4	21	2	2	3	5	8	10	23
1-5 YRS	9465	4.2	26	1	2	3	4	7	15	26
6-12 YRS	5017	6.7	78	1	2	3	7	19	26	44
13-19 YRS	9248	6.3	87	1	2	3	5	14	28	48
GRAND TOTAL	29410	5.3	55	1	2	3	5	11	20	41

779: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

780: Nonoperative removal of foreign body (98.0-98.2)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

781: Other nonoperative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOTAL SINGLE DX										
TOTAL MULTIPLE DX										
TOTAL										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

782: Circulatory monitoring (89.61-89.69)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	37	5.9	91	1	2	4	7	10	44	99+
1-11 MOS	255	4.5	34	2	2	4	5	7	10	16
1-5 YRS	378	3.1	9	1	2	3	4	5	7	11
6-12 YRS	322	3.1	4	1	2	2	4	5	7	14
13-19 YRS	1837	2.7	3	1	1	2	4	5	5	9
2. MULTIPLE DX										
0-27 DYS	191	17.4	409	3	5	9	25	51	88	99+
1-11 MOS	885	8.3	126	2	3	5	8	16	35	62
1-5 YRS	814	5.7	57	1	2	3	6	13	21	47
6-12 YRS	795	7.1	45	2	3	5	9	15	21	31
13-19 YRS	2929	4.0	14	1	2	3	5	7	9	20
TOTAL SINGLE DX	2829	3.0	8	1	2	3	4	5	6	11
TOTAL MULTIPLE DX	5614	5.8	64	1	2	4	6	11	19	49
TOTAL										
0-27 DYS	228	15.6	375	2	4	7	21	48	85	99+
1-11 MOS	1140	7.4	109	2	3	4	7	13	31	57
1-5 YRS	1192	4.9	44	1	2	3	5	10	16	37
6-12 YRS	1117	5.9	37	1	2	4	7	14	18	29
13-19 YRS	4766	3.5	11	1	2	3	4	6	8	15
GRAND TOTAL	**8443**	**4.9**	**47**	**1**	**2**	**3**	**5**	**9**	**14**	**40**

783: Miscellaneous diagnostic and therapeutic procedures (89.0-89.5; 89.7-91.9; 95.0-97.8)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				10TH	25TH	50TH	75TH	90TH	95TH	99TH
1. SINGLE DX										
0-27 DYS	345	4.6	54	1	2	3	5	10	14	33
1-11 MOS	1624	3.3	15	1	1	2	4	6	8	14
1-5 YRS	2212	2.8	13	1	1	2	3	5	7	15
6-12 YRS	1358	4.5	79	1	1	2	4	7	14	63
13-19 YRS	3870	3.3	31	1	1	2	3	5	7	33
2. MULTIPLE DX										
0-27 DYS	973	17.3	553	2	4	8	23	78	99+	99+
1-11 MOS	4555	8.9	210	1	2	4	7	23	47	83
1-5 YRS	5906	5.2	59	1	2	3	5	10	20	43
6-12 YRS	3977	8.0	108	1	2	4	10	20	29	57
13-19 YRS	10183	5.3	69	1	2	3	5	10	20	49
TOTAL SINGLE DX	9409	3.4	33	1	1	2	4	5	8	30
TOTAL MULTIPLE DX	25594	6.8	124	1	2	3	6	15	30	73
TOTAL										
0-27 DYS	1318	14.0	453	2	3	5	15	68	98	99+
1-11 MOS	6179	7.5	165	1	2	3	6	15	40	77
1-5 YRS	8118	4.5	48	1	2	3	4	8	15	40
6-12 YRS	5335	7.1	103	1	2	3	8	18	28	58
13-19 YRS	14053	4.7	60	1	2	3	4	8	16	45
GRAND TOTAL	**35003**	**5.9**	**101**	**1**	**2**	**3**	**5**	**12**	**24**	**67**

Appendix

Supplemental *ICD-9-CM* Codes for Diagnosis and Operation Groups

Supplemental *ICD-9-CM* Codes for Diagnosis Groups

ICD-9-CM codes for diagnosis groups 203, 282, 291, 294, 300, 301, 304, 358, 359, 398

203	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
282	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
291	Other fetal dystocia, delivered	652.00-652.01; 652.10; 652.11; 652.3-652.5 with 5th digit 0, 1; 652.7-652.9 with 5th digit 0, 1; 660.00-660.01; 660.3-660.4 with 5th digit 0, 1; 660.90-660.91
294	Other prolonged labor, delivered	654.0-654.1 with 5th digit 0, 1, 2; 654.3-654.9 with 5th digit 0, 1, 2; 660.20-660.21; 660.6-660.8 with 5th digit 0, 1; 661.4-661.9 with 5th digit 0, 1
300	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
301	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
304	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4

Diagnosis Groups (continued)

358	Fracture of skull with prolonged loss of consciousness	800.0-800.9 with 5th digit 4, 5; 801.0-801.9 with 5th digit 4, 5; 803.0-803.9 with 5th digit 4, 5
359	Fracture of vault of skull without prolonged loss of consciousness	800.0-800.9 with 5th digit 0-3, 6, 9; 803.0-803.9 with 5th digit 0-3, 6, 9
398	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Supplemental ICD-9-CM Codes for Operation Groups

ICD-9-CM codes for operation groups 551, 556, 576, 621, 694, 715, 724, 756, 768, 775

551	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
556	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.29; 34.28-34.29; 34.91-34.92; 37.26-37.29; 37.79
621	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
694	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
715	Excision of bone, except facial and femur	77.40-77.44; 77.46-77.49; 77.60-77.64; 77.66-77.74; 77.76-77.84; 77.86-77.94; 77.96-77.99; 79.60-79.64; 79.66-79.69
724	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.42; 79.46-79.49
756	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47
768	Miscellaneous diagnostic and therapeutic procedures on breast, skin and subcutaneous tissue	85.19; 85.91-85.92; 85.96; 86.01; 86.19; 86.26; 86.27; 86.92
775	Miscellaneous radiography and special diagnostic procedures	87.04-87.17; 87.22-87.39; 87.42-87.69; 87.72-87.99; 88.02-88.37; 88.39; 88.71-88.99; 92.0-92.1

Index

Part I: Diagnosis Index
Part II: Operation Index
Part III: Crosswalk

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1988, *Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1988 are reflected in this index.

PART I: DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	Title
	Abdominal
224	angina
173	aortic aneurysm
355	pain
272	Abortion, except spontaneous, elective, legal, therapeutic and threatened
269	elective
270	illegal
272	missed
270	self-induced
271	spontaneous
269	therapeutic
273	threatened
	Abscess
220	anal
328	bone
306	digit
198	mouth
198	salivary gland
305	skin and subcutaneous tissue, except digit
198	tongue
86	Acidosis, except diabetic
76	diabetic
13	Acquired immunodeficiency syndrome (AIDS)
	Addiction-*see Dependence*
	Adenocarcinoma-*see Neoplasm, malignant*
259	Adenomyosis
117	Adjustment reaction
217	Adynamic ileus
13	AIDS, including AIDS-related complex or condition
	Alcohol
113	abuse
110	dependence
113	intoxication, except in chronic alcoholism
110	in chronic alcoholism
98	Alcoholic psychosis
110	Alcoholism, chronic
86	Alkalosis
192	Allergic bronchitis
95	Alzheimer's dementia
2	Amebiasis
147	AMI (acute myocardial infarction)
357	Amnesia
	Amputation, traumatic
391	lower limb
390	upper limb
84	Amyloidosis
220	Anal abscess, fissure, fistula
409	Anaphylactic shock, except due to drugs
404	due to drugs
89	Anemia, except iron deficiency, sickle cell, and of pregnancy
89	aplastic
87	iron deficiency
281	of pregnancy
283	with delivery
88	sickle cell
174	Aneurysm, except aorta
173	aorta
148	Angina pectoris
58	Angioma
317	Ankylosis
	Anomaly, congenital
333	central nervous system
335	circulatory system
338	digestive system, except cleft palate and lip, and pyloric stenosis
334	ear
334	eye
342	generalized

DIAGNOSIS INDEX (continued)

Group No. Title

- Anomaly, congenital **(continued)**
  - 340 genitourinary system, except undescended testis and urethral stenosis
  - 335 heart
  - 342 musculoskeletal system, except clubfoot
  - 338 respiratory system
- 357 Anorexia, except nervosa
  - 118 nervosa
- 147 Anterior wall infarction
- 107 Anxiety reaction or neurosis, except depression
  - 108 depression
- 173 Aortic aneurysm
- Aortic valve disease-*see Valvular disease*
- 134 Aphakia
- 89 Aplastic anemia
- 209 Appendicitis, except acute
  - 207 acute, without peritonitis
    - 208 with peritonitis
  - 209 recurrent
- 155 Arrhythmia, heart
- 176 Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
- Arteriosclerosis
  - 170 cerebral
  - 150 coronary
  - 171 lower limb
- Arteriosclerotic
  - 150 cardiovascular disease
  - 96 dementia or psychosis
  - 150 heart disease
  - 172 vascular disease, except lower limb
    - 171 lower limb
- 315 Arthritis, except osteo- and rheumatoid
  - 314 osteo- except hip, knee and spine
    - 313 hip
    - 313 knee
    - 319 spine

Group No. Title

- 315 Arthritis, except osteo- and rheumatoid **(continued)**
  - 315 pyogenic
  - 312 rheumatoid, except spine
    - 318 spine
- 356 Ascites
- 150 ASCVD (arteriosclerotic cardiovascular disease)
- 150 ASHD (arteriosclerotic heart disease)
- 192 Asthma
- 192 Asthmatic bronchitis
- Atherosclerosis-*see Arteriosclerosis*
- 154 Atrial fibrillation and flutter
- 81 Avitaminosis

- 152 Bacterial endocarditis
- 247 Bacteriuria, except in pregnancy
  - 280 in pregnancy
    - 301 with delivery
- 327 Baker's cyst
- 249 Benign prostatic hyperplasia (BPH)
- 248 Bladder disease, except calculus and cystitis
- 52 Blast cell leukemia
- Bleeding
  - 265 menopausal
  - 265 postmenopausal
  - 263 uterine, dysfunctional
- 234 Blind loop syndrome
- 135 Blindness
- 155 Block, heart
- 349 Bloody nose
- 329 Bone disease, except osteomyelitis and osteoarthritis
- 130 Borderline glaucoma
- 2 Botulism
- 71 Bowen's disease
- 249 BPH (benign prostatic hyperplasia)
- 256 Breast disease, except fibrocystic
  - 255 fibrocystic
- 192 Bronchial asthma

DIAGNOSIS INDEX (continued)

Group No.	Title
182	Bronchiolitis, acute
190	Bronchitis
182	acute
190	chronic
188	Bronchopneumonia
7	Brucellosis
395	Bruise, except eye and orbit
394	eye and orbit
326	Bunion
399	Burn, any site, except third degree
398	third degree
325	Bursitis
	Calculus
230	bile duct, except cystic
244	bladder
228	cystic bile duct
228	gallbladder
241	renal
198	salivary gland
242	ureter
244	urethra
	Cancer-*see Neoplasm, malignant*
	Carcinoma-*see Neoplasm, malignant*
71	Carcinoma in situ, except cervix
70	cervix
155	Cardiac arrest
408	postoperative
157	Cardiomyopathy
199	Cardiospasm
126	Carpal tunnel syndrome
131	Cataract, except diabetic
78	diabetic
234	Celiac disease
	Cellulitis
306	digit
305	skin and subcutaneous tissue, except digit
124	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
161	without paralysis
162	with paralysis
	Cerebrovascular accident
168	without paralysis
169	with paralysis
282	Cervical incompetence
294	with delivery
260	Cervical infection
260	Cervicitis
	Chemical
357	diabetes mellitus
403	poisoning
416	Chemotherapy session or treatment
9	Chickenpox
103	Childhood psychoses
231	Cholangitis
	Cholecystitis
229	without cholelithiasis
228	with cholelithiasis
230	Choledocholithiasis
228	Cholelithiasis
134	Chorioretinitis
226	Cirrhosis
225	alcoholic
226	biliary
225	Laennec's
336	Cleft palate and lip
129	Closed-angle glaucoma
341	Clubfoot
181	Cold, head
	Colic
228	biliary
354	renal

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Colitis, except mucous and ulcerative
221	mucous
222	ulcerative
311	Collagen disease, not otherwise specified
357	Coma, except diabetic, hepatic, and in head injury
76	diabetic
227	hepatic
383	in head injury, except skull fracture
358	skull fracture
12	Common warts
	Complication of
408	amputation stump
405	cardiac pacemaker
	drugs-*see Effect, adverse*
405	grafts
405	internal orthopedic device
409	medical care, except drugs
405	prosthesis, any
408	surgery, not elsewhere classified
405	transplanted organ
382	Concussion, current or unspecified
156	Congestive heart failure
133	Conjunctivitis
395	Contusion, except eye or orbit
394	eye and orbit
346	Convulsions, except epileptic
123	epileptic
193	COPD (chronic obstructive pulmonary disease)
	Coronary
150	artery disease
149	insufficiency, except chronic
150	chronic
147	occlusion, acute
353	Cough
9	Cowpox
330	Coxa valgum, varum
88	Crisis, sickle cell

Group No.	Title
222	Crohn's disease
182	Croupous bronchitis
386	Crush injury, except chest and limbs
385	chest
396	limbs
80	Cushing's syndrome
	CVA (cerebralvascular accident)
168	without paralysis
169	with paralysis
134	Cyclitis
	Cyst
327	Baker's
198	mouth
257	ovarian
307	pilonidal
128	retinal
308	sebaceous
327	synovial
	Cystic
255	breast
231	duct remnant
82	fibrosis
245	Cystitis
280	of pregnancy
262	Cystocele
13	Cytomegalic inclusion disease
140	Deafness
309	Decubitus
	Deficiency
119	mental
81	nutritional
	Deformity
	congenital-*see Anomaly, congenital*
331	musculoskeletal, acquired
134	Degeneration, globe of eye
86	Dehydration

DIAGNOSIS INDEX (continued)

Group No.	Title
94	Delirium
	Delivery, complicated by:
292	abnormality, bony pelvis
286	abruptio placentae
301	acute toxemia
290	breech presentation
292	cephalopelvic disproportion
301	complication, not elsewhere classified
301	eclampsia
292	fetopelvic disproportion
301	hypertensive disorder
291	malpresentation, except breech
289	multiple fetation
	placenta
286	abruptio
285	previa
301	pre-eclampsia
	premature
296	rupture of membranes
286	separation of placenta
295	previous cesarean section
293	prolonged labor, not otherwise specified
301	toxemia
293	uterine inertia
284	Delivery, normal or uncomplicated
	Dementia
95	Alzheimer's
96	arteriosclerotic
95	presenile
97	senile
	Dependence
110	alcoholic
112	amphetamine
112	barbiturate
112	cocaine
111	heroin
112	LSD
	Dependence (continued)
112	marijuana
111	methadone
111	morphine
111	opioid
116	Depression, except neurotic, postpartum, and psychotic
108	neurotic
281	postpartum
104	psychotic
	Depressive
108	neurosis
104	psychosis
108	reaction
317	Derangement, joint except knee
316	knee joint
310	Dermatitis
16	Dermatomycosis
128	Detachment of retina
183	Deviated nasal septum
	Diabetes mellitus
357	chemical
75	uncomplicated
78	uncontrolled
	Diabetic complications
76	acidosis
78	cataract
77	circulatory disorder
76	coma
77	gangrene
78	nephropathy
78	neuropathy
78	retinopathy
78	ulcer
	Dialysis
415	peritoneal
415	renal
214	Diaphragmatic hernia

DIAGNOSIS INDEX (continued)

Group No.	Title
218	Diarrhea, except infectious and functional
224	functional
2	infectious
7	Diphtheria
	Disease
209	appendix, except acute appendicitis
150	arteriosclerotic cardiovascular
176	artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
14	arthropod-borne
84	autoimmune, except AIDS
13	AIDS
7	bacterial, except intestinal, tuberculosis, strep throat, and septicemia
231	biliary ducts
248	bladder, except calculus and cystitis
329	bone, except osteomyelitis and osteoarthritis
256	breast, except fibrocystic
255	fibrocystic
234	celiac
	central nervous system
8	enteroviral
120	inflammatory, except enteroviral
124	noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	cerebrovascular-*see Cerebrovascular accident*
142	chronic rheumatic heart
311	connective tissue, diffuse
150	coronary artery
222	Crohn's
80	Cushing's
13	cytomegalic inclusion
197	dental
219	diverticular
206	duodenum, except ulcer and inflammatory
140	ear, except inflammatory and otosclerosis
152	endocarditis, bacterial

Group No.	Title
	Disease (continued)
80	endocrine, except ovary, thyroid, and diabetes mellitus
199	esophagus
135	eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
134	inflammatory, except lacrimal tract
266	fallopian tube, except endometriosis
331	fascia
266	female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
229	gallbladder
266	gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	heart
144	hypertensive
150	ischemic, except infarction and angina pectoris
142	rheumatic, chronic
158	other, except arrhythmia, bacterial endocarditis, and cardiomyopathy
91	hematopoietic, except anemia, hemophilia, and leukemia
344	hemolytic, newborn
13	HIV infection (AIDS)
48	Hodgkin's
143	hypertensive, except heart and renal
144	heart
145	renal
19	infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, helminthiases, and pneumocystosis
224	intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
2	infectious
150	ischemic heart, except acute infarction and angina pectoris
197	jaw
317	joint, except internal derangement, ruptured disc, and sacroiliac
322	sacroiliac
243	kidney, except nephritis, nephrosis, infection, and calculus

DIAGNOSIS INDEX (continued)

Group No. **Title**

Disease **(continued)**
78 Kimmelstiel-Wilson
133 lacrimal tract, inflammation
198 lip
227 liver, except infectious and serum hepatitis, and cirrhosis
196 lung, except pneumonia, obstructive, and pneumothorax
193   obstructive, except asthma, bronchitis, and emphysema
254 male genitalia, except prostate, hydrocele, and inflammatory
138 Meniere's
198 mouth, except dental
124 muscle, except deformity
127 nervous system, except CNS and sciatica
193 obstructive lung, except asthma, bronchitis, and emphysema
266 ovary, except endometriosis
Paget's
329   bone
34   breast
232 pancreas
266 parametrium, except endometriosis
19 parasitic, except helminthiasis
121 Parkinson's
258 pelvic inflammatory
206 peptic
345 perinatal, except prematurity and jaundice
127 peripheral nervous system, except sciatica
224 peritoneum, except peritonitis
196 pleura
250 prostate, except hypertrophy
196 respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and polyps laryngeal
rheumatic
141   active
142   chronic
198 salivary gland
88 sickle-cell
310 skin, except infective, pilonidal, ulcer, and sebaceous cysts

Group No. **Title**

Disease **(continued)**
206 stomach, except ulcer and inflammatory
197 teeth
331 tendon, except tenosynovitis
198 tongue
357 undiagnosed
196 upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
243 ureter, except calculus
248 urethra, except calculus and stricture
15 venereal
13 viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
9   with exanthem
377 Dislocation, joint, except knee and shoulder
376   knee
375   shoulder
Disorder
118   behavior
86   electrolyte
84   immunodeficiency, except AIDS
13   AIDS
264   menstruation, except metrorrhagia and dysfunctional uterine hemorrhage
109   personality
115   psychophysiologic
321 Displacement of intervertebral disc, except lumbar
320   lumbar
173 Dissecting aortic aneurysm
195 Distress, acute respiratory
219 Diverticulitis
219 Diverticulosis
Diverticulum
199   esophagus
219   intestine
Drug
114   abuse, except alcohol

DIAGNOSIS INDEX (continued)

Group No.	Title
	Drug (continued)
112	dependence, except opioid
111	opioid
99	induced psychosis
402	poisoning or overdose
99	withdrawal syndrome or symptoms
113	Drunkenness
206	Duodenal disease, except ulcer and inflammation
	ulcer-*see Ulcer, duodenal*
205	Duodenitis
2	Dysentery
	Dysfunction
79	ovarian
332	somatic (osteopathic)
267	Dysmenorrhea
267	Dyspareunia
353	Dyspnea
108	Dysthymia
124	Dystrophy, muscular
354	Dysuria
346	Eclampsia
275	of pregnancy
301	with delivery
268	Ectopic pregnancy
	Effect, adverse
404	drugs, not otherwise specified
402	overdose or wrong substance given or taken
404	external conditions
403	nonmedical substance
404	radiation
404	temperature
282	Elderly primigravida
301	with delivery
	Elective
269	abortion
410	sterilization

Group No.	Title
86	Electrolyte imbalance or disorder
	Embolism
175	arterial, except cerebral, precerebral, and lower limb
	cerebral
165	without paralysis
166	with paralysis
171	lower limb
	precerebral
163	without paralysis
164	with paralysis
151	pulmonary, except postoperative
408	postoperative
180	vein
191	Emphysema
120	Encephalitis, except viral
13	viral
20	late effect
152	Endocarditis, acute and subacute bacterial
80	Endocrine disease, except ovary, thyroid, and diabetes mellitus
259	Endometriosis
261	Endometritis, except puerperal
302	puerperal
73	Enlarged thyroid
218	Enteritis, except bacterial, regional, and viral
2	bacterial
218	noninfectious
222	regional
1	viral
252	Epididymitis
123	Epilepsy
349	Epistaxis
7	Erysipelas
71	Erythroplasia
180	Esophageal varices
199	Esophagitis
199	Esophagospasm
143	Essential benign hypertension

DIAGNOSIS INDEX (continued)

Group No.	Title
	Examination
417	follow-up
417	medical
	Failure
156	heart
408	postoperative
238	renal, except chronic
237	chronic
195	respiratory (acute)
357	Fainting
277	False labor
	Fever
141	active rheumatic
347	of undetermined origin (FUO)
2	paratyphoid
302	puerperal
5	scarlet
2	typhoid
13	yellow
	Fibrillation or flutter
154	atrial
155	ventricular
	Fibrocystic disease
255	breast
82	pancreas
60	Fibroma, uterus
17	Filariasis
220	Fissure, anal
220	Fistula, anal
134	Flat anterior chamber
2	Food poisoning
397	Foreign body in body orifice
	Fracture
372	ankle
367	arm, except upper

Group No.	Title
	Fracture **(continued)**
	arm, except upper (continued)
366	upper
372	bimalleolar
368	carpal
373	clavicle
367	Colles'
361	face bone
370	femur, except upper end
369	upper end
371	fibula, except lateral malleolus
368	finger
372	foot
368	hand
417	healed, aftercare, except removal of fixation device
414	removal of fixation device
369	hip
366	humerus
372	knee
372	lateral malleolus
371	leg, lower, except ankle
370	upper, except hip
361	mandible
372	medial malleolus
368	metacarpal
372	metatarsal
374	multiple bones
361	nose
372	patella
365	pelvis
367	radius
364	rib
373	scapula
	skull
360	base, except with prolonged loss of consciousness
358	prolonged loss of consciousness

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture **(continued)**
	skull (continued)
359	vault, except with prolonged loss of consciousness
358	prolonged loss of consciousness
	spine
362	without cord injury
363	with cord injury
364	sternum
372	tarsal
364	thorax
371	tibia
372	toe
372	trimalleolar
367	ulna
	vertebra
362	without cord injury
363	with cord injury
347	FUO (fever of undetermined origin)
229	Gallbladder disease, except calculus
228	with calculus
327	Ganglion, tendon sheath
351	Gangrene, except gas gangrene
7	gas
	Gastric ulcer-*see Ulcer, gastric*
205	Gastritis
218	Gastroenteritis, except infectious
2	infectious, except viral
218	noninfectious
1	viral
233	Gastrointestinal hemorrhage
172	Generalized arteriosclerosis
4	Generalized tuberculosis
330	Genu valgum or varum, except congenital
342	congenital
233	GI hemorrhage

Group No.	Title
130	Glaucoma, except acute
129	acute
129	closed-angle
129	open-angle
235	Glomerulonephritis, except acute
236	acute
73	Goiter
15	Gonorrhea
85	Gout
405	Graft-versus-Host disease, except of bone marrow
409	bone marrow
123	Grand mal epilepsy
282	Grand multiparity
410	without pregnancy
282	Habitual aborter
266	without pregnancy
326	Hallux valgus or varus, except congenital
342	congenital
326	Hammer toe
348	Headache, except migraine and tension
125	migraine
118	tension
417	Healed fracture aftercare, except removal of fixation device
414	removal of fixation device
	Heart
147	attack
156	failure
408	postoperative
17	Helminthiasis
58	Hemangioma
233	Hematemesis
	Hematoma-*see also Contusion*
406	postoperative wound
89	Hemolytic anemia, except hereditary and newborn
88	hereditary
344	newborn

DIAGNOSIS INDEX (continued)

Group No. Title

- 344 Hemolytic disease of newborn
- 90 Hemophilia
- 353 Hemoptysis
- Hemorrhage
  - 279 antepartum, except early
    - 274 early
  - 180 blood vessel, spontaneous
  - 263 dysfunctional uterine
  - 233 gastrointestinal
  - 161 intracerebral, except subarachnoid
    - 162 with paralysis
    - 161 without paralysis
  - 272 postabortal
  - 406 postoperative wound
  - 288 postpartum, except delayed or secondary
    - 303 delayed or secondary
  - 274 pregnancy, early
  - 303 puerperal, after 24 hours
  - subarachnoid
    - 159 without paralysis
    - 160 with paralysis
- 179 Hemorrhoids
- 227 Hepatitis, except chronic and viral
  - 226 chronic
  - 10 infectious
  - 10 serum
  - 10 viral
- Hernia
  - 215 abdominal, except inguinal
    - 216 with complication
  - 214 diaphragmatic
    - 216 with complication
  - 215 femoral
    - 216 with complication
  - 214 hiatal
    - 216 with complication
  - 213 incisional

Group No. Title

- Hernia (continued)
  - incisional (continued)
    - 216 with complication
  - 210 inguinal
    - 211 with complication
  - 213 postoperative
    - 216 with complication
  - 212 umbilical
    - 216 with complication
  - 213 ventral
    - 216 with complication
- 111 Heroin dependence or addiction
- 9 Herpes simplex
  - 20 late effect
- 9 Herpes zoster
  - 20 late effect
- 84 Histiocytosis
- 13 HIV infection
- 48 Hodgkin's disease
- 13 Human immunodeficiency virus (disease) (illness)
- 251 Hydrocele
- 333 Hydrocephaly
- 84 Hyperbilirubinemia, except neonatal
  - 344 neonatal
- 84 Hypercalcemia
- 276 Hyperemesis gravidarum
- 80 Hyperinsulinism
- 84 Hyperlipoproteinemia
- 80 Hyperparathyroidism
- 249 Hyperplasia of prostate
- 86 Hyperpotassemia
- 143 Hypertension, except renal and of pregnancy
  - 275 of pregnancy
  - 301 with delivery
  - 145 renal
  - 146 renovascular
- 134 Hypertensive retinopathy

DIAGNOSIS INDEX (continued)

Group No.	Title
74	Hyperthyroidism
185	Hypertrophy of tonsils and adenoids
84	Hypogammaglobulinemia
80	Hypoparathyroidism
86	Hypopotassemia
180	Hypotension
74	Hypothyroidism
86	Hypovolemia
222	Ileitis, regional
217	Ileus, paralytic or adynamic
357	Ill-defined conditions
343	Immaturity of newborn
84	Immunodeficiency disorder, except AIDS
13	AIDS
167	Impending CVA
306	Impetigo
271	Incomplete abortion
354	Incontinence
147	Infarction, acute myocardial
	Infection
245	bladder
328	bone
260	cervix
240	kidney, except nephritis, nephrosis, and acute pyelonephritis
7	meningococcal
407	postoperative wound
302	puerperal, major
306	skin and subcutaneous tissue, except cellulitis and abscess
181	upper respiratory, except streptococcal
247	urinary tract
280	in pregnancy
261	uterine, except cervix
261	vaginal
261	vulvar
407	wound, postoperative
11	Infectious mononucleosis

Group No.	Title
	Infertility (continued)
	Infertility
266	female
254	male
	Inflammation
120	central nervous system
135	eye, except lacrimal tract
133	lacrimal tract
189	Influenza
189	Influenzal pneumonia
	Inguinal hernia
210	without complication
211	with complication
	Injury
345	birth
392	blood vessel
396	crush, except abdomen and chest
386	abdomen
385	chest
384	head, except concussion
386	internal, except chest
385	chest
376	knee ligament or meniscus
393	late effect
381	musculoskeletal, except back and sacroiliac region
380	back
379	sacroiliac region
400	nerve
404	radiation
393	late effect
400	spinal cord
395	superficial
	Insufficiency
	heart valve-*see Valvular disease*
195	respiratory (acute)
264	Intermenstrual bleeding
167	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No. Title
317 Internal derangement of joint, except knee
316 knee
224 Intestinal disease, except gastroenteritis, regional enteritis, mucous colitis, diverticular, appendix, anus, and hernia
113 Intoxication, acute alcohol
104 Involutional melancholia
134 Iridocyclitis
134 Iritis
87 Iron deficiency anemia
221 Irritable colon or bowel
Ischemic
170 cerebrovascular disease, generalized
150 heart disease, except acute or subacute
149 acute or subacute, except infarction

123 Jacksonian epilepsy
357 Jaundice, except newborn
344 of newborn
Juvenile diabetes-*see Diabetes mellitus*

243 Kidney disease, except nephritis, nephrosis, infection, and calculus
240 infection, except nephritis, nephrosis, and acute pyelonephritis
78 Kimmelstiel-Wilson disease
331 Kyphosis

Laceration
389 abdominal wall
390 arm
389 back
384 cerebral, except with prolonged loss of consciousness
383 with prolonged loss of consciousness
389 chest
387 eye
390 hand
388 head, except eye
391 leg

Group No. Title
Laceration (continued)
391 lower limb
389 multiple sites
388 neck
299 perineum, in delivery, except first and second degree
298 first and second degree
389 trunk
390 upper limb
225 Laennec's cirrhosis
269 Legal abortion
52 Leukemia, except lymphocytic and acute myelogenous
51 acute myelogenous
50 lymphocytic, except acute
49 acute
227 Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
7 Lockjaw
331 Lordosis
114 LSD reaction
324 Lumbago
322 Lumbosacral instability
196 Lung disease, except pneumonia and obstructive
188 pneumonia, except bacterial
187 bacterial
193 obstructive
93 Lymphadenitis, except acute and mesenteric
306 acute
92 mesenteric
350 Lymphadenopathy
13 in HIV infection (disease) (syndrome)
58 Lymphangioma
180 Lymphedema
53 Lymphosarcoma

134 Macular degeneration, retina
234 Malabsorption syndrome
14 Malaria

DIAGNOSIS INDEX (continued)

Group No.	Title
32	Malignant melanoma, skin
105	Manic-depressive psychosis
256	Mastitis, except puerperal
304	puerperal
9	Measles
20	late effect
126	Median nerve entrapment
32	Melanoma, malignant
138	Meniere's disease
120	Meningitis, except tuberculous and viral
4	tuberculous
8	viral
20	late effect
265	Menopause
264	Menstrual disorder, except metrorrhagia and dysfunctional uterine hemorrhage
119	Mental deficiency or retardation
224	Mesenteric artery syndrome
92	Mesenteric lymphadenitis
261	Metritis
263	Metrorrhagia
125	Migraine
4	Miliary tuberculosis
	Mitral valve disease-*see Valvular disease*
342	Mongolism
16	Moniliasis
11	Mononucleosis
221	Mucous colitis
	Multiparity
282	without delivery
410	without pregnancy
282	Multiple pregnancy
289	with delivery
122	Multiple sclerosis
13	Mumps
124	Muscular dystrophy
16	Mycosis

Group No.	Title
147	Myocardial infarction, acute
184	Nasal polyp
356	Nausea
	Neoplasm, benign
65	bladder
57	bone
67	brain
59	breast
56	bronchus
54	buccal cavity
61	cervix
57	connective tissue
55	digestive
69	endocrine, except thyroid
66	eye
	genitalia
63	female, except uterus and ovary
64	male
65	kidney
56	larynx
56	lung
57	muscle
67	nervous system
62	ovary
54	pharynx
64	prostate
56	respiratory
64	scrotum
58	skin
56	thymus
68	thyroid
65	ureter
65	urethra
65	urinary
61	uterus, except fibroma
60	fibroma

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neoplasm, benign (continued)
63	vagina
63	vulva
	Neoplasm, malignant
46	adrenal gland
41	bladder
31	bone
44	brain
34	breast
29	bronchus
21	buccal cavity
45	cerebral meninges
35	cervix uteri
25	colon
31	connective tissue
46	endocrine glands
22	esophagus
43	eye
38	fallopian tube
	genitalia
38	female, except uterus and ovary
40	male, except prostate
47	ill-defined sites
27	intestine, except colon and rectum
25	large, except rectum
24	small
42	kidney
25	large intestine, except rectum
29	lung
53	lymphatic, except Hodgkin's disease
47	metastatic
21	mouth
45	nervous system, except brain
37	ovary
28	pancreas
21	pharynx
46	pituitary gland

Group No.	Title
	Neoplasm, malignant (continued)
38	placenta
39	prostate
26	rectum
30	respiratory system, except bronchus and lung
40	scrotum
47	secondary
33	skin, except genitalia and melanoma
24	small intestine
45	spinal cord and meninges
23	stomach
46	thyroid gland
42	ureter
42	urethra
42	urinary tract, except bladder
36	uterus, except cervix
38	vagina
38	vulva
72	Neoplasm, uncertain behavior or unspecified type, any site
235	Nephritis, except acute
236	acute
235	Nephrosis, except tubular
238	tubular
235	Nephropathy, except diabetic
78	diabetic
331	Neuralgia, except sciatic and trigeminal
323	sciatic
127	trigeminal
331	Neuritis, except median and sciatic
126	median
323	sciatic
127	Neuroma, except amputation stump
408	amputation stump
109	Neurosis, except anxiety, cardiac, and depressive
107	anxiety
115	cardiac
108	depressive

DIAGNOSIS INDEX (continued)

Group No.	Title
	Nevus
58	skin
342	vascular
	Newborn, hospital
412	multiple
411	single term
412	twin
	Newborn, nonhospital
413	multiple
413	single
284	Normal delivery
131	Nuclear cataract
89	Nutritional anemia
134	Nystagmus
83	Obesity
282	Obstructed labor
294	with delivery
	Obstruction
231	bile duct, except calculus
217	intestinal, except postoperative
408	postoperative
180	portal vein
180	vena cava
193	Obstructive pulmonary disease, not otherwise specified (COPD)
	Occlusion
165	cerebral, without paralysis
166	with paralysis
163	precerebral, without paralysis
164	with paralysis
129	Open-angle glaucoma
111	Opioid dependence or addiction
134	Optic atrophy
252	Orchitis
	Organic brain syndrome
94	acute
95	Alzheimer's dementia

Group No.	Title
	Organic brain syndrome **(continued)**
96	arteriosclerotic
94	transient
314	Osteoarthritis
313	hip
313	knee
319	spinal
328	Osteomyelitis
332	Osteopathic somatic dysfunction
	Otitis media
136	chronic and unspecified
137	acute
139	Otosclerosis
	Ovarian
257	cyst
266	disease, except endometriosis
79	dysfunction
268	pregnancy
79	Ovary, polycystic
402	Overdose, drug
	Paget's disease-*see Disease, Paget's*
	Pain
355	abdominal
352	chest
267	female genital organ
348	head
352	precordial
232	Pancreatic disease
134	Papilledema
121	Paralysis agitans
217	Paralytic ileus
106	Paranoia, except schizophrenic
100	schizophrenia
121	Parkinsonism
153	Paroxysmal atrial or supraventricular tachycardia
19	Pediculosis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Peptic ulcer-*see Ulcer, peptic*
199	Perforation, esophagus
415	Peritoneal dialysis treatment
223	Peritonitis, except in appendicitis
208	in appendicitis
89	Pernicious anemia
7	Pertussis
330	Pes planus
123	Petit mal epilepsy
254	Peyronie's disease
253	Phimosis
177	Phlebitis
258	PID (pelvic inflammatory disease)
179	Piles
307	Pilonidal cyst
17	Pinworm infection
84	PKU (phenylketonuria)
278	Placenta previa
285	with delivery
12	Plantar warts
196	Pleural disease
196	Pleurisy
18	Pneumocystosis
188	Pneumonia, except bacterial and influenzal
187	bacterial
189	influenzal
	Pneumothorax
194	spontaneous
385	traumatic
403	Poisoning, except food and drug
402	drug
2	food
8	Poliomyelitis
20	late effect
79	Polycystic ovary
72	Polycythemia, except secondary
91	secondary

Group No.	Title
282	Polyhydramnios
301	with delivery
	Polyp
224	anal
72	bladder
266	cervix
55	intestinal
186	laryngeal
184	nasal
224	rectal
184	sinus
186	vocal cord
180	Portal vein thrombosis
231	Postcholecystectomy syndrome
224	Postgastrectomy dumping syndrome
180	Postmastectomy lymphedema
	Postoperative wound
408	dehiscence
406	hemorrhage
407	infection
	Postpartum
304	complication, not elsewhere classified
281	depression
4	Pott's disease
	Precerebral occlusion
163	without paralysis
164	with paralysis
357	Prediabetes
275	Pre-eclampsia
301	with delivery
130	Preglaucoma
417	Pregnancy
268	ectopic
268	ovarian
282	post-term
301	with delivery
268	tubal

DIAGNOSIS INDEX (continued)

Group No. **Title**

- Pregnancy **(continued)**
  - 417 undelivered
- 282 Premature rupture of membranes
  - 296 with delivery
- 343 Prematurity of newborn
- 267 Premenstrual tension
- 95 Presenile dementia or psychosis
- 222 Proctocolitis, idiopathic
- Prolapse
  - 134 iris
  - 262 uterovaginal
- 250 Prostatic disease, except hypertrophy
  - 249 hypertrophy
- Proteinuria
  - 357 except postural
  - 236 postural or orthostatic
- Psychogenic
  - 115 diarrhea
  - 115 hyperventilation
  - 115 paralysis
  - 115 vomiting
- 123 Psychomotor epilepsy
- 106 Psychosis
  - 98 alcoholic
  - 95 Alzheimer's
  - 96 arteriosclerotic
  - 104 depressive
  - 99 drug-induced
  - 105 manic-depressive
  - 94 organic, acute or transient
    - 97 chronic, except arteriosclerotic and Alzheimer's
  - 97 senile
- 104 Psychotic depression
- 304 Puerperal complication
  - 301 with delivery
- Pulmonary
  - 151 embolism

Group No. **Title**

- Pulmonary **(continued)**
  - 191 emphysema
  - 3 tuberculosis
  - valve disease-*see Valvular disease*
- 240 Pyelitis, except acute
  - 239 acute
- 240 Pyelonephritis, except acute
  - 239 acute
- 337 Pyloric stenosis, congential
- 347 Pyrexia of unknown origin
  - 302 puerperal

- 13 Rabies
- 417 Radiotherapy session or treatment
- 357 Rash
- Reaction
  - 107 anxiety
  - 108 depressive
  - 404 drug, not elsewhere classified
  - 409 transfusion
- 262 Rectocele, female
- 253 Redundant prepuce
- 222 Regional enteritis
- 414 Removal of internal fixation device
- Renal
  - 241 calculus
  - 415 dialysis treatment
  - 238 failure, except chronic
    - 237 chronic
  - 145 hypertension
- 146 Renovascular hypertension
- 195 Respiratory distress, acute
- 3 Respiratory tuberculosis
- 134 Retained intraocular foreign body
- 287 Retained placenta
- 119 Retardation, mental
- 354 Retention, urine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal
128	cyst
128	detachment
128	hemorrhage
128	tear
134	Retinitis pigmentosa
344	Rh (Rhesus) disease of newborn
141	Rheumatic fever, active
142	Rheumatic heart disease, chronic
331	Rheumatism
312	Rheumatoid arthritis, except spine
318	spine
14	Rickettsiosis
9	Rubella
20	late effect
	Rupture
180	blood vessel
321	intervertebral disc, except lumbar
320	lumbar disc
257	ovarian cyst
282	uterus
304	postpartum
300	with delivery
208	Ruptured appendix
322	Sacroiliac instability
2	Salmonellosis
258	Salpingitis
	Sarcoma-*see Neoplasm, malignant, connective tissue*
102	Schizophrenia, except paranoid, childhood, and acute episode
101	acute episode
103	childhood
100	paranoid
323	Sciatica
122	Sclerosis, multiple
331	Scoliosis
308	Sebaceous cyst
346	Seizure, except epileptic
123	epileptic
270	Self-induced abortion
131	Senile cataract
97	Senile dementia or psychosis
357	Senility
375	Separation, shoulder
6	Sepsis
302	puerperal
6	Septicemia
302	puerperal
10	Serum hepatitis
409	Serum sickness
	Shock
409	anaphylactic, except due to drug
404	due to drug
350	nontraumatic
408	postoperative
401	traumatic
88	Sickle cell anemia or crisis
186	Sinusitis
310	Skin disease, except infective, pilonidal and sebaceous cysts
306	Skin infection, except cellulitis
321	Slipped intervertebral disc, except lumbar
320	lumbar disc
9	Smallpox
332	Somatic dysfunction, osteopathic
254	Spermatocele
333	Spina bifida
318	Spondylitis, ankylosing
319	Spondylosis
	Spontaneous
271	abortion
194	pneumothorax
381	Sprain, except knee, back, and sacroiliac region
380	back
378	knee

DIAGNOSIS INDEX (continued)

Group No.	Title
	Sprain, except knee, back, and sacroiliac region **(continued)**
379	sacroiliac region
178	Stasis dermatitis
123	Status epilepticus
234	Steatorrhea
79	Stein-Leventhal syndrome
52	Stem cell leukemia
	Stenosis
	heart valve-*see Valvular disease*
337	pyloric, congenital
246	urethral, except congenital
340	congenital
410	Sterilization, elective
206	Stomach disease, except ulcer and inflammation
	ulcer-*see Ulcer, gastric*
198	Stomatitis
132	Strabismus
381	Strain, except knee, back, and sacroiliac region
380	back
378	knee
379	sacroiliac region
5	Streptococcal sore throat
267	Stress incontinence, female
246	Stricture of urethral meatus, except congenital
340	congenital
	Stroke
168	without paralysis
169	with paralysis
152	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
159	without paralysis
160	with paralysis
306	Subcutaneous infection, except cellulitis
325	Synovitis
15	Syphilis
311	Systemic lupus erythematosus (SLE)

Group No.	Title
350	Tachycardia, except paroxysmal
155	paroxysmal, except atrial
153	atrial or supraventricular
330	Talipes deformity, acquired
17	Tapeworm infestation
	Tear
376	medial meniscus, current injury
316	old
128	retinal
325	Tenosynovitis, except spine
324	spine
118	Tension headache
269	Termination of pregnancy
7	Tetanus
173	Thoracic aortic aneurysm
273	Threatened abortion
91	Thrombocytopenia
177	Thrombophlebitis
180	migrans
	Thrombosis
175	arterial, except cerebral, precerebral, and lower limb
165	cerebral, without paralysis
166	with paralysis
171	lower limb
180	portal vein
163	precerebral, without paralysis
164	with paralysis
180	vein
74	Thyroid disease, except nodule or goiter
73	thyroid nodule or goiter
74	Thyrotoxicosis
167	TIA
127	Tic douloureux
185	Tonsillitis, chronic
275	Toxemia of pregnancy
301	with delivery

DIAGNOSIS INDEX (continued)

Group No.	Title
275	Toxemia of the puerperium
301	with delivery
182	Tracheobronchitis, acute
409	Transfusion reaction
167	Transient ischemic attack (TIA)
131	Traumatic cataract
	Treatment
416	chemotherapy
415	dialysis
417	physical therapy
417	radiotherapy
17	Trichinosis
19	Trichomoniasis
	Tricuspid valve disease-*see Valvular disease*
127	Trigeminal neuralgia
245	Trigonitis
268	Tubal pregnancy
	Tuberculosis
4	bone
20	late effect
3	lung
4	nonrespiratory
3	respiratory
14	Typhus
	Ulcer
202	duodenal
203	with hemorrhage or perforation
204	with obstruction
200	gastric
201	with hemorrhage or perforation
204	with obstruction
202	gastrojejunal
203	with hemorrhage or perforation
204	with obstruction
202	peptic, except gastric
203	with hemorrhage or perforation

Group No.	Title
	Ulcer **(continued)**
	peptic, except gastric (continued)
204	with obstruction
309	skin
178	varicose, lower extremity
222	Ulcerative colitis
78	Uncontrolled diabetes mellitus
339	Undescended testis
357	Undiagnosed disease
322	Unstable low back
181	Upper respiratory infection, acute, except streptococcal
5	streptococcal
238	Uremia, except chronic
237	chronic
	Ureteral
243	disease, except calculus
242	calculus
	Urethral
248	disease, except calculus and stricture
244	calculus
246	stenosis, except congenital
340	congenital
246	stricture, except congenital
340	congenital
248	Urethritis
280	in pregnancy
181	URI (upper resiratory infection)
247	Urinary tract infection
280	in pregnancy
	Uterine
60	fibroid
262	prolapse
134	Uveitis
261	Vaginitis, except atrophic and senile
265	atrophic or senile
330	Valgus deformity, limb

DIAGNOSIS INDEX (continued)

Group No.	Title
	Valvular disease
158	nonrheumatic
142	rheumatic
180	Varices, esophagus
178	Varicose veins of lower extremities
330	Varus deformity, limb
	Venereal
15	disease
12	wart
324	Vertebrogenic pain syndrome
357	Vertigo
	Viral
13	encephalitis
20	late effect
1	gastroenteritis
10	hepatitis
8	meningitis
20	late effect
12	wart
	Vitreous
134	abscess
134	prolapse
269	Voluntary abortion
217	Volvulus
356	Vomiting
276	of pregnancy
261	Vulvar infection
261	Vulvitis
12	Warts, viral
7	Whooping cough
	Withdrawal
98	alcohol
99	drug
	Wound
408	dehiscence
	infection
407	postoperative
401	posttraumatic
	Open-*see Laceration*
13	Yellow fever

PART II: OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.
(Revised Group Numbers as of January 1, 1989)

Group No.	**Title**
	Ablation
575	cardiac lesion or tissue
554	Adenoidectomy, except with tonsillectomy
553	with tonsillectomy
515	Adrenalectomy
548	Alveolectomy
548	Alveoloplasty
703	Amniocentesis (diagnostic)
702	for termination of pregnancy
	Amputation
676	cervix
747	finger
752	foot
748	forearm
748	hand
752	hip
751	leg, above knee
750	below knee
754	revision (any site)
747	thumb
749	toe
748	upper arm
	Anastomosis
619	bile duct
582	blood vessel
619	gallbladder
602	intestine
609	rectum
773	Angiocardiography, except coronary vessels
772	coronary vessels
773	Angiography, except cardiac and cerebral vessels
772	cardiac vessels
771	cerebral vessels
582	Angioplasty, except coronary
571	coronary artery

Group No.	**Title**
	Angioplasty, except coronary **(continued)**
582	percutaneous transluminal, except coronary
571	coronary
582	Angioscopy
545	Antrotomy, except radical maxillary
544	radical maxillary
572	Aortocoronary bypass
773	Aortography
781	Apheresis, therapeutic
604	Appendectomy, except incidental
604	incidental
	Arteriography
773	aorta
771	cerebral
772	coronary
773	femoral
771	head
772	heart
773	renal
756	Arthrocentesis
734	Arthrodesis, except spinal
733	spinal
740	Arthroplasty, except hip, knee, and temporomandibular
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
707	temporomandibular
737	total replacement, except hip and knee
732	Arthroscopy
727	Arthrotomy
	Artificial
694	insemination
698	rupture of membranes for delivery

OPERATION INDEX (continued)

Group No. **Title**

- Aspiration
  - 768 breast, except for biopsy
    - 757 biopsy
  - 756 bursa
  - 690 cul-de-sac
  - 685 curettage, uterus, except for termination of pregnancy
    - 682 termination of pregnancy
  - 658 hydrocele, except of spermatic cord
    - 663 spermatic cord
  - 636 kidney
  - 614 liver, percutaneous, except for biopsy
    - 615 biopsy
  - 536 middle ear
  - 545 nasal sinus
  - 671 ovary
  - 768 skin
  - 663 spermatocele
  - 529 vitreous
- Augmentation
  - 760 breast
  - 707 chin

- Balloon
  - 582 angioplasty, except coronary
    - 571 coronary
  - 570 valvuloplasty, heart
- Biopsy
  - 515 adrenal gland
  - 611 anus
  - 644 bladder, except transurethral approach
    - 642 transurethral approach
  - 715 bone, except facial and femur
    - 706 facial
    - 714 femur
  - 586 bone marrow
  - 501 brain
  - 757 breast

Group No. **Title**

- Biopsy (continued)
  - 562 bronchus
  - 501 cerebral meninges
  - 676 cervix
  - 598 colon
  - 598 duodenum
  - 676 endocervical
  - 589 esophagus
  - 531 eyeball
  - 517 eyelid
  - 674 fallopian tubes
  - 598 intestine (large) (small)
  - 732 joint structure
  - 636 kidney
  - 598 large intestine
  - 557 larynx
  - 551 lip
  - 615 liver
  - 564 lung
  - 583 lymph nodes
  - 569 mediastinum
  - meninges
    - 501 cerebral
    - 507 spinal
  - 742 muscle
  - 545 nasal sinus
  - 542 nose
  - 531 orbit
  - 668 ovary, except by aspiration
    - 671 aspiration
  - 620 pancreas
  - 666 penis
  - 508 peripheral nerve
  - 628 peritoneum
  - 555 pharynx
  - 569 pleura
  - 657 prostate

OPERATION INDEX (continued)

Group No. **Title**

Biopsy **(continued)**
- 606 rectum
- 549 salivary gland or duct
- 658 scrotum
- 593 stomach
- 762 skin
- 598 small intestine
- 507 spinal meninges
- 661 testes
- 514 thyroid
- 551 tongue
- 557 trachea, except endoscopic approach
  - 558 endoscopic approach
- 640 ureter
- 678 uterine ligaments
- 678 uterus
- 551 uvula
- 690 vagina
- 557 vocal cord
- 691 vulva

518 Blepharorrhaphy
781 Blood transfusion, except intrauterine exchange
- 704 intrauterine exchange

585 Bone marrow transplant
760 Breast augmentation
696 Breech extraction for delivery
566 Bronchoscopy
713 Bunionectomy
745 Bursectomy, except of hand
- 743 hand

741 Bursotomy
Bypass, graft or shunt
- 572 aortocoronary
- 578 blood vessels (systemic), except for renal dialysis
  - 580 for renal dialysis
- 572 coronary
- 597 gastric

Group No. **Title**

Bypass, graft or shunt **(continued)**
- 572 heart
- 582 heart-lung
- 602 intestine
- 597 stomach
- 638 urinary

781 Cancer chemotherapy
Cardiac
- 573 catheterization
- 576 electrophysiologic stimulation studies
- 783 function tests
- 576 mapping studies
- massage
  - 781 closed
  - 575 open
- 574 pacemaker insertion or replacement
- 575 revascularization, except coronary bypass
  - 572 coronary bypass
- 783 stress tests

581 Carotid thromboendarterectomy
509 Carpal tunnel decompression or release
778 Cast application
774 C.A.T. scan
526 Cataract extraction, except intracapsular
- 525 intracapsular

Catheterization
- 654 bladder, except suprapubic approach
  - 644 suprapubic approach
- 582 blood vessel
- 573 cardiac
- 512 spinal canal (for infusion of agents)
- 651 ureteral
- 654 urethral, indwelling
- 587 vein, except umbilical
  - 582 umbilical

677 Cerclage, cervix

OPERATION INDEX (continued)

Group No.	Title
700	Cesarean section, except low cervical
699	low cervical
728	Chemonucleolysis
781	Chemotherapy
775	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
775	Cholecystogram
619	Cholecystotomy
782	Circulatory monitoring
664	Circumcision, except newborn
	Closure
619	cholecystostomy
602	colostomy
	fistula-*see Fistulectomy*
597	gastric anastomosis
602	sigmoidostomy
569	thoracostomy
640	ureterostomy
646	urethrostomy
600	Colectomy
567	Collapse of lung, surgical
609	Colonoscopy
603	Colostomy, except loop
601	loop
689	Colporrhaphy, except for cystocele or rectocele repair
688	cystocele or rectocele repair
774	Computerized axial tomography (C.A.T. scan)
675	Conization of cervix
520	Conjunctivoplasty
783	Consultation
777	Continuous positive airway pressure (CPAP)
	Control of hemorrhage
644	bladder
582	blood vessel
568	chest
629	laparotomy site

Group No.	Title
	Control of hemorrhage **(continued)**
543	nose, except by anterior packing
556	anterior packing
568	pleura
582	postoperative, not elsewhere classified
657	prostate
591	stomach
555	tonsil
521	Corneal transplant
572	Coronary bypass
777	CPAP (continuous positive airway pressure)
503	Cranioplasty
502	Craniotomy
676	Cryoconization, cervix
690	Culdocentesis
690	Culdoscopy, except for tubal ligation
672	tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
644	Cystectomy (bladder)
688	Cystocele repair
641	Cystoscopy
644	Cystostomy
644	Cystotomy
683	D and C (uterus), except for termination of pregnancy
682	termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
763	burn (skin), except nonexcisional
764	nonexcisional
715	fracture, except of femur and skull
714	femur
502	skull
768	nail, nail bed, nail fold
763	skin (infection) (wound), except nonexcisional
764	nonexcisional

OPERATION INDEX (continued)

Group No.	Title
	Decompression
509	carpal tunnel
502	cranial
506	laminectomy
506	spinal
	Delivery
698	artificial rupture of membranes
696	breech extraction
700	cesarean section, except low cervical
699	low cervical
697	forceps, except low forceps
695	low forceps
697	internal and combined version
767	Dermabrasion
602	Derotation, intestine
779	Detoxification (alcohol) (drug)
579	Dialysis, except peritoneal
631	peritoneal
	Dilation
644	bladder (neck)
640	ureteral meatus
651	ureterovesical orifice
647	urethra, urethrovesical junction
683	Dilation and curettage (D and C), uterus, except for termination of pregnancy
682	termination of pregnancy
726	Dislocation-reduction, except hip and temporomandibular
725	hip
710	temporomandibular (joint)
	Division
	adhesions-*see Lysis, adhesions*
613	anal sphincter
741	fascia, except of hand
743	hand
508	peripheral nerve
511	sympathetic nerve or ganglion
667	Dorsal or lateral slit of prepuce

Group No.	Title
	Drainage-*see also Incision (and drainage)*
654	bladder, except surgical approach
644	surgical approach (suprapubic)
568	chest
536	middle ear
781	Drug therapy
599	Duodenectomy
783	ECG (electrocardiogram)
582	ECMO (extracorporeal membrane oxygenation)
775	Echoencephalography
783	EEG (electroencephalogram)
783	EKG (electrocardiogram)
783	Electrocardiogram (ECG) (EKG)
783	Electroencephalogram (EEG)
768	Electrolysis, skin
769	Encephalography
	Endoscopy
618	biliary tract
641	bladder
566	bronchus
621	colon, except surgical approach
609	surgical approach (transabdominal)
690	cul-de-sac, except for tubal ligation
672	tubal ligation
590	esophagus
590	gastric, except surgical approach
597	surgical approach (transabdominal)
654	ileal conduit
576	larynx
618	pancreas
630	peritoneum
556	pharynx
609	small intestine
590	stomach, except surgical approach
597	surgical approach (transabdominal)
569	thorax, transpleural

OPERATION INDEX (continued)

Group No.	Title
	Endoscopy (continued)
641	urethra
687	uterus
694	vagina
603	Enterostomy
531	Enucleation, eyeball
522	Epikeratophakia
532	Epilation, eyelid
705	Episioperinorrhaphy
705	Episiorrhaphy
698	Episiotomy, except with forceps delivery
695	low forcep
697	other forceps
543	Epistaxis control, except by anterior packing
556	anterior packing
576	EPS (electrophysiologic stimulation studies), cardiac
618	ERCP (endoscopic retrograde cholangiopancreatography)
781	Erythrocytapheresis
589	Esophagectomy
609	Esophagogastroduodenoscopy, except with biopsy
598	with biopsy
590	Esophagoscopy, except surgical approach
621	surgical approach
589	Esophagotomy
652	ESWL (extracorporeal shock wave lithotripsy)
612	Evacuation, hemorrhoids
	Evisceration
531	eyeball
681	pelvic
	Examination
783	eye
783	general physical
783	gynecologic
783	pelvic
779	psychiatric
781	Exchange transfusion, except intrauterine
704	intrauterine

Group No.	Title
	Excision-*see also Excision of lesion (and destruction of tissue)*
610	anal fistula
742	Baker's cyst
715	bone, except facial and femur
707	facial, except partial
706	partial
714	femur
555	branchial cleft cyst
713	bunion
517	chalazion, eyelid
600	colon
673	fallopian tubes, bilateral, except endoscopic approach
672	endoscopic approach
678	fibroid, uterine
616	gallbladder
508	ganglion, except of tendon
742	tendon (of hand)
612	hemorrhoids
	hydrocele
687	round ligament
663	spermatic cord
658	tunica vaginalis
729	intervertebral disc or cartilage, except chemonucleolysis
728	chemonucleolysis
732	joint, except intervertebral disc and cartilage of knee
729	intervertebral disc, except chemonucleolysis
728	chemonucleolysis
730	knee cartilage
633	kidney, except partial
636	partial
730	knee cartilage (semilunar)
583	lymph nodes, except radical
584	radical
508	neuroma, peripheral nerve
	ovary
670	bilateral
669	unilateral

OPERATION INDEX (continued)

Group No.	Title
	Excision (continued)
549	parotid gland
761	pilonidal cyst or sinus
515	pituitary gland
656	prostate, except transurethral approach
655	transurethral approach
522	pterygium
762	sebaceous cyst, except of eyelid
517	eyelid, eyebrow
730	semilunar cartilage, knee
586	spleen
514	thyroglossal duct or tract
513	thyroid
767	toenail
551	tongue
552	tonsil, except with adenoids
553	with adenoids
555	tonsil tag
	tubes and ovaries
670	bilateral
669	unilateral
678	uterine fibroid
577	varicocele, except of spermatic cord
663	spermatic cord
	Excision of lesion (and destruction of tissue)
628	abdominal wall
611	anus
619	bile duct
644	bladder, except transurethral approach
642	transurethral approach
715	bone, except facial and femur
706	facial
714	femur
501	brain
757	breast
562	bronchus
501	cerebral meninges

Group No.	Title
	Excision of lesion (continued)
676	cervix, except by conization
675	conization
598	colon
520	conjunctiva
522	cornea
598	duodenum
533	ear, external
589	esophagus
531	eye
517	eyelid
674	fallopian tube
548	gingiva, gums
598	intestine
524	iris
636	kidney
598	large intestine
557	larynx
551	lip
564	lung
	meninges
501	cerebral
507	spinal
742	muscle
	nerve
508	peripheral
511	sympathetic
542	nose, except submucous resection
540	submucous resection
668	ovary
549	parotid gland
666	penis
	perineum
691	female
762	male
508	peripheral nerve
607	perirectal tissue

OPERATION INDEX (continued)

Group No.	Title
	Excision of lesion **(continued)**
628	peritoneum
606	rectum
549	salivary gland
524	sclera
658	scrotum
762	skin, except debridement, radical and of pilonidal cyst
763	debridement
761	pilonidal cyst or sinus
764	radical
507	skull
598	small intestine
507	spinal meninges
593	stomach
742	tendon
661	testis
551	tongue
558	trachea
640	ureter
646	urethra
687	uterine ligament
678	uterus
690	vagina
558	vocal cord
691	vulva
	Exenteration
531	eyeball, orbit
681	pelvic
	Exploration
629	abdominal cavity
619	bile duct, except by ERCP
618	by ERCP
636	kidney
629	Exploratory laparotomy
601	Exteriorization, intestine
	Extracorporeal
582	circulation

Group No.	Title
	Extracorporeal **(continued)**
582	membrane oxygenation (ECMO)
652	shock wave lithotripsy (ESWL)
	Extraction
696	breech, for delivery
546	dental
694	menstrual
546	teeth
697	vacuum, for delivery
767	Face lift
745	Fasciectomy, except of hand
743	hand
741	Fasciotomy, except of hand
743	hand
	Fistulectomy
610	anal
644	bladder
555	branchial cleft
563	bronchus
602	intestine
541	nasal
541	nasolabial
545	oroantral
609	perirectal
555	pharynx
646	rectourethral
687	rectouterine
689	rectovaginal
644	rectovesical
609	rectum
561	tracheoesophageal
523	Fistulization, sclera (for glaucoma)
756	Fitting, limb prosthesis
717	Fixation, internal, of bone, except hip or with fracture-reduction
716	hip
	with fracture-reduction-*see Fracture-reduction*

OPERATION INDEX (continued)

Group No.	Title
697	Forceps delivery, except low forceps
695	low forceps
	Formation
580	arteriovenous shunt for dialysis
602	endoileal rectal pouch
638	ileal conduit or bladder
	Fracture-reduction
709	facial bone, except closed reduction
708	closed reduction
	femur
721	closed, except with internal fixation
719	with internal fixation
721	open, except with internal fixation
720	with internal fixation
709	mandible, except closed reduction
708	closed reduction
709	maxillofacial, except closed reduction
708	closed reduction
543	nose
	other sites
724	closed, except with internal fixation
722	with internal fixation
724	open, except with internal fixation
723	with internal fixation
551	Frenectomy (labial) (tongue)
556	Frenotomy (labial) (tongue)
734	Fusion, joint, except spinal
733	spinal
508	Ganglionectomy, except of tendon
742	tendon (of hand)
508	Gasserian ganglionectomy
594	Gastrectomy, except total
595	total
590	Gastroscopy, except surgical approach
597	surgical approach (transabdominal)
592	Gastrostomy

Group No.	Title
591	Gastrotomy
707	Genioplasty
775	G.I. series x-ray
548	Gingivectomy, gingivoplasty
523	Glaucoma operation
551	Glossectomy
	Graft
717	bone, except facial, femur and skull
710	facial
716	femur
503	skull
765	free, of skin
551	lip
746	muscle, except of hand
744	hand
766	pedicle, of skin
	skin
765	free
766	pedicle
746	tendon, except of hand
744	hand
573	Heart catheterization
582	Heart-lung bypass
600	Hemicolectomy
579	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
627	diaphragmatic
626	epigastric
624	femoral
626	incisional
	inguinal
623	bilateral
622	unilateral
625	umbilical

OPERATION INDEX (continued)

Group No.	Title
	Herniorrhaphy **(continued)**
626	ventral
736	Hip replacement, except total
735	total
576	His bundle study
781	Hyperalimentation
778	Hyperthermia, except localized
781	localized, for treatment of malignancy and other lesions
515	Hypophysectomy
679	Hysterectomy, except radical and vaginal
681	radical
680	vaginal
686	Hysteropexy
687	Hysteroscopy
678	Hysterotomy, except for termination of pregnancy
701	termination of pregnancy
603	Ileostomy, except loop
601	loop
638	Ileoureterostomy
	Implant, implantation
648	artificial urinary sphincter
760	breast
574	cardiac pacemaker (electrodes) (pulse generator)
575	cardioverter/defibrillator
538	cochlear prosthetic device
538	electromagnetic hearing device (bone) (cochlea)
755	limb prosthesis
	Incision (and drainage)
628	abdominal wall
610	anal fistula
605	appendix
691	Bartholin's gland or abscess
712	bone, except facial and femur
710	facial
711	femur
501	brain

Group No.	Title
	Incision (and drainage) **(continued)**
760	breast
501	cerebral meninges
568	chest (wall)
522	cornea
502	cranial sinus
533	ear, external
518	eyelid
551	floor of mouth
619	gallbladder
548	gingiva, gums
601	intestine
727	joint
519	lacrimal gland or sac
614	liver
583	lymph nodes
538	mastoid
	meninges
501	cerebral
506	spinal
536	middle ear
741	muscle
	nasal sinus-*see Sinusotomy*
741	palmar space (hand)
620	pancreas
613	perianal tissue
	perineum
691	female
764	male
607	perirectal tissue
629	peritoneum, except via cul-de-sac
690	via cul-de-sac
761	pilonidal cyst or sinus
568	pleura
607	rectovaginal septum
607	rectum
628	retroperitoneal abscess

OPERATION INDEX (continued)

Group No.	Title
	Incision (and drainage) **(continued)**
658	scrotum
	sinus (nasal)-*see Sinusotomy*
764	skin, except pilonidal cyst or sinus
761	pilonidal cyst or sinus
506	spinal meninges
741	tendon
568	thorax
637	ureter
690	vagina
691	vulva
698	Induction of labor (medical or surgical) for delivery
	Infusion
	concentrated nutritional substances
783	enteral
781	parenteral (PPN) (TPN)
	Injection
702	intra-amniotic, for termination of pregnancy
781	therapeutic agent (drugs)
760	breast
756	bursa
756	joint
756	tendon
694	Insemination, artificial
	Insertion
717	bone growth stimulator, except femur
716	femur
574	cardiac pacemaker (electrode) (pulse generator)
512	catheter, spinal canal
596	gastric balloon
764	infusion pump
694	intrauterine contraceptive device
687	laminaria, uterus
665	penile prosthesis
767	tissue expander, except breast
760	breast

Group No.	Title
	Insertion **(continued)**
651	ureteral stent, except by incision
637	by incision
674	Insufflation, fallopian tubes
582	Interruption, vena cava
702	Intra-amniotic injection for termination of pregnancy
775	Intravenous pyelogram (IVP)
783	Intubation, nonoperative
783	Irrigation, nonoperative
775	IVP (intravenous pyelogram)
522	Keratotomy, radial
	Laceration repair (suture)-*see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
729	excision of intervertebral disc
630	Laparoscopy, except for tubal ligation
672	tubal ligation
629	Laparotomy, exploratory
559	Laryngectomy, except partial
558	partial
576	Laryngoscopy
560	Laryngotomy
717	Lengthening of bone, except femur
716	femur
526	Lens extraction, except intracapsular
525	intracapsular
781	Leukopheresis
	Ligation
673	fallopian tubes (bilateral), except endoscopic approach
672	endoscopic approach
612	hemorrhoids
577	varicose veins
662	vas deferens
577	Ligation and stripping, varicose veins

OPERATION INDEX (continued)

Group No.	Title
	Lithotripsy
644	bladder
652	extracorporeal shock wave (ESWL)
639	kidney
652	ultrasonic
640	ureter
	Lobectomy
501	brain
615	liver
565	lung, except partial
564	partial
695	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
632	abdominal
744	hand
524	iris
727	joint
746	muscle, except hand
744	hand
632	pelvis
632	peritoneum
746	tendon, except of hand
744	hand
775	Magnetic resonance imaging (MRI)
760	Mammectomy
775	Mammography
760	Mammoplasty, augmentation or reduction
707	Mandibulectomy, except partial
706	partial
707	Mandibulotomy
	Mastectomy
758	complete
759	radical
758	simple, except extended
759	extended
	Mastectomy (continued)
757	subtotal
537	Mastoidectomy, except revision
538	revision
760	Mastotomy
	Meatotomy
640	ureteral
645	urethral
698	Medical induction of labor
730	Meniscectomy, knee
694	Menstrual extraction or regulation
707	Mentoplasty
782	Monitoring, circulatory (CVP) (PCW)
775	MRI (magnetic resonance imaging)
770	Myelography
678	Myomectomy, uterus
536	Myringotomy
633	Nephrectomy (complete)
636	Nephropexy
775	NMR (nuclear magnetic resonance imaging)
	Nutritional infusion
783	enteral
781	parenteral (PPN) (TPN)
690	Obliteration, vagina or vaginal vault
767	Onychectomy
767	Onychoplasty
	Oophorectomy
670	bilateral
669	unilateral
532	Ophthalmoscopy
659	Orchiectomy
660	Orchiopexy
661	Orchioplasty, except suspension
660	suspension

OPERATION INDEX (continued)

Group No.	Title
715	Ostectomy, except facial bone and femur
707	facial bone, except partial
706	partial
714	femur
717	Osteoplasty, except facial bone and femur
707	facial bone
714	femur
712	Osteotomy, except facial bone and femur
707	facial bone
711	femur
539	Otoscopy
550	Palatoplasty
620	Pancreatectomy
620	Pancreatotomy
	Paracentesis
628	abdominal
524	anterior chamber (eye)
576	thoracic
514	Parathyroidectomy
549	Parotidectomy
681	Pelvic exenteration
582	Percutaneous transluminal angioplasty, except coronary
571	coronary artery (PTCA)
575	Pericardiocentesis
631	Peritoneal dialysis
630	Peritoneoscopy
556	Pharyngoscopy
555	Pharyngotomy
773	Phlebography
781	Photopheresis
539	Piercing, ear
781	Plasmapheresis
781	Plateletpheresis
576	Pleurocentesis
576	Pleurodesis, chemical
569	Pleurosclerosis

Group No.	Title
	Plication
650	urethral, urethrovesical
582	vena cava
769	Pneumoencephalography
565	Pneumonectomy
783	Polysomnogram
781	PPN (peripheral parenteral nutrition)
667	Preputiotomy
608	Proctectomy
609	Proctopexy
621	Proctosigmoidoscopy, except surgical approach
609	surgical approach (transabdominal)
607	Proctotomy
656	Prostatectomy, except transurethral approach
655	transurethral approach
779	Psychiatric testing and evaluation
779	Psychotherapy
571	PTCA (percutaneous transluminal coronary angioplasty)
	Puncture
501	cranial
512	lumbar
501	skull, for drainage
512	spinal
775	Pyelogram (intravenous) (retrograde)
641	Pyeloscopy
636	Pyelotomy, except percutaneous
634	percutaneous
591	Pyloromyotomy
596	Pyloroplasty
776	Radiation therapy
	Radiography
773	arteries, except cerebral and coronary
771	cerebral
772	coronary
775	breast

OPERATION INDEX (continued)

Group No. **Title**

- Radiography **(continued)**
  - 771 cerebral
    - 771 arteries
    - 769 ventricles
  - 775 chest
  - 774 computerized axial tomography (C.A.T. Scan)
  - 775 gallbladder
  - 775 kidney
  - 775 skeletal
  - 775 spine, except myelogram
    - 770 myelogram
  - 773 veins
- Reattachment
  - 753 extremity
  - 528 retina
  - 746 tendon, except of hand
    - 744 hand
- 530 Recession, ocular muscle
- Reconstruction
  - 534 ear ossicles
  - 707 mandible
  - 744 thumb
- 688 Rectocele repair
- Reduction
  - 726 dislocation, except hip and temporomandibular
    - 725 hip (closed) (open)
    - 710 temporomandibular (joint)
  - fracture
    - 709 facial bone, except closed reduction
      - 708 closed reduction
    - femur
      - 721 closed, except with internal fixation
        - 719 with internal fixation
      - 721 open, except with internal fixation
        - 720 with internal fixation
    - 709 mandible, except closed reduction
      - 708 closed reduction

Group No. **Title**

- Reduction **(continued)**
  - fracture (continued)
    - 709 maxillofacial, except closed reduction
      - 708 closed reduction
    - 543 nose
    - site, other than above
      - 724 closed, except with internal fixation
        - 722 with internal fixation
      - 724 open, except with internal fixation
        - 723 with internal fixation
  - 621 hemorrhoids
  - hernia-*see also Herniorrhaphy*
    - 783 manual
  - 602 intestinal torsion
  - 602 intussusception, intestine
  - 760 mammoplasty
  - 602 volvulus, intestine
- Release
  - adhesions-*see Lysis, adhesions*
  - 743 Dupuytren's contracture
  - 767 scar contracture, skin
  - 648 urethral stricture
- Removal
  - 718 bone growth stimulator
  - calculus
    - 619 biliary tract, except by ERCP or percutaneous
      - 618 by ERCP
      - 617 percutaneous
    - 644 bladder, except transurethral approach
      - 643 transurethral approach
    - 636 kidney, except transurethral approach
      - 639 transurethral approach
    - 519 lacrimal tract (by incision)
      - 532 without incision
    - 637 ureter, except transurethral approach
      - 639 transurethral approach
  - 783 catheter, nonoperatively

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
783	cholecystotomy tube
701	ectopic fetus
718	fixation device, internal
	foreign body
780	bronchus, except with incision
562	with incision
531	eye, except as below
524	anterior chamber
520	conjunctiva
524	iris
527	lens
	prosthesis
760	breast
727	joint
597	gastric balloon
666	penile prosthesis
705	retained placenta, manually
783	sutures
783	t-tube, gallbladder
783	therapeutic device, nonoperatively
764	tissue expander, except breast
760	breast
529	vitreous
579	Renal dialysis
	Repair
632	abdominal wall
613	anal fistula, except by excision
610	excision
582	aneurysm (arteriovenous)
644	bladder, except obstetric laceration
705	obstetric laceration
518	blepharoptosis
582	blood vessel
717	bone, except facial and femur
707	facial
716	femur

Group No.	Title
	Repair (continued)
760	breast
563	bronchial fistula
713	bunion
570	cardiac septal defect and other anomalies
677	cervix, except obstetric laceration
705	obstetric laceration
569	chest wall
550	cleft palate
520	conjunctiva
522	cornea, except transplant
521	transplant
688	cystocele, vagina
745	diastasis recti
533	ear, external
518	ectropion or entropion, eyelid
705	episiotomy
518	eyelid
	fistula-*see Fistulectomy*
713	hallux valgus
744	hand
	hernia-*see Herniorrhaphy*
736	hip, except total replacement
735	total replacement
504	hydrocephalus, by ventricular shunt
602	intestine
740	joint, except hip, knee and prosthetic replacement
736	hip, except total replacement
735	total replacement
738	knee, except total replacement
737	total replacement
739	total replacement, except hip and knee
738	knee (joint), except total replacement
737	total replacement
	Laceration-*see also Repair, by site*
705	obstetric
561	larynx

OPERATION INDEX (continued)

Group No.	Title
	Repair (continued)
551	lip
615	liver
567	lung
746	muscle, except extraocular and of hand
530	extraocular
744	hand
555	nasopharyngeal atresia
541	nose
671	ovary
550	palate
666	penis
693	perineum, female, except obstetric laceration
705	obstetric laceration
509	peripheral nerve
596	pylorus, stomach
688	rectocele, vagina
609	rectum
528	retinal detachment or tear
745	rotator-cuff (shoulder)
503	skull
507	spina bifida
507	spinal meningocele
597	stomach, except pylorus
596	pylorus
650	stress incontinence, except urethral suspension
649	urethral suspension
746	tendon, except of hand
744	hand
661	testis
561	trachea
640	ureter
646	urethra
687	uterus, except obstetric laceration and supporting structures
705	obstetric laceration
686	supporting structures

Group No.	Title
	Repair (continued)
689	vagina, except for cystocele and rectocele, and obstetric laceration
688	cystocele and rectocele
705	obstetric laceration
551	vestibular arch (mouth)
693	vulva, except obstetric laceration
705	obstetric laceration
	Replacement
574	cardiac pacemaker
570	heart valve
739	joint, except hip and knee
736	hip, except total replacement
735	total replacement
738	knee
665	penile prosthesis
654	urinary catheter
	Resection
644	bladder
582	blood vessel
563	bronchus
600	large intestine
745	muscle, except of hand
743	hand
540	nasal septum, submucous
530	ocular muscle
668	ovary
608	rectum (abdominoperineal) (pull-through)
548	root of tooth
599	small intestine
745	tendon, except of hand
743	hand
547	Restoration, tooth
775	Retrograde pyelogram
	Revision
754	amputation stump

OPERATION INDEX (continued)

Group No.	Title
	Revision **(continued)**
580	arteriovenous shunt for dialysis
597	gastric anastomosis
602	intestinal anastomosis
538	mastoidectomy
561	tracheostomy
538	tympanoplasty
505	ventricular shunt
541	Rhinoplasty
767	Rhytidectomy, facial
548	Root canal therapy
548	Root resection (tooth)
698	Rupture of membranes for delivery
	Salpingectomy
673	bilateral
674	unilateral
	Salpingo-oophorectomy
670	bilateral
669	unilateral
745	Scalenectomy
741	Scalenotomy
	Scan
774	C.A.T. (computerized axial tomography)
775	radioisotope
528	Sclera buckling, for retinal detachment
717	Shortening, bone, except femur
716	femur
	Shunt-*see also Bypass*
504	cerebral ventricles, except revision
505	revision
578	peripheral vessels, except for renal dialysis
580	for renal dialysis
632	peritoneovenous
578	systemic vessels
549	Sialoadenectomy
621	Sigmoidoscopy
600	Sigmoidectomy
545	Sinusectomy, nasal
545	Sinusotomy, except radical maxillary
544	radical maxillary
767	Size-reduction, skin tissue except breast
760	breast
783	Sleep disorder function tests
	Sphincterotomy
619	ampullary (of Vater) (pancreas), except by ERCP
617	by ERCP
613	anus
644	bladder neck
	Spinal
733	fusion
512	tap or puncture
586	Splenectomy
734	Stabilization of joint, except foot and knee
740	foot
738	knee
534	Stapedectomy
534	Stapes mobilization
650	Stress incontinence repair, except by urethral suspension
649	urethral suspension
	Stress test
783	cardiac
704	fetal
783	uterine
540	Submucous nasal resection
698	Surgical induction of labor for delivery
	Suspension
649	urethra, except with bladder neck
650	with bladder neck
650	urethrovesical
	Suture-*see also Repair, by site*
745	muscle, except of hand
744	hand
764	skin

OPERATION INDEX (continued)

Group No.	Title
	Suture (continued)
745	tendon, except of hand
744	hand
510	Sympathectomy
732	Synovectomy
553	T and A
	Takedown-*see Closure*
745	Tenosynovectomy, except of hand
743	hand
741	Tenotomy, except of hand
743	hand
	Termination of pregnancy
684	aspiration curettage
682	dilation and curettage
700	hysterotomy
702	intra-amniotic injection
	Therapy
779	behavior
781	cancer (chemical)
779	electroconvulsive (ECT)
778	occupational
778	physical
779	psychiatric
776	radiation
779	shock (EST)
778	speech
777	ventilation
775	Thermography
576	Thoracentesis
569	Thoracoscopy, transpleural
568	Thoracotomy
515	Thymectomy
513	Thyroidectomy
582	Thromboendarterectomy, except carotid
581	carotid
551	Tongue-tie operation

Group No.	Title
552	Tonsillectomy, except with adenoidectomy
553	with adenoidectomy
547	Tooth restoration
781	TPN (total parenteral nutrition)
560	Tracheostomy
778	Traction, skeletal, except with fracture-reduction
	with fracture-reduction-*see Reduction, fracture*
	Transfer-*see Transplant*
	Transfusion
781	blood, except intrauterine exchange
704	intrauterine
585	bone marrow
781	coagulation factor
781	gamma globulin
781	plasma
	Transplant, transplantation
585	bone marrow
521	corneal
570	heart
635	kidney
746	muscle, except of hand
744	hand
746	tendon, except of hand
744	hand
655	TUR of prostate
542	Turbinectomy, nasal
535	Tympanoplasty, except revision
538	revision
536	Tympanotomy
	Ultrasonic fragmentation of calculus
652	biliary
652	urinary, except by percutaneous nephrostomy
634	percutaneous nephrostomy
775	Ultrasound, diagnostic
640	Ureterectomy
638	Ureterostomy
637	Ureterotomy

OPERATION INDEX (continued)

Group No.	Title
641	Urethroscopy
648	Urethrotomy
638	Urinary diversion
783	Uroflowmetry, uroflometry
781	Vaccination
697	Vacuum extraction for delivery
694	Vaginoscopy
596	Vagotomy
570	Valvuloplasty, cardiac
577	Varicose vein operation
662	Vasectomy
663	Vasoplasty
662	Vasotomy
663	Vasovasostomy
773	Venography
777	Ventilation, mechanical
504	Ventricular shunt, except revision
505	revision
769	Ventriculography
692	Vulvectomy
	X-ray-*see Radiography*
767	Z-plasty, skin

PART III: CROSSWALK

From Old to New Hospital Diagnosis and Procedure Groups

In January 1989, Hospital Diagnosis Groups (List A) and Hospital Procedure Groups (List B) were revised. This crosswalk is provided to facilitate tracking back and forth between the old and new group numbers.

A. Hospital Diagnosis Groups (List A)

LIST A		LIST A		LIST A		LIST A		LIST A		LIST A	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
001	002*	035	037	069	073	103	109	137	143	171	179
002	003	036	038	070	074	104	110	138	144	172	180
003	004	037	039	071	075	105	111	139	146*	173	181
004	005	038	040	072	076	106	112	140	147	174	182
005	006	039	041	073	078*	107	113	141	148	175	183
006	007	040	042	074	079	108	114	142	149	176	184
007	008	041	043	075	080	109	115	143	150	177	185
008	009	042	044	076	081	110	117*	144	151	178	186
009	010	043	045	077	082	111	118*	145	152	179	188*
010	011	044	046	078	083	112	119	146	153	180	189
011	012	045	047	079	084	113	120	147	154	181	190
012	013	046	048	080	085	114	121	148	155	182	191
013	014	047	050*	081	086	115	122	149	156	183	192
014	015	048	052*	082	087	116	123	150	158*	184	193
015	016	049	053	083	088	117	124	151	150	185	194
016	017	050	054	084	089	118	125	152	159	186	196*
017	019*	051	055	085	090	119	126	153	160	187	197
018	020	052	056	086	091	120	127	154	161	188	198
019	021	053	057	087	092	121	128	155	162	189	199
020	022	054	058	088	093	122	129	156	163	190	200
021	023	055	059	089	094	123	130	157	164	191	201
022	024	056	060	090	097*	124	131	158	165	192	202
023	025	057	061	091	096	125	131	159	166	193	203
024	026	058	062	092	098	126	132	160	167	194	204
025	027	059	063	093	099	127	133	161	168	195	205
026	028	060	064	094	100	128	134	162	169	196	206
027	029	061	065	095	101	129	135	163	170	197	207
028	030	062	066	096	102	130	136	164	172*	198	208
029	031	063	067	097	103	131	137	165	173	199	209
030	032	064	068	098	104	132	138	166	174	200	210
031	033	065	069	099	105	133	139	167	175*	201	211
032	034	066	070	100	106	134	140	168	176	202	212
033	035	067	071	101	107	135	141	169	177	203	213
034	036	068	072	102	108	136	142	170	178	204	214

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

Hospital Diagnosis Groups (continued)

LIST A

Old	New
205	215
206	216
207	217
208	218
209	219
210	220
211	224*
212	225
213	226
214	227
215	228
216	229
217	230
218	231
219	232
220	233
221	234
222	235
223	236
224	237
225	238
226	239
227	240
228	241
229	242
230	243
231	244
232	245
233	246
234	248*
235	249
236	250
237	251
238	252
239	253
240	254
241	255
242	256
243	257
244	258
245	259
246	260
247	261
248	262
249	263
250	264*
251	265
252	266
253	267
254	268
255	269
256	270
257	271
258	272
259	273
260	274
261	275
262	276
263	277
264	278
265	279
266	280
267	281
268	282
269	283
270	284
271	285
272	286
273	287
274	288
275	289
276	290
277	291
278	292
279	293
280	294
281	295
282	296
283	297
284	298
285	299
286	300
287	301
288	302
289	303
290	304
291	305
292	306
293	307
294	308
295	310*
296	311
297	312
298	314*
299	315
300	316
301	317
302	318
303	319
304	320
305	321
306	322
307	323
308	324
309	325
310	326
311	327
312	328
313	329
314	330
315	331
316	331
317	332
318	333
319	334
320	335
321	336
322	337
323	338
324	339
325	340
326	341
327	342
328	345*
329	346
330	347
331	348
332	349
333	350
334	351
335	352
336	353
337	354
338	355
339	356
340	357
341	359*
342	360*
343	361
344	362
345	363
346	364
347	365
348	366
349	367
350	368
351	369
352	370
353	371
354	372
355	373
356	374
357	375
358	376
359	377
360	378
361	379
362	380
363	381
364	382
365	384*
366	385
367	386
368	387
369	388
370	389
371	390
372	391
373	392
374	393
375	394
376	395
377	396
378	397
379	397
380	398
381	399
382	400
383	401
384	402
385	403
386	404
387	405
388	406
389	407
390	408
391	409
392	410
393	411
394	412
395	413
396	414
397	415
398	417*

*See List A Appendix for explanation of revised diagnosis code inclusions for this group.

A. Hospital Diagnosis Groups (List A) - APPENDIX

List A Group OLD	 NEW	Except for Diagnosis Code(s)	Now in LIST A:
001	002	008.6, 008.8	001
017	019	136.3	018
047	050	204.0	049
048	052	205.0	051
073	078	250.70-250.71	077
090	097	290.10-290.13	095
110	117	309.0-309.1	116
111	118	311	116
139	146	403.0-403.9	145
150	158	425.0-425.9	157
164	172	440.2	171
167	175	444.22	171
179	188	481-482.9	187
186	196	518.81-518.82	195
211	224	564.1;	221
		555.0-556;	222
		567.0-567.9	223
234	248	599.0	247
250	264	626.8	263
295	310	707.0-707.9	309
298	314	715.15-715.16, 715.25-715.26, 715.35-715.36, 715.95-715.96	313
328	345	765.00-765.19;	343
		773.0-774.9	344
341	359	800.0-800.9 with 5th digit 4, 5, 803.0-803.9 with 5th digit 4, 5	358
342	360	801.0-801.9 with 5th digit 4, 5	358
365	384	851.0-854.1 with 5th digit 4, 5	383
398	417	V58.1	416

B. Hospital Procedure Groups (List B)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**	**Old**	**New**
501	501	535	534	569	568	603	604	637	642	671	679
502	502	536	535	570	569	604	604	638	644*	672	680
503	503	537	536	571	570	605	605	639	645	673	681
504	504	538	537	572	572	606	606	640	646	674	682
505	505*	539	538	573	573	607	607	641	647	675	683
506	506	540	539	574	574	608	608	642	648	676	684
507	507	541	540	575	575*	609	609	643	649	677	685
508	508	542	541	576	576	610	610	644	650	678	686
509	509	543	542	577	577	611	611	645	651	679	687
510	510	544	543	578	578*	612	612	646	653*	680	688
511	511	545	544	579	582	613	613*	647	654	681	689
512	512	546	545	580	579	614	614	648	655	682	690
513	513	547	546	581	582*	615	615	649	656	683	691
514	514	548	547	582	583	616	616	650	657	684	692
515	515	549	548	583	584	617	619*	651	658	685	693
516	516	550	549	584	588	618	620*	652	659	686	694
517	517	551	550	585	585	619	621	653	660	687	695
518	518	552	551	586	586	620	622	654	661	688	696
519	519	553	552	587	588*	621	623	655	662	689	697
520	520	554	553	588	589	622	624	656	663	690	698
521	521	555	554	589	590	623	625	657	664	691	699
522	522	556	555	590	591	624	626	658	666*	692	700
523	523	557	556	591	592	625	627	659	667	693	701
524	524	558	557	592	593	626	628	660	668	694	702
525	525	559	558	593	594	627	629	661	669	695	703
526	526	560	559	594	595	628	630	662	670	696	704
527	527	561	560	595	596	629	631	663	671	697	705
528	528	562	561*	596	597*	630	632	664	672	698	706
529	529	563	562	597	598	631	633	665	673	699	707
530	530	564	563	598	599	632	636*	666	674	700	708
531	530	565	564	599	600	633	637	667	675	701	709
532	531	566	565	600	601	634	638	668	676	702	710
533	532	567	566	601	602	635	640*	669	677	703	712*
534	533	568	567	602	603	636	641	670	678	704	713

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (Continued)

LIST B		LIST B		LIST B		LIST B		LIST B		LIST B	
Old	New	Old	New	Old	New	Old	New	Old	New	Old	New
705	715*	716	727	727	742	738	753	749	765	760	778*
706	717*	717	729*	728	743	739	754	750	766	761	779
707	718	718	730	729	744	740	755	751	767	762	780
708	719	719	732*	730	745	741	756	752	768	763	781
709	720	720	733	731	746	742	757	753	769	764	783*
710	721	721	734	732	747	743	758	754	770		
711	722	722	735	733	748	744	759	755	771		
712	723	723	736	734	749	745	760	756	772		
713	724	724	738*	735	750	746	761	757	773		
714	726*	725	740*	736	751	747	762	758	775*		
715	726*	726	741	737	752	748	764*	759	776		

*See List B Appendix for explanation of revised procedure code inclusions for this group.

B. Hospital Procedure Groups (List B) - APPENDIX

List B Group			Now in
OLD	NEW	Except for Procedure Code(s)	LIST B:
505	505	02.2	504
562	561	31.1	560
575	575	36.00-36.02,36.04-36.09	571
578	578	39.27	580
581	582	39.42-39.43, 39.93-39.94;	580
		38.12	581
587	588	38.93	587
596	597	44.21-44.29	596
613	613	49.49	612
617	619	51.96, 51.98;	617
		51.97	618
618	620	52.91	618
632	636	55.03-55.04;	634
		55.6	635
635	640	56.0	639
638	644	57.0	643
646	653	59.95-59.96	652
658	666	64.95, 64.97	665
703	712	77.05, 77.15, 77.25, 77.35	711
705	715	77.45, 77.65, 77.75, 77.85, 77.95, 79.65	714
706	717	78.05, 78.15, 78.25, 78.35, 78.45, 78.55, 78.75, 78.85, 78.95, 79.95	716
714	726	79.75	725
715	726	79.85	725
717	729	80.52	728
719	732	80.20-80.29	731
724	738	81.41	737
725	740	81.31, 81.48, 81.71, 81.81, 81.84, 81.86	739
748	764	86.22	763
758	775	87.03, 87.41, 87.71, 88.01, 88.38	774
760	778	93.90-93.92	777
764	783	89.61-89.69	782